

More citations from academic journals

Arnanz, María Andrea, María Ferrer, María Teresa Grande, Samuel Ruiz de Martín Esteban, Gonzalo Ruiz-Pérez, Benjamin F. Cravatt, Ricardo Mostany, Víctor Javier Sánchez-Arévalo Lobo, Julián Romero, and Ana María Martínez-Relimpio. "Fatty Acid Amide Hydrolase Gene Inactivation Induces Hetero-Cellular Potentiation of Microglial Function in the 5xFAD Mouse Model of Alzheimer's Disease." *Glia* 73, no. 2 (2025): 352–67. <https://doi.org/10.1002/glia.24638>.

Brill, Julia, and David J. Linden. "Chronic Aromatase Inhibition Attenuates Synaptic Plasticity in Ovariectomized Mice." *eNeuro* 11, no. 11 (November 1, 2024). <https://doi.org/10.1523/ENEURO.0346-24.2024>.

Ceballos, Cesar C., Lei Ma, Maozhen Qin, and Haining Zhong. "Widespread Co-Release of Glutamate and GABA throughout the Mouse Brain." *Communications Biology* 7, no. 1 (November 13, 2024): 1–10. <https://doi.org/10.1038/s42003-024-07198-y>.

Cloves, Matilda, and Troy W. Margrie. "In Vivo Dual-Plane 3-Photon Microscopy: Spanning the Depth of the Mouse Neocortex." *Biomedical Optics Express* 15, no. 12 (December 1, 2024): 7022–34. <https://doi.org/10.1364/BOE.544383>.

Davidson, Andrew M., Hernán Mejía-Gómez, Bryn M. Wooten, Sharai Marqués, Michael Jacobowitz, Irene F. Ugidos, and Ricardo Mostany. "Differences in Motor Learning-Related Structural Plasticity of Layer 2/3 Parvalbumin-Positive Interneurons of the Young and Aged Motor Cortex." *GeroScience*, September 30, 2024. <https://doi.org/10.1007/s11357-024-01350-6>.

Ducote, Alexis Lionel, Rebecca Lynn Voglewede, and Ricardo Mostany. "Dendritic Spines of Layer 5 Pyramidal Neurons of the Aging Somatosensory Cortex Exhibit Reduced Volumetric Remodeling." *Journal of Neuroscience* 44, no. 50 (December 11, 2024). <https://doi.org/10.1523/JNEUROSCI.1378-24.2024>.

Gonzalez, Kevin C., Adrian Negrean, Zhenrui Liao, Satoshi Terada, Guofeng Zhang, Sungmoo Lee, Katalin Ocsai, et al. "Synaptic Basis of Feature Selectivity in Hippocampal Neurons." *Nature*, December 18, 2024, 1–9. <https://doi.org/10.1038/s41586-024-08325-9>.

Gou, Tong, Catherine A. Matulis, and Damon A. Clark. "Adaptation to Visual Sparsity Enhances Responses to Isolated Stimuli." *Current Biology* 34, no. 24 (December 16, 2024): 5697–5713.e8. <https://doi.org/10.1016/j.cub.2024.10.053>.

Guralnik, Ezra, Behnam Tayebi, Yi Yuan, Justin Little, Michal Balberg, and Shy Shoham. "Ultrasound-Modulation Assisted Multiphoton Imaging." *Advanced Photonics* 6, no. 6 (November 2024): 066003. <https://doi.org/10.1117/1.AP.6.6.066003>.

Haetzel, Laura M., Jillian Iafrati, Katherine R. Cording, Mahmoud Farhan, Sasan D. Noveir, Gavin Rumbaugh, and Helen S. Bateup. "Haploinsufficiency of Syngap1 in Striatal Indirect Pathway Neurons Alters Motor and Goal-Directed Behaviors in Mice." *Journal of Neuroscience* 44, no. 48 (November 27, 2024). <https://doi.org/10.1523/JNEUROSCI.1264-23.2024>.

"Haploinsufficiency of *Syngap1* in Striatal Indirect Pathway Neurons Alters Motor and Goal-Directed Behaviors in Mice." *The Journal of Neuroscience* 44, no. 48 (November 27, 2024): e1264232024. <https://doi.org/10.1523/JNEUROSCI.1264-23.2024>.

Hebert, Eric, and Chris Xu. "Improving the Scan Throughput of Polygon Scanners." *Biomedical Optics Express* 15, no. 11 (November 1, 2024): 6549–60. <https://doi.org/10.1364/BOE.538757>.

Hozhabri, Ellie, Ariadna Corredera Asensio, Margot Elmaleh, Jeong Woo Kim, Matthew B. Phillips, Paul W. Frazel, Jordane Dimidschstein, Gord Fishell, and Michael A. Long. "Differential Behavioral Engagement of Inhibitory Interneuron Subtypes in the Zebra Finch Brain." *Neuron* 0, no. 0 (December 6, 2024). <https://doi.org/10.1016/j.neuron.2024.11.003>.

Khan, Hammad F., Sayan Dutta, Alicia N. Scott, Shulan Xiao, Saumitra Yadav, Xiaoling Chen, Uma K. Aryal, Tamara L. Kinzer-Ursem, Jean-Christophe Rochet, and Krishna Jayant. "Site-Specific Seeding of Lewy Pathology Induces Distinct Pre-Motor Cellular and Dendritic Vulnerabilities in the Cortex." *Nature Communications* 15, no. 1 (December 30, 2024): 10775. <https://doi.org/10.1038/s41467-024-54945-0>.

Khilkevich, Andrei, Michael Lohse, Ryan Low, Ivana Orsolich, Tadej Bozic, Paige Windmill, and Thomas D. Mrsic-Flogel. "Brain-Wide Dynamics Linking Sensation to Action during Decision-Making." *Nature* 634, no. 8035 (October 2024): 890–900. <https://doi.org/10.1038/s41586-024-07908-w>.

LaFosse, Paul K., Zhishang Zhou, Jonathan F. O'Rawe, Nina G. Friedman, Victoria M. Scott, Yanting Deng, and Mark H. Histed. "Cellular-Resolution Optogenetics Reveals Attenuation-by-Suppression in Visual Cortical Neurons." *Proceedings of the National Academy of Sciences* 121, no. 45 (November 5, 2024): e2318837121. <https://doi.org/10.1073/pnas.2318837121>.

Lee, Kuo-Sheng, Alastair J. Loutit, Dominica de Thomas Wagner, Mark Sanders, and Daniel Huber. "Emergence of a Brainstem Somatosensory Tonotopic Map for Substrate Vibration." *Nature Neuroscience* 28, no. 1 (January 2025): 97–104. <https://doi.org/10.1038/s41593-024-01821-1>.

Liu, Jinfeng, Jincheng Zhong, Sijia Tang, Jie Huang, Yingxian Zhang, Ping Qiu, and Ke Wang. "Polarization Multiplexed 2200-Nm Soliton Generation and Its Application to 3-Photon Microscopy." *Optics Express* 32, no. 27 (December 30, 2024): 48226–33. <https://doi.org/10.1364/OE.544911>.

Livezey, Jesse A., Pratik S. Sachdeva, Maximilian E. Dougherty, Mathew T. Summers, and Kristofer E. Bouchard. "The Geometry of Correlated Variability Leads to Highly Suboptimal Discriminative Sensory Coding." *Journal of Neurophysiology* 133, no. 1 (January 2025): 124–41. <https://doi.org/10.1152/jn.00313.2024>.

Locantore, Julianna R., Yijun Liu, Jesse White, Janet Berrios Wallace, Celia C. Beron, Emily Kraft, Bernardo L. Sabatini, and Michael L. Wallace. "Mixed Representations of Choice Direction and Outcome by GABA/Glutamate Cotransmitting Neurons in the Entopeduncular Nucleus." *eLife* 13 (January 6, 2025). <https://doi.org/10.7554/eLife.100488.2>.

Morikawa, Rei, Tiago M. Rodrigues, Helene Marianne Schreyer, Cameron S. Cowan, Sarah Nadeau, Alexandra Graff-Meyer, Claudia P. Patino-Alvarez, Mohammad Hossein Khani, Josephine Jüttner, and Botond Roska. "The Sodium-Bicarbonate Cotransporter Slc4a5 Mediates Feedback at the First Synapse of Vision." *Neuron* 112, no. 22 (November 20, 2024): 3715–3733.e9. <https://doi.org/10.1016/j.neuron.2024.08.015>.

Moya-Díaz, José, Patrício Simões, and Leon Lagnado. "Substance P and Dopamine Form a 'Push-Pull' System That Diurnally Regulates Retinal Gain." *Current Biology* 34, no. 21 (November 4, 2024): 5028–5039.e3. <https://doi.org/10.1016/j.cub.2024.09.048>.

Noorman, Marcella, Brad K. Hulse, Vivek Jayaraman, Sandro Romani, and Ann M. Hermundstad. "Maintaining and Updating Accurate Internal Representations of Continuous Variables with a Handful of Neurons." *Nature Neuroscience* 27, no. 11 (November 2024): 2207–17. <https://doi.org/10.1038/s41593-024-01766-5>.

Normoyle, Kieran P., Kyle P. Lillis, Kiyoshi Egawa, Melanie A. McNally, Mousumi Paulchakrabarti, Biswa P. Coudhury, Lauren Lau, Fu Hung Shiu, and Kevin J. Staley. "Displacement of Extracellular Chloride by Immobile Anionic Constituents of the Brain's Extracellular Matrix." *The Journal of Physiology* 603, no. 2 (2025): 353–78. <https://doi.org/10.1113/JP285463>.

Shiga, Yukihiro, Aline Giselle Rangel Olguin, Sana El Hajji, Nicolas Belforte, Heberto Quintero, Florence Dotigny, Luis Alarcon-Martinez, Arjun Krishnaswamy, and Adriana Di Polo. "Endoplasmic Reticulum Stress-Related Deficits in Calcium Clearance Promote Neuronal Dysfunction That Is Prevented by SERCA2 Gene Augmentation." *Cell Reports Medicine* 5, no. 12 (December 17, 2024). <https://doi.org/10.1016/j.xcrm.2024.101839>.

"The Sperm Hook as a Functional Adaptation for Migration and Self-Organized Behavior | eLife." Accessed January 18, 2025. <https://elifesciences.org/articles/96582>.

Tong, Shen, Hongji Liu, Jie Huang, Jincheng Zhong, Jiemei Yan, Heng Wang, Xiao Zhang, Ping Qiu, and Ke Wang. "In Vivo Three-Photon Fluorescence Imaging of Mouse Brain Vasculature Labeled by Evans Blue Excited at the NIR-III Window." *Biomedical Optics Express* 16, no. 1 (January 1, 2025): 257–66. <https://doi.org/10.1364/BOE.545987>.

Wahl, Anna-Sophia, Hendrik Heiser, Filippo Kiessler, Adrian Roggenbach, Victor Ibanez, Martin Wieckhorst, Fritjof Helmchen, and Julijana Gjorgjieva. "Brain-Wide Microstrokes Affect the Stability of Memory Circuits in the Hippocampus." Research Square, October 17, 2024. <https://doi.org/10.21203/rs.3.rs-5102494/v1>.

Walters, Brittany N., Zachary D. Whiddon, Aaron W. McGee, and Robin F. Krimm. "Longitudinal Imaging of the Taste Bud in Vivo with Two-Photon Laser Scanning Microscopy." *PLOS ONE* 19, no. 12 (December 13, 2024): e0309366. <https://doi.org/10.1371/journal.pone.0309366>.

Xiang, Ruijie, Yong Guo, Wei Yan, Xiao Peng, and Junle Qu. "A Multifunctional Fluorescence Imaging Control System by LabVIEW." In *Seventeenth International Conference on Photonics and Imaging in Biology and Medicine (PIBM 2024)*, 13507:30–36. SPIE, 2025. <https://doi.org/10.1117/12.3056644>.

Zhou, Hang, Viola Neudecker, Jose F. Perez-Zoghbi, Ansgar M. Brambrink, and Guang Yang. "Age-Dependent Cerebral Vasodilation Induced by Volatile Anesthetics Is Mediated by NG2+ Vascular Mural Cells." *Communications Biology* 7, no. 1 (November 15, 2024): 1–16. <https://doi.org/10.1038/s42003-024-07200-7>.

Bartolomei, Giulia Di, Raul Ortiz, Dietmar Schreiner, Susanne Falkner, Esther E. Creemers, and Peter Scheiffele. "Dilated Cardiomyopathy-Associated RNA Binding Motif Protein 20 Regulates Long Pre-mRNAs in Neurons." *eLife* 14 (January 8, 2025). <https://doi.org/10.7554/eLife.104808.1>.

Bhembre, Nishita, Annalisa Paolino, Sooraj S. Das, Sumasri Guntupalli, Laura R. Fenlon, and Victor Anggono. "Learning-Induced Remodelling of Inhibitory Synapses in the Motor Cortex." *Open Biology* 14, no. 11 (November 13, 2024): 240109. <https://doi.org/10.1098/rsob.240109>.

Biscola, Natalia P., Petra M. Bartmeyer, Youssef Beshay, Esther Stern, Plamen V. Mihaylov, Terry L. Powley, Matthew P. Ward, and Leif A. Havton. "Laterality, Sexual Dimorphism, and Human Vagal Projectome Heterogeneity Shape Neuromodulation to Vagus Nerve Stimulation." *Communications Biology* 7, no. 1 (November 19, 2024): 1–14. <https://doi.org/10.1038/s42003-024-07222-1>.

Cui, Jing, Xiao-ran Wang, Jie Yu, Bo-rui Zhang, Ya-fei Shi, Kwok-Fai So, Li Zhang, and Ji-an Wei. "Neuropeptide-Mediated Activation of Astrocytes Improves Stress Resilience in Mice by Modulating Cortical Neural Synapses." *Acta Pharmacologica Sinica*, December 6, 2024, 1–13. <https://doi.org/10.1038/s41401-024-01420-7>.

Dai, Zhenzhu, Yanzi Yu, Ruhai Chen, Hongyao Zhu, Hin Fong, Junxin Kuang, Yunbo Jiang, et al. "Selenium Promotes Neural Development through the Regulation of GPX4 and SEPP1 in an iPSC-Derived Neuronal Model." *Biomaterials* 316 (May 1, 2025): 123011. <https://doi.org/10.1016/j.biomaterials.2024.123011>.

Drake, Austin W., Lilian G. Jerow, Justin V. Ruksenas, Carlie McCoy, and Steve C. Danzer. "Somatostatin Interneuron Fate-Mapping and Structure in a Pten Knockout Model of Epilepsy." *Frontiers in Cellular Neuroscience* 18 (October 21, 2024). <https://doi.org/10.3389/fncel.2024.1474613>.

Fuller, Margaret J., Noah R. R. Andrys, Subhash C. Gupta, Ali Ghobbeh, Collin J. Kreple, Rong Fan, Rebecca J. Taugher-Hebl, Jason J. Radley, Ryan T. Lalumiere, and John A. Wemmie. "The Role of Acid-Sensing Ion Channel 1A (ASIC1A) in the Behavioral and Synaptic Effects of Oxycodone and Other Opioids." *International Journal of Molecular Sciences* 25, no. 21 (January 2024): 11584. <https://doi.org/10.3390/ijms252111584>.

Gutjahr, Ruth, Maximilian S. Bothe, Thorin Jonsson, and Boris P. Chagnaud. "Diversification of Pectoral Control through Motor Pool Extension." *Proceedings of the National Academy of Sciences* 121, no. 49 (December 3, 2024): e2413415121. <https://doi.org/10.1073/pnas.2413415121>.

Hoffe, Brendan Harvey. "An Investigation into the Hyperacute Neuronal Consequences Following Impact to the Porcine Brain Using an Ex Vivo Model of Brain Impact." Carleton University, September 5, 2024.

Iyer, Asha, Lee O. Vaasjo, Verl B. Siththanandan, Rajan K. C, Abbigail Thurmon, Mauren Akumuo, Victoria Lu, et al. "miR-193b-365 Microcluster Downstream of Fezf2 Coordinates Neuron-Subtype Identity and Dendritic Morphology in Cortical Projection Neurons." *iScience* 27, no. 12 (December 20, 2024).

<https://doi.org/10.1016/j.isci.2024.111500>.

Jiang, Xinxin, Min Sun, Yitong Yan, Yanhua Wang, Xinyu Fan, Jing Wei, Ke Wang, et al. "Corticostriatal Glutamate-Mediated Dynamic Therapeutic Efficacy of Electroacupuncture in a Parkinsonian Rat Model." *Clinical and Translational Medicine* 14, no. 12 (2024): e70117. <https://doi.org/10.1002/ctm2.70117>.

Li, Yinhua, Zichun Wei, Yunge Jia, Wei Hou, Yu Wang, Chenxu Rao, Ximeng Xu, et al. "Aging-Related NADPH Diaphorase Positive Neurodegenerations in the Sacral Spinal Cord of Aged Non-Human Primates." *Scientific Reports* 14, no. 1 (November 8, 2024): 27168. <https://doi.org/10.1038/s41598-024-77974-7>.

Marcassa, Gabriele, Dan Dascenco, Blanca Lorente-Echeverria, Danie Daaboul, Jeroen Vandenstein, Elke Leysen, Lucas Baltussen, Andrew J. M. Howden, and Joris de Wit. "Synaptic Signatures and Disease Vulnerabilities of Layer 5 Pyramidal Neurons." *Nature Communications* 16, no. 1 (January 2, 2025): 228. <https://doi.org/10.1038/s41467-024-55470-w>.

Nemeth, Daniel P., Xiaoyu Liu, Marianne C. Monet, Haichen Niu, Gabriella Maxey, Matt S. Schrier, Maria I. Smirnova, et al. "Localization of Brain Neuronal IL-1R1 Reveals Specific Neural Circuitries Responsive to Immune Signaling." *Journal of Neuroinflammation* 21, no. 1 (November 19, 2024): 303.

<https://doi.org/10.1186/s12974-024-03287-1>.

Ng, Bernard, Shinya Tasaki, Kelsey M. Greathouse, Courtney K. Walker, Ada Zhang, Sydney Covitz, Matt Cieslak, et al. "Integration across Biophysical Scales Identifies Molecular and Cellular Correlates of Person-to-Person Variability in Human Brain Connectivity." *Nature Neuroscience* 27, no. 11 (November 2024): 2240–52. <https://doi.org/10.1038/s41593-024-01788-z>.

Soleimani, Mohammad, Seyed Mahbod Baharnoori, Hamed Massoumi, Kasra Cheraqpour, Hassan Asadigandomani, Arash Mirzaei, Mohammad Javad Ashraf, et al. "A Deep Dive into Radiation Keratopathy; Going beyond the Current Frontiers." *Experimental Eye Research* 251 (February 1, 2025): 110234. <https://doi.org/10.1016/j.exer.2025.110234>.

Wang, Yu, Ying Bai, Yang Cai, Yuan Zhang, Ling Shen, Wen Xi, Zhongqiu Zhou, et al. "Circular RNA SCMH1 Suppresses KMO Expression to Inhibit Mitophagy and Promote Functional Recovery Following Stroke." *Theranostics* 14, no. 19 (October 28, 2024): 7292–7308. <https://doi.org/10.7150/thno.99323>.

Yazi, Sevdenur, Umit S. Sehirli, Rezzan Gulhan, Filiz Onat, and Ozlem Kirazli. "Evaluation of Dendrite Morphology in Wistar and Genetic Absence Epileptic Rats." *Brain Structure and Function* 230, no. 1 (December 16, 2024): 5. <https://doi.org/10.1007/s00429-024-02868-3>.

Zhang, Weifang, and Qin Zhou. "Fructus Arctii Mitigates Depressive Disorder via the Let-7e-Modulated Toll-Like Receptor (TLR) Signaling Pathway." *Brain and Behavior* 14, no. 11 (2024): e70132. <https://doi.org/10.1002/brb3.70132>.

Brunner, J., Arszovszki, A., Tarcsay, G., & Szabadics, J. (2024). Axons compensate for biophysical constraints of variable size to uniformize their action potentials. *PLOS Biology*, 22(12), e3002929. <https://doi.org/10.1371/journal.pbio.3002929>

Dougalis, A., Abushik, P., Pelkonen, A., Giudice, L., Gómez-Budia, M., Novosolova, N., Välimäki, N.-N., Rezaie, M., Nurkhametova, D., Giniatullina, R., Shakirzyanova, A., Mali, A., Rauramaa, T., Stevens, B., Hiltunen, M., Leinonen, V., & Malm, T. (2025). *Early amyloid spine response and impaired synaptic transmission of pyramidal neurons in human biopsies with Alzheimer's Disease-related pathology* (p.

2025.01.07.630516). bioRxiv. <https://doi.org/10.1101/2025.01.07.630516>

Gaire, S., Yang, H., Dumre, M., Lee, E. J., Park, S.-M., & Joe, E.-H. (2024). Systemic Inflammation Decreases Initial Brain Injury but Attenuates Neurite Extension and Synapse Formation during the Repair of Injured Brains. *Experimental Neurobiology*, 33(5), 251–262. <https://doi.org/10.5607/en24018>

García-Marqués, J. (n.d.). *Lineage Tracing*. Springer Nature.

Höltje, M., Wolkowicz, A., Brunk, I., Baron, J., & Ahnert-Hilger, G. (n.d.). $G\alpha 1$ and $G\alpha 1/G\alpha 2$ deletion differentially affect hippocampal mossy fiber tract anatomy and neuronal morphogenesis. *Journal of Neurochemistry*, n/a(n/a). <https://doi.org/10.1111/jnc.16248>

Iyer, A., Vaasjo, L. O., Siththanandan, V. B., C. R. K., Thurmon, A., Akumuo, M., Lu, V., Nnebe, C., Nair, R., Galazo, M. J., & Tharin, S. (2024). miR-193b-365 microcluster downstream of Fezf2 coordinates neuron-subtype identity and dendritic morphology in cortical projection neurons. *iScience*, 27(12). <https://doi.org/10.1016/j.isci.2024.111500>

Kowalczyk, M., Lee, Y.-J., & Huang, W.-H. (2025). TSC2-mTORC1 axis regulates morphogenesis and neurological function of Gli1+ adult-born dentate granule cells. *Molecular Biology of the Cell*, 36(1), br1. <https://doi.org/10.1091/mbc.E24-08-0366>

Kraatz, G., Xie, H. T. H., Long, H., & Walker, C.-D. (n.d.). Neonatal estradiol and early adversity interact to modify basolateral amygdala morphology and adult behavior in female rats. *Journal of Neuroendocrinology*, n/a(n/a), e13483. <https://doi.org/10.1111/jne.13483>

Layous, R., Tamas, B., Mike, A., Sipos, E., Arszovszki, A., Brunner, J., Szatai, A., Yaseen, F., Andrasi, T., & Szabadics, J. (2025). *Optical recordings of unitary synaptic connections reveal high and random local connectivity between CA3 pyramidal cells* (p. 2025.01.15.633173). bioRxiv. <https://doi.org/10.1101/2025.01.15.633173>

Milligan, C., Cowley, D. O., Stewart, W., Curry, A. M., Forbes, E., Rector, B., Hastie, A., Liu, L., & Hawkins, G. A. (2025). Enhanced Interleukin 6 Trans-Signaling Modulates Disease Process in Amyotrophic Lateral Sclerosis Mouse Models. *Brain Sciences*, 15(1), Article 1. <https://doi.org/10.3390/brainsci15010084>

Peng, Y., Wang, E., Shen, Z., Shi, S.-H., & Ma, J. (2025). In Vivo Clonal Analysis Using MADM with Spatiotemporal Specificity. In J. García-Marqués & T. Lee (Eds.), *Lineage Tracing: Methods and Protocols* (pp. 265–279). Springer US. https://doi.org/10.1007/978-1-0716-4310-5_13

Qi, G., Yang, D., Messori, F., Bast, A., Yáñez, F., Oberlaender, M., & Feldmeyer, D. (2025). FOXP2-immunoreactive corticothalamic neurons in neocortical layers 6a and 6b are tightly regulated by neuromodulatory systems. *iScience*, 28(1). <https://doi.org/10.1016/j.isci.2024.111646>

Romani, A., Antonietti, A., Bella, D., Budd, J., Giacalone, E., Kurban, K., Sáray, S., Abdallah, M., Arnaudon, A., Boci, E., Colangelo, C., Courcol, J.-D., Delemontex, T., Ecker, A., Falck, J., Favreau, C., Gevaert, M., Hernando, J. B., Herttuainen, J., ... Markram, H. (2024).

Community-based reconstruction and simulation of a full-scale model of the rat hippocampus CA1 region. *PLOS Biology*, 22(11), e3002861. <https://doi.org/10.1371/journal.pbio.3002861>

Smith, S. N. (2024, August 19). *Long-Term Impacts of Bupropion Exposure during Critical Developmental Periods on Reward Learning*. Carleton University.

Soleimani, M., Baharnoori, S. M., Massoumi, H., Cheraqpour, K., Asadigandomani, H., Mirzaei, A., Ashraf, M. J., Koganti, R., Chaudhuri, M., Ghassemi, M., Jalilian, E., & Djalilian, A.

R. (2025). A deep dive into radiation keratopathy; Going beyond the current frontiers.

Experimental Eye Research, 251, 110234. <https://doi.org/10.1016/j.exer.2025.110234>

Son, G., Na, Y., Kim, Y., Son, J.-H., Clemenson, G. D., Schafer, S. T., Yoo, J.-Y., Parylak, S. L.,

Paquola, A., Do, H., Kim, D., Ahn, I., Ju, M., Kang, C. S., Ju, Y., Jung, E., McDonald, A. H., Park, Y., Kim, G., ... Han, J. (2024). miR-124 coordinates metabolic regulators acting at early stages of human neurogenesis. *Communications Biology*, 7(1), 1–14. <https://doi.org/10.1038/s42003-024-07089-2>

Souza, G. M. P. R., Stornetta, D. S., & Abbott, S. B. G. (2025). Interactions between Arousal State and CO₂ Determine the Activity of Central Chemoreceptor Neurons That Drive Breathing. *Journal of Neuroscience*, 45(1). <https://doi.org/10.1523/JNEUROSCI.1587-24.2024>

Walters, B. N., Whiddon, Z. D., McGee, A. W., & Krimm, R. F. (2024). Longitudinal imaging of the taste bud in vivo with two-photon laser scanning microscopy. *PLOS ONE*, 19(12), e0309366. <https://doi.org/10.1371/journal.pone.0309366>

Yu, H., Nagi, S. S., Usoskin, D., Hu, Y., Kupari, J., Bouchatta, O., Yan, H., Cranfill, S. L.,

Gautam, M., Su, Y., Lu, Y., Wymer, J., Glanz, M., Albrecht, P., Song, H., Ming, G.-L., Prouty, S., Seykora, J., Wu, H., ... Luo, W. (2024). Leveraging deep single-soma RNA sequencing to explore the neural basis of human somatosensation. *Nature Neuroscience*, 27(12), 2326–2340. <https://doi.org/10.1038/s41593-024-01794-1>

Ryan, Michael B., Allison E. Girasole, Andrew J. Flores, Emily L. Twedell, Matthew M. McGregor, Rea Brakaj, Ronald F. Paletzki, Thomas S. Hnasko, Charles R. Gerfen, and Alexandra B. Nelson. "Excessive Firing of Dyskinesia-Associated Striatal Direct Pathway Neurons Is Gated by Dopamine and Excitatory Synaptic Input." *Cell Reports* 43, no. 8 (August 27, 2024). <https://doi.org/10.1016/j.celrep.2024.114483>.

Akkulah, C. Y., Erginer, M., Cumbul, A., Kirtel, O., Bayram, F., & Toksoy Öner, E. (2025). Enhanced effects of levan hydrogels and bovine grafts on guided bone regeneration: *In-vitro* and *in-vivo* analysis. *Akkulah, International Journal of Biological Macromolecules*, 292, 139129. <https://doi.org/10.1016/j.ijbiomac.2024.139129>

Alexandris, A. S., Rafaels, K., Horsmon, M., Wozniak, S., Belamarich, J., Flores, P., Frangakis, C. E., Ryu, J., Iacono, D., Perl, D., & Koliatsos, V. E. (2024). Diffuse Axonal and Vascular Pathology in the Gyrencephalic Brain after High-Energy Blunt Injury: Clinicopathological Correlations Involving the Brainstem. *Journal of Neurotrauma*. <https://doi.org/10.1089/neu.2024.0306>

Balzano, T. (n.d.). *Experimental and Clinical Methods in Hepatic Encephalopathy Research*. Springer Nature.

Balzano, T., Pineda-Pardo, J. A., Esteban-García, N., López-Aguirre, M., Reinares-Sebastián, A., Trigo-Damas, I., Takada, M., Obeso, J. A., & Blesa, J. (2025). Temporal dynamics of neurovascular unit changes following blood-brain barrier opening in the putamen of non-human primates. *Journal of Controlled Release*, 377, 116–126. <https://doi.org/10.1016/j.jconrel.2024.11.019>

Barapatre, N., Hansen, L., Kampfner, C., Rübeldmann, T., Schmitz, C., von Koch, F., & Frank, H. G. (2024). Trophoblast proliferation is higher in female than in male preeclamptic placentas. *Placenta*, 158, 310–317. <https://doi.org/10.1016/j.placenta.2024.10.016>

Chen, G., Wang, M., Zhang, Z., Hong, D. K., Ahn, E. H., Liu, X., Kang, S. S., & Ye, K. (2025). ApoE3 R136S binds to Tau and blocks its propagation, suppressing neurodegeneration in mice with Alzheimer's disease. *Neuron*, 0(0). <https://doi.org/10.1016/j.neuron.2024.12.015>

Chen, J., Ling, Z., Lv, M. K., Xu, W., Chen, S. Z., Shao, L., Ma, Z. F., Wang, C. X., Song, Y. J., & Tang, C. X. (2024). *GDNF alleviates depression in Parkinson's disease by inhibiting α -synuclein aggregation and facilitating DA transmission from VTA to NAc*. Research Square. <https://doi.org/10.21203/rs.3.rs-5365953/v1>

de Moura Gomes, A., L. Petkau, T., J. Korecki, A., Fornes, O., Galvan, A., Lu, G., M. Hill, A., Ling Lam, S., Yao, A., A. Farkas, R., W. Wasserman, W., Smith, Y., M. Simpson, E., & R. Leavitt, B. (2024). New MiniPromoter Ple38g (ADORA2A) drives selective expression in medium spiny neurons in mice and non-human primates. *Scientific Reports*, 14(1), 28194. <https://doi.org/10.1038/s41598-024-79004-y>

Errante, E. L., Tigre, J. Y., Schaeffer, E. A., Costello, M. C., Kloehn, A. J., Puerto, A., Khan, A., Pressman, Y., Silvera, R., Sanchez, F. J., Noga, B. R., Dietrich, W. D., Levi, A. D., & Burks, S. S. (2025). Comparison of cellular-based therapies following a long-segmental peripheral nerve defect in a rat model. *PLOS ONE*, 20(1), e0313292. <https://doi.org/10.1371/journal.pone.0313292>

Evans, A. K., Park, H. H., Woods, C. E., Lam, R. K., Rijsketic, D. R., Xu, C., Chu, E. K., Ciari, P., Blumenfeld, S., Vidano, L. M., Saw, N. L., Heifets, B. D., & Shamloo, M. (2024). Impact of noradrenergic inhibition on neuroinflammation and pathophysiology in mouse models of Alzheimer's disease. *Journal of Neuroinflammation*, 21(1), 322. <https://doi.org/10.1186/s12974-024-03306-1>

Ferreira, P. A., Lebre, C., Costa, J., Amaral, F., Ferreira, R., Martinho, F., Paiva, V. H., Cardoso, A. L., Peça, J., & Guedes, J. R. (2025). Early-life IL-4 administration induces long-term changes in microglia in the cerebellum and prefrontal cortex. *Journal of Neurochemistry*, 169(1), e16266. <https://doi.org/10.1111/jnc.16266>

Garcia-Gomara, M., Juan-Palencia, A., Alfaro, M., Cuadrado-Tejedor, M., & Garcia-Osta, A. (2024). Neuroprotective Effects of Dexamethasone in a Neuromelanin-Driven Parkinson's Disease Model. *Journal of Neuroimmune Pharmacology*, 20(1), 2. <https://doi.org/10.1007/s11481-024-10164-4>

Geus, T. de, Franken, G., Zuidema, X., Zundert, J. van, & Joosten, E. A. J. (2024). Structural changes in the nociceptive system induced by long-term conventional spinal cord stimulation in experimental painful diabetic polyneuropathy. *Regional Anesthesia & Pain Medicine*. <https://doi.org/10.1136/rapm-2024-105919>

Gladen-Kolarsky, N., Neff, C. J., Hack, W., Brandes, M. S., Wiedrick, J., Meza-Romero, R., Lockwood, D. R., Quinn, J. F., Offner, H., Vandenbark, A. A., & Gray, N. E. (2025). The CD74 inhibitor DRhQ improves short-term memory and mitochondrial function in 5xFAD mouse model of A β accumulation. *Metabolic Brain Disease*, 40(1), 95. <https://doi.org/10.1007/s11011-024-01433-5>

Grant, M. T., Nelvagal, H. R., Tecos, M., Hamed, A., Swanson, K., Cooper, J. D., & Vrecenak, J. D. (2024). Cellular trafficking and fate mapping of cells within the nervous system after in utero hematopoietic cell transplantation. *Communications Biology*, 7(1), 1–12. <https://doi.org/10.1038/s42003-024-06847-6>

Hara, Y., Yoshizawa, K., Uchida, N., & Muraoka, T. (2025). Thermal Responses and Cell Adhesive Properties of Glycosylated Jigsaw-Shaped Self-Assembling Peptides. *Peptide Science*, 117(1), e24392. <https://doi.org/10.1002/pep2.24392>

Hoffe, B. H. (2024, September 5). *An Investigation into the Hyperacute Neuronal Consequences Following Impact to the Porcine Brain using an Ex Vivo Model of Brain Impact*. Carleton University.

Kim, T. W., Piao, J., Bocchi, V. D., Koo, S. Y., Choi, S. J., Chaudhry, F., Yang, D., Cho, H. S., Hergenreder, E., Perera, L. R., Joshi, S., Mrad, Z. A., Claros, N., Donohue, S. A., Frank, A. K., Walsh, R., Mosharov, E. V., Betel, D., Tabar, V., & Studer, L. (2025). *Enhanced yield and subtype identity of hPSC-derived midbrain dopamine neuron by modulation of WNT and FGF18 signaling* (p. 2025.01.06.631400). bioRxiv. <https://doi.org/10.1101/2025.01.06.631400>

King, A. C., Payne, E., Stephens, E., Fowler, J. A., Wood, T. E., Rodriguez, E., & Gray, M. (2024). Modulation of SNARE-dependent exocytosis in astrocytes improves neuropathology in Huntington's disease. *Disease Models & Mechanisms*, 17(11), dmmo052002. <https://doi.org/10.1242/dmm.052002>

Krivinko, J. M., Fan, P., Sui, Z., Happe, C., Hensler, C., Gilardi, J., Ikonovic, M. D., McKinney, B. C.,

Newman, J., Ding, Y., Wang, L., Sweet, R. A., & MacDonald, M. L. (2024). Age-related loss of large dendritic spines in the precuneus is statistically mediated by proteins which are predicted targets of existing drugs. *Molecular Psychiatry*, 1–9. <https://doi.org/10.1038/s41380-024-02817-w>

Kulik, V., Edler, M. K., Raghanti, M. A., Imam, A., & Sherwood, C. C. (2024). Amyloid-Beta, Tau, and Microglial Activation in Aged Felid Brains. *Journal of Comparative Neurology*, 532(11), e25679. <https://doi.org/10.1002/cne.25679>

Lin, Y.-E., Jaimon, E., Tonelli, F., & Pfeffer, S. R. (2025). Pathogenic LRRK2 mutations cause loss of primary cilia and Neurturin in striatal parvalbumin interneurons. *Life Science Alliance*, 8(1). <https://doi.org/10.26508/lsa.202402922>

Liu, Q., Huang, B., Guiberson, N. G. L., Chen, S., Zhu, D., Ma, G., Ma, X.-M., Crittenden, J. R., Yu, J., Graybiel, A. M., Dawson, T. M., Dawson, V. L., & Xiong, Y. (2024). CalDAG-GEFI acts as a guanine nucleotide exchange factor for LRRK2 to regulate LRRK2 function and neurodegeneration. *Science Advances*, 10(47), eadn5417. <https://doi.org/10.1126/sciadv.adn5417>

Lopez, A., Siddiqi, F. H., Villeneuve, J., Ureshino, R. P., Jeon, H.-Y., Koulousakis, P., Keeling, S., McEwan, W. A., Fleming, A., & Rubinsztein, D. C. (2024). Carbonic anhydrase inhibition ameliorates tau toxicity via enhanced tau secretion. *Nature Chemical Biology*, 1–11. <https://doi.org/10.1038/s41589-024-01762-7>

Massaro Cenere, M., Tiberi, M., Paldino, E., D'Addario, S. L., Federici, M., Giacomet, C., Cutuli, D., Matteocci, A., Cossa, F., Zarrilli, B., Casadei, N., Ledonne, A., Petrosini, L., Berretta, N., Fusco, F. R., Chiurchiù, V., & Mercuri, N. B. (2024). Systemic inflammation accelerates neurodegeneration in a rat model of Parkinson's disease overexpressing human alpha synuclein. *Npj Parkinson's Disease*, 10(1), 1–14. <https://doi.org/10.1038/s41531-024-00824-w>

Mshaymesh, S. (n.d.). Neurotoxic effects of the chemotherapeutic drug "methotrexate": A literature review. *Annals of Medicine and Surgery*, 10.1097/MS9.0000000000002863. <https://doi.org/10.1097/MS9.0000000000002863>

Munoz-Pinto, M. F., Candeias, E., Melo-Marques, I., Esteves, A. R., Maranhã, A., Magalhães, J. D., Carneiro, D. R., Sant'Anna, M., Pereira-Santos, A. R., Abreu, A. E., Nunes-Costa, D., Alarico, S., Tiago, I., Morgadinho, A., Lemos, J., Figueiredo, P. N., Januário, C., Empadinhas, N., & Cardoso, S. M. (2024). Gut-first Parkinson's disease is encoded by gut dysbiome. *Molecular Neurodegeneration*, 19(1), 78. <https://doi.org/10.1186/s13024-024-00766-0>

Poplawski, J., Montina, T., & Metz, G. A. S. (2024). Early life stress shifts critical periods and causes precocious visual cortex development. *PLOS ONE*, 19(12), e0316384. <https://doi.org/10.1371/journal.pone.0316384>

Quan, W., Decker, Y., Luo, Q., Chemla, A., Chang, H.-F., Li, D., Fassbender, K., & Liu, Y. (2024). Deficiency of NLRP3 protects cerebral pericytes and attenuates Alzheimer's pathology in tau-transgenic mice. *Frontiers in Cellular Neuroscience*, 18. <https://doi.org/10.3389/fncel.2024.1471005>

Rao, S. P., Imam-Fulani, A. O., Xie, W., Phillip, S., Chennavajula, K., Lind, E. B., Zhang, Y., Vince, R., Lee, M. K., & More, S. S. (2025). Oral prodrug of a novel glutathione surrogate reverses metabolic dysregulation and attenuates neurodegenerative process in APP/PS1 mice (p. 2025.01.15.633247). bioRxiv. <https://doi.org/10.1101/2025.01.15.633247>

Santoro, M., Lam, R. K., Blumenfeld, S. E., Tan, W., Ciari, P., Chu, E. K., Saw, N. L., Rijsketic, D. R., Lin, J. S., Heifets, B. D., & Shamloo, M. (2024). Mapping of catecholaminergic denervation, neurodegeneration, and inflammation in 6-OHDA-treated Parkinson's disease mice. Research Square. <https://doi.org/10.21203/rs.3.rs-5206046/v1>

Servillo, F., De Carluccio, M., Di Lazzaro, G., Campanelli, F., Marino, G., Natale, G., Ledonne, A., Massaro

Cenere, M., Paldino, E., Di Giuda, D., Picca, A., Bove, F., Di Iorio, R., Angeloni, B., Cimmino, A. T., Bellomo, G., Picconi, B., Bentivoglio, A. R., Mercuri, N. B., ... Calabresi, P. (2024). Molecular and cellular determinants of L-Dopa-induced dyskinesia in Parkinson's Disease. *Npj Parkinson's Disease*, 10(1), 1–13. <https://doi.org/10.1038/s41531-024-00836-6>

Sheikh, I. S., Keefe, K. M., Sterling, N. A., Junker, I. P., Li, C., Chen, J., Xu, X.-M., Kirby, L. G., & Smith, G. M. (2024). Compensatory adaptation of parallel motor pathways promotes skilled forelimb recovery after spinal cord injury. *iScience*, 27(12). <https://doi.org/10.1016/j.isci.2024.111371>

Soydan, M., Arabaci, G., Utlu, N., Halici, M. B., Aktas Senocak, E., & Kiliçlioglu, M. (2025). Indomethacin-Induced Gastric Ulcer in Rats: Gastroprotectivity of Muscari neglectum in Water. *Pharmaceuticals*, 18(1), Article 1. <https://doi.org/10.3390/ph18010007>

Thompson, K. R. (2024). *Hippocampal insult and recovery from ethanol dependence in females and males*. <https://repositories.lib.utexas.edu/items/407fabcf-70d9-457b-a446-5c034bc6b461>

Tran, T. T., Andronicos, N., & Gerber, P. F. (2024). Expression of Immune Genes and Leukocyte Population in the Conjunctiva, Harderian Gland and Trachea of Chickens Inoculated with a Live Vaccine and a Field Strain Infectious Laryngotracheitis Virus. *Poultry*, 3(4), Article 4. <https://doi.org/10.3390/poultry3040030>

Villard, J., Chareyron, L. J., Banta Lavenex, P., Amaral, D. G., & Lavenex, P. (2024). Stereological Analysis of the Rhesus Monkey Perirhinal and Parahippocampal Cortices. *Journal of Comparative Neurology*, 532(11), e25684. <https://doi.org/10.1002/cne.25684>

Wang, J., Zhang, N., Liu, H.-Z., Wang, J.-L., Zhang, Y.-B., Su, D.-D., Zhang, L.-M., Li, B.-D., Miao, H.-T., & Miao, J. (2025). NaHS alleviates neuropathic pain in mice by inhibiting IL-17-mediated dopamine (DA) neuron necroptosis in the VTA. *Brain Research Bulletin*, 220, 111168. <https://doi.org/10.1016/j.brainresbull.2024.111168>

Woo, K. M., Guo, Y., Mehrabian, Z., Miller, N. R., & Bernstein, S. L. (2024). Refining Flash Visual Evoked Potential Analysis in Rats: A Novel Approach Using Bilateral Epidural Electrodes. *Translational Vision Science & Technology*, 13(12), 24. <https://doi.org/10.1167/tvst.13.12.24>

Yang, X., Jeong, D., Madeo, G., Kumbhar, R., Wang, N., Niu, L., Hu, J., Li, S., Gadhav, K., Chen, R., Akkentli, F., Workman, C. J., Vignali, D. A. A., Ying, M., Bonci, A., Dawson, V. L., Dawson, T. M., & Mao, X. (2025). *Neuronal LAG3 facilitates pathogenic α -synuclein neuron-to-neuron propagation* (p. 2025.01.03.631221). bioRxiv. <https://doi.org/10.1101/2025.01.03.631221>

Yazici Demir, K., Kaya, Z., Dayanan, R., Mercantepe, T., & Mercantepe, F. (2025). Does Radioactive Iodine Treatment Affect Thyroid Size and Tracheal Diameter? *Journal of Clinical Medicine*, 14(1), Article 1. <https://doi.org/10.3390/jcm14010115>

Yilmaz, A., Toraman, M. N., Mataraci Karakas, S., Ozden, Z., Pinarbas, E., & Mercantepe, T. (2024). Effect of White Tea on Leptin and Asprosin Levels in Rats Feeding a High-Fat Diet. *Life*, 14(12), Article 12. <https://doi.org/10.3390/life14121548>

Zaniewska, M., Brygider, S., Majcher-Maślanka, I., Gawliński, D., Głowacka, U., Glińska, S., & Balcerzak, Ł. (2024). The impact of voluntary wheel-running exercise on hippocampal neurogenesis and behaviours in response to nicotine cessation in rats. *Psychopharmacology*, 241(12), 2585–2607. <https://doi.org/10.1007/s00213-024-06705-7>

Zareen, N., Yung, H., Kaczetow, W., Glattstein, A., Mazalkova, E., Alexander, H., Chen, L., Parra, L. C., & Martin, J. H. (2024). Molecular signaling predicts corticospinal axon growth state and muscle response plasticity induced by neuromodulation. *Proceedings of the National Academy of Sciences*, 121(47), e2408508121. <https://doi.org/10.1073/pnas.2408508121>

Zhang, H., Cai, M., Gao, F., Yang, J., Li, C., Han, J., Wang, Y., Xu, Y., Hu, Y., Chen, H., He, W., & Zhang, J.

(2024). Thorase deficiency causes both A β accumulation and tau hyperphosphorylation in mouse brain. *Alzheimer's & Dementia*, 20(12), 8769–8786. <https://doi.org/10.1002/alz.14329>

Zhu, R.-X., Chen, Y.-H., Xia, X., Liu, T., Wang, C., Cao, L., Liu, Y., & Lu, M. (2024). Formation of CSE-YAP complex drives FOXD3-mediated transition of neurotoxic astrocytes in Parkinson's disease. *Pharmacological Research*, 210, 107507. <https://doi.org/10.1016/j.phrs.2024.107507>

Zhu, Z., Zhang, H., Li, Q., Han, X., Wang, T., Zhang, W., Chen, F., Gu, L., Yao, Q., Chen, L., & Zhao, Y. (2025). LongTerm Creatine Supplementation Improves Cognitive and Hippocampal Structural Plasticity Impairments in a DGalInduced Aging Model via Increasing CKBB Activity in the Brain. *Food Science & Nutrition*, 13(1), e4767. <https://doi.org/10.1002/fsn3.4767>

Allen, H. N., Hestehave, S., Duran, P., Nelson, T. S., & Khanna, R. (2024). Uncoupling the CRMP2-CaV2.2 Interaction Reduces Pain-Like Behavior in a Preclinical Joint-Pain Model. *The Journal of Pain*, 25(12), 104664. <https://doi.org/10.1016/j.jpain.2024.104664>

Driscoll, N., Antonini, M.-J., Cannon, T. M., Maretich, P., Olaitan, G., Van, V. D. P., Nagao, K., Sahasrabudhe, A., Paniagua, E. V., Frey, E. J., Kim, Y. J., Hunt, S., Hummel, M., Mupparaju, S., Jasanoff, A., Venton, B. J., & Anikeeva, P. (n.d.). Multifunctional Neural Probes Enable Bidirectional Electrical, Optical, and Chemical Recording and Stimulation In Vivo. *Advanced Materials*, n/a(n/a), 2408154. <https://doi.org/10.1002/adma.202408154>

Huang, Z., Chen, R., Ho, M., Xie, X., Gangal, H., Wang, X., & Wang, J. (2024). Dynamic responses of striatal cholinergic interneurons control behavioral flexibility. *Science Advances*, 10(51), eadn2446. <https://doi.org/10.1126/sciadv.adn2446>

Kim, J., Choi, M., Lee, J., Park, I., Kim, K., & Choe, H. K. (2024). Bidirectional Control of Emotional Behaviors by Excitatory and Inhibitory Neurons in the Orbitofrontal Cortex. *Experimental Neurobiology*, 33(5), 225–237. <https://doi.org/10.5607/en24021>

Lesuis, S. L., Park, S., Hoorn, A., Rashid, A. J., Mocle, A. J., Salter, E. W., Vislavski, S., Gray, M. T., Torelli, A. M., DeCristofaro, A., Driever, W. P. F., Stelt, M. van der, Zweifel, L. S., Collingridge, G. L., Lefebvre, J. L., Walters, B. J., Frankland, P. W., Hill, M. N., & Josselyn, S. A. (2025). Stress disrupts engram ensembles in lateral amygdala to generalize threat memory in mice. *Cell*, 188(1), 121-140.e20. <https://doi.org/10.1016/j.cell.2024.10.034>

Ramirez, S., Caban-Murillo, A., Surets, M., Chien, C., Kauffman, M., & Park, sarah. (2024). *The prelimbic cortex arbitrates memory-guided conflict resolution*. Research Square. <https://doi.org/10.21203/rs.3.rs-4618930/v1>

Schuler, H., Eid, R. S., Wu, S., Tse, Y.-C., Cvetkovska, V., Lopez, J., Quinn, R., Zhou, D., Meccia, J., Dion-Albert, L., Bennett, S. N., Newman, E. L., Trainor, B. C., Peña, C. J., Menard, C., & Bagot, R. C. (2024). Data-driven analysis identifies novel modulation of social behavior in female mice witnessing chronic social defeat stress. *Biological Psychiatry*. <https://doi.org/10.1016/j.biopsych.2024.11.017>

Zhang, Z., Costa, K. M., Zhuo, Y., Li, G., Li, Y., & Schoenbaum, G. (2025). *Accumbal acetylcholine signals associative salience* (p. 2025.01.06.631529). bioRxiv. <https://doi.org/10.1101/2025.01.06.631529>

Jamal, W. (2024). Advances in our understanding of locomotory behavioural response of *Teratorhabditis palmarum* nematode. *Biologia*, 79(11), 3305–3313. <https://doi.org/10.1007/s11756-024-01780-9>

Jee, C., & Batsaikhan, E. (2024). JNK signaling positively regulates acute ethanol tolerance in *C. elegans*. *International Journal of Molecular Sciences*, 25(12), 6398.

Lee, D. J., Eor, J. Y., Kwak, M.-J., Lee, J., Kang, A. N., Mun, D., Choi, H., Kang, M.-G., Choi, Y., & Seo, H. (2024). Enhanced longevity and immunity in *Caenorhabditis elegans* through ingestion of *Lactiplantibacillus plantarum* SKO-001: A multi-omics study. *Food Science of Animal*

Resources. https://www.kosfaj.org/archive/view_article?pid=kosfa-2024-e87

Ornelas, I. M., Carrilho, B. S., Ventura, M. A. V. C., Domith, I., Silveira, C. M. V., Dos Santos, V. F., Delou, J. M., Moll, F., Pereira, H. M. G., & Junqueira, M. (2024). Lysergic acid diethylamide induces behavioral changes in *Caenorhabditis elegans*. *Neuroscience Letters*, *837*, 137903.

Rodak, N. Y., Tan, C.-H., & Sternberg, P. W. (2024). An improved solid medium-based culturing method for *Steinernema hermaphroditum*. *Micropublication Biology*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10858997/>

Acerbo, E., Botzanowski, B., Dellavale, D., Stern, M. A., Cole, E. R., Gutekunst, C.-A., Gantt, M. L., Steiner, M., Missey, F., & Cassara, A. (n.d.). *Non-Invasive Deep-Brain Stimulation Using Pulsed Temporally Interfering Electric Fields for Epilepsy*. Retrieved October 24, 2024, from https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4849682

Aggarwal, A., Chan, J., Waring, A. K., Negrean, A., Marvin, J. S., Podgorski, K., & Looger, L. L. (2024). Check for updates Chapter. *New Technologies for Glutamate Interaction: Neurons and Glia*, 1.

Allen, C. H. (2024). *Development and Application of a Multimodal Coherent Raman Scattering Microscope* [PhD Thesis, Carleton University]. <https://repository.library.carleton.ca/concern/etds/np193b30p>

Batalov, I., Filteau, J. R., Francis, R. M., Jaindl, G., Orr, L., Rapp, T. L., Yang, S., Filteau, J. A., Xie, W., & Bretherton, R. C. (2024). Grayscale 4D Biomaterial Customization at High Resolution and Scale. *bioRxiv*, 2024-01.

Bowen, Z., De Zoysa, D., Shilling-Scrivero, K., Aghayee, S., Di Salvo, G., Smirnov, A., Kanold, P. O., & Losert, W. (2024). NeuroART: Real-Time Analysis and Targeting of Neuronal Population Activity during Calcium Imaging for Informed Closed-Loop Experiments. *Eneuro*, *11*(10). <https://www.eneuro.org/content/11/10/ENEURO.0079-24.2024.abstract>

Brown, T. C., Crouse, E. C., Attaway, C. A., Oakes, D. K., Minton, S. W., Borghuis, B. G., & McGee, A. W. (2024). Microglia are dispensable for experience-dependent refinement of mouse visual circuitry. *Nature Neuroscience*, *27*(8), 1462-1467.

Chen, C., & Song, S. (2024). Distinct neuron types contribute to hybrid auditory spatial coding. *Journal of Neuroscience*. <https://www.jneurosci.org/content/early/2024/09/11/JNEUROSCI.0159-24.2024.abstract>

Cheng, Y.-T., Lett, K. M., Xu, C., & Schaffer, C. B. (2024). Three-photon excited fluorescence microscopy enables imaging of blood flow, neural structure and inflammatory response deep into mouse spinal cord in vivo. *bioRxiv*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11014502/>

Chong, S. P., & Török, P. (2024). Influence of laser pulse shape and cleanliness on two-photon microscopy. *Optics Continuum*, *3*(4), 552-564.

Dias, R. F., Rajan, R., Baeta, M., Belbut, B., Marques, T., & Petreanu, L. (2024). Visual experience reduces the spatial redundancy between cortical feedback inputs and primary visual cortex neurons. *Neuron*, *112*(19), 3329-3342.

Dibaj, P., Safavi-Abbasi, S., & Asadollahi, E. (2024). In vivo spectrally unmixed multi-photon imaging of longitudinal axon-glia changes in injured spinal white matter. *Neuroscience Letters*, *841*, 137959.

Dong, C., Gowrishankar, R., Jin, Y., He, X. J., Gupta, A., Wang, H., Sayar-Atasoy, N., Flores, R. J., Mahe, K., & Tjahjono, N. (2024). Unlocking opioid neuropeptide dynamics with genetically encoded biosensors. *Nature Neuroscience*, *27*(9), 1844-1857.

Farinella, D. M., Stanek, S., Jayakumar, H., Newman, Z. L., Gable, J., Leger, J., & Kerlin, A. (2024). Two-dimensional electro-optical multiphoton microscopy. *Neurophotonics*, *11*(2), 025005-025005.

Farrants, H., Shuai, Y., Lemon, W. C., Monroy Hernandez, C., Zhang, D., Yang, S., Patel, R., Qiao, G., Frei, M. S., & Plutkis, S. E. (2024). A modular chemigenetic calcium indicator for multiplexed in vivo functional imaging. *Nature Methods*, 1-10.

Fernández, A., Classen, A., Josyula, N., Florence, J. T., Sokolov, A. V., Scully, M. O., Straight, P., & Verhoef, A. J. (2024). Simultaneous Two- and Three-Photon Deep Imaging of Autofluorescence in Bacterial Communities. *Sensors*, *24*(2), 667.

Fernholz, M. H., Guggiana Nilo, D. A., Bonhoeffer, T., & Kist, A. M. (2024). DeepD3, an open framework for automated quantification of dendritic spines. *PLOS Computational Biology*, *20*(2), e1011774.

Ford, A. N., Czarny, J. E., Rogalla, M. M., Quass, G. L., & Apostolides, P. F. (2024). Auditory corticofugal neurons transmit auditory and non-auditory information during behavior. *Journal of Neuroscience*, *44*(7). <https://www.jneurosci.org/content/44/7/e1190232023.abstract>

Furutachi, S., Franklin, A. D., Aldea, A. M., Mrcic-Flogel, T. D., & Hofer, S. B. (2024). Cooperative thalamocortical circuit mechanism for sensory prediction errors. *Nature*, 1–9.

Glück, C., Zhou, Q., Droux, J., Chen, Z., Glandorf, L., Wegener, S., Razansky, D., Weber, B., & El Amki, M. (2024). Pia-FLOW: Deciphering hemodynamic maps of the pial vascular connectome and its response to arterial occlusion. *Proceedings of the National Academy of Sciences*, *121*(28), e2402624121. <https://doi.org/10.1073/pnas.2402624121>

Gobbo, D., Rieder, P., Fang, L.-P., Buttigieg, E., Schablowski, M., Damo, E., Bosche, N., Dallorto, E., May, P., & Bai, X. (2024). Genetic ablation of GABAB receptors from oligodendrocyte precursor cells protects against demyelination in the mouse spinal cord. *bioRxiv*, 2024–05.

Hasegawa, M., Huang, Z., Paricio-Montesinos, R., & Gründemann, J. (2024). Network state changes in sensory thalamus represent learned outcomes. *Nature Communications*, *15*(1), 7830.

Hsiang, J.-C., Shen, N., Soto, F., & Kerschensteiner, D. (2024). Distributed feature representations of natural stimuli across parallel retinal pathways. *Nature Communications*, *15*(1), 1920.

Huang, R., Zeng, J., Yu, X., Shi, Y., Song, N., Zhang, J., Wang, P., Luo, M., Ma, Y., Xiao, C., Wang, L., Du, G., Cai, H., & Yang, W. (2024). Luteolin Alleviates Diabetic Nephropathy Fibrosis Involving AMPK/NLRP3/TGF- β Pathway. *Diabetes, Metabolic Syndrome and Obesity*, *Volume 17*, 2855–2867. <https://doi.org/10.2147/DMSO.S450094>

Intwala, B. B. (2024). CONTRIBUTION OF CHOLINERGIC DYSFUNCTION TO LEARNING DEFICITS IN FRAGILE X SYNDROME. <https://escholarship.org/uc/item/5bp4x450>

Iyer, V. (2024). "One of the Big Values of a PhD to an Industry Role Is the Proven Ability to Tackle a Substantial Project Largely Independently." In C. R. Madan (Ed.), *Academia and the World Beyond*,

Volume 2 (pp. 273–280). Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-47980-9_30

Jevon, D., Cottle, L., Hallahan, N., Harwood, R., Samra, J. S., Gill, A. J., Loudovaris, T., Thomas, H. E., & Thorn, P. (2024). Capillary contact points determine beta cell polarity, control secretion and are disrupted in the db/db mouse model of diabetes. *Diabetologia*, 67(8), 1683–1697. <https://doi.org/10.1007/s00125-024-06180-x>

Kopyeva, I., Goldner, E. C., Hoyer, J. W., Yang, S., Regier, M. C., Vera, K. R., Bretherton, R. C., & DeForest, C. A. (2024). Stepwise Stiffening/Softening of and Cell Recovery from Reversibly Formulated Hydrogel Double Networks. *bioRxiv*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11030224/>

Lees, R. M., Bianco, I. H., Campbell, R. A., Orlova, N., Peterka, D. S., Pichler, B., Smith, S. L., Yatsenko, D., Yu, C.-H., & Packer, A. M. (2024). Standardised Measurements for Monitoring and Comparing Multiphoton Microscope Systems. *bioRxiv*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10849699/>

Lees, R. M., Pichler, B., & Packer, A. M. (2024). Contribution of optical resolution to the spatial precision of two-photon optogenetic photostimulation in vivo. *Neurophotonics*, 11(1), 015006–015006.

Li, X., Du, Y., Huang, J.-F., Li, W.-W., Song, W., Fan, R.-N., Zhou, H., Jiang, T., Lu, C.-G., Guan, Z., Wang, X.-F., Gong, H., Li, X.-N., Li, A., Fu, L., & Sun, Y.-G. (2024). Link Brain-Wide Projectome to Neuronal Dynamics in the Mouse Brain. *Neuroscience Bulletin*. <https://doi.org/10.1007/s12264-024-01232-z>

Li, Z., Li, J., Zhao, Q., Zhao, X., & Sun, M. (2024). Two-Photon Image-Guided Automated 3D Locating of Micropipette Tip. *2024 43rd Chinese Control Conference (CCC)*, 4469–4474. <https://ieeexplore.ieee.org/abstract/document/10662059/>

Liao, Z., Gonzalez, K. C., Li, D. M., Yang, C. M., Holder, D., McClain, N. E., Zhang, G., Evans, S. W., Chavarha, M., & Simko, J. (2024). Functional architecture of intracellular oscillations in hippocampal dendrites. *Nature Communications*, 15(1), 6295.

Liu, C., Jin, C., Deng, J., Liang, J., Zhang, L., & Kong, L. (2024). Simultaneous dual-region two-photon imaging of biological dynamics spanning over 9 mm in vivo. *Photonics Research*, 12(3), 456–464.

Lopez-Ortega, E., Choi, J. Y., Hong, I., Roth, R. H., Cudmore, R. H., & Hugarir, R. L. (2024). Stimulus-dependent synaptic plasticity underlies neuronal circuitry refinement in the mouse primary visual cortex. *Cell Reports*, 43(4). [https://www.cell.com/cell-reports/fulltext/S2211-1247\(24\)00294-8](https://www.cell.com/cell-reports/fulltext/S2211-1247(24)00294-8)

Madruaga, B. A. (2024). *Innovations in Optical Microscopy Methods for Studying Neural Circuit Function In- Vivo*. University of California, Los Angeles. <https://search.proquest.com/openview/bdfa7a7d7dca37412015e641d7c24a34/1?pq-origsite=gscholar&cbl=18750&diss=y>

McGarry, S. D., Adjekukor, C., Ahuja, S., Greysson-Wong, J., Vien, I., Rinker, K. D., & Childs, S. J. (2024). Vessel Metrics: A software tool for automated analysis of vascular structure in confocal imaging. *Microvascular Research*, 151, 104610.

Metais, S., Suresh, S., Diniz, P., Vourdaki, C., Martin, I., Shivkumar, S., Bartels, R., Forget, N., & Rigneault, H. (2024). Hyperspectral acquisition with ScanImage at the single pixel level: Application to time domain coherent Raman imaging. *Optics Express*, 32(22), 38849–38863.

Mussells Pires, P., Zhang, L., Parache, V., Abbott, L. F., & Maimon, G. (2024). Converting an allocentric goal into an egocentric steering signal. *Nature*, 626(8000), 808–818.

Niraula, S., Yan, S. S., & Subramanian, J. (2024). Amyloid pathology impairs experience-dependent inhibitory synaptic plasticity. *Journal of Neuroscience*, 44(5). <https://www.jneurosci.org/content/44/5/e0702232023.abstract>

Ohtake, M., Abe, K., Hasegawa, M., Itokazu, T., Selvakumar, V., Matunis, A., Stacy, E., Froebrich, E., Huynh, N., & Lee, H. (2024). Encoding of self-initiated actions in axon terminals of the mesocortical pathway. *Neurophotonics*, *11*(3), 033408–033408.

Ohman, L. C., Huang, T., Unwin, V. A., Singh, A., Walters, B., Whiddon, Z. D., & Krimm, R. F. (2024). Deciphering Peripheral Taste Neuron Diversity: Using Genetic Identity to Bridge Taste Bud Innervation Patterns and Functional Responses. *Journal of Neuroscience*.

Pegoraro, A. F., & Stelow, A. (2024). Chirp modulation stimulated raman scattering microscopy. *Optics Express*, *32*(18), 31297–31310.

Pirhayati, D., Smith, C. L., Kroeger, R., Navlakha, S., Pfaffinger, P., Reimer, J., Arenkiel, B. R., Patel, A., & Moss, E. H. (2024). Dense and persistent odor representations in the olfactory bulb of awake mice. *Journal of Neuroscience*, *44*(39). <https://www.jneurosci.org/content/44/39/e0116242024.abstract>

Sapkal, N., Mancini, N., Kumar, D. S., Spiller, N., Murakami, K., Vitelli, G., Barger, B., Maier, K., Eichler, K., & Jefferis, G. S. (2024). Neural circuit mechanisms underlying context-specific halting in *Drosophila*. *Nature*, *634*(8032), 191–200.

Shih, A., Stamenkovic, S., Schmid, F., Weitermann, N., Takasaki, K., Bonney, S., Sosa, M., Li, Y., Benett, H., & Kim, Y. (2024). Impaired drainage through capillary-venous networks contributes to age-related white matter loss. <https://www.researchsquare.com/article/rs-3949186/latest>

Stern, M. A., Cole, E. R., Gross, R. E., & Berglund, K. (2024). Seizure event detection using intravital two-photon calcium imaging data. *Neurophotonics*, *11*(2), 024202–024202.

Stringer, C., Zhong, L., Syeda, A., Du, F., Kesa, M., & Pachitariu, M. (2024). Rastermap: A discovery method for neural population recordings. *Nature Neuroscience*, 1–12.

Suresh, S., Martin, I., Métais, S., Shivkumar, S., Forget, N., Bartels, R., & Rigneault, H. (2024). Impulsive stimulated Raman scattering imaging using an ultra-fast acoustic-optics delay line. *Advanced Chemical Microscopy for Life Science and Translational Medicine 2024*, *12855*, 31–36. <https://www.spiedigitallibrary.org/conference-proceedings-of-spie/12855/1285507/Impulsive-stimulated-Raman-scattering-imaging-using-an-ultra-fast-acoustic/10.1117/12.2692912.short>

Syeda, A., Zhong, L., Tung, R., Long, W., Pachitariu, M., & Stringer, C. (2024). Facemap: A framework for modeling neural activity based on orofacial tracking. *Nature Neuroscience*, *27*(1), 187–195.

Szwaj, M., Davidson, I. A., Johnson, P. B., Jasion, G., Jung, Y., Sandoghchi, S. R., Herdizik, K. P., Bourdakos, K. N., Wheeler, N. V., & Mulvad, H. C. (2024). Double-Clad Antiresonant Hollow-Core Fiber and Its Comparison with Other Fibers for Multiphoton Micro-Endoscopy. *Sensors*, *24*(8), 2482.

Tang, S., Cui, L., Pan, J., & Xu, N. (2024). Dynamic ensemble balance in direct-and indirect-pathway striatal projection neurons underlying decision-related action selection. *Cell Reports*, *43*(9). [https://www.cell.com/cell-reports/fulltext/S2211-1247\(24\)01077-5](https://www.cell.com/cell-reports/fulltext/S2211-1247(24)01077-5)

Thomas, C. I., Ryan, M. A., McNabb, M. C., Kamasawa, N., & Scholl, B. (2024). Astrocyte coverage of excitatory synapses correlates to measures of synapse structure and function in ferret primary visual cortex. *Glia*, *72*(10), 1785–1800. <https://doi.org/10.1002/glia.24582>

Vernuccio, F., Benachir, A., Fantuzzi, E. M., Morel, B., Bux, S., Martin, E., Villanueva, J., Pertot, Y., Thiré, N., & Heuke, S. (2024). Dual picosecond fast tunable optical parametric amplifier laser system for wide-field nonlinear optical microscopy. *APL Photonics*, *9*(9). <https://pubs.aip.org/aip/app/article/9/9/096113/3312693>

Vickers, E. D., & McCormick, D. A. (2024). Pan-cortical 2-photon mesoscopic imaging and neurobehavioral alignment in awake, behaving mice. *Elife*, *13*, RP94167.

Voigt, F. F., Reuss, A. M., Naert, T., Hildebrand, S., Schaettin, M., Hotz, A. L., Whitehead, L., Bahl, A., Neuhauss, S. C., & Roebroek, A. (2024). Reflective multi-immersion microscope objectives inspired by the Schmidt telescope. *Nature Biotechnology*, *42*(1), 65–71.

Wang, A., Ferguson, K. A., Gupta, J., Higley, M. J., & Cardin, J. A. (2024). Developmental trajectory of cortical somatostatin interneuron function. *bioRxiv*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10942364/>

Wu, X., Xu, W., Deng, L., Li, Y., Wang, Z., Sun, L., Gao, A., Wang, H., Yang, X., & Wu, C. (2024). Spatial multi-omics at subcellular resolution via high-throughput in situ pairwise sequencing. *Nature Biomedical Engineering*, 1–18.

Yu, C.-H., Yu, Y., Adsit, L. M., Chang, J. T., Barchini, J., Moberly, A. H., Benisty, H., Kim, J., Young, B. K., & Heng, K. (2024). The Cousa objective: A long-working distance air objective for multiphoton imaging in vivo. *Nature Methods*, *21*(1), 132–141.

Yu, Y., Adsit, L. M., & Smith, I. T. (2024). Comprehensive software suite for functional analysis and synaptic input mapping of dendritic spines imaged in vivo. *Neurophotonics*, *11*(2), 024307–024307.

Zheng, T. (2024). *Advancing multiphoton imaging to explore tissue structure and dynamics in the bone* [PhD Thesis, University of Georgia]. <https://search.proquest.com/openview/38441012567d88f816befbd122d42abe/1?pq-origsite-gscholar&cbl-18750&diss-y>

Zhou, Q., Glück, C., Tang, L., Glandorf, L., Droux, J., El Amki, M., Wegener, S., Weber, B., Razansky, D., & Chen, Z. (2024). Cortex-wide transcranial localization microscopy with fluorescently labeled red blood cells. *Nature Communications*, *15*(1), 3526.

Grimm, C., Duss, S. N., Privitera, M., Munn, B. R., Karalis, N., Frässle, S., Wilhelm, M., et al. (2024). Tonic and burst-like locus coeruleus stimulation distinctly shift network activity across the cortical hierarchy. *Nature Neuroscience*, *27*(1), 1–11. <https://doi.org/10.1038/s41593-024-01755-8>

Hu, Z., Yang, Y., Yang, L., Gong, Y., Chukwu, C., Ye, D., Yue, Y., Yuan, J., Kravitz, A. V., & Chen, H. (2024). Airy-beam holographic sonogenetics for advancing neuromodulation precision and flexibility. *Proceedings of the National Academy of Sciences*, *121*(26), e2402200121. <https://doi.org/10.1073/pnas.2402200121>

Kim, Y. J., Kent, N., Vargas Paniagua, E., Driscoll, N., Tabet, A., Koehler, F., Malkin, E., et al. (2024). Magnetolectric nanodiscs enable wireless transgene-free neuromodulation. *Nature Nanotechnology*, *19*(1), 1–11. <https://doi.org/10.1038/s41565-024-01798-9>

Pan-Vazquez, A., Sanchez Araujo, Y., McMannon, B., Louka, M., Bandi, A., Haetzel, L., Faulkner, M., Pillow, J. W., Daw, N. D., & Witten, I. B. (2024). Pre-existing visual responses in a projection-defined dopamine population explain individual learning trajectories. *Current Biology*, *34*(1). <https://doi.org/10.1016/j.cub.2024.09.045>

Scarduzio, M., Eskow Jaunarajs, K. L., & Standaert, D. G. (2024). Striatal cholinergic transmission in an inducible transgenic mouse model of paroxysmal non-kinesiogenic dyskinesia. *Neurobiology of Disease*, *201*, 106685. <https://doi.org/10.1016/j.nbd.2024.106685>

Chen, J., Yuan, Z., Xi, J., Gao, Z., Li, Y., Zhu, X., Shi, Y. S., Guan, F., & Wang, Y. (2024). Efficient and Accurate Semi-Automatic Neuron Tracing with Extended Reality. *IEEE Transactions on Visualization and Computer Graphics*, *30*(11), 7299–7309. <https://doi.org/10.1109/TVCG.2024.3456197>

Effects of Optogenetic Theta Burst Stimulation of the Lateral Cerebellar Nucleus on Prelimbic Cortex Physiology—ProQuest. (n.d.). Retrieved October 24, 2024, from <https://www.proquest.com/openview/bdd572c7358eb92be16387629e8b82cf/1?pq->

[origsite-gscholar&cbl=18750&diss=y](#)

Fuller-Jackson, J.-P., Osborne, P. B., & Keast, J. R. (2024). *Axon tracing and node segmentation of myelinated bladder afferents in the pelvic nerve*. <https://protocols.io/view/axon-tracing-and-node-segmentation-of-myelinated-b-dedu3a6w>

Funahashi, Y., Ahammad, R. U., Zhang, X., Hossen, E., Kawatani, M., Nakamuta, S., Yoshimi, A., Wu, M., Wang, H., Wu, M., Li, X., Faruk, M. O., Shohag, M. H., Lin, Y.-H., Tsuboi, D., Nishioka, T., Kuroda, K., Amano, M., Noda, Y., ... Kaibuchi, K. (2024). Signal flow in the NMDA receptor-dependent phosphoproteome regulates postsynaptic plasticity for aversive learning. *Science Signaling*, 17(853), ead09852. <https://doi.org/10.1126/scisignal.ado9852>

Garcilazo, J. L., Verdier, A. Z., Avila, B. S. P., Galindo, I. X. M., Monzón, J. I. H., Ventura, F. A. L., Cortes, E. J., & Díaz, J. V. N. (2024). La tinción de Golgi en la comprensión del sistema nervioso. *JOVENES EN LA CIENCIA*, 28. <https://www.jovenesenlaciencia.ugto.mx/index.php/jovenesenlaciencia/article/view/4274>

Kauer, S. D., Benson, C. A., Carrara, J. M., Tarafder, A. A., Ibrahim, Y. H., Estacion, M. A., Waxman, S. G., & Tan, A. M. (2024). PAK1 inhibition with Romidepsin attenuates H-reflex hyperexcitability after spinal cord injury. *The Journal of Physiology*, 602(19), 5061–5081. <https://doi.org/10.1113/JP284976>

Liu, X., Yang, C., Lin, Z., Li, J., Yin, B., Lei, X., Han, W., Qiang, B., Shu, P., Zhang, C., & Peng, X. (2024). DTD1 modulates synaptic efficacy by maintaining D-serine and D-aspartate homeostasis. *Science China Life Sciences*. <https://doi.org/10.1007/s11427-023-2681-y>

Maeda, K., Tanimura, M., Masago, Y., Horiyama, T., Takemoto, H., Sasaki, T., Koyama, R., Ikegaya, Y., & Ogawa, K. (2024). Development of an in vitro compound screening system that replicate the in vivo spine phenotype of idiopathic ASD model mice. *Frontiers in Pharmacology*, 15. <https://doi.org/10.3389/fphar.2024.1455812>

A., H., Basavaraju, N., Chandran, M., Jaleel, A., Bennett, D. A., & Kommaddi, R. P. (2024). Mitigation of synaptic and memory impairments via F-actin stabilization in Alzheimer's disease. *Alzheimer's Research & Therapy*, 16(1), 200. <https://doi.org/10.1186/s13195-024-01558-w>

Pushpam, M., Talukdar, A., Anilkumar, S., Maurya, S. K., Issac, T. G., & Diwakar, L. (2024). Recurrent endothelin-1 mediated vascular insult leads to cognitive impairment protected by trophic factor pleiotrophin. *Experimental Neurology*, 381, 114938. <https://doi.org/10.1016/j.expneurol.2024.114938>

Shi, Y., Cui, M., Blume, T., & Herms, J. (2024). Intravital Imaging and Analysis of the Structural Plasticity of Dendritic Spines in Multiple Brain Regions. In J. H. R. Lübke & A. Rollenhagen (Eds.), *New Aspects in Analyzing the Synaptic Organization of the Brain* (pp. 395–430). Springer US. https://doi.org/10.1007/978-1-0716-4019-7_18

Sutley-Koury, S. N., Taitano-Johnson, C., Kulinich, A. O., Farooq, N., Wagner, V. A., Robles, M., Hickmott, P. W., Santhakumar, V., Mimche, P. N., & Ethell, I. M. (2024). EphB2 Signaling is Implicated in Astrocyte-mediated Parvalbumin Inhibitory Synapse Development. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0154-24.2024>

Svirsky, S. (2024, September 16). *The Role of Neurogranin in Synaptic Dysfunction after Experimental Traumatic Brain Injury* [University of Pittsburgh ETD]. University of Pittsburgh. <https://d-scholarship.pitt.edu/45712/>

Bajikar, S. S., Sztainberg, Y., Trostle, A. J., Tirumala, H. P., Wan, Y.-W., Harrop, C. L., Bengtsson, J. D., Carvalho, C. M. B., Pehlivan, D., Suter, B., Neul, J. L., Liu, Z., Jafar-Nejad, P., Rigo, F., & Zoghbi, H. Y. (2024). Modeling antisense oligonucleotide therapy in MECP2 duplication syndrome human iPSC-derived neurons reveals gene expression programs responsive to MeCP2 levels. *Human Molecular Genetics*, ddae135. <https://doi.org/10.1093/hmg/ddae135>

Brakatselos, C., Polissidis, A., Ntoulas, G., Asprogerakas, M.-Z., Tsarna, O., Vamvaka-Iakovou, A., Nakas, G., Delis, A., Tzimas, P., Skaltsounis, L., Silva, J., Delis, F., Oliveira, J. F., Sotiropoulos, I., & Antoniou, K. (2024). Multi-level therapeutic actions of cannabidiol in ketamine-induced schizophrenia psychopathology in male rats. *Neuropsychopharmacology*, 1–13. <https://doi.org/10.1038/s41386-024-01977-1>

Castro, M. M. L., Amaral Junior, F. L. do, Mendes, F. de C. C. de S., Anthony, D. C., Brites, D. M. T. de O., Diniz, C. W. P., & Sosthenes, M. C. K. (2025). Intriguing astrocyte responses in CA1 to reduced and rehabilitated masticatory function: Dorsal and ventral distinct perspectives in adult mice. *Archives of Oral Biology*, 169, 106097. <https://doi.org/10.1016/j.archoralbio.2024.106097>

Choi, E.-K., Aring, L., Peng, Y., Correia, A. B., Lieberman, A. P., Iwase, S., & Seo, Y. A. (2024). Neuronal SLC39A8 deficiency impairs cerebellar development by altering manganese homeostasis. *JCI Insight*, 9(20). <https://doi.org/10.1172/jci.insight.168440>

Colom, M., Kraev, I., Stramek, A. K., Loza, I. B., Rostron, C. L., Heath, C. J., Dommert, E. J., & Singer, B. F. (2024). Conditioning- and reward-related dendritic and presynaptic plasticity of nucleus accumbens neurons in male and female sign-tracker rats. *European Journal of Neuroscience*, 60(7), 5694–5717. <https://doi.org/10.1111/ejn.16513>

DeGiosio, R. (2024, September 16). *Functional Effects of Schizophrenia-Associated MAP2 Phosphorylation Events* [University of Pittsburgh ETD]. University of Pittsburgh. <https://d-scholarship.pitt.edu/45419/>

DeVries, S. A., Dimovasilis, C., Medalla, M., Moore, T. L., & Rosene, D. L. (2024). Dysregulated C1q and CD47 in the aging monkey brain: Association with myelin damage, microglia reactivity, and cognitive decline. *Frontiers in Immunology*, 15. <https://doi.org/10.3389/fimmu.2024.1426975>

Dillon, K. M., Lohr, D. B., Novak, A. G., Petriv, A.-M. V., Neifert, N. T., & Moore, A. M. (2024). Deletion of Nuclear Progesterone Receptors From Kisspeptin Cells Does Not Impair Negative Feedback in Female Mice. *Endocrinology*, 165(10), bqae121. <https://doi.org/10.1210/endo/bqae121>

Echols, E. (n.d.). *Sources and Termination Patterns of Cholinergic Input to the Ventral Nucleus of the Lateral Lemniscus*.

Effects of Optogenetic Theta Burst Stimulation of the Lateral Cerebellar Nucleus on Prelimbic Cortex Physiology—ProQuest. (n.d.). Retrieved October 25, 2024, from <https://www.proquest.com/openview/bdd572c7358eb92be16387629e8b82cf/1?pq-origsite=gscholar&cbl=18750&diss=y>

Ehlers, J. S. (n.d.). *Die Rolle des Slc35f1 Transporters bei der neuronalen Plastizität im Hippocampus und der Amygdala der Maus*.

Eid, L., Lokmane, L., Raju, P. K., Tene Tadoum, S. B., Jiang, X., Toulouse, K., Lupien-Meilleur, A., Charron-Ligez, F., Toumi, A., Backer, S., Lachance, M., Lavertu-Jolin, M., Montseny, M., Lacaille, J.-C., Bloch-Gallego, E., & Rossignol, E. (2024). Both GEF domains of the autism and developmental epileptic encephalopathy-associated Trio protein are required for proper tangential migration of GABAergic interneurons. *Molecular Psychiatry*, 1–21. <https://doi.org/10.1038/s41380-024-02742-y>

Funahashi, Y., Ahammad, R. U., Zhang, X., Hossen, E., Kawatani, M., Nakamuta, S., Yoshimi, A., Wu, M., Wang, H., Wu, M., Li, X., Faruk, M. O., Shohag, M. H., Lin, Y.-H., Tsuboi, D., Nishioka, T., Kuroda, K., Amano, M., Noda, Y., ... Kaibuchi, K. (2024). Signal flow in the NMDA receptor-dependent phosphoproteome regulates postsynaptic plasticity for aversive learning. *Science Signaling*, 17(853), ead09852. <https://doi.org/10.1126/scisignal.ad09852>

Garcilazo, J. L., Verdier, A. Z., Avila, B. S. P., Galindo, I. X. M., Monzón, J. I. H., Ventura, F. A. L., Cortes, E. J., & Diaz, J. V. N. (2024). La tinción de Golgi en la comprensión del sistema nervioso. *JÓVENES EN LA CIENCIA*, 28. <https://www.jovenesenlaciencia.ugto.mx/index.php/jovenesenlaciencia/article/view/4274>

Han, D., Fuquen, R. W., Willis, K. L., Christensen-Dalsgaard, J., & Carr, C. E. (2024). Sound localization circuits in reptiles. *Frontiers in Amphibian and Reptile Science*, 2. <https://doi.org/10.3389/famrs.2024.1429172>

Horváth, Á. I., Bölcskei, K., Szentes, N., Borbély, É., Tékus, V., Botz, B., Rusznák, K., Futácsi, A., Czéh, B., Mátyus, P., & Helyes, Z. (2024). Novel multitarget analgesic candidate SZV-1287 demonstrates potential disease-modifying effects in the monoiodoacetate-induced osteoarthritis mouse model. *Frontiers in Pharmacology*, 15. <https://doi.org/10.3389/fphar.2024.1377081>

Jadhav, V., Carreno-Munoz, M. I., Chehrizi, P., Michaud, J. L., Chattopadhyaya, B., & Cristo, G. D. (2024). Developmental Syngap1 haploinsufficiency in medial ganglionic eminence-derived interneurons impairs auditory cortex activity, social behavior and extinction of fear memory. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0946-24.2024>

Kauer, S. D., Benson, C. A., Carrara, J. M., Tarafder, A. A., Ibrahim, Y. H., Estacion, M. A., Waxman, S. G., & Tan, A. M. (2024). PAK1 inhibition with Romidepsin attenuates H-reflex hyperexcitability after spinal cord injury. *The Journal of Physiology*, 602(19), 5061–5081. <https://doi.org/10.1113/JP284976>

Kisvárday T. N. (2024). *Neuronok 3-dimenziós rekonstrukciója az egér prefrontális kéregben*. <https://hdl.handle.net/2437/380725>

Kókai É. (2024). *Patkány gerincvelői hátsó szarv felületen található neuronok lokális kapcsolatrendszerének feltárása axon elágazódási mintázataik elemzésén keresztül*. <https://hdl.handle.net/2437/379437>

Kristaponyte, I., Beebe, N. L., Harish, N., Schofield, B. R., & Galazyuk, A. V. (2024). *Expression of Group II GluRs in the Inferior Colliculus, Medial Geniculate Body, and Auditory Cortex Increases with Age* (SSRN Scholarly Paper No. 4923212). Social Science Research Network. <https://papers.ssrn.com/abstract=4923212>

LaDouceur, K. (2024). *Rapid Effects of Estrogens and Androgens on Social and Non-Social Short-Term Memory in the Dorsal Hippocampus of Male Mice* [University of Guelph]. <https://hdl.handle.net/10214/28555>

Loganathan, S., Menegaz, D., Delling, J. P., Eder, M., & Deussing, J. M. (2024). Cacna1c deficiency in forebrain glutamatergic neurons alters behavior and hippocampal plasticity in female mice. *Translational Psychiatry*, 14(1), 1–11. <https://doi.org/10.1038/s41398-024-03140-2>

Luo, X., Jin, C., Chen, H., Niu, J., Yu, C., Dou, X., Wang, J., Wen, J., Zhang, H., Tian, M., & Zhong, Y. (2024). PET imaging of synaptic vesicle glycoprotein 2 subtype A for neurological recovery in ischemic stroke. *European Journal of Nuclear Medicine and Molecular Imaging*. <https://doi.org/10.1007/s00259-024-06904-6>

Lusk, S., Moushey, A. M., Iwakoshi, N., Wilson, C. G., Li, A., & Ray, R. (2024). Exaggerated postnatal surge of orexin neurons and the effects of elimination of excess orexin on blood pressure and exaggerated chemoreflex in spontaneously hypertensive rats. *Frontiers in Physiology*, 15. <https://doi.org/10.3389/fphys.2024.1341649>

Martínez-Drudis, L., Bérard, M., Musiol, D., Rivest, S., & Oueslati, A. (2024). Pharmacological inhibition of PLK2 kinase activity mitigates cognitive decline but aggravates APP pathology in a sex-dependent manner in APP/PS1 mouse model of Alzheimer's disease. *Heliyon*, 10(20). <https://doi.org/10.1016/j.heliyon.2024.e39571>

Medalla, M., & Luebke, J. I. (2024). Detailed Phenotyping of the Physiology, Structure, and Connectivity of Individual Neocortical Neurons. In J. H. R. Lübke & A. Rollenhagen (Eds.), *New Aspects in Analyzing the Synaptic Organization of the Brain* (pp. 161–181). Springer US. https://doi.org/10.1007/978-1-0716-4019-7_10

Mishra, E., & Thakur, M. K. (2024). Tat-Beclin-1 Ameliorates Memory by Improving Neuronal Cytoarchitecture and Mitigating Mitochondrial Dysfunction in Scopolamine-Induced Amnesic Male

Mice. *ACS Pharmacology & Translational Science*. <https://doi.org/10.1021/acsptsci.4c00283>

Nassar, M., Richevaux, L., Lim, D., Tayupo, D., Martin, E., & Fricker, D. (2024). Presubicular VIP expressing interneurons receive facilitating excitation from anterior thalamus. *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2024.09.032>

Ohman, L. C., Huang, T., Unwin, V. A., Singh, A., Walters, B., Whiddon, Z. D., & Krimm, R. F. (2024). Deciphering Peripheral Taste Neuron Diversity: Using Genetic Identity to Bridge Taste Bud Innervation Patterns and Functional Responses. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0583-24.2024>

P. A., H., Basavaraju, N., Chandran, M., Jaleel, A., Bennett, D. A., & Kommaddi, R. P. (2024). Mitigation of synaptic and memory impairments via F-actin stabilization in Alzheimer's disease. *Alzheimer's Research & Therapy*, 16(1), 200. <https://doi.org/10.1186/s13195-024-01558-w>

Pardillo-Díaz, R., Pérez-García, P., Ortego-Domínguez, M., Gómez-Oliva, R., Martínez-Gómez, N., Domínguez-García, S., García-Cózar, F., Muñoz-Miranda, J. P., Hernández-Galán, R., Carrascal, L., Castro, C., & Nunez-Abades, P. (2024). *The subventricular zone neurogenic niche provides adult born functional neurons to repair cortical brain injuries in response to diterpenoid therapy*. Research Square. <https://doi.org/10.21203/rs.3.rs-4807503/v1>

Patel, A., Aljaabary, A., Yuan, Y., Asgari, P., Bailey, C. D. C., & McCormick, C. M. (2024). Lasting effects of adolescent social instability stress on dendritic morphology in the nucleus accumbens in female and male Long Evans rats. *Neurotoxicology and Teratology*, 106, 107401. <https://doi.org/10.1016/j.ntt.2024.107401>

Pattanayak, R., Ekkatine, R., Petit, C. M., & Yacoubian, T. A. (2024). 14-3-3 phosphorylation inhibits 14-3-3 θ 's ability to regulate LRRK2 kinase activity and toxicity. *Human Molecular Genetics*, ddae142. <https://doi.org/10.1093/hmg/ddae142>

Peng, X., Trambaiolli, L. R., Choi, E. Y., Lehman, J. F., Linn, G., Russ, B. E., Schroeder, C. E., Haber, S. N., & Liu, H. (2024). Cross-species striatal hubs: Linking anatomy to resting-state connectivity. *NeuroImage*, 301, 120866. <https://doi.org/10.1016/j.neuroimage.2024.120866>

Pushpam, M., Talukdar, A., Anilkumar, S., Maurya, S. K., Issac, T. G., & Diwakar, L. (2024). Recurrent endothelin-1 mediated vascular insult leads to cognitive impairment protected by trophic factor pleiotrophin. *Experimental Neurology*, 381, 114938. <https://doi.org/10.1016/j.expneurol.2024.114938>

Rubio-Teves, M., Martín-Correa, P., Alonso-Martínez, C., Casas-Torremocha, D., García-Amado, M., Timonidis, N., Sheiban, F. J., Bakker, R., Tiesinga, P., Porrero, C., & Clascá, F. (2024). Beyond Barrels: Diverse Thalamocortical Projection Motifs in the Mouse Ventral Posterior Complex. *Journal of Neuroscience*, 44(43). <https://doi.org/10.1523/JNEUROSCI.1096-24.2024>

Sabetta, Z., Krishna, G., Curry-Koski, T., Lopez, M., Adelson, P. D., & Thomas, T. C. (2024). Sex-dependent temporal changes in astrocyte-vessel interactions following diffuse traumatic brain injury in rats. *Frontiers in Physiology*, 15. <https://doi.org/10.3389/fphys.2024.1469073>

Skog, T. D., Johnson, S. B., Hinz, D. C., Lingg, R. T., Schulz, E. N., Luna, J. T., Beltz, T. G., Romig-Martin, S. A., Gantz, S. C., Xue, B., Johnson, A. K., & Radley, J. J. (2024). A prefrontal-periaqueductal gray pathway differentially engages autonomic, hormonal, and behavioral features of the stress coping response. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0844-24.2024>

Sutley-Koury, S. N., Taitano-Johnson, C., Kulinich, A. O., Farooq, N., Wagner, V. A., Robles, M., Hickmott, P. W., Santhakumar, V., Mimche, P. N., & Ethell, I. M. (2024). EphB2 Signaling is Implicated in Astrocyte-mediated Parvalbumin Inhibitory Synapse Development. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0154-24.2024>

Svirsky, S. (2024, September 16). *The Role of Neurogranin in Synaptic Dysfunction after Experimental Traumatic Brain Injury* [University of Pittsburgh ETD]. University of Pittsburgh. <https://d-scholarship.pitt.edu/45712/>

The Role of PI3K-AKT-mTOR Signaling in Neurological Disorder Neurophysiology and Synaptic Plasticity— ProQuest. (n.d.). Retrieved October 25, 2024, from <https://www.proquest.com/openview/fd6bd5cfbe122ee9bc3972f58753fe98/1?pq-origsite=gscholar&cbl=18750&diss=y>

Wadhwa, M., Chinn, G. A., Sasaki Russell, J. M., Hellman, J., & Sall, J. W. (2024). Neonatal Cannabidiol Exposure Impairs Spatial Memory and Disrupts Neuronal Dendritic Morphology in Young Adult Rats. *Cannabis and Cannabinoid Research*. <https://doi.org/10.1089/can.2024.0010>

Walters, B. N., Whiddon, Z. D., McGee, A. W., & Krimm, R. F. (2024). *Protocol for longitudinal imaging of the taste bud in vivo with two-photon laser scanning microscopy*. <https://protocols.io/view/protocol-for-longitudinal-imaging-of-the-taste-bud-c573y9qn>

Wang, P., Li, J., Li, S., Liu, Y., Gong, J., He, S., Wu, W., Tan, G., & Liu, S. (2024). Palladium-reduced graphene oxide nanocomposites enhance neurite outgrowth and protect neurons from ischemic stroke. *Materials Today Bio*, 28, 101184. <https://doi.org/10.1016/j.mtbio.2024.101184>

Yadav, P., Nasir, F., & Sivanandam, T. M. (2024). Neuroprotective effect of vitamin B12 supplementation on cognitive functions and neuronal morphology at different time intervals after traumatic brain injury in male Swiss albino mice. *Neurochemistry International*, 180, 105869. <https://doi.org/10.1016/j.neuint.2024.105869>

Zhang, L., Huang, L., Yuan, Z., Hang, Y., Zeng, Y., Li, K., Wang, L., Zeng, H., Chen, X., Zhang, H., Xi, J., Chen, D., Gao, Z., Le, L., Chen, J., Ye, W., Liu, L., Wang, Y., & Peng, H. (2024). Collaborative augmented reconstruction of 3D neuron morphology in mouse and human brains. *Nature Methods*, 21(10), 1936–1946. <https://doi.org/10.1038/s41592-024-02401-8>

Andersen, S. L. (2024). Increasing CB2 Receptor Activity after Early Life Stress Prevents Depressive Behavior in Female Rats. *Biomolecules*, 14(4), Article 4. <https://doi.org/10.3390/biom14040464>

Arroyo Almenas, F., Törő, G., Szaniszló, P., Maskey, M., Thanki, K. K., Koltun, W. A., Yochum, G. S., Pinchuk, I. V., Chao, C., Hellmich, M. R., & Módos, K. (2024). Cystathionine Gamma-Lyase Regulates TNF- α -Mediated Injury Response in Human Colonic Epithelial Cells and Colonoids. *Antioxidants*, 13(9), Article 9. <https://doi.org/10.3390/antiox13091067>

Baek, J.-H., Kwon, I., Kim, S., Nam, H. S., Kim, Y. D., Kim, B. M., Kim, D. J., Song, T.-J., & Heo, J. H. (2024). Thrombi With a Higher Erythrocyte Composition Are More Fragile in Acute Stroke. *Journal of Stroke*, 26(3), 454. <https://doi.org/10.5853/jos.2024.00787>

Balzano, T., del Rey, N. L.-G., Esteban-García, N., Reinares-Sebastián, A., Pineda-Pardo, J. A., Trigo-Damas, I., Obeso, J. A., & Blesa, J. (2024). Neurovascular and immune factors of vulnerability of substantia nigra dopaminergic neurons in non-human primates. *Npj Parkinson's Disease*, 10(1), 1–11. <https://doi.org/10.1038/s41531-024-00735-w>

Bandeira, W. G. de L. (2024). *Estudo estereológico dos efeitos da ayahuasca na neuroanatomia do estriado de saguís (Callithrix jacchus) em um modelo de depressão* [master thesis, Universidade Federal do Rio Grande do Norte]. <https://repositorio.ufrn.br/handle/123456789/60103>

Bodea, G. O., Botto, J. M., Ferreira, M. E., Sanchez-Luque, F. J., de los Rios Barrera, J., Rasmussen, J., Rahman, M. A., Fenlon, L. R., Jansz, N., Gubert, C., Gerdes, P., Bodea, L.-G., Ajjikuttira, P., Da Costa Guevara, D. J., Cumner, L., Bell, C. C., Kozulin, P., Billon, V., Morell, S., ... Faulkner, G. J. (2024). LINE-1 retrotransposons contribute to mouse PV interneuron development. *Nature Neuroscience*, 27(7), 1274–1284. <https://doi.org/10.1038/s41593-024-01650-2>

Campbell, A., Lai, T., Wahba, A. E., Boison, D., & Gebriel, H. M. (2024). Enhancing neurogenesis after traumatic brain injury: The role of adenosine kinase inhibition in promoting neuronal survival and differentiation. *Experimental Neurology*, 381, 114930. <https://doi.org/10.1016/j.expneurol.2024.114930>

Cano-Astorga, N., Plaza-Alonso, S., DeFelipe, J., & Alonso-Nanclares, L. (2024). Volume electron microscopy analysis of synapses in primary regions of the human cerebral cortex. *Cerebral Cortex*,

34(8), bhae312. <https://doi.org/10.1093/cercor/bhae312>

Cescon, M., Gambarotta, G., Calabrò, S., Cicconetti, C., Anselmi, F., Kankowski, S., Lang, L., Basic, M., Bleich, A., Bolsega, S., Steglich, M., Oliviero, S., Raimondo, S., Bizzotto, D., Haastert-Talini, K., & Ronchi, G. (2024). Gut microbiota depletion delays somatic peripheral nerve development and impairs neuromuscular junction maturation. *Gut Microbes*, 16(1), 2363015. <https://doi.org/10.1080/19490976.2024.2363015>

Chauquet, S., Willis, E. F., Grice, L., Harley, S. B. R., Powell, J. E., Wray, N. R., Nguyen, Q., Ruitenbergh, M. J., Shah, S., & Vukovic, J. (2024). Exercise rejuvenates microglia and reverses T cell accumulation in the aged female mouse brain. *Aging Cell*, 23(7), e14172. <https://doi.org/10.1111/acer.14172>

Checucci, C., Wicinski, B., Mazzamuto, G., Scardigli, M., Ramazzotti, J., Brady, N., Pavone, F. S., Hof, P. R., Costantini, I., & Frasconi, P. (2024). Deep learning-based localization algorithms on fluorescence human brain 3D reconstruction: A comparative study using stereology as a reference. *Scientific Reports*, 14(1), 14629. <https://doi.org/10.1038/s41598-024-65092-3>

Cherian, S., Simms, G., Chen, L., & Chu, H.-Y. (2024). Loss of Midbrain Dopamine Neurons Does Not Alter GABAergic Inhibition Mediated by Parvalbumin-Expressing Interneurons in Mouse Primary Motor Cortex. *eNeuro*, 11(5). <https://doi.org/10.1523/ENEURO.0010-24.2024>

Choe, S., Jeong, H., Choi, J., & Yu, S.-W. (2024). Chronic unpredictable stress induces autophagic death of adult hippocampal neural stem cells. *Molecular Brain*, 17(1), 31. <https://doi.org/10.1186/s13041-024-01105-6>

Curdt, N. (2024). *Der Einfluss von Aβ4-42 auf die Kognition und die Anwendung von Suchstrategien im Morris Water Maze im Tg4-42-Mausmodell* [doctoralThesis]. <https://doi.org/10.53846/goediss-10405>

Dai, Y., Bi, M., Jiao, Q., Du, X., Yan, C., & Jiang, H. (2024). Astrocyte-derived apolipoprotein D is required for neuronal survival in Parkinson's disease. *Npj Parkinson's Disease*, 10(1), 1–16. <https://doi.org/10.1038/s41531-024-00753-8>

De Silva, W. G. M., Sequeira, V. B., Yang, C., Dixon, K. M., Holland, A. J. A., Mason, R. S., & Rybchyn, M. S. (2024). 1,25-Dihydroxyvitamin D₃ Suppresses UV-Induced Poly(ADP-Ribose) Levels in Primary Human Keratinocytes, as Detected by a Novel Whole-Cell ELISA. *International Journal of Molecular Sciences*, 25(11), Article 11. <https://doi.org/10.3390/ijms25115583>

DeGiosio, R. (2024, September 16). *Functional Effects of Schizophrenia-Associated MAP2 Phosphorylation Events* [University of Pittsburgh ETD]. University of Pittsburgh. <https://d-scholarship.pitt.edu/45419/>

Diniz, D. G., de Oliveira, J. H. P., Guerreiro, L. C. F., de Menezes, G. C., de Assis, A. C. L., Duarte, T. Q., dos Santos, I. B. D., Maciel, F. D., Soares, G. L. da S., Araújo, S. C., Franco, F. T. de C., do Carmo, E. L., Morais, R. dos A. B., de Lima, C. M., Brites, D., Anthony, D. C., Diniz, J. A. P., & Diniz, C. W. P. (2024). Contrasting Disease Progression, Microglia Reactivity, Tolerance, and Resistance to *Toxoplasma gondii* Infection in Two Mouse Strains. *Biomedicines*, 12(7), Article 7. <https://doi.org/10.3390/biomedicines12071420>

Dong, H., Zhang, X., Duan, Y., He, Y., Zhao, J., Wang, Z., Wang, J., Li, Q., Fan, G., Liu, Z., Shen, C., Zhang, Y., Yu, M., Fei, J., & Huang, F. (2024). Hypoxia inducible factor-1 α regulates microglial innate immune memory and the pathology of Parkinson's disease. *Journal of Neuroinflammation*, 21(1), 80. <https://doi.org/10.1186/s12974-024-03070-2>

Eraydin, F., Cumbul, A., Kurnaz, M., & Ozdemir, F. (2024). Effect of Adeno-Associated Virus-Transfected Mesenchymal Stem Cells Containing Agents on Bone Formation in Extended Inter-Premaxillary Suture in Rats. *Journal of Craniomaxillofacial Research*, 9–19. <https://doi.org/10.18502/jcr.v11i1.16476>

Fanikos, M., Kohn, S. A., Stamato, R., Brenhouse, H. C., & Gildawie, K. R. (2024). Impacts of age and environment on postnatal microglial activity: Consequences for cognitive function following early life adversity. *PLOS ONE*, 19(6), e0306022. <https://doi.org/10.1371/journal.pone.0306022>

Frouni, I., Kim, E., Shaqfah, J., Bédard, D., Kwan, C., Belliveau, S., & Huot, P. (2024). [3H]-NFPS binding to

the glycine transporter 1 in the hemi-parkinsonian rat brain. *Experimental Brain Research*, 242(5), 1203–1214. <https://doi.org/10.1007/s00221-024-06815-w>

Garbuzova-Davis, S., Kurien, C., Thomson, A., Falco, D., Ahmad, S., Staffetti, J., Steiner, G., Abraham, S., James, G., Mahendrasah, A., Sanberg, P. R., & Borlongan, C. V. (2017). Endothelial and Astrocytic Support by Human Bone Marrow Stem Cell Grafts into Symptomatic ALS Mice towards Blood-Spinal Cord Barrier Repair. *Scientific Reports*, 7(1), 884. <https://doi.org/10.1038/s41598-017-00993-0>

Garcia Moreno, S. I., Limani, F., Ludwig, I., Gilbert, C., Pifl, C., Hnasko, T. S., & Steinkellner, T. (2024). Viral overexpression of human alpha-synuclein in mouse substantia nigra dopamine neurons results in hyperdopaminergia but no neurodegeneration. *Experimental Neurology*, 382, 114959. <https://doi.org/10.1016/j.expneurol.2024.114959>

García-Magro, N., & Avendaño, C. (2024). Stereological Approaches to Microglia Morphometry. In J. Bernacer & M. García-Amado (Eds.), *Advances in Stereology for Neuroscience* (pp. 51–67). Springer US. https://doi.org/10.1007/978-1-0716-3977-1_3

Godavarthi, S. K., Li, H., Pratelli, M., & Spitzer, N. C. (2024). Embryonic exposure to environmental factors drives transmitter switching in the neonatal mouse cortex causing autistic-like adult behavior. *Proceedings of the National Academy of Sciences*, 121(35), e2406928121. <https://doi.org/10.1073/pnas.2406928121>

Guo, Q., Wang, Y., Yu, L., Guan, L., Ji, X., Li, X., Pang, G., Ren, Z., Ye, L., & Cheng, H. (2024). Nicotine restores olfactory function by activation of prok2R/Akt/FoxO3a axis in Parkinson's disease. *Journal of Translational Medicine*, 22(1), 350. <https://doi.org/10.1186/s12967-024-05171-1>

Han, D., Fuquen, R. W., Willis, K. L., Christensen-Dalsgaard, J., & Carr, C. E. (2024). Sound localization circuits in reptiles. *Frontiers in Amphibian and Reptile Science*, 2. <https://doi.org/10.3389/famrs.2024.1429172>

Hao, W., Luo, Q., Tomic, I., Quan, W., Hartmann, T., Menger, M. D., Fassbender, K., & Liu, Y. (2024). Modulation of Alzheimer's disease brain pathology in mice by gut bacterial depletion: The role of IL-17a. *Gut Microbes*, 16(1), 2363014. <https://doi.org/10.1080/19490976.2024.2363014>

He, Y., Liu, B., Yang, F.-Y., Yang, Q., Xu, B., Liu, L., & Chen, Y. (2024). TAF15 downregulation contributes to the benefits of physical training on dendritic spines and working memory in aged mice. *Aging Cell*, 23(9), e14244. <https://doi.org/10.1111/acer.14244>

He, Y., Zhao, J., Ma, Y., Yan, X., Duan, Y., Zhang, X., Dong, H., Fang, R., Zhang, Y., Li, Q., Yang, P., Yu, M., Fei, J., & Huang, F. (2024). *Citrobacter rodentium* infection impairs dopamine metabolism and exacerbates the pathology of Parkinson's disease in mice. *Journal of Neuroinflammation*, 21, 153. <https://doi.org/10.1186/s12974-024-03145-0>

Ho, W.-H. J., Marinova, M. B., Listijono, D. R., Bertoldo, M. J., Richani, D., Kim, L.-J., Brown, A., Riepsamen, A. H., Cabot, S., Frost, E. R., Bustamante, S., Zhong, L., Selesniemi, K., Wong, D., Madawala, R., Marchante, M., Goss, D. M., Li, C., Araki, T., ... Wu, L. E. (2024). Fertility protection during chemotherapy treatment by boosting the NAD(P)⁺ metabolome. *EMBO Molecular Medicine*, 16(10), 2583–2618. <https://doi.org/10.1038/s44321-024-00119-w>

Hoffmeister, J. D., Broadfoot, C. K., Schaen-Heacock, N. E., Lechner, S. A., Krasko, M. N., Nisbet, A. F., Russell, J., Szot, J., Glass, T. J., Connor, N. P., Kelm-Nelson, C. A., & Ciucci, M. R. (2024). Vocal and tongue exercise in early to mid-stage Parkinson disease using the *Pink1*^{-/-} rat. *Brain Research*, 1837, 148958. <https://doi.org/10.1016/j.brainres.2024.148958>

Hornung, K. A. (2024). *The influence of neprilysin on the pathogenesis of sporadic Alzheimer's disease* [doctoralThesis]. <https://doi.org/10.53846/goediss-10498>

Islam, R., White, J. D., Arefin, T. M., Mehta, S., Liu, X., Polis, B., Giuliano, L., Ahmed, S., Bowers, C., Zhang, J., & Kaffman, A. (2024). Early adversity causes sex-specific deficits in perforant pathway connectivity and contextual memory in adolescent mice. *Biology of Sex Differences*, 15(1), 39.

<https://doi.org/10.1186/s13293-024-00616-0>

Jia, Y., Li, Y., Hou, W., Wei, Z., Zhang, T., Wang, X., Wang, J., & Tan, H. (n.d.). A comparative assessment of age-related nicotinamide adenine dinucleotide phosphate-diaphorase positivity in the spinal cord and medulla oblongata of pigeons, rats, and mice. *The Anatomical Record*, n/a(n/a).

<https://doi.org/10.1002/ar.25536>

Jiang, Y., Lin, Y., Tetlow, A. M., Pan, R., Ji, C., Kong, X.-P., Congdon, E. E., & Sigurdsson, E. M. (2024). Single-domain antibody-based protein degrader for synucleinopathies. *Molecular Neurodegeneration*, 19(1), 44. <https://doi.org/10.1186/s13024-024-00730-y>

Jones, A. A., Ramos-Miguel, A., Gicas, K. M., Petyuk, V. A., Leurgans, S. E., De Jager, P. L., Schneider, J. A., Bennett, D. A., Honer, W. G., & Casaleto, K. B. (n.d.). A multilayer network analysis of Alzheimer's disease pathogenesis: Roles for p-tau, synaptic peptides, and physical activity. *Alzheimer's & Dementia*, n/a(n/a). <https://doi.org/10.1002/alz.14286>

Junghans, K., Wyeth, M., & Buckmaster, P. S. (2024). Rat strain differences in seizure frequency and hilar neuron loss after systemic treatment with pilocarpine. *Epilepsy Research*, 204, 107384.

<https://doi.org/10.1016/j.eplepsyres.2024.107384>

Kaub, L., Milz, S., Barapatre, N., Büttner, A., Michalke, B., Schmitz, C., & Gilder, S. A. (2024). *Magnetic iron-oxide nanoparticles in the brain connected to alcohol-associated liver disease*. Research Square.

<https://doi.org/10.21203/rs.3.rs-4731478/v1>

Knorr, S. (2024). *Pathophysiology of early-onset isolated dystonia in a DYT-TOR1A rat model with trauma-induced dystonia-like movements* [Universität Würzburg]. <https://doi.org/10.25972/OPUS-20609>

Krejcová, L. V., Bento-Torres, J., Diniz, D. G., Pereira, A., Batista-de-Oliveira, M., de Moraes, A. A. C. L., Mendes-da-Silva, R. F., Abadie-Guedes, R., dos Santos, A. A., Lima, D. S., Guedes, R. C. A., & Picanço-Diniz, C. W. (2024). Unraveling the Influence of Litter Size, Maternal Care, Exercise, and Aging on Neurobehavioral Plasticity and Dentate Gyrus Microglia Dynamics in Male Rats. *Brain Sciences*, 14(5), Article 5. <https://doi.org/10.3390/brainsci14050497>

Laguna, A., Peñuelas, N., Gonzalez-Sepulveda, M., Nicolau, A., Arthaud, S., Guillard-Sirieix, C., Lorente-Picón, M., Compte, J., Miquel-Rio, L., Xicoy, H., Liu, J., Parent, A., Cuadros, T., Romero-Giménez, J., Pujol, G., Giménez-Llort, L., Fort, P., Bortolozzi, A., Carballo-Carbajal, I., & Vila, M. (2024). Modelling human neuronal catecholaminergic pigmentation in rodents recapitulates age-related neurodegenerative deficits. *Nature Communications*, 15(1), 8819. <https://doi.org/10.1038/s41467-024-53168-7>

Lau, G. L. (2024, January 19). *Demystifying Narp in the context of stroke*. Carleton University.

Lee, M. K., & Chen, G. (2024). Loss of Cholinergic and Monoaminergic Afferents in APP^{swE}/PS1^{ΔE9} Transgenic Mouse Model of Cerebral Amyloidosis Preferentially Occurs Near Amyloid Plaques. *International Journal of Molecular Sciences*, 25(9), Article 9. <https://doi.org/10.3390/ijms25095004>

Lei, Z., Ritzel, R. M., Li, Y., Li, H., Faden, A. I., & Wu, J. (2024). Old age alters inflammation and autophagy signaling in the brain, leading to exacerbated neurological outcomes after spinal cord injury in male mice. *Brain, Behavior, and Immunity*, 120, 439–451. <https://doi.org/10.1016/j.bbi.2024.06.023>

Levis, S. C., Birnie, M. T., Xie, Y., Kamei, N., Kulkarni, P. V., Montesinos, J. S., Perrone, C. R., Cahill, C. M., Baram, T. Z., & Mahler, S. V. (2024). Opioid drug seeking after early-life adversity: A role for delta opioid receptors. *Addiction Neuroscience*, 13, 100175. <https://doi.org/10.1016/j.addicn.2024.100175>

Li, J., Ng, K. W., Sung, C. C., & Chung, K. K. K. (2024). The role of age-associated alpha-synuclein aggregation in a conditional transgenic mouse model of Parkinson's disease: Implications for Lewy body formation. *Journal of Neurochemistry*, 168(7), 1215–1236. <https://doi.org/10.1111/jnc.16122>

Lin, Y.-E., Lin, H.-P., Lu, K.-H., Huang, Y.-J., Panyod, S., Liu, W.-T., Lu, Y.-S., Chen, M.-H., & Sheen, L.-Y. (2024). *Cordyceps militaris* and *Armillaria mellea* formula alleviates depressive behaviors via microglia regulation in an unpredictable chronic mild stress animal model. *Journal of Traditional and Complementary Medicine*. <https://doi.org/10.1016/j.jtcme.2024.05.003>

Liu, J., Liang, Y., Meng, Q., Chen, J., Ma, J., Zhu, H., Cai, L., Song, N., Ding, J., Fan, Y., Lu, M., Wu, G., Fang, Y., & Hu, G. (2024). Antagonism of β -arrestins in IL-4-driven microglia reactivity via the Samd4/mTOR/OXPHOS axis in Parkinson's disease. *Science Advances*, *10*(34), eadn4845. <https://doi.org/10.1126/sciadv.adn4845>

Lusk, S., Moushey, A. M., Iwakoshi, N., Wilson, C. G., Li, A., & Ray, R. (2024). Exaggerated postnatal surge of orexin neurons and the effects of elimination of excess orexin on blood pressure and exaggerated chemoreflex in spontaneously hypertensive rats. *Frontiers in Physiology*, *15*. <https://doi.org/10.3389/fphys.2024.1341649>

Maliković, J., Amrein, I., Vinciguerra, L., Wolfer, D. P., & Slomianka, L. (2024). NECAB1-3, parvalbumin, calbindin, and calretinin in the hippocampus of the European mole. *Frontiers in Neuroanatomy*, *18*. <https://doi.org/10.3389/fnana.2024.1452722>

Massaro, G., Geard, A. F., Nelvagal, H. R., Gore, K., Clemo, N. K., Waddington, S. N., & Rahim, A. A. (2024). Comparison of different promoters to improve AAV vector-mediated gene therapy for neuronopathic Gaucher disease. *Human Molecular Genetics*, *33*(17), 1467–1480. <https://doi.org/10.1093/hmg/ddae081>

Meng, Q., Chen, J., Liang, Y., Zhang, X., Ding, J., Fang, Y., & Hu, G. (2024). miR-142-3p alleviates neuronal apoptosis in Parkinson's disease via negatively regulating C9orf72. *Neuroscience Letters*, *836*, 137887. <https://doi.org/10.1016/j.neulet.2024.137887>

Mercado, N. M., Szarowicz, C., Stancati, J. A., Sortwell, C. E., Boezwinkle, S. A., Collier, T. J., Caulfield, M. E., & Steece-Collier, K. (2024). Advancing age and the rs6265 BDNF SNP are permissive to graft-induced dyskinesias in parkinsonian rats. *Npj Parkinson's Disease*, *10*(1), 1–16. <https://doi.org/10.1038/s41531-024-00771-6>

Nakos Bimpos, M., Karali, K., Antoniou, C., Palermos, D., Fouka, M., Delis, A., Tzieras, I., Chrousos, G. P., Koutmani, Y., Stefanis, L., & Polissidis, A. (2024). Alpha-synuclein-induced stress sensitivity renders the Parkinson's disease brain susceptible to neurodegeneration. *Acta Neuropathologica Communications*, *12*(1), 100. <https://doi.org/10.1186/s40478-024-01797-w>

Nguyen, S. T. (2024). *The Dual Role of Neural-Immune Signaling in the Brain: Constitutive and Post-Traumatic Toll-Like Receptor 4 Regulation of Hippocampal Dentate Network Excitability and Memory Function* [UC Riverside]. <https://escholarship.org/uc/item/81x2g02f>

North, H. F., Weissleder, C., Bitar, M., Barry, G., Fullerton, J. M., Webster, M. J., & Weickert, C. S. (2024). RNA-sequencing suggests extracellular matrix and vasculature dysregulation could impair neurogenesis in schizophrenia cases with elevated inflammation. *Schizophrenia*, *10*(1), 1–10. <https://doi.org/10.1038/s41537-024-00466-0>

Oh, J.-Y., Lee, H., Jang, S.-Y., Kim, H., Park, G., Serikov, A., Jang, J.-H., Kim, J., Yang, S., Sa, M., Lee, S. E., Han, Y.-E., Hwang, T.-Y., Jung, S. J., Kim, H. Y., Lee, S. E., Oh, S.-J., Kim, J., Kim, J., ... Park, H.-J. (n.d.). Central Role of Hypothalamic Circuits for Acupuncture's Anti-Parkinsonian Effects. *Advanced Science*, *n/a*(n/a), 2403245. <https://doi.org/10.1002/advs.202403245>

Ono, M., Ito, T., Yamaki, S., Hori, Y., Zhou, Q., Zhao, X., Muramoto, S., Yamamoto, R., Furuyama, T., Sakata-Haga, H., Hatta, T., Hamaguchi, T., & Kato, N. (2024). Spatiotemporal development of the neuronal accumulation of amyloid precursor protein and the amyloid plaque formation in the brain of 3xTg-AD mice. *Heliyon*, *10*(7). <https://doi.org/10.1016/j.heliyon.2024.e28821>

Ozkaptan, B. B., Sagir, D., & Aksoy, F. (2024). Hepatoprotective Effects of Curcumin on Liver Injury in Streptozocin-induced Diabetic Rats. *Journal of the Anatomical Society of India*, *73*(3), 218. https://doi.org/10.4103/jasi.jasi_55_23

Pan, Y., Hysinger, J. D., Yalçın, B., Lennon, J. J., Byun, Y. G., Raghavan, P., Schindler, N. F., Anastasaki, C., Chatterjee, J., Ni, L., Xu, H., Malacon, K., Jahan, S. M., Ivec, A. E., Aghoghovwia, B. E., Mount, C. W., Nagaraja, S., Scheaffer, S., Attardi, L. D., ... Monje, M. (2024). Nf1 mutation disrupts activity-dependent oligodendroglial plasticity and motor learning in mice. *Nature Neuroscience*, *27*(8), 1555–1564. <https://doi.org/10.1038/s41593-024-01654-y>

Paoletti, I. (2024). *Focusing on altered neuronal networks to fight early deficits in a mouse model of Alzheimer's Disease*. <https://doi.org/10.77606>

Patel, M. Y., Yang, R., Chakraborty, N., Miller, S.-A., DeMar, J. C., Batuure, A., Wilder, D., Long, J., Hammamieh, R., & Gautam, A. (2024). Impact of dietary changes on retinal neuronal plasticity in rodent models of physical and psychological trauma. *Frontiers in Genetics*, *15*. <https://doi.org/10.3389/fgene.2024.1373447>

Patel, R., Gomes, A., Maloney, S. K., & Smith, J. T. (2024). Reduced voluntary wheel running behaviour in *Kiss1r* knockout mice. *Physiology & Behavior*, *287*, 114701. <https://doi.org/10.1016/j.physbeh.2024.114701>

Poddar, J., Rangasamy, S. B., & Pahan, K. (2024). Therapeutic efficacy of cinnamein, a component of balsam of Tolu/Peru, in controlled cortical impact mouse model of TBI. *Neurochemistry International*, *176*, 105742. <https://doi.org/10.1016/j.neuint.2024.105742>

Qi, L.-F.-R., Liu, S., Fang, Q., Qian, C., Peng, C., Liu, Y., Yang, P., Wu, P., Shan, L., Cui, Q., Hua, Q., Yang, S., Ye, C., Yang, W., Li, P., & Xu, X. (2024). Ginsenoside Rg3 Restores Mitochondrial Cardiolipin Homeostasis via GRB2 to Prevent Parkinson's Disease. *Advanced Science*, *11*(39), 2403058. <https://doi.org/10.1002/advs.202403058>

Qi, L.-F.-R., Liu, Y., Liu, S., Xiang, L., Liu, Z., Liu, Q., Zhao, J.-Q., & Xu, X. (2024). Phillyrin promotes autophagosome formation in A53T- α Syn-induced Parkinson's disease model via modulation of REEP1. *Phytomedicine*, *134*, 155952. <https://doi.org/10.1016/j.phymed.2024.155952>

Rabelo, T. K., Campos, A. C. P., Souza, T. H. A., Mahmud, F., Popovic, M. R., Covolan, L., Betta, V. H. C., DaCosta, L., Lipsman, N., Diwan, M., & Hamani, C. (2024). Deep brain stimulation mitigates memory deficits in a rodent model of traumatic brain injury. *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*, *17*(6), 1186–1196. <https://doi.org/10.1016/j.brs.2024.10.006>

Rajebhosale, P., Jone, A., Johnson, K. R., Hofland, R., Palarpalar, C., Khan, S., Role, L. W., & Talmage, D. A. (2024). Neuregulin1 Nuclear Signaling Influences Adult Neurogenesis and Regulates a Schizophrenia Susceptibility Gene Network within the Mouse Dentate Gyrus. *Journal of Neuroscience*, *44*(43). <https://doi.org/10.1523/JNEUROSCI.0063-24.2024>

Rentsch, P., Ganesan, K., Langdon, A., Konen, L. M., & Vissel, B. (2024). Toward the development of a sporadic model of Alzheimer's disease: Comparing pathologies between humanized APP and the familial J20 mouse models. *Frontiers in Aging Neuroscience*, *16*. <https://doi.org/10.3389/fnagi.2024.1421900>

Rumajogee, P., Altamentova, S., Li, J., Puvanenthirarajah, N., Wang, J., Asgarihafshejani, A., Van Der Kooy, D., & Fehlings, M. G. (2024). Constraint-Induced Movement Therapy (CIMT) and Neural Precursor Cell (NPC) Transplantation Synergistically Promote Anatomical and Functional Recovery in a Hypoxic-Ischemic Mouse Model. *International Journal of Molecular Sciences*, *25*(17), Article 17. <https://doi.org/10.3390/ijms25179403>

Salem, S., Kilgore, M. D., Anwer, M., Maxan, A., Child, D., Bird, T. D., Keene, C. D., Cicchetti, F., & Latimer, C. (2024). Evidence of mutant huntingtin and tau-related pathology within neuronal grafts in Huntington's disease cases. *Neurobiology of Disease*, *198*, 106542. <https://doi.org/10.1016/j.nbd.2024.106542>

Santana, N. N. M., Silva, E. H. A., Santos, S. F. dos, Bezerra, L. L. F., da Silva, M. M. O., Cavalcante, J. S., Fiuza, F. P., Morais, P. L. A. de G., & Engelberth, R. C. (2024). Neuronal Stability, Volumetric Changes, and Decrease in GFAP Expression of Marmoset (*Callithrix jacchus*) Subcortical Visual Nuclei During Aging. *Journal of Comparative Neurology*, *532*(7), e25649. <https://doi.org/10.1002/cne.25649>

Santoro, M., Lam, R. K., Blumenfeld, S. E., Tan, W., Ciari, P., Chu, E. K., Saw, N. L., Rijsketic, D. R., Lin, J. S., Heifets, B. D., & Shamloo, M. (2024). *Mapping of catecholaminergic denervation, neurodegeneration, and inflammation in 6-OHDA-treated Parkinson's disease mice*. Research Square. <https://doi.org/10.21203/rs.3.rs-5206046/v1>

Sheppard, P. A. S., Oomen, C. A., Bussey, T. J., & Saksida, L. M. (2024). The Granular Retrosplenial Cortex Is Necessary in Male Rats for Object-Location Associative Learning and Memory, But Not Spatial Working Memory or Visual Discrimination and Reversal, in the Touchscreen Operant Chamber. *eNeuro*, 11(6). <https://doi.org/10.1523/ENEURO.0120-24.2024>

Shin, J.-Y., Ha, M. W., Kim, J. H., Cheon, J., Lee, G. H., Paek, S.-M., & Lee, Y. (2024). Dual inhibition of AIMP2 and α -synuclein by steroid derivative is neuroprotective in Parkinson's model. *iScience*, 0(0). <https://doi.org/10.1016/j.isci.2024.111165>

Soydan, M., Arabaci, G., Utlu, N., Halici, M. B., Senocak, E. A., & Kiliclioglu, M. (2024). *Gastroprotective effect of water extract of Muscari neglectum on indomethacin-induced gastric ulcer in rats*. Research Square. <https://doi.org/10.21203/rs.3.rs-4330113/v1>

Torres, D. B., Lopes, A., Rodrigues, A. J., Ventura-Silva, A. P., Sousa, N., Gontijo, J. A. R., Boer, P. A., & Lopes, M. G. (n.d.). Early morphological and neurochemical changes of the bed nucleus of stria terminalis (BNST) in gestational protein-restricted male offspring. *Nutritional Neuroscience*, 0(0), 1–19. <https://doi.org/10.1080/1028415X.2024.2320498>

Turcato, F. C., Wegman, E., Lu, T., Ferguson, N., & Luo, Y. (2022). Dopaminergic neurons are not a major Sonic hedgehog ligand source for striatal cholinergic or PV interneurons. *iScience*, 25(11), 105278. <https://doi.org/10.1016/j.isci.2022.105278>

Turegano-Lopez, M., de las Pozas, F., Santuy, A., Rodriguez, J.-R., DeFelipe, J., & Merchan-Perez, A. (2024). Tracing nerve fibers with volume electron microscopy to quantitatively analyze brain connectivity. *Communications Biology*, 7(1), 1–16. <https://doi.org/10.1038/s42003-024-06491-0>

Uchimura, Y., Hino, K., Hattori, K., Kubo, Y., Owada, A., Kimura, T., Sugawara, L., Kume, S., Bellier, J.-P., Yanagisawa, D., Shiino, A., Nakayama, T., Daigo, Y., Mashimo, T., & Udagawa, J. (2024). Knockout of the orphan membrane transporter Slc22a23 leads to a lean and hyperactive phenotype with a small hippocampal volume. *PLOS ONE*, 19(8), e0309461. <https://doi.org/10.1371/journal.pone.0309461>

Velázquez-Delgado, C., Hernández-Ortiz, E., Landa-Navarro, L., Tapia-Rodríguez, M., Moreno-Castilla, P., & Bermúdez-Rattoni, F. (2024). Repeated exposure to novelty promotes resilience against the amyloid-beta effect through dopaminergic stimulation. *Psychopharmacology*. <https://doi.org/10.1007/s00213-024-06650-5>

Veza, C., Ruger, L., Langman, M., Vickers, E., Prada, F., Sukovich, J., Hall, T., Xu, Z., Parker, R. L., Vlaisavljevich, E., & Rossmeis, J. H. (2024). First-In-DOg HISTotripsy for Intracranial Tumors Trial: The FIDOHISt Study. *Technology in Cancer Research & Treatment*, 23, 15330338241285158. <https://doi.org/10.1177/15330338241285158>

Waddell, J., Lin, S., Carter, K., Truong, T., Hebert, M., Ojeda, N., Fan, L.-W., Bhatt, A., & Pang, Y. (2024). Early Postnatal Neuroinflammation Produces Key Features of Diffuse Brain White Matter Injury in Rats. *Brain Sciences*, 14(10), Article 10. <https://doi.org/10.3390/brainsci14100976>

Würfel, T. (2024). *Behandlung von im Tierversuch experimentell induzierten Sehnenteildefekten mit adulten, autologen und allogenen, aus Fettgewebe gewonnenen regenerativen Zellen* [Text.PhDThesis, Ludwig-Maximilians-Universität München]. <https://edoc.ub.uni-muenchen.de/33758/>

Xie, F., Shen, Bi., Luo, Y., Zhou, H., Xie, Z., Zhu, S., Wei, X., Chang, Z., Zhu, Z., Ding, C., Jin, K., Yang, C., Batzu, L., Chaudhuri, K. R., Chan, L.-L., Tan, E.-K., & Wang, Q. (2024). *Repetitive transcranial magnetic stimulation alleviates motor impairment in Parkinson's disease: Association with peripheral inflammatory regulatory T-cells and SYT6*. Research Square. <https://doi.org/10.21203/rs.3.rs-4959031/v1>

Xing, Y., Ma, X., Zhai, R., Chen, W., & Yan, H. (2024). GDF11 improves hippocampal neurogenesis and cognitive abilities in diabetic mice by reducing neural inflammation. *Brain, Behavior, and Immunity*, 120, 21–31. <https://doi.org/10.1016/j.bbi.2024.05.024>

Yakut, S., Atcali, T., Çağlayan, C., Ulucan, A., Kandemir, F. M., Kara, A., & Anuk, T. (2024). *Therapeutic*

Potential of Silymarin in Mitigating Paclitaxel-Induced Hepatotoxicity and Nephrotoxicity: Insights into Oxidative Stress, Inflammation, and Apoptosis in Rats.
<https://doi.org/10.4274/balkanmedj.galenos.2024.2024-1-60>

Yamaguchi, H., Nishimura, Y., Matsuse, D., Sekiya, H., Masaki, K., Tanaka, T., Saiga, T., Harada, M., Kira, Y., Dickson, D. W., Fujishima, K., Matsuo, E., Tanaka, K. F., Yamasaki, R., Isobe, N., & Kira, J. (2024). A rapidly progressive multiple system atrophy-cerebellar variant model presenting marked glial reactions with inflammation and spreading of α -synuclein oligomers and phosphorylated α -synuclein aggregates. *Brain, Behavior, and Immunity*, 121, 122–141. <https://doi.org/10.1016/j.bbi.2024.07.004>

Yan, C., Mercaldo, V., Jacob, A. D., Kramer, E., Mocle, A., Ramsaran, A. I., Tran, L., Rashid, A. J., Park, S., Insel, N., Redish, A. D., Frankland, P. W., & Josselyn, S. A. (2024). Higher-order interactions between hippocampal CA1 neurons are disrupted in amnesic mice. *Nature Neuroscience*, 27(9), 1794–1804. <https://doi.org/10.1038/s41593-024-01713-4>

Yao, Z., Jia, F., Wang, S., Jiao, Q., Du, X., Chen, X., & Jiang, H. (2024). The involvement of IRP2-induced ferroptosis through the p53-SLC7A11-ALOX12 pathway in Parkinson's disease. *Free Radical Biology and Medicine*, 222, 386–396. <https://doi.org/10.1016/j.freeradbiomed.2024.06.020>

Yozgatli, T. K., Gelenli Dolanbay, E., Cingoz, T., Paksoy, A. E., Uslu, U., Ovali, E., & Kocaoglu, B. (2024). Satellite myoblast and mesenchymal stem cell injections decrease fatty degeneration after rotator cuff tear in rats. *Journal of Experimental Orthopaedics*, 11(3), e12087. <https://doi.org/10.1002/jeo.12087>

Zhang, K., Zhu, Y., Fenik, P., Fleysh, D., Ly, C., Thomas, S. A., & Veasey, S. (2024). Norepinephrine Drives Sleep Fragmentation Activation of Asparagine Endopeptidase, Locus Coeruleus Degeneration, and Hippocampal Amyloid- β 42 Accumulation. *Journal of Neuroscience*, 44(28). <https://doi.org/10.1523/JNEUROSCI.1929-23.2024>

Zhao, X., Kang, Z., Han, R., Wang, M., Wang, Y., Sun, X., Wang, C., Zhou, J., Cao, L., & Lu, M. (2024). JWA binding to NCOA4 alleviates degeneration in dopaminergic neurons through suppression of ferritinophagy in Parkinson's disease. *Redox Biology*, 73, 103190. <https://doi.org/10.1016/j.redox.2024.103190>

Zhao, Y., Shen, W., Zhang, M., Guo, M., Dou, Y., Han, S., Yu, J., Cui, M., & Zhao, Y. (2024). DDAH-1 maintains endoplasmic reticulum-mitochondria contacts and protects dopaminergic neurons in Parkinson's disease. *Cell Death & Disease*, 15(6), 1–15. <https://doi.org/10.1038/s41419-024-06772-w>

ZHU, Z. (2024). *L'assenza di Parkin non promuove la disfunzione di dopamina o del mitocondrio in topi mutatori mitocondriali PolgAD257A/D257A.* <https://thesis.unipd.it/handle/20.500.12608/70621>

Zhu, Z., Cheng, Y., Han, X., Wang, T., Zhang, H., Yao, Q., Chen, F., Gu, L., Yang, D., Chen, L., & Zhao, Y. (2024). 20(S)-Protanaxadiol Exerts Antidepressive Effects in Chronic Corticosterone-Induced Rodent Animal Models as an Activator of Brain-Type Creatine Kinase. *Journal of Agricultural and Food Chemistry*, 72(18), 10376–10390. <https://doi.org/10.1021/acs.jafc.4c00415>

Bach, Svitlana V., Allison J. Bauman, Darya Hosein, Jennifer J. Tuscher, Lara Ianov, Kelsey M. Greathouse, Benjamin W. Henderson, Jeremy H. Herskowitz, Keri Martinowich, and Jeremy J. Day. "Distinct Roles of Bdnf I and Bdnf IV Transcript Variant Expression in Hippocampal Neurons." *Hippocampus* (February 16 2024). <https://doi.org/10.1002/hipo.23600>.

Caznok Silveira, Ana Clara, Andre Saraiva Leão Marcelo Antunes, Maria Carolina Pedro Athié, Bárbara Filomena da Silva, João Victor Ribeiro dos Santos, Camila Canateli, Marina Alves Fontoura, et al. "Between Neurons and Networks: Investigating Mesoscale Brain Connectivity in Neurological and Psychiatric Disorders." *Frontiers in Neuroscience* 18 (February 20, 2024). <https://doi.org/10.3389/fnins.2024.1340345>.

Fernholz, Martin H. P., Drago A. Guggiana Nilo, Tobias Bonhoeffer, and Andreas M. Kist. "DeepD3, an

Open Framework for Automated Quantification of Dendritic Spines." *PLoS Computational Biology* 20, no. 2 (February 29, 2024): e1011774. <https://doi.org/10.1371/journal.pcbi.1011774>.

Galanis, Christos, Lena Neuhaus, Nicholas Hananeia, Zsolt Turi, Peter Jedlicka, and Andreas Vlachos. "Axon Morphology and Intrinsic Cellular Properties Determine Repetitive Transcranial Magnetic Stimulation Threshold for Plasticity." *Frontiers in Cellular Neuroscience* 18 (April 3, 2024). <https://doi.org/10.3389/fncel.2024.1374555>.

Groden, Moritz, Hannah M. Moessinger, Barbara Schaffran, Javier DeFelipe, Ruth Benavides-Piccione, Hermann Cuntz, and Peter Jedlicka. "A Biologically Inspired Repair Mechanism for Neuronal Reconstructions with a Focus on Human Dendrites." *PLoS Computational Biology* 20, no. 2 (February 23, 2024): e1011267. <https://doi.org/10.1371/journal.pcbi.1011267>.

Karube, Fuyuki, Yang Yang, Kenta Kobayashi, and Fumino Fujiyama. "Anterograde Trans-Neuronal Labeling of Striatal Interneurons in Relation to Dopamine Neurons in the Substantia Nigra Pars Compacta." *Frontiers in Neuroanatomy* 18 (February 28, 2024). <https://doi.org/10.3389/fnana.2024.1325368>.

Lee, Karen Ka Yan, Bidisha Chattopadhyaya, Antônia Samia Fernandes do Nascimento, Luc Moquin, Pedro Rosa-Neto, Bénédicte Amilhon, and Graziella Di Cristo. "Neonatal Hypoxia Impairs Serotonin Release and Cognitive Functions in Adult Mice." *Neurobiology of Disease* 193 (April 1, 2024): 106465. <https://doi.org/10.1016/j.nbd.2024.106465>.

Lloyd, David A., Maria Alejandra Gonzalez-Gonzalez, and Mario I. Romero-Ortega. "AxoDetect: An Automated Nerve Image Segmentation and Quantification Workflow for Computational Nerve Modeling." *Journal of Neural Engineering* 21, no. 2 (March 2024): 026017. <https://doi.org/10.1088/1741-2552/ad31c3>.

Vermoyal, Jean-Christophe, Delphine Hardy, Lucas Goirand-Lopez, Antonin Vinck, Lucas Silvagnoli, Aurélien Fortoul, Fiona Francis, et al. "Grey Matter Heterotopia Subtypes Show Specific Morpho-Electric Signatures and Network Dynamics." *Brain* 147, no. 3 (March 1, 2024): 996–1010. <https://doi.org/10.1093/brain/awad318>.

Boor, Sonia A, Joshua D Meisel, and Dennis H Kim. "Neuroendocrine Gene Expression Coupling of Interoceptive Bacterial Food Cues to Foraging Behavior of *C. Elegans*." Edited by Douglas Portman and Piali Sengupta. *eLife* 12 (January 17, 2024): RP91120. <https://doi.org/10.7554/eLife.91120>.

Gu, Yulun, Yongqi Jiang, Xiaoxia Chen, Liangzhong Li, Haibo Chen, Jinyu Chen, Chen Wang, Jun Yu, Chao Chen, and Hui Li. "Generation of Environmentally Persistent Free Radicals on Photoaged Tire Wear Particles and Their Neurotoxic Effects on Neurotransmission in *Caenorhabditis Elegans*." *Environment International* 186 (April 1, 2024): 108640. <https://doi.org/10.1016/j.envint.2024.108640>.

Han, Marina, Aleen Saxton, Heather Currey, Sarah M. Waldherr, Nicole F. Liachko, and Brian C. Kraemer. "Transgenic Dendra2::Tau Expression Allows in Vivo Monitoring of Tau Proteostasis in *Caenorhabditis Elegans*." *Disease Models & Mechanisms* 17, no. 3 (March 28, 2024): dmm050473. <https://doi.org/10.1242/dmm.050473>.

Hassinan, Cera W., Scott C. Sterrett, Brennan Summy, Arnav Khera, Angie Wang, and Jihong Bai. "Dimensionality of Locomotor Behaviors in Developing *C. Elegans*." *PLoS Computational Biology* 20, no. 3 (March 4, 2024): e1011906. <https://doi.org/10.1371/journal.pcbi.1011906>.

Hoolachan, Joseph M, Eve McCallion, Emma R Sutton, Özge Çetin, Paloma Pacheco-Torres, Maria Dimitriadi, Suat Sari, et al. "A Transcriptomics-Based Drug Repositioning Approach to Identify Drugs with Similar Activities for the Treatment of Muscle Pathologies in Spinal Muscular Atrophy (SMA) Models." *Human Molecular Genetics* 33, no. 5 (March 1, 2024): 400–425. <https://doi.org/10.1093/hmg/ddad192>.

Jadhav, Vaishnavi S., Jade G. Stair, Randall J. Eck, Samuel N. Smukowski, Heather N. Currey, Laura Garcia Toscano, Joshua C. Hincks, et al. "Transcriptomic Evaluation of Tau and TDP-43 Synergism

Shows Tauopathy Predominance and Reveals Potential Modulating Targets." *Neurobiology of Disease* 193 (April 1, 2024): 106441. <https://doi.org/10.1016/j.nbd.2024.106441>.

Kim, Aaron Taehwan, Sida Li, Yoo Kim, Young-Jai You, and Yeonhwa Park. "Food Preference-Based Screening Method for Identification of Effectors of Substance Use Disorders Using *Caenorhabditis Elegans*." *Life Sciences* 345 (May 15, 2024): 122580. <https://doi.org/10.1016/j.lfs.2024.122580>.

Lee, Daniel Junpyo, An Na Kang, Junbeom Lee, Min-Jin Kwak, Daye Mun, Daseul Lee, Sangnam Oh, and Younghoon Kim. "Molecular Characterization of *Fusarium Venenatum*-Based Microbial Protein in Animal Models of Obesity Using Multi-Omics Analysis." *Communications Biology* 7, no. 1 (January 26, 2024): 1–14. <https://doi.org/10.1038/s42003-024-05791-9>.

Li, Hui, Yulun Gu, Yongqi Jiang, Ping Ding, Xiaoxia Chen, Chao Chen, Ruolin Pan, Chongli Shi, Susu Wang, and Haibo Chen. "Environmentally Persistent Free Radicals on Photoaged Nanopolystyrene Induce Neurotoxicity by Affecting Dopamine, Glutamate, Serotonin and GABA in *Caenorhabditis Elegans*." *Science of The Total Environment* 906 (January 1, 2024): 167684. <https://doi.org/10.1016/j.scitotenv.2023.167684>.

Luo, Jingrui, Xiaoying Zhang, Ziqing Liang, Yun Chen, Guo Liu, Yong Cao, Hang Xiao, and Yunjiao Chen. "Pentagalloyl Glucose Regulated Probiotic and Metabolite SCFAs To Ameliorate Intestinal Barrier Integrity." SSRN Scholarly Paper. Rochester, NY, January 18, 2024. <https://doi.org/10.2139/ssrn.4696497>.

Napier-Jameson, Rebekah, Olivia Marx, and Adam Norris. "A Pair of RNA Binding Proteins Inhibit Ion Transporter Expression to Maintain Lifespan." *Genetics* 226, no. 2 (February 1, 2024): iyad212. <https://doi.org/10.1093/genetics/iyad212>.

Navarro-Hortal, María D., Jose M. Romero-Márquez, M. Asunción López-Bascón, Cristina Sánchez-González, Jianbo Xiao, Sandra Sumalla-Cano, Maurizio Battino, Tamara Y. Forbes-Hernández, and José L. Quiles. "In Vitro and In Vivo Insights into a Broccoli Byproduct as a Healthy Ingredient for the Management of Alzheimer's Disease and Aging through Redox Biology." *Journal of Agricultural and Food Chemistry* 72, no. 10 (March 13, 2024): 5197–5211. <https://doi.org/10.1021/acs.jafc.3c05609>.

Robertson, Helen E., Arnau Sebé-Pedrós, Baptiste Saudemont, Yann Loe-Mie, Anne-C. Zakrzewski, Xavier Grau-Bové, Marie-Pierre Mailhe, Philipp Schiffer, Maximilian J. Telford, and Heather Marlow. "Single Cell Atlas of *Xenoturbella Bocki* Highlights Limited Cell-Type Complexity." *Nature Communications* 15, no. 1 (March 19, 2024): 2469. <https://doi.org/10.1038/s41467-024-45956-y>.

Rodak, Nathan Y., Chieh-Hsiang Tan, and Paul W. Sternberg. "An Improved Solid Medium-Based Culturing Method for *Steinernema Hermaphroditum*." *microPublication Biology* 2024: 10.17912/micropub.biology.001110. Accessed April 12, 2024. <https://doi.org/10.17912/micropub.biology.001110>.

Silva, Larissa Pereira Dantas da, Erika da Cruz Guedes, Isabel Cristina Oliveira Fernandes, Lucas Aleixo Leal Pedroza, Gustavo José da Silva Pereira, and Priscila Gubert. "Exploring *Caenorhabditis Elegans* as Parkinson's Disease Model: Neurotoxins and Genetic Implications." *Neurotoxicity Research* 42, no. 1 (February 6, 2024): 11. <https://doi.org/10.1007/s12640-024-00686-3>.

Wang, Ruipeng, Jingxuan Guo, Hanlu Yao, Xuekai Luo, Yixiang Deng, Yuhang Tian, Yan Zhang, and Shangbang Gao. "Protocol for Near-Infrared Optogenetics Manipulation of Neurons and Motor Behavior in *C. Elegans* Using Emissive Upconversion Nanoparticles." *STAR Protocols* 5, no. 1 (March 15, 2024): 102858. <https://doi.org/10.1016/j.xpro.2024.102858>.

Chow, Jonathan J., Kayla M. Pitts, Ansel Schoenbaum, Kauê M. Costa, Geoffrey Schoenbaum, and Yavin Shaham. "Different Effects of Peer Sex on Operant Responding for Social Interaction and Striatal Dopamine Activity." *Journal of Neuroscience* 44, no. 10 (March 6, 2024). <https://doi.org/10.1523/JNEUROSCI.1887-23.2024>.

Privitera, Mattia, Lukas M von Ziegler, Amalia Floriou-Servou, Sian N Duss, Runzhong Zhang, Rebecca Waag, Sebastian Leimbacher, et al. "Noradrenaline Release from the Locus Coeruleus Shapes Stress-Induced Hippocampal Gene Expression." Edited by Matthew N Hill and Kate M Wassum. *eLife* 12 (March 13, 2024): RP88559. <https://doi.org/10.7554/eLife.88559>.

Rupprecht, Peter, Sian N. Duss, Denise Becker, Christopher M. Lewis, Johannes Bohacek, and Fritjof Helmchen. "Centripetal Integration of Past Events in Hippocampal Astrocytes Regulated by Locus Coeruleus." *Nature Neuroscience*, April 3, 2024, 1–13. <https://doi.org/10.1038/s41593-024-01612-8>.

"Suthard et al. - 2024 - Engram Reactivation Mimics Cellular Signatures of .Pdf." Accessed April 12, 2024. [https://www.cell.com/cell-reports/pdf/S2211-1247\(24\)00178-5.pdf](https://www.cell.com/cell-reports/pdf/S2211-1247(24)00178-5.pdf).

Suthard, Rebecca L., Ryan A. Senne, Michelle D. Buzharsky, Anh H. Diep, Angela Y. Pyo, and Steve Ramirez. "Engram Reactivation Mimics Cellular Signatures of Fear." *Cell Reports* 43, no. 3 (March 2024): 113850. <https://doi.org/10.1016/j.celrep.2024.113850>.

"Tang - 2023 - Fiber Photometry Acquisition v1.Pdf." Accessed April 12, 2024. https://web.archive.org/web/20240118125614id_/https://www.protocols.io/view/fiber-photometry-acquisition-c6ggzdtw.pdf.

Tang, Jonathan. "Fiber Photometry Acquisition V1," December 21, 2023. <https://doi.org/10.17504/protocols.io.bp2l6xz5dlqe/v1>.

Tang, Jonathan C. Y., Vitor Paixao, Filipe Carvalho, Artur Silva, Andreas Klaus, Joaquim Alves da Silva, and Rui M. Costa. "Dynamic Behaviour Restructuring Mediates Dopamine-Dependent Credit Assignment." *Nature* 626, no. 7999 (February 2024): 583–92. <https://doi.org/10.1038/s41586-023-06941-5>.

Wholley, Kyla. "Neurochemical Signaling of Reward-Based Learning in Ventral Tegmental Area Dopamine Neurons." *Dissertations, Theses, and Capstone Projects*, February 1, 2024. https://academicworks.cuny.edu/gc_etds/5689.

Yang, Dong, Yu Wang, Tianbo Qi, Xi Zhang, Leyao Shen, Jingrui Ma, Zhengyuan Pang, et al. "Phosphorylation of Pyruvate Dehydrogenase Inversely Associates with Neuronal Activity." *Neuron* 112, no. 6 (March 2024): 959-971.e8. <https://doi.org/10.1016/j.neuron.2023.12.015>.

"Yang et al. - 2024 - Phosphorylation of Pyruvate Dehydrogenase Inversel.Pdf." Accessed April 12, 2024. [https://www.cell.com/neuron/pdf/S0896-6273\(23\)00974-1.pdf](https://www.cell.com/neuron/pdf/S0896-6273(23)00974-1.pdf).

Fisher, Josephine, Marieke Verhagen, Zhen Long, Monika Moissidis, Yiming Yan, Chenyi He, Jingyu Wang, et al. "Cortical Somatostatin Long-Range Projection Neurons and Interneurons Exhibit Divergent Developmental Trajectories." *Neuron* 112, no. 4 (February 2024): 558-573.e8. <https://doi.org/10.1016/j.neuron.2023.11.013>.

Mesa, Haylee, Jonathan Meade, Paula Gajewski-Kurdziel, Randy D. Blakely, and Qi Zhang. "Simple Rescue of Opaque Tissue Previously Cleared by iDISCO." *Bio-Protocol* 14, no. 5 (March 5, 2024): e4948. <https://doi.org/10.21769/BioProtoc.4948>.

"Neuronal Basis of Visual Recognition Memory Deficits in Alzheimer's Disease - ProQuest." Accessed April 12, 2024. <https://www.proquest.com/openview/e491fd20f4e691812ca036c3cbd41aa4/1?pq-origsite=gscholar&cbl=18750&diss=y>.

Ramkumar, Raksha, Moriah Edge-Partington, Dylan J. Terstege, Kabirat Adigun, Yi Ren, Nazmus S. Khan, Nahid Rouhi, et al. "Long-Term Impact of Early Life Stress on Serotonin Connectivity." *Biological Psychiatry*, February 3, 2024. <https://doi.org/10.1016/j.biopsych.2024.01.024>.

Silverstein, Shana E., Ruairi O'Sullivan, Olena Bukalo, Dipanwita Pati, Julia A. Schaffer, Aaron Limoges, Leo Zsembik, et al. "A Distinct Cortical Code for Socially Learned Threat." *Nature* 626, no. 8001 (February 2024): 1066-72. <https://doi.org/10.1038/s41586-023-07008-1>.

Stranahan, Alexis M., Anthony Tabet, and Polina Anikeeva. "Region-Specific Targeting of Microglia in Vivo Using Direct Delivery of Tamoxifen Metabolites via Microfluidic Polymer Fibers." *Brain, Behavior, and Immunity* 115 (January 1, 2024): 131-42. <https://doi.org/10.1016/j.bbi.2023.09.021>.

Taub, Daniel G., Qiufen Jiang, Francesca Pietrafesa, Junfeng Su, Aloe Carroll, Caitlin Greene, Michael R. Blanchard, et al. "The Secondary Somatosensory Cortex Gates Mechanical and Heat Sensitivity." *Nature Communications* 15, no. 1 (February 12, 2024): 1289. <https://doi.org/10.1038/s41467-024-45729-Z>.

Buncha, Vadym, Katie Anne Fopiano, Liwei Lang, Celestine Williams, Anatolij Horuzsko, Jessica Andrea Filosa, Gaston Kapuku, and Zsolt Bagi. "Mice with Endothelial Cell-Selective Adhesion Molecule Deficiency Develop Coronary Microvascular Rarefaction and Left Ventricle Diastolic Dysfunction." *Physiological Reports* 11, no. 6 (2023): e15643. <https://doi.org/10.14814/phy2.15643>.

"Anatomical and Functional Characterization of the Larval Zebrafish Periaqueductal Gray Through the Development of Experimental Tools - ProQuest." Accessed April 12, 2024. <https://www.proquest.com/openview/231fde427f99eb45a2ef6fb0b0d8552e/1?pq-origsite=gscholar&cbl=18750&diss=y>.

"Dynamics of Artificial Sensory Representations in Mouse Somatosensory Cortex - ProQuest." Accessed April 12, 2024. <https://www.proquest.com/openview/1fcd446ac9bbd00c9e89107894b44fb2/1?pq-origsite=gscholar&cbl=18750&diss=y>.

"Electrophysiological and Behavioral Characterization of the Sodium Leak Channel NALCN in Dopaminergic Neurons - ProQuest." Accessed April 12, 2024.
<https://www.proquest.com/openview/9f8e8b421b1d713dbb08b0ee6f7eda71/1?pq-origsite=gscholar&cbl=18750&diss=y>.

"The Development of Dye-Doped Semiconducting Polymer Dots for Fluorescence Imaging and Sensing Applications - ProQuest." Accessed April 12, 2024.
<https://www.proquest.com/openview/f594af706bea0240e81596a5517230ff/1?pq-origsite=gscholar&cbl=18750&diss=y>.

Tsai, Yuan-Chen, Mohammad Hleihil, Kanako Otomo, Andrin Abegg, Anna Cavaccini, Patrizia Panzanelli, Teresa Cramer, et al. "The Gephyrin Scaffold Modulates Cortical Layer 2/3 Pyramidal Neuron Responsiveness to Single Whisker Stimulation." *Scientific Reports* 14, no. 1 (February 20, 2024): 4169. <https://doi.org/10.1038/s41598-024-54720-7>.

Tworig, J., R. Morrie, K. Bistrong, R. D. Somaiya, S. Hsu, J. Liang, K. Cornejo, and M. B. Feller. "Differential Expression Analysis Identifies Candidate Synaptogenic Molecules for Wiring Direction-Selective Circuits in the Retina." *Journal of Neuroscience*, March 20, 2024.
<https://doi.org/10.1523/JNEUROSCI.1461-23.2024>.

Virga, Daniel M., Stevie Hamilton, Bertha Osei, Abigail Morgan, Parker Kneis, Emiliano Zamponi, Natalie J. Park, et al. "Activity-Dependent Compartmentalization of Dendritic Mitochondria Morphology through Local Regulation of Fusion-Fission Balance in Neurons in Vivo." *Nature Communications* 15, no. 1 (March 8, 2024): 2142. <https://doi.org/10.1038/s41467-024-46463-w>.

Wang, Geng, Stephen A. Boppart, and Haohua Tu. "Compact Simultaneous Label-Free Autofluorescence Multi-Harmonic Microscopy for User-Friendly Photodamage-Monitored Imaging." *Journal of Biomedical Optics* 29, no. 3 (March 2024): 036501. <https://doi.org/10.1117/1.JBO.29.3.036501>.

"Wong et al. - 2024 - Synapse-Specific Burst Coding Sustained by Local a.Pdf." Accessed April 12, 2024. [https://www.cell.com/neuron/pdf/S0896-6273\(23\)00767-5.pdf](https://www.cell.com/neuron/pdf/S0896-6273(23)00767-5.pdf).

Wong, Hovy Ho-Wai, Alanna J. Watt, and P. Jesper Sjöström. "Synapse-Specific Burst Coding Sustained by Local Axonal Translation." *Neuron* 112, no. 2 (January 2024): 264-276.e6.
<https://doi.org/10.1016/j.neuron.2023.10.011>.

Zheng, Tianyi, Adrian R. Liversage, Kayvan F. Tehrani, Jarrod A. Call, Peter A. Kner, and Luke J. Mortensen. "Multi-Photon Fluorescence Microscopy with Adaptive Optics." In *Adaptive Optics and Wavefront Control for Biological Systems X*, 12851:33-40. SPIE, 2024. <https://doi.org/10.1117/12.3003445>.

Zhong, Jincheng, Yingxian Zhang, Xinlin Chen, Shen Tong, Xiangquan Deng, Jie Huang, Zhenhui Li, et al. "In Vivo Deep Brain Multiphoton Fluorescence Imaging Emitting at NIR-I and NIR-II and Excited at NIR-IV." *Journal of Biophotonics* 17, no. 4 (2024): e202300422. <https://doi.org/10.1002/jbio.202300422>.

Zhuo, Yizhou, Bin Luo, Xinyang Yi, Hui Dong, Xiaolei Miao, Jinxia Wan, John T. Williams, et al. "Improved Green and Red GRAB Sensors for Monitoring Dopaminergic Activity in Vivo." *Nature Methods* 21, no. 4 (April 2024): 680-91. <https://doi.org/10.1038/s41592-023-02100-w>.

Znamenskiy, Petr, Mean-Hwan Kim, Dylan R. Muir, M. Florencia Iacaruso, Sonja B. Hofer, and Thomas D. Mrsic-Flogel. "Functional Specificity of Recurrent Inhibition in Visual Cortex." *Neuron* 112, no. 6 (March 2024): 991-1000.e8. <https://doi.org/10.1016/j.neuron.2023.12.013>.

Looser, Zoe J., Zainab Faik, Luca Ravotto, Henri S. Zanker, Ramona B. Jung, Hauke B. Werner, Torben Ruhwedel, et al. "Oligodendrocyte-Axon Metabolic Coupling Is Mediated by Extracellular K⁺ and

Maintains Axonal Health." *Nature Neuroscience* 27, no. 3 (March 2024): 433–48. <https://doi.org/10.1038/s41593-023-01558-3>.

Lopez-Ortega, Elena, Jung Yoon Choi, Ingie Hong, Richard H. Roth, Robert H. Cudmore, and Richard L. Huganir. "Stimulus-Dependent Synaptic Plasticity Underlies Neuronal Circuitry Refinement in the Mouse Primary Visual Cortex." *Cell Reports* 43, no. 4 (April 2024): 113966. <https://doi.org/10.1016/j.celrep.2024.113966>.

"Lopez-Ortega et al. - 2024 - Stimulus-Dependent Synaptic Plasticity Underlies n.Pdf." Accessed April 12, 2024. [https://www.cell.com/cell-reports/pdf/S2211-1247\(24\)00294-8.pdf](https://www.cell.com/cell-reports/pdf/S2211-1247(24)00294-8.pdf).

Ma, Chenyan, Bing Li, Daniel Silverman, Xinlu Ding, Anan Li, Chi Xiao, Ganghua Huang, et al. "Microglia Regulate Sleep through Calcium-Dependent Modulation of Norepinephrine Transmission." *Nature Neuroscience* 27, no. 2 (February 2024): 249–58. <https://doi.org/10.1038/s41593-023-01548-5>.

Ma, Pingchuan, Peter Chen, Elizabeth I. Tilden, Samarth Aggarwal, Anna Oldenburg, and Yao Chen. "Fast and Slow: Recording Neuromodulator Dynamics across Both Transient and Chronic Time Scales." *Science Advances* 10, no. 8 (February 21, 2024): eadio643. <https://doi.org/10.1126/sciadv.adio643>.

Manikkoth, Mehreen, and Kim Dore. "Live FRET-FLIM Imaging to Study Metabotropic Signaling via the NMDA Receptor." In *New Technologies for Glutamate Interaction: Neurons and Glia*, edited by Maria Kukley, 71–90. New York, NY: Springer US, 2024. https://doi.org/10.1007/978-1-0716-3742-5_4.

Manley, Jason, Sihao Lu, Kevin Barber, Jeffrey Demas, Hyewon Kim, David Meyer, Francisca Martinez Traub, and Alipasha Vaziri. "Simultaneous, Cortex-Wide Dynamics of up to 1 Million Neurons Reveal Unbounded Scaling of Dimensionality with Neuron Number." *Neuron* 0, no. 0 (March 6, 2024). <https://doi.org/10.1016/j.neuron.2024.02.011>.

Narayanan, Sriram, Aalok Varma, and Vatsala Thirumalai. "Predictive Neural Computations in the Cerebellum Contribute to Motor Planning and Faster Behavioral Responses in Larval Zebrafish." *Science Advances* 10, no. 1 (January 3, 2024): eadi6470. <https://doi.org/10.1126/sciadv.adi6470>.

Normoyle, Kieran P., Kyle P. Lillis, and Kevin J. Staley. "Synthesis and Characterization of a Novel Concentration-Independent Fluorescent Chloride Indicator, ABP-Dextran, Optimized for Extracellular Chloride Measurement." *Biomolecules* 14, no. 1 (January 2024): 77. <https://doi.org/10.3390/biom14010077>.

Park, Soo Bin, and Gyorgy Lur. "Repeated Exposure to Multiple Concurrent Stressors Alters Visual Processing in the Adult Posterior Parietal Cortex." SSRN Scholarly Paper. Rochester, NY, April 1, 2024. <https://doi.org/10.2139/ssrn.4780447>.

Pinke, Domonkos, John B. Issa, Gabriel A. Dara, Gergely Dobos, and Daniel A. Dombeck. "Full Field-of-View Virtual Reality Goggles for Mice." *Neuron* 111, no. 24 (December 2023): 3941-3952.e6. <https://doi.org/10.1016/j.neuron.2023.11.019>.

"Pinke et al. - 2023 - Full Field-of-View Virtual Reality Goggles for Mic.Pdf." Accessed April 12, 2024. [https://www.cell.com/neuron/pdf/S0896-6273\(23\)00893-0.pdf](https://www.cell.com/neuron/pdf/S0896-6273(23)00893-0.pdf).

Pirogova, Nadezhda. "Neural correlates of contrast normalization in the Drosophila visual system." Text.PhDThesis, Ludwig-Maximilians-Universität München, 2023. <https://edoc.ub.uni-muenchen.de/33005/>.

Rieder, Phillip. "Glial Ca²⁺ Signaling in the Spinal Cord and the Myelin-Protective Effect of the GABA_B Receptor in Oligodendrocyte Precursor Cells." doctoralThesis, Saarländische Universitäts- und Landesbibliothek, 2023. <https://doi.org/10.22028/D291-40958>.

Rodwell, Vanessa, Manjiri Patil, Helen J. Kuht, Stephan C. F. Neuhauss, William H. J. Norton, and Mervyn G. Thomas. "Zebrafish Optokinetic Reflex: Minimal Reporting Guidelines and Recommendations." *Biology* 13, no. 1 (January 2024): 4. <https://doi.org/10.3390/biology13010004>.

Shih, Andy, Stefan Stamenkovic, Franca Schmid, Nicolas Weitermann, Kevin Takasaki, Stephanie Bonney, Maria Sosa, et al. "Impaired Drainage through Capillary-Venous Networks Contributes to Age-Related White Matter Loss," February 29, 2024. <https://doi.org/10.21203/rs.3.rs-3949186/v1>.

Suresh, Sisira, Ines Martin, Samuel Metais, Siddarth Shivkumar, Nicolas Forget, Randy Bartels, and Herve Rigneault. "Impulsive Stimulated Raman Scattering Imaging Using an Ultra-Fast Acoustic-Optics Delay Line." In *Advanced Chemical Microscopy for Life Science and Translational Medicine 2024*, 12855:31–36. SPIE, 2024. <https://doi.org/10.1117/12.2692912>.

Tamimi, Amr, Martin Caldarola, Sebastian Hambura, Juan C. Boffi, Niels Noordzij, Johannes W. N. Los, Antonio Guardiani, et al. "Deep Mouse Brain Two-Photon near-Infrared Fluorescence Imaging Using a Superconducting Nanowire Single-Photon Detector Array." arXiv, December 21, 2023. <https://doi.org/10.48550/arXiv.2312.14042>.

Thompson, E. J. "Subcortical Circuits for Procedural Learning and Memory." *Doctoral Thesis, UCL (University College London)*. Doctoral, UCL (University College London), 2024. <https://discovery.ucl.ac.uk/id/eprint/10184170/>.

Adamantidis, Antoine, Ida Luisa Boccularo, Mattia Aime, Florence Aellen, Thomas Rusterholz, Micaela Borsa, Ivan Bozic, et al. "A Role for the Thalamus in Danger Discrimination during Sleep," January 12, 2024. <https://doi.org/10.21203/rs.3.rs-3395895/v1>.

Binder, Nadine Felizitas, Mohamad El Amki, Chaim Glück, William Middleham, Anna Maria Reuss, Adrien Bertolo, Patrick Thurner, et al. "Leptomeningeal Collaterals Regulate Reperfusion in Ischemic Stroke and Rescue the Brain from Futile Recanalization." *Neuron*, February 2024, S0896627324000576. <https://doi.org/10.1016/j.neuron.2024.01.031>.

Cody, Patrick, Manoj Kumar, and Thanos Tzounopoulos. "Cortical Zinc Signaling Is Necessary for Changes in Mouse Pupil Diameter That Are Evoked by Background Sounds with Different Contrasts." *Journal of Neuroscience* 44, no. 11 (March 13, 2024). <https://doi.org/10.1523/JNEUROSCI.0939-23.2024>.

Dernic, Jan, Afroditi Eleftheriou, Melanie Rauch, Pascal Imseng, Henri Zanker, Zoe Looser, Rachel Meister, et al. "Abundance-Biased Codon Diversification Prevents Recombination in AAV Production and Ensures Robust in Vivo Expression of Functional FRET Sensors," February 15, 2024. <https://doi.org/10.21203/rs.3.rs-3850580/v1>.

Fernández, Alma, Anton Classen, Nityakalyani Josyula, James T. Florence, Alexei V. Sokolov, Marlan O. Scully, Paul Straight, and Aart J. Verhoef. "Simultaneous Two- and Three-Photon Deep Imaging of Autofluorescence in Bacterial Communities." *Sensors* 24, no. 2 (January 2024): 667. <https://doi.org/10.3390/s24020667>.

Friedrichsen, Karl, Jen-Chun Hsiang, Chin-I. Lin, Liam McCoy, Katia Valkova, Daniel Kerschensteiner, and Josh L. Morgan. "Subcellular Pathways through VGlut3-Expressing Mouse Amacrine Cells Provide Locally Tuned Object-Motion-Selective Signals in the Retina." *Nature Communications* 15, no. 1 (April 5, 2024): 2965. <https://doi.org/10.1038/s41467-024-46996-0>.

Gao, Yufeng, Feng Xiang, Jia Yu, Ting Wu, Jiuling Liao, Hui Li, Shiwei Ye, and Wei Zheng. "Accurate Piecewise Centroid Calculation Algorithm for Wavefront Measurement in Adaptive Optics." *Optics Express* 32, no. 1 (January 1, 2024): 301–12. <https://doi.org/10.1364/OE.510881>.

Gellner, Anne-Kathrin, Janine Reis, Bernd L. Fiebich, and Brita Fritsch. "Cx3cr1 Deficiency Interferes with Learning- and Direct Current Stimulation-Mediated Neuroplasticity of the Motor Cortex." *European Journal of Neuroscience* 59, no. 2 (2024): 177–91. <https://doi.org/10.1111/ejn.16206>.

Gruver, Kimberly. "Purkinje Cells Converge Non-Randomly on Neurons in the Cerebellar Nuclei," 2023. <https://escholarship.mcgill.ca/concern/theses/z316q680w?locale=en>.

Guralnik, Ezra, Behnam Tayebi, Yi Yuan, Justin Little, Michal Balberg, and Shy Shoham. "Simultaneous Acousto-Optic Modulation and Multiphoton Fluorescence Imaging Provides Functional Imaging and New Image Details." In *Multiphoton Microscopy in the Biomedical Sciences XXIV*, 12847:108–11. SPIE, 2024. <https://doi.org/10.1117/12.3003387>.

Hanafy, Amira Sayed, Alf Lamprecht, and Dirk Dietrich. "Local Perfusion of Capillaries Reveals Disrupted Beta-Amyloid Homeostasis at the Blood-Brain Barrier in Tg2576 Murine Alzheimer's Model." *Fluids and Barriers of the CNS* 20, no. 1 (November 22, 2023): 85. <https://doi.org/10.1186/s12987-023-00492-7>.

Haseeb, Fizza, Konstantinos N. Bourdakos, Ewan Forsyth, Kerry Setchfield, Alistair Gorman, Seshasailam Venkateswaran, Amanda J. Wright, Sumeet Mahajan, and Mark Bradley. "Development of Hydrogel-Based Standards and Phantoms for Non-Linear Imaging at Depth." *Journal of Biomedical Optics* 28, no. 12 (December 2023): 126007. <https://doi.org/10.1117/1.JBO.28.12.126007>.

———. "Hydrogel-Based Standards for Single and Multiphoton Imaging at Depth." In *Design and Quality for Biomedical Technologies XVII*, 12833:35–41. SPIE, 2024. <https://doi.org/10.1117/12.2691508>.

Hattori, Ryoma, Nathan G. Hedrick, Anant Jain, Shuqi Chen, Hanjia You, Mariko Hattori, Jun-Hyeok Choi, Byung Kook Lim, Ryohei Yasuda, and Takaki Komiyama. "Meta-Reinforcement Learning via Orbitofrontal Cortex." *Nature Neuroscience* 26, no. 12 (December 2023): 2182–91. <https://doi.org/10.1038/s41593-023-01485-3>.

Hedrick, Nathan G., William J. Wright, and Takaki Komiyama. "Local and Global Predictors of Synapse Elimination during Motor Learning." *Science Advances* 10, no. 11 (March 15, 2024): eadk0540. <https://doi.org/10.1126/sciadv.adk0540>.

Hruska-Plochan, Marian, Vera I. Wiersma, Katharina M. Betz, Izaskun Mallona, Silvia Ronchi, Zuzanna Maniecka, Eva-Maria Hock, et al. "A Model of Human Neural Networks Reveals NPTX2 Pathology in ALS and FTL." *Nature* 626, no. 8001 (February 2024): 1073–83. <https://doi.org/10.1038/s41586-024-07042-7>.

Hsiang, Jen-Chun, Ning Shen, Florentina Soto, and Daniel Kerschensteiner. "Distributed Feature Representations of Natural Stimuli across Parallel Retinal Pathways." *Nature Communications* 15, no. 1 (March 1, 2024): 1920. <https://doi.org/10.1038/s41467-024-46348-y>.

Huang, Jie, Jincheng Zhong, Shen Tong, Yingxian Zhang, Ping Qiu, and Ke Wang. "In Vivo 3-Photon Fluorescence Microscopy of White Matter in Mouse Brain Excited at the 1700-Nm Window." *Journal of Innovative Optical Health Sciences*, April 2024. <https://doi.org/10.1142/S1793545824500068>.

"Kappel - Social Recognition and Transcriptomic Cell Types i.Pdf." Accessed April 12, 2024. https://edoc.ub.uni-muenchen.de/33243/2/Kappel_Johannes.pdf.

Kappel, Johannes. "Social Recognition and Transcriptomic Cell Types in the Developing Zebrafish Visual System," n.d.

Lees, Robert M., Bruno Pichler, and Adam M. Packer. "Contribution of Optical Resolution to the Spatial Precision of Two-Photon Optogenetic Photostimulation in Vivo." *Neurophotonics* 11, no. 1 (February 2024): 015006. <https://doi.org/10.1117/1.NPh.11.1.015006>.

Li, Bing, Chenyan Ma, Yun-An Huang, Xinlu Ding, Daniel Silverman, Changwan Chen, Dana Darmohray, et al. "Circuit Mechanism for Suppression of Frontal Cortical Ignition during NREM Sleep." *Cell* 186, no. 26 (December 2023): 5739-5750.e17. <https://doi.org/10.1016/j.cell.2023.11.012>.

"Li et al. - 2023 - Circuit Mechanism for Suppression of Frontal Corti.Pdf." Accessed April 12, 2024. [https://www.cell.com/cell/pdf/S0092-8674\(23\)01229-1.pdf](https://www.cell.com/cell/pdf/S0092-8674(23)01229-1.pdf).

Li, Miao, and Guang Yang. "A Mesocortical Glutamatergic Pathway Modulates Neuropathic Pain Independent of Dopamine Co-Release." *Nature Communications* 15, no. 1 (January 20, 2024): 643. <https://doi.org/10.1038/s41467-024-45035-2>.

Liu, Chi, Yuejun Hao, Bo Lei, Yi Zhong, and Lingjie Kong. "Removing Crosstalk Signals in Neuron Activity by Time Multiplexed Excitations in a Two-Photon All-Optical Physiology System." *Biomedical Optics Express* 15, no. 4 (April 1, 2024): 2708-18. <https://doi.org/10.1364/BOE.521047>.

Liu, Chi, Cheng Jin, Junhao Deng, Junhao Liang, Licheng Zhang, and Lingjie Kong. "Simultaneous Dual-Region Two-Photon Imaging of Biological Dynamics Spanning over 9 Mm *in Vivo*." *Photonics Research* 12, no. 3 (March 1, 2024): 456-64. <https://doi.org/10.1364/PRJ.504895>.

Liu, Jiashu, Yingtian He, Andreanne Lavoie, Guy Bouvier, and Bao-hua Liu. "A Direction-Selective Cortico-Brainstem Pathway Adaptively Modulates Innate Behaviors." *Nature Communications* 14, no. 1 (December 20, 2023): 8467. <https://doi.org/10.1038/s41467-023-42910-2>.

Liversage, Adrian, Kayvan Forouhesh Tehrani, Tianyi Zheng, Peter Kner, and Luke Mortensen. "Binary Wavefront Manipulation Using an Epi-Detected SHG Guidestar." In *Adaptive Optics and Wavefront Control for Biological Systems X*, 12851:41-48. SPIE, 2024. <https://doi.org/10.1117/12.3003515>.

Armada, Gisela, Susana Roque, Cláudia Serre-Miranda, Liliana Ferreira, Ana Vale, Ana João Rodrigues, Wanjin Hong, Margarida Correia-Neves, and Neide Vieira. "SNX27: A Trans-Species Cognitive Modulator with Implications for Anxiety and Stress Susceptibility." *Neurobiology of Stress* 30 (May 1, 2024): 100619. <https://doi.org/10.1016/j.yjnstr.2024.100619>.

Csemer, Andrea, Cintia Sokvári, Baneen Maamrah, László Szabó, Kristóf Korpás, Krisztina Pocsai, and Balázs Pál. "Pharmacological Activation of Piezo1 Channels Enhances Astrocyte-Neuron Communication via NMDA Receptors in the Murine Neocortex." *International Journal of Molecular Sciences* 25, no. 7 (January 2024): 3994. <https://doi.org/10.3390/ijms25073994>.

Dubey, Vivek, Aparna Banerjee Dixit, Manjari Tripathi, P. Sarat Chandra, and Jyotirmoy Banerjee. "Quantification of Neuronal Dendritic Spine Density and Lengths of Apical and Basal Dendrites in Temporal Lobe Structures Using Golgi-Cox Staining." In *Neuroprotection: Method and Protocols*, edited by Swapan K. Ray, 57-66. New York, NY: Springer US, 2024. https://doi.org/10.1007/978-1-0716-3662-6_5.

Gonye, Elizabeth C., Alexandra V. Dagli, Natasha N. Kumar, Rachel T. Clements, Wenhao Xu, and Douglas A. Bayliss. "Expression of Endogenous Epitope-Tagged GPR4 in the Mouse Brain." *eNeuro* 11, no. 3 (March 1, 2024). <https://doi.org/10.1523/ENEURO.0002-24.2024>.

Gonzalo-Martin, Enrique, Carmen Alonso-Martinez, Lucía Prensa Sepúlveda, and Francisco Clasca. "Micropopulation Mapping of the Mouse Parafascicular Nucleus Connections Reveals Diverse Input-Output Motifs." *Frontiers in Neuroanatomy* 17 (January 8, 2024). <https://doi.org/10.3389/fnana.2023.1305500>.

Lee, Do-Hun, Dan Cao, Younghye Moon, Chen Chen, Nai-Kui Liu, Xiao-Ming Xu, and Wei Wu. "Enhancement of Motor Functional Recovery in Thoracic Spinal Cord Injury: Voluntary Wheel Running

versus Forced Treadmill Exercise." *Neural Regeneration Research*, 10.4103/NRR.NRR. Accessed April 12, 2024. <https://doi.org/10.4103/NRR.NRR-D-23-01585>.

Lloyd, David A., Maria Alejandra Gonzalez-Gonzalez, and Mario I. Romero-Ortega. "AxoDetect: An Automated Nerve Image Segmentation and Quantification Workflow for Computational Nerve Modeling." *Journal of Neural Engineering* 21, no. 2 (March 2024): 026017. <https://doi.org/10.1088/1741-2552/ad31c3>.

Mendes, Fabíola de Carvalho Chaves de Siqueira, and Marcia Consentino Kronka Sosthenes. "Introduction of a Model for The Modification Of Masticatory Activity To Investigate Induced Neural And Behavioral Alterations In Mice." *MethodsX*, April 5, 2024, 102701. <https://doi.org/10.1016/j.mex.2024.102701>.

Mingo-Moreno, Nieves, Pavel Truschow, Jochen F Staiger, and Robin J Wagener. "Caudally Pronounced Deficiencies in Preplate Splitting and Migration Underly a Rostro-Caudal Progression of Cortical Lamination Defects in the Reeler Brain." *Cerebral Cortex* 34, no. 2 (February 1, 2024): bhae023. <https://doi.org/10.1093/cercor/bhae023>.

Mortessagne, Pierre, Estelle Cartier, Maddalena Balia, Murielle Fèvre, Fiona Corailler, Cyril Herry, Djoher Nora Abrous, Arne Battefeld, and Emilie Pacary. "Genetic Labeling of Embryonically-Born Dentate Granule Neurons in Young Mice Using the PenkCre Mouse Line." *Scientific Reports* 14, no. 1 (February 29, 2024): 5022. <https://doi.org/10.1038/s41598-024-55299-9>.

Nascimento, Marcos Assis, Sean Biagiotti, Vicente Herranz-Pérez, Samara Santiago, Raymund Bueno, Chun J. Ye, Taylor J. Abel, et al. "Protracted Neuronal Recruitment in the Temporal Lobes of Young Children." *Nature* 626, no. 8001 (February 2024): 1056–65. <https://doi.org/10.1038/s41586-023-06981-x>.

Nejad, Ghazaleh Ghamkhari, Francesca Mottarlini, Zohreh Tavassoli, Lucia Caffino, Fabio Fumagalli, Judith R. Homberg, and Yaghoub Fathollahi. "Conditioned Morphine Tolerance Promotes Neurogenesis, Dendritic Remodelling and pro-Plasticity Molecules in the Adult Rat Hippocampus." *Addiction Biology* 29, no. 3 (2024): e13377. <https://doi.org/10.1111/adb.13377>.

Ono, Munenori, Tetsufumi Ito, Sachiko Yamaki, Yoshie Hori, Qing Zhou, Xirun Zhao, Shinji Muramoto, et al. "Spatiotemporal Development of the Neuronal Accumulation of Amyloid Precursor Protein and the Amyloid Plaque Formation in the Brain of 3xTg-AD Mice." *Heliyon* 10, no. 7 (April 15, 2024): e28821. <https://doi.org/10.1016/j.heliyon.2024.e28821>.

Rudolf, Jennifer, Natalie Philipello, Tamara Fleihan, J. David Dickman, and Kira E. Delmore. "Night-Time Neuronal Activation of Cluster N in a North American Songbird." *PLOS ONE* 19, no. 3 (March 21, 2024): e0300479. <https://doi.org/10.1371/journal.pone.0300479>.

Scaricamazza, Silvia, Valentina Nesci, Illari Salvatori, Gianmarco Fenili, Marco Rosina, Michela Gloriani, Maria Paola Paronetto, Luca Madaro, Alberto Ferri, and Cristiana Valle. "Endurance Exercise Has a Negative Impact on the Onset of SOD1-G93A ALS in Female Mice and Affects the Entire Skeletal Muscle-Motor Neuron Axis." *Frontiers in Pharmacology* 15 (March 25, 2024). <https://doi.org/10.3389/fphar.2024.1360099>.

Shi, Yuying, and Guangfu Wang. "Protocol to Study Microcircuits in the Medial Entorhinal Cortex in Mice Using Multiple Patch-Clamp Recordings and Morphological Reconstruction." *STAR Protocols* 5, no. 1 (March 15, 2024): 102917. <https://doi.org/10.1016/j.xpro.2024.102917>.

Suman, Anjali, Archisman Mahapatra, Priya Gupta, Shubhendu Shekhar Ray, and Rahul Kumar Singh. "Polystyrene Microplastics Induced Disturbances in Neuronal Arborization and Dendritic Spine

Density in Mice Prefrontal Cortex." *Chemosphere* 351 (March 1, 2024): 141165.
<https://doi.org/10.1016/j.chemosphere.2024.141165>.

Takács, Virág, Zsuzsanna Bardóczi, Áron Orosz, Abel Major, Luca Tar, Péter Berki, Péter Papp, et al. "Synaptic and Dendritic Architecture of Different Types of Hippocampal Somatostatin Interneurons." *PLoS Biology* 22, no. 3 (March 12, 2024): e3002539. <https://doi.org/10.1371/journal.pbio.3002539>.

Torres, D.B., A. Lopes, A.J. Rodrigues, A.P. Ventura-Silva, N. Sousa, J.A.R. Gontijo, P.A. Boer, and Marcelo Gustavo Lopes. "Early Morphological and Neurochemical Changes of the Bed Nucleus of Stria Terminalis (BNST) in Gestational Protein-Restricted Male Offspring." *Nutritional Neuroscience* 0, no. 0 (2024): 1–19. <https://doi.org/10.1080/1028415X.2024.2320498>.

Wang, Hao-Wei, Yi-Hsuan Huang, Hsiao-Jou Tung, Wei-Sheng Lin, Hao-Chieh Chiu, Shuei-Liong Lin, Shou-Zen Fan, and Pei-Yu Wang. "Ludwigia Octovalvis (Jacq.) P.H. Raven Extract Improves Memory Performance in Mice with Chronic Kidney Disease." *Phytomedicine Plus* 4, no. 2 (May 1, 2024): 100556. <https://doi.org/10.1016/j.phyplu.2024.100556>.

Adams, April D., Jielu Lin, Diana W. Bianchi, Lauren Bishop, Taisuke Sato, Laura L. Baxter, Victoria Hoffmann, Laura Koehly, and Faycal Guedj. "Embryonic Statistical Analyses Reveal 2 Growth Phenotypes in Mouse Models of Down Syndrome." *American Journal of Obstetrics and Gynecology* 230, no. 2 (February 1, 2024): 258.e1-258.e11. <https://doi.org/10.1016/j.ajog.2023.07.056>.

Agrawal, Sonal, Sue E Leurgans, Lisa L Barnes, Kristen Dams-O'Connor, Jesse Mez, David A Bennett, and Julie A Schneider. "Chronic Traumatic Encephalopathy and Aging-Related Tau Astroglial Pathology in Community-Dwelling Older Persons with and without Moderate-to-Severe Traumatic Brain Injury." *Journal of Neuropathology & Experimental Neurology* 83, no. 3 (March 1, 2024): 181–93. <https://doi.org/10.1093/jnen/nlae007>.

Akarsu, G. D., E. Erbaş, and S. A. Akarsu. "Effect of Dressing with Different Antiseptic Agents on Reproductive Parameters in Rats Undergoing Abdominal Incision." *Polish Journal of Veterinary Sciences*, 2024, 35–42. <https://doi.org/10.24425/pjvs.2024.149331>.

Andersen, Susan L. "Increasing CB2 Receptor Activity after Early Life Stress Prevents Depressive Behavior in Female Rats." *Biomolecules* 14, no. 4 (April 2024): 464. <https://doi.org/10.3390/biom14040464>.

Avvisati, Riccardo, Anna-Kristin Kaufmann, Callum J. Young, Gabriella E. Portlock, Sophie Cancemi, Rui Ponte Costa, Peter J. Magill, and Paul D. Dodson. "Distributional Coding of Associative Learning in Discrete Populations of Midbrain Dopamine Neurons." *Cell Reports* 43, no. 4 (April 2024): 114080. <https://doi.org/10.1016/j.celrep.2024.114080>.

Belfiori, Lautaro Francisco, Alfredo Dueñas Rey, Dorottya Mária Ralbovszki, Itzia Jimenez-Ferrer, Filip Fredlund, Sagar Shivayogi Balikai, Dag Ahrén, Kajsa Atterling Brolin, and Maria Swanberg. "Nigral Transcriptomic Profiles in Engrailed-1 Hemizygous Mouse Models of Parkinson's Disease Reveal Upregulation of Oxidative Phosphorylation-Related Genes Associated with Delayed Dopaminergic Neurodegeneration." *Frontiers in Aging Neuroscience* 16 (February 5, 2024). <https://doi.org/10.3389/fnagi.2024.1337365>.

Bojarzadeh, Hadis, Giulia Lazzarini, Alessandra Gatta, Javad Sadeghinezhad, Leila Samieeroudy, Andrea Pirone, and Vincenzo Miragliotta. "Three-Dimensional Morphometry of the Testis in Dog Using Design-Unbiased Stereology." *Anatomia, Histologia, Embryologia* 53, no. 1 (2024): e12968. <https://doi.org/10.1111/ahc.12968>.

Britten, Joy, Jaime A. Roura-Monllor, Minnie Malik, Sean Moran, Anthony DeAngelis, Paul Driggers, Sadia Afrin, Mostafa Borahay, and William H. Catherino. "Simvastatin Induces Degradation of the Extracellular Matrix in Human Leiomyomata: Novel in Vitro, in Vivo, and Patient Level Evidence of Matrix Metalloproteinase Involvement." *F&S Science* 5, no. 1 (February 1, 2024): 80–91. <https://doi.org/10.1016/j.xfss.2023.11.005>.

Chen, Yingchuan, Guanyu Zhu, Tianshuo Yuan, Ruoyu Ma, Xin Zhang, Fangang Meng, Anchao Yang, Tingting Du, and Jianguo Zhang. "Subthalamic Nucleus Deep Brain Stimulation Alleviates Oxidative Stress via Mitophagy in Parkinson's Disease." *Npj Parkinson's Disease* 10, no. 1 (March 6, 2024): 1–15. <https://doi.org/10.1038/s41531-024-00668-4>.

Chiang, Sarah N, Gretchen A Meyer, Gary B Skolnick, Daniel A Hunter, Matthew D Wood, Xiaowei Li, Alison K Snyder-Warwick, and Kamlesh B Patel. "Effect of Veau Class on Levator Veli Palatini Muscle Composition." *The Cleft Palate Craniofacial Journal* 61, no. 2 (February 1, 2024): 319–25. <https://doi.org/10.1177/10556656221127840>.

Cruz-Ochoa, Natalia Andrea, Livia Clemente Motta-Teixeira, Pablo Felipe Cruz-Ochoa, Santiago Lopez-Paredes, Julieta Esperanza Ochoa-Amaya, Silvia Honda Takada, Gilberto Fernando Xavier, and Maria Inês Nogueira. "Post-Weaning Social Isolation Modifies Neonatal Anoxia-Induced Changes in Energy Metabolism and Growth of Rats." *International Journal of Developmental Neuroscience* n/a, no. n/a. Accessed April 15, 2024. <https://doi.org/10.1002/jdn.10327>.

Dellacqua, Lais Oliveira, Paula Magalhães Gomes, Julia Santos Batista, Lisete Compagno Michelini, and Vagner Roberto Antunes. "Exercise-Induced Neuroplasticity in Autonomic Nuclei Restores the Cardiac Vagal Tone and Baroreflex Dysfunction in Aged Hypertensive Rats." *Journal of Applied Physiology* 136, no. 1 (January 2024): 189–98. <https://doi.org/10.1152/jappphysiol.00433.2023>.

Dong, Hongtian, Xiaoshuang Zhang, Yufei Duan, Yongtao He, Jiayin Zhao, Zishan Wang, Jinghui Wang, et al. "Hypoxia Inducible Factor-1 α Regulates Microglial Innate Immune Memory and the Pathology of Parkinson's Disease." *Journal of Neuroinflammation* 21, no. 1 (March 30, 2024): 80. <https://doi.org/10.1186/s12974-024-03070-2>.

Evans, Andrew K, Nay L. Saw, Claire E. Woods, Laura M. Vidano, Sarah E. Blumenfeld, Rachel K. Lam, Emily K. Chu, Chris Reading, and Mehrdad Shamloo. "Impact of High-Fat Diet on Cognitive Behavior and Central and Systemic Inflammation with Aging and Sex Differences in Mice." *Brain, Behavior, and Immunity* 118 (May 1, 2024): 334–54. <https://doi.org/10.1016/j.bbi.2024.02.025>.

Flori, Lorenzo, Giulia Lazzarini, Jacopo Spezzini, Andrea Pirone, Vincenzo Calderone, Lara Testai, and Vincenzo Miragliotta. "The Isoproterenol-Induced Myocardial Fibrosis: A Biochemical and Histological Investigation." *Biomedicine & Pharmacotherapy* 174 (May 1, 2024): 116534. <https://doi.org/10.1016/j.biopha.2024.116534>.

Fuller, Oliver K, Casey L Egan, Tina L Robinson, Nimna Perera, Heidi K Latchman, Lauren V Terry, Emma D McLennan, et al. "Exercise Training Improves Long-Term Memory in Obese Mice." *Life Metabolism* 3, no. 1 (February 1, 2024): load043. <https://doi.org/10.1093/lifemeta/load043>.

Ganesan, Kiruthika, Peggy Rentsch, Alexander Langdon, Luke T. Milham, and Bryce Vissel. "Modeling Sporadic Alzheimer's Disease in Mice by Combining Apolipoprotein E4 Risk Gene with Environmental Risk Factors." *Frontiers in Aging Neuroscience* 16 (February 27, 2024). <https://doi.org/10.3389/fnagi.2024.1357405>.

Gelen, Volkan, Seçkin Özkanlar, Adem Kara, and Ali Yeşildağ. "Citrate-Coated Silver Nanoparticles Loaded with Agomelatine Provide Neuronal Therapy in Acute Cerebral Ischemia/Reperfusion of Rats by Inhibiting the Oxidative Stress, Endoplasmic Reticulum Stress, and P2X7 Receptor-Mediated Inflammasome." *Environmental Toxicology* 39, no. 3 (2024): 1531–43. <https://doi.org/10.1002/tox.24021>.

Guo, Qinglong, Yi Wang, Liangchen Yu, Liao Guan, Xuefei Ji, Xiaohui Li, Gang Pang, Zhenhua Ren, Lei Ye, and Hongwei Cheng. "Nicotine Restores Olfactory Function by Activation of prok2R/Akt/FoxO3a Axis in Parkinson's Disease." *Journal of Translational Medicine* 22, no. 1 (April 12, 2024): 350. <https://doi.org/10.1186/s12967-024-05171-1>.

Hack, Wyatt, Noah Gladen-Kolarsky, Swarnali Chatterjee, Qiaoli Liang, Urmila Maitra, Lukasz Ciesla, and Nora E. Gray. "Gardenin A Treatment Attenuates Inflammatory Markers, Synuclein Pathology and Deficits in Tyrosine Hydroxylase Expression and Improves Cognitive and Motor Function in A53T- α -Syn Mice." *Biomedicine & Pharmacotherapy* 173 (April 1, 2024): 116370. <https://doi.org/10.1016/j.biopha.2024.116370>.

Hamraghani, Ali. "Ceramide as Therapeutic Targets in Bronchopulmonary Dysplasia." Université d'Ottawa / University of Ottawa, 2024. <http://hdl.handle.net/10393/46034>.

Jahan, Naznin. "Concurrent Loss of FTD Genes C9orf72 and Grn Exacerbates Neuroinflammation via Autoimmune Dysfunction." UCSF, 2024. <https://escholarship.org/uc/item/1nt629c3>.

Jeong, Dae Jin, Jee-Hyun Um, Young Yeon Kim, Dong Jin Shin, Sangwoo Im, Kang-Min Lee, Yun-Hee Lee, Dae-sik Lim, Donghoon Kim, and Jeanho Yun. "The Mst1/2-BNIP3 Axis Is Required for Mitophagy Induction and Neuronal Viability under Mitochondrial Stress." *Experimental & Molecular Medicine* 56, no. 3 (March 2024): 674–85. <https://doi.org/10.1038/s12276-024-01198-y>.

Kang, Woojin, Imane Frouni, Cynthia Kwan, Louis Desbiens, Adjia Hamadjida, and Philippe Huot. "Activation of mGlu2/3 Receptors with the Orthosteric Agonist LY-404,039 Alleviates Dyskinesia in Experimental Parkinsonism." *Behavioural Pharmacology*, 10.1097/FBP.000000000000765. Accessed April 15, 2024. <https://doi.org/10.1097/FBP.000000000000765>.

Kearney, Patrick J., Yuanxi Zhang, Marianna Liang, Yanglan Tan, Elizabeth Kahuno, Tucker L. Conklin, Rita R. Fagan, et al. "Silencing Parkinson's Risk Allele Ritz Sex-Specifically Compromises Motor Function and Dopamine Neuron Viability." *Npj Parkinson's Disease* 10, no. 1 (February 23, 2024): 1–14. <https://doi.org/10.1038/s41531-024-00648-8>.

Kennedy, Catherine. "The Role of Toll-like Receptors in Parkinson's Disease," February 16, 2024. <https://www.repository.cam.ac.uk/handle/1810/364429>.

Kerdiles, Olivier, Méryl-Farelle Oye Mintsu Mi-mba, Katherine Coulombe, Cyntia Tremblay, Vincent Émond, Martine Saint-Pierre, Clémence Rouxel, et al. "Additive Neurorestorative Effects of Exercise and Docosahexaenoic Acid Intake in a Mouse Model of Parkinson's Disease." *Neural Regeneration Research*, 10.4103/NRR.NRR. Accessed April 15, 2024. <https://doi.org/10.4103/NRR.NRR-D-23-00595>.

Laranjeira, Inês Martins, Elisabete Apolinário, Diana Amorim, Ademar Alves da Silva Filho, Alberto Carlos Pires Dias, and Filipa Pinto-Ribeiro. "Baccharis Dracunculifolia DC Consumption Improves Nociceptive and Depressive-like Behavior in Rats with Experimental Osteoarthritis." *Foods* 13, no. 4 (January 2024): 535. <https://doi.org/10.3390/foods13040535>.

Laursen, Anne-Line Strange, Mikkel Vestergaard Olesen, Jonas Folke, Tomasz Brudek, Luisa Harriet Knecht, Florence Sotty, Kate Lykke Lambertsen, Karina Fog, Louise Torp Dalgaard, and Susana Aznar. "Systemic Inflammation Activates Coagulation and Immune Cell Infiltration Pathways in Brains with Propagating α -Synuclein Fibril Aggregates." *Molecular and Cellular Neuroscience* 129 (June 1, 2024): 103931. <https://doi.org/10.1016/j.mcn.2024.103931>.

Li, Yun, Rodney M. Ritzel, Junyun He, Simon Liu, Li Zhang, and Junfang Wu. "Ablation of the Integrin CD11b Mac-1 Limits Deleterious Responses to Traumatic Spinal Cord Injury and Improves Functional Recovery in Mice," April 4, 2024. <https://doi.org/10.21203/rs.3.rs-4196316/v1>.

Liao, Chia-Chi, Mariana Gabi, Hui-Xin Qi, and Jon H. Kaas. "The Postnatal Development of Retinal Projections in Strepsirrhine Galagos (*Otolemur Garnettii*)." *Journal of Comparative Neurology* 532, no. 2 (2024): e25565. <https://doi.org/10.1002/cne.25565>.

Lopes, Katia de Paiva, Lei Yu, Xianli Shen, Yiguo Qiu, Shinya Tasaki, Artemis Iatrou, Michal Schnaider Beerl, et al. "Associations of Cortical SPP1 and ITGAX with Cognition and Common Neuropathologies in Older Adults." *Alzheimer's & Dementia* 20, no. 1 (2024): 525–37. <https://doi.org/10.1002/alz.13474>.

Lopes-Silva, L. B., D. M. G. Cunha, A. C. Lima, V. S. Bioni, N. Gonçalves, J. P. F. Kurita, R. Wuo-Silva, and R. H. Silva. "Sleep Deprivation Induces Late Deleterious Effects in a Pharmacological Model of Parkinsonism." *Experimental Brain Research*, March 18, 2024. <https://doi.org/10.1007/s00221-024-06811-0>.

López-Murillo, Carolina, Santiago Hinestroza-Morales, Pablo Henny, Jorge Toledo, Gloria Patricia Cardona-Gómez, Héctor Rivera-Gutiérrez, and Rafael Posada-Duque. "Differences in Vocal Brain Areas and Astrocytes between the House Wren and the Rufous-Tailed Hummingbird." *Frontiers in Neuroanatomy* 18 (March 27, 2024). <https://doi.org/10.3389/fnana.2024.1339308>.

Mahoney, Heather L., Charissa A. Bloom, Hannah S. Justin, Bianca M. Capraro, Christopher Morris, David Gonzalez, Emily Sandefur, et al. "DISC1 and Reelin Interact to Alter Cognition, Inhibition, and Neurogenesis in a Novel Mouse Model of Schizophrenia." *Frontiers in Cellular Neuroscience* 17 (January 12, 2024). <https://doi.org/10.3389/fncel.2023.1321632>.

Martinez, Christopher A., Harry Pantazopoulos, Barbara Gisabella, Emily T. Stephens, Jacob Garteiser, and Alberto Del Arco. "Choice Impulsivity after Repeated Social Stress Is Associated with Increased Perineuronal Nets in the Medial Prefrontal Cortex." *Scientific Reports* 14, no. 1 (March 26, 2024): 7093. <https://doi.org/10.1038/s41598-024-57599-6>.

Mayegowda, Shilpa Borehalli, Bhagya Venkanna Rao, and Byrathnahalli Suryanarayana Rao Shankaranarayana Rao. "Escitalopram Treatment Ameliorates Chronic Immobilization Stress-Induced Depressive Behavior and Cognitive Deficits by Modulating BDNF Expression in the Hippocampus." *Journal of Applied Pharmaceutical Science* 14, no. 3 (March 5, 2024): 170–82. <https://doi.org/10.7324/JAPS.2024.158094>.

Melachroinou, Katerina, Georgios Divolis, George Tsafaras, Mantia Karampetsou, Sotirios Fortis, Yannis Stratoulis, Gina Papadopoulou, Anastasios G Kriebardis, Martina Samiotaki, and Kostas Vekrellis. "Endogenous Alpha-Synuclein Is Essential for the Transfer of Pathology by Exosome-Enriched Extracellular Vesicles, Following Inoculation with Preformed Fibrils in Vivo." *Aging and Disease* 15, no. 2 (April 1, 2024): 869–92. <https://doi.org/10.14336/AD.2023.0614>.

Morrissey, Zachery D., Jin Gao, Aashutosh Shetti, Wenping Li, Liang Zhan, Weiguo Li, Igor Fortel, et al. "Temporal Alterations in White Matter in An App Knock-In Mouse Model of Alzheimer's Disease." *eNeuro* 11, no. 2 (February 1, 2024). <https://doi.org/10.1523/ENEURO.0496-23.2024>.

Morrow, Andrea, Laura Smale, Paul Douglas Meek, and Barbara Lundrigan. "Tradeoffs in the Sensory Brain between Diurnal and Nocturnal Rodents." *Brain, Behavior and Evolution*, April 3, 2024. <https://doi.org/10.1159/000538090>.

Nam, Younwoo, Jiyeon Na, Shi-Xun Ma, Haeun Park, Hyeonwoo Park, Eunmin Lee, Hyerynn Kim, Sang-Min Jang, Han Seok Ko, and Sangjune Kim. "DJ-1 Protects Cell Death from a Mitochondrial Oxidative Stress Due to GBA1 Deficiency." *Genes & Genomics*, March 9, 2024. <https://doi.org/10.1007/s13258-024-01506-w>.

Negeri, Olanta. "The Role of the ELAVL Family of RNA-Binding Proteins in LRRK2-Dependent Models of Parkinson's Disease." Université d'Ottawa / University of Ottawa, 2024. <http://hdl.handle.net/10393/45935>.

Nekanti, Usha, Pooja S. Sakthivel, Atena Zahedi, Dana A. Creasman, Rebecca A. Nishi, Courtney M. Dumont, Katja M. Piltti, et al. "Multichannel Bridges and NSC Synergize to Enhance Axon Regeneration, Myelination, Synaptic Reconnection, and Recovery after SCI." *Npj Regenerative Medicine* 9, no. 1 (March 18, 2024): 1–20. <https://doi.org/10.1038/s41536-024-00356-0>.

Paldino, Emanuela, Giorgia Migliorato, and Francesca R. Fusco. "Neuroimmune Pathways Involvement in Neurodegeneration of R6/2 Mouse Model of Huntington's Disease." *Frontiers in Cellular Neuroscience* 18 (February 20, 2024). <https://doi.org/10.3389/fncel.2024.1360066>.

Racicot, Kelsey J., Jackson R. Ham, Jacqueline K. Augustine, Rie Henriksen, Dominic Wright, and Andrew N. Iwaniuk. "A Comparison of Telencephalon Composition among Chickens, Junglefowl, and Wild Galliforms." *Brain Behavior and Evolution*, February 17, 2024, 1–12. <https://doi.org/10.1159/000537844>.

Ratz-Wirsching, Veronika, Johanna Habermeyer, Sandra Mocerì, Julia Harrer, Christoph Schmitz, and Stephan von Hörsten. "Gene-Dosage- and Sex-Dependent Differences in the Prodromal-Like Phase of the F344tgHD Rat Model for Huntington Disease." *Frontiers in Neuroscience* 18 (February 7, 2024). <https://doi.org/10.3389/fnins.2024.1354977>.

Rogers, Deborah J., Brennan P. Bergeron, Glen M. Watson, and Karen Müller Smith. "3D Printed Chamber for Live Cell Imaging on an Upright Epifluorescence Microscope." *Journal of Biological Education* 58, no. 1 (January 1, 2024): 202–8. <https://doi.org/10.1080/00219266.2022.2030389>.

Şahin, Yaşar, Evren Üstüner, Hidayet Tutun, Ebru Yildirim, Oğuz Eroğlu, Efe Kurtdede, Yasin Özkabadayi, Enes Güncüm, Kürşat Kutluca, and Ahmet Bilgehan Bilge. "Effects of Edaravone on Testicular Torsion–Detorsion Injury in Rats." *Andrology* n/a, no. n/a. Accessed April 15, 2024. <https://doi.org/10.1111/andr.13628>.

"Effects of Edaravone on Testicular Torsion–Detorsion Injury in Rats." *Andrology* n/a, no. n/a. Accessed April 15, 2024. <https://doi.org/10.1111/andr.13628>.

Schytz, Camilla Tvede, Niels Ørtenblad, Anne-Kristine Meinild Lundby, Robert Acton Jacobs, Joachim Nielsen, and Carsten Lundby. "Skeletal Muscle Mitochondria Demonstrate Similar Respiration per Cristae Surface Area Independent of Training Status and Sex in Healthy Humans." *The Journal of Physiology* 602, no. 1 (2024): 129–51. <https://doi.org/10.1113/JP285091>.

Talati, Chirag P., Jonathan W. Lee, Silu Lu, Norma B. Ojeda, Varsha Prakash, Nilesh Dankhara, Tanner C. Nielson, et al. "Intranasal Insulin Attenuates Hypoxia-Ischemia-Induced Short-Term Sensorimotor Behavioral Disturbances, Neuronal Apoptosis, and Brain Damage in Neonatal Rats." *Current Research in Neurobiology* 6 (January 1, 2024): 100123. <https://doi.org/10.1016/j.crneur.2023.100123>.

Thi Lai, Thuy, Young Eun Kim, Linh Thi Nhat Nguyen, Tinh Thi Nguyen, In Hee Kwak, Franziska Richter, Yun Joong Kim, and Hyeo-il Ma. "Microglial Inhibition Alleviates Alpha-Synuclein Propagation and Neurodegeneration in Parkinson's Disease Mouse Model." *Npj Parkinson's Disease* 10, no. 1 (February 2, 2024): 1–10. <https://doi.org/10.1038/s41531-024-00640-2>.

Valeri, Jake, Charlotte Stiplosek, Sinead M. O'Donovan, David Sinclair, Kathleen A. Grant, Ratna Bollavarapu, Donna M. Platt, Craig A. Stockmeier, Barbara Gisabella, and Harry Pantazopoulos. "Extracellular Matrix Abnormalities in the Hippocampus of Subjects with Substance Use Disorder." *Translational Psychiatry* 14, no. 1 (February 24, 2024): 1–12. <https://doi.org/10.1038/s41398-024-02833-y>.

Vázquez-Ágredos, Ana, Marta Valero, Teresa Aparicio-Mescua, Raquel García-Rodríguez, Fernando Gámiz, and Milagros Gallo. "Adolescent Alcohol Exposure Modifies Adult Anxiety-like Behavior and Amygdala Sensitivity to Alcohol in Rats: Increased c-Fos Activity and Sex-Dependent microRNA-182 Expression." *Pharmacology Biochemistry and Behavior* 238 (May 1, 2024): 173741. <https://doi.org/10.1016/j.pbb.2024.173741>.

Wang, Cheryl L., Jessica M. Skeie, Chantal Allamargot, Andrew S. Goldstein, Darryl Y. Nishimura, James M. Huffman, Benjamin T. Aldrich, et al. "Rat Model of Type 2 Diabetes Mellitus Recapitulates Human Disease in the Anterior Segment of the Eye." *The American Journal of Pathology*, February 24, 2024. <https://doi.org/10.1016/j.ajpath.2024.02.004>.

Wang, Min, Tian Tian, Hong Zhou, Si-Yuan Jiang, Ying-Ying Jiao, Zhu Zhu, Jiang Xia, Jian-Hua Ma, and Ren-Hong Du. "Metformin Normalizes Mitochondrial Function to Delay Astrocyte Senescence in a Mouse Model of Parkinson's Disease through Mfn2-cGAS Signaling." *Journal of Neuroinflammation* 21, no. 1 (April 2, 2024): 81. <https://doi.org/10.1186/s12974-024-03072-0>.

Weber, Matthew A., Gemma Kerr, Ramasamy Thangavel, Mackenzie M. Conlon, Serena B. Gumusoglu, Kalpana Gupta, Hisham A. Abdelmotilib, et al. "Alpha-Synuclein Pre-Formed Fibrils Injected into Prefrontal Cortex Primarily Spread to Cortical and Subcortical Structures." *Journal of Parkinson's Disease* 14, no. 1 (January 1, 2024): 81–94. <https://doi.org/10.3233/JPD-230129>.

Zhang, Xiaoshuang, Yunhe Zhang, Boya Wang, Chuantong Xie, Jinghui Wang, Rong Fang, Hongtian Dong, et al. "Pyroptosis-Mediator GSDMD Promotes Parkinson's Disease Pathology via Microglial Activation and Dopaminergic Neuronal Death." *Brain, Behavior, and Immunity* 119 (July 1, 2024): 129–45. <https://doi.org/10.1016/j.bbi.2024.03.038>.

Zhou, Yishan, Liang Chen, Xiulan Zheng, Qijun Fang, Yunzhi Qian, Tianshu Xu, Jun Liang, Huajun Zhang, Xiaojuan Han, and Lingyun Sun. "Microglia Orchestrate Synaptic and Neuronal Stripping: Implication in Neuropsychiatric Lupus." *Journal of Cellular and Molecular Medicine* 28, no. 7 (2024): e18190. <https://doi.org/10.1111/jcmm.18190>.

Tan, J.W., An, J.J., Deane, H. *et al.* Neurotrophin-3 from the dentate gyrus supports postsynaptic sites of mossy fiber-CA3 synapses and hippocampus-dependent cognitive functions. *Mol Psychiatry* (2024). <https://doi.org/10.1038/s41380-023-02404-5>

Abbott, P.W., Hardie, J.B., Walsh, K.P. *et al.* Knockdown of the Non-canonical Wnt Gene *Prickle2* Leads to Cerebellar Purkinje Cell Abnormalities While Cerebellar-Mediated Behaviors Remain Intact. *Cerebellum* (2024). <https://doi.org/10.1007/s12311-023-01648-9>

Furtado, M. D. A., Aroniadou-Anderjaska, V., Figueiredo, T. H., Pidoplichko, V. I., Apland, J. P., Rossetti, K., & Braga, M. F. (2024). Preventing Long-Term Brain Damage by Nerve Agent-Induced Status Epilepticus in Rat Models Applicable to Infants: Significant Neuroprotection by Tezampanel Combined with Caramiphen but Not by Midazolam Treatment. *Journal of Pharmacology and Experimental Therapeutics*, 388(2), 432-450. DOI: <https://doi.org/10.1124/jpet.123.001710>

Broadfoot, C. K., Hoffmeister, J. D., Lechner, S. A., Krasko, M. N., Lambert, E., Russell, J. A., ... & Ciucci, M. R. (2024). Tongue and laryngeal exercises improve tongue strength and vocal function outcomes in a Pink1^{-/-}-rat model of early Parkinson disease. *Behavioural Brain Research*, 460, 114754. <https://doi.org/10.1016/j.bbr.2023.114754>

Lüttig, A., Perl, S., Zetsche, M., Richter, F., Franz, D., Heerdegen, M., ... & Richter, A. (2024). Short-term stimulations of the entopeduncular nucleus induce cerebellar changes of c-Fos expression in an animal model of paroxysmal dystonia. *Brain Research* <https://doi.org/10.1016/j.brainres.2023.148672>

Bilu, C., Butensky, N., Malamud, A.R. *et al.* Effects of photoperiod and food on glucose intolerance and subsequent ocular pathology in the fat sand rat. *Sci Rep* 14, 403 (2024). <https://doi.org/10.1038/s41598-023-44584-8>

González-Arnay, E., Pérez-Santos, I., Jiménez-Sánchez, L. *et al.* Immunohistochemical field parcellation of the human hippocampus along its antero-posterior axis. *Brain Struct Funct* (2024). <https://doi.org/10.1007/s00429-023-02725-9>

Song, R., Chen, H., Zhan, R., Han, M., Zhao, L., & Shen, X. (2024). Vitamin E protects dopaminergic neurons against manganese-induced neurotoxicity through stimulation of CHRM1 and KCNJ4. *Journal of Trace Elements in Medicine and Biology*, 81, 127326. <https://doi.org/10.1016/j.jtemb.2023.127326>

Lim, H. S., & Park, G. (2024). Artemisinin protects dopaminergic neurons against 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine-induced neurotoxicity in a mouse model of Parkinson's disease. *Biomedicine & Pharmacotherapy*, 170, 115972. <https://doi.org/10.1016/j.biopha.2023.115972>

Bedolla, Alicia M., Gabriel L. McKinsey, Kierra Ware, Nicolas Santander, Thomas D. Arnold, and Yu Luo. "A Comparative Evaluation of the Strengths and Potential Caveats of the Microglial Inducible CreER Mouse Models." *Cell Reports* 43, no. 1 (January 2024): 113660. <https://doi.org/10.1016/j.celrep.2023.113660>.

Erbas, Elif, Nevra Aydemir Celep, Deniz Tekiner, Aydın Genç, and Semin Gedikli. "Assessment of Toxicological Effects of Favipiravir (T-705) on the Lung Tissue of Rats: An Experimental Study." *Journal of Biochemical and Molecular Toxicology* 38, no. 1 (2024): e23536. <https://doi.org/10.1002/jbt.23536>.

Koyuncu, Açelya Gül, Alev Cumbul, Elvan Yilmaz Akyüz, and Müge Kopuz Alvarez Noval. "Pomegranate Seed Oil Mitigates Liver and Kidney Damage in an Experimental Colitis Model: Modulation of NF- κ B Activation and Apoptosis." *Prostaglandins & Other Lipid Mediators* 171 (April 1, 2024): 106804. <https://doi.org/10.1016/j.prostaglandins.2023.106804>.

Madrid, Lidia I., Katelyn Hafey, Saurabh Bandhavkar, Gabriela O. Bodea, Javier Jimenez-Martin, Michael Milne, Tara L. Walker, Geoffrey J. Faulkner, Elizabeth J. Coulson, and Dhanisha J. Jhaveri. "Stimulation of the Muscarinic Receptor M4 Regulates Neural Precursor Cell Proliferation and Promotes Adult Hippocampal Neurogenesis." *Development* 151, no. 1 (January 2, 2024): dev201835. <https://doi.org/10.1242/dev.201835>.

"Saffron Stigma Extract and Crocin Play an Important Neuroprotective Role in Therapeutic Measures against Benz[a]Pyrene-Induced Behavioral Alterations in Zebrafish: Drug and Chemical Toxicology: Vol 47, No 1." Accessed January 19, 2024. <https://www.tandfonline.com/doi/abs/10.1080/01480545.2023.2250576>.

Santos, Elis Brisa dos. "Papel do sistema Nociceptina/Orfanina FQ – receptor NOP no processamento da memória de reconhecimento de objetos." bachelorThesis, Universidade Federal do Rio Grande do Norte, 2024. <https://repositorio.ufrn.br/handle/123456789/56672>.
Dellacqua, Lais Oliveira, et al. "Exercise-induced neuroplasticity in autonomic nuclei restores the cardiac vagal tone and baroreflex dysfunction in aged hypertensive rats." *Journal of Applied Physiology* (2023).

Schytz, Camilla Tvede, et al. "Skeletal muscle mitochondria demonstrate similar respiration per cristae surface area independent of training status and sex in healthy humans." *The Journal of Physiology* (2023).

Liao, Chia-Chi, et al. "The postnatal development of retinal projections in strepsirrhine galagos (*Otolemur garnettii*)." *Journal of Comparative Neurology* (2023).

Lepeak, Lauren, et al. "Pituitary Adenylate Cyclase Activating Polypeptide (PACAP) of the Bed Nucleus of the Stria Terminalis Mediates Heavy Alcohol Drinking in Mice." *eNeuro* (2023).

Gelen, Volkan, et al. "Citrate-coated silver nanoparticles loaded with agomelatine provide neuronal therapy in acute cerebral ischemia/reperfusion of rats by inhibiting the oxidative stress, endoplasmic reticulum stress, and P2X7 receptor-mediated inflammasome." *Environmental Toxicology*.

Santhosh Kumar, Harshitha, et al. "Mistranslation-associated perturbations of proteostasis do not promote accumulation of amyloid beta and plaque deposition in aged mouse brain." *Cellular and Molecular Life Sciences* 80.12 (2023): 378.

Bérard, Morgan, et al. "Non-invasive systemic viral delivery of human alpha-synuclein mimics selective and progressive neuropathology of Parkinson's disease in rodent brains." *Molecular Neurodegeneration* 18.1 (2023): 91.

Lazzarini, Giulia, et al. "Glial cells are affected more than interneurons by the loss of Engrailed 2 gene in the mouse cerebellum." *Journal of Anatomy* (2023).

Wei, Yao, et al. "Aerobic glycolysis is the predominant means of glucose metabolism in neuronal somata, which protects against oxidative damage." *Nature Neuroscience* (2023): 1-9.

Richards, Jonathan H., Daniel D. Freeman, and Megan Ryan Detloff. "Myeloid Cell Association with Spinal Cord Injury-Induced Neuropathic Pain and Depressive-like Behaviors in LysM-eGFP Mice." *The Journal of Pain* (2023).

Chen, Kang, et al. "Leucine-rich repeat kinase 2 (LRRK2) inhibition upregulates microtubule-associated protein 1B to ameliorate lysosomal dysfunction and parkinsonism." *MedComm* 4.6 (2023): e429.

Broadfoot, Courtney K., et al. "Tongue and Laryngeal Exercises Improve Tongue Strength and Vocal Function Outcomes in a Pink1-/-Rat Model of Early Parkinson Disease." *Behavioural Brain Research* (2023): 114754.

Erbaş, Elif, et al. "Assessment of toxicological effects of favipiravir (T-705) on the lung tissue of rats: An experimental study." *Journal of Biochemical and Molecular Toxicology* (2023): e23536.

Kapasi, Alifiya, et al. "High-throughput digital quantification of Alzheimer disease pathology and associated infrastructure in large autopsy studies." *Journal of Neuropathology & Experimental Neurology* 82.12 (2023): 976-986.

Bizanti, Ariège, Yuanyuan Zhang, Zulema Toledo, Kohlton T. Bendowski, Scott W. Harden, Anas Mistareehi, Jin Chen et al. "Chronic intermittent hypoxia remodels catecholaminergic nerve innervation in mouse atria." *The Journal of Physiology* (2023).

Wojtas, Magdalena Natalia, Marta Diaz-González, Nadezhda Stavtseva, Yuval Shoam, Poonam Verma, Assaf Buberman, Inbar Izhak et al. "Interplay between hippocampal TACR3 and systemic testosterone in regulating anxiety-associated synaptic plasticity." *Molecular Psychiatry* (2023): 1-18.

Wiedmann, Nicole M., John-Paul Fuller-Jackson, Peregrine B. Osborne, and Janet R. Keast. "An adeno-associated viral labeling approach to visualize the meso-and microanatomy of mechanosensory afferents and autonomic innervation of the rat urinary bladder." *The FASEB Journal* 38, no. 1 (2024): e23380.

Ruff, David S., Ilaria Balbo, Ruo-Yah Lai, Diarra Dieng, Charlotte Hennessey, Krish Vennam, Andrew J Dwork et al. "Reduced Bergmann glial process terminations and lateral appendages in essential tremor." *Annals of Clinical and Translational Neurology* (2023).

Glærum, Ingvild Lynneberg, Keagan Dunville, Kristian Moan, Maike Krause, Nicola Pietro Montaldo, Hinako Kirikae, Maximiliano Jose Nigro, Pål Sætrum, Barbara van Loon, and Giulia Quattrocchio. "Postnatal persistence of hippocampal Cajal-Retzius cells has a critical role in the establishment of the hippocampal circuit." *Development* (2023): dev-202236.

Li, Yinhua, Yunge Jia, Wei Hou, Zichun Wei, Xiaoxin Wen, Yu Tian, Lu Bai et al. "De novo aging-related NADPH diaphorase positive megaloneurites in the sacral spinal cord of aged dogs." *Scientific Reports* 13, no. 1 (2023): 22193.

Parkins, Emma V., Darrin H. Brager, Jeffrey K. Rymer, John M. Burwinkel, Diego Rojas, Durgesh Tiwari, Yueh-Chiang Hu, and Christina Gross. "Mir324 knockout regulates the structure of dendritic spines and impairs hippocampal long-term potentiation." *Scientific Reports* 13, no. 1 (2023): 21919.

Hammer, Niklas, Pascal Vogel, Sanghun Lee, and Jochen Roeper. "Optogenetic action potentials and intrinsic pacemaker interplay in retrogradely identified midbrain dopamine neurons." *European Journal of Neuroscience* (2023).

Vieira, M. M., et al. "A frameshift variant of GluN2A identified in an epilepsy patient results in NMDA receptor mistargeting." *Journal of Neuroscience* (2023).

Merino-Serrais, Paula, et al. "Structural changes of CA1 pyramidal neurons after stroke in the contralesional hippocampus." *Brain Pathology* (2023): e13222.

El Hayek, Loretta, et al. "Disruption of the autism gene and chromatin regulator KDM5A alters hippocampal cell identity." *Science Advances* 9.47 (2023): eadio074.

Pelaez, Mari Carmen, et al. "Neuronal dysfunction caused by FUSR521G promotes ALS-associated phenotypes that are attenuated by NF- κ B inhibition." *Acta Neuropathologica Communications* 11.1 (2023): 182.

Keys, Catherine. The effects of long-term sucrose consumption on olfactory neurogenesis and neuroinflammation. Diss. Queensland University of Technology, 2023.

Ye, Zhaoyi, et al. "Zhi-Zi-Hou-Po decoction alleviates depressive-like behavior and promotes hippocampal neurogenesis in chronic unpredictable mild stress induced mice via activating the BDNF/TrkB/CREB pathway." *Journal of Ethnopharmacology* 319 (2024): 117355.

Gómez Oliva, Ricardo. Cell replacement strategies in the central nervous system in two mouse models of neuronal damage: potential therapeutic targets and promising drugs. Diss. 2023.

Chohan, M. O., J. M. Kopelman, et al. (2022). "Developmental impact of glutamate transporter overexpression on dopaminergic neuron activity and stereotypic behavior." *Molecular Psychiatry* 27(3): 1515-1526. <https://pubmed.ncbi.nlm.nih.gov/35058566/>

- Corbit, V. L., S. C. Plantadosi, et al. (2020). "Dissociable roles of central striatum and anterior lateral motor area in initiating and sustaining naturalistic behavior." <https://doi.org/10.1101/2020.01.08.899070>
- Costa, K. M., N. Raheja, et al. (2023). "Striatal dopamine release reflects a domain-general prediction error." <https://doi.org/10.1101/2023.08.19.553959>
- Dawson, M., D. J. Terstege, et al. (2023). "Hypocretin/orexin neurons encode social discrimination and exhibit a sex-dependent necessity for social interaction." *Cell Reports* 42(7): 112815. <https://pubmed.ncbi.nlm.nih.gov/37459234/>
- Décarie-Spain, L., C. M. Liu, et al. (2022). "Ventral hippocampus-lateral septum circuitry promotes foraging-related memory." *Cell Reports* 40(13): 111402. <https://pubmed.ncbi.nlm.nih.gov/36170832/>
- Dong, A., K. He, et al. (2022). "A fluorescent sensor for spatiotemporally resolved imaging of endocannabinoid dynamics in vivo." *Nature Biotechnology* 40(5): 787-798. <https://doi.org/10.1038/s41587-021-01074-4>
- Ejdrup, A. L., J. Wellbourne-Wood, et al. (2023). "Within-Mice Comparison of Microdialysis and Fiber Photometry-Recorded Dopamine Biosensor during Amphetamine Response." *ACS Chemical Neuroscience* 14(9): 1622-1630. <https://pubmed.ncbi.nlm.nih.gov/37043174/>
- Escobedo, A., S.-A. Holloway, et al. (2023). "Glutamatergic Supramammillary Nucleus Neurons Respond to Threatening Stressors and Promote Active Coping." *eLife* 12. <https://doi.org/10.7554/eLife.90972.1>
- Evans, A., D. J. Terstege, et al. (2022). "Neurogenesis mediated plasticity is associated with reduced neuronal activity in CA1 during context fear memory retrieval." *Scientific Reports* 12(1): 7016. <https://pubmed.ncbi.nlm.nih.gov/35488117/>
- Falk, S., J. Petersen, et al. (2023). "GLP-1 and nicotine combination therapy engages hypothalamic and mesolimbic pathways to reverse obesity." *Cell Reports* 42(5): 112466. <https://doi.org/10.1016/j.celrep.2023.112466>
- Fame, R. M., P. N. Kalugin, et al. (2023). "Defining diurnal fluctuations in mouse choroid plexus and CSF at high molecular, spatial, and temporal resolution." *Nature Communications* 14(1): 3720. <https://doi.org/10.1038/s41467-023-39326-3>
- Fanning, A. S., A. M. Shakhawat, et al. (2021). "Population calcium responses of Purkinje cells in the oculomotor cerebellum driven by nonvisual input." *Journal of Neurophysiology* 126(4): 1391-1402. <https://doi.org/10.1152/jn.00715.2020>
- Flanigan, M. E., H. Aleyasin, et al. (2020). "Orexin signaling in GABAergic lateral habenula neurons modulates aggressive behavior in male mice." *Nature Neuroscience* 23(5): 638-650. <https://pubmed.ncbi.nlm.nih.gov/32284606/>
- Flanigan, M. E., O. J. Hon, et al. (2023). "Subcortical serotonin 5HT_{2c} receptor-containing neurons sex-specifically regulate binge-like alcohol consumption, social, and arousal behaviors in mice." *Nature Communications* 14(1): 1800. <https://pubmed.ncbi.nlm.nih.gov/37002196/>
- Fornari, C., C. Guerrero-Márquez, et al. (2023). "Sexual dimorphism of insular cortex function in persistent alcohol drinking despite aversion in mice." <https://doi.org/10.1101/2023.10.04.560817>

Fritsche, M., A. Majumdar, et al. (2023). "Temporal regularities shape perceptual decisions and striatal dopamine signals." <https://doi.org/10.1101/2023.08.18.553829>

Furlan, A., A. Corona, et al. (2022). "Neurotensin neurons in the extended amygdala control dietary choice and energy homeostasis." *Nature Neuroscience* 25(11): 1470-1480. <https://doi.org/10.1038/s41593-022-01178-3>

Georgiou, P., T.-C. M. Mou, et al. (2022). "Estradiol mediates stress-susceptibility in the male brain." <https://doi.org/10.1101/2022.01.09.475485>

Georgiou, P., P. Zanos, et al. (2022). "Experimenters' sex modulates mouse behaviors and neural responses to ketamine via corticotropin releasing factor." *Nature Neuroscience* 25(9): 1191-1200. <https://doi.org/10.1038/s41593-022-01146-x>

Giovanniello, J., K. Yu, et al. (2020). "A Central Amygdala-Globus Pallidus Circuit Conveys Unconditioned Stimulus-Related Information and Controls Fear Learning." *Journal of Neuroscience* 40(47): 9043-9054. <https://pubmed.ncbi.nlm.nih.gov/33067362/>

Giovanniello, J. R., N. Paredes, et al. (2023). "A dual-pathway architecture enables chronic stress to promote habit formation." *bioRxiv*: 2023.2010.2003.560731. <https://doi.org/10.1101/2023.10.03.560731>

Grimm, C., S. N. Duss, et al. (2022). "Locus Coeruleus firing patterns selectively modulate brain activity and dynamics." <https://doi.org/10.1101/2022.08.29.505672>

Gui, Y., N. S. Dahir, et al. (2023). "Cell autonomous regulation of the activation of AgRP neurons by the melanocortin-3 receptor." <https://doi.org/10.1101/2023.06.28.546874>

Gui, Y., N. S. Dahir, et al. (2023). "Melanocortin-3 receptor expression in AgRP neurons is required for normal activation of the neurons in response to energy deficiency." *Cell Reports* 42(10): 113188. <https://doi.org/10.1016/j.celrep.2023.113188>

Haggerty, D. L. and B. K. Atwood (2023). "Sex-Dependent Engagement of Anterior Insular Cortex Inputs to the Dorsolateral Striatum in Binge Alcohol Drinking." <https://pubmed.ncbi.nlm.nih.gov/37662373/>

Hayes, A. M. R., L. T. Lauer, et al. (2023). "Western diet consumption impairs memory function via dysregulated hippocampus acetylcholine signaling." <https://pubmed.ncbi.nlm.nih.gov/37546790/>

Hildebrandt, B. A., H. Fisher, et al. (2023). "Cortico-striatal dynamics underlying components of binge-like consumption of palatable food in mice." *Appetite* 183: 106462. <https://www.sciencedirect.com/science/article/abs/pii/S0195666323000156>

Hollon, N. G., E. W. Williams, et al. (2021). "Nigrostriatal dopamine signals sequence-specific action-outcome prediction errors." *Current Biology* 31(23): 5350-5363.e5355. <https://doi.org/10.1016/j.cub.2021.09.040>

Hon, O. J., J. F. DiBerto, et al. (2022). "Serotonin modulates an inhibitory input to the central amygdala from the ventral periaqueductal gray." *Neuropsychopharmacology* 47(13): 2194-2204. <https://pubmed.ncbi.nlm.nih.gov/35999277/>

Hon, O. J., M. E. Flanigan, et al. (2023). "Corticotropin Releasing Factor in the Bed Nucleus of the Stria Terminalis modulates the behavioral consequences of unpredictable threat." <https://doi.org/10.7554/eLife.89189.1>

Hrvatin, S., S. Sun, et al. (2020). "Neurons that regulate mouse torpor." *Nature* 583(7814): 115-121. <https://pubmed.ncbi.nlm.nih.gov/32528180/>

Jacobs, D. S., M. C. Allen, et al. (2022). "Learning of probabilistic punishment as a model of anxiety produces changes in action but not punisher encoding in the dmPFC and VTA." *eLife* 11: e78912. <https://pubmed.ncbi.nlm.nih.gov/36102386/>

Jacobs, D. S. and B. Moghaddam (2020). "Prefrontal Cortex Representation of Learning of Punishment Probability During Reward-Motivated Actions." *Journal of Neuroscience* 40(26): 5063-5077. <https://www.jneurosci.org/content/40/26/5063>

Jang, S., I. Park, et al. (2023). "Impact of the circadian nuclear receptor REV-ERB α in dorsal raphe 5-HT neurons on social interaction behavior, especially social preference." *Experimental & Molecular Medicine* 55(8): 1806-1819. <https://doi.org/10.1038/s12276-023-01052-7>

Jørgensen, S. H., A. L. Ejdrup, et al. (2023). "Behavioral encoding across timescales by region-specific dopamine dynamics." *Proceedings of the National Academy of Sciences* 120(7): e2215230120. <https://doi.org/10.1073/pnas.2215230120>

Kagiampaki, Z., V. Rohner, et al. (2023). "Sensitive multicolor indicators for monitoring norepinephrine in vivo." *Nature Methods* 20(9): 1426-1436. <https://pubmed.ncbi.nlm.nih.gov/37474807/>

Kirshenbaum, G. S., C.-Y. Chang, et al. (2023). "Adult-born neurons maintain hippocampal cholinergic inputs and support working memory during aging." *Molecular Psychiatry*: 1-13. <https://pubmed.ncbi.nlm.nih.gov/36778445/>

Legaria, A. A., B. A. Matikainen-Ankney, et al. (2022). "Fiber photometry in striatum reflects primarily nonsomatic changes in calcium." *Nature Neuroscience* 25(9): 1124-1128. <https://pubmed.ncbi.nlm.nih.gov/36042311/>

Li, C., N. B. Saliba, et al. (2023). "Purkinje cell dopaminergic inputs to astrocytes regulate cerebellar-dependent behavior." *Nature Communications* 14(1): 1613. <https://pubmed.ncbi.nlm.nih.gov/36959176/>

Li, H., P. Namburi, et al. (2022). "Neurotensin orchestrates valence assignment in the amygdala." *Nature* 608(7923): 586-592. <https://pubmed.ncbi.nlm.nih.gov/35859170/>

Li, L., R. Durand-de Cuttoli, et al. (2023). "Social trauma engages lateral septum circuitry to occlude social reward." *Nature* 613(7945): 696-703. <https://pubmed.ncbi.nlm.nih.gov/36450985/>

Lipton, D. M., M. Tamimi, et al. (2023). "Striatal calcium transients detected by fiber photometry propagate to axons." <https://doi.org/10.1101/2023.10.09.560813>

Liu, J., M. S. Totty, et al. (2022). "Convergent Coding of Recent and Remote Fear Memory in the Basolateral Amygdala." *Biological Psychiatry* 91(9): 832-840. <https://pubmed.ncbi.nlm.nih.gov/35246314/>

- Lopez-Rojas, J., C. A. De Solis, et al. (2022). "A direct lateral entorhinal cortex to hippocampal CA2 circuit conveys social information required for social memory." *Neuron* 110(9): 1559-1572. <https://pubmed.ncbi.nlm.nih.gov/35180391/>
- Ma, L., J. Day-Cooney, et al. (2022). "Locomotion activates PKA through dopamine and adenosine in striatal neurons." *Nature* 611(7937): 762-768. <https://doi.org/10.1038/s41586-022-05407-4>
- Martianova, E., R. Sadretdinova, et al. (2023). "Hypothalamic neuronal outputs transmit sensorimotor signals at the onset of locomotor initiation." *iScience*: 108328. <https://doi.org/10.1016/j.isci.2023.108328>
- McClain, S. P., X. Ma, et al. (2023). "In vivo photopharmacology with light-activated opioid drugs." *Neuron*: S0896627323007043. <https://doi.org/10.1016/j.neuron.2023.09.017>
- Muir, J., Y. C. Tse, et al. (2022). "Sexually dimorphic neural encoding of threat discrimination in nucleus accumbens afferents drives suppression of reward behavior." <https://doi.org/10.1101/2022.10.04.510865>
- Murphy, K. R., J. S. Farrell, et al. (2022). "A tool for monitoring cell type-specific focused ultrasound neuromodulation and control of chronic epilepsy." *Proceedings of the National Academy of Sciences* 119(46): e2206828119. <https://doi.org/10.1073/pnas.2206828119>
- Nasrallah, K., C. Berthoux, et al. (2021). "Retrograde adenosine/A2A receptor signaling mediates presynaptic hippocampal LTP and facilitates epileptic seizures." <https://doi.org/10.1101/2021.10.07.463512>
- O'Neal, T. J., M. X. Bernstein, et al. (2022). "A Conditioned Place Preference for Heroin Is Signaled by Increased Dopamine and Direct Pathway Activity and Decreased Indirect Pathway Activity in the Nucleus Accumbens." *The Journal of Neuroscience* 42(10): 2011-2024. <https://doi.org/10.1523/JNEUROSCI.1451-21.2021>
- Pham, C., Y. Komaki, et al. (2023). "Astrocyte aquaporin mediates a tonic water efflux maintaining brain homeostasis." <https://doi.org/10.1101/2023.10.03.560471>
- Proulx, C. D., S. Aronson, et al. (2018). "A neural pathway controlling motivation to exert effort." *Proceedings of the National Academy of Sciences of the United States of America* 115(22): 5792-5797. <https://pubmed.ncbi.nlm.nih.gov/29752382/>
- Qian, Y., J. Li, et al. (2022). "Programmable RNA sensing for cell monitoring and manipulation." *Nature* 610(7933): 713-721. <https://pubmed.ncbi.nlm.nih.gov/36198803/>
- Ren, L. Y., A. Cicvaric, et al. (2022). "Stress-induced changes of the cholinergic circuitry promote retrieval-based generalization of aversive memories." *Molecular Psychiatry* 27(9): 3795-3805. <https://pubmed.ncbi.nlm.nih.gov/35551246/>
- Roland, A. V., T.-H. Harry Chao, et al. (2023). "Acute and chronic alcohol modulation of extended amygdala calcium dynamics." *bioRxiv*: 2023.2010.2010.561741. <https://doi.org/10.1101/2023.10.10.561741>
- Rupprecht, P., S. N. Duss, et al. (2023). "Centripetal integration of past events by hippocampal astrocytes and its regulation by the locus coeruleus." <https://doi.org/10.1101/2022.08.16.504030>

- Scott, R., A. Aubry, et al. (2023). "A critical role for cortical amygdala circuitry in shaping social encounters." Research Square: rs.3.rs-3015820. <https://pubmed.ncbi.nlm.nih.gov/37461537/>
- Sias, A. C., Y. Jafar, et al. (2023). "Dopamine projections to the basolateral amygdala drive the encoding of identity-specific reward memories." <https://doi.org/10.1101/2022.09.26.509602>
- Sias, A. C., A. K. Morse, et al. (2021). "A bidirectional corticoamygdala circuit for the encoding and retrieval of detailed reward memories." eLife 10: e68617. <https://pubmed.ncbi.nlm.nih.gov/34142660/>
- Singh Alvarado, J., J. Goffinet, et al. (2021). "Neural dynamics underlying birdsong practice and performance." Nature 599(7886): 635-639. <https://pubmed.ncbi.nlm.nih.gov/34671166/>
- Stujenske, J. M., P.-K. O'Neill, et al. (2022). "Prelimbic cortex drives discrimination of non-aversion via amygdala somatostatin interneurons." Neuron 110(14): 2258-2267.e2211. <https://pubmed.ncbi.nlm.nih.gov/35397211/>
- Su, Z. and J. Y. Cohen (2022). Two types of locus coeruleus norepinephrine neurons drive reinforcement learning, Neuroscience. <https://doi.org/10.1101/2022.12.08.519670>
- Subramanian, K. S., L. T. Lauer, et al. (2023). "Hypothalamic melanin-concentrating hormone neurons integrate food-motivated appetitive and consummatory processes in rats." Nature Communications 14(1): 1755. <https://doi.org/10.1038/s41467-023-37344-9>
- Suthard, R. L., R. A. Senne, et al. (2023). "Basolateral Amygdala Astrocytes Are Engaged by the Acquisition and Expression of a Contextual Fear Memory." Journal of Neuroscience 43(27): 4997-5013. <https://pubmed.ncbi.nlm.nih.gov/37268419/>
- Tang, J. C. Y., V. Paixao, et al. (2022). "Dynamic refinement of behavioral structure mediates dopamine-dependent credit assignment." <https://doi.org/10.1101/2022.09.22.507905>
- Terem, A., Y. Fatal, et al. (2023). "Claustal neurons projecting to frontal cortex restrict opioid consumption." Current Biology 33(13): 2761-2773.e2768. <https://doi.org/10.1016/j.cub.2023.05.065>
- Terstege, D. J., Y. Ren, et al. (2023). "Sex-dependent impairments of parvalbumin expressing neurons in the retrosplenial cortex in Alzheimer's disease." <https://doi.org/10.1101/2023.06.22.546142>
- Tsuno, Y., Y. Peng, et al. (2023). "In vivo recording of suprachiasmatic nucleus dynamics reveals a dominant role of arginine vasopressin neurons in circadian pacesetting." PLOS Biology 21(8): e3002281. <https://doi.org/10.1371/journal.pbio.3002281>
- Unger, E. K., J. P. Keller, et al. (2020). "Directed Evolution of a Selective and Sensitive Serotonin Sensor via Machine Learning." Cell 183(7): 1986-2002.e1926. <https://pubmed.ncbi.nlm.nih.gov/33333022/>
- Vachez, Y. M., J. R. Tooley, et al. (2021). "Ventral arky pallidal neurons inhibit accumbal firing to promote reward consumption." Nature Neuroscience 24(3): 379-390. <https://pubmed.ncbi.nlm.nih.gov/33495635/>
- Wang, R., K. M. Khan, et al. (2023). "Alcohol inhibits sociability via serotonin inputs to the nucleus accumbens." <https://pubmed.ncbi.nlm.nih.gov/37398335/>

Wei, W., A. Mohebi, et al. "Striatal dopamine pulses follow a temporal discounting spectrum." <https://doi.org/10.1101/2021.10.31.466705>

Wei, W., A. Mohebi, et al. (2022). "A Spectrum of Time Horizons for Dopamine Signals." <https://doi.org/10.1101/2021.10.31.466705>

Xiao, S., V. Michael, et al. (2023). "Nested circuits mediate the decision to vocalize." *eLife* 12: e85547. <https://pubmed.ncbi.nlm.nih.gov/37314164/>

Yang, T., K. Yu, et al. (2023). "Plastic and stimulus-specific coding of salient events in the central amygdala." *Nature* 616(7957): 510-519. <https://doi.org/10.1038/s41586-023-05910-2>

Yao, Y., Z. Barger, et al. (2022). "Cardiovascular baroreflex circuit moonlights in sleep control." *Neuron* 110(23): 3986-3999.e3986. <https://pubmed.ncbi.nlm.nih.gov/36170850/>

Zapata, R. C., D. Zhang, et al. (2023). "Nuclear receptor 5A2 regulation of *Agrp* underlies olanzapine-induced hyperphagia." *Molecular Psychiatry* 28(5): 1857-1867. <https://doi.org/10.1038/s41380-023-01981-9>

Zhang, X., W. Guan, et al. (2021). "Genetically identified amygdala–striatal circuits for valence-specific behaviors." *Nature Neuroscience* 24(11): 1586-1600. <https://pubmed.ncbi.nlm.nih.gov/34663958/>

Bautista, J., M. Á. García-Cabezas, et al. (2023). "Pattern of ventral temporal lobe interconnections in rhesus macaques." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25550>

González-Salvatierra, S., C. García-Fontana, et al. (2023). "Cardioprotective function of sclerostin by reducing calcium deposition, proliferation, and apoptosis in human vascular smooth muscle cells." *Cardiovascular Diabetology* 22(1): 301. <https://doi.org/10.1186/s12933-023-02043-8>

Hernandez-Reynoso, A. G., B. S. Sturgill, et al. (2023). "The effect of a Mn(III)tetrakis(4-benzoic acid)porphyrin (MnTBAP) coating on the chronic recording performance of planar silicon intracortical microelectrode arrays." *Biomaterials* 303: 122351. <https://doi.org/10.1016/j.biomaterials.2023.122351>

Nevue, A. A., B. M. Zemel, et al. (2023). "Cell type specializations of the vocal-motor cortex in songbirds." *Cell Reports* 42(11). <https://doi.org/10.1016/j.celrep.2023.113344>

Radulescu, C. I., N. Doostdar, et al. (2023). "Age-related dysregulation of homeostatic control in neuronal microcircuits." *Nature Neuroscience*. <https://doi.org/10.1038/s41593-023-01451-z>

Rentsch, P., T. Egan, et al. (2023). "The ratio of M1 to M2 microglia in the striatum determines the severity of L-Dopa-induced dyskinesias." *Journal of Neurochemistry* n/a(n/a). <https://doi.org/10.1111/jnc.15993>

Wu, M., X. Zhang, et al. "Dopamine pathways mediating affective state transitions after sleep loss." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.10.002>

Alessandro, F., C. Alberto, et al. (2021). "Neurotensin neurons in the central extended amygdala control energy balance." *bioRxiv*: 2021.2008.2003.454970. <https://doi.org/10.1101/2021.08.03.454970>

Alex, A. L., Y. Ben, et al. (2021). "Striatal fiber photometry reflects primarily non-somatic activity." *bioRxiv*: 2021.2001.2020.427525. <https://doi.org/10.1101/2021.01.20.427525>

Au - Martianova, E., S. Au - Aronson, et al. (2019). "Multi-Fiber Photometry to Record Neural Activity in Freely-Moving Animals." *JoVE*(152): e60278. <https://www.jove.com/t/60278/multi-fiber-photometry-to-record-neural-activity-freely-moving>

Barik, A., A. Sathyamurthy, et al. (2021). "A spinoparabrachial circuit defined by Tacr1 expression drives pain." *eLife* 10: e61135. <https://doi.org/10.7554/eLife.61135>

Brenda, A., A. Robyn, et al. (2022). "Urocortin-3 neurons in the perifornical area mediate the impact of chronic stress on female infant-directed behavior." *bioRxiv*: 2022.2002.2019.481074. <https://doi.org/10.1101/2022.02.19.481074>

Hildebrandt, B. A., H. Fisher, et al. (2023). "Cortico-striatal dynamics underlying components of binge-like consumption of palatable food in mice." *Appetite* 183: 106462. <https://doi.org/10.1016/j.appet.2023.106462>

David, S. J. and M. Bitá (2020). "Prefrontal Cortex Representation of Learning of Punishment Probability During Reward-Motivated Actions." *The Journal of Neuroscience* 40(26): 5063. <https://doi.org/10.1523/JNEUROSCI.0310-20.2020>

Ekaterina, M., P. Alicia, et al. (2021). "Coherent activity at three major lateral hypothalamic neural outputs controls the onset of motivated behavior responses." *bioRxiv*: 2021.2004.2028.441785. <https://doi.org/10.1101/2021.04.28.441785>

Mor, B.-T., D. Fabiola, et al. (2021). "A neural hub that coordinates learned and innate courtship behaviors." *bioRxiv*: 2021.2009.2009.459618. <https://doi.org/10.1101/2021.09.09.459618>

Flanigan, M. E., H. Aleyasin, et al. (2020). "Orexin signaling in GABAergic lateral habenula neurons modulates aggressive behavior in male mice." *Nature Neuroscience* 23(5): 638-650. <https://doi.org/10.1038/s41593-020-0617-7>

Jacqueline, G., Y. Kai, et al. (2020). "A Central Amygdala-Globus Pallidus Circuit Conveys Unconditioned Stimulus-Related Information and Controls Fear Learning." *The Journal of Neuroscience* 40(47): 9043. <https://doi.org/10.1523/JNEUROSCI.2090-20.2020>

Kaoutsar, N., B. Coralie, et al. (2021). "Retrograde adenosine/A2A receptor signaling mediates presynaptic hippocampal LTP and facilitates epileptic seizures." *bioRxiv*: 2021.2010.2007.463512. <https://doi.org/10.1101/2021.10.07.463512>

Proulx, C. D., S. Aronson, et al. (2018). "A neural pathway controlling motivation to exert effort." *Proceedings of the National Academy of Sciences* 115(22): 5792-5797. <https://doi.org/10.1073/pnas.180183711>

Singh Alvarado, J., J. Goffinet, et al. (2021). "Neural dynamics underlying birdsong practice and performance." *Nature* 599(7886): 635-639. <https://doi.org/10.1038/s41586-021-04004-1>

Victoria, L. C., C. P. Sean, et al. (2020). "Dissociable roles of central striatum and anterior lateral motor area in initiating and sustaining naturalistic behavior." *bioRxiv*: 2020.2001.2008.899070. <https://doi.org/10.1101/2020.01.08.899070>

Timothy, J. O., Neal, et al. (2022). "A Conditioned Place Preference for Heroin Is Signaled by Increased Dopamine and Direct Pathway Activity and Decreased Indirect Pathway Activity in the Nucleus

Accumbens." *The Journal of Neuroscience* 42(10): 2011. <https://doi.org/10.1523/JNEUROSCI.1451-21.2021>

Unger, E. K., J. P. Keller, et al. (2020). "Directed Evolution of a Selective and Sensitive Serotonin Sensor via Machine Learning." *Cell* 183(7): 1986-2002.e1926. <https://doi.org/10.1016/j.cell.2020.11.040>

Vachez, Y. M., J. R. Tooley, et al. (2021). "Ventral arkypallidal neurons inhibit accumbal firing to promote reward consumption." *Nature Neuroscience* 24(3): 379-390. <https://doi.org/10.1038/s41593-020-00772-7>

Xiao, X., H. Deng, et al. (2020). "A Genetically Defined Compartmentalized Striatal Direct Pathway for Negative Reinforcement." *Cell* 183(1): 211-227.e220. <https://doi.org/10.1016/j.cell.2020.08.032>

Alexandria, E., J. T. Dylan, et al. (2021). "Neurogenesis mediated plasticity is associated with reduced neuronal activity in CA1 during context fear memory retrieval." *bioRxiv*: 2021.2003.2024.436893. <https://doi.org/10.1101/2021.03.24.436893>

Jeffrey, L.-R., A. d. S. Christopher, et al. (2021). "A direct lateral entorhinal cortex to hippocampal CA2 circuit conveys social information required for social memory." *bioRxiv*: 2021.2004.2015.440048. <https://doi.org/10.1101/2021.04.15.440048>

Jianfeng, L., S. T. Michael, et al. (2022). "Convergent coding of recent and remote fear memory in the basolateral amygdala." *bioRxiv*: 2021.2009.2027.462008. <https://doi.org/10.1101/2021.09.27.462008>

Wei, W., M. Ali, et al. (2022). "A Spectrum of Time Horizons for Dopamine Signals." *bioRxiv*: 2021.2010.2031.466705. <https://doi.org/10.1101/2021.10.31.466705>

Chia, X. W., J. K. Tan, et al. (2023). "Emergence of cortical network motifs for short-term memory during learning." *Nature Communications* 14(1): 6869. <https://doi.org/10.1038/s41467-023-42609-4>

da Silva, S. P., C. C. M. de Castro, et al. (2023). "Neuropathological and sociodemographic factors associated with the cortical amyloid load in aging and Alzheimer's disease." *GeroScience*. <https://doi.org/10.1007/s11357-023-00982-4>

Jovanoski, K. D., L. Duquenoy, et al. (2023). "Dopaminergic systems create reward seeking despite adverse consequences." *Nature*. <https://doi.org/10.1038/s41586-023-06671-8>

Nasu, Y., A. Aggarwal, et al. (2023). "Lactate biosensors for spectrally and spatially multiplexed fluorescence imaging." *Nature Communications* 14(1): 6598. <https://doi.org/10.1038/s41467-023-42230-5>

Olkhova, E. A., C. Bradshaw, et al. (2023). "A novel mouse model of mitochondrial disease exhibits juvenile-onset severe neurological impairment due to parvalbumin cell mitochondrial dysfunction." *Communications Biology* 6(1): 1078. <https://doi.org/10.1038/s42003-023-05238-7>

Tetsushi, N., F. Satoshi, et al. (2023). "Microglia are dispensable for developmental dendrite pruning of mitral cells in mice." *eneuro*: ENEURO.0323-0323.2023. <https://doi.org/10.1523/ENEURO.0323-23.2023>

Qin, Y., X.-Y. Zhang, et al. (2023). "Downregulation of mGluR1-mediated signaling underlying autistic-like core symptoms in Shank1 P1812L-knock-in mice." *Translational Psychiatry* 13(1): 329. <https://doi.org/10.1038/s41398-023-02626-9>

Russ, T., L. Enders, et al. (2023) "2,4-Dichlorophenoxyacetic Acid Induces Degeneration of mDA Neurons In Vitro." *Biomedicines* 11 DOI: 10.3390/biomedicines11112882. <https://doi.org/10.3390/biomedicines11112882>

Stimpson, C. D., J. B. Smaers, et al. (2023). "Evolutionary scaling and cognitive correlates of primate frontal cortex microstructure." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-023-02719-7>

Villar-Conde, S., V. Astillero-Lopez, et al. "Synaptic involvement of the human amygdala in Parkinson's disease." *Molecular & Cellular Proteomics*. <https://doi.org/10.1016/j.mcpro.2023.100673>

Wang, A. Y. M., M. M. Kulkarni, et al. (2023). "An ON-type direction-selective ganglion cell in primate retina." *Nature*. <https://doi.org/10.1038/s41586-023-06659-4>

Dong, A., K. He, et al. (2022). "A fluorescent sensor for spatiotemporally resolved imaging of endocannabinoid dynamics in vivo." *Nature Biotechnology* 40(5): 787-798. <https://doi.org/10.1038/s41587-021-01074-4>

Hollon, N. G., E. W. Williams, et al. (2021). "Nigrostriatal dopamine signals sequence-specific action-outcome prediction errors." *Current Biology* 31(23): 5350-5363.e5355. <https://doi.org/10.1016/j.cub.2021.09.040>

Hrvatn, S., S. Sun, et al. (2020). "Neurons that regulate mouse torpor." *Nature* 583(7814): 115-121. <https://pubmed.ncbi.nlm.nih.gov/32528180/>

Jeon, K.-I., A. Kumar, et al. (2023). "Blocking Mitochondrial Pyruvate Transport Alters Corneal Myofibroblast Phenotype: A New Target for Treating Fibrosis." *Investigative Ophthalmology & Visual Science* 64(13): 36-36. <https://doi.org/10.1167/iovs.64.13.36>

John, K. M., S. Smrithi, et al. (2023). "Enhancer-AAVs allow genetic access to oligodendrocytes and diverse populations of astrocytes across species." *bioRxiv*: 2023.2009.2020.558718. <https://doi.org/10.1101/2023.09.20.558718>

Murphy, K. R., J. S. Farrell, et al. (2022). "A tool for monitoring cell type-specific focused ultrasound neuromodulation and control of chronic epilepsy." *Proceedings of the National Academy of Sciences* 119(46): e2206828119. <https://doi.org/10.1073/pnas.2206828119>

Stallings, N. R., M. A. O'Neal, et al. (2023). "Long-term normalization of calcineurin activity in model mice rescues Pin1 and attenuates Alzheimer's phenotypes without blocking peripheral T cell IL-2 response." *Alzheimer's Research & Therapy* 15(1): 179. <https://doi.org/10.1186/s13195-023-01323-5>

Timonidis, N., M. Rubio-Teves, et al. (2023). "Analyzing Thalamocortical Tract-Tracing Experiments in a Common Reference Space." *Neuroinformatics*. <https://doi.org/10.1007/s12021-023-09644-4>

Uribe-Arias, A., R. Rozenblat, et al. "Radial astrocyte synchronization modulates the visual system during behavioral-state transitions." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.09.022>

Wang, Z., D. Zheng, et al. (2023). "Enabling Survival of Transplanted Neural Precursor Cells in the Ischemic Brain." *Adv Sci* 22(10): 202302527. <https://pubmed.ncbi.nlm.nih.gov/37867250/>

- Zeisler, Z. R., L. London, et al. (2023). "Single basolateral amygdala neurons in macaques exhibit distinct connectional motifs with frontal cortex." *Neuron* 111(20): 3307-3320.e3305. [https://www.cell.com/neuron/pdf/S0896-6273\(23\)00711-0.pdf](https://www.cell.com/neuron/pdf/S0896-6273(23)00711-0.pdf)
- Ament, S. A., M. Cortes-Gutierrez, et al. "A single-cell genomic atlas for maturation of the human cerebellum during early childhood." *Science Translational Medicine* 0(0): eade1283. <https://www.science.org/doi/full/10.1126/scitranslmed.ade1283>
- Costantini, I., L. Morgan, et al. (2023). "A cellular resolution atlas of Broca's area." *Science Advances* 9(41): eadg3844. <https://www.science.org/doi/full/10.1126/sciadv.adg3844>
- Gamage, R., I. Rossetti, et al. (2023). "Chronic neuroinflammation during aging leads to cholinergic neurodegeneration in the mouse medial septum." *Journal of Neuroinflammation* 20(1): 235. <https://doi.org/10.1186/s12974-023-02897-5>
- González-Salvatierra, S., B. García-Fontana, et al. "Exploring the Role of Osteoglycin in Type 2 Diabetes: Implications for Insulin Resistance and Vascular Pathophysiology." *American Journal of Physiology-Endocrinology and Metabolism* 0(0): null. <https://doi.org/10.1152/ajpendo.00320.2023>
- He, Y., J. Zhao, et al. (2023). "TLR2 deficiency is beneficial at the late phase in MPTP-induced Parkinson' disease mice." *Life Sciences* 333: 122171. <https://doi.org/10.1016/j.lfs.2023.122171>
- Hector, A., C. Provost, et al. (2023). "Hippocampal injections of soluble amyloid-beta oligomers alter electroencephalographic activity during wake and slow-wave sleep in rats." *Alzheimer's Research & Therapy* 15(1): 174. <https://doi.org/10.1186/s13195-023-01316-4>
- Juarez, P. and V. Martínez-Cerdeño (2023). "Triple enzymatic immunocytochemistry for interneuron populations in postmortem human cerebral cortex." *Heliyon* 9(10). <https://doi.org/10.1016/j.heliyon.2023.e20626>
- Possik, E., L.-L. Klein, et al. (2023). "Glycerol 3-phosphate phosphatase/PGPH-2 counters metabolic stress and promotes healthy aging via a glycogen sensing-AMPK-HLH-30-autophagy axis in *C. elegans*." *Nature Communications* 14(1): 5214. <https://doi.org/10.1038/s41467-023-40857-y>
- Beers, D., D. Goniotaki, et al. (2023). "Barcodes distinguishing morphology of neuronal tauopathy." *Physical Review Research* 5(4): 043006. <https://doi.org/10.1103/PhysRevResearch.5.043006>
- Boeglin, M., E. Leyva-Díaz, et al. (2023). "Expression and function of *C. elegans* UNCP-18, a paralogue of the SM protein UNC-18." *Genetics*. <https://doi.org/10.1093/genetics/iyad180>
- Cash, A., C. de Jager, et al. (2023). "Endothelial deletion of EPH receptor A4 alters single-cell profile and Tie2/Akap12 signaling to preserve blood-brain barrier integrity." *Proceedings of the National Academy of Sciences* 120(41): e2204700120. <https://doi.org/10.1073/pnas.2204700120>
- Massa, G., S. Camuso, et al. (2023). Investigating Cerebellar Abnormalities in a mouse model of lysosomal lipid storage disease: Implication for Social Behavior. https://www.researchgate.net/publication/374470148_Investigating_Cerebellar_Abnormalities_in_a_mouse_model_of_lysosomal_lipid_storage_disease_Implication_for_Social_Behavior
- Pérez-Fernández, V., A. L. Thananjeyan, et al. (2023). "The effects of a highly bioavailable curcumin Phytosome™ preparation on the retinal architecture and glial reactivity in the GFAP-IL6 mice." *Frontiers in Ophthalmology* 3. <https://doi.org/10.3389/fopht.2023.1205542>

Wilton, D. K., K. Mastro, et al. (2023). "Microglia and complement mediate early corticostriatal synapse loss and cognitive dysfunction in Huntington's disease." *Nature Medicine*.
<https://doi.org/10.1038/s41591-023-02566-3>

Zhang, X., C. Wang, et al. (2023) "Analysis of Error Sources in the Lissajous Scanning Trajectory Based on Two-Dimensional MEMS Mirrors." *Photonics* 10 DOI: 10.3390/photonics10101123.
<https://doi.org/10.3390/photonics10101123>

Ammer, G., E. Serbe-Kamp, et al. (2023). "Multilevel visual motion opponency in *Drosophila*." *Nature Neuroscience*. <https://doi.org/10.1038/s41593-023-01443-z>

Brodovskaya, A., H. Sun, et al. (2023). "Neuronal plasticity contributes to postictal death." *Progress in Neurobiology* 231: 102531. <https://doi.org/10.1016/j.pneurobio.2023.102531>

Kim, H. R., M. Long, et al. (2023). "Hyper negative GABAA reversal potential in pyramidal cells contributes to medial prefrontal cortex deactivation in a mouse model of neuropathic pain." *The Journal of Pain*. <https://doi.org/10.1016/j.jpain.2023.09.021>

Lin, Y., C. Lin, et al. (2023). "Caenorhabditis elegans as an in vivo model for the identification of natural antioxidants with anti-aging actions." *Biomedicine & Pharmacotherapy* 167: 115594.
<https://doi.org/10.1016/j.biopha.2023.115594>

Longren, L. L., L. Eigen, et al. "Dense reconstruction of elephant trunk musculature." *Current Biology*.
<https://doi.org/10.1016/j.cub.2023.09.007>

Zhao, Y., D. Dong, et al. (2024). "Increased retinal venule diameter as a prognostic indicator for recurrent cerebrovascular events: a prospective observational study." *Neural Regeneration Research* 19(5). DOI: 10.4103/1673-5374.382863

Böckmann, S., D. Iggena, et al. (2023). "Physical activity compensates for isoflurane-induced selective impairment of neuronal progenitor cell proliferation in the young adult hippocampus." *Behavioural Brain Research* 455: 114675. <https://doi.org/10.1016/j.bbr.2023.114675>

Del Campo Fonseca, A., C. Glück, et al. (2023). "Ultrasound trapping and navigation of microrobots in the mouse brain vasculature." *Nature Communications* 14(1): 5889. <https://doi.org/10.1038/s41467-023-41557-3>

Jongwon, L., C. Amanda, et al. (2023). "Structural and functional development of inhibitory connections from the medial nucleus of the trapezoid body to the superior paraolivary nucleus." *The Journal of Neuroscience*: JN-RM-0920-0923. <https://doi.org/10.1523/JNEUROSCI.0920-23.2023>

Lopes, K. P., L. Yu, et al. (2023). "Associations of cortical SPP1 and ITGAX with cognition and common neuropathologies in older adults." *Alzheimers Dement* 19(10): 13474.
<https://pubmed.ncbi.nlm.nih.gov/37727065/>

Ramos, C. M. and S. P. Curran (2023). "Comparative analysis of the molecular and physiological consequences of constitutive SKN-1 activation." *GeroScience*. <https://doi.org/10.1007/s11357-023-00937-9>

Sun, C., S. Zheng, et al. (2023). "Maternal diet during early gestation influences postnatal taste activity-dependent pruning by microglia." *J Exp Med* 220(12): 21.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10512853/>

Wang, C. J., J. T. Smith, et al. (2023). "Airway-associated adipose tissue accumulation is increased in a kisspeptin receptor knockout mouse model." *Clin Sci* 21(10). <https://pubmed.ncbi.nlm.nih.gov/37732890/>

Beola, L., N. Iturrioz-Rodriguez, et al. (2023). "Drug-Loaded Lipid Magnetic Nanoparticles for Combined Local Hyperthermia and Chemotherapy against Glioblastoma Multiforme." *ACS Nano*. <https://doi.org/10.1021/acsnano.3c06085>

Bojarzadeh, H., G. Lazzarini, et al. (2023). "Three-dimensional morphometry of the testis in dog using design-unbiased stereology." *Anatomia, Histologia, Embryologia* n/a(n/a). <https://doi.org/10.1111/ahe.12968>

Camp, C. R., A. Vlachos, et al. (2023). "Loss of Grin2a causes a transient delay in the electrophysiological maturation of hippocampal parvalbumin interneurons." *Communications Biology* 6(1): 952. <https://doi.org/10.1038/s42003-023-05298-9>

Ghirardini, E., G. Sagona, et al. (2023). "Cell-specific vulnerability to metabolic failure: the crucial role of parvalbumin expressing neurons in creatine transporter deficiency." *Acta Neuropathol Commun* 11(1): 023-01533. <https://pubmed.ncbi.nlm.nih.gov/36882863/>

Gungor Aydin, A. and E. Adiguzel (2023). "The mesocortical dopaminergic system cannot explain hyperactivity in an animal model of attention deficit hyperactivity disorder (ADHD)- Spontaneously hypertensive rats (SHR)." *Laboratory Animal Research* 39(1): 20. <https://doi.org/10.1186/s42826-023-00172-5>

Lin, C.-C. J., F. Herisson, et al. (2023). "Mast cell deficiency improves cognition and enhances disease-associated microglia in 5XFAD mice." *Cell Reports* 42(9). <https://doi.org/10.1016/j.celrep.2023.113141>

Natale, G., M. Colella, et al. (2023). "Astrocyte Responses Influence Local Effects of Whole-Brain Magnetic Stimulation in Parkinsonian Rats." *Mov Disord* 12(10): 29599. <https://pubmed.ncbi.nlm.nih.gov/37700489/>

Stuhr, N. L. and S. P. Curran (2023). Different methods of killing bacteria diets differentially influence *Caenorhabditis elegans* physiology, *microPublication Biology*. <https://www.micropublication.org/journals/biology/micropub-biology-000902>

Woo, S.-H., J. H. Choi, et al. (2023). "Engineered elastin-like polypeptide improves the efficiency of adipose-derived stem cell-mediated cutaneous wound healing in type II diabetes mellitus." *Heliyon* 9(9): e20201. <https://doi.org/10.1016/j.heliyon.2023.e20201>

Chen, K., R. Gupta, et al. (2023). "Anesthesia-induced hippocampal-cortical hyperactivity and tau hyperphosphorylation impair remote memory retrieval in Alzheimer's disease." *Alzheimer's & Dementia* n/a(n/a). <https://doi.org/10.1002/alz.13464>

Delestrée, N., E. Semizoglou, et al. (2023). "Serotonergic dysfunction impairs locomotor coordination in spinal muscular atrophy." *Brain*: awad221. <https://doi.org/10.1093/brain/awad221>

Ikezoe, K., N. Hidaka, et al. (2023). "Cerebellar climbing fibers multiplex movement and reward signals during a voluntary movement task in mice." *Communications Biology* 6(1): 924. <https://doi.org/10.1038/s42003-023-05309-9>

- Kokkosis, A. G., M. M. Madeira, et al. (2023). "Chronic psychosocial stress triggers microglial-/macrophage-induced inflammatory responses leading to neuronal dysfunction and depressive-related behavior." *Glia* 7(10): 24464. <https://pubmed.ncbi.nlm.nih.gov/37675659/>
- Kong, C., C. Pilger, et al. (2023). "Hyperspectral Coherent Raman Scattering (CRS) Microscopy Based on a Rapidly Tunable and Environmentally Stable Fiber Laser." *Laser & Photonics Reviews* n/a(n/a): 2300521. <https://doi.org/10.1002/lpor.202300521>
- Li, X., S. Hao, et al. (2023). "Cortex-restricted deletion of Foxp1 impairs barrel formation and induces aberrant tactile responses in a mouse model of autism." *Molecular Autism* 14(1): 34. <https://doi.org/10.1186/s13229-023-00567-0>
- Rasmussen, V. F., A. Schmeichel, et al. (2023). "Sweat gland nerve fiber density and association with sudomotor function, symptoms, and risk factors in adolescents with type 1 diabetes." *Clinical Autonomic Research*. <https://doi.org/10.1007/s10286-023-00973-7>
- Wojtas, A., M. Herian, et al. (2023). "Hallucinogenic activity, neurotransmitters release, anxiolytic and neurotoxic effects in Rat's brain following repeated administration of novel psychoactive compound 25B-NBOMe." *Neuropharmacology* 240: 109713. <https://doi.org/10.1016/j.neuropharm.2023.109713>
- Bazarek, S. F., M. Thaqi, et al. (2023). "Engineered neurogenesis in naïve adult rat cortex by Ngn2-mediated neuronal reprogramming of resident oligodendrocyte progenitor cells." *Front Neurosci* 17(1237176). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10471311/>
- Dana, E. C.-L., S. Lorenzo, et al. (2023). "Contributions of the Sodium Leak Channel NALCN to Pacemaking of Medial Ventral Tegmental Area and Substantia Nigra Dopaminergic Neurons." *The Journal of Neuroscience: JN-RM-0930-0922*. <https://doi.org/10.1523/JNEUROSCI.0930-22.2023>
- Dubey, V., A. Roy, et al. (2023). "Dendritic reorganization in the hippocampus, anterior temporal lobe, and frontal neocortex of lithium-pilocarpine induced Status Epilepticus (SE)." *Journal of Chemical Neuroanatomy*: 102329. <https://doi.org/10.1016/j.jchemneu.2023.102329>
- Laricchiuta, D., J. Gimenez, et al. (2023). "Synaptic and transcriptomic features of cortical and amygdala pyramidal neurons predict inefficient fear extinction." *Cell Rep* 42(9): 113066. <https://pubmed.ncbi.nlm.nih.gov/37656620/>
- Li, C., N. K. Kühn, et al. (2023). "Pathway-specific inputs to the superior colliculus support flexible responses to visual threat." *Science Advances* 9(35): eade3874. <https://www.science.org/doi/10.1126/sciadv.ade3874>
- Muduli, N., S. Aparna, et al. (2023). "Saffron stigma extract and crocin play an important neuroprotective role in therapeutic measures against benzo[a]pyrene-induced behavioral alterations in zebrafish." *Drug and Chemical Toxicology*: 1-12. <https://doi.org/10.1080/01480545.2023.2250576>
- Pang, Y., M. Li, et al. (2023). "Preliminary study on the E-liquid and aerosol on the neurobehavior of *C. elegans*." *Environment International*: 108180. <https://doi.org/10.1016/j.envint.2023.108180>
- Wicke, K. D., L. Oppe, et al. (2023). "Neuronal morphology and synaptic input patterns of neurons in the intermediate nucleus of the lateral lemniscus of gerbils." *Scientific Reports* 13(1): 14182. <https://doi.org/10.1038/s41598-023-41180-8>

- Willmore, L., A. R. Minerva, et al. "Overlapping representations of food and social stimuli in mouse VTA dopamine neurons." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.08.003>
- Zhou, F., L. Ouyang, et al. (2023). "Co-exposure to low-dose lead, cadmium, and mercury promotes memory deficits in rats: Insights from the dynamics of dendritic spine pruning in brain development." *Ecotoxicology and Environmental Safety* 264: 115425. <https://doi.org/10.1016/j.ecoenv.2023.115425>
- Collier, T. J., L. Begg, et al. (2023). "Quinpirole inhibits levodopa-induced dyskinesias at structural and behavioral levels: Efficacy negated by co-administration of isradipine." *Experimental Neurology* 369: 114522. <https://doi.org/10.1016/j.expneurol.2023.114522>
- Kasanga, E. A., Y. Han, et al. (2023). "Nigral-specific increase in ser31 phosphorylation compensates for tyrosine hydroxylase protein and nigrostriatal neuron loss: Implications for delaying parkinsonian signs." *Experimental Neurology* 368: 114509. <https://doi.org/10.1016/j.expneurol.2023.114509>
- Lendner, J. D., N. Niethard, et al. (2023). "Human REM sleep recalibrates neural activity in support of memory formation." *Sci Adv* 9(34): 25. <https://pubmed.ncbi.nlm.nih.gov/37624898/>
- Nguyen, T., N. Nguyen, et al. (2023). "Repeated closed-head mild traumatic brain injury-induced inflammation is associated with nociceptive sensitization." *Journal of Neuroinflammation* 20(1): 196. <https://doi.org/10.1186/s12974-023-02871-1>
- Pieczonka, K., H. Nakashima, et al. (2023). "Human Spinal Oligodendrogenic Neural Progenitor Cells Enhance Pathophysiological Outcomes and Functional Recovery in a Clinically Relevant Cervical Spinal Cord Injury Rat Model." *Stem Cells Translational Medicine*. <https://doi.org/10.1093/stcltm/szad044>
- Wang, B., Y. Wang, et al. (2023). "The STING inhibitor C-176 attenuates MPTP-induced neuroinflammation and neurodegeneration in mouse parkinsonian models." *International Immunopharmacology* 124: 110827. <https://doi.org/10.1016/j.intimp.2023.110827>
- Davies, C., J. Tulloch, et al. (2023). "Apolipoprotein E isoform does not influence trans-synaptic spread of tau pathology in a mouse model." *Brain Neurosci Adv* 7(23982128231191046): Jan-Dec. <https://pubmed.ncbi.nlm.nih.gov/37600228/>
- Grochowska, K. M., M. Sperveslage, et al. (2023). "Chaperone-mediated autophagy in neuronal dendrites utilizes activity-dependent lysosomal exocytosis for protein disposal." *Cell Reports* 42(8). <https://doi.org/10.1016/j.celrep.2023.112998>
- Guerin, S. P., J. K. Melbourne, et al. "Astrocyte Reactivity and Neurodegeneration in the Female Rat Brain Following Alcohol Dependence." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2023.08.016>
- Han, R., X. Lan, et al. (2023). "Improving outcomes in intracerebral hemorrhage through microglia/macrophage-targeted IL-10 delivery with phosphatidylserine liposomes." *Biomaterials* 301: 122277. <https://doi.org/10.1016/j.biomaterials.2023.122277>
- Priest, M. F., S. N. Freda, et al. (2023). "Peptidergic and functional delineation of the Edinger-Westphal nucleus." *Cell Reports* 42(8). <https://doi.org/10.1016/j.biomaterials.2023.122277>
- Sellinger, E. P., A. S. Brinks, et al. (2023). "Region- and age-specific effects of perinatal phthalate exposure on developmental cell death and adult anatomy of dorsal and ventral hippocampus and

associated cognitive behaviors." *Neurotoxicology and Teratology* 99: 107288.
<https://doi.org/10.1016/j.ntt.2023.107288>

Weber, T. D., M. V. Moya, et al. (2023). "High-speed multiplane confocal microscopy for voltage imaging in densely labeled neuronal populations." *Nature Neuroscience*.
<https://doi.org/10.1038/s41593-023-01408-2>

Abdelmoaty, M. M., P. Yeapuri, et al. (2023). "Immune senescence in aged APP/PS1 mice." *NeuroImmune Pharmacology and Therapeutics*. <https://doi.org/10.1515/nipt-2023-0015>

Bender, P. T. R., M. McCollum, et al. (2023). "Synaptic zinc potentiates AMPA receptor function in mouse auditory cortex." *Cell Reports* 42(8): 112932. <https://doi.org/10.1016/j.celrep.2023.112932>

Mamiya, A., A. Sustar, et al. "Biomechanical origins of proprioceptor feature selectivity and topographic maps in the *Drosophila* leg." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.07.009>

Xu, D., K. N. Bourdakos, et al. (2023). "All-fiberized 1840-nm femtosecond thulium fiber laser for label-free nonlinear microscopy." *Biomedical Optics Express* 14(9): 4520-4530.
<https://doi.org/10.1364/BOE.495879>

Yao, Y., I. K. Green, et al. "Vasculature of the Suprachiasmatic Nucleus: Pathways for Diffusible Output Signals." *Journal of Biological Rhythms* 0(0): 07487304231189537.
<https://doi.org/10.1177/07487304231189537>

Aubry, A., J. D. Pearson, et al. (2023). "Deneddylation of ribosomal proteins promotes synergy between MLN4924 and chemotherapy to elicit complete therapeutic responses." *Cell Reports* 42(8).
<https://doi.org/10.1016/j.celrep.2023.112925>

Bounds, H. A., M. Sadahiro, et al. (2023). "All-optical recreation of naturalistic neural activity with a multifunctional transgenic reporter mouse." *Cell Reports* 42(8).
<https://doi.org/10.1016/j.celrep.2023.112909>

Chao, A. S., P. Matak, et al. (2023). "20- β -Hydroxycholesterol, an oxysterol in human breast milk, reverses mouse neonatal white matter injury through Gli-dependent oligodendrogenesis." *Cell Stem Cell* 30(8): 1054-1071.e1058. <https://doi.org/10.1016/j.stem.2023.07.010>

Chu, Y. and J. H. Kordower (2023). "Post-Mortem Studies of Neurturin Gene Therapy for Parkinson's Disease: Two Subjects with 10 Years CERE120 Delivery." *Mov Disord* 6(10): 29518.
<https://pubmed.ncbi.nlm.nih.gov/37544016/>

Sanchez-Molano, J., M. O. Blaya, et al. (2023). "Multimodal magnetic resonance imaging after experimental moderate and severe traumatic brain injury: A longitudinal correlative assessment of structural and cerebral blood flow changes." *PLOS ONE* 18(8): e0289786.
<https://doi.org/10.1371/journal.pone.0289786>

Tu, X., A. Jain, et al. (2023). "Local autocrine plasticity signaling in single dendritic spines by insulin-like growth factors." *Science Advances* 9(31): eadg0666.
<https://www.science.org/doi/full/10.1126/sciadv.adg0666>

Wang, W., T. Sherry, et al. (2023). "An intestinal sphingolipid confers intergenerational neuroprotection." *Nature Cell Biology* 25(8): 1196-1207. <https://doi.org/10.1038/s41556-023-01195-9>

Pfau, D. R., S. Baribeau, et al. (2023). "Loss of TRPC2 function in mice alters sex differences in brain regions regulating social behaviors." *J Comp Neurol* 27(10): 2528. <https://pubmed.ncbi.nlm.nih.gov/37496437/>

Ramamurthy, D. L., A. Chen, et al. "VIP interneurons in sensory cortex encode sensory and action signals but not direct reward signals." *Current Biology*. <https://doi.org/10.1016/j.cub.2023.06.086>

Rurak, G. M., A. Gahelrasoul, et al. (2023). "Neonatal estrogen induces male-like expression of astroglial markers of maturation and plasticity in the neocortex of female mice." *Brain Research* 1818: 148499. <https://doi.org/10.1016/j.brainres.2023.148499>

Schellino, R., D. Besusso, et al. (2023). "hESC-derived striatal progenitors grafted into a Huntington's disease rat model support long-term functional motor recovery by differentiating, self-organizing and connecting into the lesioned striatum." *Stem Cell Research & Therapy* 14(1): 189. <https://doi.org/10.1186/s13287-023-03422-4>

Xu, L., Y. Liu, et al. (2023). "Loss of spines in the prelimbic cortex is detrimental to working memory in mice with early-life adversity." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-023-02197-7>

Courtney, K. W., M. G. Kelsey, et al. (2023). "Cross-Platform Synaptic Network Analysis of Human Entorhinal Cortex Identifies TWF2 as a Modulator of Dendritic Spine Length." *The Journal of Neuroscience* 43(20): 3764. <https://doi.org/10.1523/JNEUROSCI.2102-22.2023>

Devarakonda, S., A. Thorsell, et al. (2023). "Low-grade intestinal inflammation two decades after pelvic radiotherapy." *eBioMedicine* 94. <https://doi.org/10.1016/j.ebiom.2023.104691>

Green, J., C. A. Bruno, et al. (2023). "A cell-type-specific error-correction signal in the posterior parietal cortex." *Nature*. <https://doi.org/10.1038/s41586-023-06357-1>

Lima-Castañeda, L. Á., M. E. Bringas, et al. (2023). "The antipsychotic olanzapine reduces memory deficits and neuronal abnormalities in a male rat model of autism." *Journal of Chemical Neuroanatomy*: 102317. <https://doi.org/10.1016/j.jchemneu.2023.102317>

Miyakoshi, L. M., F. F. Stæger, et al. (2023). "The state of brain activity modulates cerebrospinal fluid transport." *Progress in Neurobiology*: 102512. <https://doi.org/10.1016/j.pneurobio.2023.102512>

Parmar, J., G. von Jonquieres, et al. (2023). "TRPC Channels Activated by G Protein-Coupled Receptors Drive Ca²⁺ Dysregulation Leading to Secondary Brain Injury in the Mouse Model." *Translational Stroke Research*. <https://doi.org/10.1007/s12975-023-01173-1>

Sam, P., M. William, et al. (2023). "Multimodal Temporal Pattern Discrimination Is Encoded in Visual Cortical Dynamics." *eneuro* 10(7): ENEURO.0047-0023.2023. <https://doi.org/10.1523/ENEURO.0047-23.2023>

Soad, E. and B. C. Peter (2023). "Vascularization in mTOR Mouse Mutants: An Effort Not in Vein." *eneuro* 10(7): ENEURO.0122-0123.2023. <https://doi.org/10.1523/ENEURO.0122-23.2023>

Allen, C. H., R. Skillings, et al. (2023). "Investigating ionizing radiation-induced changes in breast cancer cells using stimulated Raman scattering microscopy." *J Biomed Opt* 28(7): 11. <https://pubmed.ncbi.nlm.nih.gov/37441447/>

Dai, C.-Y., C. C. Ng, et al. (2023). "ATFS-1 counteracts mitochondrial DNA damage by promoting repair over transcription." *Nature Cell Biology*. <https://doi.org/10.1038/s41556-023-01192-y>

Doorn, N., E. J. H. van Hugte, et al. "An in silico and in vitro human neuronal network model reveals cellular mechanisms beyond Nav1.1 underlying Dravet syndrome." *Stem Cell Reports*. <https://doi.org/10.1016/j.stemcr.2023.06.003>

Kumar, M., G. Handy, et al. (2023). "Cell-type-specific plasticity of inhibitory interneurons in the rehabilitation of auditory cortex after peripheral damage." *Nature Communications* 14(1): 4170. <https://doi.org/10.1038/s41467-023-39732-7>

Marino, G., F. Campanelli, et al. (2023). "Intensive exercise ameliorates motor and cognitive symptoms in experimental Parkinson's disease restoring striatal synaptic plasticity." *Science Advances* 9(28): eadh1403. <https://www.science.org/doi/10.1126/sciadv.adh1403>

Nofouzi, K., N. Sheikhzadeh, et al. (2023). "Effects of Escherichia coli strain Nissle 1917 on arsenic-challenged goldfish (*Carassius auratus*): histological evidence." *Veterinary Research Forum* 14(7): 367-372. <https://doi.org/10.30466/vrf.2022.557449.3551>

Shi, Y., H. Cui, et al. (2023). "Laminar and dorsoventral organization of layer 1 interneuronal microcircuitry in superficial layers of the medial entorhinal cortex." *Cell Reports* 42(7). <https://doi.org/10.1016/j.celrep.2023.112782>

Vieira, R., J. N. Mariani, et al. (2023). "Young glial progenitor cells competitively replace aged and diseased human glia in the adult chimeric mouse brain." *Nature Biotechnology*. <https://doi.org/10.1038/s41587-023-01798-5>

Kim, H. S., H. G. Seo, et al. (2023). "Machine Learning-assisted Quantitative Mapping of Intracortical Axonal Plasticity Following a Focal Cortical Stroke in Rodents." *Experimental Neurobiology* 32(3): 170-180. <https://doi.org/10.5607/en23016>

McLaurin, K. A., H. Li, et al. (2023). "Constitutive expression of HIV-1 viral proteins induces progressive synaptodendritic alterations in medium spiny neurons: implications for substance use disorders." *NeuroImmune Pharmacology and Therapeutics*. <https://doi.org/10.1515/nipt-2023-0008>

Mugnaini, M., D. Mehrotra, et al. (2023). "Supra-orbital whiskers act as wind-sensing antennae in rats." *PLOS Biology* 21(7): e3002168. <https://doi.org/10.1371/journal.pbio.3002168>

Reynolds, L. M., G. Hernandez, et al. (2023). "Amphetamine disrupts dopamine axon growth in adolescence by a sex-specific mechanism in mice." *Nature Communications* 14(1): 4035. <https://doi.org/10.1038/s41467-023-39665-1>

Singh, I., J. Kaur, et al. (2023). "Artificial Neural Networks and Neuro-Fuzzy Models: Applications in Pharmaceutical Product Development." *Brazilian Archives of Biology and Technology* 66. <https://doi.org/10.1590/1678-4324-2023210769>

Xia, Q.-q., A. K. Walker, et al. (2023). "Effects of heterozygous deletion of autism-related gene Cullin-3 in mice." *PLOS ONE* 18(7): e0283299. <https://doi.org/10.1371/journal.pone.0283299>

Bonzano, S., E. Dallorto, et al. (2023). "NR2F1 shapes mitochondria in the mouse brain, providing new insights into Bosch-Boonstra-Schaaf optic atrophy syndrome." *Dis Model Mech* 16(6): 26. [doi: 10.1242/dmm.049854](https://doi.org/10.1242/dmm.049854)

Di Mascolo, D., I. Guerriero, et al. (2023). "μMESH-Enabled Sustained Delivery of Molecular and Nanoformulated Drugs for Glioblastoma Treatment." ACS Nano. <https://doi.org/10.1021/acsnano.3c01574>

Ekaterina, P., V. Peter, et al. (2023). "SpineTool is an open-source software for analysis of morphology of dendritic spines." Scientific Reports 13(1): 10561. <https://doi.org/10.1038/s41598-023-37406-4>

Guo, Y., M. Shen, et al. (2023). "Elevated levels of FMRP-target MAP1B impair human and mouse neuronal development and mouse social behaviors via autophagy pathway." Nature Communications 14(1): 3801. <https://doi.org/10.1038/s41467-023-39337-0>

Hu, M., B. Bodnar, et al. Defective neurite elongation and branching in Nibp/Trappc9 deficient zebrafish and mice, Int J Biol Sci. 2023 Jun 19;19(10):3226-48. doi: 10.7150/ijbs.78489. eCollection 2023. [doi: 10.7150/ijbs.78489](doi:10.7150/ijbs.78489)

Li, K., E. C. Gonye, et al. (2023). "The astrocytic Na⁺-HCO₃⁻ exchanger NBCe1 is dispensable for respiratory chemosensitivity." The Journal of Physiology n/a(n/a). <https://doi.org/10.1113/JP284960>

Liu, Q., D. Zhu, et al. "Regulation of LRRK2 mRNA stability by ATIC and its substrate AICAR through ARE-mediated mRNA decay in Parkinson's disease." The EMBO Journal n/a(n/a): e113410. <https://doi.org/10.15252/emj.2022113410>

Mannino, D., S. A. Scuderi, et al. (2023). "Neuroprotective effects of GSK-343 in an in vivo model of MPTP-induced nigrostriatal degeneration." Journal of Neuroinflammation 20(1): 155. <https://doi.org/10.1186/s12974-023-02842-6>

Nowinski, W. L. (2023). Toward the Human Nanoscale Connectome: Neuronal Morphology Format, Modeling, and Storage Requirement Estimation. Computational Science – ICCS 2023, Cham, Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-36021-3_66

Pancholi, R., L. Ryan, et al. (2023). "Learning in a sensory cortical microstimulation task is associated with elevated representational stability." Nature Communications 14(1): 3860. <https://doi.org/10.1038/s41467-023-39542-x>

Shinotsuka, T., T. Miyazawa, et al. (2023). "Stimulated Raman scattering microscopy reveals a unique and steady nature of brain water dynamics." Cell Reports Methods: 100519. <https://doi.org/10.1016/j.crmeth.2023.100519>

Tsujioka, S., A. Sumino, et al. (2023). "Imaging single CaMKII holoenzymes at work by high-speed atomic force microscopy." Science Advances 9(26): eadh1069. DOI: [10.1126/sciadv.adh1069](https://doi.org/10.1126/sciadv.adh1069)

Zhang, Q., Q. Duan, et al. (2023). "Cerebral Microvascular Injury Induced by Lag3-Dependent α-Synuclein Fibril Endocytosis Exacerbates Cognitive Impairment in a Mouse Model of α-Synucleinopathies." Advanced Science n/a(n/a): 2301903. <https://doi.org/10.1002/advs.202301903>

De Silva, W. G. M., B. Y. McCarthy, et al. (2023). "The Over-Irradiation Metabolite Derivative, 24-Hydroxylumister-ol₃, Reduces UV-Induced Damage in Skin." Metabolites 13(7): 775. <https://doi.org/10.3390/metabo13070775>

Guaiquil, V. H., D. Lara-Newman, et al. (2023). "Role of EphrinB2 in corneal epithelium proliferation and neuronal growth." Investigative Ophthalmology & Visual Science 64(8): 3130-3130. [2023.64\(8\):3130](https://doi.org/10.1167/jov.2023.64(8).3130)

Massoumi, H., E. Katz, et al. (2023). "Extracellular vesicles (EVs) from 3D cultured human bone marrow mesenchymal stem cells (hBM-MSC) demonstrated increased complexity and neurite elongation in an in-vivo corneal injury model." *Investigative Ophthalmology & Visual Science* 64(8): [2350-2350](https://doi.org/10.1186/s40478-023-01597-8).

Pérez-Cervera, L., S. De Santis, et al. (2023). "Alcohol-induced damage to the fimbria/fornix reduces hippocampal-prefrontal cortex connection during early abstinence." *Acta Neuropathologica Communications* 11(1): 101. <https://doi.org/10.1186/s40478-023-01597-8>

Smith, M. A., S. Dewan, et al. (2023). "Assessment of non-image forming retinal pathways following traumatic brain injury." *Investigative Ophthalmology & Visual Science* 64(8): 5227-5227. [2023;64\(8\):5227](https://doi.org/10.1186/s40478-023-01597-8).

Deán-Ben, X. L., J. Robin, et al. (2023). "Deep optoacoustic localization microangiography of ischemic stroke in mice." *Nature Communications* 14(1): 3584. <https://doi.org/10.1038/s41467-023-39069-1>

Dye, C. N., D. Franceschelli, et al. (2023). "Microglia depletion facilitates the display of maternal behavior and alters activation of the maternal brain network in nulliparous female rats." *Neuropsychopharmacology*. <https://doi.org/10.1038/s41386-023-01624-1>

Folorunso, O. O., S. E. Brown, et al. (2023). "d-serine availability modulates prefrontal cortex inhibitory interneuron development and circuit maturation." *Scientific Reports* 13(1): 9595. <https://doi.org/10.1038/s41598-023-35615-5>

Li, S., Z. Tian, et al. (2023). "Catalpol rescues cognitive deficits by attenuating amyloid β plaques and neuroinflammation." *Biomedicine & Pharmacotherapy* 165: 115026. <https://doi.org/10.1016/j.biopha.2023.115026>

Life, B., L. E. B. Bettio, et al. (2023). "Progranulin is an FMRP target that influences macroorchidism but not behaviour in a mouse model of Fragile X Syndrome." *Current Research in Neurobiology*: 100094. <https://doi.org/10.1016/j.crneur.2023.100094>

Lucarelli, M., S. Camuso, et al. (2023). "Reduced Cerebellar BDNF Availability Affects Postnatal Differentiation and Maturation of Granule Cells in a Mouse Model of Cholesterol Dyshomeostasis." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-023-03435-3>

Mishra, E. and M. K. Thakur (2023). "Mdivi-1 Rescues Memory Decline in Scopolamine-Induced Amnesic Male Mice by Ameliorating Mitochondrial Dynamics and Hippocampal Plasticity." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-023-03397-6>

Realinho, A. M., R. Boia, et al. (2023). "Maternal diabetes affects rat offspring retinal structure and function: Sex-specific vulnerabilities at infancy." *Life Sciences* 327: 121852. <https://doi.org/10.1016/j.lfs.2023.121852>

Tamang, M. K., A. Ali, et al. (2023). "Developmental vitamin D-deficiency produces autism-relevant behaviours and gut-health associated alterations in a rat model." *Translational Psychiatry* 13(1): 204. <https://doi.org/10.1038/s41398-023-02513-3>

Ali, O., P. Soo Bin, et al. (2023). "A comprehensive, affordable, open-source hardware-software solution for flexible implementation of complex behaviors in head-fixed mice." *eneuro*: ENEURO.0018-0023.2023. <https://doi.org/10.1523/ENEURO.0018-23.2023>

- Cabezudo, D., G. Tsafaras, et al. (2023). "Mutant LRRK2 exacerbates immune response and neurodegeneration in a chronic model of experimental colitis." *Acta Neuropathologica*. <https://doi.org/10.1007/s00401-023-02595-9>
- Chen, Y., L. Xu, et al. (2023). "Four novel sleep-promoting peptides were screened and identified from bovine casein hydrolysates using patch-clamp model in vitro and *Caenorhabditis elegans* in vivo." *Food & Function*. <https://doi.org/10.1039/D3FO01246H>
- Cordeiro, L. M., M. V. Soares, et al. (2023). "Toxicity of Copper and Zinc alone and in combination in *Caenorhabditis elegans* model of Huntington's disease and protective effects of rutin." *NeuroToxicology*. <https://doi.org/10.1016/j.neuro.2023.06.005>
- Deiringer, N., U. Schneeweiß, et al. (2023). "The functional anatomy of elephant trunk whiskers." *Communications Biology* 6(1): 591. <https://doi.org/10.1038/s42003-023-04945-5>
- Figueiredo, T. H., V. Aroniadou-Anderjaska, et al. "Delayed tezampanel and caramiphen treatment but not midazolam protects against long-term neuropathology after soman exposure." *Experimental Biology and Medicine* 0(0): 15353702231171911. <https://doi.org/10.1177/15353702231171911>
- Fujimoto, S., M. N. Leiwe, et al. (2023). "Activity-dependent local protection and lateral inhibition control synaptic competition in developing mitral cells in mice." *Developmental Cell*. <https://doi.org/10.1016/j.devcel.2023.05.004>
- Hopkins, C. E., K. McCormick, et al. (2023). "Clinical Variants in *C. elegans* Expressing Human STXBP1 Reveals a Novel Class of Pathogenic Variants and Classifies Variants of Uncertain Significance." *Genetics in Medicine Open*: 100823. <https://doi.org/10.1016/j.gimo.2023.100823>
- Muller, S. Z., L. F. Abbott, et al. "A mechanism for differential control of axonal and dendritic spiking underlying learning in a cerebellum-like circuit." *Current Biology*. <https://doi.org/10.1016/j.cub.2023.05.040>
- Obi-Nagata, K., N. Suzuki, et al. (2023). "Distorted neurocomputation by a small number of extra-large spines in psychiatric disorders." *Science Advances* 9(23): eade5973. DOI: [10.1126/sciadv.ade5973](https://doi.org/10.1126/sciadv.ade5973)
- Wang, J., N. Zhang, et al. (2023). "H₂S Alleviates Neuropathic Pain in Mice by Nrf2 Signaling Pathway Activation." *Journal of Molecular Neuroscience*. <https://doi.org/10.1007/s12031-023-02134-x>
- Zheng, J.-H., N. Yuan, et al. (2023). "Acupuncture combined with moxibustion mitigates spinal cord injury-induced motor dysfunction in mice by NLRP3-IL-18 signaling pathway inhibition." *Journal of Orthopaedic Surgery and Research* 18(1): 419. <https://doi.org/10.1186/s13018-023-03902-6>
- Bonzano, S., E. Dallorto, et al. (2023). "Nr2f1 shapes mitochondria in the mouse brain unraveling new insights into the neurodevelopmental disorder BBSOAS." *Disease Models & Mechanisms*. <https://doi.org/10.1242/dmm.049854>
- Chandra, R., F. Farah, et al. "Sleep is required to consolidate odor memory and remodel olfactory synapses." *Cell*. <https://doi.org/10.1016/j.cell.2023.05.006>
- Forro, T. and T. Klausberger "Differential behavior-related activity of distinct hippocampal interneuron types during odor-associated spatial navigation." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.05.007>

Jiang, Y., M. Huang, et al. (2023). "Full-Length Transcriptome Analysis of Soybean Cyst Nematode (*Heterodera glycines*) Reveals an Association of Behaviors in Response to Attractive pH and Salt Solutions with Activation of Transmembrane Receptors, Ion Channels, and Ca²⁺ Transporters." *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/acs.jafc.3c00908>

Lerchner, W., K. Dash, et al. (2023). "Efficient viral expression of a chemogenetic receptor in the old-world monkey amygdala." *Current Research in Neurobiology* 4: 100091. <https://doi.org/10.1016/j.crneur.2023.100091>

Smith, L. A., C. Chen, et al. (2023). "Astrocytic pathology in Alpers' syndrome." *Acta Neuropathologica Communications* 11(1): 86. <https://doi.org/10.1186/s40478-023-01579-w>

Tyulmenkova, A., A. Zwick, et al. (2023). "Progressive generalized tonic-clonic seizures in a transgenic mouse model of adult-onset epilepsy: Implications for morphological changes in cortico-limbic and brainstem structures." *Epilepsy Research* 194: 107178. <https://doi.org/10.1016/j.eplepsyres.2023.107178>

Zhao, B., M. Koyama, et al. (2023). "High-resolution multi-z confocal microscopy with a diffractive optical element." *Biomedical Optics Express* 14(6): 3057-3071. <https://doi.org/10.1364/BOE.491538>

Albarran, E., Y. Sun, et al. (2023). "Postsynaptic synucleins mediate endocannabinoid signaling." *Nature Neuroscience*. <https://doi.org/10.1038/s41593-023-01345-o>

Kodali, M., L. N. Madhu, et al. (2023). "A single intranasal dose of human mesenchymal stem cell-derived extracellular vesicles after traumatic brain injury eases neurogenesis decline, synapse loss, and BDNF-ERK-CREB signaling." *Frontiers in Molecular Neuroscience* 16. <https://doi.org/10.3389/fnmol.2023.1185883>

Langley, R. C., A. J. Canty, et al. (2023). "Repeated Measurement of Microglia-Dendritic Spine Interactions Using Multi-Photon Imaging." *Curr Protoc* 3(5): 791. [DOI: 10.1002/cpz1.791](https://doi.org/10.1002/cpz1.791)

Lim, J., T. Shioda, et al. (2023). "Prenatal exposure to benz[a]pyrene depletes ovarian reserve and masculinizes embryonic ovarian germ cell transcriptome transgenerationally." *Scientific Reports* 13(1): 8671. <https://doi.org/10.1038/s41598-023-35494-w>

Lopez-Herdoiza, M.-B., S. Bauché, et al. (2023). "CgORF72 knockdown triggers FTD-like symptoms and cell pathology in mice." *Frontiers in Cellular Neuroscience* 17. <https://doi.org/10.3389/fncel.2023.1155929>

Ma, J., D. Nguyen, et al. (2023). "Topographical Distribution and Morphology of Calcitonin Gene-Related Peptide (CGRP) Nociceptive Afferent Axons in the Flat-Mounts of the Whole Stomach in Male and Female Mice: Tracing, Digitization, and 3D Scaffold." *Physiology* 38(S1): 5734053. <https://doi.org/10.1152/physiol.2023.38.S1.5734053>

Vinueza-Gavilanes, R., J. J. Bravo-González, et al. (2023). "Stabilization of 14-3-3 protein-protein interactions with Fusicoccin-A decreases alpha-synuclein dependent cell-autonomous death in neuronal and mouse models." *Neurobiology of Disease*: 106166. <https://doi.org/10.1016/j.nbd.2023.106166>

Zhou, L., Y. Li, et al. "Disruption of α -Synuclein proteostasis in the striatum and midbrain of long-term ovariectomized female mice." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2023.05.013>

- Woo, S.-H., Y. J. Mo, et al. (2023). "ANT2 accelerates cutaneous wound healing in aged skin via regulating energy homeostasis and inflammation." *Journal of Investigative Dermatology*. <https://doi.org/10.1016/j.jid.2023.05.002>
- Gama Sosa, M. A., R. De Gasperi, et al. (2023). "Late chronic local inflammation, synaptic alterations, vascular remodeling and arteriovenous malformations in the brains of male rats exposed to repetitive low-level blast overpressures." *Acta Neuropathologica Communications* 11(1): 81. <https://doi.org/10.1186/s40478-023-01553-6>
- Gullotta, G. S., D. De Feo, et al. (2023). "Age-induced alterations of granulopoiesis generate atypical neutrophils that aggravate stroke pathology." *Nature Immunology*. <https://doi.org/10.1038/s41590-023-01505-1>
- He, C.-B., Y. Jin, et al. (2023). "Collateral projections from the ventral tegmental area/substantia nigra pars compacta to the nucleus accumbens and insular cortex in the rat." *Anatomical Science International*. <https://doi.org/10.1007/s12565-023-00728-4>
- Hua, F., H. Zhu, et al. (2023). " β -arrestin1 regulates astrocytic reactivity via Drp1-dependent mitochondrial fission: implications in postoperative delirium." *Journal of Neuroinflammation* 20(1): 113. <https://doi.org/10.1186/s12974-023-02794-x>
- Ntamati, N. R., M. A. Acuña, et al. (2023). "Pain-induced adaptations in the claustrum-cingulate pathway." *Cell Reports* 42(5): 112506. <https://doi.org/10.1016/j.celrep.2023.112506>
- Overkamp, M., L. H. P. Houben, et al. (2023). "Resistance exercise counteracts the impact of androgen deprivation therapy on muscle characteristics in cancer patients." *J Clin Endocrinol Metab* 10(10). DOI: [10.1210/clinem/dgad245](https://doi.org/10.1210/clinem/dgad245)
- Paranjape, N., Y.-H. T. Lin, et al. (2023). "A CRISPR-engineered isogenic model of the 22q11.2 A-B syndromic deletion." *Scientific Reports* 13(1): 7689. <https://doi.org/10.1038/s41598-023-34325-2>
- Schafer, S. T., A. A. Mansour, et al. (2023). "An in vivo neuroimmune organoid model to study human microglia phenotypes." *Cell* 186(10): 2111-2126.e2120. <https://doi.org/10.1016/j.cell.2023.04.022>
- Shakir, S., Y. B. Li, et al. (2023). "Visualization of Fibrillar Collagen Networks Using Label-Free Nonlinear Optical Microscopy: Deciphering the ECM Structure of 3D-Bioprinted Constructs." *CMBES Proceedings* 45. <https://proceedings.cmbes.ca/index.php/proceedings/article/view/1048>
- Beebe, N. L., Y. N. Herrera, et al. (2023). "Characterization of three cholinergic inputs to the cochlear nucleus." *Journal of Chemical Neuroanatomy* 131: 102284. <https://doi.org/10.1016/j.jchemneu.2023.102284>
- Gagnon, J. R., C. H. Allen, et al. (2023). "Spectral focusing-based stimulated Raman scattering microscopy using compact glass blocks for adjustable dispersion." *Biomedical Optics Express* 14(6): 2510-2522. <https://doi.org/10.1364/BOE.486753>
- Jiang, W., Y. Cheng, et al. (2023). "Involvement of Abnormal p- α -syn Accumulation and TLR2-Mediated Inflammation of Schwann Cells in Enteric Autonomic Nerve Dysfunction of Parkinson's Disease: an Animal Model Study." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-023-03345-4>

Keto, L. and T. Manninen (2023). "CellRemorph: A Toolkit for Transforming, Selecting, and Slicing 3D Cell Structures on the Road to Morphologically Detailed Astrocyte Simulations." *Neuroinformatics*. <https://doi.org/10.1007/s12021-023-09627-5>

Kong, E., K.-H. Lee, et al. (2023). "Dynamic and stable hippocampal representations of social identity and reward expectation support associative social memory in male mice." *Nature Communications* 14(1): 2597. <https://doi.org/10.1038/s41467-023-38338-3>

Lavertu-Jolin, M., B. Chattopadhyaya, et al. (2023). "Acan downregulation in parvalbumin GABAergic cells reduces spontaneous recovery of fear memories." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-023-02085-0>

Panahi, M., Y. Hase, et al. (2023). "ER stress induced immunopathology involving complement in CADASIL: implications for therapeutics." *Acta Neuropathologica Communications* 11(1): 76. <https://doi.org/10.1186/s40478-023-01558-1>

Sarangji, P., L. K. Pradhan, et al. (2023). "Di-2-ethylhexyl phthalate-induced neurobehavioural transformation is associated with altered glutathione biosynthesis and neurodegeneration in zebrafish brain." *Fish Physiology and Biochemistry*. <https://doi.org/10.1007/s10695-023-01197-2>

Tang, F., L.-y. Zhou, et al. (2023). "Inhibition of ACSL4 Alleviates Parkinsonism Phenotypes by Reduction of Lipid Reactive Oxygen Species." *Neurotherapeutics*. <https://doi.org/10.1007/s13311-023-01382-4>

Travis, M. R., V. G. Violet, et al. (2023). "Structural preservation does not ensure function at sensory Ia – motoneuron synapses following peripheral nerve injury and repair." *The Journal of Neuroscience: JN-RM-0103-0123*. <https://doi.org/10.1523/JNEUROSCI.0103-23.2023>

Wei, H., X. Wu, et al. (2023). "Glial progenitor heterogeneity and key regulators revealed by single-cell RNA sequencing provide insight to regeneration in spinal cord injury." *Cell Reports* 42(5): 112486. <https://doi.org/10.1016/j.celrep.2023.112486>

Festa, B. P., F. H. Siddiqi, et al. "Microglial-to-neuronal CCR5 signaling regulates autophagy in neurodegeneration." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.04.006>

Flanigan, K. A. S., M. I. Czuba, et al. (2023). "Developmental exposure to corn grown on Lake Erie dredged material: a preliminary analysis." *Frontiers in Behavioral Neuroscience* 17. <https://doi.org/10.3389/fnbeh.2023.987239>

Gündoğdu, H. and E. Karadağ Sari (2023). "Immunohistochemical determination of somatostatin release in gastric tissue of rats fed with a high-fat and cholesterol diet." *Veterinary Research Forum*: <https://doi.org/10.30466/vrf.2022.551598.3441>

Hanafy, N. A. N. (2023). "Extracellular alkaline pH enhances migratory behaviors of hepatocellular carcinoma cells as a caution against the indiscriminate application of alkalinizing drug therapy: In vitro microscopic studies." *Acta Histochemica* 125(4): 152032. <https://doi.org/10.1016/j.acthis.2023.152032>

Liu, A., L. Yu, et al. (2023). "Celsr2-mediated morphological polarization and functional phenotype of reactive astrocytes in neural repair." *Glia*. DOI:10.1002/glia.24378

Lv, J., S. Meng, et al. (2023). "Epigenetic landscape reveals MECOM as an endothelial lineage regulator." *Nature Communications* 14(1): 2390. <https://doi.org/10.1038/s41467-023-38002-w>

Mahoney-Rafferty, E. C., H. R. Tucker, et al. (2023). "Assessing the Location, Relative Expression and Subclass of Dopamine Receptors in the Cerebellum of Hemi-Parkinsonian Rats." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2023.03.020>

McGregor, R., A. Matzeu, et al. (2023). "Sensitivity of hypocretin system to chronic alcohol exposure: A human and animal study." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2023.04.018>

Okray, Z., P. F. Jacob, et al. (2023). "Multisensory learning binds neurons into a cross-modal memory engram." *Nature*. <https://doi.org/10.1038/s41586-023-06013-8>

Schoenfeld, T. J., D. Rhee, et al. (2023). "Rewarded maze training increases approach behavior in rats through neurogenesis-dependent growth of ventral hippocampus-prelimbic circuits." *Biological Psychiatry Global Open Science*. <https://doi.org/10.1016/j.bpsgos.2023.04.003>

Abdessattar, K., J. Vidya, et al. (2023). "Syngap1 disruption induced by recombination between inverted loxP sites is associated with hippocampal interneuron dysfunction." *eneuro: ENEURO.0475-0422.2023*. <https://doi.org/10.1523/ENEURO.0475-22.2023>

Blesa, J., J. A. Pineda-Pardo, et al. (2023). "BBB opening with focused ultrasound in nonhuman primates and Parkinson's disease patients: Targeted AAV vector delivery and PET imaging." *Science Advances* 9(16): eadf4888. DOI: 10.1126/sciadv.adf4888

Garrett, L., M. Irmeler, et al. (2023). "GPR101 loss promotes insulin resistance and diet-induced obesity risk." *Neuroscience Applied: 101126*. <https://doi.org/10.1016/j.nsa.2023.101126>

Koehler, C. C., L. S. Almassri, et al. (2023). "Age-related changes of GAD1 mRNA expression in the central inferior colliculus." *Translational Medicine of Aging*. <https://doi.org/10.1016/j.tma.2023.04.001>

Lazarczyk, M. J., B. A. Eyford, et al. (2023). "The intracellular domain of major histocompatibility class-I proteins is essential for maintaining excitatory spine density and synaptic ultrastructure in the brain." *Scientific Reports* 13(1): 6448. <https://doi.org/10.1038/s41598-023-30054-8>

Liu, H., R. N. Caballero-Florán, et al. (2023). "DSCAM gene triplication causes excessive GABAergic synapses in the neocortex in Down syndrome mouse models." *PLOS Biology* 21(4): e3002078. <https://doi.org/10.1371/journal.pbio.3002078>

Vasquez-Martínez, N., D. Guillen, et al. (2023). "In vivo tracing of immunostimulatory raw starch microparticles after mucosal administration." *European Journal of Pharmaceutics and Biopharmaceutics*. <https://doi.org/10.1016/j.ejpb.2023.04.013>

Williams, S. R., X. Zhou, et al. "Compartment-specific dendritic information processing in striatal cholinergic interneurons is reconfigured by peptide neuromodulation." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.03.038>

Yang, L. and J. H. Martin "Effects of motor cortex neuromodulation on the specificity of corticospinal tract spinal axon outgrowth and targeting in rats." *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*. <https://doi.org/10.1016/j.brs.2023.04.014>

Andreu, M., L. M. Q. Sanchez, et al. (2023). "Injury-Transplantation Interval-Dependent Amelioration of Axonal Degeneration and Motor Deficit in Rats with Penetrating Traumatic Brain Injury." *Neurotrauma Reports* 4(1): 225-235. <https://doi.org/10.1089/neur.2022.0087>

- Balkaya, M., P. Dohare, et al. (2023). "Conditional deletion of LRRC8A in the brain reduces stroke damage independently of swelling-activated glutamate release." *iScience*: 106669. <https://doi.org/10.1016/j.isci.2023.106669>
- Chernov, M. M., C. B. Swan, et al. (2023) "In Search of a Feedback Signal for Closed-Loop Deep Brain Stimulation: Stimulation of the Subthalamic Nucleus Reveals Altered Glutamate Dynamics in the Globus Pallidus in Anesthetized, 6-Hydroxydopamine-Treated Rats." *Biosensors* 13 DOI: 10.3390/bios13040480. <https://doi.org/10.3390/bios13040480>
- Cheung, G., O. Chever, et al. (2023) "Astroglial Connexin 43 Regulates Synaptic Vesicle Release at Hippocampal Synapses." *Cells* 12 DOI: 10.3390/cells12081133. <https://doi.org/10.3390/cells12081133>
- Courtney, K. W., M. G. Kelsey, et al. (2023). "Cross-Platform Synaptic Network Analysis of Human Entorhinal Cortex Identifies TWF2 as a Modulator of Dendritic Spine Length." *The Journal of Neuroscience*: JN-RM-2102-2122. <https://doi.org/10.1523/JNEUROSCI.2102-22.2023>
- Mann, B., C. Crawford Jeremy, et al. (2023). "Bacterial TLR2/6 Ligands Block Ciliogenesis, Derepress Hedgehog Signaling, and Expand the Neocortex." *mBio* 0(0): e00510-00523. <https://doi.org/10.1128/mbio.00510-23>
- Oltmer, J., E. W. Rosenblum, et al. (2023). "Stereology neuron counts correlate with deep learning estimates in the human hippocampal subregions." *Scientific Reports* 13(1): 5884. <https://doi.org/10.1038/s41598-023-32903-y>
- Quillet, R., A. C. Dickie, et al. (2023). "Characterisation of NPFF-expressing neurons in the superficial dorsal horn of the mouse spinal cord." *Scientific Reports* 13(1): 5891. <https://doi.org/10.1038/s41598-023-32720-3>
- Roque, S., D. de Sá-Calçada, et al. (2023). "Chronic *Mycobacterium avium* infection differentially affects the cytokine expression profile of three mouse strains, but has no effect on behavior." *Scientific Reports* 13(1): 6199. <https://doi.org/10.1038/s41598-023-33121-2>
- Ruskowitz, E. R., B. G. Munoz-Robles, et al. (2023). "Spatiotemporal functional assembly of split protein pairs through a light-activated SpyLigation." *Nature Chemistry*. <https://doi.org/10.1038/s41557-023-01152-x>
- Zhong, W., R. Oda, et al. (2023). "Protocol to image deuterated propofol in living rat neurons using multimodal stimulated Raman scattering microscopy." *STAR Protocols* 4(2): 102221. <https://doi.org/10.1016/j.xpro.2023.102221>
- Alemán-Ruiz, C., W. Wang, et al. (2023). "Pharmacological inhibition of the inflammatory receptor CCR2 relieves the early deleterious consequences of status epilepticus." *Scientific Reports* 13(1): 5651. <https://doi.org/10.1038/s41598-023-32752-9>
- Babb, J. A., A. Zuberer, et al. (2023). "Disturbances in fear extinction learning after mild traumatic brain injury in mice are accompanied by alterations in dendritic plasticity in the medial prefrontal cortex and basolateral nucleus of the amygdala." *Brain Research Bulletin*. <https://doi.org/10.1016/j.brainresbull.2023.04.001>
- Clarity, T., R. Mikofsky, et al. (2023). "Activity-Induced Reshaping of Hippocampal Input-Prefrontal Interneuron Interactions in Wildtype and 22q11.2 Deletion-Relevant Model Mice." *Biological Psychiatry* 93(9, Supplement): S4-S5. <https://doi.org/10.1016/j.biopsych.2023.02.032>

Gifford, J. J., J. R. Pluchino, et al. (2023). "Effects of limited bedding and nesting on postpartum mood-state in rats." *Journal of Neuroendocrinology* n/a(n/a): e13275. <https://doi.org/10.1111/jne.13275>

Guerra, M., V. Medici, et al. (2023). "Fetal exposure to valproic acid dysregulates the expression of autism-linked genes in the developing cerebellum." *Translational Psychiatry* 13(1): 114. <https://doi.org/10.1038/s41398-023-02391-9>

Hurst, C., D. A. Pugh, et al. (2023). "Integrated Proteomics to Understand the Role of Neuritin (NRN1) as a Mediator of Cognitive Resilience to Alzheimer's Disease." *Molecular & Cellular Proteomics*: 100542. <https://doi.org/10.1016/j.mcpro.2023.100542>

Miranda, C. O., K. Hegedüs, et al. (2023) "Synaptic Targets of Glycinergic Neurons in Laminae I–III of the Spinal Dorsal Horn." *International Journal of Molecular Sciences* 24 DOI: 10.3390/ijms24086943. <https://doi.org/10.3390/ijms24086943>

Ozay, R., E. Keskin, et al. (2022). "Effects of topically applied contractubex® on epidural fibrosis and axonal regeneration in injured rat sciatic nerve." *Turkish Neurosurgery*. DOI:10.5137/1019-5149jtn.40989-22.2

Prevot, T., A. Bernardo, et al. (2023). "Improvement of Cognitive Functions and Neurotrophic Effects Across Animal Models Mediated by A5-GABAA Receptor Positive Allosteric Modulation." *Biological Psychiatry* 93(9, Supplement): S5. <https://doi.org/10.1016/j.biopsych.2023.02.033>

Zhang, Y., A. Bizanti, et al. (2023). "Topographical mapping of catecholaminergic axon innervation in the flat-mounts of the mouse atria: a quantitative analysis." *Scientific Reports* 13(1): 4850. <https://doi.org/10.1038/s41598-023-27727-9>

Amelie, E., K. Dimitrios, et al. (2023). "Microglial Cytokines Mediate Plasticity Induced by 10 Hz Repetitive Magnetic Stimulation." *The Journal of Neuroscience*: JN-RM-2226-2222. <https://doi.org/10.1523/JNEUROSCI.2226-22.2023>

Biswas, S., M. R. Emond, et al. (2021). "δ-Protocadherins regulate neural progenitor cell division by antagonizing Ryk and Wnt/β-catenin signaling." *iScience* 24(8): 20. DOI: 10.1016/j.isci.2021.102932

Caulfield, M. E., M. J. Vander Werp, et al. (2023). "Downregulation of striatal CaV1.3 inhibits the escalation of levodopa-induced dyskinesia in male and female parkinsonian rats of advanced age." *Neurobiology of Disease* 181: 106111. <https://doi.org/10.1016/j.nbd.2023.106111>

Cope, E. C., S. H. Wang, et al. (2023). "Activation of the CA2-ventral CA1 pathway reverses social discrimination dysfunction in Shank3B knockout mice." *Nature Communications* 14(1): 1750. <https://doi.org/10.1038/s41467-023-37248-8>

Cunha Feio Leal, M. d., F. L. d. Amaral Junior, et al. (2023). "The Masticatory Activity Interference in Quantitative Estimation of CA1, CA3 and Dentate Gyrus Hippocampal Astrocytes of Aged Murine Models and under Environmental Stimulation." *International Journal of Molecular Sciences* 24(7): 6529. <https://doi.org/10.3390/ijms24076529>

Ehlers, J. S., K. Bracke, et al. (2023). "Morphological and behavioral analysis of Slc35f1-deficient mice revealed no neurodevelopmental phenotype." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-023-02629-8>

- Fard, D., E. Testa, et al. (2023). "SEMA6C: a novel adhesion-independent FAK and YAP activator, required for cancer cell viability and growth." *Cellular and Molecular Life Sciences* 80(4): 111. <https://doi.org/10.1007/s00018-023-04756-1>
- Gonzalez-Burgos, G., T. Miyamae, et al. (2023). "Mechanisms regulating the properties of inhibition-based gamma oscillations in primate prefrontal and parietal cortices." *Cerebral Cortex*: bhado77. <https://doi.org/10.1093/cercor/bhado77>
- Grotemeyer, A., J. F. Fischer, et al. (2023). "Inflammasome inhibition protects dopaminergic neurons from α -synuclein pathology in a model of progressive Parkinson's disease." *Journal of Neuroinflammation* 20(1): 79. <https://doi.org/10.1186/s12974-023-02759-0>
- Huang, Q., C. Chen, et al. (2023). "Cell type- and region-specific transcriptomes in an MPTP mouse model of Parkinson's disease." *Neurobiology of Disease* 180: 106105. <https://doi.org/10.1016/j.nbd.2023.106105>
- Jesudoss Chelladurai, J. R. J., K. A. Martin, et al. (2023). "Repertoire of P-glycoprotein drug transporters in the zoonotic nematode *Toxocara canis*." *Scientific Reports* 13(1): 4971. <https://doi.org/10.1038/s41598-023-31556-1>
- Meeuwissen, A. J. M., M. Möck, et al. (2023). "Normal connectivity of thalamorecipient networks in barrel equivalents of the reeler cortex." *Cerebral Cortex*. <https://doi.org/10.1093/cercor/bhad072>
- Milbocker, K. A., I. F. Smith, et al. (2023) "Exercise in Adolescence Enhances Callosal White Matter Refinement in the Female Brain in a Rat Model of Fetal Alcohol Spectrum Disorders." *Cells* 12 DOI: 10.3390/cells12070975. <https://doi.org/10.3390/cells12070975>
- Moll, F. W., D. Kranz, et al. (2023). "Thalamus drives vocal onsets in the zebra finch courtship song." *Nature* 616(7955): 132-136. <https://doi.org/10.1038/s41586-023-05818-x>
- Morairty, S. R., Y. Sun, et al. (2023). "Activation of the nociceptin/orphanin-FQ receptor promotes NREM sleep and EEG slow wave activity." *Proceedings of the National Academy of Sciences* 120(13): e2214171120. <https://doi.org/10.1073/pnas.2214171120>
- Obergasteiger, J., A.-M. Castonguay, et al. (2023). "The small GTPase Rit2 modulates LRRK2 kinase activity, is required for lysosomal function and protects against alpha-synuclein neuropathology." *npj Parkinson's Disease* 9(1): 44. <https://doi.org/10.1038/s41531-023-00484-2>
- Ortadeveci, A., S. Öz, et al. (2023). "Vitamin A could be a Therapeutic Agent in Ischemia/ Reperfusion Induced Kidney Injury La vitamina A podría ser un agente terapéutico en la lesión renal inducida por isquemia/reperfusión." 43: 4-16. https://www.researchgate.net/publication/369595171_Vitamin_A_could_be_a_Therapeutic_Agent_in_Ischemia_Reperfusion_Induced_Kidney_Injury_La_vitamina_A_podria_ser_un_agente_terapeutico_en_la_lesion_renal_inducida_por_isquemiareperfusion
- Rieux, M., M. Alpaugh, et al. (2023). "Understanding the role of the hematopoietic niche in Huntington's disease's phenotypic expression: in vivo evidence using a parabiosis model." *Neurobiology of Disease* 180: 106091. <https://doi.org/10.1016/j.nbd.2023.106091>
- Sobierajski, E., G. Lauer, et al. (2023). "Development of myelin in fetal and postnatal neocortex of the pig, the European wild boar *Sus scrofa*." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-023-02633-y>

Wang, H.-L., Y.-C. Cheng, et al. (2023). "HCH6-1, an antagonist of formyl peptide receptor-1, exerts anti-neuroinflammatory and neuroprotective effects in cellular and animal models of Parkinson's disease." *Biochemical Pharmacology*: 115524. <https://doi.org/10.1016/j.bcp.2023.115524>

Ding, Z., P. G. Fahey, et al. (2023). "Functional connectomics reveals general wiring rule in mouse visual cortex." *bioRxiv*: 2023.2003.2013.531369. <https://doi.org/10.1101/2023.03.13.531369>

Ferguson, K. A., J. Salameh, et al. (2023). "VIP interneurons regulate cortical size tuning and visual perception." *bioRxiv*: 2023.2003.2014.532664. <https://doi.org/10.1101/2023.03.14.532664>

Llanos-González, E., F. J. Sancho-Bielsa, et al. (2023). "Spatial and Temporal Protein Modules Signatures Associated with Alzheimer Disease in 3xTg-AD Mice Are Restored by Early Ubiquinol Supplementation." *Antioxidants* 12(3): 747. <https://doi.org/10.3390/antiox12030747>

Bearden, S. E., G. W. Payne, et al. (2004). "Arteriolar network architecture and vasomotor function with ageing in mouse gluteus maximus muscle." *J Physiol* 561(Pt 2): 535-545. DOI: 10.1113/jphysiol.2004.068262

Bearden, S. E. and S. S. Segal (2005). "Neurovascular alignment in adult mouse skeletal muscles." *Microcirculation* 12(2): 161-167. DOI: 10.1080/10739680590904964

Jacobsen, N. L., C. E. Norton, et al. (2022). "Myofibre injury induces capillary disruption and regeneration of disorganized microvascular networks." *The Journal of Physiology* 600(1): 41-60. <https://doi.org/10.1113/JP282292>

Cintado, E., P. Tezanos, et al. (2023). "Transgenerational effects of exercise on mouse brain and cognition." *bioRxiv*: 2023.2003.2008.531840. <https://doi.org/10.1101/2023.03.08.531840>

de Schultz, T., K. Braun, et al. (2023). "Paternal Deprivation and Female Biparental Family Rearing Induce Dendritic and Synaptic Changes in Octodon degus: II. Nucleus Accumbens." *Developmental Neuroscience*. <https://doi.org/10.1159/000530050>

Hoffman, P., M. N. Svalina, et al. (2023). "Developmental Characterization of Neuronal Migration Anomalies and Axon Proliferation in mTOR pathway-associated Malformations of Cortical Development." *bioRxiv*: 2023.2003.2011.532231. <https://doi.org/10.1101/2023.03.11.532231>

Sandra, U. O., U. G. Roman, et al. (2022). "Organization of Cortical and Thalamic Input to Inhibitory Neurons in Mouse Motor Cortex." *The Journal of Neuroscience* 42(43): 8095. <https://doi.org/10.1523/JNEUROSCI.0950-22.2022>

King, D., K. Holt, et al. (2022). "Synaptic resilience is associated with maintained cognition during ageing." *Alzheimers Dement* 22(10): 12894. <https://pubmed.ncbi.nlm.nih.gov/36547260/>

Lim, J., H.-L. Lee, et al. (2023). "Adolescent exposure to low-dose Δ^9 -tetrahydrocannabinol (THC) depletes the ovarian reserve in female mice." *Toxicological Sciences*. <https://doi.org/10.1093/toxsci/kfad027>

Masoli, S., D. Sanchez-Ponce, et al. (2023). "Human outperform mouse Purkinje cells in dendritic complexity and computational capacity." *bioRxiv*: 2023.2003.2008.531672. <https://doi.org/10.1101/2023.03.08.531672>

Murra, D., K. L. Hilde, et al. (2023). "Patterns of Neural Activation During an Initial Social Stress Encounter are Predictive of Future Susceptibility or Resilience: A FosTRAP2 Study." *bioRxiv*: 2023.2003.2010.532130. <https://doi.org/10.1101/2023.03.10.532130>

Ouyang, L., Q. Li, et al. (2023). "Cognitive outcomes caused by low-level lead, cadmium, and mercury mixture exposure at distinct phases of brain development." *Food and Chemical Toxicology* 175: 113707. <https://doi.org/10.1016/j.fct.2023.113707>

Ritzel, R. M., Y. Li, et al. (2023). "Brain injury accelerates the onset of a reversible age-related microglial phenotype associated with inflammatory neurodegeneration." *Science Advances* 9(10): eadd1101. <https://www.science.org/doi/10.1126/sciadv.add1101>

Stevens, H. E., S. Scuderi, et al. (2023). "Neonatal loss of FGFR2 in astroglial cells affects locomotion, sociability, working memory, and glia-neuron interactions in mice." *Translational Psychiatry* 13(1): 89. <https://doi.org/10.1038/s41398-023-02372-y>

Suresh, A. and A. Dunaevsky (2023). "Impaired AMPARs translocation into dendritic spines with motor skill learning in the Fragile X mouse model." *eneuro*: ENEURO.0364-0322.2023. <https://doi.org/10.1523/ENEURO.0364-22.2023>

Vidyadhara, D. J., M. Somayaji, et al. (2023). "Dopamine transporter and synaptic vesicle sorting defects underlie auxilin-associated Parkinson's disease." *Cell Reports* 42(3): 112231. <https://doi.org/10.1016/j.celrep.2023.112231>

Abdeladim, L., H. Shin, et al. (2023). "Probing inter-areal computations with a cellular resolution two-photon holographic mesoscope." *bioRxiv*: 2023.2003.2002.530875. <https://doi.org/10.1101/2023.03.02.530875>

Han, W., E.-M. Meißner, et al. (2023). "Dying transplanted neural stem cells mediate survival bystander effects in the injured brain." *Cell Death & Disease* 14(3): 173. <https://doi.org/10.1038/s41419-023-05698-z>

Iavarone, E., J. Simko, et al. (2023). "Thalamic control of sensory processing and spindles in a biophysical somatosensory thalamoreticular circuit model of wakefulness and sleep." *Cell Reports* 42(3). <https://doi.org/10.1016/j.celrep.2023.112200>

Kasanga, E. A., Y. Han, et al. (2023). "Differential expression of RET and GDNF family receptor, GFR- α 1, between striatum and substantia nigra following nigrostriatal lesion: a case for diminished GDNF-signaling." *bioRxiv*: 2023.2003.2001.530671. <https://doi.org/10.1101/2023.03.01.530671>

LaFosse, P. K., Z. Zhou, et al. (2023). "Bicistronic expression of a high-performance calcium indicator and opsin for all-optical stimulation and imaging at cellular resolution." *eneuro*: ENEURO.0378-0322.2023. <https://doi.org/10.1523/ENEURO.0378-22.2023>

Leighton, A. H., J. E. Cheyne, et al. (2023). "Clustered synapses develop in distinct dendritic domains in visual cortex before eye opening." *bioRxiv*: 2023.2003.2002.530772. <https://doi.org/10.1101/2023.03.02.530772>

Lewis, V., E. M. Bonniwell, et al. (2023). "A non-hallucinogenic LSD analog with therapeutic potential for mood disorders." *Cell Reports* 42(3). <https://doi.org/10.1016/j.celrep.2023.112203>

- Li, B., H. Zhao, et al. (2023). "CHD8 mutations increase gliogenesis to enlarge brain size in the nonhuman primate." *Cell Discovery* 9(1): 27. <https://doi.org/10.1038/s41421-023-00525-3>
- Medalla, M., B. Mo, et al. (2023). "Comparative Features of Calretinin, Calbindin and Parvalbumin Expressing Interneurons in Mouse and Monkey Primary Visual and Frontal Cortices." *bioRxiv*: 2023.2002.2027.530269. <https://doi.org/10.1101/2023.02.27.530269>
- Rauschenberger, L., E.-M. Krenig, et al. (2023). "Peripheral nerve injury elicits microstructural and neurochemical changes in the striatum and substantia nigra of a DYT-TOR1A mouse model with dystonia-like movements." *Neurobiology of Disease* 179: 106056. <https://doi.org/10.1016/j.nbd.2023.106056>
- Stahn, L., J. Rasińska, et al. (2023). "Sleeping Beauty transposon system for GDNF overexpression of entrapped stem cells in fibrin hydrogel in a rat model of Parkinson's disease." *Drug Delivery and Translational Research*. <https://doi.org/10.1007/s13346-023-01289-9>
- Tchantchou, F., R.-c. Hsia, et al. (2023). "Hippocampal vulnerability to hyperhomocysteinemia worsens pathological outcomes of mild traumatic brain injury in rats." *Journal of Central Nervous System Disease* 15: 11795735231160025. <https://doi.org/10.1177/11795735231160025>
- Teixeira, L. L., H. M. Alencar, et al. (2023) "Oral Treatment with the Extract of *Euterpe oleracea* Mart. Improves Motor Dysfunction and Reduces Brain Injury in Rats Subjected to Ischemic Stroke." *Nutrients* 15 DOI: 10.3390/nu15051207. <https://doi.org/10.3390/nu15051207>
- Yu, J., X. Yang, et al. (2023). "Deficiency of Perry syndrome-associated p150Glued in midbrain dopaminergic neurons leads to progressive neurodegeneration and endoplasmic reticulum abnormalities." *npj Parkinson's Disease* 9(1): 35. <https://doi.org/10.1038/s41531-023-00478-0>
- Zhang, L., L. Li, et al. "The C2 and PH domains of CAPS constitute an effective PI(4,5)P₂-binding unit essential for Ca²⁺-regulated exocytosis." *Structure*. <https://doi.org/10.1016/j.str.2023.02.004>
- Binder, N. F., M. E. Amki, et al. (2023). "Leptomeningeal collaterals regulate reperfusion in ischemic stroke." *bioRxiv*: 2023.2002.2025.529915. <https://doi.org/10.1101/2023.02.25.529915>
- Bojarskaite, L., A. Vallet, et al. (2023). "Sleep cycle-dependent vascular dynamics in male mice and the predicted effects on perivascular cerebrospinal fluid flow and solute transport." *Nature Communications* 14(1): 953. <https://doi.org/10.1038/s41467-023-36643-5>
- Cano-Astorga, N., S. Plaza-Alonso, et al. (2023). "3D Synaptic Organization of Layer III of the Human Anterior Cingulate and Temporopolar Cortex." *bioRxiv*: 2023.2002.2021.529433. <https://doi.org/10.1101/2023.02.21.529433>
- Kapelouzou, A., S. Geronikolou, et al. (2023) "Tissue and Serum Biomarkers in Degenerative Aortic Stenosis-Insights into Pathogenesis, Prevention and Therapy." *Biology* 12 DOI: 10.3390/biology12030347. <https://doi.org/10.3390/biology12030347>
- Lin, Y., X.-J. Zhang, et al. (2023). "Developmental neuronal origin regulates neocortical map formation." *Cell Reports* 42(3). <https://doi.org/10.1016/j.celrep.2023.112170>
- Niraula, S., W. L. Hauser, et al. (2023). "Repeated passive visual experience modulates spontaneous and novelty-evoked neural activity." *bioRxiv*: 2023.2002.2021.529278. <https://doi.org/10.1101/2023.02.21.529278>

Pickett, L. A., J. W. VanRyzin, et al. (2023). "Microglia phagocytosis mediates the volume and function of the rat sexually dimorphic nucleus of the preoptic area." *Proceedings of the National Academy of Sciences* 120(10): e2212646120. <https://doi.org/10.1073/pnas.2212646120>

Pignataro, A., P. Krashia, et al. (2023). "Chemogenetic rectification of the inhibitory tone onto hippocampal neurons reverts autistic-like traits and normalizes local expression of estrogen receptors in the *Ambra1*^{+/-} mouse model of female autism." *Translational Psychiatry* 13(1): 63. <https://doi.org/10.1038/s41398-023-02357-x>

Solarz-Andrzejewska, A., I. Majcher-Maślanka, et al. (2023). "Modulation of the endoplasmic reticulum stress and unfolded protein response mitigates the behavioral effects of early-life stress." *Pharmacological Reports*. <https://doi.org/10.1007/s43440-023-00456-6>

Yang, Y., H. Shen, et al. (2023). "Learning-induced reorganization of neuronal subnetworks in the primary sensory cortex." *bioRxiv*: 2023.2002.2021.529414. <https://doi.org/10.1101/2023.02.21.529414>

Zhang, L.-M., D.-X. Zhang, et al. (2023). "Spautin-1 administration mitigates mild TBI-induced cognitive and memory dysfunction in mice via activation of caspase-3." *International Immunopharmacology* 117: 109906. <https://doi.org/10.1016/j.intimp.2023.109906>

Carrillo-Reid, L., W. Yang, et al. (2023). *Optical and Analytical Methods to Visualize and Manipulate Cortical Ensembles and Behavior. All-Optical Methods to Study Neuronal Function*. E. Papagiakoumou. New York, NY, Springer US: 331-361. https://doi.org/10.1007/978-1-0716-2764-8_11

Cheng, Y., Q. Tong, et al. (2023). " α -Synuclein induces prodromal symptoms of Parkinson's disease via activating TLR2/MyD88/NF- κ B pathway in Schwann cells of vagus nerve in a rat model." *Journal of Neuroinflammation* 20(1): 36. <https://doi.org/10.1186/s12974-023-02720-1>

Clary, R. C., B. A. Jenkins, et al. (2023). "Spatiotemporal dynamics of sensory neuron and Merkel-cell remodeling are decoupled during epidermal homeostasis." *bioRxiv*: 2023.2002.2014.528558. <https://doi.org/10.1101/2023.02.14.528558>

Costine-Bartell, B. A., L. Martinez-Ramirez, et al. (2023). "2-Photon imaging of fluorescent proteins in living swine." *bioRxiv*: 2023.2002.2014.528533. <https://doi.org/10.1101/2023.02.14.528533>

Garrett, M., P. Groblewski, et al. (2023). "Stimulus novelty uncovers coding diversity in visual cortical circuits." *bioRxiv*: 2023.2002.2014.528085. <https://doi.org/10.1101/2023.02.14.528085>

Gill, J. V., G. M. Lerman, et al. (2023). *Illuminating Neural Computation Using Precision Optogenetics-Controlled Synthetic Perception. All-Optical Methods to Study Neuronal Function*. E. Papagiakoumou. New York, NY, Springer US: 363-392. https://doi.org/10.1007/978-1-0716-2764-8_12

He, C., N. C. Kalafut, et al. (2023). "BOMA, a machine-learning framework for comparative gene expression analysis across brains and organoids." *Cell Reports Methods*: 100409. <https://doi.org/10.1016/j.crmeth.2023.100409>

Linnhoff, S., A. Haghikia, et al. (2023). "Can transcranial alternating current stimulation (tACS) reduce fatigability-related oscillatory brain activity changes?" *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation* 16(1): 244. <https://doi.org/10.1016/j.brs.2023.01.382>

Moreira, P., P. Papatheodorou, et al. (2023). "Nuclear Factor-Y is a Pervasive Regulator of Neuronal Gene Expression." *bioRxiv*: 2023.2002.2014.528575. <https://doi.org/10.1101/2023.02.14.528575>

Murphy, S. C., L. Godenzini, et al. (2023). "Cocaine regulates sensory filtering in cortical pyramidal neurons." *Cell Reports* 42(2). <https://doi.org/10.1016/j.celrep.2023.112122>

Pandey, T., B. Wang, et al. (2023). "Insulin-mTOR hyperfunction drives *C. elegans* aging opposed by the megaprotein LPD-3." *bioRxiv*: 2023.2002.2014.528431. <https://doi.org/10.1101/2023.02.14.528431>

Şenel, U., H. I. Tanriverdi, et al. (2023). "Effects of Hesperidin and Diosmin on Necrotizing Enterocolitis: An Experimental Study." *Iran J Pediatr In Press(In Press)*: e127271. <https://brieflands.com/articles/ijp-127271.html>

Yuan, Y., K. Xin, et al. (2023). "A GNN-based model for capturing spatio-temporal changes in locomotion behaviors of aging *C. elegans*." *Computers in Biology and Medicine* 155: 106694. <https://doi.org/10.1016/j.combiomed.2023.106694>

Arnold, A. P., X. Chen, et al. (2023). "A "Four Core Genotypes" rat model to distinguish mechanisms underlying sex-biased phenotypes and diseases." *bioRxiv*: 2023.2002.2009.527738. <https://doi.org/10.1101/2023.02.09.527738>

Boyle, K. A., E. Polgár, et al. (2023). "Neuropeptide Y-expressing dorsal horn inhibitory interneurons gate spinal pain and itch signalling." *bioRxiv*: 2023.2002.2010.528013. <https://doi.org/10.1101/2023.02.10.528013>

Dutta, A. K., C. Armstrong, et al. (2023). "D-685 Reverses Motor Deficits and Reduces Accumulation of Human α -Synuclein Protein in Two Different Parkinson's Disease Animal Models." *ACS Chemical Neuroscience*. <https://doi.org/10.1021/acscchemneuro.2c00655>

Gudenschwager, K., O. Shandra, et al. (2023). Atypical Neurogenesis, Astrogliosis, and Excessive Hilar In-Ter neuron Loss Are Associated With the Development of Post-Traumatic Epilepsy. doi: 10.20944/preprints202302.0195.v1

Guignet, M., M. Schmuck, et al. (2023). "Novel image analysis tool for rapid screening of cell morphology in preclinical animal models of disease." *Heliyon* 9(2). <https://doi.org/10.1016/j.heliyon.2023.e13449>

Klinkenberg, M., M. Helwig, et al. (2023) "Interneuronal In Vivo Transfer of Synaptic Proteins." *Cells* 12 DOI: 10.3390/cells12040569. <https://doi.org/10.3390/cells12040569>

Romero-Márquez, J. M., M. D. Navarro-Hortal, et al. (2023). "In Vivo Anti-Alzheimer and Antioxidant Properties of Avocado (*Persea americana* Mill.) Honey from Southern Spain." *Antioxidants* 12(2): 404. <https://doi.org/10.3390/antiox12020404>

Sabetta, Z., G. Krishna, et al. (2023). "Aging with TBI vs. Aging: 6-month temporal profiles for neuropathology and astrocyte activation converge in behaviorally relevant thalamocortical circuitry of male and female rats." *bioRxiv*: 2023.2002.2006.527058. <https://doi.org/10.1101/2023.02.06.527058>

Wang, X., P. A. Roberts, et al. (2023). "Amacrine cells differentially balance zebrafish color circuits in the central and peripheral retina." *Cell Reports* 42(2). <https://doi.org/10.1016/j.celrep.2023.112055>

Yang, P., J. O. Davidson, et al. (2023). "Therapeutic Hypothermia Attenuates Cortical Interneuron Loss after Cerebral Ischemia in Near-Term Fetal Sheep." *International Journal of Molecular Sciences* 24(4): 3706. <https://doi.org/10.3390/ijms24043706>

- Balcioglu, A., R. Gillani, et al. (2023). "Mapping thalamic innervation to individual L2/3 pyramidal neurons and modeling their 'readout' of visual input." *Nature Neuroscience*.
<https://doi.org/10.1038/s41593-022-01253-9>
- Boghozian, R., S. Sharma, et al. (2023). "Sex and interferon gamma signaling regulate microglia migration in adult mouse cortex in vivo." *bioRxiv*: 2023.2002.2002.526857.
<https://doi.org/10.1101/2023.02.02.526857>
- Brady, E. L., O. Prado, et al. (2023). "Engineered tissue vascularization and engraftment depends on host model." *Scientific Reports* 13(1): 1973. <https://doi.org/10.1038/s41598-022-23895-2>
- Carr, C. E., T. Wang, et al. (2023). "Experience-Dependent Plasticity in Nucleus Laminaris of the Barn Owl." *bioRxiv*: 2023.2002.2002.526884. <https://doi.org/10.1101/2023.02.02.526884>
- Das, S. C., A. Schulmann, et al. (2023). "Altered transcriptomes, cell type proportions, and dendritic spine morphology in hippocampus of suicide deaths." *medRxiv*: 2023.2001.2028.23285121.
<https://doi.org/10.1101/2023.01.28.23285121>
- Funamizu, A., F. Marbach, et al. (2023). "Stable sound decoding despite modulated sound representation in the auditory cortex." *bioRxiv*: 2023.2001.2031.526457.
<https://doi.org/10.1101/2023.01.31.526457>
- Gonzalez-Burgos, G., T. Miyamae, et al. "Strength of excitatory inputs to layer 3 pyramidal neurons during synaptic pruning in the monkey prefrontal cortex: Relevance for the pathogenesis of schizophrenia." *Biological Psychiatry*. <https://doi.org/10.1016/j.biopsych.2023.01.019>
- Latina, V., M. De Introna, et al. (2023) "Immunotherapy with Cleavage-Specific 12A12mAb Reduces the Tau Cleavage in Visual Cortex and Improves Visuo-Spatial Recognition Memory in Tg2576 AD Mouse Model." *Pharmaceutics* 15 DOI: 10.3390/pharmaceutics15020509.
<https://doi.org/10.3390/pharmaceutics15020509>
- Liu, Y., M. Wang, et al. (2023). "D-2-hydroxyglutarate dehydrogenase governs adult neural stem cell activation and promotes histone acetylation via ATP-citrate lyase." *Cell Reports* 42(2).
<https://doi.org/10.1016/j.celrep.2023.112067>
- McClain, S. P., X. Ma, et al. (2023). "In vivo photopharmacology with light-activated opioid drugs." *bioRxiv*: 2023.2002.2002.526901. <https://doi.org/10.1101/2023.02.02.526901>
- Miao, H.-T., R.-X. Song, et al. (2023). "Spatin-1 Protects Against Mild TBI-Induced Anxiety-Like Behavior in Mice via Immunologically Silent Apoptosis." *NeuroMolecular Medicine*.
<https://doi.org/10.1007/s12017-023-08737-2>
- Mut-Arbona, P., L. Huang, et al. (2023). "Dual role of the P2X7 receptor in dendritic outgrowth during physiological and pathological brain development." *The Journal of Neuroscience*: JN-RM-0805-0822.
<https://doi.org/10.1523/JNEUROSCI.0805-22.2022>
- Simonnet, E., S. Martin, et al. (2023). "EphrinA4/EphA4 controls blood pressure via arterial sympathetic innervation." *bioRxiv*: 2023.2002.2003.526852. <https://doi.org/10.1101/2023.02.03.526852>
- Szegedi, V., E. Bakos, et al. (2023). "HCN channels at the cell soma ensure the rapid electrical reactivity of fast-spiking interneurons in human neocortex." *PLOS Biology* 21(2): e3002001.
<https://doi.org/10.1371/journal.pbio.3002001>

Thome, C., J. M. Janssen, et al. (2023). "Live imaging of excitable axonal microdomains in ankyrin-G-GFP mice." *bioRxiv*: 2023.2002.2001.525891. <https://doi.org/10.1101/2023.02.01.525891>

Vaidya, S. P., R. A. Chitwood, et al. (2023). "The formation of an expanding memory representation in the hippocampus." *bioRxiv*: 2023.2002.2001.526663. <https://doi.org/10.1101/2023.02.01.526663>

Wang, Y., T. Wang, et al. (2023) "Thyroid Hormone Transporters MCT8 and OATP1C1 Are Expressed in Pyramidal Neurons and Interneurons in the Adult Motor Cortex of Human and Macaque Brain." *International Journal of Molecular Sciences* 24 DOI: 10.3390/ijms24043207. <https://doi.org/10.3390/ijms24043207>

Ferrer Ortas, J., P. Mahou, et al. (2023). "Label-free imaging of red blood cells and oxygenation with color third-order sum-frequency generation microscopy." *Light: Science & Applications* 12(1): 29. <https://doi.org/10.1038/s41377-022-01064-4>

Galbiati, M., M. Meroni, et al. (2023). "Bicalutamide and Trehalose Ameliorate Spinal and Bulbar Muscular Atrophy Pathology in Mice." *Neurotherapeutics*. <https://doi.org/10.1007/s13311-023-01343-x>

Gernert, M., D. MacKeigan, et al. (2023). "Acute and chronic convection-enhanced muscimol delivery into the rat subthalamic nucleus induces antiseizure effects associated with high responder rates." *Epilepsy Research* 190: 107097. <https://doi.org/10.1016/j.eplepsyres.2023.107097>

Hanafy, A. S., P. Steinlein, et al. (2023). "Subcellular analysis of blood-brain barrier function by micro-impalement of vessels in acute brain slices." *Nature Communications* 14(1): 481. <https://doi.org/10.1038/s41467-023-36070-6>

Joy, M. T., S. P. Bridges, et al. (2023). Quantitative Spatial Mapping of Axons Across Cortical Regions to Assess Axonal Sprouting After Stroke. *Neural Repair: Methods and Protocols*. V. T. Karamyan and A. M. Stowe. New York, NY, Springer US: 171-180. https://doi.org/10.1007/978-1-0716-2926-0_13

Kline, A. M., D. A. Aponte, et al. (2023). "Distinct nonlinear spectrotemporal integration in primary and secondary auditory cortices." *bioRxiv*: 2023.2001.2025.525588. <https://doi.org/10.1101/2023.01.25.525588>

Komorowska-Müller, J. A., A.-K. Gellner, et al. (2023). "Chronic low-dose Δ^9 -tetrahydrocannabinol (THC) treatment stabilizes dendritic spines in 18-month-old mice." *Scientific Reports* 13(1): 1390. <https://doi.org/10.1038/s41598-022-27146-2>

Murray, H. C., G. Saar, et al. (2023). "Progressive Spread of Beta-amyloid Pathology in an Olfactory-driven Amyloid Precursor Protein Mouse Model." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2023.01.009>

Olfat, S., K. Mätlik, et al. (2023). "Increased physiological GDNF levels have no effect on dopamine neuron protection and restoration in a proteasome inhibition mouse model of Parkinson's disease." *eneuro*: ENEURO.0097-0022.2023. <https://doi.org/10.1523/ENEURO.0097-22.2023>

Rangasamy, S. B., J. Poddar, et al. (2023) "Protection of Mice from Controlled Cortical Impact Injury by Food Additive Glyceryl Tribenzoate." *International Journal of Molecular Sciences* 24 DOI: 10.3390/ijms24032083. <https://doi.org/10.3390/ijms24032083>

Santos-Baldaia, R. d., R. Wuo-Silva, et al. (2023). "Distinctive Neuroanatomic Regions Involved in Cocaine-Induced Behavioral Sensitization in Mice." *Biomedicines* 11(2): 383. <https://doi.org/10.3390/biomedicines11020383>

Scholler, J., J. Jonsson, et al. (2023). "Efficient image analysis for large-scale next generation histopathology using pAPRica." *bioRxiv*: 2023.2001.2027.525687. <https://doi.org/10.1101/2023.01.27.525687>

Urso, S. J., A. Sathaseevan, et al. (2023). "Regulation of the hypertonic stress response by the 3' mRNA cleavage and polyadenylation complex." *bioRxiv*: 2023.2001.2023.525244. <https://doi.org/10.1101/2023.01.23.525244>

Yao, P., R. Liu, et al. (2023). "Guide to the construction and use of an adaptive optics two-photon microscope with direct wavefront sensing." *bioRxiv*: 2023.2001.2024.525307. <https://doi.org/10.1101/2023.01.24.525307>

Zeisler, Z. R., L. London, et al. (2023). "High-throughput sequencing of macaque basolateral amygdala projections reveals dissociable connectional motifs with frontal cortex." *bioRxiv*: 2023.2001.2018.524407. <https://doi.org/10.1101/2023.01.18.524407>

Ali, Z., G. Sivakumar, et al. (2022). "A report on digitised neuronal tracing method to study neurons in their entirety." *MethodsX* 9(101715). DOI: 10.1016/j.mex.2022.101715

Correa, D., M. I. Scheuber, et al. (2023). "Intranasal delivery of full-length anti-Nogo-A antibody: A potential alternative route for therapeutic antibodies to central nervous system targets." *Proceedings of the National Academy of Sciences* 120(4): e2200057120. <https://doi.org/10.1073/pnas.2200057120>

Farid, H., W. B. Gelford, et al. (2023). "Fast Blue and Cholera Toxin-B Survival Guide for Alpha-Motoneurons Labeling: Less Is Better in Young B6SJL Mice, but More Is Better in Aged C57BL/J Mice." *Bioengineering* 10(2): 141. <https://doi.org/10.3390/bioengineering10020141>

Hegdekar, N., C. Sarkar, et al. (2023). "Inhibition of autophagy in microglia and macrophages exacerbates innate immune responses and worsens brain injury outcomes." *Autophagy*: 1-19. <https://doi.org/10.1080/15548627.2023.2167689>

Hu, W., S. Zhu, et al. (2023). "Functional ultrasound imaging reveals 3D structure of orientation domains in ferret primary visual cortex." *NeuroImage* 268: 119889. <https://doi.org/10.1016/j.neuroimage.2023.119889>

Jiang, T., Y. Yang, et al. (2023). "MicroRNA-218 regulates neuronal radial migration and morphogenesis by targeting *Satb2* in developing neocortex." *Biochemical and Biophysical Research Communications* 647: 9-15. <https://doi.org/10.1016/j.bbrc.2023.01.053>

Metcalfe, M., B. T. David, et al. (2023). "Elevation of NAD⁺ by nicotinamide riboside spares spinal cord tissue from injury and promotes locomotor recovery." *bioRxiv*: 2023.2001.2017.524307. <https://doi.org/10.1101/2023.01.17.524307>

Rangasamy, S. B., M. Jana, et al. (2023). "Treadmill workout activates PPAR α in the hippocampus to upregulate ADAM10, decrease plaques and improve cognitive functions in 5XFAD mouse model of Alzheimer's disease." *Brain, Behavior, and Immunity*. <https://doi.org/10.1016/j.bbi.2023.01.009>

Rangasamy, S. B., J. Poddar, et al. (2023). "Protection of Mice from Controlled Cortical Impact Injury by Food Additive Glyceryl Tribenzoate." *International Journal of Molecular Sciences* 24(3): 2083. <https://doi.org/10.3390/ijms24032083>

Stazi, M., S. Zampar, et al. (2023). "A Combination of Caffeine Supplementation and Enriched Environment in an Alzheimer's Disease Mouse Model." *International Journal of Molecular Sciences* 24(3): 2155. <https://doi.org/10.3390/ijms24032155>

Borreca, A., M. De Luca, et al. (2023). "Fmr1-KO mice failure to detect object novelty associates with a post-test decrease of structural and synaptic plasticity upstream of the hippocampus." *Scientific Reports* 13(1): 755. <https://doi.org/10.1038/s41598-023-27991-9>

Campos, H. C., D. E. Ribeiro, et al. (2022). "Distinct Effects of the Hippocampal Transplantation of Neural and Mesenchymal Stem Cells in a Transgenic Model of Alzheimer's Disease." *Stem Cell Reviews and Reports* 18(2): 781-791. <https://doi.org/10.1007/s12015-021-10321-9>

Chen, X., D. A. Wolfe, et al. (2023). "Functional gene delivery to and across brain vasculature of systemic AAVs with endothelial-specific tropism in rodents and broad tropism in primates." *bioRxiv*: 2023.2001.2012.523844. <https://doi.org/10.1101/2023.01.12.523844>

Gómez-Oliva, R., S. Martínez-Ortega, et al. (2023). "Rescue of neurogenesis and age-associated cognitive decline in SAMP8 mouse: role of transforming growth factor alpha." *bioRxiv*: 2023.2001.2014.524036. <https://doi.org/10.1101/2023.01.14.524036>

Konstantinos, N. B., X. Lin, et al. (2023). Deep tissue imaging with multiphoton microscopy in the short-wavelength infrared windows. *Proc.SPIE*. <https://doi.org/10.1117/12.2647553>

Kropp, P. A., P. Rogers, et al. (2023). "Patient-specific variants of NFU1/NFU-1 cause aberrant cholinergic signaling in a *Caenorhabditis elegans* model of MADS1." *Dis Model Mech* 16(049594): 049594. DOI: 10.1242/dmm.049594

Pereira, C. P. M., J. Francis-Oliveira, et al. (2023). "Microglial depletion exacerbates motor impairment and dopaminergic neuron loss in a 6-OHDA model of Parkinson's disease." *Journal of Neuroimmunology* 375: 578019. <https://doi.org/10.1016/j.jneuroim.2023.578019>

Sharma, D. R., B. Cheng, et al. (2023). "Elevated insulin growth factor-1 in dentate gyrus induces cognitive deficits in pre-term newborns." *Cerebral Cortex*: bhac516. <https://doi.org/10.1093/cercor/bhac516>

Tan, S., H. Gao, et al. (2023). "CD33/TREM2 Signaling Mediates Sleep Deprivation-Induced Memory Impairment by Regulating Microglial Phagocytosis." *NeuroMolecular Medicine*. <https://doi.org/10.1007/s12017-023-08733-6>

Weijzen, M. E. G., A. M. Holwerda, et al. (2023). "Vicia Faba peptide network supplementation does not differ from milk protein in modulating changes in muscle size during short-term immobilization and subsequent remobilization, but increases muscle protein synthesis rates during remobilization in healthy young men." *The Journal of Nutrition*. <https://doi.org/10.1016/j.tjn.2023.01.014>

Boido, M., I. Gesmundo, et al. (2023). "Agonist of growth hormone-releasing hormone improves the disease features of spinal muscular atrophy mice." *Proceedings of the National Academy of Sciences* 120(2): e2216814120. <https://doi.org/10.1073/pnas.2216814120>

Coolen, R. L., J. C. Cambier, et al. (2023). "Androgen receptors in the forebrain: a study in adult male cats." *Journal of Morphology* n/a(n/a). <https://doi.org/10.1002/jmor.21553>

Jaffey, D. M., J. McAdams, et al. "Vagal Preganglionic Axons Arborize in the Myenteric Plexus into Two Types: Nitroergic and Non-nitroergic Postganglionic Motor Pools?" *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology* o(0): null. <https://doi.org/10.1152/ajpregu.00260.2022>

Lanier, V. J., A. M. White, et al. (2023). "Theory and practice of using cell strainers to sort Caenorhabditis elegans by size." *bioRxiv*: 2023.2001.2007.523116. <https://doi.org/10.1101/2023.01.07.523116>

Mano, O., M. Choi, et al. (2023). "Long timescale anti-directional rotation in Drosophila optomotor behavior." *bioRxiv*: 2023.2001.2006.523055. <https://doi.org/10.1101/2023.01.06.523055>

Marsan, E., D. Velmeshev, et al. (2023). "Astroglial toxicity promotes synaptic degeneration in the thalamocortical circuit in frontotemporal dementia with GRN mutations." *The Journal of Clinical Investigation*. 10.1172/JCI164919

Maurer, S. V., J. L. Bolton, et al. (2023). "Maternal diesel exposure and maternal choline supplementation interactions in fetal and placental immune factors." *bioRxiv*: 2023.2001.2004.522511. <https://doi.org/10.1101/2023.01.04.522511>

Patel, R. S., A. Lui, et al. (2023). "Small molecule targeting long noncoding RNA GAS5 administered intranasally improves neuronal insulin signaling and decreases neuroinflammation in an aged mouse model." *Scientific Reports* 13(1): 317. <https://doi.org/10.1038/s41598-022-27126-6>

Pellis, S. M., V. C. Pellis, et al. (2023). "Play fighting and the development of the social brain: The rat's tale." *Neuroscience & Biobehavioral Reviews* 145: 105037. <https://doi.org/10.1016/j.neubiorev.2023.105037>

Saunders, T., C. Gunn, et al. (2023). "Neurogranin in Alzheimer's disease and ageing: A human post-mortem study." *Neurobiology of Disease* 177: 105991. <https://doi.org/10.1016/j.nbd.2023.105991>

Steffen, D. M., C. M. Hanes, et al. (2023). "A unique role for Protocadherin γ C3 in promoting dendrite arborization through an Axin1-dependent mechanism." *The Journal of Neuroscience: JN-RM-0729-0722*. <https://doi.org/10.1523/JNEUROSCI.0729-22.2022>

Sun, J., S. Osenberg, et al. (2023). "Mutations in the transcriptional regulator MeCP2 severely impact key cellular and molecular signatures of human astrocytes during maturation." *Cell Reports* 42(1): 111942. <https://doi.org/10.1016/j.celrep.2022.111942>

Tanaka, R., B. Zhou, et al. (2023). "Drosophila integrates visual evidence and counterevidence in self motion estimation." *bioRxiv*: 2023.2001.2004.522814. <https://doi.org/10.1101/2023.01.04.522814>

Wu, X., W. Xu, et al. (2023). "Development of Multiomics in situ Pairwise Sequencing (MiP-Seq) for Single-cell Resolution Multidimensional Spatial Omics." *bioRxiv*: 2023.2001.2007.523058. <https://doi.org/10.1101/2023.01.07.523058>

Zhao, K., Y. Zhang, et al. (2023). "The joint effects of nanoplastics and TBBPA on neurodevelopmental toxicity in *Caenorhabditis elegans*." *Toxicology Research*: tfaco86. <https://doi.org/10.1093/toxres/tfaco86>

Zhu, Q., A. Mishra, et al. (2023). "Human cortical interneurons optimized for grafting specifically integrate, abort seizures, and display prolonged efficacy without over-inhibition." *Neuron*. <https://doi.org/10.1016/j.neuron.2022.12.014>

Ahn, E. H., X. Liu, et al. (2022). "Helicobacter hepaticus augmentation triggers Dopaminergic degeneration and motor disorders in mice with Parkinson's disease." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-022-01910-2>

Badr, M., R. L. McFleder, et al. (2022). "Expansion of regulatory T cells by CD28 superagonistic antibodies attenuates neurodegeneration in A53T- α -synuclein Parkinson's disease mice." *Journal of Neuroinflammation* 19(1): 319. <https://doi.org/10.1186/s12974-022-02685-7>

Cambiaghi, M., C. Infortuna, et al. (2022). "High-frequency rTMS modulates emotional behaviors and structural plasticity in layers II/III and V of the mPFC." *Front Cell Neurosci* 16(1082211). DOI: 10.3389/fncel.2022.1082211

Campbell, E. P., A. A. Abushawish, et al. (2023). "Electrical signals in the ER are cell type and stimulus specific with extreme spatial compartmentalization in neurons." *Cell Reports* 42(1). <https://doi.org/10.1016/j.celrep.2022.111943>

Eck, R. J., R. L. Kow, et al. (2023). "SPOP loss of function protects against tauopathy." *Proceedings of the National Academy of Sciences* 120(1): e2207250120. <https://doi.org/10.1073/pnas.2207250120>

Gutierrez-Mecinas, M., É. Kókai, et al. (2023). "Antibodies Against the Gastrin-releasing Peptide Precursor Pro-Gastrin-releasing Peptide Reveal Its Expression in the Mouse Spinal Dorsal Horn." *Neuroscience* 510: 60-71. <https://doi.org/10.1016/j.neuroscience.2022.12.023>

Guy, J., M. Möck, et al. (2023). "Direction selectivity of inhibitory interneurons in mouse barrel cortex differs between interneuron subtypes." *Cell Reports* 42(1): 111936. <https://doi.org/10.1016/j.celrep.2022.111936>

Hashimoto, J. G., M. L. Singer, et al. (2023). "Sex differences in hippocampal structural plasticity and glycosaminoglycan disaccharide levels after neonatal handling." *Experimental Neurology* 361: 114313. <https://doi.org/10.1016/j.expneurol.2022.114313>

Jee, C., E. Batsaikhan, et al. (2023). "Neurobiological Basis of Aversion-Resistant Ethanol Seeking in *C. elegans*." *Metabolites* 13(1): 62. <https://doi.org/10.3390/metabo13010062>

Johnson, E., M. Clark, et al. (2022). "Graded spikes differentially signal neurotransmitter input in cerebrospinal fluid contacting neurons of the mouse spinal cord." *iScience*: 105914. <https://doi.org/10.1016/j.isci.2022.105914>

Kawles, A., G. Minogue, et al. (2023). "Differential vulnerability of the dentate gyrus to tauopathies in dementias." *Acta Neuropathologica Communications* 11(1): 1. <https://doi.org/10.1186/s40478-022-01485-7>

Liu, N.-K., L.-X. Deng, et al. (2022). "Restoring mitochondrial cardiolipin homeostasis reduces cell death and promotes recovery after spinal cord injury." *Cell Death & Disease* 13(12): 1058. <https://doi.org/10.1038/s41419-022-05369-5>

Makino, H. (2022). "Arithmetic value representation for hierarchical behavior composition." *Nature Neuroscience*. <https://doi.org/10.1038/s41593-022-01211-5>

Morioka, S., D. Kajioka, et al. (2022). "Chimeric efferocytic receptors improve apoptotic cell clearance and alleviate inflammation." *Cell* 185(26): 4887-4903.e4817. <https://doi.org/10.1016/j.cell.2022.11.029>

Murugavel, B., M. Mitkus, et al. (2022). "Retinal ganglion cell topography and spatial resolution in three Indian pteropodid bats." *Brain, Behavior and Evolution*. <https://doi.org/10.1159/000528417>

Niraula, S., J. J. Doderer, et al. (2023). "Excitation-inhibition imbalance disrupts visual familiarity in amyloid and non-pathology conditions." *Cell Reports* 42(1): 111946. <https://doi.org/10.1016/j.celrep.2022.111946>

Ren, B., M. Burkovetskaya, et al. (2023). "Dysregulated cholesterol metabolism, aberrant excitability and altered cell cycle of astrocytes in fragile X syndrome." *Glia* 3(10): 24331. DOI: 10.1002/glia.24331

Serrenho, I., C. M. Cardoso, et al. (2023). "Hypothermia Does Not Boost the Neuroprotection Promoted by Umbilical Cord Blood Cells in a Neonatal Hypoxia-Ischemia Rat Model." *International Journal of Molecular Sciences* 24(1): 257. <https://doi.org/10.3390/ijms24010257>

Stobart, J. L., E. Erlebach, et al. (2022). "Altered hemodynamics and vascular reactivity in a mouse model with severe pericyte deficiency." *Journal of Cerebral Blood Flow & Metabolism*: 0271678X221147366. <https://doi.org/10.1177/0271678X221147366>

Zhou, Q., Z. Chen, et al. (2022). "Three-dimensional wide-field fluorescence microscopy for transcranial mapping of cortical microcirculation." *Nature Communications* 13(1): 7969. <https://doi.org/10.1038/s41467-022-35733-0>

Aquino Nunez, W., B. Combs, et al. (2022). "Age-dependent accumulation of tau aggregation in *Caenorhabditis elegans*." *Frontiers in Aging* 3. <https://doi.org/10.3389/fragi.2022.928574>

Cunha, F., C. Gutiérrez-Ibáñez, et al. (2022). "The relative sizes of nuclei in the oculomotor complex vary by order and behaviour in birds." *Journal of Comparative Physiology A*. <https://doi.org/10.1007/s00359-022-01598-3>

Freire-Cobo, C., E. S. Rothwell, et al. (2022). "Neuronal vulnerability to brain aging and neurodegeneration in cognitively impaired marmoset monkeys (*Callithrix jacchus*)." *Neurobiology of Aging*. <https://doi.org/10.1016/j.neurobiolaging.2022.12.001>

Kiyokage, E., S. Ichikawa, et al. "Effects of estradiol on dopaminergic synapse formation in the mouse olfactory bulb." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25441>

Latimer, C. S., J. G. Stair, et al. (2022). "TDP-43 promotes tau accumulation and selective neurotoxicity in bigenic *Caenorhabditis elegans*." *Disease Models & Mechanisms* 15(4). <https://doi.org/10.1242/dmm.049323>

Meszéna, D., A. Barlay, et al. (2022). "Seeing beyond the spikes: Reconstructing the complete spatiotemporal membrane potential distribution from paired intra- and extracellular recordings." *The Journal of Physiology* n/a(n/a). <https://doi.org/10.1113/JP283550>

Plachez, C., V. Tsytsarev, et al. (2022). "Amyloid deposition and dendritic complexity of corticocortical projection cells in 5xFAD mouse." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2022.12.013>

Riccitelli, S., F. Boi, et al. (2022). "Glial Bmal1 role in mammalian retina daily changes." *Scientific Reports* 12(1): 21561. <https://doi.org/10.1038/s41598-022-25783-1>

Vacher, M. C., C. S. Durrant, et al. (2022). "Alzheimer's disease-like neuropathology in three species of oceanic dolphin." *Eur J Neurosci* 13(10): 15900. <https://pubmed.ncbi.nlm.nih.gov/36514861/>

Won, S. J., R. Fong, et al. (2022) "Neuronal Oxidative Stress Promotes α -Synuclein Aggregation In Vivo." *Antioxidants* 11 DOI: 10.3390/antiox11122466. <https://doi.org/10.3390/antiox11122466>

Xia, M.-C., J. Guo, et al. (2022). "Dexmedetomidine Preserves Activity of Neurons in Primary Somatosensory Cortex Compared to Propofol and Ketamine." *Brain Sciences* 12(12): 1720. <https://doi.org/10.3390/brainsci12121720>

Xing, M., G. Li, et al. (2023). "Fucoidan from *Fucus vesiculosus* prevents the loss of dopaminergic neurons by alleviating mitochondrial dysfunction through targeting ATP5F1a." *Carbohydrate Polymers* 303: 120470. <https://doi.org/10.1016/j.carbpol.2022.120470>

Zhang, L.-M., Z.-Y. Wu, et al. (2023). "Subanesthetic dose of S-ketamine improved cognitive dysfunction via the inhibition of hippocampal astrocytosis in a mouse model of post-stroke chronic stress." *Journal of Psychiatric Research* 158: 1-14. <https://doi.org/10.1016/j.jpsychires.2022.12.010>

Butti, E., S. Cattaneo, et al. (2022). "Neural precursor cells tune striatal connectivity through the release of IGFBP1." *Nature Communications* 13(1): 7579. <https://doi.org/10.1038/s41467-022-35341-y>

Fathy, Y. Y., L. E. Jonkman, et al. (2022). "Axonal degeneration in the anterior insular cortex is associated with Alzheimer's co-pathology in Parkinson's disease and dementia with Lewy bodies." *Translational Neurodegeneration* 11(1): 52. <https://doi.org/10.1186/s40035-022-00325-x>

Gasperini, C., K. Tuntevski, et al. (2022). "Piwil2 (Mili) sustains neurogenesis and prevents cellular senescence in the postnatal hippocampus." *EMBO reports* n/a(n/a): e53801. <https://doi.org/10.15252/embr.202153801>

Gatica, R. I., G. Lazcano, et al. (2023). Dendrites Crossing Borders: Quantifying the Distribution of Individual Substantia Nigra Dopaminergic Neurons' Dendritic Tree in Pars Compacta and Pars Reticulata. *Dopaminergic System Function and Dysfunction: Experimental Approaches*. J. A. Fuentealba-Evans and P. Henny. New York, NY, Springer US: 65-80. https://doi.org/10.1007/978-1-0716-2799-0_3

Gildea, H. K., P. A. Frankino, et al. (2022). "Glia of *C. elegans* coordinate a protective organismal heat shock response independent of the neuronal thermosensory circuit." *Science Advances* 8(49): eabq3970. DOI: 10.1126/sciadv.abq3970

Kim, T.-K., E.-J. Bae, et al. (2022). "Inflammation promotes synucleinopathy propagation." *Experimental & Molecular Medicine*. <https://doi.org/10.1038/s12276-022-00895-w>

- Kole, K., B. J. B. Voeselek, et al. (2022). "Parvalbumin basket cell myelination accumulates axonal mitochondria to internodes." *Nature Communications* 13(1): 7598. <https://doi.org/10.1038/s41467-022-35350-x>
- Kubitschke, M., M. Müller, et al. (2022). "Next generation genetically encoded fluorescent sensors for serotonin." *Nature Communications* 13(1): 7525. <https://doi.org/10.1038/s41467-022-35200-w>
- Orehkova, K., E. Selmanovic, et al. (2022) "Multimodal Assessment of Bottlenose Dolphin Auditory Nuclei Using 7-Tesla MRI, Immunohistochemistry and Stereology." *Veterinary Sciences* 9 DOI: 10.3390/vetsci9120692. <https://doi.org/10.3390/vetsci9120692>
- Reynolds, L. M., A. H. Pantoja-Urbán, et al. (2023). Quantifying Dopaminergic Innervation in Rodents Using Unbiased Stereology. *Dopaminergic System Function and Dysfunction: Experimental Approaches*. J. A. Fuentealba-Evans and P. Henny. New York, NY, Springer US: 31-63. https://doi.org/10.1007/978-1-0716-2799-0_2
- Brady, M. V., J. Mariani, et al. (2022). "Mispatterning and interneuron deficit in Tourette Syndrome basal ganglia organoids." *Mol Psychiatry* 29(10): 022-01880. DOI: 10.1038/s41380-022-01880-5
- Fisher, Y. E., M. Marquis, et al. (2022). "Dopamine promotes head direction plasticity during orienting movements." *Nature* 612(7939): 316-322. <https://doi.org/10.1038/s41586-022-05485-4>
- Hasegawa, K., T. K. Matsui, et al. (2022). "N-WASP-Arp2/3 signaling controls multiple steps of dendrite maturation in Purkinje cells in vivo." *Development* 149(23). <https://doi.org/10.1242/dev.201214>
- Kole, J., H. Ahmed, et al. (2022). *Live-Cell Imaging: A Balancing Act Between Speed, Sensitivity, and Resolution. Principles of Light Microscopy: From Basic to Advanced*. V. Nechiporuk-Zloy. Cham, Springer International Publishing: 139-172. https://doi.org/10.1007/978-3-031-04477-9_6
- Liao, C.-P., Y.-C. Chiang, et al. (2022). "Neurophysiological basis of stress-induced aversive memory in the nematode *Caenorhabditis elegans*." *Current Biology*. <https://doi.org/10.1016/j.cub.2022.11.012>
- Mankouski, A., T. A. Miller, et al. (2022). "Large artery stiffening and mortality in a rat model of early vascular remodeling induced by intrauterine growth restriction and a high-fat diet." *Physiological Reports* 10(23): e15518. <https://doi.org/10.14814/phy2.15518>
- Marquis, M. and R. I. Wilson (2022). "Locomotor and olfactory responses in dopamine neurons of the *Drosophila* superior-lateral brain." *Current Biology*. <https://doi.org/10.1016/j.cub.2022.11.008>
- Sideromenos, S., M. Nikou, et al. (2022). "The metabolic regulator USF-1 is involved in the control of affective behaviour in mice." *Translational Psychiatry* 12(1): 497. <https://doi.org/10.1038/s41398-022-02266-5>
- Tanaka, R., J. Liao, et al. (2023). "Inhibition of Rho-kinase ameliorates decreased spine density in the medial prefrontal cortex and methamphetamine-induced cognitive dysfunction in mice carrying schizophrenia-associated mutations of the *Arhgap10* gene." *Pharmacological Research* 187: 106589. <https://doi.org/10.1016/j.phrs.2022.106589>
- Wang, Y.-C., C.-H. Chen, et al. (2022). "High-Fat Diet Exacerbates Autistic-Like Restricted Repetitive Behaviors and Social Abnormalities in *CC2D1A* Conditional Knockout Mice." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-03146-1>

- Woodward, E. M., A. Ringland, et al. (2023). "Prepubertal ovariectomy confers resilience to stress-induced anxiety in adult female mice." *Psychoneuroendocrinology* 148: 105997. <https://doi.org/10.1016/j.psyneuen.2022.105997>
- Eleftheriou, A., L. Ravotto, et al. (2022). "Simultaneous dynamic glucose-enhanced (DGE) MRI and fiber photometry measurements of glucose in the healthy mouse brain." *NeuroImage*: 119762. <https://doi.org/10.1016/j.neuroimage.2022.119762>
- Hao, F., F. Jia, et al. (2023). "Proper wiring of newborn neurons to control bladder function after complete spinal cord injury." *Biomaterials* 292: 121919. <https://doi.org/10.1016/j.biomaterials.2022.121919>
- Kodali, M., L. N. Madhu, et al. (2022). "Intranasally Administered Human MSC-derived Extracellular Vesicles Inhibit NLRP3-p38/MAPK Signaling after TBI and Prevent Chronic Brain Dysfunction." *Brain, Behavior, and Immunity*. <https://doi.org/10.1016/j.bbi.2022.11.014>
- La Barbera, L., A. Nobili, et al. (2022). "Upregulation of Ca²⁺-binding proteins contributes to VTA dopamine neuron survival in the early phases of Alzheimer's disease in Tg2576 mice." *Molecular Neurodegeneration* 17(1): 76. <https://doi.org/10.1186/s13024-022-00580-6>
- Rother, C., R. E. Uhlmann, et al. (2022). "Experimental evidence for temporal uncoupling of brain A β deposition and neurodegenerative sequelae." *Nature Communications* 13(1): 7333. <https://doi.org/10.1038/s41467-022-34538-5>
- Stark, R. A., B. Brinkman, et al. (2023). "Atypical play experiences in the juvenile period has an impact on the development of the medial prefrontal cortex in both male and female rats." *Behavioural Brain Research* 439: 114222. <https://doi.org/10.1016/j.bbr.2022.114222>
- Takahashi, M., T. Kobayashi, et al. (2022). "Preferential arborization of dendrites and axons of parvalbumin- and somatostatin-positive GABAergic neurons within subregions of the mouse claustrum." *Neuroscience Research*. <https://doi.org/10.1016/j.neures.2022.11.008>
- Marielle, J., M. Jovana, et al. (2022). "Bank voles show more impulsivity in IntelliCage learning tasks than wood mice." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2022.11.011>
- Donato, C., D. B. Victorino, et al. (2022). "Pharmacological signature and target-specificity of inhibitory circuits formed by Martinotti cells in the mouse barrel cortex." *The Journal of Neuroscience: JN-RM-1661-1621*. <https://doi.org/10.1523/JNEUROSCI.1661-21.2022>
- Liudkovska, V., P. S. Krawczyk, et al. (2022). "TENT5 cytoplasmic noncanonical poly(A) polymerases regulate the innate immune response in animals." *Science Advances* 8(46): eadd9468. DOI: 10.1126/sciadv.add9468
- Wagner, J., K. Degenhardt, et al. (2022). "Medin co-aggregates with vascular amyloid- β in Alzheimer's disease." *Nature*. <https://doi.org/10.1038/s41586-022-05440-3>
- Basurco, L., M. A. Abellanas, et al. (2022). "Microglia and astrocyte activation is region-dependent in the α -synuclein mouse model of Parkinson's disease." *Glia* 10(10): 24295. DOI: 10.1002/glia.24295
- Beebe, N. L., M. A. Silveira, et al. (2022). "Neurotransmitter phenotype and axonal projection patterns of VIP-expressing neurons in the inferior colliculus." *Journal of Chemical Neuroanatomy* 126: 102189. <https://doi.org/10.1016/j.jchemneu.2022.102189>

Guerra, K. T. K., J. Renner, et al. (2022). "Human cortical amygdala dendrites and spines morphology under open-source three-dimensional reconstruction procedures." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25430>

Kathe, C., M. A. Skinnider, et al. (2022). "The neurons that restore walking after paralysis." *Nature* 611(7936): 540-547. <https://doi.org/10.1038/s41586-022-05385-7>

Liu, Y., L. Cao, et al. (2022). "Mitochondrial glutamine transporter SLC1A5_var, a potential target to suppress astrocyte reactivity in Parkinson's Disease." *Cell Death & Disease* 13(11): 946. <https://doi.org/10.1038/s41419-022-05399-z>

Martin Molinero, G. D., G. G. Boldrini, et al. (2022). "A soybean based-diet prevents Cadmium access to rat cerebellum, maintaining trace elements homeostasis and avoiding morphological alterations." *BioMetals*. <https://doi.org/10.1007/s10534-022-00462-w>

Oddes, D., A. Ngwenya, et al. (2022). "Orexinergic neurons in the hypothalami of an Asiatic lion, an African lion, and a Southeast African cheetah." *J Comp Neurol* 10(10): 25431. DOI: 10.1002/cne.25431

Wang, C., B. Wang, et al. (2022). "A conserved megaprotein-based molecular bridge critical for lipid trafficking and cold resilience." *Nature Communications* 13(1): 6805. <https://doi.org/10.1038/s41467-022-34450-y>

Wei, J.-R., Z.-Z. Hao, et al. (2022). "Identification of visual cortex cell types and species differences using single-cell RNA sequencing." *Nature Communications* 13(1): 6902. <https://doi.org/10.1038/s41467-022-34590-1>

Folorunso, O. O., T. L. Harvey, et al. (2023). "The D-serine biosynthetic enzyme serine racemase is expressed by reactive astrocytes in the amygdala of human and a mouse model of Alzheimer's disease." *Neuroscience Letters* 792: 136958. <https://doi.org/10.1016/j.neulet.2022.136958>

Lin, J., Z. Cheng, et al. (2022). "Optical gearbox enabled versatile multiscale high-throughput multiphoton functional imaging." *Nature Communications* 13(1): 6564. <https://doi.org/10.1038/s41467-022-34472-6>

Osorio, M. J., J. N. Mariani, et al. (2022). "Glial progenitor cells of the adult human white and grey matter are contextually distinct." *Glia* 5(10): 24291. DOI: 10.1002/glia.24291

Rava, A., P. La Rosa, et al. (2022). "The appearance of phagocytic microglia in the postnatal brain of Niemann Pick type C mice is developmentally regulated and underscores shortfalls in fine odor discrimination." *J Cell Physiol* 2(10): 30909. DOI: 10.1002/jcp.30909

Sun, S. and M. Brecht (2022). "Relative enlargement of the medial preoptic nucleus in the Etruscan shrew, the smallest torpid mammal." *Scientific Reports* 12(1): 18602. <https://doi.org/10.1038/s41598-022-22320-y>

Symons, F. J., C. C. Burkitt, et al. (2022). "Modifying quantitative sensory testing to investigate behavioral reactivity in a pediatric global developmental delay sample: Relation to peripheral innervation and chronic pain outcomes." *Developmental Psychobiology* 64(8): e22329. <https://doi.org/10.1002/dev.22329>

- Tariq, K., E. Cullen, et al. (2022). "Disruption of mTORC1 rescues neuronal overgrowth and synapse function dysregulated by Pten loss." *Cell Reports* 41(5): 111574. <https://doi.org/10.1016/j.celrep.2022.111574>
- Wang, H. C., A. M. LeMessurier, et al. (2022). "Tuning instability of non-columnar neurons in the salt-and-pepper whisker map in somatosensory cortex." *Nature Communications* 13(1): 6611. <https://doi.org/10.1038/s41467-022-34261-1>
- Cui, X., Y.-Q. Weng, et al. (2011). "The cell adhesion molecule L1 regulates the expression of choline acetyltransferase and the development of septal cholinergic neurons." *Brain and Behavior* 1(2): 73-86. <https://doi.org/10.1002/brb3.15>
- Green, T. R. F., S. M. Murphy, et al. (2022). "Comparisons of quantitative approaches for assessing microglial morphology reveal inconsistencies, ecological fallacy, and a need for standardization." *Scientific Reports* 12(1): 18196. <https://doi.org/10.1038/s41598-022-23091-2>
- Kaufmann, L. V., U. Schneeweiß, et al. (2022). "Elephant facial motor control." *Science Advances* 8(43): eabq2789. DOI: 10.1126/sciadv.abq2789
- Massengill, C. I., L. Bayless-Edwards, et al. (2022). "Sensitive genetically encoded sensors for population and subcellular imaging of cAMP in vivo." *Nature Methods*. <https://doi.org/10.1038/s41592-022-01646-5>
- Riquier, A. J. and S. I. Sollars (2022). "Terminal field volume of the glossopharyngeal nerve in adult rats reverts to prepruning size following microglia depletion with PLX5622." *Developmental Neurobiology* n/a(n/a). <https://doi.org/10.1002/dneu.22904>
- Yates, A. G., E. Kislitsyna, et al. (2022). "Montelukast reduces grey matter abnormalities and functional deficits in a mouse model of inflammation-induced encephalopathy of prematurity." *Journal of Neuroinflammation* 19(1): 265. <https://doi.org/10.1186/s12974-022-02625-5>
- Cha, M.-J., J. Ha, et al. (2022). "Neutrophil Recruitment in Arterial Thrombus and Characteristics of Stroke Patients with Neutrophil-Rich Thrombus." *Yonsei Med J* 63(11): 1016-1026. <https://doi.org/10.3349/ymj.2022.0328>
- Fudge, J. L., E. A. Kelly, et al. (2022). "Corticotropin releasing factor (CRF) co-expression in GABAergic, glutamatergic and GABA/glutamatergic subpopulations in the central extended amygdala and ventral pallidum of young male primates." *J Neurosci* 24(22): 1453-1422. DOI: 10.1523/JNEUROSCI.1453-22.2022
- He, L.-X., L. Wan, et al. (2020). "Synaptic development of layer V pyramidal neurons in the prenatal human prefrontal neocortex: a Neurolucida-aided Golgi study." *Neural Regeneration Research* 15(8). doi: 10.4103/1673-5374.274345
- Li, L., H. Liu, et al. (2022). "CASK and FARP localize two classes of post-synaptic ACh receptors thereby promoting cholinergic transmission." *PLOS Genetics* 18(10): e1010211. <https://doi.org/10.1371/journal.pgen.1010211>
- Scott, L., S. S. Karuppagounder, et al. (2022). "The absence of Parkin does not promote dopamine or mitochondrial dysfunction in PolgA^{D257A/D257A} mitochondrial mutator mice." *The Journal of Neuroscience: JN-RM-0545-0522*. <https://doi.org/10.1523/JNEUROSCI.0545-22.2022>

Svara, F., D. Förster, et al. (2022). "Automated synapse-level reconstruction of neural circuits in the larval zebrafish brain." *Nature Methods*. <https://doi.org/10.1038/s41592-022-01621-0>

Uguz, I. and K. L. Shepard (2022). "Spatially controlled, bipolar, cortical stimulation with high-capacitance, mechanically flexible subdural surface microelectrode arrays." *Sci Adv* 8(42): 19. DOI: [10.1126/sciadv.abq6354](https://doi.org/10.1126/sciadv.abq6354)

Cordaro, M., S. Modafferi, et al. (2022) "Natural Compounds such as *Hericium erinaceus* and *Coriolus versicolor* Modulate Neuroinflammation, Oxidative Stress and Lipoxin A4 Expression in Rotenone-Induced Parkinson's Disease in Mice." *Biomedicines* 10 DOI: [10.3390/biomedicines10102505](https://doi.org/10.3390/biomedicines10102505). <https://doi.org/10.3390/biomedicines10102505>

Fell, C. W., A. Hagelkruys, et al. (2022). "FIBCD1 is an endocytic GAG receptor associated with a novel neurodevelopmental disorder." *EMBO Molecular Medicine* 14(9): e15829. <https://doi.org/10.15252/emmm.202215829>

Filho, G. C. Júnior, et al. (2022) "All-Polymeric Electrode Based on PEDOT:PSS for In Vivo Neural Recording." *Biosensors* 12 DOI: [10.3390/bios12100853](https://doi.org/10.3390/bios12100853). <https://doi.org/10.3390/bios12100853>

Nguyen, H., G. Sokpor, et al. (2022). "BAF (mSWI/SNF) complex regulates mediolateral cortical patterning in the developing forebrain." *Frontiers in Cell and Developmental Biology* 10. <https://doi.org/10.3389/fcell.2022.1011109>

Quinn, J. F., M. J. Kelly, et al. (2022). "The novel estrogen modulator STX attenuates Amyloid- β neurotoxicity in the 5XFAD mouse model of Alzheimer's disease." *Neurobiology of Disease* 174: 105888. <https://doi.org/10.1016/j.nbd.2022.105888>

Romano, N., B. Di Giacomo, et al. (2022) "Ribosomal RACK1 Regulates the Dendritic Arborization by Repressing FMRP Activity." *International Journal of Molecular Sciences* 23 DOI: [10.3390/ijms231911857](https://doi.org/10.3390/ijms231911857). <https://doi.org/10.3390/ijms231911857>

Turcato, F. C., E. Wegman, et al. (2022). "Dopaminergic neurons are not a major SHH ligand source for striatal cholinergic or PV interneurons." *iScience*: 105278. <https://doi.org/10.1016/j.isci.2022.105278>

Beauchamp, L. C., X. M. Liu, et al. (2022). "ATH434 Rescues Pre-motor Hyposmia in a Mouse Model of Parkinsonism." *Neurotherapeutics*. <https://doi.org/10.1007/s13311-022-01300-0>

Dayananda, K. K., S. Ahmed, et al. (2023). "Early life stress impairs synaptic pruning in the developing hippocampus." *Brain, Behavior, and Immunity* 107: 16-31. <https://doi.org/10.1016/j.bbi.2022.09.014>

Franke, K., K. F. Willeke, et al. (2022). "State-dependent pupil dilation rapidly shifts visual feature selectivity." *Nature* 610(7930): 128-134. <https://doi.org/10.1038/s41586-022-05270-3>

Hayes, L. N., K. An, et al. (2022). "Prenatal immune stress blunts microglia reactivity, impairing neurocircuitry." *Nature*. <https://doi.org/10.1038/s41586-022-05274-z>

Hernández Mercado, K., A. Martínez Moreno, et al. (2022). "Progression in Time of Dentate Gyrus Granule Cell Layer Widening due to Excitotoxicity Occurs along In Vivo LTP Reinstatement and Contextual Fear Memory Recovery." *Neural Plasticity* 2022: 7432842. <https://doi.org/10.1155/2022/7432842>

Huang, P.-H., T.-Y. Yang, et al. (2022). "Involvement of a BH3-only apoptosis sensitizer gene Bim-s in hippocampus-mediated mood control." *Translational Psychiatry* 12(1): 411. <https://doi.org/10.1038/s41398-022-02184-6>

Kiyose, M., E. Herrmann, et al. (2022). "MR imaging profile and histopathological characteristics of tumour vasculature, cell density and proliferation rate define two distinct growth patterns of human brain metastases from lung cancer." *Neuroradiology*. <https://doi.org/10.1007/s00234-022-03060-2>

Li, X., Y. Li, et al. (2022). "Real-time denoising enables high-sensitivity fluorescence time-lapse imaging beyond the shot-noise limit." *Nature Biotechnology*. <https://doi.org/10.1038/s41587-022-01450-8>

Liu, Y., N. Song, et al. (2022). " β -Arrestin2-biased Drd2 agonist UNC995 alleviates astrocyte inflammatory injury via interaction between β -arrestin2 and STAT3 in mouse model of depression." *Journal of Neuroinflammation* 19(1): 240. <https://doi.org/10.1186/s12974-022-02597-6>

Polesel, M., M. Kaminska, et al. (2022). "Spatiotemporal organisation of protein processing in the kidney." *Nature Communications* 13(1): 5732. <https://doi.org/10.1038/s41467-022-33469-5>

Rao, S. P., W. Xie, et al. (2022). "Sulfanegen stimulates 3-mercaptopyruvate sulfurtransferase activity and ameliorates Alzheimer's disease pathology and oxidative stress in vivo." *Redox Biology* 57: 102484. <https://doi.org/10.1016/j.redox.2022.102484>

Usende, I. L., J. O. Olopade, et al. (2022). "Neuroecotoxicology: Effects of environmental heavy metal exposure on the brain of African giant rats and the contribution of vanadium to the neuropathology." *IBRO Neuroscience Reports* 13: 215-234. <https://doi.org/10.1016/j.ibneur.2022.08.008>

de Fisenne, M. A., Z. Yilmaz, et al. (2022). "Alzheimer PHF-tau aggregates do not spread tau pathology to the brain via the Retino-tectal projection after intraocular injection in mouse models." *Neurobiology of Disease*: 105875. <https://doi.org/10.1016/j.nbd.2022.105875>

Fernandes, V., K. Preeti, et al. (2022). "Neuroepigenetic Changes in DNA Methylation Affecting Diabetes-Induced Cognitive Impairment." *Cellular and Molecular Neurobiology*. <https://doi.org/10.1007/s10571-022-01278-5>

Hagai, H.-G., G. Lior, et al. (2022). "Versatile software and hardware combo enabling photon counting acquisition and real-time display for multiplexing, 2D and continuous 3D two-photon imaging applications." *Neurophotonics* 9(3): 031920. <https://doi.org/10.1117/1.NPh.9.3.031920>

Kanamori, T. and T. D. Mrsic-Flogel (2022). "Independent response modulation of visual cortical neurons by attentional and behavioral states." *Neuron*. <https://doi.org/10.1016/j.neuron.2022.08.028>

Müller, F., F. De Virgiliis, et al. (2022). "CBP/p300 activation promotes axon growth, sprouting, and synaptic plasticity in chronic experimental spinal cord injury with severe disability." *PLOS Biology* 20(9): e3001310. <https://doi.org/10.1371/journal.pbio.3001310>

Polgár, E., A. C. Dickie, et al. (2022). "Grpr expression defines a population of superficial dorsal horn vertical cells that have a role in both itch and pain." *Pain* 11(10): 000000000002677. DOI: 10.1097/j.pain.000000000002677

Rabinovich, R. J., D. D. Kato, et al. (2022). "Learning enhances encoding of time and temporal surprise in mouse primary sensory cortex." *Nature Communications* 13(1): 5504. <https://doi.org/10.1038/s41467-022-33141-y>

Zhang, Y., X. Sun, et al. (2022). "GPBAR1 preserves neurite and synapse of dopaminergic neurons via RAD21-OPCML signaling: Role in preventing Parkinson's disease in mouse model and human patients." *Pharmacological Research* 184: 106459. <https://doi.org/10.1016/j.phrs.2022.106459>

AlOkda, A. and J. M. Van Raamsdonk (2022). Effect of DMSO on lifespan and physiology in *C. elegans*: Implications for use of DMSO as a solvent for compound delivery, *microPublication Biology*. 10.17912/micropub.biology.000634.

Armstrong, E. A., P. Richards-Rios, et al. (2022). "Poor body condition is associated with lower hippocampal plasticity and higher gut methanogen abundance in adult laying hens from two housing systems." *Scientific Reports* 12(1): 15505. <https://doi.org/10.1038/s41598-022-18504-1>

Hellysaz, A., L. Svensson, et al. (2022). "Rotavirus Downregulates Tyrosine Hydroxylase in the Noradrenergic Sympathetic Nervous System in Ileum, Early in Infection and Simultaneously with Increased Intestinal Transit and Altered Brain Activities." *mBio* 12(10): 01387-01322. 10.1128/mbio.01387-22

Huang, W., Q. Xu, et al. (2022). "Linking transcriptomes with morphological and functional phenotypes in mammalian retinal ganglion cells." *Cell Reports* 40(11): 111322. <https://doi.org/10.1016/j.celrep.2022.111322>

Li, M., H. Zhou, et al. (2022). "Activation of VIP interneurons in the prefrontal cortex ameliorates neuropathic pain aversiveness." *Cell Reports* 40(11): 111333. <https://doi.org/10.1016/j.celrep.2022.111333>

Ogata, S., Y. Miyamoto, et al. (2022). "The tail of the mouse striatum contains a novel large type of GABAergic neuron incorporated in a unique disinhibitory pathway that relays auditory signals to subcortical nuclei." *The Journal of Neuroscience*: JN-RM-2236-2221. <https://doi.org/10.1523/JNEUROSCI.2236-21.2022>

Srivastava, M., C. Angel, et al. (2022). "Form, synapses and orientation topography of a new cell type in layer 6 of the cat's primary visual cortex." *Scientific Reports* 12(1): 15428. <https://doi.org/10.1038/s41598-022-19746-9>

Au - Yuan, Y. and F. Au - Lu (2022). "A Flexible Chamber for Time-Lapse Live-Cell Imaging with Stimulated Raman Scattering Microscopy." *JoVE*(186): e64449. doi:10.3791/64449 (2022).

Baloh, R. H., J. P. Johnson, et al. (2022). "Transplantation of human neural progenitor cells secreting GDNF into the spinal cord of patients with ALS: a phase 1/2a trial." *Nature Medicine*. <https://doi.org/10.1038/s41591-022-01956-3>

Benraiss, A., J. N. Mariani, et al. (2022). "A TCF7L2-responsive suppression of both homeostatic and compensatory remyelination in Huntington disease mice." *Cell Reports* 40(9): 111291. <https://doi.org/10.1016/j.celrep.2022.111291>

Charbonneau, J. A., J. L. Bennett, et al. (2022). "Reorganization in the macaque interoceptive-allostatic network following anterior cingulate cortex damage." *Cerebral Cortex*: bhac346. <https://doi.org/10.1093/cercor/bhac346>

Hatayama, M., K.-i. Katayama, et al. (2022). "SLITRK1-mediated noradrenergic projection suppression in the neonatal prefrontal cortex." *Communications Biology* 5(1): 935. <https://doi.org/10.1038/s42003-022-03891-y>

Helwig, M., A. Ulusoy, et al. "Neuronal hyperactivity-induced oxidant stress promotes in vivo α -synuclein brain spreading." *Science Advances* 8(35): eabn0356. DOI: 10.1126/sciadv.abn0356

Kam, T.-I., H. Park, et al. (2022). "Amelioration of pathologic α -synuclein-induced Parkinson's disease by irisin." *Proceedings of the National Academy of Sciences* 119(36): e2204835119. <https://doi.org/10.1073/pnas.2204835119>

Liu, Y., W. Wang, et al. (2022). "Ghrelin Bridges DMV Neuropathology and GI Dysfunction in the Early Stages of Parkinson's Disease." *Advanced Science* n/a(n/a): 2203020. <https://doi.org/10.1002/adv.202203020>

Mattison, K. A., G. Tossing, et al. (2022). "ATP6VoC variants impair vacuolar V-ATPase causing a neurodevelopmental disorder often associated with epilepsy." *Brain*: awac330. <https://doi.org/10.1093/brain/awac330>

Ostos, S., G. Aparicio, et al. (2022). "Quantitative analysis of the GABAergic innervation of the soma and axon initial segment of pyramidal cells in the human and mouse neocortex." *Cerebral Cortex*: bhac314. <https://doi.org/10.1093/cercor/bhac314>

Pullin, A. N., V. S. Farrar, et al. (2022). "Providing height to pullets does not influence hippocampal dendritic morphology or brain-derived neurotrophic factor at the end of the rearing period." *Poultry Science*: 102161. <https://doi.org/10.1016/j.psj.2022.102161>

Seiglie, M. P., L. Lepeak, et al. (2022). "The Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) System of the Central Amygdala Mediates the Detrimental Effects of Chronic Social Defeat Stress in Rats." *eneuro*: ENEURO.0260-0222.2022. <https://doi.org/10.1523/ENEURO.0260-22.2022>

Xu, X., R. O. Beleza, et al. (2022). "Adenosine A2A receptors control synaptic remodeling in the adult brain." *Scientific Reports* 12(1): 14690. <https://doi.org/10.1038/s41598-022-18884-4>

Kim, D. H., S. J. Lee, et al. (2022). "Whole structural reconstruction and quantification of epidermal innervation through the suction blister method and skin-clearing technique." *Scientific Reports* 12(1): 13596. <https://doi.org/10.1038/s41598-022-16986-7>

Agnew-Svoboda, W., T. Ubina, et al. (2022). "A genetic tool for the longitudinal study of a subset of post-inflammatory reactive astrocytes." *Cell Reports Methods* 2(8): 100276. <https://doi.org/10.1016/j.crmeth.2022.100276>

Bevilacqua Rolfsen Ferreira da Silva, G., S. Pereira das Neves, et al. (2022). "Comparative effectiveness of preventive treatment with dimethyl fumarate-loaded solid lipid nanoparticles and oral dimethyl fumarate in a mouse model of multiple sclerosis." *Journal of Autoimmunity* 132: 102893. <https://doi.org/10.1016/j.jaut.2022.102893>

Boitet, M., H. Eun, et al. (2022). "Non-invasive In Vivo Brain Astrogenesis and Astroglial Quantification Using a Far-red E2-Crimson Transgenic Reporter Mouse." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-02997-y>

da Silva, A. F., L. M. Cordeiro, et al. (2022). "JM-20 affects GABA neurotransmission in *Caenorhabditis elegans*." *NeuroToxicology*. <https://doi.org/10.1016/j.neuro.2022.08.012>

da Silva, T. C., T. L. da Silveira, et al. (2022). "Exogenous Adenosine Modulates Behaviors and Stress Response in *Caenorhabditis elegans*." *Neurochemical Research*. <https://doi.org/10.1007/s11064-022-03727-5>

DePiero, V. J. and B. G. Borghuis (2022). "Phase advancing is a common property of multiple neuron classes in the mouse retina." *eneuro*: ENEURO.0270-0222.2022. <https://doi.org/10.1523/ENEURO.0270-22.2022>

Imado, E., S. Sun, et al. (2022). "Prenatal exposure to valproic acid causes allodynia associated with spinal microglial activation." *Neurochemistry International* 160: 105415. <https://doi.org/10.1016/j.neuint.2022.105415>

Jiang, S.-N., J.-W. Cao, et al. (2022). "Sncg, Mybpc1, and Parm1 Classify subpopulations of VIP-expressing interneurons in layers 2/3 of the somatosensory cortex." *Cerebral Cortex*: bhac343. <https://doi.org/10.1093/cercor/bhac343>

Kim, S. Y., V. V. Senatorov, et al. (2017). "TGF β signaling is associated with changes in inflammatory gene expression and perineuronal net degradation around inhibitory neurons following various neurological insults." *Scientific Reports* 7(1): 7711. <https://doi.org/10.1038/s41598-017-07394-3>

Koukoulis, F., M. Montmerle, et al. (2022). "Visual-area-specific tonic modulation of GABA release by endocannabinoids sets the activity and coordination of neocortical principal neurons." *Cell Reports* 40(8): 111202. <https://doi.org/10.1016/j.celrep.2022.111202>

Mirjalili Mohanna, S. Z., D. Djaksigulova, et al. (2022). "LNP-mediated delivery of CRISPR RNP for widespread in vivo genome editing in mouse cornea." *Journal of Controlled Release* 350: 401-413. <https://doi.org/10.1016/j.jconrel.2022.08.042>

Pettit, N. L., E.-L. Yap, et al. (2022). "Fos ensembles encode and shape stable spatial maps in the hippocampus." *Nature*. <https://doi.org/10.1038/s41586-022-05113-1>

Pradhan, L. K., P. K. Sahoo, et al. (2022). "Suppression of Chronic Unpredictable Stress-Persuaded Increased Monoamine Oxidase Activity by Taurine Promotes Significant Neuroprotection in Zebrafish Brain." *Neurochemical Research*. <https://doi.org/10.1007/s11064-022-03724-8>

Alosaimi, F., Y. Temel, et al. (2022). "High-frequency stimulation of the subthalamic nucleus induces a sustained inhibition of serotonergic system via loss of cell phenotype." *Scientific Reports* 12(1): 14011. <https://doi.org/10.1038/s41598-022-18294-6>

Calderazzo, S. M., M. Covert, et al. (2022). "Neural Recovery After Cortical Injury: Effects of MSC Derived Extracellular Vesicles on Motor Circuit Remodeling in Rhesus Monkeys." *IBRO Neuroscience Reports*. <https://doi.org/10.1016/j.ibneur.2022.08.001>

Chen, Y., Q. Qin, et al. (2022). "Carnosol Reduced Pathogenic Protein Aggregation and Cognitive Impairment in Neurodegenerative Diseases Models via Improving Proteostasis and Ameliorating Mitochondrial Disorders." *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/acs.jafc.2c02665>

Fisher, K. M., J. P. Garner, et al. (2022). "Small sensory spinal lesions that affect hand function in monkeys greatly alter primary afferent and motor neuron connections in the cord." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25395>

Huang, D., Q. Xiao, et al. (2022). "Positive effects of running exercise on astrocytes in the medial prefrontal cortex in an animal model of depression." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25397>

Jalilian, E., H. Massoumi, et al. (2022). "Bone marrow mesenchymal stromal cells in a 3D system produce higher concentration of extracellular vesicles (EVs) with increased complexity and enhanced neuronal growth properties." *Stem Cell Research & Therapy* 13(1): 425. <https://doi.org/10.1186/s13287-022-03128-z>

Kent, M. H., J. C. Jacob, et al. (2022). "Disrupted development from head to tail: Pervasive effects of postnatal restricted resources on neurobiological, behavioral, and morphometric outcomes." *Front Behav Neurosci* 16(910056). doi: 10.3389/fnbeh.2022.910056

Liu, Z., X. Lu, et al. (2022). "Sustained deep-tissue voltage recording using a fast indicator evolved for two-photon microscopy." *Cell*. <https://doi.org/10.1016/j.cell.2022.07.013>

Mishra, R., T. Phan, et al. (2022). "Augmenting neurogenesis rescues memory impairments in Alzheimer's disease by restoring the memory-storing neurons." *Journal of Experimental Medicine* 219(9). <https://doi.org/10.1084/jem.20220391>

Poupon-Bejuit, L., M. P. Hughes, et al. (2022). "A GLP1 receptor agonist diabetes drug ameliorates neurodegeneration in a mouse model of infantile neurometabolic disease." *Scientific Reports* 12(1): 13825. <https://doi.org/10.1038/s41598-022-17338-1>

Schmidt, S., M. D. Luecken, et al. (2022). "Primary cilia and SHH signaling impairments in human and mouse models of Parkinson's disease." *Nature Communications* 13(1): 4819. <https://doi.org/10.1038/s41467-022-32229-9>

Spampinato, G. L. B., E. Ronzitti, et al. (2022). "All-optical inter-layers functional connectivity investigation in the mouse retina." *Cell Reports Methods* 2(8): 100268. <https://doi.org/10.1016/j.crmeth.2022.100268>

Traxler, L., J. R. Herdy, et al. (2022). "Warburg-like metabolic transformation underlies neuronal degeneration in sporadic Alzheimer's disease." *Cell Metabolism*. <https://doi.org/10.1016/j.cmet.2022.07.014>

Wang, C., L. Zeng, et al. (2022). "Decabromodiphenyl ethane induces locomotion neurotoxicity and potential Alzheimer's disease risks through intensifying amyloid-beta deposition by inhibiting transthyretin/transthyretin-like proteins." *Environment International* 168: 107482. <https://doi.org/10.1016/j.envint.2022.107482>

Moroni, M., M. Brondi, et al. (2022). "SmaRT2P: a software for generating and processing smart line recording trajectories for population two-photon calcium imaging." *Brain Informatics* 9(1): 18. <https://doi.org/10.1186/s40708-022-00166-4>

Yates, J. L. and B. Scholl Unraveling Functional Diversity of Cortical Synaptic Architecture Through the Lens of Population Coding, *Front Synaptic Neurosci.* 2022 Jul 26;14:888214. doi: 10.3389/fnsyn.2022.888214. eCollection 2022.

Fell, C. W., A. Hagelkruys, et al. (2022). "FIBCD1 is an endocytic GAG receptor associated with a novel neurodevelopmental disorder." *EMBO Molecular Medicine* n/a(n/a): e15829. <https://doi.org/10.15252/emmm.202215829>

Guimaraes, J. S., N. A. M. Lemos, et al. (2022). "Microelectrode implants, inflammatory response and long-lasting effects on NADPH diaphorase neurons in the rat frontal cortex." *Experimental Brain Research*. <https://doi.org/10.1007/s00221-022-06434-3>

Kersten, Y., B. Friedrich-Müller, et al. (2022). "A brain atlas of the carrion crow (*Corvus corone*)." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25392>

Upadhy, D., S. Attaluri, et al. (2022). "Grafted hPSC-derived GABA-ergic interneurons regulate seizures and specific cognitive function in temporal lobe epilepsy." *npj Regenerative Medicine* 7(1): 38. <https://doi.org/10.1038/s41536-022-00234-7>

Farrell, M. R., Q. Ye, et al. (2022). "Ventral pallidum GABA neurons bidirectionally control opioid relapse across rat behavioral models." *bioRxiv*: 2022.2002.2003.479042. <https://doi.org/10.1101/2022.02.03.479042>

Almasabi, F., F. Alosaimi, et al. (2022). "Post-Mortem Analysis of Neuropathological Changes in Human Tinnitus." *Brain Sciences* 12(8): 1024. <https://doi.org/10.3390/brainsci12081024>

Liu, Y., T. Liu, et al. (2022). "Impeding the combination of astrocytic ASCT2 and NLRP3 by talniflumate alleviates neuroinflammation in experimental models of Parkinson's disease." *Acta Pharmaceutica Sinica B*. <https://doi.org/10.1016/j.apsb.2022.07.021>

Martersteck, A., I. Ayala, et al. (2022). "Focal amyloid and asymmetric tau in an imaging-to-autopsy case of clinical primary progressive aphasia with Alzheimer disease neuropathology." *Acta Neuropathologica Communications* 10(1): 111. <https://doi.org/10.1186/s40478-022-01412-w>

Aggarwal, A., R. Liu, et al. (2022). "Glutamate indicators with improved activation kinetics and localization for imaging synaptic transmission." *bioRxiv*: 2022.2002.2013.480251. <https://doi.org/10.1101/2022.02.13.480251>

Voitov, I. and T. D. Mrsic-Flogel (2022). "Cortical feedback loops bind distributed representations of working memory." *Nature*. <https://doi.org/10.1038/s41586-022-05014-3>

Hyer, M. M., S. K. Dyer, et al. (2022). "Fructose-Induced Cognitive Impairment Co-occurs with Morphological Changes in Dendrites and Microglia of Male Rats." *Psychoneuroimmunology Journal*. DOI:10.32371/pnij/246142

Sohn, J., M. Suzuki, et al. (2022). "Presynaptic supervision of cortical spine dynamics in motor learning." *Science Advances* 8(30): eabm0531. DOI: 10.1126/sciadv.abm0531

Mohr, M. A., N. S. Michael, et al. (2022). "Sex differences in proliferation and attrition of pubertally born cells in the rat posterior dorsal medial amygdala." *Developmental Cognitive Neuroscience* 57: 101141. <https://doi.org/10.1016/j.dcn.2022.101141>

Madison, F. N., N. Palin, et al. (2022). "Sex-specific effects of neonatal paternal deprivation on microglial cell density in adult California mouse (*Peromyscus californicus*) dentate gyrus." *Brain, Behavior, and Immunity* 106: 1-10. <https://doi.org/10.1016/j.bbi.2022.07.161>

Li, Y., Z. Lei, et al. (2022). "Impairment of autophagy after spinal cord injury potentiates neuroinflammation and motor function deficit in mice." *Theranostics* 12(12): 5364-5388. DOI: 10.7150/thno.72713

- Song, M. K., L. Adams, et al. (2022). "NXP031 prevents dopaminergic neuronal loss and oxidative damage in the AAV-WT- α -synuclein mouse model of Parkinson's disease." *PLOS ONE* 17(7): e0272085. <https://doi.org/10.1371/journal.pone.0272085>
- Luo, F., J. Wang, et al. (2022). "Inhibition of CSPG receptor PTP σ promotes migration of newly born neuroblasts, axonal sprouting, and recovery from stroke." *Cell Reports* 40(4): 111137. <https://doi.org/10.1016/j.celrep.2022.111137>
- Madison, F. N., N. Palin, et al. (2022). "Sex-specific effects of neonatal paternal deprivation on microglial cell density in adult California mouse (*Peromyscus californicus*) dentate gyrus." *Brain, Behavior, and Immunity* 106: 1-10. <https://doi.org/10.1016/j.bbi.2022.07.161>
- Ahmad, W. (2022). "Glucose enrichment impair neurotransmission and induce A β oligomerization that can not be reversed by manipulating O- β -GlcNAcylation in the *C. elegans* model of Alzheimer's disease." *The Journal of Nutritional Biochemistry*: 109100.
- Amalyan, S., S. Tamboli, et al. (2022). "Enhanced motor cortex output and disinhibition in asymptomatic female mice with *C9orf72* genetic expansion." *Cell Reports* 40(1): 111043. <https://doi.org/10.1016/j.celrep.2022.111043>
- Rahimian, R., K. Perlman, et al. (2022). "Targeting microglia-oligodendrocyte crosstalk in neurodegenerative and psychiatric disorders." *Drug Discovery Today*. <https://doi.org/10.1016/j.drudis.2022.06.015>
- Tu, X., X. Li, et al. (2022). "Unilateral cerebral ischemia induces morphological changes in the layer V projection neurons of the contralateral hemisphere." *Neuroscience Research*. <https://doi.org/10.1016/j.neures.2022.06.007>
- Wong, F. K., M. Selten, et al. (2022). "Serotonergic regulation of bipolar cell survival in the developing cerebral cortex." *Cell Reports* 40(1): 111037. <https://doi.org/10.1016/j.celrep.2022.111037>
- Kumar, A. J., A. Y. Helou, et al. (2022). "Sensorimotor development of male and female rats subjected to neonatal anoxia." *Developmental Psychobiology* 64(7): e22291. <https://doi.org/10.1002/dev.22291>
- Won, S.-Y., J.-J. Park, et al. (2022). "p21-activated kinase 4 controls the aggregation of α -synuclein by reducing the monomeric and aggregated forms of α -synuclein: involvement of the E3 ubiquitin ligase NEDD4-1." *Cell Death & Disease* 13(6): 575. <https://doi.org/10.1038/s41419-022-05030-1>
- Palese, F., S. Pontis, et al. (2022). "Targeting NAAA counters dopamine neuron loss and symptom progression in mouse models of parkinsonism." *Pharmacological Research* 182: 106338. <https://doi.org/10.1016/j.phrs.2022.106338>
- Li, J., P. Zhu, et al. (2022). "The liver X receptors agonist GW3965 attenuates depressive-like behaviors and suppresses microglial activation and neuroinflammation in hippocampal subregions in a mouse depression model." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25380>
- Xu, X., X. He, et al. (2022). "CREB inactivation by HDAC1/PP1 γ contributes to dopaminergic neurodegeneration in Parkinson's disease." *The Journal of Neuroscience*: JN-RM-1419-1421. <https://doi.org/10.1523/JNEUROSCI.1419-21.2022>

Yu, J., C. Sgobio, et al. (2022). "Selective expression of neurodegenerative diseases-related mutant p150^{Glued} in midbrain dopaminergic neurons causes progressive degeneration of nigrostriatal pathway." *Ageing and Neurodegenerative Diseases* 2(2): 6. 10.20517/and.2022.07

Knowles, J. K., H. Xu, et al. (2022). "Maladaptive myelination promotes generalized epilepsy progression." *Nature Neuroscience* 25(5): 596-606. <https://doi.org/10.1038/s41593-022-01052-2>

Han, S., Y. Feng, et al. (2022). "Role of OCT3 and DRP1 in the Transport of Paraquat in Astrocytes: A Mouse Study." *Environmental Health Perspectives* 130(5): 057004. <https://doi.org/10.1289/EHP9505>

Jassim, A. H., N. Y. Nsiah, et al. (2022). "Ocular Hypertension Results in Hypoxia within Glia and Neurons throughout the Visual Projection." *Antioxidants* 11(5). <https://doi.org/10.3390/antiox11050888>

Jia, F., H. Li, et al. (2022). "Deubiquitylase OTUD3 prevents Parkinson's disease through stabilizing iron regulatory protein 2." *Cell Death & Disease* 13(4): 418. <https://doi.org/10.1038/s41419-022-04704-0>

Leemann, S., A. Babalian, et al. (2022). "The PV2 cluster of parvalbumin neurons in the murine periaqueductal gray: connections and gene expression." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-022-02491-0>

Ali, Z., G. Sivakumar, et al. (2022). "A report on digitised neuronal tracing method to study neurons in their entirety." *MethodsX*: 101715. <https://doi.org/10.1016/j.mex.2022.101715>

Uygun, D. S., C. Yang, et al. (2022). "Knockdown of GABAA alpha3 subunits on thalamic reticular neurons enhances deep sleep in mice." *Nature Communications* 13(1): 2246. <https://doi.org/10.1038/s41467-022-29852-x>

Xue, X., R. Duan, et al. (2022). "Translocator protein (18 kDa) regulates the microglial phenotype in Parkinson's disease through P47." *Bioengineered* 13(4): 11061-11071. <https://doi.org/10.1080/21655979.2022.2068754>

Hiller, B. M., D. J. Marmion, et al. (2022). "Optimizing maturity and dose of iPSC-derived dopamine progenitor cell therapy for Parkinson's disease." *npj Regenerative Medicine* 7(1): 24. <https://doi.org/10.1038/s41536-022-00221-y>

Ritzel, R. M., Y. Li, et al. (2022). "Functional and transcriptional profiling of microglial activation during the chronic phase of TBI identifies an age-related driver of poor outcome in old mice." *GeroScience*. <https://doi.org/10.1007/s11357-022-00562-y>

Liu, M., C. Liu, et al. (2022). "Role of upregulation of the KATP channel subunit SUR1 in dopaminergic neuron degeneration in Parkinson's disease." *Aging Cell* n/a(n/a): e13618. <https://doi.org/10.1111/acer.13618>

Elena A. Armstrong, Peter Richards-Rios, Lucy Addison et al. Poor body condition is associated with lower hippocampal neurogenesis and higher gut methanogen abundance in adult laying hens from two housing systems, 20 April 2022, PREPRINT (Version 1) available at Research Square [<https://doi.org/10.21203/rs.3.rs-1529380/v1>]

Bisicchia, E., R. Mastrantonio, et al. (2022). "Restoration of ER proteostasis attenuates remote apoptotic cell death after spinal cord injury by reducing autophagosome overload." *Cell Death & Disease* 13(4): 381. <https://doi.org/10.1038/s41419-022-04830-9>

Duan, N., Y. Zhang, et al. (2022). "Therapeutic targeting of STING-TBK1-IRF3 signalling ameliorates chronic stress induced depression-like behaviours by modulating neuroinflammation and microglia phagocytosis." *Neurobiology of Disease* 169: 105739. <https://doi.org/10.1016/j.nbd.2022.105739>

das Neves, S. P., C. Serre-Miranda, et al. (2022). "Lipocalin-2 does not influence EAE clinical score but it increases inflammation in central nervous system." *Journal of Neuroimmunology*: 577872. <https://doi.org/10.1016/j.jneuroim.2022.577872>

Catale, C., L. Lo Iacono, et al. (2022). "Early Life Social Stress Causes Sex- and Region-Dependent Dopaminergic Changes that Are Prevented by Minocycline." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-02830-6>

Käufer, C., C. S. Schreiber, et al. (2022). "Microgliosis and neuronal proteinopathy in brain persist beyond viral clearance in SARS-CoV-2 hamster model." *eBioMedicine* 79: 103999. <https://doi.org/10.1016/j.ebiom.2022.103999>

Bao, F., L. Zhou, et al. "Mitolysosome exocytosis, a mitophagy-independent mitochondrial quality control in flunarizine-induced parkinsonism-like symptoms." *Science Advances* 8(15): eabk2376. DOI: 10.1126/sciadv.abk2376

Perrino, P. A., R. Y. Chasse, et al. (2022). "Rapid auditory processing and medial geniculate nucleus anomalies in Kiaa0319 knockout mice." *Genes, Brain and Behavior* n/a(n/a): e12808. <https://doi.org/10.1111/gbb.12808>

Hatayama, K., S. Riddick, et al. (2022). "Time Course of Changes in the Neurovascular Unit after Hypoxic-Ischemic Injury in Neonatal Rats." *International Journal of Molecular Sciences* 23(8): 4180. <https://doi.org/10.3390/ijms23084180>

Burmeister, A. R., J. Gordevicius, et al. (2022). "Maternal Herpesviridae infection during pregnancy alters midbrain dopaminergic signatures in adult offspring." *Neurobiology of Disease* 169: 105720. <https://doi.org/10.1016/j.nbd.2022.105720>

Goldwaser, E. L., R. L. Swanson, et al. (2022). "A Preliminary Report: The Hippocampus and Surrounding Temporal Cortex of Patients With Schizophrenia Have Impaired Blood-Brain Barrier." *Frontiers in Human Neuroscience* 16. <https://doi.org/10.3389/fnhum.2022.836980>

Todd, D., M. Clapp, et al. (2022). "Purkinje cell-specific deletion of CREB worsens alcohol-induced cerebellar neuronal losses and motor deficits." *Alcohol*. <https://doi.org/10.1016/j.alcohol.2022.02.005>

Hibbard, E. A. and D. R. Sengelaub (2022). "Intraneural Topography of Rat Sciatic Axons: Implications for Polyethylene Glycol Fusion Peripheral Nerve Repair." *Frontiers in Cellular Neuroscience* 16. <https://doi.org/10.3389/fncel.2022.852933>

Zheng, X., T. Mi, et al. (2022). "Progranulin deficiency promotes persistent neuroinflammation and causes regional pathology in the hippocampus following traumatic brain injury." *Glia* n/a(n/a). <https://doi.org/10.1002/glia.24175>

Mann, T. S., A. N. Larcombe, et al. (2022). "Azithromycin inhibits mucin secretion, mucous metaplasia, airway inflammation and airways hyperresponsiveness in mice exposed to house dust mite extract." *American Journal of Physiology-Lung Cellular and Molecular Physiology*. <https://doi.org/10.1152/ajplung.00487.2021>

Davis, J. L. B., M. O'Connor, et al. (2022). "The Impact of Maternal Antioxidants on Prenatal Stress Effects on Offspring Neurobiology and Behavior." *The Yale journal of biology and medicine* 95(1): 87-104. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8961714/>

Tseng, P.-H., C.-C. Chao, et al. (2022). "Diabetic visceral neuropathy of gastroparesis: gastric mucosal innervation and clinical significance." *European Journal of Neurology* n/a(n/a). <https://doi.org/10.1111/ene.15333>

Moreno, M., C. Minjarez, et al. (2022). "Differences in hippocampal plasticity and memory outcomes in anterior versus posterior cerebellar stroke." *Neurobiology of Disease* 168: 105701. <https://doi.org/10.1016/j.nbd.2022.105701>

Shinnyi, C., R. Teijis, et al. (2022). *Scientific Reports*. 10.21203/rs.3.rs-1451626/v1

González-Granillo, A. E., D. Gnecco, et al. (2022). "Curcumin induces cortico-hippocampal neuronal reshaping and memory improvements in aged mice." *Journal of Chemical Neuroanatomy* 121: 102091. <https://doi.org/10.1016/j.jchemneu.2022.102091>

Vitaliano, G. D., J. K. Kim, et al. (2022). "Clathrin-nanoparticles deliver BDNF to hippocampus and enhance neurogenesis, synaptogenesis and cognition in HIV/neuroAIDS mouse model." *Communications Biology* 5(1): 236. <https://doi.org/10.1038/s42003-022-03177-3>

Ziaei, A., M. Garcia-Miralles, et al. (2022). "Ermin deficiency leads to compromised myelin, inflammatory milieu, and susceptibility to demyelinating insult." *Brain Pathology* n/a(n/a): e13064. <https://doi.org/10.1111/bpa.13064>

Rasińska, J., C. Klein, et al. (2022). "Transposon-mediated glial cell line-derived neurotrophic factor overexpression in human adipose tissue-derived mesenchymal stromal cells: A potential approach for neuroregenerative medicine?" *Journal of Tissue Engineering and Regenerative Medicine* n/a(n/a). <https://doi.org/10.1002/term.3296>

Beckman, D., A. M. H. Seelke, et al. (2022). "Neuroanatomical abnormalities in a nonhuman primate model of congenital Zika virus infection." *eLife* 11: e64734. DOI: 10.7554/eLife.64734

Bérard, M., R. Sheta, et al. (2022). "A light-inducible protein clustering system for in vivo analysis of α -synuclein aggregation in Parkinson disease." *PLOS Biology* 20(3): e3001578. <https://doi.org/10.1371/journal.pbio.3001578>

Lv, Y.-Q., L. Yuan, et al. (2022). "Long-term hyperglycemia aggravates α -synuclein aggregation and dopaminergic neuronal loss in a Parkinson's disease mouse model." *Translational Neurodegeneration* 11(1): 14. <https://doi.org/10.1186/s40035-022-00288-z>

Stockman, S. L., K. E. Kight, et al. (2022). "Neurogenesis in the neonatal rat hippocampus is regulated by sexually dimorphic epigenetic modifiers." *Biology of Sex Differences* 13(1): 9. <https://doi.org/10.1186/s13293-022-00418-2>

Liu, F., F.-X. Reichl, et al. (2022). "Disrupted biomineralization in zebra mussels after exposure to bisphenol-A: Potential implications for molar-incisor hypomineralization." *Dental Materials*. <https://doi.org/10.1016/j.dental.2022.02.010>

- DeAngeli, N. E., D. I. Fournier, et al. (2022). "Postrhinal cortex contributions to the expression of auditory fear conditioning." *Neurobiology of Learning and Memory*: 107609. <https://doi.org/10.1016/j.nlm.2022.107609>
- Xue, Y., Z. Gursky, et al. (2022). "Sustained glymphatic transport and impaired drainage to the nasal cavity observed in multiciliated cell ciliopathies with hydrocephalus." *Fluids and Barriers of the CNS* 19(1): 20. <https://doi.org/10.1186/s12987-022-00319-x>
- Kostović, I., D. Džaja, et al. (2022). "Transient compartmentalization and accelerated volume growth coincide with the expected development of cortical afferents in the human neostriatum." *Cerebral Cortex*: bhac076. <https://doi.org/10.1093/cercor/bhac076>
- Pollo, M. L. M., C. Gimenes, et al. (2022). "Male rats are more vulnerable to pentylenetetrazole-kindling model but females have more spatial memory-related deficits." *Epilepsy & Behavior* 129: 108632. <https://doi.org/10.1016/j.yebeh.2022.108632>
- Wang, L., Y. Zhou, et al. (2022). "Long-term iTBS promotes neural structural and functional recovery by enhancing neurogenesis and migration via miR-551b-5p/BDNF/TrkB pathway in a rat model of cerebral ischemia-reperfusion injury." *Brain Research Bulletin*. <https://doi.org/10.1016/j.brainresbull.2022.03.002>
- Xu, B., X. Zhang, et al. (2022). "The Impacts of Early-life Adversity on Striatal and Hippocampal Memory Functions." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2022.02.029>
- Cheney, K. L., J. Hudson, et al. (2022). "Seeing Picasso: an investigation into the visual system of the triggerfish, *Rhinecanthus aculeatus*." *Journal of Experimental Biology*. <https://doi.org/10.1242/jeb.243907>
- Tao, W., J. Ruan, et al. (2022). "A natural carotenoid crocin exerts antidepressant action by promoting adult hippocampal neurogenesis through Wnt/ β -catenin signaling." *Journal of Advanced Research*. <https://doi.org/10.1016/j.jare.2022.02.015>
- Matschke, L. A., M. A. Komadowski, et al. (2022). "Enhanced firing of locus coeruleus neurons and SK channel dysfunction are conserved in distinct models of prodromal Parkinson's disease." *Scientific Reports* 12(1): 3180. <https://doi.org/10.1038/s41598-022-06832-1>
- Tapanes, S. A., D. Arizanovska, et al. (2022). "Inhibition of glial D-serine release rescues synaptic damage after brain injury." *Glia* n/a(n/a). <https://doi.org/10.1002/glia.24161>
- Molinet-Dronda, F., J. Blesa, et al. (2022). "Cerebral metabolic pattern associated with progressive parkinsonism in non-human primates reveals early cortical hypometabolism." *Neurobiology of Disease* 167: 105669. <https://doi.org/10.1016/j.nbd.2022.105669>
- Seong, K.-J., S. Choi, et al. (2022). "Toll-Like Receptor 5 Promotes the Neurogenesis from Embryonic Stem Cells and Adult Hippocampal Neural Stem Cells in Mice." *Stem Cells*: sxab025. 10.1093/stmcls/sxab025
- Herian, M., A. Wojtas, et al. (2022). "Neurotoxicological profile of the hallucinogenic compound 25I-NBOMe." *Scientific Reports* 12(1): 2939. 10.1038/s41598-022-07069-8

Han, X., T. Xu, et al. (2022). "Neuronal NR4A1 deficiency drives complement-coordinated synaptic stripping by microglia in a mouse model of lupus." *Signal Transduction and Targeted Therapy* 7(1): 50. <https://doi.org/10.1038/s41392-021-00867-y>

Cheng, Y., B. Tang, et al. (2022). "Degraded cortical temporal processing in the valproic acid-induced rat model of autism." *Neuropharmacology* 209: 109000. <https://doi.org/10.1016/j.neuropharm.2022.109000>

Sterling, J. K., T.-I. Kam, et al. (2022). "Interleukin-6 triggers toxic neuronal iron sequestration in response to pathological α -synuclein." *Cell Reports* 38(7): 110358. <https://doi.org/10.1016/j.celrep.2022.110358>

Sloekers, J. C. T., A. Herrler, et al. (2022). "Nerve fiber density differences in the temporal dura mater: an explanation for headache after temporal lobectomy?, An anatomical study." *Journal of Chemical Neuroanatomy*: 102082. <https://doi.org/10.1016/j.jchemneu.2022.102082>

Spadory, T., A. Duque, et al. (2022). "Spatial-temporal topography in neurogenesis of the macaque thalamus." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-022-02463-4>

Waung, M. W., K. A. Maanum, et al. (2022). "A diencephalic circuit in rats for opioid analgesia but not positive reinforcement." *Nature Communications* 13(1): 764. <https://doi.org/10.1038/s41467-022-28332-6>

Farrell, M. R., Q. Ye, et al. (2022). "Ventral pallidum GABA neurons bidirectionally control opioid relapse across rat behavioral models." *bioRxiv*: 2022.2002.2003.479042. <https://doi.org/10.1101/2022.02.03.479042>

Adams, C., P. Bazzigaluppi, et al. (2018). "Neuroglial vascular dysfunction in a model of repeated traumatic brain injury." *Theranostics* 8(17): 4824-4836. 10.7150/thno.24747

Bankole, O., I. Scambi, et al. (2022). "Beneficial and Sexually Dimorphic Response to Combined HDAC Inhibitor Valproate and AMPK/SIRT1 Pathway Activator Resveratrol in the Treatment of ALS Mice." *International journal of molecular sciences* 23(3): 1047. 10.3390/ijms23031047

Carugati, M., C. R. Goodlett, et al. (2022). "The Effects of Gestational Choline Supplementation on Cerebellar Purkinje Cell Number In the Sheep Model of Binge Alcohol Exposure During the First Trimester-Equivalent." *Alcohol*. <https://doi.org/10.1016/j.alcohol.2022.01.002>

Ye, Z., A. Izadi, et al. (2022). "Combined Inhibition of Fyn and c-Src Protects Hippocampal Neurons and Improves Spatial Memory via ROCK after Traumatic Brain Injury." *Journal of Neurotrauma*. <https://doi.org/10.1089/neu.2021.0311>

Rogers, D. J., B. P. Bergeron, et al. (2022). "3D printed chamber for live cell imaging on an upright epifluorescence microscope." *Journal of Biological Education*: 1-7. <https://doi.org/10.1080/00219266.2022.2030389>

Rurak, G. M., S. Simard, et al. (2022). "Sex differences in developmental patterns of neocortical astroglia: A mouse translome database." *Cell Reports* 38(5): 110310. <https://doi.org/10.1016/j.celrep.2022.110310>

Celorrio, M., K. Shumilov, et al. (2022). "Acute minocycline administration reduces brain injury and improves long-term functional outcomes after delayed hypoxemia following traumatic brain injury." *Acta Neuropathologica Communications* 10(1): 10. <https://doi.org/10.1186/s40478-022-01310-1>

Hamity, M. V., S. J. Kolker, et al. (2022). "Nicotinamide Riboside Alleviates Corneal and Somatic Hypersensitivity Induced by Paclitaxel in Male Rats." *Investigative Ophthalmology & Visual Science* 63(1): 38-38. <https://doi.org/10.1167/iovs.63.1.38>

Liu, N., L. Bai, et al. (2022). "TRPV4 contributes to ER stress and inflammation: implications for Parkinson's disease." *Journal of Neuroinflammation* 19(1): 26. <https://doi.org/10.1186/s12974-022-02382-5>

Modo, M., H. Ghuman, et al. (2022). "Mapping the acute time course of immune cell infiltration into an ECM hydrogel in a rat model of stroke using 19F MRI." *Biomaterials* 282: 121386. <https://doi.org/10.1016/j.biomaterials.2022.121386>

Nieder, C., D. L. Rosene, et al. (2022). "Morphology and unbiased stereology of the lateral superior olive in the short-beaked common dolphin, *Delphinus delphis* (Cetacea, Delphinidae)." *Journal of Morphology* n/a(n/a). <https://doi.org/10.1002/jmor.21453>

Purkart, L., J. M. Tuff, et al. (2022). "Trigeminal ganglion and sensory nerves suggest tactile specialization of elephants." *Current Biology*. <https://doi.org/10.1016/j.cub.2021.12.051>

Bahceci, İ., L. Tumkaya, et al. (2022). "Inhibition of methotrexate induced toxicity in the adult rat spleen by adalimumab." *Drug and Chemical Toxicology*: 1-7. <https://doi.org/10.1080/01480545.2022.2029880>

Bankole, O., I. Scambi, et al. (2022). "Beneficial and Sexually Dimorphic Response to Combined HDAC Inhibitor Valproate and AMPK/SIRT1 Pathway Activator Resveratrol in the Treatment of ALS Mice." *International Journal of Molecular Sciences* 23(3). <https://doi.org/10.3390/ijms23031047>

Ruschkowski, B. A., Y. Esmaeil, et al. (2022). "Thrombospondin-1 Plays a Major Pathogenic Role in Experimental and Human Bronchopulmonary Dysplasia." *American Journal of Respiratory and Critical Care Medicine*. <https://doi.org/10.1164/rccm.202104-1021OC>

Komninos, D., L. Ramos, et al. (2022). "High fat diet-induced obesity prolongs critical stages of the spermatogenic cycle in a *Ldlr*^{-/-}.Leiden mouse model." *Scientific Reports* 12(1): 430. <https://doi.org/10.1038/s41598-021-04069-y>

Karikari, A. A., R. L. McFleder, et al. (2022). "Neurodegeneration by α -synuclein-specific T cells in AAV-A53T- α -synuclein Parkinson's disease mice." *Brain, Behavior, and Immunity* 101: 194-210. <https://doi.org/10.1016/j.bbi.2022.01.007>

Fernández-Pérez, A., A. Sanz-Magro, et al. (2022). "Restricting feeding to dark phase fails to entrain circadian activity and energy expenditure oscillations in *Pitx3*-mutant Aphakia mice." *Cell Reports* 38(2): 110241. <https://doi.org/10.1016/j.celrep.2021.110241>

Clark, A. T., E. E. Abrahamson, et al. (2022). "Chronic effects of blast injury on the microvasculature in a transgenic mouse model of Alzheimer's disease related A β amyloidosis." *Fluids and Barriers of the CNS* 19(1): 5. <https://doi.org/10.1186/s12987-021-00301-z>

- Wegiel, J., M. Flory, et al. (2022). "Developmental deficits and staging of dynamics of age associated Alzheimer's disease neurodegeneration and neuronal loss in subjects with Down syndrome." *Acta Neuropathologica Communications* 10(1): 2. <https://doi.org/10.1186/s40478-021-01300-9>
- Yanev, P., G. A. F. van Tilborg, et al. (2022). "Prolonged release of VEGF and Ang1 from intralesionally implanted hydrogel promotes perilesional vascularization and functional recovery after experimental ischemic stroke." *Journal of Cerebral Blood Flow & Metabolism*: 0271678X211069927. <https://doi.org/10.1177/0271678X211069927>
- Luderer, U., J. Lim, et al. (2022). "Exposure to environmentally relevant concentrations of ambient fine particulate matter (PM_{2.5}) depletes the ovarian follicle reserve and causes sex-dependent cardiovascular changes in apolipoprotein E null mice." *Particle and Fibre Toxicology* 19(1): 5. <https://doi.org/10.1186/s12989-021-00445-8>
- Bedolla, A., A. Taranov, et al. (2022). "Diphtheria toxin induced but not CSF1R inhibitor mediated microglia ablation model leads to the loss of CSF/ventricular spaces in vivo that is independent of cytokine upregulation." *Journal of Neuroinflammation* 19(1): 3. <https://doi.org/10.1186/s12974-021-02367-w>
- Karampatsi, D., A. Zabala, et al. (2021). "Diet-induced weight loss in obese/diabetic mice normalizes glucose metabolism and promotes functional recovery after stroke." *Cardiovascular Diabetology* 20(1): 240. <https://doi.org/10.1186/s12933-021-01426-z>
- Lorenzo, M. F., S. N. Campelo, et al. (2021). "An Investigation for Large Volume, Focal Blood-Brain Barrier Disruption with High-Frequency Pulsed Electric Fields." *Pharmaceuticals* 14(12). <https://doi.org/10.3390/ph14121333>
- Mizuno, Y., N. Abolhassani, et al. (2021). "MUTYH Actively Contributes to Microglial Activation and Impaired Neurogenesis in the Pathogenesis of Alzheimer's Disease." *Oxidative Medicine and Cellular Longevity* 2021: 8635088. <https://doi.org/10.1155/2021/8635088>
- Stazi, M., S. Lehmann, et al. (2021). "Long-term caffeine treatment of Alzheimer mouse models ameliorates behavioural deficits and neuron loss and promotes cellular and molecular markers of neurogenesis." *Cellular and Molecular Life Sciences*. <https://doi.org/10.1007/s00018-021-04062-8>
- Gatica, R. I., M. Aguilar-Rivera, et al. (2022). "Susceptibility to express amphetamine locomotor sensitization correlates with dorsolateral striatum bursting activity and GABAergic synapses in the globus pallidus." *Brain Research Bulletin* 179: 83-96. <https://doi.org/10.1016/j.brainresbull.2021.12.005>
- Johnson, M. A., Z. Mehrabian, et al. (2021). "Anti-NOGO Antibody Neuroprotection in a Rat Model of NAION." *Translational Vision Science & Technology* 10(14): 12-12. <https://doi.org/10.1167/tvst.10.14.12>
- Elamin, A. A. E., O. G. Deniz, et al. (2021). "The Effects of Gum arabic, Curcumin (*Curcuma longa*) and *Garcinia kola* on the Rat Hippocampus after Electromagnetic Field Exposure: A Stereological and Histological Study." *Journal of Chemical Neuroanatomy*: 102060. <https://doi.org/10.1016/j.jchemneu.2021.102060>
- Roshani, M., N. Kiaie, et al. (2021). "Biomaterials and stem cells as drug/gene-delivery vehicles for Parkinson's treatment: an update." *Regenerative Medicine* 16(12): 1057-1072. <https://doi.org/10.2217/rme-2021-0050>

Arinrad, S., J. B. H. Wilke, et al. (2021). "NMDAR1 autoantibodies amplify behavioral phenotypes of genetic white matter inflammation: a mild encephalitis model with neuropsychiatric relevance." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-021-01392-8>

(2021). "ACNP 60th Annual Meeting: Panels, Mini-Panels and Study Groups." *Neuropsychopharmacology* 46(1): 1-71. <https://doi.org/10.1038/s41386-021-01235-8>

Novello, S., D. Mercatelli, et al. (2022). "In vivo susceptibility to energy failure parkinsonism and LRRK2 kinase activity." *Neurobiology of Disease* 162: 105579. <https://doi.org/10.1016/j.nbd.2021.105579>

Mizuno, Y., N. Abolhassani, et al. (2021). "Deficiency of MTH1 and/or OGG1 increases the accumulation of 8-oxoguanine in the brain of the AppNL-G-F/NL-G-F knock-in mouse model of Alzheimer's disease, accompanied by accelerated microgliosis and reduced anxiety-like behavior." *Neuroscience Research*. <https://doi.org/10.1016/j.neures.2021.11.009>

Thibodeau, A., T. Galbraith, et al. (2022). "Repair of peripheral nerve injuries using a prevascularized cell-based tissue-engineered nerve conduit." *Biomaterials* 280: 121269. <https://doi.org/10.1016/j.biomaterials.2021.121269>

Macdonald, J. A., J. L. Chen, et al. (2021). "Assembly of α -synuclein and neurodegeneration in the central nervous system of heterozygous M83 mice following the peripheral administration of α -synuclein seeds." *Acta Neuropathologica Communications* 9(1): 189. <https://doi.org/10.1186/s40478-021-01291-7>

Liu, J., J. Jiang, et al. (2021). "Urolithin A protects dopaminergic neurons in experimental models of Parkinson's disease by promoting mitochondrial biogenesis through SIRT1/PGC-1 α signaling pathway." *Food & Function*. DOI <https://doi.org/10.1039/D1FO02534A>

Yaguchi, A., M. Oshikawa, et al. (2021). "Efficient protein incorporation and release by a jigsaw-shaped self-assembling peptide hydrogel for injured brain regeneration." *Nature Communications* 12(1): 6623. <https://doi.org/10.1038/s41467-021-26896-3>

Machhi, J., P. Yeapuri, et al. (2021). "CD4⁺ effector T cells accelerate Alzheimer's disease in mice." *Journal of Neuroinflammation* 18(1): 272. <https://doi.org/10.1186/s12974-021-02308-7>

Bakrania, P., G. Hall, et al. (2021). "Discovery of a novel pseudo β -hairpin structure of N-truncated amyloid- β for use as a vaccine against Alzheimer's disease." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-021-01385-7>

Rieskamp, J., P. Sarchet, et al. (2022). "Estimation of the density of neural, glial, and endothelial lineage cells in the adult mouse dentate gyrus." *Neural Regeneration Research* 17(6): 1286-1292. DOI: 10.4103/1673-5374.327354

Sawa, M., C. Overk, et al. (2021). "Impact of increased APP gene dose in Down syndrome and the Dp16 mouse model." *Alzheimer's & Dementia n/a(n/a)*. <https://doi.org/10.1002/alz.12463>

Chen, K. S., K. Menezes, et al. (2021). "Small molecule inhibitors of α -synuclein oligomers identified by targeting early dopamine-mediated motor impairment in *C. elegans*." *Molecular Neurodegeneration* 16(1): 77. <https://doi.org/10.1186/s13024-021-00497-6>

Pradhan, L. K., P. K. Sahoo, et al. (2021). "Temporal exposure to chronic unpredictable stress induces precocious neurobehavioral deficits by distorting neuromorphology and glutathione biosynthesis in zebrafish brain." *Behavioural Brain Research*: 113672. <https://doi.org/10.1016/j.bbr.2021.113672>

González-Rodríguez, P., E. Zampese, et al. (2021). "Disruption of mitochondrial complex I induces progressive parkinsonism." *Nature*. <https://doi.org/10.1038/s41586-021-04059-0>

Bido, S., S. Muggeo, et al. (2021). "Microglia-specific overexpression of α -synuclein leads to severe dopaminergic neurodegeneration by phagocytic exhaustion and oxidative toxicity." *Nature Communications* 12(1): 6237. <https://doi.org/10.1038/s41467-021-26519-x>

Lionarons, J. M., G. Hoogland, et al. (2021). "Dystrophin in the Neonatal and Adult Rat Intestine." *Life* 11(11). <https://doi.org/10.3390/life11111155>

Nelson, M. M., J. D. Hoff, et al. (2021). "Poly (ADP-Ribose) Polymerase 1 Regulates Cajal-Retzius Cell Development and Neural Precursor Cell Adhesion." *Frontiers in cell and developmental biology* 9: 693595-693595. doi: 10.3389/fcell.2021.693595

Son, G., H. W. M. Steinbusch, et al. (2021). "Severe histomorphological alterations in post-mortem olfactory glomeruli in Alzheimer's disease." *Brain Pathology* n/a(n/a): e13033. <https://doi.org/10.1111/bpa.13033>

Tian, Y., K. A. Fopiano, et al. (2021). "Aging-induced impaired endothelial wall shear stress mechanosensing causes arterial remodeling via JAM-A/F11R shedding by ADAM17." *GeroScience*. <https://doi.org/10.1007/s11357-021-00476-1>

Aydin, S., Z. G. Yazici, et al. (2021). "An overview of the behavioral, neurobiological and morphological effects of topiramate in rats exposed to chronic unpredictable mild stress." *European Journal of Pharmacology* 912: 174578. <https://doi.org/10.1016/j.ejphar.2021.174578>

Siddiqui, A. M., R. Islam, et al. (2021). "Newly regenerated axons via scaffolds promote sub-lesional reorganization and motor recovery with epidural electrical stimulation." *npj Regenerative Medicine* 6(1): 66. <https://doi.org/10.1038/s41536-021-00176-6>

Fougère, M., C. I. van der Zouwen, et al. (2021). "Optogenetic stimulation of glutamatergic neurons in the cuneiform nucleus controls locomotion in a mouse model of Parkinson's disease." *Proceedings of the National Academy of Sciences* 118(43): e2110934118. <https://doi.org/10.1073/pnas.2110934118>

Seo, B. A., D. Kim, et al. (2021). "TRIP12 ubiquitination of glucocerebrosidase contributes to neurodegeneration in Parkinson's disease." *Neuron*. <https://doi.org/10.1016/j.neuron.2021.09.031>

Sun, L., W.-W. Jiang, et al. (2021). "Phosphorylated α -synuclein aggregated in Schwann cells exacerbates peripheral neuroinflammation and nerve dysfunction in Parkinson's disease through TLR2/NF- κ B pathway." *Cell Death Discovery* 7(1): 289. <https://doi.org/10.1038/s41420-021-00676-w>

Cai, H.-Y., X.-X. Fu, et al. (2021). "Adjusting vascular permeability, leukocyte infiltration, and microglial cell activation to rescue dopaminergic neurons in rodent models of Parkinson's disease." *npj Parkinson's Disease* 7(1): 91. <https://doi.org/10.1038/s41531-021-00233-3>

Morecraft, R. J., K. S. Stilwell-Morecraft, et al. (2021). "Lack of somatotopy among corticospinal tract fibers passing through the primate craniovertebral junction and cervical spinal cord: pathoanatomical

substrate of central cord syndrome and cruciate paralysis." *Journal of Neurosurgery*: 1-15. <https://doi.org/10.3171/2021.4.JNS202464>

Schmiedl, A., I. Wagener, et al. (2021). "Lung development and immune status under chronic LPS exposure in rat pups with and without CD26/DPP4 deficiency." *Cell and Tissue Research*. <https://doi.org/10.1007/s00441-021-03522-8>

Kim, H., J.-Y. Shin, et al. (2021). "Parkin interacting substrate phosphorylation by c-Abl drives dopaminergic neurodegeneration." *Brain*(awab356). <https://doi.org/10.1093/brain/awab356>

Hescham, S.-A., P.-H. Chiang, et al. (2021). "Magnetothermal nanoparticle technology alleviates parkinsonian-like symptoms in mice." *Nature Communications* 12(1): 5569. <https://doi.org/10.1038/s41467-021-25837-4>

Vera-Otarola, J., E. Castillo-Vargas, et al. (2021). "The viral nucleocapsid protein and the human RNA-binding protein Mex3A promote translation of the Andes orthohantavirus small mRNA." *PLOS Pathogens* 17(9): e1009931. <https://doi.org/10.1371/journal.ppat.1009931>

Tolve, M., A. Ulusoy, et al. (2021). "The transcription factor BCL11A defines distinct subsets of midbrain dopaminergic neurons." *Cell Reports* 36(11): 109697. <https://www.sciencedirect.com/science/article/pii/S221112472101144X>

Shukla, J. J., N. Stefanova, et al. (2021). "Therapeutic potential of iron modulating drugs in a mouse model of multiple system atrophy." *Neurobiology of Disease*: 105509. <https://www.sciencedirect.com/science/article/pii/S0969996121002588>

Masilamoni, G. J., A. Weinkle, et al. (2021). "Cortical Serotonergic and Catecholaminergic Denervation in MPTP-Treated Parkinsonian Monkeys." *Cerebral Cortex*(bhab313). <https://doi.org/10.1093/cercor/bhab313>

Powell, K. L., Z. Liu, et al. "Altered cardiac structure and function is related to seizure frequency in a rat model of chronic acquired temporal lobe epilepsy." *Neurobiology of Disease*: 105505. <https://doi.org/10.1016/j.nbd.2021.105505>

Yeh, T.-H., H.-F. Liu, et al. "PLA2G6 mutations cause motor dysfunction phenotypes of young-onset dystonia" parkinsonism type 14 and can be relieved by DHA treatment in animal models." *Experimental Neurology* 346: 113863. <https://doi.org/10.1016/j.expneurol.2021.113863>

Emily, P., D. Sarah, et al. (2020). "Circuit-Specific Plasticity of Callosal Inputs Underlies Cortical Takeover." *The Journal of Neuroscience* 40(40): 7714. <https://doi.org/10.1523/JNEUROSCI.1056-20.2020>

ACNP 59th Annual Meeting; Poster Session III. (2020). *Neuropsychopharmacology*, 45(1), 278-382. doi: 10.1038/s41386-020-00892-5. <https://doi.org/10.1038/s41386-020-00892-5>

a Dzaye, O. D., Hu, F., Derkow, K., Haage, V., Euskirchen, P., Harms, C., . . . Kettenmann, H. (2018). Glioma Stem Cells but Not Bulk Glioma Cells Upregulate IL-6 Secretion in Microglia/Brain Macrophages via Toll-like Receptor 4 Signaling. [10.1093/jnen/nlw016]. *Journal of Neuropathology and Experimental Neurology*. doi. <http://jnen.oxfordjournals.org/content/early/2016/03/28/jnen.nlw016.abst..>

A.M. Willetts, J. B., M. Gatherer, N.J. Albargothy, A. Verma, R.O. Weller, R.O. Carare, C.A. Hawkes. (2019). Pathways for flow of solutes along walls of cerebral arteries are maintained even in the presence of cerebral amyloid angiopathy. *Neuropathology and Applied Neurobiology*, 45(S1), 12-28. doi: 10.1111/nan.12545. <https://onlinelibrary.wiley.com/doi/abs/10.1111/nan.12545>

Abdelkarim, H., Marshall, M. S., Scesa, G., Smith, R. A., Rue, E., Marshall, J., . . . Bongarzone, E. R. (2018). α -Synuclein interacts directly but reversibly with psychosine: implications for α -synucleinopathies. *Scientific Reports*, 8(1), 12462. doi: 10.1038/s41598-018-30808-9. <https://doi.org/10.1038/s41598-018-30808-9>

Abdel-Rahman, M., Galhom, R. A., Nasr El-Din, W. A., Mohammed Ali, M. H., & Abdel-Hamid, A. E.-D. S. (2018). Therapeutic efficacy of olfactory stem cells in rotenone induced Parkinsonism in adult male albino rats. *Biomedicine and Pharmacotherapy*, 103, 1178-1186. doi: <https://doi.org/10.1016/j.biopha.2018.04.160>. <https://www.sciencedirect.com/science/article/pii/S0753332217354240>

Abdul-Wahab, R., Long, M. T., Ordaz, R., Lyeth, B. G., & Pfister, B. J. (2020). Outcome measures from experimental traumatic brain injury in male rats vary with the complete temporal biomechanical profile of the injury event. *Journal of Neuroscience Research*, n/a(n/a). doi: 10.1002/jnr.24670. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24670>

Abdurakhmanova, S., Chary, K., Kettunen, M., Sierra, A., & Panula, P. (2018). Behavioral and stereological characterization of Hdc KO mice: relation to Tourette syndrome. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24279. <http://dx.doi.org/10.1002/cne.24279>

Abe, C., Inoue, T., Inglis, M. A., Viar, K. E., Huang, L., Ye, H., . . . Guyenet, P. G. (2018). C1 neurons mediate a stress-induced anti-inflammatory reflex in mice. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4526

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4526.html#suppl.....> <http://dx.doi.org/10.1038/nn.4526>

Abel, T. W., & Rance, N. E. (2018). Proopiomelanocortin gene expression is decreased in the infundibular nucleus of postmenopausal women. *Molecular Brain Research*, 69(2), 202-208. doi.

Abel, T. W., & Rance, N. E. (2018). Stereologic study of the hypothalamic infundibular nucleus in young and older women. *Journal of Comparative Neurology*, 424(4), 679-688. doi.

Abeyasinghe, H. S., Bokhari, L., Quigley, A., Choolani, M., Chan, J., Dusting, G., . . . Roulston, C. (2018). Pre-differentiation of human neural stem cells into GABAergic neurons prior to transplant results in greater repopulation of the damaged brain and accelerates functional recovery after transient ischemic stroke. *Stem Cell Research & Therapy*, 6(1), 1-19. doi: 10.1186/s13287-015-0175-1. <http://dx.doi.org/10.1186/s13287-015-0175-1>

Abhijit, S., Tripathi, S. J., Bhagya, V., Shankaranarayana Rao, B. S., Subramanyam, M. V., & Asha Devi, S. (2018). Antioxidant action of grape seed polyphenols and aerobic exercise in improving neuronal number in the hippocampus is associated with decrease in lipid peroxidation and hydrogen peroxide in adult and middle-aged rats. *Experimental Gerontology*, 101(Supplement C), 101-112. doi: <https://doi.org/10.1016/j.exger.2017.11.012>. <http://www.sciencedirect.com/science/article/pii/S0531556517305703>

Abhijit, S., Tripathi, S. J., Shankaranarayana Rao, B. S., & Asha Devi, S. (2019). Grape seed proanthocyanidin extract and swimming training enhances neuronal number in dorso-medial

prefrontal cortex in middle-aged male rats by alleviating oxidative stress. *Journal of Functional Foods*, 103693. doi: <https://doi.org/10.1016/j.jff.2019.103693>. <http://www.sciencedirect.com/science/article/pii/S1756464619306176>

Abisambra, J. F., Blair, L. J., Hill, S. E., Jones, J. R., Kraft, C., Rogers, J., . . . Dickey, C. A. (2018). Phosphorylation Dynamics Regulate Hsp27-Mediated Rescue of Neuronal Plasticity Deficits in Tau Transgenic Mice. *Journal of Neuroscience*, 30(46), 15374-15382. doi: 10.1523/jneurosci.3155-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/46/15374>

Abordo-Adesida, E., Follenzi, A., Barcia, C., Sciascia, S., Castro, M. G., Naldini, L., & Lowenstein, P. R. (2018). Stability of lentiviral vector-mediated transgene expression in the brain in the presence of systemic antivector immune responses. *Human Gene Therapy*, 16(6), 741-751. doi.

Abraham, K., German, K., Charles, G., Joshua, S., Junghyo, J., Vipul, P., . . . Manami, H. (2018). Computer-assisted large-scale visualization and quantification of pancreatic islet mass, size distribution and architecture. *Journal of Visualized Experiments*, (49). doi.

Abraham, K., German, K., & Manami, H. (2018). In situ Quantification of Pancreatic Beta-cell Mass in Mice. *Journal of Visualized Experiments*, (40). doi.

Abraham, K., German, K., & Manami, H. (2018). Quantificação situ da Massa das células beta pancreáticas em camundongos. *Journal of Visualized Experiments*, (1). doi.

Abreu, C. C., Fernandes, T. N., Henrique, E. P., Pereira, P. D. C., Marques, S. B., Herdeiro, S. L. S., . . . Picanço-Diniz, C. W. (2019). Small-scale environmental enrichment and exercise enhance learning and spatial memory of *Carassius auratus*, and increase cell proliferation in the telencephalon: an exploratory study. *Brazilian Journal of Medical and Biological Research*, 52. doi. http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0100-879X2019000..

Abuelhija, M., Weng, C. C., Shetty, G., & Meistrich, M. L. (2018). Differences in Radiation Sensitivity of Recovery of Spermatogenesis between Rat Strains. *Toxicological Sciences*. doi.

Abuelhija, M., Weng, C. C., Shetty, G., & Meistrich, M. L. (2018). Rat models of post-irradiation recovery of spermatogenesis: interstrain differences. *Andrology*, n/a-n/a. doi: 10.1111/j.2047-2927.2012.00034.x. <http://dx.doi.org/10.1111/j.2047-2927.2012.00034.x>

Acabchuk, R., Briggs, D. I., Angoa-Pérez, M., Powers, M., Wolferz, R., Soloway, M., . . . Conover, J. C. (2018). Repeated mild traumatic brain injury causes focal response in lateral septum and hippocampus. *Concussion*. doi: 10.2217/cnc-2015-0001. <http://dx.doi.org/10.2217/cnc-2015-0001>

Acabchuk, R. L., Sun, Y., Wolferz, J. R., Eastman, M. B., Lenington, J. B., Shook, B. A., . . . Conover, J. C. (2018). 3D Modeling of the Lateral Ventricles and Histological Characterization of Periventricular Tissue in Humans and Mouse. *JoVE*, (99), e52328. doi: 10.3791/52328. <http://www.jove.com/video/52328>

Acharya, M. M., Christie, L.-A., Lan, M. L., Giedzinski, E., Fike, J. R., Rosi, S., & Limoli, C. L. (2018). Human Neural Stem Cell Transplantation Ameliorates Radiation-Induced Cognitive Dysfunction. *Cancer Research*, 71(14), 4834-4845. doi: 10.1158/0008-5472.can-11-0027. <http://cancerres.aacrjournals.org/content/71/14/4834.abstract>

Acker, S. N., Mandell, E. W., Sims-Lucas, S., Gien, J., Abman, S. H., & Galambos, C. (2018). Histologic Identification of Prominent Intrapulmonary Anastomotic Vessels in Severe Congenital Diaphragmatic Hernia. *The Journal of Pediatrics*, (0). doi: <http://dx.doi.org/10.1016/j.jpeds.2014.09.010>, <http://www.sciencedirect.com/science/article/pii/S0022347614008245>

Acosta, S., Jernberg, J., Sanberg, C. D., Sanberg, P. R., Small, B. J., Gemma, C., & Bickford, P. C. (2018). NT-020, a natural therapeutic approach to optimize spatial memory performance and increase neural progenitor cell proliferation and decrease inflammation in the aged rat. *Rejuvenation research*, 13(5), 581-588. doi.

Acosta, S. A., Diamond, D. M., Wolfe, S., Tajiri, N., Shinozuka, K., Ishikawa, H., . . . Borlongan, C. V. (2018). Influence of Post-Traumatic Stress Disorder on Neuroinflammation and Cell Proliferation in a Rat Model of Traumatic Brain Injury. *Plos one*, 8(12), e81585. doi: 10.1371/journal.pone.0081585. <http://dx.doi.org/10.1371%2Fjournal.pone.0081585>

Acosta, S. A., Tajiri, N., de la Pena, I., Bastawrous, M., Sanberg, P. R., Kaneko, Y., & Borlongan, C. V. (2018). Alpha-synuclein as a Pathological Link between Chronic Traumatic Brain Injury and Parkinson's disease. *Journal of Cellular Physiology*, n/a-n/a. doi: 10.1002/jcp.24830. <http://dx.doi.org/10.1002/jcp.24830>

Acosta, S. A., Tajiri, N., Sanberg, P. R., Kaneko, Y., & Borlongan, C. V. (2018). Increased Amyloid Precursor Protein and Tau Expression Manifests as Key Secondary Cell Death in Chronic Traumatic Brain Injury. *Journal of Cellular Physiology*, n/a-n/a. doi: 10.1002/jcp.25629. <http://dx.doi.org/10.1002/jcp.25629>

Acosta, S. A., Tajiri, N., Shinozuka, K., Ishikawa, H., Grimmig, B., Diamond, D., . . . Borlongan, C. V. (2018). Long-Term Upregulation of Inflammation and Suppression of Cell Proliferation in the Brain of Adult Rats Exposed to Traumatic Brain Injury Using the Controlled Cortical Impact Model. *Plos one*, 8(1), e53376. doi: 10.1371/journal.pone.0053376. <http://dx.doi.org/10.1371%2Fjournal.pone.0053376>

Acosta, S. A., Tajiri, N., Shinozuka, K., Ishikawa, H., Sanberg, P. R., Sanchez-Ramos, J., . . . Borlongan, C. V. (2018). Combination Therapy of Human Umbilical Cord Blood Cells and Granulocyte Colony Stimulating Factor Reduces Histopathological and Motor Impairments in an Experimental Model of Chronic Traumatic Brain Injury. *Plos one*, 9(3), e90953. doi: 10.1371/journal.pone.0090953. <http://dx.doi.org/10.1371%2Fjournal.pone.0090953>

Adamcio, B., Sargin, D., Stradomska, A., Medrihan, L., Gertler, C., Theis, F., . . . Ehrenreich, H. (2018). Erythropoietin enhances hippocampal long-term potentiation and memory. *BMC Biology*, 6(37). doi.

Adamec, R. E., Blundell, J., & Burton, P. (2018). Phosphorylated cyclic AMP response element binding protein expression induced in the periaqueductal gray by predator stress: its relationship to the stress experience, behavior and limbic neural plasticity. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 27(8), 1243-1267. doi.

Adamec, R. E., Blundell, J., & Burton, P. (2018). Relationship of the predatory attack experience to neural plasticity, pCREB expression and neuroendocrine response. *Neuroscience and Biobehavioral Reviews*, 30(3), 356-375. doi.

Adams, M. M., Donohue, H. S., Linville, M. C., Iversen, E. A., Newton, I. G., & Brunso-Bechtold, J. K. (2018). Age-related synapse loss in hippocampal CA3 is not reversed by caloric restriction. *Neuroscience*, 171(2), 373-382. doi.

Adar, E., Nottebohm, F., & Barnea, A. (2018). The Relationship between Nature of Social Change, Age, and Position of New Neurons and Their Survival in Adult Zebra Finch Brain. *Journal of Neuroscience*, 28(20), 5394-5400. doi: 10.1523/jneurosci.5706-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/20/5394>

Adlaf, E. W., Vaden, R. J., Niver, A. J., Manuel, A. F., Onyilo, V. C., Araujo, M. T., . . . Overstreet-Wadiche, L. (2018). Adult-born neurons modify excitatory synaptic transmission to existing neurons. [JOUR]. *eLife*, 6, e19886. doi: 10.7554/eLife.19886. <https://dx.doi.org/10.7554/eLife.19886>

Adlard, P. A., Sedjahtera, A., Gunawan, L., Bray, L., Hare, D., Lear, J., . . . Cherny, R. A. (2018). A Novel Approach To Rapidly Prevent Age-Related Cognitive Decline. *Aging cell*, n/a-n/a. doi: 10.1111/acer.12178. <http://dx.doi.org/10.1111/acer.12178>

Aelvoet, S.-A., Ibrahimi, A., Macchi, F., Gijssbers, R., Van den Haute, C., Debysers, Z., & Baekelandt, V. (2018). Noninvasive Bioluminescence Imaging of α -Synuclein Oligomerization in Mouse Brain Using Split Firefly Luciferase Reporters. *The Journal of Neuroscience*, 34(49), 16518-16532. doi: <http://www.jneurosci.org/content/34/49/16518.short>

af Bjerkén, S., Stenmark Persson, R., Barkander, A., Karalija, N., Pelegrina-Hidalgo, N., Gerhardt, G. A., . . . Strömberg, I. (2019). Noradrenaline is crucial for the substantia nigra dopaminergic cell maintenance. *Neurochemistry International*, 131, 104551. doi: <https://doi.org/10.1016/j.neuint.2019.104551>. <http://www.sciencedirect.com/science/article/pii/S0197018619303420>

af Bjerkén, S., Stenmark Persson, R., Barkander, A., Karalija, N., Pelegrina-Hidalgo, N., Gerhardt, G. A., . . . Strömberg, I. (2019). Noradrenaline is crucial for the substantia nigra dopaminergic cell maintenance. *Neurochemistry International*, 131, 104551. doi: <https://doi.org/10.1016/j.neuint.2019.104551>. <http://www.sciencedirect.com/science/article/pii/S0197018619303420>

Agarwal, A. K., & Garg, A. (2018). Congenital generalized lipodystrophy: significance of triglyceride biosynthetic pathways. *Trends Endocrinol Metab*, 14. doi: 10.1016/s1043-2760(03)00078-x. [http://dx.doi.org/10.1016/S1043-2760\(03\)00078-X](http://dx.doi.org/10.1016/S1043-2760(03)00078-X)

Agashiwala, R. M., Louis, E. D., Hof, P. R., & Perl, D. P. (2018). A novel approach to non-biased systematic random sampling: A stereologic estimate of Purkinje cells in the human cerebellum. *Brain Research*, 1236, 73-78. doi:

Agassandian, K., Patel, M., Agassandian, M., Steren, K. E., Rahmouni, K., Sheffield, V. C., & Card, J. P. (2018). Ciliopathy Is Differentially Distributed in the Brain of a Bardet-Biedl Syndrome Mouse Model. *Plos one*, 9(4), e93484. doi: 10.1371/journal.pone.0093484. <http://dx.doi.org/10.1371%2Fjournal.pone.0093484>

Aghoghovwia, B. E., Goddard, L., & Oorschot, D. E. (2019). Long-Term Fine Motor Capability on the Staircase Test Correlates with the Absolute Number, but Not the Density, of DARPP-Positive Neurons in the Caudate-Putamen. *The Anatomical Record*, o(ja). doi: 10.1002/ar.24196. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ar.24196>

Aghoghovwia, B. E., & Oorschot, D. E. (2018). Absolute number of parvicellular and magnocellular neurons in the red nucleus of the rat midbrain: a stereological study. *Journal of Anatomy*, n/a-n/a. doi: 10.1111/joa.12495. <http://dx.doi.org/10.1111/joa.12495>

Agrimi, J., Spalletti, C., Baroni, C., Keceli, G., Zhu, G., Caragnano, A., . . . Lionetti, V. (2019). Obese mice exposed to psychosocial stress display cardiac and hippocampal dysfunction associated with local brain-derived neurotrophic factor depletion. *EBioMedicine*. doi: <https://doi.org/10.1016/j.ebiom.2019.08.042>. <http://www.sciencedirect.com/science/article/pii/S2352396419305651>

Agster, K. L., Mejias-Aponte, C. A., Clark, B. D., & Waterhouse, B. D. (2018). Evidence for a regional specificity in the density and distribution of noradrenergic varicosities in rat cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23270. <http://dx.doi.org/10.1002/cne.23270>

Aguilar-Arredondo, A., & Zepeda, A. (2018). Memory retrieval-induced activation of adult-born neurons generated in response to damage to the dentate gyrus. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1664-7. <https://doi.org/10.1007/s00429-018-1664-7>

Aguilar-Valles, A., Haji, N., De Gregorio, D., Matta-Camacho, E., Eslamizade, M. J., Popic, J., . . . Sonenberg, N. (2018). Translational control of depression-like behavior via phosphorylation of eukaryotic translation initiation factor 4E. *Nature Communications*, 9(1), 2459. doi: 10.1038/s41467-018-04883-5. <https://doi.org/10.1038/s41467-018-04883-5>

Aguilar-Valles, A., Jung, S., Poole, S., Flores, C., & Luheshi, G. N. (2018). Leptin and interleukin-6 alter the function of mesolimbic dopamine neurons in a rodent model of prenatal inflammation. *Psychoneuroendocrinology*. doi.

Ahad, M., Fogerson, P. M., Rosen, G., Narayanaswami, P., & Rutkove, S. B. (2018). Electrical characteristics of rat skeletal muscle in immaturity, adulthood, and after sciatic nerve injury and their relation to muscle fiber size. *Physiological Measurement*, 30(12), 1415-1415. doi.

Ahad, M. A., Narayanaswami, P., Kasselmann, L. J., & Rutkove, S. B. (2018). The effect of subacute denervation on the electrical anisotropy of skeletal muscle: Implications for clinical diagnostic testing. *Clinical Neurophysiology*, 121(6), 882-886. doi.

Ahmadian, S. S., Rezvanian, A., Peterson, M., Weintraub, S., Bigio, E. H., Mesulam, M. M., & Geula, C. (2018). Loss of Calbindin-D28K is Associated with the Full Range of Tangle Pathology within Basal Forebrain Cholinergic Neurons in Alzheimer's Disease. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2015.09.001>. <http://www.sciencedirect.com/science/article/pii/S0197458015004467>

Ahmed, I., Liang, Y., Schools, S., Dawson, V. L., Dawson, T. M., & Savitt, J. M. (2018). Development and Characterization of a New Parkinson's Disease Model Resulting from Impaired Autophagy. *Journal of Neuroscience*, 32(46), 16503-16509. doi: 10.1523/jneurosci.0209-12.2012. <http://www.jneurosci.org/content/32/46/16503.abstract>

Ahn, E. H., Kang, S. S., Liu, X., Chen, G., Zhang, Z., Chandrasekharan, B., . . . Ye, K. (2019). Initiation of Parkinson's disease from gut to brain by δ -secretase. *Cell Research*. doi: 10.1038/s41422-019-0241-9. <https://doi.org/10.1038/s41422-019-0241-9>

Ahn, S. K., Hong, S., Park, Y. M., Choi, J. Y., Lee, W. T., Park, K. A., & Lee, J. E. (2018). Protective effects of agmatine on lipopolysaccharide-injured microglia and inducible nitric oxide synthase activity. *Life Sciences*, (0). doi: 10.1016/j.lfs.2012.10.010. <http://www.sciencedirect.com/science/article/pii/S0024320512006133>

Ahn, S. K., Hong, S., Park, Y. M., Lee, W. T., Park, K. A., & Lee, J. E. (2018). Effects of agmatine on hypoxic microglia and activity of nitric oxide synthase. *Brain Research*, 1373, 48-54. doi.

Ahuja, M., Kaidery, N. A., Yang, L., Calingasan, N., Smirnova, N., Gaisin, A., . . . Kaddour-Djebbar, I. (2018). Distinct Nrf2 Signaling Mechanisms of Fumaric Acid Esters and Their Role in Neuroprotection against 1-Methyl-4-Phenyl-1, 2, 3, 6-Tetrahydropyridine-Induced Experimental Parkinson's-Like Disease. *The Journal of Neuroscience*, 36(23), 6332-6351. doi: <http://www.jneurosci.org/content/36/23/6332.short>

Aimé, P., Karuppagounder, S. S., Rao, A., Chen, Y., Burke, R. E., Ratan, R. R., & Greene, L. A. (2020). The drug adaptaquin blocks ATF4/CHOP-dependent pro-death Trib3 induction and protects in cellular and mouse models of Parkinson's disease. *Neurobiology of Disease*, 136, 104725. doi: <https://doi.org/10.1016/j.nbd.2019.104725>. <http://www.sciencedirect.com/science/article/pii/S0969996119304000>

Aisen, P. S. (2018). The potential of anti-inflammatory drugs for the treatment of Alzheimer's disease. *Lancet Neurol*, 1. doi: 10.1016/s1474-4422(02)00133-3. [http://dx.doi.org/10.1016/S1474-4422\(02\)00133-3](http://dx.doi.org/10.1016/S1474-4422(02)00133-3)

Ait-Ali, D., Almeida-Suhett, C. P., Li, Z., Marini, A. M., Braga, M. F., & Eiden, L. E. (2018). Temporal course of changes in gene expression suggests a cytokine-related mechanism for long-term hippocampal alteration after controlled cortical impact. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3029>

Aitken, P., Zheng, Y., & Smith, P. F. (2018). Effects of bilateral vestibular deafferentation in rat on hippocampal theta response to somatosensory stimulation, acetylcholine release, and cholinergic neurons in the pedunculo-pontine tegmental nucleus. [journal article]. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-017-1407-1. <http://dx.doi.org/10.1007/s00429-017-1407-1>

Ajjola, O. A., Hoover, D. B., Simerly, T. M., Brown, T. C., Yanagawa, J., Biniwale, R. M., . . . Shivkumar, K. (2018). Inflammation, oxidative stress, and glial cell activation characterize stellate ganglia from humans with electrical storm. *JCI Insight*, 2(18). doi: 10.1172/jci.insight.94715. <https://doi.org/10.1172/jci.insight.94715>

Ajioka, I., Jinnou, H., Okada, K., Sawada, M., Saitoh, S., & Sawamoto, K. (2018). Enhancement of Neuroblast Migration into the Injured Cerebral Cortex using Laminin-containing Porous Sponge. *Tissue Engineering*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2014.0080>

Akar, A., Karayığit, M. Ö., Bolat, D., Gültiken, M. E., Yarımlı, M., & Castellani, G. (2018). Effects of low level electromagnetic field exposure at 2.45 GHz on rat cornea. *International Journal of Radiation Biology*, 0(ja), 1-17. doi: 10.3109/09553002.2013.754557. <http://informahealthcare.com/doi/abs/10.3109/09553002.2013.754557>

Akaras, N., Bal, T., Atilay, H., Selli, J., & Halici, M. B. (2018). Protective effects of agomelatine on testicular damage caused by bortezomib. *Biotechnic and Histochemistry*, 1-8. doi: 10.1080/10520295.2017.1350748. <https://doi.org/10.1080/10520295.2017.1350748>

Akca, G., Eren, H., Tumkaya, L., Mercantepe, T., Horsanali, M. O., Deveci, E., . . . Yilmaz, A. (2018). The protective effect of astaxanthin against cisplatin-induced nephrotoxicity in rats. *Biomedicine and Pharmacotherapy*, 100, 575-582. doi: <https://doi.org/10.1016/j.biopha.2018.02.042>. <http://www.sciencedirect.com/science/article/pii/S0753332218300088>

Akers, K. G., Kushner, S. A., Leslie, A. T., Clarke, L., van der Kooy, D., Lerch, J. P., & Frankland, P. W. (2018). Fetal alcohol exposure leads to abnormal olfactory bulb development and impaired odor discrimination in adult mice. *Depression*, 5, 9-9. doi: 10.1016/j.depr.2018.02.001

Akers, K. G., Martinez-Canabal, A., Restivo, L., Yiu, A. P., De Cristofaro, A., Hsiang, H.-L. L., . . . Shoji, H. (2018). Hippocampal Neurogenesis Regulates Forgetting During Adulthood and Infancy. *Science*, 344(6184), 598-602. doi: <http://www.sciencemag.org/content/344/6184/598.short>

Akgun, M., Kantarci, M., Cayir, K., Bayraktutan, U., Doganay, S., Araz, O., . . . Gorguner, M. (2018). Stereological Evaluation of Tumor Regression Rates in Lung Cancer Using CT Via the Cavalieri Method. *Eurasian Journal of Medicine*, 40(3), 109-114. doi.

Akhavan, M. M., Emami-Abarghoie, M., Safari, M., Sadighi-Moghaddam, B., Vafaei, A. A., Bandegi, A. R., & Rashidy-Pour, A. (2018). Serotonergic and noradrenergic lesions suppress the enhancing effect of maternal exercise during pregnancy on learning and memory in rat pups. *Neuroscience*, 151(4), 1173-1183. doi.

Akhavan, M. M., Foroutan, T., Safari, M., Sadighi-Moghaddam, B., Emami-Abarghoie, M., & Rashidy-Pour, A. (2018). Prenatal exposure to maternal voluntary exercise during pregnancy provides protection against mild chronic postnatal hypoxia in rat offspring. *Pakistan Journal of Pharmacological Sciences*, 25(1), 233-238. doi.

Akins, M. R., LeBlanc, H. F., Stackpole, E. E., Chyung, E., & Fallon, J. R. (2018). Systematic mapping of Fragile X granules in the developing mouse brain reveals a potential role for presynaptic FMRP in sensorimotor functions. *Journal of Comparative Neurology*. doi.

Akkerman, S., Prickaerts, J., Bruder, A. K., Wolfs, K. H. M., De Vry, J., Vanmierlo, T., & Blokland, A. (2018). PDE5 Inhibition Improves Object Memory in Standard Housed Rats but Not in Rats Housed in an Enriched Environment: Implications for Memory Models? *Plos one*, 9(11), e111692. doi: 10.1371/journal.pone.0111692. <http://dx.doi.org/10.1371%2Fjournal.pone.0111692>

Akkhawattanangkul, Y., Maiti, P., Xue, Y., Aryal, D., Wetsel, W. C., Hamilton, D., . . . McDonald, M. P. (2018). Targeted deletion of GD3 synthase protects against MPTP-induced neurodegeneration. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12377. <http://dx.doi.org/10.1111/gbb.12377>

Akman, S., Canakci, V., Kara, A., Tozoglu, U., Arabaci, T., & Dagsuyu, İ. M. (2018). Therapeutic Effects of Alpha-lipoic Acid and Vitamin C on Alveolar Bone Resorption After Experimental Periodontitis in Rats. A Biochemical, Histochemical and Stereologic Study. *Journal of Periodontology*, 1-10. doi: 10.1902/jop.2012.120252. <http://dx.doi.org/10.1902/jop.2012.120252>

Akram, A., Christoffel, D., Rocher, A. B., Bouras, C., Kövari, E., Perl, D. P., . . . others. (2018). Stereologic estimates of total spinophilin-immunoreactive spine number in area 9 and the CA1 field: Relationship with the progression of Alzheimer's disease. *Neurobiology of Aging*, 29(9), 1296-1307. doi.

Albayrak, A., Halici, Z., Cadirci, E., Polat, B., Karakus, E., Bayir, Y., . . . Dogrul, A. (2018). Inflammation and peripheral 5-HT7 receptors: The role of 5-HT7 receptors in carrageenan induced inflammation in rats. *European Journal of Pharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.ejphar.2013.05.010>. <http://www.sciencedirect.com/science/article/pii/S0014299913003877>

Alberico, S. L., Kim, Y.-C., Lence, T., & Narayanan, N. S. (2018). Axial levodopa-induced dyskinesias and neuronal activity in the dorsal striatum. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.11.046>. <http://www.sciencedirect.com/science/article/pii/S0306452216306881>

Albert, Y. v., Whitehead, J., Eldredge, L., Carter, J., Gao, X., & Tourtellotte, W. G. (2018). Transcriptional regulation of myotube fate specification and intrafusal muscle fiber morphogenesis. *Journal of Cell Biology*, 169, 257-268. doi.

Aldehri, M., Temel, Y., Jahanshahi, A., & Heschem, S. (2018). Fornix deep brain stimulation induces reduction of hippocampal synaptophysin levels. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2018.12.001>. <http://www.sciencedirect.com/science/article/pii/S0891061818301169>

Aldrin-Kirk, P., Heuer, A., Ottosson, D. R., Davidsson, M., Mattsson, B., & Björklund, T. (2018). Chemogenetic modulation of cholinergic interneurons reveals their regulating role on the direct and indirect output pathways from the striatum. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.10.010>. <http://www.sciencedirect.com/science/article/pii/S096999611730236X>

Alemdar, A. Y., Sadi, D., McAlister, V., & Mendez, I. (2018). Intracerebral co-transplantation of liposomal tacrolimus improves xenograft survival and reduces graft rejection in the hemiparkinsonian rat. *Neuroscience*, 146(1), 213-224. doi.

Alemdar, A. Y., Sadi, D., McAlister, V. C., & Mendez, I. (2018). Liposomal formulations of tacrolimus and rapamycin increase graft survival and fiber outgrowth of dopaminergic grafts. *Cell Transplantation*, 13(3), 263-271. doi.

Alexander, M., Garbus, H., Smith, A. L., & Fitch, R. H. (2018). Cell size anomalies in the auditory thalamus of rats with hypoxic-ischemic injury on postnatal day 3 or 7. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2013.10.006>. <http://www.sciencedirect.com/science/article/pii/S0736574813001469>

Alexander, M., Garbus, H., Smith, A. L., Rosenkrantz, T. S., & Fitch, R. H. (2018). Behavioral and histological outcomes following neonatal HI injury in a preterm (P3) and term (P7) rodent model. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.10.038>. <http://www.sciencedirect.com/science/article/pii/S0166432813006530>

Alexander, M., Hill, C., Rosenkrantz, T., & Fitch, R. (2018). Evaluation of the Therapeutic Benefit of Delayed Administration of Erythropoietin following Early Hypoxic-Ischemic Injury in Rodents. *Developmental Neuroscience*. doi.

Alia, C., Spalletti, C., Lai, S., Panarese, A., Micera, S., & Caleo, M. (2018). Reducing GABAA-mediated inhibition improves forelimb motor function after focal cortical stroke in mice. [Article]. *Scientific Reports*, 6, 37823. doi: 10.1038/srep37823

<http://www.nature.com/articles/srep37823#supplementary-information>. <http://dx.doi.org/10.1038/srep37823>

Al-Izki, S., Pryce, G., Jackson, S. J., Giovannoni, G., & Baker, D. (2018). Immunosuppression with FTY720 is insufficient to prevent secondary progressive neurodegeneration in experimental autoimmune encephalomyelitis. *Multiple Sclerosis Journal*, 17(8), 939-948. doi.

Alkan, I., Altunkaynak, B. Z., Kivrak, E. G., Kaplan, A. A., & Arslan, G. (2020). Is vagal stimulation or inhibition benefit on the regulation of the stomach brain axis in obesity? *Nutritional Neuroscience*, 1-13. doi: 10.1080/1028415x.2020.1809875. <https://doi.org/10.1080/1028415X.2020.1809875>

Alladi, P. A., Mahadevan, A., Shankar, S. K., Raju, T. R., & Muthane, U. (2018). Expression of GDNF receptors GFR α 1 and RET is preserved in substantia nigra pars compacta of aging Asian Indians. *Journal of Chemical Neuroanatomy*, 40(1), 43-52. doi.

Alladi, P. A., Mahadevan, A., Vijayalakshmi, K., Muthane, U., Shankar, S. K., & Raju, T. R. (2018). Ageing enhances α -synuclein, ubiquitin and endoplasmic reticular stress protein expression in the nigral neurons of Asian Indians. *Neurochemistry International*, 57(5), 530-539. doi.

Alladi, P. A., Mahadevan, A., Yasha, T. C., Raju, T. R., Shankar, S. K., & Muthane, U. (2018). Absence of age-related changes in nigral dopaminergic neurons of Asian Indians: Relevance to lower incidence of Parkinson's disease. *Neuroscience*, 159(1), 236-245. doi.

Allahyari, R. V., Clark, K. L., Shepard, K. A., & Garcia, A. D. R. (2019). Sonic hedgehog signaling is negatively regulated in reactive astrocytes after forebrain stab injury. *Scientific Reports*, 9(1), 565. doi: 10.1038/s41598-018-37555-x. <https://doi.org/10.1038/s41598-018-37555-x>

Allard, J., Tizabi, Y., Shaffery, J., & Manaye, K. (2018). Effects of rapid eye movement sleep deprivation on hypocretin neurons in the hypothalamus of a rat model of depression. *Neuropeptides*, 41(5), 329-337. doi.

Allegra, M., Spalletti, C., Vignoli, B., Azzimondi, S., Busti, I., Billuart, P., . . . Caleo, M. (2018). Pharmacological rescue of adult hippocampal neurogenesis in a mouse model of X-linked intellectual disability. *Neurobiology of Disease*, 100, 75-86. doi: <http://dx.doi.org/10.1016/j.nbd.2017.01.003>.
[//www.sciencedirect.com/science/article/pii/S0969996117300037](http://www.sciencedirect.com/science/article/pii/S0969996117300037)

Allen, A. R., & Smith, G. T. (2018). Spinal Transection Induces Widespread Proliferation of Cells along the Length of the Spinal Cord in a Weakly Electric Fish. *Brain, Behavior and Evolution*, 80(4), 269-280. doi.

Allen, B., Ingram, E., Takao, M., Smith, M. J., Jakes, R., & Virdee, K. (2018). Abundant tau filaments and nonapoptotic neurodegeneration in transgenic mice expressing human P301S tau protein. *Journal of Neuroscience*, 22. doi.

Allen, D. M., van Praag, H., Ray, J., Weaver, Z., Winrow, C. J., Carter, T. A., . . . Barlow, C. (2018). Ataxia telangiectasia mutated is essential during adult neurogenesis. *Genes and Development*, 15(5), 554-566. doi.

Allen, J. L., Liu, X., Weston, D., Conrad, K., Oberdörster, G., & Cory-Slechta, D. A. (2018). Consequences of developmental exposure to concentrated ambient ultrafine particle air pollution combined with the adult paraquat and maneb model of the Parkinson's disease phenotype in male mice. *Neurotoxicology*, (0). doi: <http://dx.doi.org/10.1016/j.neuro.2014.01.004>. <http://www.sciencedirect.com/science/article/pii/S0161813X14000175>

Allen, K. M., Fung, S. J., Rothmond, D. A., Noble, P. L., & Shannon Weickert, C. (2018). Gonadectomy increases neurogenesis in the male adolescent rhesus macaque hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22217. <http://dx.doi.org/10.1002/hipo.22217>

Allen, K. M., Fung, S. J., & Shannon Weickert, C. (2018). Cell proliferation is reduced in the hippocampus in schizophrenia. *Australian and New Zealand Journal of Psychiatry*. doi:

10.1177/0004867415589793. <http://anp.sagepub.com/content/early/2015/06/24/0004867415589793.abstract>

Allman, J. M., Tetreault, N. A., Hakeem, A. Y., Manaye, K. F., Semendeferi, K., Erwin, J. M., . . . Hof, P. R. (2018). The von Economo neurons in frontoinsular and anterior cingulate cortex in great apes and humans. *Brain Structure and Function*, 214(5), 495-517. doi.

Allman, J. M., Tetreault, N. A., Hakeem, A. Y., Manaye, K. F., Semendeferi, K., Erwin, J. M., . . . Hof, P. R. (2018). The von Economo neurons in the frontoinsular and anterior cingulate cortex. *Annals of the New York Academy of Sciences*, 1225(1), 59-71. doi.

Allman, J. M., Tetreault, N. A., Hakeem, A. Y., & Park, S. (2018). The von economo neurons in apes and humans. *American Journal of Human Biology*, 23(1), 5-21. doi.

Almahbobi, G., Ruoss, C., Tadros, A., O'Shea, T., & McFarlane, J. (2018). The Role of BMP Signalling Pathway in the Regulation of Ovarian Follicle Development. *Biology of Reproduction*, 78, 290. doi.

Almeida, A. J., Cunha, C., Carmona, J. A., Sampaio-Marques, B., Carvalho, A., Malavazi, I., . . . Rodrigues, F. (2018). Cdc42p controls yeast-cell shape and virulence of *Paracoccidioides brasiliensis*. *Fungal Genetics and Biology*, 46(12), 919-926. doi.

Almeida-Suhett, C. P., Prager, E. M., Pidoplichko, V., Figueiredo, T. H., Marini, A. M., Li, Z., . . . Braga, M. F. M. (2018). GABAergic interneuronal loss and reduced inhibitory synaptic transmission in the hippocampal CA1 region after mild traumatic brain injury. *Experimental Neurology*, 273, 11-23. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.07.028>. <http://www.sciencedirect.com/science/article/pii/S0014488615300613>

Almeida-Suhett, C. P., Prager, E. M., Pidoplichko, V., Figueiredo, T. H., Marini, A. M., Li, Z., . . . Braga, M. F. M. (2018). Reduced GABAergic Inhibition in the Basolateral Amygdala and the Development of Anxiety-Like Behaviors after Mild Traumatic Brain Injury. *Plos one*, 9(7), e102627. doi: 10.1371/journal.pone.0102627. <http://dx.doi.org/10.1371%2Fjournal.pone.0102627>

Alonso-Nanclares, L., Gonzalez-Soriano, J., Rodriguez, J. R., & DeFelipe, J. (2018). Gender differences in human cortical synaptic density. *Proceedings of the National Academy of Sciences*, 105(38), 14615-14619. doi: 10.1073/Proceedings of the National Academy of Sciences.0803652105. <http://www.Proceedings of the National Academy of Sciences.org/content/105/38/14615.abstract>

Alonso-Nanclares, L., Kastanauskaite, A., Rodriguez, J.-R., Gonzalez-Soriano, J., & DeFelipe, J. (2018). A stereological study of synapse number in the epileptic human hippocampus. [Original Research]. *Frontiers in Neuroanatomy*, 5. doi: 10.3389/fnana.2011.00008. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy...>

Alpár, A., Gärtner, U., Seeger, G., Härtig, W., Brauer, K., & Arendt, T. (2018). Constitutive expression of p21H-rasVal12 in pyramidal neurons results in reorganization of mouse neocortical afferents. *Journal of Neurobiology*, 60(3), 263-274. doi.

Alpar, A., Seeger, G., Hartig, W., Arendt, T., & Gartner, U. (2018). Adaptive morphological changes of neocortical interneurons in response to enlarged and more complex pyramidal cells in p21H-RasVal12 transgenic mice. *Brain Research Bulletin*, 62(4), 335-343. doi.

- Al-Samerria, S., Al-Ali, I., McFarlane, J. R., & Almahbobi, G. (2018). The impact of passive immunization against BMPR1B and BMP4 on follicle development and ovulation. *Reproduction*, REP-14-0451. doi: <http://www.reproduction-online.org/content/early/2015/02/09/REP-14-0451...>
- Altamura, C., Dell'Acqua, M. L., Moessner, R., Murphy, D. L., Lesch, K. P., & Persico, A. M. (2018). Altered Neocortical Cell Density and Layer Thickness in Serotonin Transporter Knockout Mice: A Quantitation Study. *Cerebral Cortex*, 17(6), 1394-1401. doi: 10.1093/cercor/bhl051. <http://cercor.oxfordjournals.org/cgi/content/abstract/17/6/1394>
- Alter, S. P., Stout, K. A., Lohr, K. M., Taylor, T. N., Shepherd, K. R., Wang, M., . . . Miller, G. W. (2018). Reduced vesicular monoamine transport disrupts serotonin signaling but does not cause serotonergic degeneration. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.016>. <http://www.sciencedirect.com/science/article/pii/S0014488615300984>
- Alto, L. T., Chen, X., Ruhn, K. A., Treviño, I., & Tansey, M. G. (2018). AAV-Dominant Negative Tumor Necrosis Factor (DN-TNF) Gene Transfer to the Striatum Does Not Rescue Medium Spiny Neurons in the YAC128 Mouse Model of Huntington's Disease. *Plos one*, 9(5), e96544. doi: 10.1371/journal.pone.0096544. <http://dx.doi.org/10.1371%2Fjournal.pone.0096544>
- Alto, L. T., Havton, L. A., Conner, J. M., Hollis li, E. R., Blesch, A., & Tuszynski, M. H. (2018). Chemotropic guidance facilitates axonal regeneration and synapse formation after spinal cord injury. *Nature Neuroscience*, 12(9), 1106-1113. doi.
- Altunkaynak, B. Z., Altun, G., Yahyazadeh, A., Kaplan, A. A., Deniz, O. G., Türkmen, A. P., . . . Kaplan, S. (2018). Different Methods for Evaluating the Effects of Microwave Radiation Exposure on the Nervous System. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2015.11.004>. <http://www.sciencedirect.com/science/article/pii/S0891061815000939>
- Altunkaynak, B. Z., Ozbek, E., & others. (2018). Overweight and structural alterations of the liver in female rats fed a high-fat diet: a stereological and histological study. *Turkish Journal of Gastroenterology*, 20(2), 93-103. doi.
- Altunkaynak, M. E., Altunkaynak, B. Z., Ünal, D., Vuraler, û., Ünal, B., & others. (2018). Morphological alterations of sciatic nerve during development from rat fetuses to adults: a histological, stereological and embryological study. *Journal of the Faculty of Veterinary Medicine, University of Kafkas, Kars*, 15. doi.
- Alvandi, M. S., Bourmpoula, M., Homberg, J. R., & Fathollahi, Y. (2018). Association of contextual cues with morphine reward increases neural and synaptic plasticity in the ventral hippocampus of rats. *Addiction Biology*, n/a-n/a. doi: 10.1111/adb.12547. <http://dx.doi.org/10.1111/adb.12547>
- Alves, M. J., Goksel, M., Kaya, B., Mostafa, H., Gygli, P., Stephens, J., . . . Czeisler, C. M. (2018). CCNA2 Ablation in Aged Mice Results in Abnormal rRNA Granule Accumulation in Hippocampus. *The American journal of pathology*. doi: <https://doi.org/10.1016/j.ajpath.2018.10.020>. <http://www.sciencedirect.com/science/article/pii/S000294401830381X>
- Alvisi, R. D., Diniz, G. B., Da-Silva, J. M., Bittencourt, J. C., & Felicio, L. F. (2018). Suckling-induced Fos activation and melanin-concentrating hormone immunoreactivity during late lactation. *Life Sciences*. doi: <http://dx.doi.org/10.1016/j.lfs.2016.02.038>. <http://www.sciencedirect.com/science/article/pii/S0024320516300881>

- Alzghoul, L., Bortolato, M., Delis, F., Thanos, P. K., Darling, R. D., Godar, S. C., . . . Shih, J. C. (2018). Altered cerebellar organization and function in monoamine oxidase A hypomorphic mice. *Neuropharmacology*, 63(7), 1208-1217. doi: 10.1016/j.neuropharm.2012.08.003. <http://www.sciencedirect.com/science/article/pii/S0028390812004005>
- Amaral, C., Antonio, B., Oliveira, M. G. M., Hamani, C., Guinsburg, R., & Covolan, L. (2018). Early postnatal nociceptive stimulation results in deficits of spatial memory in male rats. *Neurobiology of Learning and Memory*. doi: <http://dx.doi.org/10.1016/j.nlm.2015.08.012>. <http://www.sciencedirect.com/science/article/pii/S1074742715001690>
- Ambalavanar, R., & Dessem, D. (2018). The Involvement of Calcitonin Gene-Related Peptide in Deep Tissue Nociception. *Progress in Neuropeptide Research*, 125-125. doi.
- Ambrosi, G., Kustrimovic, N., Siani, F., Rasini, E., Cerri, S., Ghezzi, C., . . . Blandini, F. (2018). Complex Changes in the Innate and Adaptive Immunity Accompany Progressive Degeneration of the Nigrostriatal Pathway Induced by Intrastratial Injection of 6-Hydroxydopamine in the Rat. [journal article]. *Neurotoxicity research*, 1-11. doi: 10.1007/s12640-017-9712-2. <http://dx.doi.org/10.1007/s12640-017-9712-2>
- Amina, S., Falcone, C., Hong, T., Wolf-Ochoa, M. W., Vakilzadeh, G., Allen, E., . . . Martinez-Cerdeño, V. (2021). Chandelier Cartridge Density Is Reduced in the Prefrontal Cortex in Autism. *Cerebral Cortex*, (bhaa402). doi: 10.1093/cercor/bhaa402. <https://doi.org/10.1093/cercor/bhaa402>
- Ammassari-Teule, M., Sgobio, C., Biamonte, F., Marrone, C., Mercuri, N. B., & Keller, F. (2018). Reelin haploinsufficiency reduces the density of PV+ neurons in circumscribed regions of the striatum and selectively alters striatal-based behaviors. *Psychopharmacology*, 204(3), 511-521. doi.
- Ammer, A. G., Hayes, K. E., Martin, K. H., Zhang, L., Spirou, G. A., & Weed, S. A. (2018). Multi-photon Imaging of Tumor Cell Invasion in an Orthotopic Mouse Model of Oral Squamous Cell Carcinoma. *Journal of Visualized Experiments*, (53). doi.
- Ammer, A. G., Kelley, L. C., Hayes, K. E., Evans, J. V., Lopez-Skinner, L. A., Martin, K. H., . . . others. (2018). Saracatinib impairs head and neck squamous cell carcinoma invasion by disrupting invadopodia function. *Journal of Cancer Science and Therapy*, 1(2), 052-052. doi.
- Amorapanth, P., LeDoux, J. E., & Nader, K. (2018). "Different lateral amygdala outputs mediate reactions and actions elicited by a fear-arousing stimulus.". *Nature of Neuroscience*, 3, 74-79. doi.
- Amorapanth, P., Nader, K., & LeDoux, J. E. (2018). "Lesions of Periaqueductal Gray Dissociate-Conditioned Freezing From Conditioned Suppression Behavior in Rats.". *Learning and Memory*, 6(5), 491-499. doi.
- Amrein, I., & Slomianka, L. (2018). A morphologically distinct granule cell type in the dentate gyrus of the red fox correlates with adult hippocampal neurogenesis. *Brain Research*, 1328, 12-24. doi.
- Amrein, I., Slomianka, L., & Lipp, H.-P. (2018). Granule cell number, cell death and cell proliferation in the dentate gyrus of wild-living rodents. *European Journal of Neuroscience*, 20(12), 3342-3350. doi:10.1111/j.1460-9568.2004.03795.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03795.x>

Anan, J., Hijioka, M., Kurauchi, Y., Hisatsune, A., Seki, T., & Katsuki, H. (2018). Cortical hemorrhage-associated neurological deficits and tissue damage in mice are ameliorated by therapeutic treatment with nicotine. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.24016. <http://dx.doi.org/10.1002/jnr.24016>

Andersch, L., Radke, J., Klaus, A., Schwiebert, S., Winkler, A., Schumann, E., . . . Künkele, A. (2019). CD171- and GD2-specific CAR-T cells potently target retinoblastoma cells in preclinical in vitro testing. *BMC Cancer*, 19(1), 895. doi: 10.1186/s12885-019-6131-1. <https://doi.org/10.1186/s12885-019-6131-1>

Andersen, M. A., Christensen, K. V., Badolo, L., Smith, G. P., Jeggo, R., Jensen, P. H., . . . Sotty, F. (2018). Parkinson's disease-like burst firing activity in subthalamic nucleus induced by AAV- α -synuclein is normalized by LRRK2 modulation. *Neurobiology of Disease*, 116, 13-27. doi: <https://doi.org/10.1016/j.nbd.2018.04.011>. <https://www.sciencedirect.com/science/article/pii/S0969996118301190>

Anderson, A. J., Piltti, K. M., Hooshmand, M. J., Nishi, R. A., & Cummings, B. J. (2018). Preclinical Efficacy Failure of Human CNS-Derived Stem Cells for Use in the Pathway Study of Cervical Spinal Cord Injury. *Stem Cell Reports*, 8(2), 249-263. doi: <http://dx.doi.org/10.1016/j.stemcr.2016.12.018>. <http://www.sciencedirect.com/science/article/pii/S2213671116303083>

Anderson, D. J., Mondares, R. L., Born, D. E., & Gleason, C. A. (2018). The Effect of Binge Fetal Alcohol Exposure on the Number of Vasoactive Intestinal Peptide-Producing Neurons in Fetal Sheep Brain. *Developmental Neuroscience*, (DOI: 10.1159/000110349). doi.

Anderson, D. W., Schray, R. C., Duester, G., & Schneider, J. S. (2018). Functional significance of aldehyde dehydrogenase ALDH1A1 to the nigrostriatal dopamine system. *Brain Research*. doi.

Anderson, M. A., O'Shea, T. M., Burda, J. E., Ao, Y., Barlatey, S. L., Bernstein, A. M., . . . Sofroniew, M. V. (2018). Required growth facilitators propel axon regeneration across complete spinal cord injury. *Nature*. doi: 10.1038/s41586-018-0467-6. <https://doi.org/10.1038/s41586-018-0467-6>

Andersson, C., Hamer, R. M., Lawler, C. P., Mailman, R. B., & Lieberman, J. A. (2018). Striatal Volume Changes in the Rat Following Long-term Administration of Typical and Atypical Antipsychotic Drugs. *Neuropsychopharmacology*, 27, 143-151. doi.

Andersson, E. R., Prakash, N., Cajanek, L., Minina, E., Bryja, V., Bryjova, L., . . . Arenas, E. (2018). Wnt5a regulates ventral midbrain morphogenesis and the development of A9-A10 dopaminergic cells in vivo. *PLoS ONE*, 3(10), e3517-e3517. doi.

Ando, K., Leroy, K., Héraud, C., Yilmaz, Z., Authélet, M., Suain, V., . . . Brion, J. P. (2018). Accelerated human mutant tau aggregation by knocking out murine tau in a transgenic mouse model. *American Journal of Pathology*, 178(2), 803-803. doi.

Andorfer, C., Acker, C. M., Kress, Y., Hof, P. R., Duff, K., & Davies, P. (2018). Cell-Cycle Reentry and Cell Death in Transgenic Mice Expressing Nonmutant Human Tau Isoforms. *Journal of Neuroscience*, 25(22), 5446-5454. doi: <http://www.jneurosci.org/cgi/content/abstract/25/22/5446>

Andres, R. H., Horie, N., Slikker, W., Keren-Gill, H., Zhan, K., Sun, G., . . . Steinberg, G. K. (2018). Human neural stem cells enhance structural plasticity and axonal transport in the ischaemic brain. *Brain*, 134(6), 1777-1789. doi: 10.1093/brain/awr094. <http://brain.oxfordjournals.org/cgi/content/abstract/134/6/1777>

Andres-Mateos, E., Mejias, R., Sasaki, M., Li, X., Lin, B. M., Biskup, S., . . . Dawson, V. L. (2018). Unexpected Lack of Hypersensitivity in LRRK2 Knock-Out Mice to MPTP (1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine). *Journal of Neuroscience*, 29(50), 15846-15850. doi: 10.1523/jneurosci.4357-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/50/15846>

Andres-Mateos, E., Perier, C., Zhang, L., Blanchard-Fillion, B., Greco, T. M., Thomas, B., . . . Dawson, V. L. (2018). DJ-1 gene deletion reveals that DJ-1 is an atypical peroxiredoxin-like peroxidase. *Proceedings of the National Academy of Sciences*, 104(37), 14807-14812. doi: 10.1073/Proceedings of the National Academy of Sciences.0703219104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/37/14807>

Andrews, Z. B., Erion, D., Beiler, R., Liu, Z.-W., Abizaid, A., Zigman, J., . . . Horvath, T. L. (2018). Ghrelin Promotes and Protects Nigrostriatal Dopamine Function via a UCP2-Dependent Mitochondrial Mechanism. *Journal of Neuroscience*, 29(45), 14057-14065. doi: 10.1523/jneurosci.3890-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/45/14057>

Ang, E. T., Dawe, G. S., Wong, P. T. H., Moochhala, S., & Ng, Y. K. (2018). Alterations in spatial learning and memory after forced exercise. *Brain Research*, 1113(1), 186-193. doi.

Ang, E.-T., Schaefer, R., Baltensperger, R., Wernig, A., Celio, M., & Oliver, S. S. (2018). Motor Axonal Sprouting and Neuromuscular Junction Loss in an Animal Model of Charcot-Marie-Tooth Disease. *Journal of Neuropathology and Experimental Neurology*, 69(3), 281-293. doi.

Angelucci, C., D'Alessio, A., Sorrentino, S., Biamonte, F., Moscato, U., Mangiola, A., . . . Iacopino, F. (2021). Immunohistochemical Analysis of DNA Repair- and Drug-Efflux-Associated Molecules in Tumor and Peritumor Areas of Glioblastoma. *International Journal of Molecular Sciences*, 22(4). doi: 10.3390/ijms22041620.

Angka, H. E., Geddes, A. J., & Kablar, B. (2018). Differential survival response of neurons to exogenous GDNF depends on the presence of skeletal muscle. *Developmental Dynamics*, 237(11), 3169-3178. doi.

Angka, H. E., & Kablar, B. (2018). Differential responses to the application of exogenous NT-3 are observed for subpopulations of motor and sensory neurons depending on the presence of skeletal muscle. *Developmental Dynamics*, 236(5), 1193-1202. doi.

Anisimov, V. N., Berstein, L. M., Egormin, P. A., Piskunova, T. S., Popovich, I. G., & Zabezhinski, M. A. (2018). Metformin slows down aging and extends life span of female SHR mice. *Cell Cycle*, 7. doi: 10.4161/cc.7.17.6625. <http://dx.doi.org/10.4161/cc.7.17.6625>

Anneken, J., Cunningham, J., Collins, S., Yamamoto, B., & Gudelsky, G. (2018). MDMA Increases Glutamate Release and Reduces Parvalbumin-Positive GABAergic Cells in the Dorsal Hippocampus of the Rat: Role of Cyclooxygenase. *Journal of Neuroimmune Pharmacology*, 1-8. doi: 10.1007/s11481-012-9420-x. <http://dx.doi.org/10.1007/s11481-012-9420-x>

Anselmi, L., Bove, C., Coleman, F. H., Le, K., Subramanian, M. P., Venkiteswaran, K., . . . Travagli, R. A. (2018). Ingestion of subthreshold doses of environmental toxins induces ascending Parkinsonism in the rat. *Npj Parkinson's Disease*, 4(1), 30. doi: 10.1038/s41531-018-0066-0. <https://doi.org/10.1038/s41531-018-0066-0>

Anslow, M. J., Bodnar, A. J., Cerqueira, D. M., Bushnell, D., Shrom, B. E., Sims-Lucas, S., . . . Ho, J. (2020). Increased rates of vesicoureteral reflux in mice from deletion of Dicer in the peri-Wolffian duct

stroma. *Pediatric Research*. doi: 10.1038/s41390-020-0788-7. <https://doi.org/10.1038/s41390-020-0788-7>

Antenor-Dorsey, J. A. V., & O'Malley, K. L. (2018). WldS but not Nmnat1 protects dopaminergic neurites from MPP+ neurotoxicity. *Molecular Neurodegeneration*, 7(1), 5-5. doi:

Antipova, V., Hawlitschka, A., Mix, E., Schmitt, O., Dräger, D., Benecke, R., & Wree, A. (2018). Behavioral and structural effects of unilateral intrastriatal injections of botulinum neurotoxin a in the rat model of parkinson's disease. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23210. <http://dx.doi.org/10.1002/jnr.23210>

Antkiewicz, D. S., Burns, C. G., Carney, S. A., Peterson, R. E., & Heideman, W. (2018). Heart Malformation Is an Early Response to TCDD in Embryonic Zebrafish. *Toxicological Sciences*, 84(2), 368-377. doi: 10.1093/toxsci/kfi073. <http://toxsci.oxfordjournals.org/cgi/content/abstract/84/2/368>

Antonucci, F., Di Garbo, A., Novelli, E., Manno, I., Sartucci, F., Bozzi, Y., & Caleo, M. (2018). Botulinum neurotoxin E (BoNT/E) reduces CA1 neuron loss and granule cell dispersion, with no effects on chronic seizures, in a mouse model of temporal lobe epilepsy. *Experimental Neurology*, 210(2), 388-401. doi:

Anzalone, S., Vetreno, R. P., Ramos, R. L., & Savage, L. M. (2018). Cortical cholinergic abnormalities contribute to the amnesic state induced by pyriithiamine-induced thiamine deficiency in the rat. *European Journal of Neuroscience*, no-no. doi: <http://dx.doi.org/10.1111/j.1460-9568.2010.07358.x>

Aoyama, N., Lee, S. M., Moro, N., Hovda, D. A., & Sutton, R. L. (2018). Duration of ATP reduction affects extent of CA1 cell death in rat models of fluid percussion injury combined with secondary ischemia. *Brain Research*, 1230, 310-319. doi:

Apland, J. P., Aroniadou-Anderjaska, V., Figueiredo, T. H., De Araujo Furtado, M., & Braga, M. F. M. (2018). Full Protection Against Soman-Induced Seizures and Brain Damage by LY293558 and Caramiphen Combination Treatment in Adult Rats. [journal article]. *Neurotoxicity research*. doi: 10.1007/s12640-018-9907-1. <https://doi.org/10.1007/s12640-018-9907-1>

Apland, J. P., Aroniadou-Anderjaska, V., Figueiredo, T. H., Green, C. E., Swezey, R. R., Yang, C., . . . Braga, M. F. M. (2018). Efficacy of the GluK1/AMPA Receptor Antagonist LY293558 Against Seizures and Neuropathology in a Soman-Exposure Model without Pretreatment and its Pharmacokinetics after Intramuscular Administration. *Journal of Pharmacology and Experimental Therapeutics*. doi: 10.1124/jpet.112.198689. <http://jpet.aspetjournals.org/content/early/2012/10/05/jpet.112.198689.a..>

Apland, J. P., Aroniadou-Anderjaska, V., Figueiredo, T. H., Rossetti, F., Miller, S. L., & Braga, M. F. M. (2018). The Limitations of Diazepam as a Treatment for Nerve Agent-Induced Seizures and Neuropathology in Rats; Comparison with UBP302. *Journal of Pharmacology and Experimental Therapeutics*. doi: 10.1124/jpet.114.217299. <http://jpet.aspetjournals.org/content/early/2014/08/25/jpet.114.217299.a..>

Aponso, P. M., Faull, R. L. M., & Connor, B. (2018). Increased progenitor cell proliferation and astrogenesis in the partial progressive 6-hydroxydopamine model of Parkinson's disease. *Neuroscience*, 151(4), 1142-1153. doi:

Ara, J., Fekete, S., Frank, M., Golden, J. A., Pleasure, D., & Valencia, I. (2018). Hypoxic-preconditioning induces neuroprotection against hypoxia-ischemia in newborn piglet brain. *Neurobiology of Disease*. doi:

- Arabaci, T., Cicek, Y., Canakci, V., Canakci, C. F., Ozgoz, M., Albayrak, M., & Keles, O. N. (2018). Immunohistochemical and Stereologic Analysis of NF- κ B Activation in Chronic Periodontitis. *European Journal of Dentistry*, 4(4), 454-454. doi.
- Arabaci, T., Kermen, E., Özkanlar, S., Köse, O., Kara, A., Duman, Ş. B., & Ibişoğlu, E. (2018). Therapeutic Effects of Melatonin on Alveolar Bone Resorption After Experimental Periodontitis in Rats. A Biochemical and Immunohistochemical Study. *Journal of Periodontology*, 1-13. doi: 10.1902/jop.2015.140599. <http://dx.doi.org/10.1902/jop.2015.140599>
- Arabaci, T., Köse, O., Kizildağ, A., Albayrak, M., Çiçek, Y., & Kara, A. (2018). Role of Nuclear Factor- κ B in Phenytoin-induced Gingival Overgrowth. *Oral Diseases*, n/a-n/a. doi: 10.1111/odi.12111. <http://dx.doi.org/10.1111/odi.12111>
- Arango, V., Mann, J. J., & Underwood, M. D. (2018). Fewer pigmented locus coeruleus neurons in suicide victims: preliminary results. *Biology of Psychiatry*, 39, 112-120. doi.
- Arango, V., Mann, J. J., & Underwood, M. D. (2018). Fewer pigmented neurons in the locus coeruleus of uncomplicated alcoholics. *Brain Research Protocols*, 650, 1-8. doi.
- Arathoon, L. R., Gleave, J. A., Trinh, D., Lizal, K. E., Giguère, N., Barber, J. H. M., . . . Nash, J. E. (2018). Sirtuin 3 rescues neurons through the stabilisation of mitochondrial biogenetics in the virally-expressing mutant α -synuclein rat model of parkinsonism. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.06.009>. <http://www.sciencedirect.com/science/article/pii/S0969996117301365>
- Aravanis, C. V., Kapelouzou, A., Vagios, S., Tsilimigras, D. I., Katsimpoulas, M., Moris, D., . . . Liakakos, T. (2018). Toll-Like Receptors -2, -3, -4 and -7 Expression Patterns in the Liver of a CLP-Induced Sepsis Mouse Model. *Journal of Investigative Surgery*, 1-9. doi: 10.1080/08941939.2018.1476630. <https://doi.org/10.1080/08941939.2018.1476630>
- Arawaka, S., Fukushima, S., Sato, H., Sasaki, A., Koga, K., Koyama, S., & Kato, T. (2018). Zonisamide Attenuates α -Synuclein Neurotoxicity by an Aggregation-Independent Mechanism in a Rat Model of Familial Parkinson's Disease. *Plos one*, 9(2), e89076. doi: 10.1371/journal.pone.0089076. <http://dx.doi.org/10.1371%2Fjournal.pone.0089076>
- Arawaka, S., Sato, H., Sasaki, A., Koyama, S., & Kato, T. (2018). Mechanisms underlying extensive Ser129-phosphorylation in α -synuclein aggregates. *Acta Neuropathologica Communications*, 5(1), 48. doi: <https://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-017-0452-6>
- Ardah, M. T., Merghani, M. M., & Haque, M. E. (2019). Thymoquinone prevents neurodegeneration against MPTP in vivo and modulates α -synuclein aggregation in vitro. *Neurochemistry International*, 128, 115-126. doi: <https://doi.org/10.1016/j.neuint.2019.04.014>. <http://www.sciencedirect.com/science/article/pii/S0197018619300555>
- Ardestani, P. M., Evans, A. K., Yi, B., Nguyen, T., Coutellier, L., & Shamloo, M. (2018). Modulation of neuroinflammation and pathology in the 5XFAD mouse model of Alzheimer's disease using a biased and selective beta-1 adrenergic receptor partial agonist. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2017.01.010>. [//www.sciencedirect.com/science/article/pii/S0028390817300102](http://www.sciencedirect.com/science/article/pii/S0028390817300102)

Arima, Y., Yokota, S., & Fujitani, M. (2019). Lateral parabrachial neurons innervate orexin neurons projecting to brainstem arousal areas in the rat. *Scientific Reports*, 9(1), 2830. doi: 10.1038/s41598-019-39063-y. <https://doi.org/10.1038/s41598-019-39063-y>

Arisi, G. M., & Garcia-Cairasco, N. (2018). Doublecortin-positive newly born granule cells of hippocampus have abnormal apical dendritic morphology in the pilocarpine model of temporal lobe epilepsy. *Brain Research*, 1165, 126-134. doi.

Arisi, G. M., & Garcia-Cairasco, N. (2018). Hippocampal doublecortin-positive granular neurons have abnormal dendritic morphology in the temporal lobe epilepsy pilocarpine model. *Journal of Epilepsy and Clinical Neurophysiology*, 12(3), 135-138. doi.

Arisi, G. M., & Garcia-Cairasco, N. (2018). A Proliferaçao de Neuronios Granulares Hipocampais Aumenta e os Dendritos dos Novos Neuronios Sao Anormais no Modelo Experimental de ELT Induzida por Pilocarpina. *Journal of Epilepsy*, 12(3), 135-138. doi.

Arisi, G. M., Ruch, M., Foresti, M. L., Mukherjee, S., Ribak, C. E., & Shapiro, L. A. (2018). Astrocyte Alterations in the Hippocampus Following Pilocarpine-induced Seizures in Aged Rats. *Aging and Disease*, 2(4), 294-300. doi.

Armstrong, E. A., Rufener, C., Toscano, M. J., Eastham, J. E., Guy, J. H., Sandilands, V., . . . Smulders, T. V. (2020). Keel bone fractures induce a depressive-like state in laying hens. *Scientific Reports*, 10(1), 3007. doi: 10.1038/s41598-020-59940-1. <https://doi.org/10.1038/s41598-020-59940-1>

Arner, A., Rockenstein, E., Mante, M., Florio, J., Masliah, D., Salehi, B., . . . Rissman, R. A. (2018). Increased Vulnerability of the Hippocampus in Transgenic Mice Overexpressing APP and Triple Repeat Tau. *Journal of Alzheimer's Disease*, 61(3), 1201-1219. doi. <https://content.iospress.com/articles/journal-of-alzheimers-disease/jad1..>

Arnò, B., Grassivaro, F., Rossi, C., Bergamaschi, A., Castiglioni, V., Furlan, R., . . . Muzio, L. (2018). Neural progenitor cells orchestrate microglia migration and positioning into the developing cortex. [Article]. *Nat Commun*, 5. doi: 10.1038/ncomms6611. <http://dx.doi.org/10.1038/ncomms6611>

Arnold, S. E., Han, L. Y., Clark, C. M., Grossman, M., & Trojanowski, J. Q. (2018). Quantitative neurohistological features of frontotemporal degeneration. *Neurobiology of Aging*, 21(6), 913-919. doi.

Arnold, S. E., Trojanowski, J. Q., Gur, R. E., Blackwell, P., Han, L.-Y., & Choi, C. (2018). Absence of Neurodegeneration and Neural Injury in the Cerebral Cortex in a Sample of Elderly Patients With Schizophrenia *Archives of General Psychiatry*, 55, 225-232. doi.

Aron, L., Klein, P., Pham, T. T., Kramer, E. R., Wurst, W., & Klein, R. (2018). Pro-survival role for Parkinson's associated gene DJ-1 revealed in trophically impaired dopaminergic neurons. *PLoS biology*, 8(4), e1000349-e1000349. doi.

Arredondo, S. B., Guerrero, F. G., Herrera-Soto, A., Jensen-Flores, J., Bustamante, D. B., Oñate-Ponce, A., . . . Varela-Nallar, L. (2019). Wnt5a promotes differentiation and development of adult-born neurons in the hippocampus by noncanonical Wnt signaling. *Stem Cells*, n/a(n/a). doi: 10.1002/stem.3121. <https://stemcellsjournalsonline.wiley.com/doi/abs/10.1002/stem.3121>

Arriagada, P. V., Growdon, J. H., Hedley-Whyte, E. T., & Hyman, B. T. (1992). Neurofibrillary tangles but not senile plaques parallel duration and severity of Alzheimer's disease. *Neurology*, 42. doi: 10.1212/wnl.42.3.631. <http://dx.doi.org/10.1212/WNL.42.3.631>

Arruda-Carvalho, M., Akers, K. G., Guskjolen, A., Sakaguchi, M., Josselyn, S. A., & Frankland, P. W. (2014). Posttraining Ablation of Adult-Generated Olfactory Granule Cells Degrades Odor-Reward Memories. *The Journal of Neuroscience*, 34(47), 15793-15803. doi: <http://www.jneurosci.org/content/34/47/15793.short>

Arruda-Carvalho, M., Restivo, L., Guskjolen, A., Epp, J. R., Elgersma, Y., Josselyn, S. A., & Frankland, P. W. (2014). Conditional Deletion of α -CaMKII Impairs Integration of Adult-Generated Granule Cells into Dentate Gyrus Circuits and Hippocampus-Dependent Learning. *The Journal of Neuroscience*, 34(36), 11919-11928. doi: <http://www.jneurosci.org/content/34/36/11919.short>

Arruda-Carvalho, M., Sakaguchi, M., Akers, K. G., Josselyn, S. A., & Frankland, P. W. (2011). Posttraining Ablation of Adult-Generated Neurons Degrades Previously Acquired Memories. *Journal of Neuroscience*, 31(42), 15113-15127. doi: 10.1523/jneurosci.3432-11.2011. <http://www.jneurosci.org/content/31/42/15113.abstract>

Arshad, A., Yang, B., Bienemann, A. S., Barua, N. U., Wyatt, M. J., Woolley, M., . . . Gill, S. S. (2015). Convection-Enhanced Delivery of Carboplatin PLGA Nanoparticles for the Treatment of Glioblastoma. *Plos one*, 10(7), e0132266. doi: 10.1371/journal.pone.0132266. <http://dx.doi.org/10.1371%2Fjournal.pone.0132266>

Arsznov, B. M., & Sakai, S. T. (2013). The Procyonid Social Club: Comparison of Brain Volumes in the Coati (Nasua nasua), Kinkajou (Potos flavus), and Raccoon (Procyon lotor). *Brain, Behavior and Evolution*, 82(2), 129-145. doi: <http://www.karger.com/Article/FullText/354639>

Arun, P., Rossetti, F., Eken, O., Wilder, D., Wang, Y., & Long, J. (2021). Phosphorylated neurofilament heavy chain in the cerebrospinal fluid is a suitable biomarker of acute and chronic blast-induced traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2021.0144. <https://doi.org/10.1089/neu.2021.0144>

Arvanian, V. L., Schnell, L., Lou, L., Golshani, R., Hunanyan, A., Ghosh, A., . . . others. (2009). Chronic spinal hemisection in rats induces a progressive decline in transmission in uninjured fibers to motoneurons. *Experimental Neurology*, 216(2), 471-480. doi: 10.1016/j.expneurol.2009.05.011

Arvanitakis, Z., Schneider, J. A., Wilson, R. S., Bienias, J. L., Kelly, J. F., Evans, D. A., & Bennett, D. A. (2008). Statins, incident Alzheimer disease, change in cognitive function, and neuropathology. *Neurology*, 71. doi: 10.1212/01.wnl.0000288181.0000200826.0000288163. doi: 10.1212/01.wnl.0000288181.00826.63. <http://www.neurology.org/cgi/content/abstract/01.wnl.0000288181.00826.63>.

Arvanitakis, Z., Schneider, J. A., Wilson, R. S., Li, Y., Arnold, S. E., Wang, Z., & Bennett, D. A. (2006). Diabetes is related to cerebral infarction but not to AD pathology in older persons. *Neurology*, 67, 1960-1965. doi: 10.1212/01.wnl.0000200826.0000288163

Asa, H., Churni, Z., Aroa, R.-G., Chris, E., Arpine, G., Michael, J., . . . S., S. M. (2018). Deuterium-reinforced linoleic acid lowers lipid peroxidation and mitigates cognitive impairment in the Q140 knock in mouse model of Huntington's disease. *The FEBS Journal*, 0(ja). doi: 10.1111/febs.14590. <https://febs.onlinelibrary.wiley.com/doi/abs/10.1111/febs.14590>

Asadpour, R., Aliyoldashi, M. H., Saberivand, A., Hamidian, G., & Hejazi, M. (2020). Ameliorative effect of selenium nanoparticles on the structure and function of testis and in vitro embryo development in Aflatoxin B1-exposed male mice. *Andrologia*, n/a(n/a), e13824. doi: 10.1111/and.13824. <https://doi.org/10.1111/and.13824>

Ash, J. A., Velazquez, R., Kelley, C. M., Powers, B. E., Ginsberg, S. D., Mufson, E. J., & Strupp, B. J. (2014). Maternal choline supplementation improves spatial mapping and increases basal forebrain cholinergic neuron number and size in aged Ts65Dn mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.06.001>. <http://www.sciencedirect.com/science/article/pii/S096999611400165X>

Assis-Nascimento, P., Tsenkina, Y., & Liebl, D. J. (2018). EphB3 signaling induces cortical endothelial cell death and disrupts the blood-brain barrier after traumatic brain injury. *Cell death & disease*, 9(1), 7. doi: 10.1038/s41419-017-0016-5. <https://doi.org/10.1038/s41419-017-0016-5>

Atkins, C. M., Cepero, M. L., Kang, Y., Liebl, D. J., & Dietrich, W. D. (2012). Effects of rolipram on histopathological outcome after controlled cortical impact injury in mice. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.10.019. <http://www.sciencedirect.com/science/article/pii/S0304394012013766>

Atkins, C. M., Oliva Jr, A. A., Alonso, O. F., Pearse, D. D., Bramlett, H. M., & Dietrich, W. D. (2007). Modulation of the cAMP signaling pathway after traumatic brain injury. *Experimental Neurology*, 208(1), 145-158. doi.

Atkins, C. M., Truettner, J. S., Lotocki, G., Sanchez-Molano, J., Kang, Y., Alonso, O. F., . . . Bramlett, H. M. (2010). Post-traumatic seizure susceptibility is attenuated by hypothermia therapy. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2010.07467.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07467.x>

Atkins, N., Mitchell, J. W., Romanova, E. V., Morgan, D. J., Cominski, T. P., Ecker, J. L., . . . Gillette, M. U. (2010). Circadian integration of glutamatergic signals by little SAAS in novel suprachiasmatic circuits. *PLoS ONE*, 5(9), e12612-e12612. doi.

Attardo, A., Fabel, K., Krebs, J., Haubensak, W., Huttner, W. B., & Kempermann, G. (2009). Tis21 Expression Marks Not Only Populations of Neurogenic Precursor Cells but Also New Postmitotic Neurons in Adult Hippocampal Neurogenesis. *Cerebral Cortex*, bhp100. doi: 10.1093/cercor/bhp100. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp100v1>

Au - Winship, A. L., Au - Sarma, U. C., Au - Alesi, L. R., & Au - Hutt, K. J. (2020). Accurate Follicle Enumeration in Adult Mouse Ovaries. *Jove*, (164), e61782. doi: 10.3791/61782. <https://www.jove.com/t/61782>

Audet, J. N., Gowing, G., Paradis, R., Soucy, G., & Julien, J. P. (2012). Ablation of Proliferating Cells in the CNS Exacerbates Motor Neuron Disease Caused by Mutant Superoxide Dismutase. *PLoS ONE*, 7(4), e34932. doi.

Audouard, E., Houben, S., Masaracchia, C., Yilmaz, Z., Suain, V., Authélet, M., . . . Brion, J.-P. (2016). High-Molecular-Weight Paired Helical Filaments from Alzheimer Brain Induces Seeding of Wild-Type Mouse Tau into an Argyrophilic 4R Tau Pathology in Vivo. *The American journal of pathology*. doi: <http://dx.doi.org/10.1016/j.ajpath.2016.06.008>. <http://www.sciencedirect.com/science/article/pii/S0002944016302346>

Audoy-Rémus, J., Bozoyan, L., Dumas, A., Filali, M., Lecours, C., Lacroix, S., . . . Vallières, L. (2015). GPR84 deficiency reduces microgliosis, but accelerates dendritic degeneration and cognitive decline in a mouse model of Alzheimer's disease. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.01.010>. <http://www.sciencedirect.com/science/article/pii/S0889159115000136>

Audoy-Remus, J., Richard, J.-F., Soulet, D., Zhou, H., Kubes, P., & Vallieres, L. (2008). Rod-Shaped Monocytes Patrol the Brain Vasculature and Give Rise to Perivascular Macrophages under the Influence of Proinflammatory Cytokines and Angiopoietin-2. *Journal of Neuroscience*, 28(41), 10187-10199. doi: 10.1523/jneurosci.3510-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10187>

Auer, M. K., Sack, M., Lenz, J. N., Jakovcevski, M., Biedermann, S. V., Falfan-Melgoza, C., . . . Gass, P. (2015). Effects of a high-caloric diet and physical exercise on brain metabolite levels: a combined proton MRS and histologic study. [Original Article]. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1038/jcbfm.2014.231. <http://dx.doi.org/10.1038/jcbfm.2014.231>

Auer, R. N. (2019). Non-Perfused Brain and Retino-Dural Hemorrhage. *Canadian Journal of Neurological Sciences / Journal Canadien des Sciences Neurologiques*, 46(s2), S61-S62. doi: DOI: 10.1017/cjn.2019.260. <https://www.cambridge.org/core/article/nonperfused-brain-and-retinodural..>

Auffret, A., Gautheron, V., Repici, M., Kraftsik, R., Mount, H. T. J., Mariani, J., & Rovira, C. (2009). Age-Dependent Impairment of Spine Morphology and Synaptic Plasticity in Hippocampal CA1 Neurons of a Presenilin 1 Transgenic Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 29(32), 10144-10152. doi: 10.1523/jneurosci.1856-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/32/10144>

Augur, I. F., Wyckoff, A. R., Aston-Jones, G., Kalivas, P. W., & Peters, J. (2016). Chemogenetic Activation of an Extinction Neural Circuit Reduces Cue-Induced Reinstatement of Cocaine Seeking. *The Journal of Neuroscience*, 36(39), 10174-10180. doi: <http://www.jneurosci.org/content/36/39/10174.short>

Augustinack, J. C., Helmer, K., Huber, K. E., Kakunoori, S., Zöllei, L., & Fischl, B. (2010). Direct visualization of the perforant pathway in the human brain with ex vivo diffusion tensor imaging. *Frontiers in Human Neuroscience*, 4. doi.

Augustinack, J. C., Schneider, A., Mandelkow, E. M., & Hyman, B. T. (2002). Specific tau phosphorylation sites correlate with severity of neuronal cytopathology in Alzheimer's disease. *Acta Neuropathol*, 103. doi: 10.1007/s004010100423. <http://dx.doi.org/10.1007/s004010100423>

Augustine, F., Rajendran, S., & Singer, H. S. (2019). Cortical Endogenous Opioids and Their Role in Facilitating Repetitive Behaviors in Deer Mice. *Behavioural Brain Research*, 112317. doi: <https://doi.org/10.1016/j.bbr.2019.112317>. <http://www.sciencedirect.com/science/article/pii/S0166432819313816>

Aumann, T. D., Egan, K., Lim, J., Boon, W. C., Bye, C. R., Chua, H. K., . . . Horne, M. K. (2011). Neuronal activity regulates expression of tyrosine hydroxylase in adult mouse substantia nigra pars compacta neurons. *Journal of Neurochemistry*, 116(4), 646-658. doi: 10.1111/j.1471-4159.2010.07151.x. <http://dx.doi.org/10.1111/j.1471-4159.2010.07151.x>

Aumann, T. D., Gantois, I., Egan, K., Vais, A., Tomas, D., Drago, J., & Horne, M. K. (2008). SK channel function regulates the dopamine phenotype of neurons in the substantia nigra pars compacta. *Experimental Neurology*, 213(2), 419-430. doi.

Aumann, T. D., Raabus, M., Tomas, D., Prijanto, A., Churilov, L., Spitzer, N. C., & Horne, M. K. (2016). Differences in Number of Midbrain Dopamine Neurons Associated with Summer and Winter Photoperiods in Humans. *Plos one*, 11(7), e0158847. doi: 10.1371/journal.pone.0158847. <http://dx.doi.org/10.1371%2Fjournal.pone.0158847>

Aumann, T. D., Tomas, D., & Horne, M. K. (2013). Environmental and behavioral modulation of the number of substantia nigra dopamine neurons in adult mice. *Brain and Behavior*, n/a-n/a. doi: 10.1002/brb3.163. <http://dx.doi.org/10.1002/brb3.163>

Aungst, S. L., Kabadi, S. V., Thompson, S. M., Stoica, B. A., & Faden, A. I. (2014). Repeated mild traumatic brain injury causes chronic neuroinflammation, changes in hippocampal synaptic plasticity, and associated cognitive deficits. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm201475a.html>

Austin, P. J., Beyer, K., Bembrick, A. L., & Keay, K. A. (2010). Peripheral nerve injury differentially regulates dopaminergic pathways in the nucleus accumbens of rats with either [] pain alone'or [] pain and disability'. *Neuroscience*, 171(1), 329-343. doi.

Auth, C. S., Weidner, M. T., Popp, S., Strelakova, T., Schmitt-Böhrer, A. G., van den Hove, D. L. A., . . . Waider, J. (2018). Differential anxiety-related behaviours and brain activation in Tph2-deficient female mice exposed to adverse early environment. *European Neuropsychopharmacology*. doi: <https://doi.org/10.1016/j.euroneuro.2018.07.103>. <http://www.sciencedirect.com/science/article/pii/S0924977X18302888>

Auvergne, R., Wu, C., Connell, A., Au, S., Cornwell, A., Osipovitch, M., . . . Goldman, S. A. (2015). PAR1 inhibition suppresses the self-renewal and growth of A2B5-defined glioma progenitor cells and their derived gliomas in vivo. [Original Article]. *Oncogene*. doi: 10.1038/onc.2015.452. <http://dx.doi.org/10.1038/onc.2015.452>

Auvergne, Romane M., Sim, Fraser J., Wang, S., Chandler-Militello, D., Burch, J., Al Fanek, Y., . . . Goldman, Steven A. (2013). Transcriptional Differences between Normal and Glioma-Derived Glial Progenitor Cells Identify a Core Set of Dysregulated Genes. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.04.035>. <http://www.sciencedirect.com/science/article/pii/S221124713002179>

Avila, I., Parr-Brownlie, L. C., Brazhnik, E., Castañeda, E., Bergstrom, D. A., & Walters, J. R. (2010). Beta frequency synchronization in basal ganglia output during rest and walk in a hemiparkinsonian rat. *Experimental Neurology*, 221(2), 307-319. doi.

Avila, J., Leon-Espinosa, G., Garcia, E., Garcia-Escudero, V., Hernandez, F., & Defelipe, J. (2012). Tau phosphorylation by GSK3 in different conditions. *Int J Alzheimers Dis*, 2012. doi.

Avsar, U., Halici, Z., Akpınar, E., Yayla, M., Harun, U., Hasan, T. A., & Bayraktutan, Z. (2016). The Effects of Argan Oil in Second-degree Burn Wound Healing in Rats. *Ostomy/Wound Management*, 62(3), 26. doi: <http://www.ncbi.nlm.nih.gov/pubmed/26978857>

Axer, H., Bernstein, H. G., Keiner, S., Heronimus, P., Sauer, H., Witte, O. W., . . . B-ñr, K. J. (2010). Increased neuronal cell number in the dorsal motor nucleus of the vagus in schizophrenia. *Acta Neuropsychiatrica*, 22(1), 26-34. doi.

Ay, M., Luo, J., Langley, M., Jin, H., Anantharam, V., Kanthasamy, A., & Kanthasamy, A. G. (2017). Molecular Mechanisms Underlying Protective Effects of Quercetin Against Mitochondrial Dysfunction and Progressive Dopaminergic Neurodegeneration in Cell Culture and MitoPark Transgenic Mouse

Models of Parkinson's Disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.14033. <http://dx.doi.org/10.1111/jnc.14033>

Aydin, A., Halici, Z., Akoz, A., Karaman, A., Ferah, I., Bayir, Y., . . . Kovaci, H. (2014). Treatment with α -lipoic acid enhances the bone healing after femoral fracture model of rats. *Naunyn-Schmiedeberg's archives of pharmacology*, 1-12. doi: 10.1007/s00210-014-1021-1. <http://dx.doi.org/10.1007/s00210-014-1021-1>

Aydin, C., Oztan, O., & Isgor, C. (2014). Hippocampal Y2 receptor-mediated mossy fiber plasticity is implicated in nicotine abstinence-related social anxiety-like behavior in an outbred rat model of the novelty-seeking phenotype. *Pharmacology Biochemistry and Behavior*, 125(0), 48-54. doi: <http://dx.doi.org/10.1016/j.pbb.2014.08.004>. <http://www.sciencedirect.com/science/article/pii/S0091305714002251>

Aydinli, B., Kantarci, M., Polat, K. Y., Unal, B., Atamanalp, S. S., Durur, I., . . . Akgun, M. (2006). Stereological evaluation of treatment response in patients with non-resectable hepatic alveolar echinococcosis using computed tomography via the Cavalieri method. *Liver International*, 26(10), 1234-1240. doi: doi:10.1111/j.1478-3231.2006.01363.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1478-3231.2006.01363.x>

Ayoub, A. E., & Salm, A. K. (2003). Increased Morphological Diversity of Microglia in the Activated Hypothalamic Supraoptic Nucleus. *Journal of Neuroscience*, 23(21), 7759-7766. doi: <http://www.jneurosci.org/cgi/content/abstract/23/21/7759>

Ayranci, F., Gungormus, M., Omezli, M. M., & Gundogdu, B. (2015). The Effect of Alendronate on Various Graft Materials Used in Maxillary Sinus Augmentation: A Rabbit Study. [Research Article]. *Iran Red Crescent Med J*, 17(12), e33569. doi: 10.5812/ircmj.33569. http://ircmj.com/?page=article&article_id=33569

Aytan, N., Choi, J.-K., Carreras, I., Brinkmann, V., Kowall, N. W., Jenkins, B. G., & Dedeoglu, A. (2016). Fingolimod modulates multiple neuroinflammatory markers in a mouse model of Alzheimer's disease. [Article]. *Scientific Reports*, 6, 24939. doi: 10.1038/srep24939. <http://dx.doi.org/10.1038/srep24939>

Aytan, N., Choi, J.-K., Carreras, I., Crabtree, L., Nguyen, B., Lehar, M., . . . Dedeoglu, A. Protective effects of 7,8-dihydroxyflavone on neuropathological and neurochemical changes in a mouse model of Alzheimer's disease. *European Journal of Pharmacology*. doi: <https://doi.org/10.1016/j.ejphar.2018.02.045>. <https://www.sciencedirect.com/science/article/pii/S0014299918301304>

Ayton, S., Lei, P., Duce, J. A., Wong, B. X. W., Sedjahtera, A., Adlard, P. A., . . . Finkelstein, D. I. (2012). Ceruloplasmin dysfunction and therapeutic potential for parkinson's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.23817. <http://dx.doi.org/10.1002/ana.23817>

Ba, Q., Cui, C., Wen, L., Feng, S., Zhou, J., & Yang, K. (2015). Schisandrin B shows neuroprotective effect in 6-OHDA-induced Parkinson's disease via inhibiting the negative modulation of miR-34a on Nrf2 pathway. *Biomedicine and Pharmacotherapy*. doi: <http://dx.doi.org/10.1016/j.biopha.2015.07.034>. <http://www.sciencedirect.com/science/article/pii/S075333221500178X>

Babaei, H., Roshangar, L., Sakhaee, E., Abshenas, J., Kheirandish, R., & Dehghani, R. (2012). Ultrastructural and morphometrical changes of mice ovaries following experimentally induced copper poisoning. *Iranian Red Crescent Medical Journal*, 14(9), 558. doi.

Baburamani, A. A., Miyakuni, Y., Vontell, R., Supramaniam, V., Svedin, P., Rutherford, M., . . . Thornton, C. (2015). Does Caspase-6 Have a Role in Perinatal Brain Injury. *Developmental Neuroscience*. doi: <http://www.karger.com/Article/FullText/375368>

Bach, H., Arango, V., Huang, Y.-Y., Leong, S., John Mann, J., & Underwood, M. D. (2011). Neuronal Tryptophan Hydroxylase Expression in BALB/cJ and C57Bl/6J Mice. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2011.07379.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07379.x>

Bachstetter, A., Pabon, M., Cole, M., Hudson, C., Sanberg, P., Willing, A., . . . Gemma, C. (2008). Peripheral injection of human umbilical cord blood stimulates neurogenesis in the aged rat brain. *BMC Neuroscience*, 9(1), 22. doi: <http://www.biomedcentral.com/1471-2202/9/22>

Bachstetter, A. D., Jernberg, J., Schlunk, A., Vila, J. L., Hudson, C., Cole, M. J., . . . others. (2010). Spirulina promotes stem cell genesis and protects against LPS induced declines in neural stem cell proliferation. *PLoS ONE*, 5(5), e10496-e10496. doi.

Bachstetter, A. D., Morganti, J. M., Jernberg, J., Schlunk, A., Mitchell, S. H., Brewster, K. W., . . . others. (2009). Fractalkine and CX3CR1 regulate hippocampal neurogenesis in adult and aged rats. *Neurobiology of Aging*. doi.

Bacigaluppi, M., Pluchino, S., Jametti, L. P., Kilic, E., Kilic, U., Salani, G., . . . Hermann, D. M. (2009). Delayed post-ischaemic neuroprotection following systemic neural stem cell transplantation involves multiple mechanisms. *Brain*, 132(8), 2239-2251. doi: 10.1093/brain/awp174. <http://brain.oxfordjournals.org/cgi/content/abstract/132/8/2239>

Bacigaluppi, M., Russo, G. L., Peruzzotti-Jametti, L., Rossi, S., Sandrone, S., Butti, E., . . . Martino, G. (2016). Neural Stem Cell Transplantation Induces Stroke Recovery by Upregulating Glutamate Transporter GLT-1 in Astrocytes. [10.1523/JNEUROSCI.1643-16.2016]. *The Journal of Neuroscience*, 36(41), 10529. doi: <http://www.jneurosci.org/content/36/41/10529.abstract>

Bacioglu, M., Maia, Luis F., Preische, O., Schelle, J., Apel, A., Kaeser, Stephan A., . . . Jucker, M. (2016). Neurofilament Light Chain in Blood and CSF as Marker of Disease Progression in Mouse Models and in Neurodegenerative Diseases. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.05.018>. <http://www.sciencedirect.com/science/article/pii/S0896627316301970>

Bäck, S., Peränen, J., Galli, E., Pulkki, P., Lonka-Nevalaita, L., Tamminen, T., . . . Tuominen, R. K. (2013). Gene therapy with AAV2-CDNF provides functional benefits in a rat model of Parkinson's disease. *Brain and Behavior*, n/a-n/a. doi: 10.1002/brb3.117. <http://dx.doi.org/10.1002/brb3.117>

Badner, A., Hacker, J., Hong, J., Mikhail, M., Vawda, R., & Fehlings, M. G. (2018). Splenic involvement in umbilical cord matrix-derived mesenchymal stromal cell-mediated effects following traumatic spinal cord injury. [journal article]. *Journal of neuroinflammation*, 15(1), 219. doi: 10.1186/s12974-018-1243-0. <https://doi.org/10.1186/s12974-018-1243-0>

Badner, M. A., Vidal, D. P. M., Hong, M. J., Hacker, M. J., & Fehlings, D. M. G. (2019). Endogenous Interleukin-10 Deficiency Exacerbates Vascular Pathology in Traumatic Cervical Spinal Cord Injury. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.6081. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.6081>

Bae, E.-J., Kim, D.-K., Kim, C., Mante, M., Adame, A., Rockenstein, E., . . . Lee, S.-J. (2018). LRRK2 kinase regulates α -synuclein propagation via RAB35 phosphorylation. *Nature Communications*, 9(1), 3465. doi: 10.1038/s41467-018-05958-z. <https://doi.org/10.1038/s41467-018-05958-z>

Bae, E.-J., Lee, H.-J., Rockenstein, E., Ho, D.-H., Park, E.-B., Yang, N.-Y., . . . Lee, S.-J. (2012). Antibody-Aided Clearance of Extracellular α -Synuclein Prevents Cell-to-Cell Aggregate Transmission. *Journal of Neuroscience*, 32(39), 13454-13469. doi: 10.1523/jneurosci.1292-12.2012. <http://www.jneurosci.org/content/32/39/13454.abstract>

Bae, E.-J., Yang, N.-Y., Song, M., Lee, C. S., Lee, J. S., Jung, B. C., . . . Lee, S.-J. (2014). Glucocerebrosidase depletion enhances cell-to-cell transmission of α -synuclein. [Article]. *Nat Commun*, 5. doi: 10.1038/ncomms5755. <http://dx.doi.org/10.1038/ncomms5755>

Bae, M., Patel, N., Xu, H., Lee, M., Tominaga-Yamanaka, K., Nath, A., . . . Haughey, N. J. (2014). Activation of TRPML1 Clears Intraneuronal A β in Preclinical Models of HIV Infection. *The Journal of Neuroscience*, 34(34), 11485-11503. doi: <http://www.jneurosci.org/content/34/34/11485.short>

Baglietto-Vargas, D., Chen, Y., Suh, D., Ager, R. R., Rodriguez-Ortiz, C. J., Medeiros, R., . . . LaFerla, F. M. (2015). Short-term modern life-like stress exacerbates A β -pathology and synapse loss in 3xTg-AD mice. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13195. <http://dx.doi.org/10.1111/jnc.13195>

Baglietto-Vargas, D., Forner, S., Cai, L., Martini, A. C., Trujillo-Estrada, L., Swarup, V., . . . LaFerla, F. M. (2021). Generation of a humanized A β expressing mouse demonstrating aspects of Alzheimer's disease-like pathology. *Nature Communications*, 12(1), 2421. doi: 10.1038/s41467-021-22624-z. <https://doi.org/10.1038/s41467-021-22624-z>

Baharnoori, M., Bhardwaj, S., & Srivastava, L. (2010). Maternal Lipopolysaccharide Administration Leads To Developmental Alterations In Hippocampal Neuronal Density and Expression Of Cortical Dopaminergic Receptors In Rat Offspring. *Schizophrenia Research*, 117(2), 271-272. doi.

Baharnoori, M., Bhardwaj, S. K., & Srivastava, L. K. (2013). Effect of Maternal Lipopolysaccharide Administration on the Development of Dopaminergic Receptors and Transporter in the Rat Offspring. *Plos one*, 8(1), e54439. doi: 10.1371/journal.pone.0054439. <http://dx.doi.org/10.1371%2Fjournal.pone.0054439>

Bailes, J. E., & Mills, J. D. (2010). Docosahexaenoic acid reduces traumatic axonal injury in a rodent head injury model. *Journal of Neurotrauma*, 27(9), 1617-1624. doi.

Bailey, R. A., Gutierrez, A., Kyser, T. L., Hemmerle, A. M., Hufgard, J. R., Seroogy, K. B., . . . Williams, M. T. (2019). Effects of Prewaning Manganese in Combination with Adult Striatal Dopamine Lesions on Monoamines, BDNF, TrkB, and Cognitive Function in Sprague-Dawley Rats. [journal article]. *Neurotoxicity Research*. doi: 10.1007/s12640-018-9992-1. <https://doi.org/10.1007/s12640-018-9992-1>

Bains, M., Cousins, J. C., & Roberts, J. L. (2007). Neuroprotection by estrogen against MPP⁺-induced dopamine neuron death is mediated by ER α in primary cultures of mouse mesencephalon. *Experimental Neurology*, 204(2), 767-776. doi.

Bains, M., & Roberts, J. L. (2015). Estrogen protects against dopamine neuron toxicity in primary mesencephalic cultures through an indirect P13K/Akt mediated astrocyte pathway. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2015.10.054>. <http://www.sciencedirect.com/science/article/pii/S0304394015302172>

Baitharu, I., Deep, S. N., Jain, V., Prasad, D., & Ilavazhagan, G. (2012). Inhibition of glucocorticoid receptors ameliorates hypobaric hypoxia induced memory impairment in rat. *Behavioural Brain*

Research, (0). doi:

10.1016/j.bbr.2012.11.005. <http://www.sciencedirect.com/science/article/pii/S0166432812007255>

Bajo, V. M., Leach, N. D., Cordery, P. M., Nodal, F. R., & King, A. J. (2014). The cholinergic basal forebrain in the ferret and its inputs to the auditory cortex. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12653. <http://dx.doi.org/10.1111/ejn.12653>

Bajo, V. M., Nodal, F. R., Bizley, J. K., & King, A. J. (2010). The non-lemniscal auditory cortex in ferrets: convergence of corticotectal inputs in the superior colliculus. *Frontal Neuroanatomy*, 21(4), 18. doi:

Bajo, V. M., Nodal, F. R., Moore, D. R., & King, A. J. (2010). The descending corticocollicular pathway mediates learning-induced auditory plasticity. *Nature Neuroscience*, 13(2), 253-260. doi:

Bakkers, M., Merkies, I. S. J., Lauria, G., Devigili, G., Penza, P., Lombardi, R., . . . Faber, C. G. (2009). Intraepidermal nerve fiber density and its application in sarcoidosis. *Neurology*, 73(14), 1142-1148. doi: 10.1212/WNL.0b013e3181bacf05. <http://www.neurology.org/cgi/content/abstract/73/14/1142>

Bakkum, B. W., Fan, L., Pandey, S. C., & Cohen, R. S. (2011). Heterogeneity of dose and time effects of estrogen on neuron-specific neuronal protein and phosphorylated cyclic AMP response element-binding protein in the hippocampus of ovariectomized rats. *Journal of Neuroscience Research*, 89(6), 883-897. doi: 10.1002/jnr.22601. <http://dx.doi.org/10.1002/jnr.22601>

Balak, N., Ersoy, G., Uslu, Ü., Tanrıöver, N., Tapul, L., Çetin, G., . . . Elmaci, I. (2010). Microsurgical and histomorphometric study of the occipital sinus: Quantitative measurements using a novel approach of stereology. *Clinical Anatomy*, 23(4), 386-393. doi:

Balakrishnan, B., Dai, H., Janisse, J., Romero, R., & Kannan, S. (2013). Maternal Endotoxin Exposure Results in Abnormal Neuronal Architecture in the Newborn Rabbit. *Developmental Neuroscience*. doi: <http://www.karger.com/Article/Citation/353156>

Balan, I. S., Fiskum, G., Hazelton, J., Cotto-Cumba, C., & Rosenthal, R. E. (2006). Oximetry-Guided Reoxygenation Improves Neurological Outcome After Experimental Cardiac Arrest. *Stroke*, 37(12), 3008-3013. doi: 10.1161/01.STR.0000248455.73785.b1. <http://stroke.ahajournals.org/cgi/content/abstract/37/12/3008>

Balda, M. A., Anderson, K. L., & Itzhak, Y. (2008). Differential role of the nNOS gene in the development of behavioral sensitization to cocaine in adolescent and adult B6; 129S mice. *Psychopharmacology*, 200(4), 509-519. doi:

Balda, M. A., Anderson, K. L., & Itzhak, Y. (2009). The neuronal nitric oxide synthase (nNOS) gene contributes to the regulation of tyrosine hydroxylase (TH) by cocaine. *Neuroscience Letters*, 457(3), 120-124. doi:

Baldi, A., Calia, E., Ciampini, A., Riccio, M., Vetuschi, A., Persico, A. M., & Keller, F. (2000). Deafferentation-induced apoptosis of neurons in thalamic somatosensory nuclei of the newborn rat: critical period and rescue from cell death by peripherally applied neurotrophins. *European Journal of Neuroscience*, 12(7), 2281-2290. doi: doi:10.1046/j.1460-9568.2000.00119.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2000.00119.x>

Baleriola, J., Walker, Chandler A., Jean, Ying Y., Crary, John F., Troy, Carol M., Nagy, Peter L., & Hengst, U. (2014). Axonally Synthesized ATF4 Transmits a Neurodegenerative Signal across Brain Regions.

Cell, 158(5), 1159-1172.

doi: <http://dx.doi.org/10.1016/j.cell.2014.07.001>. <http://www.sciencedirect.com/science/article/pii/S0092867414008770>

Balke, D., Tatenhorst, L., Dambeck, V., Ribas, V. T., Vahsen, B. F., Michel, U., . . . Lingor, P. (2019). AAV-Mediated Expression of Dominant-Negative ULK1 Increases Neuronal Survival and Enhances Motor Performance in the MPTP Mouse Model of Parkinson's Disease. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-019-01744-0. <https://doi.org/10.1007/s12035-019-01744-0>

Ballesteros, I., Cuartero, M., a, I., Moraga, A., de la Parra, J., Lizasoain, I., . . . ngeles. (2014). Stereological and Flow Cytometry Characterization of Leukocyte Subpopulations in Models of Transient or Permanent Cerebral Ischemia. *JoVE*, (94), e52031. doi: doi:10.3791/52031. <http://www.jove.com/video/52031>

Balsevich, G., Poon, A., Goldowitz, D., & Wilking, J. A. (2014). The effects of pre- and post-natal nicotine exposure and genetic background on the striatum and behavioral phenotypes in the mouse. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.02.038>. <http://www.sciencedirect.com/science/article/pii/S0166432814001235>

Baltazar-Gaytan, E., Aguilar-Alonso, P., Brambila, E., Tendilla-Beltran, H., Vázquez-Roque, R. A., Morales-Medina, J. C., . . . Flores, G. (2018). Increased cell number with reduced nitric oxide level and augmented superoxide dismutase activity in the anterior-pituitary region of young suicide completers. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2018.11.002>. <http://www.sciencedirect.com/science/article/pii/S0891061818301686>

Balu, D. T., Basu, A. C., Corradi, J. P., Cacace, A. M., & Coyle, J. T. (2011). The NMDA receptor co-agonists, d-serine and glycine, regulate neuronal dendritic architecture in the somatosensory cortex. *Neurobiology of Disease*. doi.

Balu, D. T., Li, Y., Puhl, M. D., Benneyworth, M. A., Basu, A. C., Takagi, S., . . . Coyle, J. T. (2013). Multiple risk pathways for schizophrenia converge in serine racemase knockout mice, a mouse model of NMDA receptor hypofunction. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1304308110. <http://www.pnas.org/content/early/2013/05/30/1304308110.abstract>

Balu, D. T., Pantazopoulos, H., Huang, C. C. Y., Muszynski, K., Harvey, T. L., Uno, Y., . . . Coyle, J. T. (2019). Neurotoxic astrocytes express the d-serine synthesizing enzyme, serine racemase, in Alzheimer's disease. *Neurobiology of Disease*, 130, 104511. doi: <https://doi.org/10.1016/j.nbd.2019.104511>. <http://www.sciencedirect.com/science/article/pii/S0969996119301706>

Balu, D. T., Presti, K. T., Huang, C. C. Y., Muszynski, K., Radzishhevsky, I., Wolosker, H., . . . Coyle, J. T. (2017). Serine Racemase and D-serine in the Amygdala are Dynamically Involved in Fear Learning. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2017.08.012. <http://dx.doi.org/10.1016/j.biopsych.2017.08.012>

Banasr, M., & Duman, R. S. (2008). Glial loss in the prefrontal cortex is sufficient to induce depressive-like behaviors. *Biological Psychiatry*, 64(10), 863-870. doi.

Banasr, M., Valentine, G. W., Li, X. Y., Gourley, S. L., Taylor, J. R., & Duman, R. S. (2007). Chronic unpredictable stress decreases cell proliferation in the cerebral cortex of the adult rat. *Biological Psychiatry*, 62(5), 496-504. doi.

- Bandara, N., Gurusinghe, S., Kong, A., Mitchell, G., Wang, L.-X., Lim, S. Y., & Strappe, P. (2019). Generation of a nitric oxide signaling pathway in mesenchymal stem cells promotes endothelial lineage commitment. *Journal of Cellular Physiology*, 0(0). doi: 10.1002/jcp.28640. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jcp.28640>
- Banihashemi, L., O'Neill, E. J., & Rinaman, L. (2011). Central neural responses to restraint stress are altered in rats with an early life history of repeated brief maternal separation. *Neuroscience*. doi:
- Banji, D., Banji, O. J. F., Dasaraju, S., & Annamalai, A. R. (2012). Piperine and curcumin exhibit synergism in attenuating D-Galactose induced senescence in rats. *European Journal of Pharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.ejphar.2012.11.018>. <http://www.sciencedirect.com/science/article/pii/S0014299912009491>
- Bantle, C. M., French, C. T., Cummings, J. E., Sadasivan, S., Tran, K., Slayden, R. A., . . . Tjalkens, R. B. (2021). Manganese exposure in juvenile C57BL/6 mice increases glial inflammatory responses in the substantia nigra following infection with H1N1 influenza virus. *Plos one*, 16(1), e0245171. doi: 10.1371/journal.pone.0245171. <https://doi.org/10.1371/journal.pone.0245171>
- Bañuelos, C., LaSarge, C. L., McQuail, J. A., Hartman, J. J., Gilbert, R. J., Ormerod, B. K., & Bizon, J. L. (2012). Age-related changes in rostral basal forebrain cholinergic and GABAergic projection neurons: relationship with spatial impairment. *Neurobiology of Aging*, (0). doi: 10.1016/j.neurobiolaging.2012.06.013. <http://www.sciencedirect.com/science/article/pii/S0197458012003624>
- Bao, L.-H., Zhang, Y.-N., Zhang, J.-N., Gu, L., Yang, H.-M., Huang, Y.-Y., . . . Zhang, H. (2018). Urate inhibits microglia activation to protect neurons in an LPS-induced model of Parkinson's disease. [journal article]. *Journal of neuroinflammation*, 15(1), 131. doi: 10.1186/s12974-018-1175-8. <https://doi.org/10.1186/s12974-018-1175-8>
- Bao, Y., Bramlett, H. M., Atkins, C. M., Truettner, J. S., Lotocki, G., Alonso, O. F., & Dietrich, W. D. (2011). Post-traumatic seizures exacerbate histopathological damage after fluid-percussion brain injury. *Journal of Neurotrauma*, 28(1), 35-42. doi:
- Baquet, Z. C., Bickford, P. C., & Jones, K. R. (2005). Brain-Derived Neurotrophic Factor Is Required for the Establishment of the Proper Number of Dopaminergic Neurons in the Substantia Nigra Pars Compacta. *Journal of Neuroscience*, 25(26), 6251-6259. doi: <http://www.jneurosci.org/cgi/content/abstract/25/26/6251>
- Baquet, Z. C., Gorski, J. A., & Jones, K. R. (2004). Early Striatal Dendrite Deficits followed by Neuron Loss with Advanced Age in the Absence of Anterograde Cortical Brain-Derived Neurotrophic Factor. *Journal of Neuroscience*, 24(17), 4250-4258. doi: <http://www.jneurosci.org/cgi/content/abstract/24/17/4250>
- Baquet, Z. C., Williams, D., Brody, J., & Smeyne, R. J. (2009). A comparison of model-based (2D) and design-based (3D) stereological methods for estimating cell number in the substantia nigra pars compacta (SNpc) of the C57BL/6J mouse. *Neuroscience*, 161(4), 1082-1090. doi:
- Baracchi, F., Ingiosi, A. M., Raymond, R. M., & Opp, M. R. (2011). Sepsis-induced alterations in sleep of rats. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 301(5), R1467-R1478. doi: 10.1152/ajpregu.00354.2011. <http://ajpregu.physiology.org/content/301/5/R1467.abstract>

Barakat, D. J., Gaglani, S. M., Neravetla, S. R., Sanchez, A. R., Andrade, C. M., Pressman, Y., . . . Pearse, D. D. (2005). Survival, integration, and axon growth support of glia transplanted into the chronically contused spinal cord. *Cell Transplantation*, 14(4), 225-240. doi.

Barakat-Walter, I., Kraftsik, R., Schenker, M., & Kuntzer, T. (2007). Thyroid Hormone in Biodegradable Nerve Guides Stimulates Sciatic Nerve Regeneration: A Potential Therapeutic Approach for Human Peripheral Nerve Injuries. *Journal of Neurotrauma*, 27(3), 567-577. doi.

Barapatre, N., Kampfer, C., Henschen, S., Schmitz, C., Edler von Koch, F., & Frank, H.-G. (2021). Growth restricted placentas show severely reduced volume of villous components with perivascular myofibroblasts. *Placenta*, 109, 19-27.

doi: <https://doi.org/10.1016/j.placenta.2021.04.006>. <https://www.sciencedirect.com/science/article/pii/S0143400421001211>

Barbas, H., Medalla, M., Alade, O., Suski, J., Zikopoulos, B., & Lera, P. (2005). Relationship of Prefrontal Connections to Inhibitory Systems in Superior Temporal Areas in the Rhesus Monkey. *Cerebral Cortex*, 15(9), 1356-1370. doi:

10.1093/cercor/bhi018. <http://cercor.oxfordjournals.org/cgi/content/abstract/15/9/1356>

Barberi, T., Klivenyi, P., Calingasan, N. Y., Lee, H., Kawamata, H., Loonam, K., . . . Studer, L. (2003). Neural subtype specification of fertilization and nuclear transfer embryonic stem cells and application in parkinsonian mice. *Nature Biotechnology*, 21, 1200-1207. doi.

Barcia, C., Thomas, C. C., Curtin, J. F., King, G. D., Wawrowsky, K., Candolfi, M., . . . Lowenstein, P. R. (2006). In vivo mature immunological synapses forming SMACs mediate clearance of virally infected astrocytes from the brain. *Journal of Experimental Medicine*, 203(9), 2095-2107. doi.

Bardgett, M. E., Baum, K. T., O'Connell, S. M., Lee, N. M., & Hon, J. C. (2006). Effects of risperidone on locomotor activity and spatial memory in rats with hippocampal damage. *Neuropharmacology*, 51. doi: 10.1016/j.neuropharm.2006.07.014. <http://dx.doi.org/10.1016/j.neuropharm.2006.07.014>

Barger, N., Sheley, M. F., & Schumann, C. M. (2014). Stereological study of pyramidal neurons in the human superior temporal gyrus from childhood to adulthood. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23707. <http://dx.doi.org/10.1002/cne.23707>

Barger, N., Stefanacci, L., & Semendeferi, K. (2007). A comparative volumetric analysis of the amygdaloid complex and basolateral division in the human and ape brain. *American Journal of Physical Anthropology*, 134(3), 392-403. doi.

Barhwal, K., Das, S. K., Kumar, A., Hota, S. K., Srivastava, R. B., & Kumar, B. (2015). Insulin Receptor A and Sirtuin 1 synergistically improve learning and spatial memory following chronic salidroside treatment during hypoxia. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13225. <http://dx.doi.org/10.1111/jnc.13225>

Barhwal, K., Hota, S. K., Baitharu, I., Prasad, D., Singh, S. B., & Ilavazhagan, G. (2009). Isradipine antagonizes hypobaric hypoxia induced CA1 damage and memory impairment: Complementary roles of L-type calcium channel and NMDA receptors. *Neurobiology of Disease*, 34(2), 230-244. doi.

Barhwal, K., Hota, S. K., Jain, V., Prasad, D., Singh, S. B., & Ilavazhagan, G. (2009). Acetyl-L-carnitine (ALCAR) prevents hypobaric hypoxia-induced spatial memory impairment through extracellular related kinase-mediated nuclear factor erythroid 2-related factor 2 phosphorylation. *Neuroscience*, 161(2), 501-514. doi.

Barhwal, K., Hota, S. K., Prasad, D., Singh, S. B., & Ilavazhagan, G. (2008). Hypoxia-induced deactivation of NGF-mediated ERK1/2 signaling in hippocampal cells: Neuroprotection by acetyl-L-carnitine. *Journal of Neuroscience Research*, 86(12), 2705-2721. doi:

Barkan, S., Roll, U., Yom-Tov, Y., Wassenaar, L. I., & Barnea, A. (2016). Possible linkage between neuronal recruitment and flight distance in migratory birds. [Article]. *Scientific Reports*, 6, 21983. doi: 10.1038/srep21983. <http://dx.doi.org/10.1038/srep21983>

Barkan, S., Yom-Tov, Y., & Barnea, A. (2014). A possible relation between new neuronal recruitment and migratory behavior in *Acrocephalus warblers*. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22198. <http://dx.doi.org/10.1002/dneu.22198>

Barkho, B. Z., Song, H., Aimone, J. B., Smrt, R. D., Kuwabara, T., Nakashima, K., . . . Zhao, X. (2006). Identification of astrocyte-expressed factors that modulate neural stem/progenitor cell differentiation. *Stem Cells and Development*, 15(3), 407-421. doi:

Barks, S. K., Bauernfeind, A. L., Bonar, C. J., Cranfield, M. R., de Sousa, A. A., Erwin, J. M., . . . Sherwood, C. C. (2013). Variable temporo-insular cortex neuroanatomy in primates suggests a bottleneck effect in eastern gorillas. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23448. <http://dx.doi.org/10.1002/cne.23448>

Barlind, A., Karlsson, N., Aberg, N. D., Bjork-Eriksson, T., Blomgren, K., & Isgaard, J. (2010). The growth hormone secretagogue hexarelin increases cell proliferation in neurogenic regions of the mouse hippocampus. *Growth Hormone and IGF Research*, 20(1), 49-54. doi:

Barlind, A., Karlsson, N., Björk-Eriksson, T., Isgaard, J., & Blomgren, K. (2010). Decreased cytogenesis in the granule cell layer of the hippocampus and impaired place learning after irradiation of the young mouse brain evaluated using the IntelliCage platform. *Experimental Brain Research*, 201(4), 781-787. doi:

Barnea, A., Mishal, A., & Nottebohm, F. (2006). Social and spatial changes induce multiple survival regimes for new neurons in two regions of the adult brain: An anatomical representation of time? *Behavioural Brain Research*, 167(1), 63-74. doi:

Barneoud, P., Lolivier, J., Sanger, D. J., Scatton, B., & Moser, P. (1997). Quantitative motor assessment in FALS mice: a longitudinal study. *Neuroreport*, 8. doi: 10.1097/00001756-199709080-00012. <http://dx.doi.org/10.1097/00001756-199709080-00012>

Barnes, L. L., Schneider, J. A., Boyle, P. A., Bienias, J. L., & Bennett, D. A. (2006). Memory complaints are related to Alzheimer disease pathology in older persons. *Neurology*, 67, 1581-1585. doi:

Barnum, C. J., Chen, X., Chung, J., Chang, J., Williams, M., Grigoryan, N., . . . Tansey, M. G. (2014). Peripheral Administration of the Selective Inhibitor of Soluble Tumor Necrosis Factor (TNF) XPro1595 Attenuates Nigral Cell Loss and Glial Activation in 6-OHDA Hemiparkinsonian Rats. *Journal of Parkinson's Disease*. doi: 10.3233/jpd-140410. <http://dx.doi.org/10.3233/JPD-140410>

Baroncelli, L., Molinaro, A., Cacciante, F., Alessandri, M. G., Napoli, D., Putignano, E., . . . Pizzorusso, T. (2016). A mouse model for creatine transporter deficiency reveals early onset cognitive impairment and neuropathology associated with brain aging. *Human Molecular Genetics*. doi: 10.1093/hmg/ddw252. <http://hmg.oxfordjournals.org/content/early/2016/07/24/hmg.ddw252.abstract>

Barratt, H. E., Lanman, T. A., & Carmichael, S. T. (2014). Mouse intracerebral hemorrhage models produce different degrees of initial and delayed damage, axonal sprouting, and recovery. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2014107a.html>

Barrera, K., Chu, P., Abramowitz, J., Steger, R., Ramos, R. L., & Brumberg, J. C. (2012). Organization of myelin in the mouse somatosensory barrel cortex and the effects of sensory deprivation. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22060. <http://dx.doi.org/10.1002/dneu.22060>

Barrett, J. P., Henry, R. J., Ann Shirey, K., Doran, S. J., Makarevich, O. D., Ritzel, R. R., . . . Loane, D. J. (2020). Interferon- β plays a detrimental role in experimental traumatic brain injury by enhancing neuroinflammation that drives chronic neurodegeneration. *The Journal of Neuroscience*, 2516-2519. doi: 10.1523/jneurosci.2516-19.2020. <https://www.jneurosci.org/content/jneuro/early/2020/02/05/JNEUROSCI.2516..>

Barrett, T., Marchalant, Y., & Park, K. H. J. (2019). p35 Hemizygous Deletion in 5xFAD Mice Increases A β Plaque Load in Males but Not in Females. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.017>. <http://www.sciencedirect.com/science/article/pii/S0306452219305731>

Barrionuevo, F., Georg, I., Scherthan, H., Lécureuil, C., Guillou, F., Wegner, M., & Scherer, G. (2009). Testis cord differentiation after the sex determination stage is independent of Sox9 but fails in the combined absence of Sox9 and Sox8. *Developmental Biology*, 327(2), 301-312. doi: 10.1016/j.ydbio.2009.05.017

Barrios-Anderson, A., Chen, X., Lim, Y.-P., & Stonestreet, B. S. (2017). Abstract WP288: Inter-Alpha Inhibitor Proteins Reduce the Presence of Neutrophils and Matrix Metalloproteinase-9 Positive Neutrophils in Damaged Brain Regions of Neonates with Hypoxic-Ischemic (HI) Brain Injury. *Stroke*, 48(Suppl 1), AWP288. doi: http://stroke.ahajournals.org/content/48/Suppl_1/AWP288.abstract

Barrios-Anderson, A., Chen, X., Nakada, S., Chen, R., Lim, Y.-P., & Stonestreet, B. S. (2019). Inter-alpha Inhibitor Proteins Modulate Neuroinflammatory Biomarkers After Hypoxia-Ischemia in Neonatal Rats. *Journal of Neuropathology and Experimental Neurology*. doi: 10.1093/jnen/nlz051. <https://doi.org/10.1093/jnen/nlz051>

Barrios-Anderson, A., Chen, X., Naqvi, S. S., Lim, Y.-P., & Stonestreet, B. S. (2017). Abstract 60: Inter-alpha Inhibitor Proteins Reduce the Quantity of Microglia in the Hippocampus After Hypoxic-ischemic Brain Injury in the Neonate. *Stroke*, 48(Suppl 1), A60. doi: http://stroke.ahajournals.org/content/48/Suppl_1/A60.abstract

Bartl, S., Oueslati, A., Southwell, A. L., Siddu, A., Parth, M., David, L. S., . . . Smrzka, O. W. (2020). Inhibiting cellular uptake of mutant huntingtin using a monoclonal antibody: Implications for the treatment of Huntington's disease. *Neurobiology of Disease*, 141, 104943. doi: <https://doi.org/10.1016/j.nbd.2020.104943>. <http://www.sciencedirect.com/science/article/pii/S0969996120302187>

Bartlett, L. E., Sadi, D., Lewington, M., & Mendez, I. (2004). Functional improvement with low-dose dopaminergic grafts in hemiparkinsonian rats. *Neurosurgery*, 55(2), 405-405. doi: 10.1227/00006123-200402000-00017

Barton, E., Baker, C., & Leasure, J. (2017). Investigation of Sex Differences in the Microglial Response to Binge Ethanol and Exercise. *Brain Sciences*, 7(10), 139. doi: <http://www.mdpi.com/2076-3425/7/10/139>

Barua, N. U., Bienemann, A. S., Hesketh, S., Wyatt, M. J., Castrique, E., Love, S., & Gill, S. S. (2012). Intrastratial convection-enhanced delivery results in widespread perivascular distribution in a pre-clinical model. *Fluids and Barriers of the CNS*, 9, 2-2. doi.

Baryshnikova, L. M., Von Bohlen Und Halbach, O., Kaplan, S., & Von Bartheld, C. S. (2006). Two distinct events, section compression and loss of particles ("lost caps"), contribute to z-axis distortion and bias in optical disector counting. *Microscopy Research and Technique*, 69(9), 738-756. doi.

Baskaran, R., Lai, C.-C., Li, W.-Y., Tuan, L.-H., Wang, C.-C., Lee, L. J.-H., . . . Lee, L.-J. (2019). Characterization of striatal phenotypes in heterozygous *Disc1* mutant mice, a model of haploinsufficiency. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.24813. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24813>

Bassey, R. B., & Gondré-Lewis, M. C. (2018). Combined early life stressors: Prenatal nicotine and maternal deprivation interact to influence affective and drug seeking behavioral phenotypes in rats. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2018.07.022>. <http://www.sciencedirect.com/science/article/pii/S0166432818306053>

Bastidas, J., Athauda, G., De La Cruz, G., Chan, W.-M., Golshani, R., Berrocal, Y., . . . Pearse, D. D. (2017). Human schwann cells exhibit long-term cell survival, are not tumorigenic and promote repair when transplanted into the contused spinal cord. *Glia*, n/a-n/a. doi: 10.1002/glia.23161. <http://dx.doi.org/10.1002/glia.23161>

Bastug, O., Sonmez, M. F., Ozturk, M. A., Korkmaz, L., Kesici, H., Cilenk, K. T., . . . Bastug, F. (2019). Effects of Lycopene in Hyperoxia-Induced Lung Injury in Newborn Rats. *International Journal for Vitamin and Nutrition Research*. doi. <https://econtent.hogrefe.com/doi/abs/10.1024/0300-9831/a000238?journalCo..>

Batalha, V. L., Pego, J. M., Fontinha, B. M., Costenla, A. R., & Valadas, J. S. (2012). Adenosine A2A receptor blockade reverts hippocampal stress-induced deficits and restores corticosterone circadian oscillation. *Molecular Psychiatry*. doi.

Batchelor, P. E., Kerr, N. F., Gatt, A. M., Aleksoska, E., Cox, S. F., Ghasem-Zadeh, A., . . . Howells, D. W. (2010). Hypothermia prior to decompression: Buying time for treatment of acute spinal cord injury. *Journal of Neurotrauma*, 27(8), 1357-1368. doi.

Batchelor, P. E., Kerr, N. F., Gatt, A. M., Cox, S. F., Ghasem-Zadeh, A., Wills, T. E., . . . Howells, D. W. (2011). Intracanal Pressure in Compressive Spinal Cord Injury: Reduction with Hypothermia. *Journal of Neurotrauma*, 28(5), 809-820. doi.

Bateman, R. J., Xiong, C., Benzinger, T. L., Fagan, A. M., Goate, A., & Fox, N. C. (2012). Clinical and biomarker changes in dominantly inherited Alzheimer's disease. *New England Journal of Medicine*, 367. doi: 10.1056/NEJMoa1202753. <http://dx.doi.org/10.1056/NEJMoa1202753>

Bates, M. L., Puzis, R., & Bunge, M. B. (2011). Preparation of Spinal Cord Injured Tissue for Light and Electron Microscopy Including Preparation for Immunostaining. *Neuromethods*, 62, 381-399. doi.

Bath, K. G., Mandairon, N., Jing, D., Rajagopal, R., Kapoor, R., Chen, Z.-Y., . . . Lee, F. S. (2008). Variant Brain-Derived Neurotrophic Factor (Val66Met) Alters Adult Olfactory Bulb Neurogenesis and Spontaneous Olfactory Discrimination. *Journal of Neuroscience*, 28(10), 2383-2393. doi: 10.1523/jneurosci.4387-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/10/2383>

Bath, K. G., Voss, H. U., Jing, D., Anderson, S., Hempstead, B., Lee, F. S., . . . Ballon, D. J. (2009). Quantitative intact specimen magnetic resonance microscopy at 3.0 T. *Magnetic Resonance Imaging*, 27(5), 672-680. doi:

Batterman, K. V., Cabrera, P. E., Moore, T. L., & Rosene, D. L. (2021). T Cells Actively Infiltrate the White Matter of the Aging Monkey Brain in Relation to Increased Microglial Reactivity and Cognitive Decline. [Original Research]. *Frontiers in Immunology*, 12(306). doi: 10.3389/fimmu.2021.607691. <https://www.frontiersin.org/article/10.3389/fimmu.2021.607691>

Baudin, A., Blot, K., Verney, C., Estevez, L., Santa-Maria, J., Gressens, P., . . . Naudon, L. (2012). Maternal deprivation induces deficits in temporal memory and cognitive flexibility and exaggerates synaptic plasticity in the rat medial prefrontal cortex. *Neurobiology of Learning and Memory*, (0). doi: 10.1016/j.nlm.2012.08.004. <http://www.sciencedirect.com/science/article/pii/S1074742712001098>

Bauernfeind, A. L., de Sousa, A. A., Avasthi, T., Dobson, S. D., Raghanti, M. A., Lewandowski, A. H., . . . Sherwood, C. C. (2013). A volumetric comparison of the insular cortex and its subregions in primates. *Journal of Human Evolution*, 64(4), 263-279. doi: <http://dx.doi.org/10.1016/j.jhevol.2012.12.003>. <http://www.sciencedirect.com/science/article/pii/S0047248413000183>

Baufeld, C., Osterloh, A., Prokop, S., Miller, K. R., & Heppner, F. L. (2016). High-fat diet-induced brain region-specific phenotypic spectrum of CNS resident microglia. [journal article]. *Acta Neuropathologica*, 1-15. doi: 10.1007/s00401-016-1595-4. <http://dx.doi.org/10.1007/s00401-016-1595-4>

Baulch, J. E., Acharya, M. M., Allen, B. D., Ru, N., Chmielewski, N. N., Martirosian, V., . . . Limoli, C. L. (2016). Cranial grafting of stem cell-derived microvesicles improves cognition and reduces neuropathology in the irradiated brain. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1521668113. <http://www.pnas.org/content/early/2016/03/30/1521668113.abstract>

Bauman, M. D., Schumann, C. M., Carlson, E. L., Taylor, S. L., Vázquez-Rosa, E., Cintrón-Pérez, C. J., . . . Pieper, A. A. (2018). Neuroprotective efficacy of P7C3 compounds in primate hippocampus. *Translational Psychiatry*, 8(1), 202. doi: 10.1038/s41398-018-0244-1. <https://doi.org/10.1038/s41398-018-0244-1>

Baumhardt, P., Moore, B., Doppler, M., & Fernández-Juricic, E. (2014). Do American Goldfinches See Their World Like Passive Prey Foragers? A Study on Visual Fields, Retinal Topography, and Sensitivity of Photoreceptors. *Brain, Behavior and Evolution*. doi: <http://www.karger.com/Article/Abstract/357750>

Baxter, V. K., Glowinski, R., Braxton, A. M., Potter, M. C., Slusher, B. S., & Griffin, D. E. (2017). Glutamine antagonist-mediated immune suppression decreases pathology but delays virus clearance in mice during nonfatal alphavirus encephalomyelitis. *Virology*, 508, 134-149. doi: <https://doi.org/10.1016/j.virol.2017.05.013>. <http://www.sciencedirect.com/science/article/pii/S0042682217301629>

Baydyuk, M., Nguyen, M. T., & Xu, B. (2011). Chronic deprivation of TrkB signaling leads to selective late-onset nigrostriatal dopaminergic degeneration. *Experimental Neurology*, 228(1), 118-125. doi:

Baydyuk, M., Russell, T., Liao, G.-Y., Zang, K., An, J. J., Reichardt, L. F., & Xu, B. (2011). TrkB receptor controls striatal formation by regulating the number of newborn striatal neurons. *Proceedings of the National Academy of Sciences*, 108(4), 1669-1674. doi: 10.1073/Proceedings of the National Academy

of Sciences.1004744108. <http://www.Proceedings of the National Academy of Sciences.org/content/108/4/1669.abstract>

Baydyuk, M., Xie, Y., Tessarollo, L., & Xu, B. (2013). Midbrain-Derived Neurotrophins Support Survival of Immature Striatal Projection Neurons. *Journal of Neuroscience*, 33(8), 3363-3369. doi: 10.1523/jneurosci.3687-12.2013. <http://www.jneurosci.org/content/33/8/3363.abstract>

Bayir, Y., Halici, Z., Karakus, E., Albayrak, A., Ferah, I., Kabalar, E., . . . Unal, B. (2012). Comparing Effects of Lacidipine, Ramipril, and Valsartan Against Experimentally Induced Myocardial Infarcted Rats. *Cardiovascular Toxicology*, 1-9. doi.

Bayliss, J. A., Lemus, M., Santos, V. V., Deo, M., Elsworth, J., & Andrews, Z. B. (2016). Acylated but not des-acyl ghrelin is neuroprotective in an MPTP mouse model of Parkinson's Disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13576. <http://dx.doi.org/10.1111/jnc.13576>

Bayliss, J. A., Lemus, M. B., Santos, V. V., Deo, M., Davies, J. S., Kemp, B. E., . . . Andrews, Z. B. (2016). Metformin Prevents Nigrostriatal Dopamine Degeneration Independent of AMPK Activation in Dopamine Neurons. *Plos one*, 11(7), e0159381. doi: 10.1371/journal.pone.0159381. <http://dx.doi.org/10.1371%2Fjournal.pone.0159381>

Bayliss, J. A., Lemus, M. B., Stark, R., Santos, V. V., Thompson, A., Rees, D. J., . . . Davies, J. S. (2016). Ghrelin-AMPK Signaling Mediates the Neuroprotective Effects of Calorie Restriction in Parkinson's Disease. *The Journal of Neuroscience*, 36(10), 3049-3063. doi: <http://www.jneurosci.org/content/36/10/3049.abstract>

Bazrafkan, M., Panahi, M., Saki, G., Ahangarpour, A., & Zaeimzadeh, N. (2010). Effect of aqueous extract of *Ruta graveolens* on spermatogenesis of adult rats. *International Journal of Pharmacology*, 6(6), 926-929. doi.

Bazzigaluppi, P., Beckett, T. L., Koletar, M. M., Lai, A. Y., Joo, I. L., Brown, M. E., . . . Stefanovic, B. (2017). Early stage attenuation of phase amplitude coupling in the hippocampus and medial prefrontal cortex in a transgenic rat model of AD. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.14136. <http://dx.doi.org/10.1111/jnc.14136>

Beach, L. Q., & Wade, J. (2015). Masculinization of the Zebra Finch Song System: Roles of Oestradiol and the Z-chromosome Gene Tubulin Specific Chaperone Protein A. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12267. <http://dx.doi.org/10.1111/jne.12267>

Bearer, E. L., Manifold-Wheeler, B. C., Medina, C. S., Gonzales, A., Chaves, F., & Jacobs, R. E. (2018). Alterations of functional circuitry in aging brain and the impact of mutated APP expression. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2018.06.018> <http://www.sciencedirect.com/science/article/pii/S0197458018302239>

Beaudet, M. J., Rueda, N., Kobinger, G. P., Villeneuve, J., & Vallières, L. (2010). Construction of a ganciclovir-sensitive lentiviral vector to assess the influence of angiotensin-3 and soluble Tie2 on glioma growth. *Journal of Neuro-Oncology*, 99(1), 1-11. doi.

Bebber, M. R. (2017). Tempered strength: A controlled experiment assessing opportunity costs of adding temper to clay. *Journal of Archaeological Science*, 86, 1-13. doi: <http://dx.doi.org/10.1016/j.jas.2017.08.002> <http://www.sciencedirect.com/science/article/pii/S0305440317301164>

- Beck, K. D., Nguyen, H. X., Galvan, M. D., Salazar, D. L., Woodruff, T. M., & Anderson, A. J. (2010). Quantitative analysis of cellular inflammation after traumatic spinal cord injury: evidence for a multiphasic inflammatory response in the acute to chronic environment. *Brain*, awp322. doi: 10.1093/brain/awp322. <http://brain.oxfordjournals.org/cgi/content/abstract/awp322v1>
- Beck, L. A., O'Bryant, E. L., & Wade, J. S. (2008). Sex and seasonal differences in morphology of limbic forebrain nuclei in the green anole lizard. *Brain Research*, 1227, 68-75. doi.
- Beck, L. A., & Wade, J. (2009). Effects of estradiol, sex, and season on estrogen receptor alpha mRNA expression and forebrain morphology in adult green anole lizards. *Neuroscience*, 160(3), 577-586. doi.
- Beck, L. A., & Wade, J. (2009). Morphology and estrogen receptor α mRNA expression in the developing green anole forebrain. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, 311(3), 162-171. doi.
- Beck, M. H., Haumesser, J. K., Kühn, J., Altschüler, J., Kühn, A. A., & van Riesen, C. (2016). Short- and long-term dopamine depletion causes enhanced beta oscillations in the cortico-basal ganglia loop of parkinsonian rats. *Experimental Neurology*, 286, 124-136. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.10.005>. <http://www.sciencedirect.com/science/article/pii/S0014488616303259>
- Becker, D., Gary, D. S., Rosenzweig, E. S., Grill, W. M., & McDonald, J. W. (2010). Functional electrical stimulation helps replenish progenitor cells in the injured spinal cord of adult rats. *Experimental Neurology*, 222(2), 211-218. doi.
- Becknell, B., Carpenter, A. R., Allen, J. L., Wilhide, M. E., Ingraham, S. E., Hains, D. S., & McHugh, K. M. (2013). Molecular Basis of Renal Adaptation in a Murine Model of Congenital Obstructive Nephropathy. *Plos one*, 8(9), e72762. doi: 10.1371/journal.pone.0072762. <http://dx.doi.org/10.1371%2Fjournal.pone.0072762>
- Bédard, C., Wallman, M. J., Pourcher, E., Gould, P. V., Parent, A., & Parent, M. (2011). Serotonin and dopamine striatal innervation in Parkinson's disease and Huntington's chorea. *Parkinsonism and Related Disorders*. doi.
- Beed, P., Ray, S., Velasquez, L. M., Stumpf, A., Parthier, D., Swaminathan, A., . . . Schmitz, D. (2020). Species-specific differences in synaptic transmission and plasticity. *Scientific Reports*, 10(1), 16557. doi: 10.1038/s41598-020-73547-6. <https://doi.org/10.1038/s41598-020-73547-6>
- Beers, D. R., Henkel, J. S., Xiao, Q., Zhao, W., Wang, J., Yen, A. A., . . . Appel, S. H. (2006). Wild-type microglia extend survival in PU.1 knockout mice with familial amyotrophic lateral sclerosis. *Proceedings of the National Academy of Sciences*, 103(43), 16021-16026. doi: 10.1073/Proceedings of the National Academy of Sciences.0607423103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/43/16021>
- Beers, D. R., Ho, B.-K., Siklos, L., Alexianu, M. E., Mosier, D. R., Mohamed, A. H., . . . Appel, S. H. (2001). Parvalbumin overexpression alters immune-mediated increases in intracellular calcium, and delays disease onset in a transgenic model of familial amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 79(3), 499-509. doi: doi:10.1046/j.1471-4159.2001.00582.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2001.00582.x>
- Beesley, S., Sullenberger, T., Crotty, K., Ailani, R., D'Orio, C., Evans, K., . . . Kumar, S. S. (2020). D-serine mitigates cell loss associated with temporal lobe epilepsy. *Nature Communications*, 11(1), 4966. doi: 10.1038/s41467-020-18757-2. <https://doi.org/10.1038/s41467-020-18757-2>

Behrouz, B., Drolet, R. E., Sayed, Z. A., Lookingland, K. J., & Goudreau, J. L. (2007). Unique responses to mitochondrial complex I inhibition in tuberoinfundibular dopamine neurons may impart resistance to toxic insult. *Neuroscience*, 147(3), 592-598. doi.

Beig, M. I., Dampney, B. W., & Carrive, P. (2014). Both ox1r and ox2r orexin receptors contribute to the cardiovascular and locomotor components of the novelty stress response in the rat. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.09.012>. <http://www.sciencedirect.com/science/article/pii/S0028390814003190>

Bekar, E., Altunkaynak, B., Balci, K., Aslan, G., Ayyıldız, M., & Kaplan, S. (2014). Effects of high fat diet induced obesity on peripheral nerve regeneration and levels of GAP 43 and TGF- β in rats. *Biotechnic and Histochemistry*, 0(0), 1-11. doi: 10.3109/10520295.2014.894575. <http://informahealthcare.com/doi/abs/10.3109/10520295.2014.894575>

Bekinschtein, P., Kent, B. A., Oomen, C. A., Clemenson, G. D., Gage, F. H., Saksida, L. M., & Bussey, T. J. (2014). BDNF interacts with adult-born immature cells in the dentate gyrus during consolidation of overlapping memories. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22304. <http://dx.doi.org/10.1002/hipo.22304>

Beldick, S. R., Hong, J., Altamentova, S., Khazaei, M., Hundal, A., Zavvarian, M.-M., . . . Fehlings, M. G. (2018). Severe-combined immunodeficient rats can be used to generate a model of perinatal hypoxic-ischemic brain injury to facilitate studies of engrafted human neural stem cells. *Plos one*, 13(11). doi: <https://web.a.ebscohost.com/abstract?direct=true&profile=ehost&scope=sit..>

Bellavance, M.-A., Gosselin, D., Yong, V. W., Stys, P., & Rivest, S. (2014). Patrolling monocytes play a critical role in CX3CR1-mediated neuroprotection during excitotoxicity. *Brain Structure and Function*, 1-18. doi: 10.1007/s00429-014-0759-z. <http://dx.doi.org/10.1007/s00429-014-0759-z>

Belliveau, S., Kang, W., Bovaird, S., Hamadjida, A., Bédard, D., Dancause, N., . . . Huot, P. (2021). Stereological investigation of 5-HT₃ receptors in the substantia nigra and dorsal raphe nucleus in the rat. *Journal of Chemical Neuroanatomy*, 111, 101881. doi: <https://doi.org/10.1016/j.jchemneu.2020.101881>. <http://www.sciencedirect.com/science/article/pii/S0891061820301502>

Bellozi, P. M. Q., Gomes, G. F., Machado da Silva, M. C., Vieira de Assis Lima, I., Batista, C. R. Á., de Oliveira Carneiro Junior, W., . . . de Oliveira, A. C. P. (2019). A positive allosteric modulator of mGluR5 promotes neuroprotective effects in mice models of Alzheimer's disease. *Neuropharmacology*, 107785. doi: <https://doi.org/10.1016/j.neuropharm.2019.107785>. <http://www.sciencedirect.com/science/article/pii/S0028390819303430>

Belnoue, L., Grosjean, N., Abrous, D. N., & Koehl, M. (2011). A Critical Time Window for the Recruitment of Bulbar Newborn Neurons by Olfactory Discrimination Learning. *Journal of Neuroscience*, 31(3), 1010-1016. doi: 10.1523/jneurosci.3941-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/3/1010>

Belnoue, L., Grosjean, N., Ladevèze, E., Abrous, D. N., & Koehl, M. (2013). Prenatal Stress Inhibits Hippocampal Neurogenesis but Spares Olfactory Bulb Neurogenesis. *Plos one*, 8(8), e72972. doi: 10.1371/journal.pone.0072972. <http://dx.doi.org/10.1371%2Fjournal.pone.0072972>

- Belnoue, L., Malvaut, S., Ladevèze, E., Abrous, D. N., & Koehl, M. (2016). Plasticity in the olfactory bulb of the maternal mouse is prevented by gestational stress. [Article]. *Scientific Reports*, 6, 37615. doi: 10.1038/srep37615. <http://dx.doi.org/10.1038/srep37615>
- Ben Abdallah, N. M. B., Slomianka, L., & Lipp, H. P. (2007). Reversible effect of X-irradiation on proliferation, neurogenesis, and cell death in the dentate gyrus of adult mice. *Hippocampus*, 17(12), 1230-1240. doi.
- Ben Abdallah, N. M. B., Slomianka, L., Vyssotski, A. L., & Lipp, H. P. (2010). Early age-related changes in adult hippocampal neurogenesis in C57 mice. *Neurobiology of Aging*, 31(1), 151-161. doi.
- Ben Youssef, S., Brisson, G., Doucet-Beaupré, H., Castonguay, A.-M., Gora, C., Amri, M., & Lévesque, M. (2019). Neuroprotective benefits of grape seed and skin extract in a mouse model of Parkinson's disease. *Nutritional Neuroscience*, 1-15. doi: 10.1080/1028415x.2019.1616435. <https://doi.org/10.1080/1028415x.2019.1616435>
- Benarroch, E., Schmeichel, A., Low, P., & Parisi, J. (2013). Parabrachial nucleus involvement in multiple system atrophy. *Autonomic Neuroscience*. doi.
- Benarroch, E. E., Schmeichel, A. M., Dugger, B. N., Sandroni, P., Parisi, J. E., & Low, P. A. (2009). Dopamine cell loss in the periaqueductal gray in multiple system atrophy and Lewy body dementia. *Neurology*, 73(2), 106-112. doi: 10.1212/WNL.0b013e3181ad53e7. <http://www.neurology.org/cgi/content/abstract/73/2/106>
- Benarroch, E. E., Schmeichel, A. M., Low, P. A., & Parisi, J. E. (2010). Differential involvement of the periaqueductal gray in multiple system atrophy. *Autonomic Neuroscience*, 158(1-2), 111-117. doi.
- Benarroch, E. E., Schmeichel, A. M., Parisi, J. E., & Low, P. A. (2015). Histaminergic tuberomammillary neuron loss in multiple system atrophy and dementia with Lewy bodies. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.26287. <http://dx.doi.org/10.1002/mds.26287>
- Benarroch, E. E., Schmeichel, A. M., Parisi, J. E., & Low, P. A. (2015). Histaminergic tuberomammillary neuron loss in multiple system atrophy and dementia with Lewy bodies. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.26287. <http://dx.doi.org/10.1002/mds.26287>
- Benavente, F., Piltti, K. M., Hooshmand, M. J., Nava, A. A., Lakatos, A., Feld, B. G., . . . Anderson, A. (2020). Novel C1q receptor-mediated signaling controls neural stem cell behavior and neurorepair. *eLife*, 9, e55732. doi: 10.7554/eLife.55732. <https://doi.org/10.7554/eLife.55732>
- Bender, A., Desplats, P., Spencer, B., Rockenstein, E., Adame, A., Elstner, M., . . . Masliah, E. (2013). TOM40 Mediates Mitochondrial Dysfunction Induced by α -Synuclein Accumulation in Parkinson's Disease. *Plos one*, 8(4), e62277. doi: 10.1371/journal.pone.0062277. <http://dx.doi.org/10.1371%2Fjournal.pone.0062277>
- Benedict, A. L., Mounthey, A., Hurtado, A., Bryan, K. E., Schnaar, R., Dinkova-Kostova, A. T., & Talalay, P. (2012). Neuroprotective Effects of Sulforaphane after Contusive Spinal Cord Injury. *Journal of Neurotrauma*, (ja). doi.
- Benner, E. J., Banerjee, R., Reynolds, A. D., Sherman, S., Pisarev, V. M., Tshiperson, V., . . . others. (2008). Nitrated α -Synuclein Immunity Accelerates Degeneration of Nigral Dopaminergic Neurons. *PLoS ONE*, 3(1), e1376-e1376. doi.

Benner, E. J., Mosley, R. L., Destache, C. J., Lewis, T. B., Jackson-Lewis, V., Gorantla, S., . . . Gendelman, H. E. (2004). Therapeutic immunization protects dopaminergic neurons in a mouse model of Parkinson's disease. *Proceedings of the National Academy of Sciences*, 101(25), 9435-9440. doi: <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/101/25/9435>

Bennett, D. A., Schneider, J. A., Tang, Y., Arnold, S. E., & Wilson, R. S. (2006). The effect of social networks on the relation between Alzheimer's disease pathology and level of cognitive function in old people: a longitudinal cohort study. *Lancet Neurology*, 5(5), 406-412. doi.

Bennett, D. A., Schneider, J. A., Wilson, R. S., Bienias, J. L., & Arnold, S. E. (2004). Neurofibrillary Tangles Mediate the Association of Amyloid Load With Clinical Alzheimer Disease and Level of Cognitive Function. *Archives of Neurology*, 61. doi.

Bennett, D. A., Schneider, J. A., Wilson, R. S., Bienias, J. L., Berry-Kravis, E., & Arnold, S. E. (2005). Amyloid mediates the association of apolipoprotein E e4 allele to cognitive function in older people. *Journal of Neurology*, 76, 1194-1199. doi.

Bennett, D. A., Wilson, R. S., Boyle, P. A., Buchman, A. S., & Schneider, J. A. (2012). Relation of neuropathology to cognition in persons without cognitive impairment. *Annals of Neurology*. doi.

Bennett, R. E., & Brody, D. L. (2014). Acute Reduction of Microglia Does Not Alter Axonal Injury In a Mouse Model of Repetitive Concussive Traumatic Brain Injury. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3320>

Bennett, R. E., Esparza, T. J., Lewis, H. A., Kim, E., Mac Donald, C. L., Sullivan, P. M., & Brody, D. L. (2013). Human Apolipoprotein E4 Worsens Acute Axonal Pathology but Not Amyloid-A Immunoreactivity After Traumatic Brain Injury in 3xTG-AD Mice. *Journal of Neuropathology and Experimental Neurology*, 72(5). doi.

Benneyworth, M. A., Li, Y., Basu, A. C., Bolshakov, V. Y., & Coyle, J. T. (2012). Cell Selective Conditional Null Mutations of Serine Racemase Demonstrate a Predominate Localization in Cortical Glutamatergic Neurons. *Cellular and Molecular Neurobiology*, 1-12. doi.

Benneyworth, M. A., Roseman, A. S., Basu, A. C., & Coyle, J. T. (2011). Failure of NMDA receptor hypofunction to induce a pathological reduction in PV-positive GABAergic cell markers. *Neuroscience Letters*, 488(3), 267-271. doi.

Benraiss, A., Bruel-Jungerman, E., Lu, G., Economides, A. N., Davidson, B., & Goldman, S. A. (2011). Sustained induction of neuronal addition to the adult rat neostriatum by AAV4-delivered noggin and BDNF. *Gene Therapy*. doi.

Benraiss, A., Wang, S., Herrlinger, S., Li, X., Chandler-Militello, D., Mauceri, J., . . . Goldman, S. A. (2016). Human glia can both induce and rescue aspects of disease phenotype in Huntington disease. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11758. <http://dx.doi.org/10.1038/ncomms11758>

Benskey, M., Lee, K. Y., Parikh, K., Lookingland, K. J., & Goudreau, J. L. (2013). Sustained resistance to acute MPTP toxicity by hypothalamic dopamine neurons following chronic neurotoxicant exposure is associated with sustained up-regulation of parkin protein. *Neurotoxicology*, (0). doi: <http://dx.doi.org/10.1016/j.neuro.2013.04.002>. <http://www.sciencedirect.com/science/article/pii/S0161813X13000545>

Benskey, M., Sandoval, I. M., & Manfredsson, F. P. (2016). Continuous Collection of AAV from Producer Cell Media Significantly Increases Total Viral Yield. *Human Gene Therapy Methods*. doi: 10.1089/hgtb.2015.117. <http://online.liebertpub.com/doi/abs/10.1089/hgtb.2015.117>

Bento-Torres, J., Sobral, L. L., Reis, R. R., de Oliveira, R. B., Anthony, D. C., Vasconcelos, P. F. C., . . . o Diniz, C. W. (2017). Age and Environment Influences on Mouse Prion Disease Progression: Behavioral Changes and Morphometry and Stereology of Hippocampal Astrocytes. *Oxidative Medicine and Cellular Longevity*, 2017, 18. doi: 10.1155/2017/4504925. <https://doi.org/10.1155/2017/4504925>

Beraldi, R., Chan, C.-H., Rogers, C. S., Kovács, A. D., Meyerholz, D. K., Trantzas, C., . . . Pearce, D. A. (2015). A novel porcine model of Ataxia Telangiectasia reproduces neurological features and motor deficits of human disease. *Human Molecular Genetics*. doi: 10.1093/hmg/ddv356. <http://hmg.oxfordjournals.org/content/early/2015/09/15/hmg.ddv356.abstr act>

Bereket, C., Özan, F., Sener, I., Tek, M., Altunkaynak, B. Z., Semirgin, S. U., . . . Özdemir, M. (2014). Propolis Accelerates the Consolidation Phase in Distraction Osteogenesis. *Journal of Craniofacial Surgery*, 25(5), 1912-1916. doi: 10.1097/SCS.0000000000000946. doi: <http://journals.lww.com/jcraniofacialsurgery/Fulltext/2014/09000/Propoli..>

Berg, J., Roch, M., Altschüler, J., Winter, C., Schwerk, A., Kurtz, A., & Steiner, B. (2014). Human adipose-Derived Mesenchymal Stem Cells Improve Motor Functions and are Neuroprotective in the 6-Hydroxydopamine-Rat Model for Parkinson's Disease when Cultured in Monolayer Cultures but Suppress Hippocampal Neurogenesis and Hippocampal Memory Function when Cultured in Spheroids. *Stem Cell Reviews and Reports*, 1-17. doi: 10.1007/s12015-014-9551-y. <http://dx.doi.org/10.1007/s12015-014-9551-y>

Berggren, K. L., Chen, J., Fox, J., Miller, J., Dodds, L., Dugas, B., . . . Fox, J. H. (2015). Neonatal iron supplementation potentiates oxidative stress, energetic dysfunction and neurodegeneration in the R6/2 mouse model of Huntington's disease. *Redox Biology*, 4(0), 363-374. doi: <http://dx.doi.org/10.1016/j.redox.2015.02.002>. <http://www.sciencedirect.com/science/article/pii/S2213231715000208>

Berggren, K. L., Lu, Z., Fox, J. A., Dudenhofer, M., Agrawal, S., & Fox, J. H. (2016). Neonatal iron supplementation induces striatal atrophy in female YAC128 Huntington's disease mice. *Journal of Huntington's Disease*, (Preprint), 1-11. doi: <http://content.iospress.com/articles/journal-of-huntingtons-disease/jhd1..>

Bergkvist, L., Johnson, M. E., Mercado, G., Steiner, J. A., Meyerdirk, L., Schulz, E., . . . Brundin, P. (2021). An extended release GLP-1 analogue increases α -synuclein accumulation in a mouse model of prodromal Parkinson's disease. *Experimental Neurology*, 341, 113693. doi: <https://doi.org/10.1016/j.expneurol.2021.113693>. <https://www.sciencedirect.com/science/article/pii/S0014488621000984>

Bernabeu, R., Yang, T., Xie, Y., Mehta, B., Ma, S. Y., & Longo, F. M. (2006). Downregulation of the LAR protein tyrosine phosphatase receptor is associated with increased dentate gyrus neurogenesis and an increased number of granule cell layer neurons. *Molecular Cellular Neuroscience*, 31, 723-738. doi:

Bernardes, D., Brambilla, R., Bracchi-Ricard, V., Karmally, S., Dellarole, A., Carvalho-Tavares, J., & Bethea, J. R. (2015). Prior regular exercise improves clinical outcome and reduces demyelination and axonal injury in experimental autoimmune encephalomyelitis. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13354. <http://dx.doi.org/10.1111/jnc.13354>

Bernardes, D., Oliveira-Lima, O. C., da Silva, T. V., Faraco, C. C. F., Leite, H. R., Juliano, M. A., . . . Carvalho-Tavares, J. (2013). Differential brain and spinal cord cytokine and BDNF levels in experimental autoimmune encephalomyelitis are modulated by prior and regular exercise. *Journal of Neuroimmunology*, (0). doi: <http://dx.doi.org/10.1016/j.jneuroim.2013.08.014>. <http://www.sciencedirect.com/science/article/pii/S0165572813002373>

Bernatz, S., Ilna, E. I., Devraj, K., Harter, P. N., Mueller, K., Kleber, S., . . . Mittelbronn, M. (2019). Impact of Docetaxel on blood-brain barrier function and formation of breast cancer brain metastases. *Journal of Experimental and Clinical Cancer Research*, 38(1), 434. doi: 10.1186/s13046-019-1427-1. <https://doi.org/10.1186/s13046-019-1427-1>

Bernedo, V., Insua, D., Suárez, M. L., Santamarina, G., Sarasa, M., & Pesini, P. (2009). 'Beta' amyloid cortical deposits are accompanied by the loss of serotonergic neurons in the dog. *Journal of Comparative Neurology*, 513(4), 417-429. doi.

Bernstein, A. I., Garrison, S. P., Zambetti, G. P., & O'Malley, K. L. (2011). 6-OHDA generated ROS induces DNA damage and p53-and PUMA-dependent cell death. *Molecular Neurodegeneration*, 6(1), 2-2. doi.

Bernstein, A. I., & O'Malley, K. L. (2013). MPP+-induces PUMA- and p53-dependent, but ATF3-independent cell death. *Toxicology Letters*, (0). doi: <http://dx.doi.org/10.1016/j.toxlet.2013.03.003>. <http://www.sciencedirect.com/science/article/pii/S037842741300101X>

Bernstein, H. S., Samad, T., Cholsiripunlert, S., Khalifian, S., Gong, W., Ritner, C., . . . Bennett, S. (2013). Stem Cell Antigen-1 in Skeletal Muscle Function. *PLoS currents*, 5. doi. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3770837/>

Bernstein, S. L., Mehrabyan, Z., Guo, Y., & Moianie, N. (2007). Estrogen is not neuroprotective in a rodent model of optic nerve stroke. *Molecular Vision*, 13, 1920-1925. doi.

Bernstock, J. D., Lee, Y.-j., Peruzzotti-Jametti, L., Southall, N., Johnson, K. R., Maric, D., . . . Hallenbeck, J. M. (2015). A novel quantitative high-throughput screen identifies drugs that both activate SUMO conjugation via the inhibition of microRNAs 182 and 183 and facilitate neuroprotection in a model of oxygen and glucose deprivation. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15609939. <http://jcb.sagepub.com/content/early/2015/10/20/0271678x15609939.abstract>

Berretta, S., Pantazopoulos, H., & Lange, N. (2007). Neuron numbers and volume of the amygdala in subjects diagnosed with bipolar disorder or schizophrenia. *Biological Psychiatry*, 62(8), 884-893. doi.

Berrocal, Y. A., Almeida, V. W., Gupta, R., & Levi, A. D. (2013). Transplantation of Schwann cells in a collagen tube for the repair of large, segmental peripheral nerve defects in rats. *Journal of Neurosurgery*, 0(0), 1-13. doi: doi:10.3171/2013.4.JNS121189. <http://thejns.org/doi/abs/10.3171/2013.4.JNS121189>

Berry, A., Amrein, I., Nötzli, S., Lazic, S. E., Bellisario, V., Giorgio, M., . . . Cirulli, F. (2012). Sustained hippocampal neurogenesis in females is amplified in P66Shc^{-/-} mice: An animal model of healthy aging. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22042. <http://dx.doi.org/10.1002/hipo.22042>

Berthet, A., Margolis, E. B., Zhang, J., Hsieh, I., Zhang, J., Hnasko, T. S., . . . Huang, E. J. (2014). Loss of Mitochondrial Fission Depletes Axonal Mitochondria in Midbrain Dopamine Neurons. *The Journal of Neuroscience*, 34(43), 14304-14317. doi. <http://www.jneurosci.org/content/34/43/14304.short>

Berton, O., Espallergues, J., Teegarden, S., Veerakumar, A., & Interest, C. (2012). HDAC6 regulates GR signaling in serotonin pathways with critical impact on stress resilience. *Journal of Neuroscience*. doi:

Bertrand, A., Khan, U., Hoang, D. M., Novikov, D. S., Krishnamurthy, P., Rajamohamed Sait, H. B., . . . Wadghiri, Y. Z. (2012). Non-invasive, in vivo monitoring of neuronal transport impairment in a mouse model of tauopathy using MEMRI. *Neuroimage*, (0). doi: 10.1016/j.neuroimage.2012.08.065. <http://www.sciencedirect.com/science/article/pii/S1053811912008749>

Bessa, J., Morais, M., Marques, F., Pinto, L., Palha, J., Almeida, O., & Sousa, N. (2013). Stress-induced anhedonia is associated with hypertrophy of medium spiny neurons of the nucleus accumbens. *Translational Psychiatry*, 3(6), e266. doi: <http://www.nature.com/tp/journal/v3/n6/abs/tp201339a.html>

Bessa, J. M., Ferreira, D., Melo, I., Marques, F., Cerqueira, J. J., Palha, J. A., . . . Sousa, N. (2008). The mood-improving actions of antidepressants do not depend on neurogenesis but are associated with neuronal remodeling. *Molecular Psychiatry*. doi:

Bethea, C. L., Coleman, K., Phu, K., Reddy, A. P., & Phu, A. (2014). Relationships between androgens, serotonin gene expression and innervation in male macaques. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.05.056>. <http://www.sciencedirect.com/science/article/pii/S0306452214004643>

Bethea, C. L., Kim, A., Reddy, A. P., Chin, A., Weraky, S. C., & Cameron, J. L. (2014). Hypothalamic KISS1 Expression, GnRH, and Neurotransmitter Innervation Vary with Stress and Sensitivity in Macaques. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12146. <http://dx.doi.org/10.1111/jne.12146>

Betschart, C., Scheiner, D., Maake, C., Vich, M., Slomianka, L., Fink, D., & Perucchini, D. (2008). Histomorphological analysis of the urogenital diaphragm in elderly women: a cadaver study. *International Urogynecology Journal*, 19(11), 1477-1481. doi:

Beurel, E., & Jope, R. S. (2008). Differential regulation of STAT family members by glycogen synthase kinase-3. *Journal of Biological Chemistry*, 283. doi: 10.1074/jbc.M802481200. <http://dx.doi.org/10.1074/jbc.M802481200>

Beurel, E., & Jope, R. S. (2009). Lipopolysaccharide-induced interleukin-6 production is controlled by glycogen synthase kinase-3 and STAT3 in the brain. *J Neuroinflammation*, 6. doi: 10.1186/1742-2094-6-9. <http://dx.doi.org/10.1186/1742-2094-6-9>

Beurel, E., & Jope, R. S. (2010). Glycogen synthase kinase-3 regulates inflammatory tolerance in astrocytes. *Neuroscience*, 169. doi: 10.1016/j.neuroscience.2010.05.044. <http://dx.doi.org/10.1016/j.neuroscience.2010.05.044>

Bhaduri, B., Abhilash, P. L., & Alladi, P. A. (2018). Baseline striatal and nigral interneuronal protein levels in two distinct mice strains differ in accordance with their MPTP susceptibility. *Journal of Chemical Neuroanatomy*, 91, 46-54. doi: <https://doi.org/10.1016/j.jchemneu.2018.04.005>. <http://www.sciencedirect.com/science/article/pii/S0891061818300413>

Bhagwandin, A., Debipersadh, U., Kaswera-Kyamakya, C., Gilissen, E., Rockland, K. S., Molnár, Z., & Manger, P. R. (2020). Distribution, number, and certain neurochemical identities of infracortical white matter neurons in the brains of three megachiropteran bat species. *Journal of Comparative*

Neurology, n/a(n/a). doi:

10.1002/cne.24894. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24894>

Bhagwandin, A., Gravett, N., Hemingway, J., Oosthuizen, M. K., Bennett, N. C., Siegel, J. M., & Manger, P. R. (2011). Orexinergic neuron numbers in three species of African mole rats with rhythmic and arrhythmic chronotypes. *Neuroscience*. doi.

Bhatti, A. S., Hall, P., Ma, Z., Tao, R., & Isgor, C. (2007). Hippocampus modulates the behaviorally-sensitizing effects of nicotine in a rat model of novelty-seeking: Potential role for mossy fibers. *Hippocampus*, 17(10), 922-933. doi.

Bi, B., Salmaso, N., Komitova, M., Simonini, M. V., Silbereis, J., Cheng, E., . . . Vaccarino, F. M. (2011). Cortical Glial Fibrillary Acidic Protein-Positive Cells Generate Neurons after Perinatal Hypoxic Injury. *Journal of Neuroscience*, 31(25), 9205-9221. doi: 10.1523/jneurosci.0518-11.2011. <http://www.jneurosci.org/content/31/25/9205.abstract>

Biamonte, F., Assenza, G., Marino, R., D'Amelio, M., Panteri, R., Caruso, D., . . . others. (2009). Interactions between neuroactive steroids and reelin haploinsufficiency in Purkinje cell survival. *Neurobiology of Disease*, 36(1), 103-115. doi.

Biamonte, F., Latini, L., Giorgi, F. S., Zingariello, M., Marino, R., De Luca, R., . . . Keller, F. (2014). Associations among exposure to methylmercury, reduced Reelin expression, and gender in the cerebellum of developing mice. *Neurotoxicology*, 45(0), 67-80. doi: <http://dx.doi.org/10.1016/j.neuro.2014.09.006>. <http://www.sciencedirect.com/science/article/pii/S0161813X14001685>

Biamonte, F., Sica, G., Filippini, A., & D'Alessio, A. (2021). Evidence of Reelin Signaling in GBM and Its Derived Cancer Stem Cells. *Brain Sciences*, 11(6), 745. doi. <https://www.mdpi.com/2076-3425/11/6/745>

Bian, M., Liu, J., Hong, X., Yu, M., Huang, Y., Sheng, Z., . . . Huang, F. (2012). Overexpression of Parkin Ameliorates Dopaminergic Neurodegeneration Induced by 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine in Mice. *Plos one*, 7(6), e39953. doi: 10.1371/journal.pone.0039953. <http://dx.doi.org/10.1371%2Fjournal.pone.0039953>

Bianchi, S., Stimpson, C. D., Duka, T., Larsen, M. D., Janssen, W. G. M., Collins, Z., . . . Sherwood, C. C. (2013). Synaptogenesis and development of pyramidal neuron dendritic morphology in the chimpanzee neocortex resembles humans. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1301224110. <http://www.pnas.org/content/early/2013/06/04/1301224110.abstract>

Bible, E., Gupta, P., Hofmann, S. L., & Cooper, J. D. (2004). Regional and cellular neuropathology in the palmitoyl protein thioesterase-1 null mutant mouse model of infantile neuronal ceroid lipofuscinosis. *Neurobiology of Disease*, 16(2), 346-359. doi.

Bickford, P. C., Bowenkamp, K., Tagliatela, G., Hoertig, G., & Granholm, A. C. (2001). GDNF improves cerebellar Purkinje neuron function in aged F344 rats. *Microscopy Research and Technique*, 54(5), 309-316. doi.

Bick-Sander, A., Steiner, B., Wolf, S. A., Babu, H., & Kempermann, G. (2006). Running in pregnancy transiently increases postnatal hippocampal neurogenesis in the offspring. *Proceedings of the National Academy of Sciences*, 103(10), 3852-3857. doi: 10.1073/Proceedings of the National Academy of Sciences.0502644103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/10/3852>

Biebl, M., Cooper, C. M., Winkler, J., & Kuhn, H. G. (2000). Analysis of neurogenesis and programmed cell death reveals a self-renewing capacity in the adult rat brain. *Neuroscience Letters*, 291(1), 17-20. doi.

Biebl, M., Winner, B., & Winkler, J. (2005). Caspase inhibition decreases cell death in regions of adult neurogenesis. *Neuroreport*, 16(11), 1147-1147. doi.

Biedermann, S., Fuss, J., Steinle, J., Auer, M., Dormann, C., Falfán-Melgoza, C., . . . Weber-Fahr, W. (2014). The hippocampus and exercise: histological correlates of MR-detected volume changes. *Brain Structure and Function*, 1-11. doi: 10.1007/s00429-014-0976-5. <http://dx.doi.org/10.1007/s00429-014-0976-5>

Biedermann, S. V., Auer, M. K., Bindila, L., Ende, G., Lutz, B., Weber-Fahr, W., . . . Fuss, J. (2016). Restricted vs. unrestricted wheel running in mice: Effects on brain, behavior and endocannabinoids. *Hormones and Behavior*, 86, 45-54. doi: <http://dx.doi.org/10.1016/j.yhbeh.2016.09.007>. <http://www.sciencedirect.com/science/article/pii/S0018506X16301799>

Bienkowski, M. S., & Rinaman, L. (2012). Common and distinct neural inputs to the medial central nucleus of the amygdala and anterior ventrolateral bed nucleus of stria terminalis in rats. *Brain Structure and Function*, 1-22. doi.

Bienkowski, M. S., Wendel, E. S., & Rinaman, L. (2013). Organization of multisynaptic circuits within and between the medial and central extended amygdala. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23356. <http://dx.doi.org/10.1002/cne.23356>

Biju, K. C., Zhou, Q., Li, G., Imam, S. Z., Roberts, J. L., Morgan, W. W., . . . Li, S. (2010). Macrophage-mediated GDNF delivery protects against dopaminergic neurodegeneration: a therapeutic strategy for Parkinson's disease. *Molecular Therapy*, 18(8), 1536-1544. doi.

Bilbo, S. D., Wieseler, J. L., Barrientos, R. M., Tsang, V., Watkins, L. R., & Maier, S. F. (2010). Neonatal bacterial infection alters fever to live and simulated infections in adulthood. *Psychoneuroendocrinology*, 35(3), 369-381. doi.

Bilella, A., Alvarez-Bolado, G., & Celio, M. R. (2014). Coaxiality of Foxb1- and parvalbumin-expressing neurons in the lateral hypothalamic PV1-nucleus. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2014.02.028>. <http://www.sciencedirect.com/science/article/pii/S0304394014001323>

Bilella, A., Alvarez-Bolado, G., & Celio, M. R. (2016). The Foxb1-expressing neurons of the ventrolateral hypothalamic parvafox nucleus project to defensive circuits. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24057. <http://dx.doi.org/10.1002/cne.24057>

Bilella, A., Alvarez-Bolado, G., & Celio, M. R. (2016). The Foxb1-expressing neurons of the ventrolateral hypothalamic parvafox nucleus project to defensive circuits. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24057. <http://dx.doi.org/10.1002/cne.24057>

Billings, B. K., Bhagwandin, A., Patzke, N., Ngwenya, A., Rook, N., von Eugen, K., . . . Manger, P. R. (2020). Nuclear organization and morphology of catecholaminergic neurons and certain pallial terminal networks in the brain of the Nile crocodile, *Crocodylus niloticus*. *Journal of Chemical Neuroanatomy*, 109, 101851. doi: <https://doi.org/10.1016/j.jchemneu.2020.101851>. <http://www.sciencedirect.com/science/article/pii/S0891061820301204>

Billings, J. L., Gordon, S. L., Rawling, T., Doble, P. A., Bush, A. I., Adlard, P. A., . . . Hare, D. J. (2019). L-DOPA modulates brain iron, dopaminergic neurodegeneration and motor dysfunction in iron overload and mutant alpha-synuclein mouse models of Parkinson's disease. *Journal of Neurochemistry*, 0(ja). doi: doi:10.1111/jnc.14676. <https://onlinelibrary.wiley.com/doi/abs/10.1111/jnc.14676>

Bingol, F., Yoruk, O., Bingol, B. O., Erdemci, B., Ozkan, O., & Mazlumoglu, M. R. (2015). Estimation of the efficacy of chemo-radiotherapy on tumor regression in the patients with laryngeal cancer via computerized tomography using the Cavalieri method. *Acta Oto-Laryngologica*, 1-4. doi: 10.3109/00016489.2015.1096958. <http://dx.doi.org/10.3109/00016489.2015.1096958>

Bird, C. W., Taylor, D. H., Pinkowski, N. J., Chavez, G. J., & Valenzuela, C. F. (2018). Long-term Reductions in the Population of GABAergic Interneurons in the Mouse Hippocampus following Developmental Ethanol Exposure. *Neuroscience*, 383, 60-73. doi: <https://doi.org/10.1016/j.neuroscience.2018.05.003>. <http://www.sciencedirect.com/science/article/pii/S0306452218303270>

Birjandi, S. Z., Abduljawad, N., Nair, S., Dehghani, M., Suzuki, K., Kimura, H., & Carmichael, S. T. (2020). Phosphodiesterase 10A Inhibition Leads to Brain Region-Specific Recovery Based on Stroke Type. *Translational Stroke Research*. doi: 10.1007/s12975-020-00819-8. <https://doi.org/10.1007/s12975-020-00819-8>

Birket, M. J., Orr, A. L., Gerencser, A. A., Madden, D. T., Vitelli, C., Swistowski, A., . . . Zeng, X. (2011). A reduction in ATP demand and mitochondrial activity with neural differentiation of human embryonic stem cells. *Journal of Cell Science*, 124(3), 348-358. doi: 10.1242/jcs.072272. <http://jcs.biologists.org/cgi/content/abstract/124/3/348>

Birkisdóttir, M. B., Jaarsma, D., Brandt, R. M. C., Barnhoorn, S., van Vliet, N., Imholz, S., . . . Dollé, M. E. T. (2021). Unlike dietary restriction, rapamycin fails to extend lifespan and reduce transcription stress in progeroid DNA repair-deficient mice. <https://doi.org/10.1111/accel.13302>. *Aging cell*, n/a(n/a), e13302. doi: <https://doi.org/10.1111/accel.13302>. <https://doi.org/10.1111/accel.13302>

Birkel, C., Carassiti, D., Hussain, F., Langkammer, C., Enzinger, C., Fazekas, F., . . . Ropele, S. (2017). Assessment of ferritin content in multiple sclerosis brains using temperature-induced R² changes. *Magnetic Resonance in Medicine*, n/a-n/a. doi: 10.1002/mrm.26780. <http://dx.doi.org/10.1002/mrm.26780>

Bischoff, S., Schmidt, M., Lehmann, T., Irintchev, A., Schubert, H., Jung, C., . . . Schiffner, R. (2016). Increase of cortical cerebral blood flow and further cerebral microcirculatory effects of Serelaxin in a sheep model. [10.1152/ajpheart.00118.2016]. *American Journal of Physiology - Heart and Circulatory Physiology*. doi: <http://ajpheart.physiology.org/content/early/2016/07/06/ajpheart.00118.2..>

Bishop, K. M., Hofer, E. K., Mehta, A., Ramirez, A., Sun, L., Tuszynski, M., & Bartus, R. T. (2008). Therapeutic potential of CERE-110 (AAV2-NGF): targeted, stable, and sustained NGF delivery and trophic activity on rodent basal forebrain cholinergic neurons. *Experimental Neurology*, 211(2), 574-584. doi:

Bisicchia, E., Latini, L., Cavallucci, V., Sasso, V., Nicolini, V., Molinari, M., . . . Viscomi, M. T. (2016). Autophagy Inhibition Favors Survival of Rubrospinal Neurons After Spinal Cord Hemisection. [journal article]. *Molecular Neurobiology*, 1-12. doi: 10.1007/s12035-016-0031-z. <http://dx.doi.org/10.1007/s12035-016-0031-z>

Bisicchia, E., Sasso, V., Catanzaro, G., Leuti, A., Besharat, Z. M., Chiacchiarini, M., . . . Chiurchiù, V. (2018). Resolvin D1 Halts Remote Neuroinflammation and Improves Functional Recovery after Focal Brain

Damage Via ALX/FPR2 Receptor-Regulated MicroRNAs. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0889-z. <https://doi.org/10.1007/s12035-018-0889-z>

Bissonnette, S., Muratot, S., Vernoux, N., Bezeau, F., Calon, F., Hébert, S. S., & Samadi, P. (2014). The effect of striatal pre-enkephalin overexpression in the basal ganglia of the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine mouse model of Parkinson's disease. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12596. <http://dx.doi.org/10.1111/ejn.12596>

Bissonnette, S., Vaillancourt, M., Hébert, S. S., Drolet, G., & Samadi, P. (2013). Striatal Pre-Enkephalin Overexpression Improves Huntington's Disease Symptoms in the R6/2 Mouse Model of Huntington's Disease. *Plos one*, 8(9), e75099. doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3770591/>

Bittencourt, S., Ferrazoli, E., Valente, M. F., Romariz, S., Janisset, N. R. L. L., Macedo, C. E., . . . Mello, L. E. (2017). Modification of the natural progression of epileptogenesis by means of biperiden in the pilocarpine model of epilepsy. *Epilepsy Research*, 138(Supplement C), 88-97. doi: <https://doi.org/10.1016/j.eplepsyres.2017.10.019>. <http://www.sciencedirect.com/science/article/pii/S0920121117301262>

Bittle, J., & Stevens, H. E. (2018). The role of glucocorticoid, interleukin-1 β , and antioxidants in prenatal stress effects on embryonic microglia. [journal article]. *Journal of neuroinflammation*, 15(1), 44. doi: 10.1186/s12974-018-1079-7. <https://doi.org/10.1186/s12974-018-1079-7>

Bjornsson, C. S., Lin, G., Al-Kofahi, Y., Narayanaswamy, A., Smith, K. L., Shain, W., & Roysam, B. (2008). Associative image analysis: a method for automated quantification of 3D multi-parameter images of brain tissue. *Journal of Neuroscience Methods*, 170(1), 165-178. doi:

Blackmore, D. G., Golmohammadi, M. G., Large, B., Waters, M. J., & Rietze, R. L. (2009). Exercise Increases Neural Stem Cell Number in a Growth Hormone-Dependent Manner, Augmenting the Regenerative Response in Aged Mice. *Stem Cells*, 27(8), 2044-2052. doi: 10.1002/stem.120. <http://stemcells.alphaamedpress.org/cgi/content/abstract/27/8/2044>

Blaiss, C. A., Yu, T.-S., Zhang, G., Chen, J., Dimchev, G., Parada, L. F., . . . Kernie, S. G. (2011). Temporally Specified Genetic Ablation of Neurogenesis Impairs Cognitive Recovery after Traumatic Brain Injury. *Journal of Neuroscience*, 31(13), 4906-4916. doi: 10.1523/jneurosci.5265-10.2011. <http://www.jneurosci.org/content/31/13/4906.abstract>

Blakely, B. D., Bye, C. R., Fernando, C. V., Horne, M. K., Macheda, M. L., Stacker, S. A., . . . Parish, C. L. (2011). Wnt5a regulates midbrain dopaminergic axon growth and guidance. *PLoS ONE*, 6(3), e18373-e18373. doi:

Blanchard, J., Bolognin, S., Chohan, M. O., Rabe, A., Iqbal, K., & Grundke-Iqbal, I. (2011). Rescue of Synaptic Failure and Alleviation of Learning and Memory Impairments in a Trisomic Mouse Model of Down Syndrome. *Journal of Neuropathology and Experimental Neurology*, 70(12), 1070-1070. doi:

Bland, K. M., Aharon, A., Widener, E. L., Song, M. I., Casey, Z. O., Zuo, Y., & Vidal, G. S. (2021). FMRP regulates the subcellular distribution of cortical dendritic spine density in a non-cell-autonomous manner. *Neurobiology of Disease*, 150, 105253. doi: <https://doi.org/10.1016/j.nbd.2021.105253>. <https://www.sciencedirect.com/science/article/pii/S0969996121000024>

Bland, S. T., Beckley, J. T., Young, S., Tsang, V., Watkins, L. R., Maier, S. F., & Bilbo, S. D. (2010). Enduring consequences of early-life infection on glial and neural cell genesis within cognitive regions of the brain. *Brain, Behavior, and Immunity*, 24(3), 329-338. doi:

Blaya, M. O., Bramlett, H., Nadoo, J., Pieper, A. A., & Dietrich III, W. D. (2013). Neuroprotective efficacy of a proneurogenic compound after traumatic brain injury. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3135>

Blaya, M. O., Tsoulfas, P., Bramlett, H. M., & Dietrich, W. D. (2014). Neural progenitor cell transplantation promotes neuroprotection, enhances hippocampal neurogenesis, and improves cognitive outcomes after traumatic brain injury. *Experimental Neurology*, (o). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.11.014>. <http://www.sciencedirect.com/science/article/pii/S0014488614003847>

Blazquez-Llorca, L., Garcia-Marin, V., Merino-Serrais, P., Ávila, J., & DeFelipe, J. (2011). Abnormal Tau Phosphorylation in the Thorny Excrescences of CA3 Hippocampal Neurons in Patients with Alzheimer's Disease. *Journal of Alzheimer's Disease*, 26(4), 683-698. doi.

Blesa, J., Juri, C., García-Cabezas, M. Á., Adánez, R., Sánchez-González, M. Á., Cavada, C., & Obeso, J. A. (2011). Inter-hemispheric asymmetry of nigrostriatal dopaminergic lesion: a possible compensatory mechanism in Parkinson's disease. *Frontiers in Systems Neuroscience*, 5. doi.

Blesa, J., Pifl, C., Sánchez-González, M. A., Juri, C., García-Cabezas, M. A., Adánez, R., . . . Obeso, J. A. (2012). The nigrostriatal system in the presymptomatic and symptomatic stages in the MPTP monkey model: A PET, histological and biochemical study. *Neurobiology of Disease*, (o). doi: 10.1016/j.nbd.2012.05.018. <http://www.sciencedirect.com/science/article/pii/S0969996112002045>

Bliss, T. M., Kelly, S., Shah, A. K., Foo, W. C., Kohli, P., Stokes, C., . . . others. (2006). Transplantation of hNT neurons into the ischemic cortex: cell survival and effect on sensorimotor behavior. *Journal of Neuroscience Research*, 83(6), 1004-1014. doi.

Blockx, I., Verhoye, M., Van Audekerke, J., Bergwerf, I., Kane, J. X., Delgado y Palacios, R., . . . Van der Linden, A. (2012). Identification and characterization of Huntington related pathology: An in vivo DKI imaging study. *Neuroimage*, (o). doi: 10.1016/j.neuroimage.2012.06.032. <http://www.sciencedirect.com/science/article/pii/S1053811912006465>

Bloem, B., Schoppink, L., Rotaru, D. C., Faiz, A., Hendriks, P., Mansvelde, H. D., . . . Wouterlood, F. G. (2014). Topographic Mapping between Basal Forebrain Cholinergic Neurons and the Medial Prefrontal Cortex in Mice. *The Journal of Neuroscience*, 34(49), 16234-16246. doi: <http://www.jneurosci.org/content/34/49/16234.short>

Blomster, L. V., Vukovic, J., Hendrickx, D. A., Jung, S., Harvey, A. R., Filgueira, L., & Ruitenberg, M. J. (2011). CX3CR1 deficiency exacerbates neuronal loss and impairs early regenerative responses in the target-ablated olfactory epithelium. *Molecular and Cellular Neuroscience*. doi.

Blomstrand, M., Kalm, M., Grandér, R., Björk-Eriksson, T., & Blomgren, K. (2014). Different reactions to irradiation in the juvenile and adult hippocampus. *International Journal of Radiation Biology*, 0(ja), 1-17. doi: 10.3109/09553002.2014.942015. <http://informahealthcare.com/doi/abs/10.3109/09553002.2014.942015>

Blosa, M., Sonntag, M., Brückner, G., Jäger, C., Seeger, G., Matthews, R. T., . . . Morawski, M. (2012). Unique features of extracellular matrix in the mouse medial nucleus of trapezoid body - implications for physiological functions. *Neuroscience*, (o). doi: 10.1016/j.neuroscience.2012.10.003. <http://www.sciencedirect.com/science/article/pii/S0306452212010019?v=s5>

- Blum, I. D., Lamont, E. W., Rodrigues, T., & Abizaid, A. (2012). Isolating Neural Correlates of the Pacemaker for Food Anticipation. *PLoS ONE*, 7(4), e36117. doi.
- Blundell, J., & Adamec, R. (2007). The NMDA receptor antagonist CPP blocks the effects of predator stress on pCREB in brain regions involved in fearful and anxious behavior. *Brain Research*, 1136, 59-76. doi.
- Boada, M. D., Gutierrez, S., Aschenbrenner, C. A., Houle, T. T., Hayashida, K.-i., Ririe, D. G., & Eisenach, J. C. (2014). Nerve injury induces a new profile of tactile and mechanical nociceptor input from undamaged peripheral afferents. [10.1152/jn.00506.2014]. *Journal of Neurophysiology*. doi. <http://jn.physiology.org/content/early/2014/09/24/jn.00506.2014.abstract>
- Boada, M. D., Gutierrez, S., Houle, T., Eisenach, J. C., & Ririe, D. G. (2011). Developmental differences in peripheral glabrous skin mechanosensory nerve receptive field and intracellular electrophysiologic properties: phenotypic characterization in infant and juvenile rats. *International Journal of Developmental Neuroscience*. doi.
- Bobik, M., Ellisman, M. H., Rudy, B., & Martone, M. E. (2004). Potassium channel subunit Kv3.2 and the water channel aquaporin-4 are selectively localized to cerebellar pinceau. *Brain Research Protocols*, 1026, 168-178. doi.
- Bocchio, M., Fisher, S. P., Unal, G., Ellender, T. J., Vyazovskiy, V. V., & Capogna, M. (2016). Sleep and serotonin modulate paracapsular nitric oxide synthase expressing neurons of the amygdale. [10.1523/ENEURO.0177-16.2016]. *eneuro*. doi. <http://eneuro.sfn.org/content/early/2016/09/26/ENEURO.0177-16.2016.abstract>
- Bockstael, O., Foust, K. D., Kaspar, B., & Tenenbaum, L. (2011). Recombinant AAV Delivery to the Central Nervous System. *Methods in Molecular Medicine*, 807, 159-159. doi.
- Bode, C., Richter, F., Spröte, C., Brigadski, T., Bauer, A., Fietz, S., . . . Richter, A. (2017). Altered postnatal maturation of striatal GABAergic interneurons in a phenotypic animal model of dystonia. *Experimental Neurology*, 287, Part 1, 44-53. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.10.013>. <http://www.sciencedirect.com/science/article/pii/S0014488616303442>
- Bode, F. J., Stephan, M., Suhling, H., Pabst, R., Straub, R. H., Raber, K. A., . . . von Horsten, S. (2008). Sex differences in a transgenic rat model of Huntington's disease: decreased 17 β -estradiol levels correlate with reduced numbers of DARPP32⁺ neurons in males. *Human Molecular Genetics*, 17(17), 2595-2609. doi: 10.1093/hmg/ddn159. <http://hmg.oxfordjournals.org/cgi/content/abstract/17/17/2595>
- Boehm-Sturm, P., Farr, T. D., Adamczak, J., Jikeli, J. F., Mengler, L., Wiedermann, D., . . . Hoehn, M. (2013). Vascular changes after stroke in the rat: a longitudinal study using optimized magnetic resonance imaging. *Contrast Media & Molecular Imaging*, 8(5), 383-392. doi: 10.1002/cmml.1534. <http://dx.doi.org/10.1002/cmml.1534>
- Boelen, E., Stassen, F. R. M., van der Ven, A. J. A. M., Lemmens, M. A. M., Steinbusch, H. P. J., Bruggeman, C. A., . . . Steinbusch, H. W. M. (2007). Detection of amyloid beta aggregates in the brain of BALB/c mice after Chlamydia pneumoniae infection. *Acta Neuropathologica*, 114(3), 255-261. doi.
- Boettinger, S., Kolk, F., Broessner, G., Helbok, R., Pfausler, B., Schmutzhard, E., . . . Lackner, P. (2017). Behavioral characterization of the anterior injection model of subarachnoid hemorrhage. *Behavioural Brain Research*, 323, 154-161.

doi: <http://dx.doi.org/10.1016/j.bbr.2017.02.004> <http://www.sciencedirect.com/science/article/pii/S0166432817302206>

Boger, H. A., Middaugh, L. D., Huang, P., Zaman, V., Smith, A. C., Hoffer, B. J., . . . Granholm, A. C. (2006). A partial GDNF depletion leads to earlier age-related deterioration of motor function and tyrosine hydroxylase expression in the substantia nigra. *Experimental Neurology*, 202(2), 336-347. doi.

Boger, H. A., Middaugh, L. D., Patrick, K. S., Ramamoorthy, S., Denehy, E. D., Zhu, H., . . . McGinty, J. F. (2007). Long-Term Consequences of Methamphetamine Exposure in Young Adults Are Exacerbated in Glial Cell Line-Derived Neurotrophic Factor Heterozygous Mice. *Journal of Neuroscience*, 27(33), 8816-8825. doi: 10.1523/jneurosci.1067-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/33/8816>

Boger, H. A., Middaugh, L. D., Zaman, V., Hoffer, B., & Granholm, A. C. (2008). Differential effects of the dopamine neurotoxin MPTP in animals with a partial deletion of the GDNF receptor, GFR α 1, gene. *Brain Research*, 1241, 18-28. doi.

Böhme, J., Martinez, N., Li, S., Lee, A., Marzuki, M., Tizazu, A. M., . . . Singhal, A. (2020). Metformin enhances anti-mycobacterial responses by educating CD8⁺ T-cell immunometabolic circuits. *Nature Communications*, 11(1), 5225. doi: 10.1038/s41467-020-19095-z. <https://doi.org/10.1038/s41467-020-19095-z>

Boido, M., Piras, A., Valsecchi, V., Spigolon, G., Mareschi, K., Ferrero, I., . . . Vercelli, A. (2014). Human mesenchymal stromal cell transplantation modulates neuroinflammatory milieu in a mouse model of amyotrophic lateral sclerosis. *Cytotherapy*, (0). doi: <http://dx.doi.org/10.1016/j.jcyt.2014.02.003>. <http://www.sciencedirect.com/science/article/pii/S1465324914004496>

Boissonneault, V., Filali, M., Lessard, M., Relton, J., Wong, G., & Rivest, S. (2009). Powerful beneficial effects of macrophage colony-stimulating factor on β -amyloid deposition and cognitive impairment in Alzheimer's disease. *Brain*, 132(4), 1078-1092. doi.

Boix, J., Padel, T., & Paul, G. (2015). A partial lesion model of Parkinson's disease in mice – Characterization of a 6-OHDA-induced medial forebrain bundle lesion. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2015.01.053>. <http://www.sciencedirect.com/science/article/pii/S0166432815000923>

Bok, E., Cho, E. J., Chung, E. S., Shin, W.-H., & Jin, B. K. (2018). Interleukin-4 Contributes to Degeneration of Dopamine Neurons in the Lipopolysaccharide-treated Substantia Nigra in vivo. *Exp Neurobiol*, 27(4), 309-319. doi. <http://synapse.koreamed.org/DOIx.php?id=10.5607%2Fen.2018.27.4.309>

Bok, E., Chung, Y. C., Kim, K.-S., Baik, H. H., Shin, W.-H., & Jin, B. K. (2018). Modulation of M1/M2 polarization by capsaicin contributes to the survival of dopaminergic neurons in the lipopolysaccharide-lesioned substantia nigra in vivo. *Experimental and Molecular Medicine*, 50(7), 76. doi: 10.1038/s12276-018-0111-4. <https://doi.org/10.1038/s12276-018-0111-4>

Bolat, D. (2017). Three-dimensional reconstruction of the spinal cord of thoroughbred. *Eurasian Journal of Veterinary Sciences*, 33(2), 127-129. doi. <https://www.cabdirect.org/cabdirect/abstract/20173212610>

Bolat, D., Bahar, S., Tipirdamaz, S., & Selcuk, M. L. (2013). Comparison of the Morphometric Features of the Left and Right Horse Kidneys: A Stereological Approach. *Anatomia, Histologia, Embryologia*, n/a/n/a. doi: 10.1111/ahel.12036. <http://dx.doi.org/10.1111/ahel.12036>

Bolat, D., & Tipirdamaz, S. (2011). The Use of the Optical Fractionator to Estimate the Total Number of Ependymal Cells of the Spinal Cord in Leghorn. *Methods*, 002-002. doi.

Boldrini, M., Galfalvy, H., Dwork, A. J., Rosoklija, G. B., Trenevaska-Ivanovska, I., Pavlovski, G., . . . Mann, J. J. (2019). Resilience Is Associated with Larger Dentate Gyrus while Suicide Decedents with Major Depressive Disorder have Fewer Granule Neurons. *Biological Psychiatry*. doi: <https://doi.org/10.1016/j.biopsych.2018.12.022>. <http://www.sciencedirect.com/science/article/pii/S0006322319300320>

Boldrini, M., Hen, R., Underwood, M. D., Rosoklija, G. B., Dwork, A. J., Mann, J. J., & Arango, V. (2012). Hippocampal Angiogenesis and Progenitor Cell Proliferation Are Increased with Antidepressant Use in Major Depression. *Biological Psychiatry*. doi.

Boldrini, M., Underwood, M. D., Hen, R., Rosoklija, G. B., Dwork, A. J., Mann, J. J., & Arango, V. (2009). Antidepressants increase neural progenitor cells in the human hippocampus. *Neuropsychopharmacology*, 34(11), 2376-2389. doi.

Bollinger, J. L., Bergeon Burns, C. M., & Wellman, C. L. (2015). Differential Effects of Stress on Microglial Cell Activation in Male and Female Medial Prefrontal Cortex. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2015.10.003>. <http://www.sciencedirect.com/science/article/pii/S0889159115300295>

Bollinger, J. L., Collins, K. E., Patel, R., & Wellman, C. L. (2017). Behavioral stress alters corticolimbic microglia in a sex- and brain region-specific manner. *Plos one*, 12(12), e0187631. doi: 10.1371/journal.pone.0187631. <https://doi.org/10.1371/journal.pone.0187631>

Bolton, J. L., Ruiz, C. M., Rismanchi, N., Sanchez, G. A., Castillo, E., Huang, J., . . . Mahler, S. V. (2018). Early-life adversity facilitates acquisition of cocaine self-administration and induces persistent anhedonia. *Neurobiology of Stress*. doi: <https://doi.org/10.1016/j.ynstr.2018.01.002>. <https://www.sciencedirect.com/science/article/pii/S2352289517300401>

Bomfim, T. R., Forny-Germano, L., Sathler, L. B., Brito-Moreira, J., Houzel, J. C., & Decker, H. (2012). An anti-diabetes agent protects the mouse brain from defective insulin signaling caused by Alzheimer's disease-associated Abeta oligomers. *Journal of Clinical Investigation*, 122. doi: 10.1172/jci57256. <http://dx.doi.org/10.1172/JCI57256>

Bonds, J. A., Shetti, A., Stephen, T. K. L., Bonini, M. G., Minshall, R. D., & Lazarov, O. (2020). Deficits in hippocampal neurogenesis in obesity-dependent and -independent type-2 diabetes mellitus mouse models. *Scientific Reports*, 10(1), 16368. doi: 10.1038/s41598-020-73401-9. <https://doi.org/10.1038/s41598-020-73401-9>

Bongmba, O. Y. N., Martinez, L. A., Elhardt, M. E., Butler, K., & Tejada-Simon, M. V. (2011). Modulation of dendritic spines and synaptic function by Rac1: A possible link to Fragile X syndrome pathology. *Brain Research*. doi.

Bonner, J. F., Connors, T. M., Silverman, W. F., Kowalski, D. P., Lemay, M. A., & Fischer, I. (2011). Grafted Neural Progenitors Integrate and Restore Synaptic Connectivity across the Injured Spinal Cord.

Journal of Neuroscience, 31(12), 4675-4686. doi: 10.1523/jneurosci.4130-10.2011. <http://www.jneurosci.org/content/31/12/4675.abstract>

Bonthius, D. J., Mahoney, J., Buchmeier, M. J., Karacay, B., & Taggard, D. (2002). Critical role for glial cells in the propagation and spread of lymphocytic choriomeningitis virus in the developing rat brain. *Journal of Virology*, 76(13), 6618-6618. doi.

Bonthius, D. J., McKim, R., Koele, L., Harb, H., Karacay, B., Mahoney, J., & Pantazis, N. J. (2004). Use of frozen sections to determine neuronal number in the murine hippocampus and neocortex using the optical disector and optical fractionator. *Brain Research Protocols*, 14(1), 45-57. doi.

Bonthius, D. J., Nichols, B., Harb, H., Mahoney, J., & Karacay, B. (2007). Lymphocytic choriomeningitis virus infection of the developing brain: critical role of host age. *Annals of Neurology*, 62(4), 356-374. doi.

Bonthius, D. J., Solodkin, A., & Van Hoesen, G. W. (2005). Pathology of the insular cortex in Alzheimer disease depends on cortical architecture. *Journal of Neuropathology and Experimental Neurology*, 64(10), 910-910. doi.

Bonthius, D. J., Tzouras, G., Karacay, B., Mahoney, J., Hutton, A., McKim, R., & Pantazis, N. J. (2002). Deficiency of neuronal nitric oxide synthase (nNOS) worsens alcohol-induced microencephaly and neuronal loss in developing mice. *Developmental Brain Research*, 138(1), 45-59. doi.

Bonthius, D. J., Woodhouse, J., Bonthius, N. E., Taggard, D. A., & Lothman, E. W. (2001). Reduced seizure threshold and hippocampal cell loss in rats exposed to alcohol during the brain growth spurt. *Alcoholism: Clinical and Experimental Research*, 25(1), 70-82. doi.

Boone, D. R., Leek, J. M., Falduto, M. T., Torres, K. E. O., Sell, S. L., Parsley, M. A., . . . Hellmich, H. L. (2017). Effects of AAV-mediated knockdown of nNOS and GPx-1 gene expression in rat hippocampus after traumatic brain injury. *Plos one*, 12(10), e0185943. doi: 10.1371/journal.pone.0185943. <https://doi.org/10.1371/journal.pone.0185943>

Borcel, É., Pérez-Alvarez, L., Herrero, A. I., Brionne, T., Varea, E., Berezin, V., . . . Venero, C. (2008). Chronic stress in adulthood followed by intermittent stress impairs spatial memory and the survival of newborn hippocampal cells in aging animals: prevention by FGL, a peptide mimetic of neural cell adhesion molecule. *Behavioural Pharmacology*, 19(1), 41-49. doi.

Borekci, B., Gundogdu, C., Altunkaynak, B. Z., Calik, M., Altunkaynak, M. E., Unal, D., & Unal, B. (2009). The Protective Effect of Dehydroepiandrosterone on Ovarian Tissues After Torsion-Detorsion Injury: A Stereological and Histopathological Study. *The Eurasian Journal of Medicine*, 41(1), 22-27. doi.

Borlikova, G. G., Trejo, M., Mably, A. J., Mc Donald, J. M., Frigerio, C. S., Regan, C. M., . . . Walsh, D. M. (2012). Alzheimer brain-derived amyloid β -protein impairs synaptic remodeling and memory consolidation. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2012.10.028>. <http://www.sciencedirect.com/science/article/pii/S0197458012005520>

Borrell, V., Cárdenas, A., Ciceri, G., Galcerán, J., Flames, N., Pla, R., . . . Marín, O. (2012). Slit/Robo Signaling Modulates the Proliferation of Central Nervous System Progenitors. *Neuron*, 76(2), 338-352. doi: 10.1016/j.neuron.2012.08.003. <http://www.sciencedirect.com/science/article/pii/S0896627312007064>

Bortolato, M., Godar, S. C., Alzghoul, L., Zhang, J., Darling, R. D., Simpson, K. L., . . . Shih, J. C. (2012). Monoamine oxidase A and A/B knockout mice display autistic-like features. *International Journal of Neuropsychopharmacology*, FirstView, 1-20. doi: [doi:10.1017/S1461145712000715](https://doi.org/10.1017/S1461145712000715). <http://dx.doi.org/10.1017/S1461145712000715>

Boschen, K. E., Ruggiero, M. J., & Klintsova, A. Y. (2016). Neonatal binge alcohol exposure increases microglial activation in the developing rat hippocampus. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.033>. <http://www.sciencedirect.com/science/article/pii/S0306452216300033>

Bosco, A., Crish, S. D., Steele, M. R., Romero, C. O., Inman, D. M., Horner, P. J., . . . Vetter, M. L. (2012). Early Reduction of Microglia Activation by Irradiation in a Model of Chronic Glaucoma. *Plos one*, 7(8), e43602. doi.

Bosco, A., Inman, D. M., Steele, M. R., Wu, G., Soto, I., Marsh-Armstrong, N., . . . Vetter, M. L. (2008). Reduced retina microglial activation and improved optic nerve integrity with minocycline treatment in the DBA/2J mouse model of glaucoma. *Investigative Ophthalmology and Visual Science*, 49(4), 1437-1446. doi.

Boska, M. D., Hasan, K. M., Kibuule, D., Banerjee, R., McIntyre, E., Nelson, J. A., . . . Mosley, R. L. (2007). Quantitative diffusion tensor imaging detects dopaminergic neuronal degeneration in a murine model of Parkinson's disease. *Neurobiology of Disease*, 26(3), 590-596. doi.

Boska, M. D., Lewis, T. B., Destache, C. J., Benner, E. J., Nelson, J. A., Uberti, M., . . . Gendelman, H. E. (2005). Quantitative 1H Magnetic Resonance Spectroscopic Imaging Determines Therapeutic Immunization Efficacy in an Animal Model of Parkinson's Disease. *Journal of Neuroscience*, 25(7), 1691-1700. doi. <http://www.jneurosci.org/cgi/content/abstract/25/7/1691>

Boström, M., Eriksson, Y., Danial, J., Björk-Eriksson, T., & Kalm, M. (2019). Chronic disturbance in the thalamus following cranial irradiation to the developing mouse brain. *Scientific Reports*, 9(1), 9588. doi: [10.1038/s41598-019-45973-8](https://doi.org/10.1038/s41598-019-45973-8). <https://doi.org/10.1038/s41598-019-45973-8>

Boström, M., Kalm, M., Karlsson, N., Erkenstam, N. H., & Blomgren, K. (2013). Irradiation to the young mouse brain caused long-term, progressive depletion of neurogenesis but did not disrupt the neurovascular niche. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Botha, D., Bhagwandin, A., Lynnerup, N., & Steyn, M. (2018). The use of stereological methods in the histomorphometric assessment of bone for age-at-death estimation. *Forensic Science International*. doi: <https://doi.org/10.1016/j.forsciint.2018.06.025>. <https://www.sciencedirect.com/science/article/pii/S0379073818303475>

Botha, D., Lynnerup, N., & Steyn, M. (2019). Inter-population variation of histomorphometric variables used in the estimation of age-at-death. [journal article]. *International Journal of Legal Medicine*. doi: [10.1007/s00414-019-02048-7](https://doi.org/10.1007/s00414-019-02048-7). <https://doi.org/10.1007/s00414-019-02048-7>

Botha, D., Steyn, M., & Lynnerup, N. (2019). Histological age-at-death estimation in white South Africans using stereology. [journal article]. *International Journal of Legal Medicine*. doi: [10.1007/s00414-019-02152-8](https://doi.org/10.1007/s00414-019-02152-8). <https://doi.org/10.1007/s00414-019-02152-8>

Bothwell, S., Meredith, G. E., Phillips, J., Staunton, H., Doherty, C., Grigorenko, E., . . . Farrell, M. (2001). Neuronal Hypertrophy in the Neocortex of Patients with Temporal Lobe Epilepsy. *Journal of Neuroscience*, 21(13), 4789-4800. doi. <http://www.jneurosci.org/cgi/content/abstract/21/13/4789>

Botterill, J. J., Brymer, K. J., Caruncho, H. J., & Kalynchuk, L. E. (2015). Aberrant hippocampal neurogenesis after limbic kindling: Relationship to BDNF and hippocampal-dependent memory. *Epilepsy & Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yebeh.2015.04.046>. <http://www.sciencedirect.com/science/article/pii/S1525505015002152>

Botterill, J. J., Fournier, N. M., Guskjolen, A. J., Lussier, A. L., Marks, W. N., & Kalynchuk, L. E. (2014). Amygdala kindling disrupts trace and delay fear conditioning with parallel changes in Fos protein expression throughout the limbic brain. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.01.040>. <http://www.sciencedirect.com/science/article/pii/S030645221400061X>

Botterill, J. J., Guskjolen, A. J., Marks, W. N., Caruncho, H. J., & Kalynchuk, L. E. (2014). Limbic but not non-limbic kindling impairs conditioned fear and promotes plasticity of NPY and its Y2 receptor. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-014-0880-z. <http://dx.doi.org/10.1007/s00429-014-0880-z>

Botterill, J. J., Nogovitsyn, N., Caruncho, H. J., & Kalynchuk, L. E. (2016). Selective plasticity of hippocampal GABAergic interneuron populations following kindling of different brain regions. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24071. <http://dx.doi.org/10.1002/cne.24071>

Bouchard, C., Pagé, J., Bédard, A., Tremblay, P., & Vallières, L. (2007). G protein-coupled receptor 84, a microglia-associated protein expressed in neuroinflammatory conditions. *Glia*, 55(8), 790-800. doi.

Boudewyn, L. C., Sikora, J., Kuchar, L., Ledvinova, J., Grishchuk, Y., Wang, S. L., . . . Walkley, S. U. (2017). N-butyl-deoxynojirimycin delays motor deficits, cerebellar microgliosis, and Purkinje cell loss in a mouse model of mucopolidiosis type IV. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.06.003>. <http://www.sciencedirect.com/science/article/pii/S0969996117301304>

Boujon, V., Uhlemann, R., Wegner, S., Wright, M. B., Laufs, U., Endres, M., . . . Gertz, K. (2019). Dual PPAR α/γ agonist aleglitazar confers stroke protection in a model of mild focal brain ischemia in mice. [journal article]. *Journal of Molecular Medicine*. doi: 10.1007/s00109-019-01801-0. <https://doi.org/10.1007/s00109-019-01801-0>

Boulanger, J. J., & Messier, C. (2017). Oligodendrocyte progenitor cells are paired with GABA neurons in the mouse dorsal cortex: Unbiased stereological analysis. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.08.018>. <http://www.sciencedirect.com/science/article/pii/S0306452217305845>

Boulanger, J. J., & Messier, C. (2017). Unbiased stereological analysis of the fate of oligodendrocyte progenitor cells in the adult mouse brain and effect of reference memory training. *Behavioural Brain Research*, 329, 127-139. doi: <https://doi.org/10.1016/j.bbr.2017.04.027>. <http://www.sciencedirect.com/science/article/pii/S0166432817301146>

Bouley, D. M., Alarcon, C. N., Hildebrandt, T., & O Connell-Rodwell, C. E. (2007). The distribution, density and three-dimensional histomorphology of Pacinian corpuscles in the foot of the Asian elephant (*Elephas maximus*) and their potential role in seismic communication. *Journal of Anatomy*, 211(4), 428-435. doi: doi:10.1111/j.1469-7580.2007.00792.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1469-7580.2007.00792.x>

Bouras, C., Kovari, E., Herrmann, F. R., Rivara, C.-B., Bailey, T. L., von Gunten, A., . . . Giannakopoulos, P. (2006). Stereologic Analysis of Microvascular Morphology in the Elderly: Alzheimer Disease Pathology and Cognitive Status. *Journal of Neuropathology*, 65(3), 235-244. doi.

Bourque, M., Morissette, M., Côté, M., Soulet, D., & Di Paolo, T. (2012). Implication of GPER1 in neuroprotection in a mouse model of Parkinson's disease. *Neurobiology of Aging*, (0). doi: 10.1016/j.neurobiolaging.2012.05.022. <http://www.sciencedirect.com/science/article/pii/S0197458012003223>

Bousquet, M., Gue, K., Emond, V., Julien, P., Kang, J. X., Cicchetti, F., & Calon, F. (2011). Transgenic conversion of omega-6 into omega-3 fatty acids in a mouse model of Parkinson's disease. *Journal of Lipid Research*, 52(2), 263-271. doi.

Bousquet, M., Saint-Pierre, M., Julien, C., Salem Jr, N., Cicchetti, F., & Calon, F. (2008). Beneficial effects of dietary omega-3 polyunsaturated fatty acid on toxin-induced neuronal degeneration in an animal model of Parkinson's disease. *Faseb Journal*, 22(4), 1213-1225. doi.

Bousquet, M., St-Amour, I., Vandal, M., Julien, P., Cicchetti, F., & Calon, F. (2011). High-fat diet exacerbates MPTP-induced dopaminergic degeneration in mice. *Neurobiology of Disease*. doi.

Bouzamondo-Bernstein, E., Hopkins, S. D., Spilman, P., Uyehara-Lock, J., Deering, C., Safar, J., . . . DeArmond, S. J. (2004). The neurodegeneration sequence in prion diseases: evidence from functional, morphological and ultrastructural studies of the GABAergic system. *Journal of Neuropathology and Experimental Neurology*, 63(8), 882-882. doi.

Bove, J., Zhou, C., Jackson-Lewis, V., Taylor, J., Chu, Y., Rideout, H. J., . . . Przedborski, S. (2006). Proteasome inhibition and Parkinson's disease modeling. *Annals of Neurology*, 60(2), 260-264. doi.

Bowley, M. P., Cabral, H., Rosene, D. L., & Peters, A. (2010). Age changes in myelinated nerve fibers of the cingulate bundle and corpus callosum in the rhesus monkey. *Journal of Comparative Neurology*, 518(15), 3046-3064. doi.

Boyle, P. A., Wilson, R. S., Yu, L., Barr, A. M., Honer, W. G., Schneider, J. A., & Bennett, D. A. (2013). Much of late life cognitive decline is not due to common neurodegenerative pathologies. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.23964. <http://dx.doi.org/10.1002/ana.23964>

Bracchi-Ricard, V., Brambilla, R., Levenson, J., Hu, W. H., Bramwell, A., Sweatt, J. D., . . . Bethea, J. R. (2008). Astroglial nuclear factor- κ B regulates learning and memory and synaptic plasticity in female mice. *Journal of Neurochemistry*, 104(3), 611-623. doi.

Brace, L. R., Kraev, I., Rostron, C. L., Stewart, M. G., Overton, P. G., & Dommert, E. J. (2015). Altered visual processing in a rodent model of Attention-Deficit Hyperactivity Disorder. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.07.003>. <http://www.sciencedirect.com/science/article/pii/S0306452215006107>

Brace, L. R., Kraev, I., Rostron, C. L., Stewart, M. G., Overton, P. G., & Dommert, E. J. (2015). Auditory responses in a rodent model of Attention Deficit Hyperactivity Disorder. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2015.09.038>. <http://www.sciencedirect.com/science/article/pii/S0006899315007362>

Bracke, A., Domanska, G., Bracke, K., Harzsch, S., van den Brandt, J., Bröker, B., & von Bohlen und Halbach, O. (2019). Obesity Impairs Mobility and Adult Hippocampal Neurogenesis. *Journal of*

Experimental Neuroscience, 13, 1179069519883580. doi:
10.1177/1179069519883580.
<https://doi.org/10.1177/1179069519883580>

Bracke, A., Schäfer, S., von Bohlen und Halbach, V., Klempin, F., Bente, K., Bracke, K., . . . von Bohlen und Halbach, O. (2018). ATP6AP2 over-expression causes morphological alterations in the hippocampus and in hippocampus-related behaviour. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1633-1. <https://doi.org/10.1007/s00429-018-1633-1>

Braczynski, A. K., Harter, P. N., Zeiner, P. S., Drott, U., Tews, D.-S., Preusse, C., . . . Mittelbronn, M. (2016). C5b-9 deposits on endomysial capillaries in non-dermatomyositis cases. *Neuromuscular Disorders*. doi: <http://dx.doi.org/10.1016/j.nmd.2016.02.014>. <http://www.sciencedirect.com/science/article/pii/S0960896615300353>

Bradbury, M. S., Panagiotakos, G., Chan, B. K., Tomishima, M., Zanzonico, P., Vider, J., . . . Tabar, V. (2007). Optical bioluminescence imaging of human ES cell progeny in the rodent CNS. *Journal of Neurochemistry*, 102(6), 2029-2039. doi: 10.1111/j.1471-4159.2007.04681.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04681.x>

Bradshaw, E. M., Chibnik, L. B., Keenan, B. T., Ottoboni, L., Raj, T., Tang, A., . . . Von Korff, A. (2013). CD33 Alzheimer's disease locus: altered monocyte function and amyloid biology. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3435.html>

Bradshaw, S. E., Agster, K. L., Waterhouse, B. D., & McGaughy, J. A. (2016). Age-related changes in prefrontal norepinephrine transporter density: The basis for improved cognitive flexibility after low doses of atomoxetine in adolescent rats. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.01.001>. <http://www.sciencedirect.com/science/article/pii/S0006899316000020>

Braegger, F. E., Asarian, L., Dahl, K., Lutz, T. A., & Boyle, C. N. (2014). The role of the area postrema in the anorectic effects of amylin and salmon calcitonin: behavioral and neuronal phenotyping. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12672. <http://dx.doi.org/10.1111/ejn.12672>

Brahmachari, S., Ge, P., Lee, S. H., Kim, D., Karuppagounder, S. S., Kumar, M., . . . Ko, H. S. (2016). Activation of tyrosine kinase c-Abl contributes to α -synuclein-induced neurodegeneration. *The Journal of Clinical Investigation*, 126(8). doi: 10.1172/jci85456. <http://dx.doi.org/10.1172/JCI85456>

Brahmachari, S., Lee, S., Kim, S., Yuan, C., Karuppagounder, S. S., Ge, P., . . . Dawson, T. M. (2019). Parkin interacting substrate zinc finger protein 746 is a pathological mediator in Parkinson's disease. *Brain*. doi: 10.1093/brain/awz172. <https://doi.org/10.1093/brain/awz172>

Brakel, K., Aceves, M., Garza, A., Yoo, C., Escobedo, G., Panchani, N., . . . Hook, M. (2021). Inflammation increases the development of depression behaviors in male rats after spinal cord injury. *Brain, Behavior, & Immunity - Health*, 14, 100258. doi: <https://doi.org/10.1016/j.bbih.2021.100258>. <https://www.sciencedirect.com/science/article/pii/S2666354621000612>

Brambilla, R., Ashbaugh, J. J., Magliozzi, R., Dellarole, A., Karmally, S., Szymkowski, D. E., & Bethea, J. R. (2011). Inhibition of soluble tumour necrosis factor is therapeutic in experimental autoimmune encephalomyelitis and promotes axon preservation and remyelination. *Brain*, 134(9), 2736-2754. doi: 10.1093/brain/awr199. <http://brain.oxfordjournals.org/cgi/content/abstract/134/9/2736>

Brambilla, R., Ashbaugh, J. J., Magliozzi, R., Dellarole, A., Karmally, S., Szymkowski, D. E., & Bethea, J. R. (2011). Inhibition of soluble tumour necrosis factor is therapeutic in experimental autoimmune encephalomyelitis and promotes axon preservation and remyelination. *Brain*, 134(9), 2736-2754. doi: <http://brain.oxfordjournals.org/content/134/9/2736.short>

Brambrink, A. M., Back, S. A., Riddle, A., Gong, X., Moravec, M. D., Dissen, G. A., . . . Olney, J. W. (2012). Isoflurane-induced apoptosis of oligodendrocytes in the neonatal primate brain. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.23652. <http://dx.doi.org/10.1002/ana.23652>

Brambrink, A. M., Evers, A. S., Avidan, M. S., Farber, N. B., Smith, D. J., Martin, L. D., . . . Olney, J. W. (2012). Ketamine-induced Neuroapoptosis in the Fetal and Neonatal Rhesus Macaque Brain. *Anesthesiology*, 116(2), 372-372. doi.

Brambrink, A. M., Evers, A. S., Avidan, M. S., Farber, N. B., Smith, D. J., Zhang, X., . . . Olney, J. W. (2010). Isoflurane-induced neuroapoptosis in the neonatal rhesus macaque brain. *Anesthesiology*, 112(4), 834-834. doi.

Branch, A., Monasterio, A., Blair, G., Knierim, J. J., Gallagher, M., & Haberman, R. P. (2019). Aged rats with preserved memory dynamically recruit hippocampal inhibition in a local/global cue mismatch environment. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2018.12.015>. <http://www.sciencedirect.com/science/article/pii/S019745801830455X>

Brandenburg, C., Smith, L. A., Kilander, M. B. C., Bridi, M. S., Lin, Y.-C., Huang, S., & Blatt, G. J. (2021). Parvalbumin subtypes of cerebellar Purkinje cells contribute to differential intrinsic firing properties. *Molecular and Cellular Neuroscience*, 115, 103650. doi: <https://doi.org/10.1016/j.mcn.2021.103650>. <https://www.sciencedirect.com/science/article/pii/S1044743121000634>

Brasnjevic, I., Lardenoije, R., Schmitz, C., Kolk, N., Dickstein, D., Takahashi, H., . . . Rutten, B. F. (2013). Region-specific neuron and synapse loss in the hippocampus of APPSL/PS1 knock-in mice. *Translational neuroscience*, 4(1), 8-19. doi: 10.2478/s13380-013-0111-8. <http://dx.doi.org/10.2478/s13380-013-0111-8>

Braunschweig, D., Golub, M. S., Koenig, C. M., Qi, L., Pessah, I. N., Van de Water, J., & Berman, R. F. (2012). Maternal autism-associated IgG antibodies delay development and produce anxiety in a mouse gestational transfer model. *Journal of Neuroimmunology*, (0). doi: 10.1016/j.jneuroim.2012.08.002. <http://www.sciencedirect.com/science/article/pii/S0165572812002469>

Breckenridge, C. B., Sturgess, N. C., Butt, M., Wolf, J. C., Zadory, D., Beck, M., . . . Smith, L. L. (2013). Pharmacokinetic, neurochemical, stereological and neuropathological studies on the potential effects of paraquat in the substantia nigra pars compacta and striatum of male C57Bl6/J mice. *Neurotoxicology*, (0). doi: <http://dx.doi.org/10.1016/j.neuro.2013.03.005>. <http://www.sciencedirect.com/science/article/pii/S0161813X13000454>

Bregy, A., Nixon, R., Lotocki, G., Alonso, O. F., Atkins, C. M., Tsoulfas, P., . . . Dietrich, W. D. (2011). Posttraumatic hypothermia increases doublecortin expressing neurons in the dentate gyrus after traumatic brain injury in the rat. *Experimental Neurology*. doi.

Brekke, O. R., Korecka, J. A., Crapart, C. C., Huebecker, M., MacBain, Z. K., Rosenthal, S. A., . . . Hallett, P. J. (2020). Upregulating β -hexosaminidase activity in rodents prevents α -synuclein lipid associations and

protects dopaminergic neurons from α -synuclein-mediated neurotoxicity. *Acta Neuropathologica Communications*, 8(1), 127. doi: 10.1186/s40478-020-01004-6. <https://doi.org/10.1186/s40478-020-01004-6>

Brendza, R. P., O'Brien, C., Simmons, K., McKeel, D. W., Bales, K. R., Paul, S. M., . . . Holtzman, D. M. (2003). PDAPP; YFP double transgenic mice: A tool to study amyloid- β associated changes in axonal, dendritic, and synaptic structures. *Journal of Comparative Neurology*, 456(4), 375-383. doi.

Brenhouse, H. C., & Andersen, S. L. (2011). Nonsteroidal Anti-Inflammatory Treatment Prevents Delayed Effects of Early Life Stress in Rats. *Biological Psychiatry*. doi.

Breunig, J. J., Silbereis, J., Vaccarino, F. M., Sestan, N., & Rakic, P. (2007). Notch regulates cell fate and dendrite morphology of newborn neurons in the postnatal dentate gyrus. *Proceedings of the National Academy of Sciences*, 104(51), 20558-20563. doi: 10.1073/Proceedings of the National Academy of Sciences.0710156104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/51/20558>

Brewer, K. L., Lee, J. W., Downs, H., Oaklander, A. L., & Yeziarski, R. P. (2008). Dermatome scratching after intramedullary quisqualate injection: correlation with cutaneous denervation. *Journal of Pain*, 9(11), 999-1005. doi.

Breyhan, H., Wirths, O., Duan, K., Marcello, A., Rettig, J., & Bayer, T. A. (2009). APP/PS1KI bigenic mice develop early synaptic deficits and hippocampus atrophy. *Acta Neuropathologica*, 117(6), 677-685. doi.

Brink, L. R., Gueniot, J. P., & Lönnerdal, B. (2019). Effects of Milk fat globule membrane and its various components on neurologic development in a postnatal growth restriction rat model. *The Journal of Nutritional Biochemistry*. doi: <https://doi.org/10.1016/j.jnutbio.2019.03.013>. <http://www.sciencedirect.com/science/article/pii/S0955286318311173>

Briones, T. L., Rogozinska, M., & Woods, J. (2009). Environmental experience modulates ischemia-induced amyloidogenesis and enhances functional recovery. *Journal of Neurotrauma*, 26(4), 613-625. doi.

Briones, T. L., Rogozinska, M., & Woods, J. (2011). Modulation of Ischemia-Induced NMDAR1 Activation by Environmental Enrichment Decreases Oxidative Damage. *Journal of Neurotrauma*. doi.

Briones, T. L., Suh, E., Hattar, H., & Wadowska, M. (2005). Dentate Gyrus Neurogenesis after Cerebral Ischemia and Behavioral Training. *Biological Research for Nursing*, 6, 167-179. doi.

Briones, T. L., Suh, E., Jozsa, L., Hattar, H., Chai, J., & Wadowska, M. (2004). Behaviorally-induced ultrastructural plasticity in the hippocampal region after cerebral ischemia. *Brain Research*, 997(2), 137-146. doi.

Briones, T. L., Suh, E., Jozsa, L., Rogozinska, M., Woods, J., & Wadowska, M. (2005). Changes in number of synapses and mitochondria in presynaptic terminals in the dentate gyrus following cerebral ischemia and rehabilitation training. *Brain Research*, 1033(1), 51-57. doi.

Briones, T. L., Suh, E., Jozsa, L., & Woods, J. (2006). Behaviorally induced synaptogenesis and dendritic growth in the hippocampal region following transient global cerebral ischemia are accompanied by improvement in spatial learning. *Experimental Neurology*, 198(2), 530-538. doi.

- Briones, T. L., & Woods, J. (2011). Chemotherapy-induced cognitive impairment is associated with decreases in cell proliferation and histone modifications. *BMC Neuroscience*, 12(1), 124-124. doi.
- Briones, T. L., & Woods, J. (2013). Chronic binge-like alcohol consumption in adolescence causes depression-like symptoms possibly mediated by the effects of BDNF on neurogenesis. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.09.031>. <http://www.sciencedirect.com/science/article/pii/S0306452213008038>
- Briones, T. L., Woods, J., Wadowska, M., & Rogozinska, M. (2006). Amelioration of cognitive impairment and changes in microtubule-associated protein 2 after transient global cerebral ischemia are influenced by complex environment experience. *Behavioural Brain Research*, 168(2), 261-271. doi.
- Briones, T. L., Woods, J., Wadowska, M., Rogozinska, M., & Nguyen, M. (2006). Astrocytic changes in the hippocampus and functional recovery after cerebral ischemia are facilitated by rehabilitation training. *Behavioural Brain Research*, 171(1), 17-25. doi.
- Brischoux, F., Mainville, L., & Jones, B. E. (2008). Muscarinic-2 and orexin-2 receptors on GABAergic and other neurons in the rat mesopontine tegmentum and their potential role in sleep/wake state control. *Journal of Comparative Neurology*, 510(6), 607-630. doi.
- Britten, J. L., Malik, M., Lewis, T. D., & Catherino, W. H. (2018). Ulipristal Acetate Mediates Decreased Proteoglycan Expression Through Regulation of Nuclear Factor of Activated T-Cells (NFAT5). *Reproductive Sciences*, 1933719118816836. doi: 10.1177/1933719118816836. <https://doi.org/10.1177/1933719118816836>
- Brock, J. H., Graham, L., Staufenberg, E., Collyer, E., Koffler, Y., & Tuszynski, M. H. (2015). Bone Marrow Stromal Cell Intraspinal Transplants Fail to Improve Motor Outcomes in a Severe Model of Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4009. <http://dx.doi.org/10.1089/neu.2015.4009>
- Brock, J. H., Rosenzweig, E. S., Blesch, A., Moseanko, R., Havton, L. A., Edgerton, V. R., & Tuszynski, M. H. (2010). Local and remote growth factor effects after primate spinal cord injury. *Journal of Neuroscience*, 30(29), 9728-9737. doi.
- Brody, D. L., Mac Donald, C., Kessens, C. C., Yuede, C., Parsadonian, M., Spinner, M., . . . Bayly, P. V. (2007). Electromagnetic controlled cortical impact device for precise, graded experimental traumatic brain injury. *Journal of Neurotrauma*, 24(4), 657-673. doi.
- Brooks, D., & Halliday, G. M. (2009). Intralaminar nuclei of the thalamus in Lewy body diseases. *Brain Research Bulletin*, 78(2-3), 97-104. doi.
- Broussard, J. I., Redell, J. B., Zhao, J., Maynard, M. E., Kobori, N., Perez, A. I., . . . Dash, P. K. (2019). Mild traumatic brain injury decreases spatial information content and reduces place field stability of hippocampal CA1 neurons. *Journal of Neurotrauma*. doi: 10.1089/neu.2019.6766. <https://doi.org/10.1089/neu.2019.6766>
- Brown, B. P., Kang, S. C., Gawelek, K., Zacharias, R. A., Anderson, S. R., Turner, C. P., & Morris, J. K. (2015). In vivo and in vitro ketamine exposure exhibits a dose-dependent induction of activity-dependent neuroprotective protein in rat neurons. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.12.076>. <http://www.sciencedirect.com/science/article/pii/S0306452215000512>

Brown, E. C. Z., Steadman, C. J., Lee, T. M., Padmanabhan, V., Lehman, M. N., & Coolen, L. M. (2015). Sex differences and effects of prenatal exposure to excess testosterone on ventral tegmental area dopamine neurons in adult sheep. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12871. <http://dx.doi.org/10.1111/ejn.12871>

Brown, J., Cooper-Kuhn, C. M., Kempermann, G., Van Praag, H., Winkler, J., Gage, F. H., & Kuhn, H. G. (2003). Enriched environment and physical activity stimulate hippocampal but not olfactory bulb neurogenesis. *European Journal of Neuroscience*, 17(10), 2042-2046. doi: doi:10.1046/j.1460-9568.2003.02647.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02647.x>

Brown, J. E., Card, J. P., & Yates, B. J. (2005). Polysynaptic pathways from the vestibular nuclei to the lateral mammillary nucleus of the rat: substrates for vestibular input to head direction cells. *Experimental Brain Research*, 161(1), 47-61. doi.

Brown, R. M., Short, J. L., & Lawrence, A. J. (2010). Identification of brain nuclei implicated in cocaine-primed reinstatement of conditioned place preference: a behaviour dissociable from sensitization. *PLoS ONE*, 5(12), e15889-e15889. doi.

Brown, T. B., Bogush, A. I., & Ehrlich, M. E. (2008). Neocortical expression of mutant huntingtin is not required for alterations in striatal gene expression or motor dysfunction in a transgenic mouse. *Human Molecular Genetics*, 17(20), 3095-3104. doi: 10.1093/hmg/ddn206. <http://hmg.oxfordjournals.org/cgi/content/abstract/17/20/3095>

Browne, C., Tobin, J. R., & Voytko, M. L. (2009). Effects of two years of conjugated equine estrogens on cholinergic neurons in young and middle-aged ovariectomized monkeys. *Brain Research*, 1264, 13-23. doi.

Bruckner, G., Morawski, M., & Arendt, T. (2008). Aggrecan-based extracellular matrix is an integral part of the human basal ganglia circuit. *Neuroscience*, 151(2), 489-504. doi.

Brugman, K. I., Kato, M., Oh, J. Y., Sternberg, P. W., Maher, S., Wong, W.-R., & Howe, K. (2019). Autism-associated missense genetic variants impact locomotion and neurodevelopment in *Caenorhabditis elegans*. doi: 10.1093/hmg/ddz051. <https://doi.org/10.1093/hmg/ddz051>

Brulet, R., Zhu, J., Aktar, M., Hsieh, J., & Cho, K.-O. (2017). Mice with conditional NeuroD1 knockout display reduced aberrant hippocampal neurogenesis but no change in epileptic seizures. *Experimental Neurology*, 293, 190-198. doi: <https://doi.org/10.1016/j.expneurol.2017.04.005>. <http://www.sciencedirect.com/science/article/pii/S0014488617300985>

Brunjes, P. C., Kay, R. B., & Arrivillaga, J. P. (2011). The mouse olfactory peduncle. *Journal of Comparative Neurology*, 519(14), 2870-2886. doi: 10.1002/cne.22662. <http://dx.doi.org/10.1002/cne.22662>

Brynskikh, A. M., Zhao, Y., Mosley, R. L., Li, S., Boska, M. D., Klyachko, N. L., . . . Batrakova, E. V. (2010). Macrophage delivery of therapeutic nanozymes in a murine model of Parkinson's disease. *Nanomedicine*, 5(3), 379-396. doi.

Brys, I., Bobela, W., Schneider, B. L., Aebischer, P., & Fuentes, R. (2016). Spinal cord stimulation improves forelimb use in an alpha-synuclein animal model of Parkinson's disease. *International Journal of Neuroscience*, 1-9. doi: 10.3109/00207454.2016.1138296. <http://dx.doi.org/10.3109/00207454.2016.1138296>

Brys, I., Nunes, J., & Fuentes, R. (2017). Motor deficits and beta-oscillations are dissociable in an alpha-synuclein model of Parkinson's disease. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13568. <http://dx.doi.org/10.1111/ejn.13568>

Brzozowska, N. I., Smith, K. L., Zhou, C., Waters, P. M., Cavalcante, L. M., Abelev, S. V., . . . Arnold, J. C. (2017). Genetic deletion of P-glycoprotein alters stress responsivity and increases depression-like behavior, social withdrawal and microglial activation in the hippocampus of female mice. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.05.008>. <http://www.sciencedirect.com/science/article/pii/S088915911730154X>

Bucci, D. J., & Chess, A. C. (2005). Specific changes in conditioned responding following neurotoxic damage to the posterior parietal cortex. *Behavioral Neuroscience*, 119(6), 1580-1580. doi:

Bucci, D. J., & MacLeod, J. E. (2007). Changes in neural activity associated with a surprising change in the predictive validity of a conditioned stimulus. *European Journal of Neuroscience*, 0(0), ???-??? doi: doi:10.1111/j.1460-9568.2007.05902.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05902.x>

Büchele, F., Döbrössy, M., Hackl, C., Jiang, W., Papazoglou, A., & Nikkhah, G. (2014). Two-step grafting significantly enhances the survival of foetal dopaminergic transplants and induces graft-derived vascularisation in a 6-OHDA model of Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.04.009>. <http://www.sciencedirect.com/science/article/pii/S0969996114000989>

Büchele, F., Morawska, M. M., Schreglmann, S. R., Penner, M., Muser, M., Baumann, C. R., & Noain, D. (2015). Novel rat model of weight drop-induced closed diffuse traumatic brain injury compatible with electrophysiological recordings of vigilance states. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4001. <http://dx.doi.org/10.1089/neu.2015.4001>

Buchman, A. S., Leurgans, S. E., VanderHorst, V. G. J. M., Nag, S., Schneider, J. A., & Bennett, D. A. (2018). Spinal motor neurons and motor function in older adults. [journal article]. *Journal of Neurology*. doi: 10.1007/s00415-018-9118-y. <https://doi.org/10.1007/s00415-018-9118-y>

Buchman, A. S., Nag, S., Shulman, J. M., Lim, A. S. P., VanderHorst, V. G. J. M., Leurgans, S. E., . . . Bennett, D. A. (2012). Locus coeruleus neuron density and parkinsonism in older adults without Parkinson's disease. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.25142. <http://dx.doi.org/10.1002/mds.25142>

Buckingham, B. P., Inman, D. M., Lambert, W., Oglesby, E., Calkins, D. J., Steele, M. R., . . . Horner, P. J. (2008). Progressive Ganglion Cell Degeneration Precedes Neuronal Loss in a Mouse Model of Glaucoma. *Journal of Neuroscience*, 28(11), 2735-2744. doi: 10.1523/jneurosci.4443-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/11/2735>

Buckmaster, C. A., Eichenbaum, H., Amaral, D. G., Suzuki, W. A., & Rapp, P. R. (2004). Entorhinal Cortex Lesions Disrupt the Relational Organization of Memory in Monkeys. *Journal of Neuroscience*, 24(44), 9811-9825. doi: <http://www.jneurosci.org/cgi/content/abstract/24/44/9811>

Buckmaster, P. S. (2004). Prolonged Infusion of Tetrodotoxin Does Not Block Mossy Fiber Sprouting in Pilocarpine-treated Rats. *Epilepsia*, 45(5), 452-458. doi: doi:10.1111/j.0013-9580.2004.67103.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0013-9580.2004.67103.x>

- Buckmaster, P. S., Abrams, E., & Wen, X. (2017). Seizure frequency correlates with loss of dentate gyrus GABAergic neurons in a mouse model of temporal lobe epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24226. <http://dx.doi.org/10.1002/cne.24226>
- Buckmaster, P. S., & Jongen-Relo, A. L. (1999). Highly Specific Neuron Loss Preserves Lateral Inhibitory Circuits in the Dentate Gyrus of Kainate-Induced Epileptic Rats. *Journal of Neuroscience*, 19(21), 9519-9529. doi: <http://www.jneurosci.org/cgi/content/abstract/19/21/9519>
- Buckmaster, P. S., Jongen-Relo, A. L., Davari, S. B., & Wong, E. H. (2000). Testing the Disinhibition Hypothesis of Epileptogenesis In Vivo and during Spontaneous Seizures. *Journal of Neuroscience*, 20(16), 6232-6240. doi: <http://www.jneurosci.org/cgi/content/abstract/20/16/6232>
- Buckmaster, P. S., & Lew, F. H. (2011). Rapamycin Suppresses Mossy Fiber Sprouting But Not Seizure Frequency in a Mouse Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 31(6), 2337-2347. doi: 10.1523/jneurosci.4852-10.2011. <http://www.jneurosci.org/content/31/6/2337.abstract>
- Buckmaster, P. S., Otero-Corchón, V., Rubinstein, M., & Low, M. J. (2002). Heightened seizure severity in somatostatin knockout mice. *Epilepsy Research*, 48(1-2), 43-56. doi.
- Buckmaster, P. S., Smith, M. O., Buckmaster, C. L., LeCouteur, R. A., & Dudek, F. E. (2002). Absence of temporal lobe epilepsy pathology in dogs with medically intractable epilepsy. *Journal of Veterinary Internal Medicine*, 16(1), 95-99. doi.
- Budzynski, C. A., & Bingman, V. P. (2004). Participation of the thalamofugal visual pathway in a coarse pattern discrimination task in an open arena. *Behavioural Brain Research*, 153(2), 543-556. doi.
- Budzynski, C. A., Gagliardo, A., Ioale, P., & Bingman, V. P. (2002). Participation of the homing pigeon thalamofugal visual pathway in sun-compass associative learning. *European Journal of Neuroscience*, 15(1), 197-210. doi: doi:10.1046/j.0953-816x.2001.01833.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.0953-816x.2001.01833.x>
- Buehlmeyer, A., Barapatre, N., Schmitz, C., Edler von Koch, F., Haeussner, E., & Frank, H. G. (2019). The volume of villi with γ -sm-actin positive perivascular cells correlates with placental weight and thickness. *Placenta*, 85, 24-31. doi: <https://doi.org/10.1016/j.placenta.2019.08.082>. <http://www.sciencedirect.com/science/article/pii/S0143400419306277>
- Bug, W., & Nissanov, J. (2003). A guide to building image-centric databases. *Neuroinformatics*, 1(4), 359-377. doi.
- Bukhari, N., Torres, L., Robinson, J. K., & Tsirka, S. E. (2011). Axonal Regrowth after Spinal Cord Injury via Chondroitinase and the Tissue Plasminogen Activator (tPA)/Plasmin System. *Journal of Neuroscience*, 31(42), 14931-14943. doi: 10.1523/jneurosci.3339-11.2011. <http://www.jneurosci.org/content/31/42/14931.abstract>
- Bukhatwa, S., Iravani, M. M., Zeng, B. Y., Cooper, J. D., Rose, S., & Jenner, P. (2009). An immunohistochemical and stereological analysis of PSI-induced nigral neuronal degeneration in the rat. *Journal of Neurochemistry*, 109, 52-59. doi.
- Bull, C., Cooper, C., Lindahl, V., Fitting, S., Persson, A. I., Grandér, R., . . . Blomgren, K. (2017). Exercise in Adulthood after Irradiation of the Juvenile Brain Ameliorates Long-Term Depletion of

Oligodendroglial Cells. Radiation Research, 0(0), null. doi:
10.1667/rr14737.1 <http://www.rjournal.org/doi/abs/10.1667/RR14737.1>

Bull, C. M., Malipatlolla, D., Kalm, M., Sjöberg, F., Alevronta, E., Grandér, R., . . . Steineck, G. (2017). A novel mouse model of radiation-induced cancer survivorship diseases of the gut. [10.1152/ajpgi.00113.2017]. American Journal of Physiology - Gastrointestinal and Liver Physiology. doi: <http://ajpgi.physiology.org/content/early/2017/07/19/ajpgi.00113.2017.ab..>

Bulut, E., Baş, B., Altunkaynak, B., Bekçioğlu, B., Erdem Koç, G., Gönülol, E., . . . Kaplan, S. (2014). Efficacy of Ankaferd Blood Stopper on bone healing in diabetic rats: a stereological and histopathological study. Biotechnic and Histochemistry, 0(0), 1-9. doi:
doi:10.3109/10520295.2014.906657. <http://informahealthcare.com/doi/abs/10.3109/10520295.2014.906657>

Bulut, F., Cumbul, A., & Safak, A. S. (2020). An analysis of the histomorphometric and clinical significance of mucosal biofilm in tonsil tissue of the children with a history of recurrent/chronic tonsillitis in both the mother and father. European Archives of Oto-Rhino-Laryngology. doi:
10.1007/s00405-020-06111-7. <https://doi.org/10.1007/s00405-020-06111-7>

Bunce, J. G., & Barbas, H. (2011). Prefrontal pathways target excitatory and inhibitory systems in memory-related medial temporal cortices. Neuroimage. doi.

Bunce, J. G., Zikopoulos, B., Feinberg, M., & Barbas, H. (2013). Parallel prefrontal pathways reach distinct excitatory and inhibitory systems in memory-related rhinal cortices. Journal of Comparative Neurology, n/a-n/a. doi: 10.1002/cne.23413. <http://dx.doi.org/10.1002/cne.23413>

Bunker, G. L., & Nishi, R. (2002). Developmental Cell Death in Vivo: Rescue of Neurons Independently of Changes at Target Tissues. Journal of Comparative Neurology, 452, 80-92. doi.

Bureau, G., Carrier, M., Lebel, M., & Cyr, M. (2010). Intrastratial inhibition of extracellular signal-regulated kinases impaired the consolidation phase of motor skill learning. Neurobiology of Learning and Memory, 94(1), 107-115. doi.

Burger, C., Gorbatyuk, O. S., Velardo, M. J., Peden, C. S., Williams, P., Zolotukhin, S., . . . Muzyczka, N. (2004). Recombinant AAV Viral Vectors Pseudotyped with Viral Capsids from Serotypes 1, 2, and 5 Display Differential Efficiency and Cell Tropism after Delivery to Different Regions of the Central Nervous System. Molecular Therapy, 10(2). doi.

Burger, D. K., Gulbrandsen, T., Saucier, D. M., & Iwaniuk, A. N. (2014). The effects of season and sex on dentate gyrus size and neurogenesis in a wild rodent, Richardson's ground squirrel (*Urocitellus richardsonii*). Neuroscience, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.04.067>. <http://www.sciencedirect.com/science/article/pii/S0306452214003807>

Burger, D. K., Saucier, J. M., Iwaniuk, A. N., & Saucier, D. M. (2012). Seasonal and sex differences in the hippocampus of a wild rodent. Behavioural Brain Research, (0). doi:
10.1016/j.bbr.2012.08.044. <http://www.sciencedirect.com/science/article/pii/S0166432812005700>

Burgess, A., & Aubert, I. (2006). Polysialic acid limits choline acetyltransferase activity induced by brain-derived neurotrophic factor. Journal of Neurochemistry, 99(3), 797-806. doi: doi:10.1111/j.1471-4159.2006.04110.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04110.x>

Burgess, A., Saini, S., Weng, Y. Q., & Aubert, I. (2009). Stimulation of choline acetyltransferase by C3d, a neural cell adhesion molecule ligand. *Journal of Neuroscience Research*, 87(3), 609-616. doi.

Burgess, A., Wainwright, S. R., Shihabuddin, L. S., Rutishauser, U., Seki, T., & Aubert, I. (2008). Polysialic acid regulates the clustering, migration, and neuronal differentiation of progenitor cells in the adult hippocampus. *Developmental Neurobiology*, 68(14), 1580-1590. doi.

Burgess, A., Weng, Y. Q., Ypsilanti, A. R., Cui, X., Caines, G., & Aubert, I. (2007). Polysialic acid limits septal neurite outgrowth on laminin. *Brain Research*, 1144, 52-58. doi.

Burianová, J., Ouda, L., & Syka, J. (2015). The influence of aging on the number of neurons and levels of non-phosphorylated neurofilament proteins in the central auditory system of rats. [Original Research]. *Frontiers in Aging Neuroscience*, 7. doi: 10.3389/fnagi.2015.00027. http://www.frontiersin.org/Journal/Abstract.aspx?s=18&name=aging_neur_osc...

Burke, M. R., Adkins-Regan, E., & Wade, J. (2007). Laterality in syrinx muscle morphology of the Japanese quail (< i> Coturnix japonica</i>). *Physiology and Behavior*, 90(4), 682-686. doi.

Burks, S. S., Anthony, D., Agnes, E. H., Natalia de la, O., Rajiv, M., & Allan, D. L. (2021). Schwann cell delivery via a novel 3D collagen matrix conduit improves outcomes in critical length nerve gap repairs. *Journal of Neurosurgery JNS*, 1-11. doi: 10.3171/2020.8.jns202349. <https://thejns.org/view/journals/j-neurosurg/aop/article-10.3171-2020.8...>

Burns, T., Miers, L., Xu, J., Man, A., Moreno, M., Pleasure, D., & Bannerman, P. (2014). Neuronopathy in the Motor Neocortex in a Chronic Model of Multiple Sclerosis. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.000000000000058. doi. http://journals.lww.com/jneuropath/Fulltext/publishahead/Neuronopathy_in...

Buser, J. R., Maire, J., Riddle, A., Gong, X., Nguyen, T., Nelson, K., . . . others. (2012). Arrested preoligodendrocyte maturation contributes to myelination failure in premature infants. *Annals of Neurology*, 71(1), 93-109. doi.

Bush, A. L., & Hyson, R. L. (2006). Lithium increases BCL-2 expression in chick cochlear nucleus and protects against deafferentation-induced cell death. *Neuroscience*, 138(4), 1341-1349. doi.

Bush, E. C., & Allman, J. M. (2004). Three-Dimensional Structure and Evolution of Primate Primary Visual Cortex. *Anatomical Report, Part A(281A)*, 1088-1094. doi.

Bustos, B. I., Pérez-Palma, E., Buch, S., Azócar, L., Riveras, E., Ugarte, G. D., . . . Miquel, J. F. (2019). Variants in ABCG8 and TRAF3 genes confer risk for gallstone disease in admixed Latinos with Mapuche Native American ancestry. *Scientific Reports*, 9(1), 772. doi: 10.1038/s41598-018-35852-z. <https://doi.org/10.1038/s41598-018-35852-z>

Butler, R. K., Oliver, E. M., Fadel, J. R., & Wilson, M. A. (2018). Hemispheric differences in the number of parvalbumin-positive neurons in subdivisions of the rat basolateral amygdala complex. *Brain Research*, 1678(Supplement C), 214-219. doi: <https://doi.org/10.1016/j.brainres.2017.10.028>. <http://www.sciencedirect.com/science/article/pii/S0006899317304882>

- Butti, C., & Hof, P. R. (2010). The insular cortex: a comparative perspective. *Brain Structure and Function*, 214(5), 477-493. doi.
- Butti, C., Sherwood, C. C., Hakeem, A. Y., Allman, J. M., & Hof, P. R. (2009). Total number and volume of Von Economo neurons in the cerebral cortex of cetaceans. *Journal of Comparative Neurology*, 515(2), 243-259. doi.
- Buxbaum, J. N., Roberts, A. J., Adame, A., & Masliah, E. (2014). Silencing of murine transthyretin and retinol binding protein genes have distinct and shared behavioral and neuropathologic effects. *Neuroscience*, (0).
doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.06.019> <http://www.sciencedirect.com/science/article/pii/S0306452214005041>
- Bye, C. R., Thompson, L. H., & Parish, C. L. (2012). Birth dating of midbrain dopamine neurons identifies A9 enriched tissue for transplantation into Parkinsonian mice. *Experimental Neurology*. doi.
- Byers, J. S., Huguenard, A. L., Kuruppu, D., Liu, N. K., Xu, X. M., & Sengelaub, D. R. (2012). Neuroprotective effects of testosterone on motoneuron and muscle morphology following spinal cord injury. *Journal of Comparative Neurology*. doi.
- Byrnes, K. R., Loane, D. J., Stoica, B. A., Zhang, J., & Faden, A. I. (2012). Delayed mGluR5 activation limits neuroinflammation and neurodegeneration after traumatic brain injury. *Journal of neuroinflammation*, 9(1), 43-43. doi.
- Byrnes, C. N., Pitts, M. W., Gilman, C. A., Hashimoto, A. C., & Berry, M. J. (2014). Mice Lacking Selenoprotein P and Selenocysteine Lyase Exhibit Severe Neurological Dysfunction, Neurodegeneration, and Audiogenic Seizures. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M113.540682. <http://www.jbc.org/content/early/2014/02/11/jbc.M113.540682.abstract>
- Cabreiro, F., Au, C., Leung, K. Y., Vergara-Irigaray, N., Cocheme, H. M., & Noori, T. (2013). Metformin retards aging in *C. elegans* by altering microbial folate and methionine metabolism. *Cell*, 153. doi: 10.1016/j.cell.2013.02.035. <http://dx.doi.org/10.1016/j.cell.2013.02.035>
- Cabungcal, J.-H., Counotte, Danielle S., Lewis, E. M., Tejada, Hugo A., Piantadosi, P., Pollock, C., . . . O'Donnell, P. (2014). Juvenile Antioxidant Treatment Prevents Adult Deficits in a Developmental Model of Schizophrenia. *Neuron*, (0).
doi: <http://dx.doi.org/10.1016/j.neuron.2014.07.028> <http://www.sciencedirect.com/science/article/pii/S0896627314006394>
- Cabungcal, J.-H., Steullet, P., Kraftsik, R., Cuenod, M., & Do, K. Q. (2012). Early-Life Insults Impair Parvalbumin Interneurons via Oxidative Stress: Reversal by N-Acetylcysteine. *Biological Psychiatry*. doi. <http://linkinghub.elsevier.com/retrieve/pii/S0006322312008463?showall=true>
- Caccamo, A., Magri, A., Medina, D. X., Wisely, E. V., Lopez-Aranda, M. F., & Silva, A. J. (2013). mTOR regulates tau phosphorylation and degradation: implications for Alzheimer's disease and other tauopathies. *Aging cell*, 12. doi: 10.1111/acer.12057. <http://dx.doi.org/10.1111/acer.12057>
- Caccamo, A., Majumder, S., Richardson, A., Strong, R., & Oddo, S. (2010). Molecular interplay between mammalian target of rapamycin (mTOR), amyloid-beta, and Tau: effects on cognitive impairments. *Journal of Biological Chemistry*, 285. doi: 10.1074/jbc.M110.100420. <http://dx.doi.org/10.1074/jbc.M110.100420>

Cahill, S. P., Hatchard, T., Abizaid, A., & Holahan, M. R. (2014). An examination of early neural and cognitive alterations in hippocampal-spatial function of ghrelin receptor-deficient rats. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.02.004>. <http://www.sciencedirect.com/science/article/pii/S0166432814000710>

Cai, L., Bakalli, H., & Rinaman, L. (2012). Yohimbine Anxiogenesis in the Elevated Plus Maze is Disrupted by Bilaterally Disconnecting the Bed Nucleus of the Stria Terminalis from the Central Nucleus of the Amygdala. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.08.008. <http://www.sciencedirect.com/science/article/pii/S0306452212008287?v=s5>

Cai, Y., Chew, C., Muñoz, F., & Sengelaub, D. R. (2016). Neuroprotective effects of testosterone metabolites and dependency on receptor action on the morphology of somatic motoneurons following the death of neighboring motoneurons. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22445. <http://dx.doi.org/10.1002/dneu.22445>

Caiazzo, M., Dell'Anno, M. T., Dvoretzkova, E., Lazarevic, D., Taverna, S., Leo, D., . . . Broccoli, V. (2011). Direct generation of functional dopaminergic neurons from mouse and human fibroblasts. [10.1038/nature10284]. *Nature*, advance online publication. doi: <http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature10284.html#> <http://dx.doi.org/10.1038/nature10284>

Cain, J. T., Berosik, M. A., Snyder, S. D., Crawford, N. F., Nour, S. I., Schaubhut, G. J., & Darland, D. C. (2013). Shifts in the Vascular endothelial growth factor (Vegf) isoforms result in transcriptome changes correlated with early neural stem cell proliferation and differentiation in mouse forebrain. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22130. <http://dx.doi.org/10.1002/dneu.22130>

Caldwell, A. S. L., Edwards, M. C., Desai, R., Jimenez, M., Gilchrist, R. B., Handelsman, D. J., & Walters, K. A. (2017). Neuroendocrine androgen action is a key extraovarian mediator in the development of polycystic ovary syndrome. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1616467114. <http://www.pnas.org/content/early/2017/03/16/1616467114.abstract>

Caldwell, A. S. L., Middleton, L. J., Jimenez, M., Desai, R., McMahon, A. C., Allan, C. M., . . . Walters, K. A. (2014). Characterization of reproductive, metabolic and endocrine features of polycystic ovary syndrome in female hyperandrogenic mouse models. *Endocrinology*, en.2014-1196. doi: 10.1210/en.2014-1196. <http://dx.doi.org/10.1210/en.2014-1196>

Caleo, M., Cenni, M. C., Costa, M., Menna, E., Zentilin, L., Giadrossi, S., . . . Maffei, L. (2002). Expression of BCL-2 via adeno-associated virus vectors rescues thalamic neurons after visual cortex lesion in the adult rat. *European Journal of Neuroscience*, 15(8), 1271-1277. doi: doi:10.1046/j.1460-9568.2002.01962.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.01962.x>

Caleo, M., Medini, P., von Bartheld, C. S., & Maffei, L. (2003). Provision of Brain-Derived Neurotrophic Factor via Anterograde Transport from the Eye Preserves the Physiological Responses of Axotomized Geniculate Neurons. *Journal of Neuroscience*, 23(1), 287-296. doi: <http://www.jneurosci.org/cgi/content/abstract/23/1/287>

Caleo, M., Menna, E., Chierzi, S., Cenni, M. C., & Maffei, L. (2000). Brain-derived neurotrophic factor is an anterograde survival factor in the rat visual system. *Current Biology*, 10(19), 1155-1161. doi:

Caleo, M., Restani, L., Gianfranceschi, L., Costantin, L., Rossi, C., Rossetto, O., . . . Maffei, L. (2007). Transient Synaptic Silencing of Developing Striate Cortex Has Persistent Effects on Visual Function and Plasticity. *Journal of Neuroscience*, 27(17), 4530-4540. doi: 10.1523/jneurosci.0772-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/17/4530>

Caleo, M., Restani, L., Vannini, E., Siskova, Z., Al-Malki, H., Morgan, R., . . . Perry, V. H. (2012). The Role of Activity in Synaptic Degeneration in a Protein Misfolding Disease, Prion Disease. *Plos one*, 7(7), e41182. doi: 10.1371/journal.pone.0041182. <http://dx.doi.org/10.1371%2Fjournal.pone.0041182>

Calhoun, M. E., Fletcher, B. R., Yi, S., Zentko, D. C., Gallagher, M., & Rapp, P. R. (2008). Age-related spatial learning impairment is unrelated to spinophilin immunoreactive spine number and protein levels in rat hippocampus. *Neurobiology of Aging*, 29(8), 1256-1264. doi.

Calhoun, M. E., Mao, Y., Roberts, J. A., & Rapp, P. R. (2004). Reduction in hippocampal cholinergic innervation is unrelated to recognition memory impairment in aged rhesus monkeys. *Journal of Comparative Neurology*, 475(2), 238-246. doi.

Calignon, A., Fox, L. M., Pitstick, R., Carlson, G. A., Bacskai, B. J., & Spires-Jones, T. L. (2010). Caspase activation precedes and leads to tangles. *Nature*, 464. doi: 10.1038/nature08890. <http://dx.doi.org/10.1038/nature08890>

Calik, I., Yayla, M., Cinar, I., Cadirci, E., Albayrak, A., Sirin, B., . . . Halici, Z. (2020). LP44 (4-[2-(methylthio)phenyl]-N-(1,2,3,4-tetrahydronaphthalen-1-yl)-1-piperazinehexanamide) exerts anti-ulcer effects via 5-hydroxytryptamine receptor 7 activation on indomethacin-induced gastric ulcers in rats. *Inflammopharmacology*. doi: 10.1007/s10787-020-00725-3. <https://doi.org/10.1007/s10787-020-00725-3>

Calingasan, N. Y., Ho, D. J., Wille, E. J., Campagna, M. V., Ruan, J., Dumont, M., . . . Beal, M. F. (2008). Influence of mitochondrial enzyme deficiency on adult neurogenesis in mouse models of neurodegenerative diseases. *Neuroscience*, 153(4), 986-996. doi.

Calió, M. L., Mosini, A. C., Marinho, D. S., Salles, G. N., Massinani, F. H., Ko, G. M., & Porcionatto, M. A. (2021). Leptin enhances adult neurogenesis and reduces pathological features in a transgenic mouse model of Alzheimer's disease. *Neurobiology of Disease*, 148, 105219. doi: <https://doi.org/10.1016/j.nbd.2020.105219>. <http://www.sciencedirect.com/science/article/pii/S0969996120304940>

Calkins, M. J., Jakel, R. J., Johnson, D. A., Chan, K., Kan, Y. W., & Johnson, J. A. (2005). Protection from mitochondrial complex II inhibition in vitro and in vivo by Nrf2-mediated transcription. *Proceedings of the National Academy of Sciences*, 102(1), 244-249. doi. <http://www.Proceedings.org/cgi/content/abstract/102/1/244>

Calvez, J., de Ávila, C., Guèvremont, G., & Timofeeva, E. (2016). Sex-specific effects of chronic administration of relaxin-3 on food intake, body weight and hypothalamo-pituitary-gonadal axis in rats. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12439. <http://dx.doi.org/10.1111/jne.12439>

Calvez, J., de Ávila, C., Guèvremont, G., & Timofeeva, E. (2016). Stress differentially regulates brain expression of corticotropin-releasing factor in binge-like eating prone and resistant female rats. *Appetite*, 107, 585-595. doi: <http://dx.doi.org/10.1016/j.appet.2016.09.010>. <http://www.sciencedirect.com/science/article/pii/S0195666316304585>

Calvez, J., Lenglos, C., de Ávila, C., Guèvremont, G., & Timofeeva, E. (2015). Differential effects of central administration of relaxin-3 on food intake and hypothalamic neuropeptides in male and female rats. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12236. <http://dx.doi.org/10.1111/gbb.12236>

Camacho, J., Ejaz, E., Ariza, J., Noctor, S. C., & Martínez-Cerdeño, V. (2014). RELN-expressing neuron density in layer I of the superior temporal lobe is similar in human brains with autism and in age-matched controls. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2014.07.031>. <http://www.sciencedirect.com/science/article/pii/S0304394014006041>

Camelo, S., Iglesias, A. H., Hwang, D., Due, B., Ryu, H., Smith, K., . . . others. (2005). Transcriptional therapy with the histone deacetylase inhibitor trichostatin A ameliorates experimental autoimmune encephalomyelitis. *Journal of Neuroimmunology*, 164(1-2), 10-21. doi.

Cameron, S. H., Alwakeel, A. J., Goddard, L., Hobbs, C. E., Gowing, E. K., Barnett, E. R., . . . Oorschot, D. E. (2015). Delayed post-treatment with bone marrow-derived mesenchymal stem cells is neurorestorative of striatal medium-spiny projection neurons and improves motor function after neonatal rat hypoxia-ischemia. *Molecular and Cellular Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.mcn.2015.03.019>. <http://www.sciencedirect.com/science/article/pii/S1044743115000482>

Campbell, S. L., Robel, S., Cuddapah, V. A., Robert, S., Buckingham, S. C., Kahle, K. T., & Sontheimer, H. (2014). GABAergic disinhibition and impaired KCC2 cotransporter activity underlie tumor-associated epilepsy. *Glia*, n/a-n/a. doi: 10.1002/glia.22730. <http://dx.doi.org/10.1002/glia.22730>

Campeau, L., Soler, R., Sittadjody, S., Pareta, R., Nomiya, M., Zarifpour, M., . . . Andersson, K. E. (2013). Effects of allogeneic bone marrow-derived mesenchymal stromal cell therapy on voiding function in a rat model of Parkinson's disease. *The Journal of urology*, (0). doi: <http://dx.doi.org/10.1016/j.juro.2013.08.026>. <http://www.sciencedirect.com/science/article/pii/S002253471305146X>

Campolo, M., Casili, G., Biundo, F., Crupi, R., Cordaro, M., Cuzzocrea, S., & esposito, e. (2016). The neuroprotective effect of dimethyl fumarate in a MPTP-mouse model of Parkinson's disease: involvement of reactive oxygen species/nuclear factor- κ B/nuclear transcription factor related to NF-E2. Antioxidants & redox signaling. doi: 10.1089/ars.2016.6800. <http://dx.doi.org/10.1089/ars.2016.6800>

Campos, V. E., Du, M., & Li, Y. (2004). Increased seizure susceptibility and cortical malformation in β -catenin mutant mice. *Biochemical and Biophysical Research Communications*, 320(2), 606-614. doi.

Can, Ö. D., Ulupnar, E., Özkay, Ü. D., Yegin, B., & Öztürk, Y. (2012). The effect of simvastatin treatment on behavioral parameters, cognitive performance, and hippocampal morphology in rats fed a standard or a high-fat diet. *Behavioural Pharmacology*, Publish Ahead of Print, 10.1097/FBP.1090b1013e328356c328353f328352. doi: http://journals.lww.com/behaviouralpharm/Fulltext/publishahead/The_effec..

Can, S., Selli, J., Buyuk, B., Aydin, S., Kocaaslan, R., & Guvendi, G. F. (2015). The Effect of Estrogen Usage on Eccentric Exercise-Induced Damage in Rat Testes. [Research Article]. *Iran Red Crescent Med J*, 17(4), e22521. doi: 10.5812/ircmj.17(4)2015.22521. http://ircmj.com/?page=article&article_id=22521

Çanakçı, E., Akalp Özmen, S., Çolak, M. F., & Kürşad, H. (2016). Histopathologic comparison of dexmedetomidine's and thiopental's cerebral protective effects on focal cerebral ischemia in rats. *Brazilian Journal of Anesthesiology (English Edition)*. doi: <http://dx.doi.org/10.1016/j.bjane.2015.03.009>. <http://www.sciencedirect.com/science/article/pii/S0104001415001657>

Canales, J. J. (2004). Catalase-independent early-gene expression in rat brain following acute ethanol exposure. *Brain Research*, 1016(1), 96-101. doi.

Canan, S., Bahadır, A., Yildirim, S., Odacı, E., Sahin, B., Bas, O., . . . Kaplan, S. (2004). Stereolojik Uygulamalarda Kullanılan Pratik Gereçler ve Bilgisayar Destekli Stereolojik Analiz Cihazları. *Türkiye Klinikleri Journal of Medical Science*, 24, 672-680. doi.

Candolfi, M., Curtin, J. F., Xiong, W.-D., Kroeger, K. M., Liu, C., Rentsendorj, A., . . . Castro, M. G. (2006). Effective High-Capacity Gutless Adenoviral Vectors Mediate Transgene Expression in Human Glioma Cells. *Molecular Therapy*, 14, 371-381. doi.

Candolfi, M., Pluhar, G. E., Kroeger, K., Puntel, M., Curtin, J., Barcia, C., . . . others. (2007). Optimization of adenoviral vector-mediated transgene expression in the canine brain in vivo, and in canine glioma cells in vitro. *Neuro-oncology*, 9(3), 245-258. doi.

Canese, R., Zoratto, F., Altabella, L., Porcari, P., Mercurio, L., de Pasquale, F., . . . Adriani, W. (2014). Persistent modification of forebrain networks and metabolism in rats following adolescent exposure to a 5-HT7 receptor agonist. *Psychopharmacology*, 1-15. doi: 10.1007/s00213-014-3639-6. <http://dx.doi.org/10.1007/s00213-014-3639-6>

Canetta, S., Bolkan, S., Padilla-Coreano, N., Song, L. J., Sahn, R., Harrison, N. L., . . . Kellendonk, C. (2016). Maternal immune activation leads to selective functional deficits in offspring parvalbumin interneurons. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2015.222. <http://dx.doi.org/10.1038/mp.2015.222>

Canneva, F., Golub, Y., Distler, J., Dobner, J., Meyer, S., & von Hörsten, S. (2015). DPP4-deficient congenic rats display blunted stress, improved fear extinction and increased central NPY. *Psychoneuroendocrinology*, 53, 195-206. doi: 10.1016/j.psyneuen.2015.01.007. [http://www.psyneuen-journal.com/article/S0306-4530\(15\)00021-9/abstract](http://www.psyneuen-journal.com/article/S0306-4530(15)00021-9/abstract)

Cannon, J. R., Tapias, V., Na, H. M., Honick, A. S., Drolet, R. E., & Greenamyre, J. T. (2009). A highly reproducible rotenone model of Parkinson's disease. *Neurobiology of Disease*, 34(2), 279-290. doi.

Cao, M., Wu, Y., Ashrafi, G., McCartney, A. J., Wheeler, H., Bushong, E. A., . . . De Camilli, P. (2017). Parkinson Sac Domain Mutation in Synaptojanin 1 Impairs Clathrin Uncoating at Synapses and Triggers Dystrophic Changes in Dopaminergic Axons. *Neuron*, 93(4), 882-896.e885. doi: <http://dx.doi.org/10.1016/j.neuron.2017.01.019>. <http://www.sciencedirect.com/science/article/pii/S0896627317300430>

Cao, P., Liang, Y., Gao, X., Zhao, M.-G., & Liang, G.-B. (2013). Administration of MS-275 Improves Cognitive Performance and Reduces Cell Death Following Traumatic Brain Injury in Rats. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12082. <http://dx.doi.org/10.1111/cns.12082>

Cao, Q., He, Q., Wang, Y., Cheng, X., Howard, R. M., Zhang, Y., . . . others. (2010). Transplantation of CNTF-expressing adult oligodendrocyte precursor cells promotes remyelination and functional recovery after spinal cord injury. *Journal of Neuroscience*, 30(8), 2989-2989. doi.

- Cao, Q., He, Q., Wang, Y., Cheng, X., Howard, R. M., Zhang, Y., . . . Whitemore, S. R. (2010). Transplantation of Ciliary Neurotrophic Factor-Expressing Adult Oligodendrocyte Precursor Cells Promotes Remyelination and Functional Recovery after Spinal Cord Injury. *Journal of Neuroscience*, 30(8), 2989-3001. doi: 10.1523/jneurosci.3174-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/8/2989>
- Capellini, T. D., Zewdu, R., Di Giacomo, G., Ascitti, S., Kugler, J. E., Di Gregorio, A., & Selleri, L. (2008). Pbx1/Pbx2 govern axial skeletal development by controlling Polycomb and Hox in mesoderm and Pax1/Pax9 in sclerotome. *Developmental Biology*, 321(2), 500-514. doi.
- Capone, C., Frigerio, S., Fumagalli, S., Gelati, M., Principato, M. C., Storini, C., . . . Simoni, M. G. (2007). Neurosphere-derived cells exert a neuroprotective action by changing the ischemic microenvironment. *PLoS ONE*, 2(e373). doi.
- Cappello, S., Böhringer, Christian R. J., Bergami, M., Conzelmann, K.-K., Ghanem, A., Tomassy, Giulio S., . . . Götz, M. (2012). A Radial Glia-Specific Role of RhoA in Double Cortex Formation. *Neuron*, 73(5), 911-924. doi: 10.1016/j.neuron.2011.12.030. <http://www.sciencedirect.com/science/article/pii/S0896627312000803>
- Caracciolo, L., Marosi, M., Mazzitelli, J., Latifi, S., Sano, Y., Galvan, L., . . . Carmichael, S. T. (2018). CREB controls cortical circuit plasticity and functional recovery after stroke. *Nature Communications*, 9(1), 2250. doi: 10.1038/s41467-018-04445-9. <https://doi.org/10.1038/s41467-018-04445-9>
- Carassiti, D., Altmann, D. R., Petrova, N., Pakkenberg, B., Scaravilli, F., & Schmierer, K. (2017). Neuronal loss, demyelination and volume change in the multiple sclerosis neocortex. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12405. <http://dx.doi.org/10.1111/nan.12405>
- Carballo-Carbajal, I., Laguna, A., Romero-Giménez, J., Cuadros, T., Bové, J., Martínez-Vicente, M., . . . Vila, M. (2019). Brain tyrosinase overexpression implicates age-dependent neuromelanin production in Parkinson's disease pathogenesis. *Nature Communications*, 10(1), 973. doi: 10.1038/s41467-019-08858-y. <https://doi.org/10.1038/s41467-019-08858-y>
- Card, J. P., Kobiler, O., Ludmir, E. B., Desai, V., Sved, A. F., & Enquist, L. W. (2011). A dual infection pseudorabies virus conditional reporter approach to identify projections to collateralized neurons in complex neural circuits. *PLoS ONE*, 6(6), e21141-e21141. doi.
- Card, J. P., Lois, J., & Sved, A. F. (2010). Distribution and phenotype of Phox2a-containing neurons in the adult sprague-dawley rat. *Journal of Comparative Neurology*, 518(12), 2202-2220. doi.
- Card, J. P., Sved, J. C., Craig, B., Raizada, M., Vazquez, J., & Sved, A. F. (2006). Efferent projections of rat rostroventrolateral medulla C1 catecholamine neurons: Implications for the central control of cardiovascular regulation. *Journal of Comparative Neurology*, 499(5), 840-859. doi.
- Cardinale, A., Paldino, E., Giampà, C., Bernardi, G., & Fusco, F. R. (2015). PARP-1 Inhibition Is Neuroprotective in the R6/2 Mouse Model of Huntington's Disease. *Plos one*, 10(8), e0134482. doi: 10.1371/journal.pone.0134482. <http://dx.doi.org/10.1371%2Fjournal.pone.0134482>
- Cardoso, H. D., Santos Junior, E. F., de Santana, D. F., Gonçalves-Pimentel, C., Angelim, M. K., Isaac, A. R., . . . da Silveira Andrade-da-Costa, B. L. (2013). Omega-3 deficiency and neurodegeneration in the substantia nigra: Involvement of increased nitric oxide production and reduced BDNF expression. *Biochimica et Biophysica Acta (BBA) - General Subjects*, (0).

doi: <http://dx.doi.org/10.1016/j.bbagen.2013.12.023>. <http://www.sciencedirect.com/science/article/pii/S0304416513005515>

Cargill, K., Hemker, S. L., Clugston, A., Murali, A., Mukherjee, E., Liu, J., . . . Sims-Lucas, S. (2019). Von Hippel-Lindau Acts as a Metabolic Switch Controlling Nephron Progenitor Differentiation. *Journal of the American Society of Nephrology*, *ASN.2018111170*. doi: 10.1681/asn.2018111170. <http://jasn.asnjournals.org/content/early/2019/05/28/ASN.2018111170.abst>

...

Carlson, M., Toelen, J., Van der Perren, A., Vandenberghe, L. H., Reumers, V., Sbragia, L., . . . others. (2010). Efficient gene transfer into the mouse lung by fetal intratracheal injection of rAAV2/6.2. *Molecular Therapy*, *18*(12), 2130-2138. doi.

Carlson, M. S., Vidović, D., Dooley, J., Mori da Cunha, M., Maris, M., Lampi, Y., . . . Deprest, J. (2014). Immunological ignorance allows long-term gene expression following perinatal rAAV-mediated gene transfer to murine airways. *Human Gene Therapy*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/hum.2013.196>

Carlsson, T., Schindler, F. R., Höllerhage, M., Depboylu, C., Arias-Carrión, O., Schnurrbusch, S., . . . Höglinger, G. U. (2011). Systemic administration of neuregulin-1 β 1 protects dopaminergic neurons in a mouse model of Parkinson's disease. *Journal of Neurochemistry*, *117*(6), 1066-1074. doi: 10.1111/j.1471-4159.2011.07284.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07284.x>

Carlsson, Y., Leverin, A. L., Hedtjörn, M., Wang, X., Mallard, C., & Hagberg, H. (2009). Role of mixed lineage kinase inhibition in neonatal hypoxia-ischemia. *Developmental Neuroscience*, *31*(5), 420-426. doi.

Carmel, J. B., Berrol, L. J., Brus-Ramer, M., & Martin, J. H. (2010). Chronic Electrical Stimulation of the Intact Corticospinal System after Unilateral Injury Restores Skilled Locomotor Control and Promotes Spinal Axon Outgrowth. *Journal of Neuroscience*, *30*(32), 10918-10926. doi: 10.1523/jneurosci.1435-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/32/10918>

Carmel, J. B., Kimura, H., Berrol, L. J., & Martin, J. H. (2013). Motor cortex electrical stimulation promotes axon outgrowth to brain stem and spinal targets that control the forelimb impaired by unilateral corticospinal injury. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12119. <http://dx.doi.org/10.1111/ejn.12119>

Carmichael, S. T., Archibeque, I., Luke, L., Nolan, T., Momiy, J., & Li, S. (2005). Growth-associated gene expression after stroke: evidence for a growth-promoting region in peri-infarct cortex. *Experimental Neurology*, *193*(2), 291-311. doi.

Caron, N. S., Southwell, A. L., Brouwers, C. C., Cengio, L. D., Xie, Y., Black, H. F., . . . Hayden, M. R. (2019). Potent and sustained huntingtin lowering via AAV5 encoding miRNA preserves striatal volume and cognitive function in a humanized mouse model of Huntington disease. *Nucleic Acids Research*. doi: 10.1093/nar/gkz976. <https://doi.org/10.1093/nar/gkz976>

Carpenter, A., Paulus, A., Robinson, M., Bates, C. M., Robinson, M. L., Hains, D., . . . McHugh, K. M. (2012). 3-dimensional morphometric analysis of murine bladder development and dysmorphogenesis. *Developmental Dynamics*, *241*(3), 522-533. doi: 10.1002/dvdy.23744. <http://dx.doi.org/10.1002/dvdy.23744>

Carreras, I., Aytan, N., Choi, J.-K., Tognoni, C. M., Kowall, N. W., Jenkins, B. G., & Dedeoglu, A. (2019). Dual dose-dependent effects of fingolimod in a mouse model of Alzheimer's disease. *Scientific Reports*, 9(1), 10972. doi: 10.1038/s41598-019-47287-1. <https://doi.org/10.1038/s41598-019-47287-1>

Carreras, I., Aytan, N., Mellott, T., Choi, J.-K., Lehar, M., Crabtree, L., . . . Dedeoglu, A. (2018). Anxiety, neuroinflammation, cholinergic and GABAergic abnormalities are early markers of Gulf War illness in a mouse model of the disease. *Brain Research*, 1681, 34-43. doi: <https://doi.org/10.1016/j.brainres.2017.12.030>. <https://www.sciencedirect.com/science/article/pii/S0006899317305644>

Carreras, I., Yuruker, S., Aytan, N., Hossain, L., Choi, J. K., Jenkins, B. G., . . . Dedeoglu, A. (2010). Moderate exercise delays the motor performance decline in a transgenic model of ALS. *Brain Research*, 1313, 192-201. doi.

Carrica, L., Li, L., Newville, J., Kenton, J., Gustus, K., Brigman, J., & Cunningham, L. A. (2019). Genetic inactivation of hypoxia inducible factor 1-alpha (HIF-1 α) in adult hippocampal progenitors impairs neurogenesis and pattern discrimination learning. *Neurobiology of Learning and Memory*, 157, 79-85. doi: <https://doi.org/10.1016/j.nlm.2018.12.002>. <http://www.sciencedirect.com/science/article/pii/S1074742718302788>

Carrier, N., & Kabbaj, M. (2012). Extracellular Signal-Regulated Kinase 2 Signaling in the Hippocampal Dentate Gyrus Mediates the Antidepressant Effects of Testosterone. *Biological Psychiatry*. doi.

Carroll, J. B., Lerch, J. P., Franciosi, S., Spreeuw, A., Bissada, N., Henkelman, R. M., & Hayden, M. R. (2011). Natural history of disease in the YAC128 mouse reveals a discrete signature of pathology in Huntington disease. *Neurobiology of Disease*. doi.

Carryl, H., Van Rompay, K., De Paris, K., & Burke, M. (2017). Hippocampal Neuronal Loss in Infant Macaques Orally Infected with Virulent Simian Immunodeficiency Virus (SIV). *Brain Sciences*, 7(4), 40. doi. <http://www.mdpi.com/2076-3425/7/4/40>

Carter, J. H., Lefebvre, J. M., Wiest, D. L., & Tourtellotte, W. G. (2007). Redundant Role for Early Growth Response Transcriptional Regulators in Thymocyte Differentiation and Survival. *Journal of Immunology*, 178, 6796-6805. doi.

Cartier, A. E., Ubhi, K., Spencer, B., Vazquez-Roque, R. A., Kosberg, K. A., Fourgeaud, L., . . . Patrick, G. N. (2012). Differential Effects of UCHL1 Modulation on Alpha-Synuclein in PD-Like Models of Alpha-Synucleinopathy. *PLoS ONE*, 7(4), e34713. doi.

Carzoli, K. L., & Hyson, R. L. (2010). In vivo analysis of the role of metabotropic glutamate receptors in the afferent regulation of chick cochlear nucleus neurons. *Hearing Research*. doi.

Casaca-Carreira, J., Temel, Y., Larrakoetxea, I., & Jahanshahi, A. (2016). Distribution and Penetration of Intracerebroventricularly Administered 2'OMePS Oligonucleotide in the Mouse Brain. *Nucleic Acid Therapeutics*. doi: 10.1089/nat.2016.0642. <http://dx.doi.org/10.1089/nat.2016.0642>

Casanova, M. F., El-Baz, A., Vanbogaert, E., Narahari, P., & Switala, A. (2010). A Topographic Study of Minicolumnar Core Width by Lamina Comparison between Autistic Subjects and Controls: Possible Minicolumnar Disruption due to an Anatomical Element In-Common to Multiple Laminae. *Brain Pathology*, 20(2), 451-458. doi.

- Casanova, M. F., El-Baz, A., Vanbogaert, E., Narahari, P., & Trippe, J. (2009). Minicolumnar width: comparison between supragranular and infragranular layers. *Journal of Neuroscience Methods*, 184(1), 19-24. doi.
- Casanova, M. F., Kooten, I. A. J. v., Switala, A. E., Engeland, H. v., Heinsen, H., Steinbusch, H. W. M., . . . Schmitz, C. (2006). Minicolumnar abnormalities in autism. *Acta Neuropathologica*, 112(3). doi.
- Casanova, M. F., Van Kooten, I., Switala, A. E., Van Engeland, H., Heinsen, H., Steinbusch, H. W. M., . . . Schmitz, C. (2006). Abnormalities of cortical minicolumnar organization in the prefrontal lobes of autistic patients. *Clinical Neuroscience Research*, 6(3-4), 127-133. doi.
- Casella, G. T. B., Bunge, M. B., & Wood, P. M. (2006). Endothelial cell loss is not a major cause of neuronal and glial cell death following contusion injury of the spinal cord. *Experimental Neurology*, 202(1), 8-20. doi.
- Casili, G., Campolo, M., paterniti, i., Lanza, M., Filippone, A., cuzzocrea, s., & Esposito, E. (2018). Dimethyl fumarate attenuates neuroinflammation and neurobehavioral deficits induced by experimental traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5260. <https://doi.org/10.1089/neu.2017.5260>
- Castaneda, M. T., Sanabria, E. R. G., Hernandez, S., Ayala, A., Reyna, T. A., Wu, J. Y., & Colom, L. V. (2005). Glutamic acid decarboxylase isoforms are differentially distributed in the septal region of the rat. *Neuroscience Research*, 52(1), 107-119. doi.
- Casteels, C., Lauwers, E., Baitar, A., Bormans, G., Baekelandt, V., & Van Laere, K. (2010). In vivo type 1 cannabinoid receptor mapping in the 6-hydroxydopamine lesion rat model of Parkinson's disease. *Brain Research*, 1316, 153-162. doi.
- Casteels, C., Lauwers, E., Bormans, G., Baekelandt, V., & Van Laere, K. (2008). Metabolic-dopaminergic mapping of the 6-hydroxydopamine rat model for Parkinson's disease. *European Journal of Nuclear Medicine and Molecular Imaging*, 35(1), 124-134. doi.
- Castelhano-Carlos, M. J., Aslani, S., & Sousa, N. (2020). The Impact of Physical Enrichment in the Structure of the Medial Prefrontal Cortex and Nucleus Accumbens of the Adult Male Rat Brain. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.01.040>. <http://www.sciencedirect.com/science/article/pii/S0306452220300701>
- Castellano, J. F., Fletcher, B. R., Kelley-Bell, B., Kim, D. H., Gallagher, M., & Rapp, P. R. (2012). Age-Related Memory Impairment Is Associated with Disrupted Multivariate Epigenetic Coordination in the Hippocampus. *PLoS ONE*, 7(3), e33249. doi: 10.1371/journal.pone.0033249. <http://dx.doi.org/10.1371%2Fjournal.pone.0033249>
- Castellano, O., Moscoso, A., Riobos, A. S., Carro, J., Arji, M., Molina, V., . . . Sancho, C. (2009). Chronic administration of risperidone to healthy rats: A behavioural and morphological study. *Behavioural Brain Research*, 205(2), 488-498. doi.
- Castellano, S., Macchi, F., Scali, M., Huang, J. Z., & Bozzi, Y. (2006). Cytosolic branched chain aminotransferase (BCATc) mRNA is up-regulated in restricted brain areas of BDNF transgenic mice. *Brain Research*, 1108(1), 12-18. doi.

Castellanos, D. A., Daniels, L. A., Morales, M. P., Hama, A. T., & Sagen, J. (2007). Expansion of formalin-evoked Fos-immunoreactivity in rats with a spinal cord injury. *Neuroscience Research*, 58(4), 386-393. doi.

Castellanos, D. A., Tsoulfas, P., Frydel, B. R., Gajavelli, S., Bes, J.-C., & Sagen, J. (2002). TrkC Overexpression enhances Survival and Migration of Neural Stem Cell Transplants in the Rat spinal cord. *Cell Transplantation*, 11, 297-307. doi.

Castillo-Ruiz, A., Mosley, M., George, A. J., Mussaji, L. F., Fullerton, E. F., Ruszkowski, E. M., . . . Forger, N. G. (2017). The microbiota influences cell death and microglial colonization in the perinatal mouse brain. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.08.027>. <http://www.sciencedirect.com/science/article/pii/S0889159117304063>

Castillo-Ruiz, A., Mosley, M., Jacobs, A. J., Hoffiz, Y. C., & Forger, N. G. (2018). Birth delivery mode alters perinatal cell death in the mouse brain. [10.1073/pnas.1811962115]. *Proceedings of the National Academy of Sciences*. doi. <http://www.pnas.org/content/early/2018/10/09/1811962115.abstract>

Castillo-Ruiz, A., Nixon, J. P., Smale, L., & Nunez, A. A. (2010). Neural activation in arousal and reward areas of the brain in day-active and night-active grass rats. *Neuroscience*, 165(2), 337-349. doi.

Castren, M., Tervonen, T., Karkkainen, V., Heinonen, S., Castren, E., Larsson, K., . . . Akerman, K. (2005). Altered differentiation of neural stem cells in fragile X syndrome. *Proceedings of the National Academy of Sciences*, 102(49), 17834-17839. doi: 10.1073/Proceedings of the National Academy of Sciences.0508995102. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/102/49/17834>

Castro-Hernández, J., Adlard, P. A., & Finkelstein, D. I. (2017). Pramipexole restores depressed transmission in the ventral hippocampus following MPTP-lesion. [Article]. *Scientific Reports*, 7, 44426. doi: 10.1038/srep44426. <http://dx.doi.org/10.1038/srep44426>

Catchpole, T., & Henkemeyer, M. (2011). EphB2 Tyrosine Kinase-Dependent Forward Signaling in Migration of Neuronal Progenitors That Populate and Form a Distinct Region of the Dentate Niche. *Journal of Neuroscience*, 31(32), 11472-11483. doi: 10.1523/jneurosci.6349-10.2011. <http://www.jneurosci.org/content/31/32/11472.abstract>

Cattano, D., Williamson, P., Fukui, K., Avidan, M., Evers, A. S., Olney, J. W., & Young, C. (2008). Potential of xenon to induce or to protect against neuroapoptosis in the developing mouse brain. *Canadian Journal of Anesthesia*, 55(7), 429-436. doi.

Cazorla, M., Shegda, M., Ramesh, B., Harrison, N. L., & Kellendonk, C. (2012). Striatal D2 Receptors Regulate Dendritic Morphology of Medium Spiny Neurons via Kir2 Channels. *Journal of Neuroscience*, 32(7), 2398-2409. doi: 10.1523/jneurosci.6056-11.2012. <http://www.jneurosci.org/content/32/7/2398.abstract>

Celiker, F. B., Tumkaya, L., Mercantepe, T., Beyazal, M., Turan, A., Beyazal Polat, H., . . . Yilmaz, A. (2018). Effects of Gadodiamide and Gadoteric Acid on Rat Kidneys: A Comparative Study. *Journal of Magnetic Resonance Imaging*, 0(0). doi: doi:10.1002/jmri.26266. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jmri.26266>

Celorrio, M., Abellanas, M. A., Rhodes, J., Goodwin, V., Moritz, J., Vadivelu, S., . . . Friess, S. H. (2021). Gut microbial dysbiosis after traumatic brain injury modulates the immune response and impairs

neurogenesis. *Acta Neuropathologica Communications*, 9(1), 40. doi: 10.1186/s40478-021-01137-2. <https://doi.org/10.1186/s40478-021-01137-2>

Cengiz, P., Kleman, N., Uluc, K., Kendigelen, P., Hagemann, T., Akture, E., . . . Sun, D. (2011). Inhibition of Na⁺/H⁺ exchanger isoform 1 is neuroprotective in neonatal hypoxic ischemic brain injury. *Antioxidants and redox signaling*, 14(10), 1803-1813. doi:

Cerqueira, D. M., Bodnar, A. J., Phua, Y. L., Freer, R., Hemker, S. L., Walensky, L. D., . . . Ho, J. (2017). Bim gene dosage is critical in modulating nephron progenitor survival in the absence of microRNAs during kidney development. *The FASEB Journal*. doi: 10.1096/fj.201700010R. <http://www.fasebj.org/content/early/2017/04/26/fj.201700010R.abstract>

Cerqueira, D. M., Hemker, S. L., Bodnar, A. J., Ortiz, D. M., Oladipupo, F. O., Mukherjee, E., . . . Ho, J. (2019). In utero exposure to maternal diabetes impairs nephron progenitor differentiation. *American Journal of Physiology-Renal Physiology*, 0(0), null. doi: 10.1152/ajprenal.00204.2019. <https://www.physiology.org/doi/abs/10.1152/ajprenal.00204.2019>

Cerqueira, J. J., Catania, C., Sotiropoulos, I., Schubert, M., Kalisch, R., Almeida, O. F. X., . . . Sousa, N. (2005). Corticosteroid status influences the volume of the rat cingulate cortex—a magnetic resonance imaging study. *Journal of Psychiatric Research*, 39(5), 451-460. doi:

Cerqueira, J. J., Mailliet, F., Almeida, O. F. X., Jay, T. M., & Sousa, N. (2007). The Prefrontal Cortex as a Key Target of the Maladaptive Response to Stress. *Journal of Neuroscience*, 27(11), 2781-2787. doi: 10.1523/jneurosci.4372-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/11/2781>

Cerqueira, J. J., Pego, J. M., Taipa, R., Bessa, J. M., Almeida, O. F. X., & Sousa, N. (2005). Morphological Correlates of Corticosteroid-Induced Changes in Prefrontal Cortex-Dependent Behaviors. *Journal of Neuroscience*, 25(34), 7792-7800. doi: 10.1523/jneurosci.1598-05.2005. <http://www.jneurosci.org/cgi/content/abstract/25/34/7792>

Cerqueira, S. R., Lee, Y.-S., Cornelison, R. C., Mertz, M. W., Wachs, R. A., Schmidt, C. E., & Bunge, M. B. (2018). Decellularized peripheral nerve supports Schwann cell transplants and axon growth following spinal cord injury. *Biomaterials*. doi: <https://doi.org/10.1016/j.biomaterials.2018.05.049>, <https://www.sciencedirect.com/science/article/pii/S0142961218304009>

Cerri, C., Fabbri, A., Vannini, E., Spolidoro, M., Costa, M., Maffei, L., . . . Caleo, M. (2011). Activation of Rho GTPases Triggers Structural Remodeling and Functional Plasticity in the Adult Rat Visual Cortex. *Journal of Neuroscience*, 31(42), 15163-15172. doi: 10.1523/jneurosci.2617-11.2011. <http://www.jneurosci.org/content/31/42/15163.abstract>

Çetkin, M., Kızılkın, N., Demirel, C., Bozdağ, Z., Erkiş, S., & Erbağcı, H. (2017). Quantitative changes in testicular structure and function in rat exposed to mobile phone radiation. *Andrologia*, e12761-n/a. doi: 10.1111/and.12761. <http://dx.doi.org/10.1111/and.12761>

Chabot, N., Robert, S., Tremblay, R., Miceli, D., Boire, D., & Bronchti, G. (2007). Audition differently activates the visual system in neonatally enucleated mice compared with anophthalmic mutants. *European Journal of Neuroscience*, 26(8), 2334-2348. doi: doi:10.1111/j.1460-9568.2007.05854.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05854.x>

Chabrier, M. A., Cheng, D., Castello, N. A., Green, K. N., & LaFerla, F. M. (2014). Synergistic effects of amyloid-beta and wild-type human tau on dendritic spine loss in a floxed double transgenic model of Alzheimer's disease. *Neurobiology of Disease*, (0).

doi: <http://dx.doi.org/10.1016/j.nbd.2014.01.007>. <http://www.sciencedirect.com/science/article/pii/S096999611400014X>

Chadashvili, T., & Peterson, D. A. (2007). Reduced Proliferation in the Aging Rostral Migratory Stream is Due to a Reduced Pool of Neural Stem/Progenitor Cells without Change in Cell Cycle Kinetics. Age-related changes in neural stem cell properties and cellular composition in neurogenic niches of the adult rat brain, 133-133. doi.

Chadashvili, T., & Peterson, D. A. (2007). The Subventricular Zone and the Rostral Migratory Stream of the Aging Rat Brain Exhibit Reduced Levels of Neural Stem/Progenitor Cell Proliferation and Alterations in the Vascular Niche. Age-related changes in neural stem cell properties and cellular composition in neurogenic niches of the adult rat brain, 67-67. doi.

Chagniel, L., Robitaille, C., Lebel, M., & Cyr, M. (2011). Striatal inhibition of calpains prevents levodopa-induced neurochemical changes and abnormal involuntary movements in the hemiparkinsonian rat model. *Neurobiology of Disease*. doi.

Chai, X., Wu, S., Murray, T. K., Kinley, R., Cella, C. V., & Sims, H. (2011). Passive immunization with anti-Tau antibodies in two transgenic models: reduction of Tau pathology and delay of disease progression. *Journal of Biological Chemistry*, 286. doi: 10.1074/jbc.M111.229633. <http://dx.doi.org/10.1074/jbc.M111.229633>

Chai, Y., Chen, M., Zhang, W., & Zhang, W. (2014). Somatotopic Organization of Trigeminal Ganglion: 3D Reconstruction of Three Divisions. *Journal of Craniofacial Surgery*, Publish Ahead of Print, 10.1097/SCS.0000000000000994. doi. <http://journals.lww.com/jcraniofacialsurgery/Fulltext/publishahead/Somat..>

Chakrabarty, S., Shulman, B., & Martin, J. H. (2009). Activity-Dependent Codevelopment of the Corticospinal System and Target Interneurons in the Cervical Spinal Cord. *Journal of Neuroscience*, 29(27), 8816-8827. doi: 10.1523/jneurosci.0735-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/27/8816>

Chakraborty, S., Sachdev, A., Salton, S. R. J., & Chakraborty, T. R. (2008). Stereological analysis of estrogen receptor expression in the hypothalamic arcuate nucleus of ob/ob and agouti mice. *Brain Research*, 1217, 86-95. doi.

Chakraborty, T. R., Hof, P. R., Ng, L., & Gore, A. C. (2003). Stereologic analysis of estrogen receptor alpha (ER α) expression in rat hypothalamus and its regulation by aging and estrogen. *Journal of Comparative Neurology*, 466(3), 409-421. doi.

Chakraborty, T. R., Ng, L., & Gore, A. C. (2003). Age-Related Changes in Estrogen Receptor β in Rat Hypothalamus: A Quantitative Analysis. *Endocrinology*, 144, 4164-4171. doi.

Chakraborty, T. R., Ng, L., & Gore, A. C. (2003). Age-related changes in estrogen receptor β in rat hypothalamus: a quantitative analysis. *Endocrinology*, 144(9), 4164-4164. doi.

Chakraborty, T. R., Ng, L., & Gore, A. C. (2003). Colocalization and hormone regulation of estrogen receptor α and N-methyl-D-aspartate receptor in the hypothalamus of female rats. *Endocrinology*, 144(1), 299-299. doi.

Chakraborty, T. R., Ng, L., & Gore, A. C. (2003). Colocalization and Hormone Regulation of Estrogen Receptor α and N-Methyl-D-Aspartate Receptor in the Hypothalamus of Female Rats. *Endocrinology*, 144(1), 299-305. doi.

Chakraborty, T. R., Rajendren, G., & Gore, A. C. (2005). Expression of estrogen receptor α in the anteroventral periventricular nucleus of hypogonadal mice. *Experimental Biology and Medicine*, 230(1), 49-56. doi.

Chalfin, B. P., Cheung, D. T., Muniz, J. A. P. C., de Lima Silveira, L. C., & Finlay, B. L. (2007). Scaling of neuron number and volume of the pulvinar complex in New World primates: comparisons with humans, other primates, and mammals. *Journal of Comparative Neurology*, 504(3), 265-274. doi.

Chambers, J. W., Howard, S., & LoGrasso, P. V. (2012). Blocking c-jun-N-terminal Kinase (JNK) Translocation to the Mitochondria Prevents 6-hydroxydopamine-induced Toxicity in vitro and in vivo. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M112.421354. <http://www.jbc.org/content/early/2012/11/26/jbc.M112.421354.abstract>

Chambers, J. W., Pachori, A., Howard, S., Ganno, M., Hansen Jr, D., Kamenecka, T., . . . others. (2011). Small Molecule c-jun-N-Terminal Kinase Inhibitors Protect Dopaminergic Neurons in a Model of Parkinson's Disease. *ACS Chemical Neuroscience*. doi.

Champ, C., Wallis, G., Vorobyev, M., Siebeck, U., & Marshall, J. (2014). Visual Acuity in a Species of Coral Reef Fish: *Rhinecanthus aculeatus*. *Brain, Behavior and Evolution*. doi: <http://www.karger.com/Article/FullText/356977>

Chan, A., Li, S., Lee, A. R., Leung, J., Yip, A., Bird, J., . . . Pompeiano, M. (2016). Activation of state-regulating neurochemical systems in newborn and embryonic chicks. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.09.048>. <http://www.sciencedirect.com/science/article/pii/S0306452216305036>

Chan, C. S., Guzman, J. N., Ilijic, E., Mercer, J. N., Rick, C., Tkatch, T., . . . Surmeier, D. J. (2007). 'Rejuvenation' protects neurons in mouse models of Parkinson's disease. *Nature*, 447, 1081-1086. doi.

Chan, E. C., Kuo, S.-M., Kong, A. M., Morrison, W. A., Disting, G. J., Mitchell, G. M., . . . Liu, G.-S. (2016). Three Dimensional Collagen Scaffold Promotes Intrinsic Vascularisation for Tissue Engineering Applications. *Plos one*, 11(2), e0149799. doi: 10.1371/journal.pone.0149799. <http://dx.doi.org/10.1371%2Fjournal.pone.0149799>

Chan, E. C., Van Wijngaarden, P., Chan, E., Ngo, D., Wang, J.-h., Peshavariya, H. M., . . . Liu, G.-S. (2016). NADPH oxidase 2 plays a role in experimental corneal neovascularisation. [10.1042/CS20150103]. *Clinical Science*. doi: <http://www.clinsci.org/content/early/2016/01/26/CS20150103.abstract>

Chan, T. F., Chiu, K., Lok, C. K. M., Ho, W. L., So, K.-F., & Chang, R. C.-C. (2012). Morphometric Analyses of Retinal Sections. *Journal of Visualized Experiments*, (60), e3377. doi: 10.3791/3377. <http://www.jove.com/details.stp?id=3377>

Chan, W. Y., Chau, F. T., Lee, K. K. H., Kwong, W. H., & Yew, D. T. (2004). Substitution for natural musk in Pien Tze Huang does not affect its hepatoprotective activities. *Human and Experimental Toxicology*, 23(1), 35-47. doi.

Chan, W. Y., Xia, C. L., Dong, D. C., Heizmann, C. W., & Yew, D. T. (2003). Differential expression of S100 proteins in the developing human hippocampus and temporal cortex. *Microscopy Research and Technique*, 60(6), 600-613. doi.

Chancellor, L. V., Roth, T. C., LaDage, L. D., & Pravosudov, V. V. (2011). The effect of environmental harshness on neurogenesis: A large-scale comparison. *Developmental Neurobiology*, 71(3), 246-252. doi: 10.1002/dneu.20847. <http://dx.doi.org/10.1002/dneu.20847>

Chancey, J. H., Adlaf, E. W., Sapp, M. C., Pugh, P. C., Wadiche, J. I., & Overstreet-Wadiche, L. S. (2013). GABA Depolarization Is Required for Experience-Dependent Synapse Unsilencing in Adult-Born Neurons. *Journal of Neuroscience*, 33(15), 6614-6622. doi: 10.1523/jneurosci.0781-13.2013. <http://www.jneurosci.org/content/33/15/6614.abstract>

Chandra, G., Rangasamy, S. B., Roy, A., Kordower, J. H., & Pahan, K. (2016). Neutralization of RANTES and Eotaxin Prevents the Loss of Dopaminergic Neurons in a Mouse Model of Parkinson Disease. *Journal of Biological Chemistry*, 291(29), 15267-15281. doi: 10.1074/jbc.M116.714824. <http://www.jbc.org/content/291/29/15267.abstract>

Chandra, G., Rangasamy, S. B., Roy, A., Kordower, J. H., & Pahan, K. (2016). Neutralization of regulated on activation, normal T cell expressed and secreted and eotaxin prevents the loss of dopaminergic neurons in a mouse model of Parkinson's disease. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M116.714824. <http://www.jbc.org/content/early/2016/05/12/jbc.M116.714824.abstract>

Chandran, J. S., Lin, X., Zapata, A., Höke, A., Shimoji, M., Moore, S. O. L., . . . others. (2008). Progressive behavioral deficits in DJ-1-deficient mice are associated with normal nigrostriatal function. *Neurobiology of Disease*, 29(3), 505-514. doi.

Chaney, B. (2019). Cerebellar atrophy in a non-human primate model of Parkinson's disease. doi: <https://scholarexchange.furman.edu/furmanengaged/2019/all/314/>

Chang, J. C., Leung, M., Gokozan, H. N., Gygli, P. E., Catacutan, F. P., Czeisler, C., & Otero, J. J. (2015). Mitotic Events in Cerebellar Granule Progenitor Cells That Expand Cerebellar Surface Area Are Critical for Normal Cerebellar Cortical Lamination in Mice. *Journal of Neuropathology and Experimental Neurology*, 74(3), 261-272. doi: http://journals.lww.com/jneuropath/Abstract/2015/03000/Mitotic_Events_in..

Chang, S. J., Santamaria, A. J., Sanchez, F. J., Villamil, L. M., Saraiva, P. P., Benavides, F., . . . Noga, B. R. (2021). Deep brain stimulation of midbrain locomotor circuits in the freely moving pig. *Brain Stimulation*. doi: <https://doi.org/10.1016/j.brs.2021.02.017>. <https://www.sciencedirect.com/science/article/pii/S1935861X21000450>

Chang, S. W., Shin, S. Y., Hong, J. R., Yang, S. M., Yoo, H. M., Park, D. S., . . . Kye, S. B. (2009). Immediate implant placement into infected and noninfected extraction sockets: a pilot study. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 107(2), 197-203. doi.

Chao, C.-C., Hsueh, H.-W., Kan, H.-W., Liao, C.-H., Jiang, H.-H., Chiang, H., . . . Hsieh, S.-T. (2019). Skin Nerve Pathology: Biomarkers of Premanifest and Manifest Amyloid Neuropathy. *Annals of Neurology*, 0(ja). doi: doi:10.1002/ana.25433. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ana.25433>

Chao, S. Z., Ariano, M. A., Peterson, D. A., & Wolf, M. E. (2002). D1 dopamine receptor stimulation increases GluR1 surface expression in nucleus accumbens neurons. *Journal of Neurochemistry*, 83, 704-712. doi.

Chaovipoch, P., Jelks, K. A. B., Gerhold, L. M., West, E. J., Chongthammakun, S., & Floyd, C. L. (2006). 17 beta-Estradiol Is Protective in Spinal Cord Injury in Post-and Pre-Menopausal Rats. *Journal of Neurotrauma*, 23(6), 830-852. doi.

Chaparro, E., Erasso, D., Quiroga, C., Bosco, G., Parmagnani, A., Rubini, A., . . . Camporesi, E. (2012). Repetitive intraperitoneal caspase-3 inhibitor and anesthesia reduces neuronal damage. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 0(0), 1-7. doi: doi:10.3109/14756366.2012.740478. <http://informahealthcare.com/doi/abs/10.3109/14756366.2012.740478>

Chareyron, L. J., Amaral, D. G., & Lavenex, P. (2016). Selective lesion of the hippocampus increases the differentiation of immature neurons in the monkey amygdala. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1604288113. <http://www.pnas.org/content/early/2016/11/23/1604288113.abstract>

Chareyron, L. J., Banta Lavenex, P., Amaral, D. G., & Lavenex, P. (2011). Stereological analysis of the rat and monkey amygdala. *Journal of Comparative Neurology*, 519(16), 3218-3239. doi: 10.1002/cne.22677. <http://dx.doi.org/10.1002/cne.22677>

Chareyron, L. J., Banta Lavenex, P., Amaral, D. G., & Lavenex, P. (2017). Functional organization of the medial temporal lobe memory system following neonatal hippocampal lesion in rhesus monkeys. [journal article]. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-017-1441-z. <http://dx.doi.org/10.1007/s00429-017-1441-z>

Chareyron, L. J., Lavenex, P. B., Amaral, D. G., & Lavenex, P. (2011). Postnatal development of the amygdala: A stereological study in macaque monkeys. *Journal of Comparative Neurology*. doi.

Chareyron, L. J., Lavenex, P. B., & Lavenex, P. (2012). Postnatal development of the amygdala: a stereological study in rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23132. <http://dx.doi.org/10.1002/cne.23132>

Charleston, J. S., Hansen, K. R., Thyer, A. C., Charleston, L. B., Gougeon, A., Siebert, J. R., . . . Klein, N. A. (2007). Estimating human ovarian non-growing follicle number: the application of modern stereology techniques to an old problem. *Human Reproduction*, 0: dem137v1-8. doi.

Charlton, A. J., May, C., Luikinga, S. J., Burrows, E. L., Hyun Kim, J., Lawrence, A. J., & Perry, C. J. (2019). Chronic voluntary alcohol consumption causes persistent cognitive deficits and cortical cell loss in a rodent model. *Scientific Reports*, 9(1), 18651. doi: 10.1038/s41598-019-55095-w. <https://doi.org/10.1038/s41598-019-55095-w>

Charvet, C. J., Hof, P. R., Raghanti, M. A., van der Kouwe, A. J., Sherwood, C. C., & Takahashi, E. (2016). Combining diffusion MR tractography with stereology highlights increased cross-cortical integration in primates. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24115. <http://dx.doi.org/10.1002/cne.24115>

Charvet, C. J., Stimpson, C. D., Kim, Y. D., Raghanti, M. A., Lewandowski, A. H., Hof, P. R., . . . Sherwood, C. C. (2016). Gradients in cytoarchitectural landscapes of the isocortex: diprotodont marsupials in comparison to eutherian mammals. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24160. <http://dx.doi.org/10.1002/cne.24160>

Chatterjee, D., Bhatt, M., Butler, D., De Genst, E., Dobson, C. M., Messer, A., & Kordower, J. H. (2018). Proteasome-targeted nanobodies alleviate pathology and functional decline in an α -synuclein-based

Parkinson's disease model. *Npj Parkinson's Disease*, 4(1), 25. doi: 10.1038/s41531-018-0062-4. <https://doi.org/10.1038/s41531-018-0062-4>

Chatterjee, D., Marmion, D. J., McBride, J. L., Manfredsson, F. P., Butler, D., Messer, A., & Kordower, J. H. (2021). Enhanced CNS transduction from AAV.PHP.eB infusion into the cisterna magna of older adult rats compared to AAV9. *Gene Therapy*. doi: 10.1038/s41434-021-00244-y. <https://doi.org/10.1038/s41434-021-00244-y>

Chaturvedi, R. K., Calingasan, N. Y., Yang, L., Hennessey, T., Johri, A., & Beal, M. F. (2010). Impairment of PGC-1alpha expression, neuropathology and hepatic steatosis in a transgenic mouse model of Huntington's disease following chronic energy deprivation. *Human Molecular Genetics*, ddq229. doi: 10.1093/hmg/ddq229. <http://hmg.oxfordjournals.org/cgi/content/abstract/ddq229v2>

Chaudhury, S., Nag, T. C., & Wadhwa, S. (2006). Prenatal acoustic stimulation influences neuronal size and the expression of calcium-binding proteins (calbindin D-28K and parvalbumin) in chick hippocampus. *Journal of Chemical Neuroanatomy*, 32(2-4), 117-126. doi.

Chaudhury, S., Nag, T. C., & Wadhwa, S. (2008). Calbindin D-28K and parvalbumin expression in embryonic chick hippocampus is enhanced by prenatal auditory stimulation. *Brain Research*, 1191, 96-106. doi.

Chauviere, L., Rafrafi, N., Thinus-Blanc, C., Bartolomei, F., Esclapez, M., & Bernard, C. (2009). Early Deficits in Spatial Memory and Theta Rhythm in Experimental Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(17), 5402-5410. doi: 10.1523/jneurosci.4699-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/17/5402>

Chaves, P. P., Valdoria, C. M., Amorim, M. C. P., & Vasconcelos, R. O. (2017). Ontogenetic development of the inner ear saccule and utricle in the Lusitanian toadfish: Potential implications for auditory sensitivity. *Hearing Research*. doi: <https://doi.org/10.1016/j.heares.2017.06.008>. <http://www.sciencedirect.com/science/article/pii/S0378595517300977>

Chawana, R., Patzke, N., Bhagwandin, A., Kaswera-Kyamakya, C., Gilissen, E., Bertelsen, M. F., . . . Manger, P. R. (2020). Adult hippocampal neurogenesis in Egyptian fruit bats from three different environments: Are interpretational variations due to the environment or methodology? *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.24895. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24895>

Chee, S. S. A., & Menard, J. L. (2011). Lesions of the dorsal lateral septum do not affect neophagia in the novelty induced suppression of feeding paradigm but reduce defensive behaviours in the elevated plus maze and shock probe burying tests. *Behavioural Brain Research*. doi.

Chello, M., Spadaccio, C., Patti, G., Lusini, M., Barbato, R., Goffredo, C., . . . Covino, E. (2008). Simvastatin reduces platelet-endocardium adhesion in atrial fibrillation. *Atherosclerosis*, 197(2), 588-595. doi.

Chen, A., Xu, Y., & Yuan, J. (2018). Ginkgolide B ameliorates NLRP3 inflammasome activation after hypoxic-ischemic brain injury in the neonatal male rat. *International Journal of Developmental Neuroscience*, 69, 106-111. doi: <https://doi.org/10.1016/j.ijdevneu.2018.07.004>. <http://www.sciencedirect.com/science/article/pii/S073657481830145X>

- Chen, B., So, K. F., Yu, E., & Tay, D. K. C. (2006). Expression of nicotinamide adenine dinucleotide phosphate-diaphorase in the retina of postnatal golden hamsters deprived of light stimulation. *Neuroscience Letters*, 405(1), 74-78. doi.
- Chen, B. K., Madigan, N. N., Hakim, J. S., Dadsetan, M., McMahon, S. S., Yaszemski, M. J., & Windebank, A. J. (2017). GDNF Schwann cells in hydrogel scaffolds promote regional axon regeneration, remyelination and functional improvement after spinal cord transection in rats. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.2431. <http://dx.doi.org/10.1002/term.2431>
- Chen, C., Li, X., Ge, G., Liu, J., Biju, K. C., Laing, S. D., . . . Li, S. (2018). GDNF-expressing macrophages mitigate loss of dopamine neurons and improve Parkinsonian symptoms in MitoPark mice. *Scientific Reports*, 8(1), 5460. doi: 10.1038/s41598-018-23795-4. <https://doi.org/10.1038/s41598-018-23795-4>
- Chen, C., Weng, Y., Chien, K., Lin, K., Yeh, T., Cheng, Y., . . . Wang, H. (2012). (G2019S) LRRK2 activates MKK4-JNK pathway and causes degeneration of SN dopaminergic neurons in a transgenic mouse model of PD. *Cell Death and Differentiation*. doi.
- Chen, C., Zhong, X., Smith, D. K., Tai, W., Yang, J., Zou, Y., . . . Zhang, C.-L. (2017). Astrocyte-Specific Deletion of Sox2 Promotes Functional Recovery After Traumatic Brain Injury. *Cerebral Cortex*, 1-16. doi: 10.1093/cercor/bhx303. <http://dx.doi.org/10.1093/cercor/bhx303>
- Chen, C.-C., Balaban, E., & Jarvis, E. D. (2012). Interspecies Avian Brain Chimeras Reveal That Large Brain Size Differences Are Influenced by Cell-Interdependent Processes. *Plos one*, 7(7), e42477. doi: 10.1371/journal.pone.0042477. <http://dx.doi.org/10.1371%2Fjournal.pone.0042477>
- Chen, C.-Y., Noble-Haeusslein, L. J., Ferriero, D., & Semple, B. D. (2013). Traumatic Injury to the Immature Frontal Lobe: A New Murine Model of Long-Term Motor Impairment in the Absence of Psychosocial or Cognitive Deficits. *Developmental Neuroscience*, 35(6), 474-490. doi: <http://www.karger.com/Article/FullText/355874>
- Chen, F., Becker, A. J., & LoTurco, J. J. (2014). Contribution of Tumor Heterogeneity in a New Animal Model of CNS Tumors. *Molecular Cancer Research*. doi: 10.1158/1541-7786.mcr-13-0531. <http://mcr.aacrjournals.org/content/early/2014/02/05/1541-7786.MCR-13-05...>
- Chen, F., & LoTurco, J. (2012). A Method for Stable Transgenesis of Radial Glia Lineage in Rat Neocortex by PiggyBac mediated Transposition. *Journal of Neuroscience Methods*. doi.
- Chen, G., Racay, P., Bichet, S., Celio, M. R., Eggli, P., & Schwaller, B. (2006). Deficiency in parvalbumin, but not in calbindin D-28k upregulates mitochondrial volume and decreases smooth endoplasmic reticulum surface selectively in a peripheral, subplasmalemmal region in the soma of Purkinje cells. *Neuroscience*, 142(1), 97-105. doi.
- Chen, G.-H., Teitz-Tennenbaum, S., Neal, L. M., Murdock, B. J., Malachowski, A. N., Dils, A. J., . . . Osterholzer, J. J. (2016). Local GM-CSF-Dependent Differentiation and Activation of Pulmonary Dendritic Cells and Macrophages Protect against Progressive Cryptococcal Lung Infection in Mice. *The Journal of Immunology*. doi: 10.4049/jimmunol.1501512. <http://www.jimmunol.org/content/early/2016/01/09/jimmunol.1501512.abstract>
- Chen, H., Qian, K., Chen, W., Hu, B., Blackbourn, L. W. I. V., Du, Z., . . . Zhang, S.-C. (2015). Human-derived neural progenitors functionally replace astrocytes in adult mice. *The Journal of Clinical Investigation*, 125(3), 0-0. doi: 10.1172/jci69097. <http://www.jci.org/articles/view/69097>

- Chen, J., Marks, E., Lai, B., Zhang, Z., Duce, J. A., Lam, L. Q., . . . Fox, J. H. (2013). Iron Accumulates in Huntington's Disease Neurons: Protection by Deferoxamine. *Plos one*, 8(10), e77023. doi: 10.1371/journal.pone.0077023. <http://dx.doi.org/10.1371%2Fjournal.pone.0077023>
- Chen, K., Ohkubo, Y., Shin, D., Doetschman, T., Sanford, L. P., Li, H., & Vaccarino, F. M. (2008). Decrease in excitatory neurons, astrocytes and proliferating progenitors in the cerebral cortex of mice lacking exon 3 from the Fgf2 gene. *BMC Neuroscience*, 9(1), 94-94. doi:
- Chen, L., Cagniard, B., Mathews, T., Jones, S., Koh, H. C., Ding, Y., . . . Zhuang, X. (2005). Age-dependent Motor Deficits and Dopaminergic Dysfunction in DJ-1 Null Mice. *Journal of Biological Chemistry*, 280(22), 21418-21426. doi: 10.1074/jbc.M413955200. <http://www.jbc.org/cgi/content/abstract/280/22/21418>
- Chen, L., Ding, Y., Cagniard, B., Van Laar, A. D., Mortimer, A., Chi, W., . . . Zhuang, X. (2008). Unregulated Cytosolic Dopamine Causes Neurodegeneration Associated with Oxidative Stress in Mice. *Journal of Neuroscience*, 28(2), 425-433. doi: 10.1523/jneurosci.3602-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/2/425>
- Chen, L., Wang, X., Lin, Z.-X., Dai, J.-G., Huang, Y.-F., & Zhao, Y.-N. (2017). Preventive Effects of Ginseng Total Saponins on Chronic Corticosterone-Induced Impairment in Astrocyte Structural Plasticity and Hippocampal Atrophy. *Phytotherapy Research*, n/a-n/a. doi: 10.1002/ptr.5859. <http://dx.doi.org/10.1002/ptr.5859>
- Chen, L.-X., Ma, S.-M., Zhang, P., Fan, Z.-C., Xiong, M., Cheng, G.-Q., . . . Li, J. (2015). Neuroprotective Effects of Oligodendrocyte Progenitor Cell Transplantation in Premature Rat Brain following Hypoxic-Ischemic Injury. *Plos one*, 10(3), e0115997. doi: 10.1371/journal.pone.0115997. <http://dx.doi.org/10.1371%2Fjournal.pone.0115997>
- Chen, M.-h., Liu, Y.-h., Xu, H., Xu, D.-w., Wang, C.-n., Wang, Y., . . . Wang, Y.-h. (2015). Lentiviral Vector-Mediated p27kip1 Expression Facilitates Recovery After Spinal Cord Injury. *Molecular Neurobiology*, 1-14. doi: 10.1007/s12035-015-9498-2. <http://dx.doi.org/10.1007/s12035-015-9498-2>
- Chen, P., Zhang, T., Yuan, Z., Shen, B., & Chen, L. (2019). Expression of the RNA methyltransferase Nsun5 is essential for developing cerebral cortex. *Molecular Brain*, 12(1), 74. doi: 10.1186/s13041-019-0496-6. <https://doi.org/10.1186/s13041-019-0496-6>
- Chen, S., & Buckmaster, P. S. (2005). Stereological analysis of forebrain regions in kainate-treated epileptic rats. *Brain Research*, 1057(1-2), 141-152. doi:
- Chen, S., Fujita, S., Koshikawa, N., & Kobayashi, M. (2010). Pilocarpine-induced status epilepticus causes acute interneuron loss and hyper-excitatory propagation in rat insular cortex. *Neuroscience*, 166(1), 341-353. doi:
- Chen, S., Kobayashi, M., Honda, Y., Kakuta, S., Sato, F., & Kishi, K. (2007). Preferential neuron loss in the rat piriform cortex following pilocarpine-induced status epilepticus. *Epilepsy Research*, 74(1), 1-18. doi:
- Chen, S.-S., Yang, C., Hao, F., Li, C., Lu, T., Zhao, L.-R., & Duan, W.-M. (2014). Intrastratial GDNF gene transfer by inducible lentivirus vectors protects dopaminergic neurons in a rat model of parkinsonism. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.06.022>. <http://www.sciencedirect.com/science/article/pii/S0014488614002180>

- Chen, X., Lepier, A., Berninger, B., Tolkovsky, A. M., & Herbert, J. (2012). Cultured Subventricular Zone Progenitor Cells Transduced with Neurogenin-2 Become Mature Glutamatergic Neurons and Integrate into the Dentate Gyrus. *PLoS ONE*, 7(2), e31547-e31547. doi.
- Chen, X., Rivard, L., Naqvi, S., Nakada, S., Padbury, J. F., Sanchez-Esteban, J., . . . Stonestreet, B. S. (2016). Expression and localization of Inter-alpha Inhibitors in rodent brain. *Neuroscience*, 324, 69-81. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.009>. <http://www.sciencedirect.com/science/article/pii/S0306452216002323>
- Chen, X., Rzhetskaya, M., Kareva, T., Bland, R., During, M. J., Tank, A. W., . . . Burke, R. E. (2008). Antiapoptotic and Trophic Effects of Dominant-Negative Forms of Dual Leucine Zipper Kinase in Dopamine Neurons of the Substantia Nigra In Vivo. *Journal of Neuroscience*, 28(3), 672-680. doi: 10.1523/jneurosci.2132-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/3/672>
- Chen, X., Tagliaferro, P., Kareva, T., Yarygina, O., Kholodilov, N., & Burke, R. E. (2012). Neurotrophic Effects of Serum-and Glucocorticoid-Inducible Kinase on Adult Murine Mesencephalic Dopamine Neurons. *Journal of Neuroscience*, 32(33), 11299-11308. doi.
- Chen, X., Tang, T.-S., Tu, H., Nelson, O., Pook, M., Hammer, R., . . . Bezprozvanny, I. (2008). Deranged Calcium Signaling and Neurodegeneration in Spinocerebellar Ataxia Type 3. *Journal of Neuroscience*, 28(48), 12713-12724. doi: 10.1523/jneurosci.3909-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/48/12713>
- Chen, X., Tolkovsky, A. M., & Herbert, J. (2011). Cell Origin and Culture History Determine Successful Integration of Neural Precursor Transplants into the Dentate Gyrus of the Adult Rat. *PLoS ONE*, 6(2), e17072-e17072. doi.
- Chen, X., Wu, J., Lvovskaya, S., Herndon, E., Supnet, C., & Bezprozvanny, I. (2011). Dantrolene is neuroprotective in Huntington's disease transgenic mouse model. *Molecular Neurodegeneration*, 6(1), 1-12. doi.
- Chen, X., Xie, C., Tian, W., Sun, L., Wang, Z., Hawes, S., . . . Cai, H. (2020). Parkinson's disease-related Leucine-rich repeat kinase 2 modulates nuclear morphology and genomic stability in striatal projection neurons during aging. *Molecular Neurodegeneration*, 15(1), 12. doi: 10.1186/s13024-020-00360-0. <https://doi.org/10.1186/s13024-020-00360-0>
- Chen, X. W., Kang, Y., So, P. S., Ng, C. W. W., & Wong, M. H. (2018). Arbuscular mycorrhizal fungi increase the proportion of cellulose and hemicellulose in the root stele of vetiver grass. [journal article]. *Plant and Soil*. doi: 10.1007/s11104-018-3583-z. <https://doi.org/10.1007/s11104-018-3583-z>
- Chen, Y., Zhou, K., Wang, R., Liu, Y., Kwak, Y. D., & Ma, T. (2009). Antidiabetic drug metformin (GlucophageR) increases biogenesis of Alzheimer's amyloid peptides via up-regulating BACE1 transcription. *Proceedings of the National Academy of Sciences of the United States of America*, 106. doi: 10.1073/pnas.0807991106. <http://dx.doi.org/10.1073/pnas.0807991106>
- Chen, Y., Zhu, G., Liu, D., Zhang, X., Liu, Y., Yuan, T., . . . Zhang, J. (2020). Subthalamic nucleus deep brain stimulation suppresses neuroinflammation by Fractalkine pathway in Parkinson's disease rat model. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2020.07.035>. <http://www.sciencedirect.com/science/article/pii/S0889159119315648>
- Chen, Y.-H., Lee, H.-J., Lee, M. T., Wu, Y.-T., Lee, Y.-H., Hwang, L.-L., . . . Chiou, L.-C. (2018). Median nerve stimulation induces analgesia via orexin-initiated endocannabinoid disinhibition in the

periaqueductal gray. [10.1073/pnas.1807991115]. Proceedings of the National Academy of Sciences. doi: <http://www.pnas.org/content/early/2018/10/16/1807991115.abstract>

Chen, Z., & Palmer, T. D. (2013). Differential roles of TNFR1 and TNFR2 signaling in adult hippocampal neurogenesis. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2013.01.083>. <http://www.sciencedirect.com/science/article/pii/S088915911300086X>

Chen, Z., Phillips, L. K., Gould, E., Campisi, J., Lee, S. W., Ormerod, B. K., . . . Palmer, T. D. (2011). MHC Mismatch Inhibits Neurogenesis and Neuron Maturation in Stem Cell Allografts. *PLoS ONE*, 6(3), e14787-e14787. doi:

Chen, Z.-Z., Yang, D.-D., Zhao, Z., Yan, H., Ji, J., & Sun, X.-L. (2016). Memantine mediates neuroprotection via regulating neurovascular unit in a mouse model of focal cerebral ischemia. *Life Sciences*, 150, 8-14. doi: <http://dx.doi.org/10.1016/j.lfs.2016.02.081>. <http://www.sciencedirect.com/science/article/pii/S002432051630131X>

Cheng, L., Lau, W. K. W., Fung, T. K. H., Lau, B. W. M., Chau, B. K. H., Liang, Y., . . . Lee, T. M. C. (2017). PM_{2.5} Exposure Suppresses Dendritic Maturation in Subgranular Zone in Aged Rats. [journal article]. *Neurotoxicity research*, 1-8. doi: 10.1007/s12640-017-9710-4. <http://dx.doi.org/10.1007/s12640-017-9710-4>

Cheng, S. W., Fryer, L. G., Carling, D., & Shepherd, P. R. (2004). Thr2446 is a novel mammalian target of rapamycin (mTOR) phosphorylation site regulated by nutrient status. *Journal of Biological Chemistry*, 279. doi: 10.1074/jbc.C300534200. <http://dx.doi.org/10.1074/jbc.C300534200>

Cheng, T., Wang, W., Li, Q., Han, X., Xing, J., Qi, C., . . . Wang, J. (2015). Cerebroprotection of Flavanol (-)-Epicatechin after Traumatic Brain Injury via Nrf2-dependent and -independent Pathways. *Free Radical Biology and Medicine*. doi: <http://dx.doi.org/10.1016/j.freeradbiomed.2015.12.027>. <http://www.sciencedirect.com/science/article/pii/S0891584915011806>

Chermenina, M., Chorell, E., Pokrzywa, M., Antti, H., Almqvist, F., Strömberg, I., & Wittung-Stafshede, P. (2015). Single injection of small-molecule amyloid accelerator results in cell death of nigral dopamine neurons in mice. [Article]. *Npj Parkinson's Disease*, 1, 15024. doi: 10.1038/npjparkd.2015.24

<http://www.nature.com/articles/npjparkd201524#supplementary-information>. <http://dx.doi.org/10.1038/npjparkd.2015.24>

Chertoff, M., Di Paolo, N., Schoeneberg, A., Depino, A., Ferrari, C., Wurst, W., . . . Pitossi, F. (2011). Neuroprotective and neurodegenerative effects of the chronic expression of tumor necrosis factor α in the nigrostriatal dopaminergic circuit of adult mice. *Experimental Neurology*, 227(2), 237-251. doi:

Chew, C., Kiley, B. J., & Sengelaub, D. R. (2018). Neuroprotective effects on the morphology of somatic motoneurons following the death of neighboring motoneurons: A role for microglia? *Developmental Neurobiology*, 0(ja). doi: doi:10.1002/dneu.22652. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22652>

Chew, C., & Sengelaub, D. R. (2020). Exercise is neuroprotective on the morphology of somatic motoneurons following the death of neighboring motoneurons via androgen action at the target muscle. [<https://doi.org/10.1002/dneu.22794>]. *Developmental Neurobiology*, n/a(n/a). doi: <https://doi.org/10.1002/dneu.22794>. <https://doi.org/10.1002/dneu.22794>

Chhaya, M. S. J., Quiros-Molina, M. D., Tamashiro-Orrego, M. A. D., Houle, D. J. D., & Detloff, D. M. R. (2018). Exercise-Induced Changes to the Macrophage Response in the Dorsal Root Ganglia Prevent Neuropathic Pain after Spinal Cord Injury. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5819. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5819>

Chikama, K., Yamada, H., Tsukamoto, T., Kajitani, K., Nakabeppu, Y., & Uchimura, N. (2017). Chronic atypical antipsychotics, but not haloperidol, increase neurogenesis in the hippocampus of adult mouse. *Brain Research*, 1676(Supplement C), 77-82. doi: <https://doi.org/10.1016/j.brainres.2017.09.006>. <http://www.sciencedirect.com/science/article/pii/S000689931730392X>

Chinn, G. A., Sasaki Russell, J. M., Yabut, N. A., Maharjan, D., & Sall, J. W. (2020). Androgenic Modulation of the Chloride Transporter NKCC1 Contributes to Age-dependent Isoflurane Neurotoxicity in Male Rats. *Anesthesiology: The Journal of the American Society of Anesthesiologists*. doi: 10.1097/aln.0000000000003437. <https://doi.org/10.1097/ALN.0000000000003437>

Chinta, S. J., Kumar, M. J., Hsu, M., Rajagopalan, S., Kaur, D., Rane, A., . . . Andersen, J. K. (2007). Inducible Alterations of Glutathione Levels in Adult Dopaminergic Midbrain Neurons Result in Nigrostriatal Degeneration. *Journal of Neuroscience*, 27(51), 13997-14006. doi: 10.1523/jneurosci.3885-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/51/13997>

Chinta, S. J., Rajagopalan, S., Butterfield, D. A., & Andersen, J. K. (2006). In vitro and in vivo neuroprotection by [gamma]-glutamylcysteine ethyl ester against MPTP: Relevance to the role of glutathione in Parkinson's disease. *Neuroscience Letters*, 402(1-2), 137-141. doi.

Chinta, S. J., Rajagopalan, S., Butterfield, D. A., & Andersen, J. K. (2006). In vitro and in vivo neuroprotection by γ -glutamylcysteine ethyl ester against MPTP: Relevance to the role of glutathione in Parkinson's disease. *Neuroscience Letters*, 402(1), 137-141. doi.

Chio, J. C. T., Wang, J., Badner, A., Hong, J., Surendran, V., & Fehlings, M. G. (2019). The effects of human immunoglobulin G on enhancing tissue protection and neurobehavioral recovery after traumatic cervical spinal cord injury are mediated through the neurovascular unit. [journal article]. *Journal of neuroinflammation*, 16(1), 141. doi: 10.1186/s12974-019-1518-0. <https://doi.org/10.1186/s12974-019-1518-0>

Chio, J. C. T., Wang, J., Surendran, V., Li, L., Zavvarian, M.-M., Pieczonka, K., & Fehlings, M. G. (2021). Delayed administration of high dose human immunoglobulin G enhances recovery after traumatic cervical spinal cord injury by modulation of neuroinflammation and protection of the blood spinal cord barrier. *Neurobiology of Disease*, 148, 105187. doi: <https://doi.org/10.1016/j.nbd.2020.105187>. <http://www.sciencedirect.com/science/article/pii/S0969996120304629>

Chisholm, N. C., Packard, A. R., Koss, W. A., & Juraska, J. M. (2012). The Effects of Long-Term Treatment with Estradiol and Medroxyprogesterone Acetate on Tyrosine Hydroxylase Fibers and Neuron Number in the Medial Prefrontal Cortex of Aged Female Rats. *Endocrinology*. doi: 10.1210/en.2012-1412. <http://endo.endojournals.org/content/early/2012/08/16/en.2012-1412.abstract>

Chiu, C.-C., Lu, C.-S., Weng, Y.-H., Chen, Y.-L., Huang, Y.-Z., Chen, R.-S., . . . Wang, H.-L. (2018). PARK14 (D331Y) PLA2G6 Causes Early-Onset Degeneration of Substantia Nigra Dopaminergic Neurons by Inducing Mitochondrial Dysfunction, ER Stress, Mitophagy Impairment and Transcriptional Dysregulation in a Knockin Mouse Model. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1118-5. <https://doi.org/10.1007/s12035-018-1118-5>

Chiu, C.-C., Yeh, T.-H., Lai, S.-C., Wu-Chou, Y.-H., Chen, C.-H., Mochly-Rosen, D., . . . Lu, C.-S. (2014). Neuroprotective effects of aldehyde dehydrogenase 2 activation in rotenone-induced cellular and animal models of parkinsonism. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.09.016>. <http://www.sciencedirect.com/science/article/pii/S0014488614002994>

Chiu, W.-H., Carlsson, T., Depboylu, C., Höglinger, G. U., Oertel, W. H., & Ries, V. (2013). Selegiline normalizes, while l-DOPA sustains the increased number of dopamine neurons in the olfactory bulb in a 6-OHDA mouse model of Parkinson's disease. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.11.014>. <http://www.sciencedirect.com/science/article/pii/S0028390813005601>

Chlan-Fourney, J., Zhao, T., Walz, W., & Mousseau, D. D. (2011). The increased density of p38 mitogen-activated protein kinase-immunoreactive microglia in the sensorimotor cortex of aged TgCRND8 mice is associated predominantly with smaller dense-core amyloid plaques. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2010.07597.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07597.x>

Ch'ng, S. S., Fu, J., Brown, R. M., Smith, C., Hossain, M. A., McDougall, S. J., & Lawrence, A. J. (2019). Characterisation of the relaxin family peptide 3 receptor system in the mouse bed nucleus of the stria terminalis. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24695. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24695>

Cho, H., Nie, R., Carnes, K., Zhou, Q., Sharief, N., & Hess, R. (2003). The antiestrogen ICI 182,780 induces early effects on the adult male mouse reproductive tract and long-term decreased fertility without testicular atrophy. *Reproductive Biology and Endocrinology*, 1(1), 57. doi: <http://www.RBEj.com/content/1/1/57>

Cho, Y. S., Dobos, K. M., Prenni, J., Yang, H., Hess, A., Rosenkrands, I., . . . Brennan, M. J. (2012). Deciphering the proteome of the in vivo diagnostic reagent "purified protein derivative" from *Mycobacterium tuberculosis*. *Proteomics*, 12(7), 979-991. doi:

Chocyk, A., Majcher-Maślanka, I., Przyborowska, A., Maćkowiak, M., & Wędzony, K. (2015). Early-life stress increases the survival of midbrain neurons during postnatal development and enhances reward-related and anxiolytic-like behaviors in a sex-dependent fashion. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2015.05.002>. <http://www.sciencedirect.com/science/article/pii/S0736574815004098>

Choi, B. Y., Hong, D. K., Jeong, J. H., Lee, B. E., Koh, J.-Y., & Suh, S. W. (2020). Zinc transporter 3 modulates cell proliferation and neuronal differentiation in the adult hippocampus. *Stem Cells*, n/a(n/a). doi: 10.1002/stem.3194. <https://stemcellsjournalsonlinelibrary.wiley.com/doi/abs/10.1002/stem.3194>

Choi, D. H., Cristóvão, A. C., Guhathakurta, S., Joh, T., Beal, F., & Kim, Y. S. (2011). NADPH oxidase 1-mediated oxidative stress leads to dopamine neuron death in Parkinson's disease. *Antioxidants and redox signaling*, (ja). doi:

Choi, D.-H., Kim, J.-H., Seo, J.-H., Lee, J., Choi, W. S., & Kim, Y.-S. (2014). Matrix Metalloproteinase-3 Causes Dopaminergic Neuronal Death through Nox1-Regenerated Oxidative Stress. *Plos one*, 9(12), e115954. doi: 10.1371/journal.pone.0115954. <http://dx.doi.org/10.1371/journal.pone.0115954>

- Choi, D.-J., Eun, J.-H., Kim, B. G., Jou, I., Park, S. M., & Joe, E.-H. (2017). A Parkinson's disease gene, DJ-1, repairs brain injury through Sox9 stabilization and astrogliosis. *Glia*, n/a-n/a. doi: 10.1002/glia.23258. <http://dx.doi.org/10.1002/glia.23258>
- Choi, E. Y., Tanimura, Y., Vage, P. R., Yates, E. H., & Haber, S. N. (2016). Convergence of prefrontal and parietal anatomical projections in a connectional hub in the striatum. *Neuroimage*. doi: <http://dx.doi.org/10.1016/j.neuroimage.2016.09.037>. <http://www.sciencedirect.com/science/article/pii/S1053811916305146>
- Choi, I. Y., Allan, A. M., & Cunningham, L. A. (2005). Moderate Fetal Alcohol Exposure Impairs the Neurogenic Response to an Enriched Environment in Adult Mice. *Alcoholism: Clinical and Experimental Research*, 29(11), 2053-2062. doi.
- Choi, J., Chandrasekaran, K., Demarest, T. G., Kristian, T., Xu, S., Vijaykumar, K., . . . Russell, J. W. (2014). Brain diabetic neurodegeneration segregates with low intrinsic aerobic capacity. *Annals of Clinical and Translational Neurology*, 1(8), 589-604. doi: 10.1002/acn3.86. <http://dx.doi.org/10.1002/acn3.86>
- Choi, J., Desai, R., Zheng, Y., Yao, M., Dong, Q., Watson, G., . . . Simanainen, U. (2015). Androgen actions via androgen receptor promote PTEN inactivation induced uterine cancer. *Endocrine-Related Cancer*, 22(5), 687-701. doi: 10.1530/erc-15-0203. <http://erc.endocrinology-journals.org/content/22/5/687.abstract>
- Choi, J. G., Kim, H. G., Kim, M. C., Yang, W. M., Huh, Y., Kim, S. Y., & Oh, M. S. (2011). Polygalae radix inhibits toxin-induced neuronal death in the Parkinson's disease models. *Journal of Ethnopharmacology*, 134(2), 414-421. doi.
- Choi, J. K., Jenkins, B. G., Carreras, I., Kaymakcalan, S., Cormier, K., Kowall, N. W., & Dedeoglu, A. (2010). Anti-inflammatory treatment in AD mice protects against neuronal pathology. *Experimental Neurology*, 223(2), 377-384. doi.
- Choi, J. L., Tan, J.-K. Y., Sellers, D. L., Wei, H., Horner, P. J., & Pun, S. H. (2015). Guanidinylated block copolymers for gene transfer: A comparison with amine-based materials for in vitro and in vivo gene transfer efficiency. *Biomaterials*, 54(0), 87-96. doi: <http://dx.doi.org/10.1016/j.biomaterials.2015.03.008>. <http://www.sciencedirect.com/science/article/pii/S0142961215002781>
- Choi, M. L., Begeti, F., Oh, J. H., Lee, S. Y., O'Keefe, G. C., Clelland, C. D., . . . Barker, R. A. (2014). Dopaminergic manipulations and its effects on neurogenesis and motor function in a transgenic mouse model of Huntington's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.02.004>. <http://www.sciencedirect.com/science/article/pii/S0969996114000394>
- Choi, S. R., Schneider, J. A., Bennett, D. A., Beach, T. G., Bedell, B. J., Zehntner, S. P., . . . others. (2012). Correlation of Amyloid PET Ligand Florbetapir F 18 Binding With A β Aggregation and Neuritic Plaque Deposition in Postmortem Brain Tissue. *Alzheimer Disease and Associated Disorders*, 26(1), 8-8. doi.
- Choi, W.-S., Palmiter, R. D., & Xia, Z. (2011). Loss of mitochondrial complex I activity potentiates dopamine neuron death induced by microtubule dysfunction in a Parkinson's disease model. *Journal of Cell Biology*, 192(5), 873-882. doi: 10.1083/jcb.201009132. <http://jcb.rupress.org/content/192/5/873.abstract>
- Chopra, V., Fox, J. H., Lieberman, G., Dorsey, K., Matson, W., Waldmeier, P., . . . Hersch, S. (2007). A small-molecule therapeutic lead for Huntington's disease: Preclinical pharmacology and efficacy of

C2-8 in the R6/2 transgenic mouse. *Proceedings of the National Academy of Sciences*, 104(42), 16685-16689. doi: 10.1073/Proceedings of the National Academy of Sciences.0707842104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/42/16685>

Chopra, V., Quinti, L., Kim, J., Vollar, L., Narayanan, K. L., Edgerly, C., . . . Kazantsev, Aleksey G. (2012). The Sirtuin 2 Inhibitor AK-7 Is Neuroprotective in Huntington's Disease Mouse Models. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2012.11.001>. <http://www.sciencedirect.com/science/article/pii/S2211124712003828>

Chou, A., Morganti, J. M., & Rosi, S. (2016). Frontal Lobe Contusion in Mice Chronically Impairs Prefrontal-Dependent Behavior. *Plos one*, 11(3), e0151418. doi: 10.1371/journal.pone.0151418. <http://dx.doi.org/10.1371%2Fjournal.pone.0151418>

Chou, A. P., Maidment, N., Klintonberg, R., Casida, J. E., Li, S., Fitzmaurice, A. G., . . . Bronstein, J. M. (2008). Ziram causes dopaminergic cell damage by inhibiting E1 ligase of the proteasome. *Journal of Biological Chemistry*, M802210200. doi: 10.1074/jbc.M802210200. <http://www.jbc.org/cgi/content/abstract/M802210200v1>

Chou, C.-H., & Modo, M. (2016). Human neural stem cell-induced endothelial morphogenesis requires autocrine/paracrine and juxtacrine signaling. [Article]. *Scientific Reports*, 6, 29029. doi: 10.1038/srep29029

<http://www.nature.com/articles/srep29029#supplementary-information>. <http://dx.doi.org/10.1038/srep29029>

Chou, C.-H., Sinden, J. D., Couraud, P.-O., & Modo, M. (2014). *In Vitro* Modeling of the Neurovascular Environment by Coculturing Adult Human Brain Endothelial Cells with Human Neural Stem Cells. *Plos one*, 9(9), e106346. doi: 10.1371/journal.pone.0106346. <http://dx.doi.org/10.1371%2Fjournal.pone.0106346>

Chou, J.-S., Chen, C.-Y., Chen, Y.-L., Weng, Y.-H., Yeh, T.-H., Lu, C.-S., . . . Wang, H.-L. (2014). (G2019S) LRRK2 causes early-phase dysfunction of SNpc dopaminergic neurons and impairment of corticostriatal long-term depression in the PD transgenic mouse. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.04.021>. <http://www.sciencedirect.com/science/article/pii/S0969996114001119>

Chou, Y.-C., Ho, C.-T., & Pan, M.-H. (2018). Immature *Citrus reticulata* extract promotes browning of beige adipocytes in high-fat diet-induced C57BL/6 mice. *Journal of Agricultural and Food Chemistry*. doi: 10.1021/acs.jafc.8b02719. <https://doi.org/10.1021/acs.jafc.8b02719>

Chou, Y.-C., Ho, P.-Y., Chen, W.-J., Wu, S.-H., & Pan, M.-H. (2020). *Lactobacillus fermentum* V3 ameliorates colitis-associated tumorigenesis by modulating the gut microbiome. *American Journal of Cancer Research*, 10(4), 1170-1181. doi. <https://pubmed.ncbi.nlm.nih.gov/32368393>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7191089/>

Choubey, L., Collette, J. C., & Smith, K. M. (2017). Quantitative assessment of fibroblast growth factor receptor 1 expression in neurons and glia. *PeerJ*, 5, e3173. doi. <https://peerj.com/articles/3173/>

Chouliaras, L., L.A. van den Hove, D., Kenis, G., van Draanen, M., R. Hof, P., van Os, J., . . . P.F. Rutten, B. (2013). Histone Deacetylase 2 in the Mouse Hippocampus: Attenuation of Age- Related Increase by Caloric Restriction. *Current Alzheimer Research*, 10(8), 868-876. doi. <http://www.ingentaconnect.com/content/ben/car/2013/0000010/0000008/art..>

Chouliaras, L., van den Hove, D. L. A., Kenis, G., Dela Cruz, J., Lemmens, M. A. M., van Os, J., . . . Rutten, B. P. F. (2011). Caloric restriction attenuates age-related changes of DNA methyltransferase 3a in mouse hippocampus. *Brain, Behavior, and Immunity*, 25(4), 616-623. doi.

Chouliaras, L., van den Hove, D. L. A., Kenis, G., Keitel, S., Hof, P. R., van Os, J., . . . Rutten, B. P. F. (2011). Prevention of age-related changes in hippocampal levels of 5-methylcytidine by caloric restriction. *Neurobiology of Aging*. doi.

Chow, V. W., Savonenko, A. V., Melnikova, T., Kim, H., Price, D. L., Li, T., & Wong, P. C. (2010). Modeling an anti-amyloid combination therapy for Alzheimer's disease. *Science translational medicine*, 2(13), 13ra11-13ra11. doi.

Christensen, D. Z., Bayer, T. A., & Wirths, O. (2010). Intracellular A β triggers neuron loss in the cholinergic system of the APP/PS1KI mouse model of Alzheimer's disease. *Neurobiology of Aging*, 31(7), 1153-1163. doi.

Christensen, D. Z., Kraus, S. L., Flohr, A., Cotel, M. C., Wirths, O., & Bayer, T. A. (2008). Transient intraneuronal A β rather than extracellular plaque pathology correlates with neuron loss in the frontal cortex of APP/PS1KI mice. *Acta Neuropathologica*, 116(6), 647-655. doi.

Christensen-Dalsgaard, J., Tang, Y., & Carr, C. E. (2011). Binaural processing by the gecko auditory periphery. *Journal of Neurophysiology*, 105(5), 1992-2004. doi: 10.1152/jn.00004.2011. <http://jn.physiology.org/content/105/5/1992.abstract>

Chtarto, A., Bockstael, O., Gebara, E., Vermoesen, K., Melas, C., Pythoud, C., . . . Tenenbaum, L. (2013). An Adeno-Associated Virus-Based Intracellular Sensor of Pathological Nuclear Factor- κ B Activation for Disease-Inducible Gene Transfer. *Plos one*, 8(1), e53156. doi: 10.1371/journal.pone.0053156. <http://dx.doi.org/10.1371%2Fjournal.pone.0053156>

Chu, C., Murdock, M. H., Jing, D., Won, T. H., Chung, H., Kressel, A. M., . . . Artis, D. (2019). The microbiota regulate neuronal function and fear extinction learning. *Nature*, 574(7779), 543-548. doi: 10.1038/s41586-019-1644-y. <https://doi.org/10.1038/s41586-019-1644-y>

Chu, Q., Lee, D. T. W., Tsao, S. W., Wang, X., & Wong, Y. C. (2007). S-allylcysteine, a water-soluble garlic derivative, suppresses the growth of a human androgen-independent prostate cancer xenograft, CWR22R, under in vivo conditions. *BJU International*, 99(4), 925-932. doi: doi:10.1111/j.1464-410X.2006.06639.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1464-410X.2006.06639.x>

Chu, Q., Ling, M. T., Feng, H., Cheung, H. W., Tsao, S. W., Wang, X., & Wong, Y. C. (2006). A novel anticancer effect of garlic derivatives: inhibition of cancer cell invasion through restoration of E-cadherin expression. *Carcinogenesis*, 27(11), 2180-2180. doi.

Chu, X., Zhou, S., Sun, R., Wang, L., Xing, C., Liang, R., & Kong, Q. (2018). Chrysophanol Relieves Cognition Deficits and Neuronal Loss Through Inhibition of Inflammation in Diabetic Mice. [journal article]. *Neurochemical Research*. doi: 10.1007/s11064-018-2503-1. <https://doi.org/10.1007/s11064-018-2503-1>

Chu, Y., Bartus, R. T., Manfredsson, F. P., Olanow, C. W., & Kordower, J. H. (2020). Long-term post-mortem studies following neurturin gene therapy in patients with advanced Parkinson's disease. *Brain*, 143(3), 960-975. doi: 10.1093/brain/awaa020. <https://doi.org/10.1093/brain/awaa020>

Chu, Y., Buchman, A. S., Olanow, C. W., & Kordower, J. H. (2018). Do subjects with minimal motor features have prodromal PD? *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.25179. <http://dx.doi.org/10.1002/ana.25179>

Chu, Y., Goldman, J. G., Kelly, L., He, Y., Waliczek, T., & Kordower, J. H. (2014). Abnormal alpha-synuclein reduces nigral voltage-dependent anion channel 1 in sporadic and experimental Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.05.003>. <http://www.sciencedirect.com/science/article/pii/S0969996114001132>

Chu, Y., Kompoliti, K., Cochran, E. J., Mufson, E. J., & Kordower, J. H. (2002). Age-related decreases in Nurr1 immunoreactivity in the human substantia nigra. *Journal of Comparative Neurology*, 450(3), 203-214. doi.

Chu, Y., & Kordower, J. H. (2007). Age-associated increases of α -synuclein in monkeys and humans are associated with nigrostriatal dopamine depletion: Is this the target for Parkinson's disease? *Neurobiology of Disease*, 25(1), 134-149. doi.

Chu, Y., & Kordower, J. H. (2021). GDNF signaling in subjects with minimal motor deficits and Parkinson's disease. *Neurobiology of Disease*, 105298. doi: <https://doi.org/10.1016/j.nbd.2021.105298>. <https://www.sciencedirect.com/science/article/pii/S0969996121000474>

Chu, Y., Le, W., Kompoliti, K., Jankovic, J., Mufson, E. J., & Kordower, J. H. (2006). Nurr1 in Parkinson's disease and related disorders. *Journal of Comparative Neurology*, 494(3), 495-514. doi.

Chu, Y., Morfini, G. A., & Kordower, J. H. (2016). Alterations in Activity-Dependent Neuroprotective Protein in Sporadic and Experimental Parkinson's Disease. *Journal of Parkinson's Disease*, (Preprint), 1-21. doi. <http://content.iospress.com/articles/journal-of-parkinsons-disease/jpd16..>

Chu, Y., Muller, S., Tavares, A., Barret, O., Alagille, D., Seibyl, J., . . . Kordower, J. H. (2019). Intrastratial alpha-synuclein fibrils in monkeys: spreading, imaging and neuropathological changes. *Brain*. doi: 10.1093/brain/awz296. <https://doi.org/10.1093/brain/awz296>

Chu, Y.-F., Yen, C.-T., & Lee, L.-J. (2012). Neonatal whisker clipping alters behavior, neuronal structure and neural activity in adult rats. *Behavioural Brain Research*, (0). doi: 10.1016/j.bbr.2012.10.022. <http://www.sciencedirect.com/science/article/pii/S0166432812006729>

Chung, C. Y., Koprach, J. B., Endo, S., & Isacson, O. (2007). An Endogenous Serine/Threonine Protein Phosphatase Inhibitor, G-Substrate, Reduces Vulnerability in Models of Parkinson's Disease. *Journal of Neuroscience*, 27(31), 8314-8323. doi: 10.1523/jneurosci.1972-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/31/8314>

Chung, C. Y., Koprach, J. B., Hallett, P. J., & Isacson, O. (2009). Functional enhancement and protection of dopaminergic terminals by RAB3B overexpression. *Proceedings of the National Academy of Sciences*, 106(52), 22474-22479. doi: 10.1073/Proceedings of the National Academy of Sciences.0912193106. <http://www.Proceedings of the National Academy of Sciences.org/content/106/52/22474.abstract>

Chung, C. Y., Koprach, J. B., Siddiqi, H., & Isacson, O. (2009). Dynamic Changes in Presynaptic and Axonal Transport Proteins Combined with Striatal Neuroinflammation Precede Dopaminergic Neuronal Loss in a Rat Model of AAV α -Synucleinopathy. *Journal of Neuroscience*, 29(11), 3365-3373. doi: 10.1523/jneurosci.5427-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3365>

Chung, C. Y., Seo, H., Sonntag, K. C., Brooks, A., Lin, L., & Isacson, O. (2005). Cell type-specific gene expression of midbrain dopaminergic neurons reveals molecules involved in their vulnerability and protection. *Human Molecular Genetics*, 14(13), 1709-1725. doi: 10.1093/hmg/ddi178. <http://hmg.oxfordjournals.org/cgi/content/abstract/14/13/1709>

Chung, E., Kong, X., Goldberg, M. P., Stowe, A. M., & Raman, L. (2015). Erythropoietin-mediated neuroprotection in a pediatric mouse model of chronic hypoxia. *Neuroscience Letters*, 597(0), 54-59. doi: <http://dx.doi.org/10.1016/j.neulet.2015.04.026>. <http://www.sciencedirect.com/science/article/pii/S0304394015003158>

Chung, E. Y., & Yoon, J. R. (2008). Ketamine potentiates neurotoxicity in obese mice. *Korean Journal of Anesthesiology*, 55(4), 473-478. doi.

Chung, S., Hedlund, E., Hwang, M., Kim, D. W., Shin, B. S., Hwang, D. Y., . . . Kim, K. S. (2005). The homeodomain transcription factor Pitx3 facilitates differentiation of mouse embryonic stem cells into AHD2-expressing dopaminergic neurons. *Molecular and Cellular Neuroscience*, 28(2), 241-252. doi.

Chung, S., Leung, A., Han, B. S., Chang, M. Y., Moon, J. I., Kim, C. H., . . . Kim, K. S. (2009). Wnt1-lmx1a forms a novel autoregulatory loop and controls midbrain dopaminergic differentiation synergistically with the SHH-FoxA2 pathway. *Cell Stem Cell*, 5(6), 646-658. doi.

Chung, S., Shin, B. S., Hedlund, E., Pruszak, J., Ferree, A., Kang, U. J., . . . Kim, K.-S. (2006). Genetic selection of sox1GFP-expressing neural precursors removes residual tumorigenic pluripotent stem cells and attenuates tumor formation after transplantation. *Journal of Neurochemistry*, 97(5), 1467-1480. doi: doi:10.1111/j.1471-4159.2006.03841.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.03841.x>

Chung, S., Shin, B.-S., Hwang, M., Lardaro, T., Kang, U. J., Isacson, O., & Kim, K.-S. (2006). Neural Precursors Derived from Embryonic Stem Cells, but Not Those from Fetal Ventral Mesencephalon, Maintain the Potential to Differentiate into Dopaminergic Neurons After Expansion In Vitro. *Stem Cells*, 24(6), 1583-1593. doi: 10.1634/stemcells.2005-0558. <http://stemcells.alphamedpress.org/cgi/content/abstract/24/6/1583>

Chung, Y., Buechel, B. D., Sunwoo, W., Wagner, J. D., & Delgutte, B. (2019). Neural ITD Sensitivity and Temporal Coding with Cochlear Implants in an Animal Model of Early-Onset Deafness. [journal article]. *Journal of the Association for Research in Otolaryngology*. doi: 10.1007/s10162-018-00708-w. <https://doi.org/10.1007/s10162-018-00708-w>

Chung, Y. C., Baek, J. Y., Kim, S. R., Ko, H. W., Bok, E., Shin, W.-H., . . . Jin, B. K. (2017). Capsaicin prevents degeneration of dopamine neurons by inhibiting glial activation and oxidative stress in the MPTP model of Parkinson's disease. [Original Article]. *Experimental and Molecular Medicine*, 49, e298. doi: 10.1038/emm.2016.159. <http://dx.doi.org/10.1038/emm.2016.159>

Cicchetti, F., Lapointe, N., Roberge-Tremblay, A., Saint-Pierre, M., Jimenez, L., Ficke, B. W., & Gross, R. E. (2005). Systemic exposure to paraquat and maneb models early Parkinson's disease in young adult rats. *Neurobiology of Disease*, 20(2), 360-371. doi.

Cicchetti, F., Saporta, S., Hauser, R. A., Parent, M., Saint-Pierre, M., Sanberg, P. R., . . . Freeman, T. B. (2009). Neural transplants in patients with Huntington's disease undergo disease-like neuronal degeneration. *Proceedings of the National Academy of Sciences*, 106(30), 12483-12488. doi: 10.1073/Proceedings of the National Academy of Sciences.0904239106. <http://www.Proceedings of the National Academy of Sciences.org/content/106/30/12483/abstract>

Ciernia, A. V., Kramár, E. A., Matheos, D. P., Havekes, R., Hemstedt, T. J., Magnan, C. N., . . . Lopez, A. (2017). Mutation of neuron-specific chromatin remodeling subunit BAF53b: rescue of plasticity and memory by manipulating actin remodeling. *Learning and Memory*, 24(5), 199-209. doi: <http://learnmem.cshlp.org/content/24/5/199.short>

Cikla, U., Chanana, V., Kintner, D. B., Covert, L., Dewall, T., Waldman, A., . . . Ferrazzano, P. (2015). Suppression of microglia activation after hypoxia–ischemia results in age-dependent improvements in neurologic injury. *Journal of Neuroimmunology*, 291, 18-27. doi: 10.1016/j.jneuroim.2015.12.004. <http://dx.doi.org/10.1016/j.jneuroim.2015.12.004>

Cimino, P. J., Yang, Y., Li, X., Hemingway, J. F., Cherne, M. K., Khademi, S. B., . . . Keene, C. D. (2013). Ablation of the microglial protein DOCK2 reduces amyloid burden in a mouse model of Alzheimer's disease. *Experimental and Molecular Pathology*, (0). doi: <http://dx.doi.org/10.1016/j.yexmp.2013.01.002>. <http://www.sciencedirect.com/science/article/pii/S001448001300004X>

Cisbani, G., Drouin-Ouellet, J., Gibrat, C., Saint-Pierre, M., Lagacé, M., Badrinarayanan, S., . . . Cicchetti, F. (2015). Cystamine/cysteamine rescue the dopaminergic system and show neurorestorative properties in an animal model of Parkinson's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2015.07.012>. <http://www.sciencedirect.com/science/article/pii/S0969996115300152>

Cisbani, G., Freeman, T. B., Soulet, D., Saint-Pierre, M., Gagnon, D., Parent, M., . . . Cicchetti, F. (2013). Striatal allografts in patients with Huntington's disease: impact of diminished astrocytes and vascularization on graft viability. *Brain*. doi: 10.1093/brain/aws359. <http://brain.oxfordjournals.org/content/early/2013/01/31/brain.aws359.ab..>

Cisbani, G., Le Behot, A., Plante, M.-M., Préfontaine, P., Lecordier, M., & Rivest, S. (2018). Role of the chemokine receptors CCR2 and CX3CR1 in an experimental model of thrombotic stroke. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2018.03.008>. <http://www.sciencedirect.com/science/article/pii/S089159118300564>

Cisbani, G., Maxan, A., Kordower, J. H., Planel, E., Freeman, T. B., & Cicchetti, F. (2017). Presence of tau pathology within foetal neural allografts in patients with Huntington's and Parkinson's disease. *Brain*, 140(11), 2982-2992. doi: 10.1093/brain/awx255. <http://dx.doi.org/10.1093/brain/awx255>

Cissé, Y., Ishibashi, M., Jost, J., Toossi, H., Mainville, L., Adamantidis, A., . . . Jones, B. E. (2020). Discharge and Role of GABA Pontomesencephalic Neurons in Cortical Activity and Sleep-Wake States Examined by Optogenetics and Juxtacellular Recordings in Mice. *The Journal of Neuroscience*, JN-RM-2875-2819. doi: 10.1523/jneurosci.2875-19.2020. <http://www.jneurosci.org/content/early/2020/06/23/JNEUROSCI.2875-19.2020...>

Cisternas, C. D., Cortes, L. R., Golyner, I., Castillo-Ruiz, A., & Forger, N. G. (2019). Neonatal inhibition of DNA methylation disrupts testosterone-dependent masculinization of neurochemical phenotype. *Endocrinology*. doi: 10.1210/endo/bqz022. <https://doi.org/10.1210/endo/bqz022>

Claes, J. M., Nilsson, D.-E., Straube, N., Collin, S. P., & Mallefet, J. (2014). Iso-luminance counterillumination drove bioluminescent shark radiation. *Scientific Reports*, 4. doi: <http://www.nature.com/srep/2014/140310/srep04328/full/srep04328.html>

Claes, J. M., Partridge, J. C., Hart, N. S., Garza-Gisholt, E., Ho, H.-C., Mallefet, J., & Collin, S. P. (2014). Photon Hunting in the Twilight Zone: Visual Features of Mesopelagic Bioluminescent Sharks. *Plos one*, 9(8), e104213. doi: 10.1371/journal.pone.0104213. <http://dx.doi.org/10.1371%2Fjournal.pone.0104213>

Claessens, S. E. F., Belanoff, J. K., Kanatsou, S., Lucassen, P. J., Champagne, D. L., & Ronald de Kloet, E. (2012). Acute effects of neonatal dexamethasone treatment on proliferation and astrocyte immunoreactivity in hippocampus and corpus callosum: Towards a rescue strategy. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.08.017. <http://www.sciencedirect.com/science/article/pii/S0006899312013303>

Clafin, D. I., Schmidt, K. D., Vallandingham, Z. D., Kraszpulski, M., & Hennessy, M. B. (2017). Influence of postnatal glucocorticoids on hippocampal-dependent learning varies with elevation patterns and administration methods. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2017.05.010>. <http://www.sciencedirect.com/science/article/pii/S1074742717300801>

Clark, D. P. Q., Perreau, V. M., Shultz, S. R., Brady, R. D., Lei, E., Dixit, S., . . . Boon, W. C. (2019). Inflammation in Traumatic Brain Injury: Roles for Toxic A1 Astrocytes and Microglial–Astrocytic Crosstalk. [journal article]. *Neurochemical Research*. doi: 10.1007/s11064-019-02721-8. <https://doi.org/10.1007/s11064-019-02721-8>

Clark, J., Silvaggi, J. M., Kiselak, T., Zheng, K., Clore, E. L., Dai, Y., . . . Simon, D. K. (2012). Pgc-1 α Overexpression Downregulates Pitx3 and Increases Susceptibility to MPTP Toxicity Associated with Decreased Bdnf. *Plos one*, 7(11), e48925. doi: 10.1371/journal.pone.0048925. <http://dx.doi.org/10.1371%2Fjournal.pone.0048925>

Clark, P. J., Brzezinska, W. J., Puchalski, E. K., Krone, D. A., & Rhodes, J. S. (2009). Functional analysis of neurovascular adaptations to exercise in the dentate gyrus of young adult mice associated with cognitive gain. *Hippocampus*, 19(10), 937-950. doi.

Clark, S., Schwalbe, J., Stasko, M. R., Yarowsky, P. J., & Costa, A. (2006). Fluoxetine rescues deficient neurogenesis in hippocampus of the Ts65Dn mouse model for Down syndrome. *Experimental Neurology*, 200(1), 256-261. doi.

Clarke, J., Langdon, K. D., & Corbett, D. (2014). Early poststroke experience differentially alters perinfarct layer II and III cortex. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013237a.html>

Clarkson, C., Juárez, J. M., & Merchán, M. A. (2010). Transient down-regulation of sound-induced c-Fos protein expression in the inferior colliculus after ablation of the auditory cortex. [Original Research]. *Frontiers in Neuroanatomy*, 4. doi: 10.3389/fnana.2010.00141. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy..>

Clarkson, C., Juárez, J. M., & Merchán, M. Á. (2010). Long-term regulation in calretinin staining in the rat inferior colliculus after unilateral auditory cortical ablation. *Journal of Comparative Neurology*, 518(20), 4261-4276. doi.

Cleren, C., Calingasan, N. Y., Chen, J., & Beal, M. F. (2005). Celastrol protects against MPTP- and 3-nitropropionic acid-induced neurotoxicity. *Journal of Neurochemistry*, 94(4), 995-1004. doi: doi:10.1111/j.1471-4159.2005.03253.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03253.x>

Cleren, C., Calingasan, N. Y., Starkov, A., Jacquard, C., Chen, J., Brouillet, E., & Beal, M. F. (2010). Promethazine protects against 3-nitropropionic acid-induced neurotoxicity. *Neurochemistry International*, 56(2), 208-212. doi:

Cleren, C., Starkov, A. A., Calingasan, N. Y., Lorenzo, B. J., Chen, J., & Beal, M. F. (2005). Promethazine protects against 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine neurotoxicity. *Neurobiology of Disease*, 20(3), 701-708. doi:

Cleren, C., Yang, L., Lorenzo, B., Calingasan, N. Y., Schomer, A., Sireci, A., . . . Beal, M. F. (2008). Therapeutic effects of coenzyme Q10 (CoQ10) and reduced CoQ10 in the MPTP model of Parkinsonism. *Journal of Neurochemistry*, 104(6), 1613-1621. doi: doi:10.1111/j.1471-4159.2007.05097.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.05097.x>

Clevenger, A. C., Kim, H., Salcedo, E., Yonchek, J. C., Rodgers, K. M., Orfila, J. E., . . . Herson, P. S. (2018). Endogenous Sex Steroids Dampen Neuroinflammation and Improve Outcome of Traumatic Brain Injury in Mice. [Journal article]. *Journal of Molecular Neuroscience*. doi: 10.1007/s12031-018-1038-x. <https://doi.org/10.1007/s12031-018-1038-x>

Clifford, L., Dampney, B. W., & Carrive, P. (2015). Spontaneously hypertensive rats have more orexin neurons in their medial hypothalamus than normotensive rats. *Experimental Physiology*, n/a-n/a. doi: 10.1113/expphysiol.2014.084137. <http://dx.doi.org/10.1113/expphysiol.2014.084137>

Clinton, S. M., Stead, J. D. H., Miller, S., Watson, S. J., & Akil, H. (2011). Developmental underpinnings of differences in rodent novelty-seeking and emotional reactivity. *European Journal of Neuroscience*, 34(6), 994-1005. doi: 10.1111/j.1460-9568.2011.07811.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07811.x>

Coban, A., & Filipov, N. M. (2007). Dopaminergic toxicity associated with oral exposure to the herbicide atrazine in juvenile male C57BL/6 mice. *Journal of Neurochemistry*, 100(5), 1177-1187. doi: doi:10.1111/j.1471-4159.2006.04294.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04294.x>

Cobanoglu, U., Mungan, S., Gundogdu, C., Ersoz, S., Ozoran, Y., & Aydin, F. (2010). The expression of MCM-2 in invasive breast carcinoma: a stereologic approach. *Bratislavske Lekarske Listy*, 111(1), 45-49. doi:

Cobb, J. A., O'Neill, K., Milner, J., Mahajan, G. J., Lawrence, T. J., May, W. L., . . . Stockmeier, C. A. (2015). Density of GFAP-immunoreactive astrocytes is decreased in left hippocampi in major depressive disorder. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.12.044>. <http://www.sciencedirect.com/science/article/pii/S0306452215011379>

Cobb, J. A., Simpson, J., Mahajan, G. J., Overholser, J. C., Jurjus, G. J., Dieter, L., . . . Stockmeier, C. A. (2012). Hippocampal volume and total cell numbers in major depressive disorder. *Journal of Psychiatric Research*, (0). doi: <http://dx.doi.org/10.1016/j.jpsychires.2012.10.020>. <http://www.sciencedirect.com/science/article/pii/S0022395612003433>

Coburn-Litvak, P. S., Tata, D. A., Gorby, H. E., McCloskey, D. P., Richardson, G., & Anderson, B. J. (2004). Chronic corticosterone affects brain weight, and mitochondrial, but not glial volume fraction in hippocampal area CA3. *Neuroscience*, 124(2), 429-438. doi.

Codd, L. N., Blackmore, D. G., Vukovic, J., & Bartlett, P. F. (2020). Exercise reverses learning deficits induced by hippocampal injury by promoting neurogenesis. *Scientific Reports*, 10(1), 19269. doi: 10.1038/s41598-020-76176-1. <https://doi.org/10.1038/s41598-020-76176-1>

Codispoti, K.-E. T., Beason-Held, L. L., Kraut, M. A., O'Brien, R. J., Rudow, G., Pletnikova, O., . . . Resnick, S. M. (2012). Longitudinal brain activity changes in asymptomatic Alzheimer disease. *Brain and Behavior*, no-no. doi: 10.1002/brb3.47. <http://dx.doi.org/10.1002/brb3.47>

Cohen, A., Soleiman, M., Talia, R., Koob, G., George, O., & Mandyam, C. (2014). Extended access nicotine self-administration with periodic deprivation increases immature neurons in the hippocampus. *Psychopharmacology*, 1-11. doi: 10.1007/s00213-014-3685-0. <http://dx.doi.org/10.1007/s00213-014-3685-0>

Cohen, A. D., & Klunk, W. E. (2014). Early detection of Alzheimer's disease using PiB and FDG PET. *Neurobiology of Disease*, 72 Pt A. doi: 10.1016/j.nbd.2014.05.001. <http://dx.doi.org/10.1016/j.nbd.2014.05.001>

Cohen, R. E., Roach, J., & Wade, J. (2011). The distribution of estrogen receptor β mRNA in male and female green anole lizards. *Brain Research*. doi.

Cohen, R. E., & Wade, J. (2010). Distribution of Two Isozymes of 5 α -Reductase in the Brains of Adult Male and Female Green Anole Lizards. *Brain, Behavior and Evolution*, 76(3-4), 279-288. doi.

Cohen, R. E., & Wade, J. (2011). Aromatase mRNA in the Brain of Adult Green Anole Lizards: Effects of Sex and Season. *Journal of Neuroendocrinology*, 23(3), 254-260. doi: 10.1111/j.1365-2826.2010.02102.x. <http://dx.doi.org/10.1111/j.1365-2826.2010.02102.x>

Cohen, R. E., & Wade, J. (2012). Aromatase and 5 α -reductase type 2 mRNA in the green anole forebrain: An investigation of the effects of sex, season and testosterone manipulation. *General and Comparative Endocrinology*. doi.

Cohen, R. E., & Wade, J. (2012). Expression of aromatase and two isozymes of 5 α -reductase in the developing green anole forebrain. *Journal of Neuroendocrinology*. doi.

Cohen, R. M., Rezai-Zadeh, K., Weitz, T. M., Rentsendorj, A., Gate, D., Spivak, I., . . . Town, T. (2013). A Transgenic Alzheimer Rat with Plaques, Tau Pathology, Behavioral Impairment, Oligomeric A β , and Frank Neuronal Loss. *Journal of Neuroscience*, 33(15), 6245-6256. doi: 10.1523/jneurosci.3672-12.2013. <http://www.jneurosci.org/content/33/15/6245.abstract>

Cohen, R. M., Rezai-Zadeh, K., Weitz, T. M., Rentsendorj, A., Gate, D., Spivak, I., . . . Town, T. (2013). A Transgenic Alzheimer Rat with Plaques, Tau Pathology, Behavioral Impairment, Oligomeric A β , and Frank Neuronal Loss. *Journal of Neuroscience*, 33(15), 6245-6256. doi: 10.1523/jneurosci.3672-12.2013. <http://www.jneurosci.org/content/33/15/6245.abstract>

Cohn, B. A., Collin, S. P., Wainwright, P. C., & Schmitz, L. (2015). Retinal topography maps in R: New tools for the analysis and visualization of spatial retinal data. *Journal of Vision*, 15(9), 19-19. doi: 10.1167/15.9.19. <http://dx.doi.org/10.1167/15.9.19>

Coimbra, B., Soares-Cunha, C., Vasconcelos, N. A. P., Domingues, A. V., Borges, S., Sousa, N., & Rodrigues, A. J. (2019). Role of laterodorsal tegmentum projections to nucleus accumbens in reward-related behaviors. *Nature Communications*, 10(1), 4138. doi: 10.1038/s41467-019-11557-3. <https://doi.org/10.1038/s41467-019-11557-3>

Coimbra, J. P., Alagaili, A. N., Bennett, N. C., Mohammed, O. B., & Manger, P. R. (2019). Unusual topographic specializations of retinal ganglion cell density and spatial resolution in a cliff-dwelling artiodactyl, the Nubian ibex (*Capra nubiana*). *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24709. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24709>

Coimbra, J. P., Collin, S. P., & Hart, N. S. (2014). Topographic specializations in the retinal ganglion cell layer correlate with lateralized visual behavior, ecology and evolution in cockatoos. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23637. <http://dx.doi.org/10.1002/cne.23637>

Coimbra, J. P., Collin, S. P., & Hart, N. S. (2014). Topographic specializations in the retinal ganglion cell layer of Australian passerines. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23624. <http://dx.doi.org/10.1002/cne.23624>

Coimbra, J. P., Collin, S. P., & Hart, N. S. (2014). Variations in retinal photoreceptor topography and the organization of the rod-free zone reflect behavioral diversity in Australian passerines. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23718. <http://dx.doi.org/10.1002/cne.23718>

Coimbra, J. P., Hart, N. S., Collin, S. P., & Manger, P. R. (2012). Scene from above: Retinal ganglion cell topography and spatial resolving power in the giraffe (*giraffa camelopardalis*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23271. <http://dx.doi.org/10.1002/cne.23271>

Coimbra, J. P., Kaswera-Kyamakya, C., Gilissen, E., Manger, P., & Collin, S. (2015). The Retina of Ansoerge's Cusimanse (*Crossarchus ansorgei*): Number, Topography and Convergence of Photoreceptors and Ganglion Cells in Relation to Ecology and Behavior. *Brain, Behavior and Evolution*. doi: <http://www.karger.com/Article/Abstract/433514>

Coimbra, J. P., Kaswera-Kyamakya, C., Gilissen, E., Manger, P. R., & Collin, S. P. (2016). The Topographic Organization of Retinal Ganglion Cell Density and Spatial Resolving Power in an Unusual Arboreal and Slow-Moving Strepsirhine Primate, the Potto (*Perodicticus potto*). *Brain, Behavior and Evolution*. doi: <http://www.karger.com/Article/Abstract/443015>

Coimbra, J. P., Pettigrew, J. D., Kaswera-Kyamakya, C., Gilissen, E., Collin, S. P., & Manger, P. R. (2016). Retinal ganglion cell topography and spatial resolving power in African megachiropterans: Influence of roosting microhabitat and foraging. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24055. <http://dx.doi.org/10.1002/cne.24055>

Coimbra, J. P., Trévia, N., Videira Marceliano, M. L., da Silveira Andrade-Da-Costa, B. L., Picanço-Diniz, C. W., & Yamada, E. S. (2009). Number and distribution of neurons in the retinal ganglion cell layer in relation to foraging behaviors of tyrant flycatchers. *Journal of Comparative Neurology*, 514(1), 66-73. doi:

Colak, S., Geyikoglu, F., Keles, O. N., Turkez, H., Topal, A., & Unal, B. (2011). The neuroprotective role of boric acid on aluminum chloride-induced neurotoxicity. *Toxicology and Industrial Health*, 27(8), 700-710. doi:

Colciaghi, F., Nobili, P., Cipelletti, B., Cagnoli, C., Zambon, S., Locatelli, D., . . . Battaglia, G. S. (2019). Targeting PSD95-nNOS interaction by Tat-N-dimer peptide during status epilepticus is neuroprotective in MAM-pilocarpine rat model. *Neuropharmacology*, 153, 82-97.

doi: <https://doi.org/10.1016/j.neuropharm.2019.04.028>. <http://www.sciencedirect.com/science/article/pii/S0028390819301431>

Coleman, A. M., & Sengelaub, D. R. (2002). Patterns of dye coupling in lumbar motor nuclei of the rat. *Journal of Comparative Neurology*, 454(1), 34-41. doi:

Colín-Castelán, D., Phillips-Farfán, B. V., Gutiérrez-Ospina, G., Fuentes-Farias, A. L., Báez-Saldaña, A., Padilla-Cortés, P., & Meléndez-Herrera, E. (2011). EphB4 is developmentally and differentially regulated in blood vessels throughout the forebrain neurogenic niche in the mouse brain: Implications for vascular remodeling. *Brain Research*. doi:

Collette, J. C., Choubey, L., & Smith, K. M. (2017). Glial and stem cell expression of murine Fibroblast Growth Factor Receptor 1 in the embryonic and perinatal nervous system. *PeerJ*, 5, e3519. doi: 10.7717/peerj.3519. <https://doi.org/10.7717/peerj.3519>

Collier, T. J., O'Malley, J., Rademacher, D. J., Stancati, J. A., Sisson, K. A., Sortwell, C. E., . . . Steece-Collier, K. (2015). Interrogating the aged striatum: Robust survival of grafted dopamine neurons in aging rats produces inferior behavioral recovery and evidence of impaired integration. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.03.005>. <http://www.sciencedirect.com/science/article/pii/S0969996115000674>

Collins, S. A., Huff, C., Chiaia, N., Gudelsky, G. A., & Yamamoto, B. K. (2015). MDMA Increases Excitability in the Dentate Gyrus: Role of 5HT_{2A} Receptor Induced PGE₂ Signaling. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13493. <http://dx.doi.org/10.1111/jnc.13493>

Colom, L. V., Castaneda, M. T., Aleman, D., & Touhami, A. (2013). Memantine protects cholinergic and glutamatergic septal neurons from A β ₁₋₄₀-induced toxicity. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2013.02.010>. <http://www.sciencedirect.com/science/article/pii/S0304394013001201>

Colom, L. V., Castañeda, M. T., Bañuelos, C., Puras, G., García-Hernández, A., Hernandez, S., . . . Lehker, C. (2010). Medial septal β -amyloid 1-40 injections alter septo-hippocampal anatomy and function. *Neurobiology of Aging*, 31(1), 46-57. doi:

Colom, L. V., Castaneda, M. T., Reyna, T., Hernandez, S., & Garrido-sanabria, E. (2005). Characterization of medial septal glutamatergic neurons and their projection to the hippocampus. *Synapse*, 58(3), 151-164. doi:

Colton, C. A., Wilson, J. G., Everhart, A., Wilcock, D. M., Puoliväli, J., Heikkinen, T., . . . Vitek, M. P. (2014). mNos2 Deletion and Human NOS2 Replacement in Alzheimer Disease Models. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.0000000000000094. doi: http://journals.lww.com/jneuropath/Fulltext/publishahead/mNos2_Deletion...

Comba, R., Gervais, N., Mumby, D., & Holahan, M. (2015). Emergence of spatial behavioral function and associated mossy fiber connectivity and c-Fos labeling patterns in the hippocampus of rats. *F1000Research*, 4, 396. doi: 10.12688/f1000research.6822.1. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4712777/>

Cömert Kılıç, S., Güngörmüş, M., & Parlak, S. N. (2017). Histologic and histomorphometric assessment of sinus-floor augmentation with beta-tricalcium phosphate alone or in combination with pure-

platelet-rich plasma or platelet-rich fibrin: A randomized clinical trial. *Clinical Implant Dentistry and Related Research*, n/a-n/a. doi: 10.1111/cid.12522. <http://dx.doi.org/10.1111/cid.12522>

Cong, W.-N., Chadwick, W., Wang, R., Daimon, C. M., Cai, H., Amma, J., . . . Maudsley, S. (2014). Amitriptyline Improves Motor Function via Enhanced Neurotrophin Signaling and Mitochondrial Functions in the Murine N171-82Q Huntington's Disease Model. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M114.588608. <http://www.jbc.org/content/early/2014/12/11/jbc.M114.588608.abstract>

Conner, J. M., Culbertson, A., Packowski, C., Chiba, A. A., & Tuszynski, M. H. (2003). Lesions of the basal forebrain cholinergic system impair task acquisition and abolish cortical plasticity associated with motor skill learning. *Neuron*, 38(5), 819-829. doi.

Conner, J. M., Franks, K. M., Titterness, A. K., Russell, K., Merrill, D. A., Christie, B. R., . . . Tuszynski, M. H. (2009). NGF Is Essential for Hippocampal Plasticity and Learning. *Journal of Neuroscience*, 29(35), 10883-10889. doi.

Conner, K. R., Forbes, M. E., Lee, W. H., Lee, Y. W., & Riddle, D. (2011). AT1 receptor antagonism does not influence early radiation-induced changes in microglial activation or neurogenesis in the normal rat brain. *Radiation Research*. doi.

Conner, K. R., Payne, V. S., Forbes, M. E., Robbins, M. E., & Riddle, D. R. (2010). Effects of the AT1 receptor antagonist L-158,809 on microglia and neurogenesis after fractionated whole-brain irradiation. *Radiation Research*, 173(1), 49-49. doi.

Connor, B., Kozlowski, D. A., Schallert, T., Tillerson, J. L., Davidson, B. L., & Bohn, M. C. (1999). Differential effects of glial cell line-derived neurotrophic factor (GDNF) in the striatum and substantia nigra of the aged Parkinsonian rat. *Gene Therapy*, 6, 1936-1951. doi.

Contet, C., Kim, A., Le, D., Iyengar, S. K., Kotzebue, R. W., Yuan, C. J., . . . Mandyam, C. D. (2013). μ -Opioid receptors mediate the effects of chronic ethanol binge drinking on the hippocampal neurogenic niche. *Addiction Biology*, n/a-n/a. doi: 10.1111/adb.12040. <http://dx.doi.org/10.1111/adb.12040>

Contreras-García, J. I., Rodríguez-Castañeda, L., Gómez-Lira, G., Ramírez-Hernández, R., Villafán, H., Granados-Rojas, L., . . . Mendoza Torreblanca, J. G. (2012). The age-dependent change in periglomerular populations of olfactory bulb is not affected by interrupting subventricular neuroblast migration. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.05.050. <http://www.sciencedirect.com/science/article/pii/S0304394012006969?v=s5>

Conway, A., & Schaffer, D. V. (2014). Biomaterial microenvironments to support the generation of new neurons in the adult brain. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1650. <http://dx.doi.org/10.1002/stem.1650>

Conway, A., Vazin, T., Spelke, D. P., Rode, N. A., Healy, K. E., Kane, R. S., & Schaffer, D. V. (2013). Multivalent ligands control stem cell behaviour in vitro and in vivo. *Nature Nanotechnology*. doi. <http://www.nature.com/nnano/journal/vaop/ncurrent/full/nnano.2013.205.html>

Cook, D. J., Nguyen, C., Chun, H. N., L Llorente, I., Chiu, A. S., Machnicki, M., . . . Carmichael, S. T. (2016). Hydrogel-delivered brain-derived neurotrophic factor promotes tissue repair and recovery after stroke. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x16649964. <http://jcb.sagepub.com/content/early/2016/05/11/0271678X16649964.abstract>

- Cooke, B. M. (2011). Synaptic Reorganisation of the Medial Amygdala During Puberty. *Journal of Neuroendocrinology*, 23(1), 65-73. doi.
- Coon, E. A., Schmeichel, A. M., Parisi, J. E., Cykowski, M. D., Low, P. A., & Benarroch, E. E. (2016). Medullary neuronal loss is not associated with α -synuclein burden in multiple system atrophy. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.26798. <http://dx.doi.org/10.1002/mds.26798>
- Cooper, O., Hargus, G., Deleidi, M., Blak, A., Osborn, T., Marlow, E., . . . others. (2010). Differentiation of human ES and Parkinson's disease iPS cells into ventral midbrain dopaminergic neurons requires a high activity form of SHH, FGF8a and specific regionalization by retinoic acid. *Molecular and Cellular Neuroscience*, 45(3), 258-266. doi.
- Cooper, O., & Isacson, O. (2004). Intrastratial transforming growth factor α delivery to a model of Parkinson's disease induces proliferation and migration of endogenous adult neural progenitor cells without differentiation into dopaminergic neurons. *Journal of Neuroscience*, 24(41), 8924-8924. doi.
- Cooper-Kuhn, C. M., Winkler, J., & Kuhn, H. G. (2004). Decreased neurogenesis after cholinergic forebrain lesion in the adult rat. *Journal of Neuroscience Research*, 77(2), 155-165. doi.
- Cope, E. C., Briones, B. A., Brockett, A. T., Martinez, S., Vigneron, P.-A., Opendak, M., . . . Gould, E. (2016). Immature neurons and radial glia, but not astrocytes or microglia, are altered in adult *Cntnap2* and *Shank3* mice, models of autism. [10.1523/ENEURO.0196-16.2016]. *eneuro*. doi. <http://eneuro.sfn.org/content/early/2016/09/28/ENEURO.0196-16.2016.abstract>
- Cope, E. C., LaMarca, E. A., Monari, P. K., Olson, L. B., Martinez, S., Zych, A. D., . . . Gould, E. (2018). Microglia play an active role in obesity-associated cognitive decline. [10.1523/JNEUROSCI.0789-18.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/09/10/JNEUROSCI.0789-18.2018..>
- Cope, E. C., Morris, D. R., Gower-Winter, S. D., Brownstein, N. C., & Levenson, C. W. (2016). Effect of zinc supplementation on neuronal precursor proliferation in the rat hippocampus after traumatic brain injury. *Experimental Neurology*, 279, 96-103. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.02.017>. <http://www.sciencedirect.com/science/article/pii/S0014488616300383>
- Cope, E. C., Opendak, M., LaMarca, E. A., Murthy, S., Park, C. Y., Olson, L. B., . . . Gould, E. (2018). The effects of living in an outdoor enclosure on hippocampal plasticity and anxiety-like behavior in response to nematode infection. *Hippocampus*, 0(ja). doi: 10.1002/hipo.23033. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23033>
- Cope, E. C., Zych, A. D., Katchur, N. J., Waters, R. C., Laham, B. J., Diethorn, E. J., . . . Gould, E. (2021). Atypical perineuronal nets in the CA2 region interfere with social memory in a mouse model of social dysfunction. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01174-2. <https://doi.org/10.1038/s41380-021-01174-2>
- Copenhaver, P. F., Anekonda, T. S., Musashe, D., Robinson, K. M., Ramaker, J. M., Swanson, T. L., . . . Quinn, J. F. (2011). A translational continuum of model systems for evaluating treatment strategies in Alzheimer's disease: isradipine as a candidate drug. *Disease Models and Mechanisms*, 4(5), 634-634. doi.
- Coppieters, N., Dieriks, B. V., Lill, C., Faull, R. L. M., Curtis, M. A., & Dragunow, M. (2013). Global changes in DNA methylation and hydroxymethylation in Alzheimer's disease human brain. *Neurobiology of*

Aging, (0).

doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2013.11.031>. <http://www.sciencedirect.com/science/article/pii/S0197458013006155>

Corbett, N. J., Gabbott, P. L., Klementiev, B., Davies, H. A., Colyer, F. M., Novikova, T., & Stewart, M. G. (2013). Amyloid-Beta Induced CA1 Pyramidal Cell Loss in Young Adult Rats Is Alleviated by Systemic Treatment with FGL, a Neural Cell Adhesion Molecule-Derived Mimetic Peptide. *Plos one*, 8(8), e71479. doi: 10.1371/journal.pone.0071479. <http://dx.doi.org/10.1371/journal.pone.0071479>

Cordaro, M., Siracusa, R., Crupi, R., Impellizzeri, D., Peritore, A. F., D'Amico, R., . . . Cuzzocrea, S. (2018). 2-Pentadecyl-2-Oxazoline Reduces Neuroinflammatory Environment in the MPTP Model of Parkinson Disease. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1064-2. <https://doi.org/10.1007/s12035-018-1064-2>

Cordeiro, K. K., Jiang, W., Papazoglou, A., Tenório, S. B., Döbrössy, M., & Nikkhah, G. (2010). Graft-mediated functional recovery on a skilled forelimb use paradigm in a rodent model of Parkinson's disease is dependent on reward contingency. *Behavioural Brain Research*, 212(2), 187-195. doi.

Cordeiro Matos, S., Zamfir, M., Longo, G., Ribeiro-da-Silva, A., & Séguéla, P. (2017). Noradrenergic fiber sprouting and altered transduction in neuropathic prefrontal cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1543-7. <https://doi.org/10.1007/s00429-017-1543-7>

Coremans, V., Ahmed, T., Balschun, D., D'Hooge, R., DeVriese, A., Cremer, J., . . . Conway, E. (2010). Impaired neurogenesis, learning and memory and low seizure threshold associated with loss of neural precursor cell survivin. *BMC Neuroscience*, 11(1), 2. doi: <http://www.biomedcentral.com/1471-2202/11/2>

Corenblum, M. J., Flores, A. J., Badowski, M., Harris, D. T., & Madhavan, L. (2015). Systemic human CD34+ cells populate the brain and activate host mechanisms to counteract nigrostriatal degeneration. *Regenerative Medicine*, 10(5), 563-577. doi: 10.2217/rme.15.32. <http://dx.doi.org/10.2217/rme.15.32>

Corfield, J., Long, B., Krilow, J., Wylie, D., & Iwaniuk, A. (2015). A unique cellular scaling rule in the avian auditory system. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-015-1064-1. <http://dx.doi.org/10.1007/s00429-015-1064-1>

Cornejo, F., Vruwink, M., Metz, C., Muñoz, P., Salgado, N., Poblete, J., . . . von Bernhardi, R. (2018). Scavenger Receptor-A deficiency impairs immune response of microglia and astrocytes potentiating Alzheimer's disease pathophysiology. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.12.007>. <https://www.sciencedirect.com/science/article/pii/S0889159117305470>

Correa, M., Pardo, M., Bayarri, P., López-Cruz, L., San Miguel, N., Valverde, O., . . . Salamone, J. (2015). Choosing voluntary exercise over sucrose consumption depends upon dopamine transmission: effects of haloperidol in wild type and adenosine A2AKO mice. *Psychopharmacology*, 1-12. doi: 10.1007/s00213-015-4127-3. <http://dx.doi.org/10.1007/s00213-015-4127-3>

Correll, E. A., Ramser, B. J., Knott, M. V., McCullumsmith, R. E., McGuire, J. L., & Ngwenya, L. B. (2021). Deficits in pattern separation and dentate gyrus proliferation after rodent lateral fluid percussion injury. *IBRO Neuroscience Reports*, 10, 31-41. doi: <https://doi.org/10.1016/j.ibneur.2020.11.005>. <https://www.sciencedirect.com/science/article/pii/S266724212000007X>

Corvino, V., Marchese, E., Podda, M. V., Lattanzi, W., Giannetti, S., Di Maria, V., . . . Geloso, M. C. (2014). The Neurogenic Effects of Exogenous Neuropeptide Y: Early Molecular Events and Long-Lasting Effects in the Hippocampus of Trimethyltin-Treated Rats. *Plos one*, 9(2), e88294. doi: 10.1371/journal.pone.0088294. <http://dx.doi.org/10.1371%2Fjournal.pone.0088294>

Côté, M., Poirier, A. A., Aubé, B., Jobin, C., Lacroix, S., & Soulet, D. (2015). Partial depletion of the proinflammatory monocyte population is neuroprotective in the myenteric plexus but not in the basal ganglia in a MPTP mouse model of Parkinson's disease. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.01.009>. <http://www.sciencedirect.com/science/article/pii/S0889159115000112>

Côté, M.-P., Detloff, M. R., Rodel E. Wade, J., Lemay, M. A., & Houlié, J. D. (2012). Plasticity in ascending long propriospinal and descending supraspinal pathways in chronic cervical spinal cord injured rats. *Frontiers in Physiology*, 3(330). doi: 10.3389/fphys.2012.00330.

Cotel, M. C., Bayer, T. A., & Wirths, O. (2008). Age-dependent loss of dentate gyrus granule cells in APP/PS1KI mice. *Brain Research*, 1222, 207-213. doi.

Cotel, M. C., Jawhar, S., Christensen, D. Z., Bayer, T. A., & Wirths, O. (2010). Environmental enrichment fails to rescue working memory deficits, neuron loss, and neurogenesis in APP/PS1KI mice. *Neurobiology of Aging*. doi.

Cotel, M.-C., Lenartowicz, E. M., Natesan, S., Modo, M. M., Cooper, J. D., Williams, S. C. R., . . . Vernon, A. C. (2015). Microglial activation in the rat brain following chronic antipsychotic treatment at clinically relevant doses. *European Neuropsychopharmacology*. doi: <http://dx.doi.org/10.1016/j.euroneuro.2015.08.004>. <http://www.sciencedirect.com/science/article/pii/S0924977X15002576>

Couillard-Despres, S., Winner, B., Schauback, S., Aigner, R., Vroemen, M., Weidner, N., . . . Aigner, L. (2005). Doublecortin expression levels in adult brain reflect neurogenesis. *European Journal of Neuroscience*, 21(1), 1-14. doi: doi:10.1111/j.1460-9568.2004.03813.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03813.x>

Couillard-Despres, S., Wuertinger, C., Kandasamy, M., Caioni, M., Stadler, K., Aigner, R., . . . Aigner, L. (2009). Ageing abolishes the effects of fluoxetine on neurogenesis. *Molecular Psychiatry*. doi: <http://dx.doi.org/10.1038/mp.2008.147>

Coulin, C., Drakew, A., Frotscher, M., & Deller, T. (2001). Stereological estimates of total neuron numbers in the hippocampus of adult reeler mutant mice: Evidence for an increased survival of Cajal-Retzius cells. *Journal of Comparative Neurology*, 439(1), 19-31. doi.

Coune, P. G., Bensadoun, J. C., Aebischer, P., & Schneider, B. L. (2011). Rab1A Over-Expression Prevents Golgi Apparatus Fragmentation and Partially Corrects Motor Deficits in an Alpha-Synuclein Based Rat Model of Parkinson's Disease. *Journal of Parkinson's Disease*, 1(4), 373-387. doi.

Coune, P. G., Craveiro, M., Gaugler, M. N., Mlynárik, V., Schneider, B. L., Aebischer, P., & Gruetter, R. (2012). An in vivo ultrahigh field 14.1 T 1H-MRS study on 6-OHDA and α -synuclein-based rat models of Parkinson's disease: GABA as an early disease marker. *NMR in Biomedicine*, n/a-n/a. doi: 10.1002/nbm.2817. <http://dx.doi.org/10.1002/nbm.2817>

Courchesne, S. L., Karch, C., Pazyra-Murphy, M. F., & Segal, R. A. (2011). Sensory Neuropathy Attributable to Loss of Bcl-w. *Journal of Neuroscience*, 31(5), 1624-1634. doi: 10.1523/jneurosci.3347-10.2011. <http://www.jneurosci.org/content/31/5/1624.abstract>

Courtine, G., Song, B., Roy, R. R., Zhong, H., Herrmann, J. E., Ao, Y., . . . Sofroniew, M. V. (2008). Recovery of supraspinal control of stepping via indirect propriospinal relay connections after spinal cord injury. *Nature Medicine*, 14(1), 69-74. doi.

Coutellier, L., Ardestani, P. M., & Shamloo, M. (2014). β 1-adrenergic receptor activation enhances memory in Alzheimer's disease model. *Annals of Clinical and Translational Neurology*, n/a-n/a. doi: 10.1002/acn3.57. <http://dx.doi.org/10.1002/acn3.57>

Coutellier, L., Beraki, S., Ardestani, P. M., Saw, N. L., & Shamloo, M. (2012). Npas4: A Neuronal Transcription Factor with a Key Role in Social and Cognitive Functions Relevant to Developmental Disorders. *Plos one*, 7(9), e46604. doi: 10.1371/journal.pone.0046604. <http://dx.doi.org/10.1371%2Fjournal.pone.0046604>

Coutellier, L., Gilbert, V., & Shepard, R. (2015). Npas4 deficiency increases vulnerability to juvenile stress in mice. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2015.04.027>. <http://www.sciencedirect.com/science/article/pii/S0166432815002697>

Cowen, S., McLaughlin, S. L., Hobbs, G., Coad, J., Martin, K. H., Olfert, I. M., & Vona-Davis, L. (2015). High-Fat, High-Calorie Diet Enhances Mammary Carcinogenesis and Local Inflammation in MMTV-PyMT Mouse Model of Breast Cancer. *Cancers*, 7(3), 1125-1142. doi. <http://www.mdpi.com/2072-6694/7/3/0828/htm>

Crabbé, M., Van der Perren, A., Weerasekera, A., Himmelreich, U., Baekelandt, V., Van Laere, K., & Casteels, C. (2017). Altered mGluR5 binding potential and glutamine concentration in the 6-OHDA rat model of acute Parkinson's disease and levodopa-induced dyskinesia. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2017.09.006>. <http://www.sciencedirect.com/science/article/pii/S0197458017302993>

Craggs, L. J. L., Yamamoto, Y., Ihara, M., Fenwick, R., Burke, M., Oakley, A. E., . . . Kalaria, R. N. (2013). White matter pathology and disconnection in the frontal lobe in CADASIL. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12073. <http://dx.doi.org/10.1111/nan.12073>

Craver, B. M., Acharya, M. M., Allen, B. D., Benke, S. N., Hultgren, N. W., Baulch, J. E., & Limoli, C. L. (2016). 3D surface analysis of hippocampal microvasculature in the irradiated brain. *Environmental and Molecular Mutagenesis*, n/a-n/a. doi: 10.1002/em.22015. <http://dx.doi.org/10.1002/em.22015>

Creed, J., Cantillana-Riquelme, V., Yan, B. H., Ma, S., Chu, D., Wang, H., . . . Hoffmann, U. (2020). Argon Inhalation for 24 h After Closed-Head Injury Does not Improve Recovery, Neuroinflammation, or Neurologic Outcome in Mice. *Neurocritical Care*. doi: 10.1007/s12028-020-01104-0. <https://doi.org/10.1007/s12028-020-01104-0>

Creed, R. B., & Goldberg, M. S. (2020). Enhanced Susceptibility of PINK1 Knockout Rats to α -Synuclein Fibrils. *Neuroscience*, 437, 64-75. doi: <https://doi.org/10.1016/j.neuroscience.2020.04.032>. <http://www.sciencedirect.com/science/article/pii/S0306452220302554>

Creeley, C., Dikranian, K., Dissen, G., Martin, L., Olney, J., & Brambrink, A. (2013). Propofol-induced apoptosis of neurones and oligodendrocytes in fetal and neonatal rhesus macaque brain. *British Journal of Anaesthesia*, 110(suppl 1), i29-i38. doi: 10.1093/bja/aet173. http://bja.oxfordjournals.org/content/110/suppl_1/i29.abstract

Creer, D. J., Romberg, C., Saksida, L. M., van Praag, H., & Bussey, T. J. (2010). Running enhances spatial pattern separation in mice. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/Proceedings of the National Academy of Sciences.0911725107. <http://www.Proceedings of the National Academy of Sciences.org/content/early/2010/01/11/0911725107.abstract>

Cressman, V. L., Balaban, J., Steinfeld, S., Shemyakin, A., Graham, P., Parisot, N., & Moore, H. (2010). Prefrontal cortical inputs to the basal amygdala undergo pruning during late adolescence in the rat. *Journal of Comparative Neurology*, 518(14), 2693-2709. doi.

Crevier-Sorbo, G., Rymar, V. V., Crevier-Sorbo, R., & Sadikot, A. F. (2020). Thalamostriatal degeneration contributes to dystonia and cholinergic interneuron dysfunction in a mouse model of Huntington's disease. *Acta Neuropathologica Communications*, 8(1), 14. doi: 10.1186/s40478-020-0878-0. <https://doi.org/10.1186/s40478-020-0878-0>

Crews, L., Adame, A., Patrick, C., DeLaney, A., Pham, E., Rockenstein, E., . . . Masliah, E. (2010). Increased BMP6 Levels in the Brains of Alzheimer's Disease Patients and APP Transgenic Mice Are Accompanied by Impaired Neurogenesis. *Journal of Neuroscience*, 30(37), 12252-12262. doi: 10.1523/jneurosci.1305-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/37/12252>

Crews, L., Mizuno, H., Desplats, P., Rockenstein, E., Adame, A., Patrick, C., . . . Masliah, E. (2008). α -Synuclein Alters Notch-1 Expression and Neurogenesis in Mouse Embryonic Stem Cells and in the Hippocampus of Transgenic Mice. *Journal of Neuroscience*, 28(16), 4250-4260. doi: 10.1523/jneurosci.0066-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/16/4250>

Crews, L., Patrick, C., Adame, A., Rockenstein, E., & Masliah, E. (2011). Modulation of aberrant CDK5 signaling rescues impaired neurogenesis in models of Alzheimer's disease. *Cell Death and Disease*, 2(2), e120-e120. doi.

Cristóvão, A. C., Choi, D. H., Baltazar, G., Beal, M. F., & Kim, Y. S. (2009). The Role of NADPH Oxidase 1-Derived Reactive Oxygen Species in Paraquat-Mediated Dopaminergic Cell Death. *Antioxidants and redox signaling*, 11(9), 2105-2118. doi.

Cristóvão, A. C., Guhathakurta, S., Bok, E., Je, G., Yoo, S. D., Choi, D. H., & Kim, Y. S. (2012). NADPH Oxidase 1 Mediates α -Synucleinopathy in Parkinson's Disease. *Journal of Neuroscience*, 32(42), 14465-14477. doi.

Crocker, C. E., Khan, S., Cameron, M. D., Robertson, H. A., Robertson, G. S., & LoGrasso, P. (2011). JNK inhibition protects dopamine neurons and provides behavioral improvement in a rat 6-hydroxydopamine model of Parkinson's disease. *ACS Chemical Neuroscience*. doi.

Crone, S. A., Negro, A., Trumpp, A., Giovannini, M., & Lee, K. F. (2003). Colonic epithelial expression of ErbB2 is required for postnatal maintenance of the enteric nervous system. *Neuron*, 37(1), 29-40. doi.

Crotti, A., Benner, C., Kerman, B. E., Gosselin, D., Lagier-Tourenne, C., Zuccato, C., . . . Glass, C. K. (2014). Mutant Huntingtin promotes autonomous microglia activation via myeloid lineage-determining factors. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3668.html>

Crow, J. P., Calingasan, N. Y., Chen, J., Hill, J. L., & Beal, M. F. (2005). Manganese porphyrin given at symptom onset markedly extends survival of ALS mice. *Annals of Neurology*, 58(2), 258-265. doi.

- Crupi, R., Impellizzeri, D., Cordaro, M., Siracusa, R., Casili, G., Evangelista, M., & Cuzzocrea, S. (2018). N-palmitoylethanolamide Prevents Parkinsonian Phenotypes in Aged Mice. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0959-2. <https://doi.org/10.1007/s12035-018-0959-2>
- Cruz, D. A., Eggan, S. M., Azmitia, E. C., & Lewis, D. A. (2004). Serotonin1A receptors at the axon initial segment of prefrontal pyramidal neurons in schizophrenia. *American Journal of Psychiatry*, 161(4), 739-742. doi.
- Cruz, D. A., Eggan, S. M., & Lewis, D. A. (2003). Postnatal development of pre-and postsynaptic GABA markers at chandelier cell connections with pyramidal neurons in monkey prefrontal cortex. *Journal of Comparative Neurology*, 465(3), 385-400. doi.
- Cruz, D. A., Lovallo, E. M., Stockton, S., Rasband, M., & Lewis, D. A. (2009). Postnatal development of synaptic structure proteins in pyramidal neuron axon initial segments in monkey prefrontal cortex. *Journal of Comparative Neurology*, 514(4), 353-367. doi.
- Cruz, D. A., Weaver, C. L., Lovallo, E. M., Melchitzky, D. S., & Lewis, D. A. (2009). Selective alterations in postsynaptic markers of chandelier cell inputs to cortical pyramidal neurons in subjects with schizophrenia. *Neuropsychopharmacology*, 34(9), 2112-2124. doi.
- Cruz-Ochoa, N. A., Ochoa-Amaya, J. E., Pulecio, S. L., Xavier, G. F., & Nogueira, M. I. (2019). Neonatal anoxia impairs long-term energy metabolism and somatic development of Wistar rats. *International Journal of Developmental Neuroscience*. doi: <https://doi.org/10.1016/j.ijdevneu.2019.11.001>. <http://www.sciencedirect.com/science/article/pii/S0736574819302114>
- Cruz-Rizzolo, R. J., Limieri, L. L., de Paiva, I. R., Ribeiro, J. O. B., Pimenta, T. F., Pinato, L., . . . Liberti, E. A. (2017). Protein malnutrition during gestation and early life decreases neuronal size in the medial prefrontal cortex of post-pubertal rats. *IBRO Reports*, 3(Supplement C), 65-71. doi: <https://doi.org/10.1016/j.ibror.2017.08.002>. <http://www.sciencedirect.com/science/article/pii/S2451830117300213>
- Cuesta, S., Restrepo-Lozano, J. M., Popescu, C., He, S., Reynolds, L. M., Israel, S., . . . Flores, C. (2019). DCC-related developmental effects of abused- versus therapeutic-like amphetamine doses in adolescence. *Addiction Biology*, 0(0), e12791. doi: 10.1111/adb.12791. <https://onlinelibrary.wiley.com/doi/abs/10.1111/adb.12791>
- Cui, D., Wang, L., Jiang, W., Qi, A., Zhou, Q., & Zhang, X. (2013). Propofol prevents cerebral ischemia-triggered autophagy activation and cell death in the rat hippocampus through the NF- κ B/p53 signaling pathway. *Neuroscience*, 0(0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.04.054>. <http://www.sciencedirect.com/science/article/pii/S0306452213003874>
- Cui, L.-J., Chen, W.-H., Liu, A.-L., Han, X., Jiang, S.-X., Yuan, F., . . . Weng, S.-J. (2020). nGnG Amacrine Cells and Brn3b-negative M1 ipRGCs are Specifically Labeled in the ChAT-ChR2-EYFP Mouse. *Investigative Ophthalmology and Visual Science*, 61(2), 14-14. doi: 10.1167/iovs.61.2.14. <https://doi.org/10.1167/iovs.61.2.14>
- Cui, X., Pertile, R., Liu, P., & Eyles, D. W. (2015). Vitamin D regulates tyrosine hydroxylase expression: N-cadherin a possible mediator. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.07.048>. <http://www.sciencedirect.com/science/article/pii/S0306452215006624>

- Cui, X., Weng, Y.-Q., Frappé, I., Burgess, A., Girão da Cruz, M. T., Schachner, M., & Aubert, I. (2011). The cell adhesion molecule L1 regulates the expression of choline acetyltransferase and the development of septal cholinergic neurons. *Brain and Behavior*, no-no. doi: 10.1002/brb3.15. <http://dx.doi.org/10.1002/brb3.15>
- Cullen, C. L., Burne, T. H. J., Lavidis, N. A., & Moritz, K. M. (2013). Low Dose Prenatal Ethanol Exposure Induces Anxiety-Like Behaviour and Alters Dendritic Morphology in the Basolateral Amygdala of Rat Offspring. *Plos one*, 8(1), e54924. doi: 10.1371/journal.pone.0054924. <http://dx.doi.org/10.1371%2Fjournal.pone.0054924>
- Cullen, C. L., Burne, T. H. J., Lavidis, N. A., & Moritz, K. M. (2014). Low Dose Prenatal Alcohol Exposure Does Not Impair Spatial Learning and Memory in Two Tests in Adult and Aged Rats. *Plos one*, 9(6), e101482. doi: 10.1371/journal.pone.0101482. <http://dx.doi.org/10.1371%2Fjournal.pone.0101482>
- Cullen-McEwen, L. A., Douglas-Denton, R. N., & Bertram, J. F. (2012). Estimating total nephron number in the adult kidney using the physical disector/fractionator combination. *Methods in Molecular Biology*, 886, 333. doi.
- Cullity, E. R., Madsen, H. B., Perry, C. J., & Kim, J. H. (2018). Postnatal developmental trajectory of dopamine receptor 1 and 2 expression in cortical and striatal brain regions. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24574. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24574>
- Cummings, D. M., Alaghband, Y., Hickey, M. A., Joshi, P. R., Hong, S. C., Zhu, C., . . . Levine, M. S. (2012). A critical window of CAG repeat-length correlates with phenotype severity in the R6/2 mouse model of Huntington's disease. *Journal of Neurophysiology*, 107(2), 677-691. doi: 10.1152/jn.00762.2011. <http://jn.physiology.org/content/107/2/677.abstract>
- Cunha, F., Racicot, K., Nahirney, J., Heuston, C., Wylie, D. R., & Iwaniuk, A. N. (2020). Allometric Scaling Rules of the Cerebellum in Galliform Birds. *Brain, Behavior and Evolution*. doi: 10.1159/000509069. <https://www.karger.com/DOI/10.1159/000509069>
- Curanović, D., Lyman, M. G., Bou-Abboud, C., Card, J. P., & Enquist, L. W. (2009). Repair of the UL21 locus in pseudorabies virus Bartha enhances the kinetics of retrograde, transneuronal infection in vitro and in vivo. *Journal of Virology*, 83(3), 1173-1183. doi.
- Cushman, J. D., Maldonado, J., Kwon, E. E., Garcia, D. A., Fan, G., Imura, T., . . . Fanselow, M. S. (2012). Juvenile neurogenesis makes essential contributions to adult brain structure and plays a sex-dependent role in fear memories. [Original Research]. *Frontiers in Behavioral Neuroscience*, 6. doi: 10.3389/fnbeh.2012.00003. [http://www.frontiersin.org/Journal/Abstract.aspx?s=99&name=behavioral](http://www.frontiersin.org/Journal/Abstract.aspx?s=99&name=behavioral%20neuroscience)
- Cushman, T. T., Kim, N., Hoyt, R., & Traish, A. (2009). Estradiol Ameliorates Diabetes-Induced Changes in Vaginal Structure of db/db Mouse Model. *Journal of Sexual Medicine*, 6(9), 2467-2479. doi.
- Custer, E. E., Ortiz-Miranda, S., Knott, T. K., Rawson, R., Elvey, C., Lee, R. H., & Lemos, J. R. (2007). Identification of the neuropeptide content of individual rat neurohypophysial terminals. *Journal of Neuroscience Methods*, 163(2), 226-234. doi.
- Cutler, R. G., Haughey, N. J., Tammara, A., McArthur, J. C., Nath, A., Reid, R., . . . Mattson, M. P. (2004). Dysregulation of sphingolipid and sterol metabolism by ApoE4 in HIV dementia. *Neurology*, 63(4), 626-630. doi. <http://www.neurology.org/cgi/content/abstract/63/4/626>

Cvetanovic, M., Hu, Y.-S., & Opal, P. (2016). Mutant Ataxin-1 Inhibits Neural Progenitor Cell Proliferation in SCA1. [journal article]. *The Cerebellum*, 1-8. doi: 10.1007/s12311-016-0794-9. <http://dx.doi.org/10.1007/s12311-016-0794-9>

Cyr, M., Parent, M. J., Mechawar, N., Rosa-Neto, P., Soucy, J.-P., Aliaga, A., . . . Bedard, M.-A. (2013). PET imaging with [¹⁸F]fluoroethoxybenzovesamicol ([¹⁸F]FEOBV) following selective lesion of cholinergic pedunculopontine tegmental neurons in rat. *Nuclear Medicine and Biology*, (0). doi: <http://dx.doi.org/10.1016/j.nucmedbio.2013.10.004>. <http://www.sciencedirect.com/science/article/pii/S096980511300214X>

Cyr, M., Parent, M. J., Mechawar, N., Rosa-Neto, P., Soucy, J.-P., Clark, S. D., . . . Bedard, M.-A. (2014). Deficit in sustained attention following selective cholinergic lesion of the pedunculopontine tegmental nucleus in rat, as measured with both post-mortem immunocytochemistry and in vivo PET imaging with [¹⁸F]fluoroethoxybenzovesamicol. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.09.021>. <http://www.sciencedirect.com/science/article/pii/S0166432814006123>

Czarnota, G. J., Karshafian, R., Burns, P. N., Wong, S., Al Mahrouki, A., Lee, J. W., . . . Giles, A. (2012). Tumor radiation response enhancement by acoustical stimulation of the vasculature. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1200053109. <http://www.pnas.org/content/early/2012/06/29/1200053109.abstract>

Czéh, B., Ábrahám, H., Tahtakran, S., Houser, C. R., & Seress, L. (2013). Number and regional distribution of GAD65 mRNA-expressing interneurons in the rat hippocampal formation. *Acta Biologica Hungarica*, 64(4), 395-413. doi: <http://www.akademiai.com/content/5n72830655238p75/>

Czeh, B., Abumaria, N., Rygula, R., & Fuchs, E. (2010). Quantitative changes in hippocampal microvasculature of chronically stressed rats: no effect of fluoxetine treatment. *Hippocampus*, 20(1), 174-185. doi.

Czéh, B., Müller-Keuker, J. H., Rygula, R., Abumaria, N., Hiemke, C., Domenici, E., & Fuchs, E. (2006). Chronic Social Stress Inhibits Cell Proliferation in the Adult Medial Prefrontal Cortex: Hemispheric Asymmetry and Reversal by Fluoxetine Treatment. *Neuropsychopharmacology*. doi.

Czeh, B., Simon, M., Hart, M. G. v. d., Schmelting, B., Hesselink, M. B., & Fuchs, E. (2004). Chronic Stress Decreases the Number of Parvalbumin-Immunoreactive Interneurons in the Hippocampus: Prevention by Treatment with a Substance P Receptor (NK1) Antagonist. *Neuropsychopharmacology*, 30(1), 67-79. doi.

Czéh, B., Simon, M., Schmelting, B., Hiemke, C., & Fuchs, E. (2006). Astroglial Plasticity in the Hippocampus is Affected by Chronic Psychosocial Stress and Concomitant Fluoxetine Treatment. *Neuropsychopharmacology*, 31(8), 1616-1626. doi.

D'Angelo, B., Ek, C. J., Sun, Y., Zhu, C., Sandberg, M., & Mallard, C. (2016). GSK3beta inhibition protects the immature brain from hypoxic-ischaemic insult via reduced STAT3 signalling. *Neuropharmacology*, 101. doi: 10.1016/j.neuropharm.2015.09.017. <http://dx.doi.org/10.1016/j.neuropharm.2015.09.017>

d'Errico, P., Boido, M., Piras, A., Valsecchi, V., De Amicis, E., Locatelli, D., . . . Battaglia, G. (2013). Selective Vulnerability of Spinal and Cortical Motor Neuron Subpopulations in delta7 SMA Mice. *Plos one*, 8(12), e82654. doi: 10.1371/journal.pone.0082654. <http://dx.doi.org/10.1371/journal.pone.0082654>

d'Orange, M., Aurégan, G., Cheramy, D., Gaudin-Guérif, M., Lieger, S., Guillermier, M., . . . Cambon, K. (2017). Potentiating tangle formation reduces acute toxicity of soluble tau species in the rat. *Brain*, awx342-awx342. doi: 10.1093/brain/awx342. <http://dx.doi.org/10.1093/brain/awx342>

da Silva, J. A., Tecuapetla, F., Paixão, V., & Costa, R. M. (2018). Dopamine neuron activity before action initiation gates and invigorates future movements. *Nature*, 554, 244. doi: 10.1038/nature25457

<https://www.nature.com/articles/nature25457#supplementary-information>. <http://dx.doi.org/10.1038/nature25457>

da Silveira, L. C., do Nascimento, L. F. R., Colquhoun, A., Abe, A. S., & de Souza, S. C. R. (2013). Cardiac hypertrophy and structural and metabolic remodeling related to seasonal dormancy in the first annual cycle in tegu lizards. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, (0).

doi: <http://dx.doi.org/10.1016/j.cbpa.2013.04.006>. <http://www.sciencedirect.com/science/article/pii/S1095643313001013>

Daadi, M. M., Lee, S. H., Arac, A., Grueter, B. A., Bhatnagar, R., Maag, A. L., . . . Steinberg, G. K. (2009). Functional engraftment of the medial ganglionic eminence cells in experimental stroke model. *Cell Transplantation*, 18(7), 815-826. doi.

Daadi, M. M., Li, Z., Arac, A., Grueter, B. A., Sofilos, M., Malenka, R. C., . . . Steinberg, G. K. (2009). Molecular and Magnetic Resonance Imaging of Human Embryonic Stem Cell-Derived Neural Stem Cell Grafts in Ischemic Rat Brain. *Molecular Therapy*, 17(7), 1282-1291. doi.

Daadi, M. M., Maag, A. L., & Steinberg, G. K. (2008). Adherent self-renewable human embryonic stem cell-derived neural stem cell line: functional engraftment in experimental stroke model. *PLoS ONE*, 3(2), e1644-e1644. doi.

Daadi, M. M., Pivrotto, P., Bringas, J., Cunningham, J., Forsayeth, J., Eberling, J., & Bankiewicz, K. S. (2006). Distribution of AAV2-hAADC-transduced cells after 3 years in Parkinsonian monkeys. *Neuroreport*, 17(2), 201-204. doi.

Dab, C. (2004). Tissue Preparation and Histology for Determining Innervation Density and Terminal Arbor Size in Rats and Mice. *Current Protocols in Neuroscience*, 1, 1. doi.

D'Agostino, G., Kim, J. D., Liu, Z.-W., Jeong, J. K., Suyama, S., Calignano, A., . . . Diano, S. (2012). Prolyl Endopeptidase-Deficient Mice Have Reduced Synaptic Spine Density in the CA1 Region of the Hippocampus, Impaired LTP, and Spatial Learning and Memory. *Cerebral Cortex*. doi: 10.1093/cercor/bhs199. <http://cercor.oxfordjournals.org/content/early/2012/07/05/cercor.bhs199>.

...

Daher, J. P. L., Pletnikova, O., Biskup, S., Musso, A., Gellhaar, S., Galter, D., . . . others. (2012). Neurodegenerative phenotypes in an A53T α -synuclein transgenic mouse model are independent of LRRK2. *Human Molecular Genetics*. doi.

Daher, J. P. L., Ying, M., Banerjee, R., McDonald, R. S., Hahn, M. D., Yang, L., . . . others. (2009). Conditional transgenic mice expressing C-terminally truncated human α -synuclein (α Syn119) exhibit reduced striatal dopamine without loss of nigrostriatal pathway dopaminergic neurons. *Molecular Neurodegeneration*, 4(1), 34-34. doi.

Dai, Y., Clark, J., Zheng, K., Kujoth, G. C., Prolla, T. A., & Simon, D. K. (2014). Somatic mitochondrial DNA mutations do not increase neuronal vulnerability to MPTP in young POLG mutator mice. *Neurotoxicology and Teratology*, (0). doi: <http://dx.doi.org/10.1016/j.ntt.2014.10.004>. <http://www.sciencedirect.com/science/article/pii/S0892036214001767>

Dai, Y., Kiselak, T., Clark, J., Clore, E., Zheng, K., Cheng, A., . . . Simon, D. K. (2013). Behavioral and metabolic characterization of heterozygous and homozygous POLG mutator mice. *Mitochondrion*, (0). doi: <http://dx.doi.org/10.1016/j.mito.2013.03.006>. <http://www.sciencedirect.com/science/article/pii/S1567724913000597>

Dakhova, O., O'Day, D., Kinet, N., Yucer, N., Wiese, M., Shetty, G., & Ducy, P. (2008). Dkk1 regulates post-pubertal spermatocyte apoptosis and testosterone production. *Endocrinology*, 150, 404 - 412. . doi: 10.1210/en.2008-0673. <http://endo.endojournals.org/cgi/content/abstract/en.2008-0673v1>

Dakhova, O., O'Day, D., Kinet, N., Yucer, N., Wiese, M., Shetty, G., & Ducy, P. (2009). Dickkopf-like1 regulates postpubertal spermatocyte apoptosis and testosterone production. *Endocrinology*, 150(1), 404-404. doi.

dal Maschio, M., Ghezzi, D., Bony, G., Alabastri, A., Deidda, G., Brondi, M., . . . Cancedda, L. (2012). High-performance and site-directed in utero electroporation by a triple-electrode probe. [10.1038/ncomms1961]. *Nature Communications*, 3, 960. doi: http://www.nature.com/ncomms/journal/v3/n7/supinfo/ncomms1961_S1.html. <http://dx.doi.org/10.1038/ncomms1961>

Dallimore, E. J., Park, K. K., Pollett, M. A., Taylor, J. S. H., & Harvey, A. R. (2010). The life, death and regenerative ability of immature and mature rat retinal ganglion cells are influenced by their birthdate. *Experimental Neurology*, 225(2), 353-365. doi.

Dandanell, S., Meinild-Lundby, A.-K., Andersen, A. B., Lang, P. F., Oberholzer, L., Keiser, S., . . . Lundby, C. (2018). Determinants of maximal whole body fat oxidation in elite cross-country skiers: role of skeletal muscle mitochondria. *Scandinavian Journal of Medicine and Science in Sports*, 0(ja). doi: doi:10.1111/sms.13298. <https://onlinelibrary.wiley.com/doi/abs/10.1111/sms.13298>

Dang, M. T., Yokoi, F., McNaught, K. S. P., Jengelley, T. A., Jackson, T., Li, J., & Li, Y. (2005). Generation and characterization of Dyt1 [Delta] GAG knock-in mouse as a model for early-onset dystonia. *Experimental Neurology*, 196(2), 452-463. doi.

Daniel, G., Musso, A., Tsika, E., Fiser, A., Glauser, L., Pletnikova, O., . . . Moore, D. J. (2015). α -Synuclein-induced dopaminergic neurodegeneration in a rat model of Parkinson's disease occurs independent of ATP13A2 (PARK9). *Neurobiology of Disease*, 73(0), 229-243. doi: <http://dx.doi.org/10.1016/j.nbd.2014.10.007>. <http://www.sciencedirect.com/science/article/pii/S0969996114003003>

Darkazalli, A., Ismail, A. A. O., Abad, N., Grant, S. C., & Levenson, C. W. (2016). Use of human mesenchymal stem cell treatment to prevent anhedonia in a rat model of traumatic brain injury. *Restorative Neurology and Neuroscience*, (Preprint), 1-9. doi. <http://content.iospress.com/articles/restorative-neurology-and-neuroscie..>

Darland, D. C., Cain, J. T., Berosik, M. A., Saint-Geniez, M., Odens, P. W., Schaubhut, G. J., . . . D'Amore, P. A. (2011). Vascular endothelial growth factor (VEGF) isoform regulation of early forebrain development. *Developmental Biology*. doi.

Darling, W. G., Ge, J., Stilwell-Morecraft, K. S., Rotella, D. L., Pizzimenti, M. A., & Morecraft, R. J. (2018). Hand Motor Recovery following Extensive Frontoparietal Cortical Injury is accompanied by Upregulated Corticoreticular Projections in the Monkey. [10.1523/JNEUROSCI.0403-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/06/13/JNEUROSCI.0403-18.2018>.

Darling, W. G., Pizzimenti, M. A., Rotella, D. L., Peterson, C. R., Hynes, S. M., Ge, J., . . . Morecraft, R. J. (2009). Volumetric effects of motor cortex injury on recovery of dexterous movements. *Experimental Neurology*, 220(1), 90-108. doi:

Darlot, F., Moro, C., El Massri, N., Chabrol, C., Johnstone, D. M., Reinhart, F., . . . Benabid, A.-L. (2015). Near-infrared light is neuroprotective in a monkey model of Parkinson's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24542. <http://dx.doi.org/10.1002/ana.24542>

Das, M. M., Godoy, M., Chen, S., Moser, V. A., Avalos, P., Roxas, K. M., . . . Goodridge, H. S. (2019). Young bone marrow transplantation preserves learning and memory in old mice. *Communications Biology*, 2(1), 73. doi: 10.1038/s42003-019-0298-5. <https://doi.org/10.1038/s42003-019-0298-5>

Das, M. M., & Svendsen, C. N. (2014). Astrocytes show reduced support of motor neurons with aging that is accelerated in a rodent model of ALS. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.09.020>. <http://www.sciencedirect.com/science/article/pii/S0197458014006253>

Das, S., Nalini, A., Laxmi, T. R., & Raju, T. R. (2020). ALS-CSF-induced structural changes in spinal motor neurons of rat pups cause deficits in motor behaviour. *Experimental Brain Research*. doi: 10.1007/s00221-020-05969-7. <https://doi.org/10.1007/s00221-020-05969-7>

Das, S. K., Aparna, S., & Patri, M. (2019). Chronic waterborne exposure to benzol[a]pyrene induces locomotor dysfunction and development of neurodegenerative phenotypes in zebrafish. *Neuroscience Letters*, 134646. doi: <https://doi.org/10.1016/j.neulet.2019.134646>. <http://www.sciencedirect.com/science/article/pii/S0304394019307499>

Das, S. K., Baitharu, I., Barhwal, K., Hota, S. K., & Singh, S. B. (2016). Early mood behavioral changes following exposure to monotonous environment during isolation stress is associated with altered hippocampal synaptic plasticity in male rats. *Neuroscience Letters*, 612, 231-237. doi: <http://dx.doi.org/10.1016/j.neulet.2015.12.038>. <http://www.sciencedirect.com/science/article/pii/S0304394015303335>

Dash, P. K., Johnson, D., Clark, J., Orsi, S. A., Zhang, M., Zhao, J., . . . Pati, S. (2011). Involvement of the glycogen synthase kinase-3 signaling pathway in TBI pathology and neurocognitive outcome. *PLoS ONE*, 6(9), e24648-e24648. doi:

Dash, P. K., Mach, S. A., & Moore, A. N. (2001). Enhanced neurogenesis in the rodent hippocampus following traumatic brain injury. *Journal of Neuroscience Research*, 63(4), 313-319. doi:

Dash, P. K., Zhao, J., Kobori, N., Redell, J. B., Hylin, M. J., Hood, K. N., & Moore, A. N. (2016). Activation of Alpha 7 Cholinergic Nicotinic Receptors Reduce Blood-Brain Barrier Permeability following Experimental Traumatic Brain Injury. *The Journal of Neuroscience*, 36(9), 2809-2818. doi: <http://www.jneurosci.org/content/36/9/2809.short>

Dass, B., Kladis, T., Chu, Y., & Kordower, J. H. (2006). RET expression does not change with age in the substantia nigra pars compacta of rhesus monkeys. *Neurobiology of Aging*, 27(6), 857-861. doi:

Datto, J., Bastidas, J., Miller, N., Shah, A. K., Marcillo, A., Dietrich, W. D., & Pearce, D. D. (2015). Female rats demonstrate improved locomotor recovery and greater preservation of white and grey matter following traumatic spinal cord injury compared to males. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3702. <http://dx.doi.org/10.1089/neu.2014.3702>

Daubaras, M., Dal Bo, G., & Flores, C. (2013). Target-dependent expression of the netrin-1 receptor, UNC5C, in projection neurons of the ventral tegmental area. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.12.007>. <http://www.sciencedirect.com/science/article/pii/S0306452213010166>

Dautan, D., Huerta-Ocampo, I., Witten, I. B., Deisseroth, K., Bolam, J. P., Gerdjikov, T., & Mena-Segovia, J. (2014). A Major External Source of Cholinergic Innervation of the Striatum and Nucleus Accumbens Originates in the Brainstem. *The Journal of Neuroscience*, 34(13), 4509-4518. doi: <http://www.jneurosci.org/content/34/13/4509.short>

Dautan, D., Souza, A. S., Huerta-Ocampo, I., Valencia, M., Assous, M., Witten, I. B., . . . Mena-Segovia, J. (2016). Segregated cholinergic transmission modulates dopamine neurons integrated in distinct functional circuits. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4335

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4335.html#suppl.....> <http://dx.doi.org/10.1038/nn.4335>

Dave, N., Vural, A. S., Piras, I. S., Winslow, W., Surendra, L., Winstone, J. K., . . . Velazquez, R. (2021). Identification of retinoblastoma binding protein 7 (Rbbp7) as a mediator against tau acetylation and subsequent neuronal loss in Alzheimer's disease and related tauopathies. *Acta Neuropathologica*. doi: 10.1007/s00401-021-02323-1. <https://doi.org/10.1007/s00401-021-02323-1>

Davenport, P., & Tipping, P. G. (2003). The role of interleukin-4 and interleukin-12 in the progression of atherosclerosis in apolipoprotein E-deficient mice. *American Journal of Pathology*, 163(3), 1117-1117. doi.

David, B. T., Ratnayake, A., Amarante, M. A., Reddy, N. P., Dong, W., Sampath, S., . . . Elkabes, S. (2013). A toll-like receptor 9 antagonist reduces pain hypersensitivity and the inflammatory response in spinal cord injury. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.12.012>. <http://www.sciencedirect.com/science/article/pii/S096999611300003X>

Davidson, J. O., Drury, P. P., Green, C. R., Nicholson, L. F., Bennet, L., & Gunn, A. J. (2014). Connexin Hemichannel Blockade Is Neuroprotective after Asphyxia in Preterm Fetal Sheep. *Plos one*, 9(5), e96558. doi: 10.1371/journal.pone.0096558. <http://dx.doi.org/10.1371%2Fjournal.pone.0096558>

Davidson, J. O., Green, C. R., B Nicholson, L. F., O'Carroll, S. J., Fraser, M., Bennet, L., & Jan Gunn, A. (2012). Connexin hemichannel blockade improves outcomes in a model of fetal ischemia. *Annals of Neurology*, 71(1), 121-132. doi.

Davies, S. E., Hallett, P. J., Moens, T., Smith, G., Mangano, E., Kim, H. T., . . . Tofaris, G. K. (2014). Enhanced ubiquitin-dependent degradation by Nedd4 protects against α -synuclein accumulation and toxicity in animal models of Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.12.011>. <http://www.sciencedirect.com/science/article/pii/S0969996113003550>

Davimes, J. G., Alagaili, A. N., Bennett, N. C., Mohammed, O. B., Bhagwandin, A., Manger, P. R., & Gravett, N. (2017). Neurochemical organization and morphology of the sleep related nuclei in the

brain of the Arabian oryx, *Oryx leucoryx*. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2017.02.002>. <http://www.sciencedirect.com/science/article/pii/S089106181630268X>

Davis, J. L.-B. (2018). The role of redox dysregulation in the effects of prenatal stress on the embryonic and adult mouse brain. doi: <https://search.proquest.com/openview/085c3ee4a6da5c525e79c76f8f039644/1?..>

Dawes, W. J., Zhang, X., Fancy, S. P., Rowitch, D., & Marino, S. (2017). Moderate-Grade Germinal Matrix Haemorrhage Activates Cell Division in the Neonatal Mouse Subventricular Zone. *Developmental Neuroscience*. doi: <http://www.karger.com/Article/Abstract/455839>

Dawson, H. N., Cantillana, V., Chen, L., & Vitek, M. P. (2007). The Tau N279K Exon 10 Splicing Mutation Recapitulates Frontotemporal Dementia and Parkinsonism Linked to Chromosome 17 Tauopathy in a Mouse Model. *Journal of Neuroscience*, 27(34), 9155-9168. doi: 10.1523/jneurosci.5492-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/34/9155>

Dawson, H. N., Cantillana, V., Jansen, M., Wang, H., Vitek, M. P., Wilcock, D. M., . . . Laskowitz, D. T. (2010). Loss of tau elicits axonal degeneration in a mouse model of Alzheimer's disease. *Neuroscience*, 169(1), 516-531. doi.

Day, N. L., Carle, M. S., & Floyd, C. L. (2017). Post-injury administration of a combination of memantine and 17 β -estradiol is protective in a rat model of traumatic brain injury. *Neurochemistry International*. doi: <https://doi.org/10.1016/j.neuint.2017.04.018>. <http://www.sciencedirect.com/science/article/pii/S0197018617302450>

Day, N. L., Floyd, C. L., D'Alessandro, T. L., Hubbard, W. J., & Chaudry, I. H. (2013). 17 β -estradiol confers protection following traumatic brain injury in the rat and involves activation of G Protein-coupled estrogen receptor 1 (GPER). *Journal of Neurotrauma*, (ja). doi.

Dayisoylu, E. H., Şenel, F. Ç., Üngör, C., Tosun, E., Çankaya, M., Ersöz, S., & Taskesen, F. (2013). The effects of adjunctive parathyroid hormone injection on bisphosphonate-related osteonecrosis of the jaws: an animal study. *International Journal of Oral and Maxillofacial Surgery*, (o). doi: <http://dx.doi.org/10.1016/j.ijom.2013.05.001>. <http://www.sciencedirect.com/science/article/pii/S0901502713002063>

Dayisoylu, E. H., Üngör, C., Tosun, E., Ersöz, S., Duman, M. K., Taskesen, F., & Şenel, F. Ç. (2013). Does an alkaline environment prevent the development of bisphosphonate related osteonecrosis of the jaw? an experimental study in rats. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*, (o). doi: <http://dx.doi.org/10.1016/j.oooo.2013.11.490>. <http://www.sciencedirect.com/science/article/pii/S2212440313016520>

Dayton, R. D., Wang, D. B., Cain, C. D., Schrott, L. M., Ramirez, J. J., King, M. A., & Klein, R. L. (2011). Frontotemporal lobar degeneration related proteins induce only subtle memory-related deficits when bilaterally overexpressed in the dorsal hippocampus. *Experimental Neurology*. doi.

Day-Wilson, K. M., Jones, D. N. C., Southam, E., Cilia, J., & Totterdell, S. (2006). Medial prefrontal cortex volume loss in rats with isolation rearing-induced deficits in prepulse inhibition of acoustic startle. *Neuroscience*, 141(3), 1113-1121. doi.

de Almeida, M. N. F., Mendes, F. C. C. S., Felício, A. P. G., Falsoni, M., de Andrade, M. L. F., Neto, J. B. T., . . . Sosthenes, M. C. K. (2012). Spatial memory decline after masticatory deprivation and aging is associated with altered laminar distribution of CA1 astrocytes. *BMC Neuroscience*, 13(1), 23-23. doi.

de Ávila, C., Chometton, S., Calvez, J., Guèvremont, G., Kania, A., Torz, L., . . . Cifani, C. (2020). Estrous Cycle Modulation of Feeding and Relaxin-3/Rxfrp3 mRNA Expression - Implications for Estradiol. *Neuroendocrinology*. doi: 10.1159/000513830. <https://www.karger.com/DOI/10.1159/000513830>

de Ávila, C., Chometton, S., Lenglos, C., Calvez, J., Gundlach, A. L., & Timofeeva, E. (2017). Differential effects of relaxin-3 and a selective relaxin-3 receptor agonist on food and water intake and hypothalamic neuronal activity in rats. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2017.08.044>. <http://www.sciencedirect.com/science/article/pii/S016643281730952X>

De Butte, M., Fortin, T., & Pappas, B. A. (2002). Pinealectomy: behavioral and neuropathological consequences in a chronic cerebral hypoperfusion model. *Neurobiology of Aging*, 23(2), 309-317. doi.

De Butte, M., & Pappas, B. A. (2007). Pinealectomy causes hippocampal CA1 and CA3 cell loss: reversal by melatonin supplementation. *Neurobiology of Aging*, 28(2), 306-313. doi.

de Chevigny, A., Cooper, O., Vinuela, A., Reske-Nielsen, C., Lagace, D. C., Eisch, A. J., & Isacson, O. (2008). Fate Mapping and Lineage Analyses Demonstrate the Production of a Large Number of Striatal Neuroblasts After Transforming Growth Factor α and Noggin Striatal Infusions into the Dopamine-Depleted Striatum. *Stem Cells*, 26(9), 2349-2360. doi: 10.1634/stemcells.2008-0080. <http://stemcells.alphaamedpress.org/cgi/content/abstract/26/9/2349>

de Guglielmo, G., Crawford, E., Kim, S., Vendruscolo, L. F., Hope, B. T., Brennan, M., . . . George, O. (2016). Recruitment of a Neuronal Ensemble in the Central Nucleus of the Amygdala Is Required for Alcohol Dependence. *The Journal of Neuroscience*, 36(36), 9446-9453. doi: <http://www.jneurosci.org/content/36/36/9446.short>

de Guglielmo, G., Kallupi, M., Pomrenze, M. B., Crawford, E., Simpson, S., Schweitzer, P., . . . George, O. (2019). Inactivation of a CRF-dependent amygdalofugal pathway reverses addiction-like behaviors in alcohol-dependent rats. *Nature Communications*, 10(1), 1238. doi: 10.1038/s41467-019-09183-0. <https://doi.org/10.1038/s41467-019-09183-0>

de Lanerolle, N. C., Bandak, F., Kang, D., Li, A. Y., Du, F., Swauger, P., . . . Kim, J. H. (2011). Characteristics of an Explosive Blast-Induced Brain Injury in an Experimental Model. *Journal of Neuropathology and Experimental Neurology*, 70(11), 1046-1046. doi.

de Leão, E. R. L. P., de Souza, D. N. C., de Moura, L. V. B., da Silveira Júnior, A. M., dos Santos, A. L. G., Diniz, D. G., . . . Sosthenes, M. C. K. (2021). Lateral septum microglial changes and behavioral abnormalities of mice exposed to valproic acid during the prenatal period. *Journal of Chemical Neuroanatomy*, 111, 101875. doi: <https://doi.org/10.1016/j.jchemneu.2020.101875>. <http://www.sciencedirect.com/science/article/pii/S0891061820301447>

De Lella Ezcurra, A. L., Chertoff, M., Ferrari, C., Graciarena, M., & Pitossi, F. (2010). Chronic expression of low levels of tumor necrosis factor- α in the substantia nigra elicits progressive neurodegeneration, delayed motor symptoms and microglia/macrophage activation. *Neurobiology of Disease*, 37(3), 630-640. doi.

De Lorme, K. C., Schulz, K. M., Salas-Ramirez, K. Y., & Sisk, C. L. (2012). Pubertal testosterone organizes regional volume and neuronal number within the medial amygdala of adult male Syrian hamsters. *Brain Research*. doi.

de Nijs, L., Choe, K., Steinbusch, H., Schijns, O. E. M. G., Dings, J., van den Hove, D. L. A., . . . Hoogland, G. (2019). DNA methyltransferase isoforms expression in the temporal lobe of epilepsy patients with a history of febrile seizures. *Clinical Epigenetics*, 11(1), 118. doi: 10.1186/s13148-019-0721-2. <https://doi.org/10.1186/s13148-019-0721-2>

de Oliveira, T. C. G., Carvalho-Paulo, D., de Lima, C. M., de Oliveira, R. B., Santos Filho, C., Diniz, D. G., . . . Picanço-Diniz, C. W. (2020). Long-term environmental enrichment reduces microglia morphological diversity of the molecular layer of dentate gyrus. *European Journal of Neuroscience*, n/a(n/a). doi: 10.1111/ejn.14920. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14920>

de Rivero Vaccari, J. P., Marcillo, A., Nonner, D., Dietrich, W. D., & Keane, R. W. (2009). Neuroprotective effects of bone morphogenetic protein 7 (BMP7) treatment after spinal cord injury. *Neuroscience Letters*, 465(3), 226-229. doi.

Dean, J. M., Farrag, D., Zahkhouk, S. A. M., El Zawahry, E. Y. I., Hagberg, H., Kjellmer, I., & Mallard, C. (2009). Cerebellar white matter injury following systemic endotoxemia in preterm fetal sheep. *Neuroscience*, 160(3), 606-615. doi.

Dean, J. M., George, S., Naylor, A. S., Mallard, C., Gunn, A. J., & Bennet, L. (2008). Partial neuroprotection with low-dose infusion of the α_2 -adrenergic receptor agonist clonidine after severe hypoxia in preterm fetal sheep. *Neuropharmacology*, 55(2), 166-174. doi.

Dean, J. M., McClendon, E., Hansen, K., Azimi-Zonooz, A., Chen, K., Riddle, A., . . . Back, S. A. (2013). Prenatal Cerebral Ischemia Disrupts MRI-Defined Cortical Microstructure Through Disturbances in Neuronal Arborization. *Science translational medicine*, 5(168), 168ra167. doi: 10.1126/scitranslmed.3004669. <http://stm.sciencemag.org/content/5/168/168ra7.abstract>

Dean, J. M., Riddle, A., Maire, J., Hansen, K. D., Preston, M., Barnes, A. P., . . . Back, S. A. (2011). An organotypic slice culture model of chronic white matter injury with maturation arrest of oligodendrocyte progenitors. *Molecular Neurodegeneration*, 6, 46-46. doi.

Dean, J. M., van de Looij, Y., Sizonenko, S. V., Lodygensky, G. A., Lazeyras, F., Bolouri, H., . . . Mallard, C. (2011). Delayed cortical impairment following lipopolysaccharide exposure in preterm fetal sheep. *Annals of Neurology*. doi.

Debels, H., Gerrand, Y.-w., Poon, C. J., Abberton, K. M., Morrison, W. A., & Mitchell, G. M. (2015). An adipogenic gel for surgical reconstruction of the subcutaneous fat layer in a rat model. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.2025. <http://dx.doi.org/10.1002/term.2025>

DeCarolis, N. A., Mechanic, M., Petrik, D., Carlton, A., Ables, J. L., Malhotra, S., . . . Eisch, A. J. (2013). In vivo contribution of nestin- and GLAST-lineage cells to adult hippocampal neurogenesis. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22130. <http://dx.doi.org/10.1002/hipo.22130>

Decressac, M., Mattsson, B., Weikop, P., Lundblad, M., Jakobsson, J., & Björklund, A. (2013). TFEB-mediated autophagy rescues midbrain dopamine neurons from α -synuclein toxicity. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1305623110. <http://www.pnas.org/content/early/2013/04/18/1305623110.abstract>

Dedeoglu, A., Kubilus, J. K., Jeitner, T. M., Matson, S. A., Bogdanov, M., Kowall, N. W., . . . Ferrante, R. J. (2002). Therapeutic Effects of Cystamine in a Murine Model of Huntington's Disease. *Journal of Neuroscience*, 22(20), 8942-8950. doi: <http://www.jneurosci.org/cgi/content/abstract/22/20/8942>

Dedeoglu, A., Kubilus, J. K., Yang, L., Ferrante, K. L., Hersch, S. M., Beal, M. F., & Ferrante, R. J. (2003). Creatine therapy provides neuroprotection after onset of clinical symptoms in Huntington's disease transgenic mice. *Journal of Neurochemistry*, 85(6), 1359-1367. doi: <http://www.jneurochem.org/cgi/content/abstract/85/6/1359>

Dedeurwaerdere, S., Fang, K., Chow, M., Shen, Y., Noordman, I., van Raay, L., . . . O'Brien, T. J. (2012). Manganese-enhanced MRI reflects seizure outcome in a model for mesial temporal lobe epilepsy. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2012.11.054>. <http://www.sciencedirect.com/science/article/pii/S1053811912011664>

Deep, S. N., Baitharu, I., Sharma, A., Gurjar, A. K. S., Prasad, D., & Singh, S. B. (2016). Neuroprotective Role of L-N^G-Nitroarginine Methyl Ester (L-NAME) against Chronic Hypobaric Hypoxia with Crowding Stress (CHC) Induced Depression-Like Behaviour. *Plos one*, 11(4), e0153371. doi: 10.1371/journal.pone.0153371. <http://dx.doi.org/10.1371/journal.pone.0153371>

DeGiosio, R., Kelly, R. M., DeDionisio, A. M., Newman, J. T., Fish, K. N., Sampson, A. R., . . . Sweet, R. A. (2019). MAP2 immunoreactivity deficit is conserved across the cerebral cortex within individuals with schizophrenia. *npj Schizophrenia*, 5(1), 13. doi: 10.1038/s41537-019-0081-0. <https://doi.org/10.1038/s41537-019-0081-0>

Dehay, B., Bove, J., Rodriguez-Muela, N., Perier, C., Recasens, A., Boya, P., & Vila, M. (2010). Pathogenic Lysosomal Depletion in Parkinson's Disease. *Journal of Neuroscience*, 30(37), 12535-12544. doi: 10.1523/jneurosci.1920-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/37/12535>

Dehmer, T., Heneka, M. T., Sastre, M., Dichgans, J., & Schulz, J. B. (2004). Protection by pioglitazone in the MPTP model of Parkinson's disease correlates with IKB α induction and block of NF κ B and iNOS activation. *Journal of Neurochemistry*, 88(2), 494-501. doi.

Deichler, A., Carrasco, D., Lopez-Jury, L., Vega-Zuniga, T., Márquez, N., Mpodozis, J., & Marín, G. J. (2020). A specialized reciprocal connectivity suggests a link between the mechanisms by which the superior colliculus and parabrachial nucleus produce defensive behaviors in rodents. *Scientific Reports*, 10(1), 16220. doi: 10.1038/s41598-020-72848-0. <https://doi.org/10.1038/s41598-020-72848-0>

Deidda, G., Allegra, M., Cerri, C., Naskar, S., Bony, G., Zunino, G., . . . Cancedda, L. (2014). Early depolarizing GABA controls critical-period plasticity in the rat visual cortex. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.3890

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3890.html#suppl> <http://dx.doi.org/10.1038/nn.3890>

del Cid-Pellitero, E., & Jones, B. E. (2012). Immunohistochemical evidence for synaptic release of GABA from melanin-concentrating hormone containing varicosities in the locus coeruleus. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.07.072. <http://www.sciencedirect.com/science/article/pii/S0306452212008251>

del Cid-Pellitero, E., Plavski, A., Mainville, L., & Jones, B. E. (2017). Homeostatic Changes in GABA and Glutamate Receptors on Excitatory Cortical Neurons during Sleep Deprivation and Recovery. [Original

Research]. *Frontiers in Systems Neuroscience*, 11(17). doi: 10.3389/fnsys.2017.00017. <http://journal.frontiersin.org/article/10.3389/fnsys.2017.00017>

del Valle, K., Theus, M. H., Bethea, J. R., Liebl, D. J., & Ricard, J. (2011). Neural progenitors proliferation is inhibited by EphB3 in the developing subventricular zone. *International Journal of Developmental Neuroscience*, 29(1), 9-14. doi.

Dela Cruz, J. A. D., Coke, T., & Bodnar, R. J. (2016). Simultaneous Detection of c-Fos Activation from Mesolimbic and Mesocortical Dopamine Reward Sites Following Naive Sugar and Fat Ingestion in Rats. (114), e53897. doi: doi:10.3791/53897. <http://www.jove.com/video/53897>

Dela Cruz, J. A. D., Coke, T., Karagiorgis, T., Sampson, C., Icaza-Cukali, D., Kest, K., . . . Bodnar, R. J. (2015). c-Fos induction in mesotelencephalic dopamine pathway projection targets and dorsal striatum following oral intake of sugars and fats in rats. *Brain Research Bulletin*, 111(0), 9-19. doi: <http://dx.doi.org/10.1016/j.brainresbull.2014.11.002>. <http://www.sciencedirect.com/science/article/pii/S0361923014001853>

Dela Cruz, J. A. D., Schmidt-Kastner, R., Stevens, J. A. A., Steinbusch, H. W. M., & Rutten, B. P. F. (2014). Differential distribution of hypoxia-inducible factor 1-beta (ARNT or ARNT2) in mouse substantia nigra and ventral tegmental area. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.07.001>. <http://www.sciencedirect.com/science/article/pii/S0891061814000507>

Delbary-Gossart, S., Lee, S., Baroni, M., Lamarche, I., Arnone, M., Canolle, B., . . . Beattie, M. S. (2016). A novel inhibitor of p75-neurotrophin receptor improves functional outcomes in two models of traumatic brain injury. [10.1093/brain/aww074]. *Brain*. doi: <http://brain.oxfordjournals.org/content/early/2016/04/15/brain.aww074.ab..>

Delcour, M., Russier, M., Castets, F., Turle-Lorenzo, N., Canu, M.-H., Cayetanot, F., . . . Coq, J.-O. (2018). Early movement restriction leads to maladaptive plasticity in the sensorimotor cortex and to movement disorders. *Scientific Reports*, 8(1), 16328. doi: 10.1038/s41598-018-34312-y. <https://doi.org/10.1038/s41598-018-34312-y>

Deleidi, M., Cooper, O., Hargus, G., Levy, A., & Isacson, O. (2011). Oct4-induced reprogramming is required for adult brain neural stem cell differentiation into midbrain dopaminergic neurons. *PLoS ONE*, 6(5), e19926-e19926. doi.

Deleidi, M., Hallett, P. J., Koprach, J. B., Chung, C.-Y., & Isacson, O. (2010). The Toll-Like Receptor-3 Agonist Polyinosinic:Polycytidylic Acid Triggers Nigrostriatal Dopaminergic Degeneration. *Journal of Neuroscience*, 30(48), 16091-16101. doi: 10.1523/jneurosci.2400-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/48/16091>

Deleidi, M., Hargus, G., Hallett, P., Osborn, T., & Isacson, O. (2011). Development of Histocompatible Primate-Induced Pluripotent Stem Cells for Neural Transplantation. *Stem Cells*, 29(7), 1052-1063. doi: 10.1002/stem.662. <http://dx.doi.org/10.1002/stem.662>

Dell, x, Anno, M. T., Caiazza, M., Leo, D., Dvoretzkova, E., . . . Broccoli, V. (2014). Remote control of induced dopaminergic neurons in parkinsonian rats. *The Journal of Clinical Investigation*, 124(7), 0-0. doi: 10.1172/jci74664. <http://www.jci.org/articles/view/74664>

Dell, L. A., Patzke, N., Bhagwandin, A., Bux, F., Fuxe, K., Barber, G., . . . Manger, P. R. (2012). Organization and number of orexinergic neurons in the hypothalamus of two species of Cetartiodactyla: a

comparison of giraffe (*Giraffa camelopardalis*) and harbour porpoise (*Phocoena phocoena*). *Journal of Chemical Neuroanatomy*. doi.

Dell, L.-A., Spocter, M. A., Patzke, N., Karlson, K. Æ., Alagaili, A. N., Bennett, N. C., . . . Manger, P. R. (2015). Orexinergic bouton density is lower in the cerebral cortex of cetaceans compared to artiodactyls. *Journal of Chemical Neuroanatomy*, 68, 61-76.
doi: <http://dx.doi.org/10.1016/j.chemneu.2015.07.007>. <http://www.sciencedirect.com/science/article/pii/S0891061815000587>

Dellarole, A., Morton, P., Brambilla, R., Walters, W., Summers, S., Bernardes, D., . . . Bethea, J. R. (2014). Neuropathic pain-induced depressive-like behavior and hippocampal neurogenesis and plasticity are dependent on TNFR1 signaling. *Brain, Behavior, and Immunity*, (0).
doi: <http://dx.doi.org/10.1016/j.bbi.2014.04.003>. <http://www.sciencedirect.com/science/article/pii/S0889159114001160>

Dellen, A., Welch, J., Dixon, R. M., Cordery, P., York, D., Styles, P., . . . Hannan, A. J. (2000). N-Acetylaspartate and DARPP-32 levels decrease in the corpus striatum of Huntington's disease mice. *Neuroreport*, 11(17), 3751-3751. doi.

Delobel, P., Lavenir, I., Fraser, G., Ingram, E., Holzer, M., & Ghetti, B. (2008). Analysis of tau phosphorylation and truncation in a mouse model of human tauopathy. *American Journal of Pathology*, 172. doi: 10.2353/ajpath.2008.070627.
<http://dx.doi.org/10.2353/ajpath.2008.070627>

Delpéch, J.-C., Wei, L., Hao, J., Yu, X., Madore, C., Butovsky, O., & Kaffman, A. (2016). Early life stress perturbs the maturation of microglia in the developing hippocampus. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.06.006>. <http://www.sciencedirect.com/science/article/pii/S0889159116301556>

DeMarch, Z., Giampà, C., Patassini, S., Bernardi, G., & Fusco, F. R. (2008). Beneficial effects of rolipram in the R6/2 mouse model of Huntington's disease. *Neurobiology of Disease*, 30(3), 375-387. doi.

Demarest, T. G., Waite, E. L., Kristian, T., Puche, A. C., Waddell, J., McKenna, M. C., & Fiskum, G. (2016). Sex-dependent mitophagy and neuronal death following rat neonatal hypoxia-ischemia. *Neuroscience*.
doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.08.026>. <http://www.sciencedirect.com/science/article/pii/S0306452216303992>

Demars, F., Clark, K., Wyeth, M. S., Abrams, E., & Buckmaster, P. S. (2018). A single subconvulsant dose of domoic acid at mid-gestation does not cause temporal lobe epilepsy in mice. *Neurotoxicology*. doi: <https://doi.org/10.1016/j.neuro.2018.04.001>. <https://www.sciencedirect.com/science/article/pii/S0161813X18300974>

Demars, M., Hu, Y. S., Gadadhar, A., & Lazarov, O. (2010). Impaired neurogenesis is an early event in the etiology of familial Alzheimer's disease in transgenic mice. *Journal of Neuroscience Research*, 88(10), 2103-2117. doi.

Demars, M. P., Bartholomew, A., Strakova, Z., & Lazarov, O. (2011). Soluble amyloid precursor protein: a novel proliferation factor of adult progenitor cells of ectodermal and mesodermal origin. *Stem Cell Research and Therapy*, 2(4), 1-15. doi.

Demars, M. P., Hollands, C., Zhao, K. D. T., & Lazarov, O. (2013). Soluble amyloid precursor protein- α rescues age-linked decline in neural progenitor cell proliferation. *Neurobiology of Aging*. doi.

Demir, O., & Arici, N. (2021). Dose-related effects of extracorporeal shock waves on orthodontic tooth movement in rabbits. *Scientific Reports*, 11(1), 3405. doi: 10.1038/s41598-021-82997-5. <https://doi.org/10.1038/s41598-021-82997-5>

Demir, R., Ulvi, H., Özel, L., Özdemir, G., Güzelcik, M., & Aygül, R. (2012). Relationship between plasma metalloproteinase-9 levels and volume and severity of infarct in patients with acute ischemic stroke. *Acta Neurologica Belgica*, 1-6. doi.

Demir, R., Yayla, M., Akpinar, E., Cakir, M., Calikoglu, C., Ozel, L., . . . Mercantepe, T. (2014). Protective effects of alpha-lipoic acid on experimental sciatic nerve crush injury in rats: assessed with functional, molecular and electromicroscopic analyses. *International Journal of Neuroscience*, (0), 1-23. doi. <http://informahealthcare.com/doi/abs/10.3109/00207454.2014.902375>

Demirci, T., Sener, E., Kok, A. N., & Sener, M. T. (2020). Postmortem histochemical and electron microscopic changes in skeletal muscle fibers of fatal hypothermia: an experimental study. *Australian Journal of Forensic Sciences*, 1-16. doi: 10.1080/00450618.2020.1853234. <https://doi.org/10.1080/00450618.2020.1853234>

Dempsey, E. C., Loomis, Z. L., & Wick, M. J. (2011). Recent advances in lung neuropeptide biology using neprilysin and VIP knockout mice. *Drug Discovery Today: Disease Models*. doi.

Dempsey, E. C., Wick, M. J., Karoor, V., Barr, E. J., Tallman, D. W., Wehling, C. A., . . . Miller, Y. E. (2009). Neprilysin Null Mice Develop Exaggerated Pulmonary Vascular Remodeling in Response to Chronic Hypoxia. *American Journal of Pathology*, 174(3), 782-796. doi: 10.2353/ajpath.2009.080345. <http://ajp.amjpathol.org/cgi/content/abstract/174/3/782>

den Hartog, C. R., Blandino, K. L., Nash, M. L., Sjogren, E. R., Grampetro, M. A., Moorman, D. E., & Vazey, E. M. (2020). Noradrenergic tone mediates marble burying behavior after chronic stress and ethanol. *Psychopharmacology*. doi: 10.1007/s00213-020-05589-7. <https://doi.org/10.1007/s00213-020-05589-7>

Dendrinou, G., Hemelt, M., & Keller, A. (2011). Prenatal VPA Exposure and Changes in Sensory Processing by the Superior Colliculus. *Frontiers in Integrative Neuroscience*, 5. doi.

Deng, W., Luo, F., Li, B.-m., & Mei, L. (2019). NRG1-ErbB4 signaling promotes functional recovery in a murine model of traumatic brain injury via regulation of GABA release. [journal article]. *Experimental Brain Research*. doi: 10.1007/s00221-019-05680-2. <https://doi.org/10.1007/s00221-019-05680-2>

Deng, W., Saxe, M. D., Gallina, I. S., & Gage, F. H. (2009). Adult-Born Hippocampal Dentate Granule Cells Undergoing Maturation Modulate Learning and Memory in the Brain. *Journal of Neuroscience*, 29(43), 13532-13542. doi: 10.1523/jneurosci.3362-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/43/13532>

Deng, X. H., Bertini, G., Palomba, M., Xu, Y. Z., Bonaconsa, M., Nygard, M., & Bentivoglio, M. (2010). Glial transcripts and immune-challenged glia in the suprachiasmatic nucleus of young and aged mice. *Chronobiology International*, 27(4), 742-767. doi.

Deng, Y., Wang, H., Joni, M., Sekhri, R., & Reiner, A. (2020). Progression of Basal Ganglia Pathology in Heterozygous Q175 Knock-in Huntington's Disease Mice. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25023. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.25023>

Denham, M., Parish, C. L., Leaw, B., Wright, J., Reid, C. A., Petrou, S., . . . Thompson, L. H. (2012). Neurons derived from human embryonic stem cells extend long-distance axonal projections through growth along host white matter tracts after intra-cerebral transplantation. *Frontiers in Cellular Neuroscience*, 6(11). doi: 10.3389/fncel.2012.00011.

Deniz, Ö. G., Altun, G., Kaplan, A. A., Yurt, K. K., von Bartheld, C. S., & Kaplan, S. (2018). A concise review of optical, physical and isotropic fractionator techniques in neuroscience studies, including recent developments. *Journal of Neuroscience Methods*. doi: <https://doi.org/10.1016/j.jneumeth.2018.07.012>. <http://www.sciencedirect.com/science/article/pii/S016502701830219X>

Dennis, C. V., Suh, L. S., Rodriguez, M. L., Kril, J. J., & Sutherland, G. T. (2016). Human adult neurogenesis across the ages: An immunohistochemical study. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12337. <http://dx.doi.org/10.1111/nan.12337>

Denton, A. R., Samaranyake, S. A., Kirchner, K. N., Roscoe, R. F., Berger, S. N., Harrod, S. B., . . . Booze, R. M. (2019). Selective monoaminergic and histaminergic circuit dysregulation following long-term HIV-1 protein exposure. [journal article]. *Journal of Neurovirology*. doi: 10.1007/s13365-019-00754-x. <https://doi.org/10.1007/s13365-019-00754-x>

Depboylu, C. (2014). Non-serine-phosphorylated tyrosine hydroxylase expressing neurons are present in mouse striatum, accumbens and cortex that increase in number following dopaminergic denervation. *Journal of Chemical Neuroanatomy*. doi: <http://www.sciencedirect.com/science/article/pii/S089106181400012X>

Depboylu, C., Klietz, M., Maurer, L., Oertel, W. H., Kobayashi, K., Weihe, E., . . . Schäfer, M. K. H. (2014). Transcriptional and structural plasticity of tyrosine hydroxylase expressing neurons in both striatum and nucleus accumbens following dopaminergic denervation. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.10.003>. <http://www.sciencedirect.com/science/article/pii/S0891061814000921>

Depboylu, C., Maurer, L., Matusch, A., Hermanns, G., Windolph, A., Béhé, M., . . . Höglinger, G. U. (2013). Effect of long-term treatment with pramipexole or levodopa on presynaptic markers assessed by longitudinal [123I]FP-CIT SPECT and histochemistry. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2013.04.076>. <http://www.sciencedirect.com/science/article/pii/S1053811913004230>

Depboylu, C., Rösler, T. W., de Andrade, A., Oertel, W. H., & Höglinger, G. U. (2015). Systemically administered neuregulin-1 β 1 rescues nigral dopaminergic neurons via the ErbB4 receptor tyrosine kinase in MPTP mouse models of Parkinson disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13026. <http://dx.doi.org/10.1111/jnc.13026>

Depboylu, C., Stricker, S., Ghobril, J.-P., Oertel, W. H., Priller, J., & Höglinger, G. U. (2012). Brain-resident microglia predominate over infiltrating myeloid cells in activation, phagocytosis and interaction with T-lymphocytes in the MPTP mouse model of Parkinson disease. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.08.020. <http://www.sciencedirect.com/science/article/pii/S0014488612003299>

Depner, C., zum Buttel, H., Boğurcu, N., Cuesta, A. M., Aburto, M. R., Seidel, S., . . . Acker-Palmer, A. (2016). EphrinB2 repression through ZEB2 mediates tumour invasion and anti-angiogenic resistance. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms12329. <http://dx.doi.org/10.1038/ncomms12329>

Deroche-Gamonet, V., Revest, J.-M., Fiancette, J.-F., Balado, E., Koehl, M., Grosjean, N., . . . Piazza, P.-V. (2018). Depleting adult dentate gyrus neurogenesis increases cocaine-seeking behavior. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0038-0. <https://doi.org/10.1038/s41380-018-0038-0>

Deroose, C. M., Reumers, V., Gijssbers, R., Bormans, G., Debyser, Z., Mortelmans, L., & Baekelandt, V. (2006). Noninvasive Monitoring of Long-Term Lentiviral Vector-Mediated Gene Expression in Rodent Brain with Bioluminescence Imaging. *Molecular Therapy*, 14, 423-431. doi.

Dervan, A. G., Meshul, C. K., Beales, M., McBean, G. J., Moore, C., Totterdell, S., . . . Meredith, G. E. (2004). Astroglial plasticity and glutamate function in a chronic mouse model of Parkinson's disease. *Experimental Neurology*, 190(1), 145-156. doi.

Desai Bradaric, B., Patel, A., Schneider, J. A., Carvey, P. M., & Hendey, B. (2012). Evidence for angiogenesis in Parkinson's disease, incidental Lewy body disease, and progressive supranuclear palsy. *Journal of Neural Transmission*, 1-13. doi.

Desai, B. S., Schneider, J. A., Li, J. L., Carvey, P. M., & Hendey, B. (2009). Evidence of angiogenic vessels in Alzheimer's disease. *Journal of Neural Transmission*, 116(5), 587-597. doi.

Desgent, S., Boire, D., & Ptito, M. (2010). Altered expression of parvalbumin and calbindin in interneurons within the primary visual cortex of neonatal enucleated hamsters. *Neuroscience*, 171(4), 1326-1340. doi.

Desgent, S., Duss, S., Sanon, N. T., Lema, P., Lévesque, M., Hébert, D., . . . Carmant, L. (2012). Early-Life Stress Is Associated with Gender-Based Vulnerability to Epileptogenesis in Rat Pups. *Plos one*, 7(8), e42622. doi: 10.1371/journal.pone.0042622. <http://dx.doi.org/10.1371/journal.pone.0042622>

Deshpande, A., Dombrowski, S. M., Leichter, A., Krajcir, N., Zingales, N., Inoue, M., . . . Luciano, M. G. (2009). Dissociation between vascular endothelial growth factor receptor-2 and blood vessel density in the caudate nucleus after chronic hydrocephalus. *Journal of Cerebral Blood Flow and Metabolism*, 29(11), 1806-1815. doi.

Desplats, P., Lee, H.-J., Bae, E.-J., Patrick, C., Rockenstein, E., Crews, L., . . . Lee, S.-J. (2009). Inclusion formation and neuronal cell death through neuron-to-neuron transmission of α -synuclein. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/Proceedings of the National Academy of Sciences.0903691106. <http://www.Proceedings of the National Academy of Sciences.org/content/early/2009/07/24/0903691106.abstract>

Detloff, M. R., Smith, E. J., Molina, D. Q., Ganzer, P. D., & Houlié, J. D. (2014). Acute exercise prevents the development of neuropathic pain and the sprouting of non-peptidergic (GDNF- and artemin-responsive) c-fibers after spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.02.013>. <http://www.sciencedirect.com/science/article/pii/S0014488614000582>

Detloff, M. R., Wade, J., R.E., & Houlié, J. D. (2012). Chronic at-and below-level pain following unilateral cervical spinal cord contusion in rats. *Journal of Neurotrauma*, (ja). doi.

Deumens, R., Koopmans, G., Honig, W., Hamers, F. P. T., Mey, J., van Kleef, M., & Joosten, E. A. (2011). Functional recovery, serotonergic sprouting and endogenous progenitor fates in response to delayed environmental enrichment after spinal cord injury. *Journal of Neurotrauma*, (ja). doi.

- Deusser, J., Schmidt, S., Ettle, B., Plötz, S., Huber, S., Müller, C. P., . . . Kohl, Z. (2015). Serotonergic dysfunction in the A53T alpha-synuclein mouse model of Parkinson's disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13253. <http://dx.doi.org/10.1111/jnc.13253>
- Devanathan, V., Jakovcevski, I., Santuccione, A., Li, S., Lee, H. J., Peles, E., . . . Schachner, M. (2010). Cellular Form of Prion Protein Inhibits Reelin-Mediated Shedding of Caspr from the Neuronal Cell Surface to Potentiate Caspr-Mediated Inhibition of Neurite Outgrowth. *Journal of Neuroscience*, 30(27), 9292-9305. doi: 10.1523/jneurosci.5657-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/27/9292>
- Devon, R. S., Orban, P. C., Gerrow, K., Barbieri, M. A., Schwab, C., Cao, L. P., . . . Hayden, M. R. (2006). Als2-deficient mice exhibit disturbances in endosome trafficking associated with motor behavioral abnormalities. *Proceedings of the National Academy of Sciences*, 103(25), 9595-9600. doi: 10.1073/Proceedings of the National Academy of Sciences.0510197103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/25/9595>
- DeWitt, J., Ochoa, V., Urschitz, J., Elston, M., Moisyadi, S., & Nishi, R. (2013). Constitutively active TrkB confers an aggressive transformed phenotype to a neural crest-derived cell line. *Oncogene*. doi:
- Dey, A., Hao, S., Erion, J. R., Wosiski-Kuhn, M., & Stranahan, A. M. (2014). Glucocorticoid sensitization of microglia in a genetic mouse model of obesity and diabetes. *Journal of Neuroimmunology*, (0). doi: <http://dx.doi.org/10.1016/j.jneuroim.2014.01.013>. <http://www.sciencedirect.com/science/article/pii/S016572814000307>
- Dhanushkodi, A., Akano, E. O., Roguski, E. E., Dantzer, L., Xue, Y., Rao, S. K., . . . McDonald, M. P. (2012). A single intramuscular injection of rAAV-mediated mutant erythropoietin protects against MPTP-induced parkinsonism. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/j.1601-183X.2012.12001.x. <http://dx.doi.org/10.1111/j.1601-183X.2012.12001.x>
- Dhanushkodi, A., Xue, Y., Roguski, E. E., Ding, Y., Matta, S. G., Heck, D., . . . McDonald, M. P. (2019). Lentiviral-mediated knock-down of GD3 synthase protects against MPTP-induced motor deficits and neurodegeneration. *Neuroscience Letters*, 692, 53-63. doi: <https://doi.org/10.1016/j.neulet.2018.10.038>. <http://www.sciencedirect.com/science/article/pii/S0304394018307146>
- Dhar, P., Das, S. K., Barhwal, K., Hota, S. K., Mishra, K. P., & Singh, S. B. (2019). Trans-Himalayan Phytococktail Confers Protection Against Hypobaric Hypoxia-Induced Hippocampal Neurodegeneration and Memory Impairment in Male Sprague Dawley Rats. *High altitude medicine & biology*, 20(3), 279-292. doi: 10.1089/ham.2019.0011. <https://doi.org/10.1089/ham.2019.0011>
- Dhillon, N. K., Linaval, N. T., O'Rourke, J., Barmparas, G., Yang, A., Cho, N., . . . Ley, E. J. (2020). How Repetitive Traumatic Injury Alters Long-Term Brain Function. *Journal of Trauma and Acute Care Surgery*, Publish Ahead of Print. doi: 10.1097/ta.0000000000002811. https://journals.lww.com/jtrauma/Fulltext/9000/How_Repetitive_Traumatic...
- Dhillon, S. K., Gunn, A., Jung, Y., Mathai, S., Bennet, L., & Fraser, M. (2015). Lipopolysaccharide-Induced Preconditioning Attenuates Apoptosis and Differentially Regulates TLR4 and TLR7 Gene Expression after Ischemia in the Preterm Ovine Fetal Brain. *Developmental Neuroscience*. doi: <http://www.karger.com/Article/Abstract/433422>
- Dhungel, N., Eleuteri, S., Li, L.-b., Kramer, Nicholas J., Chartron, Justin W., Spencer, B., . . . Gitler, Aaron D. (2014). Parkinson's Disease Genes VPS35 and EIF4G1 Interact Genetically and Converge on

α -Synuclein. *Neuron*, (0).

doi: <http://dx.doi.org/10.1016/j.neuron.2014.11.027>. <http://www.sciencedirect.com/science/article/pii/S0896627314010812>

Di Benedetto, B., Kallnik, M., Weisenhorn, D. M. V., Falls, W. A., Wurst, W., & Hölter, S. M. (2008). Activation of ERK/MAPK in the lateral amygdala of the mouse is required for acquisition of a fear-potentiated startle response. *Neuropsychopharmacology*, 34(2), 356-366. doi.

Di Garbo, A., Mainardi, M., Chillemi, S., Maffei, L., & Caleo, M. (2011). Environmental Enrichment Modulates Cortico-Cortical Interactions in the Mouse. *PLoS ONE*, 6(9), e25285-e25285. doi.

Di Giovanni, V., Walker, K. A., Bushnell, D., Schaefer, C., Sims-Lucas, S., Puri, P., & Bates, C. M. (2015). Fibroblast growth factor receptor-Frs2 α signaling is critical for nephron progenitors. *Developmental Biology*, (0).

doi: <http://dx.doi.org/10.1016/j.ydbio.2015.01.018>. <http://www.sciencedirect.com/science/article/pii/S001216061500038X>

Di Taranto, G., Cicione, C., Visconti, G., Isgrò, M. A., Barba, M., Di Stasio, E., . . . Lattanzi, W. (2015). Qualitative and quantitative differences of adipose-derived stromal cells from superficial and deep subcutaneous lipoaspirates: a matter of fat. *Cytotherapy*, (0).

doi: <http://dx.doi.org/10.1016/j.jcyt.2015.04.004>. <http://www.sciencedirect.com/science/article/pii/S1465324915008579>

Dias, B. G., Ataya, R. S., Rushworth, D., Zhao, J., & Crews, D. (2007). Effect of Incubation Temperature and Androgens on Dopaminergic Activity in the Leopard Gecko, *Eublepharis macularius*. *Developmental Neurobiology*, 67(5), 630-636. doi.

Dias, G. P., Bevilaqua, M. C. d. N., da Luz, A. C. D. S., Fleming, R. L., de Carvalho, L. A., Cocks, G., . . . Gardino, P. F. (2014). Hippocampal biomarkers of fear memory in an animal model of generalized anxiety disorder. *Behavioural Brain Research*, (0).

doi: <http://dx.doi.org/10.1016/j.bbr.2014.01.012>. <http://www.sciencedirect.com/science/article/pii/S0166432814000151>

Díaz-Hernández, M. E., Bustamante, M., Galván-Hernández, C. I., & Chimal-Monroy, J. (2013). *Irxa* and *Irxb* Are Coordinately Expressed and Regulated by Retinoic Acid, TGF β and FGF Signaling during Chick Hindlimb Development. *Plos one*, 8(3), e58549. doi: 10.1371/journal.pone.0058549. <http://dx.doi.org/10.1371/journal.pone.0058549>

Díaz-Ruiz, O., Zapata, A., Shan, L., Zhang, Y. J., Tomac, A. C., Malik, N., . . . Bäckman, C. M. (2009). Selective deletion of PTEN in dopamine neurons leads to trophic effects and adaptation of striatal medium spiny projecting neurons. *PLoS ONE*, 4(9), e7027-e7027. doi.

Díaz-Ruiz, O., Zhang, Y., Shan, L., Malik, N., Hoffman, A. F., Ladenheim, B., . . . Bäckman, C. M. (2012). Attenuated response to methamphetamine sensitization and deficits in motor learning and memory after selective deletion of β -catenin in dopamine neurons. *Learning and Memory*, 19(8), 341-350. doi: 10.1101/lm.026716.112. <http://learnmem.cshlp.org/content/19/8/341.abstract>

Dickerson, S. M., Cunningham, S. L., & Gore, A. C. (2011). Prenatal PCBs disrupt early neuroendocrine development of the rat hypothalamus. *Toxicology and Applied Pharmacology*. doi.

Dickson, D. W. (2004). Building a More Perfect Beast - APP Transgenic Mice with Neuronal Loss. *American Journal of Pathology*, 164(4). doi.

- Dickson, D. W., Crystal, H. A., Bevona, C., Honer, W., Vincent, I., & Davies, P. (1995). Correlations of synaptic and pathological markers with cognition of the elderly. *Neurobiology of Aging*, 16. doi: 10.1016/0197-4580(95)00013-5. [http://dx.doi.org/10.1016/0197-4580\(95\)00013-5](http://dx.doi.org/10.1016/0197-4580(95)00013-5)
- Diederer, R. M. H., La Heij, E. C., Lemmens, M. A. M., Kijlstra, A., De Vente, J., & Hendrikse, F. (2008). Cyclic GMP in the pig vitreous and retina after experimental retinal detachment. *Molecular Vision*, 14, 255-255. doi.
- Diederich, K., Schäbitz, W. R., Kuhnert, K., Hellström, N., Sachser, N., Schneider, A., . . . Knecht, S. (2009). Synergetic effects of granulocyte-colony stimulating factor and cognitive training on spatial learning and survival of newborn hippocampal neurons. *PLoS ONE*, 4(4), e5303-e5303. doi.
- Dietrich, M. O., Antunes, C., Geliang, G., Liu, Z.-W., Borok, E., Nie, Y., . . . Horvath, T. L. (2010). Agrp Neurons Mediate Sirt1's Action on the Melanocortin System and Energy Balance: Roles for Sirt1 in Neuronal Firing and Synaptic Plasticity. *Journal of Neuroscience*, 30(35), 11815-11825. doi: 10.1523/jneurosci.2234-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/35/11815>
- Dietz, G. P. H., Stockhausen, K. V., Dietz, B., Falkenburger, B. H., Valbuena, P., Opazo, F., . . . Bahr, M. (2008). Membrane-permeable Bcl-xL prevents MPTP-induced dopaminergic neuronal loss in the substantia nigra. *Journal of Neurochemistry*, 104(3), 757-765. doi: doi:10.1111/j.1471-4159.2007.05028.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.05028.x>
- Dijkstra, A. A., Lin, L.-C., Nana, A. L., Gaus, S. E., & Seeley, W. W. (2016). Von Economo Neurons and Fork Cells: A Neurochemical Signature Linked to Monoaminergic Function. *Cerebral Cortex*. doi: 10.1093/cercor/bhw358. <http://cercor.oxfordjournals.org/content/early/2016/12/01/cercor.bhw358>
- Dijkstra, A. A., Voorn, P., Berendse, H. W., Groenewegen, H. J., Netherlands Brain, B., Rozemuller, A. J. M., & van de Berg, W. D. J. (2014). Stage-dependent nigral neuronal loss in incidental Lewy body and Parkinson's disease. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.25952. <http://dx.doi.org/10.1002/mds.25952>
- Dikmen, H. O., Hemmerich, M., Lewen, A., Hollnagel, J.-O., Chausse, B., & Kann, O. (2020). GM-CSF induces noninflammatory proliferation of microglia and disturbs electrical neuronal network rhythms in situ. *Journal of neuroinflammation*, 17(1), 235. doi: 10.1186/s12974-020-01903-4. <https://doi.org/10.1186/s12974-020-01903-4>
- Dikranian, K., Cohen, R., Mac Donald, C., Pan, Y., Brakefield, D., Bayly, P., & Parsadanian, A. (2008). Mild traumatic brain injury to the infant mouse causes robust white matter axonal degeneration which precedes apoptotic death of cortical and thalamic neurons. *Experimental Neurology*, 211(2), 551-560. doi.
- Dillingham, C. M., Guggenheim, J. A., & Erichsen, J. T. (2013). Disruption of the Centrifugal Visual System Inhibits Early Eye Growth in Chicks. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iovs.12-11548. <http://www.iovs.org/content/early/2013/04/15/iovs.12-11548.abstract>
- Dillingham, C. M., Guggenheim, J. A., & Erichsen, J. T. (2016). The effect of unilateral disruption of the centrifugal visual system on normal eye development in chicks raised under constant light conditions. [journal article]. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-016-1279-9. <http://dx.doi.org/10.1007/s00429-016-1279-9>
- Dinesh Upadhy, M. K., Daniel Gitai, Olagide W. Castro, Gabriele Zanirati, Raghavendra Upadhy, Sahithi Attaluri, Eeshika Mitra, Bing Shuai, Bharathi Hattiangady, Ashok K. Shetty. (2019). A Model of

Chronic Temporal Lobe Epilepsy Presenting Constantly Rhythmic and Robust Spontaneous Seizures, Co-morbidities and Hippocampal Neuropathology. *Aging and Disease*, 0-. doi: 10.14336/ad.2019.0720. [http://www.aginganddisease.org/CN/abstract/article_147882.shtml]

Ding, H., Underwood, R., Lavalley, N., & Yacoubian, T. A. (2015). 14-3-3 inhibition promotes dopaminergic neuron loss and 14-3-3 θ overexpression promotes recovery in the MPTP mouse model of Parkinson's disease. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.08.042>. <http://www.sciencedirect.com/science/article/pii/S0306452215007745>

Ding, P., Huang, J., Battiprolu, P. K., Hill, J. A., Kamm, K. E., & Stull, J. T. (2010). Cardiac Myosin Light Chain Kinase Is Necessary for Myosin Regulatory Light Chain Phosphorylation and Cardiac Performance in Vivo. *Journal of Biological Chemistry*, 285(52), 40819-40829. doi: 10.1074/jbc.M110.160499. <http://www.jbc.org/content/285/52/40819.abstract>

Ding, W., Lin, H., Hong, X., Ji, D., & Wu, F. (2020). Poloxamer 188-mediated anti-inflammatory effect rescues cognitive deficits in paraquat and maneb-induced mouse model of Parkinson's disease. *Toxicology*, 436, 152437. doi: <https://doi.org/10.1016/j.tox.2020.152437>. <http://www.sciencedirect.com/science/article/pii/S0300483X20300767>

Dingle, A. M., Yap, K. K., Gerrand, Y.-W., Taylor, C. J., Keramidaris, E., Lokmic, Z., . . . Mitchell, G. M. (2018). Characterization of isolated liver sinusoidal endothelial cells for liver bioengineering. [*Journal article*]. *Angiogenesis*. doi: 10.1007/s10456-018-9610-0. <https://doi.org/10.1007/s10456-018-9610-0>

Diniz, D. G., Foro, C. A. R., Rego, C., Gloria, D. A., De Oliveira, F. R. R., Paes, J. M. P., . . . others. (2010). Environmental impoverishment and aging alter object recognition, spatial learning, and dentate gyrus astrocytes. *European Journal of Neuroscience*, 32(3), 509-519. doi.

Dinocourt, C., Petanjek, Z., Freund, T. F., Ben-Ari, Y., & Esclapez, M. (2003). Loss of interneurons innervating pyramidal cell dendrites and axon initial segments in the CA1 region of the hippocampus following pilocarpine-induced seizures. *Journal of Comparative Neurology*, 459(4), 407-425. doi.

Dioli, C., Patricio, P., Trindade, R., Pinto, L. G., Silva, J. M., Morais, M., . . . Sotiropoulos, I. (2017). Tau-dependent suppression of adult neurogenesis in the stressed hippocampus. [*Immediate Communication*]. *Molecular Psychiatry*. doi: 10.1038/mp.2017.103. <http://dx.doi.org/10.1038/mp.2017.103>

Dissen, G. A., Lomniczi, A., Heger, S., Neff, T. L., & Ojeda, S. R. (2012). Hypothalamic EAP1 (enhanced at puberty 1) is required for menstrual cyclicity in nonhuman primates. *Endocrinology*, 153(1), 350-361. doi.

Dittrich, L., Heiss, J. E., Warriar, D. R., Perez, X. A., Quik, M., & Kilduff, T. S. (2012). Cortical nNOS neurons co-express the NK1 receptor and are depolarized by Substance P in multiple mammalian species. *Frontiers in Neural Circuits*, 6. doi.

Divito, C. B., Steece-Collier, K., Case, D. T., Williams, S.-P. G., Stancati, J. A., Zhi, L., . . . Sulzer, D. (2015). Loss of VGLUT3 Produces Circadian-Dependent Hyperdopaminergia and Ameliorates Motor Dysfunction and l-Dopa-Mediated Dyskinesias in a Model of Parkinson's Disease. *The Journal of Neuroscience*, 35(45), 14983-14999. doi. <http://www.jneurosci.org/content/35/45/14983.short>

Dixon, G., Garrick, T., Whiteman, I., Sarris, M., Sithamparamanathan, S., & Harper, C. G. (2004). Characterization of GABAergic neurons within the human medial mamillary nucleus. *Neuroscience*, 127(2), 365-372. doi.

Dixon, K. J., Mier, J., Gajavelli, S., Turbic, A., Bullock, R., Turnley, A. M., & Liebl, D. J. (2016). EphrinB3 restricts endogenous neural stem cell migration after traumatic brain injury. *Stem Cell Research*. doi: <http://dx.doi.org/10.1016/j.scr.2016.09.029>. <http://www.sciencedirect.com/science/article/pii/S1873506116301441>

Dixon, K. J., Theus, M. H., Nelersa, C. M., Mier, J., Travieso, L. G., Yu, T.-S., . . . Liebl, D. J. (2014). Endogenous neural stem/progenitor cells stabilize the cortical microenvironment following traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3390. <http://dx.doi.org/10.1089/neu.2014.3390>

Dmitrieva, N., Nagabukuro, H., Resuehr, D., Zhang, G., McAllister, S. L., McGinty, K. A., . . . Berkley, K. J. (2010). Endocannabinoid involvement in endometriosis. *Pain*, 151(3), 703-710. doi.

do Nascimento, L. F. R., da Silveira, L. C., Nisembaum, L. G., Colquhoun, A., Abe, A. S., Mandarim-de-Lacerda, C. A., & de Souza, S. C. R. (2016). Morphological and metabolic adjustments in the small intestine to energy demands of growth, storage, and fasting in the first annual cycle of a hibernating lizard (*Tupinambis merianae*). *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*. doi: <http://dx.doi.org/10.1016/j.cbpa.2016.02.002>. <http://www.sciencedirect.com/science/article/pii/S1095643316300204>

Doble, B. W., & Woodgett, J. R. (2003). GSK-3: tricks of the trade for a multi-tasking kinase. *Journal of Cell Science*, 116. doi: 10.1242/jcs.00384. <http://dx.doi.org/10.1242/jcs.00384>

Dodd, L. D., Nowak, E., Lange, D., Parker, C. G., DeAngelis, R., Gonzalez, J. A., & Rhodes, J. S. (2019). Active feminization of the preoptic area occurs independently of the gonads in *Amphiprion ocellaris*. *Hormones and Behavior*, 112, 65-76. doi: <https://doi.org/10.1016/j.yhbeh.2019.04.002>. <http://www.sciencedirect.com/science/article/pii/S0018506X18305063>

Dodiya, H. B., Bjorklund, T., Stansell Iii, J., Mandel, R. J., Kirik, D., & Kordower, J. H. (2009). Differential transduction following basal ganglia administration of distinct pseudotyped AAV capsid serotypes in nonhuman primates. *Molecular Therapy*, 18(3), 579-587. doi.

Dodiya, H. B., Forsyth, C. B., Voigt, R. M., Engen, P. A., Patel, J., Shaikh, M., . . . Keshavarzian, A. (2018). Chronic stress-induced gut dysfunction exacerbates Parkinson's disease phenotype and pathology in a rotenone-induced mouse model of Parkinson's disease. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2018.12.012>. <http://www.sciencedirect.com/science/article/pii/S096999611830768X>

Doerr, J., Schwarz, M. K., Wiedermann, D., Leinhaas, A., Jakobs, A., Schloen, F., . . . Brüstle, O. (2017). Whole-brain 3D mapping of human neural transplant innervation. [Article]. *Nature Communications*, 8, 14162. doi: 10.1038/ncomms14162

<http://www.nature.com/articles/ncomms14162#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14162>

Doherty, J. M., Cooke, B. M., & Frantz, K. J. (2012). A Role For The Prefrontal Cortex In Heroin-Seeking After Forced Abstinence By Adult Male Rats But Not Adolescents. *Neuropsychopharmacology*. doi.

Dokter, M., Busch, R., Poser, R., Vogt, M. A., von Bohlen und Halbach, V., Gass, P., . . . von Bohlen und Halbach, O. (2014). Implications of p75^{NTR} for dentate gyrus morphology and hippocampus-related behavior revisited. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-014-0737-5. <http://dx.doi.org/10.1007/s00429-014-0737-5>

Dombrowski, S. M., Deshpande, A., Dingwall, C., Leichter, A., Leibson, Z., & Luciano, M. G. (2008). Chronic hydrocephalus induced hypoxia: Increased expression of VEGFR-2 and blood vessel density in hippocampus. *Neuroscience*, 152(2), 346-359. doi.

Domínguez-Álvarez, M., Montero-Crespo, M., Blázquez-Llorca, L., Insausti, R., DeFelipe, J., & Alonso-Nanclares, L. (2018). Three-dimensional analysis of synapses in the transentorhinal cortex of Alzheimer's disease patients. [journal article]. *Acta Neuropathologica Communications*, 6(1), 20. doi: 10.1186/s40478-018-0520-6. <https://doi.org/10.1186/s40478-018-0520-6>

Donegan, M., Kernisant, M., Cua, C., Jasmin, L., & Ohara, P. T. (2013). Satellite glial cell proliferation in the trigeminal ganglia after chronic constriction injury of the infraorbital nerve. *Glia*, n/a-n/a. doi: 10.1002/glia.22571. <http://dx.doi.org/10.1002/glia.22571>

Dong, D., Zhang, Y., Jiang, Y., Hu, Y., Liu, Z., & Chan, W. Y. (2004). Expression of Nuclear Factor-Kappa B in Early Developing Rhesus Monkey Brains. *Neuroembryology and Aging*, 3(3), 115-122. doi. <http://www.karger.com/DOI/10.1159/000094554>

Dong, H., Qin, Y., Huang, Y., Ji, D., & Wu, F. (2019). Poloxamer 188 rescues MPTP-induced lysosomal membrane integrity impairment in cellular and mouse models of Parkinson's disease. *Neurochemistry International*, 126, 178-186. doi: <https://doi.org/10.1016/j.neuint.2019.03.013>. <http://www.sciencedirect.com/science/article/pii/S0197018619300403>

Dong, Y., Chunli, L., Jiang, W., & Bingren, H. (2018). Nest-building activity as a reproducible and long-term stroke deficit test in a mouse model of stroke. *Brain and Behavior*, 0(0), e00993. doi:10.1002/brb3.993. <https://onlinelibrary.wiley.com/doi/abs/10.1002/brb3.993>

Dong, Y., Li, S., Lu, Y., Li, X., Liao, Y., Peng, Z., . . . Cheng, J. (2020). Stress-induced NLRP3 inflammasome activation negatively regulates fear memory in mice. *Journal of Neuroinflammation*, 17(1), 205. doi: 10.1186/s12974-020-01842-0. <https://doi.org/10.1186/s12974-020-01842-0>

Dong, Y., Yu, Z., Sun, Y., Zhou, H., Stites, J., Newell, K., & Weiner, C. P. (2011). Chronic fetal hypoxia produces selective brain injury associated with altered nitric oxide synthases. *American Journal of Obstetrics and Gynecology*. doi.

Dong, Y.-F., Wang, L.-X., Huang, X., Cao, W.-J., Lu, M., Ding, J.-H., . . . Hu, G. (2013). Kir6.1 Knockdown Aggravates Cerebral Ischemia/Reperfusion-Induced Neural Injury in Mice. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12117. <http://dx.doi.org/10.1111/cns.12117>

Donovan, G. M., Wang, K. C. W., Shamsuddin, D., Mann, T. S., Henry, P. J., Larcombe, A. N., & Noble, P. B. (2020). Pharmacological ablation of the airway smooth muscle layer—Mathematical predictions of functional improvement in asthma. *Physiological reports*, 8(11), e14451. doi: 10.14814/phys2.14451. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.14814/phys2.14451>

Donovan, M. H., Yazdani, U., Norris, R. D., Games, D., German, D. C., & Eisch, A. J. (2006). Decreased adult hippocampal neurogenesis in the PDAPP mouse model of Alzheimer's disease. *Journal of Comparative Neurology*, 495(1), 70-83. doi.

Donovan, S. L., Mamounas, L. A., Andrews, A. M., Blue, M. E., & McCasland, J. S. (2002). GAP-43 Is Critical for Normal Development of the Serotonergic Innervation in Forebrain. *Journal of Neuroscience*, 22(9), 3543-3552. doi: <http://www.jneurosci.org/cgi/content/abstract/22/9/3543>

Doorn, K. J., Goudriaan, A., Blits-Huizinga, C., Bol, J. G. J. M., Rozemuller, A. J., Hoogland, P. V. J. M., . . . van Dam, A.-M. (2013). Increased Amoeboid Microglial Density in the Olfactory Bulb of Parkinson's and Alzheimer's Patients. *Brain Pathology*, n/a-n/a. doi: 10.1111/bpa.12088. <http://dx.doi.org/10.1111/bpa.12088>

Doppler, E., Rockenstein, E., Ubhi, K., Inglis, C., Mante, M., Adame, A., . . . Masliah, E. (2008). Neurotrophic effects of Cerebrolysin in the Mecp2 308/Y transgenic model of Rett syndrome. *Acta Neuropathologica*, 116(4), 425-437. doi:

Dorey, E. S., Walton, S. L., Kalisch-Smith, J. I., Paravicini, T. M., Gardebjer, E. M., Weir, K. A., . . . Moritz, K. M. (2019). Periconceptional ethanol exposure induces a sex specific diuresis and increase in AQP2 and AVPR2 in the kidneys of aged rat offspring. *Physiological reports*, 7(21), e14273-e14273. doi: 10.14814/phy2.14273. <https://www.ncbi.nlm.nih.gov/pubmed/31691500>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6832009/>

Dorph-Petersen, K. A., Delevich, K. M., Marcsisin, M. J., Zhang, W., Sampson, A. R., Gundersen, H. J. G., . . . Sweet, R. A. (2009). Pyramidal neuron number in layer 3 of primary auditory cortex of subjects with schizophrenia. *Brain Research*, 1285, 42-57. doi:

Dorph-Petersen, K. A., Pierri, J. N., Sun, Z., Sampson, A. R., & Lewis, D. A. (2004). Stereological analysis of the mediodorsal thalamic nucleus in schizophrenia: volume, neuron number, and cell types. *Journal of Comparative Neurology*, 472(4), 449-462. doi:

Dorph-Petersen, K.-A., Nyengaard, J. R., & Gundersen, J. G. (2001). Tissue shrinkage and unbiased stereological estimation of particle number and size. *Journal of Microscopy*, 204(3), 232-246. doi:

Dorsey, J. L., Mangus, L. M., Oakley, J. D., Beck, S. E., Kelly, K. M., Queen, S. E., . . . Mankowski, J. L. (2014). Loss of Corneal Sensory Nerve Fibers in SIV-Infected Macaques: An Alternate Approach to Investigate HIV-Induced PNS Damage. *The American journal of pathology*, 184(6), 1652-1659. doi: <http://dx.doi.org/10.1016/j.ajpath.2014.02.009>, <http://www.sciencedirect.com/science/article/pii/S000294401400162X>

Dos Santos, C. D., Picanco-Diniz, C. W., & Gomes-Leal, W. (2007). Differential patterns of inflammatory response, axonal damage and myelin impairment following excitotoxic or ischemic damage to the trigeminal spinal nucleus of adult rats. *Brain Research*, 1172, 130-144. doi:

Doucet-Beaupré, H., Gilbert, C., Profes, M. S., Chabrat, A., Pacelli, C., Giguère, N., . . . Lévesque, M. (2016). Lmx1a and Lmx1b regulate mitochondrial functions and survival of adult midbrain dopaminergic neurons. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1520387113. <http://www.pnas.org/content/early/2016/07/11/1520387113.abstract>

Dougherty, J. D., Garcia, A. D. R., Nakano, I., Livingstone, M., Norris, B., Polakiewicz, R., . . . Geschwind, D. H. (2005). PBK/TOPK, a Proliferating Neural Progenitor-Specific Mitogen-Activated Protein Kinase. *Journal of Neuroscience*, 25, 10773-10785. doi:

Dougherty, K. J., Sawchuk, M. A., & Hochman, S. (2009). Phenotypic diversity and expression of GABAergic inhibitory interneurons during postnatal development in lumbar spinal cord of glutamic acid decarboxylase 67 Γ green fluorescent protein mice. *Neuroscience*, 163(3), 909-919. doi.

Dougherty, S., Reeves, J., Lucas, E., Gamble, K., Lesort, M., & Cowell, R. (2012). Disruption of purkinje cell function prior to huntingtin accumulation and cell loss in an animal model of huntington disease. *Experimental Neurology*. doi.

Dougherty, S. E., Reeves, J. L., Lesort, M., Detloff, P. J., & Cowell, R. M. (2012). Purkinje cell dysfunction and loss in a knock-in mouse model of Huntington Disease. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2012.11.015>. <http://www.sciencedirect.com/science/article/pii/S0014488612004323>

Doverhag, C., Hedtjörn, M., Poirier, F., Mallard, C., Hagberg, H., Karlsson, A., & Sjöström, K. (2010). Galectin-3 contributes to neonatal hypoxic-ischemic brain injury. *Neurobiology of Disease*, 38(1), 36-46. doi.

Dowie, M. J., Grimsey, N. L., Hoffman, T., Faull, R. L. M., & Glass, M. (2014). Cannabinoid receptor CB2 is expressed on vascular cells, but not astroglial cells in the post-mortem human Huntington's disease brain. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.06.004>. <http://www.sciencedirect.com/science/article/pii/S0891061814000453>

Downes, C. E., Wong, C. H. Y., Henley, K. J., Guio-Aguilar, P. L., Zhang, M., Ates, R., . . . Crack, P. J. (2013). MyD88 Is a Critical Regulator of Hematopoietic Cell-Mediated Neuroprotection Seen after Stroke. *Plos one*, 8(3), e57948. doi: 10.1371/journal.pone.0057948. <http://dx.doi.org/10.1371/journal.pone.0057948>

Dragatsis, I., Dietrich, P., Ren, H., Deng, Y. P., Del Mar, N., Wang, H. B., . . . Reiner, A. (2018). Effect of early embryonic deletion of huntingtin from pyramidal neurons on the development and long-term survival of neurons in cerebral cortex and striatum. *Neurobiology of Disease*, 111, 102-117. doi: <https://doi.org/10.1016/j.nbd.2017.12.015>. <https://www.sciencedirect.com/science/article/pii/S0969996117302991>

Drake, L. R., Brooks, A. F., Stauff, J., Sherman, P. S., Arteaga, J., Koeppe, R. A., . . . Scott, P. J. H. (2020). Strategies for PET Imaging of the Receptor for Advanced Glycation Endproducts (RAGE). *Journal of Pharmaceutical Analysis*. doi: <https://doi.org/10.1016/j.jpha.2020.07.009>. <http://www.sciencedirect.com/science/article/pii/S2095177920310388>

Dranovsky, A., Picchini, A. M., Moadel, T., Sisti, A. C., Yamada, A., Kimura, S., . . . others. (2011). Experience dictates stem cell fate in the adult hippocampus. *Neuron*, 70(5), 908-923. doi.

Drapeau, E., Mayo, W., Aourasseau, C., Le Moal, M., Piazza, P.-V., & Abrous, D. N. (2003). Spatial memory performances of aged rats in the water maze predict levels of hippocampal neurogenesis. *Proceedings of the National Academy of Sciences*, 100(24), 14385-14390. doi. <http://www.Proceedings.org/content/abstract/100/24/14385>

Drapeau, E., Montaron, M.-F., Aguerre, S., & Abrous, D. N. (2007). Learning-Induced Survival of New Neurons Depends on the Cognitive Status of Aged Rats. *Journal of Neuroscience*, 27(22), 6037-6044. doi: 10.1523/jneurosci.1031-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/6037>

- Drew, C. J. G., O'Reilly, K. C., Lane, M. A., & Bailey, S. J. (2011). Chronic administration of 13-*cis*-retinoic acid does not alter the number of serotonergic neurons in the mouse raphe nuclei. *Neuroscience*, 172, 66-73. doi.
- Dribben, W. H., Creeley, C. E., Wang, H. H., Smith, D. J., Farber, N. B., Olney, J. W., & others. (2009). High dose magnesium sulfate exposure induces apoptotic cell death in the developing neonatal mouse brain. *Neonatology*, 96(1), 23-32. doi.
- Drinkut, A., Tereshchenko, Y., Schulz, J. B., Bähr, M., & Kügler, S. (2011). Efficient Gene Therapy for Parkinson's Disease Using Astrocytes as Hosts for Localized Neurotrophic Factor Delivery. *Molecular Therapy*. doi.
- Drinkut, A., Tillack, K., Meka, D. P., Schulz, J. B., Kugler, S., & Kramer, E. R. (2016). Ret is essential to mediate GDNF's neuroprotective and neuroregenerative effect in a Parkinson disease mouse model. [Original Article]. *Cell Death Dis*, 7, e2359. doi: [10.1038/cddis.2016.263](http://dx.doi.org/10.1038/cddis.2016.263). <http://dx.doi.org/10.1038/cddis.2016.263>
- Driscoll, I., Howard, S. R., Stone, J. C., Monfils, M. H., Tomanek, B., Brooks, W. M., & Sutherland, R. J. (2006). The aging hippocampus: a multi-level analysis in the rat. *Neuroscience*, 139(4), 1173-1185. doi.
- Drobyshevsky, A., Jiang, R., Derrick, M., Luo, K., & Tan, S. (2014). Functional correlates of central white matter maturation in perinatal period in rabbits. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.06.021>. <http://www.sciencedirect.com/science/article/pii/S0014488614002179>
- Drobyshevsky, A., & Quinlan, K. A. (2017). Spinal cord injury in hypertonic newborns after antenatal hypoxia-ischemia in a rabbit model of cerebral palsy. *Experimental Neurology*, 293, 13-26. doi: <http://dx.doi.org/10.1016/j.expneurol.2017.03.017>. <http://www.sciencedirect.com/science/article/pii/S0014488617300778>
- Drobyshevsky, A., Takada, S. H., Luo, K., Derrick, M., Yu, L., Quinlan, K. A., . . . Tan, S. (2014). Elevated spinal monoamine neurotransmitters after antenatal hypoxia-ischemia in rabbit cerebral palsy model. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12997. <http://dx.doi.org/10.1111/jnc.12997>
- Drost, N., Houtman, J., Cseresnyés, Z., Niesner, R., Rinnenthal, J.-L., Miller, K. R., . . . Heppner, F. L. (2020). The Amyloid-beta rich CNS environment alters myeloid cell functionality independent of their origin. *Scientific Reports*, 10(1), 7152. doi: 10.1038/s41598-020-63989-3. <https://doi.org/10.1038/s41598-020-63989-3>
- Drouin-Ouellet, J., Brownell, A.-L., Saint-Pierre, M., Fasano, C., Emond, V., Trudeau, L.-E., . . . Cicchetti, F. (2011). Neuroinflammation is associated with changes in glial mGluR5 expression and the development of neonatal excitotoxic lesions. *Glia*, 59(2), 188-199. doi: 10.1002/glia.21086. <http://dx.doi.org/10.1002/glia.21086>
- Drouin-Ouellet, J., Gibrat, C., Bousquet, M., Calon, F., Kriz, J., & Cicchetti, F. (2011). The role of the MYD88-dependent pathway in MPTP-induced brain dopaminergic degeneration. *Journal of neuroinflammation*, 8(1), 137-137. doi.
- Drouin-Ouellet, J., Sawiak, S. J., Cisbani, G., Lagacé, M., Kuan, W.-L., Saint-Pierre, M., . . . Cicchetti, F. (2015). Cerebrovascular and blood-brain barrier impairments in Huntington's disease: Potential implications for its pathophysiology. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24406. <http://dx.doi.org/10.1002/ana.24406>

- Drury, P. P., Davidson, J. O., Mathai, S., van den Heuvel, L. G., Ji, H., Bennet, L., . . . Gunn, A. J. (2014). nNOS inhibition during profound asphyxia reduces seizure burden and improves survival of striatal phenotypic neurons in preterm fetal sheep. *Neuropharmacology*. doi: <http://www.sciencedirect.com/science/article/pii/S0028390814001221>
- Drury, P. P., Davidson, J. O., van den Heuvel, L. G., Wassink, G., Gunn, E. R., Booth, L. C., . . . Gunn, A. J. (2014). Status Epilepticus after Prolonged Umbilical Cord Occlusion Is Associated with Greater Neural Injury Fetal Sheep at Term-Equivalent. *Plos one*, 9(5), e96530. doi: 10.1371/journal.pone.0096530. <http://dx.doi.org/10.1371/journal.pone.0096530>
- Drzewiecki, C. M., Willing, J., & Juraska, J. M. (2016). Synaptic number changes in the medial prefrontal cortex across adolescence in male and female rats: A role for pubertal onset. *Synapse*, n/a-n/a. doi: 10.1002/syn.21909. <http://dx.doi.org/10.1002/syn.21909>
- Du Preez, A., Law, T., Onorato, D., Lim, Y. M., Eiben, P., Musaelyan, K., . . . Fernandes, C. (2020). The type of stress matters: repeated injection and permanent social isolation stress in male mice have a differential effect on anxiety- and depressive-like behaviours, and associated biological alterations. *Translational Psychiatry*, 10(1), 325. doi: 10.1038/s41398-020-01000-3. <https://doi.org/10.1038/s41398-020-01000-3>
- Du, R.-H., Sun, H.-B., Hu, Z.-L., Lu, M., Ding, J.-H., & Hu, G. (2018). Kir6.1/K-ATP channel modulates microglia phenotypes: implication in Parkinson's disease. *Cell death & disease*, 9(3), 404. doi: 10.1038/s41419-018-0437-9. <https://doi.org/10.1038/s41419-018-0437-9>
- Du, R.-H., Wu, F.-F., Lu, M., Shu, X.-d., Ding, J.-H., Wu, G., & Hu, G. (2016). Uncoupling protein 2 modulation of the NLRP3 inflammasome in astrocytes and its implications in depression. *Redox Biology*, 9, 178-187. doi: <http://dx.doi.org/10.1016/j.redox.2016.08.006>. <http://www.sciencedirect.com/science/article/pii/S2213231716301033>
- Du, X., Fleiss, B., Li, H., D'Angelo, B., Sun, Y., Zhu, C., . . . Wang, X. (2011). Systemic stimulation of TLR2 impairs neonatal mouse brain development. *PLoS ONE*, 6(5), e19583-e19583. doi: 10.1371/journal.pone.0019583
- Du, Y., & Grace, A. A. (2016). Loss of parvalbumin in the hippocampus of MAM schizophrenia model rats is attenuated by peripubertal diazepam. [10.1093/ijnp/pyw065]. *International Journal of Neuropsychopharmacology*. doi: <http://ijnp.oxfordjournals.org/content/early/2016/07/17/ijnp.pyw065.abst..>
- Duan, S., Guan, X., Lin, R., Liu, X., Yan, Y., Lin, R., . . . Gu, H. (2015). Silibinin Inhibits Acetylcholinesterase Activity and A β Peptide Aggregation: A Dual-Target Drug for Alzheimer's Disease Treatment. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2015.02.002>. <http://www.sciencedirect.com/science/article/pii/S0197458015001025>
- Dubinski, D., Won, S.-Y., Gessler, F., Quick-Weller, J., Behmanesh, B., Bernatz, S., . . . Senft, C. (2018). Dexamethasone-induced leukocytosis is associated with poor survival in newly diagnosed glioblastoma. [journal article]. *Journal of Neuro-Oncology*. doi: 10.1007/s11060-018-2761-4. <https://doi.org/10.1007/s11060-018-2761-4>
- Dubroqua, S., Singer, P., Boison, D., Feldon, J., Möhler, H., & Yee, B. K. (2010). Impacts of forebrain neuronal glycine transporter 1 disruption in the senescent brain: Evidence for age-dependent phenotypes in Pavlovian learning. *Behavioral Neuroscience*, 124(6), 839-839. doi: 10.1007/s11060-018-2761-4

- Duffy, M. F., Collier, T. J., Patterson, J. R., Kemp, C. J., Luk, K. C., Tansey, M. G., . . . Sortwell, C. E. (2018). Lewy body-like alpha-synuclein inclusions trigger reactive microgliosis prior to nigral degeneration. [journal article]. *Journal of neuroinflammation*, 15(1), 129. doi: 10.1186/s12974-018-1171-z. <https://doi.org/10.1186/s12974-018-1171-z>
- Dufort-Gervais, J., Provost, C., Charbonneau, L., Norris, C. M., Calon, F., Mongrain, V., & Brouillette, J. (2020). Neurologin-1 is altered in the hippocampus of Alzheimer's disease patients and mouse models, and modulates the toxicity of amyloid-beta oligomers. *Scientific Reports*, 10(1), 6956. doi: 10.1038/s41598-020-63255-6. <https://doi.org/10.1038/s41598-020-63255-6>
- Dufour, B. D., & McBride, J. L. (2019). Normalizing glucocorticoid levels attenuates metabolic and neuropathological symptoms in the R6/2 mouse model of huntington's disease. *Neurobiology of Disease*, 121, 214-229. doi: <https://doi.org/10.1016/j.nbd.2018.09.025>. <http://www.sciencedirect.com/science/article/pii/S0969996118302031>
- Dugger, B. N., Morris, J. A., Jordan, C. L., & Breedlove, S. M. (2007). Androgen receptors are required for full masculinization of the ventromedial hypothalamus (VMH) in rats. *Hormones and Behavior*, 51, 195-201. doi.
- Dugger, B. N., Morris, J. A., Jordan, C. L., & Breedlove, S. M. (2008). Gonadal steroids regulate neural plasticity in the sexually dimorphic nucleus of the preoptic area of adult male and female rats. *Neuroendocrinology*, 88(1), 17-24. doi.
- Dujardin, E., & Jurgens, U. (2006). Call type-specific differences in vocalization-related afferents to the periaqueductal gray of squirrel monkeys (*Saimiri sciureus*). *Behavioural Brain Research*, 168(1), 23-36. doi.
- Dumitriu, D., Hao, J., Hara, Y., Kaufmann, J., Janssen, W. G. M., Lou, W., . . . Morrison, J. H. (2010). Selective Changes in Thin Spine Density and Morphology in Monkey Prefrontal Cortex Correlate with Aging-Related Cognitive Impairment. *Journal of Neuroscience*, 30(22), 7507-7515. doi: 10.1523/jneurosci.6410-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/22/7507>
- Dumont, M., Ho, D. J., Calingasan, N. Y., Xu, H., Gibson, G., & Beal, M. F. (2009). Mitochondrial dihydrolipoyl succinyltransferase deficiency accelerates amyloid pathology and memory deficit in a transgenic mouse model of amyloid deposition. *Free Radical Biology and Medicine*, 47(7), 1019-1027. doi.
- Dumont, M., Kipiani, K., Yu, F., Wille, E., Katz, M., Calingasan, N. Y., . . . Beal, M. F. (2011). Coenzyme Q10 Decreases Amyloid Pathology and Improves Behavior in a Transgenic Mouse Model of Alzheimer's Disease. *Journal of Alzheimer's Disease*. doi.
- Dumont, M., Stack, C., Elipenhali, C., Jainuddin, S., Gerges, M., Starkova, N. N., . . . Beal, F. (2011). Behavioral deficit, oxidative stress, and mitochondrial dysfunction precede tau pathology in P301S transgenic mice. *Faseb Journal*, 25(11), 4063-4072. doi.
- Dumont, M., Stack, C., Elipenhali, C., Calingasan, N. Y., Wille, E., & Beal, M. F. (2011). Apocynin administration does not improve behavioral and neuropathological deficits in a transgenic mouse model of Alzheimer's disease. *Neuroscience Letters*. doi.
- Dumont, M., Wille, E., Calingasan, N. Y., Tampellini, D., Williams, C., Gouras, G. K., . . . Lin, M. T. (2009). Triterpenoid CDDO-methylamide improves memory and decreases amyloid plaques in a transgenic mouse model of Alzheimer's disease. *Journal of Neurochemistry*, 109(2), 502-512. doi.

Dumont, M., Wille, E., Stack, C., Calingasan, N. Y., Beal, M. F., & Lin, M. T. (2009). Reduction of oxidative stress, amyloid deposition, and memory deficit by manganese superoxide dismutase overexpression in a transgenic mouse model of Alzheimer's disease. *FASEB Journal*, 23(8), 2459-2459. doi:

Dunham, K. A., Siriphorn, A., Chompoopong, S., & Floyd, C. L. (2010). Characterization of a graded cervical hemiconfusion spinal cord injury model in adult male rats. *Journal of Neurotrauma*, 27(11), 2091-2106. doi:

Dunn, A. R., Hoffman, C. A., Stout, K. A., Ozawa, M., Dhamsania, R. K., & Miller, G. W. (2018). Immunochemical Analysis Of The Expression Of Sv2c In Mouse, Macaque And Human Brain. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2017.12.029>. <https://www.sciencedirect.com/science/article/pii/S0006899317305619>

Dunn, J. F., Wu, Y., Zhao, Z., Srinivasan, S., & Natah, S. S. (2012). Training the Brain to Survive Stroke. *Plos one*, 7(9), e45108. doi: 10.1371/journal.pone.0045108. <http://dx.doi.org/10.1371/journal.pone.0045108>

Dupret, D., Revest, J. M., Koehl, M., Ichas, F., De Giorgi, F., Costet, P., . . . Piazza, P. V. (2008). Spatial relational memory requires hippocampal adult neurogenesis. *PLoS ONE*, 3(4), e1959-e1959. doi:

Dupuy, J. M., Ostacher, M. J., Huffman, J., Perlis, R. H., & Nierenberg, A. A. (2011). A critical review of pharmacotherapy for major depressive disorder. *International Journal of Neuropsychopharmacology*, 14(10), 1417-1431. doi: doi:10.1017/S1461145711000083. <http://dx.doi.org/10.1017/S1461145711000083>

Duque, A., Coman, D., Carlyle, B. C., Bordner, K. A., George, E. D., Papademetris, X., . . . Simen, A. A. (2011). Neuroanatomical changes in a mouse model of early life neglect. *Brain Structure and Function*, 1-14. doi:

Duque, A., Gazula, V.-R., & Kaczmarek, L. K. (2013). Expression of Kv1.3 potassium channels regulates density of cortical interneurons. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22105. <http://dx.doi.org/10.1002/dneu.22105>

Duque, A., & Rakic, P. (2011). Different Effects of Bromodeoxyuridine and [³H]Thymidine Incorporation into DNA on Cell Proliferation, Position, and Fate. *Journal of Neuroscience*, 31(42), 15205-15217. doi: 10.1523/jneurosci.3092-11.2011. <http://www.jneurosci.org/content/31/42/15205.abstract>

Duran, C., Aydinli, B., Tokat, Y., Yuzer, Y., Kantarci, M., Akgun, M., . . . Atamanalp, S. S. (2007). Stereological evaluation of liver volume in living donor liver transplantation using MDCT via the Cavalieri method. *Liver transplantation*, 13(5), 693-698. doi:

Durazzo, A., Morris, J. A., Breedlove, S. M., & Jordan, C. L. (2007). Effects of the testicular feminization mutation (tfm) of the androgen receptor gene on BSTMPM volume and morphology in rats. *Neuroscience Letters*, 419, 168-171. doi:

Durmuş, B., Aytül, K., & Sila, C. (2018). Morphology and quantification of sheep pineal glands at pre-pubertal, pubertal and post-pubertal periods. *Anatomia, Histologia, Embryologia*, 0(0). doi: doi:10.1111/ahc.12359. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ahc.12359>

Durmuşlar, M. C., Ballı, U., Türer, A., Önger, M. E., & Çelik, H. H. (2016). Radiological and Stereological Evaluation of the Effect of Rifampin on Bone Healing in Critical-Size Defects. *Journal of Craniofacial Surgery*, 27(6), 1481-1485. doi:

10.1097/scs.0000000000002762. <http://journals.lww.com/jcraniofacialsurgery/Fulltext/2016/09000/Radiolo..>

Durmuşlar, M. C., Türer, A., Ballı, U., Yılmaz, Z., Önger, M. E., Çelik, H. H., & Vatansever, A. (2016). The effect of infliximab on bone healing in osteoporotic rats. *European Journal of Inflammation*. doi: 10.1177/1721727x16636889. <http://ej.sagepub.com/content/early/2016/03/04/1721727x16636889.abstract>

Dursun, H., Albayrak, F., Uyanik, A., Keleş, N. O., Beyzagül, P., Bayram, E., . . . Ünal, B. (2010). Effects of hypertension and ovariectomy on rat hepatocytes. Are amlodipine and lacidipine protective?(A stereological and histological study). *Turkish Journal of Gastroenterology*, 21(4), 387-395. doi.

Dursun, İ., Jakubowska-Doğru, E., Elibol-Can, B., van der List, D., Chapman, B., Qi, L., & Berman, R. F. (2013). Effects of early postnatal alcohol exposure on the developing retinogeniculate projections in C57BL/6 mice. *Alcohol*, (0). doi: <http://dx.doi.org/10.1016/j.alcohol.2012.12.013>. <http://www.sciencedirect.com/science/article/pii/S0741832912002108>

Dursun, I., Jakubowska-Doğru, E., van der List, D., Liets, L. C., Coombs, J. L., & Berman, R. F. (2011). Effects of Early Postnatal Exposure to Ethanol on Retinal Ganglion Cell Morphology and Numbers of Neurons in the Dorsolateral Geniculate in Mice. *Alcoholism: Clinical and Experimental Research*. doi.

Dusonchet, J., Kochubey, O., Stafa, K., Young, S. M., Jr, Zufferey, R., Moore, D. J., . . . Aebischer, P. (2011). A Rat Model of Progressive Nigral Neurodegeneration Induced by the Parkinson's Disease-Associated G2019S Mutation in LRRK2. *Journal of Neuroscience*, 31(3), 907-912. doi: 10.1523/jneurosci.5092-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/3/907>

Duthie, M. S., Pena, M. T., Ebenezer, G. J., Gillis, T. P., Sharma, R., Cunningham, K., . . . Reed, S. G. (2018). LepVax, a defined subunit vaccine that provides effective pre-exposure and post-exposure prophylaxis of *M. leprae* infection. *npj Vaccines*, 3(1), 12. doi: 10.1038/s41541-018-0050-z. <https://doi.org/10.1038/s41541-018-0050-z>

Dutta, D., Kundu, M., Mondal, S., Roy, A., Ruehl, S., Hall, D. A., & Pahan, K. (2019). RANTES-induced invasion of Th17 cells into substantia nigra potentiates dopaminergic cell loss in MPTP mouse model of Parkinson's disease. *Neurobiology of Disease*, 132, 104575. doi: <https://doi.org/10.1016/j.nbd.2019.104575>. <http://www.sciencedirect.com/science/article/pii/S0969996119302438>

Dutta, R. R., Taffe, M. A., & Mandyam, C. D. (2018). Chronic administration of amphetamines disturbs development of neural progenitor cells in young adult nonhuman primates. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. doi: <https://doi.org/10.1016/j.pnpbp.2018.03.023>. <http://www.sciencedirect.com/science/article/pii/S0278584617307984>

Dwyer, T. A., Servatius, R. J., & Pang, K. C. H. (2007). Noncholinergic Lesions of the Medial Septum Impair Sequential Learning of Different Spatial Locations. *Journal of Neuroscience*, 27(2), 299-303. doi: 10.1523/jneurosci.4189-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/2/299>

Dwyer, Z., Chaiquin, M., Landrigan, J., Ayoub, K., Shail, P., Rocha, J., . . . Hayley, S. (2021). The impact of dextran sodium sulphate and probiotic pre-treatment in a murine model of Parkinson's disease. *Journal of neuroinflammation*, 18(1), 20. doi: 10.1186/s12974-020-02062-2. <https://doi.org/10.1186/s12974-020-02062-2>

Dwyer, Z., Rudyk, C., Thompson, A., Farmer, K., Fenner, B., Fortin, T., . . . Hayley, S. (2020). Leucine rich repeat kinase-2 (LRRK2) modulates microglial phenotype and dopaminergic neurodegeneration. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2020.02.017> <http://www.sciencedirect.com/science/article/pii/S0197458020300506>

Dyck, S., Kataria, H., Akbari-Kelachayeh, K., Silver, J., & Karimi-Abdolrezaee, S. (2018). LAR and PTP σ receptors are negative regulators of oligodendrogenesis and oligodendrocyte integrity in spinal cord injury. *Glia*, 0(0). doi: <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23533>

Dyck, S. M., Alizadeh, A., Santhosh, K. T., Proulx, E. H., Wu, C.-L., & Karimi-Abdolrezaee, S. (2015). Chondroitin Sulfate Proteoglycans Negatively Modulate Spinal Cord Neural Precursor Cells by Signaling through LAR and RPTP σ and modulation of the Rho/ROCK Pathway. *Stem Cells*, n/a-n/a. doi: [10.1002/stem.1979](http://dx.doi.org/10.1002/stem.1979) <http://dx.doi.org/10.1002/stem.1979>

Dziewczapolski, G., Lie, D. C., Ray, J., Gage, F. H., & Shults, C. W. (2003). Survival and differentiation of adult rat-derived neural progenitor cells transplanted to the striatum of hemiparkinsonian rats. *Experimental Neurology*, 183(2), 653-664. doi:

E. Counts, S., E. Perez, S., He, B., & J. Mufson, E. (2014). Intravenous Immunoglobulin Reduces Tau Pathology and Preserves Neuroplastic Gene Expression in the 3xTg Mouse Model of Alzheimer's Disease. *Current Alzheimer Research*, 11(7), 655-663. doi: <http://www.ingentaconnect.com/content/ben/car/2014/00000011/00000007/art..>

Ear, P. H., Chadda, A., Gumusoglu, S. B., Schmidt, M. S., Vogeler, S., Malicoat, J., . . . Brenner, C. (2019). Maternal Nicotinamide Riboside Enhances Postpartum Weight Loss, Juvenile Offspring Development, and Neurogenesis of Adult Offspring. *Cell Reports*, 26(4), 969-983.e964. doi: <https://doi.org/10.1016/j.celrep.2019.01.007> <http://www.sciencedirect.com/science/article/pii/S2211124719300154>

Earley, C. J., Allen, R. P., Connor, J. R., Ferrucci, L., & Troncoso, J. (2009). The dopaminergic neurons of the A11 system in RLS autopsy brains appear normal. *Sleep medicine*, 10(10), 1155-1157. doi:

Eaton, J. L., Roache, L., Nguyen, K. N., Cushing, B. S., Troyer, E., Papademetriou, E., & Raghanti, M. A. (2011). Organizational effects of oxytocin on serotonin innervation. *Developmental Psychobiology*. doi:

Eaton, M. J., Wolfe, S. Q., Martinez, M., Hernandez, M., Furst, C., Huang, J., . . . Gomez-Marín, O. (2007). Subarachnoid transplant of a human neuronal cell line attenuates chronic allodynia and hyperalgesia after excitotoxic spinal cord injury in the rat. *Journal of Pain*, 8(1), 33-50. doi:

Ebenezer, G. J., Liu, Y., Judge, D. P., Cunningham, K., Truelove, S., Carter, N. D., . . . Polydefkis, M. (2017). Cutaneous nerve biomarkers in transthyretin familial amyloid polyneuropathy. *Annals of Neurology*, n/a-n/a. doi: [10.1002/ana.24972](https://doi.org/10.1002/ana.24972) <http://dx.doi.org/10.1002/ana.24972>

Ebenezer, G. J., McArthur, J. C., Polydefkis, M., Dorsey, J. L., O'Donnell, R., Hauer, P., . . . Mankowski, J. L. (2012). SIV-induced impairment of neurovascular repair: a potential role for VEGF. *Journal of Neurovirology*, 1-9. doi:

Ebenezer, G. J., O'Donnell, R., Hauer, P., Cimino, N. P., McArthur, J. C., & Polydefkis, M. (2011). Impaired neurovascular repair in subjects with diabetes following experimental intracutaneous axotomy. *Brain*,

134(6), 1853-1863. doi:
10.1093/brain/awr086. <http://brain.oxfordjournals.org/cgi/content/abstract/134/6/1853>

Eberhart, C. G., Kepner, J. L., Goldthwaite, P. T., Kun, L. E., Duffner, P. K., Friedman, H. S., . . . Burger, P. C. (2002). Histopathologic grading of medulloblastomas. *Cancer*, 94(2), 552-560. doi.

Ebert, A. D., Barber, A. E., Heins, B. M., & Svendsen, C. N. (2010). Ex vivo delivery of GDNF maintains motor function and prevents neuronal loss in a transgenic mouse model of Huntington's disease. *Experimental Neurology*, 224(1), 155-162. doi.

Eckart, M. T., Huelse-Matia, M. C., & Schwarting, R. K. W. (2011). Dorsal hippocampal lesions boost performance in the rat sequential reaction time task. *Hippocampus*. doi.

Eckert, J. M., Byer, S. J., Clodfelder-Miller, B. J., & Carroll, S. L. (2009). Neuregulin-1 β and neuregulin-1 α differentially affect the migration and invasion of malignant peripheral nerve sheath tumor cells. *Glia*, 57(14), 1501-1520. doi.

Edalatmanesh, M. A., Nikfarjam, H., Vafaei-Bagheri, F., & Moghadas, M. (2013). Increased hippocampal cell density and enhanced spatial memory in the valproic acid rat model of autism. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.06.024>. <http://www.sciencedirect.com/science/article/pii/S0006899313008913>

Edinger, A. L., & Thompson, C. B. (2002). Akt maintains cell size and survival by increasing mTOR-dependent nutrient uptake. *Molecular Biology of the Cell*, 13. doi: 10.1091/mbc.01-12-0584. <http://dx.doi.org/10.1091/mbc.01-12-0584>

Edler, M. K., Munger, E. L., Meindl, R. S., Hopkins, W. D., Ely, J. J., Erwin, J. M., . . . Raghanti, M. A. (2020). Neuron loss associated with age but not Alzheimer's disease pathology in the chimpanzee brain. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 375(1811), 20190619. doi: 10.1098/rstb.2019.0619. <https://doi.org/10.1098/rstb.2019.0619>

Edler, M. K., Sherwood, C. C., Meindl, R. S., Hopkins, W. D., Ely, J. J., Erwin, J. M., . . . Raghanti, M. A. (2017). Aged chimpanzees exhibit pathologic hallmarks of Alzheimer's disease. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2017.07.006>. <http://www.sciencedirect.com/science/article/pii/S0197458017302397>

Egami, K., Yitta, S., Kasim, S., Lewers, J. C., Roberts, R. C., Lehar, M., & Jinnah, H. A. (2007). Basal ganglia dopamine loss due to defect in purine recycling. *Neurobiology of Disease*, 26, 396-407. doi.

Egawa, N., Yamamoto, K., Inoue, H., Hikawa, R., Nishi, K., Mori, K., & Takahashi, R. (2011). The Endoplasmic Reticulum Stress Sensor, ATF6 α , Protects against Neurotoxin-induced Dopaminergic Neuronal Death. *Journal of Biological Chemistry*, 286(10), 7947-7957. doi: 10.1074/jbc.M110.156430. <http://www.jbc.org/content/286/10/7947.abstract>

Egeland, M., Guinaudie, C., Du Preez, A., Musaelyan, K., Zunszain, P. A., Fernandes, C., . . . Thuret, S. (2017). Depletion of adult neurogenesis using the chemotherapy drug temozolomide in mice induces behavioural and biological changes relevant to depression. [Original Article]. *Transl Psychiatry*, 7, e1101. doi: 10.1038/tp.2017.68. <http://dx.doi.org/10.1038/tp.2017.68>

Egginton, S., & Hudlická, O. (1999). Early changes in performance, blood flow and capillary fine structure in rat fast muscles induced by electrical stimulation. *Journal of Physiology*, 515, 265-275. doi.

Ehara, A., Nakadate, K., Sugimoto, H., Yoshimoto, K., & Ueda, S. (2018). Role of neuronal nitric oxide synthase in slowly progressive dopaminergic neurodegeneration in the Zitter rat. *Nitric Oxide*, 78, 41-50. doi: <https://doi.org/10.1016/j.niox.2018.05.007>, <http://www.sciencedirect.com/science/article/pii/S1089860318300673>

Ehninger, D., & Kempermann, G. (2003). Regional Effects of Wheel Running and Environmental Enrichment on Cell Genesis and Microglia Proliferation in the Adult Murine Neocortex Cerebral Cortex, 13(8), 845-851. doi.

Ehrenberg, A. J., Nguy, A. K., Theofilas, P., Dunlop, S., Suemoto, C. K., Alho, A. T. D. L., . . . Grinberg, L. T. (2017). Quantifying the accretion of hyperphosphorylated tau in the locus coeruleus and dorsal raphe nucleus: the pathological building blocks of early Alzheimer's Disease. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12387. <http://dx.doi.org/10.1111/nan.12387>

Eid, L., Champigny, M.-F., Parent, A., & Parent, M. (2013). Quantitative and ultrastructural study of serotonin innervation of the globus pallidus in squirrel monkeys. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12164. <http://dx.doi.org/10.1111/ejn.12164>

Eid, L., Parent, A., & Parent, M. (2014). Asynaptic feature and heterogeneous distribution of the cholinergic innervation of the globus pallidus in primates. *Brain Structure and Function*, 1-17. doi. <http://link.springer.com/article/10.1007/s00429-014-0960-0/fulltext.html>

Eisele, Y. S., Fritschi, S. K., Hamaguchi, T., Obermüller, U., Füger, P., Skodras, A., . . . Staufenbiel, M. (2014). Multiple Factors Contribute to the Peripheral Induction of Cerebral β -Amyloidosis. *The Journal of Neuroscience*, 34(31), 10264-10273. doi. <http://www.jneurosci.org/content/34/31/10264.short>

Eiting, T. P., Smith, T. D., & Dumont, E. R. (2014). Olfactory Epithelium in the Olfactory Recess: A Case Study in New World Leaf-Nosed Bats. *The Anatomical Record*, 297(11), 2105-2112. doi: 10.1002/ar.23030. <http://dx.doi.org/10.1002/ar.23030>

Ek, C. J., Habgood, M. D., Callaway, J. K., Dennis, R., Dziegielewska, K. M., Johansson, P. A., . . . Saunders, N. R. (2010). Spatio-temporal progression of grey and white matter damage following contusion injury in rat spinal cord. *PLoS ONE*, 5(8), e12021-e12021. doi.

Ek, C. J., Habgood, M. D., Dennis, R., Dziegielewska, K. M., Mallard, C., Wheaton, B., & Saunders, N. R. (2012). Pathological Changes in the White Matter after Spinal Contusion Injury in the Rat. *Plos one*, 7(8), e43484. doi.

El Massri, N., Cullen, K. M., Stefani, S., Moro, C., Torres, N., Benabid, A.-L., & Mitrofanis, J. (2018). Evidence for encephalopsin immunoreactivity in interneurons and striosomes of the monkey striatum. [journal article]. *Experimental Brain Research*. doi: 10.1007/s00221-018-5191-9. <https://doi.org/10.1007/s00221-018-5191-9>

El Massri, N., Johnstone, D. M., Peoples, C. L., Moro, C., Reinhart, F., Torres, N., . . . Mitrofanis, J. (2014). The effect of different doses of near infrared light on dopaminergic cell survival and gliosis in MPTP-treated mice. *International Journal of Neuroscience*, 0(ja), 1-20. doi: doi:10.3109/00207454.2014.994063. <http://informahealthcare.com/doi/abs/10.3109/00207454.2014.994063>

El Massri, N., Lemgruber, A. P., Rowe, I. J., Moro, C., Torres, N., Reinhart, F., . . . Mitrofanis, J. (2017). Photobiomodulation-induced changes in a monkey model of Parkinson's disease: changes in tyrosine hydroxylase cells and GDNF expression in the striatum. [journal article]. *Experimental Brain Research*, 1-14. doi: 10.1007/s00221-017-4937-0. <http://dx.doi.org/10.1007/s00221-017-4937-0>

El Massri, N., Moro, C., Torres, N., Darlot, F., Agay, D., Chabrol, C., . . . Mitrofanis, J. (2016). Near-infrared light treatment reduces astrogliosis in MPTP-treated monkeys. [journal article]. *Experimental Brain Research*, 1-8. doi: 10.1007/s00221-016-4720-7. <http://dx.doi.org/10.1007/s00221-016-4720-7>

El Massri, N., Weinrich, T. W., Kam, J. H., Jeffery, G., & Mitrofanis, J. (2018). Photobiomodulation reduces gliosis in the basal ganglia of aged mice. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2018.02.019>. <http://www.sciencedirect.com/science/article/pii/S0197458018300630>

El-Agnaf, O., Overk, C., Rockenstein, E., Mante, M., Florio, J., Adame, A., . . . Rissman, R. A. (2017). Differential effects of immunotherapy with antibodies targeting α -synuclein oligomers and fibrils in a transgenic model of synucleinopathy. *Neurobiology of Disease*, 104, 85-96. doi: <https://doi.org/10.1016/j.nbd.2017.05.002>. <http://www.sciencedirect.com/science/article/pii/S0969996117301055>

Eldredge, L. C., Gao, X. M., Quach, D. H., Li, L., Han, X., Lomasney, J., & Tourtellotte, W. G. (2008). Abnormal sympathetic nervous system development and physiological dysautonomia in *Egr3*-deficient mice. *Development*, 135(17), 2949-2957. doi: 10.1242/dev.023960. <http://dev.biologists.org/cgi/content/abstract/135/17/2949>

El-Feky, G. S., El-Banna, S. T., El-Bahy, G. S., Abdelrazek, E. M., & Kamal, M. (2017). Alginate coated chitosan nanogel for the controlled topical delivery of Silver sulfadiazine. *Carbohydrate Polymers*. doi: <http://dx.doi.org/10.1016/j.carbpol.2017.08.104>. <http://www.sciencedirect.com/science/article/pii/S0144861717309803>

El-Gohary, Y., Sims-Lucas, S., Lath, N., Tulachan, S., Guo, P., Xiao, X., . . . Gittes, G. K. (2012). Three-Dimensional Analysis of the Islet Vasculature. *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, n/a-n/a. doi: 10.1002/ar.22530. <http://dx.doi.org/10.1002/ar.22530>

El-Gohary, Y., Tulachan, S., Branca, M., Sims-Lucas, S., Guo, P., Prasad, K., . . . Gittes, G. K. (2012). Whole-Mount Imaging Demonstrates Hypervascularity of the Pancreatic Ducts and Other Pancreatic Structures. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 295(3), 465-473. doi: 10.1002/ar.22420. <http://dx.doi.org/10.1002/ar.22420>

El-Gohary, Y., Tulachan, S., Guo, P., Welsh, C., Wiersch, J., Prasad, K., . . . Gittes, G. (2013). Smad signaling pathways regulate pancreatic endocrine development. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2013.04.003>. <http://www.sciencedirect.com/science/article/pii/S0012160613001723>

El-Gohary, Y., Tulachan, S., Wiersch, J., Guo, P., Welsh, C., Prasad, K., . . . Gittes, G. (2013). A smad signaling network regulates islet cell proliferation. *Diabetes*. doi: 10.2337/db13-0432. <http://diabetes.diabetesjournals.org/content/early/2013/09/23/db13-0432>

ElHak, S. G., Ghanem, A. A., Abdelghaffar, H., ElDakrouy, S., ElTantawy, D., ElDosouky, S., & Salama, M. (2010). The role of pramipexole in a severe Parkinson's disease model in mice. *Therapeutic Advances in Neurological Disorders*, 3(6), 333-337. doi:

Elibol-Can, B., Dursun, I., Telkes, I., Kilic, E., Canan, S., & Jakubowska-Dogru, E. (2013). Examination of age-dependent effects of fetal ethanol exposure on behavior, hippocampal cell counts, and doublecortin immunoreactivity in rats. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22143. <http://dx.doi.org/10.1002/dneu.22143>

Elipenahli, C., Stack, C., Jainuddin, S., Gerges, M., Yang, L., Starkov, A., . . . Dumont, M. (2011). Behavioral Improvement after Chronic Administration of Coenzyme Q10 in P301S Transgenic Mice. *Journal of Alzheimer's Disease*. doi.

Elliott, K. C., Wu, W., Bertram, R., & Johnson, F. (2013). Disconnection of a basal ganglia circuit in juvenile songbirds attenuates THE SPECTRAL differentiation of SONG syllables. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22151. <http://dx.doi.org/10.1002/dneu.22151>

Ellwardt, E., Pramanik, G., Luchtman, D., Novkovic, T., Jubal, E. R., Vogt, J., . . . Stroh, A. (2018). Maladaptive cortical hyperactivity upon recovery from experimental autoimmune encephalomyelitis. *Nature Neuroscience*, 21(10), 1392-1403. doi: 10.1038/s41593-018-0193-2. <https://doi.org/10.1038/s41593-018-0193-2>

Elsayed, M., Banasr, M., Duric, V., Fournier, N. M., Licznarski, P., & Duman, R. S. (2012). Antidepressant Effects of Fibroblast Growth Factor-2 in Behavioral and Cellular Models of Depression. *Biological Psychiatry*. doi.

Elser, B. A., Kayali, K., Dhakal, R., O'Hare, B., Wang, K., Lehmler, H.-J., & Stevens, H. E. (2020). Combined maternal exposure to cypermethrin and stress affect embryonic brain and placental outcomes in mice. *Toxicological Sciences*. doi: 10.1093/toxsci/kfaa040. <https://doi.org/10.1093/toxsci/kfaa040>

Elsworth, J. D., Jentsch, J. D., VandeVoort, C. A., Roth, R. H., Jr, D. E. R., & Leranath, C. (2013). Prenatal exposure to bisphenol A impacts midbrain dopamine neurons and hippocampal spine synapses in non-human primates. *Neurotoxicology*, (0). doi: <http://dx.doi.org/10.1016/j.neuro.2013.01.001> <http://www.sciencedirect.com/science/article/pii/S0161813X13000028>

Elsworth, J. D., Morrow, B. A., Hajszan, T., Leranath, C., & Roth, R. H. (2011). Phencyclidine-induced Loss of Asymmetric Spine Synapses in Rodent Prefrontal Cortex is Reversed by Acute and Chronic Treatment with Olanzapine. *Neuropsychopharmacology*. doi. <http://dx.doi.org/10.1038/npp.2011.96>

Elsworth, J. D., Redmond, D. E., Leranath, C., Bjugstad, K. B., Sladek, J. R., Collier, T. J., . . . Roth, R. H. (2008). AAV2-mediated gene transfer of GDNF to the striatum of MPTP monkeys enhances the survival and outgrowth of co-implanted fetal dopamine neurons. *Experimental Neurology*, 211(1), 252-258. doi.

Emborg, M. E., Hurley, S. A., Joers, V., Tromp, D. P. M., Swanson, C. R., Ohshima-Hosoyama, S., . . . Alexander, A. L. (2014). Titer and Product Affect the Distribution of Gene Expression after Intraputaminial Convection-Enhanced Delivery. *Stereotactic and Functional Neurosurgery*, 92(3), 182-194. doi. <http://www.karger.com/DOI/10.1159/000360584>

Emborg, M. E., Liu, Y., Xi, J., Zhang, X., Yin, Y., Lu, J., . . . Zhang, S.-C. (2013). Induced Pluripotent Stem Cell-Derived Neural Cells Survive and Mature in the Nonhuman Primate Brain. *Cell Reports*. doi.

Embury, C. M., Dyavarshetty, B., Lu, Y., Wiederin, J. L., Ciborowski, P., Gendelman, H. E., & Kiyota, T. (2016). Cathepsin B Improves β -Amyloidosis and Learning and Memory in Models of Alzheimer's Disease. [journal article]. *Journal of Neuroimmune Pharmacology*, 1-13. doi: 10.1007/s11481-016-9721-6. <http://dx.doi.org/10.1007/s11481-016-9721-6>

Emerich, D. F., Mooney, D. J., Storrie, H., Babu, R. S., & Kordower, J. H. (2010). Injectable hydrogels providing sustained delivery of vascular endothelial growth factor are neuroprotective in a rat model of Huntington's disease. *Neurotoxicity research*, 17(1), 66-74. doi.

Emerich, D. F., Thanos, C. G., Goddard, M., Skinner, S. J., Geany, M. S., Bell, W. J., . . . Kordower, J. H. (2006). Extensive neuroprotection by choroid plexus transplants in excitotoxin lesioned monkeys. *Neurobiology of Disease*, 2, 471-480. doi.

Emmrich, J., Neher, J., Boehm-Sturm, P., Endres, M., Dirnagl, U., & Harms, C. (2017). Stage 1 Registered Report: Effect of deficient phagocytosis on neuronal survival and neurological outcome after temporary middle cerebral artery occlusion (tMCAo) [version 1; referees: 1 approved] (Vol. 6).

Encinas, J. M., & Enikolopov, G. (2008). Identifying and quantitating neural stem and progenitor cells in the adult brain. *Methods in Cell Biology*, 85, 243-272. doi.

Endo, T., Kakeyama, M., Uemura, Y., Haijima, A., Okuno, H., Bito, H., & Tohyama, C. (2012). Executive Function Deficits and Social-Behavioral Abnormality in Mice Exposed to a Low Dose of Dioxin *In Utero* and via Lactation. *Plos one*, 7(12), e50741. doi: 10.1371/journal.pone.0050741. <http://dx.doi.org/10.1371%2Fjournal.pone.0050741>

Engesser-Cesar, C., Anderson, A. J., & Cotman, C. W. (2007). Wheel running and fluoxetine antidepressant treatment have differential effects in the hippocampus and the spinal cord. *Neuroscience*, 144(3), 1033-1044. doi.

Engesser-Cesar, C., Ichiyama, R. M., Nefas, A. L., Hill, M. A., Edgerton, V. R., Cotman, C. W., & Anderson, A. J. (2007). Wheel running following spinal cord injury improves locomotor recovery and stimulates serotonergic fiber growth. *European Journal of Neuroscience*, 25(7), 1931-1939. doi: doi:10.1111/j.1460-9568.2007.05469.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05469.x>

Engin, E., Zarnowska, E. D., Benke, D., Tsvetkov, E., Sigal, M., Keist, R., . . . Rudolph, U. (2015). Tonic Inhibitory Control of Dentate Gyrus Granule Cells by $\alpha 5$ -Containing GABAA Receptors Reduces Memory Interference. *The Journal of Neuroscience*, 35(40), 13698-13712. doi. <http://www.jneurosci.org/content/35/40/13698.abstract>

Engle, M. P., Merrill, M. A., de Prado, B. M., & Hammond, D. L. (2011). Spinal nerve ligation decreases γ -aminobutyric acidB receptors on specific populations of immunohistochemically-identified neurons in L5 dorsal root ganglion of the rat. *Journal of Comparative Neurology*. doi.

English, S. J., Diaz, J. A., Shao, X., Gordon, D., Bevard, M., Su, G., . . . Piert, M. (2014). Utility of 18 F-FDG and 11C-PBR28 microPET for the assessment of rat aortic aneurysm inflammation. *EJNMMI Research*, 4(1), 1-29. doi. <https://link.springer.com/article/10.1186/s13550-014-0020-z/fulltext.html>

English, S. J., Piert, M. R., Diaz, J. A., Gordon, D., Ghosh, A., D'Alecy, L. G., . . . Upchurch, G. R. J. (9000). Increased 18F-FDG Uptake Is Predictive of Rupture in a Novel Rat Abdominal Aortic Aneurysm Rupture Model. *Annals of Surgery*, Publish Ahead of Print, 10.1097/SLA.0000000000000602. doi. http://journals.lww.com/annalsofsurgery/Fulltext/publishahead/Increased_..

Enomoto, M., Bunge, M. B., & Tsoulfas, P. (2013). A multifunctional neurotrophin with reduced affinity to p75NTR enhances transplanted Schwann cell survival and axon growth after spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.013>. <http://www.sciencedirect.com/science/article/pii/S0014488613001866>

Ensminger, A. L., & Fernández-Juricic, E. (2014). Individual Variation in Cone Photoreceptor Density in House Sparrows: Implications for Between-Individual Differences in Visual Resolution and Chromatic Contrast. *Plos one*, 9(11), e111854. doi: 10.1371/journal.pone.0111854. <http://dx.doi.org/10.1371%2Fjournal.pone.0111854>

Erbagci, H., Keser, M., Kervancioglu, S., & Kizilkan, N. (2012). Estimation of the brain stem volume by stereological method on magnetic resonance imaging. *Surgical and Radiologic Anatomy*, 1-6. doi.

Erbagci, H., Kizilkan, N., Ozbag, D., Erkilic, S., Kervancioglu, P., Canan, S., & Gumusburun, E. (2012). Post-Natal Growth in the Rat Pineal Gland: A Stereological Study. *Anatomia, Histologia, Embryologia*, n/a-n/a. doi: 10.1111/j.1439-0264.2012.01144.x. <http://dx.doi.org/10.1111/j.1439-0264.2012.01144.x>

Erdogan, M. S., Babacan, H., Kara, M. I., Gurler, B., Akgul, H., & Soyler, D. A. (2015). EFFECT OF CAPPARIS SPINOSA EXTRACT ON SUTURAL OSSIFICATION: A STEREOLOGICAL STUDY. *Archives of Oral Biology*. doi: 10.1016/j.archoralbio.2015.04.012. <http://dx.doi.org/10.1016/j.archoralbio.2015.04.012>

Erickson, S. L., & Lewis, D. A. (2002). Postnatal development of parvalbumin-and GABA transporter-immunoreactive axon terminals in monkey prefrontal cortex. *Journal of Comparative Neurology*, 448(2), 186-202. doi.

Eriksson, Y., Boström, M., Sandelius, Å., Blennow, K., Zetterberg, H., Kuhn, G., & Kalm, M. (2018). The anti-asthmatic drug, montelukast, modifies the neurogenic potential in the young healthy and irradiated brain. *Cell death & disease*, 9(7), 775. doi: 10.1038/s41419-018-0783-7. <https://doi.org/10.1038/s41419-018-0783-7>

Erion, J. R., Wosiski-Kuhn, M., Dey, A., Hao, S., Davis, C. L., Pollock, N. K., & Stranahan, A. M. (2014). Obesity Elicits Interleukin 1-Mediated Deficits in Hippocampal Synaptic Plasticity. *The Journal of Neuroscience*, 34(7), 2618-2631. doi. <http://www.jneurosci.org/content/34/7/2618.abstract>

Ermini, F. V., Grathwohl, S., Radde, R., Yamaguchi, M., Staufenbiel, M., Palmer, T. D., & Jucker, M. (2008). Neurogenesis and Alterations of Neural Stem Cells in Mouse Models of Cerebral Amyloidosis. *American Journal of Pathology*, 172(6), 1520-1528. doi: 10.2353/ajpath.2008.060520. <http://ajp.amjpathol.org/cgi/content/abstract/172/6/1520>

Ersoz, S., Mungan, S., Cobanoglu, U., Turgutalp, H., & Ozoran, Y. (2011). Prognostic importance of Claudin-1 and Claudin-4 expression in colon carcinomas. *Pathology-Research and Practice*. doi.

Escamilla, C. O., Filonova, I., Walker, A. K., Xuan, Z. X., Holehonnur, R., Espinosa, F., . . . Powell, C. M. (2017). Kctd13 deletion reduces synaptic transmission via increased RhoA. *Nature*, 551, 227. doi: 10.1038/nature24470

<https://www.nature.com/articles/nature24470#supplementary-information>. <http://dx.doi.org/10.1038/nature24470>

Escobar, C. M., Krajewski, S. J., Sandoval-Guzmán, T., Voytko, M. L., & Rance, N. E. (2004). Neuropeptide Y Gene Expression Is Increased in the Hypothalamus of Older Women *Journal of Clinical Endocrinological Metabolism*, 89(5), 2338-2343. doi.

Eskow Jaunarajs, K. L., George, J. A., & Bishop, C. (2012). L-DOPA-induced dysregulation of extrastriatal dopamine and serotonin and affective symptoms in a bilateral rat model of Parkinson's disease. *Neuroscience*. doi.

Esnault, S., Rosenthal, L. A., Shen, Z. J., Sedgwick, J. B., Szakaly, R. J., Sorkness, R. L., & Malter, J. S. (2007). A critical role for Pin1 in allergic pulmonary eosinophilia in rats. *Journal of Allergy and Clinical Immunology*, 120(5), 1082-1088. doi:

Espadas, I., Darmopil, S., Vergaño-Vera, E., Ortiz, O., Oliva, I., Vicario-Abejón, C., . . . Moratalla, R. (2012). L-DOPA-induced increase in TH-immunoreactive striatal neurons in parkinsonian mice: Insights into regulation and function. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.07.012. <http://www.sciencedirect.com/science/article/pii/S0969996112002537>

Espallergues, J., Teegarden, S. L., Veerakumar, A., Boulden, J., Challis, C., Jochems, J., . . . Berton, O. (2012). HDAC6 Regulates Glucocorticoid Receptor Signaling in Serotonin Pathways with Critical Impact on Stress Resilience. *Journal of Neuroscience*, 32(13), 4400-4416. doi: 10.1523/jneurosci.5634-11.2012. <http://www.jneurosci.org/content/32/13/4400.abstract>

Espinosa-Jeffrey, A., Arrazola, R., Chu, B., Taniguchi, A., Barajas, S., Bokhoor, P., . . . de Vellis, J. (2016). Take a look at the Recent articles. doi: <http://www.oatext.com/Trophic-factors-intervention-regenerates-the-nesti..>

Estrada, L. I., Robinson, A. A., Amaral, A. C., Giannaris, E. L., Heyworth, N. C., Mortazavi, F., . . . Rosene, D. L. (2017). Evaluation of Long-Term Cryostorage of Brain Tissue Sections for Quantitative Histochemistry. *Journal of Histochemistry and Cytochemistry*, 0022155416686934. doi: 10.1369/0022155416686934. <http://dx.doi.org/10.1369/0022155416686934>

Ettle, B., Kerman, B. E., Valera, E., Gillmann, C., Schlachetzki, J. C. M., Reiprich, S., . . . Winkler, J. (2016). α -Synuclein-induced myelination deficit defines a novel interventional target for multiple system atrophy. [journal article]. *Acta Neuropathologica*, 1-17. doi: 10.1007/s00401-016-1572-y. <http://dx.doi.org/10.1007/s00401-016-1572-y>

Evans, S., Hicks, M., Rosenberg, J., Ricart Arbona, R., Foltin, R., Andrenyak, D., . . . Crystal, R. (2013). Partial Correction of the CNS Lysosomal Storage Defect in a Mouse Model of Juvenile Neuronal Ceroid Lipofuscinosis by Neonatal CNS Administration of AAV Serotype rh.10 Vector Expressing the Human CLN3 Gene. *Human Gene Therapy*, 29, 29. doi: <http://www.ncbi.nlm.nih.gov/pubmed/24372003?dopt=Abstract>

Evonuk, K. S., Prabhu, S. D., Young, M. E., & DeSilva, T. M. (2016). Myocardial Ischemia/Reperfusion impairs neurogenesis and hippocampal-dependent learning and memory. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.09.001>. <http://www.sciencedirect.com/science/article/pii/S088915911630410X>

F., B. C., L., T., T., M., G., T., A., Y., M., B., . . . M., K. (2018). The effect of gadolinium-based contrast agents on rat testis. *Andrologia*, 0(0), e13031. doi: 10.1111/and.13031. <https://onlinelibrary.wiley.com/doi/abs/10.1111/and.13031>

Fabel, K., Fabel, K., Tam, B., Kaufer, D., Baiker, A., Simmons, N., . . . Palmer, T. D. (2003). VEGF is necessary for exercise-induced adult hippocampal neurogenesis. *European Journal of Neuroscience*, 18(10), 2803-2812. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2003.0304...>

Fack, F., Espedal, H., Keunen, O., Golebiewska, A., Obad, N., Harter, P. N., . . . Stuhr, L. (2014). Bevacizumab treatment induces metabolic adaptation toward anaerobic metabolism in glioblastomas. *Acta Neuropathologica*, 1-17. doi:

Fagel, D. M., Ganat, Y., Cheng, E., Silbereis, J., Ohkubo, Y., Ment, L. R., & Vaccarino, F. M. (2009). Fgfr1 Is Required for Cortical Regeneration and Repair after Perinatal Hypoxia. *Journal of Neuroscience*, 29(4), 1202-1211. doi: 10.1523/jneurosci.4516-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/4/1202>

Fagel, D. M., Ganat, Y., Silbereis, J., Ebbitt, T., Stewart, W., Zhang, H., . . . Vaccarino, F. M. (2006). Cortical neurogenesis enhanced by chronic perinatal hypoxia. *Experimental Neurology*, 199(1), 77-91. doi.

Fahimi, A., Baktir, M. A., Moghadam, S., Mojabi, F. S., Sumanth, K., McNerney, M. W., . . . Salehi, A. (2016). Physical exercise induces structural alterations in the hippocampal astrocytes: exploring the role of BDNF-TrkB signaling. [Journal article]. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-016-1308-8. <http://dx.doi.org/10.1007/s00429-016-1308-8>

Fakira, A. K., Gaspers, L. D., Thomas, A. P., Li, H., Jain, M. R., & Elkabes, S. (2012). Purkinje cell dysfunction and delayed death in plasma membrane calcium ATPase 2-heterozygous mice. *Molecular and Cellular Neuroscience*, (0). doi: 10.1016/j.mcn.2012.07.001. <http://www.sciencedirect.com/science/article/pii/S1044743112001091>

Falke, E., Han, L. Y., & Arnold, S. E. (2000). Absence of neurodegeneration in the thalamus and caudate of elderly patients with schizophrenia. *Psychiatry Research*, 93(2), 103-110. doi.

Falke, E., Nissanov, J., Mitchell, T. W., Bennett, D. A., Trojanowski, J. Q., & Arnold, S. E. (2003). Subicular Dendritic Arborization in Alzheimer's Disease Correlates with Neurofibrillary Tangle Density *American Journal of Pathology*. 163, 1615-1621. doi.

Fan, L., Hanbury, R., Pandey, S. C., & Cohen, R. S. (2008). Dose and time effects of estrogen on expression of neuron-specific protein and cyclic AMP response element-binding protein and brain region volume in the medial amygdala of ovariectomized rats. *Neuroendocrinology*, 88(2), 111-126. doi.

Fan, Y., Kong, H., Ye, X., Ding, J., & Hu, G. (2015). ATP-sensitive potassium channels: uncovering novel targets for treating depression. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-015-1090-z. <http://dx.doi.org/10.1007/s00429-015-1090-z>

Fan, Y., Liu, M., Wu, X., Wang, F., Ding, J., Chen, J., & Hu, G. (2011). Aquaporin-4 promotes memory consolidation in Morris water maze. *Brain Structure and Function*, 1-12. doi.

Fan, Y., Liu, Z., Weinstein, P. R., Fike, J. R., & Liu, J. (2007). Environmental enrichment enhances neurogenesis and improves functional outcome after cranial irradiation. *European Journal of Neuroscience*, 25(1), 38-46. doi: doi:10.1111/j.1460-9568.2006.05269.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05269.x>

Fan, Z., Lu, M., Qiao, C., Zhou, Y., Ding, J.-H., & Hu, G. (2015). MicroRNA-7 Enhances Subventricular Zone Neurogenesis by Inhibiting NLRP3/Caspase-1 Axis in Adult Neural Stem Cells. *Molecular Neurobiology*, 1-13. doi: 10.1007/s12035-015-9620-5. <http://dx.doi.org/10.1007/s12035-015-9620-5>

Fang, P.-c., Barbay, S., Plautz, E. J., Hoover, E., Strittmatter, S. M., & Nudo, R. J. (2010). Combination of NEP 1-40 Treatment and Motor Training Enhances Behavioral Recovery After a Focal Cortical Infarct in Rats. *Stroke*, 41(3), 544-549. doi: 10.1161/strokeaha.109.572073. <http://stroke.ahajournals.org/cgi/content/abstract/STROKEAHA.109.572073v1>

Fannon, M. J., Mysore, K. K., Williams, J., Quach, L. W., Purohit, D. C., Sibley, B. D., . . . Mandyam, C. D. (2018). Hippocampal neural progenitor cells play a distinct role in fear memory retrieval in male and female CIE rats. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.09.045>. <http://www.sciencedirect.com/science/article/pii/S0028390818307238>

Fanous, S., Lacagnina, M. J., Nikulina, E. M., & Hammer Jr, R. P. (2011). Sensitized activation of Fos and brain-derived neurotrophic factor in the medial prefrontal cortex and ventral tegmental area accompanies behavioral sensitization to amphetamine. *Neuropharmacology*. doi.

Farber, N. B., Creeley, C. E., & Olney, J. W. (2010). Alcohol-induced neuroapoptosis in the fetal macaque brain. *Neurobiology of Disease*, 40(1), 200-206. doi.

Fard, M. A., Ebrahimi, K. B., & Miller, N. R. (2013). RhoA activity and post-ischemic inflammation in an experimental model of adult rodent anterior ischemic optic neuropathy. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.07.053>. <http://www.sciencedirect.com/science/article/pii/S0006899313010767>

Farfel-Becker, T., Vitner, E. B., Pressey, S. N. R., Eilam, R., Cooper, J. D., & Futerman, A. H. (2011). Spatial and temporal correlation between neuron loss and neuroinflammation in a mouse model of neuronopathic Gaucher disease. *Human Molecular Genetics*. doi: 10.1093/hmg/ddr019. <http://hmg.oxfordjournals.org/content/early/2011/01/27/hmg.ddr019.abstract>

Fargo, K. N., Foster, A. M., Harty, M. W., & Sengelaub, D. R. (2003). Estrogen alters excitability but not morphology of a sexually dimorphic neuromuscular system in adult rats. *Journal of Neurobiology*, 56(1), 66-77. doi.

Fargo, K. N., & Sengelaub, D. R. (2004). Exogenous testosterone prevents motoneuron atrophy induced by contralateral motoneuron depletion. *Journal of Neurobiology*, 60(3), 348-359. doi.

Fargo, K. N., & Sengelaub, D. R. (2004). Testosterone manipulation protects motoneurons from dendritic atrophy after contralateral motoneuron depletion. *Journal of Comparative Neurology*, 469(1), 96-106. doi.

Fargo, K. N., & Sengelaub, D. R. (2007). Androgenic, but not estrogenic, protection of motoneurons from somal and dendritic atrophy induced by the death of neighboring motoneurons. *Developmental Neurobiology*, 67(8), 1094-1106. doi.

Farinetti, A., Tomasi, S., Foglio, B., Ferraris, A., Ponti, G., Gotti, S., . . . Panzica, G. (2014). Testosterone and estradiol differentially affect cell proliferation in the subventricular zone of young adult gonadectomized male and female rats. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.11.050>. <http://www.sciencedirect.com/science/article/pii/S0306452214010185>

Farrag, T. Y., Lehar, M., Verhaegen, P., Carson, K. A., & Byrne, P. J. (2007). Effect of Platelet Rich Plasma and Fibrin Sealant on Facial Nerve Regeneration in a Rat Model. *Laryngoscope*, 11(1), 157-165. doi.

Farrand, A. Q., Helke, K. L., Aponte-Cofresi, L., Gooz, M. B., Gregory, R. A., Hinson, V. K., & Boger, H. A. (2019). Effects of vagus nerve stimulation are mediated in part by TrkB in a parkinson's disease model. *Behavioural Brain Research*, 373, 112080. doi: <https://doi.org/10.1016/j.bbr.2019.112080>. <http://www.sciencedirect.com/science/article/pii/S0166432819308423>

- Farrand, A. Q., Helke, K. L., Gregory, R. A., Gooz, M., Hinson, V. K., & Boger, H. A. (2017). Vagus nerve stimulation improves locomotion and neuronal populations in a model of Parkinson's disease. *Brain Stimulation*. doi: <https://doi.org/10.1016/j.brs.2017.08.008>. <http://www.sciencedirect.com/science/article/pii/S1935861X17308884>
- Farrar, C. E., Huang, C. S., Clarke, S. G., & Houser, C. R. (2005). Increased cell proliferation and granule cell number in the dentate gyrus of protein repair-deficient mice. *Journal of Comparative Neurology*, 493(4), 524-537. doi.
- Farrell, M. K., & Houle, D. J. D. (2019). Systemic inhibition of soluble TNF with XPro1595 exacerbates a post-spinal cord injury depressive phenotype in female rats. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2019.6438. <https://www.liebertpub.com/doi/abs/10.1089/neu.2019.6438>
- Farrell, M. R., Sayed, J. A., Underwood, A. R., & Wellman, C. L. (2010). Lesion of infralimbic cortex occludes stress effects on retrieval of extinction but not fear conditioning. *Neurobiology of Learning and Memory*, 94(2), 240-246. doi.
- Farrera-Hernández, A., Marín-Llera, J. C., & Chimal-Monroy, J. (2020). WNT5A-Ca²⁺-CaN-NFAT signalling plays a permissive role during cartilage differentiation in embryonic chick digit development. *Developmental Biology*. doi: <https://doi.org/10.1016/j.ydbio.2020.10.003>. <http://www.sciencedirect.com/science/article/pii/S0012160620302748>
- Fatemi, S. H., Earle, J. A., & McMenomy, T. (2000). Reduction in Reelin immunoreactivity in hippocampus of subjects with schizophrenia, bipolar disorder and major depression. *Molecular Psychiatry*, 5, 654-663. doi.
- Fatemi, S. H., Emamian, E. S., Sidwell, R. W., Kist, D. A., Stary, J. M., Earle, J. A., & Thuras, P. (2002). Human influenza viral infection in utero alters glial fibrillary acidic protein immunoreactivity in the developing brains of neonatal mice. *Molecular Psychiatry*, 7, 633-640. doi.
- Fatemi, S. H., Halt, A. R., Realmuto, G., Earle, J., Kist, D. A., Thuras, P., & Merz, A. (2002). Purkinje cell size is reduced in cerebellum of patients with autism. *Cellular and Molecular Neurobiology*, 22(2), 171-175. doi.
- Faulkner, J. R., Herrmann, J. E., Woo, M. J., Tansey, K. E., Doan, N. B., & Sofroniew, M. V. (2004). Reactive Astrocytes Protect Tissue and Preserve Function after Spinal Cord Injury. *Journal of Neuroscience*, 24(9), 2143-2155. doi. <http://www.jneurosci.org/cgi/content/abstract/24/9/2143>
- Faunes, M., Fernández, S., Gutiérrez-Ibáñez, C., Iwaniuk, A. N., Wylie, D. R., Mpodozis, J., . . . Marín, G. (2012). Laminar segregation of GABAergic neurons in the avian nucleus isthmi pars magnocellularis: A retrograde tracer and comparative study. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23253. <http://dx.doi.org/10.1002/cne.23253>
- Faunes, M., Oñate-Ponce, A., Fernández-Collemani, S., & Henny, P. (2015). Excitatory and inhibitory innervation of the mouse orofacial motor nuclei: A stereological study. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23862. <http://dx.doi.org/10.1002/cne.23862>
- Fausser, M., Ricken, M., Markert, F., Weis, N., Schmitt, O., Gimsa, J., . . . Storch, A. (2021). Subthalamic nucleus deep brain stimulation induces sustained neurorestoration in the mesolimbic dopaminergic system in a Parkinson's disease model. *Neurobiology of Disease*, 156, 105404.

doi: <https://doi.org/10.1016/j.nbd.2021.105404>. <https://www.sciencedirect.com/science/article/pii/S0969996121001534>

Faw, T. D., Lerch, J. K., Thaxton, T. T., Deibert, R. J., Fisher, L. C., & Basso, D. M. (2018). Unique sensory and motor behavior in Thy1-GFP-M mice before and after spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5395. <https://doi.org/10.1089/neu.2017.5395>

Featherstone, R. E., Liang, Y., Saunders, J., Tatard-Leitman, V., Ehrlichman, R. S., & Siegel, S. J. (2012). Subchronic ketamine treatment leads to permanent changes in EEG, cognition and the astrocytic glutamate transporter EAAT2 in mice. *Neurobiology of Disease*. doi.

Fedor, M., Berman, R. F., Muizelaar, J. P., & Lyeth, B. G. (2010). Hippocampal theta dysfunction after lateral fluid percussion injury. *Journal of Neurotrauma*, 27(9), 1605-1615. doi.

Fehlings, M., & Robins-Steele, S. (2012). The delayed post-injury administration of soluble Fas receptor attenuates post-traumatic neural degeneration and enhances functional recovery after traumatic cervical spinal cord injury. *Journal of Neurotrauma*, (ja). doi.

Fei, Q., McCormack, A. L., Di Monte, D. A., & Ethell, D. W. (2008). Paraquat Neurotoxicity Is Mediated by a Bak-dependent Mechanism. *Journal of Biological Chemistry*, 283(6), 3357-3364. doi: 10.1074/jbc.M708451200. <http://www.jbc.org/cgi/content/abstract/283/6/3357>

Fei, W., Du, X., & Yang, H. (2011). Seipin, adipogenesis and lipid droplets. *Trends Endocrinol Metab*, 22. doi: 10.1016/j.tem.2011.02.004. <http://dx.doi.org/10.1016/j.tem.2011.02.004>

Fei, X. F., Qin, Z. H., Xiang, B., Li, L. Y., Han, F., Fukunaga, K., & Liang, Z. Q. (2009). Olomoucine inhibits cathepsin L nuclear translocation, activates autophagy and attenuates toxicity of 6-hydroxydopamine. *Brain Research*, 1264, 85-97. doi.

Feng, J., Zhao, X., Gurkoff, G. G., Van, K. C., Shahlaie, K., & Lyeth, B. G. (2011). Posttraumatic hypoxia exacerbates neuronal cell death in the hippocampus. *Journal of Neurotrauma*, (ja). doi.

Feng, J., Zhou, Y., Campbell, S. L., Le, T., Li, E., Sweatt, J. D., . . . Fan, G. (2010). Dnmt1 and Dnmt3a maintain DNA methylation and regulate synaptic function in adult forebrain neurons. *Nature Neuroscience*, 13(4), 423-430. doi.

Feng, J. F., Van, K. C., Gurkoff, G. G., Kopriva, C., Olszewski, R. T., Song, M., . . . others. (2011). Post-injury administration of NAAG peptidase inhibitor prodrug, PGI-02776, in experimental TBI. *Brain Research*. doi.

Feng, L., Sametsky, E. A., Gusev, A. G., & Uteshev, V. V. (2012). Responsiveness to nicotine of neurons of the caudal nucleus of the solitary tract correlates with the neuronal projection target. *Journal of Neurophysiology*. doi: 10.1152/jn.00296.2012. <http://jn.physiology.org/content/early/2012/07/12/jn.00296.2012.abstract>

Fenton, E. Y., Fournier, N. M., Lussier, A. L., Romay-Tallon, R., Caruncho, H. J., & Kalynchuk, L. E. (2015). Imipramine protects against the deleterious effects of chronic corticosterone on depression-like behavior, hippocampal reelin expression, and neuronal maturation. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, (o). doi: <http://dx.doi.org/10.1016/j.pnpbp.2015.02.001>. <https://www.sciencedirect.com/science/article/pii/S0278584615000275>

Ferger, B., Leng, A., Mura, A., Hengerer, B., & Feldon, J. (2004). Genetic ablation of tumor necrosis factor- α and pharmacological inhibition of TNF-synthesis attenuates MPTP toxicity in mouse striatum. *Journal of Neurochemistry*, 89(4), 822-833. doi: doi:10.1111/j.1471-4159.2004.02399.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2004.02399.x>

Fernagut, P. O., Hutson, C. B., Fleming, S. M., Tetreaut, N. A., Salcedo, J., Masliah, E., & Chesselet, M. F. (2007). Behavioral and histopathological consequences of paraquat intoxication in mice: Effects of α -synuclein over-expression. *Synapse*, 61(12), 991-1001. doi.

Fernandes-Junior, S. A., Oliveira, L. M., Czeisler, C. M., Mo, X., Sashwati, R., Somogyi, A., . . . Takakura, A. C. (2020). Stimulation of Retrotrapezoid Nucleus Phox2b-expressing Neurons Rescues Breathing Dysfunction in an Experimental Parkinson's Disease Rat Model. *Brain Pathology*, n/a(n/a). doi: 10.1111/bpa.12868. <https://onlinelibrary.wiley.com/doi/abs/10.1111/bpa.12868>

Fernandez, G. M., & Savage, L. M. (2017). Adolescent binge ethanol exposure alters specific forebrain cholinergic cell populations and leads to selective functional deficits in the prefrontal cortex. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.08.013>. <http://www.sciencedirect.com/science/article/pii/S0306452217305717>

Fernández, M., Reyes-Pinto, R., Norambuena, C., Sentis, E., & Mpodozis, J. (2021). A canonical interlaminar circuit in the sensory dorsal ventricular ridge of birds: The anatomical organization of the trigeminal pallium. [<https://doi.org/10.1002/cne.25201>]. *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25201>. <https://doi.org/10.1002/cne.25201>

Fernandez, M. L., Wright, A. K., & Arbuthnott, G. W. (2005). Activation of NOS Interneurons in Striatum after Excitotoxic Lesions of Rat Globus Pallidus. *Basal Ganglia VIII*, 485-491. doi.

Fernández, V., Martínez-Martínez, M. Á., Prieto-Colomina, A., Cárdenas, A., Soler, R., Dori, M., . . . Borrell, V. (2020). Repression of *Irs2* by let-7 miRNAs is essential for homeostasis of the telencephalic neuroepithelium. *The EMBO journal*, n/a(n/a), e105479. doi: 10.15252/embj.2020105479. <https://doi.org/10.15252/embj.2020105479>

Fernández-Aburto, P., Delgado, S. E., Sobrero, R., & Mpodozis, J. (2019). Can social behaviour drive accessory olfactory bulb asymmetries? Sister species of caviomorph rodents as a case in point. *Journal of Anatomy*, n/a(n/a). doi: 10.1111/joa.13126. <https://onlinelibrary.wiley.com/doi/abs/10.1111/joa.13126>

Fernandez-Gonzalez, P., Benavides-Piccione, R., Leguey, I., Bielza, C., Larrañaga, P., & DeFelipe, J. (2016). Dendritic-branching angles of pyramidal neurons of the human cerebral cortex. [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-016-1311-0. <http://dx.doi.org/10.1007/s00429-016-1311-0>

Fernández-Juricic, E., Baumhardt, P. E., Tyrrell, L. P., Elmore, A., DeLiberto, S. T., & Werner, S. J. (2019). Vision in an abundant North American bird: The Red-winged Blackbird. *The Auk*. doi: 10.1093/auk/ukz039. <https://doi.org/10.1093/auk/ukz039>

Fernández-Juricic, E., Moore, B. A., Doppler, M., Freeman, J., Blackwell, B. F., Lima, S. L., & DeVault, T. L. (2011). Testing the Terrain Hypothesis: Canada Geese See Their World Laterally and Obliquely. *Brain, Behavior and Evolution*, 77(3), 147-158. doi.

Fernández-López, D., Faustino, J., Derugin, N., Wendland, M., Lizasoain, I., Moro, M. A., & Vexler, Z. S. (2012). Reduced infarct size and accumulation of microglia in rats treated with WIN 55,212-2 after neonatal stroke. *Neuroscience*. doi.

Fernando, C., Kele, J., Bye, C., Niclis, J. C., Alsanie, W., Blakely, B. D., . . . Parish, C. (2014). Diverse roles for Wnt7a in ventral midbrain neurogenesis and dopaminergic axon morphogenesis. *Stem Cells and Development*, (ja). doi. <http://online.liebertpub.com/doi/abs/10.1089/scd.2014.0166>

Ferragud, A., Velazquez-Sanchez, C., Minnig, M. A., Sabino, V., & Cottone, P. (2020). Pituitary adenylate cyclase-activating polypeptide (PACAP) modulates dependence-induced alcohol drinking and anxiety-like behavior in male rats. *Neuropsychopharmacology*. doi: 10.1038/s41386-020-00904-4. <https://doi.org/10.1038/s41386-020-00904-4>

Ferrante, R. J., Andreassen, O. A., Dedeoglu, A., Ferrante, K. L., Jenkins, B. G., Hersch, S. M., & Beal, M. F. (2002). Therapeutic Effects of Coenzyme Q10 and Remacemide in Transgenic Mouse Models of Huntington's Disease. *Journal of Neuroscience*, 22(5), 1592-1599. doi. <http://www.jneurosci.org/cgi/content/abstract/22/5/1592>

Ferrante, R. J., Andreassen, O. A., Jenkins, B. G., Dedeoglu, A., Kuemmerle, S., Kubilus, J. K., . . . Beal, M. F. (2000). Neuroprotective Effects of Creatine in a Transgenic Mouse Model of Huntington's Disease. *Journal of Neuroscience*, 20(12), 4389-4397. doi. <http://www.jneurosci.org/cgi/content/abstract/20/12/4389>

Ferrante, R. J., Klein, A. M., Dedeoglu, A., & Flint Beal, M. (2001). Therapeutic efficacy of EGb761 (Ginkgo biloba extract) in a transgenic mouse model of amyotrophic lateral sclerosis. *Journal of Molecular Neuroscience*, 17(1), 89-96. doi.

Ferrante, R. J., Kubilus, J. K., Lee, J., Ryu, H., Beesen, A., Zucker, B., . . . Hersch, S. M. (2003). Histone Deacetylase Inhibition by Sodium Butyrate Chemotherapy Ameliorates the Neurodegenerative Phenotype in Huntington's Disease Mice. *Journal of Neuroscience*, 23(28), 9418-9427. doi. <http://www.jneurosci.org/cgi/content/abstract/23/28/9418>

Ferrante, R. J., Ryu, H., Kubilus, J. K., D'Mello, S., Sugars, K. L., Lee, J., . . . Ratan, R. R. (2004). Chemotherapy for the Brain: The Antitumor Antibiotic Mithramycin Prolongs Survival in a Mouse Model of Huntington's Disease. *Journal of Neuroscience*, 24(46), 10335-10342. doi. <http://www.jneurosci.org/cgi/content/abstract/24/46/10335>

Ferrari, D., Sanchez-Pernaute, R., Lee, H., Studer, L., & Isacson, O. (2006). Transplanted dopamine neurons derived from primate ES cells preferentially innervate DARPP-32 striatal progenitors within the graft. *European Journal of Neuroscience*, 24(7), 1885-1896. doi: doi:10.1111/j.1460-9568.2006.05093.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05093.x>

Ferrazzo, S., Gunduz-Cinar, O., Stefanova, N., Pollack, G. A., Holmes, A., Schmuckermair, C., & Ferraguti, F. (2019). Increased anxiety-like behavior following circuit-specific catecholamine denervation in mice. *Neurobiology of Disease*, 125, 55-66. doi: <https://doi.org/10.1016/j.nbd.2019.01.009>. <http://www.sciencedirect.com/science/article/pii/S0969996119300142>

Ferreiro, E., Lanzillo, M., Canhoto, D., Carvalho da Silva, A. M., Mota, S. I., Dias, I. S., . . . Rego, A. C. (2020). Chronic Hyperglycemia Impairs Hippocampal Neurogenesis and Memory in an Alzheimer's disease mouse model. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2020.04.003>. <http://www.sciencedirect.com/science/article/pii/S0197458020301226>

Ferrera, D., Mazzaro, N., Canale, C., & Gasparini, L. (2014). Resting microglia react to A beta 42 fibrils but do not detect oligomers or oligomer-induced neuronal damage. *Neurobiology of Aging*, 35. doi: 10.1016/j.neurobiolaging.2014.05.023. <http://dx.doi.org/10.1016/j.neurobiolaging.2014.05.023>

Ferrigno, A., Vairetti, M., Ambrosi, G., Rizzo, V., Richelmi, P., Blandini, F., & Armentero, M.-T. (2015). Selective blockade of mGlu5 metabotropic glutamate receptors is protective against hepatic mitochondrial dysfunction in 6-OHDA lesioned Parkinsonian rats. *Clinical and Experimental Pharmacology and Physiology*, n/a-n/a. doi: 10.1111/1440-1681.12410. <http://dx.doi.org/10.1111/1440-1681.12410>

Fertuzinhos, S., Krsnik, Z., Kawasawa, Y. I., Rasin, M.-R., Kwan, K. Y., Chen, J.-G., . . . Sestan, N. (2009). Selective Depletion of Molecularly Defined Cortical Interneurons in Human Holoprosencephaly with Severe Striatal Hypoplasia. *Cerebral Cortex*, bhpo09. doi: 10.1093/cercor/bhp009. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp009v1>

Fields, J., Dumaop, W., Elueteri, S., Campos, S., Serger, E., Trejo, M., . . . Rockenstein, E. (2015). HIV-1 Tat Alters Neuronal Autophagy by Modulating Autophagosome Fusion to the Lysosome: Implications for HIV-Associated Neurocognitive Disorders. *The Journal of Neuroscience*, 35(5), 1921-1938. doi: <http://www.jneurosci.org/content/35/5/1921.short>

Fields, J. A., Metcalf, J., Overk, C., Adame, A., Spencer, B., Wrasidlo, W., . . . Masliah, E. (2017). The anticancer drug sunitinib promotes autophagy and protects from neurotoxicity in an HIV-1 Tat model of neurodegeneration. [journal article]. *Journal of Neurovirology*, 1-14. doi: 10.1007/s13365-016-0502-z. <http://dx.doi.org/10.1007/s13365-016-0502-z>

Figge, D., Rahman, I., Dougherty, P., & Rademacher, D. (2012). Retrieval of contextual memories increases activity-regulated cytoskeleton-associated protein in the amygdala and hippocampus. *Brain Structure and Function*, 1-20. doi: 10.1007/s00429-012-0453-y. <http://dx.doi.org/10.1007/s00429-012-0453-y>

Figley, S. A., Chen, Y., Maeda, A., Conroy, L., McMullen, J. D., Silver, J. I., . . . DaCosta, R. S. (2013). A Spinal Cord Window Chamber Model for *In Vivo* Longitudinal Multimodal Optical and Acoustic Imaging in a Murine Model. *Plos one*, 8(3), e58081. doi: 10.1371/journal.pone.0058081. <http://dx.doi.org/10.1371/journal.pone.0058081>

Figley, S. A., Liu, Y., Karadimas, S. K., Satkunendrarajah, K., Fettes, P., Spratt, S. K., . . . Fehlings, M. G. (2014). Delayed Administration of a Bio-Engineered Zinc-Finger VEGF-A Gene Therapy Is Neuroprotective and Attenuates Allodynia Following Traumatic Spinal Cord Injury. *Plos one*, 9(5), e96137. doi: 10.1371/journal.pone.0096137. <http://dx.doi.org/10.1371/journal.pone.0096137>

Figueiredo, T., Harbert, C. L., Pidoplichko, V., Almeida-Suhett, C. P., Rossetti, K., Braga, M. F. M., & Marini, A. M. (2019). The Recovery of GABAergic Function in the Hippocampus CA1 Region After mTBI. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-019-01753-z. <https://doi.org/10.1007/s12035-019-01753-z>

Figueiredo, T. H., Aroniadou-Anderjaska, V., Qashu, F., Aplan, J. P., Pidoplichko, V., Stevens, D., . . . Braga, M. F. M. (2011). Neuroprotective efficacy of caramiphen against soman and mechanisms of its action. *British Journal of Pharmacology*, 164(5), 1495-1505. doi: 10.1111/j.1476-5381.2011.01427.x. <http://dx.doi.org/10.1111/j.1476-5381.2011.01427.x>

Figueiredo, T. H., Aroniadou-Anderjaska, V., Qashu, F., Aplan, J. P., Souza, A. P., & Braga, M. F. M. (2011). Efficacy of Topiramate Against Soman Intoxication: Attenuation of Seizures Without Neuroprotection. *American Journal of Neuroprotection and Neuroregeneration*, 3(1), 59-65. doi:

Figueiredo, T. H., Harbert, C. L., Pidoplichko, V., Almeida-Suhett, C. P., Pan, H., Rossetti, K., . . . Marini, A. M. (2017). Alpha-Linolenic Acid Treatment Reduces the Contusion and Prevents the Development of Anxiety-Like Behavior Induced by a Mild Traumatic Brain Injury in Rats. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0732-y. <https://doi.org/10.1007/s12035-017-0732-y>

Figueiredo, T. H., Qashu, F., Apland, J. P., Aroniadou-Anderjaska, V., Souza, A. P., & Braga, M. F. M. (2011). The GluK1 (GluR5) Kainate/ α -Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid Receptor Antagonist LY293558 Reduces Soman-Induced Seizures and Neuropathology. *Journal of Pharmacology and Experimental Therapeutics*, 336(2), 303-312. doi: 10.1124/jpet.110.171835. <http://jpet.aspetjournals.org/content/336/2/303.abstract>

Filice, F., Celio, M. R., Babalian, A., Blum, W., & Szabolcsi, V. (2017). Parvalbumin-expressing ependymal cells in rostral lateral ventricle wall adhesions contribute to aging-related ventricle stenosis in mice. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24276. <http://dx.doi.org/10.1002/cne.24276>

Filice, F., Vörckel, K. J., Sungur, A. Ö., Wöhr, M., & Schwaller, B. (2016). Reduction in parvalbumin expression not loss of the parvalbumin-expressing GABA interneuron subpopulation in genetic parvalbumin and shank mouse models of autism. [journal article]. *Molecular Brain*, 9(1), 1-17. doi: 10.1186/s13041-016-0192-8. <http://dx.doi.org/10.1186/s13041-016-0192-8>

Filichia, E., Hoffer, B., Qi, X., & Luo, Y. (2016). Inhibition of Drp1 mitochondrial translocation provides neural protection in dopaminergic system in a Parkinson's disease model induced by MPTP. [Article]. *Scientific Reports*, 6, 32656. doi: 10.1038/srep32656

<http://www.nature.com/articles/srep32656#supplementary-information>. <http://dx.doi.org/10.1038/srep32656>

Filichia, E., Shen, H., Zhou, X., Qi, X., Jin, K., Greig, N., . . . Luo, Y. (2015). Forebrain neuronal specific ablation of p53 gene provides protection in a cortical ischemic stroke model. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.03.018>. <http://www.sciencedirect.com/science/article/pii/S0306452215002407>

Filipcik, P., Cente, M., Zilka, N., Smolek, T., Hanes, J., Kucerak, J., . . . Novak, M. (2015). Intraneuronal accumulation of misfolded tau protein induces overexpression of Hsp27 in activated astrocytes. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.bbadis.2015.03.003>. <http://www.sciencedirect.com/science/article/pii/S0925443915000678>

Filipcik, P., Zilka, N., Bugos, O., Kucerak, J., Koson, P., Novak, P., & Novak, M. (2010). First transgenic rat model developing progressive cortical neurofibrillary tangles. *Neurobiology of Aging*. doi.

Fillman, S. G., Cloonan, N., Catts, V. S., Miller, L. C., Wong, J., McCrossin, T., . . . Weickert, C. S. (2012). Increased inflammatory markers identified in the dorsolateral prefrontal cortex of individuals with schizophrenia. *Molecular Psychiatry*. doi: <http://www.nature.com/mp/journal/vaop/ncurrent/suppinfo/mp2012110s1.html>. <http://dx.doi.org/10.1038/mp.2012.110>

Finardi, A., Colciaghi, F., Castana, L., Locatelli, D., Marras, C., Nobili, P., . . . Battaglia, G. (2013). Long-duration epilepsy affects cell morphology and glutamatergic synapses in type IIB focal cortical dysplasia. *Acta Neuropathologica*, 1-17. doi: 10.1007/s00401-013-1143-4. <http://dx.doi.org/10.1007/s00401-013-1143-4>

Finch, D. K., Stolberg, V. R., Ferguson, J., Alikaj, H., Kady, M. R., Richmond, B. W., . . . Freeman, C. M. (2018). Lung Dendritic Cells Drive NK Cytotoxicity in Chronic Obstructive Pulmonary Disease via IL-15R α . *American Journal of Respiratory and Critical Care Medicine*, 0(ja), null. doi: 10.1164/rccm.201712-2513OC. <https://www.atsjournals.org/doi/abs/10.1164/rccm.201712-2513OC>

Finkelstein, D. I., Billings, J. L., Adlard, P. A., Ayton, S., Sedjahtera, A., Masters, C. L., . . . Cherny, R. A. (2017). The novel compound PBT434 prevents iron mediated neurodegeneration and alpha-synuclein toxicity in multiple models of Parkinson's disease. [journal article]. *Acta Neuropathologica Communications*, 5(1), 53. doi: 10.1186/s40478-017-0456-2. <http://dx.doi.org/10.1186/s40478-017-0456-2>

Finlay, B. L., Charvet, C. J., Bastille, I., Cheung, D. T., Muniz, J. A. P. C., & de Lima Silveira, L. C. (2013). Scaling the primate lateral geniculate nucleus: Niche and neurodevelopment in the regulation of magnocellular and parvocellular cell number and nucleus volume. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23505. <http://dx.doi.org/10.1002/cne.23505>

Fischer, D. L., Kemp, C. J., Cole-Strauss, A., Polinski, N. K., Paumier, K. L., Lipton, J. W., . . . Sortwell, C. E. (2017). Subthalamic Nucleus Deep Brain Stimulation Employs TrkB Signaling for Neuroprotection and Functional Restoration. [10.1523/JNEUROSCI.2060-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/06/08/JNEUROSCI.2060-16.2017..>

Fischer, D. L., Manfredsson, F. P., Kemp, C. J., Cole-Strauss, A., Lipton, J. W., Duffy, M. F., . . . Sortwell, C. E. (2017). Subthalamic Nucleus Deep Brain Stimulation Does Not Modify the Functional Deficits or Axonopathy Induced by Nigrostriatal α -Synuclein Overexpression. *Scientific Reports*, 7(1), 16356. doi: 10.1038/s41598-017-16690-x. <https://doi.org/10.1038/s41598-017-16690-x>

Fish, E. W., Krouse, M. C., Stringfield, S. J., DiBerto, J. F., Robinson, J. E., & Malanga, C. (2013). Changes in Sensitivity of Reward and Motor Behavior to Dopaminergic, Glutamatergic, and Cholinergic Drugs in a Mouse Model of Fragile X Syndrome. *Plos one*, 8(10), e77896. doi. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0077896>

Fitting, S., Booze, R. M., Hasselrot, U., & Mactutus, C. F. (2007). Differential long-term neurotoxicity of HIV-1 proteins in the rat hippocampal formation: A design-based stereological study. *Hippocampus*, DOI: 10.1002/hipo.20376. doi.

Fitting, S., Booze, R. M., Hasselrot, U., & Mactutus, C. F. (2010). Dose-dependent long-term effects of Tat in the rat hippocampal formation: A design-based stereological study. *Hippocampus*, 20(4), 469-480. doi.

Fitting, S., McLaurin, K. A., Booze, R. M., & Mactutus, C. F. (2017). Dose-dependent neurocognitive deficits following postnatal day 10 HIV-1 viral protein exposure: Relationship to hippocampal anatomy parameters. *International Journal of Developmental Neuroscience*. doi: <https://doi.org/10.1016/j.ijdevneu.2017.10.009>, <http://www.sciencedirect.com/science/article/pii/S0736574817302381>

Flanigan, T. J., Xue, Y., Kishan Rao, S., Dhanushkodi, A., & McDonald, M. P. (2014). Abnormal vibrissa-related behavior and loss of barrel field inhibitory neurons in 5xFAD transgenics. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12133. <http://dx.doi.org/10.1111/gbb.12133>

Fleming, S. M., Mulligan, C. K., Richter, F., Mortazavi, F., Lemesre, V., Frias, C., . . . others. (2010). A pilot trial of the microtubule-interacting peptide (NAP) in mice overexpressing alpha-synuclein shows improvement in motor function and reduction of alpha-synuclein inclusions. *Molecular and Cellular Neuroscience*. doi.

Flores-Cuadrado, A., Saiz-Sanchez, D., Mohedano-Moriano, A., Lamas-Cenfor, E., Leon-Olmo, V., Martinez-Marcos, A., & Ubeda-Bañon, I. (2021). Astrogliosis and sexually dimorphic neurodegeneration and microgliosis in the olfactory bulb in Parkinson's disease. *Npj Parkinson's Disease*, 7(1), 11. doi: 10.1038/s41531-020-00154-7. <https://doi.org/10.1038/s41531-020-00154-7>

Flores-Cuadrado, A., Saiz-Sanchez, D., Mohedano-Moriano, A., Martinez-Marcos, A., & Ubeda-Bañon, I. (2019). Neurodegeneration and contralateral α -synuclein induction after intracerebral α -synuclein injections in the anterior olfactory nucleus of a Parkinson's disease A53T mouse model. [journal article]. *Acta Neuropathologica Communications*, 7(1), 56. doi: 10.1186/s40478-019-0713-7. <https://doi.org/10.1186/s40478-019-0713-7>

Floriddia, E. M., Rathore, K. I., Tedeschi, A., Quadrato, G., Wuttke, A., Lueckmann, J.-M., . . . Di Giovanni, S. (2012). p53 Regulates the Neuronal Intrinsic and Extrinsic Responses Affecting the Recovery of Motor Function following Spinal Cord Injury. *Journal of Neuroscience*, 32(40), 13956-13970. doi: 10.1523/jneurosci.1925-12.2012. <http://www.jneurosci.org/content/32/40/13956.abstract>

Fogarty, M., Yanagawa, Y., Obata, K., Bellingham, M., & Noakes, P. (2013). Genetic absence of the vesicular inhibitory amino acid transporter differentially regulates respiratory and locomotor motor neuron development. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-013-0673-9. <http://dx.doi.org/10.1007/s00429-013-0673-9>

Fogarty, M. J., Smallcombe, K. L., Yanagawa, Y., Obata, K., Bellingham, M. C., & Noakes, P. G. (2013). Genetic Deficiency of GABA Differentially Regulates Respiratory and Non-Respiratory Motor Neuron Development. *Plos one*, 8(2), e56257. doi: 10.1371/journal.pone.0056257. <http://dx.doi.org/10.1371/journal.pone.0056257>

Fonck, C., Nashmi, R., Salas, R., Zhou, C., Huang, Q., De Biasi, M., . . . Lester, H. A. (2009). Demonstration of functional α 4-containing nicotinic receptors in the medial habenula. *Neuropharmacology*, 56(1), 247-253. doi:

Fonseca, C., Taatjes, D., Callas, P., Littleman, F., & Bovill, E. (2012). The effects of aging on the intimal region of the human saphenous vein: insights from multimodal microscopy and quantitative image analysis. *Histochemistry and Cell Biology*, 1-11. doi: 10.1007/s00418-012-0966-8. <http://dx.doi.org/10.1007/s00418-012-0966-8>

Foote, M., Qiao, H., Graham, K., Wu, Y., & Zhou, Y. (2015). Inhibition of 14-3-3 Proteins Leads to Schizophrenia-Related Behavioral Phenotypes and Synaptic Defects in Mice. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2015.02.015. [http://www.biologicalpsychiatryjournal.com/article/S0006-3223\(15\)00125-0/abstract](http://www.biologicalpsychiatryjournal.com/article/S0006-3223(15)00125-0/abstract)

Ford-Hutchinson, A. F., Ali, Z., Lines, S. E., Hallgrímsson, B., Boyd, S. K., & Jirik, F. R. (2007). Inactivation of Pten in Osteo-Chondrogenitor Cells Leads to Epiphyseal Growth Plate Abnormalities and Skeletal Overgrowth. *Journal of Bone and Mineral Research*, 22(8), 1245-1259. doi: doi:10.1359/jbmr.070420. <http://www.jbmronline.org/doi/abs/10.1359/jbmr.070420>

Foresti, M., Arisi, G., Katki, K., Montanez, A., Sanchez, R., & Shapiro, L. (2009). Chemokine CCL2 and its receptor CCR2 are increased in the hippocampus following pilocarpine-induced status epilepticus. *Journal of Neuroinflammation*, 6(1), 40. doi: <http://www.jneuroinflammation.com/content/6/1/40>

Foresti, M. L., Arisi, G. M., Campbell, J. J., & Mello, L. E. (2020). Treatment with CCR2 antagonist is neuroprotective but does not alter epileptogenesis in the pilocarpine rat model of epilepsy. *Epilepsy & Behavior*, 102, 106695.

doi: <https://doi.org/10.1016/j.yebeh.2019.106695>, <http://www.sciencedirect.com/science/article/pii/S1525505019310157>

Forger, N. G., Rosen, G. J., Waters, E. M., Jacob, D., Simerly, R. B., & de Vries, G. J. (2004). Deletion of Bax eliminates sex differences in the mouse forebrain. *Proceedings of the National Academy of Sciences*, 101(37), 13666-13671. doi: <http://www.Proceedings.org/cgi/content/abstract/101/37/13666>

Forgione, N., Chamankhah, M., & Fehlings, M. (2016). A Mouse Model of Bilateral Cervical Contusion-Compression Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4708. <http://online.liebertpub.com/doi/abs/10.1089/neu.2016.4708>

Forgione, N., Karadimas, S. K., Foltz, W. D., Satkunendrarajah, K., Lip, A., & Fehlings, M. (2014). Bilateral Contusion-Compression Model of Incomplete Traumatic Cervical Spinal Cord Injury (SCI). *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2014.3388>

Fortun, J., Puzis, R., Pearse, D. D., Gage, F. H., & Bunge, M. B. (2009). Muscle injection of AAV-NT3 promotes anatomical reorganization of CST axons and improves behavioral outcome following SCI. *Journal of Neurotrauma*, 26(7), 941-953. doi.

Fournier, D. I., Eddy, M. C., DeAngeli, N. E., Huszár, R., & Bucci, D. J. (2019). Retrosplenial cortex damage produces retrograde and anterograde context amnesia using strong fear conditioning procedures. *Behavioural Brain Research*, 369, 111920. doi: <https://doi.org/10.1016/j.bbr.2019.111920>. <http://www.sciencedirect.com/science/article/pii/S166432819303365>

Fournier, D. I., Todd, T. P., & Bucci, D. J. (2019). Permanent damage or temporary silencing of retrosplenial cortex impairs the expression of negative patterning discrimination. *Neurobiology of Learning and Memory*, 107033. doi: <https://doi.org/10.1016/j.nlm.2019.107033>. <http://www.sciencedirect.com/science/article/pii/S1074742719301005>

Fournier, N. M., Andersen, D. R., Botterill, J. J., Sterner, E. Y., Lussier, A. L., Caruncho, H. J., & Kalynchuk, L. E. (2010). The effect of amygdala kindling on hippocampal neurogenesis coincides with decreased reelin and DISC1 expression in the adult dentate gyrus. *Hippocampus*, 20(5), 659-671. doi.

Fournier, N. M., Botterill, J. J., Marks, W. N., Guskjolen, A. J., & Kalynchuk, L. E. (2012). Impaired recruitment of seizure-generated neurons into functional memory networks of the adult dentate gyrus following long-term amygdala kindling. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2012.11.031>. <http://www.sciencedirect.com/science/article/pii/S0014488612004487>

Foust, K. D., Nurre, E., Montgomery, C. L., Hernandez, A., Chan, C. M., & Kaspar, B. K. (2008). Intravascular AAV9 preferentially targets neonatal neurons and adult astrocytes. *Nature Biotechnology*, advanced online publication. doi: <http://dx.doi.org/10.1038/nbt.1515>

http://www.nature.com/nbt/journal/vaop/ncurrent/supinfo/nbt1515_S1.html

Fowke, T. M., Galinsky, R., Davidson, J. O., Wassink, G., Karunasinghe, R. N., Prasad, J. D., . . . Dean, J. M. (2018). Loss of interneurons and disruption of perineuronal nets in the cerebral cortex following hypoxia-ischaemia in near-term fetal sheep. *Scientific Reports*, 8(1), 17686. doi: 10.1038/s41598-018-36083-y. <https://doi.org/10.1038/s41598-018-36083-y>

Fowler, C. D., Johnson, F., & Wang, Z. (2005). Estrogen regulation of cell proliferation and distribution of estrogen receptor- α in the brains of adult female prairie and meadow voles. *Journal of Comparative Neurology*, 489(2), 166-179. doi.

Fowler, C. D., Lu, Q., Johnson, P. M., Marks, M. J., & Kenny, P. J. (2011). Habenular [agr1 5 nicotinic receptor subunit signalling controls nicotine intake. *Nature*, 471(7340), 597-601. doi.

Fox, J., Lu, Z., & Barrows, L. (2015). Thiol-disulfide Oxidoreductases TRX1 and TMX3 Decrease Neuronal Atrophy in a Lentiviral Mouse Model of Huntington's Disease. *PLoS currents*, 7, ecurrents.hd.b966ec962eca968e962d989d962bb964d020be4351e. doi: 10.1371/currents.hd.b966ec2eca8e2d89d2bb4d020be4351e. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4650837/>

Fox, J. H., Barber, D. S., Singh, B., Zucker, B., Swindell, M. K., Norflus, F., . . . Hersch, S. M. (2004). Cystamine increases l-cysteine levels in Huntington's disease transgenic mouse brain and in a PC12 model of polyglutamine aggregation. *Journal of Neurochemistry*, 91(2), 413-422. doi: doi:10.1111/j.1471-4159.2004.02726.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2004.02726.x>

Fox, R. A., Roth li, T. C., LaDage, L. D., & Pravosudov, V. V. (2010). No effect of social group composition or size on hippocampal formation morphology and neurogenesis in mountain chickadees (*Poecile gambeli*). *Developmental Neurobiology*, 70(7), 538-547. doi.

Fragale, J. E. C., Khariv, V., Gregor, D. M., Smith, I. M., Jiao, X., Elkabes, S., . . . Beck, K. D. (2016). Dysfunction in amygdala-prefrontal plasticity and extinction-resistant avoidance: A model for anxiety disorder vulnerability. *Experimental Neurology*, 275, Part 3, 59-68. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.11.002>. <http://www.sciencedirect.com/science/article/pii/S0014488615301163>

França, A. S. C., Lobão-Soares, B., Muratori, L., Nascimento, G., Winne, J., Pereira, C. M., . . . Ribeiro, S. (2015). D2 dopamine receptor regulation of learning, sleep and plasticity. *European Neuropsychopharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.euroneuro.2015.01.011>. <http://www.sciencedirect.com/science/article/pii/S0924977X15000127>

Franciosi, S., Ryu, J. K., Shim, Y., Hill, A., Connolly, C., Hayden, M. R., . . . Leavitt, B. R. (2011). Age-dependent neurovascular abnormalities and altered microglial morphology in the YAC128 mouse model of Huntington disease. *Neurobiology of Disease*. doi.

Franciosi, S., Sosa, M. A. G., English, D. F., Oler, E., Oung, T., Janssen, W. G., . . . Elder, G. A. (2009). Novel cerebrovascular pathology in mice fed a high cholesterol diet. *Molecular Neurodegeneration*, 4(1), 42. doi.

Francipane, M. G., Han, B., Oxburgh, L., Sims-Lucas, S., Li, Z., & Lagasse, E. (2019). Kidney-in-a-lymph node: a novel organogenesis assay to model human renal development and test nephron progenitor cell fates. *Journal of Tissue Engineering and Regenerative Medicine*, 0(ja). doi: 10.1002/term.2924. <https://onlinelibrary.wiley.com/doi/abs/10.1002/term.2924>

Franco, A., Knafo, S., Banon-Rodriguez, I., Merino-Serrais, P., Fernaud-Espinosa, I., Nieto, M., . . . Anton, I. M. (2011). WIP Is a Negative Regulator of Neuronal Maturation and Synaptic Activity. *Cerebral Cortex*, bhr199. doi: 10.1093/cercor/bhr199. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr199v1>

Franco-Iborra, S., Cuadros, T., Parent, A., Romero-Gimenez, J., Vila, M., & Perier, C. (2018). Defective mitochondrial protein import contributes to complex I-induced mitochondrial dysfunction and neurodegeneration in Parkinson's disease. *Cell death & disease*, 9(11), 1122. doi: 10.1038/s41419-018-1154-0. <https://doi.org/10.1038/s41419-018-1154-0>

François, M.-L., Sahún, I., Collin, T., Pereira, P. L., Masini, D., Thomas, S., . . . Créau, N. (2013). Developmental molecular and functional cerebellar alterations induced by PCP4/PEP19 overexpression: Implications for Down syndrome. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.11.016>. <http://www.sciencedirect.com/science/article/pii/S096999611300329X>

Franich, N. R., Fitzsimons, H. L., Fong, D. M., Klugmann, M., During, M. J., & Young, D. (2008). AAV Vector-mediated RNAi of Mutant Huntingtin Expression Is Neuroprotective in a Novel Genetic Rat Model of Huntington's Disease. *Molecular Therapy*, 16(5), 947-956. doi.

Frank, T., Klinker, F., Falkenburger, B. H., Laage, R., Lühder, F., Göricke, B., . . . Weishaupt, J. H. (2012). Pegylated granulocyte colony-stimulating factor conveys long-term neuroprotection and improves functional outcome in a model of Parkinson's disease. *Brain*. doi: 10.1093/brain/aws054. <http://brain.oxfordjournals.org/content/early/2012/03/16/brain.aws054.ab..>

Frank-Cannon, T. C., Tran, T., Ruhn, K. A., Martinez, T. N., Hong, J., Marvin, M., . . . Tansey, M. G. (2008). Parkin Deficiency Increases Vulnerability to Inflammation-Related Nigral Degeneration. *Journal of Neuroscience*, 28(43), 10825-10834. doi: 10.1523/jneurosci.3001-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/43/10825>

Franz, C. K., Rutishauser, U., & Rafuse, V. F. (2005). Polysialylated Neural Cell Adhesion Molecule Is Necessary for Selective Targeting of Regenerating Motor Neurons. *Journal of Neuroscience*, 25(8), 2081-2091. doi: <http://www.jneurosci.org/cgi/content/abstract/25/8/2081>

Franz, S., Ciatipis, M., Pfeifer, K., Kierdorf, B., Sandner, B., Bogdahn, U., . . . Weidner, N. (2014). Thoracic Rat Spinal Cord Contusion Injury Induces Remote Spinal Gliogenesis but Not Neurogenesis or Gliogenesis in the Brain. *Plos one*, 9(7), e102896. doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4106835/>

Frappé, I., Wang, C., Caines, G., Rideout-Gros, S., & Aubert, I. (2004). Cell adhesion molecule L1 promotes neurite outgrowth of septal neurons. *Journal of Neuroscience Research*, 75(5), 667-677. doi.

Freas, C., Bingman, K., LaDage, L., & Pravosudov, V. (2013). Untangling Elevation-Related Differences in the Hippocampus in Food-Caching Mountain Chickadees: The Effect of a Uniform Captive Environment. *Brain, Behavior and Evolution*, 82(3), 199-209. doi: <http://www.karger.com/Article/FullText/355503>

Freas, C. A., LaDage, L. D., Roth li, T. C., & Pravosudov, V. V. (2012). Elevation-related differences in memory and the hippocampus in mountain chickadees, *Poecile gambeli*. *Animal Behaviour*, (0). doi: 10.1016/j.anbehav.2012.04.018. <http://www.sciencedirect.com/science/article/pii/S0003347212001765>

Freas, C. A., Roth, T. C., LaDage, L. D., & Pravosudov, V. V. (2013). Hippocampal neuron soma size is associated with population differences in winter climate severity in food-caching chickadees. *Functional Ecology*, n/a-n/a. doi: 10.1111/1365-2435.12125. <http://dx.doi.org/10.1111/1365-2435.12125>

Fréchette, M., Rennie, K., & Pappas, B. A. (2009). Developmental forebrain cholinergic lesion and environmental enrichment: behaviour, CA1 cytoarchitecture and neurogenesis. *Brain Research*, 1252, 172-182. doi.

Freedman, L. J., Insel, T. R., & Smith, Y. (2000). Subcortical projections of area 25 (subgenual cortex) of the macaque monkey *Journal of Comparative Neurology*, 421(2), 172-188. doi.

Fregoso, S. P., & Hoover, D. B. (2012). Development of Cardiac Parasympathetic Neurons, Glial Cells, and Regional Cholinergic Innervation of the Mouse Heart. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.06.061. <http://www.sciencedirect.com/science/article/pii/S030645212006793?v=s5>

French, T., Hambardzumyan, D., Matzinger, P., Dunay, I. R., & Wolf, S. A. (2016). Ly6C hi Monocytes Provide a Link between Antibiotic-Induced Changes in Gut Microbiota and Adult Hippocampal Neurogenesis. doi. [http://www.cell.com/cell-reports/pdf/S2211-1247\(16\)30518-6.pdf](http://www.cell.com/cell-reports/pdf/S2211-1247(16)30518-6.pdf)

Fried, G. A., & Bohn, P. W. (2000). Imaging Ultrathin Organic Films on the Nanometer Level Using Surface Plasmons. *Microscopy and Microanalysis*, 6, 712-713. doi.

Friedemann, T., Ying, Y., Wang, W., Kramer, E. R., Schumacher, U., Fei, J., & Schröder, S. (2016). Neuroprotective Effect of *Coptis chinensis* in MPP+ and MPTP-Induced Parkinson's Disease Models. *The American Journal of Chinese Medicine*, 0(0), 1-19. doi: doi:10.1142/S0192415X16500506 %M 27430912. <http://www.worldscientific.com/doi/abs/10.1142/S0192415X16500506>

Friedman, L. G., Lachenmayer, M. L., Wang, J., He, L., Poulouse, S. M., Komatsu, M., . . . Yue, Z. (2012). Disrupted Autophagy Leads to Dopaminergic Axon and Dendrite Degeneration and Promotes Presynaptic Accumulation of α -Synuclein and LRRK2 in the Brain. *Journal of Neuroscience*, 32(22), 7585-7593. doi.

Friedrich, I., Reimann, K., Jankuhn, S., Kirilina, E., Stieler, J., Sonntag, M., . . . Morawski, M. (2021). Cell specific quantitative iron mapping on brain slices by immuno- μ PIXE in healthy elderly and Parkinson's disease. *Acta Neuropathologica Communications*, 9(1), 47. doi: 10.1186/s40478-021-01145-2. <https://doi.org/10.1186/s40478-021-01145-2>

FRIEDRICH, R. E., BEHRENDT, C.-A., GLATZEL, M., & HAGEL, C. (2015). Vascular Innervation in Benign Neurofibromas of Patients with Neurofibromatosis Type 1. *Anticancer Research*, 35(12), 6509-6516. doi. <http://ar.iiarjournals.org/content/35/12/6509.abstract>

Friel, K., Chakrabarty, S., Kuo, H.-C., & Martin, J. (2012). Using Motor Behavior during an Early Critical Period to Restore Skilled Limb Movement after Damage to the Corticospinal System during Development. *Journal of Neuroscience*, 32(27), 9265-9276. doi: 10.1523/jneurosci.1198-12.2012. <http://www.jneurosci.org/content/32/27/9265.abstract>

Friess, S. H., Lapidus, J. B., & Brody, D. L. (2015). Decompressive craniectomy reduces white matter injury following controlled cortical impact in mice. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3564. <http://dx.doi.org/10.1089/neu.2014.3564>

Fritsch, B., Qashu, F., Figueiredo, T. H., Aroniadou-Anderjaska, V., Rogawski, M. A., & Braga, M. F. M. (2009). Pathological alterations in GABAergic interneurons and reduced tonic inhibition in the basolateral amygdala during epileptogenesis. *Neuroscience*, 163(1), 415-429. doi.

Fritschi, S., Cintron, A., Ye, L., Mahler, J., Bühler, A., Baumann, F., . . . Jucker, M. (2014). A β seeds resist inactivation by formaldehyde. *Acta Neuropathologica*, 128(4), 477-484. doi: 10.1007/s00401-014-1339-2. <http://dx.doi.org/10.1007/s00401-014-1339-2>

Fritschi, S. K., Langer, F., Kaeser, S. A., Maia, L. F., Portelius, E., Pinotsi, D., . . . Jucker, M. (2014). Highly potent soluble amyloid- β seeds in human Alzheimer brain but not cerebrospinal fluid. *Brain*. doi: 10.1093/brain/awu255. <http://brain.oxfordjournals.org/content/early/2014/09/10/brain.awu255.ab>.

.

Fryer, J. D., Simmons, K., Parsadanian, M., Bales, K. R., Paul, S. M., Sullivan, P. M., & Holtzman, D. M. (2005). Human Apolipoprotein E4 Alters the Amyloid- β 40:42 Ratio and Promotes the Formation of Cerebral Amyloid Angiopathy in an Amyloid Precursor Protein Transgenic Model. *Journal of Neuroscience*, 25(11), 2803-2810. doi: <http://www.jneurosci.org/cgi/content/abstract/25/11/2803>

Fryer, J. D., Taylor, J. W., DeMattos, R. B., Bales, K. R., Paul, S. M., Parsadanian, M., & Holtzman, D. M. (2003). Apolipoprotein E Markedly Facilitates Age-Dependent Cerebral Amyloid Angiopathy and Spontaneous Hemorrhage in Amyloid Precursor Protein Transgenic Mice. *Journal of Neuroscience*, 23(21), 7889-7896. doi: <http://www.jneurosci.org/cgi/content/abstract/23/21/7889>

Fu, B., Le Prell, C., Simmons, D., Lei, D., Schrader, A., Chen, A. B., & Bao, J. (2010). Age-related synaptic loss of the medial olivocochlear efferent innervation. *Molecular Neurodegeneration*, 5(1), 53-53. doi:

Fujita, A., Yamaguchi, H., Yamasaki, R., Cui, Y., Matsuoka, Y., Yamada, K.-i., & Kira, J.-i. (2018). Connexin 30 deficiency attenuates A2 astrocyte responses and induces severe neurodegeneration in a 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine hydrochloride Parkinson's disease animal model. [journal article]. *Journal of neuroinflammation*, 15(1), 227. doi: 10.1186/s12974-018-1251-0. <https://doi.org/10.1186/s12974-018-1251-0>

Fujita, K., Seike, T., Yutsudo, N., Ohno, M., Yamada, H., Yamaguchi, H., . . . others. (2009). Hydrogen in drinking water reduces dopaminergic neuronal loss in the 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine mouse model of Parkinson's disease. *PLoS ONE*, 4(9), e7247-e7247. doi:

Fujita, S., Mizoguchi, N., Aoki, R., Cui, Y., Koshikawa, N., & Kobayashi, M. (2015). Cytoarchitecture-Dependent Decrease in Propagation Velocity of Cortical Spreading Depression in the Rat Insular Cortex Revealed by Optical Imaging. *Cerebral Cortex*. doi: 10.1093/cercor/bhu336. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu336>.

...

Fukui, H., Diaz, F., Garcia, S., & Moraes, C. T. (2007). Cytochrome c oxidase deficiency in neurons decreases both oxidative stress and amyloid formation in a mouse model of Alzheimer's disease. *Proceedings of the National Academy of Sciences*, 104(35), 14163-14168. doi: 10.1073/Proceedings of the National Academy of Sciences.0705738104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/35/14163>

Fukushima, M., Lee, S. M., Moro, N., Hovda, D. A., & Sutton, R. L. (2009). Metabolic and histologic effects of sodium pyruvate treatment in the rat after cortical contusion injury. *Journal of Neurotrauma*, 26(7), 1095-1110. doi:

Fukusumi, Y., Meier, F., Götz, S., Matheus, F., Irmeler, M., Beckervordersandforth, R., . . . Zhang, J. (2015). Dickkopf 3 Promotes the Differentiation of a Rostrolateral Midbrain Dopaminergic Neuronal Subset In Vivo and from Pluripotent Stem Cells In Vitro in the Mouse. *The Journal of Neuroscience*, 35(39), 13385-13401. doi: <http://www.jneurosci.org/content/35/39/13385.abstract>

Fung, S. J., Joshi, D., Allen, K. M., Sivagnanasundaram, S., Rothmond, D. A., Saunders, R., . . . Weickert, C. S. (2011). Developmental Patterns of Doublecortin Expression and White Matter Neuron Density in the Postnatal Primate Prefrontal Cortex and Schizophrenia. *PLoS ONE*, 6(9), e25194-e25194. doi:

Funk, C. K., O'Dell, L. E., Crawford, E. F., & Koob, G. F. (2006). Corticotropin-Releasing Factor within the Central Nucleus of the Amygdala Mediates Enhanced Ethanol Self-Administration in Withdrawn, Ethanol-Dependent Rats. *Journal of Neuroscience*, 26(44), 11324-11332. doi: 10.1523/jneurosci.3096-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/44/11324>

Furcila, D., Domínguez-Álvaro, M., DeFelipe, J., & Alonso-Nanclares, L. (2019). Subregional Density of Neurons, Neurofibrillary Tangles and Amyloid Plaques in the Hippocampus of Patients With Alzheimer's Disease. *Frontiers in Neuroanatomy*, 13, 99-99. doi: 10.3389/fnana.2019.00099. <https://www.ncbi.nlm.nih.gov/pubmed/31920568>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6930895/>

Furlan, J. C., Hawryluk, G. W., Austin, J., & Fehlings, M. G. (2012). Spinal haemorrhage during anticoagulant regimen for thromboprophylaxis: a unique form of central nervous system haemorrhage. *Journal of Neurology, Neurosurgery and Psychiatry*. doi:

Furlanetti, L. L., Coenen, V. A., Aranda, I. A., & Döbrössy, M. D. (2015). Chronic deep brain stimulation of the medial forebrain bundle reverses depressive-like behavior in a hemiparkinsonian rodent model. *Experimental Brain Research*, 1-13. doi: <http://link.springer.com/article/10.1007/s00221-015-4375-9/fulltext.html>

Furlanetti, L. L., Coenen, V. A., & Döbrössy, M. D. (2016). Ventral tegmental area dopaminergic lesion-induced depressive phenotype in the rat is reversed by deep brain stimulation of the medial forebrain bundle. *Behavioural Brain Research*, 299, 132-140. doi: <http://dx.doi.org/10.1016/j.bbr.2015.11.036>. <http://www.sciencedirect.com/science/article/pii/S0166432815303090>

Furlanetti, L. L., Cordeiro, J. G., Cordeiro, K. K., Garcia, J. A., Winkler, C., Lepski, G. A., . . . Döbrössy, M. D. (2015). Continuous High-Frequency Stimulation of the Subthalamic Nucleus Improves Cell Survival and Functional Recovery Following Dopaminergic Cell Transplantation in Rodents. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968315581419. <http://nnr.sagepub.com/content/early/2015/04/09/1545968315581419.abstract>

Furmanski, O., Gajavelli, S., Lee, J. W., Collado, M. E., Jergova, S., & Sagen, J. (2009). Combined extrinsic and intrinsic manipulations exert complementary neuronal enrichment in embryonic rat neural precursor cultures: an in vitro and in vivo analysis. *Journal of Comparative Neurology*, 515(1), 56-71. doi:

Furne, C., Ricard, J., Cabrera, J. R., Pays, L., Bethea, J. R., Mehlen, P., & Liebl, D. J. (2009). EphrinB3 is an anti-apoptotic ligand that inhibits the dependence receptor functions of EphA4 receptors during adult neurogenesis. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1793(2), 231-238. doi:

Fuss, J., Abdallah, N. M. B. B., Hensley, F. W., Weber, K. J., Hellweg, R., & Gass, P. (2010). Deletion of running-induced hippocampal neurogenesis by irradiation prevents development of an anxious phenotype in mice. *PLoS ONE*, 5(9), e12769-e12769. doi:

Fuss, J., Ben Abdallah, N. M. B., Vogt, M. A., Touma, C., Pacifici, P. G., Palme, R., . . . Gass, P. (2010). Voluntary exercise induces anxiety-like behavior in adult C57BL/6J mice correlating with hippocampal neurogenesis. *Hippocampus*, 20(3), 364-376. doi:

Fuzzati-Armentero, M.-T., Cerri, S., Levandis, G., Ambrosi, G., Montepeloso, E., Antoninetti, G., . . . Pinna, A. (2015). Dual target strategy: combining distinct non-dopaminergic treatments reduces neuronal cell loss and synergistically modulates L-DOPA-induced rotational behavior in a rodent model of Parkinson's disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13162. <http://dx.doi.org/10.1111/jnc.13162>

Gabehart, K., Correll, K. A., Yang, J., Collins, M. L., Loader, J. E., Leach, S., . . . Dakhama, A. (2013). Transcriptome profiling of the newborn mouse lung response to acute ozone exposure. *Toxicological Sciences*. doi: 10.1093/toxsci/kft276. <http://toxsci.oxfordjournals.org/content/early/2013/12/11/toxsci.kft276...>

Gadadhar, A., Marr, R., & Lazarov, O. (2011). Presenilin-1 Regulates Neural Progenitor Cell Differentiation in the Adult Brain. *Journal of Neuroscience*, 31(7), 2615-2623. doi: 10.1523/jneurosci.4767-10.2011. <http://www.jneurosci.org/content/31/7/2615.abstract>

Gaglani, S., Lu, L., Williams, R., & Rosen, G. (2009). The genetic control of neocortex volume and covariation with neocortical gene expression in mice. *BMC Neuroscience*, 10(1), 44. doi: <http://www.biomedcentral.com/1471-2202/10/44>

Gagnon, D., Petryszyn, S., Sanchez, M. G., Bories, C., Beaulieu, J. M., De Koninck, Y., . . . Parent, M. (2017). Striatal Neurons Expressing D1 and D2 Receptors are Morphologically Distinct and Differently Affected by Dopamine Denervation in Mice. [Article]. *Scientific Reports*, 7, 41432. doi: 10.1038/srep41432

<http://www.nature.com/articles/srep41432#supplementary-information>. <http://dx.doi.org/10.1038/srep41432>

Gajavelli, S., Kentaro, S., Diaz, J., Yokobori, S., Spurlock, M., Diaz, D., . . . Bullock, M. R. (2015). Glucose and oxygen metabolism after penetrating ballistic-like brain injury. [Original Article]. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1038/jcbfm.2014.243. <http://dx.doi.org/10.1038/jcbfm.2014.243>

Galaj, E., Kipp, B. T., Floresco, S. B., & Savage, L. M. (2019). Persistent alterations of accumbal cholinergic interneurons and cognitive dysfunction after adolescent intermittent ethanol exposure. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.01.062>. <http://www.sciencedirect.com/science/article/pii/S0306452219300892>

Galambos, C., Sims-Lucas, S., & Abman, S. H. (2013). Histologic Evidence of Intrapulmonary Anastomoses by Three-Dimensional Reconstruction in Severe Bronchopulmonary Dysplasia. *Annals of the American Thoracic Society*. doi: 10.1513/AnnalsATS.201305-124OC. <http://www.atsjournals.org/doi/abs/10.1513/AnnalsATS.201305-124OC>

Galambos, C., Sims-Lucas, S., & Abman, S. H. (2013). Three-Dimensional Reconstruction Identifies Misaligned Pulmonary Veins as Intrapulmonary Shunt Vessels in Alveolar Capillary Dysplasia. *Journal of Pediatrics*, (0). doi: <http://dx.doi.org/10.1016/j.jpeds.2013.08.035>. <http://www.sciencedirect.com/science/article/pii/S0022347613010639>

Galarnau, H., Villeneuve, J., Gowing, G., Julien, J.-P., & Vallieres, L. (2007). Increased Glioma Growth in Mice Depleted of Macrophages. *Cancer Research*, 67(18), 8874-8881. doi: 10.1158/0008-5472.can-07-0177. <http://cancerres.aacrjournals.org/cgi/content/abstract/67/18/8874>

Galeeva, A., Treuter, E., & Peltö-Huikko, M. (2003). Development, Plasticity, Stem Cell Biology, Axonal Growth and Guidance. *Regulation*, 16, 04-04. doi:

Galic, M. A., Riazi, K., Heida, J. G., Mouihate, A., Fournier, N. M., Spencer, S. J., . . . Pittman, Q. J. (2008). Postnatal Inflammation Increases Seizure Susceptibility in Adult Rats. *Journal of Neuroscience*, 28(27), 6904-6913. doi: 10.1523/jneurosci.1901-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/27/6904>

Galinato, M. H., Lockner, J. W., Fannon-Pavlich, M. J., Sobieraj, J. C., Staples, M. C., Somkuwar, S. S., . . . Mandyam, C. D. (2017). A synthetic small-molecule Isoxazole-9 protects against methamphetamine relapse. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2017.46. <http://dx.doi.org/10.1038/mp.2017.46>

Galli, R., Sitoci-Ficici, K. H., Uckermann, O., Later, R., Marečková, M., Koch, M., . . . Kirsch, M. (2018). Label-free multiphoton microscopy reveals relevant tissue changes induced by alginate hydrogel implantation in rat spinal cord injury. *Scientific Reports*, 8(1), 10841. doi: 10.1038/s41598-018-29140-z. <https://doi.org/10.1038/s41598-018-29140-z>

Galliano, E., Gao, Z., Schonewille, M., Todorov, B., Simons, E., Pop, Andreea S., . . . De Zeeuw, Chris I. (2013). Silencing the Majority of Cerebellar Granule Cells Uncovers Their Essential Role in Motor Learning and Consolidation. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.03.023>. <http://www.sciencedirect.com/science/article/pii/S2211124713001307>

Galvan, M. D., Luchetti, S., Burgos, A. M., Nguyen, H. X., Hooshmand, M. J., Hamers, F. P. T., & Anderson, A. J. (2008). Deficiency in Complement C1q Improves Histological and Functional Locomotor Outcome after Spinal Cord Injury. *Journal of Neuroscience*, 28(51), 13876-13888. doi: 10.1523/jneurosci.2823-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/51/13876>

Galvez, R., Weiss, C., Weible, A. P., & Disterhoft, J. F. (2006). Vibrissa-Signaled Eyeblink Conditioning Induces Somatosensory Cortical Plasticity. *Journal of Neuroscience*, 26(22), 6062-6068. doi: 10.1523/jneurosci.5582-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/22/6062>

Gama, C. I., Tully, S. E., Sotogaku, N., Clark, P. M., Rawat, M., Vaidehi, N., . . . Hsieh-Wilson, L. C. (2006). Sulfation patterns of glycosaminoglycans encode molecular recognition and activity. *Nature of Chemical Biology*, 2, 467-473. doi:

Gama Sosa, M. A., Gasperi, R. D., Rocher, A. B., Wang, A. C.-J., Janssen, W. G. M., Flores, T., . . . Elder, G. A. (2010). Age-Related Vascular Pathology in Transgenic Mice Expressing Presenilin 1-Associated Familial Alzheimer's Disease Mutations. *American Journal of Pathology* 176(1), 353-368. doi: 10.2353/ajpath.2010.090482. <http://ajp.amjpathol.org/cgi/content/abstract/176/1/353>

Gamblin, T. C., Chen, F., Zambrano, A., Abraha, A., Lagalwar, S., & Guillozet, A. L. (2003). Caspase cleavage of tau: linking amyloid and neurofibrillary tangles in Alzheimer's disease. *Proceedings of the National Academy of Sciences of the United States of America*, 100. doi: 10.1073/pnas.1630428100. <http://dx.doi.org/10.1073/pnas.1630428100>

Games, D., Valera, E., Spencer, B., Rockenstein, E., Mante, M., Adame, A., . . . Sacayon, P. (2014). Reducing C-Terminal-Truncated Alpha-Synuclein by Immunotherapy Attenuates Neurodegeneration

and Propagation in Parkinson's Disease-Like Models. *The Journal of Neuroscience*, 34(28), 9441-9454. doi: <http://www.jneurosci.org/content/34/28/9441.short>

Gami-Patel, P., van Dijken, I., van Swieten, J. C., Pijnenburg, Y. A. L., Brain Bank, N., Rozemuller, A. J. M., . . . Dijkstra, A. A. (2019). Von Economo neurons are part of a larger neuronal population that are selectively vulnerable in C9orf72 frontotemporal dementia. *Neuropathology and Applied Neurobiology*, 0(ja). doi: 10.1111/nan.12558. <https://onlinelibrary.wiley.com/doi/abs/10.1111/nan.12558>

Gamo, N., Duque, A., Paspalas, C., Kata, A., Fine, R., Boven, L., . . . Bermudez, L. (2013). Role of disrupted in schizophrenia 1 (DISC1) in stress-induced prefrontal cognitive dysfunction. *Translational Psychiatry*, 3(12), e328. doi: <http://www.nature.com/tp/journal/v3/n12/abs/tp2013104a.html>

Gampe, K., Stefani, J., Hammer, K., Brendel, P., Pötzsch, A., Enikolopov, G., . . . Zimmermann, H. (2014). NTPDase2 and Purinergic Signaling Control Progenitor Cell Proliferation in Neurogenic Niches of the Adult Mouse Brain. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1846. <http://dx.doi.org/10.1002/stem.1846>

Ganat, Y. M., Calder, E. L., Kriks, S., Nelander, J., Tu, E. Y., Jia, F., . . . Tomishima, M. J. (2012). Identification of embryonic stem cell-derived midbrain dopaminergic neurons for engraftment. *Journal of Clinical Investigation*, 0-0. doi:

Ganat, Y. M., Silbereis, J., Cave, C., Ngu, H., Anderson, G. M., Ohkubo, Y., . . . Vaccarino, F. M. (2006). Early Postnatal Astroglial Cells Produce Multilineage Precursors and Neural Stem Cells In Vivo. *Journal of Neuroscience*, 26(33), 8609-8621. doi: 10.1523/jneurosci.2532-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/33/8609>

Gandhi, R., Luk, K. C., Rymar, V. V., & Sadikot, A. F. (2008). Group I mGluR5 metabotropic glutamate receptors regulate proliferation of neuronal progenitors in specific forebrain developmental domains. *Journal of Neurochemistry*, 104(1), 155-172. doi: doi:10.1111/j.1471-4159.2007.04955.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04955.x>

Ganeshan, V., Skladnev, N. V., Kim, J. Y., Mitrofanis, J., Stone, J., & Johnstone, D. M. (2019). Pre-conditioning with Remote Photobiomodulation Modulates the Brain Transcriptome and Protects Against MPTP Insult in Mice. *Neuroscience*, 400, 85-97. doi: <https://doi.org/10.1016/j.neuroscience.2018.12.050>. <http://www.sciencedirect.com/science/article/pii/S0306452219300016>

Ganguly, K., Favor, J., Neuhäuser-Klaus, A., Sandulache, R., Puk, O., Beckers, J., . . . others. (2008). Novel allele of Crybb2 in the mouse and its expression in the brain. *Investigative Ophthalmology and Visual Science*, 49(4), 1533-1541. doi:

Gannon, P. J., Kheck, N., & Hof, P. R. (2008). Leftward interhemispheric asymmetry of macaque monkey temporal lobe language area homolog is evident at the cytoarchitectural, but not gross anatomic level. *Brain Research*, 1199, 62-73. doi:

Gantelet, E., Kraftsik, R., Delaloye, S., Gourdon, G., Kuntzer, T., & Barakat-Walter, I. (2007). The expansion of 300 CTG repeats in myotonic dystrophy transgenic mice does not induce sensory or motor neuropathy. *Acta Neuropathologica*, 114(2), 175-185. doi:

Gantois, I., Fang, K., Jiang, L., Babovic, D., Lawrence, A. J., Ferreri, V., . . . Drago, J. (2007). Ablation of D1 dopamine receptor-expressing cells generates mice with seizures, dystonia, hyperactivity, and impaired oral behavior. *Proceedings of the National Academy of Sciences*, 104(10), 4182-4187. doi:

10.1073/Proceedings of the National Academy of Sciences.0611625104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/10/4182>

Gao, H., Glatzer, N. R., Williams, K. W., Derbenev, A. V., Liu, D., & Smith, B. N. (2009). Morphological and electrophysiological features of motor neurons and putative interneurons in the dorsal vagal complex of rats and mice. *Brain Research*, 1291, 40-52. doi.

Gao, J., Kang, X.-y., Sun, S., Li, L., & Gao, D.-s. (2019). MES23.5 DA Immortalized Neuroblastoma Cells Self-protect Against Early Injury by Overexpressing Glial Cell-derived Neurotrophic Factor via Akt1/Eya1/Six2 Signaling. [journal article]. *Journal of Molecular Neuroscience*. doi: 10.1007/s12031-019-01416-7. <https://doi.org/10.1007/s12031-019-01416-7>

Gao, J., Qin, D.-l., Tang, C.-x., Kang, X.-y., Song, C.-j., & Zhang, C.-t. (2021). Smarcd1 antagonizes the apoptosis of injured MES23.5 DA cells by enhancing the effect of Six2 on GDNF expression. *Neuroscience Letters*, 136088. doi: <https://doi.org/10.1016/j.neulet.2021.136088>. <https://www.sciencedirect.com/science/article/pii/S0304394021004663>

Gao, Q., Sun, M., Wang, X., & Geller, A. I. (2007). Isolation of an enhancer from the rat tyrosine hydroxylase promoter that supports long-term, neuronal-specific expression from a neurofilament promoter, in a helper virus-free HSV-1 vector system. *Brain Research*, 1130, 1-16. doi.

Gao, Q., Sun, M., Wang, X., Zhang, G., & Geller, A. I. (2006). Long-term inducible expression in striatal neurons from helper virus-free HSV-1 vectors that contain the tetracycline-inducible promoter system. *Brain Research*, 1083(1), 1-13. doi.

Gao, X., Deng, P., Xu, Z. C., & Chen, J. (2011). Moderate Traumatic Brain Injury Causes Acute Dendritic and Synaptic Degeneration in the Hippocampal Dentate Gyrus. *PLoS ONE*, 6(9), e24566-e24566. doi.

Gao, X., Smith, G. M., & Chen, J. (2009). Impaired dendritic development and synaptic formation of postnatal-born dentate gyrus granular neurons in the absence of brain-derived neurotrophic factor signaling. *Experimental Neurology*, 215(1), 178-190. doi.

Gao, Y., Shen, M., Gonzalez, J. C., Dong, Q., Kannan, S., Hoang, J. T., . . . Zhao, X. (2020). RGS6 Mediates Effects of Voluntary Running on Adult Hippocampal Neurogenesis. *Cell Reports*, 32(5), 107997. doi: <https://doi.org/10.1016/j.celrep.2020.107997>. <http://www.sciencedirect.com/science/article/pii/S2211124720309827>

Garas, F. N., Shah, R. S., Kormann, E., Doig, N. M., Vinciati, F., Nakamura, K. C., . . . Sharott, A. (2016). Secretagogin expression delineates functionally-specialized populations of striatal parvalbumin-containing interneurons. [JOUR]. *eLife*, 5, e16088. doi: 10.7554/eLife.16088. <https://dx.doi.org/10.7554/eLife.16088>

Garbelli, R., Milesi, G., Medici, V., Villani, F., Didato, G., Deleo, F., . . . Spreafico, R. (2012). Blurring in patients with temporal lobe epilepsy: clinical, high-field imaging and ultrastructural study. *Brain*. doi: 10.1093/brain/aws149. <http://brain.oxfordjournals.org/content/early/2012/06/22/brain.aws149.ab..>

Garbuzova-Davis, S., Haller, E., Tajiri, N., Thomson, A., Barretta, J., Williams, S. N., . . . Borlongan, C. V. (2016). Blood-Spinal Cord Barrier Alterations in Subacute and Chronic Stages of a Rat Model of Focal Cerebral Ischemia. [10.1093/jnen/nlw040]. *Journal of Neuropathology and Experimental Neurology*. doi. <http://jnen.oxfordjournals.org/content/early/2016/06/08/jnen.nlw040.abst..>

Garbuzova-Davis, S., Rodrigues, M. C. O., Mirtyl, S., Turner, S., Mitha, S., Sodhi, J., . . . others. (2012). Multiple Intravenous Administrations of Human Umbilical Cord Blood Cells Benefit in a Mouse Model of ALS. *PLoS ONE*, 7(2), e31254-e31254. doi.

Garcia, A. D. R., Doan, N. B., Imura, T., Bush, T. G., & Sofroniew, M. V. (2004). GFAP-expressing progenitors are the principal source of constitutive neurogenesis in adult mouse forebrain. *Nature Neuroscience*, 7, 1233-1241. doi.

Garcia, A. D. R., Petrova, R., Eng, L., & Joyner, A. L. (2010). Sonic Hedgehog Regulates Discrete Populations of Astrocytes in the Adult Mouse Forebrain. *Journal of Neuroscience*, 30(41), 13597-13608. doi: 10.1523/jneurosci.0830-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/41/13597>

García, J., Carlsson, T., Döbrössi, M., Nikkhah, G., & Winkler, C. (2011). Extent of pre-operative L-DOPA-induced dyskinesia predicts the severity of graft-induced dyskinesia after fetal dopamine cell transplantation. *Experimental Neurology*. doi.

García, J., Carlsson, T., Döbrössi, M., Nikkhah, G., & Winkler, C. (2012). Impact of dopamine versus serotonin cell transplantation for the development of graft-induced dyskinesia in a rat Parkinson model. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.06.029. <http://www.sciencedirect.com/science/article/pii/S0006899312011031>

García-Cabezas, M. Á., & Barbas, H. (2014). Area 4 has layer IV in adult primates. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12585. <http://dx.doi.org/10.1111/ejn.12585>

García-Cabezas, M. Á., & Barbas, H. (2016). Anterior Cingulate Pathways May Affect Emotions Through Orbitofrontal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhw284. <http://cercor.oxfordjournals.org/content/early/2016/09/20/cercor.bhw284...>

García-Cabezas, M. Á., Joyce, M. K. P., John, Y. J., Zikopoulos, B., & Barbas, H. (2017). Mirror trends of plasticity and stability indicators in primate prefrontal cortex. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13706. <http://dx.doi.org/10.1111/ejn.13706>

García-Lezana, T., Oria, M., Romero-Giménez, J., Bové, J., Vila, M., Genescà, J., . . . Córdoba, J. (2016). Cerebellar neurodegeneration in a new rat model of episodic hepatic encephalopathy. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x16649196. <http://jcb.sagepub.com/content/early/2016/05/05/0271678X16649196.abstract>

García-Marin, V., Blazquez-Llorca, L., Rodríguez, J. R., Gonzalez-Soriano, J., & DeFelipe, J. (2010). Differential distribution of neurons in the gyral white matter of the human cerebral cortex. *Journal of Comparative Neurology*, 518(23), 4740-4759. doi. <http://dx.doi.org/10.1002/cne.22485>

García-Miralles, M., Geva, M., Tan, J. Y., Yusof, N. A. B. M., Cha, Y., Kusko, R., . . . Pouladi, M. A. (2017). Early pridopidine treatment improves behavioral and transcriptional deficits in YAC128 Huntington disease mice. *JCI Insight*, 2(23). doi: 10.1172/jci.insight.95665. <https://doi.org/10.1172/jci.insight.95665>

García-Miralles, M., Hong, X., Tan, L. J., Caron, N. S., Huang, Y., To, X. V., . . . Pouladi, M. A. (2016). Laquinimod rescues striatal, cortical and white matter pathology and results in modest behavioural improvements in the YAC128 model of Huntington disease. [Article]. *Scientific Reports*, 6, 31652. doi: 10.1038/srep31652

<http://www.nature.com/articles/srep31652#supplementary-information>, <http://dx.doi.org/10.1038/srep31652>

Garcia-Miralles, M., Yusof, N. A. B. M., Tan, J. Y., Radulescu, C. I., Sidik, H., Tan, L. J., . . . Pouladi, M. A. (2018). Laquinimod Treatment Improves Myelination Deficits at the Transcriptional and Ultrastructural Levels in the YAC128 Mouse Model of Huntington Disease. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1393-1. <https://doi.org/10.1007/s12035-018-1393-1>

Garcia-Reitböck, P., Anichtchik, O., Dalley, J. W., Ninkina, N., Tofaris, G. K., Buchman, V., & Spillantini, M. G. (2013). Endogenous alpha-synuclein influences the number of dopaminergic neurons in mouse substantia nigra. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.07.015>. <http://www.sciencedirect.com/science/article/pii/S001448861300232X>

Gardella, D., Hatton, W. J., Rind, H. B., Rosen, G. D., & von Bartheld, C. S. (2003). Differential tissue shrinkage and compression in the z-axis: implications for optical disector counting in vibratome-, plastic- and cryosections. *Journal of Neuroscience*, 124, 45-59. doi.

Gardian, G., Browne, S. E., Choi, D.-K., Klivenyi, P., Gregorio, J., Kubilus, J. K., . . . Beal, M. F. (2005). Neuroprotective Effects of Phenylbutyrate in the N171-82Q Transgenic Mouse Model of Huntington's Disease. *Journal of Biological Chemistry*, 280(1), 556-563. doi: 10.1074/jbc.M410210200. <http://www.jbc.org/cgi/content/abstract/280/1/556>

Gardian, G., Yang, L., Cleren, C., Calingasan, N. Y., Klivenyi, P., & Beal, M. F. (2004). Neuroprotective effects of phenylbutyrate against MPTP neurotoxicity. *Neuromolecular Medicine*, 5(3), 235-241. doi.

Garfield, A. S., Chan, W. S., Dennis, R. J., Ito, D., Heisler, L. K., & Rochford, J. J. (2012). Neuroanatomical characterisation of the expression of the lipodystrophy and motor-neuropathy gene Bsc12 in adult mouse brain. *Plos one*, 7. doi: 10.1371/journal.pone.0045790. <http://dx.doi.org/10.1371/journal.pone.0045790>

Garitaonandia, I., Gonzalez, R., Christiansen-Weber, T., Abramihina, T., Poustovoitov, M., Noskov, A., . . . Kern, R. (2016). Neural Stem Cell Tumorigenicity and Biodistribution Assessment for Phase I Clinical Trial in Parkinson's Disease. [Article]. *Scientific Reports*, 6, 34478. doi: 10.1038/srep34478

<http://www.nature.com/articles/srep34478#supplementary-information>, <http://dx.doi.org/10.1038/srep34478>

Garraway, S. M., Turtle, J. D., Huie, J. R., Lee, K. H., Hook, M. A., Woller, S. A., & Grau, J. W. (2011). Intermittent noxious stimulation following spinal cord contusion injury impairs locomotor recovery and reduces spinal brain-derived neurotrophic factor-tropomyosin-receptor-kinase signaling in adult rats. *Neuroscience*. doi.

Garrett, J. E., Kim, I., Wilson, R. E., & Wellman, C. L. (2006). Effect of N-methyl-d-aspartate receptor blockade on plasticity of frontal cortex after cholinergic deafferentation in rat. *Neuroscience*, 140(1), 57-66. doi.

Garrett, L., Becker, L., Rozman, J., Puk, O., Stoeger, T., Yildirim, A. Ö., . . . Höltter, S. M. (2017). Fgfg Y162C Mutation Alters Information Processing and Social Memory in Mice. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0659-3. <https://doi.org/10.1007/s12035-017-0659-3>

<http://dx.doi.org/10.1007/s12035-017-0659-3>

Garrett, L., Chang, Y. J., Niedermeier, K. M., Heermann, T., Enard, W., Fuchs, H., . . . Hölter, S. M. (2020). A truncating Aspm allele leads to a complex cognitive phenotype and region-specific reductions in parvalbuminergic neurons. *Translational Psychiatry*, 10(1), 66. doi: 10.1038/s41398-020-0686-0. <https://doi.org/10.1038/s41398-020-0686-0>

Garrett, L., Ung, M. C., Heermann, T., Niedermeier, K. M., & Hölter, S. (2018). Analysis of Neuropsychiatric Disease-Related Functional Neuroanatomical Markers in Mice. *Current Protocols in Mouse Biology*, 8(1), 79-128. doi: doi:10.1002/cpmo.37. <https://currentprotocols.onlinelibrary.wiley.com/doi/abs/10.1002/cpmo.37>

Garrido Sanabria, E. R., Castañeda, M. T., Banuelos, C., Perez-Cordova, M. G., Hernandez, S., & Colom, L. V. (2006). Septal GABAergic neurons are selectively vulnerable to pilocarpine-induced status epilepticus and chronic spontaneous seizures. *Neuroscience*, 142(3), 871-883. doi.

Gärtner, U., Alpár, A., Reimann, F., Seeger, G., Heumann, R., & Arendt, T. (2004). Constitutive Ras activity induces hippocampal hypertrophy and remodeling of pyramidal neurons in synRas mice. *Journal of Neuroscience Research*, 77(5), 630-641. doi.

Garza-Gisholt, E., Hart, N. S., & Collin, S. P. (2018). Retinal Morphology and Visual Specializations in Three Species of Chimaeras, the Deep-Sea *R. pacifica* and *C. lignaria*, and the Vertical Migrator *C. millii* (Holocephali). *Brain, Behavior and Evolution*, 1-16. doi. <https://www.karger.com/Article/Abstract/490655>

Garza-Gisholt, E., Hemmi, J. M., Hart, N. S., & Collin, S. P. (2014). A Comparison of Spatial Analysis Methods for the Construction of Topographic Maps of Retinal Cell Density. *Plos one*, 9(4), e93485. doi: 10.1371/journal.pone.0093485. <http://dx.doi.org/10.1371%2Fjournal.pone.0093485>

Garza-Gisholt, E., Kempster, R., Hart, N., & Collin, S. (2015). Visual Specializations in Five Sympatric Species of Stingrays from the Family Dasyatidae. *Brain, Behavior and Evolution*. doi. <http://www.karger.com/Article/Abstract/381091>

Gasmi, M., Brandon, E. P., Herzog, C. D., Wilson, A., Bishop, K. M., Hofer, E. K., . . . Bartus, R. T. (2007). AAV2-mediated delivery of human neurturin to the rat nigrostriatal system: long-term efficacy and tolerability of CERE-120 for Parkinson's disease. *Neurobiology of Disease*, 27(1), 67-76. doi.

Gasmi, M., Herzog, C. D., Brandon, E. P., Cunningham, J. J., Ramirez, G. A., Ketchum, E. T., & Bartus, R. T. (2006). Striatal Delivery of Neurturin by CERE-120, an AAV2 Vector for the Treatment of Dopaminergic Neuron Degeneration in Parkinson's Disease. *Molecular Therapy*, 15, 65-68. doi.

Gasparini, L., Crowther, R. A., Martin, K. R., Berg, N., Coleman, M., & Goedert, M. (2011). Tau inclusions in retinal ganglion cells of human P301S tau transgenic mice: Effects on axonal viability. *Neurobiology of Aging*, 32. doi: 10.1016/j.neurobiolaging.2009.03.002. <http://dx.doi.org/10.1016/j.neurobiolaging.2009.03.002>

Gasparini, L., Netzer, W. J., Greengard, P., & Xu, H. (2002). Does insulin dysfunction play a role in Alzheimer's disease? *Trends in Pharmacological Sciences*, 23. doi: 10.1016/s0165-6147(02)02037-0. [http://dx.doi.org/10.1016/S0165-6147\(02\)02037-0](http://dx.doi.org/10.1016/S0165-6147(02)02037-0)

Gasparini, L., Ongini, E., & Wenk, G. (2004). Non-steroidal anti-inflammatory drugs (NSAIDs) in Alzheimer's disease: old and new mechanisms of action. *Journal of Neurochemistry*, 91. doi: 10.1111/j.1471-4159.2004.02743.x. <http://dx.doi.org/10.1111/j.1471-4159.2004.02743.x>

Gasser, E., Johannssen, H. C., Rüllicke, T., Zeilhofer, H. U., & Stoffel, M. (2016). Foxa1 is essential for development and functional integrity of the subthalamic nucleus. [Article]. *Scientific Reports*, 6, 38611. doi: 10.1038/srep38611

<http://www.nature.com/articles/srep38611#supplementary-information>. <http://dx.doi.org/10.1038/srep38611>

Gatome, C. W., Mwangi, D. K., Lipp, H. P., & Amrein, I. (2010). Hippocampal neurogenesis and cortical cellular plasticity in Wahlberg's epauletted fruit bat: a qualitative and quantitative study. *Brain, Behavior and Evolution*, 76(2), 116-127. doi.

Gatome, C. W., Slomianka, L., Lipp, H. P., & Amrein, I. (2010). Number estimates of neuronal phenotypes in layer II of the medial entorhinal cortex of rat and mouse. *Neuroscience*, 170(1), 156-165. doi.

Gatome, C. W., Slomianka, L., Mwangi, D. K., Lipp, H. P., & Amrein, I. (2010). The entorhinal cortex of the Megachiroptera: a comparative study of Wahlberg's epauletted fruit bat and the straw-coloured fruit bat. *Brain Structure and Function*, 214(4), 375-393. doi.

Geda, Y. E., Schneider, L. S., Gitlin, L. N., Miller, D. S., Smith, G. S., & Bell, J. (2013). Neuropsychiatric symptoms in Alzheimer's disease: past progress and anticipation of the future. *Alzheimers Dement*, 9. doi: 10.1016/j.jalz.2012.12.001. <http://dx.doi.org/10.1016/j.jalz.2012.12.001>

Geddes, A. J., Angka, H. E., Davies, K. A., & Kablar, B. (2006). Subpopulations of motor and sensory neurons respond differently to brain-derived neurotrophic factor depending on the presence of the skeletal muscle. *Developmental Dynamics*, 235(8), 2175-2184. doi.

Gee, D. G., Fetcho, R. N., Jing, D., Li, A., Glatt, C. E., Drysdale, A. T., . . . Consortium, t. P. (2016). Individual differences in frontolimbic circuitry and anxiety emerge with adolescent changes in endocannabinoid signaling across species. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1600013113. <http://www.pnas.org/content/early/2016/03/16/1600013113.abstract>

Gefen, T., Gasho, K., Rademaker, A., Lalehzari, M., Weintraub, S., Rogalski, E., . . . Mesulam, M. M. (2012). Clinically concordant variations of Alzheimer pathology in aphasic versus amnesic dementia. *Brain*, 135(5), 1554-1565. doi.

Gefen, T., Kawles, A., Makowski-Woidan, B., Engelmeyer, J., Ayala, I., Abbassian, P., . . . Geula, C. (2021). Paucity of Entorhinal Cortex Pathology of the Alzheimer's Type in SuperAgers with Superior Memory Performance. *Cerebral Cortex*, (bhaa409). doi: 10.1093/cercor/bhaa409. <https://doi.org/10.1093/cercor/bhaa409>

Gefen, T., Papastefan, S. T., Rezvanian, A., Bigio, E. H., Weintraub, S., Rogalski, E., . . . Geula, C. (2017). Von Economo neurons of the anterior cingulate across the lifespan and in Alzheimer's disease. *Cortex*. doi: <https://doi.org/10.1016/j.cortex.2017.10.015>, <http://www.sciencedirect.com/science/article/pii/S0010945217303611>

Gehrig, S. M., Mihaylova, V., Frese, S., Mueller, S. M., Ligon-Auer, M., Spengler, C. M., . . . Jung, H. H. (2016). Altered skeletal muscle (mitochondrial) properties in patients with mitochondrial DNA single deletion myopathy. [journal article]. *Orphanet Journal of Rare Diseases*, 11(1), 1-12. doi: 10.1186/s13023-016-0488-x. <http://dx.doi.org/10.1186/s13023-016-0488-x>

Gemma, C., Bachstetter, A. D., Cole, M. J., Fister, M., Hudson, C., & Bickford, P. C. (2007). Blockade of caspase-1 increases neurogenesis in the aged hippocampus. *European Journal of Neuroscience*, 26(10), 2795-2803. doi: doi:10.1111/j.1460-9568.2007.05875.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05875.x>

Gemma, C., Catlow, B., Cole, M., Hudson, C., Samec, A., Shah, N., . . . Bickford, P. C. (2007). Early inhibition of TNF α increases 6-hydroxydopamine-induced striatal degeneration. *Brain Research*, 1147, 240-247. doi.

Genoux, D., Haditsch, U., Knobloch, M., Michalon, A., Storm, D., & Mansuy, I. M. (2002). Protein phosphatase 1 is a molecular constraint on learning. *Nature*, 418, 970-975. doi.

Gentile, A., Musella, A., Bullitta, S., Fresegna, D., De Vito, F., Fantozzi, R., . . . Centonze, D. (2016). Siponimod (BAF312) prevents synaptic neurodegeneration in experimental multiple sclerosis. [journal article]. *Journal of neuroinflammation*, 13(1), 1-13. doi: 10.1186/s12974-016-0686-4. <http://dx.doi.org/10.1186/s12974-016-0686-4>

Gentner, T. Q., Hulse, S. H., Duffy, D., & Ball, G. F. (2001). Response Biases in Auditory Forebrain Regions of Female Songbirds Following Exposure to Sexually Relevant Variation in Male Song. *Journal of Neurobiology*, 46, 48-58. doi.

George, P. M., Oh, B., Dewi, R., Hua, T., Cai, L., Levinson, A., . . . Steinberg, G. K. (2018). Engineered stem cell mimics to enhance stroke recovery. *Biomaterials*, 178, 63-72. doi: <https://doi.org/10.1016/j.biomaterials.2018.06.010>. <https://www.sciencedirect.com/science/article/pii/S0142961218304319>

George, S., Rey, N. L., Tyson, T., Esquibel, C., Meyerdirk, L., Schulz, E., . . . Brundin, P. (2019). Microglia affect α -synuclein cell-to-cell transfer in a mouse model of Parkinson's disease. *Molecular Neurodegeneration*, 14(1), 34. doi: 10.1186/s13024-019-0335-3. <https://doi.org/10.1186/s13024-019-0335-3>

Geraerts, M., Eggermont, K., Hernandez-Acosta, P., Garcia-Verdugo, J. M., Baekelandt, V., & Debyser, Z. (2006). Lentiviral vectors mediate efficient and stable gene transfer in adult neural stem cells in vivo. *Human Gene Therapy*, 17(6), 635-650. doi.

Gerashchenko, D., Horvath, T. L., & Xie, X. S. (2010). Direct inhibition of hypocretin/orexin neurons in the lateral hypothalamus by nociceptin/orphanin FQ blocks stress-induced analgesia in rats. *Neuropharmacology*. doi.

Gerashchenko, D., Wisor, J. P., Burns, D., Reh, R. K., Shiromani, P. J., Sakurai, T., . . . Kilduff, T. S. (2008). Identification of a population of sleep-active cerebral cortex neurons. *Proceedings of the National Academy of Sciences*, 105(29), 10227-10232. doi: 10.1073/Proceedings of the National Academy of Sciences.0803125105. <http://www.Proceedings of the National Academy of Sciences.org/content/105/29/10227.abstract>

Gerbatin, R. R., Silva, L. F. A., Hoffmann, M. S., Della-Pace, I. D., do Nascimento, P. S., Kegler, A., . . . Royes, L. F. F. (2019). Delayed creatine supplementation counteracts reduction of GABAergic function and protects against seizures susceptibility after traumatic brain injury in rats. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 92, 328-338. doi: <https://doi.org/10.1016/j.pnpbp.2019.02.004>. <http://www.sciencedirect.com/science/article/pii/S0278584618308182>

- Gerhardt, E., Gräber, S., Szegő, É. M., Moiso, N., Martins, L. M., Outeiro, T. F., & Kermer, P. (2011). Idebenone and Resveratrol Extend Lifespan and Improve Motor Function of HtrA2 Knockout Mice. *PLoS ONE*, 6(12), e28855-e28855. doi.
- German, D. C., Nelson, O., Liang, F., Liang, C. L., & Games, D. (2005). The PDAPP mouse model of Alzheimer's disease: locus coeruleus neuronal shrinkage. *Journal of Comparative Neurology*, 492(4), 469-476. doi.
- German, D. C., Quintero, E. M., Liang, C. L., Ng, B., Punia, S., Xie, C., & Dietschy, J. M. (2001). Selective neurodegeneration, without neurofibrillary tangles, in a mouse model of Niemann-Pick C disease. *Journal of Comparative Neurology*, 433(3), 415-425. doi.
- German, D. C., Quintero, E. M., Liang, C. L., Xie, C., & Dietschy, J. M. (2001). Degeneration of neurons and glia in the Niemann-Pick C mouse is unrelated to the low-density lipoprotein receptor. *Neuroscience*, 105(4), 999-1005. doi.
- German, D. C., Yazdani, U., Speciale, S. G., Pasbakhsh, P., Games, D., & Liang, C. L. (2003). Cholinergic neuropathology in a mouse model of Alzheimer's disease. *Journal of Comparative Neurology*, 462(4), 371-381. doi.
- Gertz, K., Kronenberg, G., Kälin, R. E., Baldinger, T., Werner, C., Balkaya, M., . . . Endres, M. (2012). Essential role of interleukin-6 in post-stroke angiogenesis. *Brain*. doi: 10.1093/brain/aws075. <http://brain.oxfordjournals.org/content/early/2012/04/02/brain.aws075.ab>.
- Gertz, K., Priller, J., Kronenberg, G., Fink, K. B., Winter, B., Schröck, H., . . . Endres, M. (2006). Physical Activity Improves Long-Term Stroke Outcome via Endothelial Nitric Oxide Synthase-Dependent Augmentation of Neovascularization and Cerebral Blood Flow Circulation Research, 99, 1132-1140. doi.
- Ghahramani, N., Ngun, T., Chen, P.-Y., Tian, Y., Krishnan, S., Muir, S., . . . Vilain, E. (2014). The effects of perinatal testosterone exposure on the DNA methylome of the mouse brain are late-emerging. *Biology of Sex Differences*, 5(1), 8. doi: <http://www.bsd-journal.com/content/5/1/8>
- Gharani, K., Xie, Y., An, J. J., Tonegawa, S., & Xu, B. (2008). Brain-derived neurotrophic factor over-expression in the forebrain ameliorates Huntington's disease phenotypes in mice. *Journal of Neurochemistry*, 105(2), 369-379. doi: doi:10.1111/j.1471-4159.2007.05137.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.05137.x>
- Ghashghaei, H. T., Hilgetag, C. C., & Barbas, H. (2007). Sequence of information processing for emotions based on the anatomic dialogue between prefrontal cortex and amygdala. *Neuroimage*, 34, 905-923. doi.
- Ghashghaei, H. T., Weber, J., Pevny, L., Schmid, R., Schwab, M. H., Lloyd, K. C., . . . Anton, E. S. (2006). The role of neuregulin-ErbB4 interactions on the proliferation and organization of cells in the subventricular zone. *Proceedings of the National Academy of Sciences*, 103(6), 1930-1930. doi.
- Ghashghaei, H. T., Weimer, J. M., Schmid, R. S., Yokota, Y., McCarthy, K. D., Popko, B., & Anton, E. S. (2007). Reinduction of ErbB2 in astrocytes promotes radial glial progenitor identity in adult cerebral cortex. *Genes and Development*, 21(24), 3258-3271. doi: 10.1101/gad.1580407. <http://www.genesdev.org/cgi/content/abstract/21/24/3258>

Ghergherehchi, C. L., Hibbard, E. A., Mikesh, M., Bittner, G. D., & Sengelaub, D. R. (2019). Behavioral recovery and spinal motoneuron remodeling after polyethylene glycol fusion repair of singly cut and ablated sciatic nerves. *Plos one*, 14(10), e0223443. doi: 10.1371/journal.pone.0223443. <https://doi.org/10.1371/journal.pone.0223443>

Ghiglieri, V., Mineo, D., Vannelli, A., Cacace, F., Mancini, M., Pendolino, V., . . . Picconi, B. (2016). Modulation of serotonergic transmission by eltopazine in L-DOPA-induced dyskinesia: Behavioral, molecular, and synaptic mechanisms. *Neurobiology of Disease*, 86, 140-153. doi: <http://dx.doi.org/10.1016/j.nbd.2015.11.022>. <http://www.sciencedirect.com/science/article/pii/S0969996115301005>

Gholamrezaei, G., & Whishaw, I. Q. (2009). Individual differences in skilled reaching for food related to increased number of gestures: Evidence for goal and habit learning of skilled reaching. *Behavioral Neuroscience; Behavioral Neuroscience*, 123(4), 863-863. doi.

Ghosh, A., Chandran, K., Kalivendi, S. V., Joseph, J., Antholine, W. E., Hillard, C. J., . . . Kalyanaraman, B. (2010). Neuroprotection by a mitochondria-targeted drug in a Parkinson's disease model. *Free Radical Biology and Medicine*, 49(11), 1674-1684. doi.

Ghosh, A., Langley, M. R., Harischandra, D. S., Neal, M. L., Jin, H., Anantharam, V., . . . Kanthasamy, A. (2016). Mitoapocynin Treatment Protects Against Neuroinflammation and Dopaminergic Neurodegeneration in a Preclinical Animal Model of Parkinson's Disease. *Journal of Neuroimmune Pharmacology*, 1-20. doi. <http://link.springer.com/article/10.1007/s11481-016-9650-4>

Ghosh, A., Roy, A., Liu, X., Kordower, J. H., Mufson, E. J., Hartley, D. M., . . . Pahan, K. (2007). Selective inhibition of NF- κ B activation prevents dopaminergic neuronal loss in a mouse model of Parkinson's disease. *Proceedings of the National Academy of Sciences*, 104(47), 18754-18759. doi: 10.1073/Proceedings of the National Academy of Sciences.0704908104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/47/18754>

Ghosh, A., Roy, A., Matras, J., Brahmachari, S., Gendelman, H. E., & Pahan, K. (2009). Simvastatin Inhibits the Activation of p21ras and Prevents the Loss of Dopaminergic Neurons in a Mouse Model of Parkinson's Disease. *Journal of Neuroscience*, 29(43), 13543-13556. doi: 10.1523/jneurosci.4144-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/43/13543>

Ghosh, A., Saminathan, H., Kanthasamy, A., Anantharam, V., Jin, H., Sondarva, G., . . . Kanthasamy, A. G. (2013). The Peptidyl-prolyl Isomerase Pin1 Upregulation and Proapoptotic Function in Dopaminergic Neurons: Relevance to the Pathogenesis of Parkinson Disease. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M112.444224. <http://www.jbc.org/content/early/2013/06/10/jbc.M112.444224.abstract>

Ghosh, A., Tyson, T., George, S., Hildebrandt, E. N., Steiner, J. A., Madaj, Z., . . . Brundin, P. (2016). Mitochondrial pyruvate carrier regulates autophagy, inflammation, and neurodegeneration in experimental models of Parkinson's disease. [10.1126/scitranslmed.aag2210]. *Science translational medicine*, 8(368), 368ra174. doi. <http://stm.sciencemag.org/content/8/368/368ra174.abstract>

Ghosh, M., Tuesta, L. M., Puentes, R., Patel, S., Melendez, K., El Maarouf, A., . . . Pearse, D. D. (2012). Extensive cell migration, axon regeneration, and improved function with polysialic acid-modified Schwann cells after spinal cord injury. *Glia*, n/a-n/a. doi: 10.1002/glia.22330. <http://dx.doi.org/10.1002/glia.22330>

Ghoshal, N., Dearborn, J. T., Wozniak, D. F., & Cairns, N. J. (2011). Core features of frontotemporal dementia recapitulated in progranulin knockout mice. *Neurobiology of Disease*. doi.

- Ghulam Muhammad, A. K. M., Candolfi, M., King, G. D., Yagiz, K., Foulad, D., Mineharu, Y., . . . Castro, M. G. (2009). Antiglioma Immunological Memory in Response to Conditional Cytotoxic/Immune-Stimulatory Gene Therapy: Humoral and Cellular Immunity Lead to Tumor Regression. *Clinical Cancer Research*, 15(19), 6113-6127. doi: 10.1158/1078-0432.ccr-09-1087. <http://clincancerres.aacrjournals.org/cgi/content/abstract/15/19/6113>
- Ghuman, H., Gerwig, M., Nicholls, F. J., Liu, J. R., Donnelly, J., Badylak, S. F., & Modo, M. (2017). Long-term retention of ECM hydrogel after implantation into a sub-acute stroke cavity reduces lesion volume. *Acta Biomaterialia*. doi: <https://doi.org/10.1016/j.actbio.2017.09.011>. <http://www.sciencedirect.com/science/article/pii/S1742706117305743>
- Ghuman, H., Massensini, A. R., Donnelly, J., Kim, S.-M., Medberry, C. J., Badylak, S. F., & Modo, M. (2016). ECM hydrogel for the treatment of stroke: Characterization of the host cell infiltrate. *Biomaterials*. doi: <http://dx.doi.org/10.1016/j.biomaterials.2016.03.014>. <http://www.sciencedirect.com/science/article/pii/S0142961216300291>
- Ghuman, H., Mauney, C., Donnelly, J., Massensini, A. R., Badylak, S. F., & Modo, M. (2018). Biodegradation of ECM hydrogel promotes endogenous brain tissue restoration in a rat model of stroke. *Acta Biomaterialia*. doi: <https://doi.org/10.1016/j.actbio.2018.09.020>. <http://www.sciencedirect.com/science/article/pii/S1742706118305373>
- Giampà, C., Laurenti, D., Anzilotti, S., Bernardi, G., Menniti, F. S., & Fusco, F. R. (2010). Inhibition of the striatal specific phosphodiesterase PDE10A ameliorates striatal and cortical pathology in R6/2 mouse model of Huntington's disease. *PLoS ONE*, 5(10), e13417-e13417. doi.
- Giampà, C., Montagna, E., Dato, C., Melone, M. A. B., Bernardi, G., & Fusco, F. R. (2013). Systemic Delivery of Recombinant Brain Derived Neurotrophic Factor (BDNF) in the R6/2 Mouse Model of Huntington's Disease. *Plos one*, 8(5), e64037. doi: 10.1371/journal.pone.0064037. <http://dx.doi.org/10.1371%2Fjournal.pone.0064037>
- Giannakopoulos, P., von Gunten, A., Kovari, E., Gold, G., Herrmann, F. R., Hof, P. R., & Bouras, C. (2007). Stereological analysis of neuropil threads in the hippocampal formation: relationships with Alzheimer's disease neuronal pathology and cognition. *Neuropathology and Applied Neurobiology*, 33(3), 334-343. doi: doi:10.1111/j.1365-2990.2007.00827.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2990.2007.00827.x>
- Giannaris, E. L., & Rosene, D. L. (2012). A stereological study of the numbers of neurons and glia in the primary visual cortex across the lifespan of male and female rhesus monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23101. <http://dx.doi.org/10.1002/cne.23101>
- Giannetto, M., Xia, M., Stæger, F. F., Metcalfe, T., Vinitzky, H. S., Dang, J. A. M. L., . . . Hablitz, L. M. (2020). Biological sex does not predict glymphatic influx in healthy young, middle aged or old mice. *Scientific Reports*, 10(1), 16073. doi: 10.1038/s41598-020-72621-3. <https://doi.org/10.1038/s41598-020-72621-3>
- Gibbs, S., Chattopadhyaya, B., Desgent, S., Awad, P. N., Clerk-Lamallice, O., Levesque, M., . . . others. (2011). Long-term consequences of a prolonged febrile seizure in a dual pathology model. *Neurobiology of Disease*. doi.
- Gibrat, C., Bousquet, M., Saint-Pierre, M., Levesque, D., Calon, F., Rouillard, C., & Cicchetti, F. (2010). Cystamine prevents MPTP-induced toxicity in young adult mice via the up-regulation of the brain-

derived neurotrophic factor. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 34(1), 193-203. doi.

Gibrat, C., Saint-Pierre, M., Bousquet, M., Lévesque, D., Rouillard, C., & Cicchetti, F. (2009). Differences between subacute and chronic MPTP mice models: investigation of dopaminergic neuronal degeneration and α -synuclein inclusions. *Journal of Neurochemistry*, 109(5), 1469-1482. doi.

Gibson, E. M., et al. (2014). Neuronal Activity Promotes Oligodendrogenesis and Adaptive Myelination in the Mammalian Brain. *Science*, 344. doi: 10.1126/science.1252304.

Gibson, E. M., Nagaraja, S., Ocampo, A., Tam, L. T., Wood, L. S., Pallegar, P. N., . . . Monje, M. (2018). Methotrexate Chemotherapy Induces Persistent Tri-gliial Dysregulation that Underlies Chemotherapy-Related Cognitive Impairment. *Cell*. doi: <https://doi.org/10.1016/j.cell.2018.10.049>. <http://www.sciencedirect.com/science/article/pii/S0092867418314053>

Gibson, M. E., Han, B. H., Choi, J., Knudson, C. M., Korsmeyer, S. J., Parsadanian, M., . . . others. (2001). BAX contributes to apoptotic-like death following neonatal hypoxia-ischemia: evidence for distinct apoptosis pathways. *Molecular Medicine*, 7(9), 644-644. doi.

Gidyk, D. C., McDonald, R. J., & Sutherland, R. J. (2020). Intact behavioural expression of contextual fear, context discrimination, and object discrimination memories acquired in the absence of the hippocampus. *The Journal of Neuroscience*, JN-RM-0546-0520. doi: 10.1523/jneurosci.0546-20.2020. <http://www.jneurosci.org/content/early/2020/12/09/JNEUROSCI.0546-20.2020...>

Giesert, F., Glasl, L., Zimprich, A., Ernst, L., Piccoli, G., Stautner, C., . . . Wurst, W. (2017). The pathogenic LRRK2 R1441C mutation induces specific deficits modeling the prodromal phase of Parkinson's disease in the mouse. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.05.013>. <http://www.sciencedirect.com/science/article/pii/S0969996117301237>

Gigliotti, J. C., Huang, L., Ye, H., Bajwa, A., Chattrabhati, K., Lee, S., . . . Okusa, M. D. (2013). Ultrasound Prevents Renal Ischemia-Reperfusion Injury by Stimulating the Splenic Cholinergic Anti-Inflammatory Pathway. *Journal of the American Society of Nephrology*. doi: 10.1681/asn.2013010084. <http://jasn.asnjournals.org/content/early/2013/07/29/ASN.2013010084.a bst...>

Giguère, N., Delignat-Lavaud, B., Herborg, F., Voisin, A., Li, Y., Jacquemet, V., . . . Trudeau, L.-É. (2019). Increased vulnerability of nigral dopamine neurons after expansion of their axonal arborization size through D2 dopamine receptor conditional knockout. *PLOS Genetics*, 15(8), e1008352. doi: 10.1371/journal.pgen.1008352. <https://doi.org/10.1371/journal.pgen.1008352>

Gilbert, M. E., Sui, L., Walker, M. J., Anderson, W., Thomas, S., Smoller, S. N., . . . Goodman, J. H. (2007). Thyroid Hormone Insufficiency during Brain Development Reduces Parvalbumin Immunoreactivity and Inhibitory Function in the Hippocampus. *Endocrinology*, 148(1), 92-102. doi: 10.1210/en.2006-0164. <http://endo.endojournals.org/cgi/content/abstract/148/1/92>

Gilby, K. L., Sydserff, S., Patey, A. M., Thorne, V., St-Onge, V., Jans, J., & McIntyre, D. C. (2009). Postnatal epigenetic influences on seizure susceptibility in seizure-prone versus seizure-resistant rat strains. *Behavioral Neuroscience*, 123(2), 337-337. doi.

Giles, N., Rea, S., Beer, T., Wood, F. M., & Fear, M. W. (2008). A peptide inhibitor of c-Jun promotes wound healing in a mouse full-thickness burn model. *Wound Repair and Regeneration*, 16(1), 58-64.

doi: doi:10.1111/j.1524-475X.2007.00331.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1524-475X.2007.00331.x>

Gilles, Y. D., & Polston, E. K. (2017). Effects of social deprivation on social and depressive-like behaviors and the numbers of oxytocin expressing neurons in rats. *Behavioural Brain Research* SreeTestContent1, 328, 28-38.
doi: <http://doi.org/10.1016/j.bbr.2017.03.036>. <http://www.sciencedirect.com/science/article/pii/S016643281631169X>

Gillespie, J., Ross, R. L., Corinaldesi, C., Esteves, F., Derrett-Smith, E., McDermott, M. F., . . . Del Galdo, F. (2018). TGF β activation primes canonical Wnt signaling through the downregulation of AXIN2. *Arthritis & Rheumatology*, n/a-n/a. doi: 10.1002/art.40437. <http://dx.doi.org/10.1002/art.40437>

Gilley, J. A., Yang, C.-P., & Kernie, S. G. (2011). Developmental profiling of postnatal dentate gyrus progenitors provides evidence for dynamic cell-autonomous regulation. *Hippocampus*, 21(1), 33-47. doi: 10.1002/hipo.20719. <http://dx.doi.org/10.1002/hipo.20719>

Giovanoli, S., Notter, T., Richetto, J., Labouesse, M., Vuillermot, S., Riva, M., & Meyer, U. (2015). Late prenatal immune activation causes hippocampal deficits in the absence of persistent inflammation across aging. *Journal of neuroinflammation*, 12(1), 221. doi: <http://www.jneuroinflammation.com/content/12/1/221>

Giovanoli, S., Weber, L., & Meyer, U. (2014). Single and combined effects of prenatal immune activation and peripubertal stress on parvalbumin and reelin expression in the hippocampal formation. *Brain, Behavior, and Immunity*, (o). doi: <http://dx.doi.org/10.1016/j.bbi.2014.04.005>. <http://www.sciencedirect.com/science/article/pii/S0889159114001184>

Giovanoli, S., Weber-Stadlbauer, U., Schedlowski, M., Meyer, U., & Engler, H. (2015). Prenatal immune activation causes hippocampal synaptic deficits in the absence of overt microglia anomalies. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2015.09.015>. <http://www.sciencedirect.com/science/article/pii/S0889159115300222>

Girão da Cruz, M. T., Jordão, J., DaSilva, K. A., Ayala-Grosso, C. A., Ypsilanti, A., Weng, Y. Q., . . . Aubert, I. (2012). Early Increases in Soluble Amyloid- β Levels Coincide with Cholinergic Degeneration in 3xTg-AD mice. *Journal of Alzheimer's Disease*. doi.

Gispert, S., Ricciardi, F., Kurz, A., Azizov, M., Hoepken, H. H., Becker, D., . . . others. (2009). Parkinson phenotype in aged PINK1-deficient mice is accompanied by progressive mitochondrial dysfunction in absence of neurodegeneration. *PLoS ONE*, 4(6), e5777-e5777. doi.

Giuliano, C., Siani, F., Mus, L., Ghezzi, C., Cerri, S., Pacchetti, B., . . . Blandini, F. (2019). Neuroprotective effects of lignan 7-hydroxymatairesinol (HMR/lignan β) in a rodent model of Parkinson's disease. *Nutrition*. doi: <https://doi.org/10.1016/j.nut.2019.04.006>. <http://www.sciencedirect.com/science/article/pii/S0899900719300498>

Givogri, M. I., Bottai, D., Zhu, H. L., Fasano, S., Lamorte, G., Brambilla, R., . . . Bongarzone, E. (2008). Multipotential neural precursors transplanted into the metachromatic leukodystrophy brain fail to generate oligodendrocytes but contribute to limit brain dysfunction. *Developmental Neuroscience*, 30(5), 340-357. doi.

Giza, J. I., Kim, J., Meyer, H. C., Anastasia, A., Dincheva, I., Zheng, C. I., . . . Lee, F. S. (2018). The BDNF Val66Met Prodomain Disassembles Dendritic Spines Altering Fear Extinction Circuitry and Behavior. *Neuron*.
doi: <https://doi.org/10.1016/j.neuron.2018.05.024> <https://www.sciencedirect.com/science/article/pii/S0896627318304227>

Gizerian, S. S., Morrow, A. L., Lieberman, J. A., & Grobin, A. C. (2004). Neonatal neurosteroid administration alters parvalbumin expression and neuron number in medial dorsal thalamus of adult rats. *Brain Research*, 1012(1-2), 66-74. doi.

Gizerian, S. S., Moy, S. S., Lieberman, J. A., & Grobin, A. C. (2006). Neonatal neurosteroid administration results in development-specific alterations in prepulse inhibition and locomotor activity. *Psychopharmacology*, 186(3), 334-342. doi.

Glaser, E. M., & Wilson, P. D. (1998). The coefficient of error of optical fractionator population size estimates: a computer simulation comparing three estimators. *Journal of Microscopy*, 192(2), 163. doi.

Glaser, J., Hendricks, S., & Greene, G. (2006). *Stereology for biological research with a focus on neuroscience*: MBF Press.

Glaser, J. R., & Berggren, K. (2005). The MicroBrightField virtual slice system. *Virtual microscopy and virtual slides in teaching, diagnosis, and research*, 49-49. doi.

Glaser, J. R., & Glaser, E. M. (2000). Stereology, morphometry, and mapping: the whole is greater than the sum of its parts. *Journal of Chemical Neuroanatomy*, 20(1), 115-126. doi.

Glasl, L., Kloos, K., Giesert, F., Roethig, A., Di Benedetto, B., Kühn, R., . . . others. (2012). Pink1-deficiency in mice impairs gait, olfaction and serotonergic innervation of the olfactory bulb. *Experimental Neurology*. doi.

Glaser, E. R., LaMarca, E. A., Bocarsly, M. E., Fasolino, M., Opendak, M., & Gould, E. (2015). Sexual experience enhances cognitive flexibility and dendritic spine density in the medial prefrontal cortex. *Neurobiology of Learning and Memory*.
doi: <http://dx.doi.org/10.1016/j.nlm.2015.07.007> <http://www.sciencedirect.com/science/article/pii/S1074742715001288>

Glass, R., Synowitz, M., Kronenberg, G., Walzlein, J.-H., Markovic, D. S., Wang, L.-P., . . . Kettenmann, H. (2005). Glioblastoma-Induced Attraction of Endogenous Neural Precursor Cells Is Associated with Improved Survival. *Journal of Neuroscience*, 25(10), 2637-2646.
doi: <http://www.jneurosci.org/cgi/content/abstract/25/10/2637>

Glatzer, N. R., Hasney, C. P., Bhaskaran, M. D., & Smith, B. N. (2003). Synaptic and morphologic properties in vitro of premotor rat nucleus tractus solitarius neurons labeled transneuronally from the stomach. *Journal of Comparative Neurology*, 464(4), 525-539. doi.

Glenn, M. J., Gibson, E. M., Kirby, E. D., Mellott, T. J., Blusztajn, J. K., & Williams, C. L. (2007). Prenatal choline availability modulates hippocampal neurogenesis and neurogenic responses to enriching experiences in adult female rats. *European Journal of Neuroscience*, 25(8), 2473-2482. doi:10.1111/j.1460-9568.2007.05505.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05505.x>

Glezer, I., Chernomoretz, A., David, S., Plante, M. M., & Rivest, S. (2007). Genes involved in the balance between neuronal survival and death during inflammation. *PLoS ONE*, 2(3), e310-e310. doi.

Glickstein, S. B., DeSteno, D. A., Hof, P. R., & Schmauss, C. (2005). Mice lacking dopamine D2 and D3 receptors exhibit differential activation of prefrontal cortical neurons during tasks requiring attention. *Cerebral Cortex*, 15(7), 1016-1024. doi.

Glickstein, S. B., Hof, P. R., & Schmauss, C. (2002). Mice Lacking Dopamine D2 and D3 Receptors Have Spatial Working Memory Deficits. *Journal of Neuroscience*, 22(13), 5619-5629. doi. <http://www.jneurosci.org/cgi/content/abstract/22/13/5619>

Glickstein, S. B., Monaghan, J. A., Koeller, H. B., Jones, T. K., & Ross, M. E. (2009). Cyclin D2 Is Critical for Intermediate Progenitor Cell Proliferation in the Embryonic Cortex. *Journal of Neuroscience*, 29(30), 9614-9624. doi: 10.1523/jneurosci.2284-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/30/9614>

Glickstein, S. B., Moore, H., Slowinska, B., Racchumi, J., Suh, M., Chuhma, N., & Ross, M. E. (2007). Selective cortical interneuron and GABA deficits in cyclin D2-null mice. *Development*, 134(22), 4083-4093. doi: 10.1242/dev.008524. <http://dev.biologists.org/cgi/content/abstract/134/22/4083>

Gliebus, G., Bigio, E. H., Gasho, K., Mishra, M., Caplan, D., Mesulam, M. M., & Geula, C. (2010). Asymmetric TDP-43 distribution in primary progressive aphasia with progranulin mutation. *Neurology*, 74(20), 1607-1610. doi: 10.1212/WNL.ob013e3181dfoa1b. <http://www.neurology.org/cgi/content/abstract/74/20/1607>

Gobrogge, K. L., Liu, Y., Jia, X., & Wang, Z. (2007). Anterior hypothalamic neural activation and neurochemical associations with aggression in pair-bonded male prairie voles. *Journal of Comparative Neurology*, 502(6), 1109-1122. doi.

Godar, S. C., Mosher, L. J., Scheggi, S., Devoto, P., Moench, K. M., Strathman, H. J., . . . Bortolato, M. (2019). Gene-environment interactions in antisocial behavior are mediated by early-life 5-HT2A receptor activation. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2019.01.028>. <http://www.sciencedirect.com/science/article/pii/S0028390819300280>

Godden, K. E., Landry, J. P., Slepneva, N., Miguez, P. V., & Pompeiano, M. (2014). Early Expression of Hypocretin/Orexin in the Chick Embryo Brain. *Plos one*, 9(9), e106977. doi: 10.1371/journal.pone.0106977. <http://dx.doi.org/10.1371%2Fjournal.pone.0106977>

Gokozan, H. N., Baig, F., Corcoran, S., Catacutan, F. P., Gygli, P. E., Takakura, A. C., . . . Otero, J. J. (2015). Area postrema undergoes dynamic postnatal changes in mice and humans. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23903. <http://dx.doi.org/10.1002/cne.23903>

Golden, K. L., Pearse, D. D., Blits, B., Garg, M. S., Oudega, M., Wood, P. M., & Bunge, M. B. (2007). Transduced Schwann cells promote axon growth and myelination after spinal cord injury. *Experimental Neurology*, 207(2), 203-217. doi.

Goldman, H. M., McFarlin, S. C., Cooper, D. M. L., Thomas, C. D. L., & Clement, J. G. (2009). Ontogenetic Patterning of Cortical Bone Microstructure and Geometry at the Human Mid-Shaft Femur. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 292(1), 48-64. doi.

Gollamudi, S., Johri, A., Calingasan, N. Y., Yang, L., Elemento, O., & Beal, M. F. (2012). Concordant Signaling Pathways Produced by Pesticide Exposure in Mice Correspond to Pathways Identified in Human Parkinson's Disease. *PLoS ONE*, 7(5), e36191. doi:

Goller, B., Fellows, T. K., Dakin, R., Tyrell, L., Fernandez-Juricic, E., & Altshuler, D. (2019). Spatial and temporal resolution of the visual system of the Anna's hummingbird (*Calypte anna*) relative to other birds. *Physiological and Biochemical Zoology*, 0(ja), null. doi:

10.1086/705124. <https://www.journals.uchicago.edu/doi/abs/10.1086/705124>

Golub, Y., Schildbach, E.-M., Touma, C., Kratz, O., Moll, G. H., von Hörsten, S., & Canneva, F. (2018). Role of hypothalamus-pituitary-adrenal axis modulation in the stress-resilient phenotype of DPP4-deficient rats. *Behavioural Brain Research*.

doi: <https://doi.org/10.1016/j.bbr.2018.08.029>. <http://www.sciencedirect.com/science/article/pii/S0166432818308313>

Gombash, S., Manfredsson, F., Mandel, R., Collier, T., Fischer, D., Kemp, C., . . . Sortwell, C. (2014). Neuroprotective potential of pleiotrophin overexpression in the striatonigral pathway compared with overexpression in both the striatonigral and nigrostriatal pathways. *Gene Therapy*.

doi: <http://www.nature.com/gt/journal/vaop/ncurrent/full/gt201442a.html>

Gombash, S. E., Lipton, J. W., Collier, T. J., Madhavan, L., Steece-Collier, K., Cole-Strauss, A., . . . others. (2011). Striatal Pleiotrophin Overexpression Provides Functional and Morphological Neuroprotection in the 6-Hydroxydopamine Model. *Molecular Therapy*. doi:

Gombash, S. E., Manfredsson, F. P., Kemp, C. J., Kuhn, N. C., Fleming, S. M., Egan, A. E., . . . Sortwell, C. E. (2013). Morphological and Behavioral Impact of AAV2/5-Mediated Overexpression of Human

Wildtype Alpha-Synuclein in the Rat Nigrostriatal System. *Plos one*, 8(11), e81426. doi:

10.1371/journal.pone.0081426. <http://dx.doi.org/10.1371%2Fjournal.pone.0081426>

Gomes, G. F., Peixoto, R. D. d. F., Maciel, B. G., Santos, K. F. d., Bayma, L. R., Feitoza Neto, P. A., . . . Diniz, C. W. P. (2019). Differential Microglial Morphological Response, TNF α , and Viral Load in Sedentary-like and Active Murine Models After Systemic Non-neurotropic Dengue Virus Infection. *Journal of Histochemistry and Cytochemistry*, 0022155419835218. doi:

10.1369/0022155419835218. <https://doi.org/10.1369/0022155419835218>

Gomes, W. A., Lado, F. A., De Lanerolle, N. C., Takahashi, K., Pan, C., & Hetherington, H. P. (2007). Spectroscopic imaging of the pilocarpine model of human epilepsy suggests that early NAA reduction predicts epilepsy. *Magnetic Resonance in Medicine*, 58(2), 230-235. doi:

Gomez, A. M., Stevens, J. A. A., Mané-Damas, M., Molenaar, P., Duimel, H., Verheyen, F., . . . Martinez-Martinez, P. (2016). Silencing of Dok-7 in Adult Rat Muscle Increases Susceptibility to Passive Transfer Myasthenia Gravis. *The American journal of pathology*, 186(10), 2559-2568.

doi: <http://dx.doi.org/10.1016/j.ajpath.2016.05.025>. <http://www.sciencedirect.com/science/article/pii/S0002944016302358>

Gomez, A. M., Van den Broeck, J., Vrolix, K., Janssen, S. P., Lemmens, M. A. M., Van der Esch, E., . . . others. (2010). Antibody effector mechanisms in myasthenia gravis-Pathogenesis at the neuromuscular junction. *Autoimmunity*, 43(5-6), 353-370. doi:

Gomez, D. L., O'Driscoll, M., Sheets, T. P., Hruban, R. H., Oberholzer, J., McGarrigle, J. J., & Shablott, M. J. (2015). Neurogenin 3 Expressing Cells in the Human Exocrine Pancreas Have the Capacity for Endocrine Cell Fate. *Plos one*, 10(8), e0133862. doi:

10.1371/journal.pone.0133862. <http://dx.doi.org/10.1371%2Fjournal.pone.0133862>

Gómez-Lira, G., Mendoza-Torreblanca, J. G., & Granados-Rojas, L. (2011). Ketogenic diet does not change NKCC1 and KCC2 expression in rat hippocampus. *Epilepsy Research*. doi.

Gómez-López, S., Martínez-Silva, A. V., Montiel, T., Osorio-Gómez, D., Bermúdez-Rattoni, F., Massieu, L., & Escalante-Alcalde, D. (2016). Neural ablation of the PARK10 candidate Plpp3 leads to dopaminergic transmission deficits without neurodegeneration. [Article]. *Scientific Reports*, 6, 24028. doi: 10.1038/srep24028

<http://www.nature.com/articles/srep24028#supplementary-information>. <http://dx.doi.org/10.1038/srep24028>

Gomez-Smith, M., Janik, R., Lake, E. M., Thomason, L. A. M., Adams, C., Jeffers, M. S., . . . Corbett, D. (2017). Reduced Cerebrovascular Reactivity and Increased Resting Cerebral Perfusion in Rats Exposed to a Cafeteria Diet. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.11.054>. <https://www.sciencedirect.com/science/article/pii/S0306452217308710>

Gomez-Smith, M., Karthikeyan, S., Jeffers, M. S., Janik, R., Thomason, L. A., Stefanovic, B., & Corbett, D. (2016). A physiological characterization of the Cafeteria diet model of metabolic syndrome in the rat. *Physiology and Behavior*. doi: <http://dx.doi.org/10.1016/j.physbeh.2016.09.029>. <http://www.sciencedirect.com/science/article/pii/S0031938416302608>

Gonçalves, L., Silva, R., Pinto-Ribeiro, F., Pêgo, J. M., Bessa, J. M., Pertovaara, A., . . . Almeida, A. (2008). Neuropathic pain is associated with depressive behaviour and induces neuroplasticity in the amygdala of the rat. *Experimental Neurology*, 213(1), 48-56. doi.

Gonchar, Y., Wang, Q., & Burkhalter, A. (2007). Multiple distinct subtypes of GABAergic neurons in mouse visual cortex identified by triple immunostaining. *Frontiers in Neuroanatomy*, 1. doi.

Gondré-Lewis, M. C., Darius, P. J., Wang, H., & Allard, J. S. (2016). Stereological analyses of reward system nuclei in maternally deprived/separated alcohol drinking rats. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2016.02.004>. <http://www.sciencedirect.com/science/article/pii/S0891061816300278>

Gong, C., Zheng, X., Guo, F., Wang, Y., Zhang, S., Chen, J., . . . Chen, H. (2021). Human spinal GABA neurons alleviate spasticity and improve locomotion in rats with spinal cord injury. *Cell Reports*, 34(12), 108889. doi: <https://doi.org/10.1016/j.celrep.2021.108889>. <https://www.sciencedirect.com/science/article/pii/S2211124721002035>

Gong, J., Szegő, É. M., Leonov, A., Benito, E., Becker, S., Fischer, A., . . . Schneider, A. (2019). Translocator protein ligand protects against neurodegeneration in the MPTP mouse model of Parkinsonism. *The Journal of Neuroscience*, 2070-2018. doi: 10.1523/jneurosci.2070-18.2019. <http://www.jneurosci.org/content/early/2019/02/21/JNEUROSCI.2070-18.2019...>

Gonsalvez, D. G., Cane, K. N., Landman, K. A., Enomoto, H., Young, H. M., & Anderson, C. R. (2013). Proliferation and Cell Cycle Dynamics in the Developing Stellate Ganglion. *Journal of Neuroscience*, 33(14), 5969-5979. doi: 10.1523/jneurosci.4350-12.2013. <http://www.jneurosci.org/content/33/14/5969.abstract>

- Gonzalez, M. M. C., & Aston-Jones, G. (2008). Light deprivation damages monoamine neurons and produces a depressive behavioral phenotype in rats. *Proceedings of the National Academy of Sciences*, 105(12), 4898-4903. doi: 10.1073/Proceedings of the National Academy of Sciences.0703615105. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/105/12/4898>
- Gonzalez-Brito, M. R., & Bixby, J. L. (2005). Regulation of Developing Neurons by Receptor Protein Tyrosine Phosphatases: 12. *Pediatric Critical Care Medicine*, 6(1), 105-105. doi.
- Gonzalez-Brito, M. R., & Bixby, J. L. (2009). Protein tyrosine phosphatase receptor type O regulates development and function of the sensory nervous system. *Molecular and Cellular Neuroscience*, 42(4), 458-465. doi.
- González-Cabrera, C., Garrido-Charad, F., Roth, A., & Marin, G. J. (2015). The isthmus nuclei providing parallel feedback connections to the avian tectum have different neurochemical identities: Expression of Glutamatergic and Cholinergic Markers in the chick (*Gallus gallus*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23739. <http://dx.doi.org/10.1002/cne.23739>
- González-Cabrera, C., Meza, R., Ulloa, L., Merino-Sepúlveda, P., Luco, V., Sanhueza, A., . . . Henny, P. (2017). Characterization of the axon initial segment of mice substantia nigra dopaminergic neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24288. <http://dx.doi.org/10.1002/cne.24288>
- González-Gómez, P. L., Madrid-Lopez, N., Salazar, J. E., Suárez, R., Razeto-Barry, P., Mpodozis, J., . . . Vásquez, R. A. (2014). Cognitive Ecology in Hummingbirds: The Role of Sexual Dimorphism and Its Anatomical Correlates on Memory. *Plos one*, 9(3), e90165. doi: 10.1371/journal.pone.0090165. <http://dx.doi.org/10.1371/journal.pone.0090165>
- Good, P. F., Alapat, D., Hsu, A., Chu, C., Perl, D., Wen, X., . . . Kohtz, D. S. (2004). A role for semaphorin 3A signaling in the degeneration of hippocampal neurons during Alzheimer's disease. *Journal of Neurochemistry*, 91(3), 716-736. doi: doi:10.1111/j.1471-4159.2004.02766.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2004.02766.x>
- Goodfellow, M. J., Borcar, A., Proctor, J. L., Greco, T., Rosenthal, R. E., & Fiskum, G. (2020). Transcriptional activation of antioxidant gene expression by Nrf2 protects against mitochondrial dysfunction and neuronal death associated with acute and chronic neurodegeneration. *Experimental Neurology*, 113247. doi: <https://doi.org/10.1016/j.expneurol.2020.113247>. <http://www.sciencedirect.com/science/article/pii/S0014488620300789>
- Goodrich, J. A., Kim, J. H., Situ, R., Taylor, W., Westmoreland, T., Du, F., . . . de Lanerolle, N. C. (2016). Neuronal and glial changes in the brain resulting from explosive blast in an experimental model. [journal article]. *Acta Neuropathologica Communications*, 4(1), 124. doi: 10.1186/s40478-016-0395-3. <http://dx.doi.org/10.1186/s40478-016-0395-3>
- Goodus, M. T., Kerr, N. A., Talwar, R., Buziashvili, D., Fragale, J. E. C., Pang, K., & Levison, S. W. (2015). LIF Haplodeficiency Desynchronizes Glial Reactivity and Exacerbates Damage and Functional Deficits After a Concussive Brain Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4234. <http://dx.doi.org/10.1089/neu.2015.4234>
- Gorbatyuk, M. S., Shabashvili, A., Chen, W., Meyers, C., Sullivan, L. F., Salganik, M., . . . Gorbatyuk, O. S. (2012). Glucose Regulated Protein 78 Diminishes α -Synuclein Neurotoxicity in a Rat Model of Parkinson Disease. *Mol Ther*.

doi: <http://www.nature.com/mt/journal/vaop/ncurrent/supinfo/mt201228s1.html>. <http://dx.doi.org/10.1038/mt.2012.28>

Gorbatyuk, O. S., Li, S., Sullivan, L. F., Chen, W., Kondrikova, G., Manfredsson, F. P., . . . Muzyczka, N. (2008). The phosphorylation state of Ser-129 in human α -synuclein determines neurodegeneration in a rat model of Parkinson disease. *Proceedings of the National Academy of Sciences*, 105(2), 763-763. doi.

Gorbatyuk, O. S., Warrington, K. H., Gorbatyuk, M. S., Zolotukhin, I., Lewin, A. S., & Muzyczka, N. (2019). Biodistribution of Adeno-Associated Virus Type 2 with Mutations in the Capsid that Contribute to Heparan Sulfate Proteoglycan Binding. *Virus Research*, 197771. doi: <https://doi.org/10.1016/j.virusres.2019.197771>. <http://www.sciencedirect.com/science/article/pii/S0168170219303892>

Gordon, R., Singh, N., Lawana, V., Ghosh, A., Harischandra, D. S., Jin, H., . . . Kanthasamy, A. (2016). Protein kinase C δ upregulation in microglia drives neuroinflammatory responses and dopaminergic neurodegeneration in experimental models of Parkinson's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.04.008>. <http://www.sciencedirect.com/science/article/pii/S0969996116300900>

Gorris, R., Fischer, J., Erwes, K. L., Kesavan, J., Peterson, D. A., Alexander, M., . . . Brüstle, O. (2015). Pluripotent stem cell-derived radial glia-like cells as stable intermediate for efficient generation of human oligodendrocytes. *Glia*, n/a-n/a. doi: 10.1002/glia.22882. <http://dx.doi.org/10.1002/glia.22882>

Gotsbacher, M. P., Telfer, T. J., Witting, P. K., Double, K. L., Finkelstein, D. I., & Codd, R. (2017). Analogues of desferrioxamine B designed to attenuate iron-mediated neurodegeneration: Synthesis, characterisation and activity in the MPTP-mouse model of Parkinson's disease. [10.1039/C7MT00039A]. *Metallomics*. doi: 10.1039/c7mt00039a. <http://dx.doi.org/10.1039/C7MT00039A>

Gotsiridze, T., Kang, N., Jacob, D., & Forger, N. G. (2007). Development of sex differences in the principal nucleus of the bed nucleus of the stria terminalis of mice: Role of Bax-dependent cell death. *Developmental Neurobiology*, 67(3), 355-362. doi.

Gotts, J. E., & Chesselet, M.-F. (2005). Migration and fate of newly born cells after focal cortical ischemia in adult rats. *Journal of Neuroscience Research*, 80(2), 160-171. doi.

Gotts, J. E., & Chesselet, M. F. (2005). Mechanisms of subventricular zone expansion after focal cortical ischemic injury. *Journal of Comparative Neurology*, 488(2), 201-214. doi.

Gotts, J. E., & Chesselet, M. F. (2005). Vascular changes in the subventricular zone after distal cortical lesions. *Experimental Neurology*, 194(1), 139-150. doi.

Gou, D.-H., Huang, T.-T., Li, W., Gao, X.-D., Haikal, C., Wang, X.-H., . . . Li, J.-Y. (2021). Inhibition of copper transporter 1 prevents α -synuclein pathology and alleviates nigrostriatal degeneration in AAV-based mouse model of Parkinson's disease. *Redox Biology*, 38, 101795. doi: <https://doi.org/10.1016/j.redox.2020.101795>. <http://www.sciencedirect.com/science/article/pii/S2213231720310004>

Gould, E., Reeves, A. J., Graziano, M. S. A., & Gross, C. G. (1999). Neurogenesis in the Neocortex of Adult Primates. *Science*, 286(5439), 548-552. doi: 10.1126/science.286.5439.548. <http://www.sciencemag.org/cgi/content/abstract/286/5439/548>

Gould, E., Vail, N., Wagers, M., & Gross, C. G. (2001). Adult-generated hippocampal and neocortical neurons in macaques have a transient existence. *Proceedings of the National Academy of Sciences*, 98(19), 10910-10910. doi.

Gould, E., Vail, N., Wagers, M., & Gross, C. G. (2001). Inaugural Article: Adult-generated hippocampal and neocortical neurons in macaques have a transient existence. *Proceedings of the National Academy of Sciences*, 98(19), 10910-10917. doi: 10.1073/Proceedings of the National Academy of Sciences.181354698. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/98/19/10910>

Gould, K. L., Gilbertson, K. E., Hrvol, A. J., Nelson, J. C., Seyfer, A. L., Brantner, R. M., & Kamil, A. C. (2013). Differences in Relative Hippocampus Volume and Number of Hippocampus Neurons among Five Corvid Species. *Brain, Behavior and Evolution*, 81(1), 56-70. doi.

Gowing, G., Lalancette-Hébert, M., Audet, J. N., Dequen, F., & Julien, J. P. (2009). Macrophage colony stimulating factor (M-CSF) exacerbates ALS disease in a mouse model through altered responses of microglia expressing mutant superoxide dismutase. *Experimental Neurology*, 220(2), 267-275. doi.

Gowing, G., Philips, T., Van Wijmeersch, B., Audet, J.-N., Dewil, M., Van Den Bosch, L., . . . Julien, J.-P. (2008). Ablation of Proliferating Microglia Does Not Affect Motor Neuron Degeneration in Amyotrophic Lateral Sclerosis Caused by Mutant Superoxide Dismutase. *Journal of Neuroscience*, 28(41), 10234-10244. doi: 10.1523/jneurosci.3494-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10234>

Gowing, G., Vallières, L., & Julien, J. P. (2006). Mouse model for ablation of proliferating microglia in acute CNS injuries. *Glia*, 53(3), 331-337. doi.

Gozal, D., Row, B. W., Gozal, E., Kheirandish, L., Neville, J. J., Brittian, K. R., . . . Guo, S. Z. (2003). Temporal aspects of spatial task performance during intermittent hypoxia in the rat: evidence for neurogenesis. *European Journal of Neuroscience*, 18(8), 2335-2342. doi: doi:10.1046/j.1460-9568.2003.02947.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02947.x>

Graham, R. K., Pouladi, M. A., Joshi, P., Lu, G., Deng, Y., Wu, N.-P., . . . Hayden, M. R. (2009). Differential Susceptibility to Excitotoxic Stress in YAC128 Mouse Models of Huntington Disease between Initiation and Progression of Disease. *Journal of Neuroscience*, 29(7), 2193-2204. doi: 10.1523/jneurosci.5473-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/7/2193>

Graham, R. K., Slow, E. J., Deng, Y., Bissada, N., Lu, G., Pearson, J., . . . Hayden, M. R. (2006). Levels of mutant huntingtin influence the phenotypic severity of Huntington disease in YAC128 mouse models. *Neurobiology of Disease*, 21(2), 444-455. doi.

Granado, N., Ares-Santos, S., Tizabi, Y., & Moratalla, R. (2018). Striatal Reinnervation Process after Acute Methamphetamine-Induced Dopaminergic Degeneration in Mice. [journal article]. *Neurotoxicity research*. doi: 10.1007/s12640-018-9925-z. <https://doi.org/10.1007/s12640-018-9925-z>

Granhölm, A.-C., Zaman, V., Godbee, J., Smith, M., Ramadan, R., Umphlet, C., . . . Boger, H. A. (2010). Prenatal LPS increases Inflammation in the Substantia Nigra of Gdnf Heterozygous Mice. *Brain Pathology*, no-no. doi: 10.1111/j.1750-3639.2010.00457.x. <http://dx.doi.org/10.1111/j.1750-3639.2010.00457.x>

Granhölm, A. C. E., Ford, K. A., Hyde, L. A., Bimonte, H. A., Hunter, C. L., Nelson, M., . . . Crnic, L. S. (2002). Estrogen restores cognition and cholinergic phenotype in an animal model of Down syndrome. *Physiology and Behavior*, 77(2-3), 371-385. doi.

Grant, A., Speed, Z., Labelle-Dumais, C., & Flores, C. (2009). Post-pubertal emergence of a dopamine phenotype in netrin-1 receptor-deficient mice. *European Journal of Neuroscience*, 30(7), 1318-1328. doi.

Grant, L. M., Richter, F., Miller, J. E., White, S. A., Fox, C. M., Zhu, C., . . . Ciucci, M. R. (2014). Vocalization deficits in mice over-expressing alpha-synuclein, a model of pre-manifest Parkinson's disease. *Behavioral Neuroscience*, 128(2), 110. doi. <http://psycnet.apa.org/journals/bne/128/2/110/>

Grapov, D., Fahrman, J., Hwang, J., Poudel, A., Jo, J., Periwal, V., . . . Hara, M. (2014). Diabetes associated metabolomic perturbations in NOD mice. *Metabolomics*, 1-13. doi: 10.1007/s11306-014-0706-2. <http://dx.doi.org/10.1007/s11306-014-0706-2>

Grau-Perales, A. B., Gómez-Chacón, B., & Gallo, M. (2019). Differential activity pattern of c-Fos in the nucleus accumbens between adult and aged rats during flavor recognition memory. *Behavioural Brain Research*, 111935. doi: <https://doi.org/10.1016/j.bbr.2019.111935>. <http://www.sciencedirect.com/science/article/pii/S166432819301603>

Gray, K. (2013). Society for Pediatric Pathology, 2013 Fall Meeting Abstracts. *Pediatric and Developmental Pathology*. doi: 10.2350/13-09-1379-0a.1. <http://dx.doi.org/10.2350/13-09-1379-OA.1>

Gray, M., Shirasaki, D. I., Cepeda, C., Andre, V. M., Wilburn, B., Lu, X.-H., . . . Yang, X. W. (2008). Full-Length Human Mutant Huntingtin with a Stable Polyglutamine Repeat Can Elicit Progressive and Selective Neuropathogenesis in BACHD Mice. *Journal of Neuroscience*, 28(24), 6182-6195. doi: 10.1523/jneurosci.0857-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/24/6182>

Gray, N. E., Zweig, J. A., Caruso, M., Zhu, J. Y., Wright, K. M., Quinn, J. F., & Soumyanath, A. (2018). Centella asiatica attenuates hippocampal mitochondrial dysfunction and improves memory and executive function in β -amyloid overexpressing mice. *Molecular and Cellular Neuroscience*, 93, 1-9. doi: <https://doi.org/10.1016/j.mcn.2018.09.002>. <http://www.sciencedirect.com/science/article/pii/S1044743118302252>

Greco, C. M., Berman, R. F., Martin, R. M., Tassone, F., Schwartz, P. H., Chang, A., . . . Hagerman, P. J. (2006). Neuropathology of fragile X-associated tremor/ataxia syndrome (FXTAS) *Brain*, 129, 243-255. doi.

Greco, C. M., Navarro, C. S., Hunsaker, M. R., Maezawa, I., Shuler, J. F., Tassone, F., . . . others. (2011). Neuropathologic features in the hippocampus and cerebellum of three older men with fragile X syndrome. *Molecular Autism*, 2(1), 2-2. doi.

Greene, J., Banasr, M., Lee, B., Warner-Schmidt, J., & Duman, R. S. (2009). Vascular endothelial growth factor signaling is required for the behavioral actions of antidepressant treatment: pharmacological and cellular characterization. *Neuropsychopharmacology*, 34(11), 2459-2468. doi.

Greene-Schloesser, D., Payne, V., Peiffer, A. M., Hsu, F.-C., Riddle, D. R., Zhao, W., . . . Robbins, M. E. (2014). The Peroxisomal Proliferator-Activated Receptor (PPAR) α Agonist, Fenofibrate, Prevents Fractionated Whole-Brain Irradiation-Induced Cognitive Impairment. *Radiation Research*. doi: 10.1667/rr13202.1. <http://dx.doi.org/10.1667/RR13202.1>

Greene-Schloesser, D. M., Kooshki, M., Payne, V., D'Agostino, R. B., Wheeler, K. T., Metheny-Barlow, L. J., & Robbins, M. E. (2014). Cellular response of the rat brain to single doses of ^{137}Cs γ rays does not predict its response to prolonged "biologically equivalent" fractionated doses. *International Journal of*

Radiation Biology, 0(ja), 1-33. doi:
doi:10.3109/09553002.2014.933915. <http://informahealthcare.com/doi/abs/10.3109/09553002.2014.933915>

Grégoire, C.-A., Bonenfant, D., Le Nguyen, A., Aumont, A., & Fernandes, K. J. L. (2014). Untangling the Influences of Voluntary Running, Environmental Complexity, Social Housing and Stress on Adult Hippocampal Neurogenesis. *Plos one*, 9(1), e86237. doi:
10.1371/journal.pone.0086237. <http://dx.doi.org/10.1371%2Fjournal.pone.0086237>

Gresle, M. M., Jarrott, B., Jones, N. M., & Callaway, J. K. (2006). Injury to axons and oligodendrocytes following endothelin-1-induced middle cerebral artery occlusion in conscious rats. *Brain Research*, 1110(1), 13-22. doi:

Grieb, B., Engler, G., Sharott, A., von Nicolai, C., Streichert, T., Papageorgiou, I., . . . Hamel, W. (2014). High-Frequency Stimulation of the Subthalamic Nucleus Counteracts Cortical Expression of Major Histocompatibility Complex Genes in a Rat Model of Parkinson's Disease. *Plos one*, 9(3), e91663. doi:
10.1371/journal.pone.0091663. <http://dx.doi.org/10.1371%2Fjournal.pone.0091663>

Griffey, M., Bible, E., Vogler, C., Levy, B., Gupta, P., Cooper, J., & Sands, M. S. (2004). Adeno-associated virus 2-mediated gene therapy decreases autofluorescent storage material and increases brain mass in a murine model of infantile neuronal ceroid lipofuscinosis. *Neurobiology of Disease*, 16(2), 360-369. doi:

Griffey, M. A., Wozniak, D., Wong, M., Bible, E., Johnson, K., Rothman, S. M., . . . Sands, M. S. (2005). CNS-Directed AAV2-Mediated Gene Therapy Ameliorates Functional Deficits in a Murine Model of Infantile Neuronal Ceroid Lipofuscinosis. *Molecular Therapy*, 13, 538-547. doi:

Grigg, N. P., Krilow, J. M., Gutierrez-Ibanez, C., Wylie, D. R., Graves, G. R., & Iwaniuk, A. N. (2017). Anatomical evidence for scent guided foraging in the turkey vulture. *Scientific Reports*, 7(1), 17408. doi: 10.1038/s41598-017-17794-0. <https://doi.org/10.1038/s41598-017-17794-0>

Grinevich, V., Kollaker, A., Eliava, M., Takada, N., Takuma, H., Fukazawa, Y., . . . others. (2009). Fluorescent Arc/Arg3.1 indicator mice: A versatile tool to study brain activity changes in vitro and in vivo. *Journal of Neuroscience Methods*, 184(1), 25-36. doi:

Gritti, I., Henny, P., Galloni, F., Mainville, L., Mariotti, M., & Jones, B. E. (2006). Stereological estimates of the basal forebrain cell population in the rat, including neurons containing choline acetyltransferase, glutamic acid decarboxylase or phosphate-activated glutaminase and colocalizing vesicular glutamate transporters. *Neuroscience*, 143(4), 1051-1064. doi:

Grodecki, J., Rao, S. S., Short, A. R., Otero, J. J., Lannutti, J. J., Sarkar, A., & Winter, J. O. (2015). Glioma-astrocyte interactions on white matter tract-mimetic aligned electrospun nanofibers. *Biotechnology Progress*, n/a-n/a. doi: 10.1002/btpr.2123. <http://dx.doi.org/10.1002/btpr.2123>

Groh, J., Kühl, T. G., Ip, C. W., Nelvagal, H. R., Sri, S., Duckett, S., . . . Martini, R. (2013). Immune cells perturb axons and impair neuronal survival in a mouse model of infantile neuronal ceroid lipofuscinosis. *Brain*. doi:
10.1093/brain/awt020. <http://brain.oxfordjournals.org/content/early/2013/03/12/brain.awt020.ab..>

Gröhn, O. H. J., Kettunen, M. I., Mäkelä, H. I., Penttonen, M., Pitkänen, A., Lukkarinen, J. A., & Kauppinen, R. A. (2000). Early Detection of Irreversible Cerebral Ischemia in the Rat Using Dispersion of the Magnetic Resonance Imaging Relaxation Time, T1ρ. *Journal of Cerebral Blood Flow and Metabolism*, 20(10), 1457-1466. doi:

Grohn, O. H. J., Valonen, P. K., Lehtimäki, K. K., Vaisanen, T. H., Kettunen, M. I., Ylä-Herttuala, S., . . . Garwood, M. (2003). Novel Magnetic Resonance Imaging Contrasts for Monitoring Response to Gene Therapy in Rat Glioma. *Cancer Research*, 63(22), 7571-7574. doi: <http://cancerres.aacrjournals.org/cgi/content/abstract/63/22/7571>

Groleau, M., Nguyen, H. N., Vanni, M., Huppé-Gourgues, F., Casanova, C., & Vaucher, E. (2014). Impaired functional organization in the visual cortex of muscarinic receptor knock-out mice. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2014.05.016>. <http://www.sciencedirect.com/science/article/pii/S1053811914003814>

Gross, A., Benninger, F., Madar, R., Illouz, T., Griffioen, K., Steiner, I., . . . Okun, E. (2017). Toll-like receptor 3 deficiency decreases epileptogenesis in a pilocarpine model of SE-induced epilepsy in mice. *Epilepsia*, n/a-n/a. doi: 10.1111/epi.13688. <http://dx.doi.org/10.1111/epi.13688>

Gross, A., Sims, R. E., Swinny, J. D., Sieghart, W., Bolam, J. P., & Stanford, I. M. (2011). Differential localization of GABA_A receptor subunits in relation to rat striatopallidal and pallidopallidal synapses. *European Journal of Neuroscience*, 33(5), 868-878. doi: 10.1111/j.1460-9568.2010.07552.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07552.x>

Gross, C. M., Flubacher, A., Tinnes, S., Heyer, A., Scheller, M., Herpfer, I., . . . Haas, C. A. (2012). Early life stress stimulates hippocampal reelin gene expression in a sex-specific manner: Evidence for corticosterone-mediated action. *Hippocampus*, 22(3), 409-420. doi: 10.1002/hipo.20907. <http://dx.doi.org/10.1002/hipo.20907>

Grossetete, M., & Rosenberg, G. A. (2007). Matrix metalloproteinase inhibition facilitates cell death in intracerebral hemorrhage in mouse. *Journal of Cerebral Blood Flow and Metabolism*, doi: 10.1038/sj.jcbfm.9600572. doi: 10.1038/sj.jcbfm.9600572

Grote, H. E., Bull, N. D., Howard, M. L., van Dellen, A., Blakemore, C., Bartlett, P. F., & Hannan, A. J. (2005). Cognitive disorders and neurogenesis deficits in Huntington's disease mice are rescued by fluoxetine. *European Journal of Neuroscience*, 22(8), 2081-2088. doi: doi:10.1111/j.1460-9568.2005.04365.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04365.x>

Grotzer, M. A., Janss, A. J., Fung, K. M., Sutton, L. N., Zhao, H., Trojanowski, J. Q., . . . Phillips, P. C. (2001). Abundance of apoptotic neoplastic cells in diagnostic biopsy samples is not a prognostic factor in childhood primitive neuroectodermal tumors of the central nervous system. *Journal of Pediatric Hematology/Oncology*, 23(1), 25-25. doi: 10.1002/ped.1001

Groves, N., O'Keefe, I., Lee, W., Toft, A., Blackmore, D., Bandhavkar, S., . . . Jhaveri, D. J. (2019). Blockade of TrkB but not p75^{NTR} activates a subpopulation of quiescent neural precursor cells and enhances neurogenesis in the adult mouse hippocampus. *Developmental Neurobiology*, n/a(n/a). doi: 10.1002/dneu.22729. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22729>

Grudzien, A., Shaw, P., Weintraub, S., Bigio, E., Mash, D. C., & Mesulam, M. (2007). Locus coeruleus neurofibrillary degeneration in aging, mild cognitive impairment and early Alzheimer's disease. *Neurobiology of Aging*, 28(3), 327-335. doi: 10.1016/j.neurobiaging.2006.08.005

Gu, X., Greiner, E. R., Mishra, R., Kodali, R., Osmand, A., Finkbeiner, S., . . . Yang, X. W. (2009). Serines 13 and 16 are critical determinants of full-length human mutant huntingtin induced disease pathogenesis in HD mice. *Neuron*, 64(6), 828-840. doi: 10.1016/j.neuron.2009.08.011

Gu, X. L., Long, C. X., Sun, L., Xie, C., Lin, X., & Cai, H. (2010). Astrocytic expression of Parkinson's disease-related A53T alpha-synuclein causes neurodegeneration in mice. *Molecular Brain* 3, 12. doi.

Guadagno, A., Wong, T. P., & Walker, C.-D. (2018). Morphological and functional changes in the preweaning basolateral amygdala induced by early chronic stress associate with anxiety and fear behavior in adult male, but not female rats. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 81(Supplement C), 25-37. doi: <https://doi.org/10.1016/j.pnpbp.2017.09.025>. <http://www.sciencedirect.com/science/article/pii/S0278584617306437>

Gualtieri, F., Armstrong, E. A., Longmoor, G. K., D'Eath, R. B., Sandilands, V., Boswell, T., & Smulders, T. V. (2019). Unpredictable Chronic Mild Stress Suppresses the Incorporation of New Neurons at the Caudal Pole of the Chicken Hippocampal Formation. *Scientific Reports*, 9(1), 7129. doi: 10.1038/s41598-019-43584-x. <https://doi.org/10.1038/s41598-019-43584-x>

Gualtieri, F., Nowakowska, M., von Rüden, E.-L., Seiffert, I., & Potschka, H. (2019). Epileptogenesis-Associated Alterations of Heat Shock Protein 70 in a Rat Post-Status Epilepticus Model. *Neuroscience*, 415, 44-58. doi: <https://doi.org/10.1016/j.neuroscience.2019.06.031>. <http://www.sciencedirect.com/science/article/pii/S0306452219304488>

Guan, J., Yang, B., Fan, Y., & Zhang, J. (2017). GPER Agonist G1 Attenuates Neuroinflammation and Dopaminergic Neurodegeneration in Parkinson Disease. *Neuroimmunomodulation*, 0(0), 60-66. doi: <http://www.karger.com/DOI/10.1159/000478908>

Guardia Clausi, M., & Levison, S. W. (2016). Delayed ALK5 inhibition improves functional recovery in neonatal brain injury. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x16638669. <http://jcb.sagepub.com/content/early/2016/03/16/0271678X16638669.abstract>

Guatteo, E., Rizzo, F. R., Federici, M., Cordella, A., Ledonne, A., Latini, L., . . . Mercuri, N. B. (2017). Functional alterations of the dopaminergic and glutamatergic systems in spontaneous α -synuclein overexpressing rats. *Experimental Neurology*, 287, Part 1, 21-33. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.10.009>. <http://www.sciencedirect.com/science/article/pii/S0014488616303314>

Guedj, F., Pereira, P. L., Najas, S., Barallobre, M. J., Chabert, C., Souchet, B., . . . others. (2012). DYRK1A: A master regulatory protein controlling brain growth. *Neurobiology of Disease*. doi.

Guerra-Crespo, M., Gleason, D., Sistos, A., Toosky, T., Solaroglu, I., Zhang, J. H., . . . Fallon, J. H. (2009). Transforming growth factor-alpha induces neurogenesis and behavioral improvement in a chronic stroke model. *Neuroscience*, 160(2), 470-483. doi.

Guerreiro-Diniz, C., de Melo Paz, R. B., Hamad, M. H. S., Martins, A. A. V., Neves, H. B., de Souza Cunha, E. D., . . . Picanço-Diniz, C. (2010). Hippocampus and dentate gyrus of the *Cebus* monkey: Architectonic and stereological study. *Journal of Chemical Neuroanatomy*, 40(2), 148-159. doi.

Gujjarro, C., Rutz, S., Rothmaier, K., Turiault, M., Zhi, Q., Naumann, T., . . . Kretz, O. (2006). Maturation and maintenance of cholinergic medial septum neurons require glucocorticoid receptor signaling. *Journal of Neurochemistry*, doi:10.1111/j.1471-4159.2006.03728.x. doi.

Guillamon-Vivancos, T., Tyler, W. A., Medalla, M., Chang, W. W.-e., Okamoto, M., Haydar, T. F., & Luebke, J. I. (2018). Distinct Neocortical Progenitor Lineages Fine-tune Neuronal Diversity in a Layer-

specific Manner. *Cerebral Cortex*. doi:
10.1093/cercor/bhy019. <http://dx.doi.org/10.1093/cercor/bhy019>

Guillozet-Bongaarts, A. L., Cahill, M. E., Cryns, V. L., Reynolds, M. R., Berry, R. W., & Binder, L. I. (2006). Pseudophosphorylation of tau at serine 422 inhibits caspase cleavage: in vitro evidence and implications for tangle formation in vivo. *Journal of Neurochemistry*, 97(4), 1005-1014. doi:
doi:10.1111/j.1471-4159.2006.03784.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.03784.x>

Guimarães, M. R., Soares, A. R., Cunha, A. M., Esteves, M., Borges, S., Magalhães, R., . . . Leite-Almeida, H. (2018). Evidence for lack of direct causality between pain and affective disturbances in a rat peripheral neuropathy model. *Genes, Brain and Behavior*, 0(ja), e12542. doi:
doi:10.1111/gbb.12542. <https://onlinelibrary.wiley.com/doi/abs/10.1111/gbb.12542>

Guitar, N. A., & Sherry, D. F. (2018). Decreased neurogenesis increases spatial reversal errors in chickadees (*Poecile atricapillus*). *Developmental Neurobiology*, 0(ja). doi:
doi:10.1002/dneu.22641. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22641>

Gulacsi, A. A., & Anderson, S. A. (2008). β -catenin-mediated Wnt signaling regulates neurogenesis in the ventral telencephalon. *Nature Neuroscience*, 11, 1383-1391. doi.

Gulbrandsen, T. L., Sparks, F. T., & Sutherland, R. J. (2012). Interfering with post-learning hippocampal activity does not affect long-term consolidation of a context fear memory outside the hippocampus. *Behavioural Brain Research*, 0(). doi:
doi: <http://dx.doi.org/10.1016/j.bbr.2012.11.027>. <http://www.sciencedirect.com/science/article/pii/S0166432812007565>

Gulbrandsen, T. L., & Sutherland, R. J. (2014). Temporary inactivation of the rodent hippocampus: An evaluation of the current methodology. *Journal of Neuroscience Methods*, 0(). doi:
doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.01.015>. <http://www.sciencedirect.com/science/article/pii/S0165027014000260>

Güleç, A., Bakkalbaşı, B. Ç., Cumbul, A., Uslu, Ü., Alev, B., & Yarat, A. (2017). Effects of local platelet-rich plasma injection on the rate of orthodontic tooth movement in a rat model: A histomorphometric study. *American Journal of Orthodontics and Dentofacial Orthopedics*, 151(1), 92-104. doi:
doi: <http://dx.doi.org/10.1016/j.ajodo.2016.05.016>. <http://www.sciencedirect.com/science/article/pii/S0889540616305777>

Guley, N. H., Rogers, J. T., Del Mar, N. A., Deng, Y., Islam, R. M., D'Surney, L., . . . Reiner, A. (2015). A Novel Closed-head Model of Mild Traumatic Brain Injury using Focal Primary Overpressure Blast to the Cranium in Mice. *Journal of Neurotrauma*. doi:
10.1089/neu.2015.3886. <http://dx.doi.org/10.1089/neu.2015.3886>

Gully, J. C., Sergeev, V. G., Bhootada, Y., Mendez-Gomez, H., Meyers, C. A., Zolotukhin, S., . . . Gorbatyuk, O. S. (2016). Up-regulation of activating transcription factor 4 induces severe loss of dopamine nigral neurons in a rat model of Parkinson's disease. *Neuroscience Letters*. doi:
doi: <http://dx.doi.org/10.1016/j.neulet.2016.05.039>. <http://www.sciencedirect.com/science/article/pii/S0304394016303597>

Guma, E., Rocchetti, J., Devenyi, G. A., Tanti, A., Mathieu, A., Lerch, J. P., . . . Giros, B. (2018). Regional brain volume changes following chronic antipsychotic administration are mediated by the dopamine D2 receptor. *Neuroimage*.

doi: <https://doi.org/10.1016/j.neuroimage.2018.04.054>. <http://www.sciencedirect.com/science/article/pii/S1053811918303641>

Guma, E., Rocchetti, J., Devenyi, G. A., Tanti, A., Mathieu, A. P., Lerch, J. P., . . . Giros, B. (2019). Role of D3 dopamine receptors in modulating neuroanatomical changes in response to antipsychotic administration. *Scientific Reports*, 9(1), 7850. doi: 10.1038/s41598-019-43955-4 <https://doi.org/10.1038/s41598-019-43955-4>

Gumusoglu, S. B., Fine, R. S., Murray, S. J., Bittle, J. L., & Stevens, H. E. (2017). The role of IL-6 in neurodevelopment after prenatal stress. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.05.015>. <http://www.sciencedirect.com/science/article/pii/S0889159117301617>

Gunapala, K. M., Chang, D., Hsu, C. T., Manaye, K., Drenan, R. M., Switzer, R. C., & Steele, A. D. (2010). Striatal pathology underlies prion infection-mediated hyperactivity in mice. *Prion*, 4(4), 302-302. doi.

Gundersen, H. J., & Osterby, R. (1981). Optimizing sampling efficiency of stereological studies in biology: or 'do more less well!'. *Journal of Microscopy*, 121(1), 65-73. doi.

Gunten, A., Kövari, E., Bussi re, T., Rivara, C. B., Gold, G., Bouras, C., . . . Giannakopoulos, P. (2006). Cognitive impact of neuronal pathology in the entorhinal cortex and CA1 field in Alzheimer's disease. *Neurobiology of Aging*, 27(2), 270-277. doi.

Guo, F., Ma, J., McCauley, E., Bannerman, P., & Pleasure, D. (2009). Early Postnatal Proteolipid Promoter-Expressing Progenitors Produce Multilineage Cells In Vivo. *Journal of Neuroscience*, 29(22), 7256-7270. doi: 10.1523/jneurosci.5653-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/22/7256>

Guo, R., Hou, W., Dong, Y., Yu, Z., Stites, J., & Weiner, C. P. (2010). Brain injury caused by chronic fetal hypoxemia is mediated by inflammatory cascade activation. *Reproductive Sciences*, 17(6), 540-548. doi.

Guo, W., Allan, A. M., Zong, R., Zhang, L., Johnson, E. B., Schaller, E. G., . . . others. (2011). Ablation of Fmrp in adult neural stem cells disrupts hippocampus-dependent learning. *Nature Medicine*, 17(5), 559-565. doi.

Guo, W., Murthy, A. C., Zhang, L., Johnson, E. B., Schaller, E. G., Allan, A. M., & Zhao, X. (2012). Inhibition of GSK3 β improves hippocampus-dependent learning and rescues neurogenesis in a mouse model of fragile X syndrome. *Human Molecular Genetics*, 21(3), 681-691. doi.

Guo, X., Sun, X., Hu, D., Wang, Y.-J., Fujioka, H., Vyas, R., . . . Qi, X. (2016). VCP recruitment to mitochondria causes mitophagy impairment and neurodegeneration in models of Huntington's disease. [Article]. *Nature Communications*, 7, 12646. doi: 10.1038/ncomms12646

<http://www.nature.com/articles/ncomms12646#supplementary-information>. <http://dx.doi.org/10.1038/ncomms12646>

Guo, Z., Rudow, G., Pletnikova, O., Codispoti, K.-E., Orr, B. A., Crain, B. J., . . . Troncoso, J. C. (2012). Striatal neuronal loss correlates with clinical motor impairment in Huntington's disease. *Movement Disorders*, 27(11), 1379-1386. doi: 10.1002/mds.25159. <http://dx.doi.org/10.1002/mds.25159>

Guo, Z., Su, Y., & Lou, H. (2018). GFAP-Positive Progenitor Cell Production is Concentrated in Specific Encephalic Regions in Young Adult Mice. [journal article]. *Neuroscience bulletin*. doi: 10.1007/s12264-018-0228-4. <https://doi.org/10.1007/s12264-018-0228-4>

Gupta, A., Bisht, B., & Dey, C. S. (2011). Peripheral insulin-sensitizer drug metformin ameliorates neuronal insulin resistance and Alzheimer's-like changes. *Neuropharmacology*, 60. doi: 10.1016/j.neuropharm.2011.01.033. <http://dx.doi.org/10.1016/j.neuropharm.2011.01.033>

Gupta, A., Elgammal, F. S., Proddatur, A., Shah, S., & Santhakumar, V. (2012). Decrease in Tonic Inhibition Contributes to Increase in Dentate Semilunar Granule Cell Excitability after Brain Injury. *Journal of Neuroscience*, 32(7), 2523-2537. doi: 10.1523/jneurosci.4141-11.2012. <http://www.jneurosci.org/content/32/7/2523.abstract>

Gupta, M. K., Papay, R. S., Jurgens, C. W. D., Gaivin, R. J., Shi, T., Doze, V. A., & Perez, D. M. (2009). α 1-Adrenergic Receptors Regulate Neurogenesis and Gliogenesis. *Molecular Pharmacology*, 76(2), 314-326. doi.

Gupta, N., Ang, L.-C., Tilly, L. N. d., Bidaisee, L., & Yücel, Y. H. (2006). Human glaucoma and neural degeneration in intracranial optic nerve, lateral geniculate nucleus, and visual cortex. *British Journal of Ophthalmology*, 90(6), 674-678. doi.

Gupta, R., Saini, S., Sharma, S., Jacob, T. G., & Roy, T. S. (2017). Morphology of the Human Pancreas During Development and Aging. In P. C. Rath, R. Sharma & S. Prasad (Eds.), *Topics in Biomedical Gerontology* (pp. 67-89). Singapore: Springer Singapore.

Gupta, R., Sharma, A., Mahanta, P. J., Jacob, T. G., Agarwal, S. K., Roy, T. S., & Dinda, A. K. (2010). Focal segmental glomerulosclerosis in idiopathic membranous glomerulonephritis: a clinico-pathological and stereological study. *Nephrology Dialysis Transplantation*, 25(2), 444-449. doi.

Gür, F., Cengiz, M., & Gür, B. (2020). Alternations in nuclear factor kappa beta activity (NF-kB) in the rat brain due to long-term use of atomoxetine for treating ADHD: In vivo and in silico studies. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2020.10.072>. <http://www.sciencedirect.com/science/article/pii/S0006291X20320015>

Gurkoff, G. G., Feng, J.-F., Ken, C. V., Izadi, A., Ghiasvand, R., Shahlaie, K., . . . Lyeth, B. G. (2013). NAAG Peptidase Inhibitor Improves Motor Function and Reduces Cognitive Dysfunction in a Model of TBI with Secondary Hypoxia. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.03.043>. <http://www.sciencedirect.com/science/article/pii/S0006899313004654>

Gurkoff, G. G., Gahan, J. D., Ghiasvand, R., Hunsaker, M. R., Van, K. C., Feng, J., . . . Folkerts, M. M. (2012). Evaluation of metric, topological and temporal ordering memory tasks after lateral fluid percussion injury. *Journal of Neurotrauma*, (ja). doi.

Gurkoff, G. G., Giza, C. C., & Hovda, D. A. (2006). Lateral fluid percussion injury in the developing rat causes an acute, mild behavioral dysfunction in the absence of significant cell death. *Brain Research*, 1077(1), 24-36. doi.

Gurkoff, G. G., Giza, C. C., Shin, D., Auvin, S., Sankar, R., & Hovda, D. A. (2009). Acute neuroprotection to pilocarpine-induced seizures is not sustained after traumatic brain injury in the developing rat. *Neuroscience*, 164(2), 862-876. doi.

Gurney, K. J., Estrada, E. Y., & Rosenberg, G. A. (2006). Blood-brain barrier disruption by stromelysin-1 facilitates neutrophil infiltration in neuroinflammation. *Neurobiology of Disease*, 23(1), 87-96. doi.

Gursky, Z. H., & Klintsova, A. Y. (2021). Changes in Representation of Thalamic Projection Neurons within Prefrontal-Thalamic-Hippocampal Circuitry in a Rat Model of Third Trimester Binge Drinking. *Brain Sciences*, 11(3). doi: 10.3390/brainsci11030323.

Gursky, Z. H., Spillman, E. C., & Klintsova, A. Y. (2020). Single-day Postnatal Alcohol Exposure Induces Apoptotic Cell Death and Causes long-term Neuron Loss in Rodent Thalamic Nucleus Reuniens. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.03.046>. <http://www.sciencedirect.com/science/article/pii/S0306452220302050>

Gustavsson, M., Mallard, C., Vannucci, S. J., Wilson, M. A., Johnston, M. V., & Hagberg, H. (2006). Vascular response to hypoxic preconditioning in the immature brain. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Gustus, K., Lozano, E., Newville, J., Li, L., Valenzuela, C. F., & Cunningham, L. A. (2019). Resistance of postnatal hippocampal neurogenesis to alcohol toxicity in a third trimester-equivalent mouse model of gestational alcohol exposure. *Alcoholism: Clinical and Experimental Research*, 0(ja). doi: 10.1111/acer.14207. <https://onlinelibrary.wiley.com/doi/abs/10.1111/acer.14207>

Gutierrez, S., Carnes, A., Finucane, B., Musci, G., Oelsner, W., Hicks, L., . . . Turner, C. P. (2010). Is age-dependent, ketamine-induced apoptosis in the rat somatosensory cortex influenced by temperature? *Neuroscience*, 168(1), 253-262. doi.

Güven, D., Altunkaynak, B. Z., Altun, G., Alkan, I., & Kocak, İ. (2018). Histomorphometric changes in the placenta and umbilical cord during complications of pregnancy. *Biotechnic and Histochemistry*, 1-13. doi: 10.1080/10520295.2017.1410993. <https://doi.org/10.1080/10520295.2017.1410993>

Guymier, C., Damp, L., Chidlow, G., Wood, J., Tang, Y. F., & Casson, R. (2020). Software for Quantifying and Batch Processing Images of Brn3a and RBPMS Immunolabelled Retinal Ganglion Cells in Retinal Wholemounts. *Translational Vision Science & Technology*, 9(6), 28-28. doi: 10.1167/tvst.9.6.28. <https://doi.org/10.1167/tvst.9.6.28>

Guzman, R., Bliss, T., De Los Angeles, A., Moseley, M., Palmer, T., & Steinberg, G. (2008). Neural progenitor cells transplanted into the uninjured brain undergo targeted migration after stroke onset. *Journal of Neuroscience Research*, 86(4), 873-882. doi.

Guzman, R., Uchida, N., Bliss, T. M., He, D., Christopherson, K. K., Stellwagen, D., . . . Steinberg, G. K. (2007). Long-term monitoring of transplanted human neural stem cells in developmental and pathological contexts with MRI. *Proceedings of the National Academy of Sciences*, 104(24), 10211-10216. doi: 10.1073/Proceedings of the National Academy of Sciences.0608519104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/24/10211>

Guzman-Marin, R., Bashir, T., Suntsova, N., Szymusiak, R., & McGinty, D. (2007). Hippocampal neurogenesis is reduced by sleep fragmentation in the adult rat. *Neuroscience*, 148(1), 325-333. doi.

Guzman-Marin, R., Suntsova, N., Bashir, T., Nienhuis, R., Szymusiak, R., & McGinty, D. (2008). Rapid eye movement sleep deprivation contributes to reduction of neurogenesis in the hippocampal dentate gyrus of the adult rat. *Sleep*, 31(2), 167-167. doi.

Guzman-Marin, R., Suntsova, N., Bashir, T., Szymusiak, R., & McGinty, D. (2007). Cell proliferation in the dentate gyrus of the adult rat fluctuates with the light-dark cycle. *Neuroscience Letters*, 422(3), 198-201. doi.

Guzman-Marin, R., Suntsova, N., Methippara, M., Greiffenstein, R., Szymusiak, R., & McGinty, D. (2005). Sleep deprivation suppresses neurogenesis in the adult hippocampus of rats. *European Journal of Neuroscience*, 22(8), 2111-2116. doi: doi:10.1111/j.1460-9568.2005.04376.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04376.x>

Guzman-Marin, R., Suntsova, N., Stewart, D. R., Gong, H., Szymusiak, R., & McGinty, D. (2003). Sleep deprivation reduces proliferation of cells in the dentate gyrus of the hippocampus in rats. *Journal of Physiology*, 549(2), 563-571. doi.

Gyengesi, E., Andrews, Z. B., Paxinos, G., & Zaborszky, L. (2013). Distribution of secretogin-containing neurons in the basal forebrain of mice, with special reference to the cholinergic corticopetal system. *Brain Research Bulletin*, (0). doi: <http://dx.doi.org/10.1016/j.brainresbull.2013.01.009>. <http://www.sciencedirect.com/science/article/pii/S0361923013000105>

Gyengesi, E., Calabrese, E., Sherrier, M., Johnson, G. A., Paxinos, G., & Watson, C. (2013). Semi-automated 3D segmentation of major tracts in the rat brain: comparing DTI with standard histological methods. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-013-0516-8. <http://dx.doi.org/10.1007/s00429-013-0516-8>

Ha, S., Moon, E., Lee, P., Ryu, J., Oh, M., & Kim, S. (2012). Acacetin Attenuates Neuroinflammation via Regulation of the Response to LPS Stimuli In Vitro and In Vivo. *Neurochemical Research*, 1-8. doi: 10.1007/s11064-012-0751-z. <http://dx.doi.org/10.1007/s11064-012-0751-z>

Ha, S. K., Moon, E., Ju, M. S., Kim, D. H., Ryu, J. H., Oh, M. S., & Kim, S. Y. (2012). 6-Shogaol, a ginger product, modulates neuroinflammation: A new approach to neuroprotection. *Neuropharmacology*, (0). doi: 10.1016/j.neuropharm.2012.03.016. <http://www.sciencedirect.com/science/article/pii/S0028390812001141>

Haas, B. R., & Sontheimer, H. (2010). Inhibition of the Sodium-Potassium-Chloride Cotransporter Isoform-1 Reduces Glioma Invasion. *Cancer Research*, 70(13), 5597-5606. doi: 10.1158/0008-5472.can-09-4666. <http://cancerres.aacrjournals.org/content/70/13/5597.abstract>

Haas, C. A., Dudeck, O., Kirsch, M., Huszka, C., Kann, G., Pollak, S., . . . Frotscher, M. (2002). Role for Reelin in the Development of Granule Cell Dispersion in Temporal Lobe Epilepsy. *Journal of Neuroscience*, 22(14), 5797-5802. doi: <http://www.jneurosci.org/cgi/content/abstract/22/14/5797>

Haas, S. J.-P., Petrov, S., Kronenberg, G., Schmitt, O., & Wree, A. (2008). Orthotopic transplantation of immortalized mesencephalic progenitors (CSM14.1 cells) into the substantia nigra of hemiparkinsonian rats induces neuronal differentiation and motoric improvement. *Journal of Anatomy*, 212(1), 19-30. doi: doi:10.1111/j.1469-7580.2007.00834.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1469-7580.2007.00834.x>

Habli, M., Jones, H., Aronow, B., Omar, K., & Crombleholme, T. M. (2013). Recapitulation of Characteristics of Human Placental Vascular Insufficiency in a Novel Mouse Model. *Placenta*, (0). doi: <http://dx.doi.org/10.1016/j.placenta.2013.09.011>. <http://www.sciencedirect.com/science/article/pii/S0143400413007376>

Hablitz, L. M., Plá, V., Giannetto, M., Vinitsky, H. S., Stæger, F. F., Metcalfe, T., . . . Nedergaard, M. (2020). Circadian control of brain glymphatic and lymphatic fluid flow. *Nature Communications*, 11(1), 4411. doi: 10.1038/s41467-020-18115-2. <https://doi.org/10.1038/s41467-020-18115-2>

Hack, I., Hellwig, S., Junghans, D., Brunne, B., Bock, H. H., Zhao, S., & Frotscher, M. (2007). Divergent roles of ApoER2 and Vldlr in the migration of cortical neurons. *Development*, 134(21), 3883-3891. doi: 10.1242/dev.005447. <http://dev.biologists.org/cgi/content/abstract/134/21/3883>

Hackett, A. R., Lee, D.-H., Dawood, A., Rodriguez, M., Funk, L., Tsoulfas, P., & Lee, J. K. (2016). STAT3 and SOCS3 regulate NG2 cell proliferation and differentiation after contusive spinal cord injury. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.01.017>. <http://www.sciencedirect.com/science/article/pii/S0969996116300183>

Hackl, C., Papazoglou, A., Ganser, C., Klein, A., Prakash, N., Wurst, W., & Nikkhah, G. (2010). Ectopic Dopaminergic Progenitor Cells From En1+/Otx2lacZ Transgenic Mice Survive and Functionally Reinnervate the Striatum Following Transplantation in a Rat Model of Parkinson's Disease. *Cell Transplantation*, 19(9), 1085-1101. doi.

Hacohen-Kleiman, G., Moaraf, S., Kapitansky, O., & Gozes, I. (2020). Sex-and Region-Dependent Expression of the Autism-Linked ADNP Correlates with Social- and Speech-Related Genes in the Canary Brain. *Journal of Molecular Neuroscience*. doi: 10.1007/s12031-020-01700-x. <https://doi.org/10.1007/s12031-020-01700-x>

Hadaczek, P., Kohutnicka, M., Krauze, M. T., Bringas, J., Pivrotto, P., Cunningham, J., & Bankiewicz, K. (2006). Convection-enhanced delivery of adeno-associated virus type 2 (AAV2) into the striatum and transport of AAV2 within monkey brain. *Human Gene Therapy*, 17(3), 291-302. doi.

Hadar, R., Winter, R., Edemann-Callesen, H., Wieske, F., Habelt, B., Khadka, N., . . . Winter, C. (2019). Prevention of schizophrenia deficits via non-invasive adolescent frontal cortex stimulation in rats. *Molecular Psychiatry*. doi: 10.1038/s41380-019-0356-x. <https://doi.org/10.1038/s41380-019-0356-x>

Hadipour-Niktarash, A., Rommelfanger, K. S., Masilamoni, G. J., Smith, Y., & Wichmann, T. (2012). Extrastriatal D2-like receptors modulate basal ganglia pathways in normal and parkinsonian monkeys. *Journal of Neurophysiology*, 107(5), 1500-1512. doi.

Haditsch, U., Anderson, M. P., Freewoman, J., Cord, B., Babu, H., Brakebusch, C., & Palmer, T. D. (2013). Neuronal Rac1 Is Required for Learning-Evoked Neurogenesis. *Journal of Neuroscience*, 33(30), 12229-12241. doi: 10.1523/jneurosci.2939-12.2013. <http://www.jneurosci.org/content/33/30/12229.abstract>

Haes, W., Frooninckx, L., Assche, R., Smolders, A., Depuydt, G., & Billen, J. (2014). Metformin promotes lifespan through mitohormesis via the peroxiredoxin PRDX-2. *Proceedings of the National Academy of Sciences of the United States of America*, 111. doi: 10.1073/pnas.1321776111. <http://dx.doi.org/10.1073/pnas.1321776111>

Haeussner, E., Aschauer, B., Burton, G. J., Huppertz, B., Edler von Koch, F., Müller-Starck, J., . . . Frank, H.-G. (2015). Does 2D-Histologic identification of villous types of human placentas at birth enable sensitive and reliable interpretation of 3D structure? *Placenta*. doi: <http://dx.doi.org/10.1016/j.placenta.2015.10.003>. <http://www.sciencedirect.com/science/article/pii/S0143400415300631>

Haeussner, E., Schmitz, C., von Koch, F., & Frank, H.-G. (2013). Birth weight correlates with size but not shape of the normal human placenta. *Placenta*. doi.

Hagemann, T. L., Connor, J. X., & Messing, A. (2006). Alexander Disease-Associated Glial Fibrillary Acidic Protein Mutations in Mice Induce Rosenthal Fiber Formation and a White Matter Stress Response. *Journal of Neuroscience*, 26(43), 11162-11173. doi: 10.1523/jneurosci.3260-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/43/11162>

Hagen, M. W., Riddle, A., McClendon, E., Gong, X., Shaver, D., Srivastava, T., . . . Back, S. A. (2014). Role of Recurrent Hypoxia-Ischemia in Preterm White Matter Injury Severity. *Plos one*, 9(11), e112800. doi: 10.1371/journal.pone.0112800. <http://dx.doi.org/10.1371%2Fjournal.pone.0112800>

Hager, R., Lu, L., Rosen, G. D., & Williams, R. W. (2012). Genetic architecture supports mosaic brain evolution and independent brain-body size regulation. *Nature Communications*, 3, 1079. doi.

Haggerty, A. E., Bening, M. R., Pherribo, G., Dauer, E. A., & Oudega, M. (2019). Laminin polymer treatment accelerates repair of the crushed peripheral nerve in adult rats. *Acta Biomaterialia*. doi: <https://doi.org/10.1016/j.actbio.2019.01.024>. <http://www.sciencedirect.com/science/article/pii/S1742706119300443>

Hahm, K., Lukashev, M. E., Luo, Y., Yang, W. J., Dolinski, B. M., Weinreb, P. H., . . . others. (2007). α v β 6 integrin regulates renal fibrosis and inflammation in Alport mouse. *American Journal of Pathology*, 170(1), 110-110. doi.

Hahm, K., Lukashev, M. E., Luo, Y., Yang, W. J., Dolinski, B. M., Weinreb, P. H., . . . others. (2007). α v β 6 integrin regulates renal fibrosis and inflammation in Alport mouse. *American Journal of Pathology*, 170(1), 110-110. doi.

Haidar, M., Guèvremont, G., Zhang, C., Bathgate, R. A. D., Timofeeva, E., Smith, C. M., & Gundlach, A. L. (2017). Relaxin-3 Inputs Target Hippocampal Interneurons and Deletion of Hilar Relaxin-3 Receptors in 'Floxed-RXFP3' Mice Impairs Spatial Memory. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22709. <http://dx.doi.org/10.1002/hipo.22709>

Haight, J. L., Fuller, Z. L., Fraser, K. M., & Flagel, S. B. (2016). A food-predictive cue attributed with incentive salience engages subcortical afferents and efferents of the paraventricular nucleus of the thalamus. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.10.043>. <http://www.sciencedirect.com/science/article/pii/S0306452216305838>

Hain, E. G., Klein, C., Munder, T., Braun, J., Riek, K., Mueller, S., . . . Steiner, B. (2016). Dopaminergic Neurodegeneration in the Mouse Is Associated with Decrease of Viscoelasticity of Substantia Nigra Tissue. *Plos one*, 11(8), e0161179. doi: 10.1371/journal.pone.0161179. <http://dx.doi.org/10.1371%2Fjournal.pone.0161179>

Hain, E. G., Sparenberg, M., Rasińska, J., Klein, C., Akyüz, L., & Steiner, B. (2018). Indomethacin promotes survival of new neurons in the adult murine hippocampus accompanied by anti-inflammatory effects following MPTP-induced dopamine depletion. [journal article]. *Journal of neuroinflammation*, 15(1), 162. doi: 10.1186/s12974-018-1179-4. <https://doi.org/10.1186/s12974-018-1179-4>

Hains, D. S., Sims-Lucas, S., Carpenter, A., Saha, M., Murawski, I., Kish, K., . . . Bates, C. M. (2010). High incidence of vesicoureteral reflux in mice with *Fgfr2* deletion in kidney mesenchyma. *Journal of Urology*, 183(5), 2077-2084. doi.

Hairston, I. S., Little, M. T. M., Scanlon, M. D., Barakat, M. T., Palmer, T. D., Sapolsky, R. M., & Heller, H. C. (2005). Sleep restriction suppresses neurogenesis induced by hippocampus-dependent learning. *Journal of Neurophysiology*, 94(6), 4224-4233. doi.

Hajheidari, S., Sameni, H. R., Bandegi, A. R., & Miladi-gorji, H. (2017). Effects of prolonged abstinence from METH on the hippocampal BDNF levels, neuronal numbers and apoptosis in methamphetamine-sensitized rats. *Neuroscience Letters*, 645, 80-85. doi: <http://dx.doi.org/10.1016/j.neulet.2017.02.051>. <http://www.sciencedirect.com/science/article/pii/S0304394017301672>

Hajszan, T., Dow, A., Warner-Schmidt, J. L., Szigeti-Buck, K., Sallam, N. L., Parducz, A., . . . Duman, R. S. (2009). Remodeling of hippocampal spine synapses in the rat learned helplessness model of depression. *Biological Psychiatry*, 65(5), 392-400. doi.

Hajszan, T., Leranath, C., & Roth, R. H. (2006). Subchronic phencyclidine treatment decreases the number of dendritic spine synapses in the rat prefrontal cortex. *Biological Psychiatry*, 60(6), 639-644. doi.

Hajszan, T., MacLusky, N. J., Johansen, J. A., Jordan, C. L., & Leranath, C. (2007). Effects of Androgens and Estradiol on Spine Synapse Formation in the Prefrontal Cortex of Normal and Testicular Feminization Mutant Male Rats. *Endocrinology*, 148(5), 1963-1967. doi: 10.1210/en.2006-1626. <http://endo.endojournals.org/cgi/content/abstract/148/5/1963>

Hajszan, T., Szigeti-Buck, K., Sallam, N. L., Bober, J., Parducz, A., MacLusky, N. J., . . . Duman, R. S. (2010). Effects of estradiol on learned helplessness and associated remodeling of hippocampal spine synapses in female rats. *Biological Psychiatry*, 67(2), 168-174. doi.

Hakeem, A. Y., Sherwood, C. C., Bonar, C. J., Butti, C., Hof, P. R., & Allman, J. M. (2009). Von Economo neurons in the elephant brain. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 292(2), 242-248. doi.

Hakes, E. (2016). BDNF Knockdown in the VTA Blocks Social Stress-Induced Deficits in Social Behavior and Nucleus Accumbens Δ osB Expression. The University of Arizona. Retrieved from <http://hdl.handle.net/10150/603650>

Hakim, J. D., Chami, J., & Keay, K. A. (2019). μ -Opioid and Dopamine-D2 Receptor Expression in the Nucleus Accumbens of Male Sprague-Dawley Rats Whose Sucrose Consumption, but not Preference, Decreases after Nerve Injury. *Behavioural Brain Research*, 112416. doi: <https://doi.org/10.1016/j.bbr.2019.112416>. <http://www.sciencedirect.com/science/article/pii/S0166432819310733>

Hakim, J. S., Esmaili Rad, M., Grahn, P. J., Chen, B., Knight, A. M., Schmeichel, A. M., . . . Yaszemski, M. J. (2015). Positively charged oligo(poly(ethylene glycol) fumarate) scaffold implantation results in a permissive lesion environment after spinal cord injury in rat. *Tissue Engineering Part A*. doi: 10.1089/ten.TEA.2015.0019. <http://dx.doi.org/10.1089/ten.TEA.2015.0019>

Halford, R. W., & Russell, D. W. (2009). Reduction of cholesterol synthesis in the mouse brain does not affect amyloid formation in Alzheimer's disease, but does extend lifespan. *Proceedings of the National Academy of Sciences*, 106(9), 3502-3506. doi: 10.1073/Proceedings of the National Academy of Sciences.0813349106. <http://www.Proceedings of the National Academy of Sciences.org/content/106/9/3502.abstract>

Halici, Z., Dursun, H., Keles, O. N., Odaci, E., Suleyman, H., Aydin, N., . . . Unal, B. (2009). Effect of chronic treatment of haloperidol on the rat liver: a stereological and histopathological study. *Naunyn-Schmiedeberg's archives of pharmacology*, 379(3), 253-261. doi.

Halici, Z., Keles, O. N., Unal, D., Albayrak, M., Suleyman, H., Cadirci, E., . . . Kaplan, S. (2008). Chronically Administered Risperidone Did Not Change the Number of Hepatocytes in Rats: A Stereological and Histopathological Study. *Basic and Clinical Pharmacology and Toxicology*, 102(5), 426-432. doi: doi:10.1111/j.1742-7843.2007.00198.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1742-7843.2007.00198.x>

Halici, Z., Polat, B., Cadirci, E., Topcu, A., Karakus, E., Kose, D., . . . Bayir, Y. (2016). Inhibiting renin angiotensin system in rate limiting step by aliskiren as a new approach for preventing indomethacin induced gastric ulcers. *Chemico-Biological Interactions*, 258, 266-275. doi: <http://dx.doi.org/10.1016/j.cbi.2016.09.011>. <http://www.sciencedirect.com/science/article/pii/S0009279716303726>

Hall, J. C. E., Priestley, J. V., Hugh Perry, V., & Michael-Titus, A. T. (2012). Docosahexaenoic Acid, but not Eicosapentaenoic Acid, Reduces the Early Inflammatory Response Following Compression Spinal Cord Injury in the Rat. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2012.07726.x. <http://dx.doi.org/10.1111/j.1471-4159.2012.07726.x>

Hall, J. M., & Savage, L. M. (2016). Exercise leads to the re-emergence of the cholinergic/nestin neuronal phenotype within the medial septum/diagonal band and subsequent rescue of both hippocampal ACh efflux and spatial behavior. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.01.018>. <http://www.sciencedirect.com/science/article/pii/S0014488616300176>

Hall, J. M., Vetreno, R. P., & Savage, L. M. (2013). Differential Cortical Neurotrophin and Cytogenetic Adaptation after Voluntary Exercise in Normal and Amnesic Rats. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.10.075>. <http://www.sciencedirect.com/science/article/pii/S0306452213009354>

Hamaguchi, T., Eisele, Y. S., Varvel, N. H., Lamb, B. T., Walker, L. C., & Jucker, M. (2012). The presence of A β seeds, and not age per se, is critical to the initiation of A β deposition in the brain. *Acta Neuropathologica*, 1-7. doi.

Hamann, M., Plank, J., Richter, F., Bode, C., Smiljanic, S., Creed, M., . . . Richter, A. (2017). Alterations of M1 and M4 acetylcholine receptors in the genetically dystonic (dtsz) hamster and moderate antidystonic efficacy of M1 and M4 anticholinergics. *Neuroscience*, 357, 84-98. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.051>. <http://www.sciencedirect.com/science/article/pii/S0306452217303858>

Hamidian, G., Zirak, K., Sheikhzadeh, N., Khani Oushani, A., Shabanzadeh, S., & Divband, B. (2018). Intestinal histology and stereology in rainbow trout (*Oncorhynchus mykiss*) administrated with nanochitosan/zeolite and chitosan/zeolite composites. *Aquaculture Research*, n/a-n/a. doi: 10.1111/are.13634. <http://dx.doi.org/10.1111/are.13634>

Hamilton, A. M., Forkert, N. D., Yang, R., Wu, Y., Rogers, J. A., Yong, V. W., & Dunn, J. F. (2019). Central nervous system targeted autoimmunity causes regional atrophy: a 9.4T MRI study of the EAE mouse model of Multiple Sclerosis. *Scientific Reports*, 9(1), 8488. doi: 10.1038/s41598-019-44682-6. <https://doi.org/10.1038/s41598-019-44682-6>

Hamilton, G. F., Boschen, K. E., Goodlett, C. R., Greenough, W. T., & Klintsova, A. Y. (2012). Housing in Environmental Complexity Following Wheel Running Augments Survival of Newly Generated Hippocampal Neurons in a Rat Model of Binge Alcohol Exposure During the Third Trimester Equivalent. *Alcoholism: Clinical and Experimental Research*. doi:

Hamilton, G. F., Hernandez, I. J., Krebs, C. P., Bucko, P. J., & Rhodes, J. S. (2017). Neonatal alcohol exposure reduces number of parvalbumin-positive interneurons in the medial prefrontal cortex and impairs passive avoidance acquisition in mice deficits not rescued from exercise. *Neuroscience*. doi: <http://doi.org/10.1016/j.neuroscience.2017.03.058>. <http://www.sciencedirect.com/science/article/pii/S0306452217302336>

Hamilton, G. F., Jablonski, S. A., Schiffino, F. L., St. Cyr, S. A., Stanton, M. E., & Klintsova, A. Y. (2014). Exercise and environment as an intervention for neonatal alcohol effects on hippocampal adult neurogenesis and learning. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.01.061>. <http://www.sciencedirect.com/science/article/pii/S0306452214000827>

Hamilton, G. F., Murawski, N. J., Cyr, S. A. S., Jablonski, S. A., Schiffino, F. L., Stanton, M. E., & Klintsova, A. Y. (2011). Neonatal alcohol exposure disrupts hippocampal neurogenesis and contextual fear conditioning in adult rats. *Brain Research*. doi:

Hamity, M. V., Walder, R. Y., & Hammond, D. L. (2014). Increased Neuronal Expression of Neurokinin-1 Receptor and Stimulus-Evoked Internalization of the Receptor in the Rostral Ventromedial Medulla of the Rat after Peripheral Inflammatory Injury. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23564. <http://dx.doi.org/10.1002/cne.23564>

Hammad, M., Schmidt, S. L., Zhang, X., Bray, R., Frohlich, F., & Troy Ghashghaei, H. (2014). Transplantation of GABAergic Interneurons into the Neonatal Primary Visual Cortex Reduces Absence Seizures in Stargazer Mice. *Cerebral Cortex*. doi: 10.1093/cercor/bhu094. <http://cercor.oxfordjournals.org/content/early/2014/05/08/cercor.bhu094>

Hammels, C., Prickaerts, J., Kenis, G., Vanmierlo, T., Fischer, M., Steinbusch, H. W. M., . . . Rutten, B. P. F. (2014). Differential susceptibility to chronic social defeat stress relates to the number of Dnmt3a-immunoreactive neurons in the hippocampal dentate gyrus. *Psychoneuroendocrinology*, (0). doi: <http://dx.doi.org/10.1016/j.psyneuen.2014.09.021>. <http://www.sciencedirect.com/science/article/pii/S0306453014003618>

Hammond, D. L., Ackerman, L., Holdsworth, R., & Elzey, B. (2004). Effects of spinal nerve ligation on immunohistochemically identified neurons in the L4 and L5 dorsal root ganglia of the rat. *Journal of Comparative Neurology*, 475(4), 575-589. doi:

Hamodeh, S., Baizer, J., Sugihara, I., & Sultan, F. (2014). Systematic analysis of neuronal wiring of the rodent deep cerebellar nuclei reveals differences reflecting adaptations at the neuronal circuit and internuclear level. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23545. <http://dx.doi.org/10.1002/cne.23545>

Hampp, C., Borders-Hemphill, V., Moeny, D. G., & Wysowski, D. K. (2014). Use of antidiabetic drugs in the U.S., 2003–2012. *Diabetes Care*, 37. doi: 10.2337/dc13-2289. <http://dx.doi.org/10.2337/dc13-2289>

Hampton, D. W., Webber, D. J., Bilican, B., Goedert, M., Spillantini, M. G., & Chandran, S. (2010). Cell-mediated neuroprotection in a mouse model of human tauopathy. *Journal of Neuroscience*, 30. doi: 10.1523/jneurosci.0834-10.2010. <http://dx.doi.org/10.1523/JNEUROSCI.0834-10.2010>

Han, C. J., O'Tuathaigh, C. M., van Trigt, L., Quinn, J. J., Fanselow, M. S., Mongeau, R., . . . Anderson, D. J. (2003). Trace but not delay fear conditioning requires attention and the anterior cingulate cortex. *Proceedings of the National Academy of Sciences*, 100(22), 13087-13092. doi: 10.1073/Proceedings of the National Academy of Sciences.2132313100. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/100/22/13087>

Han, S.-W., Kim, Y.-C., & Narayanan, N. S. (2017). Projection targets of medial frontal D1DR-expressing neurons. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2017.06.057>. <http://www.sciencedirect.com/science/article/pii/S0304394017305487>

Han, W., Sun, Y., Wang, X., Zhu, C., & Blomgren, K. (2014). Delayed, Long-Term Administration of the Caspase Inhibitor Q-VD-OPh Reduced Brain Injury Induced by Neonatal Hypoxia-Ischemia. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/FullText/357939>

Han, X., Xu, T., Fang, Q., Zhang, H., Yue, L., Hu, G., & Sun, L. (2021). Quercetin hinders microglial activation to alleviate neurotoxicity via the interplay between NLRP3 inflammasome and mitophagy. *Redox Biology*, 44, 102010. doi: <https://doi.org/10.1016/j.redox.2021.102010>. <https://www.sciencedirect.com/science/article/pii/S2213231721001683>

Han, X., Zhao, S., Song, H., Xu, T., Fang, Q., Hu, G., & Sun, L. (2021). Kaempferol alleviates LD-mitochondrial damage by promoting autophagy: Implications in Parkinson's disease. *Redox Biology*, 41, 101911. doi: <https://doi.org/10.1016/j.redox.2021.101911>. <https://www.sciencedirect.com/science/article/pii/S2213231721000598>

Hanbury, R., Chen, E. Y., Wu, J., & Kordower, J. H. (2003). Knockout of p75 NTR does not alter the viability of striatal neurons following a metabolic or excitotoxic injury. *Journal of Molecular Neuroscience*, 20(2), 93-102. doi.

Hanbury, R., Ling, Z. D., Wu, J., & Kordower, J. H. (2003). GFAP knockout mice have increased levels of GDNF that protect striatal neurons from metabolic and excitotoxic insults. *Journal of Comparative Neurology*, 461(3), 307-316. doi.

Haney, M. J., Klyachko, N. L., Zhao, Y., Gupta, R., Plotnikova, E. G., He, Z., . . . Batrakova, E. V. (2015). Exosomes as drug delivery vehicles for Parkinson's disease therapy. *Journal of Controlled Release*, 207(0), 18-30. doi: <http://dx.doi.org/10.1016/j.jconrel.2015.03.033>. <http://www.sciencedirect.com/science/article/pii/S0168365915002138>

Haney, M. J., Zhao, Y., Harrison, E. B., Mahajan, V., Ahmed, S., He, Z., . . . Batrakova, E. V. (2013). Specific Transfection of Inflamed Brain by Macrophages: A New Therapeutic Strategy for Neurodegenerative Diseases. *Plos one*, 8(4), e61852. doi: 10.1371/journal.pone.0061852. <http://dx.doi.org/10.1371%2Fjournal.pone.0061852>

Hannah, H., Maria-Eleni, A., J., B. H., P., G. J., W., T. R., A., B. L., . . . Z., L. N. (2018). Dissecting the neuronal vulnerability underpinning Alpers' syndrome: A clinical and neuropathological study. *Brain Pathology*, 0(ja). doi: doi:10.1111/bpa.12640. <https://onlinelibrary.wiley.com/doi/abs/10.1111/bpa.12640>

Hanscom, M., Loane, D. J., Aubretch, T., Leser, J., Molesworth, K., Hedgekar, N., . . . Faden, A. I. (2021). Acute colitis during chronic experimental traumatic brain injury in mice induces dysautonomia and persistent extraintestinal, systemic, and CNS inflammation with exacerbated neurological deficits.

Journal of neuroinflammation, 18(1), 24. doi: 10.1186/s12974-020-02067-x. <https://doi.org/10.1186/s12974-020-02067-x>

Hansen, C., Björklund, T., Petit, G. H., Lundblad, M., Murmu, R. P., Brundin, P., & Li, J.-Y. (2013). A novel α -synuclein-GFP mouse model displays progressive motor impairment, olfactory dysfunction and accumulation of α -synuclein-GFP. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.04.017>. <http://www.sciencedirect.com/science/article/pii/S0969996113001319>

Hansen, C. N., Fisher, L. C., Deibert, R. J., Jakeman, L. B., Zhang, H., Noble-Haeusslein, L., . . . Basso, D. M. (2013). Elevated MMP-9 in the Lumbar Cord Early after Thoracic Spinal Cord Injury Impedes Motor Relearning in Mice. *Journal of Neuroscience*, 33(32), 13101-13111. doi: 10.1523/jneurosci.1576-13.2013. <http://www.jneurosci.org/content/33/32/13101.abstract>

Hansen, K. R., Craig, L. T. B., Zavy, M. T., Klein, N. A., & Soules, M. R. (2012). Ovarian primordial and nongrowing follicle counts according to the Stages of Reproductive Aging Workshop (STRAW) staging system. *Menopause*, 19(2), 164-164. doi.

Hansen, K. R., Knowlton, N. S., Thyer, A. C., Charleston, J. S., Soules, M. R., & Klein, N. A. (2008). A new model of reproductive aging: the decline in ovarian non-growing follicle number from birth to menopause. *Human Reproduction*, 23(3), 699-708. doi: 10.1093/humrep/dem408. <http://humrep.oxfordjournals.org/cgi/content/abstract/23/3/699>

Hanslick, J. L., Lau, K., Noguchi, K. K., Olney, J. W., Zorumski, C. F., Mennerick, S., & Farber, N. B. (2009). Dimethyl sulfoxide (DMSO) produces widespread apoptosis in the developing central nervous system. *Neurobiology of Disease*, 34(1), 1-10. doi.

Hanson, K. L., Lew, C. H., Hrvoj-Mihic, B., Groeniger, K. M., Halgren, E., Bellugi, U., & Semendeferi, K. (2017). Increased glia density in the caudate nucleus in Williams syndrome: Implications for frontostriatal dysfunction in autism. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22554. <http://dx.doi.org/10.1002/dneu.22554>

Hao, F., Yang, C., Chen, S.-S., Wang, Y.-Y., Zhou, W., Hao, Q., . . . Xu, Q.-Y. (2017). Long-Term Protective Effects of AAV9-Mesencephalic Astrocyte-Derived Neurotrophic Factor Gene Transfer in Parkinsonian Rats. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2017.01.008>. <http://www.sciencedirect.com/science/article/pii/S001448861730016X>

Hao, J., Janssen, W. G. M., Tang, Y., Roberts, J. A., McKay, H., Lasley, B., . . . others. (2003). Estrogen increases the number of spinophilin-immunoreactive spines in the hippocampus of young and aged female rhesus monkeys. *Journal of Comparative Neurology*, 465(4), 540-550. doi.

Harburga, G. C., Hallb, F. S., Harrist, A. V., Sorad, I., Uhlb, G. R., & Eisch, A. J. (2007). Knockout of the mu opioid receptor enhances the survival of adult-generated hippocampal granule cell neurons. *Neuroscience*, 144(1), 77-87. doi.

Hargus, G., Cooper, O., Deleidi, M., Levy, A., Lee, K., Marlow, E., . . . Isacson, O. (2010). Differentiated Parkinson patient-derived induced pluripotent stem cells grow in the adult rodent brain and reduce motor asymmetry in Parkinsonian rats. *Proceedings of the National Academy of Sciences*. doi: 10.1073/Proceedings of the National Academy of Sciences.1010209107. <http://www.Proceedings of the National Academy of Sciences.org/content/early/2010/08/18/1010209107.abstract>

Harhausen, D., Khojasteh, U., Stahel, P. F., Morgan, B. P., Nietfeld, W., Dirnagl, U., . . . others. (2010). Membrane attack complex inhibitor CD59a protects against focal cerebral ischemia in mice. *Journal of neuroinflammation*, 7(1), 15-15. doi.

Harhausen, D., Prinz, V., Ziegler, G., Gertz, K., Endres, M., Lehrach, H., . . . Trendelenburg, G. (2010). CD93/AA4.1: A Novel Regulator of Inflammation in Murine Focal Cerebral Ischemia. *Journal of Immunology*, 184(11), 6407-6417. doi: 10.4049/jimmunol.0902342. <http://www.jimmunol.org/cgi/content/abstract/184/11/6407>

Harischandra, D. S., Rokad, D., Neal, M. L., Ghaisas, S., Manne, S., Sarkar, S., . . . Lewis, M. (2019). Manganese promotes the aggregation and prion-like cell-to-cell exosomal transmission of α -synuclein. *Sci. Signal.*, 12(572), eaau4543. doi. <http://stke.sciencemag.org/content/12/572/eaau4543.abstract>

Harkin, A., Sanyal, S., Park, S., Chen, L., Zhang, T., Hong, J., & Di Tand Chen, L. (2018). Tingting Zhang1, 2, Juan Hong1, 2, Tingting Di2 and Ling Chen1, 2. *Biology of Brain Disorders*, 405. doi. https://books.google.com/books?hl=en&lr=lang_en&id=isRJDwAAQBAJ&oi=fnd&p..

Harley, S. B. R., Willis, E. F., Shaikh, S. N., Blackmore, D. G., Sah, P., Ruitenber, M. J., . . . Vukovic, J. (2021). Selective ablation of BDNF from microglia reveals novel roles in self-renewal and hippocampal neurogenesis. *The Journal of Neuroscience*, JN-RM-2539-2520. doi: 10.1523/jneurosci.2539-20.2021. <http://www.jneurosci.org/content/early/2021/03/22/JNEUROSCI.2539-20.2021..>

Harms, A. S., Barnum, C. J., Ruhn, K. A., Varghese, S., Treviño, I., Blesch, A., & Tansey, M. G. (2010). Delayed dominant-negative TNF gene therapy halts progressive loss of nigral dopaminergic neurons in a rat model of Parkinson's disease. *Molecular Therapy*, 19(1), 46-52. doi.

Harms, A. S., Cao, S., Rowse, A. L., Thome, A. D., Li, X., Mangieri, L. R., . . . Standaert, D. G. (2013). MHCII Is Required for α -Synuclein-Induced Activation of Microglia, CD4 T Cell Proliferation, and Dopaminergic Neurodegeneration. *Journal of Neuroscience*, 33(23), 9592-9600. doi: 10.1523/jneurosci.5610-12.2013. <http://www.jneurosci.org/content/33/23/9592.abstract>

Harnack, D., Meissner, W., Jira, J. A., Winter, C., Morgenstern, R., & Kupsch, A. (2008). Placebo-controlled chronic high-frequency stimulation of the subthalamic nucleus preserves dopaminergic nigral neurons in a rat model of progressive Parkinsonism. *Experimental Neurology*, 210(1), 257-260. doi.

Harorli, O. T., Bayindir, Y. Z., Altunkaynak, Z., & Tatar, A. (2009). Cytotoxic effects of TEGDMA on THP-1 cells in vitro. *CAL*, 14(9), e489fÇô493-e489fÇô493. doi.

Harrell, C. S., Zainaldin, C., McFarlane, D., Hyer, M. M., Stein, D., Sayeed, I., & Neigh, G. N. (2018). High-fructose diet during adolescent development increases neuroinflammation and depressive-like behavior without exacerbating outcomes after stroke. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2018.05.018>, <http://www.sciencedirect.com/science/article/pii/S0889159118301910>

Harris, N. G., Mironova, Y. A., Hovda, D. A., & Sutton, R. L. (2010). Chondroitinase ABC enhances pericontusion axonal sprouting but does not confer robust improvements in behavioral recovery. *Journal of Neurotrauma*, 27(11), 1971-1971. doi.

- Harris, N. G., Mironova, Y. A., Hovda, D. A., & Sutton, R. L. (2010). Pericontusion axon sprouting is spatially and temporally consistent with a growth-permissive environment after traumatic brain injury. *Journal of Neuropathology and Experimental Neurology*, 69(2), 139-139. doi.
- Harris, N. G., Verley, D. R., Gutman, B. A., & Sutton, R. L. (2016). Bi-directional changes in fractional anisotropy after experiment TBI: Disorganization and reorganization? *Neuroimage*. doi: <http://dx.doi.org/10.1016/j.neuroimage.2016.03.012> <http://www.sciencedirect.com/science/article/pii/S1053811916002081>
- Harrison, T. A., Adams, L. B. S., Moore, P. D., Perna, M. K., Sword, J. D., & Defoe, D. M. (2011). Accelerated turnover of taste bud cells in mice deficient for the cyclin-dependent kinase inhibitor p27Kip1. *BMC Neuroscience*, 12(1), 34-34. doi.
- Hart, N. S., Coimbra, J. P., Collin, S. P., & Westhoff, G. (2012). Photoreceptor types, visual pigments, and topographic specializations in the retinas of hydrophiid sea snakes. *Journal of Comparative Neurology*, 520(6), 1246-1261. doi: 10.1002/cne.22784. <http://dx.doi.org/10.1002/cne.22784>
- Hartley, D., & Cooper, G. M. (2002). Role of mTOR in the degradation of IRS-1: regulation of PP2A activity. *Journal of Cellular Biochemistry*, 85. doi: 10.1002/jcb.10135. <http://dx.doi.org/10.1002/jcb.10135>
- Hartman, R. E., Izumi, Y., Bales, K. R., Paul, S. M., Wozniak, D. F., & Holtzman, D. M. (2005). Treatment with an Amyloid- β Antibody Ameliorates Plaque Load, Learning Deficits, and Hippocampal Long-Term Potentiation in a Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 25(26), 6213-6220. doi: <http://www.jneurosci.org/cgi/content/abstract/25/26/6213>
- Hartman, R. E., Laurer, H., Longhi, L., Bales, K. R., Paul, S. M., McIntosh, T. K., & Holtzman, D. M. (2002). Apolipoprotein E4 Influences Amyloid Deposition But Not Cell Loss after Traumatic Brain Injury in a Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 22, 10083-10087. doi.
- Hartman, R. E., Shah, A., Fagan, A. M., Schwetye, K. E., Parsadanian, M., Schulman, R. N., . . . Holtzman, D. M. (2006). Pomegranate juice decreases amyloid load and improves behavior in a mouse model of Alzheimer's disease. *Neurobiology of Disease*, 24(3), 506-515. doi.
- Harun-Or-Rashid, M., Pappenhagen, N., Palmer, P. G., Smith, M. A., Gevorgyan, V., Wilson, G. N., . . . Inman, D. M. (2018). Structural and functional rescue of chronic metabolically stressed optic nerves through respiration. [10.1523/JNEUROSCI.3652-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/05/14/JNEUROSCI.3652-17.2018...>
- Haruyama, N., Sakumi, K., Katogi, A., Tsuchimoto, D., De Luca, G., Bignami, M., & Nakabeppu, Y. (2019). 8-Oxoguanine accumulation in aged female brain impairs neurogenesis in the dentate gyrus and major island of Calleja, causing sexually dimorphic phenotypes. *Progress in Neurobiology*. doi: <https://doi.org/10.1016/j.pneurobio.2019.04.002> <http://www.sciencedirect.com/science/article/pii/S0301008218302363>
- Harvey, L., & Boksa, P. (2011). A stereological comparison of GAD67 and reelin expression in the hippocampal stratum oriens of offspring from two mouse models of maternal inflammation during pregnancy. *Neuropharmacology*. doi.
- Hasbani, D. M., Perez, F. A., Palmiter, R. D., & O'Malley, K. L. (2005). Dopamine Depletion Does Not Protect against Acute 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine Toxicity In Vivo. *Journal of Neuroscience*, 25(41), 9428-9433. doi: <http://www.jneurosci.org/cgi/content/abstract/25/41/9428>

Hasegawa, M., Smith, M. J., & Goedert, M. (1998). Tau proteins with FTDP-17 mutations have a reduced ability to promote microtubule assembly. *FEBS Letters*, 437. doi: 10.1016/S0014-5793(98)01217-4. [http://dx.doi.org/10.1016/S0014-5793\(98\)01217-4](http://dx.doi.org/10.1016/S0014-5793(98)01217-4)

Hassani, O. K., Rymar, V. V., Nguyen, K. Q., Huo, L., Cloutier, J.-F., Miller, F. D., & Sadikot, A. F. (2019). The noradrenergic system is necessary for survival of vulnerable midbrain dopaminergic neurons: Implications for development and Parkinson's disease. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2019.09.014>. <http://www.sciencedirect.com/science/article/pii/S0197458019303355>

Hassani, Z., O'Reilly, J., Pearse, Y., Stroemer, P., Tang, E., Sinden, J., . . . Thuret, S. (2012). Human Neural Progenitor Cell Engraftment Increases Neurogenesis and Microglial Recruitment in the Brain of Rats with Stroke. *Plos one*, 7(11), e50444. doi: 10.1371/journal.pone.0050444. <http://dx.doi.org/10.1371/journal.pone.0050444>

Hassen, G. W., Kesner, L., Stracher, A., Shulman, A., Rockenstein, E., Mante, M., . . . Masliah, E. (2018). Effects of Novel Calpain Inhibitors in Transgenic Animal Model of Parkinson's disease/dementia with Lewy bodies. *Scientific Reports*, 8(1), 18083. doi: 10.1038/s41598-018-35729-1. <https://doi.org/10.1038/s41598-018-35729-1>

Hassouna, I., Ott, C., Wustefeld, L., Offen, N., Neher, R. A., Mitkovski, M., . . . Ehrenreich, H. (2016). Revisiting adult neurogenesis and the role of erythropoietin for neuronal and oligodendroglial differentiation in the hippocampus. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2015.212. <http://dx.doi.org/10.1038/mp.2015.212>

Hastings, N. B., Seth, M. I., Tanapat, P., Rydel, T. A., & Gould, E. (2002). Granule neurons generated during development extend divergent axon collaterals to hippocampal area CA3. *Journal of Comparative Neurology*, 452(4), 324-333. doi:

Hasturk, A. E., Yilmaz, E. R., Hayirli, N., Kayalar, A. E., Akyildiz, S., Gökce, E. C., . . . Bakir, A. (2018). Stereologic and ultrastructural comparison of human and rat amniotic membrane wrapping for rat sciatic nerve repair. *Journal of Clinical Neuroscience*. doi: 10.1016/j.jocn.2018.08.007. <https://doi.org/10.1016/j.jocn.2018.08.007>

Hata, T., Chen, J., Ebihara, K., Date, Y., Ishida, Y., & Nakahara, D. (2011). Intra-ventral tegmental area or intracerebroventricular orexin-A increases the intra-cranial self-stimulation threshold via activation of the corticotropin-releasing factor system in rats. *European Journal of Neuroscience*, 34(5), 816-826. doi: 10.1111/j.1460-9568.2011.07808.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07808.x>

Hatcher, J. M., Richardson, J. R., Guillot, T. S., McCormack, A. L., Di Monte, D. A., Jones, D. P., . . . Miller, G. W. (2007). Dieldrin exposure induces oxidative damage in the mouse nigrostriatal dopamine system. *Experimental Neurology*, 204(2), 619-630. doi:

Hattiangady, B., Kuruba, R., & Shetty, A. K. (2011). Acute seizures in old age leads to a greater loss of CA1 pyramidal neurons, an increased propensity for developing chronic TLE and a severe cognitive dysfunction. *Aging and Disease*, 2(1), 1-1. doi:

Hattiangady, B., Rao, M. S., & Shetty, A. K. (2004). Chronic temporal lobe epilepsy is associated with severely declined dentate neurogenesis in the adult hippocampus. *Neurobiology of Disease*, 17(3), 473-490. doi:

Hattiangady, B., Rao, M. S., & Shetty, A. K. (2008). Grafting of striatal precursor cells into hippocampus shortly after status epilepticus restrains chronic temporal lobe epilepsy. *Experimental Neurology*, 212(2), 468-481. doi.

Hattiangady, B., Rao, M. S., & Shetty, A. K. (2008). Plasticity of hippocampal stem/progenitor cells to enhance neurogenesis in response to kainate-induced injury is lost by middle age. *Aging Cell*, 7(2), 207-224. doi: doi:10.1111/j.1474-9726.2007.00363.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1474-9726.2007.00363.x>

Hattiangady, B., Rao, M. S., Shetty, G. A., & Shetty, A. K. (2005). Brain-derived neurotrophic factor, phosphorylated cyclic AMP response element binding protein and neuropeptide Y decline as early as middle age in the dentate gyrus and CA1 and CA3 subfields of the hippocampus. *Experimental Neurology*, 195(2), 353-371. doi.

Hattiangady, B., Rao, M. S., Zaman, V., & Shetty, A. K. (2006). Incorporation of embryonic CA3 cell grafts into the adult hippocampus at 4-months after injury: effects of combined neurotrophic supplementation and caspase inhibition. *Neuroscience*, 139(4), 1369-1383. doi.

Hattiangady, B., & Shetty, A. K. (2007). *Neural Stem Cell Grafting in an Animal Model of Chronic Temporal Lobe Epilepsy Current Protocols in Stem Cell Biology*: John Wiley & Sons, Inc.

Hattiangady, B., & Shetty, A. K. (2008). Aging does not alter the number or phenotype of putative stem/progenitor cells in the neurogenic region of the hippocampus. *Neurobiology of Aging*, 29(1), 129-147. doi.

Hattiangady, B., & Shetty, A. K. (2010). Decreased neuronal differentiation of newly generated cells underlies reduced hippocampal neurogenesis in chronic temporal lobe epilepsy. *Hippocampus*, 20(1), 97-112. doi.

Hattiangady, B., Shuaia, B., Caic, J., Coksayganc, T., Raod, M. S., & Shetty, A. K. (2007). Increased Dentate Neurogenesis After Grafting of Glial Restricted Progenitors or Neural Stem Cells in the Aging Hippocampus. *Stem Cells*, 25(8), 2104-2117. doi.

Hattori, T., Sato, Y., Kondo, T., Ichinohashi, Y., Sugiyama, Y., Yamamoto, M., . . . Suzuki, S. (2015). Administration of Umbilical Cord Blood Cells Transiently Decreased Hypoxic-Ischemic Brain Injury in Neonatal Rats. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Abstract/368396>

Hatzipetros, T., Bogdanik, L. P., Tassinari, V. R., Kidd, J. D., Moreno, A. J., Davis, C., . . . Lutz, C. (2013). C57BL/6J congenic Prp-TDP43A315T mice develop progressive neurodegeneration in the myenteric plexus of the colon without exhibiting key features of ALS. *Brain Research*. doi. <http://www.ncbi.nlm.nih.gov/pubmed/24141148>

Haus, D. L., López-Velázquez, L., Gold, E. M., Cunningham, K. M., Perez, H., Anderson, A. J., & Cummings, B. J. (2016). Transplantation of human neural stem cells restores cognition in an immunodeficient rodent model of traumatic brain injury. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.04.008>. <http://www.sciencedirect.com/science/article/pii/S0014488616300887>

Hausdorf, J., Lemmens, M. A. M., Heck, K. D. W., Grolms, N., Korr, H., Kertschanska, S., . . . Maier, M. (2008). Selective loss of unmyelinated nerve fibers after extracorporeal shockwave application to the musculoskeletal system. *Neuroscience*, 155(1), 138-144. doi.

Hauser, J., Llano López, L. H., Feldon, J., Gargiulo, P. A., & Yee, B. K. (2020). Small lesions of the dorsal or ventral hippocampus subregions are associated with distinct impairments in working memory and reference memory retrieval, and combining them attenuates the acquisition rate of spatial reference memory. *Hippocampus*, n/a(n/a). doi:

10.1002/hipo.23207. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23207>

Hauser, T., Klaus, F., Lipp, H.-P., & Amrein, I. (2009). No effect of running and laboratory housing on adult hippocampal neurogenesis in wild caught long-tailed wood mouse. *BMC Neuroscience*, 10(1), 43. doi: <http://www.biomedcentral.com/1471-2202/10/43>

Hausler, U., Bielefeld, L., Froriep, U. P., Wolfart, J., & Haas, C. A. (2011). Septotemporal Position in the Hippocampal Formation Determines Epileptic and Neurogenic Activity in Temporal Lobe Epilepsy. *Cerebral Cortex*, bhr054. doi:

10.1093/cercor/bhr054. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr054v1>

Hawes, J. E., Tesic, D., Whitehouse, A. J., Zosky, G. R., Smith, J. T., & Wyrwoll, C. S. (2015). Maternal vitamin D deficiency alters fetal brain development in the BALB/c mouse. *Behavioural Brain Research*, (0).

doi: <http://dx.doi.org/10.1016/j.bbr.2015.03.008>, <http://www.sciencedirect.com/science/article/pii/S0166432815001527>

Hawkins, R. F. W., Patenaude, A., Dumas, A., Jain, R., Tesfagiorgis, Y., Kerfoot, S., . . . Vallières, L. (2017). ICAM1+ neutrophils promote chronic inflammation via ASPRV1 in B cell-dependent autoimmune encephalomyelitis. *JCI Insight*, 2(23). doi:

10.1172/jci.insight.96882. <https://doi.org/10.1172/jci.insight.96882>

Hawley, D. F., & Leasure, J. L. (2011). Region-specific response of the hippocampus to chronic unpredictable stress. *Hippocampus*. doi:

Hawley, D. F., Morch, K., Christie, B. R., & Leasure, J. L. (2012). Differential Response of Hippocampal Subregions to Stress and Learning. *Plos one*, 7(12), e53126. doi:

10.1371/journal.pone.0053126. <http://dx.doi.org/10.1371%2Fjournal.pone.0053126>

Hawley, S. A., Gadalla, A. E., Olsen, G. S., & Hardie, D. G. (2002). The antidiabetic drug metformin activates the AMP-activated protein kinase cascade via an adenine nucleotide-independent mechanism. *Diabetes*, 51. doi:

10.2337/diabetes.51.8.2420. <http://dx.doi.org/10.2337/diabetes.51.8.2420>

Hawlitshka, A., Holzmann, C., Witt, S., Spiewok, J., Neumann, A.-M., Schmitt, O., . . . Antipova, V. (2017). Intrastratially injected botulinum neurotoxin-A differently effects cholinergic and dopaminergic fibers in C57BL/6 mice. *Brain Research*, 1676(Supplement C), 46-56.

doi: <https://doi.org/10.1016/j.brainres.2017.09.016>, <http://www.sciencedirect.com/science/article/pii/S0006899317304018>

Hayashi, A., Koob, J. W., Liu, D. Z., Tong, A. Y., Hunter, D. A., Parsadanian, A., . . . Myckatyn, T. M. (2007). A double-transgenic mouse used to track migrating Schwann cells and regenerating axons following engraftment of injured nerves. *Experimental Neurology*, 207, 128-138. doi:

Hayashi, A., Moradzadeh, A., Hunter, D. A., Kawamura, D. H., Puppala, V. K., Tung, T. H. H., . . . Myckatyn, T. M. (2007). Retrograde Labeling in Peripheral Nerve Research: It Is Not All Black and White. *Journal of Reconstructive Microsurgery*, DOI 10.1055/s-2007-992344. ISSN 0743-684X. doi:

Hayashi, A., Moradzadeh, A., Tong, A., Wei, C., Tuffaha, S. H., Hunter, D. A., . . . Myckatyn, T. M. (2008). Treatment modality affects allograft-derived Schwann cell phenotype and myelinating capacity. *Experimental Neurology*, 212(2), 324-336. doi.

Hayashi, A., Pannucci, C., Moradzadeh, A., Kawamura, D., Magill, C., Hunter, D. A., . . . Myckatyn, T. M. (2008). Axotomy or compression is required for axonal sprouting following end-to-side neurorrhaphy. *Experimental Neurology*, 211(2), 539-550. doi.

Hayden, E. C. (2015). Anti-Ageing pill pushed as bona fide drug. *Nature*, 522. doi: 10.1038/522265a. <http://dx.doi.org/10.1038/522265a>

Hayden, E. Y., Putman, J., Nunez, S., Shin, W. S., Oberoi, M., Charreton, M., . . . Hinman, J. D. (2019). Ischemic axonal injury up-regulates MARK4 in cortical neurons and primes tau phosphorylation and aggregation. *Acta Neuropathologica Communications*, 7(1), 135. doi: 10.1186/s40478-019-0783-6. <https://doi.org/10.1186/s40478-019-0783-6>

Hayes, L., Ralls, S., Wang, H., & Ahn, S. (2012). Duration of Shh signaling contributes to mDA neuron diversity. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2012.11.016>. <http://www.sciencedirect.com/science/article/pii/S0012160612006355>

Hays, S. A., Ruiz, A., Bethea, T., Khodaparast, N., Carmel, J. B., Rennaker li, R. L., & Kilgard, M. P. (2016). Vagus Nerve Stimulation during Rehabilitative Training Enhances Recovery of Forelimb Function after Ischemic Stroke in Aged Rats. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2016.03.030>. <http://www.sciencedirect.com/science/article/pii/S0197458016300227>

Hayward, N. M. E. A., Immonen, R., Tuunanen, P. I., Nnode-Ekane, X. E., Gröhn, O., & Pitkänen, A. (2010). Association of chronic vascular changes with functional outcome after traumatic brain injury in rats. *Journal of Neurotrauma*, 27(12), 2203-2219. doi.

Hayward, N. M. E. A., Tuunanen, P. I., Immonen, R., Nnode-Ekane, X. E., Pitkänen, A., & Gröhn, O. (2010). Magnetic resonance imaging of regional hemodynamic and cerebrovascular recovery after lateral fluid-percussion brain injury in rats. *Journal of Cerebral Blood Flow and Metabolism*, 31(1), 166-177. doi.

Hayward, N. M. E. A., Yanev, P., Haapasalo, A., Miettinen, R., Hiltunen, M., Gröhn, O., & Jolkkonen, J. (2010). Chronic hyperperfusion and angiogenesis follow subacute hypoperfusion in the thalamus of rats with focal cerebral ischemia. *Journal of Cerebral Blood Flow and Metabolism*, 31(4), 1119-1132. doi.

Hazelton, J. L., Balan, I., Elmer, G. I., Kristian, T., Rosenthal, R. E., Krause, G., . . . Fiskum, G. (2010). Hyperoxic reperfusion after global cerebral ischemia promotes inflammation and long-term hippocampal neuronal death. *Journal of Neurotrauma*, 27(4), 753-762. doi.

He, B.-R., Lu, F., Zhang, L., Hao, D.-J., & Yang, H. (2014). An alternative long-term culture system for highly-pure mouse spermatogonial stem cells. *Journal of Cellular Physiology*, n/a-n/a. doi: 10.1002/jcp.24880. <http://dx.doi.org/10.1002/jcp.24880>

He, F., Zou, J.-T., Zhou, Q.-F., Niu, D.-L., & Jia, W.-H. (2014). Glatiramer acetate reverses cognitive deficits from cranial- irradiated rat by inducing hippocampal neurogenesis. *Journal of Neuroimmunology*, (0).

doi: <http://dx.doi.org/10.1016/j.jneuroim.2014.03.015>. <http://www.sciencedirect.com/science/article/pii/S0165572814000940>

He, H., Guo, W.-W., Xu, R.-R., Chen, X.-Q., Zhang, N., Wu, X., & Wang, X.-M. (2016). Alkaloids from piper longum protect dopaminergic neurons against inflammation-mediated damage induced by intranigral injection of lipopolysaccharide. [journal article]. *BMC Complementary and Alternative Medicine*, 16(1), 412. doi: 10.1186/s12906-016-1392-6. <http://dx.doi.org/10.1186/s12906-016-1392-6>

He, J.-W., Rabiller, G., Nishijima, Y., Akamatsu, Y., Khateeb, K., Yazdan-Shahmorad, A., & Liu, J. (2019). Experimental cortical stroke induces aberrant increase of sharp-wave-associated ripples in the hippocampus and disrupts cortico-hippocampal communication. *Journal of Cerebral Blood Flow and Metabolism*, 0271678X19877889. doi: 10.1177/0271678x19877889. <https://doi.org/10.1177/0271678X19877889>

He, K. Y., Yang, S. Z., Shen, D. H., Zhang, L. M., Lu, S. D., & Sun, F. Y. (2009). Excision repair cross-complementing 1 expression protects against ischemic injury following middle cerebral artery occlusion in the rat brain. *Gene Therapy*, 16(7), 840-848. doi.

He, Q., Koprach, J., Wang, Y., Yu, W.-b., Xiao, B.-g., Brotchie, J., & Wang, J. (2015). Treatment with Trehalose Prevents Behavioral and Neurochemical Deficits Produced in an AAV α -Synuclein Rat Model of Parkinson's Disease. *Molecular Neurobiology*, 1-11. doi: 10.1007/s12035-015-9173-7. <http://dx.doi.org/10.1007/s12035-015-9173-7>

Healy-Stoffel, M., Ahmad, S. O., Stanford, J. A., & Levant, B. (2012). A novel use of combined tyrosine hydroxylase and silver nucleolar staining to determine the effects of a unilateral intrastriatal 6-hydroxydopamine lesion in the substantia nigra: A stereological study. *Journal of Neuroscience Methods*, 210, 187-194. doi: 10.1016/j.jneumeth.2012.07.013. <http://www.sciencedirect.com/science/article/pii/S0165027012002774>

Healy-Stoffel, M., Ahmad, S. O., Stanford, J. A., & Levant, B. (2013). Altered Nucleolar Morphology in Substantia Nigra Dopamine Neurons Following 6-Hydroxydopamine Lesion in Rats. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2013.04.033>. <http://www.sciencedirect.com/science/article/pii/S0304394013003923>

Healy-Stoffel, M., Omar Ahmad, S., Stanford, J. A., & Levant, B. (2014). Differential effects of intrastriatal 6-hydroxydopamine on cell number and morphology in midbrain dopaminergic subregions of the rat. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.05.045>. <http://www.sciencedirect.com/science/article/pii/S0006899314007768>

Hebbeler, S. L., & Sengelaub, D. R. (2003). Development of a sexually dimorphic neuromuscular system in male rats after spinal transection: morphologic changes and implications for estrogen sites of action. *Journal of Comparative Neurology*, 467(1), 80-96. doi.

Hebbeler, S. L., Verhovshek, T., & Sengelaub, D. R. (2002). N-methyl-D-aspartate receptor blockade inhibits estrogenic support of dendritic growth in a sexually dimorphic rat spinal nucleus. *Journal of Comparative Neurology*, 451(2), 142-152. doi.

Hebert, L. E., Weuve, J., Scherr, P. A., & Evans, D. A. (2013). Alzheimer disease in the United States (2010–2050) estimated using the 2010 census. *Neurology*, 80. doi: 10.1212/WNL.0b013e31828726f5. <http://dx.doi.org/10.1212/WNL.0b013e31828726f5>

Hedberg-Buenz, A., Christopher, M. A., Lewis, C. J., Meyer, K. J., Rudd, D. S., Dutca, L. M., . . . Anderson, M. G. (2015). RetFM-J, an ImageJ-based module for automated counting and quantifying features of nuclei in retinal whole-mounts. *Experimental Eye Research*. doi: <http://dx.doi.org/10.1016/j.exer.2015.07.020>. <http://www.sciencedirect.com/science/article/pii/S0014483515002535>

Hedlund, E., Pruszak, J., Ferree, A., Vinuela, A., Hong, S., Isacson, O., & Kim, K.-S. (2007). Selection of Embryonic Stem Cell-Derived Enhanced Green Fluorescent Protein-Positive Dopamine Neurons Using the Tyrosine Hydroxylase Promoter Is Confounded by Reporter Gene Expression in Immature Cell Populations. *Stem Cells*, 25(5), 1126-1135. doi: 10.1634/stemcells.2006-0540. <http://stemcells.alphamedpress.org/cgi/content/abstract/25/5/1126>

Hedlund, E., Pruszak, J., Lardaro, T., Ludwig, W., Vinuela, A., Kim, K.-S., & Isacson, O. (2008). Embryonic Stem Cell-Derived Pitx3-Enhanced Green Fluorescent Protein Midbrain Dopamine Neurons Survive Enrichment by Fluorescence-Activated Cell Sorting and Function in an Animal Model of Parkinson's Disease. *Stem Cells*, 26(6), 1526-1536. doi: 10.1634/stemcells.2007-0996. <http://stemcells.alphamedpress.org/cgi/content/abstract/26/6/1526>

Hedou, G., Jongen-Relo, A. L., Murphy, C. A., Heidbreder, C. A., & Feldon, J. (2002). Sensitized Fos expression in subterritories of the rat medial prefrontal cortex and nucleus accumbens following amphetamine sensitization as revealed by stereology. *Brain Research*, 950(1-2), 165-179. doi.

Heermann, S., Opazo, F., Falkenburger, B., Krieglstein, K., & Spittau, B. (2010). Aged Tgfb β 2/Gdnf double-heterozygous mice show no morphological and functional alterations in the nigrostriatal system. *Journal of Neural Transmission*, 117(6), 719-727. doi.

Heermann, T., Garrett, L., Wurst, W., Fuchs, H., Gailus-Durner, V., Hrabě de Angelis, M., . . . Hölter, S. M. (2018). Crybb2 Mutations Consistently Affect Schizophrenia Endophenotypes in Mice. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1365-5. <https://doi.org/10.1007/s12035-018-1365-5>

Hefendehl, J. K., Neher, J. J., Sühs, R. B., Kohsaka, S., Skodras, A., & Jucker, M. (2013). Homeostatic and injury-induced microglia behavior in the aging brain. *Aging cell*, n/a-n/a. doi: 10.1111/acer.12149. <http://dx.doi.org/10.1111/acer.12149>

Hegdekar, N., Lipinski, M. M., & Sarkar, C. (2021). N-Acetyl-L-leucine improves functional recovery and attenuates cortical cell death and neuroinflammation after traumatic brain injury in mice. *Scientific Reports*, 11(1), 9249. doi: 10.1038/s41598-021-88693-8. <https://doi.org/10.1038/s41598-021-88693-8>

Heggland, I., Storkaas, I. S., Soligard, H. T., Kibro-Flatmoen, A., & Witter, M. P. (2015). Stereological estimation of neuron number and plaque load in the hippocampal region of a transgenic rat model of Alzheimer's disease. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12876. <http://dx.doi.org/10.1111/ejn.12876>

Hei, M., Luo, Y., Zhang, X., & Liu, F. (2011). Tanshinone Ila Alleviates the Biochemical Changes Associated with Hypoxic Ischemic Brain Damage in a Rat Model. *Phytotherapy Research*, 25(12), 1865-1869. doi: 10.1002/ptr.3500. <http://dx.doi.org/10.1002/ptr.3500>

Heidary, D. K., Huang, G., Boucher, D., Ma, J., Forster, C., Grey, R., . . . others. (2012). VX-322: A Novel Dual Receptor Tyrosine Kinase Inhibitor for the Treatment of Acute Myelogenous Leukemia. *Journal of Medicinal Chemistry*. doi.

- Heikkinen, T., Kalesnykas, G., Rissanen, A., Tapiola, T., Iivonen, S., Wang, J., . . . Puolivälili, J. (2004). Estrogen treatment improves spatial learning in APP+ PS1 mice but does not affect beta amyloid accumulation and plaque formation. *Experimental Neurology*, 187(1), 105-117. doi.
- Heikkinen, T., Lehtimäki, K., Vartiainen, N., Puolivälili, J., Hendricks, S. J., Glaser, J. R., . . . Park, L. C. (2012). Characterization of Neurophysiological and Behavioral Changes, MRI Brain Volumetry and 1H MRS in zQ175 Knock-In Mouse Model of Huntington's Disease. *Plos one*, 7(12), e50717. doi: 10.1371/journal.pone.0050717. <http://dx.doi.org/10.1371/journal.pone.0050717>
- Heilbronner, S. R., Meyer, M. A. A., Choi, E. Y., & Haber, S. N. (2018). How do cortico-striatal projections impact on downstream pallidal circuitry? [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1662-9. <https://doi.org/10.1007/s00429-018-1662-9>
- Helfer, J. L., Calizo, L. H., Dong, W. K., Goodlett, C. R., Greenough, W. T., & Klintsova, A. Y. (2009). Binge-like postnatal alcohol exposure triggers cortical gliogenesis in adolescent rats. *Journal of Comparative Neurology*, 514(3), 259-271. doi.
- Helfer, J. L., Goodlett, C. R., Greenough, W. T., & Klintsova, A. Y. (2009). The effects of exercise on adolescent hippocampal neurogenesis in a rat model of binge alcohol exposure during the brain growth spurt. *Brain Research*, 1294, 1-11. doi.
- Hellgren, G., Han, W., Wang, X., Löfqvist, C., Hagberg, H., Mallard, C., & Hellström, A. (2011). Safety aspects of longitudinal administration of IGF-I/IGFBP-3 complex in neonatal mice. *Growth Hormone and IGF Research*. doi.
- Hellier, J. L., Patrylo, P. R., Dou, P., Nett, M., Rose, G. M., & Dudek, F. E. (1999). Assessment of Inhibition and Epileptiform Activity in the Septal Dentate Gyrus of Freely Behaving Rats During the First Week After Kainate Treatment. *Journal of Neuroscience*, 19(22), 10053-10064. doi. <http://www.jneurosci.org/cgi/content/abstract/19/22/10053>
- Hellstrom, N. A. K., Bjork-Eriksson, T., Blomgren, K., & Kuhn, H. G. (2008). Differential recovery of neural stem cells in the subventricular zone and dentate gyrus after ionizing radiation. *Stem Cells*, 27(3), 634-641. doi: 10.1634/stemcells.2008-0732. <http://stemcells.alphamedpress.org/cgi/content/abstract/stemcells.2008-0732>
- Hellstrom, N. A. K., Zachrisson, O., Kuhn, H. G., & Patrone, C. (2007). Rapid Quantification of Neurons and Stem/Progenitor Cells in the Adult Mouse Brain by Flow Cytometry. *Letters in Drug Design and Discovery*, 4(8), 532-539. doi.
- Helseth, A., Adil, S., Linabarger, M., Arehart, E., Fainberg, N., Singh, D., . . . Mikati, M. (2016). Novel Knock-in Mouse Model of Genetic Atp1a3 Dysfunction (S52.006). *Neurology*, 86(16 Supplement), S52.006. doi. http://www.neurology.org/content/86/16_Supplement/S52.006.short
- Hendricks, S. J., Brunjes, P. C., & Hill, D. L. (2004). Taste bud cell dynamics during normal and sodium-restricted development. *Journal of Comparative Neurology*, 472(2), 173-182. doi.
- Hendrikx, G., Vries, M. H., Bauwens, M., De Saint-Hubert, M., Wagenaar, A., Guillaume, J., . . . Mottaghy, F. M. (2016). Comparison of LDPI to SPECT perfusion imaging using 99mTc-sestamibi and 99mTc-pyrophosphate in a murine ischemic hind limb model of neovascularization. [journal article]. *EJNMMI Research*, 6(1), 1-10. doi: 10.1186/s13550-016-0199-2. <http://dx.doi.org/10.1186/s13550-016-0199-2>

- Heneka, M. T., Gavrilyuk, V., Landreth, G. E., O'Banion, M. K., Weinberg, G., & Feinstein, D. L. (2003). Noradrenergic depletion increases inflammatory responses in brain: effects on I κ B and HSP70 expression. *Journal of Neurochemistry*, 85. doi: 10.1046/j.1471-4159.2003.01694.x. <http://dx.doi.org/10.1046/j.1471-4159.2003.01694.x>
- Heng, M. Y., Detloff, P. J., Wang, P. L., Tsien, J. Z., & Albin, R. L. (2009). In Vivo Evidence for NMDA Receptor-Mediated Excitotoxicity in a Murine Genetic Model of Huntington Disease. *Journal of Neuroscience*, 29(10), 3200-3205. doi: 10.1523/jneurosci.5599-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/10/3200>
- Heng, M. Y., Duong, D. K., Albin, R. L., Tallaksen-Greene, S. J., Hunter, J. M., Lesort, M. J., . . . Detloff, P. J. (2010). Early autophagic response in a novel knock-in model of Huntington disease. *Human Molecular Genetics*, ddq285. doi: 10.1093/hmg/ddq285. <http://hmg.oxfordjournals.org/cgi/content/abstract/ddq285v2>
- Heng, M. Y., Tallaksen-Greene, S. J., Detloff, P. J., & Albin, R. L. (2007). Longitudinal Evaluation of the Hdh(CAG)¹⁵⁰ Knock-In Murine Model of Huntington's Disease. *Journal of Neuroscience*, 27(34), 8989-8998. doi: 10.1523/jneurosci.1830-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/34/8989>
- Hennis, M. R., Marvin, M. A., Taylor li, C. M., & Goldberg, M. S. (2013). Surprising behavioral and neurochemical enhancements in mice with combined mutations linked to Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.09.009>. <http://www.sciencedirect.com/science/article/pii/S0969996113002556>
- Hennis, M. R., Seamans, K. W., Marvin, M. A., Casey, B. H., & Goldberg, M. S. (2013). Behavioral and Neurotransmitter Abnormalities in Mice Deficient for Parkin, DJ-1 and Superoxide Dismutase. *Plos one*, 8(12), e84894. doi: 10.1371/journal.pone.0084894. <http://dx.doi.org/10.1371%2Fjournal.pone.0084894>
- Henny, P., Brischoux, F., Mainville, L., Stroh, T., & Jones, B. E. (2010). Immunohistochemical evidence for synaptic release of glutamate from orexin terminals in the locus coeruleus. *Neuroscience*, 169(3), 1150-1157. doi.
- Henny, P., Brown, M. T. C., Northrop, A., Faunes, M., & Ungless, M. A. (2012). Structural correlates of heterogeneous in vivo activity of midbrain dopaminergic neurons. *Nature Neuroscience*. doi.
- Henny, P., & Jones, B. E. (2006). Innervation of orexin/hypocretin neurons by GABAergic, glutamatergic or cholinergic basal forebrain terminals evidenced by immunostaining for presynaptic vesicular transporter and postsynaptic scaffolding proteins *Journal of Comparative Neurology*, 499(4), 645-661. doi.
- Henny, P., & Jones, B. E. (2006). Vesicular glutamate (VGlut), GABA (VGAT), and acetylcholine (VACht) transporters in basal forebrain axon terminals innervating the lateral hypothalamus. *Journal of Comparative Neurology*, 496(4), 453-467. doi.
- Henny, P., & Jones, B. E. (2008). Projections from basal forebrain to prefrontal cortex comprise cholinergic, GABAergic and glutamatergic inputs to pyramidal cells or interneurons. *European Journal of Neuroscience*, 27(3), 654-670. doi: doi:10.1111/j.1460-9568.2008.06029.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06029.x>

Henrique, E. P., de Oliveira, M. A., Paulo, D. C., Pereira, P. D. C., Dias, C., de Siqueira, L. S., . . . Diniz, C. G. (2020). Contrasting migratory journeys and changes in hippocampal astrocyte morphology in shorebirds. *European Journal of Neuroscience*, n/a(n/a). doi: 10.1111/ejn.14781. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14781>

Henry, R. J., Doran, S. J., Barrett, J. P., Meadows, V. E., Sabirzhanov, B., Stoica, B. A., . . . Faden, A. I. (2018). Inhibition of miR-155 Limits Neuroinflammation and Improves Functional Recovery After Experimental Traumatic Brain Injury in Mice. [journal article]. *Neurotherapeutics*. doi: 10.1007/s13311-018-0665-9. <https://doi.org/10.1007/s13311-018-0665-9>

Hensel, N., Brickwedde, H., Tsaknakis, K., Grages, A., Braunschweig, L., Lüders, K. A., . . . Hell, A. K. (2020). Altered bone development with impaired cartilage formation precedes neuromuscular symptoms in Spinal Muscular Atrophy (SMA). *Human Molecular Genetics*. doi: 10.1093/hmg/ddaa145. <https://doi.org/10.1093/hmg/ddaa145>

Henstridge, C., Jackson, R., Kim, J., Herrmann, A., Wright, A., Harris, S., . . . Spires-Jones, T. (2015). Post-mortem brain analyses of the Lothian Birth Cohort 1936: extending lifetime cognitive and brain phenotyping to the level of the synapse. *Acta Neuropathologica Communications*, 3(1), 1-22. doi: 10.1186/s40478-015-0232-0. <http://dx.doi.org/10.1186/s40478-015-0232-0>

Henstridge, C. M., Sideris, D. I., Carroll, E., Rotariu, S., Salomonsson, S., Tzioras, M., . . . Spires-Jones, T. L. (2017). Synapse loss in the prefrontal cortex is associated with cognitive decline in amyotrophic lateral sclerosis. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-017-1797-4. <https://doi.org/10.1007/s00401-017-1797-4>

Hentall, I. D., & Gonzalez, M. M. C. (2011). Promotion of Recovery From Thoracic Spinal Cord Contusion in Rats by Stimulation of Medullary Raphe or Its Midbrain Input. *Neurorehabilitation and Neural Repair*. doi.

Heras-Garvin, A., Refolo, V., Reindl, M., Wenning, G. K., & Stefanova, N. (2020). High-salt diet does not boost neuroinflammation and neurodegeneration in a model of α -synucleinopathy. *Journal of neuroinflammation*, 17(1), 35. doi: 10.1186/s12974-020-1714-y. <https://doi.org/10.1186/s12974-020-1714-y>

Héraud, C., Goufak, D., Ando, K., Leroy, K., Suain, V., Yilmaz, Z., . . . Brion, J.-P. (2013). Increased misfolding and truncation of tau in APP/PS1/tau transgenic mice compared to mutant tau mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.09.010>. <http://www.sciencedirect.com/science/article/pii/S0969996113002568>

Hercher, C., Parent, M., Flores, C., Canetti, L., Turecki, G., & Mechawar, N. (2009). Alcohol dependence-related increase of glial cell density in the anterior cingulate cortex of suicide completers. *Journal of psychiatry and neuroscience: JPN*, 34(4), 281-281. doi.

Hernandez, C. M., Kaye, R., Zheng, H., Sweatt, J. D., & Dineley, K. T. (2010). Loss of $\alpha 7$ nicotinic receptors enhances β -amyloid oligomer accumulation, exacerbating early-stage cognitive decline and septohippocampal pathology in a mouse model of Alzheimer's disease. *Journal of Neuroscience*, 30(7), 2442-2453. doi.

Herrera-Soto, A., Díaz-Veliz, G., Mora, S., Muñoz, P., Henny, P., Steinbusch, H. W. M., & Segura-Aguilar, J. (2017). On the Role of DT-Diaphorase Inhibition in Aminochrome-Induced Neurotoxicity In Vivo. [journal article]. *Neurotoxicity research*, 1-7. doi: 10.1007/s12640-017-9719-8. <http://dx.doi.org/10.1007/s12640-017-9719-8>

Herrera-Vaquero, M., Bouquio, D., Kallab, M., Biggs, K., Nair, G., Ochoa, J., . . . Stefanova, N. (2019). The molecular tweezer CLR01 reduces aggregated, pathologic, and seeding-competent α -synuclein in experimental multiple system atrophy. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*.

doi: <https://doi.org/10.1016/j.bbadis.2019.07.007>. <http://www.sciencedirect.com/science/article/pii/S0925443919302303>

Herring, A., Donath, A., Steiner, K. M., Widera, M. P., Hamzehian, S., Kanakis, D., . . . Paulus, W. (2012). Reelin Depletion is an Early Phenomenon of Alzheimer's Pathology. *Journal of Alzheimer's Disease*. doi.

Herring, A., Donath, A., Yarmolenko, M., Uslar, E., Conzen, C., Kanakis, D., . . . Keyvani, K. (2011). Exercise during pregnancy mitigates Alzheimer-like pathology in mouse offspring. *Faseb Journal*. doi.

Herring, A., Münster, Y., Akkaya, T., Moghaddam, S., Deinsberger, K., Meyer, J., . . . Keyvani, K. (2016). Kallikrein-8 inhibition attenuates Alzheimer's pathology in mice. *Alzheimer's & Dementia*. doi: <http://dx.doi.org/10.1016/j.jalz.2016.05.006>. <http://www.sciencedirect.com/science/article/pii/S1552526016302801>

Herring, A., Münster, Y., Metzendorf, J., Bolczek, B., Krüssel, S., Krieter, D., . . . Keyvani, K. (2016). Late running is not too late against Alzheimer's pathology. *Neurobiology of Disease*, 94, 44-54. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.003>. <http://www.sciencedirect.com/science/article/pii/S096999611630136X>

Herrmann, J. E., Imura, T., Song, B., Qi, J., Ao, Y., Nguyen, T. K., . . . Sofroniew, M. V. (2008). STAT3 is a Critical Regulator of Astroglial Scar Formation after Spinal Cord Injury. *Journal of Neuroscience*, 28(28), 7231-7243. doi: 10.1523/jneurosci.1709-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/28/7231>

Herzberg, U., Hama, A., & Sagen, J. (2008). Spinal subarachnoid adrenal medullary transplants reduce hind paw swelling and peripheral nerve transport following formalin injection in rats. *Brain Research*, 1198, 85-92. doi.

Herzog, C. D., Bishop, K. M., Brown, L., Wilson, A., Kordower, J. H., & Bartus, R. T. (2011). Gene transfer provides a practical means for safe, long-term, targeted delivery of biologically active neurotrophic factor proteins for neurodegenerative diseases. *Drug Delivery and Translational Research*, 1-22. doi.

Herzog, C. D., Brown, L., Gammon, D., Kruegel, B., Lin, R., Wilson, A., . . . others. (2009). Expression, bioactivity, and safety 1 year after adeno-associated viral vector type 2-mediated delivery of neurturin to the monkey nigrostriatal system support cere-120 for Parkinson's disease. *Neurosurgery*, 64(4), 602-602. doi.

Herzog, C. D., Dass, B., Gasmi, M., Bakay, R., Stansell, J. E., Tuszynski, M., . . . Bartus, R. T. (2008). Transgene Expression, Bioactivity, and Safety of CERE-120 (AAV2-Neurturin) Following Delivery to the Monkey Striatum. *Molecular Therapy*. doi. <http://dx.doi.org/10.1038/mt.2008.170>

<http://www.nature.com/mt/journal/vaop/ncurrent/suppinfo/mt2008170s1.html>

Herzog, C. D., Dass, B., Holden, J. E., Stansell III, J., Gasmi, M., Tuszynski, M. H., . . . Kordower, J. H. (2007). Striatal delivery of CERE-120, an AAV2 vector encoding human neurturin, enhances activity of the dopaminergic nigrostriatal system in aged monkeys. *Movement Disorders*, 22(8), 1124-1132. doi.

Hescham, S., Temel, Y., Schipper, S., Lagiere, M., Schönfeld, L.-M., Blokland, A., & Jahanshahi, A. (2016). Fornix deep brain stimulation induced long-term spatial memory independent of hippocampal neurogenesis. *Brain Structure and Function*, 1-7. doi: <http://link.springer.com/article/10.1007/s00429-016-1188-y/fulltext.html>

Heukelum, S. V., Geers, F. E., Tulva, K., van Dulm, S., Beckmann, C. F., Buitelaar, J. K., . . . França, A. S. C. (2021). Structural Degradation in Midcingulate Cortex Is Associated with Pathological Aggression in Mice. *Brain Sciences*, 11(7). doi: 10.3390/brainsci11070868.

Heyer, M. P., Pani, A. K., Smeyne, R. J., Kenny, P. J., & Feng, G. (2012). Normal Midbrain Dopaminergic Neuron Development and Function in miR-133b Mutant Mice. *Journal of Neuroscience*, 32(32), 10887-10894. doi: 10.1523/jneurosci.1732-12.2012. <http://www.jneurosci.org/content/32/32/10887.abstract>

Hickey, M. A., Kosmalska, A., Enayati, J., Cohen, R., Zeitlin, S., Levine, M. S., & Chesselet, M. F. (2008). Extensive early motor and non-motor behavioral deficits are followed by striatal neuronal loss in knock-in Huntington's disease mice. *Neuroscience*, 157(1), 280-295. doi.

Hickey, M. A., Zhu, C., Medvedeva, V., Franich, N. R., Levine, M. S., & Chesselet, M. F. (2011). Evidence for behavioral benefits of early dietary supplementation with CoEnzymeQ10 in a slowly progressing mouse model of Huntington's disease. *Molecular and Cellular Neuroscience*. doi.

Hicks, A. U., Hewlett, K., Windle, V., Chernenko, G., Ploughman, M., Jolkkonen, J., . . . Corbett, D. (2007). Enriched environment enhances transplanted subventricular zone stem cell migration and functional recovery after stroke. *Neuroscience*, 146(1), 31-40. doi.

Hicks, A. U., Lappalainen, R. S., Narkilahti, S., Suuronen, R., Corbett, D., Sivenius, J., . . . Jolkkonen, J. (2009). Transplantation of human embryonic stem cell-derived neural precursor cells and enriched environment after cortical stroke in rats: cell survival and functional recovery. *European Journal of Neuroscience*, 29(3), 562-574. doi.

Hicks, A. U., MacLellan, C. L., Chernenko, G. A., & Corbett, D. (2008). Long-term assessment of enriched housing and subventricular zone derived cell transplantation after focal ischemia in rats. *Brain Research*, 1231, 103-112. doi.

Hienola, A., Tumova, S., Kuleskiy, E., & Rauvala, H. (2006). N-syndecan deficiency impairs neural migration in brain. *Journal of Cell Biology*, 174(4), 569-580. doi: 10.1083/jcb.200602043. <http://www.jcb.org/cgi/content/abstract/174/4/569>

Hildebrandt, S., Schmidt, A., Stoll, A., Schmitt, O., Köhling, R., Wree, A., . . . Pützer, B. M. (2010). Targeting of neural stem cells in the hippocampus of adult rats by custom-made Ad vectors. *Brain Structure and Function*, 1-9. doi.

Hilgetag, C. C., Medalla, M., Beul, S., & Barbas, H. (2016). The primate connectome in context: Principles of connections of the cortical visual system. *Neuroimage*. doi: <http://dx.doi.org/10.1016/j.neuroimage.2016.04.017>, <http://www.sciencedirect.com/science/article/pii/S1053811916300507>

Hill, C. E., Brodak, D. M., & Bunge, M. (2012). Dissociated predegenerated peripheral nerve transplants for spinal cord injury repair: a comprehensive assessment of their effects on regeneration and functional recovery compared to Schwann cell transplant. *Journal of Neurotrauma*, (ja). doi.

Hill, C. E., Guller, Y., Raffa, S. J., Hurtado, A., & Bunge, M. B. (2010). A calpain inhibitor enhances the survival of schwann cells in vitro and after transplantation into the injured spinal cord. *Journal of Neurotrauma*, 27(9), 1685-1695. doi.

Hill, C. E., Harrison, B. J., Rau, K. K., Hougland, M. T., Bunge, M. B., Mendell, L. M., & Petruska, J. C. (2010). Skin incision induces expression of axonal regeneration-related genes in adult rat spinal sensory neurons. *Journal of Pain*, 11(11), 1066-1073. doi.

Hill, C. E., Hurtado, A., Blits, B., Bahr, B. A., Wood, P. M., Bartlett Bunge, M., & Oudega, M. (2007). Early necrosis and apoptosis of Schwann cells transplanted into the injured rat spinal cord. *European Journal of Neuroscience*, 26(6), 1433-1445. doi: doi:10.1111/j.1460-9568.2007.05771.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05771.x>

Hill, C. E., Moon, L. D. F., Wood, P. M., & Bunge, M. B. (2006). Labeled Schwann cell transplantation: cell loss, host Schwann cell replacement, and strategies to enhance survival. *Glia*, 53(3), 338-343. doi.

Hill, J. W., Poddar, R., Thompson, J. F., Rosenberg, G. A., & Yang, Y. (2012). Intranuclear matrix metalloproteinases promote DNA damage and apoptosis induced by oxygen-glucose deprivation in neurons. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.06.019. <http://www.sciencedirect.com/science/article/pii/S030645212006197?v=s5>

Hill, R. A., Chua, H. K., Jones, M. E. E., Simpson, E. R., & Boon, W. C. (2009). Estrogen deficiency results in apoptosis in the frontal cortex of adult female aromatase knockout mice. *Molecular and Cellular Neuroscience*, 41(1), 1-7. doi.

Hillner, K. M., Neumann, I. D., Couillard-Despres, S., Aigner, L., & Slattery, D. A. (2014). Lactation-induced reduction in hippocampal neurogenesis is reversed by repeated stress exposure. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22258. <http://dx.doi.org/10.1002/hipo.22258>

Hillsman, K. D., Sanderson, N. S., & Crews, D. (2007). Testosterone Stimulates Mounting Behavior and Arginine Vasotocin Expression in the Brain of both Sexual and Unisexual Whiptail Lizards. *Sexual Development*, 1(1), 77-84. doi. <http://www.karger.com/DOI/10.1159/000096241>

Hindman, H. B., Swanton, J. N., Phipps, R. P., Sime, P. J., & Huxlin, K. R. (2010). Differences in the TGF- β 1-Induced Profibrotic Response of Anterior and Posterior Corneal Keratocytes In Vitro. *Investigative Ophthalmology and Visual Science*, 51(4), 1935-1942. doi.

Hirayama, S., Kawagishi, K., Yokouchi, K., Fukushima, N., Karasawa, M., & Moriizumi, T. (2013). Regenerative Capacity of Bulbar Projection Neurons During Development: A Quantitative Neuronal Analysis With Functional Correlation. *Chemical Senses*. doi: 10.1093/chemse/bjt053. <http://chemse.oxfordjournals.org/content/early/2013/11/10/chemse.bjt053>

Hirsch, M., Knight, J., Tobita, M., Soltys, J., Panitch, H., & Mao-Draayer, Y. (2009). The effect of interferon- β on mouse neural progenitor cell survival and differentiation. *Biochemical and Biophysical Research Communications*, 388(2), 181-186. doi.

Hisasue, S., Seney, M. L., Immerman, E., & Forger, N. G. (2010). Control of cell number in the bed nucleus of the stria terminalis of mice: Role of testosterone metabolites and estrogen receptor subtypes. *Journal of Sexual Medicine*, 7(4pt1), 1401-1409. doi.

Ho, D. J., Calingasan, N. Y., Wille, E., Dumont, M., & Beal, M. F. (2010). Resveratrol protects against peripheral deficits in a mouse model of Huntington's disease. *Experimental Neurology*, 225(1), 74-84. doi:

Ho, G. J., Drego, R., Hakimian, E., & Masliah, E. (2005). Mechanisms of cell signaling and inflammation in Alzheimer's disease. *Curr Drug Targets Inflamm Allergy*, 4. doi: 10.2174/1568010053586237. <http://dx.doi.org/10.2174/1568010053586237>

Ho, J. M., Ducich, N. H., Nguyen, N.-Q. K., & Opp, M. R. (2017). Acute sleep disruption- and high-fat diet-induced hypothalamic inflammation are not related to glucose tolerance in mice. *Neurobiology of Sleep and Circadian Rhythms*. doi: <https://doi.org/10.1016/j.nbscr.2017.09.003>. <http://www.sciencedirect.com/science/article/pii/S2451994417300993>

Ho, W. L., Leung, Y., Cheng, S. S. Y., Lok, C. K. M., Ho, Y.-S., Baum, L., . . . Chang, R. C.-C. (2015). Investigating degeneration of the retina in young and aged tau P301L mice. *Life Sciences*, (0). doi: <http://dx.doi.org/10.1016/j.lfs.2014.12.019>. <http://www.sciencedirect.com/science/article/pii/S0024320515000028>

Hoang, S., Liauw, J., Choi, M., Choi, M., Guzman, R. G., & Steinberg, G. K. (2008). Netrin-4 enhances angiogenesis and neurologic outcome after cerebral ischemia. *Journal of Cerebral Blood Flow and Metabolism*, 29(2), 385-397. doi:

Hoard, J. L., Hoover, D. B., Mabe, A. M., Blakely, R. D., Feng, N., & Paolucci, N. (2008). Cholinergic neurons of mouse intrinsic cardiac ganglia contain noradrenergic enzymes, norepinephrine transporters, and the neurotrophin receptors tropomyosin-related kinase A and p75. *Neuroscience*, 156(1), 129-142. doi:

Hoard, J. L., Hoover, D. B., & Wondergem, R. (2007). Phenotypic properties of adult mouse intrinsic cardiac neurons maintained in culture. *American Journal of Physiology - Lung Cellular and Molecular Physiology*, 293(6), C1875-1883. doi: 10.1152/ajpcell.00113.2007. <http://ajpcell.physiology.org/cgi/content/abstract/293/6/C1875>

Hochstrasser, T., Rühling, S., Hecher, K., Fabisch, K. H., Chrzanowski, U., Brendel, M., . . . Kipp, M. (2019). Stereological Investigation of Regional Brain Volumes after Acute and Chronic Cuprizone-Induced Demyelination. *Cells*, 8(9), 1024. doi: <https://www.mdpi.com/2073-4409/8/9/1024>

Hodges, J. L., Yu, X., Gilmore, A., Bennett, H., Tjia, M., Perna, J. F., . . . Zuo, Y. (2016). Astrocytic Contributions to Synaptic and Learning Abnormalities in a Mouse Model of Fragile X Syndrome. *Biological Psychiatry*. doi: <http://dx.doi.org/10.1016/j.biopsych.2016.08.036>. <http://www.sciencedirect.com/science/article/pii/S0006322316327792>

Hodor, A., Palchykova, S., Baracchi, F., Noain, D., & Bassetti, C. L. (2014). Baclofen facilitates sleep, neuroplasticity, and recovery after stroke in rats. *Annals of Clinical and Translational Neurology*, 1(10), 765-777. doi: 10.1002/acn3.115. <http://dx.doi.org/10.1002/acn3.115>

Hoehn, B. D., Palmer, T. D., & Steinberg, G. K. (2005). Neurogenesis in Rats After Focal Cerebral Ischemia is Enhanced by Indomethacin. *Stroke*, 36(12), 2718-2724. doi: 10.1161/01.STR.0000190020.30282.cc. <http://stroke.ahajournals.org/cgi/content/abstract/36/12/2718>

Hoeijmakers, L., Meerhoff, G. F., de Vries, J. W., Ruigrok, S. R., Dam, A.-M. v., van Leuven, F., . . . Lucassen, P. J. (2017). The age-related slow increase in amyloid pathology in APP.V717I mice activates microglia, but does not alter hippocampal neurogenesis. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2017.09.013>. <http://www.sciencedirect.com/science/article/pii/S0197458017303068>

Hoeijmakers, L., Ruigrok, S. R., Amelianchik, A., Ivan, D., Dam, A.-M. v., Lucassen, P. J., & Korosi, A. (2017). Early-life stress lastingly alters the neuroinflammatory response to amyloid pathology in an Alzheimer's disease mouse model. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.12.023>. <http://www.sciencedirect.com/science/article/pii/S0889159116305748>

Hoffiz, Y. C., Castillo-Ruiz, A., Hall, M. A. L., Hite, T. A., Gray, J. M., Cisternas, C. D., . . . Forger, N. G. (2021). Birth elicits a conserved neuroendocrine response with implications for perinatal osmoregulation and neuronal cell death. *Scientific Reports*, 11(1), 2335. doi: 10.1038/s41598-021-81511-1. <https://doi.org/10.1038/s41598-021-81511-1>

Hoffman, A. N., Anouti, D. P., Lacagnina, M. J., Nikulina, E. M., Hammer, R. P., & Conrad, C. D. (2013). Experience-dependent effects of context and restraint stress on corticolimbic c-Fos expression. *Stress*, 0(ja), 1-22. doi: 10.3109/10253890.2013.804505. <http://informahealthcare.com/doi/abs/10.3109/10253890.2013.804505>

Hoffman, A. N., Lorson, N. G., Sanabria, F., Foster Olive, M., & Conrad, C. D. (2014). Chronic stress disrupts fear extinction and enhances amygdala and hippocampal Fos expression in an animal model of post-traumatic stress disorder. *Neurobiology of Learning and Memory*, 0. doi: <http://dx.doi.org/10.1016/j.nlm.2014.01.018>. <http://www.sciencedirect.com/science/article/pii/S1074742714000264>

Hoffmann, O., Braun, J. S., Becker, D., Halle, A., Freyer, D., Dagand, E., . . . Weber, J. R. (2007). TLR2 Mediates Neuroinflammation and Neuronal Damage. *Journal of Immunology*, 178(10), 6476-6481. doi: <http://www.jimmunol.org/cgi/content/abstract/178/10/6476>

Hoffmann, O., Mahrhofer, C., Rueter, N., Freyer, D., Bert, B., Fink, H., & Weber, J. R. (2007). Pneumococcal Cell Wall-Induced Meningitis Impairs Adult Hippocampal Neurogenesis. *Infection and Immunity*, 75, 4289-4297. doi: 10.1128/iai.01932-05

Hoffmann, O., Priller, J., Prozorovski, T., Schulze-Topphoff, U., Baeva, N., Lunemann, J. D., . . . Weber, J. R. (2007). TRAIL limits excessive host immune responses in bacterial meningitis. *Journal of Clinical Investigation*, 117(7), 2004-2013. doi: 10.1172/jci30356. <http://www.jci.org/cgi/content/abstract/117/7/2004>

Hoffmann, O., Rung, O., Im, A. R., Freyer, D., Zhang, J., Held, J., . . . Dame, C. (2011). Thrombopoietin Contributes to Neuronal Damage in Experimental Bacterial Meningitis. *Infection and Immunity*, 79(2), 928-928. doi: 10.1128/iai.01932-05

Hoffmann, O., Zweigner, J., Smith, S. H., Freyer, D., Mahrhofer, C., Dagand, E., . . . Weber, J. R. (2006). Interplay of Pneumococcal Hydrogen Peroxide and Host-Derived Nitric Oxide. *Infection and Immunity*, 74(9), 5058-5066. doi: 10.1128/iai.01932-05. <http://iai.asm.org/cgi/content/abstract/74/9/5058>

Höfling, C., Indrischek, H., Höpcke, T., Waniek, A., Cynis, H., Koch, B., . . . Hartlage-Rübsamen, M. (2014). Mouse strain and brain region-specific expression of the glutaminyl cyclases QC and isoQC. *Neurobiology of Aging*, 35(12), 2703-2711. doi: 10.1016/j.neurobiolaging.2014.07.013

International Journal of Developmental Neuroscience, (0).

doi: <http://dx.doi.org/10.1016/j.jdevneu.2014.05.008>. <http://www.sciencedirect.com/science/article/pii/S0736574814000781>

Hofmann, P. G., Báez Saldaña, A., Fortoul Van Der Goes, T., González del Pliego, M., & Gutiérrez Ospina, G. (2012). Neuroendocrine cells are present in the domestic fowl ovary. *Journal of Anatomy*, n/a-n/a. doi: 10.1111/joa.12002. <http://dx.doi.org/10.1111/joa.12002>

Höistad, M., & Barbas, H. (2008). Sequence of information processing for emotions through pathways linking temporal and insular cortices with the amygdala. *Neuroimage*, 40(3), 1016-1033. doi:

Höistad, M., Heinsen, H., Wicinski, B., Schmitz, C., & Hof, P. R. (2012). Stereological assessment of the dorsal anterior cingulate cortex in schizophrenia: absence of changes in neuronal and glial densities. *Neuropathology and Applied Neurobiology*, no-no. doi: 10.1111/j.1365-2990.2012.01296.x. <http://dx.doi.org/10.1111/j.1365-2990.2012.01296.x>

Holahan, M. R., Smith, C. A., Luu, B. E., & Storey, K. B. (2018). Preadolescent phthalate (DEHP) exposure is associated with elevated locomotor activity and reward-related behavior and a reduced number of tyrosine hydroxylase positive neurons in post-adolescent male and female rats. *Toxicological Sciences*, kfy171-kfy171. doi: 10.1093/toxsci/kfy171. <http://dx.doi.org/10.1093/toxsci/kfy171>

Holder, M. K., & Blaustein, J. D. (2017). Developmental time course and effects of immunostressors that alter hormone-responsive behavior on microglia in the peripubertal and adult female mouse brain. *Plos one*, 12(2), e0171381. doi: 10.1371/journal.pone.0171381. <http://dx.doi.org/10.1371%2Fjournal.pone.0171381>

Hollands, C., Tobin, M. K., Hsu, M., Musaraca, K., Yu, T.-S., Mishra, R., . . . Lazarov, O. (2017). Depletion of adult neurogenesis exacerbates cognitive deficits in Alzheimer's disease by compromising hippocampal inhibition. [journal article]. *Molecular Neurodegeneration*, 12(1), 64. doi: 10.1186/s13024-017-0207-7. <https://doi.org/10.1186/s13024-017-0207-7>

Holleran, L., Kim, J. H., Gangolli, M., Stein, T., Alvarez, V., McKee, A., & Brody, D. L. (2017). Axonal disruption in white matter underlying cortical sulcus tau pathology in chronic traumatic encephalopathy. [journal article]. *Acta Neuropathologica*, 133(3), 367-380. doi: 10.1007/s00401-017-1686-x. <http://dx.doi.org/10.1007/s00401-017-1686-x>

Höllerhage, M., Deck, R., De Andrade, A., Respondek, G., Xu, H., Rösler, T. W., . . . Höglinger, G. U. (2014). Piericidin A Aggravates Tau Pathology in P301S Transgenic Mice. *Plos one*, 9(12), e113557. doi: 10.1371/journal.pone.0113557. <http://dx.doi.org/10.1371%2Fjournal.pone.0113557>

Höllerhage, M., Moebius, C., Melms, J., Chiu, W.-H., Goebel, J. N., Chakroun, T., . . . Höglinger, G. U. (2017). Protective efficacy of phosphodiesterase-1 inhibition against alpha-synuclein toxicity revealed by compound screening in LUHMES cells. *Scientific Reports*, 7, 11469. doi: 10.1038/s41598-017-11664-5. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5597612/>

Hollis, E. R., Kadoya, K., Hirsch, M., Samulski, R. J., & Tuszynski, M. H. (2007). Efficient Retrograde Neuronal Transduction Utilizing Self-complementary AAV1. *Molecular Therapy*, doi:10.1038/sj.mt.6300367(2), 296-301. doi:

Hollis li, E. R., Ishiko, N., Pessian, M., Tolentino, K., Lee-Kubli, C. A., Calcutt, N. A., & Zou, Y. (2015). Remodelling of spared proprioceptive circuit involving a small number of neurons supports functional recovery. [Article]. *Nat Commun*, 6. doi: 10.1038/ncomms7079. <http://dx.doi.org/10.1038/ncomms7079>

Hollis li, E. R., Ishiko, N., Yu, T., Lu, C.-C., Haimovich, A., Tolentino, K., . . . Zou, Y. (2016). Ryk controls remapping of motor cortex during functional recovery after spinal cord injury. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4282

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4282.html#suppl.....> <http://dx.doi.org/10.1038/nn.4282>

Hollis li, E. R., Lu, P., Blesch, A., & Tuszynski, M. H. (2009). IGF-I gene delivery promotes corticospinal neuronal survival but not regeneration after adult CNS injury. *Experimental Neurology*, 215(1), 53-59. doi.

Holmes, G. L., Tian, C., Hernan, A. E., Flynn, S., Camp, D., & Barry, J. (2015). Alterations in sociability and functional brain connectivity caused by early-life seizures are reversed by bumetanide. *Neurobiology of Disease*, (0).

doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.015>. <http://www.sciencedirect.com/science/article/pii/S096999611500042X>

Holmes, M. M., Goldman, B. D., & Forger, N. G. (2008). Social status and sex independently influence androgen receptor expression in the eusocial naked mole-rat brain. *Hormones and Behavior*, 54(2), 278-285. doi.

Holmes, M. M., McCutcheon, J., & Forger, N. G. (2009). Sex differences in NeuN-and androgen receptor-positive cells in the bed nucleus of the stria terminalis are due to Bax-dependent cell death. *Neuroscience*, 158(4), 1251-1256. doi.

Holmes, M. M., Rosen, G. J., Jordan, C. L., de Vries, G. J., Goldman, B. D., & Forger, N. G. (2007). Social control of brain morphology in a eusocial mammal. *Proceedings of the National Academy of Sciences*, 104(25), 10548-10552. doi: 10.1073/Proceedings of the National Academy of Sciences.0610344104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/25/10548>

Holmes, M. M., Seney, M. L., Goldman, B. D., & Forger, N. G. (2011). Social and hormonal triggers of neural plasticity in naked mole-rats. *Behavioural Brain Research*, 218(1), 234-239. doi.

Holmes, M. M., & Wade, J. (2005). Testosterone Regulates Androgen Receptor Immunoreactivity in the Copulatory, but not Courtship, Neuromuscular System in Adult Male Green Anoles. *Journal of Neuroendocrinology*, 17(9), 560-569. doi: doi:10.1111/j.1365-2826.2005.01339.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2826.2005.01339.x>

Holthaus, S.-M. k., Herranz-Martin, S., Massaro, G., Aristorena, M., Hoke, J., Hughes, M. P., . . . Ali, R. R. (2019). Neonatal brain-directed gene therapy rescues a mouse model of neurodegenerative CLN6 Batten disease. *Human Molecular Genetics*. doi: 10.1093/hmg/ddz210. <https://doi.org/10.1093/hmg/ddz210>

Holtman, L., van Vliet, E. A., Appeldoorn, C., Gaillard, P. J., de Boer, M., Dorland, R., . . . Gorter, J. A. (2014). Glutathione pegylated liposomal methylprednisolone administration after the early phase of status epilepticus did not modify epileptogenesis in the rat. *Epilepsy Research*, (0). doi: <http://dx.doi.org/10.1016/j.epilepsyres.2014.01.010>. <http://www.sciencedirect.com/science/article/pii/S0920121114000230>

Holtman, L., van Vliet, E. A., Baas, F., Aronica, E., & Gorter, J. A. (2011). Complement protein 6 deficiency in PVG/c rats does not lead to neuroprotection against seizure induced cell death. *Neuroscience*. doi.

Holtman, L., van Vliet, E. A., Edelbroek, P. M., Aronica, E., & Gorter, J. A. (2010). Cox-2 inhibition can lead to adverse effects in a rat model for temporal lobe epilepsy. *Epilepsy Research*, 91(1), 49-56. doi.

Holzbaumer, E. L. F., Howland, D. S., Weber, N., Wallace, K., She, Y., Kwak, S., . . . others. (2006). Myostatin inhibition slows muscle atrophy in rodent models of amyotrophic lateral sclerosis. *Neurobiology of Disease*, 23(3), 697-707. doi.

Hong, J., Sha, S., Zhou, L., Wang, C., Yin, J., & Chen, L. (2015). Sigma-1 receptor deficiency reduces MPTP-induced parkinsonism and death of dopaminergic neurons. [Original Article]. *Cell Death Dis*, 6, e1832. doi: 10.1038/cddis.2015.194. <http://dx.doi.org/10.1038/cddis.2015.194>

Hong, J., Wang, L., Zhang, T., Zhang, B., & Chen, L. (2017). Sigma-1 receptor knockout increases α -synuclein aggregation and phosphorylation with loss of dopaminergic neurons in substantia nigra. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2017.08.007>. <http://www.sciencedirect.com/science/article/pii/S0197458017302622>

Hong, M., & Lee, V. M. (1997). Insulin and insulin-like growth factor-1 regulate tau phosphorylation in cultured human neurons. *Journal of Biological Chemistry*, 272. doi: 10.1074/jbc.272.31.19547. <http://dx.doi.org/10.1074/jbc.272.31.19547>

Hong, S., Washington, P., Kim, A., Yang, C.-P., Yu, T.-S., & Kernie, S. G. (2015). ApoE Regulates Injury-Induced Activation of Hippocampal Neural Stem and Progenitor Cells. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3860. <http://dx.doi.org/10.1089/neu.2014.3860>

Hong, S. M., Cha, C. I., & Park, B. R. (2009). Changes in calbindin expression within the flocculus after unilateral labyrinthectomy in rats. *Neuroscience Letters*, 460(1), 52-55. doi.

Hong, S. M., Chung, S. Y., Park, M. S., Huh, Y. B., & Yeo, S. G. (2009). Immunoreactivity of Calcium-Binding Proteins in the Central Auditory Nervous System of Aged Rats. *Journal of Korean Neurosurgical Society*, 45(4), 231-231. doi.

Hong, S. M., Liu, Z., Fan, Y., Neumann, M., Won, S. J., Lac, D., . . . Liu, J. (2007). Reduced hippocampal neurogenesis and skill reaching performance in adult *Emx1* mutant mice. *Experimental Neurology*, 206(1), 24-32. doi.

Hongo, N., Takamura, Y., Nishimaru, H., Matsumoto, J., Tobe, K., Saito, T., . . . Nishijo, H. (2020). Astaxanthin Ameliorated Parvalbumin-Positive Neuron Deficits and Alzheimer's Disease-Related Pathological Progression in the Hippocampus of AppNL-G-F/NL-G-F Mice. [Original Research]. *Frontiers in Pharmacology*, 11(307). doi: 10.3389/fphar.2020.00307. <https://www.frontiersin.org/article/10.3389/fphar.2020.00307>

Hood, K. N., Zhao, J., Redell, J. B., Hylan, M. J., Harris, B., Perez, A., . . . Dash, P. K. (2018). Endoplasmic reticulum stress contributes to the loss of newborn hippocampal neurons after traumatic brain injury. [10.1523/JNEUROSCI.1756-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/01/31/JNEUROSCI.1756-17.2018>..

Hood, R. L., Andriani, R. T., Emch, S., Robertson, J. L., Rylander, C. G., & Rossmeisl, J. H. (2013). Fiberoptic microneedle device facilitates volumetric infusate dispersion during convection-enhanced delivery in the brain. *Lasers in Surgery and Medicine*, n/a-n/a. doi: 10.1002/lsm.22156. <http://dx.doi.org/10.1002/lsm.22156>

Hood, R. L., Liguore, W. A., Moore, C., Pflibsen, L., & Meshul, C. K. (2016). Exercise intervention increases spontaneous locomotion but fails to attenuate dopaminergic system loss in a progressive MPTP model in aged mice. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.06.032>. <http://www.sciencedirect.com/science/article/pii/S0006899316304565>

Hooijmans, C. R., Graven, C., Dederen, P. J., Tanila, H., van Groen, T., & Kiliaan, A. J. (2007). Amyloid beta deposition is related to decreased glucose transporter-1 levels and hippocampal atrophy in brains of aged APP/PS1 mice. *Brain Research*, 1181, 93-103. doi.

Hooijmans, C. R., Rutters, F., Dederen, P. J., Gambarota, G., Veltien, A., Van Groen, T., . . . others. (2007). Changes in cerebral blood volume and amyloid pathology in aged Alzheimer APP/PS1 mice on a docosahexaenoic acid (DHA) diet or cholesterol enriched Typical Western Diet (TWD). *Neurobiology of Disease*, 28(1), 16-29. doi.

Hooijmans, C. R., Van der Zee, C., Dederen, P. J., Brouwer, K. M., Reijmer, Y. D., Van Groen, T., . . . Kiliaan, A. J. (2009). DHA and cholesterol containing diets influence Alzheimer-like pathology, cognition and cerebral vasculature in APP^{swe}/PS1^{Eg} mice. *Neurobiology of Disease*, 33(3), 482-498. doi.

Hook, G., Yu, J., Sipes, N., Pierschbacher, M., Hook, V., & Kindy, M. S. (2013). The Cysteine Protease Cathepsin B is a Key Drug Target and Cysteine Protease Inhibitors are Potential Therapeutics for Traumatic Brain Injury. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.2944>

Hook, M., Woller, S., Bancroft, E., Aceves, M., Funk, M. K., Hartman, J., & Garraway, S. M. (2016). Neurobiological effects of Morphine following Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4507. <http://dx.doi.org/10.1089/neu.2016.4507>

Hooshmand, M. J., Sontag, C. J., Uchida, N., Tamaki, S., Anderson, A. J., & Cummings, B. J. (2009). Analysis of host-mediated repair mechanisms after human CNS-stem cell transplantation for spinal cord injury: correlation of engraftment with recovery. *PLoS ONE*, 4(6), e5871-e5871. doi.

Hoover, D. B., Shepherd, A. V., Southerland, E. M., Armour, J. A., & Ardell, J. L. (2008). Neurochemical diversity of afferent neurons that transduce sensory signals from dog ventricular myocardium. *Autonomic Neuroscience*, 141(1-2), 38-45. doi.

Horie, N., Pereira, M. P., Niizuma, K., Sun, G., Keren-Gill, H., Encarnacion, A., . . . Steinberg, G. K. (2011). Transplanted Stem Cell-Secreted Vascular Endothelial Growth Factor Effects Poststroke Recovery, Inflammation, and Vascular Repair. *Stem Cells*, 29(2), 274-285. doi: 10.1002/stem.584. <http://dx.doi.org/10.1002/stem.584>

Horky, L. L., Galimi, F., Gage, F. H., & Horner, P. J. (2006). Fate of endogenous stem/progenitor cells following spinal cord injury. *Journal of Comparative Neurology*, 498(4), 525-538. doi.

Hormigo, S., López, D. E., Cardoso, A., Zapata, G., Sepúlveda, J., & Castellano, O. (2018). Direct and indirect nigrothalamic projections to the nucleus reticularis pontis caudalis mediate in the motor execution of the acoustic startle reflex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1654-9. <https://doi.org/10.1007/s00429-018-1654-9>

Horne, M. K., Lee, J., Chen, F., Lanning, K., Tomas, D., & Lawrence, A. J. (2008). Long-term administration of cocaine or serotonin reuptake inhibitors results in anatomical and neurochemical

changes in noradrenergic, dopaminergic, and serotonin pathways. *Journal of Neurochemistry*, 106(4), 1731-1744. doi.

Horner, P. J., Power, A. E., Kempermann, G., Kuhn, H. G., Palmer, T. D., Winkler, J., . . . Gage, F. H. (2000). Proliferation and Differentiation of Progenitor Cells Throughout the Intact Adult Rat Spinal Cord. *Journal of Neuroscience*, 20(6), 2218-2228. doi. <http://www.jneurosci.org/cgi/content/abstract/20/6/2218>

Hornfeld, S. H., Terkel, J., & Barnea, A. (2010). Neurons recruited in the nidopallium caudale, following changes in social environment, derive from the same original population. *Behavioural Brain Research*, 208(2), 643-645. doi.

Horowitz, P. M., Patterson, K. R., Guillozet-Bongaarts, A. L., Reynolds, M. R., Carroll, C. A., Weintraub, S. T., . . . Binder, L. I. (2004). Early N-Terminal Changes and Caspase-6 Cleavage of Tau in Alzheimer's Disease. *Journal of Neuroscience*, 24(36), 7895-7902. doi. <http://www.jneurosci.org/cgi/content/abstract/24/36/7895>

Horvath, J., Burkhard, P. R., Herrmann, F. R., Bouras, C., & Kövari, E. (2013). Neuropathology of Parkinsonism in Patients with Pure Alzheimer's Disease. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-131289. <http://dx.doi.org/10.3233/JAD-131289>

Horvath, T. L., Erion, D. M., Elsworth, J. D., Roth, R. H., Shulman, G. I., & Andrews, Z. B. (2011). GPA protects the nigrostriatal dopamine system by enhancing mitochondrial function. *Neurobiology of Disease*. doi.

Hosp, J. A., Pekanovic, A., Rioult-Pedotti, M. S., & Luft, A. R. (2011). Dopaminergic Projections from Midbrain to Primary Motor Cortex Mediate Motor Skill Learning. *Journal of Neuroscience*, 31(7), 2481-2487. doi: 10.1523/jneurosci.5411-10.2011. <http://www.jneurosci.org/content/31/7/2481.abstract>

Hossaini, M., Cano, S. C., van Dis, V., Haasdijk, E. D., Hoogenraad, C. C., Holstege, J. C., & Jaarsma, D. (2011). Spinal Inhibitory Interneuron Pathology Follows Motor Neuron Degeneration Independent of Glial Mutant Superoxide Dismutase 1 Expression in SOD1-ALS Mice. *Journal of Neuropathology and Experimental Neurology*, 70(8), 662-662. doi.

Hota, K. B., Hota, S. K., Chaurasia, O. P., & Singh, S. B. (2011). Acetyl-L-carnitine-mediated neuroprotection during hypoxia is attributed to ERK1/2-Nrf2-regulated mitochondrial biosynthesis. *Hippocampus*. doi.

Hota, K. B., Hota, S. K., Srivastava, R. B., & Singh, S. B. (2012). Neuroglobin regulates hypoxic response of neuronal cells through Hif-1 α - and Nrf2-mediated mechanism. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/supinfo/jcbfm201221s1> <http://dx.doi.org/10.1038/jcbfm.2012.21>

Hota, S. K., Barhwal, K., Baitharu, I., Prasad, D., Singh, S. B., & Ilavazhagan, G. (2009). Bacopa monniera leaf extract ameliorates hypobaric hypoxia induced spatial memory impairment. *Neurobiology of Disease*, 34(1), 23-39. doi.

Hota, S. K., Barhwal, K., Singh, S. B., & Ilavazhagan, G. (2008). Chronic hypobaric hypoxia induced apoptosis in CA1 region of hippocampus: A possible role of NMDAR mediated p75^{NTR} upregulation. *Experimental Neurology*, 212(1), 5-13. doi.

Hota, S. K., Barhwal, K., Singh, S. B., Sairam, M., & Ilavazhagan, G. (2008). NR1 and GluR2 expression mediates excitotoxicity in chronic hypobaric hypoxia. *Journal of Neuroscience Research*, 86(5), 1142-1152. doi.

Hota, S. K., Hota, K. B., Prasad, D., Ilavazhagan, G., & Singh, S. B. (2010). Oxidative-stress-induced alterations in Sp factors mediate transcriptional regulation of the NR1 subunit in hippocampus during hypoxia. *Free Radical Biology and Medicine*, 49(2), 178-191. doi.

Hou, S.-W., Wang, Y.-Q., Xu, M., Shen, D.-H., Wang, J.-J., Huang, F., . . . Sun, F.-Y. (2008). Functional Integration of Newly Generated Neurons Into Striatum After Cerebral Ischemia in the Adult Rat Brain. *Stroke*, 39(10), 2837-2844. doi: 10.1161/strokeaha.107.510982. <http://stroke.ahajournals.org/cgi/content/abstract/STROKEAHA.107.510982v1>

Houben, S., Leroy, K., Ando, K., Yilmaz, Z., Widomski, C., Buée, L., & Brion, J.-P. (2019). Genetic ablation of tau in postnatal neurons rescues decreased adult hippocampal neurogenesis in a tauopathy model. *Neurobiology of Disease*, 127, 131-141. doi: <https://doi.org/10.1016/j.nbd.2019.02.021>. <http://www.sciencedirect.com/science/article/pii/S0969996119300518>

Hough, L. H., Hill, K., Staudt, L., Grubb, C., & Green, A. (2019). Stereological Investigation of the Rat Ventral Thalamic Nuclei Following Developmental Hyperserotonemia. *Neuroscience*, 411, 202-210. doi: <https://doi.org/10.1016/j.neuroscience.2019.05.054>. <http://www.sciencedirect.com/science/article/pii/S0306452219303847>

Hough, L. H., & Segal, S. (2016). Effects of Developmental Hyperserotonemia on the Morphology of Rat Dentate Nuclear Neurons. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.02.021>. <http://www.sciencedirect.com/science/article/pii/S0306452216001445>

House, P. K., Vyas, A., & Sapolsky, R. (2011). Predator Cat Odors Activate Sexual Arousal Pathways in Brains of *Toxoplasma gondii* Infected Rats. *PLoS ONE*, 6(8), e23277-e23277. doi.

Houtman, J., Freitag, K., Gimber, N., Schmoranzner, J., Heppner, F. L., & Jendrach, M. (2019). Beclin1-driven autophagy modulates the inflammatory response of microglia via NLRP3. *The EMBO journal*, e99430. doi. <http://emboj.embopress.org/content/early/2019/01/07/embj.201899430.export>

Hovakimyan, M., Müller, J., Wree, A., Ortinau, S., Rolfs, A., & Schmitt, O. (2012). Survival of transplanted human neural stem cell line (ReNcell VM) into the rat brain with and without immunosuppression. *Annals of Anatomy-Anatomischer Anzeiger*. doi.

Howell, D. M., Morgan, W. J., Jarjour, A. A., Spirou, G. A., & Berebi, A. S. (2007). Molecular Guidance Cues Necessary for Axon Pathfinding from the Ventral Cochlear Nucleus. *Journal of Comparative Neurology*, 504(5), 533-549. doi.

Howell, O. W., Doyle, K., Goodman, J. H., Scharfman, H. E., Herzog, H., Pringle, A., . . . Gray, W. P. (2005). Neuropeptide Y stimulates neuronal precursor proliferation in the post-natal and adult dentate gyrus. *Journal of Neurochemistry*, 93(3), 560-570. doi.

Hoxha, E., Marcinnò, A., Montarolo, F., Masante, L., Balbo, I., Ravera, F., . . . Tempia, F. (2019). Emerging roles of Fgf14 in behavioral control. *Behavioural Brain Research*, 356, 257-265. doi: <https://doi.org/10.1016/j.bbr.2018.08.034>. <http://www.sciencedirect.com/science/article/pii/S0166432818305114>

Hruska, M., Keefe, J., Wert, D., Tekinay, A. B., Hulce, J. J., Ibanez-Tallon, I., & Nishi, R. (2009). Prostate Stem Cell Antigen Is an Endogenous lynx1-Like Prototoxin That Antagonizes α 7-Containing Nicotinic Receptors and Prevents Programmed Cell Death of Parasympathetic Neurons. *Journal of Neuroscience*, 29(47), 14847-14854. doi: 10.1523/jneurosci.2271-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/47/14847>

Hruska, M., & Nishi, R. (2007). Cell-Autonomous Inhibition of α 7-Containing Nicotinic Acetylcholine Receptors Prevents Death of Parasympathetic Neurons during Development. *Journal of Neuroscience*, 27(43), 11501-11509. doi: 10.1523/jneurosci.3057-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/43/11501>

Hsieh, C. L., Niemi, E. C., Wang, S. H., Lee, C. C., Bingham, D., Zhang, J., . . . Liu, J. (2014). CCR2 deficiency impairs macrophage infiltration and improves cognitive function after traumatic brain injury. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3252>

Hsieh, J., Aimone, J. B., Kaspar, B. K., Kuwabara, T., Nakashima, K., & Gage, F. H. (2004). IGF-I instructs multipotent adult neural progenitor cells to become oligodendrocytes. *Journal of Cell Biology*, 164(1), 111-122. doi: 10.1083/jcb.200308101. <http://www.jcb.org/cgi/content/abstract/164/1/111>

Hsieh, J., Nakashima, K., Kuwabara, T., Mejia, E., & Gage, F. H. (2004). Histone deacetylase inhibition-mediated neuronal differentiation of multipotent adult neural progenitor cells. *Proceedings of the National Academy of Sciences*, 101(47), 16659-16664. doi: <http://www.Proceedings.org/cgi/content/abstract/101/47/16659>

Hu, F., a Dzaye, O. D., Hahn, A., Yu, Y., Scavetta, R. J., Dittmar, G., . . . Kettenmann, H. (2014). Glioma-derived versican promotes tumor expansion via glioma-associated microglial/macrophages Toll-like receptor 2 signaling. *Neuro-oncology*. doi: 10.1093/neuonc/nou324. <http://neuro-oncology.oxfordjournals.org/content/early/2014/11/28/neuonc..>

Hu, J., Lu, J. Y., Wong, A., Hynan, L. S., Birnbaum, S. G., Yilmaz, D. S., . . . Cooper, J. D. (2012). Intravenous high-dose enzyme replacement therapy with recombinant palmitoyl-protein thioesterase reduces visceral lysosomal storage and modestly prolongs survival in a preclinical mouse model of infantile neuronal ceroid lipofuscinosis. *Molecular Genetics and Metabolism*. doi.

Hu, K., Huang, Q., Liu, C., Li, Y., Liu, Y., Wang, H., . . . Ma, S. (2018). c-Jun/Bim Upregulation in Dopaminergic Neurons Promotes Neurodegeneration in the MPTP Mouse Model of Parkinson's Disease. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.12.026>. <http://www.sciencedirect.com/science/article/pii/S030645221830842X>

Hu, P., Oomen, C., van Dam, A.-M., Wester, J., Zhou, J.-N., Joëls, M., & Lucassen, P. J. (2012). A Single-Day Treatment with Mifepristone Is Sufficient to Normalize Chronic Glucocorticoid Induced Suppression of Hippocampal Cell Proliferation. *Plos one*, 7(9), e46224. doi: 10.1371/journal.pone.0046224. <http://dx.doi.org/10.1371%2Fjournal.pone.0046224>

Hu, P., Wang, Y., Liu, J., Meng, F.-T., Qi, X.-R., Chen, L., . . . Zhou, J.-N. (2016). Chronic retinoic acid treatment suppresses adult hippocampal neurogenesis, in close correlation with depressive-like behavior. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22574. <http://dx.doi.org/10.1002/hipo.22574>

Hu, Y. S., Xu, P., Pigino, G., Brady, S. T., Larson, J., & Lazarov, O. (2010). Complex environment experience rescues impaired neurogenesis, enhances synaptic plasticity, and attenuates neuropathology in familial Alzheimer's disease-linked APP^{swE}/PS1 ^{Δ Eg} mice. *Faseb Journal*, 24(6), 1667-1681. doi.

Hu, Z.-L., Sun, T., Lu, M., Ding, J.-H., Du, R.-H., & Hu, G. (2019). Kir6.1/K-ATP channel on astrocytes protects against dopaminergic neurodegeneration in the MPTP mouse model of Parkinson's disease via promoting mitophagy. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.07.009>. <http://www.sciencedirect.com/science/article/pii/S0889159119305008>

Hua, J., Zhang, Z., Zhang, L., Sun, Y., & Yuan, Y. (2021). UCP-2 inhibitor enhanced the efficacy of trastuzumab against HER2 positive breast cancer cells. *Cancer Chemotherapy and Pharmacology*. doi: 10.1007/s00280-021-04303-4. <https://doi.org/10.1007/s00280-021-04303-4>

Hua, K., Schindler, M. K., McQuail, J. A., Forbes, M. E., & Riddle, D. R. (2012). Regionally Distinct Responses of Microglia and Glial Progenitor Cells to Whole Brain Irradiation in Adult and Aging Rats. *Plos one*, 7(12), e52728. doi: 10.1371/journal.pone.0052728. <http://dx.doi.org/10.1371%2Fjournal.pone.0052728>

Huang, C.-W., Chen, Y.-W., Lin, Y.-R., Chen, P.-H., Chou, M.-H., Lee, L.-J., . . . Chen, S.-L. (2016). Conditional Knockout of Breast Carcinoma Amplified Sequence 2 (BCAS2) in Mouse Forebrain Causes Dendritic Malformation via β -catenin. [Article]. *Scientific Reports*, 6, 34927. doi: 10.1038/srep34927

<http://www.nature.com/articles/srep34927#supplementary-information>. <http://dx.doi.org/10.1038/srep34927>

Huang, D., Wang, Z., Tong, J., Wang, M., Wang, J., Xu, J., . . . Huang, F. (2017). Long-term Changes in the Nigrostriatal Pathway in the MPTP Mouse Model of Parkinson's Disease. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.11.041>. <https://www.sciencedirect.com/science/article/pii/S0306452217308448>

Huang, J., Chen, J., Wang, W., Koshimizu, Y., Wei, Y. Y., Kaneko, T., . . . Wu, S. X. (2010). Neurochemical properties of enkephalinergic neurons in lumbar spinal dorsal horn revealed by preproenkephalin-green fluorescent protein transgenic mice. *Journal of Neurochemistry*, 113(6), 1555-1564. doi: 10.1111/j.1471-4141.2010.07111.x

Huang, J., Jing, S., Chen, X., Bao, X., Du, Z., Li, H., . . . Fan, X. (2015). Propofol Administration During Early Postnatal Life Suppresses Hippocampal Neurogenesis. *Molecular Neurobiology*, 1-14. doi: 10.1007/s12035-014-9052-7. <http://dx.doi.org/10.1007/s12035-014-9052-7>

Huang, Q., Du, X., He, X., Yu, Q., Hu, K., Breitwieser, W., . . . Li, M. (2015). JNK-mediated activation of ATF2 contributes to dopaminergic neurodegeneration in the MPTP mouse model of Parkinson's disease. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.10.010>. <http://www.sciencedirect.com/science/article/pii/S0014488615301114>

Huang, T., & Krimm, R. F. (2014). BDNF and NT4 play interchangeable roles in gustatory development. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2013.12.031>. <http://www.sciencedirect.com/science/article/pii/S0012160613006933>

Huang, W., Begum, R., Barber, T., Ibba, V., Tee, N. C. H., Hussain, M., . . . others. (2011). Regenerative potential of silk conduits in repair of peripheral nerve injury in adult rats. *Biomaterials*. doi: 10.1016/j.biomaterials.2011.07.041

Huberfeld, G., Wittner, L., Clemenceau, S., Baulac, M., Kaila, K., Miles, R., & Rivera, C. (2007). Perturbed Chloride Homeostasis and GABAergic Signaling in Human Temporal Lobe Epilepsy. *Journal of Neuroscience*, 27(37), 9866-9873. doi: 10.1523/jneurosci.2761-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/37/9866>

Huebner, S. M., Tran, T. D., Rufer, E. S., Crump, P. M., & Smith, S. M. (2015). Maternal Iron Deficiency Worsens the Associative Learning Deficits and Hippocampal and Cerebellar Losses in a Rat Model of Fetal Alcohol Spectrum Disorders. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/acer.12876. <http://dx.doi.org/10.1111/acer.12876>

Huguenard, A. L., Fernando, S. M., Monks, D. A., & Sengelaub, D. R. (2011). Overexpression of androgen receptors in target musculature confers androgen sensitivity to motoneuron dendrites. *Endocrinology*, 152(2), 639-650. doi.

Huh, Y., Ju, M. S., Park, H., Han, S., Bang, Y. M., Ferris, C. F., . . . others. (2010). Clavulanic acid protects neurons in pharmacological models of neurodegenerative diseases. *Drug Development Research*, 71(6), 351-357. doi.

Hühner, L., Rilka, J., Gilsbach, R., Zhou, X., Machado, V., & Spittau, B. (2017). Interleukin-4 Protects Dopaminergic Neurons In vitro but Is Dispensable for MPTP-Induced Neurodegeneration In vivo. [Original Research]. *Frontiers in Molecular Neuroscience*, 10(62). doi: 10.3389/fnmol.2017.00062. <http://journal.frontiersin.org/article/10.3389/fnmol.2017.00062>

Huie, J. R., Garraway, S. M., Baumbauer, K. M., Hoy, K. C., Beas, B. S., Montgomery, K. S., . . . Grau, J. W. (2011). Brain-derived neurotrophic factor (BDNF) promotes adaptive plasticity within the spinal cord and mediates the beneficial effects of controllable stimulation. *Neuroscience*. doi.

Huisman, E., Uylings, H., & Hoogland, P. V. (2004). A 100% increase of dopaminergic cells in the olfactory bulb may explain hyposmia in Parkinson's disease. *Movement Disorders*, 19(6), 687-692. doi.

Huisman, E., Uylings, H., & Hoogland, P. V. (2008). Gender-related changes in increase of dopaminergic neurons in the olfactory bulb of Parkinson's disease patients. *Movement Disorders*, 23(10), 1407-1413. doi.

Humann, J., Mann, B., Gao, G., Moresco, P., Ramahi, J., Loh, N., . . . Tuomanen, Elaine I. (2016). Bacterial Peptidoglycan Transverses the Placenta to Induce Fetal Neuroproliferation and Aberrant Postnatal Behavior. *Cell Host & Microbe*, 19(3), 388-399. doi: <http://dx.doi.org/10.1016/j.chom.2016.02.009>. <http://www.sciencedirect.com/science/article/pii/S1931312816300506>

Hunanyan, A. S., Alessi, V., Patel, S., Pearse, D. D., Matthews, G., & Arvanian, V. L. (2011). Alterations of action potentials and the localization of Nav1.6 sodium channels in spared axons after hemisection injury of the spinal cord in adult rats. *Journal of Neurophysiology*, 105(3), 1033-1044. doi: 10.1152/jn.00810.2010. <http://jn.physiology.org/content/105/3/1033.abstract>

Hundal, R. S., Krssak, M., Dufour, S., Laurent, D., Lebon, V., & Chandramouli, V. (2000). Mechanism by which metformin reduces glucose production in type 2 diabetes. *Diabetes*, 49. doi: 10.2337/diabetes.49.12.2063. <http://dx.doi.org/10.2337/diabetes.49.12.2063>

Hundeshagen, G., Szameit, K., Thieme, H., Finkensieper, M., Angelov, D. N., Guntinas-Lichius, O., & Irintchev, A. (2013). Deficient functional recovery after facial nerve crush in rats is associated with restricted rearrangements of synaptic terminals in the facial nucleus. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.019>. <http://www.sciencedirect.com/science/article/pii/S0306452213005241>

Hunter, C. L., Bachman, D., & Granholm, A. C. (2004). Minocycline prevents cholinergic loss in a mouse model of Down's syndrome. *Annals of Neurology*, 56(5), 675-688. doi.

Hunter, C. L., Quintero, E. M., Gilstrap, L., Bhat, N. R., & Granholm, A.-C. (2004). Minocycline protects basal forebrain cholinergic neurons from mu p75-saporin immunotoxic lesioning. *European Journal of Neuroscience*, 19(12), 3305-3316. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2004.0343...>

Hunter, D. A., Pan, D., Wood, M. D., Snyder-Warwick, A. K., Moore, A. M., Feldman, E. L., . . . Brenner, M. J. (2020). Design-Based Stereology and Binary Image Histomorphometry in Nerve Assessment. *Journal of Neuroscience Methods*, 108635. doi: <https://doi.org/10.1016/j.jneumeth.2020.108635>. <http://www.sciencedirect.com/science/article/pii/S0165027020300571>

Huo, K., Sun, Y., Li, H., Du, X., Wang, X., Karlsson, N., . . . Blomgren, K. (2012). Lithium reduced neural progenitor apoptosis in the hippocampus and ameliorated functional deficits after irradiation to the immature mouse brain. *Molecular and Cellular Neuroscience*, (0). doi: 10.1016/j.mcn.2012.07.002. <http://www.sciencedirect.com/science/article/pii/S1044743112001108>

Huotari, A., Penttinen, A.-M., Bäck, S., Voutilainen, M. H., Julku, U., Piepponen, T. P., . . . Airavaara, M. (2018). Combination of CDNF and Deep Brain Stimulation Decreases Neurological Deficits in Late-stage Model Parkinson's Disease. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.01.052>. <http://www.sciencedirect.com/science/article/pii/S0306452218300824>

Hurskainen, M., Mižiková, I., Cook, D. P., Andersson, N., Cyr-Depauw, C., Lesage, F., . . . Thébaud, B. (2021). Single cell transcriptomic analysis of murine lung development on hyperoxia-induced damage. *Nature Communications*, 12(1), 1565. doi: 10.1038/s41467-021-21865-2. <https://doi.org/10.1038/s41467-021-21865-2>

Hurtado, A., Podinin, H., Oudega, M., & Grimpe, B. (2008). Deoxyribozyme-mediated knockdown of xylosyltransferase-1 mRNA promotes axon growth in the adult rat spinal cord. *Brain*. doi: 10.1093/brain/awn206. <http://brain.oxfordjournals.org/cgi/content/abstract/awn206v1>

Hussain, T., Kil, H., Hattiangady, B., Lee, J., Kodali, M., Shuai, B., . . . Aldaz, C. M. (2019). Wwox deletion leads to reduced GABA-ergic inhibitory interneuron numbers and activation of microglia and astrocytes in mouse hippocampus. *Neurobiology of Disease*, 121, 163-176. doi: <https://doi.org/10.1016/j.nbd.2018.09.026>. <http://www.sciencedirect.com/science/article/pii/S0969996118306612>

Hutson, C. B., Lazo, C. R., Mortazavi, F., Giza, C. C., Hovda, D., & Chesselet, M. F. (2011). Traumatic brain injury in adult rats causes progressive nigrostriatal dopaminergic cell loss and enhanced vulnerability to the pesticide paraquat. *Journal of Neurotrauma*, 28(9), 1783-1801. doi:

Huttenrauch, M., Brausz, A., Kurdakova, A., Borgers, H., Klinker, F., Liebetanz, D., . . . Wirths, O. (2016). Physical activity delays hippocampal neurodegeneration and rescues memory deficits in an Alzheimer disease mouse model. [Original Article]. *Transl Psychiatry*, 6, e800. doi: 10.1038/tp.2016.65. <http://dx.doi.org/10.1038/tp.2016.65>

Hutter-Saunders, J. A. L., Gendelman, H. E., & Mosley, R. L. (2012). Murine Motor and Behavior Functional Evaluations for Acute 1-Methyl-4-Phenyl-1, 2, 3, 6-Tetrahydropyridine (MPTP) Intoxication. *Journal of Neuroimmune Pharmacology*, 1-10. doi:

Huusko, N., & Pitkänen, A. (2014). Parvalbumin immunoreactivity and expression of GABAA receptor subunits in the thalamus after experimental TBI. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.02.026>. <http://www.sciencedirect.com/science/article/pii/S0306452214001389>

Huusko, N., Römer, C., Nnode-Ekane, X., Lukasiuk, K., & Pitkänen, A. (2013). Loss of hippocampal interneurons and epileptogenesis: a comparison of two animal models of acquired epilepsy. *Brain Structure and Function*, 1-39. doi: 10.1007/s00429-013-0644-1. <http://dx.doi.org/10.1007/s00429-013-0644-1>

Hwang, B. H., Chang, H. M., Gu, Z. H., & Suzuki, R. (2007). c-fos gene expression is increased in the paraventricular hypothalamic nucleus of Sprague-Dawley rats With visceral pain induced by acetic acid without detectable changes of corticotrophin-releasing factor mRNA: A quantitative approach with an image analysis system. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 290(4), 406-413. doi.

Hwang, D. H., Kim, H. M., Kang, Y. M., Joo, I. S., Cho, C. S., Yoon, B. W., . . . Kim, B. G. (2011). Combination of multifaceted strategies to maximize the therapeutic benefits of neural stem cell transplantation for spinal cord repair. *Cell Transplantation*, 20(9), 1361-1379. doi.

Hwang, D. H., Shin, H. Y., Kwon, M. J., Choi, J. Y., Ryu, B.-Y., & Kim, B. G. (2014). Survival of Neural Stem Cell Grafts in the Lesioned Spinal Cord Is Enhanced by a Combination of Treadmill Locomotor Training via Insulin-Like Growth Factor-1 Signaling. *The Journal of Neuroscience*, 34(38), 12788-12800. doi. <http://www.jneurosci.org/content/34/38/12788.short>

Hwang, J. H., Lee, J. H., Lee, K. H., Bae, E. J., Sung, D. K., Chang, Y. S., & Park, W. S. (2010). Cyclosporine A attenuates hypoxic-ischemic brain injury in newborn rats. *Brain Research*, 1359, 208-215. doi.

Hwang, S. J., & Huh, Y. (2010). Age-related changes in nitric oxide synthase in the lateral geniculate nucleus of rats. *Journal of molecular histology*, 41(2), 129-135. doi.

Iacono, D., Geraci-Erck, M., Peng, H., Rabin, M. L., & Kurlan, R. (2015). Reduced Number of Pigmented Neurons in the Substantia Nigra of Dystonia Patients? Findings from Extensive Neuropathologic, Immunohistochemistry, and Quantitative Analyses. *Tremor and Other Hyperkinetic Movements*. doi. <http://www.tremorjournal.org/index.php/tremor/article/view/301/1073>

Iacono, D., Geraci-Erck, M., Peng, H., Rabin, M. L., & Kurlan, R. (2018). Hypertrophy of nigral neurons in Torsin1A deletion (DYT1) carriers manifesting dystonia. *Parkinsonism & Related Disorders*. doi: 10.1016/j.parkreldis.2018.08.020. <https://doi.org/10.1016/j.parkreldis.2018.08.020>

Iacono, D., Markesbery, W. R., Gross, M., Pletnikova, O., Rudow, G., Zandi, P., & Troncoso, J. C. (2009). The Nun Study. Clinically silent AD, neuronal hypertrophy, and linguistic skills in early life. *Neurology*, 73(9), 665-673. doi.

Iacono, D., O'Brien, R., Resnick, S. M., Zonderman, A. B., Pletnikova, O., Rudow, G., . . . Troncoso, J. C. (2008). Neuronal hypertrophy in asymptomatic Alzheimer's disease. *Journal of Neuropathology and Experimental Neurology*, 67(6), 578-578. doi.

Iacono, D., Resnick, S. M., O'Brien, R., Zonderman, A. B., An, Y., Pletnikova, O., . . . Troncoso, J. C. (2014). Mild Cognitive Impairment and Asymptomatic Alzheimer Disease Subjects: Equivalent [beta]-Amyloid and Tau Loads With Divergent Cognitive Outcomes. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.000000000000052. doi. http://journals.lww.com/jneuropath/Fulltext/publishahead/Mild_Cognitive...

Iannielli, A., Bido, S., Folladori, L., Segnali, A., Cancellieri, C., Maresca, A., . . . Broccoli, V. (2018). Pharmacological Inhibition of Necroptosis Protects from Dopaminergic Neuronal Cell Death in Parkinson's Disease Models. *Cell Reports*, 22(8), 2066-2079. doi: <https://doi.org/10.1016/j.celrep.2018.01.089>. <http://www.sciencedirect.com/science/article/pii/S221124718301530>

Ibanez-Sandoval, O., Tecuapetla, F., Unal, B., Shah, F., Koos, T., & Tepper, J. M. (2010). Electrophysiological and Morphological Characteristics and Synaptic Connectivity of Tyrosine Hydroxylase-Expressing Neurons in Adult Mouse Striatum. *Journal of Neuroscience*, 30(20), 6999-7016. doi: 10.1523/jneurosci.5996-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/20/6999>

Iczkiewicz, J., Broom, L., Cooper, J. D., Wong, A. M. S., Rose, S., & Jenner, P. (2010). The RGD-containing peptide fragment of osteopontin protects tyrosine hydroxylase positive cells against toxic insult in primary ventral mesencephalic cultures and in the rat substantia nigra. *Journal of Neurochemistry*, 114(6), 1792-1804. doi: <http://dx.doi.org/10.1111/j.1471-4159.2010.06896.x>

Idrus, N. M., McGough, N. N. H., Riley, E. P., & Thomas, J. D. (2011). Administration of Memantine During Ethanol Withdrawal in Neonatal Rats: Effects on Long-Term Ethanol-Induced Motor Incoordination and Cerebellar Purkinje Cell Loss. *Alcoholism: Clinical and Experimental Research*, 35(2), 355-364. doi: 10.1111/j.1530-0277.2010.01351.x. <http://dx.doi.org/10.1111/j.1530-0277.2010.01351.x>

Ieraci, A., & Herrera, D. G. (2006). Nicotinamide Protects against Ethanol-Induced Apoptotic Neurodegeneration in the Developing Mouse Brain. *PLoS Medicine*, 3(4), e101. doi.

Ieraci, A., & Herrera, D. G. (2018). Nicotinamide Inhibits Ethanol-Induced Caspase-3 and PARP-1 Over-activation and Subsequent Neurodegeneration in the Developing Mouse Cerebellum. [journal article]. *The Cerebellum*. doi: 10.1007/s12311-017-0916-z. <https://doi.org/10.1007/s12311-017-0916-z>

Igado, O. O., Andrioli, A., Azeez, I. A., Girolamo, F., Errede, M., Aina, O. O., . . . Olopade, J. O. (2020). The ameliorative effects of a phenolic derivative of *Moringa oleifera* leave against vanadium-induced neurotoxicity in mice. *IBRO Reports*. doi: <https://doi.org/10.1016/j.ibror.2020.07.004>. <http://www.sciencedirect.com/science/article/pii/S2451830120300273>

Ignarro, R. S., Vieira, A. S., Sartori, C. R., Langone, F., Rogério, F., & Parada, C. A. (2013). JAK2 inhibition is neuroprotective and reduces astrogliosis after quinolinic acid striatal lesion in adult mice. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.02.005>. <http://www.sciencedirect.com/science/article/pii/S089106181300015X>

Ihara, R., Vincent, B. D., Baxter, M. R., Franklin, E. E., Hassenstab, J. J., Xiong, C., . . . Cairns, N. J. (2018). Relative neuron loss in hippocampal sclerosis of aging and Alzheimer disease. *Annals of Neurology*, 0(ja). doi: 10.1002/ana.25344. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ana.25344>

Ihunwo, A. O., & Schliebs, R. (2010). Cell proliferation and total granule cell number in dentate gyrus of transgenic Tg2576 mouse. *Acta Neurobiologiae Experimentalis*, 70(4), 362-362. doi.

Ikeda, S., He, A., Kong, S. W., Lu, J., Bejar, R., Bodyak, N., . . . Pu, W. T. (2009). microRNA-1 negatively regulates expression of the hypertrophy-associated genes calmodulin and Mef2a. *Molecular and Cellular Biology*, MCB.01222-01208. doi: 10.1128/mcb.01222-08. <http://mcb.asm.org/cgi/content/abstract/MCB.01222-08v1>

Ikeda, Y., Zabbarova, I., Schaefer, C. M., Bushnell, D. S., de Groat, W. C., Kanai, A. J., & Bates, C. M. (2017). Fgfr2 is integral for bladder mesenchyme patterning and function. [10.1152/ajprenal.00463.2016]. *American Journal of Physiology - Renal Physiology*. doi: <http://ajprenal.physiology.org/content/early/2017/01/03/ajprenal.00463.2>..

Ikemoto, S., Witkin, B. M., & Morales, M. (2003). Rewarding injections of the cholinergic agonist carbachol into the ventral tegmental area induce locomotion and c-Fos expression in the retrosplenial area and supramammillary nucleus. *Brain Research*, 969(1), 78-87. doi.

Ikonomidou, C., Kirvassilis, G., Swiney, B. S., Wang, S. H., Huffman, J. N., Williams, S. L., . . . Noguchi, K. K. (2019). Mild hypothermia ameliorates anesthesia toxicity in the neonatal macaque brain. *Neurobiology of Disease*, 104489. doi: <https://doi.org/10.1016/j.nbd.2019.104489>, <http://www.sciencedirect.com/science/article/pii/S0969996119301445>

Ikonomovic, M. D., Abrahamson, E. E., Price, J. C., Hamilton, R. L., Mathis, C. A., Paljug, W. R., . . . others. (2012). Early AD pathology in a [C-11] PiB-negative case: a PiB-amyloid imaging, biochemical, and immunohistochemical study. *Acta Neuropathologica*, 1-15. doi.

Ikonomovic, M. D., Buckley, C. J., Abrahamson, E. E., Kofler, J. K., Mathis, C. A., Klunk, W. E., & Farrar, G. (2020). Post-mortem analyses of PiB and flutemetamol in diffuse and cored amyloid- β plaques in Alzheimer's disease. *Acta Neuropathologica*. doi: 10.1007/s00401-020-02175-1. <https://doi.org/10.1007/s00401-020-02175-1>

Iliff, J. J., Chen, M. J., Plog, B. A., Zeppenfeld, D. M., Soltero, M., Yang, L., . . . Nedergaard, M. (2014). Impairment of Glymphatic Pathway Function Promotes Tau Pathology after Traumatic Brain Injury. *The Journal of Neuroscience*, 34(49), 16180-16193. doi: <http://www.jneurosci.org/content/34/49/16180.short>

Iliff, J. J., Wang, M., Zeppenfeld, D. M., Venkataraman, A., Plog, B. A., Liao, Y., . . . Nedergaard, M. (2013). Cerebral Arterial Pulsation Drives Paravascular CSF-Interstitial Fluid Exchange in the Murine Brain. *The Journal of Neuroscience*, 33(46), 18190-18199. doi: <http://www.jneurosci.org/content/33/46/18190.short>

Ilijic, E., Guidotti, A., & Mugnaini, E. (2005). Moving up or moving down? Malpositioned cerebellar unipolar brush cells in reeler mouse. *Neuroscience*, 136(3), 633-647. doi.

Ilijic, E., Guzman, J. N., & Surmeier, D. J. (2011). The L-type channel antagonist isradipine is neuroprotective in a mouse model of Parkinson's disease. *Neurobiology of Disease*. doi.

Illouz, T., Madar, R., Biragyn, A., & Okun, E. (2018). Restoring microglial and astroglial homeostasis using DNA immunization in a Down Syndrome mouse model. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2018.10.004>, <http://www.sciencedirect.com/science/article/pii/S088915911830744X>

Imam, A., Bhagwandin, A., Ajao, M. S., Ihunwo, A. O., Fuxe, K., & Manger, P. R. (2018). The brain of the tree pangolin (*Manis tricuspis*). III. The unusual locus coeruleus complex. *Journal of Comparative Neurology*, 0(ja). doi:10.1002/cne.24519. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24519>

Imam, A., Bhagwandin, A., Ajao, M. S., Ihunwo, A. O., & Manger, P. R. (2019). The brain of the tree pangolin (*Manis tricuspis*). IV. The hippocampal formation. *Journal of Comparative Neurology*, 0(ja). doi:10.1002/cne.24620. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24620>

- Imam, A., Bhagwandin, A., Ajao, M. S., & Manger, P. R. (2019). The brain of the tree pangolin (*Manis tricuspis*). V. The diencephalon and hypothalamus. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24619. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24619>
- Imam, A., Bhagwandin, A., Ajao, M. S., Spocter, M. A., Ihunwo, A. O., & Manger, P. R. (2018). The brain of the tree pangolin (*Manis tricuspis*). II. The olfactory system. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24510. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24510>
- Imam, S. Z., Trickler, W., Kimura, S., Binienda, Z. K., Paule, M. G., Slikker, W., Jr., . . . Ali, S. F. (2013). Neuroprotective Efficacy of a New Brain-Penetrating C-Abl Inhibitor in a Murine Parkinson's Disease Model. *Plos one*, 8(5), e65129. doi: 10.1371/journal.pone.0065129. <http://dx.doi.org/10.1371%2Fjournal.pone.0065129>
- Imfeld, P., Bodmer, M., Jick, S. S., & Meier, C. R. (2012). Metformin, other antidiabetic drugs, and risk of Alzheimer's disease: a population-based case-control study. *Journal of the American Geriatrics Society*, 60. doi: 10.1111/j.1532-5415.2012.03916.x. <http://dx.doi.org/10.1111/j.1532-5415.2012.03916.x>
- Inden, M., Kitamura, Y., Takahashi, K., Takata, K., Ito, N., Niwa, R., . . . others. (2011). Protection Against Dopaminergic Neurodegeneration in Parkinson's Disease-Model Animals by a Modulator of the Oxidized Form of DJ-1, a Wild-type of Familial Parkinson's Disease-Linked PARK7. *Journal of Pharmacological Sciences*, 117(3), 189-203. doi.
- Inden, M., Kitamura, Y., Tamaki, A., Yanagida, T., Shibaie, T., Yamamoto, A., . . . others. (2009). Neuroprotective effect of the antiparkinsonian drug pramipexole against nigrostriatal dopaminergic degeneration in rotenone-treated mice. *Neurochemistry International*, 55(8), 760-767. doi.
- Inden, M., Takata, K., Nishimura, K., Kitamura, Y., Ashihara, E., Yoshimoto, K., . . . Shimohama, S. (2012). Therapeutic effects of human mesenchymal and hematopoietic stem cells on rotenone-treated parkinsonian mice. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23128. <http://dx.doi.org/10.1002/jnr.23128>
- Inden, M., Takata, K., Yanagisawa, D., Ashihara, E., Tooyama, I., Shimohama, S., & Kitamura, Y. (2016). $\alpha 4$ Nicotinic acetylcholine receptor modulated by galantamine on nigrostriatal terminals regulates dopamine receptor-mediated rotational behavior. *Neurochemistry International*. doi: <http://dx.doi.org/10.1016/j.neuint.2016.02.008>. <http://www.sciencedirect.com/science/article/pii/S0197018616300171>
- Indraswari, F., Wang, H., Lei, B., James, M. L., Kernagis, D., Warner, D. S., . . . Laskowitz, D. T. (2012). Statins improve outcome in murine models of intracranial hemorrhage and traumatic brain injury: A translational approach. *Journal of Neurotrauma*, (ja). doi.
- Inflammasom, D. A. S. (2008). Das Inflammasom: zentrale Schalt-stelle zwischen Stresssignalen und der Entzündungsreaktion bei neuro-degenerativen Erkrankungen?!. *Spektrum Sachbücher*, 190-190. doi.
- Inga, W., Meike, J., Stephan, v. H., Michael, S., & Andreas, S. (2019). Postnatal morphological lung development of wild type and CD26/DPP4 deficient rat pups in dependency of LPS exposure. *Annals of Anatomy - Anatomischer Anzeiger*, 151423. doi: <https://doi.org/10.1016/j.aanat.2019.151423>. <http://www.sciencedirect.com/science/article/pii/S094096021930127X>

Inglis-Broadgate, S. L., Thomson, R. E., Pellicano, F., Tartaglia, M. A., Pontikis, C. C., Cooper, J. D., & Iwata, T. (2005). FGFR3 regulates brain size by controlling progenitor cell proliferation and apoptosis during embryonic development. *Developmental Biology*, 279(1), 73-85. doi.

Ingraham, S. E., Saha, M., Carpenter, A. R., Robinson, M., Ismail, I., Singh, S., . . . others. (2010). Pathogenesis of renal injury in the megabladder mouse: A genetic model of congenital obstructive nephropathy. *Pediatric Research*, 68(6), 500-507. doi.

Inman, D. M., & Horner, P. J. (2007). Reactive nonproliferative gliosis predominates in a chronic mouse model of glaucoma. *Glia*, 55(9), 942-953. doi.

Inman, D. M., Lambert, W. S., Calkins, D. J., & Horner, P. J. (2013). α -Lipoic Acid Antioxidant Treatment Limits Glaucoma-Related Retinal Ganglion Cell Death and Dysfunction. *Plos one*, 8(6), e65389. doi: 10.1371/journal.pone.0065389. <http://dx.doi.org/10.1371%2Fjournal.pone.0065389>

Innamorato, N. G., Jazwa, A., Rojo, A. I., García, C., Fernández-Ruiz, J., Grochot-Przeczek, A., . . . Cuadrado, A. (2010). Different susceptibility to the parkinson's toxin MPTP in mice lacking the redox master regulator Nrf2 or its target gene heme oxygenase-1. *PLoS ONE*, 5(7), e11838-e11838. doi.

Inostroza, M., Cid, E., Brotons-Mas, J., Gal, B., Aivar, P., Uzategui, Y. G., . . . de la Prida, L. M. (2011). Hippocampal-Dependent Spatial Memory in the Water Maze is Preserved in an Experimental Model of Temporal Lobe Epilepsy in Rats. *PLoS ONE*, 6(7), e22372-e22372. doi.

Inoue, H., Lin, L., Lee, X., Shao, Z., Mendes, S., Snodgrass-Belt, P., . . . Isacson, O. (2007). Inhibition of the leucine-rich repeat protein LINGO-1 enhances survival, structure, and function of dopaminergic neurons in Parkinson's disease models. *Proceedings of the National Academy of Sciences*, 0700901104. doi: 10.1073/Proceedings of the National Academy of Sciences.0700901104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/0700901104v1>

Inoue, N., Ogura, S., Kasai, A., Nakazawa, T., Ikeda, K., Higashi, S., . . . Fujimura, H. (2018). Knockdown of the mitochondria-localized protein p13 protects against experimental parkinsonism. *EMBO reports*, e44860. doi. <http://embor.embopress.org/content/early/2018/01/24/embr.201744860.export>

Inoue, T., Abe, C., Kohro, T., Tanaka, S., Huang, L., Yao, J., . . . Okusa, M. D. (2019). Non-canonical cholinergic anti-inflammatory pathway-mediated activation of peritoneal macrophages induces Hes1 and blocks ischemia/reperfusion injury in the kidney. *Kidney International*. doi: 10.1016/j.kint.2018.09.020. <https://doi.org/10.1016/j.kint.2018.09.020>

Inoue, T., Abe, C., Sung, S.-s. J., Moscalu, S., Jankowski, J., Huang, L., . . . Okusa, M. D. (2016). Vagus nerve stimulation mediates protection from kidney ischemia-reperfusion injury through α 7nAChR+ splenocytes. *The Journal of Clinical Investigation*, 126(5). doi: 10.1172/jci83658. <http://dx.doi.org/10.1172/JCI83658>

Insua, D., Corredoira, A., González-Martínez, Á., Suárez, M. L., Santamarina, G., Sarasa, M., & Pesini, P. (2012). Expression of p75 NTR, a Marker for Basal Forebrain Cholinergic Neurons, in Young and Aged Dogs with or without Cognitive Dysfunction Syndrome. *Journal of Alzheimer's Disease*, 28(2), 291-296. doi.

Insua, D., Suárez, M. L., Santamarina, G., Sarasa, M., & Pesini, P. (2010). Dogs with canine counterpart of Alzheimer's disease lose noradrenergic neurons. *Neurobiology of Aging*, 31(4), 625-635. doi.

Ip, C. W., Klaus, L.-C., Karikari, A. A., Visanji, N. P., Brotchie, J. M., Lang, A. E., . . . Koprach, J. B. (2017). AAV1/2-induced overexpression of A53T- α -synuclein in the substantia nigra results in degeneration of the nigrostriatal system with Lewy-like pathology and motor impairment: a new mouse model for Parkinson's disease. [journal article]. *Acta Neuropathologica Communications*, 5(1), 11. doi: 10.1186/s40478-017-0416-x. <http://dx.doi.org/10.1186/s40478-017-0416-x>

Iqbal, S., Howard, S., & LoGrasso, P. V. (2015). Serum- glucocorticoid-inducible kinase 1 confers protection in cell-based and in in vivo neurotoxin models via the c-Jun N-terminal kinase signaling pathway. *Molecular and Cellular Biology*. doi: 10.1128/mcb.01510-14. <http://mcb.asm.org/content/early/2015/03/27/MCB.01510-14.abstract>

Irvine, E. E., Drinkwater, L., Radwanska, K., Al-Qassab, H., Smith, M. A., O'Brien, M., . . . Giese, K. P. (2011). Insulin receptor substrate 2 is a molecular constraint on memory formation. *Learning and Memory*, 18, 375-383. doi.

Irvine, E. E., Drinkwater, L., Radwanska, K., Al-Qassab, H., Smith, M. A., O'Brien, M., . . . others. (2011). Insulin receptor substrate 2 is a negative regulator of memory formation. *Learning and Memory*, 18(6), 375-383. doi.

Isgor, C., Kabbaj, M., Akil, H., & Watson, S. J. (2004). Delayed effects of chronic variable stress during peripubertal-juvenile period on hippocampal morphology and on cognitive and stress axis functions in rats. *Hippocampus*, 14(5), 636-648. doi.

Isgor, C., Pare, C., McDole, B., Coombs, P., & Guthrie, K. (2015). Expansion of the dentate mossy fiber-CA3 projection in the brain-derived neurotrophic factor-enriched mouse hippocampus. *Neuroscience*, 288(0), 10-23. doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.12.036>. <http://www.sciencedirect.com/science/article/pii/S0306452214010859>

Isgor, C., Slomianka, L., & Watson, S. J. (2004). Hippocampal mossy fibre terminal field size is differentially affected in a rat model of risk-taking behaviour. *Behavioural Brain Research*, 153(1), 7-14. doi.

Ishibashi, S., Maric, D., Mou, Y., Ohtani, R., Ruetzler, C., & Hallenbeck, J. M. (2008). Mucosal tolerance to E-selectin promotes the survival of newly generated neuroblasts via regulatory T-cell induction after stroke in spontaneously hypertensive rats. *Journal of Cerebral Blood Flow Metabolism*. doi: <http://dx.doi.org/10.1038/jcbfm.2008.153>

<http://www.nature.com/jcbfm/journal/vaop/ncurrent/suppinfo/jcbfm2008153s..>

Ishida, A., Watanabe, G., Oshikawa, M., Ajioka, I., & Muraoka, T. (2019). Glycine Substitution Effects on the Supramolecular Morphology and Rigidity of Cell-Adhesive Amphiphilic Peptides. *Chemistry – A European Journal*, 0(ja). doi: 10.1002/chem.201902083. <https://onlinelibrary.wiley.com/doi/abs/10.1002/chem.201902083>

Ishihara, K., Shimizu, R., Takata, K., Kawashita, E., Amano, K., Shimohata, A., . . . Akiba, S. (2019). Perturbation of the immune cells and prenatal neurogenesis by the triplication of the Erg gene in mouse models of Down syndrome. *Brain Pathology*, 0(ja). doi: 10.1111/bpa.12758. <https://onlinelibrary.wiley.com/doi/abs/10.1111/bpa.12758>

Ishiyama, A., Agena, J., Lopez, I., & Tang, Y. (2001). Unbiased stereological quantification of neurons in the human spiral ganglion. *Neuroscience Letters*, 304(1-2), 93-96. doi.

Ishiyama, A., Lopez, I., Ishiyama, G., & Tang, Y. (2004). Unbiased quantification of the microdissected human Scarpa's ganglion neurons. *Laryngoscope*, 114(8), 1496-1499. doi.

Ishiyama, G., Finn, M., Lopez, I., Tang, Y., Baloh, R. W., & Ishiyama, A. (2005). Unbiased quantification of Scarpa's ganglion neurons in aminoglycoside ototoxicity. *Journal of Vestibular Research: Equilibrium and Orientation*, 15(4), 197-202. doi.

Ishiyama, G., Tokita, J., Lopez, I., Tang, Y., & Ishiyama, A. (2007). Unbiased stereological estimation of the spiral ligament and stria vascularis volumes in aging and Ménière's disease using archival human temporal bones. *Journal of the Association for Research in Otolaryngology*, 8(1), 8-17. doi.

Issa, H. A., Staes, N., Diggs-Galligan, S., Stimpson, C. D., Gendron-Fitzpatrick, A., Tagliatela, J. P., . . . Sherwood, C. C. (2018). Comparison of bonobo and chimpanzee brain microstructure reveals differences in socio-emotional circuits. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1751-9. <https://doi.org/10.1007/s00429-018-1751-9>

Issa, J. P., Gonzaga, M., Kotake, B. G., de Lucia, C., Ervolino, E., & Iyomasa, M. (2015). Bone repair of critical size defects treated with autogenic, allogenic, or xenogenic bone grafts alone or in combination with rhBMP-2. *Clinical Oral Implants Research*, n/a-n/a. doi: 10.1111/clr.12622. <http://dx.doi.org/10.1111/clr.12622>

Issa, J. P. M., Trawitzki, B. F., Ervolino, E., Macedo, A. P., & Lilge, L. (2017). Low-intensity laser therapy efficacy evaluation in FVB mice subjected to acute and chronic arthritis. [journal article]. *Lasers in Medical Science*, 1-9. doi: 10.1007/s10103-017-2235-5. <http://dx.doi.org/10.1007/s10103-017-2235-5>

Ito, D., Fujisawa, T., Iida, H., & Suzuki, N. (2008). Characterization of seipin/BSCL2, a protein associated with spastic paraplegia 17. *Neurobiology of Disease*, 31. doi: 10.1016/j.nbd.2008.05.004. <http://dx.doi.org/10.1016/j.nbd.2008.05.004>

Ito, T., Bishop, D. C., & Oliver, D. L. (2011). Expression of glutamate and inhibitory amino acid vesicular transporters in the rodent auditory brainstem. *Journal of Comparative Neurology*, 519(2), 316-340. doi: 10.1002/cne.22521. <http://dx.doi.org/10.1002/cne.22521>

Ito, T., Hioki, H., Sohn, J., Okamoto, S., Kaneko, T., Iino, S., & Oliver, D. L. (2015). Convergence of lemniscal and local excitatory inputs on large gabaergic tectothalamic neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23789. <http://dx.doi.org/10.1002/cne.23789>

Iva Dincheva, Jianmin Yang, Anfei Li, Tina Marinic, Helena Freilingsdorf, Chienchun Huang, . . . Deqiang Jing. (2017). Effect of Early-Life Fluoxetine on Anxiety-Like Behaviors in BDNF Val66Met Mice. *American Journal of Psychiatry*, 0(0), appi.ajp.2017.15121592. doi: 10.1176/appi.ajp.2017.15121592. <http://ajp.psychiatryonline.org/doi/abs/10.1176/appi.ajp.2017.15121592>

Iwasaki, M., Wilcox, J. T., Nishimura, Y., Zweckberger, K., Suzuki, H., Wang, J., . . . Fehlings, M. G. (2014). Synergistic effects of self-assembling peptide and neural stem/progenitor cells to promote tissue repair and forelimb functional recovery in cervical spinal cord injury. *Biomaterials*, (0). doi: <http://dx.doi.org/10.1016/j.biomaterials.2013.12.019>. <http://www.sciencedirect.com/science/article/pii/S0142961213015032>

Iwata, Y., Suzuki, K., Wakuda, T., Seki, N., Thanseem, I., Matsuzaki, H., . . . others. (2008). Irradiation in adulthood as a new model of schizophrenia. *PLoS ONE*, 3(5), e2283-e2283. doi.

Iyer, V., Vo, Q., Mell, A., Chinniah, S., Zenerovitz, A., Venkiteswaran, K., . . . Subramanian, T. (2019). Acute levodopa dosing around-the-clock ameliorates REM sleep without atonia in hemiparkinsonian rats. *Npj Parkinson's Disease*, 5(1), 27. doi: 10.1038/s41531-019-0096-2. <https://doi.org/10.1038/s41531-019-0096-2>

Izco, M., Blesa, J., Schleefer, M., Schmeer, M., Porcari, R., Al-Shawi, R., . . . Alvarez-Erviti, L. (2019). Systemic exosomal delivery of shRNA minicircles prevents Parkinsonian pathology. *Molecular Therapy*. doi: <https://doi.org/10.1016/j.jymthe.2019.08.010>. <http://www.sciencedirect.com/science/article/pii/S1525001619303715>

Jabès, A., Lavenex, P. B., Amaral, D. G., & Lavenex, P. (2010). Quantitative analysis of postnatal neurogenesis and neuron number in the macaque monkey dentate gyrus. *European Journal of Neuroscience*, 31(2), 273-285. doi.

Jabès, A., Lavenex, P. B., Amaral, D. G., & Lavenex, P. (2011). Postnatal development of the hippocampal formation: A stereological study in macaque monkeys. *Journal of Comparative Neurology*, 519(6), 1051-1070. doi: 10.1002/cne.22549. <http://dx.doi.org/10.1002/cne.22549>

Jablonski, M. R., Markandaiah, S. S., Jacob, D., Meng, N. J., Li, K., Gennaro, V., . . . Pasinelli, P. (2014). Inhibiting drug efflux transporters improves efficacy of ALS therapeutics. *Annals of Clinical and Translational Neurology*, n/a-n/a. doi: 10.1002/acn3.141. <http://dx.doi.org/10.1002/acn3.141>

Jacinto, L. R., Mata, R., Novais, A., Marques, F., & Sousa, N. (2016). The habenula as a critical node in chronic stress-related anxiety. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.12.003>. <http://www.sciencedirect.com/science/article/pii/S0014488616304034>

Jackson, A. R., Hoff, M. L., Li, B., Ching, C. B., McHugh, K. M., & Becknell, B. (2019). Krt5+ Urothelial Cells are Developmental and Tissue Repair Progenitors in the Kidney. *American Journal of Physiology-Renal Physiology*, 0(0), null. doi: 10.1152/ajprenal.00171.2019. <https://www.physiology.org/doi/abs/10.1152/ajprenal.00171.2019>

Jackson, K. L., Dayton, R. D., Fisher-Perkins, J. M., Didier, P. J., Baker, K. C., Weimer, M., . . . Klein, R. L. (2015). Initial gene vector dosing for studying symptomatology of amyotrophic lateral sclerosis in non-human primates. *Journal of Medical Primatology*, n/a-n/a. doi: 10.1111/jmp.12162. <http://dx.doi.org/10.1111/jmp.12162>

Jacky, W. (2015). Neuropathologic features in the hippocampus and cerebellum of three older men with fragile X syndrome. doi: <https://link.springer.com/article/10.1186/2040-2392-2-2/fulltext.html>

Jacob, A. G., O'Brien, D., Singh, R. K., Comiskey Jr, D. F., Littleton, R. M., Mohammad, F., . . . Bolinger, C. (2013). Stress-Induced Isoforms of MDM2 and MDM4 Correlate with High-Grade Disease and an Altered Splicing Network in Pediatric Rhabdomyosarcoma. *Neoplasia (New York, NY)*, 15(9), 1049. doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3769884/>

Jacob, D. A., Ray, T., Bengston, C. L., Lindsten, T., Wu, J., Thompson, C. B., & Forger, N. G. (2008). The role of cell death in sexually dimorphic muscle development: Male-specific muscles are retained in female bax/bak knockout mice. *Developmental Neurobiology*, 68(11), 1303-1314. doi.

Jacob, T. G., Raghav, R., Kumar, A., Garg, P. K., & Roy, T. S. (2014). Duration of injury correlates with necrosis in caerulein-induced experimental acute pancreatitis: implications for pathophysiology.

International Journal of Experimental Pathology, n/a-n/a. doi:
10.1111/iep.12081. <http://dx.doi.org/10.1111/iep.12081>

Jacobs, A. J., Castillo-Ruiz, A., Cisternas, C. D., & Forger, N. G. (2019). Microglial depletion causes region-specific changes to developmental neuronal cell death in the mouse brain. *Developmental Neurobiology*, 0(ja). doi:
10.1002/dneu.22706. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22706>

Jacobs, B., Garcia, M. E., Shea-Shumsky, N. B., Tennison, M. E., Schall, M., Saviano, M. S., . . . Manger, P. R. (2017). Comparative Morphology of Gigantopyramidal Neurons in Primary Motor Cortex Across Mammals. *Journal of Comparative Neurology*, n/a-n/a. doi:
10.1002/cne.24349. <http://dx.doi.org/10.1002/cne.24349>

Jacobs, R. A., Lundby, A.-K. M., Fenk, S., Gehrig, S., Siebenmann, C., Flück, D., . . . Lundby, C. (2015). Twenty-eight days of exposure to 3,454 m increases mitochondrial volume density in human skeletal muscle. *The Journal of physiology*, n/a-n/a. doi: 10.1113/jp271118. <http://dx.doi.org/10.1113/JP271118>

Jacobs, S., Lie, D. C., DeCicco, K. L., Shi, Y., DeLuca, L. M., Gage, F. H., & Evans, R. M. (2006). Retinoic acid is required early during adult neurogenesis in the dentate gyrus. *Proceedings of the National Academy of Sciences*, 0511294103. doi: 10.1073/Proceedings of the National Academy of Sciences.0511294103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/0511294103v1>

Jacobsen, J. S., Wu, C.-C., Redwine, J. M., Comery, T. A., Arias, R., Bowlby, M., . . . Bloom, F. E. (2006). Early-onset behavioral and synaptic deficits in a mouse model of Alzheimer's disease. *Proceedings of the National Academy of Sciences*, 103(13), 5161-5166. doi: 10.1073/Proceedings of the National Academy of Sciences.0600948103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/13/5161>

Jacot-Descombes, S., Uppal, N., Wicinski, B., Santos, M., Schmeidler, J., Giannakopoulos, P., . . . Hof, P. (2012). Decreased pyramidal neuron size in Brodmann areas 44 and 45 in patients with autism. *Acta Neuropathologica*, 1-13. doi: 10.1007/s00401-012-0976-6. <http://dx.doi.org/10.1007/s00401-012-0976-6>

Jacquin, M. F., Arends, J. J. A., Xiang, C., Shapiro, L. A., Ribak, C. E., & Chen, Z.-F. (2008). In DRG11 Knock-Out Mice, Trigeminal Cell Death Is Extensive and Does Not Account for Failed Brainstem Patterning. *Journal of Neuroscience*, 28(14), 3577-3585. doi: 10.1523/jneurosci.4203-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/14/3577>

Jafari, M., Soerensen, J., Bogdanović, R. M., Dimou, L., Götz, M., & Potschka, H. (2012). Long-term genetic fate mapping of adult generated neurons in a mouse temporal lobe epilepsy model. *Neurobiology of Disease*, (0). doi:
10.1016/j.nbd.2012.06.014. <http://www.sciencedirect.com/science/article/pii/S096999611200229X>

Jahanshahi, A., Schonfeld, L., Janssen, M. F., Hescham, S., Kocabicak, E., Steinbusch, H. M., . . . Temel, Y. (2013). Electrical stimulation of the motor cortex enhances progenitor cell migration in the adult rat brain. *Experimental Brain Research*, 1-13. doi: 10.1007/s00221-013-3680-4. <http://dx.doi.org/10.1007/s00221-013-3680-4>

Jahanshahi, A., Vlaming, R., Kaya, A. H., Lim, L. W., Janssen, M. L. F., Tan, S., . . . Temel, Y. (2010). Hyperdopaminergic status in experimental Huntington disease. *Journal of Neuropathology and Experimental Neurology*, 69(9), 910-910. doi:

Jahanshahi, A., Vlamings, R., Roon-Mom, W. v., Faull, R. L. M., Waldvogel, H. J., Janssen, M. L. F., . . . Temel, Y. (2013). Changes in brainstem serotonergic and dopaminergic cell populations in experimental and clinical Huntington's disease. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.071>. <http://www.sciencedirect.com/science/article/pii/S0306452213001152>

Jahrling, J. B., Hernandez, C. M., Denner, L., & Dineley, K. T. (2014). PPARgamma recruitment to active ERK during memory consolidation is required for Alzheimer's disease-related cognitive enhancement. *Journal of Neuroscience*, 34. doi: 10.1523/jneurosci.4024-13.2014. <http://dx.doi.org/10.1523/JNEUROSCI.4024-13.2014>

Jain, V., Baitharu, I., Barhwal, K., Prasad, D., Singh, S. B., & Ilavazhagan, G. (2012). Enriched Environment Prevents Hypobaric Hypoxia Induced Neurodegeneration and is Independent of Antioxidant Signaling. *Cellular and Molecular Neurobiology*, 1-13. doi.

Jaken, R. J., van Gorp, S., Joosten, E. A., Losen, M., Mart ínez-Mart ínez, P., De Baets, M., . . . Deumens, R. (2011). Neuropathy-Induced Spinal GAP-43 Expression Is Not a Main Player in the Onset of Mechanical Pain Hypersensitivity. *Journal of Neurotrauma*, 28(12), 2463-2473. doi.

James, M. L., Wang, H., Venkatraman, T., Song, P., Lascola, C. D., & Laskowitz, D. T. (2010). Brain natriuretic peptide improves long-term functional recovery after acute CNS injury in mice. *Journal of Neurotrauma*, 27(1), 217-228. doi.

Janelidze, S., Nordström, U., Kügler, S., & Brundin, P. (2014). Pre-existing immunity to AAV2 limits transgene expression following intracerebral AAV2-based gene delivery in a 6-OHDA model of Parkinson's disease. *The Journal of Gene Medicine*. doi. <http://onlinelibrary.wiley.com/doi/10.1002/jgm.2779/abstract>

Janer, A., Prudent, J., Paupe, V., Fahiminiya, S., Majewski, J., Sgarioto, N., . . . Gingras, A. C. (2016). SLC25A46 is required for mitochondrial lipid homeostasis and cristae maintenance and is responsible for Leigh syndrome. *EMBO Molecular Medicine*, e201506159. doi. <http://embomolmed.embopress.org/content/early/2016/07/07/emmm.201506159...>

Jang, H., Boltz, D., McClaren, J., Pani, A. K., Smeyne, M., Korff, A., . . . Smeyne, R. J. (2012). Inflammatory Effects of Highly Pathogenic H5N1 Influenza Virus Infection in the CNS of Mice. *Journal of Neuroscience*, 32(5), 1545-1559. doi: 10.1523/jneurosci.5123-11.2012. <http://www.jneurosci.org/content/32/5/1545.abstract>

Janis, K. L., Brennan, R. T., Drolet, R. E., Behrouz, B., Kaufman, S. K., Lookingland, K. J., & Goudreau, J. L. (2008). Effects of Sildenafil on Nigrostriatal Dopamine Neurons in a Murine Model of Parkinson's Disease. *Journal of Alzheimer's Disease*, 15(1), 97-107. doi.

Jankowsky, J. L., Melnikova, T., Fadale, D. J., Xu, G. M., Slunt, H. H., Gonzales, V., . . . Savonenko, A. V. (2005). Environmental Enrichment Mitigates Cognitive Deficits in a Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 25(21), 5217-5224. doi. <http://www.jneurosci.org/cgi/content/abstract/25/21/5217>

Jankowsky, J. L., Xu, G., Fromholt, D., Gonzales, V., & Borchelt, D. R. (2003). Environmental enrichment exacerbates amyloid plaque formation in a transgenic mouse model of Alzheimer disease. *Journal of Neuropathology and Experimental Neurology*, 62(12), 1220-1220. doi.

Jankowsky, J. L., Younkin, L. H., Gonzales, V., Fadale, D. J., Slunt, H. H., Lester, H. A., . . . Borchelt, D. R. (2007). Rodent A Modulates the Solubility and Distribution of Amyloid Deposits in Transgenic Mice. *Journal of Biological Chemistry*, 282(31), 22707-22720. doi.

Jankowsky, J. L., Younkin, L. H., Gonzales, V., Fadale, D. J., Slunt, H. H., Lester, H. A., . . . Borchelt, D. R. (2007). Rodent A β modulates the solubility and distribution of amyloid deposits in transgenic mice. *Journal of Biological Chemistry*, 282(31), 22707-22720. doi.

Jansen, D., Zerbi, V., Arnoldussen, I. A. C., Wiesmann, M., Rijpma, A., Fang, X. T., . . . Kiliaan, A. J. (2013). Effects of Specific Multi-Nutrient Enriched Diets on Cerebral Metabolism, Cognition and Neuropathology in A β PPswe-PS1dEg Mice. *Plos one*, 8(9), e75393. doi: 10.1371/journal.pone.0075393. <http://dx.doi.org/10.1371%2Fjournal.pone.0075393>

Jansen, D., Zerbi, V., Janssen, C. I. F., Dederen, P. J. W. C., Mutsaers, M. P. C., Hafkemeijer, A., . . . Kiliaan, A. J. (2013). A Longitudinal Study of Cognition, Proton MR Spectroscopy and Synaptic and Neuronal Pathology in Aging Wild-type and A β PPswe-PS1dEg Mice. *Plos one*, 8(5), e63643. doi: 10.1371/journal.pone.0063643. <http://dx.doi.org/10.1371%2Fjournal.pone.0063643>

Jansen, J. F. A., Lemmens, E. M. P., Strijkers, G. J., Prompers, J. J., Schijns, O. E. M. G., Kooi, M. E., . . . Hoogland, G. (2008). Short- and long-term limbic abnormalities after experimental febrile seizures. *Neurobiology of Disease*, 32(2), 293-301. doi.

Jansing, N. L., McClendon, J., Henson, P. M., Tuder, R. M., Hyde, D. M., & Zemans, R. L. (2017). Unbiased Quantitation of ATII to ATI Cell Transdifferentiation During Repair After Lung Injury in Mice. *American Journal of Respiratory Cell and Molecular Biology*, (ja). doi. <http://www.atsjournals.org/doi/abs/10.1165/rcmb.2017-0037MA>

Janssen, C. I. F., Jansen, D., Mutsaers, M. P. C., Dederen, P. J. W. C., Geenen, B., Mulder, M. T., & Kiliaan, A. J. (2016). The Effect of a High-Fat Diet on Brain Plasticity, Inflammation and Cognition in Female ApoE4-Knockin and ApoE-Knockout Mice. *Plos one*, 11(5), e0155307. doi: 10.1371/journal.pone.0155307. <http://dx.doi.org/10.1371%2Fjournal.pone.0155307>

Janssen, C. I. F., Zerbi, V., Mutsaers, M. P. C., Jochems, M., Vos, C. A., Vos, J. O., . . . Kiliaan, A. J. (2015). Effect of Perinatally Supplemented Flavonoids on Brain Structure, Circulation, Cognition, and Metabolism in C57BL/6J Mice. *Neurochemistry International*, (o). doi: <http://dx.doi.org/10.1016/j.neuint.2015.05.002>. <http://www.sciencedirect.com/science/article/pii/S0197018615000716>

Janssen, S. P., Gerard, S., Raijmakers, M. E., Truin, M., Van Kleef, M., & Joosten, E. A. (2011). Decreased intracellular GABA levels contribute to spinal cord stimulation-induced analgesia in rats suffering from painful peripheral neuropathy: the role of KCC2 and GABA_A receptor-mediated inhibition. *Neurochemistry International*. doi.

Janssen, S. P. M., Truin, M., Van Kleef, M., & Joosten, E. A. J. (2011). Differential GABAergic disinhibition during the development of painful peripheral neuropathy. *Neuroscience*. doi.

Jargalsaikhan, U., Nishimaru, H., Matsumoto, J., Takamura, Y., Nakamura, T., Hori, E., . . . Nishijo, H. (2016). Ingestion of dried-bonito broth (dashi) facilitates PV-parvalbumin-immunoreactive neurons in the brain, and affects emotional behaviors in mice. *Nutritional Neuroscience*, 1-16. doi. <http://www.tandfonline.com/doi/abs/10.1080/1028415X.2016.1208429>

Järlestedt, K., Rousset, C. I., Faiz, M., Wilhelmsson, U., Ståhlberg, A., Sourkova, H., . . . Pekny, M. (2010). Attenuation of reactive gliosis does not affect infarct volume in neonatal hypoxic-ischemic brain injury in mice. *PLoS ONE*, 5(4), e10397-e10397. doi.

Järlestedt, K., Rousset, C. I., Ståhlberg, A., Sourkova, H., Atkins, A. L., Thornton, C., . . . Pekna, M. (2013). Receptor for complement peptide C3a: a therapeutic target for neonatal hypoxic-ischemic brain injury. *FASEB Journal*. doi: 10.1096/fj.13-230011. <http://www.fasebj.org/content/early/2013/06/04/fj.13-230011.abstract>

Jarskog, L. F., Gilmore, J. H., Glantz, L. A., Gable, K. L., German, T. T., Tong, R. I., & Lieberman, J. A. (2006). Caspase-3 Activation in Rat Frontal Cortex Following Treatment with Typical and Atypical Antipsychotics. *Neuropsychopharmacology*. doi.

Jasmin, L., Janni, G., Moallem, T. M., Lappi, D. A., & Ohara, P. T. (2000). Schwann Cells Are Removed from the Spinal Cord after Effecting Recovery from Paraplegia. *Journal of Neuroscience*, 20(24), 9215-9223. doi. <http://www.jneurosci.org/cgi/content/abstract/20/24/9215>

Jasmin, L., Janni, G., Peter T, O., & Rabkin, S. D. (2000). CNS induced neurogenic cystitis is associated with bladder mast cell degranulation in the rat. *Journal of Urology*, 164(3), 852-855. doi.

Jasmin, L., & Ohara, P. T. (2004). Anatomical Identification of Neurons Responsive to Nociceptive Stimuli. *Methods in Molecular Medicine*, 99, 167-188. doi.

Jasmin, L., & Ohara, P. T. (2004). Recurrent paraplegia after remyelination of the spinal cord. *Journal of Neuroscience Research*, 77(2), 277-284. doi.

Jasmin, L., Rabkin, S. D., Granato, A., Boudah, A., Ohara, P. T., & others. (2003). Analgesia and hyperalgesia from GABA-mediated modulation of the cerebral cortex. *Nature*, 424(6946), 316-320. doi.

Jassim, A. H., Coughlin, L., Harun-Or-Rashid, M., Kang, P. T., Chen, Y.-R., & Inman, D. M. (2019). Higher Reliance on Glycolysis Limits Glycolytic Responsiveness in Degenerating Glaucomatous Optic Nerve. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-019-1576-4. <https://doi.org/10.1007/s12035-019-1576-4>

Jassim, A. H., & Inman, D. M. (2019). Evidence of Hypoxic Glial Cells in a Model of Ocular Hypertension. *Investigative Ophthalmology and Visual Science*, 60(1), 1-15. doi: 10.1167/iovs.18-24977. <http://dx.doi.org/10.1167/iovs.18-24977>

Javier Miguel-Hidalgo, J., Paul, I. A., Wanzo, V., & Banerjee, P. K. (2012). Memantine prevents cognitive impairment and reduces Bcl-2 and caspase 8 immunoreactivity in rats injected with amyloid β 1-40. *European Journal of Pharmacology*, (0). doi: 10.1016/j.ejphar.2012.07.032. <http://www.sciencedirect.com/science/article/pii/S0014299912006279>

Jawhar, S., Trawicka, A., Jenneckens, C., Bayer, T. A., & Wirths, O. (2010). Motor deficits, neuron loss, and reduced anxiety coinciding with axonal degeneration and intraneuronal A β aggregation in the 5XFAD mouse model of Alzheimer's disease. *Neurobiology of Aging*. doi.

Jayasinghe, V. R., Flores-Barrera, E., West, A. R., & Tseng, K. Y. (2015). Frequency-Dependent Corticostriatal Disinhibition Resulting from Chronic Dopamine Depletion: Role of Local Striatal cGMP and GABA-AR Signaling. *Cerebral Cortex*. doi:

10.1093/cercor/bhv241. <http://cercor.oxfordjournals.org/content/early/2015/10/26/cercor.bhv241>.

..

Jayatissa, M. N., Bisgaard, C. F., West, M. J., & Wiborg, O. (2008). The number of granule cells in rat hippocampus is reduced after chronic mild stress and re-established after chronic escitalopram treatment. *Neuropharmacology*, 54(3), 530-541. doi.

Jayatissa, M. N., Henningsen, K., Nikolajsen, G., West, M. J., & Wiborg, O. (2009). A reduced number of hippocampal granule cells does not associate with an anhedonia-like phenotype in a rat chronic mild stress model of depression. *Stress*, 13(2), 95-105. doi.

Jayatissa, M. N., Henningsen, K., West, M. J., & Wiborg, O. (2009). Decreased cell proliferation in the dentate gyrus does not associate with development of anhedonic-like symptoms in rats. *Brain Research*, 1290, 133-141. doi.

Jazwa, A., Rojo, A. I., Innamorato, N. G., Hesse, M., Fernández-Ruiz, J., & Cuadrado, A. (2011). Pharmacological Targeting of the Transcription Factor Nrf2 at the Basal Ganglia Provides Disease Modifying Therapy for Experimental Parkinsonism. *Antioxidants and redox signaling*, 14(12), 2347-2360. doi.

Jefferson, S. C., Tester, N. J., & Howland, D. R. (2011). Chondroitinase ABC Promotes Recovery of Adaptive Limb Movements and Enhances Axonal Growth Caudal to a Spinal Hemisection. *Journal of Neuroscience*, 31(15), 5710-5720. doi: 10.1523/jneurosci.4459-10.2011. <http://www.jneurosci.org/content/31/15/5710.abstract>

Jenkins, B., Zhu, A., Poutiainen, P., Choi, J.-K., Kil, K.-E., Zhang, Z., . . . Brownell, A.-L. (2015). Functional modulation of G-protein coupled receptors during Parkinson disease-like neurodegeneration. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2015.11.010>. <http://www.sciencedirect.com/science/article/pii/S002839081530174X>

Jenkins, S., Harker, A., & Gibb, R. (2018). Maternal Preconception Stress Alters Prefrontal Cortex Development in Long-Evans Rat Pups without Changing Maternal Care. *Neuroscience*, 394, 98-108. doi: <https://doi.org/10.1016/j.neuroscience.2018.10.023>. <http://www.sciencedirect.com/science/article/pii/S0306452218306869>

Jensen, K. H., & Berg, R. W. (2017). Advances And Perspectives In Tissue Clearing Using CLARITY. *bioRxiv*, 144378. doi. <http://www.biorxiv.org/content/early/2017/06/02/144378>

Jensen, M. B., Yan, H., Krishnaney-Davison, R., Al Sawaf, A., & Zhang, S. C. (2011). Survival and Differentiation of Transplanted Neural Stem Cells Derived from Human Induced Pluripotent Stem Cells in A Rat Stroke Model. *Journal of Stroke and Cerebrovascular Diseases*. doi.

Jeong, H. K., Ji, K., Kim, B., Kim, J., Jou, I., & Joe, E. (2010). Inflammatory responses are not sufficient to cause delayed neuronal death in ATP-induced acute brain injury. *PLoS ONE*, 5(10), e13756-e13756. doi.

Jeong, H. K., Jou, I., & Joe, E. (2010). Systemic LPS administration induces brain inflammation but not dopaminergic neuronal death in the substantia nigra. *Experimental and Molecular Medicine*, 42(12), 823-823. doi.

Jeong, J. K., Terleph, T. A., Burrows, K., Tremere, L. A., & Pinaud, R. (2011). Expression and rapid experience-dependent regulation of type-A GABAergic receptors in the songbird auditory forebrain. *Developmental Neurobiology*, 71(10), 803-817. doi: 10.1002/dneu.20896. <http://dx.doi.org/10.1002/dneu.20896>

Jeong, S., Lei, B., Wang, H., Dawson, H. N., & James, M. L. (2014). Intravenous immunoglobulin G improves neurobehavioral and histological outcomes after traumatic brain injury in mice. *Journal of Neuroimmunology*, (0). doi: <http://dx.doi.org/10.1016/j.jneuroim.2014.08.626>. <http://www.sciencedirect.com/science/article/pii/S0165572814008753>

Jessberger, S., Clark, R. E., Broadbent, N. J., Clemenson Jr, G. D., Consiglio, A., Lie, D. C., . . . Gage, F. H. (2009). Dentate gyrus-specific knockdown of adult neurogenesis impairs spatial and object recognition memory in adult rats. *Learning and Memory*, 16(2), 147-154. doi.

Jessberger, S., Nakashima, K., Clemenson, G. D., Jr., Mejia, E., Mathews, E., Ure, K., . . . Hsieh, J. (2007). Epigenetic Modulation of Seizure-Induced Neurogenesis and Cognitive Decline. *Journal of Neuroscience*, 27(22), 5967-5975. doi: 10.1523/jneurosci.0110-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/5967>

Jevans, B., James, N. D., Burnside, E., McCann, C. J., Thapar, N., Bradbury, E. J., & Burns, A. J. (2021). Combined treatment with enteric neural stem cells and chondroitinase ABC reduces spinal cord lesion pathology. *Stem Cell Research & Therapy*, 12(1), 10. doi: 10.1186/s13287-020-02031-9. <https://doi.org/10.1186/s13287-020-02031-9>

Ji, J., Yan, H., Chen, Z.-Z., Zhao, Z., Yang, D.-D., Sun, X.-L., & Shi, Y.-P. (2015). Iptakalim protects against ischemic injury by improving neurovascular unit function in the mouse brain. *Clinical and Experimental Pharmacology and Physiology*, n/a-n/a. doi: 10.1111/1440-1681.12426. <http://dx.doi.org/10.1111/1440-1681.12426>

Ji, S., Kronenberg, G., Balkaya, M., Färber, K., Gertz, K., Kettenmann, H., & Endres, M. (2009). Acute neuroprotection by pioglitazone after mild brain ischemia without effect on long-term outcome. *Experimental Neurology*, 216(2), 321-328. doi.

Jia, X., Koenig, M. A., Shin, H. C., Zhen, G., Pardo, C. A., Hanley, D. F., . . . Geocadin, R. G. (2008). Improving neurological outcomes post-cardiac arrest in a rat model: immediate hypothermia and quantitative EEG monitoring. *Resuscitation*, 76(3), 431-442. doi.

Jian, B. J., Acernese, A. W., Lorenzo, J., Card, J. P., & Yates, B. J. (2005). Afferent pathways to the region of the vestibular nuclei that participates in cardiovascular and respiratory control. *Brain Research*, 1044(2), 241-250. doi.

Jiang, H., Kang, S.-U., Zhang, S., Karuppagounder, S., Xu, J., Lee, Y.-K., . . . Pletnikova, O. (2016). Adult Conditional Knockout of PGC-1 α Leads to Loss of Dopamine Neurons. *eneuro*, ENEURO. 0183-0116.2016. doi. <http://eneuro.org/content/early/2016/08/15/ENEURO.0183-16.2016.abstract>

Jiang, J.-y., Jia, F., yin, y., Gao, G., Wang, Y., & cen, l. (2014). MMP-9 Inhibitor SB-3CT Attenuates Behavioral Impairments and Hippocampal Loss after Traumatic Brain Injury in Rat. *Journal of Neurotrauma*, (ja). doi. <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3230>

Jiang, W., Buchele, F., Papazoglou, A., Dobrossy, M., & Nikkhah, G. (2011). Multitract Microtransplantation Increases the Yield of DARPP-32-Positive Embryonic Striatal Cells in a Rodent Model of Huntington's Disease. *Cell Transplantation*, 20(10), 1515-1527. doi.

- Jiang, W., Zhang, Y., Xiao, L., Van Cleemput, J., Ji, S.-P., Bai, G., & Zhang, X. (2005). Cannabinoids promote embryonic and adult hippocampus neurogenesis and produce anxiolytic- and antidepressant-like effects. *Journal of Clinical Investigation*, 115(11), 3104-3116. doi: 10.1172/jci25509. <http://www.jci.org/cgi/content/abstract/115/11/3104>
- Jiang, Y., & Brody, D. L. (2012). Administration of COG1410 Reduces Axonal Amyloid Precursor Protein Immunoreactivity and Microglial Activation after Controlled Cortical Impact in Mice. *Journal of Neurotrauma*, (ja). doi.
- Jiang, Y., Cao, Z., Ma, H., Wang, G., Wang, X., Wang, Z., . . . Feng, T. (2018). Auricular Vagus Nerve Stimulation Exerts Antiinflammatory Effects and Immune Regulatory Function in a 6-OHDA Model of Parkinson's Disease. [journal article]. *Neurochemical Research*, 43(11), 2155-2164. doi: 10.1007/s11064-018-2639-z. <https://doi.org/10.1007/s11064-018-2639-z>
- Jiang, Y., Pun, R. Y. K., Peariso, K., Holland, K. D., Lian, Q., & Danzer, S. C. (2015). Olfactory Bulbectomy Leads to the Development of Epilepsy in Mice. *Plos one*, 10(9), e0138178. doi: 10.1371/journal.pone.0138178. <http://dx.doi.org/10.1371%2Fjournal.pone.0138178>
- Jiang, Y.-Q., Armada, K., & Martin, J. H. (2019). Neuronal activity and microglial activation support corticospinal tract and proprioceptive afferent sprouting in spinal circuits after a corticospinal system lesion. *Experimental Neurology*, 113015. doi: <https://doi.org/10.1016/j.expneurol.2019.113015>. <http://www.sciencedirect.com/science/article/pii/S0014488619301645>
- Jiang, Y.-Q., Zaaami, B., & Martin, J. H. (2016). Competition with Primary Sensory Afferents Drives Remodeling of Corticospinal Axons in Mature Spinal Motor Circuits. *The Journal of Neuroscience*, 36(1), 193-203. doi. <http://www.jneurosci.org/content/36/1/193.short>
- Jiao, X., Pang, K. C. H., Beck, K. D., Minor, T. R., & Servatius, R. J. (2011). Avoidance perseveration during extinction training in Wistar-Kyoto rats: An interaction of innate vulnerability and stressor intensity. *Behavioural Brain Research*. doi.
- Jiao, Y., & Nadler, J. V. (2007). Stereological analysis of GluR2-immunoreactive hilar neurons in the pilocarpine model of temporal lobe epilepsy: correlation of cell loss with mossy fiber sprouting. *Experimental Neurology*, 205(2), 569-582. doi.
- Jimenez-Ferrer, I., Jewett, M., Tontanahal, A., Romero-Ramos, M., & Swanberg, M. (2017). Allelic difference in Mhc2ta confers altered microglial activation and susceptibility to α -synuclein-induced dopaminergic neurodegeneration. *Neurobiology of Disease*, 106, 279-290. doi: <https://doi.org/10.1016/j.nbd.2017.07.016>. <http://www.sciencedirect.com/science/article/pii/S0969996117301687>
- Jiménez-Sánchez, L., Blesa, J., Del Rey, N. L., Monje, M. H. G., Obeso, J. A., & Cavada, C. (2019). Serotonergic innervation of the striatum in a nonhuman primate model of Parkinson's disease. *Neuropharmacology*, 107806. doi: <https://doi.org/10.1016/j.neuropharm.2019.107806>. <http://www.sciencedirect.com/science/article/pii/S0028390819303685>
- Jin, D., Ohlemiller, K. K., Lei, D., Dong, E., Role, L., Ryugo, D. K., & Bao, J. (2010). Age-related neuronal loss in the cochlea is not delayed by synaptic modulation. *Neurobiology of Aging*. doi.
- Jin, H., Chen, T., Li, G., Wang, C., Zhang, B., Cao, X., . . . Chen, L. (2016). Dose-Dependent Neuroprotection and Neurotoxicity of Simvastatin through Reduction of Farnesyl Pyrophosphatein

Mice Treated with Intracerebroventricular Injection of A β 1-42. *Journal of Alzheimer's Disease*, (Preprint), 1-16. doi: <http://content.iospress.com/articles/journal-of-alzheimers-disease/jad15..>

Jin, H., Pei, L., Shu, X., Yang, X., Yan, T., Wu, Y., . . . Lu, Y. (2014). Therapeutic Intervention of Learning and Memory Decays by Salidroside Stimulation of Neurogenesis in Aging. *Molecular Neurobiology*, 1-16. doi: 10.1007/s12035-014-9045-6. <http://dx.doi.org/10.1007/s12035-014-9045-6>

Jin, J., Jing, H. J., Choi, G., Oh, M. S., Ryu, J. H., Jeong, J. W., . . . Park, C. (2008). Voluntary exercise increases the new cell formation in the hippocampus of ovariectomized mice. *Neuroscience Letters*, 439(3), 260-263. doi.

Jin, J., Kang, H. M., & Park, C. (2010). Voluntary exercise enhances survival and migration of neural progenitor cells after intracerebral haemorrhage in mice. *Brain Injury*, 24(3), 533-540. doi.

Jin, J., Meredith, G. E., Chen, L., Zhou, Y., Xu, J., Shie, F. S., . . . Zhang, J. (2005). Quantitative proteomic analysis of mitochondrial proteins: relevance to Lewy body formation and Parkinson's disease. *Molecular Brain Research*, 134(1), 119-138. doi.

Jin, T., Nicholls, F. J., Crum, W. R., Ghuman, H., Badylak, S. F., & Modo, M. (2017). Diamagnetic chemical exchange saturation transfer (diaCEST) affords magnetic resonance imaging of extracellular matrix hydrogel implantation in a rat model of stroke. *Biomaterials*, 113, 176-190. doi: <http://dx.doi.org/10.1016/j.biomaterials.2016.10.043>. <http://www.sciencedirect.com/science/article/pii/S0142961216305944>

Jin, X., Liu, J., Yang, Y., Liu, K. J., Yang, Y., & Liu, W. (2012). Spatiotemporal evolution of blood brain barrier damage and tissue infarction within the first 3
o;h after ischemia onset. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.07.007. <http://www.sciencedirect.com/science/article/pii/S0969996112002483>

Jin, Y., Bouyer, J., Haas, C., & Fischer, I. (2014). Behavioral and anatomical consequences of repetitive mild thoracic spinal cord contusion injury in the rat. *Experimental Neurology*, 257(0), 57-69. doi: <http://dx.doi.org/10.1016/j.expneurol.2014.04.016>. <http://www.sciencedirect.com/science/article/pii/S0014488614001186>

Jin, Y., Bouyer, J., Haas, C., & Fischer, I. (2015). Evaluation of the anatomical and functional consequences of repetitive mild cervical contusion using a model of spinal concussion. *Experimental Neurology*, 271(0), 175-188. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.06.001>. <http://www.sciencedirect.com/science/article/pii/S0014488615300121>

Jin, Y., Bouyer, J., Shumsky, J. S., Haas, C., & Fischer, I. (2016). Transplantation of neural progenitor cells in chronic spinal cord injury. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.01.066>. <http://www.sciencedirect.com/science/article/pii/S0306452216001093>

Jin, Y., Neuhuber, B., Singh, A., Bouyer, J., Lepore, A., Bonner, J., . . . Fischer, I. (2011). Transplantation of human glial restricted progenitors and derived astrocytes into a contusion model of spinal cord injury. *Journal of Neurotrauma*, 28(4), 579-594. doi.

Jin, Y., Shi, K., Gao, X., Harris, T., Langenbach, S., Stewart, A., & Li, M. (2020). An Automated Quantitative Method to Analyze Immunohistochemistry and Immunocytochemistry Images. *Journal of Engineering and Science in Medical Diagnostics and Therapy*. doi: 10.1115/1.4048296. <https://doi.org/10.1115/1.4048296>

Jin, Y. N., Chen, P.-C., Watson, J. A., Walters, B. J., Phillips, S. E., Green, K., . . . Wilson, S. M. (2012). Usp14 Deficiency Increases Tau Phosphorylation without Altering Tau Degradation or Causing Tau-Dependent Deficits. *Plos one*, 7(10), e47884. doi: 10.1371/journal.pone.0047884. <http://dx.doi.org/10.1371%2Fjournal.pone.0047884>

Jing, X., Miwa, H., Sawada, T., Nakanishi, I., Kondo, T., Miyajima, M., & Sakaguchi, K. (2012). Ephrin-A1-Mediated Dopaminergic Neurogenesis and Angiogenesis in a Rat Model of Parkinson's Disease. *PLoS ONE*, 7(2), e32019-e32019. doi:

Jing, Z., Yang, L., Pan, X., Lin, N., & Chen, X. (2013). Increased VGAT and decreased phosphorylation of synapsin I in the rPOA is associated with decreased GnRH and cFos coexpression in middle-aged female mice. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12050. <http://dx.doi.org/10.1111/jne.12050>

Jinhua, H., Zhao, M., Shuangcheng, H., Yuanran, Z., Rui, N., Wei, L., . . . Jian, Y. (2017). Icariin protects against glucocorticoid induced osteoporosis, increases the expression of the bone enhancer DEC1 and modulates the PI3K/Akt/GSK3 β / β -catenin integrated signaling pathway. *Biochemical Pharmacology*. doi: <http://doi.org/10.1016/j.bcp.2017.04.010>. <http://www.sciencedirect.com/science/article/pii/S006295217301995>

Jinnou, H., Sawada, M., Kawase, K., Kaneko, N., Herranz-Pérez, V., Miyamoto, T., . . . Sawamoto, K. (2017). Radial Glial Fibers Promote Neuronal Migration and Functional Recovery after Neonatal Brain Injury. *Cell Stem Cell*, 22(1), 128-137.e129. doi: <https://doi.org/10.1016/j.stem.2017.11.005>, <https://www.sciencedirect.com/science/article/pii/S1934590917304575>

Jinnou, H., Sawada, M., Kawase, K., Kaneko, N., Herranz-Pérez, V., Miyamoto, T., . . . Sawamoto, K. (2018). Radial Glial Fibers Promote Neuronal Migration and Functional Recovery after Neonatal Brain Injury. *Cell Stem Cell*, 22(1), 128-137.e129. doi: 10.1016/j.stem.2017.11.005. <http://dx.doi.org/10.1016/j.stem.2017.11.005>

Jin-qiao, S., Bin, S., Wen-hao, Z., & Yi, Y. (2009). Basic fibroblast growth factor stimulates the proliferation and differentiation of neural stem cells in neonatal rats after ischemic brain injury. *Brain and Development*, 31(5), 331-340. doi:

Jiruska, P., Shtaya, A. B. Y., Bodansky, D. M. S., Chang, W.-C., Gray, W. P., & Jefferys, J. G. R. (2013). Dentate gyrus progenitor cell proliferation after the onset of spontaneous seizures in the tetanus toxin model of temporal lobe epilepsy. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.02.001>. <http://www.sciencedirect.com/science/article/pii/S0969996113000636>

Jiyao, L., Defang, L., Bo, Z., Cunwei, J., Yunli, L., Jun, L., & Kai, L. (2020). Long non-coding RNA NEAT1 mediates MPTP/MPP⁺-induced apoptosis via regulating the miR-124/KLF4 axis in Parkinson's disease. *Open Life Sciences*, 15(1), 665-676. doi: <https://doi.org/10.1515/biol-2020-0069>. <https://www.degruyter.com/view/journals/biol/15/1/article-p665.xml>

Jobe, E. M., Gao, Y., Eisinger, B. E., Mladucky, J. K., Giuliani, C. C., Kelnhofner, L. E., & Zhao, X. (2016). Methyl-CpG binding protein MBD1 regulates neuronal lineage commitment through maintaining adult neural stem cell identity. [10.1523/JNEUROSCI.1075-16.2016]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2016/12/05/JNEUROSCI.1075-16.2016>..

Joensuu, T., Tegelberg, S., Reinmaa, E., Segerstråle, M., Hakala, P., Pehkonen, H., . . . Lehesjoki, A.-E. (2014). Gene Expression Alterations in the Cerebellum and Granule Neurons of *Cstb*^{-/-} Mouse Are Associated with Early Synaptic Changes and Inflammation. *Plos one*, 9(2), e89321. doi: 10.1371/journal.pone.0089321. <http://dx.doi.org/10.1371%2Fjournal.pone.0089321>

Joers, V., Dilley, K., Rahman, S., Jones, C., Shultz, J., Simmons, H., & Emborg, M. E. (2014). Cardiac Sympathetic Denervation in 6-OHDA-Treated Nonhuman Primates. *Plos one*, 9(8), e104850. doi: 10.1371/journal.pone.0104850. <http://dx.doi.org/10.1371%2Fjournal.pone.0104850>

Joers, V., Masilamoni, G., Kempf, D., Weiss, A. R., Rotterman, T. M., Murray, B., . . . Tansey, M. G. (2020). Microglia, inflammation and gut microbiota responses in a progressive monkey model of Parkinson's disease: A case series. *Neurobiology of Disease*, 144, 105027. doi: <https://doi.org/10.1016/j.nbd.2020.105027>. <http://www.sciencedirect.com/science/article/pii/S0969996120303028>

Johansen, J. A., Troxell, S. M., Yu, Z., Mo, K., Monks, D. A., Lieberman, A. P., . . . Jordan, C. L. (2011). Prenatal flutamide enhances survival in a myogenic mouse model of spinal bulbar muscular atrophy. *Neurodegener. Dis*, 8, 25-34. doi.

Johansen, J. A., Yu, Z., Mo, K., Monks, D. A., Lieberman, A. P., Breedlove, S. M., & Jordan, C. L. (2009). Recovery of function in a myogenic mouse model of spinal bulbar muscular atrophy. *Neurobiology of Disease*, 34(1), 113-120. doi.

Johansson, J., Mannerås-Holm, L., Shao, R., Olsson, A., Lönn, M., Billig, H., & Stener-Victorin, E. (2013). Electrical vs Manual Acupuncture Stimulation in a Rat Model of Polycystic Ovary Syndrome: Different Effects on Muscle and Fat Tissue Insulin Signaling. *Plos one*, 8(1), e54357. doi: 10.1371/journal.pone.0054357. <http://dx.doi.org/10.1371%2Fjournal.pone.0054357>

Johnson, F. K., Delpech, J.-C., Thompson, G. J., Wei, L., Hao, J., Herman, P., . . . Kaffman, A. (2018). Amygdala hyper-connectivity in a mouse model of unpredictable early life stress. *Translational Psychiatry*, 8(1), 49. doi: 10.1038/s41398-018-0092-z. <https://doi.org/10.1038/s41398-018-0092-z>

Johnson, M. L., Day, A. E., Ho, C. C., Walker, Q. D., Francis, R., & Kuhn, C. M. (2010). Androgen decreases dopamine neurone survival in rat midbrain. *Journal of Neuroendocrinology*, 22(4), 238-247. doi.

Johnson, M. L., Ho, C. C., Day, A. E., Walker, Q. D., Francis, R., & Kuhn, C. M. (2010). Oestrogen receptors enhance dopamine neurone survival in rat midbrain. *Journal of Neuroendocrinology*, 22(4), 226-237. doi.

Johnson, O. L., & Ouimet, C. C. (2006). A regulatory role for actin in dendritic spine proliferation. *Brain Research*, 1113(1), 1-9. doi.

Johnson, P. J., Tataru, A., McCreedy, D. A., Shiu, A., & Sakiyama-Elbert, S. E. (2010). Tissue-engineered fibrin scaffolds containing neural progenitors enhance functional recovery in a subacute model of SCI. *Soft matter*, 6(20), 5127-5137. doi.

Johnson, P. J., Tataru, A., Shiu, A., & Sakiyama-Elbert, S. E. (2010). Controlled release of neurotrophin-3 and platelet derived growth factor from fibrin scaffolds containing neural progenitor cells enhances survival and differentiation into neurons in a subacute model of SCI. *Cell Transplantation*, 19(1), 89-89. doi.

- Johnson, R. T., Breedlove, S. M., & Jordan, C. L. (2008). Sex differences and laterality in astrocyte number and complexity in the adult rat medial amygdala. *Journal of Comparative Neurology*, 511(5), 599-609. doi.
- Johnson, R. T., Schneider, A., DonCarlos, L. L., Breedlove, S. M., & Jordan, C. L. (2012). Astrocytes in the rat medial amygdala are responsive to adult androgens. *Journal of Comparative Neurology*. doi.
- Johnson, S. A., Young, C., & Olney, J. W. (2008). Isoflurane-induced Neuroapoptosis in the Developing Brain of Nonhypoglycemic Mice. *Journal of Neurosurgical Anesthesiology*, 20(1), 21-28. doi.
- Johnston, C. E., Herschel, D. J., Lasek, A. W., Hammer Jr, R. P., & Nikulina, E. M. (2015). Knockdown of ventral tegmental area mu-opioid receptors in rats prevents effects of social defeat stress: Implications for amphetamine cross-sensitization, social avoidance, weight regulation and expression of brain-derived neurotrophic factor. *Neuropharmacology*, 89(0), 325-334. doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.10.010>. <http://www.sciencedirect.com/science/article/pii/S0028390814003748>
- Johnston, L. C., Eberling, J., Pivrotto, P., Hadaczek, P., Federoff, H. J., Forsayeth, J., & Bankiewicz, K. S. (2009). Clinically relevant effects of convection-enhanced delivery of AAV2-GDNF on the dopaminergic nigrostriatal pathway in aged rhesus monkeys. *Human Gene Therapy*, 20(5), 497-510. doi.
- Johnston, L. C., Su, X., Maguire-Zeiss, K., Horovitz, K., Ankoudinova, I., Guschin, D., . . . Forsayeth, J. (2008). Human Interleukin-10 Gene Transfer Is Protective in a Rat Model of Parkinson's Disease. *Molecular Therapy*. doi. <http://dx.doi.org/10.1038/mt.2008.113>
- Johnstone, D. M., el Massri, N., Moro, C., Spana, S., Wang, X. S., Torres, N., . . . Mitrofanis, J. (2014). Indirect application of near infrared light induces neuroprotection in a mouse model of Parkinsonism – An abscopal neuroprotective effect. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.05.023>. <http://www.sciencedirect.com/science/article/pii/S0306452214004151>
- Johnstone, J. T., Morton, P. D., Jayakumar, A. R., Bracchi-Ricard, V., Runko, E., Liebl, D. J., . . . Bethea, J. R. (2013). Reduced extracellular zinc levels facilitate glutamate-mediated oligodendrocyte death after trauma. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23208. <http://dx.doi.org/10.1002/jnr.23208>
- Johnstone, J. T., Morton, P. D., Jayakumar, A. R., Johnstone, A. L., Gao, H., Bracchi-Ricard, V., . . . Bethea, J. R. (2013). Inhibition of NADPH Oxidase Activation in Oligodendrocytes Reduces Cytotoxicity Following Trauma. *Plos one*, 8(11), e80975. doi: 10.1371/journal.pone.0080975. <http://dx.doi.org/10.1371/journal.pone.0080975>
- Jokivarsi, K. T., Hiltunen, Y., Tuunanen, P. I., Kauppinen, R. A., & Gröhn, O. H. J. (2009). Correlating tissue outcome with quantitative multiparametric MRI of acute cerebral ischemia in rats. *Journal of Cerebral Blood Flow and Metabolism*, 30(2), 415-427. doi.
- Jolival, C. G., Hurford, R., Lee, C. A., Dumaop, W., Rockenstein, E., & Masliah, E. (2010). Type 1 diabetes exaggerates features of Alzheimer's disease in APP transgenic mice. *Experimental Neurology*, 223(2), 422-431. doi.
- Jones, D. C., Ding, X., & Daynes, R. A. (2002). Nuclear receptor peroxisome proliferator-activated receptor alpha (PPARalpha) is expressed in resting murine lymphocytes. *The PPARalpha in T and B*

lymphocytes is both transactivation and transrepression competent. *Journal of Biological Chemistry*, 277. doi: 10.1074/jbc.M106908200. <http://dx.doi.org/10.1074/jbc.M106908200>

Jones, M. V., Nguyen, T. T., Deboy, C. A., Griffin, J. W., Whartenby, K. A., Kerr, D. A., & Calabresi, P. A. (2008). Behavioral and pathological outcomes in MOG 35-55 experimental autoimmune encephalomyelitis. *Journal of Neuroimmunology*, 199(1), 83-93. doi.

Jones, M. V., Nguyen, T. T., Ewaleifoh, O., Lebson, L., Whartenby, K. A., Griffin, J. W., & Calabresi, P. A. (2013). Accelerated axon loss in MOG35-55 experimental autoimmune encephalomyelitis (EAE) in myelin-associated glycoprotein-deficient (MAGKO) mice. *Journal of Neuroimmunology*, (0). doi: <http://dx.doi.org/10.1016/j.jneuroim.2013.06.008>. <http://www.sciencedirect.com/science/article/pii/S0165572813001677>

Jones, S., Stanić, D., & Dutschmann, M. (2015). Dorsal and ventral aspects of the most caudal medullary reticular formation have differential roles in modulation and formation of the respiratory motor pattern in rat. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-015-1165-x. <http://dx.doi.org/10.1007/s00429-015-1165-x>

Jongen-Relo, A. L., Leng, A., Luber, M., Pothuizen, H. H. J., Weber, L., & Feldon, J. (2004). The prenatal methylazoxymethanol acetate treatment: a neurodevelopmental animal model for schizophrenia? *Behavioural Brain Research*, 149(2), 159-181. doi.

Jonsson, S., Wiberg, R., McGrath, A. M., Novikov, L. N., Wiberg, M., Novikova, L. N., & Kingham, P. J. (2013). Effect of Delayed Peripheral Nerve Repair on Nerve Regeneration, Schwann Cell Function and Target Muscle Recovery. *Plos one*, 8(2), e56484. doi: 10.1371/journal.pone.0056484. <http://dx.doi.org/10.1371/journal.pone.0056484>

Joosen, M. J. A., Jousma, E., van den Boom, T. M., Kuijpers, W. C., Smit, A. B., Lucassen, P. J., & van Helden, H. P. M. (2009). Long-term cognitive deficits accompanied by reduced neurogenesis after soman poisoning. *Neurotoxicology*, 30(1), 72-80. doi.

Jope, R. S., Yuskaitis, C. J., & Beurel, E. (2007). Glycogen synthase kinase-3 (GSK3): inflammation, diseases, and therapeutics. *Neurochemical Research*, 32. doi: 10.1007/s11064-006-9128-5. <http://dx.doi.org/10.1007/s11064-006-9128-5>

Jordão, J. F., Ayala-Grosso, C. A., Markham, K., Huang, Y., Chopra, R., McLaurin, J. A., . . . Aubert, I. (2010). Antibodies Targeted to the Brain with Image-Guided Focused Ultrasound Reduces Amyloid- β Plaque Load in the TgCRND8 Mouse Model of Alzheimer's Disease. *PLoS ONE*, 5(5), e10549-e10549. doi.

Jordão, J. F., Thévenot, E., Markham-Coultes, K., Scarcelli, T., Weng, Y.-Q., Xhima, K., . . . Aubert, I. (2013). Amyloid- β plaque reduction, endogenous antibody delivery and glial activation by brain-targeted, transcranial focused ultrasound. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.05.008>. <http://www.sciencedirect.com/science/article/pii/S0014488613001544>

Joseph, M., Anglada-Huguet, M., Paesler, K., Mandelkow, E., & Mandelkow, E.-M. (2017). Anti-aggregant tau mutant promotes neurogenesis. [journal article]. *Molecular Neurodegeneration*, 12(1), 88. doi: 10.1186/s13024-017-0230-8. <https://doi.org/10.1186/s13024-017-0230-8>

Joshi, Y., Sória, M. G., Quadrato, G., Inak, G., Zhou, L., Hervera, A., . . . Giovanni, S. D. (2015). The MDM4/MDM2-p53-IGF1 axis controls axonal regeneration, sprouting and functional recovery after

CNS injury. [10.1093/brain/awv125]. Brain.

doi: <http://brain.oxfordjournals.org/content/early/2015/05/15/brain.awv125.ab..>

Jourdain, V. A., Grégoire, L., Morissette, M., Morin, N., Parent, M., & Di Paolo, T. (2012). Potentiation of response to low doses of levodopa in MPTP-injected monkeys by chemical unilateral subthalamotomy. *Journal of Neurosurgery*, 0(0), 1-12. doi:

doi:10.3171/2012.9.JNS12295. <http://thejns.org/doi/abs/10.3171/2012.9.JNS12295>

Joy, M. T., Ben Assayag, E., Shabashov-Stone, D., Liraz-Zaltsman, S., Mazzitelli, J., Arenas, M., . . . Carmichael, S. T. (2019). CCR5 Is a Therapeutic Target for Recovery after Stroke and Traumatic Brain Injury. *Cell*, 176(5), 1143-1157.e1113.

doi: <https://doi.org/10.1016/j.cell.2019.01.044>. <http://www.sciencedirect.com/science/article/pii/S092867419301072>

Joyce, M. K. P., García-Cabezas, M. Á., John, Y. J., & Barbas, H. (2020). Serial prefrontal pathways are positioned to balance cognition and emotion in primates. *The Journal of Neuroscience*, JN-RM-o860-0820. doi: 10.1523/jneurosci.0860-

20.2020. <http://www.jneurosci.org/content/early/2020/09/28/JNEUROSCI.0860-20.2020..>

Ju, M. S., Kim, H. G., Choi, J. G., Ryu, J. H., Hur, J., Kim, Y. J., & Oh, M. S. (2010). Cassiae semen, a seed of *Cassia obtusifolia*, has neuroprotective effects in Parkinson's disease models. *Food and Chemical Toxicology*, 48(8-9), 2037-2044. doi:

Juan, L.-W., Liao, C.-C., Lai, W.-S., Chang, C.-Y., Pei, J.-C., Wong, W.-R., . . . Lee, L.-J. (2013). Phenotypic characterization of C57BL/6J mice carrying the *Disc1* gene from the 129S6/SvEv strain. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-013-0577-8. <http://dx.doi.org/10.1007/s00429-013-0577-8>

Jukkola, P. I., Rogers, J. T., Kaspar, B. K., Weeber, E. J., & Nishijima, I. (2011). Secretin deficiency causes impairment in survival of neural progenitor cells in mice. *Human Molecular Genetics*. doi:

10.1093/hmg/ddq545. <http://hmg.oxfordjournals.org/content/early/2011/01/04/hmg.ddq545.abstract>

Jukkola, T., Lahti, L., Naserke, T., Wurst, W., & Partanen, J. (2006). FGF regulated gene-expression and neuronal differentiation in the developing midbrain-hindbrain region. *Developmental Biology*, 297(1), 141-157. doi:

Jung, A. E., Fitzsimons, H. L., Bland, R. J., During, M. J., & Young, D. (2008). HSP70 and constitutively active HSF1 mediate protection against CDCrel-1-mediated toxicity. *Molecular Therapy*, 16(6), 1048-1055. doi:

Jupp, B., Krstew, E., Dezsi, G., & Lawrence, A. J. (2010). Discrete cue-conditioned alcohol-seeking after protracted abstinence: pattern of neural activation and involvement of orexin1 receptors. *British Journal of Pharmacology*, no-no. doi: 10.1111/j.1476-5381.2010.01088.x. <http://dx.doi.org/10.1111/j.1476-5381.2010.01088.x>

Jupp, B., Williams, J., Binns, D., Hicks, R. J., Cardamone, L., Jones, N., . . . O'Brien, T. J. (2012). Hypometabolism precedes limbic atrophy and spontaneous recurrent seizures in a rat model of TLE. *Epilepsia*, no-no. doi: 10.1111/j.1528-1167.2012.03525.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03525.x>

Justice, N. J., Blount, A. L., Pelosi, E., Schlessinger, D., Vale, W., & Bilezikjian, L. M. (2011). Impaired FSH β Expression in the Pituitaries of *Foxl2* Mutant Animals. *Molecular Endocrinology*, 25(8), 1404-1415. doi:

K.G. B., G. M.-N., & H. G. (2016). Early life stress accelerates behavioral and neural maturation of the hippocampus in male mice. *Hormones and Behavior*. doi: <http://dx.doi.org/10.1016/j.yhbeh.2016.04.010>. <http://www.sciencedirect.com/science/article/pii/S0018506X15302038>

Ka'ntor, O., Temel, Y., Holzmann, C., Raber, K., Nguyen, H.-P., Cao, C., . . . Schmitz, C. (2006). Selective striatal neuron loss and alterations in behavior correlate with

impaired striatal function in Huntington's disease transgenic rats. *Neurobiology of Disease*, 22, 538-547. doi.

Kabadi, S. V., Stoica, B. A., Byrnes, K. R., Hanscom, M., Loane, D. J., & Faden, A. I. (2011). Selective CDK inhibitor limits neuroinflammation and progressive neurodegeneration after brain trauma. *Journal of Cerebral Blood Flow and Metabolism*, 32(1), 137-149. doi.

Kabadi, S. V., Stoica, B. A., Hanscom, M., Loane, D. J., Kharebava, G., Murray li, M. G., . . . Faden, A. I. (2011). CR8, a Selective and Potent CDK Inhibitor, Provides Neuroprotection in Experimental Traumatic Brain Injury. *Neurotherapeutics*, 1-17. doi.

Kabadi, S. V., Stoica, B. A., Loane, D. J., Luo, T., & Faden, A. I. (2014). CR8, a novel inhibitor of CDK, limits microglial activation, astrogliosis, neuronal loss, and neurologic dysfunction after experimental traumatic brain injury. *Journal of Cerebral Blood Flow and Metabolism*. doi. <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013228a.html>

Kachadroka, S., Hall, A. M., Niedzielko, T. L., Chongthammakun, S., & Floyd, C. L. (2010). Effect of Endogenous Androgens on 17 beta-Estradiol-Mediated Protection after Spinal Cord Injury in Male Rats. *Journal of Neurotrauma*, 27(3), 611-626. doi.

Kadam, S. D., Mulholland, J. D., McDonald, J. W., & Comi, A. M. (2008). Neurogenesis and neuronal commitment following ischemia in a new mouse model for neonatal stroke. *Brain Research*, 1208, 35-45. doi.

Kadowaki, T., Nakadate, K., Sakakibara, S., Hirata, K., & Ueda, S. (2007). Expression of Iba1 protein in microglial cells of zitter mutant rat. *Neuroscience Letters*, 411(1), 26-31. doi.

Kadoya, K., Lu, P., Nguyen, K., Lee-Kubli, C., Kumamaru, H., Yao, L., . . . Tuszynski, M. H. (2016). Spinal cord reconstitution with homologous neural grafts enables robust corticospinal regeneration. [Article]. *Nature Medicine*, advance online publication. doi: 10.1038/nm.4066

<http://www.nature.com/nm/journal/vaop/ncurrent/abs/nm.4066.html#suppleme.....> <http://dx.doi.org/10.1038/nm.4066>

Kaestner, C. L., Smith, E. H., Peirce, S. G., & Hoover, D. B. (2019). Immunohistochemical analysis of the mouse celiac ganglion: An integrative relay station of the peripheral nervous system. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24705. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24705>

Kafetzopoulos, V., Kokras, N., Sotiropoulos, I., Oliveira, J. F., Leite-Almeida, H., Vasalou, A., . . . Dalla, C. (2017). The nucleus reuniens: a key node in the neurocircuitry of stress and depression. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2017.55. <http://dx.doi.org/10.1038/mp.2017.55>

Kaindlstorfer, C., Sommer, P., Georgievska, B., Mather, R. J., Kugler, A. R., Poewe, W., . . . Stefanova, N. (2015). Failure of Neuroprotection Despite Microglial Suppression by Delayed-Start Myeloperoxidase Inhibition in a Model of Advanced Multiple System Atrophy: Clinical Implications. *Neurotoxicity research*, 1-10. doi: <http://link.springer.com/article/10.1007/s12640-015-9547-7/fulltext.html>

Kaindlstorfer, C., Stefanova, N., Garcia, J., Krismer, F., Döbrössy, M., Göbel, G., . . . Wenning, G. K. (2019). L-dopa response pattern in a rat model of mild striatonigral degeneration. *Plos one*, 14(6), e0218130. doi: 10.1371/journal.pone.0218130. <https://doi.org/10.1371/journal.pone.0218130>

Kajimoto, K., Allan, A., & Cunningham, L. A. (2013). Fate Analysis of Adult Hippocampal Progenitors in a Murine Model of Fetal Alcohol Spectrum Disorder (FASD). *Plos one*, 8(9). doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3770701/>

Kajitani, K., Nomaru, H., Ifuku, M., Yutsudo, N., Dan, Y., Miura, T., . . . Nakabeppu, Y. (2008). Galectin-1 promotes basal and kainate-induced proliferation of neural progenitors in the dentate gyrus of adult mouse hippocampus. *Cell Death and Differentiation*, November 14. doi.

Kajiwara, Y., McKenzie, A., Dorr, N., Gama Sosa, M. A., Elder, G., Schmeidler, J., . . . Buxbaum, J. D. (2016). The human-specific CASP4 gene contributes to Alzheimer-related synaptic and behavioral deficits. *Human Molecular Genetics*. doi: 10.1093/hmg/ddw265. <http://hmg.oxfordjournals.org/content/early/2016/08/11/hmg.ddw265.abstract>

Kalambogias, J., Chen, C.-C., Khan, S., Son, T., Wercberger, R., Headlam, C., . . . Brumberg, J. C. (2019). Development and Sensory Experience Dependent Regulation of Microglia in Barrel Cortex. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24771. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24771>

Kalanithi, P. S. A., Zheng, W., Kataoka, Y., DiFiglia, M., Grantz, H., Saper, C. B., . . . Vaccarino, F. M. (2005). Altered parvalbumin-positive neuron distribution in basal ganglia of individuals with Tourette syndrome. *Proceedings of the National Academy of Sciences*. doi: <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/0502624102v1>

Kalaycioglu, A., Ucuncu, Y., Altunkaynak, B. Z., Altunkaynak, M. E., Gundogdu, C., Keles, O. N., . . . Kaplan, S. (2011). Stereological Evaluation of the Kidneys of Anencephalic and Normal Fetuses. *Renal Failure*, 00, 1-8. doi.

Kalesnykas, G., Niittykoski, M., Rantala, J., Miettinen, R., Salminen, A., Kaarniranta, K., & Uusitalo, H. (2007). The expression of heat shock protein 27 in retinal ganglion and glial cells in a rat glaucoma model. *Neuroscience*, 150(3), 692-704. doi.

Kalesnykas, G., Oglesby, E. N., Zack, D. J., Cone, F. E., Steinhart, M. R., Tian, J., . . . Quigley, H. A. (2012). Retinal ganglion cell morphology after optic nerve crush and experimental glaucoma. *Investigative Ophthalmology and Visual Science*. doi.

Kalesnykas, G., Puolivali, J., Sirvio, J., & Miettinen, R. (2004). Cholinergic neurons in the basal forebrain of aged female mice. *Brain Research*, 1022(1-2), 148-156. doi.

Kalesnykas, G., Roschier, U., Puolivali, J., Wang, J., & Miettinen, R. (2005). The effect of aging on the subcellular distribution of estrogen receptor-alpha in the cholinergic neurons of transgenic and wild-type mice. *European Journal of Neuroscience*, 21(5), 1437-1442. doi: doi:10.1111/j.1460-9568.2005.03953.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03953.x>

Kalesnykas, G., Tuulos, T., Uusitalo, H., & Jolkkonen, J. (2008). Neurodegeneration and cellular stress in the retina and optic nerve in rat cerebral ischemia and hypoperfusion models. *Neuroscience*, 155(3), 937-947. doi.

Kalidindi, A., Kelly, S. D., Singleton, K. S., Guzman, D., Merrill, L., Willard, S. L., . . . Neigh, G. N. (2016). Reduced marker of vascularization in the anterior hippocampus in a female monkey model of depression. *Physiology and Behavior*. doi: <http://dx.doi.org/10.1016/j.physbeh.2016.07.007>. <http://www.sciencedirect.com/science/article/pii/S0031938416305303>

Kalifa, S., Polston, E. K., Allard, J. S., & Manaye, K. F. (2011). Distribution patterns of cannabinoid CB1 receptors in the hippocampus of APP swe/PS1 Δ g double transgenic mice. *Brain Research*, 1376, 94-100. doi.

Kälin, R. E., Cai, L., Li, Y., Zhao, D., Zhang, H., Cheng, J., . . . Glass, R. (2021). TAMEP are brain tumor parenchymal cells controlling neoplastic angiogenesis and progression. *Cell Systems*. doi: <https://doi.org/10.1016/j.cels.2021.01.002>. <https://www.sciencedirect.com/science/article/pii/S2405471221000363>

Kalinchuk, A. V., McCarley, R. W., Stenberg, D., Porkka-Heiskanen, T., & Basheer, R. (2008). The role of cholinergic basal forebrain neurons in adenosine-mediated homeostatic control of sleep: lessons from 192 IgG-saporin lesions. *Neuroscience*, 157(1), 238-253. doi.

Kalinichev, M., Rosenblatt, J. S., Nakabeppu, Y., & Morrell, J. I. (2000). Induction of c-Fos-like and FosB-like immunoreactivity reveals forebrain neuronal populations involved differentially in pup-mediated maternal behavior in juvenile and adult rats. *Journal of Comparative Neurology*, 416(1), 45-78. doi.

Kalkan, Y., Kapakin, K. A. T., Kara, A., Atabay, T., Karadeniz, A., Simsek, N., . . . Ozkanlar, S. (2012). Protective effect of Panax ginseng against serum biochemical changes and apoptosis in kidney of rats treated with gentamicin sulphate. *Journal of molecular histology*, 1-11. doi.

Kallmünzer, B., Tauchi, M., Schlachetzki, J. C., Machold, K., Schmidt, A., Winkler, J., . . . Kollmar, R. (2014). Granulocyte colony-stimulating factor does not promote neurogenesis after experimental intracerebral haemorrhage. *International Journal of Stroke*, n/a-n/a. doi: 10.1111/ijis.12217. <http://dx.doi.org/10.1111/ijis.12217>

Kalm, M., Karlsson, N., Nilsson, M. K. L., & Blomgren, K. (2013). Loss of hippocampal neurogenesis, increased motor activity and impaired reversal learning one year after irradiation of the young mouse brain. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.01.006>. <http://www.sciencedirect.com/science/article/pii/S0014488613000198>

Kalm, M., Roughton, K., & Blomgren, K. (2013). Lipopolysaccharide sensitized male and female juvenile brains to ionizing radiation. *Cell death & disease*, 4(12), e962. doi: <http://www.nature.com/cddis/journal/v4/n12/abs/cddis2013482a.html>

Kamal, K., Keiter, J. A., Binyamin, T. R., de la Cruz Dapula, J. N., Vergara, A. R., Hawk, C. W., . . . Waldau, B. (2020). Mechanical injury and blood are drivers of spatial memory deficits after rapid intraventricular hemorrhage. *Neurobiology of Disease*, 145, 105084. doi: <https://doi.org/10.1016/j.nbd.2020.105084>. <http://www.sciencedirect.com/science/article/pii/S0969996120303594>

Kampe, J., Wiedmer, P., Pfluger, P. T., Castaneda, T. R., Burget, L., Mondala, H., . . . others. (2006). Effect of central administration of QRFP (26) peptide on energy balance and characterization of a second QRFP receptor in rat. *Brain Research*, 1119(1), 133-149. doi.

Kanaan, N. M., Kordower, J. H., & Collier, T. J. (2007). Age-related accumulation of Marinesco bodies and lipofuscin in rhesus monkey midbrain dopamine neurons: Relevance to selective neuronal vulnerability. *Journal of Comparative Neurology*, 502(5), 683-700. doi.

Kanaan, N. M., Kordower, J. H., & Collier, T. J. (2010). Age-related changes in glial cells of dopamine midbrain subregions in rhesus monkeys. *Neurobiology of Aging*, 31(6), 937-952. doi.

Kanaya, M., Tsuda, M. C., Sagoshi, S., Nagata, K., Morimoto, C., Tha Thu, C. K., . . . Tsukahara, S. (2014). Regional Difference in Sex Steroid Action on Formation of Morphological Sex Differences in the Anteroventral Periventricular Nucleus and Principal Nucleus of the Bed Nucleus of the Stria Terminalis. *Plos one*, 9(11), e112616. doi:

10.1371/journal.pone.0112616. <http://dx.doi.org/10.1371%2Fjournal.pone.0112616>

Kanca, H., Karakas, K., Dalgic, M. A., Salar, S., & Izgur, H. (2014). Vaginal cytology after induction of ovulation in the queen: comparison of postoestrus and dioestrus. *Australian Veterinary Journal*, 92(3), 65-70. doi: 10.1111/avj.12146. <http://dx.doi.org/10.1111/avj.12146>

Kandasamy, M., Couillard-Despres, S., Raber, K. A., Stephan, M., Lehner, B., Winner, B., . . . others. (2010). Stem Cell Quiescence in the Hippocampal Neurogenic Niche Is Associated With Elevated Transforming Growth Factor- β Signaling in an Animal Model of Huntington Disease. *Journal of Neuropathology and Experimental Neurology*, 69(7), 717-717. doi.

Kane, G. A., Vazey, E. M., Wilson, R. C., Shenhav, A., Daw, N. D., Aston-Jones, G., & Cohen, J. D. (2017). Increased locus coeruleus tonic activity causes disengagement from a patch-foraging task. [journal article]. *Cognitive, Affective, & Behavioral Neuroscience*. doi: 10.3758/s13415-017-0531-y. <https://doi.org/10.3758/s13415-017-0531-y>

Kaneshwaran, K., Olah, M., Tasaki, S., Yu, L., Bradshaw, E. M., Schneider, J. A., . . . Lim, A. S. P. (2019). Sleep fragmentation, microglial aging, and cognitive impairment in adults with and without Alzheimer's dementia. *Science Advances*, 5(12), eaax7331. doi: 10.1126/sciadv.aax7331. <https://advances.sciencemag.org/content/advances/5/12/eaax7331.full.pdf>

Kang, C. E., Poon, P. C., Tator, C. H., & Shoichet, M. S. (2008). A new paradigm for local and sustained release of therapeutic molecules to the injured spinal cord for neuroprotection and tissue repair. *Tissue Engineering Part A*, 15(3), 595-604. doi.

Kang, H. M., Jin, J., Lee, S., Ryu, J., & Park, C. (2010). A novel method for olfactory bulbectomy using photochemically induced lesion. *Neuroreport*, 21(3), 179-179. doi.

Kang, J., & Rivest, S. (2007). MyD88-deficient bone marrow cells accelerate onset and reduce survival in a mouse model of amyotrophic lateral sclerosis. *Journal of Cell Biology*, 179(6), 1219-1230. doi.

Kang, K.-H., Liou, H.-H., Hour, M.-J., Liou, H.-C., & Fu, W.-M. (2013). Protection of dopaminergic neurons by 5-lipoxygenase inhibitor. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.06.014>. <http://www.sciencedirect.com/science/article/pii/S0028390813002827>

- Kang, W. Y., Kim, S. S., Cho, S. K., Kim, S., Suh-Kim, H., & Lee, Y. D. (2010). Migratory defect of mesencephalic dopaminergic neurons in developing reeler mice. *Anatomy and Cell Biology*, 43(3), 241-241. doi.
- Kanigel Winner, K., Steinkamp, M. P., Lee, R. J., Swat, M., Muller, C. Y., Moses, M. E., . . . Wilson, B. S. (2015). Spatial modeling of drug delivery routes for treatment of disseminated ovarian cancer. *Cancer Research*. doi: 10.1158/0008-5472.can-15-1620. <http://cancerres.aacrjournals.org/content/early/2015/12/30/0008-5472.CAN...>
- Kannan, S., Dai, H., Navath, R. S., Balakrishnan, B., Jyoti, A., Janisse, J., . . . Kannan, R. M. (2012). Dendrimer-Based Postnatal Therapy for Neuroinflammation and Cerebral Palsy in a Rabbit Model. *Science translational medicine*, 4(130), 130ra146. doi: 10.1126/scitranslmed.3003162. <http://stm.sciencemag.org/content/4/130/130ra46.abstract>
- Kannan, S., Saadani-Makki, F., Balakrishnan, B., Dai, H., Chakraborty, P. K., Janisse, J., . . . Chugani, D. C. (2010). Decreased cortical serotonin in neonatal rabbits exposed to endotoxin in utero. *Journal of Cerebral Blood Flow and Metabolism*, 31(2), 738-749. doi.
- Kanno, H., Pressman, Y., Moody, A., Berg, R., Muir, E. M., Rogers, J. H., . . . Bunge, M. B. (2014). Combination of Engineered Schwann Cell Grafts to Secrete Neurotrophin and Chondroitinase Promotes Axonal Regeneration and Locomotion after Spinal Cord Injury. *The Journal of Neuroscience*, 34(5), 1838-1855. doi. <http://www.jneurosci.org/content/34/5/1838.short>
- Kantarci, K., Yang, C., Schneider, J. A., Senjem, M. L., Reyes, D. A., Lowe, V. J., . . . others. (2010). Ante mortem amyloid imaging and [beta]-amyloid pathology in a case with dementia with Lewy bodies. *Neurobiology of Aging*. doi.
- Kántor, O., Schmitz, C., Feiser, J., Brasnjevic, I., Korr, H., Busto, R., . . . Schmidt-Kastner, R. (2007). Moderate loss of cerebellar Purkinje cells after chronic bilateral common carotid artery occlusion in rats. *Acta Neuropathologica*, 113(5). doi.
- Kapadia, R., Yi, J. H., & Vemuganti, R. (2008). Mechanisms of anti-inflammatory and neuroprotective actions of PPAR-gamma agonists. *Frontiers in Bioscience*, 13. doi: 10.2741/2802. <http://dx.doi.org/10.2741/2802>
- Kapelouzou, A., Kontogiannis, C., Tsimigras, D. I., Georgiopoulos, G., Kaklamanis, L., Tsourelis, L., & Cokkinos, D. V. (2019). Differential expression patterns of Toll Like Receptors and Interleukin-37 between calcific aortic and mitral valve cusps in humans. *Cytokine*, 116, 150-160. doi: <https://doi.org/10.1016/j.cyto.2019.01.009>, <http://www.sciencedirect.com/science/article/pii/S1043466619300274>
- Kapgal, V., Prem, N., Hegde, P., Laxmi, T. R., & Kutty, B. M. (2016). Long term exposure to combination paradigm of environmental enrichment, physical exercise and diet reverses the spatial memory deficits and restores hippocampal neurogenesis in ventral subicular lesioned rats. *Neurobiology of Learning and Memory*, 130, 61-70. doi: <http://dx.doi.org/10.1016/j.nlm.2016.01.013>, <http://www.sciencedirect.com/science/article/pii/S1074742716000320>
- Kaplan, S., Onger, M. E., Altunkaynak, B. Z., Elibol, E., Deniz, O. G., Karayiğit, M. Ö., . . . Ragbetli, M. Ç. (2018). Effects of spermine and the passive avoidance learning (PAL) following cerebral ischemia in chicks: Association with neuroprotection of pyramidal cells. *Journal of Chemical Neuroanatomy*, 88(Supplement C), 41-45.

doi: <https://doi.org/10.1016/j.jchemneu.2017.11.006>. <http://www.sciencedirect.com/science/article/pii/S0891061817300741>

Kappes, L., Amer, R. L., Sommerlatte, S., Bashir, G., Plattfaut, C., Gieseler, F., . . . Cabral-Marques, O. (2020). Ambrisentan, an endothelin receptor type A-selective antagonist, inhibits cancer cell migration, invasion, and metastasis. *Scientific Reports*, 10(1), 15931. doi: 10.1038/s41598-020-72960-1. <https://doi.org/10.1038/s41598-020-72960-1>

Kara, A., Unal, D., Simsek, N., Yucel, A., Yucel, N., & Selli, J. (2014). Ultra-structural changes and apoptotic activity in cerebellum of post-menopausal-diabetic rats: a histochemical and ultra-structural study. *Gynecological Endocrinology*, 0(0), 1-6. doi: 10.3109/09513590.2013.864270. <http://informahealthcare.com/doi/abs/10.3109/09513590.2013.864270>

Karabiyikoglu, M., Han, H. S., Yenari, M. A., & Steinberg, G. K. (2003). Attenuation of nitric oxide synthase isoform expression by mild hypothermia after focal cerebral ischemia: variations depending on timing of cooling. *Journal of Neurosurgery*, 98(6), 1271-1276. doi: 10.3171/JNS.2003.98.6.1271

Karaçay, B., Li, S., & Bonthius, D. J. (2008). Maturation-Dependent Alcohol Resistance in the Developing Mouse: Cerebellar Neuronal Loss and Gene Expression During Alcohol-Vulnerable and-Resistant Periods. *Alcoholism: Clinical and Experimental Research*, 32(8), 1439-1450. doi: 10.1111/j.1530-0267.2008.01261.x

Karacay, B., Mahoney, J., Plume, J., & Bonthius, D. J. (2015). Genetic absence of nNOS worsens fetal alcohol effects in mice. II: microencephaly and neuronal losses. *Alcoholism, Clinical and Experimental Research*, 39. doi: 10.1111/acer.12615. <http://dx.doi.org/10.1111/acer.12615>

Karádi, K., Janszky, J., Gyimesi, C., Horváth, Z., Lucza, T., Dóczi, T., . . . Ábrahám, H. (2012). Correlation between calbindin expression in granule cells of the resected hippocampal dentate gyrus and verbal memory in temporal lobe epilepsy. *Epilepsy and Behavior*, 0(0). doi: 10.1016/j.yebeh.2012.06.007. <http://www.sciencedirect.com/science/article/pii/S1525505012004374>

Karadimas, S. K., Laliberte, A. M., Tetreault, L., Chung, Y. S., Arnold, P., Foltz, W. D., & Fehlings, M. G. (2015). Riluzole blocks perioperative ischemia-reperfusion injury and enhances postdecompression outcomes in cervical spondylotic myelopathy. [10.1126/scitranslmed.aac6524]. *Science translational medicine*, 7(316), 316ra194-316ra194. doi: <http://stm.sciencemag.org/content/7/316/316ra194.abstract>

Karadimas, S. K., Moon, E. S., Yu, W.-R., Satkunendrarajah, K., Kallitsis, J. K., Gatzounis, G., & Fehlings, M. G. (2013). A novel experimental model of cervical spondylotic myelopathy (CSM) to facilitate translational research. *Neurobiology of Disease*, 54(0), 43-58. doi: <http://dx.doi.org/10.1016/j.nbd.2013.02.013>. <http://www.sciencedirect.com/science/article/pii/S0969996113000752>

Karaduman, D., Eren, B., & Keles, O. N. (2010). The protective effect of beta-1, 3-D-glucan on taxol-induced hepatotoxicity: a histopathological and stereological study. *Drug and Chemical Toxicology*, 33(1), 8-16. doi: 10.1080/01444760903300000

Karadurmus, D., Rial, D., De Backer, J.-F., Communi, D., de Kerchove, d., Exaerde, A., & Schiffmann, S. N. (2019). GPRIN-3 controls neuronal excitability, morphology and striatal-dependent behaviors in the indirect pathway of the striatum. *The Journal of Neuroscience*, 2454-2418. doi: 10.1523/jneurosci.2454-18.2019. <http://www.jneurosci.org/content/early/2019/07/29/JNEUROSCI.2454-18.2019>

Karakatsani, M. E., Wang, S., Samiotaki, G., Kugelmann, T., Olumolade, O. O., Acosta, C., . . . Konofagou, E. (2019). Amelioration of the nigrostriatal pathway facilitated by ultrasound-mediated neurotrophic delivery in early Parkinson's disease. *Journal of Controlled Release*. doi: <https://doi.org/10.1016/j.jconrel.2019.03.030>. <http://www.sciencedirect.com/science/article/pii/S0168365919301907>

Karakoyun, B., Uslu, U., Ercan, F., Aydin, M. S., Yuksel, M., Ogunc, A. V., & Alican, I. (2011). The effect of phosphodiesterase-5 inhibition by sildenafil citrate on inflammation and apoptosis in rat experimental colitis. *Life Sciences*. doi:

Karamita, M., Barnum, C., Möbius, W., Tansey, M. G., Szymkowski, D. E., Lassmann, H., & Probert, L. (2017). Therapeutic inhibition of soluble brain TNF promotes remyelination by increasing myelin phagocytosis by microglia. *JCI Insight*, 2(8). doi: 10.1172/jci.insight.87455. <https://doi.org/10.1172/jci.insight.87455>

Karampetsou, M., Ardah, M. T., Semitekolou, M., Polissidis, A., Samiotaki, M., Kalomoiri, M., . . . Vekrellis, K. (2017). Phosphorylated exogenous alpha-synuclein fibrils exacerbate pathology and induce neuronal dysfunction in mice. *Scientific Reports*, 7(1), 16533. doi: 10.1038/s41598-017-15813-8. <https://doi.org/10.1038/s41598-017-15813-8>

Karaoğlu, E. S., Albayrak, A., Kutlu, Z., & Bayraktar, Y. (2018). Gastroprotective and antioxidant effects of *Eremurus spectabilis* Bieb. methanol extract and its isolated component isoorientin on indomethacin induced gastric ulcers in rats. *Acta Cirurgica Brasileira*, 33, 609-618. doi: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0102-86502018000..

Karasawa, M., Yokouchi, K., Kawagishi, K., Moriizumi, T., & Fukushima, N. (2018). Effects of various lengths of hypoglossal nerve resection on motoneuron survival. *Journal of Clinical Neuroscience*. doi: <https://doi.org/10.1016/j.jocn.2018.11.020>. <http://www.sciencedirect.com/science/article/pii/S0967586818312876>

Karasinska, J. M., de Haan, W., Franciosi, S., Ruddle, P., Fan, J., Kruit, J. K., . . . Hayden, M. R. (2013). ABCA1 influences neuroinflammation and neuronal death. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.01.018>. <http://www.sciencedirect.com/science/article/pii/S0969996113000429>

Karhunen, H., Bezvenyuk, Z., Nissinen, J., Sivenius, J., Jolkkonen, J., & Pitkäranta, A. (2007). Epileptogenesis after cortical photothrombotic brain lesion in rats. *Neuroscience*, 148(1), 314-324. doi:

Karikari, A. A., Koprach, J. B., & Ip, C. W. (2019). Generation and Analysis of Viral Vector-Mediated Rodent Models for Parkinson's Disease. In T. Bartels (Ed.), *Alpha-Synuclein: Methods and Protocols* (pp. 271-286). New York, NY: Springer New York.

Karimi-Abdolrezaee, S., Eftekharpour, E., Wang, J., Schut, D., & Fehlings, M. G. (2012). Synergistic Effects of Transplanted Adult Neural Stem/Progenitor Cells, Chondroitinase, and Growth Factors Promote Functional Repair and Plasticity of the Chronically Injured Spinal Cord. *Journal of Neuroscience*, 30(5), 1657-1676. doi: 10.1523/jneurosci.3111-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/5/1657>

Karlsson, L., González-Alvarado, M. N., Larrosa-Flor, M., Osman, A., Börjesson, M., Blomgren, K., & Kuhn, H. G. (2018). Constitutive PGC-1 α Overexpression in Skeletal Muscle Does Not Improve Morphological Outcome in Mouse Models of Brain Irradiation or Cortical Stroke. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.05.036>. <https://www.sciencedirect.com/science/article/pii/S0306452218303865>

- Karlsson, L., González-Alvarado, M. N., Motalleb, R., Wang, Y., Wang, Y., Börjesson, M., . . . Kuhn, H.-G. (2020). Constitutive PGC-1 α Overexpression in Skeletal Muscle Does Not Contribute to Exercise-Induced Neurogenesis. *Molecular Neurobiology*. doi: 10.1007/s12035-020-02189-6. <https://doi.org/10.1007/s12035-020-02189-6>
- Karuppagounder, S. S., Xiong, Y., Lee, Y., Lawless, M. C., Kim, D., Nordquist, E., . . . Dawson, V. L. (2016). LRRK2 G2019S Transgenic Mice Display Increased Susceptibility to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-Mediated Neurotoxicity. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2016.01.007>. <http://www.sciencedirect.com/science/article/pii/S0891061815300387>
- Kataoka, Y., Kalanithi, P. S. A., Grantz, H., Schwartz, M. L., Saper, C., Leckman, J. F., & Vaccarino, F. M. (2010). Decreased number of parvalbumin and cholinergic interneurons in the striatum of individuals with Tourette syndrome. *Journal of Comparative Neurology*, 518(3), 277-291. doi.
- Katic, J., Loers, G., Kleene, R., Karl, N., Schmidt, C., Buck, F., . . . Schachner, M. (2014). Interaction of the Cell Adhesion Molecule CHL1 with Vitronectin, Integrins, and the Plasminogen Activator Inhibitor-2 Promotes CHL1-Induced Neurite Outgrowth and Neuronal Migration. *The Journal of Neuroscience*, 34(44), 14606-14623. doi. <http://www.jneurosci.org/content/34/44/14606.short>
- Kato, J., Yamada, T., Kawaguchi, H., Matsuda, K., & Higo, N. (2020). Functional near-infrared-spectroscopy-based measurement of changes in cortical activity in macaques during post-infarct recovery of manual dexterity. *Scientific Reports*, 10(1), 6458. doi: 10.1038/s41598-020-63617-0. <https://doi.org/10.1038/s41598-020-63617-0>
- Kato, S., Sugawara, M., Kobayashi, K., Kimura, K., Inoue, K.-i., Takada, M., & Kobayashi, K. (2019). Enhancement of the transduction efficiency of a lentiviral vector for neuron-specific retrograde gene delivery through the point mutation of fusion glycoprotein type E. *Journal of Neuroscience Methods*, 311, 147-155. doi: <https://doi.org/10.1016/j.jneumeth.2018.10.023>. <http://www.sciencedirect.com/science/article/pii/S0165027018303376>
- Kato, Y., Kaneko, N., Sawada, M., Ito, K., Arakawa, S., Murakami, S., & Sawamoto, K. (2012). A Subtype-Specific Critical Period for Neurogenesis in the Postnatal Development of Mouse Olfactory Glomeruli. *Plos one*, 7(11), e48431. doi: 10.1371/journal.pone.0048431. <http://dx.doi.org/10.1371/journal.pone.0048431>
- Katsman, D., Zheng, J., Spinelli, K., & Carmichael, S. T. (2003). Tissue Microenvironments Within Functional Cortical Subdivisions Adjacent to Focal Stroke. *Journal of Cerebral Blood Flow and Metabolism*, 23, 997-1009. doi.
- Kaufer, D., Ogle, W. O., Pincus, Z. S., Clark, K. L., Nicholas, A. C., Dinkel, K. M., . . . Sapolsky, R. M. (2004). Restructuring the neuronal stress response with anti-glucocorticoid gene delivery. *Nature of Neuroscience*, 7(9), 947-953. doi.
- Kaufling, J., Girard, D., Maitre, M., Leste-Lasserre, T., & Georges, F. (2017). Species-specific diversity in the anatomical and physiological organization of the BNST-VTA pathway. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13554. <http://dx.doi.org/10.1111/ejn.13554>
- Kaufman, J. A., Paul, L. K., Manaye, K. F., Granstedt, A. E., Hof, P. R., Hakeem, A. Y., & Allman, J. M. (2008). Selective reduction of Von Economo neuron number in agenesis of the corpus callosum. *Acta Neuropathologica*, 116(5), 479-489. doi.

Kaunzner, U. W., Miller, M. M., Gottfried-Blackmore, A., Gal-Toth, J., Felger, J. C., McEwen, B. S., & Bulloch, K. (2010). Accumulation of resident and peripheral dendritic cells in the aging CNS. *Neurobiology of Aging*. doi.

Kaur, C., Pal, I., Saini, S., Jacob, T. G., Nag, T. C., Thakar, A., . . . Roy, T. S. (2017). Comparison of unbiased stereological estimation of total number of cresyl violet stained neurons and parvalbumin positive neurons in the adult human spiral ganglion. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2017.06.004>. <http://www.sciencedirect.com/science/article/pii/S0891061817300376>

Kaur, C., Saini, S., Pal, I., Kumar, P., Chandra Sati, H., Jacob, T. G., . . . Roy, T. S. (2020). Age-related changes in the number of cresyl-violet-stained, parvalbumin and NMDAR 2B expressing neurons in the human spiral ganglion. *Hearing Research*, 107883. doi: <https://doi.org/10.1016/j.heares.2020.107883>. <http://www.sciencedirect.com/science/article/pii/S0378595519304939>

Kawagishi, K., Ando, M., Yokouchi, K., Sumitomo, N., Karasawa, M., Fukushima, N., & Moriizumi, T. (2014). Stereological Estimation of Olfactory Receptor Neurons in Rats. *Chemical Senses*. doi: 10.1093/chemse/bju062. <http://chemse.oxfordjournals.org/content/early/2014/12/22/chemse.bju062...>

Kawagishi, K., Ando, M., Yokouchi, K., Sumitomo, N., Karasawa, M., Fukushima, N., & Moriizumi, T. (2014). Stereological Quantification Of Olfactory Receptor Neurons In Mice. *Neuroscience*. doi: <http://www.sciencedirect.com/science/article/pii/S0306452214003625>

Kawamoto, M., Udagawa, J., Hashimoto, R., Matsumoto, A., Yamada, M., Nimura, M., & Otani, H. (2011). Adrenocorticotrophic tumor cells transplanted into mouse embryos affect pancreatic histogenesis. *Congenital Anomalies*, 51(2), 62-69. doi: 10.1111/j.1741-4520.2010.00313.x. <http://dx.doi.org/10.1111/j.1741-4520.2010.00313.x>

Kawamura, T., Chen, J., Takahashi, T., Ichitani, Y., & Nakahara, D. (2006). Prenatal stress suppresses cell proliferation in the early developing brain. *Neuroreport*, 17(14), 1515-1515. doi.

Kayabasoglu, G., Ozbek, E., Yanar, S., Sahin, F., Keles, O., Yilmaz, M., & Guven, M. (2014). The comparison of the viability of crushed, morselized and diced cartilage grafts: a confocal microscopic study. *European Archives of Oto-Rhino-Laryngology*, 1-8. doi: 10.1007/s00405-014-3192-2. <http://dx.doi.org/10.1007/s00405-014-3192-2>

Ke, Z., Liu, Y., Wang, X., Fan, Z., Chen, G., Xu, M., . . . Luo, J. (2011). Cyanidin-3-glucoside ameliorates ethanol neurotoxicity in the developing brain. *Journal of Neuroscience Research*, 89(10), 1676-1684. doi: 10.1002/jnr.22689. <http://dx.doi.org/10.1002/jnr.22689>

Keber, U., Klietz, M., Carlsson, T., Oertel, W. H., Weihe, E., Schäfer, M. K. H., . . . Depboylu, C. (2015). Striatal tyrosine hydroxylase-positive neurons are associated with l-DOPA-induced dyskinesia in hemiparkinsonian mice. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.04.021>. <http://www.sciencedirect.com/science/article/pii/S0306452215003620>

Keck, M., van Dijk, R. M., Deeg, C. A., Kistler, K., Walker, A., von Rüden, E.-L., . . . Potschka, H. (2018). Proteomic profiling of epileptogenesis in a rat model: Focus on cell stress, extracellular matrix and angiogenesis. *Neurobiology of Disease*, 112, 119-135. doi: <https://doi.org/10.1016/j.nbd.2018.01.013>. <http://www.sciencedirect.com/science/article/pii/S0969996118300196>

Keeley, R. J., Burger, D. K., Saucier, D. M., & Iwaniuk, A. N. (2015). The size of non-hippocampal brain regions varies by season and sex in Richardson's ground squirrel. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.12.077>. <http://www.sciencedirect.com/science/article/pii/S0306452215000524>

Keeley, R. J., Bye, C., Trow, J., & McDonald, R. J. (2014). Part I: Strain and sex differences in brain and behaviour of adult rats: Learning and memory, anxiety and volumetric estimates. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.10.039>. <http://www.sciencedirect.com/science/article/pii/S0166432814007049>

Keeley, R. J., Trow, J., Bye, C., & McDonald, R. J. (2015). Part II: Strain- and sex-specific effects of adolescent exposure to THC on adult brain and behaviour: Variants of learning, anxiety and volumetric estimates. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2015.01.001>. <http://www.sciencedirect.com/science/article/pii/S0166432815000054>

Keeley, R. J., Trow, J., & McDonald, R. J. (2015). Strain and sex differences in puberty onset and the effects of THC administration on weight gain and brain volumes. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.07.024>. <http://www.sciencedirect.com/science/article/pii/S0306452215006387>

Keeley, R. J., Tyndall, A. V., Scott, G. A., & Saucier, D. M. (2013). Sex Difference in Cue Strategy in a Modified Version of the Morris Water Task: Correlations between Brain and Behaviour. *Plos one*, 8(7), e69727. doi: 10.1371/journal.pone.0069727. <http://dx.doi.org/10.1371%2Fjournal.pone.0069727>

Keene, C. D., Chang, R. C., Lopez-Yglesias, A. H., Shalloway, B. R., Sokal, I., Li, X., . . . Montine, T. J. (2010). Suppressed Accumulation of Cerebral Amyloid β Peptides in Aged Transgenic Alzheimer's Disease Mice by Transplantation with Wild-Type or Prostaglandin E2 Receptor Subtype 2-Null Bone Marrow. *American Journal of Pathology*, 177(1), 346-354. doi: 10.2353/ajpath.2010.090840. <http://ajp.amjpathol.org/cgi/content/abstract/177/1/346>

Keene, C. S., & Bucci, D. J. (2008). Contributions of the retrosplenial and posterior parietal cortices to cue-specific and contextual fear conditioning. *Behavioral Neuroscience*, 122(1), 89-89. doi.

Keene, C. S., & Bucci, D. J. (2008). Involvement of the retrosplenial cortex in processing multiple conditioned stimuli. *Behavioral Neuroscience*, 122(3), 651-651. doi.

Keene, C. S., & Bucci, D. J. (2008). Neurotoxic lesions of retrosplenial cortex disrupt signaled and unsignaled contextual fear conditioning. *Behavioral Neuroscience*, 122(5), 1070-1070. doi.

Keene, C. S., & Bucci, D. J. (2009). Damage to the retrosplenial cortex produces specific impairments in spatial working memory. *Neurobiology of Learning and Memory*, 91(4), 408-414. doi.

Keiner, S., Niv, F., Neumann, S., Steinbach, T., Schmeer, C., Hornung, K., . . . Redecker, C. (2017). Effect of skilled reaching training and enriched environment on generation of oligodendrocytes in the adult sensorimotor cortex and corpus callosum. [journal article]. *BMC Neuroscience*, 18(1), 31. doi: 10.1186/s12868-017-0347-2. <http://dx.doi.org/10.1186/s12868-017-0347-2>

Keiner, S., Witte, O. W., & Redecker, C. (2009). Immunocytochemical detection of newly generated neurons in the perilesional area of cortical infarcts after intraventricular application of brain-derived neurotrophic factor. *Journal of Neuropathology and Experimental Neurology*, 68(1), 83-83. doi.

Keiner, S., Wurm, F., Kunze, A., Witte, O. W., & Redecker, C. (2008). Rehabilitative therapies differentially alter proliferation and survival of glial cell populations in the perilesional zone of cortical infarcts. *Glia*, 56(5), 516-527. doi.

Keleş, A. İ. (2020). Morphological changes in the vertebrae and central canal of rat pups born after exposure to the electromagnetic field of pregnant rats. *Acta Histochemica*, 122(8), 151652. doi: <https://doi.org/10.1016/j.acthis.2020.151652>. <http://www.sciencedirect.com/science/article/pii/S0065128120301513>

Kellendonk, C., Simpson, E. H., Polan, H. J., Malleret, G., Vronskaya, S., Winiger, V., . . . Kandel, E. R. (2006). Transient and selective overexpression of dopamine D2 receptors in the striatum causes persistent abnormalities in prefrontal cortex functioning. *Neuron*, 49(4), 603-615. doi.

Keller, A., Gravel, M., & Kriz, J. (2011). Treatment with minocycline after disease onset alters astrocyte reactivity and increases microgliosis in SOD1 mutant mice. *Experimental Neurology*, 228(1), 69-79. doi.

Keller, M., Enot, D. P., Hodson, M. P., Igwe, E. I., Deigner, H. P., Dean, J., . . . Mallard, C. (2011). Inflammatory-Induced Hibernation in the Fetus: Priming of Fetal Sheep Metabolism Correlates with Developmental Brain Injury. *PLoS ONE*, 6(12), e29503-e29503. doi.

Kelley, C. M., Perez, S. E., Overk, C. R., Wynick, D., & Mufson, E. J. (2011). Effect of Neocortical and Hippocampal Amyloid Deposition upon Galaninergic and Cholinergic Neurites in A β

PPswe/PS1 Δ Eg Mice. *Journal of Alzheimer's Disease*, 25(3), 491-504. doi.

Kelley, C. M., Powers, B. E., Velazquez, R., Ash, J. A., Ginsberg, S. D., Strupp, B. J., & Mufson, E. J. (2013). Maternal choline supplementation differentially alters the basal forebrain cholinergic system of young-adult Ts65Dn and disomic mice. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23492. <http://dx.doi.org/10.1002/cne.23492>

Kelley, C. M., Powers, B. E., Velazquez, R., Ash, J. A., Ginsberg, S. D., Strupp, B. J., & Mufson, E. J. (2013). Sex differences in THE cholinergic basal forebrain in the Ts65Dn mouse model of Down syndrome and Alzheimer's disease. *Brain Pathology*, n/a-n/a. doi: 10.1111/bpa.12073. <http://dx.doi.org/10.1111/bpa.12073>

Kells, A. P., & Connor, B. (2008). AAV-mediated expression of Bcl-x_L or XIAP fails to induce neuronal resistance against quinolinic acid-induced striatal lesioning. *Neuroscience Letters*, 436(3), 326-330. doi.

Kells, A. P., Henry, R. A., & Connor, B. (2008). AAV-BDNF mediated attenuation of quinolinic acid-induced neuropathology and motor function impairment. *Gene Therapy*, 15(13), 966-977. doi.

Kelly, B. B., Hedlund, E., Kim, C., Ishiguro, H., Isacson, O., Chikaraishi, D. M., . . . Feng, G. (2006). A Tyrosine Hydroxylase-Yellow Fluorescent Protein Knock-in Reporter System Labeling Dopaminergic Neurons Reveals Potential Regulatory Role For The First Intron Of The Rodent Tyrosine Hydroxylase Gene. *Neuroscience*, 142(2), 343-354. doi.

Kelly, S., Bliss, T. M., Shah, A. K., Sun, G. H., Ma, M., Foo, W. C., . . . Steinberg, G. K. (2004). Transplanted human fetal neural stem cells survive, migrate, and differentiate in ischemic rat cerebral cortex. *Proceedings of the National Academy of Sciences*, 101(32), 11839-11844.

doi: <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/101/32/11839>

Kelly, S. C., He, B., Perez, S. E., Ginsberg, S. D., Mufson, E. J., & Counts, S. E. (2017). Locus coeruleus cellular and molecular pathology during the progression of Alzheimer's disease. [journal article]. *Acta Neuropathologica Communications*, 5(1), 8. doi: 10.1186/s40478-017-0411-2. <http://dx.doi.org/10.1186/s40478-017-0411-2>

Kelm-Nelson, C. A., Brauer, A. F. L., Barth, K. J., Lake, J. M., Sinnen, M. L. K., Stehula, F. J., . . . Ciucci, M. R. (2018). Characterization of early-onset motor deficits in the Pink1-/- mouse model of Parkinson disease. *Brain Research*, 1680, 1-12. doi: <https://doi.org/10.1016/j.brainres.2017.12.002>. <https://www.sciencedirect.com/science/article/pii/S000689931730536X>

Kempermann, G., & Gage, F. H. (2002). Genetic determinants of adult hippocampal neurogenesis correlate with acquisition, but not probe trial performance, in the water maze task. *European Journal of Neuroscience*, 16(1), 129. doi.

Kempermann, G., & Gage, F. H. (2002). Genetic influence on phenotypic differentiation in adult hippocampal neurogenesis. *Developmental Brain Research*, 134(1-2), 1-12. doi.

Kempermann, G., Kuhn, H. G., & Gage, F. H. (1997). Genetic influence on neurogenesis in the dentate gyrus of adult mice. *Neurobiology*, 94, 10409-10414. doi.

Kempermann, G., Kuhn, H. G., & Gage, F. H. (1997). More hippocampal neurons in adult mice living in an enriched environment. *Nature Neuroscience*, 386, 493-495. doi.

Kempermann, G., Kuhn, H. G., & Gage, F. H. (1998). Experience-Induced Neurogenesis in the Senescent Dentate Gyrus. *Journal of Neuroscience*, 18(9), 3206-3212. doi. <http://www.jneurosci.org/cgi/content/abstract/18/9/3206>

Kempainen, S., & Pitkänen, A. (2000). Distribution of parvalbumin, calretinin, and calbindin-D28k immunoreactivity in the rat amygdaloid complex and colocalization with γ -aminobutyric acid. *Journal of Comparative Neurology*, 426(3), 441-467. doi.

Kempainen, S., & Pitkänen, A. (2004). Damage to the amygdalo-hippocampal projection in temporal lobe epilepsy: A tract-tracing study in chronic epileptic rats. *Neuroscience*, 126(2), 485-501. doi.

Kempster, R., Garza-Gisholt, E., Egeberg, C., Hart, N., O'Shea, O., & Collin, S. (2013). Sexual Dimorphism of the Electrosensory System: A Quantitative Analysis of Nerve Axons in the Dorsal Anterior Lateral Line Nerve of the Blue-Spotted Fantail Stingray (*Taeniura lymma*). *Brain, Behavior and Evolution*. doi. <http://www.karger.com/Article/FullText/351700>

Kennard, J. A., Brown, K. L., & Woodruff-Pak, D. S. (2013). Aging in the cerebellum and hippocampus and associated behaviors over the adult life span of CB6F1 mice. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.002>. <http://www.sciencedirect.com/science/article/pii/S0306452213004983>

Kennedy, D. P., Semendeferi, K., & Courchesne, E. (2007). No reduction of spindle neuron number in fronto-insular cortex in autism. *Brain and Cognition*, 64(2), 124-129. doi.

Kennedy, P. J., & Shapiro, M. L. (2004). Retrieving Memories via Internal Context Requires the Hippocampus. *Journal of Neuroscience*, 24(31), 6979-6985. doi: <http://www.jneurosci.org/cgi/content/abstract/24/31/6979>

Kennedy, W., Wendelschafer-Crabb, G., & Walk, D. (2000). Use of skin biopsy and skin blister in neurologic practice. *Journal of Neuromuscular Research*, 1, 196-204. doi.

Kenton, J. A., Ontiveros, T., Bird, C. W., Valenzuela, C. F., & Brigman, J. L. (2020). Moderate prenatal alcohol exposure alters the number and function of GABAergic interneurons in the murine orbitofrontal cortex. *Alcohol*. doi: <https://doi.org/10.1016/j.alcohol.2020.06.001>. <http://www.sciencedirect.com/science/article/pii/S0741832920302408>

Keogh, M. J., Drury, P. P., Bennet, L., Davidson, J. O., & Mathai, S. (2012). Limited predictive value of early changes in EEG spectral power for neural injury after asphyxia in preterm fetal sheep. *Pediatric Research*. doi.

Keren, N. I., Taheri, S., Vazey, E. M., Morgan, P. S., Granholm, A.-C. E., Aston-Jones, G. S., & Eckert, M. A. (2015). Histologic validation of locus coeruleus MRI contrast in post-mortem tissue. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2015.03.020>. <http://www.sciencedirect.com/science/article/pii/S1053811915002025>

Kerimoğlu, G., Hancı, H., Baş, O., Aslan, A., Erol, H. S., Turgut, A., . . . Odacı, E. (2016). Pernicious effects of long-term, continuous 900-MHz electromagnetic field throughout adolescence on hippocampus morphology, biochemistry and pyramidal neuron numbers in 60-day-old Sprague Dawley male rats. *Journal of Chemical Neuroanatomy*, 77, 169-175. doi: <http://dx.doi.org/10.1016/j.jchemneu.2016.07.004>. <http://www.sciencedirect.com/science/article/pii/S0891061816300758>

Kerman, I. A., Bernard, R., Rosenthal, D., Beals, J., Akil, H., & Watson, S. J. (2007). Distinct populations of presympathetic-premotor neurons express orexin or melanin-concentrating hormone in the rat lateral hypothalamus. *Journal of Comparative Neurology*, 505(5), 586-601. doi.

Kerman, I. A., Shabrang, C., Taylor, L., Akil, H., & Watson, S. J. (2006). Relationship of presympathetic-premotor neurons to the serotonergic transmitter system in the rat brainstem. *Journal of Comparative Neurology*, 499(6), 882-896. doi.

Kermer, P., Köhn, A., Schnieder, M., Lingor, P., Bähr, M., Liman, J., & Dohm, C. (2014). BAG1 is Neuroprotective in In Vivo and In Vitro Models of Parkinson's Disease. *Journal of Molecular Neuroscience*, 1-9. doi: 10.1007/s12031-014-0396-2. <http://dx.doi.org/10.1007/s12031-014-0396-2>

Kern, A., Siebert, U., Cozzi, B., Hof, P. R., & Oelschläger, H. H. A. (2011). Stereology of the Neocortex in Odontocetes: Qualitative, Quantitative, and Functional Implications. *Brain, Behavior and Evolution*, 77(2), 79-90. doi.

Kernisant, M., Gear, R. W., Jasmin, L., Vit, J. P., & Ohara, P. T. (2008). Chronic constriction injury of the infraorbital nerve in the rat using modified syringe needle. *Journal of Neuroscience Methods*, 172(1), 43-47. doi.

Kerns, D., Vong, G. S., Barley, K., Dracheva, S., Katsel, P., Casaccia, P., . . . Byne, W. (2010). Gene expression abnormalities and oligodendrocyte deficits in the internal capsule in schizophrenia. *Schizophrenia Research*, 120(1-3), 150-158. doi.

Kerver, H. N., & Wade, J. (2014). Distribution and hormonal regulation of steroid receptor coactivator-1 mRNA in the male and female green anole brain. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12249. <http://dx.doi.org/10.1111/jne.12249>

Keshet, G. I., Tolwani, R. J., Trejo, A., Kraft, P., Doyonnas, R., Clayberger, C., . . . Blau, H. M. (2007). Increased host neuronal survival and motor function in BMT Parkinsonian mice: involvement of immunosuppression. *Journal of Comparative Neurology*, 504(6), 690-701. doi.

Keskin, I., Kaplan, S., Kalkan, S., Sutcu, M., Ulkay, M. B., & Esener, O. B. (2015). Evaluation of neuroprotection by melatonin against adverse effects of prenatal exposure to a nonsteroidal anti-inflammatory drug during peripheral nerve development. *International Journal of Developmental Neuroscience*, 41(0), 1-7. doi: <http://dx.doi.org/10.1016/j.ijdevneu.2014.12.002>. <http://www.sciencedirect.com/science/article/pii/S0736574814001932>

Kessler, B. A., Stanley, E. M., Frederick-Duus, D., & Fadel, J. (2011). Age-related loss of orexin/hypocretin neurons. *Neuroscience*. doi.

Kest, K., Cruz, I., Chen, D. H., Galaj, E., & Ranaldi, R. (2012). A food-associated CS activates c-Fos in VTA DA neurons and elicits conditioned approach. *Behavioural Brain Research*, (0). doi: 10.1016/j.bbr.2012.07.044. <http://www.sciencedirect.com/science/article/pii/S0166432812005074>

Kettunen, M. I., Sierra, A., Närväinen, M. J., Valonen, P. K., Ylä-Herttua, S., Kauppinen, R. A., & Gröhn, O. H. J. (2007). Low Spin-Lock Field T1 Relaxation in the Rotating Frame as a Sensitive MR Imaging Marker for Gene Therapy Treatment Response in Rat Glioma1. *Radiology*, 243(3), 796-796. doi.

Keuker, J., Luiten, P., & Fuchs, E. (2003). Preservation of Hippocampal Neuron Numbers in Aged Rhesus Monkeys. *Neurobiology of Aging*, 24(1), 157-165. doi.

Keuker, J. I. H., Gesa K. Vollmann-Honsdorf, Eberhard Fuc. (2001). How to use the optical fractionator: an example based on the estimation of neurons in the hippocampal CA1 and CA3 regions of tree shrew. *Brain Research Protocols*, 7, 211-221. doi.

Keuker, J. I. H., de Biurrun, G., Luiten, P. G. M., & Fuchs, E. (2004). Preservation of hippocampal neuron numbers and hippocampal subfield volumes in behaviorally characterized aged tree shrews. *Journal of Comparative Neurology*, 468(4), 509-517. doi.

Keyhanmanesh, R., Hamidian, G., Alipour, M. R., & Oghbaei, H. (2019). Beneficial effects of dietary nitrate on testicular injury by improving glycemia and inhibiting apoptosis in Streptozotocin-induced diabetic male rats. *Reproductive BioMedicine Online*. doi: <https://doi.org/10.1016/j.rbmo.2018.11.027>. <http://www.sciencedirect.com/science/article/pii/S1472648319300057>

Khairnar, A., Ruda-Kucerova, J., Arab, A., Hadjistyllis, C., Sejnoha Minsterova, A., Shang, Q., . . . Pan-Montojo, F. (2021). Diffusion kurtosis imaging detects the time-dependent progress of pathological changes in the oral rotenone mouse model of Parkinson's disease. *Journal of Neurochemistry*, n/a(n/a). doi: <https://doi.org/10.1111/jnc.15449>. <https://onlinelibrary.wiley.com/doi/abs/10.1111/jnc.15449>

Khan, M. A., Lichtensteiger, C. A., Faroon, O., Mumtaz, M., Schaeffer, D. J., & Hansen, L. G. (2002). The Hypothalamo-Pituitary-Thyroid (HPT) Axis: A Target of Nonpersistent ortho-Substituted PCB Congeners *Toxicological Sciences*, 65, 52-61. doi.

- Khan, M. M., Dhandapani, K. M., Zhang, Q.-g., & Brann, D. W. (2012). Estrogen regulation of spine density and excitatory synapses in rat prefrontal and somatosensory cerebral cortex. *Steroids*, (0). doi: <http://dx.doi.org/10.1016/j.steroids.2012.12.005>. <http://www.sciencedirect.com/science/article/pii/S0039128X12003364>
- Khan, M. M., Wakade, C., de Sevilla, L., & Brann, D. W. (2014). Selective Estrogen Receptor Modulators (SERMs) Enhance Neurogenesis and Spine Density Following Focal Cerebral Ischemia. *The Journal of Steroid Biochemistry and Molecular Biology*, (0). doi: <http://dx.doi.org/10.1016/j.jsbmb.2014.05.001>. <http://www.sciencedirect.com/science/article/pii/S0960076014001034>
- Kharatishvili, I., Nissinen, J. P., McIntosh, T. K., & Pitkänen, A. (2006). A model of posttraumatic epilepsy induced by lateral fluid-percussion brain injury in rats. *Neuroscience*, 140(2), 685-697. doi.
- Kharatishvili, I., & Pitkänen, A. (2010). Association of the severity of cortical damage with the occurrence of spontaneous seizures and hyperexcitability in an animal model of posttraumatic epilepsy. *Epilepsy Research*, 90(1-2), 47-59. doi.
- Khasabov, S. G., & Simone, D. A. (2013). Loss of Neurons in Rostral Ventromedial Medulla that Express Neurokinin-1 Receptors Decrease the Development of Hyperalgesia. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.057>. <http://www.sciencedirect.com/science/article/pii/S0306452213005630>
- Khasnavis, S., Ghosh, A., Roy, A., & Pahan, K. (2013). Castration induces Parkinson's disease pathologies in young male mice via inducible nitric oxide synthase. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M112.443556. <http://www.jbc.org/content/early/2013/06/06/jbc.M112.443556.abstract>
- Khattak, S., Gupta, N., Zhou, X., Pires, L., Wilson, B. C., & Yucel, Y. (2018). Non-invasive dynamic assessment of conjunctival melanomas using photoacoustic imaging. *Experimental Eye Research*. doi: <https://doi.org/10.1016/j.exer.2018.11.014>. <http://www.sciencedirect.com/science/article/pii/S0014483518306067>
- Kheirbek, M. A., Beeler, J. A., Ishikawa, Y., & Zhuang, X. (2008). A cAMP Pathway Underlying Reward Prediction in Associative Learning. *Journal of Neuroscience*, 28(44), 11401-11408. doi: 10.1523/jneurosci.4115-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/44/11401>
- Kheradmand, A., Roshangar, L., & Taati, M. (2009). The role of ghrelin on the morphometry and intracellular changes in the rat testis. *Tissue and Cell*, 41(2), 105-111. doi.
- Kheradmand, A., Roshangar, L., Taati, M., & Sirotkin, A. V. (2009). Morphometrical and intracellular changes in rat ovaries following chronic administration of ghrelin. *Tissue and Cell*, 41(5), 311-317. doi.
- Kholodilov, N., Kim, S. R., Yarygina, O., Kareva, T., Cho, J. W., Baohan, A., & Burke, R. E. (2011). Glial cell line-derived neurotrophic factor receptor-alpha 1 expressed in striatum in trans regulates development and injury response of dopamine neurons of the substantia nigra. *Journal of Neurochemistry*, 116(4), 486-498. doi: 10.1111/j.1471-4159.2010.07128.x. <http://dx.doi.org/10.1111/j.1471-4159.2010.07128.x>
- Kholodilov, N., Yarygina, O., Oo, T. F., Zhang, H., Sulzer, D., Dauer, W., & Burke, R. E. (2004). Regulation of the Development of Mesencephalic Dopaminergic Systems by the Selective Expression of Glial Cell Line-Derived Neurotrophic Factor in Their Targets. *Journal of Neuroscience*, 24(12), 3136-3146. doi: <http://www.jneurosci.org/cgi/content/abstract/24/12/3136>

Khoury, N. B., Gratuze, M., Papon, M. A., Bretteville, A., & Planel, E. (2014). Insulin dysfunction and Tau pathology. *Front Cell Neurosci*, 8. doi: 10.3389/fncel.2014.00022. <http://dx.doi.org/10.3389/fncel.2014.00022>

Khwaja, M., McCormack, A., McIntosh, J. M., Di Monte, D. A., & Quik, M. (2007). Nicotine partially protects against paraquat-induced nigrostriatal damage in mice; link to alpha6beta2* nAChRs. *Journal of Neurochemistry*, 100(1), 180-190. doi: doi:10.1111/j.1471-4159.2006.04177.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04177.x>

Kia, A., McAvoy, K., Krishnamurthy, K., Trotti, D., & Pasinelli, P. (2018). Astrocytes expressing ALS-linked mutant FUS induce motor neuron death through release of tumor necrosis factor-alpha. *Glia*, n/a-n/a. doi: 10.1002/glia.23298. <http://dx.doi.org/10.1002/glia.23298>

Kiaei, M., Kipiani, K., Calingasan, N. Y., Wille, E., Chen, J., Heissig, B., . . . Beal, M. F. (2007). Matrix metalloproteinase-9 regulates TNF- α and FasL expression in neuronal, glial cells and its absence extends life in a transgenic mouse model of amyotrophic lateral sclerosis. *Experimental Neurology*, 205(1), 74-81. doi.

Kiaei, M., Kipiani, K., Chen, J., Calingasan, N. Y., & Beal, M. F. (2005). Peroxisome proliferator-activated receptor-gamma agonist extends survival in transgenic mouse model of amyotrophic lateral sclerosis. *Experimental Neurology*, 191(2), 331-336. doi.

Kiaei, M., Kipiani, K., Petri, S., Choi, D.-K., Chen, J., Calingasan, N. Y., & Beal, M. F. (2005). Integrative role of cPLA2 with COX-2 and the effect of non-steroidal anti-inflammatory drugs in a transgenic mouse model of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 93(2), 403-411. doi: doi:10.1111/j.1471-4159.2005.03024.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03024.x>

Kickstein, E., Krauss, S., Thornhill, P., Rutschow, D., Zeller, R., & Sharkey, J. (2010). Biguanide metformin acts on tau phosphorylation via mTOR/protein phosphatase 2A (PP2A) signaling. *Proceedings of the National Academy of Sciences of the United States of America*, 107. doi: 10.1073/pnas.0912793107. <http://dx.doi.org/10.1073/pnas.0912793107>

Kidd, S. K., Anderson, D. W., & Schneider, J. S. (2008). Postnatal lead exposure alters expression of forebrain p75 and TrkA nerve growth factor receptors. *Brain Research*, 1195, 113-119. doi.

Kidd, S. K., & Schneider, J. S. (2010). Protection of dopaminergic cells from MPP+-mediated toxicity by histone deacetylase inhibition. *Brain Research*, 1354, 172-178. doi.

Kiechle, T., Dedeoglu, A., Kubilus, J., Kowall, N. W., Beal, M. F., Friedlander, R. M., . . . Ferrante, R. J. (2002). Cytochrome C and caspase-9 expression in Huntington's disease. *Neuromolecular Medicine*, 1(3), 183-195. doi.

Kielar, C., & Jennifer Morton, A. (2018). Early Neurodegeneration in R6/2 Mice Carrying the Huntington's Disease Mutation with a Super-Expanded CAG Repeat, Despite Normal Lifespan. *Journal of Huntington's Disease*, 7(1), 61-76. doi. <https://content.iospress.com/articles/journal-of-huntingtons-disease/jhd..>

Kielar, C., Maddox, L., Bible, E., Pontikis, C. C., Macauley, S. L., Griffey, M. A., . . . Cooper, J. D. (2007). Successive neuron loss in the thalamus and cortex in a mouse model of infantile neuronal ceroid lipofuscinosis. *Neurobiology of Disease*, 25(1), 150-162. doi.

Kielar, C., Sawiak, S. J., Negredo, P. N., Desmond, H. Y., & Morton, A. J. (2012). Tensor-Based Morphometry and Stereology Reveal Brain Pathology in the Complexin1 Knockout Mouse. *PLoS ONE*, 7(2), e32636-e32636. doi:

Kielar, C., Wishart, T. M., Palmer, A., Dihanich, S., Wong, A. M., Macauley, S. L., . . . Gillingwater, T. H. (2009). Molecular correlates of axonal and synaptic pathology in mouse models of Batten disease. *Human Molecular Genetics*, 18(21), 4066-4080. doi: 10.1093/hmg/ddp355. <http://hmg.oxfordjournals.org/cgi/content/abstract/18/21/4066>

Kiessling, M., Büttner, A., Butti, C., Müller-Starck, J., Milz, S., Hof, P., . . . Schmitz, C. (2013). Cerebellar granule cells are generated postnatally in humans. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-013-0565-z. <http://dx.doi.org/10.1007/s00429-013-0565-z>

Kiessling, M. C., Büttner, A., Butti, C., Müller-Starck, J., Milz, S., Hof, P. R., . . . Schmitz, C. (2013). Intact Numbers of Cerebellar Purkinje and Granule Cells in Sudden Infant Death Syndrome: A Stereologic Analysis and Critical Review of Neuropathologic Evidence. *Journal of Neuropathology and Experimental Neurology*. doi: <http://europepmc.org/abstract/MED/23965745/reload=0;jsessionid=KfJ2QuIXQ..>

Kikuta, S., Sakamoto, T., Nagayama, S., Kanaya, K., Kinoshita, M., Kondo, K., . . . Yamasoba, T. (2015). Sensory Deprivation Disrupts Homeostatic Regeneration of Newly Generated Olfactory Sensory Neurons after Injury in Adult Mice. *The Journal of Neuroscience*, 35(6), 2657-2673. doi: <http://www.jneurosci.org/content/35/6/2657.short>

Kilic, E., ElAli, A., Kilic, Ü., Guo, Z., Ugur, M., Uslu, U., . . . Hermann, D. M. (2010). Role of Nogo-A in neuronal survival in the reperfused ischemic brain. *Journal of Cerebral Blood Flow and Metabolism*, 30(5), 969-984. doi:

Kilicarlan, B., Kilicarlan, E., Kizmazoglu, C., Aydin, H., Kaya, I., Danyeli, A., & Karabekir, H. (2019). Evaluation of the Efficacy of Sildenafil Citrate Following Severe Head Trauma in an Experimental Rat Model. *Turkish neurosurgery*. doi: <https://www.ncbi.nlm.nih.gov/pubmed/30829389>

Kilimnik, G., Kim, A., Jo, J., Miller, K., & Hara, M. (2009). Quantification of pancreatic islet distribution in situ in mice. *American Journal of Physiological and Endocrinological Metabolism*, 297(6), E1331-1338. doi: 10.1152/ajpendo.00479.2009. <http://ajpendo.physiology.org/cgi/content/abstract/297/6/E1331>

Kilimnik, G., Zhao, B., Jo, J., Periwal, V., Witkowski, P., Misawa, R., & Hara, M. (2011). Altered Islet Composition and Disproportionate Loss of Large Islets in Patients with Type 2 Diabetes. *PLoS ONE*, 6(11), e27445-e27445. doi:

Kiljan, S., Prins, M., Baselmans, B. M., Bol, J. G. J. M., Schenk, G. J., & van Dam, A.-M. (2019). Enhanced GABAergic Immunoreactivity in Hippocampal Neurons and Astroglia of Multiple Sclerosis Patients. *Journal of Neuropathology and Experimental Neurology*. doi: 10.1093/jnen/nlz028. <https://doi.org/10.1093/jnen/nlz028>

Killoran, K. E., Kropp, L. E., Lindrose, A. R., Curtis, H. E., Cook, D., & Mitre, E. (2018). Rush desensitization with a single antigen induces subclinical activation of mast cells and protects against bystander challenge in dually sensitized mice. *Clinical and Experimental Allergy*, oja. doi: doi:10.1111/cea.13323. <https://onlinelibrary.wiley.com/doi/abs/10.1111/cea.13323>

Kim, A., & Mandyam, C. D. (2014). Methamphetamine affects cell proliferation in the medial prefrontal cortex: A new niche for toxicity. *Pharmacology Biochemistry and Behavior*, (0).

doi: <http://dx.doi.org/10.1016/j.pbb.2014.09.012>. <http://www.sciencedirect.com/science/article/pii/S0091305714002640>

Kim, B., Kim, E., Lee, S., Joo, I., Suh-Kim, H., Sohn, S., & Kim, S. (2009). Transplantation of human neural stem cells transduced with Olig2 transcription factor improves locomotor recovery and enhances myelination in the white matter of rat spinal cord following contusive injury. *BMC Neuroscience*, 10(1), 117. doi: <http://www.biomedcentral.com/1471-2202/10/117>

Kim, B., Park, J.-Y., Cho, D.-Y., Ko, H. M., Yoon, S.-H., & Choi, D.-K. (2019). 2-(5-(4-Chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-1H-pyrazol-3-yl)-N-(2-hydroxyethyl)-2-oxoacetamide (CDMPO) has anti-inflammatory properties in microglial cells and prevents neuronal and behavioral deficits in MPTP mouse model of Parkinson's disease. *Neuropharmacology*, 107928. doi: <https://doi.org/10.1016/j.neuropharm.2019.107928>. <http://www.sciencedirect.com/science/article/pii/S002839081930499X>

Kim, B. K., Shin, E.-J., Kim, H.-C., Chung, Y. H., Dang, D.-K., Jung, B.-D., . . . Jeong, J. H. (2013). Platelet-activating factor receptor knockout mice are protected from MPTP-induced dopaminergic degeneration. *Neurochemistry International*, (0). doi: <http://dx.doi.org/10.1016/j.neuint.2013.05.010>. <http://www.sciencedirect.com/science/article/pii/S0197018613001617>

Kim, B. R., Shim, J. W., Sung, D. K., Kim, S. S., Jeon, G. W., Kim, M. J., . . . Choi, E. S. (2008). Granulocyte stimulating factor attenuates hypoxic-ischemic brain injury by inhibiting apoptosis in neonatal rats. *Yonsei Medical Journal*, 49(5), 836-836. doi.

Kim, B.-W., Jeong, K. H., Kim, J.-H., Jin, M., Kim, J.-H., Lee, M.-G., . . . Jeon, M.-T. (2016). Pathogenic Upregulation of Glial Lipocalin-2 in the Parkinsonian Dopaminergic System. *The Journal of Neuroscience*, 36(20), 5608-5622. doi: <http://www.jneurosci.org/content/36/20/5608.short>

Kim, D., Hwang, H., Choi, S., Kwon, S. H., Lee, S., Park, J. H., . . . Ko, H. S. (2018). D409H GBA1 mutation accelerates the progression of pathology in A53T α -synuclein transgenic mouse model. [journal article]. *Acta Neuropathologica Communications*, 6(1), 32. doi: 10.1186/s40478-018-0538-9. <https://doi.org/10.1186/s40478-018-0538-9>

Kim, D., Yoo, J. M., Hwang, H., Lee, J., Lee, S. H., Yun, S. P., . . . Ko, H. S. (2018). Graphene quantum dots prevent α -synucleinopathy in Parkinson's disease. *Nature Nanotechnology*. doi: 10.1038/s41565-018-0179-y. <https://doi.org/10.1038/s41565-018-0179-y>

Kim, D., Zai, L., Liang, P., Schaffling, C., Ahlborn, D., & Benowitz, L. I. (2013). Inosine Enhances Axon Sprouting and Motor Recovery after Spinal Cord Injury. *Plos one*, 8(12), e81948. doi: 10.1371/journal.pone.0081948. <http://dx.doi.org/10.1371%2Fjournal.pone.0081948>

Kim, D. H., Phillips, M. E., Chang, A. Y., Patel, H. K., Nguyen, K. T., & Willhite, D. C. (2011). Lateral connectivity in the olfactory bulb is sparse and segregated. *Frontiers in Neural Circuits*, 5. doi.

Kim, D.-W., Chung, S., Hwang, M., Ferree, A., Tsai, H.-C., Park, J.-J., . . . Kim, K.-S. (2006). Stromal Cell-Derived Inducing Activity, Nurr1, and Signaling Molecules Synergistically Induce Dopaminergic Neurons from Mouse Embryonic Stem Cells. *Stem Cells*, 24(3), 557-567. doi: 10.1634/stemcells.2005-0233. <http://stemcells.alphaamedpress.org/cgi/content/abstract/24/3/557>

Kim, E., Camacho, J., Combs, Z., Ariza, J., Lechpammer, M., Noctor, S., & Martínez-Cerdeño, V. (2015). Preliminary findings suggest the number and volume of supragranular and infragranular pyramidal

neurons are similar in the anterior superior temporal area of control subjects and subjects with autism. *Neuroscience Letters*, (0).
doi: <http://dx.doi.org/10.1016/j.neulet.2015.01.021>. <http://www.sciencedirect.com/science/article/pii/S0304394015000269>

Kim, E. H., Thu, D. C. V., Tippett, L. J., Oorschot, D. E., Hogg, V. M., Roxburgh, R., . . . Faull, R. L. M. (2014). Cortical interneuron loss and symptom heterogeneity in Huntington's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24162. <http://dx.doi.org/10.1002/ana.24162>

Kim, E.-J., Sidhu, M., Gaus, S. E., Huang, E. J., Hof, P. R., Miller, B. L., . . . Seeley, W. W. (2011). Selective Frontoinsular von Economo Neuron and Fork Cell Loss in Early Behavioral Variant Frontotemporal Dementia. *Cerebral Cortex*, bhro04. doi: 10.1093/cercor/bhr004. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr004v2>

Kim, G., Ayala, I. A., Bolbolan, K., Shahidehpour, R., Mesulam, M.-M., Jamshidi, P., . . . Geula, C. (2019). Morphology and Distribution of TDP-43 Pre-inclusions in Primary Progressive Aphasia. doi: 10.1093/jnen/nlz005. <https://dx.doi.org/10.1093/jnen/nlz005>

Kim, H., Park, J., Kang, H., Yun, S. P., Lee, Y.-S., Lee, Y.-I., & Lee, Y. (2020). Activation of the Akt1-CREB pathway promotes RNF146 expression to inhibit PARP1-mediated neuronal death. *Science Signaling*, 13(663), eaax7119. doi: 10.1126/scisignal.aax7119. <http://stke.sciencemag.org/content/13/663/eaax7119.abstract>

Kim, H., Park, J., Leem, H., Cho, M., Yoon, J.-H., Maeng, H.-J., & Lee, Y. (2019). Rhododendrin-Induced RNF146 Expression via Estrogen Receptor β Activation is Cytoprotective Against 6-OHDA-Induced Oxidative Stress. *International Journal of Molecular Sciences*, 20(7), 1772. doi: <http://www.mdpi.com/1422-0067/20/7/1772>

Kim, H. G., Ju, M. S., Kim, D. H., Hong, J., Cho, S. H., Cho, K. H., . . . Oh, M. S. (2010). Protective Effects of Chunghyuldan against ROS-mediated Neuronal Cell Death in Models of Parkinson's Disease. *Basic and Clinical Pharmacology and Toxicology*, 107(6), 958-964. doi.

Kim, H. G., Ju, M. S., Shim, J. S., Kim, M. C., Lee, S. H., Huh, Y., . . . others. (2010). Mulberry fruit protects dopaminergic neurons in toxin-induced Parkinson's disease models. *British Journal of Nutrition*, 104(1), 8-8. doi.

Kim, H. M., Hwang, D. H., Choi, J. Y., Park, C. H., Suh-Kim, H., Kim, S. U., & Kim, B. G. (2011). Differential and cooperative actions of Olig1 and Olig2 transcription factors on immature proliferating cells after contusive spinal cord injury. *Glia*, 59(7), 1094-1106. doi: 10.1002/glia.21182. <http://dx.doi.org/10.1002/glia.21182>

Kim, H.-W., Oh, S. H., Lee, S. J., Na, J. e., & Rhyu, I. J. (2020). Differential synapse density between Purkinje cell dendritic spine and parallel fiber varicosity in the rat cerebellum among the phylogenetic lobules. *Applied Microscopy*, 50(1), 6. doi: 10.1186/s42649-020-00027-6. <https://doi.org/10.1186/s42649-020-00027-6>

Kim, I., Wilson, R. E., & Wellman, C. L. (2005). Aging and cholinergic deafferentation alter GluR1 expression in rat frontal cortex. *Neurobiology of Aging*, 26(7), 1073-1081. doi.

Kim, J. H., Yoo, B. H., Won, S. J., Choi, B. Y., Lee, B., Kim, I., . . . Suh, S. W. (2015). Melatonin Reduces Hypoglycemia-Induced Neuronal Death in Rats. *Neuroendocrinology*. doi: <http://www.karger.com/Article/Abstract/434722>

Kim, J. I., Yang, E. J., Lee, M. S., Kim, Y. S., Huh, Y., Cho, I. H., . . . Koh, H. K. (2011). Bee venom reduces neuroinflammation in the MPTP-induced model of Parkinson's disease. *International Journal of Neuroscience*, 121(4), 209-217. doi.

Kim, J. M., Kim, S.-S., & Lee, Y.-D. (2015). Fas-associated factor 1 promotes in neurofibrillary tangle-mediated cell death of basal forebrain cholinergic neurons in P301L transgenic mice. *Neuroreport*, Publish Ahead of Print. doi: 10.1097/wnr.0000000000000423. http://journals.lww.com/neuroreport/Fulltext/publishahead/Fas_associated..

Kim, J. W., Nam, S. M., Yoo, D. Y., Jung, H. Y., Hwang, I. K., Seong, J. K., & Yoon, Y. S. (2018). Strain-specific differential expression of astrocytes and microglia in the mouse hippocampus. *Brain and Behavior*, 0(0), e00961. doi: doi:10.1002/brb3.961. <https://onlinelibrary.wiley.com/doi/abs/10.1002/brb3.961>

Kim, K. I., Baek, J. Y., Jeong, J. Y., Nam, J. H., Park, E. S., Bok, E., . . . Jin, B. K. (2019). Delayed Treatment of Capsaicin Produces Partial Motor Recovery by Enhancing Dopamine Function in MPP+-lesioned Rats via Ciliary Neurotrophic Factor. *Exp Neurobiol*, 28. doi. <https://doi.org/10.5607/en.2019.28.e6>

Kim, R. Y., Hoffman, A. S., Itoh, N., Ao, Y., Spence, R., Sofroniew, M. V., & Voskuhl, R. R. (2014). Astrocyte CCL2 Sustains Immune Cell Infiltration in Chronic Experimental Autoimmune Encephalomyelitis. *Journal of Neuroimmunology*, (0). doi: <http://dx.doi.org/10.1016/j.jneuroim.2014.06.009>. <http://www.sciencedirect.com/science/article/pii/S0165572814001805>

Kim, S., Moon, M., & Park, S. (2009). Exendin-4 protects dopaminergic neurons by inhibition of microglial activation and matrix metalloproteinase-3 expression in an animal model of Parkinson's disease. *Journal of Endocrinology*, 202(3), 431-431. doi.

Kim, S. H., Thomas, C. A., André, V. M., Cummings, D. M., Cepeda, C., Levine, M. S., & Ehrlich, M. E. (2011). Forebrain striatal-specific expression of mutant huntingtin protein in vivo induces cell-autonomous age-dependent alterations in sensitivity to excitotoxicity and mitochondrial function. *ASN neuro*, 3(3). doi.

Kim, S. N., Doo, A. R., Park, J. Y., Bae, H., Chae, Y., Shim, I., . . . Park, H. J. (2011). Acupuncture Enhances the Synaptic Dopamine Availability to Improve Motor Function in a Mouse Model of Parkinson's Disease. *PLoS ONE*, 6(11), e27566-e27566. doi.

Kim, S. R., Chen, X., Oo, T. F., Kareva, T., Yarygina, O., Wang, C., . . . Burke, R. E. (2011). Dopaminergic pathway reconstruction by Akt/Rheb-induced axon regeneration. *Annals of Neurology*, 70(1), 110-120. doi: 10.1002/ana.22383. <http://dx.doi.org/10.1002/ana.22383>

Kim, S. R., Kareva, T., Yarygina, O., Kholodilov, N., & Burke, R. E. (2011). AAV Transduction of Dopamine Neurons With Constitutively Active Rheb Protects From Neurodegeneration and Mediates Axon Regrowth. *Molecular Therapy*. doi.

Kim, S. R., Ries, V., Cheng, H. C., Kareva, T., Oo, T. F., Yu, W. H., . . . Burke, R. E. (2011). Age and α -synuclein expression interact to reveal a dependence of dopaminergic axons on endogenous Akt/PKB signaling. *Neurobiology of Disease*. doi.

Kim, S. S., Lee, K. H., Sung, D. K., Shim, J. W., Kim, M. J., Jeon, G. W., . . . Park, W. S. (2008). Erythropoietin attenuates brain injury, subventricular zone expansion, and sensorimotor deficits in hypoxic-ischemic neonatal rats. *Journal of Korean Medical Science*, 23(3), 484-484. doi.

- Kim, S. S., Richman, D. P., Zamvil, S. S., & Agius, M. A. (2011). Accelerated central nervous system autoimmunity in BAFF-receptor-deficient mice. *Journal of the Neurological Sciences*. doi.
- Kim, T.-G., Yao, R., Monnell, T., Cho, J.-H., Vasudevan, A., Koh, A., . . . Chung, S. (2014). Efficient specification of interneurons from human pluripotent stem cells by dorsoventral and rostrocaudal modulation. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1704. <http://dx.doi.org/10.1002/stem.1704>
- Kim, T. W., Moon, Y., Kim, K., Lee, J. E., Koh, H. C., Kim, H., . . . others. (2011). Dissociation of Progressive Dopaminergic Neuronal Death and Behavioral Impairments by Bax Deletion in a Mouse Model of Parkinson's Diseases. *PLoS ONE*, 6(10), e25346-e25346. doi.
- Kim, Y., Kim, S., Kim, C., Sato, T., Kojima, M., & Park, S. (2014). Ghrelin is required for dietary restriction-induced enhancement of hippocampal neurogenesis: lessons from ghrelin knockout mice. *Endocrine Journal*, advpub. doi: 10.1507/endocrj.EJ14-0436. [https://www.jstage.jst.go.jp/article/endocrj/advpub/0/advpub_EJ14-0436/...](https://www.jstage.jst.go.jp/article/endocrj/advpub/0/advpub_EJ14-0436/)
- Kim, Y. H., Lussier, S., Rane, A., Choi, S. W., & Andersen, J. K. (2011). Inducible dopaminergic glutathione depletion in an alpha-synuclein transgenic mouse model results in age-related olfactory dysfunction. *Neuroscience*, 172, 379-386. doi.
- Kim, Y.-H., Rane, A., Lussier, S., & Andersen, J. K. (2011). Lithium protects against oxidative stress-mediated cell death in α -synuclein-overexpressing in vitro and in vivo models of Parkinson's disease. *Journal of Neuroscience Research*, 89(10), 1666-1675. doi: 10.1002/jnr.22700. <http://dx.doi.org/10.1002/jnr.22700>
- Kim, Y. S., Son, J. Y., Kim, T. H., Paik, S. K., Dai, Y., Noguchi, K., . . . Bae, Y. C. (2010). Expression of transient receptor potential ankyrin 1 (TRPA1) in the rat trigeminal sensory afferents and spinal dorsal horn. *Journal of Comparative Neurology*, 518(5), 687-698. doi.
- Kimani, P., Holmes, A., Grossmann, R., & McGowan, S. (2009). PDGF-Ralpha gene expression predicts proliferation, but PDGF-A suppresses transdifferentiation of neonatal mouse lung myofibroblasts. *Respiratory Research*, 10(1), 119. doi. <http://respiratory-research.com/content/10/1/119>
- Kim-Han, J. S., Antenor-Dorsey, J. A., & O'Malley, K. L. (2011). The Parkinsonian Mimetic, MPP+, Specifically Impairs Mitochondrial Transport in Dopamine Axons. *Journal of Neuroscience*, 31(19), 7212-7221. doi: 10.1523/jneurosci.0711-11.2011. <http://www.jneurosci.org/content/31/19/7212.abstract>
- Kimura, T., Hino, K., Kono, T., Takano, A., Nitta, N., Ushio, N., . . . Udagawa, J. (2018). Maternal undernutrition during early pregnancy inhibits postnatal growth of the tibia in the female offspring of rats by alteration of chondrogenesis. *General and Comparative Endocrinology*. doi: <https://doi.org/10.1016/j.ygcen.2017.12.008>. <https://www.sciencedirect.com/science/article/pii/S0016648017305993>
- Kincaid, A. E. (2001). Spontaneous circling behavior and dopamine neuron loss in a genetically hypothyroid mouse. *Neuroscience*, 105(4), 891-898. doi.
- King, B. J., Mann-Gow, T. K., Kida, M., Plante, M. K., Perrapato, S. D., & Zvara, P. (2015). Intraprostatic ethanol diffusion: comparison of two injection methods using ex vivo human prostates. [Original Article]. *Prostate Cancer Prostatic Dis*. doi: 10.1038/pcan.2015.24. <http://dx.doi.org/10.1038/pcan.2015.24>

- King, B. J., Plante, M. K., Kida, M., Mann-Gow, T. K., Odland, R., & Zvara, P. (2012). Comparison of Intraprostatic Ethanol Diffusion Using a Microporous Hollow Fiber Catheter Versus a Standard Needle. *Journal of Urology*, (0). doi: 10.1016/j.juro.2011.12.057. <http://www.sciencedirect.com/science/article/pii/S0022534711060046>
- King, S. J., Rodrigues, T., Watts, A., Murray, E., & Abizaid, A. (2016). Investigation of a role for ghrelin signaling in binge-like feeding in mice under limited access to high-fat diet. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.01.004>. <http://www.sciencedirect.com/science/article/pii/S0306452216000233>
- Kipp, M., Kiessling, M. C., Hochstrasser, T., Roggenkamp, C., & Schmitz, C. (2016). Design-Based Stereology for Evaluation of Histological Parameters. [journal article]. *Journal of Molecular Neuroscience*, 1-18. doi: 10.1007/s12031-016-0858-9. <http://dx.doi.org/10.1007/s12031-016-0858-9>
- Kirby, E. D., Friedman, A. R., Covarrubias, D., Ying, C., Sun, W. G., Goosens, K. A., . . . Kaufer, D. (2011). Basolateral amygdala regulation of adult hippocampal neurogenesis and fear-related activation of newborn neurons. *Molecular Psychiatry*. doi: <http://www.nature.com/mp/journal/vaop/ncurrent/suppinf/mp201171s1.html>. <http://dx.doi.org/10.1038/mp.2011.71>
- Kirkley, A. G., Carmean, C. M., Ruiz, D., Ye, H., Regnier, S. M., Poudel, A., . . . Sargis, R. M. (2017). Arsenic Exposure Induces Glucose Intolerance and Alters Global Energy Metabolism. [10.1152/ajpregu.00522.2016]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: <http://ajpregu.physiology.org/content/early/2017/11/08/ajpregu.00522.201..>
- Kishore, V., Uquillas, J. A., Dubikovsky, A., Alshehabat, M. A., Snyder, P. W., Breur, G. J., & Akkus, O. (2012). In vivo response to electrochemically aligned collagen bioscaffolds. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 100B(2), 400-408. doi: 10.1002/jbm.b.31962. <http://dx.doi.org/10.1002/jbm.b.31962>
- Kitamura, Y., Inden, M., Minamino, H., Abe, M., Takata, K., & Taniguchi, T. (2010). The 6-hydroxydopamine-induced nigrostriatal neurodegeneration produces microglia-like NG2 glial cells in the rat substantia nigra. *Glia*, 58(14), 1686-1700. doi.
- Kitamura, Y., Kamibayashi, M., Inden, M., Yanagida, T., Shibaike, T., Takata, K., . . . Taniguchi, T. (2011). Detoxification of 6-hydroxydopamine-induced Parkinsonian neurodegeneration by G-CYPMPO, a novel radical trapper. *Neurochemistry International*. doi.
- Kivrak, E. G., Altunkaynak, B. Z., Alkan, I., Yurt, K. K., Kocaman, A., & Onger, M. E. (2017). Effects of 900-MHz radiation on the hippocampus and cerebellum of adult rats and attenuation of such effects by folic acid and Boswellia sacra. *Journal of Microscopy and Ultrastructure*. doi: <https://doi.org/10.1016/j.jmau.2017.09.003>. <http://www.sciencedirect.com/science/article/pii/S2213879X17300391>
- Kiyota, T., Machhi, J., Lu, Y., Dyavarshetty, B., Nemati, M., Yokoyama, I., . . . Gendelman, H. E. (2018). Granulocyte-macrophage colony-stimulating factor neuroprotective activities in Alzheimer's disease mice. *Journal of Neuroimmunology*. doi: <https://doi.org/10.1016/j.jneuroim.2018.03.009>. <http://www.sciencedirect.com/science/article/pii/S0165572818300304>
- Kiyota, T., Machhi, J., Lu, Y., Dyavarshetty, B., Nemati, M., Zhang, G., . . . Gendelman, H. E. (2018). URMCO99 facilitates amyloid- β clearance in a murine model of Alzheimer's disease. [journal article]. *Journal*

of neuroinflammation, 15(1), 137. doi: 10.1186/s12974-018-1172-y. <https://doi.org/10.1186/s12974-018-1172-y>

Kiyota, T., Morrison, C. M., Tu, G., Dyavarshetty, B., Weir, R. A., Zhang, G., . . . Gendelman, H. E. (2015). Presenilin-1 familial Alzheimer's disease mutation alters hippocampal neurogenesis and memory function in CCL2 null mice. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.06.014>. <http://www.sciencedirect.com/science/article/pii/S0889159115001671>

Kızıldağ, A., Arabacı, T., Albayrak, M., Taşdemir, U., Şenel, E., Dalyanoğlu, M., & Demirci, E. (2019). Therapeutic effects of caffeic acid phenethyl ester on alveolar bone loss in rats with endotoxin-induced periodontitis. *Journal of Dental Sciences*. doi: <https://doi.org/10.1016/j.jds.2019.03.011>. <http://www.sciencedirect.com/science/article/pii/S191790218309966>

KIZILDAĞ, A., Taşdemir, U., Arabacı, T., Aksu KIZILDAĞ, C., Albayrak, M., & Şahin, B. (2020). Effects of Autogenous Tooth Bone Graft And Platelet-Rich Fibrin in Peri-Implant Defects: An Experimental Study in An Animal Model. *Journal of Oral Implantology*. doi: 10.1563/aaid-joi-D-19-00038. <https://doi.org/10.1563/aaid-joi-D-19-00038>

Klaus, F., Hauser, T., Lindholm, A. K., Cameron, H. A., Slomianka, L., Lipp, H. P., & Amrein, I. (2011). Different regulation of adult hippocampal neurogenesis in Western house mice (*Mus musculus domesticus*) and C57BL/6 mice. *Behavioural Brain Research*. doi.

Klaus, F., Hauser, T., Slomianka, L., Lipp, H. P., & Amrein, I. (2009). A reward increases running-wheel performance without changing cell proliferation, neuronal differentiation or cell death in the dentate gyrus of C57BL/6 mice. *Behavioural Brain Research*, 204(1), 175-181. doi.

Klein, A., Gidyk, D. C., Shriner, A. M., Colwell, K. L., Tatton, N. A., Tatton, W. G., & Metz, G. A. (2011). Dose-dependent loss of motor function after unilateral medial forebrain bundle rotenone lesion in rats: a cautionary note. *Behavioural Brain Research*. doi.

Klein, A., Metz, G. A., Papazoglou, A., & Nikkhah, G. (2007). Differential effects on forelimb grasping behavior induced by fetal dopaminergic grafts in hemiparkinsonian rats. *Neurobiology of Disease*, 27(1), 24-35. doi.

Klein, A., Wessolleck, J., Papazoglou, A., Metz, G. A., & Nikkhah, G. (2009). Walking pattern analysis after unilateral 6-OHDA lesion and transplantation of foetal dopaminergic progenitor cells in rats. *Behavioural Brain Research*, 199(2), 317-325. doi.

Klein, C., Hain, E. G., Braun, J., Riek, K., Mueller, S., Steiner, B., & Sack, I. (2014). Enhanced Adult Neurogenesis Increases Brain Stiffness: *In Vivo* Magnetic Resonance Elastography in a Mouse Model of Dopamine Depletion. *Plos one*, 9(3), e92582. doi: 10.1371/journal.pone.0092582. <http://dx.doi.org/10.1371%2Fjournal.pone.0092582>

Klein, R. L., Dayton, R. D., Leidenheimer, N. J., Jansen, K., Golde, T. E., Zweig, R. M., & Klein, R. L. (2005). Efficient Neuronal Gene Transfer with AAV8 Leads to Neurotoxic Levels of Tau or Green Fluorescent Proteins. *Molecular Therapy*, 13(3), 517-527. doi.

Kleiner-Fisman, G., Calingasan, N. Y., Putt, M., Chen, J., Beal, M. F., & Lang, A. E. (2005). Alterations of striatal neurons in benign hereditary chorea. *Movement Disorders*, 20(10), 1353-1357. doi.

Klemann, C., Schade, J., Pabst, R., Leitner, S., Stiller, J., von Hörsten, S., & Stephan, M. (2009). CD26/dipeptidyl peptidase 4-deficiency alters thymic emigration patterns and leukocyte subsets in F344-rats age-dependently. *Clinical and Experimental Immunology*, 155(2), 357-365. doi.

Klemenhausen, K. C., O'Brien, S. P., & Brody, D. L. (2013). Repetitive Concussive Traumatic Brain Injury Interacts with Post-Injury Foot Shock Stress to Worsen Social and Depression-Like Behavior in Mice. *Plos one*, 8(9), e74510. doi:

10.1371/journal.pone.0074510. <http://dx.doi.org/10.1371%2Fjournal.pone.0074510>

Klempin, F., Marr, R. A., & Peterson, D. A. (2012). Modification of Pax6 and Olig2 Expression in Adult Hippocampal Neurogenesis Selectively Induces Stem Cell Fate and Alters Both Neuronal and Glial Populations. *Stem Cells*, 30(3), 500-509. doi: 10.1002/stem.1005. <http://dx.doi.org/10.1002/stem.1005>

Klntsova, A. Y., Helfer, J. L., Calizo, L. H., Dong, W. K., Goodlett, C. R., & Greenough, W. T. (2007). Persistent Impairment of Hippocampal Neurogenesis in Young Adult Rats Following Early Postnatal Alcohol Exposure. *Alcoholism: Clinical and Experimental Research*, 0(0), ???-???. doi: doi:10.1111/j.1530-0277.2007.00528.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1530-0277.2007.00528.x>

Klntsova, A. Y., Scamra, C., Hoffman, M., Napper, R., Goodlett, C. R., & Greenough, W. T. (2002). Therapeutic effects of complex motor training on motor performance deficits induced by neonatal binge-like alcohol exposure in rats:: II. A quantitative stereological study of synaptic plasticity in female rat cerebellum. *Brain Research*, 937(1-2), 83-93. doi.

Klivenyi, P., Calingasan, N. Y., Starkov, A., Stavrovskaya, I. G., Kristal, B. S., Yang, L., . . . Beal, M. F. (2004). Neuroprotective mechanisms of creatine occur in the absence of mitochondrial creatine kinase. *Neurobiology of Disease*, 15(3), 610-617. doi.

Klivenyi, P., Ferrante, R. J., Gardian, G., Browne, S., Chabrier, P.-E., & Beal, M. F. (2003). Increased survival and neuroprotective effects of BN82451 in a transgenic mouse model of Huntington's disease. *Journal of Neurochemistry*, 86(1), 267-272. doi: doi:10.1046/j.1471-4159.2003.t01-1-01868.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.t01-1-...>

Klivenyi, P., Gardian, G., Calingasan, N. Y., Yang, L., & Beal, M. F. (2003). Additive neuroprotective effects of creatine and a cyclooxygenase 2 inhibitor against dopamine depletion in the 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine (MPTP) mouse model of Parkinson's disease. *Journal of Molecular Neuroscience*, 21(3), 191-198. doi.

Klivenyi, P., Gardian, G., Calingasan, N. Y., Yang, L., von Borstel, R., Saydoff, J., . . . Beal, M. F. (2004). Neuroprotective effects of oral administration of triacetyluridine against MPTP neurotoxicity. *Neuromolecular Medicine*, 6(2), 87-92. doi.

Klivenyi, P., Kiaei, M., Gardian, G., Calingasan, N. Y., & Beal, M. F. (2004). Additive neuroprotective effects of creatine and cyclooxygenase 2 inhibitors in a transgenic mouse model of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 88(3), 576-582. doi: doi:10.1046/j.1471-4159.2003.02160.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.02160.x>

Klivenyi, P., Starkov, A. A., Calingasan, N. Y., Gardian, G., Browne, S. E., Yang, L., . . . Beal, M. F. (2004). Mice deficient in dihydrolipoamide dehydrogenase show increased vulnerability to MPTP, malonate and 3-nitropropionic acid neurotoxicity. *Journal of Neurochemistry*, 88(6), 1352-1360. doi. <http://www.blackwell-synergy.com/links/doi/10.1046/j.1471-4159.2003.0226...>

Klivenyi, P., & Vecsei, L. (2011). Pharmacological Models of Parkinson's Disease in Rodents. *Methods in Molecular Medicine*, 793, 211-211. doi.

Klocke, C., Allen, J. L., Sobolewski, M., Blum, J. L., Zelikoff, J. T., & Cory-Slechta, D. A. (2017). Exposure to Fine and Ultrafine Particulate Matter during Gestation Alters Postnatal Oligodendrocyte Maturation, Proliferation Capacity, and Myelination. *Neurotoxicology*. doi: <https://doi.org/10.1016/j.neuro.2017.10.004>. <http://www.sciencedirect.com/science/article/pii/S0161813X17302085>

Klocke, C., Allen, J. L., Sobolewski, M., Mayer-Pröschel, M., Blum, J. L., Lauterstein, D., . . . Cory-Slechta, D. A. (2017). Neuropathological Consequences of Gestational Exposure to Concentrated Ambient Fine and Ultrafine Particles in the Mouse. *Toxicological Sciences*. doi: 10.1093/toxsci/kfx010. <http://toxsci.oxfordjournals.org/content/early/2017/01/13/toxsci.kfx010...>

Klomp, A., Václavů, L., Meerhoff, G. F., Reneman, L., & Lucassen, P. J. (2014). Effects of Chronic Fluoxetine Treatment on Neurogenesis and Tryptophan Hydroxylase Expression in Adolescent and Adult Rats. *Plos one*, 9(5), e97603. doi: 10.1371/journal.pone.0097603. <http://dx.doi.org/10.1371%2Fjournal.pone.0097603>

Knaepen, L., Patijn, J., Van Kleef, M., Mulder, M., Tibboel, D., & Joosten, E. A. J. (2012). Neonatal repetitive needle pricking: Plasticity of the spinal nociceptive circuit and extended post-operative pain in later life. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22047. <http://dx.doi.org/10.1002/dneu.22047>

Knafo, S., Venero, C., Merino-Serrais, P., Fernaud-Espinosa, I., Gonzalez-Soriano, J., Ferrer, I., . . . DeFelipe, J. (2009). Morphological alterations to neurons of the amygdala and impaired fear conditioning in a transgenic mouse model of Alzheimer's disease. *Journal of Pathology*, 219(1), 41-51. doi.

Kneysberg, A., Collier, T. J., Manfredsson, F. P., & Kanaan, N. M. (2016). Quantitative and semi-quantitative measurements of axonal degeneration in tissue and primary neuron cultures. *Journal of Neuroscience Methods*, 266, 32-41. doi: <http://dx.doi.org/10.1016/j.jneumeth.2016.03.004>. <http://www.sciencedirect.com/science/article/pii/S0165027016300115>

Kneysberg, A., & Kanaan, N. M. (2017). Aging Does Not Affect Axon Initial Segment Structure and Somatic Localization of Tau Protein in Hippocampal Neurons of Fischer 344 Rats. [10.1523/ENEURO.0043-17.2017]. *eneuro*, 4(4). doi: <http://eneuro.org/content/4/4/ENEURO.0043-17.2017.abstract>

Knight, J. C., Scharf, E. L., & Mao-Draayer, Y. (2010). Fas activation increases neural progenitor cell survival. *Journal of Neuroscience Research*, 88(4), 746-757. doi.

Knorr, S., Rauschenberger, L., Pasos, U. R., Friedrich, M. U., Peach, R. L., Grundmann-Hauser, K., . . . Ip, C. W. (2021). The evolution of dystonia-like movements in TOR1A rats after transient nerve injury is accompanied by dopaminergic dysregulation and abnormal oscillatory activity of a central motor network. *Neurobiology of Disease*, 154, 105337. doi: <https://doi.org/10.1016/j.nbd.2021.105337>. <https://www.sciencedirect.com/science/article/pii/S0969996121000863>

Knowles, J. K., Rajadas, J., Nguyen, T.-V. V., Yang, T., LeMieux, M. C., Vander Griend, L., . . . Longo, F. M. (2009). The p75 Neurotrophin Receptor Promotes Amyloid- β (1-42)-Induced Neuritic Dystrophy In Vitro and In Vivo. *Journal of Neuroscience*, 29(34), 10627-10637. doi: 10.1523/jneurosci.0620-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/34/10627>

Knowles, J. K., Simmons, D. A., Nguyen, T.-V. V., Vander Griend, L., Xie, Y., Zhang, H., . . . Longo, F. M. (2013). A small molecule p75^{NTR} ligand prevents cognitive deficits and neurite degeneration in an Alzheimer's mouse model. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2013.02.015>. <http://www.sciencedirect.com/science/article/pii/S0197458013000882>

Knowlton, N. S., Craig, L. B., Zavy, M. T., & Hansen, K. R. (2014). Validation of the power model of ovarian nongrowing follicle depletion associated with aging in women. *Fertility and Sterility*, (0). doi: <http://dx.doi.org/10.1016/j.fertnstert.2013.12.008>. <http://www.sciencedirect.com/science/article/pii/S0015028213034274>

Knuesel, I., Nyffeler, M., Mormède, C., Muhia, M., Meyer, U., Pietropaolo, S., . . . Feldon, J. (2009). Age-related accumulation of Reelin in amyloid-like deposits. *Neurobiology of Aging*, 30(5), 697-716. doi.

Knutson, D. C., Mitzey, A. M., Talton, L. E., & Clagett-Dame, M. (2015). Mice null for NEDD9 (HEF1) display extensive hippocampal dendritic spine loss and cognitive impairment. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2015.12.005>. <http://www.sciencedirect.com/science/article/pii/S0006899315009440>

Kobayashi, K., Sano, H., Kato, S., Kuroda, K., Nakamuta, S., Isa, T., . . . Kobayashi, K. (2016). Survival of corticostriatal neurons by Rho/Rho-kinase signaling pathway. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2016.07.020>. <http://www.sciencedirect.com/science/article/pii/S0304394016305146>

Kobayashi, M., Wen, X., & Buckmaster, P. S. (2003). Reduced Inhibition and Increased Output of Layer II Neurons in the Medial Entorhinal Cortex in a Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 23(24), 8471-8479. doi. <http://www.jneurosci.org/cgi/content/abstract/23/24/8471>

Kobilo, T., Liu, Q. R., Gandhi, K., Mughal, M., Shaham, Y., & van Praag, H. (2011). Running is the neurogenic and neurotrophic stimulus in environmental enrichment. *Learning and Memory*, 18(9), 605-609. doi.

Kobilo, T., Yuan, C., & van Praag, H. (2011). Endurance factors improve hippocampal neurogenesis and spatial memory in mice. *Learning and Memory*, 18(2), 103-107. doi.

Kobori, N., & Dash, P. K. (2006). Reversal of Brain Injury-Induced Prefrontal Glutamic Acid Decarboxylase Expression and Working Memory Deficits by D1 Receptor Antagonism. *Journal of Neuroscience*, 26(16), 4236-4246. doi: 10.1523/jneurosci.4687-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/16/4236>

Kobori, N., Hu, B., & Dash, P. K. (2011). Altered adrenergic receptor signaling following traumatic brain injury contributes to working memory dysfunction. *Neuroscience*, 172, 293-302. doi.

Kobro-Flatmoen, A., Nagelhus, A., & Witter, M. P. (2016). Reelin-immunoreactive neurons in entorhinal cortex layer II selectively express intracellular amyloid in early Alzheimer's disease. *Neurobiology of Disease*, 93, 172-183. doi: <http://dx.doi.org/10.1016/j.nbd.2016.05.012>. <http://www.sciencedirect.com/science/article/pii/S0969996116301061>

Koca, C. G., Sadry, S., Asker, H., Çiçek, M. F., Kösehasanoğulları, M., & Kaya, G. (2021). Effects of the different administration frequencies of teriparatide (PTH [1-34]) on new bone formation of expanded midpalatal sutures in rats: A histomorphometric and micro-computed tomography analysis.

[\[https://doi.org/10.1111/ocr.12512\]](https://doi.org/10.1111/ocr.12512). Orthodontics & Craniofacial Research, n/a(n/a).
doi: <https://doi.org/10.1111/ocr.12512>, <https://doi.org/10.1111/ocr.12512>

Koch, S., Molchanova, S. M., Wright, A. K., Edwards, A., Cooper, J. D., Taira, T., . . . Tyynelä, J. (2011). Morphologic and Functional Correlates of Synaptic Pathology in the Cathepsin D Knockout Mouse Model of Congenital Neuronal Ceroid Lipofuscinosis. *Journal of Neuropathology and Experimental Neurology*, 70(12), 1089-1096. doi: [10.1097/NEN.1080b1013e318238fc318228](https://doi.org/10.1097/NEN.1080b1013e318238fc318228).
doi: http://journals.lww.com/jneuropath/Fulltext/2011/12000/Morphologic_and_F..

Kodali, M., Hattiangady, B., Shetty, G. A., Bates, A., Shuai, B., & Shetty, A. K. (2018). Curcumin treatment leads to better cognitive and mood function in a model of Gulf War Illness with enhanced neurogenesis, and alleviation of inflammation and mitochondrial dysfunction in the hippocampus. *Brain, Behavior, and Immunity*.
doi: <https://doi.org/10.1016/j.bbi.2018.01.009>, <http://www.sciencedirect.com/science/article/pii/S0889159118300096>

Kodali, M., Megahed, T., Mishra, V., Shuai, B., Hattiangady, B., & Shetty, A. K. (2016). Voluntary Running Exercise-Mediated Enhanced Neurogenesis Does Not Obliterate Retrograde Spatial Memory. *The Journal of Neuroscience*, 36(31), 8112-8122. doi: <http://www.jneurosci.org/content/36/31/8112.short>

Kodali, M., Parihar, V. K., Hattiangady, B., Mishra, V., Shuai, B., & Shetty, A. K. (2015). Resveratrol Prevents Age-Related Memory and Mood Dysfunction with Increased Hippocampal Neurogenesis and Microvasculature, and Reduced Glial Activation. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep08075

<http://www.nature.com/srep/2015/150128/srep08075/abs/srep08075.html#supp.....>
<http://dx.doi.org/10.1038/srep08075>

Koehl, M., Ladevèze, E., Catania, C., Cota, D., & Abrous, D. N. (2021). Inhibition of mTOR signaling by genetic removal of p70 S6 kinase 1 increases anxiety-like behavior in mice. *Translational Psychiatry*, 11(1), 165. doi: 10.1038/s41398-020-01187-5. <https://doi.org/10.1038/s41398-020-01187-5>

Koehl, M., Meerlo, P., Gonzales, D., Rontal, A., Turek, F. W., & Abrous, D. N. (2008). Exercise-induced promotion of hippocampal cell proliferation requires β -endorphin. *FASEB Journal*, 22(7), 2253-2262. doi:

Koenig, C. M., Walker, C. K., Qi, L., Pessah, I. N., & Berman, R. F. (2012). Lack of Evidence for Neonatal Misoprostol Neurodevelopmental Toxicity in C57BL/6/J Mice. *Plos one*, 7(6), e38911. doi: 10.1371/journal.pone.0038911. <http://dx.doi.org/10.1371%2Fjournal.pone.0038911>

Koenig, M. A., Jia, X., Kang, X., Velasquez, A., Thakor, N. V., & Geocadin, R. G. (2009). Intraventricular orexin-A improves arousal and early EEG entropy in rats after cardiac arrest. *Brain Research*, 1255, 153-161. doi:

Koga, Y., Tsuchimoto, D., Hayashi, Y., Abolhassani, N., Yoneshima, Y., Sakumi, K., . . . Nakabeppu, Y. (2020). Neural stem cell-specific ITPA deficiency causes neural depolarization and epilepsy. *JCI Insight*, 5(22). doi: 10.1172/jci.insight.140229. <https://doi.org/10.1172/jci.insight.140229>

Koh, M. T., Spiegel, A. M., & Gallagher, M. (2014). Age-associated changes in hippocampal-dependent cognition in Diversity Outbred mice. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22311. <http://dx.doi.org/10.1002/hipo.22311>

Kohl, Z., Abdallah, N. B., Vogelgsang, J., Tischler, L., Deusser, J., Amato, D., . . . Winkler, J. (2015). Severely impaired hippocampal neurogenesis associates with an early serotonergic deficit in a BAC α -synuclein transgenic rat model of Parkinson's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2015.10.021>. <http://www.sciencedirect.com/science/article/pii/S0969996115300796>

Kohl, Z., Kandasamy, M., Winner, B., Aigner, R., Gross, C., Couillard-Despres, S., . . . Winkler, J. (2007). Physical activity fails to rescue hippocampal neurogenesis deficits in the R6/2 mouse model of Huntington's disease. *Brain Research*, 1155, 24-33. doi.

Kohl, Z., Kuhn, H. G., Cooper-Kuhn, C. M., J. Winkler, L. A., & Kempermann, G. (2002). Prewaning enrichment has no lasting effects on adult hippocampal neurogenesis in four-month-old mice involved different levels of regulation, i.e. proliferation, survival. *Genes, Brain and Behavior*, 1, 46-54. doi.

Kohl, Z., Regensburger, M., Aigner, R., Kandasamy, M., Winner, B., Aigner, L., & Winkler, J. (2010). Impaired adult olfactory bulb neurogenesis in the R6/2 mouse model of Huntington's disease. *BMC Neuroscience*, 11(1), 114. doi. <http://www.biomedcentral.com/1471-2202/11/114>

Kohl, Z., Winner, B., Ubhi, K., Rockenstein, E., Mante, M., Münch, M., . . . Winkler, J. (2012). Fluoxetine rescues impaired hippocampal neurogenesis in a transgenic A53T synuclein mouse model. *European Journal of Neuroscience*, 35(1), 10-19. doi.

Kohlsdorf, T., James, R. S., Carvalho, J. E., Wilson, R. S., Dal Pai-Silva, M., & Navas, C. A. (2004). Locomotor performance of closely related *Tropidurus* species: relationships with physiological parameters and ecological divergence. *Journal of Experimental Biology*, 207(7), 1183-1183. doi.

Kohlsdorf, T., & Navas, C. (2012). Evolution of form and function: morphophysiological relationships and locomotor performance in tropidurine lizards. *Journal of Zoology*. doi.

Kohn Cordeiro, K., Gracioli Cordeiro, J., Lopes Furlanetti, L., Garcia Salazar, J. A., Tenório, S. B., Winkler, C., . . . Nikkhah, G. (2014). Subthalamic nucleus lesion improves cell survival and functional recovery following dopaminergic cell transplantation in parkinsonian rats. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12541. <http://dx.doi.org/10.1111/ejn.12541>

Kokcu, A., Alper, T., Ogur, G., Akar, O. S., Kurtoglu Ozdes, E., & Altunkaynak, B. Z. (2020). Imiquimod Inhibits Proliferation of Serous Epithelial Ovarian Cancer Cells In Vitro: A Preliminary Study. *Indian Journal of Gynecologic Oncology*, 18(2), 45. doi: 10.1007/s40944-020-00390-y. <https://doi.org/10.1007/s40944-020-00390-y>

Kolahdouzi, S., Talebi-Garakani, E., Hamidian, G., & Safarzade, A. (2019). Exercise training prevents high-fat diet-induced adipose tissue remodeling by promoting capillary density and macrophage polarization. *Life Sciences*, 220, 32-43. doi: <https://doi.org/10.1016/j.lfs.2019.01.037>. <http://www.sciencedirect.com/science/article/pii/S0024320519300517>

Koliatsos, V. E., Dawson, T. M., Kecojevic, A., Zhou, Y., Wang, Y.-F., & Huang, K. X. (2004). Cortical interneurons become activated by deafferentation and instruct the apoptosis of pyramidal neurons. *Proceedings of the National Academy of Sciences*, 101(39), 14264-14269. doi: 10.1073/Proceedings of the National Academy of Sciences.0404364101. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/101/39/14264>

Koliatsos, V. E., Kecojevic, A., Troncoso, J. C., Gastard, M. C., Bennett, D. A., & Schneider, J. A. (2006). Early involvement of small inhibitory cortical interneurons in Alzheimer's disease. *Acta Neuropathologica*, 112(2), 147-162. doi.

Kollensperger, M., Krismer, F., Pallua, A., Stefanova, N., Poewe, W., & Wenning, G. K. (2011). Erythropoietin is neuroprotective in a transgenic mouse model of multiple system atrophy. *Movement Disorders*. doi.

Kollensperger, M., Stefanova, N., Pallua, A., Puschban, Z., Dechant, G., Hainzer, M., . . . Wenning, G. K. (2009). Striatal transplantation in a rodent model of multiple system atrophy: Effects on L-Dopa response. *Journal of Neuroscience Research*, 87(7), 1679-1685. doi.

Kolter, J. F., Hildenbrand, M. F., Popp, S., Nauroth, S., Bankmann, J., Rother, L., . . . Schmitt-Böhrer, A. (2021). Serotonin transporter genotype modulates resting state and predator stress-induced amygdala perfusion in mice in a sex-dependent manner. *Plos one*, 16(2), e0247311. doi: 10.1371/journal.pone.0247311. <https://doi.org/10.1371/journal.pone.0247311>

Komitova, M., Xenos, D., Salmaso, N., May Tran, K., Brand, T., Schwartz, M. L., . . . Vaccarino, F. M. (2013). Hypoxia-Induced Developmental Delays of Inhibitory Interneurons Are Reversed by Environmental Enrichment in the Postnatal Mouse Forebrain. *Journal of Neuroscience*, 33(33), 13375-13387. doi: 10.1523/jneurosci.5286-12.2013. <http://www.jneurosci.org/content/33/33/13375.abstract>

Komnig, D., Dagli, C. T., Habib, P., Zeyen, T., Schulz, J. B., & Falkenburger, B. H. (2018). Fingolimod (FTY720) is not protective in the subacute MPTP mouse model of Parkinson disease and does not lead to a sustainable increase of brain BDNF. *Journal of Neurochemistry*, 0(ja). doi: doi:10.1111/jnc.14575. <https://onlinelibrary.wiley.com/doi/abs/10.1111/jnc.14575>

Komnig, D., Imgrund, S., Reich, A., Gründer, S., & Falkenburger, B. H. (2016). ASIC1a Deficient Mice Show Unaltered Neurodegeneration in the Subacute MPTP Model of Parkinson Disease. *Plos one*, 11(11), e0165235. doi: 10.1371/journal.pone.0165235. <http://dx.doi.org/10.1371%2Fjournal.pone.0165235>

Komnig, D., Schulz, J. B., Reich, A., & Falkenburger, B. H. (2016). Mice lacking Faim2 show increased cell death in the MPTP mouse model of Parkinson Disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13847. <http://dx.doi.org/10.1111/jnc.13847>

Kondo, Y., Windrem, M. S., Zou, L., Chandler-Militello, D., Schanz, S. J., Auvergne, R. M., . . . Goldman, S. A. (2014). Human glial chimeric mice reveal astrocytic dependence of JC virus infection. *The Journal of Clinical Investigation*, 124(12), 5323-5336. doi: 10.1172/jci76629. <http://www.jci.org/articles/view/76629>

Koneczny, I., Rennspiess, D., Marcuse, F., Hamid, M. A., Damas, M., Maessen, J., . . . Martinez-Martinez, P. (2018). Characterization of the thymus in Lrp4 myasthenia gravis: Four cases. *Autoimmunity Reviews*. doi: <https://doi.org/10.1016/j.autrev.2018.07.011>. <http://www.sciencedirect.com/science/article/pii/S156899721830260X>

Konen, L. M., Wright, A. L., Royle, G. A., Morris, G. P., Lau, B. K., Seow, P. W., . . . Vissel, B. (2020). A new mouse line with reduced GluA2 Q/R site RNA editing exhibits loss of dendritic spines, hippocampal CA1-neuron loss, learning and memory impairments and NMDA receptor-independent seizure vulnerability. *Molecular Brain*, 13(1), 27. doi: 10.1186/s13041-020-0545-1. <https://doi.org/10.1186/s13041-020-0545-1>

Kong, A. M., Yap, K. K., Lim, S. Y., Marre, D., Pébay, A., Gerrand, Y.-w., . . . Mitchell, G. M. (2019). Bio-engineering a tissue flap utilizing a porous scaffold incorporating a human induced pluripotent stem cell-derived endothelial cell capillary network connected to a vascular pedicle. *Acta Biomaterialia*. doi: <https://doi.org/10.1016/j.actbio.2019.05.067>. <http://www.sciencedirect.com/science/article/pii/S1742706119303940>

Kong, H., Sha, L.-L., Fan, Y., Xiao, M., Ding, J.-h., Wu, J., & Hu, G. (2008). Requirement of AQP4 for Antidepressive Efficiency of Fluoxetine: Implication in Adult Hippocampal Neurogenesis. *Neuropsychopharmacology*, 34(5), 1263-1276. doi: <http://dx.doi.org/10.1038/npp.2008.185>

<http://www.nature.com/npp/journal/vaop/ncurrent/suppinfo/npp2008185s1.ht..>

Kong, H., Zeng, X.-N., Fan, Y., Yuan, S.-T., Ge, S., Xie, W.-P., . . . Hu, G. (2014). Aquaporin-4 Knockout Exacerbates Corticosterone-Induced Depression by Inhibiting Astrocyte Function and Hippocampal Neurogenesis. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12222. <http://dx.doi.org/10.1111/cns.12222>

Kong, L., Wang, X., Choe, D. W., Polley, M., Burnett, B. G., Bosch-Marce, M., . . . Sumner, C. J. (2009). Impaired Synaptic Vesicle Release and Immaturity of Neuromuscular Junctions in Spinal Muscular Atrophy Mice. *Journal of Neuroscience*, 29(3), 842-851. doi: 10.1523/jneurosci.4434-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/3/842>

Kono, J., Konno, K., Talukder, A. H., Fuse, T., Abe, M., Uchida, K., . . . Itoi, K. (2016). Distribution of corticotropin-releasing factor neurons in the mouse brain: a study using corticotropin-releasing factor-modified yellow fluorescent protein knock-in mouse. [journal article]. *Brain Structure and Function*, 1-28. doi: 10.1007/s00429-016-1303-0. <http://dx.doi.org/10.1007/s00429-016-1303-0>

Konopaske, G. T., Sweet, R. A., Wu, Q., Sampson, A., & Lewis, D. A. (2006). Regional specificity of chandelier neuron axon terminal alterations in schizophrenia. *Neuroscience*, 138(1), 189-196. doi.

Konradi, C., Yang, C. K., Zimmerman, E. I., Lohmann, K. M., Gresch, P., Pantazopoulos, H., . . . Heckers, S. (2011). Hippocampal interneurons are abnormal in schizophrenia. *Schizophrenia Research*. doi.

Konradi, C., Zimmerman, E. I., Yang, C. K., Lohmann, K. M., Gresch, P., Pantazopoulos, H., . . . Heckers, S. (2010). Hippocampal Interneurons in Bipolar Disorder. *Archives of General Psychiatry*, archgenpsychiatry.2010.2175. doi: 10.1001/archgenpsychiatry.2010.175. <http://archpsyc.ama-assn.org/cgi/content/abstract/archgenpsychiatry.2010..>

Kopec, A. K., Kim, S., Forgacs, A. L., Zacharewski, T. R., Proctor, D. M., Harris, M. A., . . . Thompson, C. M. (2011). Genome-wide gene expression effects in B6C3F1 mouse intestinal epithelia following 7 and 90 days of exposure to hexavalent chromium in drinking water. *Toxicology and Applied Pharmacology*. doi.

Koprach, J. B., Chen, E. Y., Kanaan, N. M., Campbell, N. G., Kordower, J. H., & Lipton, J. W. (2003). Prenatal 3, 4-methylenedioxymethamphetamine (ecstasy) alters exploratory behavior, reduces monoamine metabolism, and increases forebrain tyrosine hydroxylase fiber density of juvenile rats. *Neurotoxicology and Teratology*, 25(5), 509-517. doi.

Koprach, J. B., Johnston, T. H., Huot, P., Reyes, M. G., Espinosa, M., & Brotchie, J. M. (2011). Progressive Neurodegeneration or Endogenous Compensation in an Animal Model of Parkinson's Disease Produced by Decreasing Doses of Alpha-Synuclein. *PLoS ONE*, 6(3), e17698-e17698. doi.

Koprach, J. B., Johnston, T. H., Reyes, G., Omana, V., & Brotchie, J. M. (2016). Towards a Non-Human Primate Model of Alpha-Synucleinopathy for Development of Therapeutics for Parkinson's Disease: Optimization of AAV1/2 Delivery Parameters to Drive Sustained Expression of Alpha Synuclein and Dopaminergic Degeneration in Macaque. *Plos one*, 11(11), e0167235. doi: 10.1371/journal.pone.0167235. <http://dx.doi.org/10.1371%2Fjournal.pone.0167235>

Koprach, J. B., Johnston, T. H., Reyes, M. G., Sun, X., & Brotchie, J. M. (2010). Expression of human A53T alpha-synuclein in the rat substantia nigra using a novel AAV1/2 vector produces a rapidly evolving pathology with protein aggregation, dystrophic neurite architecture and nigrostriatal degeneration with potential to model the pathology of Parkinson's disease. *Molecular Neurodegeneration*, 5(1), 1-12. doi.

Koprach, J. B., Reske-Nielsen, C., Mithal, P., & Isacson, O. (2008). Neuroinflammation mediated by IL-1 β increases susceptibility of dopamine neurons to degeneration in an animal model of Parkinson's disease. *Journal of neuroinflammation*, 5(1), 8-8. doi.

Kordower, J. H., Chen, E. Y., & Morrison, J. H. (2010). Long-term gonadal hormone treatment and endogenous neurogenesis in the dentate gyrus of the adult female monkey. *Experimental Neurology*, 224(1), 252-257. doi.

Kordower, J. H., Herzog, C. D., Dass, B., Bakay, R. A. E., Stansell Iii, J., Gasmi, M., & Bartus, R. T. (2006). Delivery of neurturin by AAV2 (CERE-120)-mediated gene transfer provides structural and functional neuroprotection and neurorestoration in MPTP-treated monkeys. *Annals of Neurology*, 60(6), 706-715. doi.

Kordower, J. H., Olanow, C. W., Dodiya, H. B., Chu, Y., Beach, T. G., Adler, C. H., . . . Bartus, R. T. (2013). Disease duration and the integrity of the nigrostriatal system in Parkinson's disease. *Brain*, 136(8), 2419-2431. doi: 10.1093/brain/awt192. <http://brain.oxfordjournals.org/content/136/8/2419.abstract>

Korgan, A. C., Vonkeman, J., Esser, M. J., & Perrot, T. S. (2015). An enhanced home cage modulates hypothalamic CRH-ir Labeling in juvenile rats, with and without sub-threshold febrile convulsions. *Developmental Psychobiology*, 57(3), 374-381. doi: 10.1002/dev.21300. <http://dx.doi.org/10.1002/dev.21300>

Korkmaz, O. T., Ay, H., Aytan, N., Carreras, I., Kowall, N. W., Dedeoglu, A., & Tuncel, N. (2018). Vasoactive Intestinal Peptide Decreases β -Amyloid Accumulation and Prevents Brain Atrophy in the 5xFAD Mouse Model of Alzheimer's Disease. [journal article]. *Journal of Molecular Neuroscience*. doi: 10.1007/s12031-018-1226-8. <https://doi.org/10.1007/s12031-018-1226-8>

Korkmaz, O. T., Ay, H., Ulupinar, E., & Tunçel, N. (2012). Vasoactive Intestinal Peptide Enhances Striatal Plasticity and Prevents Dopaminergic Cell Loss in Parkinsonian Rats. *Journal of Molecular Neuroscience*, 1-9. doi.

Korkmaz, O. T., Aytan, N., Carreras, I., Choi, J.-K., Kowall, N. W., Jenkins, B. G., & Dedeoglu, A. (2014). 7,8-Dihydroxyflavone improves motor performance and enhances lower motor neuronal survival in a mouse model of amyotrophic lateral sclerosis. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2014.02.058>. <http://www.sciencedirect.com/science/article/pii/S0304394014001712>

Kosaka, K., & Kosaka, T. (2013). Secretagogin-containing neurons in the mouse main olfactory bulb. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2013.08.006>. <http://www.sciencedirect.com/science/article/pii/S0168010213001910>

- Köse, O., Arabacı, T., Gedikli, S., Eminoglu, D. Ö., Kermen, E., Kızıldağ, A., . . . Yemenoglu, H. (2016). Biochemical and histopathologic analysis of the effects of periodontitis on left ventricular heart tissues of rats. *Journal of Periodontal Research*, n/a-n/a. doi: 10.1111/jre.12380. <http://dx.doi.org/10.1111/jre.12380>
- Kose, O., Arabaci, T., Kara, A., Yemenoglu, H., Kermen, E., Kizildag, A., . . . Ozkanlar, S. (2016). Effects of Melatonin on Oxidative Stress Index and Alveolar Bone Loss in Diabetic Rats With Periodontitis. *Journal of Periodontology*, 1-15. doi: 10.1902/jop.2016.150541. <http://dx.doi.org/10.1902/jop.2016.150541>
- Köse, O., Arabacı, T., Kizildag, A., Erdemci, B., Özkal Eminoglu, D., Gedikli, S., . . . Kermen, E. (2016). Melatonin prevents radiation-induced oxidative stress and periodontal tissue breakdown in irradiated rats with experimental periodontitis. *Journal of Periodontal Research*, n/a-n/a. doi: 10.1111/jre.12409. <http://dx.doi.org/10.1111/jre.12409>
- Kosloski, L. M., Kosmacek, E. A., Olson, K. E., Mosley, R. L., & Gendelman, H. E. (2013). GM-CSF induces neuroprotective and anti-inflammatory responses in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine intoxicated mice. *Journal of Neuroimmunology*, (0). doi: <http://dx.doi.org/10.1016/j.jneuroim.2013.10.009>. <http://www.sciencedirect.com/science/article/pii/S0165572813003044>
- Koson, P., Zilka, N., Kovac, A., Kovacech, B., Korenova, M., Filipcik, P., & Novak, M. (2008). Truncated tau expression levels determine life span of a rat model of tauopathy without causing neuronal loss or correlating with terminal neurofibrillary tangle load. *European Journal of Neuroscience*, 28(2), 239-246. doi.
- Koss, M., Bolze, A., Brendolan, A., Saggese, M., Capellini, T. D., Bojilova, E., . . . Solloway, M. (2012). Congenital Asplenia in Mice and Humans with Mutations in a Pbx/Nkx2-5/p15 Module. *Developmental Cell*. doi.
- Koss, W., Sadowski, R., Sherrill, L., Gulley, J., & Juraska, J. (2012). Effects of ethanol during adolescence on the number of neurons and glia in the medial prefrontal cortex and basolateral amygdala of adult male and female rats. *Brain Research*. doi.
- Koss, W. A., Lloyd, M. M., Sadowski, R. N., Wise, L. M., & Juraska, J. M. (2015). Gonadectomy before puberty increases the number of neurons and glia in the medial prefrontal cortex of female, but not male, rats. *Developmental Psychobiology*, 57(3), 305-312. doi: 10.1002/dev.21290. <http://dx.doi.org/10.1002/dev.21290>
- Kotake, B. G. D. S., Gonzaga, M. G., Coutinho-Netto, J., Ervolino, E., de Figueiredo, F. A. T., & Issa, J. P. M. (2017). Bone repair of critical sized defects in Wistar rats treated with autogenic, allogenic or xenogenic bone grafts alone or in combination with natural latex fraction F1. *Biomedical Materials*. doi. <http://iopscience.iop.org/article/10.1088/1748-605X/aa9504/meta>
- Kotterman, M. A., Vazin, T., & Schaffer, D. V. (2015). Enhanced selective gene delivery to neural stem cells in vivo by an adeno-associated viral variant. *Development*, 142(10), 1885-1892. doi: 10.1242/dev.115253. <http://dev.biologists.org/content/142/10/1885.abstract>
- Kougias, D. G., Sellinger, E. P., Willing, J., & Juraska, J. M. (2018). Perinatal exposure to an environmentally relevant mixture of phthalates results in a lower number of neurons and synapses in the medial prefrontal cortex and decreased cognitive flexibility in adult male and female rats. [10.1523/JNEUROSCI.0607-18.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/07/16/JNEUROSCI.0607-18.2018>.

- Kousik, S. M., Carvey, P. M., & Napier, T. C. (2014). Methamphetamine self-administration results in persistent dopaminergic pathology: implications for Parkinson's disease risk and reward-seeking. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12628. <http://dx.doi.org/10.1111/ejn.12628>
- Kousik, S. M., Graves, S. M., Napier, T. C., Zhao, C., & Carvey, P. M. (2011). Methamphetamine-induced vascular changes lead to striatal hypoxia and dopamine reduction. *Neuroreport*, 22(17), 923-923. doi.
- Kovács, A. D., Saje, A., Wong, A., Ramji, S., Cooper, J. D., & Pearce, D. A. (2012). Age-dependent therapeutic effect of memantine in a mouse model of juvenile batten disease. *Neuropharmacology*. doi.
- Kovács, A. D., Saje, A., Wong, A., Szénási, G., Kiricsi, P., Szabó, É., . . . Pearce, D. A. (2011). Temporary inhibition of AMPA receptors induces a prolonged improvement of motor performance in a mouse model of juvenile Batten disease. *Neuropharmacology*, 60(2), 405-409. doi.
- Kovalenko, M., Milnerwood, A., Giordano, J., St Claire, J., Guide, J. R., Stromberg, M., . . . MacDonald, M. E. (2018). Htt Q111/+ Huntington's Disease Knock-in Mice Exhibit Brain Region-Specific Morphological Changes and Synaptic Dysfunction. *Journal of Huntington's Disease*, 7(1), 17-33. doi. <https://content.iospress.com/articles/journal-of-huntingtons-disease/jhd..>
- Kowsky, S., Poppelmeier, C., Kramer, E. R., Falkenburger, B. H., Kruse, A., Klein, R., & Schulz, J. B. (2007). RET signaling does not modulate MPTP toxicity but is required for regeneration of dopaminergic axon terminals. *Proceedings of the National Academy of Sciences*, 104(50), 20049-20054. doi: 10.1073/Proceedings of the National Academy of Sciences.0706177104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/50/20049>
- Kozorovitskiy, Y., Gross, C. G., Kopil, C., Battaglia, L., McBreen, M., Stranahan, A. M., & Gould, E. (2005). Experience induces structural and biochemical changes in the adult primate brain. *Proceedings of the National Academy of Sciences*, 102(48), 17478-17482. doi: 10.1073/Proceedings of the National Academy of Sciences.0508817102. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/102/48/17478>
- Kramer, E. R., Aron, L., Ramakers, G. M. J., Seitz, S., Zhuang, X., Beyer, K., . . . diger. (2007). Absence of Ret Signaling in Mice Causes Progressive and Late Degeneration of the Nigrostriatal System. *PLoS Biology*, 5(3), e39. doi. <http://dx.doi.org/10.1371%2Fjournal.pbio.0050039>
- Krampert, M., Chirasani, S. R., Wachs, F. P., Aigner, R., Bogdahn, U., Yingling, J. M., . . . Heuchel, R. (2010). Smad7 Regulates the Adult Neural Stem/Progenitor Cell Pool in a Transforming Growth Factor β -and Bone Morphogenetic Protein-Independent Manner. *Molecular and Cellular Biology*, 30(14), 3685-3694. doi.
- Krashia, P., Cordella, A., Nobili, A., La Barbera, L., Federici, M., Leuti, A., . . . Mercuri, N. B. (2019). Blunting neuroinflammation with resolvin D1 prevents early pathology in a rat model of Parkinson's disease. *Nature Communications*, 10(1), 3945. doi: 10.1038/s41467-019-11928-w. <https://doi.org/10.1038/s41467-019-11928-w>
- Kraszpulski, M., Dickerson, P. A., & Salm, A. K. (2006). Prenatal stress affects the developmental trajectory of the rat amygdala. *Stress*, 9(2), 85-95. doi.

Krebs, J., Römer, B., Overall, R. W., Fabel, K., Babu, H., Brandt, M., . . . Kempermann, G. (2011). Frontiers: Adult Hippocampal Neurogenesis and Plasticity in the Infrapyramidal Bundle of the Mossy Fiber Projection: II. Genetic Covariation and Identification of Nos1 as Linking Candidate Gene. *Frontiers in Neurogenesis*, 5. doi.

Krebs, J., Römer, B., Overall, R. W., Fabel, K., Babu, H., Brandt, M. D., . . . Kempermann, G. (2011). Adult hippocampal neurogenesis and plasticity in the infrapyramidal bundle of the mossy fiber projection: II. Genetic covariation and identification of Nos1 as linking candidate gene. *Frontiers in Neuroscience*, 5. doi.

Kreczmanski, P., Heinsen, H., Mantua, V., Woltersdorf, F., Masson, T., Ulfig, N., . . . others. (2009). Microvessel length density, total length, and length per neuron in five subcortical regions in schizophrenia. *Acta Neuropathologica*, 117(4), 409-421. doi.

Kreczmanski, P., Heinsen, H., Mantua, V., Woltersdorf, F., Masson, T., Ulfig, N., . . . Schmitz, C. (2007). Volume, neuron density and total neuron number in five subcortical regions in schizophrenia. *Brain*, 130, 678-692. doi.

Kreczmanski, P., Schmidt-Kastner, R., Heinsen, H., Steinbusch, H. W. M., Hof, P. R., & Schmitz, C. (2005). Stereological studies of capillary length density in the frontal cortex of schizophrenics. *Acta Neuropathologica*, 109(5), 510-518. doi.

Kriks, S., Shim, J. W., Piao, J., Ganat, Y. M., Wakeman, D. R., Xie, Z., . . . others. (2011). Dopamine neurons derived from human ES cells efficiently engraft in animal models of Parkinson's disease. *Nature*. doi.

Krishnasamy, S., Weng, Y.-C., Thammisetty, S. S., Phaneuf, D., Lalancette-Hebert, M., & Kriz, J. (2017). Molecular imaging of nestin in neuroinflammatory conditions reveals marked signal induction in activated microglia. [journal article]. *Journal of neuroinflammation*, 14(1), 45. doi: 10.1186/s12974-017-0816-7. <http://dx.doi.org/10.1186/s12974-017-0816-7>

Krismer, F., Wenning, G. K., Li, Y., Poewe, W., & Stefanova, N. (2013). Intact Olfaction in a Mouse Model of Multiple System Atrophy. *Plos one*, 8(5), e64625. doi: 10.1371/journal.pone.0064625. <http://dx.doi.org/10.1371/journal.pone.0064625>

Kronenberg, G., Balkaya, M., Prinz, V., Gertz, K., Ji, S., Kirste, I., . . . Endres, M. (2012). Exofocal Dopaminergic Degeneration as Antidepressant Target in Mouse Model of Poststroke Depression. *Biological Psychiatry*, (0). doi: 10.1016/j.biopsych.2012.02.026. <http://www.sciencedirect.com/science/article/pii/S0006322312001539>

Kronenberg, G., Bick-Sander, A., Bunk, E., Wolf, C., Ehninger, D., & Kempermann, G. (2006). Physical exercise prevents age-related decline in precursor cell activity in the mouse dentate gyrus. *Neurobiology of Aging*, 27(10), 1505-1513. doi.

Kronenberg, G., Gertz, K., Baldinger, T., Kirste, I., Eckart, S., Yildirim, F., . . . Endres, M. (2010). Impact of Actin Filament Stabilization on Adult Hippocampal and Olfactory Bulb Neurogenesis. *Journal of Neuroscience*, 30(9), 3419-3431. doi: 10.1523/jneurosci.4231-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/9/3419>

Kronenberg, G., Reuter, K., Steiner, B., Brandt, M. D., Jessberger, S., Yamaguchi, M., & Kempermann, G. (2003). Subpopulations of proliferating cells of the adult hippocampus respond differently to physiologic neurogenic stimuli. *Journal of Comparative Neurology*, 467(4), 455-463. doi.

- Kronenberg, G., Uhlemann, R., Richter, N., Klempin, F., Wegner, S., Staerck, L., . . . Gertz, K. (2017). Distinguishing features of microglia- and monocyte-derived macrophages after stroke. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-017-1795-6. <https://doi.org/10.1007/s00401-017-1795-6>
- Kronenberg, G., Wang, L.-P., Synowitz, M., Gertz, K., Katchanov, J., Glass, R., . . . Endres, M. (2005). Nestin-expressing cells divide and adopt a complex electrophysiologic phenotype after transient brain ischemia. *Journal of Cerebral Blood Flow and Metabolism*, 25(12), 1613-1624. doi.
- Krumova, P., Meulmeester, E., Garrido, M., Tirard, M., Hsiao, H.-H., Bossis, G., . . . Weishaupt, J. H. (2011). Sumoylation inhibits α -synuclein aggregation and toxicity. *Journal of Cell Biology*, 194(1), 49-60. doi: 10.1083/jcb.201010117. <http://jcb.rupress.org/content/194/1/49.abstract>
- Kruse, S. W., Dayton, K. G., Purnell, B. S., Rosner, J. I., & Buchanan, G. F. (2019). Effect of monoamine reuptake inhibition and α 1 blockade on respiratory arrest and death following electroshock-induced seizures in mice. *Epilepsia*, 0(0). doi: doi:10.1111/epi.14652. <https://onlinelibrary.wiley.com/doi/abs/10.1111/epi.14652>
- Ku, C. A., Chiodo, V. A., Boye, S. L., Goldberg, A. F. X., Li, T., Hauswirth, W. W., & Ramamurthy, V. (2011). Gene therapy using self-complementary Y733F capsid mutant AAV2/8 restores vision in a model of early onset Leber congenital amaurosis. *Human Molecular Genetics*, ddr391. doi: 10.1093/hmg/ddr391. <http://hmg.oxfordjournals.org/cgi/content/abstract/ddr391v2>
- Kuan, W.-L., Poole, E., Fletcher, M., Karniely, S., Tyers, P., Wills, M., . . . Sinclair, J. H. (2011). A novel neuroprotective therapy for Parkinson's disease using a viral noncoding RNA that protects mitochondrial Complex I activity. *Journal of Experimental Medicine*. doi: 10.1084/jem.20111126. <http://jem.rupress.org/content/early/2011/12/15/jem.20111126.abstract>
- Kubínová, L., & Janáček, J. (2001). Confocal microscopy and stereology: Estimating volume, number, surface area and length by virtual test probes applied to three-dimensional images. *Microscopy Research and Technique*, 53(6), 425-435. doi.
- Kubínová, L., & Janáček, J. (2015). Confocal stereology: an efficient tool for measurement of microscopic structures. *Cell and Tissue Research*, 1-16. doi: 10.1007/s00441-015-2138-3. <http://dx.doi.org/10.1007/s00441-015-2138-3>
- Kubínová, L., Janáček, J., & Krekule, I. (2002). Stereological methods for estimating geometrical parameters of microscopical structure studied by three-dimensional microscopical techniques. *Confocal and Two-photon Microscopy*, 299-332. doi.
- Kubo, T., Nishimura, S., & Oda, T. (2002). Amyloid beta-peptide alters the distribution of early endosomes and inhibits phosphorylation of Akt in the presence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT). *Brain Research. Molecular Brain Research*, 106. doi: 10.1016/S0169-328X(02)00416-3. [http://dx.doi.org/10.1016/S0169-328X\(02\)00416-3](http://dx.doi.org/10.1016/S0169-328X(02)00416-3)
- Kühl, T. G., Dihanich, S., Wong, A. M. S., & Cooper, J. D. (2013). Regional Brain Atrophy in Mouse Models of Neuronal Ceroid Lipofuscinosis: A New Rostrocaudal Perspective. *Journal of Child Neurology*, 28(9), 1117-1122. doi: 10.1177/0883073813494479. <http://jcn.sagepub.com/content/28/9/1117.abstract>

Kuhla, B., Boeck, K., Lüth, H. J., Schmidt, A., Weigle, B., Schmitz, M., . . . Arendt, T. (2006). Age-dependent changes of glyoxalase I expression in human brain. *Neurobiology of Aging*, 27(6), 815-822. doi.

Kuhla, B., Boeck, K., Schmidt, A., Ogunlade, V., Arendt, T., Münch, G., & Lüth, H. J. (2007). Age- and stage-dependent glyoxalase I expression and its activity in normal and Alzheimer's disease brains. *Neurobiology of Aging*, 28(1), 29-41. doi.

Kuhn, H. G., Biebl, M., Wilhelm, D., Li, M., Friedlander, R. M., & Winkler, J. (2005). Increased generation of granule cells in adult Bcl-2-overexpressing mice: a role for cell death during continued hippocampal neurogenesis. *European Journal of Neuroscience*, 22(8), 1907-1915. doi:10.1111/j.1460-9568.2005.04377.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04377.x>

Kukreja, L., Shahidehpour, R., Kim, G., Keegan, J., Sadleir, K. R., Russell, T., . . . Geula, C. (2018). Differential Neurotoxicity Related to Tetracycline Transactivator and TDP-43 Expression in Conditional TDP-43 Mouse Model of Frontotemporal Lobar Degeneration. [10.1523/JNEUROSCI.1836-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/05/28/JNEUROSCI.1836-17.2018>...

Kulesza, R. J. (2007). Cytoarchitecture of the human superior olivary complex: medial and lateral superior olive. *Hearing Research*, 225(1), 80-90. doi.

Kulesza, R. J., Viñuela, A., Saldaña, E., Berrebi, A. S., & others. (2002). Unbiased stereological estimates of neuron number in subcortical auditory nuclei of the rat. *Hearing Research*, 168(1-2), 12-24. doi.

Kuljis, D. A., Gad, L., Loh, D. H., Kaswan, Z. M., Hitchcock, O. N., Ghiani, C. A., & Colwell, C. S. (2016). Sex Differences in Circadian Dysfunction in the BACHD Mouse Model of Huntington's Disease. *Plos one*, 11(2), e0147583. doi. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0147583>

Kullmann, F. A., Wells, G. I., Langdale, C. L., Zheng, J., & Thor, K. B. (2013). Stability of the Acetic Acid-Induced Bladder Irritation Model in Alpha Chloralose-Anesthetized Female Cats. *Plos one*, 8(9), e73771. doi: 10.1371/journal.pone.0073771. <http://dx.doi.org/10.1371/journal.pone.0073771>

Kumagai, G., Tsoulfas, P., Toh, S., McNiece, I., Bramlett, H. M., & Dietrich, W. D. (2013). Genetically modified mesenchymal stem cells (MSCs) promote axonal regeneration and prevent hypersensitivity after spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.028>. <http://www.sciencedirect.com/science/article/pii/S0014488613002112>

Kumar, A., Alvarez-Croda, D.-M., Stoica, B. A., Faden, A. I., & Loane, D. J. (2015). Microglial/macrophage polarization dynamics following traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4268. <http://dx.doi.org/10.1089/neu.2015.4268>

Kumar, A., Barrett, J. P., Alvarez-Croda, D.-M., Stoica, B. A., Faden, A. I., & Loane, D. J. (2016). NOX2 drives M1-like microglial/macrophage activation and neurodegeneration following experimental traumatic brain injury. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.07.158>. <http://www.sciencedirect.com/science/article/pii/S088915911630352X>

Kumar, A., Kneynsberg, A., Tucholski, J., Perry, G., van Groen, T., Detloff, P. J., & Lesort, M. (2012). Tissue transglutaminase overexpression does not modify the disease phenotype of the R6/2 mouse model of Huntington's disease. *Experimental Neurology*, (0). doi:

10.1016/j.expneurol.2012.05.015. <http://www.sciencedirect.com/science/article/pii/S0014488612002269>

Kumar, A., Stoica, B. A., Sabirzhanov, B., Burns, M. P., Faden, A. I., & Loane, D. J. (2012). Traumatic brain injury in aged animals increases lesion size and chronically alters microglial/macrophage classical and alternative activation states. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2012.11.013>. <http://www.sciencedirect.com/science/article/pii/S0197458012005908>

Kumar, A. J., Martins, D. O., Arruda, B. P., Lee, V. Y., Chacur, M., & Nogueira, M. I. (2020). Impairment of nociceptive responses after neonatal anoxia correlates with somatosensory thalamic damage: A study in rats. *Behavioural Brain Research*, 390, 112690. doi: <https://doi.org/10.1016/j.bbr.2020.112690>. <http://www.sciencedirect.com/science/article/pii/S0166432820303892>

Kumar, A. J., Motta-Teixeira, L. C., Takada, S. H., Lee, V. Y., Machado-Nils, A. V., Xavier, G. F., & Nogueira, M. I. (2018). Behavioral, cognitive and histological changes following neonatal anoxia: male and female rats' differences at adolescent age. *International Journal of Developmental Neuroscience*. doi: <https://doi.org/10.1016/j.ijdevneu.2018.12.002>. <http://www.sciencedirect.com/science/article/pii/S0736574818302168>

Kumar, A. J., Takada, S. H., Motta-Teixeira, L. C., Lee, V. Y., Xavier, G. F., & Nogueira, M. I. (2017). Sex differences in somatic and sensory motor development after neonatal anoxia in Wistar rats. *Behavioural Brain Research*, 333, 242-250. doi: <https://doi.org/10.1016/j.bbr.2017.07.009>. <http://www.sciencedirect.com/science/article/pii/S0166432817306101>

Kumar, G., Jones, N. C., Morris, M. J., Rees, S., O'Brien, T. J., & Salzberg, M. R. (2011). Early Life Stress Enhancement of Limbic Epileptogenesis in Adult Rats: Mechanistic Insights. *PLoS ONE*, 6(9), e24033-e24033. doi.

Kumar, N. N., Velic, A., Soliz, J., Shi, Y., Li, K., Wang, S., . . . Lazarenko, R. M. (2015). Regulation of breathing by CO₂ requires the proton-activated receptor GPR4 in retrotrapezoid nucleus neurons. *Science*, 348(6240), 1255-1260. doi: <http://www.sciencemag.org/content/348/6240/1255.short>

Kumar, S. S., & Buckmaster, P. S. (2006). Hyperexcitability, Interneurons, and Loss of GABAergic Synapses in Entorhinal Cortex in a Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 26(17), 4613-4623. doi: 10.1523/jneurosci.0064-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/17/4613>

Kurauchi, Y., Hisatsune, A., Isohama, Y., Mishima, S., & Katsuki, H. (2012). Caffeic acid phenethyl ester protects nigral dopaminergic neurons via dual mechanisms involving heme oxygenase-1 and brain-derived neurotrophic factor. *British Journal of Pharmacology*. doi.

Kuroda, E., Nishimura, K., Kawanishi, S., Sueyoshi, M., Ueno, F., Toji, Y., . . . Takata, K. (2020). Mouse Bone Marrow-derived Microglia-like Cells Secrete Transforming Growth Factor- β 1 and Promote Microglial A β Phagocytosis and Reduction of Brain A β . *Neuroscience*, 438, 217-228. doi: <https://doi.org/10.1016/j.neuroscience.2020.05.004>. <http://www.sciencedirect.com/science/article/pii/S0306452220302967>

Kurokawa, K., Mizuno, K., Kiyokage, E., Shibasaki, M., Toida, K., & Ohkuma, S. (2011). Dopamine D1 receptor signaling system regulates ryanodine receptor expression after intermittent exposure to

methamphetamine in primary cultures of midbrain and cerebral cortical neurons. *Journal of Neurochemistry*, 118(5), 773-783. doi: 10.1111/j.1471-4159.2011.07366.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07366.x>

Kuronen, M., Hermansson, M., Manninen, O., Zech, I., Talvitie, M., Laitinen, T., . . . Cooper, J. D. (2011). Galactolipid deficiency in the early pathogenesis of neuronal ceroid lipofuscinosis model *Cln8mnd*: implications to delayed myelination and oligodendrocyte maturation. *Neuropathology and Applied Neurobiology*. doi.

Kuronen, M., Lehesjoki, A. E., Jalanko, A., Cooper, J. D., & Kopra, O. (2012). Selective spatiotemporal patterns of glial activation and neuron loss in the sensory thalamocortical pathways of neuronal ceroid lipofuscinosis 8 mice. *Neurobiology of Disease*. doi.

Kurowska, Z., Jewett, M., Brattås, P. L., Jimenez-Ferrer, I., Kenéz, X., Björklund, T., . . . Swanberg, M. (2016). Identification of Multiple QTLs Linked to Neuropathology in the *Engrailed-1* Heterozygous Mouse Model of Parkinson's Disease. [Article]. *Scientific Reports*, 6, 31701. doi: 10.1038/srep31701

<http://www.nature.com/articles/srep31701#supplementary-information>. <http://dx.doi.org/10.1038/srep31701>

Kuruba, R., Hattiangady, B., Parihar, V. K., Shuai, B., & Shetty, A. K. (2011). Differential Susceptibility of Interneurons Expressing Neuropeptide Y or Parvalbumin in the Aged Hippocampus to Acute Seizure Activity. *PLoS ONE*, 6(9), e24493-e24493. doi.

Kusnoor, S. V., Bubser, M., & Deutch, A. Y. (2012). The effects of nigrostriatal dopamine depletion on the thalamic parafascicular nucleus. *Brain Research*. doi.

Kusnoor, S. V., Parris, J., Muly, E. C., Morgan, J. I., & Deutch, A. Y. (2010). Extracerebellar role for *Cerebellin1*: Modulation of dendritic spine density and synapses in striatal medium spiny neurons. *Journal of Comparative Neurology*, 518(13), 2525-2537. doi.

Kuzdas, D., Stemberger, S., Gaburro, S., Stefanova, N., Singewald, N., & Wenning, G. K. (2013). Oligodendroglial alpha-synucleinopathy and MSA-like cardiovascular autonomic failure: Experimental evidence. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.02.002>. <http://www.sciencedirect.com/science/article/pii/S0014488613000459>

Kuzdas-Wood, D., Fellner, L., Premstaller, M., Borm, C., Bloem, B., Kirik, D., . . . Stefanova, N. (2015). Overexpression of α -synuclein in oligodendrocytes does not increase susceptibility to focal striatal excitotoxicity. *BMC Neuroscience*, 16(1), 86. doi. <http://www.biomedcentral.com/1471-2202/16/86>

Kwan, T., Floyd, C. L., Patel, J., Mohaimany-Aponte, A., & King, P. H. (2017). Astrocytic expression of the RNA regulator HuR accentuates spinal cord injury in the acute phase. *Neuroscience Letters*, 651, 140-145.

doi: <https://doi.org/10.1016/j.neulet.2017.05.003>. <http://www.sciencedirect.com/science/article/pii/S0304394017303816>

Kyyriäinen, J., Ekolle Ndode-Ekane, X., & Pitkänen, A. (2016). Dynamics of PDGFR β expression in different cell types after brain injury. *Glia*, n/a-n/a. doi: 10.1002/glia.23094. <http://dx.doi.org/10.1002/glia.23094>

Kyyriäinen, J., Tapiala, J., Lipponen, A., Ekolle Ndode-Ekane, X., & Pitkänen, A. (2020). Plau/Plaur double-deficiency did not worsen lesion severity or vascular integrity after traumatic brain injury. *Neuroscience Letters*, 729, 134935. doi: <https://doi.org/10.1016/j.neulet.2020.134935>. <http://www.sciencedirect.com/science/article/pii/S0304394020302056>

La Barbera, L., Vedele, F., Nobili, A., Krashia, P., Spoletti, E., Latagliata, E. C., . . . D'Amelio, M. (2021). Nilotinib restores memory function by preventing dopaminergic neuron degeneration in a mouse model of Alzheimer's Disease. *Progress in Neurobiology*, 102031. doi: <https://doi.org/10.1016/j.pneurobio.2021.102031>. <https://www.sciencedirect.com/science/article/pii/S0301008221000459>

Laast, V. A., Pardo, C. A., Tarwater, P. M., Queen, S. E., Reinhart, T. A., Ghosh, M., . . . Mankowski, J. L. (2007). Pathogenesis of Simian Immunodeficiency Virus-Induced Alterations in Macaque Trigeminal Ganglia. *Journal of Neuropathology and Experimental Neurology*, 66(1), 26-34. doi.

Laast, V. A., Shim, B., Johaneck, L. M., Dorsey, J. L., Hauer, P. E., Tarwater, P. M., . . . Mankowski, J. L. (2011). Macrophage-Mediated Dorsal Root Ganglion Damage Precedes Altered Nerve Conduction in SIV-Infected Macaques. *American Journal of Pathology*. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0002944011007693?showall=true>

Labouesse, M. A., Lassalle, O., Richetto, J., Iafrati, J., Weber-Stadlbauer, U., Notter, T., . . . Meyer, U. (2016). Hypervulnerability of the adolescent prefrontal cortex to nutritional stress via reelin deficiency. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.193. <http://dx.doi.org/10.1038/mp.2016.193>

Labuzek, K., Suchy, D., Gabryel, B., Bielecka, A., Liber, S., & Okopien, B. (2010). Quantification of metformin by the HPLC method in brain regions, cerebrospinal fluid and plasma of rats treated with lipopolysaccharide. *Pharmacol Rep*, 62. doi: 10.1016/s1734-1140(10)70357-1. [http://dx.doi.org/10.1016/S1734-1140\(10\)70357-1](http://dx.doi.org/10.1016/S1734-1140(10)70357-1)

Lacagnina, A. F., Brockway, E. T., Crovetti, C. R., Shue, F., McCarty, M. J., Sattler, K. P., . . . Drew, M. R. (2019). Distinct hippocampal engrams control extinction and relapse of fear memory. *Nature Neuroscience*. doi: 10.1038/s41593-019-0361-z. <https://doi.org/10.1038/s41593-019-0361-z>

Laćan, G., Hadamitzky, M., Kuczenski, R., & Melega, W. P. (2013). Alterations in the striatal dopamine system during intravenous methamphetamine exposure: Effects of contingent and noncontingent administration. *Synapse*, n/a-n/a. doi: 10.1002/syn.21654. <http://dx.doi.org/10.1002/syn.21654>

Lackner, P., Beer, R., Broessner, G., Helbok, R., Dallago, K., Hess, M. W., . . . Schmutzhard, E. (2011). Nogo-A Expression in the Brain of Mice with Cerebral Malaria. *PLoS ONE*, 6(9), e25728-e25728. doi.

Lackner, P., Part, A., Burger, C., Dietmann, A., Broessner, G., Helbok, R., . . . Beer, R. (2009). Glatiramer acetate reduces the risk for experimental cerebral malaria: a pilot study. *Malaria Journal*, 8(1), 36. doi: <http://www.malariajournal.com/content/8/1/36>

Lacroix, S., Chang, L., Rose-John, S., & Tuszynski, M. H. (2002). Delivery of hyper-interleukin-6 to the injured spinal cord increases neutrophil and macrophage infiltration and inhibits axonal growth. *Journal of Comparative Neurology*, 454(3), 213-228. doi.

LaDage, L. D., Roth li, T. C., & Pravosudov, V. V. (2009). Biases in measuring the brain: the trouble with the telencephalon. *Brain, Behavior and Evolution*, 73(4), 253-258. doi.

LaDage, L. D., Roth li, T. C., & Pravosudov, V. V. (2011). Hippocampal neurogenesis is associated with migratory behaviour in adult but not juvenile sparrows (*Zonotrichia leucophrys* ssp.). *Proceedings of the Royal Society B: Biological Sciences*, 278(1702), 138-143. doi.

LaDage, L. D., Roth li, T. C., Sinervo, B., & Pravosudov, V. V. (2016). Environmental experiences influence cortical volume in territorial and nonterritorial side-blotched lizards, *Uta stansburiana*. *Animal Behaviour*, 115, 11-18.
doi: <http://dx.doi.org/10.1016/j.anbehav.2016.01.029>. <http://www.sciencedirect.com/science/article/pii/S0003347216000415>

LaDage, L. D., Roth, T. C., Fox, R. A., & Pravosudov, V. V. (2009). Effects of captivity and memory-based experiences on the hippocampus in mountain chickadees. *Behavioral Neuroscience*, 123(2), 284-284. doi.

Lagace, D. C., Whitman, M. C., Noonan, M. A., Ables, J. L., DeCarolus, N. A., Arguello, A. A., . . . Eisch, A. J. (2007). Dynamic Contribution of Nestin-Expressing Stem Cells to Adult Neurogenesis. *Journal of Neuroscience*, 27(46), 12623-12629. doi: 10.1523/jneurosci.3812-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/46/12623>

Laguna, A., Schintu, N., Nobre, A., Alvarsson, A., Volakakis, N., Jacobsen, J. K., . . . Perlmann, T. (2015). Dopaminergic control of autophagic-lysosomal function implicates *Lmx1b* in Parkinson's disease. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4004

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4004.html#suppl> <http://dx.doi.org/10.1038/nn.4004>

Laham, B. J., Diethorn, E. J., & Gould, E. (2021). Newborn mice form lasting CA2-dependent memories of their mothers. *Cell Reports*, 34(4), 108668.
doi: <https://doi.org/10.1016/j.celrep.2020.108668>. <https://www.sciencedirect.com/science/article/pii/S2211124720316570>

Lahtinen, L., Ndode-Ekane, X. E., Barinka, F., Akamine, Y., Esmaeili, M. H., Rantala, J., & Pitk ĳnen, A. (2010). Urokinase-type plasminogen activator regulates neurodegeneration and neurogenesis but not vascular changes in the mouse hippocampus after status epilepticus. *Neurobiology of Disease*, 37(3), 692-703. doi.

Lahti-Pulkkinen, M., Cudmore, M. J., Haeussner, E., Schmitz, C., Pesonen, A.-K., Hämäläinen, E., . . . Räikkönen, K. (2018). Placental Morphology Is Associated with Maternal Depressive Symptoms during Pregnancy and Toddler Psychiatric Problems. *Scientific Reports*, 8(1), 791. doi: 10.1038/s41598-017-19133-9. <https://doi.org/10.1038/s41598-017-19133-9>

Lai, S., Panarese, A., Spalletti, C., Alia, C., Ghionzoli, A., Caleo, M., & Micera, S. (2014). Quantitative Kinematic Characterization of Reaching Impairments in Mice After a Stroke. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968314545174. <http://nrr.sagepub.com/content/early/2014/10/08/1545968314545174.abstract>

Lai, Y.-C., Baker, J., Donti, T., Graham, B., Craigen, W., & Anderson, A. (2017). Mitochondrial Dysfunction Mediated by Poly(ADP-Ribose) Polymerase-1 Activation Contributes to Hippocampal Neuronal Damage Following Status Epilepticus. *International Journal of Molecular Sciences*, 18(7), 1502. doi. <http://www.mdpi.com/1422-0067/18/7/1502>

Laird, F. M., Cai, H., Savonenko, A. V., Farah, M. H., He, K., Melnikova, T., . . . Wong, P. C. (2005). BACE1, a Major Determinant of Selective Vulnerability of the Brain to Amyloid- β Amyloidogenesis, is Essential for Cognitive, Emotional, and Synaptic Functions. *Journal of Neuroscience*, 25(50), 11693-11709. doi: 10.1523/jneurosci.2766-05.2005. <http://www.jneurosci.org/cgi/content/abstract/25/50/11693>

Laird, F. M., Farah, M. H., Ackerley, S., Hoke, A., Maragakis, N., Rothstein, J. D., . . . Wong, P. C. (2008). Motor Neuron Disease Occurring in a Mutant Dynactin Mouse Model Is Characterized by Defects in Vesicular Trafficking. *Journal of Neuroscience*, 28(9), 1997-2005. doi: 10.1523/jneurosci.4231-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/9/1997>

Lake, E. M. R., Bazzigaluppi, P., Mester, J., Thomason, L. A. M., Janik, R., Brown, M., . . . Stefanovic, B. (2016). Neurovascular unit remodelling in the subacute stage of stroke recovery. *Neuroimage*. doi: <http://dx.doi.org/10.1016/j.neuroimage.2016.09.016>. <http://www.sciencedirect.com/science/article/pii/S1053811916304803>

Lake, E. M. R., Mester, J., Thomason, L. A. M., Adams, C., Bazzigaluppi, P., Koletar, M., . . . Stefanovic, B. (2016). Modulation of the peri-infarct neurogliovascular function by delayed COX-1 inhibition. *Journal of Magnetic Resonance Imaging*, n/a-n/a. doi: 10.1002/jmri.25541. <http://dx.doi.org/10.1002/jmri.25541>

Lake, E. M. R., Steffler, E. A., Rowley, C. D., Sehmbi, M., Minuzzi, L., Frey, B. N., & Bock, N. A. (2016). Altered intracortical myelin staining in the dorsolateral prefrontal cortex in severe mental illness. [journal article]. *European Archives of Psychiatry and Clinical Neuroscience*, 1-8. doi: 10.1007/s00406-016-0730-5. <http://dx.doi.org/10.1007/s00406-016-0730-5>

Lakritz, J. R., Bodair, A., Shah, N., O'Donnell, R., Polydefkis, M. J., Miller, A. D., & Burdo, T. H. (2015). Monocyte Traffic, Dorsal Root Ganglion Histopathology, and Loss of Intraepidermal Nerve Fiber Density in SIV Peripheral Neuropathy. *The American journal of pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2015.03.007>. <http://www.sciencedirect.com/science/article/pii/S0002944015001960>

Lalancette-Hebert, M., Gowing, G., Simard, A., Weng, Y. C., & Kriz, J. (2007). Selective Ablation of Proliferating Microglial Cells Exacerbates Ischemic Injury in the Brain. *Journal of Neuroscience*, 27(10), 2596-2605. doi: 10.1523/jneurosci.5360-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/10/2596>

Lam, B. C. C., Yeunga, C. Y., Fub, K. H., Wonga, K. Y., Chanc, F. L., & Tsoia, N. S. (2000). Surfactant Tracheobronchial Lavage for the Management of a Rabbit Model of Meconium Aspiration Syndrome. *Neonatology*, 78(2), 2000. doi.

Lam, W. W., Oakden, W., Karami, E., Koletar, M. M., Murray, L., Liu, S. K., . . . Stanisz, G. J. (2020). An Automated Segmentation Pipeline for Intratumoural Regions in Animal Xenografts Using Machine Learning and Saturation Transfer MRI. *Scientific Reports*, 10(1), 8063. doi: 10.1038/s41598-020-64912-6. <https://doi.org/10.1038/s41598-020-64912-6>

Lambouras, M., Liew, S. H., Horvay, K., Abud, H. E., Stringer, J. M., & Hutt, K. J. (2018). Examination of the ovotoxicity of 5-fluorouracil in mice. [journal article]. *Journal of Assisted Reproduction and Genetics*. doi: 10.1007/s10815-018-1169-6. <https://doi.org/10.1007/s10815-018-1169-6>

Lancia, A. J., Williams, E. A., McKnight, L. V., & Zahm, D. S. (2004). Vulnerabilities of ventral mesencephalic neurons projecting to the nucleus accumbens following infusions of 6-hydroxydopamine into the medial forebrain bundle in the rat. *Brain Research*, 997(1), 119-127. doi.

- Landahl, E. C., Antipova, O., Bongaarts, A., Barrea, R., Berry, R., Binder, L. I., . . . Rice, S. E. (2011). X-ray diffraction from intact tau aggregates in human brain tissue. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*. doi.
- Landau, A. M., Luk, K. C., Jones, M.-L., Siegrist-Johnstone, R., Young, Y. K., Kouassi, E., . . . Desbarats, J. (2005). Defective Fas expression exacerbates neurotoxicity in a model of Parkinson's disease *Journal of Experimental Medicine*, 202(5), 575-581. doi.
- Landi, S., Ciucci, F., Maffei, L., Berardi, N., & Cenni, M. C. (2009). Setting the Pace for Retinal Development: Environmental Enrichment Acts Through Insulin-Like Growth Factor 1 and Brain-Derived Neurotrophic Factor. *Journal of Neuroscience*, 29(35), 10809-10819. doi: 10.1523/jneurosci.1857-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/35/10809>
- Landreth, G., Jiang, Q., Mandrekar, S., & Heneka, M. (2008). PPARgamma agonists as therapeutics for the treatment of Alzheimer's disease. *Neurotherapeutics*, 5. doi: 10.1016/j.nurt.2008.05.003. <http://dx.doi.org/10.1016/j.nurt.2008.05.003>
- Landreth, G. E., & Heneka, M. T. (2001). Anti-inflammatory actions of peroxisome proliferator-activated receptor gamma agonists in Alzheimer's disease. *Neurobiology of Aging*, 22. doi: 10.1016/s0197-4580(01)00296-2. [http://dx.doi.org/10.1016/S0197-4580\(01\)00296-2](http://dx.doi.org/10.1016/S0197-4580(01)00296-2)
- Landry, J. P., Hawkins, C., Lee, A., Coté, A., Balaban, E., & Pompeiano, M. (2015). Chick embryos have the same pattern of hypoxic lower-brain activation as fetal mammals. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22299. <http://dx.doi.org/10.1002/dneu.22299>
- Landry, J. P., Hawkins, C., Wiebe, S., Balaban, E., & Pompeiano, M. (2014). Opposing Effects of Hypoxia on Catecholaminergic Locus Coeruleus and Hypocretin/Orexin Neurons in Chick Embryos. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22182. <http://dx.doi.org/10.1002/dneu.22182>
- Langdale, C. L., Thor, K. B., Marson, L., & Burgard, E. C. (2014). Maintenance of bladder innervation in diabetes: A stereological study of streptozotocin-treated female rats. *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2014.06.007>. <http://www.sciencedirect.com/science/article/pii/S1566070214000939>
- Langdon, K. D., Granter-Button, S., Harley, C. W., Moody-Corbett, F., Peeling, J., & Corbett, D. (2014). A cognitive rehabilitation paradigm effective in male rats lacks efficacy in female rats. [Original Article]. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1038/jcbfm.2014.132. <http://dx.doi.org/10.1038/jcbfm.2014.132>
- Langdon, K. D., MacLellan, C. L., & Corbett, D. (2010). Prolonged, 24-h delayed peripheral inflammation increases short-and long-term functional impairment and histopathological damage after focal ischemia in the rat. *Journal of Cerebral Blood Flow and Metabolism*, 30(8), 1450-1459. doi.
- Lange, C., Mix, E., Frahm, J., Glass, A., Müller, J., Schmitt, O., . . . Rolfs, A. (2011). Small molecule GSK-3 inhibitors increase neurogenesis of human neural progenitor cells. *Neuroscience Letters*, 488(1), 36-40. doi.
- Langenfurth, A., Gu, S., Bautze, V., Zhang, C., Neumann, J. E., Schüller, U., . . . Glass, R. (2016). Decreased demand for olfactory periglomerular cells impacts on neural precursor cell viability in the rostral migratory stream. [Article]. *Scientific Reports*, 6, 32203. doi: 10.1038/srep32203

<http://www.nature.com/articles/srep32203#supplementary-information>, <http://dx.doi.org/10.1038/srep32203>

Langer, F., Eisele, Y. S., Fritschi, S. K., Staufenbiel, M., Walker, L. C., & Jucker, M. (2011). Soluble A β Seeds Are Potent Inducers of Cerebral β -Amyloid Deposition. *Journal of Neuroscience*, 31(41), 14488-14495. doi: 10.1523/jneurosci.3088-11.2011. <http://www.jneurosci.org/content/31/41/14488.abstract>

Langley, M., Ghosh, A., Charli, A., Sarkar, S., Ay, M., Luo, J., . . . Kanthasamy, A. (2017). Mito-apocynin Prevents Mitochondrial Dysfunction, Microglial Activation, Oxidative Damage and Progressive Neurodegeneration in MitoPark Transgenic Mice. *Antioxidants & redox signaling*. doi: 10.1089/ars.2016.6905. <http://dx.doi.org/10.1089/ars.2016.6905>

Laniosz, V., Dabydeen, S. A., Havens, M. A., & Meneses, P. I. (2009). Human papillomavirus type 16 infection of human keratinocytes requires clathrin and caveolin-1 and is brefeldin a sensitive. *Journal of Virology*, 83(16), 8221-8232. doi.

Lankford, K. L., Arroyo, E. J., Liu, C.-N., Somps, C. J., Zorbas, M. A., Shelton, D. L., . . . Kocsis, J. D. (2013). Sciatic nerve regeneration is not inhibited by anti-NGF antibody treatment in the adult rat. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.03.024>. <http://www.sciencedirect.com/science/article/pii/S0306452213002467>

Lankford, K. L., Brown, R. J., Sasaki, M., & Kocsis, J. D. (2013). Olfactory ensheathing cells, but not schwann cells, proliferate and migrate extensively within moderately X-Irradiated juvenile rat brain. *Glia*, n/a-n/a. doi: 10.1002/glia.22583. <http://dx.doi.org/10.1002/glia.22583>

Lanoue, A. C., Dumitriu, A., Myers, R. H., & Soghomonian, J. J. (2010). Decreased glutamic acid decarboxylase mRNA expression in prefrontal cortex in Parkinson's disease. *Experimental Neurology*, 226(1), 207-217. doi.

LaPash Daniels, C. M., Austin, E. V., Rockney, D. E., Jacka, E. M., Hagemann, T. L., Johnson, D. A., . . . Messing, A. (2012). Beneficial Effects of Nrf2 Overexpression in a Mouse Model of Alexander Disease. *Journal of Neuroscience*, 32(31), 10507-10515. doi: 10.1523/jneurosci.1494-12.2012. <http://www.jneurosci.org/content/32/31/10507.abstract>

LaPlaca, M. C., & Lessing, M. C. (2012). *Assessment of Membrane Permeability After Traumatic Brain Injury*. Springer Protocols Handbooks. doi.

LaPlaca, M. C., Lessing, M. C., Prado, G. R., Zhou, R., Tate, C. C., Geddes-Klein, D., . . . Zhang, L. (2018). Mechanoporation is a potential indicator of tissue strain and subsequent degeneration following experimental traumatic brain injury. *Clinical Biomechanics*. doi: <https://doi.org/10.1016/j.clinbiomech.2018.05.016>. <http://www.sciencedirect.com/science/article/pii/S0268003318304765>

LaPlant, Q., Chakravarty, S., Vialou, V., Mukherjee, S., Koo, J. W., Kalahasti, G., . . . others. (2009). Role of nuclear factor [kappa] B in ovarian hormone-mediated stress hypersensitivity in female mice. *Biological Psychiatry*, 65(10), 874-880. doi.

Laplante, F., Zhang, Z.-W., Huppé-Gourgues, F., Dufresne, M. M., Vaucher, E., & Sullivan, R. M. (2012). Cholinergic depletion in nucleus accumbens impairs mesocortical dopamine activation and cognitive function in rats. *Neuropharmacology*, (0). doi:

10.1016/j.neuropharm.2012.07.033. <http://www.sciencedirect.com/science/article/pii/S0028390812003693>

Laroche, M., Lessard-Beaudoin, M., Garcia-Miralles, M., Kreidy, C., Peachey, E., Leavitt, B. R., . . . Graham, R. K. (2020). Early deficits in olfaction are associated with structural and molecular alterations in the olfactory system of a Huntington disease mouse model. *Human Molecular Genetics*. doi: 10.1093/hmg/ddaa099. <https://doi.org/10.1093/hmg/ddaa099>

Larochelle, A., Bellavance, M.-A., & Rivest, S. (2015). Role of adaptor protein MyD88 in TLR-mediated preconditioning and neuroprotection after acute excitotoxicity. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.02.019>. <http://www.sciencedirect.com/science/article/pii/S0889159115000616>

Larphaveesarp, A., Georgevits, M., Ferriero, D. M., & Gonzalez, F. F. (2016). Delayed erythropoietin therapy improves histological and behavioral outcomes after transient neonatal stroke. *Neurobiology of Disease*, 93, 57-63. doi: <http://dx.doi.org/10.1016/j.nbd.2016.04.006>. <http://www.sciencedirect.com/science/article/pii/S0969996116300882>

Larson, S. D., Fong, L. L., Gupta, A., Condit, C., Bug, W. J., & Martone, M. E. (2007). *A formal ontology of subcellular neuroanatomy* (Vol. 1).

Lasiene, J., Matsui, A., Sawa, Y., Wong, F., & Horner, P. J. (2009). Age-related myelin dynamics revealed by increased oligodendrogenesis and short internodes. *Aging Cell*, 8(2), 201-213. doi.

Laskowitz, D. T., Lei, B., Dawson, H. N., Wang, H., Bellows, S. T., Christensen, D. J., . . . James, M. L. (2011). The apoE-mimetic peptide, COG1410, improves functional recovery in a murine model of intracerebral hemorrhage. *Neurocritical Care*, 1-11. doi.

Laskowitz, D. T., McKenna, S. E., Song, P., Wang, H., Durham, L., Yeung, N., . . . Vitek, M. P. (2007). COG1410, a Novel Apolipoprotein E-Based Peptide, Improves Functional Recovery in a Murine Model of Traumatic Brain Injury. *Journal of Neurotrauma*, 24(7), 1093-1107. doi.

Lastres.Becker, I., Garcia-Yague, A. J., Scannevin, R. H., Casarejos, M. J., Kügler, S., Rábano, A., & Cuadrado, A. (2016). Repurposing the NRF2 activator dimethyl fumarate as therapy against synucleinopathy in Parkinson's disease. *Antioxidants & redox signaling*. doi: 10.1089/ars.2015.6549. <http://dx.doi.org/10.1089/ars.2015.6549>

Laszczyk, A. M., Fox-Quick, S., Vo, H. T., Nettles, D., Pugh, P. C., Overstreet-Wadiche, L., & King, G. D. (2017). Klotho regulates postnatal neurogenesis and protects against age-related spatial memory loss. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2017.07.008>. <http://www.sciencedirect.com/science/article/pii/S0197458017302415>

Latchney, S. E., Jaramillo, T. C., Rivera, P. D., Eisch, A. J., & Powell, C. M. (2015). Chronic P7C3 treatment restores hippocampal neurogenesis. *Neuroscience Letters*, 591(0), 86-92. doi: <http://dx.doi.org/10.1016/j.neulet.2015.02.008>. <http://www.sciencedirect.com/science/article/pii/S0304394015001044>

Latchney, S. E., Rivera, P. D., Mao, X. W., Ferguson, V. L., Bateman, T. A., Stodieck, L. S., . . . Eisch, A. J. (2014). The effect of spaceflight on mouse olfactory bulb volume, neurogenesis, and cell death indicates the protective effect of novel environment. *Journal of Applied Physiology*. doi: <http://jap.physiology.org/content/116/12/1593>

- Lath, N. R., Galambos, C., Rocha, A. B., Malek, M., Gittes, G. K., & Potoka, D. A. (2012). Defective pulmonary innervation and autonomic imbalance in congenital diaphragmatic hernia. *American Journal of Physiology - Lung Cellular and Molecular Physiology*, 302(4), L390-L398. doi: 10.1152/ajplung.00275.2011. <http://ajplung.physiology.org/content/302/4/L390.abstract>
- Latini, L., Bisicchia, E., Sasso, V., Chiurciu, V., Cavallucci, V., Molinari, M., . . . Viscomi, M. T. (2014). Cannabinoid CB2 receptor (CB2R) stimulation delays rubrospinal mitochondrial-dependent degeneration and improves functional recovery after spinal cord hemisection by ERK1/2 inactivation. [Original Article]. *Cell Death Dis*, 5, e1404. doi: 10.1038/cddis.2014.364. <http://dx.doi.org/10.1038/cddis.2014.364>
- Lau, B. W. M., Chia-Di Lee, J., Li, Y., Fung, S. M. Y., Sang, Y. H., Shen, J., . . . So, K. F. (2012). Polysaccharides from Wolfberry Prevents Corticosterone-Induced Inhibition of Sexual Behavior and Increases Neurogenesis. *PLoS ONE*, 7(4), e33374. doi: 10.1371/journal.pone.0033374
- Lau, B. W. M., Ren, C., Yang, J., Yan, S. W. L., Chang, R. C. C., Pu, M., & So, K. F. (2011). Light deprivation induces depression-like behavior and suppresses neurogenesis in diurnal Mongolian gerbil (*Meriones unguiculatus*). *Cell Transplantation*, 20(6), 871-881. doi: 10.1089/cell.2010.02081.x
- Lau, B. W.-M., Yau, S.-Y., Lee, T. M. C., Ching, Y.-P., Tang, S.-W., & So, K.-F. (2010). Effect of Corticosterone and Paroxetine on Masculine Mating Behavior: Possible Involvement of Neurogenesis. *Journal of Sexual Medicine*, no-no. doi: 10.1111/j.1743-6109.2010.02081.x. <http://dx.doi.org/10.1111/j.1743-6109.2010.02081.x>
- Lau, K., Swiney, B. S., Reeves, N., Noguchi, K. K., & Farber, N. B. (2011). Propylene glycol produces excessive apoptosis in the developing mouse brain, alone and in combination with phenobarbital. *Pediatric Research*. doi: 10.1097/01.pdr.0b013e3182111111
- Lau, W. M., Qiu, G., Helmeste, D. M., Lee, T. M. C., Tang, S. W., & So, K. F. (2007). Corticosteroid decreases subventricular zone cell proliferation, which could be reversed by paroxetine. *Restorative Neurology and Neuroscience*, 25(1), 17-23. doi: 10.1007/s12275-007-0017-1
- Lauber, E., Filice, F., & Schwaller, B. (2016). Prenatal valproate exposure differentially affects parvalbumin-expressing neurons and related circuits in the cortex and striatum of mice. *Frontiers in Molecular Neuroscience*, 9. doi: 10.3389/fmbs.2016.00009
- Laurent, F., Brotons-Mas, J. R., Cid, E., Lopez-Pigozzi, D., Valero, M., Gal, B., & de la Prida, L. M. (2015). Proximodistal Structure of Theta Coordination in the Dorsal Hippocampus of Epileptic Rats. *The Journal of Neuroscience*, 35(11), 4760-4775. doi: <http://www.jneurosci.org/content/35/11/4760.short>
- Laurie, C., Reynolds, A., Coskun, O., Bowman, E., Gendelman, H. E., & Mosley, R. L. (2007). CD4⁺ T cells from Copolymer-1 immunized mice protect dopaminergic neurons in the 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine model of Parkinson's disease. *Journal of Neuroimmunology*, 183(1), 60-68. doi: 10.1016/j.jneuroim.2007.02.001
- Lauwers, E., Bequé, D., Van Laere, K., Nuyts, J., Bormans, G., Mortelmans, L., . . . Baekelandt, V. (2007). Non-invasive imaging of neuropathology in a rat model of α -synuclein overexpression. *Neurobiology of Aging*, 28(2), 248-257. doi: 10.1016/j.neurobiaging.2006.08.001
- Lavenex, P., Lavenex, P. B., Bennett, J. L., & Amaral, D. G. (2009). Postmortem changes in the neuroanatomical characteristics of the primate brain: hippocampal formation. *Journal of Comparative Neurology*, 512(1), 27-51. doi: 10.1002/cne.21801

Lavenex, P., Steele, M. A., & Jacobs, L. F. (2000). The seasonal pattern of cell proliferation and neuron number in the dentate gyrus of wild adult eastern grey squirrels. *European Journal of Neuroscience*, 12(2), 643. doi.

Lavenex, P., Steele, M. A., & Jacobs, L. F. (2000). Sex differences, but no seasonal variations in the hippocampus of food-caching squirrels: A stereological study. *Journal of Comparative Neurology*, 425(1), 152-166. doi.

Lavenex, P., Sugden, S. G., Davis, R. R., Gregg, J. P., & Lavenex, P. B. (2011). Developmental regulation of gene expression and astrocytic processes may explain selective hippocampal vulnerability. *Hippocampus*, 21(2), 142-149. doi: 10.1002/hipo.20730. <http://dx.doi.org/10.1002/hipo.20730>

Lavenex, P., Suzuki, W. A., & Amaral, D. G. (2002). Perirhinal and parahippocampal cortices of the macaque monkey: projections to the neocortex. *Journal of Comparative Neurology*, 447(4), 394-420. doi.

Lavenex, P., Suzuki, W. A., & Amaral, D. G. (2004). Perirhinal and parahippocampal cortices of the macaque monkey: Intrinsic projections and interconnections. *Journal of Comparative Neurology*, 472(3), 371-394. doi.

Lawhorn, C., Smith, D. M., & Brown, L. L. (2009). Partial ablation of mu-opioid receptor rich striosomes produces deficits on a motor-skill learning task. *Neuroscience*, 163(1), 109-119. doi.

Lawlor, P. A., Bland, R. J., Mouravlev, A., Young, D., & During, M. J. (2009). Efficient gene delivery and selective transduction of glial cells in the mammalian brain by AAV serotypes isolated from nonhuman primates. *Molecular Therapy*, 17(10), 1692-1702. doi.

Lawrence, A. J., Parish, C. L., Chen, F., Lodge, D. J., Krstew, E. V., Card, K., . . . Horne, M. K. (2005). Chronic corticotropin-releasing factor type 1 receptor antagonism with antalarmin regulates the dopaminergic system of Fawn-Hooded rats. *Journal of Neurochemistry*, 94(6), 1523-1534. doi: 10.1111/j.1471-4159.2005.03300.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03300.x>

Lawrence, R. C., Otero, N. K. H., & Kelly, S. J. (2011). Selective effects of perinatal ethanol exposure in medial prefrontal cortex and nucleus accumbens. *Neurotoxicology and Teratology*. doi.

Lawrence, Y. A., Kemper, T. L., Bauman, M. L., & Blatt, G. J. (2010). Parvalbumin-, calbindin-, and calretinin-immunoreactive hippocampal interneuron density in autism. *Acta Neurologica Scandinavica*, 121(2), 99-108. doi.

Lax, N. Z., Hepplewhite, P. D., Reeve, A. K., Nesbitt, V., McFarland, R., Jaros, E., . . . Turnbull, D. M. (2012). Cerebellar Ataxia in Patients With Mitochondrial DNA Disease: A Molecular Clinicopathological Study. *Journal of Neuropathology and Experimental Neurology*, 71(2), 148-148. doi.

Lax, N. Z., Pienaar, I. S., Reeve, A. K., Hepplewhite, P. D., Jaros, E., Taylor, R. W., . . . Turnbull, D. M. (2012). Microangiopathy in the cerebellum of patients with mitochondrial DNA disease. *Brain*, 135(6), 1736-1750. doi.

Lax, N. Z., Whittaker, R. G., Hepplewhite, P. D., Reeve, A. K., Blakely, E. L., Jaros, E., . . . Turnbull, D. M. (2011). Sensory neuronopathy in patients harbouring recessive polymerase γ mutations. *Brain*, awr326. doi: 10.1093/brain/awr326. <http://brain.oxfordjournals.org/cgi/content/abstract/awr326v1>

Lazarov, O., Peterson, L. D., Peterson, D. A., & Sisodia, S. S. (2006). Expression of a Familial Alzheimer's Disease-Linked Presenilin-1 Variant Enhances Perforant Pathway Lesion-Induced Neuronal Loss in the Entorhinal Cortex. *Journal of Neuroscience*, 26(2), 429-434. doi: 10.1523/jneurosci.3961-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/2/429>

Lazzara, C. A., Riley, R. R., Rane, A., Andersen, J. K., & Kim, Y.-H. (2015). The combination of lithium and L-Dopa/Carbidopa reduces MPTP-induced abnormal involuntary movements (AIMs) via calpain-1 inhibition in a mouse model: Relevance for Parkinson's disease therapy. *Brain Research*, 1622(0), 127-136. doi: <http://dx.doi.org/10.1016/j.brainres.2015.06.018>. <http://www.sciencedirect.com/science/article/pii/S0006899315004898>

Le Belle, J. E., Orozco, N. M., Paucar, A. A., Saxe, J. P., Mottahedeh, J., Pyle, A. D., . . . Kornblum, H. I. (2011). Proliferative neural stem cells have high endogenous ROS levels that regulate self-renewal and neurogenesis in a PI3K/Akt-dependant manner. *Cell Stem Cell*, 8(1), 59-71. doi.

Le, W., Zhang, L., Xie, W., Li, S., & Dani, J. A. (2015). Pitx3 Deficiency Produces Decreased Dopamine Signaling and Induces Motor Deficits in Pitx3(-/-) Mice. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2015.08.012>. <http://www.sciencedirect.com/science/article/pii/S0197458015004236>

Le Wang, Y. L., Yan, S., Du, T., Fu, X., Gong, X., Zhou, X., . . . Wang, X. (2019). Disease Progression-Dependent Expression of CD200R1 and CX3CR1 in Mouse Models of Parkinson's Disease. *Aging and Disease*, 0. doi: <http://www.aginganddisease.org/EN/10.14336/AD.2019.0615>

Le Belle, Janel E., Sperry, J., Ngo, A., Ghochani, Y., Laks, D. R., López-Aranda, M., . . . Kornblum, Harley I. (2014). Maternal Inflammation Contributes to Brain Overgrowth and Autism-Associated Behaviors through Altered Redox Signaling in Stem and Progenitor Cells. *Stem Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.stemcr.2014.09.004>. <http://www.sciencedirect.com/science/article/pii/S2213671114002896>

Leach, N. D., Nodal, F. R., Cordery, P. M., King, A. J., & Bajo, V. M. (2013). Cortical Cholinergic Input Is Required for Normal Auditory Perception and Experience-Dependent Plasticity in Adult Ferrets. *Journal of Neuroscience*, 33(15), 6659-6671. doi: 10.1523/jneurosci.5039-12.2013. <http://www.jneurosci.org/content/33/15/6659.abstract>

Leal-Campanario, R., Alarcon-Martinez, L., Rieiro, H., Martinez-Conde, S., Alarcon-Martinez, T., Zhao, X., . . . Macknik, S. L. (2017). Abnormal Capillary Vasodynamics Contribute to Ictal Neurodegeneration in Epilepsy. [Article]. *Scientific Reports*, 7, 43276. doi: 10.1038/srep43276

<http://www.nature.com/articles/srep43276#supplementary-information>. <http://dx.doi.org/10.1038/srep43276>

Leao, P., Sousa, J. C., Oliveira, M., Silva, R., Almeida, O. F. X., & Sousa, N. (2007). Programming effects of antenatal dexamethasone in the developing mesolimbic pathways. *Synapse*, 61(1), 40-49. doi.

Lear, C. A., Davidson, J. O., Mackay, G. R., Drury, P. P., Galinsky, R., Quaedackers, J. S., . . . Bennet, L. (2017). Antenatal dexamethasone before asphyxia promotes cystic neural injury in preterm fetal sheep by inducing hyperglycemia. *Journal of Cerebral Blood Flow and Metabolism*, 0271678X17703124. doi: 10.1177/0271678x17703124. <http://dx.doi.org/10.1177/0271678X17703124>

Leasure, J. L., & Decker, L. (2009). Social isolation prevents exercise-induced proliferation of hippocampal progenitor cells in female rats. *Hippocampus*, 19(10), 907-912. doi.

Leasure, J. L., & Grider, M. (2010). The effect of mild post-stroke exercise on reactive neurogenesis and recovery of somatosensation in aged rats. *Experimental Neurology*, 226(1), 58-67. doi.

Leasure, J. L., & Jones, M. (2008). Forced and voluntary exercise differentially affect brain and behavior. *Neuroscience*, 156(3), 456-465. doi.

Leasure, J. L., & Nixon, K. (2010). Exercise neuroprotection in a rat model of binge alcohol consumption. *Alcoholism: Clinical and Experimental Research*, 34(3), 404-414. doi.

Leavitt, B. R., Raamsdonk, J. M., Shehadeh, J., Fernandes, H., Murphy, Z., Graham, R. K., . . . Hayden, M. R. (2006). Wild-type huntingtin protects neurons from excitotoxicity. *Journal of Neurochemistry*, 96(4), 1121-1129. doi: doi:10.1111/j.1471-4159.2005.03605.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03605.x>

Lebedeva, K. A., Allen, J., Kulhawy, E. Y., Caruncho, H. J., & Kalynchuk, L. E. (2020). Cyclical administration of corticosterone results in aggravation of depression-like behaviors and accompanying downregulations in reelin in an animal model of chronic stress relevant to human recurrent depression. *Physiology and Behavior*, 224, 113070. doi: <https://doi.org/10.1016/j.physbeh.2020.113070>. <http://www.sciencedirect.com/science/article/pii/S003193842030384X>

LeBlanc, N. J., Menet, R., Picard, K., Parent, G., Tremblay, M.-È., & ElAli, A. (2019). Canonical Wnt Pathway Maintains Blood-Brain Barrier Integrity upon Ischemic Stroke and Its Activation Ameliorates Tissue Plasminogen Activator Therapy. *Molecular Neurobiology*, 1-18. doi. <https://link.springer.com/article/10.1007/s12035-019-1539-9>

Lebovitz, Y., Kowalski, E. A., Wang, X., Kelly, C., Lee, M., McDonald, V., . . . Theus, M. H. (2019). Lactobacillus rescues postnatal neurobehavioral and microglial dysfunction in a model of maternal microbiome dysbiosis. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.07.025>. <http://www.sciencedirect.com/science/article/pii/S0889159119305653>

Lecours, C., St-Pierre, M.-K., Picard, K., Bordeleau, M., Bourque, M., Awogbindin, I. O., . . . Tremblay, M.-E. (2020). Levodopa partially rescues microglial numerical, morphological, and phagolysosomal alterations in a monkey model of Parkinson's disease. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2020.07.044>. <http://www.sciencedirect.com/science/article/pii/S0889159120305365>

Lee, A. W. S., Hengstler, H., Schwald, K., Berriel-Diaz, M., Loreth, D., Kirsch, M., . . . Schäfer, M. K. E. (2012). Functional Inactivation of the Genome-Wide Association Study Obesity Gene Neuronal Growth Regulator 1 in Mice Causes a Body Mass Phenotype. *Plos one*, 7(7), e41537. doi: 10.1371/journal.pone.0041537. <http://dx.doi.org/10.1371%2Fjournal.pone.0041537>

Lee, D., Pearson, T., Proctor, J. L., Rosenthal, R. E., & Fiskum, G. (2019). Oximetry-Guided normoxic resuscitation following canine cardiac arrest reduces cerebellar Purkinje neuronal damage. *Resuscitation*, 140, 23-28. doi: <https://doi.org/10.1016/j.resuscitation.2019.04.043>. <http://www.sciencedirect.com/science/article/pii/S0300957219301595>

Lee, D. H., Kim, C. S., & Lee, Y. J. (2011). Astaxanthin protects against MPTP/MPP⁺-induced mitochondrial dysfunction and ROS production *in vivo* and *in vitro*. *Food and Chemical Toxicology*, 49(1), 271-280. doi.

Lee, H. J., Dreyfus, C., & DiCicco-Bloom, E. (2015). Valproic acid stimulates proliferation of glial precursors during cortical gliogenesis in developing rat. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22359. <http://dx.doi.org/10.1002/dneu.22359>

Lee, H. J., Wu, J., Chung, J., & Wrathall, J. R. (2012). SOX2 expression is upregulated in adult spinal cord after contusion injury in both oligodendrocyte lineage and ependymal cells. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23151. <http://dx.doi.org/10.1002/jnr.23151>

Lee, H.-J., Chang, L.-Y., Ho, Y.-C., Teng, S.-F., Hwang, L.-L., Mackie, K., & Chiou, L.-C. (2016). Stress induces analgesia via orexin 1 receptor-initiated endocannabinoid/CB1 signaling in the mouse periaqueductal gray. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.02.018>. <http://www.sciencedirect.com/science/article/pii/S0028390816300545>

Lee, H.-Y., & Sherwood, O. D. (2005). The Effects of Blocking the Actions of Estrogen and Progesterone on the Rates of Proliferation and Apoptosis of Cervical Epithelial and Stromal Cells During the Second Half of Pregnancy in Rats. *Biology of Reproduction*, 73(4), 790-797. doi.

Lee, H.-Y., Zhao, S., Fields, P. A., & Sherwood, O. D. (2005). The Extent to which Relaxin Promotes Proliferation and Inhibits Apoptosis of Cervical Epithelial and Stromal Cells Is Greatest during Late Pregnancy in Rats *Endocrinology*, 146(doi:10.1210/en.2004-0796), 511-518. doi.

Lee, J., Parish, C. L., Tomas, D., & Horne, M. K. (2011). Chronic cocaine administration reduces striatal dopamine terminal density and striatal dopamine release which leads to drug-seeking behaviour. *Neuroscience*, 174, 143-150. doi.

Lee, J., Zhu, W.-M., Stanic, D., Finkelstein, D. I., Horne, M. H., Henderson, J., . . . Horne, M. K. (2008). Sprouting of dopamine terminals and altered dopamine release and uptake in Parkinsonian dyskinesia. *Brain*, 131(6), 1574-1587. doi: 10.1093/brain/awn085. <http://brain.oxfordjournals.org/cgi/content/abstract/awn085v1>

Lee, J. B., Satkunendrarajah, K., & Fehlings, M. G. (2011). Development and Characterization of a Novel Rat Model of Cervical Spondylotic Myelopathy: The Impact of Chronic Cord Compression on Clinical, Neuroanatomical, and Neurophysiological Outcomes. *Journal of Neurotrauma*. doi.

Lee, J. K., Chung, J., McAlpine, F. E., & Tansey, M. G. (2011). Regulator of G-Protein Signaling-10 Negatively Regulates NF- κ B in Microglia and Neuroprotects Dopaminergic Neurons in Hemiparkinsonian Rats. *Journal of Neuroscience*, 31(33), 11879-11888. doi.

Lee, J.-K., McCoy, M. K., Harms, A. S., Ruhn, K. A., Gold, S. J., & Tansey, M. G. (2008). Regulator of G-Protein Signaling 10 Promotes Dopaminergic Neuron Survival via Regulation of the Microglial Inflammatory Response. *Journal of Neuroscience*, 28(34), 8517-8528. doi: 10.1523/jneurosci.1806-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/34/8517>

Lee, J.-M., Yan, P., Xiao, Q., Chen, S., Lee, K.-Y., Hsu, C. Y., & Xu, J. (2008). Methylprednisolone Protects Oligodendrocytes But Not Neurons after Spinal Cord Injury. *Journal of Neuroscience*, 28(12), 3141-3149. doi: 10.1523/jneurosci.5547-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/12/3141>

Lee, J. Q., Demchuk, A. M., Morgan, E., McHugh, R., McNaughton, B. L., Sutherland, R. J., & McDonald, R. J. (2019). Place navigation in the Morris water task results in greater nuclear Arc mRNA expression in dorsal compared to ventral CA1. *Hippocampus*, o(o). doi: 10.1002/hipo.23157. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23157>

Lee, J. Q., Sutherland, R. J., & McDonald, R. J. (2017). Hippocampal damage causes retrograde but not anterograde memory loss for context fear discrimination in rats. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22759. <http://dx.doi.org/10.1002/hipo.22759>

Lee, J. W., Siegel, S. M., & Oaklander, A. L. (2009). Effects of distal nerve injuries on dorsal-horn neurons and glia: relationships between lesion size and mechanical hyperalgesia. *Neuroscience*, 158(2), 904-914. doi:

Lee, J.-Y., Lee, L.-J., Fan, C.-C., Chang, H.-C., Shih, H.-A., Min, M.-Y., & Chang, M.-S. (2017). Important roles of Vils1 in dendritic architecture and synaptic plasticity. [Article]. *Scientific Reports*, 7, 45646. doi: 10.1038/srep45646

<https://www.nature.com/articles/srep45646#supplementary-information>. <http://dx.doi.org/10.1038/srep45646>

Lee, K., Bohnert, S., Bouchard, M., Vair, C., Farrell, J. S., Teskey, G. C., . . . Dunn, J. F. (2020). Quantitative T2 MRI is predictive of neurodegeneration following organophosphate exposure in a rat model. *Scientific Reports*, 10(1), 13007. doi: 10.1038/s41598-020-69991-z. <https://doi.org/10.1038/s41598-020-69991-z>

Lee, K. H., Lee, R., Lee, W. Y., Kim, D. H., Chung, H. J., Kim, J. H., . . . Song, H. (2014). Identification and *In Vitro* Derivation of Spermatogonia in Beagle Testis. *Plos one*, 9(10), e109963. doi: 10.1371/journal.pone.0109963. <http://dx.doi.org/10.1371%2Fjournal.pone.0109963>

Lee, K. K. H., Kwong, W. H., Chau, F.-t., Yew, D. T., & Chan, W. Y. (2002). Pien Tze Huang Protects the Liver against Carbon Tetrachloride-Induced Damage. *Pharmacology and Toxicology*, 91(4), 185-192. doi: 10.1034/j.1600-0773.2002.910406.x. <http://www.blackwell-synergy.com/doi/abs/10.1034/j.1600-0773.2002.910406...>

Lee, K. W., Zhao, X., Im, J. Y., Grosso, H., Jang, W. H., Chan, T. W., . . . others. (2012). Apoptosis Signal-Regulating Kinase 1 Mediates MPTP Toxicity and Regulates Glial Activation. *PLoS ONE*, 7(1), e29935-e29935. doi:

Lee, N.-C., Shieh, Y.-D., Chien, Y.-H., Tzen, K.-Y., Yu, I. S., Chen, P.-W., . . . Hwu, W.-L. (2012). Regulation of the dopaminergic system in a murine model of aromatic L-amino acid decarboxylase deficiency. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.12.005>. <http://www.sciencedirect.com/science/article/pii/S0969996112003889>

Lee, O.-H., Kim, J., Kim, J.-M., Lee, H., Kim, E. H., Bae, S.-K., . . . Heo, J. H. (2013). Decreased expression of sirtuin 6 is associated with release of high mobility group box-1 after cerebral ischemia. *Biochemical and Biophysical Research Communications*, (0). doi: <http://dx.doi.org/10.1016/j.bbrc.2013.07.085>. <http://www.sciencedirect.com/science/article/pii/S0006291X13012473>

Lee, R. H., Pulin, A. A., Seo, M. J., Kota, D. J., Ylostalo, J., Larson, B. L., . . . Prockop, D. J. (2009). Intravenous hMSCs improve myocardial infarction in mice because cells embolized in lung are activated to secrete the anti-inflammatory protein TSG-6. *Cell Stem Cell*, 5(1), 54-63. doi:

Lee, S., Kim, D. H., Lee, D. H., Jeon, S. J., Lee, C. H., Son, K. H., . . . Ryu, J. H. (2010). Oroxylin A, a flavonoid, stimulates adult neurogenesis in the hippocampal dentate gyrus region of mice. *Neurochemical Research*, 1-8. doi:

- Lee, S. J., Campomanes, C. R., Sikat, P. T., Greenfield, A. T., Allen, P. B., & McEwen, B. S. (2004). Estrogen induces phosphorylation of cyclic AMP response element binding (pCREB) in primary hippocampal cells in a time-dependent manner. *Neuroscience*, 124(3), 549-560. doi.
- Lee, S. J., Romeo, R. D., Svenningsson, P., Campomanes, C. R., Allen, P. B., Greengard, P., & McEwen, B. S. (2004). Estradiol affects spinophilin protein differently in gonadectomized males and females. *Neuroscience*, 127(4), 983-988. doi.
- Lee, S. W., Haditsch, U., Cord, B. J., Guzman, R., Kim, S. J., Boettcher, C., . . . Palmer, T. D. (2012). Absence of CCL2 is sufficient to restore hippocampal neurogenesis following cranial irradiation. *Brain, Behavior, and Immunity*, (0). doi: 10.1016/j.bbi.2012.09.010. <http://www.sciencedirect.com/science/article/pii/S0889159112004370>
- Lee, T., Chana, G., Gorry, P., Ellett, A., Bousman, C., Churchill, M., . . . Everall, I. (2015). Inhibition of catechol-O-methyl transferase (COMT) by tolcapone restores reductions in microtubule-associated protein 2 (MAP2) and synaptophysin (SYP) following exposure of neuronal cells to neurotropic HIV. *Journal of Neurovirology*, 1-9. doi: 10.1007/s13365-015-0354-y. <http://dx.doi.org/10.1007/s13365-015-0354-y>
- Lee, T. C., Greene-Schloesser, D., Payne, V., Diz, D. I., Hsu, F.-C., Kooshki, M., . . . Robbins, M. E. (2012). Chronic Administration of the Angiotensin-Converting Enzyme Inhibitor, Ramipril, Prevents Fractionated Whole-Brain Irradiation-Induced Perirhinal Cortex-Dependent Cognitive Impairment. *Radiation Research*. doi: 10.1667/rr2731.1. <http://www.rjournal.org/doi/abs/10.1667/RR2731.1>
- Lee, T. H., Ahadullah, Christie, B. R., Lin, K., Siu, P. M.-f., Zhang, L., . . . Yau, S.-y. (2021). Chronic AdipoRon Treatment Mimics the Effects of Physical Exercise on Restoring Hippocampal Neuroplasticity in Diabetic Mice. *Molecular Neurobiology*. doi: 10.1007/s12035-021-02441-7. <https://doi.org/10.1007/s12035-021-02441-7>
- Lee, T.-S., Li, A. Y., Rapuano, A., Mantis, J., Eid, T., Seyfried, T. N., & de Lanerolle, N. C. (2021). Gene expression in the epileptic (EL) mouse hippocampus. *Neurobiology of Disease*, 147, 105152. doi: <https://doi.org/10.1016/j.nbd.2020.105152>. <http://www.sciencedirect.com/science/article/pii/S0969996120304277>
- Lee, T. T., Skafidas, E., Dottori, M., Zantomio, D., Pantelis, C., Everall, I., & Chana, G. (2017). No preliminary evidence of differences in astrocyte density within the white matter of the dorsolateral prefrontal cortex in autism. [journal article]. *Molecular Autism*, 8(1), 64. doi: 10.1186/s13229-017-0181-5. <https://doi.org/10.1186/s13229-017-0181-5>
- Lee, V. M., Smiley, G. G., & Nishi, R. (2001). Cell Death and Neuronal Replacement during Formation of the Avian Ciliary Ganglion. *Developmental Biology*, 233, 437-448. doi.
- Lee, Y., Karuppagounder, S. S., Shin, J.-H., Lee, Y.-I., Ko, H. S., Swing, D., . . . Kang, H. C. (2013). Parthanatos mediates AIMP2-activated age-dependent dopaminergic neuronal loss. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3500.html>
- Lee, Y.-I., Kang, H., Ha, Y. W., Chang, K.-Y., Cho, S.-C., Song, S. O., . . . Shin, J.-H. (2015). Diaminodiphenyl sulfone-induced parkin ameliorates age-dependent dopaminergic neuronal loss. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2015.11.008>. <http://www.sciencedirect.com/science/article/pii/S0197458015005606>

- Lee, Y.-S., Wu, S., Livingston Arinze, T., & Bartlett Bunge, M. (2016). Enhanced noradrenergic axon regeneration into Schwann cell-filled PVDF-TrFE conduits after complete spinal cord transection. *Biotechnology and Bioengineering*, n/a-n/a. doi: 10.1002/bit.26088. <http://dx.doi.org/10.1002/bit.26088>
- Leem, E., Kim, H.-J., Choi, M., Kim, S., Oh, Y.-S., Lee, K. J., . . . Kim, S. R. (2018). Upregulation of neuronal astrocyte elevated gene-1 protects nigral dopaminergic neurons in vivo. *Cell death & disease*, 9(5), 449. doi: 10.1038/s41419-018-0491-3. <https://doi.org/10.1038/s41419-018-0491-3>
- Leemburg, S., Canonica, T., & Luft, A. (2018). Motor skill learning and reward consumption differentially affect VTA activation. *Scientific Reports*, 8(1), 687. doi: 10.1038/s41598-017-18716-w. <https://doi.org/10.1038/s41598-017-18716-w>
- Lehmann, H. C., Lopez, P. H. H., Zhang, G., Ngyuen, T., Zhang, J., Kieseier, B. C., . . . Sheikh, K. A. (2007). Passive Immunization with Anti-Ganglioside Antibodies Directly Inhibits Axon Regeneration in an Animal Model. *Journal of Neuroscience*, 27(1), 27-34. doi: 10.1523/jneurosci.4017-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/1/27>
- Lehmann, H. C., Zhang, J., Mori, S., & Sheikh, K. A. (2010). Diffusion tensor imaging to assess axonal regeneration in peripheral nerves. *Experimental Neurology*, 223(1), 238-244. doi.
- Lehmann, J., Pryce, C. R., Jongen-Rêlo, A. L., Stöhr, T., Pothuizen, H. H. J., & Feldon, J. (2002). Comparison of maternal separation and early handling in terms of their neurobehavioral effects in aged rats. *Neurobiology of Aging*, 23(3), 457-466. doi.
- Lehmann, M. L., Brachman, R. A., Martinowich, K., Schloesser, R. J., & Herkenham, M. (2013). Glucocorticoids Orchestrate Divergent Effects on Mood through Adult Neurogenesis. *Journal of Neuroscience*, 33(7), 2961-2972. doi: 10.1523/jneurosci.3878-12.2013. <http://www.jneurosci.org/content/33/7/2961.abstract>
- Lehnardt, S., Lehmann, S., Kaul, D., Tschimmel, K., Hoffmann, O., Cho, S., . . . Weber, J. R. (2007). Toll-like receptor 2 mediates CNS injury in focal cerebral ischemia. *Journal of Neuroimmunology*, 190(1-2), 28-33. doi.
- Lehner, B., Sandner, B., Marschallinger, J., Lehner, C., Furtner, T., Couillard-Despres, S., . . . others. (2011). The dark side of BrdU in neural stem cell biology: detrimental effects on cell cycle, differentiation and survival. *Cell and Tissue Research*, 1-16. doi.
- Lei, B., James, M. L., Liu, J., Zhou, G., Venkatraman, T. N., Lascola, C. D., . . . Wang, H. (2016). Neuroprotective pentapeptide CN-105 improves functional and histological outcomes in a murine model of intracerebral hemorrhage. [Article]. *Scientific Reports*, 6, 34834. doi: 10.1038/srep34834. <http://dx.doi.org/10.1038/srep34834>
- Lei, P., Ayton, S., Appukuttan, A. T., Moon, S., Duce, J. A., Volitakis, I., . . . Bush, A. I. (2016). Lithium suppression of tau induces brain iron accumulation and neurodegeneration. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.96. <http://dx.doi.org/10.1038/mp.2016.96>
- Lei, P., Ayton, S., Appukuttan, A. T., Volitakis, I., Adlard, P. A., Finkelstein, D. I., & Bush, A. I. (2015). Clioquinol rescues Parkinsonism and dementia phenotypes of the tau knockout mouse. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.03.015>. <http://www.sciencedirect.com/science/article/pii/S096999611500087X>

Leibowitz, J. A., Natarajan, G., Zhou, J., King, M. A., Carney, P. R., & Ormerod, B. K. (2019). Sustained somatostatin gene expression reverses kindling-induced increases in the number of dividing Type-1 neural stem cells in the hippocampi of behaviorally responsive rats. *Epilepsy Research*. doi: <https://doi.org/10.1016/j.eplepsyres.2019.01.005>. <http://www.sciencedirect.com/science/article/pii/S0920121118305382>

Leigland, L. A., Budde, M. D., Cornea, A., & Kroenke, C. D. (2013). Diffusion MRI of the developing cerebral cortical gray matter can be used to detect abnormalities in tissue microstructure associated with fetal ethanol exposure. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2013.07.068>. <http://www.sciencedirect.com/science/article/pii/S1053811913008379>

Leino, S., Koski, S. K., Hänninen, R., Tapanainen, T., Rannanpää, S., & Salminen, O. (2018). Attenuated dopaminergic neurodegeneration and motor dysfunction in hemiparkinsonian mice lacking the $\alpha 5$ nicotinic acetylcholine receptor subunit. *Neuropharmacology*, 138, 371-380. doi: <https://doi.org/10.1016/j.neuropharm.2018.06.028>. <https://www.sciencedirect.com/science/article/pii/S0028390818303307>

Leite-Almeida, H., & Almeida, A. (2007). Novel applications of common stereology software to represent the complete distribution, density and spatial organization of anterogradely labelled fibers in neuroanatomical tract-tracing studies. *Journal of Neuroscience Methods*, 163(1), 17-23. doi.

Leitermann, R. J., Sajdyk, T. J., & Urban, J. H. (2012). Cell-specific expression of calcineurin immunoreactivity within the rat basolateral amygdala complex and colocalization with the neuropeptide Y Y1 receptor. *Journal of Chemical Neuroanatomy*, (0). doi: 10.1016/j.jchemneu.2012.07.005. <http://www.sciencedirect.com/science/article/pii/S0891061812000464>

Lemmens, E. M. P., Lubbers, T., Schijns, O. E. M. G., Beuls, E. A. M., & Hoogland, G. (2005). Gender Differences in Febrile Seizure-induced Proliferation and Survival in the Rat Dentate Gyrus. *Epilepsia*, 46(10), 1603-1612. doi: doi:10.1111/j.1528-1167.2005.00252.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2005.00252.x>

Lemmens, E. M. P., Schijns, O. E. M. G., Beuls, E. A. M., & Hoogland, G. (2008). Cytogenesis in the dentate gyrus after neonatal hyperthermia-induced seizures: What becomes of surviving cells? *Epilepsia*, 49(5), 853-860. doi: doi:10.1111/j.1528-1167.2007.01476.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2007.01476.x>

Lemmens, M. A. M., Sierksma, A. S. R., Rutten, B. P. F., Dennissen, F., Steinbusch, H. W. M., Lucassen, P. J., & Schmitz, C. (2011). Age-related changes of neuron numbers in the frontal cortex of a transgenic mouse model of Alzheimer's disease. *Brain Structure and Function*, 1-11. doi.

Lemmens, M. A. M., Steinbusch, H. W. M., Rutten, B. P. F., & Schmitz, C. (2010). Advanced microscopy techniques for quantitative analysis in neuromorphology and neuropathology research: current status and requirements for the future. *Journal of Chemical Neuroanatomy*, 40(3), 199-209. doi.

Lemos, M., Venezia, S., Refolo, V., Heras-Garvin, A., Schmidhuber, S., Giese, A., . . . Stefanova, N. (2020). Targeting α -synuclein by PD03 AFFITOPE® and Anle138b rescues neurodegenerative pathology in a model of multiple system atrophy: clinical relevance. *Translational Neurodegeneration*, 9(1), 38. doi: 10.1186/s40035-020-00217-y. <https://doi.org/10.1186/s40035-020-00217-y>

Lemus, M. B., Bayliss, J. A., Lockie, S. H., Santos, V. V., Reichenbach, A., Stark, R., & Andrews, Z. B. (2015). A stereological analysis of NPY, POMC, orexin, GFAP astrocyte and Iba1 microglia cell number

and volume in diet-induced obese male mice. *Endocrinology*, en.2014-1961. doi: 10.1210/en.2014-1961. <http://dx.doi.org/10.1210/en.2014-1961>

Lemus, M. B., Bayliss, J. A., Lockie, S. H., Santos, V. V., Reichenbach, A., Stark, R., & Andrews, Z. B. (2015). A stereological analysis of NPY, POMC, orexin, GFAP astrocyte and Iba1 microglia cell number and volume in diet-induced obese male mice. *Endocrinology*, 0(0), en.2014-1961. doi: 10.1210/en.2014-1961. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1961>

Lendvay, T. S., Sweet, R., Han, C.-H., Soygur, T., Cheng, J.-F., Plaire, J. C., . . . Bassuk, J. A. (2007). Compensatory paracrine mechanisms that define the urothelial response to injury in partial bladder outlet obstruction *American Journal of Physiology - Renal Physiology*, 293(4), F1147-F1156. doi: 10.1152/ajprenal.00000.2007

Leng, A., Feldon, J., & Ferger, B. (2003). Rotenone increases glutamate-induced dopamine release but does not affect hydroxyl-free radical formation in rat striatum. *Synapse*, 50(3), 240-250. doi: 10.1002/syn.10033

Leng, A., Mura, A., Feldon, J., & Ferger, B. (2005). Tumor necrosis factor- α receptor ablation in a chronic MPTP mouse model of Parkinson's disease. *Neuroscience Letters*, 375(2), 107-111. doi: 10.1016/j.neulet.2004.11.011

Leng, A., Mura, A., Hengerer, B., Feldon, J., & Ferger, B. (2004). Effects of blocking the dopamine biosynthesis and of neurotoxic dopamine depletion with 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine (MPTP) on voluntary wheel running in mice. *Behavioural Brain Research*, 154(2), 375-383. doi: 10.1016/j.bbr.2004.05.011

Lenglos, C., Calvez, J., & Timofeeva, E. (2014). Sex-specific effects of relaxin-3 on food intake and brain expression of corticotropin-releasing factor in rats. *Endocrinology*. doi: <http://press.endocrine.org/doi/abs/10.1210/en.2014-1743>

Lenglos, C., Mitra, A., Guèvremont, G., & Timofeeva, E. (2013). Sex Differences In The Effects Of Chronic Stress And Food Restriction On Body Weight Gain And Brain Expression Of Crf And Relaxin-3 In Rats. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12028. <http://dx.doi.org/10.1111/gbb.12028>

Lenglos, C., Mitra, A., Guèvremont, G., & Timofeeva, E. (2014). Regulation of expression of relaxin-3 and its receptor RXFP3 in the brain of diet-induced obese rats. *Neuropeptides*, (0). doi: <http://dx.doi.org/10.1016/j.npep.2014.02.002>. <http://www.sciencedirect.com/science/article/pii/S0143417914000171>

Lensu, S., Miettinen, R., Pohjanvirta, R., Linden, J., & Tuomisto, J. (2006). Assessment by c-Fos Immunostaining of Changes in Brain Neural Activity Induced by 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) and Leptin in Rats*. *Basic and Clinical Pharmacology and Toxicology*, 98(4), 363-371. doi: 10.1111/j.1742-7843.2006.pto_276.x. http://www.blackwell-synergy.com/doi/abs/10.1111/j.1742-7843.2006.pto_276.x

Lenz, K. M., Graham, M. D., Parada, M., Fleming, A. S., Sengelaub, D. R., & Monks, D. A. (2008). Tactile stimulation during artificial rearing influences adult function and morphology in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, 68(4), 542-557. doi: 10.1002/dvne.20700

Lenz, K. M., Nugent, B. M., Haliyur, R., & McCarthy, M. M. (2013). Microglia Are Essential to Masculinization of Brain and Behavior. *Journal of Neuroscience*, 33(7), 2761-2772. doi: 10.1523/jneurosci.1268-12.2013. <http://www.jneurosci.org/content/33/7/2761.abstract>

Lenz, K. M., Pickett, L. A., Wright, C. L., Galan, A., & McCarthy, M. M. (2019). Prenatal Allergen Exposure Perturbs Sexual Differentiation and Programs Lifelong Changes in Adult Social and Sexual Behavior. *Scientific Reports*, 9(1), 4837. doi: 10.1038/s41598-019-41258-2. <https://doi.org/10.1038/s41598-019-41258-2>

Lenz, K. M., & Sengelaub, D. R. (2006). Maternal licking influences dendritic development of motoneurons in a sexually dimorphic neuromuscular system. *Brain Research*, 1092(1), 87-99. doi.

Lenz, K. M., & Sengelaub, D. R. (2009). Maternal care effects on SNB motoneuron development: The mediating role of sensory afferent distribution and activity. *Developmental Neurobiology*, 69(9), 603-615. doi.

Lenz, K. M., & Sengelaub, D. R. (2010). Maternal care effects on the development of a sexually dimorphic motor system: The role of spinal oxytocin. *Hormones and Behavior*, 58(4), 575-581. doi.

Leon, J., Sakumi, K., Castillo, E., Sheng, Z., Oka, S., & Nakabeppu, Y. (2016). 8-Oxoguanine accumulation in mitochondrial DNA causes mitochondrial dysfunction and impairs neuritogenesis in cultured adult mouse cortical neurons under oxidative conditions. [Article]. *Scientific Reports*, 6, 22086. doi: 10.1038/srep22086

<http://www.nature.com/articles/srep22086#supplementary-information>. <http://dx.doi.org/10.1038/srep22086>

Leranth, C., Szigeti-Buck, K., MacLusky, N. J., & Hajszan, T. (2008). Bisphenol A Prevents the Synaptogenic Response to Testosterone in the Brain of Adult Male Rats. *Neuroendocrinology*, 149, 988-994. doi.

Lerch, J. P., Carroll, J. B., Spring, S., Bertram, L. N., Schwab, C., Hayden, M. R., & Mark Henkelman, R. (2008). Automated deformation analysis in the YAC128 Huntington disease mouse model. *Neuroimage*, 39(1), 32-39. doi.

Lerchner, W., Xiao, C., Nashmi, R., Slimko, E. M., van Trigt, L., Lester, H. A., & Anderson, D. J. (2007). Reversible Silencing of Neuronal Excitability in Behaving Mice by a Genetically Targeted, Ivermectin-Gated Cl⁻ Channel. *Neuron*, 54(1), 35-49. doi.

Lerner, R. P., Trejo Martinez, L. C. G., Zhu, C., Chesselet, M. F., & Hickey, M. A. (2012). Striatal atrophy and dendritic alterations in a knock-in mouse model of Huntington's disease. *Brain Research Bulletin*. doi.

Leroy, K., Bretteville, A., Schindowski, K., Gilissen, E., Authélet, M., De Decker, R., . . . Brion, J. P. (2007). Early axonopathy preceding neurofibrillary tangles in mutant tau transgenic mice. *American Journal of Pathology*, 171(3), 976-976. doi.

Lescun, T. B., Baird, D. K., Oliver, L. J., Adams, S. B., Hawkins, J. F., & Moore, G. E. (2012). Comparison of hydroxyapatite-coated and uncoated pins for transfixation casting in horses. *American Journal of Veterinary Research*, 73(5), 724-734. doi.

Leslie, A. T. F. S., Akers, K. G., Martinez-Canabal, A., Mello, L. E. A., Covolan, L., & Guinsburg, R. (2011). Neonatal inflammatory pain increases hippocampal neurogenesis in rat pups. *Neuroscience Letters*. doi.

- Lesné, S. E., Sherman, M. A., Grant, M., Kuskowski, M., Schneider, J. A., Bennett, D. A., & Ashe, K. H. (2013). Brain amyloid- β oligomers in ageing and Alzheimer's disease. *Brain*. doi: 10.1093/brain/awt062. <http://brain.oxfordjournals.org/content/early/2013/04/09/brain.awt062.ab..>
- Lesort, M., Jope, R. S., & Johnson, G. V. (1999). Insulin transiently increases tau phosphorylation: involvement of glycogen synthase kinase-3 β and Fyn tyrosine kinase. *Journal of Neurochemistry*, 72. doi: 10.1046/j.1471-4159.1999.0720576.x. <http://dx.doi.org/10.1046/j.1471-4159.1999.0720576.x>
- Leuner, B., Glasper, E. R., & Gould, E. (2009). Thymidine analog methods for studies of adult neurogenesis are not equally sensitive. *Journal of Comparative Neurology*, 517(2), 123-133. doi.
- Leuner, B., & Gould, E. (2010). Dendritic Growth in Medial Prefrontal Cortex and Cognitive Flexibility Are Enhanced during the Postpartum Period. *Journal of Neuroscience*, 30(40), 13499-13503. doi: 10.1523/jneurosci.3388-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/40/13499>
- Leung, J. W.-H., Lau, B. W.-M., Chan, V. S.-F., Lau, C.-S., & So, K.-F. (20c6c). Abnormal increase of neuronal precursor cells and exacerbated neuroinflammation in the corpus callosum in murine model of systemic lupus erythematosus. *Restorative Neurology and Neuroscience*. (Preprint), 1-11. doi. <http://content.iospress.com/articles/restorative-neurology-and-neuroscie..>
- Leussis, M. P., Freund, N., Brenhouse, H. C., Thompson, B. S., & Andersen, S. L. (2012). Depressive-Like Behavior in Adolescents after Maternal Separation: Sex Differences, Controllability, and GABA. *Developmental Neuroscience*. doi.
- Lew, C. H., Brown, C., Bellugi, U., & Semendeferi, K. (2016). Neuron density is decreased in the prefrontal cortex in Williams syndrome. *Autism Research*, n/a-n/a. doi: 10.1002/aur.1677. <http://dx.doi.org/10.1002/aur.1677>
- Lew, C. H., Groeniger, K. M., Bellugi, U., Stefanacci, L., Schumann, C. M., & Semendeferi, K. (2017). A postmortem stereological study of the amygdala in Williams syndrome. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1592-y. <https://doi.org/10.1007/s00429-017-1592-y>
- Lew, C. H., Hanson, K. L., Groeniger, K. M., Greiner, D., Cuevas, D., Hrvoj-Mihic, B., . . . Semendeferi, K. (2019). Serotonergic innervation of the human amygdala and evolutionary implications. *American Journal of Physical Anthropology*, 0(0). doi: 10.1002/ajpa.23896. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ajpa.23896>
- Lew, F. H., & Buckmaster, P. S. (2011). Is there a critical period for mossy fiber sprouting in a mouse model of temporal lobe epilepsy? *Epilepsia*, 52(12), 2326-2332. doi: 10.1111/j.1528-1167.2011.03315.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03315.x>
- Lewis, D. A., Cruz, D. A., Melchitzky, D. S., & Pierri, J. N. (2001). Lamina-Specific Deficits in Parvalbumin-Immunoreactive Varicosities in the Prefrontal Cortex of Subjects With Schizophrenia: Evidence for Fewer Projections From the Thalamus. *American Journal of Psychiatry*, 158, 1411-1422. doi.
- Lewitus, E., Hof, P. R., & Sherwood, C. C. (2012). Phylogenetic Comparison of Neuron and Glia Densities in the Primary Visual Cortex and Hippocampus of Carnivores and Primates. *Evolution*. doi.
- Lewitus, E., Sherwood, C. C., & Hof, P. R. (2011). Cellular signatures in the primary visual cortex of phylogeny and placentation. *Brain Structure and Function*, 1-17. doi.

Li, A., Jing, D., Dellarco, D. V., Hall, B. S., Yang, R., Heilberg, R. T., . . . Lee, F. S. (2019). Role of BDNF in the development of an OFC-amygdala circuit regulating sociability in mouse and human. *Molecular Psychiatry*. doi: 10.1038/s41380-019-0422-4. <https://doi.org/10.1038/s41380-019-0422-4>

Li, A., Nattie, E., & Roy, S. (2016). The Enhanced CO₂ Chemoreflex is Associated with Increased Number of CO₂-activated Orexin Neurons in the Lateral Hypothalamus in Spontaneously Hypertensive Rats (SHRs). *The FASEB Journal*, 30(1 Supplement), 772.777. doi: http://www.fasebj.org/content/30/1_Supplement/772.7.abstract

Li, A., Roy, S. H., & Nattie, E. E. (2016). An augmented CO₂ chemoreflex and overactive orexin system are linked with hypertension in young and adult spontaneously hypertensive rats (SHRs). *The Journal of physiology*, n/a-n/a. doi: 10.1113/jp272199. <http://dx.doi.org/10.1113/JP272199>

Li, C., Biswas, S., Li, X., Dutta, A. K., & Le, W. (2010). Novel D₃ dopamine receptor-preferring agonist D-264: Evidence of neuroprotective property in Parkinson's disease animal models induced by 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine and lactacystin. *Journal of Neuroscience Research*, 88(11), 2513-2523. doi.

Li, C., Brake, W. G., Romeo, R. D., Dunlop, J. C., Gordon, M., Buzescu, R., . . . McEwen, B. S. (2004). Estrogen alters hippocampal dendritic spine shape and enhances synaptic protein immunoreactivity and spatial memory in female mice. *Proceedings of the National Academy of Sciences*, 101(7), 2185-2190. doi: 10.1073/Proceedings of the National Academy of Sciences.0307313101. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/101/7/2185>

Li, C., Guo, Y., Xie, W., Li, X., Janokovic, J., & Le, W. (2010). Neuroprotection of pramipexole in UPS impairment induced animal model of Parkinson's disease. *Neurochemical Research*, 35(10), 1546-1556. doi.

Li, E., Kim, Y., Kim, S., Sato, T., Kojima, M., & Park, S. (2013). Ghrelin stimulates proliferation, migration and differentiation of neural progenitors from the subventricular zone in the adult mice. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.11.021>. <http://www.sciencedirect.com/science/article/pii/S0014488613003543>

Li, F., Calingasan, N. Y., Yu, F., Mauck, W. M., Toidze, M., Almeida, C. G., . . . Gouras, G. K. (2004). Increased plaque burden in brains of APP mutant MnSOD heterozygous knockout mice. *Journal of Neurochemistry*, 89(5), 1308-1312. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1471-4159.2004.0245..>

Li, H., Illenberger, J. M., Cranston, M. N., Mactutus, C. F., McLaurin, K. A., Harrod, S. B., & Booze, R. M. (2019). Posterior ventral tegmental area-nucleus accumbens shell circuitry modulates response to novelty. *Plos one*, 14(3), e0213088. doi: 10.1371/journal.pone.0213088. <https://doi.org/10.1371/journal.pone.0213088>

Li, H., Li, Q., Du, X., Sun, Y., Wang, X., Kroemer, G., . . . Zhu, C. (2011). Lithium-mediated long-term neuroprotection in neonatal rat hypoxia-ischemia is associated with antiinflammatory effects and enhanced proliferation and survival of neural stem/progenitor cells. *Journal of Cerebral Blood Flow and Metabolism*, 31(10), 2106-2115. doi.

Li, H., Liu, Z., Wu, Y., Chen, Y., Wang, J., Wang, Z., . . . Huang, F. (2020). The deficiency of NRSF/REST enhances the pro-inflammatory function of astrocytes in a model of Parkinson's disease. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1866(1), 165590.

doi: <https://doi.org/10.1016/j.bbadis.2019.165590>. <http://www.sciencedirect.com/science/article/pii/S0925443919303138>

Li, H., Zhong, X., Chau, K. F., Santistevan, N. J., Guo, W., Kong, G., . . . Chang, Q. (2014). Cell cycle-linked MeCP2 phosphorylation modulates adult neurogenesis involving the Notch signalling pathway. [Article]. *Nat Commun*, 5. doi: 10.1038/ncomms6601. <http://dx.doi.org/10.1038/ncomms6601>

Li, H. H., Roy, M., Kuscuoglu, U., Spencer, C. M., Halm, B., Harrison, K. C., . . . others. (2009). Induced chromosome deletions cause hypersociability and other features of Williams-Beuren syndrome in mice. *EMBO Molecular Medicine*, 1(1), 50-65. doi:

Li, J., Calkins, M. J., Johnson, D. A., & Johnson, J. A. (2007). Role of Nrf2-dependent ARE-driven antioxidant pathway in neuroprotection. *Methods in Molecular Medicine*, 399, 67-67. doi:

Li, J., Deng, J., Sheng, W., & Zuo, Z. (2012). Metformin attenuates Alzheimer's disease-like neuropathology in obese, leptin-resistant mice. *Pharmacology, Biochemistry and Behavior*, 101. doi: 10.1016/j.pbb.2012.03.002. <http://dx.doi.org/10.1016/j.pbb.2012.03.002>

Li, J., Geisbush, T. R., Arnold, W. D., Rosen, G. D., Zaworski, P. G., & Rutkove, S. B. (2014). A Comparison of Three Electrophysiological Methods for the Assessment of Disease Status in a Mild Spinal Muscular Atrophy Mouse Model. *Plos one*, 9(10), e111428. doi: 10.1371/journal.pone.0111428. <http://dx.doi.org/10.1371/journal.pone.0111428>

Li, J., Geisbush, T. R., Rosen, G. D., Lachey, J., Mulivor, A., & Rutkove, S. B. (2013). Electrical impedance myography for the in and ex vivo assessment of muscular dystrophy (mdx) mouse muscle. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.24086. <http://dx.doi.org/10.1002/mus.24086>

Li, J., Xia, Z., Sun, X., Zhang, R., Huang, G., Hickling, R., . . . Zhang, Y. (2013). Reversal of dopamine neurons and locomotor ability degeneration in aged rats with smilagenin. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.04.028>. <http://www.sciencedirect.com/science/article/pii/S0306452213003539>

Li, J., Yim, S., Pacheck, A., Sanchez, B., & Rutkove, S. B. (2016). Electrical Impedance Myography to Detect the Effects of Electrical Muscle Stimulation in Wild Type and *Mdx* Mice. *Plos one*, 11(3), e0151415. doi: 10.1371/journal.pone.0151415. <http://dx.doi.org/10.1371/journal.pone.0151415>

Li, J., Yu, L., Gu, X., Ma, Y., Pasqualini, R., Arap, W., . . . Sidman, R. L. (2013). Tissue plasminogen activator regulates Purkinje neuron development and survival. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1305010110. <http://www.pnas.org/content/early/2013/05/14/1305010110.abstract>

Li, L., Candelario, K. M., Thomas, K., Wang, R., Wright, K., Messier, A., & Cunningham, L. A. (2014). Hypoxia Inducible Factor-1 α (HIF-1 α) Is Required for Neural Stem Cell Maintenance and Vascular Stability in the Adult Mouse SVZ. *The Journal of Neuroscience*, 34(50), 16713-16719. doi: <http://www.jneurosci.org/content/34/50/16713.short>

Li, L., Eldredge, L. C., Quach, D. H., Honasoge, A., Gruner, K., & Tourtellotte, W. G. (2011). Egr3 Dependent Sympathetic Target Tissue Innervation in the Absence of Neuron Death. *PLoS ONE*, 6(9), e25696-e25696. doi:

Li, L., Ni, L., Eugenin, E. A., Heary, R. F., & Elkabes, S. (2019). Toll-like receptor 9 antagonism modulates astrocyte function and preserves proximal axons following spinal cord injury. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.04.010>. <http://www.sciencedirect.com/science/article/pii/S089159118305300>

Li, L., Ni, L., Heary, R. F., & Elkabes, S. (2020). Astroglial TLR9 antagonism promotes chemotaxis and alternative activation of macrophages via modulation of astrocyte-derived signals: implications for spinal cord injury. *Journal of neuroinflammation*, 17(1), 73. doi: 10.1186/s12974-020-01748-x. <https://doi.org/10.1186/s12974-020-01748-x>

Li, L., Yun, S. H., Keblesh, J., Trommer, B. L., Xiong, H., Radulovic, J., & Tourtellotte, W. G. (2007). Egr3, a synaptic activity regulated transcription factor that is essential for learning and memory. *Molecular and Cellular Neuroscience*, 35(1), 76-88. doi.

Li, M., Li, L., Wang, K., Su, W., Jia, J., & Wang, X. (2017). The effect of electroacupuncture on proteomic changes in the motor cortex of 6-OHDA Parkinsonian rats. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2017.07.027>. <http://www.sciencedirect.com/science/article/pii/S0006899317303268>

Li, Q., Li, H., Roughton, K., Wang, X., Kroemer, G., Blomgren, K., & Zhu, C. (2010). Lithium reduces apoptosis and autophagy after neonatal hypoxia-ischemia. *Cell Death and Disease*, 1(7), e56-e56. doi.

Li, Q., Loh, D. H., Kudo, T., Truong, D., Derakhshesh, M., Kaswan, Z. M., . . . Colwell, C. S. (2015). Circadian rhythm disruption in a mouse model of Rett syndrome circadian disruption in RTT. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.03.009>. <http://www.sciencedirect.com/science/article/pii/S0969996115000716>

Li, Q., Xuan, A., Qi, F., Yang, J., Zou, J., & Yao, Z. (2019). Synergistic effects of combined vaccination with BCG and influenza vaccines on spatial cognition and hippocampal plasticity in rats. *Brain Research Bulletin*, 149, 268-278. doi: <https://doi.org/10.1016/j.brainresbull.2019.04.025>. <http://www.sciencedirect.com/science/article/pii/S0361923018306944>

Li, S., Nie, E. H., Yin, Y., Benowitz, L. I., Tung, S., Vinters, H. V., . . . Carmichael, S. T. (2015). GDF10 is a signal for axonal sprouting and functional recovery after stroke. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4146

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4146.html#suppl.....> <http://dx.doi.org/10.1038/nn.4146>

Li, S., Overman, J. J., Katsman, D., Kozlov, S. V., Donnelly, C. J., Twiss, J. L., . . . Carmichael, S. T. (2010). An age-related sprouting transcriptome provides molecular control of axonal sprouting after stroke. *Nature Neuroscience*, 13(12), 1496-1504. doi.

Li, S., Uno, Y., Rudolph, U., Cobb, J., Liu, J., Anderson, T., . . . Coyle, J. T. (2018). Astrocytes in primary cultures express serine racemase, synthesize d-serine and acquire A1 reactive astrocyte features. *Biochemical Pharmacology*. doi: <https://doi.org/10.1016/j.bcp.2017.12.023>. <http://www.sciencedirect.com/science/article/pii/S006295217307359>

- Li, S., Yip, A., Bird, J., Soo Seok, B., Chan, A., Godden, K. E., . . . Pompeiano, M. (2018). Melanin-concentrating hormone (MCH) neurons in the developing chick brain. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2018.07.001>. <http://www.sciencedirect.com/science/article/pii/S000689931830369X>
- Li, S., Zheng, J., & Carmichael, S. T. (2005). Increased oxidative protein and DNA damage but decreased stress response in the aged brain following experimental stroke. *Neurobiology of Disease*, 18(3), 432-440. doi.
- Li, T., Li, Y. M., Ahn, K., Price, D. L., Sisodia, S. S., & Wong, P. C. (2011). Increased Expression of PS1 Is Sufficient to Elevate the Level and Activity of γ -Secretase In Vivo. *PLoS ONE*, 6(11), e28179-e28179. doi.
- Li, T., Wen, H., Brayton, C., Laird, F. M., Ma, G., Peng, S., . . . Wong, P. C. (2007). Moderate Reduction of γ -Secretase Attenuates Amyloid Burden and Limits Mechanism-Based Liabilities. *Journal of Neuroscience*, 27(40), 10849-10859. doi: 10.1523/jneurosci.2152-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/40/10849>
- Li, W., Prakash, R., Kelly-Cobbs, A. I., Ogbi, S., Kozak, A., El-Remessy, A. B., . . . Ergul, A. (2010). Adaptive Cerebral Neovascularization in a Model of Type 2 Diabetes. *Diabetes*, 59(1), 228-228. doi.
- Li, W.-Y., Chang, Y.-C., Lee, L.-H., & Lee, L.-J. (2014). Prenatal Infection Affects the Neuronal Architecture and Cognitive Function in Adult Mice. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Citation/362383>
- Li, W.-Y., Wang, Y., Zhai, F.-G., Sun, P., Cheng, Y.-X., Deng, L.-X., & Wang, Z.-Y. (2017). AAV-KLF7 Promotes Descending Propriospinal Neuron Axonal Plasticity after Spinal Cord Injury. *Neural Plasticity*, 2017. doi. <https://www.hindawi.com/journals/np/2017/1621629/cta/>
- Li, X., Lee, J., Parsons, D., Janaurajs, K., & Standaert, D. G. (2012). Evaluation of TorsinA as a Target for Parkinson Disease Therapy in Mouse Models. *Plos one*, 7(11), e50063. doi: 10.1371/journal.pone.0050063. <http://dx.doi.org/10.1371%2Fjournal.pone.0050063>
- Li, X., Patel, J. C., Wang, J., Avshalumov, M. V., Nicholson, C., Buxbaum, J. D., . . . Yue, Z. (2012). Enhanced Striatal Dopamine Transmission and Motor Performance with LRRK2 Overexpression in Mice Is Eliminated by Familial Parkinson's Disease Mutation G2019S. *Journal of Neuroscience*, 30(5), 1788-1797. doi: 10.1523/jneurosci.5604-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/5/1788>
- Li, X.-J., Du, Z.-W., Zarnowska, E. D., Pankratz, M., Hansen, L. O., Pearce, R. A., & Zhang, S.-C. (2005). Specification of motoneurons from human embryonic stem cells. *Nature Biotechnology*, 23(2), 215-221. doi.
- Li, Y., Korgaonkar, A. A., Swietek, B., Wang, J., Elgammal, F. S., Elkabes, S., & Santhakumar, V. (2015). Toll-like receptor 4 enhancement of non-NMDA synaptic currents increases dentate excitability after brain injury. *Neurobiology of Disease*, 74(0), 240-253. doi: <http://dx.doi.org/10.1016/j.nbd.2014.11.021>. <http://www.sciencedirect.com/science/article/pii/S0969996114003672>
- Li, Y., Lau, W. M., So, K. F., Tong, Y., & Shen, J. (2011). Caveolin-1 inhibits oligodendroglial differentiation of neural stem/progenitor cells through modulating β -catenin expression. *Neurochemistry International*. doi.

Li, Y., Lau, W. M., So, K. F., Tong, Y., & Shen, J. (2011). Caveolin-1 promote astroglial differentiation of neural stem/progenitor cells through modulating Notch1/NICD and Hes1 expressions. *Biochemical and Biophysical Research Communications*. doi.

Li, Y., Luo, J., Lau, W. M., Zheng, G., Fu, S., Wang, T. T., . . . others. (2011). Caveolin-1 Plays a Crucial Role in Inhibiting Neuronal Differentiation of Neural Stem/Progenitor Cells via VEGF Signaling-Dependent Pathway. *PLoS ONE*, 6(8), e22901-e22901. doi.

Li, Y., Ritzel, R. M., He, J., Cao, T., Sabirzhanov, B., Li, H., . . . Wu, J. (2020). The voltage-gated proton channel Hv1 plays a detrimental role in contusion spinal cord injury via extracellular acidosis-mediated neuroinflammation. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2020.10.005> <http://www.sciencedirect.com/science/article/pii/S0889159120318924>

Li, Y., Ritzel, R. M., Khan, N., Cao, T., He, J., Lei, Z., . . . Wu, J. (2020). Delayed microglial depletion after spinal cord injury reduces chronic inflammation and neurodegeneration in the brain and improves neurological recovery in male mice. *Theranostics*, 10(25), 11376-11403. doi: 10.7150/thno.49199. <https://pubmed.ncbi.nlm.nih.gov/33052221>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7545988/>

Li, Y., Sacchi, S., Pollegioni, L., Basu, A. C., Coyle, J. T., & Bolshakov, V. Y. (2013). Identity of endogenous NMDAR glycine site agonist in amygdala is determined by synaptic activity level. *Nature Communications*, 4, 1760. doi.

Li, Y., Stam, F. J., Aimone, J. B., Goulding, M., Callaway, E. M., & Gage, F. H. (2013). Molecular layer perforant path-associated cells contribute to feed-forward inhibition in the adult dentate gyrus. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1306912110. <http://www.pnas.org/content/early/2013/05/09/1306912110.abstract>

Li, Y., Stockton, M. E., Bhuiyan, I., Eisinger, B. E., Gao, Y., Miller, J. L., . . . Zhao, X. (2016). MDM2 inhibition rescues neurogenic and cognitive deficits in a mouse model of fragile X syndrome. [10.1126/scitranslmed.aad9370]. *Science translational medicine*, 8(336), 336ra361-336ra361. doi. <http://stm.sciencemag.org/content/8/336/336ra61.abstract>

Li, Y., Stockton, M. E., Eisinger, B. E., Zhao, Y., Miller, J. L., Bhuiyan, I., . . . Zhao, X. (2018). Reducing histone acetylation rescues cognitive deficits in a mouse model of Fragile X syndrome. *Nature Communications*, 9(1), 2494. doi: 10.1038/s41467-018-04869-3. <https://doi.org/10.1038/s41467-018-04869-3>

Li, Y. Q., Aubert, I., & Wong, C. S. (2010). Abrogation of Early Apoptosis Does Not Alter Late Inhibition of Hippocampal Neurogenesis After Irradiation. *International Journal of Radiation Oncology* Biology* Physics*, 77(4), 1213-1222. doi.

Li, Y. Q., Cheng, Z.-C., Liu, S.-W., Aubert, I., & Wong, C. S. (2016). P53 regulates disruption of neuronal development in the adult hippocampus after irradiation. [Article]. *Cell Death Discovery*, 2, 16072. doi: 10.1038/cddiscovery.2016.72

<http://www.nature.com/articles/cddiscovery201672#supplementary-information>. <http://dx.doi.org/10.1038/cddiscovery.2016.72>

Li, Y.-Q., Cheng, Z., & Wong, S. (2016). Differential Apoptosis Radiosensitivity of Neural Progenitors in Adult Mouse Hippocampus. *International Journal of Molecular Sciences*, 17(6), 970. doi: <http://www.mdpi.com/1422-0067/17/6/970/htm>

Li, Y.-Q., Koritzinsky, M., & Wong, C. S. (2019). Metabolic Regulation of Hippocampal Neuroprogenitor Apoptosis After Irradiation. *Journal of Neuropathology and Experimental Neurology*. doi: 10.1093/jnen/nlz108. <https://doi.org/10.1093/jnen/nlz108>

Li, Y.-Q., & Wong, C. S. (2021). Metabolic Regulation of Hippocampal Neuronal Development and Its Inhibition After Irradiation. *Journal of Neuropathology and Experimental Neurology*, (nlab014). doi: 10.1093/jnen/nlab014. <https://doi.org/10.1093/jnen/nlab014>

Li, Z., Guo, Y., Bao, X., Lei, J., Shen, Z., Wang, X., . . . Wang, R. (2020). Effects of Subthalamic Deep Brain Stimulation With Different Frequencies in a Parkinsonian Rat Model. *Neuromodulation: Technology at the Neural Interface*, n/a(n/a). doi: 10.1111/ner.13239. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ner.13239>

Li, Z., Junwei, H., Yan, Z., Ruijun, S., Yajin, L., & Xiaoli, G. (2017). Fucoidan Protects Dopaminergic Neurons by Enhancing the Mitochondrial Function in a Rotenone-induced Rat Model of Parkinson's Disease. *Aging and Disease*, 0. doi: <http://www.aginganddisease.org/EN/abstract/abstract147670.shtml>

Liang, C. L., Nelson, O., Yazdani, U., Pasbakhsh, P., & German, D. C. (2004). Inverse relationship between the contents of neuromelanin pigment and the vesicular monoamine transporter-2: Human midbrain dopamine neurons. *Journal of Comparative Neurology*, 473(1), 97-106. doi.

Liang, C. L., Wang, T. T., Luby-Phelps, K., & German, D. C. (2007). Mitochondria mass is low in mouse substantia nigra dopamine neurons: implications for Parkinson's disease. *Experimental Neurology*, 203(2), 370-380. doi.

Liang, H., Paxinos, G., & Watson, C. (2011). Projections from the brain to the spinal cord in the mouse. *Brain Structure and Function*, 215(3), 159-186. doi.

Liang, H., Paxinos, G., & Watson, C. (2011). The red nucleus and the rubrospinal projection in the mouse. *Brain Structure and Function*, 1-12. doi.

Liang, H., Paxinos, G., & Watson, C. (2011). Spinal projections from the presumptive midbrain locomotor region in the mouse. *Brain Structure and Function*, 1-9. doi.

Liang, J.-q., Wang, L., He, J.-c., & Hua, X.-d. (2016). Verbascoside promotes the regeneration of tyrosine hydroxylase-immunoreactive neurons in the substantia nigra. *Neural Regeneration Research*, 11(1), 101. doi: <http://www.nrronline.org/contributors.asp>

Liang, L. P., Beaudoin, M. E., Fritz, M. J., Fulton, R., & Patel, M. (2007). Kainate-induced seizures, oxidative stress and neuronal loss in aging rats. *Neuroscience*, 147(4), 1114-1118. doi.

Liang, L.-P., Huang, J., Fulton, R., Day, B. J., & Patel, M. (2007). An Orally Active Catalytic Metalloporphyrin Protects against 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine Neurotoxicity In Vivo. *Journal of Neuroscience*, 27(16), 4326-4333. doi: 10.1523/jneurosci.0019-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/16/4326>

Liang, L.-P., Huang, J., Fulton, R., Pearson-Smith, J. N., Day, B. J., & Patel, M. (2017). Pre-clinical therapeutic development of a series of metalloporphyrins for Parkinson's disease. *Toxicology and Applied Pharmacology*. doi: <http://doi.org/10.1016/j.taap.2017.04.004>. <http://www.sciencedirect.com/science/article/pii/S041008X17301539>

Liang, R., Yong, S., Huang, X., Kong, H., Hu, G., & Fan, Y. (2016). Aquaporin-4 Mediates the Suppressive Effect of Lipopolysaccharide on Hippocampal Neurogenesis. *Neuroimmunomodulation*, 23(5-6), 309-317. doi: <http://www.karger.com/DOI/10.1159/000467141>

Liang, S.-H., Yin, J.-B., Sun, Y., bai, Y., Zhou, K.-X., Zhao, W.-J., . . . Li, Y.-Q. (2016). Collateral Projections from the Lateral Parabrachial Nucleus to the Paraventricular Thalamic Nucleus and the Central Amygdaloid Nucleus in the Rat. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2016.07.017>. <http://www.sciencedirect.com/science/article/pii/S0304394016305110>

Liauw, J., Hoang, S., Choi, M., Eroglu, C., Choi, M., Sun, G.-h., . . . Steinberg, G. K. (2008). Thrombospondins 1 and 2 are necessary for synaptic plasticity and functional recovery after stroke. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://dx.doi.org/10.1038/jcbfm.2008.65>

Licko, T., Seeger, N., Zellinger, C., Russmann, V., Matagne, A., & Potschka, H. (2013). Lacosamide treatment following status epilepticus attenuates neuronal cell loss and alterations in hippocampal neurogenesis in a rat electrical status epilepticus model. *Epilepsia*, n/a-n/a. doi: 10.1111/epi.12196. <http://dx.doi.org/10.1111/epi.12196>

Lidster, K., Jackson, S. J., Ahmed, Z., Munro, P., Coffey, P., Giovannoni, G., . . . Baker, D. (2013). Neuroprotection in a Novel Mouse Model of Multiple Sclerosis. *Plos one*, 8(11), e79188. doi: 10.1371/journal.pone.0079188. <http://dx.doi.org/10.1371%2Fjournal.pone.0079188>

Lie, D. C., Dziewczapolski, G., Willhoite, A. R., Kaspar, B. K., Shults, C. W., & Gage, F. H. (2002). The Adult Substantia Nigra Contains Progenitor Cells with Neurogenic Potential. *Journal of Neuroscience*, 22(15), 6639-6649. doi: <http://www.jneurosci.org/cgi/content/abstract/22/15/6639>

Lie, D.-C., Colamarino, S. A., Song, H.-J., Désiré, L., Mira, H., Consiglio, A., . . . Gage, F. H. (2005). WNT signalling regulates adult hippocampal neurogenesis. *Nature*, 437, 1370-1375. doi.

Lieberwirth, C., Liu, Y., Jia, X., & Wang, Z. (2012). Social isolation impairs adult neurogenesis in the limbic system and alters behaviors in female prairie voles. *Hormones and Behavior*, (0). doi: 10.1016/j.yhbeh.2012.03.005. <http://www.sciencedirect.com/science/article/pii/S0018506X1200082Z>

Lieberwirth, C., Wang, Y., Jia, X., Liu, Y., & Wang, Z. (2013). Fatherhood reduces the survival of adult-generated cells and affects various types of behavior in the prairie vole (*Microtus ochrogaster*). *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12323. <http://dx.doi.org/10.1111/ejn.12323>

Liebetanz, D., Fauser, S., Michaelis, T., Czéh, B., Watanabe, T., Paulus, W., . . . Fuchs, E. (2003). Safety aspects of chronic low-frequency transcranial magnetic stimulation based on localized proton magnetic resonance spectroscopy and histology of the rat brain. *Journal of Psychiatric Research*, 37(4), 277-286. doi.

Lieu, C. A., Deogaonkar, M., Bakay, R. A. E., & Subramanian, T. (2011). Dyskinesias do not develop after chronic intermittent levodopa therapy in clinically hemiparkinsonian rhesus monkeys. *Parkinsonism and Related Disorders*, 17(1), 34-39. doi.

Liimatainen, T., Hakumäki, J. M., Kauppinen, R. A., & Ala-Korpela, M. (2009). Monitoring of gliomas in vivo by diffusion MRI and 1H MRS during gene therapy-induced apoptosis: interrelationships between water diffusion and mobile lipids. *NMR in Biomedicine*, 22(3), 272-279. doi.

Liimatainen, T., Sierra, A., Hanson, T., Sorce, D. J., Ylä-Herttua, S., Garwood, M., . . . Gröhn, O. (2011). Glioma cell density in a rat gene therapy model gauged by water relaxation rate along a fictitious magnetic field. *Magnetic Resonance in Medicine*. doi.

Likhtik, E., Popa, D., Apergis-Schoute, J., Fidacaro, G. A., & Paré, D. (2008). Amygdala intercalated neurons are required for expression of fear extinction. *Nature*, 454(7204), 642-645. doi.

Lim, A. S. P., Ellison, B. A., Wang, J. L., Yu, L., Schneider, J. A., Buchman, A. S., . . . Saper, C. B. (2014). Sleep is related to neuron numbers in the ventrolateral preoptic/intermediate nucleus in older adults with and without Alzheimer's disease. *Brain*. doi: 10.1093/brain/awu222. <http://brain.oxfordjournals.org/content/early/2014/08/11/brain.awu222.ab..>

Lim, C. S., Hwang, Y. K., Kim, D., Cho, S. H., Bañuelos, C., Bizon, J. L., & Han, J. S. (2011). Increased interactions between PKA and NF- κ B signaling in the hippocampus following loss of cholinergic input. *Neuroscience*. doi.

Lim, D. C., Brady, D. C., Soans, R., Kim, E. Y., Valverde, L., Keenan, B. T., . . . Pack, A. I. (2016). Different Cyclical Intermittent Hypoxia Severities have Different Effects on Hippocampal Microvasculature. [10.1152/jappphysiol.01040.2015]. *Journal of Applied Physiology*. doi. <http://jap.physiology.org/content/early/2016/04/26/jappphysiol.01040.20..>

Lim, J., Ali, S., Liao, L. S., Nguyen, E. S., Ortiz, L., Reshel, S., & Luderer, U. (2020). Antioxidant supplementation partially rescues accelerated ovarian follicle loss, but not oocyte quality, of glutathione deficient mice. *Biology of Reproduction*. doi: 10.1093/biolre/ioaa009. <https://doi.org/10.1093/biolre/ioaa009>

Lim, M. J., Alexander, N. A., Benedict, J. W., Chattopadhyay, S., Shemilt, S. J. A., Guérin, C. J., . . . Pearce, D. A. (2007). IgG entry and deposition are components of the neuroimmune response in Batten Disease. *Neurobiology Discovery*, 25, 238-251. doi.

Lim, S. N., Huang, W., Hall, J. C. E., Ward, R. E., Priestley, J. V., & Michael-Titus, A. T. (2010). The acute administration of eicosapentaenoic acid is neuroprotective after spinal cord compression injury in rats. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 83(4), 193-201. doi.

Lima, R., Guimaraes-Silva, J., Oliveira, J., Costa, A., Souza-Rodrigues, R., Dos Santos, C., . . . Gomes-Leal, W. (2008). Diffuse Axonal Damage, Myelin Impairment, Astrocytosis and Inflammatory Response Following Microinjections of NMDA into The Rat Striatum. *Inflammation*, 31(1), 24-35. doi. <http://dx.doi.org/10.1007/s10753-007-9046-y>

Lin, E.-J. D., Sun, M., Choi, E., Magee, D., Stets, C., & Doring, M. J. (2014). Social overcrowding as a chronic stress model that increases adiposity in mice. *Psychoneuroendocrinology*. doi: 10.1016/j.psyneuen.2014.10.007. [http://www.psyneuen-journal.com/article/S0306-4530\(14\)00389-8/abstract](http://www.psyneuen-journal.com/article/S0306-4530(14)00389-8/abstract)

Lin, X., Parisiadou, L., Gu, X. L., Wang, L., Shim, H., Sun, L., . . . others. (2009). Leucine-Rich Repeat Kinase 2 Regulates the Progression of Neuropathology Induced by Parkinson's-Disease-Related Mutant α -synuclein. *Neuron*, 64(6), 807-827. doi.

Lin, X., Parisiadou, L., Sgobio, C., Liu, G., Yu, J., Sun, L., . . . Cai, H. (2012). Conditional Expression of Parkinson's Disease-Related Mutant α -Synuclein in the Midbrain Dopaminergic Neurons Causes Progressive Neurodegeneration and Degradation of Transcription Factor Nuclear Receptor Related 1. *Journal of Neuroscience*, 32(27), 9248-9264. doi: 10.1523/jneurosci.1731-12.2012. <http://www.jneurosci.org/content/32/27/9248.abstract>

Lin, X., Zha, Y., Zeng, X. Z., Dong, R., Wang, Q. H., & Wang, D. T. (2017). Role of the Wnt/ β -catenin signaling pathway in inducing apoptosis and renal fibrosis in 5/6-nephrectomized rats. *Molecular Medicine Reports*. doi: <https://www.spandidos-publications.com/10.3892/mmr.2017.6461>

Lind, L. A., Murphy, E. R., Lever, T. E., & Nichols, N. L. (2018). Hypoglossal Motor Neuron Death Via Intralingual CTB-saporin (CTB-SAP) Injections Mimic Aspects of Amyotrophic Lateral Sclerosis (ALS) Related to Dysphagia. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.08.026>. <http://www.sciencedirect.com/science/article/pii/S0306452218305712>

Lindberg, O. R., Brederlau, A., Jansson, A., Nannmark, U., Cooper-Kuhn, C., & Kuhn, H. G. (2011). Characterization of Epidermal Growth Factor-Induced Dysplasia in the Adult Rat Subventricular Zone. *Stem Cells and Development*. doi.

Lindholm, P., Voutilainen, M. H., Laurén, J., Peränen, J., Leppänen, V.-M., Andressoo, J.-O., . . . Timmusk, T. (2007). Novel neurotrophic factor CDNF protects and rescues midbrain dopamine neurons in vivo. *Nature*, 448, 73-77. doi.

Lindquist, R. A., Guinto, C. D., Rodas-Rodriguez, J. L., Fuentealba, L. C., Tate, M. C., Rowitch, D. H., & Alvarez-Buylla, A. (2016). Identification of proliferative progenitors associated with prominent postnatal growth of the pons. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11628. <http://dx.doi.org/10.1038/ncomms11628>

Ling, C., Raasch, J. L., & Welham, N. V. (2011). E-Cadherin and Transglutaminase-1 Epithelial Barrier Restoration Precedes Type IV Collagen Basement Membrane Reconstruction following Vocal Fold Mucosal Injury. *Cells Tissues Organs*, 193(3), 158-169. doi.

Ling, C., Yamashita, M., Waselchuk, E. A., Raasch, J. L., Bless, D. M., & Welham, N. V. (2010). Alteration in cellular morphology, density and distribution in rat vocal fold mucosa following injury. *Wound Repair and Regeneration*, 18(1), 89-97. doi.

Ling, C., Yamashita, M., Zhang, J., Bless, D. M., & Welham, N. V. (2010). Reactive response of fibrocytes to vocal fold mucosal injury in rat. *Wound Repair and Regeneration*, 18(5), 514-523. doi: 10.1111/j.1524-475X.2010.00618.x. <http://dx.doi.org/10.1111/j.1524-475X.2010.00618.x>

Ling, Z., Zhu, Y., Snyder, J. A., Lipton, J. W., Carvey, P. M., & others. (2006). Progressive dopamine neuron loss following supra-nigral lipopolysaccharide (LPS) infusion into rats exposed to LPS prenatally. *Experimental Neurology*, 199(2), 499-512. doi.

Lipponen, A., Woldemichael, B. T., Gurevicius, K., & Tanila, H. (2012). Artificial Theta Stimulation Impairs Encoding of Contextual Fear Memory. *Plos one*, 7(11), e48506. doi: 10.1371/journal.pone.0048506. <http://dx.doi.org/10.1371/journal.pone.0048506>

Lipsanen, A., Kalesnykas, G., Pro-Sistiaga, P., Hiltunen, M., Vanninen, R., Bernaudin, M., . . . Jolkkonen, J. (2013). Lack of secondary pathology in the thalamus after focal cerebral ischemia in nonhuman primates. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.016>. <http://www.sciencedirect.com/science/article/pii/S0014488613001891>

Lipton, J. W., Tolod, E. G., Thompson, V. B., Pei, L., Paumier, K. L., Terpstra, B. T., . . . Sortwell, C. E. (2008). 3, 4-Methylenedioxy-N-methamphetamine (ecstasy) promotes the survival of fetal dopamine neurons in culture. *Neuropharmacology*, 55(5), 851-859. doi.

Lira, A., Kulczycki, J., Slack, R., Anisman, H., & Park, D. S. (2011). Involvement of the Fcγ Receptor in a Chronic N-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine Mouse Model of Dopaminergic Loss. *Journal of Biological Chemistry*, 286(33), 28783-28793. doi: 10.1074/jbc.M111.244830. <http://www.jbc.org/content/286/33/28783.abstract>

Lira, A., Zhou, M., Castanon, N., Ansorge, M. S., Gordon, J. A., Francis, J. H., . . . others. (2003). Altered depression-related behaviors and functional changes in the dorsal raphe nucleus of serotonin transporter-deficient mice. *Biological Psychiatry*, 54(10), 960-971. doi.

Lison, H., Happel, M. F. K., Schneider, F., Baldauf, K., Kerbstat, S., Seelbinder, B., . . . Rönicke, R. (2013). Disrupted cross-laminar cortical processing in β amyloid pathology precedes cell death. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.11.014>. <http://www.sciencedirect.com/science/article/pii/S0969996113003276>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., & Roeper, J. (2005). K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons. *Nature of Neuroscience*, 8(12), 1742-1751. doi.

Lister, J. P., Tonkiss, J., Blatt, G.J., Kemper, T.L, DeBassio, W.A., Galler, J.R., Rosene, D.L. (2006). Asymmetry of neuron numbers in the hippocampal formation of prenatally malnourished and normally nourished rats: A stereological investigation. *Hippocampus*, 16(11), 946-958. doi.

Little, C. M., Coons, K. D., & Sengelaub, D. R. (2009). Neuroprotective effects of testosterone on the morphology and function of somatic motoneurons following the death of neighboring motoneurons. *Journal of Comparative Neurology*, 512(3), 359-372. doi.

Little, K. Y., Ramssen, E., Welchko, R., Volberg, V., Roland, C. J., & Cassin, B. (2009). Decreased brain dopamine cell numbers in human cocaine users. *Psychiatry Research*, 168(3), 173-180. doi.

Littler, C. M., Wehling, C. A., Wick, M. J., Fagan, K. A., Cool, C. D., Messing, R. O., & Dempsey, E. C. (2005). Divergent contractile and structural responses of the murine PKC- Σ null pulmonary circulation to chronic hypoxia. *American Journal of Physiology - Lung Cellular and Molecular Physiology*, 289(6), L1083-L1093-L1083-L1093. doi.

Littrell, O. M., Granholm, A.-C., Gerhardt, G. A., & Boger, H. A. (2013). Glial cell-line derived neurotrophic factor (GDNF) replacement attenuates motor impairments and nigrostriatal dopamine deficits in 12-month-old mice with a partial deletion of GDNF. *Pharmacology Biochemistry and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.pbb.2012.12.022>. <http://www.sciencedirect.com/science/article/pii/S0091305712003565>

- Litvinchuk, A., Wan, Y.-W., Swartzlander, D. B., Chen, F., Cole, A., Propson, N. E., . . . Zheng, H. (2018). Complement C3aR Inactivation Attenuates Tau Pathology and Reverses an Immune Network Deregulated in Tauopathy Models and Alzheimer's Disease. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.10.031>. <http://www.sciencedirect.com/science/article/pii/S0896627318309395>
- Liu, B., Zupan, B., Laird, E., Klein, S., Gleason, G., Bozinoski, M., . . . Toth, M. (2013). Maternal hematopoietic TNF, via milk chemokines, programs hippocampal development and memory. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3596.html>
- Liu, C., Teng, Z.-Q., McQuate, A. L., Jobe, E. M., Christ, C. C., von Hoyningen-Huene, S. J., . . . Zhao, X. (2013). An Epigenetic Feedback Regulatory Loop Involving MicroRNA-195 and MBD1 Governs Neural Stem Cell Differentiation. *Plos one*, 8(1), e51436. doi: 10.1371/journal.pone.0051436. <http://dx.doi.org/10.1371%2Fjournal.pone.0051436>
- Liu, D., Sharp, F. R., Van, K. C., Ander, B. P., Ghasvand, R., Zhan, X., . . . Lyeth, B. G. (2014). Inhibition of Src Family Kinases Protects Hippocampal Neurons and Improves Cognitive Function after Traumatic Brain Injury. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3250>
- Liu, D. S. H., O'Brien, T. J., Williams, D. A., Hicks, R. J., & Myers, D. E. (2009). Lamina-specific changes in hippocampal GABA_A/cBZR and mossy fibre sprouting during and following amygdala kindling in the rat. *Neurobiology of Disease*, 35(3), 337-347. doi: 10.1016/j.nbd.2009.04.011
- Liu, F., Grundke-Iqbal, I., Iqbal, K., & Gong, C. X. (2005). Contributions of protein phosphatases PP1, PP2A, PP2B and PP5 to the regulation of tau phosphorylation. *European Journal of Neuroscience*, 22. doi: 10.1111/j.1460-9568.2005.04391.x. <http://dx.doi.org/10.1111/j.1460-9568.2005.04391.x>
- Liu, G., Yu, J., Ding, J., Xie, C., Sun, L., Rudenko, I., . . . Cai, H. (2014). Aldehyde dehydrogenase 1 defines and protects a nigrostriatal dopaminergic neuron subpopulation. *The Journal of Clinical Investigation*, 124(7), 0-0. doi: 10.1172/jci.12176. <http://www.jci.org/articles/view/72176>
- Liu, H., Jia, L., Chen, X., Shi, L., & Xie, J. (2017). The Kv7/KCNQ channel blocker XE991 protects nigral dopaminergic neurons in the 6-hydroxydopamine rat model of Parkinson's disease. *Brain Research Bulletin*. doi: <https://doi.org/10.1016/j.brainresbull.2017.11.011>. <http://www.sciencedirect.com/science/article/pii/S0361923017304665>
- Liu, H., Rose, M. E., Culver, S., Ma, X., Dixon, C. E., & Graham, S. H. (2016). Rosiglitazone attenuates inflammation and CA3 neuronal loss following traumatic brain injury in rats. *Biochemical and Biophysical Research Communications*. doi: <http://dx.doi.org/10.1016/j.bbrc.2016.03.003>. <http://www.sciencedirect.com/science/article/pii/S0006291X16303163>
- Liu, H., Rose, M. E., Ma, X., Culver, S., Dixon, C. E., & Graham, S. H. (2017). In vivo transduction of neurons with TAT-UCH-L1 protects brain against controlled cortical impact injury. *Plos one*, 12(5), e0178049. doi: 10.1371/journal.pone.0178049. <https://doi.org/10.1371/journal.pone.0178049>
- Liu, J., Heinsen, H., Grinberg, L. T., Alho, E., Amaro, E., Pasqualucci, C. A., . . . Danek, A. (2018). Subcortical neurodegeneration in chorea: More differences than similarities between chorea-acanthocytosis and Huntington's disease. *Parkinsonism & Related Disorders*. doi: <https://doi.org/10.1016/j.parkreldis.2018.01.009>. <http://www.sciencedirect.com/science/article/pii/S1353802018300099>

Liu, J., Jin, X., Liu, K. J., & Liu, W. (2012). Matrix Metalloproteinase-2-Mediated Occludin Degradation and Caveolin-1-Mediated Claudin-5 Redistribution Contribute to Blood-Brain Barrier Damage in Early Ischemic Stroke Stage. *Journal of Neuroscience*, 32(9), 3044-3057. doi: 10.1523/jneurosci.6409-11.2012. <http://www.jneurosci.org/content/32/9/3044.abstract>

Liu, J., Tang, T.-S., Tu, H., Nelson, O., Herndon, E., Huynh, D. P., . . . Bezprozvanny, I. (2009). Deranged Calcium Signaling and Neurodegeneration in Spinocerebellar Ataxia Type 2. *Journal of Neuroscience*, 29(29), 9148-9162. doi: 10.1523/jneurosci.0660-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/29/9148>

Liu, J., Zhou, G., Kolls, B. J., Tan, Y., Fang, C., Wang, H., & Laskowitz, D. T. (2018). Apolipoprotein E mimetic peptide CN-105 improves outcome in a murine model of SAH. [10.1136/svn-2018-000152]. *Stroke and Vascular Neurology*. doi: <http://svn.bmj.com/content/early/2018/09/04/svn-2018-000152.abstract>

Liu, J. J., Shin, J. H., Hyrc, K. L., Liu, S., Lei, D., Holley, M. C., & Bao, J. (2006). Stem cell therapy for hearing loss: Math1 overexpression in VOT-E36 cells. *Otology and Neurotology*, 27(3), 414-414. doi:

Liu, J.-J., Mohila, C. A., Gong, Y., Govindarajan, N., & Onn, S.-P. (2005). Chronic nicotine exposure during adolescence differentially influences calcium-binding proteins in rat anterior cingulate cortex. *European Journal of Neuroscience*, 22(10), 2462-2474. doi: doi:10.1111/j.1460-9568.2005.04423.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04423.x>

Liu, J. R., & Modo, M. (2018). Quantification of the Extracellular Matrix Molecule Thrombospondin 1 and Its Peri-cellular Association in the Brain Using a Semi-automated Computerized Approach. *Journal of Histochemistry and Cytochemistry*, 0(0), 0022155418771677. doi: 10.1369/0022155418771677. <http://journals.sagepub.com/doi/abs/10.1369/0022155418771677>

Liu, L., Lu, Y., Kong, H., Li, L., Marshall, C., Xiao, M., . . . Hu, G. (2011). Aquaporin-4 deficiency exacerbates brain oxidative damage and memory deficits induced by long-term ovarian hormone deprivation and D-galactose injection. *International Journal of Neuropsychopharmacology*, 1(1), 1-14. doi:

Liu, M., Jevtic, S., Markham-Coultes, K., Ellens, N. P. K., O'Reilly, M. A., Hynynen, K., . . . McLaurin, J. (2017). Investigating the efficacy of a combination A β -targeted treatment in a mouse model of Alzheimer's disease. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2017.10.015>. <http://www.sciencedirect.com/science/article/pii/S0006899317304730>

Liu, M.-L., Zang, T., & Zhang, C.-L. (2016). Direct Lineage Reprogramming Reveals Disease-Specific Phenotypes of Motor Neurons from Human ALS Patients. *Cell Reports*. doi: <http://dx.doi.org/10.1016/j.celrep.2015.12.018>. <http://www.sciencedirect.com/science/article/pii/S221112471501431X>

Liu, M.-L., Zang, T., Zou, Y., Chang, J. C., Gibson, J. R., Huber, K. M., & Zhang, C.-L. (2013). Small molecules enable neurogenin 2 to efficiently convert human fibroblasts into cholinergic neurons. *Nature Communications*, 4. doi: <http://www.nature.com/ncomms/2013/130722/ncomms3183/full/ncomms3183.html>

Liu, N.-K., Byers, J. S., Lam, T., Lu, Q.-B., Sengelaub, D. R., & Xu, X.-M. (2014). Inhibition of cPLA2 has neuroprotective effects on motoneuron and muscle atrophy following spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3690. <http://dx.doi.org/10.1089/neu.2014.3690>

Liu, Q., Trotter, J., Zhang, J., Peters, M. M., Cheng, H., Bao, J., . . . Bu, G. (2010). Neuronal LRP1 Knockout in Adult Mice Leads to Impaired Brain Lipid Metabolism and Progressive, Age-Dependent Synapse Loss and Neurodegeneration. *Journal of Neuroscience*, 30(50), 17068-17078. doi: 10.1523/jneurosci.4067-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/17068>

Liu, W., D'Ercole, A., & Ye, P. (2011). Blunting type 1 insulin-like growth factor receptor expression exacerbates neuronal apoptosis following hypoxic/ischemic injury. *BMC Neuroscience*, 12(1), 64-64. doi.

Liu, W., & Liu, J. (2012). Assessment of Neurogenesis in the Dentate Gyrus After Global or Focal Ischemia. *Springer Protocols Handbooks*. doi.

Liu, W., Purevdorj, E., Zscheppang, K., von Mayersbach, D., Behrens, J., Brinkhaus, M. J., . . . Dammann, C. E. L. (2010). ErbB4 regulates the timely progression of late fetal lung development. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1803(7), 832-839. doi.

Liu, W., Ye, P., O'Kusky, J. R., & D'Ercole, A. J. (2009). Type 1 insulin-like growth factor receptor signaling is essential for the development of the hippocampal formation and dentate gyrus. *Journal of Neuroscience Research*, 87(13), 2821-2832. doi.

Liu, W. S., Pesold, C., Rodriguez, M. A., Carboni, G., Auta, J., Lacor, P., . . . Costa, E. (2001). Down-regulation of dendritic spine and glutamic acid decarboxylase 67 expressions in the reelin haploinsufficient heterozygous reeler mouse. *Proceedings of the National Academy of Sciences*, 98(6), 3477-3482. doi: 10.1073/Proceedings of the National Academy of Sciences.051614698. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/98/6/3477>

Liu, X., Hao, W., Qin, Y., Decker, Y., Wang, X., Burkart, M., . . . Liu, Y. (2015). Long-term treatment with Ginkgo biloba extract EGb 761 improves symptoms and pathology in a transgenic mouse model of Alzheimer's disease. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.01.011>. <http://www.sciencedirect.com/science/article/pii/S0889159115000148>

Liu, X., Zhou, J., Abid, M. D. N., Yan, H., Huang, H., Wan, L., . . . Chen, J. (2014). Berberine Attenuates Axonal Transport Impairment and Axonopathy Induced by Calyculin A in N2a Cells. *Plos one*, 9(4), e93974. doi: 10.1371/journal.pone.0093974. <http://dx.doi.org/10.1371%2Fjournal.pone.0093974>

Liu, X.-B., Haney, J. R., Cantero, G., Lambert, J. R., Otero-Garcia, M., Truong, B., . . . Lipshutz, G. S. (2019). Hepatic arginase deficiency fosters dysmyelination during postnatal CNS development. *JCI Insight*, 4(17). doi: 10.1172/jci.insight.130260. <https://doi.org/10.1172/jci.insight.130260>

Liu, Y., Grumbles, R. M., & Thomas, C. K. (2013). Electrical Stimulation of Embryonic Neurons for 1 Hour Improves Axon Regeneration and the Number of Reinnervated Muscles That Function. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.1090b1013e318299d318376. doi: http://journals.lww.com/jneuropath/Fulltext/publishahead/Electrical_Stim..

Liu, Y., Lee, M. K., James, M. M., Price, D. L., Borchelt, D. R., Troncoso, J. C., & Oh, E. S. (2011). Passive (Amyloid- β Immunotherapy Attenuates Monoaminergic Axonal Degeneration in the A β PPsw/PS1dEg Mice. *Journal of Alzheimer's Disease*, 23(2), 271-279. doi.

Liu, Y., Lieberwirth, C., Jia, X., Curtis, J. T., Meredith, M., & Wang, Z. X. (2014). Chemosensory cues affect amygdaloid neurogenesis and alter behaviors in the socially monogamous prairie vole. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12531. <http://dx.doi.org/10.1111/ejn.12531>

Liu, Y., Liu, X., Hao, W., Decker, Y., Schomburg, R., Fülöp, L., . . . Fassbender, K. (2014). IKK β Deficiency in Myeloid Cells Ameliorates Alzheimer's Disease-Related Symptoms and Pathology. *The Journal of Neuroscience*, 34(39), 12982-12999. doi: <http://www.jneurosci.org/content/34/39/12982.short>

Liu, Y., Sebastian, B., Liu, B., Zhang, Y., Fissel, J. A., Pan, B., . . . Farah, M. H. (2017). Sensory and autonomic function and structure in footpads of a diabetic mouse model. [Article]. *Scientific Reports*, 7, 41401. doi: 10.1038/srep41401

<http://www.nature.com/articles/srep41401#supplementary-information>, <http://dx.doi.org/10.1038/srep41401>

Liu, Y., Sun, J.-D., Song, L.-K., Li, J., Chu, S.-F., Yuan, Y.-H., & Chen, N.-H. (2015). Environment-contact Administration of Rotenone: A New Rodent Model of Parkinson's Disease. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2015.07.058>. <http://www.sciencedirect.com/science/article/pii/S0166432815301297>

Liu, Y., Sun, Y., Ewaleifoh, O., Wei, J., Mi, R., Zhu, J., . . . Polydefkis, M. (2021). Ethoxyquin is neuroprotective and partially prevents somatic and autonomic neuropathy in db/db mouse model of type 2 diabetes. *Scientific Reports*, 11(1), 10749. doi: 10.1038/s41598-021-89781-5. <https://doi.org/10.1038/s41598-021-89781-5>

Liu, Y., Tang, M. K., Cai, D. Q., Li, M., Wong, W. M., Chow, P. H., & Lee, K. K. H. (2007). Cyclin I and p53 are differentially expressed during the terminal differentiation of the postnatal mouse heart. *Proteomics*, 7(1), 23-32. doi:

Liu, Y., Weick, J. P., Liu, H., Krencik, R., Zhang, X., Ma, L., . . . Zhang, S.-C. (2013). Medial ganglionic eminence-like cells derived from human embryonic stem cells correct learning and memory deficits. *Nature Biotechnology*. doi:

Liu, Y., Ye, H., Satkunendrarajah, K., Yao, G. S., Bayon, Y., & Fehlings, M. G. (2013). A self-assembling peptide reduces glial scarring, attenuates post-traumatic inflammation and promotes neurological recovery following spinal cord injury. *Acta Biomaterialia*, (0). doi: <http://dx.doi.org/10.1016/j.actbio.2013.06.001>. <http://www.sciencedirect.com/science/article/pii/S1742706113002857>

Liu, Y., Yoo, M.-J., Savonenko, A., Stirling, W., Price, D. L., Borchelt, D. R., . . . Lee, M. K. (2008). Amyloid Pathology Is Associated with Progressive Monoaminergic Neurodegeneration in a Transgenic Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 28(51), 13805-13814. doi: 10.1523/jneurosci.4218-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/51/13805>

Liu, Y., Zeng, X., Hui, Y., Zhu, C., Wu, J., Taylor, D. H., . . . Hu, J. (2014). Activation of $\alpha 7$ nicotinic acetylcholine receptors protects astrocytes against oxidative stress-induced apoptosis: Implications for Parkinson's disease. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.11.028>. <http://www.sciencedirect.com/science/article/pii/S0028390814004444>

- Liu, Y., Zhu, M., Lin, L., Fan, X., Piao, Z., & Jiang, X. (2014). Deficiency of Trim27 protects dopaminergic neurons from apoptosis in the neurotoxin model of Parkinson's disease. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.09.018>, <http://www.sciencedirect.com/science/article/pii/S000689931401227X>
- Liu, Y. W. J., Curtis, M. A., Gibbons, H. M., Mee, E. W., Bergin, P. S., Teoh, H. H., . . . Faull, R. L. M. (2008). Doublecortin expression in the normal and epileptic adult human brain. *European Journal of Neuroscience*, 28(11), 2254-2265. doi.
- Liu, Z., Fan, Y., Won, S. J., Neumann, M., Hu, D., Zhou, L., . . . Liu, J. (2007). Chronic Treatment With Minocycline Preserves Adult New Neurons and Reduces Functional Impairment After Focal Cerebral Ischemia. *Stroke*, 38(1), 146-152. doi.
- Livingston, J. M., McDonald, M. W., Gagnon, T., Jeffers, M. S., Gomez-Smith, M., Antonescu, S., . . . Corbett, D. (2020). Influence of metabolic syndrome on cerebral perfusion and cognition. *Neurobiology of Disease*, 137, 104756. doi: <https://doi.org/10.1016/j.nbd.2020.104756>, <http://www.sciencedirect.com/science/article/pii/S0969996120300310>
- Llewellyn, R. A., Gutknecht, M. F., Thomas, K. S., Conaway, M. R., & Bouton, A. H. (2018). Focal adhesion kinase (FAK) deficiency in mononuclear phagocytes alters murine breast tumor progression. *American Journal of Cancer Research*, 8(4), 675. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5934557/>
- Llorens-Martín, M., Torres-Alemán, I., & Trejo, J. L. (2006). Pronounced individual variation in the response to the stimulatory action of exercise on immature hippocampal neurons. *Hippocampus*, 16(5), 480-490. doi.
- Lo Jr, T. P., Cho, K. S., Garg, M. S., Lynch, M. P., Marcillo, A. E., Koivisto, D. L., . . . others. (2009). Systemic hypothermia improves histological and functional outcome after cervical spinal cord contusion in rats. *Journal of Comparative Neurology*, 514(5), 433-448. doi.
- Loane, D., Stoica, B., Tchantchou, F., Kumar, A., Barrett, J., Akintola, T., . . . Faden, A. (2014). Novel mGluR5 Positive Allosteric Modulator Improves Functional Recovery, Attenuates Neurodegeneration, and Alters Microglial Polarization after Experimental Traumatic Brain Injury. *Neurotherapeutics*, 1-13. doi: 10.1007/s13311-014-0298-6. <http://dx.doi.org/10.1007/s13311-014-0298-6>
- Lockrow, J., Boger, H., Bimonte-Nelson, H., & Granholm, A. C. (2011). Effects of long-term memantine on memory and neuropathology in Ts65Dn mice, a model for Down syndrome. *Behavioural Brain Research*, 221(2), 610-622. doi.
- Lockrow, J., Boger, H., Gerhardt, G., Aston-Jones, G., Bachman, D., & Granholm, A. C. (2011). A noradrenergic lesion exacerbates neurodegeneration in a down syndrome mouse model. *Journal of Alzheimer's Disease*, 23(3), 471-489. doi.
- Lockrow, J., Prakasam, A., Huang, P., Bimonte-Nelson, H., Sambamurti, K., & Granholm, A. C. (2009). Cholinergic degeneration and memory loss delayed by vitamin E in a Down syndrome mouse model. *Experimental Neurology*, 216(2), 278-289. doi.
- Lodge, D. J., & Grace, A. A. (2012). Divergent activation of ventromedial and ventrolateral dopamine systems in animal models of amphetamine sensitization and schizophrenia. *International Journal of Neuropsychopharmacology*, 15(01), 69-76. doi: doi:10.1017/S1461145711000113. <http://dx.doi.org/10.1017/S1461145711000113>

Lodovichi, C., Di Cristo, G., Cenni, M. C., & Maffei, L. (2001). Bcl-2 overexpression per se does not promote regeneration of neonatal crushed optic fibers. *European Journal of Neuroscience*, 13(4), 833-838. doi: doi:10.1046/j.1460-9568.2001.01440.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2001.01440.x>

Loeliger, M. M., Mackintosh, A., De Matteo, R., Harding, R., & Rees, S. M. (2011). Erythropoietin protects the developing retina in an ovine model of endotoxin-induced retinal injury. *Investigative Ophthalmology and Visual Science*, 52(5), 2656-2661. doi:

Lohr, K. M., Bernstein, A. I., Stout, K. A., Dunn, A. R., Lazo, C. R., Alter, S. P., . . . Miller, G. W. (2014). Increased vesicular monoamine transporter enhances dopamine release and opposes Parkinson disease-related neurodegeneration in vivo. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1402134111. <http://www.pnas.org/content/early/2014/06/11/1402134111.abstract>

Lohr, K. M., Stout, K. A., Dunn, A. R., Wang, M., Salahpour, A., Guillot, T. S., & Miller, G. W. (2015). Increased Vesicular Monoamine Transporter 2 (VMAT2; Slc18a2) Protects against Methamphetamine Toxicity. *ACS Chemical Neuroscience*. doi: 10.1021/acscchemneuro.5b00010. <http://dx.doi.org/10.1021/acscchemneuro.5b00010>

Loi, M., Mossink, J. C. L., Meerhoff, G. F., Den Blaauwen, J. L., Lucassen, P. J., & Joëls, M. (2015). Effects of early life stress on cognitive function and hippocampal structure in female rodents. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.08.024>. <http://www.sciencedirect.com/science/article/pii/S0306452215007563>

Lois, J. H., Rice, C. D., & Yates, B. J. (2008). Neural Circuits Controlling Diaphragm Function in the Cat Revealed by Transneuronal Tracing. *Journal of Applied Physiology*, 91125.92008. doi: 10.1152/jappphysiol.91125.2008. <http://jap.physiology.org/cgi/content/abstract/91125.2008v1>

Lonardo, E., Parish, C. L., Ponticelli, S., Marasco, D., Ribeiro, D., Ruvo, M., . . . Minchiotti, G. (2010). A small synthetic cripto blocking Peptide improves neural induction, dopaminergic differentiation, and functional integration of mouse embryonic stem cells in a rat model of Parkinson's disease. *Stem Cells*, 28(8), 1326-1337. doi:

Long, A., Park, J. H., Klimova, N., Fowler, C., Loane, D. J., & Kristian, T. (2016). CD38 Knockout Mice Show Significant Protection Against Ischemic Brain Damage Despite High Level Poly-ADP-Ribosylation. [journal article]. *Neurochemical Research*, 1-11. doi: 10.1007/s11064-016-2031-9. <http://dx.doi.org/10.1007/s11064-016-2031-9>

Long, C., Grueter, C. E., Song, K., Qin, S., Qi, X., Kong, Y. M., . . . Olson, E. N. (2014). Ataxia and Purkinje cell degeneration in mice lacking the CAMTA1 transcription factor. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1411251111. <http://www.pnas.org/content/early/2014/07/16/1411251111.abstract>

Long, Q., Upadhyaya, D., Hattiangady, B., Kim, D.-K., An, S. Y., Shuai, B., . . . Shetty, A. K. (2017). Intranasal MSC-derived A1-exosomes ease inflammation, and prevent abnormal neurogenesis and memory dysfunction after status epilepticus. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1703920114. <http://www.pnas.org/content/early/2017/04/05/1703920114.abstract>

Longaretti, A., Forastieri, C., Toffolo, E., Caffino, L., Locarno, A., Misevičiūtė, I., . . . Rusconi, F. (2020). LSD1 is an environmental stress-sensitive negative modulator of the glutamatergic synapse. *Neurobiology of Stress*, 13, 100280. doi: <https://doi.org/10.1016/j.ynstr.2020.100280>. <http://www.sciencedirect.com/science/article/pii/S2352289520300709>

Longmoor, G. K., Lange, C. H., Darvell, H., Walker, L., Rytönen, S., Vatka, E., . . . Smulders, T. V. (2016). Different Seasonal Patterns in Song System Volume in Willow Tits and Great Tits. *Brain, Behavior and Evolution*. doi: <http://www.karger.com/Article/Abstract/447114>

Longphre, M., Li, D., Gallup, M., Drori, E., Ordonez, C. L., Redman, T., . . . Basbaum, C. (1999). Allergen-induced IL-9 directly stimulates mucin transcription in respiratory epithelial cells. *Journal of Clinical Investigation*, 104, 1375-1382. doi.

Lopez, I., Ishiyama, G., Tang, Y., Tokita, J., Baloh, R. W., & Ishiyama, A. (2005). Regional estimates of hair cells and supporting cells in the human crista ampullaris. *Journal of Neuroscience Research*, 82(3), 421-431. doi.

Lopez, I., Ishiyama, G., Tang, Y., Franka, M., Baloh, R. W., & Ishiyama, A. (2005). Estimation of the number of nerve fibers in the human vestibular endorgans using unbiased stereology and immunohistochemistry *Journal of Neuroscience Methods*, 145(1-2), 37-46. doi.

Lopez, P. H., Zhang, G., Zhang, J., Lehmann, H. C., Griffin, J. W., Schnaar, R. L., & Sheikh, K. A. (2010). Passive transfer of IgG anti-GM1 antibodies impairs peripheral nerve repair. *Journal of Neuroscience*, 30(28), 9533-9541. doi.

López-Cruz, L., Pardo, M., Salamone, J. D., & Correa, M. (2014). Differences between the nonselective adenosine receptor antagonists caffeine and theophylline in motor and mood effects: Studies using medium to high doses in animal models. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.05.020>. <http://www.sciencedirect.com/science/article/pii/S0166432814003210>

López-Toledano, M. A., & Shelanski, M. L. (2007). Increased neurogenesis in young transgenic mice overexpressing human APP(Sw, Ind). *Journal of Alzheimer's Disease*, 12(3), 229-240. doi.

Lorenzi, H. A., & Reeves, R. H. (2006). Hippocampal hypocellularity in the Ts65Dn mouse originates early in development. *Brain Research*, 1104(1), 153-159. doi.

Lorenzl, S., Calingasan, N., Yang, L., Albers, D. S., Shugama, S., Gregorio, J., . . . Beal, M. F. (2004). Matrix metalloproteinase-9 is elevated in 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine-induced parkinsonism in mice. *Neuromolecular Medicine*, 5(2), 119-131. doi.

Loris, Z. B., Hynton, J. R., Pieper, A. A., & Dietrich, W. D. (2017). Beneficial Effects of Delayed P7C3-A20 Treatment After Transient MCAO in Rats. [journal article]. *Translational Stroke Research*. doi: 10.1007/s12975-017-0565-z. <https://doi.org/10.1007/s12975-017-0565-z>

Loris, Z. B., Pieper, A. A., & Dalton Dietrich, W. (2017). The neuroprotective compound P7C3-A20 promotes neurogenesis and improves cognitive function after ischemic stroke. *Experimental Neurology*, 290, 63-73. doi: <http://dx.doi.org/10.1016/j.expneurol.2017.01.006>. <http://www.sciencedirect.com/science/article/pii/S0014488617300055>

Lorke, D. E., Wong, L. Y., Lai, H. W. L., Poon, P. W. F., Zhang, A., Chan, W. Y., & Yew, D. T. W. (2003). Early postnatal sound exposure induces lasting neuronal changes in the inferior colliculus of senescence accelerated mice (SAMP8): a morphometric study on GABAergic neurons and NMDA expression. *Cellular and Molecular Neurobiology*, 23(2), 143-164. doi.

Lotocki, G., Alonso, O. F., Frydel, B., Dietrich, W. D., & Keane, R. W. (2003). Monoubiquitination and Cellular Distribution of XIAP in Neurons after Traumatic Brain Injury. *Journal of Cerebral Blood Flow and Metabolism*, 23, 1129-1136. doi.

Lotocki, G., de Rivero Vaccari, J. P., Perez, E. R., Sanchez-Molano, J., Furones-Alonso, O., Bramlett, H. M., & Dietrich, W. D. (2009). Alterations in blood-brain barrier permeability to large and small molecules and leukocyte accumulation after traumatic brain injury: effects of post-traumatic hypothermia. *Journal of Neurotrauma*, 26(7), 1123-1134. doi.

Lotocki, G., Vaccari, J. R., Alonso, O., Molano, J. S., Nixon, R., Dietrich, W. D., & Bramlett, H. M. (2011). Oligodendrocyte Vulnerability Following Traumatic Brain Injury in Rats: Effect of Moderate Hypothermia. *Therapeutic Hypothermia and Temperature Management*, 1(1), 43-51. doi.

Lötsch, J., Schmidt, R., Vetter, G., Schmidt, H., Niederberger, E., Geisslinger, G., & Tegeder, I. (2002). Increased CNS uptake and enhanced antinociception of morphine-6-glucuronide in rats after inhibition of P-lycoprotein. *Journal of Neurochemistry*, 83, 241-248. doi.

Louis, E. D., Kuo, S.-H., Tate, W. J., Kelly, G. C., Gutierrez, J., Cortes, E. P., . . . Faust, P. L. (2017). Heterotopic Purkinje Cells: a Comparative Postmortem Study of Essential Tremor and Spinocerebellar Ataxias 1, 2, 3, and 6. [journal article]. *The Cerebellum*. doi: 10.1007/s12311-017-0876-3 <https://doi.org/10.1007/s12311-017-0876-3>

Louis, E. D., Lee, M., Babij, R., Ma, K., Cortés, E., Vonsattel, J.-P. G., & Faust, P. L. (2014). Reduced Purkinje cell dendritic arborization and loss of dendritic spines in essential tremor. *Brain*, awu314. doi: <http://brain.oxfordjournals.org/content/early/2014/10/31/brain.awu314>

Loy, K., Fournau, J., Meng, N., Denecke, C., Locatelli, G., & Bareyre, F. M. (2020). Semaphorin 7A restricts serotonergic innervation and ensures recovery after spinal cord injury. *Cellular and Molecular Life Sciences*. doi: 10.1007/s00018-020-03682-w. <https://doi.org/10.1007/s00018-020-03682-w>

Loy, M. K., Schmalz, M. A., Hoche, M. T., Jacobi, D. A., Kreutsfeldt, M. M., Merkler, D. D., & Bareyre, D. F. (2018). Enhanced voluntary exercise improves functional recovery following spinal cord injury by impacting the local neuroglial injury response and supporting the rewiring of supraspinal circuits. *Journal of Neurotrauma*, o(ja), null. doi: 10.1089/neu.2017.5544. <https://www.liebertpub.com/doi/abs/10.1089/neu.2017.5544>

Lozano-Montes, L., Dimanico, M., Mazloum, R., Li, W., Nair, J., Kintscher, M., . . . Rainer, G. (2020). Optogenetic Stimulation of Basal Forebrain Parvalbumin Neurons Activates the Default Mode Network and Associated Behaviors. *Cell Reports*, 33(6), 108359. doi: <https://doi.org/10.1016/j.celrep.2020.108359>. <http://www.sciencedirect.com/science/article/pii/S221124720313486>

Lu, F., Li, Y. Q., Aubert, I., & Wong, C. S. (2012). Endothelial cells regulate p53-dependent apoptosis of neural progenitors after irradiation. *Cell Death and Disease*, 3, e324. doi: <http://www.nature.com/cddis/journal/v3/n6/supinfo/cddis201259s1.html>. <http://dx.doi.org/10.1038/cddis.2012.59>

Lu, J., Synowiec, S., Lu, L., Yu, Y., Bretherick, T., Takada, S., . . . Drobyshevsky, A. (2018). Microbiota influence the development of the brain and behaviors in C57BL/6J mice. *Plos one*, 13(8), e0201829. doi: 10.1371/journal.pone.0201829. <https://doi.org/10.1371/journal.pone.0201829>

Lu, J.-Y., Nelvagal, H. R., Wang, L., Birnbaum, S. G., Cooper, J. D., & Hofmann, S. L. (2015). Intrathecal enzyme replacement therapy improves motor function and survival in a preclinical mouse model of infantile neuronal ceroid lipofuscinosis. *Molecular Genetics and Metabolism*, (0). doi: <http://dx.doi.org/10.1016/j.ymgme.2015.05.005>. <http://www.sciencedirect.com/science/article/pii/S1096719215300123>

Lu, L. X., Yon, J. H., Carter, L. B., & Jevtovic-Todorovic, V. (2006). General anesthesia activates BDNF-dependent neuroapoptosis in the developing rat brain. *Apoptosis*, 11(9), 1603-1615. doi.

Lu, P., Ceto, S., Wang, Y., Graham, L., Wu, D., Kumamaru, H., . . . Tuszynski, M. H. (2017). Prolonged human neural stem cell maturation supports recovery in injured rodent CNS. *The Journal of Clinical Investigation*, 127(9). doi: 10.1172/jci92955. <https://doi.org/10.1172/JCI92955>

Lu, P., Wang, Y., Graham, L., McHale, K., Gao, M., Wu, D., . . . Tuszynski, Mark H. (2012). Long-Distance Growth and Connectivity of Neural Stem Cells after Severe Spinal Cord Injury. *Cell*, 150(6), 1264-1273. doi: 10.1016/j.cell.2012.08.020. <http://www.sciencedirect.com/science/article/pii/S0092867412010185>

Lu, W., Karuppagounder, S. S., Springer, D. A., Allen, M. D., Zheng, L., Chao, B., . . . Lenardo, M. (2014). Genetic deficiency of the mitochondrial protein PGAM5 causes a Parkinson's-like movement disorder. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140915/ncomms5930/full/ncomms5930.html>

Lu, X. H., Fleming, S. M., Meurers, B., Ackerson, L. C., Mortazavi, F., Lo, V., . . . others. (2009). BAC Transgenic Mice Expressing a Truncated Mutant Parkin Exhibit Age-dependent Hypokinetic Motor Deficits, Dopaminergic Neuron Degeneration, and Accumulation of Proteinase K-Resistant Alpha-Synuclein. *Journal of Neuroscience*, 29(7), 1962-1962. doi.

Lu, X.-H., Fleming, S. M., Meurers, B., Ackerson, L. C., Mortazavi, F., Lo, V., . . . Yang, X. W. (2009). Bacterial Artificial Chromosome Transgenic Mice Expressing a Truncated Mutant Parkin Exhibit Age-Dependent Hypokinetic Motor Deficits, Dopaminergic Neuron Degeneration, and Accumulation of Proteinase K-Resistant α -Synuclein. *Journal of Neuroscience*, 29(7), 1962-1976. doi: 10.1523/jneurosci.5351-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/7/1962>

Lu, Y., Xiao, G., & Luo, W. (2016). Minocycline Suppresses NLRP3 Inflammasome Activation in Experimental Ischemic Stroke. *Neuroimmunomodulation*. doi: <http://www.karger.com/Article/Abstract/452172>

Lu, Y.-C., Chen, Y.-Z., Wei, Y.-Y., He, X.-T., Li, X., Hu, W., . . . Dong, Y.-L. (2014). Neurochemical properties of the synapses between the parabrachial nucleus-derived CGRP-positive axonal terminals and the GABAergic neurons in the lateral capsular division of central nucleus of amygdala. *Molecular Neurobiology*, 1-14. doi: 10.1007/s12035-014-8713-x. <http://dx.doi.org/10.1007/s12035-014-8713-x>

Lu, Z., Marks, E., Chen, J., Moline, J., Barrows, L., Raisbeck, M., . . . Fox, J. H. (2014). Altered selenium status in Huntington's disease: Neuroprotection by selenite in the N171-82Q mouse model. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.06.022>. <http://www.sciencedirect.com/science/article/pii/S0969996114001867>

Lucas, G., Rymar, V. V., Du, J., Mnie-Filali, O., Bisgaard, C., Manta, S., . . . others. (2007). Serotonin4 (5-HT4) receptor agonists are putative antidepressants with a rapid onset of action. *Neuron*, 55(5), 712-725. doi.

- Lucas, G., Rymar, V. V., Sadikot, A. F., & Debonnel, G. (2008). Further evidence for an antidepressant potential of the selective 5₁ agonist SA4503: electrophysiological, morphological and behavioural studies. *International Journal of Neuropsychopharmacology*, 11, 485-495. doi.
- Lucassen, P. J., Stumpel, M. W., Wang, Q., & Aronica, E. (2010). Decreased numbers of progenitor cells but no response to antidepressant drugs in the hippocampus of elderly depressed patients. *Neuropharmacology*, 58(6), 940-949. doi.
- Luccarini, I., Ballerini, C., Biagioli, T., Biamonte, F., Bellucci, A., Rosi, M. C., . . . Casamenti, F. (2008). Combined treatment with atorvastatin and minocycline suppresses severity of EAE. *Experimental Neurology*, 211(1), 214-226. doi.
- Lucchina, L., & Depino, A. M. (2013). Altered Peripheral and Central Inflammatory Responses in a Mouse Model of Autism. *Autism Research*, n/a-n/a. doi: 10.1002/aur.1338. <http://dx.doi.org/10.1002/aur.1338>
- Luise Hupa, K., Schmiedl, A., Pabst, R., Von Hörsten, S., & Stephan, M. (2013). Maternal Deprivation Decelerates Postnatal Morphological Lung Development of F344 Rats. *Anatomical Record*, n/a-n/a. doi: 10.1002/ar.22848. <http://dx.doi.org/10.1002/ar.22848>
- Luk, K. C., Kennedy, T. E., & Sadikot, A. F. (2003). Glutamate Promotes Proliferation of Striatal Neuronal Progenitors by an NMDA Receptor-Mediated Mechanism. *Journal of Neuroscience*, 23(6), 2239-2250. doi: <http://www.jneurosci.org/cgi/content/abstract/23/6/2239>
- Luk, K. C., Rymar, V. V., van den Munckhof, P., Nicolau, S., Steriade, C., Bifsha, P., . . . Sadikot, A. F. (2013). The transcription factor Pitx3 is expressed selectively in midbrain dopaminergic neurons susceptible to neurodegenerative stress. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12160. <http://dx.doi.org/10.1111/jnc.12160>
- Luk, K. C., & Sadikot, A. F. (2001). GABA promotes survival but not proliferation of parvalbumin-immunoreactive interneurons in rodent neostriatum: an in vivo study with stereology. *Neuroscience*, 104(1), 93-103. doi.
- Luk, K. C., & Sadikot, A. F. (2004). Glutamate and Regulation of Proliferation in the Developing Mammalian Telencephalon. *Developmental Neuroscience*, 26(2-4), 218-228. doi: <http://www.karger.com/DOI/10.1159/000082139>
- Lukić, A., Lukić, I. K., Kroin, J. S., Li, J., Tuman, K. J., Moric, M., . . . Napier, C. T. (2019). In utero Exposure to Anesthetics Alters Neuronal Migration Pattern in Developing Cerebral Cortex and Causes Postnatal Behavioral Deficits in Rats. doi: 10.1093/cercor/bhz065. <https://doi.org/10.1093/cercor/bhz065>
- Luo, J., Chen, X., Pan, Y.-W., Lu, S., Xia, Z., & Storm, D. R. (2015). The Type 3 Adenylyl Cyclase Is Required for the Survival and Maturation of Newly Generated Granule Cells in the Olfactory Bulb. *Plos one*, 10(3), e0122057. doi: 10.1371/journal.pone.0122057. <http://dx.doi.org/10.1371%2Fjournal.pone.0122057>
- Luo, K. R., Chao, C. C., Chen, Y. T., Huang, C. M., Yang, N. C. C., Kan, H. W., . . . Hsieh, S. T. (2011). Quantitation of sudomotor innervation in skin biopsies of patients with diabetic neuropathy. *Journal of Neuropathology and Experimental Neurology*, 70(10), 930-930. doi.
- Luo, L., Chen, J., Su, D., Chen, M., Luo, B., Pi, R., . . . Wang, R. (2017). L-F001, a Multifunction ROCK Inhibitor Prevents 6-OHDA Induced Cell Death Through Activating Akt/GSK-3 β and Nrf2/HO-1

Signaling Pathway in PC12 Cells and Attenuates MPTP-Induced Dopamine Neuron Toxicity in Mice. [Journal article]. *Neurochemical Research*, 1-10. doi: 10.1007/s11064-016-2117-4. <http://dx.doi.org/10.1007/s11064-016-2117-4>

Luo, T., Roman, P., Liu, C., Sun, X., Park, Y., & Hu, B. (2014). Upregulation of the GEF-H1 pathway after transient cerebral ischemia. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.10.016>. <http://www.sciencedirect.com/science/article/pii/S0014488614003525>

Luo, X. G., Chiu, K., Lau, F. H., Lee, V. W., Yung, K. K., & So, K. F. (2009). The Selective Vulnerability of Retinal Ganglion Cells in Rat Chronic Ocular Hypertension Model at Early Phase. *Cellular and Molecular Neurobiology*, 29(8), 1143-1151. doi.

Luo, Y., Shen, H., Liu, H. S., Yu, S. J., Reiner, D. J., Harvey, B. K., . . . Wang, Y. (2012). CART peptide induces neuroregeneration in stroke rats. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Luo, Y., Wang, Y., Kuang, S. Y., Chiang, Y. H., & Hoffer, B. (2010). Decreased level of Nurr1 in heterozygous young adult mice leads to exacerbated acute and long-term toxicity after repeated methamphetamine exposure. *PLoS ONE*, 5(12), e15193-e15193. doi.

Lurain, N. S., Hanson, B. A., Martinson, J., Leurgans, S. E., Landay, A. L., Bennett, D. A., & Schneider, J. A. (2013). Virological and Immunological Characteristics of Human Cytomegalovirus Infection Associated with Alzheimer's Disease. *Journal of Infectious Diseases*. doi: 10.1093/infdis/jit210. <http://jid.oxfordjournals.org/content/early/2013/05/09/infdis.jit210.abs..>

Lussier, A. L., Caruncho, H. J., & Kalynchuk, L. E. (2009). Repeated exposure to corticosterone, but not restraint, decreases the number of reelin-positive cells in the adult rat hippocampus. *Neuroscience Letters*, 460(2), 170-174. doi.

Lussier, A. L., Lebedeva, K., Fenton, E. Y., Guskjolen, A., Caruncho, H. J., & Kalynchuk, L. E. (2013). The progressive development of depression-like behavior in corticosterone-treated rats is paralleled by slowed granule cell maturation and decreased reelin expression in the adult dentate gyrus. *Neuropharmacology*, 71(0), 174-183. doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.04.012>. <http://www.sciencedirect.com/science/article/pii/S0028390813001494>

Lussier, A. L., Romay-Tallón, R., Kalynchuk, L. E., & Caruncho, H. J. (2011). Reelin as a putative vulnerability factor for depression: examining the depressogenic effects of repeated corticosterone in heterozygous reeler mice. *Neuropharmacology*, 60(7), 1064-1074. doi.

Lussier, S. J., & Stevens, H. E. (2016). Delays in GABAergic Interneuron Development and Behavioral Inhibition after Prenatal Stress. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22376. <http://dx.doi.org/10.1002/dneu.22376>

Luzzati, F., De Marchis, S., Fasolo, A., & Peretto, P. (2006). Neurogenesis in the Caudate Nucleus of the Adult Rabbit. *Journal of Neuroscience*, 26(2), 609-621. doi: 10.1523/jneurosci.4371-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/2/609>

Lv, E., Deng, J., Yu, Y., Wang, Y., Gong, X., Jia, J., & Wang, X. (2015). Nrf2-ARE signals mediated the anti-oxidative action of electro-acupuncture in an MPTP mouse model of Parkinson's disease. *Free Radical Research*, 0(ja), 1-30. doi: 10.3109/10715762.2015.1067696. <http://informahealthcare.com/doi/abs/10.3109/10715762.2015.1067696>

Lv, X., Ren, S.-Q., Zhang, X.-J., Shen, Z., Ghosh, T., Xianyu, A., . . . Shi, S.-H. (2019). TBR2 coordinates neurogenesis expansion and precise microcircuit organization via Protocadherin 19 in the mammalian cortex. *Nature Communications*, 10(1), 3946. doi: 10.1038/s41467-019-11854-x. <https://doi.org/10.1038/s41467-019-11854-x>

Ly, M., Foley, L., Manivannan, A., Hitchens, T. K., Richardson, R. M., & Modo, M. (2020). Mesoscale diffusion magnetic resonance imaging of the ex vivo human hippocampus. *Human Brain Mapping*, n/a(n/a). doi: 10.1002/hbm.25119. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hbm.25119>

Lynes, J., Wibowo, M., Koschmann, C., Baker, G., Saxena, V., Muhammad, A. K. M. G., . . . Lowenstein, P. (2014). Lentiviral-Induced High-Grade Gliomas in Rats: The Effects of PDGFB, HRAS-G12V, AKT, and IDH1-R132H. *Neurotherapeutics*, 1-13. doi: 10.1007/s13311-014-0269-y. <http://dx.doi.org/10.1007/s13311-014-0269-y>

Lyons, D. M., Buckmaster, P. S., Lee, A. G., Wu, C., Mitra, R., Duffey, L. M., . . . Schatzberg, A. F. (2010). Stress coping stimulates hippocampal neurogenesis in adult monkeys. *Proceedings of the National Academy of Sciences*, 107(33), 14823-14827. doi: 10.1073/Proceedings of the National Academy of Sciences.0914568107. <http://www.Proceedings of the National Academy of Sciences.org/content/107/33/14823.abstract>

Ma, E. L., Smith, A. D., Desai, N., Cheung, L., Hanscom, M., Stoica, B. A., . . . Faden, A. I. (2017). Bidirectional brain-gut interactions and chronic pathological changes after traumatic brain injury in mice. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2017.06.018>. <http://www.sciencedirect.com/science/article/pii/S0889159117302076>

Ma, L., Hu, B., Liu, Y., Vermilyea, S. á., Liu, H., Gao, L., . . . Zhang, S.-C. (2012). Human Embryonic Stem Cell-Derived GABA Neurons Correct Locomotion Deficits in Quinolinic Acid-Lesioned Mice. *Cell Stem Cell*, (0). doi: 10.1016/j.stem.2012.01.021. <http://www.sciencedirect.com/science/article/pii/S1934590912000719>

Ma, S., Blasiak, A., Olucha-Bordonau, F. E., Verberne, A. J. M., & Gundlach, A. L. (2013). Heterogeneous Responses of Nucleus Incertus Neurons to Corticotropin-Releasing Factor and Coherent Activity with Hippocampal Theta Rhythm in the Rat. *Journal of Physiology*. doi: 10.1113/jphysiol.2013.254300. <http://jp.physoc.org/content/early/2013/05/09/jphysiol.2013.254300.abstract>

Ma, S. Y., Longo, F. M., Roytta, M., & Collan, Y. (2003). Modern stereological evaluation in the aging human substantia nigra. *Image Analytical Stereology*, 22, 73-80. doi.

Ma, T. C., Buescher, J. L., Oatis, B., Funk, J. A., Nash, A. J., & Carrier, R. L. (2007). Metformin therapy in a transgenic mouse model of Huntington's disease. *Neuroscience Letters*, 411. doi: 10.1016/j.neulet.2006.10.039. <http://dx.doi.org/10.1016/j.neulet.2006.10.039>

Ma, Y., Lovekamp-Swan, T., Bekele, W., Dohi, A., & Schreihof, D. A. (2013). Hypoxia-Inducible Factor and Vascular Endothelial Growth Factor Are Targets of Dietary Soy During Acute Stroke in Female Rats. *Endocrinology*. doi: 10.1210/en.2012-2120. <http://endo.endojournals.org/content/early/2013/02/28/en.2012-2120.abstract>

Ma, Z., Zhang, T., Wang, R., Cheng, Z., Xu, H., Li, W., . . . Wang, X. (2011). Tissue factor-factor VIIa complex induces epithelial ovarian cancer cell invasion and metastasis through a monocytes-dependent mechanism. *International Journal of Gynecological Cancer*, 21(4), 616-616. doi.

Maass, F., Petersen, J., Hovakimyan, M., Schmitt, O., Witt, M., Hawlitschka, A., . . . Wree, A. (2014). Reduced cerebellar neurodegeneration after combined therapy with cyclodextrin/allopregnanolone and miglustat in NPC1: A mouse model of Niemann-Pick type C1 disease. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23509. <http://dx.doi.org/10.1002/jnr.23509>

Mabe, A. M., Hoard, J. L., Duffourc, M. M., & Hoover, D. B. (2006). Localization of cholinergic innervation and neurturin receptors in adult mouse heart and expression of the neurturin gene. *Cell and Tissue Research*, 326(1), 57-67. doi.

Mabe, A. M., & Hoover, D. B. (2009). Structural and functional cardiac cholinergic deficits in adult neurturin knockout mice. *Cardiovascular Research*, 82(1), 93-93. doi.

Mabe, A. M., & Hoover, D. B. (2011). Remodeling of cardiac cholinergic innervation and control of heart rate in mice with streptozotocin-induced diabetes. *Autonomic Neuroscience*. doi.

Macas, J., Ku, M.-C., Nern, C., Xu, Y., Bühler, H., Remke, M., . . . Momma, S. (2013). Generation of neuronal progenitor cells in response to tumors in the human brain. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1581. <http://dx.doi.org/10.1002/stem.1581>

Macauley, S. L., Roberts, M. S., Wong, A. M., McSloy, F., Reddy, A. S., Cooper, J. D., & Sands, M. S. (2012). Synergistic effects of central nervous system-directed gene therapy and bone marrow transplantation in the murine model of infantile neuronal ceroid lipofuscinosis. *Annals of Neurology*, 1531-8249 (Electronic). doi.

Macauley, S. L., Wozniak, D. F., Kielar, C., Tan, Y., Cooper, J. D., & Sands, M. S. (2009). Cerebellar pathology and motor deficits in the palmitoyl protein thioesterase 1-deficient mouse. *Experimental Neurology*, 217(1), 124-135. doi: 10.1016/j.expneurol.2009.01.022. <http://www.sciencedirect.com/science/article/pii/S001448860900405>

MacDonald, C. L., Dikranian, K., Bayly, P., Holtzman, D., & Brody, D. (2007). Diffusion Tensor Imaging Reliably Detects Experimental Traumatic Axonal Injury and Indicates Approximate Time of Injury. *Journal of Neuroscience*, 27(44), 11869-11876. doi: 10.1523/jneurosci.3647-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/44/11869>

MacDonald, C. L., Dikranian, K., Song, S. K., Bayly, P. V., Holtzman, D. M., & Brody, D. L. (2007). Detection of traumatic axonal injury with diffusion tensor imaging in a mouse model of traumatic brain injury. *Experimental Neurology*, 205(1), 116-131. doi.

Macdonald, J. A., Bronner, I. F., Drynan, L., Fan, J., Curry, A., Fraser, G., . . . Goedert, M. (2019). Assembly of transgenic human P301S Tau is necessary for neurodegeneration in murine spinal cord. [journal article]. *Acta Neuropathologica Communications*, 7(1), 44. doi: 10.1186/s40478-019-0695-5. <https://doi.org/10.1186/s40478-019-0695-5>

Machado, V., Gilsbach, R., Das, R., Schober, A., Bogatyreva, L., Hauschke, D., . . . Spittau, B. (2016). Gdf-15 deficiency does not alter vulnerability of nigrostriatal dopaminergic system in MPTP-intoxicated mice. [journal article]. *Cell and Tissue Research*, 1-15. doi: 10.1007/s00441-016-2406-x. <http://dx.doi.org/10.1007/s00441-016-2406-x>

Machado, V., Haas, S. J. P., von Bohlen und Halbach, O., Wree, A., Krieglstein, K., Unsicker, K., & Spittau, B. (2015). Growth/differentiation factor-15 deficiency compromises dopaminergic neuron survival and microglial response in the 6-hydroxydopamine mouse model of Parkinson's disease. *Neurobiology of Disease*.

doi: <http://dx.doi.org/10.1016/j.nbd.2015.12.016> <http://www.sciencedirect.com/science/article/pii/S0969996115301182>

Maciag, D., Hughes, J., O'Dwyer, G., Pride, Y., Stockmeier, C. A., Sanacora, G., & Rajkowska, G. (2010). Reduced density of calbindin immunoreactive GABAergic neurons in the occipital cortex in major depression: relevance to neuroimaging studies. *Biological Psychiatry*, 67(5), 465-470. doi.

Maćkowiak, M., Bator, E., Latusz, J., Mordalska, P., & Wędzony, K. (2013). Prenatal MAM administration affects histone H3 methylation in postnatal life in the rat medial prefrontal cortex. *European Neuropsychopharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.euroneuro.2013.05.013> <http://www.sciencedirect.com/science/article/pii/S0924977X13001752>

Maćkowiak, M., Mordalska, P., Dudys, D., Korostynski, M., Bator, E., & Wedzony, K. (2011). Cocaine enhances ST8Siall mRNA expression and NCAM polysialylation in the rat medial prefrontal cortex. *Neuroscience*. doi.

MacLean, J. N., Fenstermaker, V., Watson, B. O., & Yuste, R. (2006). A visual thalamocortical slice. *Nature Methods*, 3, 129-134. doi.

MacLeod, J. E., & Bucci, D. J. (2010). Contributions of the subregions of the medial prefrontal cortex to negative occasion setting. *Behavioral Neuroscience*, 124(3), 321-321. doi.

Macri, S., Biamonte, F., Romano, E., Marino, R., Keller, F., & Laviola, G. (2010). Perseverative responding and neuroanatomical alterations in adult heterozygous reeler mice are mitigated by neonatal estrogen administration. *Psychoneuroendocrinology*, 35(9), 1374-1387. doi.

Madaro, L., Antonangeli, F., Favia, A., Esposito, B., Biamonte, F., Bouché, M., . . . D'Alessio, A. (2013). Knock down of caveolin-1 affects morphological and functional hallmarks of human endothelial cells. *Journal of Cellular Biochemistry*, n/a-n/a. doi: 10.1002/jcb.24526. <http://dx.doi.org/10.1002/jcb.24526>

Madeo, M., Colbert, P. L., Vermeer, D. W., Lucido, C. T., Cain, J. T., Vichaya, E. G., . . . Vermeer, P. D. (2018). Cancer exosomes induce tumor innervation. *Nature Communications*, 9(1), 4284. doi: 10.1038/s41467-018-06640-0. <https://doi.org/10.1038/s41467-018-06640-0>

Madhavadas, S., & Subramanian, S. (2016). Cognition enhancing effect of the aqueous extract of *Cinnamomum zeylanicum* on non-transgenic Alzheimer's disease rat model: Biochemical, histological, and behavioural studies. *Nutritional Neuroscience*, 1-12. doi. <http://www.tandfonline.com/doi/abs/10.1080/1028415X.2016.1194593>

Madhavadas, S., Subramanian, S., & Kutty, B. (2017). Environmental enrichment improved cognitive deficits more in peri-adolescent than in adult rats after postnatal monosodium glutamate treatment. *Physiology international*, 104(4), 271-290. doi. <http://akademai.com/doi/abs/10.1556/2060.104.2017.4.7>

Madhavan, L., Daley, B. F., Sortwell, C. E., & Collier, T. J. (2012). Endogenous neural precursors influence grafted neural stem cells and contribute to neuroprotection in the parkinsonian rat. *European Journal of Neuroscience*, 35(6), 883-895. doi.

Madhu, L. N., Kodali, M., Attaluri, S., Shuai, B., Melissari, L., Rao, X., & Shetty, A. K. (2021). Melatonin improves brain function in a model of chronic Gulf War illness with modulation of oxidative stress,

NLRP3 inflammasomes, and BDNF-ERK-CREB pathway in the hippocampus. *Redox Biology*, 43, 101973.

doi: <https://doi.org/10.1016/j.redox.2021.101973>. <https://www.sciencedirect.com/science/article/pii/S221323172100121X>

Madsen, H. B., Navaratnarajah, S., Farrugia, J., Djouma, E., Ehrlich, M., Mantamadiotis, T., . . . Lawrence, A. J. (2012). CREB1 and CREB-binding protein in striatal medium spiny neurons regulate behavioural responses to psychostimulants. *Psychopharmacology*, 1-15. doi.

Madsen, P. M., Desu, H. L., Pablo de Rivero Vaccari, J., Florimon, Y., Ellman, D. G., Keane, R. W., . . . Brambilla, R. (2019). Oligodendrocytes modulate the immune-inflammatory response in EAE via TNFR2 signaling. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.11.017>. <http://www.sciencedirect.com/science/article/pii/S0889159119307962>

Madsen, P. M., Pinto, M., Patel, S., McCarthy, S., Gao, H., Taherian, M., . . . Brambilla, R. (2017). Mitochondrial DNA double-strand breaks in oligodendrocytes cause demyelination, axonal injury and CNS inflammation. [10.1523/JNEUROSCI.1378-17.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/09/20/JNEUROSCI.1378-17.2017...>

Madsen, P. M., Sloley, S. S., Vitores, A. A., Carballosa-Gautam, M. M., Brambilla, R., & Hentall, I. D. (2017). Prolonged stimulation of a brainstem raphe region attenuates experimental autoimmune encephalomyelitis. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.01.037>. <http://www.sciencedirect.com/science/article/pii/S0306452217300507>

Madsen, T. M., Yeh, D. D., Valentine, G. W., & Duman, R. S. (2005). Electroconvulsive Seizure Treatment Increases Cell Proliferation in Rat Frontal Cortex. *Neuropsychopharmacology*, 30, 27-34. doi.

Maduka, U. P., Hamity, M. V., Walder, R. Y., White, S. R., Li, Y., & Hammond, D. L. (2016). Changes in the disposition of substance P in the rostral ventromedial medulla after inflammatory injury in the rat. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.12.054>. <http://www.sciencedirect.com/science/article/pii/S0306452216000038>

Maeda, S., Djukic, B., Taneja, P., Yu, G. Q., Lo, I., Davis, A., . . . Kim, D. (2016). Expression of A152T human tau causes age-dependent neuronal dysfunction and loss in transgenic mice. *EMBO reports*, e201541438. doi. <http://embor.embopress.org/content/early/2016/03/01/embr.201541438.export>

Maeda, S., Sahara, N., Saito, Y., Murayama, M., Yoshiike, Y., & Kim, H. (2007). Granular tau oligomers as intermediates of tau filaments. *Biochemistry*, 46. doi: 10.1021/bi061359o. <http://dx.doi.org/10.1021/bi061359o>

Maes, W., Deroose, C., Reumers, V., Krylyshkina, O., Gijssbers, R., Baekelandt, V., . . . Van Gool, S. W. (2009). In vivo bioluminescence imaging in an experimental mouse model for dendritic cell based immunotherapy against malignant glioma. *Journal of Neuro-Oncology*, 91(2), 127-139. doi.

Maffucci, J. A., Noel, M. L., Gillette, R., Wu, D., & Gore, A. C. (2009). Age- and Hormone-Regulation of N-Methyl-d-Aspartate Receptor Subunit NR2b in the Anteroventral Periventricular Nucleus of the Female Rat: Implications for Reproductive Senescence. *Journal of Neuroendocrinology*, 21(5), 506-517. doi.

- Mafi, A. M., Hofer, L. N., Russ, M. G., Young, J. W., & Mellott, J. G. (2020). The Density of Perineuronal Nets Increases With Age in the Inferior Colliculus in the Fischer Brown Norway Rat. [Original Research]. *Frontiers in Aging Neuroscience*, 12(27). doi: 10.3389/fnagi.2020.00027. <https://www.frontiersin.org/article/10.3389/fnagi.2020.00027>
- Magalhães, S. A., Foresti, M. L., Barros, V. N., & Mello, L. E. (2020). Marmosets have a greater diversity of c-Fos response after hyperstimulation in distinct cortical regions as compared to rats. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25044. <https://doi.org/10.1002/cne.25044>
- Magariños, A. M., Li, C. J., Gal Toth, J., Bath, K. G., Jing, D., Lee, F. S., & McEwen, B. S. (2011). Effect of brain-derived neurotrophic factor haploinsufficiency on stress-induced remodeling of hippocampal neurons. *Hippocampus*, 21(3), 253-264. doi: 10.1002/hipo.20744. <http://dx.doi.org/10.1002/hipo.20744>
- Magen, I., Ostritsky, R., Richter, F., Zhu, C., Fleming, S. M., Lemesre, V., . . . Chesselet, M.-F. (2014). Intranasal NAP (davunetide) decreases tau hyperphosphorylation and moderately improves behavioral deficits in mice overexpressing α -synuclein. *Pharmacology Research & Perspectives*, 2(5), n/a-n/a. doi: 10.1002/prp2.65. <http://dx.doi.org/10.1002/prp2.65>
- Magill, C. K., Tuffaha, S. H., Yee, A., Luciano, J. P., Hunter, D. A., Mackinnon, S. E., & Borschel, G. H. (2009). The Short-and Long-Term Effects of Seprafilm on Peripheral Nerves: A Histological and Functional Study. *Journal of Reconstructive Microsurgery*, 25(06), 345-354. doi: 10.1002/rm.20744
- Magnain, C., Augustinack, J. C., Konukoglu, E., Frosch, M. P., Sakadžić, S., Varjabedian, A., . . . Fischl, B. (2015). Optical coherence tomography visualizes neurons in human entorhinal cortex. *Neurophotonics*, 2(1), 015004-015004. doi: 10.1117/1.NPh.2.1.015004. <http://dx.doi.org/10.1117/1.NPh.2.1.015004>
- Magnoni, R., Palmfeldt, J., Christensen, J. H., Sand, M., Maltecca, F., Corydon, T. J., . . . Bross, P. (2013). Late onset motoneuron disorder caused by mitochondrial Hsp60 chaperone deficiency in mice. *Neurobiology of Disease*, 54(0), 12-23. doi: <http://dx.doi.org/10.1016/j.nbd.2013.02.012>. <http://www.sciencedirect.com/science/article/pii/S0969996113000740>
- Magnuson, B., Ekim, B., & Fingar, D. C. (2012). Regulation and function of ribosomal protein S6 kinase (S6K) within mTOR signalling networks. *Biochemical Journal*, 441. doi: 10.1042/bj20110892. <http://dx.doi.org/10.1042/bj20110892>
- Mahajan, G. J., Vallender, E. J., Garrett, M. R., Challagundla, L., Overholser, J. C., Jurjus, G., . . . Stockmeier, C. A. (2017). Altered neuro-inflammatory gene expression in hippocampus in major depressive disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. doi: <https://doi.org/10.1016/j.pnpbp.2017.11.017>. <http://www.sciencedirect.com/science/article/pii/S0278584617307790>
- Mahar, I., Labonte, B., Yogendran, S., Isingrini, E., Perret, L., Davoli, M. A., . . . Mechawar, N. (2017). Disrupted hippocampal neuregulin-1/ErbB3 signaling and dentate gyrus granule cell alterations in suicide. [Original Article]. *Transl Psychiatry*, 7, e1161. doi: 10.1038/tp.2017.132. <http://dx.doi.org/10.1038/tp.2017.132>
- Mahar, I., Tan, S., Davoli, M. A., Dominguez-Lopez, S., Qiang, C., Rachalski, A., . . . Mechawar, N. (2011). Subchronic Peripheral Neuregulin-1 Increases Ventral Hippocampal Neurogenesis and Induces Antidepressant-Like Effects. *PLoS ONE*, 6(10), e26610-e26610. doi: 10.1371/journal.pone.0026610

Mahati, K., Bhagya, V., Christofer, T., Sneha, A., & Shankaranarayana Rao, B. S. (2016). Enriched environment ameliorates depression-induced cognitive deficits and restores abnormal hippocampal synaptic plasticity. *Neurobiology of Learning and Memory*. doi: <http://dx.doi.org/10.1016/j.nlm.2016.08.017>. <http://www.sciencedirect.com/science/article/pii/S1074742716301605>

Mahler, S. V., & Aston-Jones, G. S. (2012). Fos Activation of Selective Afferents to Ventral Tegmental Area during Cue-Induced Reinstatement of Cocaine Seeking in Rats. *Journal of Neuroscience*, 32(38), 13309-13325. doi: 10.1523/jneurosci.2277-12.2012. <http://www.jneurosci.org/content/32/38/13309.abstract>

Mahler, S. V., Vazey, E. M., Beckley, J. T., Keistler, C. R., McGlinchey, E. M., Kaufling, J., . . . Aston-Jones, G. (2014). Designer receptors show role for ventral pallidum input to ventral tegmental area in cocaine seeking. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3664.html>

Maia, G. H., Brazete, C. S., Soares, J. I., Luz, L. L., & Lukoyanov, N. V. (2017). Serotonin depletion increases seizure susceptibility and worsens neuropathological outcomes in kainate model of epilepsy. *Brain Research Bulletin*, 134, 109-120. doi: <https://doi.org/10.1016/j.brainresbull.2017.07.009>. <http://www.sciencedirect.com/science/article/pii/S0361923017300862>

Maia, G. H., Soares, J. I., Almeida, S. G., Leite, J. M., Baptista, H. X., Lukoyanova, A. N., . . . Lukoyanov, N. V. (2019). Altered serotonin innervation in the rat epileptic brain. *Brain Research Bulletin*, 152, 95-106. doi: <https://doi.org/10.1016/j.brainresbull.2019.07.009>. <http://www.sciencedirect.com/science/article/pii/S0361923018308049>

Maia, G. H., Soares, J. I., Andrade, P. A., Leite, J. F., Luz, L. L., Andrade, J. P., & Lukoyanov, N. V. (2015). Altered taste preference and loss of limbic-projecting serotonergic neurons in the dorsal raphe nucleus of chronically epileptic rats. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2015.10.010>. <http://www.sciencedirect.com/science/article/pii/S0166432815302242>

Maia, L. F., Kaeser, S. A., Reichwald, J., Hruscha, M., Martus, P., Staufienbiel, M., & Jucker, M. (2013). Changes in Amyloid- β and Tau in the Cerebrospinal Fluid of Transgenic Mice Overexpressing Amyloid Precursor Protein. *Science translational medicine*, 5(194), 194re192. doi: 10.1126/scitranslmed.3006446. <http://stm.sciencemag.org/content/5/194/194re2.abstract>

Main, B. S., Zhang, M., Brody, K. M., Ayton, S., Frugier, T., Steer, D., . . . Taylor, J. M. (2016). Type-1 interferons contribute to the neuroinflammatory response and disease progression of the MPTP mouse model of Parkinson's disease. *Glia*, n/a-n/a. doi: 10.1002/glia.23028. <http://dx.doi.org/10.1002/glia.23028>

Mainardi, M., Pietrasanta, M., Vannini, E., Rossetto, O., & Caleo, M. (2012). Tetanus neurotoxin-induced epilepsy in mouse visual cortex. *Epilepsia*. doi:

Maiti, P., Gregg, L. C., & McDonald, M. P. (2015). MPTP-induced executive dysfunction is associated with altered prefrontal serotonergic function. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2015.09.014>. <http://www.sciencedirect.com/science/article/pii/S016643281530187X>

Majcher-Maślanka, I., Solarz, A., & Chocyk, A. (2019). Maternal separation disturbs postnatal development of the medial prefrontal cortex and affects the number of neurons and glial cells in

adolescent rats. *Neuroscience*.

doi: <https://doi.org/10.1016/j.neuroscience.2019.10.033>. <http://www.sciencedirect.com/science/article/pii/S0306452219307250>

Majcher-Maślanka, I., Solarz, A., Wędzony, K., & Chocyk, A. (2017). The effects of early-life stress on dopamine system function in adolescent female rats. *International Journal of Developmental Neuroscience*.

doi: <http://dx.doi.org/10.1016/j.ijdevneu.2017.01.001>. <http://www.sciencedirect.com/science/article/pii/S0736574816303367>

Majcher-Maślanka, I., Solarz, A., Wędzony, K., & Chocyk, A. (2018). Previous Early-life Stress Modifies Acute Corticosterone-induced Synaptic Plasticity in the Medial Prefrontal Cortex of Adolescent Rats. *Neuroscience*.

doi: <https://doi.org/10.1016/j.neuroscience.2018.03.038>. <https://www.sciencedirect.com/science/article/pii/S030645221830229X>

Majewski-Tiedeken, C. R., Rabin, C. R., & Siegel, S. J. (2008). Ketamine exposure in adult mice leads to increased cell death in C3H, DBA2 and FVB inbred mouse strains. *Drug and Alcohol Dependence*, 92(1), 217-227. doi:

Major, T., Menon, J., Auyeung, G., Soldner, F., Hockemeyer, D., Jaenisch, R., & Tabar, V. (2011). Transgene Excision Has No Impact on In Vivo Integration of Human iPS Derived Neural Precursors. *PLoS ONE*, 6(9), e24687-e24687. doi:

Mak, G. K., Antle, M. C., Dyck, R. H., & Weiss, S. (2013). Bi-Parental Care Contributes to Sexually Dimorphic Neural Cell Genesis in the Adult Mammalian Brain. *Plos one*, 8(5), e62701. doi: 10.1371/journal.pone.0062701. <http://dx.doi.org/10.1371%2Fjournal.pone.0062701>

Mak, K. K. L., & Chan, S. Y. (2003). Epidermal Growth Factor as a Biologic Switch in Hair Growth Cycle. *Journal of Biological Chemistry*, 278(28), 26120-26126. doi: 10.1074/jbc.M212082200. <http://www.jbc.org/cgi/content/abstract/278/28/26120>

Mak, S. K., Huang, Y. A., Iranmanesh, S., Vangipuram, M., Sundararajan, R., Nguyen, L., . . . Schüle, B. (2012). Small Molecules Greatly Improve Conversion of Human-Induced Pluripotent Stem Cells to the Neuronal Lineage. *Stem Cells International*, 2012. doi:

Makinodan, M., Rosen, K. M., Ito, S., & Corfas, G. (2012). A Critical Period for Social Experience-Dependent Oligodendrocyte Maturation and Myelination. *Science*, 337(6100), 1357-1360. doi: 10.1126/science.1220845. <http://www.sciencemag.org/content/337/6100/1357.short>

Makinson, C. D., Tanaka, B. S., Sorokin, J. M., Wong, J. C., Christian, C. A., Goldin, A. L., . . . Huguenard, J. R. (2017). Regulation of Thalamic and Cortical Network Synchrony by Scn8a. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2017.01.031>. <http://www.sciencedirect.com/science/article/pii/S0896627317300557>

Malagelada, C., Jin, Z. H., Jackson-Lewis, V., Przedborski, S., & Greene, L. A. (2010). Rapamycin Protects against Neuron Death in In Vitro and In Vivo Models of Parkinson's Disease. *Journal of Neuroscience*, 30(3), 1166-1175. doi: 10.1523/jneurosci.3944-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/3/1166>

Malchow, B., Strocka, S., Frank, F., Bernstein, H.-G., Steiner, J., Schneider-Axmann, T., . . . Schmitt, A. (2014). Stereological investigation of the posterior hippocampus in affective disorders. *Journal of*

Neural Transmission, 1-15. doi: 10.1007/s00702-014-1316-x. <http://dx.doi.org/10.1007/s00702-014-1316-x>

Maldonado-Avilés, J. G., Wu, Q., Sampson, A. R., & Lewis, D. A. (2006). Somal size of immunolabeled pyramidal cells in the prefrontal cortex of subjects with schizophrenia. *Biological Psychiatry*, 60(3), 226-234. doi.

Maldonado-Lasunción, I., Haggerty, A. E., Okuda, A., Mihara, T., de la Oliva, N., Verhaagen, J., & Oudega, M. (2021). The Effect of Inflammatory Priming on the Therapeutic Potential of Mesenchymal Stromal Cells for Spinal Cord Repair. *Cells*, 10(6). doi: 10.3390/cells10061316.

Malheiros-Lima, M. R., Silva, J. N., Souza, F. C., Takakura, A. C., & Moreira, T. S. (2020). C1 neurons are part of the circuitry that recruits active expiration in response to the activation of peripheral chemoreceptors. *eLife*, 9, e52572. doi:

10.7554/eLife.52572. <https://pubmed.ncbi.nlm.nih.gov/31971507>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7010411/>

Malipatlolla, D. K., Patel, P., Sjöberg, F., Devarakonda, S., Kalm, M., Angenete, E., . . . Bull, C. (2019). Long-term mucosal injury and repair in a murine model of pelvic radiotherapy. *Scientific Reports*, 9(1), 13803. doi: 10.1038/s41598-019-50023-4. <https://doi.org/10.1038/s41598-019-50023-4>

Maloney, S. E., Noguchi, K. K., Wozniak, D. F., Fowler, S. C., & Farber, N. B. (2011). Long-term Effects of Multiple Glucocorticoid Exposures in Neonatal Mice. *Behavioral Sciences*, 1(1), 4-30. doi.

Maloney, S. E., Yuede, C. M., Creeley, C. E., Williams, S. L., Huffman, J. N., Taylor, G. T., . . . Wozniak, D. F. (2019). Repeated neonatal isoflurane exposures in the mouse induce apoptotic degenerative changes in the brain and relatively mild long-term behavioral deficits. *Scientific Reports*, 9(1), 2779. doi: 10.1038/s41598-019-39174-6. <https://doi.org/10.1038/s41598-019-39174-6>

Malter Cohen, M., Jing, D., Yang, R. R., Tottenham, N., Lee, F. S., & Casey, B. J. (2013). Early-life stress has persistent effects on amygdala function and development in mice and humans. *Proceedings of the National Academy of Sciences*. doi:

10.1073/pnas.1310163110. <http://www.pnas.org/content/early/2013/10/15/1310163110.abstract>

Manaye, K. F., Allard, J. S., Kalifa, S., Drew, A. C., Xu, G., Ingram, D. K., . . . Mouton, P. R. (2011). 17 α -Estradiol Attenuates Neuron Loss in Ovariectomized Dtg A β PP/PS1 Mice. *Journal of Alzheimer's Disease*, 23(4), 629-639. doi.

Manaye, K. F., Mouton, P. R., Xu, G., Drew, A., Lei, D. L., Sharma, Y., . . . Turner, S. (2011). Age-related loss of noradrenergic neurons in the brains of triple transgenic mice. *AGE*, 1-9. doi.

Mandell, J. G., Hill, K. L., Nguyen, D. T., Moser, K. W., Harbaugh, R. E., McInerney, J., . . . Warf, B. C. (2014). Volumetric brain analysis in neurosurgery: Part 3. Volumetric CT analysis as a predictor of seizure outcome following temporal lobectomy. *Journal of Neurosurgery: Pediatrics*, 1-11. doi. <http://thejns.org/action/showCitFormats?doi=10.3171%2F2014.9.PEDS12428>

Mandell, J. G., Langelaan, J. W., Webb, A. G., & Schiff, S. J. (2014). Volumetric brain analysis in neurosurgery: Part 1. Particle filter segmentation of brain and cerebrospinal fluid growth dynamics from MRI and CT images. *Journal of Neurosurgery: Pediatrics*, 1-12. doi. <http://thejns.org/doi/abs/10.3171/2014.9.PEDS12426>

Mandler, M., Rockenstein, E., Overk, C., Mante, M., Florio, J., Adame, A., . . . Rissman, R. A. (2019). Effects of single and combined immunotherapy approach targeting amyloid β protein and α -synuclein in a dementia with Lewy bodies-like model. *Alzheimer's & Dementia*. doi: <https://doi.org/10.1016/j.jalz.2019.02.002>. <http://www.sciencedirect.com/science/article/pii/S152526019300718>

Mandolesi, G., De Vito, F., Musella, A., Gentile, A., Bullitta, S., Fresegna, D., . . . Mori, F. (2016). miR-142-3p is a key regulator of IL-1 β -dependent synaptopathy in neuroinflammation. *Journal of Neuroscience*, 0851-0816. doi: <http://www.jneurosci.org/content/early/2016/12/05/JNEUROSCI.0851-16.2016>

Mandyam, C. D., Crawford, E. F., Eisch, A. J., Rivier, C. L., & Richardson, H. N. (2008). Stress experienced in utero reduces sexual dichotomies in neurogenesis, microenvironment, and cell death in the adult rat hippocampus. *Developmental Neurobiology*, 68(5), 575-589. doi.

Mandyam, C. D., Wee, S., Crawford, E. F., Eisch, A. J., Richardson, H. N., & Koob, G. F. (2008). Varied access to intravenous methamphetamine self-administration differentially alters adult hippocampal neurogenesis. *Biological Psychiatry*, 64(11), 958-965. doi.

Mandyam, C. D., Wee, S., Eisch, A. J., Richardson, H. N., & Koob, G. F. (2007). Methamphetamine Self-Administration and Voluntary Exercise Have Opposing Effects on Medial Prefrontal Cortex Gliogenesis. *Journal of Neuroscience*, 27(42), 11442-11450. doi: 10.1523/jneurosci.2505-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/42/11442>

Manfredsson, F. P., Burger, C., Sullivan, L. F., Muzyczka, N., Lewin, A. S., & Mandel, R. J. (2007). rAAV-mediated nigral human parkin over-expression partially ameliorates motor deficits via enhanced dopamine neurotransmission in a rat model of Parkinson's disease. *Experimental Neurology*, 207, 289-301. doi.

Mangano, E. N., Litteljohn, D., So, R., Nelson, E., Peters, S., Bethune, C., . . . Hayley, S. (2011). Interferon- γ plays a role in paraquat-induced neurodegeneration involving oxidative and proinflammatory pathways. *Neurobiology of Aging*. doi.

Manger, P. R., Patzke, N., Spocter, M. A., Bhagwandin, A., Karlsson, K. \AA ., Bertelsen, M. F., . . . Fuxe, K. (2021). Amplification of potential thermogenetic mechanisms in cetacean brains compared to artiodactyl brains. *Scientific Reports*, 11(1), 5486. doi: 10.1038/s41598-021-84762-0. <https://doi.org/10.1038/s41598-021-84762-0>

Mangus, L. M., Dorsey, J. L., Weinberg, R. L., Ebenezer, G. J., Hauer, P., Laast, V. A., & Mankowski, J. L. (2016). Tracking Epidermal Nerve Fiber Changes in Asian Macaques: Tools and Techniques for Quantitative Assessment. *Toxicologic Pathology*. doi: 10.1177/0192623316650286. <http://tpx.sagepub.com/content/early/2016/05/26/0192623316650286.abstract>

Mangus, L. M., Rao, D. B., & Ebenezer, G. J. (2019). Intraepidermal Nerve Fiber Analysis in Human Patients and Animal Models of Peripheral Neuropathy: A Comparative Review. *Toxicologic Pathology*, 0192623319855969. doi: 10.1177/0192623319855969. <https://doi.org/10.1177/0192623319855969>

Manhas, N., Shi, Y., Taunton, J., & Sun, D. (2010). p90RSK activation contributes to cerebral ischemic damage via phosphorylation of Na⁺/H⁺ exchanger isoform 1. *Journal of Neurochemistry*, 114(5), 1476-1486. doi.

- Mani, B. K., Osborne-Lawrence, S., Mequinion, M., Lawrence, S., Gautron, L., Andrews, Z. B., & Zigman, J. M. (2017). The role of ghrelin-responsive mediobasal hypothalamic neurons in mediating feeding responses to fasting. *Molecular Metabolism*. doi: 10.1016/j.molmet.2017.06.011. <http://dx.doi.org/10.1016/j.molmet.2017.06.011>
- Manitt, C., Eng, C., Pokinko, M., Ryan, R., Torres-Berrio, A., Lopez, J., . . . Schmidt, E. (2013). dcc orchestrates the development of the prefrontal cortex during adolescence and is altered in psychiatric patients. *Translational Psychiatry*, 3(12), e338. doi: <http://www.nature.com/tp/journal/v3/n12/full/tp2013105a.html>
- Manitt, C., Mimee, A., Eng, C., Pokinko, M., Stroh, T., Cooper, H. M., . . . Flores, C. (2011). The Netrin Receptor DCC Is Required in the Pubertal Organization of Mesocortical Dopamine Circuitry. *Journal of Neuroscience*, 31(23), 8381-8394. doi: 10.1523/jneurosci.0606-11.2011. <http://www.jneurosci.org/content/31/23/8381.abstract>
- Manley, N. R., Selleri, L., Brendolan, A., Gordon, J., & Cleary, M. L. (2004). Abnormalities of caudal pharyngeal pouch development in Pbx1 knockout mice mimic loss of Hox3 paralogs. *Developmental Biology*, 276(2), 301-312. doi:
- Manno, I., Macchi, F., Caleo, M., & Bozzi, Y. (2011). Environmental enrichment reduces spontaneous seizures in the Q54 transgenic mouse model of temporal lobe epilepsy. *Epilepsia*, 52(9), e113-e117. doi: 10.1111/j.1528-1167.2011.03166.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03166.x>
- Manns, M., Bichler, Z., Leske, O., & Heumann, R. (2010). Neuronal Ras activation inhibits adult hippocampal progenitor cell division and impairs spatial short-term memory. *Genes, Brain and Behavior*, 9(5), 525-536. doi:
- Manocha, G. D., Floden, A. M., Puig, K. L., Nagamoto-Combs, K., Scherzer, C. R., & Combs, C. K. (2017). Defining the contribution of neuroinflammation to Parkinson's disease in humanized immune system mice. [journal article]. *Molecular Neurodegeneration*, 12(1), 17. doi: 10.1186/s13024-017-0158-z. <http://dx.doi.org/10.1186/s13024-017-0158-z>
- Manocha, G. D., Floden, A. M., Rausch, K., Kulas, J. A., McGregor, B. A., Rojanathammanee, L., . . . Nichols, M. R. (2016). APP Regulates Microglial Phenotype in a Mouse Model of Alzheimer's Disease. *The Journal of Neuroscience*, 36(32), 8471-8486. doi: <https://scholar.google.com/scholar?hl=en&q=APP+Regulates+Microglial+Phen..>
- Manohar, A., Foffani, G., Ganzer, P. D., Bethea, J. R., & Moxon, K. (2017). Cortex-dependent recovery of unassisted hindlimb locomotion after complete spinal cord injury in adult rats. *eLife*, 6, e23532. doi:
- Manuel, M. N., Martynoga, B., Molinek, M. D., Quinn, J. C., Kroemmer, C., Mason, J. O., . . . others. (2011). The transcription factor Foxg1 regulates telencephalic progenitor proliferation cell autonomously, in part by controlling Pax6 expression levels. *Neural development*, 6(1), 9-9. doi:
- Manzanero, S., Erion, J. R., Santro, T., Steyn, F. J., Chen, C., Arumugam, T. V., & Stranahan, A. M. (2014). Intermittent fasting attenuates increases in neurogenesis after ischemia and reperfusion and improves recovery. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm201436a.html>
- Mao, H., Gorbatyuk, M. S., Hauswirth, W. W., & Lewin, A. S. (2012). Gene Delivery of Wild-Type Rhodopsin Rescues Retinal Function in an Autosomal Dominant Retinitis Pigmentosa Mouse Model. *Retinal Degenerative Diseases*, 199-205. doi:

Mao, H., Gorbatyuk, M. S., Rossmiller, B., Hauswirth, W. W., & Lewin, A. S. (2012). Long Term Rescue of Retinal Structure and Function in P23H RHO Transgenic Mice by Rhodopsin RNA Replacement with a Single AAV Vector. *Human Gene Therapy*, (ja). doi.

Mao, H., James Jr, T., Schwein, A., Shabashvili, A. E., Hauswirth, W. W., Gorbatyuk, M. S., & Lewin, A. S. (2010). AAV delivery of wild-type rhodopsin preserves retinal function in a mouse model of autosomal dominant retinitis pigmentosa. *Human Gene Therapy*, 22(5), 567-575. doi.

Mao, Z., Liu, C., Ji, S., Yang, Q., Ye, H., Han, H., & Xue, Z. (2017). The NLRP3 Inflammasome is Involved in the Pathogenesis of Parkinson's Disease in Rats. [journal article]. *Neurochemical Research*, 1-12. doi: 10.1007/s11064-017-2185-0. <http://dx.doi.org/10.1007/s11064-017-2185-0>

Mao, Z.-F., Ouyang, S.-H., Zhang, Q.-Y., Wu, Y.-P., Wang, G.-E., Tu, L.-F., . . . He, R.-R. (2020). New insights into the effects of caffeine on adult hippocampal neurogenesis in stressed mice: Inhibition of CORT-induced microglia activation. *The FASEB Journal*, n/a(n/a). doi: 10.1096/fj.202000146RR. <https://faseb.onlinelibrary.wiley.com/doi/abs/10.1096/fj.202000146RR>

Mapstone, M., Weintraub, S., Nowinski, C., Kaptanoglu, G., Gitelman, D. R., Mesulam, M., & others. (2003). Cerebral hemispheric specialization for spatial attention: Spatial distribution of search-related eye fixations in the absence of neglect. *Neuropsychologia*, 41(10), 1396-1409. doi.

Maragakis, N. J., & Rothstein, J. D. (2006). Mechanisms of disease: astrocytes in neurodegenerative disease. *Nat Clin Pract Neurol*, 2. doi: 10.1038/ncpneuro0355. <http://dx.doi.org/10.1038/ncpneuro0355>

Marcario, J. K., Manaye, K. F., SantaCruz, K. S., Mouton, P. R., Berman, N. E. J., & Cheney, P. D. (2004). Severe subcortical degeneration in macaques infected with neurovirulent simian immunodeficiency virus. *Journal of Neurovirology*, 10(6), 387-399. doi.

Marchese, E., Di Maria, V., Samengo, D., Pani, G., Michetti, F., & Geloso, M. C. (2017). Post-natal Deletion of Neuronal cAMP Responsive-Element Binding (CREB)-1 Promotes Pro-inflammatory Changes in the Mouse Hippocampus. [journal article]. *Neurochemical Research*, 1-16. doi: 10.1007/s11064-017-2233-9. <http://dx.doi.org/10.1007/s11064-017-2233-9>

Marchini, M., & Rolian, C. (2018). Artificial selection sheds light on developmental mechanisms of limb elongation. *Evolution*, n/a-n/a. doi: 10.1111/evo.13447. <http://dx.doi.org/10.1111/evo.13447>

Marchionini, D. M., Lehrmann, E., Chu, Y., He, B., Sortwell, C. E., Becker, K. G., . . . Collier, T. J. (2007). Role of heparin binding growth factors in nigrostriatal dopamine system development and Parkinson's disease. *Brain Research*, 1147, 77-88. doi.

Marcillo, A., Frydel, B., Bramlett, H. M., & Dietrich, W. D. (2011). A reassessment of P2X7 receptor inhibition as a neuroprotective strategy in rat models of contusion injury. *Experimental Neurology*. doi.

Marcos, R., Monteiro, R. A. F., & Rocha, E. (2012). The use of design-based stereology to evaluate volumes and numbers in the liver: a review with practical guidelines. *Journal of Anatomy*. doi.

Marek, N., Krzystyniak, A., Ergenc, I., Cochet, O., Misawa, R., Wang, L. J., . . . others. (2011). Coating Human Pancreatic Islets With CD4+ CD25highCD127- Regulatory T Cells as a Novel Approach for the Local Immunoprotection. *Annals of Surgery*, 254(3), 512-512. doi.

Maria, S. e., M., W. V., Olaf, H., Jennifer, M., B., P. C., Thomas, F., & Kirsten, H. T. (2018). Comparative evaluation of chitosan nerve guides with regular or increased bendability for acute and delayed peripheral nerve repair – a comprehensive comparison with autologous nerve grafts and muscle-in- vein grafts. *The Anatomical Record*, 0(ja). doi: doi:10.1002/ar.23847. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ar.23847>

Maries, E., Kordower, J. H., Chu, Y., Collier, T. J., Sortwell, C. E., Oлару, E., . . . Steece-Collier, K. (2006). Focal not widespread grafts induce novel dyskinetic behavior in parkinsonian rats. *Neurobiology of Disease*, 21(1), 165-180. doi.

Mark, A. M., Wesley, S. W., Stewart, Y., & Alan, L. (2019). Rapid-stretch injury to peripheral nerves: implications from an animal model. *Journal of Neurosurgery JNS*, 1-11. doi: 10.3171/2019.6.jns19511. <https://thejns.org/view/journals/j-neurosurg/aop/article-10.3171-2019.6...>

Markakis, E. A., Vives, K. P., Bober, J., Leichtle, S., Leranath, C., Beecham, J., . . . Redmond, D. E. (2009). Comparative transduction efficiency of AAV vector serotypes 1–6 in the substantia nigra and striatum of the primate brain. *Molecular Therapy*, 18(3), 588-593. doi.

Markham, J. A., Jurgens, H. A., Auger, C. J., De Vries, G. J., Arnold, A. P., & Juraska, J. M. (2003). Sex differences in mouse cortical thickness are independent of the complement of sex chromosomes. *Neuroscience*, 116(1), 71-75. doi.

Markham, J. A., Morris, J. R., & Juraska, J. M. (2007). Neuron number decreases in the rat ventral, but not dorsal, medial prefrontal cortex between adolescence and adulthood. *Neuroscience*, 144(3), 961-968. doi.

Markota, M., Sin, J., Pantazopoulos, H., Jonilionis, R., & Berretta, S. (2014). Reduced Dopamine Transporter Expression in the Amygdala of Subjects Diagnosed With Schizophrenia. *Schizophrenia Bulletin*. doi: 10.1093/schbul/sbu084. <http://schizophreniabulletin.oxfordjournals.org/content/early/2014/06/16>

..

Markovic, D. S., Vinnakota, K., Chirasani, S., Synowitz, M., Raguette, H., Stock, K., . . . Kettenmann, H. (2009). Gliomas induce and exploit microglial MT1-MMP expression for tumor expansion. *Proceedings of the National Academy of Sciences*, 106(30), 12530-12535. doi: 10.1073/Proceedings of the National Academy of Sciences.0804273106. <http://www.Proceedings of the National Academy of Sciences.org/content/106/30/12530.abstract>

Markram, H., Muller, E., Ramaswamy, S., Reimann, Michael W., Abdellah, M., Sanchez, Carlos A., . . . Schürmann, F. (2015). Reconstruction and Simulation of Neocortical Microcircuitry. *Cell*, 163(2), 456-492. doi: <http://dx.doi.org/10.1016/j.cell.2015.09.029>. <http://www.sciencedirect.com/science/article/pii/S0092867415011915>

Markram, H., Muller, E., Ramaswamy, S., Reimann, Michael W., Abdellah, M., Sanchez, Carlos A., . . . Schürmann, F. (2015). Reconstruction and Simulation of Neocortical Microcircuitry. *Cell*, 163(2), 456-492. doi: <http://dx.doi.org/10.1016/j.cell.2015.09.029>. <http://www.sciencedirect.com/science/article/pii/S0092867415011915>

Markus-Koch, A., Schmitt, O., Seemann, S., Lukas, J., Koczan, D., Ernst, M., . . . Luo, J. (2017). ADAM23 promotes neuronal differentiation of human neural progenitor cells. [journal article]. *Cellular &*

Molecular Biology Letters, 22(1), 16. doi: 10.1186/s11658-017-0045-1. <https://doi.org/10.1186/s11658-017-0045-1>

Marlatt, M. W., Philippens, I., Manders, E., Czéh, B., Joels, M., Krugers, H., & Lucassen, P. J. (2011). Distinct structural plasticity in the hippocampus and amygdala of the middle-aged common marmoset (*Callithrix jacchus*). *Experimental Neurology*. doi.

Marlatt, M. W., Potter, M. C., Lucassen, P. J., & van Praag, H. (2012). Running throughout middle-age improves memory function, hippocampal neurogenesis and BDNF levels in female C57Bl/6J mice. *Developmental Neurobiology*. doi.

Marmion, D. J., Rutkowski, A. A., Chatterjee, D., Hiller, B. M., Werner, M. H., Bezard, E., . . . Kordower, J. H. (2021). Viral-based rodent and nonhuman primate models of multiple system atrophy: Fidelity to the human disease. *Neurobiology of Disease*, 148, 105184. doi: <https://doi.org/10.1016/j.nbd.2020.105184>. <http://www.sciencedirect.com/science/article/pii/S0969996120304599>

Marques, F., Sousa, J. C., Oliveira, P., Oliveira, H. C. F., & Palha, J. A. (2007). The absence of transthyretin does not impair regulation of lipid and glucose metabolism. *Hormone and Metabolic Research*, 39(7), 529-529. doi.

Marrero-Rosado, B. M., de Araujo Furtado, M., Kundrick, E. R., Walker, K. A., Stone, M. F., Schultz, C. R., . . . Lumley, L. A. (2020). Ketamine as adjunct to midazolam treatment following soman-induced status epilepticus reduces seizure severity, epileptogenesis, and brain pathology in plasma carboxylesterase knockout mice. *Epilepsy & Behavior*, 111, 107229. doi: <https://doi.org/10.1016/j.yebeh.2020.107229>. <http://www.sciencedirect.com/science/article/pii/S152550502030408X>

Marrone, M. C., Marinelli, S., Biamonte, F., Keller, F., Sgobio, C. A., Ammassari-Teule, M., . . . Mercuri, N. B. (2006). Altered cortico-striatal synaptic plasticity and related behavioural impairments in reeler mice. *European Journal of Neuroscience*, 24(7), 2061-2070. doi: doi:10.1111/j.1460-9568.2006.05083.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05083.x>

Marroni, S. S., Nakano, F. N., Gati, C. D. C., Oliveira, J. A. C., Antunes-Rodrigues, J., & Garcia-Cairasco, N. (2007). Neuroanatomical and cellular substrates of hypergrooming induced by microinjection of oxytocin in central nucleus of amygdala, an experimental model of compulsive behavior. *Molecular Psychiatry*, 12, 1103-1117. doi.

Marschallinger, J., Krampert, M., Couillard-Despres, S., Heuchel, R., Bogdahn, U., & Aigner, L. (2014). Age-dependent and differential effects of Smad7 Δ x1 on neural progenitor cell proliferation and on neurogenesis. *Experimental Gerontology*, (0). doi: <http://dx.doi.org/10.1016/j.exger.2014.05.011>. <http://www.sciencedirect.com/science/article/pii/S0531556514001727>

Marshall, A. G., McCarthy, M. M., Brishnehan, K. M., Rao, V., Batia, L. M., Gupta, M., . . . Chaudhuri, J. D. (2009). Effect of gestational ethanol exposure on parvalbumin and calretinin expressing hippocampal neurons in a chick model of fetal alcohol syndrome. *Alcohol*, 43(2), 147-161. doi.

Martchek, M., Thevarkunnel, S., Bauman, M., Blatt, G., & Kemper, T. (2006). Lack of evidence of neuropathology in the locus coeruleus in autism. *Acta Neuropathologica*, 111(5), 497-499. doi.

Martin, H. L., Mounsey, R. B., Sathe, K., Mustafa, S., Nelson, M. C., Evans, R. M., & Teismann, P. (2013). A PPAR δ agonist provides neuroprotection in the MPTP model of Parkinson's Disease. *Neuroscience*,

(0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.02.058>. <http://www.sciencedirect.com/science/article/pii/S030645221300208X>

Martin, H. L., Santoro, M., Mustafa, S., Riedel, G., Forrester, J. V., & Teismann, P. (2015). Evidence for a role of adaptive immune response in the disease pathogenesis of the MPTP mouse model of Parkinson's disease. *Glia*, n/a-n/a. doi: 10.1002/glia.22935. <http://dx.doi.org/10.1002/glia.22935>

Martin, M., Rehani, K., Jope, R. S., & Michalek, S. M. (2005). Toll-like receptor-mediated cytokine production is differentially regulated by glycogen synthase kinase 3. *Nat Immunol*, 6. doi: 10.1038/ni1221. <http://dx.doi.org/10.1038/ni1221>

Martin, M. M., Liu, Y., & Wang, Z. (2011). Developmental exposure to a serotonin agonist produces subsequent behavioral and neurochemical changes in the adult male prairie vole. *Physiology and Behavior*. doi.

Martínez Cerdeño, V., Hong, T., Amina, S., Lechpammer, M., Ariza, J., Tassone, F., . . . Hagerman, R. (2018). Microglial cell activation and senescence are characteristic of the pathology FXTAS. *Movement Disorders*, 0(0). doi: doi:10.1002/mds.27553. <https://onlinelibrary.wiley.com/doi/abs/10.1002/mds.27553>

Martinez, E. M., Young, A. L., Patankar, Y. R., Berwin, B. L., Wang, L., von Herrmann, K. M., . . . Havrda, M. C. (2017). Nlrp3 is required for inflammatory changes and nigral cell loss resulting from chronic intragastric rotenone exposure in mice. *Toxicological Sciences*. doi. <https://academic.oup.com/toxsci/article-abstract/doi/10.1093/toxsci/kfx1..>

Martínez Hernández, A., Silbern, I., Geffers, I., Tatenhorst, L., Becker, S., Urlaub, H., . . . Eichele, G. (2021). Low-Expressing Synucleinopathy Mouse Models Based on Oligomer-Forming Mutations and C-Terminal Truncation of α -Synuclein. *Frontiers in Neuroscience*, 15, 643391-643391. doi: 10.3389/fnins.2021.643391. <https://pubmed.ncbi.nlm.nih.gov/34220415>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8248494/>

Martínez-Canabal, A., Wheeler, A. L., Sarkis, D., Lerch, J. P., Lu, W.-Y., Buckwalter, M. S., . . . Frankland, P. W. (2013). Chronic over-expression of TGF β 1 alters hippocampal structure and causes learning deficits. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22159. <http://dx.doi.org/10.1002/hipo.22159>

Martínez-Gonzalez, C., Andel, J., Bolam, J. P., & Mena-Segovia, J. (2013). Divergent motor projections from the pedunculo-pontine nucleus are differentially regulated in Parkinsonism. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-013-0579-6. <http://dx.doi.org/10.1007/s00429-013-0579-6>

Martínez-Gonzalez, C., Wang, H. L., Micklem, B. R., Bolam, J. P., & Mena-Segovia, J. (2012). Subpopulations of cholinergic, GABAergic and glutamatergic neurons in the pedunculo-pontine nucleus contain calcium-binding proteins and are heterogeneously distributed. *European Journal of Neuroscience*. doi.

Martínez-Martínez, E., Galván-Hernández, C. I., Toscano-Márquez, B., & Gutiérrez-Ospina, G. (2012). Modulatory Role of Sensory Innervation on Hair Follicle Stem Cell Progeny during Wound Healing of the Rat Skin. *PLoS ONE*, 7(5), e36421. doi.

Martínez-Martínez, E., Toscano-Márquez, B., & Gutiérrez-Ospina, G. (2011). Long-Term Effects of Neonatal Capsaicin Treatment on Intraepidermal Nerve Fibers and Keratinocyte Proliferation in Rat

Glabrous Skin. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 294(1), 173-184. doi: 10.1002/ar.21237. <http://dx.doi.org/10.1002/ar.21237>

Martínez-Martínez, E., Uribe-Querol, E., Galván-Hernández, C. I., & Gutiérrez-Ospina, G. (2016). Stereological Quantification of Cell-Cycle Kinetics and Mobilization of Epithelial Stem Cells during Wound Healing. In M. R. Hoffman (Ed.), *Multipotent Stem Cells of the Hair Follicle: Methods and Protocols* (pp. 93-107). New York, NY: Springer New York.

Martin-Montalvo, A., Mercken, E. M., Mitchell, S. J., Palacios, H. H., Mote, P. L., & Scheibye-Knudsen, M. (2013). Metformin improves healthspan and lifespan in mice. *Nat Commun*, 4. doi: 10.1038/ncomms3192. <http://dx.doi.org/10.1038/ncomms3192>

Martins, L. M., Morrison, A., Klupsch, K., Fedele, V., Moiso, N., Teismann, P., . . . Downward, J. (2004). Neuroprotective Role of the Reaper-Related Serine Protease HtrA2/Omi Revealed by Targeted Deletion in Mice. *Molecular Cellular Biology*, 24, 9848-9862. doi.

Marxreiter, F., Ettl, B., May, V. E. L., Esmer, H., Patrick, C., Kragh, C. L., . . . Nuber, S. (2013). Glial A30P alpha-synuclein pathology segregates neurogenesis from anxiety-related behavior in conditional transgenic mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.07.004>. <http://www.sciencedirect.com/science/article/pii/S0969996113001988>

Marxreiter, F., Nuber, S., Kandasamy, M., Klucken, J., Aigner, R., Burgmayer, R., . . . Winner, B. (2009). Changes in adult olfactory bulb neurogenesis in mice expressing the A30P mutant form of alpha-synuclein. *European Journal of Neuroscience*, 29(5), 879-890. doi.

Marzagalli, R., Leggio, G. M., Bucolo, C., Pricoco, E., Keay, K. A., Cardile, V., . . . Castorina, A. (2016). Genetic blockade of the dopamine D3 receptor enhances hippocampal expression of PACAP and receptors and alters their cortical distribution. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.12.034>. <http://www.sciencedirect.com/science/article/pii/S0306452215011197>

Maseko, B. C., Jacobs, B., Spocter, M. A., Sherwood, C. C., Hof, P. R., & Manger, P. R. (2012). Qualitative and Quantitative Aspects of the Microanatomy of the African Elephant Cerebellar Cortex. *Brain, Behavior and Evolution*. doi.

Masilamoni, G., Votaw, J., Howell, L., Villalba, R. M., Goodman, M., Voll, R. J., . . . Smith, Y. (2010). 18F-FECNT: Validation as PET dopamine transporter ligand in parkinsonism. *Experimental Neurology*, 226(2), 265-273. doi.

Masilamoni, G. J., Bogenpohl, J. W., Alagille, D., Delevich, K., Tamagnan, G., Votaw, J. R., . . . Smith, Y. (2011). Metabotropic glutamate receptor 5 antagonist protects dopaminergic and noradrenergic neurons from degeneration in MPTP-treated monkeys. *Brain*, 134(7), 2057-2073. doi: 10.1093/brain/awr137. <http://brain.oxfordjournals.org/cgi/content/abstract/134/7/2057>

Masilamoni, G. J., Groover, O., & Smith, Y. (2017). Reduced noradrenergic innervation of ventral midbrain dopaminergic cell groups and the subthalamic nucleus in MPTP-treated parkinsonian monkeys. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.12.025>. <http://www.sciencedirect.com/science/article/pii/S0969996116303151>

- Masliyah, E., Rockenstein, E., Mante, M., Crews, L., Spencer, B., Adame, A., . . . others. (2011). Passive immunization reduces behavioral and neuropathological deficits in an alpha-synuclein transgenic model of Lewy body disease. *PLoS ONE*, 6(4), e19338–e19338. doi:
- Masoud, S. T., Vecchio, L. M., Bergeron, Y., Hossain, M. M., Nguyen, L. T., Bermejo, M. K., . . . Salahpour, A. (2014). Increased expression of the dopamine transporter leads to loss of dopamine neurons, oxidative stress and L-DOPA reversible motor deficits. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.10.016>. <http://www.sciencedirect.com/science/article/pii/S0969996114003295>
- Massaro, G., Mattar, C. N. Z., Wong, A. M. S., Sirka, E., Buckley, S. M. K., Herbert, B. R., . . . Rahim, A. A. (2018). Fetal gene therapy for neurodegenerative disease of infants. *Nature Medicine*. doi: 10.1038/s41591-018-0106-7. <https://doi.org/10.1038/s41591-018-0106-7>
- Massé, I. O., Ross, S., Bronchti, G., & Boire, D. (2016). Asymmetric Direct Reciprocal Connections Between Primary Visual and Somatosensory Cortices of the Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhw239. <http://cercor.oxfordjournals.org/content/early/2016/08/13/cercor.bhw239>
- Massouh, M., Pourcher, E., Parent, A., & others. (2008). The fate of the large striatal interneurons expressing calretinin in Huntington's disease. *Neuroscience Research*, 62(4), 216–224. doi:
- Mastrella, G., Hou, M., Li, M., Stoecklein, V. M., Zduc, N., Volmar, M. N. M., . . . Kälin, R. E. (2019). Targeting APLN/APLNR improves anti-angiogenic efficiency and blunts pro-invasive side effects of VEGFA/VEGFR2-blockade in glioblastoma. *Cancer Research*, canres.0881.2018. doi: 10.1158/0008-5472.can-18-0881. <http://cancerres.aacrjournals.org/content/early/2019/02/02/0008-5472.CAN...>
- Masuda, T., Maki, M., Hara, K., Yasuhara, T., Matsukawa, N., Yu, S. J., . . . others. (2010). Peri-hemorrhagic degeneration accompanies stereotaxic collagenase-mediated cortical hemorrhage in mouse. *Brain Research*, 1355, 228–239. doi:
- Matak, P., Matak, A., Moustafa, S., Aryal, D. K., Benner, E. J., Wetsel, W., & Andrews, N. C. (2016). Disrupted iron homeostasis causes dopaminergic neurodegeneration in mice. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1519473113. <http://www.pnas.org/content/early/2016/02/24/1519473113.abstract>
- Mathai, S., Gunn, A. J., Backhaus, R. A., & Guan, J. (2012). Window of Opportunity for Neuroprotection with an Antioxidant, Allene Oxide Synthase, after Hypoxia-Ischemia in Adult Male Rats. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12004. <http://dx.doi.org/10.1111/cns.12004>
- Matheoud, D., Cannon, T., Voisin, A., Penttinen, A.-M., Ramet, L., Fahmy, A. M., . . . Desjardins, M. (2019). Intestinal infection triggers Parkinson's disease-like symptoms in Pink1^{-/-} mice. *Nature*, 571(7766), 565–569. doi: 10.1038/s41586-019-1405-y. <https://doi.org/10.1038/s41586-019-1405-y>
- Mathews, E. A., Morgenstern, N. A., Piatti, V. C., Zhao, C., Jessberger, S., Schinder, A. F., & Gage, F. H. (2010). A Distinctive layering pattern of mouse dentate granule cells is generated by developmental and adult neurogenesis. *Journal of Comparative Neurology*, 518(22), 4479–4490. doi: 10.1002/cne.22489. <http://dx.doi.org/10.1002/cne.22489>
- Mathieu, P., Roca, V., Gamba, C., del Pozo, A., & Pitossi, F. (2012). Neuroprotective effects of human umbilical cord mesenchymal stromal cells in an immunocompetent animal model of Parkinson's disease. *Journal of Neuroimmunology*. doi:

10.1016/j.jneuroim.2012.03.004. <http://www.sciencedirect.com/science/article/pii/S0165572812000689>

Matsuda, K. I., Uchiyama, K., Mori, H., Maejima, S., Yamaguchi, S., Tanaka, M., & Tsukahara, S. (2017). Sexual behavior-associated c-Fos induction in the sagittalis nucleus of the hypothalamus in male rat. *Neuroscience Letters*, 661(Supplement C), 104-107.

doi: <https://doi.org/10.1016/j.neulet.2017.09.053>. <http://www.sciencedirect.com/science/article/pii/S0304394017307954>

Matsuda, W., Ehara, A., Nakadate, K., Yoshimoto, K., & Ueda, S. (2017). Effects of environmental enrichment on the activity of the amygdala in micrencephalic rats exposed to a novel open field. *Congenital Anomalies*, n/a-n/a. doi: 10.1111/cga.12228. <http://dx.doi.org/10.1111/cga.12228>

Matsui, H., Taniguchi, Y., Inoue, H., Kobayashi, Y., Sakaki, Y., Toyoda, A., . . . Takahashi, R. (2010). Loss of PINK1 in medaka fish (*Oryzias latipes*) causes late-onset decrease in spontaneous movement. *Neuroscience Research*, 66(2), 151-161. doi.

Matsui, H., Taniguchi, Y., Inoue, H., Uemura, K., Takeda, S., & Takahashi, R. (2009). A chemical neurotoxin, MPTP induces Parkinson's disease like phenotype, movement disorders and persistent loss of dopamine neurons in medaka fish. *Neuroscience Research*, 65(3), 263-271. doi.

Matsumori, Y., Hong, S. M., Fan, Y., Kayama, T., Hsu, C. Y., Weinstein, P. R., & Liu, J. (2006). Enriched environment and spatial learning enhance hippocampal neurogenesis and salvages ischemic penumbra after focal cerebral ischemia. *Neurobiology of Disease*, 22(1), 187-198. doi.

Matsuzaki, Y., Konno, A., Mukai, R., Honda, F., Hirato, M., Yoshimoto, Y., & Hirai, H. (2016). Transduction Profile of the Marmoset Central Nervous System Using Adeno-Associated Virus Serotype 9 Vectors. [journal article]. *Molecular Neurobiology*, 1-14. doi: 10.1007/s12035-016-9777-6. <http://dx.doi.org/10.1007/s12035-016-9777-6>

Mattei, D., Djodari-Irani, A., Hadar, R., Pelz, A., de Cossío, L. F., Goetz, T., . . . Wolf, S. A. (2014). Minocycline rescues decrease in neurogenesis, increase in microglia cytokines and deficits in sensorimotor gating in an animal model of schizophrenia. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.01.019>. <http://www.sciencedirect.com/science/article/pii/S0889159114000440>

Matthew L. MacDonald, Jamil Alhassan, Jason T. Newman, Michelle Richard, Hong Gu, Ryan M. Kelly, . . . Robert A. Sweet. (2017). Selective Loss of Smaller Spines in Schizophrenia. *American Journal of Psychiatry*, 0(0), appi.ajp.2017.16070814. doi: 10.1176/appi.ajp.2017.16070814. <http://ajp.psychiatryonline.org/doi/abs/10.1176/appi.ajp.2017.16070814>

Matthews, C. C., Lovering, R. M., Bowen, T. G., & Fishman, P. S. (2014). Tetanus toxin preserves skeletal muscle contractile force and size during limb immobilization. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.24231. <http://dx.doi.org/10.1002/mus.24231>

Mauney, S. A., Pietersen, C. Y., Sonntag, K.-C., & Woo, T.-U. W. (2015). Differentiation of oligodendrocyte precursors is impaired in the prefrontal cortex in schizophrenia. *Schizophrenia Research*. doi: <http://dx.doi.org/10.1016/j.schres.2015.10.042>. <http://www.sciencedirect.com/science/article/pii/S0920996415300426>

- Maurice, T., Lockhart, B. P., & Privat, A. (1996). Amnesia induced in mice by centrally administered beta-amyloid peptides involves cholinergic dysfunction. *Brain Research*, 706. doi: 10.1016/0006-8993(95)01032-7. [http://dx.doi.org/10.1016/0006-8993\(95\)01032-7](http://dx.doi.org/10.1016/0006-8993(95)01032-7)
- Mawhinney, L. J., Vaccari, J. P. R., Alonso, O. F., Jimenez, C. A., Furones, C., Moreno, W. J., . . . Bramlett, H. M. (2011). Isoflurane/nitrous oxide anesthesia induces increases in NMDA receptor subunit NR2B protein expression in the aged rat brain. *Brain Research*. doi.
- Maxan, A., Mason, S., Saint-Pierre, M., Smith, E., Ho, A., Harrower, T., . . . Cicchetti, F. (2018). Outcome of cell suspension allografts in a patient with Huntington's disease. *Annals of Neurology*, 0(ja). doi: doi:10.1002/ana.25354. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ana.25354>
- May, V. E. L., Ettle, B., Poehler, A.-M., Nuber, S., Ubhi, K., Rockenstein, E., . . . Winkler, J. (2014). α -Synuclein impairs oligodendrocyte progenitor maturation in multiple system atrophy. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.02.028>. <http://www.sciencedirect.com/science/article/pii/S0197458014002346>
- May, V. E. L., Nuber, S., Marxreiter, F., Riess, O., Winner, B., & Winkler, J. (2012). Impaired olfactory bulb neurogenesis depends on the presence of human wild type alpha-synuclein. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.07.001. <http://www.sciencedirect.com/science/article/pii/S0306452212007026?v=s5>
- Maynard, M. E., Barton, E. A., Robinson, C. R., Wooden, J. I., & Leasure, J. L. (2017). Sex differences in hippocampal damage, cognitive impairment, and trophic factor expression in an animal model of an alcohol use disorder. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1482-3. <https://doi.org/10.1007/s00429-017-1482-3>
- Maynard, M. E., & Leasure, J. L. (2013). Exercise Enhances Hippocampal Recovery following Binge Ethanol Exposure. *Plos one*, 8(9), e76644. doi: 10.1371/journal.pone.0076644. <http://dx.doi.org/10.1371%2Fjournal.pone.0076644>
- Mazarei, G., Budac, D. P., Lu, G., Lee, H., Möller, T., & Leavitt, B. R. (2013). The absence of indoleamine 2,3-dioxygenase expression protects against NMDA receptor-mediated excitotoxicity in mouse brain. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.08.007>. <http://www.sciencedirect.com/science/article/pii/S0014488613002471>
- McAllister, J. P., & Miller, J. M. (2010). Minocycline inhibits glial proliferation in the H-Tx rat model of congenital hydrocephalus. *Fluids and Barriers of the CNS*, 7(1), 7-7. doi.
- McAlpine, F. E., Lee, J. K., Harms, A. S., Ruhn, K. A., Blurton-Jones, M., Hong, J., . . . others. (2009). Inhibition of soluble TNF signaling in a mouse model of Alzheimer's disease prevents pre-plaque amyloid-associated neuropathology. *Neurobiology of Disease*, 34(1), 163-177. doi.
- McBride, J. L., Behrstock, S. P., Chen, E.-Y., Jakel, R. J., Siegel, I., Svendsen, C. N., & Kordower, J. H. (2004). Human neural stem cell transplants improve motor function in a rat model of Huntington's disease. *Journal of Comparative Neurology*, 475(2), 211-219. doi.
- McBride, J. L., Pitzer, M. R., Boudreau, R. L., Dufour, B., Hobbs, T., Ojeda, S. R., & Davidson, B. L. (2011). Preclinical Safety of RNAi-Mediated HTT Suppression in the Rhesus Macaque as a Potential Therapy for Huntington's Disease. *Molecular Therapy*, 19(12), 2152-2162. doi.

McBride, J. L., Ramaswamy, S., Gasmi, M., Bartus, R. T., Herzog, C. D., Brandon, E. P., . . . Kordower, J. H. (2006). Viral delivery of glial cell line-derived neurotrophic factor improves behavior and protects striatal neurons in a mouse model of Huntington's disease. *Proceedings of the National Academy of Sciences*, 103(24), 9345-9350. doi: 10.1073/Proceedings of the National Academy of Sciences.0508875103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/24/9345>

McCall, N., Mahadevia, D., Corriveau, J. A., & Glenn, M. J. (2015). Adult emotionality and neural plasticity as a function of adolescent nutrient supplementation in male rats. *Pharmacology Biochemistry and Behavior*, 132(0), 125-135. doi: <http://dx.doi.org/10.1016/j.pbb.2015.03.004>. <http://www.sciencedirect.com/science/article/pii/S0091305715000817>

McCarthy, D., Lueras, P., & Bhide, P. G. (2007). Elevated dopamine levels during gestation produce region-specific decreases in neurogenesis and subtle deficits in neuronal numbers. *Brain Research*, 1182, 11-25. doi.

McClellan, J., & Nuñez, J. L. (2008). 17 α -Estradiol is neuroprotective in male and female rats in a model of early brain injury. *Experimental Neurology*, 210(1), 41-50. doi.

McClendon, E., Chen, K., Gong, X., Sharifnia, E., Hagen, M., Cai, V., . . . Back, S. A. (2014). Prenatal cerebral ischemia triggers dysmaturation of caudate projection neurons. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24100. <http://dx.doi.org/10.1002/ana.24100>

McClendon, E., Wang, K., Degener, O., Brien, K., Hagen, M. W., Gong, X., . . . Back, S. A. (2019). Transient Hypoxemia Disrupts Anatomical and Functional Maturation of Preterm Fetal Ovine CA1 Pyramidal Neurons. *The Journal of Neuroscience*, 1364-1319. doi: 10.1523/jneurosci.1364-19.2019. <http://www.jneurosci.org/content/early/2019/08/27/JNEUROSCI.1364-19.2019...>

McCloskey, D. P., Hintz, T. M., Pierce, J. P., & Scharfman, H. E. (2006). Stereological methods reveal the robust size and stability of ectopic hilar granule cells after pilocarpine-induced status epilepticus in the adult rat. *European Journal of Neuroscience*, 24(8), 2203-2210. doi: 10.1111/j.1460-9568.2006.05101.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05101.x>

McConnell, E. D., Wei, H. S., Reitz, K. M., Kang, H., Takano, T., Vates, G. E., & Nedergaard, M. (2015). Cerebral microcirculatory failure after subarachnoid hemorrhage is reversed by hyaluronidase. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15608389. <http://jcb.sagepub.com/content/early/2015/09/23/0271678x15608389.abstract>

McCormack, A., Mak, S., & Di Monte, D. (2012). Increased α -synuclein phosphorylation and nitration in the aging primate substantia nigra. *Cell death & disease*, 3(5), e315. doi.

McCormack, A. L., Atienza, J. G., Johnston, L. C., Andersen, J. K., Vu, S., & Di Monte, D. A. (2005). Role of oxidative stress in paraquat-induced dopaminergic cell degeneration. *Journal of Neurochemistry*, 93(4), 1030-1037. doi: 10.1111/j.1471-4159.2005.03088.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03088.x>

McCormack, A. L., Atienza, J. G., Langston, J. W., & Di Monte, D. A. (2006). Decreased susceptibility to oxidative stress underlies the resistance of specific dopaminergic cell populations to paraquat-induced degeneration. *Neuroscience*, 141(2), 929-937. doi.

McCormack, A. L., Mak, S. K., Henderson, J. M., Bumcrot, D., Farrer, M. J., & Di Monte, D. A. (2010). Alpha-synuclein suppression by targeted small interfering RNA in the primate substantia nigra. *PLoS ONE*, 5(8), e12122-e12122. doi.

McCormack, A. L., Mak, S. K., Henderson, J. M., Bumcrot, D., Farrer, M. J., & Di Monte, D. A. (2010). α -synuclein suppression by targeted small interfering RNA in the primate substantia nigra. *PLoS ONE*, 5(8), e12122-e12122. doi.

McCormack, A. L., Mak, S. K., Shenasa, M., Langston, W. J., Forno, L. S., & Di Monte, D. A. (2008). Pathological Modifications of α -Synuclein in 1-Methyl-4-Phenyl-1, 2, 3, 6-Tetrahydropyridine (MPTP)-Treated Squirrel Monkeys. *Journal of Neuropathology and Experimental Neurology*, 67(8), 793-793. doi.

McCoy, M. K., Martinez, T. N., Ruhn, K. A., Szymkowski, D. E., Smith, C. G., Botterman, B. R., . . . Tansey, M. G. (2006). Blocking Soluble Tumor Necrosis Factor Signaling with Dominant-Negative Tumor Necrosis Factor Inhibitor Attenuates Loss of Dopaminergic Neurons in Models of Parkinson's Disease. *Journal of Neuroscience*, 26(37), 9365-9375. doi: 10.1523/jneurosci.1504-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/37/9365>

McCoy, M. K., Martinez, T. N., Ruhn, K. A., Wrage, P. C., Keefer, E. W., Botterman, B. R., . . . Tansey, M. G. (2007). Autologous transplants of Adipose-Derived Adult Stromal (ADAS) cells afford dopaminergic neuroprotection in a model of Parkinson's disease. *Experimental Neurology*. doi: doi:10.1016/j.expneurol.2007.10.011.

McCoy, M. K., Ruhn, K. A., Martinez, T. N., McAlpine, F. E., Blesch, A., & Tansey, M. G. (2008). Intranigral lentiviral delivery of dominant-negative TNF attenuates neurodegeneration and behavioral deficits in hemiparkinsonian rats. *Molecular Therapy*, 16(9), 1572-1579. doi.

McCreary, J. K., Erickson, Z. T., Hao, Y., Ilnytsky, Y., Kovalchuk, I., & Metz, G. A. S. (2016). Environmental Intervention as a Therapy for Adverse Programming by Ancestral Stress. [Article]. *Scientific Reports*, 6, 37814. doi: 10.1038/srep37814

<http://www.nature.com/articles/srep37814#supplementary-information>, <http://dx.doi.org/10.1038/srep37814>

McDonald, W. S., Jones, E. E., Wojciak, J. M., Drake, R. R., Sabbadini, R. A., & Harris, N. G. (2018). Matrix-Assisted Laser Desorption Ionization Mapping of Lysophosphatidic Acid Changes after Traumatic Brain Injury and the Relationship to Cellular Pathology. *The American journal of pathology*, 188(8), 1779-1793. doi: <https://doi.org/10.1016/j.ajpath.2018.05.005>. <http://www.sciencedirect.com/science/article/pii/S0002944017309537>

McDougall, J. J., Andruski, B., Schuelert, N., Hallgrimsson, B., & Matyas, J. R. (2009). Unravelling the relationship between age, nociception and joint destruction in naturally occurring osteoarthritis of Dunkin Hartley guinea pigs. *Pain*, 141(3), 222-232. doi.

McFarland, K., Spalding, T. A., Hubbard, D., Ma, J.-N., Olsson, R., & Burstein, E. S. (2013). Low Dose Bexarotene Treatment Rescues Dopamine Neurons and Restores Behavioral Function in Models of Parkinson's Disease. *ACS Chemical Neuroscience*. doi: 10.1021/cn400100f. <http://dx.doi.org/10.1021/cn400100f>

McFerrin, H. E., Olson, S. D., Gutschow, M. V., Semon, J. A., Sullivan, D. E., & Prockop, D. J. (2014). Rapidly Self-Renewing Human Multipotent Marrow Stromal Cells (hMSC) Express Sialyl Lewis X and Actively Adhere to Arterial Endothelium in a Chick Embryo Model System. *Plos one*, 9(8), e105411. doi: 10.1371/journal.pone.0105411. <http://dx.doi.org/10.1371%2Fjournal.pone.0105411>

McGlinchey, E. M., James, M. H., Mahler, S. V., Pantazis, C., & Aston-Jones, G. (2016). Prelimbic to Accumbens Core Pathway Is Recruited in a Dopamine-Dependent Manner to Drive Cued Reinstatement of Cocaine Seeking. *The Journal of Neuroscience*, 36(33), 8700-8711. doi. <http://www.jneurosci.org/content/36/33/8700.short>

McGowan, S. E., Grossmann, R. E., Kimani, P. W., & Holmes, A. J. (2008). Platelet-Derived Growth Factor Receptor-Alpha-Expressing Cells Localize to the Alveolar Entry Ring and Have Characteristics of Myofibroblasts During Pulmonary Alveolar Septal Formation. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 291(12), 1649-1661. doi.

McGowan, S. E., & Holmes, A. J. (2007). Vitamin A deficiency alters pulmonary parenchymal collagen and tissue mechanics. *Respiratory physiology and neurobiology*, 156(3), 312-319. doi.

McGowan, S. E., & McCoy, D. M. (2011). Fibroblasts Expressing PDGF-Receptor-Alpha Diminish During Alveolar Septal Thinning in Mice. *Pediatric Research*, 70(1), 44-49. doi.

McGowan, S. E., & McCoy, D. M. (2013). Platelet derived growth factor-A and sonic hedgehog signaling direct lung fibroblast precursors during alveolar septal formation. *American Journal of Physiology - Lung Cellular and Molecular Physiology*. doi: 10.1152/ajplung.00011.2013. <http://ajplung.physiology.org/content/early/2013/06/05/ajplung.00011.2013>

McGowan, S. E., & McCoy, D. M. (2017). Glucocorticoids Retain Bi-potent Fibroblast Progenitors During Alveolar Septation in Mice. *American Journal of Respiratory Cell and Molecular Biology*, 0(ja), null. doi: 10.1165/rcmb.2016-0376OC. <http://www.atsjournals.org/doi/abs/10.1165/rcmb.2016-0376OC>

McGowan, S. E., & McCoy, D. M. (2018). Neuropilin-1 and platelet-derived growth factor receptors cooperatively regulate intermediate filaments and mesenchymal cell migration during alveolar septation. *American Journal of Physiology-Lung Cellular and Molecular Physiology*. doi. <https://www.physiology.org/doi/abs/10.1152/ajplung.00511.2017>

McGowan, S. E., M. D. M. (2014). Regulation of fibroblast lipid-storage and myofibroblast phenotypes during alveolar septation in mice. [10.1152/ajplung.00144.2014]. *American Journal of Physiology - Lung Cellular and Molecular Physiology*. doi. <http://ajplung.physiology.org/content/early/2014/08/15/ajplung.00144.2014>

McGrath, K., Reid, D. J., Guatelli-Steinberg, D., Arbenz-Smith, K., El Zaatari, S., Fatica, L. M., . . . McFarlin, S. C. (2019). Faster growth corresponds with shallower linear hypoplastic defects in great ape canines. *Journal of Human Evolution*, 137, 102691. doi: <https://doi.org/10.1016/j.jhevol.2019.102691>. <http://www.sciencedirect.com/science/article/pii/S004724841930212X>

McGregor, R., Shan, L., Wu, M.-F., & Siegel, J. M. (2017). Diurnal fluctuation in the number of hypocretin/orexin and histamine producing: Implication for understanding and treating neuronal loss. *Plos one*, 12(6), e0178573. doi: 10.1371/journal.pone.0178573. <https://doi.org/10.1371/journal.pone.0178573>

McGregor, R., Wu, M.-F., Barber, G., Ramanathan, L., & Siegel, J. M. (2011). Highly Specific Role of Hypocretin (Orexin) Neurons: Differential Activation as a Function of Diurnal Phase, Operant Reinforcement versus Operant Avoidance and Light Level. *Journal of Neuroscience*, 31(43), 15455-15467. doi: 10.1523/jneurosci.4017-11.2011. <http://www.jneurosci.org/content/31/43/15455.abstract>

McGuire, B., Fiorillo, B., Ryugo, D. K., & Lauer, A. M. (2015). Auditory nerve synapses persist in ventral cochlear nucleus long after loss of acoustic input in mice with early-onset progressive hearing loss. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.02.012>. <http://www.sciencedirect.com/science/article/pii/S0006899315001122>

McKenzie-Nickson, S., Chan, J., Perez, K., Hung, L. W., Cheng, L., Sedjahtera, A., . . . Barnham, K. J. (2018). Modulating Protein Phosphatase 2A rescues disease phenotype in neurodegenerative tauopathies. *ACS Chemical Neuroscience*. doi: 10.1021/acschemneuro.8b00161. <https://doi.org/10.1021/acschemneuro.8b00161>

McKeon-O'Malley, C., Siwek, D., Lamoureux, J. A., Williams, C. L., & Kowall, N. W. (2003). Prenatal choline deficiency decreases the cross-sectional area of cholinergic neurons in the medial septal nucleus. *Brain Research*, 977(2), 278-283. doi.

McKinney, B. C., MacDonald, M. L., Newman, J. T., Shelton, M. A., DeGiosio, R. A., Kelly, R. M., . . . Sweet, R. A. (2019). Density of small dendritic spines and microtubule-associated-protein-2 immunoreactivity in the primary auditory cortex of subjects with schizophrenia. *Neuropsychopharmacology*. doi: 10.1038/s41386-019-0350-7. <https://doi.org/10.1038/s41386-019-0350-7>

McLean, J. R., Smith, G. A., Rocha, E. M., Hayes, M. A., Beagan, J. A., Hallett, P. J., & Isacson, O. (2014). Widespread neuron-specific transgene expression in brain and spinal cord following synapsin promoter-driven AAVg neonatal intracerebroventricular injection. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2014.05.044>. <http://www.sciencedirect.com/science/article/pii/S0304394014004169>

McMahon, A. C., Parry, S. N., Benson, V. L., Witting, P. K., & Le Couteur, D. G. (2011). Beneficial effects of the synthetic antioxidant tert-butyl bisphenol on the hepatic microcirculation in a rat model of diabetes mellitus. *Acta Diabetologica*, 1-5. doi.

McNeal, D. W., Brandner, D. D., Gong, X., Postupna, N. O., Montine, T. J., Dirk Keene, C., & Back, S. A. (2016). Unbiased Stereological Analysis of Reactive Astroglia to Estimate Age-Associated Cerebral White Matter Injury. [10.1093/jnen/nlw032]. *Journal of Neuropathology and Experimental Neurology*. doi. <http://jnen.oxfordjournals.org/content/early/2016/04/29/jnen.nlw032.abst..>

McNeal, D. W., Darling, W. G., Ge, J., Stilwell-Morecraft, K. S., Solon, K. M., Hynes, S. M., . . . Morecraft, R. J. (2010). Selective long-term reorganization of the corticospinal projection from the supplementary motor cortex following recovery from lateral motor cortex injury. *Journal of Comparative Neurology*, 518(5), 586-621. doi.

McNeilly, A. D., Williamson, R., Balfour, D. J., Stewart, C. A., & Sutherland, C. (2012). A high-fat-diet-induced cognitive deficit in rats that is not prevented by improving insulin sensitivity with metformin. *Diabetologia*, 55. doi: 10.1007/s00125-012-2686-y. <http://dx.doi.org/10.1007/s00125-012-2686-y>

McPherson, C. S., & Lawrence, A. J. (2005). Exposure to amphetamine in rats during periadolescence establishes behavioural and extrastriatal neural sensitization in adulthood. *International Journal of Neuropsychopharmacology*, doi:10.1017/S1461145705005845. doi.

McPherson, C. S., Mantamadiotis, T., Tan, S.-S., & Lawrence, A. J. (2009). Deletion of CREB1 from the Dorsal Telencephalon Reduces Motivational Properties of Cocaine. *Cerebral Cortex*, bhp159. doi: 10.1093/cercor/bhp159. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp159v1>

McRae, P. A., Rocco, M. M., Kelly, G., Brumberg, J. C., & Matthews, R. T. (2007). Sensory Deprivation Alters Aggrecan and Perineuronal Net Expression in the Mouse Barrel Cortex. *Journal of Neuroscience*, 27(20), 5405-5413. doi: 10.1523/jneurosci.5425-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/20/5405>

McTavish, K. J., Jimenez, M., Walters, K. A., Spaliviero, J., Groome, N. P., Themmen, A. P., . . . Allan, C. M. (2007). Rising Follicle-Stimulating Hormone Levels with Age Accelerate Female Reproductive Failure. *Endocrinology*, 148(9), 4432-4439. doi: 10.1210/en.2007-0046. <http://endo.endojournals.org/cgi/content/abstract/148/9/4432>

Medalla, M., & Barbas, H. (2006). Diversity of laminar connections linking periarculate and lateral intraparietal areas depends on cortical structure. *European Journal of Neuroscience*, 23(1), 161-179. doi:10.1111/j.1460-9568.2005.04522.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04522.x>

Medalla, M., & Barbas, H. (2010). Anterior Cingulate Synapses in Prefrontal Areas 10 and 46 Suggest Differential Influence in Cognitive Control. *Journal of Neuroscience*, 30(48), 16068-16081. doi: 10.1523/jneurosci.1773-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/48/16068>

Meerhoff, G. F., Vester, S. M., Hesselting, P., Klaassen, S. D., Cornelissen, A. S., Lucassen, P. J., & Joosen, M. J. A. (2018). Potentiation of antiseizure and neuroprotective efficacy of standard nerve agent treatment by addition of tariquidar. *Neurotoxicology*, 68, 167-176. doi: <https://doi.org/10.1016/j.neuro.2018.08.005>. <http://www.sciencedirect.com/science/article/pii/S0161813X18301943>

Mehlan, J., Brosig, H., Schmitt, O., Mix, E., Wree, A., & Hawlitschka, A. (2015). Intrastratial injection of botulinum neurotoxin-A is not cytotoxic in rat brain—A histological and stereological analysis. *Brain Research*. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0006899315008446?via=sd>

Mehrabi, N. F., Singh-Bains, M. K., Waldvogel, H. J., & Faull, R. L. M. (2018). Stereological Methods to Quantify Cell Loss in the Huntington's Disease Human Brain. In S. V. Precious, A. E. Rosser & S. B. Dunnett (Eds.), *Huntington's Disease* (pp. 1-16). New York, NY: Springer New York.

Mehrabian, Z., Guo, Y., Weinreich, D., & Bernstein, S. L. (2017). Oligodendrocyte death, neuroinflammation, and the effects of minocycline in a rodent model of nonarteritic anterior ischemic optic neuropathy (rNAION). doi: <http://www.molvis.org/molvis/v23/963/>

Mehta, P., Premkumar, B., & Morris, R. (2016). Production of high quality brain-derived neurotrophic factor (BDNF) and tropomyosin receptor kinase B (TrkB) RNA from isolated populations of rat spinal cord motor neurons obtained by Laser Capture Microdissection (LCM). *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2016.05.063>. <http://www.sciencedirect.com/science/article/pii/S0304394016303937>

Mei, M., Zhou, Y., Liu, M., Zhao, F., Wang, C., Ding, J., . . . Hu, G. (2019). Antioxidant and anti-inflammatory effects of Dexrazoxane on dopaminergic neuron degeneration in rodent models of Parkinson's disease. *Neuropharmacology*, 107758. doi: <https://doi.org/10.1016/j.neuropharm.2019.107758>. <http://www.sciencedirect.com/science/article/pii/S002839081930317X>

- Meier, F., Giesert, F., Delic, S., Faus-Kessler, T., Matheus, F., Simeone, A., . . . Prakash, N. (2014). FGF/FGFR2 Signaling Regulates the Generation and Correct Positioning of Bergmann Glia Cells in the Developing Mouse Cerebellum. *Plos one*, 9(7), e101124. doi: 10.1371/journal.pone.0101124. <http://dx.doi.org/10.1371%2Fjournal.pone.0101124>
- Meinild Lundby, A.-K., Jacobs, R. A., Gehrig, S., de Leur, J., Hauser, M., Bonne, T. C., . . . Lundby, C. (2017). Exercise training increases skeletal muscle mitochondrial volume density by enlargement of existing mitochondria and not de novo biogenesis. *Acta Physiologica*, n/a-n/a. doi: 10.1111/apha.12905. <http://dx.doi.org/10.1111/apha.12905>
- Meissner, A., Minnerup, J., Soria Rodriguez, G., & Planas, A. M. (2016). Structural and functional brain alterations in a murine model of Angiotensin II – induced hypertension. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13905. <http://dx.doi.org/10.1111/jnc.13905>
- Meissner, J. N., Bouter, Y., & Bayer, T. A. (2014). Neuron Loss and Behavioral Deficits in the TBA42 Mouse Model Expressing N-Truncated Pyroglutamate Amyloid- β ₃₋₄₂. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-142868. <http://dx.doi.org/10.3233/JAD-142868>
- Mejias-Aponte, C. A., Drouin, C., & Aston-Jones, G. (2009). Adrenergic and Noradrenergic Innervation of the Midbrain Ventral Tegmental Area and Retrorubral Field: Prominent Inputs from Medullary Homeostatic Centers. *Journal of Neuroscience*, 29(11), 3613-3626. doi: 10.1523/jneurosci.4632-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3613>
- Meka, D. P., Müller-Rischart, A. K., Nidadavolu, P., Mohammadi, B., Motori, E., Ponna, S. K., . . . Kramer, E. R. (2015). Parkin cooperates with GDNF/RET signaling to prevent dopaminergic neuron degeneration. *The Journal of Clinical Investigation*, 125(5), 0-0. doi: 10.1172/jci79300. <http://www.jci.org/articles/view/79300>
- Melani, R., Chelini, G., Cenni, M. C., & Berardi, N. (2017). Enriched environment effects on remote object recognition memory. *Neuroscience*. doi: <http://doi.org/10.1016/j.neuroscience.2017.04.006>. <http://www.sciencedirect.com/science/article/pii/S0306452217302452>
- Mellott, T. J., Kowall, N. W., Lopez-Coviella, I., & Blusztajn, J. K. (2007). Prenatal choline deficiency increases choline transporter expression in the septum and hippocampus during postnatal development and in adulthood in rats. *Brain Research*, 1151, 1-11. doi:
- Melnikova, T., Park, D., Becker, L., Lee, D., Cho, E., Sayyida, N., . . . Savonenko, A. V. (2016). Sex-related dimorphism in dentate gyrus atrophy and behavioral phenotypes in an inducible tTa:APPsi transgenic model of Alzheimer's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.08.009>. <http://www.sciencedirect.com/science/article/pii/S0969996116301966>
- Melrose, H. L., Dřřchsel, J. C., Behrouz, B., Lincoln, S. J., Yue, M., Hinkle, K. M., . . . others. (2010). Impaired dopaminergic neurotransmission and microtubule-associated protein tau alterations in human LRRK2 transgenic mice. *Neurobiology of Disease*, 40(3), 503-517. doi:
- Melvin, N. R., & Sutherland, R. J. (2010). Quantitative Caveats of Standard Immunohistochemical Procedures: Implications for Optical Disector-based Designs. *Journal of Histochemistry and Cytochemistry*, 58(7), 577-584. doi: 10.1369/jhc.2009.954164. <http://www.jhc.org/cgi/content/abstract/58/7/577>

- Mena-Segovia, J., Micklem, B. R., Nair-Roberts, R. G., Ungless, M. A., & Bolam, J. P. (2009). GABAergic neuron distribution in the pedunculopontine nucleus defines functional subterritories. *Journal of Comparative Neurology*, 515(4), 397-408. doi.
- Mencarelli, C., Bode, G. H., Vlamings, R., Losen, M., Baets, M. H. D., Steinbusch, H. W. M., . . . Martinez-Martinez, P. (2011). Unchanged expression of the Ceramide transfer protein in the acute 6-OHDA neurodegenerative model. *Neuroscience Letters*. doi.
- Mendez, I., Sanchez-Pernaute, R., Cooper, O., Vinuela, A., Ferrari, D., Bjorklund, L., . . . Isacson, O. (2005). Cell type analysis of functional fetal dopamine cell suspension transplants in the striatum and substantia nigra of patients with Parkinson's disease. *Brain*, 128(7), 1498-1510. doi: 10.1093/brain/awh510. <http://brain.oxfordjournals.org/cgi/content/abstract/128/7/1498>
- Mendez-Gomez, H. R., Singh, J., Meyers, C., Chen, W., Gorbatyuk, O. S., & Muzyczka, N. (2018). The Lipase Activity of Phospholipase D2 is Responsible for Nigral Neurodegeneration in a Rat Model of Parkinson's Disease. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.02.047>. <https://www.sciencedirect.com/science/article/pii/S0306452218301726>
- Mendieta, L., Granado, N., Aguilera, J., Tizabi, Y., & Moratalla, R. (2016). Fragment C domain of tetanus toxin mitigates methamphetamine neurotoxicity and its motor consequences in mice. [10.1093/ijnp/pyw021]. *International Journal of Neuropsychopharmacology*. doi: <http://ijnp.oxfordjournals.org/content/early/2016/03/02/ijnp.pyw021.abst..>
- Mendoza-Torreblanca, J. G., Martínez-Martínez, E., Tapia-Rodríguez, M., Ramírez-Hernández, R., & Gutiérrez-Ospina, G. (2008). The rostral migratory stream is a neurogenic niche that predominantly engenders periglomerular cells: *in vivo* evidence in the adult rat brain. *Neuroscience Research*, 60(3), 289-299. doi.
- Menéndez, L., Insua, D., Rois, J. L., Santamarina, G., Suárez ML, & Pesini, P. (2006). The immunohistochemical localization of neuronal nitric oxide synthase in the basal forebrain of the dog. *Journal of Chemical Neuroanatomy*, 31(3), 200-209. doi.
- Menezes, E. C., Bittle, J., Stevens, H. E., Dailey, M., Spitz, D. R., & McCormick, M. L. (2019). The Role of Redox Dysregulation in the Effects of Prenatal Stress on Embryonic Interneuron Migration. doi: 10.1093/cercor/bhz052. <https://doi.org/10.1093/cercor/bhz052>
- Meng, L., Huang, T., Sun, C., Hill, D. L., & Krimm, R. (2017). BDNF is required for taste axon regeneration following unilateral chorda tympani nerve section. *Experimental Neurology*, 293, 27-42. doi: <http://dx.doi.org/10.1016/j.expneurol.2017.03.016>. <http://www.sciencedirect.com/science/article/pii/S0014488617300766>
- Meng, L., Ohman-Gault, L., Ma, L., & Krimm, R. F. (2015). Taste bud-derived BDNF is required to maintain normal amounts of innervation to adult taste buds. [10.1523/ENEURO.0097-15.2015]. *eneuro*. doi: <http://eneuro.org/content/early/2015/12/22/ENEURO.0097-15.2015.abstract>
- Meng, L., Ohman-Gault, L., Ma, L., & Krimm, R. F. (2015). Taste bud-derived BDNF is required to maintain normal amounts of innervation to adult taste buds. [10.1523/ENEURO.0097-15.2015]. *eneuro*. doi: <http://eneuro.org/content/early/2015/12/22/ENEURO.0097-15.2015.abstract>
- Menino, J. F., Osório, N. S., Sturme, M. H. J., Barros, D., Gomes-Alves, A. G., Almeida, A. J., . . . Rodrigues, F. (2011). Morphological heterogeneity of *Paracoccidioides brasiliensis*: relevance of the Rho-like GTPase PbCDC42. *Medical Mycology*, (0), 1-7. doi.

Menna, E., Cenni, M. C., Naska, S., & Maffei, L. (2003). The anterogradely transported BDNF promotes retinal axon remodeling during eye specific segregation within the LGN. *Molecular and Cellular Neuroscience*, 24(4), 972-983. doi.

Mercado, N. M., Stancati, J. A., Sortwell, C. E., Mueller, R. L., Boezwinkle, S. A., Duffy, M. F., . . . Steece-Collier, K. (2021). The BDNF Val66Met polymorphism (rs6265) enhances dopamine neuron graft efficacy and side-effect liability in rs6265 knock-in rats. *Neurobiology of Disease*, 148, 105175. doi: <https://doi.org/10.1016/j.nbd.2020.105175>. <http://www.sciencedirect.com/science/article/pii/S0969996120304502>

Mercantepe, F., Mercantepe, T., Topcu, A., Yilmaz, A., & Tumkaya, L. (2018). Protective effects of amifostine, curcumin, and melatonin against cisplatin-induced acute kidney injury. [journal article]. *Naunyn-Schmiedeberg's archives of pharmacology*. doi: 10.1007/s00210-018-1514-4. <https://doi.org/10.1007/s00210-018-1514-4>

Mercantepe, T., Tmkaya, L., & Mercantepe, F. (2019). Effects of Infliximab against Methotrexate Toxicity in Splenic Tissue via the Regulation of CD3, CD68, and C200R in Rats. *Cells Tissues Organs*. doi: 10.1159/000500905. <https://www.karger.com/DOI/10.1159/000500905>

Mercantepe, T., Unal, D., Selli, J., Mercantepe, F., Unal, B., & Karabiyik, T. N. (2016). Protective effects of estrogen and bortezomib in kidney tissue of post-menopausal rats: an ultrastructural study. *Renal Failure*, 1-7. doi: 10.1080/0886022x.2016.1184958. <http://dx.doi.org/10.1080/0886022X.2016.1184958>

Merch, aacute, n-P, eacute, rez, A., Rodriguez, J., . . . Defelipe, J. (2009). Counting Synapses Using FIB/SEM Microscopy: A True Revolution for Ultrastructural Volume Reconstruction (Vol. 3).

Merchan-Perez, A., Rodriguez, J. R., Alonso-Nanclares, L., Schertel, A., & DeFelipe, J. (2009). Counting synapses using FIB/SEM microscopy: a true revolution for ultrastructural volume reconstruction. *Frontiers in Neuroanatomy*, 3. doi.

Merchan-Perez, A., Rodriguez, J.-R., Ribak, C. E., & DeFelipe, J. (2009). Proximity of excitatory and inhibitory axon terminals adjacent to pyramidal cell bodies provides a putative basis for nonsynaptic interactions. *Proceedings of the National Academy of Sciences*, 106(24), 9878-9883. doi: 10.1073/Proceedings of the National Academy of Sciences.0900330106. <http://www.Proceedings of the National Academy of Sciences.org/content/106/24/9878.abstract>

Meredith, G., Dervan, A., & Totterdell, S. (2005). Activated microglia persist in the substantia nigra of a chronic MPTP mouse model of Parkinson's disease. *Basal Ganglia VIII*, 341-347. doi.

Meredith, G. E., Totterdell, S., Beales, M., & Meshul, C. K. (2009). Impaired glutamate homeostasis and programmed cell death in a chronic MPTP mouse model of Parkinson's disease. *Experimental Neurology*, 219(1), 334-340. doi.

Meredith, G. E., Totterdell, S., Petroske, E., Santa Cruz, K., Callison, R. C., Lau, Y. S., & others. (2002). Lysosomal malfunction accompanies alpha-synuclein aggregation in a progressive mouse model of Parkinson's disease. *Brain Research*, 956(1), 156-165. doi.

Meredith, G. E., Totterdell, S., Potashkin, J. A., & Surmeier, D. J. (2008). Modeling PD pathogenesis in mice: advantages of a chronic MPTP protocol. *Parkinsonism and Related Disorders*, 14, S112-115. doi.

- Merino-Serrais, P., Knafo, S., Alonso-Nanclares, L., Fernaud-Espinosa, I., & DeFelipe, J. (2010). Layer-specific alterations to CA1 dendritic spines in a mouse model of Alzheimer's disease. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.20861. <http://dx.doi.org/10.1002/hipo.20861>
- Merrill, D. A., Chiba, A. A., & Tuszynski, M. H. (2001). Conservation of neuronal number and size in the entorhinal cortex of behaviorally characterized aged rats. *Journal of Comparative Neurology*, 438(4), 445-456. doi.
- Merrill, D. A., Karim, R., Darraq, M., Chiba, A. A., & Tuszynski, M. H. (2003). Hippocampal cell genesis does not correlate with spatial learning ability in aged rats. *Journal of Comparative Neurology*, 459(2), 201-207. doi.
- Merrill, D. A., Masliah, E., Roberts, J. A., McKay, H., Kordower, J. H., Mufson, E. J., & Tuszynski, M. H. (2011). Association of early experience with neurodegeneration in aged primates. *Neurobiology of Aging*, 32(1), 151-156. doi.
- Merrill, D. A., Roberts, J. A., & Tuszynski, M. H. (2000). Conservation of neuron number and size in entorhinal cortex layers II, III, and V/VI of aged primates. *Journal of Comparative Neurology*, 422(3), 396-401. doi.
- Meskenaite, V., Krackow, S., & Lipp, H.-P. (2016). Age-dependent neurogenesis and neuron numbers within the olfactory bulb and hippocampus of homing pigeons. [Original Research]. *Frontiers in Behavioral Neuroscience*, 10. doi: 10.3389/fnbeh.2016.00126. <http://www.frontiersin.org/Journal/Abstract.aspx?s=99&name=behavioral>
- Mesulam, M., Shaw, P., Mash, D., & Weintraub, S. (2004). Cholinergic nucleus basalis tauopathy emerges early in the aging-MCI-AD continuum. *Annals of Neurology*, 55(6), 815-828. doi.
- Mesulam, M., Wicklund, A., Johnson, N., Rogalski, E., Léger, G. C., Rademaker, A., . . . Bigio, E. H. (2008). Alzheimer and frontotemporal pathology in subsets of primary progressive aphasia. *Annals of Neurology*, 63(6), 709-719. doi.
- Mesulam, M. M., Guillozet, A., Shaw, P., Levey, A., Duysen, E. G., & Lockridge, O. (2002). Acetylcholinesterase knockouts establish central cholinergic pathways and can use butyrylcholinesterase to hydrolyze acetylcholine. *Neuroscience*, 110(4), 627-639. doi.
- Mészáros, L., Riemenschneider, M. J., Gassner, H., Marxreiter, F., von Hörsten, S., Hoffmann, A., & Winkler, J. (2021). Human alpha-synuclein overexpressing MBP29 mice mimic functional and structural hallmarks of the cerebellar subtype of multiple system atrophy. *Acta Neuropathologica Communications*, 9(1), 68. doi: 10.1186/s40478-021-01166-x. <https://doi.org/10.1186/s40478-021-01166-x>
- Metcalfe, B. M., Mullaney, B. C., Johnston, M. V., & Blue, M. E. (2006). Temporal shift in methyl-CpG binding protein 2 expression in a mouse model of Rett syndrome. *Neuroscience*, 139(4), 1449-1460. doi.
- Methippara, M., Bashir, T., Suntsova, N., Szymusiak, R., & McGinty, D. (2010). Hippocampal adult neurogenesis is enhanced by chronic eszopiclone treatment in rats. *Journal of Sleep Research*, 19(3), 384-393. doi.

Meurer, Y. d. S. R., Brito, R. M. d. M., da Silva, V. P., Andade, J. M. d. A., Linhares, S. S. G., Pereira Junior, A., . . . Oliveira, C. B. S. d. (2020). Toxoplasma gondii infection damages the perineuronal nets in a murine model. *Memorias do Instituto Oswaldo Cruz*, 115. doi: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0074-02762020000..

Meyer, A., Wree, A., Günther, R., Holzmann, C., Schmitt, O., Rolfs, A., & Witt, M. (2017). Increased Regenerative Capacity of the Olfactory Epithelium in Niemann–Pick Disease Type C1. *International Journal of Molecular Sciences*, 18(4), 777. doi: <http://www.mdpi.com/1422-0067/18/4/777>

Meyer, U., Engler, A., Weber, L., Schedlowski, M., & Feldon, J. (2008). Preliminary evidence for a modulation of fetal dopaminergic development by maternal immune activation during pregnancy. *Neuroscience*, 154(2), 701-709. doi:

Meyer, U., Knuesel, I., Nyffeler, M., & Feldon, J. (2010). Chronic clozapine treatment improves prenatal infection-induced working memory deficits without influencing adult hippocampal neurogenesis. *Psychopharmacology*, 208(4), 531-543. doi:

Meyer, U., Nyffeler, M., Engler, A., Urwyler, A., Schedlowski, M., Knuesel, I., . . . Feldon, J. (2006). The Time of Prenatal Immune Challenge Determines the Specificity of Inflammation-Mediated Brain and Behavioral Pathology. *Journal of Neuroscience*, 26(18), 4752-4762. doi: 10.1523/jneurosci.0099-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/18/4752>

Mi, X.-S., Feng, Q., Lo, A., Chang, R., Chung, S., & So, K.-F. (2020). Lycium barbarum polysaccharides related RAGE and Aβ levels in the retina of mice with acute ocular hypertension and promote maintenance of blood retinal barrier. [Research Article]. *Neural Regeneration Research*, 15(12), 2344-2352. doi: 10.4103/1673-5374.284998. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2020;volume=15;..>

Mi, X.-S., Feng, Q., Lo, A. C. Y., Chang, R. C.-C., Lin, B., Chung, S. K., & So, K.-F. (2012). Protection of Retinal Ganglion Cells and Retinal Vasculature by Lycium Barbarum Polysaccharides in a Mouse Model of Acute Ocular Hypertension. *Plos one*, 7(10), e45469. doi: 10.1371/journal.pone.0045469. <http://dx.doi.org/10.1371%2Fjournal.pone.0045469>

Mi, X.-S., Zhang, X., Feng, Q., Lo, A. C. Y., Chung, S. K., & So, K.-F. (2012). Progressive retinal degeneration in transgenic mice with over-expression of endothelin-1 in vascular endothelial cells. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iovs.12-9999. <http://www.iovs.org/content/early/2012/06/20/iovs.12-9999.abstract>

Mi, Z., Abrahamson, E. E., Ryu, A. Y., Fish, K. N., Sweet, R. A., Mufson, E. J., & Ikonomic, M. D. (2017). Loss of precuneus dendritic spines immunopositive for spinophilin is related to cognitive impairment in early Alzheimer's disease. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2017.01.022>. <http://www.sciencedirect.com/science/article/pii/S0197458017300301>

Miao, S.-H., Sun, H.-B., Ye, Y., Yang, J.-J., Shi, Y.-W., Lu, M., . . . Zhou, J.-W. (2014). Astrocytic JWA Expression is Essential to Dopaminergic Neuron Survival in the Pathogenesis of Parkinson's Disease. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12249. <http://dx.doi.org/10.1111/cns.12249>

Michaeli, S., Oz, G., Sorce, D. J., Garwood, M., Ugurbil, K., Majestic, S., & Tuite, P. (2007). Early treatment benefits of ropinirole prolonged release in Parkinson's disease patients with motor fluctuations. *Movement Disorders*, 22(3), 334-340. doi:

Michaëlsson, H., Andersson, M., Svensson, J., Karlsson, L., Ehn, J., Culley, G., . . . Seth, H. (2018). The novel antidepressant ketamine enhances dentate gyrus proliferation with no effects on synaptic plasticity or hippocampal function in depressive-like rats. *Acta Physiologica*, 0(ja), e13211. doi: doi:10.1111/apha.13211. <https://onlinelibrary.wiley.com/doi/abs/10.1111/apha.13211>

Michaud, J. P., Richard, K. L., Rivest, S., & others. (2011). MyD88-adaptor protein acts as a preventive mechanism for memory deficits in a mouse model of Alzheimer's disease. *Molecular Neurodegeneration*, 6(1), 5-5. doi.

Michaud, J.-P., Pimentel-Coelho, P. M., Tremblay, Y., & Rivest, S. (2014). The impact of Ly6Clow monocytes after cerebral hypoxia-ischemia in adult mice. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm201480a.html>

Middei, S., Spalloni, A., Longone, P., Pittenger, C., O'Mara, S. M., Marie, H., & Ammassari-Teule, M. (2012). CREB selectively controls learning-induced structural remodeling of neurons. *Learning and Memory*, 19(8), 330-336. doi: 10.1101/lm.025817.112. <http://learnmem.cshlp.org/content/19/8/330.abstract>

Miettinen, R., Hajszan, T., Riedel, A., Szigeti-Buck, K., & Leranth, C. (2012). Estimation of the total number of hippocampal CA1 pyramidal neurons: New methodology applied to helpless rats. *Journal of Neuroscience Methods*. doi.

Miettinen, R., Riedel, A., Kalesnykas, G., Kettunen, H. P., Puolivali, J., Soininen, H., & Arendt, T. (2005). Reelin-immunoreactivity in the hippocampal formation of 9-month-old wildtype mouse: effects of APP/PS1 genotype and ovariectomy. *Journal of Chemical Neuroanatomy*, 30(2-3), 105-118. doi.

Miettinen, R. A., Kalesnykas, G., & Koivisto, E. H. (2002). Estimation of the Total Number of Cholinergic Neurons Containing Estrogen Receptor- α in the Rat Basal Forebrain. *Journal of Histochemical Cytochemistry*, 50(7), 891-902. doi.

Migdalska-Richards, A., Wegrzynowicz, M., Rusconi, R., Deangeli, G., Di Monte, D. A., Spillantini, M. G., & Schapira, A. H. (2017). The L444P Gba1 mutation enhances alpha-synuclein induced loss of nigral dopaminergic neurons in mice. *Brain*. doi: <https://academic.oup.com/brain/article/doi/10.1093/brain/awx221/4106291/...>

Miguel-Hidalgo, J., Moulana, M., Booker, N., & Rajkowska, G. (2017). 512 - shRNA-Based Suppression of Connexin 43 and Low Packing Density of Connexin 43 Immunoreactive Aggregates are Associated with Depression-Like Behavior in Rats. *Biological Psychiatry*, 81(10, Supplement), S208. doi: <https://doi.org/10.1016/j.biopsych.2017.02.1120>. <http://www.sciencedirect.com/science/article/pii/S0006322317312428>

Miguel-Hidalgo, J., Moulana, M., Deloach, P., & Rajkowska, G. (2018). F103. Reduced Extent of Myelin Basic Protein Immunoreactivity in Rat Prelimbic and Orbitofrontal Cortices After Chronic Unpredictable Stress and its Correlation With Connexin 43 and Connexin 30. *Biological Psychiatry*, 83(9), S277-S278. doi: 10.1016/j.biopsych.2018.02.716. <http://dx.doi.org/10.1016/j.biopsych.2018.02.716>

Miguel-Hidalgo, J. J. (2005). Lower Packing Density of Glial Fibrillary Acidic Protein-Immunoreactive Astrocytes in the Prelimbic Cortex of Alcohol-Naive and Alcohol-Drinking Alcohol-Preferring Rats as Compared With Alcohol-Nonpreferring and Wistar Rats. *Alcoholism: Clinical and Experimental Research*, 29(5), 766-772. doi.

Miguel-Hidalgo, J. J. (2006). Withdrawal From Free-choice Ethanol Consumption Results In Increased Packing Density Of Glutamine Synthetase-Immunoreactive Astrocytes In The Prelimbic Cortex Of Alcohol-Preferring Rats. *Alcohol and Alcoholism*, 41, 379-385. doi.

Miguel-Hidalgo, J. J., Dubey, P., Shao, Q., Stockmeier, C., & Rajkowska, G. (2005). Unchanged packing density but altered size of neurofilament immunoreactive neurons in the prefrontal cortex in schizophrenia and major depression. *Schizophrenia Research*, 76(2), 159-171. doi.

Miguel-Hidalgo, J. J., Jiang, W., Konick, L., Overholser, J. C., Jurjus, G. J., Stockmeier, C. A., . . . Rajkowska, G. (2012). Morphometric analysis of vascular pathology in the orbitofrontal cortex of older subjects with major depression. *International Journal of Geriatric Psychiatry*, n/a-n/a. doi: 10.1002/gps.3911. <http://dx.doi.org/10.1002/gps.3911>

Miguel-Hidalgo, J. J., Whittom, A., Villarreal, A., Soni, M., Meshram, A., Pickett, J. C., . . . Stockmeier, C. A. (2014). Apoptosis-related proteins and proliferation markers in the orbitofrontal cortex in major depressive disorder. *Journal of Affective Disorders*, (0). doi: <http://dx.doi.org/10.1016/j.jad.2014.02.010>. <http://www.sciencedirect.com/science/article/pii/S016503271400041X>

Miguel-Hidalgo, J. J., Wilson, B. A., Hussain, S., Meshram, A., Rajkowska, G., & Stockmeier, C. A. (2014). Reduced Connexin 43 Immunolabeling in the Orbitofrontal Cortex in Alcohol Dependence and Depression. *Journal of Psychiatric Research*, (0). doi: <http://dx.doi.org/10.1016/j.jpsychires.2014.04.007>. <http://www.sciencedirect.com/science/article/pii/S0022395614001137>

Miguel-Hidalgo, J. J., Wilson, B. A., Hussain, S., Meshram, A., Rajkowska, G., & Stockmeier, C. A. (2014). Reduced Connexin 43 Immunolabeling in the Orbitofrontal Cortex in Alcohol Dependence and Depression. *Journal of Psychiatric Research*, (0). doi: <http://dx.doi.org/10.1016/j.jpsychires.2014.04.007>. <http://www.sciencedirect.com/science/article/pii/S0022395614001137>

Mijatovic, J., Airavaara, M., Planken, A., Auvinen, P., Raasmaja, A., Piepponen, T. P., . . . Saarma, M. (2007). Constitutive Ret Activity in Knock-In Multiple Endocrine Neoplasia Type B Mice Induces Profound Elevation of Brain Dopamine Concentration via Enhanced Synthesis and Increases the Number of TH-Positive Cells in the Substantia Nigra. *Journal of Neuroscience*, 27(18), 4799-4809. doi: 10.1523/jneurosci.5647-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/18/4799>

Mijatovic, J., Piltonen, M., Alberton, P., Männistö, P. T., Saarma, M., & Piepponen, T. P. (2011). Constitutive Ret signaling is protective for dopaminergic cell bodies but not for axonal terminals. *Neurobiology of Aging*, 32(8), 1486-1494. doi.

Mikhail, F., Calingasan, N., Parolari, L., Subramanian, A., Yang, L., & Beal, M. F. (2015). Lack of exacerbation of neurodegeneration in a double transgenic mouse model of mutant LRRK2 and tau. *Human Molecular Genetics*. doi: 10.1093/hmg/ddv105. <http://hmg.oxfordjournals.org/content/early/2015/03/24/hmg.ddv105.abstract>

Mikhailova, A., Sunkara, N., & McQuillen, P. S. (2017). Unbiased Quantification of Subplate Neuron Loss following Neonatal Hypoxia-Ischemia in a Rat Model. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Abstract/460815>

- Mikkonen, M., Pitkänen, A., Soinen, H., Alafuzoff, I., & Miettinen, R. (2000). Morphology of spiny neurons in the human entorhinal cortex: intracellular filling with lucifer yellow. *Neuroscience*, 96(3), 515-522. doi.
- Mikrogeorgiou, A., Sato, Y., Kondo, T., Hattori, T., Sugiyama, Y., Ito, M., . . . Kazama, T. (2017). Dedifferentiated Fat Cells as a Novel Source for Cell Therapy to Target Neonatal Hypoxic-Ischemic Encephalopathy. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Abstract/455836>
- Milanese, C., Cerri, S., Ulusoy, A., Gornati, S. V., Plat, A., Gabriels, S., . . . Mastroberardino, P. G. (2018). Activation of the DNA damage response in vivo in synucleinopathy models of Parkinson's disease. *Cell death & disease*, 9(8), 818. doi: 10.1038/s41419-018-0848-7. <https://doi.org/10.1038/s41419-018-0848-7>
- Milanese, C., Gabriels, S., Barnhoorn, S., Cerri, S., Ulusoy, A., Gornati, S. V., . . . Mastroberardino, P. G. (2020). Gender biased neuroprotective effect of Transferrin Receptor 2 deletion in multiple models of Parkinson's disease. *Cell Death and Differentiation*. doi: 10.1038/s41418-020-00698-4. <https://doi.org/10.1038/s41418-020-00698-4>
- Milanese, C., Tapias, V., Gabriels, S., Cerri, S., Levandis, G., Blandini, F., . . . Mastroberardino, P. G. (2017). Mitochondrial complex I reversible S-nitrosation improves bioenergetics and is protective in Parkinson's disease. *Antioxidants & redox signaling*. doi: 10.1089/ars.2017.6992. <https://doi.org/10.1089/ars.2017.6992>
- Milatovic, D., Zaja-Milatovic, S., Montine, K. S., Horner, P. J., & Montine, T. J. (2003). Pharmacologic suppression of neuronal oxidative damage and dendritic degeneration following direct activation of glial innate immunity in mouse cerebrum. *Journal of Neurochemistry*, 87(6), 1518-1526. doi: 10.1046/j.1471-4159.2003.02120.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.02120.x>
- Mildner, A., Schlevogt, B., Kierdorf, K., Böttcher, C., Erny, D., Kummer, M. P., . . . Prinz, M. (2011). Distinct and Non-Redundant Roles of Microglia and Myeloid Subsets in Mouse Models of Alzheimer's Disease. *Journal of Neuroscience*, 31(31), 11159-11171. doi: 10.1523/jneurosci.6209-10.2011. <http://www.jneurosci.org/content/31/31/11159.abstract>
- Milewski, W. M., Temple, K. A., Wesselschmidt, R. L., & Hara, M. (2009). Generation of embryonic stem cells from mouse insulin I promoter-green fluorescent protein transgenic mice and characterization in a teratoma model. *In Vitro Cellular and Developmental Biology-Animal*, 45(1), 1-5. doi.
- Miller, A. N., Deal, D., Green, J., Houle, T., Brown, W., Thore, C., . . . Webb, L. X. (2016). Use of the Reamer/Irrigator/Aspirator Decreases Carotid and Cranial Embolic Events in a Canine Model. [10.2106/JBJS.14.01176]. *The Journal of Bone & Joint Surgery*, 98(8), 658-664. doi. <http://jbjs.org/content/98/8/658.abstract>
- Miller, B. R., Dorner, J. L., Shou, M., Sari, Y., Barton, S. J., Sengelaub, D. R., . . . Rebec, G. V. (2008). Up-regulation of GLT1 expression increases glutamate uptake and attenuates the Huntington's disease phenotype in the R6/2 mouse. *Neuroscience*, 153(1), 329-337. doi.
- Miller, C. T., Dimauro, A., Pistorio, A., Hendry, S., & Wang, X. (2010). Vocalization induced cFos expression in marmoset cortex. *Frontiers in Integrative Neuroscience*, 4. doi.
- Miller, D. J., Duka, T., Stimpson, C. D., Schapiro, S. J., Baze, W. B., McArthur, M. J., . . . Sherwood, C. C. (2012). Prolonged myelination in human neocortical evolution. *Proceedings of the National Academy*

of Sciences. doi:

10.1073/pnas.1117943109. <http://www.pnas.org/content/early/2012/09/18/1117943109.abstract>

Miller, D. J., Lackey, E. P., Hackett, T. A., & Kaas, J. H. (2013). Development of myelination and cholinergic innervation in the central auditory system of a prosimian primate (*Otolemur garnettii*). *Journal of Comparative Neurology*, n/a-n/a. doi:

10.1002/cne.23379. <http://dx.doi.org/10.1002/cne.23379>

Miller, J. P., McAuley, J. D., & Pang, K. C. H. (2005). Spontaneous *fos* expression in the suprachiasmatic nucleus of young and old mice. *Neurobiology of Aging*, 26(7), 1107-1115. doi:

Miller, K., Kim, A., Kilimnik, G., Jo, J., Moka, U., Periwal, V., & Hara, M. (2009). Islet formation during the neonatal development in mice. *PLoS ONE*, 4(11), e7739-e7739. doi:

Miller, P. B., S.Charleston, J., E.Battaglia, D., A.Klein, N., & R.Soules, i. (1999). Morphometric Analysis of Primordial Follicle Number in Pigtailed Monkey Ovaries: Symmetry and Relationship with Age. *Biology of Reproduction*, 61, 553-556. doi:

Miller, S. L., Aroniadou-Anderjaska, V., Figueiredo, T. H., Prager, E. M., Almeida-Suhett, C. P., Apland, J. P., & Braga, M. F. M. (2015). A rat model of nerve agent exposure applicable to the pediatric population: The anticonvulsant efficacies of atropine and GluK1 antagonists. *Toxicology and Applied Pharmacology*, (0).

doi: <http://dx.doi.org/10.1016/j.taap.2015.02.008>. <http://www.sciencedirect.com/science/article/pii/S0041008X15000599>

Mills, J. D., Bailes, J. E., Turner, R. C., Dodson, S. C., Sakai, J., & Maroon, J. C. (2012). Anabolic Steroids and Head Injury. *Neurosurgery*, 70(1), 205-205. doi:

Mills, J. D., Hadley, K., & Bailes, J. E. (2011). Dietary supplementation with the omega-3 fatty acid docosahexaenoic acid in traumatic brain injury. *Neurosurgery*, 68(2), 474-474. doi:

Milner, E., Holtzman, J. C., Friess, S., Hartman, R. E., Brody, D. L., Han, B. H., & Zipfel, G. J. (2014). Endovascular perforation subarachnoid hemorrhage fails to cause Morris water maze deficits in the mouse. *Journal of Cerebral Blood Flow and Metabolism*.

doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2014108a.html>

Milnerwood, A. J., Parsons, M. P., Young, F. B., Singaraja, R. R., Franciosi, S., Volta, M., . . . Raymond, L. A. (2013). Memory and synaptic deficits in *Hip14/DHHC17* knockout mice. *Proceedings of the National Academy of Sciences*. doi:

10.1073/pnas.1222384110. <http://www.pnas.org/content/early/2013/11/20/1222384110.abstract>

Milosevic, J., Maisel, M., Wegner, F., Leuchtenberger, J., Wenger, R. H., Gerlach, M., . . . Schwarz, J. (2007). Lack of Hypoxia-Inducible Factor-1 α Impairs Midbrain Neural Precursor Cells Involving Vascular Endothelial Growth Factor Signaling. *Journal of Neuroscience*, 27(2), 412-421. doi:

10.1523/jneurosci.2482-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/2/412>

Minakaki, G., Caneva, F., Chevessier, F., Bode, F., Menges, S., Timotius, I. K., . . . Klucken, J. (2018). Treadmill exercise intervention improves gait and postural control in alpha-synuclein mouse models without inducing cerebral autophagy. *Behavioural Brain Research*.

doi: <https://doi.org/10.1016/j.bbr.2018.11.035>. <http://www.sciencedirect.com/science/article/pii/S016643281830754X>

Mineharu, Y., Muhammad, A. K. M., Yagiz, K., Candolfi, M., Kroeger, K., Xiong, W., . . . Castro, M. (2012). Gene Therapy-Mediated Reprogramming Tumor Infiltrating T Cells Using IL-2 and Inhibiting NF- κ B Signaling Improves the Efficacy of Immunotherapy in a Brain Cancer Model. *Neurotherapeutics*, 1-17. doi: 10.1007/s13311-012-0144-7. <http://dx.doi.org/10.1007/s13311-012-0144-7>

Minelli, A., Conte, C., Prudenzi, E., Cacciatore, I., Cornacchia, C., Taha, E., & Pinnen, F. (2010). N-Acetyl-L-Methionyl-L-Dopa-Methyl Ester as a dual acting drug that relieves L-Dopa-induced oxidative toxicity. *Free Radical Biology and Medicine*, 49(1), 31-39. doi.

Mineo, D., Cacace, F., Mancini, M., Vannelli, A., Campanelli, F., Natale, G., . . . Ghiglieri, V. (2019). Dopamine drives binge-like consumption of a palatable food in experimental Parkinsonism. *Movement Disorders*, 0(0). doi: 10.1002/mds.27683. <https://onlinelibrary.wiley.com/doi/abs/10.1002/mds.27683>

Minnich, J. E., Mann, S. L., Stock, M., Stolzenbach, K. A., Mortell, B. M., Soderstrom, K. E., . . . Kozlowski, D. A. (2010). Glial cell line-derived neurotrophic factor (GDNF) gene delivery protects cortical neurons from dying following a traumatic brain injury. *Restorative Neurology and Neuroscience*, 28(3), 293-309. doi.

Minter, M. R., Hinterleitner, R., Meisel, M., Zhang, C., Leone, V., Zhang, X., . . . Sisodia, S. S. (2017). Antibiotic-induced perturbations in microbial diversity during post-natal development alters amyloid pathology in an aged APP(SWE)/PS1(Δ 9) murine model of Alzheimer's disease. *Scientific Reports*, 7, 10411. doi: 10.1038/s41598-017-11047-w. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5585265/>

Minter, M. R., Zhang, C., Leone, V., Ringus, D. L., Zhang, X., Oyler-Castrillo, P., . . . Sisodia, S. S. (2016). Antibiotic-induced perturbations in gut microbial diversity influences neuro-inflammation and amyloidosis in a murine model of Alzheimer's disease. [Article]. *Scientific Reports*, 6, 30028. doi: 10.1038/srep30028

<http://www.nature.com/articles/srep30028#supplementary-information>, <http://dx.doi.org/10.1038/srep30028>

Mirochnic, S., Wolf, S., Staufenbiel, M., & Kempermann, G. (2009). Age effects on the regulation of adult hippocampal neurogenesis by physical activity and environmental enrichment in the APP23 mouse model of Alzheimer disease. *Hippocampus*, 19(10), 1008-1018. doi.

Mirza, M. K., Yuan, J., Gao, X.-P., Garrean, S., Brovkovich, V., Malik, A. B., . . . Zhao, Y.-Y. (2010). Caveolin-1 Deficiency Dampens Toll-Like Receptor 4 Signaling through eNOS Activation. *American Journal of Pathology*, 176(5), 2344-2351. doi: 10.2353/ajpath.2010.091088. <http://ajp.amjpathol.org/cgi/content/abstract/176/5/2344>

Misheneva, V., McFarland, R., Jouroukhin, Y., Severance, E., Yolken, R., & Pletnikov, M. (2018). F101. Animal Models of Mood Disorders and the Evaluation of Probiotics. *Biological Psychiatry*, 83(9), S276-S277. doi: 10.1016/j.biopsych.2018.02.714. <http://dx.doi.org/10.1016/j.biopsych.2018.02.714>

Mishizen-Eberz, A. J., Rissman, R. A., Carter, T. L., Ikonovic, M. D., Wolfe, B. B., & Armstrong, D. M. (2004). Biochemical and molecular studies of NMDA receptor subunits NR1/2A/2B in hippocampal subregions throughout progression of Alzheimer's disease pathology. *Neurobiology of Disease*, 15(1), 80-92. doi.

Mishra, S., Roy, T. S., & Wadhwa, S. (2017). Morphological and Morphometrical Maturation of Ventral Cochlear Nucleus in Human Foetus. *Journal of Chemical Neuroanatomy*.

doi: <http://dx.doi.org/10.1016/j.jchemneu.2017.03.002>. <http://www.sciencedirect.com/science/article/pii/S0891061816302873>

Misra, A., Kondaveeti, P., Nissanov, J., Barbee, K., Shewokis, P., Rioux, L., & Moxon, K. (2013). Preventing neuronal damage and inflammation in vivo during cortical microelectrode implantation through the use of Poloxamer P-188. *Journal of Neural Engineering*, 10(1), 016011. doi:

Mitchell, T. W., Mufson, E. J., Schneider, J. A., Cochran, E. J., Nissanov, J., Han, L. Y., . . . others. (2002). Parahippocampal tau pathology in healthy aging, mild cognitive impairment, and early Alzheimer's disease. *Annals of Neurology*, 51(2), 182-189. doi:

Mitchell, T. W., Nissanov, J., Han, L. Y., Mufson, E. J., Schneider, J. A., Cochran, E. J., . . . Arnold, S. E. (2000). Novel Method to Quantify Neuropil Threads in Brains from Elders With or Without Cognitive Impairment. *Journal of Histochemistry and Cytochemistry*, 48(12), 1627-1638. doi:

Mitra, A., Lenglos, C., & Timofeeva, E. (2014). Inhibition in the lateral septum increases sucrose intake and decreases anorectic effects of stress. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12798. <http://dx.doi.org/10.1111/ejn.12798>

Mitra, R., Sundlass, K., Parker, K. J., Schatzberg, A. F., & Lyons, D. M. (2006). Social stress-related behavior affects hippocampal cell proliferation in mice. *Physiology and Behavior*, 89(2), 123-127. doi:

Mitra, S., Chakrabarti, N., & Bhattacharyya, A. (2011). Differential regional expression patterns of α -synuclein, TNF- α , and IL-1 β and variable status of dopaminergic neurotoxicity in mouse brain after Paraquat treatment. *Journal of neuroinflammation*, 8(1), 163-163. doi:

Mitrasinovic, O. M., Murphy, G. M., & others. (2003). Microglial overexpression of the M-CSF receptor augments phagocytosis of opsonized A β . *Neurobiology of Aging*, 24(6), 807-815. doi:

Mittelman-Smith, M. A., Krajewski-Hall, S. J., McMullen, N. T., & Rance, N. E. (2015). Neurokinin 3 Receptor-Expressing Neurons in the Median Preoptic Nucleus Modulate Heat-Dissipation Effectors in the Female Rat. *Endocrinology*, 0(0), en.2014-1974. doi: doi:10.1210/en.2014-1974. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1974>

Miyamoto, D., Iijima, M., Yamamoto, H., Nomura, H., & Matsuki, N. (2011). Behavioural effects of antidepressants are dependent and independent on the integrity of the dentate gyrus. *International Journal of Neuropsychopharmacology*, 14(07), 967-976. doi: doi:10.1017/S1461145710001276. <http://dx.doi.org/10.1017/S1461145710001276>

Mizukami, K., Abrahamson, E. E., Mi, Z., Ishikawa, M., Watanabe, K., Kinoshita, S., . . . Ikonovic, M. D. (2013). Immunohistochemical analysis of ubiquitin-1 in the human hippocampus: Association with neurofibrillary tangle pathology. *Neuropathology*, n/a-n/a. doi: 10.1111/neup.12055. <http://dx.doi.org/10.1111/neup.12055>

Mizukami, K., Ishikawa, M., Akatsu, H., Abrahamson, E. E., Ikonovic, M. D., & Asada, T. (2011). An immunohistochemical study of the serotonin 1A receptor in the hippocampus of subjects with Alzheimer's disease. *Neuropathology*, no-no. doi: 10.1111/j.1440-1789.2010.01193.x. <http://dx.doi.org/10.1111/j.1440-1789.2010.01193.x>

Moaraf, S., Vistoropsky, Y., Pozner, T., Heiblum, R., Okuliarová, M., Zeman, M., & Barnea, A. (2019). Artificial light at night affects brain plasticity and melatonin in birds. *Neuroscience Letters*, 134639.

doi: <https://doi.org/10.1016/j.neulet.2019.134639>. <http://www.sciencedirect.com/science/article/pii/S0304394019307426>

Modirrousta, M., Mainville, L., & Jones, B. E. (2004). GABAergic neurons with alpha2-adrenergic receptors in basal forebrain and preoptic area express c-Fos during sleep. *Neuroscience*, 129, 803-810. doi.

Modirrousta, M., Mainville, L., & Jones, B. E. (2005). Orexin and MCH neurons express c-Fos differently after sleep deprivation vs. recovery and bear different adrenergic receptors. *European Journal of Neuroscience*, 21(10), 2807-2816. doi: doi:10.1111/j.1460-9568.2005.04104.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04104.x>

Modirrousta, M., Mainville, L., & Jones, B. E. (2007). Dynamic changes in GABAA receptors on basal forebrain cholinergic neurons following sleep deprivation and recovery. *BMC Neuroscience*, 8(1), 15. doi.

Modo, M., Kevin Hitchens, T., Liu, J. R., & Richardson, R. M. (2015). Detection of aberrant hippocampal mossy fiber connections: Ex vivo mesoscale diffusion MRI and microtractography with histological validation in a patient with uncontrolled temporal lobe epilepsy. *Human Brain Mapping*, n/a-n/a. doi: 10.1002/hbm.23066. <http://dx.doi.org/10.1002/hbm.23066>

Moe, Y., Tanaka, T., Morishita, M., Ohata, R., Nakahara, C., Kawashima, T., . . . Tsukahara, S. (2016). A comparative study of sex difference in calbindin neurons among mice, musk shrews, and Japanese quails. *Neuroscience Letters*, 631, 63-69. doi: <http://dx.doi.org/10.1016/j.neulet.2016.08.018>. <http://www.sciencedirect.com/science/article/pii/S0304394016305973>

Moench, K. M., Breach, M. R., & Wellman, C. L. (2019). Chronic stress produces enduring sex- and region-specific alterations in novel stress-induced c-Fos expression. *Neurobiology of Stress*, 10, 100147. doi: <https://doi.org/10.1016/j.ynstr.2019.100147>. <http://www.sciencedirect.com/science/article/pii/S2352289518300894>

Moges, H., Vasconcelos, O. M., Campbell, W. W., Borke, R. C., McCoy, J. A., Kaczmarczyk, L., . . . Anders, J. J. (2009). Light therapy and supplementary Riboflavin in the SOD1 transgenic mouse model of familial amyotrophic lateral sclerosis (FALS). *Lasers in Surgery and Medicine*, 41(1), 52-59. doi.

Moghaddasi, M., Velumian, A. A., Zhang, L., & Fehlings, M. G. (2005). An Ex-Vivo Preparation of Mature Spinal Cord to Study Synaptic Transmission on Moto-Neurons. *Journal of Neurotrauma*, 22, 1164-1164. doi.

Mohammad, H., Marchisella, F., Ortega-Martinez, S., Hollos, P., Eerola, K., Komulainen, E., . . . Coffey, E. T. (2016). JNK1 controls adult hippocampal neurogenesis and imposes cell-autonomous control of anxiety behaviour from the neurogenic niche. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.203. <http://dx.doi.org/10.1038/mp.2016.203>

Mohanty, R., Das, S. K., & Patri, M. (2017). Modulation of Benzo[a]Pyrene Induced Anxiolytic-Like Behavior by Retinoic Acid in Zebrafish: Involvement of Oxidative Stress and Antioxidant Defense System. [journal article]. *Neurotoxicity research*, 1-12. doi: 10.1007/s12640-016-9694-5 <http://dx.doi.org/10.1007/s12640-016-9694-5>

Mohanty, R., Das, S. k., Singh, N. R., & Patri, M. (2016). Withania somnifera Leaf Extract Ameliorates Benzo[a]pyrene-Induced Behavioral and Neuromorphological Alterations by Improving Brain

Antioxidant Status in Zebrafish (*Danio rerio*). *Zebrafish*. doi: 10.1089/zeb.2015.1215. <http://dx.doi.org/10.1089/zeb.2015.1215>

Mohila, C. A., & Onn, S.-P. (2005). Increases in the Density of Parvalbumin-immunoreactive Neurons in Anterior Cingulate Cortex of Amphetamine-withdrawn Rats: Evidence of Corticotropin-releasing Factor in Sustained Elevation. *Cerebral Cortex*, 15, 262-274. doi:

Möhle, L., Mattei, D., Heimesaat, Markus M., Bereswill, S., Fischer, A., Alutis, M., . . . Wolf, Susanne A. (2016). Ly6C^{hi} Monocytes Provide a Link between Antibiotic-Induced Changes in Gut Microbiota and Adult Hippocampal Neurogenesis. *Cell Reports*. doi: 10.1016/j.celrep.2016.04.074. <http://dx.doi.org/10.1016/j.celrep.2016.04.074>

Mojabi, F. S., Fahimi, A., Moghadam, S., Moghadam, S., McNerneny, M. W., Ponnusamy, R., . . . Salehi, A. (2016). GABAergic Hyperinnervation of Dentate Granule Cells in the Ts65Dn Mouse Model of Down Syndrome Exploring the Role of App. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22664. <http://dx.doi.org/10.1002/hipo.22664>

Mondal, S., Rangasamy, S. B., Roy, A., Dasarathy, S., Kordower, J. H., & Pahan, K. (2019). Low-Dose Maraviroc, an Antiretroviral Drug, Attenuates the Infiltration of T Cells into the Central Nervous System and Protects the Nigrostriatum in Hemiparkinsonian Monkeys. *The Journal of Immunology*, j1800587. doi: 10.4049/jimmunol.1800587. <http://www.jimmunol.org/content/early/2019/04/30/jimmunol.1800587.abstract>

Mondal, S., Roy, A., Jana, A., Ghosh, S., Kordower, J., & Pahan, K. (2012). Testing NF- κ B-based Therapy in Hemiparkinsonian Monkeys. *Journal of Neuroimmune Pharmacology*, 1-13. doi: 10.1007/s11481-012-9377-9. <http://dx.doi.org/10.1007/s11481-012-9377-9>

Mondello, S. E., Jefferson, S. C., O'steen, W. A., & Howland, D. (2016). Enhancing Fluorogold-Based Neural Tract Tracing. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2016.06.004>. <http://www.sciencedirect.com/science/article/pii/S016502701630125X>

Mongeau, R., Miller, G. A., Chiang, E., & Anderson, D. J. (2003). Neural Correlates of Competing Fear Behaviors Evoked by an Innately Aversive Stimulus. *Journal of Neuroscience*, 23(9), 3855-3868. doi: <http://www.jneurosci.org/cgi/content/abstract/23/9/3855>

Monje, M. H. G., Blesa, J., García-Cabezas, M. Á., Obeso, J. A., & Cavada, C. (2019). Changes in thalamic dopamine innervation in a progressive Parkinson's disease model in monkeys. *Movement Disorders*, n/a(n/a). doi: 10.1002/mds.27921. <https://movementdisorders.onlinelibrary.wiley.com/doi/abs/10.1002/mds.27921>

Monje, M. L., Mizumatsu, S., Fike, J. R., & Palmer, T. D. (2002). Irradiation induces neural precursor-cell dysfunction. *Nature Medicine*, 8(9), 955-962. doi:

Monje, M. L., Vogel, H., Masek, M., Ligon, K. L., Fisher, P. G., & Palmer, T. D. (2007). Impaired human hippocampal neurogenesis after treatment for central nervous system malignancies. *Annals of Neurology*, 62(5), 515-520. doi:

Monks, D. A., Johansen, J. A., Mo, K., Rao, P., Eagleson, B., Yu, Z., . . . Jordan, C. L. (2007). Overexpression of wild-type androgen receptor in muscle recapitulates polyglutamine disease. *Proceedings of the National Academy of Sciences*, 104(46), 18259-18264. doi: 10.1073/Proceedings of

the National Academy of Sciences.0705501104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/46/18259>

Montalvo-Javé, E. E., Mendoza-Barrera, G. E., García-Pineda, M. A., Jaime Limón, Á. R., Montalvo-Arenas, C., Castell Rodríguez, A. E., & Tapia Jurado, J. (2015). Histological Analysis of Intra-Abdominal Adhesions Treated with Sodium Hyaluronate and Carboxymethylcellulose Gel. *Journal of Investigative Surgery*, 1-8. doi: 10.3109/08941939.2015.1076911. <http://dx.doi.org/10.3109/08941939.2015.1076911>

Montandon, M.-L., Haller, S., Scheffler, M., Giannakopoulos, P., Herrmann, F. R., Gold, G., & Kövari, E. (2020). Medial temporal lobe volume is associated with neuronal loss but not with hippocampal microinfarcts despite their high frequency in aging brains. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2020.06.008>. <http://www.sciencedirect.com/science/article/pii/S0197458020302013>

Montaron, M.-F., Charrier, V., Blin, N., Garcia, P., & Abrous, D. N. (2020). Resilience to cognitive aging is associated with responsiveness of dentate neurons generated throughout adult life. *bioRxiv*, 290676. doi: 10.1101/290676. <https://www.biorxiv.org/content/biorxiv/early/2020/01/20/290676.full.pdf>

Monteagudo, A., Feola, J., Natola, H., Ji, C., Pröschel, C., & Johnson, G. V. W. (2018). Depletion of astrocytic transglutaminase 2 improves injury outcomes. *Molecular and Cellular Neuroscience*. doi: <https://doi.org/10.1016/j.mcn.2018.06.007>. <http://www.sciencedirect.com/science/article/pii/S1044743118300691>

Montero, D., Cathomen, A., Jacobs, R. A., Flück, D., de Leur, J., Keiser, S., . . . Lundby, C. (2015). Haematological rather than skeletal muscle adaptations contribute to the increase in peak oxygen uptake induced by moderate endurance training. *The Journal of physiology*, n/a-n/a. doi: 10.1113/jp270250. <http://dx.doi.org/10.1113/JP270250>

Montero, D., & Lundby, C. (2017). Refuting the myth of non-response to exercise training: 'non-responders' do respond to higher dose of training. *The Journal of physiology*, n/a-n/a. doi: 10.1113/jp273480. <http://dx.doi.org/10.1113/JP273480>

Montgomery, K. S., Edwards, G., Levites, Y., Kumar, A., Myers, C. E., Gluck, M. A., . . . Bizon, J. L. (2015). Deficits in hippocampal-dependent transfer generalization learning accompany synaptic dysfunction in a mouse model of amyloidosis. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22535. <http://dx.doi.org/10.1002/hipo.22535>

Montgomery, L. R. (2013). Role of the Reticulospinal and Corticoreticular Systems for the Control of Reaching in Non Human Primates. The Ohio State University. Retrieved from http://rave.ohiolink.edu/etdc/view?acc_num-osu1385049354

Montine, T. J., Milatovic, D., Gupta, R. C., Valyi-Nagy, T., Morrow, J. D., & Breyer, R. M. (2002). Neuronal oxidative damage from activated innate immunity is EP2 receptor-dependent. *Journal of Neurochemistry*, 83, 463-470. doi.

Moon, E. S., Karadimas, S. K., Yu, W.-R., Austin, J. W., & Fehlings, M. G. (2013). Riluzole attenuates neuropathic pain and enhances functional recovery in a rodent model of cervical spondylotic myelopathy. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.10.020>. <http://www.sciencedirect.com/science/article/pii/S0969996113002957>

Moon, H. Y., Javadi, S., Stremelau, M., Yoon, K. J., Becker, B., Kang, S.-U., . . . van Praag, H. (2018). Conditioned media from AICAR-treated skeletal muscle cells increases neuronal differentiation of adult neural progenitor cells. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.10.041>. <http://www.sciencedirect.com/science/article/pii/S002839081830830X>

Moon, M., Huh, Y., & Park, C. (2006). L-nitroimidazole ornithine limits exercise-induced increases in cell proliferation in the hippocampus of adult mice. *Neuroreport*, 17(11), 1121-1121. doi.

Moon, M., Kim, H. G., Hwang, L., Seo, J. H., Kim, S., Hwang, S., . . . others. (2009). Neuroprotective effect of ghrelin in the 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine mouse model of Parkinson's disease by blocking microglial activation. *Neurotoxicity research*, 15(4), 332-347. doi.

Mooney, S. J., Shah, K., Yeung, S., Burgess, A., Aubert, I., & Hynynen, K. (2016). Focused Ultrasound-Induced Neurogenesis Requires an Increase in Blood-Brain Barrier Permeability. *Plos one*, 11(7), e0159892. doi: 10.1371/journal.pone.0159892. <http://dx.doi.org/10.1371/journal.pone.0159892>

Moore, A. M., Wood, M. D., Chenard, K., Hunter, D. A., Mackinnon, S. E., Sakiyama-Elbert, S. E., & Borschel, G. H. (2010). Controlled delivery of glial cell line-derived neurotrophic factor enhances motor nerve regeneration. *Journal of hand surgery*, 35(12), 2008-2017. doi.

Moore, B. A., Baumhardt, P., Doppler, M., Randolet, J., Blackwell, B. F., DeVault, T. L., . . . Fernández-Juricic, E. (2012). Oblique color vision in an open-habitat bird: spectral sensitivity, photoreceptor distribution and behavioral implications. *Journal of Experimental Biology*, 215(19), 3442-3452. doi.

Moore, B. A., Tyrrell, L. P., Pita, D., Bininda-Emonds, O. R. P., & Fernández-Juricic, E. (2017). Does retinal configuration make the head and eyes of foveate birds move? [Article]. *Scientific Reports*, 7, 38406. doi: 10.1038/srep38406

<http://www.nature.com/articles/srep38406#supplementary-information>. <http://dx.doi.org/10.1038/srep38406>

Moore, E. M., Mander, A. G., Ames, D., Kotowicz, M. A., Carne, R. P., & Brodaty, H. (2013). Increased risk of cognitive impairment in patients with diabetes is associated with metformin. *Diabetes Care*, 36. doi: 10.2337/dc13-0229. <http://dx.doi.org/10.2337/dc13-0229>

Moorman, D. E., James, M. H., Kilroy, E. A., & Aston-Jones, G. (2016). Orexin/hypocretin neuron activation is correlated with alcohol seeking and preference in a topographically specific manner. *European Journal of Neuroscience*. n/a-n/a. doi: 10.1111/ejn.13170. <http://dx.doi.org/10.1111/ejn.13170>

Mor, D., Bembrick, A. L., Austin, P. J., Wyllie, P. M., Creber, N. J., Denyer, G. S., & Keay, K. A. (2010). Anatomically specific patterns of glial activation in the periaqueductal gray of the sub-population of rats showing pain and disability following chronic constriction injury of the sciatic nerve. *Neuroscience*, 166(4), 1167-1184. doi.

Mor, D. E. (2016). The toxic interaction of dopamine and alpha-synuclein: Implications for Parkinson's disease. University of Pennsylvania. Retrieved from <http://search.proquest.com/openview/28281453309e818989ee516dd6262df1/1?p..>

Morales, M., Hein, K., & Vogel, Z. (2008). Hippocampal interneurons co-express transcripts encoding the $\alpha 7$ nicotinic receptor subunit and the cannabinoid receptor 1. *Neuroscience*, 152(1), 70-81. doi.

Morales, M., Wang, S.-D., Diaz-Ruiz, O., & Jho, D. H.-J. (2003). Cannabinoid CB1 receptor and serotonin 3 receptor subunit A (5-HT_{3A}) are co-expressed in GABA neurons in the rat telencephalon *Journal of Comparative Neurology*, 468(2), 205-216. doi.

Morales-Medina, J. C., Juarez, I., Venancio-García, E., Cabrera, S. N., Menard, C., Yu, W., . . . Quirion, R. (2013). Impaired structural hippocampal plasticity is associated with emotional and memory deficits in the olfactory bulbectomized rat. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.037>. <http://www.sciencedirect.com/science/article/pii/S0306452213000742>

Morawska, M. M., Büchele, F., Moreira, C. G., Imbach, L. L., Noain, D., & Baumann, C. R. (2016). Sleep Modulation Alleviates Axonal Damage and Cognitive Decline after Rodent Traumatic Brain Injury. *The Journal of Neuroscience*, 36(12), 3422-3429. doi: <http://www.jneurosci.org/content/36/12/3422.short>

Morawski, M., Bruckner, G., Jager, C., Seeger, G., & Arendt, T. (2010). Neurons associated with aggrecan-based perineuronal nets are protected against tau pathology in subcortical regions in Alzheimer's disease. *Neuroscience*, 169(3), 1347-1363. doi.

Morawski, M., Brückner, G., Jäger, C., Seeger, G., Matthews, R. T., & Arendt, T. (2012). Involvement of Perineuronal and Perisynaptic Extracellular Matrix in Alzheimer's Disease *Neuropathology*. *Brain Pathology*, no-no. doi: 10.1111/j.1750-3639.2011.00557.x. <http://dx.doi.org/10.1111/j.1750-3639.2011.00557.x>

Morawski, M., Schilling, S., Kreuzberger, M., Waniek, A., Jäger, C., Koch, B., . . . Roßner, S. (2013). Glutaminy l Cyclase in Human Cortex: Correlation with (pGlu)-Amyloid-β Load and Cognitive Decline in Alzheimer's Disease. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-131535. <http://dx.doi.org/10.3233/JAD-131535>

Moreau, M. M., Piguel, N., Papouin, T., Koehl, M., Durand, C. M., Rubio, M. E., . . . Sans, N. (2010). The Planar Polarity Protein Scribble1 Is Essential for Neuronal Plasticity and Brain Function. *Journal of Neuroscience*, 30(29), 9738-9752. doi: 10.1523/jneurosci.6007-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/29/9738>

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., McNeal, D. W., Hynes, S. M., Pizzimenti, M. A., . . . Darling, W. G. (2015). Frontal and Frontoparietal Injury Differentially affect the Ipsilateral Corticospinal Projection from the Non-lesioned Hemisphere in Monkey (*Macaca mulatta*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23861. <http://dx.doi.org/10.1002/cne.23861>

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., McNeal, D. W., Pizzimenti, M. A., & Darling, W. G. (2013). Terminal distribution of the corticospinal projection from the hand/arm region of the primary motor cortex to the cervical enlargement in rhesus monkey. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23410. <http://dx.doi.org/10.1002/cne.23410>

Morecraft, R. J., Mcneal, D. W., Stilwell-Morecraft, K. S., Gedney, M., Ge, J., Schroeder, C. M., & Hoesen, G. W. V. (2007). Amygdala interconnections with the cingulate motor cortex in the rhesus monkey. *Journal of Comparative Neurology*, 500(1), 134-165. doi.

Morecraft, R. J., Stilwell-Morecraft, K. S., Solon-Cline, K. M., Ge, J., & Darling, W. G. (2014). Cortical innervation of the hypoglossal nucleus in the non-human primate (*Macaca mulatta*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23614. <http://dx.doi.org/10.1002/cne.23614>

Morelli, E., Moore, H., Rebello, T. J., Gray, N., Steele, K., Esposito, E., . . . Ansorge, M. S. (2011). Chronic 5-HT Transporter Blockade Reduces DA Signaling to Elicit Basal Ganglia Dysfunction. *Journal of*

Neuroscience, 31(44), 15742-15750. doi: 10.1523/jneurosci.2989-11.2011. <http://www.jneurosci.org/content/31/44/15742.abstract>

Morellini, N. M., Giles, N. L., Rea, S., Adcroft, K. F., Falder, S., King, C. E., . . . others. (2008). Exogenous metallothionein-IIA promotes accelerated healing after a burn wound. *Wound Repair and Regeneration*, 16(5), 682-690. doi.

Moreno, B., Lopez, I., Fernández-Díez, B., Gottlieb, M., Matute, C., Sánchez-Gómez, M. V., . . . Franco, R. (2014). Differential Neuroprotective Effects of 5'-Deoxy-5'-Methylthioadenosine. *Plos one*, 9(3), e90671. doi: 10.1371/journal.pone.0090671. <http://dx.doi.org/10.1371%2Fjournal.pone.0090671>

Moresco, E. M. Y., Donaldson, S., Williamson, A., & Koleske, A. J. (2005). Integrin-Mediated Dendrite Branch Maintenance Requires Abelson (Abl) Family Kinases. *Journal of Neuroscience*, 25(26), 6105-6118. doi. <http://www.jneurosci.org/cgi/content/abstract/25/26/6105>

Morgan, J. P., Magee, H., Wong, A., Nelson, T., Koch, B., Cooper, J. D., & Weimer, J. M. (2013). A Murine Model of Variant Late Infantile Ceroid Lipofuscinosis Recapitulates Behavioral and Pathological Phenotypes of Human Disease. *Plos one*, 8(11), e78694. doi: 10.1371/journal.pone.0078694. <http://dx.doi.org/10.1371%2Fjournal.pone.0078694>

Morgan, J. T., Barger, N., Amaral, D. G., & Schumann, C. M. (2014). Stereological Study of Amygdala Glial Populations in Adolescents and Adults with Autism Spectrum Disorder. *Plos one*, 9(10), e110356. doi: 10.1371/journal.pone.0110356. <http://dx.doi.org/10.1371%2Fjournal.pone.0110356>

Morgan, J. T., Chana, G., Abramson, I., Semendeferi, K., Courchesne, E., & Everall, I. P. (2012). Abnormal Microglial-Neuronal Spatial Organization in the Dorsolateral Prefrontal Cortex in Autism. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.03.036. <http://www.sciencedirect.com/science/article/pii/S0006899312005185?v=s5>

Morgan, J. T., Chana, G., Pardo, C. A., Achim, C., Semendeferi, K., Buckwalter, J., . . . Everall, I. P. (2010). Microglial activation and increased microglial density observed in the dorsolateral prefrontal cortex in autism. *Biological Psychiatry*, 68(4), 368-376. doi.

Morganti, J. M., Nash, K. R., Grimmig, B. A., Ranjit, S., Small, B., Bickford, P. C., & Gemma, C. (2012). The Soluble Isoform of CX3CL1 Is Necessary for Neuroprotection in a Mouse Model of Parkinson's Disease. *Journal of Neuroscience*, 32(42), 14592-14601. doi.

Mori, M., Murata, Y., Matsuo, A., Takemoto, T., & Mine, K. (2014). Chronic Treatment with the 5-HT1A Receptor Partial Agonist Tansospirone Increases Hippocampal Neurogenesis. *Neurology and Therapy*, 1-11. doi: 10.1007/s40120-013-0015-0. <http://dx.doi.org/10.1007/s40120-013-0015-0>

Mori, M., Murata, Y., Tsuchihashi, M., Hanakita, N., Terasaki, F., Harada, H., . . . Enjoji, M. (2020). Continuous psychosocial stress stimulates BMP signaling in dorsal hippocampus concomitant with anxiety-like behavior associated with differential modulation of cell proliferation and neurogenesis. *Behavioural Brain Research*, 392, 112711. doi: <https://doi.org/10.1016/j.bbr.2020.112711>. <http://www.sciencedirect.com/science/article/pii/S0166432820304101>

Morishita, M., Maejima, S., & Tsukahara, S. (2017). Gonadal Hormone-Dependent Sexual Differentiation of a Female-Biased Sexually Dimorphic Cell Group in the Principal Nucleus of the Bed Nucleus of the Stria Terminalis in Mice. *Endocrinology*. doi. <https://academic.oup.com/endo/article-abstract/doi/10.1210/en.2017-00240..>

Morita, T., Sasaki, M., Kataoka-Sasaki, Y., Nakazaki, M., Nagahama, H., Oka, S., . . . Honmou, O. (2016). Intravenous infusion of mesenchymal stem cells promotes functional recovery in a model of chronic spinal cord injury. *Neuroscience*, 335, 221-231. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.08.037>. <http://www.sciencedirect.com/science/article/pii/S0306452216304109>

Moro, C., Massri, N. E., Darlot, F., Torres, N., Chabrol, C., Agay, D., . . . Benabid, A.-L. (2016). Effects of a higher dose of near-infrared light on clinical signs and neuroprotection in a monkey model of Parkinson's disease. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.07.005>. <http://www.sciencedirect.com/science/article/pii/S0006899316304784>

Moro, C., Massri, N. E., Torres, N., Ratel, D., De Jaeger, X., Chabrol, C., . . . Benabid, A.-L. (2013). Photobiomodulation inside the brain: a novel method of applying near-infrared light intracranially and its impact on dopaminergic cell survival in MPTP-treated mice. *Journal of Neurosurgery*, 0(0), 1-14. doi: 10.3171/2013.9.JNS13423. <http://thejns.org/doi/abs/10.3171/2013.9.JNS13423>

Moro, C., Torres, N., Arvanitakis, K., Cullen, K., Chabrol, C., Agay, D., . . . Mitrofanis, J. (2017). No evidence for toxicity after long-term photobiomodulation in normal non-human primates. [journal article]. *Experimental Brain Research*. doi: 10.1007/s00221-017-5048-7. <https://doi.org/10.1007/s00221-017-5048-7>

Moro, N., Ghavim, S., Harris, N. G., Hovda, D. A., & Sutton, R. L. (2013). Glucose administration after traumatic brain injury improves cerebral metabolism and reduces secondary neuronal injury. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.08.044>. <http://www.sciencedirect.com/science/article/pii/S0006899313011815>

Moro, N., Ghavim, S. S., Harris, N. G., Hovda, D. A., & Sutton, R. L. (2016). Pyruvate treatment attenuates cerebral metabolic depression and neuronal loss after experimental traumatic brain injury. *Brain Research*, 1642, 270-277. doi: <http://dx.doi.org/10.1016/j.brainres.2016.04.005>. <http://www.sciencedirect.com/science/article/pii/S0006899316301986>

Moro, N., & Sutton, R. L. (2010). Beneficial effects of sodium or ethyl pyruvate after traumatic brain injury in the rat. *Experimental Neurology*, 225(2), 391-401. doi.

Moroni, R. F., Deleo, F., Regondi, M. C., Madaschi, L., Amadeo, A., & Frassoni, C. (2018). Proliferative cells in the rat developing neocortical grey matter: new insights into gliogenesis. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1736-8. <https://doi.org/10.1007/s00429-018-1736-8>

Morris, J. A., Jordan, C. L., & Breedlove, S. M. (2008). Sexual dimorphism in neuronal number of the posterodorsal medial amygdala is independent of circulating androgens and regional volume in adult rats. *Journal of Comparative Neurology*, 506(5), 851-859. doi.

Morris, J. A., Jordan, C. L., Dugger, B. N., & Breedlove, S. M. (2005). Partial Demasculinization of Several Brain Regions in Adult Male (XY) Rats with a Dysfunctional Androgen Receptor Gene. *Journal of Comparative Neurology*, 487, 217-226. doi.

Morris, J. A., Jordan, C. L., King, Z. A., Northcutt, K. V., & Breedlove, S. M. (2008). Sexual dimorphism and steroid responsiveness of the posterodorsal medial amygdala in adult mice. *Brain Research*, 1190, 115-121. doi.

Morris, M. C., Schneider, J. A., Li, H., Tangney, C. C., Nag, S., Bennett, D. A., . . . Barnes, L. L. (2014). Brain tocopherols related to Alzheimer's disease neuropathology in humans. *Alzheimer's & Dementia*, (0). doi: <http://dx.doi.org/10.1016/j.jalz.2013.12.015>. <http://www.sciencedirect.com/science/article/pii/S1552526013029427>

Morrison, D. J., Rashid, A. J., Yiu, A. P., Yan, C., Frankland, P. W., & Josselyn, S. A. (2016). Parvalbumin interneurons constrain the size of the lateral amygdala engram. *Neurobiology of Learning and Memory*. doi: <http://dx.doi.org/10.1016/j.nlm.2016.07.007>. <http://www.sciencedirect.com/science/article/pii/S1074742716301071>

Morrow, B. A., Hajszan, T., Leranth, C., Elsworth, J. D., & Roth, R. H. (2007). Prenatal exposure to cocaine is associated with increased number of spine synapses in rat prelimbic cortex. *Synapse*, 61(10), 862-865. doi.

Morshedi, M. M., & Meredith, G. E. (2007). Differential laminar effects of amphetamine on prefrontal parvalbumin interneurons. *Neuroscience*, 149(3), 617-624. doi.

Morshedi, M. M., Rademacher, D. J., & Meredith, G. E. (2009). Increased synapses in the medial prefrontal cortex are associated with repeated amphetamine administration. *Synapse*, 63(2), 126-135. doi.

Mortensen, L. J., Oberdorfer, G., Pentland, A. P., & DeLouise, L. A. (2008). In vivo skin penetration of quantum dot nanoparticles in the murine model: the effect of UVR. *Nano letters*, 8(9), 2779-2787. doi.

Morton, P. D., Dellarole, A., Theus, M. H., Walters, W. M., Berge, S. S., & Bethea, J. R. (2013). Activation of NF- κ B in Schwann Cells Is Dispensable for Myelination In Vivo. *Journal of Neuroscience*, 33(24), 9932-9936. doi: 10.1523/jneurosci.2483-12.2013. <http://www.jneurosci.org/content/33/24/9932.abstract>

Morton, P. D., Johnstone, J. T., Ramos, A. Y., Liebl, D. J., Bunge, M. B., & Bethea, J. R. (2012). Nuclear factor- κ B activation in schwann cells regulates regeneration and remyelination. *Glia*, 60(4), 639-650. doi: 10.1002/glia.22297. <http://dx.doi.org/10.1002/glia.22297>

Morton, P. D., Korotcova, L., Lewis, B. K., Bhuvanendran, S., Ramachandra, S. D., Zurakowski, D., . . . Ishibashi, N. (2017). Abnormal neurogenesis and cortical growth in congenital heart disease. [10.1126/scitranslmed.aah7029]. *Science translational medicine*, 9(374). doi: <http://stm.sciencemag.org/content/9/374/eaah7029.abstract>

Mosconi, T., Arends, J. J., & Jacquin, M. F. (2013). Null mutations of NT-3 and Bax affect trigeminal ganglion cell number but not brainstem barrelette pattern formation. *Somatosensory and Motor Research*, 0(0), 1-6. doi: 10.3109/08990220.2013.775118. <http://informahealthcare.com/doi/abs/10.3109/08990220.2013.775118>

Moser, V. C., Barone, S., Jr., Smialowicz, R. J., Harris, M. W., Davis, B. J., Overstreet, D., . . . Chapin, R. E. (2001). The Effects of Perinatal Tebuconazole Exposure on Adult Neurological, Immunological, and Reproductive Function in Rats. *Toxicological Sciences*, 62(2), 339-352. doi: 10.1093/toxsci/62.2.339. <http://toxsci.oxfordjournals.org/cgi/content/abstract/62/2/339>

Moses, C., Pg Wheeler, L., LeVaillant, C. J., Kramer, A., Ryan, M., Cozens, G. S., . . . Harvey, A. R. (2015). The acquisition of target dependence by developing rat retinal ganglion cells.

[10.1523/ENEURO.0044-14.2015]. *eneuro*.

doi: <http://eneuro.org/content/early/2015/06/28/ENEURO.0044-14.2015.abstract>

Moses, D., Drago, J., Teper, Y., Gantois, I., Finkelstein, D. I., & Horne, M. K. (2008). Fetal striatum- and ventral mesencephalon-derived expanded neurospheres rescue dopaminergic neurons in vitro and the nigro-striatal system in vivo. *Neuroscience*, 154(2), 606-620. doi:

Moses, D., Teper, Y., Gantois, I., Finkelstein, D. I., Horne, M. K., & Drago, J. (2006). Murine embryonic EGF-responsive ventral mesencephalic neurospheres display distinct regional specification and promote survival of dopaminergic neurons. *Experimental Neurology*, 199(1), 209-221. doi:

Mostoslavsky, G., Kotton, D. N., Fabian, A. J., Gray, J. T., Lee, J. S., & Mulligan, R. C. (2005). Efficiency of transduction of highly purified murine hematopoietic stem cells by lentiviral and oncoretroviral vectors under conditions of minimal in vitro manipulation. *Mol Ther*, 11. doi:

10.1016/j.jymthe.2005.01.005. <http://dx.doi.org/10.1016/j.jymthe.2005.01.005>

Motalleb, R., Berns, E. J., Patel, P., Gold, J., Stupp, S. I., & Georg Kuhn, H. (2018). In vivo migration of endogenous brain progenitor cells guided by an injectable peptide amphiphile biomaterial. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi:

10.1002/term.2644. <http://dx.doi.org/10.1002/term.2644>

Mott, R. T., Thore, C. R., Moody, D. M., Glazier, S. S., Ellis, T. L., & Brown, W. R. (2009). Reduced ratio of afferent to total vascular density in mesial temporal sclerosis. *Journal of Neuropathology and Experimental Neurology*, 68(10), 1147-1147. doi:

Mounsey, R. B., Mustafa, S., Robinson, L., Ross, R. A., Riedel, G., Pertwee, R. G., & Teismann, P. (2015). Increasing levels of the endocannabinoid 2-AG is neuroprotective in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine mouse model of Parkinson's disease. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.07.024>. <http://www.sciencedirect.com/science/article/pii/S0014488615300583>

Mount, C. W., Majzner, R. G., Sundaresh, S., Arnold, E. P., Kadapakkam, M., Haile, S., . . . Mackall, C. L. (2018). Potent antitumor efficacy of anti-GD2 CAR T cells in H3-K27M+ diffuse midline gliomas. *Nature Medicine*. doi: 10.1038/s41591-018-0006-x. <https://doi.org/10.1038/s41591-018-0006-x>

Mount, M. P., Lira, A., Grimes, D., Smith, P. D., Faucher, S., Slack, R., . . . Park, D. S. (2007). Involvement of Interferon- γ in Microglial-Mediated Loss of Dopaminergic Neurons. *Journal of Neuroscience*, 27(12), 3328-3337. doi: 10.1523/jneurosci.5321-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/12/3328>

Mount, M. P., Zhang, Y., Amini, M., Callaghan, S., Kulczykcki, J., Mao, Z., . . . Park, D. S. (2013). Perturbation of transcription factor Nur77 expression mediated by myocyte enhancer factor 2D (MEF2D) regulates dopaminergic neuron loss in response to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP). *Journal of Biological Chemistry*. doi:

10.1074/jbc.M112.439216. <http://www.jbc.org/content/early/2013/03/27/jbc.M112.439216.abstract>

Mountney, A., Zahner, M. R., Lorenzini, I., Oudega, M., Schramm, L. P., & Schnaar, R. L. (2010). Sialidase enhances recovery from spinal cord contusion injury. *Proceedings of the National Academy of Sciences*, 107(25), 11561-11566. doi: 10.1073/Proceedings of the National Academy of Sciences.1006683107. <http://www.Proceedings of the National Academy of Sciences.org/content/107/25/11561.abstract>

Mowery, T. M., & Garraghty, P. E. (2009). Frontiers: Nerve-injury induced changes to GluR1 and GluR2/3 sub-unit expression in area 3b of adult squirrel monkeys: developmental recapitulation? *Frontiers in Systems Neuroscience*, 3. doi.

Mowery, T. M., & Garraghty, P. E. (2009). Nerve-injury induced changes to GluR1 and GluR2/3 sub-unit expression in area 3b of adult squirrel monkeys: developmental recapitulation? *Frontiers in Systems Neuroscience*, 3. doi.

Mowery, T. M., Kostylev, P. V., & Garraghty, P. E. (2013). AMPA and GABAA/B receptor subunit expression in the cuneate nucleus of adult squirrel monkeys during peripheral nerve regeneration. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2013.11.054>. <http://www.sciencedirect.com/science/article/pii/S0304394013010653>

Mowery, T. M., Sarin, R. M., Elliott, K. S., & E Garraghty, P. (2011). Nerve Injury-Induced Changes in GABAA and GABAB Sub-unit Expression in Area 3b and Cuneate Nucleus of Adult Squirrel Monkeys: Further Evidence of Developmental Recapitulation. *Brain Research*. doi.

Mowery, T. M., Sarin, R. M., Kostylev, P. V., & Garraghty, P. E. (2015). Differences in AMPA and GABAA/B receptor subunit expression between the chronically reorganized cortex and brainstem of adult squirrel monkeys. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.03.010>. <http://www.sciencedirect.com/science/article/pii/S0006899315001924>

Mowery, T. M., Walls, S. M., & Garraghty, P. E. (2013). AMPA and GABAA/B Receptor Subunit Expression in the Cortex of Adult Squirrel Monkeys during Peripheral Nerve Regeneration. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.04.032>. <http://www.sciencedirect.com/science/article/pii/S000689931300574X>

Mowery, T. M., Wilson, S. M., Kostylev, P. V., Wertz, B. D., Bucholz, J. B., Prieto, A. L., & Garraghty, P. E. (2014). Embryological exposure to valproic acid disrupts morphology of the deep cerebellar nuclei in a sexually dimorphic way. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2014.10.003>. <http://www.sciencedirect.com/science/article/pii/S0736574814001695>

Moyer, C. E., Delevich, K. M., Fish, K. N., Asafu-Adjei, J. K., Sampson, A. R., Dorph-Petersen, K.-A., . . . Sweet, R. A. (2012). Reduced Glutamate Decarboxylase 65 Protein Within Primary Auditory Cortex Inhibitory Boutons in Schizophrenia. *Biological Psychiatry*, (0). doi: 10.1016/j.biopsych.2012.04.010. <http://www.sciencedirect.com/science/article/pii/S0006322312003617>

Moyer, C. E., Erickson, S. L., Fish, K. N., Thiels, E., Penzes, P., & Sweet, R. A. (2015). Developmental Trajectories of Auditory Cortex Synaptic Structures and Gap-Prepulse Inhibition of Acoustic Startle Between Early Adolescence and Young Adulthood in Mice. *Cerebral Cortex*. doi: 10.1093/cercor/bhv040. <http://cercor.oxfordjournals.org/content/early/2015/03/10/cercor.bhv040....>

Mudannayake, J. M., Mouravlev, A., Fong, D. M., & Young, D. (2016). Transcriptional activity of novel ALDH1L1 promoters in the rat brain following AAV vector-mediated gene transfer. [Article]. *Molecular Therapy — Methods & Clinical Development*, 3, 16075. doi: 10.1038/mtm.2016.75

<http://www.nature.com/articles/mtm201675#supplementary-information>, <http://dx.doi.org/10.1038/mtm.2016.75>

Mudannayake, J. M., Mouravlev, A., Fong, D. M., & Young, D. (2016). Transcriptional activity of novel ALDH1L1 promoters in the rat brain following AAV vector-mediated gene transfer. [Article]. *Molecular Therapy — Methods & Clinical Development*, 3, 16075. doi: 10.1038/mtm.2016.75

<http://www.nature.com/articles/mtm201675#supplementary-information>, <http://dx.doi.org/10.1038/mtm.2016.75>

Muessel, M. J., Klein, R. M., Wilson, A. M., & Berman, N. E. J. (2002). Ablation of the chemokine monocyte chemoattractant protein-1 delays retrograde neuronal degeneration, attenuates microglial activation, and alters expression of cell death molecules. *Molecular Brain Research*, 103(1-2), 12-27. doi.

Muhia, M., Yee, B. K., Feldon, J., Markopoulos, F., & Knuesel, I. (2010). Disruption of hippocampus-regulated behavioural and cognitive processes by heterozygous constitutive deletion of SynGAP. *European Journal of Neuroscience*, 31(3), 529-543. doi.

Mühlfeld, C. (2012). Quantitative morphology of the vascularisation of organs: a stereological approach illustrated using the cardiac circulation. *Annals of Anatomy - Anatomischer Anzeiger*, (0). doi: <http://dx.doi.org/10.1016/j.aanat.2012.10.010>, <http://www.sciencedirect.com/science/article/pii/S0940960212001653>

Mühlfeld, C., Knudsen, L., & Ochs, M. (2013). Stereology and morphometry of lung tissue. *Cell Imaging Techniques: Methods and Protocols*. doi.

Mukhida, K., Baghbaderani, B. A., Hong, M., Lewington, M., Phillips, T., McLeod, M., . . . Mendez, I. (2008). Survival, differentiation, and migration of bioreactor-expanded human neural precursor cells in a model of Parkinson disease in rats. *Neurosurgical Focus*, 24(3-4), 8-8. doi.

Mukhida, K., Hong, M., Miles, G. B., Phillips, T., Baghbaderani, B. A., McLeod, M., . . . Mendez, I. (2008). A multitarget basal ganglia dopaminergic and GABAergic transplantation strategy enhances behavioural recovery in parkinsonian rats. *Brain*, 131(8), 2106-2126. doi: 10.1093/brain/awn149. <http://brain.oxfordjournals.org/cgi/content/abstract/131/8/2106>

Mukhida, K., Mendez, I., McLeod, M., Kobayashi, N., Haughn, C., Milne, B., . . . Hong, M. (2007). Spinal GABAergic Transplants Attenuate Mechanical Allodynia in a Rat Model of Neuropathic Pain. *Stem Cells*, 25(11), 2874-2885. doi: 10.1634/stemcells.2007-0326. <http://stemcells.alphamedpress.org/cgi/content/abstract/25/11/2874>

Muley, A., Majumder, S., Kolluru, G. K., Parkinson, S., Viola, H., Hool, L., . . . Chatterjee, S. (2010). Secreted Frizzled-Related Protein 4: An Angiogenesis Inhibitor. *American Journal of Pathology*, 176(3), 1505-1516. doi: 10.2353/ajpath.2010.090465. <http://ajp.amjpathol.org/cgi/content/abstract/176/3/1505>

Müller-Starck, J., Büttner, A., Kiessling, M. C., Angstman, N. B., Császár, N. B. M., Haeussner, E., . . . Schmitz, C. (2014). No Changes in Cerebellar Microvessel Length Density in Sudden Infant Death Syndrome: Implications for Pathogenetic Mechanisms. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.000000000000055. doi: http://journals.lww.com/jneuropath/Fulltext/publishahead/No_Changes_in_C..

- Munckhof, P., Rymar, V. V., Luk, K. C., Gu, L., Weiss, N. S., Voorn, P., & Sadikot, A. F. (2009). Morphogenesis of Rodent Neostriatum Following Early Developmental Dopamine Depletion. *Basal Ganglia IX*, 399-410. doi.
- Munckhof, P. v. d., Luk, K. C., Ste-Marie, L., Montgomery, J., Blanchet, P. J., Sadikot, A. F., & Drouin, J. (2003). Pitx3 is required for motor activity and for survival of a subset of midbrain dopaminergic neurons. *Development*, 130(11), 2535-2542. doi.
- Munder, T., Pfeffer, A., Schreyer, S., Guo, J., Braun, J., Sack, I., . . . Klein, C. (2017). MR elastography detection of early viscoelastic response of the murine hippocampus to amyloid β accumulation and neuronal cell loss due to Alzheimer's disease. *Journal of Magnetic Resonance Imaging*, n/a-n/a. doi: 10.1002/jmri.25741. <http://dx.doi.org/10.1002/jmri.25741>
- Munger, E. L., Edler, M. K., Hopkins, W. D., Ely, J. J., Erwin, J. M., Perl, D. P., . . . Raghanti, M. A. (2019). Astrocytic changes with aging and Alzheimer's disease-type pathology in chimpanzees. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24610. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24610>
- Munter, J. P. d., Beugels, J., Munter, S., Jansen, L., Cillero-Pastor, B., Moskvina, O., . . . E.Ch, W. (2019). Standardized human bone marrow-derived stem cells infusion improves survival and recovery in a rat model of spinal cord injury. *Journal of the Neurological Sciences*, 402, 16-29. doi: <https://doi.org/10.1016/j.jns.2019.05.002>. <http://www.sciencedirect.com/science/article/pii/S022510X19302102>
- Mura, A., Murphy, C. A., Feldon, J., & Jongen-Relo, A. L. (2004). The use of stereological counting methods to assess immediate early gene immunoreactivity. *Brain Research*, 1009(1-2), 120-128. doi.
- Muraoka, K., Shingo, T., Yasuhara, T., Kameda, M., Yuan, W., Hayase, H., . . . Date, I. (2006). The high integration and differentiation potential of autologous neural stem cell transplantation compared with allogeneic transplantation in adult rat hippocampus. *Experimental Neurology*, 199(2), 311-327. doi.
- Murase, S., Lantz, C., Kim, E., Gupta, N., Higgins, R., Stopfer, M., . . . Quinlan, E. (2015). Matrix Metalloproteinase-9 Regulates Neuronal Circuit Development and Excitability. *Molecular Neurobiology*, 1-17. doi: 10.1007/s12035-015-9295-y. <http://dx.doi.org/10.1007/s12035-015-9295-y>
- Murata, Y., & Higo, N. (2016). Development and Characterization of a Macaque Model of Focal Internal Capsular Infarcts. *Plos one*, 11(5), e0154752. doi: 10.1371/journal.pone.0154752. <http://dx.doi.org/10.1371%2Fjournal.pone.0154752>
- Murata, Y., Matsuda, H., Mikami, Y., Hirose, S., Mori, M., Ohe, K., . . . Enjoji, M. (2019). Chronic administration of quetiapine stimulates dorsal hippocampal proliferation and immature neurons of male rats, but does not reverse psychosocial stress-induced hyponeophagic behavior. *Psychiatry Research*, 272, 411-418. doi: <https://doi.org/10.1016/j.psychres.2018.12.137>. <http://www.sciencedirect.com/science/article/pii/S0165178118312083>
- Murata, Y., Narisawa, Y., Shimono, R., Ohmori, H., Mori, M., Ohe, K., . . . Enjoji, M. (2017). A high fat diet-induced decrease in hippocampal newly-born neurons of male mice is exacerbated by mild psychological stress using a Communication Box. *Journal of Affective Disorders*, 209, 209-216. doi: <http://dx.doi.org/10.1016/j.jad.2016.11.046>. <http://www.sciencedirect.com/science/article/pii/S0165032716317256>

Murata, Y., Oka, A., Iseki, A., Mori, M., Ohe, K., Mine, K., & Enjoji, M. (2017). Prolonged sleep deprivation decreases cell proliferation and immature newborn neurons in both dorsal and ventral hippocampus of male rats. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2017.08.008>. <http://www.sciencedirect.com/science/article/pii/S0168010217302523>

Murawski, N. J., Klintsova, A. Y., & Stanton, M. E. (2012). Neonatal alcohol exposure and the hippocampus in developing male rats: effects on behaviorally induced CA1 c-Fos expression, CA1 pyramidal cell number, and contextual fear conditioning. *Neuroscience*. doi.

Murphy, J. A., Hartwick, A. T. E., Rutishauser, U., & Clarke, D. B. (2009). Endogenous polysialylated neural cell adhesion molecule enhances the survival of retinal ganglion cells. *Investigative Ophthalmology and Visual Science*, 50(2), 861-869. doi.

Murray, E. K., Hien, A., de Vries, G. J., & Forger, N. G. (2009). Epigenetic Control of Sexual Differentiation of the Bed Nucleus of the Stria Terminalis. *Endocrinology*, en.2009-0458. doi: 10.1210/en.2009-0458. <http://endo.endojournals.org/cgi/content/abstract/en.2009-0458v1>

Murray, E. K., Varnum, M. M., Fernandez, J. L., de Vries, G. J., & Forger, N. G. (2011). Effects of Neonatal Treatment with Valproic Acid on Vasopressin Immunoreactivity and Olfactory Behaviour in Mice. *Journal of Neuroendocrinology*, 23(10), 906-914. doi: 10.1111/j.1365-2826.2011.02196.x. <http://dx.doi.org/10.1111/j.1365-2826.2011.02196.x>

Murray, H. C., Low, V. F., Swanson, M. E. V., Dieriks, B. V., Turner, C., Faull, R. L. M., & Curtis, M. A. (2016). Distribution of PSA-NCAM in normal, Alzheimer's and Parkinson's disease human brain. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.06.003>. <http://www.sciencedirect.com/science/article/pii/S0306452216302330>

Murray, P. S., Kirkwood, C. M., Gray, M. C., Fish, K. N., Ikonovic, M. D., Hamilton, R. L., . . . Sweet, R. A. (2013). Hyperphosphorylated Tau is Elevated in Alzheimer's Disease with Psychosis. *Journal of Alzheimer's Disease*. doi: <http://iospress.metapress.com/content/g876713k538382rq/>

Murray, S. J., Black, B. L., Reid, S. J., Rudiger, S. R., Bawden, C. S., Snell, R. G., . . . Faull, R. L. M. (2019). Chemical neuroanatomy of the substantia nigra in the ovine brain. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2019.01.007>. <http://www.sciencedirect.com/science/article/pii/S0891061818300644>

Murthy, S., Kane, G. A., Katchur, N. J., Lara Mejia, P. S., Obiofuma, G., Buschman, T. J., . . . Gould, E. (2019). Perineuronal nets, inhibitory interneurons and anxiety-related ventral hippocampal neuronal oscillations are altered by early life adversity. *Biological Psychiatry*. doi: <https://doi.org/10.1016/j.biopsych.2019.02.021>. <http://www.sciencedirect.com/science/article/pii/S0006322319301490>

Mus, L., Siani, F., Giuliano, C., Ghezzi, C., Cerri, S., & Blandini, F. (2019). Development and biochemical characterization of a mouse model of Parkinson's disease bearing defective glucocerebrosidase activity. *Neurobiology of Disease*, 124, 289-296. doi: <https://doi.org/10.1016/j.nbd.2018.12.001>. <http://www.sciencedirect.com/science/article/pii/S0969996118307563>

- Musacchio, T., Rebenstorff, M., Fluri, F., Brotchie, J. M., Volkman, J., Koprach, J. B., & Ip, C. W. (2017). STN-DBS is neuroprotective in the A53T α -synuclein Parkinson's disease rat model. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24947. <http://dx.doi.org/10.1002/ana.24947>
- Musaelyan, K., Aldridge, S., Du Preez, A., Egeland, M., Zunszain, P. A., Pariante, C. M., . . . Fernandes, C. (2018). Repeated lipopolysaccharide exposure modifies immune and sickness behaviour response in an animal model of chronic inflammation. *Journal of Psychopharmacology*, 0269881117746902. doi: <http://journals.sagepub.com/doi/abs/10.1177/0269881117746902#articleCita..>
- Muschamp, J. W., Dominguez, J. M., Sato, S. M., Shen, R.-Y., & Hull, E. M. (2007). A Role for Hypocretin (Orexin) in Male Sexual Behavior. *Journal of Neuroscience*, 27(11), 2837-2845. doi: 10.1523/jneurosci.4121-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/11/2837>
- Mustafa, G., Hou, J., Tsuda, S., Nelson, R., Sinharoy, A., Wilkie, Z., . . . Bose, P. (2016). Trigeminal neuroplasticity underlies allodynia in a preclinical model of mild closed head traumatic brain injury (cTBI). *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.03.016>. <http://www.sciencedirect.com/science/article/pii/S0028390816300880>
- Mustafa, S., Martin, H. L., Burkly, L., Costa, A., Martins, M. L., Schwaninger, M., & Teismann, P. (2016). The role of TWEAK/Fn14 signaling in the MPTP-model of Parkinson's disease. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.01.034>. <http://www.sciencedirect.com/science/article/pii/S0306452216000622>
- Muzzi, P., Camera, P., Di Cunto, F., & Vercelli, A. (2009). Deletion of the citron kinase gene selectively affects the number and distribution of interneurons in barrelfield cortex. *Journal of Comparative Neurology*, 513(3), 249-264. doi.
- Mychasiuk, R., Gibb, R., & Kolb, B. (2011). Prenatal bystander stress induces neuroanatomical changes in the prefrontal cortex and hippocampus of developing rat offspring. *Brain Research*. doi.
- Mychasiuk, R., Gibb, R., & Kolb, B. (2012). Prenatal stress alters dendritic morphology and synaptic connectivity in the prefrontal cortex and hippocampus of developing offspring. *Synapse*, 66(4), 308-314. doi: 10.1002/syn.21512. <http://dx.doi.org/10.1002/syn.21512>
- Myer, D. J., Gurkoff, G. G., Lee, S. M., Hovda, D. A., & Sofroniew, M. V. (2006). Essential protective roles of reactive astrocytes in traumatic brain injury. *Brain*, 129(10), 2761-2772. doi: 10.1093/brain/awl165. <http://brain.oxfordjournals.org/cgi/content/abstract/129/10/2761>
- Myers, E. A., Banihashemi, L., & Rinaman, L. (2005). The anxiogenic drug yohimbine activates central viscerosensory circuits in rats. *Journal of Comparative Neurology*, 492(4), 426-441. doi.
- Myers, E. A., & Rinaman, L. (2005). Trimethylthiazoline supports conditioned flavor avoidance and activates viscerosensory, hypothalamic, and limbic circuits in rats. *American Journal of Physiological Regulatory Integrative and Comparative Physiology*, 288(6), R1716-1726. doi: 10.1152/ajpregu.00479.2004. <http://ajpregu.physiology.org/cgi/content/abstract/288/6/R1716>
- Myöhänen, T. T., Hannula, M. J., Van Elzen, R., Gérard, M., Van Der Veken, P., García-Horsman, J. A., . . . Lambeir, A. M. (2012). A prolyl oligopeptidase inhibitor, KYP-2047, reduces α -synuclein protein levels and aggregates in cellular and animal models of Parkinson's disease. *British Journal of Pharmacology*. doi.

Myrie, S. B., MacKay, D. S., Van Vliet, B. N., & Bertolo, R. F. (2011). Early programming of adult blood pressure in the low birth weight Yucatan miniature pig is exacerbated by a post-weaning high-salt-fat-sugar diet. *British Journal of Nutrition*, 1-1. doi.

Myrie, S. B., McKnight, L. L., Van Vliet, B. N., & Bertolo, R. F. (2011). Low Birth Weight Is Associated with Reduced Nephron Number and Increased Blood Pressure in Adulthood in a Novel Spontaneous Intrauterine Growth-Restricted Model in Yucatan Miniature Swine. *Neonatology*, 100(4), 380-386. doi.

N.C. y Leon, N. d. C. (2013). Transient down-regulation of sound-induced c-Fos protein expression in the inferior colliculus after ablation of the. *Auditory neuroanatomy: A sound foundation for sound processing*, 59. doi.

Naaldijk, Y., Jäger, C., Fabian, C., Leovsky, C., Blüher, A., Rudolph, L., . . . Stolzing, A. (2016). Effect of systemic transplantation of bone marrow-derived mesenchymal stem cells on neuropathology markers in APP/PS1 Alzheimer mice. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12319. <http://dx.doi.org/10.1111/nan.12319>

Nadeau, J., Smith, T., Lamontagne-Proulx, J., Bourque, M., Al Sweidi, S., Jayasinghe, D., . . . Soulet, D. (2019). Neuroprotection and immunomodulation in the gut of parkinsonian mice with a plasmalogen precursor. *Brain Research*, 146460. doi: <https://doi.org/10.1016/j.brainres.2019.146460>. <http://www.sciencedirect.com/science/article/pii/S0006899319305141>

Nader, K., Majidishad, P., Amorapanth, P., & LeDoux, J. E. (2001). Damage to the Lateral and Central, but Not Other, Amygdaloid Nuclei Prevents the Acquisition of Auditory Fear Conditioning. *Learning and Memory*, 8(3), 156-163. doi. <http://www.learnmem.org/cgi/content/abstract/8/3/156>

Naef, L., Gjerde, E., Long, H., Richard, D., & Walker, C.-D. (2014). Neonatal onset of leptin signaling in dopamine neurons of the ventral tegmental area in the rat. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12221. <http://dx.doi.org/10.1111/jne.12221>

Naert, G., & Rivest, S. (2011). CC Chemokine Receptor 2 Deficiency Aggravates Cognitive Impairments and Amyloid Pathology in a Transgenic Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 31(16), 6208-6220. doi: 10.1523/jneurosci.0299-11.2011. <http://www.jneurosci.org/content/31/16/6208.abstract>

Nagahama, H., Nakazaki, M., Sasaki, M., Kataoka-Sasaki, Y., Namioka, T., Namioka, A., . . . Honmou, O. (2018). Preservation of interhemispheric cortical connections through corpus callosum following intravenous infusion of mesenchymal stem cells in a rat model of cerebral infarction. *Brain Research*, 1695, 37-44. doi: <https://doi.org/10.1016/j.brainres.2018.05.033>. <http://www.sciencedirect.com/science/article/pii/S0006899318302907>

Nagahara, A. H., Bernot, T., Moseanko, R., Brignolo, L., Blesch, A., Conner, J. M., . . . Tuszynski, M. H. (2009). Long-term reversal of cholinergic neuronal decline in aged non-human primates by lentiviral NGF gene delivery. *Experimental Neurology*, 215(1), 153-159. doi.

Nagahara, A. H., Mateling, M., Kovacs, I., Wang, L., Eggert, S., Rockenstein, E., . . . Tuszynski, M. H. (2013). Early BDNF Treatment Ameliorates Cell Loss in the Entorhinal Cortex of APP Transgenic Mice. *Journal of Neuroscience*, 33(39), 15596-15602. doi: 10.1523/jneurosci.5195-12.2013. <http://www.jneurosci.org/content/33/39/15596.abstract>

Nagahara, A. H., Merrill, D. A., Coppola, G., Tsukada, S., Schroeder, B. E., Shaked, G. M., . . . Tuszynski, M. H. (2009). Neuroprotective effects of brain-derived neurotrophic factor in rodent and primate models of Alzheimer's disease. *Nature Medicine*, advanced online publication. doi: <http://dx.doi.org/10.1038/nm1912>

http://www.nature.com/nm/journal/vaop/ncurrent/suppinfo/nm1912_S1.html

Nagahara, A. H., Wilson, B. R., Ivasyk, I., Kovacs, I., Rawalji, S., Bringas, J. R., . . . Bankiewicz, K. S. (2018). MR-guided delivery of AAV2-BDNF into the entorhinal cortex of non-human primates. *Gene Therapy*, 1. doi: <https://www.nature.com/articles/s41434-018-0010-2>

Nagasaka, K., Takashima, I., Matsuda, K., & Higo, N. (2017). Late-onset hypersensitivity after a lesion in the ventral posterolateral nucleus of the thalamus: A macaque model of central post-stroke pain. *Scientific Reports*, 7, 10316. doi: 10.1038/s41598-017-10679-2. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5583363/>

Nagel, F., Falkenburger, B. H., Tonges, L., Kowsky, S., Poppelmeyer, C., Schulz, J. B., . . . Dietz, G. P. H. (2008). Tat-Hsp70 protects dopaminergic neurons in midbrain cultures and in the substantia nigra in models of Parkinson's disease. *Journal of Neurochemistry*, 105(3), 853-864. doi: doi:10.1111/j.1471-4159.2007.05204.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.05204.x>

Nagloo, N., Coimbra, J. P., Hoops, D., Hart, N. S., Collin, S. P., & Hemmi, J. M. (2019). Retinal topography and microhabitat diversity in a group of dragon lizards. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24780. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24780>

Nagloo, N., Collin, S. P., Hemmi, J. M., & Hart, N. S. (2016). Spatial resolving power and spectral sensitivity of the saltwater crocodile, *Crocodylus porosus*, and the freshwater crocodile, *Crocodylus johnstoni*. [10.1242/jeb.135673]. *Journal of Experimental Biology*, 219(9), 1394-1404. doi: <http://jeb.biologists.org/content/219/9/1394.abstract>

Nagloo, N., Hart, N. S., & Collin, S. P. (2017). Ontogenetic changes in spectral sensitivity and retinal topography in the retina of the yellowtail kingfish (*Seriola lalandi*): Implications for the global *Seriola* aquaculture industry. *Aquaculture*, 474, 130-137. doi: <http://doi.org/10.1016/j.aquaculture.2017.03.042>. <http://www.sciencedirect.com/science/article/pii/S0044848616305646>

Nagy, P. M., & Aubert, I. (2012). Overexpression of the vesicular acetylcholine transporter increased acetylcholine release in the hippocampus. *Neuroscience*. doi.

Naidoo, N., Zhu, J., Galante, R. J., Lian, J., Strus, E., Lee, A., . . . Pack, A. I. (2018). Reduction of the molecular chaperone BiP accentuates the effect of aging on sleep-wake behavior. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2018.04.011>. <https://www.sciencedirect.com/science/article/pii/S0197458018301453>

Nair-Roberts, R. G., Chatelain-Badie, S. D., Benson, E., White-Cooper, H., Bolam, J. P., & Ungless, M. A. (2008). Stereological estimates of dopaminergic, GABAergic and glutamatergic neurons in the ventral tegmental area, substantia nigra and retrorubral field in the rat. *Neuroscience*, 152(4), 1024-1031. doi.

Nakada, S., Chen, X., Lim, Y.-P., & Stonestreet, B. S. (2017). Abstract WMP116: The Effects of Immediate Treatment with Inter-alpha Inhibitor Proteins on Apoptosis in Neonatal Rats Exposed to Hypoxic-ischemic Injury. *Stroke*, 48(Suppl 1), AWMP116. doi: http://stroke.ahajournals.org/content/48/Suppl_1/AWMP116.abstract

- Nakadate, K., Imamura, K., & Watanabe, Y. (2011). Effects of monocular deprivation on the spatial pattern of visually induced expression of c-Fos protein. *Neuroscience*. doi.
- Nakamura, N. H., Rosell, D. R., Akama, K. T., & McEwen, B. S. (2004). Estrogen and Ovariectomy Regulate mRNA and Protein of Glutamic Acid Decarboxylases and Cation-Chloride Cotransporters in the Adult Rat Hippocampus. *Neuroendocrinology*, 80(5), 308-323. doi: <http://www.karger.com/DOI/10.1159/000083657>
- Nakazaki, M., Sasaki, M., Kataoka-Sasaki, Y., Oka, S., Suzuki, J., Sasaki, Y., . . . Honmou, O. (2019). Intravenous infusion of mesenchymal stem cells improves impaired cognitive function in a cerebral small vessel disease model. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.04.018>. <http://www.sciencedirect.com/science/article/pii/S0306452219302581>
- Naldini, L., Blomer, U., Gallay, P., Ory, D., Mulligan, R., & Gage, F. H. (1996). In vivo gene delivery and stable transduction of nondividing cells by a lentiviral vector. *Science*, 272. doi: 10.1126/science.272.5259.263. <http://dx.doi.org/10.1126/science.272.5259.263>
- Nam, J. H., Park, E. S., Won, S.-Y., Lee, Y. A., Kim, K. I., Jeong, J. Y., . . . Jin, B. K. (2015). TRPV1 on astrocytes rescues nigral dopamine neurons in Parkinson's disease via CNTF. [10.1093/brain/awv297]. *Brain*. doi: <http://brain.oxfordjournals.org/content/early/2015/10/15/brain.awv297.ab..>
- Nam, K. N., Choi, Y. S., Jung, H. J., Park, G. H., Park, J. M., Moon, S. K., . . . others. (2010). Genipin inhibits the inflammatory response of rat brain microglial cells. *International Immunopharmacology*, 10(4), 493-499. doi.
- Nana, A. L., Sidhu, M., Gaus, S. E., Hwang, J.-H. L., Li, L., Park, Y., . . . Seeley, W. W. (2018). Neurons selectively targeted in frontotemporal dementia reveal early stage TDP-43 pathobiology. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-018-1942-8. <https://doi.org/10.1007/s00401-018-1942-8>
- Narayan, P., Reid, S., Scotter, E. L., McGregor, A. L., Mehrabi, N. F., Singh-Bains, M. K., . . . Dragunow, M. (2020). Inconsistencies in histone acetylation patterns among different HD model systems and HD post-mortem brains. *Neurobiology of Disease*, 146, 105092. doi: <https://doi.org/10.1016/j.nbd.2020.105092>. <http://www.sciencedirect.com/science/article/pii/S0969996120303673>
- Narayan, P. J., & Dragunow, M. (2010). High content analysis of histone acetylation in human cells and tissues. *Journal of Neuroscience Methods*, 193(1), 54-61. doi.
- Narkilahti, S., Nissinen, J., & Pitkänen, A. (2003). Administration of caspase 3 inhibitor during and after status epilepticus in rat: effect on neuronal damage and epileptogenesis. *Neuropharmacology*, 44(8), 1068-1088. doi.
- Naseer, M. I., Najeeb, U., Ikram, U., Zubair, H., Hassan, M., Yang, B. C., & Kim, M. O. (2009). Vitamin-C protect ethanol induced apoptotic neurodegeneration in postnatal rat brain. *Pakistan Journal of Medical Sciences*, 25, 718-722. doi.
- Nash, A., Aumann, T. D., Pigioli, M., Lichtenthaler, S. F., Takeshima, H., Munro, K. M., & Gunnarsen, J. M. (2019). Lack of Sez6 Family Proteins Impairs Motor Functions, Short-Term Memory, and Cognitive Flexibility and Alters Dendritic Spine Properties. *Cerebral Cortex*. doi: 10.1093/cercor/bhz230. <https://doi.org/10.1093/cercor/bhz230>

- Naska, S., Cenni, M. C., Menna, E., & Maffei, L. (2004). ERK signaling is required for eye-specific retinogeniculate segregation. *Development*, 131(15), 3559-3570. doi: 10.1242/dev.01212. <http://dev.biologists.org/cgi/content/abstract/131/15/3559>
- Nasrallah, H. A., Hopkins, T., & Pixley, S. K. (2010). Differential effects of antipsychotic and antidepressant drugs on neurogenic regions in rats. *Brain Research*, 1354, 23-29. doi.
- Natah, S. S., Srinivasan, S., Pittman, Q., Zhao, Z., & Dunn, J. F. (2009). Effects of acute hypoxia and hyperthermia on the permeability of the blood-brain barrier in adult rats. *Journal of Applied Physiology*, 107(4), 1348-1356. doi: 10.1152/jap.01484.2008. <http://jap.physiology.org/cgi/content/abstract/107/4/1348>
- Natarajan, C., Muthian, G., Barak, Y., Evans, R. M., & Bright, J. J. (2003). Peroxisome proliferator-activated receptor-gamma-deficient heterozygous mice develop an exacerbated neural antigen-induced Th1 response and experimental allergic encephalomyelitis. *Journal of Immunology*, 171. doi: 10.4049/jimmunol.171.11.5743. <http://dx.doi.org/10.4049/jimmunol.171.11.5743>
- Nathan, C., Calingasan, N., Nezezon, J., Ding, A., Lucia, M. S., La Perle, K., . . . others. (2005). Protection from Alzheimer's-like disease in the mouse by genetic ablation of inducible nitric oxide synthase. *Journal of Experimental Medicine*, 202(9), 1163-1163. doi.
- Naugle, M. M., Nguyen, L. T., Merceron, T. K., Filardo, E., Janssen, W. G. M., Morrison, J. H., . . . Gore, A. C. (2014). G-protein coupled estrogen receptor, estrogen receptor α , and progesterone receptor immunohistochemistry in the hypothalamus of aging female rhesus macaques given long-term estradiol treatment. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, n/a-n/a. doi: 10.1002/jez.1871. <http://dx.doi.org/10.1002/jez.1871>
- Naumann, R. K., Anjum, F., Roth-Alpermann, C., & Brecht, M. (2012). Cytoarchitecture, areas, and neuron numbers of the etruscan shrew cortex. *Journal of Comparative Neurology*. doi.
- Naumann, R. K., Ray, S., Prokop, S., Las, L., Heppner, F. L., & Brecht, M. (2015). Conserved size & periodicity of pyramidal patches in layer 2 of medial/caudal entorhinal cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23865. <http://dx.doi.org/10.1002/cne.23865>
- Naumann, T., Casademunt, E., Hollerbach, E., Hofmann, J., Dechant, G., Frotscher, M., & Barde, Y.-A. (2002). Complete Deletion of the Neurotrophin Receptor p75NTR Leads to Long-Lasting Increases in the Number of Basal Forebrain Cholinergic Neurons. *Journal of Neuroscience*, 22(7), 2409-2418. doi. <http://www.jneurosci.org/cgi/content/abstract/22/7/2409>
- Naumann, T., Schnell, O., Zhi, Q., Kirsch, M., Schubert, K. O., Sendtner, M., & Hofmann, H.-D. (2003). Endogenous Ciliary Neurotrophic Factor Protects GABAergic, But Not Cholinergic, Septohippocampal Neurons Following Fimbria-fornix Transection. *Brain Pathology*, 13(3), 309-321. doi: 10.1111/j.1750-3639.2003.tb00030.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1750-3639.2003.tb00030.x>
- Navailles, S., Hof, P. R., & Schmauss, C. (2008). Antidepressant drug-induced stimulation of mouse hippocampal neurogenesis is age-dependent and altered by early life stress. *Journal of Comparative Neurology*, 509(4), 372-381. doi.
- Navarro, A. I., & Mandyam, C. D. (2015). Protracted abstinence from chronic ethanol exposure alters the structure of neurons and expression of oligodendrocytes and myelin in the medial prefrontal cortex. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.02.043>, <http://www.sciencedirect.com/science/article/pii/S0306452215001955>

Navas, C. A., Antoniazzi, M. M., Carvalho, J. E., Chaui-Berlink, J. G., James, R. S., Jared, C., . . . Wilson, R. S. (2004). The Journal of Experimental Biology 207, 2433-2441. Published by The Company of Biologists 2004 doi: 10.1098/jeb.01041 Morphological and physiological specialization for digging in amphisbaenians, an ancient lineage of fossorial vertebrates. *Journal of Experimental Biology*, 207(13), 2433-2443. doi.

Navas, C. A., Antoniazzi, M. M., Carvalho, J. E., Chaui-Berlink, J. G., James, R. S., Jared, C., . . . Wilson, R. S. (2004). Morphological and physiological specialization for digging in amphisbaenians, an ancient lineage of fossorial vertebrates. *Journal of Experimental Biology*, 207(14), 2433-2441. doi.

Ndode-Ekane, X. E., Hayward, N., Gröhn, O., & Pitkänen, A. (2010). Vascular changes in epilepsy: functional consequences and association with network plasticity in pilocarpine-induced experimental epilepsy. *Neuroscience*, 166(1), 312-332. doi.

Neckameyer, W. S. (2010). A Trophic Role for Serotonin in the Development of a Simple Feeding Circuit. *Developmental Neuroscience*, 32, 217-237. doi.

Nehrenberg, D., Sheikh, A., & Ghashghaei, H. (2012). Identification of neuronal loci involved with displays of affective aggression in NC900 mice. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-012-0445-y. <http://dx.doi.org/10.1007/s00429-012-0445-y>

Neigh, G. N., Nemeth, C. L., Kelly, S. D., Hardy, E. E., Bourke, C., Stowe, Z. N., & Owens, M. J. (2016). Prenatal stress-induced increases in hippocampal von Willebrand factor expression are prevented by concurrent prenatal escitalopram. *Physiology and Behavior*. doi: <http://dx.doi.org/10.1016/j.physbeh.2016.07.009>, <http://www.sciencedirect.com/science/article/pii/S0031938416305339>

Nelson, L. H., & Lenz, K. M. (2016). Microglia depletion in early life programs persistent changes in social, mood-related, and locomotor behavior in male and female rats. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.09.006>, <http://www.sciencedirect.com/science/article/pii/S0166432816305885>

Nelson, L. H., Peketi, P., & Lenz, K. M. (2020). Microglia Regulate Cell Genesis in a Sex-dependent Manner in the Neonatal Hippocampus. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.10.009>, <http://www.sciencedirect.com/science/article/pii/S0306452220306606>

Nelson, L. H., Warden, S., & Lenz, K. M. (2017). Sex differences in microglial phagocytosis in the neonatal hippocampus. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2017.03.010>, <http://www.sciencedirect.com/science/article/pii/S0889159117301009>

Nelvagal, H. R., Hurtado, M. L., Eaton, S. L., Kline, R. A., Lamont, D. J., Sands, M. S., . . . Cooper, J. D. (2020). Comparative proteomic profiling reveals mechanisms for early spinal cord vulnerability in CLN1 disease. *Scientific Reports*, 10(1), 15157. doi: 10.1038/s41598-020-72075-7. <https://doi.org/10.1038/s41598-020-72075-7>

Nemeth, C. L., Shurte, M. S., McTigue, D. M., Nemeroff, C. B., & Neigh, G. N. (2012). Microembolism infarcts lead to delayed changes in affective-like behaviors followed by spatial memory impairment. *Behavioural Brain Research*, (0). doi:

10.1016/j.bbr.2012.06.014. <http://www.sciencedirect.com/science/article/pii/S0166432812004275?v=s5>

Nessler, J. A., Minakata, K., Sharp, K., & Reinkensmeyer, D. J. (2007). Robot-assisted hindlimb extension increases the probability of swing initiation during treadmill walking by spinal cord contused rats. *Journal of Neuroscience Methods*, 159(1), 66-77. doi.

Nestor, J., Arinuma, Y., Huerta, T. S., Kowal, C., Nasiri, E., Kello, N., . . . Diamond, B. (2018). Lupus antibodies induce behavioral changes mediated by microglia and blocked by ACE inhibitors. [10.1084/jem.20180776]. *The Journal of Experimental Medicine*. doi: <http://jem.rupress.org/content/early/2018/09/04/jem.20180776.abstract>

Neto, S. C., Salti, A., Puschban, Z., Stefanova, N., Nat, R., Dechant, G., & Wenning, G. K. (2012). Cell Fate Analysis of Embryonic Ventral Mesencephalic Grafts in the 6-OHDA Model of Parkinson's Disease. *Plos one*, 7(11), e50178. doi: 10.1371/journal.pone.0050178. <http://dx.doi.org/10.1371%2Fjournal.pone.0050178>

Neuberger, E. J., Abdul Wahab, R., Jayakumar, A., Pfister, B. J., & Santhakumar, V. (2014). Distinct effect of impact rise times on immediate and early neuropathology after brain injury in juvenile rats. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23401. <http://dx.doi.org/10.1002/jnr.23401>

Neuberger, E. J., Swietek, B., Corrubia, L., Prasanna, A., & Santhakumar, V. (2017). Enhanced Dentate Neurogenesis after Brain Injury Undermines Long-Term Neurogenic Potential and Promotes Seizure Susceptibility. *Stem Cell Reports*. doi: <http://www.sciencedirect.com/science/article/pii/S2213671117303259>

Neumann, M., Liu, W., Sun, C., Yang, S. Y., Noble-Haeusslein, L. J., & Liu, J. (2016). Training of the impaired forelimb after traumatic brain injury enhances hippocampal neurogenesis in the Emx1 null mice lacking a corpus callosum. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.09.013>. <http://www.jneurosci.org/content/36/36/9446.short>

Newman, A. S., Marshall, J. N., & Collin, S. P. (2013). Visual Eyes: A Quantitative Analysis of the Photoreceptor Layer in Deep-Sea Sharks. *Brain, Behavior and Evolution*, 82(4), 237-249. doi: <http://www.karger.com/Article/FullText/355370>

Newton, I. G., Forbes, M. E., Linville, M. C., Pang, H., Tucker, E. W., Riddle, D. R., & Brunso-Bechtold, J. K. (2008). Effects of aging and caloric restriction on dentate gyrus synapses and glutamate receptor subunits. *Neurobiology of Aging*, 29(9), 1308-1318. doi.

Newton, S. S., Girgenti, M. J., Collier, E. F., & Duman, R. S. (2006). Electroconvulsive seizure increases adult hippocampal angiogenesis in rats. *European Journal of Neuroscience*, 24(3), 819-828. doi: doi:10.1111/j.1460-9568.2006.04958.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04958.x>

Newville, J., Valenzuela, C. F., Li, L., Jantzie, L. L., & Cunningham, L. A. (2017). Acute oligodendrocyte loss with persistent white matter injury in a third trimester equivalent mouse model of fetal alcohol spectrum disorder. *Glia*, n/a-n/a. doi: 10.1002/glia.23164. <http://dx.doi.org/10.1002/glia.23164>

Neymotin, A., Petri, S., Calingasan, N. Y., Wille, E., Schafer, P., Stewart, C., . . . Kiaei, M. (2009). Lenalidomide (Revlimid[®]) administration at symptom onset is neuroprotective in a mouse model of amyotrophic lateral sclerosis. *Experimental Neurology*, 220(1), 191-197. doi.

- Nguemeni, C., Gomez-Smith, M., Jeffers, M., Schuch, C. P., & Corbett, D. (2015). Time course of neuronal death following endothelin-1 induced focal ischemia in rats. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.01.005>. <http://www.sciencedirect.com/science/article/pii/S0165027015000060>
- Nguyen, A. P. T., Daniel, G., Valdés, P., Islam, S., Schneider, B. L., & Moore, D. J. (2017). G2019S LRRK2 Enhances the Neuronal Transmission of Tau in the Mouse Brain. *Human Molecular Genetics*, ddx389-ddx389. doi: 10.1093/hmg/ddx389. <http://dx.doi.org/10.1093/hmg/ddx389>
- Nguyen, H. P., Kobbe, P., Rahne, H., Worpel, T., Jager, B., Stephan, M., . . . von Horsten, S. (2006). Behavioral abnormalities precede neuropathological markers in rats transgenic for Huntington's disease. *Human Molecular Genetics*, 15(21), 3177-3194. doi: 10.1093/hmg/ddl394. <http://hmg.oxfordjournals.org/cgi/content/abstract/15/21/3177>
- Nguyen, H. X., Hooshmand, M. J., Saiwai, H., Maddox, J., Salehi, A., Lakatos, A., . . . Anderson, A. J. (2017). Systemic neutrophil depletion modulates the migration and fate of transplanted human neural stem cells to rescue functional repair. [10.1523/JNEUROSCI.2785-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/08/28/JNEUROSCI.2785-16.2017..>
- Nguyen, M. V. C., Du, F., Felice, C. A., Shan, X., Nigam, A., Mandel, G., . . . Ballas, N. (2012). MeCP2 Is Critical for Maintaining Mature Neuronal Networks and Global Brain Anatomy during Late Stages of Postnatal Brain Development and in the Mature Adult Brain. *Journal of Neuroscience*, 32(29), 10021-10034. doi: 10.1523/jneurosci.1316-12.2012. <http://www.jneurosci.org/content/32/29/10021.abstract>
- Nguyen, Q.-N., Zerafa, N., Liew, S. H., Morgan, F. H., Strasser, A., Scott, C. L., . . . Hutt, K. J. (2018). Loss of PUMA protects the ovarian reserve during DNA-damaging chemotherapy and preserves fertility. *Cell death & disease*, 9(6), 618. doi: 10.1038/s41419-018-0633-7. <https://doi.org/10.1038/s41419-018-0633-7>
- Nguyen, T., Mehta, N. R., Conant, K., Kim, K.-J., Jones, M., Calabresi, P. A., . . . Griffin, J. W. (2009). Axonal Protective Effects of the Myelin-Associated Glycoprotein. *Journal of Neuroscience*, 29(3), 630-637. doi: 10.1523/jneurosci.5204-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/3/630>
- Nguyen, V., Sabeur, K., Maltepe, E., Ameri, K., Bayraktar, O., & Rowitch, D. H. (2017). Sonic Hedgehog Agonist Protects Against Complex Neonatal Cerebellar Injury. [journal article]. *The Cerebellum*. doi: 10.1007/s12311-017-0895-0. <https://doi.org/10.1007/s12311-017-0895-0>
- Nguyen, V. T., Uchida, R., Warling, A., Sloan, L. J., Saviano, M. S., Wicinski, B., . . . Jacobs, B. (2019). Comparative neocortical neuromorphology in felids: African lion (*Panthera leo leo*), African leopard (*Panthera pardus pardus*), and cheetah (*Acinonyx jubatus jubatus*). *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.24823. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24823>
- Ngwenya, A., Nahirney, J., Brinkman, B., Williams, L., & Iwaniuk, A. N. (2017). Comparison of estimates of neuronal number obtained using the isotropic fractionator method and unbiased stereology in day old chicks (*Gallus domesticus*). *Journal of Neuroscience Methods*. doi: <https://doi.org/10.1016/j.jneumeth.2017.05.025>. <http://www.sciencedirect.com/science/article/pii/S0165027017301589>
- Ngwenya, L. B., Peters, A., & Rosene, D. L. (2005). Light and Electron Microscopic Immunohistochemical Detection of Bromodeoxyuridine-labeled Cells in the Brain: Different Fixation

and Processing Protocols. *Journal of Histochemical and Cytochemistry*, 53(7), 821-832. doi: 10.1369/jhc.4A6605.2005. <http://www.jhc.org/cgi/content/abstract/53/7/821>

Ni, N., Hu, Y., Ren, H., Luo, C., Li, P., Wan, J.-B., & Su, H. (2013). Self-Assembling Peptide Nanofiber Scaffolds Enhance Dopaminergic Differentiation of Mouse Pluripotent Stem Cells in 3-Dimensional Culture. *Plos one*, 8(12), e84504. doi: 10.1371/journal.pone.0084504. <http://dx.doi.org/10.1371%2Fjournal.pone.0084504>

Nicholls, F. J., Rotz, M. W., Ghuman, H., MacRenaris, K. W., Meade, T. J., & Modo, M. (2016). DNA-gadolinium-gold nanoparticles for in vivo T1 MR imaging of transplanted human neural stem cells. *Biomaterials*, 77, 291-306. doi: <http://dx.doi.org/10.1016/j.biomaterials.2015.11.021>. <http://www.sciencedirect.com/science/article/pii/S0142961215009175>

Nicholson, J. D., Puche, A. C., Guo, Y., Weinreich, D., Slater, B. J., & Bernstein, S. L. (2012). PGJ2 Provides Prolonged CNS Stroke Protection by Reducing White Matter Edema. *Plos one*, 7(12), e50021. doi.

Nickerson, C. A., Brown, A. L., Yu, W., Chun, Y., & Glenn, M. J. (2017). Prenatal choline supplementation attenuates MK-801-induced deficits in memory, motor function, and hippocampal plasticity in adult male rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.07.071>. <http://www.sciencedirect.com/science/article/pii/S0306452217305572>

Nickerson, P. E. B., Da Silva, N., Myers, T., Stevens, K., & Clarke, D. B. (2008). Neural progenitor potential in cultured Müller glia: effects of passaging and exogenous growth factor exposure. *Brain Research*, 1230, 1-12. doi.

Nickerson, P. E. B., Emsley, J. G., Myers, T., & Clarke, D. B. (2007). Proliferation and expression of progenitor and mature retinal phenotypes in the adult mammalian ciliary body after retinal ganglion cell injury. *Investigative Ophthalmology and Visual Science*, 48(11), 5266-5266. doi.

Nickerson, P. E. B., McLeod, M. C., Myers, T., & Clarke, D. B. (2011). Effects of epidermal growth factor and erythropoietin on Müller glial activation and phenotypic plasticity in the adult mammalian retina. *Journal of Neuroscience Research*, 89(7), 1018-1030. doi: 10.1002/jnr.22629. <http://dx.doi.org/10.1002/jnr.22629>

Nicoletti, J. N., Lenzer, J., Salerni, E. A., Shah, S. K., Elkady, A., Khalid, S., . . . Croll, S. D. (2010). Vascular endothelial growth factor attenuates status epilepticus-induced behavioral impairments in rats. *Epilepsy and Behavior*, 19(3), 272-277. doi.

Nicoletti, J. N., Shah, S. K., McCloskey, D. P., Goodman, J. H., Elkady, A., Atassi, H., . . . Croll, S. D. (2008). Vascular endothelial growth factor is up-regulated after status epilepticus and protects against seizure-induced neuronal loss in hippocampus. *Neuroscience*, 151(1), 232-241. doi.

Nie, D., Nardo, A., Han, J. M., Baharanyi, H., Kramvis, I., & Huynh, T. (2010). Tsc2-Rheb signaling regulates EphA-mediated axon guidance. *Nature Neuroscience*, 13. doi: 10.1038/nn.2477. <http://dx.doi.org/10.1038/nn.2477>

Nielson, J. L., Sears-Kraxberger, I., Strong, M. K., Wong, J. K., Willenberg, R., & Steward, O. (2010). Unexpected Survival of Neurons of Origin of the Pyramidal Tract after Spinal Cord Injury. *Journal of Neuroscience*, 30(34), 11516-11528. doi: 10.1523/jneurosci.1433-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/34/11516>

- Nielson, J. L., Strong, M. K., & Steward, O. (2011). A reassessment of whether cortical motor neurons die following spinal cord injury. *Journal of Comparative Neurology*, 519(14), 2852-2869. doi: 10.1002/cne.22661. <http://dx.doi.org/10.1002/cne.22661>
- Nih, L. R., Gojgini, S., Carmichael, S. T., & Segura, T. (2018). Dual-function injectable angiogenic biomaterial for the repair of brain tissue following stroke. *Nature Materials*. doi: 10.1038/s41563-018-0083-8. <https://doi.org/10.1038/s41563-018-0083-8>
- Nikizad, H., Yon, J. H., Carter, L. B., & Jevtovic-Todorovic, V. (2007). Early Exposure to General Anesthesia Causes Significant Neuronal Deletion in the Developing Rat Brain. *Annals of the New York Academy of Sciences*, 1122(1), 69-82. doi: doi:10.1196/annals.1403.005. <http://www.blackwell-synergy.com/doi/abs/10.1196/annals.1403.005>
- Nikolajsen, G. N., Jensen, M. S., & West, M. J. (2011). Cholinergic axon length reduced by 300 meters in the brain of an Alzheimer mouse model. *Neurobiology of Aging*. doi.
- Nikolajsen, G. N., Jensen, M. S., & West, M. J. (2015). A zinc fixative for 3D visualization of cerebral capillaries and pericytes. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.09.016>. <http://www.sciencedirect.com/science/article/pii/S0165027015003490>
- Nikolajsen, G. N., Kotynski, K. A., Jensen, M. S., & West, M. J. (2015). Quantitative analysis of the capillary network of aged APP^{swe}/PS1^{dE9} transgenic mice. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2015.08.004>. <http://www.sciencedirect.com/science/article/pii/S0197458015004157>
- Nikulina, E., Lacagnina, M., Fanous, S., Wang, J., & Hammer, R. (2012). Intermittent Social Defeat Stress Enhances Mesocorticolimbic FosB/BDNF Co-Expression and Persistently Activates Corticotegmental Neurons: Implication for Vulnerability to Psychostimulants. *Neuroscience*. doi.
- Niquet, J., Baldwin, R., Norman, K., Suchomelova, L., Lumley, L., & Wasterlain, C. G. (2016). Midazolam-ketamine dual therapy stops cholinergic status epilepticus and reduces Morris water maze deficits. *Epilepsia*, n/a-n/a. doi: 10.1111/epi.13480. <http://dx.doi.org/10.1111/epi.13480>
- Niquet, J., Gezalain, M., Baldwin, R., & Wasterlain, C. G. (2015). Neuroprotective effects of deep hypothermia in refractory status epilepticus. *Annals of Clinical and Translational Neurology*, n/a-n/a. doi: 10.1002/acn3.262. <http://dx.doi.org/10.1002/acn3.262>
- Nirgudkar, P., Taylor, D. H., Yanagawa, Y., & Valenzuela, C. F. (2016). Ethanol exposure during development reduces GABAergic/glycinergic neuron numbers and lobule volumes in the mouse cerebellar vermis. *Neuroscience Letters*, 632, 86-91. doi: <http://dx.doi.org/10.1016/j.neulet.2016.08.039>. <http://www.sciencedirect.com/science/article/pii/S0304394016306292>
- Nishi, R. A., Badner, A., Hooshmand, M. J., Creasman, D. A., Liu, H., & Anderson, A. J. (2020). The effects of mouse strain and age on a model of unilateral cervical contusion spinal cord injury. *Plos one*, 15(6), e0234245. doi: 10.1371/journal.pone.0234245. <https://doi.org/10.1371/journal.pone.0234245>
- Nishi, R. A., Liu, H., Chu, Y., Hamamura, M., Su, M. Y., Nalcioglu, O., & Anderson, A. J. (2007). Behavioral, histological, and ex vivo magnetic resonance imaging assessment of graded contusion spinal cord injury in mice. *Journal of Neurotrauma*, 24(4), 674-689. doi.

Nishibe, M., Barbay, S., Guggenmos, D., & Nudo, R. J. (2010). Reorganization of motor cortex after controlled cortical impact in rats and implications for functional recovery. *Journal of Neurotrauma*, 27(12), 2221-2232. doi:

Nishibe, M., Urban, E. T. R., Barbay, S., & Nudo, R. J. (2014). Rehabilitative Training Promotes Rapid Motor Recovery but Delayed Motor Map Reorganization in a Rat Cortical Ischemic Infarct Model. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968314543499. <http://nnr.sagepub.com/content/early/2014/07/18/1545968314543499.abstract>

Nishioka, N., & Arnold, S. E. (2004). Evidence for oxidative DNA damage in the hippocampus of elderly patients with chronic schizophrenia. *American Journal of Geriatric Psychology*, 12(2), 167-167. doi:

Nissinen, J., Lukasiuk, K., & Pitkänen, A. (2001). Is mossy fiber sprouting present at the time of the first spontaneous seizures in rat experimental temporal lobe epilepsy? *Hippocampus*, 11(3), 299-310. doi:

Niwa, K., Mizutani, K., Matsui, T., Kawauchi, S., Sato, S., Shiotani, A., & Kobayashi, Y. (2020). Tinnitus rat model generated by laser-induced shock wave; a platform for analyzing the central nervous system after tinnitus generation. *Auris, Nasus, Larynx*. doi: <https://doi.org/10.1016/j.anl.2020.07.019>. <http://www.sciencedirect.com/science/article/pii/S038581462030198X>

Noain, D., Büchele, F., Schreglmann, S. R., Valko, P. O., Gavrillov, Y., Morawska, M. M., . . . Baumann, C. R. (2017). Increased sleep need and reduction of tuberomammillary histamine neurons after rodent traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5067. <https://doi.org/10.1089/neu.2017.5067>

Nobili, A., Krashia, P., Cordella, A., La Barbera, L., Dell'Acqua, M. C., Caruso, A., . . . D'Amelio, M. (2018). Ambra1 Shapes Hippocampal Inhibition/Excitation Balance: Role in Neurodevelopmental Disorders. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0911-5. <https://doi.org/10.1007/s12035-018-0911-5>

Nobili, A., Latagliata, E. C., Viscomi, M. T., Cavallucci, V., Cutuli, D., Giacobazzo, G., . . . D'Amelio, M. (2017). Dopamine neuronal loss contributes to memory and reward dysfunction in a model of Alzheimer's disease. [Article]. *Nature Communications*, 8, 14727. doi: 10.1038/ncomms14727

<https://www.nature.com/articles/ncomms14727#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14727>

Noda, S., Sato, S., Fukuda, T., Tada, N., & Hattori, N. (2020). Aging-related motor function and dopaminergic neuronal loss in C57BL/6 mice. *Molecular Brain*, 13(1), 46. doi: 10.1186/s13041-020-00585-6. <https://doi.org/10.1186/s13041-020-00585-6>

Noda, S., Sato, S., Fukuda, T., Tada, N., Uchiyama, Y., Tanaka, K., & Hattori, N. (2019). Loss of Parkin contributes to mitochondrial turnover and dopaminergic neuronal loss in aged mice. *Neurobiology of Disease*, 104717. doi: <https://doi.org/10.1016/j.nbd.2019.104717>. <http://www.sciencedirect.com/science/article/pii/S0969996119303924>

Nodal, F. R., Doubell, T. P., Jiang, Z. D., Thompson, I. D., & King, A. J. (2005). Development of the projection from the nucleus of the brachium of the inferior colliculus to the superior colliculus in the ferret. . *Journal of Comparative Neurology*, 485(3), 202-217. doi:

- Nodal, F. R., Kacelnik, O., Bajo, V. M., Bizley, J. K., Moore, D. R., & King, A. J. (2009). Lesions of the Auditory Cortex impair Azimuthal Sound Localization and its Recalibration in Ferrets. *Journal of Neurophysiology*, 00991.02009. doi: 10.1152/jn.00991.2009. <http://jn.physiology.org/cgi/content/abstract/00991.2009v1>
- Noga, B. R., Johnson, D. M. G., Riesgo, M. I., & Pinzon, A. (2009). Locomotor-activated neurons of the cat. I. Serotonergic innervation and co-localization of 5-HT₇, 5-HT_{2A} and 5-HT_{1A} receptors in the thoraco-lumbar spinal cord. *Journal of Neurophysiology*, 91179.92008. doi: 10.1152/jn.91179.2008. <http://jn.physiology.org/cgi/content/abstract/91179.2008v1>
- Noga, B. R., Johnson, D. M. G., Riesgo, M. I., & Pinzon, A. (2011). Locomotor-activated neurons of the cat. II. Noradrenergic innervation and colocalization with NE α _{1a} or NE α _{2b} receptors in the thoraco-lumbar spinal cord. *Journal of Neurophysiology*, 105(4), 1835-1849. doi.
- Noguchi, K., Johnson, S., Dissen, G., Martin, L., Manzella, F., Schenning, K., . . . Brambrink, A. (2017). Isoflurane exposure for three hours triggers apoptotic cell death in neonatal macaque brain. *BJA: British Journal of Anaesthesia*, 119(3), 524-531. doi. <https://academic.oup.com/bja/article-abstract/119/3/524/4107995>
- Noguchi, K. K., Fuhler, N. A., Wang, S. H., Capuano, S., Brunner, K. R., Larson, S., . . . Ikonomidou, C. (2021). Brain pathology caused in the neonatal macaque by short and prolonged exposures to anticonvulsant drugs. *Neurobiology of Disease*, 149, 105245. doi: <https://doi.org/10.1016/j.nbd.2020.105245>. <http://www.sciencedirect.com/science/article/pii/S0969996120305210>
- Noguchi, K. K., Johnson, S. A., Kristich, L. E., Martin, L. D., Dissen, G. A., Olsen, E. A., . . . Brambrink, A. M. (2016). Lithium Protects Against Anaesthesia Neurotoxicity In The Infant Primate Brain. [Article]. *Scientific Reports*, 6, 22427. doi: 10.1038/srep22427. <http://dx.doi.org/10.1038/srep22427>
- Noguchi, K. K., Johnson, S. A., Manzella, F. M., Masuoka, K. L., Williams, S. L., Martin, L. D., . . . Brambrink, A. M. (2018). Caffeine Augments Anesthesia Neurotoxicity in the Fetal Macaque Brain. *Scientific Reports*, 8(1), 5302. doi: 10.1038/s41598-018-23560-7. <https://doi.org/10.1038/s41598-018-23560-7>
- Noguchi, K. K., Nemmers, B., & Farber, N. B. (2005). Age has a similar influence on the susceptibility to NMDA antagonist-induced neurodegeneration in most brain regions. *Developmental Brain Research*, 158(1-2), 82-91. doi.
- Noguchi, K. K., Swiney, B. S., Williams, S. L., Huffman, J. N., Lucas, K., Wang, S. H., . . . Dikranian, K. T. (2019). Zika Virus Infection In The Developing Mouse Produces Dramatically Different Neuropathology Dependent On Viral Strain. *The Journal of Neuroscience*, 1376-1319. doi: 10.1523/jneurosci.1376-19.2019. <https://www.jneurosci.org/content/jneuro/early/2019/12/13/JNEUROSCI.1376..>
- Noguchi, K. K., Walls, K. C., Wozniak, D. F., Olney, J. W., Roth, K. A., & Farber, N. B. (2008). Acute neonatal glucocorticoid exposure produces selective and rapid cerebellar neural progenitor cell apoptotic death. *Cell Death and Differentiation*, 15(10), 1582-1592. doi.
- Nolano, M., Provitera, V., Caporaso, G., Stancanelli, A., Leandri, M., Biasiotta, A., . . . Truini, A. (2012). Cutaneous innervation of the human face as assessed by skin biopsy. *Journal of Anatomy*, n/a-n/a. doi: 10.1111/joa.12001. <http://dx.doi.org/10.1111/joa.12001>
- Nomaru, H., Sakumi, K., Katogi, A., Ohnishi, Y. N., Kajitani, K., Tsuchimoto, D., . . . Nakabeppu, Y. (2014). Fosb gene products contribute to excitotoxic microglial activation by regulating the expression of

complement C5a receptors in microglia. *Glia*, n/a-n/a. doi: 10.1002/glia.22680. <http://dx.doi.org/10.1002/glia.22680>

Nomura, H., Baladie, B., Katayama, Y., Morshead, C. M., Shoichet, M. S., & Tator, C. H. (2008). Delayed implantation of intramedullary chitosan channels containing nerve grafts promotes extensive axonal regeneration after spinal cord injury. *Neurosurgery*, 63(1), 127-127. doi.

Nomura, H., Zahir, T., Kim, H., Katayama, Y., Kulbatski, I., Morshead, C. M., . . . Tator, C. H. (2008). Extramedullary chitosan channels promote survival of transplanted neural stem and progenitor cells and create a tissue bridge after complete spinal cord transection. *Tissue Engineering Part A*, 14(5), 649-665. doi.

Noonan, M. A., Choi, K. H., Self, D. W., & Eisch, A. J. (2008). Withdrawal from Cocaine Self-Administration Normalizes Deficits in Proliferation and Enhances Maturity of Adult-Generated Hippocampal Neurons. *Journal of Neuroscience*, 28(10), 2516-2526. doi: 10.1523/jneurosci.4661-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/10/2516>

Nordström, U., Beauvais, G., Ghosh, A., Pulikkaparambil Sasidharan, B. C., Lundblad, M., Fuchs, J., . . . Brundin, P. (2014). Progressive nigrostriatal terminal dysfunction and degeneration in the engrailed1 heterozygous mouse model of Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.09.012>. <http://www.sciencedirect.com/science/article/pii/S0969996114002848>

Notterpek, L., & Tolwani, R. J. (1999). Experimental models of peripheral neuropathies. *Comparative Medicine*, 49(6), 588-599. doi.

Novello, S., Arcuri, L., Dovero, S., Dutheil, N., Shimshek, D. R., Bezard, E., & Morari, M. (2018). G2019S LRRK2 mutation facilitates α -synuclein neuropathology in aged mice. *Neurobiology of Disease*, 120, 21-33. doi: <https://doi.org/10.1016/j.nbd.2018.08.018>. <http://www.sciencedirect.com/science/article/pii/S0969996118305023>

Novotny, R., Langer, F., Mahler, J., Skodras, A., Vlachos, A., Wegenast-Braun, B. M., . . . Pietrowski, M. J. (2016). Conversion of Synthetic A β to In Vivo Active Seeds and Amyloid Plaque Formation in a Hippocampal Slice Culture Model. *The Journal of Neuroscience*, 36(18), 5084-5093. doi: <http://www.jneurosci.org/content/36/18/5084.short>

Nowacek, A. S., & Sengelaub, D. R. (2006). Estrogenic support of motoneuron dendritic growth via the neuromuscular periphery in a sexually dimorphic motor system. *Journal of Neurobiology*, 66(9), 962-976. doi.

Nowakowska, M., Gualtieri, F., von Rüden, E.-L., Hansmann, F., Baumgärtner, W., Tipold, A., & Potschka, H. (2019). Profiling the expression of endoplasmic reticulum stress associated heat shock proteins in animal epilepsy models. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.12.015>. <http://www.sciencedirect.com/science/article/pii/S0306452219308632>

Noye Tuplin, E. W., & Holahan, M. R. (2019). Exploring time-dependent changes in conditioned place preference for food reward and associated changes in the nucleus accumbens. *Behavioural Brain Research*, 361, 14-25. doi: <https://doi.org/10.1016/j.bbr.2018.12.031>. <http://www.sciencedirect.com/science/article/pii/S0166432818311367>

Nuber, S., Harmuth, F., Kohl, Z., Adame, A., Trejo, M., Schönig, K., . . . Riess, O. (2013). A progressive dopaminergic phenotype associated with neurotoxic conversion of α -synuclein in BAC-transgenic rats. *Brain*, 136(2), 412-432. doi: 10.1093/brain/aws358. <http://brain.oxfordjournals.org/content/136/2/412.abstract>

Nuber, S., Petrasch-Parwez, E., Arias-Carrión, O., Koch, L., Kohl, Z., Schneider, J., . . . others. (2011). Olfactory neuron-specific expression of A30P alpha-synuclein exacerbates dopamine deficiency and hyperactivity in a novel conditional model of early Parkinson's disease stages. *Neurobiology of Disease*. doi.

Nuber, S., Petrasch-Parwez, E., Winner, B., Winkler, J., von Horsten, S., Schmidt, T., . . . Riess, O. (2008). Neurodegeneration and Motor Dysfunction in a Conditional Model of Parkinson's Disease. *Journal of Neuroscience*, 28(10), 2471-2484. doi: 10.1523/jneurosci.3040-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/10/2471>

Nuber, S., Rajsombath, M., Minakaki, G., Winkler, J., Müller, C. P., Ericsson, M., . . . Selkoe, D. J. (2018). Abrogating Native α -Synuclein Tetramers in Mice Causes a L-DOPA-Responsive Motor Syndrome Closely Resembling Parkinson's Disease. *Neuron*, 100(1), 75-90.e75. doi: <https://doi.org/10.1016/j.neuron.2018.09.014>, <http://www.sciencedirect.com/science/article/pii/S0896627318307876>

Nuber, S., Rajsombath, M., Minakaki, G., Winkler, J., Müller, C. P., Ericsson, M., . . . Selkoe, D. J. (2018). Abrogating Native α -Synuclein Tetramers in Mice Causes a L-DOPA-Responsive Motor Syndrome Closely Resembling Parkinson's Disease. *Neuron*, 100(1), 75-90.e75. doi: <https://doi.org/10.1016/j.neuron.2018.09.014>, <http://www.sciencedirect.com/science/article/pii/S0896627318307876>

Nuber, S., Tadros, D., Fields, J., Overk, C., Eittle, B., Kosberg, K., . . . Masliah, E. (2014). Environmental neurotoxic challenge of conditional alpha-synuclein transgenic mice predicts a dopaminergic olfactory-striatal interplay in early PD. *Acta Neuropathologica*, 1-18. doi: 10.1007/s00401-014-1255-5. <http://dx.doi.org/10.1007/s00401-014-1255-5>

Nunes, A., Pressey, S. N. R., Cooper, J. D., & Soriano, S. (2011). Loss of amyloid precursor protein in a mouse model of Niemann-Pick type C disease exacerbates its phenotype and disrupts tau homeostasis. *Neurobiology of Disease*. doi.

Nunes, E. J., Randall, P. A., Hart, E. E., Freeland, C., Yohn, S. E., Baqi, Y., . . . Salamone, J. D. (2013). Effort-Related Motivational Effects of the VMAT-2 Inhibitor Tetrabenazine: Implications for Animal Models of the Motivational Symptoms of Depression. *The Journal of Neuroscience*, 33(49), 19120-19130. doi: <http://www.jneurosci.org/content/33/49/19120.short>

Nunez, J. L., Aberdeen, G. W., Albrecht, E. D., & McCarthy, M. M. (2008). Impact of estradiol on GABA- and glutamate-mediated calcium responses of fetal baboon (papio anubis) hippocampal and cortical neurons. *Endocrinology*, 149, 6433 - 6443. doi: 10.1210/en.2007-1720. <http://endo.endojournals.org/cgi/content/abstract/en.2007-1720v1>

Nunez, J. L., Aberdeen, G. W., Albrecht, E. D., & McCarthy, M. M. (2008). Impact of Estradiol on γ -Aminobutyric Acid- and Glutamate-Mediated Calcium Responses of Fetal Baboon (*Papio anubis*) Hippocampal and Cortical Neurons. *Endocrinology*, 149(12), 6433-6443. doi.

Nunez, J. L., Jurgens, H. A., & Juraska, J. M. (2000). Androgens reduce cell death in the developing rat visual cortex. *Developmental Brain Research*, 125(1-2), 83-88. doi.

- Nunez, J. L., Kim, B. Y., & Juraska, J. M. (1998). Neonatal cryoanesthesia affects the morphology of the visual cortex in the adult rat. *Developmental Brain Research*, 111(1), 89-98. doi.
- Nunez, J. L., Lauschke, D. M., & Juraska, J. M. (2001). Cell death in the development of the posterior cortex in male and female rats. *Journal of Comparative Neurology*, 436(1), 32-41. doi.
- Nunez, J. L., & McCarthy, M. M. (2007). Evidence for an extended duration of GABA-mediated excitation in the developing male versus female hippocampus. *Developmental Neurobiology*, 67(14), 1879-1890. doi.
- Nunez, J. L., Sodhi, J., & Juraska, J. M. (2002). Ovarian hormones after postnatal day 20 reduce neuron number in the rat primary visual cortex. *Journal of Neurobiology*, 52(4), 312-321. doi.
- Nutt, S. E., Chang, E.-A., Suhr, S. T., Schlosser, L. O., Mondello, S. E., Moritz, C. T., . . . Horner, P. J. (2013). Caudalized human iPSC-derived neural progenitor cells produce neurons and glia but fail to restore function in an early chronic spinal cord injury model. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.07.010>. <http://www.sciencedirect.com/science/article/pii/S0014488613002203>
- Nyffeler, M., Meyer, U., Yee, B. K., Feldon, J., & Knuesel, I. (2006). Maternal immune activation during pregnancy increases limbic GABA_A receptor immunoreactivity in the adult offspring: implications for schizophrenia. *Neuroscience*, 143(1), 51-62. doi.
- Nyffeler, M., Yee, B. K., Feldon, J., & Knuesel, I. (2010). Abnormal differentiation of newborn granule cells in age-related working memory impairments. *Neurobiology of Aging*, 31(11), 1956-1974. doi.
- Nyffeler, M., Zhang, W. N., Feldon, J., & Knuesel, I. (2007). Differential expression of PSD proteins in age-related spatial learning impairments. *Neurobiology of Aging*, 28(1), 143-155. doi.
- O'Brien, T. J., Ding, H., Suh, M., Thompson, C. M., Parsons, B. L., Harris, M. A., . . . Proctor, D. M. (2013). Assessment of K-Ras mutant frequency and micronucleus incidence in the mouse duodenum following 90-days of exposure to Cr(VI) in drinking water. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*, (0). doi: <http://dx.doi.org/10.1016/j.mrgentox.2013.03.008>. <http://www.sciencedirect.com/science/article/pii/S1383571813000752>
- O'Connell, L. A., Matthews, B. J., & Crews, D. (2011). Neuronal Nitric Oxide Synthase as a Substrate for the Evolution of Pseudosexual Behaviour in a Parthenogenetic Whiptail Lizard. *Journal of Neuroendocrinology*, 23(3), 244-253. doi: 10.1111/j.1365-2826.2010.02099.x. <http://dx.doi.org/10.1111/j.1365-2826.2010.02099.x>
- O'Connell, L. A., Matthews, B. J., Patel, S. B., O'Connell, J. D., & Crews, D. (2011). Molecular characterization and brain distribution of the progesterone receptor in whiptail lizards. *General and Comparative Endocrinology*, 171(1), 64-74. doi.
- Oakden, W., Bock, N. A., Al-Ebraheem, A., Farquharson, M. J., & Stanisz, G. J. (2017). Early regional cuprizone-induced demyelination in a rat model revealed with MRI. *NMR in Biomedicine*, e3743-n/a. doi: 10.1002/nbm.3743. <http://dx.doi.org/10.1002/nbm.3743>
- Oaks, A. W., Frankfurt, M., Finkelstein, D. I., & Sidhu, A. (2013). Age-Dependent Effects of A53T Alpha-Synuclein on Behavior and Dopaminergic Function. *Plos one*, 8(4), e60378. doi: 10.1371/journal.pone.0060378. <http://dx.doi.org/10.1371%2Fjournal.pone.0060378>

Obara-Michlewska, M., Ding, F., Popek, M., Verkhatsky, A., Nedergaard, M., Zielinska, M., & Albrecht, J. (2018). Interstitial ion homeostasis and acid-base balance are maintained in oedematous brain of mice with acute toxic liver failure. *Neurochemistry International*. doi: <https://doi.org/10.1016/j.neuint.2018.05.007>. <http://www.sciencedirect.com/science/article/pii/S0197018618300202>

Oblak, A. L., Rosene, D. L., Kemper, T. L., Bauman, M. L., & Blatt, G. J. (2011). Altered posterior cingulate cortical cytoarchitecture, but normal density of neurons and interneurons in the posterior cingulate cortex and fusiform gyrus in autism. *Autism Research*, 4(3), 200-211. doi.

Ocampo, A. C., Squire, L. R., & Clark, R. E. (2017). Hippocampal area CA1 and remote memory in rats. *Learning and Memory*, 24(11), 563-568. doi. <http://learnmem.cshlp.org/content/24/11/563.short>

Ocampo, A. C., Squire, L. R., & Clark, R. E. (2018). The beneficial effect of prior experience on the acquisition of spatial memory in rats with CA1, but not large hippocampal lesions: a possible role for schema formation. *Learning and Memory*, 25(3), 115-121. doi. <http://learnmem.cshlp.org/content/25/3/115.short>

O'Connell, L. A., Matthews, B. J., & Hofmann, H. A. (2012). Isotocin regulates paternal care in a monogamous cichlid fish. *Hormones and Behavior*, (0). doi: 10.1016/j.yhbeh.2012.03.009. <http://www.sciencedirect.com/science/article/pii/S0018506X12000980>

O'Connell, L. A., Rigney, M. M., Dykstra, D. W., & Hofmann, H. A. (2013). Neuroendocrine Mechanisms Underlying Sensory Integration of Social Signals. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12045. <http://dx.doi.org/10.1111/jne.12045>

O'Connor, T., Sadleir, K. R., Maus, E., Velliquette, R. A., Zhao, J., Cole, S. L., . . . others. (2008). Phosphorylation of the translation initiation factor eIF2 α increases BACE1 levels and promotes amyloidogenesis. *Neuron*, 60(6), 988-1009. doi.

Odaci, E., Bilen, H., Hacimuftuoglu, A., Keles, O. N., Can, I., & Bilici, M. (2009). Long-term treatments with low-and high dose olanzapine change hepatocyte numbers in rats. A stereological and histopathological study. *Archives of Medical Research*, 40(3), 139-145. doi.

Odaci, E., Cihan, O. F., Aslan, H., Ragbetli, M. C., & Kaplan, S. (2010). Prenatal diclofenac sodium administration increases the number of Purkinje cells in female rats: a stereological study. *International Journal of Developmental Neuroscience*, 28(2), 145-151. doi.

Odaci, E., Hancı, H., İkinci, A., Sönmez, O. F., Aslan, A., Şahin, A., . . . Baş, O. (2015). Maternal exposure to a continuous 900-MHz electromagnetic field provokes neuronal loss and pathological changes in cerebellum of 32-day-old female rat offspring. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2015.09.002>. <http://www.sciencedirect.com/science/article/pii/S0891061815000708>

Oddi, S., Latini, L., Viscomi, M. T., Bisicchia, E., Molinari, M., & Maccarrone, M. (2011). Distinct regulation of nNOS and iNOS by CB 2 receptor in remote delayed neurodegeneration. *Journal of Molecular Medicine*, 1-17. doi.

O'Dell, L. (2006). Corticotropin-releasing factor within the central nucleus of the amygdala mediates enhanced ethanol self-administration in ethanol-dependent rats during withdrawal. *Journal of Neuroscience*, 26(44), 11324-11332. doi.

- Oglesby, E., Quigley, H. A., Zack, D. J., Cone, F. E., Steinhart, M. R., Tian, J., . . . Kalesnykas, G. (2011). Semi-automated, quantitative analysis of retinal ganglion cell morphology in mice selectively expressing yellow fluorescent protein. *Experimental Eye Research*. doi.
- Oh, E. S., Savonenko, A. V., King, J. F., Fangmark Tucker, S. M., Rudow, G. L., Xu, G., . . . Troncoso, J. C. (2009). Amyloid precursor protein increases cortical neuron size in transgenic mice. *Neurobiology of Aging*, 30(8), 1238-1244. doi.
- Oh, M. S., Park, C., Huh, Y., Kim, H. Y., Kim, H., Kim, H. M., . . . Park, S. K. (2006). The effects of BR003 on memory and cell proliferation in the dentate gyrus of rat hippocampus. *Biological and Pharmaceutical Bulletin*, 29(4), 813-816. doi.
- Ohab, J. J., Fleming, S., Blesch, A., & Carmichael, S. T. (2006). A Neurovascular Niche for Neurogenesis after Stroke. *Journal of Neuroscience*, 26(50), 13007-13016. doi: 10.1523/jneurosci.4323-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/50/13007>
- Ohkubo, Y., Uchida, A. O., Shin, D., Partanen, J., & Vaccarino, F. M. (2004). Fibroblast Growth Factor Receptor 1 Is Required for the Proliferation of Hippocampal Progenitor Cells and for Hippocampal Growth in Mouse. *Journal of Neuroscience*, 24(27), 6057-6069. doi: 10.1523/jneurosci.1140-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/27/6057>
- Ohlsson, M., Nieto, J. H., Christe, K. L., & Havton, L. A. (2013). Long-Term Effects of a Lumbosacral Ventral Root Avulsion Injury on Axotomized Motor Neurons and Avulsed Ventral Roots in a Non-Human Primate Model of Cauda Equina Injury. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.054>. <http://www.sciencedirect.com/science/article/pii/S0306452213005605>
- Ohm, D. T., Fought, A. J., Martersteck, A., Coventry, C., Sridhar, J., Gefen, T., . . . Geula, C. (2020). Accumulation of neurofibrillary tangles and activated microglia is associated with lower neuron densities in the aphasic variant of Alzheimer's disease. *Brain Pathology*, n/a(n/a). doi: 10.1111/bpa.12902. <https://doi.org/10.1111/bpa.12902>
- Ohm, D. T., Fought, A. J., Rademaker, A., Kim, G., Sridhar, J., Coventry, C., . . . Geula, C. (2019). Neuropathologic basis of in vivo cortical atrophy in the aphasic variant of alzheimer's disease. *Brain Pathology*, 0(ja). doi: 10.1111/bpa.12783. <https://onlinelibrary.wiley.com/doi/abs/10.1111/bpa.12783>
- Ohtaki, H., Ylostalo, J. H., Foraker, J. E., Robinson, A. P., Reger, R. L., Shioda, S., & Prockop, D. J. (2008). Stem/progenitor cells from bone marrow decrease neuronal death in global ischemia by modulation of inflammatory/immune responses. *Proceedings of the National Academy of Sciences*, 105(38), 14638-14643. doi: 10.1073/Proceedings of the National Academy of Sciences.0803670105. <http://www.Proceedings of the National Academy of Sciences.org/content/105/38/14638.abstract>
- Oiwa, Y., Nakai, K., & Itakura, T. (2006). Histological effects of intraputamina infusion of glial cell line-derived neurotrophic factor in Parkinson disease model macaque monkeys. *Neurologia Medico-Chirurgica*, 46(6), 267-276. doi.
- Ojano-Dirain, C., Glushakova, L. G., Zhong, L., Zolotukhin, S., Muzyczka, N., Srivastava, A., & Stacpoole, P. W. (2010). An animal model of PDH deficiency using AAV8-siRNA vector-mediated knockdown of pyruvate dehydrogenase E1 α . *Molecular Genetics and Metabolism*, 101(2-3), 183-191. doi.
- Ojo, B., Gabbott, P., Rezaie, P., Corbett, N., Medvedev, N., Cowley, T., . . . Stewart, M. (2012). An NCAM Mimetic, FGL, Alters Hippocampal Cellular Morphometry in Young Adult (4 Month-Old) Rats.

Neurochemical Research, 1-11. doi: 10.1007/s11064-012-0908-9. <http://dx.doi.org/10.1007/s11064-012-0908-9>

Oka, S., Leon, J., Sakumi, K., Abolhassani, N., Sheng, Z., Tsuchimoto, D., . . . Nakabeppu, Y. (2021). MTH1 and OGG1 maintain a low level of 8-oxoguanine in Alzheimer's brain, and prevent the progression of Alzheimer's pathogenesis. *Scientific Reports*, 11(1), 5819. doi: 10.1038/s41598-021-84640-9. <https://doi.org/10.1038/s41598-021-84640-9>

Okamoto, S., Pouladi, M. A., Talantova, M., Yao, D., Xia, P., Ehrnhoefer, D. E., . . . others. (2009). Balance between synaptic versus extrasynaptic NMDA receptor activity influences inclusions and neurotoxicity of mutant huntingtin. *Nature Medicine*, 15(12), 1407-1413. doi.

Okun, E., Griffioen, K. J., Gen Son, T., Lee, J. H., Roberts, N. J., Mughal, M. R., . . . others. (2010). TLR2 activation inhibits embryonic neural progenitor cell proliferation. *Journal of Neurochemistry*, 114(2), 462-474. doi.

Okyere, B., Creasey, M., Lebovitz, Y., & Theus, M. H. (2018). Temporal remodeling of pial collaterals and functional deficits in a murine model of ischemic stroke. *Journal of Neuroscience Methods*, 293(Supplement C), 86-96. doi: <https://doi.org/10.1016/j.jneumeth.2017.09.010>. <http://www.sciencedirect.com/science/article/pii/S0165027017303394>

Okyere, B., Giridhar, K., Hazy, A., Chen, M., Keimig, D., Bielitz, R. C., . . . Theus, M. H. (2016). Endothelial-Specific EphA4 Negatively Regulates Native Pial Collateral Formation and Re-Perfusion following Hindlimb Ischemia. *Plos one*, 11(7), e0159930. doi: 10.1371/journal.pone.0159930. <http://dx.doi.org/10.1371%2Fjournal.pone.0159930>

Olanow, C. W., Savolainen, M., Chu, Y., Halliday, G. M., & Kordower, J. H. (2019). Temporal evolution of microglia and α -synuclein accumulation following foetal grafting in Parkinson's disease. *Brain*. doi: 10.1093/brain/awz104. <https://doi.org/10.1093/brain/awz104>

O'Leary, C. J., Bradford, D., Chen, M., White, A., Blackmore, D. G., & Cooper, H. M. (2014). The Netrin/RGM Receptor, Neogenin, Controls Adult Neurogenesis by Promoting Neuroblast Migration and Cell Cycle Exit. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1861. <http://dx.doi.org/10.1002/stem.1861>

O'Leary, J. C., Li, Q., Marinec, P., Blair, L. J., Congdon, E. E., Johnson, A. G., . . . others. (2010). Phenothiazine-mediated rescue of cognition in tau transgenic mice requires neuroprotection and reduced soluble tau burden. *Molecular Neurodegeneration*, 5(1), 1-11. doi.

Olechnik, S. K., Fowler, J. L., Avramovich, G., & Hara, M. (2017). Quantitative analysis of intra- and inter-individual variability of human beta-cell mass. *Scientific Reports*, 7(1), 16398. doi: 10.1038/s41598-017-16300-w. <https://doi.org/10.1038/s41598-017-16300-w>

Oliveira, M., Rodrigues, A. J., Leão, P., Cardona, D., Pêgo, J. M., & Sousa, N. (2011). The bed nucleus of stria terminalis and the amygdala as targets of antenatal glucocorticoids: implications for fear and anxiety responses. *Psychopharmacology*, 1-11. doi.

Oliver, D. L., Beckius, G. E., Bishop, D. C., Loftus, W. C., & Batra, R. (2003). Topography of Interaural Temporal Disparity Coding in Projections of Medial Superior Olive to Inferior Colliculus. *Journal of Neuroscience*, 23(19), 7438-7449. doi. <http://www.jneurosci.org/cgi/content/abstract/23/19/7438>

Oliveras-Salvá, M., Macchi, F., Coessens, V., Deleersnijder, A., Gérard, M., Van der Perren, A., . . . Baekelandt, V. (2014). Alpha-synuclein-induced neurodegeneration is exacerbated in PINK1 knockout mice. *Neurobiology of Aging*, 0. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.04.032>. <http://www.sciencedirect.com/science/article/pii/S0197458014004084>

Olivia, P., J., C. L., Pamela, B. L., G., A. D., & Pierre, L. (2018). Stereological analysis of the rhesus monkey entorhinal cortex. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24496. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24496>

Olivier, K., Reinders, L. A., Clarke, M. W., Crew, R. C., Pereira, G., Maloney, S. K., & Wyrwoll, C. S. (2020). Maternal, Placental, and Fetal Responses to Intermittent Heat Exposure During Late Gestation in Mice. *Reproductive Sciences*. doi: 10.1007/s43032-020-00291-7. <https://doi.org/10.1007/s43032-020-00291-7>

Olivos-Cisneros, L., Ramírez-Santos, J., & Gutiérrez-Ospina, G. (2021). Proliferation rate and differentiation potential are independent during the transition from neurogenesis to gliogenesis in the mouse embryonic spinal cord. *IBRO Neuroscience Reports*, 10, 75-82. doi: <https://doi.org/10.1016/j.ibneur.2020.11.004>. <https://www.sciencedirect.com/science/article/pii/S2667242120000081>

Ollivier-Lanvin, K., Keeler, B. E., Siegfried, R., Houlié, J. D., & Lemay, M. A. (2010). Proprioceptive neuropathy affects normalization of the H-reflex by exercise after spinal cord injury. *Experimental Neurology*, 221(1), 198-205. doi: 10.1016/j.expneurol.2009.12.011

Olopade, F. E., Shokunbi, M. T., Azeez, I. A., Andrioli, A., Scambi, I., & Bentivoglio, M. (2019). Neuroinflammatory Response in Chronic Hydrocephalus in Juvenile Rats. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.049>. <http://www.sciencedirect.com/science/article/pii/S0306452219306311>

Olson, K. E., Bade, A. N., Namminga, K. L., Potash, M. J., Mosley, R. L., Poluektova, L. Y., . . . Gendelman, H. E. (2018). Persistent EcoHIV infection induces nigral degeneration in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-intoxicated mice. [journal article]. *Journal of Neurovirology*. doi: 10.1007/s13365-018-0629-1. <https://doi.org/10.1007/s13365-018-0629-1>

Olson, K. E., Kosloski-Bilek, L. M., Anderson, K. M., Diggs, B. J., Clark, B. E., Gledhill, J. M., . . . Gendelman, H. E. (2015). Selective VIP Receptor Agonists Facilitate Immune Transformation for Dopaminergic Neuroprotection in MPTP-Intoxicated Mice. *The Journal of Neuroscience*, 35(50), 16463-16478. doi: <http://www.jneurosci.org/content/35/50/16463.short>

Olson, K. E., Namminga, K. L., Schwab, A. D., Thurston, M. J., Lu, Y., Woods, A., . . . Mosley, R. L. (2020). Neuroprotective Activities of Long-Acting Granulocyte-Macrophage Colony-Stimulating Factor (mPDM608) in 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine-Intoxicated Mice. *Neurotherapeutics*. doi: 10.1007/s13311-020-00877-8. <https://doi.org/10.1007/s13311-020-00877-8>

Olvera-Hernández, S., Tapia-Rodríguez, M., Swaab, D. F., & Fernández-Guasti, A. (2017). Prenatal administration of letrozole reduces SDN and SCN volume and cell number independent of partner preference in the male rat. *Physiology and Behavior*, 171, 61-68. doi: <http://dx.doi.org/10.1016/j.physbeh.2017.01.001>. <http://www.sciencedirect.com/science/article/pii/S0031938416310861>

Ong, J., Plane, J. M., Parent, J. M., & Silverstein, F. S. (2005). Hypoxic-ischemic injury stimulates subventricular zone proliferation and neurogenesis in the neonatal rat. *Pediatric Research*, 58(3), 600-600. doi.

Onger, M. E., Kaplan, S., Deniz, Ö. G., Altun, G., Altunkaynak, B. Z., Balci, K., . . . Geuna, S. (2017). Possible promoting effects of melatonin, leptin and alcar on regeneration of the sciatic nerve. *Journal of Chemical Neuroanatomy*, 81, 34-41. doi: <http://dx.doi.org/10.1016/j.jchemneu.2017.02.003>; <http://www.sciencedirect.com/science/article/pii/S0891061816301521>

Onger, M. E., Kaplan, S., Geuna, S., Türkmen, A. P., Muratori, L., Altun, G., & Altunkaynak, B. Z. (2017). Possible effects of some agents on the injured nerve in obese rats: A stereological and electron microscopic study. *Journal of Cranio-Maxillofacial Surgery*. doi: <https://doi.org/10.1016/j.jcms.2017.05.004>; <http://www.sciencedirect.com/science/article/pii/S1010518217301609>

Ongerth, T., Rusmann, V., Fischborn, S., Boes, K., Siegl, C., & Potschka, H. (2014). Targeting of microglial KCa_{3.1} channels by TRAM-34 exacerbates hippocampal neurodegeneration and does not affect ictogenesis and epileptogenesis in chronic temporal lobe epilepsy models. *European Journal of Pharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.ejphar.2014.06.061>; <http://www.sciencedirect.com/science/article/pii/S0014299914005226>

Ongur, D., Pohlman, J., Dow, A. L., Eisch, A. J., Edwin, F., Heckers, S., . . . Carlezon, W. A. (2007). Electroconvulsive seizures stimulate glial proliferation and reduce expression of Sprouty2 within the prefrontal cortex of rats. *Biological Psychiatry*, 62(5), 505-512. doi.

Onken, M., Berger, S., & Kristian, T. (2011). Simple model of forebrain ischemia in mouse. *Journal of Neuroscience Methods*. doi.

Onochie, I. N. (2017). Pre-Synaptic and Post-Synaptic Pathways from the Hippocampus to Medial Prefrontal Cortex in Rhesus Monkeys. Boston University. Retrieved from <https://search.proquest.com/openview/9f6d445eb89c10eabdfd5daabb133839/1?..>

Oo, T. F., Marchionini, D. M., Yarygina, O., O'Leary, P. D., Hughes, R. A., Kholodilov, N., & Burke, R. E. (2009). Brain-derived neurotrophic factor regulates early postnatal developmental cell death of dopamine neurons of the substantia nigra *in vivo*. *Molecular and Cellular Neuroscience*, 41(4), 440-447. doi.

Oomen, C. A., Girardi, C. E. N., Cahyadi, R., Verbeek, E. C., Krugers, H., Is, M. J., & Lucassen, P. J. (2009). Opposite Effects of Early Maternal Deprivation on Neurogenesis in Male versus Female Rats. *PLoS ONE*, 4(1), 1-13. doi.

Oomen, C. A., Mayer, J. L., de Kloet, E. R., Joels, M., & Lucassen, P. J. (2007). Brief treatment with the glucocorticoid receptor antagonist mifepristone normalizes the reduction in neurogenesis after chronic stress. *European Journal of Neuroscience*, 26(12), 3395-3401. doi: doi:10.1111/j.1460-9568.2007.05972.x; <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05972.x>

Oomen, C. A., Soeters, H., Audureau, N., Vermunt, L., Van Hasselt, F. N., Manders, E. M. M., . . . Lucassen, P. J. (2011). Early maternal deprivation affects dentate gyrus structure and emotional learning in adult female rats. *Psychopharmacology*, 214(1), 249-260. doi.

Oomen, C. A., Soeters, H., Audureau, N., Vermunt, L., van Hasselt, F. N., Manders, E. M. M., . . . Krugers, H. (2010). Severe Early Life Stress Hampers Spatial Learning and Neurogenesis, but Improves Hippocampal Synaptic Plasticity and Emotional Learning under High-Stress Conditions in Adulthood. *Journal of Neuroscience*, 30(19), 6635-6645. doi: 10.1523/jneurosci.0247-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/19/6635>

Oorschot, D. E., Voss, L., Covey, M. V., Goddard, L., Huang, W., Birchall, P., . . . Kohe, S. E. (2013). Spectrum of Short- and Long-Term Brain Pathology and Long-Term Behavioral Deficits in Male Repeated Hypoxic Rats Closely Resembling Human Extreme Prematurity. *Journal of Neuroscience*, 33(29), 11863-11877. doi: 10.1523/jneurosci.0342-12.2013. <http://www.jneurosci.org/content/33/29/11863.abstract>

Oosthuizen, M. K., & Amrein, I. (2016). Trading new neurons for status: Adult hippocampal neurogenesis in eusocial Damaraland mole-rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.020>. <http://www.sciencedirect.com/science/article/pii/S0306452216002438>

Opendak, M., Offit, L., Monari, P., Schoenfeld, T. J., Sonti, A. N., Cameron, H. A., & Gould, E. (2016). Lasting Adaptations in Social Behavior Produced by Social Disruption and Inhibition of Adult Neurogenesis. *The Journal of Neuroscience*, 36(26), 7027-7038. doi: <http://www.jneurosci.org/content/36/26/7027.short>

Opie, N. L., John, S. E., Rind, G. S., Ronayne, S. M., Wong, Y. T., Gerboni, G., . . . Oxley, T. J. (2018). Focal stimulation of the sheep motor cortex with a chronically implanted minimally invasive electrode array mounted on an endovascular stent. *Nature Biomedical Engineering*, 2(12), 907-914. doi: 10.1038/s41551-018-0321-z. <https://doi.org/10.1038/s41551-018-0321-z>

Orb, S., Wieacker, J., Labarca, C., Fonck, C., Lester, H. A., & Schwarz, J. (2004). Knockin mice with Leu9Ser α 4-nicotinic receptors: substantia nigra dopaminergic neurons are hypersensitive to agonist and lost postnatally. *Physiological Genomics*, 18(3), 299-307. doi: 10.1152/physiolgenomics.00012.2004. <http://physiolgenomics.physiology.org/cgi/content/abstract/18/3/299>

Ordway, D. J., Shanley, C. A., Caraway, M. L., Orme, E. A., Bucy, D. S., Hascall-Dove, L., . . . others. (2010). Evaluation of standard chemotherapy in the guinea pig model of tuberculosis. *Antimicrobial Agents and Chemotherapy*, 54(5), 1820-1833. doi:

Ormerod, B. K., Hanft, S. J., Asokan, A., Haditsch, U., Lee, S. W., & Palmer, T. D. (2012). PPAR γ activation prevents impairments in spatial memory and neurogenesis following transient illness. *Brain, Behavior, and Immunity*, (0). doi: 10.1016/j.bbi.2012.10.017. <http://www.sciencedirect.com/science/article/pii/S0889159112004795>

Orr, A. L., Rutaganira, F. U., de Roulet, D., Huang, E. J., Hertz, N. T., Shokat, K. M., & Nakamura, K. (2017). Long-term oral kinetin does not protect against α -synuclein-induced neurodegeneration in rodent models of Parkinson's disease. *Neurochemistry International*. doi: <https://doi.org/10.1016/j.neuint.2017.04.006>. <http://www.sciencedirect.com/science/article/pii/S0197018617300372>

Orr, M. E., Salinas, A., Buffenstein, R., & Oddo, S. (2014). Mammalian target of rapamycin hyperactivity mediates the detrimental effects of a high sucrose diet on Alzheimer's disease pathology. *Neurobiology of Aging*, 35. doi: 10.1016/j.neurobiolaging.2013.12.006. <http://dx.doi.org/10.1016/j.neurobiolaging.2013.12.006>

- Ortega, S. B., Kong, X., Venkataraman, R., Savedra, A. M., Kernie, S. G., Stowe, A. M., & Raman, L. (2015). Perinatal chronic hypoxia induces cortical inflammation, hypomyelination, and peripheral myelin-specific T cell autoreactivity. *Journal of Leukocyte Biology*. doi: 10.1189/jlb.5H10914-447R. <http://www.jleukbio.org/content/early/2015/06/02/jlb.5H10914-447R.abstract>
- Ortner, N. J., Bock, G., Dougalis, A., Kharitonova, M., Duda, J., Hess, S., . . . Striessnig, J. (2017). Lower affinity of isradipine for L-type Ca²⁺ channels during substantia nigra dopamine neuron-like activity: implications for neuroprotection in Parkinson's disease. [10.1523/JNEUROSCI.2946-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/06/07/JNEUROSCI.2946-16.2017..>
- Ortsater, H., Grankvist, N., Wolfram, S., Kuehn, N., Sjöholm, A., Mir, P. S., . . . others. (2012). Diet supplementation with green tea extract epigallocatechin gallate prevents progression to glucose intolerance in db/db mice. *Nutrition and Metabolism*, 9(1), 11-11. doi.
- Ortuño, T., López-Madrona, V. J., Makarova, J., Tapia-Gonzalez, S., Muñoz, A., DeFelipe, J., & Herreras, O. (2019). Slow-wave activity in the S1HL cortex is contributed by different layer-specific field potential sources during development. *The Journal of Neuroscience*, 1212-1219. doi: 10.1523/jneurosci.1212-19.2019. <http://www.jneurosci.org/content/early/2019/09/23/JNEUROSCI.1212-19.2019..>
- Osato, K., Sato, Y., Ochiishi, T., Osato, A., Zhu, C., Sato, M., . . . others. (2010). Apoptosis-inducing factor deficiency decreases the proliferation rate and protects the subventricular zone against ionizing radiation. *Cell Death and Disease*, 1(10), e84-e84. doi.
- Osborne, B. F., Turano, A., Caulfield, J. I., & Schwarz, J. M. (2019). Sex- and region-specific differences in microglia phenotype and characterization of the peripheral immune response following early-life infection in neonatal male and female rats. *Neuroscience Letters*, 692, 1-9. doi: <https://doi.org/10.1016/j.neulet.2018.10.044>. <http://www.sciencedirect.com/science/article/pii/S0304394018307201>
- Osborne, M. C., Verhovshek, T., & Sengelaub, D. R. (2007). Androgen regulates trkB immunolabeling in spinal motoneurons. *Journal of Neuroscience Research*, 85(2), 303-309. doi.
- Oshikawa, M., Okada, K., Nakajima, K., & Ajioka, I. (2013). Cortical excitatory neurons become protected from cell division during neurogenesis in an Rb family-dependent manner. *Development*. doi: 10.1242/dev.095653. <http://dev.biologists.org/content/early/2013/04/24/dev.095653.abstract>
- Oshikawa, M., Okada, K., Tabata, H., Nagata, K.-i., & Ajioka, I. (2017). Dnmt1-dependent Chk1 pathway suppression is protective against neuron division. [10.1242/dev.154013]. *Development*, 144(18), 3303. doi: <http://dev.biologists.org/content/144/18/3303.abstract>
- Osipovitch, M., Asenjo Martinez, A., Mariani, J. N., Cornwell, A., Dhaliwal, S., Zou, L., . . . Goldman, S. A. (2018). Human ESC-Derived Chimeric Mouse Models of Huntington's Disease Reveal Cell-Intrinsic Defects in Glial Progenitor Cell Differentiation. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2018.11.010>. <http://www.sciencedirect.com/science/article/pii/S1934590918305460>
- Oskowitz, A., McFerrin, H., Gutschow, M., Carter, M. L., & Pochampally, R. (2011). Serum deprived human multipotent Mesenchymal Stromal Cells (MSCs) are highly angiogenic. *Stem Cell Research*. doi.

Oskowitz, A. Z., Penfornis, P., Tucker, A., Prockop, D. J., & Pochampally, R. (2011). Drosha regulates hMSCs cell cycle progression through a miRNA independent mechanism. *International Journal of Biochemistry and Cell Biology*. doi.

Osman, A. M., Porritt, M. J., Nilsson, M., & Kuhn, H. G. (2011). Long-Term Stimulation of Neural Progenitor Cell Migration After Cortical Ischemia in Mice. *Stroke*, 42(12), 3559-3565. doi: 10.1161/strokeaha.111.627802. <http://stroke.ahajournals.org/content/42/12/3559.abstract>

Osman, A. M., Sun, Y., Burns, T. C., He, L., Kee, N., Oliva-Vilarnau, N., . . . Blomgren, K. (2020). Radiation Triggers a Dynamic Sequence of Transient Microglial Alterations in Juvenile Brain. *Cell Reports*, 31(9), 107699. doi: <https://doi.org/10.1016/j.celrep.2020.107699>. <http://www.sciencedirect.com/science/article/pii/S2211124720306690>

Osman, K. L., Kohlberg, S., Mok, A., Brooks, R., Lind, L. A., McCormack, K., . . . Lever, T. E. (2019). Optimizing the Translational Value of Mouse Models of ALS for Dysphagia Therapeutic Discovery. [journal article]. *Dysphagia*. doi: 10.1007/s00455-019-10034-9. <https://doi.org/10.1007/s00455-019-10034-9>

Osório, L., Gijbsers, R., Oliveras-Salvá, M., Michiels, A., Debyser, Z., Van den Haute, C., & Baekelandt, V. (2013). Viral vectors expressing a single microRNA-based short-hairpin RNA result in potent gene silencing in vitro and in vivo. *Journal of Biotechnology*, (0). doi: <http://dx.doi.org/10.1016/j.jbiotec.2013.11.004>. <http://www.sciencedirect.com/science/article/pii/S0168165613004872>

Osterop, S. F., Virtanen, M. A., Loepke, J. R., Joseph, B., Loepke, A. W., & Vutskits, L. (2015). Developmental stage-dependent impact of midazolam on calbindin, calretinin and parvalbumin expression in the immature rat medial prefrontal cortex during the brain growth spurt. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2015.04.002>. <http://www.sciencedirect.com/science/article/pii/S0736574815000507>

Ostock, C. Y., Lindenbach, D., Goldenberg, A. A., Kampton, E., & Bishop, C. (2014). Effects of noradrenergic denervation by anti-DBH-saporin on behavioral responsivity to L-DOPA in the hemiparkinsonian rat. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.05.009>. <http://www.sciencedirect.com/science/article/pii/S0166432814003039>

Oswald, M. J., Palmer, D. N., Kay, G. W., Barwell, K. J., & Cooper, J. D. (2008). Location and connectivity determine GABAergic interneuron survival in the brains of South Hampshire sheep with CLN6 neuronal ceroid lipofuscinosis. *Neurobiology of Disease*, 32(1), 50-65. doi.

Oswald, M. J., Palmer, D. N., Kay, G. W., Shemilt, S. J. A., Rezaie, P., & Cooper, J. D. (2005). Glial activation spreads from specific cerebral foci and precedes neurodegeneration in presymptomatic ovine neuronal ceroid lipofuscinosis (CLN6). *Neurobiology of Disease*, 20(1), 49-63. doi.

Otero, J. J., Kalaszczynska, I., Michowski, W., Wong, M., Gygli, P. E., Gokozan, H. N., . . . Rowitch, D. (2013). Cerebellar cortical lamination and foliation require cyclin A2. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2013.10.019>. <http://www.sciencedirect.com/science/article/pii/S0012160613005745>

Otero-Ortega, L., Laso-García, F., Gómez-de Frutos, M. d. C., Rodríguez-Frutos, B., Pascual-Guerra, J., Fuentes, B., . . . Gutiérrez-Fernández, M. (2017). White Matter Repair After Extracellular Vesicles

Administration in an Experimental Animal Model of Subcortical Stroke. [Article]. *Scientific Reports*, 7, 44433. doi: 10.1038/srep44433

<http://www.nature.com/articles/srep44433#supplementary-information>. <http://dx.doi.org/10.1038/srep44433>

Otterloo, E. V., O'Dwyer, G., Stockmeier, C. A., Steffens, D. C., Krishnan, R. R., & Rajkowska, G. (2009). Reductions in neuronal density in elderly depressed are region specific. *International Journal of Geriatric Psychiatry*, 24(8), 856-864. doi.

Otvos, L., Feiner, L., Lang, E., Szendrei, G. I., Goedert, M., & Lee, V. M. (1994). Monoclonal antibody PHF-1 recognizes tau protein phosphorylated at serine residues 396 and 404. *Journal of Neuroscience Research*, 39. doi: 10.1002/jnr.490390607. <http://dx.doi.org/10.1002/jnr.490390607>

Ouda, L., Druga, R., & Syka, J. (2011). Distribution of SMI-32-immunoreactive neurons in the central auditory system of the rat. *Brain Structure and Function*, 1-18. doi.

Ouda, L., Jilek, M., & Syka, J. (2016). Expression of c-Fos in rat auditory and limbic systems following 22-kHz calls. *Behavioural Brain Research*, 308, 196-204. doi: <http://dx.doi.org/10.1016/j.bbr.2016.04.030>. <http://www.sciencedirect.com/science/article/pii/S0166432816302327>

Oueslati, A., Paleologou, K. E., Schneider, B. L., Aebischer, P., & Lashuel, H. A. (2012). Mimicking Phosphorylation at Serine 87 Inhibits the Aggregation of Human α -Synuclein and Protects against Its Toxicity in a Rat Model of Parkinson's Disease. *Journal of Neuroscience*, 32(5), 1536-1544. doi: 10.1523/jneurosci.3784-11.2012. <http://www.jneurosci.org/content/32/5/1536.abstract>

Oury, F., Sumara, G., Sumara, O., Ferron, M., Chang, H., Smith, C. E., . . . others. (2011). Endocrine regulation of male fertility by the skeleton. *Cell*. doi.

Oveisgharan, S., Arvanitakis, Z., Yu, L., Farfel, J., Schneider, J. A., & Bennett, D. A. (2018). Sex differences in Alzheimer's disease and common neuropathologies of aging. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-018-1920-1. <https://doi.org/10.1007/s00401-018-1920-1>

Overk, C. R., Kelley, C. M., & Mufson, E. J. (2009). Brainstem Alzheimer's-like pathology in the triple transgenic mouse model of Alzheimer's disease. *Neurobiology of Disease*, 35(3), 415-425. doi.

Overk, C. R., Lu, P. Y., Wang, Y. T., Choi, J., Shaw, J. W., Thatcher, G. R., & Mufson, E. J. (2011). Effects of aromatase inhibition versus gonadectomy on hippocampal complex amyloid pathology in triple transgenic mice. *Neurobiology of Disease*. doi.

Overk, C. R., Perez, S. E., Ma, C., Taves, M. D., Soma, K. K., & Mufson, E. J. (2012). Sex steroid levels and AD-like pathology in 3xTgAD mice. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/j.1365-2826.2012.02374.x. <http://dx.doi.org/10.1111/j.1365-2826.2012.02374.x>

Oya, S., Yoshikawa, G., Takai, K., Tanaka, J., Higashiyama, S., Saito, N., . . . Kawahara, N. (2008). Region-specific proliferative response of neural progenitors to exogenous stimulation by growth factors following ischemia. *Neuroreport*, 19(8), 805-805. doi.

Oya, S., Yoshikawa, G., Takai, K., Tanaka, J. I., Higashiyama, S., Saito, N., . . . Kawahara, N. (2009). Attenuation of Notch signaling promotes the differentiation of neural progenitors into neurons in the hippocampal CA1 region after ischemic injury. *Neuroscience*, 158(2), 683-692. doi.

Özay, R., Yavuz, O. Y., Türko lu, M. E., Akta_ A., Yi it, F., Özdemir, H. M., & ekerçi, Z. (2015). The effects of ankaferd blood stopper and microporous polysaccharide hemospheres on epidural fibrosis in rat laminectomy model. *Acta Cirurgica Brasileira*, 30, 799-805. doi: http://www.scielo.br/scielo.php?pid=S0102-86502015001200799&script=sci_a..

Ozcelik, S., Fraser, G., Castets, P., Schaeffer, V., Skachokova, Z., & Breu, K. (2013). Rapamycin attenuates the progression of tau pathology in P301S tau transgenic mice. *Plos one*, 8. doi: 10.1371/journal.pone.0062459. <http://dx.doi.org/10.1371/journal.pone.0062459>

Ozcelik, S., Fraser, G., Castets, P., Schaeffer, V., Skachokova, Z., Breu, K., . . . Winkler, D. T. (2013). Rapamycin Attenuates the Progression of Tau Pathology in P301S Tau Transgenic Mice. *Plos one*, 8(5), e62459. doi: 10.1371/journal.pone.0062459. <http://dx.doi.org/10.1371%2Fjournal.pone.0062459>

Özdemir-Kumral, Z. N., Erkek, B. E., Karakuş, B., Almacı, M., Fathi, R., Yüksel, M., . . . Alican, İ. (2019). Potential Effect of 1,25 Dihydroxyvitamin D3 on Thioacetamide-Induced Hepatotoxicity in Rats. *Journal of Surgical Research*, 243, 165-172. doi: <https://doi.org/10.1016/j.jss.2019.05.020>. <http://www.sciencedirect.com/science/article/pii/S022480419303361>

Özkay, Ü. D., Söztutar, E., Can, Ö. D., Üçel, U. I., Öztürk, Y., & Ulupinar, E. (2015). Effects of long-term agomelatine treatment on the cognitive performance and hippocampal plasticity of adult rats. *Behavioural Pharmacology*. doi.

Oztan, O., Aydin, C., & Isgor, C. (2011). Chronic variable physical stress during the peripubertal-juvenile period causes differential depressive and anxiogenic effects in the novelty-seeking phenotype: Functional implications for hippocampal and amygdalar BDNF and the mossy fibre plasticity. *Neuroscience*. doi.

Oztan, O., Aydin, C., & Isgor, C. (2011). Stressful environmental and social stimulation in adolescence causes antidepressant-like effects associated with epigenetic induction of the hippocampal BDNF and mossy fibre sprouting in the novelty-seeking phenotype. *Neuroscience Letters*. doi.

P, S., A, B., Vv, R., K, R., J, M., J-C, K., . . . Af, S. (2012). Relationship Between BDNF Expression in Major Striatal Afferents, Striatum Morphology and Motor Behavior in the R6/2 Mouse Model of Huntington's Disease. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/j.1601-183X.2012.00858.x. <http://dx.doi.org/10.1111/j.1601-183X.2012.00858.x>

Pabon, M. M., Bachstetter, A. D., Hudson, C. E., Gemma, C., Bickford, P. C., & others. (2011). CX3CL1 reduces neurotoxicity and microglial activation in a rat model of Parkinson's disease. *Journal of neuroinflammation*, 8(1), 9-9. doi.

Pabon, M. M., Jernberg, J. N., Morganti, J., Contreras, J., Hudson, C. E., Klein, R. L., & Bickford, P. C. (2012). A Spirulina-Enhanced Diet Provides Neuroprotection in an α -Synuclein Model of Parkinson's Disease. *Plos one*, 7(9), e45256. doi: 10.1371/journal.pone.0045256. <http://dx.doi.org/10.1371%2Fjournal.pone.0045256>

Padel, T., Özen, I., Boix, J., Barbariga, M., Gaceb, A., Roth, M., & Paul, G. (2016). Platelet-derived growth factor-BB has neurorestorative effects and modulates the pericyte response in a partial 6-hydroxydopamine lesion mouse model of Parkinson's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.002>. <http://www.sciencedirect.com/science/article/pii/S0969996116301358>

Padmanabhan, S., Kareva, T., Kholodilov, N., & Burke, R. (2013). Quantitative morphological comparison of axon-targeting strategies for gene therapies directed to the nigro-striatal projection. *Gene Therapy*. doi: <http://www.nature.com/gt/journal/vaop/ncurrent/full/gt201374a.html>

Page, C., Alexander, J., Shepard, R., & Coutellier, L. (2018). Npas4 deficiency interacts with adolescent stress to disrupt prefrontal GABAergic maturation and adult cognitive flexibility. *Genes, Brain and Behavior*, e12459-n/a. doi: 10.1111/gbb.12459. <http://dx.doi.org/10.1111/gbb.12459>

Page, C. E., & Coutellier, L. (2018). Adolescent stress disrupts the maturation of anxiety-related behaviors and alters the developmental trajectory of the prefrontal cortex in a sex- and age-specific manner. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.08.030>. <http://www.sciencedirect.com/science/article/pii/S030645221830575X>

Page, C. E., Shepard, R., Heslin, K., & Coutellier, L. (2019). Prefrontal parvalbumin cells are sensitive to stress and mediate anxiety-related behaviors in female mice. *Scientific Reports*, 9(1), 19772. doi: 10.1038/s41598-019-56424-9. <https://doi.org/10.1038/s41598-019-56424-9>

Pagliarini, V., Pelosi, L., Bustamante, M. B., Nobili, A., Berardinelli, M. G., D'Amelio, M., . . . Sette, C. (2015). SAM68 is a physiological regulator of SMN2 splicing in spinal muscular atrophy. *The Journal of Cell Biology*, 211(1), 77-90. doi: 10.1083/jcb.201502059. <http://jcb.rupress.org/content/211/1/77.abstract>

Paik, S. K., Park, K. P., Lee, S. K., Ma, S. K., Cho, Y. S., Kim, Y. K., . . . Bae, Y. C. (2009). Light and electron microscopic analysis of the somata and parent axons innervating the rat upper molar and lower incisor pulp. *Neuroscience*, 162(4), 1279-1286. doi.

Pais, T. F., Szeg, odblac, É. M., Marques, O., Miller-Fleming, L., Antas, P., . . . Outeiro, T. F. (2013). The NAD-dependent deacetylase sirtuin 2 is a suppressor of microglial activation and brain inflammation. *The EMBO journal*. doi: <http://www.nature.com/emboj/journal/vaop/ncurrent/full/emboj2013200a.html>

Pal, I., Paltati, C. R. B., Kaur, C., Shubhi, S., Kumar, P., Jacob, T. G., . . . Roy, T. S. (2019). Morphological and neurochemical changes in GABAergic neurons of the aging human inferior colliculus. *Hearing Research*. doi: <https://doi.org/10.1016/j.heares.2019.02.005>. <http://www.sciencedirect.com/science/article/pii/S0378595518303113>

Palanisamy, A., Crosby, G., & Culley, D. J. (2017). EARLY gestational exposure to isoflurane causes persistent cell loss in the dentate gyrus of adult male rats. [journal article]. *Behavioral and Brain Functions*, 13(1), 14. doi: 10.1186/s12993-017-0132-5. <https://doi.org/10.1186/s12993-017-0132-5>

Paldino, E., Balducci, C., La Vitola, P., Artioli, L., D'Angelo, V., Giampà, C., . . . Fusco, F. R. (2019). Neuroprotective Effects of Doxycycline in the R6/2 Mouse Model of Huntington's Disease. *Molecular Neurobiology*. doi: 10.1007/s12035-019-01847-8. <https://doi.org/10.1007/s12035-019-01847-8>

Palese, F., Pontis, S., Realini, N., & Piomelli, D. (2019). A protective role for N-acylphosphatidylethanolamine phospholipase D in 6-OHDA-induced neurodegeneration. *Scientific Reports*, 9(1), 15927. doi: 10.1038/s41598-019-51799-1. <https://doi.org/10.1038/s41598-019-51799-1>

Paller, K. A., Ranganath, C., Gonsalves, B., LaBar, K. S., Parrish, T. B., Gitelman, D. R., . . . Reber, P. J. (2003). Neural Correlates of Person Recognition. *Learning and Memory*, 10(4), 253-260. doi: <http://www.learnmem.org/cgi/content/abstract/10/4/253>

- Palmen, S. J. M. C., Engeland, H. v., Hof, P. R., & Schmitz, C. (2004). Neuropathological findings in autism *Brain*, 127(12), 2572-2583. doi.
- Palmer, M. R., Granholm, A. C., Van Horne, C. G., Giardina, K. E., Freund, R. K., Moorhead, J. W., & Gerhardt, G. A. (2001). Intranigral transplantation of solid tissue ventral mesencephalon or striatal grafts induces behavioral recovery in 6-OHDA-lesioned rats. *Brain Research*, 890(1), 86-99. doi.
- Pan, J., Li, H., Zhang, B., Xiong, R., Zhang, Y., Kang, W.-Y., . . . Chen, S.-D. (2015). Small Peptide Inhibitor of JNK3 Protects Dopaminergic Neurons from MPTP Induced Injury via Inhibiting the ASK1-JNK3 Signaling Pathway. *Plos one*, 10(4), e0119204. doi: 10.1371/journal.pone.0119204. <http://dx.doi.org/10.1371%2Fjournal.pone.0119204>
- Pan, J., Wang, G., Yang, H.-Q., Hong, Z., Xiao, Q., Ren, R.-J., . . . Chen, S.-D. (2007). K252a prevents nigral dopaminergic cell death induced by 6-OHDA through inhibition of both MLK3/JNK3 and ASK1/JNK3 signaling pathways. *Molecular Pharmacology*, doi:10.1124/mol.107.038463. doi.
- Pan, J., Xiao, Q., Sheng, C. Y., Hong, Z., Yang, H. Q., Wang, G., . . . Chen, S. D. (2009). Blockade of the translocation and activation of c-Jun N-terminal kinase 3 (JNK3) attenuates dopaminergic neuronal damage in mouse model of Parkinson's disease. *Neurochemistry International*, 54(7), 418-425. doi.
- Pan, J., Zhao, Y., Wang, Z. Q., Jin, L., Sun, Z. K., & Chen, S. D. (2007). Expression of FasL and its interaction with Fas are mediated by c-Jun N-terminal kinase (JNK) pathway in 6-OHDA-induced rat model of Parkinson disease. *Neuroscience Letters*, 428(2-3), 82-87. doi.
- Pan, P.-Y., Sheehan, P., Wang, Q., Zhu, X., Zhang, Y., Choi, I., . . . Yue, Z. (2020). Synj1 Haploinsufficiency Causes Dopamine Neuron Vulnerability and alpha-synuclein Accumulation in Mice. *Human Molecular Genetics*. doi: 10.1093/hmg/ddaa080. <https://doi.org/10.1093/hmg/ddaa080>
- Pan, Y., Hysinger, J. D., Barron, T., Schindler, N. F., Cobb, O., Guo, X., . . . Gutmann, D. H. (2021). NF1 mutation drives neuronal activity-dependent initiation of optic glioma. *Nature*. doi: 10.1038/s41586-021-03580-6. <https://doi.org/10.1038/s41586-021-03580-6>
- Panagiotakos, G., Alshamy, G., Chan, B., Abrams, R., Greenberg, E., Saxena, A., . . . Tabar, V. (2007). Long-term impact of radiation on the stem cell and oligodendrocyte precursors in the brain. *PLoS ONE*, 2(7), e588-e588. doi.
- Panaite, P. A., & Barakat-Walter, I. (2010). Thyroid hormone enhances transected axonal regeneration and muscle reinnervation following rat sciatic nerve injury. *Journal of Neuroscience Research*, 88(8), 1751-1763. doi.
- Panaite, P. A., Gantelet, E., Kraftsik, R., Gourdon, G., Kuntzer, T., & Barakat-Walter, I. (2008). Myotonic dystrophy transgenic mice exhibit pathologic abnormalities in diaphragm neuromuscular junctions and phrenic nerves. *Journal of Neuropathology and Experimental Neurology*, 67(8), 763-763. doi.
- Panaite, P. A., Kielar, M., Kraftsik, R., Gourdon, G., Kuntzer, T., & Barakat-Walter, I. (2011). Peripheral Neuropathy Is Linked to a Severe Form of Myotonic Dystrophy in Transgenic Mice. *Journal of Neuropathology and Experimental Neurology*, 70(8), 678-678. doi.
- Panchision, D. M., Pickel, J. M., Studer, L., Lee, S.-H., Turner, P. A., Hazel, T. G., & McKay, R. D. G. (2001). Sequential actions of BMP receptors control neural precursor cell production and fate. *Genes and Development*, 15(16), 2094-2110. doi: 10.1101/gad.894701. <http://www.genesdev.org/cgi/content/abstract/15/16/2094>

- Pande, K., Moran, S. M., & Bradfield, C. A. (2005). Aspects of Dioxin Toxicity Are Mediated by Interleukin 1-Like Cytokines. *Molecular Pharmacology*, 67, 1393-1398. doi.
- Pang, K., Sinha, S., Avcu, P., Roland, J., Nadpara, N., Pfister, B. J., . . . Servatius, R. (2014). Long-lasting suppression of acoustic startle response following mild traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3451. <http://dx.doi.org/10.1089/neu.2014.3451>
- Pang, K. C. H., Jiao, X., Sinha, S., Beck, K. D., & Servatius, R. J. (2011). Damage of GABAergic neurons in the medial septum impairs spatial working memory and extinction of active avoidance: Effects on proactive interference. *Hippocampus*, 21(8), 835-846. doi.
- Pang, K. C. H., Nocera, R., Secor, A. J., & Yoder, R. M. (2001). GABAergic septohippocampal neurons are not necessary for spatial memory. *Hippocampus*, 11(6), 814-827. doi.
- Pang, Y., Lin, S., Wright, C., Shen, J., Carter, K., Bhatt, A., & Fan, L. W. (2016). Intranasal insulin protects against substantia nigra dopaminergic neuronal loss and alleviates motor deficits induced by 6-OHDA in rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.01.020>. <http://www.sciencedirect.com/science/article/pii/S030645216000397>
- Pan-Montojo, F., Anichtchik, O., Dening, Y., Knels, L., Pursche, S., Jung, R., . . . others. (2010). Progression of Parkinson's disease pathology is reproduced by intragastric administration of rotenone in mice. *PLoS ONE*, 5(1), e8762-e8762. doi.
- Pan-Montojo, F., Schwarz, M., Winkler, C., Arnhold, M., O'Sullivan, G. A., Pal, A., . . . Reichmann, H. (2012). Environmental toxins trigger PD-like progression via increased alpha-synuclein release from enteric neurons in mice. [10.1038/srep00898]. *Scientific Reports*, 2. doi: <http://www.nature.com/srep/2012/121130/srep00898/abs/srep00898.html#supp.....> <http://dx.doi.org/10.1038/srep00898>
- Panneton, W. M., Kumar, V. B., Gan, Q., Burke, W. J., & Galvin, J. E. (2010). The neurotoxicity of DOPAL: behavioral and stereological evidence for its role in Parkinson disease pathogenesis. *PLoS ONE*, 5(12), e15251-e15251. doi.
- Pantazopoulos, H., Boyer-Boiteau, A., Holbrook, E. H., Jang, W., Hahn, C.-G., Arnold, S. E., & Berretta, S. (2013). Proteoglycan abnormalities in olfactory epithelium tissue from subjects diagnosed with schizophrenia. *Schizophrenia Research*, (0). doi: <http://dx.doi.org/10.1016/j.schres.2013.08.013>. <http://www.sciencedirect.com/science/article/pii/S0920996413004490>
- Pantazopoulos, H., Lange, N., Baldessarini, R. J., & Berretta, S. (2007). Parvalbumin neurons in the entorhinal cortex of subjects diagnosed with bipolar disorder or schizophrenia. *Biological Psychiatry*, 61(5), 640-652. doi.
- Pantazopoulos, H., Markota, M., Jaquet, F., Ghosh, D., Wallin, A., Santos, A., . . . Berretta, S. (2015). Aggrecan and chondroitin-6-sulfate abnormalities in schizophrenia and bipolar disorder: a postmortem study on the amygdala. [Original Article]. *Transl Psychiatry*, 5, e496. doi: 10.1038/tp.2014.128. <http://dx.doi.org/10.1038/tp.2014.128>
- Pantazopoulos, H., Murray, E. A., & Berretta, S. (2008). Total number, distribution, and phenotype of cells expressing chondroitin sulfate proteoglycans in the normal human amygdala. *Brain Research*, 1207, 84-95. doi.

Pantazopoulos, H., Wiseman, J. T., Markota, M., Ehrenfeld, L., & Berretta, S. (2016). Decreased numbers of somatostatin-expressing neurons in the amygdala of subjects with bipolar disorder or schizophrenia: Relationship to circadian rhythms. *Biological Psychiatry*. doi: <http://dx.doi.org/10.1016/j.biopsych.2016.04.006>. <http://www.sciencedirect.com/science/article/pii/S000632231632282X>

Pantazopoulos, H., Wiseman, J. T., Markota, M., Ehrenfeld, L., & Berretta, S. (2016). Decreased Numbers of Somatostatin-Expressing Neurons in the Amygdala of Subjects With Bipolar Disorder or Schizophrenia: Relationship to Circadian Rhythms. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2016.04.006. <http://dx.doi.org/10.1016/j.biopsych.2016.04.006>

Pantazopoulos, H., Woo, T. U. W., Lim, M. P., Lange, N., & Berretta, S. (2010). Extracellular matrix-glia abnormalities in the amygdala and entorhinal cortex of subjects diagnosed with schizophrenia. *Archives of General Psychiatry*, 67(2), 155-155. doi.

Pantinople, J., McCabe, K., Henderson, K., Richards, H. L., & Milne, N. (2017). The development of curvature in the porcine radioulna. *PeerJ*, 5, e3386. doi: 10.7717/peerj.3386. <https://doi.org/10.7717/peerj.3386>

Paolicelli, R. C., Jawaid, A., Henstridge, C. M., Valeri, A., Merlini, M., Robinson, J. L., . . . Rajendran, L. (2017). TDP-43 Depletion in Microglia Promotes Amyloid Clearance but Also Induces Synapse Loss. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2017.05.037>. <http://www.sciencedirect.com/science/article/pii/S0896627317304750>

Papadopoulou, A. S., Serneels, L., Achsel, T., Mandemakers, W., Callaerts-Vegh, Z., Dooley, J., . . . De Strooper, B. (2014). Deficiency of the miR-29a/b-1 cluster leads to ataxic features and cerebellar alterations in mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.10.006>. <http://www.sciencedirect.com/science/article/pii/S096999611400299X>

Papageorgiou, I., Fetani, A., Lewen, A., Heinemann, U., & Kann, O. (2014). Widespread activation of microglial cells in the hippocampus of chronic epileptic rats correlates only partially with neurodegeneration. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-014-0802-0. <http://dx.doi.org/10.1007/s00429-014-0802-0>

Papageorgiou, I. E., Gabriel, S., Fetani, A. F., Kann, O., & Heinemann, U. (2011). Redistribution of astrocytic glutamine synthetase in the hippocampus of chronic epileptic rats. *Glia*, 59(11), 1706-1718. doi: 10.1002/glia.21217. <http://dx.doi.org/10.1002/glia.21217>

Papageorgiou, I. E., Valous, N. A., Lahrmann, B., Janova, H., Klaf, Z.-J., Koch, A., . . . Kann, O. (2018). Astrocytic glutamine synthetase is expressed in the neuronal somatic layers and down-regulated proportionally to neuronal loss in the human epileptic hippocampus. *Glia*, n/a-n/a. doi: 10.1002/glia.23292. <http://dx.doi.org/10.1002/glia.23292>

Papageorgiou, S. G., Beratis, I. N., Horvath, J., Herrmann, F. R., Bouras, C., & Kövari, E. (2016). Amnesia in frontotemporal dementia: shedding light on the Geneva historical data. *Journal of Neurology*, 1-8. doi: <http://link.springer.com/article/10.1007/s00415-015-8019-6>

Papesh, M. A., & Hurley, L. M. (2011). Plasticity of serotonergic innervation of the inferior colliculus in mice following acoustic trauma. *Hearing Research*. doi.

Pappas, B. A., Payne, K. B., Fortin, T., & Sherren, N. (2005). Neonatal lesion of forebrain cholinergic neurons: Further characterization of behavioral effects and permanency. *Neuroscience*, 133(2), 485-492. doi.

Pappas, S. S., Liang, C.-C., Kim, S., Rivera, C. O., & Dauer, W. T. (2017). TorsinA dysfunction causes persistent neuronal nuclear pore defects. *Human Molecular Genetics*, ddx405-ddx405. doi: 10.1093/hmg/ddx405. <http://dx.doi.org/10.1093/hmg/ddx405>

Pardo, M., Abrial, E., Jope, R. S., & Beurel, E. (2016). GSK3 β isoform-selective regulation of depression, memory and hippocampal cell proliferation. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12283. <http://dx.doi.org/10.1111/gbb.12283>

Parekh, R., & Ascoli, Giorgio A. (2013). Neuronal Morphology Goes Digital: A Research Hub for Cellular and System Neuroscience. *Neuron*, 77(6), 1017-1038. doi: <http://dx.doi.org/10.1016/j.neuron.2013.03.008>. <http://www.sciencedirect.com/science/article/pii/S0896627313002328>

Parent, M., & Descarries, L. (2008). Acetylcholine innervation of the adult rat thalamus: distribution and ultrastructural features in dorsolateral geniculate, parafascicular, and reticular thalamic nuclei. *Journal of Comparative Neurology*, 511(5), 678-691. doi.

Parent, M., Wallman, M. J., & Descarries, L. (2010). Distribution and ultrastructural features of the serotonin innervation in rat and squirrel monkey subthalamic nucleus. *European Journal of Neuroscience*, 31(7), 1233-1242. doi.

Parida, R., Das, S., Raju, T. R., & Sathyaprabha, T. N. (2019). Human placental extract ameliorates cytokine and cytokine receptor signaling in the rat hippocampus upon BenzoflPyrene exposure. *Journal of Chemical Neuroanatomy*, 98, 8-16. doi: <https://doi.org/10.1016/j.jchemneu.2019.03.001>. <http://www.sciencedirect.com/science/article/pii/S0891061818301893>

Parihar, V. K., Allen, B. D., Tran, K., Chmielewski, N. N., Craver, B. M., Martirosian, V., . . . Acharya, M. (2014). Targeted overexpression of mitochondrial catalase prevents radiation-induced cognitive dysfunction. *Antioxidants & redox signaling*, (ja). doi. <http://online.liebertpub.com/doi/abs/10.1089/ars.2014.5929>

Parikh, T. P., Malik, M., Britten, J., Aly, J. M., Pilgrim, J., & Catherino, W. H. (2020). Steroid hormones and hormone antagonists regulate the neural marker neurotrimin in uterine leiomyoma. *Fertility and Sterility*, 113(1), 176-186. doi: <https://doi.org/10.1016/j.fertnstert.2019.08.090>. <http://www.sciencedirect.com/science/article/pii/S0015028219323015>

Parikh, U., Williams, M., Jacobs, A., Pineda, J. A., Brody, D. L., & Friess, S. H. (2016). Delayed Hypoxemia Following Traumatic Brain Injury Exacerbates White Matter Injury. [10.1093/jnen/nlw045]. *Journal of Neuropathology and Experimental Neurology*. doi. <http://jnen.oxfordjournals.org/content/early/2016/06/10/jnen.nlw045.abst..>

Parikh, V., Howe, W. M., Welchko, R. M., Naughton, S. X., D'Amore, D. E., Han, D. H., . . . Sarter, M. (2012). Diminished trkA receptor signaling reveals cholinergic-attentional vulnerability of aging. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12090. <http://dx.doi.org/10.1111/ejn.12090>

Parish, C. L., Finkelstein, D. I., Drago, J., Borrelli, E., & Horne, M. K. (2001). The Role of Dopamine Receptors in Regulating the Size of Axonal Arbors. *Journal of Neuroscience*, 21(14), 5147-5157. doi: <http://www.jneurosci.org/cgi/content/abstract/21/14/5147>

Parish, C. L., Stanic, D., Drago, J., Borrelli, E., Finkelstein, D. I., & Horne, M. K. (2002). Effects of long-term treatment with dopamine receptor agonists and antagonists on terminal arbor size. *European Journal of Neuroscience*, 16(5), 787-794. doi: doi:10.1046/j.1460-9568.2002.02132.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02132.x>

Park, D. H., Eve, D. J., Sanberg, P. R., Musso lii, J., Bachstetter, A. D., Wolfson, A., . . . Gemma, C. (2010). Increased neuronal proliferation in the dentate gyrus of aged rats following neural stem cell implantation. *Stem Cells and Development*, 19(2), 175-180. doi.

Park, E. J., Park, S. Y., Joe, E. H., & Jou, I. (2003). 15d-PGJ2 and rosiglitazone suppress Janus kinase-STAT inflammatory signaling through induction of suppressor of cytokine signaling 1 (SOCS1) and SOCS3 in glia. *Journal of Biological Chemistry*, 278. doi: 10.1074/jbc.M210819200. <http://dx.doi.org/10.1074/jbc.M210819200>

Park, H., Kim, J., Ha, J., Hwang, I. G., Song, T.-J., Yoo, J., . . . Heo, J. H. (2019). Histologic features of intracranial thrombi in stroke patients with cancer. *Annals of Neurology*, 0(ja). doi: 10.1002/ana.25495. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ana.25495>

Park, J. H., Long, A., Owens, K., & Kristian, T. (2016). Nicotinamide mononucleotide inhibits post-ischemic NAD⁺ degradation and dramatically ameliorates brain damage following global cerebral ischemia. *Neurobiology of Disease*, 95, 102-110. doi: <http://dx.doi.org/10.1016/j.nbd.2016.07.018>. <http://www.sciencedirect.com/science/article/pii/S0969996116301760>

Park, J. J., Tang, Y., Lopez, I., & Ishiyam, A. (2001). Unbiased Estimation of Human Vestibular Ganglion Neurons. *Annals of the New York Academy of Sciences*, 942(1), 475-478. doi: doi:10.1111/j.1749-6632.2001.tb03773.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2001.tb03773...>

Park, J. J., Tang, Y., Lopez, I., & Ishiyama, A. (2000). Unbiased stereological quantification of neurons in the human vestibular ganglion. *Neuroreport*, 11(4), 853-853. doi.

Park, J. J., Tang, Y., Lopez, I., & Ishiyama, A. (2001). Age-related change in the number of neurons in the human vestibular ganglion. *Journal of Comparative Neurology*, 431(4), 437-443. doi.

Park, K. H., Franciosi, S., & Leavitt, B. R. (2013). Postnatal muscle modification by myogenic factors modulates neuropathology and survival in an ALS mouse model. *Nature Communications*, 4. doi: <http://www.nature.com/ncomms/2013/131218/ncomms3906/full/ncomms3906.html>

Park, K. H. J., Franciosi, S., Parant, K., Lu, G., & Leavitt, B. R. (2017). p35 hemizyosity activates Akt but does not improve motor function in the YAC128 mouse model of Huntington's disease. *Neuroscience*. doi: <http://doi.org/10.1016/j.neuroscience.2017.03.051>. <http://www.sciencedirect.com/science/article/pii/S0306452217302269>

Park, K. H. J., Lu, G., Fan, J., Raymond, L. A., & Leavitt, B. R. (2012). Decreasing Levels of the cdk5 Activators, p25 and p35, Reduces Excitotoxicity in Striatal Neurons. *Journal of Huntington's Disease*. doi.

Park, S., Burke, R. E., Kareva, T., Kholodilov, N., Aimé, P., Franke, T. F., . . . Greene, L. A. (2018). Context-dependent expression of a conditionally-inducible form of active Akt. *Plos one*, 13(6), e0197899. doi: 10.1371/journal.pone.0197899. <https://doi.org/10.1371/journal.pone.0197899>

Park, S.-W., Yi, J.-H., Miranpuri, G., Satriotomo, I., Bowen, K., Resnick, D. K., & Vemuganti, R. (2007). Thiazolidinedione Class of Peroxisome Proliferator-Activated Receptor γ Agonists Prevents Neuronal Damage, Motor Dysfunction, Myelin Loss, Neuropathic Pain, and Inflammation after Spinal Cord Injury in Adult Rats. *Journal of Pharmacology and Experimental Therapeutics*, 320(3), 1002-1012. doi.

Park, S.-Y., Kye, S.-B., Yang, S.-M., & Shin, S.-Y. (2010). The effect of non-resorbable membrane on buccal bone healing at an immediate implant site: an experimental study in dogs. *Clinical Oral Implants Research*, no-no. doi: 10.1111/j.1600-0501.2010.01995.x. <http://dx.doi.org/10.1111/j.1600-0501.2010.01995.x>

Parks, G. S., Wang, L., Wang, Z., & Civelli, O. (2014). Identification of Neuropeptide Receptors Expressed by Melanin-Concentrating Hormone Neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23642. <http://dx.doi.org/10.1002/cne.23642>

Parmar, J., & Jones, N. M. (2015). Hypoxic preconditioning can reduce injury-induced inflammatory processes in the neonatal rat brain. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2015.03.010>. <http://www.sciencedirect.com/science/article/pii/S0736574815000386>

Parr, A. M., Kulbatski, I., Wang, X. H., Keating, A., & Tator, C. H. (2008). Fate of transplanted adult neural stem/progenitor cells and bone marrow-derived mesenchymal stromal cells in the injured adult rat spinal cord and impact on functional recovery. *Surgical Neurology*, 70(6), 600-607. doi.

Parr, A. M., Kulbatski, I., Zahir, T., Wang, X., Yue, C., Keating, A., & Tator, C. H. (2008). Transplanted adult spinal cord-derived neural stem/progenitor cells promote early functional recovery after rat spinal cord injury. *Neuroscience*, 155(3), 760-770. doi.

Partanen, S., Haapanen, A., Kielar, C., Pontikis, C., Alexander, N., Inkinen, T., . . . Tyynelä, J. (2008). Synaptic Changes in the Thalamocortical System of Cathepsin D-Deficient Mice: A Model of Human Congenital Neuronal Ceroid-Lipofuscinosis. *Journal of Neuropathology and Experimental Neurology*, 67(1), 16-29. doi.

Pasbakhsh, P., & Omid, D. C. G. N. (2004). Interaction of Vesicular Monoamine Transporter 2 (VMAT2) and Neuromelanin Pigment Among the Midbrain Dopaminergic Neurons in Man. *Acta Medica Iranica*, 42(1). doi.

Pasbakhsh, P., Omid, N., Mehrannia, K., Sobhani, A. G., Kashani, I. R., Abbasi, M., & Valeshabad, A. K. (2008). The protective effect of vitamin E on locus coeruleus in early model of Parkinson's disease in rat: immunoreactivity evidence. *Iran Biomedical Journal*, 12(4), 217-222. doi.

Pascente, R., Frigerio, F., Rizzi, M., Porcu, L., Boido, M., Davids, J., . . . Ravizza, T. (2016). Cognitive deficits and brain myo-Inositol are early biomarkers of epileptogenesis in a rat model of epilepsy. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.05.001>. <http://www.sciencedirect.com/science/article/pii/S096999611630095X>

Pasquereau, B., & Turner, R. S. (2010). Primary Motor Cortex of the Parkinsonian Monkey: Differential Effects on the Spontaneous Activity of Pyramidal Tract-Type Neurons. *Cerebral Cortex*. doi:

10.1093/cercor/bhq217. <http://cercor.oxfordjournals.org/content/early/2010/11/01/cercor.bhq217..>

4

Passos, P. P., Borba, J. M. C., de Melo, A. P. R., Guedes, R. C. A., da Silva, R. P., Gouveia, K. M. M., . . . Picanço-Diniz, C. W. (2012). Dopaminergic Cell Populations of the Rat Substantia Nigra are Differentially Affected by Essential Fatty Acid Dietary Restriction over Two Generations. *Journal of Chemical Neuroanatomy*. doi.

Pastor, R., Font, L., Miquel, M., Phillips, T. J., & Aragon, C. M. G. (2011). Involvement of the Beta-Endorphin Neurons of the Hypothalamic Arcuate Nucleus in Ethanol-Induced Place Preference Conditioning in Mice. *Alcoholism: Clinical and Experimental Research*. doi.

Pasumarthi, R. K., Gerashchenko, D., & Kilduff, T. S. (2010). Further characterization of sleep-active neuronal nitric oxide synthase neurons in the mouse brain. *Neuroscience*, 169(1), 149-157. doi.

Patel, A. V., Huang, T., & Krimm, R. F. (2010). Lingual and palatal gustatory afferents each depend on both BDNF and NT-4, but the dependence is greater for lingual than palatal afferents. *Journal of Comparative Neurology*, 518(16), 3290-3301. doi.

Patel, A. V., & Krimm, R. F. (2010). BDNF is required for the survival of differentiated geniculate ganglion neurons. *Developmental Biology*, 340(2), 419-429. doi.

Patel, C., Tashiro, J., Hauzman, E., Banci, K., Fitzgerald, M. E., & Fix Ventura, D. (2020). A comparative study of the distribution and density of retinal ganglion cells and visual acuity in Bothrops snakes with differences in the habitat use. *Investigative Ophthalmology and Visual Science*, 61(7), 4517-4517. doi.

Patel, P., Julien, J.-P., & Kriz, J. (2014). Early-Stage Treatment with Withaferin A Reduces Levels of Misfolded Superoxide Dismutase 1 and Extends Lifespan in a Mouse Model of Amyotrophic Lateral Sclerosis. *Neurotherapeutics*, 1-17. doi. <http://link.springer.com/article/10.1007/s13311-014-0311-0/fulltext.html>

Patel, V., Joseph, G., Patel, A., Patel, S., Bustin, D., Mawson, D., . . . Pearse, D. D. (2010). Suspension matrices for improved Schwann-cell survival after implantation into the injured rat spinal cord. *Journal of Neurotrauma*, 27(5), 789-801. doi.

Pathak, D., Berthet, A., Bendor, J. T., Yu, K., Sellnow, R. C., Orr, A. L., . . . Nakamura, K. (2017). Loss of α -Synuclein Does Not Affect Mitochondrial Bioenergetics in Rodent Neurons. *eneuro*, ENEURO.0216-0216.2017. doi. <http://eneuro.org/content/early/2017/04/17/ENEURO.0216-16.2017>

Patisaul, H. B., Fortino, A. E., & Polston, E. K. (2006). Neonatal genistein or bisphenol-A exposure alters sexual differentiation of the AVPV. *Neurotoxicology and Teratology*, 28(1), 111-118. doi.

Patisaul, H. B., Fortino, A. E., & Polston, E. K. (2007). Differential disruption of nuclear volume and neuronal phenotype in the preoptic area by neonatal exposure to genistein and bisphenol-A. *Neurotoxicology*, 28(1), 1-12. doi.

Patisaul, H. B., Fortino, A. E., & Polston, E. K. (2007). Sex differences in serotonergic (5-HT) but not GABAergic projections to the rat ventromedial nucleus of the hypothalamus (VMN). *Endocrinology*, doi:10.1210/en.2007-0666. doi.

Patisaul, H. B., Fortino, A. E., & Polston, E. K. (2008). Sex Differences in Serotonergic But Not γ -Aminobutyric Acidergic (GABA) Projections to the Rat Ventromedial Nucleus of the Hypothalamus.

Endocrinology, 149(1), 397-408. doi: 10.1210/en.2007-0666. <http://endo.endojournals.org/cgi/content/abstract/149/1/397>

Patodia, S., Somani, A., O'Hare, M., Venkateswaran, R., Liu, J., Michalak, Z., . . . Thom, M. (2018). The ventrolateral medulla and medullary raphe in sudden unexpected death in epilepsy. *Brain*, awy078-awy078. doi: 10.1093/brain/awy078. <http://dx.doi.org/10.1093/brain/awy078>

Patodia, S., Tachrount, M., Somani, A., Scheffer, I., Yousry, T., Golay, X., . . . Thom, M. (2020). MRI and pathology correlations in the medulla in SUDEP: A post-mortem study. *Neuropathology and Applied Neurobiology*, n/a(n/a). doi: 10.1111/nan.12638. <https://onlinelibrary.wiley.com/doi/abs/10.1111/nan.12638>

Patrick, E., Olah, M., Taga, M., Klein, H.-U., Xu, J., White, C. C., . . . De Jager, P. L. (2021). A cortical immune network map identifies distinct microglial transcriptional programs associated with β -amyloid and Tau pathologies. *Translational Psychiatry*, 11(1), 50. doi: 10.1038/s41398-020-01175-9. <https://doi.org/10.1038/s41398-020-01175-9>

Patterson, J. R., Duffy, M. F., Kemp, C. J., Howe, J. W., Collier, T. J., Stoll, A. C., . . . Sortwell, C. E. (2019). Time course and magnitude of alpha-synuclein inclusion formation and nigrostriatal degeneration in the rat model of synucleinopathy triggered by intrastriatal α -synuclein preformed fibrils. *Neurobiology of Disease*, 130, 104525. doi: <https://doi.org/10.1016/j.nbd.2019.104525>. <http://www.sciencedirect.com/science/article/pii/S0969996119301937>

Pattwell, S. S., Liston, C., Jing, D., Ninan, I., Yang, R. R., Witztum, J., . . . Lee, F. S. (2016). Dynamic changes in neural circuitry during adolescence are associated with persistent attenuation of fear memories. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11475. <http://dx.doi.org/10.1038/ncomms11475>

Patzlaff, N. E., Nemec, K. M., Malone, S. G., Li, Y., & Zhao, X. (2017). Fragile X related protein 1 (FXR1P) regulates proliferation of adult neural stem cells. *Human Molecular Genetics*. doi: <https://academic.oup.com/hmg/article-abstract/29/9/6699/Fragile-X-related->

Paulino, A. D., Ubhi, K., Rockenstein, E., Adame, A., Crews, L., Letendre, S., . . . Masliah, E. (2011). Neurotoxic effects of the HCV core protein are mediated by sustained activation of ERK via TLR2 signaling. *Journal of Neurovirology*, 1-14. doi:

Paus, M., Kohl, Z., Ben Abdallah, N. M. B., Galter, D., Gillardon, F., & Winkler, J. (2012). Enhanced dendritogenesis and axogenesis in hippocampal neuroblasts of LRRK2 knockout mice. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2012.12.024>. <http://www.sciencedirect.com/science/article/pii/S000689931201935X>

Payne, S. L., Anandakumaran, P. N., Varga, B. V., Morshead, C. M., Nagy, A., & Shoichet, M. S. (2017). In vitro maturation of human iPS-derived neuroepithelial cells influences transplant survival in the stroke-injured rat brain. *Tissue Engineering Part A*. doi: 10.1089/ten.TEA.2016.0515. <https://doi.org/10.1089/ten.TEA.2016.0515>

Pearse, D. D., Lo Jr, T. P., Cho, K. S., Lynch, M. P., Garg, M. S., Marcillo, A. E., . . . Dietrich, W. D. (2005). Histopathological and behavioral characterization of a novel cervical spinal cord displacement contusion injury in the rat. *Journal of Neurotrauma*, 22(6), 680-702. doi:

Pearse, D. D., Pereira, F. C., Marcillo, A. E., Bates, M. L., Berrocal, Y. A., Filbin, M. T., & Bunge, M. B. (2004). cAMP and Schwann cells promote axonal growth and functional recovery after spinal cord injury. *Nature of Medicine*, 10, 610-616. doi.

Pearse, D. D., Pereira, F. C., Stolyarova, A., Barakat, D. J., & Bunge, M. B. (2004). Inhibition of tumour necrosis factor-alpha by antisense targeting produces immunophenotypical and morphological changes in injury-activated microglia and macrophages. *European Journal of Neuroscience*, 20(12), 3387-3396. doi.

Pearse, D. D., Sanchez, A. R., Pereira, F. C., Andrade, C. M., Puzis, R., Pressman, Y., . . . others. (2007). Transplantation of Schwann cells and/or olfactory ensheathing glia into the contused spinal cord: Survival, migration, axon association, and functional recovery. *Glia*, 55(9), 976-1000. doi.

Pearson, W. G., Langmore, S. E., & Zumwalt, A. C. (2010). Evaluating the structural properties of suprahyoid muscles and their potential for moving the hyoid. *Dysphagia*, 1-7. doi.

Peck, J. D., Quaas, A. M., Craig, L. B., Soules, M. R., Klein, N. A., & Hansen, K. R. (2015). Lifestyle factors associated with histologically derived human ovarian non-growing follicle count in reproductive age women. *Human Reproduction*. doi: 10.1093/humrep/dev271. <http://humrep.oxfordjournals.org/content/early/2015/10/22/humrep.dev271...>

Peck, J. R., & Taube, J. S. (2016). The postrhinal cortex is not necessary for landmark control in rat head direction cells. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22680. <http://dx.doi.org/10.1002/hipo.22680>

Peden, C. S., Burger, C., Muzyczka, N., & Mandel, R. J. (2004). Circulating anti-wild-type adeno-associated virus type 2 (AAV2) antibodies inhibit recombinant AAV2 (rAAV2)-mediated, but not rAAV5-mediated, gene transfer in the brain. *Journal of Virology*, 78(12), 6344-6344. doi.

Peden, C. S., Manfredsson, F. P., Reimsnider, S. K., Poirier, A. E., Burger, C., Muzyczka, N., & Mandel, R. J. (2009). Striatal Readministration of rAAV Vectors Reveals an Immune Response Against AAV2 Capsids That Can Be Circumvented. *Molecular Therapy*. doi. <http://dx.doi.org/10.1038/mt.2008.284>

Pedersen, L. H., Stoltenberg, M., Ernst, E., & West, M. J. (2003). Leydig cell death in rats exposed to bismuth subnitrate. *Journal of Applied Toxicology*, 23(4), 235-238. doi.

Pedrini, S., Thomas, C., Brautigam, H., Schmeidler, J., Ho, L., Fraser, P., . . . Gandy, S. (2009). Dietary composition modulates brain mass and amyloid beta levels in a mouse model of aggressive Alzheimer's amyloid pathology. *Molecular Neurodegeneration*, 4(1), 40. doi. <http://www.molecularneurodegeneration.com/content/4/1/40>

Peel, L. R., Collin, S. P., & Hart, N. S. (2020). Retinal topography and spectral sensitivity of the Port Jackson shark (*Heterodontus portusjacksoni*). *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.24911. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24911>

Pêgo, J. M., Morgado, P., Cerqueira, J. J., Almeida, O. F. X., & Sousa, N. (2006). Mismatch between anxiety status and morphometric parameters in the amygdala and bed nucleus of the stria terminalis. *Behavioural Brain Research*, 173(2), 320-325. doi.

Pêgo, J. M., Morgado, P., Cerqueira, J. J., Almeida, O. F. X., & Sousa, N. (2007). Corticotrophin-releasing factor mediated anxiety correlates with synaptic changes in bed nucleus of the stria terminalis. *Influence of Stress in the Structure and Function of the Amygdala*, 117-117. doi.

Pego, J. M., Morgado, P., Pinto, L. G., Cerqueira, J. J., Almeida, O. F. X., & Sousa, N. (2008). Dissociation of the morphological correlates of stress-induced anxiety and fear. *European Journal of Neuroscience*, 27(6), 1503-1516. doi.

Pego, J. M., Sousa, J. C., Martins, L., Cerqueira, J. J., Almeida, O. F. X., & Sousa, N. (2007). Stress alters the pattern of c-fos activation in the bed nucleus of stria terminalis: implications for anxiety behavior and HPA dysfunction. *Influence of Stress in the Structure and Function of the Amygdala*, 89-89. doi.

Peiffer, A., Fitch, R. H., Thomas, J., Yurkovic, A., & Rosen, G. (2003). Brain weight differences associated with induced focal microgyria. *BMC Neuroscience*, 4(1), 12. doi. <http://www.biomedcentral.com/1471-2202/4/12>

Peiffer, A. M., McClure, M. M., Threlkeld, S. W., Rosen, G. D., & Holly Fitch, R. (2004). Severity of focal microgyria and associated rapid auditory processing deficits. *Neuroreport*, 15(12), 1923-1923. doi.

Pekcec, A., Lüpke, M., Baumann, R., Seifert, H., & Potschka, H. (2011). Modulation of neurogenesis by targeted hippocampal irradiation fails to affect kindling progression. *Hippocampus*, 21(8), 866-876. doi: 10.1002/hipo.20802. <http://dx.doi.org/10.1002/hipo.20802>

Pekcec, A., Unkrue, B., Schlichtiger, J., Soerensen, J., Hartz, A. M. S., Bauer, B., . . . Potschka, H. (2009). Targeting prostaglandin E2 EP1 receptors prevents seizure-associated P-glycoprotein up-regulation. *Journal of Pharmacology and Experimental Therapeutics*, 330(3), 939-947. doi.

Pekcec, A., Weinhold, B., Gerardy-Schahn, R., & Potschka, H. (2010). Polysialic acid affects pathophysiological consequences of status epilepticus. *Neuroreport*, 21(8), 549-549. doi.

Peleg-Raibstein, D., Knuesel, I., & Feldon, J. (2008). Amphetamine sensitization in rats as an animal model of schizophrenia. *Behavioural Brain Research*, 191(2), 190-201. doi.

Pellegrini, C., Antonioli, L., Colucci, R., Tirota, E., Gentile, D., Ippolito, C., . . . Fornai, M. (2017). Effects of L-DOPA/benserazide co-treatment on colonic excitatory cholinergic motility and enteric inflammation following dopaminergic nigrostriatal neurodegeneration. *Neuropharmacology*, 123, 22-33. doi: <https://doi.org/10.1016/j.neuropharm.2017.05.016>. <http://www.sciencedirect.com/science/article/pii/S0028390817302228>

Pellegrini, C., Fornai, M., Colucci, R., Tirota, E., Blandini, F., Levandis, G., . . . Antonioli, L. (2016). Alteration of colonic excitatory tachykininergic motility and enteric inflammation following dopaminergic nigrostriatal neurodegeneration. [journal article]. *Journal of neuroinflammation*, 13(1), 1-13. doi: 10.1186/s12974-016-0608-5. <http://dx.doi.org/10.1186/s12974-016-0608-5>

Pelletier, G., Ouellet, J., Martel, C., & Labrie, F. (2012). Effects of Ovariectomy and Dehydroepiandrosterone (DHEA) on Vaginal Wall Thickness and Innervation. *Journal of Sexual Medicine*, no-no. doi: 10.1111/j.1743-6109.2012.02895.x. <http://dx.doi.org/10.1111/j.1743-6109.2012.02895.x>

Pelletier, G., Ouellet, J., Martel, C., & Labrie, F. (2013). Androgenic Action of Dehydroepiandrosterone (DHEA) on Nerve Density in the Ovariectomized Rat Vagina. *Journal of Sexual Medicine*, n/a-n/a. doi: 10.1111/jsm.12219. <http://dx.doi.org/10.1111/jsm.12219>

Pendergast, J. S., Tuesta, L. M., & Bethea, J. R. (2008). Oestrogen Receptor β Contributes to the Transient Sex Difference in Tyrosine Hydroxylase Expression in the Mouse Locus Coeruleus. *Journal of Neuroendocrinology*, 20(10), 1155-1164. doi:

Peng, J., Mao, X. O., Stevenson, F. F., Hsu, M., & Andersen, J. K. (2004). The Herbicide Paraquat Induces Dopaminergic Nigral Apoptosis through Sustained Activation of the JNK Pathway. *Journal of Biological Chemistry*, 279(31), 32626-32632. doi: 10.1074/jbc.M404596200. <http://www.jbc.org/cgi/content/abstract/279/31/32626>

Peng, J., Oo, M. L., & Andersen, J. K. (2010). Synergistic Effects of Environmental Risk Factors and Gene Mutations in Parkinson's Disease Accelerate Age-Related Neurodegeneration. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2010.07036.x. <http://dx.doi.org/10.1111/j.1471-4159.2010.07036.x>

Peng, J., Xie, L., Stevenson, F. F., Melov, S., Di Monte, D. A., & Andersen, J. K. (2006). Nigrostriatal Dopaminergic Neurodegeneration in the Weaver Mouse Is Mediated via Neuroinflammation and Alleviated by Minocycline Administration. *Journal of Neuroscience*, 26(45), 11644-11651. doi: 10.1523/jneurosci.3447-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11644>

Peng, S. P., Kügler, S., Ma, Z. K., Shen, Y. Q., & Schachner, M. (2011). Comparison of AAV2 and AAV5 in gene transfer in the injured spinal cord of mice. *Neuroreport*, 22(12), 565-565. doi:

Peng, S.-P., Zhang, Y., Copray, S., Schachner, M., & Shen, Y.-Q. (2017). Participation of perforin in mediating dopaminergic neuron loss in MPTP-induced Parkinson's disease in mice. *Biochemical and Biophysical Research Communications*. doi: <http://dx.doi.org/10.1016/j.bbrc.2017.01.150>. <http://www.sciencedirect.com/science/article/pii/S0006291X17302188>

Peng, Y.-C., M. Levine, C., Zahid, S., Wilson, E. L., & Joyner, A. L. (2013). Sonic hedgehog signals to multiple prostate stromal stem cells that replenish distinct stromal subtypes during regeneration. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1315729110. <http://www.pnas.org/content/early/2013/11/07/1315729110.abstract>

Peng, Z., Zhang, N., Wei, W., Huang, C. S., Cetina, Y., Otis, T. S., & Houser, C. R. (2013). A Reorganized GABAergic Circuit in a Model of Epilepsy: Evidence from Optogenetic Labeling and Stimulation of Somatostatin Interneurons. *Journal of Neuroscience*, 33(36), 14392-14405. doi: 10.1523/jneurosci.2045-13.2013. <http://www.jneurosci.org/content/33/36/14392.abstract>

Penttinen, A.-M., Suleymanova, I., Albert, K., Anttila, J., Voutilainen, M. H., & Airavaara, M. (2016). Characterization of a new low-dose 6-hydroxydopamine model of Parkinson's disease in rat. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23708. <http://dx.doi.org/10.1002/jnr.23708>

Penumatsa, K., Edassery, S. L., Barua, A., Bradaric, M. J., Luborsky, J. L., & others. (2010). Differential expression of aldehyde dehydrogenase 1a1 (ALDH1) in normal ovary and serous ovarian tumors. *Journal of Ovarian Research*, 3, 28-28. doi:

Peoples, C., Spana, S., Ashkan, K., Benabid, A. L., Stone, J., Baker, G. E., & Mitrofanis, J. (2012). Photobiomodulation enhances nigral dopaminergic cell survival in a chronic MPTP mouse model of Parkinson's disease. *Parkinsonism and Related Disorders*. doi:

Peralta, S., Torracó, A., Wenz, T., García, S., Díaz, F., & Moraes, C. T. (2013). Partial Complex I deficiency due to the CNS conditional ablation of *Ndufa5* results in a mild chronic encephalopathy but no increase in oxidative damage. *Human Molecular Genetics*. doi: 10.1093/hmg/ddt526. <http://hmg.oxfordjournals.org/content/early/2013/10/23/hmg.ddt526.abstract>

Pereda-Pérez, I., Popović, N., Otalora, B. B., Popović, M., Madrid, J. A., Rol, M. A., & Venero, C. (2013). Long-term social isolation in the adulthood results in CA1 shrinkage and cognitive impairment. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2013.07.004>. <http://www.sciencedirect.com/science/article/pii/S1074742713001172>

Pereda-Pérez, I., Valencia, A., Baliyan, S., Núñez, A., Sanz-García, A., Zamora, B., . . . Venero, C. (2019). Systemic administration of a fibroblast growth factor receptor 1 agonist rescues the cognitive deficit in aged socially isolated rats. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2019.02.011>. <http://www.sciencedirect.com/science/article/pii/S0197458019300582>

Pereira, L. d. S., Gobbo, D. R., Ferreira, J. G. P., Horta-Junior, J. d. A. d. C. e., Sá, S. I., & Bittencourt, J. C. (2020). Effects of ovariectomy on inputs from the medial preoptic area to the ventromedial nucleus of the hypothalamus of young adult rats. *Journal of Anatomy*, n/a(n/a). doi: 10.1111/joa.13304. <https://onlinelibrary.wiley.com/doi/abs/10.1111/joa.13304>

Pereira, M. C. L., Secco, M., Suzuki, D. E., Janjoppi, L., Rodini, C. O., Torres, L. B., . . . Okamoto, O. K. (2011). Contamination of mesenchymal stem-cells with fibroblasts accelerates neurodegeneration in an experimental model of Parkinson's disease. *Stem Cell Reviews and Reports*, 1-12. doi.

Pereira, P., Puga, S., Cardoso, V., Pinto-Ribeiro, F., Raimundo, J., Barata, M., . . . Almeida, A. (2015). Inorganic mercury accumulation in brain following waterborne exposure elicits a deficit on the number of brain cells and impairs swimming behavior in fish (white seabream—*Diplodus sargus*). *Aquatic Toxicology*. doi: <http://dx.doi.org/10.1016/j.aquatox.2015.11.031>. <http://www.sciencedirect.com/science/article/pii/S0166445X15301144>

Pereira, R., Leite, E., Raimundo, J., Guilherme, S., Puga, S., Santos, M. A., . . . Pereira, P. (2018). Metals(oids) targeting fish eyes and brain in a contaminated estuary - Uncovering neurosensory (un)susceptibility through bioaccumulation, antioxidant and morphometric profiles. *Marine Environmental Research*. doi: <https://doi.org/10.1016/j.marenvres.2018.07.001>. <http://www.sciencedirect.com/science/article/pii/S014111361830134X>

Pereira, V. H., Marques, F., Lages, V., Pereira, F. G., Patchev, A., Almeida, O. F. X., . . . Cerqueira, J. J. (2016). Glucose intolerance after chronic stress is related with downregulated PPAR- γ in adipose tissue. [journal article]. *Cardiovascular Diabetology*, 15(1), 1-11. doi: 10.1186/s12933-016-0433-2. <http://dx.doi.org/10.1186/s12933-016-0433-2>

Perez, E. J., Cepero, M. L., Perez, S. U., Coyle, J. T., Sick, T. J., & Liebl, D. J. (2016). EphB3 signaling propagates synaptic dysfunction in the traumatic injured brain. *Neurobiology of Disease*, 94, 73-84. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.007>. <http://www.sciencedirect.com/science/article/pii/S0969996116301401>

Perez-Cordova, M., Jaime, S., Guajardo, H., & Colom, L. (2010). Selective lesions of medial septal GABAergic neurons disrupt Hippocampal Theta Rhythm Amplitude. *BMC Neuroscience*, 11(Suppl 1), P125. doi: <http://www.biomedcentral.com/1471-2202/11/S1/P125>

Perez-Leighton, C. E., Little, M. R., Grace, M. K., Billington, C. J., & Kotz, C. M. (2016). Orexin signaling in rostral lateral hypothalamus and nucleus accumbens shell in the control of spontaneous physical activity in high and low activity rats. [10.1152/ajpregu.00339.2016]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: <http://ajpregu.physiology.org/content/early/2016/12/27/ajpregu.00339.2016>

Perez-Pouchoulen, M., Yu, S. J., Roby, C. R., Bonsavage, N., & McCarthy, M. M. (2019). Regulatory Control of Microglial Phagocytosis by Estradiol and Prostaglandin E2 in the Developing Rat Cerebellum. [journal article]. *The Cerebellum*. doi: 10.1007/s12311-019-01071-z. <https://doi.org/10.1007/s12311-019-01071-z>

Pergel, A., Tümkaya, L., Çolakoğlu, M. K., Demiral, G., Kalcan, S., Özdemir, A., . . . Yilmaz, A. (2019). Effects of infliximab against carbon tetrachloride-induced intestinal injury via lipid peroxidation and apoptosis. *Human and Experimental Toxicology*, 0960327119867758. doi: 10.1177/0960327119867758. <https://doi.org/10.1177/0960327119867758>

Perier, C., Bove, J., Wu, D.-C., Dehay, B., Choi, D.-K., Jackson-Lewis, V., . . . Vila, M. (2007). Two molecular pathways initiate mitochondria-dependent dopaminergic neurodegeneration in experimental Parkinson's disease. *Proceedings of the National Academy of Sciences*, 104(19), 8161-8166. doi: 10.1073/Proceedings of the National Academy of Sciences.0609874104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/19/8161>

Perkins, A. E., Piazza, M. K., & Deak, T. (2018). Stereological Analysis of Microglia in Aged Male and Female Fischer 344 Rats in Socially Relevant Brain Regions. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.02.028>. <http://www.sciencedirect.com/science/article/pii/S0306452218301465>

Perry, G. M., Tallaksen-Greene, S., Kumar, A., Heng, M. Y., Kneynsberg, A., van Groen, T., . . . Lesort, M. (2010). Mitochondrial calcium uptake capacity as a therapeutic target in the R6/2 mouse model of Huntington's disease. *Human Molecular Genetics*, 19(17), 3354-3371. doi: 10.1093/hmg/ddq247. <http://hmg.oxfordjournals.org/content/19/17/3354.abstract>

Perry, H. M., Gorltd, N., Sung, S.-s. J., Huang, L., Rudnicka, K. P., Encarnacion, I. M., . . . Okusa, M. D. (2019). Perivascular CD73+ cells attenuate inflammation and interstitial fibrosis in the kidney microenvironment. *American Journal of Physiology-Renal Physiology*, 0(0), null. doi: 10.1152/ajprenal.00243.2019. <https://www.physiology.org/doi/abs/10.1152/ajprenal.00243.2019>

Persico, A. M. C. A., Baldi, A., Dell'Acqua, M. L., Moessner, R., Murphy, D. L., Lesch, K.-P., & Keller, F. (2003). Reduced programmed cell death in brains of serotonin transporter knockout mice. *Neuroreport*, 14(3), 341-344. doi: 10.1007/s12311-019-01071-z

Persson, Å., Osman, A., Bolouri, H., Mallard, C., & Kuhn, H. G. (2013). Radixin expression in microglia after cortical stroke lesion. *Glia*, n/a-n/a. doi: 10.1002/glia.22473. <http://dx.doi.org/10.1002/glia.22473>

Peterson, D. A. (1999). Quantitative histology using confocal microscopy: implementation of unbiased stereology procedures. *Methods*, 18, 493-507. doi: 10.1007/s12311-019-01071-z

Peterson, R. M., & Bingman, V. P. (2011). Septal area lesions impair spatial working memory in homing pigeons (*Columba livia*). *Neurobiology of Learning and Memory*. doi.

Peterson, S. L., Nguyen, H. X., Mendez, O. A., & Anderson, A. J. (2015). Complement Protein C1q Modulates Neurite Outgrowth In Vitro and Spinal Cord Axon Regeneration In Vivo. *The Journal of Neuroscience*, 35(10), 4332-4349. doi: <http://www.jneurosci.org/content/35/10/4332.short>

Petkau, T. L., Hill, A., & Leavitt, B. R. (2015). Core neuropathological abnormalities in progranulin-deficient mice are penetrant on multiple genetic backgrounds. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.12.006> <http://www.sciencedirect.com/science/article/pii/S0306452215010891>

Petkau, T. L., Zhu, S., Lu, G., Fernando, S., Cynader, M., & Leavitt, B. R. (2013). Sensitivity to neurotoxic stress is not increased in progranulin-deficient mice. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2013.04.019> <http://www.sciencedirect.com/science/article/pii/S019745801300184X>

Petri, S., Calingasan, N. Y., Alsaied, O. A., Wille, E., Kiaei, M., Friedman, J. E., . . . Beal, M. F. (2007). The lipophilic metal chelators DP-109 and DP-460 are neuroprotective in a transgenic mouse model of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 102(3), 991-1000. doi: doi:10.1111/j.1471-4159.2007.04604.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04604.x>

Petri, S., Kiaei, M., Damiano, M., Hiller, A., Wille, E., Manfredi, G., . . . Beal, M. F. (2006). Cell-permeable peptide antioxidants as a novel therapeutic approach in a mouse model of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 98(4), 1141-1148. doi: doi:10.1111/j.1471-4159.2006.04018.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04018.x>

Petri, S., Kiaei, M., Kipiani, K., Chen, J., Calingasan, N. Y., Crow, J. P., & Beal, M. F. (2006). Additive neuroprotective effects of a histone deacetylase inhibitor and a catalytic antioxidant in a transgenic mouse model of amyotrophic lateral sclerosis. *Neurobiology of Disease*, 22(1), 40-49. doi.

Petri, S., Kiaei, M., Wille, E., Calingasan, N. Y., & Flint Beal, M. (2006). Loss of Fas ligand-function improves survival in G93A-transgenic ALS mice. *Journal of the Neurological Sciences*, 251(1), 44-49. doi.

Petrides, M., & Pandya, D. N. (2009). Distinct parietal and temporal pathways to the homologues of Broca's area in the monkey. *PLoS biology*, 7(8), e1000170-e1000170. doi.

Petrik, D., Jiang, Y., Birnbaum, S. G., Powell, C. M., Kim, M. S., Hsieh, J., & Eisch, A. J. (2012). Functional and mechanistic exploration of an adult neurogenesis-promoting small molecule. *FASEB Journal*. doi.

Petrik, D., Yun, S., Latchney, S. E., Kamrudin, S., LeBlanc, J. A., Bibb, J. A., & Eisch, A. J. (2013). Early Postnatal In Vivo Gliogenesis From Nestin-Lineage Progenitors Requires Cdk5. *Plos one*, 8(8), e72819. doi: 10.1371/journal.pone.0072819. <http://dx.doi.org/10.1371%2Fjournal.pone.0072819>

Petroske, E., Meredith, G. E., Callen, S., Totterdell, S., & Lau, Y. S. (2001). Mouse model of Parkinsonism: a comparison between subacute MPTP and chronic MPTP/probenecid treatment. *Neuroscience*, 106(3), 589-601. doi.

Petrova, R., Garcia, A. D. R., & Joyner, A. L. (2013). Titration of GLI3 Repressor Activity by Sonic Hedgehog Signaling Is Critical for Maintaining Multiple Adult Neural Stem Cell and Astrocyte

Functions. *The Journal of Neuroscience*, 33(44), 17490-17505. doi: <http://www.jneurosci.org/content/33/44/17490.short>

Petryszyn, S., Beaulieu, J.-M., Parent, A., & Parent, M. (2014). Distribution and morphological characteristics of striatal interneurons expressing calretinin in mice: A comparison with human and nonhuman primates. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.06.002>. <http://www.sciencedirect.com/science/article/pii/S089106181400043X>

Petryszyn, S., Di Paolo, T., Parent, A., & Parent, M. (2016). The number of striatal cholinergic interneurons expressing calretinin is increased in parkinsonian monkeys. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.07.002>. <http://www.sciencedirect.com/science/article/pii/S0969996116301590>

Pettersson, J., Kalbermatten, D., McGrath, A., & Novikova, L. N. (2010). Biodegradable fibrin conduit promotes long-term regeneration after peripheral nerve injury in adult rats. *Journal of Plastic, Reconstructive and Aesthetic Surgery*, 63(11), 1893-1899. doi.

Pezze, M., McGarrity, S., Mason, R., Fone, K. C., & Bast, T. (2014). Too little and too much: hypoactivation and disinhibition of medial prefrontal cortex cause attentional deficits. *Journal of Neuroscience*, 34. doi: 10.1523/jneurosci.3450-13.2014. <http://dx.doi.org/10.1523/JNEUROSCI.3450-13.2014>

Pham, K., McEwen, B. S., Ledoux, J. E., & Nader, K. (2005). Fear learning transiently impairs hippocampal cell proliferation. *Neuroscience*, 130(1), 17-24. doi.

Pham, K., Nacher, J., Hof, P. R., & McEwen, B. S. (2003). Repeated restraint stress suppresses neurogenesis and induces biphasic PSA-NCAM expression in the adult rat dentate gyrus. *European Journal of Neuroscience*, 17(4), 879-886. doi: doi:10.1046/j.1460-9568.2003.02513.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02513.x>

Phani, S., Jablonski, M., Pelta-Heller, J., Cai, J., & Iacovitti, L. (2013). Gremlin is a novel VTA derived neuroprotective factor for dopamine neurons. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.01.017>. <http://www.sciencedirect.com/science/article/pii/S0006899313000668>

Phillips, G. A. C., How, M. J., Lange, J. E., Marshall, N. J., & Cheney, K. L. (2017). Disruptive colouration in reef fish: does matching the background reduce predation risk? [10.1242/jeb.151480]. *The Journal of Experimental Biology*, 220(11), 1962. doi. <http://jeb.biologists.org/content/220/11/1962.abstract>

Phillips, K. A., Ross, C. N., Spross, J., Cheng, C. J., Izquierdo, A., Biju, K. C., . . . Tardif, S. D. (2017). Behavioral Phenotypes Associated with MPTP Induction of Partial Lesions in Common Marmosets (*Callithrix jacchus*). *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2017.02.010>. <http://www.sciencedirect.com/science/article/pii/S0166432816312359>

Phillips, M. J., Perez, E. T., Martin, J. M., Reshel, S. T., Wallace, K. A., Capowski, E. E., . . . Gamm, D. M. (2014). Modeling human retinal development with patient-specific iPS cells reveals multiple roles for VSX2. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1667. <http://dx.doi.org/10.1002/stem.1667>

Phillips, R. J., Billingsley, C. N., & Powley, T. L. (2013). Macrophages are unsuccessful in clearing aggregated alpha-synuclein from the gastrointestinal tract of healthy aged Fischer 344 rats. *Anatomical Record*, n/a-n/a. doi: 10.1002/ar.22675. <http://dx.doi.org/10.1002/ar.22675>

Phillips, R. J., Hudson, C. N., & Powley, T. L. (2013). Sympathetic axonopathies and hyperinnervation in the small intestine smooth muscle of aged Fischer 344 rats. *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2013.09.002>. <http://www.sciencedirect.com/science/article/pii/S1566070213007030>

Phillips, R. J., Kieffer, E. J., & Powley, T. L. (2003). Aging of the myenteric plexus: neuronal loss is specific to cholinergic neurons. *Autonomic Neuroscience*, 106(2), 69-83. doi.

Phillips, R. J., Martin, F. N., Billingsley, C. N., & Powley, T. L. (2013). Alpha-synuclein expression patterns in the colonic submucosal plexus of the aging Fischer 344 rat: implications for biopsies in aging and neurodegenerative disorders? *Neurogastroenterology and Motility*, n/a-n/a. doi: 10.1111/nmo.12176. <http://dx.doi.org/10.1111/nmo.12176>

Phinney, A. L., Andringa, G., Bol, J. G. J. M., Wolters, E. C., Muiswinkel, F. L., Dam, A. M. W., & Drukarch, B. (2006). Enhanced sensitivity of dopaminergic neurons to rotenone-induced toxicity with aging. *Parkinsonism and Related Disorders*, 12(4), 228-238. doi.

Phua, Y. L., Chen, K. H., Hemker, S. L., Marrone, A. K., Bodnar, A. J., Liu, X., . . . Ho, J. (2019). Loss of miR-17~92 results in dysregulation of Cfr in nephron progenitors. *American Journal of Physiology-Renal Physiology*, 0(0), null. doi: 10.1152/ajprenal.00450.2018. <https://www.physiology.org/doi/abs/10.1152/ajprenal.00450.2018>

Piao, C.-S., Stoica, B. A., Wu, J., Sabirzhanov, B., Zhao, Z., Cabatbat, R., . . . Faden, A. I. (2013). Late exercise reduces neuroinflammation and cognitive dysfunction after traumatic brain injury. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.12.017>. <http://www.sciencedirect.com/science/article/pii/S0969996113000089>

Pichardo-Macías, L. A., Contreras-García, I. J., Zamudio, S. R., Mixcoha, E., & Mendoza-Torreblanca, J. G. (2016). Synaptic Vesicle Protein 2A as a Novel Pharmacological Target with Broad Potential for New Antiepileptic Drugs. In A. Talevi & L. Rocha (Eds.), *Antiepileptic Drug Discovery: Novel Approaches* (pp. 53-81). New York, NY: Springer New York.

Piche, M., Chabot, N., Bronchti, G., Miceli, D., Lepore, F., & Guillemot, J. P. (2007). Auditory responses in the visual cortex of neonatally enucleated rats. *Neuroscience*, 145(3), 1144-1156. doi.

Piche, M., Robert, S., Miceli, D., & Bronchti, G. (2004). Environmental enrichment enhances auditory takeover of the occipital cortex in anophthalmic mice. *European Journal of Neuroscience*, 20(12), 3463-3472. doi: doi:10.1111/j.1460-9568.2004.03823.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03823.x>

Pickrell, Alicia M., Huang, C.-H., Kennedy, Scott R., Ordureau, A., Sideris, Dionisia P., Hoekstra, Jake G., . . . Youle, Richard J. (2015). Endogenous Parkin Preserves Dopaminergic Substantia Nigral Neurons following Mitochondrial DNA Mutagenic Stress. *Neuron*, 87(2), 371-381. doi: <http://dx.doi.org/10.1016/j.neuron.2015.06.034>. <http://www.sciencedirect.com/science/article/pii/S0896627315005978>

Pickrell, A. M., Pinto, M., Hida, A., & Moraes, C. T. (2011). Striatal Dysfunctions Associated with Mitochondrial DNA Damage in Dopaminergic Neurons in a Mouse Model of Parkinson's Disease. *Journal of Neuroscience*, 31(48), 17649-17658. doi: 10.1523/jneurosci.4871-11.2011. <http://www.jneurosci.org/content/31/48/17649.abstract>

Pienaar, I. S., & van de Berg, W. (2013). A non-cholinergic neuronal loss in the pedunculopontine nucleus of toxin-evoked Parkinsonian rats. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.008>, <http://www.sciencedirect.com/science/article/pii/S0014488613001817>

Pierotti, M. E. R., Wandycz, A., Wandycz, P., Rebelein, A., Corredor, V. H., Tashiro, J. H., . . . Loew, E. R. (2020). Aggressive mimicry in a coral reef fish: The prey's view. [<https://doi.org/10.1002/ece3.6883>]. *Ecology and Evolution*, n/a(n/a). doi: <https://doi.org/10.1002/ece3.6883>, <https://doi.org/10.1002/ece3.6883>

Pierre, S.-R., Lemmens, M., & Figueiredo-Pereira, M. (2009). Subchronic infusion of the product of inflammation prostaglandin J2 models sporadic Parkinson's disease in mice. *Journal of Neuroinflammation*, 6(1), 18. doi: <http://www.jneuroinflammation.com/content/6/1/18>

Pierri, J. N., Chaudry, A. S., Woo, T. U. W., & Lewis, D. A. (1999). Alterations in chandelier neuron axon terminals in the prefrontal cortex of schizophrenic subjects. *American Journal of Psychiatry*, 156(11), 1709-1719. doi.

Pierri, J. N., Volk, C. L. E., Auh, S., Sampson, A., & Lewis, D. A. (2001). Decreased Somal Size of Deep Layer 3 Pyramidal Neurons in the Prefrontal Cortex of Subjects With Schizophrenia. *Arch Gen Psychiatry*, 58(5), 466-473. doi: 10.1001/archpsyc.58.5.466. <http://archpsyc.ama-assn.org/cgi/content/abstract/58/5/466>

Pierri, J. N., Volk, C. L. E., Auh, S., Sampson, A., & Lewis, D. A. (2003). Somal size of prefrontal cortical pyramidal neurons in schizophrenia:: differential effects across neuronal subpopulations. *Biological Psychiatry*, 54(2), 111-120. doi.

Pierucci, F., Garcia-Gil, M., Frati, A., Bini, F., Martinesi, M., Vannini, E., . . . Meacci, E. (2017). Vitamin D3 protects against A β peptide cytotoxicity in differentiated human neuroblastoma SH- SY5Y cells: A role for S1P1/p38MAPK/ATF4 axis. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2017.01.003>, <http://www.sciencedirect.com/science/article/pii/S0028390817300035>

Pietropaolo, S., Sun, Y., Li, R., Brana, C., Feldon, J., & Yee, B. K. (2008). The impact of voluntary exercise on mental health in rodents: a neuroplasticity perspective. *Behavioural Brain Research*, 192(1), 42-60. doi.

Pietropaolo, S., Sun, Y., Li, R., Brana, C., Feldon, J., & Yee, B. K. (2009). Limited impact of social isolation on Alzheimer-like symptoms in a triple transgenic mouse model. *Behavioral Neuroscience*, 123(1), 181-181. doi.

Pietrucha-Dutczak, M., Smedowski, A., Liu, X., Matuszek, I., Varjosalo, M., & Lewin-Kowalik, J. (2017). Candidate proteins from predegenerated nerve exert time-specific protection of retinal ganglion cells in glaucoma. *Scientific Reports*, 7(1), 14540. doi: 10.1038/s41598-017-14860-5. <https://doi.org/10.1038/s41598-017-14860-5>

Pietrzykowski, A. Z., Martin, G. E., Puig, S. I., Knott, T. K., Lemos, J. R., & Treistman, S. N. (2004). Alcohol Tolerance in Large-Conductance, Calcium-Activated Potassium Channels of CNS Terminals Is Intrinsic and Includes Two Components: Decreased Ethanol Potentiation and Decreased Channel Density. *Journal of Neuroscience*, 24(38), 8322-8332. doi: <http://www.jneurosci.org/cgi/content/abstract/24/38/8322>

- Piguet, O., Chareyron, L. J., Banta Lavenex, P., Amaral, D. G., & Lavenex, P. (2020). Postnatal Development of the Entorhinal Cortex: A Stereological Study in Macaque Monkeys. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.24897. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24897>
- Pillay, S., Bhagwandin, A., Bertelsen, M. F., Patzke, N., Engler, G., Engel, A. K., & Manger, P. R. (2020). The hippocampal formation of two carnivore species: The feliform banded mongoose and the caniform domestic ferret. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25047. <https://doi.org/10.1002/cne.25047>
- Pilozzi, A., Yu, Z., Carreras, I., Cormier, K., Hartley, D., Rogers, J., . . . Huang, X. (2020). A Preliminary Study of Cu Exposure Effects upon Alzheimer's Amyloid Pathology. *Biomolecules*, 10(3), 408. doi: <https://www.mdpi.com/2218-273X/10/3/408>
- Piltonen, M., Bespalov, M. M., Ervasti, D., Matilainen, T., Sidorova, Y. A., Rauvala, H., . . . Mannisto, P. T. (2009). Heparin-binding determinants of GDNF reduce its tissue distribution but are beneficial for the protection of nigral dopaminergic neurons. *Experimental Neurology*, 219(2), 499-506. doi: 10.1016/j.neurobiolaging.2012.06.025. <http://www.sciencedirect.com/science/article/pii/S12003740>
- Piltonen, M., Planken, A., Leskelä, O., Myöhänen, T. T., Hänninen, A. L., Auvinen, P., . . . Männistö, P. T. (2011). Vascular endothelial growth factor C (VEGF-C) acts as a neurotrophic factor for dopamine neurons in vitro and in vivo. *Neuroscience*. doi: 10.1016/j.neurobiolaging.2012.06.025. <http://www.sciencedirect.com/science/article/pii/S0197458012003740>
- Piltti, K. M., Avakian, S. N., Funes, G. M., Hu, A., Uchida, N., Anderson, A. J., & Cummings, B. J. (2015). Transplantation dose alters the dynamics of human neural stem cell engraftment, proliferation and migration after spinal cord injury. *Stem Cell Research*. doi: <http://dx.doi.org/10.1016/j.scr.2015.07.001> <http://www.sciencedirect.com/science/article/pii/S1873506115000926>
- Pimentel-Coelho, P. M., Michaud, J.-P., & Rivest, S. (2012). Effects of mild chronic cerebral hypoperfusion and early amyloid pathology on spatial learning and the cellular innate immune response in mice. *Neurobiology of Aging*, (0). doi: 10.1016/j.neurobiolaging.2012.06.025. <http://www.sciencedirect.com/science/article/pii/S0197458012003740>
- Pimentel-Coelho, P. M., Michaud, J.-P., & Rivest, S. (2013). Evidence for a Gender-Specific Protective Role of Innate Immune Receptors in a Model of Perinatal Brain Injury. *Journal of Neuroscience*, 33(28), 11556-11572. doi: 10.1523/jneurosci.0535-13.2013. <http://www.jneurosci.org/content/33/28/11556.abstract>
- Pimentel-Coelho, P. M., Michaud, J.-P., & Rivest, S. (2015). C–C chemokine receptor type 2 (CCR2) signaling protects neonatal male mice with hypoxic–ischemic hippocampal damage from developing spatial learning deficits. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2015.02.053> <http://www.sciencedirect.com/science/article/pii/S0166432815001436>
- Pintana, H., Apaijai, N., Pratchayasakul, W., Chattipakorn, N., & Chattipakorn, S. C. (2012). Effects of metformin on learning and memory behaviors and brain mitochondrial functions in high fat diet induced insulin resistant rats. *Life Sciences*, 91. doi: 10.1016/j.lfs.2012.08.017. <http://dx.doi.org/10.1016/j.lfs.2012.08.017>
- Pinto-Ribeiro, F., Moreira, V., Pego, J., Leao, P., Almeida, A., & Sousa, N. (2009). Antinociception induced by chronic glucocorticoid treatment is correlated to local modulation of spinal

neurotransmitter content. *Molecular Pain*, 5(1), 41.
doi: <http://www.molecularpain.com/content/5/1/41>

Pinzon, A., Marcillo, A., Pabon, D., Bramlett, H. M., Bunge, M. B., & Dietrich, W. D. (2008). A re-assessment of erythropoietin as a neuroprotective agent following rat spinal cord compression or contusion injury. *Experimental Neurology*, 213(1), 129-136. doi.

Pinzon, A., Marcillo, A., Quintana, A., Stamler, S., Bunge, M. B., Bramlett, H. M., & Dietrich, W. D. (2008). A re-assessment of minocycline as a neuroprotective agent in a rat spinal cord contusion model. *Brain Research*, 1243, 146-151. doi.

Piontkewitz, Y., Arad, M., & Weiner, I. (2018). T194. BRAIN STRUCTURAL AND BEHAVIORAL ABNORMALITIES FOLLOWING PRENATAL EXPOSURE TO MATERNAL INFLAMMATION ARE PREVENTED BY EARLY BUT NOT LATE INTERVENTION. *Schizophrenia Bulletin*, 44(suppl_1), S191-S192. doi: 10.1093/schbul/sby016.470. <http://dx.doi.org/10.1093/schbul/sby016.470>

Piras, A., Schiaffino, L., Boido, M., Valsecchi, V., Guglielmotto, M., De Amicis, E., . . . Vercelli, A. (2017). Inhibition of autophagy delays motoneuron degeneration and extends lifespan in a mouse model of spinal muscular atrophy. *Cell death & disease*, 8(12), 3223. doi: 10.1038/s41419-017-0086-4. <https://doi.org/10.1038/s41419-017-0086-4>

Pirttilä, T. J., Manninen, A., Jutila, L., Nissinen, J., Kälviäinen, R., Vapalahti, M., . . . Pitkänen, A. (2005). Cystatin C expression is associated with granule cell dispersion in epilepsy. *Annals of Neurology*, 58(2), 211-223. doi.

Pirttilä, T. J., & Pitkanen, A. (2006). Cystatin C expression is increased in the hippocampus following photothrombotic stroke in rat. *Neuroscience Letters*, 395(2), 108-113. doi.

Pişkin, A., Altunkaynak, B. Z., Tümentemur, G., Kaplan, S., Yazıcı, Ö. B., & Hökelek, M. (2012). The beneficial effects of *Momordica charantia* (bitter melon) on wound healing of rabbit skin. *Journal of Dermatological Treatment*, 0(ja), 1-24. doi:10.3109/09546634.2012.713459. <http://informahealthcare.com/doi/abs/10.3109/09546634.2012.713459>

Pita, D., Moore, B. A., Tyrrell, L. P., & Fernández-Juricic, E. (2015). Vision in two cyprinid fish: implications for collective behavior. *PeerJ*, 3, e11113. doi: 10.7717/peerj.1113. <https://dx.doi.org/10.7717/peerj.1113>

Pitkänen, A., Narkilahti, S., Bezvenyuk, Z., Haapalinna, A., & Nissinen, J. (2004). Atipamezole, an α_2 -adrenoceptor antagonist, has disease modifying effects on epileptogenesis in rats. *Epilepsy Research*, 61(1), 119-140. doi.

Pitkanen, A., Nissinen, J., Jolkkonen, E., Tuunanen, J., & Halonen, T. (1999). Effects of vigabatrin treatment on status epilepticus-induced neuronal damage and mossy fiber sprouting in the rat hippocampus. *Epilepsy Research*, 33(1), 67-85. doi.

Pitkanen, A., Nissinen, J., Nairismägi, J., Lukasiuk, K., Grohn, O. H. J., Miettinen, R., & Kauppinen, R. (2002). Progression of neuronal damage after status epilepticus and during spontaneous seizures in a rat model of temporal lobe epilepsy. *Progress in Brain Research*, 135, 67-83. doi.

Pitts, M. W., Raman, A. V., Hashimoto, A. C., Todorovic, C., Nichols, R. A., & Berry, M. J. (2012). Deletion of selenoprotein P results in impaired function of parvalbumin interneurons and alterations in fear learning and sensorimotor gating. *Neuroscience*. doi.

Pitts, M. W., Reeves, M. A., Hashimoto, A. C., Ogawa, A., Kremer, P., Seale, L. A., & Berry, M. J. (2013). Deletion of Selenoprotein M Leads to Obesity Without Cognitive Deficits. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M113.471235. <http://www.jbc.org/content/early/2013/07/23/jbc.M113.471235.abstract>

Pizzimenti, M. A., Darling, W. G., Rotella, D. L., McNeal, D. W., Herrick, J. L., Ge, J., . . . Morecraft, R. J. (2007). Measurement of Reaching Kinematics and Prehensile Dexterity in Nonhuman Primates *Journal of Neurophysiology*, 98, 1015-1029. doi.

Placencia, E. V. D., Serra, F. T., Henrique, J. S., Arida, R. M., & Gomes da Silva, S. (2019). Hippocampal distribution of parvalbumin neurons in female and male rats submitted to the same volume and intensity of aerobic exercise. *Neuroscience Letters*, 690, 162-166. doi: <https://doi.org/10.1016/j.neulet.2018.10.028>. <http://www.sciencedirect.com/science/article/pii/S0304394018307043>

Plane, J. M., Liu, R., Wang, T. W., Silverstein, F. S., & Parent, J. M. (2004). Neonatal hypoxic-ischemic injury increases forebrain subventricular zone neurogenesis in the mouse. *Neurobiology of Disease*, 16(3), 585-595. doi.

Plane, J. M., Whitney, J. T., Schallert, T., & Parent, J. M. (2008). Retinoic acid and environmental enrichment alter subventricular zone and striatal neurogenesis after stroke. *Experimental Neurology*, 214(1), 125-134. doi.

Planque, S. A., Nishiyama, Y., Sonoda, S., Lin, Y., Taguchi, H., Hara, M., . . . Paul, S. (2015). Specific Amyloid β Clearance by a Catalytic Antibody Construct. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M115.641738. <http://www.jbc.org/content/early/2015/02/27/jbc.M115.641738.abstract>

Pleil, K. E., Glenn, M. J., & Williams, C. L. (2011). Estradiol Alters Fos-Immunoreactivity in the Hippocampus and Dorsal Striatum during Place and Response Learning in Middle-Aged But Not Young Adult Female Rats. *Endocrinology*, 152(3), 946-956. doi.

Plum, L., Ma, X., Hampel, B., Balthasar, N., Coppari, R., Munzberg, H., . . . Bruning, J. C. (2006). Enhanced PIP3 signaling in POMC neurons causes KATP channel activation and leads to diet-sensitive obesity. *Journal of Clinical Investigation*, 116(7), 1886-1901. doi: 10.1172/jci27123. <http://www.jci.org/cgi/content/abstract/116/7/1886>

Po, K., Siu, A.-H., Lau, B.-M., Chan, J.-M., So, K.-F., & Chan, C. H. (2015). Repeated, high-dose dextromethorphan treatment decreases neurogenesis and results in depression-like behavior in rats. *Experimental Brain Research*, 1-10. doi: 10.1007/s00221-015-4290-0. <http://dx.doi.org/10.1007/s00221-015-4290-0>

Po, K. K.-t., Leung, J. W.-h., Chan, J. N.-m., Fung, T. K.-h., Sánchez-Vidaña, D. I., Sin, E. L.-L., . . . Siu, A. M.-h. (2017). Protective effect of Lycium Barbarum polysaccharides on dextromethorphan-induced mood impairment and neurogenesis suppression. *Brain Research Bulletin*, 134, 10-17. doi: <https://doi.org/10.1016/j.brainresbull.2017.06.014>. <http://www.sciencedirect.com/science/article/pii/S0361923017301442>

Podell, B. K., Ackart, D. F., Kirk, N. M., Eck, S. P., Bell, C., & Basaraba, R. J. (2012). Non-Diabetic Hyperglycemia Exacerbates Disease Severity in *Mycobacterium tuberculosis* Infected

Guinea Pigs. Plos one, 7(10), e46824. doi:
10.1371/journal.pone.0046824. <http://dx.doi.org/10.1371%2Fjournal.pone.0046824>

Podell, B. K., Ackart, D. F., Obregon-Henao, A., Eck, S. P., Henao-Tamayo, M., Richardson, M., . . . Basaraba, R. J. (2014). Increased Severity of Tuberculosis in Guinea Pigs with Type 2 Diabetes: A Model of Diabetes-Tuberculosis Comorbidity. *The American journal of pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2013.12.015>. <http://www.sciencedirect.com/science/article/pii/S0002944014000200>

Poe, B. H., Linville, C., & Brunso-Bechtold, J. (2001). Age-related decline of presumptive inhibitory synapses in the sensorimotor cortex as revealed by the physical disector. *Journal of Comparative Neurology*, 439(1), 65-72. doi.

Poe, B. H., Linville, C., Riddle, D. R., Sonntag, W. E., & Brunso-Bechtold, J. K. (2001). Effects of age and insulin-like growth factor-1 on neuron and synapse numbers in area CA3 of hippocampus. *Neuroscience*, 107(2), 231-238. doi.

Poe, B. H., Linville, M. C., Sonntag, W. E., & Brunso-Bechtold, J. K. (2002). Insulin-like growth factor-1 does not ameliorate the age-related decline in presumptive inhibitory synapses in layer 2 of rat sensorimotor cortex. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 26(1), 97-102. doi.

Poirier, A.-A., Côté, M., Bourque, M., Morissette, M., Di Paolo, T., & Soulet, D. (2016). Neuroprotective and immunomodulatory effects of raloxifene in the myenteric Plexus of a mouse model of Parkinson's disease. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2016.08.004>. <http://www.sciencedirect.com/science/article/pii/S0197458016301725>

Polgar, E., Watanabe, M., Hartmann, B., Grant, S., & Todd, A. (2008). Expression of AMPA receptor subunits at synapses in laminae I-III of the rodent spinal dorsal horn. *Molecular Pain*, 4(1), 5. doi: <http://www.molecularpain.com/content/4/1/5>

Polinski, N. K., Gombash, S. E., Manfredsson, F. P., Lipton, J. W., Kemp, C. J., Cole-Strauss, A., . . . Sortwell, C. E. (2014). Recombinant adeno-associated virus 2/5-mediated gene transfer is reduced in the aged rat midbrain. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2014.07.047. [http://www.neurobiologyofaging.org/article/S0197-4580\(14\)00636-8/abstract](http://www.neurobiologyofaging.org/article/S0197-4580(14)00636-8/abstract)

Polinski, N. K., Manfredsson, F. P., Benskey, M. J., Fischer, D. L., Kemp, C. J., Steece-Collier, K., . . . Sortwell, C. E. (2016). Impact of age and vector construct on striatal and nigral transgene expression. *Molecular Therapy. Methods & Clinical Development*, 3, 16082. doi: 10.1038/mtm.2016.82. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5142515/>

Polito, V. A., Li, H., Martini-Stoica, H., Wang, B., Yang, L., Xu, Y., . . . Lee, V. M. Y. (2014). Selective clearance of aberrant tau proteins and rescue of neurotoxicity by transcription factor EB. *EMBO Molecular Medicine*, e201303671. doi: <http://embomolmed.embopress.org/content/early/2014/07/28/emmm.201303671...>

Polter, A. M., Yang, S., Jope, R. S., & Li, X. (2011). Functional significance of glycogen synthase kinase-3 regulation by serotonin. *Cellular Signalling*. doi.

Pontecorvo, M. J., Keene, C. D., Beach, T. G., Montine, T. J., Arora, A. K., Devous, M. D., . . . Siderowf, A. (2020). Comparison of regional flortaucipir PET with quantitative tau immunohistochemistry in three

subjects with Alzheimer's disease pathology: a clinicopathological study. *EJNMMI Research*, 10(1), 65. doi: 10.1186/s13550-020-00653-x. <https://doi.org/10.1186/s13550-020-00653-x>

Pontikis, C. C., Cella, C. V., Parihar, N., Lim, M. J., Chakrabarti, S., Mitchison, H. M., . . . Cooper, J. D. (2004). Late onset neurodegeneration in the Cln3^{-/-} mouse model of juvenile neuronal ceroid lipofuscinosis is preceded by low level glial activation. *Brain Research*, 1023(2), 231-242. doi:

Pontikis, C. C., Cotman, S. L., MacDonald, M. E., & Cooper, J. D. (2005). Thalamocortical neuron loss and localized astrocytosis in the cln3 [delta] ex7/8 knock-in mouse model of batten disease. *Neurobiology of Disease*, 20(3), 823-836. doi:

Pooley, A. E., Benjamin, R. C., Sreedhar, S., Eagle, A. L., Robison, A. J., Mazei-Robison, M. S., . . . Jordan, C. L. (2018). Sex differences in the traumatic stress response: PTSD symptoms in women recapitulated in female rats. [journal article]. *Biology of Sex Differences*, 9(1), 31. doi: 10.1186/s13293-018-0191-9. <https://doi.org/10.1186/s13293-018-0191-9>

Pooley, A. E., Benjamin, R. C., Sreedhar, S., Eagle, A. L., Robison, A. J., Mazei-Robison, M. S., . . . Jordan, C. L. (2018). Sex differences in the traumatic stress response: the role of adult gonadal hormones. [journal article]. *Biology of Sex Differences*, 9(1), 32. doi: 10.1186/s13293-018-0192-8. <https://doi.org/10.1186/s13293-018-0192-8>

Poon, C. T., Shah, K., Lin, C., Tse, R., Kim, K. K., Mooney, S., . . . Hynynen, K. (2018). Time course of focused ultrasound effects on β -amyloid plaque pathology in the TgCRND8 mouse model of Alzheimer's disease. *Scientific Reports*, 8(1), 14061. doi: 10.1038/s41598-018-32250-3. <https://doi.org/10.1038/s41598-018-32250-3>

Popa-Wagner, A., Stocker, K., Balseanu, A. T., Rogalewski, A., Diederich, K., Minnerup, J., . . . Schabitz, W.-R. (2010). Effects of Granulocyte-Colony Stimulating Factor After Stroke in Aged Rats. *Stroke*, 41(5), 1027-1031. doi: 10.1161/strokeaha.109.575621. <http://stroke.ahajournals.org/cgi/content/abstract/41/5/1027>

Porritt, M., Stanic, D., Finkelstein, D., Batchelor, P., Lockhart, S., Hughes, A., . . . Howells, D. (2005). Dopaminergic innervation of the human striatum in Parkinson's disease. *Movement Disorders*, 20(7), 810-818. doi:

Porritt, M. J., Andersson, H. C., Hou, L., Nilsson, Å., Pekna, M., Pekny, M., & Nilsson, M. (2012). Photothrombosis-Induced Infarction of the Mouse Cerebral Cortex Is Not Affected by the Nrf2-Activator Sulforaphane. *Plos one*, 7(7), e41090. doi: 10.1371/journal.pone.0041090. <http://dx.doi.org/10.1371%2Fjournal.pone.0041090>

Porritt, M. J., Batchelor, P. E., & Howells, D. W. (2005). Inhibiting BDNF expression by antisense oligonucleotide infusion causes loss of nigral dopaminergic neurons. *Experimental Neurology*, 192(1), 226-234. doi:

Porru, S., López-Cruz, L., Carratalá-Ros, C., Salamone, J. D., Acquas, E., & Correa, M. (2021). Impact of Caffeine on Ethanol Induced Stimulation and Sensitization: Changes in ERK and DARPP-32 Phosphorylation in Nucleus Accumbens. *Alcoholism: Clinical and Experimental Research*, n/a(n/a). doi: <https://doi.org/10.1111/acer.14553>. <https://onlinelibrary.wiley.com/doi/abs/10.1111/acer.14553>

Posfai, B., Cserep, C., Hegedus, P., Szabadits, E., Otte, D. M., Zimmer, A., . . . Nyiri, G. (2016). Synaptic and cellular changes induced by the schizophrenia susceptibility gene G72 are rescued by N-acetylcysteine treatment. [Original Article]. *Transl Psychiatry*, 6, e807. doi: 10.1038/tp.2016.74. <http://dx.doi.org/10.1038/tp.2016.74>

Posillico, C. K., & Schwarz, J. M. (2016). An investigation into the effects of antenatal stressors on the postpartum neuroimmune profile and depressive-like behaviors. *Behavioural Brain Research*, 298, Part B, 218-228. doi: <http://dx.doi.org/10.1016/j.bbr.2015.11.011>. <http://www.sciencedirect.com/science/article/pii/S0166432815302849>

Postupna, N., Keene, C. D., Crane, P. K., Gonzalez-Cuyar, L. F., Sonnen, J. A., Hewitt, J., . . . Larson, E. B. (2015). Cerebral Cortical AA42 and PHF-T in 325 Consecutive Brain Autopsies Stratified by Diagnosis, Location, and APOE. *Journal of Neuropathology and Experimental Neurology*, 74(2). doi.

Postupna, N., Rose, S. E., Bird, T. D., Gonzalez-Cuyar, L. F., Sonnen, J. A., Larson, E. B., . . . Montine, T. J. (2011). Novel Antibody Capture Assay for Paraffin-Embedded Tissue Detects Wide-Ranging Amyloid Beta and Paired Helical Filament-Tau Accumulation in Cognitively Normal Older Adults. *Brain Pathology*, no-no. doi: 10.1111/j.1750-3639.2011.00542.x. <http://dx.doi.org/10.1111/j.1750-3639.2011.00542.x>

Potashkin, J. A., Kang, U. J., Loomis, P. A., Jodelka, F. M., Ding, Y., & Meredith, G. E. (2007). MPTP administration in mice changes the ratio of splice isoforms of fosB and rgs9. *Brain Research*, 1182, 1-10. doi.

Pothuizen, H. H. J., Feldon, J., & Jongen-Relo, A. L. (2004). Co-Expression of Calretinin and γ -Aminobutyric Acid in Neurons of the Entorhinal Cortex of the Common Marmoset Monkey. *Hippocampus*, 14(5), 615-627. doi.

Pothuizen, H. H. J., Feldon, J., & Jongen-Rêlo, A. L. (2004). Co-expression of calretinin and γ -aminobutyric acid in neurons of the entorhinal cortex of the common marmoset monkey. *Hippocampus*, 14(5), 615-627. doi.

Pothuizen, H. H. J., Zhang, W.-N., Jongen-Relo, A. L., Feldon, J., & Yee, B. K. (2004). Dissociation of function between the dorsal and the ventral hippocampus in spatial learning abilities of the rat: a within-subject, within-task comparison of reference and working spatial memory. *European Journal of Neuroscience*, 19(3), 705-712. doi: 10.1111/j.0953-816X.2004.03170.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-816X.2004.03170.x>

Potter, M., Baxter, V., Mathey, R., Alt, J., Rojas, C., Griffin, D., & Slusher, B. (2015). Neurological sequelae induced by alphavirus infection of the CNS are attenuated by treatment with the glutamine antagonist 6-diazo-5-oxo-L-norleucine. *Journal of Neurovirology*, 1-15. doi: 10.1007/s13365-015-0314-6. <http://dx.doi.org/10.1007/s13365-015-0314-6>

Potter, M., Rosenkrantz, T., & Fitch, R. H. (2018). Behavioral and neuroanatomical outcomes in a rat model of preterm hypoxic-ischemic brain injury: Effects of caffeine and hypothermia. *International Journal of Developmental Neuroscience*. doi: <https://doi.org/10.1016/j.ijdevneu.2018.02.001>. <http://www.sciencedirect.com/science/article/pii/S0736574817302861>

Potter, M. C., Yuan, C., Ottenritter, C., Mughal, M., & van Praag, H. (2010). Exercise is not beneficial and may accelerate symptom onset in a mouse model of Huntington's disease. *PLoS currents*, 2. doi.

Potter, R. M., Huynh, R. T., Volper, B. D., Arthur, K. A., D'Lugos, A. C., Sørensen, M. A., . . . Carroll, C. C. (2016). The impact of TGF- β inhibition during acute exercise on Achilles tendon extracellular matrix. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, ajpgregu.00439.02016. doi: <http://ajpregu.physiology.org/content/early/2016/12/02/ajpregu.00439.2016>

Poudel, A., Fowler, J. L., Zielinski, M. C., Kilimnik, G., & Hara, M. (2016). Stereological analyses of the whole human pancreas. [Article]. *Scientific Reports*, 6, 34049. doi: 10.1038/srep34049

<http://www.nature.com/articles/srep34049#supplementary-information>. <http://dx.doi.org/10.1038/srep34049>

Poudel, A., Savari, O., Striegel, D., Periwal, V., Taxy, J., Millis, J. M., . . . Hara, M. (2015). Beta-cell destruction and preservation in childhood and adult onset type 1 diabetes. *Endocrine*, 1-10. doi: 10.1007/s12020-015-0534-9. <http://dx.doi.org/10.1007/s12020-015-0534-9>

Pouladi, M. A., Brillaud, E., Xie, Y., Conforti, P., Graham, R. K., Ehrnhoefer, D. E., . . . Hayden, M. R. (2012). NP03, a novel low-dose lithium formulation, is neuroprotective in the YAC128 mouse model of Huntington disease. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.06.026. <http://www.sciencedirect.com/science/article/pii/S0969996112002410>

Pouladi, M. A., Stanek, L. M., Xie, Y., Franciosi, S., Southwell, A. L., Deng, Y., . . . Hayden, M. R. (2012). Marked differences in neurochemistry and aggregates despite similar behavioural and neuropathological features of Huntington disease in the full-length BACHD and YAC128 mice. *Human Molecular Genetics*, dds037. doi: 10.1093/hmg/ddo37. <http://hmg.oxfordjournals.org/cgi/content/abstract/dds037v2>

Poulin, A. M., Lenglos, C., Mitra, A., & Timofeeva, E. (2011). Hypothalamic expression of urocortin 3 and the type 2 corticotropin-releasing factor receptor is regulated according to feeding state in lean but not obese Zucker rats. *Neuropharmacology*. doi.

Pouliot, J. J., Yao, K. C., Robertson, C. A., & Nash, H. A. (1999). Yeast Gene for a Tyr-DNA Phosphodiesterase that Repairs Topoisomerase I Complexes *Science*, 286(5439), 552-555. doi.

Powers, B., Velazquez, R., Kelley, C., Ash, J., Strawderman, M., Alldred, M., . . . Strupp, B. (2015). Attentional function and basal forebrain cholinergic neuron morphology during aging in the Ts65Dn mouse model of Down syndrome. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-015-1164-y. <http://dx.doi.org/10.1007/s00429-015-1164-y>

Powers, B. E., Kelley, C. M., Velazquez, R., Ash, J. A., Strawderman, M. S., Alldred, M. J., . . . Strupp, B. J. (2017). Maternal choline supplementation in a mouse model of Down syndrome: Effects on attention and nucleus basalis/substantia innominata neuron morphology in adult offspring. *Neuroscience*, 340, 501-514. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.11.001>. <http://www.sciencedirect.com/science/article/pii/S0306452216306145>

Powrozek, T. A., & Zhou, F. C. (2005). Effects of prenatal alcohol exposure on the development of the vibrissal somatosensory cortical barrel network. *Developmental Brain Research*, 155(2), 135-146. doi.

Pozner, T., Vistoropsky, Y., Moaraf, S., Heiblum, R., & Barnea, A. (2018). Questioning Seasonality of Neuronal Plasticity in the Adult Avian Brain. *Scientific Reports*, 8(1), 11289. doi: 10.1038/s41598-018-29532-1. <https://doi.org/10.1038/s41598-018-29532-1>

Pozniak, C. D., Barnabe-Heider, F., Rymar, V. V., Lee, A. F., Sadikot, A. F., & Miller, F. D. (2002). p73 Is Required for Survival and Maintenance of CNS Neurons. *Journal of Neuroscience*, 22(22), 9800-9809. doi. <http://www.jneurosci.org/cgi/content/abstract/22/22/9800>

- Praag, H. v., Kempermann, G., & Gage, F. H. (1999). Running increases cell proliferation and neurogenesis in the adult mouse dentate gyrus. *Nature Neuroscience*, 2(3), 266-270. doi.
- Prager, E. M., Aroniadou-Anderjaska, V., Almeida-Suhett, C. P., Figueiredo, T. H., Aplan, J. P., & Braga, M. F. M. (2013). Acetylcholinesterase inhibition in the basolateral amygdala plays a key role in the induction of status epilepticus after soman exposure. *Neurotoxicology*, (0). doi: <http://dx.doi.org/10.1016/j.neuro.2013.06.006>. <http://www.sciencedirect.com/science/article/pii/S0161813X13001113>
- Prager, E. M., Aroniadou-Anderjaska, V., Almeida-Suhett, C. P., Figueiredo, T. H., Aplan, J. P., Rossetti, F., . . . Braga, M. F. M. (2014). The recovery of acetylcholinesterase activity and the progression of neuropathological and pathophysiological alterations in the rat basolateral amygdala after soman-induced status epilepticus: Relation to anxiety-like behavior. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.01.035>. <http://www.sciencedirect.com/science/article/pii/S0028390814000422>
- Prakash, N., Puelles, E., Freude, K., Trumbach, D., Omodei, D., Di Salvio, M., . . . Wurst, W. (2009). Nkx6-1 controls the identity and fate of red nucleus and oculomotor neurons in the mouse midbrain. *Development*, 136(15), 2545-2555. doi: 10.1242/dev.031781. <http://dev.biologists.org/cgi/content/abstract/136/15/2545>
- Pranski, E. L., Dalal, N. V., Sanford, C. V., Herskowitz, J. H., Gearing, M., Lazo, C., . . . Betarbet, R. S. (2013). RING finger protein 11 (RNF11) modulates susceptibility to 6-OHDA-induced nigral degeneration and behavioral deficits through NF- κ B signaling in dopaminergic cells. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.12.018>. <http://www.sciencedirect.com/science/article/pii/S0969996113000090>
- Prasad, J., Baitharu, I., Sharma, A. K., Dutta, R., Prasad, D., & Singh, S. B. (2013). Quercetin Reverses Hypobaric Hypoxia-Induced Hippocampal Neurodegeneration and Improves Memory Function in the Rat. *High Altitude Medicine & Biology*, 14(4), 383-394. doi: <http://online.liebertpub.com/doi/abs/10.1089/ham.2013.1014>
- Prasad, K., Beach, T. G., Hedreen, J., & Richfield, E. K. (2012). Critical Role for Truncated α -Synuclein and Aggregates in Parkinson's Disease and Incidental Lewy Body Disease. *Brain Pathology*, no-no. doi: 10.1111/j.1750-3639.2012.00597.x. <http://dx.doi.org/10.1111/j.1750-3639.2012.00597.x>
- Prasad, K., & Richfield, E. K. (2008). Sporadic midbrain dopamine neuron abnormalities in laboratory mice. *Neurobiology of Disease*, 32(2), 262-272. doi.
- Prasad, K., & Richfield, E. K. (2010). Number and nuclear morphology of TH⁺ and TH⁻ neurons in the mouse ventral midbrain using epifluorescence stereology. *Experimental Neurology*, 225(2), 328-340. doi.
- Prasad, K., Tarasewicz, E., Ohman Strickland, P. A., O'Neill, M., Mitchell, S. N., Merchant, K., . . . Richfield, E. K. (2011). Biochemical and morphological consequences of human α -synuclein expression in a mouse α -synuclein null background. *European Journal of Neuroscience*, 33(4), 642-656. doi: 10.1111/j.1460-9568.2010.07558.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07558.x>
- Pravosudov, V. V., & Clayton, N. S. (2002). A test of the adaptive specialization hypothesis: Population differences in caching, memory, and the hippocampus in black-capped chickadees (Poecile atricapilla). *Behavioral Neuroscience*, 116(4), 515-515. doi.

Pravosudov, V. V., & de Kort, S. R. (2005). Is the Western Scrub-Jay (< i> Aphelocoma californica</i>) Really an Underdog among Food-Caching Corvids when It Comes to Hippocampal Volume and Food Caching Propensity? *Brain, Behavior and Evolution*, 67(1), 1-9. doi.

Pravosudov, V. V., Kitaysky, A. S., & Omanska, A. (2006). The relationship between migratory behaviour, memory and the hippocampus: an intraspecific comparison. *Proceedings of the Royal Society B: Biological Sciences*, 273(1601), 2641-2641. doi.

Pravosudov, V. V., Lavenex, P., & Clayton, N. S. (2002). Changes in spatial memory mediated by experimental variation in food supply do not affect hippocampal anatomy in mountain chickadees (*Poecile gambeli*). *Journal of Neurobiology*, 51(2), 142-148. doi.

Pravosudov, V. V., Lavenex, P., & Omanska, A. (2005). Nutritional deficits during early development affect hippocampal structure and spatial memory later in life. *Behavioral Neuroscience*, 119(5), 1368-1368. doi.

Pravosudov, V. V., & Omanska, A. (2005). Dominance-related changes in spatial memory are associated with changes in hippocampal cell proliferation rates in mountain chickadees. *Journal of Neurobiology*, 62(1), 31-41. doi.

Pravosudov, V. V., & Omanska, A. (2005). Prolonged moderate elevation of corticosterone does not affect hippocampal anatomy or cell proliferation rates in mountain chickadees (*Poecile gambeli*). *Journal of Neurobiology*, 62(1), 82-91. doi.

Pravosudov, V. V., Sanford, K., & Hahn, T. P. (2007). On the evolution of brain size in relation to migratory behaviour in birds. *Animal Behaviour*, 73(3), 535-539. doi.

Pressey, S. N. R., O'Donnell, K. J., Stauber, T., Fuhrmann, J. C., Tyynelä, J., Jentsch, T. J., & Cooper, J. D. (2010). Distinct neuropathologic phenotypes after disrupting the chloride transport proteins ClC-6 or ClC-7/Ostm1. *Journal of Neuropathology and Experimental Neurology*, 69(12), 1228. doi.

Pressey, S. N. R., Smith, D. A., Wong, A., Platt, F. M., & Cooper, J. D. (2011). Early glial activation, synaptic changes and axonal pathology in the thalamocortical system of Niemann-Pick type C1 mice. *Neurobiology of Disease*. doi.

Preziosa, P., Kiljan, S., Steenwijk, M. D., Meani, A., van de Berg, W. D. J., Schenk, G. J., . . . Jonkman, L. E. (2019). Axonal degeneration as substrate of fractional anisotropy abnormalities in multiple sclerosis cortex. *Brain*. doi: 10.1093/brain/awz143. <https://doi.org/10.1093/brain/awz143>

Price, D. A., Martinez, A. A., Seillier, A., Koek, W., Acosta, Y., Fernandez, E., . . . others. (2009). WIN55, 212-2, a cannabinoid receptor agonist, protects against nigrostriatal cell loss in the MPTP mouse model of Parkinson's disease. *European Journal of Neuroscience*, 29(11), 2177-2177. doi.

Proctor, J. L., Scutella, D., Pan, Y., Vaughan, J., Rosenthal, R. E., Puche, A., & Fiskum, G. (2015). Hyperoxic resuscitation improves survival but worsens neurologic outcome in a rat polytrauma model of traumatic brain injury plus hemorrhagic shock. *Journal of Trauma and Acute Care Surgery*, 79(4), S101-S109. doi: 10.1097/ta.0000000000000742. http://journals.lww.com/jtrauma/Fulltext/2015/10001/Hyperoxic_resuscitat..

Prokop, S., Miller, K. R., Drost, N., Handrick, S., Mathur, V., Luo, J., . . . Heppner, F. L. (2015). Impact of peripheral myeloid cells on amyloid- β pathology in Alzheimer's disease-like mice. *The Journal of*

Experimental Medicine, 212(11), 1811-1818. doi:
10.1084/jem.20150479. <http://jem.rupress.org/content/212/11/1811.abstract>

Prorok, T., Jana, M., Patel, D., & Pahan, K. (2019). Cinnamic Acid Protects the Nigrostriatum in a Mouse Model of Parkinson's Disease via Peroxisome Proliferator-Activated Receptor α . [Journal article]. Neurochemical Research. doi: 10.1007/s11064-018-02705-0. <https://doi.org/10.1007/s11064-018-02705-0>

Provitera, V., Nolano, M., Caporaso, G., Stancanelli, A., Manganelli, F., Iodice, R., . . . Pellecchia, M. T. (2014). Postganglionic sudomotor denervation in patients with multiple system atrophy. Neurology, 10.1212/WNL.0000000000000518. doi: <http://www.neurology.org/content/early/2014/05/16/WNL.0000000000000518.s..>

Provitera, V., Nolano, M., Stancanelli, A., Caporaso, G., Vitale, D. F., & Santoro, L. (2014). Intraepidermal nerve fiber analysis using immunofluorescence with and without confocal microscopy. Muscle and Nerve, n/a-n/a. doi: 10.1002/mus.24338. <http://dx.doi.org/10.1002/mus.24338>

Provitera, V., Piscosquito, G., Manganelli, F., Mozzillo, S., Caporaso, G., Stancanelli, A., . . . Nolano, M. (2019). A model to study myelinated fiber degeneration and regeneration in human skin. Annals of Neurology, n/a(n/a). doi: 10.1002/ana.25662. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ana.25662>

Prudente, C. N., Pardo, C. A., Xiao, J., Hanfelt, J., Hess, E. J., LeDoux, M. S., & Jinnah, H. A. (2012). Neuropathology of Cervical Dystonia. Experimental Neurology, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2012.11.019>. <http://www.sciencedirect.com/science/article/pii/S0014488612004360>

Pruszek, J., Ludwig, W., Blak, A., Alavian, K., & Isacson, O. (2009). CD15, CD24, and CD29 define a surface biomarker code for neural lineage differentiation of stem cells. Stem Cells, 27(12), 2928-2940. doi:

Psol, M., Darvas, S. G., Leite, K., Mahajani, S. U., Bähr, M., & Kügler, S. (2021). Dementia with Lewy bodies—associated β -synuclein mutations V70M and P123H cause mutation-specific neuropathological lesions. Human Molecular Genetics, (ddab036). doi: 10.1093/hmg/ddab036. <https://doi.org/10.1093/hmg/ddab036>

Pu, H., Guo, Y., Zhang, W., Huang, L., Wang, G., Liou, A. K., . . . Wang, Y. (2013). Omega-3 polyunsaturated fatty acid supplementation improves neurologic recovery and attenuates white matter injury after experimental traumatic brain injury. Journal of Cerebral Blood Flow and Metabolism. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013108a.html>

Pucker, A. D., Carpenter, A. R., McHugh, K. M., & Mutti, D. O. (2014). Guinea Pig Ciliary Muscle Development. Optometry and Vision Science, Publish Ahead of Print, 10.1097/OPX.0000000000000304. doi: http://journals.lww.com/optvissci/Fulltext/publishahead/Guinea_Pig_Cilia..

Pucker, A. D., Jackson, A. R., McHugh, K. M., & Mutti, D. O. (2020). Morphological ciliary muscle changes associated with form deprivation-induced myopia. Experimental Eye Research, 193, 107963. doi: <https://doi.org/10.1016/j.exer.2020.107963>. <http://www.sciencedirect.com/science/article/pii/S0014483519306207>

Pucker, A. D., Jackson, A. R., Morris, H. J., Fischer, A. J., McHugh, K. M., & Mutti, D. O. (2015). Ciliary Muscle Cell Changes During Guinea Pig Development Ciliary Muscle Changes in Guinea Pig

Development. *Investigative Ophthalmology and Visual Science*, 56(13), 7691-7696. doi: 10.1167/iovs.15-17927. <http://dx.doi.org/10.1167/iovs.15-17927>

Pugh, P., Adlaf, E., Zhao, C. S., Markwardt, S., Gavin, C., Wadiche, J., & Overstreet-Wadiche, L. (2011). Enhanced integration of newborn neurons after neonatal insults. *Frontiers in Neuroscience*, 5. doi.

Puntel, M., Barrett, R., Sanderson, N. S. R., Kroeger, K. M., Bondale, N., Wibowo, M., . . . Lowenstein, P. R. (2011). Identification and Visualization of CD8⁺ T Cell Mediated IFN- γ Signaling in Target Cells during an Antiviral Immune Response in the Brain. *PLoS ONE*, 6(8), e23523-e23523. doi.

Puntel, M., Barrett, R. J., Mondkar, S., Saxena, V., Kroeger, K. M., Muhammad, A. K. M., . . . others. (2009). Herpes simplex virus type 1 thymidine kinase sequence fused to the lacZ gene increases levels of β -galactosidase activity per genome of high-capacity but not first-generation adenoviral vectors in vitro and in vivo. *Journal of Virology*, 83(4), 2004-2010. doi.

Purevdorj, E., Zscheppang, K., Hoymann, H. G., Braun, A., von Mayersbach, D., Brinkhaus, M.-J., . . . Dammann, C. E. L. (2008). ErbB4 deletion leads to changes in lung function and structure similar to bronchopulmonary dysplasia. *American Journal of Physiology - Lung Cellular and Molecular Physiology*, 294(3), 00423.02007. doi:

10.1152/ajplung.00423.2007. <http://ajplung.physiology.org/cgi/content/abstract/00423.2007v1>

Purisai, M. G., McCormack, A. L., Cumine, S., Li, J., Isla, M. Z., & Di Monte, D. A. (2007). Microglial activation as a priming event leading to paraquat-induced dopaminergic cell degeneration. *Neurobiology of Disease*, 25(2), 392-400. doi.

Purohit, D. C., Mandyam, A. D., Terranova, M. J., & Mandyam, C. D. (2019). Voluntary wheel running during adolescence distinctly alters running output in adulthood in male and female rats. *Behavioural Brain Research*, 112235. doi: <https://doi.org/10.1016/j.bbr.2019.112235>. <http://www.sciencedirect.com/science/article/pii/S0166432819305807>

Purushothuman, S., Johnstone, D. M., Nandasena, C., Eersel, J. v., Ittner, L. M., Mitrofanis, J., & Stone, J. (2015). Near infrared light mitigates cerebellar pathology in transgenic mouse models of dementia. *Neuroscience Letters*, 591(0), 155-159. doi: <http://dx.doi.org/10.1016/j.neulet.2015.02.037>. <http://www.sciencedirect.com/science/article/pii/S0304394015001512>

Purushothuman, S., Nandasena, C., Johnstone, D. M., Stone, J., & Mitrofanis, J. (2013). The impact of near-infrared light on dopaminergic cell survival in a transgenic mouse model of parkinsonism. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.08.047>. <http://www.sciencedirect.com/science/article/pii/S0006899313011840>

Purushothuman, S., Nandasena, C., Peoples, C. L., El Massri, N., Johnstone, D., Mitrofanis, J., & Stone, J. (2013). Saffron Pre-Treatment Offers Neuroprotection to Nigral and Retinal Dopaminergic Cells of MPTP-Treated mice. *Journal of Parkinson's Disease*. doi: 10.3233/jpd-130173. <http://dx.doi.org/10.3233/JPD-130173>

Puttagunta, R., Tedeschi, A., S3ria, M. G., Hervera, A., Lindner, R., Rathore, K. I., . . . Schmandke, A. (2014). PCAF-dependent epigenetic changes promote axonal regeneration in the central nervous system. *Nature Communications*, 5. doi.

Putten, H. P. V., Bouwhuis, M. G., Muizelaar, J. P., Lyeth, B. G., & Berman, R. F. (2005). Diffusion-weighted imaging of edema following traumatic brain injury in rats: effects of secondary hypoxia. *Journal of Neurotrauma*, 22(8), 857-872. doi:

Qi, F., Yang, J., Xia, Y., Yuan, Q., Guo, K., Zou, J., & Yao, Z. (2015). A(H1N1) vaccination recruits T lymphocytes to the choroid plexus for the promotion of hippocampal neurogenesis and working memory in pregnant mice. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2015.11.006>, <http://www.sciencedirect.com/science/article/pii/S0889159115300519>

Qi, F., Zuo, Z., Hu, S., Xia, Y., Song, D., Kong, J., . . . Yang, J. (2018). An Enriched Environment Restores Hepatitis B Vaccination-mediated Impairments in Synaptic Function Through IFN- γ /Arginase1 Signaling. *Brain, Behavior, and Immunity*. doi: <https://www.sciencedirect.com/science/article/pii/S0889159118300898>

Qi, L. M., & Wade, J. (2013). Sexually Dimorphic and Developmentally Regulated Expression of Tubulin Specific Chaperone Protein A in the LMAN of Zebra Finches. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.05.032>, <http://www.sciencedirect.com/science/article/pii/S0306452213004521>

Qi, X., Davis, B., Chiang, Y.-H., Filichia, E., Barnett, A., Greig, N. H., . . . Luo, Y. (2016). Dopaminergic neuron-specific deletion of p53 gene is neuroprotective in an experimental Parkinson's disease model. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13706. <http://dx.doi.org/10.1111/jnc.13706>

Qian, K., Huang, C.-L., Chen, H., Blackburn, L. W., Chen, Y., Cao, J., . . . Zhang, S.-C. (2014). A simple and efficient system for regulating gene expression in human pluripotent stem cells and derivatives. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1653. <http://dx.doi.org/10.1002/stem.1653>

Qian, K., Huang, H., Peterson, A., Hu, B., Maragakis, N. J., Ming, G.-L., . . . Zhang, S.-C. (2017). Sporadic ALS Astrocytes Induce Neuronal Degeneration In Vivo. *Stem Cell Reports*. doi: <http://doi.org/10.1016/j.stemcr.2017.03.003>, <http://www.sciencedirect.com/science/article/pii/S2213671117300917>

Qian, Y., Yin, J., Hong, J., Li, G., Zhang, B., Liu, G., . . . Chen, L. (2016). Neuronal seipin knockout facilitates A β -induced neuroinflammation and neurotoxicity via reduction of PPAR γ in hippocampus of mouse. [journal article]. *Journal of neuroinflammation*, 13(1), 1-14. doi: 10.1186/s12974-016-0598-3 <http://dx.doi.org/10.1186/s12974-016-0598-3>

Qiang, L., Piermarini, E., Muralidharan, H., Yu, W., Leo, L., Hennessy, L. E., . . . Baas, P. W. (2018). Hereditary Spastic Paraplegia: gain-of-function mechanisms revealed by new transgenic mouse. *Human Molecular Genetics*, ddy419-ddy419. doi: 10.1093/hmg/ddy419. <http://dx.doi.org/10.1093/hmg/ddy419>

Qiao, C., Zhang, L.-X., Sun, X.-Y., Ding, J.-H., Lu, M., & Hu, G. (2016). Caspase-1 Deficiency Alleviates Dopaminergic Neuronal Death via Inhibiting Caspase-7/AIF Pathway in MPTP/p Mouse Model of Parkinson's Disease. [journal article]. *Molecular Neurobiology*, 1-11. doi: 10.1007/s12035-016-9980-5. <http://dx.doi.org/10.1007/s12035-016-9980-5>

Qiao, C., Zhang, Q., Jiang, Q., Zhang, T., Chen, M., Fan, Y., . . . Hu, G. (2018). Inhibition of the hepatic Nlrp3 protects dopaminergic neurons via attenuating systemic inflammation in a MPTP/p mouse model of Parkinson's disease. [journal article]. *Journal of neuroinflammation*, 15(1), 193. doi: 10.1186/s12974-018-1236-z. <https://doi.org/10.1186/s12974-018-1236-z>

Qiao, Y., Zhang, C.-K., Li, Z.-H., Niu, Z.-H., Li, J., & Li, J.-L. (2018). Collateral Projections from the Lateral Parabrachial Nucleus to the Central Amygdaloid Nucleus and the Ventral Tegmental Area in the Rat. *The Anatomical Record*, 0(ja). doi: 10.1002/ar.23983. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ar.23983>

Qin, H., Buckley, J. A., Li, X., Liu, Y., Fox, T. H., Meares, G. P., . . . Li, Y. (c01c6). Inhibition of the JAK/STAT Pathway Protects Against α -Synuclein-Induced Neuroinflammation and Dopaminergic Neurodegeneration. *The Journal of Neuroscience*, 36(18), 5144-5159. doi: <http://www.jneurosci.org/content/36/18/5144.short>

Qin, Y., Liu, Y., Hao, W., Decker, Y., Tomic, I., Menger, M. D., . . . Fassbender, K. (2016). Stimulation of TLR4 Attenuates Alzheimer's Disease-Related Symptoms and Pathology in Tau-Transgenic Mice. *The Journal of Immunology*. doi: 10.4049/jimmunol.1600873. <http://www.jimmunol.org/content/early/2016/09/07/jimmunol.1600873.abstract>

Qin, Z., Gonsalvez, D. G., Wood, R. J., Daemi, F., Yoo, S., Ivanusic, J. J., . . . Xiao, J. (2020). Partial deletion of p75NTR in large-diameter DRG neurons exerts no influence upon the survival of peripheral sensory neurons in vivo. *Journal of Neuroscience Research*, n/a(n/a). doi: 10.1002/jnr.24665. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24665>

Qiu, G., Helmeste, D. M., Samaranyake, A. N., Lau, W. M., Lee, T. M. C., Tang, S. W., & So, K. F. (2007). Modulation of the suppressive effect of corticosterone on adult rat hippocampal cell proliferation by paroxetine. *Neuroscience bulletin*, 23(3), 131-135. doi:

Qiu, L., Zhu, C., Bodogan, T., Gómez-Galán, M., Zhang, Y., Zhou, K., . . . Terrando, N. (2015). Acute and long-term effects of brief sevoflurane anesthesia during the early postnatal period in rats. *Toxicological Sciences*. doi: 10.1093/toxsci/kfv219. <http://toxsci.oxfordjournals.org/content/early/2015/09/29/toxsci.kfv219...>

Qiu, L., Zhu, C., Wang, X., Xu, F., Eriksson, P. S., Nilsson, M., . . . Blomgren, K. (2007). Less neurogenesis and inflammation in the immature than in the juvenile brain after cerebral hypoxia-ischemia. *Journal of Cerebral Blood Flow and Metabolism*, 27, 785-794. doi:

Qiu, Z., Norflus, F., Singh, B., Swindell, M. K., Buzescu, R., Bejarano, M., . . . Hersch, S. M. (2006). Sp1 Is Up-regulated in Cellular and Transgenic Models of Huntington Disease, and Its Reduction Is Neuroprotective. *Journal of Biological Chemistry*, 281(24), 16672-16680. doi:

Quach, D. H., Oliveira-Fernandes, M., Gruner, K. A., & Tourtellotte, W. G. (2013). A Sympathetic Neuron Autonomous Role for Egr3-Mediated Gene Regulation in Dendrite Morphogenesis and Target Tissue Innervation. *Journal of Neuroscience*, 33(10), 4570-4583. doi: 10.1523/jneurosci.5481-12.2013. <http://www.jneurosci.org/content/33/10/4570.abstract>

Quan, W., Luo, Q., Hao, W., Tomic, I., Furihata, T., Schulz-Schäffer, W., . . . Liu, Y. (2021). Haploinsufficiency of microglial MyD88 ameliorates Alzheimer's pathology and vascular disorders in APP/PS1-transgenic mice. [<https://doi.org/10.1002/glia.24007>]. *Glia*, n/a(n/a). doi: <https://doi.org/10.1002/glia.24007>. <https://doi.org/10.1002/glia.24007>

Queiroga, C. S. F., Tomasi, S., Widerøe, M., Alves, P. M., Vercelli, A., & Vieira, H. L. A. (2012). Preconditioning Triggered by Carbon Monoxide (CO) Provides Neuronal Protection Following Perinatal Hypoxia-Ischemia. *Plos one*, 7(8), e42632. doi:

Quesada, A., Romeo, H. E., & Micevych, P. (2007). Distribution and localization patterns of estrogen receptor- β

and insulin-like growth factor-1 receptors in neurons and glial cells of the female rat substantia nigra: Localization of ER β

and IGF-1R in substantia nigra. *Journal of Comparative Neurology*, 503(1), 198-208. doi.

Quik, M., Campos, C., Parameswaran, N., Langston, J. W., McIntosh, J. M., & Yeluashvili, M. (2010). Chronic nicotine treatment increases nAChRs and microglial expression in monkey substantia nigra after nigrostriatal damage. *Journal of Molecular Neuroscience*, 40(1), 105-113. doi.

Quinn, J., Montine, T., Morrow, J., Woodward, W. R., Kulhanek, D., & Eckenstein, F. (2003). Inflammation and cerebral amyloidosis are disconnected in an animal model of Alzheimer's disease. *Journal of Neuroimmunology*, 137(1-2), 32-41. doi.

Quinn, J. C., Molinek, M., Mason, J. O., & Price, D. J. (2009). Gli3 is required autonomously for dorsal telencephalic cells to adopt appropriate fates during embryonic forebrain development. *Developmental Biology*, 327(1), 204-215. doi.

Quinn, J. F., Harris, C. J., Cobb, K. E., Domes, C., Ralle, M., Brewer, G., & Wadsworth, T. L. (2010). A Copper-Lowering Strategy Attenuates Amyloid Pathology in a Transgenic Mouse Model of Alzheimer's Disease. *Journal of Alzheimer's Disease*, 21(3), 903-914. doi.

Quinn, M., Mukhida, K., Sadi, D., Hong, M., & Mendez, I. (2008). Adjunctive use of the non-ionic surfactant Poloxamer 188 improves fetal dopaminergic cell survival and reinnervation in a neural transplantation strategy for Parkinson's disease. *European Journal of Neuroscience*, 27(1), 43-52. doi.

Quintero, E. M., Willis, L., Singleton, R., Harris, N., Huang, P., Bhat, N., & Granholm, A. C. (2006). Behavioral and morphological effects of minocycline in the 6-hydroxydopamine rat model of Parkinson's disease. *Brain Research*, 1093(1), 198-207. doi.

R., M. D., Fatemeh, S., Leah, P., Nesrin, S., Joyonna, G. G., P., M. J., . . . Habibeh, K. (2018). HIV-1 Tat regulation of dopamine transmission and microglial reactivity is brain region specific. *Glia*, 0(0). doi: doi:10.1002/glia.23447. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23447>

Raaf, L., Noll, C., Cherifi, M., Benazzoug, Y., Delabar, J. M., & Janel, N. (2010). Hyperhomocysteinemia-induced Dyrk1a downregulation results in cardiomyocyte hypertrophy in rats. *International Journal of Cardiology*, 145(2), 306-307. doi.

Raaf, L., Noll, C., Cherifi, M. E. H., Samuel, J. L., Delcayre, C., Delabar, J. M., . . . Janel, N. (2011). Myocardial fibrosis and TGFB expression in hyperhomocysteinemic rats. *Molecular and Cellular Biochemistry*, 1-8. doi.

Raamsdonk, J. M. V., Pearson, J., Rogers, D. A., Bissada, N., Vogl, A. W., Hayden, M. R., & Leavitt, B. R. (2005). Loss of wild-type huntingtin influences motor dysfunction and survival in the YAC128 mouse model of Huntington disease. *Human Molecular Genetics*, 14(10), 1379-1392. doi.

Rabaneda-Lombarte, N., Serratosa, J., Bové, J., Vila, M., Saura, J., & Solà, C. (2021). The CD200R1 microglial inhibitory receptor as a therapeutic target in the MPTP model of Parkinson's disease. *Journal of neuroinflammation*, 18(1), 88. doi: 10.1186/s12974-021-02132-z. <https://doi.org/10.1186/s12974-021-02132-z>

Raber, J., Fan, Y., Matsumori, Y., Liu, Z., Weinstein, P. R., Fike, J. R., & Liu, J. (2004). Irradiation attenuates neurogenesis and exacerbates ischemia-induced deficits. *Annals of Neurology*, 55(3), 381-389. doi:

Rabey, K. N., Green, D. J., Taylor, A. B., Begun, D. R., Richmond, B. G., & McFarlin, S. C. (2014). Locomotor activity influences muscle architecture and bone growth but not muscle attachment site morphology. *Journal of Human Evolution*, (0). doi: <http://dx.doi.org/10.1016/j.jhevol.2014.10.010>. <http://www.sciencedirect.com/science/article/pii/S0047248414002553>

Rademacher, D. J., Mendoza-Elias, N., & Meredith, G. E. (2014). Effects of context-drug learning on synaptic connectivity in the basolateral nucleus of the amygdala in rats. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12781. <http://dx.doi.org/10.1111/ejn.12781>

Rademacher, D. J., Rosenkranz, J. A., Morshedi, M. M., Sullivan, E. M., & Meredith, G. E. (2010). Amphetamine-Associated Contextual Learning Is Accompanied by Structural and Functional Plasticity in the Basolateral Amygdala. *Journal of Neuroscience*, 30(13), 4676-4686. doi: 10.1523/jneurosci.6165-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/13/4676>

Radley, J. J., Anderson, R. M., Hamilton, B. A., Alcock, J. A., & Romig-Martin, S. A. (2013). Chronic Stress-Induced Alterations of Dendritic Spine Subtypes Predict Functional Decrements in an Hypothalamo-Pituitary-Adrenal-Inhibitory Prefrontal Circuit. *Journal of Neuroscience*, 33(36), 14379-14391. doi: 10.1523/jneurosci.0287-13.2013. <http://www.jneurosci.org/content/33/36/14379.abstract>

Radley, J. J., Arias, C. M., & Sawchenko, P. E. (2006). Regional Differentiation of the Medial Prefrontal Cortex in Regulating Adaptive Responses to Acute Emotional Stress. *Journal of Neuroscience*, 26(50), 12967-12976. doi: 10.1523/jneurosci.4297-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/50/12967>

Radley, J. J., Gosselink, K. L., & Sawchenko, P. E. (2009). A Discrete GABAergic Relay Mediates Medial Prefrontal Cortical Inhibition of the Neuroendocrine Stress Response. *Journal of Neuroscience* 29(22), 7330-7340. doi:

Radley, J. J., Johnson, L. R., Janssen, W. G. M., Martino, J., Lamprecht, R., Hof, P. R., . . . Morrison, J. H. (2006). Associative Pavlovian conditioning leads to an increase in spinophilin-immunoreactive dendritic spines in the lateral amygdala. *European Journal of Neuroscience*, 24(3), 876-884. doi: 10.1111/j.1460-9568.2006.04962.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04962.x>

Radley, J. J., & Sawchenko, P. E. (2011). A Common Substrate for Prefrontal and Hippocampal Inhibition of the Neuroendocrine Stress Response. *Journal of Neuroscience*, 31(26), 9683-9695. doi: 10.1523/jneurosci.6040-10.2011. <http://www.jneurosci.org/content/31/26/9683.abstract>

Radley, J. J., & Sawchenko, P. E. (2015). Evidence for involvement of a limbic paraventricular hypothalamic inhibitory network in hypothalamic-pituitary-adrenal axis adaptations to repeated stress. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23815. <http://dx.doi.org/10.1002/cne.23815>

Radley, J. J., Williams, B., & Sawchenko, P. E. (2008). Noradrenergic Innervation of the Dorsal Medial Prefrontal Cortex Modulates Hypothalamo-Pituitary-Adrenal Responses to Acute Emotional Stress. *Journal of Neuroscience*, 28(22), 5806-5816. doi: 10.1523/jneurosci.0552-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/22/5806>

Radomski, K. L., Zhou, Q., Kevin, J. Y., & Doughty, M. L. (2013). Glia, Scratch wound assay, Large animal model, Human NT-2 neurons, Regeneration. *BMC Neuroscience*, 14(1). doi: <http://web.ebscohost.com/abstract?direct=true&profile=ehost&scope=site&a..>

Rafii, M. S., Baumann, T. L., Bakay, R. A. E., Ostrove, J. M., Siffert, J., Fleisher, A. S., . . . Bartus, R. T. (2014). A phase1 study of stereotactic gene delivery of AAV2-NGF for Alzheimer's disease. *Alzheimer's & Dementia*, (0). doi: <http://dx.doi.org/10.1016/j.jalz.2013.09.004>. <http://www.sciencedirect.com/science/article/pii/S1552526013028380>

Raghanti, M., Spurlock, L., Robert Treichler, F., Weigel, S., Stimmelmayer, R., Butti, C., . . . Hof, P. (2014). An analysis of von Economo neurons in the cerebral cortex of cetaceans, artiodactyls, and perissodactyls. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-014-0792-y. <http://dx.doi.org/10.1007/s00429-014-0792-y>

Raghanti, M. A., Conley, T., Sudduth, J., Erwin, J. M., Stimpson, C. D., Hof, P. R., & Sherwood, C. C. (2012). Neuropeptide Y-immunoreactive Neurons in the Cerebral Cortex of Humans and Other Haplorrhine Primates. *American Journal of Primatology*, n/a-n/a. doi: 10.1002/ajp.22082. <http://dx.doi.org/10.1002/ajp.22082>

Raghanti, M. A., Simic, G., Watson, S., Stimpson, C. D., Hof, P. R., & Sherwood, C. C. (2011). Comparative analysis of the nucleus basalis of Meynert among primates. *Neuroscience*. doi.

Raghanti, M. A., Spocter, M. A., Stimpson, C. D., Erwin, J. M., Bonar, C. J., Allman, J. M., . . . Sherwood, C. C. (2009). Species-specific distributions of tyrosine hydroxylase-immunoreactive neurons in the prefrontal cortex of anthropoid primates. *Neuroscience*, 158(4), 1551-1559. doi.

Raghanti, M. A., Stimpson, C. D., Marcinkiewicz, J. L., Erwin, J. M., Hof, P. R., & Sherwood, C. C. (2008). Cholinergic innervation of the frontal cortex: differences among humans, chimpanzees, and macaque monkeys. *Journal of Comparative Neurology*, 506(3), 409-424. doi.

Raghanti, M. A., Stimpson, C. D., Marcinkiewicz, J. L., Erwin, J. M., Hof, P. R., & Sherwood, C. C. (2008). Cortical dopaminergic innervation among humans, chimpanzees, and macaque monkeys: A comparative study. *Neuroscience*, 155(1), 203-220. doi.

Raghanti, M. A., Stimpson, C. D., Marcinkiewicz, J. L., Erwin, J. M., Hof, P. R., & Sherwood, C. C. (2008). Differences in Cortical Serotonergic Innervation among Humans, Chimpanzees, and Macaque Monkeys: A Comparative Study. *Cerebral Cortex*, 18(3), 584-597. doi: 10.1093/cercor/bhm089. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/3/584>

Rahim, A. A., Wong, A. M. S., Hoefler, K., Buckley, S. M. K., Mattar, C. N., Cheng, S. H., . . . Waddington, S. N. (2011). Intravenous administration of AAV2/9 to the fetal and neonatal mouse leads to differential targeting of CNS cell types and extensive transduction of the nervous system. *Faseb Journal*, 25(10), 3505-3518. doi.

Rahim, A. A., Wong, A. M. S., Howe, S. J., Buckley, S. M. K., Acosta-Saltos, A. D., Elston, K. E., . . . Raivich, G. (2009). Efficient gene delivery to the adult and fetal CNS using pseudotyped non-integrating lentiviral vectors. *Gene Therapy*. doi: <http://dx.doi.org/10.1038/gt.2008.186>

Rahnama'i, M. S., de Wachter, S. G., van Koeveeringe, G. A., van Kerrebroeck, P. E., de Vente, J., & Gillespie, J. I. (2011). The Relationship Between Prostaglandin E Receptor 1 and Cyclooxygenase I Expression in Guinea Pig Bladder Interstitial Cells: Proposition of a Signal Propagation System. *Journal of Urology*, 185(1), 315-322. doi.

Rai, K. S., Hattiangady, B., & Shetty, A. K. (2007). Enhanced production and dendritic growth of new dentate granule cells in the middle-aged hippocampus following intracerebroventricular FGF-2 infusions. *European Journal of Neuroscience*, 26(7), 1765-1779. doi: doi:10.1111/j.1460-9568.2007.05820.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05820.x>

Raïke, R. S., Hess, E. J., & Jinnah, H. A. (2015). Dystonia and cerebellar degeneration in the leaner mouse mutant. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.03.011>. <http://www.sciencedirect.com/science/article/pii/S0006899315001936>

Raïke, R. S., Pizoli, C. E., Weisz, C., van den Maagdenberg, A. M. J. M., Jinnah, H. A., & Hess, E. J. (2012). Limited regional cerebellar dysfunction induces focal dystonia in mice. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.07.019. <http://www.sciencedirect.com/science/article/pii/S0969996112002677>

Raikwar, H. P., Muthian, G., Rajasingh, J., Johnson, C., & Bright, J. J. (2005). PPARgamma antagonists exacerbate neural antigen-specific Th1 response and experimental allergic encephalomyelitis. *Journal of Neuroimmunology*, 167. doi: 10.1016/j.jneuroim.2005.06.026. <http://dx.doi.org/10.1016/j.jneuroim.2005.06.026>

Rajab, A., Khaburi, M., Spranger, S., Kunze, J., & Spranger, J. (2003). Congenital generalized lipodystrophy, mental retardation, deafness, short stature, and slender bones: a newly recognized syndrome? *Am J Med Genet A*, 121A. doi: 10.1002/ajmg.a.20245. <http://dx.doi.org/10.1002/ajmg.a.20245>

Rajamohamedsait, H., Rasool, S., Rajamohamedsait, W., Lin, Y., & Sigurdsson, E. M. (2017). Prophylactic Active Tau Immunization Leads to Sustained Reduction in Both Tau and Amyloid- β Pathologies in 3xTg Mice. *Scientific Reports*, 7(1), 17034. doi: 10.1038/s41598-017-17313-1. <https://doi.org/10.1038/s41598-017-17313-1>

Rajkowska, G. (2003). Depression: what we can learn from postmortem studies. *The Neuroscientist*, 9(4), 273-284. doi.

Rajkowska, G. (2005). Anatomical pathology. *The American Psychiatric Publishing textbook of mood disorders*, 179-179. doi.

Rajkowska, G., Clarke, G., Mahajan, G., Licht, C. M. M., van de Werd, H. J. J. M., Yuan, P., . . . Uylings, H. B. M. (2016). Differential effect of lithium on cell number in the hippocampus and prefrontal cortex in adult mice: a stereological study. *Bipolar Disorders*, n/a-n/a. doi: 10.1111/bdi.12364. <http://dx.doi.org/10.1111/bdi.12364>

Rajkowska, G., Legutko, B., Moulana, M., Syed, M., Romero, D. G., Stockmeier, C. A., & Miguel-Hidalgo, J. J. (2018). Astrocyte pathology in the ventral prefrontal white matter in depression. *Journal of Psychiatric Research*. doi: 10.1016/j.jpsychires.2018.04.005. <http://dx.doi.org/10.1016/j.jpsychires.2018.04.005>

Rajkowska, G., Mahajan, G., Legutko, B., Challagundla, L., Griswold, M., Albert, P. R., . . . Stockmeier, C. A. (2017). Length of axons expressing the serotonin transporter in orbitofrontal cortex is lower with age in depression. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.07.006>. <http://www.sciencedirect.com/science/article/pii/S0306452217304761>

Rajkowska, G., Miguel-Hidalgo, J. J., Dubey, P., Stockmeier, C. A., & Krishnan, K. (2005). Prominent reduction in pyramidal neurons density in the orbitofrontal cortex of elderly depressed patients. *Biological Psychiatry*, 58(4), 297-306. doi.

Rajkowska, G., O'Dwyer, G., Teleki, Z., Stockmeier, C. A., & Miguel-Hidalgo, J. J. (2007). GABAergic Neurons Immunoreactive for Calcium Binding Proteins are Reduced in the Prefrontal Cortex in Major Depression. *Neuropsychopharmacology* 32, 471-482. doi.

Rajsombath, M. M., Nam, A. Y., Ericsson, M., & Nuber, S. (2019c). Female sex and brain-selective estrogen benefit α -synuclein tetramerization and the PD-like motor syndrome in 3K transgenic mice. *Journal of Neuroscience*, 0313-0319. doi. <https://www.jneurosci.org/content/early/2019/08/13/JNEUROSCI.0313-19.201...>

Rakici, S. Y., Guzel, A. I., Tumkaya, L., Sevim Nalkiran, H., & Mercantepe, T. (2019). Pelvic Radiation-Induced Testicular Damage: An Experimental Study at 1 Gray. *Systems Biology in Reproductive Medicine*, 1-10. doi: 10.1080/19396368.2019.1679909. <https://doi.org/10.1080/19396368.2019.1679909>

Raman, L., Kong, X., Gilley, J. A., & Kernie, S. G. (2011). Chronic Hypoxia Impairs Murine Hippocampal Development and Depletes the Postnatal Progenitor Pool by Attenuating Mammalian Target of Rapamycin Signaling. *Pediatric Research*, 70(2), 159-159. doi.

Raman, L., Kong, X., & Kernie, S. G. (2013). Pharmacological inhibition of the mTOR pathway impairs hippocampal development in mice. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2013.01.045>. <http://www.sciencedirect.com/science/article/pii/S0304394013000876>

Ramanathan, D., Tuszyński, M. H., & Conner, J. M. (2009). The Basal Forebrain Cholinergic System Is Required Specifically for Behaviorally Mediated Cortical Map Plasticity. *Journal of Neuroscience*, 29(18), 5992-6000. doi: 10.1523/jneurosci.0230-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/18/5992>

Ramaswamy, S., Goings, G. E., Soderstrom, K. E., Szele, F. G., & Kozłowski, D. A. (2005). Cellular proliferation and migration following a controlled cortical impact in the mouse. *Brain Research*, 1053(1-2), 38-53. doi.

Ramaswamy, S., McBride, J. L., Han, I., Berry-Kravis, E. M., Zhou, L., Herzog, C. D., . . . Kordower, J. H. (2009). Intrastratial CERE-120 (AAV-Neurturin) protects striatal and cortical neurons and delays motor deficits in a transgenic mouse model of Huntington's disease. *Neurobiology of Disease*, 34(1), 40-50. doi.

Ramaswamy, S., McBride, J. L., Herzog, C. D., Brandon, E., Gasmi, M., Bartus, R. T., & Kordower, J. H. (2007). Neurturin gene therapy improves motor function and prevents death of striatal neurons in a 3-nitropropionic acid rat model of Huntington's disease. *Neurobiology of Disease*, 26(2), 375-384. doi.

Ramonet, D., Daher, J. P. L., Lin, B. M., Stafa, K., Kim, J., Banerjee, R., . . . others. (2011). Dopaminergic neuronal loss, reduced neurite complexity and autophagic abnormalities in transgenic mice expressing G2019S mutant LRRK2. *PLoS ONE*, 6(4), e18568-e18568. doi.

Ramos, R. L., Toia, A. R., Pasternack, D., Dotzler, T. P., Cuoco, J. A., Esposito, A. W., . . . Sarkisian, M. R. (2016). Neuroanatomical characterization of the cellular and axonal architecture of subcortical band heterotopia in the BXD29-Tlr4^{lps-2J}/J mouse cortex. *Neuroscience*.

doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.08.049>. <http://www.sciencedirect.com/science/article/pii/S0306452216304225>

Ranaldi, R., Kest, K., Zellner, M. R., Lubelski, D., Muller, J., Cruz, Y., & Saliba, M. (2011). The effects of VTA NMDA receptor antagonism on reward-related learning and associated c-fos expression in forebrain. *Behavioural Brain Research*, 216(1), 424-432. doi.

Ranasinghe, S., Or, G., Wang, E. Y., Ievins, A., McLean, M. A., Niell, C. M., . . . Sullivan, J. (2015). Reduced Cortical Activity Impairs Development and Plasticity after Neonatal Hypoxia Ischemia. *The Journal of Neuroscience*, 35(34), 11946-11959. doi. <http://www.jneurosci.org/content/35/34/11946.short>

Rane, M. J., Gozal, D., Butt, W., Gozal, E., Pierce, W. M., Jr., Guo, S. Z., . . . Klein, J. B. (2005). γ -Amino Butyric Acid Type B Receptors Stimulate Neutrophil Chemotaxis during Ischemia-Reperfusion. *Journal of Immunology*, 174(11), 7242-7249. doi. <http://www.jimmunol.org/cgi/content/abstract/174/11/7242>

Rangel, L., Alexander, A., Aimone, J., Wiles, J., Gage, F., Chiba, A., & Quinn, L. (2014). Temporally selective contextual encoding in the dentate gyrus of the hippocampus. *Nature Communications*, 5. doi. <http://www.nature.com/ncomms/2014/140212/ncomms4181/full/ncomms4181.html>

Rania, B., Harriet, L.-B., & Kullervo, H. (2020). Perfusion fixation methods for preclinical biodistribution studies: A comparative assessment using automated image processing. *Methods and Applications in Fluorescence*. doi. <http://iopscience.iop.org/article/10.1088/2050-6120/abd37b>

Rao, M. S., Hattiangady, B., Abdel-Rahman, A., Stanley, D. P., & Shetty, A. K. (2005). Newly born cells in the ageing dentate gyrus display normal migration, survival and neuronal fate choice but endure retarded early maturation *European Journal of Neuroscience*, 21(2), 464-476. doi.

Rao, M. S., Hattiangady, B., Rai, K. S., & Shetty, A. K. (2007). Strategies for promoting anti-seizure effects of hippocampal fetal cells grafted into the hippocampus of rats exhibiting chronic temporal lobe epilepsy. *Neurobiology of Disease*, 27(2), 117-132. doi.

Rao, M. S., Hattiangady, B., Reddy, D. S., & Shetty, A. K. (2006). Hippocampal neurodegeneration, spontaneous seizures, and mossy fiber sprouting in the F344 rat model of temporal lobe epilepsy. *Journal of Neuroscience Research*, 83(6), 1088-1105. doi.

Rao, M. S., Hattiangady, B., & Shetty, A. K. (2006). Fetal hippocampal CA3 cell grafts enriched with FGF-2 and BDNF exhibit robust long-term survival and integration and suppress aberrant mossy fiber sprouting in the injured middle-aged hippocampus *Neurobiology of Disease* 21(2), 276-290. doi.

Rao, M. S., Hattiangady, B., & Shetty, A. K. (2006). The window and mechanisms of major age-related decline in the production of new neurons within the dentate gyrus of the hippocampus. *Aging Cell*, 5(6), 545-558. doi.

Rao, M. S., & Shetty, A. K. (2004). Efficacy of doublecortin as a marker to analyse the absolute number and dendritic growth of newly generated neurons in the adult dentate gyrus. *European Journal of Neuroscience*, 19(2), 234-246. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2003.0312..>

Rapp, P. R., Burwell, R. D., & West, M. J. (1996). Individual differences in aging: Implications for stereological studies of neuron loss. *Neurobiology of Aging*, 17, 495-496. doi.

Rapp, P. R., Deroche, P. S., Mao, Y., & Burwell, R. D. (2002). Neuron Number in the Parahippocampal Region is Preserved in Aged Rats with Spatial Learning Deficits. *Cerebral Cortex*, 12(11), 1171-1179. doi: 10.1093/cercor/12.11.1171. <http://cercor.oxfordjournals.org/cgi/content/abstract/12/11/1171>

Rapp, P. R., & Gallagher, M. (1996). Preserved neuron number in the hippocampus of aged rats with spatial learning deficits. *Proceedings of the National Academy of Sciences*, 93, 9926-9930. doi:

Rash, B. G., Duque, A., Morozov, Y. M., Arellano, J. I., Micali, N., & Rakic, P. (2019). Gliogenesis in the outer subventricular zone promotes enlargement and gyrification of the primate cerebrum. *Proceedings of the National Academy of Sciences*, 201822169. doi: 10.1073/pnas.1822169116. <http://www.pnas.org/content/early/2019/03/19/1822169116.abstract>

Rash, B. G., Lim, H. D., Breunig, J. J., & Vaccarino, F. M. (2011). FGF Signaling Expands Embryonic Cortical Surface Area by Regulating Notch-Dependent Neurogenesis. *Journal of Neuroscience*, 31(43), 15604-15617. doi: 10.1523/jneurosci.4439-11.2011. <http://www.jneurosci.org/content/31/43/15604.abstract>

Rash, B. G., Tomasi, S., Lim, H. D., Suh, C. Y., & Vaccarino, F. M. (2013). Cortical Gyrification Induced by Fibroblast Growth Factor 2 in the Mouse Brain. *Journal of Neuroscience*, 33(26), 10802-10814. doi: 10.1523/jneurosci.3621-12.2013. <http://www.jneurosci.org/content/33/26/10802.abstract>

Rashidiani-Rashidabadi, A., Heidari, M., Sajadi, E., Hejazi, F., Fathabady, F., Sadeghi, Y., . . . Farahni, R. (2019). Sciatic nerve injury alters the spatial arrangement of neurons and glial cells in the anterior horn of the spinal cord. [Research Article]. *Neural Regeneration Research*, 14(10), 1833-1840. doi: 10.4103/1673-5374.257539. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2019;volume=14;...>

Raslan, A., Salem, M. A. M., Al-Hussaini, A., Guntinas-Lichius, O., & Irintchev, A. (2019). Brief Electrical Stimulation Improves Functional Recovery after Femoral but not after Facial Nerve Injury in Rats. *The Anatomical Record*, 0(ja). doi: 10.1002/ar.24127. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ar.24127>

Rassy, D., Bárcena, B., Pérez-Osorio, I. N., Espinosa, A., Peón, A. N., Terrazas, L. I., . . . Scitutto, E. (2019). Intranasal Methylprednisolone Effectively Reduces Neuroinflammation in Mice With Experimental Autoimmune Encephalitis. *Journal of Neuropathology and Experimental Neurology*. doi: 10.1093/jnen/nlz128. <https://doi.org/10.1093/jnen/nlz128>

Rastogi, S., Unni, S., Sharma, S., Laxmi, T. R., & Kutty, B. M. (2014). Cholinergic immunotoxin 192 IgG-SAPORIN alters subicular theta-gamma activity and impairs spatial learning in rats. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2014.05.008>. <http://www.sciencedirect.com/science/article/pii/S1074742714000914>

Rattray, I., Smith, E., Gale, R., Matsumoto, K., Bates, G. P., & Modo, M. (2013). Correlations of Behavioral Deficits with Brain Pathology Assessed through Longitudinal MRI and Histopathology in the R6/2 Mouse Model of HD. *Plos one*, 8(4), e60012. doi: 10.1371/journal.pone.0060012. <http://dx.doi.org/10.1371%2Fjournal.pone.0060012>

Rau, K. K., Hill, C. E., Harrison, B. J., Venkat, G., Koenig, H. M., Cook, S. B., . . . Petruska, J. C. (2016). Cutaneous tissue damage induces long-lasting nociceptive sensitization and regulation of cellular stress- and nerve injury-associated genes in sensory neurons. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.06.002>. <http://www.sciencedirect.com/science/article/pii/S0014488616301595>

Ray, B., Roy, T. S., Wadhwa, S., & Roy, K. K. (2005). Development of the human fetal cochlear nerve: a morphometric study. *Hearing Research*, 202(1-2), 74-86. doi.

Ray, J., & Gage, F. H. (2006). Differential properties of adult rat and mouse brain-derived neural stem/progenitor cells. *Molecular and Cellular Neuroscience*, 31(3), 560-573. doi.

Ray, K., Dutta, A., Panjwani, U., Thakur, L., Anand, J. P., & Kumar, S. (2011). Hypobaric hypoxia modulates brain biogenic amines and disturbs sleep architecture. *Neurochemistry International*, 58(1), 112-118. doi.

Ray, S., Buralgossi, A., Brecht, M., & Naumann, R. K. (2017). Complementary Modular Microcircuits of the Rat Medial Entorhinal Cortex. [Original Research]. *Frontiers in Systems Neuroscience*, 11(20). doi: 10.3389/fnsys.2017.00020. <http://journal.frontiersin.org/article/10.3389/fnsys.2017.00020>

Ray, S., Corenblum, M. J., Anandhan, A., Reed, A., Ortiz, F. O., Zhang, D. D., . . . Madhavan, L. (2018). A Role for Nrf2 Expression in Defining the Aging of Hippocampal Neural Stem Cells. *Cell Transplantation*, 0963689718774030. doi: 10.1177/0963689718774030. <https://doi.org/10.1177/0963689718774030>

Rayen, I., Gemmel, M., Pauley, G., Steinbusch, H. M., & Pawluski, J. (2014). Developmental exposure to SSRIs, in addition to maternal stress, has long-term sex-dependent effects on hippocampal plasticity. *Psychopharmacology*, 1-14. doi: 10.1007/s00213-014-3758-0. <http://dx.doi.org/10.1007/s00213-014-3758-0>

Rayen, I., Steinbusch, H. W. M., Charlier, T. D., & Pawluski, J. L. (2013). Developmental fluoxetine exposure and prenatal stress alter sexual differentiation of the brain and reproductive behavior in male rat offspring. *Psychoneuroendocrinology*, (0). doi: <http://dx.doi.org/10.1016/j.psyneuen.2013.01.007>. <http://www.sciencedirect.com/science/article/pii/S0306453013000127>

Rayen, I., van den Hove, D. L., Prickaerts, J., Steinbusch, H. W., & Pawluski, J. L. (2011). Fluoxetine during Development Reverses the Effects of Prenatal Stress on Depressive-Like Behavior and Hippocampal Neurogenesis in Adolescence. *PLoS ONE*, 6(9), e24003-e24003. doi.

Rea, S., Giles, N. L., Webb, S., Adcroft, K. F., Evill, L. M., Strickland, D. H., . . . Fear, M. W. (2009). Bone marrow-derived cells in the healing burn wound—more than just inflammation. *Burns*, 35(3), 356-364. doi.

Recasens, A., Carballo-Carbajal, I., Parent, A., Bové, J., Gelpi, E., Tolosa, E., & Vila, M. (2018). Lack of pathogenic potential of peripheral α -synuclein aggregates from Parkinson's disease patients. [journal article]. *Acta Neuropathologica Communications*, 6(1), 8. doi: 10.1186/s40478-018-0509-1. <https://doi.org/10.1186/s40478-018-0509-1>

Recasens, A., Dehay, B., Bové, J., Carballo-Carbajal, I., Dovero, S., Pérez, A., . . . Vila, M. (2013). Lewy body extracts from parkinson's disease brains trigger α -synuclein pathology and neurodegeneration in mice and monkeys. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24066. <http://dx.doi.org/10.1002/ana.24066>

Redecker, T. M., Kisko, T. M., Wöhr, M., & Schwarting, R. K. W. (2020). Cacna1c haploinsufficiency lacks effects on adult hippocampal neurogenesis and volumetric properties of prefrontal cortex and hippocampus in female rats. *Physiology and Behavior*, 223, 112974.

doi: <https://doi.org/10.1016/j.physbeh.2020.112974>. <http://www.sciencedirect.com/science/article/pii/S0031938420302882>

Redmond, D. E. J., Vinuela, A., Kordower, J. H., & Isacson, O. (2008). Influence of cell preparation and target location on the behavioral recovery after striatal transplantation of fetal dopaminergic neurons in a primate model of Parkinson's disease. *Neurobiology of Disease*, 29(1), 103-116. doi.

Redmond, S. A., Figueres-Oñate, M., Obernier, K., Nascimento, M. A., Parraguez, J. I., López-Mascaraque, L., . . . Alvarez-Buylla, A. (2019). Development of Ependymal and Postnatal Neural Stem Cells and Their Origin from a Common Embryonic Progenitor. *Cell Reports*, 27(2), 429-441.e423. doi: <https://doi.org/10.1016/j.celrep.2019.01.088>. <http://www.sciencedirect.com/science/article/pii/S22112471930124X>

Redwine, J. M., Kosofsky, B., Jacobs, R. E., Games, D., Reilly, J. F., Morrison, J. H., . . . Bloom, F. E. (2003). Dentate gyrus volume is reduced before onset of plaque formation in PDAPP mice: A magnetic resonance microscopy and stereologic analysis. *Proceedings of the National Academy of Sciences*, 100(3), 1381-1386. doi. <http://www.Proceedings> of the National Academy of Sciences.org/cgi/content/abstract/100/3/1381

Refolo, V., Bez, F., Polissidis, A., Kuzdas-Wood, D., Sturm, E., Kamaratou, M., . . . Stefanova, N. (2018). Progressive striatonigral degeneration in a transgenic mouse model of multiple system atrophy: translational implications for interventional therapies. [journal article]. *Acta Neuropathologica Communications*, 6(1), 2. doi: 10.1186/s40478-017-0504-y. <https://doi.org/10.1186/s40478-017-0504-y>

Regensburger, M., Kohl, Z., Grundmann, K., Winner, B., Riess, O., & Winkler, J. (2009). Adult neural precursor cells unaffected in animal models of DYT1 dystonia. *Neuroreport*, 20(17), 1529-1529. doi.

Regensburger, M., Prots, I., Reimer, D., Brachs, S., Loskarn, S., Lie, D. C., . . . Winner, B. (2018). Impact of Swiprosin-1/Efhd2 on Adult Hippocampal Neurogenesis. *Stem Cell Reports*. doi. [http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711\(17\)30558-1](http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711(17)30558-1)

Reich, A., Spering, C., Gertz, K., Harms, C., Gerhardt, E., Kronenberg, G., . . . Schulz, J. B. (2011). Fas/CD95 Regulatory Protein Faim2 Is Neuroprotective after Transient Brain Ischemia. *Journal of Neuroscience*, 31(1), 225-233. doi: 10.1523/jneurosci.2188-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/1/225>

Reichenbach, A., Stark, R., Mequinion, M., Denis, R. R. G., Goularte, J. F., Clarke, R. E., . . . Andrews, Z. B. (2018). AgRP Neurons Require Carnitine Acetyltransferase to Regulate Metabolic Flexibility and Peripheral Nutrient Partitioning. *Cell Reports*, 22(7), 1745-1759. doi: <https://doi.org/10.1016/j.celrep.2018.01.067>. <https://www.sciencedirect.com/science/article/pii/S221124718301165>

Reid, A. J., de Luca, A. C., Faroni, A., Downes, S., Sun, M., Terenghi, G., & Kingham, P. J. (2013). Long term peripheral nerve regeneration using a novel PCL nerve conduit. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2013.04.001>. <http://www.sciencedirect.com/science/article/pii/S0304394013003297>

Reid, S. J., Patassini, S., Handley, R. R., Rudiger, S. R., McLaughlan, C. J., Osmand, A., . . . Snell, R. G. (2013). Further Molecular Characterisation of the OVT73 Transgenic Sheep Model of Huntington's Disease Identifies Cortical Aggregates. *Journal of Huntington's Disease*, 2(3), 279-295. doi: 10.3233/jhd-130067. <http://dx.doi.org/10.3233/JHD-130067>

Reidling, J. C., Relaño-Ginés, A., Holley, S. M., Ochaba, J., Moore, C., Fury, B., . . . Thompson, L. M. (2017). Human Neural Stem Cell Transplantation Rescues Functional Deficits in R6/2 and Q140 Huntington's Disease Mice. *Stem Cell Reports*. doi: <https://doi.org/10.1016/j.stemcr.2017.11.005>. <https://www.sciencedirect.com/science/article/pii/S2213671117304915>

Reimsnider, S., Manfredsson, F. P., Muzyczka, N., & Mandel, R. J. (2007). Time Course of Transgene Expression After Intrastriatal Pseudotyped rAAV2/1, rAAV2/2, rAAV2/5, and rAAV2/8 Transduction in the Rat. *Molecular Therapy*, 15, 1504-1511. doi.

Reiner, A., Lafferty, D. C., Wang, H. B., Del Mar, N., & Deng, Y. P. (2012). The group 2 metabotropic glutamate receptor agonist LY379268 rescues neuronal, neurochemical and motor abnormalities in R6/2 Huntington's disease mice. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.03.025. <http://www.sciencedirect.com/science/article/pii/S0969996112000964>

Reinhart, F., El Massri, N., Johnstone, D. M., Stone, J., Mitrofanis, J., Benabid, A.-L., & Moro, C. (2016). Near-infrared light (670 nm) reduces MPTP-induced parkinsonism within a broad therapeutic time window. *Experimental Brain Research*, 1-8. doi. <http://link.springer.com/article/10.1007/s00221-016-4578-8>

Reinhart, F., Massri, N. E., Chabrol, C., Cretallaz, C., Johnstone, D. M., Torres, N., . . . Mitrofanis, J. (2015). Intracranial application of near-infrared light in a hemi-parkinsonian rat model: the impact on behavior and cell survival. *Journal of Neurosurgery*, 1-13. doi. <http://www.ncbi.nlm.nih.gov/pubmed/26613166>

Reinhart, F., Massri, N. E., Darlot, F., Torres, N., Johnstone, D. M., Chabrol, C., . . . Moro, C. (2014). 810 nm near-infrared light offers neuroprotection and improves locomotor activity in MPTP-treated mice. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2014.11.005>. <http://www.sciencedirect.com/science/article/pii/S0168010214002946>

Reinhart, F., Massri, N. E., Torres, N., Chabrol, C., Molet, J., Johnstone, D. M., . . . Moro, C. (2016). The behavioural and neuroprotective outcomes when 670 nm and 810 nm near infrared light are applied together in MPTP-treated mice. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2016.11.006>. <http://www.sciencedirect.com/science/article/pii/S0168010216302528>

Reis, M., Czupalla, C. J., Ziegler, N., Devraj, K., Zinke, J., Seidel, S., . . . Liebner, S. (2012). Endothelial Wnt/ β -catenin signaling inhibits glioma angiogenesis and normalizes tumor blood vessels by inducing PDGF-B expression. *Journal of Experimental Medicine*. doi: 10.1084/jem.20111580. <http://jem.rupress.org/content/early/2012/08/13/jem.20111580.abstract>

Reiss, A., Braun, J. S., Jager, K., Freyer, D., Laube, G., Buhner, C., . . . Weber, J. R. (2011). Bacterial Pore-Forming Cytolysins Induce Neuronal Damage in a Rat Model of Neonatal Meningitis. *Journal of Infectious Disease*, 203(3), 393-400. doi: 10.1093/infdis/jiq047. <http://jid.oxfordjournals.org/cgi/content/abstract/203/3/393>

Rekha, J., Chakravarthy, S., Veena, L. R., Kalai, V. P., Choudhury, R., Halahalli, H. N., . . . others. (2009). Transplantation of hippocampal cell lines restore spatial learning in rats with ventral subicular lesions. *Behavioral Neuroscience*, 123(6), 1197-1197. doi.

Ren, S.-Q., Li, Z., Lin, S., Bergami, M., & Shi, S.-H. (2019). Precise Long-Range Microcircuit-to-Microcircuit Communication Connects the Frontal and Sensory Cortices in the Mammalian Brain. *Neuron*.

doi: <https://doi.org/10.1016/j.neuron.2019.06.028>. <http://www.sciencedirect.com/science/article/pii/S0896627319305987>

Ren, X., Zhang, T., Gong, X., Hu, G., Ding, W., & Wang, X. (2013). AAV2-mediated striatum delivery of human CDNF prevents the deterioration of midbrain dopamine neurons in a 6-hydroxydopamine induced parkinsonian rat model. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.002>. <http://www.sciencedirect.com/science/article/pii/S001448861300174X>

Rendall, A. R., Perrino, P. A., Buscarello, A. N., & Fitch, R. H. (2018). Shank3B mutant mice display pitch discrimination enhancements and learning deficits. *International Journal of Developmental Neuroscience*. doi: <https://doi.org/10.1016/j.ijdevneu.2018.10.003>. <http://www.sciencedirect.com/science/article/pii/S0736574818302181>

Rendall, A. R., Perrino, P. A., LoTurco, J. J., & Fitch, R. H. (2018). Evaluation of visual motion perception ability in mice with knockout of the dyslexia candidate susceptibility gene Dcdc2. *Genes, Brain and Behavior*, e12450-n/a. doi: 10.1111/gbb.12450. <http://dx.doi.org/10.1111/gbb.12450>

Rennie, K., de Butte, M., Frechette, M., & Pappas, B. A. (2010). Chronic and acute melatonin effects in gerbil global forebrain ischemia: long-term neural and behavioral outcome. *Journal of Pineal Research*, 0(0). doi: doi:10.1111/j.1600-079X.2007.00502.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1600-079X.2007.00502.x>

Rennie, K., De Butte, M., & Pappas, B. A. (2009). Melatonin promotes neurogenesis in dentate gyrus in the pinealectomized rat. *Journal of Pineal Research*, 47(4), 313-317. doi.

Rennie, K., Fréchette, M., & Pappas, B. A. (2011). The effects of neonatal forebrain cholinergic lesion on adult hippocampal neurogenesis. *Brain Research*, 1373, 79-90. doi.

Renouard, L., Bridi, M. C. D., Coleman, T., Arckens, L., & Frank, M. G. (2018). Anatomical Correlates of REM Sleep-Dependent Plasticity in the Developing Cortex. *Sleep*, zsy124-zsy124. doi: 10.1093/sleep/zsy124. <http://dx.doi.org/10.1093/sleep/zsy124>

Rentsch, P., Stayte, S., Egan, T., Clark, I., & Vissel, B. (2019). Targeting the cannabinoid receptor CB2 in a mouse model of l-dopa induced dyskinesia. *Neurobiology of Disease*, 104646. doi: <https://doi.org/10.1016/j.nbd.2019.104646>. <http://www.sciencedirect.com/science/article/pii/S0969996119303213>

Rentsch, P., Stayte, S., Morris, G. P., & Vissel, B. (2019). Time dependent degeneration of the nigrostriatal tract in mice with 6-OHDA lesioned medial forebrain bundle and the effect of activin A on l-Dopa induced dyskinesia. [journal article]. *BMC Neuroscience*, 20(1), 5. doi: 10.1186/s12868-019-0487-7. <https://doi.org/10.1186/s12868-019-0487-7>

Repetto, I. E., Monti, R., Tropicano, M., Tomasi, S., Arbini, A., Andrade-Moraes, C.-H., . . . Vercelli, A. (2016). The Isotopic Fractionator as a Tool for Quantitative Analysis in Central Nervous System Diseases. [Methods]. *Frontiers in Cellular Neuroscience*, 10(190). doi: 10.3389/fncel.2016.00190. <http://journal.frontiersin.org/article/10.3389/fncel.2016.00190>

Reumers, V., Deroose, C. M., Krylyshkina, O., Nuyts, J., Geraerts, M., Mortelmans, L., . . . Baekelandt, V. (2008). Non-invasive and Quantitative Monitoring of Adult Neuronal Stem Cell Migration in Mouse Brain Using Bioluminescence Imaging. *Stem Cells*, 26(9), 2382-2390. doi: 10.1634/stemcells.2007-1062. <http://stemcells.alphaamedpress.org/cgi/content/abstract/26/9/2382>

Reuter, E., Gollan, R., Grohmann, N., Paterka, M., Salmon, H., Birkenstock, J., . . . Kuhlmann, T. (2015). Cross-Recognition of a Myelin Peptide by CD8⁺ T Cells in the CNS Is Not Sufficient to Promote Neuronal Damage. *The Journal of Neuroscience*, 35(12), 4837-4850. doi: <http://www.jneurosci.org/content/35/12/4837.short>

Revest, J. M., Dupret, D., Koehl, M., Funk-Reiter, C., Grosjean, N., Piazza, P. V., & Abrous, D. N. (2009). Adult hippocampal neurogenesis is involved in anxiety-related behaviors. *Molecular Psychiatry*. doi: <http://dx.doi.org/10.1038/mp.2009.15>

<http://www.nature.com/mp/journal/vaop/ncurrent/suppinfo/mp200915s1.html>

Rey, N., Petit, G., Bousset, L., Melki, R., & Brundin, P. (2013). Transfer of human α -synuclein from the olfactory bulb to interconnected brain regions in mice. *Acta Neuropathologica*, 1-19. doi: 10.1007/s00401-013-1160-3. <http://dx.doi.org/10.1007/s00401-013-1160-3>

Rey, N. L., George, S., Steiner, J. A., Madaj, Z., Luk, K. C., Trojanowski, J. Q., . . . Brundin, P. (2017). Spread of aggregates after olfactory bulb injection of α -synuclein fibrils is associated with early neuronal loss and is reduced long term. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-017-1792-9. <https://doi.org/10.1007/s00401-017-1792-9>

Rey, N. L., Steiner, J. A., Maroof, N., Luk, K. C., Madaj, Z., Trojanowski, J. Q., . . . Brundin, P. (2016). Widespread transneuronal propagation of α -synucleinopathy triggered in olfactory bulb mimics prodromal Parkinson's disease. *The Journal of Experimental Medicine*. doi: 10.1084/jem.20160368. <http://jem.rupress.org/content/early/2016/08/02/jem.20160368.abstract>

Reyes, L. D., Stimpson, C. D., Gupta, K., Raghanti, M. A., Hof, P. R., Reep, R. L., & Sherwood, C. C. (2015). Neuron Types in the Presumptive Primary Somatosensory Cortex of the Florida Manatee (*Trichechus manatus latirostris*). *Brain, Behavior and Evolution*, 0(0), 210-231. doi: <http://www.karger.com/DOI/10.1159/000441964>

Reyes, S., Fu, Y., Double, K., Thompson, L., Kirik, D., Paxinos, G., & Halliday, G. M. (2012). GIRK2 expression in dopamine neurons of the substantia nigra and ventral tegmental area. *Journal of Comparative Neurology*. doi.

Reynolds, A. D., Banerjee, R., Liu, J., Gendelman, H. E., & Mosley, R. L. (2007). Neuroprotective activities of CD4⁺CD25⁺ regulatory T cells in an animal model of Parkinson's disease *Journal of Leukocyte Biology*, 82, 1083-1094. doi.

Reynolds, A. D., Stone, D. K., Hutter, J. A. L., Benner, E. J., Mosley, R. L., & Gendelman, H. E. (2010). Regulatory T Cells Attenuate Th17 Cell-Mediated Nigrostriatal Dopaminergic Neurodegeneration in a Model of Parkinson's Disease. *Journal of Immunology*, 184(5), 2261-2271. doi: 10.4049/jimmunol.0901852. <http://www.jimmunol.org/cgi/content/abstract/184/5/2261>

Rhodes, J. S., Praag, H. v., Jeffrey, S., Girard, I., Mitchell, G. S., Jr., T. G., & Gage, F. H. (2003). Exercise Increases Hippocampal Neurogenesis to High Levels but Does Not Improve Spatial Learning in Mice Bred for Increased Voluntary Wheel Running. *Behavioral Neuroscience*, 117(5), 1006-1016. doi.

Ricard, J., Salinas, J., Garcia, L., & Liebl, D. J. (2006). EphrinB3 regulates cell proliferation and survival in adult neurogenesis. *Molecular and Cellular Neuroscience*, 31(4), 713-722. doi.

Rice, C. D., Lois, J. H., Kerman, I. A., & Yates, B. J. (2009). Localization of serotonergic neurons that participate in regulating diaphragm activity in the cat. *Brain Research*, 1279, 71-81. doi.

Rich, K. A., Burkett, C., & Webster, P. (2003). Cytoplasmic bacteria can be targets for autophagy. *Cellular Microbiology*, 5(7), 455-468. doi: doi:10.1046/j.1462-5822.2003.00292.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1462-5822.2003.00292.x>

Richard, B. C., Kurdakova, A., Baches, S., Bayer, T. A., Weggen, S., & Wirths, O. (2015). Gene Dosage Dependent Aggravation of the Neurological Phenotype in the 5XFAD Mouse Model of Alzheimer's Disease. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-143120. <http://dx.doi.org/10.3233/JAD-143120>

Richard, E., van Gool, W. A., Hoozemans, J. J. M., an Haastert, E. S., Eikelenboom, P., Rozemuller, A. J. M., & van de Berg, W. D. J. (2010). Morphometric changes in the cortical microvascular network in Alzheimer's disease. *Journal of Alzheimer's Disease*, 22(3), 811-818. doi.

Richard, K. L., Filali, M., Prefontaine, P., & Rivest, S. (2008). Toll-Like Receptor 2 Acts as a Natural Innate Immune Receptor to Clear Amyloid β 1-42 and Delay the Cognitive Decline in a Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 28(22), 5784-5793. doi: 10.1523/jneurosci.1146-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/22/5784>

Richards, K., Coulthard, L. I., Rome, C., Collyer, T. A., Karle, T. J., Beare, R., & Petrou, S. (2021). Glass-brain mapping provides an adjunct tool for structural analysis in mouse models of neurodevelopmental disease. *Neuroimage: Reports*, 1(2), 100023. doi: <https://doi.org/10.1016/j.ynirp.2021.100023>. <https://www.sciencedirect.com/science/article/pii/S2666956021000210>

Richardson, H. N., Chan, S. H., Crawford, E. F., Lee, Y. K., Funk, C. K., Koob, G. F., & Mandyam, C. D. (2009). Permanent impairment of birth and survival of cortical and hippocampal proliferating cells following excessive drinking during alcohol dependence. *Neurobiology of Disease*, 36(1), 1-10. doi.

Richendrfer, H. A., & Swann, J. M. (2010). Neuronal composition of the magnocellular division of the medial preoptic nucleus (MPN mag) is sex specific in the Syrian Hamster (*Mesocricetus auratus*). *Brain Research*, 1351, 97-103. doi.

Richner, M., Bach, G., & West, M. J. (2009). Over expression of amyloid beta-protein reduces the number of neurons in the striatum of APP^{sw}/PS1 [Delta] Eg. *Brain Research*, 1266, 87-92. doi.

Richter, F., Bauer, A., Perl, S., Schulz, A., & Richter, A. (2019). Optogenetic augmentation of the hypercholinergic endophenotype in DYT1 knock-in mice induced erratic hyperactive movements but not dystonia. *EBioMedicine*. doi: <https://doi.org/10.1016/j.ebiom.2019.02.042>. <http://www.sciencedirect.com/science/article/pii/S2352396419301203>

Richter, F., Fleming, S., Watson, M., Lemesre, V., Pellegrino, L., Ranes, B., . . . Chesselet, M.-F. (2014). A GCase Chaperone Improves Motor Function in a Mouse Model of Synucleinopathy. *Neurotherapeutics*, 1-17. doi: 10.1007/s13311-014-0294-x. <http://dx.doi.org/10.1007/s13311-014-0294-x>

Richter, F., Gabby, L., McDowell, K. A., Mulligan, C. K., De La Rosa, K., Sioshansi, P. C., . . . Chesselet, M.-F. (2016). Effects of decreased dopamine transporter levels on nigrostriatal neurons and paraquat/maneb toxicity in mice. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2016.11.015>. <http://www.sciencedirect.com/science/article/pii/S0197458016303025>

Richter, F., Gao, F., Medvedeva, V., Lee, P., Bove, N., Fleming, S. M., . . . Chesselet, M.-F. (2014). Chronic administration of cholesterol oximes in mice increases transcription of cytoprotective genes and improves transcriptome alterations induced by alpha-synuclein overexpression in nigrostriatal dopaminergic neurons. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.05.012>. <http://www.sciencedirect.com/science/article/pii/S0969996114001302>

Richter, F., Subramaniam, S. R., Magen, I., Lee, P., Hayes, J., Attar, A., . . . Bitan, G. (2017). A Molecular Tweezer Ameliorates Motor Deficits in Mice Overexpressing α -Synuclein. [journal article]. *Neurotherapeutics*, 1-13. doi: 10.1007/s13311-017-0544-9. <http://dx.doi.org/10.1007/s13311-017-0544-9>

Riday, T. T., Dankoski, E. C., Krouse, M. C., Fish, E. W., Walsh, P. L., Han, J. E., . . . Malanga, C. (2012). Pathway-specific dopaminergic deficits in a mouse model of Angelman syndrome. *Journal of Clinical Investigation*. doi.

Riddle, A., Maire, J., Cai, V., Nguyen, T., Gong, X., Hansen, K., . . . Back, S. A. (2013). Hemodynamic and Metabolic Correlates of Perinatal White Matter Injury Severity. *Plos one*, 8(12), e82940. doi: 10.1371/journal.pone.0082940. <http://dx.doi.org/10.1371%2Fjournal.pone.0082940>

Ries, A., Goldberg, J. L., & Grimpe, B. (2007). A novel biological function for CD44 in axon growth of retinal ganglion cells identified by a bioinformatics approach. *Journal of Neurochemistry*. doi: doi:10.1111/j.1471-4159.2007.04858.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04858.x>

Ries, V., Cheng, H. C., Baohan, A., Kareva, T., Oo, T. F., Rzhetskaya, M., . . . Burke, R. E. (2009). Regulation of the postnatal development of dopamine neurons of the substantia nigra in vivo by Akt/protein kinase B. *Journal of Neurochemistry*, 110(1), 23-33. doi.

Ries, V., Henchcliffe, C., Kareva, T., Rzhetskaya, M., Bland, R., During, M. J., . . . Burke, R. E. (2006). Oncoprotein Akt/PKB induces trophic effects in murine models of Parkinson's disease. *Proceedings of the National Academy of Sciences*, 103(49), 18757-18762. doi.

Ries, V., Silva, R. M., Oo, T. F., Cheng, H. C., Rzhetskaya, M., Kholodilov, N., . . . Burke, R. E. (2008). JNK2 and JNK3 combined are essential for apoptosis in dopamine neurons of the substantia nigra, but are not required for axon degeneration. *Journal of Neurochemistry*, 107(6), 1578-1588. doi.

Rijkers, K., Aalbers, M., Hoogland, G., van Winden, L., Vles, J., Steinbusch, H., & Majoie, M. (2010). Acute seizure-suppressing effect of vagus nerve stimulation in the amygdala kindled rat. *Brain Research*, 1319, 155-163. doi.

Rijkers, K., Majoie, H. J. M., Aalbers, M. W., Philippens, M., Doenni, V. M., Vles, J. S. H., . . . Hoogland, G. (2012). Rat vagus nerve stimulation model of seizure suppression: NNOS and α os B changes in the brainstem. *Journal of Chemical Neuroanatomy*, (0). doi: 10.1016/j.jchemneu.2012.09.004. <http://www.sciencedirect.com/science/article/pii/S0891061812000609?v=s5>

Rinaman, L., Levitt, P., & Card, J. P. (2000). Progressive Postnatal Assembly of Limbic-Autonomic Circuits Revealed by Central Transneuronal Transport of Pseudorabies Virus. *Journal of Neuroscience*, 20(7), 2731-2741. doi. <http://www.jneurosci.org/cgi/content/abstract/20/7/2731>

Rioux, L., & Arnold, S. E. (2005). The expression of retinoic acid receptor alpha is increased in the granule cells of the dentate gyrus in schizophrenia. *Psychiatry Research*, 133(1), 13-21. doi.

- Rioux, L., Nissanov, J., Lauber, K., Bilker, W. B., & Arnold, S. E. (2003). Distribution of Microtubule-Associated Protein MAP2-Immunoreactive Interstitial Neurons in the Parahippocampal White Matter in Subjects With Schizophrenia. *American Journal of Psychiatry*, 160, 149-155. doi.
- Rising, A. C., Xu, J., Carlson, A., Napoli, V. V., Denovan-Wright, E. M., & Mandel, R. J. (2011). Longitudinal behavioral, cross-sectional transcriptional and histopathological characterization of a knock-in mouse model of Huntington's disease with 140 CAG repeats. *Experimental Neurology*, 228(2), 173-182. doi.
- Rissman, R. A., Poon, W. W., Blurton-Jones, M., Oddo, S., Torp, R., & Vitek, M. P. (2004). Caspase-cleavage of tau is an early event in Alzheimer disease tangle pathology. *Journal of Clinical Investigation*, 114. doi: 10.1172/jci200420640. <http://dx.doi.org/10.1172/JCI200420640>
- Ritchie, L. J., De Butte, M., & Pappas, B. A. (2004). Chronic mild stress exacerbates the effects of permanent bilateral common carotid artery occlusion on CA1 neurons. *Brain Research*, 1014(1-2), 228-235. doi.
- Ritfeld, G. J., Nandoe Tewarie, R. D., Rahiem, S. T., Hurtado, A., Roos, R. A., Grotenhuis, A., & Oudega, M. (2010). Reducing macrophages to improve bone marrow stromal cell survival in the contused spinal cord. *Neuroreport*, 21(3), 221-221. doi.
- Ritfeld, G. J., Rauck, B. M., Novosat, T. L., Park, D., Patel, P., Roos, R. A. C., . . . Oudega, M. (2014). The effect of a polyurethane-based reverse thermal gel on bone marrow stromal cell transplant survival and spinal cord repair. *Biomaterials*, 35(6), 1924-1931. doi: <http://dx.doi.org/10.1016/j.biomaterials.2013.11.062>. <http://www.sciencedirect.com/science/article/pii/S0142961213014282>
- Riudavets, M. A., Iacono, D., Resnick, S. M., O'Brien, R., Zonderman, A. B., Martin, L. J., . . . Troncoso, J. C. (2007). Resistance to Alzheimer's pathology is associated with nuclear hypertrophy in neurons. *Neurobiology of Aging*, 28(10), 1484-1492. doi.
- Rivera, H. M., & Bethea, C. L. (2013). Ovarian steroids increase PSD-95 expression and dendritic spines in the dorsal raphe of ovariectomized macaques. *Synapse*, n/a-n/a. doi: 10.1002/syn.21702. <http://dx.doi.org/10.1002/syn.21702>
- Rivera, P. D., Shih, H.-Y., LeBlanc, J. A., Cole, M. G., Amaral, W. Z., Mukherjee, S., . . . Eisch, J. (2013). Acute and Fractionated Exposure to High-LET 56Fe HZE-Particle Radiation Both Result in Similar Long-Term Deficits in Adult Hippocampal Neurogenesis. *Radiation Research*. doi: 10.1667/rr13480.1. <http://dx.doi.org/10.1667/RR13480.1>
- Rivero, O., Selten, M. M., Sich, S., Popp, S., Bacmeister, L., Amendola, E., . . . Lesch, K. P. (2015). Cadherin-13, a risk gene for ADHD and comorbid disorders, impacts GABAergic function in hippocampus and cognition. [Original Article]. *Transl Psychiatry*, 5, e655. doi: 10.1038/tp.2015.152. <http://dx.doi.org/10.1038/tp.2015.152>
- Rizzi, S., Carter, L. B., Ori, C., & Jevtovic-Todorovic, V. (2008). Clinical Anesthesia Causes Permanent Damage to the Fetal Guinea Pig Brain. *Brain Pathology*, 18(2), 198-210. doi: doi:10.1111/j.1750-3639.2007.00116.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1750-3639.2007.00116.x>
- Rizzi, S., Ori, C., & Jevtovic-Todorovic, V. (2010). Timing versus duration. *Annals of the New York Academy of Sciences*, 1199(1), 43-51. doi.

Robel, S., Bardehle, S., Lepier, A., Brakebusch, C., & Götz, M. (2011). Genetic Deletion of Cdc42 Reveals a Crucial Role for Astrocyte Recruitment to the Injury Site In Vitro and In Vivo. *Journal of Neuroscience*, 31(35), 12471-12482. doi: 10.1523/jneurosci.2696-11.2011. <http://www.jneurosci.org/content/31/35/12471.abstract>

Roberts, M. S., Macauley, S. L., Wong, A. M., Yilmaz, D., Hohm, S., Cooper, J. D., & Sands, M. S. (2012). Combination small molecule PPT1 mimetic and CNS-directed gene therapy as a treatment for infantile neuronal ceroid lipofuscinosis. *Journal of Inherited Metabolic Disease*, 1-11. doi.

Robinson, A. M., & Bucci, D. J. (2013). Physical Exercise During Pregnancy Improves Object Recognition Memory in Adult Offspring. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.10.012>. <http://www.sciencedirect.com/science/article/pii/S0306452213008567>

Robinson, G. A., & Madison, R. D. (2004). Axotomized mouse retinal ganglion cells containing melanopsin show enhanced survival, but not enhanced axon regrowth into a peripheral nerve graft. *Vision Research*, 44(23), 2667-2674. doi.

Robinson, S., & Bucci, D. J. (2011). Fear conditioning is disrupted by damage to the postsubiculum. *Hippocampus*. doi.

Robinson, S., & Bucci, D. J. (2012). Damage to Posterior Parietal Cortex Impairs Two Forms of Relational Learning. [Original Research]. *Frontiers in integrative neuroscience*, 6. doi: 10.3389/fnint.2012.00045. <http://www.frontiersin.org/Journal/Abstract.aspx?s=571&name=integrative>

Robinson, S., Keene, C. S., Iaccarino, H. F., Duan, D., & Bucci, D. J. (2011). Involvement of retrosplenial cortex in forming associations between multiple sensory stimuli. *Behavioral Neuroscience*, 125(4), 578-578. doi.

Robinson, S., Poorman, C. E., Marder, T. J., & Bucci, D. J. (2012). Identification of Functional Circuitry between Retrosplenial and Postrhinal Cortices during Fear Conditioning. *Journal of Neuroscience*, 32(35), 12076-12086. doi: 10.1523/jneurosci.2814-12.2012. <http://www.jneurosci.org/content/32/35/12076.abstract>

Robinson, S., Todd, T. P., Pasternak, A. R., Luikart, B. W., Skelton, P. D., Urban, D. J., & Bucci, D. J. (2014). Chemogenetic Silencing of Neurons in Retrosplenial Cortex Disrupts Sensory Preconditioning. *The Journal of Neuroscience*, 34(33), 10982-10988. doi. <http://www.jneurosci.org/content/34/33/10982.short>

Robinson, S., Todd, T. P., Pasternak, A. R., Luikart, B. W., Skelton, P. D., Urban, D. J., & Bucci, D. J. (2014). Chemogenetic Silencing of Neurons in Retrosplenial Cortex Disrupts Sensory Preconditioning. *The Journal of Neuroscience*, 34(33), 10982-10988. doi. <http://www.jneurosci.org/content/34/33/10989.short>

Robson, M. J., Turner, R. C., Naser, Z. J., McCurdy, C. R., O'Callaghan, J. P., Huber, J. D., & Matsumoto, R. R. (2014). SN79, a sigma receptor antagonist, attenuates methamphetamine-induced astrogliosis through a blockade of OSMR/gp130 signaling and STAT3 phosphorylation. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.01.020>. <http://www.sciencedirect.com/science/article/pii/S0014488614000338>

Rocha, E. M., Smith, G. A., Park, E., Cao, H., Graham, A.-R., Brown, E., . . . Isacson, O. (2015). Chronic pharmacological glucocerebrosidase inhibition induces α -synuclein aggregation, microglial and complement activation and synaptic protein changes in mice. *Antioxidants & redox signaling*. doi: 10.1089/ars.2015.6307. <http://dx.doi.org/10.1089/ars.2015.6307>

Rocha, M. C., Grady, J. P., Grünewald, A., Vincent, A., Dobson, P. F., Taylor, R. W., . . . Rygiel, K. A. (2015). A novel immunofluorescent assay to investigate oxidative phosphorylation deficiency in mitochondrial myopathy: understanding mechanisms and improving diagnosis. [Article]. *Scientific Reports*, 5, 15037. doi: 10.1038/srep15037

<http://www.nature.com/articles/srep15037#supplementary-information>. <http://dx.doi.org/10.1038/srep15037>

Rockenstein, E., Mante, M., Adame, A., Crews, L., Moessler, H., & Masliah, E. (2007). Effects of Cerebrolysin on neurogenesis in an APP transgenic model of Alzheimer's disease. *Acta Neuropathologica*, 113(3), 265-275. doi.

Rockenstein, E., Overk, C. R., Ubhi, K., Mante, M., Patrick, C., Adame, A., . . . Masliah, E. (2015). A Novel Triple Repeat Mutant Tau Transgenic Model That Mimics Aspects of Pick's Disease and Frontotemporal Tauopathies. *Plos one*, 10(3), e0121570. doi: 10.1371/journal.pone.0121570. <http://dx.doi.org/10.1371%2Fjournal.pone.0121570>

Rockenstein, E., Ubhi, K., Doppler, E., Novak, P., Moessler, H., Li, B., . . . others. (2011). Regional Comparison of the Neurogenic Effects of CNTF-Derived Peptides and Cerebrolysin in A β

PP Transgenic Mice. *Journal of Alzheimer's Disease*. doi.

Rockenstein, E., Ubhi, K., Mante, M., Florio, J., Adame, A., Winter, S., . . . Masliah, E. (2015). Neuroprotective effects of Cerebrolysin in triple repeat Tau transgenic model of Pick's disease and fronto-temporal tauopathies. *BMC Neuroscience*, 16(1), 85. doi. <http://www.biomedcentral.com/1471-2202/16/85>

Rockenstein, E., Ubhi, K., Pham, E., Michael, S., Doppler, E., Novak, P., . . . Masliah, E. (2011). Beneficial effects of a neurotrophic peptidergic mixture persist for a prolonged period following treatment interruption in a transgenic model of Alzheimer's disease. *Journal of Neuroscience Research*, 89(11), 1812-1821. doi: 10.1002/jnr.22712. <http://dx.doi.org/10.1002/jnr.22712>

Rodberg, E. M., den Hartog, C. R., Anderson, R. I., Becker, H. C., Moorman, D. E., & Vazey, E. M. (2017). Stress Facilitates the Development of Cognitive Dysfunction After Chronic Ethanol Exposure. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/acer.13444. <http://dx.doi.org/10.1111/acer.13444>

Rodgers, J. T., Vogel, R. O., & Puigserver, P. (2011). Clk2 and B56beta mediate insulin-regulated assembly of the PP2A phosphatase holoenzyme complex on Akt. *Molecular Cell*, 41. doi: 10.1016/j.molcel.2011.02.007. <http://dx.doi.org/10.1016/j.molcel.2011.02.007>

Rodriguez, M. A., Pesold, C., Liu, W. S., Kriho, V., Guidotti, A., Pappas, G. D., & Costa, E. (2000). Colocalization of integrin receptors and reelin in dendritic spine postsynaptic densities of adult nonhuman primate cortex. *Proceedings of the National Academy of Sciences*, 97(7), 3550-3555. doi: 10.1073/Proceedings of the National Academy of Sciences.050589797. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/97/7/3550>

Rodriguez, V. M., Thiruchelvam, M., & Cory-Slechta, D. A. (2005). Sustained exposure to the widely used herbicide atrazine: altered function and loss of neurons in brain monoamine systems. *Environmental Health Perspectives*, 113(6), 708-708. doi.

Rodriguez-Paez, A. C., Brunschwig, J. P., & Bramlett, H. M. (2005). Light and electron microscopic assessment of progressive atrophy following moderate traumatic brain injury in the rat. *Acta Neuropathologica*, 109(6), 603-616. doi.

Roegge, C. S., Morris, J. R., Villareal, S., Wang, V. C., Powers, B. E., Klintsova, A. Y., . . . Schantz, S. L. (2006). Purkinje cell and cerebellar effects following developmental exposure to PCBs and/or MeHg. *Neurotoxicology and Teratology*, 28, 74-85. doi.

Roet, M., Jansen, A., Hoogland, G., Temel, Y., & Jahanshahi, A. (2019). Endogenous TRPV1 expression in the human cingulate- and medial frontal gyrus. *Brain Research Bulletin*, 152, 184-190. doi: <https://doi.org/10.1016/j.brainresbull.2019.07.018>. <http://www.sciencedirect.com/science/article/pii/S0361923019303557>

Rogers Flattery, C. N., Rosen, R. F., Farberg, A. S., Dooyema, J. M., Hof, P. R., Sherwood, C. C., . . . Preuss, T. M. (2020). Quantification of neurons in the hippocampal formation of chimpanzees: comparison to rhesus monkeys and humans. *Brain Structure and Function*. doi: 10.1007/s00429-020-02139-x. <https://doi.org/10.1007/s00429-020-02139-x>

Rogers, J. T., Morganti, J. M., Bachstetter, A. D., Hudson, C. E., Peters, M. M., Grimmig, B. A., . . . Gemma, C. (2011). CX3CR1 Deficiency Leads to Impairment of Hippocampal Cognitive Function and Synaptic Plasticity. *Journal of Neuroscience*, 31(45), 16241-16250. doi: 10.1523/jneurosci.3667-11.2011. <http://www.jneurosci.org/content/31/45/16241.abstract>

Rojo, M. G., García, G. B., Mateos, C. P., García, J. G., & Vicente, M. C. (2005). Preparaciones digitales en los servicios de Anatomía Patológica (II). Análisis de soluciones existentes. *Revista Espanola de Patologia*, 38(4), 207-220. doi.

Rojo, M. G., García, G. B., Mateos, C. P., García, J. G., & Vicente, M. C. (2006). Critical comparison of 31 commercially available digital slide systems in pathology. *International Journal of Surgical Pathology*, 14(4), 285-305. doi.

Roland, J. J., Janke, K. L., Servatius, R. J., & Pang, K. C. H. (2013). GABAergic neurons in the medial septum-diagonal band of Broca (MSDB) are important for acquisition of the classically conditioned eyeblink response. *Brain Structure and Function*, 1-7. doi: 10.1007/s00429-013-0560-4. <http://dx.doi.org/10.1007/s00429-013-0560-4>

Roland, J. J., & Savage, L. M. (2009). The role of cholinergic and GABAergic medial septal/diagonal band cell populations in the emergence of diencephalic amnesia. *Neuroscience*, 160(1), 32-41. doi.

Roland, J. J., Stewart, A. L., Janke, K. L., Gielow, M. R., Kostek, J. A., Savage, L. M., . . . Pang, K. C. (2014). Medial Septum-Diagonal Band of Broca (MSDB) GABAergic Regulation of Hippocampal Acetylcholine Efflux Is Dependent on Cognitive Demands. *The Journal of Neuroscience*, 34(2), 506-514. doi. <http://www.jneurosci.org/content/34/2/506.short>

Rolfes, S., Munro, D. A. D., Lyras, E.-M., Matute, E., Ouk, K., Harms, C., . . . Priller, J. (2020). Lentiviral delivery of human erythropoietin attenuates hippocampal atrophy and improves cognition in the R6/2 mouse model of Huntington's disease. *Neurobiology of Disease*, 144, 105024. doi: <https://doi.org/10.1016/j.nbd.2020.105024>. <http://www.sciencedirect.com/science/article/pii/S0969996120302990>

Rolyan, H., Scheffold, A., Heinrich, A., Begus-Nahrman, Y., Langkopf, B. H., Holter, S. M., . . . Rudolph, K. L. (2011). Telomere shortening reduces Alzheimer's disease amyloid pathology in mice. *Brain*, 134(7), 2044-2056. doi: 10.1093/brain/awr133. <http://brain.oxfordjournals.org/cgi/content/abstract/134/7/2044>

Roman, J. A., Niedzielko, T. L., Haddon, R. C., Parpura, V., & Floyd, C. L. (2011). Single-Walled Carbon Nanotubes Chemically Functionalized with Polyethylene Glycol Promote Tissue Repair in a Rat Model of Spinal Cord Injury. *Journal of Neurotrauma*, 28(11), 2349-2362. doi.

Romanova, E. V., Oxley, S. P., Rubakhin, S. S., Bohn, P. W., & Sweedler, J. V. (2006). Self-assembled monolayers of alkanethiols on gold modulate electrophysiological parameters and cellular morphology of cultured neurons. *Biomaterials*, 27(8), 1665-1669. doi.

Romeo, R. D., Karatsoreos, I. N., Jasnow, A. M., & McEwen, B. S. (2007). Age- and Stress-Induced Changes in Corticotropin-Releasing Hormone mRNA Expression in the Paraventricular Nucleus of the Hypothalamus. *Neuroendocrinology*, 0(4), 199-206. doi: <http://www.karger.com/DOI/10.1159/000102950>

Romeo, S., Viaggi, C., Di Camillo, D., Willis, A. W., Lozzi, L., Rocchi, C., . . . Maccarone, R. (2013). Bright light exposure reduces TH-positive dopamine neurons: implications of light pollution in Parkinson's disease epidemiology. *Scientific Reports*, 3. doi.

Romeo, S., Vitale, F., Viaggi, C., di Marco, S., Aloisi, G., Fasciani, I., . . . Maggio, R. (2017). Fluorescent light induces neurodegeneration in the rodent nigrostriatal system but near infrared LED light does not. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2017.02.026> <http://www.sciencedirect.com/science/article/pii/S0006899317300975>

Römer, B., Krebs, J., Overall, R. W., Fabel, K., Babu, H., Overstreet-Wadiche, L., . . . Kempermann, G. (2011). Adult hippocampal neurogenesis and plasticity in the infrapyramidal bundle of the mossy fiber projection: I. Co-regulation by activity. *Frontiers in Neuroscience*, 5. doi.

Römer, C., Engel, O., Winek, K., Hochmeister, S., Zhang, T., Royle, G., . . . Meisel, A. (2015). Blocking Stroke-Induced Immunodeficiency Increases CNS Antigen-Specific Autoreactivity But Does Not Worsen Functional Outcome after Experimental Stroke. *The Journal of Neuroscience*, 35(20), 7777-7794. doi: <http://www.jneurosci.org/content/35/20/7777.short>

Romero-Pimentel, A. L., Vázquez-Roque, R. A., Camacho-Abrego, I., Hoffman, K. L., Linares, P., Flores, G., & Manjarrez, E. (2014). Histological correlates of N40 auditory evoked potentials in adult rats after neonatal ventral hippocampal lesion: animal model of schizophrenia. *Schizophrenia Research*. doi: 10.1016/j.schres.2014.09.009. [http://www.schres-journal.com/article/S0920-9964\(14\)00475-7/abstract](http://www.schres-journal.com/article/S0920-9964(14)00475-7/abstract)

Romero, A. M., Krajewski, S. J., Lou Voytko, M., & Rance, N. E. (2007). Hypertrophy and Increased Kisspeptin Gene Expression in the Hypothalamic Infundibular Nucleus of Postmenopausal Women and Ovariectomized Monkeys. *Journal of Clinical Endocrinological Metabolism*, 92(7), 2744-2750. doi: 10.1210/jc.2007-0553. <http://jcem.endojournals.org/cgi/content/abstract/92/7/2744>

Romero, A. M., & Rance, N. E. (2008). Changes in prodynorphin gene expression and neuronal morphology in the hypothalamus of postmenopausal women. *Journal of Neuroendocrinology*, 20(12), 1376-1381. doi.

Ronald, K. L., Ensminger, A. L., Shawkey, M. D., Lucas, J. R., & Fernández-Juricic, E. (2017). Testing a key assumption in animal communication: between-individual variation in female visual systems alters perception of male signals. [10.1242/bio.028282]. *Biology Open*, 6(12), 1771. doi: <http://bio.biologists.org/content/6/12/1771.abstract>

Roper, R. J., Baxter, L. L., Saran, N. G., Klinedinst, D. K., Beachy, P. A., & Reeves, R. H. (2006). Defective cerebellar response to mitogenic Hedgehog signaling in Down's syndrome mice. *Proceedings of the National Academy of Sciences*, 103(5), 1452-1456. doi: 10.1073/Proceedings of the National Academy of Sciences.0510750103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/5/1452>

Ropireddy, D., Bachus, S. E., & Ascoli, G. A. (2012). Non-Homogeneous Stereological Properties of the Rat Hippocampus from High-Resolution 3D Serial Reconstruction of Thin Histological Sections. *Neuroscience*. doi.

Rorabaugh, J. M., Chalermphanupap, T., Botz-Zapp, C. A., Fu, V. M., Lembeck, N. A., Cohen, R. M., & Weinschenker, D. (2017). Chemogenetic locus coeruleus activation restores reversal learning in a rat model of Alzheimer's disease. *Brain*, awx232-awx232. doi: 10.1093/brain/awx232. <http://dx.doi.org/10.1093/brain/awx232>

Rosado-Mendez, I. M., Noguchi, K. K., Castañeda-Martinez, L., Kirvassilis, G., Wang, S. H., Manzella, F., . . . Ikonomidou, C. (2019). Quantitative ultrasound and apoptotic death in the neonatal primate brain. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2019.03.032>. <http://www.sciencedirect.com/science/article/pii/S096999611930083X>

Rosano, C., Sweeney, J. A., Melchitzky, D. S., & Lewis, D. A. (2003). The human precentral sulcus: chemoarchitecture of a region corresponding to the frontal eye fields. *Brain Research*, 972(1-2), 16-30. doi.

Rosen, G. D., Azoulay, N. G., Griffin, E. G., Newbury, A., Koganti, L., Fujisaki, N., . . . Williams, R. W. (2012). Bilateral Subcortical Heterotopia with Partial Callosal Agenesis in a Mouse Mutant. *Cerebral Cortex*. doi: 10.1093/cercor/bhs080. <http://cercor.oxfordjournals.org/content/early/2012/03/27/cercor.bhs080>
....

Rosen, G. D., Mesples, B., Hendriks, M., & Galaburda, A. M. (2006). Histometric changes and cell death in the thalamus after neonatal neocortical injury in the rat. *Neuroscience*, 141(2), 875-888. doi.

Rosen, G. D., Pung, C. J., Owens, C. B., Caplow, J., Kim, H., Mozhui, K., . . . Williams, R. W. (2009). Genetic modulation of striatal volume by loci on Chr 6 and 17 in BXD recombinant inbred mice. *Genes, Brain and Behavior*, 8(3), 296-308. doi.

Rosen, G. J., De Vries, G. J., Goldman, S. L., Goldman, B. D., & Forger, N. G. (2007). Distribution of vasopressin in the brain of the eusocial naked mole-rat. *Journal of Comparative Neurology*, 500(6), 1093-1105. doi.

Rosenzweig, E. S., Brock, J. H., Culbertson, M. D., Lu, P., Moseanko, R., Edgerton, V. R., . . . Tuszynski, M. H. (2009). Extensive spinal decussation and bilateral termination of cervical corticospinal projections in rhesus monkeys. *Journal of Comparative Neurology*, 513(2), 151-163. doi.

Rosenzweig, E. S., Brock, J. H., Lu, P., Kumamaru, H., Salegio, E. A., Kadoya, K., . . . Tuszynski, M. H. (2018). Restorative effects of human neural stem cell grafts on the primate spinal cord. [Article]. *Nature Medicine*. doi: 10.1038/nm.4502

<https://www.nature.com/articles/nm.4502#supplementary-information>. <http://dx.doi.org/10.1038/nm.4502>

Rosenzweig, E. S., Courtine, G., Jindrich, D. L., Brock, J. H., Ferguson, A. R., Strand, S. C., . . . others. (2010). Extensive spontaneous plasticity of corticospinal projections after primate spinal cord injury. *Nature Neuroscience*, 13(12), 1505-1510. doi.

Rosenzweig, S., & Carmichael, S. T. (2013). Age-Dependent Exacerbation of White Matter Stroke Outcomes: A Role for Oxidative Damage and Inflammatory Mediators. *Stroke*. doi: 10.1161/strokeaha.113.001796. <http://stroke.ahajournals.org/content/early/2013/07/18/STROKEAHA.113.001...>

Rossi, C., Angelucci, A., Costantin, L., Braschi, C., Mazzantini, M., Babbini, F., . . . Caleo, M. (2006). Brain-derived neurotrophic factor (BDNF) is required for the enhancement of hippocampal neurogenesis following environmental enrichment. *European Journal of Neuroscience*, 24(7), 1850-1856. doi: doi:10.1111/j.1460-9568.2006.05059.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05059.x>

Rossi, S. L., Mahairaki, V., Zhou, L., Song, Y., & Koliatsos, V. E. (2014). Remodeling of the piriform cortex after lesion in adult rodents. *Neuroreport*, Publish Ahead of Print, 10.1097/WNR.000000000000203. doi. http://journals.lww.com/neuroreport/Fulltext/publishahead/Remodeling_of_...

Rostkowski, A. B., Leitermann, R. J., & Urban, J. H. (2013). Differential activation of neuronal cell types in the basolateral amygdala by corticotropin releasing factor. *Neuropeptides*, (0). doi: <http://dx.doi.org/10.1016/j.npep.2012.12.004>. <http://www.sciencedirect.com/science/article/pii/S0143417912001333>

Rostkowski, A. B., Teppen, T. L., Peterson, D. A., & Urban, J. H. (2009). Cell-specific expression of neuropeptide Y Y1 receptor immunoreactivity in the rat basolateral amygdala. *Journal of Comparative Neurology*, 517(2), 166-176. doi.

Rot, I., & Kablar, B. (2010). The influence of acoustic and static stimuli on development of inner ear sensory epithelia. *International Journal of Developmental Neuroscience*, 28(4), 309-315. doi.

Roth, I., Gallagher, C. M., LaDage, L. D., & Pravosudov, V. V. (2012). Variation in Brain Regions Associated with Fear and Learning in Contrasting Climates. *Brain, Behavior and Evolution*. doi.

Roth I, T. C., LaDage, L. D., & Pravosudov, V. V. (2011). Variation in hippocampal morphology along an environmental gradient: controlling for the effects of day length. *Proceedings of the Royal Society B: Biological Sciences*, 278(1718), 2662-2667. doi.

Roth I, T. C., & Pravosudov, V. V. (2009). Hippocampal volumes and neuron numbers increase along a gradient of environmental harshness: a large-scale comparison. *Proceedings of the Royal Society B: Biological Sciences*, 276(1656), 401-405. doi.

Roth, T. C., Chevalier, D. M., LaDage, L. D., & Pravosudov, V. V. (2013). Variation in hippocampal glial cell numbers in food-caching birds from different climates. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22074. <http://dx.doi.org/10.1002/dneu.22074>

Roth-Alpermann, C., Anjum, F., Naumann, R., & Brecht, M. (2010). Cortical Organization in the Etruscan Shrew (*Suncus etruscus*). *Journal of Neurophysiology*, 104(5), 2389-2406. doi: 10.1152/jn.00762.2009. <http://jn.physiology.org/cgi/content/abstract/104/5/2389>

Rothstein, S., Simkins, T., & Nuñez, J. L. (2008). Response to neonatal anesthesia: Effect of sex on anatomical and behavioral outcome. *Neuroscience*, 152(4), 959-969. doi:

Rottscholl, R., Haegele, M., Jainsch, B., Xu, H., Respondek, G., Höllerhage, M., . . . Höglinger, G. U. (2016). Chronic consumption of *Annona muricata* juice triggers and aggravates cerebral tau phosphorylation in wild-type and MAPT transgenic mice. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13835. <http://dx.doi.org/10.1111/jnc.13835>

Roughton, K., Andreasson, U., Blomgren, K., & Kalm, M. (2013). Lipopolysaccharide-Induced Inflammation Aggravates Irradiation-Induced Injury to the Young Mouse Brain. *Developmental Neuroscience*. doi: <http://www.karger.com/Article/Citation/353820>

Roughton, K., Kalm, M., & Blomgren, K. (2012). Sex-dependent differences in behavior and hippocampal neurogenesis after irradiation to the young mouse brain. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2012.08197.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08197.x>

Rousseaux, M. W. C., Marcogliese, P. C., Qu, D., Hewitt, S. J., Seang, S., Kim, R. H., . . . Park, D. S. (2012). Progressive dopaminergic cell loss with unilateral-to-bilateral progression in a genetic model of Parkinson disease. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1205102109. <http://www.pnas.org/content/early/2012/09/06/1205102109.abstract>

Row, B. W., Kheirandish, L., Cheng, Y., Rowell, P. P., & Gozal, D. (2007). Impaired spatial working memory and altered choline acetyltransferase (CHAT) immunoreactivity and nicotinic receptor binding in rats exposed to intermittent hypoxia during sleep. *Behavioural Brain Research*, 177(2), 308-314. doi:

Rowan, S. L., Rygiel, K., Purves-Smith, F. M., Solbak, N. M., Turnbull, D. M., & Hepple, R. T. (2012). Denervation Causes Fiber Atrophy and Myosin Heavy Chain Co-Expression in Senescent Skeletal Muscle. *PLoS ONE*, 7(1), e29082-e29082. doi:

Roy, A., Ghosh, A., Jana, A., Liu, X., Brahmachari, S., Gendelman, H. E., & Pahan, K. (2012). Sodium Phenylbutyrate Controls Neuroinflammatory and Antioxidant Activities and Protects Dopaminergic Neurons in Mouse Models of Parkinson's Disease. *Plos one*, 7(6), e38113. doi: 10.1371/journal.pone.0038113. <http://dx.doi.org/10.1371%2Fjournal.pone.0038113>

Roy, A., & Pahan, K. (2011). Prospects of statins in Parkinson disease. *The Neuroscientist*, 17(3), 244-255. doi:

Roy, K., Murtie, J. C., El-Khodori, B. F., Edgar, N., Sardi, S. P., Hooks, B. M., . . . Corfas, G. (2007). Loss of erbB signaling in oligodendrocytes alters myelin and dopaminergic function, a potential mechanism for neuropsychiatric disorders. *Proceedings of the National Academy of Sciences*, 104(19), 8131-8136. doi: 10.1073/Proceedings of the National Academy of Sciences.0702157104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/19/8131>

Roy, T. S., Saini, S., Kaur, C., Pal, I., Kumar, P., Jacob, T. G., . . . Roy, K. K. (2019). Morphological development of the human cochlear nucleus. *Hearing Research*, 107784.

doi: <https://doi.org/10.1016/j.heares.2019.107784>. <http://www.sciencedirect.com/science/article/pii/S0378595519302734>

Rubinow, M., Mahajan, G., May, W., Overholser, J., Jurjus, G., Dieter, L., . . . Stockmeier, C. (2014). Basolateral amygdala volume and cell numbers in major depressive disorder: a postmortem stereological study. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-014-0900-z. <http://dx.doi.org/10.1007/s00429-014-0900-z>

Rudolph, L. M., & Sengelaub, D. R. (2012). Critical period for estrogen-dependent motoneuron dendrite growth is coincident with ER α expression in target musculature. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22040. <http://dx.doi.org/10.1002/dneu.22040>

Rudolph, L. M., & Sengelaub, D. R. (2013). Castration-induced upregulation of muscle ER α supports estrogen sensitivity of motoneuron dendrites in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22118. <http://dx.doi.org/10.1002/dneu.22118>

Rudow, G., O'Brien, R., Savonenko, A. V., Resnick, S. M., Zonderman, A. B., Pletnikova, O., . . . others. (2008). Morphometry of the human substantia nigra in ageing and Parkinson's disease. *Acta Neuropathologica*, 115(4), 461-470. doi:

Rudyk, C., Dwyer, Z., McNeill, J., Salmaso, N., Farmer, K., Prowse, N., & Hayley, S. (2019). Chronic unpredictable stress influenced the behavioral but not the neurodegenerative impact of paraquat. *Neurobiology of Stress*, 100179. doi: <https://doi.org/10.1016/j.ynstr.2019.100179>. <http://www.sciencedirect.com/science/article/pii/S2352289519300116>

Ruff, C. A., Faulkner, S. D., Rumajogee, P., Beldick, S., Foltz, W., Corrigan, J., . . . Fehlings, M. G. (2017). The extent of intrauterine growth restriction determines the severity of cerebral injury and neurobehavioural deficits in rodents. *Plos one*, 12(9), e0184653. doi: 10.1371/journal.pone.0184653. <https://doi.org/10.1371/journal.pone.0184653>

Ruff, C. A., Ye, H., Legasto, J. M., Stribbell, N. A., Wang, J., Zhang, L., & Fehlings, M. G. (2013). Effects of Adult Neural Precursor-Derived Myelination on Axonal Function in the Perinatal Congenitally Dysmyelinated Brain: Optimizing Time of Intervention, Developing Accurate Prediction Models, and Enhancing Performance. *Journal of Neuroscience*, 33(29), 11899-11915. doi: 10.1523/jneurosci.1131-13.2013. <http://www.jneurosci.org/content/33/29/11899.abstract>

Rühling, S., Kramer, F., Schmutz, S., Amor, S., Jiangshan, Z., Schmitz, C., . . . Hochstrasser, T. (2018). Visualization of the Breakdown of the Axonal Transport Machinery: a Comparative Ultrastructural and Immunohistochemical Approach. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1353-9. <https://doi.org/10.1007/s12035-018-1353-9>

Ruiz, C. M., Torrens, A., Castillo, E., Perrone, C. R., Cevallos, J., Inshishian, V. C., . . . Mahler, S. V. (2020). Pharmacokinetic, behavioral, and brain activity effects of Δ^9 -tetrahydrocannabinol in adolescent male and female rats. *Neuropsychopharmacology*. doi: 10.1038/s41386-020-00839-w. <https://doi.org/10.1038/s41386-020-00839-w>

Ruiz, D., Regnier, S. M., Kirkley, A. G., Hara, M., Haro, F., Aldirawi, H., . . . Sargis, R. M. (2019). Developmental Exposure to the Endocrine Disruptor Tolyfluanid Induces Sex-Specific Later-Life Metabolic Dysfunction. *Reproductive Toxicology*. doi: <https://doi.org/10.1016/j.reprotox.2019.06.010>. <http://www.sciencedirect.com/science/article/pii/S0890623819301315>

Ruiz, M., Perez-Garcia, G., Ortiz-Virumbrales, M., Méneret, A., Morant, A., Kottwitz, J., . . . Ehrlich, M. E. (2015). Abnormalities of motor function, transcription and cerebellar structure in mouse models of THAP1 dystonia. *Human Molecular Genetics*. doi: 10.1093/hmg/ddv384. <http://hmg.oxfordjournals.org/content/early/2015/09/15/hmg.ddv384.abstr act>

Rumpel, R., Alam, M., Schwarz, L. M., Ratzka, A., Jin, X., Krauss, J. K., . . . Schwabe, K. (2017). Neuronal firing activity in the basal ganglia after striatal transplantation of dopamine neurons in hemiparkinsonian rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.07.069>. <http://www.sciencedirect.com/science/article/pii/S0306452217305559>

Runeberg-Roos, P., Piccinini, E., Penttinen, A.-M., Mätlik, K., Heikkinen, H., Kuure, S., . . . Saarna, M. (2016). Developing therapeutically more efficient Neurturin variants for treatment of Parkinson's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.07.008>. <http://www.sciencedirect.com/science/article/pii/S096999611630167X>

Runyan, J. D., & Dash, P. K. (2004). Intra-medial prefrontal administration of SCH-23390 attenuates ERK phosphorylation and long-term memory for trace fear conditioning in rats. *Neurobiology of Learning and Memory*, 82(2), 65-70. doi.

Runyan, J. D., Moore, A. N., & Dash, P. K. (2004). A Role for Prefrontal Cortex in Memory Storage for Trace Fear Conditioning. *Journal of Neuroscience*, 24(6), 1288-1295. doi: 10.1523/jneurosci.4880-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/6/1288>

Ruoss, C., Tadros, A., O'Shea, T., McFarlane, J., & Almahbobi, G. (2009). Ovarian follicle development in Booroola sheep exhibiting impaired bone morphogenetic protein signalling pathway. *Reproduction*, 138(4), 689-689. doi.

Rupp, N. J., Wegenast-Braun, B. M., Radde, R., Calhoun, M. E., & Jucker, M. (2010). Early onset amyloid lesions lead to severe neuritic abnormalities and local, but not global neuron loss in APPPS1 transgenic mice. *Neurobiology of Aging*. doi.

Russmann, V., Goc, J., Boes, K., Ongerth, T., Salvamoser, J. D., Siegl, C., & Potschka, H. (2016). Minocycline fails to exert antiepileptogenic effects in a rat status epilepticus model. *European Journal of Pharmacology*, 771, 29-39. doi: <http://dx.doi.org/10.1016/j.ejphar.2015.12.002>. <http://www.sciencedirect.com/science/article/pii/S0014299915303976>

Rutherford, J. N., Victoria, A. d., Ragsdale, H. B., Avila, J. L., Lee, N. R., & Kuzawa, C. W. (2019). Global population variation in placental size and structure: Evidence from Cebu, Philippines. *Placenta*, 85, 40-48. doi: <https://doi.org/10.1016/j.placenta.2019.08.076>. <http://www.sciencedirect.com/science/article/pii/S0143400419305971>

Rutten, B. P. F., Brasnjevic, I., Steinbusch, H. W. M., & Schmitz, C. (2010). Caloric restriction and aging but not overexpression of SOD1 affect hippocampal volumes in mice. *Mechanisms of Ageing and Development*, 131(9), 574-579. doi.

Rutten, B. P. F., Kolk, N. M. V. d., Schafer, S., Zandvoort, M. A. M. J. v., Bayer, T. A., Steinbusch, H. W. M., & Schmitz, C. (2005). Age-Related Loss of Synaptophysin Immunoreactive Presynaptic Boutons within

the Hippocampus of APP751SL, PS1M146L, and APP751SL/PS1M146L Transgenic Mice *American Journal of Pathology*, 167, 161-173. doi.

Rutten, B. P. F., Schmitz, C., Gerlach, O. H. H., Oyen, H. M., de Mesquita, E. B., Steinbusch, H. W. M., & Korr, H. (2007). The aging brain: Accumulation of DNA damage or neuron loss? *Neurobiology of Aging*, 28(1), 91-98. doi.

Rutten, B. P. F., Wirths, O., Van de Berg, W. D. J., Lichtenthaler, S. F., Vehoff, J., Steinbusch, H. W. M., . . . others. (2003). No alterations of hippocampal neuronal number and synaptic bouton number in a transgenic mouse model expressing the [beta]-cleaved C-terminal APP fragment. *Neurobiology of Disease*, 12(2), 110-120. doi.

Rutten-Jacobs, L. C. A., de Leeuw, F. E., Geurts-van Bon, L., Gordinou de Gouberville, M. C., Schepens-Franke, A. N., Dederen, P. J., . . . Kiliaan, A. J. (2011). White Matter Lesions Are Not Related to β

-Amyloid Deposition in an Autopsy-Based Study. *Current Gerontology and Geriatrics Research*, 2011. doi.

Rygiel, K. A., Grady, J. P., & Turnbull, D. M. (2014). Respiratory chain deficiency in aged spinal motor neurons. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.02.027>. <http://www.sciencedirect.com/science/article/pii/S0197458014002334>

Rygiel, K. A., Miller, J., Grady, J. P., Rocha, M. C., Taylor, R. W., & Turnbull, D. M. (2014). Mitochondrial and inflammatory changes in sporadic Inclusion Body Myositis. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12149. <http://dx.doi.org/10.1111/nan.12149>

Rymar, V. V., & Sadikot, A. F. (2007). Laminae fate of cortical GABAergic interneurons is dependent on both birthdate and phenotype. *Journal of Comparative Neurology*, 501(3), 369-380. doi.

Rymar, V. V., Sasseville, R., Luk, K. C., & Sadikot, A. F. (2004). Neurogenesis and stereological morphometry of calretinin-immunoreactive GABAergic interneurons of the neostriatum. *Journal of Comparative Neurology*, 469(3), 325-339. doi.

Ryu, H., Lee, J., Hagerty, S. W., Soh, B. Y., McAlpin, S. E., Cormier, K. A., . . . Ferrante, R. J. (2006). ESET/SETDB1 gene expression and histone H3 (K9) trimethylation in Huntington's disease. *Proceedings of the National Academy of Sciences*, 103(50), 19176-19181. doi: 10.1073/Proceedings of the National Academy of Sciences.0606373103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/50/19176>

Ryu, H., Smith, K., Camelo, S. I., Carreras, I., Lee, J., Iglesias, A. H., . . . Ferrante, R. J. (2005). Sodium phenylbutyrate prolongs survival and regulates expression of anti-apoptotic genes in transgenic amyotrophic lateral sclerosis mice. *Journal of Neurochemistry*, 93(5), 1087-1098. doi: 10.1111/j.1471-4159.2005.03077.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03077.x>

Ryu, J. K., Kim, J., Cho, S. J., Hatori, K., Nagai, A., Choi, H. B., . . . Kim, S. U. (2004). Proactive transplantation of human neural stem cells prevents degeneration of striatal neurons in a rat model of Huntington disease. *Neurobiology of Disease*, 16(1), 68-77. doi.

Saal, K.-A., Galter, D., Roeber, S., Bähr, M., Tönges, L., & Lingor, P. (2015). Altered Expression of Growth Associated Protein-43 and Rho Kinase in Human Patients with Parkinson's Disease. *Brain Pathology*, n/a-n/a. doi: 10.1111/bpa.12346. <http://dx.doi.org/10.1111/bpa.12346>

Saal, K.-A., Koch, J. C., Tatenhorst, L., Szegő, É. M., Ribas, V. T., Michel, U., . . . Lingor, P. (2014). AAV.shRNA-mediated downregulation of ROCK2 attenuates degeneration of dopaminergic neurons in toxin-induced models of Parkinson's disease in vitro and in vivo. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.09.013>. <http://www.sciencedirect.com/science/article/pii/S096999611400285X>

Saarelainen, T., Hendolin, P., Lucas, G., Koponen, E., Sairanen, M., MacDonald, E., . . . Castren, E. (2003). Activation of the TrkB Neurotrophin Receptor Is Induced by Antidepressant Drugs and Is Required for Antidepressant-Induced Behavioral Effects. *Journal of Neuroscience*, 23(1), 349-357. doi: <http://www.jneurosci.org/cgi/content/abstract/23/1/349>

Sabihi, S., Dong, S. M., Maurer, S. D., Post, C., & Leuner, B. (2017). Oxytocin in the medial prefrontal cortex attenuates anxiety: Anatomical and receptor specificity and mechanism of action. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2017.06.024>. <http://www.sciencedirect.com/science/article/pii/S0028390817302976>

Sabirzhanov, B., Stoica, B. A., Zhao, Z., Loane, D. J., Wu, J., Dorsey, S. G., & Faden, A. I. (2015). miR-711 upregulation induces neuronal cell death after traumatic brain injury. [Original Paper]. *Cell Death and Differentiation*. doi: 10.1038/cdd.2015.132. <http://dx.doi.org/10.1038/cdd.2015.132>

Sabirzhanov, B., Zhao, Z., Stoica, B. A., Loane, D. J., Wu, J., Borroto, C., . . . Faden, A. I. (2014). Downregulation of miR-23a and miR-27a following Experimental Traumatic Brain Injury Induces Neuronal Cell Death through Activation of Proapoptotic Bcl-2 Proteins. *The Journal of Neuroscience*, 34(30), 10055-10071. doi: <http://www.jneurosci.org/content/34/30/10055.short>

Sabitha, K. R., Sanjay, D., Savita, B., Raju, T. R., & Laxmi, T. R. (2016). Electrophysiological characterization of Nsc-34 cell line using Microelectrode Array. *Journal of the Neurological Sciences*, 370, 134-139. doi: <http://dx.doi.org/10.1016/j.jns.2016.09.038>. <http://www.sciencedirect.com/science/article/pii/S0022510X16306037>

Sacco, C. B., Tardif, E., Genoud, C., Probst, A., Tolnay, M., Janzer, R. C., . . . Clarke, S. (2009). GABA receptor subunits in human auditory cortex in normal and stroke cases. *Acta Neurobiologiae Experimentalis*, 69(4), 469-493. doi.

Sack, M., Lenz, J. N., Jakovcevski, M., Biedermann, S. V., Falfán-Melgoza, C., Deussing, J., . . . Auer, M. K. (2016). Early effects of a high-caloric diet and physical exercise on brain volumetry and behavior: a combined MRI and histology study in mice. [journal article]. *Brain Imaging and Behavior*, 1-12. doi: 10.1007/s11682-016-9638-y. <http://dx.doi.org/10.1007/s11682-016-9638-y>

Sadananda, M., Wöhr, M., & Schwarting, R. K. W. (2008). Playback of 22-kHz and 50-kHz ultrasonic vocalizations induces differential c-fos expression in rat brain. *Neuroscience Letters*, 435(1), 17-23. doi.

Sadasivan, S., Pond, B. B., Pani, A. K., Qu, C., Jiao, Y., & Smeyne, R. J. (2012). Methylphenidate Exposure Induces Dopamine Neuron Loss and Activation of Microglia in the Basal Ganglia of Mice. *PLoS ONE*, 7(3), e33693. doi: 10.1371/journal.pone.0033693. <http://dx.doi.org/10.1371/journal.pone.0033693>

Saddic, L. A., Howard-Quijano, K., Kipke, J., Kubo, Y., Dale, E. A., Hoover, D. B., . . . Mahajan, A. (2018). Progression of myocardial ischemia leads to unique changes in immediate early gene expression in the spinal cord dorsal horn. *American Journal of Physiology-Heart and Circulatory Physiology*, 0(0), null. doi:

10.1152/ajpheart.00337.2018. <https://www.physiology.org/doi/abs/10.1152/ajpheart.00337.2018>

Sadgrove, M. P., Chad, J. E., & Gray, W. P. (2005). Kainic acid induces rapid cell death followed by transiently reduced cell proliferation in the immature granule cell layer of rat organotypic hippocampal slice cultures. *Brain Research*, 1035(2), 111-119. doi:

Sadgrove, M. P., Laskowski, A., & Gray, W. P. (2006). Examination of granule layer cell count, cell density, and single-pulse brdu incorporation in rat organotypic hippocampal slice cultures with respect to culture medium, septotemporal position, and time in vitro. *Journal of Comparative Neurology*, 497(3), 397-415. doi:

Sadikot, A. F., Leung, K., Mittal, S., Rymar, V. V., Alonso-Vanegas, M., & Luk, K. C. (2005). Anterograde Trophic Mechanisms Participate in Pattern Formation in the Striatum: A Role for BDNF in Glutamatergic Afferents. *Advances in Behavioral Biology, The Basal Ganglia VIII, Section III* doi:

Sadowski, R. N., Wise, L. M., Park, P. Y., Schantz, S. L., & Juraska, J. M. (2014). Early exposure to bisphenol A alters neuron and glia number in the rat prefrontal cortex of adult males, but not females. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.08.038>. <http://www.sciencedirect.com/science/article/pii/S0306452214007155>

Sağır, D., Kuruoğlu, E., Onger, M. E., & Yazar, E. (2019). The Effects of folic acid and topiramate on peripheral nerve regeneration. *Biotechnic and Histochemistry*, 1-8. doi: 10.1080/10520295.2019.1637022. <https://doi.org/10.1080/10520295.2019.1637022>

Şahin, A., Aslan, A., Baş, O., İkinci, A., Özyılmaz, C., Fikret Sönmez, O., . . . Odacı, E. (2015). Deleterious impacts of a 900 MHz electromagnetic field on hippocampal pyramidal neurons of 8-week-old Sprague Dawley male rats. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2015.07.042>. <http://www.sciencedirect.com/science/article/pii/S0006899315005867>

Saini, S., Jacob, T. G., Bhardwaj, D. N., & Roy, T. S. (2015). Age-related changes in the ductular system and stellate cells of human pancreas. *Journal of the Anatomical Society of India*, 64(2), 143-150. doi: <http://dx.doi.org/10.1016/j.jasi.2015.10.011>. <http://www.sciencedirect.com/science/article/pii/S0003277815004414>

Saini, V., Loers, G., Kaur, G., Schachner, M., & Jakovcevski, I. (2016). Impact of neural cell adhesion molecule deletion on regeneration after mouse spinal cord injury. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13271. <http://dx.doi.org/10.1111/ejn.13271>

Saint-Pierre, M., Tremblay, M.-E., Sik, A., Gross, R. E., & Cicchetti, F. (2006). Temporal effects of paraquat/maneb on microglial activation and dopamine neuronal loss in older rats. *Journal of Neurochemistry*, 98(3), 760-772. doi: doi:10.1111/j.1471-4159.2006.03923.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.03923.x>

Sairanen, M., Lucas, G., Ernfors, P., Castren, M., & Castren, E. (2005). Brain-Derived Neurotrophic Factor and Antidepressant Drugs Have Different But Coordinated Effects on Neuronal Turnover, Proliferation, and Survival in the Adult Dentate Gyrus. *Journal of Neuroscience*, 25(5), 1089-1094. doi: <http://www.jneurosci.org/cgi/content/abstract/25/5/1089>

- Sairanen, M., O'Leary, O. F., Knuuttila, J. E., & Castren, E. (2007). Chronic antidepressant treatment selectively increases expression of plasticity-related proteins in the hippocampus and medial prefrontal cortex of the rat. *Neuroscience*, 144(1), 368-374. doi.
- Sajdel-Sulkowska, E. M., Nguon, K., Sulkowski, Z. L., & Lipinski, B. (2007). Potential role of oxidative stress in mediating the effect of altered gravity on the developing rat cerebellum. *Advances in Space Research*, 40(9), 1414-1420. doi.
- Sajdel-Sulkowska, E. M., Nguon, K., Sulkowski, Z. L., Rosen, G. D., & Baxter, M. G. (2005). Purkinje cell loss accompanies motor impairment in rats developing at altered gravity. *Neuroreport*, 16(18), 2037-2037. doi.
- Sajdyk, T. J., Johnson, P. L., Leitermann, R. J., Fitz, S. D., Dietrich, A., Morin, M., . . . Shekhar, A. (2008). Neuropeptide Y in the Amygdala Induces Long-Term Resilience to Stress-Induced Reductions in Social Responses But Not Hypothalamic-Adrenal-Pituitary Axis Activity or Hyperthermia. *Journal of Neuroscience*, 28(4), 893-903. doi: 10.1523/jneurosci.0659-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/4/893>
- Sakai, T., Sasaki, M., Kataoka-Sasaki, Y., Oka, S., Nakazaki, M., Fukumura, S., . . . Honmou, O. (2018). Functional recovery after the systemic administration of mesenchymal stem cells in a rat model of neonatal hypoxia-ischemia. *Journal of Neurosurgery: Pediatrics*, 0(0), 1-10. doi: 10.3171/2018.5.peds1845. <http://thejns.org/doi/abs/10.3171/2018.5.PEDS1845>
- Sakata, H., Narasimhan, P., Niizuma, K., Maier, C. M., Wakai, T., & Chan, P. H. (2012). Interleukin 6-preconditioned neural stem cells reduce ischaemic injury in stroke mice. *Brain*, 135(11), 3298-3310. doi: 10.1093/brain/aws259. <http://brain.oxfordjournals.org/content/135/11/3298.abstract>
- Sakata, H., Niizuma, K., Yoshioka, H., Kim, G. S., Jung, J. E., Katsu, M., . . . Chan, P. H. (2012). Minocycline-Preconditioned Neural Stem Cells Enhance Neuroprotection after Ischemic Stroke in Rats. *Journal of Neuroscience*, 32(10), 3462-3473. doi: 10.1523/jneurosci.5686-11.2012. <http://www.jneurosci.org/content/32/10/3462.abstract>
- Sakata, K., Woo, N. H., Martinowich, K., Greene, J. S., Schloesser, R. J., Shen, L., & Lu, B. (2009). Critical role of promoter IV-driven BDNF transcription in GABAergic transmission and synaptic plasticity in the prefrontal cortex. *Proceedings of the National Academy of Sciences*, 106(14), 5942-5947. doi: 10.1073/Proceedings of the National Academy of Sciences.0811431106. <http://www.Proceedings of the National Academy of Sciences.org/content/106/14/5942.abstract>
- Sakurai, A., Atkins, C. M., Alonso, O. F., Bramlett, H. M., & Dietrich Iii, W. D. (2012). Mild Hyperthermia Worsens the Neuropathological Damage Associated with Mild Traumatic Brain Injury in Rats. *Journal of Neurotrauma*, (ja). doi.
- Salaj, M., Druga, R., Cerman, J., Kubová, H., & Barinka, F. (2015). Calretinin and parvalbumin immunoreactive interneurons in the retrosplenial cortex of the rat brain: Qualitative and quantitative analyses. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2015.09.031>. <http://www.sciencedirect.com/science/article/pii/S0006899315007295>
- Salama, M., ElDakroory, S. A. E. A., ElTantawy, D., Ghanem, A. A., Elhusseiny, M., & ElHak, S. G. (2012). Regenerative Effects of Umbilical Cord Matrix Cells (UCMCs) in a rodent model of rotenone neurotoxicity. *Environmental Toxicology and Pharmacology*. doi.

Salama, M., & Mohamed, W. M. Y. (2016). Tau protein as a biomarker for asphyxia: A possible forensic tool? *Applied & Translational Genomics*. doi: <http://dx.doi.org/10.1016/j.atg.2016.03.001>. <http://www.sciencedirect.com/science/article/pii/S221206611630014X>

Salazar, D. L., Uchida, N., Hamers, F. P. T., Cummings, B. J., & Anderson, A. J. (2010). Human neural stem cells differentiate and promote locomotor recovery in an early chronic spinal cord injury NOD-scid mouse model. *PLoS ONE*, 5(8), e12272-e12272. doi:

Salazar, J. E., Severin, D., Vega-Zuniga, T., Fernández-Aburto, P., Deichler, A., Sallaberry A, M., & Mpodozis, J. (2019). Anatomical Specializations Related to Foraging in the Visual System of a Nocturnal Insectivorous Bird, the Band-Winged Nightjar (Aves: Caprimulgiformes). *Brain, Behavior and Evolution*. doi: 10.1159/000504162. <https://www.karger.com/DOI/10.1159/000504162>

Salazar, S. V., Gallardo, C., Kaufman, A. C., Herber, C. S., Haas, L. T., Robinson, S., . . . Strittmatter, S. M. (2017). Conditional Deletion of *Prnp*: Rescues Behavioral and Synaptic Deficits after Disease Onset in Transgenic Alzheimer's Disease. [10.1523/JNEUROSCI.0722-17.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/08/21/JNEUROSCI.0722-17.2017...>

Saldana, E., Vinuela, A., Marshall, A. F., Fitzpatrick, D. C., & Aparicio, M. A. (2007). The TLC: A Novel Auditory Nucleus of the Mammalian Brain. *Journal of Neuroscience*, 27(48), 13108-13116. doi: 10.1523/jneurosci.1892-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/48/13108>

Sale, A., Cenni, M. C., Ciucci, F., Putignano, E., Chierzi, S., & Maffei, L. (2007). Maternal enrichment during pregnancy accelerates retinal development of the fetus. *PLoS ONE*, 2(11), e1160-e1160. doi:

Salem, N., Moriguchi, T., Greiner, R. S., McBride, K., Ahmad, A., Catalan, J. N., & Slotnick, B. (2001). Alterations in brain function after loss of docosahexaenoate due to dietary restriction of n-3 fatty acids. *Journal of Molecular Neuroscience*, 16(2), 299-307. doi:

Salewski, R. P., Mitchell, R. A., Shen, C., & Fehlings, M. G. (2014). Transplantation of Neural Stem Cells Clonally Derived from Embryonic Stem Cells Promotes Recovery of the Injured Mouse Spinal Cord. *Stem Cells and Development*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/scd.2014.0096>

Sallon, C., Soulet, D., Provost, P. R., & Tremblay, Y. (2015). Automated High Performance Analysis of Lung Morphometry. *American Journal of Respiratory Cell and Molecular Biology*. doi: 10.1165/rcmb.2014-0469MA. <http://dx.doi.org/10.1165/rcmb.2014-0469MA>

Salmaso, N., Dominguez, M., Kravitz, J., Komitova, M., Vaccarino, F. M., & Schwartz, M. L. (2015). Contribution of maternal oxygenic state to the effects of chronic postnatal hypoxia on mouse body and brain development. *Neuroscience Letters*, 604, 12-17. doi: <http://dx.doi.org/10.1016/j.neulet.2015.07.033>. <http://www.sciencedirect.com/science/article/pii/S0304394015300537>

Salmaso, N., Silbereis, J., Komitova, M., Mitchell, P., Chapman, K., Ment, L. R., . . . Vaccarino, F. M. (2012). Environmental Enrichment Increases the GFAP+ Stem Cell Pool and Reverses Hypoxia-Induced Cognitive Deficits in Juvenile Mice. *Journal of Neuroscience*, 32(26), 8930-8939. doi: 10.1523/jneurosci.1398-12.2012. <http://www.jneurosci.org/content/32/26/8930.abstract>

Saluja, I., Paulson, H., Gupta, A., & Turner, R. S. (2009). X11alpha haploinsufficiency enhances Abeta amyloid deposition in Alzheimer's disease transgenic mice. *Neurobiology of Disease*, 36(1), 162-168. doi:

Salvi, R., Steigleder, T., Schlachetzki, J. C., Waldmann, E., Winner, B., Schwab, S., . . . Kohl, Z. (2016). Distinct effects of chronic dopaminergic stimulation on hippocampal neurogenesis and striatal doublecortin expression in adult mice. [Original Research]. *Frontiers in Neuroscience*, 10. doi: 10.3389/fnins.2016.00077. <http://www.frontiersin.org/Journal/Abstract.aspx?s=748&name=neurogenesis>.

Salzberg-Brenhouse, H. C., Chen, E.-Y., Emerich, D. F., Baldwin, S., Hogeland, K., Ranelli, S., . . . Bartus, R. T. (2003). Inhibitors of Cyclooxygenase-2, but Not Cyclooxygenase-1 Provide Structural and Functional Protection against Quinolinic Acid-Induced Neurodegeneration *Journal of Pharmacology and Experimental Therapeutics*, 306(1), 218-228. doi.

Sampaio-Baptista, C., Khrapitchev, A. A., Foxley, S., Schlagheck, T., Scholz, J., Jbabdi, S., . . . Thomas, N. (2013). Motor Skill Learning Induces Changes in White Matter Microstructure and Myelination. *The Journal of Neuroscience*, 33(50), 19499-19503. doi. <http://jneurosci.tea-for-sale.com/content/33/50/19499.full>

Sampson, C. M., Dimet, A. L., Neelakantan, H., Ogunseye, K. O., Stevenson, H. L., Hommel, J. D., & Watowich, S. J. (2021). Combined nicotinamide N-methyltransferase inhibition and reduced-calorie diet normalizes body composition and enhances metabolic benefits in obese mice. *Scientific Reports*, 11(1), 5637. doi: 10.1038/s41598-021-85051-6. <https://doi.org/10.1038/s41598-021-85051-6>

Samsel, P. A., Kisiswa, L., Erichsen, J. T., Cross, S. D., & Morgan, J. E. (2011). A novel method for the induction of experimental glaucoma using magnetic microspheres. *Investigative Ophthalmology and Visual Science*, 52(3), 1671-1675. doi.

Sanchez, C. E., Tierney, T. S., Gale, J. T., Alavian, K. N., Sahin, A., Lee, J. S., . . . Carter, B. S. (2011). Recombinant adeno-associated virus type 2 pseudotypes: comparing safety, specificity, and transduction efficiency in the primate striatum. *Journal of Neurosurgery*, 114(3), 672-680. doi.

Sánchez-Pernaute, R., Ferree, A., Cooper, O., Yu, M., Brownell, A.-L., & Isacson, O. (2004). Selective COX-2 inhibition prevents progressive dopamine neuron degeneration in a rat model of Parkinson's disease. *Journal of Neuroinflammation*, 1(1), 6. doi. <http://www.jneuroinflammation.com/content/1/1/6>

Sanchez-Pernaute, R., Lee, H., Patterson, M., Reske-Nielsen, C., Yoshizaki, T., Sonntag, K. C., . . . Isacson, O. (2008). Parthenogenetic dopamine neurons from primate embryonic stem cells restore function in experimental Parkinson's disease. *Brain*, 131(8), 2127-2139. doi: 10.1093/brain/awn144. <http://brain.oxfordjournals.org/cgi/content/abstract/131/8/2127>

Sánchez-Pernaute, R., Studer, L., Bankiewicz, K. S., Major, E. O., & McKay, R. D. G. (2001). In vitro generation and transplantation of precursor-derived human dopamine neurons. *Journal of Neuroscience Research*, 65(4), 284-288. doi.

Sanchez-Pernaute, R., Studer, L., Ferrari, D., Perrier, A., Lee, H., Vinuela, A., & Isacson, O. (2005). Long-Term Survival of Dopamine Neurons Derived from Parthenogenetic Primate Embryonic Stem Cells (Cyno-1) After Transplantation. *Stem Cells*, 23(7), 914-922. doi: 10.1634/stemcells.2004-0172. <http://stemcells.alphamedpress.org/cgi/content/abstract/23/7/914>

Sánchez-Puelles, C., Calleja-Felipe, M., Ouro, A., Bougamra, G., Arroyo, A., Diez, I., . . . Knafo, S. (2019). PTEN Activity Defines an Axis for Plasticity at Cortico-Amygdala Synapses and Influences Social Behavior. *Cerebral Cortex*. doi: 10.1093/cercor/bhz103. <https://doi.org/10.1093/cercor/bhz103>

Sanchez-Vidaña, D. I., Chan Jackie, N.-M., Chan Alan, H. L., Hui Katy, K. Y., Lee, S., Chan, H.-Y., . . . Lai Cynthia, Y. Y. (2016). Repeated treatment with oxytocin promotes hippocampal cell proliferation, dendritic maturation and affects socio-emotional behavior. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.07.005>. <http://www.sciencedirect.com/science/article/pii/S0306452216303013>

Sánchez-Vidaña, D. I., Po, K. K.-T., Fung, T. K.-H., Chow, J. K.-W., Lau, W. K.-W., So, P.-K., . . . Tsang, H. W.-H. (2019). Lavender essential oil ameliorates depression-like behavior and increases neurogenesis and dendritic complexity in rats. *Neuroscience Letters*, 701, 180-192. doi: <https://doi.org/10.1016/j.neulet.2019.02.042>. <http://www.sciencedirect.com/science/article/pii/S0304394019301429>

Sanders, C. T., Sanchez, N., Ballantyne, J., & Peterson, D. A. (2006). Laser microdissection separation of pure spermatozoa from epithelial cells for short tandem repeat analysis. [PMID: 16882215]. *Journal of Forensic Science*, 51(4), 748-757. doi.

Sanders, S. S., Parsons, M. P., Mui, K. K. N., Southwell, A. L., Franciosi, S., Cheung, D., . . . Hayden, M. R. (2016). Sudden death due to paralysis and synaptic and behavioral deficits when *Hip14/Zdhhc17* is deleted in adult mice. [journal article]. *BMC biology*, 14(1), 108. doi: 10.1186/s12915-016-0333-7. <http://dx.doi.org/10.1186/s12915-016-0333-7>

Sanderson, N. S. R., Le, B., Zhou, Z., & Crews, D. (2008). Preoptic neuronal nitric oxide synthase induction by testosterone is consistent with a role in gating male copulatory behavior. *European Journal of Neuroscience*, 27(1), 183-190. doi: doi:10.1111/j.1460-9568.2007.05989.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05989.x>

Sanderson, N. S. R., Le, B. D., & Crews, D. (2006). Testosterone induction of male-typical sexual behavior is associated with increased preoptic NADPH diaphorase and citrulline production in female whiptail lizards. *Journal of Neurobiology*, 66(10), 1156-1163. doi.

Sandhu, M. S., Ross, H. H., Lee, K. Z., Ormerod, B. K., Reier, P. J., & Fuller, D. D. (2016). Intraspinal transplantation of subventricular zone-derived neural progenitor cells improves phrenic motor output after high cervical spinal cord injury. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.06.007>. <http://www.sciencedirect.com/science/article/pii/S0014488616301728>

Sandoval, D. A., Bagnol, D., Woods, S. C., D'Alessio, D. A., & Seeley, R. J. (2008). Arcuate glucagon-like peptide 1 receptors regulate glucose homeostasis but not food intake. *Diabetes*, 57(8), 2046-2054. doi.

Sandoval-Guzman, T., Stalcup, S. T., Krajewski, S. J., Voytko, M. L., & Rance, N. E. (2004). Effects of Ovariectomy on the Neuroendocrine Axes Regulating Reproduction and Energy Balance in Young *Cynomolgus* Macaques. *Journal of Neuroendocrinology*, 16(2), 146-153. doi: doi:10.1111/j.0953-8194.2004.01143.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-8194.2004.01143.x>

Sanftner, L. M., Sommer, J. M., Suzuki, B. M., Smith, P. H., Vijay, S., Vargas, J. A., . . . others. (2005). AAV2-mediated gene delivery to monkey putamen: evaluation of an infusion device and delivery parameters. *Experimental Neurology*, 194(2), 476-483. doi.

Sanftner, L. M., Suzuki, B. M., Doroudchi, M. M., Feng, L., McClelland, A., Forsayeth, J. R., & Cunningham, J. (2003). Striatal Delivery of rAAV-hAADC to Rats with Preexisting Immunity to AAV. *Molecular Therapy*, 9, 403-409. doi.

Sang, Y. H., Su, H. X., Wu, W. T., So, K. F., & Cheung, R. T. F. (2011). Elevated Blood Pressure Aggravates Intracerebral Hemorrhage-Induced Brain Injury. *Journal of Neurotrauma*. doi.

Sangwan, M., McCurdy, S. R., Livne-Bar, I., Ahmad, M., Wrana, J. L., Chen, D., & Bremner, R. (2012). Established and new mouse models reveal E2f1 and Cdk2 dependency of retinoblastoma, and expose effective strategies to block tumor initiation. *Oncogene*. doi.

Sano, K., Matsukami, H., Suzuki, G., Htike, N. T. T., Morishita, M., Win-Shwe, T.-T., . . . Maekawa, F. (2020). Estrogenic action by tris(2,6-dimethylphenyl) phosphate impairs the development of female reproductive functions. *Environment International*, 138, 105662. doi: <https://doi.org/10.1016/j.envint.2020.105662>. <http://www.sciencedirect.com/science/article/pii/S0160412019349165>

Sano, K., Nakata, M., Musatov, S., Morishita, M., Sakamoto, T., Tsukahara, S., & Ogawa, S. (2016). Pubertal activation of estrogen receptor α in the medial amygdala is essential for the full expression of male social behavior in mice. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1524907113. <http://www.pnas.org/content/early/2016/06/17/1524907113.abstract>

Sansevero, G., Baroncelli, L., Scali, M., & Sale, A. (2018). Intranasal BDNF administration promotes visual function recovery in adult amblyopic rats. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.02.006>. <http://www.sciencedirect.com/science/article/pii/S0028390818300637>

SantaCruz, K., Lewis, J., Spires, T., Paulson, J., Kotilinek, L., & Ingelsson, M. (2005). Tau suppression in a neurodegenerative mouse model improves memory function. *Science*, 309. doi: 10.1126/science.1113694. <http://dx.doi.org/10.1126/science.1113694>

Santana, M., Palmér, T., Simplício, H., Fuentes, R., & Petersson, P. (2015). Characterization of long-term motor deficits in the 6-OHDA model of Parkinson's disease in the common marmoset. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2015.04.037>. <http://www.sciencedirect.com/science/article/pii/S0166432815002867>

Santarelli, L., Saxe, M., Gross, C., Surget, A., Battaglia, F., Dulawa, S., . . . Hen, R. (2003). Requirement of Hippocampal Neurogenesis for the Behavioral Effects of Antidepressants. *Science*, 301, 805-809. doi.

Santos, M., Bastos, P., Gonzaga, S., Roriz, J.-M., Baptista, M. J., Nogueira-Silva, C., . . . Correia-Pinto, J. (2006). Ghrelin Expression in Human and Rat Fetal Lungs and the Effect of Ghrelin Administration in Nitrofen-Induced Congenital Diaphragmatic Hernia. *Pediatric Research*, 59(4 Part 1), 531-537. doi.

Santos, M., Summavielle, T., Teixeira-Castro, A., Silva-Fernandes, A., Duarte-Silva, S., Marques, F., . . . others. (2010). Monoamine deficits in the brain of methyl-CpG binding protein 2 null mice suggest the involvement of the cerebral cortex in early stages of Rett syndrome. *Neuroscience*, 170(2), 453-467. doi.

Santos, M., Uppal, N., Butti, C., Wicinski, B., Schmeidler, J., Giannakopoulos, P., . . . Hof, P. R. (2011). von Economo neurons in autism: A stereologic study of the fronto-insular cortex in children. *Brain Research*, 1380, 206-217. doi.

Santos, V. V., Stark, R., Rial, D., Silva, H. B., Bayliss, J. A., Lemus, M. B., . . . Andrews, Z. B. (2017). Acyl ghrelin improves cognition, synaptic plasticity deficits and neuroinflammation following amyloid beta

(A β 1-40) administration in mice. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12476. <http://dx.doi.org/10.1111/jne.12476>

Santuy, A., Turégano-López, M., Rodríguez, J. R., Alonso-Nanclares, L., DeFelipe, J., & Merchán-Pérez, A. (2018). A Quantitative Study on the Distribution of Mitochondria in the Neuropil of the Juvenile Rat Somatosensory Cortex. *Cerebral Cortex*, bhy159-bhy159. doi: 10.1093/cercor/bhy159. <http://dx.doi.org/10.1093/cercor/bhy159>

Sanyal, T., Pradeep, P., Nag, T. C., Roy, T. S., & Wadhwa, S. (2013). Effect of prenatal loud music and noise on total number of neurons and glia, neuronal nuclear area and volume of chick brainstem auditory nuclei, field L and hippocampus: A stereological investigation. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2013.02.004>. <http://www.sciencedirect.com/science/article/pii/S0736574813000300>

Sareen, D., Gowing, G., Sahabian, A., Staggenborg, K., Paradis, R., Avalos, P., . . . Svendsen, C. N. (2014). Human neural progenitor cells generated from induced pluripotent stem cells can survive, migrate, and integrate in the rodent spinal cord. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23578. <http://dx.doi.org/10.1002/cne.23578>

Sargin, D., Hassouna, I., Sperling, S., Sirén, A. L., & Ehrenreich, H. (2009). Uncoupling of neurodegeneration and gliosis in a murine model of juvenile cortical lesion. *Glia*, 57(7), 693-702. doi:

Sari, Y., & Zhou, F. C. (2004). Prenatal Alcohol Exposure Causes Long-Term Serotonin Neuron Deficit in Mice. *Alcoholism: Clinical and Experimental Research*, 28(6), 941-948. doi:

Sarin, R. M., Mowery, T. M., & Garraghty, P. E. (2012). AMPA receptor subunit expression in the cuneate nucleus of adult squirrel monkeys after peripheral nerve injury. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.03.079. <http://www.sciencedirect.com/science/article/pii/S0304394012004776>

Sarkar, A. A., Sabatino, J. A., Sugrue, K. F., & Zohn, I. E. (2015). Abnormal labyrinthine zone in the Hectd1-null placenta. *Placenta*. doi: <http://dx.doi.org/10.1016/j.placenta.2015.12.002>. <http://www.sciencedirect.com/science/article/pii/S0143400415300990>

Sarkey, S., Azcoitia, I., Garcia-Segura, L. M., Garcia-Ovejero, D., & DonCarlos, L. L. (2008). Classical androgen receptors in non-classical sites in the brain. *Hormones and Behavior*, 53(5), 753-764. doi:

Sasaki Russell, J. M., Chinn, G. A., Maharjan, D., Eichbaum, Y., & Sall, J. W. (2019). Female rats are more vulnerable to lasting cognitive impairment after isoflurane exposure on postnatal day 4 than 7. *British Journal of Anaesthesia*. doi: <https://doi.org/10.1016/j.bja.2018.12.008>. <http://www.sciencedirect.com/science/article/pii/S00709121831376X>

Sasaki, T., Piatti, V. C., Hwaun, E., Ahmadi, S., Lisman, J. E., Leutgeb, S., & Leutgeb, J. K. (2018). Dentate network activity is necessary for spatial working memory by supporting CA3 sharp-wave ripple generation and prospective firing of CA3 neurons. *Nature Neuroscience*. doi: 10.1038/s41593-017-0061-5. <https://doi.org/10.1038/s41593-017-0061-5>

Satkunendrarajah, K., Nissiri, F., Karadimas, S. K., Lip, A., Yao, G., & Fehlings, M. G. (2015). Riluzole promotes motor and respiratory recovery associated enhanced neuronal survival and function following high cervical hemisection. *Experimental Neurology*.

doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.011>. <http://www.sciencedirect.com/science/article/pii/S0014488615300935>

Sato, C., Turkoz, M., Dearborn, J. T., Wozniak, D. F., Kopan, R., & Hass, M. R. (2012). Loss of RBPj in Postnatal Excitatory Neurons Does Not Cause Neurodegeneration or Memory Impairments in Aged Mice. *Plos one*, 7(10), e48180. doi: 10.1371/journal.pone.0048180. <http://dx.doi.org/10.1371%2Fjournal.pone.0048180>

Sato, K., Higuchi, M., Iwata, N., Saido, T. C., & Sasamoto, K. (2004). Fluoro-substituted and ¹³C-labeled styrylbenzene derivatives for detecting brain amyloid plaques. *Eur J Med Chem*, 39. doi: 10.1016/j.ejmech.2004.02.013. <http://dx.doi.org/10.1016/j.ejmech.2004.02.013>

Sato, S., Noda, S., Torii, S., Amo, T., Ikeda, A., Funayama, M., . . . Hattori, N. (2021). Homeostatic p62 levels and inclusion body formation in CHCHD2 knockout mice. *Human Molecular Genetics*, (ddab057). doi: 10.1093/hmg/ddab057. <https://doi.org/10.1093/hmg/ddab057>

Sato, S. M., Wissman, A. M., McCollum, A. F., & Woolley, C. S. (2011). Quantitative Mapping of Cocaine-Induced *Δ*osB Expression in the Striatum of Male and Female Rats. *PLoS ONE*, 6(7), e21783–e21783. doi.

Sato, Y., Shinjyo, N., Sato, M., Osato, K., Zhu, C., Pekna, M., . . . Blomgren, K. (2013). Grafting of neural stem and progenitor cells to the hippocampus of young, irradiated mice causes gliosis and disrupts the granule cell layer. *Cell death & disease*, 4(4), e591. doi.

Satoh, Y., Endo, S., Nakata, T., Kobayashi, Y., Yamada, K., Ikeda, T., . . . Kazama, T. (2011). ERK2 Contributes to the Control of Social Behaviors in Mice. *Journal of Neuroscience*, 31(33), 11953–11967. doi: 10.1523/jneurosci.2349-11.2011. <http://www.jneurosci.org/content/31/33/11953.abstract>

Satoh, Y., Kobayashi, Y., Takeuchi, A., Pages, G., Pouyssegur, J., & Kazama, T. (2011). Deletion of ERK1 and ERK2 in the CNS Causes Cortical Abnormalities and Neonatal Lethality: Erk1 Deficiency Enhances the Impairment of Neurogenesis in Erk2-Deficient Mice. *Journal of Neuroscience*, 31(3), 1149–1155. doi: 10.1523/jneurosci.2243-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/3/1149>

Sauerhoefer, E., Pamplona, F. A., Bedenk, B., Moll, G. H., Dawirs, R. R., von Hörsten, S., . . . Golub, Y. (2012). Generalization of contextual fear depends on associative rather than non-associative memory components. *Behavioural Brain Research*. doi.

Saunders, J. A. L., Kosloski, L. M., McMillan, J. E. M., Yotam, N., Rinat, T., Mosley, R. L., & Gendelman, H. E. (2011). BL-1023 improves behavior and neuronal survival in 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine-intoxicated mice. *Neuroscience*. doi.

Savage, L. M., Roland, J., & Klintsova, A. (2007). Selective septohippocampal – but not forebrain amygdalar – cholinergic dysfunction in diencephalic amnesia. *Brain Research*, 1139, 210–219. doi.

Savolainen, M. H., Albert, K., Airavaara, M., & Myöhänen, T. T. (2017). Nigral injection of a proteasomal inhibitor, lactacystin, induces widespread glial cell activation and shows various phenotypes of Parkinson's disease in young and adult mouse. [journal article]. *Experimental Brain Research*, 1–14. doi: 10.1007/s00221-017-4962-z. <http://dx.doi.org/10.1007/s00221-017-4962-z>

Sawada, M., Kaneko, N., Inada, H., Wake, H., Kato, Y., Yanagawa, Y., . . . Sawamoto, K. (2011). Sensory Input Regulates Spatial and Subtype-Specific Patterns of Neuronal Turnover in the Adult Olfactory

Bulb. *Journal of Neuroscience*, 31(32), 11587-11596. doi: 10.1523/jneurosci.0614-11.2011. <http://www.jneurosci.org/content/31/32/11587.abstract>

Sawamiphak, S., Seidel, S., Essmann, C. L., Wilkinson, G. A., Pitulescu, M. E., Acker, T., & Acker-Palmer, A. (2010). Ephrin-B2 regulates VEGFR2 function in developmental and tumour angiogenesis. *Nature*, 465(7297), 487-491. doi.

Sawant, O. B., Lunde, E. R., Washburn, S. E., Chen, W.-J. A., Goodlett, C. R., & Cudd, T. A. (2012). Different Patterns of Regional Purkinje Cell Loss in the Cerebellar Vermis as a Function of the Timing of Prenatal Ethanol Exposure in an Ovine Model. *Neurotoxicology and Teratology*, (0). doi: <http://dx.doi.org/10.1016/j.ntt.2012.11.001>. <http://www.sciencedirect.com/science/article/pii/S0892036212001742>

Saxe, M. D., Malleret, G., Vronskaya, S., Mendez, I., Garcia, A. D., Sofroniew, M. V., . . . Hen, R. (2007). Paradoxical influence of hippocampal neurogenesis on working memory. *Proceedings of the National Academy of Sciences*, 104(11), 4642-4646. doi: 10.1073/Proceedings of the National Academy of Sciences.0611718104. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/104/11/4642>

Scafidi, S., Racz, J., Hazelton, J., McKenna, M. C., & Fiskum, G. (2010). Neuroprotection by Acetyl-L-Carnitine after Traumatic Injury to the Immature Rat Brain. *Developmental Neuroscience*, 32(5-6), 480-487. doi.

Scattoni, M. L., Gasparini, L., Alleva, E., Goedert, M., Calamandrei, G., & Spillantini, M. G. (2010). Early behavioural markers of disease in P301S tau transgenic mice. *Behavioural Brain Research*, 208. doi: 10.1016/j.bbr.2009.12.002. <http://dx.doi.org/10.1016/j.bbr.2009.12.002>

Schaakxs, D., Kalbermatten, D. F., Pralong, E., Raffoul, W., Wiberg, M., & Kingham, P. J. (2014). Poly-3-hydroxybutyrate strips seeded with regenerative cells are effective promoters of peripheral nerve repair. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.1980. <http://dx.doi.org/10.1002/term.1980>

Schaal, S. M., Garg, M. S., Ghosh, M., Lovera, L., Lopez, M., Patel, M., . . . Pearse, D. D. (2012). The Therapeutic Profile of Rolipram, PDE Target and Mechanism of Action as a Neuroprotectant following Spinal Cord Injury. *Plos one*, 7(9), e43634. doi: 10.1371/journal.pone.0043634. <http://dx.doi.org/10.1371%2Fjournal.pone.0043634>

Schaal, S. M., Kitay, B. M., Cho, K. S., Lo, J., Barakat, D. J., Marcillo, A. E., . . . others. (2007). Schwann cell transplantation improves reticulospinal axon growth and forelimb strength after severe cervical spinal cord contusion. *Cell Transplantation*, 16(3), 207-228. doi.

Schade, J., Schmiedl, A., Kehlen, A., Veres, T. Z., Stephan, M., Pabst, R., & Von Hörsten, S. (2009). Airway-specific recruitment of T cells is reduced in a CD26-deficient F344 rat substrain. *Clinical and Experimental Immunology*, 158(1), 133-142. doi.

Schade, J., Schmiedl, A., Stephan, M., Pabst, R., & von Hörsten, S. (2010). Transferred T cells preferentially adhere in the BALT of CD26-deficient recipient lungs during asthma. *Immunobiology*, 215(4), 321-331. doi.

Schaeffer, E., Cerulli, F., Souza, H. X., Catanozi, S., & Gattaz, W. (2014). Synergistic and additive effects of enriched environment and lithium on the generation of new cells in adult mouse hippocampus. *Journal of Neural Transmission*, 1-12. doi: 10.1007/s00702-014-1175-5. <http://dx.doi.org/10.1007/s00702-014-1175-5>

Schaeffer, E. L., Catanozi, S., West, M. J., & Gattaz, W. F. (2016). Stereological investigation of the CA1 pyramidal cell layer in untreated and lithium-treated 3xTg-AD and wild-type mice. *Annals of Anatomy - Anatomischer Anzeiger*. doi: <http://dx.doi.org/10.1016/j.aanat.2016.10.002>. <http://www.sciencedirect.com/science/article/pii/S0940960216301753>

Schaeffer, V., Lavenir, I., Ozcelik, S., Tolnay, M., Winkler, D. T., & Goedert, M. (2012). Stimulation of autophagy reduces neurodegeneration in a mouse model of human tauopathy. *Brain*. doi: 10.1093/brain/aws143. <http://brain.oxfordjournals.org/content/early/2012/06/09/brain.aws143.ab..>

Schaffner, S., Khurana, R., Refolo, V., Venezia, S., Sturm, E., Piatti, P., . . . Stefanova, N. (2016). Changes in the miRNA-mRNA Regulatory Network Precede Motor Symptoms in a Mouse Model of Multiple System Atrophy: Clinical Implications. *Plos one*, 11(3), e0150705. doi: 10.1371/journal.pone.0150705. <http://dx.doi.org/10.1371%2Fjournal.pone.0150705>

Scharfman, H., Goodman, J., Macleod, A., Phani, S., Antonelli, C., & Croll, S. (2005). Increased neurogenesis and the ectopic granule cells after intrahippocampal BDNF infusion in adult rats. *Experimental Neurology*, 192(2), 348-356. doi: 10.1016/j.expneurol.2005.02.010

Scharfman, H. E., Sollas, A. L., Berger, R. E., & Goodman, J. H. (2003). Electrophysiological Evidence of Monosynaptic Excitatory Transmission Between Granule Cells After Seizure-Induced Mossy Fiber Sprouting. *Journal of Neurophysiology*, 90(4), 2536-2547. doi: 10.1152/jn.00251.2003. <http://jn.physiology.org/cgi/content/abstract/90/4/2536>

Scharfman, H. E., Sollas, A. L., Smith, K. L., Jackson, M. B., & Goodman, J. H. (2002). Structural and functional asymmetry in the normal and epileptic rat dentate gyrus. *Journal of Comparative Neurology*, 454(4), 424-439. doi: 10.1002/cne.10101

Scheinert, R. B., Haeri, M. H., Lehmann, M. L., & Herkenham, M. (2016). Therapeutic effects of stress-programmed lymphocytes transferred to chronically stressed mice. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. doi: <http://dx.doi.org/10.1016/j.pnpbbp.2016.04.010>. <http://www.sciencedirect.com/science/article/pii/S0278584616300562>

Schell, H., Boden, C., Chagas, A. M., & Kahle, P. J. (2012). Impaired c-Fos and Polo-Like Kinase 2 Induction in the Limbic System of Fear-conditioned α -Synuclein Transgenic Mice. *Plos one*, 7(11), e50245. doi: 10.1371/journal.pone.0050245. <http://dx.doi.org/10.1371%2Fjournal.pone.0050245>

Schelle, J., Häslar, L., Göpfert, J. C., Joos, T. O., Vanderstichele, H., Stoops, E., . . . Kaeser, S. A. (2016). Prevention of tau increase in cerebrospinal fluid of APP transgenic mice suggests downstream effect of BACE1 inhibition. *Alzheimer's & Dementia*. doi: <http://dx.doi.org/10.1016/j.jalz.2016.09.005>. <http://www.sciencedirect.com/science/article/pii/S155252601632951X>

Schenker, N. M., Hopkins, W. D., Spocter, M. A., Garrison, A. R., Stimpson, C. D., Erwin, J. M., . . . Sherwood, C. C. (2009). Broca's Area Homologue in Chimpanzees (*Pan troglodytes*): Probabilistic Mapping, Asymmetry, and Comparison to Humans. *Cerebral Cortex*, bhp138. doi: 10.1093/cercor/bhp138. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp138v1>

Schenker-Ahmed, N. M., & Annese, J. (2013). Cortical Mapping by Magnetic Resonance Imaging (MRI) and Quantitative Cytological Analysis in the Human Brain: A Feasibility Study in the Fusiform Gyrus. *Journal of Neuroscience Methods*, (0).

doi: <http://dx.doi.org/10.1016/j.jneumeth.2013.04.018>, <http://www.sciencedirect.com/science/article/pii/S0165027013001568>

Schenning, K. J., Noguchi, K. K., Martin, L. D., Manzella, F. M., Cabrera, O. H., Dissen, G. A., & Brambrink, A. M. (2016). Isoflurane exposure leads to apoptosis of neurons and oligodendrocytes in 20- and 40-day old rhesus macaques. *Neurotoxicology and Teratology*.

doi: <http://dx.doi.org/10.1016/j.ntt.2016.11.006>, <http://www.sciencedirect.com/science/article/pii/S0892036216301416>

Schiaffino, L., Bonafede, R., Scambi, I., Parrella, E., Pizzi, M., & Mariotti, R. (2018). Acetylation state of RelA modulated by epigenetic drugs prolongs survival and induces a neuroprotective effect on ALS murine model. *Scientific Reports*, 8(1), 12875. doi: 10.1038/s41598-018-30659-

4. <https://doi.org/10.1038/s41598-018-30659-4>

Schild, V. R. (2014). Iso-luminance counterillumination drove bioluminescent shark radiation. doi.

Schilling, G., Klevytska, A., Tebbenkamp, A., Juenemann, K., Cooper, J., Gonzales, V., . . . Borchelt, D. R. (2007). Characterization of Huntingtin Pathologic Fragments in Human Huntington Disease, Transgenic Mice, and Cell Models. *Journal of Neuropathology and Experimental Neurology*, 66(4), 313-320. doi.

Schilling, J., Kassan, A., Mandyam, C., Pearn, M., Voong, A., Grogman, G., . . . Patel, P. (2017). Inhibition of p75 neurotrophin receptor does not rescue cognitive impairment in adulthood after isoflurane exposure in neonatal mice. *BJA: British Journal of Anaesthesia*.

doi. <https://academic.oup.com/bja/article-abstract/doi/10.1093/bja/aew299/397..>

Schilling, S., Appl, T., Hoffmann, T., Cynis, H., Schulz, K., Jagla, W., . . . others. (2008). Inhibition of glutaminyl cyclase prevents pGlu-A β formation after intracortical/hippocampal microinjection in vivo/in situ. *Journal of Neurochemistry*, 106(3), 1225-1236. doi.

Schipper, P., Kiliaan, A. J., & Homberg, J. R. (2011). A mixed polyunsaturated fatty acid diet normalizes hippocampal neurogenesis and reduces anxiety in serotonin transporter knockout rats. *Behavioural Pharmacology*, 22(4), 324-324. doi.

Schlachetzki, J. C. M., Grimm, T., Schlachetzki, Z., Ben Abdallah, N. M. B., Ettle, B., Vöhringer, P., . . . Winkler, J. (2015). Dopaminergic lesioning impairs adult hippocampal neurogenesis by distinct modification of α -synuclein. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23677. <http://dx.doi.org/10.1002/jnr.23677>

Schlachetzki, J. C. M., Marxreiter, F., Regensburger, M., Kulinich, A., Winner, B., & Winkler, J. (2014). Increased tyrosine hydroxylase expression accompanied by glial changes within the non-lesioned hemisphere in the 6-hydroxydopamine model of Parkinson's disease. *Restorative Neurology and Neuroscience*. doi: 10.3233/rnn-130371. <http://dx.doi.org/10.3233/RNN-130371>

Schlesiger, M. I., Cressey, J. C., Boublil, B., Koenig, J., Melvin, N. R., Leutgeb, J. K., & Leutgeb, S. (2013). Hippocampal activation during the recall of remote spatial memories in radial maze tasks. *Neurobiology of Learning and Memory*, (0).

doi: <http://dx.doi.org/10.1016/j.nlm.2013.05.007>, <http://www.sciencedirect.com/science/article/pii/S1074742713000889>

Schluter, E. W., Hunsaker, M. R., Greco, C. M., Willemsen, R., & Berman, R. F. (2012). Distribution and frequency of intranuclear inclusions in female CGG KI mice modeling the fragile X premutation. *Brain*

Research, (0). doi:

10.1016/j.brainres.2012.06.052. <http://www.sciencedirect.com/science/article/pii/S0006899312011389>

Schmeichel, A. M., Coon, E. A., Parisi, J. E., Singer, W., Low, P. A., & Benarroch, E. E. (2021). Loss of putative GABAergic neurons in the ventrolateral medulla in multiple system atrophy. *Sleep*, (zsab074). doi: 10.1093/sleep/zsab074. <https://doi.org/10.1093/sleep/zsab074>

Schmeichel, A. M., Gehrking, J. A., Minota, K., Low, P. A., Singer, W., & Mandrekar, J. N. (2019). Refined Quantitation of Sweat Gland Innervation. doi: 10.1093/jnen/nlz015. <https://doi.org/10.1093/jnen/nlz015>

Schmid, F., Wachsmuth, L., Schwalm, M., Prouvot, P.-H., Jubal, E. R., Fois, C., . . . Stroh, A. (2015). Assessing sensory versus optogenetic network activation by combining (o)fMRI with optical Ca²⁺ recordings. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15619428. <http://jcb.sagepub.com/content/early/2015/11/30/0271678x15619428.abstract>

Schmidt, C., Fischer, T., Rückert, R.-I., Oberwahrenbrock, T., Harms, L., Kronenberg, G., & Kunte, H. (2017). Identification of neovascularization by contrast-enhanced ultrasound to detect unstable carotid stenosis. *Plos one*, 12(4), e0175331. doi: 10.1371/journal.pone.0175331. <https://doi.org/10.1371/journal.pone.0175331>

Schmidt, M. L., Zhukareva, V., Perl, D. P., Sheridan, S. K., Schuck, T., Lee, V. M. Y., & Trojanowski, J. Q. (2001). Spinal cord neurofibrillary pathology in Alzheimer disease and Guam parkinsonism-dementia complex. *Journal of Neuropathology and Experimental Neurology*, 60(11), 1075-1075. doi:

Schmiedl, A., Behrens, J., Zscheppang, K., Purevdorj, E., von Mayersbach, D., Liese, A., & Dammann, C. E. L. (2011). Lipopolysaccharide-induced injury is more pronounced in fetal transgenic ErbB4-deleted lungs. *American Journal of Physiology - Lung Cellular and Molecular Physiology*, 301(4), L490-L499. doi: 10.1152/ajplung.00131.2010. <http://ajplung.physiology.org/content/301/4/L490.abstract>

Schmiedl, A., Krainski, J., Schwichtenhövel, F., Schade, J., Klemann, C., Raber, K. A., . . . M., S. (2010). Reduced airway inflammation in CD26/DPP4-deficient F344 rats is associated with altered recruitment patterns of regulatory T cells and expression of pulmonary surfactant proteins. *Clinical and Experimental Allergy*, 40(12), 1794-1808. doi:

Schmiedl, A., Lempa, T., Hoymann, H. G., Rittinghausen, S., Popa, D., Tschernig, T., . . . Hohlfeld, J. M. (2008). Elastase-induced lung emphysema in rats is not reduced by hematopoietic growth factors when applied preventively. *Virchows Archive*, 452(6), 675-688. doi:

Schmiedl, A., Lührmann, A., Pabst, R., & Koslowski, R. (2009). Increased surfactant protein A and D expression in acute ovalbumin-induced allergic airway inflammation in Brown Norway rats. *International Archives of Allergy and Immunology*, 148(2), 118-126. doi:

Schmiedt, M. L., Blom, T., Kopra, O., Wong, A., von Schantz-Fant, C., Ikonen, E., . . . Cooper, J. D. (2011). Cln5-deficiency in mice leads to microglial activation, defective myelination and changes in lipid metabolism. *Neurobiology of Disease*. doi:

Schmitt, A., Schulenberg, W., Bernstein, H. G., Steiner, J., Schneider-Axmann, T., Yeganeh-Doost, P., . . . others. (2011). Reduction of gyrification index in the cerebellar vermis in schizophrenia: A post-mortem study. *World Journal of Biological Psychiatry*, 12(S1), 99-103. doi:

- Schmitt, A., Steyskal, C., Bernstein, H. G., Schneider-Axmann, T., Parlapani, E., Schaeffer, E. L., . . . Falkai, P. (2009). Stereologic investigation of the posterior part of the hippocampus in schizophrenia. *Acta Neuropathologica*, 117(4), 395-407. doi.
- Schmitt, O., Usunoff, K. G., Lazarov, N. E., Itzev, D. E., Eipert, P., Rolfs, A., & Wree, A. (2011). Orexinergic innervation of the extended amygdala and basal ganglia in the rat. *Brain Structure and Function*, 1-24. doi.
- Schmitz, C., Born, M., Dolezel, P., Rutten, B. P. F., de Saint-Georges, L., Hof, P. R., & Korr, H. (2005). Prenatal protracted irradiation at very low dose rate induces severe neuronal loss in rat hippocampus and cerebellum. *Neuroscience*, 130(4), 935-948. doi.
- Schmitz, C., & Casanova, M. (2005). Autistic Brains Out of Synch? *Science*, 308(5730), 1856-1858. doi.
- Schmitz, C., Dafotakis, M., Heisen, H., Mugrauer, K., Niesel, A., Popken, G. J., . . . Korr, H. (2000). Use of cryostat sections from snap-frozen nervous tissue for combining stereological estimates with histological, cellular, or molecular analyses on adjacent sections. *Journal of Chemical Neuroanatomy*, 20(1), 21-29. doi.
- Schmitz, C., & Hof, P. R. (2005). Design-based stereology in neuroscience. *Neuroscience*, 130(4), 813-831. doi.
- Schmitz, C., Rutten, B. P. F., Pielen, A., Schafer, S., Wirths, O., Tremp, G., . . . Bayer, T. A. (2004). Hippocampal Neuron Loss Exceeds Amyloid Plaque Load in a Transgenic Mouse Model of Alzheimer's Disease. *American Journal of Pathology*, 164(4). doi.
- Schnegg, C. I., Greene-Schloesser, D., Kooshki, M., Payne, V. S., Hsu, F.-C., & Robbins, M. E. (2013). The PPAR δ agonist, GW0742, inhibits neuroinflammation, but does not restore neurogenesis or prevent early delayed hippocampal-dependent cognitive impairment after whole-brain irradiation. *Free Radical Biology and Medicine*, (0). doi: <http://dx.doi.org/10.1016/j.freeradbiomed.2013.03.002>. <http://www.sciencedirect.com/science/article/pii/S0891584913000968>
- Schneider, C. A., Rasband, W. S., & Eliceiri, K. W. (2012). NIH Image to ImageJ: 25 years of image analysis. *Nat Methods*, 9. doi: 10.1038/nmeth.2089. <http://dx.doi.org/10.1038/nmeth.2089>
- Schneider, D., Gerhardt, E., Bock, J., Müller, M. M., Wolburg, H., Lang, F., & Schulz, J. B. (2004). Intracellular acidification by inhibition of the Na⁺/H⁺-exchanger leads to caspase-independent death of cerebellar granule neurons resembling paraptosis. *Nature*, (doi:10.1038/sj.cdd.4401377). doi.
- Schneider, J. A., Li, J. L., Li, Y., Wilson, R. S., Kordower, J. H., & Bennett, D. A. (2006). Substantia nigra tangles are related to gait impairment in older persons. *Annals of Neurology*, 59(1), 166-173. doi.
- Schneider, J. S., Aras, R., Williams, C. K., Koprach, J. B., Brotchie, J. M., & Singh, V. (2019). GM1 Ganglioside Modifies α -Synuclein Toxicity and is Neuroprotective in a Rat α -Synuclein Model of Parkinson's Disease. *Scientific Reports*, 9(1), 8362. doi: 10.1038/s41598-019-42847-x. <https://doi.org/10.1038/s41598-019-42847-x>
- Schneider, J. S., Burgess, C., Sleiter, N. C., DonCarlos, L. L., Lydon, J. P., O'Malley, B., & Levine, J. E. (2005). Enhanced Sexual Behaviors and Androgen Receptor Immunoreactivity in the Male Progesterone Receptor Knockout Mouse. *Endocrinology*, 146(10), 4340-4348. doi: 10.1210/en.2005-0490. <http://endo.endojournals.org/cgi/content/abstract/146/10/4340>

Schnöeder, L., Hao, W., Qin, Y., Liu, S., Tomic, I., Liu, X., . . . Liu, Y. (2015). Deficiency of Neuronal p38 α -MAPK Attenuates Amyloid Pathology in Alzheimer's Mouse and Cell Models through Facilitating Lysosomal Degradation of BACE1. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M115.695916. <http://www.jbc.org/content/early/2015/12/09/jbc.M115.695916.abstract>

Schnoz, C., Carrel, M., & Loffing, J. (2019). Loss of sodium chloride co-transporter impairs the outgrowth of the renal distal convoluted tubule during renal development. *Nephrology Dialysis Transplantation*. doi: 10.1093/ndt/gfz172. <https://doi.org/10.1093/ndt/gfz172>

Schnoz, C., Moser, S., Kratschmar, D. V., Odermatt, A., Loffing-Cueni, D., & Loffing, J. (2020). Deletion of the transcription factor Prox-1 specifically in the renal distal convoluted tubule causes hypomagnesemia via reduced expression of TRPM6 and NCC. *Pflügers Archiv - European Journal of Physiology*. doi: 10.1007/s00424-020-02491-1. <https://doi.org/10.1007/s00424-020-02491-1>

Schoenfeld, T. A., & Knott, T. K. (2004). Evidence for the Disproportionate Mapping of Olfactory Airspace onto the Main Olfactory Bulb of the Hamster. *Journal of Comparative Neurology*, 476, 186-201. doi.

Schoenfeld, T. J., Rhee, D., Martin, L., Smith, J. A., Sonti, A. N., Padmanaban, V., & Cameron, H. A. (2019). New neurons restore structural and behavioral abnormalities in a rat model of PTSD. *Hippocampus*, 0(0). doi: 10.1002/hipo.23087. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23087>

Scholtissen, B., Deumens, R., Leentjens, A. F. G., Schmitz, C., Blokland, A., Steinbusch, H. W. M., & Prickaerts, J. (2006). Functional investigations into the role of dopamine and serotonin in partial bilateral striatal 6-hydroxydopamine lesioned rats. *Pharmacology Biochemistry and Behavior*, 83(2), 175-185. doi.

Scholz, A., Harter, P. N., Cremer, S., Yalcin, B. H., Gurnik, S., Yamaji, M., . . . Reiss, Y. (2015). Endothelial cell-derived angiopoietin-2 is a therapeutic target in treatment-naïve and bevacizumab-resistant glioblastoma. *EMBO Molecular Medicine*, n/a-n/a. doi: 10.15252/emmm.201505505. <http://dx.doi.org/10.15252/emmm.201505505>

Scholz, A., Lang, V., Henschler, R., Czabanka, M., Vajkoczy, P., Chavakis, E., . . . others. (2011). Angiopoietin-2 promotes myeloid cell infiltration in a β 2-integrin-dependent manner. *Blood*, 118(18), 5050-5059. doi.

Schölzke, M. N., Röttinger, A., Murikinati, S., Gehrig, N., Leib, C., & Schwaninger, M. (2011). TWEAK regulates proliferation and differentiation of adult neural progenitor cells. *Molecular and Cellular Neuroscience*, 46(1), 325-332. doi.

Schönhoff, K., von Rüden, E.-L., Koska, I., Seiffert, I., & Potschka, H. (2021). Hippocampal and Septal 5-HT1A Receptor Expression in Two Rat Models of Temporal Lobe Epilepsy. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2021.03.026>. <https://www.sciencedirect.com/science/article/pii/S0306452221001627>

Schöpf, I., Easton, A. C., Solati, J., Golub, Y., Kornhuber, J., Giese, K. P., & Müller, C. P. (2015). α CaMKII autophosphorylation mediates neuronal activation in the hippocampal dentate gyrus after alcohol and cocaine in mice. *Neuroscience Letters*, 591(0), 65-68. doi: <http://dx.doi.org/10.1016/j.neulet.2015.02.031>. <http://www.sciencedirect.com/science/article/pii/S0304394015001378>

- Schreyer, S., Klein, C., Pfeiffer, A., Rasińska, J., Stahn, L., Knuth, K., . . . Steiner, B. (2020). Chia seeds as a potential cognitive booster in the APP23 Alzheimer's disease model. *Scientific Reports*, 10(1), 18215. doi: 10.1038/s41598-020-75209-z. <https://doi.org/10.1038/s41598-020-75209-z>
- Schriever, S. C., Zimprich, A., Pfuhlmann, K., Baumann, P., Giesert, F., Klaus, V., . . . Pfluger, P. T. (2017). Alterations in neuronal control of body weight and anxiety behavior by glutathione peroxidase 4 deficiency. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.050>. <http://www.sciencedirect.com/science/article/pii/S0306452217303846>
- Schuch, C. P., Jeffers, M. S., Antonescu, S., Nguemeni, C., Gomez-Smith, M., Pereira, L. O., . . . Corbett, D. (2016). Enriched rehabilitation promotes motor recovery in rats exposed to neonatal hypoxia-ischemia. *Behavioural Brain Research*, 304, 42-50. doi: <http://dx.doi.org/10.1016/j.bbr.2016.02.010>. <http://www.sciencedirect.com/science/article/pii/S0166432816300663>
- Schulz, C., Paus, M., Frey, K., Schmid, R., Kohl, Z., Mennerich, D., . . . Gillardon, F. (2011). Leucine-rich repeat kinase 2 modulates retinoic acid-induced neuronal differentiation of murine embryonic stem cells. *PLoS ONE*, 6(6), e20820-e20820. doi.
- Schumann, C. M., & Amaral, D. G. (2005). Stereological estimation of the number of neurons in the human amygdaloid complex. *PubMed*, PMID: 16175550. doi.
- Schumann, C. M., & Amaral, D. G. (2006). Stereological Analysis of Amygdala Neuron Number in Autism. *Journal of Neuroscience*, 26(29), 7674-7679. doi: 10.1523/jneurosci.1285-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/29/7674>
- Schumm, M. A., Castellanos, D. A., Frydel, B. R., & Sagen, J. (2002). Enhanced viability and neuronal differentiation of neural progenitors by chromaffin cell co-culture. *Developmental Brain Research*, 137(2), 115-125. doi.
- Schumm, M. A., Castellanos, D. A., Frydel, B. R., & Sagen, J. (2003). Direct cell-cell contact required for neurotrophic effect of chromaffin cells on neural progenitor cells. *Developmental Brain Research*, 146(1-2), 1-13. doi.
- Schumm, M. A., Castellanos, D. A., Frydel, B. R., & Sagen, J. (2004). Improved neural progenitor cell survival when cogenerated with chromaffin cells in the rat striatum. *Experimental Neurology*, 185(1), 133-142. doi.
- Schunk, E., Aigner, C., Stefanova, N., Wenning, G., Herzog, H., & Schwarzer, C. (2011). Kappa opioid receptor activation blocks progressive neurodegeneration after kainic acid injection. *Hippocampus*, 21(9), 1010-1020. doi: 10.1002/hipo.20813. <http://dx.doi.org/10.1002/hipo.20813>
- Schutt, C. R., Gendelman, H. E., & Mosley, R. L. (2018). Tolerogenic bone marrow-derived dendritic cells induce neuroprotective regulatory T cells in a model of Parkinson's disease. [journal article]. *Molecular Neurodegeneration*, 13(1), 26. doi: 10.1186/s13024-018-0255-7. <https://doi.org/10.1186/s13024-018-0255-7>
- Schwartz, E., Wicinski, B., Schmeidler, J., Haroutunian, V., & Hof, P. R. (2010). Cardiovascular risk factors affect hippocampal microvasculature in early AD. *Translational neuroscience*, 1(4), 292-299. doi.

Schwartz, E. D., Chin, C.-L., Shumsky, J. S., Jawad, A. F., Brown, B. K., Wehrli, S., . . . Hackney, D. B. (2005). Apparent Diffusion Coefficients in Spinal Cord Transplants and Surrounding White Matter Correlate with Degree of Axonal Dieback After Injury in Rats. *American Journal of Neuroradiology*, 26(1), 7-18. doi.

Schwartzkroin, P. A., Wenzel, H. J., Lyeth, B. G., Poon, C. C., DeLance, A., Van, K. C., . . . Nguyen, D. V. (2010). Does ketogenic diet alter seizure sensitivity and cell loss following fluid percussion injury? *Epilepsy Research*, 92(1), 74-84. doi.

Schwarz, J. M., Sholar, P. W., & Bilbo, S. D. (2011). Sex differences in microglial colonization of the developing rat brain. *Journal of Neurochemistry*. doi.

Schweitzer, J. S., Song, B., Leblanc, P. R., Feitosa, M., Carter, B. S., & Kim, K.-S. (2019). Columnar Injection for Intracerebral Cell Therapy. *Operative Neurosurgery*. doi: 10.1093/ons/onz143. <https://doi.org/10.1093/ons/onz143>

Schweyer, K., Rüschoff-Steiner, C., Arias-Carrión, O., Oertel, W. H., Rösler, T. W., & Höglinger, G. U. (2019). Neuronal precursor cells with dopaminergic commitment in the rostral migratory stream of the mouse. *Scientific Reports*, 9(1), 13359. doi: 10.1038/s41598-019-49920-5. <https://doi.org/10.1038/s41598-019-49920-5>

Sciacca, G., & Cicchetti, F. (2017). Mutant huntingtin protein expression and blood-spinal cord barrier dysfunction in Huntington's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.25107. <http://dx.doi.org/10.1002/ana.25107>

Sciacaluga, M., Mazzocchetti, P., Bastioli, G., Ghiglieri, V., Cardinale, A., Mosci, P., . . . Tozzi, A. (2020). Effects of safinamide on the glutamatergic striatal network in experimental Parkinson's disease. *Neuropharmacology*, 108024. doi: <https://doi.org/10.1016/j.neuropharm.2020.108024>. <http://www.sciencedirect.com/science/article/pii/S0028390820300903>

Sciamanna, G., Hollis, R., Ball, C., Martella, G., Tassone, A., Marshall, A., . . . Zhang, L. (2012). Cholinergic dysregulation produced by selective inactivation of the dystonia-associated protein TorsinA. *Neurobiology of Disease*. doi.

Scofield, M. D., Li, H., Siemsen, B., Healey, K. L., Tran, P. K., Woronoff, N., . . . Reissner, K. J. (2015). Cocaine self-administration and extinction leads to reduced GFAP expression and morphometric features of astrocytes in the nucleus accumbens core. *Biological Psychiatry*. doi: <http://dx.doi.org/10.1016/j.biopsych.2015.12.022>. <http://www.sciencedirect.com/science/article/pii/S0006322315010872>

Scorcioni, R., Wright, S. N., Patrick Card, J., Ascoli, G. A., & Barrionuevo, G. (2008). Point Analysis in Java Applied to Histological Images of the Perforant Pathway: A User's Account. *Neuroinformatics*, 6(1), 63-67. doi.

Scorza, C. A., Araujo, B. H. S., Arida, R. M., Scorza, F. A., Torres, L. B., Amorim, H. A., & Cavalheiro, E. A. (2010). Distinctive hippocampal CA2 subfield of the Amazon rodent *Proechimys*. *Neuroscience*, 169(3), 965-973. doi.

Scorza, C. A., Araujo, B. H. S., Leite, L. A., Torres, L. B., Otalora, L. F. P., Oliveira, M. S., . . . Cavalheiro, E. A. (2011). Morphological and electrophysiological properties of pyramidal-like neurons in the stratum oriens of Cornu ammonis 1 and Cornu ammonis 2 area of *Proechimys*. *Neuroscience*, 177, 252-252. doi.

Sebeo, J., Hof, P. R., & Perl, D. P. (2004). Occurrence of a-synuclein pathology in the cerebellum of Guamanian patients with parkinsonism-dementia complex. *Acta Neuropathologica*, 107(6), 497-503. doi.

Sebrié, C., Chabert, C., Ledru, A., Guedj, F., Po, C., Smith, D. J., . . . others. (2008). Increased dosage of DYRK1A and brain volumetric alterations in a YAC model of partial trisomy 21. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 291(3), 254-262. doi.

Sedjahtera, A., Gunawan, L., Bray, L., Hung, L. W., Parsons, J., Okamura, N., . . . Adlard, P. A. (2018). Targeting metals rescues the phenotype in an animal model of tauopathy. [10.1039/C8MT00153G]. *Metallomics*. doi: 10.1039/c8mt00153g. <http://dx.doi.org/10.1039/C8MT00153G>

Seeger, N., Zellinger, C., Rode, A., Roloff, F., Bicker, G., Russmann, V., . . . Potschka, H. (2011). The erythropoietin-derived peptide mimetic pHBSP affects cellular and cognitive consequences in a rat post-status epilepticus model. *Epilepsia*, 52(12), 2333-2343. doi: 10.1111/j.1528-1167.2011.03302.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03302.x>

Seehafer, S. S., Ramirez-Montealegre, D., Wong, A., Chan, C. H., Castaneda, J., Horak, M., . . . Pearce, D. A. (2011). Immunosuppression alters disease severity in juvenile Batten disease mice. *Journal of Neuroimmunology*, 230(1-2), 169-172. doi.

Seeley, W. W., Carlin, D. A., Allman, J. M., Macedo, M. N., Bush, C., Miller, B. L., & DeArmond, S. J. (2006). Early frontotemporal dementia targets neurons unique to apes and humans. *Annals of Neurology*, 60(6), 660-667. doi.

Segal, D., Carpenter, D., Höistad, M., Haroutunian, V., Tang, C. Y., & Hof, P. R. (2010). Cingulum bundle white matter in MAG-knockout mice. *Translational neuroscience*, 1(2), 131-138. doi.

Segl, D., Schmitz, C., & Hof, P. R. (2008). Spatial distribution and density of oligodendrocytes in the cingulum bundle are unaltered in schizophrenia *Acta Neuropathologica*, 117(4), 385-394. doi.

Séguin, B., Pinard, C., Lussier, B., Williams, D., Griffin, L., Podell, B., . . . Brailovski, V. (2019). Limb-sparing in dogs using patient-specific, 3 dimensional-printed endoprosthesis for distal radial osteosarcoma: a pilot study. *Veterinary and Comparative Oncology*, 0(ja). doi: 10.1111/vco.12515. <https://onlinelibrary.wiley.com/doi/abs/10.1111/vco.12515>

Segura-Puimedon, M., Sahún, I., Velot, E., Dubus, P., Borralleras, C., Rodrigues, A. J., . . . Campuzano, V. (2014). Heterozygous deletion of the Williams-Beuren syndrome critical interval in mice recapitulates most features of the human disorder. *Human Molecular Genetics*. doi: 10.1093/hmg/ddu368. <http://hmg.oxfordjournals.org/content/early/2014/07/14/hmg.ddu368.abstract>

Seigenfuse, M. D., Yingling, V. R., & Goldman, H. M. (2010). Delayed Puberty Results in Decreased Percentage of Lamellar Bone and Decreased Mechanical Strength in Female Rats: 916: June 4 1: 15 PM-1: 30 PM. *Medicine and Science in Sports and Exercise*, 42(5), 103-103. doi.

Seiglie, M. P., Huang, L., Cottone, P., & Sabino, V. (2019). Role of the PACAP system of the extended amygdala in the acoustic startle response in rats. *Neuropharmacology*, 160, 107761. doi: <https://doi.org/10.1016/j.neuropharm.2019.107761>. <http://www.sciencedirect.com/science/article/pii/S002839081930320X>

Simon, T. A., McAloose, D., Raphael, B., Honkavuori, K. S., Chang, T., Hirschberg, D. L., & Lipkin, W. I. (2011). A Novel Herpesvirus in 3 Species of Pheasants: Mountain Peacock Pheasant (*Polyplectron inopinatum*), Malayan Peacock Pheasant (*Polyplectron malacense*), and Congo Peafowl (*Afropavo congensis*). *Veterinary Pathology Online*. doi.

Sekeres, M. J., Mercaldo, V., Richards, B., Sargin, D., Mahadevan, V., Woodin, M. A., . . . Josselyn, S. A. (2012). Increasing CRTC1 Function in the Dentate Gyrus during Memory Formation or Reactivation Increases Memory Strength without Compromising Memory Quality. *Journal of Neuroscience*, 32(49), 17857-17868. doi: 10.1523/jneurosci.1419-12.2012. <http://www.jneurosci.org/content/32/49/17857.abstract>

Sekerková, G., Ilijic, E., & Mugnaini, E. (2004). Bromodeoxyuridine administered during neurogenesis of the projection neurons causes cerebellar defects in rat. *Journal of Comparative Neurology*, 470(3), 221-239. doi.

Sekerková, G., Ilijic, E., & Mugnaini, E. (2004). Time of origin of unipolar brush cells in the rat cerebellum as observed by prenatal bromodeoxyuridine labeling. *Neuroscience*, 127(4), 845-858. doi.

Sekerková, G., Ilijic, E., Mugnaini, E., & Baker, J. F. (2005). Otolith organ or semicircular canal stimulation induces c-fos expression in unipolar brush cells and granule cells of cat and squirrel monkey. *Experimental Brain Research*, 164(3), 286-300. doi.

Selemon, L. D., & Begovic, A. (2007). Stereologic analysis of the lateral geniculate nucleus of the thalamus in normal and schizophrenic subjects. *Psychiatry Research*, 151(1-2), 1-10. doi.

Selemon, L. D., & Begovic, A. (2020). Reduced Midbrain Dopamine Neuron Number in the Adult Non-human Primate Brain after Fetal Radiation Exposure. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.07.005>. <http://www.sciencedirect.com/science/article/pii/S0306452220304383>

Selemon, L. D., Begović, A., & Rakic, P. (2009). Selective reduction of neuron number and volume of the mediodorsal nucleus of the thalamus in macaques following irradiation at early gestational ages. *Journal of Comparative Neurology*, 515(4), 454-464. doi.

Selemon, L. D., Ceritoglu, C., Ratnanather, J. T., Wang, L., Harms, M. P., Aldridge, K., . . . Rakic, P. (2012). Distinct abnormalities of the primate prefrontal cortex caused by ionizing radiation in early or midgestation. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23217. <http://dx.doi.org/10.1002/cne.23217>

Selim, M. M., Wendelschafer-Crabb, G., Redmon, J. B., Khoruts, A., Hodges, J. S., Koch, K., . . . Kennedy, W. R. (2010). Gastric mucosal nerve density: A biomarker for diabetic autonomic neuropathy? *Neurology*, 75(11), 973-981. doi: 10.1212/WNL.ob013e3181f25f19. <http://www.neurology.org/cgi/content/abstract/75/11/973>

Sell, S. L., Boone, D. R., Weisz, H. A., Cardenas, C., Willey, H. E., Bolding, I. J., . . . Hellmich, H. L. (2019). MicroRNA profiling identifies a novel compound with antidepressant properties. *Plos one*, 14(8), e0221163. doi: 10.1371/journal.pone.0221163. <https://doi.org/10.1371/journal.pone.0221163>

Sellers, D. L., & Horner, P. J. (2012). *Assessments of Gliogenesis After Spinal Cord Injury*. Springer Protocols Handbooks. doi.

Sellers, D. L., Kim, T. H., Mount, C. W., Pun, S. H., & Horner, P. J. (2014). Poly(lactic-co-glycolic) acid microspheres encapsulated in Pluronic F-127 prolong hirudin delivery and improve functional recovery from a demyelination lesion. *Biomaterials*, (0). doi: <http://dx.doi.org/10.1016/j.biomaterials.2014.06.051>. <http://www.sciencedirect.com/science/article/pii/S0142961214007571>

Selli, J., Unal, D., Mercantepe, F., Akaras, N., Kabayel, R., Unal, B., & Atilay, H. (2015). Protective effects of beta glucan in brain tissues of post-menopausal rats: a histochemical and ultra-structural study. *Gynecological Endocrinology*, (just-accepted), 1-19. doi: <http://www.tandfonline.com/doi/abs/10.3109/09513590.2015.1110139>

Sellinger, E. P., Drzewiecki, C. M., Willing, J., & Juraska, J. M. (2021). Cell death in the male and female rat medial prefrontal cortex during early postnatal development. *IBRO Neuroscience Reports*, 10, 186-190. doi: <https://doi.org/10.1016/j.ibneur.2021.03.002>. <https://www.sciencedirect.com/science/article/pii/S266724212100018X>

Sellner, S., Paricio-Montesinos, R., Spieß, A., Masuch, A., Erny, D., Harsan, L. A., . . . Blank, T. (2016). Microglial CX3CR1 promotes adult neurogenesis by inhibiting Sirt 1/p65 signaling independent of CX3CL1. [journal article]. *Acta Neuropathologica Communications*, 4(1), 1-13. doi: 10.1186/s40478-016-0374-8. <http://dx.doi.org/10.1186/s40478-016-0374-8>

Šemanjski, K., Majdič, G., Kozina, V., & Ježek, D. (2021). Sexual dimorphism of the extraorbital lacrimal glands in SF-1 knockout mice. *Acta Histochemica*, 123(2), 151669. doi: <https://doi.org/10.1016/j.acthis.2020.151669>. <http://www.sciencedirect.com/science/article/pii/S0065128120301689>

Semple, B. D., Dixit, S., Shultz, S. R., Boon, W. C., & O'Brien, T. J. (2017). Sex-dependent changes in neuronal morphology and psychosocial behaviors after pediatric brain injury. *Behavioural Brain Research*, 319, 48-62. doi: <http://dx.doi.org/10.1016/j.bbr.2016.10.045>. <http://www.sciencedirect.com/science/article/pii/S0166432816306477>

Semple, B. D., Noble-Haeusslein, L. J., Jun Kwon, Y., Sam, P. N., Gibson, A. M., Grissom, S., . . . Schenk, A. K. (2014). Sociosexual and Communication Deficits after Traumatic Injury to the Developing Murine Brain. *Plos one*, 9(8), e103386. doi: 10.1371/journal.pone.0103386. <http://dx.doi.org/10.1371/journal.pone.0103386>

Semple, B. D., Sadjadi, R., Carlson, J., Chen, Y., Xu, D., Ferriero, D. M., & Noble-Haeusslein, L. J. (2016). Long-Term Anesthetic-Dependent Hypoactivity after Repetitive Mild Traumatic Brain Injuries in Adolescent Mice. *Developmental Neuroscience*, 38(3), 220-238. doi: <http://www.karger.com/DOI/10.1159/000448089>

Semple, B. D., Trivedi, A., Gimlin, K., & Noble-Haeusslein, L. J. (2014). Neutrophil elastase mediates acute pathogenesis and is a determinant of long-term behavioral recovery after traumatic injury to the immature brain. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.12.003>. <http://www.sciencedirect.com/science/article/pii/S096999611400374X>

Semple, B. D., Trivedi, A., Gimlin, K., & Noble-Haeusslein, L. J. (2014). Neutrophil elastase mediates acute pathogenesis and is a determinant of long-term behavioral recovery after traumatic injury to the immature brain. *Neurobiology of Disease*, (0).

doi: <http://dx.doi.org/10.1016/j.nbd.2014.12.003>. <http://www.sciencedirect.com/science/article/pii/S096999611400374X>

Sen, M. K., Almuslehi, M. S. M., Coorssen, J. R., Mahns, D. A., & Shortland, P. J. (2020). Behavioural and histological changes in cuprizone-fed mice. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2020.01.021>. <http://www.sciencedirect.com/science/article/pii/S0889159119315296>

Sen, S., Parishar, P., Pundir, A. S., Reiner, A., & Iyengar, S. (2019). The Expression of Tyrosine Hydroxylase and DARPP-32 in the House Crow (*Corvus splendens*) brain. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24649. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24649>

Senel, E., Ozkan, E., Bereket, M. C., & Onger, M. E. (2019). The assessment of new bone formation induced by unfocused extracorporeal shock wave therapy applied on pre-surgical phase of distraction osteogenesis. *European Oral Research*, 53(3), 125-131. doi: 10.26650/eor.20190041. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6761485/>

Sener, I., Bereket, C., Kosker, H., Turer, A., Tek, M., & Kaplan, S. (2013). The Effects of Zoledronic Acid on Mandibular Fracture Healing in an Osteoporotic Model: A Stereological Study. *Journal of Craniofacial Surgery*, 24(4), 1221-1224. doi: 10.1097/SCS.1220b1013e3182997816. doi: http://journals.lww.com/jcraniofacialsurgery/Fulltext/2013/07000/The_Eff..

Seney, M., Goldman, B. D., & Forger, N. G. (2006). Breeding status affects motoneuron number and muscle size in naked mole-rats: Recruitment of perineal motoneurons? *Journal of Neurobiology*, 66(12), 1354-1364. doi:

Sengelaub, D. R., Han, Q., Liu, N.-K., Maczuga, M., Szalavari, V., Valencia, S., & Xu, X.-M. (2017). Protective Effects of Estradiol and Dihydrotestosterone Following Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5329. <https://doi.org/10.1089/neu.2017.5329>

Sengul, A. T., Buyukkkarabacak, Y. B., Altunkaynak, B. Z., Yetim, T. D., Altun, G. Y., Sengul, B., & Basoglu, A. (2016). Effects of platelet-rich plasma on cartilage regeneration after costal cartilage resection: a stereological and histopathological study. *Acta Chirurgica Belgica*, 1-8. doi: 10.1080/00015458.2016.1210874. <http://dx.doi.org/10.1080/00015458.2016.1210874>

Sengupta, A., Bocchio, M., Bannerman, D. M., Sharp, T., & Capogna, M. (2017). Control of amygdala circuits by 5-HT neurons via 5-HT and glutamate co-transmission. [10.1523/JNEUROSCI.2238-16.2016]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/01/13/JNEUROSCI.2238-16.2016..>

Sengupta, U., Carretero-Murillo, M., & Kaye, R. (2018). Preparation and Characterization of Tau Oligomer Strains. In E. M. Sigurdsson, M. Calero & M. Gasset (Eds.), *Amyloid Proteins: Methods and Protocols* (pp. 113-146). New York, NY: Springer New York.

Seno, S., Wang, J., Cao, S., Saraswati, M., Park, S., Simoni, J., . . . Robertson, C. L. (2020). Resuscitation with macromolecular superoxide dismutase/catalase mimetic polynitroxylated PEGylated hemoglobin offers neuroprotection in guinea pigs after traumatic brain injury combined with hemorrhage shock. *BMC Neuroscience*, 21(1), 22. doi: 10.1186/s12868-020-00571-7. <https://doi.org/10.1186/s12868-020-00571-7>

Sensor, J. D., Suydam, R., George, J. C., Liberman, M. C., Lovano, D., Rhaganti, M. A., . . . Thewissen, J. G. M. (2015). The spiral ganglion and Rosenthal's canal in beluga whales. *Journal of Morphology*, n/a-n/a. doi: 10.1002/jmor.20434. <http://dx.doi.org/10.1002/jmor.20434>

Senut, M.-C., Suhr, S. T., Kaspar, B., & Gage, F. H. (2000). Intraneuronal Aggregate Formation and Cell Death after Viral Expression of Expanded Polyglutamine Tracts in the Adult Rat Brain. *Journal of Neuroscience*, 20(1), 219-229. doi: <http://www.jneurosci.org/cgi/content/abstract/20/1/219>

Seo, D.-o., Carillo, M. A., Lim, S. C.-H., Tanaka, K. F., & Drew, M. R. (2015). Adult Hippocampal Neurogenesis Modulates Fear Learning through Associative and Nonassociative Mechanisms. *The Journal of Neuroscience*, 35(32), 11330-11345. doi: <http://www.jneurosci.org/content/35/32/11330.short>

Seo, H., & Isacson, O. (2005). Abnormal APP, cholinergic and cognitive function in Ts65Dn Down's model mice. *Experimental Neurology*, 193(2), 469-480. doi.

Serarslan, Y., Bal, R., Altug, M. E., Kontas, T., Keles, O. N., Unal, D., & Unal, B. (2009). Effects of trimetazidine on crush injury of the sciatic nerve in rats: a biochemical and stereological study. *Brain Research*, 1247, 11-20. doi.

Serrano-García, N., Fernández-Valverde, F., Luis-García, E. R., Granados-Rojas, L., Juárez-Zepeda, T. E., Orozco-Suárez, S. A., . . . Jiménez-Anguiano, A. (2018). Docosahexaenoic acid protection in a rotenone induced Parkinson's model: Prevention of tubulin and synaptophysin loss, but no association with mitochondrial function. *Neurochemistry International*, 121, 26-37. doi: <https://doi.org/10.1016/j.neuint.2018.10.015>, <http://www.sciencedirect.com/science/article/pii/S0197018618303978>

Sesele, K., Thanopoulou, K., Paouri, E., Tsefou, E., Klinakis, A., & Georgopoulos, S. (2013). Conditional inactivation of nicastrin restricts amyloid deposition in an Alzheimer's disease mouse model. *Aging cell*, n/a-n/a. doi: 10.1111/acer.12131. <http://dx.doi.org/10.1111/acer.12131>

Seta, H., Maki, D., Kazuno, A., Yamato, I., Nakajima, N., Soeda, S., . . . Tamaki, T. (2018). Voluntary Exercise Positively Affects the Recovery of Long-Nerve Gap Injury Following Tube-Bridging with Human Skeletal Muscle-Derived Stem Cell Transplantation. *Journal of Clinical Medicine*, 7(4), 67. doi: <http://www.mdpi.com/2077-0383/7/4/67>

Sevc, J., Goldberg, D., van Gorp, S., Leerink, M., Juhas, S., Juhasova, J., . . . Marsala, M. (2013). Effective long-term immunosuppression in rats by subcutaneously implanted sustained-release tacrolimus pellet: Effect on spinally grafted human neural precursor survival. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.05.017>, <http://www.sciencedirect.com/science/article/pii/S0014488613001726>

Sgado, P., Alberi, L., Gherbassi, D., Galasso, S. L., Ramakers, G. M. J., Alavian, K. N., . . . Simon, H. H. (2006). Slow progressive degeneration of nigral dopaminergic neurons in postnatal Engrailed mutant mice. *Proceedings of the National Academy of Sciences*, 103(41), 15242-15247. doi: 10.1073/Proceedings of the National Academy of Sciences.0602116103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/41/15242>

Shaerzadeh, F., Phan, L., Miller, D., Dacquel, M., Hachmeister, W., Hansen, C., . . . Khoshbouei, H. (2020). Microglia senescence occurs in both substantia nigra and ventral tegmental area. *Glia*, n/a(n/a). doi: 10.1002/glia.23834. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23834>

Shaffery, J. P., Allard, J. S., Manaye, K. F., & Roffwarg, H. P. (2012). Selective Rapid Eye Movement Sleep Deprivation Affects Cell Size and Number in Kitten Locus Coeruleus. *Frontiers in Neurology*, 3. doi.

Shalev, U., Robarts, P., Shaham, Y., & Morales, M. (2003). Selective induction of c-Fos immunoreactivity in the prelimbic cortex during reinstatement of heroin seeking induced by acute food deprivation in rats. *Behavioural Brain Research*, 145(1-2), 79-88. doi.

Shaltiel-Karyo, R., Frenkel-Pinter, M., Rockenstein, E., Patrick, C., Levy-Sakin, M., Schiller, A., . . . Gazit, E. (2013). A BBB Disrupter is also a Potent α -Synuclein (α -syn) Aggregation Inhibitor: A Novel Dual Mechanism of Mannitol for the Treatment of Parkinson's Disease (PD). *Journal of Biological Chemistry*. doi: 10.1074/jbc.M112.434787. <http://www.jbc.org/content/early/2013/05/01/jbc.M112.434787.abstract>

Shamy, J. L., Buckmaster, C. A., Amaral, D. G., Calhoun, M. E., & Rapp, P. R. (2007). Reactive plasticity in the dentate gyrus following bilateral entorhinal cortex lesions in cynomolgus monkeys. *Journal of Comparative Neurology*, 502(2), 192-201. doi.

Shan, H., Bian, Y., Shu, Z., Zhang, L., Zhu, J., Ding, J., . . . Hu, G. (2016). Fluoxetine protects against IL-1 β -induced neuronal apoptosis via downregulation of p53. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.03.019>. <http://www.sciencedirect.com/science/article/pii/S0028390816300910>

Shan, S. W., Tang, M. K., Chow, P. H., Maroto, M., Cai, D. Q., & Lee, K. K. H. (2007). Induction of growth arrest and polycomb gene expression by reversine allows C2C12 cells to be reprogrammed to various differentiated cell types. *Proteomics*, 7(23), 4303-4316. doi.

Shandra, O., Winemiller, A. R., Heithoff, B. P., Munoz-Ballester, C., George, K., Benko, M. J., . . . Robel, S. (2019). Repetitive Diffuse Mild Traumatic Brain Injury Causes an Atypical Astrocyte Response and Spontaneous Recurrent Seizures. *The Journal of Neuroscience*, 1067-1018. doi: 10.1523/jneurosci.1067-18.2018. <http://www.jneurosci.org/content/early/2019/01/18/JNEUROSCI.1067-18.2018..>

Shang, Y., Zhang, J., & Huang, E. J. (2018). HIPK2-mediated transcriptional control of NMDA receptor subunit expression regulates neuronal survival and cell death. [10.1523/JNEUROSCI.3577-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/03/26/JNEUROSCI.3577-17.2018..>

Shao, X., Wang, X., English, S. J., Desmond, T., Sherman, P. S., Quesada, C. A., & Piert, M. R. (2013). Imaging of carrageenan-induced local inflammation and adjuvant-induced systemic arthritis with [11C]PBR28 PET. *Nuclear Medicine and Biology*, (0). doi: <http://dx.doi.org/10.1016/j.nucmedbio.2013.06.008>. <http://www.sciencedirect.com/science/article/pii/S0969805113001236>

Shapiro, L. A., Figueroa-Aragon, S., & Ribak, C. E. (2007). Newly generated granule cells show rapid neuroplastic changes in the adult rat dentate gyrus during the first five days following pilocarpine-induced seizures. *European Journal of Neuroscience*, 26(3), 583-592. doi: doi:10.1111/j.1460-9568.2007.05662.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05662.x>

Shapiro, L. A., Upadhyaya, P., & Ribak, C. E. (2007). Spatiotemporal profile of dendritic outgrowth from newly born granule cells in the adult rat dentate gyrus. *Brain Research*, 1149, 30-37. doi.

- Shapiro, L. A., Wang, L., & Ribak, C. E. (2008). Rapid astrocyte and microglial activation following pilocarpine-induced seizures in rats. *Epilepsia*, 49(s2), 33-41. doi: doi:10.1111/j.1528-1167.2008.01491.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2008.01491.x>
- Shapiro, L. A., Wang, L., Upadhyaya, P., & Ribak, C. E. (2011). Seizure-induced Increased Neurogenesis Occurs in the Dentate Gyrus of Aged Sprague-Dawley Rats. *Aging and Disease*, 2(4), 286-293. doi.
- Sharaf, A., Bock, H. H., Spittau, B., Bouché, E., & Krieglstein, K. (2013). ApoER2 and VLDLr Are Required for Mediating Reelin Signalling Pathway for Normal Migration and Positioning of Mesencephalic Dopaminergic Neurons. *Plos one*, 8(8), e71091. doi: 10.1371/journal.pone.0071091. <http://dx.doi.org/10.1371%2Fjournal.pone.0071091>
- Sharif, H., Alexander, H., Azam, A., & Martin, J. H. (2021). Dual motor cortex and spinal cord neuromodulation improves rehabilitation efficacy and restores skilled locomotor function in a rat cervical contusion injury model. *Experimental Neurology*, 113715. doi: <https://doi.org/10.1016/j.expneurol.2021.113715>. <https://www.sciencedirect.com/science/article/pii/S0014488621001217>
- Sharma, P., Dedeurwaerdere, S., Vandenberg, M. A. D., Fang, K., Johnston, L. A., Shultz, S. R., . . . Gilby, K. L. (2016). Neuroanatomical differences in FAST and SLOW rat strains with differential vulnerability to kindling and behavioral comorbidities. *Epilepsy & Behavior*, 65, 42-48. doi: <http://dx.doi.org/10.1016/j.yebeh.2016.08.022>. <http://www.sciencedirect.com/science/article/pii/S1525505016301871>
- Sharma, S., Darland, D., Lei, S., Rakoczy, S., & Brown-Borg, H. M. (2011). NMDA and kainate receptor expression, long-term potentiation, and neurogenesis in the hippocampus of long-lived Ames dwarf mice. *AGE*, 1-12. doi.
- Sharma, S., Jacob, T. G., Nag, T. C., Bhardwaj, D. N., & Roy, T. S. (2017). Changing Population of Neurons and Glia in the Human Cochlear Nucleus During Aging. In P. C. Rath, R. Sharma & S. Prasad (Eds.), *Topics in Biomedical Gerontology* (pp. 245-251). Singapore: Springer Singapore.
- Sharma, S., Nag, T. C., Thakar, A., Bhardwaj, D. N., & Roy, T. S. (2014). Age associated changes in the human cochlear nucleus – A three-dimensional modelling and its potential application for brainstem implants. *Journal of the Anatomical Society of India*, (0). doi: <http://dx.doi.org/10.1016/j.jasi.2014.04.005>. <http://www.sciencedirect.com/science/article/pii/S0003277814000343>
- Sharma, S., Ray, B., Bhardwaj, D., Dwivedi, A. K., & Roy, T. S. (2009). Age changes in the human oculomotor nerve—A stereological study. *Annals of Anatomy-Anatomischer Anzeiger*, 191(3), 260-266. doi.
- Sharma, V., Nag, T. C., Wadhwa, S., & Roy, T. S. (2009). Stereological investigation and expression of calcium-binding proteins in developing human inferior colliculus. *Journal of Chemical Neuroanatomy*, 37(2), 78-86. doi.
- Sharma, Y., Xu, T., Graf, W. M., Fobbs, A., Sherwood, C. C., Hof, P. R., . . . Manaye, K. F. (2010). Comparative anatomy of the locus coeruleus in humans and nonhuman primates. *Journal of Comparative Neurology*, 518(7), 963-971. doi.
- Sharman, M. J., Gyengesi, E., Liang, H., Chatterjee, P., Karl, T., Li, Q.-X., . . . Münch, G. (2019). Assessment of diets containing curcumin, epigallocatechin-3-gallate, docosahexaenoic acid and α -lipoic acid on amyloid load and inflammation in a male transgenic mouse model of Alzheimer's disease: Are

combinations more effective? *Neurobiology of Disease*, 124, 505-519.

doi: <https://doi.org/10.1016/j.nbd.2018.11.026>. <http://www.sciencedirect.com/science/article/pii/S096996118307708>

Sharp, K. G., Flanagan, L. A., Yee, K. M., & Steward, O. (2012). A re-assessment of a combinatorial treatment involving Schwann cell transplants and elevation of cyclic AMP on recovery of motor function following thoracic spinal cord injury in rats. *Experimental Neurology*, 233(2), 625-644. doi.

Sharp, K. G., Yee, K. M., & Steward, O. (2014). A re-assessment of treatment with a tyrosine kinase inhibitor (imatinib) on tissue sparing and functional recovery after spinal cord injury. *Experimental Neurology*, (0).

doi: <http://dx.doi.org/10.1016/j.expneurol.2013.12.019>. <http://www.sciencedirect.com/science/article/pii/S0014488613003853>

Sharpe, S. A., Eschelbach, E., Basaraba, R. J., Gleeson, F., Hall, G. A., McIntyre, A., . . . others. (2009). Determination of lesion volume by MRI and stereology in a macaque model of tuberculosis. *Tuberculosis*, 89(6), 405-416. doi.

Shaw, V. E., Keay, K. A., Ashkan, K., Benabid, A. L., & Mitrofanis, J. (2010). Dopaminergic cells in the periaqueductal grey matter of MPTP-treated monkeys and mice; patterns of survival and effect of deep brain stimulation and lesion of the subthalamic nucleus. *Parkinsonism and Related Disorders*, 16(5), 338-344. doi.

Shaw, V. E., Spana, S., Ashkan, K., Benabid, A. L., Stone, J., Baker, G. E., & Mitrofanis, J. (2010). Neuroprotection of midbrain dopaminergic cells in MPTP-treated mice after near-infrared light treatment. *Journal of Comparative Neurology*, 518(1), 25-40. doi.

Sheikh, A., Meng, X., Liu, J., Mikhailova, A., Kao, J. P. Y., McQuillen, P. S., & Kanold, P. O. (2018). Neonatal Hypoxia-Ischemia Causes Functional Circuit Changes in Subplate Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhx358. <http://dx.doi.org/10.1093/cercor/bhx358>

Sheikhzadeh, N., Mousavi, S., Hamidian, G., Firouzmandi, M., Khani Oushani, A., & Mardani, K. (2019). Role of dietary *Spirulina platensis* in improving mucosal immune responses and disease resistance of rainbow trout (*Oncorhynchus mykiss*). *Aquaculture*, 510, 1-8.

doi: <https://doi.org/10.1016/j.aquaculture.2019.05.009>. <http://www.sciencedirect.com/science/article/pii/S004484861930554X>

Shelton, M. A., Newman, J. T., Gu, H., Sampson, A. R., Fish, K. N., MacDonald, M. L., . . . Sweet, R. A. (2015). Loss of Microtubule Associated Protein 2 Immunoreactivity Linked to Dendritic Spine Loss in Schizophrenia. *Biological Psychiatry*, (0).

doi: <http://dx.doi.org/10.1016/j.biopsych.2014.12.029>. <http://www.sciencedirect.com/science/article/pii/S0006322315000736>

Shen, H., Lin, Z., Lei, D., Han, J., Ohlemiller, K. K., & Bao, J. (2011). Old mice lacking high-affinity nicotine receptors resist acoustic trauma. *Hearing Research*. doi.

Shen, L., Nam, H. S., Song, P., Moore, H., & Anderson, S. A. (2006). FoxG1 haploinsufficiency results in impaired neurogenesis in the postnatal hippocampus and contextual memory deficits. *Hippocampus*, 16(10), 875-890. doi.

Shen, M., Guo, Y., Dong, Q., Gao, Y., Stockton, M. E., Li, M., . . . Zhao, X. (2021). FXR1 regulation of parvalbumin interneurons in the prefrontal cortex is critical for schizophrenia-like behaviors. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01096-z. <https://doi.org/10.1038/s41380-021-01096-z>

Shen, M., Wang, F., Li, M., Sah, N., Stockton, M. E., Tidei, J. J., . . . Zhao, X. (2019). Reduced mitochondrial fusion and Huntingtin levels contribute to impaired dendritic maturation and behavioral deficits in Fmr1-mutant mice. *Nature Neuroscience*, 22(3), 386-400. doi: 10.1038/s41593-019-0338-y. <https://doi.org/10.1038/s41593-019-0338-y>

Shen, X.-L., Song, N., Du, X.-X., Li, Y., Xie, J.-X., & Jiang, H. (2017). Nesfatin-1 protects dopaminergic neurons against MPP+/MPTP-induced neurotoxicity through the C-Raf-ERK1/2-dependent anti-apoptotic pathway. [Article]. *Scientific Reports*, 7, 40961. doi: 10.1038/srep40961

<http://www.nature.com/articles/srep40961#supplementary-information>, <http://dx.doi.org/10.1038/srep40961>

Shepard, R., Beckett, E., & Coutellier, L. (2017). Assessment of the acquisition of executive function during the transition from adolescence to adulthood in male and female mice. *Developmental Cognitive Neuroscience*, 28, 29-40. doi: <https://doi.org/10.1016/j.dcn.2017.10.009>. <https://www.sciencedirect.com/science/article/pii/S1878929317301457>

Shepard, R., Heslin, K., Hagerdorn, P., & Coutellier, L. (2019). Downregulation of Npas4 in parvalbumin interneurons and cognitive deficits after neonatal NMDA receptor blockade: relevance for schizophrenia. *Translational Psychiatry*, 9(1), 99. doi: 10.1038/s41398-019-0436-3. <https://doi.org/10.1038/s41398-019-0436-3>

Shepard, R., Page, C. E., & Coutellier, L. (2016). Sensitivity of the prefrontal GABAergic system to chronic stress in male and female mice: Relevance for sex differences in stress-related disorders. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.06.038>. <http://www.sciencedirect.com/science/article/pii/S0306452216302779>

Shepherd, D. (2016). Examining the effects of anti-Nogo-A immunotherapy on post-stroke neurogenesis in the adult rat. Loyola University Chicago. Retrieved from <http://search.proquest.com/openview/f196ea3a12bdd002c1a443d44292c2a4/1?p..>

Shepherd, D. J., Tsai, S.-Y., Cappucci, S. P., Wu, J. Y., Farrer, R. G., & Kartje, G. L. (2017). The Subventricular Zone Response to Stroke Is Not a Therapeutic Target of Anti-Nogo-A Immunotherapy. *Journal of Neuropathology and Experimental Neurology*. doi: <https://academic.oup.com/jnen/article-abstract/doi/10.1093/jnen/nlx050/3..>

Sherer, M. L., Khanal, P., Talham, G., Brannick, E. M., Parcells, M. S., & Schwarz, J. M. (2019). Zika virus infection of pregnant rats and associated neurological consequences in the offspring. *Plos one*, 14(6), e0218539. doi: 10.1371/journal.pone.0218539. <https://doi.org/10.1371/journal.pone.0218539>

Sheroziya, M., & Timofeev, I. (2014). Global intracellular slow-wave dynamics of the thalamocortical system. *Journal of Neuroscience*, 34. doi: 10.1523/jneurosci.4460-13.2014. <http://dx.doi.org/10.1523/JNEUROSCI.4460-13.2014>

Sherwood, C. C., Duka, T., Stimpson, C. D., Schenker, N. M., Garrison, A. R., Schapiro, S. J., . . . others. (2010). Neocortical synaptophysin asymmetry and behavioral lateralization in chimpanzees (*Pan troglodytes*). *European Journal of Neuroscience*, 31(8), 1456-1464. doi.

Sherwood, C. C., Holloway, R. L., Erwin, J. M., & Hof, P. R. (2004). Cortical Orofacial Motor Representation in Old World Monkeys, Great Apes, and Humans II. Stereologic Analysis of Chemoarchitecture. *Brain, Behavior and Evolution*, 63(2). doi.

- Sherwood, C. C., Lee, P. W. H., Rivara, C. B., Holloway, R. L., Gilissen, E. P. E., Simmons, R. M. T., . . . Hof, P. R. (2003). Evolution of specialized pyramidal neurons in primate visual and motor cortex. *Brain, Behavior and Evolution*, 61(1), 28-44. doi.
- Sherwood, C. C., Raghanti, M. A., Stimpson, C. D., Bonar, C. J., de Sousa, A. A., Preuss, T. M., & Hof, P. R. (2007). Scaling of inhibitory interneurons in areas V1 and V2 of anthropoid primates as revealed by calcium-binding protein immunohistochemistry. *Brain, Behavior and Evolution*, 69(3), 176-195. doi.
- Sherwood, C. C., Raghanti, M. A., & Wenstrup, J. J. (2005). Is humanlike cytoarchitectural asymmetry present in another species with complex social vocalization? A stereologic analysis of mustached bat auditory cortex. *Brain Research*, 1045(1-2), 164-174. doi.
- Sherwood, C. C., Stimpson, C. D., Butti, C., Bonar, C. J., Newton, A. L., Allman, J. M., & Hof, P. R. (2009). Neocortical neuron types in Xenarthra and Afrotheria: implications for brain evolution in mammals. *Brain Structure and Function*, 213(3), 301-328. doi.
- Sherwood, C. C., Stimpson, C. D., Raghanti, M. A., Wildman, D. E., Uddin, M., Grossman, L. I., . . . Hof, P. R. (2006). Evolution of increased glia-neuron ratios in the human frontal cortex. *Proceedings of the National Academy of Sciences*, 0605843103. doi: 10.1073/Proceedings of the National Academy of Sciences.0605843103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/0605843103v1>
- Sherwood, C. C., Stimpson, C. D., Raghanti, M. A., Wildman, D. E., Uddin, M., Grossman, L. I., . . . Hof, P. R. (2006). From the Cover: Evolution of increased glia-neuron ratios in the human frontal cortex. *Proceedings of the National Academy of Sciences*, 103(37), 13606-13611. doi: 10.1073/Proceedings of the National Academy of Sciences.0605843103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/37/13606>
- Sherwood, C. C., Wahl, E., Erwin, J. M., Hof, P. R., & Hopkins, W. D. (2007). Histological Asymmetries of Primary Motor Cortex Predict Handedness in Chimpanzees (*Pan troglodytes*). *Journal of Comparative Neurology*, 203, 525-537. doi.
- Shetty, A. K., Hattiangady, B., & Rao, M. S. (2009). Vulnerability of hippocampal GABA-ergic interneurons to kainate-induced excitotoxic injury during old age. *Journal of Cellular and Molecular Medicine*, 13(8b), 2408-2423. doi.
- Shetty, A. K., Hattiangady, B., Rao, M. S., & Shuai, B. (2011). Deafferentation enhances neurogenesis in the young and middle aged hippocampus but not in the aged hippocampus. *Hippocampus*, 21(6), 631-646. doi: 10.1002/hipo.20776. <http://dx.doi.org/10.1002/hipo.20776>
- Shetty, A. K., Hattiangady, B., Rao, M. S., & Shuai, B. (2012). Neurogenesis Response of Middle-Aged Hippocampus to Acute Seizure Activity. *Plos one*, 7(8), e43286. doi: 10.1371/journal.pone.0043286. <http://dx.doi.org/10.1371%2Fjournal.pone.0043286>
- Shetty, A. K., Hattiangady, B., & Shetty, G. A. (2005). Stem/progenitor cell proliferation factors FGF-2, IGF-1, and VEGF exhibit early decline during the course of aging in the hippocampus: Role of astrocytes *Glia*, 51(3), 173-186. doi.
- Shetty, G., Porter, K. L., Zhou, W., Shao, S. H., Weng, C. C. Y., & Meistrich, M. L. (2011). Androgen Suppression-Induced Stimulation of Spermatogonial Differentiation in Juvenile Spermatogonial Depletion Mice Acts by Elevating the Testicular Temperature. *Endocrinology*, 152(9), 3504-3514. doi.

Shetty, G., Shao, S. H., & Weng, C. C. Y. (2008). p53-Dependent Apoptosis in the Inhibition of Spermatogonial Differentiation in Juvenile Spermatogonial Depletion (Utp14bjsd) Mice. *Endocrinology*, en.2007-1338. doi: 10.1210/en.2007-1338. <http://endo.endojournals.org/cgi/content/abstract/en.2007-1338v1>

Shetty, G., Weng, C. C. Y., Meachem, S. J., Bolden-Tiller, O. U., Zhang, Z., Pakarinen, P., . . . Meistrich, M. L. (2006). Both Testosterone and Follicle-Stimulating Hormone Independently Inhibit Spermatogonial Differentiation in Irradiated Rats. *Endocrinology*, 147(1), 472-482. doi: 10.1210/en.2005-0984. <http://endo.endojournals.org/cgi/content/abstract/147/1/472>

Shetty, G., Zhou, W., Weng, C. C. Y., Shao, S. H., & Meistrich, M. L. (2016). Leydig cells contribute to the inhibition of spermatogonial differentiation after irradiation of the rat. *Andrology*, n/a-n/a. doi: 10.1111/andr.12168. <http://dx.doi.org/10.1111/andr.12168>

Shevelkin, A. V., Terrillion, C. E., Abazyan, B. N., Kajstura, T. J., Jouroukhin, Y. A., Rudow, G. L., . . . Pletnikov, M. V. (2017). Expression of mutant DISC1 in Purkinje cells increases their spontaneous activity and impairs cognitive and social behaviors in mice. *Neurobiology of Disease*, 103, 144-153. doi: <http://doi.org/10.1016/j.nbd.2017.04.008>. <http://www.sciencedirect.com/science/article/pii/S0969996117300827>

Shi, J., Longo, F. M., & Massa, S. M. (2013). A Small Molecule P75NTR Ligand Protects Neurogenesis after Traumatic Brain Injury. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1516. <http://dx.doi.org/10.1002/stem.1516>

Shi, L., Adams, M. M., Linville, M. C., Newton, I. G., Forbes, M. E., Long, A. B., . . . Brunso-Bechtold, J. K. (2007). Caloric restriction eliminates the aging-related decline in NMDA and AMPA receptor subunits in the rat hippocampus and induces homeostasis. *Experimental Neurology*, 206(1), 70-79. doi.

Shi, L., Argenta, A. E., Winseck, A. K., & Brunso-Bechtold, J. K. (2004). Stereological quantification of GAD-67 immunoreactive neurons and boutons in the hippocampus of middle-aged and old Fischer 344 X Brown Norway rats. *Journal of Comparative Neurology*, 478(3), 282-291. doi.

Shi, L., Linville, M. C., Iversen, E., Molina, D. P., Yester, J., Wheeler, K. T., . . . Brunso-Bechtold, J. K. (2009). Maintenance of white matter integrity in a rat model of radiation-induced cognitive impairment. *Journal of the Neurological Sciences*, 285(1), 178-184. doi.

Shi, L., Linville, M. C., Tucker, E. W., Sonntag, W. E., & Brunso-Bechtold, J. K. (2004). Differential Effects of Aging and Insulin-like Growth Factor-1 on Synapses in CA1 of Rat Hippocampus. *Cerebral Cortex*, doi:10.1093/cercor/bhh158. doi.

Shi, L., Molina, D. P., Robbins, M. E., Wheeler, K. T., & Brunso-Bechtold, J. K. (2008). Hippocampal neuron number is unchanged 1 year after fractionated whole-brain irradiation at middle age. *International Journal of Radiation Oncology* Biology* Physics*, 71(2), 526-532. doi.

Shi, L., Pang, H., Linville, M. C., Bartley, A. N., Argenta, A. E., & Brunso-Bechtold, J. K. (2006). Maintenance of inhibitory interneurons and boutons in sensorimotor cortex between middle and old age in Fischer 344 X Brown Norway rats. *Journal of Chemical Neuroanatomy*, 32(1), 46-53. doi.

Shi, L., Poe, B. H., Constance Linville, M., Sonntag, W. E., & Brunso-Bechtold, J. K. (2002). Caloric restricted male rats demonstrate fewer synapses in layer 2 of sensorimotor cortex. *Brain Research*, 931(1), 32-40. doi.

Shi, W., Xianyu, A., Han, Z., Tang, X., Li, Z., Zhong, H., . . . Shi, S.-H. (2017). Ontogenetic establishment of order-specific nuclear organization in the mammalian thalamus. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4519

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4519.html#suppl.....> <http://dx.doi.org/10.1038/nn.4519>

Shi, Y., Lie, D. C., Taupin, P., Nakashima, K., Ray, J., Yu, R. T., . . . Evans, R. M. (2003). Expression and function of orphan nuclear receptor TLX in adult neural stem cells. *Nature*, 427, 78-83. doi:

Shih, C.-H., Chen, H.-Y., Lee, H.-C., & Tsai, H.-J. (2015). Purple Chromoprotein Gene Serves as a New Selection Marker for Transgenesis of the Microalga *Nannochloropsis oculata*. *Plos one*, 10(3), e0120780. doi: 10.1371/journal.pone.0120780. <http://dx.doi.org/10.1371/journal.pone.0120780>

Shih, T.-W., Lee, L.-J., Chang, H.-C., Lin, H.-W., & Chang, M.-S. (2020). An important role of PHRF1 in dendritic architecture and memory formation by modulating TGF- β signaling. *Scientific Reports*, 10(1), 10857. doi: 10.1038/s41598-020-67675-2. <https://doi.org/10.1038/s41598-020-67675-2>

Shijo, K., Ghavim, S., Harris, N. G., Hovda, D. A., & Sutton, R. L. (2015). Glucose administration after traumatic brain injury exerts some benefits and no adverse effects on behavioral and histological outcomes. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.04.022>. <http://www.sciencedirect.com/science/article/pii/S000689931500311X>

Shilpa, B. M., Bhagya, V., Harish, G., Bharath, M. M., & Shankaranarayana Rao, B. S. (2017). Environmental enrichment ameliorates chronic immobilisation stress-induced spatial learning deficits and restores the expression of BDNF, VEGF, GFAP and glucocorticoid receptors. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. doi: <http://dx.doi.org/10.1016/j.pnpbp.2017.02.025>. <http://www.sciencedirect.com/science/article/pii/S027858461630197X>

Shimada, I. S., LeComte, M. D., Granger, J. C., Quinlan, N. J., & Spees, J. L. (2012). Self-Renewal and Differentiation of Reactive Astrocyte-Derived Neural Stem/Progenitor Cells Isolated from the Cortical Peri-Infarct Area after Stroke. *Journal of Neuroscience*, 32(23), 7926-7940. doi: 10.1523/jneurosci.4303-11.2012. <http://www.jneurosci.org/content/32/23/7926.abstract>

Shimada, I. S., Peterson, B. M., & Spees, J. L. (2010). Isolation of Locally Derived Stem/Progenitor Cells From the Peri-Infarct Area That Do Not Migrate From the Lateral Ventricle After Cortical Stroke. *Stroke*, 41(9), e552-560. doi: 10.1161/strokeaha.110.589010. <http://stroke.ahajournals.org/cgi/content/abstract/41/9/e552>

Shin, D. M., Korada, S., Raballo, R., Shashikant, C. S., Simeone, A., Taylor, J. R., & Vaccarino, F. (2004). Loss of Glutamatergic Pyramidal Neurons in Frontal and Temporal Cortex Resulting from Attenuation of FGFR1 Signaling Is Associated with Spontaneous Hyperactivity in Mice. *Journal of Neuroscience*, 24(9), 2247-2258. doi: <http://www.jneurosci.org/cgi/content/abstract/24/9/2247>

Shin, E., Rogers, J. R., Devoto, P., Björklund, A., & Carta, M. (2014). Noradrenaline neuron degeneration contributes to motor impairments and development of L-DOPA-induced dyskinesia in a rat model of Parkinson's disease. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.04.011>. <http://www.sciencedirect.com/science/article/pii/S0014488614001137>

- Shin, H. Y., Kim, H., Kwon, M. J., Hwang, D. H., Lee, K., & Kim, B. G. (2014). Molecular and Cellular Changes in the Lumbar Spinal Cord following Thoracic Injury: Regulation by Treadmill Locomotor Training. *Plos one*, 9(2), e88215. doi: 10.1371/journal.pone.0088215. <http://dx.doi.org/10.1371%2Fjournal.pone.0088215>
- Shin, J. H., Ko, H. S., Kang, H., Lee, Y., Lee, Y. I., Pletinkova, O., . . . Dawson, T. M. (2011). PARIS (ZNF746) Repression of PGC-1 α Contributes to Neurodegeneration in Parkinson's Disease. *Cell*, 144(5), 689-702. doi.
- Shin, L., & Peterson, D. A. (2012). Impaired Therapeutic Capacity of Autologous Stem Cells in a Model of Type 2 Diabetes. *Stem Cells Translational Medicine*, 1(2), 125-135. doi.
- Shin, W. H., Park, S. J., & Kim, E. J. (2006). Protective effect of anthocyanins in middle cerebral artery occlusion and reperfusion model of cerebral ischemia in rats. *Life Sciences*, 79(2), 130-137. doi.
- Shirvalkar, P., Seth, M., Schiff, N. D., & Herrera, D. G. (2006). Cognitive enhancement with central thalamic electrical stimulation. *Proceedings of the National Academy of Sciences*, 103(45), 17007-17012. doi: 10.1073/Proceedings of the National Academy of Sciences.0604811103. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/103/45/17007>
- Shitaka, Y., Tran, H. T., Bennett, R. E., Sanchez, L., Levy, M. A., Dikranian, K., & Brody, D. L. (2011). Repetitive closed-skull traumatic brain injury in mice causes persistent multifocal axonal injury and microglial reactivity. *Journal of Neuropathology and Experimental Neurology*, 70(7), 551-551. doi.
- Shmelkov, S. V., Hormigo, A., Jing, D., Proenca, C. C., Bath, K. G., Milde, T., . . . others. (2010). Slitrk5 deficiency impairs corticostriatal circuitry and leads to obsessive-compulsive-like behaviors in mice. *Nature Medicine*, 16(5), 598-602. doi.
- Shobin, E., Bowley, M. P., Estrada, L. I., Heyworth, N. C., Orczykowski, M. E., Eldridge, S. A., . . . Rosene, D. L. (2017). Microglia activation and phagocytosis: relationship with aging and cognitive impairment in the rhesus monkey. [journal article]. *GeroScience*, 1-22. doi: 10.1007/s11357-017-9965-y. <http://dx.doi.org/10.1007/s11357-017-9965-y>
- Shojaat, S. S., Engman, S., Hofferber, J., Keomanivong, F., & Wauson, E. M. (2020). Loss of the nutrient receptor Tas1R3 reduces atherosclerotic plaque accumulation and hepatic steatosis in ApoE^{-/-} mice. *Journal of Physiology and Biochemistry*. doi: 10.1007/s13105-020-00768-8. <https://doi.org/10.1007/s13105-020-00768-8>
- Shook, B. A., Lenington, J. B., Acabchuk, R. L., Halling, M., Sun, Y., Peters, J., . . . Conover, J. C. (2013). Ventriculomegaly associated with ependymal gliosis and declines in barrier integrity in the aging human and mouse brain. *Aging cell*, n/a-n/a. doi: 10.1111/accel.12184. <http://dx.doi.org/10.1111/accel.12184>
- Shook, B. A., Manz, D. H., Peters, J. J., Kang, S., & Conover, J. C. (2012). Spatiotemporal Changes to the Subventricular Zone Stem Cell Pool through Aging. *Journal of Neuroscience*, 32(20), 6947-6956. doi.
- Shors, T. J., Miesegaes, G., Beylin, A., Zhao, M., Rydel, T., & Gould, E. (2001). Neurogenesis in the adult is involved in the formation of trace memories. *Nature*, 410(6826), 372-376. doi.

- Shtaya, A., Sadek, A.-R., Zaben, M., Seifert, G., Pringle, A., Steinhäuser, C., & Gray, W. P. (2018). AMPA receptors and seizures mediate hippocampal radial glia-like stem cell proliferation. *Glia*, 0(0). doi: doi:10.1002/glia.23479. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23479>
- Shu, S., Zhang, Z., Spicer, D., Kulikowicz, E., Hu, K., Babapoor-Farrokhman, S., . . . Robertson, C. L. (2019). Administration of a 20-Hydroxyeicosatetraenoic Acid Synthesis Inhibitor Improves Outcome in a Rat Model of Pediatric Traumatic Brain Injury. *Developmental Neuroscience*. doi: 10.1159/000500895. <https://www.karger.com/DOI/10.1159/000500895>
- Shults, C. W., Ray, J., Tsuboi, K., & Gage, F. H. (2000). Fibroblast growth factor-2-producing fibroblasts protect the nigrostriatal dopaminergic system from 6-hydroxydopamine. *Brain Research*, 883(2), 192-204. doi.
- Shumsky, J. S., Wu, Y., Murphy, E. H., Nissanov, J., O'Brien-Jenkins, A., & Grayson, D. R. (2002). Differential effects of prenatal cocaine exposure on selected subunit mRNAs of the GABAA receptor in rabbit anterior cingulate cortex. *Journal of Chemical Neuroanatomy*, 24(4), 243-255. doi.
- Shyng, C., Nelvagal, H. R., Dearborn, J. T., Tyynelä, J., Schmidt, R. E., Sands, M. S., & Cooper, J. D. (2017). Synergistic effects of treating the spinal cord and brain in CLN1 disease. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1701832114. <http://www.pnas.org/content/early/2017/06/27/1701832114.abstract>
- Shynlova, O., Kwong, R., & Lye, S. J. (2010). Mechanical stretch regulates hypertrophic phenotype of the myometrium during pregnancy. *Reproduction, Fertility, and Development*, 139(1), 247-253. doi.
- Si, L., Wang, H., & Wang, L. (2020). Suppression of miR-193a alleviates neuroinflammation and improves neurological function recovery after traumatic brain injury (TBI) in mice. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2019.11.095>. <http://www.sciencedirect.com/science/article/pii/S0006291X19322211>
- Sibbe, M., Häussler, U., Dieni, S., Althof, D., Haas, C. A., & Frotscher, M. (2012). Experimental epilepsy affects Notch1 signalling and the stem cell pool in the dentate gyrus. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/j.1460-9568.2012.08279.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08279.x>
- Siddiqi, F., Chen, F., Aron, A. W., Fiondella, C. G., Patel, K., & LoTurco, J. J. (2012). Fate Mapping by PiggyBac Transposase Reveals That Neocortical GLAST+ Progenitors Generate More Astrocytes Than Nestin+ Progenitors in Rat Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhs332. <http://cercor.oxfordjournals.org/content/early/2012/10/31/cercor.bhs332...>
- ⋮
- Siddiqi, F. H., Menzies, F. M., Lopez, A., Stamatakou, E., Karabiyik, C., Ureshino, R., . . . Rubinsztein, D. C. (2019). Felodipine induces autophagy in mouse brains with pharmacokinetics amenable to repurposing. *Nature Communications*, 10(1), 1817. doi: 10.1038/s41467-019-09494-2. <https://doi.org/10.1038/s41467-019-09494-2>
- Siddiqui, A., Chinta, S. J., Mallajosyula, J. K., Rajagopalan, S., Hanson, I., Rane, A., & Andersen, J. K. (2012). Selective binding of nuclear alpha-synuclein to the PGC1alpha promoter under conditions of oxidative stress may contribute to losses in mitochondrial function: Implications for Parkinson's disease. *Free Radical Biology and Medicine*, (0). doi: 10.1016/j.freeradbiomed.2012.05.024. <http://www.sciencedirect.com/science/article/pii/S0891584912002699>

Siddiqui, A., Rane, A., Rajagopalan, S., Chinta, S. J., & Andersen, J. K. (2016). Detrimental effects of oxidative losses in parkin activity in a model of sporadic Parkinson's disease are attenuated by restoration of PGC1alpha. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.05.009>. <http://www.sciencedirect.com/science/article/pii/S0969996116301036>

Siddu, A., David, L. S., Lauinger, N., Chen, C. X., St-Pierre, M., Alpaugh, M., . . . Cicchetti, F. (2020). Beneficial effects of cysteamine in Thy1- α -Syn mice and induced pluripotent stem cells with a SNCA gene triplication. *Neurobiology of Disease*, 105042. doi: <https://doi.org/10.1016/j.nbd.2020.105042>. <http://www.sciencedirect.com/science/article/pii/S096999612030317X>

Siegel, J. M., Nienhuis, R., Gulyani, S., Ouyang, S., Wu, M., Mignot, E., . . . Cornford, M. (1999). Neuronal Degeneration in Canine Narcolepsy. *Journal of Neuroscience*, 19, 248-257. doi.

Sierksma, A. S. R., Prickaerts, J., Chouliaras, L., Rostamian, S., Delbroek, L., Rutten, B. P. F., . . . van den Hove, D. L. A. (2012). Behavioral and neurobiological effects of prenatal stress exposure in male and female APP^{swe}/PS1^{dEg} mice. *Neurobiology of Aging*, (0). doi: 10.1016/j.neurobiolaging.2012.05.012. <http://www.sciencedirect.com/science/article/pii/S0197458012002990>

Sierksma, A. S. R., Rutten, K., Sydlík, S., Rostamian, S., Steinbusch, H. W. M., van den Hove, D. L. A., & Prickaerts, J. (2012). Chronic phosphodiesterase type 2 inhibition improves memory in the APP^{swe}/PS1^{dEg} mouse model of Alzheimer's disease. *Neuropharmacology*, (0). doi: 10.1016/j.neuropharm.2012.06.048. <http://www.sciencedirect.com/science/article/pii/S0028390812003061>

Sierra, A., Michaeli, S., Niskanen, J. P., Valonen, P. K., Gröhn, H. I., Ylä-Herttuala, S., . . . Gröhn, O. H. (2008). Water spin dynamics during apoptotic cell death in glioma gene therapy probed by T1rho and T2rho. *Magnetic Resonance in Medicine*, 59(6), 1311-1319. doi.

Sieveritz, B., & Arbutnot, G. W. (2020). Prelimbic cortical targets of ventromedial thalamic projections include inhibitory interneurons and corticostriatal pyramidal neurons in the rat. *Brain Structure and Function*. doi: 10.1007/s00429-020-02109-3. <https://doi.org/10.1007/s00429-020-02109-3>

Siiskonen, H., Oikari, S., Korhonen, V. P., Pitkänen, A., Voikar, V., Kettunen, M., . . . Herzig, K. (2007). Diazepam binding inhibitor overexpression in mice causes hydrocephalus, decreases plasticity in excitatory synapses and impairs hippocampus-dependent learning. *Molecular and Cellular Neuroscience*, 34(2), 199-208. doi.

Sikora, M., Scheiner, D., Betschart, C., Perucchini, D., Mateos, J., di Natale, A., . . . Maake, C. (2014). Label-free, three-dimensional multiphoton microscopy of the connective tissue in the anterior vaginal wall. *International Urogynecology Journal*, 1-7. doi: 10.1007/s00192-014-2571-y. <http://dx.doi.org/10.1007/s00192-014-2571-y>

Silbereis, J., Cheng, E., Ganat, Y. M., Ment, L. R., & Vaccarino, F. M. (2009). Precursors with Glial Fibrillary Acidic Protein Promoter Activity Transiently Generate GABA Interneurons in the Postnatal Cerebellum. *Stem Cells*, 27(5), 1152-1163. doi: 10.1002/stem.18. <http://stemcells.alphamedpress.org/cgi/content/abstract/27/5/1152>

Silbereis, J., Heintz, T., Taylor, M. M., Ganat, Y., Ment, L. R., Bordey, A., & Vaccarino, F. (2010). Astroglial cells in the external granular layer are precursors of cerebellar granule neurons in neonates. *Molecular and Cellular Neuroscience*, 44(4), 362-373. doi.

Sullivan, S. E., & Konradi, C. (2011). Expression and function of dopamine receptors in the developing medial frontal cortex and striatum of the rat. *Neuroscience*. doi.

Silva, J. d. N., Oliveira, L. M., Souza, F. C., Moreira, T. S., & Takakura, A. C. (2020). GABAergic neurons of the medullary raphe regulate active expiration during hypercapnia. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00698.2019. <https://journals.physiology.org/doi/abs/10.1152/jn.00698.2019>

Silva, R., Lu, J., Wu, Y., Martins, L., Almeida, O. F. X., & Sousa, N. (2006). Mapping cellular gains and losses in the postnatal dentate gyrus: implications for psychiatric disorders. *Experimental Neurology*, 200(2), 321-331. doi.

Silva, R., Martins, L., Longatto-Filho, A., Almeida, O. F. X., & Sousa, N. (2007). Lithium prevents stress-induced reduction of vascular endothelium growth factor levels. *Neuroscience Letters*, 429(1), 33-38. doi.

Silva, R., Mesquita, A. R., Bessa, J., Sousa, J. C., Sotiropoulos, I., Leao, P., . . . Sousa, N. (2008). Lithium blocks stress-induced changes in depressive-like behavior and hippocampal cell fate: The role of glycogen-synthase-kinase-3 [beta]. *Neuroscience*, 152(3), 656-669. doi.

Silva, R. M., Ries, V., Oo, T. F., Yarygina, O., Jackson-Lewis, V., Ryu, E. J., . . . Burke, R. E. (2005). CHOP/GADD153 is a mediator of apoptotic death in substantia nigra dopamine neurons in an in vivo neurotoxin model of parkinsonism. *Journal of Neurochemistry*, 95(4), 974-986. doi: doi:10.1111/j.1471-4159.2005.03428.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03428.x>

Silva-Fernandes, A., Costa, M. C., Duarte-Silva, S., Oliveira, P., Botelho, C. M., Martins, L., . . . others. (2010). Motor uncoordination and neuropathology in a transgenic mouse model of Machado-Joseph disease lacking intranuclear inclusions and ataxin-3 cleavage products. *Neurobiology of Disease*, 40(1), 163-176. doi.

Silver, M. A., Fagiolini, M., Gillespie, D. C., Howe, C. L., Frank, M. G., Issa, N. P., . . . Stryker, M. P. (2001). Infusion of nerve growth factor (NGF) into kitten visual cortex increases immunoreactivity for NGF, NGF receptors, and choline acetyltransferase in basal forebrain without affecting ocular dominance plasticity or column development. *Neuroscience*, 108(4), 569-585. doi.

Sim, B., & Rae, C. (2011). The effect of Duchenne Muscular Dystrophy on Purkinje cell number in the mdx mouse. *Australian Medical Student Journal*, 2(1). doi.

Sim, F. J., McClain, C. R., Schanz, S. J., Protack, T. L., Windrem, M. S., & Goldman, S. A. (2011). CD140a identifies a population of highly myelinogenic, migration-competent and efficiently engrafting human oligodendrocyte progenitor cells. *Nature Biotechnology*, 29(10), 934-941. doi.

Simamura, E., Shimada, H., Higashi, N., Uchishiba, M., Otani, H., & Hatta, T. (2010). Maternal leukemia inhibitory factor (LIF) promotes fetal neurogenesis via a LIF-ACTH-LIF signaling relay pathway. *Endocrinology*, 151(4), 1853-1853. doi.

Simanainen, U., Adamsson, A., Tuomisto, J. T., Miettinen, H. M., Toppari, J., Tuomisto, J., & Viluksela, M. (2004). Adult 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) Exposure and Effects on Male Reproductive Organs in Three Differentially TCDD-Susceptible Rat Lines. *Toxicological Sciences*, 81(2), 401-407. doi: 10.1093/toxsci/kfh212. <http://toxsci.oxfordjournals.org/cgi/content/abstract/81/2/401>

Simano, C., Zetina, M. E., Cifuentes, F., & Morales, M. A. (2009). Segregation of met Γ Çõenkephalin from vesicular acetylcholine transporter and choline acetyltransferase in sympathetic preganglionic varicosities mostly lacking synaptophysin and synaptotagmin. *Neuroscience*, 163(1), 180-189. doi.

Simard, A. R., Soulet, D., Gowing, G., Julien, J. P., & Rivest, S. (2006). Bone marrow-derived microglia play a critical role in restricting senile plaque formation in Alzheimer's disease. *Neuron*, 49(4), 489-502. doi.

Simi, A., Porsmyr-Palmertz, M., Hjertén, A., Ingelman-Sundberg, M., & Tindberg, N. (2002). The neuroprotective agents chlomethiazole and SB203580 inhibit IL-1 β signalling but not its biosynthesis in rat cortical glial cells. *Journal of Neurochemistry*, 83, 727-737. doi.

Simic, G., Bexheti, S., Kelovic, Z., Kos, M., Grbic, K., Hof, P. R., & Kostovic, I. (2005). Hemispheric asymmetry, modular variability and age-related changes in the human entorhinal cortex. *Neuroscience*, 130(4), 911-925. doi.

Simkins, T. J., Janis, K. L., McClure, A. K., Behrouz, B., Pappas, S. S., Lehner, A., . . . Kaplan, B. L. F. (2012). Comparison of the D2 Receptor Regulation and Neurotoxicant Susceptibility of Nigrostriatal Dopamine Neurons in Wild-Type and CB1/CB2 Receptor Knockout Mice. *Journal of Neuroimmune Pharmacology*, 1-6. doi.

Simmons, D. A., Belichenko, N. P., Yang, T., Condon, C., Monbureau, M., Shamlou, M., . . . Longo, F. M. (2013). A Small Molecule TrkB Ligand Reduces Motor Impairment and Neuropathology in R6/2 and BACHD Mouse Models of Huntington's Disease. *Journal of Neuroscience*, 33(48), 18712-18727. doi. <http://www.jneurosci.org/content/33/48/18712.short>

Simmons, D. A., Mills, B. D., Butler Iii, R. R., Kuan, J., McHugh, T. L. M., Akers, C., . . . Longo, F. M. (2021). Neuroimaging, Urinary, and Plasma Biomarkers of Treatment Response in Huntington's Disease: Preclinical Evidence with the p75NTR Ligand LM11A-31. *Neurotherapeutics*. doi: 10.1007/s13311-021-01023-8. <https://doi.org/10.1007/s13311-021-01023-8>

Simms, M. L., Kemper, T. L., Timbie, C. M., Bauman, M. L., & Blatt, G. J. (2009). The anterior cingulate cortex in autism: heterogeneity of qualitative and quantitative cytoarchitectonic features suggests possible subgroups. *Acta Neuropathologica*, 118(5), 673-684. doi.

Simon, C. M., Sharif, S., Tan, R. P., & LaPlaca, M. C. (2009). Spinal cord contusion causes acute plasma membrane damage. *Journal of Neurotrauma*, 26(4), 563-574. doi.

Simon, K. E., Mondares, R. L., Born, D. E., & Gleason, C. A. (2008). The effects of binge alcohol exposure in the 2nd trimester on the estimated density of cerebral microvessels in near-term fetal sheep. *Brain Research*, 1231, 75-80. doi.

Simpson, J., & Keefe, J. (2012). Differential effects of RET and TRKB on axonal branching and survival of parasympathetic neurons. *Developmental Neurobiology*. doi.

Sims-Lucas, S. (2012). Analysis of 3D Branching Pattern: Hematoxylin and Eosin Method. *Methods in Molecular Biology*, 886, 73. doi.

Sims-Lucas, S., Argyropoulos, C., Kish, K., McHugh, K., Bertram, J. F., Quigley, R., & Bates, C. M. (2009). Three-dimensional imaging reveals ureteric and mesenchymal defects in Fgfr2-mutant kidneys. *Journal of the American Society of Nephrology*, 20(12), 2525-2533. doi.

Sims-Lucas, S., Cusack, B., Baust, J., Eswarakumar, V. P., Masatoshi, H., Takeuchi, A., & Bates, C. M. (2011). Fgfr1 and the Il1c isoform of Fgfr2 play critical roles in the metanephric mesenchyme mediating early inductive events in kidney development. *Developmental Dynamics*, 240(1), 240-249. doi: 10.1002/dvdy.22501. <http://dx.doi.org/10.1002/dvdy.22501>

Sims-Lucas, S., Cusack, B., Eswarakumar, V. P., Zhang, J., Wang, F., & Bates, C. M. (2011). Independent roles of Fgfr2 and Frs2 α in ureteric epithelium. *Development*, 138(7), 1275-1280. doi: 10.1242/dev.062158. <http://dev.biologists.org/content/138/7/1275.abstract>

Sinclair, E. B., Culbert, K. M., Gradl, D. R., Richardson, K. A., Klump, K. L., & Sisk, C. L. (2015). Differential mesocorticolimbic responses to palatable food in binge eating prone and binge eating resistant female rats. *Physiology and Behavior*. doi: <http://www.sciencedirect.com/science/article/pii/S0031938415301426>

Singaraja, R. R., Huang, K., Sanders, S. S., Milnerwood, A. J., Hines, R., Lerch, J. P., . . . Hayden, M. R. (2011). Altered palmitoylation and neuropathological deficits in mice lacking HIP14. *Human Molecular Genetics*, ddr308. doi: 10.1093/hmg/ddr308. <http://hmg.oxfordjournals.org/cgi/content/abstract/ddr308v2>

Singh, B. K., Vatsa, N., Nelson, V. K., Kumar, V., Kumar, S. S., Mandal, S. C., . . . Jana, N. R. (2018). Azadiradione Restores Protein Quality Control and Ameliorates the Disease Pathogenesis in a Mouse Model of Huntington's Disease. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0853-3. <https://doi.org/10.1007/s12035-017-0853-3>

Singh, R. P., Shen, L., & Zhou, F. C. (2012). *The Stereology and 3D Volume Analyses in Nervous Tissue*. Springer Protocols Handbooks. doi:

Singh, U. A., & Iyengar, S. (2019). The expression of DARPP-32 in adult male zebra finches (*Taenopygia guttata*). [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01947-0. <https://doi.org/10.1007/s00429-019-01947-0>

Singh-Bains, M. K., Mehrabi, N. F., Sehji, T., Austria, M. D. R., Tan, A. Y. S., Tippett, L. J., . . . Faull, R. L. M. (2019). Cerebellar degeneration correlates with motor symptoms in Huntington's disease. *Annals of Neurology*, 0(ja). doi: 10.1002/ana.25413. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ana.25413>

Singh-Bains, M. K., Tippett, L. J., Hogg, V. M., Synek, B. J., Roxburgh, R. H., Waldvogel, H. J., & Faull, R. L. M. (2016). Globus pallidus degeneration and clinico-pathological features of Huntington's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24694. <http://dx.doi.org/10.1002/ana.24694>

Sinha, N., Zhou, A., Li, Y., Joseph-Mathurin, N., Xiong, C., Morris, J. C., . . . Cairns, N. J. (2019). Stereologic measures of beta-amyloid load in postmortem autosomal dominant Alzheimer disease brain validate PiB-PET as a useful biomarker. *Canadian Journal of Neurological Sciences / Journal Canadien des Sciences Neurologiques*, 46(s2), S60-S61. doi: DOI: 10.1017/cjn.2019.257. <https://www.cambridge.org/core/article/stereologic-measures-of-betaamylo..>

Sinha, S. P., Avcu, P., Spiegler, K. M., Komaravolu, S., Kim, K., Cominski, T., . . . C. H. Pang, K. (2017). Startle suppression after mild traumatic brain injury is associated with an increase in pro-inflammatory cytokines, reactive gliosis and neuronal loss in the caudal pontine reticular nucleus. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2017.01.006>. <http://www.sciencedirect.com/science/article/pii/S0889159117300065>

- Sipal, S., Halici, Z., Kiki, İ., Polat, B., Albayrak, A., Albayrak, F., . . . Gundogdu, C. (2012). Comparative study of three angiotensin II type 1 receptor antagonists in preventing liver fibrosis in diabetic rats: stereology, histopathology, and electron microscopy. *Journal of molecular Histology*, 1-13. doi: 10.1007/s10735-012-9441-z. <http://dx.doi.org/10.1007/s10735-012-9441-z>
- Siracusa, R., Paterniti, I., Cordaro, M., Crupi, R., Bruschetta, G., Campolo, M., . . . Esposito, E. (2017). Neuroprotective Effects of Temsirolimus in Animal Models of Parkinson's Disease. [journal article]. *Molecular Neurobiology*, 1-17. doi: 10.1007/s12035-017-0496-4. <http://dx.doi.org/10.1007/s12035-017-0496-4>
- Siriphorn, A., Chompoopong, S., & Floyd, C. L. (2010). 17 β -Estradiol protects Schwann cells against H₂O₂-induced cytotoxicity and increases transplanted Schwann cell survival in a cervical hemiconfusion spinal cord injury model. *Journal of Neurochemistry*, 115(4), 864-872. doi:
- Siriphorn, A., Dunham, K. A., Chompoopong, S., & Floyd, C. L. (2012). Post-injury administration of 17 β -estradiol induces protection in the gray and white matter with associated functional recovery after cervical spinal cord injury in male rats. *Journal of Comparative Neurology*. doi:
- Skefos, J., Cummings, C., Enzer, K., Holiday, J., Weed, K., Levy, E., . . . Bauman, M. (2014). Regional Alterations in Purkinje Cell Density in Patients with Autism. *Plos one*, 9(2), e81255. doi: 10.1371/journal.pone.0081255. <http://dx.doi.org/10.1371/journal.pone.0081255>
- Skladnev, N. V., Ganeshan, V., Kim, J. Y., Burton, T., Mitrofanis, J., Stone, J., & Johnstone, D. M. (2016). Widespread brain transcriptome alterations underlie the neuroprotective actions of dietary saffron. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13857. <http://dx.doi.org/10.1111/jnc.13857>
- Skopin, M. D., Kabadi, S. V., Viechweg, S. S., Mong, J. A., & Faden, A. I. (2014). Chronic decrease in wakefulness and disruption of sleep-wake behavior after experimental traumatic brain injury. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2014.3664>
- Skovira, J. W., Kabadi, S. V., Wu, J., Zhao, Z., DuBose, J., Rosenthal, R. E., . . . Faden, A. I. (2015). Simulated Aeromedical Evacuation Exacerbates Experimental Brain Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4189. <http://dx.doi.org/10.1089/neu.2015.4189>
- Skovira, J. W., Wu, J., Matyas, J. J., Kumar, A., Hanscom, M., Kabadi, S. V., . . . Faden, A. I. (2016). Cell cycle inhibition reduces inflammatory responses, neuronal loss, and cognitive deficits induced by hypobaric exposure following traumatic brain injury. [journal article]. *Journal of neuroinflammation*, 13(1), 299. doi: 10.1186/s12974-016-0769-2. <http://dx.doi.org/10.1186/s12974-016-0769-2>
- Skripuletz, T., Schmiedl, A., Schade, J., Bedoui, S., Glaab, T., Pabst, R., . . . Stephan, M. (2007). Dose-dependent recruitment of CD25⁺ and CD26⁺ T cells in a novel F344 rat model of asthma. *American Journal of Physiology - Lung Cellular and Molecular Physiology*, 292(6), L1564-1571. doi: 10.1152/ajplung.00273.2006. <http://ajplung.physiology.org/cgi/content/abstract/292/6/L1564>
- Slater, B. J., Vilson, F. L., Guo, Y., Weinreich, D., Hwang, S., & Bernstein, S. L. (2013). Optic nerve Inflammation and demyelination in a rodent model of nonarteritic anterior ischemic optic neuropathy. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iovs.13-12064. <http://www.iovs.org/content/early/2013/09/20/iovs.13-12064.abstract>
- Slater, B. J., Willis, A. M., & Llano, D. A. (2012). Evidence for Layer-Specific Differences in Auditory Corticocollicular Neurons. *Neuroscience*, (0). doi:

10.1016/j.neuroscience.2012.10.053. <http://www.sciencedirect.com/science/article/pii/S0306452212010779?v=s5>

Slikker, W., Pogge, A., Walker, R., Chatziannou, A., Charles, C., & Ellisman, M. H. (2004). Neuroimaging: strategies to illuminate environment-disease linkages session II. Summary and Research Needs. *NeuroToxicology*, 25, 501-502. doi.

Slomianka, L., & West, M. J. (2005). Estimators of the precision of stereological estimates: an example based on the CA1 pyramidal cell layer of rats. *Neuroscience*, 136, 757-767. doi.

Slow, E. J., Raamsdonk, J. v., Rogers, D., Coleman, S. H., Graham, R. K., Deng, Y., . . . Hayden, M. R. (2003). Selective striatal neuronal loss in a YAC128 mouse model of Huntington disease. *Human Molecular Genetics*, 12(13), 1555-1567. doi.

Smedowski, A., Liu, X., Pietrucha-Dutczak, M., Matuszek, I., Varjosalo, M., & Lewin-Kowalik, J. (2016). Predegenerated Schwann cells—a novel prospect for cell therapy for glaucoma: neuroprotection, neuroregeneration and neuroplasticity. *Scientific Reports*, 6, 23187. doi. <http://www.nature.com/articles/srep23187>

Smedowski, A., Liu, X., Podracka, L., Akhtar, S., Trzeciecka, A., Pietrucha-Dutczak, M., . . . Amadio, M. (2018). Increased intraocular pressure alters the cellular distribution of HuR protein in retinal ganglion cells – A possible sign of endogenous neuroprotection failure. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1864(1), 296-306. doi: <https://doi.org/10.1016/j.bbadis.2017.10.030>. <http://www.sciencedirect.com/science/article/pii/S0925443917303940>

Smeyne, R. J., Breckenridge, C. B., Beck, M., Jiao, Y., Butt, M. T., Wolf, J. C., . . . Botham, P. A. (2016). Assessment of the Effects of MPTP and Paraquat on Dopaminergic Neurons and Microglia in the Substantia Nigra Pars Compacta of C57BL/6 Mice. *Plos one*, 11(10), e0164094. doi: 10.1371/journal.pone.0164094. <http://dx.doi.org/10.1371%2Fjournal.pone.0164094>

Smiley, J. F., Rosoklija, G., Mancevski, B., Mann, J. J., Dwork, A. J., & Javitt, D. C. (2009). Altered volume and hemispheric asymmetry of the superficial cortical layers in the schizophrenia planum temporale. *European Journal of Neuroscience*, 30(3), 449-463. doi.

Smiley, J. F., Rosoklija, G., Mancevski, B., Pergolizzi, D., Figarsky, K., Bleiwas, C., . . . Dwork, A. J. (2011). Hemispheric comparisons of neuron density in the planum temporale of schizophrenia and nonpsychiatric brains. *Psychiatry Research: Neuroimaging*, 192(1), 1-11. doi.

Smith, A. L., Alexander, M., Chrobak, J., Rosenkrantz, T., & Fitch, R. (2015). Dissociation in the Effects of Induced Neonatal Hypoxia-Ischemia on Rapid Auditory Processing and Spatial Working Memory in Male Rats. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Abstract/375487>

Smith, A. L., Alexander, M., Rosenkrantz, T. S., Sadek, M. L., & Fitch, R. H. (2014). Sex differences in behavioral outcome following neonatal hypoxia ischemia: Insights from a clinical meta-analysis and a rodent model of induced hypoxic ischemic brain injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.01.003>. <http://www.sciencedirect.com/science/article/pii/S0014488614000168>

Smith, B. R., Santos, M. B., Marshall, M. S., Cantuti-Castelvetri, L., Lopez-Rosas, A., Li, G., . . . Bongarzone, E. R. (2014). Neuronal inclusions of α -synuclein contribute to the pathogenesis of Krabbe disease. *The Journal of Pathology*, n/a-n/a. doi: 10.1002/path.4328. <http://dx.doi.org/10.1002/path.4328>

- Smith, C. A., MacDonald, A., & Holahan, M. R. (2011). Acute postnatal exposure to di (2-ethylhexyl) phthalate adversely impacts hippocampal development in the male rat. *Neuroscience*. doi.
- Smith, C. C., Guévremont, D., Williams, J. M., & Napper, R. M. A. (2015). Apoptotic Cell Death and Temporal Expression of Apoptotic Proteins Bcl-2 and Bax in the Hippocampus, Following Binge Ethanol in the Neonatal Rat Model. *Alcoholism: Clinical and Experimental Research*, 39(1), 36-44. doi: 10.1111/acer.12606. <http://dx.doi.org/10.1111/acer.12606>
- Smith, D. E., Rapp, P. R., McKay, H. M., Roberts, J. A., & Tuszynski, M. H. (2004). Memory Impairment in Aged Primates Is Associated with Focal Death of Cortical Neurons and Atrophy of Subcortical Neurons. *Journal of Neuroscience*, 24(18), 4373-4381. doi: <http://www.jneurosci.org/cgi/content/abstract/24/18/4373>
- Smith, D. E., Roberts, J., Gage, F. H., & Tuszynski, M. H. (1999). Age-associated neuronal atrophy occurs in the primate brain and is reversible by growth factor gene therapy. *Proceedings of the National Academy of Sciences*, 96(19), 10893-10898. doi: 10.1073/Proceedings of the National Academy of Sciences.96.19.10893. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/96/19/10893>
- Smith, D. W., Bailes, J. E., Fisher, J. A., Robles, J., Turner, R. C., & Mills, J. D. (2012). Internal Jugular Vein Compression Mitigates Traumatic Axonal Injury in a Rat Model by Reducing the Intracranial Slosh Effect. *Neurosurgery*, 70(3), 740-740. doi.
- Smith, E. J., Stroemer, R. P., Gorenkova, N., Nakajima, M., Crum, W. R., Tang, E., . . . Modo, M. (2011). Implantation Site and Lesion Topology Determine Efficacy of a Human Neural Stem Cell Line in a Rat Model of Chronic Stroke. *Stem Cells*. doi.
- Smith, G. A., Rocha, E. M., McLean, J. R., Hayes, M. A., Izen, S. C., Isacson, O., & Hallett, P. J. (2014). Progressive axonal transport and synaptic protein changes correlate with behavioral and neuropathological abnormalities in the heterozygous Q175 KI mouse model of Huntington's disease. *Human Molecular Genetics*. doi: 10.1093/hmg/ddu166. <http://hmg.oxfordjournals.org/content/early/2014/04/12/hmg.ddu166.abstract>
- Smith, G. A., Rocha, E. M., Rooney, T., Barneoud, P., McLean, J. R., Beagan, J., . . . Isacson, O. (2015). A Nurr1 Agonist Causes Neuroprotection in a Parkinson's Disease Lesion Model Primed with the Toll-Like Receptor 3 dsRNA Inflammatory Stimulant Poly(I:C). *Plos one*, 10(3), e0121072. doi: 10.1371/journal.pone.0121072. <http://dx.doi.org/10.1371%2Fjournal.pone.0121072>
- Smith, H. R., & Pang, K. C. H. (2005). Orexin-saporin lesions of the medial septum impair spatial memory. *Neuroscience*, 132(2), 261-271. doi.
- Smith, I., Pang, K. C. H., Servatius, R. J., Jiao, X., & Beck, K. D. (2016). Paired-housing selectively facilitates within-session extinction of avoidance behavior, and increases c-Fos expression in the medial prefrontal cortex, in anxiety vulnerable Wistar-Kyoto Rats. *Physiology and Behavior*. doi: <http://dx.doi.org/10.1016/j.physbeh.2016.05.044>. <http://www.sciencedirect.com/science/article/pii/S0031938416303134>
- Smith, J. M., Hechtman, A., & Swann, J. (2010). Fluctuations in cellular proliferation across the light/dark cycle in the subgranular zone of the dentate gyrus in the adult male Syrian hamster. *Neuroscience Letters*, 473(3), 192-195. doi.

Smith, K. M., Fagel, D. M., Stevens, H. E., Rabenstein, R. L., Maragnoli, M. E., Ohkubo, Y., . . . Vaccarino, F. M. (2008). Deficiency in inhibitory cortical interneurons associates with hyperactivity in fibroblast growth factor receptor 1 mutant mice. *Biological Psychiatry*, 63(10), 953-962. doi.

Smith, K. M., Maragnoli, M. E., Phull, P. M., Tran, K. M., Choubey, L., & Vaccarino, F. M. (2014). Fgfr1 Inactivation in the Mouse Telencephalon Results in Impaired Maturation of Interneurons Expressing Parvalbumin. *Plos one*, 9(8), e103696. doi: 10.1371/journal.pone.0103696. <http://dx.doi.org/10.1371%2Fjournal.pone.0103696>

Smith, K. M., Matson, S., Matson, W. R., Cormier, K., Del Signore, S. J., Hagerty, S. W., . . . Ferrante, R. J. (2006). Dose ranging and efficacy study of high-dose coenzyme Q10 formulations in Huntington's disease mice. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1762(6), 616-626. doi.

Smith, K. M., Ohkubo, Y., Maragnoli, M. E., Rašin, M. R., Schwartz, M. L., Šestan, N., & Vaccarino, F. M. (2006). Midline radial glia translocation and corpus callosum formation require FGF signaling. *Nature Neuroscience*, 9(6), 787-797. doi.

Smith, P. L., Hagberg, H., Naylor, A. S., & Mallard, C. (2014). Neonatal Peripheral Immune Challenge Activates Microglia and Inhibits Neurogenesis in the Developing Murine Hippocampus. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/FullText/359950>

Smith, R., Puschmann, A., Schöll, M., Ohlsson, T., van Swieten, J., Honer, M., . . . Hansson, O. (2016). 18F-AV-1451 tau PET imaging correlates strongly with tau neuropathology in MAPT mutation carriers. [10.1093/brain/aww163]. *Brain*. doi. <http://brain.oxfordjournals.org/content/early/2016/06/27/brain.aww163.ab..>

Smodlaka, H., Khamas, W. A., Palmer, L., Lui, B., Borovac, J. A., Cohn, B. A., & Schmitz, L. (2016). Eye histology and ganglion cell topography of northern elephant seals (*Mirounga angustirostris*). *The Anatomical Record*, n/a-n/a. doi: 10.1002/ar.23342. <http://dx.doi.org/10.1002/ar.23342>

Smorodchenko, A., Wuerfel, J., Pohl, E. E., Vogt, J., Tysiak, E., Glumm, R., . . . Infante-Duarte, C. (2007). CNS-irrelevant T-cells enter the brain, cause blood-brain barrier disruption but no glial pathology. *European Journal of Neuroscience*, 26(6), 1387-1398. doi: doi:10.1111/j.1460-9568.2007.05792.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05792.x>

Smrt, R. D., Eaves-Egenes, J., Barkho, B. Z., Santistevan, N. J., Zhao, C., Aimone, J. B., . . . Zhao, X. (2007). Mecp2 deficiency leads to delayed maturation and altered gene expression in hippocampal neurons. *Neurobiology of Disease*, 27(1), 77-89. doi.

Sn, S., Pandurangi, J., Murumalla, R., Dj, V., Garimella, L., Acharya, A., . . . Manjithaya, R. (2019). Small molecule modulator of aggregophagy regulates neuroinflammation to curb pathogenesis of neurodegeneration. *EBioMedicine*. doi: <https://doi.org/10.1016/j.ebiom.2019.10.036>. <http://www.sciencedirect.com/science/article/pii/S2352396419307066>

Snyder, B. R., Chiu, A. M., Prockop, D. J., & Chan, A. W. S. (2010). Human multipotent stromal cells (MSCs) increase neurogenesis and decrease atrophy of the striatum in a transgenic mouse model for Huntington's disease. *PLoS ONE*, 5(2), e9347-e9347. doi.

Snyder, J. S., Choe, J. S., Clifford, M. A., Jeurling, S. I., Hurley, P., Brown, A., . . . Cameron, H. A. (2009). Adult-Born Hippocampal Neurons Are More Numerous, Faster Maturing, and More Involved in Behavior in Rats than in Mice. *Journal of Neuroscience*, 29(46), 14484-14495. doi: 10.1523/jneurosci.1768-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/46/14484>

- Snyder, J. S., Clifford, M. A., Jeurling, S. I., & Cameron, H. A. (2011). Complementary activation of hippocampal-cortical subregions and immature neurons following chronic training in single and multiple context versions of the water maze. *Behavioural Brain Research*. doi.
- Snyder, J. S., Ferrante, S. C., & Cameron, H. A. (2012). Late Maturation of Adult-Born Neurons in the Temporal Dentate Gyrus. *Plos one*, 7(11), e48757. doi: <http://dx.doi.org/10.1371/journal.pone.0048757>
- Soares, J. I., Afonso, A. R., Maia, G. H., & Lukoyanov, N. V. (2018). The pedunculo-pontine and laterodorsal tegmental nuclei in the kainate model of epilepsy. *Neuroscience Letters*. doi: <https://doi.org/10.1016/j.neulet.2018.02.044>. <http://www.sciencedirect.com/science/article/pii/S0304394018301265>
- Soares, J. I., Da Costa, C., Ferreira, M. H., Andrade, P. A., Maia, G. H., & Lukoyanov, N. V. (2019). Partial depletion of septohippocampal cholinergic cells reduces seizure susceptibility, but does not mitigate hippocampal neurodegeneration in the kainate model of epilepsy. *Brain Research*, 1717, 235-246. doi: <https://doi.org/10.1016/j.brainres.2019.04.027>. <http://www.sciencedirect.com/science/article/pii/S000689931930229X>
- Soares, J. I., Valente, M. C., Andrade, P. A., Maia, G. H., & Lukoyanov, N. V. (2017). Reorganization of the septohippocampal cholinergic fiber system in experimental epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24235. <http://dx.doi.org/10.1002/cne.24235>
- Soares, L. M., De Vry, J., Steinbusch, H. W. M., Milani, H., Prickaerts, J., & Weffort de Oliveira, R. M. (2016). Risperidone improves cognition, reduces anxiety- and despair-like behaviors and impacts hippocampal neuroplasticity after transient global cerebral ischemia. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.062>. <http://www.sciencedirect.com/science/article/pii/S0306452216300495>
- Soares-Cunha, C., Coimbra, B., David-Pereira, A., Borges, S., Pinto, L., Costa, P., . . . Rodrigues, A. J. (2016). Activation of D2 dopamine receptor-expressing neurons in the nucleus accumbens increases motivation. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11829. <http://dx.doi.org/10.1038/ncomms11829>
- Sobieraj, J., Kim, A., Fannon, M., & Mandym, C. (2014). Chronic wheel running-induced reduction of extinction and reinstatement of methamphetamine seeking in methamphetamine dependent rats is associated with reduced number of periaqueductal gray dopamine neurons. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-014-0905-7. <http://dx.doi.org/10.1007/s00429-014-0905-7>
- Soblosky, J. S., Song, J. H., & Dinh, D. H. (2001). Graded unilateral cervical spinal cord injury in the rat: evaluation of forelimb recovery and histological effects. *Behavioural Brain Research*, 119(1), 1-13. doi.
- Sobrado, M., Ramirez, B., Neria, F., Lizasoain, I., Arbones, M. L., Minami, T., . . . Cano, E. (2012). Regulator of calcineurin 1 (Rcan1) has a protective role in brain ischemia/reperfusion injury. *Journal of neuroinflammation*, 9(1), 48. doi. <http://www.jneuroinflammation.com/content/9/1/48>
- Sobrero, R., Fernández-Aburto, P., Ly-Prieto, Á., Delgado, S. E., Mpodozis, J., & Ebensperger, L. A. (2016). Effects of Habitat and Social Complexity on Brain Size, Brain Asymmetry and Dentate Gyrus Morphology in Two Octodontid Rodents. *Brain, Behavior and Evolution*, 87(1), 51-64. doi. <http://www.karger.com/DOI/10.1159/000444741>

- Soderstrom, K. E., Meredith, G., Freeman, T. B., McGuire, S. O., Collier, T. J., Sortwell, C. E., . . . Steece-Collier, K. (2008). The synaptic impact of the host immune response in a parkinsonian allograft rat model: influence on graft-derived aberrant behaviors. *Neurobiology of Disease*, 32(2), 229-242. doi.
- Soderstrom, K. E., O'Malley, J. A., Levine, N. D., Sortwell, C. E., Collier, T. J., & Steece-Collier, K. (2010). Impact of dendritic spine preservation in medium spiny neurons on dopamine graft efficacy and the expression of dyskinesias in parkinsonian rats. *European Journal of Neuroscience*, 31(3), 478-490. doi.
- Soerensen, J., Pekcec, A., Fuest, C., Nickel, A., & Potschka, H. (2009). Pyrrolidine dithiocarbamate protects the piriform cortex in the pilocarpine status epilepticus model. *Epilepsy Research*, 87(2), 177-183. doi.
- Sohn, J., Bannerman, P., Guo, F., Burns, T., Miers, L., Croteau, C., . . . Pleasure, D. (2016). Suppressing N-acetyl-L-aspartate (NAA) synthesis prevents loss of neurons in a murine model of Canavan leukodystrophy. [10.1523/JNEUROSCI.2013-16.2016]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2016/12/02/JNEUROSCI.2013-16.2016>.
- Sokoloff, A. J., Daugherty, M., & Li, H. (2010). Myosin heavy-chain composition of the human hyoglossus muscle. *Dysphagia*, 25(2), 81-93. doi.
- Solís, O., Garcia-Montes, J. R., González-Granillo, A., Xu, M., & Moratalla, R. (2015). Dopamine D3 Receptor Modulates L-DOPA-Induced Dyskinesia by Targeting D1 Receptor-Mediated Striatal Signaling. *Cerebral Cortex*. doi: 10.1093/cercor/bhv231. <http://cercor.oxfordjournals.org/content/early/2015/10/18/cercor.bhv231>.
- Solís, O., García-Montes, J.-R., García-Sanz, P., Herranz, A. S., Asensio, M.-J., Kang, G., . . . Moratalla, R. (2017). Human COMT over-expression confers a heightened susceptibility to dyskinesia in mice. *Neurobiology of Disease*, 102, 133-139. doi: <http://dx.doi.org/10.1016/j.nbd.2017.03.006>. <http://www.sciencedirect.com/science/article/pii/S0969996117300542>
- Soltani, R., Boroujeni, M. E., Aghajanzpour, F., Khatmi, A., Ezi, S., Mirbehbahani, S. H., . . . Heidari, M.-h. (2020). Tramadol exposure upregulated apoptosis, inflammation and autophagy in PC12 cells and rat's striatum: an in vitro- in vivo approach. *Journal of Chemical Neuroanatomy*, 101820. doi: <https://doi.org/10.1016/j.jchemneu.2020.101820>. <http://www.sciencedirect.com/science/article/pii/S0891061820300892>
- Somkuwar, S. S., Fannon, M. J., Bao Nguyen, T., & Mandyam, C. D. (2017). Hyper-oligodendrogenesis at the vascular niche and reduced blood-brain barrier integrity in the prefrontal cortex during protracted abstinence. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.08.048>. <http://www.sciencedirect.com/science/article/pii/S0306452217306243>
- Somkuwar, S. S., Fannon-Pavlich, M. J., Ghofranian, A., Quigley, J. A., Dutta, R. R., Galinato, M. H., & Mandyam, C. D. (2016). Wheel running reduces ethanol seeking by increasing neuronal activation and reducing oligodendroglial/neuroinflammatory factors in the medial prefrontal cortex. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.08.006>. <http://www.sciencedirect.com/science/article/pii/S0889159116303634>
- Sommer, A., Fadler, T., Dorfmeister, E., Hoffmann, A.-C., Xiang, W., Winner, B., & Prots, I. (2016). Infiltrating T lymphocytes reduce myeloid phagocytosis activity in synucleinopathy model. *Journal*

article]. *Journal of neuroinflammation*, 13(1), 1-13. doi: 10.1186/s12974-016-0632-5.
5. <http://dx.doi.org/10.1186/s12974-016-0632-5>

Song, B., Song, J., Zhang, S., Anderson, M. A., Ao, Y., Yang, C.-Y., . . . Sofroniew, M. V. (2012). Sustained local delivery of bioactive nerve growth factor in the central nervous system via tunable diblock copolypeptide hydrogel depots. *Biomaterials*, (0). doi: 10.1016/j.biomaterials.2012.08.060. <http://www.sciencedirect.com/science/article/pii/S0142961212009635>

Song, C.-H., Bernhard, D., Bolarinwa, C., Hess, E. J., Smith, Y., & Jinnah, H. A. (2013). Subtle microstructural changes of the striatum in a DYT1 knock-in mouse model of dystonia. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.01.008>. <http://www.sciencedirect.com/science/article/pii/S0969996113000326>

Song, C.-H., Bernhard, D., Hess, E. J., & Jinnah, H. A. (2013). Subtle microstructural defects of the cerebellum in a knock-in mouse model of DYT1 dystonia. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.10.003>. <http://www.sciencedirect.com/science/article/pii/S0969996113002763>

Song, C.-H., Fan, X., Exeter, C. J., Hess, E. J., & Jinnah, H. A. (2012). Functional analysis of dopaminergic systems in a DYT1 knock-in mouse model of dystonia. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.05.009. <http://www.sciencedirect.com/science/article/pii/S0969996112001957>

Song, D. Y., Yang, Y. C., Shin, D. H., Sugama, S., Kim, Y. S., Lee, B. H., . . . Cho, B. P. (2008). Axotomy-induced dopaminergic neurodegeneration is accompanied with c-Jun phosphorylation and activation transcription factor 3 expression. *Experimental Neurology*, 209(1), 268-278. doi:

Song, R., Preston, G., Kidd, L., Bushnell, D., Sims-Lucas, S., Bates, C. M., & Yosypiv, I. V. (2015). Prorenin receptor is critical for nephron progenitors. *Developmental Biology*. doi: <http://dx.doi.org/10.1016/j.ydbio.2015.11.024>. <http://www.sciencedirect.com/science/article/pii/S0012160615300798>

Song, W., Amer, A., Ryan, D., & Martin, J. H. (2016). Combined motor cortex and spinal cord neuromodulation promotes corticospinal system functional and structural plasticity and motor function after injury. *Experimental Neurology*, 277, 46-57. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.12.008>. <http://www.sciencedirect.com/science/article/pii/S0014488615301357>

Soni, M. N., Mohamed, M. A. Z., Kurniawan, D. N. D., Borges, D. K., & Nasrallah, D. F. (2018). Diffusion MRI unveils the spatiotemporal microstructural grey matter changes following injury in the rodent brain. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5972. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5972>

Sonntag, K. C., Simantov, R., Cooper, O., Pruszak, J., Kowalke, F., Gilmartin, J., . . . others. (2005). Context-dependent neuronal differentiation and germ layer induction of Smad4-/-and Cripto-/- embryonic stem cells. *Molecular and Cellular Neuroscience*, 28(3), 417-429. doi:

Sonntag, K.-C., Pruszak, J., Yoshizaki, T., van Arensbergen, J., Sanchez-Pernaute, R., & Isacson, O. (2007). Enhanced Yield of Neuroepithelial Precursors and Midbrain-Like Dopaminergic Neurons from Human Embryonic Stem Cells Using the Bone Morphogenic Protein Antagonist Noggin. *Stem Cells*, 25(2), 411-418. doi: 10.1634/stemcells.2006-0380. <http://stemcells.alphamedpress.org/cgi/content/abstract/25/2/411>

Sonsalla, P. K., Coleman, C., Wong, L.-Y., Harris, S. L., Richardson, J. R., Gadad, B. S., . . . German, D. C. (2013). The angiotensin converting enzyme inhibitor captopril protects nigrostriatal dopamine neurons in animal models of parkinsonism. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.10.014>. <http://www.sciencedirect.com/science/article/pii/S0014488613003178>

Sonsalla, P. K., Wong, L. Y., Harris, S. L., Richardson, J. R., Khobahy, I., Li, W., . . . German, D. C. (2012). Delayed caffeine treatment prevents nigral dopamine neuron loss in a progressive rat model of Parkinson's disease. *Experimental Neurology*. doi.

Sontag, Christopher J., Uchida, N., Cummings, Brian J., & Anderson, Aileen J. (2014). Injury to the Spinal Cord Niche Alters the Engraftment Dynamics of Human Neural Stem Cells. *Stem Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.stemcr.2014.03.005>. <http://www.sciencedirect.com/science/article/pii/S2213671114000848>

Sorokina, A. M., Saul, M., Goncalves, T. M., Gogola, J. V., Majdak, P., Rodriguez-Zas, S. L., & Rhodes, J. S. (2018). Striatal transcriptome of a mouse model of ADHD reveals a pattern of synaptic remodeling. *Plos one*, 13(8), e0201553. doi: 10.1371/journal.pone.0201553. <https://doi.org/10.1371/journal.pone.0201553>

Sorrells, A. D., Corcoran-Gomez, K., Eckert, K. A., Fahey, A. G., Hoots, B. L., Charleston, L. B., . . . Markowitz, H. (2009). Effects of environmental enrichment on the amyotrophic lateral sclerosis mouse model. *Laboratory Animals*, 43(2), 182-190. doi.

Sos, K. E., Mayer, M. I., Cserép, C., Takács, F. S., Szőnyi, A., Freund, T. F., & Nyiri, G. (2016). Cellular architecture and transmitter phenotypes of neurons of the mouse median raphe region. *Brain Structure and Function*, 1-13. doi. <http://link.springer.com/article/10.1007/s00429-016-1217-x/fulltext.html>

Sosa, M. A. G., De Gasperi, R., Garcia, G. S. P., Sosa, H., Searcy, C., Vargas, D., . . . Janssen, W. G. (2017). Lack of chronic neuroinflammation in the absence of focal hemorrhage in a rat model of low-energy blast-induced TBI. *Acta Neuropathologica Communications*, 5(1), 80. doi. <https://actaneurocomms.biomedcentral.com/articles/10.1186/s40478-017-0483-z>

Souchet, B., Duchon, A., Gu, Y., Dairou, J., Chevalier, C., Daubigny, F., . . . Delabar, J. M. (2019). Prenatal treatment with EGCG enriched green tea extract rescues GAD67 related developmental and cognitive defects in Down syndrome mouse models. *Scientific Reports*, 9(1), 3914. doi: 10.1038/s41598-019-40328-9. <https://doi.org/10.1038/s41598-019-40328-9>

Souchet, B., Guedj, F., Sahún, I., Duchon, A., Daubigny, F., Badel, A., . . . Delabar, J. M. (2014). Excitation/inhibition balance and learning are modified by Dyrk1a gene dosage. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.04.016>. <http://www.sciencedirect.com/science/article/pii/S0969996114001053>

Southwell, A. L., Franciosi, S., Villanueva, E. B., Xie, Y., Winter, L. A., Veeraraghavan, J., . . . Hayden, M. R. (2015). Anti-semaphorin 4D immunotherapy ameliorates neuropathology and some cognitive impairment in the YAC128 mouse model of Huntington disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.01.002>. <http://www.sciencedirect.com/science/article/pii/S0969996115000145>

Southwell, A. L., Kordasiewicz, H. B., Langbehn, D., Skotte, N. H., Parsons, M. P., Villanueva, E. B., . . . Hayden, M. R. (2018). Huntingtin suppression restores cognitive function in a mouse model of

Huntington's disease. [10.1126/scitranslmed.aar3959]. Science translational medicine, 10(461). doi: <http://stm.sciencemag.org/content/10/461/ear3959.abstract>

Southwell, A. L., Smith-Dijak, A., Kay, C., Sepers, M., Villanueva, E. B., Parsons, M. P., . . . Hayden, M. R. (2016). An enhanced Q175 knock-in mouse model of Huntington disease with higher mutant huntingtin levels and accelerated disease phenotypes. Human Molecular Genetics. doi: 10.1093/hmg/ddw212. <http://hmg.oxfordjournals.org/content/early/2016/07/03/hmg.ddw212.abstract>

Southwell, D. G., Paredes, M. F., Galvao, R. P., Jones, D. L., Froemke, R. C., Sebe, J. Y., . . . Rubenstein, J. L. (2012). Intrinsically determined cell death of developing cortical interneurons. Nature. doi.

Souza-Rodrigues, R. D., Costa, A. M. R., Lima, R. R., Dos Santos, C. D., Picanço-Diniz, C. W., & Gomes-Leal, W. (2008). Inflammatory response and white matter damage after microinjections of endothelin-1 into the rat striatum. Brain Research, 1200, 78-88. doi.

Sozmen, E. G., Kolekar, A., Havton, L. A., & Carmichael, S. T. (2009). A white matter stroke model in the mouse: axonal damage, progenitor responses and MRI correlates. Journal of Neuroscience Methods, 180(2), 261-272. doi.

Sozmen, E. G., Rosenzweig, S., Llorente, I. L., DiTullio, D. J., Machnicki, M., Vinters, H. V., . . . Carmichael, S. T. (2016). Nogo receptor blockade overcomes remyelination failure after white matter stroke and stimulates functional recovery in aged mice. Proceedings of the National Academy of Sciences, 113(52), E8453-E8462. doi: 10.1073/pnas.1615322113. <http://www.pnas.org/content/113/52/E8453.abstract>

Soztutar, E., Colak, E., & Ulupinar, E. (2015). Gender- and anxiety level-dependent effects of perinatal stress exposure on medial prefrontal cortex. Experimental Neurology, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2015.06.005>, <http://www.sciencedirect.com/science/article/pii/S0014488615300169>

Spalletti, C., Lai, S., Mainardi, M., Panarese, A., Ghionzoli, A., Alia, C., . . . Caleo, M. (2013). A Robotic System for Quantitative Assessment and Poststroke Training of Forelimb Retraction in Mice. Neurorehabilitation and neural repair. doi: 10.1177/1545968313506520. <http://nnr.sagepub.com/content/early/2013/10/28/1545968313506520.abstract>

Spampanato, J., Sullivan, R. K., Turpin, F. R., Bartlett, P. F., & Sah, P. (2012). Properties of Doublecortin Expressing Neurons in the Adult Mouse Dentate Gyrus. Plos one, 7(9), e41029. doi.

Spangenberg, E., Severson, P. L., Hohsfield, L. A., Crapser, J., Zhang, J., Burton, E. A., . . . Green, K. N. (2019). Sustained microglial depletion with CSF1R inhibitor impairs parenchymal plaque development in an Alzheimer's disease model. Nature Communications, 10(1), 3758. doi: 10.1038/s41467-019-11674-z. <https://doi.org/10.1038/s41467-019-11674-z>

Spangenberg, E. E., Lee, R. J., Najafi, A. R., Rice, R. A., Elmore, M. R. P., Blurton-Jones, M., . . . Green, K. N. (2016). Eliminating microglia in Alzheimer's mice prevents neuronal loss without modulating amyloid- β pathology. Brain. doi: 10.1093/brain/aww016. <http://brain.oxfordjournals.org/content/brain/early/2016/02/26/brain.aww016>

Speed, H. E., Blaiss, C. A., Kim, A., Haws, M. E., Melvin, N. R., Jennings, M., . . . Powell, C. M. (2012). Delayed Reduction of Hippocampal Synaptic Transmission and Spines Following Exposure to

Repeated Subclinical Doses of Organophosphorus Pesticide in Adult Mice. *Toxicological Sciences*, 125(1), 196-208. doi: 10.1093/toxsci/kfr253. <http://toxsci.oxfordjournals.org/cgi/content/abstract/125/1/196>

Speed, H. E., Masiulis, I., Gibson, J. R., & Powell, C. M. (2015). Increased Cortical Inhibition in Autism-Linked Neuroligin-3R451C Mice Is Due in Part to Loss of Endocannabinoid Signaling. *Plos one*, 10(10), e0140638. doi: 10.1371/journal.pone.0140638. <http://dx.doi.org/10.1371%2Fjournal.pone.0140638>

Spence, R. D., Hamby, M. E., Umeda, E., Itoh, N., Du, S., Wisdom, A. J., . . . Voskuhl, R. R. (2011). Neuroprotection mediated through estrogen receptor- α in astrocytes. *Proceedings of the National Academy of Sciences*, 108(21), 8867-8872. doi: 10.1073/Proceedings of the National Academy of Sciences.1103833108. <http://www.Proceedings of the National Academy of Sciences.org/content/108/21/8867.abstract>

Spencer, B., Brüscheweiler, S., Sealey-Cardona, M., Rockenstein, E., Adame, A., Florio, J., . . . Masliah, E. (2018). Selective targeting of 3 repeat Tau with brain penetrating single chain antibodies for the treatment of neurodegenerative disorders. [journal article]. *Acta Neuropathologica*, 136(1), 69-87. doi: 10.1007/s00401-018-1869-0. <https://doi.org/10.1007/s00401-018-1869-0>

Spencer, B., Desplats, P. A., Overk, C. R., Valera-Martin, E., Rissman, R. A., Wu, C., . . . Rockenstein, E. (2016). Reducing Endogenous α -Synuclein Mitigates the Degeneration of Selective Neuronal Populations in an Alzheimer's Disease Transgenic Mouse Model. *The Journal of Neuroscience*, 36(30), 7971-7984. doi: <http://www.jneurosci.org/content/36/30/7971.short>

Spencer, B., Michael, S., Shen, J., Kosberg, K., Rockenstein, E., Patrick, C., . . . Masliah, E. (2012). Lentivirus Mediated Delivery of Neurosin Promotes Clearance of Wild-type α -Synuclein and Reduces the Pathology in an α -Synuclein Model of LBD. *Molecular Therapy*. doi:

Spencer, B., Potkar, R., Metcalf, J., Trinh, I., Adame, A., Rockenstein, E., & Masliah, E. (2016). Systemic Central Nervous System (CNS)-targeted Delivery of Neuropeptide Y (NPY) Reduces Neurodegeneration and Increases Neural Precursor Cell Proliferation in a Mouse Model of Alzheimer Disease. *Journal of Biological Chemistry*, 291(4), 1905-1920. doi: 10.1074/jbc.M115.678185. <http://www.jbc.org/content/291/4/1905.abstract>

Spencer, B., Potkar, R., Metcalf, J., Trinh, I., Adame, A., Rockenstein, E., & Masliah, E. (2015). Systemic CNS-targeted Delivery of NPY Reduces Neurodegeneration and Increases Neural Precursor Cell Proliferation in a Mouse Model of Alzheimer's Disease. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M115.678185. <http://www.jbc.org/content/early/2015/11/30/jbc.M115.678185.abstract>

Spencer, B., Potkar, R., Trejo, M., Rockenstein, E., Patrick, C., Gindi, R., . . . Masliah, E. (2009). Beclin 1 Gene Transfer Activates Autophagy and Ameliorates the Neurodegenerative Pathology in α -Synuclein Models of Parkinson's and Lewy Body Diseases. *Journal of Neuroscience*, 29(43), 13578-13588. doi: 10.1523/jneurosci.4390-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/43/13578>

Spencer, B., Trinh, I., Rockenstein, E., Mante, M., Florio, J., Adame, A., . . . Rissman, R. A. (2019). Systemic peptide mediated delivery of an siRNA targeting α -syn in the CNS ameliorates the neurodegenerative process in a transgenic model of Lewy body disease. *Neurobiology of Disease*, 127, 163-177. doi: <https://doi.org/10.1016/j.nbd.2019.03.001>. <http://www.sciencedirect.com/science/article/pii/S0969996119300609>

Spencer, B., Valera, E., Rockenstein, E., Trejo-Morales, M., Adame, A., & Masliah, E. (2015). A brain-targeted, modified neurosin (kallikrein-6) reduces alpha-synuclein accumulation in a mouse model of multiple system atrophy. *Molecular Neurodegeneration*, 10(1), 48. doi: <http://www.molecularneurodegeneration.com/content/10/1/48>

Spiegel, A. M., Koh, M. T., Vogt, N. M., Rapp, P. R., & Gallagher, M. (2013). Hilar interneuron vulnerability distinguishes aged rats with memory impairment. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23367. <http://dx.doi.org/10.1002/cne.23367>

Spieles-Engemann, A. L., Behbehani, M. M., Collier, T. J., Wohlgenant, S. L., Steece-Collier, K., Paumier, K., . . . others. (2010). Stimulation of the rat subthalamic nucleus is neuroprotective following significant nigral dopamine neuron loss. *Neurobiology of Disease*, 39(1), 105-115. doi.

Spocter, M. A., Fairbanks, J., Locey, L., Nguyen, A., Bitterman, K., Dunn, R., . . . Manger, P. R. (2018). Neuropil Distribution in the Anterior Cingulate and Occipital Cortex of Artiodactyls. *The Anatomical Record*, o(o). doi: doi:10.1002/ar.23905. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ar.23905>

Spocter, M. A., Hopkins, W. D., Barks, S. K., Bianchi, S., Hehmeyer, A. E., Anderson, S. M., . . . Sherwood, C. C. (2012). Neuropil distribution in the cerebral cortex differs between humans and chimpanzees. *Journal of Comparative Neurology*. doi.

Spocter, M. A., Hopkins, W. D., Garrison, A. R., Bauernfeind, A. L., Stimpson, C. D., Hof, P. R., & Sherwood, C. C. (2010). Wernicke's area homologue in chimpanzees (*Pan troglodytes*) and its relation to the appearance of modern human language. *Proceedings of the Royal Society B: Biological Sciences*, 277(1691), 2165-2174. doi.

Sportiche, N., Suntsova, N., Methippara, M., Bashir, T., Mitrani, B., Szymusiak, R., & McGinty, D. (2010). Sustained sleep fragmentation results in delayed changes in hippocampal-dependent cognitive function associated with reduced dentate gyrus neurogenesis. *Neuroscience*, 170(1), 247-258. doi.

Spring, S., Lerch, J. P., Wetzel, M. K., Evans, A. C., & Henkelman, R. M. (2010). Cerebral asymmetries in 12-week-old C57Bl/6J mice measured by magnetic resonance imaging. *Neuroimage*, 50(2), 409-415. doi.

Spurlock, M. S., Ahmed, A. I., Rivera, K. N., Yokobori, S., Lee, S. W., Sam, P. N., . . . Bullock, R. (2017). Amelioration of penetrating ballistic-like brain injury induced cognitive deficits after neuronal differentiation of transplanted human neural stem cells. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4602. <http://dx.doi.org/10.1089/neu.2016.4602>

Srivastava, T., Diba, P., Dean, J. M., Banine, F., Shaver, D., Hagen, M., . . . Back, S. A. (2018). A TLR/AKT/FoxO3 immune tolerance-like pathway disrupts the repair capacity of oligodendrocyte progenitors. *The Journal of Clinical Investigation*, 128(5). doi: 10.1172/jci94158. <https://doi.org/10.1172/JCI94158>

Stack, C., Ho, D., Wille, E., Calingasan, N. Y., Williams, C., Liby, K., . . . Beal, M. F. (2010). Triterpenoids CDDO-ethyl amide and CDDO-trifluoroethyl amide improve the behavioral phenotype and brain pathology in a transgenic mouse model of Huntington's disease. *Free Radical Biology and Medicine*, 49(2), 147-158. doi.

Stack, E. C., Dedeoglu, A., Smith, K. M., Cormier, K., Kubilus, J. K., Bogdanov, M., . . . Ferrante, R. J. (2007). Neuroprotective Effects of Synaptic Modulation in Huntington's Disease R6/2 Mice. *Journal of Neuroscience*, 27(47), 12908-12915. doi: 10.1523/jneurosci.4318-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/47/12908>

Stack, E. C., Kubilus, J. K., Smith, K., Cormier, K., Del Signore, S. J., Guelin, E., . . . Ferrante, R. J. (2005). Chronology of behavioral symptoms and neuropathological sequela in R6/2 Huntington's disease transgenic mice. *Journal of Comparative Neurology*, 490(4), 354-370. doi.

Stack, E. C., Smith, K. M., Ryu, H., Cormier, K., Chen, M., Hagerty, S. W., . . . Ferrante, R. J. (2006). Combination therapy using minocycline and coenzyme Q₁₀ in R6/2 transgenic Huntington's disease mice. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1762(3), 373-380. doi.

Stackman, R. W., Eckenstein, F., Frei, B., Kulhanek, D., Nowlin, J., & Quinn, J. F. (2003). Prevention of age-related spatial memory deficits in a transgenic mouse model of Alzheimer's disease by chronic Ginkgo biloba treatment. *Experimental Neurology*, 184(1), 510-520. doi.

Staecker, H., Schlecker, C., Kraft, S., Praetorius, M., Hsu, C., & Brough, D. E. (2014). Optimizing atoh1-induced vestibular hair cell regeneration. *The Laryngoscope*, n/a-n/a. doi: 10.1002/lary.24775. <http://dx.doi.org/10.1002/lary.24775>

Stalder, A. K., Ermini, F., Bondolfi, L., Krenger, W., Burbach, G. J., Deller, T., . . . Jucker, M. (2005). Invasion of Hematopoietic Cells into the Brain of Amyloid Precursor Protein Transgenic Mice. *Journal of Neuroscience*, 25, 11125-11132. doi.

Stamp, C., Zupanic, A., Sachdeva, A., Stoll, E. A., Shanley, D. P., Mathers, J. C., . . . Greaves, L. C. (2018). Predominant Asymmetrical Stem Cell Fate Outcome Limits the Rate of Niche Succession in Human Colonic Crypts. *EBioMedicine*. doi: <https://doi.org/10.1016/j.ebiom.2018.04.017>. <http://www.sciencedirect.com/science/article/pii/S2352396418301452>

Stanić, D., Dhingra, R. R., & Dutschmann, M. (2018). Expression of the transcription factor FOXP2 in brainstem respiratory circuits of adult rat is restricted to upper-airway pre-motor areas. *Respiratory physiology & neurobiology*, 250, 14-18. doi: <https://doi.org/10.1016/j.resp.2018.01.014>. <http://www.sciencedirect.com/science/article/pii/S1569904818300223>

Stanić, D., Dubois, S., Chua, H. K., Tonge, B., Rinehart, N., Horne, M. K., & Boon, W. C. (2014). Characterization of Aromatase Expression in the Adult Male and Female Mouse Brain. I. Coexistence with Oestrogen Receptors α and β , and Androgen Receptors. *Plos one*, 9(3), e90451. doi: 10.1371/journal.pone.0090451. <http://dx.doi.org/10.1371%2Fjournal.pone.0090451>

Stanic, D., Finkelstein, D. I., Bourke, D. W., Drago, J., & Horne, M. K. (2003). Timecourse of striatal re-innervation following lesions of dopaminergic SNpc neurons of the rat. *European Journal of Neuroscience*, 18(5), 1175-1188. doi: doi:10.1046/j.1460-9568.2003.02800.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02800.x>

Stanic, D., Parish, C. L., Zhu, W. M., Krstew, E. V., Lawrence, A. J., Drago, J., . . . Horne, M. K. (2003). Changes in function and ultrastructure of striatal dopaminergic terminals that regenerate following partial lesions of the SNpc. *Journal of Neurochemistry*, 86(2), 329-343. doi: doi:10.1046/j.1471-4159.2003.01843.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.01843.x>

Stanley, D. P., & Shetty, A. K. (2004). Aging in the rat hippocampus is associated with widespread reductions in the number of glutamate decarboxylase-67 positive interneurons but not interneuron degeneration. *Journal of Neurochemistry*, 89(1), 204-216. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1471-4159.2004.0231...>

Stanley, E. M., Fadel, J. R., & Mott, D. D. (2011). Interneuron loss reduces dendritic inhibition and GABA release in hippocampus of aged rats. *Neurobiology of Aging*. doi.

Stanojic, M., Burstyn-Cohen, T., Nashi, N., Lemke, G., & Sakic, B. (2009). Disturbed distribution of proliferative brain cells during lupus-like disease. *Brain, Behavior, and Immunity*, 23(7), 1003-1013. doi.

Stanojlovic, M., Pallais, J. P., Lee, M. K., & Kotz, C. M. (2019). Pharmacological and chemogenetic orexin/hypocretin intervention ameliorates Hipp-dependent memory impairment in the A53T mice model of Parkinson's disease. *Molecular Brain*, 12(1), 87. doi: 10.1186/s13041-019-0514-8. <https://doi.org/10.1186/s13041-019-0514-8>

Stanojlovic, M., Pallais Yllescas, J. P., Vijayakumar, A., & Kotz, C. (2019). Early Sociability and Social Memory Impairment in the A53T Mouse Model of Parkinson's Disease Are Ameliorated by Chemogenetic Modulation of Orexin Neuron Activity. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-019-01682-x. <https://doi.org/10.1007/s12035-019-01682-x>

Staples, M. C., Fannon-Pavlich, M. J., Mysore, K. K., Dutta, R. R., Ongjoco, A. T., Quach, L. W., . . . Mandyam, C. D. (2017). Dietary Restriction reduces hippocampal neurogenesis and granule cell neuron density without affecting the density of mossy fibers. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2017.02.028>. <http://www.sciencedirect.com/science/article/pii/S0006899317300987>

Statler, K. D., Scheerlinck, P., Pouliot, W., Hamilton, M., White, H. S., & Dudek, F. E. (2009). A potential model of pediatric posttraumatic epilepsy. *Epilepsy Research*, 86(2), 221-223. doi.

Stauffer, T. R., Elliott, K. C., Ross, M. T., Basista, M. J., Hyson, R. L., & Johnson, F. (2012). Axial Organization of a Brain Region That Sequences a Learned Pattern of Behavior. *Journal of Neuroscience*, 32(27), 9312-9322. doi: 10.1523/jneurosci.0978-12.2012. <http://www.jneurosci.org/content/32/27/9312.abstract>

Stayte, S., Laloli, K. J., Rentsch, P., Lowth, A., Li, K. M., Pickford, R., & Vissel, B. (2019). The kainate receptor antagonist UBP310 but not single deletion of GluK1, GluK2, or GluK3 subunits, inhibits MPTP-induced degeneration in the mouse midbrain. *Experimental Neurology*, 113062. doi: <https://doi.org/10.1016/j.expneurol.2019.113062>. <http://www.sciencedirect.com/science/article/pii/S0014488619302110>

Stayte, S., Rentsch, P., Li, K. M., & Vissel, B. (2015). Activin A Protects Midbrain Neurons in the 6-Hydroxydopamine Mouse Model of Parkinson's Disease. *Plos one*, 10(4), e0124325. doi: 10.1371/journal.pone.0124325. <http://dx.doi.org/10.1371%2Fjournal.pone.0124325>

Stayte, S., Rentsch, P., Tröscher, A. R., Bamberger, M., Li, K. M., & Vissel, B. (2017). Activin A Inhibits MPTP and LPS-Induced Increases in Inflammatory Cell Populations and Loss of Dopamine Neurons in the Mouse Midbrain In Vivo. *Plos one*, 12(1), e0167211. doi: 10.1371/journal.pone.0167211. <http://dx.doi.org/10.1371%2Fjournal.pone.0167211>

Stazi, M., & Wirths, O. (2020). Chronic Memantine Treatment Ameliorates Behavioral Deficits, Neuron Loss, and Impaired Neurogenesis in a Model of Alzheimer's Disease. *Molecular Neurobiology*. doi: 10.1007/s12035-020-02120-z. <https://doi.org/10.1007/s12035-020-02120-z>

Steece-Collier, K., Soderstrom, K. E., Collier, T. J., Sortwell, C. E., & Maries-Lad, E. (2009). Effect of levodopa priming on dopamine neuron transplant efficacy and induction of abnormal involuntary movements in parkinsonian rats. *Journal of Comparative Neurology*, 515(1), 15-30. doi.

Stefanova, N., Fellner, L., Reindl, M., Masliah, E., Poewe, W., & Wenning, G. K. (2011). Toll-Like Receptor 4 Promotes α -Synuclein Clearance and Survival of Nigral Dopaminergic Neurons. *American Journal of Pathology*. doi.

Stefanova, N., Georgievska, B., Eriksson, H., Poewe, W., & Wenning, G. K. (2011). Myeloperoxidase Inhibition Ameliorates Multiple System Atrophy-Like Degeneration in a Transgenic Mouse Model. *Neurotoxicity research*, 1-12. doi.

Stefanova, N., Hainzer, M., Stemberger, S., Couillard-Després, S., Aigner, L., Poewe, W., & Wenning, G. K. (2009). Striatal transplantation for multiple system atrophy—Are grafts affected by α -synucleinopathy? *Experimental Neurology*, 219(1), 368-371. doi.

Stefanova, N., Köllensperger, M., Hainzer, M., Cenci, A., Poewe, W., & Wenning, G. K. (2007). High dose levodopa therapy is not toxic in multiple system atrophy: experimental evidence. *Movement Disorders*, 22(7), 969-973. doi.

Stefanova, N., Poewe, W., & Wenning, G. K. (2008). Rasagiline is neuroprotective in a transgenic model of multiple system atrophy. *Experimental Neurology*, 210(2), 421-427. doi.

Stefanova, N., Reindl, M., Neumann, M., Kahle, P. J., Poewe, W., & Wenning, G. K. (2007). Microglial activation mediates neurodegeneration related to oligodendroglial α -synucleinopathy: Implications for multiple system atrophy. *Movement Disorders*, 22(15), 2196-2203. doi.

Stefovska, V. G., Uckermann, O., Czuczwar, M., Smitka, M., Czuczwar, P., Kis, J., . . . Ikonomidou, C. (2008). Sedative and anticonvulsant drugs suppress postnatal neurogenesis. *Annals of Neurology*, 64(4), 434-445. doi.

Steger, R., Kamal, A., Lutchman, S., Intrabartolo, L., Sohail, R., & Brumberg, J. C. (2014). Chronic caffeine ingestion causes microglia activation, but not proliferation in the healthy brain. *Brain Research Bulletin*, (0). doi: <http://dx.doi.org/10.1016/j.brainresbull.2014.05.004>, <http://www.sciencedirect.com/science/article/pii/S036192301400094X>

Steidinger, T. U., Slone, S. R., Ding, H., Standaert, D. G., & Yacoubian, T. A. (2013). Angiogenin in Parkinson Disease Models: Role of Akt Phosphorylation and Evaluation of AAV-Mediated Angiogenin Expression in MPTP Treated Mice. *Plos one*, 8(2), e56092. doi: 10.1371/journal.pone.0056092. <http://dx.doi.org/10.1371%2Fjournal.pone.0056092>

Stein, T. D., Anders, N. J., DeCarli, C., Chan, S. L., Mattson, M. P., & Johnson, J. A. (2004). Neutralization of Transthyretin Reverses the Neuroprotective Effects of Secreted Amyloid Precursor Protein (APP) in APPSw Mice Resulting in Tau Phosphorylation and Loss of Hippocampal Neurons: Support for the Amyloid Hypothesis. *Journal of Neuroscience*, 24(35), 7707-7717. doi. <http://www.jneurosci.org/cgi/content/abstract/24/35/7707>

Steiner, B., Kupsch, A., Siebert, E., Hosmann, K., Klempin, F., Morgenstern, R., & Winter, C. (2008). Unilateral lesion of the subthalamic nucleus transiently provokes bilateral subacute glial cell proliferation in the adult rat substantia nigra. *Neuroscience Letters*, 430(2), 103-108. doi.

Steiner, B., Winter, C., Hosman, K., Siebert, E., Kempermann, G., Petrus, D. S., & Kupsch, A. (2006). Enriched environment induces cellular plasticity in the adult substantia nigra and improves motor behavior function in the 6-OHDA rat model of Parkinson's disease. *Experimental Neurology*, 199(2), 291-300. doi.

Steinkellner, T., Zell, V., Farino, Z. J., Sonders, M. S., Villeneuve, M., Freyberg, R. J., . . . Hnasko, T. S. (2018). Role for VGLUT2 in selective vulnerability of midbrain dopamine neurons. *The Journal of Clinical Investigation*, 128(2), 774-788. doi: 10.1172/jci95795. <https://doi.org/10.1172/JCI95795>

Stemberger, S., Jamnig, A., Stefanova, N., Lepperdinger, G., Reindl, M., & Wenning, G. K. (2011). Mesenchymal stem cells in a transgenic mouse model of multiple system atrophy: immunomodulation and neuroprotection. *PLoS ONE*, 6(5), e19808-e19808. doi:

Stemberger, S., Poewe, W., Wenning, G. K., & Stefanova, N. (2010). Targeted overexpression of human α -synuclein in oligodendroglia induces lesions linked to MSA-like progressive autonomic failure. *Experimental Neurology*, 224(2), 459-464. doi:

Stemick, J., Gauer, C., Wihan, J., Mocerri, S., Xiang, W., von Hörsten, S., . . . Winkler, J. (2020). Compensatory neuritogenesis of serotonergic afferents within the striatum of a transgenic rat model of Parkinson's disease. *Brain Research*, 147119. doi: <https://doi.org/10.1016/j.brainres.2020.147119>. <http://www.sciencedirect.com/science/article/pii/S0006899320304777>

Stenberg, L., Stöbel, M., Ronchi, G., Geuna, S., Yin, Y., Mommert, S., . . . Haastert-Talini, K. (2017). Regeneration of long-distance peripheral nerve defects after delayed reconstruction in healthy and diabetic rats is supported by immunomodulatory chitosan nerve guides. [journal article]. *BMC Neuroscience*, 18(1), 53. doi: 10.1186/s12868-017-0374-z. <https://doi.org/10.1186/s12868-017-0374-z>

<http://dx.doi.org/10.1186/s12868-017-0374-z>

Stepanek, L., Stoker, A. W., Stoeckli, E., & Bixby, J. L. (2005). Receptor Tyrosine Phosphatases Guide Vertebrate Motor Axons during Development. *Journal of Neuroscience*, 25(15), 3813-3823. doi: 10.1523/jneurosci.4531-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/15/3813>

Stephan, M., Radicke, A., Leutloff, S., Schmiedl, A., Pabst, R., von Hörsten, S., . . . Nave, H. (2011). Dipeptidyl peptidase IV (DPP4)-deficiency attenuates diet-induced obesity in rats: Possible implications for the hypothalamic neuropeptidergic system. *Behavioural Brain Research*, 216(2), 712-718. doi:

Stephenson, A. R., Edler, M. K., Erwin, J. M., Jacobs, B., Hopkins, W. D., Hof, P. R., . . . Raghanti, M. A. (2016). Cholinergic innervation of the basal ganglia in human and other anthropoid primates. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24067. <http://dx.doi.org/10.1002/cne.24067>

Stephenson, S. E. M., Aumann, T. D., Taylor, J. M., Riseley, J. R., Li, R., Mann, J. R., . . . Lockhart, P. J. (2018). Generation and characterisation of a parkin-Pacrg knockout mouse line and a Pacrg knockout mouse line. *Scientific Reports*, 8(1), 7528. doi: 10.1038/s41598-018-25766-1. <https://doi.org/10.1038/s41598-018-25766-1>

Stepień, T., & Obara, B. (2008). The cycloid and skeletonization methods for morphometric analysis of fetal brain vessels. *Folia Neuropathologica*, 46(4), 278-285. doi:

Stettler, D. D., Das, A., Bennett, J., & Gilbert, C. D. (2002). Lateral connectivity and contextual interactions in macaque primary visual cortex. *Neuron*, 36(4), 739-750. doi:

Steullet, P., Cabungcal, J.-H., Kulak, A., Kraftsik, R., Chen, Y., Dalton, T. P., . . . Do, K. Q. (2010). Redox Dysregulation Affects the Ventral But Not Dorsal Hippocampus: Impairment of Parvalbumin Neurons,

Gamma Oscillations, and Related Behaviors. *Journal of Neuroscience*, 30(7), 2547-2558. doi: 10.1523/jneurosci.3857-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/7/2547>

Stevens, H. E., Smith, K. M., Maragnoli, M. E., Fagel, D., Borok, E., Shanabrough, M., . . . Vaccarino, F. M. (2010). Fgfr2 Is Required for the Development of the Medial Prefrontal Cortex and Its Connections with Limbic Circuits. *Journal of Neuroscience*, 30(16), 5590-5602. doi: 10.1523/jneurosci.5837-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/16/5590>

Stevens, H. E., Su, T., Yanagawa, Y., & Vaccarino, F. M. (2012). Prenatal stress delays inhibitory neuron progenitor migration in the developing neocortex. *Psychoneuroendocrinology*, (0). doi: 10.1016/j.psyneuen.2012.07.011. <http://www.sciencedirect.com/science/article/pii/S0306453012002636>

Stevens, W. D., Fortin, T., & Pappas, B. A. (2002). Retinal and Optic Nerve Degeneration After Chronic Carotid Ligation: Time Course and Role of Light Exposure. *Stroke*, 33(4), 1107-1112. doi: 10.1161/01.str.0000014204.05597.0c. <http://stroke.ahajournals.org/cgi/content/abstract/33/4/1107>

Stimpson, C. D., Barger, N., Tagliatella, J. P., Gendron-Fitzpatrick, A., Hof, P. R., Hopkins, W. D., & Sherwood, C. C. (2015). Differential serotonergic innervation of the amygdala in bonobos and chimpanzees. *Social Cognitive and Affective Neuroscience*. doi: 10.1093/scan/nsv128. <http://scan.oxfordjournals.org/content/early/2015/10/15/scan.nsv128.abst..>

Stimpson, C. D., Tetreault, N. A., Allman, J. M., Jacobs, B., Butti, C., Hof, P. R., & Sherwood, C. C. (2011). Biochemical specificity of von economo neurons in hominoids. *American Journal of Human Biology*, 23(1), 22-28. doi: 10.1002/ajhb.21135. <http://dx.doi.org/10.1002/ajhb.21135>

Stinnett, G. R., Lin, S., Korotcov, A. V., Korotcova, L., Morton, P. D., Ramachandra, S. D., . . . Ishibashi, N. (2017). Microstructural Alterations and Oligodendrocyte Dysmaturation in White Matter After Cardiopulmonary Bypass in a Juvenile Porcine Model. [10.1161/JAHA.117.005997]. *Journal of the American Heart Association*, 6(8). doi: <http://jaha.ahajournals.org/content/6/8/e005997.abstract>

Stock, K., Garthe, A., de Almeida Sassi, F., Glass, R., Wolf, S. A., & Kettenmann, H. (2014). The capsaicin receptor TRPV1 as a novel modulator of neural precursor cell proliferation. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1805. <http://dx.doi.org/10.1002/stem.1805>

Stock, K., Kumar, J., Synowitz, M., Petrosino, S., Imperatore, R., Smith, E. S. J., . . . Glass, R. (2012). Neural precursor cells induce cell death of high-grade astrocytomas through stimulation of TRPV1. [10.1038/nm.2827]. *Nature Medicine*, advance online publication. doi: <http://www.nature.com/nm/journal/vaop/ncurrent/abs/nm.2827.html#suppleme> <http://dx.doi.org/10.1038/nm.2827>

Stockman, S. L., & McCarthy, M. M. (2016). Predator odor exposure of rat pups has opposite effects on play by juvenile males and females. *Pharmacology Biochemistry and Behavior*. doi: <http://dx.doi.org/10.1016/j.pbb.2016.08.008>. <http://www.sciencedirect.com/science/article/pii/S0091305716301496>

Stoica, B. A., Loane, D. J., Zhao, Z., Kabadi, S. V., Hanscom, M., Byrnes, K., & Faden, A. I. (2013). PARP-1 Inhibition Attenuates Neuronal Loss, Microglia Activation and Neurological Deficits After Traumatic Brain Injury. *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3194>

Stojakovic, A., Trushin, S., Sheu, A., Khalili, L., Chang, S.-Y., Li, X., . . . Trushina, E. (2021). Partial inhibition of mitochondrial complex I ameliorates Alzheimer's disease pathology and cognition in APP/PS1

female mice. *Communications Biology*, 4(1), 61. doi: 10.1038/s42003-020-01584-y. <https://doi.org/10.1038/s42003-020-01584-y>

Stolberg, V. R., Martin, B., Mancuso, P., Olszewski, M. A., Freeman, C. M., Curtis, J. L., & Chensue, S. W. (2013). Role of CC Chemokine Receptor 4 in Natural Killer Cell Activation during Acute Cigarette Smoke Exposure. *American Journal of Pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2013.10.017>. <http://www.sciencedirect.com/science/article/pii/S0002944013007293>

Stoll, E. A., Habibi, B. A., Mikheev, A. M., Lasiene, J., Massey, S. C., Swanson, K. R., . . . Horner, P. J. (2011). Increased Re-Entry into Cell Cycle Mitigates Age-Related Neurogenic Decline in the Murine Subventricular Zone. *Stem Cells*, 29(12), 2005-2017. doi: 10.1002/stem.747. <http://dx.doi.org/10.1002/stem.747>

Stolp, H. B., Ek, C. J., Johansson, P. A., Dziegielewska, K. M., Potter, A. M., Habgood, M. D., & Saunders, N. R. (2007). Effect of minocycline on inflammation-induced damage to the blood-brain barrier and white matter during development. *European Journal of Neuroscience*, 26(12), 3465-3474. doi: 10.1111/j.1460-9568.2007.05973.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05973.x>

Stoltenberg, M., Bush, A. I., Bach, G., Smidt, K., Larsen, A., Rungby, J., . . . Danscher, G. (2007). Amyloid plaques arise from zinc-enriched cortical layers in APP/PS1 transgenic mice and are paradoxically enlarged with dietary zinc deficiency. *Neuroscience*, 150(2), 357-369. doi.

Stone, S. S. D., Teixeira, C. M., DeVito, L. M., Zaslavsky, K., Josselyn, S. A., Lozano, A. M., & Frankland, P. W. (2011). Stimulation of Entorhinal Cortex Promotes Adult Neurogenesis and Facilitates Spatial Memory. *Journal of Neuroscience*, 31(38), 13469-13484. doi: 10.1523/jneurosci.3100-11.2011. <http://www.jneurosci.org/content/31/38/13469.abstract>

Stopczynski, R. E., Poloskey, S. L., & Haber, S. N. (2008). Cell proliferation in the striatum during postnatal development: preferential distribution in subregions of the ventral striatum. *Brain Structure and Function*, 213(1), 119-127. doi.

Storace, D. A., Higgins, N. C., Chikar, J. A., Oliver, D. L., & Read, H. L. (2012). Gene Expression Identifies Distinct Ascending Glutamatergic Pathways to Frequency-Organized Auditory Cortex in the Rat Brain. *Journal of Neuroscience*, 32(45), 15759-15768. doi: 10.1523/jneurosci.1310-12.2012. <http://www.jneurosci.org/content/32/45/15759.abstract>

Storace, D. A., Higgins, N. C., & Read, H. L. (2010). Thalamic label patterns suggest primary and ventral auditory fields are distinct core regions. *Journal of Comparative Neurology*, 518(10), 1630-1646. doi.

Storace, D. A., Higgins, N. C., & Read, H. L. (2010). Thalamocortical pathway specialization for sound frequency resolution. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.22501. <http://dx.doi.org/10.1002/cne.22501>

Stöbel, M., Rehra, L., & Haastert-Talini, K. (2017). Reflex-based grasping, skilled forelimb reaching, and electrodiagnostic evaluation for comprehensive analysis of functional recovery—The 7-mm rat median nerve gap repair model revisited. *Brain and Behavior*, e00813-n/a. doi: 10.1002/brb3.813. <http://dx.doi.org/10.1002/brb3.813>

Stowe, A. M., Plautz, E. J., Eisner-Janowicz, I., Frost, S. B., Barbay, S., Zoubina, E. V., . . . Nudo, R. J. (2007). VEGF protein associates to neurons in remote regions following cortical infarct. *Journal of Cerebral Blood Flow and Metabolism*, 27, 76-85. doi.

Stowe, A. M., Plautz, E. J., Nguyen, P., Frost, S. B., Eisner-Janowicz, I., Barbay, S., . . . J., R. (2007). Neuronal HIF-1 α protein and VEGFR-2 immunoreactivity in functionally related motor areas following a focal M1 infarct. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Stoyka, L. E., Arrant, A. E., Thrasher, D. R., Russell, D. L., Freire, J., Mahoney, C. L., . . . Volpicelli-Daley, L. A. (2020). Behavioral defects associated with amygdala and cortical dysfunction in mice with seeded α -synuclein inclusions. *Neurobiology of Disease*, 134, 104708. doi: <https://doi.org/10.1016/j.nbd.2019.104708>. <http://www.sciencedirect.com/science/article/pii/S0969996119303833>

Stozicka, Z., Zilka, N., Novak, P., Kovacech, B., Bugos, O., Novak, M., & others. (2010). Genetic background modifies neurodegeneration and neuroinflammation driven by misfolded human tau protein in rat model of tauopathy: implication for immunomodulatory approach to Alzheimer's disease. *Journal of neuroinflammation*, 7(1), 64-64. doi.

Strackx, E., Gantert, M., Moers, V., van Kooten, I. A. J., Rieke, R., Hülter, H., . . . others. (2011). Increased Number of Cerebellar Granule Cells and Astrocytes in the Internal Granule Layer in Sheep Following Prenatal Intra-amniotic Injection of Lipopolysaccharide. *The Cerebellum*, 1-13. doi.

Strackx, E., Van den Hove, D. L. A., Steinbusch, H. P., Steinbusch, H. W. M., Vles, J. S. H., Blanco, C. E., & Gavilanes, A. W. D. (2008). A combined behavioral and morphological study on the effects of fetal asphyxia on the nigrostriatal dopaminergic system in adult rats. *Experimental Neurology*, 211(2), 413-422. doi.

Strackx, E., Van den Hove, D. L. A., Steinbusch, H. P., Steinbusch, H. W. M., Vles, J. S. H., Blanco, C. E., & Gavilanes, A. W. D. (2010). Fetal asphyxia leads to the loss of striatal presynaptic boutons in adult rats. *International Journal of Developmental Neuroscience*, 28(3), 277-281. doi.

Strahan, J. A., Walker, W. H., Montgomery, T. R., & Forger, N. G. (2016). Minocycline causes widespread cell death and increases microglial labeling in the neonatal mouse brain. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22457. <http://dx.doi.org/10.1002/dneu.22457>

Straiko, M. M., Young, C., Cattano, D., Creeley, C. E., Wang, H., Smith, D. J., . . . Olney, J. W. (2009). Lithium protects against anesthesia-induced developmental neuroapoptosis. *Anesthesiology Review*, 110(4), 862-868. doi.

Stranahan, A. M., Haberman, R. P., & Gallagher, M. (2010). Cognitive Decline Is Associated with Reduced Reelin Expression in the Entorhinal Cortex of Aged Rats. *Cerebral Cortex*, bhq106. doi: 10.1093/cercor/bhq106. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq106v1>

Stranahan, A. M., Jiam, N. T., Spiegel, A. M., & Gallagher, M. (2012). Aging reduces total neuron number in the dorsal component of the rodent prefrontal cortex. *Journal of Comparative Neurology*, 520(6), 1318-1326. doi: 10.1002/cne.22790. <http://dx.doi.org/10.1002/cne.22790>

Stranahan, A. M., Khalil, D., & Gould, E. (2007). Running induces widespread structural alterations in the hippocampus and entorhinal cortex. *Hippocampus*, 17(11), 1017-1022. doi.

Stratmann, G., Sall, J. W., Bell, J. S., Alvi, R. S., May, L. V., Ku, B., . . . others. (2010). Isoflurane does not affect brain cell death, hippocampal neurogenesis, or long-term neurocognitive outcome in aged rats. *Anesthesiology*, 112(2), 305-305. doi.

Stratmann, G., Sall, J. W., May, L. D. V., Bell, J. S., Magnusson, K. R., Rau, V., . . . others. (2009). Isoflurane differentially affects neurogenesis and long-term neurocognitive function in 60-day-old and 7-day-old rats. *Anesthesiology*, 110(4), 834-834. doi.

Streffing-Hellhake, P., Luft, A. R., & Hosp, J. A. (2020). Motor Learning Induces Profound but Delayed Dendritic Plasticity in M1 Layer II/III Pyramidal Neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.06.039>. <http://www.sciencedirect.com/science/article/pii/S0306452220304188>

Strekalova, T., Bahzenova, N., Trofimov, A., Schmitt-Böhrer, A. G., Markova, N., Grigoriev, V., . . . Bachurin, S. (2017). Pro-neurogenic, Memory-Enhancing and Anti-stress Effects of DF302, a Novel Fluorine Gamma-Carboline Derivative with Multi-target Mechanism of Action. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0745-6. <https://doi.org/10.1007/s12035-017-0745-6>

Stringer, J., Groenewegen, E., Liew, S. H., & Hutt, K. J. (2019). Nicotinamide mononucleotide does not protect the ovarian reserve from cancer treatments. *REP-19-0337*. doi: 10.1530/rep-19-0337. <https://rep.bioscientifica.com/view/journals/rep/aop/rep-19-0337.xml>

Stringer, J. M., Swindells, E. O. K., Zerafa, N., Liew, S. H., & Hutt, K. J. (2018). Multi-dose 5-Fluorouracil is highly toxic to growing ovarian follicles in mice. *Toxicological Sciences*, kfy189-kfy189. doi: 10.1093/toxsci/kfy189. <http://dx.doi.org/10.1093/toxsci/kfy189>

Stroh, T., van Schouwenburg, M. R., Beaudet, A., & Tannenbaum, G. S. (2009). Subcellular Dynamics of Somatostatin Receptor Subtype 1 in the Rat Arcuate Nucleus: Receptor Localization and Synaptic Connectivity Vary in Parallel with the Ultradian Rhythm of Growth Hormone Secretion. *Journal of Neuroscience*, 29(25), 8198-8205. doi: 10.1523/jneurosci.0336-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/25/8198>

Stromberg, I., Gemma, C., Vila, J., & Bickford, P. C. (2005). Blueberry- and spirulina-enriched diets enhance striatal dopamine recovery and induce a rapid, transient microglia activation after injury of the rat nigrostriatal dopamine system. *Experimental Neurology*, 196(2), 298-307. doi.

Strong, M. K., Southwell, A. L., Yonan, J. M., Hayden, M. R., MacGregor, G. R., Thompson, L. M., & Steward, O. (2012). Age-Dependent Resistance to Excitotoxicity in Htt CAG140 Mice and the Effect of Strain Background. *Journal of Huntington's Disease*. doi: 10.3233/jhd-129005. <http://dx.doi.org/10.3233/JHD-129005>

Stuebner, S., Faus-Kessler, T., Fischer, T., Wurst, W., & Prakash, N. (2010). Fzd3 and Fzd6 deficiency results in a severe midbrain morphogenesis defect. *Developmental Dynamics*, 239(1), 246-260. doi.

Sturm, E., Fellner, L., Krismer, F., Poewe, W., Wenning, G. K., & Stefanova, N. (2016). Neuroprotection by Epigenetic Modulation in a Transgenic Model of Multiple System Atrophy. [journal article]. *Neurotherapeutics*, 1-9. doi: 10.1007/s13311-016-0447-1. <http://dx.doi.org/10.1007/s13311-016-0447-1>

Stutzmann, G. E., McEwen, B. S., & LeDoux, J. E. (1998). Serotonin Modulation of Sensory Inputs to the Lateral Amygdala: Dependency on Corticosterone. *Journal of Neuroscience*, 18(22), 9529-9538. doi. <http://www.jneurosci.org/cgi/content/abstract/18/22/9529>

Stygelbout, V., Leroy, K., Pouillon, V., Ando, K., D'Amico, E., Jia, Y., . . . Brion, J.-P. (2014). Inositol trisphosphate 3-kinase B is increased in human Alzheimer brain and exacerbates mouse Alzheimer pathology. *Brain*. doi: 10.1093/brain/awt344. <http://brain.oxfordjournals.org/content/early/2014/01/08/brain.awt344.ab..>

- Su, C., Yang, X., & Lou, J. (2016). Geniposide reduces α -synuclein by blocking microRNA-21/lysosome-associated membrane protein 2A interaction in Parkinson disease models. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.05.011>. <http://www.sciencedirect.com/science/article/pii/S0006899316303663>
- Su, C.-J., Shen, Z., Cui, R.-X., Huang, Y., Xu, D.-L., Zhao, F.-L., . . . Yu, Y.-L. (2020). Thioredoxin-Interacting Protein (TXNIP) Regulates Parkin/PINK1-mediated Mitophagy in Dopaminergic Neurons Under High-glucose Conditions: Implications for Molecular Links Between Parkinson's Disease and Diabetes. *Neuroscience bulletin*. doi: 10.1007/s12264-019-00459-5. <https://doi.org/10.1007/s12264-019-00459-5>
- Su, D., Hooshmand, M. J., Galvan, M. D., Nishi, R. A., Cummings, B. J., & Anderson, A. J. (2020). Complement C6 deficiency exacerbates pathophysiology after spinal cord injury. *Scientific Reports*, 10(1), 19500. doi: 10.1038/s41598-020-76441-3. <https://doi.org/10.1038/s41598-020-76441-3>
- Su, H., Wang, L., Cai, J., Yuan, Q., Yang, X., Yao, X., . . . Wu, W. (2013). Transplanted motoneurons derived from human induced pluripotent stem cells form functional connections with target muscle. *Stem Cell Research*, (0). doi: <http://dx.doi.org/10.1016/j.scr.2013.02.007>. <http://www.sciencedirect.com/science/article/pii/S187350611300024X>
- Su, H., Wang, L., Huang, W., Qin, D., Cai, J., Yao, X., . . . Pei, D. (2013). Immediate expression of Cdh2 is essential for efficient neural differentiation of mouse induced pluripotent stem cells. *Stem Cell Research*, (0). doi: <http://dx.doi.org/10.1016/j.scr.2013.01.003>. <http://www.sciencedirect.com/science/article/pii/S1873506113000044>
- Su, H., Zhang, W., Guo, J., Guo, A., Yuan, Q., & Wu, W. (2009). Lithium enhances the neuronal differentiation of neural progenitor cells in vitro and after transplantation into the avulsed ventral horn of adult rats through the secretion of brain-derived neurotrophic factor. *Journal of Neurochemistry*, 108(6), 1385-1398. doi.
- Su, H. X., & Cho, E. Y. P. (2003). Sprouting of axon-like processes from axotomized retinal ganglion cells induced by normal and preinjured intravitreal optic nerve grafts. *Brain Research*, 991(1-2), 150-162. doi.
- Su, J., Wang, H., Yang, Y., Wang, J., Li, H., Huang, D., . . . Huang, F. (2018). RESP18 deficiency has protective effects in dopaminergic neurons in an MPTP mouse model of Parkinson's disease. *Neurochemistry International*, 118, 195-204. doi: <https://doi.org/10.1016/j.neuint.2018.06.010>. <http://www.sciencedirect.com/science/article/pii/S0197018618302316>
- Su, W., Matsumoto, S., Banine, F., Srivastava, T., Dean, J., Foster, S., . . . Sherman, L. S. (2019). A modified flavonoid accelerates oligodendrocyte maturation and functional remyelination. *Glia*, 0(0). doi: 10.1002/glia.23715. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23715>
- Su, X., Kells, A. P., Huang, E. J., Lee, H. S., Hadaczek, P., Beyer, J., . . . others. (2009). Safety evaluation of AAV2-GDNF gene transfer into the dopaminergic nigrostriatal pathway in aged and parkinsonian rhesus monkeys. *Human Gene Therapy*, 20(12), 1627-1640. doi.

Su, X. W., Li, X. Y., Banasr, M., Duman, R. S., & others. (2009). Eszopiclone and fluoxetine enhance the survival of newborn neurons in the adult rat hippocampus. *International Journal of Neuropsychopharmacology*, 12(10). doi.

Su, X. W., Li, X. Y., Banasr, M., Koo, J. W., Shahid, M., Henry, B., & Duman, R. S. (2009). Chronic treatment with AMPA receptor potentiator Org 26576 increases neuronal cell proliferation and survival in adult rodent hippocampus. *Psychopharmacology*, 206(2), 215-222. doi.

Subbarayan, M. S., Hudson, C., Moss, L. D., Nash, K. R., & Bickford, P. C. (2020). T cell infiltration and upregulation of MHCII in microglia leads to accelerated neuronal loss in an α -synuclein rat model of Parkinson's disease. *Journal of neuroinflammation*, 17(1), 242. doi: 10.1186/s12974-020-01911-4. <https://doi.org/10.1186/s12974-020-01911-4>

Subramaniam, M., Kern, B., Vogel, S., Klose, V., Schneider, G., & Roeper, J. (2014). Selective increase of in vivo firing frequencies in DA SN neurons after proteasome inhibition in the ventral midbrain. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12660. <http://dx.doi.org/10.1111/ejn.12660>

Suh, S. W., Fan, Y., Hong, S. M., Liu, Z., Matsumori, Y., Weinstein, P. R., . . . Liu, J. (2005). Hypoglycemia induces transient neurogenesis and subsequent progenitor cell loss in the rat hippocampus. *Diabetes*, 54(2), 500-500. doi.

Suh, S. W., Won, S. J., Hamby, A. M., Yoo, B. H., Fan, Y., Sheline, C. T., . . . Liu, J. (2009). Decreased brain zinc availability reduces hippocampal neurogenesis in mice and rats. *Journal of Cerebral Blood Flow and Metabolism*, 29(9), 1579-1588. doi.

Sui, Y., Horne, M. K., & Stanić, D. (2012). Reduced Proliferation in the Adult Mouse Subventricular Zone Increases Survival of Olfactory Bulb Interneurons. *PLoS ONE*, 7(2), e31549-e31549. doi.

Sui, Y. I., Stanić, D., Tomas, D., Jarrott, B., & Horne, M. K. (2009). Meloxicam reduces lipopolysaccharide-induced degeneration of dopaminergic neurons in the rat substantia nigra pars compacta. *Neuroscience Letters*, 460(2), 121-125. doi.

Sun, C., Sun, H., Wu, S., Lee, C. C., Akamatsu, Y., Wang, R. K., . . . Liu, J. (2013). Conditional Ablation of Neuroprogenitor Cells in Adult Mice Impedes Recovery of Poststroke Cognitive Function and Reduces Synaptic Connectivity in the Perforant Pathway. *The Journal of Neuroscience*, 33(44), 17314-17325. doi. <http://www.jneurosci.org/content/33/44/17314.short>

Sun, F. Y., Sun, X., Wang, J. J., Zhang, Q. W., & Wang, Y. Q. (2012). Assessment of Neurogenesis in Models of Focal Cerebral Ischemia. *Springer Protocols Handbooks*. doi.

Sun, G., Zhao, P., Fan, L., Bao, Z., Tu, Y., Li, C., . . . Ji, J. (2020). Curcumin alleviates neuroinflammation, enhances hippocampal neurogenesis, and improves spatial memory after traumatic brain injury. *Brain Research Bulletin*. doi: <https://doi.org/10.1016/j.brainresbull.2020.05.009> <http://www.sciencedirect.com/science/article/pii/S0361923020305037>

Sun, H., Le, T., Chang, T. T. J., Habib, A., Wu, S., Shen, F., . . . Liu, J. (2011). AAV-mediated netrin-1 overexpression increases peri-infarct blood vessel density and improves motor function recovery after experimental stroke. *Neurobiology of Disease*. doi.

Sun, H., Liang, R., Yang, B., Zhou, Y., Liu, M., Fang, F., . . . Hu, G. (2016). Aquaporin-4 mediates communication between astrocyte and microglia: Implications of neuroinflammation in experimental Parkinson's disease. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.01.003>. <http://www.sciencedirect.com/science/article/pii/S0306452216000221>

Sun, J., Sha, B., Zhou, W., & Yang, Y. (2010). VEGF-mediated angiogenesis stimulates neural stem cell proliferation and differentiation in the premature brain. *Biochemical and Biophysical Research Communications*, 394(1), 146-152. doi.

Sun, J., Zhou, W., Ma, D., & Yang, Y. (2010). Endothelial cells promote neural stem cell proliferation and differentiation associated with VEGF activated Notch and Pten signaling. *Developmental Dynamics*, 239(9), 2345-2353. doi. <http://dx.doi.org/10.1002/dvdy.22377>

Sun, J., Zhou, W., Sha, B., & Yang, Y. (2010). Ischemia induced neural stem cell proliferation and differentiation in neonatal rat involved vascular endothelial growth factor and transforming growth factor-beta pathways. *Brain and Development*, 32(3), 191-200. doi.

Sun, L. Y., & Bartke, A. (2007). Adult Neurogenesis in the Hippocampus of Long-Lived Mice During Aging. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 62, 117-125. doi.

Sun, L. Y., Evans, M. S., Hsieh, J., Panici, J., & Bartke, A. (2005). Increased Neurogenesis in Dentate Gyrus of Long-Lived Ames Dwarf Mice. *Endocrinology*, 146(3), 1138-1144. doi: 10.1210/en.2004-1115. <http://endo.endojournals.org/cgi/content/abstract/146/3/1138>

Sun, M., Hölter, S., Stepan, J., Garrett, L., Genius, J., Kremmer, E., . . . Graw, J. (2013). Crybb2 coding for β B2-crystallin affects sensorimotor gating and hippocampal function. *Mammalian Genome*, 24(9-10), 333-348. doi: 10.1007/s00335-013-9478-7. <http://dx.doi.org/10.1007/s00335-013-9478-7>

Sun, M., Kong, L., Wang, X., Holmes, C., Gao, Q., Zhang, G. R., . . . Geller, A. I. (2004). Coexpression of tyrosine hydroxylase, GTP cyclohydrolase I, aromatic amino acid decarboxylase, and vesicular monoamine transporter 2 from a helper virus-free herpes simplex virus type 1 vector supports high-level, long-term biochemical and behavioral correction of a rat model of Parkinson's disease. *Human Gene Therapy*, 15(12), 1177-1196. doi.

Sun, M., Kong, L., Wang, X., Lu, X., Gao, Q., & Geller, A. I. (2005). Comparison of the capability of GDNF, BDNF, or both, to protect nigrostriatal neurons in a rat model of Parkinson's disease. *Brain Research*, 1052(2), 119-129. doi.

Sun, S., Sun, J., Jiang, W., Wang, W., & Ni, L. (2019). Nav1.7 via Promotion of ERK in the Trigeminal Ganglion Plays an Important Role in the Induction of Pulpitis Inflammatory Pain. *BioMed Research International*, 2019, 11. doi: 10.1155/2019/6973932. <https://doi.org/10.1155/2019/6973932>

Sun, X., Xiong, Z., Zhang, Y., Meng, Y., Xu, G., Xia, Z., . . . others. (2011). Harpagoside attenuates MPTP/MPP+ induced dopaminergic neurodegeneration and movement disorder via elevating glial cell line-derived neurotrophic factor. *Journal of Neurochemistry*. doi.

Sun, X., Zhang, Q. W., Xu, M., Guo, J. J., Shen, S. W., Wang, Y. Q., & Sun, F. Y. (2011). New striatal neurons form projections to substantia nigra in adult rat brain after stroke. *Neurobiology of Disease*. doi.

- Sun, Y., Gao, Y., Tidei, J. J., Shen, M., Hoang, J. T., Wagner, D., & Zhao, X. (2018). Loss of MeCP2 in immature neurons leads to impaired network integration. *Human Molecular Genetics*, ddy338-ddy338. doi: 10.1093/hmg/ddy338. <http://dx.doi.org/10.1093/hmg/ddy338>
- Sun, Y., Li, T., Xie, C., Xu, Y., Zhou, K., Rodriguez, J., . . . Zhu, C. (2017). Haploinsufficiency in the mitochondrial protein CHCHD4 reduces brain injury in a mouse model of neonatal hypoxia-ischemia. [Original Article]. *Cell Death Dis*, 8, e2781. doi: 10.1038/cddis.2017.196. <http://dx.doi.org/10.1038/cddis.2017.196>
- Sun, Z., Ma, X., Yang, H., Chen, S., He, S., Sun, R., . . . Zhang, J. (2020). Characterization of Age-dependent Behavior Deficits in the PGC-1 α Knockout Mouse, in Relevance to the Parkinson's Disease Model. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.05.015>, <http://www.sciencedirect.com/science/article/pii/S0306452220303109>
- Sundberg, M., Bogetofte, H., Lawson, T., Jansson, J., Smith, G., Astradsson, A., . . . Isacson, O. (2013). Improved Cell Therapy Protocols for Parkinson's Disease Based on Differentiation Efficiency and Safety of hESC-, hiPSC-, and Non-Human Primate iPSC-Derived Dopaminergic Neurons. *Stem Cells*, 31(8), 1548-1562. doi: 10.1002/stem.1415. <http://dx.doi.org/10.1002/stem.1415>
- Sundberg, M., Savola, S., Hienola, A., Korhonen, L., & Lindholm, D. (2006). Glucocorticoid Hormones Decrease Proliferation of Embryonic Neural Stem Cells through Ubiquitin-Mediated Degradation of Cyclin D1. *Journal of Neuroscience*, 26(20), 5402-5410. doi: 10.1523/jneurosci.4906-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/20/5402>
- Suo, H., Wang, P., Tong, J., Cai, L., Liu, J., Huang, D., . . . Huang, F. (2015). NRSF is an essential mediator for the neuroprotection of trichostatin A in the MPTP mouse model of Parkinson's disease. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2015.07.015>, <http://www.sciencedirect.com/science/article/pii/S0028390815300216>
- Surendran, K., Boyle, S., Barak, H., Kim, M., Stomberski, C., McCright, B., & Kopan, R. (2010). The contribution of Notch1 to nephron segmentation in the developing kidney is revealed in a sensitized Notch2 background and can be augmented by reducing Mint dosage. *Developmental Biology*, 337(2), 386-395. doi: 10.1016/j.ydbio.2010.05.011
- Süß, P., Kalinichenko, L., Baum, W., Reichel, M., Kornhuber, J., Loskarn, S., . . . Schlachetzki, J. C. M. (2015). Hippocampal structure and function are maintained despite severe innate peripheral inflammation. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.05.011>, <http://www.sciencedirect.com/science/article/pii/S0889159115001579>
- Suttkus, A., Holzer, M., Morawski, M., & Arendt, T. (2015). The neuronal extracellular matrix restricts distribution and internalization of aggregated Tau-protein. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.11.040>, <http://www.sciencedirect.com/science/article/pii/S0306452215010398>
- Suttkus, A., Rohn, S., Weigel, S., Glöckner, P., Arendt, T., & Morawski, M. (2014). Aggrecan, link protein and tenascin-R are essential components of the perineuronal net to protect neurons against iron-induced oxidative stress. *Cell death & disease*, 5(3), e1119. doi: <http://www.nature.com/cddis/journal/v5/n3/full/cddis201425a.html>

Suwelack, D., Hurtado-Lorenzo, A., Millan, E., Gonzalez-Nicolini, V., Wawrowsky, K., Lowenstein, P. R., & Castro, M. G. (2004). Neuronal expression of the transcription factor Gli1 using the $T\alpha 1$ α -tubulin promoter is neuroprotective in an experimental model of Parkinson's disease. *Gene Therapy*, 11(24), 1742-1752. doi.

Suzuki, K., Okada, K., Wakuda, T., Shinmura, C., Kamenno, Y., Iwata, K., . . . others. (2010). Destruction of dopaminergic neurons in the midbrain by 6-hydroxydopamine decreases hippocampal cell proliferation in rats: reversal by fluoxetine. *PLoS ONE*, 5(2), e9260-e9260. doi.

Suzuki, M., McHugh, J., Tork, C., Shelley, B., Klein, S. M., Aebischer, P., & Svendsen, C. N. (2007). GDNF secreting human neural progenitor cells protect dying motor neurons, but not their projection to muscle, in a rat model of familial ALS. *PLoS ONE*, 2(8), e689-e689. doi.

Suzuki, S., Kawamata, J., Iwahara, N., Matsumura, A., Hisahara, S., Matsushita, T., . . . Shimohama, S. (2014). Intravenous mesenchymal stem cell administration exhibits therapeutic effects against 6-hydroxydopamine-induced dopaminergic neurodegeneration and glial activation in rats. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2014.10.039>. <http://www.sciencedirect.com/science/article/pii/S0304394014008519>

Suzuki, T., Bramlett, H. M., & Dietrich, W. D. (2003). The importance of gender on the beneficial effects of posttraumatic hypothermia. *Experimental Neurology*, 184(2), 1017-1026. doi.

Suzuki, T., Bramlett, H. M., Ruenes, G., & Dietrich, W. D. (2004). The effects of early post-traumatic hyperthermia in female and ovariectomized rats. *Journal of Neurotrauma*, 21(7), 842-853. doi.

Svarcbahs, R., Julku, U. H., & Myöhänen, T. T. (2016). Inhibition of Prolyl Oligopeptidase Restores Spontaneous Motor Behavior in the α -Synuclein Virus Vector-Based Parkinson's Disease Mouse Model by Decreasing α -Synuclein Oligomeric Species in Mouse Brain. *Journal of Neuroscience*, 36(49), 12485-12497. doi. <http://www.jneurosci.org/content/36/49/12485>

Svarcbahs, R., Julku, U. H., Norrbacka, S., & Myöhänen, T. T. (2018). Removal of prolyl oligopeptidase reduces alpha-synuclein toxicity in cells and in vivo. *Scientific Reports*, 8(1), 1552. doi: 10.1038/s41598-018-19823-y. <https://doi.org/10.1038/s41598-018-19823-y>

Svedin, P., Hagberg, H., Savman, K., Zhu, C., & Mallard, C. (2007). Matrix Metalloproteinase-9 Gene Knock-out Protects the Immature Brain after Cerebral Hypoxia-Ischemia. *Journal of Neuroscience*, 27(7), 1511-1518. doi: 10.1523/jneurosci.4391-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/7/1511>

Swan, A. A., Clutton, J. E., Chary, P. K., Cook, S. G., Liu, G. G., & Drew, M. R. (2014). Characterization of the role of adult neurogenesis in touch-screen discrimination learning. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22337. <http://dx.doi.org/10.1002/hipo.22337>

Swanger, S. A., Neuhuber, B., Himes, B. T., Bakshi, A., & Fischer, I. (2005). Analysis of allogeneic and syngeneic bone marrow stromal cell graft survival in the spinal cord. *Cell Transplantation*, 14(10), 775-786. doi.

Swanson, C., & Emborg, M. (2014). Expression of peroxisome proliferator-activated receptor-gamma in the substantia nigra of hemiparkinsonian nonhuman primates. *Neurological Research*, 0(0), 1743132813Y.0000000305. doi:

doi:10.1179/1743132813Y.0000000305. <http://www.maneyonline.com/doi/abs/10.1179/1743132813Y.0000000305>

Swanson, C. R., Joers, V., Bondarenko, V., Brunner, K., Simmons, H. A., Ziegler, T. E., . . . Emborg, M. E. (2011). The PPAR-g agonist pioglitazone modulates inflammation and induces neuroprotection in parkinsonian monkeys. *Journal of Neuroinflammation*, 8, 91. doi.

Swartz, K. R., Fee, D. B., Joy, K. M., Roberts, K. N., Sun, S., Scheff, N. N., . . . Scheff, S. W. (2007). Gender Differences in Spinal Cord Injury Are Not Estrogen-Dependent. *Journal of Neurotrauma*, 24(3), 473-480. doi.

Sweet, R. A., Bergen, S. E., Sun, Z., Marcsisin, M. J., Sampson, A. R., & Lewis, D. A. (2007). Anatomical evidence of impaired feedforward auditory processing in schizophrenia. *Biological Psychiatry*, 61(7), 854-864. doi.

Sweet, R. A., Bergen, S. E., Sun, Z., Sampson, A. R., Pierri, J. N., & Lewis, D. A. (2004). Pyramidal cell size reduction in schizophrenia: evidence for involvement of auditory feedforward circuits. *Biological Psychiatry*, 55(12), 1128-1137. doi.

Sweet, R. A., Dorph-Petersen, K. A., & Lewis, D. A. (2005). Mapping auditory core, lateral belt, and parabelt cortices in the human superior temporal gyrus. *Journal of Comparative Neurology*, 491(3), 270-289. doi.

Sweet, R. A., Henteleff, R. A., Zhang, W., Sampson, A. R., & Lewis, D. A. (2008). Reduced Dendritic Spine Density in Auditory Cortex of Subjects with Schizophrenia

Neuropsychopharmacology. doi.

Sweet, R. A., Pierri, J. N., Auh, S., Sampson, A. R., & Lewis, D. A. (2003). Reduced Pyramidal Cell Somal Volume in Auditory Association Cortex of Subjects with Schizophrenia. *Neuropsychopharmacology*, 28, 599-609. doi.

Swegard, J. H., Cashman, S. M., & Kumar-Singh, R. (2010). Adenovirus vectors targeting distinct cell types in the retina. *Investigative Ophthalmology and Visual Science*, 51(4), 2219-2228. doi.

Swiegers, J., Bhagwandin, A., Sherwood, C. C., Bertelsen, M. F., Maseko, B. C., Hemingway, J., . . . Manger, P. R. (2018). The distribution, number, and certain neurochemical identities of infracortical white matter neurons in a lar gibbon (*Hylobates lar*) brain. *Journal of Comparative Neurology*, 0(0). doi: doi:10.1002/cne.24545. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24545>

Sychowski, D. J., Love, J., Greene, R., & Peterson, D. A. (2019). Investigation of the Neuroinflammatory Response in Hippocampal Subfields After a Single Mild Traumatic Brain Injury (mTBI) in Rats. doi. <https://publications.lakeforest.edu/gss/gss2019/program/20/>

Szalkowski, C. E., Booker, A. B., Truong, D. T., Threlkeld, S. W., Rosen, G. D., & Fitch, R. H. (2013). Knockdown of the Candidate Dyslexia Susceptibility Gene Homolog *Dyx1c1* in Rodents: Effects on Auditory Processing, Visual Attention, and Cortical and Thalamic Anatomy. *Developmental Neuroscience*. doi.

Szalkowski, C. E., Fiondella, C. F., Truong, D. T., Rosen, G. D., LoTurco, J. J., & Fitch, R. H. (2012). The effects of *Kiaa0319* knockdown on cortical and subcortical anatomy in male rats. *International Journal of Developmental Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.jdevneu.2012.11.008>, <http://www.sciencedirect.com/science/article/pii/S0736574812005990>

Szegő, É. M., Gerhardt, E., Kermer, P., & Schulz, J. B. (2011). A30P α -synuclein impairs dopaminergic fiber regeneration and interacts with L-DOPA replacement in MPTP-treated mice. *Neurobiology of Disease*. doi.

Szegő, É. M., Gerhardt, E., Outeiro, T. F., & Kermer, P. (2011). Dopamine-depletion and increased α -synuclein load induce degeneration of cortical cholinergic fibers in mice. *Journal of the Neurological Sciences*. doi.

Szegő, É. M., Outeiro, T. F., Kermer, P., & Schulz, J. B. (2012). Impairment of the septal cholinergic neurons in MPTP-treated A30P α -synuclein mice. *Neurobiology of Aging*. doi.

Szulwach, K. E., Li, X., Smrt, R. D., Li, Y., Luo, Y., Lin, L., . . . Jin, P. (2010). Cross talk between microRNA and epigenetic regulation in adult neurogenesis. *Journal of Cell Biology*, 189(1), 127-141. doi: 10.1083/jcb.200908151. <http://jcb.rupress.org/content/189/1/127.abstract>

Ta, T. A., Koenig, C. M., Golub, M. S., Pessah, I. N., Qi, L., Aronov, P. A., & Berman, R. F. (2011). Bioaccumulation and behavioral effects of 2, 2', 4, 4'-tetrabromodiphenyl ether (BDE-47) in perinatally exposed mice. *Neurotoxicology and Teratology*. doi.

Ta, T.-T., Dikmen, H. O., Schilling, S., Chausse, B., Lewen, A., Hollnagel, J.-O., & Kann, O. (2019). Priming of microglia with IFN- γ slows neuronal gamma oscillations in situ. *Proceedings of the National Academy of Sciences*, 201813562. doi: <https://www.pnas.org/content/early/2019/02/15/1813562116.short>

Tabar, V., Panagiotakos, G., Greenberg, E. D., Chan, B. K., Sadelain, M., Gutin, P. H., & Studer, L. (2005). Migration and differentiation of neural precursors derived from human embryonic stem cells in the rat brain. *Nature Biotechnology*, 23, 601-606. doi.

Taffe, M. A., Kotzebue, R. W., Crean, R. D., Crawford, E. F., Edwards, S., & Mandyam, C. D. (2010). Long-lasting reduction in hippocampal neurogenesis by alcohol consumption in adolescent nonhuman primates. *Proceedings of the National Academy of Sciences*, 107(24), 11104-11109. doi: 10.1073/Proceedings of the National Academy of Sciences.0912810107. <http://www.Proceedings of the National Academy of Sciences.org/content/107/24/11104.abstract>

Tagalakis, A. D., Kenny, G. D., Bienemann, A. S., McCarthy, D., Munye, M. M., Taylor, H., . . . Hart, S. L. (2013). PEGylation improves the receptor-mediated transfection efficiency of peptide-targeted, self-assembling, anionic nanocomplexes. *Journal of Controlled Release*, (0). doi: <http://dx.doi.org/10.1016/j.jconrel.2013.11.014>. <http://www.sciencedirect.com/science/article/pii/S0168365913009036>

Taghizadehghalehjoughi, A., Hacimuftuoglu, A., Cetin, M., Ugur, A. B., Galateanu, B., Mezhuev, Y., . . . El-Aty, A. A. (2018). Effect of metformin/irinotecan-loaded poly-lactic-co-glycolic acid nanoparticles on glioblastoma: in vitro and in vivo studies. *Nanomedicine*, 13(13), 1595-1606. doi: 10.2217/nnm-2017-0386. <https://www.futuremedicine.com/doi/abs/10.2217/nnm-2017-0386>

Tagliaferro, P., Kareva, T., Oo, T. F., Yarygina, O., Kholodilov, N., & Burke, R. E. (2015). An Early Axonopathy in a hLRRK2(R1441G) Transgenic Model of Parkinson Disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2015.07.009>. <http://www.sciencedirect.com/science/article/pii/S0969996115300139>

Takahashi, H., Brasnjevic, I., Rutten, B. P. F., Van Der Kolk, N., Perl, D. P., Bouras, C., . . . Dickstein, D. L. (2010). Hippocampal interneuron loss in an APP/PS1 double mutant mouse and in Alzheimer's disease. *Brain Structure and Function*, 214(2), 145-160. doi.

Takahashi, N., Sakurai, T., Bozdagi-Gunal, O., Dorr, N. P., Moy, J., Krug, L., . . . others. (2011). Increased expression of receptor phosphotyrosine phosphatase- β

/\$\zeta\$ is associated with molecular, cellular, behavioral and cognitive schizophrenia phenotypes. *Translational Psychiatry*, 1(5), e8-e8. doi.

Takahashi, R. H., Capetillo-Zarate, E., Lin, M. T., Milner, T. A., & Gouras, G. K. (2013). Accumulation of Intraneuronal β -Amyloid 42 Peptides Is Associated with Early Changes in Microtubule-Associated Protein 2 in Neurites and Synapses. *Plos one*, 8(1), e51965. doi: 10.1371/journal.pone.0051965. <http://dx.doi.org/10.1371%2Fjournal.pone.0051965>

Takahashi, T., Zhu, Y., Hata, T., Shimizu-Okabe, C., Suzuki, K., & Nakahara, D. (2009). Intracranial self-stimulation enhances neurogenesis in hippocampus of adult mice and rats. *Neuroscience*, 158(2), 402-411. doi.

Takami, T., Oudega, M., Bates, M. L., Wood, P. M., Kleitman, N., & Bunge, M. B. (2002). Schwann Cell But Not Olfactory Ensheathing Glia Transplants Improve Hindlimb Locomotor Performance in the Moderately Contused Adult Rat Thoracic Spinal Cord. *Journal of Neuroscience*, 22(15), 6670-6681. doi. <http://www.jneurosci.org/cgi/content/abstract/22/15/6670>

Takase, H. M., & Nusse, R. (2016). Paracrine Wnt/ β -catenin signaling mediates proliferation of undifferentiated spermatogonia in the adult mouse testis. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1601461113. <http://www.pnas.org/content/early/2016/02/23/1601461113.abstract>

Takeda, A., Sakamoto, K., Tamano, H., Fukura, K., Inui, N., Suh, S. W., . . . Yokogoshi, H. (2011). Facilitated neurogenesis in the developing hippocampus after intake of theanine, an amino acid in tea leaves, and object recognition memory. *Cellular and Molecular Neurobiology*, 1-10. doi.

Takeuchi, H., Yanagida, T., Inden, M., Takata, K., Kitamura, Y., Yamakawa, K., . . . others. (2009). Nicotinic receptor stimulation protects nigral dopaminergic neurons in rotenone-induced Parkinson's disease models. *Journal of Neuroscience Research*, 87(2), 576-585. doi.

Tal, Y., Anavi, S., Reisman, M., Samach, A., Tirosh, O., & Troen, A. M. (2016). The neuroprotective properties of a novel variety of passion fruit. *Journal of Functional Foods*, 23, 359-369. doi: <http://dx.doi.org/10.1016/j.jff.2016.02.039>. <http://www.sciencedirect.com/science/article/pii/S1756464616000955>

Talbot, K., Wang, H. Y., Kazi, H., Han, L. Y., Bakshi, K. P., & Stucky, A. (2012). Demonstrated brain insulin resistance in Alzheimer's disease patients is associated with IGF-1 resistance, IRS-1 dysregulation, and cognitive decline. *Journal of Clinical Investigation*, 122. doi: 10.1172/jci59903. <http://dx.doi.org/10.1172/JCI59903>

Talishinsky, A., & Rosen, G. D. (2012). Systems Genetics of the Lateral Septal Nucleus in Mouse: Heritability, Genetic Control, and Covariation with Behavioral and Morphological Traits. *Plos one*, 7(8), e44236. doi.

Tallaksen-Greene, S. J., Sadagurski, M., Zeng, L., Mauch, R., Perkins, M., Banduseela, V. C., . . . Albin, R. L. (2014). Differential Effects of Delayed Aging on Phenotype and Striatal Pathology in a Murine Model of Huntington Disease. *The Journal of Neuroscience*, 34(47), 15658-15668. doi: <http://www.jneurosci.org/content/34/47/15658.short>

Tam, W. Y., Leung, C. K. Y., Tong, K. K., & Kwan, K. M. (2011). Foxp4 is essential in maintenance of purkinje cell dendritic arborization in the mouse cerebellum. *Neuroscience*, 172, 562-571. doi:

Tamaki, S. J., Jacobs, Y., Dohse, M., Capela, A., Cooper, J. D., Reitsma, M., . . . Uchida, N. (2009). Neuroprotection of Host Cells by Human Central Nervous System Stem Cells in a Mouse Model of Infantile Neuronal Ceroid Lipofuscinosis. *Cell Stem Cell*, 5(3), 310-319. doi: <http://linkinghub.elsevier.com/retrieve/pii/S1934590909002318>

Tamaki, T., Hirata, M., Nakajima, N., Saito, K., Hashimoto, H., Soeda, S., . . . Watanabe, M. (2016). A Long-Gap Peripheral Nerve Injury Therapy Using Human Skeletal Muscle-Derived Stem Cells (Sk-SCs): An Achievement of Significant Morphological, Numerical and Functional Recovery. *Plos one*, 11(11), e0166639. doi: 10.1371/journal.pone.0166639. <http://dx.doi.org/10.1371%2Fjournal.pone.0166639>

Tamaki, T., Hirata, M., Soeda, S., Nakajima, N., Saito, K., Nakazato, K., . . . Mochida, J. (2014). Preferential and Comprehensive Reconstitution of Severely Damaged Sciatic Nerve Using Murine Skeletal Muscle-Derived Multipotent Stem Cells. *Plos one*, 9(3), e91257. doi: 10.1371/journal.pone.0091257. <http://dx.doi.org/10.1371%2Fjournal.pone.0091257>

Taman, F. D., Kervancioglu, P., Kervancioglu, A. S., & Turhan, B. (2019). The importance of volume and area fractions of cerebellar volume and vermian subregion areas: a stereological study on MR images. [journal article]. *Child's Nervous System*. doi: 10.1007/s00381-019-04369-9. <https://doi.org/10.1007/s00381-019-04369-9>

Tan, O., Ergen, D., Atik, B., Gundogdu, C., Calik, I., & Can, I. (2008). The Effect of Perforator Location on Epigastric Perforator Flap Survival: An Experimental and Stereological Study in Guinea Pigs. *Journal of Reconstructive Microsurgery*, 24(1), 43-43. doi:

Tan, R. H., Kril, J. J., McGinley, C., Hassani, M., Masuda-Suzukake, M., Hasegawa, M., . . . Halliday, G. M. (2015). Cerebellar neuronal loss in als cases with ATXN2 intermediate repeat expansions. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24565. <http://dx.doi.org/10.1002/ana.24565>

Tan, S. S., Zhan, W., Phoon, C. J., Han, X., Marre, D., Boodhun, S., . . . Morrison, W. A. (2017). Melatonin promotes survival of non-vascularized fat grafts and enhances the viability and migration of human adipose-derived stem cells via down-regulation of acute inflammatory cytokines. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.2463. <http://dx.doi.org/10.1002/term.2463>

Tan, X., Liu, Wenying A., Zhang, X.-J., Shi, W., Ren, S.-Q., Li, Z., . . . Shi, S.-H. (2016). Vascular Influence on Ventral Telencephalic Progenitors and Neocortical Interneuron Production. *Developmental Cell*, 36(6), 624-638. doi: <http://dx.doi.org/10.1016/j.devcel.2016.02.023>, <http://www.sciencedirect.com/science/article/pii/S1534580716300788>

Tan, Y., Sgobio, C., Arzberger, T., Machleid, F., Tang, Q., Findeis, E., . . . Koeglspenger, T. (2019). Loss of fragile X mental retardation protein precedes Lewy pathology in Parkinson's disease. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-019-02099-5. <https://doi.org/10.1007/s00401-019-02099-5>

Tanabe, S., Inoue, K.-i., Tsuge, H., Uezono, S., Nagaya, K., Fujiwara, M., . . . Takada, M. (2017). The use of an optimized chimeric envelope glycoprotein enhances the efficiency of retrograde gene transfer of a pseudotyped lentiviral vector in the primate brain. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2017.02.007>, <http://www.sciencedirect.com/science/article/pii/S0168010216303236>

Tanabe, S., Uezono, S., Tsuge, H., Fujiwara, M., Miwa, M., Kato, S., . . . Takada, M. (2019). A note on retrograde gene transfer efficiency and inflammatory response of lentiviral vectors pseudotyped with FuG-E vs. FuG-B2 glycoproteins. *Scientific Reports*, 9(1), 3567. doi: 10.1038/s41598-019-39535-1. <https://doi.org/10.1038/s41598-019-39535-1>

Tang, F.-L., Erion, J. R., Tian, Y., Liu, W., Yin, D.-M., Ye, J., . . . Xiong, W.-C. (2015). VPS35 in Dopamine Neurons Is Required for Endosome-to-Golgi Retrieval of Lamp2a, a Receptor of Chaperone-Mediated Autophagy That Is Critical for α -Synuclein Degradation and Prevention of Pathogenesis of Parkinson's Disease. *The Journal of Neuroscience*, 35(29), 10613-10628. doi: <http://www.jneurosci.org/content/35/29/10613.short>

Tang, M., Miyamoto, Y., & Huang, E. J. (2009). Multiple roles of β -catenin in controlling the neurogenic niche for midbrain dopamine neurons. *Development*, 136(12), 2027-2038. doi: 10.1242/dev.034330. <http://dev.biologists.org/cgi/content/abstract/136/12/2027>

Tang, M., Villaescusa, J. C., Luo, S. X., Guitarte, C., Lei, S., Miyamoto, Y., . . . Huang, E. J. (2010). Interactions of Wnt/ β

-catenin signaling and sonic hedgehog regulate the neurogenesis of ventral midbrain dopamine neurons. *Journal of Neuroscience*, 30(27), 9280-9291. doi.

Tang, M., Wu, G., Wang, Z., Yang, N., Shi, H., He, Q., . . . Tang, Z. (2016). Voltage-gated potassium channels involved in regulation of physiological function in MrgprA3-specific itch neurons. *Brain Research*, 1636, 161-171. doi: <http://dx.doi.org/10.1016/j.brainres.2016.02.014>, <http://www.sciencedirect.com/science/article/pii/S0006899316300488>

Tang, M. K., Kindler, P. M., Cai, D. Q., Chow, P. H., Li, M., & Lee, K. K. H. (2004). Heart-type fatty acid binding proteins are upregulated during terminal differentiation of mouse cardiomyocytes, as revealed by proteomic analysis. *Cell and Tissue Research*, 316(3), 339-347. doi.

Tang, T.-S., Chen, X., Liu, J., & Bezprozvanny, I. (2007). Dopaminergic Signaling and Striatal Neurodegeneration in Huntington's Disease. *Journal of Neuroscience*, 27(30), 7899-7910. doi: 10.1523/jneurosci.1396-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/30/7899>

Tang, T.-S., Guo, C., Wang, H., Chen, X., & Bezprozvanny, I. (2009). Neuroprotective Effects of Inositol 1,4,5-Trisphosphate Receptor C-Terminal Fragment in a Huntington's Disease Mouse Model. *Journal of Neuroscience*, 29(5), 1257-1266. doi: 10.1523/jneurosci.4411-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/5/1257>

Tang, X., Jiao, L., Zheng, M., Yan, Y., Nie, Q., Wu, T., . . . Lin, X. (2018). Tau Deficiency Down-Regulated Transcription Factor Orthodenticle Homeobox 2 Expression in the Dopaminergic Neurons in Ventral Tegmental Area and Caused No Obvious Motor Deficits in Mice. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.01.002>, <http://www.sciencedirect.com/science/article/pii/S0306452218300186>

Tang, Y., Lopez, I., & Baloh, R. W. (2001). Age-related change of the neuronal number in the human medial vestibular nucleus: a stereological investigation. *Journal of Vestibular Research*, 11(6), 357-364. doi.

Tang, Y., Lopez, I., & Ishiyama, A. (2002). Application of unbiased stereology on archival human temporal bone. *Laryngoscope*, 112(3), 526-533. doi.

Tang, Y. P., & Wade, J. (2010). Sex-and age-related differences in ribosomal proteins L17 and L37, as well as androgen receptor protein, in the song control system of zebra finches. *Neuroscience*, 171(4), 1131-1140. doi.

Tang, Y. P., & Wade, J. (2011). Developmental Changes in the Sexually Dimorphic Expression of Secretory Carrier Membrane Protein 1 and Its Co-Localisation with Androgen Receptor Protein in the Zebra Finch Song System. *Journal of Neuroendocrinology*, 23(7), 584-590. doi: 10.1111/j.1365-2826.2011.02146.x. <http://dx.doi.org/10.1111/j.1365-2826.2011.02146.x>

Tang, Y. P., & Wade, J. (2012). 17 β -Estradiol Regulates the Sexually Dimorphic Expression of BDNF and TrkB Proteins in the Song System of Juvenile Zebra Finches. *Plos one*, 7(8), e43687. doi.

Tang, Y. P., & Wade, J. (2013). Developmental Changes in BDNF Protein in the Song Control Nuclei of Zebra Finches. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.07.062>. <http://www.sciencedirect.com/science/article/pii/S0306452213006568>

Tanti, A., Kim, J. J., Wakid, M., Davoli, M. A., Turecki, G., & Mechawar, N. (2017). Child abuse associates with an imbalance of oligodendrocyte-lineage cells in ventromedial prefrontal white matter. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2017.231. <http://dx.doi.org/10.1038/mp.2017.231>

Tao, C. S., Dhamija, P., Booi, L., & Menard, J. L. (2017). Adversity in early adolescence promotes an enduring anxious phenotype and increases serotonergic innervation of the infralimbic medial prefrontal cortex. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.09.004>. <http://www.sciencedirect.com/science/article/pii/S0306452217306383>

Tao, F., Li, Q., Liu, S., Wu, H., Skinner, J., Hurtado, A., . . . Johns, R. A. (2012). Role of Neuregulin-1/ErbB Signaling in Stem Cell Therapy for Spinal Cord Injury-induced Chronic Neuropathic Pain. *Stem Cells*, N/A-N/A. doi: 10.1002/stem.1258. <http://dx.doi.org/10.1002/stem.1258>

Tao, J. D., Barnette, A. R., Griffith, J. L., Neil, J. J., & Inder, T. E. (2011). Histopathologic correlation with diffusion tensor imaging after chronic hypoxia in the immature ferret. *Pediatric Research*. doi.

Tao, Y., Vermilyea, S. C., Zammit, M., Lu, J., Olsen, M., Metzger, J. M., . . . Zhang, S.-C. (2021). Autologous transplant therapy alleviates motor and depressive behaviors in parkinsonian monkeys. *Nature Medicine*. doi: 10.1038/s41591-021-01257-1. <https://doi.org/10.1038/s41591-021-01257-1>

Tapia-Rodriguez, M., Esquivelzeta-Rabell, J. F., & Gutiérrez-Ospina, G. (2012). Chronically reinforced, operant olfactory conditioning increases the number of newborn GABAergic olfactory periglomerular neurons in the adult rat. *Journal of Chemical Neuroanatomy*, (0). doi: 10.1016/j.jchemneu.2012.09.001. <http://www.sciencedirect.com/science/article/pii/S0891061812000579>

Tapias, V., Cannon, J. R., & Greenamyre, J. T. (2010). Melatonin treatment potentiates neurodegeneration in a rat rotenone Parkinson's disease model. *Journal of Neuroscience Research*, 88(2), 420-427. doi.

Tapias, V., Greenamyre, J. T., & Watkins, S. C. (2012). Automated imaging system for fast quantitation of neurons, cell morphology and neurite morphometry in vivo and in vitro. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.11.018>. <http://www.sciencedirect.com/science/article/pii/S0969996112003816>

Tarlac, V., Kelly, L., Nag, N., Allen-Graham, J., Anderson, R., & Storey, E. (2012). HLA-DR3-DQ2 Mice Do Not Develop Ataxia in the Presence of High Titre Anti-gliadin Antibodies. *The Cerebellum*, 1-7. doi: 10.1007/s12311-012-0425-z. <http://dx.doi.org/10.1007/s12311-012-0425-z>

Tassone, F., Greco, C. M., Hunsaker, M. R., Seritan, A. L., Berman, R. F., Gane, L. W., . . . Hagerman, R. J. (2012). Neuropathological, Clinical, and Molecular Pathology in Female Fragile X Premutation Carriers with and without FXTAS. *Genes, Brain and Behavior*, no-no. doi: 10.1111/j.1601-183X.2012.00779.x. <http://dx.doi.org/10.1111/j.1601-183X.2012.00779.x>

Tata, D. A., Marciano, V. A., & Anderson, B. J. (2006). Synapse loss from chronically elevated glucocorticoids: relationship to neuropil volume and cell number in hippocampal area CA3. *Journal of Comparative Neurology*, 498(3), 363-374. doi.

Tatapudy, S., Bruening, S., Gleason, G., & Toth, M. (2008). Validation and use of a computer-assisted counting procedure to quantify BrdU-labeled proliferating cells in the early postnatal mouse hippocampus. *Journal of Neuroscience Methods*, 172(2), 173-177. doi.

Tatar, A., Korkmaz, M., Yayla, M., Polat, E., Uslu, H., Halici, Z., & Parlak, S. N. (2016). The potential role of amlodipine on experimentally induced bacterial rhinosinusitis. *Brazilian Journal of Otorhinolaryngology*. doi: <http://dx.doi.org/10.1016/j.bjorl.2016.08.006>. <http://www.sciencedirect.com/science/article/pii/S1808869416301690>

Tatar, A., Parlak, S. N., Yayla, M., Ugan, R. A., Polat, E., & Halici, Z. (2015). Effects of allergic rhinitis and desloratadine on the submandibular gland in a rat allergy model. *International Forum of Allergy & Rhinology*, n/a-n/a. doi: 10.1002/alr.21589. <http://dx.doi.org/10.1002/alr.21589>

Tate, C. C., Garcia, A. J., & LaPlaca, M. C. (2007). Plasma fibronectin is neuroprotective following traumatic brain injury. *Experimental Neurology*, 207(1), 13-22. doi.

Tate, M. C., Lindquist, R. A., Nguyen, T., Sanai, N., Barkovich, A. J., Huang, E. J., . . . Alvarez-Buylla, A. (2014). Postnatal growth of the human pons: A morphometric and immunohistochemical analysis. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23690. <http://dx.doi.org/10.1002/cne.23690>

Tatenhorst, L., Tönges, L., Saal, K.-A., Koch, J. C., Szego, É. M., Bähr, M., & Lingor, P. (2014). Rho Kinase Inhibition by Fasudil in the Striatal 6-Hydroxydopamine Lesion Mouse Model of Parkinson Disease. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.000000000000095. doi: http://journals.lww.com/jneuroopath/Fulltext/publishahead/Rho_Kinase_Inhi..

Taylor, A. N., Rahman, S. U., Tio, D. L., Gardner, S. M., Kim, C. J., & Sutton, R. L. (2010). Injury severity differentially alters sensitivity to dexamethasone after traumatic brain injury. *Journal of Neurotrauma*, 27(6), 1081-1089. doi.

Taylor, H., Barua, N., Bienemann, A., Wyatt, M., Castrique, E., Foster, R., . . . Gill, S. (2013). Clearance and Toxicity of Recombinant Methionyl Human Glial Cell Line-Derived Neurotrophic Factor (r-metHu GDNF) Following Acute Convection-Enhanced Delivery into the Striatum. *PLoS ONE*, 8(3), e56186. doi: 10.1371/journal.pone.0056186. <http://dx.doi.org/10.1371%2Fjournal.pone.0056186>

Taylor, T. N., Alter, S. P., Wang, M., Goldstein, D. S., & Miller, G. W. (2013). Reduced vesicular storage of catecholamines causes progressive degeneration in the locus ceruleus. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.08.033>. <http://www.sciencedirect.com/science/article/pii/S0028390813004000>

Taylor, T. N., Potgieter, D., Anwar, S., Senior, S. L., Janezic, S., Threlfell, S., . . . Wade-Martins, R. (2013). Region-specific deficits in dopamine, but not norepinephrine, signaling in a novel A30P α -synuclein BAC transgenic mouse. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.10.005>. <http://www.sciencedirect.com/science/article/pii/S0969996113002787>

Taylor-Reinwald, L., Grant, E., Goate, A., Morris, J., & Cairns, N. (2011). Neuropathology of preclinical and incipient Alzheimer's dementia. *Alzheimer's and Dementia*, 7(4), S303-303. doi.

Taymans, J. M., Kia, H. K., & Langlois, X. (2006). Activator of G protein signaling type 3 mRNA is widely distributed in the rat brain and is particularly abundant in the subventricular zone-olfactory bulb system of neural precursor cell proliferation, migration and differentiation. *Neuroscience Letters*, 391(3), 116-121. doi.

Taymans, J.-M., Van den Haute, C., & Baekelandt, V. (2006). Distribution of PINK1 and LRRK2 in rat and mouse brain. *Journal of Neurochemistry*, 98(3), 951-961. doi: 10.1111/j.1471-4159.2006.03919.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.03919.x>

Tchantchou, F., Fourney, W. L., Leiste, U. H., Vaughan, J., Rangghran, P., Puche, A., & Fiskum, G. (2017). Neuropathology and neurobehavioral alterations in a rat model of traumatic brain injury to occupants of vehicles targeted by underbody blasts. *Experimental Neurology*, 289, 9-20. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.12.001>. <http://www.sciencedirect.com/science/article/pii/S0014488616304010>

Tchantchou, F., Goodfellow, M., Li, F., Ramsue, L., Miller, C., Puche, A., & Fiskum, G. (2020). Hyperhomocysteinemia-Induced Oxidative Stress Exacerbates Cortical Traumatic Brain Injury Outcomes in Rats. *Cellular and Molecular Neurobiology*. doi: 10.1007/s10571-020-00866-7. <https://doi.org/10.1007/s10571-020-00866-7>

Tchantchou, F., Puche, A. C., Leiste, U., Fourney, W., Blanpied, T. a., & Fiskum, G. (2017). Rat Model of Brain Injury to Occupants of Vehicles Targeted by Land Mines: Mitigation by Elastomeric Frame Designs. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5401. <https://doi.org/10.1089/neu.2017.5401>

Tecuapetla, F., Matias, S., Dugue, G. P., Mainen, Z. F., & Costa, R. M. (2014). Balanced activity in basal ganglia projection pathways is critical for contraversive movements. *Nature Communications*, 5. doi. <http://www.nature.com/ncomms/2014/140708/ncomms5315/full/ncomms5315.html>

Tegelberg, S., Kopra, O., Joensuu, T., Cooper, J. D., & Lehesjoki, A. E. (2012). Early Microglial Activation Precedes Neuronal Loss in the Brain of the Cstb^{-/-} Mouse Model of Progressive Myoclonus Epilepsy, *EPM1. Journal of Neuropathology and Experimental Neurology*, 71(1), 40. doi.

Temel, Y., Blokland, A., & Lim, L. W. (2012). Deactivation of the parvalbumin-positive interneurons in the hippocampus after fear-like behaviour following electrical stimulation of the dorsolateral periaqueductal grey of rats. *Behavioural Brain Research*, (0). doi: 10.1016/j.bbr.2012.05.029. <http://www.sciencedirect.com/science/article/pii/S0166432812003671>

Templin, T., & Simmons, A. M. (2005). Cellular and spatial changes in the anuran superior olive across metamorphosis. *Hearing Research*, 207, 87-98. doi.

Tendilla-Beltrán, H., Meneses-Prado, S., Antonio Vázquez-Roque, R., Tapia-Rodríguez, M., Judith Vázquez-Hernández, A., Coatl-Cuaya, H., . . . Flores, G. (2019). Risperidone ameliorates prefrontal cortex neural atrophy and oxidative/nitrosative stress in brain and peripheral blood of rats with neonatal ventral hippocampus lesion. *The Journal of Neuroscience*, 1249-1219. doi: 10.1523/jneurosci.1249-19.2019. <http://www.jneurosci.org/content/early/2019/09/11/JNEUROSCI.1249-19.2019..>

Tenkova, T., Young, C., Dikranian, K., Labruyere, J., & Olney, J. W. (2003). Ethanol-induced apoptosis in the developing visual system during synaptogenesis. *Investigative Ophthalmology and Visual Science*, 44(7), 2809-2809. doi.

Teo, J. D., Morris, M. J., & Jones, N. M. (2016). Maternal obesity increases inflammation and exacerbates damage following neonatal hypoxic-ischaemic brain injury in rats. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.10.010>. <http://www.sciencedirect.com/science/article/pii/S0889159116304731>

Teo, R. T. Y., Ferrari Bardile, C., Tay, Y. L., Yusof, N. A. B. M., Kreidy, C. A., Tan, L. J., & Pouladi, M. A. (2019). Impaired Remyelination in a Mouse Model of Huntington Disease. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-019-1579-1. <https://doi.org/10.1007/s12035-019-1579-1>

Tereshchenko, J., Maddalena, A., Bähr, M., & Kügler, S. (2014). Pharmacologically controlled, discontinuous GDNF gene therapy restores motor function in a rat model of Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.01.009>. <http://www.sciencedirect.com/science/article/pii/S0969996114000230>

Tervonen, T. A., Louhivuori, V., Sun, X., Hokkanen, M. E., Kratochwil, C. F., Zebryk, P., . . . Castrén, M. L. (2009). Aberrant differentiation of glutamatergic cells in neocortex of mouse model for fragile X syndrome. *Neurobiology of Disease*, 33(2), 250-259. doi.

Terzi, M. Y., Casalis, P., Lang, V., Zille, M., Bruendl, E., Stoerr, E.-M., . . . Piña, A. L. (2014). Effects of pigment epithelium derived factor on traumatic brain injury. *Restorative Neurology and Neuroscience*. doi. <http://iospress.metapress.com/content/n0970q1p22w31845/>

Tewarie, R. D. S. N., Hurtado, A., Ritfeld, G. J., Rahiem, S. T., Wendell, D. F., Barroso, M. M. S., . . . Oudega, M. (2009). Bone marrow stromal cells elicit tissue sparing after acute but not delayed transplantation into the contused adult rat thoracic spinal cord. *Journal of Neurotrauma*, 26(12), 2313-2322. doi.

Thakur, P., Breger, L. S., Lundblad, M., Wan, O. W., Mattsson, B., Luk, K. C., . . . Björklund, A. (2017). Modeling Parkinson's disease pathology by combination of fibril seeds and α -synuclein

overexpression in the rat brain. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1710442114. <http://www.pnas.org/content/early/2017/09/11/1710442114.abstract>

Thallmair, M., Ray, J., Stallcup, W. B., & Gage, F. H. (2006). Functional and morphological effects of NG2 proteoglycan deletion on hippocampal neurogenesis. *Experimental Neurology*, 202(1), 167-178. doi.

Thannickal, T. C., John, J., Shan, L., Swaab, D. F., Wu, M.-F., Ramanathan, L., . . . Siegel, J. M. (2018). Opiates increase the number of hypocretin-producing cells in human and mouse brain and reverse cataplexy in a mouse model of narcolepsy. [10.1126/scitranslmed.aao4953]. *Science translational medicine*, 10(447). doi. <http://stm.sciencemag.org/content/10/447/eaao4953.abstract>

Thannickal, T. C., Lai, Y.-Y., & Siegel, J. M. (2007). Hypocretin (orexin) cell loss in Parkinson's disease. *Brain*, 130(6), 1586-1595. doi: 10.1093/brain/awm097. <http://brain.oxfordjournals.org/cgi/content/abstract/130/6/1586>

Thannickal, T. C., Moore, R. Y., Nienhuis, R., Ramanathan, L., Gulyani, S., Aldrich, M., . . . Siegel, J. M. (2000). Reduced Number of Hypocretin Neurons in Human Narcolepsy. *Neuron*, 27, 469-474. doi.

Thannickal, T. C., Nienhuis, R., & Siegel, J. M. (2009). Localized loss of hypocretin (orexin) cells in narcolepsy without cataplexy. *Sleep*, 32(8), 993-993. doi.

Thannickal, T. C., Siegel, J. M., Nienhuis, R., & Moore, R. Y. (2003). Pattern of Hypocretin (Orexin) Soma and Axon Loss, and Gliosis, in Human Narcolepsy. *Brain Pathology*, 13(3), 340-351. doi: doi:10.1111/j.1750-3639.2003.tb00033.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1750-3639.2003.tb00033.x>

Theodore, S., Cao, S., McLean, P. J., & Standaert, D. G. (2008). Targeted overexpression of human alpha-synuclein triggers microglial activation and an adaptive immune response in a mouse model of Parkinson disease. *Journal of Neuro pathology and Experimental Neurology*, 67(12), 1149-1149. doi.

Theodorou, M., Rauser, B., Zhang, J., Prakash, N., Wurst, W., & Schick, J. A. (2015). Limitations of in vivo reprogramming to dopaminergic neurons via a tricistronic strategy. *Human Gene Therapy Methods*. doi: 10.1089/hgtb.2014.152. <http://dx.doi.org/10.1089/hgtb.2014.152>

Theofilas, P., Ehrenberg, A. J., Dunlop, S., Alho, A. T., Nguy, A., Paraizo Leite, R. E., . . . Grinberg, L. T. (2016). Locus coeruleus volume and cell population changes during Alzheimer's disease progression: A stereological study in human postmortem brains with potential implication for early-stage biomarker discovery. *Alzheimer's & Dementia*. doi: <http://dx.doi.org/10.1016/j.jalz.2016.06.2362>. <http://www.sciencedirect.com/science/article/pii/S1552526016326796>

Theofilas, P., Polichiso, L., Wang, X., Lima, L. C., Alho, A. T. L., Leite, R. E. P., . . . Grinberg, L. T. (2014). A novel approach for integrative studies on neurodegenerative diseases in human brains. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.01.030>. <http://www.sciencedirect.com/science/article/pii/S0165027014000417>

Theus, M. H., Brickler, T., Meza, A. L., Coutermarsh-Ott, S., Hazy, A., Gris, D., & Allen, I. C. (2017). Loss of NLRX1 Exacerbates Neural Tissue Damage and NF- κ B Signaling following Brain Injury. *The Journal of Immunology*, j1700251. doi. <http://www.jimmunol.org/content/early/2017/10/07/jimmunol.1700251>

Theus, M. H., Ricard, J., Bethea, J. R., & Liebl, D. J. (2010). EphB3 limits the expansion of neural progenitor cells in the subventricular zone by regulating p53 during homeostasis and following traumatic brain injury. *Stem Cells*, 28(7), 1231-1242. doi.

Theus, M. H., Wei, L., Cui, L., Francis, K., Hu, X., Keogh, C., & Yu, S. P. (2008). In vitro hypoxic preconditioning of embryonic stem cells as a strategy of promoting cell survival and functional benefits after transplantation into the ischemic rat brain. *Experimental Neurology*, 210(2), 656-670. doi.

Thévenot, E., Jordão, J. F., O'Reilly, M. A., Markham, K., Ying-Qi, L., Foust, K., . . . Aubert, I. (2012). Targeted delivery of scAAV9 to the brain using MRI-guided focused ultrasound. *Human Gene Therapy*, (ja). doi.

Thind, K. K., Yamawaki, R., Phanwar, I., Zhang, G., Wen, X., & Buckmaster, P. S. (2010). Initial loss but later excess of GABAergic synapses with dentate granule cells in a rat model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 518(5), 647-667. doi.

Thinyane, K., Baier, P. C., Schindehutte, J., Mansouri, A., Paulus, W., Trenkwalder, C., . . . Fuchs, E. (2005). Fate of pre-differentiated mouse embryonic stem cells transplanted in unilaterally 6-hydroxydopamine lesioned rats: Histological characterization of the grafted cells. *Brain Research*, 1045(1-2), 80-87. doi.

Thiruchelvam, M., McCormack, A., Richfield, E. K., Baggs, R. B., Tank, A. W., Di Monte, D. A., & Cory-Slechta, D. A. (2003). Age-related irreversible progressive nigrostriatal dopaminergic neurotoxicity in the paraquat and maneb model of the Parkinson's disease phenotype. *European Journal of Neuroscience*, 18(3), 589-600. doi: doi:10.1046/j.1460-9568.2003.02781.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02781.x>

Thiruchelvam, M., Prokopenko, O., Cory-Slechta, D. A., Richfield, E. K., Buckley, B., & Mirochnitchenko, O. (2005). Overexpression of Superoxide Dismutase or Glutathione Peroxidase Protects against the Paraquat + Maneb-induced Parkinson Disease Phenotype. *Journal of Biological Chemistry*, 280(23), 22530-22539. doi: 10.1074/jbc.M500417200. <http://www.jbc.org/cgi/content/abstract/280/23/22530>

Thomas, B., Banerjee, R., Starkova, N. N., Zhang, S. F., Calingasan, N. Y., Yang, L., . . . others. (2011). Mitochondrial permeability transition pore component cyclophilin D distinguishes nigrostriatal dopaminergic death paradigms in the MPTP mouse model of Parkinson's disease. *Antioxidants and redox signaling*. doi.

Thomas, B., Mandir, A. S., West, N., Liu, Y., Andrabi, S. A., Stirling, W., . . . Lee, M. K. (2011). Resistance to MPTP-Neurotoxicity in α -Synuclein Knockout Mice Is Complemented by Human α -Synuclein and Associated with Increased β

-Synuclein and Akt Activation. *PLoS ONE*, 6(1), e16706-e16706. doi.

Thomas, B., von Coelln, R., Mandir, A. S., Trinkaus, D. B., Farah, M. H., Leong Lim, K., . . . Dawson, T. M. (2007). MPTP and DSP-4 susceptibility of substantia nigra and locus coeruleus catecholaminergic neurons in mice is independent of parkin activity. *Neurobiology of Disease*, 26(2), 312-322. doi.

Thomas, R. M., Hotsenpiller, G., & Peterson, D. A. (2007). Acute Psychosocial Stress Reduces Cell Survival in Adult Hippocampal Neurogenesis without Altering Proliferation. *Journal of Neuroscience*,

27(11), 2734-2743. doi: 10.1523/jneurosci.3849-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/11/2734>

Thomas, R. M., Urban, J. H., & Peterson, D. A. (2006). Acute exposure to predator odor elicits a robust increase in corticosterone and a decrease in activity without altering proliferation in the adult rat hippocampus. *Experimental Neurology*, 201(2), 308-315. doi.

Thomasy, D. H. K., & Opp, P. M. R. (2018). Hypocretin mediates sleep and wake disturbances in a mouse model of traumatic brain injury. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5810. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5810>

Thomasy, H. E., Febinger, H. Y., Ringgold, K. M., Gemma, C., & Opp, M. R. (2016). Hypocretinergic and cholinergic contributions to sleep-wake disturbances in a mouse model of traumatic brain injury. *Neurobiology of Sleep and Circadian Rhythms*. doi: <http://dx.doi.org/10.1016/j.nbscr.2016.03.001>. <http://www.sciencedirect.com/science/article/pii/S2451994416300013>

Thome, A. D., Harms, A. S., Volpicelli-Daley, L. A., & Standaert, D. G. (2016). microRNA-155 Regulates Alpha-Synuclein-Induced Inflammatory Responses in Models of Parkinson Disease. *The Journal of Neuroscience*, 36(8), 2383-2390. doi. <http://www.jneurosci.org/content/36/8/2383.short#>

Thome, A. D., Standaert, D. G., & Harms, A. S. (2015). Fractalkine Signaling Regulates the Inflammatory Response in an α -Synuclein Model of Parkinson Disease. *Plos one*, 10(10), e0140566. doi: 10.1371/journal.pone.0140566. <http://dx.doi.org/10.1371%2Fjournal.pone.0140566>

Thompson, V. B., Koprach, J. B., Chen, E. Y., Kordower, J. H., Terpstra, B., & Lipton, J. W. (2011). Prenatal exposure to MDMA alters noradrenergic neurodevelopment in the rat. *Neurotoxicology and Teratology*. doi.

Thompson, W., Karpus, W., & Van Eldik, L. (2008). MCP-1-deficient mice show reduced neuroinflammatory responses and increased peripheral inflammatory responses to peripheral endotoxin insult. *Journal of Neuroinflammation*, 5(1), 35. doi. <http://www.jneuroinflammation.com/content/5/1/35>

Thomsen, G. M., Le Belle, J. E., Harnisch, J. A., Mc Donald, W. S., Hovda, D. A., Sofroniew, M. V., ... Harris, N. G. (2014). Traumatic brain injury reveals novel cell lineage relationships within the subventricular zone. *Stem Cell Research*, 13(1), 48-60. doi: <http://dx.doi.org/10.1016/j.scr.2014.04.013>. <http://www.sciencedirect.com/science/article/pii/S187350611400049X>

Threlkeld, S. W., Gaudet, C. M., La Rue, M. E., Dugas, E., Hill, C. A., Lim, Y.-P., & Stonestreet, B. S. (2014). Effects of inter-alpha inhibitor proteins on neonatal brain injury: Age, task and treatment dependent neurobehavioral outcomes. *Experimental Neurology*, 261(0), 424-433. doi: <http://dx.doi.org/10.1016/j.expneurol.2014.07.012>. <http://www.sciencedirect.com/science/article/pii/S0014488614002404>

Thuret, S., Thallmair, M., Horky, L. L., & Gage, F. H. (2012). Enhanced Functional Recovery in MRL/MpJ Mice after Spinal Cord Dorsal Hemisection. *PLoS ONE*, 7(2), e30904-e30904. doi.

Thuret, S., Toni, N., Aigner, S., Yeo, G. W., & Gage, F. H. (2009). Hippocampus-dependent learning is associated with adult neurogenesis in MRL/MpJ mice. *Hippocampus*, 19(7), 658-669. doi.

Tian, R., Hou, Z., Hao, S., Wu, W., Mao, X., Tao, X., . . . Liu, B. (2016). Hydrogen-rich water attenuates brain damage and inflammation after traumatic brain injury in rats. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.01.029>. <http://www.sciencedirect.com/science/article/pii/S0006899316300063>

Tien, D., Ohara, P. T., Larson, A. A., & Jasmin, L. (2003). Vagal afferents are necessary for the establishment but not the maintenance of kainic acid-induced hyperalgesia in mice. *Pain*, 102(1), 39-49. doi.

Tien, L.-T., Lee, Y.-J., Pang, Y., Lu, S., Lee, J. W., Tseng, C.-H., . . . Fan, L.-W. (2017). Neuroprotective Effects of Intranasal IGF-1 against Neonatal Lipopolysaccharide-Induced Neurobehavioral Deficits and Neuronal Inflammation in the Substantia Nigra and Locus Coeruleus of Juvenile Rats. *Developmental Neuroscience*. doi. <https://www.karger.com/Article/Abstract/477898>

Tiernan, C. T., Mufson, E. J., Kanaan, N. M., & Counts, S. E. (2018). Tau Oligomer Pathology in Nucleus Basalis Neurons During the Progression of Alzheimer Disease. *Journal of Neuropathology and Experimental Neurology*, nlx120-nlx120. doi: 10.1093/jnen/nlx120. <http://dx.doi.org/10.1093/jnen/nlx120>

Tilley, E., Whyte, S., Nichols, S., Powell, Z., Chan, F., Cunningham, M. O., . . . Davies, C. H. (2019). The role of astrocytes in seizure generation: insights from a novel in vitro seizure model based on mitochondrial dysfunction. *Brain*, 142(2), 391-411. doi: 10.1093/brain/awy320. <https://dx.doi.org/10.1093/brain/awy320>

Timbie, C., & Barbas, H. (2014). Specialized Pathways from the Primate Amygdala to Posterior Orbitofrontal Cortex. *The Journal of Neuroscience*, 34(24), 8106-8118. doi. <http://www.jneurosci.org/content/34/24/8106.short>

Timbie, C., & Barbas, H. (2015). Pathways for Emotions: Specializations in the Amygdalar, Mediodorsal Thalamic, and Posterior Orbitofrontal Network. *The Journal of Neuroscience*, 35(34), 11976-11987. doi. <http://www.jneurosci.org/content/35/34/11976.short>

Tinkler, G. P., Tobin, J. R., & Voytko, M. L. (2004). Effects of two years of estrogen loss or replacement on nucleus basalis cholinergic neurons and cholinergic fibers to the dorsolateral prefrontal and inferior parietal cortex of monkeys. *Journal of Comparative Neurology*, 469(4), 507-521. doi.

Tinnes, S., Schäfer, M. K. E., Flubacher, A., Münzner, G., Frotscher, M., & Haas, C. A. (2011). Epileptiform activity interferes with proteolytic processing of Reelin required for dentate granule cell positioning. *Faseb Journal*, 25(3), 1002-1013. doi.

Tischfield, D. J., Saraswat, D. K., Furash, A., Fowler, S. C., Fuccillo, M. V., & Anderson, S. A. (2017). Loss of the neurodevelopmental gene *Zswim6* alters striatal morphology and motor regulation. *Neurobiology of Disease*, 103, 174-183. doi: <https://doi.org/10.1016/j.nbd.2017.04.013>. <http://www.sciencedirect.com/science/article/pii/S0969996117300876>

Titsworth, W. L., Cheng, X., Ke, Y., Deng, L., Burckhardt, K. A., Pendleton, C., . . . Xu, X. M. (2009). Differential expression of sPLA2 following spinal cord injury and a functional role for sPLA2-IIA in mediating oligodendrocyte death. *Glia*, 57(14), 1521-1537. doi.

Titsworth, W. L., Onifer, S. M., Liu, N. K., & Xu, X. M. (2007). Focal phospholipases A2 group III injections induce cervical white matter injury and functional deficits with delayed recovery concomitant with Schwann cell remyelination. *Experimental Neurology*, 207(1), 150-162. doi.

Titus, D. J., Johnstone, T., Johnson, N. H., London, S. H., Chapalamadugu, M., Hogenkamp, D., . . . Atkins, C. M. (2019). Positive allosteric modulation of the $\alpha 7$ nicotinic acetylcholine receptor as a treatment for cognitive deficits after traumatic brain injury. *Plos one*, 14(10), e0223180. doi: 10.1371/journal.pone.0223180. <https://doi.org/10.1371/journal.pone.0223180>

Titus, D. J., Wilson, N. M., Alcazar, O., Calixte, D. A., Dalton Dietrich, W., Gurney, M. E., & Atkins, C. M. (2018). A Negative Allosteric Modulator of PDE4D Enhances Learning after Traumatic Brain Injury. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2017.12.008>. <https://www.sciencedirect.com/science/article/pii/S1074742717302162>

Titus, D. J., Wilson, N. M., Freund, J. E., Carballosa, M. M., Sikah, K. E., Furones, C., . . . Atkins, C. M. (2016). Chronic Cognitive Dysfunction after Traumatic Brain Injury Is Improved with a Phosphodiesterase 4B Inhibitor. *The Journal of Neuroscience*, 36(27), 7095-7108. doi. <http://www.jneurosci.org/content/36/27/7095.short>

Tiwari, M., Herman, B., & Morgan, W. W. (2011). A knockout of the caspase 2 gene produces increased resistance of the nigrostriatal dopaminergic pathway to MPTP-induced toxicity Section/category: Neurological Disorders. *Experimental Neurology*. doi.

Tizabi, Y., Hauser, S. R., Tyler, K. Y., Getachew, B., Madani, R., Sharma, Y., & Manaye, K. F. (2010). Effects of nicotine on depressive-like behavior and hippocampal volume of female WKY rats. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 34(1), 62-69. doi.

Tobin, M. K., Musaraca, K., Disouky, A., Shetti, A., Bheri, A., Honer, W. G., . . . Lazarov, O. (2019). Human Hippocampal Neurogenesis Persists in Aged Adults and Alzheimer's Disease Patients. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2019.05.003>. <http://www.sciencedirect.com/science/article/pii/S1934590919302073>

Todd, K. L., Baker, K. L., Eastman, M. B., Kolling, F. W., Trausch, A. G., Nelson, C. E., & Conover, J. C. (2017). EphA4 regulates neuroblast and astrocyte organization in a neurogenic niche. [10.1523/JNEUROSCI.3738-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/03/03/JNEUROSCI.3738-16.2017...>

Tolson, K. P., Gemelli, T., Gautron, L., Elmquist, J. K., Zinn, A. R., & Kublaoui, B. M. (2010). Postnatal Sim1 Deficiency Causes Hyperphagic Obesity and Reduced Mc4r and Oxytocin Expression. *Journal of Neuroscience*, 30(10), 3803-3812. doi: 10.1523/jneurosci.5444-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/10/3803>

Tom, C. M., Younesi, S., Meer, E., Bresee, C., Godoy, M., & Mattis, V. B. (2017). Survival of iPSC-derived grafts within the striatum of immunodeficient mice: Importance of developmental stage of both transplant and host recipient. *Experimental Neurology*. doi: <https://doi.org/10.1016/j.expneurol.2017.07.018>. <http://www.sciencedirect.com/science/article/pii/S0014488617301929>

Tomas, D., Prijanto, A. H., Burrows, E. L., Hannan, A. J., Horne, M. K., & Aumann, T. D. (2015). Environmental Modulations of the Number of Midbrain Dopamine Neurons in Adult Mice. *JoVE (Journal of Visualized Experiments)*, (95), e52329-e52329. doi. <http://www.jove.com/video/52329/environmental-modulations-number-midbrai..>

Tomas, D., Stanic, D., Chua, H. K., White, K., Boon, W. C., & Horne, M. (2016). Restoration of the Dopamine Transporter through Cell Therapy Improves Dyskinesia in a Rat Model of Parkinson's

Disease. Plos one, 11(4), e0153424. doi:
10.1371/journal.pone.0153424. <http://dx.doi.org/10.1371%2Fjournal.pone.0153424>

Tomori, Z., Krekule, I., & Kubínová, L. (2001). DISECTOR program for unbiased estimation of particle number, numerical density and mean volume. *Image Analytical Stereology*, 20, 119-130. doi.

Ton, S. T. (2017). *The Effects of Alcohol and Traumatic Brain Injury on Neural Stem Cell Responses*. Loyola University Chicago.

Ton, S. T., Tsai, S.-Y., Vaagenes, I. C., Glavin, K., Wu, J., Hsu, J., . . . Kartje, G. L. (2019). Subventricular zone neural precursor cell responses after traumatic brain injury and binge alcohol in male rats. *Journal of Neuroscience Research*, 0(0). doi:
doi:10.1002/jnr.24382. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24382>

Tono-Okada, K., Okada, Y., Masuda, M., Hoshi, A., Akatsuka, A., Teramoto, A., . . . Tamaki, T. (2010). Micro 3D Culture System using Hyaluronan-Collagen Capsule for Skeletal Muscle-Derived Stem Cells. *Open Tissue Engineering and Regenerative Medicine Journal*, 3, 18-27. doi.

Toossi, H., del Cid-Pellitero, E., & Jones, B. E. (2016). GABA Receptors on Orexin and Melanin-Concentrating Hormone Neurons Are Differentially Homeostatically Regulated Following Sleep Deprivation. [10.1523/ENEURO.0077-16.2016]. *eneuro*, 3(3).
doi. <http://eneuro.org/content/3/3/ENEURO.0077-16.2016.abstract>

Toossi, H., Del Cid-Pellitero, E., & Jones, B. E. (2017). Homeostatic regulation through GABA and acetylcholine muscarinic receptors of motor trigeminal neurons following sleep deprivation. [journal article]. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-017-1392-4.
4. <http://dx.doi.org/10.1007/s00429-017-1392-4>

Toossi, H., Del Cid-Pellitero, E., Stroh, T., & Jones, B. E. (2012). Somatostatin varicosities contain the vesicular GABA transporter and contact orexin neurons in the hypothalamus. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2012.08253.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08253.x>

Turner, L., Karg, S., Blume, A., Kandasamy, M., Kuhn, H.-G., Winkler, J., . . . Neumann, I. D. (2009). Prolactin Prevents Chronic Stress-Induced Decrease of Adult Hippocampal Neurogenesis and Promotes Neuronal Fate. *Journal of Neuroscience*, 29(6), 1826-1833. doi: 10.1523/jneurosci.3178-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/6/1826>

Torre-Muruzabal, T., Devoght, J., Van den Haute, C., Brône, B., Van der Perren, A., & Baekelandt, V. (2019). Chronic nigral neuromodulation aggravates behavioral deficits and synaptic changes in an α -synuclein based rat model for Parkinson's disease. *Acta Neuropathologica Communications*, 7(1), 160. doi: 10.1186/s40478-019-0814-3. <https://doi.org/10.1186/s40478-019-0814-3>

Torres, L. B., Araujo, B. H. S., Marruaz, K. S., de Souza, J. S., Sousa, B. S., Silva, S. G. d., . . . Cavalheiro, E. A. (2014). Parvalbumin expression and distribution in the hippocampal formation of *Cebus apella*. *American Journal of Primatology*, n/a-n/a. doi:
10.1002/ajp.22366. <http://dx.doi.org/10.1002/ajp.22366>

Torres-Berrío, A., Lopez, J. P., Bagot, R. C., Nouel, D., Dal-Bo, G., Cuesta, S., . . . Flores, C. (2016). DCC confers susceptibility to depression-like behaviors in humans and mice and is regulated by miR-218. *Biological Psychiatry*. doi: <http://dx.doi.org/10.1016/j.biopsych.2016.08.017>. <http://www.sciencedirect.com/science/article/pii/S0006322316327147>

Torres-Platas, S. G., Comeau, S., Rachalski, A., Dal Bo, G., Cruceanu, C., Turecki, G., . . . Mechawar, N. (2014). Morphometric characterization of microglial phenotypes in human cerebral cortex. *Journal of neuroinflammation*, 11, 12. doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3906907/>

Torres-Platas, S. G., Cruceanu, C., Chen, G. G., Turecki, G., & Mechawar, N. (2014). Evidence for increased microglial priming and macrophage recruitment in the dorsal anterior cingulate white matter of depressed suicides. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.05.007>. <http://www.sciencedirect.com/science/article/pii/S0889159114001299>

Torul, D., Bereket, M. C., Onger, M. E., & Altun, G. (2018). Comparison of the Regenerative Effects of Platelet Rich Fibrin and Plasma Rich in Growth Factors on Injured Peripheral Nerve: An Experimental Study. *Journal of Oral and Maxillofacial Surgery*. doi: <https://doi.org/10.1016/j.joms.2018.04.012>. <https://www.sciencedirect.com/science/article/pii/S0278239118303768>

Totterdell, S., Lau, Y. S., Petroske, E., Callen, S., & Meredith, G. E. (2002). Progression of Neurodegeneration in a New Mouse Model of Parkinson's Disease. *Advances in Behavioral Biology*, 52, 465-474. doi:

Toutou, V., Johnson, M. A., Guo, Y., Miller, N. R., & Bernstein, S. L. (2013). Sustained Neuroprotection From a Single Intravitreal Injection of PGJ2 in a Rodent Model of Anterior Ischemic Optic Neuropathy. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iovs.13-12055. <http://www.iovs.org/content/early/2013/10/07/iovs.13-12055.abstract>

Tran, H. T., LaFerla, F. M., Holtzman, D. M., & Brody, D. L. (2011). Controlled Cortical Impact Traumatic Brain Injury in 3xTg-AD Mice Causes Acute Intra-Axonal Amyloid- β Accumulation and Independently Accelerates the Development of Tau Abnormalities. *Journal of Neuroscience*, 31(26), 9513-9525. doi: 10.1523/jneurosci.0858-11.2011. <http://www.jneurosci.org/content/31/26/9513.abstract>

Tran, H. T., Sanchez, L., & Brody, D. L. (2012). Inhibition of JNK by a Peptide Inhibitor Reduces Traumatic Brain Injury-Induced Tauopathy in Transgenic Mice. *Journal of Neuropathology and Experimental Neurology*, 71(2), 116-116. doi:

Tran, H. T., Sanchez, L., Esparza, T. J., & Brody, D. L. (2011). Distinct Temporal and Anatomical Distributions of Amyloid- β and Tau Abnormalities following Controlled Cortical Impact in Transgenic Mice. *PLoS ONE*, 6(9), e25475-e25475. doi:

Traub, R. J., Cao, D.-Y., Karpowicz, J., Pandya, S., Ji, Y., Dorsey, S. G., & Dessem, D. (2014). A clinically relevant animal model of TMD and IBS co-morbidity. *The Journal of Pain*, (0). doi: <http://dx.doi.org/10.1016/j.jpain.2014.06.008>. <http://www.sciencedirect.com/science/article/pii/S1526590014007913>

Traverson, M., Heiden, M., Stanciu, L. A., Nauman, E. A., Jones-Hall, Y., & Breur, G. J. (2018). In Vivo Evaluation of Biodegradability and Biocompatibility of Fe₃₀Mn Alloy. *Vet Comp Orthop Traumatol*, 31(01), 010-016. doi: 10.3415/vcot-17-06-0080.

Trawitzki, B. F., Lilge, L., de Figueiredo, F. A. T., Macedo, A. P., & Issa, J. P. M. (2017). Low-intensity laser therapy efficacy evaluation in mice subjected to acute arthritis condition. *Journal of Photochemistry and Photobiology B: Biology*, 174, 126-132. doi: <http://dx.doi.org/10.1016/j.jphotobiol.2017.07.028>. <http://www.sciencedirect.com/science/article/pii/S1011134416308545>

- Tremblay, M. E., Saint-Pierre, M., Bourhis, E., Lévesque, D., Rouillard, C., & Cicchetti, F. (2006). Neuroprotective effects of cystamine in aged parkinsonian mice. *Neurobiology of Aging*, 27(6), 862-870. doi.
- Tremblay, P., Beaudet, M.-J., Tremblay, E., Rueda, N., Thomas, T., & Vallières, L. (2011). Matrix metalloproteinase 2 attenuates brain tumour growth, while promoting macrophage recruitment and vascular repair. *Journal of Pathology*, 224(2), 222-233. doi: 10.1002/path.2854. <http://dx.doi.org/10.1002/path.2854>
- Trévia, N., Almeida, I. N. F., Oliveira, P. S., Warwick, L. V., Marques, V., Santos, D. C., . . . Picanço-Diniz, C. W. (2011). Enriched environment contributes to recovery of visual acuity and increases perineuronal nets in monocular-deprived animals. *Psychology and Neuroscience*, 4(1), 49-56. doi.
- Trigueiros-Cunha, N., Leão, P., Renard, N., Tavares, M. A., & Eybalin, M. (2006). Prenatal cocaine exposure accelerates morphological changes and transient expression of tyrosine hydroxylase in the cochlea of developing rats. *Brain Research*, 1086(1), 55-64. doi.
- Trinh, A.-T., Harvey-Girard, E., Teixeira, F., & Maler, L. (2015). Cryptic laminar and columnar organization in the dorsolateral pallium of a weakly electric fish. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23874. <http://dx.doi.org/10.1002/cne.23874>
- Tripanichkul, W., Stanic, D., Drago, J., Finkelstein, D. I., & Horne, M. K. (2003). D2 Dopamine receptor blockade results in sprouting of DA axons in the intact animal but prevents sprouting following nigral lesions. *European Journal of Neuroscience*, 17(5), 1033-1045. doi: doi:10.1046/j.1460-9568.2003.02547.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02547.x>
- Tripathi, S. J., Chakraborty, S., Srikumar, B. N., Raju, T. R., & Shankaranarayana Rao, B. S. (2018). Inactivation of Basolateral Amygdala Prevents Stress-Induced Astroglial Loss in the Prefrontal Cortex. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1057-1. <https://doi.org/10.1007/s12035-018-1057-1>
- Tripathi, S. J., Chakraborty, S., Srikumar, B. N., Raju, T. R., & Shankaranarayana Rao, B. S. (2018). Prevention of chronic immobilization stress-induced enhanced expression of glucocorticoid receptors in the prefrontal cortex by inactivation of basolateral amygdala. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2017.12.006>. <https://www.sciencedirect.com/science/article/pii/S0891061817301801>
- Tripathi, S. J., Chakraborty, S., Srikumar, B. N., Raju, T. R., & Shankaranarayana Rao, B. S. (2019). Basolateral amygdalar inactivation blocks chronic stress-induced lamina-specific reduction in prefrontal cortex volume and associated anxiety-like behavior. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 88, 194-207. doi: <https://doi.org/10.1016/j.pnpbp.2018.07.016>. <http://www.sciencedirect.com/science/article/pii/S0278584618301933>
- Trivedi, A., Tercovich, K. G., Casbon, A. J., Raber, J., Lowell, C., & Noble-Haeusslein, L. J. (2021). Neutrophil-specific deletion of Syk results in recruitment-independent stabilization of the barrier and a long-term improvement in cognitive function after traumatic injury to the developing brain. *Neurobiology of Disease*, 157, 105430. doi: <https://doi.org/10.1016/j.nbd.2021.105430>. <https://www.sciencedirect.com/science/article/pii/S0969996121001790>

Tronel, S., Lemaire, V., Charrier, V., Montaron, M.-F., & Abrous, D. (2014). Influence of ontogenetic age on the role of dentate granule neurons. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-014-0715-y. <http://dx.doi.org/10.1007/s00429-014-0715-y>

Trouche, S., Koren, V., Doig, N. M., Ellender, T. J., El-Gaby, M., Lopes-dos-Santos, V., . . . Dupret, D. (2019). A Hippocampus-Accumbens Tripartite Neuronal Motif Guides Appetitive Memory in Space. *Cell*. doi: <https://doi.org/10.1016/j.cell.2018.12.037>. <http://www.sciencedirect.com/science/article/pii/S092867418316519>

Trouche, S., Perestenko, P. V., van de Ven, G. M., Bratley, C. T., McNamara, C. G., Campo-Urriza, N., . . . Dupret, D. (2016). Recoding a cocaine-place memory engram to a neutral engram in the hippocampus. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4250

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4250.html#suppl.....> <http://dx.doi.org/10.1038/nn.4250>

Truitt, W. A., Johnson, P. L., Dietrich, A. D., Fitz, S. D., & Shekhar, A. (2009). Anxiety-like behavior is modulated by a discrete subpopulation of interneurons in the basolateral amygdala. *Neuroscience*, 160(2), 284-294. doi:

Truong, D. T., Bonet, A., Rendall, A. R., Rosen, G. D., & Fitch, R. H. (2013). A Behavioral Evaluation of Sex Differences in a Mouse Model of Severe Neuronal Migration Disorder. *Plos one*, 8(9), e73144. doi: 10.1371/journal.pone.0073144. <http://dx.doi.org/10.1371%2Fjournal.pone.0073144>

Truong, D. T., Rendall, A. R., Rosen, G. D., & Fitch, R. H. (2014). Morphometric changes in subcortical structures of the central auditory pathway in mice with bilateral nodular heterotopia. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.12.046>. <http://www.sciencedirect.com/science/article/pii/S0166432814008493>

Truong, D. T., Venna, V. R., McCullough, L. D., & Fitch, R. H. (2012). Deficits in auditory, cognitive, and motor processing following reversible middle cerebral artery occlusion in mice. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.08.011. <http://www.sciencedirect.com/science/article/pii/S0014488612003202>

Trutzer, I. M., García-Cabezas, M. Á., & Zikopoulos, B. (2019). Postnatal development and maturation of layer 1 in the lateral prefrontal cortex and its disruption in autism. [journal article]. *Acta Neuropathologica Communications*, 7(1), 40. doi: 10.1186/s40478-019-0684-8. <https://doi.org/10.1186/s40478-019-0684-8>

Trzeciecka, A., Paterno, J. J., Toropainen, E., Koskela, A., Podracka, L., Korhonen, E., . . . Smedowski, A. (2016). Long-term topical application of preservative-free prostaglandin analogues evokes macrophage infiltration in the ocular adnexa. *European Journal of Pharmacology*, 788, 12-20. doi: <http://dx.doi.org/10.1016/j.ejphar.2016.06.014>. <http://www.sciencedirect.com/science/article/pii/S0014299916303727>

Tsai, E., Alkherayf, F., Olariu, E., Berthiaume, A., Nguyen, T. B., Santos, M. P. D., . . . Cameron, I. (2008). Clinical Value of Tractography in the Spinal Cord. *Journal of Neurotrauma*, 25, 854-935. doi:

Tsai, J.-L., Josepriya, T. A., Hu, K.-Y., Yan, H.-Y., Shen, S.-T., & Song, Y.-L. (2013). Grouper interleukin-12, linked by an ancient disulfide bond architecture, exhibits cytokine and chemokine activities. *Fish & Shellfish Immunology*, (0). doi: <http://dx.doi.org/10.1016/j.fsi.2013.10.009>. <http://www.sciencedirect.com/science/article/pii/S1050464813008061>

Tsai, M. H., Wei, I., Jiang-Shieh, Y. F., Jou, M. J., Ko, M. H., Chen, H. M., . . . others. (2008). Expression of protein gene product 9.5, tyrosine hydroxylase and serotonin in the pineal gland of rats with streptozotocin-induced diabetes. *Neuroscience Research*, 60(3), 233-243. doi.

Tsai, M.-S., Lee, M.-L., Chang, C.-Y., Fan, H.-H., Yu, I. S., Chen, Y.-T., . . . Lin, S.-W. (2015). Functional and structural deficits of the dentate gyrus network coincide with emerging spontaneous seizures in an Scn1a mutant Dravet Syndrome model during development. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.010>. <http://www.sciencedirect.com/science/article/pii/S0969996115000376>

Tschanz, S., Schneider, J. P., & Knudsen, L. (2013). Design-based stereology: Planning, volumetry and sampling are crucial steps for a successful study. *Annals of Anatomy - Anatomischer Anzeiger*, (0). doi: <http://dx.doi.org/10.1016/j.aanat.2013.04.011>. <http://www.sciencedirect.com/science/article/pii/S0940960213000964>

Tschanz, S. A., Burri, P. H., & Weibel, E. R. (2011). A simple tool for stereological assessment of digital images: the STEPanizer. *Journal of Microscopy*, no-no. doi: 10.1111/j.1365-2818.2010.03481.x. <http://dx.doi.org/10.1111/j.1365-2818.2010.03481.x>

Tse, V., Xu, L., Yung, Y., Santarelli, J., Juan, D., Fabel, K., . . . Harsh, G. (2003). The temporal-spatial expression of VEGF, angiopoietins-1 and 2, and Tie-2 during tumor angiogenesis and their functional correlation with tumor neovascular architecture. *Neurological Research*, 25(7), 729-738. doi.

Tsen, A. R., Long, P. M., Driscoll, H. E., Davies, M. T., Teasdale, B. A., Penar, P. L., . . . Jaworski, D. M. (2013). Triacetin-based acetate supplementation as a chemotherapeutic adjuvant therapy in glioma. *International Journal of Cancer*, n/a-n/a. doi: 10.1002/ijc.28465. <http://dx.doi.org/10.1002/ijc.28465>

Tsenkina, Y., Ricard, J., Runko, E., Quijala- Acosta, M. M., Mier, J., & Liebl, D. J. (2015). EphB3 receptors function as dependence receptors to mediate oligodendrocyte cell death following contusive spinal cord injury. [Original Article]. *Cell Death Dis*, 6, e1922. doi: 10.1038/cddis.2015.262. <http://dx.doi.org/10.1038/cddis.2015.262>

Tsika, E., Kannan, M., Foo, C. S.-Y., Dikeman, D., Glauser, L., Gellhaar, S., . . . Moore, D. J. (2014). Conditional expression of Parkinson's disease-related R1441C LRRK2 in midbrain dopaminergic neurons of mice causes nuclear abnormalities without neurodegeneration. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.08.027>. <http://www.sciencedirect.com/science/article/pii/S0969996114002587>

Tsika, E., Nguyen, A. P. T., Dusonchet, J., Colin, P., Schneider, B. L., & Moore, D. J. (2015). Adenoviral-mediated expression of G2019S LRRK2 induces striatal pathology in a kinase-dependent manner in a rat model of Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.019>. <http://www.sciencedirect.com/science/article/pii/S0969996115000534>

- Tsukahara, S., Tsuda, M. C., Kurihara, R., Kato, Y., Kuroda, Y., Nakata, M., . . . Ogawa, S. (2011). Effects of Aromatase or Estrogen Receptor Gene Deletion on Masculinization of the Principal Nucleus of the Bed Nucleus of the Stria Terminalis of Mice. *Neuroendocrinology*, 94(2), 137-147. doi.
- Tsunemi, T., Ashe, T. D., Morrison, B. E., Soriano, K. R., Au, J., Roque, R. A. V., . . . La Spada, A. R. (2012). PGC-1 α Rescues Huntington's Disease Proteotoxicity by Preventing Oxidative Stress and Promoting TFEB Function. *Science translational medicine*, 4(142), 142ra197. doi: 10.1126/scitranslmed.3003799. <http://stm.sciencemag.org/content/4/142/142ra97.abstract>
- Tsuru-Aoyagi, K., Potts, M. B., Trivedi, A., Pfankuch, T., Raber, J., Wendland, M., . . . Noble-Haeusslein, L. J. (2009). Glutathione peroxidase activity modulates recovery in the injured immature brain. *Annals of Neurology*, 65(5), 540-549. doi.
- Tucker, G. T., Casey, C., Phillips, P. J., Connor, H., Ward, J. D., & Woods, H. F. (1981). Metformin kinetics in healthy subjects and in patients with diabetes mellitus. *British Journal of Clinical Pharmacology*, 12. doi: 10.1111/j.1365-2125.1981.tb01206.x. <http://dx.doi.org/10.1111/j.1365-2125.1981.tb01206.x>
- Tucker, S. M., Borchelt, D. R., & Troncoso, J. C. (2008). Limited Clearance of Pre-Existing Amyloid Plaques After Intracerebral Injection of A β Antibodies in Two Mouse Models of Alzheimer's Disease. *Journal of Neuropathology and Experimental Neurology*, 67(1), 30-30. doi.
- Tug, N., Uslu, U., Cumbul, A., Eyuboglu, S., Cam, C., Karateke, A., & Yilmaz, B. (2011). Effects of the gonadotropin-releasing hormone antagonist cetrorelix in the early postimplantation period on rat pregnancy. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 155(2), 166-170. doi.
- Tung, L.-W., Lu, G.-L., Lee, Y.-H., Yu, L., Lee, H.-J., Leishman, E., . . . Chiou, L.-C. (2016). Orexins contribute to restraint stress-induced cocaine relapse by endocannabinoid-mediated disinhibition of dopaminergic neurons. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms12199. <http://dx.doi.org/10.1038/ncomms12199>
- Tuoc, T., Dere, E., Radyushkin, K., Pham, L., Nguyen, H., Tonchev, A. B., . . . Stoykova, A. (2016). Ablation of BAF170 in Developing and Postnatal Dentate Gyrus Affects Neural Stem Cell Proliferation, Differentiation, and Learning. [journal article]. *Molecular Neurobiology*, 1-18. doi: 10.1007/s12035-016-9948-5. <http://dx.doi.org/10.1007/s12035-016-9948-5>
- Turan, R. B., & Okur, A. (2012). The Variation of the Yarn Cross-Section in Fabric. *Textile Research Journal*. doi.
- Turan, R. B., Okur, A., Deveci, R., & Açıkel, M. (2012). Predicting the Intra-Yarn Porosity by Image Analysis Method. *Textile Research Journal*. doi.
- Turcato, F., Kim, P., Barnett, A., Jin, Y., Scerba, M., Casey, A., . . . Luo, Y. (2018). Sequential combined Treatment of Pifithrin- α and Posiphen Enhances Neurogenesis and Functional Recovery After Stroke. *Cell Transplantation*, 0963689718766328. doi: 10.1177/0963689718766328. <https://doi.org/10.1177/0963689718766328>
- Turegano-Lopez, M., Santuy, A., DeFelipe, J., & Merchan-Perez, A. (2019). Size, Shape, and Distribution of Multivesicular Bodies in the Juvenile Rat Somatosensory Cortex: A 3D Electron Microscopy Study. *Cerebral Cortex*. doi: 10.1093/cercor/bhz211. <https://doi.org/10.1093/cercor/bhz211>

Türer, A., Coşkun Türer, Ç., Durmuşlar, M. C., Ballı, U., & Önger, M. E. (2016). The influence of oral administration of rosuvastatin on calvarial bone healing in rats. *Journal of Cranio-Maxillofacial Surgery*. doi: <http://dx.doi.org/10.1016/j.jcms.2016.04.021>. <http://www.sciencedirect.com/science/article/pii/S1010518216300300>

Türkmen, E., & Pata, Y. S. (2019). Prevention of tracheal stenosis with pirfenidone after tracheotomy: An experimental study. *The Laryngoscope*, 0(0). doi: 10.1002/lary.27704. <https://onlinelibrary.wiley.com/doi/abs/10.1002/lary.27704>

Turner, C. P., Gutierrez, S., Liu, C., Miller, L., Chou, J., Finucane, B., . . . Phillips, A. (2012). Strategies to defeat ketamine-induced neonatal brain injury. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.02.015. <http://www.sciencedirect.com/science/article/pii/S0306452212001388>

Turner, R. C., Naser, Z. J., Bailes, J. E., Smith, D. W., Fisher, J. A., & Rosen, C. L. (2012). Effect of slosh mitigation on histologic markers of traumatic brain injury. *Journal of Neurosurgery*, 0(0), 1-9. doi: 10.3171/2012.8.JNS12358. <http://thejns.org/doi/abs/10.3171/2012.8.JNS12358>

Turner, R. C., Naser, Z. J., Logsdon, A. F., DiPasquale, K. H., Jackson, G. J., Robson, M. J., . . . Rosen, C. L. (2013). Modeling clinically relevant blast parameters based on scaling principles produces functional & histological deficits in rats. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.07.008>. <http://www.sciencedirect.com/science/article/pii/S0014488613002185>

Turner, R. C., Naser, Z. J., Lucke-Wold, B. P., Logsdon, A. F., Vangilder, R. L., Matsumoto, R. R., . . . Rosen, C. L. (2017). Single low-dose lipopolysaccharide preconditioning: neuroprotective against axonal injury and modulates glial cells. [Lipopolysaccharide preconditioning, oncostatin M receptor, diffuse axonal injury, gliosis, neuroprotection]. *Neuroimmunology and Neuroinflammation*, 4(1), 6-15. doi: <http://nnjournal.net/article/view/1695>

Tuunanen, J., & Pitkänen, A. (2000). Do seizures cause neuronal damage in rat amygdala kindling? *Epilepsy Research*, 39(2), 171-176. doi.

Tyler, C. R., & Allan, A. M. (2013). Adult Hippocampal Neurogenesis and mRNA Expression are Altered by Perinatal Arsenic Exposure in Mice and Restored by Brief Exposure to Enrichment. *Plos one*, 8(9), e73720. doi: 10.1371/journal.pone.0073720. <http://dx.doi.org/10.1371/journal.pone.0073720>

Tyler, C. R., Solomon, B. R., Ulibarri, A. L., & Allan, A. M. (2014). Fluoxetine treatment ameliorates depression induced by perinatal arsenic exposure via a neurogenic mechanism. *Neurotoxicology*, 44(0), 98-109. doi: <http://dx.doi.org/10.1016/j.neuro.2014.06.006>. <http://www.sciencedirect.com/science/article/pii/S0161813X14000977>

Tyrrell, L. P., & Fernández-Juricic, E. (2017). The Hawk-Eyed Songbird: Retinal Morphology, Eye Shape, and Visual Fields of an Aerial Insectivore. *The American Naturalist*, 0(0), 000-000. doi: 10.1086/691404. <http://www.journals.uchicago.edu/doi/abs/10.1086/691404>

Tyrrell, L. P., Teixeira, L. B. C., Dubielzig, R. R., Pita, D., Baumhardt, P., Moore, B. A., & Fernández-Juricic, E. (2019). A novel cellular structure in the retina of insectivorous birds. *Scientific Reports*, 9(1), 15230. doi: 10.1038/s41598-019-51774-w. <https://doi.org/10.1038/s41598-019-51774-w>

Tzakis, N., Bosnic, T., Ritchie, T., Dixon, K., & Holahan, M. R. (2016). The effect of AMPA receptor blockade on spatial information acquisition, consolidation and expression in juvenile rats. *Neurobiology of Learning and Memory*, 133, 145-156. doi: <http://dx.doi.org/10.1016/j.nlm.2016.06.023>, <http://www.sciencedirect.com/science/article/pii/S1074742716300983>

Ubeda-Bañon, I., Saiz-Sanchez, D., Flores-Cuadrado, A., Rioja-Corroto, E., Gonzalez-Rodriguez, M., Villar-Conde, S., . . . Martinez-Marcos, A. (2020). The human olfactory system in two proteinopathies: Alzheimer's and Parkinson's diseases. *Translational Neurodegeneration*, 9(1), 22. doi: 10.1186/s40035-020-00200-7. <https://doi.org/10.1186/s40035-020-00200-7>

Ubhi, K., Inglis, C., Mante, M., Patrick, C., Adame, A., Spencer, B., . . . Masliah, E. (2012). Fluoxetine ameliorates behavioral and neuropathological deficits in a transgenic model mouse of α -synucleinopathy. *Experimental Neurology*. doi.

Ubhi, K., Rockenstein, E., Doppler, E., Mante, M., Adame, A., Patrick, C., . . . others. (2009). Neurofibrillary and neurodegenerative pathology in APP-transgenic mice injected with AAV2-mutant TAU: neuroprotective effects of Cerebrolysin. *Acta Neuropathologica*, 117(6), 699-712. doi.

Ubhi, K., Rockenstein, E., Mante, M., Inglis, C., Adame, A., Patrick, C., & Masliah, E. (2010). Alpha-synuclein deficient mice are resistant to toxin-induced multiple system atrophy. *Neuroreport*, 21(6), 457-457. doi.

Ubhi, K., Rockenstein, E., Mante, M., Inglis, C., Adame, A., Patrick, C., . . . Masliah, E. (2010). Neurodegeneration in a Transgenic Mouse Model of Multiple System Atrophy Is Associated with Altered Expression of Oligodendroglial-Derived Neurotrophic Factors. *Journal of Neuroscience*, 30(18), 6236-6246. doi: 10.1523/jneurosci.0567-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/18/6236>

Üçel, U. İ., Can, Ö. D., Demir Özkay, Ü., & Ulupinar, E. (2020). Antiamnesic effects of tofisopam against scopolamine-induced cognitive impairments in rats. *Pharmacology Biochemistry and Behavior*, 190, 172858. doi: <https://doi.org/10.1016/j.pbb.2020.172858>, <http://www.sciencedirect.com/science/article/pii/S0091305719305192>

Uchida, K., Otsuka, H., Morishita, M., Tsukahara, S., Sato, T., Sakimura, K., & Itoi, K. (2019). Female-biased sexual dimorphism of corticotropin-releasing factor neurons in the bed nucleus of the stria terminalis. [journal article]. *Biology of Sex Differences*, 10(1), 6. doi: 10.1186/s13293-019-0221-2. <https://doi.org/10.1186/s13293-019-0221-2>

Uchida, N., Chen, K., Dohse, M., Hansen, K. D., Dean, J., Buser, J. R., . . . Back, S. A. (2012). Human Neural Stem Cells Induce Functional Myelination in Mice with Severe Dysmyelination. *Science translational medicine*, 4(155), 155ra136. doi: 10.1126/scitranslmed.3004371. <http://stm.sciencemag.org/content/4/155/155ra136.abstract>

Uddin, M., Opzao, J., Wildman, D., Sherwood, C., Hof, P., Goodman, M., & Grossman, L. (2008). Molecular evolution of the cytochrome c oxidase subunit 5A gene in primates. *BMC Evolutionary Biology*, 8(1), 8. doi: <http://www.biomedcentral.com/1471-2148/8/8>

Ueda, S., Sakakibara, S., Nakadate, K., Noda, T., Shinoda, M., & Joyce, J. N. (2005). Degeneration of dopaminergic neurons in the substantia nigra of zitter mutant rat and protection by chronic intake of vitamin E. *Neuroscience Letters*, 380(3), 252-256. doi.

Ueda, S., Sakakibara, S., & Yoshimoto, K. (2005). Effect of long-lasting serotonin depletion on environmental enrichment-induced neurogenesis in adult rat hippocampus and spatial learning. *Neuroscience*, 135(2), 395-402. doi.

Ueda, S., Yamaguchi, T., & Ehara, A. (2020). Neonatal shaking brain injury changes psychological stress-induced neuronal activity in adult male rats. *Neuroscience Letters*, 134744. doi: <https://doi.org/10.1016/j.neulet.2020.134744>. <http://www.sciencedirect.com/science/article/pii/S0304394020300148>

Ueda, S., Yoshimoto, K., Kadowaki, T., Hirata, K., & Sakakibara, S. (2010). Improved learning in microencephalic rats. *Congenital Anomalies*, 50(1), 58-63. doi.

Uhlmann, R. E., Rother, C., Rasmussen, J., Schelle, J., Bergmann, C., Ullrich Gavilanes, E. M., . . . Jucker, M. (2020). Acute targeting of pre-amyloid seeds in transgenic mice reduces Alzheimer-like pathology later in life. *Nature Neuroscience*, 23(12), 1580-1588. doi: 10.1038/s41593-020-00737-w. <https://doi.org/10.1038/s41593-020-00737-w>

Ullah, F., Asgarov, R., Venigalla, M., Liang, H., Niedermayer, G., Münch, G., & Gyengesi, E. (2020). Effects of a solid lipid curcumin particle formulation on chronic activation of microglia and astroglia in the GFAP-IL6 mouse model. *Scientific Reports*, 10(1), 2365. doi: 10.1038/s41598-020-58838-2. <https://doi.org/10.1038/s41598-020-58838-2>

Ullmann, J. F. P., Moore, B. A., Temple, S. E., Fernández-Juricic, E., & Collin, S. P. (2012). The Retinal Wholmount Technique: A Window to Understanding the Brain and Behaviour. *Brain, Behavior and Evolution*, 79(1), 26-44. doi.

Ullner, P. M., Di Nardo, A., Goldman, J. E., Schobel, S., Yang, H., Engelstad, K., . . . De Vivo, D. C. (2009). Murine Glut-1 transporter haploinsufficiency: postnatal deceleration of brain weight and reactive astrocytosis. *Neurobiology of Disease*, 36(1), 60-69. doi.

Ullrich, N., Strecker, J.-K., Minnerup, J., & Schilling, M. (2014). The temporo-spatial localization of polymorphonuclear cells related to the neurovascular unit after transient focal cerebral ischemia. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.08.037>. <http://www.sciencedirect.com/science/article/pii/S0006899314011123>

Ulubay, M., Yahyazadeh, A., Deniz, Ö. G., Kivrak, E. G., Altunkaynak, B. Z., Erdem, G., & Kaplan, S. (2014). Effects of prenatal 900 MHz electromagnetic field exposures on the histology of rat kidney. *International Journal of Radiation Biology*, 0(ja), 1-25. doi: 10.3109/09553002.2014.950436. <http://informahealthcare.com/doi/abs/10.3109/09553002.2014.950436>

Ulupinar, E., Erol, K., Ay, H., & Yucel, F. (2015). Rearing conditions differently affect the motor performance and cerebellar morphology of prenatally stressed juvenile rats. *Behavioural Brain Research*, 278(0), 235-243. doi: <http://dx.doi.org/10.1016/j.bbr.2014.10.003>. <http://www.sciencedirect.com/science/article/pii/S0166432814006500>

Ulusoy, A., Musgrove, R., Rusconi, R., Klinkenberg, M., Helwig, M., Schneider, A., & Di Monte, D. (2015). Neuron-to-neuron α -synuclein propagation in vivo is independent of neuronal injury. *Acta Neuropathologica Communications*, 3(1), 1-13. doi: 10.1186/s40478-015-0198-y. <http://dx.doi.org/10.1186/s40478-015-0198-y>

Ulusoy, A., Phillips, R. J., Helwig, M., Klinkenberg, M., Powley, T. L., & Di Monte, D. A. (2016). Brain-to-stomach transfer of α -synuclein via vagal preganglionic projections. [journal article]. *Acta Neuropathologica*, 1-13. doi: 10.1007/s00401-016-1661-y. <http://dx.doi.org/10.1007/s00401-016-1661-y>

Ulusoy, A., Rusconi, R., Pérez-Revuelta, B. I., Musgrove, R. E., Helwig, M., Winzen-Reichert, B., & Di Monte, D. A. (2013). Caudo-rostral Brain Spreading of α -Synuclein through Vagal Connections. *EMBO Molecular Medicine*, n/a-n/a. doi: 10.1002/emmm.201302475. <http://dx.doi.org/10.1002/emmm.201302475>

Umeano, O., Wang, H., Dawson, H., Lei, B., Umeano, A., Kernagis, D., & James, M. L. (2017). Female gonadal hormone effects on microglial activation and functional outcomes in a mouse model of moderate traumatic brain injury. *World Journal of Critical Care Medicine*, 6(2), 107-115. doi: 10.5492/wjccm.v6.i2.107. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5415850/>

Unal, B., Ibanez-Sandoval, O., Shah, F., Abercrombie, E. D., & Tepper, J. M. (2011). Distribution of tyrosine hydroxylase-expressing interneurons with respect to anatomical organization of the neostriatum. *Frontiers in Systems Neuroscience*, 5. doi.

Unal, B., Kara, A., Aksak, S., & Unal, D. (2010). A Stereological Assessment Method for Estimating the Surface Area of Cycloids. *The Eurasian Journal of Medicine*, 42(2), 66-73. doi.

Unal, B., Shah, F., Kothari, J., & Tepper, J. (2013). Anatomical and electrophysiological changes in striatal TH interneurons after loss of the nigrostriatal dopaminergic pathway. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-013-0658-8. <http://dx.doi.org/10.1007/s00429-013-0658-8>

Unal, D., Aksak, S., Halici, Z., Sengul, O., Polat, B., Unal, B., & Halici, M. (2011). Effects of diabetes mellitus on the rat liver during the postmenopausal period. *Journal of molecular histology*, 1-15. doi.

Unal, G., Crump, M. G., Viney, T. J., Éltés, T., Katona, L., Klausberger, T., & Somogyi, P. (2018). Spatio-temporal specialization of GABAergic septo-hippocampal neurons for rhythmic network activity. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1626-0. <https://doi.org/10.1007/s00429-018-1626-0>

Underwood, M. D., Kassir, S. A., Bakalian, M. J., Galfalvy, H., Mann, J. J., & Arango, V. (2011). Neuron density and serotonin receptor binding in prefrontal cortex in suicide. *International Journal of Neuropsychopharmacology*, 1(1), 1-13. doi.

Underwood, M. D., Kassir, S. A., Bakalian, M. J., Galfalvy, H., Mann, J. J., & Arango, V. (2013). Research Article Neuron density and serotonin receptor binding in prefrontal cortex in suicide. doi.

Unkruer, B., Pekcec, A., Fuest, C., Wehmeyer, A., Balda, M., Horn, A., . . . Potschka, H. (2009). Cellular localization of Y-box binding protein 1 in brain tissue of rats, macaques, and humans. *BioMed Central Neuroscience*, 10(1), 28. doi. <http://www.biomedcentral.com/1471-2202/10/28>

Unsain, N., Higgins, Julia M., Parker, Kristen N., Johnstone, Aaron D., & Barker, Philip A. (2013). XIAP Regulates Caspase Activity in Degenerating Axons. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.07.015>. <http://www.sciencedirect.com/science/article/pii/S2211124713003628>

Upadhyay, D., Hattiangady, B., Shetty, G. A., Zanirati, G., Kodali, M., & Shetty, A. K. (2016). Neural Stem Cell or Human Induced Pluripotent Stem Cell-Derived GABA-ergic Progenitor Cell Grafting in an

Animal Model of Chronic Temporal Lobe Epilepsy Current Protocols in Stem Cell Biology: John Wiley & Sons, Inc.

Uppal, N., Wicinski, B., Buxbaum, J. D., Heinsen, H., Schmitz, C., & Hof, P. R. (2014). Neuropathology of the Anterior Midcingulate Cortex in Young Children With Autism. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.000000000000108. doi: <http://journals.lww.com/jneuropath/Fulltext/publishahead/Neuropathology...>

Upton, D., Fuller, E., Colvin, E., Walters, K., Jimenez, M., Desai, R., . . . Allan, C. (2015). Granulosa Cell-Specific Brca1 Loss Alone or Combined with Trp53 Haploinsufficiency and Transgenic FSH Expression Fails to Induce Ovarian Tumors. *Hormones and Cancer*, 1-11. doi: 10.1007/s12672-015-0222-5. <http://dx.doi.org/10.1007/s12672-015-0222-5>

Upton, D. H., Walters, K. A., Allavena, R. E., Jimenez, M., Desai, R., Handelsman, D. J., & Allan, C. M. (2016). Global or Granulosa Cell-Specific Pten Mutations in Combination with Elevated FSH Levels Fail to Cause Ovarian Tumours in Mice. [journal article]. *Hormones and Cancer*, 1-11. doi: 10.1007/s12672-016-0272-3. <http://dx.doi.org/10.1007/s12672-016-0272-3>

Urbach, A., Brueckner, J., & Witte, O. W. (2014). Cortical spreading depolarization stimulates gliogenesis in the rat entorhinal cortex. [Original Article]. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1038/jcbfm.2014.232. <http://dx.doi.org/10.1038/jcbfm.2014.232>

Urban, E., Bury, S., Barbay, H., Guggenmos, D., Dong, Y., & Nudo, R. (2012). Gene expression changes of interconnected spared cortical neurons 7 days after ischemic infarct of the primary motor cortex in the rat. *Molecular and Cellular Biochemistry*, 1-20. doi: 10.1007/s11010-012-1390-z. <http://dx.doi.org/10.1007/s11010-012-1390-z>

Uribe, V., Wong, B. K. Y., Graham, R. K., Cusack, C. L., Skotte, N. H., Pouladi, M. A., . . . Hayden, M. R. (2012). Rescue from excitotoxicity and axonal degeneration accompanied by age-dependent behavioral and neuroanatomical alterations in caspase-6-deficient mice. *Human Molecular Genetics*, dds005. doi: 10.1093/hmg/ddso05. <http://hmg.oxfordjournals.org/cgi/content/abstract/dds005v2>

Urrea, C., Castellanos, D. A., Sagen, J., Tsoulfas, P., Bramlett, H. M., & Dietrich, W. D. (2007). Widespread cellular proliferation and focal neurogenesis after traumatic brain injury in the rat. *Restorative Neurology and Neuroscience*, 25(1), 65-76. doi.

Utagawa, A., Bramlett, H. M., Daniels, L., Lotocki, G., Dekaban, G. A., Weaver, L. C., & Dietrich, W. D. (2008). Transient blockage of the CD11d/CD18 integrin reduces contusion volume and macrophage infiltration after traumatic brain injury in rats. *Brain Research*, 1207, 155-163. doi.

Uylings, H., Arigita, E. J. S., de Vos, K., Pool, C. W., Evers, P., & Rajkowska, G. (2010). 3-D Cytoarchitectonic parcellation of human orbitofrontal cortex:: Correlation with postmortem MRI. *Psychiatry Research: Neuroimaging*, 183(1), 1-20. doi.

Uzkeser, M., Sahin, H., Ozogul, B., Cayir, Y., Alper, F., & Emet, M. (2013). Defining the percentage of intra-abdominal hemorrhage in abdominal computerized tomography using stereology in patients with blunt liver injury and determining its relationship with outcomes. *Journal of Trauma and Acute Care Surgery*, 74(1), 224-229. doi: 10.1097/TA.1090b1013e318270df318270e. doi: http://journals.lww.com/jtrauma/Fulltext/2013/01000/Defining_the_percent...

Uzunoglu, E., Ilgin, C., Yuruker, S., & Görduysus, M. (2015). Radiological, stereological, and microscopic evaluation of the quality of canal fillings in oval-shaped root canals prepared with self-adjusting file. *Scanning*, n/a-n/a. doi: 10.1002/sca.21289. <http://dx.doi.org/10.1002/sca.21289>

- Vadasz, C., Smiley, J. F., Figarsky, K., Saito, M., Toth, R., Gyetvai, B. M., . . . Wang, R. (2007). Mesencephalic dopamine neuron number and tyrosine hydroxylase content: genetic control and candidate genes. *Neuroscience*, 149(3), 561-572. doi.
- Valko, P. O., Gavrilov, Y. V., Yamamoto, M., Finn, K., Reddy, H., Haybaeck, J., . . . Baumann, C. R. (2014). Damage to histaminergic tuberomammillary neurons and other hypothalamic neurons with traumatic brain injury. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24298. <http://dx.doi.org/10.1002/ana.24298>
- Valko, P. O., Gavrilov, Y. V., Yamamoto, M., Reddy, H., Haybaeck, J., Mignot, E., . . . Scammell, T. E. (2013). Increase of histaminergic tuberomammillary neurons in narcolepsy. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24019. <http://dx.doi.org/10.1002/ana.24019>
- Vallieres, L., Campbell, I. L., Gage, F. H., & Sawchenko, P. E. (2002). Reduced Hippocampal Neurogenesis in Adult Transgenic Mice with Chronic Astrocytic Production of Interleukin-6. *Journal of Neuroscience*, 22(2), 486-492. doi. <http://www.jneurosci.org/cgi/content/abstract/22/2/486>
- Valonen, P. K., Lehtimäki, K. K., Väisänen, T. H., Kettunen, M. I., Gröhn, O. H. J., Ylä-Herttuala, S., & Kauppinen, R. A. (2004). Water diffusion in a rat glioma during ganciclovir-thymidine kinase gene therapy-induced programmed cell death in vivo: Correlation with cell density. *Journal of Magnetic Resonance Imaging*, 19(4), 389-396. doi.
- Van Bokhoven, P., Oomen, C. A., Hoogendijk, W. J. G., Smit, A. B., Lucassen, P. J., & Spijker, S. (2011). Reduction in hippocampal neurogenesis after social defeat is long-lasting and responsive to late antidepressant treatment. *European Journal of Neuroscience*. doi.
- Van Camp, N., Blockx, I., Verhoye, M., Casteels, C., Coun, F., Leemans, A., . . . Van der Linden, A. (2009). Diffusion tensor imaging in a rat model of Parkinson's disease after lesioning of the nigrostriatal tract. *NMR in Biomedicine*, 22(7), 697-706. doi.
- Van Camp, N., Vreys, R., Van Laere, K., Lauwers, E., Beque, D., Verhoye, M., . . . others. (2010). Morphologic and functional changes in the unilateral 6-hydroxydopamine lesion rat model for Parkinson's disease discerned with μ SPECT and quantitative MRI. *Magnetic Resonance Materials in Physics, Biology and Medicine*, 23(2), 65-75. doi.
- Van Dellen, A., Corderly, P. M., Spires, T. L., Blakemore, C., & Hannan, A. J. (2008). Wheel running from a juvenile age delays onset of specific motor deficits but does not alter protein aggregate density in a mouse model of Huntington's disease. *BMC Neuroscience*, 9(1), 34-34. doi.
- Van den Hove, D. L. A., Leibold, N. K., Strackx, E., Martinez-Claros, M., Lesch, K. P., Steinbusch, H. W. M., . . . Prickaerts, J. (2013). Prenatal stress and the effects of subsequent exposure to chronic mild stress; interdependent effects on emotional behavior and serotonergic system markers in the rat brain. *European Neuropsychopharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.euroneuro.2013.09.006>. <http://www.sciencedirect.com/science/article/pii/S0924977X13002721>
- Van der Perren, A., Macchi, F., Toelen, J., Carlon, M. S., Maris, M., de Loor, H., . . . Baekelandt, V. (2015). FK506 reduces neuroinflammation and dopaminergic neurodegeneration in an α -synuclein-based rat model for Parkinson's disease. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2015.01.014>. <http://www.sciencedirect.com/science/article/pii/S0197458015000470>

Van der Perren, A., Toelen, J., Carlon, M., Van Den Haute, C., Coun, F., Heeman, B., . . . others. (2011). Efficient and stable transduction of dopaminergic neurons in rat substantia nigra by rAAV 2/1, 2/2, 2/5, 2/6.2, 2/7, 2/8 and 2/9. *Gene Therapy*, 18(5), 517-527. doi:

Van der Perren, A., Toelen, J., Casteels, C., Macchi, F., Van Rompuy, A.-S., Sarre, S., . . . Baekelandt, V. (2014). Longitudinal follow-up and characterization of a robust rat model for Parkinson's disease based on overexpression of alpha-synuclein with adeno-associated viral vectors. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2014.11.015. [http://www.neurobiologyofaging.org/article/S0197-4580\(14\)00786-6/abstract](http://www.neurobiologyofaging.org/article/S0197-4580(14)00786-6/abstract)

van Dijk, R. M., Huang, S.-h., Slomianka, L., & Amrein, I. (2016). Taxonomic separation of hippocampal networks: principal cell populations and adult neurogenesis. [Original Research]. *Frontiers in Neuroanatomy*, 10. doi: 10.3389/fnana.2016.00022. http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroana_tomy...

van Dijk, R. M., Lazic, S. E., Slomianka, L., Wolfer, D. P., & Amrein, I. (2015). Large scale phenotyping links adult hippocampal neurogenesis to the reaction to novelty. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22548. <http://dx.doi.org/10.1002/hipo.22548>

van Hasselt, F. N., Cornelisse, S., Yuan Zhang, T., Meaney, M. J., Velzing, E. H., Krugers, H. J., & Joëls, M. (2012). Adult hippocampal glucocorticoid receptor expression and dentate synaptic plasticity correlate with maternal care received by individuals early in life. *Hippocampus*, 22(2), 255-266. doi: 10.1002/hipo.20892. <http://dx.doi.org/10.1002/hipo.20892>

van Heusden, F., Macey-Dare, A., Gordon, J., Krajewski, R., Sharott, A., & Ellender, T. (2021). Diversity in striatal synaptic circuits arises from distinct embryonic progenitor pools in the ventral telencephalon. *Cell Reports*, 35(4), 109041. doi: <https://doi.org/10.1016/j.celrep.2021.109041>. <https://www.sciencedirect.com/science/article/pii/S2211124721003570>

van Kann, E., Cozzi, B., Hof, P. R., & Oelschläger, H. H. (2017). Qualitative and Quantitative Analysis of Primary Neocortical Areas in Selected Mammals. *Brain, Behavior and Evolution*. doi: <https://www.karger.com/Article/Abstract/477431>

van Kooten, I. A. J., Palmen, S. J. M. C., von Cappeln, P., Steinbusch, H. W. M., Korr, H., Heinsen, H., . . . Schmitz, C. (2008). Neurons in the fusiform gyrus are fewer and smaller in autism. *Brain*, 131(4), 987-999. doi: 10.1093/brain/awn033. <http://brain.oxfordjournals.org/cgi/content/abstract/131/4/987>

van Praag, H., Christie, B. R., Sejnowski, T. J., & Gage, F. H. (1999). Running enhances neurogenesis, learning, and long-term potentiation in mice. *Proceedings of the National Academy of Sciences*, 96(23), 13427-13431. doi: 10.1073/Proceedings of the National Academy of Sciences.96.23.13427. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/96/23/13427>

van Praag, H., Shubert, T., Zhao, C., & Gage, F. H. (2005). Exercise Enhances Learning and Hippocampal Neurogenesis in Aged Mice. *Journal of Neuroscience*, 25(38), 8680-8685. doi: <http://www.jneurosci.org/cgi/content/abstract/25/38/8680>

Van Raamsdonk, J., Pearson, J., Murphy, Z., Hayden, M., & Leavitt, B. (2006). Wild-type huntingtin ameliorates striatal neuronal atrophy but does not prevent other abnormalities in the YAC128 mouse model of Huntington disease. *BMC Neuroscience*, 7(1), 80-80. doi:

- Van Raamsdonk, J. M., Gibson, W. T., Pearson, J., Murphy, Z., Lu, G., Leavitt, B. R., & Hayden, M. R. (2006). Body weight is modulated by levels of full-length Huntingtin. *Human Molecular Genetics*, 15(9), 1513-1523. doi: 10.1093/hmg/ddl072. <http://hmg.oxfordjournals.org/cgi/content/abstract/15/9/1513>
- Van Raamsdonk, J. M., Metzler, M., Slow, E., Pearson, J., Schwab, C., Carroll, J., . . . Hayden, M. R. (2007). Phenotypic abnormalities in the YAC128 mouse model of Huntington disease are penetrant on multiple genetic backgrounds and modulated by strain. *Neurobiology of Disease*, 26(1), 189-200. doi:
- Van Raamsdonk, J. M., Murphy, Z., Selva, D. M., Hamidizadeh, R., Pearson, J., Petersén, A., . . . Leavitt, B. R. (2007). Testicular degeneration in Huntington disease. *Neurobiology of Disease*, 26(3), 512-520. doi:
- Van Raamsdonk, J. M., Murphy, Z., Slow, E. J., Leavitt, B. R., & Hayden, M. R. (2005). Selective degeneration and nuclear localization of mutant huntingtin in the YAC128 mouse model of Huntington disease. *Human Molecular Genetics*, 14(24), 3823-3835. doi: 10.1093/hmg/ddi407. <http://hmg.oxfordjournals.org/cgi/content/abstract/14/24/3823>
- Van Raamsdonk, J. M., Pearson, J., Bailey, C. D. C., Rogers, D. A., Johnson, G. V. W., Hayden, M. R., & Leavitt, B. R. (2005). Cystamine treatment is neuroprotective in the YAC128 mouse model of Huntington disease. *Journal of Neurochemistry*, 95(1), 210-220. doi: doi:10.1111/j.1471-4159.2005.03357.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03357.x>
- Van Rompuy, A.-S., Oliveras-Salvá, M., Van der Perren, A., Corti, O., Van den Haute, C., & Baekelandt, V. (2015). Nigral overexpression of alpha-synuclein in the absence of parkin enhances alpha-synuclein phosphorylation but does not modulate dopaminergic neurodegeneration. *Molecular Neurodegeneration*, 10(1), 1-14. doi: <http://link.springer.com/article/10.1186/s13024-015-0017-8/fulltext.html>
- Vana, L., Kanaan, N. M., Ugwu, I. C., Wu, J., Mufson, E. J., & Binder, L. I. (2011). Progression of Tau Pathology in Cholinergic Basal Forebrain Neurons in Mild Cognitive Impairment and Alzheimer's Disease. *American Journal of Pathology*. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0002944011007668?showall=true>
- Vandal, M., Phillip, W. J., Tournissac, M., Tremblay, C., St-Amour, I., Drouin-Ouellet, J., . . . Calon, F. (2016). Impaired thermoregulation and beneficial effects of thermoneutrality in the 3xTg-AD model of Alzheimer's disease (AD). *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2016.03.024>. <http://www.sciencedirect.com/science/article/pii/S0197458016300082>
- Vandeputte, C., Reumers, V., Aelvoet, S.-A., Thiry, I., De Swaef, S., Van Den Haute, C., . . . Baekelandt, V. (2014). Bioluminescence imaging of stroke-induced endogenous neural stem cell response. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.05.014>. <http://www.sciencedirect.com/science/article/pii/S0969996114001326>
- Vannini, E., Olimpico, F., Middei, S., Ammassari-Teule, M., de Graaf, E. L., McDonnell, L., . . . Caleo, M. (2016). Electrophysiology of glioma: a Rho GTPase-activating protein reduces tumor growth and spares neuron structure and function. *Neuro-oncology*. doi: 10.1093/neuonc/nov114. <http://neuro-oncology.oxfordjournals.org/content/early/2016/06/12/neuonc..>
- Varela, L., Schwartz, M. L., & Horvath, T. L. (2016). Mitochondria controlled by UCP2 determine hypoxia-induced synaptic remodeling in the cortex and hippocampus. *Neurobiology of Disease*.

doi: <http://dx.doi.org/10.1016/j.nbd.2016.01.004>. <http://www.sciencedirect.com/science/article/pii/S0969996116300031>

Vargas, D. L., Nascimbene, C., Krishnan, C., Zimmerman, A. W., & Pardo, C. A. (2005). Neuroglial activation and neuroinflammation in the brain of patients with autism. *Annals of Neurology*, 57(1), 67-81. doi.

Varodayan, F. P., Minnig, M. A., Steinman, M. S., Oleata, C. S., Riley, M. W., Sabino, V., & Roberto, M. (2019). PACAP regulation of central amygdala GABAergic synapses is altered by restraint stress. *Neuropharmacology*, 107752. doi: <https://doi.org/10.1016/j.neuropharm.2019.107752>. <http://www.sciencedirect.com/science/article/pii/S0028390819303119>

Varoglu, A. O., Kuyucu, M., Demir, R., Acemoglu, H., Can, I., & Akcay, F. (2009). Prognostic values of lesion volume and biochemical markers in ischemic and hemorrhagic stroke: a stereological and clinical study. *International Journal of Neuroscience*, 119(12), 2206-2218. doi.

Varvel, N. H., Grathwohl, S. A., Degenhardt, K., Resch, C., Bosch, A., Jucker, M., & Neher, J. J. (2015). Replacement of brain-resident myeloid cells does not alter cerebral amyloid- β deposition in mouse models of Alzheimer's disease. *The Journal of Experimental Medicine*, 212(11), 1803-1809. doi: 10.1084/jem.20150478. <http://jem.rupress.org/content/212/11/1803.abstract>

Varvel, N. H., Neher, J. J., Bosch, A., Wang, W., Ransohoff, R. M., Miller, R. J., & Dingledine, R. (2016). Infiltrating monocytes promote brain inflammation and exacerbate neuronal damage after status epilepticus. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1604263113. <http://www.pnas.org/content/early/2016/09/01/1604263113.abstract>

Vazey, E. M., Dottori, M., Jamshidi, P., Tomas, D., Pera, M. F., Horne, M., & Connor, B. (2010). Comparison of Transplant Efficiency Between Spontaneously Derived and Noggin-Primed Human Embryonic Stem Cell Neural Precursors in the Quinolinic Acid Rat Model of Huntington's Disease. *Cell Transplantation*, 19(8), 1055-1062. doi.

Vázquez-Roque, R. A., Ramos, B., Tecuatl, C., Juárez, I., Adame, A., de la Cruz, F., . . . Flores, G. (2012). Chronic administration of the neurotrophic agent cerebrolysin ameliorates the behavioral and morphological changes induced by neonatal ventral hippocampus lesion in a rat model of schizophrenia. *Journal of Neuroscience Research*, 90(1), 288-306. doi: 10.1002/jnr.22753. <http://dx.doi.org/10.1002/jnr.22753>

Vazquez-Sanroman, D., Segura, C. S., Toledo, R., Hernández, M. E., Manzo, J., & Miquel, M. (2013). The effects of enriched environment on BDNF expression in the mouse cerebellum depending on the length of exposure. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2012.12.047>. <http://www.sciencedirect.com/science/article/pii/S0166432812008376>

Veena, J., Srikumar, B. N., Mahati, K., Bhagya, V., Raju, T. R., & Shankaranarayana Rao, B. S. (2009). Enriched environment restores hippocampal cell proliferation and ameliorates cognitive deficits in chronically stressed rats. *Journal of Neuroscience Research*, 87(4), 831-843. doi.

Veena, J., Srikumar, B. N., Mahati, K., Raju, T. R., & Shankaranarayana Rao, B. S. (2011). Oxotremorine treatment restores hippocampal neurogenesis and ameliorates depression-like behaviour in chronically stressed rats. *Psychopharmacology*, 1-15. doi.

- Veenema, A. H., de Kloet, E. R., de Wilde, M. C., Roelofs, A. J., Kawata, M., Buwalda, B., . . . Lucassen, P. J. (2007). Differential Effects of Stress on Adult Hippocampal Cell Proliferation in Low and High Aggressive Mice. *Journal of Neuroendocrinology*, 19(7), 489-498. doi: doi:10.1111/j.1365-2826.2007.01555.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2826.2007.01555.x>
- Veeraraghavalu, K., Choi, S. H., Zhang, X., & Sisodia, S. S. (2010). Presenilin 1 Mutants Impair the Self-Renewal and Differentiation of Adult Murine Subventricular Zone-Neuronal Progenitors via Cell-Autonomous Mechanisms Involving Notch Signaling. *Journal of Neuroscience*, 30(20), 6903-6915. doi: 10.1523/jneurosci.0527-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/20/6903>
- Veeravagu, A., Hou, L., Hsu, A., Cai, W., Greve, J., Chen, X., & Tse, V. (2008). The temporal correlation of dynamic contrast-enhanced magnetic resonance imaging with tumor angiogenesis in a murine glioblastoma model. *Neurological Research*, 30(9), 952-959. doi.
- Vehmas, A. K., Borchelt, D. R., Price, D. L., McCarthy, D., Wills-Karp, M., Peper, M. J., . . . Troncoso, J. C. (2001). β -Amyloid Peptide Vaccination Results in Marked Changes in Serum and Brain A β Levels in APP^{swE}/PS1^{E9} Mice, as Detected by SELDI-TOF-Based ProteinChip Technology. *DNA and Cell Biology*, 20(11), 713-721. doi.
- Vehmas, A. K., Kawas, C. H., Stewart, W. F., & Troncoso, J. C. (2003). Immune reactive cells in senile plaques and cognitive decline in Alzheimer's disease. *Neurobiology of Aging*, 24(2), 321-331. doi.
- Velazquez, R., Ash, J. A., Powers, B. E., Kelley, C. M., Strawderman, M., Luscher, Z. I., . . . Strupp, B. J. (2013). Maternal choline supplementation improves spatial learning and adult hippocampal neurogenesis in the Ts65Dn mouse model of Down syndrome. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.04.016>. <http://www.sciencedirect.com/science/article/pii/S0969996113001307>
- Venezia, S., Refolo, V., Polissidis, A., Stefanis, L., Wenning, G. K., & Stefanova, N. (2017). Toll-like receptor 4 stimulation with monophosphoryl lipid A ameliorates motor deficits and nigral neurodegeneration triggered by extraneuronal α -synucleinopathy. [journal article]. *Molecular Neurodegeneration*, 12(1), 52. doi: 10.1186/s13024-017-0195-7. <http://dx.doi.org/10.1186/s13024-017-0195-7>
- Venier, N. A., Colquhoun, A. J., Sasaki, H., Kiss, A., Sugar, L., Adomat, H., . . . Venkateswaran, V. (2014). Capsaicin: A novel radio-sensitizing agent for prostate cancer. *The Prostate*, n/a-n/a. doi: 10.1002/pros.22896. <http://dx.doi.org/10.1002/pros.22896>
- Vercammen, L., Perren, A. V. d., Vaudano, E., Gijssbers, R., Debyser, Z., Haute, C. V. d., & Baekelandt, V. (2006). Parkin Protects against Neurotoxicity in the 6-Hydroxydopamine Rat Model for Parkinson's Disease. *Molecular Therapy*, 14(5), 716-723. doi.
- Vercelli, A., Mereuta, O. M., Garbossa, D., Muraca, G., Mareschi, K., Rustichelli, D., . . . Fagioli, F. (2008). Human mesenchymal stem cell transplantation extends survival, improves motor performance and decreases neuroinflammation in mouse model of amyotrophic lateral sclerosis. *Neurobiology of Disease*, 31(3), 395-405. doi.
- Vereczki, V., Martin, E., Rosenthal, R. E., Hof, P. R., Hoffman, G. E., & Fiskum, G. (2005). Normoxic resuscitation after cardiac arrest protects against hippocampal oxidative stress, metabolic dysfunction, and neuronal death. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Verhovenshek, T., Buckley, K. E., Sergent, M. A., & Sengelaub, D. R. (2010). Testosterone metabolites differentially maintain adult morphology in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, 70(4), 206-221. doi.

Verhovenshek, T., Cai, Y., Osborne, M. C., & Sengelaub, D. R. (2010). Androgen regulates brain-derived neurotrophic factor in spinal motoneurons and their target musculature. *Endocrinology*, 151(1), 253-253. doi.

Verhovenshek, T., & Sengelaub, D. R. (2010). Trophic Effects of Brain-Derived Neurotrophic Factor Blockade in an Androgen-Sensitive Neuromuscular System. *Endocrinology*, 151(11), 5337-5348. doi.

Verina, T., Rohde, C. A., & Guilarte, T. R. (2007). Environmental lead exposure during early life alters granule cell neurogenesis and morphology in the hippocampus of young adult rats. *Neuroscience*, 145(3), 1037-1047. doi.

Verley, D. D. R., Torolira, M. D., Hessel, M. B. A., Sutton, D. R. L., & Harris, D. N. G. (2018). Cortical neuromodulation of remote regions after experimental TBI normalizes forelimb function but is temporally dependent. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5769. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5769>

Verley, M. D. R., Torolira, M. D., Pulido, M. B., Gutman, D. B., Bragin, M. A., Mayer, D. A., & Harris, D. N. G. (2018). Remote changes in cortical excitability after experimental TBI and functional reorganization. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2017.5536. <https://www.liebertpub.com/doi/abs/10.1089/neu.2017.5536>

Vermeij, W. P., Dollé, M. E. T., Reiling, E., Jaarsma, D., Payan-Gomez, C., Bombardieri, C. R., . . . Hoeijmakers, J. H. J. (2016). Restricted diet delays accelerated ageing and genomic stress in DNA-repair-deficient mice. [Letter]. *Nature*, advance online publication. doi: 10.1038/nature19329

<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature19329.html#.....> <http://dx.doi.org/10.1038/nature19329>

Vernon, A., Johansson, S., & Modo, M. (2010). Non-invasive evaluation of nigrostriatal neuropathology in a proteasome inhibitor rodent model of Parkinson's disease. *BMC Neuroscience*, 11(1), 1. doi. <http://www.biomedcentral.com/1471-2202/11/1>

Vernon, A. C., Crum, W. R., Johansson, S. M., & Modo, M. (2011). Evolution of extra-nigral damage predicts behavioural deficits in a rat proteasome inhibitor model of Parkinson's disease. *PLoS ONE*, 6(2), e17269-e17269. doi.

Vernon, A. C., Crum, W. R., Lerch, J. P., Chege, W., Natesan, S., Modo, M., . . . Kapur, S. (2013). Reduced Cortical Volume and Elevated Astrocyte Density in Rats Chronically Treated with Antipsychotic Drugs—Linking Magnetic Resonance Imaging Findings to Cellular Pathology. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2013.09.012>. <http://www.sciencedirect.com/science/article/pii/S0006322313008342>

Vernon, A. C., & Modo, M. (2011). Non-invasive MR Imaging of Neurodegeneration in a Rodent Model of Parkinson's Disease. *Methods in Molecular Medicine*, 711, 487-487. doi.

- Vernon, A. C., Natesan, S., Crum, W. R., Cooper, J. D., Modo, M., Williams, S. C., & Kapur, S. (2011). Contrasting Effects of Haloperidol and Lithium on Rodent Brain Structure: A Magnetic Resonance Imaging Study with Postmortem Confirmation. *Biological Psychiatry*, (1873-2402 (Electronic)). doi.
- Vernon, A. C., Natesan, S., Modo, M., & Kapur, S. (2010). Effect of chronic antipsychotic treatment on brain structure: a serial magnetic resonance imaging study with ex vivo and postmortem confirmation. *Biological Psychiatry*. doi.
- Verwey, M., Grant, A., Meti, N., Adye-White, L., Torres-Berrió, A., Rioux, V., . . . Flores, C. (2016). Mesocortical Dopamine Phenotypes in Mice Lacking the Sonic Hedgehog Receptor Cdon. [10.1523/ENEURO.0009-16.2016]. *eneuro*. doi. <http://eneuro.org/content/early/2016/06/29/ENEURO.0009-16.2016.abstract>
- Vetreno, R. P., Klintsova, A., & Savage, L. M. (2011). Stage-dependent alterations of progenitor cell proliferation and neurogenesis in an animal model of Wernicke-Korsakoff syndrome. *Brain Research*. doi.
- Viana, L. C., Lima, C. M., Oliveira, M. A., Borges, R. P., Cardoso, T. T., Almeida, I. N. F., . . . Picanço-Diniz, C. (2013). Litter size, age-related memory impairments, and microglial changes in rat dentate gyrus: stereological analysis and three dimensional morphometry. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.02.019>, <http://www.sciencedirect.com/science/article/pii/S030645221300153X>
- Vidal, P. M., Ulndreaj, A., Tetreault, L., Hong, J., & Fehlings, M. G. (2019). The changes in systemic monocytes in humans undergoing surgical decompression for degenerative cervical myelopathy may influence clinical neurological recovery. *Journal of Neuroimmunology*, 336, 577024. doi: <https://doi.org/10.1016/j.jneuroim.2019.577024>, <http://www.sciencedirect.com/science/article/pii/S0165572819301596>
- Vidyadhara, D. J., Yarreiphang, H., Abhilash, P. L., Raju, T. R., & Alladi, P. A. (2016). Differential expression of calbindin in nigral dopaminergic neurons in two mice strains with differential susceptibility to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2016.01.001>, <http://www.sciencedirect.com/science/article/pii/S089106181600003X>
- Vidyadhara, D. J., Yarreiphang, H., Raju, T. R., & Alladi, P. A. (2016). Admixing of MPTP-Resistant and Susceptible Mice Strains Augments Nigrostriatal Neuronal Correlates to Resist MPTP-Induced Neurodegeneration. [journal article]. *Molecular Neurobiology*, 1-15. doi: 10.1007/s12035-016-0158-y. <http://dx.doi.org/10.1007/s12035-016-0158-y>
- Viguera-Villaseñor, R. M., Ojeda, I., Gutierrez-Pérez, O., Chavez-Saldaña, M., Cuevas, O., Maria, D. S., & Rojas-Castañeda, J. C. (2011). Protective effect of α -tocopherol on damage to rat testes by experimental cryptorchidism. *International Journal of Experimental Pathology*, 92(2), 131-139. doi.
- Villalba, R. M., Pare, J.-F., Lee, S., Lee, S., & Smith, Y. (2019). Thalamic degeneration in MPTP-treated Parkinsonian monkeys: impact upon glutamatergic innervation of striatal cholinergic interneurons. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01967-w. <https://doi.org/10.1007/s00429-019-01967-w>
- Villeneuve, J., Tremblay, P., & Vallières, L. (2005). Tumor Necrosis Factor Reduces Brain Tumor Growth by Enhancing Macrophage Recruitment and Microcyst Formation. *Cancer Research*, 65(9), 3928-3936. doi: 10.1158/0008-5472.can-04-3612. <http://cancerres.aacrjournals.org/cgi/content/abstract/65/9/3928>

Vincent, A. E., Grady, J. P., Rocha, M. C., Alston, C. L., Rygiel, K. A., Barresi, R., . . . Turnbull, D. M. (2016). Mitochondrial dysfunction in myofibrillar myopathy. *Neuromuscular Disorders*. doi: 10.1016/j.nmd.2016.08.004. <http://dx.doi.org/10.1016/j.nmd.2016.08.004>

Vincent, A. E., Rosa, H. S., Alston, C. L., Grady, J. P., Rygiel, K. A., Rocha, M. C., . . . Turnbull, D. M. (2016). Dysferlin mutations and mitochondrial dysfunction. *Neuromuscular Disorders*. doi: <http://dx.doi.org/10.1016/j.nmd.2016.08.008>. <http://www.sciencedirect.com/science/article/pii/S0960896616302395>

Vincent, V. A. M., Robinson, C. C., Simsek, D., & Murphy, G. M. (2002). Macrophage colony stimulating factor prevents NMDA-induced neuronal death in hippocampal organotypic cultures. *Journal of Neurochemistry*, 82(6), 1388-1397. doi: doi:10.1046/j.1471-4159.2002.01087.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2002.01087.x>

Viollet, B., Guigas, B., Sanz Garcia, N., Leclerc, J., Foretz, M., & Andreelli, F. (2012). Cellular and molecular mechanisms of metformin: an overview. *Clinical Science*, 122. doi: 10.1042/cs20110386. <http://dx.doi.org/10.1042/CS20110386>

Visnyei, K., Tatsukawa, K. J., Erickson, R. I., Simonian, S., Oknaian, N., Carmichael, S. T., & Kornblum, H. I. (2006). Neural progenitor implantation restores metabolic deficits in the brain following striatal quinolinic acid lesion. *Experimental Neurology*, 197(2), 465-474. doi.

Vistoropsky-Katz, Y., Heiblum, R., Smorodinsky, N.-I., & Barnea, A. (2016). Active immunization against vasoactive intestinal polypeptide decreases neuronal recruitment and inhibits reproduction in zebra finches. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23971. <http://dx.doi.org/10.1002/cne.23971>

Viswanathan, J., Haapasalo, A., Böttcher, C., Miettinen, R., Kurkinen, K. M. A., Lu, A., . . . Hiltunen, M. (2011). Alzheimer's Disease-Associated Ubiquitin-1 Regulates Presenilin-1 Accumulation and Aggresome Formation. *Traffic*, 12(3), 330-348. doi: 10.1111/j.1600-0854.2010.01149.x. <http://dx.doi.org/10.1111/j.1600-0854.2010.01149.x>

Vit, J. P., Ohara, P. T., Tien, D. A., Fike, J. R., Eikmeier, L., Beitz, A., & Wilcox, G. L. (2006). The analgesic effect of low dose focal irradiation in a mouse model of bone cancer is associated with spinal changes in neuro-mediators of nociception. *Pain*, 120(1-2), 188-201. doi.

Vita, J.-P., Jasmina, L., Bhargava, A., & Ohara, P. T. (2008). Satellite glial cells in the trigeminal ganglion as a determinant of orofacial neuropathic pain. *Neuron Glia Biology*, 2(4), 247. doi.

Vitek, M., Li, F., & Colton, C. (2015). Apolipoprotein E and Mimetics as Targets and Therapeutics for Alzheimer's Disease. In G. M. Anantharamaiah & D. Goldberg (Eds.), *Apolipoprotein Mimetics in the Management of Human Disease* (pp. 157-182): Springer International Publishing.

Vizzard, M. A. (2001). Alterations in neuropeptide expression in lumbosacral bladder pathways following chronic cystitis. *Journal of Chemical Neuroanatomy*, 21(2), 125-138. doi.

Voda, J., Yamaji, T., & Gold, B. G. (2005). Neuroimmunophilin ligands improve functional recovery and increase axonal growth after spinal cord hemisection in rats. *Journal of Neurotrauma*, 22(10), 1150-1161. doi.

Vogt, J., Glumm, R., Schlüter, L., Schmitz, D., Rost, B. R., Streu, N., . . . others. (2011). Homeostatic regulation of NCAM polysialylation is critical for correct synaptic targeting. *Cellular and Molecular Life Sciences*, 1-13. doi.

Vogt, J., Paul, F., Aktas, O., Müller-Wielsch, K., Dörr, J., Dörr, S., . . . Zipp, F. (2009). Lower Motor Neuron Loss in Multiple Sclerosis and Experimental Autoimmune encephalomyelitis. *Annals of Neurology*, 66(3), 310-322. doi.

Volakakis, N., Tiklova, K., Decressac, M., Papathanou, M., Mattsson, B., Gillberg, L., . . . Perlmann, T. (2015). Nurr1 and Retinoid X Receptor Ligands Stimulate Ret Signaling in Dopamine Neurons and Can Alleviate α -Synuclein Disrupted Gene Expression. *The Journal of Neuroscience*, 35(42), 14370-14385. doi. <http://www.jneurosci.org/content/35/42/14370.short>

Volk, D. W., Pierri, J. N., Fritschy, J.-M., Auh, S., Sampson, A. R., & Lewis, D. A. (2002). Reciprocal Alterations in Pre- and Postsynaptic Inhibitory Markers at Chandelier Cell Inputs to Pyramidal Neurons in Schizophrenia. *Cerebral Cortex*, 12(10), 1063-1070. doi: 10.1093/cercor/12.10.1063. <http://cercor.oxfordjournals.org/cgi/content/abstract/12/10/1063>

Voloboueva, L. A., Lee, S. W., Emery, J. F., Palmer, T. D., & Giffard, R. G. (2010). Mitochondrial Protection Attenuates Inflammation-Induced Impairment of Neurogenesis In Vitro and In Vivo. *Journal of Neuroscience*, 30(37), 12242-12251. doi: 10.1523/jneurosci.1752-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/37/12242>

Volz, F., Bock, H. H., Gierthmuehlen, M., Zentner, J., Haas, C. A., & Freiman, T. M. (2011). Stereologic estimation of hippocampal GluR2/3- and calretinin-immunoreactive hilar neurons (presumptive mossy cells) in two mouse models of temporal lobe epilepsy. *Epilepsia*, 52(9), 1579-1589. doi: 10.1111/j.1528-1167.2011.03086.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03086.x>

Vomhof-DeKrey, E. E., Lansing, J. T., Darland, D. C., Umthun, J., Stover, A. D., Brown, C., & Basson, M. D. (2020). Loss of Slfn3 induces a gender-dependent repair vulnerability after 50% bowel resection. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. doi: 10.1152/ajpgi.00344.2020. <https://doi.org/10.1152/ajpgi.00344.2020>

von Bohlen Und Halbach, O., Minichiello, L., & Unsicker, K. (2008). TrkB but not trkC receptors are necessary for postnatal maintenance of hippocampal spines. *Neurobiology of Aging*, 29(8), 1247-1255. doi.

von Coelln, R., Thomas, B., Andrabi, S. A., Lim, K. L., Savitt, J. M., Saffary, R., . . . Dawson, T. M. (2006). Inclusion Body Formation and Neurodegeneration Are Parkin Independent in a Mouse Model of α -Synucleinopathy. *Journal of Neuroscience*, 26(14), 3685-3696. doi: 10.1523/jneurosci.0414-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/14/3685>

von Coelln, R., Thomas, B., Savitt, J. M., Lim, K. L., Sasaki, M., Hess, E. J., . . . Dawson, T. M. (2004). Loss of locus coeruleus neurons and reduced startle in parkin null mice. *Proceedings of the National Academy of Sciences*, 101(29), 10744-10749. doi: 10.1073/Proceedings of the National Academy of Sciences.0401297101. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/101/29/10744>

von Gunten, A., Kovari, E., Rivara, C. B., Bouras, C., Hof, P. R., & Giannakopoulos, P. (2005). Stereologic analysis of hippocampal Alzheimer's disease pathology in the oldest-old: evidence for sparing of the entorhinal cortex and CA1 field. *Experimental Neurology*, 193(1), 198-206. doi.

von Heimendahl, M., Rao, R. P., & Brecht, M. (2012). Weak and Nondiscriminative Responses to Conspecifics in the Rat Hippocampus. *Journal of Neuroscience*, 32(6), 2129-2141. doi: 10.1523/jneurosci.3812-11.2012. <http://www.jneurosci.org/content/32/6/2129.abstract>

von Hövel, F. F., Leiter, I., Rumpel, R., Langenhagen, A., Wedekind, D., Häger, C., . . . Grothe, C. (2019). FGF-2 isoforms influence the development of dopaminergic neurons in the murine substantia nigra, but not anxiety-like behavior, stress susceptibility, or locomotor behavior. *Behavioural Brain Research*, 112113. doi: <https://doi.org/10.1016/j.bbr.2019.112113>. <http://www.sciencedirect.com/science/article/pii/S0166432819309702>

von Hövel, F. F., Rumpel, R., Ratzka, A., Schreiner, D., & Grothe, C. (2019). AAV2/DJ-mediated alpha-synuclein overexpression in the rat substantia nigra as early stage model of Parkinson's disease. [journal article]. *Cell and Tissue Research*. doi: 10.1007/s00441-019-03013-x. <https://doi.org/10.1007/s00441-019-03013-x>

von Rüden, E. L., Jafari, M., Bogdanovic, R. M., Wotjak, C. T., & Potschka, H. (2014). Analysis in conditional cannabinoid 1 receptor-knockout mice reveals neuronal subpopulation-specific effects on epileptogenesis in the kindling paradigm. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.08.001>. <http://www.sciencedirect.com/science/article/pii/S0969996114002307>

von Rüden, E.-L., Zellinger, C., Gedon, J., Walker, A., Bierling, V., Deeg, C. A., . . . Potschka, H. (2019). Regulation of Alzheimer's disease-associated proteins during the course of epileptogenesis: differential proteomic analysis in a rat model. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.037>. <http://www.sciencedirect.com/science/article/pii/S0306452219306128>

von Schantz, C., Kielar, C., Hansen, S. N., Pontikis, C. C., Alexander, N. A., Kopra, O., . . . Cooper, J. D. (2009). Progressive thalamocortical neuron loss in Cln5 deficient mice: Distinct effects in Finnish variant late infantile NCL. *Neurobiology of Disease*, 34(2), 308-319. doi: <http://ukpmc.ac.uk/abstract/MED/19385065>

Vontell, R., Supramaniam, V., Thornton, C., Wyatt-Ashmead, J., Mallard, C., Gressens, P., . . . Hagberg, H. (2013). Toll-Like Receptor 3 Expression in Glia and Neurons Alters in Response to White Matter Injury in Preterm Infants. *Developmental Neuroscience*. doi.

Vontell, R., Supramaniam, V., Wyatt-Ashmead, J., Gressens, P., Rutherford, M., Hagberg, H., & Thornton, C. (2015). Cellular Mechanisms of Toll-Like Receptor-3 Activation in the Thalamus Are Associated With White Matter Injury in the Developing Brain. *Journal of Neuropathology and Experimental Neurology*, 74(3), 273-285. doi: http://journals.lww.com/jneuropath/Abstract/2015/03000/Cellular_Mechanis..

Voskuhl, R. R., Peterson, R. S., Song, B., Ao, Y., Morales, L. B. J., Tiwari-Woodruff, S., & Sofroniew, M. V. (2009). Reactive Astrocytes Form Scar-Like Perivascular Barriers to Leukocytes during Adaptive Immune Inflammation of the CNS. *Journal of Neuroscience*, 29(37), 11511-11522. doi: 10.1523/jneurosci.1514-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/37/11511>

Voutilainen, M. H., Bäck, S., Peränen, J., Lindholm, P., Raasmaja, A., Männistö, P. T., . . . Tuominen, R. K. (2011). Chronic infusion of CDFN prevents 6-OHDA-induced deficits in a rat model of Parkinson's disease. *Experimental Neurology*, 228(1), 99-108. doi.

Voutilainen, M. H., Back, S., Porsti, E., Toppinen, L., Lindgren, L., Lindholm, P., . . . Tuominen, R. K. (2009). Mesencephalic Astrocyte-Derived Neurotrophic Factor Is Neurorestorative in Rat Model of Parkinson's Disease. *Journal of Neuroscience*, 29(30), 9651-9659. doi: 10.1523/jneurosci.0833-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/30/9651>

Vreys, R., Velde, G. V., Krylychkina, O., Vellema, M., Verhoye, M., Timmermans, J. P., . . . Van der Linden, A. (2010). MRI visualization of endogenous neural progenitor cell migration along the RMS in the adult mouse brain: validation of various MPIO labeling strategies. *Neuroimage*, 49(3), 2094-2103. doi.

Vrinda, M., Sasidharan, A., Aparna, S., Srikumar, B. N., Kutty, B. M., & Shankaranarayana Rao, B. S. (2017). Enriched environment attenuates behavioral seizures and depression in chronic temporal lobe epilepsy. *Epilepsia*, n/a-n/a. doi: 10.1111/epi.13767. <http://dx.doi.org/10.1111/epi.13767>

Vuillemenot, B. R., Kennedy, D., Cooper, J. D., Wong, A. M. S., Sri, S., Doeleman, T., . . . O'Neill, C. A. (2014). Nonclinical evaluation of CNS-administered TPP1 enzyme replacement in canine CLN2 neuronal ceroid lipofuscinosis. *Molecular Genetics and Metabolism*, (0). doi: <http://dx.doi.org/10.1016/j.ymgme.2014.09.004>, <http://www.sciencedirect.com/science/article/pii/S1096719214002935>

Vuillermot, S., Feldon, J., & Meyer, U. (2011). Relationship between sensorimotor gating deficits and dopaminergic neuroanatomy in Nurr1-deficient mice. *Experimental Neurology*. doi.

Vuillermot, S., Joodmardi, E., Perlmann, T., Ove Ögren, S., Feldon, J., & Meyer, U. (2012). Prenatal Immune Activation Interacts with Genetic Nurr1 Deficiency in the Development of Attentional Impairments. *Journal of Neuroscience*, 32(2), 436-451. doi: 10.1523/jneurosci.4831-11.2012. <http://www.jneurosci.org/content/32/2/436.abstract>

Vuillermot, S., Weber, L., Feldon, J., & Meyer, U. (2010). A Longitudinal Examination of the Neurodevelopmental Impact of Prenatal Immune Activation in Mice Reveals Primary Defects in Dopaminergic Development Relevant to Schizophrenia. *Journal of Neuroscience*, 30(4), 1270-1287. doi: 10.1523/jneurosci.5408-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/4/1270>

Vukovic, J., Borlikova, G. G., Ruitenber, M. J., Robinson, G. J., Sullivan, R. K. P., Walker, T. L., & Bartlett, P. F. (2013). Immature Doublecortin-Positive Hippocampal Neurons Are Important for Learning But Not for Remembering. *Journal of Neuroscience*, 33(15), 6603-6613. doi: 10.1523/jneurosci.3064-12.2013. <http://www.jneurosci.org/content/33/15/6603.abstract>

Vukovic, J., Marmorstein, L. Y., McLaughlin, P. J., Sasaki, T., Plant, G. W., Harvey, A. R., & Ruitenber, M. J. (2009). Lack of fibulin-3 alters regenerative tissue responses in the primary olfactory pathway. *Matrix Biology*, 28(7), 406-415. doi.

Wachs, F.-P., Winner, B., Couillard-Despres, S., Schiller, T., Aigner, R., Winkler, J., . . . Aigner, L. (2006). Transforming Growth Factor- β 1 Is a Negative Modulator of Adult Neurogenesis. *Journal of Neuropathology and Experimental Neurology*, 65(4), 358-370. doi.

Waddell, B., Bollen, M., Wyrwoll, C., Mori, T., & Mark, P. (2010). Developmental programming of adult adrenal structure and steroidogenesis: effects of fetal glucocorticoid excess and postnatal dietary omega-3 fatty acids. *Journal of Endocrinology* 205(2), 171. doi.

Wadhwa, M., Prabhakar, A., Anand, J. P., Ray, K., Prasad, D., Kumar, B., & Panjwani, U. (2019). Complement activation sustains neuroinflammation and deteriorates adult neurogenesis and spatial memory impairment in rat hippocampus following sleep deprivation. *Brain, Behavior, and Immunity*.

doi: <https://doi.org/10.1016/j.jbbi.2019.08.004> <http://www.sciencedirect.com/science/article/pii/S0889159119304696>

Wadhwa, M., Prabhakar, A., Ray, K., Roy, K., Kumari, P., Jha, P. K., . . . Panjwani, U. (2017). Inhibiting the microglia activation improves the spatial memory and adult neurogenesis in rat hippocampus during 48 h of sleep deprivation. [Journal article]. *Journal of neuroinflammation*, 14(1), 222. doi: 10.1186/s12974-017-0998-z. <https://doi.org/10.1186/s12974-017-0998-z>

Wadowska, M., Woods, J., Rogozinska, M., & Briones, T. L. (2014). Neuroprotective Effects of Enriched Environment Housing After Transient Global Cerebral Ischemia are Associated with the Upregulation of Insulin-like Growth Factor-1 Signaling. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12146. <http://dx.doi.org/10.1111/nan.12146>

Wagenführ, L., Meyer, A. K., Marrone, L., & Storch, A. (2015). Oxygen tension within the neurogenic niche regulates dopaminergic neurogenesis in the developing midbrain. *Stem Cells and Development*. doi: 10.1089/scd.2015.0214. <http://dx.doi.org/10.1089/scd.2015.0214>

Wagner, L. K., Gilling, K. E., Schormann, E., Kloetzel, P. M., Heppner, F. L., Krüger, E., & Prokop, S. (2017). Immunoproteasome deficiency alters microglial cytokine response and improves cognitive deficits in Alzheimer's disease-like APPPS1 mice. [Journal article]. *Acta Neuropathologica Communications*, 5(1), 52. doi: 10.1186/s40478-017-0453-5. <http://dx.doi.org/10.1186/s40478-017-0453-5>

Waider, J., Proft, F., Langlhofer, G., Asan, E., Lesch, K.-P., & Gutknecht, L. (2012). GABA concentration and GABAergic neuron populations in limbic areas are differentially altered by brain serotonin deficiency in Tph2 knockout mice. *Histochemistry and Cell Biology*, 1-15. doi: 10.1007/s00418-012-1029-x. <http://dx.doi.org/10.1007/s00418-012-1029-x>

Wakai, T., Narasimhan, P., Sakata, H., Wang, E., Yoshioka, H., Kinouchi, H., & Chan, P. H. (2015). Hypoxic preconditioning enhances neural stem cell transplantation therapy after intracerebral hemorrhage in mice. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15613798. <http://jcb.sagepub.com/content/early/2015/10/26/0271678x15613798.abstract>

Wakai, T., Sakata, H., Narasimhan, P., Yoshioka, H., Kinouchi, H., & Chan, P. H. (2013). Transplantation of neural stem cells that overexpress SOD1 enhances amelioration of intracerebral hemorrhage in mice. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013215a.html>

Wakamatsu, M., Ishii, A., Iwata, S., Sakagami, J., Ukai, Y., Ono, M., . . . others. (2008). Selective loss of nigral dopamine neurons induced by overexpression of truncated human α -synuclein in mice. *Neurobiology of Aging*, 29(4), 574-585. doi.

Wakeman, D. R., Hiller, B. M., Marmion, D. J., McMahon, C. W., Corbett, G. T., Mangan, K. P., . . . Perez-Rosello, T. (2017). Cryopreservation Maintains Functionality of Human iPSC Dopamine Neurons and Rescues Parkinsonian Phenotypes In Vivo. *Stem Cell Reports*. doi: [http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711\(17\)30187-X](http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711(17)30187-X)

Wakuda, T., Matsuzaki, H., Suzuki, K., Iwata, Y., Shinmura, C., Suda, S., . . . others. (2008). Perinatal asphyxia reduces dentate granule cells and exacerbates methamphetamine-induced hyperlocomotion in adulthood. *PLoS ONE*, 3(11), e3648-e3648. doi.

Wälchli, T., Mateos, J. M., Weinman, O., Babic, D., Regli, L., Hoerstrup, S. P., . . . Vogel, J. (2015). Quantitative assessment of angiogenesis, perfused blood vessels and endothelial tip cells in the postnatal mouse brain. [Protocol]. *Nat. Protocols*, 10(1), 53-74. doi: 10.1038/nprot.2015.002

<http://www.nature.com/nprot/journal/v10/n1/abs/nprot.2015.002.html#suppl.....><http://dx.doi.org/10.1038/nprot.2015.002>

Waldau, B., Hattiangady, B., Kuruba, R., & Shetty, A. K. (2010). Medial Ganglionic Eminence-Derived Neural Stem Cell Grafts Ease Spontaneous Seizures and Restore GDNF Expression in a Rat Model of Chronic Temporal Lobe Epilepsy. *Stem Cells*, 28(7), 1153-1164. doi.

Walker, A. G., & Steinmetz, J. E. (2008). Hippocampal lesions in rats differentially affect long- and short-trace eyeblink conditioning. *Physiology and Behavior*, 93(3), 570-578. doi.

Walker, E. J., & Rosenberg, G. A. (2009). TIMP-3 and MMP-3 contribute to delayed inflammation and hippocampal neuronal death following global ischemia. *Experimental Neurology*, 216(1), 122-131. doi.

Walker, E. J., & Rosenberg, G. A. (2010). Divergent role for MMP-2 in myelin breakdown and oligodendrocyte death following transient global ischemia. *Journal of Neuroscience Research*, 88(4), 764-773. doi.

Walker, K. A., Ikeda, Y., Zabbarova, I., Schaefer, C. M., Bushnell, D. S., de Groat, W. C., . . . Bates, C. M. (2015). *Fgfr2* is integral for bladder mesenchyme patterning and function. [10.1152/ajprenal.00624.2014]. *American Journal of Physiology - Renal Physiology*. doi. <http://ajprenal.physiology.org/content/early/2015/02/04/ajprenal.00624.2..>

Walker, L. C., Cornish, L. C., Lawrence, A. J., & Campbell, E. J. (2018). The effect of acute or repeated stress on the corticotropin releasing factor system in the CRH-IRES-Cre mouse: A validation study. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.09.037>. <http://www.sciencedirect.com/science/article/pii/S0028390818307032>

Wallace, D. L., Han, M. H., Graham, D. L., Green, T. A., Vialou, V., Iñiguez, S. D., . . . Nestler, E. (2009). CREB regulation of nucleus accumbens excitability mediates social isolation induced behavioral deficits. *Nature Neuroscience*, 12(2), 200-209. doi.

Wallace, K., Veerisetty, S., Paul, I., May, W., Miguel-Hidalgo, J. J., & Bennett, W. (2010). Prenatal infection decreases calbindin, decreases purkinje cell volume and density and produces long-term motor deficits in Sprague-Dawley rats. *Developmental Neuroscience*, 32(4), 302-312. doi.

Walsh, D. M., & Selkoe, D. J. (2004). Deciphering the molecular basis of memory failure in Alzheimer's disease. *Neuron*, 44. doi: 10.1016/j.neuron.2004.09.010. <http://dx.doi.org/10.1016/j.neuron.2004.09.010>

Walsh, M., Sar, A., Lee, D., Yilmaz, S., Benediktsson, H., Manns, B., & Hemmelgarn, B. (2010). Histopathologic features aid in predicting risk for progression of IgA nephropathy. *Clinical Journal of the American Society of Nephrology*, 5(3), 425-430. doi.

Walters, K. A., Allan, C. M., Jimenez, M., Lim, P. R., Davey, R. A., Zajac, J. D., . . . Handelsman, D. J. (2007). Female Mice Haploinsufficient for an Inactivated Androgen Receptor (AR) Exhibit Age-Dependent Defects That Resemble the AR Null Phenotype of Dysfunctional Late Follicle Development, Ovulation, and Fertility. *Endocrinology*, 148(8), 3674-3684. doi: 10.1210/en.2007-0248. <http://endo.endojournals.org/cgi/content/abstract/148/8/3674>

- Walters, K. A., Edwards, M. C., Tesic, D., Caldwell, A. S., Jimenez, M., Smith, J. T., & Handelsman, D. J. (2018). The Role of Central Androgen Receptor Actions in Regulating the Hypothalamic-Pituitary-Ovarian Axis. *Neuroendocrinology*. doi: <https://www.karger.com/Article/Abstract/487762>
- Walters, K. A., McTavish, K. J., Seneviratne, M. G., Jimenez, M., McMahon, A. C., Allan, C. M., . . . Handelsman, D. J. (2009). Subfertile Female Androgen Receptor Knockout Mice Exhibit Defects in Neuroendocrine Signaling, Intraovarian Function, and Uterine Development But Not Uterine Function. *Endocrinology*, 150(7), 3274-3282. doi: 10.1210/en.2008-1750. <http://endo.endojournals.org/cgi/content/abstract/150/7/3274>
- Walters, K. A., Middleton, L. J., Joseph, S. R., Hazra, R., Jimenez, M., Simanainen, U., . . . Handelsman, D. J. (2012). Targeted Loss of Androgen Receptor Signaling in Murine Granulosa Cells of Preantral and Antral Follicles Causes Female Subfertility. *Biology of Reproduction*. doi: 10.1095/biolreprod.112.102012. <http://www.biolreprod.org/content/early/2012/10/29/biolreprod.112.102012>
- Walton, C., Pariser, E., & Nottebohm, F. (2012). The Zebra Finch Paradox: Song Is Little Changed, But Number of Neurons Doubles. *Journal of Neuroscience*, 32(3), 761-774. doi: 10.1523/jneurosci.3434-11.2012. <http://www.jneurosci.org/content/32/3/761.abstract>
- Walton, S. L., Mortiz, K. M., Bertram, J. F., & Singh, R. R. (2016). Lengths of nephron tubule segments and collecting ducts in the CD-1 mouse kidney: an ontogeny study. [10.1152/ajprenal.00435.2016]. *American Journal of Physiology - Renal Physiology*. doi: <http://ajprenal.physiology.org/content/early/2016/09/15/ajprenal.00435.2>
- Walzlein, J. H., Synowitz, M., Engels, B., Markovic, D. S., Gabrusiewicz, K., Nikolaev, E., . . . Glass, R. (2008). The anti-tumorigenic response of neural precursors depends on subventricular proliferation and age. *Stem Cells*, 26, 2945 - 2954. doi: 10.1634/stemcells.2008-0307. <http://stemcells.alphaamedpress.org/cgi/content/abstract/2008-0307v1>
- Wang, A. Y., Lohmann, K. M., Yang, C. K., Zimmerman, E. I., Pantazopoulos, H., Herring, N., . . . Konradi, C. (2011). Bipolar disorder type 1 and schizophrenia are accompanied by decreased density of parvalbumin- and somatostatin-positive interneurons in the parahippocampal region. *Acta Neuropathologica*, 1-12. doi:
- Wang, B.-Y., Ye, Y.-Y., Qian, C., Zhang, H.-B., Mao, H.-X., Yao, L.-P., . . . Zhang, S.-Z. (2021). Stress increases MHC-I expression in dopaminergic neurons and induces autoimmune activation in Parkinson's disease. [Research Article]. *Neural Regeneration Research*, 16(12), 2521-2527. doi: 10.4103/1673-5374.313057. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2021;volume=16>
- Wang, C., Chen, T., Li, G., Zhou, L., Sha, S., & Chen, L. (2015). Simvastatin prevents beta-amyloid25-35-impaired neurogenesis in hippocampal dentate gyrus through alpha7nAChR-dependent cascading PI3K-Akt and increasing BDNF via reduction of farnesyl pyrophosphate. *Neuropharmacology*, 97. doi: 10.1016/j.neuropharm.2015.05.020. <http://dx.doi.org/10.1016/j.neuropharm.2015.05.020>
- Wang, C. M., Cai, X. L., & Wen, Q. P. (2016). Astaxanthin reduces isoflurane-induced neuroapoptosis via the PI3K/Akt pathway. *Molecular Medicine Reports*. doi: <http://www.spandidos-publications.com/10.3892/mmr.2016.5035>
- Wang, G., He, F., Xu, Y., Zhang, Y., Wang, X., Zhou, C., . . . Zou, J. (2017). Immunopotentiator Thymosin Alpha-1 Promotes Neurogenesis and Cognition in the Developing Mouse via a Systemic Th1 Bias.

[journal article]. Neuroscience bulletin. doi: 10.1007/s12264-017-0162-x. <https://doi.org/10.1007/s12264-017-0162-x>

Wang, G., Jiang, X., Pu, H., Zhang, W., An, C., Hu, X., . . . Chen, J. (2012). Scriptaid, a Novel Histone Deacetylase Inhibitor, Protects Against Traumatic Brain Injury via Modulation of PTEN and AKT Pathway. *Neurotherapeutics*, 1-19. doi: 10.1007/s13311-012-0157-2. <http://dx.doi.org/10.1007/s13311-012-0157-2>

Wang, H., Chen, X., Li, Y., Tang, T.-S., & Bezprozvanny, I. (2010). Tetrabenazine is neuroprotective in Huntington's disease mice. *Molecular Neurodegeneration*, 5(1), 18. doi: <http://www.molecularneurodegeneration.com/content/5/1/18>

Wang, H., Durham, L., Dawson, H., Song, P., Warner, D. S., Sullivan, P. M., . . . Laskowitz, D. T. (2007). An apolipoprotein E-based therapeutic improves outcome and reduces Alzheimer's disease pathology following closed head injury: evidence of pharmacogenomic interaction. *Neuroscience*, 144(4), 1324-1333. doi:

Wang, H., & Gondré-Lewis, M. C. (2013). Prenatal Nicotine and Maternal Deprivation Stress De-Regulate the Development of CA1, CA3, and Dentate Gyrus Neurons in Hippocampus of Infant Rats. *Plos one*, 8(6), e65517. doi: 10.1371/journal.pone.0065517. <http://dx.doi.org/10.1371%2Fjournal.pone.0065517>

Wang, H., Liu, N.-K., Zhang, Y. P., Deng, L., Lu, Q.-B., Shields, C. B., . . . Xu, X.-M. (2015). Treadmill training induced lumbar motoneuron dendritic plasticity and behavior recovery in adult rats after a thoracic contusive spinal cord injury. *Experimental Neurology*, 271, 368-378. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.07.004>. <http://www.sciencedirect.com/science/article/pii/S0014488615300388>

Wang, H., Lynch, J. R., Song, P., Yang, H. J., Yates, R. B., Mace, B., . . . Laskowitz, D. T. (2007). Simvastatin and atorvastatin improve behavioral outcome, reduce hippocampal degeneration, and improve cerebral blood flow after experimental traumatic brain injury. *Experimental Neurology*, 206(1), 59-69. doi:

Wang, H., Magnain, C., Wang, R., Dubb, J., Varjabedian, A., Tirrell, L. S., . . . Aganj, I. (2017). as-PSOCT: Volumetric microscopic imaging of human brain architecture and connectivity. *Neuroimage*. doi: <http://www.sciencedirect.com/science/article/pii/S105381191730825X>

Wang, H. B., Tahara, Y., Luk, S. H. C., Kim, Y.-S., Hitchcock, O. N., MacDowell Kaswan, Z. A., . . . Colwell, C. S. (2020). Melatonin treatment of repetitive behavioral deficits in the Cntnap2 mouse model of autism spectrum disorder. *Neurobiology of Disease*, 145, 105064. doi: <https://doi.org/10.1016/j.nbd.2020.105064>. <http://www.sciencedirect.com/science/article/pii/S0969996120303399>

Wang, H.-L., Hu, S.-H., Chou, A.-H., Wang, S.-S., Weng, Y.-H., & Yeh, T.-H. (2013). H1152 promotes the degradation of polyglutamine-expanded ataxin-3 or ataxin-7 independently of its ROCK-inhibiting effect and ameliorates mutant ataxin-3-induced neurodegeneration in the SCA3 transgenic mouse. *Neuropharmacology*, 70(0), 1-11. doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.01.006>. <http://www.sciencedirect.com/science/article/pii/S0028390813000129>

Wang, H. Q., Imai, Y., Inoue, H., Kataoka, A., Iita, S., Nukina, N., & Takahashi, R. (2008). Pael-R transgenic mice crossed with parkin deficient mice displayed progressive and selective catecholaminergic neuronal loss. *Journal of Neurochemistry*, 107(1), 171-185. doi:

- Wang, J., & Barbas, H. (2018). Specificity of primate amygdalar pathways to hippocampus. [10.1523/JNEUROSCI.1267-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/09/24/JNEUROSCI.1267-18.2018>.
- Wang, J., Bina, R. W., Wingard, J. C., Terwilliger, E. F., Hammer, R. P., & Nikulina, E. M. (2013). Knockdown of tropomyosin-related kinase B receptor expression in the nucleus accumbens shell prevents intermittent social defeat stress-induced cross-sensitization to amphetamine in rats. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12464. <http://dx.doi.org/10.1111/ejn.12464>
- Wang, J., Ho, L., Chen, L., Zhao, Z., Zhao, W., Qian, X., . . . Pasinetti, G. M. (2007). Valsartan lowers brain β -amyloid protein levels and improves spatial learning in a mouse model of Alzheimer disease. *Journal of Clinical Investigation*, 117, 3393-3402. doi.
- Wang, J., Song, H.-R., Guo, M.-N., Ma, S.-F., Yun, Q., Liu, W.-J., . . . Zhu, Y.-Q. (2020). PGC-1 α regulate critical period plasticity via gene \times environment interaction in the developmental trajectory to schizophrenia. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2020.03.030>. <http://www.sciencedirect.com/science/article/pii/S0006291X2030509X>
- Wang, J.-H., Chen, J., Kuo, S.-M., Mitchell, G. M., Lim, S. Y., & Liu, G.-S. (2019). Methods for Assessing Scaffold Vascularization In Vivo. In S. Böttcher-Haberzeth & T. Biedermann (Eds.), *Skin Tissue Engineering: Methods and Protocols* (pp. 217-226). New York, NY: Springer New York.
- Wang, L., Gong, X., Liu, Y., Du, T., Zhang, Z., Zhang, T., & Wang, X. (2020). CD200 maintains the region-specific phenotype of microglia in the midbrain and its role in Parkinson's disease. *Glia*, n/a(n/a). doi: 10.1002/glia.23811. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23811>
- Wang, L., Hong, J., Wu, Y., Liu, G., Yu, W., & Chen, L. (2018). Seipin deficiency in mice causes loss of dopaminergic neurons via aggregation and phosphorylation of α -synuclein and neuroinflammation. *Cell death & disease*, 9(5), 440. doi: 10.1038/s41419-018-0471-7. <https://doi.org/10.1038/s41419-018-0471-7>
- Wang, L., Zhai, Y.-Q., Xu, L.-L., Qiao, C., Sun, X.-L., Ding, J.-H., . . . Hu, G. (2013). Metabolic inflammation exacerbates dopaminergic neuronal degeneration in response to acute MPTP challenge in type 2 diabetes mice. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.11.001>. <http://www.sciencedirect.com/science/article/pii/S0014488613003257>
- Wang, L., Zhang, Z., Hou, L., Wang, Y., Zuo, J., Xue, M., . . . Pu, T. (2019). Phytic acid attenuates upregulation of GSK-3 β and disturbance of synaptic vesicle recycling in MPTP-induced Parkinson's disease models. *Neurochemistry International*, 129, 104507. doi: <https://doi.org/10.1016/j.neuint.2019.104507>. <http://www.sciencedirect.com/science/article/pii/S0197018619300658>
- Wang, M., Zhu, J., Pan, Y., Dong, J., Zhang, L., Zhang, X., & Zhang, L. (2014). Hydrogen sulfide functions as a neuromodulator to regulate striatal neurotransmission in a mouse model of Parkinson's disease. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23504. <http://dx.doi.org/10.1002/jnr.23504>
- Wang, Q., Gao, E., & Burkhalter, A. (2011). Gateways of Ventral and Dorsal Streams in Mouse Visual Cortex. *Journal of Neuroscience*, 31(5), 1905-1918. doi: 10.1523/jneurosci.3488-10.2011. <http://www.jneurosci.org/content/31/5/1905.abstract>

- Wang, Q., Liao, C.-C., Stepniewska, I., Gabi, M., & Kaas, J. H. (2021). Cortical connections of the functional domain for climbing or running in posterior parietal cortex of galagos. [<https://doi.org/10.1002/cne.25123>]. *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25123>. <https://doi.org/10.1002/cne.25123>
- Wang, R., Zhang, T., Ma, Z., Wang, Y., Cheng, Z., Xu, H., . . . Wang, X. (2010). The interaction of coagulation factor XII and monocyte/macrophages mediating peritoneal metastasis of epithelial ovarian cancer. *Gynecologic Oncology*, 117(3), 460-466. doi.
- Wang, R., Zhao, X., Xu, J., Wen, Y., Li, A., Lu, M., & Zhou, J. (2018). Astrocytic JWA deletion exacerbates dopaminergic neurodegeneration by decreasing glutamate transporters in mice. *Cell death & disease*, 9(3), 352. doi: 10.1038/s41419-018-0381-8. <https://doi.org/10.1038/s41419-018-0381-8>
- Wang, S., Bates, J., Li, X., Schanz, S., Chandler-Militello, D., Levine, C., . . . Goldman, Steven A. (2013). Human iPSC-Derived Oligodendrocyte Progenitor Cells Can Myelinate and Rescue a Mouse Model of Congenital Hypomyelination. *Cell Stem Cell*, 12(2), 252-264. doi: <http://dx.doi.org/10.1016/j.stem.2012.12.002>. <http://www.sciencedirect.com/science/article/pii/S1934590912007072>
- Wang, S., Yan, J. Y., Lo, Y. K., Carvey, P. M., & Ling, Z. (2009). Dopaminergic and serotonergic deficiencies in young adult rats prenatally exposed to the bacterial lipopolysaccharide. *Brain Research*, 1265, 196-204. doi.
- Wang, T., Huang, X.-J., Van, K. C., Went, G. T., Nguyen, J. T., & Lyeth, B. G. (2013). Amantadine Improves Cognitive Outcome and Increases Neuronal Survival after Fluid Percussion TBI in Rats. *Journal of Neurotrauma*, (ja). doi.
- Wang, T., Van, K. C., Gavitt, B. J., Grayson, J. K., Lu, Y.-C., Lyeth, B. G., & Pichakron, K. O. (2013). Effect of fish oil supplementation in a rat model of multiple mild traumatic brain injuries. *Restorative Neurology and Neuroscience*. doi: 10.3233/rnn-130316. <http://dx.doi.org/10.3233/RNN-130316>
- Wang, W., Zhang, H., Lee, D.-H., Yu, J., Cheng, T., Hong, M., . . . Wang, J. (2017). Using functional and molecular MRI techniques to detect neuroinflammation and neuroprotection after traumatic brain injury. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.04.019>. <http://www.sciencedirect.com/science/article/pii/S0889159117301290>
- Wang, W. Y., Tan, M. S., Yu, J. T., & Tan, L. (2015). Role of pro-inflammatory cytokines released from microglia in Alzheimer's disease. *Ann Transl Med*, 3. doi.
- Wang, X., Blanchard, J., Grundke-Iqbal, I., Wegiel, J., Deng, H.-X., Siddique, T., & Iqbal, K. (2013). Alzheimer disease and amyotrophic lateral sclerosis: an etiopathogenic connection. *Acta Neuropathologica*, 1-14. doi: 10.1007/s00401-013-1175-9. <http://dx.doi.org/10.1007/s00401-013-1175-9>
- Wang, X., de Rivero Vaccari, J. P., Wang, H., Diaz, P., German, R., Marcillo, A., & Keane, R. W. (2011). Activation of the Nuclear Factor E2-Related Factor 2/Antioxidant Response Element Pathway is Neuroprotective Following Spinal Cord Injury. *Journal of Neurotrauma*, (ja). doi.
- Wang, X., Hellgren, G., Löfqvist, C., Li, W., Hellström, A., Hagberg, H., & Mallard, C. (2009). White matter damage after chronic subclinical inflammation in newborn mice. *Journal of Child Neurology*, 24(9), 1171-1178. doi.

Wang, X., Liu, C., Wang, X., Gao, F., & Zhan, R.-Z. (2017). Density and Neurochemical Profiles of Neuronal Nitric Oxide Synthase-expressing Interneuron in the Mouse Basolateral Amygdala. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2017.02.009>. <http://www.sciencedirect.com/science/article/pii/S0006899317300720>

Wang, X., Misawa, R., Zielinski, M. C., Cowen, P., Jo, J., Perival, V., . . . Hara, M. (2013). Regional Differences in Islet Distribution in the Human Pancreas - Preferential Beta-Cell Loss in the Head Region in Patients with Type 2 Diabetes. *Plos one*, 8(6), e67454. doi: 10.1371/journal.pone.0067454. <http://dx.doi.org/10.1371%2Fjournal.pone.0067454>

Wang, X., Sarkar, A., Cicchetti, F., Yu, M., Zhu, A., Jokivarsi, K., . . . Brownell, A. L. (2005). Cerebral PET imaging and histological evidence of transglutaminase inhibitor cystamine induced neuroprotection in transgenic R6/2 mouse model of Huntington's disease. *Journal of the Neurological Sciences*, 231(1-2), 57-66. doi.

Wang, X., Sirianni, A., Pei, Z., Cormier, K., Smith, K., Jiang, J., . . . Friedlander, R. M. (2011). The Melatonin MT1 Receptor Axis Modulates Mutant Huntingtin-Mediated Toxicity. *Journal of Neuroscience*, 31(41), 14496-14507. doi: 10.1523/jneurosci.3059-11.2011. <http://www.jneurosci.org/content/31/41/14496.abstract>

Wang, X., Stridh, L., Li, W., Dean, J., Elmgren, A., Gan, L., . . . Mallard, C. (2009). Lipopolysaccharide Sensitizes Neonatal Hypoxic-Ischemic Brain Injury in a MyD88-Dependent Manner. *Journal of Immunology*, 183(11), 7471-7477. doi: 10.4049/jimmunol.0900762. <http://www.jimmunol.org/cgi/content/abstract/183/11/7471>

Wang, X., Teng, L., Li, A., Ge, J., Laties, A. M., & Zhang, X. (2010). TRPC6 Channel Protects Retinal Ganglion Cells in a Rat Model of Retinal Ischemia/Reperfusion-Induced Cell Death. *Investigative Ophthalmology and Visual Science*, 51(11), 5751-5751. doi.

Wang, X., Yang, J., Xing, Z., Zhang, H., Wen, Y., Qi, F., . . . Yao, Z. (2018). IL-4 mediates the delayed neurobehavioral impairments induced by neonatal hepatitis B vaccination that involves the down-regulation of the IL-4 receptor in the hippocampus. *Cytokine*, 110, 137-149. doi: <https://doi.org/10.1016/j.cyto.2018.04.037>. <https://www.sciencedirect.com/science/article/pii/S104346661830190X>

Wang, X., Zhu, S., Pei, Z., Drozda, M., Stavrovskaya, I. G., Del Signore, S. J., . . . Friedlander, R. M. (2008). Inhibitors of Cytochrome c Release with Therapeutic Potential for Huntington's Disease. *Journal of Neuroscience*, 28(38), 9473-9485. doi: 10.1523/jneurosci.1867-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/38/9473>

Wang, X., Zielinski, M. C., Misawa, R., Wen, P., Wang, T.-Y., Wang, C.-Z., . . . Hara, M. (2013). Quantitative Analysis of Pancreatic Polypeptide Cell Distribution in the Human Pancreas. *Plos one*, 8(1), e55501. doi: 10.1371/journal.pone.0055501. <http://dx.doi.org/10.1371%2Fjournal.pone.0055501>

Wang, X. H., Xie, X., Luo, X. G., Shang, H., & HE, Z. (2016). Inhibiting purinergic P2X7 receptors with the antagonist brilliant blue G is neuroprotective in an intranigral lipopolysaccharide animal model of Parkinson's disease. *Molecular Medicine Reports*. doi: <https://www.spandidos-publications.com/10.3892/mmr.2016.6070>

Wang, Y., Barakat, A., & Zhou, H. (2010). Electrotonic Coupling between Pyramidal Neurons in the Neocortex. *PLoS ONE*, 5(4). doi: 10.1371/journal.pone.0010253.

- Wang, Y., Bontempi, B., Leinekugel, X., Lesburgueres, E., Liu, W., Weinstein, P. R., . . . Liu, J. (2011). Environmental Enrichment Preserves Cortical Inputs to the Parahippocampal Areas and Reduces Post Stroke Diaschisis. *American Journal of Neuroprotection and Neuroregeneration*, 3(1), 66-76. doi.
- Wang, Y., Cheung, P. T., Shen, G. X., Bhatia, I., Wu, E. X., Qiu, D., & Khong, P. L. (2007). Comparing diffusion-weighted and T2-weighted MR imaging for the quantification of infarct size in a neonatal rat hypoxic-ischemic model at 24h post-injury. *International Journal of Developmental Neuroscience*, 25(1), 1-5. doi.
- Wang, Y., Cheung, P. T., Shen, G. X., Wu, E. X., Cao, G., Bart, I., . . . Khong, P. L. (2006). Hypoxic-ischemic brain injury in the neonatal rat model: relationship between lesion size at early MR imaging and irreversible infarction. *American journal of neuroradiology*, 27(1), 51-54. doi.
- Wang, Y., Dong, X. X., Cao, Y., Liang, Z. Q., Han, R., Wu, J. C., . . . Qin, Z. H. (2009). p53 induction contributes to excitotoxic neuronal death in rat striatum through apoptotic and autophagic mechanisms. *European Journal of Neuroscience*, 30(12), 2258-2270. doi.
- Wang, Y., Markram, H., Goodman, P. H., Berger, T. K., Ma, J., & Goldman-Rakic, P. S. (2006). Heterogeneity in the pyramidal network of the medial prefrontal cortex. *Nature of Neuroscience*. doi.
- Wang, Y., Mukherjee, S., Fraefel, C., Breakefield, X. O., & Allen, P. D. (2002). Herpes simplex virus type 1 amplicon vector-mediated gene transfer to muscle. *Human Gene Therapy*, 13(2), 261-273. doi.
- Wang, Y., Neumann, M., Hansen, K., Hong, S. M., Kim, S., Noble-Haeusslein, L. J., & Liu, J. (2011). Fluoxetine increases hippocampal neurogenesis and induces epigenetic factors but does not improve functional recovery after traumatic brain injury. *Journal of Neurotrauma*, 28(2), 259-268. doi.
- Wang, Y., Wang, Y., Liu, J., & Wang, X. (2018). Electroacupuncture Alleviates Motor Symptoms and Up-Regulates Vesicular Glutamatergic Transporter 1 Expression in the Subthalamic Nucleus in a Unilateral 6-Hydroxydopamine-Lesioned Hemi-Parkinsonian Rat Model. [journal article]. *Neuroscience bulletin*. doi: 10.1007/s12264-018-0213-y. <https://doi.org/10.1007/s12264-018-0213-y>
- Wang, Y., Yin, X., Rosen, G., Gabel, L., Guadiana, S. M., Sarkisian, M. R., . . . LoTurco, J. J. (2011). Dcdc2 knockout mice display exacerbated developmental disruptions following knockdown of Dcx. *Neuroscience*. doi.
- Wang, Y. C., Ho, U. C., Ko, M. C., Liao, C. C., & Lee, L. J. (2011). Differential neuronal changes in medial prefrontal cortex, basolateral amygdala and nucleus accumbens after postweaning social isolation. *Brain Structure and Function*, 1-15. doi.
- Wang, Y. Q., Cui, H. R., Yang, S. Z., Sun, H. P., Qiu, M. H., Feng, X. Y., & Sun, F. Y. (2009). VEGF enhance cortical newborn neurons and their neurite development in adult rat brain after cerebral ischemia. *Neurochemistry International*, 55(7), 629-636. doi.
- Wang, Y.-R., Qin, S., Han, R., Wu, J.-C., Liang, Z.-Q., Qin, Z.-H., & Wang, Y. (2013). Cathepsin L Plays a Role in Quinolinic Acid-Induced NF-κB Activation and Excitotoxicity in Rat Striatal Neurons. *Plos one*, 8(9), e75702. doi: 10.1371/journal.pone.0075702. <http://dx.doi.org/10.1371/journal.pone.0075702>
- Wang, Z., Dong, H., Wang, J., Huang, Y., Zhang, X., Tang, Y., . . . Huang, F. (2020). Pro-survival and anti-inflammatory roles of NF-κB c-Rel in the Parkinson's disease models. *Redox Biology*, 30, 101427. doi: <https://doi.org/10.1016/j.redox.2020.101427>. <http://www.sciencedirect.com/science/article/pii/S221323171931184X>

Wanner, I. B., Anderson, M. A., Song, B., Levine, J., Fernandez, A., Gray-Thompson, Z., . . . Sofroniew, M. V. (2013). Glial Scar Borders Are Formed by Newly Proliferated, Elongated Astrocytes That Interact to Corral Inflammatory and Fibrotic Cells via STAT3-Dependent Mechanisms after Spinal Cord Injury. *Journal of Neuroscience*, 33(31), 12870-12886. doi: 10.1523/jneurosci.2121-13.2013. <http://www.jneurosci.org/content/33/31/12870.abstract>

Ward, B. J., Day, L. B., Wilkening, S. R., Wylie, D. R., Saucier, D. M., & Iwaniuk, A. N. (2012). Hummingbirds have a greatly enlarged hippocampal formation. *Biology Letters*. doi.

Ward, C. S., Arvide, E. M., Huang, T.-W., Yoo, J., Noebels, J. L., & Neul, J. L. (2011). MeCP2 Is Critical within HoxB1-Derived Tissues of Mice for Normal Lifespan. *Journal of Neuroscience*, 31(28), 10359-10370. doi: 10.1523/jneurosci.0057-11.2011. <http://www.jneurosci.org/content/31/28/10359.abstract>

Warmus, B. A., Sekar, D. R., McCutchen, E., Schellenberg, G. D., Roberts, R. C., McMahon, L. L., & Roberson, E. D. (2014). Tau-Mediated NMDA Receptor Impairment Underlies Dysfunction of a Selectively Vulnerable Network in a Mouse Model of Frontotemporal Dementia. *The Journal of Neuroscience*, 34(49), 16482-16495. doi. <http://www.jneurosci.org/content/34/49/16482.short>

Warren, B., Sial, O., Alcantara, L., Greenwood, M., Brewer, J., Rozofsky, J., . . . Bolaños-Guzmán, C. (2014). Altered Gene Expression and Spine Density in Nucleus Accumbens of Adolescent and Adult Male Mice Exposed to Emotional and Physical Stress. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/FullText/362875>

Wartman, B. C., Gabel, J., & Holahan, M. R. (2014). Inactivation of the Anterior Cingulate Reveals Enhanced Reliance on Cortical Networks for Remote Spatial Memory Retrieval after Sequential Memory Processing. *Plos one*, 9(10), e108711. doi: 10.1371/journal.pone.0108711. <http://dx.doi.org/10.1371%2Fjournal.pone.0108711>

Wartman, B. C., & Holahan, M. R. (2013). The use of sequential hippocampal-dependent and -non-dependent tasks to study the activation profile of the anterior cingulate cortex during recent and remote memory tests. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2013.08.011>. <http://www.sciencedirect.com/science/article/pii/S1074742713001706>

Watanabe, J., Shetty, A. K., Hattiangady, B., Kim, D.-K., Foraker, J. E., Nishida, H., & Prockop, D. J. (2013). Administration of TSG-6 improves memory after traumatic brain injury in mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.06.017>. <http://www.sciencedirect.com/science/article/pii/S0969996113001940>

Watari, H., Born, D. E., & Gleason, C. A. (2006). Effects of first trimester binge alcohol exposure on developing white matter in fetal sheep. *Pediatric Research*, 59, 560-564. doi.

Waterhouse, E. G., An, J. J., Orefice, L. L., Baydyuk, M., Liao, G. Y., Zheng, K., . . . Xu, B. (2012). BDNF Promotes Differentiation and Maturation of Adult-born Neurons through GABAergic Transmission. *Journal of Neuroscience*, 32(41), 14318-14330. doi.

Watkins, A. J., Lucas, E. S., Torrens, C., Cleal, J. K., Green, L., Osmond, C., . . . Fleming, T. P. (2010). Maternal low-protein diet during mouse pre-implantation development induces vascular dysfunction and altered renin-angiotensin-system homeostasis in the offspring. *British Journal of Nutrition*, 103(12), 1762-1762. doi.

Watkins, A. J., Wilkins, A., Cunningham, C., Perry, V. H., Seet, M. J., Osmond, C., . . . Fleming, T. P. (2008). Low protein diet fed exclusively during mouse oocyte maturation leads to behavioural and cardiovascular abnormalities in offspring. *Journal of Physiology*, *jphysiol.2007.149229*. doi: 10.1113/jphysiol.2007.149229. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2007.149229v1>

Watson, F., Coppi, A. A., Volk, H. A., Packer, R. M. A., Tauro, A., & Rusbridge, C. (2021). Comparison of volume of the forebrain, subarachnoid space and lateral ventricles between dogs with idiopathic epilepsy and controls using a stereological approach: Cavalieri's principle. *Canine Medicine and Genetics*, *8*(1), 3. doi: 10.1186/s40575-021-00101-6. <https://doi.org/10.1186/s40575-021-00101-6>

Watson, M. B., Nobuta, H., Abad, C., Lee, S. K., Bala, N., Zhu, C., . . . Waschek, J. A. (2013). PACAP deficiency sensitizes nigrostriatal dopaminergic neurons to paraquat-induced damage and modulates central and peripheral inflammatory activation in mice. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.03.002>. <http://www.sciencedirect.com/science/article/pii/S0306452213002133>

Watson, M. B., Richter, F., Lee, S. K., Gabby, L., Wu, J., Masliah, E., . . . Chesselet, M.-F. (2012). Regionally-specific microglial activation in young mice over-expressing human wildtype alpha-synuclein. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.06.025. <http://www.sciencedirect.com/science/article/pii/S0014488612002671>

Waung, M. W., Margolis, E. B., Charbit, A. R., & Fields, H. L. (2019). A Midbrain Circuit that Mediates Headache Aversiveness in Rats. *Cell Reports*, *28*(11), 2739-2747.e2734. doi: <https://doi.org/10.1016/j.celrep.2019.08.009>. <http://www.sciencedirect.com/science/article/pii/S2211124719310423>

Wayman, W. N., Dodiya, H. B., Persons, A. L., Kashanchi, F., Kordower, J. H., Hu, X.-T., & Celeste Napier, T. (2012). Enduring cortical alterations after a single in-vivo treatment of HIV-1 Tat. *Neuroreport*, Publish Ahead of Print, 10.1097/WNR.1090b1013e3283578050. doi: http://journals.lww.com/neuroreport/Fulltext/publishahead/Enduring_corti..

Weathington, J. M., Puhy, C., Hamki, A., Strahan, J. A., & Cooke, B. M. (2013). Sexually dimorphic patterns of neural activity in response to juvenile social subjugation. *Behavioural Brain Research*, *256*(0), 464-471. doi: <http://dx.doi.org/10.1016/j.bbr.2013.08.042>. <http://www.sciencedirect.com/science/article/pii/S0166432813005391>

Weathington, J. M., Strahan, J. A., & Cooke, B. M. (2012). Social experience induces sex-specific fos expression in the amygdala of the juvenile rat. *Hormones and Behavior*, (0). doi: 10.1016/j.yhbeh.2012.06.004. <http://www.sciencedirect.com/science/article/pii/S0018506X12001699>

Webster, K. M., Sun, M., Crack, P. J., O'Brien, T. J., Shultz, S. R., & Semple, B. D. (2018). Age-dependent release of high-mobility group box protein-1 (HMGB1) and cellular neuroinflammation after traumatic brain injury in mice. *Journal of Comparative Neurology*, *0*(ja). doi: 10.1002/cne.24589. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24589>

Wecker, L., Engberg, M. E., Philpot, R. M., Lambert, C. S., Kang, C. W., Antilla, J. C., . . . Rowell, P. P. (2013). Neuronal Nicotinic Receptor Agonists Improve Gait and Balance in Olivocerebellar Ataxia. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.05.016>. <http://www.sciencedirect.com/science/article/pii/S0028390813002268>

Weeren, P. C., Bruyn, K. M., Vries-Smits, A. M., Lint, J., & Burgering, B. M. (1998). Essential role for protein kinase B (PKB) in insulin-induced glycogen synthase kinase 3 inactivation. Characterization of dominant-negative mutant of PKB. *Journal of Biological Chemistry*, 273. doi: 10.1074/jbc.273.21.13150. <http://dx.doi.org/10.1074/jbc.273.21.13150>

Wegiel, J., Flory, M., Kuchna, I., Nowicki, K., Yong Ma, S., Wegiel, J., . . . Reisberg, B. (2017). Multiregional Age-Associated Reduction of Brain Neuronal Reserve Without Association With Neurofibrillary Degeneration or β -Amyloidosis. *Journal of Neuropathology and Experimental Neurology*, 76(6), 439-457. doi: <https://academic.oup.com/jnen/article-abstract/76/6/439/3826543/Multireg..>

Wegiel, J., Frackowiak, J., Mazur-Kolecka, B., Schanen, N. C., Cook, E. H., Sigman, M., . . . Nowicki, K. (2012). Abnormal Intracellular Accumulation and Extracellular A β Deposition in Idiopathic and Dup15q11. 2-q13 Autism Spectrum Disorders. *PLoS ONE*, 7(5), e35414. doi.

Wegiel, J., Kaczmarek, W., Barua, M., Kuchna, I., Nowicki, K., Wang, K. C., . . . others. (2011). The link between DYRK1A overexpression and several-fold enhancement of neurofibrillary degeneration with 3-repeat tau protein in Down syndrome. *Journal of Neuropathology and Experimental Neurology*, 70(1), 36-36. doi.

Wegiel, J., Kuchna, I., Nowicki, K., Imaki, H., Wegiel, J., Yong Ma, S., . . . Wisniewski, T. (2013). Contribution of olivofloccular circuitry developmental defects to atypical gaze in autism. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.03.037>. <http://www.sciencedirect.com/science/article/pii/S0006899313004599>

Wegrzynowicz, M., Bar-On, D., Calo', L., Anichtchik, O., Iovino, M., Xia, J., . . . Spillantini, M. G. (2019). Depopulation of dense α -synuclein aggregates is associated with rescue of dopamine neuron dysfunction and death in a new Parkinson's disease model. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-019-02023-x. <https://doi.org/10.1007/s00401-019-02023-x>

Wei, H., Bonjean, M., Petry, H. M., Sejnowski, T. J., & Bickford, M. E. (2011). Thalamic Burst Firing Propensity: A Comparison of the Dorsal Lateral Geniculate and Pulvinar Nuclei in the Tree Shrew. *Journal of Neuroscience*, 31(47), 17287-17299. doi: 10.1523/jneurosci.6431-10.2011. <http://www.jneurosci.org/content/31/47/17287.abstract>

Wei, L., Meaney, M. J., Duman, R. S., & Kaffman, A. (2011). Affiliative Behavior Requires Juvenile, But Not Adult Neurogenesis. *Journal of Neuroscience*, 31(40), 14335-14345. doi: 10.1523/jneurosci.1333-11.2011. <http://www.jneurosci.org/content/31/40/14335.abstract>

Wei, Y., Yemisci, M., Kim, H. H., Yung, L. M., Shin, H. K., Hwang, S. K., . . . others. (2011). Fingolimod provides long-term protection in rodent models of cerebral ischemia. *Annals of Neurology*, 69(1), 119-129. doi.

Wei, Y.-C., Wang, S.-R., Jiao, Z.-L., Zhang, W., Lin, J.-K., Li, X.-Y., . . . Xu, X.-H. (2018). Medial preoptic area in mice is capable of mediating sexually dimorphic behaviors regardless of gender. *Nature Communications*, 9(1), 279. doi: 10.1038/s41467-017-02648-0. <https://doi.org/10.1038/s41467-017-02648-0>

Wei, Z., Belal, C., Tu, W., Chigurupati, S., Ameli, N. J., Lu, Y., & Chan, S. L. (2012). Chronic Nicotine Administration Impairs Activation of Cyclic AMP-Response Element Binding Protein and Survival of Newborn Cells in the Dentate Gyrus. *Stem Cells and Development*. doi.

Weimer, J. M., Benedict, J. W., Elshatory, Y. M., Short, D. W., Ramirez-Montealegre, D., Ryan, D. A., . . . Pearce, D. A. (2007). Alterations in striatal dopamine catabolism precede loss of substantia nigra neurons in a mouse model of juvenile neuronal ceroid lipofuscinosis. *Brain Research*, 1162, 98-112. doi.

Weimer, J. M., Benedict, J. W., Getty, A. L., Pontikis, C. C., Lim, M. J., Cooper, J. D., & Pearce, D. A. (2009). Cerebellar defects in a mouse model of juvenile neuronal ceroid lipofuscinosis. *Brain Research*, 1266, 93-107. doi.

Weimer, J. M., Custer, A. W., Benedict, J. W., Alexander, N. A., Kingsley, E., Federoff, H. J., . . . Pearce, D. A. (2006). Visual deficits in a mouse model of Batten disease are the result of optic nerve degeneration and loss of dorsal lateral geniculate thalamic neurons. *Neurobiology of Disease*, 22(2), 284-293. doi.

Weinrich, L., Sonntag, M., Arendt, T., & Morawski, M. (2018). Neuroanatomical characterization of perineuronal net components in the human cochlear nucleus and superior olivary complex. *Hearing Research*, 367, 32-47. doi: <https://doi.org/10.1016/j.heares.2018.07.005>, <http://www.sciencedirect.com/science/article/pii/S0378595518300741>

Weisheit, C. E., & Dauer, W. T. (2015). A novel conditional knock-in approach defines molecular and circuit effects of the DYT1 dystonia mutation. *Human Molecular Genetics*. doi: 10.1093/hmg/ddv355. <http://hmg.oxfordjournals.org/content/early/2015/09/13/hmg.ddv355.abstract>

Weitekamp, C. A., & Hofmann, H. A. (2017). Neuromolecular correlates of cooperation and conflict during territory defense in a cichlid fish. *Hormones and Behavior*, 89, 145-156. doi: <http://dx.doi.org/10.1016/j.yhbeh.2017.01.001>. <http://www.sciencedirect.com/science/article/pii/S0018506X16302616>

Welin, D., Novikova, L. N., Wiberg, M., Kellerth, J. O., & Novikov, L. N. (2009). Effects of N-acetyl-cysteine on the survival and regeneration of sural sensory neurons in adult rats. *Brain Research*, 1287, 58-66. doi.

Wen, Y.-R., Yang, J.-H., Wang, X., & Yao, Z.-B. (2018). Induced dural lymphangiogenesis facilitates soluble amyloid-beta clearance from brain in a transgenic mouse model of Alzheimer's disease. [Research Article]. *Neural Regeneration Research*, 13(4), 709-716. doi: 10.4103/1673-5374.230299. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2018;volume=13;...>

Wendeln, A.-C., Degenhardt, K., Kaurani, L., Gertig, M., Ulas, T., Jain, G., . . . Neher, J. J. (2018). Innate immune memory in the brain shapes neurological disease hallmarks. *Nature*, 556(7701), 332-338. doi: 10.1038/s41586-018-0023-4. <https://doi.org/10.1038/s41586-018-0023-4>

Wendt, H., Soerensen, J., Wotjak, C. T., & Potschka, H. (2011). Targeting the endocannabinoid system in the amygdala kindling model of temporal lobe epilepsy in mice. *Epilepsia*, 52(7), e62-e65. doi: 10.1111/j.1528-1167.2011.03079.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03079.x>

West, C. A., Davies, K. A., Hart, A. M., Wiberg, M., Williams, S. R., & Terenghi, G. (2007). Volumetric magnetic resonance imaging of dorsal root ganglia for the objective quantitative assessment of neuron death after peripheral nerve injury. *Experimental Neurology*, 203(1), 22-33. doi.

West, M. J. (1993). New stereological methods for counting neurons. *Neurobiology of Aging*, 14. doi: 10.1016/0197-4580(93)90112-o. [http://dx.doi.org/10.1016/0197-4580\(93\)90112-o](http://dx.doi.org/10.1016/0197-4580(93)90112-o)

- West, M. J., Bach, G., Söderman, A., & Jensen, J. L. (2009). Synaptic contact number and size in CA1 of APP/PS1 Δ Eg transgenic mice. *Neurobiology of Aging*, 30(11), 1756-1776. doi.
- West, R. K., Maynard, M. E., & Leasure, J. L. (2018). Binge ethanol effects on prefrontal cortex neurons, spatial working memory and task-induced neuronal activation in male and female rats. *Physiology and Behavior*, 188, 79-85. doi: <https://doi.org/10.1016/j.physbeh.2018.01.027>. <https://www.sciencedirect.com/science/article/pii/S003193841830043X>
- West, R. K., Wooden, J. I., Barton, E. A., & Leasure, J. L. (2019). Recurrent binge ethanol is associated with significant loss of dentate gyrus granule neurons in female rats despite concomitant increase in neurogenesis. *Neuropharmacology*, 148, 272-283. doi: <https://doi.org/10.1016/j.neuropharm.2019.01.016>. <http://www.sciencedirect.com/science/article/pii/S0028390818305616>
- West, T., Atzeva, M., & Holtzman, D. M. (2006). Caspase-3 deficiency during development increases vulnerability to hypoxic-ischemic injury through caspase-3-independent pathways. *Neurobiology of Disease*, 22(3), 523-537. doi.
- Westmark, C. J., Westmark, P. R., O'Riordan, K. J., Ray, B. C., Hervey, C. M., Salamat, M. S., . . . others. (2011). Reversal of Fragile X Phenotypes by Manipulation of A β PP/A β Levels in Fmr1KO Mice. *PLoS ONE*, 6(10), e26549-e26549. doi.
- Westmark, P. R., Dekundy, A., Gravius, A., Danysz, W., & Westmark, C. J. (2018). Rescue of Fmr1KO phenotypes with mGluR5 inhibitors: MRZ-8456 versus AFQ-056. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2018.08.008>. <http://www.sciencedirect.com/science/article/pii/S0969996118304406>
- Westphal, R., Sumiyoshi, A., Simmons, C., Mesquita, M., Wood, T. C., Williams, S. C. R., . . . Cash, D. (2016). Characterization of grey matter atrophy following 6-hydroxydopamine lesion of the nigrostriatal system. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.07.046>. <http://www.sciencedirect.com/science/article/pii/S030645221630361X>
- Wetzel, M. K., Naska, S., Laliberté, C. L., Rymar, V. V., Fujitani, M., Biernaskie, J. A., . . . Kaplan, D. R. (2008). p73 regulates neurodegeneration and phospho-tau accumulation during aging and Alzheimer's disease. *Neuron*, 59(5), 708-721. doi.
- Wheeler, A. L., Teixeira, C. M., Wang, A. H., Xiong, X., Kovacevic, N., Lerch, J. P., . . . Frankland, P. W. (2013). Identification of a Functional Connectome for Long-Term Fear Memory in Mice. *PLoS Computational Biology*, 9(1). doi.
- Wheeler, D. G., Dixon, G., & Harper, C. (2006). No differences in calcium-binding protein immunoreactivity in the posterior cingulate and visual cortex: schizophrenia and controls. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 30(4), 630-639. doi.
- Wheeler, D. G., & Harper, C. G. (2007). Localised reductions in gyrification in the posterior cingulate: Schizophrenia and controls. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 31(2), 319-327. doi.
- Whetstone, W. D., Walker, B., Trivedi, A., Lee, S., Noble-Haeusslein, L. J., & Hsu, J.-Y. C. (2017). Protease-Activated Receptor-1 Supports Locomotor Recovery by Biased Agonist Activated Protein C

after Contusive Spinal Cord Injury. Plos one, 12(1), e0170512. doi: 10.1371/journal.pone.0170512. <http://dx.doi.org/10.1371%2Fjournal.pone.0170512>

White, B. D., Nathe, R. J., Maris, D. O., Nguyen, N. K., Goodson, J. M., Moon, R. T., & Horner, P. J. (2010). β -Catenin Signaling Increases in Proliferating NG2+ Progenitors and Astrocytes during Post-Traumatic Gliogenesis in the Adult Brain. *Stem Cells*, 28(2), 297-307. doi.

White, E., Bienemann, A., Malone, J., Megraw, L., Bunnun, C., Wyatt, M., & Gill, S. (2011). An evaluation of the relationships between catheter design and tissue mechanics in achieving high-flow convection-enhanced delivery. *Journal of Neuroscience Methods*. doi.

White, E., Bienemann, A., Megraw, L., Bunnun, C., & Gill, S. (2011). Evaluation and optimization of the administration of a selectively replicating herpes simplex viral vector to the brain by convection-enhanced delivery. *Cancer Gene Therapy*, 18(5), 358-369. doi.

White, E., Bienemann, A., Sena-Esteves, M., Taylor, H., Bunnun, C., Castrique, E., & Gill, S. (2010). Evaluation and optimization of the administration of recombinant adeno-associated viral vectors (serotypes 2/1, 2/2, 2/rh8, 2/9, and 2/rh10) by convection-enhanced delivery to the striatum. *Human Gene Therapy*, 22(2), 237-251. doi.

White, E., Bienemann, A., Taylor, H., Castrique, E., Bunnun, C., Wyatt, M., & Gill, S. (2011). An evaluation of site-specific immune responses directed against first-generation adenoviral vectors administered by convection-enhanced delivery. *Journal of Gene Medicine*, 13(5), 269-282. doi.

White, E. A., Bienemann, A. S., Megraw, L., Bunnun, C., Wyatt, M. J., Taylor, H., & Gill, S. S. (2012). The Distribution Properties of Lentiviral Vectors Administered into the Striatum by Convection-Enhanced Delivery. *Human Gene Therapy*, (ja). doi.

White, L. D., & Barone, S. (2001). Qualitative and quantitative estimates of apoptosis from birth to senescence in the rat brain. *Cell Death and Differentiation*, 8, 345-356. doi.

White, N. S. (2006). Visualization systems for multi-dimensional microscopy images. *Handbook Of Biological Confocal Microscopy*, 280-315. doi.

Whitney, E. R., Kemper, T. L., Rosene, D. L., Bauman, M. L., & Blatt, G. J. (2008). Calbindin-D28k is a more reliable marker of human Purkinje cells than standard Nissl stains: a stereological experiment. *Journal of Neuroscience Methods*, 168(1), 42-47. doi.

Whitney, E. R., Kemper, T. L., Rosene, D. L., Bauman, M. L., & Blatt, G. J. (2009). Density of cerebellar basket and stellate cells in autism: evidence for a late developmental loss of Purkinje cells. *Journal of Neuroscience Research*, 87(10), 2245-2254. doi.

Whittaker, M. T., Zai, L. J., Lee, H. J., Pajooohesh-Ganji, A., Wu, J., Sharp, A., . . . Wrathall, J. R. (2012). GGF2 (Nrg1- β 3) treatment enhances NG2+ cell response and improves functional recovery after spinal cord injury. *Glia*, 60(2), 281-294. doi: 10.1002/glia.21262. <http://dx.doi.org/10.1002/glia.21262>

Wieck, A., Andersen, S. L., & Brenhouse, H. C. (2012). Evidence for a neuroinflammatory mechanism in delayed effects of early life adversity in rats: Relationship to cortical NMDA receptor expression. *Brain, Behavior, and Immunity*, (o). doi: <http://dx.doi.org/10.1016/j.bbi.2012.11.012>. <http://www.sciencedirect.com/science/article/pii/S0889159112004989>

Wihan, J., Grosch, J., Kalinichenko, L. S., Müller, C. P., Winkler, J., & Kohl, Z. (2019). Layer-specific axonal degeneration of serotonergic fibers in the prefrontal cortex of aged A53T α -synuclein expressing mice. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2019.03.014>. <http://www.sciencedirect.com/science/article/pii/S0197458019300995>

Wihan, J., Grosch, J., Kalinichenko, L. S., Müller, C. P., Winkler, J., & Kohl, Z. (2019). Layer-specific axonal degeneration of serotonergic fibers in the prefrontal cortex of aged A53T α -synuclein expressing mice. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2019.03.014>. <http://www.sciencedirect.com/science/article/pii/S0197458019300995>

Wilber, A. A., Southwood, C. J., Sokoloff, G., Steinmetz, J. E., & Wellman, C. L. (2007). Neonatal maternal separation alters adult eyeblink conditioning and glucocorticoid receptor expression in the interpositus nucleus of the cerebellum. *Developmental Neurobiology*, 67(13), 1751-1764. doi.

Wilcock, D. M., Lewis, M. R., Van Nostrand, W. E., Davis, J., Previti, M. L., Gharkholonarehe, N., . . . Colton, C. A. (2008). Progression of Amyloid Pathology to Alzheimer's Disease Pathology in an Amyloid Precursor Protein Transgenic Mouse Model by Removal of Nitric Oxide Synthase 2. *Journal of Neuroscience*, 28(7), 1537-1545. doi: 10.1523/jneurosci.5066-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/7/1537>

Wilcock, D. M., Vitek, M. P., & Colton, C. A. (2009). Vascular amyloid alters astrocytic water and potassium channels in mouse models and humans with Alzheimer's disease. *Neuroscience*, 159(3), 1055-1069. doi.

Wilcox, J. T., Satkunendrarajah, K., Nasirzadeh, Y., Laliberte, A. M., Lip, A., Cadotte, D. W., . . . Fehlings, M. G. (2017). Generating level-dependent models of cervical and thoracic spinal cord injury: Exploring the interplay of neuroanatomy, physiology, and function. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.05.009>. <http://www.sciencedirect.com/science/article/pii/S0969996117301213>

Wild, B. M., Mohan, R., & Morris, R. (2017). Rat motor neurons caudal to a rubrospinal tract (RST) transection remain viable. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.09.013>. <http://www.sciencedirect.com/science/article/pii/S0306452217306486>

Wild, S., Roglic, G., Green, A., Sicree, R., & King, H. (2004). Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care*, 27. doi: 10.2337/diacare.27.5.1047. <http://dx.doi.org/10.2337/diacare.27.5.1047>

Wilhelmsson, U., Li, L., Pekna, M., Berthold, C.-H., Blom, S., Eliasson, C., . . . Pekny, M. (2004). Absence of glial fibrillary acidic protein and vimentin prevents hypertrophy of astrocytic processes and improves post-traumatic regeneration. *Journal of Neuroscience*, 24(21), 5016-5021. doi.

Will, J. L., Eckart, M. T., Rosenow, F., Bauer, S., Oertel, W. H., Schwarting, R. K. W., & Norwood, B. A. (2013). Enhanced sequential reaction time task performance in a rat model of mesial temporal lobe epilepsy with classic hippocampal sclerosis. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.03.019>. <http://www.sciencedirect.com/science/article/pii/S0166432813001526>

Willard, S. L., Riddle, D. R., Forbes, M. E., & Shively, C. A. (2013). Cell Number and Neuropil Alterations in Subregions of the Anterior Hippocampus in a Female Monkey Model of Depression. *Biological*

Psychiatry, (0).

doi: <http://dx.doi.org/10.1016/j.biopsycho.2013.03.013>. <http://www.sciencedirect.com/science/article/pii/S0006322313002667>

Willi, R., Harmeier, A., Giovanoli, S., & Meyer, U. (2013). Altered GSK3 β signaling in an infection-based mouse model of developmental neuropsychiatric disease. *Neuropharmacology*, (0).

doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.05.012>. <http://www.sciencedirect.com/science/article/pii/S0028390813002220>

Williams, E. C., Zhong, X., Mohamed, A., Li, R., Liu, Y., Dong, Q., . . . Chang, Q. (2014). Mutant astrocytes differentiated from Rett syndrome patients-specific iPSCs have adverse effects on wild type neurons. *Human Molecular Genetics*. doi:

10.1093/hmg/ddu008. <http://hmg.oxfordjournals.org/content/early/2014/01/12/hmg.ddu008.abstract>

Williams, E. T., Glauser, L., Tsika, E., Jiang, H., Islam, S., & Moore, D. J. (2018). Parkin mediates the ubiquitination of VPS35 and modulates retromer-dependent endosomal sorting. *Human Molecular Genetics*, ddy224-ddy224. doi: 10.1093/hmg/ddy224. <http://dx.doi.org/10.1093/hmg/ddy224>

Williams, G. P., Marmion, D. J., Schonhoff, A. M., Jurkuvenaite, A., Won, W.-J., Standaert, D. G., . . . Harms, A. S. (2020). T cell infiltration in both human multiple system atrophy and a novel mouse model of the disease. *Acta Neuropathologica*. doi: 10.1007/s00401-020-02126-w.

<https://doi.org/10.1007/s00401-020-02126-w>

Williams, G. P., Schonhoff, A. M., Jurkuvenaite, A., Thome, A. D., Standaert, D. G., & Harms, A. S. (2018). Targeting of the class II transactivator attenuates inflammation and neurodegeneration in an alpha-synuclein model of Parkinson's disease. *Journal of neuroinflammation*, 15(1), 244.

doi. <https://jneuroinflammation.biomedcentral.com/articles/10.1186/s12974-018-018-0>

Williams, P. A., & Dudek, F. E. (2007). A chronic histopathological and electrophysiological analysis of a rodent hypoxic-ischemic brain injury model and its use as a model of epilepsy. *Neuroscience*, 149(4), 943-961. doi.

Williams, P. A., Wuarin, J.-P., Dou, P., Ferraro, D. J., & Dudek, F. E. (2002). Reassessment of the Effects of Cycloheximide on Mossy Fiber Sprouting and Epileptogenesis in the Pilocarpine Model of Temporal Lobe Epilepsy *Journal of Neurophysiology*, 88, 2075-2087. doi.

Williams, P. T., & Martin, J. H. (2015). Motor Cortex Activity Organizes the Developing Rubrospinal System. *The Journal of Neuroscience*, 35(39), 13363-13374.

doi. <http://www.jneurosci.org/content/35/39/13363.abstract>

Williamson, L. L., & Bilbo, S. D. (2014). Neonatal infection modulates behavioral flexibility and hippocampal activation on a Morris Water Maze task. *Physiology and Behavior*, (0).

doi: <http://dx.doi.org/10.1016/j.physbeh.2014.02.033>. <http://www.sciencedirect.com/science/article/pii/S0031938414001024>

Williamson, L. L., Chao, A., & Bilbo, S. D. (2012). Environmental enrichment alters glial antigen expression and neuroimmune function in the adult rat hippocampus. *Brain, Behavior, and Immunity*. doi.

Williamson, L. L., McKenney, E. A., Holzknecht, Z. E., Belliveau, C., Rawls, J. F., Poulton, S., . . . Bilbo, S. D. (2015). Got Worms? Perinatal Exposure to Helminths Prevents Persistent Immune Sensitization and Cognitive Dysfunction Induced by Early-Life Infection. *Brain, Behavior, and Immunity*.

doi: <http://dx.doi.org/10.1016/j.bbi.2015.07.006>. <http://www.sciencedirect.com/science/article/pii/S0889159115002408>

Williamson, L. L., McKenney, E. A., Holzknicht, Z. E., Belliveau, C., Rawls, J. F., Poulton, S., . . . Bilbo, S. D. (2015). Got worms? Perinatal exposure to helminths prevents persistent immune sensitization and cognitive dysfunction induced by early-life infection. *Brain, Behavior, and Immunity*.

doi: <http://dx.doi.org/10.1016/j.bbi.2015.07.006>. <http://www.sciencedirect.com/science/article/pii/S0889159115002408>

Willie, J. T., Lim, M. M., Bennett, R. E., Azarion, A. A., Schwetye, K. E., & Brody, D. L. (2012). Controlled Cortical Impact Traumatic Brain Injury Acutely Disrupts Wakefulness and Extracellular Orexin Dynamics as Determined by Intracerebral Microdialysis in Mice. *Journal of Neurotrauma*, (ja). doi.

Willing, J., & Juraska, J. M. (2015). The timing of neuronal loss across adolescence in the medial prefrontal cortex of male and female rats. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.05.073>. <http://www.sciencedirect.com/science/article/pii/S0306452215005242>

Willis, G. L., & Robertson, A. D. (2005). Recovery from experimental Parkinson's disease in the 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine hydrochloride treated marmoset with the melatonin analogue ML-23. *Pharmacology Biochemistry and Behavior*, 80(1), 9-26. doi.

Willis, L. M., Freeman, L., Bickford, P. C., Quintero, E. M., Umphlet, C. D., Moore, A. B., . . . Granholm, A. C. (2010). Blueberry supplementation attenuates microglial activation in hippocampal intraocular grafts to aged hosts. *Glia*, 58(6), 679-690. doi.

Willis, L. M., Small, B. J., Bickford, P. C., Umphlet, C. D., Moore, A. B., & Granholm, A.-C. E. (2008). Dietary blueberry supplementation affects growth but not vascularization of neural transplants. *Journal of Cerebral Blood Flow and Metabolism*, 28(6), 1150-1164. doi.

Wilson, N. M., Gurney, M. E., Dietrich, W. D., & Atkins, C. M. (2017). Therapeutic benefits of phosphodiesterase 4B inhibition after traumatic brain injury. *Plos one*, 12(5), e0178013. doi: 10.1371/journal.pone.0178013. <https://doi.org/10.1371/journal.pone.0178013>

Wilson, R. E., Coons, K. D., & Sengelaub, D. R. (2009). Neuroprotective effects of testosterone on dendritic morphology following partial motoneuron depletion: Efficacy in female rats. *Neuroscience Letters*, 465(2), 123-127. doi.

Wilson, R. S., Arnold, S. E., Schneider, J. A., Kelly, J. F., Tang, Y., & Bennett, D. A. (2006). Chronic Psychological Distress and Risk of Alzheimer's Disease in Old Age. *Neuroepidemiology*, 27(3), 143-153. doi. <http://www.karger.com/DOI/10.1159/000095761>

Wilson, R. S., Arnold, S. E., Schneider, J. A., Li, Y., & Bennett, D. A. (2007). Chronic distress, age-related neuropathology, and late-life dementia. *Psychosomatic Medicine*, 69(1), 47-53. doi.

Wilson, R. S., Arnold, S. E., Schneider, J. A., Tang, Y., & Bennett, D. A. (2007). The relationship between cerebral Alzheimer's disease pathology and odour identification in old age. *Journal of Neurosurgery*, 78, 30-35. doi.

Wilson, R. S., James, R. S., Kohlsdorf, T., & Cox, V. M. (2004). Interindividual variation of isolated muscle performance and fibre-type composition in the toad *Bufo viridus*. *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*, 174(6), 453-459. doi.

- Wilson, R. S., Nag, S., Boyle, P. A., Hizek, L. P., Yu, L., Buchman, A. S., . . . Bennett, D. A. (2013). Neural reserve, neuronal density in the locus ceruleus, and cognitive decline. *Neurology*. doi.
- Wilson, R. S., Scherr, P. A., Schneider, J. A., Tang, Y., & Bennett, D. A. (2007). Relation of cognitive activity to risk of developing Alzheimer disease. *Neurology*, 69(20), 1911-1920. doi.
- Wiltgen, B. J., Royle, G. A., Gray, E. E., Abdipranoto, A., Thangthaeng, N., Jacobs, N., . . . Vissel, B. (2010). A Role for Calcium-Permeable AMPA Receptors in Synaptic Plasticity and Learning. *PLoS ONE*, 5(9), e12818. doi. <http://dx.doi.org/10.1371/journal.pone.0012818>
- Winawer, M. R., Makarenko, N., McCloskey, D. P., Hintz, T. M., Nair, N., Palmer, A. A., & Scharfman, H. E. (2007). Acute and chronic responses to the convulsant pilocarpine in DBA/2J and A/J mice. *Neuroscience*, 149(2), 465-475. doi.
- Windrem, M. S., Osipovitch, M., Liu, Z., Bates, J., Chandler-Militello, D., Zou, L., . . . Goldman, S. A. (2017). Human iPSC Glial Mouse Chimeras Reveal Glial Contributions to Schizophrenia. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2017.06.012>. <http://www.sciencedirect.com/science/article/pii/S1934590917302382>
- Windrem, M. S., Schanz, S. J., Morrow, C., Munir, J., Chandler-Militello, D., Wang, S., & Goldman, S. A. (2014). A Competitive Advantage by Neonatally Engrafted Human Glial Progenitors Yields Mice Whose Brains Are Chimeric for Human Glia. *The Journal of Neuroscience*, 34(48), 16153-16161. doi. <http://www.jneurosci.org/content/34/48/16153.short>
- Winner, B., Cooper-Kuhn, C. M., Aigner, R., Winkler, J., & Kuhn, H. G. (2002). Long-term survival and cell death of newly generated neurons in the adult rat olfactory bulb. *European Journal of Neuroscience*, 16(9), 1681-1689. doi:10.1046/j.1460-9568.2002.02238.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02238.x>
- Winner, B., Couillard-Despres, S., Geyer, M., Aigner, R., Bogdahn, U., Aigner, L., . . . Winkler, J. (2008). Dopaminergic lesion enhances growth factor-induced striatal neuroblast migration. *Journal of Neuro pathology and Experimental Neurology*, 67(2), 105-105. doi.
- Winner, B., Desplats, P., Hagl, C., Klucken, J., Aigner, R., Ploetz, S., . . . others. (2009). Dopamine receptor activation promotes adult neurogenesis in an acute Parkinson model. *Experimental Neurology*, 219(2), 543-552. doi.
- Winner, B., Geyer, M., Couillard-Despres, S., Aigner, R., Bogdahn, U., Aigner, L., . . . Winkler, J. (2006). Striatal deafferentation increases dopaminergic neurogenesis in the adult olfactory bulb. *Experimental Neurology*, 197(1), 113-121. doi.
- Winner, B., Lie, D. C., Rockenstein, E., Aigner, R., Aigner, L., Masliah, E., . . . Winkler, J. (2004). Human Wild-Type α -Synuclein Impairs Neurogenesis. *Journal of Neuro pathology and Experimental Neurology*, 63(11), 1155-1155. doi.
- Winner, B., Melrose, H. L., Zhao, C., Hinkle, K. M., Yue, M., Kent, C., . . . others. (2011). Adult neurogenesis and neurite outgrowth are impaired in LRRK2 G2019S mice. *Neurobiology of Disease*, 41(3), 706-716. doi.
- Winner, B., Regensburger, M., Schreglmann, S., Boyer, L., Prots, I., Rockenstein, E., . . . Gage, F. H. (2012). Role of α -Synuclein in Adult Neurogenesis and Neuronal Maturation in the Dentate Gyrus.

Journal of Neuroscience, 32(47), 16906-16916. doi: 10.1523/jneurosci.2723-12.2012. <http://www.jneurosci.org/content/32/47/16906.abstract>

Winner, B., Rockenstein, E., Lie, D. C., Aigner, R., Mante, M., Bogdahn, U., . . . Winkler, J. (2008). Mutant alpha-synuclein exacerbates age-related decrease of neurogenesis. *Neurobiology of Aging*, 29(6), 913-925. doi.

Winship, A. L., Bakai, M., Sarma, U., Liew, S. H., & Hutt, K. J. (2018). Dacarbazine depletes the ovarian reserve in mice and depletion is enhanced with age. *Scientific Reports (Nature Publisher Group)*, 8, 1-13. doi. <https://search.proquest.com/openview/281437ccfe611ad89co8cd8ebf8d209b/1?...>

Winter, A. N., Subbarayan, M. S., Grimmig, B., Weesner, J. A., Moss, L., Peters, M., . . . Bickford, P. C. (2020). Two forms of CX3CL1 display differential activity and rescue cognitive deficits in CX3CL1 knockout mice. *Journal of neuroinflammation*, 17(1), 157. doi: 10.1186/s12974-020-01828-y. <https://doi.org/10.1186/s12974-020-01828-y>

Winter, B., Juckel, G., Viktorov, I., Katchanov, J., Gietz, A., Sohr, R., . . . Endres, M. (2005). Anxious and hyperactive phenotype following brief ischemic episodes in mice. *Biological Psychiatry*, 57(10), 1166-1175. doi.

Winter, C., Lemke, C., Sohr, R., Meissner, W., Harnack, D., Juckel, G., . . . Kupsch, A. (2008). High frequency stimulation of the subthalamic nucleus modulates neurotransmission in limbic brain regions of the rat. *Experimental Brain Research*. doi. <http://dx.doi.org/10.1007/s00221-007-1171-1>

Winter, C., von Rumohr, A., Mundt, A., Petrus, D., Klein, J., Lee, T., . . . Juckel, G. (2007). Lesions of dopaminergic neurons in the substantia nigra pars compacta and in the ventral tegmental area enhance depressive-like behavior in rats. *Behavioural Brain Research*, 184(2), 133-141. doi.

Wirth, F., Schempf, G., Stein, G., Wellmann, K., Manthou, M., Scholl, C., . . . Harrach, R. (2012). Whole-body vibration improves functional recovery in spinal cord-injured rats. *Journal of Neurotrauma*, (ja). doi.

Wirth, P., Yu, W., Kimball, A. L., Liao, J., Berkner, P., & Glenn, M. J. (2017). New method to induce mild traumatic brain injury in rodents produces differential outcomes in female and male Sprague Dawley rats. *Journal of Neuroscience Methods*, 290, 133-144. doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.07.030>. <http://www.sciencedirect.com/science/article/pii/S016502701730273X>

Wise, L. M., Sadowski, R. N., Kim, T., Willing, J., & Juraska, J. M. (2016). Long-term effects of adolescent exposure to Bisphenol A on neuron and glia number in the rat prefrontal cortex: Differences between the sexes and cell type. *Neurotoxicology*. doi: <http://dx.doi.org/10.1016/j.neuro.2016.01.011>. <http://www.sciencedirect.com/science/article/pii/S0161813X16300109>

Wiseman, P. W., Brown, C. M., Webb, D. J., Hebert, B., Johnson, N. L., Squier, J. E., . . . Horwitz, A. F. (2004). Spatial mapping of integrin interactions and dynamics during cell migration by Image Correlation Microscopy. *Journal of Cell Science*, 117(23), 5521-5534. doi.

Wisor, J. P., Edgar, D. M., Yesavage, J., Ryan, H. S., McCormick, C. M., Lapustea, N., & Murphy Jr, G. M. (2005). Sleep and circadian abnormalities in a transgenic mouse model of Alzheimer's disease: a role for cholinergic transmission. *Neuroscience*, 131(2), 375-385. doi.

Wohlert, D., Kröger, J., Witt, M., Schmitt, O., Wree, A., Czech-Damal, N., . . . Hanke, F. D. (2015). A Comparative Morphometric Analysis of Three Cranial Nerves in Two Phocids: The Hooded Seal (*Cystophora cristata*) and the Harbor Seal (*Phoca vitulina*). *The Anatomical Record*, n/a-n/a. doi: 10.1002/ar.23298. <http://dx.doi.org/10.1002/ar.23298>

Wöhr, M., Kehl, M., Borta, A., A. S., Schwarting, R. K. W., & GU., H. (2009). New insights into the relationship of neurogenesis and affect: tickling induces hippocampal cell proliferation in rats emitting appetitive 50-kHz ultrasonic vocalizations. *Neuroscience*, 163(4), 1024-1030. doi.

Wojaczynski, G., Engel, E., Steren, K., Enquist, L., & Patrick Card, J. (2014). The neuroinvasive profiles of H129 (herpes simplex virus type 1) recombinants with putative anterograde-only transneuronal spread properties. *Brain Structure and Function*, 1-26. doi: 10.1007/s00429-014-0733-9. <http://dx.doi.org/10.1007/s00429-014-0733-9>

Wojtas, A. M., Sens, J. P., Kang, S. S., Baker, K. E., Berry, T. J., Kurti, A., . . . Fryer, J. D. (2020). Astrocyte-derived clusterin suppresses amyloid formation in vivo. *Molecular Neurodegeneration*, 15(1), 71. doi: 10.1186/s13024-020-00416-1. <https://doi.org/10.1186/s13024-020-00416-1>

Wolf, S. A., Kronenberg, G., Lehmann, K., Blankenship, A., Overall, R., Staufenbiel, M., & Kempermann, G. (2006). Cognitive and physical activity differently modulate disease progression in the amyloid precursor protein (APP)-23 model of Alzheimer's disease. *Biological Psychiatry*, 60(12), 1314-1323. doi.

Wong, B. K. Y., Ehrnhoefer, D. E., Graham, R. K., Martin, D. D. O., Ladha, S., Uribe, V., . . . Hayden, M. R. (2015). Partial rescue of some features of Huntington Disease in the genetic absence of caspase-6 in YAC128 mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.12.030>. <http://www.sciencedirect.com/science/article/pii/S0969996115000029>

Wong, F. K., Bercsenyi, K., Sreenivasan, V., Portalés, A., Fernández-Otero, M., & Marín, O. (2018). Pyramidal cell regulation of interneuron survival sculpts cortical networks. *Nature*, 557(7707), 668-673. doi: 10.1038/s41586-018-0139-6. <https://doi.org/10.1038/s41586-018-0139-6>

Wong-Goodrich, S. J. E., Glenn, M. J., Mellott, T. J., Blusztajn, J. K., Meck, W. H., & Williams, C. L. (2008). Spatial memory and hippocampal plasticity are differentially sensitive to the availability of choline in adulthood as a function of choline supply in utero. *Brain Research*, 1237, 153-166. doi.

Wong-Goodrich, S. J. E., Glenn, M. J., Mellott, T. J., Liu, Y. B., Blusztajn, J. K., & Williams, C. L. (2011). Water maze experience and prenatal choline supplementation differentially promote long-term hippocampal recovery from seizures in adulthood. *Hippocampus*, 21(6), 584-608. doi: 10.1002/hipo.20783. <http://dx.doi.org/10.1002/hipo.20783>

Wong-Goodrich, S. J. E., Mellott, T. J., Glenn, M. J., Blusztajn, J. K., & Williams, C. L. (2008). Prenatal choline supplementation attenuates neuropathological response to status epilepticus in the adult rat hippocampus. *Neurobiology of Disease*, 30(2), 255-269. doi.

Wong-Goodrich, S. J. E., Pfau, M. L., Flores, C. T., Fraser, J. A., Williams, C. L., & Jones, L. W. (2010). Voluntary Running Prevents Progressive Memory Decline and Increases Adult Hippocampal Neurogenesis and Growth Factor Expression after Whole-Brain Irradiation. *Cancer Research*, 70(22), 9329-9338. doi: 10.1158/0008-5472.can-10-1854. <http://cancerres.aacrjournals.org/content/70/22/9329.abstract>

Wong-Goodrich, S. J. E., Tognoni, C. M., Mellott, T. J., Glenn, M. J., Blusztajn, J. K., & Williams, C. L. (2011). Prenatal choline deficiency does not enhance hippocampal vulnerability after kainic acid-induced seizures in adulthood. *Brain Research*. doi.

Woo, T. U., Whitehead, R. E., Melchitzky, D. S., & Lewis, D. A. (1998). A subclass of prefrontal γ -aminobutyric acid axon terminals are selectively altered in schizophrenia. *Proceedings of the National Academy of Sciences*, 95(9), 5341-5341. doi.

Woo, T.-U., Whitehead, R. E., Melchitzky, D. S., & Lewis, D. A. (1998). A subclass of prefrontal gamma -aminobutyric acid axon terminals are selectively altered in schizophrenia. *Proceedings of the National Academy of Sciences*, 95(9), 5341-5346. doi: 10.1073/Proceedings of the National Academy of Sciences.95.9.5341. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/95/9/5341>

Wood, M. D., MacEwan, M. R., French, A. R., Moore, A. M., Hunter, D. A., Mackinnon, S. E., . . . Sakiyama-Elbert, S. E. (2010). Fibrin matrices with affinity-based delivery systems and neurotrophic factors promote functional nerve regeneration. *Biotechnology and Bioengineering*, 106(6), 970-979. doi.

Wood, T. C., Simmons, C., Hurley, S. A., Vernon, A. C., Torres, J., Dell'Acqua, F., . . . Cash, D. (2016). Whole-brain ex-vivo quantitative MRI of the cuprizone mouse model. *PeerJ*, 4, e2632. doi. <https://peerj.com/articles/2632/>

Wood, T. E., Barry, J., Yang, Z., Cepeda, C., Levine, M. S., & Gray, M. (2018). Mutant huntingtin reduction in astrocytes slows disease progression in the bachd conditional huntington's disease mouse model. *Human Molecular Genetics*, ddy363-ddy363. doi: 10.1093/hmg/ddy363. <http://dx.doi.org/10.1093/hmg/ddy363>

Woodruff-Pak, D. S. (2006). Stereological estimation of Purkinje neuron number in C57BL/6 mice and its relation to associative learning. *Neuroscience*, 141(1), 233-243. doi.

Woodruff-Pak, D. S., Foy, M. R., Akopian, G. G., Lee, K. H., Zach, J., Nguyen, K. P. T., . . . Thompson, R. F. (2010). Differential effects and rates of normal aging in cerebellum and hippocampus. *Proceedings of the National Academy of Sciences*, 107(4), 1624-1629. doi: 10.1073/Proceedings of the National Academy of Sciences.0914207107. <http://www.Proceedings of the National Academy of Sciences.org/content/107/4/1624.abstract>

Woolley, S. C., O'Malley, B., Lydon, J., & Crews, D. (2006). Genotype differences in behavior and tyrosine hydroxylase expression between wild-type and progesterone receptor knockout mice. *Behavioural Brain Research*, 167(2), 197-204. doi.

Wosiski-Kuhn, M., Erion, J. R., Gomez-Sanchez, E. P., Gomez-Sanchez, C. E., & Stranahan, A. M. (2014). Glucocorticoid receptor activation impairs hippocampal plasticity by suppressing BDNF expression in obese mice. *Psychoneuroendocrinology*, (0). doi: <http://dx.doi.org/10.1016/j.psyneuen.2014.01.020>. <http://www.sciencedirect.com/science/article/pii/S0306453014000456>

Wozniak, D. F., Hartman, R. E., Boyle, M. P., Vogt, S. K., Brooks, A. R., Tenkova, T., . . . Muglia, L. J. (2004). Apoptotic neurodegeneration induced by ethanol in neonatal mice is associated with profound learning/memory deficits in juveniles followed by progressive functional recovery in adults. *Neurobiology of Disease*, 17(3), 403-414. doi.

Wree, A., Mix, E., Hawlitschka, A., Antipova, V., Witt, M., Schmitt, O., & Benecke, R. (2011). Intrastriatal botulinum toxin abolishes pathologic rotational behaviour and induces axonal varicosities in the 6-OHDA rat model of Parkinson's disease. *Neurobiology of Disease*, 41(2), 291-298. doi.

Wright, A. K., & Arbuthnott, G. W. (2007). The influence of the subthalamic nucleus upon the damage to the dopamine system following lesions of globus pallidus in rats. *European Journal of Neuroscience*, 26(3), 642-648. doi: doi:10.1111/j.1460-9568.2007.05706.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05706.x>

Wright, A. K., Atherton, J. F., Norrie, L., & Arbuthnott, G. W. (2004). Death of dopaminergic neurones in the rat substantia nigra can be induced by damage to globus pallidus. *European Journal of Neuroscience*, 20(7), 1737-1744. doi: doi:10.1111/j.1460-9568.2004.03636.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03636.x>

Wright, A. K., McLaughlin, K. E., Atherton, J. F., Norrie, L., & Arbuthnott, G. W. (2002). Lesions of the rat globus pallidus, which increase subthalamic nucleus activity, cause dopamine cell death. *Advances in Behavioral Biology*, 52(6), 457-464. doi.

Wright, A. K., Miller, C., Williams, M., & Arbuthnott, G. (2008). Microglial activation is not prevented by tacrolimus but dopamine neuron damage is reduced in a rat model of Parkinson's disease progression. *Brain Research*, 1216, 78-86. doi.

Wright, A. L., Zinn, R., Hohensinn, B., Konen, L. M., Beynon, S. B., Tan, R. P., . . . Vissel, B. (2013). Neuroinflammation and Neuronal Loss Precede A β Plaque Deposition in the hAPP-J20 Mouse Model of Alzheimer's Disease. *Plos one*, 8(4), e59586. doi: 10.1371/journal.pone.0059586. <http://dx.doi.org/10.1371%2Fjournal.pone.0059586>

Wright, J., Zhang, G., Yu, T. S., & Kernie, S. G. (2010). Age-related changes in the oligodendrocyte progenitor pool influence brain remodeling after injury. *Developmental Neuroscience*, 32(5-6), 499-509. doi.

Wright, J. L., X Chu, H., Kagan, B. J., Ermine, C. M., Kauhausen, J. A., Parish, C. L., . . . Thompson, L. H. (2018). Local injection of Endothelin-1 in the early neonatal rat brain models ischemic damage associated with motor impairment and diffuse loss in brain volume. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.09.043>, <http://www.sciencedirect.com/science/article/pii/S0306452218306481>

Wu, A. S., Kiaei, M., Aguirre, N., Crow, J. P., Calingasan, N. Y., Browne, S. E., & Beal, M. F. (2003). Iron porphyrin treatment extends survival in a transgenic animal model of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 85(1), 142-150. doi: doi:10.1046/j.1471-4159.2003.01639.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.01639.x>

Wu, D., & Gore, A. C. (2009). Sexual experience changes sex hormones but not hypothalamic steroid hormone receptor expression in young and middle-aged male rats. *Hormones and Behavior*, 56(3), 299-308. doi.

Wu, D., Lin, G., & Gore, A. C. (2009). Age-related changes in hypothalamic androgen receptor and estrogen receptor α in male rats. *Journal of Comparative Neurology*, 512(5), 688-701. doi.

Wu, D., Tang, Y. P., & Wade, J. (2010). Co-localization of Sorting Nexin 2 and androgen receptor in the song system of juvenile zebra finches. *Brain Research*, 1343, 104-111. doi.

Wu, G., Lu, Z. H., Kulkarni, N., Amin, R., & Ledeen, R. W. (2011). Mice lacking major brain gangliosides develop Parkinsonism. *Neurochemical Research*, 1-9. doi.

Wu, H., Fan, J., Zhu, L., Liu, S., Wu, Y., Zhao, T., . . . Fan, M. (2009). Sema4C Expression in Neural Stem/Progenitor Cells and in Adult Neurogenesis Induced by Cerebral Ischemia. *Journal of Molecular Neuroscience*, 39(1), 27-39. doi.

Wu, J., Kharebava, G., Piao, C., Stoica, B. A., Dinizo, M., Sabirzhanov, B., . . . Faden, A. I. (2012). Inhibition of E2F1/CDK1 Pathway Attenuates Neuronal Apoptosis *In Vitro* and Confers Neuroprotection after Spinal Cord Injury *In Vivo*. *Plos one*, 7(7), e42129. doi: 10.1371/journal.pone.0042129. <http://dx.doi.org/10.1371%2Fjournal.pone.0042129>

Wu, J., Kung, J., Dong, J., Chang, L., Xie, C., Habib, A., . . . Cai, H. (2019). Distinct Connectivity and Functionality of Aldehyde Dehydrogenase 1a1-Positive Nigrostriatal Dopaminergic Neurons in Motor Learning. *Cell Reports*, 28(5), 1167-1181.e1167. doi: <https://doi.org/10.1016/j.celrep.2019.06.095>. <http://www.sciencedirect.com/science/article/pii/S2211124719308812>

Wu, J., Petralia, R. S., Kurushima, H., Patel, H., Jung, M., Volk, L., . . . others. (2011). Arc/Arg3.1 Regulates an Endosomal Pathway Essential for Activity-Dependent β

-Amyloid Generation. *Cell*, 147(3), 615-628. doi.

Wu, J., Raver, C., Piao, C., Keller, A., & Faden, A. (2013). Cell Cycle Activation Contributes to Increased Neuronal Activity in the Posterior Thalamic Nucleus and Associated Chronic Hyperesthesia after Rat Spinal Cord Contusion. *Neurotherapeutics*, 1-19. doi: 10.1007/s13311-013-0198-1. <http://dx.doi.org/10.1007/s13311-013-0198-1>

Wu, J., Vogel, T., Gao, X., Lin, B., Kulwin, C., & Chen, J. (2018). Neuroprotective effect of dexmedetomidine in a murine model of traumatic brain injury. *Scientific Reports*, 8(1), 4935. doi: 10.1038/s41598-018-23003-3. <https://doi.org/10.1038/s41598-018-23003-3>

Wu, J., Zhao, Z., Kumar, A., Lipinski, M. M., Loane, D. J., Stoica, B. A., & Faden, A. I. (2016). ER stress and disrupted neurogenesis in the brain are associated with cognitive impairment and depressive-like behavior after spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4348. <http://dx.doi.org/10.1089/neu.2015.4348>

Wu, J. S., Li, J., Greenman, R. L., Bennett, D., Geisbush, T., & Rutkove, S. B. (2015). Assessment of aged mdx mice by electrical impedance myography and MRI. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.24573. <http://dx.doi.org/10.1002/mus.24573>

Wu, K., Li, S., Bodhinathan, K., Meyers, C., Chen, W., Campbell-Thompson, M., . . . Kumar, A. (2011). Enhanced expression of Pctk1, Tcf12 and Ccnd1 in hippocampus of rats: Impact on cognitive function, synaptic plasticity and pathology. *Neurobiology of Learning and Memory*. doi.

Wu, K. L., Li, Y. Q., Tabassum, A., Lu, W. Y., Aubert, I., & Wong, C. S. (2010). Loss of neuronal protein expression in mouse hippocampus after irradiation. *Journal of Neuropathology and Experimental Neurology*, 69(3), 272-272. doi.

Wu, K. L., Tu, B., Li, Y. Q., & Wong, C. S. (2010). Role of intercellular adhesion molecule-1 in radiation-induced brain injury. *International Journal of Radiation Oncology* Biology* Physics*, 76(1), 220-228. doi.

Wu, R., Chen, H., Ma, J., He, Q., Huang, Q., Liu, Q., . . . Yuan, Z. (2015). c-Abl-p38[alpha] signaling plays an important role in MPTP-induced neuronal death. [Original Paper]. *Cell Death and Differentiation*. doi: 10.1038/cdd.2015.135. <http://dx.doi.org/10.1038/cdd.2015.135>

Wu, Y., Pearce, P. S., Rapuano, A., Hitchens, T. K., de Lanerolle, N. C., & Pan, J. W. (2015). Metabolic changes in early poststatus epilepticus measured by MR spectroscopy in rats. [Original Article]. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1038/jcbfm.2015.145. <http://dx.doi.org/10.1038/jcbfm.2015.145>

Wu, Y., Qi, F., Song, D., He, Z., Zuo, Z., Yang, Y., . . . Yao, Z. (2018). Prenatal influenza vaccination rescues impairments of social behavior and lamination in a mouse model of autism. [journal article]. *Journal of neuroinflammation*, 15(1), 228. doi: 10.1186/s12974-018-1252-z. <https://doi.org/10.1186/s12974-018-1252-z>

Wu, Y., Satkunendrarajah, K., Teng, Y., Chow, D. S.-L., Buttigieg, J., & Fehlings, M. G. (2013). Delayed Post-Injury Administration of Riluzole Is Neuroprotective in a Preclinical Rodent Model of Cervical Spinal Cord Injury. *Journal of Neurotrauma*. doi.

Wu, Y., Zhang, A. Q., Wai, M. S. M., Lai, H. W. L., Wu, S. X., & Yew, D. T. (2006). Changes of apoptosis-related proteins in hippocampus of SAM mouse in development and aging. *Neurobiology of Aging*, 27(5), 782-781. doi.

Wu, Y., Zhang, A. Q., & Yew, D. T. (2005). Age related changes of various markers of astrocytes in senescence-accelerated mice hippocampus. *Neurochemistry International*, 46(7), 565-574. doi.

Wu, Y.-P., Gao, H.-Y., Ouyang, S.-H., Kurihara, H., He, R.-R., & Li, Y.-F. (2019). Predator stress-induced depression is associated with inhibition of hippocampal neurogenesis in adult male mice. [Research Article]. *Neural Regeneration Research*, 14(2), 298-305. doi: 10.4103/1673-5374.244792. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2019;volume=14;...>

Wulsin, A. C., Herman, J. P., & Danzer, S. C. (2016). RU486 Mitigates Hippocampal Pathology Following Status Epilepticus. [Original Research]. *Frontiers in Neurology*, 7(214). doi: 10.3389/fneur.2016.00214. <http://journal.frontiersin.org/article/10.3389/fneur.2016.00214>

Xenos, D., Kamceva, M., Tomasi, S., Cardin, J. A., Schwartz, M. L., & Vaccarino, F. M. (2017). Loss of TrkB Signaling in Parvalbumin-Expressing Basket Cells Results in Network Activity Disruption and Abnormal Behavior. *Cerebral Cortex*, 1-15. doi. <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1...>

Xia, B., Chen, C., Zhang, H., Xue, W., Tang, J., Tao, W., . . . Chen, G. (2016). Chronic stress prior to pregnancy potentiated long-lasting postpartum depressive-like behavior, regulated by Akt-mTOR signaling in the hippocampus. [Article]. *Scientific Reports*, 6, 35042. doi: 10.1038/srep35042

<http://www.nature.com/articles/srep35042#supplementary-information>. <http://dx.doi.org/10.1038/srep35042>

Xia, D., Sui, R., & Zhang, Z. (2018). Administration of resveratrol improved Parkinson's disease-like phenotype by suppressing apoptosis of neurons via modulating the MALAT1/miR-129/SNCA signaling pathway. *Journal of Cellular Biochemistry*, 0(0). doi: doi:10.1002/jcb.27769. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jcb.27769>

- Xia, M.-L., Xie, X.-H., Ding, J.-H., Du, R.-H., & Hu, G. (2020). Astragaloside IV inhibits astrocyte senescence: implication in Parkinson's disease. *Journal of neuroinflammation*, 17(1), 105. doi: 10.1186/s12974-020-01791-8. <https://doi.org/10.1186/s12974-020-01791-8>
- Xia, M.-X., Ding, X., Qi, J., Jun, G., Gang, H., & Sun, X.-L. (2014). Inhaled budesonide protects against chronic asthma-induced neuroinflammation in mouse brain. *Journal of Neuroimmunology*, (0). doi: <http://dx.doi.org/10.1016/j.jneuroim.2014.06.005>, <http://www.sciencedirect.com/science/article/pii/S0165572814001763>
- Xia, Y., Qi, F., Zou, J., Yang, J., & Yao, Z. (2014). Influenza vaccination during early pregnancy contributes to neurogenesis and behavioral function in offspring. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.06.202>, <http://www.sciencedirect.com/science/article/pii/S0889159114003870>
- Xia, Y., Qi, F., Zou, J., & Yao, Z. (2014). Influenza A(H1N1) vaccination during early pregnancy transiently promotes hippocampal neurogenesis and working memory. Involvement of Th1/Th2 balance. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.09.076>, <http://www.sciencedirect.com/science/article/pii/S0006899314013535>
- Xiang, C., Zhang, K. H., Yin, J., Arends, J. J. A., Erzurumlu, R. S., Jacquin, M. F., & Chen, Z. F. (2010). The transcription factor, *Lmx1b*, is necessary for the development of the principal trigeminal nucleus-based lemniscal pathway. *Molecular and Cellular Neuroscience*, 44(4), 394-403. doi.
- Xiang, J., Yang, H., Zhao, T., Sun, M., Xu, X., Zhou, X.-F., . . . Li, X.-J. (2013). Huntingtin-associated protein 1 regulates postnatal neurogenesis and neurotrophin receptor sorting. *The Journal of Clinical Investigation*, 124(1), 0-0. doi: 10.1172/jci69206. <http://www.jci.org/articles/view/69206>
- Xiao, Q., Yan, P., Ma, X., Liu, H., Perez, R., Zhu, A., . . . Cirrito, J. R. (2014). Enhancing Astrocytic Lysosome Biogenesis Facilitates A β Clearance and Attenuates Amyloid Plaque Pathogenesis. *The Journal of Neuroscience*, 34(29), 9607-9620. doi. <http://www.jneurosci.org/content/34/29/9607.short>
- Xiao, Q., Yan, P., Ma, X., Liu, H., Perez, R., Zhu, A., . . . Ballabio, A. (2015). Neuronal-Targeted TFEB Accelerates Lysosomal Degradation of APP, Reducing A β Generation and Amyloid Plaque Pathogenesis. *The Journal of Neuroscience*, 35(35), 12137-12151. doi. <http://www.jneurosci.org/content/35/35/12137.short>
- Xiao, S., Zhou, D., Luan, P., Gu, B., Feng, L., Fan, S., . . . Liu, J. (2016). Graphene quantum dots conjugated neuroprotective peptide improve learning and memory capability. *Biomaterials*, 106, 98-110. doi: <http://dx.doi.org/10.1016/j.biomaterials.2016.08.021>, <http://www.sciencedirect.com/science/article/pii/S0142961216304070>
- Xie, C., Sun, J., Qiao, W., Lu, D., Wei, L., Na, M., . . . Lin, Z. (2011). Administration of Simvastatin after Kainic Acid-Induced Status Epilepticus Restrains Chronic Temporal Lobe Epilepsy. *PLoS ONE*, 6(9), e24966-e24966. doi.
- Xie, K., Masuho, I., Shih, C.-C., Cao, Y., Sasaki, K., Lai, C. W. J., . . . Martemyanov, K. A. (2015). Stable G protein-effector complexes in striatal neurons: mechanism of assembly and role in neurotransmitter signaling. *eLife*. doi: 10.7554/eLife.10451. <http://elifesciences.org/elife/early/2015/11/27/eLife.10451.full.pdf>

Xie, L. L., Sun, X. L., Fan, Y., Kong, H., Ding, J. H., & Hu, G. (2009). Aquaporin 4 knockout resists negative regulation of neural cell proliferation by cocaine in mouse hippocampus. *International Journal of Neuropsychopharmacology*, 12, 843-850. doi.

Xie, X., Crowder, T. L., Yamanaka, A., Morairty, S. R., LeWinter, R. D., Sakurai, T., & Kilduff, T. S. (2006). GABAB receptor-mediated modulation of hypocretin/orexin neurones in mouse hypothalamus. *Journal of Physiology*, 574, 399-414. doi.

Xie, X., Luo, X., Liu, N., Li, X., Lou, F., Zheng, Y., & Ren, Y. (2017). Monocytes, microglia and CD200-CD200R1 signaling are essential in the transmission of inflammation from the periphery to the central nervous system. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13972. <http://dx.doi.org/10.1111/jnc.13972>

Xie, Y., Hayden, M. R., & Xu, B. (2010). BDNF Overexpression in the Forebrain Rescues Huntington's Disease Phenotypes in YAC128 Mice. *Journal of Neuroscience*, 30(44), 14708-14718. doi: 10.1523/jneurosci.1637-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/44/14708>

Xie, Y., Meeker, R. B., Massa, S. M., & Longo, F. M. (2019). Modulation of the p75 neurotrophin receptor suppresses age-related basal forebrain cholinergic neuron degeneration. *Scientific Reports*, 9(1), 5273. doi: 10.1038/s41598-019-41654-8. <https://doi.org/10.1038/s41598-019-41654-8>

Xilouri, M., Brekk, O. R., Landeck, N., Pitychoutis, P. M., Papisilekas, T., Papadopoulou-Daifoti, Z., . . . Stefanis, L. (2013). Boosting chaperone-mediated autophagy in vivo mitigates α -synuclein-induced neurodegeneration. *Brain*. doi: 10.1093/brain/awt131. <http://brain.oxfordjournals.org/content/early/2013/06/11/brain.awt131.ab..>

Xiong, M., Chen, L.-X., Ma, S.-M., Yang, Y., & Zhou, W.-H. (2013). Short-Term Effects of Hypothermia on Axonal Injury, Preoligodendrocyte Accumulation and Oligodendrocyte Myelination after Hypoxia-Ischemia in the Hippocampus of Immature Rat Brain. *Developmental Neuroscience*. doi.

Xiong, M., Huang, Y., Liu, Y., Huang, M., Song, G., Ming, Q., . . . Yang, X. (2017). Antidiabetic Activity of Ergosterol from *Pleurotus Ostreatus* in KK-Ay Mice with Spontaneous Type 2 Diabetes Mellitus. *Molecular Nutrition & Food Research*, 1700444-n/a. doi: 10.1002/mnfr.201700444. <http://dx.doi.org/10.1002/mnfr.201700444>

Xiong, M., Ma, S.-M., Shao, X.-M., Yang, Y., & Zhou, W.-H. (2012). Hypoxic ischaemic hypothermia promotes neuronal differentiation and inhibits glial differentiation from newly generated cells in the SGZ of the neonatal rat brain. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.06.054. <http://www.sciencedirect.com/science/article/pii/S0304394012008622>

Xiong, M., Yang, Y., Chen, G. Q., & Zhou, W. H. (2009). Post-ischemic hypothermia for 24 h in P7 rats rescues hippocampal neuron: association with decreased astrocyte activation and inflammatory cytokine expression. *Brain Research Bulletin*, 79(6), 351-357. doi.

Xiong, M., Zhang, T., Zhang, L. M., Lu, S. D., Huang, Y. L., & Sun, F. Y. (2008). Caspase inhibition attenuates accumulation of [beta]-amyloid by reducing [beta]-secretase production and activity in rat brains after stroke. *Neurobiology of Disease*, 32(3), 433-441. doi.

Xiong, W., Candolfi, M., Kroeger, K. M., Puntel, M., Mondkar, S., Larocque, D., . . . Castro, M. G. (2008). Immunization Against the Transgene but not the TetON Switch Reduces Expression From Gutless Adenoviral Vectors in the Brain. *Molecular Therapy*, 16(2), 343-351. doi. <http://dx.doi.org/10.1038/sj.mt.6300375>

<http://www.nature.com/mt/journal/v16/n2/supinfo/6300375s1.html>

Xiong, Y., Neifert, S., Karuppagounder, S. S., Stankowski, J. N., Lee, B. D., Grima, J. C., . . . Swing, D. (2017). Overexpression of Parkinson's Disease-Associated Mutation LRRK2 G2019S in Mouse Forebrain Induces Behavioral Deficits and α -Synuclein Pathology. *eneuro*, ENEURO.0004-0017.2017. doi: <http://eneuro.org/content/early/2017/03/06/ENEURO.0004-17.2017>

Xiong, Y.-F., Chen, Q., Chen, J., Zhou, J., & Wang, H.-X. (2011). Melatonin reduces the impairment of axonal transport and axonopathy induced by calyculin A. *Journal of Pineal Research*, 50(3), 319-327. doi: 10.1111/j.1600-079X.2010.00846.x. <http://dx.doi.org/10.1111/j.1600-079X.2010.00846.x>

Xu, G., Xiong, Z., Yong, Y., Wang, Z., Ke, Z., Xia, Z., & Hu, Y. (2010). Catalpol attenuates MPTP induced neuronal degeneration of nigral-striatal dopaminergic pathway in mice through elevating glial cell derived neurotrophic factor in striatum. *Neuroscience*, 167(1), 174-184. doi.

Xu, H.-T., Han, Z., Gao, P., He, S., Li, Z., Shi, W., . . . Shi, S.-H. (2014). Distinct Lineage-Dependent Structural and Functional Organization of the Hippocampus. *Cell*, 157(7), 1552-1564. doi: <http://dx.doi.org/10.1016/j.cell.2014.03.067>. <http://www.sciencedirect.com/science/article/pii/S0092867414006102>

Xu, J., Eastman, A. J., Flaczyk, A., Neal, L. M., Zhao, G., Carolan, J., . . . Olszewski, M. A. (2016). Disruption of Early Tumor Necrosis Factor Alpha Signaling Prevents Classical Activation of Dendritic Cells in Lung-Associated Lymph Nodes and Development of Protective Immunity against Cryptococcal Infection. *mBio*, 7(4). doi: 10.1128/mBio.00510-16. <http://mbio.asm.org/content/7/4/e00510-16.abstract>

Xu, L., Nguyen, J. V., Lehar, M., Menon, A., Rha, E., Arena, J., . . . Koliatsos, V. E. (2014). Repetitive mild traumatic brain injury with impact acceleration in the mouse: Multifocal axonopathy, neuroinflammation, and neurodegeneration in the visual system. *Experimental Neurology*, (o). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.11.004>. <http://www.sciencedirect.com/science/article/pii/S0014488614003641>

Xu, L., Ryu, J., Hiel, H., Menon, A., Aggarwal, A., Rha, E., . . . Koliatsos, V. E. (2015). Transplantation of human oligodendrocyte progenitor cells in an animal model of diffuse traumatic axonal injury: survival and differentiation. *Stem Cell Research & Therapy*, 6(1), 1. doi: <http://neuralprogram.com/Neuralprograms,NeuralNetworksinJava,CNeura.Netw..>

Xu, L., Ryu, J., Nguyen, J. V., Arena, J., Rha, E., Vranis, P., . . . Koliatsos, V. E. (2015). Evidence for accelerated tauopathy in the retina of transgenic P301S tau mice exposed to repetitive mild traumatic brain injury. *Experimental Neurology*, 273, 168-176. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.08.014>. <http://www.sciencedirect.com/science/article/pii/S0014488615300753>

Xu, L., Yan, J., Chen, D., Welsh, A. M., Hazel, T., Johe, K., . . . Koliatsos, V. E. (2006). Human neural stem cell grafts ameliorate motor neuron disease in SOD-1 transgenic rats. *Transplantation*, 82(7), 865-865. doi.

Xu, M., Li, L., & Pittenger, C. (2016). Ablation of fast-spiking interneurons in the dorsal striatum, recapitulating abnormalities seen post-mortem in Tourette syndrome, produces anxiety and elevated grooming. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.02.074>. <http://www.sciencedirect.com/science/article/pii/S030645221600227X>

Xu, Q., & Anderson, S. A. (2010). Mapping Lineage Using BAC-Cre Reporter Lines. *Current Protocols in Neuroscience*, 1, 1-1. doi.

Xu, Q., Guo, L., Moore, H., Waclaw, R. R., Campbell, K., & Anderson, S. A. (2010). Sonic hedgehog signaling confers ventral telencephalic progenitors with distinct cortical interneuron fates. *Neuron*, 65(3), 328-340. doi.

Xu, Q., Tam, M., & Anderson, S. A. (2008). Fate mapping Nkx2.1-lineage cells in the mouse telencephalon. *Journal of Comparative Neurology*, 506(1), 16-29. doi.

Xu, Q., Wonders, C. P., & Anderson, S. A. (2005). Sonic hedgehog maintains the identity of cortical interneuron progenitors in the ventral telencephalon. *Development*, 132(22), 4987-4998. doi: 10.1242/dev.02090. <http://dev.biologists.org/cgi/content/abstract/132/22/4987>

Xu, S., Brunden, K. R., Trojanowski, J. Q., & Lee, V. M. (2010). Characterization of tau fibrillization in vitro. *Alzheimers Dement*, 6. doi: 10.1016/j.jalz.2009.06.002. <http://dx.doi.org/10.1016/j.jalz.2009.06.002>

Xu, W. W., Li, B., Guan, X. Y., Chung, S. K., Wang, Y., Yip, Y. L., . . . Cheung, A. L. M. (2017). Cancer cell-secreted IGF2 instigates fibroblasts and bone marrow-derived vascular progenitor cells to promote cancer progression. [Article]. *Nature Communications*, 8, 14399. doi: 10.1038/ncomms14399

<http://www.nature.com/articles/ncomms14399#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14399>

Xu, X., He, X., Ma, S., Li, M., & Huang, Q. (2021). Nurr1 downregulation is caused by CREB inactivation in a Parkinson's disease mouse model. *Neuroscience Letters*, 759, 136045. doi: <https://doi.org/10.1016/j.neulet.2021.136045>, <https://www.sciencedirect.com/science/article/pii/S0304394021004237>

Xu, Y., He, F., Qi, F., Yang, G., Zheng, F., Yang, J., . . . Zou, J. (2017). Remodeling the Th1 polarized systemic environment contributes to neurogenesis and cognitive function via the Wnt7a pathway in neonatal mice. *Neurobiology of Learning and Memory*, 141, 60-71. doi: <http://dx.doi.org/10.1016/j.nlm.2017.03.002>, <http://www.sciencedirect.com/science/article/pii/S1074742717300345>

Xuan, Q., Xu, S. L., Lu, D. H., Yu, S., Zhou, M., Uéda, K., . . . Chan, P. (2011). Increase expression of α -synuclein in aged human brain associated with neuromelanin accumulation. *Journal of Neural Transmission*, 1-9. doi.

Xuan, W., Pan, R., Wei, Y., Cao, Y., Li, H., Liang, F.-S., . . . Wang, W. (2015). Reaction-Based "Off-On" Fluorescent Probe Enabling Detection of Endogenous Labile Fe²⁺ and Imaging of Zn²⁺-induced Fe²⁺ Flux in Living Cells and Elevated Fe²⁺ in Ischemic Stroke. *Bioconjugate Chemistry*. doi: 10.1021/acs.bioconjchem.5b00259. <http://dx.doi.org/10.1021/acs.bioconjchem.5b00259>

Y, F. Y., J, J. A., Ellen, O., J, d. J. F. J., W, v. D. A. M., M, R. A. J., & J, v. d. B. W. D. (2018). Differential Insular Cortex sub-regional vulnerability to α -synuclein pathology in Parkinson's disease and Dementia with Lewy bodies. *Neuropathology and Applied Neurobiology*, 0(ja). doi: doi:10.1111/nan.12501. <https://onlinelibrary.wiley.com/doi/abs/10.1111/nan.12501>

Yahyazadeh, A., Altunkaynak, B. Z., & Kaplan, S. (2019). Biochemical, immunohistochemical and morphometrical investigation of the effect of thymoquinone on the rat testis following exposure to a 900-MHz electromagnetic field. *Acta Histochemica*, 151467.

doi: <https://doi.org/10.1016/j.acthis.2019.151467>. <http://www.sciencedirect.com/science/article/pii/S0065128119304532>

Yakkioui, Y., Temel, Y., Creyten, D., Jahanshahi, A., Fleischeuer, R., Santegoeds, R. G. C., & Van Overbeeke, J. J. (2013). A comparison of cell-cycle markers in skull base and sacral chordomas. *World Neurosurgery*, (0).

doi: <http://dx.doi.org/10.1016/j.wneu.2013.01.131>. <http://www.sciencedirect.com/science/article/pii/S1878875013003197>

Yalcin-Ulker, G. M., Cumbul, A., Duygu-Capar, G., Uslu, Ü., & Sencift, K. (2017). Preventive Effect of Phosphodiesterase Inhibitor Pentoxifylline against Medication-Related Osteonecrosis of the Jaw: An Animal Study. *Journal of Oral and Maxillofacial Surgery*.

doi: <https://doi.org/10.1016/j.joms.2017.04.017>. <http://www.sciencedirect.com/science/article/pii/S0278239117304731>

Yamada, E. S., Respondek, G., Müssner, S., de Andrade, A., Höllerhage, M., Depienne, C., . . . Höglinger, G. U. (2014). Annonacin, a natural lipophilic mitochondrial complex I inhibitor, increases phosphorylation of tau in the brain of FTDP-17 transgenic mice. *Experimental Neurology*, (0).

doi: <http://dx.doi.org/10.1016/j.expneurol.2013.12.017>. <http://www.sciencedirect.com/science/article/pii/S001448861300383X>

Yamada, M., Clark, J., McClelland, C., Capaldo, E., Ray, A., & Iulianella, A. (2014). Cux2 activity defines a subpopulation of perinatal neurogenic progenitors in the hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22370. <http://dx.doi.org/10.1002/hipo.22370>

Yamada, M., Udagawa, J., Matsumoto, A., Hashimoto, R., Hatta, T., Nishita, M., . . . Otani, H. (2010). Ror2 is required for midgut elongation during mouse development. *Developmental Dynamics*, 239(3), 941-953. doi.

Yamada, R., Okuda, H., Kuba, H., Nishino, E., Ishii, T. M., & Ohmori, H. (2013). The Cooperation of Sustained and Phasic Inhibitions Increases the Contrast of ITD-Tuning in Low-Frequency Neurons of the Chick Nucleus Laminaris. *Journal of Neuroscience*, 33(9), 3927-3938. doi: 10.1523/jneurosci.2377-12.2013. <http://www.jneurosci.org/content/33/9/3927.abstract>

Yamaguchi, S., Abe, Y., Maejima, S., & Tsukahara, S. (2018). Sexual experience reduces neuronal activity in the central part of the medial preoptic nucleus in male rats during sexual behavior. *Neuroscience Letters*, 685, 155-159.

doi: <https://doi.org/10.1016/j.neulet.2018.08.037>. <http://www.sciencedirect.com/science/article/pii/S0304394018305822>

Yamamoto, Y., Hase, Y., Ihara, M., Khundakar, A., Roeber, S., Duering, M., & Kalaria, R. N. (2020). Neuronal Densities and Vascular Pathology in the Hippocampal Formation in CADASIL. *Neurobiology of Aging*.

doi: <https://doi.org/10.1016/j.neurobiolaging.2020.09.016>. <http://www.sciencedirect.com/science/article/pii/S0197458020302931>

Yamanaka, J. S., Yanagihara, G. R., Carlos, B. L., Ramos, J., Brancalion, B. B., Macedo, A. P., . . . Shimano, A. C. (2017). A high-fat diet can affect bone healing in growing rats. [journal article]. *Journal of Bone and Mineral Metabolism*, 1-9. doi: 10.1007/s00774-017-0837-4. <http://dx.doi.org/10.1007/s00774-017-0837-4>

Yamasaki, T. R., Blurton-Jones, M., Morrisette, D. A., Kitazawa, M., Oddo, S., & LaFerla, F. M. (2007). Neural Stem Cells Improve Memory in an Inducible Mouse Model of Neuronal Loss. *Journal of*

Neuroscience, 27(44), 11925-11933. doi: 10.1523/jneurosci.1627-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/44/11925>

Yamawaki, R., Thind, K., & Buckmaster, P. S. (2014). Blockade of excitatory synaptogenesis with proximal dendrites of dentate granule cells following rapamycin treatment in a mouse model of temporal lobe epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23681. <http://dx.doi.org/10.1002/cne.23681>

Yan, H., Mitschelen, M., Toth, P., Ashpole, N. M., Farley, J. A., Hodges, E. L., . . . Sonntag, W. E. (2014). Endothelin-1-Induced Focal Cerebral Ischemia in the Growth Hormone/IGF-1 Deficient Lewis Dwarf Rat. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*. doi: 10.1093/gerona/glu118. <http://biomedgerontology.oxfordjournals.org/content/early/2014/08/05/ger...>

Yan, H., Pang, P., Chen, W., Zhu, H., Henok, K. A., Li, H., . . . Lu, Y. (2017). The Lesion Analysis of Cholinergic Neurons in 5XFAD Mouse Model in the Three-Dimensional Level of Whole Brain. [journal article]. *Molecular Neurobiology*, 1-11. doi: 10.1007/s12035-017-0621-4. <http://dx.doi.org/10.1007/s12035-017-0621-4>

Yan, J., Welsh, A. M., Bora, S. H., Snyder, E. Y., & Koliatsos, V. E. (2004). Differentiation and tropic/trophic effects of exogenous neural precursors in the adult spinal cord. *Journal of Comparative Neurology*, 480(1), 101-114. doi:

Yan, J., Xu, L., Welsh, A. M., Hatfield, G., Hazel, T., Johe, K., & Koliatsos, V. E. (2007). Extensive Neuronal Differentiation of Human Neural Stem Cell Grafts in Adult Rat Spinal Cord. *PLoS Medicine*, 4(2), e39. doi: <http://dx.doi.org/10.1371/journal.pmed.0040039>

Yan, L., Findlay, G. M., Jones, R., Procter, J., Cao, Y., & Lamb, R. F. (2006). Hyperactivation of mammalian target of rapamycin (mTOR) signaling by a gain-of-function mutant of the Rheb GTPase. *Journal of Biological Chemistry*, 281. doi: 10.1074/jbc.C600028200. <http://dx.doi.org/10.1074/jbc.C600028200>

Yan, S., Tu, Z., Liu, Z., Fan, N., Yang, H., Yang, S., . . . Li, X.-J. (2018). A Huntingtin Knockin Pig Model Recapitulates Features of Selective Neurodegeneration in Huntington's Disease. *Cell*. doi: <https://doi.org/10.1016/j.cell.2018.03.005>. <http://www.sciencedirect.com/science/article/pii/S009286741830285X>

Yan, W., Chen, Z.-Y., Chen, J.-Q., & Chen, H.-M. (2018). LncRNA NEAT1 promotes autophagy in MPTP-induced Parkinson's disease through stabilizing PINK1 protein. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2017.12.149>. <https://www.sciencedirect.com/science/article/pii/S0006291X17325512>

Yang, C., Wang, H., Qiao, T., Yang, B., Aliaga, L., Qiu, L., . . . Xu, Z. (2014). Partial loss of TDP-43 function causes phenotypes of amyotrophic lateral sclerosis. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1322641111. <http://www.pnas.org/content/early/2014/03/05/1322641111.abstract>

Yang, C., Yang, W.-H., Chen, S.-S., Ma, B.-F., Li, B., Lu, T., . . . Duan, W.-M. (2013). Pre-immunization with an Intramuscular Injection of AAV9-Human Erythropoietin Vectors Reduces the Vector-Mediated Transduction following Re-Administration in Rat Brain. *Plos one*, 8(5), e63876. doi: 10.1371/journal.pone.0063876. <http://dx.doi.org/10.1371/journal.pone.0063876>

- Yang, C.-P., Gilley, J. A., Zhang, G., & Kernie, S. G. (2011). ApoE is required for maintenance of the dentate gyrus neural progenitor pool. *Development*, 138(20), 4351-4362. doi: 10.1242/dev.065540. <http://dev.biologists.org/content/138/20/4351.abstract>
- Yang, G., Meng, Y., Li, W., Yong, Y., Fan, Z., Ding, H., . . . Ke, Z. J. (2010). Neuronal MCP-1 Mediates Microglia Recruitment and Neurodegeneration Induced by the Mild Impairment of Oxidative Metabolism. *Brain Pathology*, no-no. doi: 10.1111/j.1750-3639.2010.00445.x. <http://dx.doi.org/10.1111/j.1750-3639.2010.00445.x>
- Yang, H., Lu, P., McKay, H. M., Bernot, T., Keirstead, H., Steward, O., . . . Tuszynski, M. H. (2006). Endogenous Neurogenesis Replaces Oligodendrocytes and Astrocytes after Primate Spinal Cord Injury. *Journal of Neuroscience*, 26(8), 2157-2166. doi: 10.1523/jneurosci.4070-05.2005. <http://www.jneurosci.org/cgi/content/abstract/26/8/2157>
- Yang, H., Wen, S. R., Zhang, G. W., Wang, T. G., Hu, F. X., Li, X. L., & Wang, D. S. (2011). Effects of Chinese herbal medicine Fuzhisan on autologous neural stem cells in the brain of SAMP-8 mice. *Experimental Gerontology*. doi.
- Yang, J., Kim, K. S., Iyirhiaro, G. O., Marcogliese, P. C., Callaghan, S. M., Qu, D., . . . Park, D. S. (2019). DJ-1 modulates the unfolded protein response and cell death via upregulation of ATF4 following ER stress. *Cell death & disease*, 10(2), 135. doi: 10.1038/s41419-019-1354-2. <https://doi.org/10.1038/s41419-019-1354-2>
- Yang, J., Qi, F., Gu, H., Zou, J., Yang, Y., Yuan, Q., & Yao, Z. (2016). Neonatal BCG vaccination of mice improves neurogenesis and behavior in early life. *Brain Research Bulletin*, 120, 25-33. doi: <http://dx.doi.org/10.1016/j.brainresbull.2015.10.012>. <http://www.sciencedirect.com/science/article/pii/S0361923015300514>
- Yang, J., Qi, F., Yang, Y., Yuan, Q., Zou, J., Guo, K., & Yao, Z. (2016). Neonatal hepatitis B vaccination impaired the behavior and neurogenesis of mice transiently in early adulthood. *Psychoneuroendocrinology*, 73, 166-176. doi: <http://dx.doi.org/10.1016/j.psyneuen.2016.08.002>. <http://www.sciencedirect.com/science/article/pii/S0306453016305145>
- Yang, J., Qi, F., & Yao, Z. (2016). Neonatal Bacillus Calmette-Guérin vaccination alleviates lipopolysaccharide-induced neurobehavioral impairments and neuroinflammation in adult mice. *Molecular Medicine Reports*, 14(2), 1574-1586. doi: <https://www.spandidos-publications.com/10.3892/mmr.2016.5425>
- Yang, J., Sanderson, N. S. R., Wawrowsky, K., Puntel, M., Castro, M. G., & Lowenstein, P. R. (2010). Kupfer-type immunological synapse characteristics do not predict anti-brain tumor cytolytic T-cell function in vivo. *Proceedings of the National Academy of Sciences*. doi: 10.1073/Proceedings of the National Academy of Sciences.0911587107. <http://www.Proceedings of the National Academy of Sciences.org/content/early/2009/12/29/0911587107.abstract>
- Yang, J.-W., Prouvot, P.-H., Reyes-Puerta, V., Stüttgen, M. C., Stroh, A., & Luhmann, H. J. (2017). Optogenetic Modulation of a Minor Fraction of Parvalbumin-Positive Interneurons Specifically Affects Spatiotemporal Dynamics of Spontaneous and Sensory-Evoked Activity in Mouse Somatosensory Cortex in Vivo. *Cerebral Cortex*, 1-20. doi: 10.1093/cercor/bhx261. <http://dx.doi.org/10.1093/cercor/bhx261>

- Yang, L., Calingasan, N. Y., Chen, J., Ley, J. J., Becker, D. A., & Beal, M. F. (2005). A novel azulenyl nitron antioxidant protects against MPTP and 3-nitropropionic acid neurotoxicities. *Experimental Neurology*, 191(1), 86-93. doi.
- Yang, L., Calingasan, N. Y., Thomas, B., Chaturvedi, R. K., Kiaei, M., Wille, E. J., . . . others. (2009). Neuroprotective effects of the triterpenoid, CDDO methyl amide, a potent inducer of Nrf2-mediated transcription. *PLoS ONE*, 4(6), e5757-e5757. doi.
- Yang, L., Calingasan, N. Y., Wille, E. J., Cormier, K., Smith, K., Ferrante, R. J., & Flint Beal, M. (2009). Combination therapy with coenzyme Q10 and creatine produces additive neuroprotective effects in models of Parkinson's and Huntington's diseases. *Journal of Neurochemistry*, 109(5), 1427-1439. doi.
- Yang, L., Shi, Q., Ho, D. J., Starkov, A. A., Wille, E. J., Xu, H., . . . others. (2009). Mice deficient in dihydrolipoyl succinyl transferase show increased vulnerability to mitochondrial toxins. *Neurobiology of Disease*, 36(2), 320-330. doi.
- Yang, L., Zhao, K., Calingasan, N. Y., Luo, G., Szeto, H. H., & Beal, M. F. (2009). Mitochondria targeted peptides protect against 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine neurotoxicity. *Antioxidants and redox signaling*, 11(9), 2095-2104. doi.
- Yang, S., Cacquevel, M., Saksida, L. M., Bussey, T. J., Schneider, B. L., Aebischer, P., . . . Spillantini, M. G. (2014). Perineuronal net digestion with chondroitinase restores memory in mice with tau pathology. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.11.013>. <http://www.sciencedirect.com/science/article/pii/S0014488614003835>
- Yang, T., Liu, H., Tran, K. C., Leng, A., Massa, S. M., & Longo, F. M. (2020). Small-molecule modulation of the p75 neurotrophin receptor inhibits a wide range of tau molecular pathologies and their sequelae in P301S tauopathy mice. *Acta Neuropathologica Communications*, 8(1), 156. doi: 10.1186/s40478-020-01034-0. <https://doi.org/10.1186/s40478-020-01034-0>
- Yang, W. M., Shim, K. J., Choi, M. J., Park, S. Y., Choi, B. J., Chang, M. S., & Park, S. K. (2008). Novel effects of *Nelumbo nucifera* rhizome extract on memory and neurogenesis in the dentate gyrus of the rat hippocampus. *Neuroscience Letters*, 443(2), 104-107. doi.
- Yang, X., Yang, Y., Li, G., Wang, J., & Yang, E. S. (2008). Coenzyme Q10 Attenuates β -Amyloid Pathology in the Aged Transgenic Mice with Alzheimer Presenilin 1 Mutation. *Journal of Molecular Neuroscience*, 34(2), 165-171. doi.
- Yang, Y., Aloji, M. S., Cudaback, E., Josephsen, S. R., Rice, S. J., Jorstad, N. L., . . . Montine, T. J. (2014). Wild-type bone marrow transplant partially reverses neuroinflammation in progranulin-deficient mice. [Research Article]. *Laboratory Investigation*. doi: 10.1038/labinvest.2014.113. <http://dx.doi.org/10.1038/labinvest.2014.113>
- Yang, Y., Cudaback, E., Jorstad, N. L., Hemingway, J. F., Hagan, C. E., Melief, E. J., . . . Keene, C. D. (2013). APOE3, but Not APOE4, Bone Marrow Transplantation Mitigates Behavioral and Pathological Changes in a Mouse Model of Alzheimer Disease. *American journal of pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2013.05.009>. <http://www.sciencedirect.com/science/article/pii/S0002944013003957>
- Yang, Y., Fung, S. J., Rothwell, A., Tianmei, S., & Weickert, C. S. (2011). Increased interstitial white matter neuron density in the dorsolateral prefrontal cortex of people with schizophrenia. *Biological Psychiatry*, 69(1), 63-70. doi.

Yang, Y., Jalal, F. Y., Thompson, J. F., Walker, E. J., Candelario-Jalil, E., Li, L., . . . others. (2011). Tissue inhibitor of metalloproteinases-3 mediates the death of immature oligodendrocytes via TNF- α /TACE in focal cerebral ischemia in mice. *Journal of neuroinflammation*, 8(1), 108-108. doi.

Yang, Y., Jorstad, N. L., Shiao, C., Cherne, M. K., Khademi, S. B., Montine, K. S., . . . Keene, C. D. (2013). Perivascular, but not parenchymal, cerebral engraftment of donor cells after non-myeloablative bone marrow transplantation. *Experimental and Molecular Pathology*, (0). doi: <http://dx.doi.org/10.1016/j.yexmp.2013.03.010>. <http://www.sciencedirect.com/science/article/pii/S0014480013000488>

Yang, Y., Shiao, C., Hemingway, J. F., Jorstad, N. L., Shalloway, B. R., Chang, R., & Keene, C. D. (2013). Suppressed Retinal Degeneration in Aged Wild Type and APP^{sw}/PS1^{Δ9} Mice by Bone Marrow Transplantation. *Plos one*, 8(6), e64246. doi: 10.1371/journal.pone.0064246. <http://dx.doi.org/10.1371/journal.pone.0064246>

Yang, Y., Yang, X.-F., Wang, Y.-P., Tian, Q., Wang, X.-C., Li, H.-L., . . . Wang, J.-Z. (2007). Inhibition of protein phosphatases induces transport deficits and axonopathy. *Journal of Neurochemistry*, 102(3), 878-886. doi: doi:10.1111/j.1471-4159.2007.04603.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04603.x>

Yang, Y. J., Zhang, S., Ding, J. H., Zhou, F., & Hu, G. (2009). Iptakalim protects against MPP⁺-induced degeneration of dopaminergic neurons in association with astrocyte activation. *Int J Neuropsychopharmacol*, 12. doi: 10.1017/s1461145708009243. <http://dx.doi.org/10.1017/S1461145708009243>

Yang, Z., Covey, M. V., Bitel, C. L., Ni, L., Jonakait, G. M., & Levison, S. W. (2007). Sustained neocortical neurogenesis after neonatal hypoxic/ischemic injury. *Annals of Neurology*, 61(3), 199-208. doi.

Yang, Z., Jiang, Y., Grandys, T., Mark, I., Levison, S. W., & others. (2007). 17 β -Estradiol protects the neonatal brain from hypoxia-ischemia. *Experimental Neurology*, 208(2), 269-276. doi.

Yang, Z., & Joyner, A. L. (2019). YAP1 is involved in replenishment of granule cell precursors following injury to the neonatal cerebellum. *Developmental Biology*. doi: <https://doi.org/10.1016/j.ydbio.2019.07.018>. <http://www.sciencedirect.com/science/article/pii/S0012160619302076>

Yang, Z.-J., Wang, B., Kwansa, H., Heitmiller, K. D., Hong, G., Carter, E. L., . . . Koehler, R. C. (2013). Adenosine A2A receptor contributes to ischemic brain damage in newborn piglet. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013117a.html>

Yao, H., Ma, R., Yang, L., Hu, G., Chen, X., Duan, M., . . . Fu, M. (2014). MiR-9 promotes microglial activation by targeting MCP1. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140714/ncomms5386/full/ncomms5386.html>

Yao, L., Agoulnik, A. I., Cooke, P. S., Meling, D. D., & Sherwood, O. D. (2008). Relaxin acts on stromal cells to promote epithelial and stromal proliferation and inhibit apoptosis in the mouse cervix and vagina. *Endocrinology*, 149(5), 2072. doi: 10.1210/en.2007-1176. <http://endo.endojournals.org/cgi/content/abstract/en.2007-1176v1>

Yao, L. J., Cooke, P. S., Meling, D. D., Shanks, R. D., Jameson, J. L., & Sherwood, O. D. (2010). The effect of relaxin on cell proliferation in mouse cervix requires estrogen receptor α binding to estrogen response elements in stromal cells. *Endocrinology*, 151(6), 2811-2811. doi.

Yao, N., Wu, Y., Zhou, Y., Ju, L., Liu, Y., Ju, R., . . . Xu, Q. (2015). Lesion of the locus coeruleus aggravates dopaminergic neuron degeneration by modulating microglial function in mouse models of Parkinson's disease. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2015.08.032> <http://www.sciencedirect.com/science/article/pii/S0006899315006757>

Yap, W. N., Zaiden, N., Luk, S. Y., Lee, D. T. W., Ling, M. T., Wong, Y. C., & Yap, Y. L. (2010). In vivo evidence of γ -tocotrienol as a chemosensitizer in the treatment of hormone-refractory prostate cancer. *Pharmacology*, 85(4), 248-258. doi.

Yaprak, O., Guler, N., Altaca, G., Dayangac, M., Demirbas, T., Akyildiz, M., . . . Yuzer, Y. (2012). Ratio of remnant to total liver volume or remnant to body weight: which one is more predictive on donor outcomes? *HPB*, 14(7), 476-482. doi.

Yarchoan, M., & Arnold, S. E. (2014). Repurposing diabetes drugs for brain insulin resistance in Alzheimer disease. *Diabetes*, 63. doi: 10.2337/db14-0287. <http://dx.doi.org/10.2337/db14-0287>

Yarchoan, M., Toledo, J. B., Lee, E. B., Arvanitakis, Z., Kazi, H., & Han, L. Y. (2014). Abnormal serine phosphorylation of insulin receptor substrate 1 is associated with tau pathology in Alzheimer's disease and tauopathies. *Acta Neuropathol*, 128. doi: 10.1007/s00401-014-1328-5. <http://dx.doi.org/10.1007/s00401-014-1328-5>

Yates, A. G., Jogia, T., Gillespie, E. R., Couch, Y., Ruitenber, M. J., & Anthony, D. C. (2021). Acute IL-1RA treatment suppresses the peripheral and central inflammatory response to spinal cord injury. *Journal of neuroinflammation*, 18(1), 15. doi: 10.1186/s12974-020-02050-6. <https://doi.org/10.1186/s12974-020-02050-6>

Yates, M. A., Markham, J. A., Anderson, S. E., Morris, J. R., & Juraska, J. M. (2008). Regional variability in age-related loss of neurons from the primary visual cortex and medial prefrontal cortex of male and female rats. *Brain Research*, 1218, 1-12. doi.

Yau, S. Y., Lau, B. W. M., Tong, J. B., Wong, R., Ching, Y. P., Qiu, G., . . . So, K. F. (2011). Hippocampal neurogenesis and dendritic plasticity support running-improved spatial learning and depression-like behaviour in stressed rats. *PLoS ONE*, 6(9), e24263-e24263. doi.

Yau, S.-Y., Lau, B. W.-M., Zhang, E.-D., Lee, J. C.-D., Li, A., Lee, T. M. C., . . . So, K.-F. (2012). Effects of Voluntary Running on Plasma Levels of Neurotrophins, Hippocampal Cell Proliferation and Learning and Memory in Stressed Rats. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.07.019. <http://www.sciencedirect.com/science/article/pii/S0306452212007269?v=s5>

Yau, S.-Y., Li, A., Zhang, E.-D., Christie, B. R., Xu, A., Lee, T. M. C., & So, K.-F. (2014). Sustained Running in Rats Administered Corticosterone Prevents the Development of Depressive Behaviors and Enhances Hippocampal Neurogenesis and Synaptic Plasticity Without Increasing Neurotrophic Factor Levels. *Cell Transplantation*, 23(4-5), 481-492. doi: 10.3727/096368914x678490. <http://www.ingentaconnect.com/content/cog/ct/2014/0000023/FO020004/arto..>

<http://dx.doi.org/10.3727/096368914X678490>

Yavan, M. A., Kaya, S., Kervancioglu, P., & Kocahan, S. (2020). Evaluation of effects of a modified asymmetric rapid maxillary expansion appliance on the upper airway volume by cone beam computed tomography. *Journal of Dental Sciences*. doi: <https://doi.org/10.1016/j.jds.2020.05.019>. <http://www.sciencedirect.com/science/article/pii/S1991790220301136>

Yazdani, U., German, D. C., Liang, C.-L., Manzano, L., Sonsalla, P. K., & Zeevalk, G. D. (2006). Rat model of Parkinson's disease: Chronic central delivery of 1-methyl-4-phenylpyridinium (MPP⁺). *Experimental Neurology*, 200(1), 172-183. doi.

Ye, L., Hamaguchi, T., Fritschi, S. K., Eisele, Y. S., Obermüller, U., Jucker, M., & Walker, L. C. (2015). Progression of seed-induced A β deposition within the limbic connectome. *Brain Pathology*, n/a-n/a. doi: 10.1111/bpa.12252. <http://dx.doi.org/10.1111/bpa.12252>

Ye, P., Kollias, G., & D'Ercole, A. J. (2007). Insulin-like Growth Factor (IGF)-I Ameliorates Demyelination Induced By Tumor Necrosis Factor (TNF)- α In Transgenic Mice. *Journal of Neuroscience*, 85(4), 712-722. doi.

Ye, P., Kollias, G., & D'Ercole, A. J. (2007). Insulin-like growth factor-I ameliorates demyelination induced by tumor necrosis factor- α in transgenic mice. *Journal of Neuroscience Research*, 85(4), 712-722. doi.

Ye, P., Popken, G. J., Kemper, A., McCarthy, K., Popko, B., & D'Ercole, A. J. (2004). Astrocyte-specific overexpression of insulin-like growth factor-I promotes brain overgrowth and glial fibrillary acidic protein expression. *Journal of Neuroscience Research*, 78(4), 472-484. doi.

Ye, W., Pitlock, M. D., Javors, M. A., Thompson, B., Lechleiter, J. D., & Hensler, J. G. (2018). The long-term effect of maternal dietary protein restriction on 5-HT_{1A} receptor function and behavioral responses to stress in adulthood. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2018.03.038>. <https://www.sciencedirect.com/science/article/pii/S0166432818300068>

Ye, W., Xie, L., Li, C., Nathanielsz, P. W., & Thompson, B. J. (2014). Impaired development of fetal serotonergic neurons in intrauterine growth restricted baboons. *Journal of Medical Primatology*, n/a-n/a. doi: 10.1111/jmp.12116. <http://dx.doi.org/10.1111/jmp.12116>

Ye, Y., He, X., Lu, F., Mao, H., Zhu, Z., Yao, L., . . . Zhang, S. (2018). A lincRNA-p21/miR-181 family feedback loop regulates microglial activation during systemic LPS- and MPTP- induced neuroinflammation. *Cell death & disease*, 9(8), 803. doi: 10.1038/s41419-018-0821-5. <https://doi.org/10.1038/s41419-018-0821-5>

Yegin, B., & Ulupinar, E. (2018). Effects of Maternal and Postweaning High-Fat Diet Exposure on the Hippocampal Functions and Morphology. *International Journal of Morphology*, 36, 1108-1117. doi. https://scielo.conicyt.cl/scielo.php?script=sci_arttext&pid=S0717-950220..

Yelkenli, İ. H., Ulupinar, E., Korkmaz, O. T., Şener, E., Kuş, G., Filiz, Z., & Tunçel, N. (2016). Modulation of Corpus Striatum Neurochemistry by Astrocytes and Vasoactive Intestinal Peptide (VIP) in Parkinsonian Rats. [journal article]. *Journal of Molecular Neuroscience*, 1-10. doi: 10.1007/s12031-016-0757-0. <http://dx.doi.org/10.1007/s12031-016-0757-0>

- Yellajoshiyula, D., Liang, C.-C., Pappas, S. S., Penati, S., Yang, A., Mecano, R., . . . Dauer, W. T. (2017). The DYT6 Dystonia Protein THAP1 Regulates Myelination within the Oligodendrocyte Lineage. *Developmental Cell*, 42(1), 52-67.e54. doi: <https://doi.org/10.1016/j.devcel.2017.06.009>. <http://www.sciencedirect.com/science/article/pii/S1534580717304653>
- Yetnikoff, L., Reichard, R. A., Schwartz, Z. M., Parsely, K. P., & Zahm, D. S. (2013). Protracted maturation of forebrain afferent connections of the ventral tegmental area in the rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23459. <http://dx.doi.org/10.1002/cne.23459>
- Yeung, S. T., Myczek, K., Kang, A. P., Chabrier, M. A., Baglietto-Vargas, D., & LaFerla, F. M. (2013). Impact of hippocampal neuronal ablation on neurogenesis and cognition in the aged brain. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.11.054>. <http://www.sciencedirect.com/science/article/pii/S0306452213010014>
- Yiğit, U., Erdenöz, S., Uslu, Ü., Oba, E., Cumbul, A., Çağatay, H., . . . Eskicoğlu, E. (2011). An immunohistochemical analysis of the neuroprotective effects of memantine, hyperbaric oxygen therapy, and brimonidine after acute ischemia reperfusion injury. *Molecular Vision*, 17, 1024-1024. doi.
- Yildirim, A., Ersoy, Y., Ercan, F., Atukeren, P., Gumustas, K., Uslu, U., & Alican, I. (2010). Phosphodiesterase-5 inhibition by sildenafil citrate in a rat model of bleomycin-induced lung fibrosis. *Pulmonary Pharmacology and Therapeutics*, 23(3), 215-221. doi.
- Yildirim, M., Mapp, O. M., Janssen, W. G. M., Yin, W., Morrison, J. H., & Gore, A. C. (2008). Postpubertal decrease in hippocampal dendritic spines of female rats. *Experimental Neurology*, 210(2), 339-348. doi.
- Yilmaz, D., Dogan, N., Ozkan, A., Sencimen, M., Ora, B. E., & Mutlu, I. (2014). Effect of platelet rich fibrin and beta tricalcium phosphate on bone healing. A histological study in pigs. *Acta Cirurgica Brasileira*, 29, 59-65. doi. http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0102-86502014000..
- Yin, D.-M., Chen, Y.-J., Lu, Y.-S., Bean, J. C., Sathyamurthy, A., Shen, C., . . . Xiong, W.-C. (2013). Reversal of Behavioral Deficits and Synaptic Dysfunction in Mice Overexpressing Neuregulin 1. *Neuron*, 78(4), 644-657. doi. <http://www.sciencedirect.com/science/article/pii/S0896627313002754?np=y>
- Yin, F., Banerjee, R., Thomas, B., Zhou, P., Qian, L., Jia, T., . . . Ding, A. (2009). Exaggerated inflammation, impaired host defense, and neuropathology in progranulin-deficient mice. *Journal of Experimental Medicine*, 207(1), 117-128. doi: 10.1084/jem.20091568. <http://jem.rupress.org/cgi/content/abstract/jem.20091568v2>
- Yin, L., Lu, L., Prasad, K., Richfield, E. K., Unger, E. L., Xu, J., & Jones, B. C. (2011). Genetic-based, differential susceptibility to paraquat neurotoxicity in mice. *Neurotoxicology and Teratology*. doi.
- Yip, Y. P., Rinaman, L., Capriotti, C., & Yip, J. W. (2003). Ectopic sympathetic preganglionic neurons maintain proper connectivity in the reeler mutant mouse. *Neuroscience*, 118(2), 439-450. doi.
- Yiu, A. P., Rashid, A. J., & Josselyn, S. A. (2011). Increasing CREB Function in the CA1 Region of Dorsal Hippocampus Rescues the Spatial Memory Deficits in a Mouse Model of Alzheimer's Disease. *Neuropsychopharmacology*. doi: <http://www.nature.com/npp/journal/vaop/ncurrent/suppinfo/npp2011107s1.html>. <http://dx.doi.org/10.1038/npp.2011.107>

Yoder, R. M., & Pang, K. C. H. (2005). Involvement of GABAergic and cholinergic medial septal neurons in hippocampal theta rhythm. *Hippocampus*, 15(3), 381-392. doi.

Yokobori, S., Gajavelli, S., Mondello, S., Mo-Seaney, J., Bramlett, H. M., Dietrich, W. D., & Bullock, M. R. (2012). Neuroprotective effect of preoperatively induced mild hypothermia as determined by biomarkers and histopathological estimation in a rat subdural hematoma decompression model. *Journal of Neurosurgery*, 0(0), 1-11. doi: doi:10.3171/2012.10.JNS12725. <http://thejns.org/doi/abs/10.3171/2012.10.JNS12725>

Yokoi, F., Dang, M. T., Liu, J., Gandre, J. R., Kwon, K., Yuen, R., & Li, Y. (2015). Decreased dopamine receptor 1 activity and impaired motor-skill transfer in Dyt1 GAG heterozygous knock-in mice. *Behavioural Brain Research*, 279(0), 202-210. doi: <http://dx.doi.org/10.1016/j.bbr.2014.11.037>. <http://www.sciencedirect.com/science/article/pii/S0166432814007736>

Yon, J. H., Carter, L. B., Reiter, R. J., & Jevtovic-Todorovic, V. (2006). Melatonin reduces the severity of anesthesia-induced apoptotic neurodegeneration in the developing rat brain. *Neurobiology of Disease*, 21(3), 522-530. doi.

Yon, J. H., Daniel-Johnson, J., Carter, L. B., & Jevtovic-Todorovic, V. (2005). Anesthesia induces neuronal cell death in the developing rat brain via the intrinsic and extrinsic apoptotic pathways. *Neuroscience*, 135(3), 815-827. doi.

Yong, J., Lacan, G., Dang, H., Hsieh, T., Middleton, B., Wasserfall, C., . . . Kaufman, D. L. (2011). BCG Vaccine-Induced Neuroprotection in a Mouse Model of Parkinson's Disease. *PLoS ONE*, 6(1), e16610-e16610. doi.

Yoon, Y., Gokin, A., & Martin-Caraballo, M. (2010). Pharmacological manipulation of GABA-driven activity in ovo disrupts the development of dendritic morphology but not the maturation of spinal cord network activity. *Neural Development*, 5(1), 11. doi. <http://www.neuraldevelopment.com/content/5/1/11>

Yoon, Y. J., Kominami, H., Trimarchi, T., & Martin-Caraballo, M. (2008). Inhibition of electrical activity by retroviral infection with Kir2. 1 transgenes disrupts electrical differentiation of motoneurons. *PLoS ONE*, 3(8), e2971-e2971. doi.

Yoon, Y. J., White, S. L., Ni, X., Gokin, A. P., & Martin-Caraballo, M. (2012). Downregulation of GluA2 AMPA Receptor Subunits Reduces the Dendritic Arborization of Developing Spinal Motoneurons. *Plos one*, 7(11), e49879. doi: 10.1371/journal.pone.0049879. <http://dx.doi.org/10.1371%2Fjournal.pone.0049879>

Yoruk, O., Dane, S., Ucuncu, H., Aktan, B., & Can, I. (2009). Stereological evaluation of laryngeal cancers using computed tomography via the Cavalieri method: correlation between tumor volume and number of neck lymph node metastases. *Journal of Craniofacial Surgery*, 20(5), 1504-1504. doi.

Yoshii, Y., Inoue, T., Uemura, Y., Iwasaki, Y., Yada, T., Nakabeppu, Y., & Noda, M. (2017). Complexity of Stomach-Brain Interaction Induced by Molecular Hydrogen in Parkinson's Disease Model Mice. [journal article]. *Neurochemical Research*, 1-8. doi: 10.1007/s11064-017-2281-1. <http://dx.doi.org/10.1007/s11064-017-2281-1>

Yoshikawa, G., Momiyama, T., Oya, S., Takai, K., Tanaka, J., Higashiyama, S., . . . Kawahara, N. (2010). Induction of striatal neurogenesis and generation of region-specific functional mature neurons after ischemia by growth factors. *Journal of Neurosurgery*, 113(4), 835-850. doi.

- Yossuck, P., Kraszpulski, M., & Salm, A. K. (2006). Perinatal corticosteroid effect on amygdala and hippocampus volume during brain development in the rat model. *Early Human Development*, 82(4), 267-272. doi.
- Young, C., Jevtovic-Todorovic, V., Qin, Y.-Q., Tenkova, T., Wang, H., Labruyere, J., & Olney, J. W. (2005). Potential of ketamine and midazolam, individually or in combination, to induce apoptotic neurodegeneration in the infant mouse brain. *British Journal of Pharmacology* 146(2), 189-197. doi.
- Young, C., Klocke, B. J., Tenkova, T., Choi, J., Labruyere, J., Qin, Y.-Q., . . . Olney, J. W. (2003). Ethanol-induced neuronal apoptosis in vivo requires BAX in the developing mouse brain. *Cell Death and Differentiation*, 10(10), 1148-1155. doi.
- Young, C., & Olney, J. W. (2006). Neuroapoptosis in the infant mouse brain triggered by a transient small increase in blood alcohol concentration. *Neurobiology of Disease*, 22(3), 548-554. doi.
- Young, C., Roth, K. A., Klocke, B. J., West, T., Holtzman, D. M., Labruyere, J., . . . Olney, J. W. (2005). Role of caspase-3 in ethanol-induced developmental neurodegeneration. *Neurobiology of Disease*, 20(2), 608-614. doi.
- Young, C., Straiko, M. M. W., Johnson, S. A., Creeley, C., & Olney, J. W. (2008). Ethanol causes and lithium prevents neuroapoptosis and suppression of pERK in the infant mouse brain. *Neurobiology of Disease*, 31(3), 355-360. doi.
- Young, D., Fong, D. M., Lawlor, P. A., Wu, A., Mouravlev, A., McRae, M., . . . During, M. J. (2014). Adenosine kinase, glutamine synthetase and EAAT2 as gene therapy targets for temporal lobe epilepsy. [Original Article]. *Gene Therapy*. doi: 10.1038/gt.2014.82. <http://dx.doi.org/10.1038/gt.2014.82>
- Young, E. E., Sieve, A. N., Vichaya, E. G., Carcoba, L. M., Young, C. R., Ambrus, A., . . . Meagher, M. W. (2010). Chronic restraint stress during early Theiler's virus infection exacerbates the subsequent demyelinating disease in SJL mice: II. CNS disease severity. *Journal of Neuroimmunology*, 220(1), 79-89. doi.
- Young, F. B., Franciosi, S., Spreeuw, A., Deng, Y., Sanders, S., Tam, N. C. M., . . . Hayden, M. R. (2012). Low Levels of Human HIP14 Are Sufficient to Rescue Neuropathological, Behavioural, and Enzymatic Defects Due to Loss of Murine HIP14 in *Hip14*^{-/-} Mice. *PLoS ONE*, 7(5), e36315. doi: 10.1371/journal.pone.0036315. <http://dx.doi.org/10.1371/journal.pone.0036315>
- Young, K. A., Ball, G. F., & Nelson, R. J. (2001). Photoperiod-Induced Testicular Apoptosis in European Starlings (*Sturnus vulgaris*). *Biology of Reproduction*, 64, 706-713. doi.
- Young, K. A., Bonkale, W. L., Holcomb, L. A., Hicks, P. B., & German, D. C. (2008). Major depression, 5HTTLPR genotype, suicide and antidepressant influences on thalamic volume. *British Journal of Psychiatry*, 192(4), 285-289. doi.
- Young, K. A., Holcomb, L. A., Bonkale, W. L., Hicks, P. B., Yazdani, U., & German, D. C. (2007). 5HTTLPR polymorphism and enlargement of the pulvinar: unlocking the backdoor to the limbic system. *Biological Psychiatry*, 61(6), 813-818. doi.
- Young, K. A., Holcomb, L. A., Yazdani, U., Hicks, P. B., & German, D. C. (2004). Elevated Neuron Number in the Limbic Thalamus in Major Depression *American Journal of Psychiatry*, 161, 1270-1277. doi.

Young, K. A., Manaye, K. F., Liang, C. L., Hicks, P. B., & German, D. C. (2000). Reduced number of mediadorsal and anterior thalamic neurons in schizophrenia. *Biological Psychiatry*, 47(11), 944-953. doi.

Young, K. A., & Nelson, R. J. (2000). Short photoperiods reduce vascular endothelial growth factor in the testes of *Peromyscus leucopus*. *American Journal of Physiology Regular Integrated Comparative Physiology*, 279, 1132-1137. doi.

Young, K. A., Zirkin, B. R., & Nelson, R. J. (1999). Short photoperiods evoke testicular apoptosis in white-footed mice (*Peromyscus leucopus*). *Endocrinology*, 140(7), 3133-3133. doi.

Young, K. A., Zirkin, B. R., & Nelson, R. J. (2001). Testicular apoptosis is down-regulated during spontaneous recrudescence in white-footed mice (*Peromyscus leucopus*). *Journal of Biological Rhythms*, 16(5), 479-488. doi.

Young, K. A., Zirkin, B. R., & Nelson, R. J. (2000). Testicular Regression in Response to Food Restriction and Short Photoperiod in White-Footed Mice (*Peromyscus leucopus*) Is Mediated by Apoptosis. *Biology of Reproduction*, 62(2), 347-354. doi.

Yowtak, J., Wang, J., Kim, H. Y., Lu, Y., Chung, K., & Chung, J. M. (2013). Effect of antioxidant treatment on spinal GABA neurons in a neuropathic pain model in the mouse. *Pain*, (0). doi: <http://dx.doi.org/10.1016/j.pain.2013.07.024> <http://www.sciencedirect.com/science/article/pii/S0304395913003928>

Ypsilanti, A. R., Cruz, M. T. G. d., Burgess, A., & Aubert, I. (2008). The length of hippocampal cholinergic fibers is reduced in the aging brain. *Neurobiology of Aging* 29(11), 1666-1679. doi.

Smith, L. A., & McMahon, L. L. (2017). Deficits in synaptic function occur at medial perforant path-granule cell synapses prior to Schaffer collateral-CA1 pyramidal cell synapses in the novel TgF344-Alzheimer's Disease Rat Model. 2017, (

).

doi: <https://doi.org/10.1016/j.nbd.2017.11.014> <https://www.sciencedirect.com/science/article/pii/S0969996117302759>

Yu, A. X., Xiao, J., Zhao, S.-Z., Kong, X.-P., Kwan, K. K., Zheng, B. Z., . . . Tsim, K. W. (2021). Biological Evaluation and Transcriptomic Analysis of Corylin as an Inhibitor of Osteoclast Differentiation. *International Journal of Molecular Sciences*, 22(7). doi: 10.3390/ijms22073540.

Yu, Diana X., Di Giorgio, Francesco P., Yao, J., Marchetto, Maria C., Brennand, K., Wright, R., . . . Gage, Fred H. (2014). Modeling Hippocampal Neurogenesis Using Human Pluripotent Stem Cells. *Stem Cell Reports*, (0).

doi: <http://dx.doi.org/10.1016/j.stemcr.2014.01.009> <http://www.sciencedirect.com/science/article/pii/S2213671114000265>

Yu, H., Wang, Y., Pattwell, S., Jing, D., Liu, T., Zhang, Y., . . . Chen, Z.-Y. (2009). Variant BDNF Val66Met Polymorphism Affects Extinction of Conditioned Aversive Memory. *Journal of Neuroscience*, 29(13), 4056-4064. doi: 10.1523/jneurosci.5539-

08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/13/4056>

Yu, H.-G., McLaughlin, S., Newman, M., Brundage, K., Ammer, A., Martin, K., & Coad, J. (2017). Altering calcium influx for selective destruction of breast tumor. [journal article]. *BMC Cancer*, 17(1), 169. doi: 10.1186/s12885-017-3168-x. <http://dx.doi.org/10.1186/s12885-017-3168-x>

Yu, J., Lai, C., Shim, H., Xie, C., Sun, L., Long, C.-X., . . . Cai, H. (2018). Genetic ablation of dynactin p150Glued in postnatal neurons causes preferential degeneration of spinal motor neurons in aged mice. [journal article]. *Molecular Neurodegeneration*, 13(1), 10. doi: 10.1186/s13024-018-0242-z. <https://doi.org/10.1186/s13024-018-0242-z>

Yu, J., Proddatur, A., Swietek, B., Elgammal, F. S., & Santhakumar, V. (2015). Functional Reduction in Cannabinoid-Sensitive Heterotypic Inhibition of Dentate Basket Cells in Epilepsy: Impact on Network Rhythms. *Cerebral Cortex*. doi: 10.1093/cercor/bhv199. <http://cercor.oxfordjournals.org/content/early/2015/09/22/cercor.bhv199>.

...

Yu, J., Zhu, H., Taheri, S., Monday, W., Perry, S., & Kindy, M. S. (2019). Reduced Neuroinflammation and Improved Functional Recovery after Traumatic Brain Injury by Prophylactic Diet Supplementation in Mice. *Nutrients*, 11(2), 299. doi: <http://www.mdpi.com/2072-6643/11/2/299>

Yu, Q., Huang, Q., Du, X., Xu, S., Li, M., & Ma, S. (2018). Early activation of Egr-1 promotes neuroinflammation and dopaminergic neurodegeneration in an experimental model of Parkinson's disease. *Experimental Neurology*. doi: <https://doi.org/10.1016/j.expneurol.2018.01.009>. <http://www.sciencedirect.com/science/article/pii/S0014488618300165>

Yu, S., Patchev, A. V., Wu, Y., Lu, J., Holsboer, F., Zhang, J. Z., . . . Almeida, O. F. X. (2010). Depletion of the neural precursor cell pool by glucocorticoids. *Annals of Neurology*, 67(1), 21-30. doi:

Yu, T.-S., Kim, A., & Kernie, S. G. (2015). Donepezil Rescues Spatial Learning and Memory Deficits following Traumatic Brain Injury Independent of Its Effects on Neurogenesis. *Plos one*, 10(2), e0118793. doi: 10.1371/journal.pone.0118793. <http://dx.doi.org/10.1371%2Fjournal.pone.0118793>

Yu, T.-S., Zhang, G., Liebl, D. J., & Kernie, S. G. (2008). Traumatic Brain Injury-Induced Hippocampal Neurogenesis Requires Activation of Early Nestin-Expressing Progenitors. *Journal of Neuroscience*, 28(48), 12901-12912. doi: 10.1523/jneurosci.4629-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/48/12901>

Yu, Y., Fu, Y., & Watson, C. (2014). The Inferior Olive of the C57BL/6J Mouse: A Chemoarchitectonic Study. *The Anatomical Record*, 297(2), 289-300. doi: 10.1002/ar.22866. <http://dx.doi.org/10.1002/ar.22866>

Yu, Y., Wang, K., Deng, J., Sun, M., Jia, J., & Wang, X. (2016). Electroacupuncture Produces the Sustained Motor Improvement in 6-Hydroxydopamine-Lesioned Mice. *Plos one*, 11(2), e0149111. doi: 10.1371/journal.pone.0149111. <http://dx.doi.org/10.1371%2Fjournal.pone.0149111>

Yuan, D., Liu, C., & Hu, B. (2017). Inactivation of NSF ATPase Leads to Cathepsin B Release After Transient Cerebral Ischemia. [journal article]. *Translational Stroke Research*. doi: 10.1007/s12975-017-0571-1. <https://doi.org/10.1007/s12975-017-0571-1>

Yuan, Y., Xue, X., Guo, R. B., Sun, X. L., & Hu, G. (2012). Resveratrol Enhances the Antitumor Effects of Temozolomide in Glioblastoma via ROS-dependent AMPK-TSC-mTOR Signaling Pathway. *CNS Neuroscience and Therapeutics*. doi:

Yucel, A., Yucel, N., Ozkanlar, S., Polat, E., Kara, A., Ozcan, H., & Gulec, M. (2016). Effect of agomelatine on adult hippocampus apoptosis and neurogenesis using the stress model of rats. *Acta Histochemica*. doi: <http://dx.doi.org/10.1016/j.acthis.2016.02.007>. <http://www.sciencedirect.com/science/article/pii/S0065128116300319>

Yue, M., Hinkle, K., Davies, P., Trushina, E., Fiesel, F., Christenson, T., . . . Melrose, H. (2015). Progressive dopaminergic alterations and mitochondrial abnormalities in LRRK2 G2019S knock in mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.031>. <http://www.sciencedirect.com/science/article/pii/S0969996115000996>

Yuede, C. M., Wozniak, D. F., Creeley, C. E., Taylor, G. T., Olney, J. W., & Farber, N. B. (2010). Behavioral consequences of NMDA antagonist-induced neuroapoptosis in the infant mouse brain. *PLoS ONE*, 5(6), e11374-e11374. doi.

Yuksel, T. N., Halici, Z., Demir, R., Cakir, M., Calikoglu, C., Ozdemir, G., & Unal, D. (2014). Investigation of the effect of telmisartan on experimentally induced peripheral nerve injury in rats. *International Journal of Neuroscience*, 0(ja), 1-32. doi: <http://informahealthcare.com/doi/abs/10.3109/00207454.2014.948115>. doi:10.3109/00207454.2014.948115. <http://informahealthcare.com/doi/abs/10.3109/00207454.2014.948115>

Yun, S., Reynolds, R. P., Petrof, I., White, A., Rivera, P. D., Segev, A., . . . Eisch, A. J. (2018). Stimulation of entorhinal cortex–dentate gyrus circuitry is antidepressive. *Nature Medicine*. doi: 10.1038/s41591-018-0002-1. <https://doi.org/10.1038/s41591-018-0002-1>

Yun, S. P., Kim, D., Kim, S., Kim, S., Karuppagounder, S. S., Kwon, S.-H., . . . Ko, H. S. (2018). α -Synuclein accumulation and GBA deficiency due to L444P GBA mutation contributes to MPTP-induced parkinsonism. [journal article]. *Molecular Neurodegeneration*, 13(1), 1. doi: 10.1186/s13024-017-0233-5. <https://doi.org/10.1186/s13024-017-0233-5>

Yu-Qing, L., & Wong, C. S. (2018). Effects of p21 on adult hippocampal neuronal development after irradiation. *Cell Death Discovery*, 5, 1-12. doi: <https://search.proquest.com/openview/83e4ce586fb244eeee0982e8295f1edbb/1?..>

Yurt, K. K., Kivrak, E. G., Altun, G., Mohamed, H., Ali, F., Mohemmed, H. E. E. G., & Kaplan, S. (2018). A brief update on physical and optical disector applications and sectioning-staining methods in neuroscience. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2018.02.009>. <http://www.sciencedirect.com/science/article/pii/S0891061817302831>

Yurttas, C., Schmitz, C., Turgut, M., Strelakova, T., & Steinbusch, H. W. M. (2017). The olfactory bulbectomized rat model is not an appropriate model for studying depression based on morphological/stereological studies of the hippocampus. *Brain Research Bulletin*. doi: <https://doi.org/10.1016/j.brainresbull.2017.07.010>. <http://www.sciencedirect.com/science/article/pii/S0361923017302034>

Yürüker, S., Görduysus, M., Küçükkaya, S., Uzunoğlu, E., İlgin, C., Gülen, O., . . . Görduysus, M. Ö. (2016). Efficacy of Combined Use of Different Nickel-Titanium Files on Removing Root Canal Filling Materials. *Journal of Endodontics*. doi: 10.1016/j.joen.2015.11.019. <http://dx.doi.org/10.1016/j.joen.2015.11.019>

Yuskaitis, C. J., Jones, B. M., Wolfson, R. L., Super, C. E., Dhamne, S. C., Rotenberg, A., . . . Poduri, A. (2018). A mouse model of DEPDC5-related epilepsy: Neuronal loss of Depdc5 causes dysplastic and ectopic neurons, increased mTOR signaling, and seizure susceptibility. *Neurobiology of Disease*, 111, 91-101. doi: <https://doi.org/10.1016/j.nbd.2017.12.010>. <https://www.sciencedirect.com/science/article/pii/S0969996117302942>

Zaborszky, L., Buhl, D. L., Pobalashingham, S., Bjaalie, J. G., & Nadasdy, Z. (2005). Three-dimensional chemoarchitecture of the basal forebrain: spatially specific association of cholinergic and calcium binding protein-containing neurons. *Neuroscience*, 136(3), 697-713. doi.

Zachary, T. I., Gratianne, R., Ji-Wei, H., Shivalika, C., Yasuo, N., Yosuke, A., . . . Azadeh, Y.-S. (2021). Local field potentials identify features of cortico-hippocampal communication impacted by stroke and environmental enrichment therapy. *Journal of Neural Engineering*. doi. <http://iopscience.iop.org/article/10.1088/1741-2552/ac0a54>

Zádori, D., Nyiri, G., Szónyi, A., Szatmári, I., Fülöp, F., Toldi, J., . . . Klivényi, P. (2011). Neuroprotective effects of a novel kynurenic acid analogue in a transgenic mouse model of Huntington's disease. *Journal of Neural Transmission*, 118(6), 865-875. doi.

Zahir, T., Nomura, H., Guo, X. D., Kim, H., Tator, C., Morshead, C., & Shoichet, M. (2008). Bioengineering neural stem/progenitor cell-coated tubes for spinal cord injury repair. *Cell Transplantation*, 17(3), 245-254. doi.

Zalfa, C., Rota Nodari, L., Vacchi, E., Gelati, M., Profico, D., Boido, M., . . . Ferrari, D. (2019). Transplantation of clinical-grade human neural stem cells reduces neuroinflammation, prolongs survival and delays disease progression in the SOD1 rats. *Cell death & disease*, 10(5), 345. doi: 10.1038/s41419-019-1582-5. <https://doi.org/10.1038/s41419-019-1582-5>

Zaman, V., Nelson, M. E., Gerhardt, G. A., & Rohrer, B. (2004). Neurodegenerative alterations in the nigrostriatal system of trkB hypomorphic mice. *Experimental Neurology*, 190(2), 337-346. doi.

Zamora, E., Handisurya, A., Shafti-Keramat, S., Borchelt, D., Rudow, G., Conant, K., . . . Kirnbauer, R. (2006). Papillomavirus-Like Particles Are an Effective Platform for Amyloid- Immunization in Rabbits and Transgenic Mice. *Journal of Immunology*, 177, 2662-2670. doi.

Zanier, E. R., Lee, S. M., Vespa, P. M., Giza, C. C., & Hovda, D. A. (2003). Increased hippocampal CA3 vulnerability to low-level kainic acid following lateral fluid percussion injury. *Journal of Neurotrauma*, 20(5), 409-420. doi.

Zanni, G., Deutsch, H., Rivera, P., Shih, H.-Y., LeBlanc, J., Amaral, W., . . . Eisch, A. (2018). Whole-Body ¹²C Irradiation Transiently Decreases Mouse Hippocampal Dentate Gyrus Proliferation and Immature Neuron Number, but Does Not Change New Neuron Survival Rate. *International Journal of Molecular Sciences*, 19(10), 3078. doi. <http://www.mdpi.com/1422-0067/19/10/3078>

Zanni, G., Michno, W., Di Martino, E., Tjärnlund-Wolf, A., Pettersson, J., Mason, C. E., . . . Hanrieder, J. (2017). Lithium Accumulates in Neurogenic Brain Regions as Revealed by High Resolution Ion Imaging. [Article]. *Scientific Reports*, 7, 40726. doi: 10.1038/srep40726

<http://www.nature.com/articles/srep40726#supplementary-information>. <http://dx.doi.org/10.1038/srep40726>

Zanni, G., Zhou, K., Riebe, I., Xie, C., Zhu, C., Hanse, E., & Blomgren, K. (2015). Irradiation of the Juvenile Brain Provokes a Shift from Long-Term Potentiation to Long-Term Depression. *Developmental Neuroscience*, 37(3), 263-272. doi: <http://www.karger.com/Article/FullText/430435>

Zare, A., Jahanshahi, A., Meriaux, C., Steinbusch, H. W., & Koeveringe, G. A. v. (2018). Glutamatergic cells in the periaqueductal gray matter mediate sensory inputs after bladder stimulation in freely moving rats. *International Journal of Urology*, 0(0). doi: doi:10.1111/iju.13562. <https://onlinelibrary.wiley.com/doi/abs/10.1111/iju.13562>

Zarow, C., Vinters, H. V., Ellis, W. G., Weiner, M. W., Mungas, D., White, L., & Chui, H. C. (2005). Correlates of hippocampal neuron number in Alzheimer's disease and ischemic vascular dementia. *Annals of Neurology*, 57(6), 896-903. doi:

Zeger, M., Popken, G., Zhang, J., Xuan, S., Lu, Q. R., Schwab, M. H., . . . Ye, P. (2007). Insulin-like growth factor type 1 receptor signaling in the cells of oligodendrocyte lineage is required for normal in vivo oligodendrocyte development and myelination. *Glia*, 55(4), 400-411. doi:

Zelikowsky, M., Bissiere, S., Hast, T. A., Bennett, R. Z., Abdipranoto, A., Vissel, B., & Fanselow, M. S. (2013). Prefrontal microcircuit underlies contextual learning after hippocampal loss. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1301691110. <http://www.pnas.org/content/early/2013/05/15/1301691110.abstract>

Zellinger, C., Hadamitzky, M., Bock, E., Berezin, V., & Potschka, H. (2011). Impact of the NCAM derived mimetic peptide plannexin on the acute cellular consequences of a status epilepticus. *Neuroscience Letters*. doi:

Zellinger, C., Salvamoser, J. D., Seeger, N., Russmann, V., & Potschka, H. (2014). Impact of the neural cell adhesion molecule-derived peptide FGL on seizure progression and cellular alterations in the mouse kindling model. *ACS Chemical Neuroscience*. doi: 10.1021/cn400153g. <http://dx.doi.org/10.1021/cn400153g>

Zellinger, C., Seeger, N., Hadamitzky, M., Fischborn, S., Russmann, V., Wendt, H., . . . Potschka, H. (2011). Impact of the erythropoietin-derived peptide mimetic Epotris on the histopathological consequences of status epilepticus. *Epilepsy Research*. doi:

Zepeda, A., Aguilar-Arredondo, A., Michel, G., Ramos-Languren, L., Escobar, M., & Arias, C. (2012). Functional recovery of the dentate gyrus after a focal lesion is accompanied by structural reorganization in the adult rat. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-012-0407-4. <http://dx.doi.org/10.1007/s00429-012-0407-4>

Zerbi, V., Jansen, D., Dederen, P., Veltien, A., Hamans, B., Liu, Y., . . . Kiliaan, A. (2012). Microvascular cerebral blood volume changes in aging APP_{Tg2576}PS1^{ΔE9} AD mouse model: a voxel-wise approach. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-012-0448-8. <http://dx.doi.org/10.1007/s00429-012-0448-8>

Zerbi, V., Jansen, D., Wiesmann, M., Fang, X., Broersen, L. M., Veltien, A., . . . Kiliaan, A. J. (2013). Multi-nutrient diets improve cerebral perfusion and neuroprotection in an Alzheimer mouse model. *Neurobiology of Aging*, 0(0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2013.09.038>. <http://www.sciencedirect.com/science/article/pii/S0197458013004508>

Zerbi, V., Wiesmann, M., Emmerzaal, T. L., Jansen, D., Van Beek, M., Mutsaers, M. P., . . . Kiliaan, A. J. (2014). Resting-State Functional Connectivity Changes in Aging apoE4 and apoE-KO Mice. *The Journal of Neuroscience*, 34(42), 13963-13975. doi: <http://www.jneurosci.org/content/34/42/13963.short>

Zerbinatti, C. V., Wozniak, D. F., Cirrito, J., Cam, J. A., Osaka, H., Bales, K. R., . . . Bu, G. (2004). "Increased soluble amyloid- peptide and memory deficits in amyloid model mice overexpressing the low-density lipoprotein receptor-related protein". *Neuroscience*, 101, 1075-1080. doi:

Zerbinatti, C. V., Wozniak, D. F., Cirrito, J., Cam, J. A., Osaka, H., Bales, K. R., . . . Bu, G. (2004). Increased soluble amyloid- β peptide and memory deficits in amyloid model mice overexpressing the low-density lipoprotein receptor-related protein. *Proceedings of the National Academy of Sciences*, 101(4), 1075-1080. doi: 10.1073/Proceedings of the National Academy of Sciences.0305803101. <http://www.Proceedings of the National Academy of Sciences.org/cgi/content/abstract/101/4/1075>

Zerrate, M. C., Pletnikov, M., Connors, S. L., Vargas, D. L., Seidler, F. J., Zimmerman, A. W., . . . Pardo, C. A. (2007). Neuroinflammation and Behavioral Abnormalities after Neonatal Terbutaline Treatment in Rats: Implications for Autism. *Journal of Pharmacology and Experimental Therapy*, 322(1), 16-22. doi: 10.1124/jpet.107.121483. <http://jpet.aspetjournals.org/cgi/content/abstract/322/1/16>

Zhang, B., Bailey, W. M., McVicar, A. L., Stewart, A. N., Veldhorst, A. K., & Gensel, J. C. (2018). Reducing age-dependent monocyte-derived macrophage activation contributes to the therapeutic efficacy of NADPH oxidase inhibition in spinal cord injury. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2018.11.013>. <http://www.sciencedirect.com/science/article/pii/S0889159118303428>

Zhang, C.-L., Zou, Y., He, W., Gage, F. H., & Evans, R. M. (2008). A role for adult TLX-positive neural stem cells in learning and behaviour. *Nature*, 451(7181), 1004-1007. doi: <http://dx.doi.org/10.1038/nature06562>

<http://www.nature.com/nature/journal/vaop/ncurrent/suppinfo/nature06562...>

Zhang, D., Guo, M., Zhang, W., & Lu, X.-Y. (2011). Adiponectin Stimulates Proliferation of Adult Hippocampal Neural Stem/Progenitor Cells through Activation of p38 Mitogen-activated Protein Kinase (p38MAPK)/Glycogen Synthase Kinase 3 β (GSK-3 β)/ β -Catenin Signaling Cascade. *Journal of Biological Chemistry*, 286(52), 44913-44920. doi: 10.1074/jbc.M111.310052. <http://www.jbc.org/content/286/52/44913.abstract>

Zhang, D., Lee, B., Nutter, A., Song, P., Dolatabadi, N., Parker, J., . . . Lipton, S. A. (2015). Protection from cyanide-induced brain injury by the Nrf2 transcriptional activator carnosic acid. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13074. <http://dx.doi.org/10.1111/jnc.13074>

Zhang, G., Dmitrieva, N., Liu, Y., McGinty, K. A., & Berkley, K. J. (2008). Endometriosis as a neurovascular condition: estrous variations in innervation, vascularization, and growth factor content of ectopic endometrial cysts in the rat. *American Journal of Physiology and Regulatory Integrative Comparative Physiology*, 294(1), R162-171. doi: 10.1152/ajpregu.00649.2007. <http://ajpregu.physiology.org/cgi/content/abstract/294/1/R162>

Zhang, G.-r., Cao, H., Kong, L., O'Brien, J., Baughns, A., Jan, M., . . . Geller, A. I. (2010). Identified circuit in rat postrhinal cortex encodes essential information for performing specific visual shape discriminations. *Proceedings of the National Academy of Sciences*, 107(32), 14478-14483. doi:

10.1073/Proceedings of the National Academy of Sciences.0912950107. <http://www.Proceedings of the National Academy of Sciences.org/content/early/2010/07/23/0912950107.abstract>

Zhang, G.-R., Zhao, H., Choi, E. M., Svestka, M., Wang, X., Nagayach, A., . . . Geller, A. I. (2019). An identified ensemble within a neocortical circuit encodes essential information for genetically-enhanced visual shape learning. *Hippocampus*, 0(0). doi: doi:10.1002/hipo.23068. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23068>

Zhang, G.-r., Zhao, H., Cook, N., Svestka, M., Choi, E. M., Jan, M., . . . Geller, A. I. (2017). Characteristic and intermingled neocortical circuits encode different visual object discriminations. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2017.05.016>. <http://www.sciencedirect.com/science/article/pii/S0166432817305144>

Zhang, H., Sun, S., Herreman, A., De Strooper, B., & Bezprozvanny, I. (2010). Role of Presenilins in Neuronal Calcium Homeostasis. *Journal of Neuroscience*, 30(25), 8566-8580. doi: 10.1523/jneurosci.1554-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/25/8566>

Zhang, H., Weng, S. J., & Hutsler, J. J. (2003). Does microwaving enhance the Golgi methods? A quantitative analysis of disparate staining patterns in the cerebral cortex. *Journal of Neuroscience Methods*, 124(2), 145-155. doi.

Zhang, H., Zhao, Y., & Wang, Z. (2015). Chronic corticosterone exposure reduces hippocampal astrocyte structural plasticity and induces hippocampal atrophy in mice. *Neuroscience Letters*, 592(0), 76-81. doi: <http://dx.doi.org/10.1016/j.neulet.2015.03.006>. <http://www.sciencedirect.com/science/article/pii/S0304394015001834>

Zhang, H. H., Lipovsky, A. I., Dibble, C. C., Sahin, M., & Manning, B. D. (2006). S6K1 regulates GSK3 under conditions of mTOR-dependent feedback inhibition of Akt. *Molecular Cell*, 24. doi: 10.1016/j.molcel.2006.09.019. <http://dx.doi.org/10.1016/j.molcel.2006.09.019>

Zhang, J., Dai, H., Deng, Y., Tian, J., Zhang, C., Hu, Z., . . . Zhao, L. (2015). Neonatal chlorpyrifos exposure induces loss of dopaminergic neurons in young adult rats. *Toxicology*, 336, 17-25. doi: <http://dx.doi.org/10.1016/j.tox.2015.07.014>. <http://www.sciencedirect.com/science/article/pii/S0300483X15300196>

Zhang, J., Götz, S., Vogt Weisenhorn, D. M., Simeone, A., Wurst, W., & Prakash, N. (2015). A WNT1-regulated developmental gene cascade prevents dopaminergic neurodegeneration in adult *En1*^{+/-} mice. *Neurobiology of Disease*, 82(0), 32-45. doi: <http://dx.doi.org/10.1016/j.nbd.2015.05.015>. <http://www.sciencedirect.com/science/article/pii/S0969996115001898>

Zhang, J., Klufas, D., Manalo, K., Adjepong, K., Davidson, J. O., Wassink, G., . . . Stonestreet, B. S. (2016). HMGB1 Translocation After Ischemia in the Ovine Fetal Brain. [10.1093/jnen/nlw030]. *Journal of Neuropathology and Experimental Neurology*. doi: <http://jnen.oxfordjournals.org/content/early/2016/05/04/jnen.nlw030.abst..>

Zhang, J., Pho, V., Bonasera, S. J., Holzmann, J., Tang, A. T., Hellmuth, J., . . . Huang, E. J. (2007). Essential function of HIPK2 in TGF β -dependent survival of midbrain dopamine neurons. *Nature Neuroscience*, 10, 77-86. doi.

Zhang, J., Saur, T., Duke, A. N., Grant, S. G. N., Platt, D. M., Rowlett, J. K., . . . Yao, W.-D. (2014). Motor Impairments, Striatal Degeneration, and Altered Dopamine-Glutamate Interplay in Mice Lacking PSD-95. *Journal of Neurogenetics*, 0(ja), 1-26. doi: [10.3109/01677063.2014.892486](https://doi.org/10.3109/01677063.2014.892486). <http://informahealthcare.com/doi/abs/10.3109/01677063.2014.892486>

Zhang, J., Yang, B., Sun, H., Zhou, Y., Liu, M., Ding, J., . . . Hu, G. (2015). Aquaporin-4 deficiency diminishes the differential degeneration of midbrain dopaminergic neurons in experimental Parkinson's disease. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2015.12.057>. <http://www.sciencedirect.com/science/article/pii/S0304394015303487>

Zhang, J., Yang, L., Lin, N., Pan, X., Zhu, Y., & Chen, X. (2013). Aging-related changes in RP3V kisspeptin neurons predate the reduced activation of GnRH neurons during the early reproductive decline in female mice. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2013.08.038>. <http://www.sciencedirect.com/science/article/pii/S0197458013003898>

Zhang, J., Yang, L. M., Pan, X. D., Lin, N., & Chen, X. C. (2013). Increased Vesicular γ -GABA Transporter and Decreased Phosphorylation of Synapsin I in the Rostral Preoptic Area is Associated with Decreased Gonadotrophin-Releasing Hormone and c-Fos Coexpression in Middle-Aged Female Mice. *Journal of Neuroendocrinology*, 25(8), 753-761. doi: [10.1111/jne.12050](https://doi.org/10.1111/jne.12050). <http://dx.doi.org/10.1111/jne.12050>

Zhang, J., Zhu, Y., Zhan, G., Fenik, P., Panossian, L., Wang, M. M., . . . Baur, J. A. (2014). Extended Wakefulness: Compromised Metabolics in and Degeneration of Locus Ceruleus Neurons. *The Journal of Neuroscience*, 34(12), 4418-4431. doi: <http://www.jneurosci.org/content/34/12/4418.short>

Zhang, L., Blomgren, K., Kuhn, H. G., & Cooper-Kuhn, C. M. (2009). Effects of postnatal thyroid hormone deficiency on neurogenesis in the juvenile and adult rat. *Neurobiology of Disease*, 34(2), 366-374. doi: [10.1016/j.nbd.2009.05.010](https://doi.org/10.1016/j.nbd.2009.05.010)

Zhang, L., Cooper-Kuhn, C. M., Nannmark, U., Blomgren, K., & Kuhn, H. G. (2009). Stimulatory effects of thyroid hormone on brain angiogenesis in vivo and in vitro. *Journal of Cerebral Blood Flow and Metabolism*, 30(2), 323-335. doi: [10.1016/j.jcbs.2009.01.005](https://doi.org/10.1016/j.jcbs.2009.01.005)

Zhang, L., Le, W., Xie, W., & Dani, J. A. (2011). Age-related changes in dopamine signaling in Nurr1 deficient mice as a model of Parkinson's disease. *Neurobiology of Aging*. doi: [10.1016/j.neurobiolaging.2011.05.010](https://doi.org/10.1016/j.neurobiolaging.2011.05.010)

Zhang, Q., Chen, S., Yu, S., Qin, J., Zhang, J., Cheng, Q., . . . Ding, F. (2016). Neuroprotective effects of pyrroloquinoline quinone against rotenone injury in primary cultured midbrain neurons and in a rat model of Parkinson's disease. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.04.025>. <http://www.sciencedirect.com/science/article/pii/S0028390816301654>

Zhang, Q., Li, C., Zhang, T., Ge, Y., Han, X., Sun, S., . . . Hu, G. (2018). Deletion of Kir6.2/SUR1 potassium channels rescues diminishing of DA neurons via decreasing iron accumulation in PD. *Molecular and Cellular Neuroscience*. doi: <https://doi.org/10.1016/j.mcn.2018.08.006>. <http://www.sciencedirect.com/science/article/pii/S1044743118300939>

Zhang, Q.-S., Wang, Z.-H., Zhang, J.-L., Duan, Y.-L., Li, G.-F., & Zheng, D.-L. (2016). Beta-asarone protects against MPTP-induced Parkinson's disease via regulating long non-coding RNA MALAT1 and

inhibiting α -synuclein protein expression. *Biomedicine and Pharmacotherapy*, 83, 153-159. doi: <http://dx.doi.org/10.1016/j.biopha.2016.06.017>. <http://www.sciencedirect.com/science/article/pii/S075333221630525X>

Zhang, Q.-W., Deng, X.-X., Sun, X., Xu, J.-X., & Sun, F.-Y. (2013). Exercise Promotes Axon Regeneration of Newborn Striatonigral and Corticonigral Projection Neurons in Rats after Ischemic Stroke. *Plos one*, 8(11), e80139. doi: 10.1371/journal.pone.0080139. <http://dx.doi.org/10.1371%2Fjournal.pone.0080139>

Zhang, R., Smith, P. F., & Darlington, C. L. (2005). Immunocytochemical and stereological studies of the rat vestibular nucleus: optimal research methods using glucocorticoid receptors as an example. *Journal of Neuroscience Methods*, 144(1), 99-106. doi.

Zhang, S., Burda, J. E., Anderson, M. A., Zhao, Z., Ao, Y., Cheng, Y., . . . Sofroniew, M. V. (2015). Thermoresponsive Copolypeptide Hydrogel Vehicles for Central Nervous System Cell Delivery. *ACS Biomaterials Science & Engineering*. doi: 10.1021/acsbiomaterials.5b00153. <http://dx.doi.org/10.1021/acsbiomaterials.5b00153>

Zhang, S., Wang, X. J., Tian, L. P., Pan, J., Lu, G. Q., Zhang, Y. J., . . . Chen, S. D. (2011). CD200-CD200R dysfunction exacerbates microglial activation and dopaminergic neurodegeneration in a rat model of Parkinson's disease. *Journal of neuroinflammation*, 8(1), 154-154. doi.

Zhang, T., Jia, W., & Sun, X. (2010). 3-n-butylphthalide (NBP) reduces apoptosis and enhances vascular endothelial growth factor (VEGF) up-regulation in diabetic rats. *Neurological Research*, 32(4), 390-396. doi.

Zhang, T., Ma, Z., Wang, R., Wang, Y., Wang, S., Cheng, Z., . . . Wang, X. (2010). Thrombin facilitates invasion of ovarian cancer along peritoneum by inducing monocyte differentiation toward tumor-associated macrophage-like cells. *Cancer Immunology, Immunotherapy*, 59(7), 1097-1108. doi.

Zhang, T., Shi, Z., Wang, Y., Wang, L., Zhang, B., Chen, G., . . . Chen, L. (2018). Akt3 deletion in mice impairs spatial cognition and hippocampal CA1 long long-term potentiation through downregulation of mTOR. *Acta Physiologica, o(ja)*, e13167. doi: doi:10.1111/apha.13167. <https://onlinelibrary.wiley.com/doi/abs/10.1111/apha.13167>

Zhang, W., Huguenard, J. R., & Buckmaster, P. S. (2012). Increased Excitatory Synaptic Input to Granule Cells from Hilar and CA3 Regions in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 32(4), 1183-1196. doi: 10.1523/jneurosci.5342-11.2012. <http://www.jneurosci.org/content/32/4/1183.abstract>

Zhang, W., Yamawaki, R., Wen, X., Uhl, J., Diaz, J., Prince, D. A., & Buckmaster, P. S. (2009). Surviving Hilar Somatostatin Interneurons Enlarge, Sprout Axons, and Form New Synapses with Granule Cells in a Mouse Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(45), 14247-14256. doi: 10.1523/jneurosci.3842-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/45/14247>

Zhang, W., Zhang, L., Liu, L., & Wang, X. (2017). Time course study of fractional anisotropy in the substantia nigra of a parkinsonian rat model induced by 6-OHDA. *Behavioural Brain Research* SreeTestContent1. doi: <http://doi.org/10.1016/j.bbr.2017.03.046>. <http://www.sciencedirect.com/science/article/pii/S0166432816313286>

Zhang, W. N., Pothuizen, H. H. J., Feldon, J., & Rawlins, J. N. P. (2004). Dissociation of function within the hippocampus: effects of dorsal, ventral and complete excitotoxic hippocampal lesions on spatial navigation. *Neuroscience*, 127(2), 289-300. doi.

Zhang, Y., Granholm, A.-C., Huh, K., Shan, L., Diaz-Ruiz, O., Malik, N., . . . Bäckman, C. M. (2012). PTEN deletion enhances survival, neurite outgrowth and function of dopamine neuron grafts to MitoPark mice. *Brain*, 135(9), 2736-2749. doi: 10.1093/brain/aws196. <http://brain.oxfordjournals.org/content/135/9/2736.abstract>

Zhang, Y., Shen, K., Bai, Y., Lv, X., Huang, R., Zhang, W., . . . Yao, H. (2016). Mir143-BBC3 cascade reduces microglial survival via interplay between apoptosis and autophagy: Implications for methamphetamine-mediated neurotoxicity. *Autophagy*, 1-22. doi: 10.1080/15548627.2016.1191723. <http://dx.doi.org/10.1080/15548627.2016.1191723>

Zhang, Y., Zhang, Y. P., Pepinsky, B., Huang, G., Shields, L. B. E., Shields, C. B., & Mi, S. (2015). Inhibition of LINGO-1 promotes functional recovery after experimental spinal cord demyelination. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2015.02.006>. <http://www.sciencedirect.com/science/article/pii/S001448861500028X>

Zhang, Y., Zheng, Y., Zhang, Y. P., Shields, L. B. E., Hu, X., Yu, P., . . . others. (2010). Enhanced adenoviral gene delivery to motor and dorsal root ganglion neurons following injection into demyelinated peripheral nerves. *Journal of Neuroscience Research*, 88(11), 2374-2384. doi.

Zhang, Z., Bassam, B., Thomas, A. G., Williams, M., Liu, J., Nance, E., . . . Kannan, S. (2016). Maternal inflammation leads to impaired glutamate homeostasis and up-regulation of glutamate carboxypeptidase II in activated microglia in the fetal/newborn rabbit brain. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.010>. <http://www.sciencedirect.com/science/article/pii/S0969996116301437>

Zhang, Z., Du, X., Xu, H., Xie, J., & Jiang, H. (2015). Lesion of medulla's catecholaminergic neurons is associated with cardiovascular dysfunction in rotenone-induced Parkinson's disease rats. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13012. <http://dx.doi.org/10.1111/ejn.13012>

Zhang, Z., Hou, L., Song, J.-L., Song, N., Sun, Y.-j., Lin, X., . . . Ge, Y.-L. (2013). Pro-inflammatory cytokines mediated ferroportin down-regulation contributes to the nigral iron accumulation in lipopolysaccharide induced Parkinsonian models. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.09.037>. <http://www.sciencedirect.com/science/article/pii/S0306452213008099>

Zhang, Z., Lin, Y.-A., Kim, S.-Y., Su, L., Liu, J., Kannan, R. M., & Kannan, S. (2020). Systemic dendrimer-drug nanomedicines for long-term treatment of mild-moderate cerebral palsy in a rabbit model. *Journal of neuroinflammation*, 17(1), 319. doi: 10.1186/s12974-020-01984-1. <https://doi.org/10.1186/s12974-020-01984-1>

Zhao, C., Aviles, C., Abel, R. A., Almlı, C. R., McQuillen, P., & Pleasure, S. J. (2005). Hippocampal and visuospatial learning defects in mice with a deletion of frizzled 9, a gene in the Williams syndrome deletion interval. *Development*, 132(12), 2917-2927. doi: 10.1242/dev.01871. <http://dev.biologists.org/cgi/content/abstract/132/12/2917>

Zhao, J., Huynh, J. C., Hylin, M. J., Omalley, J., Perez, A. I., Moore, A. N., & Dash, P. K. (2017). Mild traumatic brain injury reduces spine density of projection neurons in the medial prefrontal cortex and impairs extinction of contextual fear memory. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4898. <https://doi.org/10.1089/neu.2016.4898>

Zhao, J., Hylin, M. J., Kobori, N., Hood, K. N., Moore, A. N., & Dash, P. K. (2017). Post-injury administration of galantamine reduces traumatic brain injury pathology and improves outcome. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5102. <https://doi.org/10.1089/neu.2017.5102>

Zhao, R. R., Xu, X. C., Xu, F., Zhang, W. L., & Liu, L. M. (2014). Metformin protects against seizures, learning and memory impairments and oxidative damage induced by pentylentetrazole-induced kindling in mice. *Biochemical and Biophysical Research Communications*, 448. doi: 10.1016/j.bbrc.2014.04.130. <http://dx.doi.org/10.1016/j.bbrc.2014.04.130>

Zhao, S., Fields, P. A., & Sherwood, O. D. (2001). Evidence That Relaxin Inhibits Apoptosis in the Cervix and the Vagina during the Second Half of Pregnancy in the Rat *Endocrinology*, 142, 2221-2229. doi.

Zhao, W. Q., Felice, F. G., Fernandez, S., Chen, H., Lambert, M. P., & Quon, M. J. (2008). Amyloid beta oligomers induce impairment of neuronal insulin receptors. *FASEB Journal*, 22. doi: 10.1096/fj.06-7703com. <http://dx.doi.org/10.1096/fj.06-7703com>

Zhao, X., & van Praag, H. (2020). Steps towards standardized quantification of adult neurogenesis. *Nature Communications*, 11(1), 4275. doi: 10.1038/s41467-020-18046-y. <https://doi.org/10.1038/s41467-020-18046-y>

Zhao, X., Wang, R., Xiong, J., Yan, D., Li, A., Wang, S., . . . Zhou, J. (2017). JWA antagonizes paraquat-induced neurotoxicity via activation of Nrf2. *Toxicology Letters*. doi: <https://doi.org/10.1016/j.toxlet.2017.04.011>. <http://www.sciencedirect.com/science/article/pii/S0378427417301522>

Zhao, X.-F., Liao, Y., Alam, M. M., Mathur, R., Feustel, P., Mazurkiewicz, J. E., . . . Huang, Y. (2020). Microglial mTOR is neuronal protective and anti-epileptogenic in the pilocarpine model of temporal lobe epilepsy. *The Journal of Neuroscience*, JN-RM-2754-2719. doi: 10.1523/jneurosci.2754-19.2020. <http://www.jneurosci.org/content/early/2020/08/28/JNEUROSCI.2754-19.2020...>

Zhao, X.-L., Wang, W.-A., Tan, J.-X., Huang, J.-K., Zhang, X., Zhang, B.-Z., . . . Huang, F.-D. (2010). Expression of β -Amyloid Induced Age-Dependent Presynaptic and Axonal Changes in *Drosophila*. *Journal of Neuroscience*, 30(4), 1512-1522. doi: 10.1523/jneurosci.3699-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/4/1512>

Zhao, Y., Haney, M. J., Jin, Y. S., Uvarov, O., Vinod, N., Lee, Y. Z., . . . Batrakova, E. V. (2019). GDNF-expressing macrophages restore motor functions at a severe late-stage, and produce long-term neuroprotective effects at an early-stage of Parkinson's disease in transgenic Parkin Q311X(A) mice. *Journal of Controlled Release*, 315, 139-149. doi: <https://doi.org/10.1016/j.jconrel.2019.10.027>. <http://www.sciencedirect.com/science/article/pii/S0168365919305905>

Zhao, Y., Haney, M. J., Mahajan, V., Reiner, B. C., Dunaevsky, A., Mosley, R. L., . . . Batrakova, E. V. (2011). Active Targeted Macrophage-mediated Delivery of Catalase to Affected Brain Regions in Models of Parkinson's Disease. *Journal of nanomedicine and nanotechnology*, 4. doi.

Zhao, Y., Keshiya, S., Atashrazm, F., Gao, J., Ittner, L. M., Alessi, D. R., . . . Dzamko, N. (2018). Nigrostriatal pathology with reduced astrocytes in LRRK2 S910/S935 phosphorylation deficient knockin mice. *Neurobiology of Disease*, 120, 76-87. doi: <https://doi.org/10.1016/j.nbd.2018.09.003>. <http://www.sciencedirect.com/science/article/pii/S0969996118302225>

Zhao, Y., Tseng, I. C., Heyser, C. J., Rockenstein, E., Mante, M., & Adame, A. (2015). Apoptosis-mediated caspase cleavage of tau contributes to progressive supranuclear palsy pathogenesis. *Neuron*, 87. doi: 10.1016/j.neuron.2015.08.020. <http://dx.doi.org/10.1016/j.neuron.2015.08.020>

Zhao, Y., Zhang, Q., Shao, X., Ouyang, L., Wang, X., Zhu, K., & Chen, L. (2017). Decreased Glycogen Content Might Contribute to Chronic Stress-Induced Atrophy of Hippocampal Astrocyte volume and Depression-like Behavior in Rats. [Article]. *Scientific Reports*, 7, 43192. doi: 10.1038/srep43192

<http://www.nature.com/articles/srep43192#supplementary-information>. <http://dx.doi.org/10.1038/srep43192>

Zhao, Z., Loane, D. J., Murray, M. G., Stoica, B. A., & Faden, A. I. (2012). Comparing the Predictive Value of Multiple Cognitive, Affective, and Motor Tasks after Rodent Traumatic Brain Injury. *Journal of Neurotrauma*. doi.

Zheng, H., Cai, L., & Rinaman, L. (2014). Distribution of glucagon-like peptide 1-immunopositive neurons in human caudal medulla. *Brain Structure and Function*, 1-7. doi: 10.1007/s00429-014-0714-z. <http://dx.doi.org/10.1007/s00429-014-0714-z>

Zheng, K., An, J. J., Yang, F., Xu, W., Xu, Z.-Q. D., Wu, J., . . . Lu, B. (2011). TrkB signaling in parvalbumin-positive interneurons is critical for gamma-band network synchronization in hippocampus. *Proceedings of the National Academy of Sciences*. doi: 10.1073/Proceedings of the National Academy of Sciences.1114241108. <http://www.Proceedings of the National Academy of Sciences.org/content/early/2011/09/21/1114241108.abstract>

Zheng, M., Jiao, L., Tang, X., Xiang, X., Wan, X., Yan, Y., . . . Lin, X. (2017). Tau haploinsufficiency causes prenatal loss of dopaminergic neurons in the ventral tegmental area and reduction of transcription factor orthodenticle homeobox 2 expression. *The FASEB Journal*. doi: 10.1096/fj.201601303R. <http://www.fasebj.org/content/early/2017/04/19/fj.201601303R.abstract>

Zheng, M.-H., Shi, M., Pei, Z., Gao, F., Han, H., & Ding, Y.-Q. (2009). The transcription factor RBP-J is essential for retinal cell differentiation and lamination. *Molecular Brain*, 2(1), 38. doi: <http://www.molecularbrain.com/content/2/1/38>

Zheng, W., Nowakowski, R. S., & Vaccarino, F. M. (2004). Fibroblast Growth Factor 2 Is Required for Maintaining the Neural Stem Cell Pool in the Mouse Brain Subventricular Zone. *Developmental Neuroscience*, 26(2-4), 181-196. doi: <http://www.karger.com/DOI/10.1159/000082136>

Zhong, C.-J., Chen, M.-M., Lu, M., Ding, J.-H., Du, R.-H., & Hu, G. (2018). Astrocyte-specific deletion of Kir6.1/K-ATP channel aggravates cerebral ischemia/reperfusion injury through endoplasmic reticulum stress in mice. *Experimental Neurology*. doi: <https://doi.org/10.1016/j.expneurol.2018.10.005>. <http://www.sciencedirect.com/science/article/pii/S0014488618305685>

Zhong, J., Chan, A., Morad, L., Kornblum, H. I., Fan, G., & Carmichael, S. T. (2010). Hydrogel matrix to support stem cell survival after brain transplantation in stroke. *Neurorehabilitation and Neural Repair*, 24(7), 636-644. doi.

Zhong, J., Cheng, C., Liu, H., Huang, Z., Wu, Y., Teng, Z., . . . Sun, X. (2016). Bexarotene protects against traumatic brain injury in mice partially through apolipoprotein E. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.033>. <http://www.sciencedirect.com/science/article/pii/S0306452216301920>

Zhong, X., Li, H., Kim, J., & Chang, Q. (2018). Regulation of neural differentiation, synaptic scaling and animal behavior by MeCP2 phosphorylation. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2018.04.014>. <http://www.sciencedirect.com/science/article/pii/S1074742718300996>

Zhou, F., Wu, J.-Y., Sun, X.-L., Yao, H.-H., Ding, J.-H., & Hu, G. (2007). Iptakalim Alleviates Rotenone-Induced Degeneration of Dopaminergic Neurons through Inhibiting Microglia-Mediated Neuroinflammation. *Neuropsychopharmacology*. doi.

Zhou, F., Xie, S., Li, J., & Duan, S. (2019). Long noncoding RNA HOTAIR promotes cell apoptosis by sponging miR-221 in Parkinson's disease. *RSC Advances*, 9(51), 29502-29510. doi: <https://pubs.rsc.org/en/content/articlehtml/2019/ra/c9ra06107j>

Zhou, F. C., Fang, Y., & Goodlett, C. (2008). Peptidergic Agonists of Activity-Dependent Neurotrophic Factor Protect Against Prenatal Alcohol-Induced Neural Tube Defects and Serotonin Neuron Loss. *Alcoholism: Clinical and Experimental Research*, 32(8), 1361-1371. doi.

Zhou, F. C., Sahr, R. N., Sari, Y., & Behbahani, K. (2006). Glutamate and dopamine synaptic terminals in extended amygdala after 14-week chronic alcohol drinking in inbred alcohol-preferring rats. *Alcohol*, 39(1), 39-49. doi.

Zhou, G., Myers, R., Li, Y., Chen, Y., Shen, X., & Fenyk-Melody, J. (2001). Role of AMP-activated protein kinase in mechanism of metformin action. *Journal of Clinical Investigation*, 108. doi: 10.1172/jci13505. <http://dx.doi.org/10.1172/JCI13505>

Zhou, K., Boström, M., Ek, C. J., Li, T., Xie, C., Xu, Y., . . . Zhu, C. (2017). Radiation induces progenitor cell death, microglia activation, and blood-brain barrier damage in the juvenile rat cerebellum. [Article]. *Scientific Reports*, 7, 46181. doi: 10.1038/srep46181

<https://www.nature.com/articles/srep46181#supplementary-information>. <http://dx.doi.org/10.1038/srep46181>

Zhou, L., Huang, K.-X., Kecojevic, A., Welsh, A. M., & Koliatsos, V. E. (2006). Evidence that serotonin reuptake modulators increase the density of serotonin innervation in the forebrain. *Journal of Neurochemistry*, 96(2), 396-406. doi: doi:10.1111/j.1471-4159.2005.03562.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03562.x>

Zhou, L., Welsh, A. M., Chen, D., & Koliatsos, V. E. (2007). NMDA inhibitors cause apoptosis of pyramidal neurons in mature piriform cortex: evidence for a nitric oxide-mediated effect involving inhibitory interneurons. *Neuropharmacology*, 52(7), 1528-1537. doi.

Zhou, L., Yin, J., Wang, C., Liao, J., Liu, G., & Chen, L. (2014). Lack of seipin in neurons results in anxiety- and depression-like behaviors via down regulation of PPARgamma. *Human Molecular Genetics*, 23. doi: 10.1093/hmg/ddu126. <http://dx.doi.org/10.1093/hmg/ddu126>

Zhou, Q., Yen, A., Rymarczyk, G., Asai, H., Trengrove, C., Aziz, N., . . . Bolotina, V. M. (2016). Impairment of PARK14-dependent Ca²⁺ signalling is a novel determinant of Parkinson's disease. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms10332. <http://dx.doi.org/10.1038/ncomms10332>

Zhou, W., Bolden-Tiller, O. U., Shao, S. H., Weng, C. C., Shetty, G., AbuElhija, M., . . . others. (2011). Estrogen-Regulated Genes in Rat Testes and Their Relationship to Recovery of Spermatogenesis after Irradiation 1. *Biology of Reproduction*, 85(4), 823-833. doi.

Zhou, W., Wang, G., Small, C. L., Liu, Z., Weng, C. C., Yang, L., . . . Meistrich, M. L. (2011). Gene Expression Alterations by Conditional Knockout of Androgen Receptor in Adult Sertoli Cells of Utp14bjsd/jsd (jsd) Mice. *Biology of Reproduction*, 84(2), 400-408. doi: 10.1095/biolreprod.110.090530. <http://www.biolreprod.org/content/84/2/400.short>

Zhou, X., Pace, J., Filichia, E., Lv, T., Davis, B., Hoffer, B., . . . Luo, Y. (2016). Dopaminergic neurons. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.06.013>; <http://www.sciencedirect.com/science/article/pii/S0014488616301789>

Zhou, X., Pace, J., Filichia, E., Lv, T., Davis, B., Hoffer, B., . . . Luo, Y. (2016). Dopaminergic neurons. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.06.013>; <http://www.sciencedirect.com/science/article/pii/S0014488616301789>

Zhou, X., Qyang, Y., Kelsoe, J. R., Maslah, E., & Geyer, M. A. (2007). Impaired postnatal development of hippocampal dentate gyrus in Sp4 null mutant mice. *Genes, Brain and Behavior*, 6(3), 269-276. doi: 10.1111/j.1601-183X.2006.00256.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1601-183X.2006.00256.x>

Zhou, X., & Spittau, B. (2017). Lipopolysaccharide-Induced Microglia Activation Promotes the Survival of Midbrain Dopaminergic Neurons In Vitro. [journal article]. *Neurotoxicity research*. doi: 10.1007/s12640-017-9842-6. <https://doi.org/10.1007/s12640-017-9842-6>

Zhou, Y., Liu, M.-D., Fan, Y., Ding, J.-H., Du, R.-H., & Hu, G. (2012). Enhanced MK-801-induced locomotion in Kir6.2 knockout mice. *Neuroscience Research*, (0). doi: 10.1016/j.neures.2012.10.002. <http://www.sciencedirect.com/science/article/pii/S0168010212001964>

Zhou, Y., Zhang, Y., Li, J., Lv, F., Zhao, Y., Duan, D., & Xu, Q. (2012). A comprehensive study on long-term injury to nigral dopaminergic neurons following intracerebroventricular injection of lipopolysaccharide in rats. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12010. <http://dx.doi.org/10.1111/jnc.12010>

Zhou, Y., Zhou, L., Chen, H., & Koliatsos, V. E. (2006). An AMPA glutamatergic receptor activation-nitric oxide synthesis step signals transsynaptic apoptosis in limbic cortex. *Neuropharmacology*, 51(1), 67-76. doi.

Zhou, Y., Zhu, J., Lv, Y., Song, C., Ding, J., Xiao, M., . . . Hu, G. (2018). Kir6.2 Deficiency Promotes Mesencephalic Neural Precursor Cell Differentiation via Regulating miR-133b/GDNF in a Parkinson's Disease Mouse Model. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1005-0. <https://doi.org/10.1007/s12035-018-1005-0>

Zhu, C., & Blomgren, K. (2012). Morphological Assessments of Neonatal Hypoxia-Ischemia: In Situ Cell Degeneration. *Springer Protocols Handbooks*. doi.

Zhu, C., Gao, J., Karlsson, N., Li, Q., Zhang, Y., Huang, Z., . . . Blomgren, K. (2010). Isoflurane anesthesia induced persistent, progressive memory impairment, caused a loss of neural stem cells, and reduced neurogenesis in young, but not adult, rodents. *Journal of Cerebral Blood Flow and Metabolism*, 30(5), 1017-1030. doi.

- Zhu, C., Gao, J., Li, Q., Huang, Z., Zhang, Y., Li, H., . . . Blomgren, K. (2011). Repeated exposure of the developing rat brain to magnetic resonance imaging did not affect neurogenesis, cell death or memory function. *Biochemical and Biophysical Research Communications*, 404(1), 291-296. doi.
- Zhu, C., Huang, Z., Gao, J., Zhang, Y., Wang, X., Karlsson, N., . . . Blomgren, K. (2009). Irradiation to the immature brain attenuates neurogenesis and exacerbates subsequent hypoxic-ischemic brain injury in the adult. *Journal of Neurochemistry*, 111(6), 1447-1456. doi.
- Zhu, C., Qiu, L., Wang, X., Xu, F., Nilsson, M., Cooper-Kuhn, C., . . . Blomgren, K. (2008). Age-dependent regenerative responses in the striatum and cortex after hypoxia-ischemia. *Journal of Cerebral Blood Flow and Metabolism*. doi.
- Zhu, C., Vourc'h, P., Fernagut, P. O., Fleming, S. M., Lacan, S., Dicarlo, C. D., . . . Chesselet, M. F. (2004). Variable effects of chronic subcutaneous administration of rotenone on striatal histology. *Journal of Comparative Neurology*, 478(4), 418-426. doi.
- Zhu, D. Y., Liu, S. H., Sun, H. S., & Lu, Y. M. (2003). Expression of Inducible Nitric Oxide Synthase after Focal Cerebral Ischemia Stimulates Neurogenesis in the Adult Rodent Dentate Gyrus. *Journal of Neuroscience*, 23(1), 223-229. doi: <http://www.jneurosci.org/cgi/content/abstract/23/1/223>
- Zhu, G., Duan, M., Wei, L., Trebilco, R., Bestley, S., & Walters, A. (2020). Determination and precision of otolith growth zone estimates of *Electrona antarctica* in the Southern Kerguelen Plateau region in the Indian sector of the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography*, 104778. doi: <https://doi.org/10.1016/j.dsr2.2020.104778>. <http://www.sciencedirect.com/science/article/pii/S0967064518300791>
- Zhu, H., Ornaghi, F., Belin, S., Givogri, M. I., Wrabetz, L., & Bongarzone, E. R. (2016). Generation of a LacZ reporter transgenic mouse line for the stereological analysis of oligodendrocyte loss in galactosylceramidase deficiency. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23839. <http://dx.doi.org/10.1002/jnr.23839>
- Zhu, J., Hu, Z., Han, X., Wang, D., Jiang, Q., Ding, J., . . . Hu, G. (2018). Dopamine D2 receptor restricts astrocytic NLRP3 inflammasome activation via enhancing the interaction of β -arrestin2 and NLRP3. *Cell Death and Differentiation*. doi: 10.1038/s41418-018-0127-2. <https://doi.org/10.1038/s41418-018-0127-2>
- Zhu, J., Zhang, X., Xu, Y., Spencer, T. J., Biederman, J., & Bhide, P. G. (2012). Prenatal Nicotine Exposure Mouse Model Showing Hyperactivity, Reduced Cingulate Cortex Volume, Reduced Dopamine Turnover, and Responsiveness to Oral Methylphenidate Treatment. *Journal of Neuroscience*, 32(27), 9410-9418. doi: 10.1523/jneurosci.1041-12.2012. <http://www.jneurosci.org/content/32/27/9410.abstract>
- Zhu, W., Li, X., Xie, W., Luo, F., Kaur, D., Andersen, J. K., . . . Le, W. (2010). Genetic iron chelation protects against proteasome inhibition-induced dopamine neuron degeneration. *Neurobiology of Disease*, 37(2), 307-313. doi.
- Zhu, W., Xie, W., Pan, T., Jankovic, J., Li, J., Youdim, M. B. H., & Le, W. (2008). Comparison of neuroprotective and neurorestorative capabilities of rasagiline and selegiline against lactacystin-induced nigrostriatal dopaminergic degeneration. *Journal of Neurochemistry*. doi: doi:10.1111/j.1471-4159.2008.05330.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2008.05330.x>

- Zhu, X., Vasilyeva, O. N., Kim, S., Jacobson, M., Romney, J., Waterman, M. S., . . . Frisina, R. D. (2007). Auditory efferent feedback system deficits precede age-related hearing loss: Contralateral suppression of otoacoustic emissions in mice. *Journal of Comparative Neurology*, 503(5), 593-604. doi.
- Zhu, X., Yan, J., Bregere, C., Zelmer, A., Goerne, T., Kapfhammer, J. P., . . . Wellmann, S. (2019). RBM3 promotes neurogenesis in a niche-dependent manner via IMP2-IGF2 signaling pathway after hypoxic-ischemic brain injury. *Nature Communications*, 10(1), 3983. doi: 10.1038/s41467-019-11870-x. <https://doi.org/10.1038/s41467-019-11870-x>
- Zhu, Y., Fenik, P., Zhan, G., Mazza, E., Kelz, M., Aston-Jones, G., & Veasey, S. C. (2007). Selective Loss of Catecholaminergic Wake Active Neurons in a Murine Sleep Apnea Model. *Journal of Neuroscience*, 27(37), 10060-10071. doi: 10.1523/jneurosci.0857-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/37/10060>
- Zhu, Y., Hou, H., Rezai-Zadeh, K., Giunta, B., Ruscin, A., Gemma, C., . . . Tan, J. (2011). CD45 Deficiency Drives Amyloid- β Peptide Oligomers and Neuronal Loss in Alzheimer's Disease Mice. *Journal of Neuroscience*, 31(4), 1355-1365. doi: 10.1523/jneurosci.3268-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/4/1355>
- Zhu, Y., Nwabuisi-Heath, E., Dumanis, S. B., Tai, L. M., Yu, C., Rebeck, G. W., & Ladu, M. J. (2012). APOE genotype alters glial activation and loss of synaptic markers in mice. *Glia*, 60(4), 559-569. doi: 10.1002/glia.22289. <http://dx.doi.org/10.1002/glia.22289>
- Ziegler, A. N., Feng, Q., Chidambaram, S., Testai, J. M., Kumari, E., Rothbard, D. E., . . . Levison, S. W. (2019). Insulin-like Growth Factor II: An Essential Adult Stem Cell Niche Constituent in Brain and Intestine. *Stem Cell Reports*. doi: <https://doi.org/10.1016/j.stemcr.2019.02.011>. <http://www.sciencedirect.com/science/article/pii/S2213671119300591>
- Ziegler, G., Freyer, D., Harhausen, D., Khojasteh, U., Nietfeld, W., & Trendelenburg, G. (2010). Blocking TLR2 in vivo protects against accumulation of inflammatory cells and neuronal injury in experimental stroke. *Journal of Cerebral Blood Flow and Metabolism*, 31(2), 757-766. doi.
- Ziegler, K. K., Blackmon, W., Hasselrot, U., Buxhoeveden, D. P., & Booze, R. (2008). Layer III Pyramidal Cells and Cell Column Spacing in HIV-1 Transgenic Rats. *Impulse: an Undergraduate Journal for Neuroscience*. doi.
- Zielinski, M. R., Kim, Y., Karpova, S. A., Winston, S., McCarley, R. W., Strecker, R. E., & Gerashchenko, D. (2013). Sleep active cortical neurons expressing neuronal nitric oxide synthase are active after both acute sleep deprivation and chronic sleep restriction. *Neuroscience*. doi.
- Zike, I. D., Chohan, M. O., Kopelman, J. M., Krasnow, E. N., Flicker, D., Nautiyal, K. M., . . . Veenstra-VanderWeele, J. (2017). OCD candidate gene SLC1A1/EAAT3 impacts basal ganglia-mediated activity and stereotypic behavior. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1701736114. <http://www.pnas.org/content/early/2017/05/09/1701736114.abstract>
- Zikopoulos, B., & Barbas, H. (2006). Prefrontal Projections to the Thalamic Reticular Nucleus form a Unique Circuit for Attentional Mechanisms. *Journal of Neuroscience*, 26(28), 7348-7361. doi: 10.1523/jneurosci.5511-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/28/7348>
- Zikopoulos, B., & Barbas, H. (2007). Parallel driving and modulatory pathways link the prefrontal cortex and thalamus. *PLoS ONE*, 2(9), e848-e848. doi.

- Zikopoulos, B., & Barbas, H. (2010). Changes in Prefrontal Axons May Disrupt the Network in Autism. *Journal of Neuroscience*, 30(44), 14595-14609. doi: 10.1523/jneurosci.2257-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/44/14595>
- Zikopoulos, B., & Barbas, H. (2012). Pathways for Emotions and Attention Converge on the Thalamic Reticular Nucleus in Primates. *Journal of Neuroscience*, 32(15), 5338-5350. doi.
- Zikopoulos, B., García-Cabezas, M. Á., & Barbas, H. (2018). Parallel trends in cortical gray and white matter architecture and connections in primates allow fine study of pathways in humans and reveal network disruptions in autism. *PLoS biology*, 16(2), e2004559. doi: 10.1371/journal.pbio.2004559. <https://doi.org/10.1371/journal.pbio.2004559>
- Zikopoulos, B., John, Y. J., García-Cabezas, M. Á., Bunce, J. G., & Barbas, H. (2016). The intercalated nuclear complex of the primate amygdala. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.052>. <http://www.sciencedirect.com/science/article/pii/S0306452216302111>
- Zikopoulos, B., Liu, X., Tepe, J., Trutzer, I., John, Y. J., & Barbas, H. (2018). Opposite development of short- and long-range anterior cingulate pathways in autism. [journal article]. *Acta Neuropathologica*. doi: 10.1007/s00401-018-1904-1. <https://doi.org/10.1007/s00401-018-1904-1>
- Zilka, N., Filipcik, P., Koson, P., Fialova, L., Skrabana, R., Zilkova, M., . . . Novak, M. (2006). Truncated tau from sporadic Alzheimer's disease suffices to drive neurofibrillary degeneration in vivo. *FEBS Letters*, 580(15), 3582-3588. doi.
- Ziogas, N. K., & Koliatsos, V. E. (2018). Primary traumatic axonopathy in mice subjected to impact acceleration: a reappraisal of pathology and mechanisms with high-resolution anatomical methods. [10.1523/JNEUROSCI.2343-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/03/22/JNEUROSCI.2343-17.2018..>
- Zirger, J. M., Puntel, M., Bergeron, J., Wibowo, M., Moridzadeh, R., Bondale, N., . . . others. (2012). Immune-mediated Loss of Transgene Expression From Virally Transduced Brain Cells Is Irreversible, Mediated by IFN γ , Perforin, and TNF α , and due to the Elimination of Transduced Cells. *Molecular Therapy*. doi.
- Zmener, O., Pameijer, C. H., & Macri, E. (2005). Evaluation of the Apical Seal in Root Canals Prepared with a New Rotary System and Obturated with a Methacrylate Based Endodontic Sealer: An In Vitro Study. *Journal of Endodontics*, 5, 392-395. doi.
- Zöllner, T., Attaai, A., Potru, P., Ruß, T., & Spittau, B. (2018). Aged Mouse Cortical Microglia Display an Activation Profile Suggesting Immunotolerogenic Functions. *International Journal of Molecular Sciences*, 19(3), 706. doi. <http://www.mdpi.com/1422-0067/19/3/706>
- Zonouzi, M., Scafidi, J., Li, P., McEllin, B., Edwards, J., Dupree, J. L., . . . Cull-Candy, S. G. (2015). GABAergic regulation of cerebellar NG2 cell development is altered in perinatal white matter injury. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3990.html>
- Zorick, T. S., Syroid, D. E., Brown, A., Gridley, T., & Lemke, G. (1999). Krox-20 controls SCIP expression, cell cycle exit and susceptibility to apoptosis in developing myelinating Schwann cells. *Development*, 126, 1397-1406. doi.

Zou, J., Pan, Y.-W., Wang, Z., Chang, S.-Y., Wang, W., Wang, X., . . . Xia, Z. (2012). Targeted Deletion of ERK5 MAP Kinase in the Developing Nervous System Impairs Development of GABAergic Interneurons in the Main Olfactory Bulb and Behavioral Discrimination between Structurally Similar Odorants. *Journal of Neuroscience*, 32(12), 4118-4132. doi: 10.1523/jneurosci.6260-11.2012. <http://www.jneurosci.org/content/32/12/4118.abstract>

Zou, J., Storm, D. R., & Xia, Z. (2013). Conditional Deletion of ERK5 MAP Kinase in the Nervous System Impairs Pheromone Information Processing and Pheromone-Evoked Behaviors. *Plos one*, 8(10), e76901. doi: 10.1371/journal.pone.0076901. <http://dx.doi.org/10.1371%2Fjournal.pone.0076901>

Zou, Y., Niu, W., Qin, S., Downes, M., Burns, D. K., & Zhang, C.-L. (2012). The nuclear receptor TLX is required for gliomagenesis within the adult neurogenic niche. *Molecular and Cellular Biology*. doi: 10.1128/mcb.01122-12. <http://mcb.asm.org/content/early/2012/09/25/MCB.01122-12.abstract>

Zucker, B., Kama, J. A., Kuhn, A., Thu, D., Orlando, L. R., Dunah, A. W., . . . others. (2010). Decreased Lin7b expression in layer 5 pyramidal neurons may contribute to impaired corticostriatal connectivity in huntington disease. *Journal of Neuropathology and Experimental Neurology*, 69(9), 880-880. doi.

Zuloaga, D. G., Morris, J. A., Monks, D. A., Breedlove, S. M., & Jordan, C. L. (2007). Androgen-sensitivity of somata and dendrites of spinal nucleus of the bulbocavernosus (SNB) motoneurons in male C57BL6J mice. *Hormones and Behavior*, 51(2), 207-212. doi.

Zuo, F.-X., Bao, X.-J., Sun, X.-C., Wu, J., Bai, Q.-R., Chen, G., . . . Shen, Q. (2015). Transplantation of Human Neural Stem Cells in a Parkinsonian Model Exerts Neuroprotection via Regulation of the Host Microenvironment. *International Journal of Molecular Sciences*, 16(11), 26473-26492. doi. <http://www.mdpi.com/1422-0067/16/11/25966/htm>

Zupan, B., Sharma, A., Frazier, A., Klein, S., & Toth, M. (2016). Programming social behavior by the maternal fragile X protein. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12298. <http://dx.doi.org/10.1111/gbb.12298>

Zweckberger, K., Ahuja, C. S., Liu, Y., Wang, J., & Fehlings, M. G. (2016). Self-assembling peptides optimize the post-traumatic milieu and synergistically enhance the effects of neural stem cell therapy after cervical spinal cord injury. *Acta Biomaterialia*. doi: <http://dx.doi.org/10.1016/j.actbio.2016.06.016>. <http://www.sciencedirect.com/science/article/pii/S1742706116302938>

Zwirner, J., Möbius, D., Bechmann, I., Arendt, T., Hoffmann, K.-T., Jäger, C., . . . Hammer, N. (2016). Subthalamic nucleus volumes are highly consistent but decrease age-dependently—a combined magnetic resonance imaging and stereology approach in humans. *Human Brain Mapping*, n/a-n/a. doi: 10.1002/hbm.23427. <http://dx.doi.org/10.1002/hbm.23427>

Papes, F., A. P. Camargo, et al. (2022). "Transcription Factor 4 loss-of-function is associated with deficits in progenitor proliferation and cortical neuron content." *Nature Communications* 13(1): 2387. <https://doi.org/10.1038/s41467-022-29942-w>

Sun, W., X. Chen, et al. (2022). "Prelimbic proBDNF Facilitates Retrieval-Dependent Fear Memory Destabilization by Regulation of Synaptic and Neural Functions in Juvenile Rats." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-02849-9>

Gegenhuber, B., M. V. Wu, et al. (2022). "Gene regulation by gonadal hormone receptors underlies brain sex differences." *Nature*. <https://doi.org/10.1038/s41586-022-04686-1>

Ardizzone, A., V. Bova, et al. (2022). "SUN11602, a bFGF mimetic, modulated neuroinflammation, apoptosis and calcium-binding proteins in an in vivo model of MPTP-induced nigrostriatal degeneration." *Journal of Neuroinflammation* 19(1): 107. <https://doi.org/10.1186/s12974-022-02457-3>

Csabai, D., A. Sebők-Tornai, et al. (2022). "A Preliminary Quantitative Electron Microscopic Analysis Reveals Reduced Number of Mitochondria in the Infralimbic Cortex of Rats Exposed to Chronic Mild Stress." *Frontiers in Behavioral Neuroscience* 16. <https://doi.org/10.3389/fnbeh.2022.885849>

Maehata, K., K. Shimizu, et al. (2020). "Hippocampal 7 α -Hydroxylated Neurosteroids Are Raised by Training and Bolster Remote Spatial Memory with Increase of the Spine Densities." *iScience* 23(10): 101559. <https://doi.org/10.1016/j.isci.2020.101559>

Prevot, T., A. Bernardo, et al. (2022). "P γ 5-GABAA Receptor Positive Allosteric Modulation on Cognitive Functions and Neurotrophic Effects Across Animal Models." *Biological Psychiatry* 91(9): S127. <https://doi.org/10.1016/j.biopsych.2022.02.333>

Ali, Z., G. Sivakumar, et al. (2022). "A report on digitised neuronal tracing method to study neurons in their entirety." *MethodsX*: 101715. <https://doi.org/10.1016/j.mex.2022.101715>

Boda, E., M. Lorenzati, et al. (2022). "Molecular and functional heterogeneity in dorsal and ventral oligodendrocyte progenitor cells of the mouse forebrain in response to DNA damage." *Nature Communications* 13(1): 2331. <https://doi.org/10.1038/s41467-022-30010-6>

Saini, V., D. Lutz, et al. (2016). "The polysialic acid mimetics 5-nonyloxytryptamine and vinorelbine facilitate nervous system repair." *Scientific Reports* 6(1): 26927. <https://doi.org/10.1038/srep26927>

Costa, V. S., A. O. B. Suassuna, et al. (2022). *Immediate Cortical and Spinal C-Fos Immunoreactivity After ICMS of the Primary Somatosensory Cortex in Rats. XXVII Brazilian Congress on Biomedical Engineering, Cham, Springer International Publishing.* https://doi.org/10.1007/978-3-030-70601-2_330

Shotaro Tanaka and Fumio Nakamura, "Exploring the Bio-Functional Breaking Point of Living Tissue Subjected to External Physical Pressure," *J. Robot. Mechatron.*, Vol.34, No.2, pp. 319-321, 2022. doi: 10.20965/jrm.2022.p0319

Catale, C., L. Lo Iacono, et al. (2022). "Early Life Social Stress Causes Sex- and Region-Dependent Dopaminergic Changes that Are Prevented by Minocycline." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-02830-6>

El Khoueiry, C., C. Alba-Delgado, et al. (2022). "GABAA and Glycine Receptor-Mediated Inhibitory Synaptic Transmission onto Adult Rat Lamina III PKC γ -Interneurons: Pharmacological but Not Anatomical Specialization." *Cells* 11(8): 1356. <https://doi.org/10.3390/cells11081356>

Park, H. H., Y.-M. Kim, et al. (2022). "Dual-functional hydrogel system for spinal cord regeneration with sustained release of arylsulfatase B alleviates fibrotic microenvironment and promotes axonal regeneration." *Biomaterials* 284: 121526. <https://doi.org/10.1016/j.biomaterials.2022.121526>

Georgiou, C., V. Kehayas, et al. (2022). "A subpopulation of cortical VIP-expressing interneurons with highly dynamic spines." *Communications Biology* 5(1): 352. <https://doi.org/10.1038/s42003-022-03278-z>

Balsamo, G., E. Blanco-Hernández, et al. (2022). "Modular microcircuit organization of the presubicular head-direction map." *Cell Reports* 39(2): 110684. <https://doi.org/10.1016/j.celrep.2022.110684>

Dhar, S., S. Gadd, et al. (2022). "A tumor suppressor role for EZH2 in diffuse midline glioma pathogenesis." *Acta Neuropathologica Communications* 10(1): 47. <https://doi.org/10.1186/s40478-022-01336-5>

Hibbard, E. A. and D. R. Sengelaub (2022). "Intraneural Topography of Rat Sciatic Axons: Implications for Polyethylene Glycol Fusion Peripheral Nerve Repair." *Frontiers in Cellular Neuroscience* 16. <https://doi.org/10.3389/fncel.2022.852933>

Stables, J., E. K. Green, et al. (2022). "A kinase-dead Csf1r mutation associated with adult-onset leukoencephalopathy has a dominant inhibitory impact on CSF1R signalling." *Development* 149(8). <https://doi.org/10.1242/dev.200237>

Inagaki, M., K.-i. Inoue, et al. (2022). "Rapid processing of threatening faces in the amygdala of nonhuman primates: subcortical inputs and dual roles." *Cerebral Cortex: bhac109*. <https://doi.org/10.1093/cercor/bhac109>

Stella, T., K. Alexandros, et al. (2022). *Research Square*. 10.21203/rs.3.rs-882180/v1

Souza, G. M. P. R., R. L. Stornetta, et al. (2022). "Adrenergic C1 neurons monitor arterial blood pressure and determine the sympathetic response to hemorrhage." *Cell Reports* 38(10): 110480. <https://doi.org/10.1016/j.celrep.2022.110480>

McKinney, A., M. Hu, et al. (2022). "Cellular and Circuit Organization of the Locus Coeruleus of Adult Mice." *bioRxiv*: 2022.2003.2001.481656. <https://doi.org/10.1101/2022.03.01.481656>

Iavarone, E., J. Simko, et al. (2022). "Reconstruction and simulation of thalamoreticular microcircuitry." *bioRxiv*: 2022.2002.2028.482273. <https://doi.org/10.1101/2022.02.28.482273>

Inagaki, H. K., S. Chen, et al. (2022). "A midbrain-thalamus-cortex circuit reorganizes cortical dynamics to initiate movement." *Cell*. <https://doi.org/10.1016/j.cell.2022.02.006>

Murase, S., S. E. Robertson, et al. (2022). "Chronic Monocular Deprivation Reveals MMP9-Dependent and -Independent Aspects of Murine Visual System Plasticity." *International Journal of Molecular Sciences* 23(5). 10.3390/ijms23052438

Rusznák, K., Á. I. Horváth, et al. (2022). "Experimental Arthritis Inhibits Adult Hippocampal Neurogenesis in Mice." *Cells* 11(5). 10.3390/cells11050791

Chen, S., H. Xu, et al. (2022). "Morpho-Electric Properties and Diversity of Oxytocin Neurons in Paraventricular Nucleus of Hypothalamus in Female and Male Mice." *The Journal of Neuroscience: JN-RM-2494-2421*. 10.1523/jneurosci.2494-21.2022

Ivan, B., S. Dora, et al. (2022). *Molecular Neurobiology*. 10.21203/rs.3.rs-1351458/v1

Neubauer, F. B., R. Min, et al. (2022). "Presynaptic NMDA Receptors Influence Ca²⁺ Dynamics by Interacting with Voltage-Dependent Calcium Channels during the Induction of Long-Term Depression." *Neural Plasticity* 2022: 2900875. <https://doi.org/10.1155/2022/2900875>

Rogers, D. J., B. P. Bergeron, et al. (2022). "3D printed chamber for live cell imaging on an upright epifluorescence microscope." *Journal of Biological Education*: 1-7. <https://doi.org/10.1080/00219266.2022.2030389>

Tanaka, S., K. Takizawa, et al. (2022). "One-step visualization of natural cell activities in non-labeled living spheroids." *Scientific Reports* 12(1): 1500. <https://doi.org/10.1038/s41598-022-05347-z>

Purkart, L., J. M. Tuff, et al. (2022). "Trigeminal ganglion and sensory nerves suggest tactile specialization of elephants." *Current Biology*. <https://doi.org/10.1016/j.cub.2021.12.051>

Chalif, J. I., M. d. L. Martínez-Silva, et al. (2022). "Control of mammalian locomotion by ventral spinocerebellar tract neurons." *Cell* 185(2): 328-344.e326. <https://doi.org/10.1016/j.cell.2021.12.014>

Vomero, M., F. Ciarpella, et al. (2022). "On the longevity of flexible neural interfaces: Establishing biostability of polyimide-based intracortical implants." *Biomaterials* 281: 121372. <https://doi.org/10.1016/j.biomaterials.2022.121372>

Perumal, M. B. and P. Sah (2022). "A protocol to investigate cellular and circuit mechanisms generating sharp wave ripple oscillations in rodent basolateral amygdala using ex vivo slices." *STAR Protocols* 3(1): 101085. <https://doi.org/10.1016/j.xpro.2021.101085>

Fernández-Pérez, A., A. Sanz-Magro, et al. (2022). "Restricting feeding to dark phase fails to entrain circadian activity and energy expenditure oscillations in Pitx3-mutant Aphakia mice." *Cell Reports* 38(2): 110241. <https://doi.org/10.1016/j.celrep.2021.110241>

Jakovcevski, I., D. von, et al. (2022). "Mice lacking perforin have improved regeneration of the injured femoral nerve." *Neural Regeneration Research* 17(8): 1802-1808. DOI: 10.4103/1673-5374.332152

Clabough, E., J. Ingersoll, et al. (2022). "Acute Ethanol Exposure during Synaptogenesis Rapidly Alters Medium Spiny Neuron Morphology and Synaptic Protein Expression in the Dorsal Striatum." *International Journal of Molecular Sciences* 23(1). <https://doi.org/10.3390/ijms23010290>

Goeke, C. M., X. Zhang, et al. (2022). "Astrocyte tissue plasminogen activator expression during brain development and its role in pyramidal neuron neurite outgrowth." *Neuroscience Letters* 769: 136422. <https://doi.org/10.1016/j.neulet.2021.136422>

Jenny, A. B. and P. D. Cheney (2022). "Monkey flexor and abductor pollicis brevis motoneuron pools: Proximal dendritic trees and small motoneurons." *Neuroscience Letters* 769: 136429. <https://doi.org/10.1016/j.neulet.2021.136429>

Spoletti, E., P. Krashia, et al. (2021). "Early derailment of firing properties in CA1 pyramidal cells of the ventral hippocampus in an Alzheimer's disease mouse model." *Experimental Neurology*: 113969. <https://doi.org/10.1016/j.expneurol.2021.113969>

Qiu, Y., X.-j. Xue, et al. (2021). "Perillaldehyde improves cognitive function in vivo and in vitro by inhibiting neuronal damage via blocking TRPM2/NMDAR pathway." *Chinese Medicine* 16(1): 136. <https://doi.org/10.1186/s13020-021-00545-9>

Barak, T., E. Ristori, et al. (2021). "PPIL4 is essential for brain angiogenesis and implicated in intracranial aneurysms in humans." *Nature Medicine* 27(12): 2165-2175. <https://doi.org/10.1038/s41591-021-01572-z>

Patel, A. V., S. A. Codeluppi, et al. (2021). "Developmental Age and Biological Sex Influence Muscarinic Receptor Function and Neuron Morphology within Layer VI of the Medial Prefrontal Cortex." *Cerebral Cortex*: bhab406. <https://doi.org/10.1093/cercor/bhab406>

Lebowitz, J. J., M. Trinkle, et al. (2021). "Subcellular localization of D2 receptors in the murine substantia nigra." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-021-02432-3>

Sobierajski, E., G. Lauer, et al. (2021). "Development of microglia in fetal and postnatal neocortex of the pig, the European wild boar (*Sus scrofa*)." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25280>

Gonzalez, S., T. L. M. McHugh, et al. (2022). "Small molecule modulation of TrkB and TrkC neurotrophin receptors prevents cholinergic neuron atrophy in an Alzheimer's disease mouse model at an advanced pathological stage." *Neurobiology of Disease* 162: 105563. <https://doi.org/10.1016/j.nbd.2021.105563>

Rotterman, T. M., D. I. Carrasco, et al. (2021). "Axon initial segment geometry in relation to motoneuron excitability." *PLOS ONE* 16(11): e0259918. <https://doi.org/10.1371/journal.pone.0259918>

Hogg, P. W., P. Coleman, et al. (2021). "Quantifying neuronal structural changes over time using dynamic morphometrics." *Trends in Neurosciences*. <https://doi.org/10.1016/j.tins.2021.10.011>

Prokop, S., P. Ábrányi-Balogh, et al. (2021). "PharmacoSTORM nanoscale pharmacology reveals cariprazine binding on Islands of Calleja granule cells." *Nature Communications* 12(1): 6505. <https://doi.org/10.1038/s41467-021-26757-z>

Natale, N. R., M. Kent, et al. (2021). "Neurobiological effects of a probiotic-supplemented diet in chronically stressed male Long-Evans rats: Evidence of enhanced resilience." *IBRO Neuroscience Reports*. <https://doi.org/10.1016/j.ibneur.2021.10.004>

Sheikh, A., X. Meng, et al. (2021). "Neonatal Hypoxia-Ischemia Causes Persistent Intracortical Circuit Changes in Layer 4 of Rat Auditory Cortex." *Cerebral Cortex*(bhab365). <https://doi.org/10.1093/cercor/bhab365>

Trujillo-Estrada, L., P. W. Vanderklish, et al. (2021). "SPG302 Reverses Synaptic and Cognitive Deficits Without Altering Amyloid or Tau Pathology in a Transgenic Model of Alzheimer's Disease." *Neurotherapeutics*. <https://doi.org/10.1007/s13311-021-01143-1>

Yang, C., Y. Tian, et al. (2021). "Restoration of FMRP expression in adult V1 neurons rescues visual deficits in a mouse model of fragile X syndrome." *Protein & Cell*. <https://doi.org/10.1007/s13238-021-00878-z>

Oberto, V. J., C. J. Boucly, et al. (2021). "Distributed cell assemblies spanning prefrontal cortex and striatum." *Current Biology*. <https://doi.org/10.1016/j.cub.2021.10.007>

Liu, J., Z. Deng, et al. (2021). "The circRNA circ-Nbea participates in regulating diabetic encephalopathy." *Brain Research*: 147702. <https://doi.org/10.1016/j.brainres.2021.147702>

Bourel, J., V. Planche, et al. (2021). "Complement C3 mediates early hippocampal neurodegeneration and memory impairment in experimental multiple sclerosis." *Neurobiology of Disease* 160: 105533. <https://doi.org/10.1016/j.nbd.2021.105533>

- Xie, S., H. Li, et al. (2021). "PUPIL enables mapping and stamping of transient electrical connectivity in developing nervous systems." *Cell Reports* 37(3): 109853. <https://doi.org/10.1016/j.celrep.2021.109853>
- Kolk, S. M. and P. Rakic (2021). "Development of prefrontal cortex." *Neuropsychopharmacology*. <https://doi.org/10.1038/s41386-021-01137-9>
- Morecraft, R. J., K. S. Stilwell-Morecraft, et al. (2021). "Lack of somatotopy among corticospinal tract fibers passing through the primate craniovertebral junction and cervical spinal cord: pathoanatomical substrate of central cord syndrome and cruciate paralysis." *Journal of Neurosurgery*: 1-15. <https://doi.org/10.3171/2021.4.JNS202464>
- Matho, K. S., D. Huilgol, et al. (2021). "Genetic dissection of the glutamatergic neuron system in cerebral cortex." *Nature* 598(7879): 182-187. <https://doi.org/10.1038/s41586-021-03955-9>
- Gentili, M., L. Hidalgo-Garcia, et al. (2021). "A recombinant glucocorticoid-induced leucine zipper protein ameliorates symptoms of dextran sulfate sodium-induced colitis by improving intestinal permeability." *The FASEB Journal* 35(11): e21950. <https://doi.org/10.1096/fj.202100778RRRR>
- Lane, A. R., I. C. Cogdell, et al. (2021). "Genetic targeting of adult Renshaw cells using a Calbindin 1 destabilized Cre allele for intersection with Parvalbumin or Engrailed1." *Scientific Reports* 11(1): 19861. <https://doi.org/10.1038/s41598-021-99333-6>
- Medalla, M., W. Chang, et al. (2021). "Layer-specific pyramidal neuron properties underlie diverse anterior cingulate cortical motor and limbic networks." *Cerebral Cortex*(bhab347). <https://doi.org/10.1093/cercor/bhab347>
- Sarkar, D., M. Shariq, et al. (2021). "Adult brain neurons require continual expression of the schizophrenia-risk gene Tcf4 for structural and functional integrity." *Translational Psychiatry* 11(1): 494. <https://doi.org/10.1038/s41398-021-01618-x>
- Yang, F.-C., L. B. Dokovna, et al. (2021). "Functional Differentiation of Dorsal and Ventral Posterior Parietal Cortex of the Rat: Implications for Controlled and Stimulus-Driven Attention." *Cerebral Cortex*(bhab308). <https://doi.org/10.1093/cercor/bhab308>
- Heyer, D. B., R. Wilbers, et al. (2021). "Verbal and General IQ Associate with Supragranular Layer Thickness and Cell Properties of the Left Temporal Cortex." *Cerebral Cortex*(bhab330). <https://doi.org/10.1093/cercor/bhab330>
- Noftz, W. A., N. L. Beebe, et al. (2021). "Dense cholinergic projections to auditory and multisensory nuclei of the intercollicular midbrain." *Hearing Research* 411: 108352. <https://doi.org/10.1016/j.heares.2021.108352>
- Watanabe, S., T. Kurotani, et al. (2021). "Functional and molecular characterization of a non-human primate model of autism spectrum disorder shows similarity with the human disease." *Nature Communications* 12(1): 5388. <https://doi.org/10.1038/s41467-021-25487-6>
- Masachs, N., V. Charrier, et al. (2021). "The temporal origin of dentate granule neurons dictates their role in spatial memory." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-021-01276-x>
- Guzun, L., P. Fortier-Poisson, et al. (2021). "Tactile sensitivity in the rat: a correlation between receptor structure and function." *Experimental Brain Research*. <https://doi.org/10.1007/s00221-021-06193-7>

Abate, G., Colazingari, S., Accoto, A., Conversi, D., & Bevilacqua, A. (2018). Dendritic spine density and EphrinB2 levels of hippocampal and anterior cingulate cortex neurons increase sequentially during formation of recent and remote fear memory in the mouse. *Behavioural Brain Research*. doi: <https://www.sciencedirect.com/science/article/pii/S0166432817313888>

Abbasi, S., & Kumar, S. S. (2014). Regular-spiking cells in the presubiculum are hyperexcitable in a rat model of Temporal Lobe Epilepsy. *Journal of Neurophysiology*, *jn*. 00406.02014. doi.

Abbasi, S., & Kumart, S. S. (2013). Electrophysiological and morphological characterization of cells in superficial layers of rat presubiculum. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23365. <http://dx.doi.org/10.1002/cne.23365>

Abbott, S. B., Kanbar, R., Bochorishvili, G., Coates, M. B., Stornetta, R. L., & Guyenet, P. G. (2012). C1 neurons excite locus coeruleus and A5 noradrenergic neurons along with sympathetic outflow in rats. *Journal of Physiology*. doi.

Abbott, S. B. G., DePuy, S. D., Nguyen, T., Coates, M. B., Stornetta, R. L., & Guyenet, P. G. (2013). Selective Optogenetic Activation of Rostral Ventrolateral Medullary Catecholaminergic Neurons Produces Cardiorespiratory Stimulation in Conscious Mice. *Journal of Neuroscience*, *33*(7), 3164-3177. doi: 10.1523/jneurosci.1046-12.2013. <http://www.jneurosci.org/content/33/7/3164.abstract>

Abbott, S. B. G., Holloway, B. B., Viar, K. E., & Guyenet, P. G. (2013). Vesicular glutamate transporter 2 is required for the respiratory and parasympathetic activation produced by optogenetic stimulation of catecholaminergic neurons in the rostral ventrolateral medulla of mice in vivo. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12421. <http://dx.doi.org/10.1111/ejn.12421>

Abbott, S. B. G., Stornetta, R. L., Coates, M. B., & Guyenet, P. G. (2011). Phox2b-Expressing Neurons of the Parafacial Region Regulate Breathing Rate, Inspiration, and Expiration in Conscious Rats. *Journal of Neuroscience*, *31*(45), 16410-16422. doi: 10.1523/jneurosci.3280-11.2011. <http://www.jneurosci.org/content/31/45/16410.abstract>

Abbott, S. B. G., Stornetta, R. L., Fortuna, M. G., Depuy, S. D., West, G. H., Harris, T. E., & Guyenet, P. G. (2009). Photostimulation of Retrotrapezoid Nucleus Phox2b-Expressing Neurons In Vivo Produces Long-Lasting Activation of Breathing in Rats. *Journal of Neuroscience*, *29*(18), 5806-5819. doi: 10.1523/jneurosci.1106-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/18/5806>

Abbott, S. B. G., Stornetta, R. L., Socolovsky, C. S., West, G. H., & Guyenet, P. G. (2009). Photostimulation of channelrhodopsin-2 expressing ventrolateral medullary neurons increases sympathetic nerve activity and blood pressure in rats. *Journal of Physiology*, *587*(23), 5613-5631. doi.

Abdellah, M., Hernando, J., Eilemann, S., Lapere, S., Antille, N., Markram, H., & Schürmann, F. (2018). NeuroMorphoVis: a collaborative framework for analysis and visualization of neuronal morphology skeletons reconstructed from microscopy stacks. *Bioinformatics*, *34*(13), i574-i582. doi: 10.1093/bioinformatics/bty231. <http://dx.doi.org/10.1093/bioinformatics/bty231>

Abdel-Rahman, A., Rao, M. S., & Shetty, A. K. (2004). Nestin expression in hippocampal astrocytes after injury depends on the age of the hippocampus. *Glia*, *47*(4), 299-313. doi.

Abdolhoseini, M., Walker, F., & Johnson, S. (2016, 16-20 Aug. 2016). Automated tracing of microglia using multilevel thresholding and minimum spanning trees. Paper presented at the 2016 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC).

Abe, C., Inoue, T., Inglis, M. A., Viar, K. E., Huang, L., Ye, H., . . . Guyenet, P. G. (2017). C1 neurons mediate a stress-induced anti-inflammatory reflex in mice. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4526

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4526.html#suppl.....> <http://dx.doi.org/10.1038/nn.4526>

Abel, P. L., O'Brien, B. J., & Olavarria, J. F. (2000). Organization of callosal linkages in visual area V2 of macaque monkey. *Journal of Comparative Neurology*, 428(2), 278-293. doi.

Abel, T. W., & Rance, N. E. (1999). Proopiomelanocortin gene expression is decreased in the infundibular nucleus of postmenopausal women. *Molecular Brain Research*, 69(2), 202-208. doi.

Abel, T. W., Voytko, M. L., & Rance, N. E. (1999). The effects of hormone replacement therapy on hypothalamic neuropeptide gene expression in a primate model of menopause. *Journal of Clinical Endocrinology and Metabolism*, 84(6), 2111-2118. doi. <http://www.ncbi.nlm.nih.gov/pubmed/10372719>

Abelson, J. F., Kwan, K. Y., O'Roak, B. J., Baek, D. Y., Stillman, A. A., Morgan, T. M., . . . State, M. W. (2005). Sequence Variants in SLITRK1 Are Associated with Tourette's Syndrome. *Science*, 310(5746), 317-320. doi: 10.1126/science.1116502. <http://www.sciencemag.org/cgi/content/abstract/310/5746/317>

Ables, J. L., DeCarolis, N. A., Johnson, M. A., Rivera, P. D., Gao, Z., Cooper, D. C., . . . Eisch, A. J. (2010). Notch1 Is Required for Maintenance of the Reservoir of Adult Hippocampal Stem Cells. *Journal of Neuroscience*, 30(31), 10484-10492. doi: 10.1523/jneurosci.4721-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/31/10484>

Ábrahám, H., & Lázár, G. (2000). Early microglial reaction following mild forebrain ischemia induced by common carotid artery occlusion in rats. *Brain Research*, 862(1-2), 63-73. doi.

Abraham, H., & Meyer, G. (2003). Reelin-expressing neurons in the postnatal and adult human hippocampal formation. *Hippocampus*, 13(6), 715-727. doi.

Abraham, H., Orsi, G., & Seress, L. (2007). Ontogeny of cocaine- and amphetamine-regulated transcript (CART) peptide and calbindin immunoreactivity in granule cells of the dentate gyrus in the rat. *International Journal of Developmental Neuroscience*, 25(5), 265-274. doi.

Ábrahám, H., Richter, Z., Gyimesi, C., Horváth, Z., Janszky, J., Dóczi, T., & Seress, L. (2011). Degree and pattern of calbindin immunoreactivity in granule cells of the dentate gyrus differ in mesial temporal sclerosis, cortical malformation- and tumor-related epilepsies. *Brain Research*. doi.

Ábrahám, H., Somogyvari-Vigh, A., Maderdrut, J. L., Vigh, S., & Arimura, A. (2003). Rapidly activated microglial cells in the preoptic area may play a role in the generation of hyperthermia following occlusion of the middle cerebral artery in the rat. *Experimental Brain Research*, 153(1), 84-91. doi.

Ábrahám, H., Tornóczky, T., Kosztolányi, G., & Seress, L. (2001). Cell formation in the cortical layers of the developing human cerebellum. *International Journal of Developmental Neuroscience*, 19(1), 53-62. doi.

Ábrahám, H., Tornóczky, T., Kosztolányi, G., & Seress, L. (2004). Cell proliferation correlates with the postconceptual and not with the postnatal age in the hippocampal dentate gyrus, temporal neocortex and cerebellar cortex of preterm infants. *Early Human Development*, 78(1), 29-43. doi.

- Abraham, H., Tóth, Z., Bari, F., Domoki, F., & Seress, L. (2005). Novel calretinin and reelin expressing neuronal population includes Cajal-Retzius-type cells in the neocortex of adult pigs. *Neuroscience*, 136(1), 217-230. doi.
- Abulafia, D. P., de Rivero Vaccari, J. P., Lozano, J. D., Lotocki, G., Keane, R. W., & Dietrich, W. D. (2008). Inhibition of the inflammasome complex reduces the inflammatory response after thromboembolic stroke in mice. *Journal of Cerebral Blood Flow Metabolism*. doi. <http://dx.doi.org/10.1038/jcbfm.2008.143>
- Abulafia, R., Zalkind, V., & Devor, M. (2009). Cerebral Activity during the Anesthesia-Like State Induced by Mesopontine Microinjection of Pentobarbital. *Journal of Neuroscience*, 29(21), 7053-7064. doi: 10.1523/jneurosci.1357-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/21/7053>
- Acabchuk, R., Briggs, D. I., Angoa-Pérez, M., Powers, M., Wolferz, R., Soloway, M., . . . Conover, J. C. (2016). Repeated mild traumatic brain injury causes focal response in lateral septum and hippocampus. *Concussion*. doi: 10.2217/cnc-2015-0001. <http://dx.doi.org/10.2217/cnc-2015-0001>
- Acabchuk, R. L., Sun, Y., Wolferz, J. R., Eastman, M. B., Lennington, J. B., Shook, B. A., . . . Conover, J. C. (2015). 3D Modeling of the Lateral Ventricles and Histological Characterization of Periventricular Tissue in Humans and Mouse. *JoVE*, (99), e52328. doi: 10.3791/52328. <http://www.jove.com/video/52328>
- Aceti, M., Vetere, G., Novembre, G., Restivo, L., & Ammassari-Teule, M. (2015). Progression of activity and structural changes in the anterior cingulate cortex during remote memory formation. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2015.05.003>, <http://www.sciencedirect.com/science/article/pii/S1074742715000866>
- Aceves, M., Bancroft, E., Aceves, A. R., & Hook, M. (2016). NorBNI blocks the adverse effects of morphine following spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4601. <http://dx.doi.org/10.1089/neu.2016.4601>
- Aceves, M., Terminel, M. N., Okoreeh, A., Aceves, A. R., Ming Gong, Y., Polanco, A., . . . Hook, M. A. (2019). Morphine increases macrophages at the lesion site following spinal cord injury: Protective effects of minocycline. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.01.023>, <http://www.sciencedirect.com/science/article/pii/S089159119300790>
- Acker, C. D., & Antic, S. D. (2009). Quantitative assessment of the distributions of membrane conductances involved in action potential backpropagation along basal dendrites. *Journal of Neurophysiology*, 101(3), 1524-1541. doi.
- Ackermann, J., Ashton, G., Lyons, S., James, D., Hornung, J. P., Jones, N., & Breitwieser, W. (2011). Loss of ATF2 function leads to cranial motoneuron degeneration during embryonic mouse development. *PLoS ONE*, 6(4), e19090-e19090. doi.
- Ackley, M. A., Hurley, R. W., Virnich, D. E., & Hammond, D. L. (2001). A cellular mechanism for the antinociceptive effect of κ opioid receptor agonist. *Pain*, 91(3), 377-388. doi.
- Acsady, L., Kamondi, A., Sik, A., Freund, T., & Buzsáki, G. (1998). GABAergic Cells Are the Major Postsynaptic Targets of Mossy Fibers in the Rat Hippocampus. *Journal of Neuroscience*, 18(9), 3386-3403. doi. <http://www.jneurosci.org/cgi/content/abstract/18/9/3386>

Adachi, K., Fujita, S., Yoshida, A., Sakagami, H., Koshikawa, N., & Kobayashi, M. (2012). Anatomical and electrophysiological mechanisms for asymmetrical excitatory propagation in the rat insular cortex: in vivo optical imaging and whole-cell patch-clamp studies. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23246. <http://dx.doi.org/10.1002/cne.23246>

Adams, V. L., Goodman, R. L., Salm, A. K., Coolen, L. M., Karsch, F. J., & Lehman, M. N. (2006). Morphological Plasticity in the Neural Circuitry Responsible for Seasonal Breeding in the Ewe. *Endocrinology*, 147(10), 4843-4851. doi: 10.1210/en.2006-0408. <http://endo.endojournals.org/cgi/content/abstract/147/10/4843>

Adar, E., Nottebohm, F., & Barnea, A. (2008). The Relationship between Nature of Social Change, Age, and Position of New Neurons and Their Survival in Adult Zebra Finch Brain. *Journal of Neuroscience*, 28(20), 5394-5400. doi: 10.1523/jneurosci.5706-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/20/5394>

Adesnik, H., Li, G., During, M. J., Pleasure, S. J., & Nicoll, R. A. (2008). NMDA receptors inhibit synapse unsilencing during brain development. *Proceedings of the National Academy of Sciences*, 105(14), 5597-5602. doi: 10.1073/pnas.0800946105. <http://www.pnas.org/cgi/content/abstract/105/14/5597>

Adkins, D. A. L., Bury, S. D., & Jones, T. A. (2002). Laminar-dependent dendritic spine alterations in the motor cortex of adult rats following callosal transection and forced forelimb use. *Neurobiology of Learning and Memory*, 78(1), 35-52. doi.

Adkins, D. A. L., Campos, P., Quach, D., Borromeo, M., Schallert, K., & Jones, T. A. (2006). Epidural cortical stimulation enhances motor function after sensorimotor cortical infarcts in rats. *Experimental Neurology*, 200(2), 356-370. doi.

Adkins, D. A. L., Hsu, J. E., & Jones, T. A. (2008). Motor cortical stimulation promotes synaptic plasticity and behavioral improvements following sensorimotor cortex lesions. *Experimental Neurology*, 212(1), 14-28. doi.

Adkins, D. A. L., & Jones, T. A. (2005). D-amphetamine enhances skilled reaching after ischemic cortical lesions in rats. *Neuroscience Letters*, 380(3), 214-218. doi.

Adler, S. M., Girotti, M., & Morilak, D. A. (2020). Optogenetically-induced long term depression in the rat orbitofrontal cortex ameliorates stress-induced reversal learning impairment. *Neurobiology of Stress*, 13, 100258. doi: <https://doi.org/10.1016/j.ynstr.2020.100258>. <http://www.sciencedirect.com/science/article/pii/S2352289520300485>

Adler, W. T., Platt, M. P., Mehlhorn, A. J., Haight, J. L., Currier, T. A., Etchegaray, M. A., . . . Rosen, G. D. (2013). Position of Neocortical Neurons Transfected at Different Gestational Ages with shRNA Targeted against Candidate Dyslexia Susceptibility Genes. *PLoS ONE*, 8(5), e65179. doi: 10.1371/journal.pone.0065179. <http://dx.doi.org/10.1371%2Fjournal.pone.0065179>

Adolf, A., Leondaritis, G., Rohrbeck, A., Eickholt, B. J., Just, I., Ahnert-Hilger, G., & Höltje, M. (2016). The intermediate filament protein vimentin is essential for axonotrophic effects of Clostridium botulinum C3 exoenzyme. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13739. <http://dx.doi.org/10.1111/jnc.13739>

Advani, A., Connelly, K. A., Yuen, D. A., Zhang, Y., Advani, S. L., Trogadis, J., . . . others. (2011). Fluorescent Microangiography Is a Novel and Widely Applicable Technique for Delineating the Renal Microvasculature. *PLoS ONE*, 6(10), e24695-e24695. doi.

Afroz, S., Shen, H., & Smith, S. S. (2017). $\alpha 4\beta\delta$ GABAA receptors reduce dendritic spine density in CA1 hippocampus and impair relearning ability of adolescent female mice: Effects of a GABA agonist and a stress steroid. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.01.051>. <http://www.sciencedirect.com/science/article/pii/S0306452217300714>

Agarwal, V. R., Sinton, C. M., Liang, C. L., Fisher, C., German, D. C., & Simpson, E. R. (2000). Upregulation of estrogen receptors in the forebrain of aromatase knockout (ArKO) mice. *Molecular and Cellular Endocrinology*, 162(1-2), 9-16. doi.

Agasse, F., Benzakour, O., Berjeaud, J.-M., Roger, M., & Coronas, V. (2006). Endogenous factors derived from embryonic cortex regulate proliferation and neuronal differentiation of postnatal subventricular zone cell cultures. *European Journal of Neuroscience*, 23(8), 1970-1976. doi: doi:10.1111/j.1460-9568.2006.04739.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04739.x>

Agasse, F., Mendez-David, I., Christaller, W., Carpentier, R., Braz, B. Y., David, D. J., . . . Humbert, S. (2020). Chronic Corticosterone Elevation Suppresses Adult Hippocampal Neurogenesis by Hyperphosphorylating Huntingtin. *Cell Reports*, 32(1), 107865. doi: <https://doi.org/10.1016/j.celrep.2020.107865>. <http://www.sciencedirect.com/science/article/pii/S221124720308469>

Agasse, F., Nicoleau, C., Petit, J., Jaber, M., Roger, M., Benzakour, O., & Coronas, V. (2007). Evidence for a major role of endogenous fibroblast growth factor-2 in apoptotic cortex-induced subventricular zone cell proliferation. *European Journal of Neuroscience*, 26(11), 3036-3042. doi: doi:10.1111/j.1460-9568.2007.05915.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05915.x>

Agasse, F., Roger, M., & Coronas, V. (2004). Neurogenic and intact or apoptotic non-neurogenic areas of adult brain release diffusible molecules that differentially modulate the development of subventricular zone cell cultures. *European Journal of Neuroscience*, 19(6), 1459-1468. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0325..>

Ago, Y., Hayata-Takano, A., Kawanai, T., Yamauchi, R., Takeuchi, S., Cushman, J. D., . . . Waschek, J. A. (2017). Impaired extinction of cued fear memory and abnormal dendritic morphology in the prelimbic and infralimbic cortices in VPAC2 receptor (VIPR2)-deficient mice. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2017.10.010>. <http://www.sciencedirect.com/science/article/pii/S1074742717301624>

Agster, K. L., & Burwell, R. D. (2013). Hippocampal and subicular efferents and afferents of the perirhinal, postrhinal, and entorhinal cortices of the rat. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.07.005>. <http://www.sciencedirect.com/science/article/pii/S016643281300404X>

Aguiar, P., Sousa, M., & Szucs, P. (2013). Versatile Morphometric Analysis and Visualization of the Three-Dimensional Structure of Neurons. *Neuroinformatics*, 1-11. doi: 10.1007/s12021-013-9188-z. <http://dx.doi.org/10.1007/s12021-013-9188-z>

- Aguiar, P., & Szucs, P. (2011). Detailed visualization and morphometric analysis of reconstructed neurons using Blender and Python. *BMC neuroscience*, 12(Suppl 1), P323-P323. doi.
- Aguiar, J. R., & Castro-Alamancos, M. A. (2005). Spatiotemporal Gating of Sensory Inputs in Thalamus during Quiescent and Activated States. *Journal of Neuroscience*, 25, 10990-11002. doi.
- Aguiar-Arredondo, A., & Zepeda, A. (2018). Memory retrieval-induced activation of adult-born neurons generated in response to damage to the dentate gyrus. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1664-7. <https://doi.org/10.1007/s00429-018-1664-7>
- Ahlborn, P., Schachner, M., & Irintchev, A. (2007). One hour electrical stimulation accelerates functional recovery after femoral nerve repair. *Experimental Neurology*, 208(1), 137-144. doi.
- Ahlfeld, J., Mustari, M., & Horn, A. K. E. (2011). Sources of calretinin inputs to motoneurons of extraocular muscles involved in upgaze. *Annals of the New York Academy of Sciences*, 1233(1), 91-99. doi: 10.1111/j.1749-6632.2011.06168.x. <http://dx.doi.org/10.1111/j.1749-6632.2011.06168.x>
- Ahmad, A., Momenan, R., van Gelderen, P., Moriguchi, T., Greiner, R. S., Salem, J. R., & others. (2004). Gray and white matter brain volume in aged rats raised on n-3 fatty acid deficient diets. *Nutritional Neuroscience*, 7(1), 13-20. doi.
- Ahmad, A., Moriguchi, T., & Salem, N. (2002). Decrease in neuron size in docosahexaenoic acid-deficient brain. *Pediatric Neurology*, 26(3), 210-218. doi.
- Ahmad, A., & Spear, P. D. (1993). Effects of aging on the size, density, and number of rhesus monkey lateral geniculate neurons. *Journal of Comparative Neurology*, 334(4), 631-643. doi.
- Ahmed, B., Cordery, P. M., McLelland, D., Bair, W., & Krug, K. (2012). Long-Range Clustered Connections within Extrastriate Visual Area V5/MT of the Rhesus Macaque. *Cerebral Cortex*, 22(1), 60-73. doi.
- Ahn, S., Kim, T.-G., Kim, K.-S., & Chung, S. (2015). Differentiation of human pluripotent stem cells into medial ganglionic eminence vs. caudal ganglionic eminence cells. *Methods*. doi: <http://dx.doi.org/10.1016/j.ymeth.2015.09.009>, <http://www.sciencedirect.com/science/article/pii/S1046202315300815>
- Ahnert-Hilger, G., Höltje, M., Grosse, G., Pickert, G., Mucke, C., Nixdorf-Bergweiler, B., . . . Just, I. (2004). Differential effects of Rho GTPases on axonal and dendritic development in hippocampal neurones. *Journal of Neurochemistry*, 90(1), 9-18. doi.
- Ai, J., Epstein, P. N., Gozal, D., Yang, B., Wurster, R., & Cheng, Z. J. (2007). Morphology and topography of nucleus ambiguus projections to cardiac ganglia in rats and mice. *Neuroscience*, 149(4), 845-860. doi.
- Ai, J., Gozal, D., Li, L., Wead, W. B., Chapleau, M. W., Wurster, R., . . . Cheng, Z. (2007). Degeneration of vagal efferent axons and terminals in cardiac ganglia of aged rats. *Journal of Comparative Neurology*, 504(1), 74-88. doi. <http://dx.doi.org/10.1002/cne.21431>
- Ai, J., Wurster, R. D., Harden, S. W., & Cheng, Z. J. (2009). Vagal afferent innervation and remodeling in the aortic arch of young-adult fischer 344 rats following chronic intermittent hypoxia. *Neuroscience*, 164(2), 658-666. doi.

Aihara, S., Fujimoto, S., Sakaguchi, R., & Imai, T. (2021). BMPR-2 gates activity-dependent stabilization of primary dendrites during mitral cell remodeling. *Cell Reports*, 35(12), 109276. doi: <https://doi.org/10.1016/j.celrep.2021.109276>. <https://www.sciencedirect.com/science/article/pii/S2211124721006434>

Airado, C., Gómez, C., Recio, J. S., Baltanás, F. C., Weruaga, E., & Alonso, J. R. (2008). Zincergic innervation from the anterior olfactory nucleus to the olfactory bulb displays plastic responses after mitral cell loss. *Journal of Chemical Neuroanatomy*, 36(3-4), 197-208. doi.

Ajoy, R., Lo, Y.-C., Ho, M.-H., Chen, Y.-Y., Wang, Y., Chen, Y.-H., . . . Chou, S.-Y. (2021). CCL5 promotion of bioenergy metabolism is crucial for hippocampal synapse complex and memory formation. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01103-3. <https://doi.org/10.1038/s41380-021-01103-3>

Akashi, K., Kakizaki, T., Kamiya, H., Fukaya, M., Yamasaki, M., Abe, M., . . . Sakimura, K. (2009). NMDA receptor GluN2B (GluR2/NR2B) subunit is crucial for channel function, postsynaptic macromolecular organization, and actin cytoskeleton at hippocampal CA3 synapses. *Journal of Neuroscience*, 29(35), 10869-10882. doi.

Akers, K. G., Martinez-Canabal, A., Restivo, L., Yiu, A. P., De Cristofaro, A., Hsiang, H.-L. L., . . . Shoji, H. (2014). Hippocampal Neurogenesis Regulates Forgetting During Adulthood and Infancy. *Science*, 344(6184), 598-602. doi. <http://www.sciencemag.org/content/344/6184/598.short>

Akgül, G., Abebe, D., Yuan, X. Q., Auville, K., & McBain, C. J. (2019). The Role of AMPARs in the Maturation and Integration of Caudal Ganglionic Eminence-Derived Interneurons into Developing Hippocampal Microcircuits. *Scientific Reports*, 9(1), 5435. doi: 10.1038/s41598-019-41920-9. <https://doi.org/10.1038/s41598-019-41920-9>

Akhtar, M. W., Sanz-Blasco, S., Dolatabadi, N., Parker, J., Chon, K., Lee, M. S., . . . Lipton, S. A. (2016). Elevated glucose and oligomeric [beta]-amyloid disrupt synapses via a common pathway of aberrant protein S-nitrosylation. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms10242. <http://dx.doi.org/10.1038/ncomms10242>

Akyüz, N., Rost, S., Mehanna, A., Bian, S., Loers, G., Oezen, I., . . . Schachner, M. (2013). Dermatan 4-O-sulfotransferase1 ablation accelerates peripheral nerve regeneration. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.01.025>. <http://www.sciencedirect.com/science/article/pii/S0014488613000381>

Al Ghamdi, K. S., Polgár, E., & Todd, A. J. (2009). Soma size distinguishes projection neurons from neurokinin 1 receptor-expressing interneurons in lamina I of the rat lumbar spinal dorsal horn. *Neuroscience*, 164(4), 1794-1804. doi.

Alam, M. N., Kumar, S., Bashir, T., Suntsova, N., Methippara, M. M., Szymusiak, R., & McGinty, D. (2005). GABA-mediated control of hypocretin- but not melanin-concentrating hormone-immunoreactive neurones during sleep in rats. *Journal of Physiology*, 563(2), 569-582. doi: 10.1113/jphysiol.2004.076927. <http://jp.physoc.org/cgi/content/abstract/563/2/569>

Alberquilla, S., Gonzalez-Granillo, A., Martin, E. D., & Moratalla, R. (2019). Dopamine regulates spine density in striatal projection neurons in a concentration-dependent manner. *Neurobiology of Disease*, 104666. doi: <https://doi.org/10.1016/j.nbd.2019.104666>. <http://www.sciencedirect.com/science/article/pii/S0969996119303419>

Albrecht, P. J., Hines, S., Eisenberg, E., Pud, D., Finlay, D. R., Connolly, M. K., . . . Rice, F. L. (2006). Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome. *Pain*, 120(3), 244-266. doi.

Albrecht, P. J., Hou, Q., Argoff, C. E., Storey, J. R., Wymer, J. P., & Rice, F. L. (2013). Excessive Peptidergic Sensory Innervation of Cutaneous Arteriole-Venule Shunts (AVS) in the Palmar Glabrous Skin of Fibromyalgia Patients: Implications for Widespread Deep Tissue Pain and Fatigue. *Pain Medicine*, n/a-n/a. doi: 10.1111/pme.12139. <http://dx.doi.org/10.1111/pme.12139>

Alçada-Morais, S., Gonçalves, N., Moreno-Juan, V., Andres, B., Ferreira, S., Marques, J. M., . . . Rodrigues, R. J. (2021). Adenosine A2A Receptors Contribute to the Radial Migration of Cortical Projection Neurons through the Regulation of Neuronal Polarization and Axon Formation. *Cerebral Cortex*, (bhab188). doi: 10.1093/cercor/bhab188. <https://doi.org/10.1093/cercor/bhab188>

Aleksic, D., Aksić, M., Divac, N., Radonjić, V., Filipović, B., & Jakovčevski, I. (2014). Thermomineral water promotes axonal sprouting but does not reduce glial scar formation in a mouse model of spinal cord injury. *Neural Regeneration Research*, 9(24), 2174. doi. <http://www.nrronline.org/citation.asp?issn=1673-5374;year=2014;volume=9;...>

Alexander, T. C., Butcher, H., Krager, K., Kiffer, F., Groves, T., Wang, J., . . . Allen, A. R. (2018). Behavioral Effects of Focal Irradiation in a Juvenile Murine Model. *Radiation Research*, 0(0), null. doi: 10.1667/rr14847.1. <http://www.rjournal.org/doi/abs/10.1667/RR14847.1>

Alexander, T. C., Kiffer, F., Groves, T., Anderson, J., Wang, J., Hayar, A., . . . Allen, A. R. (2019). Effects of thioTEPA chemotherapy on cognition and motor coordination. *Synapse*, 0(ja). doi: doi:10.1002/syn.22085. <https://onlinelibrary.wiley.com/doi/abs/10.1002/syn.22085>

Alexander, T. C., Simecka, C. M., Kiffer, F., Groves, T., Anderson, J., Carr, H., . . . Allen, A. R. (2017). Changes in cognition and dendritic complexity following intrathecal methotrexate and cytarabine treatment in a juvenile murine model. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2017.12.008>. <https://www.sciencedirect.com/science/article/pii/S0166432817314122>

Ali, A. B., Deuchars, J., Pawelzik, H., & Thomson, A. M. (1998). CA1 pyramidal to basket and bistratified cell EPSPs: dual intracellular recordings in rat hippocampal slices. *Journal of Physiology*, 507(1), 201-217. doi. <http://jp.physoc.org/cgi/content/abstract/507/1/201>

Ali, A. B., Rossier, J., Staiger, J. F., & Audinat, E. (2001). Kainate receptors regulate unitary IPSCs elicited in pyramidal cells by fast-spiking interneurons in the neocortex. *Journal of Neuroscience*, 21(9), 2992-2992. doi.

Al-Khater, K. M., Kerr, R., & Todd, A. J. (2008). A quantitative study of spinothalamic neurons in laminae I, III, and IV in lumbar and cervical segments of the rat spinal cord. *Journal of Comparative Neurology*, 511(1), 1-18. doi.

Al-Khater, K. M., & Todd, A. J. (2009). Collateral projections of neurons in laminae I, III, and IV of rat spinal cord to thalamus, periaqueductal gray matter, and lateral parabrachial area. *Journal of Comparative Neurology*, 515(6), 629-646. doi.

Al-Kofahi, K. A., Can, A., Lasek, S., Szarowski, D. H., Dowell-Mesfin, N., Shain, W., . . . Roysam, B. (2003). Median-based robust algorithms for tracing neurons from noisy confocal microscope images. *Information Technology in Biomedicine, IEEE Transactions on*, 7(4), 302-317. doi.

Al-Kofahi, K. A., Lasek, S., Szarowski, D. H., Pace, C. J., Nagy, G., Turner, J. N., & Roysam, B. (2002). Rapid automated three-dimensional tracing of neurons from confocal image stacks. *Information Technology in Biomedicine, IEEE Transactions on*, 6(2), 171-187. doi.

Al-Kofahi, O., Can, A., Lasek, S., Szarowski, D. H., Turner, J. N., & Roysam, B. (2003). Algorithms for accurate 3D registration of neuronal images acquired by confocal scanning laser microscopy. *Journal of Microscopy*, 211(1), 8-18. doi: doi:10.1046/j.1365-2818.2003.01196.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1365-2818.2003.01196.x>

Alkondon, M., & Albuquerque, E. X. (2001). Nicotinic acetylcholine receptor $\alpha 7$ and $\alpha 4\beta 2$ subtypes differentially control GABAergic input to CA1 neurons in rat hippocampus. *Journal of Neurophysiology*, 86(6), 3043-3043. doi.

Alkondon, M., & Albuquerque, E. X. (2004). The nicotinic acetylcholine receptor subtypes and their function in the hippocampus and cerebral cortex. *Progress in Brain Research*, 145, 109-120. doi.

Alkondon, M., & Albuquerque, E. X. (2006). Subtype-Specific Inhibition of Nicotinic Acetylcholine Receptors by Choline: A Regulatory Pathway. *Journal of Pharmacology and Experimental Therapeutics*, 318(1), 268-275. doi: 10.1124/jpet.106.103135. <http://jpet.aspetjournals.org/cgi/content/abstract/318/1/268>

Alkondon, M., Aracava, Y., Pereira, E. F. R., & Albuquerque, E. X. (2009). A Single in Vivo Application of Cholinesterase Inhibitors Has Neuron Type-Specific Effects on Nicotinic Receptor Activity in Guinea Pig Hippocampus. *Journal of Pharmacology and Experimental Therapeutics*, 328(1), 69-82. doi: 10.1124/jpet.108.146068. <http://jpet.aspetjournals.org/cgi/content/abstract/328/1/69>

Alkondon, M., Braga, M. F. M., Pereira, E. F. R., Maelicke, A., & Albuquerque, E. X. (2000). Alpha-7 Nicotinic acetylcholine receptors and modulation of gabaergic synaptic transmission in the hippocampus. *European Journal of Pharmacology*, 393(1-3), 59-67. doi.

Alkondon, M., Pereira, E. F. R., & Albuquerque, E. X. (2003). NMDA and AMPA Receptors Contribute to the Nicotinic Cholinergic Excitation of CA1 Interneurons in the Rat Hippocampus. *Journal of Neurophysiology*, 90(3), 1613-1625. doi: 10.1152/jn.00214.2003. <http://jn.physiology.org/cgi/content/abstract/90/3/1613>

Alkondon, M., Pereira, E. F. R., & Albuquerque, E. X. (2007). Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus. *Biochemical Pharmacology*, 74(8), 1134-1144. doi.

Alkondon, M., Pereira, E. F. R., Almeida, L. E. F., Randall, W. R., & Albuquerque, E. X. (2000). Nicotine at concentrations found in cigarette smokers activates and desensitizes nicotinic acetylcholine receptors in CA1 interneurons of rat hippocampus. *Neuropharmacology*, 39(13), 2726-2739. doi.

Alkondon, M., Pereira, E. F. R., Eisenberg, H. M., & Albuquerque, E. X. (2000). Nicotinic Receptor Activation in Human Cerebral Cortical Interneurons: a Mechanism for Inhibition and Disinhibition of Neuronal Networks. *Journal of Neuroscience*, 20(1), 66-75. doi. <http://www.jneurosci.org/cgi/content/abstract/20/1/66>

Alkondon, M., Pereira, E. F. R., Eisenberg, H. M., Kajii, Y., Schwarcz, R., & Albuquerque, E. X. (2011). Age Dependency of Inhibition of $\alpha 7$ Nicotinic Receptors and Tonically Active N-Methyl-d-aspartate Receptors by Endogenously Produced Kynurenic Acid in the Brain. *Journal of Pharmacology and*

Experimental Therapeutics, 337(3), 572-582. doi:
10.1124/jpet.110.177386. <http://jpet.aspetjournals.org/content/337/3/572.abstract>

Alkondon, M., Pereira, E. F. R., Potter, M. C., Kauffman, F. C., Schwarcz, R., & Albuquerque, E. X. (2007). Strain-Specific Nicotinic Modulation of Glutamatergic Transmission in the CA1 Field of the Rat Hippocampus: August Copenhagen Irish Versus Sprague-Dawley. *Journal of Neurophysiology*, 97(2), 1163-1170. doi: 10.1152/jn.01119.2006. <http://jn.physiology.org/cgi/content/abstract/97/2/1163>

Alkondon, M., Pereira, E. F. R., Yu, P., Arruda, E. Z., Almeida, L. E. F., Guidetti, P., . . . Albuquerque, E. X. (2004). Targeted Deletion of the Kynurenine Aminotransferase II Gene Reveals a Critical Role of Endogenous Kynurenic Acid in the Regulation of Synaptic Transmission via $\alpha 7$ Nicotinic Receptors in the Hippocampus. *Journal of Neuroscience*, 24(19), 4635-4648. doi: <http://www.jneurosci.org/cgi/content/abstract/24/19/4635>

Allen, A. G., Worell, S. D., Nwazo, G. C., Madrid, R., Dampier, W., Nonnemacher, M. R., & Wigdahl, B. (2019). Abstracts of the 16th International Symposium on NeuroVirology November 12-16, 2019 Atlanta, GA, USA. *Journal of Neurovirology*. doi: 10.1007/s13365-019-00807-1. <https://doi.org/10.1007/s13365-019-00807-1>

Allen, K., Potvin, O., Dore, F. Y., & Goulet, S. (2004). Modulation of the impairment of hippocampectomized rats on the radial-arm maze cue task by visual characteristics and subicular damage. *Behavioral Neuroscience*, 118(6), 1214-1214. doi.

Allen, K., Potvin, O., Thibaudeau, G., Doré, F. Y., & Goulet, S. (2007). Processing idiothetic cues to remember visited locations: Hippocampal and vestibular contributions to radial-arm maze performance. *Hippocampus*, 17(8), 642-653. doi.

Allene, C., Picardo, M. A., Becq, H., Miyoshi, G., Fishell, G., & Cossart, R. (2012). Dynamic Changes in Interneuron Morphophysiological Properties Mark the Maturation of Hippocampal Network Activity. *Journal of Neuroscience*, 32(19), 6688-6698. doi: 10.1523/jneurosci.0081-12.2012. <http://www.jneurosci.org/content/32/19/6688.abstract>

Allman, B. L., Bittencourt-Navarrete, R. E., Keniston, L. P., Medina, A. E., Wang, M. Y., & Meredith, M. A. (2008). Do Cross-Modal Projections Always Result in Multisensory Integration? *Cerebral Cortex*, bhm230. doi: 10.1093/cercor/bhm230. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhm230v1>

Allman, B. L., Keniston, L. P., & Meredith, M. A. (2009). Adult deafness induces somatosensory conversion of ferret auditory cortex. *Proceedings of the National Academy of Sciences*, 106(14), 5925-5930. doi: 10.1073/pnas.0809483106. <http://www.pnas.org/content/106/14/5925.abstract>

Allred, R. P., Adkins, D. A. L., Woodlee, M. T., Husbands, L. C., Maldonado, M. A., Kane, J. R., . . . Jones, T. A. (2008). The vermicelli handling test: a simple quantitative measure of dexterous forepaw function in rats. *Journal of Neuroscience Methods*, 170(2), 229-244. doi.

Allred, R. P., Cappellini, C. H., & Jones, T. A. (2010). The "good" limb makes the "bad" limb worse: Experience-dependent interhemispheric disruption of functional outcome after cortical infarcts in rats. *Behavioral Neuroscience*, 124(1), 124-124. doi.

Allred, R. P., & Jones, T. A. (2004). Unilateral ischemic sensorimotor cortical damage in female rats: forelimb behavioral effects and dendritic structural plasticity in the contralateral homotopic cortex. *Experimental Neurology*, 190(2), 433-445. doi.

Allred, R. P., & Jones, T. A. (2008). Maladaptive effects of learning with the less-affected forelimb after focal cortical infarcts in rats. *Experimental Neurology*, 210(1), 172-181. doi.

Allred, R. P., Maldonado, M. A., & Jones, T. A. (2005). Training the "less-affected" forelimb after unilateral cortical infarcts interferes with functional recovery of the impaired forelimb in rats. *Restorative Neurology and Neuroscience*, 23(5), 297-302. doi.

Almog, M., & Korngreen, A. (2014). A Quantitative Description of Dendritic Conductances and Its Application to Dendritic Excitation in Layer 5 Pyramidal Neurons. *Journal of Neuroscience*, 34(1), 182-196. doi. <http://www.jneurosci.org/content/34/1/182.abstract>

Al-Mosawie, A., Wilson, J. M., & Brownstone, R. M. (2007). Heterogeneity of V2-derived interneurons in the adult mouse spinal cord. *European Journal of Neuroscience*, 26(11), 3003-3015. doi:10.1111/j.1460-9568.2007.05907.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05907.x>

Alonso, M., Medina, J. H., & Pozzo-Miller, L. (2004). ERK1/2 activation is necessary for BDNF to increase dendritic spine density in hippocampal CA1 pyramidal neurons. *Learning and Memory*, 11(2), 172-178. doi.

Alpár, A., Ueberham, U., Brückner, M. K., Seeger, G., Arendt, T., & Gärtner, U. (2006). Different dendrite and dendritic spine alterations in basal and apical arbors in mutant human amyloid precursor protein transgenic mice. *Brain Research*, 1099(1), 189-198. doi.

Alpár, A., Gärtner, U., Seeger, G., Härtig, W., Brauer, K., & Arendt, T. (2004). Constitutive expression of p21H-rasVal12 in pyramidal neurons results in reorganization of mouse neocortical afferents. *Journal of Neurobiology*, 60(3), 263-274. doi.

Alpár, A., Künzle, H., Gärtner, U., Popkova, Y., Bauer, U., Grosche, J., . . . Härtig, W. (2010). Slow age-dependent decline of doublecortin expression and BrdU labeling in the forebrain from lesser hedgehog tenrecs. *Brain Research*, 1330, 9-19. doi.

Alpár, A., Naumann, N., Arendt, T., & Gärtner, U. (2009). Constitutively enhanced p21Ras activity amplifies dendritic remodeling of hippocampal neurons during physical activity. *International Journal of Developmental Neuroscience*, 27(4), 407-411. doi.

Alpar, A., Naumann, N., Härtig, W., Arendt, T., & Gärtner, U. (2008). Enhanced Ras activity preserves dendritic size and extension as well as synaptic contacts of neurons after functional deprivation in synRas mice. *European Journal of Neuroscience*, 27(12), 3083-3094. doi.

Alpár, A., Naumann, N., Ueberham, U., Arendt, T., & Gärtner, U. (2009). Deprivation-induced dendritic shrinkage might be oppositely affected by the expression of wild-type and mutated human amyloid precursor protein. *Journal of Neuroscience Research*, 87(8), 1813-1822. doi.

Alpar, A., Palm, K., Schierwagen, A., Arendt, T., & Gärtner, U. (2003). Expression of constitutively active p21H-rasval12 in postmitotic pyramidal neurons results in increased dendritic size and complexity. *Journal of Comparative Neurology*, 467(1), 119-133. doi.

Alpár, A., Ueberham, U., Brückner, M. K., Arendt, T., & Gärtner, U. (2006). The expression of wild-type human amyloid precursor protein affects the dendritic phenotype of neocortical pyramidal neurons in transgenic mice. *International Journal of Developmental Neuroscience*, 24(2), 133-140. doi.

Alpár, A., Ueberham, U., Lendvai, D., Naumann, N., Rohn, S., Gáti, G., . . . Gartner, U. (2011). Activity-induced dendrite and dendritic spine development in human amyloid precursor protein transgenic mice. *International Journal of Developmental Neuroscience*. doi.

Alpar, A., Ueberham, U., Seeger, G., Arendt, T., & Gartner, U. (2007). Effects of wild-type and mutant human amyloid precursor protein on cortical afferent network. *NeuroReport*, 18(12), 1247-1250. doi.

Alqudah, S., Chertoff, M., Durham, D., Moskovitz, J., Staecker, H., & Peppi, M. (2018). Methionine Sulfoxide Reductase A Knockout Mice Show Progressive Hearing Loss and Sensitivity to Acoustic Trauma. *Audiology and Neurotology*, 23(1), 20-31. doi: <https://www.karger.com/DOI/10.1159/000488276>

Altemus, K. L., Lavenex, P., Ishizuka, N., & Amaral, D. G. (2005). Morphological characteristics and electrophysiological properties of CA1 pyramidal neurons in macaque monkeys. *Neuroscience*, 136(3), 741-756. doi.

Alvandi, M. S., Bourmpoula, M., Homberg, J. R., & Fathollahi, Y. (2017). Association of contextual cues with morphine reward increases neural and synaptic plasticity in the ventral hippocampus of rats. *Addiction Biology*, n/a-n/a. doi: 10.1111/adb.12547. <http://dx.doi.org/10.1111/adb.12547>

Alvarado, J. A., Dhande, O. S., Prosseda, P. P., Kowal, T. J., Ning, K., Jabbehari, S., . . . Sun, Y. (2020). Developmental Distribution of Primary Cilia in the Retinofugal Visual Pathway. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25029. <https://doi.org/10.1002/cne.25029>

Alvarado, J. C., Fuentes-Santamaria, V., Franklin, S. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2005). Unilateral cochlear ablation in adult ferrets results in upregulation in calretinin immunostaining in the central nucleus of the inferior colliculus. *Neuroscience*, 136(3), 957-969. doi.

Alvarado, J. C., Fuentes-Santamaria, V., Henkel, C. K., & Brunso-Bechtold, J. K. (2004). Alterations in calretinin immunostaining in the ferret superior olivary complex after cochlear ablation. *Journal of Comparative Neurology*, 470(1), 63-79. doi.

Alvarez, F. J., Bullinger, K. L., Titus, H. E., Nardelli, P., & Cope, T. C. (2010). Permanent reorganization of Ia afferent synapses on motoneurons after peripheral nerve injuries. *Annals of the New York Academy of Sciences*, 1198(1), 231-241. doi.

Alvarez, F. J., Titus-Mitchell, H. E., Bullinger, K. L., Kraszpulski, M., Nardelli, P., & Cope, T. C. (2011). Permanent central synaptic disconnection of proprioceptors after nerve injury and regeneration. I. Loss of VGLUT1/IA synapses on motoneurons. *Journal of Neurophysiology*, 106(5), 2450-2470. doi: 10.1152/jn.01095.2010. <http://jn.physiology.org/content/106/5/2450.abstract>

Alves, M. J., Goksel, M., Kaya, B., Mostafa, H., Gygli, P., Stephens, J., . . . Czeisler, C. M. (2018). CCNA2 Ablation in Aged Mice Results in Abnormal rRNA Granule Accumulation in Hippocampus. *The American journal of pathology*. doi: <https://doi.org/10.1016/j.ajpath.2018.10.020>. <http://www.sciencedirect.com/science/article/pii/S000294401830381X>

Amateau, S. K., & McCarthy, M. M. (2002). A Novel Mechanism of Dendritic Spine Plasticity Involving Estradiol Induction of Prostaglandin-E2. *Journal of Neuroscience*, 22, 8586-8596. doi.

Amateau, S. K., & McCarthy, M. M. (2002). Sexual Differentiation of Astrocyte Morphology in the Developing Rat Preoptic Area. *Journal of Neuroendocrinology*, 14(11), 904. doi.

- Amateau, S. K., & McCarthy, M. M. (2004). Induction of PGE₂ by estradiol mediates developmental masculinization of sex behavior. *Nature Neuroscience*, 7, 643-650. doi.
- Ambalavanar, R., Tanaka, Y., Selbie, W. S., & Ludlow, C. L. (2004). Neuronal Activation in the Medulla Oblongata During Selective Elicitation of the Laryngeal Adductor Response. *Journal of Neurophysiology*, 92(5), 2920-2932. doi: 10.1152/jn.00064.2004. <http://jn.physiology.org/cgi/content/abstract/92/5/2920>
- Ambros-Ingerson, J., & Holmes, W. R. (2005). Analysis and comparison of morphological reconstructions of hippocampal field CA1 pyramidal cells. *Hippocampus*, 15(3), 302-315. doi.
- Ambrus, A., Kraftsik, R., & Barakat-Walter, I. (1998). Ontogeny of calretinin expression in rat dorsal root ganglia. *Developmental Brain Research*, 106(1-2), 101-108. doi.
- Amegandjin, C. A., Choudhury, M., Jadhav, V., Carriço, J. N., Quintal, A., Berryer, M., . . . Di Cristo, G. (2021). Sensitive period for rescuing parvalbumin interneurons connectivity and social behavior deficits caused by TSC1 loss. *Nature Communications*, 12(1), 3653. doi: 10.1038/s41467-021-23939-7. <https://doi.org/10.1038/s41467-021-23939-7>
- Amendola, J., & Durand, J. (2008). Morphological differences between wild-type and transgenic superoxide dismutase 1 lumbar motoneurons in postnatal mice. *Journal of Comparative Neurology*, 511(3), 329-341. doi.
- Amendola, J., Gueritaud, J. P., Lamotte D'Incamps, B., Bories, C., Liabeuf, S., Allene, C., . . . Durand, J. (2007). Postnatal electrical and morphological abnormalities in lumbar motoneurons from transgenic mouse models of amyotrophic lateral sclerosis. *Archives Italiennes de Biologie*, 145(3), 311-323. doi.
- Amitai, Y., Gibson, J. R., Beierlein, M., Patrick, S. L., Ho, A. M., Connors, B. W., & Golomb, D. (2002). The Spatial Dimensions of Electrically Coupled Networks of Interneurons in the Neocortex. *Journal of Neuroscience*, 22(10), 4142-4152. doi. <http://www.jneurosci.org/cgi/content/abstract/22/10/4142>
- Ammari, R., Lopez, C., Bioulac, B., Garcia, L., & Hammond, C. (2010). Subthalamic nucleus evokes similar long lasting glutamatergic excitations in pallidal, entopeduncular and nigral neurons in the basal ganglia slice. *Neuroscience*, 166(3), 808-818. doi.
- Amran, M. Y., Fujii, J., Suzuki, S. O., Kolling, G. L., Villanueva, S. Y. A. M., Kainuma, M., . . . Yoshida, S.-i. (2013). Investigation of Encephalopathy Caused by Shiga Toxin 2c-Producing *Escherichia coli* Infection in Mice. *PLoS ONE*, 8(3), e58959. doi: 10.1371/journal.pone.0058959. <http://dx.doi.org/10.1371/journal.pone.0058959>
- An, J. J., Gharami, K., Liao, G. Y., Woo, N. H., Lau, A. G., Vanevski, F., . . . others. (2008). Distinct role of long 3' UTR BDNF mRNA in spine morphology and synaptic plasticity in hippocampal neurons. *Cell*, 134(1), 175-187. doi.
- Anastassiou, C. A., Perin, R., Buzsaki, G., Markram, H., & Koch, C. (2015). Cell-type- and activity-dependent extracellular correlates of intracellular spiking. [10.1152/jn.00628.2014]. *Journal of Neurophysiology*. doi. <http://jn.physiology.org/content/early/2015/05/14/jn.00628.2014.abstract>
- Andersen, B. (2019). Coupled Microglia Response in the Brainstem Following Lingual Nerve Transection in Sprague-Dawley Rats. doi. <https://digitalcommons.unomaha.edu/srcf/2019/Schedule/163/>

Anderson, B. (1995). Dendrites and cognition: A negative pilot study in the rat. *Intelligence*, 20(3), 291-308. doi.

Anderson, B., & Harvey, T. (1996). Alterations in cortical thickness and neuronal density in the frontal cortex of Albert Einstein. *Neuroscience Letters*, 210(3), 161-164. doi.

Anderson, B., & Rutledge, V. (1996). Age and hemisphere effects on dendritic structure. *Brain*, 119(6), 1983-1990. doi.

Anderson, J. E., Trujillo, M., McElroy, T., Groves, T., Alexander, T., Kiffer, F., & Allen, A. R. (2019). Early effects of Cyclophosphamide, Methotrexate, and 5-fluorouracil on neuronal morphology and hippocampal-dependent behavior in a murine model. *Toxicological Sciences*. doi: 10.1093/toxsci/kfz213. <https://doi.org/10.1093/toxsci/kfz213>

Anderson, K., Bones, B., Robinson, B., Hass, C., Lee, H., Ford, K., . . . Jacobs, B. (2009). The morphology of supragranular pyramidal neurons in the human insular cortex: a quantitative Golgi study. *Cerebral Cortex*, 19(9), 2131-2144. doi.

Anderson, K., Bones, B., Robinson, B., Hass, C., Lee, H., Ford, K., . . . Jacobs, B. (2009). The Morphology of Supragranular Pyramidal Neurons in the Human Insular Cortex: A Quantitative Golgi Study. *Cerebral Cortex*, bhn234. doi: 10.1093/cercor/bhn234. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn234v1>

Anderson, K., Yamamoto, E., Kaplan, J., Hannan, M., & Jacobs, B. (2010). Neurolucida Lucivid versus Neurolucida camera: A quantitative and qualitative comparison of three-dimensional neuronal reconstructions. *Journal of Neuroscience Methods*, 186(2), 209-214. doi.

Anderson, L. A., Malmierca, M. S., Wallace, M. N., & Palmer, A. R. (2006). Evidence for a direct, short latency projection from the dorsal cochlear nucleus to the auditory thalamus in the guinea pig. *European Journal of Neuroscience*, 24(2), 491-498. doi: doi:10.1111/j.1460-9568.2006.04930.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04930.x>

Anderson, L. A., Wallace, M. N., & Palmer, A. R. (2007). Identification of subdivisions in the medial geniculate body of the guinea pig. *Hearing Research*, 228(1), 156-167. doi.

Anderson, M. A., Burda, J. E., Ren, Y., Ao, Y., O'Shea, T. M., Kawaguchi, R., . . . Sofroniew, M. V. (2016). Astrocyte scar formation aids central nervous system axon regeneration. [Article]. *Nature*, advance online publication. doi: 10.1038/nature17623

<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature17623.html#.....> <http://dx.doi.org/10.1038/nature17623>

Anderson, M. A., O'Shea, T. M., Burda, J. E., Ao, Y., Barlatey, S. L., Bernstein, A. M., . . . Sofroniew, M. V. (2018). Required growth facilitators propel axon regeneration across complete spinal cord injury. *Nature*. doi: 10.1038/s41586-018-0467-6. <https://doi.org/10.1038/s41586-018-0467-6>

Anderson, R. M., Birnie, A. K., Koblesky, N. K., Romig-Martin, S. A., & Radley, J. J. (2014). Adrenocortical Status Predicts the Degree of Age-Related Deficits in Prefrontal Structural Plasticity and Working Memory. *The Journal of Neuroscience*, 34(25), 8387-8397. doi. <http://www.jneurosci.org/content/34/25/8387.short>

Anderson, R. M., Glanz, R. M., Johnson, S. B., Miller, M. M., Romig-Martin, S., & Radley, J. J. (2016). Prolonged corticosterone exposure induces dendritic spine remodeling and attrition in the rat medial prefrontal cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24019. <http://dx.doi.org/10.1002/cne.24019>

Anderson, R. M., Johnson, S. B., Lingg, R. T., Hinz, D. C., Romig-Martin, S. A., & Radley, J. J. (2019). Evidence for Similar Prefrontal Structural and Functional Alterations in Male and Female Rats Following Chronic Stress or Glucocorticoid Exposure. *Cerebral Cortex*. doi: 10.1093/cercor/bhz092. <https://doi.org/10.1093/cercor/bhz092>

Anderson, W., Newson, P., Skeri, M., Janssen, N., Milne, S., Yip, J., . . . Chahl, L. A. (2011). Effect of subchronic administration of tachykinin antagonists on response of guinea-pigs to mild and severe stress. *Regulatory Peptides*. doi.

Andersson, C., Rajala, T., & Särkkä, A. (2017). Hierarchical models for epidermal nerve fiber data. *Statistics in Medicine*, n/a-n/a. doi: 10.1002/sim.7516. <http://dx.doi.org/10.1002/sim.7516>

Andersson, E. R., Prakash, N., Cajanek, L., Minina, E., Bryja, V., Bryjova, L., . . . Arenas, E. (2008). Wnt5a regulates ventral midbrain morphogenesis and the development of Ag-A10 dopaminergic cells in vivo. *PLoS ONE*, 3(10), e3517-e3517. doi.

ANDEZ, L. Z. D. B., & EIDEN, L. (2017). SUBCORTICAL HOMEOSTATIC CIRCUITRY MODULATES BRAIN WAVES AND BEHAVIORAL ADAPTATION: RELEVANCE FOR THE EMERGING MULTIDISCIPLINE OF SOCIAL NEUROSCIENCE. *Mathematical Biology and Biological Physics*, 204. doi. https://books.google.com/books?hl=en&lr=lang_en&id=vIcvDwAAQBAJ&oi=fnd&p..

Andiman, S. E., Haynes, R. L., Trachtenberg, F. L., Billiards, S. S., Folkerth, R. D., Volpe, J. J., & Kinney, H. C. (2010). The cerebral cortex overlying periventricular leukomalacia: analysis of pyramidal neurons. *Brain Pathology*, 20(4), 803-814. doi.

Andjelic, S., Gallopin, T., Cauli, B., Hill, E. L., Roux, L., Badr, S., . . . Lambolez, B. (2008). Glutamatergic non-pyramidal neurons from neocortical layer VI and their comparison with pyramidal and spiny stellate neurons. *Journal of Neurophysiology*, 91094.92008. doi: 10.1152/jn.91094.2008. <http://jn.physiology.org/cgi/content/abstract/91094.2008v1>

Andjelkovic, A., Nikolic, B., Pachter, J., & Zecevic, N. (1998). Macrophages/microglial cells in human central nervous system during development: an immunohistochemical study. *Brain Research*, 814, 13 - 25. doi.

Andjus, P. R., Zhu, L., Cesa, R., Carulli, D., & Strata, P. (2003). A change in the pattern of activity affects the developmental regression of the Purkinje cell polyinnervation by climbing fibers in the rat cerebellum. *Neuroscience*, 121(3), 563-572. doi.

Ando, K., Laborde, Q., Brion, J.-P., & Duyckaerts, C. (2018). Chapter 21 - 3D imaging in the postmortem human brain with CLARITY and CUBIC. In I. Huitinga & M. J. Webster (Eds.), *Handbook of Clinical Neurology* (Vol. 150, pp. 303-317): Elsevier.

Andolina, D., Di Segni, M., Bisicchia, E., D'Alessandro, F., Cestari, V., Ventura, A., . . . Ventura, R. (2016). Effects of lack of microRNA-34 on the neural circuitry underlying the stress response and anxiety. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.03.044>. <http://www.sciencedirect.com/science/article/pii/S0028390816301162>

Andorfer, C., Acker, C. M., Kress, Y., Hof, P. R., Duff, K., & Davies, P. (2005). Cell-Cycle Reentry and Cell Death in Transgenic Mice Expressing Nonmutant Human Tau Isoforms. *Journal of Neuroscience*, 25(22), 5446-5454. doi: 10.1523/jneurosci.4637-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/22/5446>

André, C., Guzman-Quevedo, O., Rey, C., Rémus-Borel, J., Clark, S., Castellanos-Jankiewicz, A., . . . Cota, D. (2016). Inhibiting Microglia Expansion Prevents Diet-induced Hypothalamic and Peripheral Inflammation. [10.2337/db16-0586]. *Diabetes*. doi: <http://diabetes.diabetesjournals.org/content/early/2016/11/30/db16-0586>....

Andreassen, O. A., Ferrante, R. J., Hughes, D. B., Klivenyi, P., Dedeoglu, A., Ona, V. O., . . . Beal, M. F. (2000). Malonate and 3-Nitropropionic Acid Neurotoxicity Are Reduced in Transgenic Mice Expressing a Caspase-1 Dominant-Negative Mutant. *Journal of Neurochemistry*, 75(2), 847-852. doi: <http://www.jneurochem.org/cgi/content/abstract/75/2/847>

Andressoo, J. O., Mitchell, J. R., de Wit, J., Hoogstraten, D., Volker, M., Toussaint, W., . . . others. (2006). An *xpd* mouse model for the combined xeroderma pigmentosum/Cockayne syndrome exhibiting both cancer predisposition and segmental progeria. *Cancer Cell*, 10(2), 121-132. doi.

Andrew, R. G., Changiz, G., & Sultan, D. (2018). The Cholinergic System in the Basal Forebrain of the Atlantic White-Sided Dolphin (*Lagenorhynchus acutus*). *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24460. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24460>

Andrey, P., & Maurin, Y. (2005). Free-D: an integrated environment for three-dimensional reconstruction from serial sections. *Journal of Neuroscience Methods*, 145(1-2), 233-244. doi.

Andrioli, A., Alonso-Nanclares, L., Arellano, J. I., & DeFelipe, J. (2007). Quantitative analysis of parvalbumin-immunoreactive cells in the human epileptic hippocampus. *Neuroscience*, 149(1), 131-143. doi.

ANGELUCCI, G. S. F. F. A. (2018). Scaling Big Data Neuroscience: From Interactive Analytics to HPC Platforms. *Big Data and HPC: Ecosystem and Convergence*, 33, 53. doi: https://books.google.com/books?hl=en&lr=lang_en&id=Y01xDwAAQBAJ&oi=fnd&p..

Angiari, C., Ferrarini, M., Taioli, F., Cavallaro, T., Fabrizi, G. M., & Rizzuto, N. (2004). Charcot-marie-tooth disease type 1: novel cases and novel mutations detected by DHPLC. *Journal of the Peripheral Nervous System*, 9(2), 122-122. doi.

Angulo, M. C., Staiger, J. F., Rossier, J., & Audinat, E. (2003). Distinct Local Circuits Between Neocortical Pyramidal Cells and Fast-Spiking Interneurons in Young Adult Rats. *Journal of Neurophysiology*, 89(2), 943-953. doi: 10.1152/jn.00750.2002. <http://jn.physiology.org/cgi/content/abstract/89/2/943>

Anilkumar, S., Patel, D., de Boer, S. F., Chattarji, S., & Buwalda, B. (2021). Decreased dendritic spine density in posterodorsal medial amygdala neurons of proactive coping rats. *Behavioural Brain Research*, 397, 112940. doi: <https://doi.org/10.1016/j.bbr.2020.112940>. <http://www.sciencedirect.com/science/article/pii/S0166432820306392>

Annamneedi, A., Caliskan, G., Müller, S., Montag, D., Budinger, E., Angenstein, F., . . . Stork, O. (2018). Ablation of the presynaptic organizer Bassoon in excitatory neurons retards dentate gyrus maturation and enhances learning performance. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1692-3. <https://doi.org/10.1007/s00429-018-1692-3>

Anselmi, L., Bove, C., Coleman, F. H., Le, K., Subramanian, M. P., Venkiteswaran, K., . . . Travagli, R. A. (2018). Ingestion of subthreshold doses of environmental toxins induces ascending Parkinsonism in the rat. *npj Parkinson's Disease*, 4(1), 30. doi: 10.1038/s41531-018-0066-0. <https://doi.org/10.1038/s41531-018-0066-0>

Anselmi, L., Toti, L., Bove, C., Hampton, J., & Travagli, R. A. (2017). A Nigro-Vagal Pathway Controls Gastric Motility and is Affected in a Rat Model of Parkinsonism. *Gastroenterology*. doi: <https://doi.org/10.1053/j.gastro.2017.08.069>. <http://www.sciencedirect.com/science/article/pii/S0016508517361383>

Anselmi, L., Toti, L., Bove, C., Hampton, J., & Travagli, R. A. (2017). A Nigro-Vagal Pathway Controls Gastric Motility and Is Affected in a Rat Model of Parkinsonism. *Gastroenterology*, 153(6), 1581-1593. doi: <https://doi.org/10.1053/j.gastro.2017.08.069>. <http://www.sciencedirect.com/science/article/pii/S0016508517361383>

Ansorge, J., Humanes-Valera, D., Pauzin, F. P., Schwarz, M. K., & Krieger, P. (2020). Cortical layer 6 control of sensory responses in higher-order thalamus. *The Journal of Physiology*, n/a(n/a). doi: 10.1113/jp279915. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP279915>

Anstötz, M., Cosgrove, K., Hack, I., Mugnaini, E., Maccaferri, G., & Lübke, J. R. (2013). Morphology, input-output relations and synaptic connectivity of Cajal-Retzius cells in layer 1 of the developing neocortex of CXCR4-EGFP mice. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-013-0627-2. <http://dx.doi.org/10.1007/s00429-013-0627-2>

Anstötz, M., Fiske, M. P., & Maccaferri, G. (2021). Impaired KCC2 Function Triggers Interictal-Like Activity Driven by Parvalbumin-Expressing Interneurons in the Isolated Subiculum In Vitro. *Cerebral Cortex*, (bhab115). doi: 10.1093/cercor/bhab115. <https://doi.org/10.1093/cercor/bhab115>

Anstötz, M., Huang, H., Marchionni, I., Haumann, I., Maccaferri, G., & Lübke, J. H. R. (2015). Developmental Profile, Morphology, and Synaptic Connectivity of Cajal-Retzius Cells in the Postnatal Mouse Hippocampus. *Cerebral Cortex*. doi: 10.1093/cercor/bhv271. <http://cercor.oxfordjournals.org/content/early/2015/11/18/cercor.bhv271...>

Anstötz, M., Karsak, M., & Rune, G. M. (2018). Integrity of Cajal-Retzius cells in the reeler-mouse hippocampus. *Hippocampus*, o(ja). doi: 10.1002/hipo.23049. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23049>

Anstötz, M., Lee, S. K., Neblett, T. I., Rune, G. M., & Maccaferri, G. (2017). Experience-Dependent Regulation of Cajal-Retzius Cell Networks in the Developing and Adult Mouse Hippocampus. *Cerebral Cortex*, 1-16. doi: <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1...>

Antal, M., Eyre, M., Finklea, B., & Nusser, Z. (2006). External tufted cells in the main olfactory bulb form two distinct subpopulations. *European Journal of Neuroscience*, 24(4), 1124-1136. doi: 10.1111/j.1460-9568.2006.04988.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04988.x>

Antic, S. D. (2003). Action potentials in basal and oblique dendrites of rat neocortical pyramidal neurons. *Journal of Physiology*, 550(1), 35-50. doi: 10.1113/jphysiol.2002.033746. <http://jp.physoc.org/cgi/content/abstract/550/1/35>

- Anton-Sanchez, L., Bielza, C., Larrañaga, P., & DeFelipe, J. (2016). Wiring Economy of Pyramidal Cells in the Juvenile Rat Somatosensory Cortex. *PLoS ONE*, 11(11), e0165915. doi: 10.1371/journal.pone.0165915. <http://dx.doi.org/10.1371%2Fjournal.pone.0165915>
- Antonucci, F., Cerri, C., Vetencourt, J. F., & Caleo, M. (2010). Acute neuroprotection by the synaptic blocker botulinum neurotoxin E in a rat model of focal cerebral ischaemia. *Neuroscience*, 169(1), 395-401. doi.
- Antzoulatos, E., Jakowec, M. W., Petzinger, G. M., & Wood, R. I. (2011). MPTP Neurotoxicity and Testosterone Induce Dendritic Remodeling of Striatal Medium Spiny Neurons in the C57Bl/6 Mouse. *Parkinson's Disease*, 2011. doi.
- Anwar, H., Hepburn, I., Nedelescu, H., Chen, W., & De Schutter, E. (2013). Stochastic Calcium Mechanisms Cause Dendritic Calcium Spike Variability. *Journal of Neuroscience*, 33(40), 15848-15867. doi: 10.1523/jneurosci.1722-13.2013. <http://www.jneurosci.org/content/33/40/15848.abstract>
- Aoki, C. (2016). Synaptic changes in the hippocampus of adolescent female rodents associated with resilience to anxiety and suppression of food restriction-evoked hyperactivity in an animal model for anorexia nervosa. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.01.019>. <http://www.sciencedirect.com/science/article/pii/S0006899316000329>
- Aoki, S., Coulon, P., & Ruigrok, T. J. H. (2017). Multizonal Cerebellar Influence Over Sensorimotor Areas of the Rat Cerebral Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhx343. <http://dx.doi.org/10.1093/cercor/bhx343>
- Apa, K. L. (2017). Foliate Taste Bud Volume Following Chorda Tympani Nerve Injury in Rats. doi: <http://digitalcommons.unomaha.edu/srcaf/2017/schedule/79/>
- Apicella, A. J., Wickersham, I. R., Seung, H. S., & Shepherd, G. M. G. (2012). Laminarly Orthogonal Excitation of Fast-Spiking and Low-Threshold-Spiking Interneurons in Mouse Motor Cortex. *Journal of Neuroscience*, 32(20), 7021-7033. doi: 10.1523/jneurosci.0011-12.2012. <http://www.jneurosci.org/content/32/20/7021.abstract>
- Apolloni, S., Amadio, S., Montilli, C., Volonté, C., & D'Ambrosi, N. (2013). Ablation of P2X7 receptor exacerbates gliosis and motoneuron death in the SOD1-G93A mouse model of amyotrophic lateral sclerosis. *Human Molecular Genetics*. doi: 10.1093/hmg/ddt259. <http://hmg.oxfordjournals.org/content/early/2013/06/03/hmg.ddt259.abstract>
- Apolloni, S., Fabbrizio, P., Amadio, S., & Volonté, C. (2016). Actions of the antihistaminergic clemastine on presymptomatic SOD1-G93A mice ameliorate ALS disease progression. [journal article]. *Journal of Neuroinflammation*, 13(1), 1-15. doi: 10.1186/s12974-016-0658-8. <http://dx.doi.org/10.1186/s12974-016-0658-8>
- Apolloni, S., Fabbrizio, P., Parisi, C., Amadio, S., & Volonté, C. (2014). Clemastine Confers Neuroprotection and Induces an Anti-Inflammatory Phenotype in SOD1G93A Mouse Model of Amyotrophic Lateral Sclerosis. *Molecular Neurobiology*, 1-14. doi: 10.1007/s12035-014-9019-8. <http://dx.doi.org/10.1007/s12035-014-9019-8>
- Apostolova, I., Irintchev, A., & Schachner, M. (2006). Tenascin-R Restricts Posttraumatic Remodeling of Motoneuron Innervation and Functional Recovery after Spinal Cord Injury in Adult Mice. *Journal of*

Neuroscience, 26(30), 7849-7859. doi: 10.1523/jneurosci.1526-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/30/7849>

Aprile, I., Stalberg, E., Caliandro, P., Pazzaglia, C., Tonali, P., Foschini, M., . . . Padua, L. (2004). New neurophysiological findings on skin receptors or intradermal nerve endings after repetitive capsaicin application. *Journal of the Peripheral Nervous System*, 9(2), 109-110. doi: doi:10.1111/j.1085-9489.2004.009209s.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Arango, V., Underwood, M. D., & Mann, J. J. (1996). Fewer pigmented locus coeruleus neurons in suicide victims: preliminary results. *Biological Psychiatry*, 39(2), 112-120. doi.

Arango, V., Underwood, M. D., Pauler, D. K., Kass, R. E., & Mann, J. J. (1996). Differential Age-Related Loss of Pigmented Locus Coeruleus Neurons in Suicides, Alcoholics, and Alcoholic Suicides. *Alcoholism: Clinical and Experimental Research*, 20(7), 1141-1148. doi.

Araya-Callís, C., Hiemke, C., Abumaria, N., & Flugge, G. (2012). Chronic psychosocial stress and citalopram modulate the expression of the glial proteins GFAP and NDRG2 in the hippocampus. *Psychopharmacology*, 1-14. doi.

Ardehshirpour, F., Hurliman, E., Wendelschafer-Crabb, G., & et al. (2017). Comparison of neurovascular characteristics of facial skin in patients after primary and revision rhytidectomies. *JAMA Facial Plastic Surgery*. doi: 10.1001/jamafacial.2017.0007. <http://dx.doi.org/10.1001/jamafacial.2017.0007>

Arellano, J. I., Benavides-Piccione, R., DeFelipe, J., & Yuste, R. (2007). Ultrastructure of dendritic spines: correlation between synaptic and spine morphologies. *Frontiers in Neuroscience*, 1(1), 131-131. doi.

Arellano, J. I., Espinosa, A., Fairén, A., Yuste, R., & DeFelipe, J. (2007). Non-synaptic dendritic spines in neocortex. *Neuroscience*, 145(2), 464-469. doi.

Arendt, T., Bender, K. J., Rangel, J., & Feldman, D. E. (2003). Development of Columnar Topography in the Excitatory Layer 4 to Layer 2/3 Projection in Rat Barrel Cortex. *Journal of Neuroscience*, 23(25), 8759-8770 * 8759. doi.

Arévalo-Serrano, J., Sanz-Anquela, J. M., & Gonzalo-Ruiz, A. (2008). Beta-amyloid peptide-induced modifications in $\alpha 7$ nicotinic acetylcholine receptor immunoreactivity in the hippocampus of the rat: Relationship with GABAergic and calcium-binding proteins perikarya. *Brain Research Bulletin*, 75(5), 533-544. doi.

Argue, K. J., VanRyzin, J. W., Falvo, D. J., Whitaker, A. R., Yu, S. J., & McCarthy, M. M. (2017). Activation of both CB1 and CB2 endocannabinoid receptors are critical for masculinization of the developing medial amygdala and juvenile social play behavior. [10.1523/ENEURO.0344-16.2017]. *eneuro*. doi. <http://eneuro.org/content/early/2017/01/16/ENEURO.0344-16.2017.abstract>

Ariatti, A., Cappelli, G., Suozzi, R., & Galassi, G. (2004). Neuromuscular complications of jejunoileal shunt for morbid obesity: case report and literature review. *Journal of the Peripheral Nervous System*, 9(2), 116-117. doi: doi:10.1111/j.1085-9489.2004.009209a.o.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Ariel, M., Ward, K. C., & Tolbert, D. L. (2009). Topography of Purkinje Cells and Other Calbindin-Immunoreactive Cells Within Adult and Hatchling Turtle Cerebellum. *The Cerebellum*. doi.

Arisi, G. M., & Garcia-Cairasco, N. (2006). Hippocampal doublecortin-positive granular neurons have abnormal dendritic morphology in the temporal lobe epilepsy pilocarpine model. *Journal of Epilepsy and Clinical Neurophysiology*, 12(3), 135-138. doi.

Arisi, G. M., & Garcia-Cairasco, N. (2006). A proliferação de neurônios granulares hipocâmpais aumenta e os dendritos dos novos neurônios são anormais no modelo experimental de ELT induzida por pilocarpina. *Journal of Epilepsy and Clinical Neurophysiology*, 12(3), 135-138. doi.

Arisi, G. M., & Garcia-Cairasco, N. (2007). Doublecortin-positive newly born granule cells of hippocampus have abnormal apical dendritic morphology in the pilocarpine model of temporal lobe epilepsy. *Brain Research*, 1165, 126-134. doi.

Arisi, G. M., Ruch, M., Foresti, M. L., Mukherjee, S., Ribak, C. E., & Shapiro, L. A. (2011). Astrocyte Alterations in the Hippocampus Following Pilocarpine-induced Seizures in Aged Rats. *Aging and Disease*, 2(4), 294-300. doi.

Ariza, J., Hurtado, J., Rogers, H., Ikeda, R., Dill, M., Steward, C., . . . Martínez-Cerdeño, V. (2017). Maternal autoimmune antibodies alter the dendritic arbor and spine numbers in the infragranular layers of the cortex. *PLoS ONE*, 12(8), e0183443. doi. <https://www.ncbi.nlm.nih.gov/pubmed/28820892>

Ariza, J., Rogers, H., Hashemi, E., Noctor, S. C., & Martínez-Cerdeño, V. (2016). The Number of Chandelier and Basket Cells Are Differentially Decreased in Prefrontal Cortex in Autism. *Cerebral Cortex*. doi: 10.1093/cercor/bhw349. <http://cercor.oxfordjournals.org/content/early/2016/11/23/cercor.bhw349...>

Armañanzas, R., & Ascoli, G. A. (2015). Towards the automatic classification of neurons. *Trends in Neurosciences*, (0). doi: <http://dx.doi.org/10.1016/j.tins.2015.02.004>. <http://www.sciencedirect.com/science/article/pii/S016622361500034X>

Armelle, R., Jeanne, L., Quentin, P., Hélène, G., Isabelle, F., Tania, V., & Jean, R. (2010). Degenerative abnormalities in transgenic neocortical neuropeptide Y interneurons expressing tau-green fluorescent protein. *Journal of Neuroscience Research*, 88(3), 487-499. doi. <http://dx.doi.org/10.1002/jnr.22234>

Arnott, R. H., Wallace, M. N., Shackleton, T. M., & Palmer, A. R. (2004). Onset neurons in the anteroventral cochlear nucleus project to the dorsal cochlear nucleus. *JARO - Journal of the Association for Research in Otolaryngology*, 5, 153-170. doi.

Aroniadou, V. A., & Keller, A. (1993). The patterns and synaptic properties of horizontal intracortical connections in the rat motor cortex. *Journal of Neurophysiology*, 70(4), 1553-1569. doi.

Aroniadou-Anderjaska, V., & Keller, A. (1996). Intrinsic inhibitory pathways in mouse barrel cortex. *NeuroReport*, 7, 2363-2368. doi.

Arrant, A. E., Filiano, A. J., Warmus, B. A., Hall, A. M., & Roberson, E. D. (2016). Progranulin haploinsufficiency causes biphasic social dominance abnormalities in the tube test. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12300. <http://dx.doi.org/10.1111/gbb.12300>

Arruda-Carvalho, M., Restivo, L., Guskjolen, A., Epp, J. R., Elgersma, Y., Josselyn, S. A., & Frankland, P. W. (2014). Conditional Deletion of α -CaMKII Impairs Integration of Adult-Generated Granule Cells into

Dentate Gyrus Circuits and Hippocampus-Dependent Learning. *The Journal of Neuroscience*, 34(36), 11919-11928. doi: <http://www.jneurosci.org/content/34/36/11919.short>

Arslan, E., Garip, I. C., Gulseren, G., Tekinay, A. B., & Guler, M. O. (2014). Bioactive Supramolecular Peptide Nanofibers for Regenerative Medicine. *Advanced Healthcare Materials*, n/a-n/a. doi: 10.1002/adhm.201300491. <http://dx.doi.org/10.1002/adhm.201300491>

Arsznov, B. M., Lundrigan, B. L., Holekamp, K. E., & Sakai, S. T. (2010). Sex and the frontal cortex: a developmental CT study in the spotted hyena. *Brain, Behavior and Evolution*, 76(3-4), 185-197. doi.

Arszovszki, A., Borhegyi, Z., & Klausberger, T. (2014). Three axonal projection routes of individual pyramidal cells in the ventral CA1 hippocampus. [Original Research]. *Frontiers in Neuroanatomy*, 8. doi: 10.3389/fnana.2014.00053. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy...>

Artinian, J., Peret, A., Mircheva, Y., Marti, G., & Crépel, V. (2015). Impaired neuronal operation through aberrant intrinsic plasticity in epilepsy. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24348. <http://dx.doi.org/10.1002/ana.24348>

Arvola, O., Kaidonis, G., Xu, L., Griffiths, B., & Stary, C. M. (2019). Hippocampal sub-regional differences in the microRNA response to forebrain ischemia. *Molecular and Cellular Neuroscience*. doi: <https://doi.org/10.1016/j.mcn.2019.05.003>, <http://www.sciencedirect.com/science/article/pii/S1044743118304032>

Arzt, M., Sakmann, B., & Meyer, H. S. (2017). Anatomical Correlates of Local, Translaminar, and Transcolumnar Inhibition by Layer 6 GABAergic Interneurons in Somatosensory Cortex. *Cerebral Cortex*, 1(12). doi: <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1...>

Asai, H., Ozaki, N., Shinoda, M., Nagamine, K., Tohnai, I., Ueda, M., & Sugiura, Y. (2005). Heat and mechanical hyperalgesia in mice model of cancer pain. *Pain*, 117(1-2), 19-29. doi.

Asante, C. O., & Martin, J. H. (2013). Differential Joint-Specific Corticospinal Tract Projections within the Cervical Enlargement. *PLoS ONE*, 8(9), e74454. doi: 10.1371/journal.pone.0074454. <http://dx.doi.org/10.1371%2Fjournal.pone.0074454>

Asboth, L., Friedli, L., Beauparlant, J., Martinez-Gonzalez, C., Anil, S., Rey, E., . . . Courtine, G. (2018). Cortico-reticulo-spinal circuit reorganization enables functional recovery after severe spinal cord contusion. *Nature Neuroscience*, 21(4), 576-588. doi: 10.1038/s41593-018-0093-5. <https://doi.org/10.1038/s41593-018-0093-5>

Aschenbeck, K. A., Hordinsky, M. K., Kennedy, W. R., Wendelschafer-Crabb, G., Ericson, M. E., Kavand, S., . . . Panoutsopoulou, I. G. (2018). Neuromodulatory treatment of recalcitrant plaque psoriasis with onabotulinumtoxinA. *Journal of the American Academy of Dermatology*, 79(6), 1156-1159. doi: 10.1016/j.jaad.2018.07.058. <https://doi.org/10.1016/j.jaad.2018.07.058>

Ascoli, G. A. (1999). Progress and perspectives in computational neuroanatomy. *The Anatomical Record*, 257(6), 195-207. doi.

Ascoli, G. A. (2002). Neuroanatomical algorithms for dendritic modelling. *Network: Computation in Neural Systems*, 13(3), 247-260. doi.

Ascoli, G. A. (2006). Mobilizing the base of neuroscience data: the case of neuronal morphologies. *Nature Reviews Neuroscience*, 7, 318-324. doi.

Ascoli, G. A. (2007). Successes and rewards in sharing digital reconstructions of neuronal morphology. *Neuroinformatics*, 5(3), 154-160. doi.

Ascoli, G. A., Brown, K. M., Calixto, E., Card, J. P., Galvan, E. J., Perez-Rosello, T., & Barrionuevo, G. (2009). Quantitative morphometry of electrophysiologically identified CA3b interneurons reveals robust local geometry and distinct cell classes. *Journal of Comparative Neurology*, 515(6), 677-695. doi.

Ascoli, G. A., Donohue, D. E., & Halavi, M. (2007). NeuroMorpho.Org: A Central Resource for Neuronal Morphologies. *Journal of Neuroscience*, 27(35), 9247-9251. doi: 10.1523/jneurosci.2055-07.2007. <http://www.jneurosci.org>

Ascoli, G. A., & Krichmar, J. L. (2000). L-Neuron: a modeling tool for the efficient generation and parsimonious description of dendritic morphology. *Neurocomputing*, 32, 1003-1011. doi.

Ascoli, G. A., Krichmar, J. L., Nasuto, S. J., & Senft, S. L. (2001). Generation, description and storage of dendritic morphology data. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 356(1412), 1131-1145. doi.

Ascoli, G. A., & Scorcioni, R. (2006). Neuron and network modeling. *Neuroanatomical Tract-Tracing* 3, 604-630. doi.

Ashaber, M., Pálfi, E., Friedman, R. M., Palmer, C., Jákl, B., Chen, L. M., . . . Négyessy, L. (2013). Connectivity of somatosensory cortical area 1 form an anatomical substrate for the emergence of multifinger receptive fields and complex feature selectivity in the squirrel monkey (*Saimiri sciureus*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23499. <http://dx.doi.org/10.1002/cne.23499>

Atherton, J. F., Wokosin, D. L., Ramanathan, S., & Bevan, M. D. (2008). Autonomous initiation and propagation of action potentials in neurons of the subthalamic nucleus. *Journal of Physiology*, jphysiol.2008.155861. doi: 10.1113/jphysiol.2008.155861. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.155861v1>

Atkins, C. M., Cepero, M. L., Kang, Y., Liebl, D. J., & Dietrich, W. D. (2012). Effects of rolipram on histopathological outcome after controlled cortical impact injury in mice. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.10.019. <http://www.sciencedirect.com/science/article/pii/S0304394012013766>

Atkins, C. M., Kang, Y., Furones, C., Truettner, J. S., Alonso, O. F., & Dietrich, W. D. (2012). Postinjury treatment with rolipram increases hemorrhage after traumatic brain injury. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23069. <http://dx.doi.org/10.1002/jnr.23069>

Atkins, C. M., Oliva, A. A., Alonso, O. F., Chen, S., Bramlett, H. M., Hu, B.-R., & Dietrich, W. D. (2007). Hypothermia treatment potentiates ERK1/2 activation after traumatic brain injury. *European Journal of Neuroscience*, 26(4), 810-819. doi: doi:10.1111/j.1460-9568.2007.05720.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05720.x>

- Atkins, C. M., Oliva Jr, A. A., Alonso, O. F., Pearse, D. D., Bramlett, H. M., & Dietrich, W. D. (2007). Modulation of the cAMP signaling pathway after traumatic brain injury. *Experimental Neurology*, 208(1), 145-158. doi.
- Atkins, C. M., Truettner, J. S., Lotocki, G., Sanchez-Molano, J., Kang, Y., Alonso, O. F., . . . Bramlett, H. M. (2010). Post-traumatic seizure susceptibility is attenuated by hypothermia therapy. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2010.07467.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07467.x>
- Atkinson, R. A. K., Fair, H. L., Wilson, R., Vickers, J. C., & King, A. E. (2021). Effects of TDP-43 overexpression on neuron proteome and morphology in vitro. *Molecular and Cellular Neuroscience*, 114, 103627. doi: <https://doi.org/10.1016/j.mcn.2021.103627>. <https://www.sciencedirect.com/science/article/pii/S1044743121000403>
- Au - Economides, G., Au - Falk, S., & Au - Mercer, A. (2018). Biocytin Recovery and 3D Reconstructions of Filled Hippocampal CA2 Interneurons. *JoVE*, (141), e58592. doi: 10.3791/58592. <https://www.jove.com/video/58592>
- Aubrecht, T. G., Weil, Z. M., & Nelson, R. J. (2014). Melatonin treatment during early life interacts with restraint to alter neuronal morphology and provoke depressive-like responses. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.01.025>. <http://www.sciencedirect.com/science/article/pii/S0166432814000394>
- Aungst, J. L., Heyward, P. M., Puche, A. C., Karnup, S. V., Hayar, A., Szabo, G., & Shipley, M. T. (2003). Centre-surround inhibition among olfactory bulb glomeruli. *Nature*, 426, 323-329. doi.
- Ausdenmoore, B. D., Markwell, Z. A., & Ladle, D. R. (2011). Localization of presynaptic inputs on dendrites of individually labeled neurons in three dimensional space using a center distance algorithm. *Journal of Neuroscience Methods*. doi.
- Austgen, J. R., Fong, A. Y., Foley, C. M., Mueller, P. J., Kline, D. D., Heesch, C. M., & Hasser, E. M. (2009). Expression of group I metabotropic glutamate receptors on phenotypically different cells within the nucleus of the solitary tract in the rat. *Neuroscience*, 159(2), 701-716. doi.
- Austin, J. E., & Buckmaster, P. S. (2004). Recurrent excitation of granule cells with basal dendrites and low interneuron density and inhibitory postsynaptic current frequency in the dentate gyrus of macaque monkeys. *Journal of Comparative Neurology*, 476(3), 205-218. doi.
- Austin, M. C., Rice, P. M., Mann, J. J., & Arango, V. (1995). Localization of corticotropin-releasing hormone in the human locus coeruleus and pedunculo-pontine tegmental nucleus: an immunocytochemical and in situ hybridization study. *Neuroscience*, 64(3), 713-727. doi.
- Avallone, J., Gashi, E., Magrys, B., & Friedman, L. K. (2006). Distinct regulation of metabotropic glutamate receptor (mGluR1 alpha) in the developing limbic system following multiple early-life seizures. *Experimental Neurology*, 202(1), 100-111. doi.
- Averaimo, S., Gritti, M., Barini, E., Gasparini, L., & Mazzanti, M. (2014). CLIC1 functional expression is required for cAMP-induced neurite elongation in postnatal mouse retinal ganglion cells. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12832. <http://dx.doi.org/10.1111/jnc.12832>

Averbeck, B. B., Lehman, J., Jacobson, M., & Haber, S. N. (2014). Estimates of Projection Overlap and Zones of Convergence within Frontal-Striatal Circuits. *The Journal of Neuroscience*, 34(29), 9497-9505. doi: <http://www.jneurosci.org/content/34/29/9497.short>

Avermann, M., Tomm, C., Mateo, C., Gerstner, W., & Petersen, C. C. H. (2012). Microcircuits of excitatory and inhibitory neurons in layer 2/3 of mouse barrel cortex. *Journal of Neurophysiology*. doi: 10.1152/jn.00917.2011. <http://jn.physiology.org/content/early/2012/03/02/jn.00917.2011.abstract>

Avior, Y., Ron, S., Kroitorou, D., Albeldas, C., Lerner, V., Corneo, B., . . . Cohen Solal, T. (2021). Depression patient-derived cortical neurons reveal potential biomarkers for antidepressant response. *Translational Psychiatry*, 11(1), 201. doi: 10.1038/s41398-021-01319-5. <https://doi.org/10.1038/s41398-021-01319-5>

Avramescu, S., Nita, D. A., & Timofeev, I. (2009). Neocortical post-traumatic epileptogenesis is associated with loss of GABAergic neurons. *Journal of Neurotrauma*, 26(5), 799-812. doi.

Awad, P. N., Amegandjin, C. A., Szczurkowska, J., Carriço, J. N., Fernandes do Nascimento, A. S., Baho, E., . . . Di Cristo, G. (2018). KCC2 Regulates Dendritic Spine Formation in a Brain-Region Specific and BDNF Dependent Manner. *Cerebral Cortex*, bhy198-bhy198. doi: 10.1093/cercor/bhy198. <http://dx.doi.org/10.1093/cercor/bhy198>

Awad, P. N., Sanon, N. T., Chattopadhyaya, B., Carriço, J. N., Ouardouz, M., Gagné, J., . . . Di Cristo, G. (2016). Reducing premature KCC2 expression rescues seizure susceptibility and spine morphology in atypical febrile seizures. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.02.014>. <http://www.sciencedirect.com/science/article/pii/S0969996116300353>

Awasaki, T., & Ito, K. (2004). Engulfing Action of Glial Cells Is Required for Programmed Axon Pruning during *Drosophila* Metamorphosis. *Current Biology*, 14(8), 668-677. doi.

Axelrod, C. J., Laberge, F., & Robinson, B. W. (2018). Intraspecific brain size variation between coexisting sunfish ecotypes. [10.1098/rspb.2018.1971]. *Proceedings of the Royal Society B: Biological Sciences*, 285(1890). doi: <http://rspb.royalsocietypublishing.org/content/285/1890/20181971.abstract>

Ayata, P., Badimon, A., Strasburger, H. J., Duff, M. K., Montgomery, S. E., Loh, Y.-H. E., . . . Schaefer, A. (2018). Epigenetic regulation of brain region-specific microglia clearance activity. *Nature Neuroscience*, 21(8), 1049-1060. doi: 10.1038/s41593-018-0192-3. <https://doi.org/10.1038/s41593-018-0192-3>

Ayoub, A. E., & Salm, A. K. (2003). Increased Morphological Diversity of Microglia in the Activated Hypothalamic Supraoptic Nucleus. *Journal of Neuroscience*, 23(21), 7759-7766. doi: <http://www.jneurosci.org/cgi/content/abstract/23/21/7759>

Aytan, N., Choi, J.-K., Carreras, I., Crabtree, L., Nguyen, B., Lehar, M., . . . Dedeoglu, A. (2018). Protective effects of 7,8-dihydroxyflavone on neuropathological and neurochemical changes in a mouse model of Alzheimer's disease. *European Journal of Pharmacology*. doi: <https://doi.org/10.1016/j.ejphar.2018.02.045>. <https://www.sciencedirect.com/science/article/pii/S0014299918301304>

Azan, G., Low, W. C., Wendelschafer-Crabb, G., Ikramuddin, S., & Kennedy, W. R. (2011). Evidence for neural progenitor cells in the human adult enteric nervous system. *Cell and Tissue Research*, 1-9. doi.

Azim, K., Fiorelli, R., Zweifel, S., Hurtado-Chong, A., Yoshikawa, K., Slomianka, L., & Raineteau, O. (2012). 3-Dimensional Examination of the Adult Mouse Subventricular Zone Reveals Lineage-Specific Microdomains. *PLoS ONE*, 7(11), e49087. doi: 10.1371/journal.pone.0049087. <http://dx.doi.org/10.1371%2Fjournal.pone.0049087>

Azim, K., Zweifel, S., Klaus, F., Yoshikawa, K., Amrein, I., & Raineteau, O. (2012). Early Decline in Progenitor Diversity in the Marmoset Lateral Ventricle. *Cerebral Cortex*. doi: 10.1093/cercor/bhs085. <http://cercor.oxfordjournals.org/content/early/2012/04/03/cercor.bhs085>
...

Ba, Q., Cui, C., Wen, L., Feng, S., Zhou, J., & Yang, K. (2015). Schisandrin B shows neuroprotective effect in 6-OHDA-induced Parkinson's disease via inhibiting the negative modulation of miR-34a on Nrf2 pathway. *Biomedicine and Pharmacotherapy*. doi: <http://dx.doi.org/10.1016/j.biopha.2015.07.034>. <http://www.sciencedirect.com/science/article/pii/S075333221500178X>

Babic, T., Bhagat, R., Wan, S., Browning, K. N., Snyder, M., Fortna, S. R., & Travagli, R. A. (2012). Role of the vagus in the reduced pancreatic exocrine function in copper-deficient rats. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 304(4), G437-G448. doi: <https://www.physiology.org/doi/full/10.1152/ajpgi.00402.2012>

Bacci, A., Rudolph, U., Huguenard, J. R., & Prince, D. A. (2003). Major Differences in Inhibitory Synaptic Transmission onto Two Neocortical Interneuron Subclasses. *Journal of Neuroscience*, 23(29), 9664-9674. doi: <http://www.jneurosci.org/cgi/content/abstract/23/29/9664>

Bachmann, C., Nguyen, H., Rosenbusch, J., Pham, L., Rabe, T., Patwa, M., . . . Tuoc, T. (2016). mSWI/SNF (BAF) Complexes Are Indispensable for the Neurogenesis and Development of Embryonic Olfactory Epithelium. *PLoS Genet*, 12(9), e1006274. doi: 10.1371/journal.pgen.1006274. <http://dx.doi.org/10.1371%2Fjournal.pgen.1006274>

Bachmann, L. C., Lindau, N. T., Felder, P., & Schwab, M. E. (2014). Sprouting of Brainstem-Spinal Tracts in Response to Unilateral Motor Cortex Stroke in Mice. *The Journal of Neuroscience*, 34(9), 3378-3389. doi: <http://www.jneurosci.org/content/34/9/3378.short>

Bacigaluppi, M., Russo, G. L., Peruzzotti-Jametti, L., Rossi, S., Sandrone, S., Butti, E., . . . Martino, G. (2016). Neural Stem Cell Transplantation Induces Stroke Recovery by Upregulating Glutamate Transporter GLT-1 in Astrocytes. [10.1523/JNEUROSCI.1643-16.2016]. *The Journal of Neuroscience*, 36(41), 10529. doi: <http://www.jneurosci.org/content/36/41/10529.abstract>

Badura, A., Schonewille, M., Voges, K., Galliano, E., Renier, N., Gao, Z., . . . De Zeeuw, Chris I. (2013). Climbing Fiber Input Shapes Reciprocity of Purkinje Cell Firing. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.03.018>. <http://www.sciencedirect.com/science/article/pii/S0896627313002651>

Bae, M. H., Bissonette, G. B., Mars, W. M., Michalopoulos, G. K., Achim, C. L., Depireux, D. A., & Powell, E. M. (2010). Hepatocyte growth factor (HGF) modulates GABAergic inhibition and seizure susceptibility. *Experimental Neurology*, 221(1), 129-135. doi:

Bagley, J., LaRocca, G., Jimenez, D., & Urban, N. (2007). Adult neurogenesis and specific replacement of interneuron subtypes in the mouse main olfactory bulb. *BMC Neuroscience*, 8(1), 92. doi: <http://www.biomedcentral.com/1471-2202/8/92>

Bagnall, M. W., Bushong, E. A., Ellisman, M. H., Scanziani, M., & others. (2011). Multiple clusters of release sites formed by individual thalamic afferents onto cortical interneurons ensure reliable transmission. *Neuron*, 71(1), 180-194. doi.

Bagnall, M. W., Zingg, B., Sakatos, A., Moghadam, S. H., Zeilhofer, H. U., & Lac, S. d. (2009). Glycinergic Projection Neurons of the Cerebellum. *Journal of Neuroscience*, 29(32), 10104-10110. doi: 10.1523/jneurosci.2087-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/32/10104>

Baharnoori, M., Brake, W. G., & Srivastava, L. K. (2009). Prenatal immune challenge induces developmental changes in the morphology of pyramidal neurons of the prefrontal cortex and hippocampus in rats. *Schizophrenia Research*, 107(1), 99-109. doi.

Bahia, C. P., Houzel, J. C., Picanço-Diniz, C. W., & Pereira Jr, A. (2008). Spatiotemporal distribution of proteoglycans in the developing rat's barrel field and the effects of early deafferentation. *Journal of Comparative Neurology*, 510(2), 145-157. doi.

Bahia, C. P., Vianna-Barbosa, R. J., Tovar-Moll, F., & Lent, R. (2018). Terminal Arbors of Callosal Axons Undergo Plastic Changes in Early-Amputated Rats. *Cerebral Cortex*. doi: 10.1093/cercor/bhy043. <http://dx.doi.org/10.1093/cercor/bhy043>

Bähner, F., Weiss, E. K., Birke, G., Maier, N., Schmitz, D., Rudolph, U., . . . Draguhn, A. (2011). Cellular correlate of assembly formation in oscillating hippocampal networks in vitro. *Proceedings of the National Academy of Sciences*, 108(35), E607–E616. doi: 10.1073/pnas.1103546108. <http://www.pnas.org/content/108/35/E607.abstract>

Bailey, C. D. C., Alves, N. C., Nashmi, R., De Biasi, M., & Lambe, E. K. (2011). Nicotinic $\alpha 5$ Subunits Drive Developmental Changes in the Activation and Morphology of Prefrontal Cortex Layer VI Neurons. *Biological Psychiatry*. doi.

Bailey, C. D. C., Tian, M. K., Kang, L., O'Reilly, R., & Lambe, E. K. (2013). Chrna5 genotype determines the long-lasting effects of developmental in vivo nicotine exposure on prefrontal attention circuitry. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.09.003>. <http://www.sciencedirect.com/science/article/pii/S0028390813004103>

Bailey, D. J., Wade, J., & Saldanha, C. J. (2009). Hippocampal lesions impair spatial memory performance, but not song—a developmental study of independent memory systems in the zebra finch. *Developmental Neurobiology*, 69(8), 491-504. doi.

Bailey, T. W., Hermes, S. M., Whittier, K. L., Aicher, S. A., & Andresen, M. C. (2007). A-type potassium channels differentially tune afferent pathways from rat solitary tract nucleus to caudal ventrolateral medulla or paraventricular hypothalamus. *Journal of Physiology*, 582(2), 613-628. doi: 10.1113/jphysiol.2007.132365. <http://jp.physoc.org/cgi/content/abstract/582/2/613>

Bajic, D. (2016). Combining Anterograde Tracing and Immunohistochemistry to Define Neuronal Synaptic Circuits. doi. http://link.springer.com/protocol/10.1007/7657_2015_81

Bajic, D., & Proudfit, H. K. (2013). Projections from the rat cuneiform nucleus to the A7, A6 (locus coeruleus), and A5 pontine noradrenergic cell groups. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.03.001>. <http://www.sciencedirect.com/science/article/pii/S0891061813000276>

Bajic, D., Van Bockstaele, E. J., & Proudfit, H. K. (2012). Ultrastructural analysis of rat ventrolateral periaqueductal gray projections to the a5 cell group. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.08.021. <http://www.sciencedirect.com/science/article/pii/S0306452212008482?v=s5>

Bajic, D., VanManh Hoang, Q., Nakajima, S., & Nakajima, Y. (2004). Dissociated histaminergic neuron cultures from the tuberomammillary nucleus of rats: culture methods and ghrelin effects. *Journal of Neuroscience Methods*, 132(2), 177-184. doi.

Bajo, V. M., Leach, N. D., Cordery, P. M., Nodal, F. R., & King, A. J. (2014). The cholinergic basal forebrain in the ferret and its inputs to the auditory cortex. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12653. <http://dx.doi.org/10.1111/ejn.12653>

Bajo, V. M., & Moore, D. R. (2005). Descending projections from the auditory cortex to the inferior colliculus in the gerbil, *Meriones unguiculatus*. *Journal of Comparative Neurology*, 486(2), 101-116. doi.

Bajo, V. M., Nodal, F. R., Bizley, J. K., & King, A. J. (2010). The non-lemniscal auditory cortex in ferrets: convergence of corticotectal inputs in the superior colliculus. *Frontal Neuroanatomy*, 21(4), 18. doi.

Bajo, V. M., Nodal, F. R., Bizley, J. K., Moore, D. R., & King, A. J. (2007). The ferret auditory cortex: descending projections to the inferior colliculus. *Cerebral Cortex*, 17(2), 475-491. doi.

Bajo, V. M., Nodal, F. R., Moore, D. R., & King, A. J. (2010). The descending corticocollicular pathway mediates learning-induced auditory plasticity. *Nature Neuroscience*, 13(2), 253-260. doi.

Baker, C. A., Bolton, M. M., & Parra, A. (2019). Regional Specialization of Pyramidal Neuron Morphology and Physiology in the Tree Shrew Neocortex. doi: 10.1093/cercor/bhy326. <https://dx.doi.org/10.1093/cercor/bhy326>

Baker, F. C., Shah, S., Stewart, D., Angara, C., Gong, H., Szymusiak, R., . . . McGinty, D. (2005). Interleukin 1 β enhances non-rapid eye movement sleep and increases c-Fos protein expression in the median preoptic nucleus of the hypothalamus. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 288(4), R998-R1005-R1998-R1005. doi.

Bakken, G. S., Colayori, S. E., & Duong, T. (2012). Analytical methods for the geometric optics of thermal vision illustrated with four species of pitvipers. *Journal of Experimental Biology*, 215(15), 2621-2629. doi: 10.1242/jeb.063495. <http://jeb.biologists.org/content/215/15/2621.abstract>

Bakken, T. E., & Stevens, C. F. (2012). Visual system scaling in teleost fish. *Journal of Comparative Neurology*, 520(1), 142-153. doi: 10.1002/cne.22704. <http://dx.doi.org/10.1002/cne.22704>

Bakker, R., & Tiesinga, P. H. E. (2016). Web-based neuron morphology viewer as an aid to develop new standards for neuron morphology file formats. [Abstract]. *Frontiers in neuroinformatics*. doi: 10.3389/conf.fninf.2016.20.00079. <http://www.frontiersin.org/Journal/FullText.aspx?s=752&name=neuroinforma..>

Baksa, B., Kovács, A., Bayasgalan, T., Szentesi, P., Kőszeghy, Á., Szűcs, P., & Pál, B. (2019). Characterization of functional subgroups among genetically identified cholinergic neurons in the pedunclopontine nucleus. [journal article]. *Cellular and Molecular Life Sciences*. doi: 10.1007/s00018-019-03025-4. <https://doi.org/10.1007/s00018-019-03025-4>

Bal, R., Green, G. G. R., Rees, A., & Sanders, D. J. (2002). Firing patterns of inferior colliculus neurons-histology and mechanism to change firing patterns in rat brain slices. *Neuroscience Letters*, 317(1), 42-46. doi.

Balakrishnan, B., Dai, H., Janisse, J., Romero, R., & Kannan, S. (2013). Maternal Endotoxin Exposure Results in Abnormal Neuronal Architecture in the Newborn Rabbit. *Developmental Neuroscience*. doi.

Balan, I. S., Fiskum, G., & Kristian, T. (2010). Visualization and quantification of NAD (H) in brain sections by a novel histo-enzymatic nitrotetrazolium blue staining technique. *Brain Research*, 1316, 112-119. doi.

Balam, P., Hackett, T. A., & Kaas, J. H. (2013). Differential expression of vesicular glutamate transporters 1 and 2 may identify distinct modes of glutamatergic transmission in the macaque visual system. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.02.007>. <http://www.sciencedirect.com/science/article/pii/S0891061813000185>

Balam, P., Isaamullah, M., Petry, H. M., Bickford, M. E., & Kaas, J. H. (2014). Distributions of vesicular glutamate transporters 1 and 2 in the visual system of tree shrews (*Tupaia belangeri*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23727. <http://dx.doi.org/10.1002/cne.23727>

Baldi, A., Calia, E., Ciampini, A., Riccio, M., Vetuschi, A., Persico, A. M., & Keller, F. (2000). Deafferentation-induced apoptosis of neurons in thalamic somatosensory nuclei of the newborn rat: critical period and rescue from cell death by peripherally applied neurotrophins. *European Journal of Neuroscience*, 12(7), 2281. doi.

Baldwin, M. K. L., Balam, P., & Kaas, J. H. (2012). Projections of the superior colliculus to the pulvinar in prosimian galagos (*Otolemur garnettii*) and VGLUT2 staining of the visual pulvinar. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23252. <http://dx.doi.org/10.1002/cne.23252>

Baldwin, M. K. L., & Kaas, J. H. (2011). Cortical projections to the superior colliculus in prosimian galagos (*Otolemur garnettii*). *Journal of Comparative Neurology*. doi.

Baldwin, M. K. L., Kaskan, P. M., Zhang, B., Chino, Y. M., & Kaas, J. H. (2012). Cortical and subcortical connections of V1 and V2 in early postnatal macaque monkeys. *Journal of Comparative Neurology*, 520(3), 544-569. doi: 10.1002/cne.22732. <http://dx.doi.org/10.1002/cne.22732>

Baldwin, M. K. L., Wong, P., Reed, J. L., & Kaas, J. H. (2011). Superior colliculus connections with visual thalamus in gray squirrels (*Sciurus carolinensis*): Evidence for four subdivisions within the pulvinar complex. *Journal of Comparative Neurology*, 519(6), 1071-1094. doi: 10.1002/cne.22552. <http://dx.doi.org/10.1002/cne.22552>

Balemans, M. C. M., Kasri, N. N., Kopanitsa, M. V., Afinowi, N. O., Ramakers, G., Peters, T. A., . . . Van der Zee, C. E. E. M. (2012). Hippocampal dysfunction in the Euchromatin histone methyltransferase 1 heterozygous knockout mouse model for Kleefstra syndrome. *Human Molecular Genetics*. doi: 10.1093/hmg/dds490. <http://hmg.oxfordjournals.org/content/early/2012/11/21/hmg.dds490.abstract>

Bálint, E., Kitka, T., Zachar, G., Ádám, Á., Hemmings, H. C., & Csillag, A. (2004). Abundance and location of DARPP-32 in striato-tegmental circuits of domestic chicks. *Journal of Chemical Neuroanatomy*, 28(1), 27-36. doi.

Balka, L., Hägerrotha, P.-Å., Åkermana, G., Hansona, M., Tjärnlunda, U., Hanssona, T., . . . Sundberga, H. (2009). Wild birds of declining European species are dying from a thiamine deficiency syndrome. *Proceedings of the National Academy of Sciences*, 106(29), 12001-12006. doi: 10.1073/pnas.0902903106. <http://www.pnas.org/content/106/29/12001.abstract>

Ball, K. T., Wellman, C. L., Fortenberry, E., & Rebec, G. V. (2009). Sensitizing regimens of (3, 4-methylenedioxy)amphetamine (ecstasy) elicit enduring and differential structural alterations in the brain motive circuit of the rat. *Neuroscience*, 160(2), 264-274. doi.

Ball, K. T., Wellman, C. L., Fortenberry, E., & Rebec, G. V. (2009). Sensitizing regimens of MDMA (ecstasy) elicit enduring and differential structural alterations in the brain motive circuit of the rat. *Neuroscience*, 160(2), 264-264. doi.

Ball, K. T., Wellman, C. L., Miller, B. R., & Rebec, G. V. (2010). Electrophysiological and structural alterations in striatum associated with behavioral sensitization to (3, 4-methylenedioxy)amphetamine (ecstasy) in rats: role of drug context. *Neuroscience*, 171(3), 794-811. doi.

Ballesteros-Yanez, I., Ambrosio, E., Benavides-Piccione, R., Perez, J., Torres, I., Miguens, M., . . . DeFelipe, J. (2007). The effects of morphine self-administration on cortical pyramidal cell structure in addiction-prone Lewis rats. *Cerebral Cortex*, 17(1), 238-249. doi.

Ballesteros-Yanez, I., Ambrosio, E., Pérez, J., Torres, I., Miguéns, M., García-Lecumberri, C., & Defelipe, J. (2008). Morphine self-administration effects on the structure of cortical pyramidal cells in addiction-resistant rats. *Brain Research*. doi.

Ballesteros-Yanez, I., Benavides-Piccione, R., Bourgeois, J.-P., Changeux, J.-P., & DeFelipe, J. (2010). Alterations of cortical pyramidal neurons in mice lacking high-affinity nicotinic receptors. *Proceedings of the National Academy of Sciences*, 107(25), 11567-11572. doi: 10.1073/pnas.1006269107. <http://www.pnas.org/content/107/25/11567.abstract>

Ballesteros-Yanez, I., Benavides-Piccione, R., Elston, G. N., Yuste, R., & DeFelipe, J. (2006). Density and morphology of dendritic spines in mouse neocortex. *Neuroscience*, 138(2), 403-409. doi.

Ballesteros-Yañez, I., Valverde, O., Ledent, C., Maldonado, R., & DeFelipe, J. (2007). Chronic cocaine treatment alters dendritic arborization in the adult motor cortex through a CB₁ cannabinoid receptor-dependent mechanism. *Neuroscience*, 146(4), 1536-1545. doi.

Ballester-Rosado, C. J., Albright, M. J., Wu, C.-S., Liao, C.-C., Zhu, J., Xu, J., . . . Lu, H.-C. (2010). mGluR5 in Cortical Excitatory Neurons Exerts Both Cell-Autonomous and -Nonautonomous Influences on Cortical Somatosensory Circuit Formation. *Journal of Neuroscience*, 30(50), 16896-16909. doi: 10.1523/jneurosci.2462-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/16896>

Ballester-Rosado, C. J., Sun, H., Huang, J.-Y., & Lu, H.-C. (2016). mGluR5 Exerts Cell-Autonomous Influences on the Functional and Anatomical Development of Layer IV Cortical Neurons in the Mouse Primary Somatosensory Cortex. *The Journal of Neuroscience*, 36(34), 8802-8814. doi. <http://www.jneurosci.org/content/36/34/8802.short>

Ballou, E. W., Smith, W. B., Anelli, R., & Heckman, C. J. (2006). Measuring dendritic distribution of membrane proteins. *Journal of Neuroscience Methods*, 156(1-2), 257-266. doi.

Balsara, R. D., Ferreira, A. N., Donahue, D. L., Castellino, F. J., & Sheets, P. L. (2014). Probing NMDA receptor GluN2A and GluN2B subunit expression and distribution in cortical neurons. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.01.005>. <http://www.sciencedirect.com/science/article/pii/S0028390814000124>

Baltussen, L. L., Negraes, P. D., Silvestre, M., Claxton, S., Moeskops, M., Christodoulou, E., . . . Ultanir, S. K. (2018). Chemical genetic identification of CDKL5 substrates reveals its role in neuronal microtubule dynamics. [10.15252/embj.201899763]. *The EMBO journal*. doi: <http://emboj.embopress.org/content/early/2018/09/28/embj.201899763.abstract>

Balu, D. T., Basu, A. C., Corradi, J. P., Cacace, A. M., & Coyle, J. T. (2011). The NMDA receptor co-agonists, d-serine and glycine, regulate neuronal dendritic architecture in the somatosensory cortex. *Neurobiology of Disease*. doi.

Balu, D. T., & Coyle, J. T. (2012). Neuronal d-serine regulates dendritic architecture in the somatosensory cortex. *Neuroscience Letters*, 517(2), 77-81. doi: 10.1016/j.neulet.2012.04.020. <http://www.sciencedirect.com/science/article/pii/S0304394012005289>

Balu, D. T., & Coyle, J. T. (2014). Chronic D-serine reverses arc expression and partially rescues dendritic abnormalities in a mouse model of NMDA receptor hypofunction. *Neurochemistry International*, (0). doi: <http://dx.doi.org/10.1016/j.neuint.2014.05.015>. <http://www.sciencedirect.com/science/article/pii/S0197018614001375>

Balu, D. T., Li, Y., Puhl, M. D., Benneyworth, M. A., Basu, A. C., Takagi, S., . . . Coyle, J. T. (2013). Multiple risk pathways for schizophrenia converge in serine racemase knockout mice, a mouse model of NMDA receptor hypofunction. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1304308110. <http://www.pnas.org/content/early/2013/05/30/1304308110.abstract>

Bamber, N. I., Li, H., Lu, X., Oudega, M., Aebischer, P., & Xu, X. M. (2001). Neurotrophins BDNF and NT-3 promote axonal re-entry into the distal host spinal cord through Schwann cell-seeded mini-channels. *European Journal of Neuroscience*, 13(2), 257. doi.

Bamberl, N. I., Li, H., & Xu, M. (1999). into Hemisected Adult Rat Spinal Cords. *Neural Plasticity*, 6(4). doi.

Bang, P. I., Sewell, W. F., & Malicki, J. J. (2001). Morphology and cell type heterogeneities of the inner ear epithelia in adult and juvenile zebrafish (*Danio rerio*). *Journal of Comparative Neurology*, 438(2), 173-190. doi.

Bang, S. J., & Brown, T. H. (2009). Perirhinal cortex supports acquired fear of auditory objects. *Neurobiology of Learning and Memory*, 92(1), 53-62. doi.

Bangasser, D., Zhang, X., Garachh, V., Hanhauser, E., & Valentino, R. (2011). Sexual dimorphism in locus coeruleus dendritic morphology: a structural basis for sex differences in emotional arousal. *Physiology and Behavior*. doi.

Bangasser, D. A., Reyes, B. A. S., Piel, D., Garachh, V., Zhang, X. Y., Plona, Z. M., . . . Valentino, R. J. (2012). Increased vulnerability of the brain norepinephrine system of females to corticotropin-releasing factor overexpression. *Molecular Psychiatry*. doi.

Banke, T. G., & McBain, C. J. (2006). GABAergic Input onto CA3 Hippocampal Interneurons Remains Shunting throughout Development. *Journal of Neuroscience*, 26(45), 11720-11725. doi: 10.1523/jneurosci.2887-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11720>

Banks, G. T., Haas, M. A., Line, S., Shepherd, H. L., AlQatari, M., Stewart, S., . . . Fisher, E. M. C. (2011). Behavioral and Other Phenotypes in a Cytoplasmic Dynein Light Intermediate Chain 1 Mutant Mouse. *Journal of Neuroscience*, 31(14), 5483-5494. doi: 10.1523/jneurosci.5244-10.2011. <http://www.jneurosci.org/content/31/14/5483.abstract>

Bannatyne, B. A., Liu, T. T., Hammar, I., Stecina, K., Jankowska, E., & Maxwell, D. J. (2009). Excitatory and inhibitory intermediate zone interneurons in pathways from feline group I and II afferents: differences in axonal projections and input. *Journal of Physiology*, 587(2), 379-399. doi: 10.1113/jphysiol.2008.159129. <http://jp.physoc.org/cgi/content/abstract/587/2/379>

Banno, R., Arima, H., Hayashi, M., Goto, M., Watanabe, M., Sato, I., . . . Oiso, Y. (2007). Central administration of melanocortin agonist increased insulin sensitivity in diet-induced obese rats. *FEBS Letters*, 581(6), 1131-1136. doi.

Banno, T., Ichinohe, N., Rockland, K. S., & Komatsu, H. (2011). Reciprocal Connectivity of Identified Color-Processing Modules in the Monkey Inferior Temporal Cortex. *Cerebral Cortex*, 21(6), 1295-1310. doi.

Banovac, I., Sedmak, D., Džaja, D., Jalšovec, D., Jovanov Milošević, N., Rašin, M. R., & Petanjek, Z. (2019). Somato-dendritic morphology and axon origin site specify von Economo neurons as a subclass of modified pyramidal neurons in the human anterior cingulate cortex. *Journal of Anatomy*, 235(3), 651-669. doi: 10.1111/joa.13068. <https://onlinelibrary.wiley.com/doi/abs/10.1111/joa.13068>

Bantle, C. M., Phillips, A. T., Smeyne, R. J., Rocha, S. M., Olson, K. E., & Tjalkens, R. B. (2019). Infection with mosquito-borne alphavirus induces selective loss of dopaminergic neurons, neuroinflammation and widespread protein aggregation. *npj Parkinson's Disease*, 5(1), 20. doi: 10.1038/s41531-019-0090-8. <https://doi.org/10.1038/s41531-019-0090-8>

Bao, Y., Bramlett, H. M., Atkins, C. M., Truettner, J. S., Lotocki, G., Alonso, O. F., & Dietrich, W. D. (2011). Post-traumatic seizures exacerbate histopathological damage after fluid-percussion brain injury. *Journal of Neurotrauma*, 28(1), 35-42. doi.

Bao, Y., Hua, B., Hou, W., Shi, Z., Li, W., Li, C., . . . Qin, Y. (2013). Involvement of Protease-Activated Receptor 2 in Nociceptive Behavior in a Rat Model of Bone Cancer. *Journal of Molecular Neuroscience*, 1-11. doi: 10.1007/s12031-013-0112-7. <http://dx.doi.org/10.1007/s12031-013-0112-7>

Baptista, S., Lourenço, J., Milhazes, N., Borges, F., Paula Silva, A., & Bacci, A. (2016). Chronic treatment with low doses of methamphetamine promotes neuronal differentiation and strengthens long-term potentiation of glutamatergic synapses onto dentate granule neurons. [10.1523/ENEURO.0141-16.2016]. *eneuro*. doi: <http://eneuro.org/content/early/2016/06/22/ENEURO.0141-16.2016.abstract>

Baptista, V., Zheng, Z. L., Coleman, F. H., Rogers, R. C., & Travagli, R. A. (2005). Characterization of neurons of the nucleus tractus solitarius pars centralis. *Brain Research*, 1052(2), 139-146. doi.

Baptista, V., Zheng, Z. L., Coleman, F. H., Rogers, R. C., & Travagli, R. A. (2005). Cholecystokinin Octapeptide Increases Spontaneous Glutamatergic Synaptic Transmission to Neurons of the Nucleus Tractus Solitarius Centralis. *Journal of Neurophysiology*, 94(4), 2763-2771. doi: 10.1152/jn.00351.2005. <http://jn.physiology.org/cgi/content/abstract/94/4/2763>

- Baquet, Z. C., Bickford, P. C., & Jones, K. R. (2005). Brain-Derived Neurotrophic Factor Is Required for the Establishment of the Proper Number of Dopaminergic Neurons in the Substantia Nigra Pars Compacta. *Journal of Neuroscience*, 25(26), 6251-6259. doi: 10.1523/jneurosci.4601-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/26/6251>
- Baquet, Z. C., Gorski, J. A., & Jones, K. R. (2004). Early Striatal Dendrite Deficits followed by Neuron Loss with Advanced Age in the Absence of Anterograde Cortical Brain-Derived Neurotrophic Factor. *Journal of Neuroscience*, 24(17), 4250-4258. doi: 10.1523/jneurosci.3920-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/17/4250>
- Baraban, S. C., Stornetta, R. L., & Guyenet, P. G. (1995). Effects of morphine and morphine withdrawal on adrenergic neurons of the rat rostral ventrolateral medulla. *Brain Research*, 676(2), 245-257. doi:
- Barakat-Walter, I., Kraftsik, R., Kuntzer, T., Bogousslavsky, J., & Magistretti, P. (2000). Differential effect of thyroid hormone deficiency on the growth of calretinin-expressing neurons in rat spinal cord and dorsal root ganglia. *Journal of Comparative Neurology*, 426(4), 519-533. doi:
- Barakat-Walter, I., Kraftsik, R., Schenker, M., & Kuntzer, T. (2007). Thyroid hormone in biodegradable nerve guides stimulates sciatic nerve regeneration: a potential therapeutic approach for human peripheral nerve injuries. *Journal of Neurotrauma*, 24(3), 567-577. doi:
- Baranova, O., Miranda, L. F., Pichiule, P., Dragatsis, I., Johnson, R. S., & Chavez, J. C. (2007). Neuron-Specific Inactivation of the Hypoxia Inducible Factor 1 α Increases Brain Injury in a Mouse Model of Transient Focal Cerebral Ischemia. *Journal of Neuroscience*, 27(23), 6320-6332. doi: 10.1523/jneurosci.0449-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/23/6320>
- Barapatre, N., Haeussner, E., Grynspan, D., Schmitz, C., Edler von Koch, F., & Frank, H.-G. (2019). The Density of Cell Nuclei at the Materno-Fetal Exchange Barrier is Sexually Dimorphic in Normal Placentas, but not in IUGR. *Scientific Reports*, 9(1), 2359. doi: 10.1038/s41598-019-38739-9. <https://doi.org/10.1038/s41598-019-38739-9>
- Barapatre, N., Kampfer, C., Henschen, S., Schmitz, C., Edler von Koch, F., & Frank, H.-G. (2021). Growth restricted placentas show severely reduced volume of villous components with perivascular myofibroblasts. *Placenta*, 109, 19-27. doi: <https://doi.org/10.1016/j.placenta.2021.04.006>. <https://www.sciencedirect.com/science/article/pii/S0143400421001211>
- Barbas, H., Medalla, M., Alade, O., Suski, J., Zikopoulos, B., & Lera, P. (2005). Relationship of prefrontal connections to inhibitory systems in superior temporal areas in the rhesus monkey. *Cerebral Cortex*, 15(9), 1356-1356. doi:
- Barbas, H., Saha, S., Rempel-Clower, N., & Ghashghaei, T. (2003). Serial pathways from primate prefrontal cortex to autonomic areas may influence emotional expression. *BMC Neuroscience*, 4(1), 25. doi: <http://www.biomedcentral.com/1471-2202/4/25>
- Barbour, D. L., & Callaway, E. M. (2008). Excitatory Local Connections of Superficial Neurons in Rat Auditory Cortex. *Journal of Neuroscience*, 28(44), 11174-11185. doi: 10.1523/jneurosci.2093-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/44/11174>
- Bardi, M., True, M., Franssen, C. L., Kaufman, C., Rzucidlo, A., & Lambert, K. G. (2012). Effort-Based Reward (EBR) training enhances neurobiological efficiency in a problem-solving task: Insights for depression therapies. *Brain Research*, (0). doi:

10.1016/j.brainres.2012.10.027. <http://www.sciencedirect.com/science/article/pii/S0006899312016733>

Bardy, C., van den Hurk, M., Kakaradov, B., Erwin, J. A., Jaeger, B. N., Hernandez, R. V., . . . Gage, F. H. (2016). Predicting the functional states of human iPSC-derived neurons with single-cell RNA-seq and electrophysiology. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.158. <http://dx.doi.org/10.1038/mp.2016.158>

Barhwal, K., Das, S. K., Kumar, A., Hota, S. K., Srivastava, R. B., & Kumar, B. (2015). Insulin Receptor A and Sirtuin 1 synergistically improve learning and spatial memory following chronic salidroside treatment during hypoxia. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13225. <http://dx.doi.org/10.1111/jnc.13225>

Bari, B. A., Ollerenshaw, D. R., Millard, D. C., Wang, Q., & Stanley, G. B. (2013). Behavioral and Electrophysiological Effects of Cortical Microstimulation Parameters. *PLoS ONE*, 8(12), e82170. doi: 10.1371/journal.pone.0082170. <http://dx.doi.org/10.1371%2Fjournal.pone.0082170>

Barini, E., Antico, O., Zhao, Y., Asta, F., Tucci, V., Catelani, T., . . . Gasparini, L. (2016). Metformin promotes tau aggregation and exacerbates abnormal behavior in a mouse model of tauopathy. [journal article]. *Molecular Neurodegeneration*, 11(1), 1-20. doi: 10.1186/s13024-016-0082-7. <http://dx.doi.org/10.1186/s13024-016-0082-7>

Barkan, S., Ayali, A., Nottebohm, F., & Barnea, A. (2007). Neuronal recruitment in adult zebra finch brain during a reproductive cycle. *Developmental Neurobiology*, 67(6), 687-701. doi.

Barkat, T. R., Polley, D. B., & Hensch, T. K. (2011). A critical period for auditory thalamocortical connectivity. *Nature Neuroscience*, 14(9), 1189-1194. doi.

Barna, B. F., Takakura, A. C., & Moreira, T. S. (2012). Pontomedullary and hypothalamic distribution of Fos-like immunoreactive neurons after acute exercise in rats. *Neuroscience*, 212(0), 120-130. doi: 10.1016/j.neuroscience.2012.03.039. <http://www.sciencedirect.com/science/article/pii/S03064521200303X>

Barnea, A., Mishal, A., & Nottebohm, F. (2006). Social and spatial changes induce multiple survival regimes for new neurons in two regions of the adult brain: An anatomical representation of time? *Behavioural Brain Research*, 167(1), 63-74. doi.

Baron, J., Blex, C., Rohrbeck, A., Rachakonda, S. K., Birnbaumer, L., Ahnert-Hilger, G., & Brunk, I. (2012). The α -subunit of the trimeric GTPase Go2 regulates axonal growth. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12123. <http://dx.doi.org/10.1111/jnc.12123>

Baron, M. S., Noonan, J. B., & Mewes, K. (2006). Restricted ablative lesions in motor portions of GPI in primates produce extensive loss of motor-related neurons and degeneration of the lenticular fasciculus. *Experimental Neurology*, 202(1), 67-75. doi.

Baroody, F. M., Cheng, C. C., Moylan, B., deTineo, M., Haney, L., Reed, K. D., . . . others. (2001). Absence of nasal mucosal atrophy with fluticasone aqueous nasal spray. *Archives of Otolaryngology- Head and Neck Surgery*, 127(2), 193-193. doi.

Barr, T. P., Albrecht, P. J., Hou, Q., Mongin, A. A., Strichartz, G. R., & Rice, F. L. (2013). Air-Stimulated ATP Release from Keratinocytes Occurs through Connexin Hemichannels. *PLoS ONE*, 8(2), e56744. doi: 10.1371/journal.pone.0056744. <http://dx.doi.org/10.1371%2Fjournal.pone.0056744>

- Barrera, K., Chu, P., Abramowitz, J., Steger, R., Ramos, R. L., & Brumberg, J. C. (2012). Organization of myelin in the mouse somatosensory barrel cortex and the effects of sensory deprivation. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22060. <http://dx.doi.org/10.1002/dneu.22060>
- Barthas, F., Sellmeijer, J., Hugel, S., Waltisperger, E., Barrot, M., & Yalcin, I. (2014). The Anterior Cingulate Cortex is a Critical Hub for Pain-Induced Depression. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2014.08.004. [http://www.biologicalpsychiatryjournal.com/article/S0006-3223\(14\)00597-6/abstract](http://www.biologicalpsychiatryjournal.com/article/S0006-3223(14)00597-6/abstract)
- Bartho, P., Slezia, A., Varga, V., Bokor, H., Pinault, D., Buzsaki, G., & Acsady, L. (2007). Cortical Control of Zona Incerta. *Journal of Neuroscience*, 27(7), 1670-1681. doi: 10.1523/jneurosci.3768-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/7/1670>
- Bartkowska, K., Aniszewska, A., Turlejski, K., & Djavadian, R. L. (2014). Distribution and function of TrkB receptors in the developing brain of the opossum *Monodelphis domestica*. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22165. <http://dx.doi.org/10.1002/dneu.22165>
- Bartkowska, K., Gajerska, M., Turlejski, K., & Djavadian, R. L. (2013). Expression of TrkC Receptors in the Developing Brain of the *Monodelphis domestica* opossum and Its Effect on the Development of Cortical Cells. *Plos one*, 8(9), e74346. doi: 10.1371/journal.pone.0074346. <http://dx.doi.org/10.1371/journal.pone.0074346>
- Bartkowska, K., Swiatek, I., Aniszewska, A., Jurewicz, E., Turlejski, K., Filipek, A., & Djavadian, R. L. (2017). Stress-Dependent Changes in the CacyBP/SIP Interacting Protein S100A6 in the Mouse Brain. *PLoS ONE*, 12(1), e0169760. doi: 10.1371/journal.pone.0169760. <http://dx.doi.org/10.1371/journal.pone.0169760>
- Bartkowska, K., Turlejski, K., Grabiec, M., Ghazaryan, A., Yavruoyan, E., & Djavadian, R. L. (2010). Adult neurogenesis in the hedgehog (*Erinaceus concolor*) and mole (*Talpa europaea*). *Brain, Behavior and Evolution*, 76(2), 128-143. doi.
- Bartlett, E. L., & Smith, P. H. (1999). Anatomic, Intrinsic, and Synaptic Properties of Dorsal and Ventral Division Neurons in Rat Medial Geniculate Body. *Journal of Neurophysiology*, 81(5), 1999-2016. doi. <http://jn.physiology.org/cgi/content/abstract/81/5/1999>
- Bartolini, A., Vigliani, M. C., Magrassi, L., Vercelli, A., & Rossi, F. (2011). G-CSF administration to adult mice stimulates the proliferation of microglia but does not modify the outcome of ischemic injury. *Neurobiology of Disease*, 41(3), 640-649. doi.
- Bartos, M., Vida, I., Frotscher, M., Geiger, J. R. P., & Jonas, P. (2001). Rapid Signaling at Inhibitory Synapses in a Dentate Gyrus Interneuron Network. *Journal of Neuroscience*, 21(8), 2687-2698. doi. <http://www.jneurosci.org/cgi/content/abstract/21/8/2687>
- Bartus, R. T., Baumann, T. L., Brown, L., Kruegel, B. R., Ostrove, J. M., & Herzog, C. D. (2012). Advancing neurotrophic factors as treatments for age-related neurodegenerative diseases: developing and demonstrating "clinical proof-of-concept" for AAV-neurturin (CERE-120) in Parkinson's disease. *Neurobiology of Aging*, (0). doi: 10.1016/j.neurobiolaging.2012.07.018. <http://www.sciencedirect.com/science/article/pii/S0197458012004216>

Bar-Yehuda, D., & Korngreen, A. (2008). Space-Clamp Problems When Voltage Clamping Neurons Expressing Voltage-Gated Conductances. *Journal of Neurophysiology*, 99(3), 1127-1136. doi: 10.1152/jn.01232.2007. <http://jn.physiology.org/cgi/content/abstract/99/3/1127>

Basaldella, E., Takeoka, A., Sigrist, M., & Arber, S. (2015). Multisensory Signaling Shapes Vestibulo-Motor Circuit Specificity. *Cell*, 163(2), 301-312. doi: <http://dx.doi.org/10.1016/j.cell.2015.09.023>. <http://www.sciencedirect.com/science/article/pii/S0092867415011848>

Baseer, N., Polgár, E., Watanabe, M., Furuta, T., Kaneko, T., & Todd, A. J. (2012). Projection Neurons in Lamina III of the Rat Spinal Cord Are Selectively Innervated by Local Dynorphin-Containing Excitatory Neurons. *Journal of Neuroscience*, 32(34), 11854-11863. doi: 10.1523/jneurosci.2707-12.2012. <http://www.jneurosci.org/content/32/34/11854.abstract>

Bashir, K., Elble, R. J., Ghobrial, M., & Struble, R. G. (1998). Hemianopsia in Dementia With Lewy Bodies. *Archives of Neurology*, 55(8), 1132-1135. doi: 10.1001/archneur.55.8.1132. <http://archneur.ama-assn.org/cgi/content/abstract/55/8/1132>

Bashir, S., Kaeser, M., Wyss, A., Hamadjida, A., Liu, Y., Bloch, J., . . . Rouiller, E. M. (2012). Short-term effects of unilateral lesion of the primary motor cortex (M1) on ipsilesional hand dexterity in adult macaque monkeys. *Brain Structure and Function*, 1-17. doi.

Bast, T., Wilson, I. A., Witter, M. P., & Morris, R. G. M. (2009). From rapid place learning to behavioral performance: a key role for the intermediate hippocampus. *PLoS Biology*, 7(4), e1000089-e1000089. doi.

Bast, T., Zhang, W. N., & Feldon, J. (2003). Dorsal hippocampus and classical fear conditioning to tone and context in rats: Effects of local NMDA-receptor blockade and stimulation. *Hippocampus*, 13(6), 657-675. doi.

Bastidas, J., Athauda, G., De La Cruz, G., Chan, W.-M., Golshani, R., Berrocal, Y., . . . Pearse, D. D. (2017). Human schwann cells exhibit long-term cell survival, are not tumorigenic and promote repair when transplanted into the contused spinal cord. *Glia*, n/a-n/a. doi: 10.1002/glia.23161. <http://dx.doi.org/10.1002/glia.23161>

bastien Jouhanneau, J.-S., Kremkow, J., Dorn, A. L., & Poulet, J. F. (2015). In Vivo Monosynaptic Excitatory Transmission between Layer 2 Cortical Pyramidal Neurons. doi. [http://www.cell.com/cell-reports/pdf/S2211-1247\(15\)01311-X.pdf](http://www.cell.com/cell-reports/pdf/S2211-1247(15)01311-X.pdf)

Basting, T. M., Abe, C., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2016). Is plasticity within the retrotrapezoid nucleus responsible for the recovery of the PCO₂ set-point after carotid body denervation in rats? *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp272046. <http://dx.doi.org/10.1113/JP272046>

Basting, T. M., Burke, P. G., Kanbar, R., Viar, K. E., Stornetta, D. S., Stornetta, R. L., & Guyenet, P. G. (2015). Hypoxia Silences Retrotrapezoid Nucleus Respiratory Chemoreceptors via Alkalosis. *The Journal of Neuroscience*, 35(2), 527-543. doi. <http://www.jneurosci.org/content/35/2/527.short>

Basu, J., Srinivas, Kalyan V., Cheung, Stephanie K., Taniguchi, H., Huang, Z. J., & Siegelbaum, Steven A. (2013). A Cortico-Hippocampal Learning Rule Shapes Inhibitory Microcircuit Activity to Enhance Hippocampal Information Flow. *Neuron*, 79(6), 1208-1221. doi: <http://dx.doi.org/10.1016/j.neuron.2013.07.001>. <http://www.sciencedirect.com/science/article/pii/S0896627313005667>

- Basu, J., Zaremba, J. D., Cheung, S. K., Hitti, F. L., Zemelman, B. V., Losonczy, A., & Siegelbaum, S. A. (2016). Gating of hippocampal activity, plasticity, and memory by entorhinal cortex long-range inhibition. [10.1126/science.aaa5694]. *Science*, 351(6269). doi: <http://science.sciencemag.org/content/351/6269/aaa5694.abstract>
- Batalha, V. L., Pego, J. M., Fontinha, B. M., Costenla, A. R., Valadas, J. S., Baqi, Y., . . . Lopes, L. V. (2012). Adenosine A2A receptor blockade reverts hippocampal stress-induced deficits and restores corticosterone circadian oscillation. *Molecular Psychiatry*. doi:
- Bathellier, B., Margrie, T. W., & Larkum, M. E. (2009). Properties of Piriform Cortex Pyramidal Cell Dendrites: Implications for Olfactory Circuit Design. *Journal of Neuroscience*, 29(40), 12641-12652. doi: 10.1523/jneurosci.1124-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/40/12641>
- Batista-Brito, R., Rossignol, E., Hjerling-Leffler, J., Denaxa, M., Wegner, M., Lefebvre, V., . . . Fishell, G. (2009). The Cell-Intrinsic Requirement of *Sox6* for Cortical Interneuron Development. *Neuron*, 63(4), 466-481. doi:
- Batra, R., & Fitzpatrick, D. C. (1997). Neurons Sensitive to Interaural Temporal Disparities in the Medial Part of the Ventral Nucleus of the Lateral Lemniscus. *Journal of Neurophysiology*, 78(1), 511-515. doi: <http://jn.physiology.org/cgi/content/abstract/78/1/511>
- Batra, R., & Fitzpatrick, D. C. (1999). Discharge Patterns of Neurons in the Ventral Nucleus of the Lateral Lemniscus of the Unanesthetized Rabbit. *Journal of Neurophysiology*, 82(3), 1097-1113. doi: <http://jn.physiology.org/cgi/content/abstract/82/3/1097>
- Baufreton, J., Kirkham, E., Atherton, J. F., Menard, A., Magill, P. J., Bolam, J. P., & Bevan, M. D. (2009). Sparse but selective and potent synaptic transmission from the globus pallidus to the subthalamic nucleus. *Journal of Neurophysiology*, 00305.02009. doi: 10.1152/jn.00305.2009. <http://jn.physiology.org/cgi/content/abstract/00305.2009v1>
- Baulch, J. E., Acharya, M. M., Allen, B. D., Ru, N., Chmielewski, N. N., Martirosian, V., . . . Limoli, C. L. (2016). Cranial grafting of stem cell-derived microvesicles improves cognition and reduces neuropathology in the irradiated brain. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1521668113. <http://www.pnas.org/content/early/2016/03/30/1521668113.abstract>
- Baum, P., Vogt, M. A., Gass, P., Unsicker, K., & von Bohlen und Halbach, O. (2016). FGF-2 deficiency causes dysregulation of *Arhgef6* and downstream targets in the cerebral cortex accompanied by altered neurite outgrowth and dendritic spine morphology. *International Journal of Developmental Neuroscience*. doi: <http://dx.doi.org/10.1016/j.ijdevneu.2016.03.002>. <http://www.sciencedirect.com/science/article/pii/S0736574816300259>
- Bäurle, J., Frischmuth, S., & Kranda, K. (2004). TRAIL-related death receptors in normal, *Lurcher* and *weaver* mutant mouse brain. *Neuroscience Letters*, 372(1), 46-51. doi:
- Bausch, S. B., He, S., Petrova, Y., Wang, X.-M., & McNamara, J. O. (2006). Plasticity of Both Excitatory and Inhibitory Synapses Is Associated With Seizures Induced by Removal of Chronic Blockade of Activity in Cultured Hippocampus. *Journal of Neurophysiology*, 96(4), 2151-2167. doi: 10.1152/jn.00355.2006. <http://jn.physiology.org/cgi/content/abstract/96/4/2151>
- Bayraktar, T., Welker, E., Freund, T. F., Zilles, K., & Staiger, J. F. (2000). Neurons immunoreactive for vasoactive intestinal polypeptide in the rat primary somatosensory cortex: Morphology and spatial relationship to barrel-related columns. *Journal of Comparative Neurology*, 420(3), 291-304. doi:

- Bazelot, M., Dinocourt, C., Cohen, I., & Miles, R. (2010). Unitary inhibitory field potentials in the CA3 region of rat hippocampus. *Journal of Physiology*, 588(12), 2077-2090. doi.
- Bazelot, M., Simonnet, J., Dinocourt, C., Bruel-Jungerman, E., Miles, R., Fricker, D., & Francis, F. (2012). Cellular anatomy, physiology and epileptiform activity in the CA3 region of Dcx knockout mice: a neuronal lamination defect and its consequences. *European Journal of Neuroscience*, 35(2), 244-256. doi.
- Bearden, S. E. (2006). Effect of aging on the structure and function of skeletal muscle microvascular networks. *Microcirculation*, 13(4), 279-288. doi.
- Bearden, S. E., Payne, G. W., Chisty, A., & Segal, S. S. (2004). Arteriolar network architecture and vasomotor function with ageing in mouse gluteus maximus muscle. *Journal of Physiology*, 561(2), 535-545. doi: 10.1113/jphysiol.2004.068262. <http://jp.physoc.org/cgi/content/abstract/561/2/535>
- Bearden, S. E., & Segal, S. S. (2005). Neurovascular Alignment in Adult Mouse Skeletal Muscles. *Microcirculation*, 12, 161-167. doi.
- Beare, J. E., Morehouse, J. R., DeVries, W. H., Enzmann, G. U., Burke, D. A., Magnuson, D. S. K., & Whitemore, S. R. (2009). Gait analysis in normal and spinal contused mice using the TreadScan system. *Journal of Neurotrauma*, 26(11), 2045-2056. doi.
- Beare, R., Richards, K., Murphy, S., Petrou, S., & Reutens, D. (2008). An assessment of methods for aligning two-dimensional microscope sections to create image volumes. *Journal of Neuroscience Methods*, 170(2), 332-344. doi.
- Beau, A. D., Shrestha, S. S., Anne Bannatyne, B., Jality, S. M., Linnen, S., & Maxwell, D. J. (2012). Neurotransmitter Phenotypes of Descending Systems in the Rat Lumbar Spinal Cord. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.037. <http://www.sciencedirect.com/science/article/pii/S030645212009578?v=s5>
- Beaud, M. L., Rouiller, E. M., Bloch, J., Mir, A., Schwab, M. E., Wannier, T., & Schmidlin, E. (2012). Invasion of lesion territory by regenerating fibers after spinal cord injury in adult macaque monkeys. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.052. <http://www.sciencedirect.com/science/article/pii/S030645212009724?v=s5>
- Beauparlant, J., van den Brand, R., Barraud, Q., Friedli, L., Musienko, P., Dietz, V., & Courtine, G. (2013). Undirected compensatory plasticity contributes to neuronal dysfunction after severe spinal cord injury. *Brain*. doi: 10.1093/brain/awt204. <http://brain.oxfordjournals.org/content/early/2013/09/28/brain.awt204.ab..>
- Beaver, C. J., Cannon, R. C., & Turner, D. A. (2005). Cellular Morphology. Databasing the brain: from data to knowledge (neuroinformatics), 251-251. doi.
- Beck, L. A., & Wade, J. (2009). Morphology and estrogen receptor α mRNA expression in the developing green anole forebrain. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, 311(3), 162-171. doi.

Becker, C. G., & Becker, T. (2000). Gradients of ephrin-A2 and ephrin-A5b mRNA during retinotopic regeneration of the optic projection in adult zebrafish. *Journal of Comparative Neurology*, 427(3), 469-483. doi.

Becker, C. G., & Becker, T. (2002). Repellent Guidance of Regenerating Optic Axons by Chondroitin Sulfate Glycosaminoglycans in Zebrafish. *Journal of Neuroscience*, 22(3), 842-853. doi. <http://www.jneurosci.org/cgi/content/abstract/22/3/842>

Becker, K., Abraham, A., Kindler, J., Helmeke, C., & Braun, K. (2007). Exposure to neonatal separation stress alters exploratory behavior and corticotropin releasing factor expression in neurons in the amygdala and hippocampus. *Developmental Neurobiology*, 67(5), 617-629. doi.

Becker, T., & Becker, C. G. (2001). Regenerating descending axons preferentially reroute to the gray matter in the presence of a general macrophage/microglial reaction caudal to a spinal transection in adult zebrafish. *Journal of Comparative Neurology*, 433(1), 131-147. doi.

Becker, T., Becker, C. G., Schachner, M., & Bernhardt, R. R. (2001). Antibody to the HNK-1 glycoepitope affects fasciculation and axonal pathfinding in the developing posterior lateral line nerve of embryonic zebrafish. *Mechanisms of Development*, 109(1), 37-49. doi.

Beckius, G. E., Batra, R., & Oliver, D. L. (1999). Axons from Anteroventral Cochlear Nucleus that Terminate in Medial Superior Olive of Cat: Observations Related to Delay Lines. *Journal of Neuroscience*, 19(8), 3146-3161. doi. <http://www.jneurosci.org/cgi/content/abstract/19/8/3146>

Becknell, B., Carpenter, A. R., Allen, J. L., Wilhide, M. E., Ingraham, S. E., Hains, D. S., & McHugh, K. M. (2013). Molecular Basis of Renal Adaptation in a Murine Model of Congenital Obstructive Nephropathy. *PLoS ONE*, 8(9), e72762. doi: 10.1371/journal.pone.0072762. <http://dx.doi.org/10.1371%2Fjournal.pone.0072762>

Becq, H., Jorquera, I., Ben-Ari, Y., Weiss, S., & Represa, A. (2005). Differential properties of dentate gyrus and CA1 neural precursors. *Journal of Neurobiology*, 62(2), 243-261. doi.

Bedard, A., Gravel, C., & Parent, A. (2006). Chemical characterization of newly generated neurons in the striatum of adult primates. *Experimental Brain Research*, 170(4), 501-512. doi.

Bedrosian, T. A., Fonken, L. K., Walton, J. C., Haim, A., & Nelson, R. J. (2011). Dim light at night provokes depression-like behaviors and reduces CA1 dendritic spine density in female hamsters. *Psychoneuroendocrinology*. doi.

Bedrosian, T. A., Weil, Z. M., & Nelson, R. J. (2012). Chronic Citalopram Treatment Ameliorates Depressive Behavior Associated With Light at Night. *Behavioral Neuroscience*. doi: 10.1037/a0029699.

Bedrosian, T. A., Weil, Z. M., & Nelson, R. J. (2012). Chronic dim light at night provokes reversible depression-like phenotype: possible role for TNF. *Molecular Psychiatry*. doi. <http://dx.doi.org/10.1038/mp.2012.96>

Beebe, N. L., & Schofield, B. R. (2018). Perineuronal nets in subcortical auditory nuclei of four rodent species with differing hearing ranges. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24383. <http://dx.doi.org/10.1002/cne.24383>

- Beebe, N. L., Young, J. W., Mellott, J. G., & Schofield, B. R. (2016). Extracellular Molecular Markers and Soma Size of Inhibitory Neurons: Evidence for Four Subtypes of GABAergic Cells in the Inferior Colliculus. *The Journal of Neuroscience*, 36(14), 3988-3999. doi: <http://www.jneurosci.org/content/36/14/3988.short>
- Beed, P., Bendels, M. H. K., Wiegand, H. F., Leibold, C., Jochenning, F. W., & Schmitz, D. (2010). Analysis of excitatory microcircuitry in the medial entorhinal cortex reveals cell-type-specific differences. *Neuron*, 68(6), 1059-1066. doi.
- Beed, P., Gundlfinger, A., Schneiderbauer, S., Song, J., Böhm, C., Burgalossi, A., . . . Schmitz, D. (2013). Inhibitory Gradient along the Dorsoventral Axis in the Medial Entorhinal Cortex. *Neuron*, 79(6), 1197-1207. doi: <http://dx.doi.org/10.1016/j.neuron.2013.06.038>. <http://www.sciencedirect.com/science/article/pii/S0896627313005540>
- Beed, P., Ray, S., Velasquez, L. M., Stumpf, A., Parthier, D., Swaminathan, A., . . . Schmitz, D. (2020). Species-specific differences in synaptic transmission and plasticity. *Scientific Reports*, 10(1), 16557. doi: 10.1038/s41598-020-73547-6. <https://doi.org/10.1038/s41598-020-73547-6>
- Beers, D. R., Ho, B.-K., Sikl, L., Alexianu, M. E., Mosier, D. R., Mohamed, A. H., . . . Appel, S. H. (2001). Parvalbumin overexpression alters immune-mediated increases in intracellular calcium, and delays disease onset in a transgenic model of familial amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 79(3), 499. doi.
- Beguín, S., Crépel, V., Aniksztejn, L., Becq, H., Pelosi, B., Pallesi-Pocachard, E., . . . Represa, A. (2012). An Epilepsy-Related ARX Polyalanine Expansion Modifies Glutamatergic Neurons Excitability and Morphology Without Affecting GABAergic Neurons Development. *Cerebral Cortex*. doi: 10.1093/cercor/bhs138. <http://cercor.oxfordjournals.org/content/early/2012/05/24/cercor.bhs138>.
- ..
- Behan, M., Steinhacker, K., Jeffrey-Borger, S., & Meredith, M. A. (2002). Chemoarchitecture of GABAergic neurons in the ferret superior colliculus. *Journal of Comparative Neurology*, 452(4), 334-359. doi.
- Behnke, J., Cheedalla, A., Bhatt, V., Bhat, M., Teng, S., Palmieri, A., . . . Alder, J. (2017). Neuropeptide VGF Promotes Maturation of Hippocampal Dendrites That Is Reduced by Single Nucleotide Polymorphisms. *International Journal of Molecular Sciences*, 18(3), 612. doi: <http://www.mdpi.com/1422-0067/18/3/612>
- Bekirov, I. H., Nagy, V., Svoronos, A., Huntley, G. W., & Benson, D. L. (2008). Cadherin-8 and N-cadherin differentially regulate pre- and postsynaptic development of the hippocampal mossy fiber pathway. *Hippocampus*, 18(4), 349-363. doi.
- Belanger, A. M., Przybylska, M., Gefteas, E., Furgerson, M., Geller, S., Kloss, A., . . . Yew, N. S. (2018). Inhibiting neutral amino acid transport for the treatment of phenylketonuria. *JCI Insight*, 3(14). doi: 10.1172/jci.insight.121762. <https://doi.org/10.1172/jci.insight.121762>
- Belevych, N., Buchanan, K., Chen, Q., Bailey, M., & Quan, N. (2010). Location-specific activation of the paraventricular nucleus of the hypothalamus by localized inflammation. *Brain, Behavior, and Immunity*, 24(7), 1137-1147. doi.
- Bell, J. A., Wolke, M. L., Ortez, R. C., Jones, T. A., & Kerr, A. L. (2014). Training Intensity Affects Motor Rehabilitation Efficacy Following Unilateral Ischemic Insult of the Sensorimotor Cortex in C57BL/6

Mice. Neurorehabilitation and neural repair. doi:

10.1177/1545968314553031. <http://nnr.sagepub.com/content/early/2014/10/08/1545968314553031.abstract>

Bell, L. A., Bell, K. A., & McQuiston, A. R. (2013). Synaptic muscarinic response types in hippocampal CA1 interneurons depend on different levels of presynaptic activity and different muscarinic receptor subtypes. *Neuropharmacology*, (0).

doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.05.026>. <http://www.sciencedirect.com/science/article/pii/S0028390813002402>

Bell, L. A., Bell, K. A., & McQuiston, A. R. (2014). Muscarinic receptor activation by optogenetically released acetylcholine in hippocampal CA1 depolarizes VIP-expressing but has varying effects on PV-expressing perisomatic interneurons. *The Journal of Physiology*, n/a-n/a. doi:

10.1113/jphysiol.2014.277814. <http://dx.doi.org/10.1113/jphysiol.2014.277814>

Bell, M. R., De Lorme, K. C., Figueira, R. J., Kashy, D. A., & Sisk, C. L. (2012). Adolescent gain in positive valence of a socially relevant stimulus: engagement of the mesocorticolimbic reward circuitry.

European Journal of Neuroscience, n/a-n/a. doi:

10.1111/ejn.12058. <http://dx.doi.org/10.1111/ejn.12058>

Bell, M. R., Meerts, S. H., & Sisk, C. L. (2013). Adolescent brain maturation is necessary for adult-typical mesocorticolimbic responses to a rewarding social cue. *Developmental Neurobiology*, n/a-n/a. doi:

10.1002/dneu.22106. <http://dx.doi.org/10.1002/dneu.22106>

Bell, S., Rousseau, J., Peng, H., Aouabed, Z., Priam, P., Theroux, J.-F., . . . Campeau, P. M. (2019). Mutations in ACTL6B Cause Neurodevelopmental Deficits and Epilepsy and Lead to Loss of Dendrites in Human Neurons. *The American Journal of Human Genetics*, 104(5), 815-834.

doi: <https://doi.org/10.1016/j.ajhg.2019.03.022>. <http://www.sciencedirect.com/science/article/pii/S0002929719301181>

Bell, Z. W., Lovell, P., Mello, C. V., Yip, P. K., George, J. M., & Clayton, D. F. (2019). Urotensin-related gene transcripts mark developmental emergence of the male forebrain vocal control system in songbirds. *Scientific Reports*, 9(1), 816. doi: 10.1038/s41598-018-37057-

w. <https://doi.org/10.1038/s41598-018-37057-w>

Bellavance, M.-A., Takatoh, J., Lu, J., Demers, M., Kleinfeld, D., Wang, F., & Deschênes, M. (2017). Parallel Inhibitory and Excitatory Trigemino-Facial Feedback Circuitry for Reflexive Vibrissa Movement. *Neuron*.

doi: <https://doi.org/10.1016/j.neuron.2017.06.045>. <http://www.sciencedirect.com/science/article/pii/S0896627317305974>

Belloli, S., Brioschi, A., Politi, L. S., Ronchetti, F., Calderoni, S., Raccagni, I., . . . Moresco, R. M. (2013). Characterization of biological features of a rat F98 GBM model: A PET-MRI study with [18F]FAZA and [18F]FDG. *Nuclear Medicine and Biology*, 40(6), 831-840.

doi: <http://dx.doi.org/10.1016/j.nucmedbio.2013.05.004>. <http://www.sciencedirect.com/science/article/pii/S0969805113001054>

Bellone, E., Balestra, P., Di Maria, E., Pigullo, S., Gulli, R., Ajmar, F., & Mandich, P. (2004). Screening for mutations in the lipopolysaccharide-induced tumor necrosis factor-alpha factor (litaf) gene in italian patients with charcot-marie-tooth disease. *Journal of the Peripheral Nervous System*, 9(2), 112-112. doi:

Belmer, A., Patkar, O. L., Lanoue, V., & Bartlett, S. E. (2018). 5-HT_{1A} receptor-dependent modulation of emotional and neurogenic deficits elicited by prolonged consumption of alcohol. *Scientific Reports*, 8(1), 2099. doi: 10.1038/s41598-018-20504-z. <https://doi.org/10.1038/s41598-018-20504-z>

Belhouchet, L., Malvaut, S., Ladevèze, E., Abrous, D. N., & Koehl, M. (2016). Plasticity in the olfactory bulb of the maternal mouse is prevented by gestational stress. [Article]. *Scientific Reports*, 6, 37615. doi: 10.1038/srep37615. <http://dx.doi.org/10.1038/srep37615>

Beloate, L. N., Omrani, A., Adan, R. A., Webb, I. C., & Coolen, L. M. (2016). Ventral Tegmental Area Dopamine Cell Activation during Male Rat Sexual Behavior Regulates Neuroplasticity and d-Amphetamine Cross-Sensitization following Sex Abstinence. *The Journal of Neuroscience*, 36(38), 9949-9961. doi: <http://www.jneurosci.org/content/36/38/9949.short>

Beltramo, R., D'Urso, G., Dal Maschio, M., Farisello, P., Bovetti, S., Clovis, Y., . . . Fellin, T. (2013). Layer-specific excitatory circuits differentially control recurrent network dynamics in the neocortex. *Nature Medicine*. doi.

beltWillis, K. L., McCormick, C. A., & Carr, C. E. (2012). Hindbrain auditory circuits of turtles. [Abstract]. *Frontiers in Behavioral Neuroscience*. doi: 10.3389/conf.fnbeh.2012.27.00034.

Ben Hamed, S., Duhamel, J. R., Bremmer, F., & Graf, W. (2001). Representation of the visual field in the lateral intraparietal area of macaque monkeys: a quantitative receptive field analysis. *Experimental Brain Research*, 140(2), 127-144. doi.

Ben M'Barek, K., Pla, P., Orvoen, S., Benstaali, C., Godin, J. D., Gardier, A. M., . . . Humbert, S. (2013). Huntingtin Mediates Anxiety/Depression-Related Behaviors and Hippocampal Neurogenesis. *Journal of Neuroscience*, 33(20), 8608-8620. doi: 10.1523/jneurosci.5110-12.2013. <http://www.jneurosci.org/content/33/20/8608.abstract>

Benali, A., Trippe, J., Weiler, E., Mix, A., Petrasch-Parwez, E., Girzalsky, W., . . . Funke, K. (2011). Theta-Burst Transcranial Magnetic Stimulation Alters Cortical Inhibition. *Journal of Neuroscience*, 31(4), 1193-1203. doi: 10.1523/jneurosci.1379-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/4/1193>

Ben-Ari, Y., & Cossart, R. (2000). Kainate, a double agent that generates seizures: two decades of progress. *Trends in Neurosciences*, 23(11), 580-587. doi.

Benavides-Piccione, R., Arellano, J. I., & DeFelipe, J. (2005). Catecholaminergic Innervation of Pyramidal Neurons in the Human Temporal Cortex. *Cerebral Cortex*, 15(doi:10.1093/cercor/bhio36), 1584-1591. doi.

Benavides-Piccione, R., & DeFelipe, J. (2007). Distribution of neurons expressing tyrosine hydroxylase in the human cerebral cortex. *Journal of Anatomy*, 211(2), 212-222. doi: doi:10.1111/j.1469-7580.2007.00760.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1469-7580.2007.00760.x>

Benavides-Piccione, R., Hamzei-Sichani, F., Ballesteros-Yanez, I., DeFelipe, J., & Yuste, R. (2006). Dendritic size of pyramidal neurons differs among mouse cortical regions. *Cerebral Cortex*, 16(7), 990-990. doi.

Benavides-Piccione, R., Regalado-Reyes, M., Fernaud-Espinosa, I., Kastanauskaite, A., Tapia-González, S., León-Espinosa, G., . . . DeFelipe, J. (2019). Differential Structure of Hippocampal CA1 Pyramidal Neurons in the Human and Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhz122. <https://doi.org/10.1093/cercor/bhz122>

Benavides-Piccione, R., Rojo, C., Kastanauskaite, A., & DeFelipe, J. (2021). Variation in Pyramidal Cell Morphology Across the Human Anterior Temporal Lobe. *Cerebral Cortex*, (bhab034). doi: 10.1093/cercor/bhab034. <https://doi.org/10.1093/cercor/bhab034>

Bendels, M. H. K., Beed, P., Leibold, C., Schmitz, D., & Jochenning, F. W. (2008). A novel control software that improves the experimental workflow of scanning photostimulation experiments. *Journal of Neuroscience Methods*, 175(1), 44-57. doi.

Bender, K., Deshmukh, S., & Feldman, D. (2006). LTD as a Mechanism for Map Plasticity in Rat Barrel Cortex. *Development and Plasticity in Sensory Thalamus and Cortex*, 271-287. doi.

Benedetti, L., Zuccarino, R., Grandis, M., Fiocchi, I., Beronio, A., Ghiglione, E., . . . Schenone, A. (2004). Is clinical variability in CMT1A related to epigenetic factors? *Journal of the Peripheral Nervous System*, 9(2), 111-111. doi: doi:10.1111/j.1085-9489.2004.009209w.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Benedetti, S., Previtali, S., Toniolo, D., Iannaccone, S., Sferrazza, B., Comi, G., . . . Bertini, E. (2004). Dominant lamin A/C gene mutations can be associated with muscular dystrophy and peripheral neuropathy. *Journal of the Peripheral Nervous System*, 9(2), 113-113. doi: doi:10.1111/j.1085-9489.2004.009209ad.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Bengochea, M., Berón de Astrada, M., Tomsic, D., & Sztarker, J. (2017). A crustacean lobula plate: morphology, connections and retinotopic organization. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24322. <http://dx.doi.org/10.1002/cne.24322>

Bengtsson Gonzales, C., Hunt, S., Munoz-Manchado, A. B., McBain, C. J., & Hjerling-Leffler, J. (2020). Intrinsic electrophysiological properties predict variability in morphology and connectivity among striatal Parvalbumin-expressing Pthlh-cells. *Scientific Reports*, 10(1), 15680. doi: 10.1038/s41598-020-72588-1. <https://doi.org/10.1038/s41598-020-72588-1>

Benito-Gonzalez, A., & Alvarez, F. J. (2012). Renshaw Cells and Ia Inhibitory Interneurons Are Generated at Different Times from p1 Progenitors and Differentiate Shortly after Exiting the Cell Cycle. *Journal of Neuroscience*, 32(4), 1156-1170. doi: 10.1523/jneurosci.3630-12.2012. <http://www.jneurosci.org/content/32/4/1156.abstract>

Benneyworth, M. A., & Coyle, J. T. (2012). Altered Acquisition and Extinction of Amphetamine-Paired Context Conditioning in Genetic Mouse Models of Altered NMDA Receptor Function. *Neuropsychopharmacology*. doi. <http://dx.doi.org/10.1038/npp.2012.108>

Bennur, S., Rao, S., Pawlak, R., Strickland, S., McEwen, B. S., & Chattarji, S. (2007). Stress-induced spine loss in the medial amygdala is mediated by tissue-plasminogen activator. *Neuroscience*, 144(1), 8-16. doi.

Benson, C. G., & Cant, N. B. (2008). The ventral nucleus of the lateral lemniscus of the gerbil (*Meriones unguiculatus*): organization of connections with the cochlear nucleus and the inferior colliculus. *Journal of Comparative Neurology*, 510(6), 673-690. doi.

Benton, R. L., & Whittemore, S. R. (2003). VEGF 165 therapy exacerbates secondary damage following spinal cord injury. *Neurochemical Research*, 28(11), 1693-1703. doi.

Benton, R. L., Woock, J. P., Gozal, E., Hetman, M., & Whittemore, S. R. (2005). Intraspinal application of endothelin results in focal ischemic injury of spinal gray matter and restricts the differentiation of engrafted neural stem cells. *Neurochemical Research*, 30(6), 809-823. doi.

Bento-Torres, J., Sobral, L. L., Reis, R. R., de Oliveira, R. B., Anthony, D. C., Vasconcelos, P. F. C., . . . o Diniz, C. W. (2017). Age and Environment Influences on Mouse Prion Disease Progression: Behavioral Changes and Morphometry and Stereology of Hippocampal Astrocytes. *Oxidative Medicine and Cellular Longevity*, 2017, 18. doi: 10.1155/2017/4504925. <https://doi.org/10.1155/2017/4504925>

Berezovskii, V. K., & Born, R. T. (2000). Specificity of Projections from Wide-Field and Local Motion-Processing Regions within the Middle Temporal Visual Area of the Owl Monkey. *Journal of Neuroscience*, 20(3), 1157-1169. doi. <http://www.jneurosci.org/cgi/content/abstract/20/3/1157>

Berezovskii, V. K., Nassi, J. J., & Born, R. T. (2011). Segregation of feedforward and feedback projections in mouse visual cortex. *Journal of Comparative Neurology*, 519(18), 3672-3683. doi: 10.1002/cne.22675. <http://dx.doi.org/10.1002/cne.22675>

Berg, A. P., & Bayliss, D. A. (2007). Striatal Cholinergic Interneurons Express a Receptor-Insensitive Homomeric TASK-3-Like Background K⁺ Current. *Journal of Neurophysiology*, 97(2), 1546-1552. doi: 10.1152/jn.01090.2006. <http://jn.physiology.org/cgi/content/abstract/97/2/1546>

Berger, T., Larkum, M. E., & Luscher, H.-R. (2001). High Ih Channel Density in the Distal Apical Dendrite of Layer V Pyramidal Cells Increases Bidirectional Attenuation of EPSPs. *Journal of Neurophysiology*, 85(2), 855-868. doi. <http://jn.physiology.org/cgi/content/abstract/85/2/855>

Berger, T. K., Silberberg, G., Perin, R., & Markram, H. (2010). Brief bursts self-inhibit and correlate the pyramidal network. *PLoS Biology*, 8(9), e1000473-e1000473. doi.

Berggren, K., Ezerman, E. B., McCaffery, P., & Forehand, C. J. (2001). Expression and regulation of the retinoic acid synthetic enzyme RALDH-2 in the embryonic chicken wing. *Developmental Dynamics*, 222(1), 1-16. doi.

Bergstrom, H., McDonald, C., Dey, S., Tang, H., Selwyn, R., & Johnson, L. (2012). The structure of Pavlovian fear conditioning in the amygdala. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-012-0478-2. <http://dx.doi.org/10.1007/s00429-012-0478-2>

Bergstrom, H. C., & Johnson, L. R. (2014). An organization of visual and auditory fear conditioning in the lateral amygdala. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2014.07.008>. <http://www.sciencedirect.com/science/article/pii/S107474271400135X>

Bergstrom, H. C., McDonald, C. G., French, H. T., & Smith, R. F. (2008). Continuous nicotine administration produces selective, age-dependent structural alteration of pyramidal neurons from prefrontal cortex. *Synapse*, 62(1), 31-39. doi.

Bergstrom, H. C., McDonald, C. G., & Johnson, L. R. (2011). Pavlovian fear conditioning activates a common pattern of neurons in the lateral amygdala of individual brains. *PLoS ONE*, 6(1), e15698-e15698. doi.

Bergstrom, H. C., Smith, R. F., Mollinedo, N. S., & McDonald, C. G. (2010). Chronic nicotine exposure produces lateralized, age-dependent dendritic remodeling in the rodent basolateral amygdala. *Synapse*, 64(10), 754-764. doi.

- Bergwell, H. R. (2017). Chronic Capsaicin Does Not Induce Microglia Response in Adult Rat. doi: <http://digitalcommons.unomaha.edu/scaf/2017/schedule/1/>
- Berkley, K. J., Dmitrieva, N., Curtis, K. S., & Papka, R. E. (2004). Innervation of ectopic endometrium in a rat model of endometriosis. *Proceedings of the National Academy of Sciences*, 101(30), 11094-11098. doi: 10.1073/pnas.0403663101. <http://www.pnas.org/cgi/content/abstract/101/30/11094>
- Berlanga, M. L., Price, D. L., Phung, B. S., Giuly, R., Terada, M., Yamada, N., . . . others. (2011). Multiscale imaging characterization of dopamine transporter knockout mice reveals regional alterations in spine density of medium spiny neurons. *Brain Research*. doi.
- Berman, R. F., Murray, K. D., Arque, G., Hunsaker, M. R., & Wenzel, H. J. (2012). Abnormal dendrite and spine morphology in primary visual cortex in the CGG knock-in mouse model of the fragile X premutation. *Epilepsia*, 53, 150-160. doi: 10.1111/j.1528-1167.2012.03486.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03486.x>
- Berman, R. F., Schwartz, J. J., & Hunsaker, M. R. (2015). Mouse Models of the Fragile X-Associated Tremor/Ataxia Syndrome (FXTAS) and the Fragile X Premutation. doi: <http://mrhunsaker.github.io/CGGKIMotor/>
- Bernácer, J., Prensa, L., & Giménez-Amaya, J. M. (2007). Cholinergic interneurons are differentially distributed in the human striatum. *PLoS ONE*, 2(11), e1174-e1174. doi.
- Bernard, R., & Veh, R. W. (2012). Individual neurons in the rat lateral habenular complex mostly project to either the dopaminergic ventral tegmental area or to the serotonergic raphe nuclei. *Journal of Comparative Neurology*. doi.
- Bernreuther, C., Dihne, M., Johann, V., Schiefer, J., Cui, Y., Hargus, G., . . . Schachner, M. (2006). Neural Cell Adhesion Molecule L1-Transfected Embryonic Stem Cells Promote Functional Recovery after Excitotoxic Lesion of the Mouse Striatum. *Journal of Neuroscience*, 26(45), 11532-11539. doi: 10.1523/jneurosci.2688-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11532>
- Bernstein, S. L., Guo, Y., Slater, B. J., Puche, A., & Kelman, S. E. (2007). Neuron stress and loss following rodent anterior ischemic optic neuropathy in double-reporter transgenic mice. *Investigative Ophthalmology and Visual Science*, 48(5), 2304-2310. doi.
- Bernstock, J. D., Peruzzotti-Jametti, L., Leonardi, T., Vicario, N., Ye, D., Lee, Y.-j., . . . Pluchino, S. (2019). SUMOylation promotes survival and integration of neural stem cell grafts in ischemic stroke. *EBioMedicine*. doi: <https://doi.org/10.1016/j.ebiom.2019.03.035>. <http://www.sciencedirect.com/science/article/pii/S2352396419301756>
- Berryer, M. H., Chattopadhyaya, B., Xing, P., Riebe, I., Bosoi, C., Sanon, N., . . . Di Cristo, G. (2016). Decrease of SYNGAP1 in GABAergic cells impairs inhibitory synapse connectivity, synaptic inhibition and cognitive function. [Article]. *Nature Communications*, 7, 13340. doi: 10.1038/ncomms13340
<http://www.nature.com/articles/ncomms13340#supplementary-information>. <http://dx.doi.org/10.1038/ncomms13340>
- Bersano, A., Allaria, S., & Nobile-Orazio, E. (2004). 14-3-3 protein in the CSF of inflammatory peripheral neuropathies. *Journal of the Peripheral Nervous System*, 9(2), 108-108. doi.

Berson, D. M., Stein, J. J., & others. (1995). Retinotopic organization of the superior colliculus in relation to the retinal distribution of afferent ganglion cells. *Visual Neuroscience*, 12, 671-671. doi.

Berthet, A., Margolis, E. B., Zhang, J., Hsieh, I., Zhang, J., Hnasko, T. S., . . . Huang, E. J. (2014). Loss of Mitochondrial Fission Depletes Axonal Mitochondria in Midbrain Dopamine Neurons. *The Journal of Neuroscience*, 34(43), 14304-14317. doi. <http://www.jneurosci.org/content/34/43/14304.short>

Bertram, J., Koschützke, L., Pfannmöller, J. P., Esche, J., van Diepen, L., Kuss, A. W., . . . von Bohlen und Halbach, O. (2016). Morphological and behavioral characterization of adult mice deficient for SrGAP3. [journal article]. *Cell and Tissue Research*, 1-11. doi: 10.1007/s00441-016-2413-y. <http://dx.doi.org/10.1007/s00441-016-2413-y>

Berzhanskaya, J., & Ascoli, G. (2008). Computational neuroanatomy. *Scholarpedia*, 3(3), 1313-1313. doi.

Bessa, J., Morais, M., Marques, F., Pinto, L., Palha, J., Almeida, O., & Sousa, N. (2013). Stress-induced anhedonia is associated with hypertrophy of medium spiny neurons of the nucleus accumbens. *Translational Psychiatry*, 3(6), e266. doi. <http://www.nature.com/tp/journal/v3/n6/abs/tp201339a.html>

Bessa, J. M., Ferreira, D., Melo, I., Marques, F., Cerqueira, J. J., Palha, J. A., . . . Sousa, N. (2008). The mood-improving actions of antidepressants do not depend on neurogenesis but are associated with neuronal remodeling. *Molecular Psychiatry*. doi.

Bethea, C. L., Coleman, K., Phu, K., Reddy, A. P., & Phu, A. (2014). Relationships between androgens, serotonin gene expression and innervation in male macaques. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.05.056>. <http://www.sciencedirect.com/science/article/pii/S0306452214004643>

Beutler, L. R., Eldred, K. C., Quintana, A., Keene, C. D., Rose, S. E., Postupna, N., . . . Palmiter, R. D. (2011). Severely Impaired Learning and Altered Neuronal Morphology in Mice Lacking NMDA Receptors in Medium Spiny Neurons. *PLoS ONE*, 6(11), e28168-e28168. doi.

Beynon, S. B., & Walker, F. R. (2012). Microglial activation in the injured and healthy brain: what are we really talking about? Practical and theoretical issues associated with the measurement of changes in microglial morphology. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.07.029. <http://www.sciencedirect.com/science/article/pii/S0306452212007543?v=s5>

Bezchlibnyk, Y. B., Stone, S. S. D., Hamani, C., & Lozano, A. M. (2016). High frequency stimulation of the infralimbic cortex induces morphological changes in rat hippocampal neurons. *Brain Stimulation*. doi: <http://dx.doi.org/10.1016/j.brs.2016.11.013>. <http://www.sciencedirect.com/science/article/pii/S1935861X1630314X>

Bezgin, G., Reid, A. T., Schubert, D., & Kötter, R. (2009). Matching spatial with ontological brain regions using Java tools for visualization, database access, and integrated data analysis. *Neuroinformatics*, 7(1), 7-22. doi.

Bhagat, R., Fortna, S. R., & Browning, K. N. (2014). Exposure to a high fat diet during the perinatal period alters vagal motoneurone excitability, even in the absence of obesity. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.282806. <http://dx.doi.org/10.1113/jphysiol.2014.282806>

Bhagwandin, A., Gravett, N., Hemingway, J., Oosthuizen, M. K., Bennett, N. C., Siegel, J. M., & Manger, P. R. (2011). Orexinergic neuron numbers in three species of African mole rats with rhythmic and arrhythmic chronotypes. *Neuroscience*. doi.

Bhalala, U., Lee, E. J., Armstrong, J., Parikh, M., Lee, J., Kannan, S., . . . Koehler, R. (2014). 581: NEUROINFLAMMATION PERSISTS BEYOND ACUTE INJURY AFTER PEDIATRIC HYPOXIC-ASPHYXIC CARDIAC ARREST. *Critical Care Medicine*, 42(12), A1499-A1500
1410.1097/1401.ccm.0000458078.0000447859.0000458070a.
doi. http://journals.lww.com/ccmjournals/Fulltext/2014/12001/581_____NEUROINFLAM..

Bhumbra, G. S., Bannatyne, B. A., Watanabe, M., Todd, A. J., Maxwell, D. J., & Beato, M. (2014). The Recurrent Case for the Renshaw Cell. *The Journal of Neuroscience*, 34(38), 12919-12932.
doi. <http://www.jneurosci.org/content/34/38/12919.full>

Biamonte, F., Assenza, G., Marino, R., D'Amelio, M., Panteri, R., Caruso, D., . . . others. (2009). Interactions between neuroactive steroids and reelin haploinsufficiency in Purkinje cell survival. *Neurobiology of Disease*, 36(1), 103-115. doi.

Bian, S., Akyüz, N., Bernreuther, C., Loers, G., Laczynska, E., Jakovcevski, I., & Schachner, M. (2011). Dermatan sulfotransferase Chst14/D4st1, but not chondroitin sulfotransferase Chst11/C4st1, regulates proliferation and neurogenesis of neural progenitor cells. *Journal of Cell Science*, 124(23), 4051-4063. doi: 10.1242/jcs.088120. <http://jcs.biologists.org/content/124/23/4051.abstract>

Bianchi, S., Bauernfeind, A. L., Gupta, K., Stimpson, C. D., Spocter, M. A., Bonar, C. J., . . . Sherwood, C. C. (2011). Neocortical neuron morphology in Afrotheria: comparing the rock hyrax with the African elephant. *Annals of the New York Academy of Sciences*, 1225(1), 37-46. doi.

Bianchi, S., Stimpson, C. D., Bauernfeind, A. L., Schapiro, S. J., Baze, W. B., McArthur, M. J., . . . Sherwood, C. C. (2012). Dendritic Morphology of Pyramidal Neurons in the Chimpanzee Neocortex: Regional Specializations and Comparison to Humans. *Cerebral Cortex*. doi: 10.1093/cercor/bhs239. <http://cercor.oxfordjournals.org/content/early/2012/08/08/cercor.bhs239>
...

Bianchi, S., Stimpson, C. D., Duka, T., Larsen, M. D., Janssen, W. G. M., Collins, Z., . . . Sherwood, C. C. (2013). Synaptogenesis and development of pyramidal neuron dendritic morphology in the chimpanzee neocortex resembles humans. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1301224110. <http://www.pnas.org/content/early/2013/06/04/1301224110.abstract>

Biasiotta, A. (2012). Neuropathic pain in neuropathy: A combined clinical, neurophysiological and morphological study. doi.

Bicanic, I., Hladnik, A., & Petanjek, Z. (2017). A Quantitative Golgi Study of Dendritic Morphology in the Mice Striatal Medium Spiny Neurons. [Original Research]. *Frontiers in Neuroanatomy*, 11(37). doi: 10.3389/fnana.2017.00037. <http://journal.frontiersin.org/article/10.3389/fnana.2017.00037>

Bickford, M. E., Zhou, N., Krahe, T. E., Govindaiah, G., & Guido, W. (2015). Retinal and Tectal "Driver-Like" Inputs Converge in the Shell of the Mouse Dorsal Lateral Geniculate Nucleus. *The Journal of Neuroscience*, 35(29), 10523-10534. doi. <http://www.jneurosci.org/content/35/29/10523.short>

Bielza, C., Benavides-Piccione, R., López-Cruz, P., Larrañaga, P., & DeFelipe, J. (2014). Branching angles of pyramidal cell dendrites follow common geometrical design principles in different cortical areas. *Scientific Reports*, 4.
doi. <http://www.nature.com/srep/2014/140801/srep05909/full/srep05909.html>

Bienvenu, T. C., Busti, D., Micklem, B. R., Mansouri, M., Magill, P. J., Ferraguti, F., & Capogna, M. (2015). Large Intercalated Neurons of Amygdala Relay Noxious Sensory Information. *The Journal of Neuroscience*, 35(5), 2044-2057. doi: <http://www.jneurosci.org/content/35/5/2044.short>

Biering-Sørensen, F., Biering-Sørensen, T., Liu, N., Malmqvist, L., Wecht, J. M., & Krassioukov, A. (2017). Alterations in cardiac autonomic control in spinal cord injury. *Autonomic Neuroscience*. doi: [http://www.autonomicneuroscience.com/article/S1566-0702\(17\)30044-9/abstract](http://www.autonomicneuroscience.com/article/S1566-0702(17)30044-9/abstract)

Biernaskie, J., Chernenko, G., & Corbett, D. (2004). Efficacy of Rehabilitative Experience Declines with Time after Focal Ischemic Brain Injury. *Journal of Neuroscience*, 24(5), 1245-1254. doi: 10.1523/jneurosci.3834-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/5/1245>

Biernaskie, J., & Corbett, D. (2001). Enriched Rehabilitative Training Promotes Improved Forelimb Motor Function and Enhanced Dendritic Growth after Focal Ischemic Injury. *Journal of Neuroscience*, 21(14), 5272-5280. doi: <http://www.jneurosci.org/cgi/content/abstract/21/14/5272>

Biffiger, K., Bartsch, S., Montag, D., Aguzzi, A., Schachner, M., & Bartsch, U. (2000). Severe Hypomyelination of the Murine CNS in the Absence of Myelin-Associated Glycoprotein and Fyn Tyrosine Kinase. *Journal of Neuroscience*, 20(19), 7430-7437. doi: <http://www.jneurosci.org/cgi/content/abstract/20/19/7430>

Bigbee, J. W., Sharma, K. V., Chan, E. L. P., & Bögler, O. (2000). Evidence for the direct role of acetylcholinesterase in neurite outgrowth in primary dorsal root ganglion neurons. *Brain Research*, 861(2), 354-362. doi:

Biggs, B. T., Tang, T., & Krimm, R. F. (2016). Insulin-Like Growth Factors Are Expressed in the Taste System, but Do Not Maintain Adult Taste Buds. *PLoS ONE*, 11(2), e0148315. doi: 10.1371/journal.pone.0148315. <http://dx.doi.org/10.1371/journal.pone.0148315>

Bilgen, M., Dancause, N., Al-Hafez, B., He, Y. Y., & Malone, T. M. (2005). Manganese-enhanced MRI of rat spinal cord injury. *Magnetic Resonance Imaging*, 23(7), 829-832. doi:

Billeci, L., Pioggia, G., Vaglini, F., & Ahluwalia, A. (2010). Automated extraction and classification of dynamic metrical features of morphological development in dissociated Purkinje neurons. *Journal of Neuroscience Methods*, 185(2), 315-324. doi:

Billiards, S. S., Haynes, R. L., Folkerth, R. D., Borenstein, N. S., Trachtenberg, F. L., Rowitch, D. H., . . . Kinney, H. C. (2008). Myelin Abnormalities without Oligodendrocyte Loss in Periventricular Leukomalacia. *Brain Pathology*. doi: doi:10.1111/j.1750-3639.2007.00107.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1750-3639.2007.00107.x>

Billiards, S. S., Haynes, R. L., Folkerth, R. D., Trachtenberg, F. L., Liu, L. G., Volpe, J. J., & Kinney, H. C. (2006). Development of microglia in the cerebral white matter of the human fetus and infant. *Journal of Comparative Neurology*, 497(2), 199-208. doi:

Bindu, B., Alladi, P. A., Mansooralikhan, B. M., Srikumar, B. N., Raju, T. R., & Kutty, B. M. (2007). Short-term exposure to an enriched environment enhances dendritic branching but not brain-derived neurotrophic factor expression in the hippocampus of rats with ventral subicular lesions. *Neuroscience*, 144(2), 412-423. doi:

Binley, K. E., Ng, W. S., Tribble, J. R., Song, B., & Morgan, J. E. (2014). Sholl analysis: A quantitative comparison of semi-automated methods. *Journal of Neuroscience Methods*, (0).

doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.01.017>. <http://www.sciencedirect.com/science/article/pii/S0165027014000284>

Binneboese, A., & Morecraft, R. J. (2015). Localization of Orofacial Motor Representation in the Corona Radiata, Internal Capsule, and Cerebral Peduncle in the Non-Human Primate. *South Dakota Medicine*, 68(9). doi: <http://web.a.ebscohost.com/abstract?direct=true&profile=ehost&scope=site..>

Biran, V., Heine, V. M., Verney, C., Sheldon, R., Spadafora, R., Vexler, Z. S., . . . Ferriero, D. M. (2011). Cerebellar abnormalities following hypoxia alone compared to hypoxic-ischemic forebrain injury in the developing rat brain. *Neurobiology of Disease*, 41(1), 138-146. doi:

Bird, C. W., Gardiner, A. S., Bolognani, F., Tanner, D. C., Chen, C.-Y., Lin, W.-J., . . . Perrone-Bizzozero, N. (2013). KSRP Modulation of GAP-43 mRNA Stability Restricts Axonal Outgrowth in Embryonic Hippocampal Neurons. *PLoS ONE*, 8(11), e79255. doi: 10.1371/journal.pone.0079255. <http://dx.doi.org/10.1371%2Fjournal.pone.0079255>

Birinyi, A., Rácz, N., Kecskes, S., Matesz, C., & Kovalecz, G. (2017). Neural circuits underlying jaw movements for the prey-catching behavior in frog: distribution of vestibular afferent terminals on motoneurons supplying the jaw. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1581-1. <https://doi.org/10.1007/s00429-017-1581-1>

Biró, Á. A., Brémaud, A., Falck, J., & Ruiz, A. J. (2018). A-type K⁺ channels impede supralinear summation of clustered glutamatergic inputs in layer 3 neocortical pyramidal neurons. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.07.005>. <http://www.sciencedirect.com/science/article/pii/S0028390818303605>

Biro, A. A., Holderith, N. B., & Nusser, Z. (2005). Quantal Size Is Independent of the Release Probability at Hippocampal Excitatory Synapses. *Journal of Neuroscience*, 25(1), 223-232. doi: <http://www.jneurosci.org/cgi/content/abstract/25/1/223>

Biro, A. A., Holderith, N. B., & Nusser, Z. (2006). Release Probability-Dependent Scaling of the Postsynaptic Responses at Single Hippocampal GABAergic Synapses. *Journal of Neuroscience*, 26(48), 12487-12496. doi: 10.1523/jneurosci.3106-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/48/12487>

Bisicchia, E., Sasso, V., Catanzaro, G., Leuti, A., Besharat, Z. M., Chiacchiarini, M., . . . Chiurchiù, V. (2018). Resolvin D1 Halts Remote Neuroinflammation and Improves Functional Recovery after Focal Brain Damage Via ALX/FPR2 Receptor-Regulated MicroRNAs. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0889-z. <https://doi.org/10.1007/s12035-018-0889-z>

Bissonette, G. B., Bae, M. H., Suresh, T., Jaffe, D. E., & Powell, E. M. (2010). Astrocyte-Mediated Hepatocyte Growth Factor/Scatter Factor Supplementation Restores GABAergic Interneurons and Corrects Reversal Learning Deficits in Mice. *Journal of Neuroscience*, 30(8), 2918-2923. doi: 10.1523/jneurosci.5268-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/8/2918>

Bissonette, G. B., Bae, M. H., Suresh, T., Jaffe, D. E., & Powell, E. M. (2013). Prefrontal cognitive deficits in mice with altered cerebral cortical GABAergic interneurons. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.10.051>. <http://www.sciencedirect.com/science/article/pii/S0166432813006761>

Bittner, G., Sengelaub, D., & Ghergherehchi, C. (2018). Conundrums and confusions regarding how polyethylene glycol-fusion produces excellent behavioral recovery after peripheral nerve injuries.

[Invited Review]. *Neural Regeneration Research*, 13(1), 53-57. doi: 10.4103/1673-5374.224363. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2018;volume=13;...>

Bizley, J. K., Bajo, V. M., Nodal, F. R., & King, A. J. (2015). Cortico-cortical connectivity within ferret auditory cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23784. <http://dx.doi.org/10.1002/cne.23784>

Bizon, J. L., & Gallagher, M. (2003). Production of new cells in the rat dentate gyrus over the lifespan: relation to cognitive decline. *European Journal of Neuroscience*, 18(1), 215-219. doi: doi:10.1046/j.1460-9568.2003.02733.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02733.x>

Bizon, J. L., Helm, K. A., Han, J. S., Chun, H. J., Pucilowska, J., Lund, P. K., & Gallagher, M. (2001). Hypothalamic-pituitary-adrenal axis function and corticosterone receptor expression in behaviourally characterized young and aged Long-Evans rats. *European Journal of Neuroscience*, 14(10), 1739-1751. doi.

Bizon, J. L., Helm, K. A., Han, J.-S., Chun, H.-J., Pucilowska, J., Lund, P. K., & Gallagher, M. (2001). Hypothalamic-pituitary-adrenal axis function and corticosterone receptor expression in behaviourally characterized young and aged Long-Evans rats. *European Journal of Neuroscience*, 14(10), 1739-1751. doi: doi:10.1046/j.0953-816x.2001.01781.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.0953-816x.2001.01781.x>

Bizon, J. L., Lee, H. J., & Gallagher, M. (2004). Neurogenesis in a rat model of age-related cognitive decline. *Aging Cell*, 3(4), 227-234. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1474-9728.2004.0009..>

Bjaalie, J. G. (2002). Localization in the brain: new solutions emerging. *Nature Reviews Neuroscience*, 3, 322-325. doi.

Bjaalie, J. G., & Leergaard, T. B. (2006). Three-dimensional computerized reconstruction from serial sections: cell populations, regions, and whole brain. *Neuroanatomical Tract-Tracing* 3, 530-565. doi.

Bjaalie, J. G., Leergaard, T. B., & Pettersen, C. (2006). Micro3D: computer program for three-dimensional reconstruction visualization, and analysis of neuronal populations and brain regions. *International Journal of Neuroscience*, 116(4), 515-540. doi.

Bjornsson, C. S., Lin, G., Al-Kofahi, Y., Narayanaswamy, A., Smith, K. L., Shain, W., & Roysam, B. (2008). Associative image analysis: a method for automated quantification of 3D multi-parameter images of brain tissue. *Journal of Neuroscience Methods*, 170(1), 165-178. doi.

Black, C., Resau, J., West, R., Grever, W., Hlady, V., & McAllister, J. (2009). Are we implanting catheters that facilitate shunt failure? *Cerebrospinal Fluid Research*, 6(Suppl 1), S42. doi. <http://www.cerebrospinalfluidresearch.com/content/6/S1/S42>

Blackman, A. V., Grabuschnig, S., Legenstein, R., & Sjöström, P. J. (2014). A Comparison of Manual Neuronal Reconstruction from Biocytin Histology or 2-Photon Imaging: Morphometry and Computer Modeling. *Frontiers in Neuroanatomy*, 8, 65. doi. <http://journal.frontiersin.org/Journal/10.3389/fnana.2014.00065/abstract>

Blackmore, E. M., Miranda Dos Santos, F., Krajewski-Hall, S. J., Rance, N. E., & McMullen, N. T. (2019). Glutamatergic Neurokinin 3 receptor neurons in the median preoptic nucleus modulate heat-defense pathways in female mice. doi: 10.1210/en.2018-00934. <https://dx.doi.org/10.1210/en.2018-00934>

- Blackmore, M. G., Moore, D. L., Smith, R. P., Goldberg, J. L., Bixby, J. L., & Lemmon, V. P. (2010). High content screening of cortical neurons identifies novel regulators of axon growth. *Molecular and Cellular Neuroscience*, 44(1), 43-54. doi.
- Blakely, B. D., Bye, C. R., Fernando, C., Prasad, A., Pasterkamp, J., Macheda, M. L., . . . Parish, C. (2013). Ryk, a receptor regulating Wnt5a-mediated neurogenesis and axon morphogenesis of ventral midbrain dopaminergic neurons. *Stem Cells and Development*. (ja). doi.
- Blanchet, J., Longpré, F., Bureau, G., Morissette, M., DiPaolo, T., Bronchti, G., & Martinoli, M. G. (2008). Resveratrol, a red wine polyphenol, protects dopaminergic neurons in MPTP-treated mice. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 32(5), 1243-1250. doi.
- Bland, K. M., Aharon, A., Widener, E. L., Song, M. I., Casey, Z. O., Zuo, Y., & Vidal, G. S. (2021). FMRP regulates the subcellular distribution of cortical dendritic spine density in a non-cell-autonomous manner. *Neurobiology of Disease*, 150, 105253. doi: <https://doi.org/10.1016/j.nbd.2021.105253>. <https://www.sciencedirect.com/science/article/pii/S0969996121000024>
- Blaszczyk, W. M., Telkes, I., & Distler, C. (2004). GABA-immunoreactive starburst amacrine cells in pigmented and albino rats. *European Journal of Neuroscience*, 20(11), 3195-3198. doi:10.1111/j.1460-9568.2004.03761.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03761.x>
- Blatow, M., Rozov, A., Katona, I., Hormuzdi, S. G., Meyer, A. H., Whittington, M. A., . . . Monyer, H. (2003). A novel network of multipolar bursting interneurons generates theta frequency oscillations in neocortex. *Neuron*, 38(5), 805-817. doi.
- Blaya, M. O., Bramlett, H., Nadoo, J., Pieper, A. A., & Dietrich III, W. D. (2013). Neuroprotective efficacy of a proneurogenic compound after traumatic brain injury. *Journal of Neurotrauma*, (ja). doi. <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3135>
- Blaya, M. O., Tsoulfas, P., Bramlett, H. M., & Dietrich, W. D. (2014). Neural progenitor cell transplantation promotes neuroprotection, enhances hippocampal neurogenesis, and improves cognitive outcomes after traumatic brain injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.11.014>. <http://www.sciencedirect.com/science/article/pii/S0014488614003847>
- Blazquez-Llorca, L., Garcia-Marin, V., & DeFelipe, J. (2010). Frontiers: Pericellular innervation of neurons expressing abnormally hyperphosphorylated tau in the hippocampal formation of Alzheimer's disease patients. *Frontiers in Neuroanatomy*, 4. doi.
- Blazquez-Llorca, L., Garcia-Marin, V., & DeFelipe, J. (2010). Pericellular Innervation of Neurons Expressing Abnormally Hyperphosphorylated Tau in the Hippocampal Formation of Alzheimer's Disease Patients. *Frontiers in Neuroanatomy*, 4. doi.
- Blazquez-Llorca, L., García-Marín, V., & DeFelipe, J. (2010). GABAergic complex basket formations in the human neocortex. *Journal of Comparative Neurology*, 518(24), 4917-4937. doi:10.1002/cne.22496. <http://dx.doi.org/10.1002/cne.22496>
- Blazquez-Llorca, L., Garcia-Marin, V., Merino-Serrais, P., Ávila, J., & DeFelipe, J. (2011). Abnormal Tau Phosphorylation in the Thorny Excrescences of CA3 Hippocampal Neurons in Patients with Alzheimer's Disease. *Journal of Alzheimer's Disease*, 26(4), 683-698. doi.

Bloch, S. L., & Friis, M. (2011). Objective measurement of the human endolymphatic sac dimensions in Ménière's disease. *Otology & Neurotology*, 32(8), 1364-1364. doi.

Blöchlinger, S., Weinmann, O., Schwab, M. E., & Thallmair, M. (2001). Neuronal plasticity and formation of new synaptic contacts follow pyramidal lesions and neutralization of Nogo-A: A light and electron microscopic study in the pontine nuclei of adult rats. *Journal of Comparative Neurology*, 433(3), 426-436. doi.

Blondel, O., Collin, C., McCarran, W. J., Zhu, S., Zamostiano, R., Gozes, I., . . . McKay, R. D. G. (2000). A Glia-Derived Signal Regulating Neuronal Differentiation. *Journal of Neuroscience*, 20(21), 8012-8020. doi. <http://www.jneurosci.org/cgi/content/abstract/20/21/8012>

Bloss, E. B., Janssen, W. G., McEwen, B. S., & Morrison, J. H. (2010). Interactive Effects of Stress and Aging on Structural Plasticity in the Prefrontal Cortex. *Journal of Neuroscience* 30(19), 6726-6731. doi: 10.1523/jneurosci.0759-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/19/6726>

Blouin, A. M., Thannickal, T. C., Worley, P. F., Baraban, J. M., Reti, I. M., & Siegel, J. M. (2005). Narp immunostaining of human hypocretin (orexin) neurons: Loss in narcolepsy. *Neurology*, 65(8), 1189-1192. doi: 10.1212/01.wnl.0000175219.01544.c8. <http://www.neurology.org/cgi/content/abstract/65/8/1189>

Blume, S. R., Freedberg, M., Vantrease, J. E., Chan, R., Padival, M., Record, M. J., . . . Rosenkranz, J. A. (2017). Sex- and estrus-dependent differences in rat basolateral amygdala. [10.1523/JNEUROSCI.0758-17.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/09/27/JNEUROSCI.0758-17.2017...>

Blume, S. R., Padival, M., Urban, J. H., & Rosenkranz, J. A. (2019). Disruptive effects of repeated stress on basolateral amygdala neurons and fear behavior across the estrous cycle in rats. *Scientific Reports*, 9(1), 12292. doi: 10.1038/s41598-019-48683-3. <https://doi.org/10.1038/s41598-019-48683-3>

Blutstein, T., Baab, P. J., Zielke, H. R., & Mong, J. A. (2009). Hormonal modulation of amino acid neurotransmitter metabolism in the arcuate nucleus of the adult female rat: A novel action of estradiol. *Endocrinology*, en.2008-1701. doi: 10.1210/en.2008-1701. <http://endo.endojournals.org/cgi/content/abstract/en.2008-1701v1>

Blythe, S. N., Wokosin, D., Atherton, J. F., & Bevan, M. D. (2009). Cellular Mechanisms Underlying Burst Firing in Substantia Nigra Dopamine Neurons. *Journal of Neuroscience*, 29(49), 15531-15541. doi: 10.1523/jneurosci.2961-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/49/15531>

Boato, F., Hendrix, S., Huelsenbeck, S. C., Hofmann, F., Gro\`sse, G., Djalali, S., . . . others. (2010). C3 peptide enhances recovery from spinal cord injury by improved regenerative growth of descending fiber tracts. *Journal of Cell Science*, 123(10), 1652-1662. doi.

Boccazzi, M., Rolando, C., Abbracchio, M. P., Buffo, A., & Ceruti, S. (2013). Purines regulate adult brain subventricular zone cell functions: Contribution of reactive astrocytes. *Glia*, n/a-n/a. doi: 10.1002/glia.22614. <http://dx.doi.org/10.1002/glia.22614>

Bocchio, M., Fisher, S. P., Unal, G., Ellender, T. J., Vyazovskiy, V. V., & Capogna, M. (2016). Sleep and serotonin modulate paracapsular nitric oxide synthase expressing neurons of the amygdale. [10.1523/ENEURO.0177-16.2016]. *eneuro*. doi. <http://eneuro.sfn.org/content/early/2016/09/26/ENEURO.0177-16.2016.abstract>

Bochorishvili, G., Nguyen, T., Coates, M. B., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2014). The orexinergic neurons receive synaptic input from C1 cells in rats. *Journal of Comparative Neurology*. doi: <http://onlinelibrary.wiley.com/doi/10.1002/cne.23643/abstract>

Bock, A. S., Kroenke, C. D., Taber, E. N., & Olavarria, J. F. (2012). Retinal input influences the size and corticocortical connectivity of visual cortex during postnatal development in the ferret. *Journal of Comparative Neurology*, 520(5), 914-932. doi: 10.1002/cne.22738. <http://dx.doi.org/10.1002/cne.22738>

Bock, A. S., & Olavarria, J. F. (2011). Neonatal enucleation during a critical period reduces the precision of cortico-cortical projections in visual cortex. *Neuroscience Letters*. doi.

Bock, J., & Braun, K. (1999). Blockade of N-methyl-d-aspartate receptor activation suppresses learning-induced synaptic elimination. *Proceedings of the National Academy of Sciences*, 96(5), 2485-2490. doi.

Bock, J., & Braun, K. (1999). Filial imprinting in domestic chicks is associated with spine pruning in the associative area, dorsocaudal neostriatum. *European Journal of Neuroscience*, 11(7), 2566. doi.

Bock, J., Gruss, M., Becker, S., & Braun, K. (2005). Experience-induced changes of dendritic spine densities in the prefrontal and sensory cortex: correlation with developmental time windows. *Cerebral Cortex*, 15(6), 802-808. doi.

Bock, J., Murmu, M. S., Biala, Y., Weinstock, M., & Braun, K. (2011). Prenatal stress and neonatal handling induce sex-specific changes in dendritic complexity and dendritic spine density in hippocampal subregions of prepubertal rats. *Neuroscience*. doi.

Bock, J., Poeschel, J., Schindler, J., Börner, F., Shachar-Dadon, A., Ferdman, N., . . . Poeggel, G. (2014). Transgenerational sex-specific impact of preconception stress on the development of dendritic spines and dendritic length in the medial prefrontal cortex. *Brain Structure and Function*, 1-9. doi: 10.1007/s00429-014-0940-4. <http://dx.doi.org/10.1007/s00429-014-0940-4>

Boda, E., Di Maria, S., Rosa, P., Taylor, V., Abbracchio, M. P., & Buffo, A. (2014). Early phenotypic asymmetry of sister oligodendrocyte progenitor cells after mitosis and its modulation by aging and extrinsic factors. *Glia*, n/a-n/a. doi: 10.1002/glia.22750. <http://dx.doi.org/10.1002/glia.22750>

Boda, E., Viganò, F., Rosa, P., Fumagalli, M., Labat-Gest, V., Tempia, F., . . . Buffo, A. (2011). The GPR17 receptor in NG2 expressing cells: Focus on in vivo cell maturation and participation in acute trauma and chronic damage. *Glia*, 59(12), 1958-1973. doi: 10.1002/glia.21237. <http://dx.doi.org/10.1002/glia.21237>

Bódi, I., Minkó, K., Molnár, D., Nagy, N., & Oláh, I. (2014). A novel aspect of the structure of the avian thymic medulla. *Cell and Tissue Research*, 1-13. doi: 10.1007/s00441-014-2027-1. <http://dx.doi.org/10.1007/s00441-014-2027-1>

Boeckler, F., Leng, A., Mura, A., Bettinetti, L., Feldon, J., Gmeiner, P., & Ferger, B. (2003). Attenuation of 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D3-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice. *Biochemical Pharmacology*, 66(6), 1025-1032. doi.

Boele, H.-J., Koekkoek, S. K., De Zeeuw, C. I., & Ruigrok, T. J. (2013). Axonal Sprouting and Formation of Terminals in the Adult Cerebellum during Associative Motor Learning. *Journal of Neuroscience*, 33(45), 17897-17907. doi: <http://www.jneurosci.org/content/33/45/17897.abstract>

Boerma, M., Singh, P., Sridharan, V., Tripathi, P., Sharma, S., & Singh, S. P. (2015). Effects of Local Heart Irradiation in a Glutathione S-Transferase Alpha 4-Null Mouse Model. *Radiation Research*, 183(6), 610-619. doi: doi:10.1667/RR13979.1. <http://www.rjournal.org/doi/abs/10.1667/RR13979.1>

Boers, J., Gerrits, P. O., Meijer, E., & Holstege, G. (1999). Estrogen receptor- α -immunoreactive neurons in the mesencephalon, pons and medulla oblongata of the female golden hamster. *Neuroscience Letters*, 267(1), 17-20. doi.

Boers, J., Hulshoff, A. C., de Weerd, H., Mouton, L. J., Kuipers, R., & Holstege, G. (2005). Afferent projections to pharynx and soft palate motoneurons: A light and electron microscopical tracing study in the cat. *Journal of Comparative Neurology*, 486(1), 18-38. doi.

Bogdanov, M. B., Ferrante, R. J., Kuemmerle, S., Klivenyi, P., & Beal, M. F. (1998). Increased Vulnerability to 3-Nitropropionic Acid in an Animal Model of Huntington's Disease. *Journal of Neurochemistry*, 71, 2642-2644. doi.

Boger, H. A., Middaugh, L. D., Patrick, K. S., Ramamoorthy, S., Denehy, E. D., Zhu, H., . . . McGinty, J. F. (2007). Long-Term Consequences of Methamphetamine Exposure in Young Adults Are Exacerbated in Glial Cell Line-Derived Neurotrophic Factor Heterozygous Mice. *Journal of Neuroscience*, 27(33), 8816-8825. doi: 10.1523/jneurosci.1067-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/33/8816>

Böhm, C., Pangalos, M., Schmitz, D., & Winterer, J. (2015). Serotonin Attenuates Feedback Excitation onto O-LM Interneurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhv098. <http://cercor.oxfordjournals.org/content/early/2015/05/28/cercor.bhv098>

Böhm, C., Peng, Y., Maier, N., Winterer, J., Poulet, J. F., Geiger, J. R., & Schmitz, D. (2015). Functional Diversity of Subicular Principal Cells during Hippocampal Ripples. *The Journal of Neuroscience*, 35(40), 13608-13618. doi: <https://www.jneurosci.org/content/35/40/13608.full#>

Bohn, M. C., Choi-Lundberg, D. L., Davidson, B. L., Leranath, C., Kozlowski, D. A., Smith, J. C., . . . Redmond, D. E. (1999). Adenovirus-mediated transgene expression in nonhuman primate brain. *Human Gene Therapy*, 10(7), 1175-1184. doi.

Boido, M., Garbossa, D., Fontanella, M., Ducati, A., & Vercelli, A. (2012). Mesenchymal stem cell transplantation reduces glial cyst and improves functional outcome following spinal cord compression. *World Neurosurgery*, (0). doi: 10.1016/j.wneu.2012.08.014. <http://www.sciencedirect.com/science/article/pii/S1878875012009084?V=s5>

Boido, M., Garbossa, D., & Vercelli, A. (2011). Early graft of neural precursors in spinal cord compression reduces glial cyst and improves function. *Journal of Neurosurgery: Spine*, 15(1), 97-106. doi.

Boillot, M., Lee, C.-Y., Allene, C., Leguern, E., Baulac, S., & Rouach, N. (2016). LGI1 acts presynaptically to regulate excitatory synaptic transmission during early postnatal development. [Article]. *Scientific Reports*, 6, 21769. doi: 10.1038/srep21769

<http://www.nature.com/articles/srep21769#supplementary-information>, <http://dx.doi.org/10.1038/srep21769>

Boitard, M., Bocchi, R., Egervari, K., Petrenko, V., Viale, B., Gremaud, S., . . . Kiss, Jozsef Z. (2015). Wnt Signaling Regulates Multipolar-to-Bipolar Transition of Migrating Neurons in the Cerebral Cortex. *Cell Reports*, 10(8), 1349-1361. doi: <http://dx.doi.org/10.1016/j.celrep.2015.01.061>. <http://www.sciencedirect.com/science/article/pii/S2211124715001035>

Bokor, H., Acsady, L., & Deschenes, M. (2008). Vibrissal Responses of Thalamic Cells That Project to the Septal Columns of the Barrel Cortex and to the Second Somatosensory Area. *Journal of Neuroscience*, 28(20), 5169-5177. doi: 10.1523/jneurosci.0490-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/20/5169>

Bolat, D. (2017). Three-dimensional reconstruction of the spinal cord of thoroughbred. *Eurasian Journal of Veterinary Sciences*, 33(2), 127-129. doi: <https://www.cabdirect.org/cabdirect/abstract/20173212610>

Boley, A. M., Perez, S. M., & Lodge, D. J. (2014). A fundamental role for hippocampal parvalbumin in the dopamine hyperfunction associated with schizophrenia. *Schizophrenia Research*, (0). doi: <http://dx.doi.org/10.1016/j.schres.2014.05.005>. <http://www.sciencedirect.com/science/article/pii/S0920996414002345>

Bolis, A., Previtali, S., Bussini, S., Dina, G., Dati, G., Feltri, M. L., . . . Bolino, A. (2004). Unravelling the molecular basis of CMT4B pathology. *Journal of the Peripheral Nervous System*, 9(2), 125-125. doi: 10.1111/j.1085-9489.2004.009209bq.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Bomer, K., Brichta, A., Barody, F., Boonlayangoor, S., Li, X., & Naclerio, R. M. (1998). A mouse model of acute bacterial rhinosinusitis. *Archives of Otolaryngology- Head and Neck Surgery*, 124(11), 1227-1227. doi.

Bonifazi, P., Goldin, M., Picardo, M. A., Jorquera, I., Cattani, A., Bianconi, G., . . . Cossart, R. (2009). GABAergic Hub Neurons Orchestrate Synchrony in Developing Hippocampal Networks. *Science*, 326(5958), 1419-1424. doi: 10.1126/science.1175509. <http://www.sciencemag.org/cgi/content/abstract/326/5958/1419>

Bonn, M., Schmitt, A., Lesch, K. P., Van Bockstaele, E. J., & Asan, E. (2012). Serotonergic innervation and serotonin receptor expression of NPY-producing neurons in the rat lateral and basolateral amygdaloid nuclei. *Brain Structure and Function*, 1-15. doi.

Bonthius, D., Mahoney, J., Buchmeier, M., Karacay, B., & Taggard, D. (2002). Critical Role for Glial Cells in the Propagation and Spread of Lymphocytic Choriomeningitis Virus in the Developing Rat Brain. *Journal of Virology*, 76(13), 6618-6635. doi.

Bony, G., Szczurkowska, J., Tamagno, I., Shelly, M., Contestabile, A., & Cancedda, L. (2013). Non-hyperpolarizing GABAB receptor activation regulates neuronal migration and neurite growth and specification by cAMP/LKB1. *Nature Communications*, 4, 1800. doi.

Bonzano, S., Bovetti, S., Fasolo, A., Peretto, P., & De Marchis, S. (2014). Odour enrichment increases adult-born dopaminergic neurons in the mouse olfactory bulb. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12724. <http://dx.doi.org/10.1111/ejn.12724>

- Booker, S. A., Gross, A., Althof, D., Shigemoto, R., Bettler, B., Frotscher, M., . . . Vida, I. (2013). Differential GABAB-Receptor-Mediated Effects in Perisomatic- and Dendrite-Targeting Parvalbumin Interneurons. *Journal of Neuroscience*, 33(18), 7961-7974. doi: 10.1523/jneurosci.1186-12.2013. <http://www.jneurosci.org/content/33/18/7961.abstract>
- Bordt, A. S., Hoshi, H., Yamada, E. S., Perryman-Stout, W. C., & Marshak, D. W. (2006). Synaptic input to OFF parasol ganglion cells in macaque retina. *Journal of Comparative Neurology*, 498(1), 46-57. doi.
- Borgesius, N. Z., de Waard, M. C., van der Pluijm, I., Omrani, A., Zondag, G. C. M., van der Horst, G. T. J., . . . Elgersma, Y. (2011). Accelerated Age-Related Cognitive Decline and Neurodegeneration, Caused by Deficient DNA Repair. *Journal of Neuroscience*, 31(35), 12543-12553. doi: 10.1523/jneurosci.1589-11.2011. <http://www.jneurosci.org/content/31/35/12543.abstract>
- Borgna, M., Lombardi, R., Lauria, G., Grezzi, P., Savino, C., Bianchi, R., . . . Cavaletti, G. (2004). Intraepidermal innervation and tail nerve conduction velocity in neurotoxicity models: results of a correlation study in normal and pathological conditions. *Journal of the Peripheral Nervous System*, 9(2), 104-105. doi: doi:10.1111/j.1085-9489.2004.009209c.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Bories, C., Husson, Z., Guitton, M. J., & De Koninck, Y. (2013). Differential Balance of Prefrontal Synaptic Activity in Successful versus Unsuccessful Cognitive Aging. *Journal of Neuroscience*, 33(4), 1344-1356. doi: 10.1523/jneurosci.3258-12.2013. <http://www.jneurosci.org/content/33/4/1344.abstract>
- Borin, M., Saraceno, C., Catania, M., Lorenzetto, E., Pontelli, V., Paterlini, A., . . . Bolognin, S. (2018). Rac1 activation links tau hyperphosphorylation and A β dysmetabolism in Alzheimer's disease. [journal article]. *Acta Neuropathologica Communications*, 6(1), 61. doi: 10.1186/s40478-018-0567-4. <https://doi.org/10.1186/s40478-018-0567-4>
- Borniger, J. C., Walker li, W. H., Surbhi, Emmer, K. M., Zhang, N., Zalenski, A. A., . . . DeVries, A. C. (2018). A Role for Hypocretin/Orexin in Metabolic and Sleep Abnormalities in a Mouse Model of Non-metastatic Breast Cancer. *Cell Metabolism*. doi: <https://doi.org/10.1016/j.cmet.2018.04.021>. <http://www.sciencedirect.com/science/article/pii/S155041311830305X>
- Boros, B. D., Greathouse, K. M., Gearing, M., & Herskowitz, J. H. (2018). Dendritic spine remodeling accompanies Alzheimer's disease pathology and genetic susceptibility in cognitively normal aging. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2018.09.003>. <http://www.sciencedirect.com/science/article/pii/S0197458018303269>
- Boros, B. D., Greathouse, K. M., Gentry, E. G., Curtis, K. A., Birchall, E. L., Gearing, M., & Herskowitz, J. H. (2017). Dendritic spines provide cognitive resilience against Alzheimer's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.25049. <http://dx.doi.org/10.1002/ana.25049>
- Borowska, J., Jones, C. T., Zhang, H., Blacklaws, J., Goulding, M., & Zhang, Y. (2013). Functional Subpopulations of V3 Interneurons in the Mature Mouse Spinal Cord. *Journal of Neuroscience*, 33(47), 18553-18565. doi. <http://www.jneurosci.org/content/33/47/18553.short>
- Borra, E., Ichinohe, N., Sato, T., Tanifuji, M., & Rockland, K. S. (2010). Cortical connections to area TE in monkey: hybrid modular and distributed organization. *Cerebral Cortex*, 20(2), 257-270. doi.
- Borreca, A., Latina, V., Corsetti, V., Middei, S., Piccinin, S., Della Valle, F., . . . Amadoro, G. (2018). AD-Related N-Terminal Truncated Tau Is Sufficient to Recapitulate In Vivo the Early Perturbations of

Human Neuropathology: Implications for Immunotherapy. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0974-3. <https://doi.org/10.1007/s12035-018-0974-3>

Borrell, V., & Callaway, E. M. (2002). Reorganization of Exuberant Axonal Arbors Contributes to the Development of Laminar Specificity in Ferret Visual Cortex. *Journal of Neuroscience*, 22(15), 6682-6695. doi: <http://www.jneurosci.org/cgi/content/abstract/22/15/6682>

Borrell, V., Kaspar, B. K., Gage, F. H., & Callaway, E. M. (2006). In vivo evidence for radial migration of neurons by long-distance somal translocation in the developing ferret visual cortex. *Cerebral Cortex*, 16(11), 1571-1583. doi:

Borrett, S., & Hughes, L. (2016). Reporting methods for processing and analysis of data from serial block face scanning electron microscopy. *Journal of Microscopy*, n/a-n/a. doi: 10.1111/jmi.12377. <http://dx.doi.org/10.1111/jmi.12377>

Borsello, T., Clarke, P. G. H., Hirt, L., Vercelli, A., Repici, M., Schorderet, D. F., . . . Bonny, C. (2003). A peptide inhibitor of c-Jun N-terminal kinase protects against excitotoxicity and cerebral ischemia. *Nature of Medicine*, 9, 1180-1186. doi:

Bortolato, M., Chen, K., Godar, S. C., Chen, G., Wu, W., Rebrin, I., . . . Shih, J. C. (2011). Social Deficits and Perseverative Behaviors, but not Overt Aggression, in MAO-A Hypomorphic Mice. *Neuropsychopharmacology*. doi:

Bortolato, M., Godar, S. C., Alzghoul, L., Zhang, J., Darling, R. D., Simpson, K. L., . . . Shih, J. C. (2012). Monoamine oxidase A and A/B knockout mice display autistic-like features. *International Journal of Neuropsychopharmacology, FirstView*, 1-20. doi: doi:10.1017/S1461145712000715. <http://dx.doi.org/10.1017/S1461145712000715>

Bortone, Dante S., Olsen, Shawn R., & Scanziani, M. (2014). Translaminar Inhibitory Cells Recruited by Layer 6 Corticothalamic Neurons Suppress Visual Cortex. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2014.02.021>. <http://www.sciencedirect.com/science/article/pii/S0896627314001524>

Bosch, C., Degos, B., Deniau, J.-M., & Venance, L. (2011). Subthalamic nucleus high-frequency stimulation generates a concomitant synaptic excitation–inhibition in substantia nigra pars reticulata. *Journal of Physiology*, 589(17), 4189-4207. doi: 10.1113/jphysiol.2011.211367. <http://dx.doi.org/10.1113/jphysiol.2011.211367>

Bosch, D., & Ehrlich, I. (2015). Postnatal maturation of GABAergic modulation of sensory inputs onto lateral amygdala principal neurons. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270645. <http://dx.doi.org/10.1113/JP270645>

Boschen, K. E., McKeown, S. E., Roth, T. L., & Klintsova, A. Y. (2016). Impact of exercise and a complex environment on hippocampal dendritic morphology, Bdnf gene expression, and DNA methylation in male rat pups neonatally exposed to alcohol. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22448. <http://dx.doi.org/10.1002/dneu.22448>

Boschen, K. E., Ruggiero, M. J., & Klintsova, A. Y. (2016). Neonatal binge alcohol exposure increases microglial activation in the developing rat hippocampus. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.033>. <http://www.sciencedirect.com/science/article/pii/S0306452216300033>

- Bosking, W. H., Kretz, R., Pucak, M. L., & Fitzpatrick, D. (2000). Functional Specificity of Callosal Connections in Tree Shrew Striate Cortex. *Journal of Neuroscience*, 20(6), 2346-2359. doi: <http://www.jneurosci.org/cgi/content/abstract/20/6/2346>
- Bosking, W. H., Zhang, Y., Schofield, B., & Fitzpatrick, D. (1997). Orientation Selectivity and the Arrangement of Horizontal Connections in Tree Shrew Striate Cortex. *Journal of Neuroscience*, 17(6), 2112-2127. doi: <http://www.jneurosci.org/cgi/content/abstract/17/6/2112>
- Bossolasco, P., Cova, L., Levandis, G., Diana, V., Cerri, S., Deliliers, G. L., . . . Armentero, M. T. (2012). Noninvasive near-infrared live imaging of human adult mesenchymal stem cells transplanted in a rodent model of Parkinson's disease. *International Journal of Nanomedicine*, 7, 435-435. doi.
- Bota, M., & Arbib, M. A. (2002). The NeuroHomology Database: an online KMS for handling and evaluation of the neurobiological information. *Neuroscience Databases: A practical guide*, 203-220. doi.
- Both, M., Böhner, F., von Bohlen und Halbach, O., & Draguhn, A. (2008). Propagation of specific network patterns through the mouse hippocampus. *Hippocampus*, 18(9), 899-908. doi.
- Bothwell, S., Meredith, G. E., Phillips, J., Staunton, H., Doherty, C., Grigorenko, E., . . . Farrell, M. (2001). Neuronal Hypertrophy in the Neocortex of Patients with Temporal Lobe Epilepsy. *Journal of Neuroscience*, 21(13), 4789-4800. doi: <http://www.jneurosci.org/cgi/content/abstract/21/13/4789>
- Bottjer, S. W., Alderete, T. L., & Chang, D. (2010). Conjunction of vocal production and perception regulates expression of the immediate early gene ZENK in a novel cortical region of songbirds. *Journal of Neurophysiology*, 103(4), 1833-1842. doi.
- Bottjer, S. W., & To, M. (2012). Afferents from Vocal Motor and Respiratory Effectors Are Recruited during Vocal Production in Juvenile Songbirds. *Journal of Neuroscience*, 32(32), 10895-10906. doi: 10.1523/jneurosci.0990-12.2012. <http://www.jneurosci.org/content/32/32/10895.abstract>
- Boucetta, S., Cissé, Y., Mainville, L., Morales, M., & Jones, B. E. (2014). Discharge Profiles across the Sleep-Waking Cycle of Identified Cholinergic, GABAergic, and Glutamatergic Neurons in the Pontomesencephalic Tegmentum of the Rat. *The Journal of Neuroscience*. doi.
- Boucetta, S., & Jones, B. E. (2009). Activity Profiles of Cholinergic and Intermingled GABAergic and Putative Glutamatergic Neurons in the Pontomesencephalic Tegmentum of Urethane-Anesthetized Rats. *Journal of Neuroscience*, 29(14), 4664-4674. doi: 10.1523/jneurosci.5502-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/14/4664>
- Boudrias, M.-H., McPherson, R. L., Frost, S. B., & Cheney, P. D. (2009). Output Properties and Organization of the Forelimb Representation of Motor Areas on the Lateral Aspect of the Hemisphere in Rhesus Macaques. *Cerebral Cortex*, bhp084. doi: 10.1093/cercor/bhp084. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp084v1>
- Bouley, D. M., Alarcón, C. N., Hildebrandt, T., & O'Connell-Rodwell, C. E. (2007). The distribution, density and three-dimensional histomorphology of Pacinian corpuscles in the foot of the Asian elephant (*Elephas maximus*) and their potential role in seismic communication. *Journal of Anatomy*, 211(4), 428-435. doi.
- Bourgeois, J. R., & Ferland, R. J. (2019). Loss of the neurodevelopmental Joubert syndrome causing protein, *Ahi1*, causes motor and muscle development delays independent of central nervous system

involvement. *Developmental Biology*.

doi: <https://doi.org/10.1016/j.ydbio.2019.01.014>. <http://www.sciencedirect.com/science/article/pii/S0012160618304238>

Bousslama, M., Renaud, J., Olivier, P., Fontaine, R. H., Matrot, B., Gressens, P., & Gallego, J. (2007). Melatonin prevents learning disorders in brain-lesioned newborn mice. *Neuroscience*, 150(3), 712-719. doi.

Bousquet, M., St-Amour, I., Vandal, M., Julien, P., Cicchetti, F., & Calon, F. (2011). High-fat diet exacerbates MPTP-induced dopaminergic degeneration in mice. *Neurobiology of Disease*. doi.

Boussaoud, D., Tanné-Gariépy, J., Wannier, T., & Rouiller, E. (2005). Callosal connections of dorsal versus ventral premotor areas in the macaque monkey: a multiple retrograde tracing study. *BMC Neuroscience*, 6(1), 67. doi: <http://www.biomedcentral.com/1471-2202/6/67>

Boutte, R. W., Merlin, S., Yona, G., Griffiths, B., Angelucci, A., Kahn, I., . . . Blair, S. (2017). Utah optrode array customization using stereotactic brain atlases and 3-D CAD modeling for optogenetic neocortical interrogation in small rodents and nonhuman primates. *Neurophotonics*, 4(4), 041502-041502. doi: 10.1117/1.NPh.4.4.041502. <http://dx.doi.org/10.1117/1.NPh.4.4.041502>

Bove, C., Coleman, F. H., & Travagli, R. A. (2019). Characterization of the Basic Membrane Properties of Neurons of the Rat Dorsal Motor Nucleus of the Vagus in Paraquat-Induced Models of Parkinsonism. *Neuroscience*, 418, 122-132. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.048>. <http://www.sciencedirect.com/science/article/pii/S030645221930630X>

Bovetti, S., Bonzano, S., Garzotto, D., Giannelli, S. G., Iannielli, A., Armentano, M., . . . De Marchis, S. (2013). COUP-TFI controls activity-dependent tyrosine hydroxylase expression in adult dopaminergic olfactory bulb interneurons. *Development*. doi: 10.1242/dev.089961. <http://dev.biologists.org/content/early/2013/11/12/dev.089961.abstract>

Bovetti, S., Hsieh, Y.-C., Bovolín, P., Perroteau, I., Kazunori, T., & Puche, A. C. (2007). Blood Vessels Form a Scaffold for Neuroblast Migration in the Adult Olfactory Bulb. *Journal of Neuroscience*, 27(22), 5976-5980. doi: 10.1523/jneurosci.0678-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/5976>

Bovetti, S., Veyrac, A., Peretto, P., Fasolo, A., & De Marchis, S. (2009). Olfactory enrichment influences adult neurogenesis modulating GAD67 and plasticity-related molecules expression in newborn cells of the olfactory bulb. *PLoS ONE*, 4(7), e6359-e6359. doi.

Boy, J., Leergaard, T. B., Schmidt, T., Odeh, F., Bichelmeier, U., Nuber, S., . . . others. (2006). Expression mapping of tetracycline-responsive prion protein promoter: digital atlas for generating cell-specific disease models. *Neuroimage*, 33(2), 449-462. doi.

Boyd, Alison M., Sturgill, James F., Poo, C., & Isaacson, Jeffrey S. (2012). Cortical Feedback Control of Olfactory Bulb Circuits. *Neuron*, 76(6), 1161-1174. doi: <http://dx.doi.org/10.1016/j.neuron.2012.10.020>. <http://www.sciencedirect.com/science/article/pii/S0896627312009403>

Boyett, J. M., & Buckmaster, P. S. (2001). Somatostatin-immunoreactive interneurons contribute to lateral inhibitory circuits in the dentate gyrus of control and epileptic rats. *Hippocampus*, 11(4), 418-422. doi.

Boyette-Davis, J. A., Cata, J. P., Zhang, H., Driver, L. C., Wendelschafer-Crabb, G., Kennedy, W. R., & Dougherty, P. M. (2011). Follow-Up Psychophysical Studies in Bortezomib-Related Chemoneuropathy Patients. *Journal of Pain*. doi.

Boyle, K. A., Gutierrez-Mecinas, M., Polgár, E., Mooney, N., O'Connor, E., Furuta, T., . . . Todd, A. J. (2017). A quantitative study of neurochemically defined populations of inhibitory interneurons in the superficial dorsal horn of the mouse spinal cord. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.08.044>. <http://www.sciencedirect.com/science/article/pii/S0306452217306206>

Boyle, R., Ehsanian, R., Mofrad, A., Popova, Y., & Varelas, J. (2018). Morphology of the Utricular Otolith Organ in the Toadfish, *Opsanus tau*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24429. <http://dx.doi.org/10.1002/cne.24429>

Bozdagi, O., Valcin, M., Poskanzer, K., Tanaka, H., & Benson, D. L. (2004). Temporally distinct demands for classic cadherins in synapse formation and maturation. *Molecular and Cellular Neuroscience*, 27(4), 509-521. doi.

Bozis, A., & Moschovakis, A. K. (1998). Neural network simulations of the primate oculomotor system III. An one-dimensional, one-directional model of the superior colliculus. *Biological Cybernetics*, 79(3), 215-230. doi.

Braas, K. M., Rossignol, T. M., Girard, B. M., May, V., & Parsons, R. L. (2004). Pituitary adenylate cyclase activating polypeptide (PACAP) decreases neuronal somatostatin immunoreactivity in cultured guinea-pig parasympathetic cardiac ganglia. *Neuroscience*, 126(2), 335-346. doi.

Bracke, A., Domanska, G., Bracke, K., Harzsch, S., van den Brandt, J., Bröker, B., & von Bohlen und Halbach, O. (2019). Obesity Impairs Mobility and Adult Hippocampal Neurogenesis. *Journal of Experimental Neuroscience*, 13, 1179069519883580. doi: 10.1177/1179069519883580. <https://doi.org/10.1177/1179069519883580>

Bracke, A., Schäfer, S., von Bohlen und Halbach, V., Klempin, F., Bente, K., Bracke, K., . . . von Bohlen und Halbach, O. (2018). ATP6AP2 over-expression causes morphological alterations in the hippocampus and in hippocampus-related behaviour. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1633-1. <https://doi.org/10.1007/s00429-018-1633-1>

Bragg, E. M., & Briggs, F. (2017). Large-scale Reconstructions and Independent, Unbiased Clustering Based on Morphological Metrics to Classify Neurons in Selective Populations. (120), e55133. doi: 10.3791/55133. <https://www.jove.com/video/55133>

Brambilla, R., Bracchi-Ricard, V., Hu, W. H., Frydel, B., Bramwell, A., Karmally, S., . . . Bethea, J. R. (2005). Inhibition of astroglial nuclear factor KB reduces inflammation and improves functional recovery after spinal cord injury. *Journal of Experimental Medicine*, 202(1), 145-156. doi.

Branchereau, P., Cattaert, D., Delpy, A., Allain, A.-E., Martin, E., & Meyrand, P. (2016). Depolarizing GABA/glycine synaptic events switch from excitation to inhibition during frequency increases. [Article]. *Scientific Reports*, 6, 21753. doi: 10.1038/srep21753

<http://www.nature.com/articles/srep21753#supplementary-information>. <http://dx.doi.org/10.1038/srep21753>

Branco, T., Clark, B. A., & Häusser, M. (2010). Dendritic Discrimination of Temporal Input Sequences in Cortical Neurons. *Science* 329(5999), 1671-1675. doi.

Branco, T., & Häusser, M. (2011). Synaptic integration gradients in single cortical pyramidal cell dendrites. *Neuron*, 69(5), 885-892. doi.

Brandt, N., Löffler, T., Fester, L., & Rune, G. M. (2020). Sex-specific features of spine densities in the hippocampus. *Scientific Reports*, 10(1), 11405. doi: 10.1038/s41598-020-68371-x. <https://doi.org/10.1038/s41598-020-68371-x>

Braun, K., Antemano, R., Helmeke, C., Büchner, M., & Poeggel, G. (2009). Juvenile separation stress induces rapid region-and layer-specific changes in S100 β -and glial fibrillary acidic protein-immunoreactivity in astrocytes of the rodent medial prefrontal cortex. *Neuroscience*, 160(3), 629-638. doi.

Braun, K., & Hofmann, H. (1995). Slice cultures of the imprinting-relevant forebrain area MNH of the domestic chick: quantitative characterization of neuronal morphology. *Developmental Brain Research*, 86, 286-296. doi.

Braun, K., & Segal, M. (2000). FMRP involvement in formation of synapses among cultured hippocampal neurons. *Cerebral Cortex*, 10(10), 1045-1052. doi.

Brauth, S. E., Liang, W., Amateau, S. K., & Robert, T. F. (2005). Sexual dimorphism of vocal control nuclei in budgerigars (*Melopsittacus undulatus*) revealed with Nissl and NADPH-d staining. *Journal of Comparative Neurology*, 484(1), 15-27. doi.

Bravin, M., Morando, L., Vercelli, A., Rossi, F., & Strata, P. (1999). Control of spine formation by electrical activity in the adult rat cerebellum. *Proceedings of the National Academy of Sciences*, 96(4), 1704-1709. doi.

Bravin, M., Rossi, F., & Strata, P. (1995). Different climbing fibres innervate separate dendritic regions of the same purkinje cell in hypogranular cerebellum. *Journal of Comparative Neurology*, 357(3), 395-407. doi. <http://dx.doi.org/10.1002/cne.903570306>

Breach, M. R., Moench, K. M., & Wellman, C. L. (2019). Social instability in adolescence differentially alters dendritic morphology in the medial prefrontal cortex and its response to stress in adult male and female rats. *Developmental Neurobiology*, 0(0). doi: 10.1002/dneu.22723. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22723>

Brecht, M., Roth, A., & Sakmann, B. (2003). Dynamic receptive fields of reconstructed pyramidal cells in layers 3 and 2 of rat somatosensory barrel cortex. *Journal of Physiology*, 553(1), 243-265. doi: 10.1113/jphysiol.2003.044222. <http://jp.physoc.org/cgi/content/abstract/553/1/243>

Brecht, M., & Sakmann, B. (2002). Dynamic representation of whisker deflection by synaptic potentials in spiny stellate and pyramidal cells in the barrels and septa of layer 4 rat somatosensory cortex. *Journal of Physiology*, 543(1), 49-70. doi: 10.1113/jphysiol.2002.018465. <http://jp.physoc.org/cgi/content/abstract/543/1/49>

Brecht, M., & Sakmann, B. (2002). Whisker maps of neuronal subclasses of the rat ventral posterior medial thalamus, identified by whole-cell voltage recording and morphological reconstruction. *Journal of Physiology*, 538(2), 495-515. doi: 10.1113/jphysiol.2001.012334. <http://jp.physoc.org/cgi/content/abstract/538/2/495>

- Brecht, M., Schneider, M., Sakmann, B., & Margrie, T. W. (2003). Whisker movements evoked by stimulation of single pyramidal cells in rat motor cortex. *Nature*, 427, 704-710. doi.
- Bregy, A., Nixon, R., Lotocki, G., Alonso, O. F., Atkins, C. M., Tsoulfas, P., . . . Dietrich, W. D. (2011). Posttraumatic hypothermia increases doublecortin expressing neurons in the dentate gyrus after traumatic brain injury in the rat. *Experimental Neurology*. doi.
- Bremen, P., & Joris, P. X. (2013). Axonal Recordings from Medial Superior Olive Neurons Obtained from the Lateral Lemniscus of the Chinchilla (*Chinchilla laniger*). *The Journal of Neuroscience*, 33(44), 17506-17518. doi. <http://www.jneurosci.org/content/33/44/17506.short>
- Bremmer, F., Duhamel, J.-R., Ben Hamed, S., & Graf, W. (2002). Heading encoding in the macaque ventral intraparietal area (VIP). *European Journal of Neuroscience*, 16(8), 1554-1568. doi:10.1046/j.1460-9568.2002.02207.x. [http://www.blackwell-synergy.com/doi/abs/10.1046-j.1460-9568.2002.02207.x](http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02207.x)
- Bremmer, F., Klam, F., Duhamel, J.-R., Ben Hamed, S., & Graf, W. (2002). Visual-vestibular interactive responses in the macaque ventral intraparietal area (VIP). *European Journal of Neuroscience*, 16(8), 1569-1586. doi:10.1046/j.1460-9568.2002.02206.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02206.x>
- Brenneman, L. H., & Maness, P. F. (2008). Developmental regulation of GABAergic interneuron branching and synaptic development in the prefrontal cortex by soluble neural cell adhesion molecule. *Molecular and Cellular Neuroscience*, 37(4), 781-793. doi.
- Brenneman, L. H., Zhang, X., Guan, H., Triplett, J. W., Brown, A., Demyanenko, G. P., . . . Maness, P. F. (2012). Polysialylated NCAM and EphrinA/EphA Regulate Synaptic Development of GABAergic Interneurons in Prefrontal Cortex. *Cerebral Cortex*, bhr392. doi:10.1093/cercor/bhr392. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr392v1>
- Brennan, A. R., Yuan, P., Dickstein, D. L., Rocher, A. B., Hof, P. R., Manji, H., & Arnsten, A. F. T. (2009). Protein kinase C activity is associated with prefrontal cortical decline in aging. *Neurobiology of Aging*, 30(5), 782-792. doi.
- Brennan, C., Rivas-Plata, K., & Landis, S. C. (1999). The p75 neurotrophin receptor influences NT-3 responsiveness of sympathetic neurons in vivo. *Nature Neuroscience*, 2, 699-705. doi.
- Bressoud, R., & Innocenti, G. M. (1999). Typology, early differentiation, and exuberant growth of a set of cortical axons. *Journal of Comparative Neurology*, 406(1), 87-108. doi. [http://dx.doi.org/10.1002/\(SICI\)1096-9861\(19990329\)406:1<87::AID-CNE6>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1096-9861(19990329)406:1<87::AID-CNE6>3.0.CO;2-S)
- Breton, J. M., Charbit, A. R., Snyder, B. J., Fong, P. T. K., Dias, E. V., Himmels, P., . . . Margolis, E. B. (2018). Relative Contributions and Mapping of Ventral Tegmental Area Dopamine and GABA Neurons by Projection Target in the Rat. *Journal of Comparative Neurology*, 0(ja). doi:10.1002/cne.24572. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24572>
- Brette, R., Rudolph, M., Carnevale, T., Hines, M., Beeman, D., Bower, J. M., . . . others. (2007). Simulation of networks of spiking neurons: a review of tools and strategies. *Journal of Computational Neuroscience*, 23(3), 349-398. doi.

- Brett-Green, B., Fifková, E., Larue, D. T., Winer, J. A., & Barth, D. S. (2003). A multisensory zone in rat parietotemporal cortex: Intra- and extracellular physiology and thalamocortical connections. *Journal of Comparative Neurology*, 460(2), 223-237. doi.
- Brette, M., Suchowerska, A. K., Chua, S. W., Ittner, L. M., & Fath, T. (2015). Amyotrophic lateral sclerosis-associated mutant profilin 1 increases dendritic arborisation and spine formation in primary hippocampal neurons. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2015.09.034>. <http://www.sciencedirect.com/science/article/pii/S0304394015301609>
- Breunig, J. J., Silbereis, J., Vaccarino, F. M., Sestan, N., & Rakic, P. (2007). Notch regulates cell fate and dendrite morphology of newborn neurons in the postnatal dentate gyrus. *Proceedings of the National Academy of Sciences*, 104(51), 20558-20563. doi: 10.1073/pnas.0710156104. <http://www.pnas.org/cgi/content/abstract/104/51/20558>
- Brevik, A., Leergaard, T. B., Svanevik, M., & Bjaalie, J. G. (2001). Three-dimensional computerised atlas of the rat brain stem precerebellar system: approaches for mapping, visualization, and comparison of spatial distribution data. *Anatomy and Embryology*, 204(4), 319-332. doi.
- Brewer, G. J., Espinosa, J. A., & Struble, R. G. (2003). Effect of Neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats. *Journal of Neurosurgery*, 98(6), 1291-1298. doi.
- Brewer, K. L., Lee, J. W., Downs, H., Oaklander, A. L., & Yeziarski, R. P. (2008). Dermatome scratching after intramedullary quisqualate injection: correlation with cutaneous denervation. *Journal of Pain*, 9(11), 999-1005. doi.
- Brewster, A. L., Lugo, J. N., Patil, V. V., Lee, W. L., Qian, Y., Vanegas, F., & Anderson, A. E. (2013). Rapamycin Reverses Status Epilepticus-Induced Memory Deficits and Dendritic Damage. *PLoS ONE*, 8(3), e57808. doi: 10.1371/journal.pone.0057808. <http://dx.doi.org/10.1371/journal.pone.0057808>
- Briani, C., Zara, G., Bernardinello, L., Cavalletto, L., Ermani, M., & Chemello, L. (2004). Pegylated alpha-interferons peripheral neurotoxicity: prospective study in chronic hepatitis C. *Journal of the Peripheral Nervous System*, 9(2), 110-111. doi.
- Bribián, A., Barallobre, M. J., Soussi-Yanicostas, N., & de Castro, F. (2006). Anosmin-1 modulates the FGF-2-dependent migration of oligodendrocyte precursors in the developing optic nerve. *Molecular and Cellular Neuroscience*, 33(1), 2-14. doi.
- Bridges, N., Slais, K., & Syková, E. (2008). The effects of chronic corticosterone on hippocampal astrocyte numbers: A comparison of male and female Wistar rats. *Acta Neurobiologiae Experimentalis*, 68(2), 131-131. doi.
- Briffaud, V., Williams, P., Courty, J., & Broberger, C. (2015). Excitation of Tuberoinfundibular Dopamine Neurons by Oxytocin: Crosstalk in the Control of Lactation. *The Journal of Neuroscience*, 35(10), 4229-4237. doi. <http://www.jneurosci.org/content/35/10/4229.short>
- Briggs, F., & Callaway, E. M. (2005). Laminar patterns of local excitatory input to layer 5 neurons in macaque primary visual cortex. *Cerebral Cortex*, 15(5), 479-488. doi.
- Briggs, F., Kiley, Caitlin W., Callaway, Edward M., & Usrey, W. M. (2016). Morphological Substrates for Parallel Streams of Corticogeniculate Feedback Originating in Both V1 and V2 of the Macaque Monkey. *Neuron*.

doi: <http://dx.doi.org/10.1016/j.neuron.2016.02.038>. <http://www.sciencedirect.com/science/article/pii/S0896627316001756>

Bright, F. M., Byard, R. W., Vink, R., & Paterson, D. S. (2017). Medullary Serotonin Neuron Abnormalities in an Australian Cohort of Sudden Infant Death Syndrome. *Journal of Neuropathology and Experimental Neurology*. doi: <https://academic.oup.com/jnen/article-abstract/doi/10.1093/jnen/nlx071/4..>

Brill, M. S., Ninkovic, J., Winpenny, E., Hodge, R. D., Ozen, I., Yang, R., . . . others. (2009). Adult generation of glutamatergic olfactory bulb interneurons. *Nature Neuroscience*, 12(12), 1524-1533. doi.

Brilliant, M. J., Elble, R. J., Ghobrial, M., & Struble, R. G. (1997). The distribution of amyloid β protein deposition in the corpus striatum of patients with Alzheimer's disease. *Neuropathology and Applied Neurobiology*, 23(4), 322-325. doi.

Brindani, F., Gemignani, F., Zinno, L., & Marbini, A. (2004). Aquadynia: a manifestation of small fiber sensory neuropathy? *Journal of the Peripheral Nervous System*, 9(2), 119-119. doi: doi:10.1111/j.1085-9489.2004.009209av.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Briner, A., De Roo, M., Dayer, A., Muller, D., Habre, W., & Vutskits, L. (2010). Volatile anesthetics rapidly increase dendritic spine density in the rat medial prefrontal cortex during synaptogenesis. *Anesthesiology*, 112(3), 546-546. doi.

Briner, A., Nikonenko, I., De Roo, M., Dayer, A., Muller, D., & Vutskits, L. (2011). Developmental stage-dependent persistent impact of propofol anesthesia on dendritic spines in the rat medial prefrontal cortex. *Anesthesiology*, 115(2), 282-282. doi.

Brinkmann, B. G., Agarwal, A., Sereda, M. W., Garratt, A. N., Müller, T., Wende, H., . . . others. (2008). Neuregulin-1/ErbB signaling serves distinct functions in myelination of the peripheral and central nervous system. *Neuron*, 59(4), 581-595. doi.

Briska, A. M., Uhrlich, D. J., & Lytton, W. W. (2000). Independent dendritic domains in the thalamic circuit. *Neurocomputing*, 32, 299-305. doi.

Briska, A. M., Uhrlich, D. J., & Lytton, W. W. (2003). Computer model of passive signal integration based on whole-cell in vitro studies of rat lateral geniculate nucleus. *European Journal of Neuroscience*, 17(8), 1531-1541. doi: doi:10.1046/j.1460-9568.2003.02579.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02579.x>

Brizuela, M., Blizzard, C. A., Chuckowree, J. A., Pitman, K. A., Young, K. M., & Dickson, T. (2017). Mild traumatic brain injury leads to decreased inhibition and a differential response of calretinin positive interneurons in the injured cortex. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.4977. <http://dx.doi.org/10.1089/neu.2017.4977>

Broadbelt, K. G., Paterson, D. S., Rivera, K. D., L Trachtenberg, F., & Kinney, H. C. (2010). Neuroanatomic relationships between the GABAergic and serotonergic systems in the developing human medulla. *Autonomic Neuroscience*, 154(1-2), 30-41. doi.

Broadbelt, K. G., Rivera, K. D., Paterson, D. S., Duncan, J. R., Trachtenberg, F. L., Paulo, J. A., . . . others. (2012). Brainstem deficiency of the 14-3-3 regulator of serotonin synthesis: a proteomics analysis in the sudden infant death syndrome. *Molecular & Cellular Proteomics*, 11(1). doi.

Brockett, E. G., Seenan, P. G., Anne Bannatyne, B., & Maxwell, D. J. (2013). Ascending and descending propriospinal pathways between lumbar and cervical segments in the rat: evidence for a substantial ascending excitatory pathway. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.02.039>. <http://www.sciencedirect.com/science/article/pii/S0306452213001735>

Brohlin, M., Kingham, P. J., Novikova, L. N., Novikov, L. N., & Wiberg, M. (2012). Aging Effect on Neurotrophic Activity of Human Mesenchymal Stem Cells. *PLoS ONE*, 7(9), e45052. doi: 10.1371/journal.pone.0045052. <http://dx.doi.org/10.1371/journal.pone.0045052>

Brombas, A., Fletcher, L. N., & Williams, S. R. (2014). Activity-Dependent Modulation of Layer 1 Inhibitory Neocortical Circuits by Acetylcholine. *The Journal of Neuroscience*, 34(5), 1932-1941. doi: <http://www.jneurosci.org/content/34/5/1932.short>

Broser, P. J., Erdogan, S., Grinevich, V., Osten, P., Sakmann, B., & Wallace, D. J. (2008). Automated axon length quantification for populations of labelled neurons. *Journal of Neuroscience Methods*, 169(1), 43-54. doi.

Brown, E. C. Z., Steadman, C. J., Lee, T. M., Padmanabhan, V., Lehman, M. N., & Coolen, L. M. (2015). Sex differences and effects of prenatal exposure to excess testosterone on ventral tegmental area dopamine neurons in adult sheep. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12871. <http://dx.doi.org/10.1111/ejn.12871>

Brown, J., Cooper-Kuhn, C. M., Kempermann, G., Praag, H. V., Winkler, J., Gage, F. H., & Kuhn, H. G. (2003). Enriched environment and physical activity stimulate hippocampal but not olfactory bulb neurogenesis. *European Journal of Neuroscience*, 17(10), 2042. doi.

Brown, K. M., Barrionuevo, G., Canty, A. J., De Paola, V., Hirsch, J. A., Jefferis, G. S. X. E., . . . Ascoli, G. A. (2011). The DIADEM data sets: Representative light microscopy images of neuronal morphology to advance automation of digital reconstructions. *Neuroinformatics*, 1-15. doi.

Brown, K. M., Donohue, D. E., D'Alessandro, G., & Ascoli, G. A. (2005). A cross-platform freeware tool for digital reconstruction of neuronal arborizations from image stacks. *Neuroinformatics*, 3(4), 343-360. doi.

Brown, K. M., Sugihara, I., Shinoda, Y., & Ascoli, G. A. (2012). Digital Morphometry of Rat Cerebellar Climbing Fibers Reveals Distinct Branch and Bouton Types. *Journal of Neuroscience*, 32(42), 14670-14684. doi: 10.1523/jneurosci.2018-12.2012. <http://www.jneurosci.org/content/32/42/14670.abstract>

Brown, M. E., Martin, J. R., Rosenbluth, J., & Ariel, M. (2011). A novel path for rapid transverse communication of vestibular signals in turtle cerebellum. *Journal of Neurophysiology*, 105(3), 1071-1088. doi: 10.1152/jn.00986.2009. <http://jn.physiology.org/content/105/3/1071.abstract>

Brown, P. B., Millecchia, R., Lawson, J. J., Brown, A. G., Koerber, H. R., Culberson, J., & Stephens, S. (2005). From innervation density to tactile acuity 2: Embryonic and adult pre- and postsynaptic somatotopy in the dorsal horn. *Brain Research*, 1055(1), 36-59. doi.

Brown, R. E., McKenna, J. T., Winston, S., Basheer, R., Yanagawa, Y., Thakkar, M. M., & McCarley, R. W. (2008). Characterization of GABAergic neurons in rapid-eye-movement sleep controlling regions of the brainstem reticular formation in GAD67-green fluorescent protein knock-in mice. *European Journal of Neuroscience*, 27(2), 352-363. doi: doi:10.1111/j.1460-9568.2008.06024.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06024.x>

Brown, S. M., Henning, S., & Wellman, C. L. (2005). Mild, short-term stress alters dendritic morphology in rat medial prefrontal cortex. *Cerebral Cortex*, 15(11), 1714-1722. doi.

Brown, S. P., & Hestrin, S. (2009). Intracortical circuits of pyramidal neurons reflect their long-range axonal targets. *Nature*. doi: <http://dx.doi.org/10.1038/nature07658>

<http://www.nature.com/nature/journal/vaop/ncurrent/suppinfo/nature07658...>

Browning, K. N., Babic, T., Holmes, G. M., Swartz, E. M., & Travagli, R. A. (2013). A critical re-evaluation of the specificity of action of perivagal capsaicin. *Journal of Physiology*. doi: 10.1113/jphysiol.2012.246827. [http://jp.physoc.org/content/early/2013/01/07/jphysiol.2012.246827.a
bstract](http://jp.physoc.org/content/early/2013/01/07/jphysiol.2012.246827.abstract)

Browning, K. N., Babic, T., Toti, L., Holmes, G. M., Coleman, F. H., & Travagli, R. A. (2014). Plasticity in the brainstem vagal circuits controlling gastric motor function triggered by corticotropin releasing factor. *The Journal of Physiology*, 592(20), 4591-4605. doi: 10.1113/jphysiol.2014.278192. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/jphysiol.2014.278192>

Browning, K. N., Coleman, F. H., & Travagli, R. A. (2005). Characterization of pancreas-projecting rat dorsal motor nucleus of vagus neurons. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 288(5), G950-955. doi: 10.1152/ajpgi.00549.2004. <http://ajpgi.physiology.org/cgi/content/abstract/288/5/G950>

Browning, K. N., Coleman, F. H., & Travagli, R. A. (2005). Effects of pancreatic polypeptide on pancreas-projecting rat dorsal motor nucleus of the vagus neurons. *American Journal of Physiol - Gastrointest Liver Physiology*, 289(2), G209-219. doi: 10.1152/ajpgi.00560.2004. <http://ajpgi.physiology.org/cgi/content/abstract/289/2/G209>

Browning, K. N., Travagli, R. A., & others. (2004). Morphological differences between planes of section do not influence the electrophysiological properties of identified rat dorsal motor nucleus of the vagus neurons. *Brain Research*, 1003(1), 54-60. doi.

Brownstone, R. M., & Wilson, J. M. (2008). Strategies for delineating spinal locomotor rhythm-generating networks and the possible role of Hb9 interneurons in rhythmogenesis. *Brain Research Reviews*, 57(1), 64-76. doi.

Brozoski, T., Brozoski, D., Wisner, K., & Bauer, C. (2017). Chronic tinnitus and unipolar brush cell alterations in the cerebellum and dorsal cochlear nucleus. *Hearing Research*, 350, 139-151. doi: <https://doi.org/10.1016/j.heares.2017.04.016>. <http://www.sciencedirect.com/science/article/pii/S037859551730059X>

Brückner, G., Morawski, M., & Arendt, T. (2008). Aggrecan-based extracellular matrix is an integral part of the human basal ganglia circuit. *Neuroscience*, 151(2), 489-504. doi.

Brudvig, J. J., Cain, J. T., Schmidt-Grimminger, G. G., Stumpo, D. J., Roux, K. J., Blackshear, P. J., & Weimer, J. M. (2018). MARCKS Is Necessary for Netrin-DCC Signaling and Corpus Callosum Formation. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0990-3. <https://doi.org/10.1007/s12035-018-0990-3>

Brumberg, J. C., Hamzei-Sichani, F., & Yuste, R. (2003). Morphological and Physiological Characterization of Layer VI Corticofugal Neurons of Mouse Primary Visual Cortex. *Journal of*

Neurophysiology, 89(5), 2854-2867. doi:

10.1152/jn.01051.2002. <http://jn.physiology.org/cgi/content/abstract/89/5/2854>

Brüne, M., Schöbel, A., Karau, R., Benali, A., Faustmann, P. M., Juckel, G., & Petrasch-Parwez, E. (2010). Von Economo neuron density in the anterior cingulate cortex is reduced in early onset schizophrenia. *Acta Neuropathologica*, 119(6), 771-778. doi:

Brunjes, P. C. (2021). Pyramidal Cells in Olfactory Cortex. *Chemical Senses*, (bjab002). doi: 10.1093/chemse/bjab002. <https://doi.org/10.1093/chemse/bjab002>

Brunjes, P. C., Kay, R. B., & Arrivillaga, J. P. (2011). The mouse olfactory peduncle. *Journal of Comparative Neurology*, 519(14), 2870-2886. doi: 10.1002/cne.22662. <http://dx.doi.org/10.1002/cne.22662>

Brunjes, P. C., & Kenerson, M. C. (2010). The anterior olfactory nucleus: quantitative study of dendritic morphology. *Journal of Comparative Neurology*, 518(9), 1603-1616. doi:

Bruno, R. M., Hahn, T. T. G., Wallace, D. J., de Kock, C. P. J., & Sakmann, B. (2009). Sensory Experience Alters Specific Branches of Individual Corticocortical Axons during Development. *Journal of Neuroscience*, 29(10), 3172-3181. doi: 10.1523/jneurosci.5911-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/10/3172>

Brus-Ramer, M., Carmel, J. B., Chakrabarty, S., & Martin, J. H. (2007). Electrical Stimulation of Spared Corticospinal Axons Augments Connections with Ipsilateral Spinal Motor Circuits after Injury. *Journal of Neuroscience*, 27(50), 13793-13801. doi: 10.1523/jneurosci.3489-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/50/13793>

Brzozowska, N. I., Smith, K. L., Zhou, C., Waters, P. M., Cavalcante, L. M., Abelev, S. V., . . . Arnold, J. C. (2017). Genetic deletion of P-glycoprotein alters stress responsivity and increases depression-like behavior, social withdrawal and microglial activation in the hippocampus of female mice. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.05.008>. <http://www.sciencedirect.com/science/article/pii/S088915911730154X>

Bu, Q., Wang, A., Hamzah, H., Waldman, A., Jiang, K., Dong, Q., . . . Chang, Q. (2017). CREB signaling is involved in Rett syndrome pathogenesis. [10.1523/JNEUROSCI.3735-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/03/07/JNEUROSCI.3735-16.2017>..

Bubser, M., Fadel, J. R., Jackson, L. L., Meador-Woodruff, J. H., Jing, D., & Deutch, A. Y. (2005). Dopaminergic regulation of orexin neurons. *European Journal of Neuroscience*, 21(11), 2993-3001. doi: 10.1111/j.1460-9568.2005.04121.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04121.x>

Buchanan, Katherine A., Blackman, Arne V., Moreau, Alexandre W., Elgar, D., Costa, Rui P., Lalanne, T., . . . Sjöström, P. J. (2012). Target-Specific Expression of Presynaptic NMDA Receptors in Neocortical Microcircuits. *Neuron*, 75(3), 451-466. doi: 10.1016/j.neuron.2012.06.017. <http://www.sciencedirect.com/science/article/pii/S089662731200579X>

Buchser, W. J., Slepak, T. I., Gutierrez-Arenas, O., Bixby, J. L., & Lemmon, V. P. (2010). Kinase/phosphatase overexpression reveals pathways regulating hippocampal neuron morphology. *Molecular systems biology*, 6(1). doi:

Buckiova, D., Popelar, J., & Syka, J. (2006). Collagen changes in the cochlea of aged Fischer 344 rats. *Experimental Gerontology*, 41(3), 296-302. doi.

Buckiova, D., Popelar, J., & Syka, J. (2007). Aging cochleas in the F344 rat: morphological and functional changes. *Experimental Gerontology*, 42(7), 629-638. doi.

Buckmaster, C. A., Eichenbaum, H., Amaral, D. G., Suzuki, W. A., & Rapp, P. R. (2004). Entorhinal Cortex Lesions Disrupt the Relational Organization of Memory in Monkeys. *Journal of Neuroscience*, 24(44), 9811-9825. doi: 10.1523/jneurosci.1532-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/44/9811>

Buckmaster, P. S. (2004). Prolonged Infusion of Tetrodotoxin Does Not Block Mossy Fiber Sprouting in Pilocarpine-treated Rats. *Epilepsia*, 45(5), 452-458. doi: doi:10.1111/j.0013-9580.2004.67103.x <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0013-9580.2004.67103.x>

Buckmaster, P. S. (2012). Mossy cell dendritic structure quantified and compared with other hippocampal neurons labeled in rats in vivo. *Epilepsia*, 53, 9-17. doi: 10.1111/j.1528-1167.2012.03470.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03470.x>

Buckmaster, P. S., Abrams, E., & Wen, X. (2017). Seizure frequency correlates with loss of dentate gyrus GABAergic neurons in a mouse model of temporal lobe epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24226. <http://dx.doi.org/10.1002/cne.24226>

Buckmaster, P. S., Alonso, A., Canfield, D. R., & Amaral, D. G. (2004). Dendritic morphology, local circuitry, and intrinsic electrophysiology of principal neurons in the entorhinal cortex of macaque monkeys. *Journal of Comparative Neurology*, 470(3), 317-329. doi.

Buckmaster, P. S., & Amaral, D. G. (2001). Intracellular recording and labeling of mossy cells and proximal CA3 pyramidal cells in macaque monkeys. *Journal of Comparative Neurology*, 430(2), 264-281. doi.

Buckmaster, P. S., & Dudek, F. E. (1997). Network Properties of the Dentate Gyrus in Epileptic Rats With Hilar Neuron Loss and Granule Cell Axon Reorganization. *Journal of Neurophysiology*, 77(5), 2685-2696. doi. <http://jn.physiology.org/cgi/content/abstract/77/5/2685>

Buckmaster, P. S., & Dudek, F. E. (1999). In Vivo Intracellular Analysis of Granule Cell Axon Reorganization in Epileptic Rats. *Journal of Neurophysiology*, 81(2), 712-721. doi. <http://jn.physiology.org/cgi/content/abstract/81/2/712>

Buckmaster, P. S., Ingram, E. A., & Wen, X. (2009). Inhibition of the Mammalian Target of Rapamycin Signaling Pathway Suppresses Dentate Granule Cell Axon Sprouting in a Rodent Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(25), 8259-8269. doi: 10.1523/jneurosci.4179-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/25/8259>

Buckmaster, P. S., & Jongen-Relo, A. L. (1999). Highly Specific Neuron Loss Preserves Lateral Inhibitory Circuits in the Dentate Gyrus of Kainate-Induced Epileptic Rats. *Journal of Neuroscience*, 19(21), 9519-9529. doi. <http://www.jneurosci.org/cgi/content/abstract/19/21/9519>

Buckmaster, P. S., & Wen, X. (2011). Rapamycin suppresses axon sprouting by somatostatin interneurons in a mouse model of temporal lobe epilepsy. *Epilepsia*, 52(11), 2057-2064. doi: 10.1111/j.1528-1167.2011.03253.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03253.x>

- Buckmaster, P. S., Yamawaki, R., & Thind, K. (2016). More Docked Vesicles and Larger Active Zones at Basket Cell-to-Granule Cell Synapses in a Rat Model of Temporal Lobe Epilepsy. *The Journal of Neuroscience*, 36(11), 3295-3308. doi: <http://www.jneurosci.org/content/36/11/3295.short>
- Buckmaster, P. S., Yamawaki, R., & Zhang, G. F. (2002). Axon arbors and synaptic connections of a vulnerable population of interneurons in the dentate gyrus in vivo. *Journal of Comparative Neurology*, 445(4), 360-373. doi:
- Buckmaster, P. S., Zhang, G. F., & Yamawaki, R. (2002). Axon Sprouting in a Model of Temporal Lobe Epilepsy Creates a Predominantly Excitatory Feedback Circuit. *Journal of Neuroscience*, 22(15), 6650-6658. doi: <http://www.jneurosci.org/cgi/content/abstract/22/15/6650>
- Buckwalter, J. A., Parvizi, J., Morecraft, R. J., & van Hoesen, G. W. (2008). Thalamic projections to the posteromedial cortex in the macaque. *Journal of Comparative Neurology*, 507(5), 1709-1733. doi:
- Buckwalter, J. A., Schumann, C. M., & Van Hoesen, G. W. (2008). Evidence for direct projections from the basal nucleus of the amygdala to retrosplenial cortex in the Macaque monkey. *Experimental Brain Research*, 186(1), 47-57. doi:
- Budd, J. M. L., Kovács, K., Ferecskó, A. S., Buzás, P., Eysel, U. T., & Kisvárdy, Z. F. (2010). Neocortical axon arbors trade-off material and conduction delay conservation. *PLoS computational biology*, 6(3), e1000711-e1000711. doi:
- Budzynski, C. A., Gagliardo, A., Iacono, P., & Bingman, V. P. (2002). Participation of the homing pigeon thalamofugal visual pathway in sun-compass associative learning. *European Journal of Neuroscience*, 15(1), 197. doi:
- Buetler, T. M., Renard, M., Offord, E. A., Schneider, H., & Ruegg, U. T. (2002). Green tea extract decreases muscle necrosis in mdx mice and protects against reactive oxygen species. *American Journal of Clinical Nutrition*, 75(4), 749-753. doi:
- Buffo, A., Carulli, D., Rossi, F., & Strata, P. (2003). Extrinsic regulation of injury/growth-related gene expression in the inferior olive of the adult rat. *European Journal of Neuroscience*, 18(8), 2146-2158. doi: doi:10.1046/j.1460-9568.2003.02940.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02940.x>
- Buffo, A., Rite, I., Tripathi, P., Lepier, A., Colak, D., Horn, A.-P., . . . Gotz, M. (2008). Origin and progeny of reactive gliosis: A source of multipotent cells in the injured brain. *Proceedings of the National Academy of Sciences*, 105(9), 3581-3586. doi: 10.1073/pnas.0709002105. <http://www.pnas.org/cgi/content/abstract/105/9/3581>
- Buffo, A., Vosko, M. R., Erturk, D., Hamann, G. F., Jucker, M., Rowitch, D., & Gotz, M. (2005). Expression pattern of the transcription factor Olig2 in response to brain injuries: Implications for neuronal repair. *Proceedings of the National Academy of Sciences*, 102(50), 18183-18188. doi: 10.1073/pnas.0506535102. <http://www.pnas.org/cgi/content/abstract/102/50/18183>
- Buffo, A., Zagrebelsky, M., Huber, A. B., Skerra, A., Schwab, M. E., Strata, P., & Rossi, F. (2000). Application of Neutralizing Antibodies against NI-35/250 Myelin-Associated Neurite Growth Inhibitory Proteins to the Adult Rat Cerebellum Induces Sprouting of Uninjured Purkinje Cell Axons. *Journal of Neuroscience*, 20(6), 2275-2286. doi: <http://www.jneurosci.org/cgi/content/abstract/20/6/2275>

Bugaysen, J., Bar-Gad, I., & Korngreen, A. (2013). Continuous Modulation of Action Potential Firing by a Unitary GABAergic Connection in the Globus Pallidus In Vitro. *Journal of Neuroscience*, 33(31), 12805-12809. doi: 10.1523/jneurosci.1970-13.2013. <http://www.jneurosci.org/content/33/31/12805.abstract>

Buhler, A. V., Choi, J., Proudfit, H. K., & Gebhart, G. F. (2005). Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive. *Pain*, 114(1), 285-294. doi.

Buhler, A. V., Proudfit, H. K., & Gebhart, G. F. (2004). Separate populations of neurons in the rostral ventromedial medulla project to the spinal cord and to the dorsolateral pons in the rat. *Brain Research*, 1016(1), 12-19. doi.

Buhler, A. V. K., Tachibana, S., Zhang, Y., & Quock, R. M. (2018). nNOS immunoreactivity co-localizes with GABAergic and cholinergic neurons, and associates with β -endorphinergic and met-enkephalinergic opioidergic fibers in rostral ventromedial medulla and A5 of the mouse. *Brain Research*, 1698, 170-178. doi: <https://doi.org/10.1016/j.brainres.2018.08.003>, <http://www.sciencedirect.com/science/article/pii/S0006899318304189>

Bui Quoc, E., Quenech'Du, N., & Milleret, C. (2005). Plasticity of Visual Interhemispheric Transfer to Areas 17 and 18 in Cats With Convergent Unilateral Early Strabismus. *Investigative Ophthalmology and Visual Science*, 46(5), 2958-2958. doi.

Bullmann, T., Seeger, G., Stieler, J., Hanics, J., Reimann, K., Petra Kretzschmann, T., . . . Arendt, T. (2015). Tau phosphorylation associated spine regression does not impair hippocampal dependent memory in hibernating Golden hamsters. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22522. <http://dx.doi.org/10.1002/hipo.22522>

Bunce, J. G., Zikopoulos, B., Feinberg, M., & Barbas, H. (2013). Parallel prefrontal pathways reach distinct excitatory and inhibitory systems in memory-related rhinal cortices. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23413. <http://dx.doi.org/10.1002/cne.23413>

Burbridge, T. J., Wang, Y., Volz, A. J., Peschansky, V. J., Lisann, L., Galaburda, A. M., . . . Rosen, G. D. (2008). Postnatal analysis of the effect of embryonic knockdown and overexpression of candidate dyslexia susceptibility gene homolog Dcdc2 in the rat. *Neuroscience*, 152(3), 723-733. doi.

Bureau, I., Shepherd, G. M. G., & Svoboda, K. (2004). Precise development of functional and anatomical columns in the neocortex. *Neuron*, 42(5), 789-801. doi.

Bureau, I., Shepherd, G. M. G., & Svoboda, K. (2008). Circuit and Plasticity Defects in the Developing Somatosensory Cortex of Fmr1 Knock-Out Mice. *Journal of Neuroscience*, 28(20), 5178-5188. doi: 10.1523/jneurosci.1076-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/20/5178>

Bureau, I., von Saint Paul, F., & Svoboda, K. (2006). Interdigitated Paralemniscal and Lemniscal Pathways in the Mouse Barrel Cortex. *PLoS Biology*, 4(12), e382. doi. <http://dx.doi.org/10.1371/journal.pbio.0040382>

Burianova, J., Ouda, L., Profant, O., & Syka, J. (2009). Age-related changes in GAD levels in the central auditory system of the rat. *Experimental Gerontology*, 44(3), 161-169. doi.

- Burke, M. C., Letts, P. A., Krajewski, S. J., & Rance, N. E. (2006). Coexpression of dynorphin and neurokinin B immunoreactivity in the rat hypothalamus: morphologic evidence of interrelated function within the arcuate nucleus. *Journal of Comparative Neurology*, 498(5), 712-726. doi.
- Burke, M. R., Adkins-Regan, E., & Wade, J. (2007). Laterality in syrinx muscle morphology of the Japanese quail (< i> Coturnix japonica</i>). *Physiology and Behavior*, 90(4), 682-686. doi.
- Burke, P. G. R., Abbott, S. B. G., Coates, M. B., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2014). Optogenetic Stimulation of Adrenergic C1 Neurons Causes Sleep State Dependent Cardiorespiratory Stimulation and Arousal with Sighs in Rats. *American Journal of Respiratory and Critical Care Medicine*. doi: 10.1164/rccm.201407-1262OC. <http://dx.doi.org/10.1164/rccm.201407-1262OC>
- Burke, P. G. R., Kanbar, R., Basting, T. M., Hodges, W. M., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2015). State-dependent control of breathing by the retrotrapezoid nucleus. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270053. <http://dx.doi.org/10.1113/JP270053>
- Burke, P. G. R., Kanbar, R., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2015). Selective optogenetic stimulation of the retrotrapezoid nucleus in sleeping rats activates breathing without changing blood pressure or causing arousal or sighs. [10.1152/jappphysiol.00164.2015]. *Journal of Applied Physiology*. doi. <http://jap.physiology.org/content/early/2015/04/07/jappphysiol.00164.20..>
- Burkhalter, J., Fiumelli, H., Erickson, J. D., & Martin, J.-L. (2007). A Critical Role for System A Amino Acid Transport in the Regulation of Dendritic Development by Brain-derived Neurotrophic Factor (BDNF). *Journal of Biological Chemistry*, 282(8), 5152-5159. doi: 10.1074/jbc.M608548200. <http://www.jbc.org/cgi/content/abstract/282/8/5152>
- Burleson, A., Nusstein, J., Reader, A., & Beck, M. (2007). The In Vivo Evaluation of Hand/Rotary/Ultrasound Instrumentation in Necrotic, Human Mandibular Molars. *Journal of Endodontics*, 33(7), 782-787. doi.
- Burnett, L. R., Stein, B. E., Chaponis, D., & Wallace, M. T. (2004). Superior colliculus lesions preferentially disrupt multisensory orientation. *Neuroscience*, 124(3), 535-547. doi.
- Burnett, L. R., Stein, B. E., Perrault, T. J., & Wallace, M. T. (2007). Excitotoxic lesions of the superior colliculus preferentially impact multisensory neurons and multisensory integration. *Experimental Brain Research*, 179(2), 325-338. doi.
- Burton, S. D., & Urban, N. N. (2015). Rapid Feedforward Inhibition and Asynchronous Excitation Regulate Granule Cell Activity in the Mammalian Main Olfactory Bulb. *The Journal of Neuroscience*, 35(42), 14103-14122. doi. <http://www.jneurosci.org/content/35/42/14103.short>
- Bush, A. L., & Hyson, R. L. (2006). Lithium increases BCL-2 expression in chick cochlear nucleus and protects against deafferentation-induced cell death. *Neuroscience*, 138(4), 1341-1349. doi.
- Buskila, Y., Bellot-Saez, A., KÃ©kesi, O., Cameron, M., & Morley, J. (2019). Extending the Life Span of Acute Neuronal Tissue for Imaging and Electrophysiological Studies. In N. J. D. Wright (Ed.), *Basic Neurobiology Techniques* (pp. 235-259). New York, NY: Springer US.
- Busti, D., Bienvenu, T., Micklem, B., Magill, P., Shigemoto, R., Capogna, M., & Ferraguti, F. (2011). Morphological characterization of large intercalated neurons provides novel insight on intrinsic networks of the amygdala. *BMC Pharmacology*, 11(Suppl 2), A9-A9. doi.

Busto, G. U., Guven-Ozkan, T., Chakraborty, M., & Davis, R. L. (2016). Developmental inhibition of miR-iab8-3p disrupts mushroom body neuron structure and adult learning ability. *Developmental Biology*. doi: <http://dx.doi.org/10.1016/j.ydbio.2016.09.010>. <http://www.sciencedirect.com/science/article/pii/S0012160616303141>

Butler, A. K., Dantzker, J. L., Shah, R. B., & Callaway, E. M. (2001). Development of visual cortical axons: Layer-specific effects of extrinsic influences and activity blockade. *Journal of Comparative Neurology*, 430(3), 321-331. doi.

Butler, B. E., Chabot, N., Kral, A., & Lomber, S. G. (2016). Origins of thalamic and cortical projections to the posterior auditory field in congenitally deaf cats. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.06.003>. <http://www.sciencedirect.com/science/article/pii/S0378595516301319>

Butler, B. E., Chabot, N., & Lomber, S. G. (2016). Quantifying and comparing the pattern of thalamic and cortical projections to the posterior auditory field in hearing and deaf cats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24005. <http://dx.doi.org/10.1002/cne.24005>

Butler, B. E., Chabot, N., & Lomber, S. G. (2016). A quantitative comparison of the hemispheric, areal, and laminar origins of sensory and motor cortical projections to the superior colliculus of the cat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23980. <http://dx.doi.org/10.1002/cne.23980>

Butler, B. E., de la Rúa, A., Ward-Able, T., & Lomber, S. G. (2017). Cortical and thalamic connectivity to the second auditory cortex of the cat is resilient to the onset of deafness. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1523-y. <https://doi.org/10.1007/s00429-017-1523-y>

Butler, B. E., Sunstrum, J. K., & Lomber, S. G. (2018). Modified origins of cortical projections to the superior colliculus in the deaf: Dispersion of auditory efferents. [10.1523/JNEUROSCI.2858-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/04/02/JNEUROSCI.2858-17.2018...>

Butler, R. K., Oliver, E. M., Sharko, A. C., Parilla-Carrero, J., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2016). Activation of corticotropin releasing factor-containing neurons in the rat central amygdala and bed nucleus of the stria terminalis following exposure to two different anxiogenic stressors. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.051>. <http://www.sciencedirect.com/science/article/pii/S0166432816300493>

Butler, R. K., White, L. C., Frederick-Duus, D., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2012). Comparison of the activation of somatostatin- and neuropeptide Y-containing neuronal populations of the rat amygdala following two different anxiogenic stressors. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.08.002. <http://www.sciencedirect.com/science/article/pii/S0014488612003111>

Butovsky, O., Ziv, Y., Schwartz, A., Landa, G., Talpalar, A., Pluchino, S., . . . Schwartz, M. (2006). Microglia activated by IL-4 or IFN-gamma differentially induce neurogenesis and oligodendrogenesis from adult stem/progenitor cells. *Molecular and Cellular Neurosciences*, 31, 149 - 160. doi.

Butti, C., Janeway, C., Townshend, C., Wicinski, B., Reidenberg, J., Ridgway, S., . . . Jacobs, B. (2014). The neocortex of cetartiodactyls: I. A comparative Golgi analysis of neuronal morphology in the bottlenose dolphin (*Tursiops truncatus*), the minke whale (*Balaenoptera acutorostrata*), and the

humpback whale (*Megaptera novaeangliae*). *Brain Structure and Function*, 1-30. doi: 10.1007/s00429-014-0860-3. <http://dx.doi.org/10.1007/s00429-014-0860-3>

Buzás, P., Eysel, U., & Kisvárdy, Z. (1998). Functional topography of single cortical cells: an intracellular approach combined with optical imaging. *Brain Research Protocols*, 3(2), 199-208. doi.

Buzás, P., Eysel, U. T., Adorján, P., & Kisvárdy, Z. F. (2001). Axonal topography of cortical basket cells in relation to orientation, direction, and ocular dominance maps. *Journal of Comparative Neurology*, 437(3), 259-285. doi.

Buzás, P., Kovács, K., Ferecskó, A. S., Budd, J. M. L., Eysel, U. T., & Kisvárdy, Z. F. (2006). Model-based analysis of excitatory lateral connections in the visual cortex. *Journal of Comparative Neurology*, 499(6), 861-881. doi.

Byers, J. S., Huguenard, A. L., Kuruppu, D., Liu, N. K., Xu, X. M., & Sengelaub, D. R. (2012). Neuroprotective effects of testosterone on motoneuron and muscle morphology following spinal cord injury. *Journal of Comparative Neurology*. doi.

C., G. K., Lu, L., Praveen, C., P., W. J., C., W. M., & Anna, C. L. (2018). Genetic inactivation of synaptosomal-associated protein 25 (SNAP-25) in adult hippocampal neural progenitors impairs pattern discrimination learning but not survival or structural maturation of newborn dentate granule cells. *Hippocampus*, 0(ja). doi: doi:10.1002/hipo.23008. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23008>

Cabañero, D., Irie, T., Celorrio, M., Trousdale, C., Owens, D. M., Virley, D., . . . Morón, J. A. (2016). Identification of an epidermal keratinocyte AMPA glutamate receptor involved in dermatopathies associated with sensory abnormalities. *PAIN Reports*, 1(3), e573. doi: 10.1097/pr9.0000000000000573. http://journals.lww.com/painrpts/Fulltext/2016/09000/Identification_of_a..

Cabungcal, J. H., Nicolas, D., Kraftsik, R., Cuénod, M., Do, K. Q., & Hornung, J. P. (2006). Glutathione deficit during development induces anomalies in the rat anterior cingulate GABAergic neurons: relevance to schizophrenia. *Neurobiology of Disease*, 22(3), 624-637. doi.

Caetano, L., Pinheiro, H., Patricio, P., Mateus-Pinheiro, A., Alves, N. D., Coimbra, B., . . . Gomes, C. A. (2016). Adenosine A2A receptor regulation of microglia morphological remodeling-gender bias in physiology and in a model of chronic anxiety. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.173. <http://dx.doi.org/10.1038/mp.2016.173>

Cafforio, G., D'Avino, C., Calabrese, R., & Siciliano, G. (2004). Clinical open-label study for evaluation of efficacy and tolerability of oxcarbazepine in the treatment of neuropathic pain. *Journal of the Peripheral Nervous System*, 9(2), 120-120. doi.

Cagalinec, M., Liiv, M., Hodurova, Z., Hickey, M. A., Vaarmann, A., Mandel, M., . . . Kaasik, A. (2016). Role of Mitochondrial Dynamics in Neuronal Development: Mechanism for Wolfram Syndrome. *PLoS Biol*, 14(7), e1002511. doi: 10.1371/journal.pbio.1002511. <http://dx.doi.org/10.1371%2Fjournal.pbio.1002511>

Cahill, S. P., Hatchard, T., Abizaid, A., & Holahan, M. R. (2014). An examination of early neural and cognitive alterations in hippocampal-spatial function of ghrelin receptor-deficient rats. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.02.004>. <http://www.sciencedirect.com/science/article/pii/S0166432814000710>

- Cai, Y., Chew, C., Muñoz, F., & Sengelaub, D. R. (2016). Neuroprotective effects of testosterone metabolites and dependency on receptor action on the morphology of somatic motoneurons following the death of neighboring motoneurons. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22445. <http://dx.doi.org/10.1002/dneu.22445>
- Cain, D. M., Wacnik, P. W., Turner, M., Wendelschafer-Crabb, G., Kennedy, W. R., Wilcox, G. L., & Simone, D. A. (2001). Functional Interactions between Tumor and Peripheral Nerve: Changes in Excitability and Morphology of Primary Afferent Fibers in a Murine Model of Cancer Pain. *Journal of Neuroscience*, 21(23), 9367-9376. doi: <http://www.jneurosci.org/cgi/content/abstract/21/23/9367>
- Caldwell, A. S. L., Eid, S., Kay, C. R., Jimenez, M., McMahon, A. C., Desai, R., . . . Walters, K. A. (2015). Haplosufficient genomic androgen receptor signaling is adequate to protect female mice from induction of polycystic ovary syndrome features by prenatal hyperandrogenization. *Endocrinology*, 0(0), en.2014-1887. doi: doi:10.1210/en.2014-1887. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1887>
- Calella, A., Nerlov, C., Lopez, R., Sciarretta, C., von Bohlen und Halbach, O., Bereshchenko, O., & Minichiello, L. (2007). Neurotrophin/Trk receptor signaling mediates C/EBPa, -β and NeuroD recruitment to immediate-early gene promoters in neuronal cells and requires C/EBPs to induce immediate-early gene transcription. *Neural Development*, 2(1), 4. doi: <http://www.neuraldevelopment.com/content/2/1/4>
- Caleo, M., Cenni, M. C., Costa, M., Menna, E., Zentilin, L., Giadrossi, S., . . . Maffei, L. (2002). Expression of BCL-2 via adeno-associated virus vectors rescues thalamic neurons after visual cortex lesion in the adult rat. *European Journal of Neuroscience*, 15(8), 1271. doi.
- Caleo, M., Medini, P., von Bartheld, C. S., & Maffei, L. (2003). Provision of Brain-Derived Neurotrophic Factor via Anterograde Transport from the Eye Preserves the Physiological Responses of Axotomized Geniculate Neurons. *Journal of Neuroscience*, 23, 287-296. doi.
- Caleo, M., Tropea, D., Rossi, C., Gianfranceschi, L., & Maffei, L. (2009). Environmental enrichment promotes fiber sprouting after deafferentation of the superior colliculus in the adult rat brain. *Experimental Neurology*, 216(2), 515-519. doi.
- Caliandro, P., Mondelli, M., Aprile, I., Pazzaglia, C., Sabatelli, M., Tonalì, P., & Padua, L. (2004). Is carpal tunnel syndrome surgery useful in patients with diabetes or autoimmune polyneuropathies? *Journal of the Peripheral Nervous System*, 9(2), 109-109. doi: doi:10.1111/j.1085-9489.2004.00920gr.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.00920gr.x>
- Calixto, E., Galván, E. J., Card, J. P., & Barrionuevo, G. (2008). Coincidence detection of convergent perforant path and mossy fibre inputs by CA3 interneurons. *Journal of Physiology*, 586(11), 2695-2712. doi.
- Calizo, L. H., Ma, X., Pan, Y., Lemos, J., Craige, C., Heemstra, L., & Beck, S. G. (2011). Raphe serotonin neurons are not homogenous: electrophysiological, morphological and neurochemical evidence. *Neuropharmacology*. doi.
- Callaway, E. M., & Borrell, V. (2011). Developmental Sculpting of Dendritic Morphology of Layer 4 Neurons in Visual Cortex: Influence of Retinal Input. *Journal of Neuroscience*, 31(20), 7456-7470. doi: 10.1523/jneurosci.5222-10.2011. <http://www.jneurosci.org/content/31/20/7456.abstract>

Callio, J., Oury, T. D., & Chu, C. T. (2005). Manganese Superoxide Dismutase Protects against 6-Hydroxydopamine Injury in Mouse Brains. *Journal of Biological Chemistry*, 280(18), 18536-18542. doi: 10.1074/jbc.M413224200. <http://www.jbc.org/cgi/content/abstract/280/18/18536>

Calzavara, R., Maily, P., & Haber, S. N. (2007). Relationship between the corticostriatal terminals from areas 9 and 46, and those from area 8A, dorsal and rostral premotor cortex and area 24c: an anatomical substrate for cognition to action. *European Journal of Neuroscience*, 26(7), 2005-2024. doi.

Cambiaghi, M., Cherchi, L., Masin, L., Infortuna, C., Briski, N., Caviasco, C., . . . Battaglia, F. (2021). High-frequency repetitive transcranial magnetic stimulation enhances layer II/III morphological dendritic plasticity in mouse primary motor cortex. *Behavioural Brain Research*, 410, 113352. doi: <https://doi.org/10.1016/j.bbr.2021.113352>. <https://www.sciencedirect.com/science/article/pii/S0166432821002400>

Camelo, S., Iglesias, A. H., Hwang, D., Due, B., Ryu, H., Smith, K., . . . others. (2005). Transcriptional therapy with the histone deacetylase inhibitor trichostatin A ameliorates experimental autoimmune encephalomyelitis. *Journal of Neuroimmunology*, 164(1), 10-21. doi.

Cameron, D., Gutierrez-Mecinas, M., Gomez-Lima, M., Watanabe, M., Polgár, E., & Todd, A. J. (2015). The organisation of spinoparabrachial neurons in the mouse. *Pain*, Publish Ahead of Print. doi: 10.1097/j.pain.000000000000270. http://journals.lww.com/pain/Fulltext/publishahead/The_organisation_of_s..

Cameron, M. C., Zhan, R. Z., & Nadler, J. V. (2011). Morphologic integration of hilar ectopic granule cells into dentate gyrus circuitry in the pilocarpine model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 519(11), 2175-2192. doi.

Cameron, M. C., Zhan, R.-Z., & Nadler, J. V. (2011). Morphologic integration of hilar ectopic granule cells into dentate gyrus circuitry in the pilocarpine model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 519(11), 2175-2192. doi: 10.1002/cne.22623. <http://dx.doi.org/10.1002/cne.22623>

Caminiti, R., Carducci, F., Piervincenzi, C., Battaglia-Mayer, A., Confalone, G., Visco-Comandini, F., . . . Innocenti, G. M. (2013). Diameter, Length, Speed, and Conduction Delay of Callosal Axons in Macaque Monkeys and Humans: Comparing Data from Histology and Magnetic Resonance Imaging Diffusion Tractography. *Journal of Neuroscience*, 33(36), 14501-14511. doi: 10.1523/jneurosci.0761-13.2013. <http://www.jneurosci.org/content/33/36/14501.abstract>

Caminiti, R., Ghaziri, H., Galuske, R., Hof, P. R., & Innocenti, G. M. (2009). Evolution amplified processing with temporally dispersed slow neuronal connectivity in primates. *Proceedings of the National Academy of Sciences*, 106(46), 19551-19556. doi: 10.1073/pnas.0907655106. <http://www.pnas.org/content/106/46/19551.abstract>

Camiré, O., & Topolnik, L. (2012). Functional compartmentalisation and regulation of postsynaptic Ca^{2+} transients in inhibitory interneurons. *Cell Calcium*. doi.

Camiré, O., & Topolnik, L. (2014). Dendritic Calcium Nonlinearities Switch the Direction of Synaptic Plasticity in Fast-Spiking Interneurons. *The Journal of Neuroscience*, 34(11), 3864-3877. doi. <http://www.jneurosci.org/content/34/11/3864.short>

Camp, M. C., MacPherson, K. P., Lederle, L., Graybeal, C., Gaburro, S., DeBrouse, L. M., . . . others. (2012). Genetic Strain Differences in Learned Fear Inhibition Associated with Variation in Neuroendocrine, Autonomic, and Amygdala Dendritic Phenotypes. *Neuropsychopharmacology*. doi.

Campbell, H. R., Meek, J., Zhang, J., & Bell, C. C. (2007). Anatomy of the posterior caudal lobe of the cerebellum and the eminentia granularis posterior in a mormyrid fish. *Journal of Comparative Neurology*, 502(5), 714-735. doi.

Campbell, J. C., Jeyamohan, S. B., Cruz, P. D. L., Chen, N., Shin, D., & Pilitsis, J. G. (2014). Place conditioning to apomorphine in rat models of Parkinson's disease: Differences by dose and side-effect expression. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.09.002>. <http://www.sciencedirect.com/science/article/pii/S0166432814005853>

Campbell, J. N., Churn, S. B., & Register, D. (2012). Traumatic brain injury causes an FK506-sensitive loss and an overgrowth of dendritic spines in rat forebrain. *Journal of Neurotrauma*, (ja). doi.

Campbell, T., Lin, S., DeVries, C., & Lambert, K. (2003). Coping strategies in male and female rats exposed to multiple stressors. *Physiology and Behavior*, 78(3), 495-504. doi.

Campeau, S., & Watson Jr, S. J. (2000). Connections of some auditory-responsive posterior thalamic nuclei putatively involved in activation of the hypothalamo-pituitary-adrenocortical axis in response to audiogenic stress in rats: An anterograde and retrograde tract tracing study combined with fos expression. *Journal of Comparative Neurology*, 423(3), 474-491. doi.

Canese, R., Zoratto, F., Altabella, L., Porcari, P., Mercurio, L., de Pasquale, F., . . . Adriani, W. (2014). Persistent modification of forebrain networks and metabolism in rats following adolescent exposure to a 5-HT₇ receptor agonist. *Psychopharmacology*, 1-15. doi: 10.1007/s00213-014-3639-6. <http://dx.doi.org/10.1007/s00213-014-3639-6>

Canh, M. Y., Serpe, C. J., Sanders, V., & Jones, K. J. (2006). CD4⁺ T cell-mediated facial motoneuron survival after injury: Distribution pattern of cell death and rescue throughout the extent of the facial motor nucleus. *Journal of Neuroimmunology*, 181(1), 93-99. doi.

Cannon, K. E., Chazot, P. L., Hann, V., Shenton, F., Hough, L. B., & Rice, F. L. (2007). Immunohistochemical localization of histamine H₃ receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets. *Pain*, 129(1), 76-92. doi.

Cannon, R. C., Howell, F. W., Goddard, N. H., & De Schutter, E. (2002). Non-curated distributed databases for experimental data and models in neuroscience. *Network: Computation in Neural Systems*, 13(3), 415-428. doi.

Cannon, R. C., O'Donnell, C., & Nolan, M. F. (2010). Stochastic ion channel gating in dendritic neurons: morphology dependence and probabilistic synaptic activation of dendritic spikes. *PLoS computational biology*, 6(8), e1000886-e1000886. doi.

Cannon, R. C., Turner, D. A., Pyapali, G. K., & Wheal, H. V. (1998). An on-line archive of reconstructed hippocampal neurons. *Journal of Neuroscience Methods*, 84(1-2), 49-54. doi.

Cannon, R. C., Wheal, H. V., & Turner, D. A. (1999). Dendrites of classes of hippocampal neurons differ in structural complexity and branching patterns. *Journal of Comparative Neurology*, 413. doi.

Canta, A., Lanzani, F., Galbiati, S., Frigeni, B., Giussani, G., Marmiroli, P., . . . Cavaletti, G. (2004). RAT in vivo models of taxanes' peripheral neurotoxicity following chronic intravenous administration. *Journal of the Peripheral Nervous System*, 9(2), 104-104. doi: doi:10.1111/j.1085-9489.2004.009209b.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Canto, C. B., Koganezawa, N., Lagartos, M. J. D., Reilly, K. C., Mansvelder, H. D., & Witter, M. P. (2019). Postnatal development of functional projections from para- and presubiculum to medial entorhinal cortex in the rat. *The Journal of Neuroscience*, 1623-1619. doi: 10.1523/jneurosci.1623-19.2019. <http://www.jneurosci.org/content/early/2019/09/11/JNEUROSCI.1623-19.2019..>

Canto, C. B., Witter, L., & De Zeeuw, C. I. (2016). Whole-Cell Properties of Cerebellar Nuclei Neurons In Vivo. *PLoS ONE*, 11(11), e0165887. doi: 10.1371/journal.pone.0165887. <http://dx.doi.org/10.1371%2Fjournal.pone.0165887>

Canto, C. B., & Witter, M. P. (2011). Cellular properties of principal neurons in the rat entorhinal cortex. I. The lateral entorhinal cortex. *Hippocampus*. doi.

Canto, C. B., & Witter, M. P. (2011). Cellular properties of principal neurons in the rat entorhinal cortex. II. The medial entorhinal cortex. *Hippocampus*. doi.

Cantone, G., Xiao, J., McFarlane, N., & Levitt, J. B. (2005). Feedback connections to ferret striate cortex: direct evidence for visuotopic convergence of feedback inputs. *Journal of Comparative Neurology*, 487(3), 312-331. doi.

Cantone, G., Xiao, J. U. N., & Levitt, J. B. (2006). Retinotopic organization of ferret suprasylvian cortex. *Visual Neuroscience*, 23(01), 61-77. doi.

Canty, A. J., & De Paola, V. (2011). Axonal reconstructions going live. *Neuroinformatics*, 1-3. doi.

Canty, A. J., Teles-Grilo Ruivo, L. M., Nesarajah, C., Song, S., Jackson, J. S., Little, G. E., & De Paola, V. (2013). Synaptic Elimination and Protection after Minimal Injury Depend on Cell Type and Their Prelesion Structural Dynamics in the Adult Cerebral Cortex. *Journal of Neuroscience*, 33(25), 10374-10383. doi: 10.1523/jneurosci.0254-13.2013. <http://www.jneurosci.org/content/33/25/10374.abstract>

Cao, Q., Xu, X.-M., DeVries, W. H., Enzmann, G. U., Ping, P., Tsoulfas, P., . . . Whittemore, S. R. (2005). Functional Recovery in Traumatic Spinal Cord Injury after Transplantation of Multineurotrophin-Expressing Glial-Restricted Precursor Cells. *Journal of Neuroscience*, 25(30), 6947-6957. doi. <http://www.jneurosci.org/cgi/content/abstract/25/30/6947>

Cao, Q., Zhang, Y. P., Iannotti, C., DeVries, W. H., Xu, X. M., Shields, C. B., & Whittemore, S. R. (2005). Functional and electrophysiological changes after graded traumatic spinal cord injury in adult rat. *Experimental Neurology*, 191, S3-S16-S13-S16. doi.

Cao, X. C., Pappalardo, L. W., Waxman, S. G., & Tan, A. M. (2017). Dendritic spine dysgenesis in superficial dorsal horn sensory neurons after spinal cord injury. *Molecular Pain*, 13, 1744806916688016. doi: 10.1177/1744806916688016. <http://dx.doi.org/10.1177/1744806916688016>

Cao, Y., Matsuyama, K., Fujito, Y., & Aoki, M. (2006). Involvement of medullary GABAergic and serotonergic raphe neurons in respiratory control: electrophysiological and immunohistochemical studies in rats. *Neuroscience Research*, 56(3), 322-331. doi.

Capasso, M., Caporale, C. M., De Angelis, M. V., Cantarella, C., Di Muzio, A., Lugaresi, A., & Uncini, A. (2004). Demyelinating motor guillain-barré syndrome following rubella. *Journal of the Peripheral Nervous System*, 9(2), 115-115. doi.

Capito, R. M., Mata, A., & Stupp, S. I. (2009). Self-Assembling Peptide-Based Nanostructures for Regenerative Medicine. *Nanotechnology*. doi.

Capogrosso, M., Milekovic, T., Borton, D., Wagner, F., Moraud, E. M., Mignardot, J.-B., . . . Courtine, G. (2016). A brain–spine interface alleviating gait deficits after spinal cord injury in primates. [Letter]. *Nature*, 539(7628), 284-288. doi: 10.1038/nature20118

<http://www.nature.com/nature/journal/v539/n7628/abs/nature20118.html#sup.....> <http://dx.doi.org/10.1038/nature20118>

Caporale, C. M., Capasso, M., Lucani, M., Gandolfi, P., De Angelis, M. V., Di Muzio, A., . . . Uncini, A. (2004). Experimental axonopathy induced by immunization with campylobacter jejuni lipopolysaccharide from a patient with guillain-barré syndrome. *Journal of the Peripheral Nervous System*, 9(2), 114-115. doi.

Cappe, C., Morel, A., & Rouiller, E. M. (2007). Thalamocortical and the dual pattern of corticothalamic projections of the posterior parietal cortex in macaque monkeys. *Neuroscience*, 146(3), 1371-1387. doi.

Cappello, S., Attardo, A., Wu, X., Iwasato, T., Itohara, S., Wilsch-Bräuninger, M., . . . Götz, M. (2006). The Rho-GTPase cdc42 regulates neural progenitor fate at the apical surface. *Nature of Neuroscience*, 9, 1099-1107. doi.

Cappello, S., Böhringer, Christian R. J., Bergami, M., Conzelmann, K.-K., Ghanem, A., Tomassy, Giulio S., . . . Götz, M. (2012). A Radial Glia-Specific Role of RhoA in Double Cortex Formation. *Neuron*, 73(5), 911-924. doi: 10.1016/j.neuron.2011.12.030. <http://www.sciencedirect.com/science/article/pii/S0896627312000803>

Capshaw, G., Soares, D., & Carr, C. E. (2019). Bony labyrinth morphometry reveals hidden diversity in lungless salamanders (Family Plethodontidae): Structural correlates of ecology, development, and vision in the inner ear. *Evolution*, 0(ja). doi: 10.1111/evo.13837. <https://onlinelibrary.wiley.com/doi/abs/10.1111/evo.13837>

Caputi, A., Rozov, A., Blatow, M., & Monyer, H. (2009). Two calretinin-positive GABAergic cell types in layer 2/3 of the mouse neocortex provide different forms of inhibition. *Cerebral Cortex*, 19(6), 1345-1359. doi.

Carballosa Gonzalez, M. M., Blaya, M. O., Alonso, O. F., Bramlett, H. M., & Hentall, I. D. (2012). Midbrain raphe stimulation improves behavioral and anatomical recovery from fluid-percussion brain injury. *Journal of Neurotrauma*, (ja). doi.

Carbone, D. L., Zuloaga, D. G., Lacagnina, A. F., & Handa, R. J. (2012). Prepro-thyrotropin releasing hormone expressing neurons in the juxtaparaventricular region of the lateral hypothalamus are activated by leptin and altered by prenatal glucocorticoid exposure. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.08.020. <http://www.sciencedirect.com/science/article/pii/S0006899312013534>

Carbone, D. L., Zuloaga, D. G., Lacagnina, A. F., McGivern, R. F., & Handa, R. J. (2012). Exposure to dexamethasone during late gestation causes female-specific decreases in core body temperature and prepro-tyrotropin-releasing hormone expression in the paraventricular nucleus of the hypothalamus in rats. *Physiology & Behavior*, (0). doi: 10.1016/j.physbeh.2012.07.010. <http://www.sciencedirect.com/science/article/pii/S0031938412002739>

Carcea, I., Ma'ayan, A., Mesias, R., Sepulveda, B., Salton, S. R., & Benson, D. L. (2010). Flotillin-Mediated Endocytic Events Dictate Cell Type-Specific Responses to Semaphorin 3A. *Journal of Neuroscience*, 30(45), 15317-15329. doi: 10.1523/jneurosci.1821-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/45/15317>

Carcea, I., Patil, S. B., Robison, A. J., Mesias, R., Huntsman, M. M., Froemke, R. C., . . . Benson, D. L. (2014). Maturation of cortical circuits requires Semaphorin 7A. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1408680111. <http://www.pnas.org/content/early/2014/09/03/1408680111.abstract>

Cárdenas, A., Villalba, A., de Juan Romero, C., Picó, E., Kyrousi, C., Tzika, A. C., . . . Borrell, V. (2018). Evolution of Cortical Neurogenesis in Amniotes Controlled by Robo Signaling Levels. *Cell*. doi: <https://doi.org/10.1016/j.cell.2018.06.007>. <http://www.sciencedirect.com/science/article/pii/S0092867418307323>

Cardinale, A., Paldino, E., Giampà, C., Bernardi, G., & Fusco, F. R. (2015). PARP-1 Inhibition Is Neuroprotective in the R6/2 Mouse Model of Huntington's Disease. *PLoS ONE*, 10(8), e0134482. doi: 10.1371/journal.pone.0134482. <http://dx.doi.org/10.1371%2Fjournal.pone.0134482>

Cardona, A., Saalfeld, S., Schindelin, J., Arganda-Carreras, I., Preibisch, S., Longair, M., . . . Douglas, R. J. (2012). TrakEM2 Software for Neural Circuit Reconstruction. *PLoS ONE*, 7(6), e38011. doi: 10.1371/journal.pone.0038011. <http://dx.doi.org/10.1371%2Fjournal.pone.0038011>

Cardoso, H. D., Santos Junior, E. F., de Santana, D. F., Gonçalves-Pimentel, C., Angelim, M. K., Isaac, A. R., . . . da Silveira Andrade-da-Costa, B. L. (2013). Omega-3 deficiency and neurodegeneration in the substantia nigra: Involvement of increased nitric oxide production and reduced BDNF expression. *Biochimica et Biophysica Acta (BBA) - General Subjects*, (0). doi: <http://dx.doi.org/10.1016/j.bbagen.2013.12.023>. <http://www.sciencedirect.com/science/article/pii/S0304416513005515>

Carim-Todd, L., Bath, K. G., Fulgenzi, G., Yanpallewar, S., Jing, D., Barrick, C. A., . . . others. (2009). Endogenous truncated TrkB.T1 receptor regulates neuronal complexity and TrkB kinase receptor function in vivo. *Journal of Neuroscience*, 29(3), 678-685. doi:

Carim-Todd, L., Bath, K. G., Fulgenzi, G., Yanpallewar, S., Jing, D., Barrick, C. A., . . . Tessarollo, L. (2009). Endogenous Truncated TrkB.T1 Receptor Regulates Neuronal Complexity and TrkB Kinase Receptor Function In Vivo. *Journal of Neuroscience*, 29(3), 678-685. doi: 10.1523/jneurosci.5060-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/3/678>

Carletti, B., Grimaldi, P., Magrassi, L., & Rossi, F. (2002). Specification of Cerebellar Progenitors After Heterotopic-Heterochronic Transplantation to the Embryonic CNS In Vivo and In Vitro. *Journal of Neuroscience*, 22(16), 7132-7146. doi: <http://www.jneurosci.org/cgi/content/abstract/22/16/7132>

Carletti, B., Grimaldi, P., Magrassi, L., & Rossi, F. (2004). Engraftment and differentiation of neocortical progenitor cells transplanted to the embryonic brain in utero. *Journal of Neurocytology*, 33(3), 309-319. doi:

Carletti, B., & Rossi, F. (2005). Selective rather than inductive mechanisms favour specific replacement of Purkinje cells by embryonic cerebellar cells transplanted to the cerebellum of adult Purkinje cell degeneration (pcd) mutant mice. *European Journal of Neuroscience*, 22(5), 1001-1012. doi: 10.1111/j.1460-9568.2005.04314.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04314.x>

Carletti, B., Williams, I. M., Leto, K., Nakajima, K., Magrassi, L., & Rossi, F. (2008). Time constraints and positional cues in the developing cerebellum regulate Purkinje cell placement in the cortical architecture. *Developmental Biology*, 317(1), 147-160. doi.

Carlin, K. P., Jiang, Z., & Brownstone, R. M. (2000). Characterization of calcium currents in functionally mature mouse spinal motoneurons. *European Journal of Neuroscience*, 12(5), 1624. doi.

Carlo, C. N., Stefanacci, L., Semendeferi, K., & Stevens, C. F. (2010). Comparative analyses of the neuron numbers and volumes of the amygdaloid complex in old and new world primates. *Journal of Comparative Neurology*, 518(8), 1176-1198. doi.

Carlo, C. N., & Stevens, C. F. (2011). Analysis of differential shrinkage in frozen brain sections and its implications for the use of guard zones in stereology. *Journal of Comparative Neurology*, 519(14), 2803-2810. doi: 10.1002/cne.22652. <http://dx.doi.org/10.1002/cne.22652>

Carlo, C. N., & Stevens, C. F. (2013). Structural uniformity of neocortex, revisited. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1221398110. <http://www.pnas.org/content/early/2013/01/02/1221398110.abstract>

Carlson, G. C., Shipley, M. T., & Keller, A. (2000). Long-Lasting Depolarizations in Mitral Cells of the Rat Olfactory Bulb. *Journal of Neuroscience*, 20(5), 2011-2021. doi: <http://www.jneurosci.org/cgi/content/abstract/20/5/2011>

Carlsson, Y., Schwendimann, L., Vontell, R., Rousset, C. I., Wang, X., Lebon, S., . . . others. (2011). Genetic inhibition of caspase-2 reduces hypoxic-ischemic and excitotoxic neonatal brain injury. *Annals of Neurology*. doi.

Carmel, J. B., Kimura, H., Berrol, L. J., & Martin, J. H. (2013). Motor cortex electrical stimulation promotes axon outgrowth to brain stem and spinal targets that control the forelimb impaired by unilateral corticospinal injury. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12119. <http://dx.doi.org/10.1111/ejn.12119>

Carnevale, N. T., & Hines, M. (2008). The NEURON Simulation Environment in Epilepsy Research. *Computational Neuroscience in Epilepsy*, 18-18. doi.

Carnevale, T. (2007). Neuron simulation environment. *Scholarpedia*, 2(6), 1378-1378. doi.

Carpenter, A., Paulus, A., Robinson, M., Bates, C. M., Robinson, M. L., Hains, D., . . . McHugh, K. M. (2012). 3-dimensional morphometric analysis of murine bladder development and dysmorphogenesis. *Developmental Dynamics*, 241(3), 522-533. doi: 10.1002/dvdy.23744. <http://dx.doi.org/10.1002/dvdy.23744>

Carmo, M., Scarlato, M., Bardella, M. T., Terrani, C., Peracchi, M., Allaria, S., . . . Bresolin, N. (2004). Painful sensory neuropathy and dysimmunity: is there a relation? *Journal of the Peripheral Nervous System*, 9(2), 121-121. doi: 10.1111/j.1085-9489.2004.009209bc.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Carr, C. E., Shah, S., McColgan, T., Ashida, G., Kuokkanen, P. T., Brill, S., . . . Wagner, H. (2015). Maps of interaural delay in the owl's nucleus laminaris. [10.1152/jn.00644.2015]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2015/07/27/jn.00644.2015.abstract>

Carr, H., Alexander, T. C., Groves, T., Kiffer, F., Wang, J., Price, E., . . . Allen, A. R. (2018). Early effects of 16O radiation on Neuronal Morphology and Cognition in a Murine Model. *Life Sciences in Space Research*. doi: <https://doi.org/10.1016/j.lssr.2018.03.001>. <http://www.sciencedirect.com/science/article/pii/S214552417301323>

Carrascal, L., Nieto-Gonzalez, J. L., Torres, B., & Nunez-Abades, P. (2009). Changes in somatodendritic morphometry of rat oculomotor nucleus motoneurons during postnatal development. *Journal of Comparative Neurology*, 514(2), 189-202. doi:

Carrascal, L., Nieto-González, J. L., Torres, B., & Nunez-Abades, P. (2011). Diminution of Voltage Threshold Plays a Key Role in Determining Recruitment of Oculomotor Nucleus Motoneurons during Postnatal Development. *PLoS ONE*, 6(12), e28748-e28748. doi:

Carrasco, A., Brown, T. A., Kok, M. A., Chabot, N., Kral, A., & Lomber, S. G. (2013). Influence of Core Auditory Cortical Areas on Acoustically Evoked Activity in Contralateral Primary Auditory Cortex. *Journal of Neuroscience*, 33(2), 776-789. doi: 10.1523/jneurosci.1784-12.2013. <http://www.jneurosci.org/content/33/2/776.abstract>

Carrasco, A., & Lomber, S. G. (2013). Influence of inter-field communication on neuronal response synchrony across auditory cortex. *Hearing Research*, (0). doi: <http://dx.doi.org/10.1016/j.heares.2013.05.012>. <http://www.sciencedirect.com/science/article/pii/S0378595513001421>

Carrasco, M. M., Mao, Y.-T., Balmer, T. S., & Pallas, S. L. (2011). Inhibitory plasticity underlies visual deprivation-induced loss of receptive field refinement in the adult superior colliculus. *European Journal of Neuroscience*, 33(1), 58-68. doi: 10.1111/j.1460-9568.2010.07478.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07478.x>

Carrigan, I. D., Croll, R. P., & Wyeth, R. C. (2015). Morphology, innervation and peripheral sensory cells of the siphon of *Aplysia californica*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23795. <http://dx.doi.org/10.1002/cne.23795>

Carter, M. A. (2017). Examination of Taste Bud Volumes on the Side of the Tongue Opposite to Nerve Injury in Young and Adult Rats. doi: <http://digitalcommons.unomaha.edu/scaf/2017/schedule/152/>

Carulli, D., Buffo, A., Botta, C., Altruda, F., & Strata, P. (2002). Regenerative and survival capabilities of Purkinje cells overexpressing c-Jun. *European Journal of Neuroscience*, 16(1), 105. doi:

Carulli, D., Foscari, S., Faralli, A., Pajaj, E., & Rossi, F. (2013). Modulation of semaphorin3A in perineuronal nets during structural plasticity in the adult cerebellum. *Molecular and Cellular Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.mcn.2013.08.003>. <http://www.sciencedirect.com/science/article/pii/S104474311300081X>

Carulli, D., Pizzorusso, T., Kwok, J. C. F., Putignano, E., Poli, A., Forostyak, S., . . . Fawcett, J. W. (2010). Animals lacking link protein have attenuated perineuronal nets and persistent plasticity. *Brain*, awq145. doi: 10.1093/brain/awq145. <http://brain.oxfordjournals.org/cgi/content/abstract/awq145v1>

- Carvell, G. E., & Simons, D. J. (2017). Effect of Whisker Geometry on Contact Force Produced by Vibrissae Moving at Different Velocities. [10.1152/jn.00046.2017]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2017/06/26/jn.00046.2017.abstract>
- Casanova, J. R., Nishimura, M., Le, J., Lam, T. T., & Swann, J. W. (2013). Rapid hippocampal network adaptation to recurring synchronous activity – a role for calcineurin. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12315. <http://dx.doi.org/10.1111/ejn.12315>
- Casanova, J. R., Nishimura, M., Owens, J. W., & Swann, J. W. (2012). Impact of seizures on developing dendrites: Implications for intellectual developmental disabilities. *Epilepsia*, 53, 116-124. doi: 10.1111/j.1528-1167.2012.03482.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03482.x>
- Casas, C. E., Herrera, L. P., Prusmack, C., Ruenes, G., Marcillo, A., & Guest, J. D. (2005). Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats. *Journal of Neurosurgery: Spine*, 2(3), 308-318. doi.
- Case, L., & Broberger, C. (2017). Neurotensin Broadly Recruits Inhibition via White Matter Neurons in the Mouse Cerebral Cortex: Synaptic Mechanisms for Decorrelation. *Cerebral Cortex*, 1-14. doi: <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1..>
- Casella, E., Thomas, T., Vanino, D., Fellows-Mayle, W., Lifshitz, J., Card, J. P., & Adelson, P. D. (2014). Traumatic brain injury alters long-term hippocampal neuron morphology in juvenile, but not immature, rats. *Child's Nervous System*, 1-10. doi: 10.1007/s00381-014-2446-z. <http://dx.doi.org/10.1007/s00381-014-2446-z>
- Casella, G. T. B., Almeida, V. W., Grumbles, R. M., Liu, Y., & Thomas, C. K. (2010). Neurotrophic factors improve muscle reinnervation from embryonic neurons. *Muscle and Nerve*, 42(5), 788-797. doi: 10.1002/mus.21757. <http://dx.doi.org/10.1002/mus.21757>
- Casellato, C., Di Troia, A., Terenghi, F., & Nobile-Orazio, E. (2004). Peripheral nervous system involvement as presenting symptom of systemic B-cell lymphoma. *Journal of the Peripheral Nervous System*, 9(2), 108-109. doi.
- Casoni, F., Malone, S. A., Belle, M., Luzzati, F., Collier, F., Allet, C., . . . Giacobini, P. (2016). Development of the neurons controlling fertility in humans: new insights from 3D imaging and transparent fetal brains. [10.1242/dev.139444]. *Development*, 143(21), 3969. doi: <http://dev.biologists.org/content/143/21/3969.abstract>
- Castañeda, M. T., Sanabria, E. R. G., Hernandez, S., Ayala, A., Reyna, T. A., Wu, J. Y., & Colom, L. V. (2005). Glutamic acid decarboxylase isoforms are differentially distributed in the septal region of the rat. *Neuroscience Research*, 52(1), 107-119. doi.
- Castellanos, D. A., Tsoulfas, P., Frydel, B. R., Gajavelli, S., Bes, J.-C., & Sagen, J. (2002). TrkC Overexpression enhances Survival and Migration of Neural Stem Cell Transplants in the Rat spinal cord. *Cell Transplantation*, 11, 297-307. doi.
- Castren, M., Tervonen, T., Karkkainen, V., Heinonen, S., Castren, E., Larsson, K., . . . Akerman, K. (2005). Altered differentiation of neural stem cells in fragile X syndrome. *Proceedings of the National Academy of Sciences*, 102(49), 17834-17839. doi: 10.1073/pnas.0508995102. <http://www.pnas.org/cgi/content/abstract/102/49/17834>

Castro-Alamancos, M. A., & Tawara-Hirata, Y. (2007). Area-Specific Resonance of Excitatory Networks in Neocortex: Control by Outward Currents. *Epilepsia*, 48(8), 1572-1584. doi: doi:10.1111/j.1528-1167.2007.01113.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2007.01113.x>

Castro-Gomes, V., Bergstrom, H. C., McGuire, J. L., Parker, C. C., Coyner, J., Landeira-Fernandez, J., . . . Johnson, L. R. (2015). A dendritic organization of lateral amygdala neurons in fear susceptible and resistant mice. *Neurobiology of Learning and Memory*. doi: <http://dx.doi.org/10.1016/j.nlm.2015.11.010>. <http://www.sciencedirect.com/science/article/pii/S1074742715002191>

Cataldo, G., Lovric, J., Chen, C. C., Pytte, C. L., & Bodnar, R. J. (2010). Ventromedial and medial preoptic hypothalamic ibotenic acid lesions potentiate systemic morphine analgesia in female, but not male rats. *Behavioural Brain Research*, 214(2), 301-316. doi.

Cattaert, D., Libersat, F., & El Manira, A. (2001). Presynaptic Inhibition and Antidromic Spikes in Primary Afferents of the Crayfish: A Computational and Experimental Analysis. *Journal of Neuroscience*, 21(3), 1007-1021. doi. <http://www.jneurosci.org/cgi/content/abstract/21/3/1007>

Catuara-Solarz, S., Espinosa-Carrasco, J., Erb, I., Langohr, K., Gonzalez, J. R., Notredame, C., & Dierssen, M. (2016). Combined treatment With environmental enrichment And (-)-epigallocatechin-3-gallate ameliorates learning deficits And hippocampal alterations In A mouse model Of Down syndrome. [10.1523/ENEURO.0103-16.2016]. *eneuro*. doi. <http://eneuro.org/content/early/2016/10/19/ENEURO.0103-16.2016.abstract>

Caudle, W. M., Kitsou, E., Li, J., Bradner, J., & Zhang, J. (2009). A role for a novel protein, nucleolin, in Parkinson's disease. *Neuroscience Letters*, 459(1), 11-15. doi.

Cavaletti, G., Beronio, A., Reni, L., Ghiglione, E., Schenone, A., Briani, C., . . . Carpo, M. (2004). Thalidomide sensory neurotoxicity: results of a collaborative clinical and neurophysiological study. *Journal of the Peripheral Nervous System*, 9(2), 105-105. doi: doi:10.1111/j.1085-9489.2004.009209e.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209e.x>

Cavallaro, T., Fabrizi, G. M., Angiari, C., Lus, G., Cabrini, I., Cotrufo, R., & Rizzuto, N. (2004). Are giant axons a pathological marker of charcot-marie-tooth neuropathy type 2E? *Journal of the Peripheral Nervous System*, 9(2), 124-124. doi.

Cavarretta, F., Burton, S. D., Igarashi, K. M., Shepherd, G. M., Hines, M. L., & Migliore, M. (2018). Parallel odor processing by mitral and middle tufted cells in the olfactory bulb. *Scientific Reports*, 8(1), 7625. doi: 10.1038/s41598-018-25740-x. <https://doi.org/10.1038/s41598-018-25740-x>

Cazorla, M., de Carvalho, Fernanda D., Chohan, Muhammad O., Shegda, M., Chuhma, N., Rayport, S., . . . Kellendonk, C. (2014). Dopamine D2 Receptors Regulate the Anatomical and Functional Balance of Basal Ganglia Circuitry. *Neuron*, 81(1), 153-164. doi: <http://dx.doi.org/10.1016/j.neuron.2013.10.041>. <http://www.sciencedirect.com/science/article/pii/S0896627313009938>

Cazorla, M., Shegda, M., Ramesh, B., Harrison, N. L., & Kellendonk, C. (2012). Striatal D2 Receptors Regulate Dendritic Morphology of Medium Spiny Neurons via Kir2 Channels. *Journal of Neuroscience*, 32(7), 2398-2409. doi: 10.1523/jneurosci.6056-11.2012. <http://www.jneurosci.org/content/32/7/2398.abstract>

- Cea-del Rio, C. A., Lawrence, J. J., Erdelyi, F., Szabo, G., & McBain, C. J. (2011). Cholinergic modulation amplifies the intrinsic oscillatory properties of CA1 hippocampal cholecystokinin-positive interneurons. *Journal of Physiology*, 589(3), 609-627. doi: 10.1113/jphysiol.2010.199422. <http://dx.doi.org/10.1113/jphysiol.2010.199422>
- Cejková, J., Ardan, T., Simonová, Z., Cejka, C., Malec, J., Jirsová, K., . . . Brunová, B. (2007). Nitric oxide synthase induction and cytotoxic nitrogen-related oxidant formation in conjunctival epithelium of dry eye (Sjögren II s syndrome). *Nitric Oxide*, 17(1), 10-17. doi.
- Ceredig, R. A., Pierre, F., Doridot, S., Alduntzin, U., Salvat, E., Yalcin, I., . . . Massotte, D. (2018). Peripheral Delta Opioid Receptors Mediate Duloxetine Anti-allodynic Effect in a Mouse Model of Neuropathic Pain. *European Journal of Neuroscience*, 0(ja). doi: doi:10.1111/ejn.14093. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14093>
- Cerkevich, C. M., Qi, H.-X., & Kaas, J. H. (2013). Corticocortical projections to representations of the teeth, tongue, and face in somatosensory area 3b of macaque monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23426. <http://dx.doi.org/10.1002/cne.23426>
- Cerkevich, C. M., Qi, H.-X., & Kaas, J. H. (2013). Thalamic input to representations of the teeth, tongue, and face in somatosensory area 3b of macaque monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23386. <http://dx.doi.org/10.1002/cne.23386>
- Cernea, M., Phillips, R., Padmanabhan, V., Coolen, L. M., & Lehman, M. N. (2016). Prenatal Testosterone Exposure Decreases Colocalization of Insulin Receptors in Kisspeptin/Neurokinin B/Dynorphin (KNDy) and Agouti-Related Peptide (AgRP) Neurons of the Adult Ewe. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13373. <http://dx.doi.org/10.1111/ejn.13373>
- Cerqueira, J. J., Mailliet, F., Almeida, O. F. X., Jay, T. M., & Sousa, N. (2007). The Prefrontal Cortex as a Key Target of the Maladaptive Response to Stress. *Journal of Neuroscience*, 27(11), 2781-2787. doi: 10.1523/jneurosci.4372-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/11/2781>
- Cerqueira, J. J., Pego, J. M., Taipa, R., Bessa, J. M., Almeida, O. F. X., & Sousa, N. (2005). Morphological Correlates of Corticosteroid-Induced Changes in Prefrontal Cortex-Dependent Behaviors. *Journal of Neuroscience*, 25(34), 7792-7800. doi: 10.1523/jneurosci.1598-05.2005. <http://www.jneurosci.org/cgi/content/abstract/25/34/7792>
- Cerqueira, J. J., Taipa, R., Uylings, H. B. M., Almeida, O. F. X., & Sousa, N. (2007). Specific configuration of dendritic degeneration in pyramidal neurons of the medial prefrontal cortex induced by differing corticosteroid regimens. *Cerebral Cortex*, 17(9), 1998-2006. doi.
- Cerrato, V., Parmigiani, E., Figueres-Oñate, M., Betizeau, M., Aprato, J., Nanavaty, I., . . . Buffo, A. (2018). Multiple origins and modularity in the spatiotemporal emergence of cerebellar astrocyte heterogeneity. *PLoS Biology*, 16(9), e2005513. doi: 10.1371/journal.pbio.2005513. <https://doi.org/10.1371/journal.pbio.2005513>
- Cerri, S., Levandis, G., Ambrosi, G., Montepeloso, E., Antoninetti, G. F., Franco, R., . . . Pinna, A. (2014). Neuroprotective Potential of Adenosine A2A and Cannabinoid CB1 Receptor Antagonists in an Animal Model of Parkinson Disease. *Journal of Neuropathology and Experimental Neurology*. doi.
- Cerri, S., Levandis, G., Ambrosi, G., Montepeloso, E., Antoninetti, G. F., Franco, R., . . . Pinna, A. (2014). Neuroprotective Potential of Adenosine A2A and Cannabinoid CB1 Receptor Antagonists in an Animal Model of Parkinson Disease. *Journal of Neuropathology and Experimental Neurology*. doi. <http://www.nature.com/ncomms/2014/140408/ncomms4602/full/ncomms4602.html>

Cetas, J. S., De Venecia, R. K., & McMullen, N. T. (1999). Thalamocortical afferents of Lorente de No: medial geniculate axons that project to primary auditory cortex have collateral branches to layer I. *Brain Research*, 830(1), 203-208. doi.

Cetas, J. S., Price, R. O., Velenovsky, D. S., Crowe, J. J., & McMullen, N. T. (2003). Dendritic Orientation and Laminar Architecture in the Rabbit Auditory Thalamus. *Journal of Comparative Neurology*, 458, 307-317. doi.

Cetas, J. S., Price, R. O., Velenovsky, D. S., Crowe, J. J., Sinex, D. G., & McMullen, N. T. (2002). Cell Types and Response Properties of Neurons in the Ventral Division of the Medial Geniculate Body of the Rabbit. *Journal of Comparative Neurology*, 445, 78-96. doi.

Cetas, J. S., Price, R. O., Velenovsky, D. S., Sinex, D. G., & McMullen, N. T. (2001). Frequency organization and cellular lamination in the medial geniculate body of the rabbit. *Hearing Research*, 155(1-2), 113-123. doi.

Cha, M., Um, S. W., Kwon, M., Nam, T. S., & Lee, B. H. (2017). Repetitive motor cortex stimulation reinforces the pain modulation circuits of peripheral neuropathic pain. *Scientific Reports*, 7, 7986. doi: 10.1038/s41598-017-08208-2. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5554204/>

Chaaya, N., Jacques, A., Belmer, A., Richard, D. J., Bartlett, S. E., Battle, A. R., & Johnson, L. R. (2018). Localization of Contextual and Context Removed Auditory Fear Memory within the Basolateral Amygdala Complex. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.12.004>. <http://www.sciencedirect.com/science/article/pii/S030645221830798X>

Chabot, N., Butler, B. E., & Lomber, S. G. (2015). Differential modification of cortical and thalamic projections to cat primary auditory cortex following early- and late-onset deafness. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23790. <http://dx.doi.org/10.1002/cne.23790>

Chabot, N., Mellott, J. G., Hall, A. J., Tichenoff, E. L., & Lomber, S. G. (2013). Cerebral origins of the auditory projection to the superior colliculus of the cat. *Hearing Research*, (0). doi: <http://dx.doi.org/10.1016/j.heares.2013.02.008>. <http://www.sciencedirect.com/science/article/pii/S0378595513000671>

Chabot, N., Robert, S., Tremblay, R., Miceli, D., Boire, D., & Bronchti, G. (2007). Audition differently activates the visual system in neonatally enucleated mice compared with anophthalmic mutants. *European Journal of Neuroscience*, 26(8), 2334-2348. doi: doi:10.1111/j.1460-9568.2007.05854.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05854.x>

Chabrol, F. P., Eglen, S. J., & Sernagor, E. (2012). GABAergic control of retinal ganglion cell dendritic development. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.040. <http://www.sciencedirect.com/science/article/pii/S0306452212009608?v=s5>

Chailangkarn, T., Trujillo, C. A., Freitas, B. C., Hrvov-Mihic, B., Herai, R. H., Yu, D. X., . . . Muotri, A. R. (2016). A human neurodevelopmental model for Williams syndrome. [Letter]. *Nature*, 536(7616), 338-343. doi: 10.1038/nature19067

<http://www.nature.com/nature/journal/v536/n7616/abs/nature19067.html#sup.....> <http://dx.doi.org/10.1038/nature19067>

- Chakrabarty, A., Emerson, M. R., & LeVine, S. M. (2003). Hemeoxygenase-1 in SJL mice with experimental allergic encephalomyelitis. *Multiple Sclerosis*, 9(4), 372-381. doi.
- Chakrabarty, S., & Martin, J. (2011). Postnatal refinement of proprioceptive afferents in the cat cervical spinal cord. *European Journal of Neuroscience*. doi.
- Chakrabarty, S., Shulman, B., & Martin, J. H. (2009). Activity-Dependent Codevelopment of the Corticospinal System and Target Interneurons in the Cervical Spinal Cord. *Journal of Neuroscience*, 29(27), 8816-8827. doi: 10.1523/jneurosci.0735-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/27/8816>
- Chakraborty, P., & Chattarji, S. (2018). Timing is everything: differential effects of chronic stress on fear extinction. [journal article]. *Psychopharmacology*. doi: 10.1007/s00213-018-5053-y. <https://doi.org/10.1007/s00213-018-5053-y>
- Chakraborty, P., & Chattarji, S. (2019). Interventions after acute stress prevent its delayed effects on the amygdala. *Neurobiology of Stress*, 10, 100168. doi: <https://doi.org/10.1016/j.ynstr.2019.100168>. <http://www.sciencedirect.com/science/article/pii/S2352289518301036>
- Chakravarty, S., Chikkatur, A., de Coninck, H., Pacala, S., Socolow, R., & Tavoni, M. (2009). Sharing global CO₂ emission reductions among one billion high emitters. *Proceedings of the National Academy of Sciences*, 106(29), 11884-11888. doi: 10.1073/pnas.0905232106. <http://www.pnas.org/content/106/29/11884.abstract>
- Chalfin, B. P., Cheung, D. T., Muniz, J. A. P. C., de Lima Silveira, L. C., & Finlay, B. L. (2007). Scaling of neuron number and volume of the pulvinar complex in New World primates: comparisons with humans, other primates, and mammals. *Journal of Comparative Neurology*, 504(3), 265-274. doi.
- Chamberland, S., Salesse, C., Topolnik, D., & Topolnik, L. (2010). Synapse-specific inhibitory control of hippocampal feedback inhibitory circuit. *Frontiers in Cellular Neuroscience*, 4. doi.
- Chan, C.-F., Kuo, T.-W., Weng, J.-Y., Lin, Y.-C., Chen, T.-Y., Cheng, J.-K., & Lien, C.-C. (2013). Ba²⁺- and bupivacaine-sensitive background K⁺ conductances mediate rapid EPSP attenuation in oligodendrocyte precursor cells. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2013.257113. <http://dx.doi.org/10.1113/jphysiol.2013.257113>
- Chan, C. Y., Yoo, J. E., & Travers, S. P. (2004). Diverse bitter stimuli elicit highly similar patterns of Fos-like immunoreactivity in the nucleus of the solitary tract. *Chemical Senses*, 29(7), 573-581. doi.
- Chancey, J. H., Adlaf, E. W., Sapp, M. C., Pugh, P. C., Wadiche, J. I., & Overstreet-Wadiche, L. S. (2013). GABA Depolarization Is Required for Experience-Dependent Synapse Unsilencing in Adult-Born Neurons. *Journal of Neuroscience*, 33(15), 6614-6622. doi: 10.1523/jneurosci.0781-13.2013. <http://www.jneurosci.org/content/33/15/6614.abstract>
- Chand, P., & Jain, N. (2015). Intracortical and Thalamocortical Connections of the Hand and Face Representations in Somatosensory Area 3b of Macaque Monkeys and Effects of Chronic Spinal Cord Injuries. *The Journal of Neuroscience*, 35(39), 13475-13486. doi. <http://www.jneurosci.org/content/35/39/13475.abstract>
- Chang, E. H., Volpe, B. T., Mackay, M., Aranow, C., Watson, P., Kowal, C., . . . Diamond, B. (2015). Selective Impairment of Spatial Cognition Caused by Autoantibodies to the N-Methyl-d-Aspartate

Receptor. EBioMedicine, (0).

doi: <http://dx.doi.org/10.1016/j.ebiom.2015.05.027>. <http://www.sciencedirect.com/science/article/pii/S2352396415300293>

Chang, J. C., Leung, M., Gokozan, H. N., Gygli, P. E., Catacutan, F. P., Czeisler, C., & Otero, J. J. (2015). Mitotic Events in Cerebellar Granule Progenitor Cells That Expand Cerebellar Surface Area Are Critical for Normal Cerebellar Cortical Lamination in Mice. *Journal of Neuropathology and Experimental Neurology*, 74(3), 261-272.

doi: http://journals.lww.com/jneuropath/Abstract/2015/03000/Mitotic_Events_in..

Chang, L. (2015). Quantitative analysis tools and correlative imaging applications for N-STORM. [Application Note]. *Nat Meth*, 12(11). doi: 10.1038/nmeth.f.385. <http://dx.doi.org/10.1038/nmeth.f.385>

Chang, Y.-M., & Luebke, J. I. (2007). Electrophysiological Diversity of Layer 5 Pyramidal Cells in the Prefrontal Cortex of the Rhesus Monkey: In Vitro Slice Studies. *Journal of Neurophysiology*, 98(5), 2622-2632. doi: 10.1152/jn.00585.2007. <http://jn.physiology.org/cgi/content/abstract/98/5/2622>

Chang, Y. S., Mu, D., Wendland, M., Sheldon, R. A., Vexler, Z. S., McQuillen, P. S., & Ferriero, D. M. (2005). Erythropoietin Improves Functional and Histological Outcome in Neonatal Stroke. *Pediatric Research*, 58(1), 106-111. doi.

Chang-Mu, C., Jen-Kun, L., Shing-Hwa, L., & Shoei-Yn, L. S. (2010). Characterization of neurotoxic effects of NMDA and the novel neuroprotection by phytopolyphenols in mice. *Behavioral Neuroscience*, 124(4), 541-541. doi.

Chao, T. K., Burgess, B. J., Eddington, D. K., & Nadol, J. B. (2002). Morphometric changes in the cochlear nucleus in patients who had undergone cochlear implantation for bilateral profound deafness. *Hearing Research*, 174(1-2), 196-205. doi.

Chapleau, C. A., Calfa, G. D., Lane, M. C., Albertson, A. J., Larimore, J. L., Kudo, S., . . . Pozzo-Miller, L. (2009). Dendritic spine pathologies in hippocampal pyramidal neurons from Rett syndrome brain and after expression of Rett-associated MECP2 mutations. *Neurobiology of Disease*, 35(2), 219-233. doi.

Chapman, M. A., & Zahm, D. S. (1996). Altered Fos-like immunoreactivity in terminal regions of the mesotelencephalic dopamine system is associated with reappearance of tyrosine hydroxylase immunoreactivity at the sites of focal 6-hydroxydopamine lesions in the nucleus accumbens. *Brain Research*, 736(1-2), 270-279. doi.

Charbonneau, V., Laramée, M.-E., Boucher, V., Bronchti, G., & Boire, D. (2012). Cortical and subcortical projections to primary visual cortex in anophthalmic, enucleated and sighted mice. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2012.08215.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08215.x>

Charvet, C. J., Cahalane, D. J., & Finlay, B. L. (2013). Systematic, Cross-Cortex Variation in Neuron Numbers in Rodents and Primates. *Cerebral Cortex*. doi: 10.1093/cercor/bht214. <http://cercor.oxfordjournals.org/content/early/2013/08/17/cercor.bht214...>

Charvet, C. J., Reep, R. L., & Finlay, B. L. (2015). Evolution of cytoarchitectural landscapes in the mammalian isocortex: Sirenians (*Trichechus manatus*) in comparison with other mammals. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23864. <http://dx.doi.org/10.1002/cne.23864>

- Chattopadhyaya, B., Baho, E., Huang, Z. J., Schachner, M., & Di Cristo, G. (2013). Neural Cell Adhesion Molecule-Mediated Fyn Activation Promotes GABAergic Synapse Maturation in Postnatal Mouse Cortex. *Journal of Neuroscience*, 33(14), 5957-5968. doi: 10.1523/jneurosci.1306-12.2013. <http://www.jneurosci.org/content/33/14/5957.abstract>
- Chattopadhyaya, B., Cristo, G. D., Wu, C. Z., Knott, G., Kuhlman, S., Fu, Y., . . . Huang, Z. J. (2007). GAD67-mediated GABA synthesis and signaling regulate inhibitory synaptic innervation in the visual cortex. *Neuron*, 54(6), 889-903. doi:
- Chau, L. S., Prakapenka, A. V., Zendeli, L., Davis, A. S., & Galvez, R. (2014). Training-Dependent Associative Learning Induced Neocortical Structural Plasticity: A Trace Eyeblink Conditioning Analysis. *PLoS ONE*, 9(4), e95317. doi: 10.1371/journal.pone.0095317. <http://dx.doi.org/10.1371%2Fjournal.pone.0095317>
- Chaudhary, P., Das-Earl, P., & Schreihofner, A. M. (2021). Preserved glycemic control and baroreflex efficacy in young adult hypertensive female obese Zucker rats. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. doi: 10.1152/ajpregu.00341.2020. <https://doi.org/10.1152/ajpregu.00341.2020>
- Chaudhary, P., & Schreihofner, A. M. (2018). Improved glucose homeostasis in male obese Zucker rats coincides with enhanced baroreflexes and activation of the nucleus tractus solitarius. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 0(0), null. doi: 10.1152/ajpregu.00195.2018. <https://www.physiology.org/doi/abs/10.1152/ajpregu.00195.2018>
- Chaudhuri, A. D., Dastgheyb, R. M., Yoo, S.-W., Trout, A., Talbot Jr, C. C., Hao, H., . . . Haughey, N. J. (2018). TNF α and IL-1 β modify the miRNA cargo of astrocyte shed extracellular vesicles to regulate neurotrophic signaling in neurons. *Cell Death & Disease*, 9(3), 363. doi: 10.1038/s41419-018-0369-4. <https://doi.org/10.1038/s41419-018-0369-4>
- Chauvette, S., Volgushev, M., & Timofeev, I. (2010). Origin of Active States in Local Neocortical Networks during Slow Sleep Oscillation. *Cerebral Cortex*, bhq009. doi: 10.1093/cercor/bhq009. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq009v1>
- Che, A., Babji, R., Iannone, A. F., Fetcho, R. N., Ferrer, M., Liston, C., . . . De Marco Garcia, N. V. (2018). Layer I Interneurons Sharpen Sensory Maps during Neonatal Development. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.06.002>. <http://www.sciencedirect.com/science/article/pii/S0896627318304707>
- Cheadle, L., Tzeng, C. P., Kalish, B. T., Harmin, D. A., Rivera, S., Ling, E., . . . Greenberg, M. E. (2018). Visual Experience-Dependent Expression of Fn14 Is Required for Retinogeniculate Refinement. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.06.036>. <http://www.sciencedirect.com/science/article/pii/S0896627318305324>
- Chen, A. I., de Nooij, J. C., & Jessell, T. M. (2006). Graded activity of transcription factor Runx3 specifies the laminar termination pattern of sensory axons in the developing spinal cord. *Neuron*, 49(3), 395-408. doi:
- Chen, B., He, J., Yang, H., Zhang, Q., Zhang, L., Zhang, X., . . . Hao, D. (2015). Repair of spinal cord injury by implantation of bFGF-incorporated HEMA-MOETACL hydrogel in rats. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep09017. <http://dx.doi.org/10.1038/srep09017>

- Chen, B. K., Madigan, N. N., Hakim, J. S., Dadsetan, M., McMahon, S. S., Yaszemski, M. J., & Windebank, A. J. (2017). GDNF Schwann cells in hydrogel scaffolds promote regional axon regeneration, remyelination and functional improvement after spinal cord transection in rats. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.2431. <http://dx.doi.org/10.1002/term.2431>
- Chen, C., Cheng, M., Ito, T., & Song, S. (2018). Neuronal organization in the inferior colliculus revisited with cell-type-dependent monosynaptic tracing. [10.1523/JNEUROSCI.2173-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/02/26/JNEUROSCI.2173-17.2018>..
- Chen, C. C., Abrams, S., Pinhas, A., & Brumberg, J. C. (1988). Morphological heterogeneity of layer VI neurons in mouse barrel cortex. *Journal of Comparative Neurology*, 512(6), 511-519. doi:
- Chen, C. C., Tam, D., & Brumberg, J. C. (2011). Sensory deprivation differentially impacts the dendritic development of pyramidal versus non-pyramidal neurons in layer 6 of mouse barrel cortex. *Brain Structure and Function*, 1-12. doi:
- Chen, C.-C., Abrams, S., Pinhas, A., & Brumberg, J. C. (2009). Morphological heterogeneity of layer VI neurons in mouse barrel cortex. *Journal of Comparative Neurology*, 512(6), 726-746. doi: <http://dx.doi.org/10.1002/cne.21926>
- Chen, C.-C., Bajnath, A., & Brumberg, J. C. (2014). The Impact of Development and Sensory Deprivation on Dendritic Protrusions in the Mouse Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht415. <http://cercor.oxfordjournals.org/content/early/2014/01/08/cercor.bht415>...
- Chen, C.-C., Chu, P., & Brumberg, J. C. (2015). Experience-dependent regulation of tissue-type plasminogen activator in the mouse barrel cortex. *Neuroscience Letters*, 599(0), 152-157. doi: <http://dx.doi.org/10.1016/j.neulet.2015.05.050>. <http://www.sciencedirect.com/science/article/pii/S0304394015004152>
- Chen, C.-C., Lu, H.-C., & Brumberg, J. C. (2012). mGluR5 knockout mice display increased dendritic spine densities. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.07.014. <http://www.sciencedirect.com/science/article/pii/S0304394012009378>
- Chen, C.-M., Orefice, L. L., Chiu, S.-L., LeGates, T. A., Hattar, S., Hugarir, R. L., . . . Kuruvilla, R. (2017). Wnt5a is essential for hippocampal dendritic maintenance and spatial learning and memory in adult mice. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1615792114. <http://www.pnas.org/content/early/2017/01/03/1615792114.abstract>
- Chen, F., Becker, A. J., & LoTurco, J. J. (2014). Contribution of Tumor Heterogeneity in a New Animal Model of CNS Tumors. *Molecular Cancer Research*. doi: 10.1158/1541-7786.mcr-13-0531. <http://mcr.aacrjournals.org/content/early/2014/02/05/1541-7786.MCR-13-05>...
- Chen, F., & LoTurco, J. (2012). A method for stable transgenesis of radial glia lineage in rat neocortex by piggyBac mediated transposition. *Journal of Neuroscience Methods*, 207(2), 172-180. doi: 10.1016/j.jneumeth.2012.03.016. <http://www.sciencedirect.com/science/article/pii/S0165027012001112>
- Chen, G., Jin, M., & Yuan, X.-b. (2015). Using in utero electroporation to investigate the role of semaphorin-3A in radial migration of cortical neurons. doi: <https://www.scientificprotocols.org/protocols/using-in-utero-electropora>..

- Chen, G., Sima, J., Jin, M., Wang, K.-y., Xue, X.-j., Zheng, W., . . . Yuan, X.-b. (2007). Semaphorin-3A guides radial migration of cortical neurons during development. *Nature Neuroscience*. doi.
- Chen, H., Qian, K., Chen, W., Hu, B., Blackbourn, L. W. I. V., Du, Z., . . . Zhang, S.-C. (2015). Human-derived neural progenitors functionally replace astrocytes in adult mice. *The Journal of clinical investigation*, 125(3), 0-0. doi: 10.1172/jci69097. <http://www.jci.org/articles/view/69097>
- Chen, H., Xiao, H., Liu, T., & Peng, H. (2015). SmartTracing: self-learning-based Neuron reconstruction. *Brain Informatics*, 1-10. doi. <http://link.springer.com/article/10.1007/s40708-015-0018-y/fulltext.html>
- Chen, I., Limb, C. J., & Ryugo, D. K. (2010). The effect of cochlear-implant-mediated electrical stimulation on spiral ganglion cells in congenitally deaf white cats. *JARO—Journal of the Association for Research in Otolaryngology*, 11(4), 587-603. doi.
- Chen, J., Hanna, P., Ardell, J. L., Hoover, D. B., Vadigepalli, R., Schwaber, J., . . . Cheng, Z. J. (2019). Intrinsic Cardiac Ganglionic Neurons Projecting to the SA node in the Rat and Pig Hearts: Retrograde Labeling and Neurolucida 3-D Reconstruction. *The FASEB journal*, 33(1_supplement), 773.772-773.772. doi: 10.1096/fasebj.2019.33.1_supplement.773.2. https://www.fasebj.org/doi/abs/10.1096/fasebj.2019.33.1_supplement.773.2
- Chen, J., Lee, H. J., Jakovcevski, I., Shah, R., Bhagat, N., Loers, G., . . . others. (2010). The extracellular matrix glycoprotein tenascin-C is beneficial for spinal cord regeneration. *Molecular Therapy*, 18(10), 1769-1777. doi.
- Chen, J.-G., Rasin, M.-R., Kwan, K. Y., & Sestan, N. (2005). Zfp312 is required for subcortical axonal projections and dendritic morphology of deep-layer pyramidal neurons of the cerebral cortex. *Proceedings of the National Academy of Sciences*, 102(49), 17792-17797. doi: 10.1073/pnas.0509032102. <http://www.pnas.org/cgi/content/abstract/102/49/17792>
- Chen, J. L., Flanders, G. H., Lee, W.-C. A., Lin, W. C., & Nedivi, E. (2011). Inhibitory Dendrite Dynamics as a General Feature of the Adult Cortical Microcircuit. *Journal of Neuroscience*, 31(35), 12437-12443. doi: 10.1523/jneurosci.0420-11.2011. <http://www.jneurosci.org/content/31/35/12437.abstract>
- Chen, J. L., Lin, W. C., Cha, J. W., So, P. T., Kubota, Y., & Nedivi, E. (2011). Structural basis for the role of inhibition in facilitating adult brain plasticity. *Nature Neuroscience*, 14(5), 587-594. doi.
- Chen, Jerry L., Villa, Katherine L., Cha, Jae W., So, Peter T. C., Kubota, Y., & Nedivi, E. (2012). Clustered Dynamics of Inhibitory Synapses and Dendritic Spines in the Adult Neocortex. *Neuron*, 74(2), 361-373. doi: 10.1016/j.neuron.2012.02.030. <http://www.sciencedirect.com/science/article/pii/S089662731200267X>
- Chen, J. R., Wang, T. J., Wang, Y. J., & Tseng, G. F. (2010). The immediate large-scale dendritic plasticity of cortical pyramidal neurons subjected to acute epidural compression. *Neuroscience*, 167(2), 414-427. doi.
- Chen, J.-R., Tseng, G.-F., Wang, Y.-J., & Wang, T.-J. (2014). Exogenous dehydroisoandrosterone sulfate reverses the dendritic changes of the central neurons in aging male rats. *Experimental Gerontology*, 57(0), 191-202. doi: <http://dx.doi.org/10.1016/j.exger.2014.06.010>. <http://www.sciencedirect.com/science/article/pii/S0531556514001892>

- Chen, J.-R., Wang, B.-N., Tseng, G.-F., Wang, Y.-J., Huang, Y.-S., & Wang, T.-J. (2014). Morphological changes of cortical pyramidal neurons in hepatic encephalopathy. *BMC Neuroscience*, 15(1), 15. doi: <http://www.biomedcentral.com/1471-2202/15/15/>
- Chen, J.-R., Yan, Y.-T., Wang, T.-J., Chen, L.-J., Wang, Y.-J., & Tseng, G.-F. (2009). Gonadal Hormones Modulate the Dendritic Spine Densities of Primary Cortical Pyramidal Neurons in Adult Female Rat. *Cerebral Cortex*, bhp048. doi: 10.1093/cercor/bhp048. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp048v1>
- Chen, K., Godfrey, D. A., Ilyas, O., Xu, J., & Preston, T. W. (2009). Cerebellum-Related Characteristics of Scn8a-Mutant Mice. *Cerebellum*, 8(3), 192-201. doi:
- Chen, K., Henry, R. A., Hughes, S. M., & Connor, B. (2007). Creating a neurogenic environment: the role of BDNF and FGF2. *Molecular and Cellular Neuroscience*, 36(1), 108-120. doi:
- Chen, L.-H., Advani, S. L., Thai, K., Kabir, M. G., Sood, M. M., Gibson, I. W., . . . Advani, A. (2014). SDF-1/CXCR4 Signaling Preserves Microvascular Integrity and Renal Function in Chronic Kidney Disease. *PLoS ONE*, 9(3), e92227. doi: 10.1371/journal.pone.0092227. <http://dx.doi.org/10.1371%2Fjournal.pone.0092227>
- Chen, L.-J., Wang, Y.-J., Chen, J.-R., & Tseng, G.-F. (2016). Hydrocephalus compacted cortex and hippocampus and altered their output neurons in association with spatial learning and memory deficits in rats. *Brain Pathology*, n/a-n/a. doi: 10.1111/bpa.12414. <http://dx.doi.org/10.1111/bpa.12414>
- Chen, L.-J., Wang, Y.-J., & Tseng, G.-F. (2017). Cortical compression rapidly trimmed transcallosal projections and altered axonal anterograde transport machinery. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.08.020>. <http://www.sciencedirect.com/science/article/pii/S0306452217305869>
- Chen, N., Sugihara, H., Kim, J., Fu, Z., Barak, B., Sur, M., . . . Han, W. (2016). Direct modulation of GFAP-expressing glia in the arcuate nucleus bi-directionally regulates feeding. [JOUR]. *eLife*, 5, e18716. doi: 10.7554/eLife.18716. <https://dx.doi.org/10.7554/eLife.18716>
- Chen, P., Zhang, T., Yuan, Z., Shen, B., & Chen, L. (2019). Expression of the RNA methyltransferase Nsun5 is essential for developing cerebral cortex. *Molecular Brain*, 12(1), 74. doi: 10.1186/s13041-019-0496-6. <https://doi.org/10.1186/s13041-019-0496-6>
- Chen, Q., Jiang, L., Li, C., Hu, D., Bu, J.-w., Cai, D., & Du, J.-L. (2012). Haemodynamics-Driven Developmental Pruning of Brain Vasculature in Zebrafish. *PLoS Biol*, 10(8), e1001374. doi: 10.1371/journal.pbio.1001374. <http://dx.doi.org/10.1371%2Fjournal.pbio.1001374>
- Chen, Q., Zhu, Y.-C., Yu, J., Miao, S., Zheng, J., Xu, L., . . . Xiong, Z.-Q. (2010). CDKL5, a Protein Associated with Rett Syndrome, Regulates Neuronal Morphogenesis via Rac1 Signaling. *Journal of Neuroscience*, 30(38), 12777-12786. doi: 10.1523/jneurosci.1102-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/38/12777>
- Chen, S., Bennet, L., & McGregor, A. L. (2017). Delayed Varenicline Administration Reduces Inflammation and Improves Forelimb Use Following Experimental Stroke. *Journal of Stroke and Cerebrovascular Diseases*. doi: <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2017.06.051>. <http://www.sciencedirect.com/science/article/pii/S1052305717303476>

- Chen, S., & Buckmaster, P. S. (2005). Stereological analysis of forebrain regions in kainate-treated epileptic rats. *Brain Research*, 1057(1-2), 141-152. doi.
- Chen, S., Fujita, S., Koshikawa, N., & Kobayashi, M. (2010). Pilocarpine-induced status epilepticus causes acute interneuron loss and hyper-excitatory propagation in rat insular cortex. *Neuroscience*, 166(1), 341-353. doi.
- Chen, S., Kobayashi, M., Honda, Y., Kakuta, S., Sato, F., & Kishi, K. (2007). Preferential neuron loss in the rat piriform cortex following pilocarpine-induced status epilepticus. *Epilepsy Research*, 74(1), 1-18. doi.
- Chen, S. X., Tari, P. K., She, K., & Haas, K. (2010). Neurexin-neurologin cell adhesion complexes contribute to synaptotropic dendritogenesis via growth stabilization mechanisms in vivo. *Neuron*, 67(6), 967-983. doi.
- Chen, W., & De Schutter, E. (2017). Time to Bring Single Neuron Modeling into 3D. [journal article]. *Neuroinformatics*, 1-3. doi: 10.1007/s12021-016-9321-x. <http://dx.doi.org/10.1007/s12021-016-9321-x>
- Chen, W., Prithviraj, R., Mahnke, A. H., McGloin, K. E., Tan, J. W., Gooch, A. K., & Inglis, F. M. (2009). AMPA glutamate receptor subunits 1 and 2 regulate dendrite complexity and spine motility in neurons of the developing neocortex. *Neuroscience*, 159(1), 172-182. doi.
- Chen, W. J., Lin, Y., Xiong, Z. Q., Wei, W., Ni, W., Tan, G. H., . . . others. (2011). Exome sequencing identifies truncating mutations in PRRT2 that cause paroxysmal kinesigenic dyskinesia. *Nature Genetics*, 43(12), 1252-1255. doi.
- Chen, X., Han, X., Bianchi, B., Guan, W., Ge, W., Yu, Y.-C., & Sun, Y. E. (2020). Graded and pan-neural disease phenotypes of Rett Syndrome linked with dosage of functional MeCP2. *Protein & Cell*. doi: 10.1007/s13238-020-00773-z. <https://doi.org/10.1007/s13238-020-00773-z>
- Chen, X., Rochefort, Nathalie L., Sakmann, B., & Konnerth, A. (2013). Reactivation of the Same Synapses during Spontaneous Up States and Sensory Stimuli. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.05.042>. <http://www.sciencedirect.com/science/article/pii/S221124713002751>
- Chen, X., Shu, S., Kennedy, D. P., Willcox, S. C., & Bayliss, D. A. (2008). Subunit-Specific Effects of Isoflurane On Neuronal Ih In HCN1 Knockout Mice. *Journal of Neurophysiology*, 01352.02007. doi: 10.1152/jn.01352.2007. <http://jn.physiology.org/cgi/content/abstract/01352.2007v1>
- Chen, X., Zhang, K., Zhou, L., Gao, X., Wang, J., Yao, Y., . . . Li, S. (2016). Coupled electrophysiological recording and single cell transcriptome analyses revealed molecular mechanisms underlying neuronal maturation. *Protein & Cell*, 1-12. doi. <http://link.springer.com/article/10.1007/s13238-016-0247-8/fulltext.html>
- Chen, Y., Rex, C. S., Rice, C. J., Dubé, C. M., Gall, C. M., Lynch, G., & Baram, T. Z. (2010). Correlated memory defects and hippocampal dendritic spine loss after acute stress involve corticotropin-releasing hormone signaling. *Proceedings of the National Academy of Sciences*, 107(29), 13123-13128. doi: 10.1073/pnas.1003825107. <http://www.pnas.org/content/107/29/13123.abstract>
- Chen, Y., Wang, F., Long, H., Chen, Y., Wu, Z., & Ma, L. (2011). GRK5 promotes F-actin bundling and targets bundles to membrane structures to control neuronal morphogenesis. *Journal of Cell Biology*, 194(6), 905-920. doi: 10.1083/jcb.201104114. <http://jcb.rupress.org/content/194/6/905.abstract>

- Chen, Y.-J. J., Johnson, M. A., Lieberman, M. D., Goodchild, R. E., Schobel, S., Lewandowski, N., . . . Role, L. W. (2008). Type III Neuregulin-1 Is Required for Normal Sensorimotor Gating, Memory-Related Behaviors, and Corticostriatal Circuit Components. *Journal of Neuroscience*, 28(27), 6872-6883. doi: 10.1523/jneurosci.1815-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/27/6872>
- Chen, Y. M., Wang, Q. J., Hu, H. S., Yu, P. C., Zhu, J., Drewes, G., . . . Luo, Z. G. (2006). Microtubule affinity-regulating kinase 2 functions downstream of the PAR-3/PAR-6/atypical PKC complex in regulating hippocampal neuronal polarity. *PNAS*, 103(22), 8534-8539. doi: 10.1073/pnas.0509955103. <http://www.pnas.org/cgi/content/abstract/103/22/8534>
- Chen, Y.-P., & Chiao, C.-C. (2014). Spatial Distribution of Excitatory Synapses on the Dendrites of Ganglion Cells in the Mouse Retina. *Plos one*, 9(1), e86159. doi: 10.1371/journal.pone.0086159. <http://dx.doi.org/10.1371%2Fjournal.pone.0086159>
- Chen, Z., Peppi, M., Kujawa, S. G., & Sewell, W. F. (2009). Regulated Expression of Surface AMPA Receptors Reduces Excitotoxicity in Auditory Neurons. *Journal of Neurophysiology*, 00288.02009. doi: 10.1152/jn.00288.2009. <http://jn.physiology.org/cgi/content/abstract/00288.2009v1>
- Cheng, J. X., Scala, F., Blanco, F. A., Niu, S., Firozi, K., Keehan, L., . . . Tolias, K. F. (2020). The Rac-GEF Tiam1 Promotes Dendrite and Synapse Stabilization of Dentate Granule Cells and Restricts Hippocampal-Dependent Memory Functions. *The Journal of Neuroscience*, JN-RM-3271-3217. doi: 10.1523/jneurosci.3271-17.2020. <https://www.jneurosci.org/content/jneuro/early/2020/12/14/JNEUROSCI.3271..>
- Cheng, L., Itoh, K., & Lemmon, V. (2005). L1-Mediated Branching Is Regulated by Two Ezrin-Radixin-Moesin (ERM)-Binding Sites, the RSLE Region and a Novel Juxtamembrane ERM-Binding Region. *Journal of Neuroscience*, 25(2), 395-403. doi: <http://www.jneurosci.org/cgi/content/abstract/25/2/395>
- Cheng, L., Lemmon, S., & Lemmon, V. (2005). RanBPM is an L1-interacting protein that regulates L1-mediated mitogen-activated protein kinase activation. *Journal of Neurochemistry*, 94(4), 1102-1110. doi: doi:10.1111/j.1471-4159.2005.03254.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03254.x>
- Cheng, L., & Lemmon, V. (2004). Pathological missense mutations of neural cell adhesion molecule L1 affect neurite outgrowth and branching on an L1 substrate. *Molecular and Cellular Neuroscience*, 27(4), 522-530. doi:
- Cheng, T.-L., Wang, Z., Liao, Q., Zhu, Y., Zhou, W.-H., Xu, W., & Qiu, Z. (2014). MeCP2 Suppresses Nuclear MicroRNA Processing and Dendritic Growth by Regulating the DGCR8/Drosha Complex. *Developmental cell*, 28(5), 547-560. doi: <http://dx.doi.org/10.1016/j.devcel.2014.01.032>. <http://www.sciencedirect.com/science/article/pii/S1534580714000732>
- Cheng, X., Li, Y., Huang, Y., Feng, X., Feng, G., & Xiong, Z. Q. (2010). Pulse labeling and long-term tracing of newborn neurons in the adult subgranular zone. *Cell Research*, 21(2), 338-349. doi:
- Cheng, Z. (2016). Vagal cardiac efferent innervation in F344 rats: Effects of chronic intermittent hypoxia. *Autonomic Neuroscience: Basic and Clinical*. doi: 10.1016/j.autneu.2016.10.005. <http://dx.doi.org/10.1016/j.autneu.2016.10.005>
- Chernock, M. L., Larue, D. T., & Winer, J. A. (2004). A periodic network of neurochemical modules in the inferior colliculus. *Hearing Research*, 188(1-2), 12-20. doi:

Cheung, A. F. P., Kondo, S., Abdel-Mannan, O., Chodroff, R. A., Sirey, T. M., Bluy, L. E., . . . Molnar, Z. (2009). The Subventricular Zone Is the Developmental Milestone of a 6-Layered Neocortex: Comparisons in Metatherian and Eutherian Mammals. *Cerebral Cortex*, bhp168. doi: 10.1093/cercor/bhp168. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp168v1>

Cheung, A. F. P., Pollen, A. A., Tavare, A., DeProto, J., & Molnar, Z. (2007). Comparative aspects of cortical neurogenesis in vertebrates. *Journal of Anatomy*, 211(2), 164-176. doi: doi:10.1111/j.1469-7580.2007.00769.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1469-7580.2007.00769.x>

Cheung, A. W. S., Lam, J. S. Y., & Chan, S. O. (2005). Selective inhibition of ventral temporal but not dorsal nasal neurites from mouse retinal explants during contact with chondroitin sulphate. *Cell and Tissue Research*, 321(1), 9-19. doi.

Cheung, K. K., Chan, W. Y., & Burnstock, G. (2005). Expression of P2X purinoceptors during rat brain development and their inhibitory role on motor axon outgrowth in neural tube explant cultures. *Neuroscience*, 133(4), 937-945. doi.

Chévere-Torres, I., Kaphzan, H., Bhattacharya, A., Kang, A., Maki, J. M., Gambello, M. J., . . . Klann, E. (2011). Metabotropic glutamate receptor-dependent long-term depression is impaired due to elevated ERK signaling in the *mGluR* mouse model of tuberous sclerosis complex. *Neurobiology of Disease*. doi.

Chew, C., Kiley, B. J., & Sengelaub, D. R. (2018). Neuroprotective effects on the morphology of somatic motoneurons following the death of neighboring motoneurons: A role for microglia? *Developmental Neurobiology*, 0(ja). doi: doi:10.1002/dneu.22652. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22652>

Chew, C., & Sengelaub, D. R. (2020). Exercise is neuroprotective on the morphology of somatic motoneurons following the death of neighboring motoneurons via androgen action at the target muscle. <https://doi.org/10.1002/dneu.22794>. *Developmental Neurobiology*, n/a(n/a). doi: <https://doi.org/10.1002/dneu.22794>. <https://doi.org/10.1002/dneu.22794>

Chiang, E., & Strowbridge, B. W. (2007). Diversity of Neural Signals Mediated by Multiple, Burst-Firing Mechanisms in Rat Olfactory Tubercle Neurons. *Journal of Neurophysiology*, 98(5), 2716-2728. doi: 10.1152/jn.00807.2007. <http://jn.physiology.org/cgi/content/abstract/98/5/2716>

Chidambaram, S. B., Rathipriya, A. G., Bolla, S. R., Bhat, A., Ray, B., Mahalakshmi, A. M., . . . Sakharkar, M. K. (2019). Dendritic spines: Revisiting the physiological role. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 92, 161-193. doi: <https://doi.org/10.1016/j.pnpbp.2019.01.005>. <http://www.sciencedirect.com/science/article/pii/S0278584618306079>

Chiesa, N., Barlow, C., Wynshaw-Boris, A., Strata, P., & Tempia, F. (2000). Atm-deficient mice Purkinje cells show age-dependent defects in calcium spike bursts and calcium currents. *Neuroscience*, 96(3), 575-583. doi.

Chinta, S. J., Kumar, M. J., Hsu, M., Rajagopalan, S., Kaur, D., Rane, A., . . . Andersen, J. K. (2007). Inducible Alterations of Glutathione Levels in Adult Dopaminergic Midbrain Neurons Result in Nigrostriatal Degeneration. *Journal of Neuroscience*, 27(51), 13997-14006. doi: 10.1523/jneurosci.3885-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/51/13997>

Chiola, S., Napan, K. L., Wang, Y., Lazarenko, R. M., Armstrong, C. J., Cui, J., & Shcheglovitov, A. (2021). Defective AMPA-mediated synaptic transmission and morphology in human neurons with

hemizygous SHANK3 deletion engrafted in mouse prefrontal cortex. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01023-2. <https://doi.org/10.1038/s41380-021-01023-2>

Chirila, F. V., Rowland, K. C., Thompson, J. M., & Spirou, G. A. (2007). Development of gerbil medial superior olive: integration of temporally delayed excitation and inhibition at physiological temperature. *Journal of Physiology*, 584(1), 167-190. doi: 10.1113/jphysiol.2007.137976. <http://jp.physoc.org/cgi/content/abstract/584/1/167>

Chitravanshi, V. C., Bhatt, S., & Sapru, H. N. (2009). Microinjections of alpha-melanocyte stimulating hormone into the nucleus ambiguus of the rat elicit vagally mediated bradycardia. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90978.92008. doi: 10.1152/ajpregu.90978.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90978.2008v1>

Chitravanshi, V. C., Bhatt, S., & Sapru, H. N. (2009). Microinjections of α -melanocyte stimulating hormone into the nucleus ambiguus of the rat elicit vagally mediated bradycardia. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 296(5), R1402–R1411–R1402–R1411. doi.

Chitravanshi, V. C., Kawabe, K., & Sapru, H. N. (2016). Stimulation of the hypothalamic arcuate nucleus increases brown adipose tissue nerve activity via hypothalamic paraventricular and dorsomedial nuclei. [10.1152/ajpheart.00176.2016]. *American Journal of Physiology - Heart and Circulatory Physiology*. doi. <http://ajpheart.physiology.org/content/early/2016/07/06/ajpheart.00176.2>.

Chittajallu, R., Craig, M. T., McFarland, A., Yuan, X., Gerfen, S., Tricoire, L., . . . Liang, B. J. (2013). Dual origins of functionally distinct O-LM interneurons revealed by differential 5-HT₃AR expression. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3538.html>

Chiu, K. B., Lee, K. M., Robillard, K. N., & MacLean, A. G. (2019). A Method to Investigate Astrocyte and Microglial Morphological Changes in the Aging Brain of the Rhesus Macaque. In B. Di Benedetto (Ed.), *Astrocytes: Methods and Protocols* (pp. 265-276). New York, NY: Springer New York.

Chklovskii, D. B., Vitaladevuni, S., & Scheffer, L. K. (2010). Semi-automated reconstruction of neural circuits using electron microscopy. *Current Opinion in Neurobiology*, 20(5), 667-675. doi.

Chmielewski, N. N., Caressi, C., Giedzinski, E., Parihar, V. K., & Limoli, C. L. (2016). Contrasting the effects of proton irradiation on dendritic complexity of subiculum neurons in wild type and MCAT mice. *Environmental and Molecular Mutagenesis*, n/a-n/a. doi: 10.1002/em.22006. <http://dx.doi.org/10.1002/em.22006>

Cho, Y. T., Ernst, M., & Fudge, J. L. (2013). Cortico–Amygdala–Striatal Circuits Are Organized as Hierarchical Subsystems through the Primate Amygdala. *Journal of Neuroscience*, 33(35), 14017-14030. doi: 10.1523/jneurosci.0170-13.2013. <http://www.jneurosci.org/content/33/35/14017.abstract>

Cho, Y. T., & Fudge, J. L. (2010). Heterogeneous dopamine populations project to specific subregions of the primate amygdala. *Neuroscience*, 165(4), 1501-1518. doi.

Chocyk, A., Bobula, B., Dudys, D., Przyborowska, A., Majcher-Maślanka, I., Hess, G., & Wędzony, K. (2013). Early-life stress affects the structural and functional plasticity of the medial prefrontal cortex in adolescent rats. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12208. <http://dx.doi.org/10.1111/ejn.12208>

Choi, D.-J., Eun, J.-H., Kim, B. G., Jou, I., Park, S. M., & Joe, E.-H. (2017). A Parkinson's disease gene, DJ-1, repairs brain injury through Sox9 stabilization and astrogliosis. *Glia*, n/a-n/a. doi: 10.1002/glia.23258. <http://dx.doi.org/10.1002/glia.23258>

Choi, E. Y., Tanimura, Y., Vage, P. R., Yates, E. H., & Haber, S. N. (2016). Convergence of prefrontal and parietal anatomical projections in a connectional hub in the striatum. *Neuroimage*. doi: <http://dx.doi.org/10.1016/j.neuroimage.2016.09.037>. <http://www.sciencedirect.com/science/article/pii/S1053811916305146>

Choi, J. K., Jenkins, B. G., Carreras, I., Kaymakcalan, S., Cormier, K., Kowall, N. W., & Dedeoglu, A. (2010). Anti-inflammatory treatment in AD mice protects against neuronal pathology. *Experimental Neurology*, 223(2), 377-384. doi.

Choi, J. Y., Cui, Y., Chowdhury, S. T., & Kim, B. G. (2017). High-mobility group box-1 as an autocrine trophic factor in white matter stroke. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1702035114. <http://www.pnas.org/content/early/2017/05/31/1702035114.abstract>

Choi, J. Y., Kang, Y. M., Kim, J. H., Kim, J.-H., Lee, S. J., & Kim, B. G. (2014). Role of Toll-like receptor 2 in ischemic demyelination and oligodendrocyte death. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.01.146>. <http://www.sciencedirect.com/science/article/pii/S0197458014001687>

Cholanian, M., Krajewski-Hall, S. J., Levine, R. B., McMullen, N. T., & Rance, N. E. (2014). Electrophysiology of Arcuate Neurokinin B Neurons in Female Tac2-EGFP Transgenic Mice. *Endocrinology*, 0(0), en.2014-1065. doi: doi:10.1210/en.2014-1065. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1065>

Cholanian, M., Krajewski-Hall, S. J., McMullen, N. T., & Rance, N. E. (2015). Oestradiol reduces the dendritic spine density of KNDy neurones in the arcuate nucleus of ovariectomized Tac2-EGFP transgenic mice. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12263. <http://dx.doi.org/10.1111/jne.12263>

Chomsung, R. D., Petry, H. M., & Bickford, M. E. (2008). Ultrastructural examination of diffuse and specific tectopulvinar projections in the tree shrew. *Journal of Comparative Neurology*, 510(1), 24-46. doi.

Chomsung, R. D., Wei, H., Day-Brown, J. D., Petry, H. M., & Bickford, M. E. (2010). Synaptic organization of connections between the temporal cortex and pulvinar nucleus of the tree shrew. *Cerebral Cortex*, 20(4), 997-1011. doi.

Chong, C. H., Li, Q., Mak, P. H. S., Ng, C. C. P., Leung, E. H. W., Tan, V. H., . . . Chan, S. Y. (2019). Lrrc7 mutant mice model developmental emotional dysregulation that can be alleviated by mGluR5 allosteric modulation. *Translational Psychiatry*, 9(1), 244. doi: 10.1038/s41398-019-0580-9. <https://doi.org/10.1038/s41398-019-0580-9>

Chorev, E., & Brecht, M. (2012). In vivo dual intra and extracellular recordings suggest bi-directional coupling between CA1 pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.01115.2011. <http://jn.physiology.org/content/early/2012/06/13/jn.01115.2011.abstract>

Chowdhury, S. S., Lecomte, V., Erlich, J. H., Maloney, C. A., & Morris, M. J. (2016). Paternal High Fat Diet in Rats Leads to Renal Accumulation of Lipid and Tubular Changes in Adult Offspring. *Nutrients*, 8(9), 521. doi. <http://www.mdpi.com/2072-6643/8/9/521/htm>

Chowdhury, T., Barbarich-Marsteller, N., Chan, T., & Aoki, C. (2013). Activity-based anorexia has differential effects on apical dendritic branching in dorsal and ventral hippocampal CA1. *Brain Structure and Function*, 1-11. doi: 10.1007/s00429-013-0612-9. <http://dx.doi.org/10.1007/s00429-013-0612-9>

Chowdhury, T. G., Jimenez, J. C., Bomar, J. M., Cruz-Martin, A., Cantle, J. P., & Portera-Cailliau, C. (2010). Fate of Cajal–Retzius neurons in the postnatal mouse neocortex. *Frontiers in Neuroanatomy*, 4. doi.

Chowdhury, T. G., Ríos, M. B., Chan, T. E., Barbarich-Marsteller, N. C., & Aoki, C. (2014). Activity-based anorexia during adolescence disrupts normal development of the CA1 pyramidal cells in the ventral hippocampus of female rats. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22320. <http://dx.doi.org/10.1002/hipo.22320>

Choy, J. M. C., Suzuki, N., Shima, Y., Budisantoso, T., Nelson, S. B., & Bekkers, J. M. (2015). Optogenetic Mapping of Intracortical Circuits Originating from Semilunar Cells in the Piriform Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv258. <http://cercor.oxfordjournals.org/content/early/2015/10/25/cercor.bhv258>.

...

Christensen, A., Dewing, P., & Micevych, P. (2011). Membrane-Initiated Estradiol Signaling Induces Spinogenesis Required for Female Sexual Receptivity. *Journal of Neuroscience*, 31(48), 17583-17589. doi: 10.1523/jneurosci.3030-11.2011. <http://www.jneurosci.org/content/31/48/17583.abstract>

Christensen-Dalsgaard, J., Brandt, C., Willis, K. L., Christensen, C. B., Ketten, D., Edds-Walton, P., . . . Carr, C. E. (2012). Specialization for underwater hearing by the tympanic middle ear of the turtle, *Trachemys scripta elegans*. *Proceedings of the Royal Society B: Biological Sciences*. doi: 10.1098/rspb.2012.0290. <http://rspb.royalsocietypublishing.org/content/early/2012/03/16/rspb.2012.0290>

...

Christensen-Dalsgaard, J., Tang, Y., & Carr, C. E. (2011). Binaural processing by the gecko auditory periphery. *Journal of Neurophysiology*, 105(5), 1992-2004. doi: 10.1152/jn.00004.2011. <http://jn.physiology.org/content/105/5/1992.abstract>

Christian, K. M., Miracle, A. D., Wellman, C. L., & Nakazawa, K. (2011). Chronic stress-induced hippocampal dendritic retraction requires CA3 NMDA receptors. *Neuroscience*, 174, 26-36. doi.

Christianson, J. A., Riekhof, J. T., & Wright, D. E. (2003). Restorative effects of neurotrophin treatment on diabetes-induced cutaneous axon loss in mice. *Experimental Neurology*, 179(2), 188-199. doi.

Christophe, E., Roebuck, A., Staiger, J. F., Lavery, D. J., Charpak, S., & Audinat, E. (2002). Two Types of Nicotinic Receptors Mediate an Excitation of Neocortical Layer I Interneurons. *Journal of Neurophysiology*, 88(3), 1318-1327. doi. <http://jn.physiology.org/cgi/content/abstract/88/3/1318>

Chu, H.-Y., McIver, E. L., Kovaleski, R. F., Atherton, J. F., & Bevan, M. D. (2017). Loss of Hyperdirect Pathway Cortico-Subthalamic Inputs Following Degeneration of Midbrain Dopamine Neurons. *Neuron*, 95(6), 1306-1318.e1305. doi: <https://doi.org/10.1016/j.neuron.2017.08.038>. <http://www.sciencedirect.com/science/article/pii/S089662731730781X>

Chu, P., Abraham, R., Budhu, K., Khan, U., De Marco Garcia, N., & Brumberg, J. C. (2018). The Impact of Perineuronal Net Digestion Using Chondroitinase ABC on the Intrinsic Physiology of Cortical Neurons. *Neuroscience*.

doi: <https://doi.org/10.1016/j.neuroscience.2018.07.004> <http://www.sciencedirect.com/science/article/pii/S030645221830472X>

Chu, Y.-F., Yen, C.-T., & Lee, L.-J. (2012). Neonatal whisker clipping alters behavior, neuronal structure and neural activity in adult rats. *Behavioural Brain Research*, (0). doi: 10.1016/j.bbr.2012.10.022. <http://www.sciencedirect.com/science/article/pii/S0166432812006729>

Chu, Z., Galarreta, M., & Hestrin, S. (2003). Synaptic Interactions of Late-Spiking Neocortical Neurons in Layer 1. *Journal of Neuroscience*, 23, 96-102. doi.

Chung, B. Y. T., Bignell, W., Jacklin, D. L., Winters, B. D., & Bailey, C. D. C. (2016). Postsynaptic nicotinic acetylcholine receptors facilitate excitation of developing CA1 pyramidal neurons. [10.1152/jn.00370.2016]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2016/07/29/jn.00370.2016.abstract>

Chung, C. G., Kwon, M. J., Jeon, K. H., Hyeon, D. Y., Han, M. H., Park, J. H., . . . Lee, S. B. (2017). Golgi Outpost Synthesis Impaired by Toxic Polyglutamine Proteins Contributes to Dendritic Pathology in Neurons. *Cell Reports*, 20(2), 356-369. doi: <https://doi.org/10.1016/j.celrep.2017.06.059> <http://www.sciencedirect.com/science/article/pii/S221124717308902>

Chung, H. S., Louis, J. M., & Eaton, W. A. (2009). Experimental determination of upper bound for transition path times in protein folding from single-molecule photon-by-photon trajectories. *Proceedings of the National Academy of Sciences*, 106(29), 11837-11844. doi: 10.1073/pnas.0901178106. <http://www.pnas.org/content/106/29/11837.abstract>

Chung, J. R., Sung, C., Mayerich, D., Kwon, J., Miller, D. E., Huffman, T., . . . Choe, Y. (2011). Multiscale exploration of mouse brain microstructures using the knife-edge scanning microscope brain atlas. *Frontiers in neuroinformatics*, 5. doi.

Chung, S., Picones, A., & Korenbrot, J. I. (2003). Developmental Maturation of Passive Electrical Properties of Retinal Ganglion Cells. *Investigative Ophthalmology and Visual Science*, 44(5), 1656-1656. doi.

Churchill, J., Tharp, J., Wellman, C., Sengelaub, D., & Garraghty, P. (2004). Morphological correlates of injury-induced reorganization in primate somatosensory cortex. *BMC Neuroscience*, 5(1), 43. doi: <http://www.biomedcentral.com/1471-2202/5/43>

Ciaramitaro, P., Poglio, F., Tavella, A., Rota, E., Prolasso, I., Isoardo, G., . . . Cocito, D. (2004). Phrenic nerve conduction study in CIDP. *Journal of the Peripheral Nervous System*, 9(2), 107-107. doi: 10.1111/j.1085-9489.2004.009209j.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Cicchetti, F., Gould, P. V., & Parent, A. (1996). Sparing of striatal neurons coexpressing calretinin and substance P (NK1) receptor in Huntington's disease. *Brain Research*, 730(1-2), 232-237. doi.

Cicchetti, F., & Parent, A. (1996). Striatal interneurons in Huntington's disease: Selective increase in the density of calretinin-immunoreactive medium-sized neurons. *Movement Disorders*, 11(6), 619-626. doi.

Cicchetti, F., Saporta, S., Hauser, R. A., Parent, M., Saint-Pierre, M., Sanberg, P. R., . . . Freeman, T. B. (2009). Neural transplants in patients with Huntington's disease undergo disease-like neuronal

degeneration. *Proceedings of the National Academy of Sciences*, 106(30), 12483-12488. doi: 10.1073/pnas.0904239106. <http://www.pnas.org/content/106/30/12483.abstract>

Ciceri, G., Dehorter, N., Sols, I., Huang, J. Z., Maravall, M., & Marín, O. (2013). Lineage-specific laminar organization of cortical GABAergic interneurons. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3485.html>

Cicvaric, A., Yang, J., Bulat, T., Zambon, A., Dominguez-Rodriguez, M., Kühn, R., . . . Monje, F. J. (2018). Enhanced synaptic plasticity and spatial memory in female but not male FLRT2-haplodeficient mice. *Scientific Reports*, 8(1), 3703. doi: 10.1038/s41598-018-22030-4. <https://doi.org/10.1038/s41598-018-22030-4>

Cid, E., Santos-Ledo, A., Parrilla-Monge, M., Lillo, C., Arévalo, R., Lara, J. M., . . . Velasco, A. (2010). Prox1 expression in rod precursors and Müller cells. *Experimental Eye Research*, 90(2), 267-276. doi.

Cina, C., & Hochman, S. (2000). Diffuse distribution of sulforhodamine-labeled neurons during serotonin-evoked locomotion in the neonatal rat thoracolumbar spinal cord. *Journal of Comparative Neurology*, 423(4), 590-602. doi.

Ciocchi, S., Herry, C., Grenier, F., Wolff, S. B. E., Letzkus, J. J., Vlachos, I., . . . others. (2010). Encoding of conditioned fear in central amygdala inhibitory circuits. *Nature*, 468(7321), 277-282. doi.

Cipolloni, P. B., Kimerer, L., Weintraub, N. D., Smith, D. V., & Keller, A. (1998). Distribution of inhibitory synapses on the somata of pyramidal neurons in cat motor cortex. *Somatosensory and Motor Research*, 15(4), 276-286. doi.

Cisbani, G., Drouin-Ouellet, J., Gibrat, C., Saint-Pierre, M., Lagacé, M., Badrinarayanan, S., . . . Cicchetti, F. (2015). Cystamine/cysteamine rescue the dopaminergic system and show neurorestorative properties in an animal model of Parkinson's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2015.07.012>. <http://www.sciencedirect.com/science/article/pii/S0969996115300152>

Clancy, B., Silva-Filho, M., & Friedlander, M. J. (2001). Structure and projections of white matter neurons in the postnatal rat visual cortex. *Journal of Comparative Neurology*, 434(2), 233-252. doi.

Clancy, B., Teague-Ross, T. J., & Nagarajan, R. (2009). Cross-species analyses of the cortical GABAergic and subplate neural populations. *Frontiers in Neuroanatomy*, 3. doi.

Clark, C. G., Hasser, E. M., Kunze, D. L., Katz, D. M., & Kline, D. D. (2011). Endogenous Brain-Derived Neurotrophic Factor in the Nucleus Tractus Solitarius Tonicly Regulates Synaptic and Autonomic Function. *Journal of Neuroscience*, 31(34), 12318-12329. doi: 10.1523/jneurosci.0746-11.2011. <http://www.jneurosci.org/content/31/34/12318.abstract>

Clark, D. P. Q., Perreau, V. M., Shultz, S. R., Brady, R. D., Lei, E., Dixit, S., . . . Boon, W. C. (2019). Inflammation in Traumatic Brain Injury: Roles for Toxic A1 Astrocytes and Microglial-Astrocytic Crosstalk. [journal article]. *Neurochemical Research*. doi: 10.1007/s11064-019-02721-8. <https://doi.org/10.1007/s11064-019-02721-8>

Clark, R. M., Blizzard, C. A., Young, K. M., King, A. E., & Dickson, T. C. (2017). Calretinin and Neuropeptide Y interneurons are differentially altered in the motor cortex of the SOD1G93A mouse model of ALS. [Article]. *Scientific Reports*, 7, 44461. doi: 10.1038/srep44461. <http://dx.doi.org/10.1038/srep44461>

- Clark, T. A., Sullender, C., Kazmi, S. M., Speetles, B. L., Williamson, M. R., Palmberg, D. M., . . . Jones, T. A. (2019). Artery targeted photothrombosis widens the vascular penumbra, instigates peri-infarct neovascularization and models forelimb impairments. *Scientific Reports*, 9(1), 2323. doi: 10.1038/s41598-019-39092-7. <https://doi.org/10.1038/s41598-019-39092-7>
- Clarke, J., Mala, H., Windle, V., Chernenko, G., & Corbett, D. (2009). The effects of repeated rehabilitation "tune-ups" on functional recovery after focal ischemia in rats. *Neurorehabilitation and neural repair*, 23(9), 886-894. doi.
- Clarkson, C., Juárez, J. M., & Merchán, M. A. (2010). Transient down-regulation of sound-induced c-Fos protein expression in the inferior colliculus after ablation of the auditory cortex. *Frontiers in Neuroanatomy*, 4. doi.
- Clarkson, C., Juárez, J. M., & Merchán, M. A. (2010). Long-term regulation in calretinin staining in the rat inferior colliculus after unilateral auditory cortical ablation. *Journal of Comparative Neurology*, 518(20), 4261-4276. doi.
- Claus, C. P., Tsuru-Aoyagi, K., Adwanikar, H., Walker, B., Whetstone, W., & Noble-Haeusslein, L. J. (2010). Age is a determinant of leukocyte infiltration and loss of cortical volume after traumatic brain injury. *Developmental Neuroscience*, 32(5-6), 454-465. doi.
- Clause, A., Kim, G., Sonntag, M., Weisz, Catherine J. C., Vetter, Douglas E., RübSamen, R., & Kandler, K. (2014). The Precise Temporal Pattern of Prehearing Spontaneous Activity Is Necessary for Tonotopic Map Refinement. *Neuron*, 82(4), 822-835. doi: 10.1016/j.neuron.2014.04.001. [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00291-8](http://www.cell.com/neuron/abstract/S0896-6273(14)00291-8)
- Clemens, A. M., Wang, H., & Brecht, M. (2020). The lateral septum mediates kinship behavior in the rat. *Nature Communications*, 11(1), 3161. doi: 10.1038/s41467-020-16489-x. <https://doi.org/10.1038/s41467-020-16489-x>
- Clemens, S., Sawchuk, M. A., & Hochman, S. (2005). Reversal of the circadian expression of tyrosine-hydroxylase but not nitric oxide synthase levels in the spinal cord of dopamine D3 receptor knockout mice. *Neuroscience*, 133(2), 353-357. doi.
- Clement, James P., Aceti, M., Creson, Thomas K., Ozkan, Emin D., Shi, Y., Reish, Nicholas J., . . . Rumbaugh, G. (2012). Pathogenic SYNGAP1 Mutations Impair Cognitive Development by Disrupting Maturation of Dendritic Spine Synapses. *Cell*, 151(4), 709-723. doi: 10.1016/j.cell.2012.08.045. <http://www.sciencedirect.com/science/article/pii/S0092867412012408>
- Clemente, D., Porteros, A., Arenzana, F. J., Aijon, J., Parrilla, M., Santos-Ledo, A., & Arevalo, R. (2008). Characterization of NADPH-diaphorase-positive glial cells of the tench optic nerve after axotomy. *Archives Italiennes de Biologie*, 146(1), 35-52. doi.
- Clements, I. P., Kim, Y., English, A. W., Lu, X., Chung, A., & Bellamkonda, R. V. (2009). Thin-film enhanced nerve guidance channels for peripheral nerve repair. *Biomaterials*, 30(23), 3834-3846. doi.
- Clemo, H. R., Allman, B. L., Donlan, M. A., & Meredith, M. A. (2007). Sensory and multisensory representations within the cat rostral suprasylvian cortex. *Journal of Comparative Neurology*, 503(1), 110-127. doi.
- Clemo, H. R., Lomber, S. G., & Meredith, M. A. (2014). Synaptic Basis for Cross-modal Plasticity: Enhanced Supragranular Dendritic Spine Density in Anterior Ectosylvian Auditory Cortex of the Early

Deaf Cat. Cerebral Cortex. doi:
10.1093/cercor/bhu225. <http://cercor.oxfordjournals.org/content/early/2014/10/01/cercor.bhu225>.

..

Clemo, H. R., Lomber, S. G., & Meredith, M. A. (2017). Synaptic distribution and plasticity in primary auditory cortex (A1) exhibits laminar and cell-specific changes in the deaf. *Hearing Research*. doi: <https://doi.org/10.1016/j.heares.2017.06.009>, <http://www.sciencedirect.com/science/article/pii/S037859551730165X>

Cliburn, R. A., Dunn, A. R., Stout, K. A., Hoffman, C. A., Lohr, K. M., Bernstein, A. I., . . . Miller, G. W. (2016). Immunochemical localization of vesicular monoamine transporter 2 (VMAT2) in mouse brain. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2016.11.003>, <http://www.sciencedirect.com/science/article/pii/S0891061816300953>

Codd, L. N., Blackmore, D. G., Vukovic, J., & Bartlett, P. F. (2020). Exercise reverses learning deficits induced by hippocampal injury by promoting neurogenesis. *Scientific Reports*, 10(1), 19269. doi: 10.1038/s41598-020-76176-1. <https://doi.org/10.1038/s41598-020-76176-1>

Coddington, Luke T., Rudolph, S., Vande Lune, P., Overstreet-Wadiche, L., & Wadiche, Jacques I. (2013). Spillover-Mediated Feedforward Inhibition Functionally Segregates Interneuron Activity. *Neuron*. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0896627313003218>

Coe, C. L., Kramer, M., Czéh, B., Gould, E., Reeves, A. J., Kirschbaum, C., & Fuchs, E. (2003). Prenatal stress diminishes neurogenesis in the dentate gyrus of juvenile rhesus monkeys. *Biological Psychiatry*, 54(10), 1025-1034. doi.

Cohen, A. S., Pfister, B. J., Schwarzbach, E., Sean Grady, M., Goforth, P. B., & Satin, L. S. (2007). Injury-induced alterations in CNS electrophysiology. *Progress in Brain Research*, 161, 143-169. doi.

Cohen, J. D., & Castro-Alamancos, M. A. (2007). Early Sensory Pathways for Detection of Fearful Conditioned Stimuli: Tectal and Thalamic Relays. *Journal of Neuroscience*, 27(29), 7762-7776. doi: 10.1523/jneurosci.1124-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/29/7762>

Cohen, J. D., Hirata, A., & Castro-Alamancos, M. A. (2008). Vibrissa Sensation in Superior Colliculus: Wide-Field Sensitivity and State-Dependent Cortical Feedback. *Journal of Neuroscience*, 28(44), 11205-11220. doi: 10.1523/jneurosci.2999-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/44/11205>

Cohen, S., Gabel, H. W., Hemberg, M., Hutchinson, A. N., Sadacca, L. A., Ebert, D. H., . . . others. (2011). Genome-Wide Activity-Dependent MeCP2 Phosphorylation Regulates Nervous System Development and Function. *Neuron*, 72(1), 72-85. doi.

Cohen, S. M., Suutari, B., He, X., Wang, Y., Sanchez, S., Tirko, N. N., . . . Ma, H. (2018). Calmodulin shuttling mediates cytonuclear signaling to trigger experience-dependent transcription and memory. *Nature Communications*, 9(1), 2451. doi: 10.1038/s41467-018-04705-8. <https://doi.org/10.1038/s41467-018-04705-8>

Coimbra, J. P., Trévia, N., Videira Marceliano, M. L., da Silveira Andrade-Da-Costa, B. L., Picanço-Diniz, C. W., & Yamada, E. S. (2009). Number and distribution of neurons in the retinal ganglion cell layer in relation to foraging behaviors of tyrant flycatchers. *Journal of Comparative Neurology*, 514(1), 66-73. doi.

- Colak, D., Mori, T., Brill, M. S., Pfeifer, A., Falk, S., Deng, C., . . . Gotz, M. (2008). Adult Neurogenesis Requires Smad4-Mediated Bone Morphogenic Protein Signaling in Stem Cells. *Journal of Neuroscience*, 28(2), 434-446. doi: 10.1523/jneurosci.4374-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/2/434>
- Colavito, V., Tognoli, C., Tiberio, L., Bentivoglio, M., Grassi-Zucconi, G., & Bertini, G. (2011). Neonatal treatment with clomipramine induces morphological and cellular changes in the adult rat brain. *Italian Journal of Anatomy and Embryology*, 116(2), 47-47. doi.
- Colbert, C. M., & Pan, E. (2002). Ion channel properties underlying axonal action potential initiation in pyramidal neurons. *Nature Neuroscience*, 5, 533-538. doi.
- Colciaghi, F., Finardi, A., Nobili, P., Locatelli, D., Spigolon, G., & Battaglia, G. S. (2014). Progressive Brain Damage, Synaptic Reorganization and NMDA Activation in a Model of Epileptogenic Cortical Dysplasia. *PLoS ONE*, 9(2), e89898. doi: 10.1371/journal.pone.0089898. <http://dx.doi.org/10.1371%2Fjournal.pone.0089898>
- Colciaghi, F., Nobili, P., Cipelletti, B., Cagnoli, C., Zambon, S., Locatelli, D., . . . Battaglia, G. S. (2019). Targeting PSD95-nNOS interaction by Tat-N-dimer peptide during status epilepticus is neuroprotective in MAM-pilocarpine rat model. *Neuropharmacology*, 153, 82-97. doi: <https://doi.org/10.1016/j.neuropharm.2019.04.028>. <http://www.sciencedirect.com/science/article/pii/S0028390819301431>
- Coldren, K. M., Brown, R., Hasser, E. M., & Heesch, C. M. (2015). Relaxin increases sympathetic nerve activity and activates spinally-projecting neurons in the paraventricular nucleus of nonpregnant, but not pregnant, rats. [10.1152/ajpregu.00186.2015]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi. <http://ajpregu.physiology.org/content/early/2015/09/23/ajpregu.00186.201..>
- Cole, C. J., Mercaldo, V., Restivo, L., Yiu, A. P., Sekeres, M. J., Han, J.-H., . . . Josselyn, S. A. (2012). MEF2 negatively regulates learning-induced structural plasticity and memory formation. [10.1038/nn.3189]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3189.html#suppl.....>, <http://dx.doi.org/10.1038/nn.3189>
- Coletta, S., Zeraati, R., Nasr, K., Preston-Ferrer, P., & Burgalossi, A. (2018). Interspike Interval Analysis and Spikelets in Presubicular Head-Direction Cells. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00019.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00019.2018>
- Colicos, M. A., Firth, S. I., Bosze, J., Goldstein, J., & Feller, M. B. (2004). Emergence of Realistic Retinal Networks in Culture Promoted by the Superior Colliculus. *Developmental Neuroscience*, 26(5-6), 406-416. doi. <http://www.karger.com/DOI/10.1159/000082283>
- Colin-Le Brun, I., Ferrand, N., Caillard, O., Tosetti, P., Ben-Ari, Y., & Gaiarsa, J.-L. (2004). Spontaneous synaptic activity is required for the formation of functional GABAergic synapses in the developing rat hippocampus. *Journal of Physiology*, 559(1), 129-139. doi: 10.1113/jphysiol.2004.065060. <http://jp.physoc.org/cgi/content/abstract/559/1/129>
- Collier, T. J., O'Malley, J., Rademacher, D. J., Stancati, J. A., Sisson, K. A., Sortwell, C. E., . . . Steece-Collier, K. (2015). Interrogating the aged striatum: Robust survival of grafted dopamine neurons in aging rats produces inferior behavioral recovery and evidence of impaired integration. *Neurobiology of Disease*, (0).

doi: <http://dx.doi.org/10.1016/j.nbd.2015.03.005>, <http://www.sciencedirect.com/science/article/pii/S0969996115000674>

Collin, C., Vicario-Abejon, C., Rubio, M. E., Wenthold, R. J., McKay, R. D. G., & Segal, M. (2001). Neurotrophins act at presynaptic terminals to activate synapses among cultured hippocampal neurons. *European Journal of Neuroscience*, 13(7), 1273. doi.

Collins, D. P., Anastasiades, P. G., Marlin, J. J., & Carter, A. G. (2018). Reciprocal Circuits Linking the Prefrontal Cortex with Dorsal and Ventral Thalamic Nuclei. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.03.024>, <https://www.sciencedirect.com/science/article/pii/S0896627318302307>

Combs, H. L., Jones, T. A., Kozłowski, D. A., & Adkins, D. L. (2015). Combinatorial Motor Training Results In Functional Reorganization Of Remaining Motor Cortex After Controlled Cortical Impact In Rats. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4136. <http://dx.doi.org/10.1089/neu.2015.4136>

Comi, A. M., Weisz, C. J. C., Hight, B. H., Skolasky, R. L., Pardo, C. A., & Hess, E. J. (2005). Sturge-Weber syndrome: altered blood vessel fibronectin expression and morphology. *Journal of Child Neurology*, 20(7), 572-577. doi.

Conde, D., & Komisaruk, B. R. (2012). A neuroanatomical correlate of sensorimotor recovery in response to repeated vaginocervical stimulation in rats. *Frontiers in Physiology*, 3. doi.

Conde-Sousa, E., Szücs, P., Peng, H., & Aguiar, P. (2016). N3DFix: an Algorithm for Automatic Removal of Swelling Artifacts in Neuronal Reconstructions. [journal article]. *Neuroinformatics*, 1-8. doi: 10.1007/s12021-016-9308-7. <http://dx.doi.org/10.1007/s12021-016-9308-7>

Conforti, F. L., Muglia, M., Mazzei, R., Valentino, P., Patitucci, A., Bono, F., . . . others. (2004). A splice-junction mutation in SBF2 gene causes autosomal recessive charcot-marie-tooth disease (CMT4B2) in a family from southern italy. *Journal of the Peripheral Nervous System*, 9(2), 124-124. doi.

Connelly, C. J., Ryugo, D. K., & Muniak, M. A. (2016). The effect of progressive hearing loss on the morphology of endbulbs of Held and bushy cells. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.07.004>, <http://www.sciencedirect.com/science/article/pii/S0378595516301472>

Connelly, W. M., Crunelli, V., & Errington, A. C. (2015). The Global Spike: Conserved Dendritic Properties Enable Unique Ca²⁺ Spike Generation in Low-Threshold Spiking Neurons. *The Journal of Neuroscience*, 35(47), 15505-15522. doi. <http://www.jneurosci.org/content/35/47/15505.full>

Conner, K. R., Forbes, M. E., Lee, W. H., Lee, Y. W., & Riddle, D. (2011). AT₁ receptor antagonism does not influence early radiation-induced changes in microglial activation or neurogenesis in the normal rat brain. *Radiation Research*. doi.

Conner, K. R., Payne, V. S., Forbes, M. E., Robbins, M. E., & Riddle, D. R. (2010). Effects of the AT₁ receptor antagonist L-158,809 on microglia and neurogenesis after fractionated whole-brain irradiation. *Radiation Research*, 173(1), 49-49. doi.

Connolly, J. D., Hashemi-Nezhad, M., & Lyon, D. C. (2012). Parallel feedback pathways in visual cortex of cats revealed through a modified rabies virus. *Journal of Comparative Neurology*, 520(5), 988-1004. doi: 10.1002/cne.22748. <http://dx.doi.org/10.1002/cne.22748>

Connor, B., Kozlowski, D. A., Schallert, T., Tillerson, J. L., Davidson, B. L., & Bohn, M. C. (1999). Differential effects of glial cell line-derived neurotrophic factor (GDNF) in the striatum and substantia nigra of the aged Parkinsonian rat. *Gene Therapy*, 6, 1936-1951. doi.

Conte, D., Legg, E. D., McCourt, A. C., Silajdzic, E., Nagy, G. G., & Maxwell, D. J. (2005). Transmitter content, origins and connections of axons in the spinal cord that possess the serotonin (5-hydroxytryptamine) 3 receptor. *Neuroscience*, 134(1), 165-173. doi.

Contestabile, A., Colangiulo, R., Lucchini, M., Gindrat, A. D., Hamadjida, A., Kaeser, M., . . . Schmidlin, E. (2018). Asymmetric and distant effects of a unilateral lesion of the primary motor cortex on the bilateral supplementary motor areas in adult macaque monkeys. [10.1523/JNEUROSCI.0904-18.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/10/24/JNEUROSCI.0904-18.2018..>

Conti, G., Baron, P. L., Scarpini, E., Bresolin, E., & De Pol, A. (2004). Pro-inflammatory cytokines induce differentiation in cultured schwann cells. *Journal of the Peripheral Nervous System*, 9(2), 106-106. doi:10.1111/j.1085-9489.2004.009209g.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Conti, V., Pazzaglia, C., Aprile, I., Caliandro, P., Tonali, P., & Padua, L. (2004). The self-care approach as a new tool in modern health care. carpal tunnel syndrome, an ideal model to evaluate the efficacy of an instructional video. *Journal of the Peripheral Nervous System*, 9(2), 110-110. doi.

Cook, P. M., Prusky, G., Ramoa, A. S., & others. (1999). The role of spontaneous retinal activity before eye opening in the maturation of form and function in the retinogeniculate pathway of the ferret. *Visual Neuroscience*, 16(3), 491-501. doi.

Cook, S. C., & Wellman, C. L. (2004). Chronic stress alters dendritic morphology in rat medial prefrontal cortex. *Journal of Neurobiology*, 60(2), 236-248. doi.

Cooke, B. M., Stokas, M. R., & Woolley, C. S. (2007). Morphological sex differences and laterality in the prepubertal medial amygdala. *Journal of Comparative Neurology*, 501(6), 904-915. doi.

Cooke, B. M., & Woolley, C. S. (2009). Effects of prepubertal gonadectomy on a male-typical behavior and excitatory synaptic transmission in the amygdala. *Developmental Neurobiology*, 69(2-3), 141-152. doi.

Coolen, L. M., Olivier, B., Peters, H. J. P. W., & Veening, J. G. (1997). Demonstration of Ejaculation-Induced Neural Activity in the Male Rat Brain Using 5-HT_{1A} Agonist 8-OH-DPAT. *Physiology and Behavior*, 62(4), 881-891. doi.

Coomber, B., Edwards, D., Jones, S., Shackleton, T., Goldschmidt, J., Wallace, M., & Palmer, A. (2011). Frontiers: Cortical Inactivation by Cooling in Small Animals. *Frontiers in Systems Neuroscience*, 5. doi.

Coombs, J., Van Der List, D., Wang, G. Y., & Chalupa, L. M. (2006). Morphological properties of mouse retinal ganglion cells. *Neuroscience*, 140(1), 123-136. doi.

Coombs, J. L., Van Der List, D., & Chalupa, L. M. (2007). Morphological properties of mouse retinal ganglion cells during postnatal development. *Journal of Comparative Neurology*, 503(6), 803-814. doi.

Coomes, D. L., & Schofield, B. R. (2004). Projections from the auditory cortex to the superior olivary complex in guinea pigs. *European Journal of Neuroscience*, 19(8), 2188-2200. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2004.0331...>

Coomes, D. L., & Schofield, B. R. (2004). Separate projections from the inferior colliculus to the cochlear nucleus and thalamus in guinea pigs. *Hearing Research*, 191(1-2), 67-78. doi.

Coomes, D. L., Schofield, R. M., & Schofield, B. R. (2005). Unilateral and bilateral projections from cortical cells to the inferior colliculus in guinea pigs. *Brain Research*, 1042(1), 62-72. doi.

Coomes Peterson, D., & Schofield, B. R. (2007). Projections from auditory cortex contact ascending pathways that originate in the superior olive and inferior colliculus. *Hearing Research*, 232(1-2), 67-77. doi.

Cooper, D. C., Moore, S. J., Staff, N. P., & Spruston, N. (2003). Psychostimulant-Induced Plasticity of Intrinsic Neuronal Excitability in Ventral Subiculum. *Journal of Neuroscience*, 23(30), 9937-9946. doi: <http://www.jneurosci.org/cgi/content/abstract/23/30/9937>

Cooper, O., & Isacson, O. (2004). Intrastratial Transforming Growth Factor α Delivery to a Model of Parkinson's Disease Induces Proliferation and Migration of Endogenous Adult Neural Progenitor Cells without Differentiation into Dopaminergic Neurons. *Journal of Neuroscience*, 24(41), 8924-8931. doi: 10.1523/jneurosci.2344-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/41/8924>

Copf, T. (2014). Developmental shaping of dendritic arbors in drosophila relies on tightly regulated intra-neuronal activity of protein kinase A (PKA). *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2014.07.002>. <http://www.sciencedirect.com/science/article/pii/S0012160614003364>

Corbett, D., Giles, T., Evans, S., McLean, J., & Biernaskie, J. (2006). Dynamic changes in CA1 dendritic spines associated with ischemic tolerance. *Experimental Neurology*, 202(1), 133-138. doi.

Corbett, N. J., Gabbott, P. L., Klementiev, B., Davies, H. A., Colyer, F. M., Novikova, T., & Stewart, M. G. (2013). Amyloid-Beta Induced CA1 Pyramidal Cell Loss in Young Adult Rats Is Alleviated by Systemic Treatment with FGL, a Neural Cell Adhesion Molecule-Derived Mimetic Peptide. *PLoS ONE*, 8(8), e71479. doi: 10.1371/journal.pone.0071479. <http://dx.doi.org/10.1371%2Fjournal.pone.0071479>

Cordeau, P., Jr., Lalancette-Hebert, M., Weng, Y. C., & Kriz, J. (2008). Live Imaging of Neuroinflammation Reveals Sex and Estrogen Effects on Astrocyte Response to Ischemic Injury. *Stroke*, 39(3), 935-942. doi: 10.1161/strokeaha.107.501460. <http://stroke.ahajournals.org/cgi/content/abstract/39/3/935>

Cornbrooks, E. B., Pouliot, W. A., & Mawe, G. M. (1992). Structure of neurons and ganglia of the guinea pig gallbladder: Light and electron microscopic studies. *Journal of Comparative Neurology*, 317(1), 31-44. doi.

Coronas, V., Arnault, P., & Roger, M. (2002). Cortical diffusible factors increase MAP-2 immunoreactive neuronal population in thalamic cultures. *Neuroscience Research*, 43(1), 57-67. doi.

Coronas, V., Bantubungi, K., Fombonne, J., Krantic, S., Schiffmann, S. N., & Roger, M. (2004). Dopamine D3 receptor stimulation promotes the proliferation of cells derived from the post-natal subventricular zone. *Journal of Neurochemistry*, 91(6), 1292-1301. doi: doi:10.1111/j.1471-4159.2004.02823.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2004.02823.x>

- Correa, D., & Segal, S. S. (2012). Neurovascular proximity in the diaphragm muscle of adult mice. *Microcirculation*. doi.
- Correia, S. S., Bassani, S., Brown, T. C., Lisé, M. F., Backos, D. S., El-Husseini, A., . . . Esteban, J. A. (2008). Motor protein-dependent transport of AMPA receptors into spines during long-term potentiation. *Nature Neuroscience*, 11(4), 457-466. doi.
- Corson, J. A., & Erisir, A. (2013). Monosynaptic convergence of chorda tympani and glossopharyngeal afferents onto ascending relay neurons in the nucleus of the solitary tract: A high-resolution confocal and correlative electron microscopy approach. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23357. <http://dx.doi.org/10.1002/cne.23357>
- Corty, M. M., Tam, J., & Grueber, W. B. (2016). Dendritic diversification through transcription factor-mediated suppression of alternative morphologies. [10.1242/dev.130906]. *Development*, 143(8), 1351-1362. doi. <http://dev.biologists.org/content/143/8/1351.abstract>
- Corvetto, L., & Rossi, F. (2005). Degradation of Chondroitin Sulfate Proteoglycans Induces Sprouting of Intact Purkinje Axons in the Cerebellum of the Adult Rat. *Journal of Neuroscience*, 25(31), 7150-7158. doi. <http://www.jneurosci.org/cgi/content/abstract/25/31/7150>
- Cory-Slechta, D. A., Sobolewski, M., Marvin, E., Conrad, K., Merrill, A., Anderson, T., . . . Oberdorster, G. (2019). The Impact of Inhaled Ambient Ultrafine Particulate Matter on Developing Brain: Potential Importance of Elemental Contaminants. *Toxicologic Pathology*, 0192623319878400. doi: 10.1177/0192623319878400. <https://doi.org/10.1177/0192623319878400>
- Cosgrove, K. E., Galván, E. J., Meriney, S. D., & Barrionuevo, G. (2010). Area CA3 interneurons receive two spatially segregated mossy fiber inputs. *Hippocampus*, 20(9), 1003-1009. doi.
- Cosgrove, K. E., & Maccaferri, G. (2012). mGlu1 α -dependent recruitment of excitatory GABAergic input to neocortical Cajal-Retzius cells. *Neuropharmacology*, (0). doi: 10.1016/j.neuropharm.2012.04.025. <http://www.sciencedirect.com/science/article/pii/S002839081200161X>
- Cosme, R., Lublin, D., Takafuji, V., Lynch, K., & Roche, J. K. (2000). Prostanoids in human colonic mucosa: effects of inflammation on PGE2 receptor expression. *Human Immunology*, 61(7), 684-696. doi.
- Cosme, R., & Roche, J. K. (2001). Immunohistochemical Detection and Quantitation of Cell Surface Receptors for Prostanoids. *Colorectal cancer: methods and protocols*, 50, 231-231. doi.
- Cossart, R. (2014). Operational hub cells: a morpho-physiologically diverse class of GABAergic neurons united by a common function. *Current Opinion in Neurobiology*, 26(0), 51-56. doi: <http://dx.doi.org/10.1016/j.conb.2013.12.002>. <http://www.sciencedirect.com/science/article/pii/S0959438813002262>
- Cossart, R., Bernard, C., & Ben-Ari, Y. (2005). Multiple facets of GABAergic neurons and synapses: multiple fates of GABA signalling in epilepsies. *Trends in Neurosciences*, 28(2), 108-115. doi.
- Cossart, R., Dinocourt, C., Hirsch, J. C., Merchan-Perez, A., Felipe, J. D., Ben-Ari, Y., . . . Bernard, C. (2001). Dendritic but not somatic GABAergic inhibition is decreased in experimental epilepsy. *Nature Neuroscience*, 4, 52-62. doi.

Cossart, R., Esclapez, M., Hirsch, J. C., Bernard, C., & Ben-Ari, Y. (1998). GluR5 kainate receptor activation in interneurons increases tonic inhibition of pyramidal cells. *Nature Neuroscience*, 1, 470-478. doi.

Cossart, R., Petanjek, Z., Dumitriu, D., Hirsch, J. C., Ben-Ari, Y., Esclapez, M., & Bernard, C. (2006). Interneurons targeting similar layers receive synaptic inputs with similar kinetics. *Hippocampus*. doi.

Cossette, M., Lecomte, F., & Parent, A. (2005). Morphology and distribution of dopaminergic neurons intrinsic to the human striatum. *Journal of Chemical Neuroanatomy*, 29(1), 1-11. doi.

Costentin, C., Robert, M., Savéant, J.-M., & Teillout, A.-L. (2009). Concerted proton-coupled electron transfers in aquo/hydroxo/oxo metal complexes: Electrochemistry of [OsII(bpy)2py(OH2)]2+ in water. *Proceedings of the National Academy of Sciences*, 106(29), 11829-11836. doi: 10.1073/pnas.0905020106. <http://www.pnas.org/content/106/29/11829.abstract>

Cotel, F., Fletcher, L. N., Kalita-de Croft, S., Apergis-Schoute, J., & Williams, S. R. (2017). Cell Class-Dependent Intracortical Connectivity and Output Dynamics of Layer 6 Projection Neurons of the Rat Primary Visual Cortex. *Cerebral Cortex*, 1-11. doi. <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1..>

Couch, B. A., DeMarco, G. J., Gourley, S. L., & Koleske, A. J. (2010). Increased dendrite branching in A β PP/PS1 mice and elongation of dendrite arbors by fasudil administration. *Journal of Alzheimer's Disease*, 20(4), 1003-1008. doi.

Couchman, K., Grothe, B., & Felmy, F. (2010). Medial Superior Olivary Neurons Receive Surprisingly Few Excitatory and Inhibitory Inputs with Balanced Strength and Short-Term Dynamics. *Journal of Neuroscience*, 30(50), 17111-17121. doi: 10.1523/jneurosci.1760-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/17111>

Courtine, G., Song, B., Roy, R. R., Zhong, H., Herrmann, J. E., Ao, Y., . . . Sofroniew, M. V. (2008). Recovery of supraspinal control of stepping via indirect propriospinal relay connections after spinal cord injury. *Nature Medicine*, 14(1), 69-74. doi.

Cova, L., Gelosa, P., Mura, E., Mauro, A., Stramba-Badiale, M., Michailidis, G., . . . Zanchetti, A. (2013). Vascular and parenchymal lesions along with enhanced neurogenesis characterize the brain of asymptomatic stroke-prone spontaneous hypertensive rats. *Journal of Hypertension*, Publish Ahead of Print, 10.1097/HJH.1090b1013e3283619d3283617f. doi. http://journals.lww.com/jhypertension/Fulltext/publishahead/Vascular_and..

Cox, S. J., & Raol, J. H. (2004). Recovering the passive properties of tapered dendrites from single and dual potential recordings. *Mathematical Biosciences*, 190(1), 9-37. doi.

Craig, M. T., & McBain, C. J. (2015). Fast Gamma Oscillations Are Generated Intrinsically in CA1 without the Involvement of Fast-Spiking Basket Cells. *The Journal of Neuroscience*, 35(8), 3616-3624. doi. <http://www.jneurosci.org/content/35/8/3616.short>

Craig, M. T., & McBain, C. J. (2015). Navigating the circuitry of the brain's GPS system: Future challenges for neurophysiologists. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22456. <http://dx.doi.org/10.1002/hipo.22456>

- Craver, B. M., Acharya, M. M., Allen, B. D., Benke, S. N., Hultgren, N. W., Baulch, J. E., & Limoli, C. L. (2016). 3D surface analysis of hippocampal microvasculature in the irradiated brain. *Environmental and Molecular Mutagenesis*, n/a-n/a. doi: 10.1002/em.22015. <http://dx.doi.org/10.1002/em.22015>
- Crawford, L. K., Craige, C. P., & Beck, S. G. (2011). Glutamatergic input is selectively increased in dorsal raphe subfield 5-HT neurons: role of morphology, topography and selective innervation. *European Journal of Neuroscience*, 34(11), 1794-1806. doi: 10.1111/j.1460-9568.2011.07882.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07882.x>
- Crépel, V., & Mulle, C. (2015). Physiopathology of kainate receptors in epilepsy. *Current Opinion in Pharmacology*, 20(0), 83-88. doi: <http://dx.doi.org/10.1016/j.coph.2014.11.012> <http://www.sciencedirect.com/science/article/pii/S1471489214001672>
- Creutz, L. M., & Kritzer, M. F. (2004). Mesostriatal and mesolimbic projections of midbrain neurons immunoreactive for estrogen receptor beta or androgen receptors in rats. *Journal of Comparative Neurology*, 476(4), 348-362. doi.
- Crimins, J., Rocher, A., & Luebke, J. (2012). Electrophysiological changes precede morphological changes to frontal cortical pyramidal neurons in the rTg4510 mouse model of progressive tauopathy. *Acta Neuropathologica*, 1-19. doi: 10.1007/s00401-012-1038-9. <http://dx.doi.org/10.1007/s00401-012-1038-9>
- Criscuolo, C., Fontebasso, V., Middei, S., Stazi, M., Ammassari-Teule, M., Yan, S. S., & Origlia, N. (2017). Entorhinal Cortex dysfunction can be rescued by inhibition of microglial RAGE in an Alzheimer's disease mouse model. *Scientific Reports*, 7, 42370. doi.
- Crochet, S., Chauvette, S., Boucetta, S., & Timofeev, I. (2005). Modulation of synaptic transmission in neocortex by network activities. *European Journal of Neuroscience*, 21(4), 1030-1044. doi: 10.1111/j.1460-9568.2005.03932.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03932.x>
- Crochet, S., Poulet, J. F. A., Kremer, Y., & Petersen, C. C. H. (2011). Synaptic mechanisms underlying sparse coding of active touch. *Neuron*, 69(6), 1160-1175. doi.
- Croci, L., Chung, S.-H., Masserdotti, G., Gianola, S., Bizzoca, A., Gennarini, G., . . . Consalez, G. G. (2006). A key role for the HLH transcription factor EBF2/COE2/O/E-3 in Purkinje neuron migration and cerebellar cortical topography. *Development*, 133(14), 2719-2729. doi: 10.1242/dev.02437. <http://dev.biologists.org/cgi/content/abstract/133/14/2719>
- Crociara, P., Chieppa, M. N., Vallino Costassa, E., Berrone, E., Gallo, M., Lo Faro, M., . . . Corona, C. (2019). Motor neuron degeneration, severe myopathy and TDP-43 increase in a transgenic pig model of SOD1-linked familial ALS. *Neurobiology of Disease*, 124, 263-275. doi: <https://doi.org/10.1016/j.nbd.2018.11.021>. <http://www.sciencedirect.com/science/article/pii/S0969996118307526>
- Crociara, P., Parolisi, R., Conte, D., Fumagalli, M., & Bonfanti, L. (2013). Cellular and Molecular Characterization of Multipolar Map5-Expressing Cells: A Subset of Newly Generated, Stage-Specific Parenchymal Cells in the Mammalian Central Nervous System. *PLoS ONE*, 8(5), e63258. doi: 10.1371/journal.pone.0063258. <http://dx.doi.org/10.1371/journal.pone.0063258>
- Crocker, A., Espana, R. A., Papadopoulou, M., Saper, C. B., Faraco, J., Sakurai, T., . . . Scammell, T. E. (2005). Concomitant loss of dynorphin, NARP, and orexin in narcolepsy. *Neurology*, 65(8), 1184-1188.

doi:

10.1212/01.WNL.0000168173.71940.ab. <http://www.neurology.org/cgi/content/abstract/65/8/1184>

Croisier, E., Moran, L., Dexter, D., Pearce, R., & Graeber, M. (2005). Microglial inflammation in the parkinsonian substantia nigra: relationship to alpha-synuclein deposition. *J Neuroinflammation*, 2, 14. doi.

Crombe, A., Planche, V., Raffard, G., Bourel, J., Dubourdieu, N., Panatier, A., . . . Tourdias, T. (2018). Deciphering the microstructure of hippocampal subfields with in vivo DTI and NODDI: Applications to experimental multiple sclerosis. *Neuroimage*, 172, 357-368. doi: <https://doi.org/10.1016/j.neuroimage.2018.01.061>. <https://www.sciencedirect.com/science/article/pii/S1053811918300612>

Crook, J. M., Kisvarday, Z. F., & Eysel, U. T. (1998). Evidence for a contribution of lateral inhibition to orientation tuning and direction selectivity in cat visual cortex: reversible inactivation of functionally characterized sites combined with neuroanatomical tracing techniques. *European Journal of Neuroscience*, 10(6), 2056-2075. doi: doi:10.1046/j.1460-9568.1998.00218.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1998.00218.x>

Crook, S., Gleeson, P., Howell, F., Svitak, J., & Silver, R. A. (2007). MorphML: level 1 of the NeuroML standards for neuronal morphology data and model specification. *Neuroinformatics*, 5(2), 96-104. doi.

Croquelois, A., Bronchti, G., & Welker, E. (2005). Cortical origin of functional recovery in the somatosensory cortex of the adult mouse after thalamic lesion. *European Journal of Neuroscience*, 21(7), 1798-1806. doi: doi:10.1111/j.1460-9568.2005.03994.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03994.x>

Croquelois, A., Giuliani, F., Savary, C., Kielar, M., Amiot, C., Schenk, F., & Welker, E. (2008). Characterization of the HeCo Mutant Mouse: A New Model of Subcortical Band Heterotopia Associated with Seizures and Behavioral Deficits. *Cerebral Cortex*, bhn106. doi: 10.1093/cercor/bhn106. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn106v1>

Cross, D. J., & Cavazos, J. E. (2007). Synaptic reorganization in subiculum and CA3 after early-life status epilepticus in the kainic acid rat model. *Epilepsy Research*, 73(2), 156-165. doi.

Crupi, R., Cambiaghi, M., Deckelbaum, R., Hansen, I., Mindes, J., Spina, E., & Battaglia, F. (2011). n-3 fatty acids prevent impairment of neurogenesis and synaptic plasticity in B-cell activating factor (BAFF) transgenic mice. *Preventive Medicine*. doi.

Crupi, R., Cambiaghi, M., Spatz, L., Hen, R., Thorn, M., Friedman, E., . . . Battaglia, F. (2010). Reduced adult neurogenesis and altered emotional behaviors in autoimmune-prone B-cell activating factor transgenic mice. *Biological Psychiatry*, 67(6), 558-566. doi.

Crutcher, E., Pal, R., Naini, F., Zhang, P., Laugsch, M., Kim, J., . . . Schaaf, C. P. (2019). mTOR and autophagy pathways are dysregulated in murine and human models of Schaaf-Yang syndrome. *Scientific Reports*, 9(1), 15935. doi: 10.1038/s41598-019-52287-2. <https://doi.org/10.1038/s41598-019-52287-2>

Cruz, D. A., Eggan, S. M., Azmitia, E. C., & Lewis, D. A. (2004). Serotonin1A receptors at the axon initial segment of prefrontal pyramidal neurons in schizophrenia. *American Journal of Psychiatry*, 161(4), 739-742. doi.

Cruz, D. A., Eggan, S. M., & Lewis, D. A. (2003). Postnatal development of pre-and postsynaptic GABA markers at chandelier cell connections with pyramidal neurons in monkey prefrontal cortex. *Journal of Comparative Neurology*, 465(3), 385-400. doi.

Cruz, D. A., Lovallo, E. M., Stockton, S., Rasband, M., & Lewis, D. A. (2009). Postnatal development of synaptic structure proteins in pyramidal neuron axon initial segments in monkey prefrontal cortex. *Journal of Comparative Neurology*, 514(4), 353-367. doi.

Cruz, D. A., Weaver, C. L., Lovallo, E. M., Melchitzky, D. S., & Lewis, D. A. (2009). Selective alterations in postsynaptic markers of chandelier cell inputs to cortical pyramidal neurons in subjects with schizophrenia. *Neuropsychopharmacology*, 34(9), 2112-2124. doi.

Cruz-Martin, A., & Portera-Cailliau, C. (2014). In Vivo Imaging of Axonal and Dendritic Structures in Neonatal Mouse Cortex. *Cold Spring Harbor Protocols*, 2014(1), pdb.prot080150. doi: 10.1101/pdb.prot080150. <http://cshprotocols.cshlp.org/content/2014/1/pdb.prot080150.abstract>

Csabai, D., Csekő, K., Szaiff, L., Varga, Z., Miseta, A., Helyes, Z., & Czéh, B. (2016). Low intensity, long term exposure to tobacco smoke inhibits hippocampal neurogenesis in adult mice. *Behavioural Brain Research*, 302, 44-52. doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.022>. <http://www.sciencedirect.com/science/article/pii/S0166432816300195>

Csabai, D., Seress, L., Varga, Z., Ábrahám, H., Miseta, A., Wiborg, O., & Czéh, B. (2016). Electron microscopic analysis of hippocampal axo-somatic synapses in a chronic stress model for depression. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22650. <http://dx.doi.org/10.1002/hipo.22650>

Csajbók, É. A., Kocsis, Á. K., Faragó, N., Furdan, S., Kovács, B., Lovas, S., . . . Tamás, G. (2019). Expression of GLP-1 receptors in insulin-containing interneurons of rat cerebral cortex. [journal article]. *Diabetologia*. doi: 10.1007/s00125-018-4803-z. <https://doi.org/10.1007/s00125-018-4803-z>

Cuccioli, V., Bueno, C., Belvindrah, R., Lledo, P. M., & Martinez, S. (2014). Attractive action of FGF-signaling contributes to the postnatal developing hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22386. <http://dx.doi.org/10.1002/hipo.22386>

Cui, D., Dougherty, K. J., Machacek, D. W., Sawchuk, M., Hochman, S., & Baro, D. J. (2006). Divergence between motoneurons: gene expression profiling provides a molecular characterization of functionally discrete somatic and autonomic motoneurons. *Physiological Genomics*, 24(3), 276-289. doi: 10.1152/physiolgenomics.00109.2005. <http://physiolgenomics.physiology.org/cgi/content/abstract/24/3/276>

Cui, R.-Z., Wang, L., Qiao, S.-N., Wang, Y.-C., Wang, X., Yuan, F., . . . Zhong, Y.-M. (2019). ON-Type Retinal Ganglion Cells are Preferentially Affected in STZ-Induced Diabetic Mice. *Changes of Retinal Ganglion Cells in Diabetic Mice*. *Investigative Ophthalmology and Visual Science*, 60(5), 1644-1656. doi: 10.1167/iovs.18-26359. <https://doi.org/10.1167/iovs.18-26359>

Cui, Y.-F., Hargus, G., Xu, J.-C., Schmid, J. S., Shen, Y.-Q., Glatzel, M., . . . Bernreuther, C. (2010). Embryonic stem cell-derived L1 overexpressing neural aggregates enhance recovery in Parkinsonian mice. *Brain*, 133(1), 189-204. doi: 10.1093/brain/awp290. <http://brain.oxfordjournals.org/cgi/content/abstract/133/1/189>

Cullen, C. L., Burne, T. H. J., Lavidis, N. A., & Moritz, K. M. (2013). Low Dose Prenatal Ethanol Exposure Induces Anxiety-Like Behaviour and Alters Dendritic Morphology in the Basolateral Amygdala of Rat

Offspring. PLoS ONE, 8(1), e54924. doi:

10.1371/journal.pone.0054924. <http://dx.doi.org/10.1371%2Fjournal.pone.0054924>

Cullen, C. L., Burne, T. H. J., Lavidis, N. A., & Moritz, K. M. (2014). Low Dose Prenatal Alcohol Exposure Does Not Impair Spatial Learning and Memory in Two Tests in Adult and Aged Rats. PLoS ONE, 9(6), e101482. doi: 10.1371/journal.pone.0101482. <http://dx.doi.org/10.1371%2Fjournal.pone.0101482>

Cunningham, C. L., Martínez-Cerdeño, V., & Noctor, S. C. (2013). Microglia regulate the number of neural precursor cells in the developing cerebral cortex. Journal of Neuroscience, 33(10), 4216-4233. doi: <https://search.proquest.com/openview/70a939d69a1cb77bdd1067296217c884/1...>

Cunningham, J. T., Knight, W. D., Mifflin, S. W., & Nestler, E. J. (2012). An Essential Role for FosB in the Median Preoptic Nucleus in the Sustained Hypertensive Effects of Chronic Intermittent Hypoxia. Hypertension. doi: 10.1161/hypertensionaha.112.193789. <http://hyper.ahajournals.org/content/early/2012/06/11/HYPERTENSIONAHA.112.193789>.

Cunningham, M., Cho, J.-H., Leung, A., Savvidis, G., Ahn, S., Moon, M., . . . Chung, S. (2014). hPSC-Derived Maturing GABAergic Interneurons Ameliorate Seizures and Abnormal Behavior in Epileptic Mice. Cell Stem Cell, 15(5), 559-573. doi: 10.1016/j.stem.2014.10.006. [http://www.cell.com/cell-stem-cell/abstract/S1934-5909\(14\)00457-3](http://www.cell.com/cell-stem-cell/abstract/S1934-5909(14)00457-3)

Cunningham, M. O., Pervouchine, D. D., Racca, C., Kopell, N. J., Davies, C. H., Jones, R. S. G., . . . Whittington, M. A. (2006). Neuronal metabolism governs cortical network response state. PNAS, 103(10), 6006-6013. doi: 10.1073/pnas.0600604103. <http://www.pnas.org/cgi/content/abstract/0600604103v1>

Curcio, C., Asheld, J. J., Chabla, J. M., Ayubcha, D., Hallas, B. H., Horowitz, J. M., & Torres, G. (2006). Expression profile of Bag 1 in the postmortem brain. Journal of Chemical Neuroanatomy, 32(2), 191-195. doi: 10.1016/j.jcna.2006.03.003.

Currier, T. A., Etchegaray, M. A., Haight, J. L., Galaburda, A. M., & Rosen, G. D. (2011). The effects of embryonic knockdown of the candidate dyslexia susceptibility gene homologue *Dyx1c1* on the distribution of GABAergic neurons in the cerebral cortex. Neuroscience, 172, 535-546. doi: 10.1016/j.neuroscience.2011.01.030.

Curtetti, R., Garbossa, D., & Vercelli, A. (2002). Development of dendritic bundles of pyramidal neurons in the rat visual cortex. Mechanisms of Ageing and Development, 123(5), 473-479. doi: 10.1016/S0022-2720(02)00001-0.

Curto, G. G., Nieto-Estévez, V., Hurtado-Chong, A., Valero, J., Gómez, C., Alonso, J. R., . . . Vicario-Abejón, C. (2014). Pax6 is essential for the maintenance and multi-lineage differentiation of neural stem cells, and for neuronal incorporation into the adult olfactory bulb. Stem Cells and Development, 23(1), 1-11. doi: <http://online.liebertpub.com/doi/abs/10.1089/scd.2014.0058>

Cusimano, M., Biziato, D., Brambilla, E., Donegà, M., Alfaro-Cervello, C., Snider, S., . . . others. (2012). Transplanted neural stem/precursor cells instruct phagocytes and reduce secondary tissue damage in the injured spinal cord. Brain, 135(2), 447-460. doi: 10.1093/brain/awr342.

Cusimano, M., Brambilla, E., Capotondo, A., De Feo, D., Tomasso, A., Comi, G., . . . Martino, G. (2018). Selective killing of spinal cord neural stem cells impairs locomotor recovery in a mouse model of spinal cord injury. [journal article]. Journal of Neuroinflammation, 15(1), 58. doi: 10.1186/s12974-018-1085-9. <https://doi.org/10.1186/s12974-018-1085-9>

Cusmano, D. M., Hadjimarkou, M. M., & Mong, J. A. (2013). Gonadal Steroid Modulation of Sleep and Wakefulness in Male and Female Rats Is Sexually Differentiated and Neonatally Organized by Steroid Exposure. *Endocrinology*. doi: 10.1210/en.2013-1624. <http://endo.endojournals.org/content/early/2013/11/01/en.2013-1624.abstract>

Cutrer, F. M., Sandroni, P., & Wendelschafer-Crabb, G. (2010). Botulinum toxin treatment of cephalalgia alopecia increases substance P and calcitonin gene-related peptide-containing cutaneous nerves in scalp. *Cephalalgia*, 30(8), 1000-1006. doi.

Cutuli, D., Rossi, S., Burello, L., Laricchiuta, D., De Chiara, V., Foti, F., . . . others. (2011). Before or after does it matter? Different protocols of environmental enrichment differently influence motor, synaptic and structural deficits of cerebellar origin. *Neurobiology of Disease*, 42(1), 9-20. doi.

Czajkowski, R., Sugar, J., Zhang, S.-J., Couey, J. J., Ye, J., & Witter, M. P. (2013). Superficially Projecting Principal Neurons in Layer V of Medial Entorhinal Cortex in the Rat Receive Excitatory Retrosplenial Input. *Journal of Neuroscience*, 33(40), 15779-15792. doi: 10.1523/jneurosci.2646-13.2013. <http://www.jneurosci.org/content/33/40/15779.abstract>

Czaniecki, C., Ryan, T., Stykel, M. G., Drolet, J., Heide, J., Hallam, R., . . . Ryan, S. D. (2019). Axonal pathology in hPSC-based models of Parkinson's disease results from loss of Nrf2 transcriptional activity at the Map1b gene locus. *Proceedings of the National Academy of Sciences*, 201900576. doi: 10.1073/pnas.1900576116. <http://www.pnas.org/content/early/2019/06/21/1900576116.abstract>

Czéh, B., Ábrahám, H., Tahtakran, S., Houser, C. R., & Seress, L. (2013). Number and regional distribution of GAD65 mRNA-expressing interneurons in the rat hippocampal formation. *Acta Biologica Hungarica*, 64(4), 395-413. doi. <http://www.akademiai.com/content/5n72830655238p75/>

Czéh, B., Abumaria, N., Rygula, R., & Fuchs, E. (2010). Quantitative changes in hippocampal microvasculature of chronically stressed rats: no effect of fluoxetine treatment. *Hippocampus*, 20(1), 174-185. doi.

Czéh, B., Michaelis, T., Watanabe, T., Frahm, J., de Biurrun, G., van Kampen, M., . . . Fuchs, E. (2001). Stress-induced changes in cerebral metabolites, hippocampal volume, and cell proliferation are prevented by antidepressant treatment with tianeptine. *Proceedings of the National Academy of Sciences*, 98(22), 12796-12801. doi: 10.1073/pnas.211427898. <http://www.pnas.org/cgi/content/abstract/98/22/12796>

Czéh, B., Pudovkina, O., van der Hart, M. G. C., Simon, M., Heilbronner, U., Michaelis, T., . . . Fuchs, E. (2005). Examining SLV-323, a novel NK 1 receptor antagonist, in a chronic psychosocial stress model for depression. *Psychopharmacology*, 180(3), 548-557. doi.

Czéh, B., Varga, Z. K. K., Henningsen, K., Kovács, G. L., Miseta, A., & Wiborg, O. (2014). Chronic stress reduces the number of GABAergic interneurons in the adult rat hippocampus, dorsal-ventral and region-specific differences. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22382. <http://dx.doi.org/10.1002/hipo.22382>

Czéh, B., Welt, T., Fischer, A. K., Erhardt, A., Schmitt, W., Müller, M. B., . . . Keck, M. E. (2002). Chronic psychosocial stress and concomitant repetitive transcranial magnetic stimulation: effects on stress hormone levels and adult hippocampal neurogenesis. *Biological Psychiatry*, 52(11), 1057-1065. doi.

Czurko, A., Czeh, B., Seress, L., Nadel, L., & Bures, J. (1997). Severe spatial navigation deficit in the Morris water maze after single high dose of neonatal x-ray irradiation in the rat. *Proceedings of the*

National Academy of Sciences, 94(6), 2766-2771. doi:
10.1073/pnas.94.6.2766. <http://www.pnas.org/cgi/content/abstract/94/6/2766>

D'Amato, A. R., Puhl, D. L., Ellman, S. A. T., Balouch, B., Gilbert, R. J., & Palermo, E. F. (2019). Vastly extended drug release from poly(pro-17 β -estradiol) materials facilitates in vitro neurotrophism and neuroprotection. *Nature Communications*, 10(1), 4830. doi: 10.1038/s41467-019-12835-w. <https://doi.org/10.1038/s41467-019-12835-w>

D'Amato, A. R., Puhl, D. L., Ziemba, A. M., Johnson, C. D. L., Doedee, J., Bao, J., & Gilbert, R. J. (2019). Exploring the effects of electrospun fiber surface nanotopography on neurite outgrowth and branching in neuron cultures. *PLoS ONE*, 14(2), e0211731. doi: 10.1371/journal.pone.0211731. <https://doi.org/10.1371/journal.pone.0211731>

d'Errico, P., Boido, M., Piras, A., Valsecchi, V., De Amicis, E., Locatelli, D., . . . Battaglia, G. (2013). Selective Vulnerability of Spinal and Cortical Motor Neuron Subpopulations in delta7 SMA Mice. *PLoS ONE*, 8(12), e82654. doi: 10.1371/journal.pone.0082654. <http://dx.doi.org/10.1371/journal.pone.0082654>

D'Souza, R. D., Bista, P., Meier, A. M., Ji, W., & Burkhalter, A. (2019). Spatial Clustering of Inhibition in Mouse Primary Visual Cortex. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.09.020>. <http://www.sciencedirect.com/science/article/pii/S0896627319307937>

da Costa, N. M., & Martin, K. A. C. (2009). Selective Targeting of the Dendrites of Corticothalamic Cells by Thalamic Afferents in Area 17 of the Cat. *Journal of Neuroscience*, 29(44), 13919-13928. doi: 10.1523/jneurosci.2785-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/44/13919>

da Fontoura Costa, L., & Manoel, E. T. M. (2003). A percolation approach to neural morphometry and connectivity. *Neuroinformatics*, 1(1), 65-80. doi:

da Rocha, E. G., Freire, M. A. M., Bahia, C. P., Pereira, A., Sosthenes, M. C. K., Silveira, L. C. L., . . . Picanço-Diniz, C. W. (2012). Dendritic structure varies as a function of eccentricity in V1: a quantitative study of NADPH diaphorase neurons in the diurnal South American rodent agouti, *Dasyprocta prymnolopha*. *Neuroscience*. doi:

Da Silva, A. V., Houzel, J. C., Targas Yacubian, E. M., Carrete, H., Sakamoto, A. C., Priel, M. R., . . . others. (2006). Dysmorphic neurons in patients with temporal lobe epilepsy. *Brain Research*, 1072(1), 200-207. doi:

da Silva, M. P., Moraes, D. J. A., Bonagamba, L. G. H., Mecawi, A. d. S., Varanda, W. A., & Machado, B. H. (2019). Hyperexcitability and plasticity induced by sustained hypoxia on rectus abdominis motoneurons. *The Journal of Physiology*, 0(ja). doi: 10.1113/JP277030. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP277030>

da Silva, S., Hasegawa, H., Scott, A., Zhou, X., Wagner, A. K., Han, B.-X., & Wang, F. (2011). Proper formation of whisker barrelettes requires periphery-derived Smad4-dependent TGF- β signaling. *Proceedings of the National Academy of Sciences*, 108(8), 3395-3400. doi: 10.1073/pnas.1014411108. <http://www.pnas.org/content/108/8/3395.abstract>

Daamen, W. F., Nillesen, S. T. M., Wismans, R. G., Reinhardt, D. P., Hafmans, T., Veerkamp, J. H., & van Kuppevelt, T. H. (2008). A biomaterial composed of collagen and solubilized elastin enhances

angiogenesis and elastic fiber formation without calcification. *Tissue Engineering Part A*, 14(3), 349-360. doi.

Dabrowska, J., & Rainnie, D. G. (2010). Expression and distribution of Kv4 potassium channel subunits and potassium channel interacting proteins in subpopulations of interneurons in the basolateral amygdala. *Neuroscience*, 171(3), 721-733. doi.

Dacks, P. A., Krajewski, S. J., & Rance, N. E. (2011). Activation of Neurokinin 3 Receptors in the Median Preoptic Nucleus Decreases Core Temperature in the Rat. *Endocrinology*, 152(12), 4894-4905. doi.

Dacks, P. A., Krajewski, S. J., & Rance, N. E. (2011). Ambient Temperature and 17 β -Estradiol Modify Fos Immunoreactivity in the Median Preoptic Nucleus, a Putative Regulator of Skin Vasomotion. *Endocrinology*, 152(7), 2750-2759. doi.

Dahlen, J. E., Jimenez, D. A., Gerkin, R. C., & Urban, N. N. (2011). Morphological analysis of activity-reduced adult-born neurons in the mouse olfactory bulb. [Original Research]. *Frontiers in Neuroscience*, 5. doi: 10.3389/fnins.2011.00066. <http://www.frontiersin.org/Journal/Abstract.aspx?s=748&name=neurogenesis...>

Dahme, M., Bartsch, U., Martini, R., Anliker, B., Schachner, M., & Mantei, N. (1997). Disruption of the mouse L1 gene leads to malformations of the nervous system. *Nature Genetics*, 17, 346-349. doi.

Dajas-Bailador, F., Bonev, B., Garcez, P., Stanley, P., Guillemot, F., & Papalopulu, N. (2012). microRNA-9 regulates axon extension and branching by targeting Map1b in mouse cortical neurons. [10.1038/nn.3082]. *Nature Neuroscience*, 15(5), 697-699. doi: http://www.nature.com/neuro/journal/v15/n5/abs/nn.3082.html#supplementar_..... <http://dx.doi.org/10.1038/nn.3082>

Dalrymple-Alford, J. C., Harland, B., Loukavenko, E. A., Perry, B., Mercer, S., Collings, D. A., . . . Wolff, M. (2015). Anterior thalamic nuclei lesions and recovery of function: Relevance to cognitive thalamus. *Neuroscience and Biobehavioral Reviews*, (0). doi: <http://dx.doi.org/10.1016/j.neubiorev.2014.12.007>. <http://www.sciencedirect.com/science/article/pii/S0149763414003443>

Daly, D. T., & Ariel, M. (2018). A Novel Cerebellar Commissure and Other Myelinated Axons in the Purkinje Cell Layer of a Pond Turtle (*Trachemys Scripta Elegans*). *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24528. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24528>

D'Amato, F. R., Zanettini, C., Sgobio, C., Sarli, C., Carone, V., Moles, A., & Ammassari-Teule, M. (2011). Intensification of maternal care by double-mothering boosts cognitive function and hippocampal morphology in the adult offspring. *Hippocampus*, 21(3), 298-308. doi: 10.1002/hipo.20750. <http://dx.doi.org/10.1002/hipo.20750>

D'Amelio, M., Cavallucci, V., Middei, S., Marchetti, C., Pacioni, S., Ferri, A., . . . others. (2010). Caspase-3 triggers early synaptic dysfunction in a mouse model of Alzheimer's disease. *Nature Neuroscience*, 14(1), 69-76. doi.

Damiani, D., Novelli, E., Mazzoni, F., & Strettoi, E. (2011). Undersized dendritic arborizations in retinal ganglion cells of the rd1 mutant mouse, a paradigm of early-onset photoreceptor degeneration. *Journal of Comparative Neurology*. doi.

- Dancause, N., Barbay, S., Frost, S. B., Mahnken, J. D., & Nudo, R. J. (2007). Interhemispheric connections of the ventral premotor cortex in a new world primate. *Journal of Comparative Neurology*, 505(6), 701-715. doi.
- Dancause, N., Barbay, S., Frost, S. B., Plautz, E. J., Chen, D., Zoubina, E. V., . . . Nudo, R. J. (2005). Extensive Cortical Rewiring after Brain Injury. *Journal of Neuroscience*, 25, 10167-10179. doi.
- Dancause, N., Barbay, S., Frost, S. B., Plautz, E. J., Popescu, M., Dixon, P. M., . . . Nudo, R. J. (2006). Topographically divergent and convergent connectivity between premotor and primary motor cortex. *Cerebral Cortex*, 16(8), 1057-1057. doi.
- Dancause, N., Barbay, S., Frost, S. B., Plautz, E. J., Stowe, A. M., Friel, K. M., & Nudo, R. J. (2006). Ipsilateral connections of the ventral premotor cortex in a new world primate. *Journal of Comparative Neurology*, 495(4), 374-390. doi.
- Dancause, N., Duric, V., Barbay, S., Frost, S. B., Stylianou, A., & Nudo, R. J. (2008). An Additional Motor-Related Field in the Lateral Frontal Cortex of Squirrel Monkeys. *Cerebral Cortex*, 18, 2719 - 2728. doi: 10.1093/cercor/bhn050. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn050v1>
- D'Andrea, M. R., Saban, M. R., Gerard, N. P., Wershil, B. K., & Saban, R. (2005). Lack of neurokinin-1 receptor expression affects tissue mast cell numbers but not their spatial relationship with nerves. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 288(2), R491-500. doi: 10.1152/ajpregu.00452.2004. <http://ajpregu.physiology.org/cgi/content/abstract/288/2/R491>
- Dang, M. T., Yokoi, F., Yin, H. H., Lovinger, D. M., Wang, Y., & Li, Y. (2006). Disrupted motor learning and long-term synaptic plasticity in mice lacking NMDAR1 in the striatum. *Proceedings of the National Academy of Sciences*, 103(41), 15254-15259. doi.
- Dang, M. T., Yokoi, F., Yin, H. H., Lovinger, D. M., Wang, Y., & Li, Y. (2006). From the Cover: Disrupted motor learning and long-term synaptic plasticity in mice lacking NMDAR1 in the striatum. *PNAS*, 103(41), 15254-15259. doi: 10.1073/pnas.0601758103. <http://www.pnas.org/cgi/content/abstract/103/41/15254>
- Dang, V., Medina, B., Das, D., Moghadam, S., Martin, K. J., Lin, B., . . . Salehi, A. (2013). Formoterol, a Long-Acting β_2 Adrenergic Agonist, Improves Cognitive Function and Promotes Dendritic Complexity in a Mouse Model of Down Syndrome. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2013.05.024>. <http://www.sciencedirect.com/science/article/pii/S0006322313004988>
- Daniel Michael, V., Marissa, P., Emily, A., & Abigail, K. (2018). Enhanced total neurite outgrowth and secondary branching in dorsal root ganglion neurons elicited by low intensity pulsed ultrasound. *Journal of neural engineering*. doi. <http://iopscience.iop.org/10.1088/1741-2552/aabeba>
- Daniel, S. E., Guo, J., & Rainnie, D. G. (2017). A Comparative Analysis of the Physiological Properties of Neurons in the Anterolateral Bed Nucleus of the Stria Terminalis in the *Mus musculus*, *Rattus norvegicus*, and *Macaca mulatta*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24202. <http://dx.doi.org/10.1002/cne.24202>
- Danton, G. H., Prado, R., Watson, B. D., & Dietrich, W. D. (2002). Temporal Profile of Enhanced Vulnerability of the Postthrombotic Brain to Secondary Embolic Events. *Stroke*, 33(4), 1113-1119. doi: 10.1161/hs0402.105554. <http://stroke.ahajournals.org/cgi/content/abstract/33/4/1113>

- Danzer, S., Price, O., McMullen, N. T., & Rance, N. E. (1999). Sex steroid modulation of neurokinin B gene expression in the arcuate nucleus of adult male rats. *Molecular Brain Research*. doi.
- Danzer, S. C., Crooks, K. R. C., Lo, D. C., & McNamara, J. O. (2002). Increased Expression of Brain-Derived Neurotrophic Factor Induces Formation of Basal Dendrites and Axonal Branching in Dentate Granule Cells in Hippocampal Explant Cultures. *Journal of Neuroscience*, 22(22), 9754-9763. doi. <http://www.jneurosci.org/cgi/content/abstract/22/22/9754>
- Danzer, S. C., He, X., Loepke, A. W., & McNamara, J. O. (2010). Structural plasticity of dentate granule cell mossy fibers during the development of limbic epilepsy. *Hippocampus*, 20(1), 113-124. doi.
- Danzer, S. C., Kotloski, R. J., Walter, C., Hughes, M., & McNamara, J. O. (2008). Altered morphology of hippocampal dentate granule cell presynaptic and postsynaptic terminals following conditional deletion of TrkB. *Hippocampus*, 18(7), 668-678. doi.
- Danzer, S. C., McMullen, N. T., & Rance, N. E. (1998). Dendritic growth of arcuate neuroendocrine neurons following orchidectomy in adult rats. *Journal Comparative Neurology*, 390, 234-246. doi.
- Danzer, S. C., McMullen, N. T., & Rance, N. E. (2001). Testosterone modulates the dendritic architecture of arcuate neuroendocrine neurons in adult male rats. *Brain Research*, 890(1), 78-85. doi.
- Daoud, R., Mies, G., Smialowska, A., Olah, L., Hossmann, K.-A., & Stamm, S. (2002). Ischemia Induces a Translocation of the Splicing Factor tra2-beta 1 and Changes Alternative Splicing Patterns in the Brain. *Journal of Neuroscience*, 22(14), 5889-5899. doi. <http://www.jneurosci.org/cgi/content/abstract/22/14/5889>
- Darian-Smith, C., Lilak, A., Garner, J., & Irvine, K.-A. (2014). Corticospinal Sprouting Differs According to Spinal Injury Location and Cortical Origin in Macaque Monkeys. *The Journal of Neuroscience*, 34(37), 12267-12279. doi. <http://www.jneurosci.org/content/34/37/12267.short>
- Darling, W., Morecraft, R., Rotella, D., Pizzimenti, M., Ge, J., Stilwell-Morecraft, K., . . . Cheney, P. (2014). Recovery of precision grasping after motor cortex lesion does not require forced use of the impaired hand in macaca mulatta. *Experimental Brain Research*, 1-10. doi: 10.1007/s00221-014-4068-9. <http://dx.doi.org/10.1007/s00221-014-4068-9>
- Darling, W. G., Ge, J., Stilwell-Morecraft, K. S., Rotella, D. L., Pizzimenti, M. A., & Morecraft, R. J. (2018). Hand Motor Recovery following Extensive Frontoparietal Cortical Injury is accompanied by Upregulated Corticoreticular Projections in the Monkey. [10.1523/JNEUROSCI.0403-18.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/06/13/JNEUROSCI.0403-18.2018>..
- Darmopil, S., Muneton-Gomez, V. C., de Ceballos, M. L., Bernson, M., & Moratalla, R. (2008). Tyrosine hydroxylase cells appearing in the mouse striatum after dopamine denervation are likely to be projection neurones regulated by L-DOPA. *European Journal of Neuroscience*, 27(3), 580-592. doi: doi:10.1111/j.1460-9568.2008.06040.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06040.x>
- Darmopil, S., Petanjek, Z., Mohammed, A. H., & Bogdanović, N. (2009). Environmental enrichment alters dentate granule cell morphology in oldest-old rat. *Journal of Cellular and Molecular Medicine*, 13(8b), 1845-1856. doi.

Darnall, R. A., Schneider, R. W., Tobia, C. M., & Zemel, B. M. (2012). Arousal from sleep in response to intermittent hypoxia in rat pups is modulated by medullary raphe GABAergic mechanisms. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 302(5), R551–R560–R551–R560. doi.

Das, G., Yu, Q., Hui, R., Reuhl, K., Gale, N. W., & Zhou, R. (2016). EphA5 and EphA6: regulation of neuronal and spine morphology. [journal article]. *Cell & Bioscience*, 6(1), 1-12. doi: 10.1186/s13578-016-0115-5. <http://dx.doi.org/10.1186/s13578-016-0115-5>

Das, I., Sparrow, J. R., Lin, M. I., Shih, E., Mikawa, T., & Hempstead, B. L. (2000). Trk C Signaling Is Required for Retinal Progenitor Cell Proliferation. *Journal of Neuroscience*, 20(8), 2887-2895. doi: <http://www.jneurosci.org/cgi/content/abstract/20/8/2887>

Das, M. M., Godoy, M., Chen, S., Moser, V. A., Avalos, P., Roxas, K. M., . . . Goodridge, H. S. (2019). Young bone marrow transplantation preserves learning and memory in old mice. *Communications Biology*, 2(1), 73. doi: 10.1038/s42003-019-0298-5. <https://doi.org/10.1038/s42003-019-0298-5>

Das, S., Nalini, A., Laxmi, T. R., & Raju, T. R. (2020). ALS-CSF-induced structural changes in spinal motor neurons of rat pups cause deficits in motor behaviour. *Experimental Brain Research*. doi: 10.1007/s00221-020-05969-7. <https://doi.org/10.1007/s00221-020-05969-7>

Das, S. K., Baitharu, I., Barhwal, K., Hota, S. K., & Singh, S. B. (2016). Early mood behavioral changes following exposure to monotonous environment during isolation stress is associated with altered hippocampal synaptic plasticity in male rats. *Neuroscience Letters*, 612, 231-237. doi: <http://dx.doi.org/10.1016/j.neulet.2015.12.038>. <http://www.sciencedirect.com/science/article/pii/S0304394015303335>

Dash, P. K., Tian, L.-M., & Moore, A. N. (1998). Sequestration of cAMP response element-binding proteins by transcription factor decoys causes collateral elaboration of regenerating Aplysia motor neuron axons. *Proceedings of the National Academy of Sciences*, 95(14), 8339-8344. doi: 10.1073/pnas.95.14.8339. <http://www.pnas.org/cgi/content/abstract/95/14/8339>

Dautan, D., Souza, A. S., Huerta-Ocampo, I., Valencia, M., Assous, M., Witten, I. B., . . . Mena-Segovia, J. (2016). Segregated cholinergic transmission modulates dopamine neurons integrated in distinct functional circuits. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4335

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4335.html#suppl.....> <http://dx.doi.org/10.1038/nn.4335>

Davenport, E. C., Szulc, B. R., Drew, J., Taylor, J., Morgan, T., Higgs, N. F., . . . Kittler, J. T. (2019). Autism and Schizophrenia-Associated CYFIP1 Regulates the Balance of Synaptic Excitation and Inhibition. *Cell Reports*, 26(8), 2037-2051.e2036. doi: <https://doi.org/10.1016/j.celrep.2019.01.092>. <http://www.sciencedirect.com/science/article/pii/S221124719301299>

David, C., Schleicher, A., Zuschratter, W., & Staiger, J. F. (2007). The innervation of parvalbumin-containing interneurons by VIP-immunopositive interneurons in the primary somatosensory cortex of the adult rat. *European Journal of Neuroscience*, 25(8), 2329-2340. doi: doi:10.1111/j.1460-9568.2007.05496.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05496.x>

David, S., Stegenga, S. L., Hu, P., Xiong, G., Kerr, E., Becker, K. B., . . . Kalb, R. G. (2005). Expression of Serum- and Glucocorticoid-Inducible Kinase Is Regulated in an Experience-Dependent Manner and

Can Cause Dendrite Growth. *Journal of Neuroscience*, 25(30), 7048-7053. doi: <http://www.jneurosci.org/cgi/content/abstract/25/30/7048>

Davis, S. F., Williams, K. W., Xu, W., Glatzer, N. R., & Smith, B. N. (2003). Selective Enhancement of Synaptic Inhibition by Hypocretin (Orexin) in Rat Vagal Motor Neurons: Implications for Autonomic Regulation. *Journal of Neuroscience*, 23, 3844-3854. doi.

Davison, A. P., Hines, M. L., & Muller, E. (2009). Trends in programming languages for neuroscience simulations. *Frontiers in Neuroscience*, 3(3), 374-374. doi.

Daw, M. I., Tricoire, L., Erdelyi, F., Szabo, G., & McBain, C. J. (2009). Asynchronous Transmitter Release from Cholecystokinin-Containing Inhibitory Interneurons Is Widespread and Target-Cell Independent. *Journal of Neuroscience*, 29(36), 11112-11122. doi: 10.1523/jneurosci.5760-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/36/11112>

Dawson, M. R. L., Polito, A., Levine, J. M., & Reynolds, R. (2003). NG2-expressing glial progenitor cells: an abundant and widespread population of cycling cells in the adult rat CNS. *Molecular and Cellular Neuroscience*, 24(2), 476-488. doi.

Day-Brown, J. D., Wei, H., Chomsung, R. D., Petry, H. M., & Bickford, M. E. (2010). Frontiers: Pulvinar Projections to the Striatum and Amygdala in the Tree Shrew. *Frontiers in Neuroanatomy*, 4. doi.

Day-Brown, J. D., Wei, H., Chomsung, R. D., Petry, H. M., & Bickford, M. E. (2010). Pulvinar projections to the striatum and amygdala in the tree shrew. *Frontiers in Neuroanatomy*, 4. doi.

De Angelis, M. V., Capasso, M., Anghiari, C., Cavallaro, T., Di Muzio, A., Fabrizi, G. M., & Uncini, A. (2004). Myelin thickenings in val 102/fs null mutation of MPZ gene. *Journal of the Peripheral Nervous System*, 9(2), 121-121. doi: doi:10.1111/j.1085-9489.2004.009209bd.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

de Araújo Júnior, R. F., Leitão Oliveira, A. L. C., de Melo Silveira, R. F., de Oliveira Rocha, H. A., de França Cavalcanti, P., & de Araújo, A. A. (2014). Telmisartan induces apoptosis and regulates Bcl-2 in human renal cancer cells. *Experimental Biology and Medicine*. doi: 10.1177/1535370214546267. <http://ebm.sagepub.com/content/early/2014/08/13/1535370214546267/abstract>

De Bartolo, P., Gelfo, F., Burello, L., De Giorgio, A., Petrosini, L., & Granato, A. (2011). Plastic Changes in Striatal Fast-Spiking Interneurons Following Hemicerebellectomy and Environmental Enrichment. *The Cerebellum*, 1-9. doi.

De Diego, I. R., Mellstrom, B., Vallejo, M., Naranjo, J. R., & Moratalla, R. (2014). Activation of DREAM, a calcium-binding protein, reduces L-DOPA-induced dyskinesias in mice. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2014.03.023>. <http://www.sciencedirect.com/science/article/pii/S0006322314002248>

De Guzman, R. M., Saulsbery, A. I., & Workman, J. L. (2018). High nursing demand reduces depression-like behavior despite increasing glucocorticoid concentrations and reducing hippocampal neurogenesis in late postpartum rats. *Behavioural Brain Research*, 353, 143-153. doi: <https://doi.org/10.1016/j.bbr.2018.07.012>. <http://www.sciencedirect.com/science/article/pii/S0166432818304674>

De Jong, T. R., Pattij, T., Veening, J. G., Dederen, P., Waldinger, M. D., Cools, A. R., & Olivier, B. (2005). Effects of chronic paroxetine pretreatment on (\pm)-8-hydroxy-2-(di-n-propyl-amino) tetralin induced c-fos expression following sexual behavior. *Neuroscience*, 134(4), 1351-1361. doi.

de Kock, C. P. (2016). Juxtosomal Loose-Patch Recordings in Awake, Head-Fixed Rats to Study the Link Between Structure and Function of Individual Neurons. *Advanced Patch-Clamp Analysis for Neuroscientists*, 21-35. doi: http://link.springer.com/protocol/10.1007/978-1-4939-3411-9_2

de Kock, C. P. J., Bruno, R. M., Spors, H., & Sakmann, B. (2007). Layer- and cell-type-specific suprathreshold stimulus representation in rat primary somatosensory cortex. *Journal of Physiology*, 581(1), 139-154. doi: 10.1113/jphysiol.2006.124321. <http://jp.physoc.org/cgi/content/abstract/581/1/139>

de Kock, C. P. J., Pie, J., Pieneman, A. W., Mease, R. A., Bast, A., Guest, J. M., . . . Sakmann, B. (2021). High-frequency burst spiking in layer 5 thick-tufted pyramids of rat primary somatosensory cortex encodes exploratory touch. *Communications Biology*, 4(1), 709. doi: 10.1038/s42003-021-02241-8. <https://doi.org/10.1038/s42003-021-02241-8>

De Kock, C. P. J., & Sakmann, B. (2008). High frequency action potential bursts (≥ 100 Hz) in L2/3 and L5B thick tufted neurons in anaesthetized and awake rat primary somatosensory cortex. *Journal of Physiology*, 586(14), 3353-3364. doi.

de Kock, C. P. J., & Sakmann, B. (2009). Spiking in primary somatosensory cortex during natural whisking in awake head-restrained rats is cell-type specific. *Proceedings of the National Academy of Sciences*, 106(38), 16446-16450. doi: 10.1073/pnas.0904143106. <http://www.pnas.org/content/106/38/16446.abstract>

de la Mothe, L. A., Blumell, S., Kajikawa, Y., & Hackett, T. A. (2006). Cortical connections of the auditory cortex in marmoset monkeys: core and medial belt regions. *Journal of Comparative Neurology*, 496(1), 27-71. doi.

De La Mothe, L. A., Blumell, S., Kajikawa, Y., & Hackett, T. A. (2006). Thalamic connections of the auditory cortex in marmoset monkeys: core and medial belt regions. *Journal of Comparative Neurology*, 496(1), 72-96. doi.

De la Rossa, A., Bellone, C., Golding, B., Vitali, I., Moss, J., Toni, N., . . . Jabaudon, D. (2013). In vivo reprogramming of circuit connectivity in postmitotic neocortical neurons. *Nature Neuroscience*. doi.

De La Roza, C., Martínez-Mena, J., Sánchez-Valle, M. E., & Reinoso-Suárez, F. (2004). Projections from the cat posterior lateral hypothalamus to the ventral part of the oral pontine reticular nucleus contain a GABAergic component. *Brain Research*, 1020(1-2), 118-129. doi.

De Lella Ezcurra, A. L., Chertoff, M., Ferrari, C., Graciarena, M., & Pitossi, F. (2010). Chronic expression of low levels of tumor necrosis factor- α in the substantia nigra elicits progressive neurodegeneration, delayed motor symptoms and microglia/macrophage activation. *Neurobiology of Disease*, 37(3), 630-640. doi.

De Lorme, K. C., Schulz, K. M., Salas-Ramirez, K. Y., & Sisk, C. L. (2012). Pubertal testosterone organizes regional volume and neuronal number within the medial amygdala of adult male Syrian hamsters. *Brain Research*, 1460(0), 33-40. doi: 10.1016/j.brainres.2012.04.035. <http://www.sciencedirect.com/science/article/pii/S0006899312007512>

De Lorme, K. C., & Sisk, C. L. (2013). Pubertal testosterone programs context-appropriate agonistic behavior and associated neural activation patterns in male Syrian hamsters. *Physiology and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.physbeh.2013.02.003>. <http://www.sciencedirect.com/science/article/pii/S0031938413000322>

De Luca, A., Vassallo, S., Benitez-Temino, B., Menichetti, G., Rossi, F., & Buffo, A. (2009). Distinct Modes of Neuritic Growth in Purkinje Neurons at Different Developmental Stages: Axonal Morphogenesis and Cellular Regulatory Mechanisms. *PLoS ONE*, 4(8), e6848-e6848. doi.

De Marchis, S., Temoney, S., Erdelyi, F., Bovetti, S., Bovolín, P., Szabo, G., & Puche, A. C. (2004). GABAergic phenotypic differentiation of a subpopulation of subventricular derived migrating progenitors. *European Journal of Neuroscience*, 20(5), 1307-1317. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0358..>

De Marco Garcia, N. V., & Jessell, T. M. (2008). Early motor neuron pool identity and muscle nerve trajectory defined by postmitotic restrictions in Nkx6. 1 activity. *Neuron*, 57(2), 217-231. doi.

de Novellis, V., Siniscalco, D., Galderisi, U., Fuccio, C., Nolano, M., Santoro, L., . . . Maione, S. (2004). Blockade of glutamate mGlu5 receptors in a rat model of neuropathic pain prevents early over-expression of pro-apoptotic genes and morphological changes in dorsal horn lamina II. *Neuropharmacology*, 46(4), 468-479. doi.

de Oliveira, A. M., Nascimento Silva, M. L., Keher, N. B., Bittencourt Navarrete, R. E., Gattass, R., & da Franca, J. G. (2015). Architectonic mapping of somatosensory areas involved in skilled forelimb movements and tool use. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23916. <http://dx.doi.org/10.1002/cne.23916>

de Oliveira, R. B., Gomes Leal, W., Picanço-Diniz, D. L. W., Torres Neto, J. B., Lins, N., Malm, O., & Picanço-Diniz, C. W. (2008). Three dimensional morphometric analyses of axon terminals early changes induced by methylmercury intoxication in the adult cat striate cortex. *Brain Research*, 1244, 155-163. doi.

de Oliveira, T. C. G., Carvalho-Paulo, D., de Lima, C. M., de Oliveira, R. B., Santos Filho, C., Diniz, D. G., . . . Picanço-Diniz, C. W. (2020). Long-term environmental enrichment reduces microglia morphological diversity of the molecular layer of dentate gyrus. *European Journal of Neuroscience*, n/a(n/a). doi: 10.1111/ejn.14920. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14920>

De Paola, V., Holtmaat, A., Knott, G., Song, S., Wilbrecht, L., Caroni, P., & Svoboda, K. (2006). Cell type-specific structural plasticity of axonal branches and boutons in the adult neocortex. *Neuron*, 49(6), 861-875. doi.

de Rivero Vaccari, J. P., Bastien, D., Yurcisin, G., Pineau, I., Dietrich, W. D., De Koninck, Y., . . . Lacroix, S. (2012). P2X4 Receptors Influence Inflammasome Activation after Spinal Cord Injury. *Journal of Neuroscience*, 32(9), 3058-3066. doi: 10.1523/jneurosci.4930-11.2012. <http://www.jneurosci.org/content/32/9/3058.abstract>

de Rivero Vaccari, J. P., Lotocki, G., Alonso, O. F., Bramlett, H. M., Dietrich, W. D., & Keane, R. W. (2009). Therapeutic neutralization of the NLRP1 inflammasome reduces the innate immune response and improves histopathology after traumatic brain injury. *Journal of Cerebral Blood Flow and Metabolism*, 29(7), 1251-1261. doi.

de Rivero Vaccari, J. P., Lotocki, G., Marcillo, A. E., Dietrich, W. D., & Keane, R. W. (2008). A Molecular Platform in Neurons Regulates Inflammation after Spinal Cord Injury. *Journal of Neuroscience*, 28(13), 3404-3414. doi: 10.1523/jneurosci.0157-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/13/3404>

de Schultz, T., Bock, J., & Braun, K. (2020). Paternal Deprivation and Female Biparental Family Rearing Induce Dendritic and Synaptic Changes in Octodon degus: I. Medial Prefrontal Cortex. *Frontiers in synaptic neuroscience*, 12, 38-38. doi: 10.3389/fnsyn.2020.00038. <https://pubmed.ncbi.nlm.nih.gov/33013347>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7498658/>

de Sousa, A. A., dos Reis, R. R., de Lima, C. M., de Oliveira, M. A., Fernandes, T. N., Gomes, G. F., . . . Diniz, C. W. P. (2015). Three-dimensional morphometric analysis of microglial changes in a mouse model of virus encephalitis: age and environmental influences. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12951. <http://dx.doi.org/10.1111/ejn.12951>

de Vellis, J., Ghiani, C. A., Wanner, I. B., & Cole, R. (2009). Preparation of Normal and Reactive Astrocyte Cultures. *Protocols for Neural Cell Culture*, 193-216. doi.

de Venecia, R. K., & McMullen, N. T. (1994). Single thalamocortical axons diverge to multiple patches in neonatal auditory cortex. *Developmental Brain Research*, 81, 135-142. doi.

de Villers-Sidani, E., Tahvildari, B., & Alonso, A. (2004). Synaptic activation patterns of the perirhinal-entorhinal inter-connections. *Neuroscience*, 129(1), 255-265. doi.

Dea, M., Hamadjida, A., Elgbeili, G., Quessy, S., & Dancause, N. (2016). Different Patterns of Cortical Inputs to Subregions of the Primary Motor Cortex Hand Representation in *Cebus apella*. *Cerebral Cortex*. doi: 10.1093/cercor/bhv324. <http://cercor.oxfordjournals.org/content/early/2016/01/10/cercor.bhv324>.

...

Dean, S. L., Knutson, J. F., Krebs-Kraft, D. L., & McCarthy, M. M. (2012). Prostaglandin E2 is an endogenous modulator of cerebellar development and complex behavior during a sensitive postnatal period. *European Journal of Neuroscience*, 35(8), 1218-1229. doi: 10.1111/j.1460-9568.2012.08032.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08032.x>

deazevedo, L. C., Hedin-Pereira, C., & Lent, R. (2002). Diaphorase-positive neurons in the cingulate cortex of human fetuses during the second half of gestation. *Anatomy and Embryology*, 205(1), 29-35. doi.

DeBoer, E. M., Azevedo, R., Vega, T. A., Brodtkin, J., Akamatsu, W., Okano, H., . . . Rasin, M.-R. (2014). Prenatal Deletion of the RNA-Binding Protein HuD Disrupts Postnatal Cortical Circuit Maturation and Behavior. *The Journal of Neuroscience*, 34(10), 3674-3686. doi. <http://www.jneurosci.org/content/34/10/3674.short>

deCampo, D. M., & Fudge, J. L. (2013). Amygdala projections to the lateral bed nucleus of the stria terminalis in the macaque: Comparison with ventral striatal afferents. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23340. <http://dx.doi.org/10.1002/cne.23340>

Decker, Y., Müller, A., Németh, E., Schulz-Schaeffer, W. J., Fatar, M., Menger, M. D., . . . Fassbender, K. (2017). Analysis of the vasculature by immunohistochemistry in paraffin-embedded brains. *Journal*

article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1595-

8. <https://doi.org/10.1007/s00429-017-1595-8>

Dedeoglu, A., Kubilus, J. K., Jeitner, T. M., Matson, S. A., Bogdanov, M., Kowall, N. W., . . . Ferrante, R. J. (2002). Therapeutic Effects of Cystamine in a Murine Model of Huntington's Disease. *Journal of Neuroscience*, 22, 8942-8950. doi.

Dedeoglu, A., Kubilus, J. K., Yang, L., Ferrante, K. L., Hersch, S. M., Beal, M. F., & Ferrante, a. R. J. (2003). Creatine therapy provides neuroprotection after onset of clinical symptoms in Huntington's disease transgenic mice. *Journal of Neurochemistry*, 85(6), 1359-1367. doi: doi:10.1046/j.1471-4159.2003.01706.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.01706.x>

Dee, F. (2004). Grant Abstract: Database of Virtual Cervical Cytology Retrieved January 25, 2005, from http://crisp.cit.nih.gov/crisp/CRISP_LIB.getdoc?textkey=6761930&p_grant_...

DeFelipe, J., López-Cruz, P. L., Benavides-Piccione, R., Bielza, C., Larrañaga, P., Anderson, S., . . . Feldmeyer, D. (2013). New insights into the classification and nomenclature of cortical GABAergic interneurons. *Nature Reviews Neuroscience*. doi.

Dégenètais, E., Thierry, A. M., Glowinski, J., & Gioanni, Y. (2002). Electrophysiological properties of pyramidal neurons in the rat prefrontal cortex: an in vivo intracellular recording study. *Cerebral Cortex*, 12(1), 1-16. doi.

Degos, B., Deniau, J. M., Le Cam, J., Mailly, P., & Maurice, N. (2008). Evidence for a direct subthalamo-cortical loop circuit in the rat. *European Journal of Neuroscience*, 27(10), 2599-2610. doi.

Dehner, L. R., Keniston, L. P., Clemo, H. R., & Meredith, M. A. (2004). Cross-modal Circuitry Between Auditory and Somatosensory Areas of the Cat Anterior Ectosylvian Sulcal Cortex: A 'New' Inhibitory Form of Multisensory Convergence. *Cerebral Cortex*, 14(4), 387-403. doi: 10.1093/cercor/bhg135. <http://cercor.oxfordjournals.org/cgi/content/abstract/14/4/387>

Dehorter, N., Guigoni, C., Lopez, C., Hirsch, J., Eusebio, A., Ben-Ari, Y., & Hammond, C. (2009). Dopamine-Deprived Striatal GABAergic Interneurons Burst and Generate Repetitive Gigantic IPSCs in Medium Spiny Neurons. *Journal of Neuroscience*, 29(24), 7776-7787. doi: 10.1523/jneurosci.1527-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/24/7776>

Dehorter, N., Lozovaya, N., Mdzomba, B. J., Michel, F. J., Lopez, C., Tsintsadze, V., . . . Hammond, C. (2012). Subthalamic Lesion or Levodopa Treatment Rescues Giant GABAergic Currents of PINK1-Deficient Striatum. *Journal of Neuroscience*, 32(50), 18047-18053. doi: 10.1523/jneurosci.2474-12.2012. <http://www.jneurosci.org/content/32/50/18047.abstract>

Dehorter, N., Michel, F. J., Marissal, T., Rotrou, Y., Matrot, B., Lopez, C., . . . Hammond, C. (2011). Frontiers: Onset of Pup Locomotion Coincides with Loss of NR2C/D-Mediated Cortico-Striatal EPSCs and Dampening of Striatal Network Immature Activity. *Frontiers in cellular neuroscience*, 5. doi.

Dehorter, N., Michel, F. J., Marissal, T., Rotrou, Y., Matrot, B., Lopez, C., . . . Hammond, C. (2011). Onset of Pup Locomotion Coincides with Loss of NR2C/D-Mediated Cortico-Striatal EPSCs and Dampening of Striatal Network Immature Activity. *Frontiers in cellular neuroscience*, 5. doi.

Deitcher, Y., Eyal, G., Kanari, L., Verhoog, M. B., Kahou, A., Antoine, G., . . . Segev, I. (2017). Comprehensive Morpho-Electronic Analysis Shows 2 Distinct Classes of L2 and L3 Pyramidal

Neurons in Human Temporal Cortex. *Cerebral Cortex*, 1-17.
doi: <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx226/415921..>

del Blanco, B., Guiretti, D., Tomasoni, R., Lopez-Cascales, M. T., Muñoz-Viana, R., Lipinski, M., . . . Barco, A. (2019). CBP and SRF co-regulate dendritic growth and synaptic maturation. *Cell Death and Differentiation*. doi: 10.1038/s41418-019-0285-x. <https://doi.org/10.1038/s41418-019-0285-x>

Del Carro, U., Biffi, A., Baldoli, C., Gerevini, S., Amadio, S., Fumagalli, F., . . . Sessa, M. (2004). Clinical history and new prognostic indicators in metachromatic leukodystrophy. *Journal of the Peripheral Nervous System*, 9(2), 112-112. doi:doi:10.1111/j.1085-9489.2004.009209ab.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

del Pino, I., Brotons-Mas, J. R., Marques-Smith, A., Marighetto, A., Frick, A., Marin, O., & Rico, B. (2017). Abnormal wiring of CCK+ basket cells disrupts spatial information coding. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4544

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4544.html#suppl.....> <http://dx.doi.org/10.1038/nn.4544>

Dela Cruz, J. A. D., Coke, T., & Bodnar, R. J. (2016). Simultaneous Detection of c-Fos Activation from Mesolimbic and Mesocortical Dopamine Reward Sites Following Naive Sugar and Fat Ingestion in Rats. (114), e53897. doi:doi:10.3791/53897. <http://www.jove.com/video/53897>

Delaloye, S., Kraftsik, R., Kuntzer, T., & Barakat-Walter, I. (2009). Does the physical disector method provide an accurate estimation

of sensory neuron number in rat dorsal root ganglia? *Journal of Neuroscience Methods*, 176, 290-297. doi.

Delatour, B., & Witter, M. P. (2002). Projections from the parahippocampal region to the prefrontal cortex in the rat: evidence of multiple pathways. *European Journal of Neuroscience*, 15(8), 1400. doi.

Delatour, L. C., Yeh, P. W., & Yeh, H. H. (2018). Ethanol Exposure In Utero Disrupts Radial Migration and Pyramidal Cell Development in the Somatosensory Cortex. *Cerebral Cortex*, bhy094-bhy094. doi: 10.1093/cercor/bhy094. <http://dx.doi.org/10.1093/cercor/bhy094>

Delatour, L. C., Yeh, P. W. L., & Yeh, H. H. (2019). Prenatal Exposure to Ethanol Alters Synaptic Activity in Layer V/VI Pyramidal Neurons of the Somatosensory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhz199. <https://doi.org/10.1093/cercor/bhz199>

Deleuze, C., & Huguenard, J. R. (2006). Distinct Electrical and Chemical Connectivity Maps in the Thalamic Reticular Nucleus: Potential Roles in Synchronization and Sensation. *Journal of Neuroscience*, 26(33), 8633-8645. doi: 10.1523/jneurosci.2333-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/33/8633>

Dell, L.-A., Patzke, N., Bhagwandin, A., Bux, F., Fuxe, K., Barber, G., . . . Manger, P. R. (2012). Organization and number of orexinergic neurons in the hypothalamus of two species of Cetartiodactyla: A comparison of giraffe (*Giraffa camelopardalis*) and harbour porpoise (*Phocoena phocoena*). *Journal of Chemical Neuroanatomy*, (0). doi: 10.1016/j.jchemneu.2012.06.001. <http://www.sciencedirect.com/science/article/pii/S0891061812000336>

- Dellacasa-Lindberg, I., Fuks, J., Arrighi, R., Lambert, H., Wallin, R., Chambers, B., & Barragan, A. (2011). Migratory activation of primary cortical microglia upon infection with *Toxoplasma gondii*. *Infection and Immunity*, 79, 3046 - 3052. doi.
- Dellen, A., Welch, J., Dixon, R. M., Cordery, P., York, D., Styles, P., . . . Hannan, A. J. (2000). N-Acetylaspartate and DARPP-32 levels decrease in the corpus striatum of Huntington's disease mice. *Neuroreport*, 11(17), 3751-3751. doi.
- Dellen, A. v., Blakemore, C., Deacon, R., York, D., & Hannan, A. J. (2002). Delaying the onset of Huntington's in mice. *Nature*, 404, 721-722. doi.
- DeMarch, Z., Giampà, C., Patassini, S., Bernardi, G., & Fusco, F. R. (2008). Beneficial effects of rolipram in the R6/2 mouse model of Huntington's disease. *Neurobiology of Disease*, 30(3), 375-387. doi.
- De-May, C. L., & Ali, A. B. (2012). Cell-type specific regulation of inhibition via cannabinoid type 1 receptors in rat neocortex. *Journal of Neurophysiology*. doi: 10.1152/jn.00272.2012. <http://jn.physiology.org/content/early/2012/10/05/jn.00272.2012.abstract>
- Dembrow, N. C., Chitwood, R. A., & Johnston, D. (2010). Projection-Specific Neuromodulation of Medial Prefrontal Cortex Neurons. *Journal of Neuroscience*, 30(50), 16922-16937. doi: 10.1523/jneurosci.3644-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/16922>
- Demyanenko, G. P., Halberstadt, A. I., Rao, R. S., & Maness, P. F. (2010). CHL1 cooperates with PAK1-3 to regulate morphological differentiation of embryonic cortical neurons. *Neuroscience*, 165(1), 107-115. doi.
- Demyanenko, G. P., Mohan, V., Zhang, X., Brennaman, L. H., Dharbal, K. E., Tran, T. S., . . . Maness, P. F. (2014). Neural Cell Adhesion Molecule NrCAM Regulates Semaphorin 3F-Induced Dendritic Spine Remodeling. *The Journal of Neuroscience*, 34(34), 11274-11287. doi: <http://www.jneurosci.org/content/34/34/11274.short>
- Demyanenko, G. P., Schachner, M., Anton, E., Schmid, R., Feng, G., Sanes, J., & Maness, P. F. (2004). Close homolog of L1 modulates area-specific neuronal positioning and dendrite orientation in the cerebral cortex. *Neuron*, 44(3), 423-437. doi.
- Dénes, V., Wilhelm, M., NÉMeth, A., & GÁBriel, R. (2009). Interactions of Serotonergic, Cholinergic, and Tachykinin-Containing Nerve Elements in the Rabbit Small Intestine. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 292(10), 1548-1558. doi.
- Deng, C.-Y., Lei, W.-L., Xu, X.-H., Ju, X.-C., Liu, Y., & Luo, Z.-G. (2014). JIP1 Mediates Anterograde Transport of Rab10 Cargos during Neuronal Polarization. *The Journal of Neuroscience*, 34(5), 1710-1723. doi: <http://www.jneurosci.org/content/34/5/1710.short>
- Deng, L., Ruan, Y., Chen, C., Frye, C. C., Xiong, W., Jin, X., . . . Xu, X.-M. (2016). Characterization of dendritic morphology and neurotransmitter phenotype of thoracic descending propriospinal neurons after complete spinal cord transection and GDNF treatment. *Experimental Neurology*, 277, 103-114. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.12.018>, <http://www.sciencedirect.com/science/article/pii/S0014488615301461>
- Deng, L.-X., Liu, N.-K., Wen, R., Yang, S.-N., Wen, X., & Xu, X.-M. (2021). Laminin-coated multifilament entubulation, combined with Schwann cells and glial cell line-derived neurotrophic factor, promotes unidirectional axonal regeneration in a rat model of thoracic spinal cord hemisection. [Research

Article]. *Neural Regeneration Research*, 16(1), 186-191. doi: 10.4103/1673-5374.289436. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2021;volume=16;...>

Deng, M., Hofacer, R. D., Jiang, C., Joseph, B., Hughes, E. A., Jia, B., . . . Loepke, A. W. (2014). Brain regional vulnerability to anaesthesia-induced neuroapoptosis shifts with age at exposure and extends into adulthood for some regions. *British Journal of Anaesthesia*. doi: 10.1093/bja/aet469. <http://bj.oxfordjournals.org/content/early/2014/01/14/bja.aet469.abstract>

Deng, R., Kao, J. P. Y., & Kanold, P. O. (2017). Distinct Translaminar Glutamatergic Circuits to GABAergic Interneurons in the Neonatal Auditory Cortex. *Cell Reports*, 19(6), 1141-1150. doi: <https://doi.org/10.1016/j.celrep.2017.04.044>. <http://www.sciencedirect.com/science/article/pii/S2211124717305387>

Dent, G. W., Rule, B. L., Zhan, Y., & Grzanna, R. (2001). The acetylcholine release enhancer linopirdine induces Fos in neocortex of aged rats. *Neurobiology of Aging*, 22(3), 485-494. doi.

DePuy, S. D., Kanbar, R., Coates, M. B., Stornetta, R. L., & Guyenet, P. G. (2011). Control of Breathing by Raphe Obscurus Serotonergic Neurons in Mice. *Journal of Neuroscience*, 31(6), 1981-1990. doi: 10.1523/jneurosci.4639-10.2011. <http://www.jneurosci.org/content/31/6/1981.abstract>

Dequen, F., Bomont, P., Gowing, G., Cleveland, D. W., & Julien, J. P. (2008). Modest loss of peripheral axons, muscle atrophy and formation of brain inclusions in mice with targeted deletion of gigaxonin exon 1. *Journal of Neurochemistry*, 107(1), 253-264. doi.

Dercksen, V. J., Oberlaender, M., Sakmann, B., & Hege, H. C. (2012). Interactive Visualization—a Key Prerequisite for Reconstruction and Analysis of Anatomically Realistic Neural Networks. *Visualization in Medicine and Life Sciences II*, 27-44. doi.

Derugin, N., Dingman, A., Wendland, M. F., Fox, C., Bollen, A., & Vexler, Z. S. (2005). Magnetic resonance imaging as a surrogate measure for histological sub-chronic endpoint in a neonatal rat stroke model. *Brain Research*, 1066(1), 49-56. doi.

Deshmukh, S., Onozuka, K., Bender, K. J., Bender, V. A., Lutz, B., Mackie, K., & Feldman, D. E. (2007). Postnatal development of cannabinoid receptor type 1 expression in rodent somatosensory cortex. *Neuroscience*, 145(1), 279-287. doi.

Deshpande, A., Dombrowski, S. M., Leichliter, A., Krajcir, N., Zingales, N., Inoue, M., . . . Luciano, M. G. (2009). Dissociation between vascular endothelial growth factor receptor-2 and blood vessel density in the caudate nucleus after chronic hydrocephalus. *Journal of Cerebral Blood Flow and Metabolism*, 29(11), 1806-1815. doi.

Dessem, D., Moritani, M., & Ambalavanar, R. (2007). Nociceptive Craniofacial Muscle Primary Afferent Neurons Synapse in Both the Rostral and Caudal Brain Stem. *Journal of Neurophysiology*, 98(1), 214-223. doi: 10.1152/jn.00990.2006. <http://jn.physiology.org/cgi/content/abstract/98/1/214>

Destot-Wong, K. D., Liang, K., Gupta, S. K., Favrais, G., Schwendimann, L., Pansiot, J., . . . others. (2009). The AMPA receptor positive allosteric modulator, S18986, is neuroprotective against neonatal excitotoxic and inflammatory brain damage through BDNF synthesis. *Neuropharmacology*, 57(3), 277-286. doi.

Detrez, J. R., Verstraelen, P., Gebuis, T., Verschuuren, M., Kuijlaars, J., Langlois, X., . . . De Vos, W. H. (2016). Image Informatics Strategies for Deciphering Neuronal Network Connectivity. In H. W. De Vos,

S. Munck & J.-P. Timmermans (Eds.), Focus on Bio-Image Informatics (pp. 123-148). Cham: Springer International Publishing.

Devanathan, V., Jakovcevski, I., Santuccione, A., Li, S., Lee, H. J., Peles, E., . . . Schachner, M. (2010). Cellular form of prion protein inhibits reelin-mediated shedding of Caspr from the neuronal cell surface to potentiate Caspr-mediated inhibition of neurite outgrowth. *Journal of Neuroscience*, 30(27), 9292-9305. doi.

Devanathan, V., Jakovcevski, I., Santuccione, A., Li, S., Lee, H. J., Peles, E., . . . Schachner, M. (2010). Cellular Form of Prion Protein Inhibits Reelin-Mediated Shedding of Caspr from the Neuronal Cell Surface to Potentiate Caspr-Mediated Inhibition of Neurite Outgrowth. *Journal of Neuroscience*, 30(27), 9292-9305. doi: 10.1523/jneurosci.5657-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/27/9292>

DeVito, L. M., Balu, D. T., Kanter, B. R., Lykken, C., Basu, A. C., Coyle, J. T., & Eichenbaum, H. (2010). Serine racemase deletion disrupts memory for order and alters cortical dendritic morphology. *Genes, Brain and Behavior*, no-no. doi: 10.1111/j.1601-183X.2010.00656.x. <http://dx.doi.org/10.1111/j.1601-183X.2010.00656.x>

Devor, A., & Yarom, Y. (2002). Electrotonic Coupling in the Inferior Olivary Nucleus Revealed by Simultaneous Double Patch Recordings. *Journal of Neurophysiology*, 87(6), 3048-3058. doi: <http://jn.physiology.org/cgi/content/abstract/87/6/3048>

Devor, M., Zalkind, V., Fishman, Y., & Minert, A. (2016). Model of anesthetic induction by unilateral intracerebral microinjection of GABAergic agonists. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13186. <http://dx.doi.org/10.1111/ejn.13186>

Dewitt, D. D., Kaszuba, S. N., Thompson, D. M., & Stegemann, J. P. (2009). Collagen I-matrigel scaffolds for enhanced Schwann cell survival and control of three-dimensional cell morphology. *Tissue Engineering Part A*, 15(10), 2785-2793. doi.

DeWulf, V., & Bottjer, S. W. (2005). Neurogenesis within the juvenile zebra finch telencephalic ventricular zone: a map of proliferative activity. *Journal of Comparative Neurology*, 481(1), 70-83. doi.

Dhande, O. S., Bhatt, S., Anishchenko, A., Elstrott, J., Iwasato, T., Swindell, E. C., . . . others. (2011). Role of adenylate cyclase 1 in retinofugal map development. *Journal of Comparative Neurology*. doi.

Dhande, O. S., Estevez, M. E., Quattrochi, L. E., El-Danaf, R. N., Nguyen, P. L., Berson, D. M., & Huberman, A. D. (2013). Genetic Dissection of Retinal Inputs to Brainstem Nuclei Controlling Image Stabilization. *Journal of Neuroscience*, 33(45), 17797-17813. doi: <http://www.jneurosci.org/content/33/45/17797.abstract>

Dhande, O. S., Hua, E. W., Guh, E., Yeh, J., Bhatt, S., Zhang, Y., . . . Crair, M. C. (2011). Development of Single Retinofugal Axon Arbors in Normal and $\beta 2$ Knock-Out Mice. *Journal of Neuroscience*, 31(9), 3384-3399. doi: 10.1523/jneurosci.4899-10.2011. <http://www.jneurosci.org/content/31/9/3384.abstract>

Dhande, O. S., Stafford, B. K., Franke, K., El-Danaf, R., Percival, K. A., Phan, A. H., . . . Huberman, A. D. (2018). Molecular fingerprinting of On-Off direction selective retinal ganglion cells across species and relevance to primate visual circuits. [10.1523/JNEUROSCI.1784-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/10/29/JNEUROSCI.1784-18.2018..>

Dhar, P., Das, S. K., Barhwal, K., Hota, S. K., Mishra, K. P., & Singh, S. B. (2019). Trans-Himalayan Phytococktail Confers Protection Against Hypobaric Hypoxia-Induced Hippocampal Neurodegeneration and Memory Impairment in Male Sprague Dawley Rats. *High Altitude Medicine & Biology*, 20(3), 279-292. doi: 10.1089/ham.2019.0011. <https://doi.org/10.1089/ham.2019.0011>

Di Cunto, F., Ferrara, L., Curtetti, R., Imarisio, S., Guazzone, S., Broccoli, V., . . . Silengo, L. (2003). Role of citron kinase in dendritic morphogenesis of cortical neurons. *Brain Research Bulletin*, 60(4), 319-327. doi.

Di Rocco, F., Giannetti, S., Gaglini, P., Di Rocco, C., & Granato, A. (2001). Dendritic Anomalies in a Freezing Model of Microgyria: A Parametric Study. *Pediatric Neurosurgery*, 34(2), 57-62. doi. <http://www.karger.com/DOI/10.1159/000055996>

Di Rocco, F., Giannetti, S., Gaglini, P., Di Rocco, C., & Granato, A. (2002). Dendritic architecture of corticothalamic neurons in a rat model of microgyria. *Child's Nervous System*, 18(12), 690-693. doi.

Di Segni, M., Andolina, D., Coassin, A., Accoto, A., Luchetti, A., Pascucci, T., . . . Ventura, R. (2017). Sensitivity to cocaine in adult mice is due to interplay between genetic makeup, early environment and later experience. *Neuropharmacology*, 125, 87-98. doi: <https://doi.org/10.1016/j.neuropharm.2017.07.014>. <http://www.sciencedirect.com/science/article/pii/S0028390817303428>

Dias, C. M., Punetha, J., Zheng, C., Mazaheri, N., Rad, A., Efthymiou, S., . . . Maroofian, R. (2019). Homozygous Missense Variants in NTNG2, Encoding a Presynaptic Netrin-G2 Adhesion Protein, Lead to a Distinct Neurodevelopmental Disorder. *The American Journal of Human Genetics*. doi: <https://doi.org/10.1016/j.ajhg.2019.09.025>. <http://www.sciencedirect.com/science/article/pii/S0002929719303866>

Dias, I. A., Bahia, C. P., Franca, J. G., Houzel, J. C., Lent, R., Mayer, A. O., . . . Pereira, A. (2014). Topography and architecture of visual and somatosensory areas of the agouti. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23550. <http://dx.doi.org/10.1002/cne.23550>

Díaz, D., del Pilar, C., Carretero, J., Alonso, J. R., & Weruaga, E. (2019). Daily bone marrow cell transplantations for the management of fast neurodegenerative processes. *Journal of Tissue Engineering and Regenerative Medicine*, 0(ja). doi: 10.1002/term.2925. <https://onlinelibrary.wiley.com/doi/abs/10.1002/term.2925>

Díaz, D., Lepousez, G., Gheusi, G., Alonso, J. R., Lledo, P.-M., & Weruaga, E. (2012). Bone Marrow Cell Transplantation Restores Olfaction in the Degenerated Olfactory Bulb. *Journal of Neuroscience*, 32(26), 9053-9058. doi: 10.1523/jneurosci.0260-12.2012. <http://www.jneurosci.org/content/32/26/9053.abstract>

Díaz, D., Piquer-Gil, M., Recio, J. S., Martínez-Losa, M. M., Alonso, J. R., Weruaga, E., & Álvarez-Dolado, M. (2017). Bone marrow transplantation improves motor activity in a mouse model of ataxia. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.2626. <http://dx.doi.org/10.1002/term.2626>

Díaz, E., Bravo, D., Rojas, X., & Concha, M. L. (2011). Morphologic and immunohistochemical organization of the human habenular complex. *Journal of Comparative Neurology*, 519(18), 3727-3747. doi: 10.1002/cne.22687. <http://dx.doi.org/10.1002/cne.22687>

Diaz, H. S., Andrade, D. C., Toledo, C., Pereyra, K. V., Schwarz, K. G., Diaz-Jara, E., . . . Rio, R. D. (2019). Episodic stimulation of central chemoreceptor neurons elicits disordered breathing and autonomic

dysfunction in volume overload heart failure. *American Journal of Physiology-Lung Cellular and Molecular Physiology*, 0(0), null. doi: 10.1152/ajplung.00007.2019. <https://www.physiology.org/doi/abs/10.1152/ajplung.00007.2019>

Diaz Vera, D., Soucy, J. R., Lee, A., Koppes, R. A., & Koppes, A. N. (2021). Light irradiation of peripheral nerve cells: Wavelength impacts primary sensory neuron outgrowth in vitro. *Journal of Photochemistry and Photobiology B: Biology*, 215, 112105. doi: <https://doi.org/10.1016/j.jphotobiol.2020.112105>. <http://www.sciencedirect.com/science/article/pii/S1011134420305558>

Dibaj, P., Steffens, H., Nadrigny, F., Neusch, C., Kirchoff, F., & Schomburg, E. (2010). Long-lasting post-mortem activity of spinal microglia in situ in mice. *Journal of Neuroscience Research*, 88, 2431 - 2440. doi.

DiBona, V. L., Shah, M. K., Krause, K. J., Zhu, W., Voglewede, M. M., Smith, D. M., . . . Zhang, H. (2021). Metformin reduces neuroinflammation and improves cognitive functions after traumatic brain injury. *Neuroscience Research*. doi: <https://doi.org/10.1016/j.neures.2021.05.007>. <https://www.sciencedirect.com/science/article/pii/S016801022100105X>

DiBona, V. L., Zhu, W., Shah, M. K., Rafalia, A., Ben Cheikh, H., Crockett, D. P., & Zhang, H. (2019). Loss of Par1b/MARK2 primes microglia during brain development and enhances their sensitivity to injury. [journal article]. *Journal of Neuroinflammation*, 16(1), 11. doi: 10.1186/s12974-018-1390-3. <https://doi.org/10.1186/s12974-018-1390-3>

DiCarlo, J. J., & Johnson, K. O. (2000). Spatial and Temporal Structure of Receptive Fields in Primate Somatosensory Area 3b: Effects of Stimulus Scanning Direction and Orientation. *Journal of Neuroscience*, 20(1), 495-510. doi: <http://www.jneurosci.org/cgi/content/abstract/20/1/495>

DiCarlo, J. J., Johnson, K. O., & Hsiao, S. S. (1998). Structure of Receptive Fields in Area 3b of Primary Somatosensory Cortex in the Alert Monkey. *Journal of Neuroscience*, 18(7), 2626-2645. doi: <http://www.jneurosci.org/cgi/content/abstract/18/7/2626>

Dick, J., G.C., B. F., Bin, W., Subramanian, V., Jan, V., Dies, M., . . . I., D. Z. C. (2018). The basal interstitial nucleus (BIN) of the cerebellum provides diffuse ascending inhibitory input to the floccular granule cell layer. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24479. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24479>

Dickman, J. D., Huss, D., & Lowe, M. (2004). Morphometry of otoconia in the utricle and saccule of developing Japanese quail. *Hearing Research*, 188(1-2), 89-103. doi.

Dickson, C. T., Magistretti, J., Shalinsky, M., Hamam, B., & Alonso, A. (2000). Oscillatory Activity in Entorhinal Neurons and Circuits: Mechanisms and Function. *Annals of the New York Academy of Sciences*, 911(1), 127-150. doi: doi:10.1111/j.1749-6632.2000.tb06723.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2000.tb06723.x>

Dickson, T. C., Mintz, C. D., Benson, D. L., & Salton, S. R. J. (2002). Functional binding interaction identified between the axonal CAM L1 and members of the ERM family. *Journal of Cell Biology*, 157(7), 1105-1112. doi: 10.1083/jcb.200111076. <http://www.jcb.org/cgi/content/abstract/157/7/1105>

Dickstein, D. L., Brautigam, H., Stockton, S. D., Schmeidler, J., & Hof, P. R. (2010). Changes in dendritic complexity and spine morphology in transgenic mice expressing human wild-type tau. *Brain Structure and Function*, 214(2), 161-179. doi.

Dickstein, D. L., Dickstein, D. R., Janssen, W. G. M., Hof, P. R., Glaser, J. R., Rodriguez, A., . . . Tappan, S. J. (2001). Automatic Dendritic Spine Quantification from Confocal Data with Neurolucida 360 Current Protocols in Neuroscience: John Wiley & Sons, Inc.

Dickstein, D. L., Talty, R., Bresnahan, E., Varghese, M., Perry, B., Janssen, W. G. M., . . . Limoli, C. L. (2018). Alterations in synaptic density and myelination in response to exposure to high-energy charged particles. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24530. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24530>

Diederich, K., Sevimli, S., Dorr, H., Kusters, E., Hoppen, M., Lewejohann, L., . . . Schabitz, W.-R. (2009). The Role of Granulocyte-Colony Stimulating Factor (G-CSF) in the Healthy Brain: A Characterization of G-CSF-Deficient Mice. *Journal of Neuroscience*, 29(37), 11572-11581. doi: 10.1523/jneurosci.0453-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/37/11572>

Dieni, C. V., Nietz, A. K., Panichi, R., Wadiche, J. I., & Overstreet-Wadiche, L. (2013). Distinct Determinants of Sparse Activation during Granule Cell Maturation. *Journal of Neuroscience*, 33(49), 19131-19142. doi: <http://www.jneurosci.org/content/33/49/19131.short>

Dieni, C. V., Panichi, R., Aimone, J. B., Kuo, C. T., Wadiche, J. I., & Overstreet-Wadiche, L. (2016). Low excitatory innervation balances high intrinsic excitability of immature dentate neurons. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11313. <http://dx.doi.org/10.1038/ncomms11313>

DiGiovanna, J., Dominici, N., Friedli, L., Rigosa, J., Duis, S., Kreider, J., . . . Micera, S. (2016). Engagement of the Rat Hindlimb Motor Cortex across Natural Locomotor Behaviors. *The Journal of Neuroscience*, 36(40), 10440-10455. doi: <http://www.jneurosci.org/content/36/40/10440.short>

Dihne, M., Bernreuther, C., Hagel, C., Wesche, K. O., & Schachner, M. (2006). Embryonic Stem Cell-Derived Neuronally Committed Precursor Cells with Reduced Teratoma Formation After Transplantation into the Lesioned Adult Mouse Brain. *Stem Cells*, 24(6), 1458-1466. doi: 10.1634/stemcells.2005-0413. <http://stemcells.alphamedpress.org/cgi/content/abstract/24/6/1458>

Dillingham, C. H., Gay, S. M., Behrooz, R., & Gabriele, M. L. (2017). Modular-extramodular organization in developing multisensory shell regions of the mouse inferior colliculus. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24300. <http://dx.doi.org/10.1002/cne.24300>

Dima, A., Scholz, M., & Obermayer, K. (2002). Automatic segmentation and skeletonization of neurons from confocal microscopy images based on the 3-D wavelet transform. *Image Processing, IEEE Transactions on*, 11(7), 790-801. doi.

Dima, A., Scholz, M., & Obermayer, K. (2003). Automatic three-dimensional graph construction of nerve cells from confocal microscopy scans. *Journal of Electronic Imaging*, 12, 134-134. doi.

DiNardo, L. A., & Travers, J. B. (1997). Distribution of Fos-Like Immunoreactivity in the Medullary Reticular Formation of the Rat after Gustatory Elicited Ingestion and Rejection Behaviors. *Journal of Neuroscience*, 17(10), 3826-3839. doi: <http://www.jneurosci.org/cgi/content/abstract/17/10/3826>

Ding, L., Chen, H., Diamantaki, M., Coletta, S., Preston-Ferrer, P., & Burgalossi, A. (2020). Structural correlates of CA2 and CA3 pyramidal cell activity in freely-moving mice. *The Journal of Neuroscience*, JN-RM-0099-0020. doi: 10.1523/jneurosci.0099-20.2020. <http://www.jneurosci.org/content/early/2020/06/18/JNEUROSCI.0099-20.2020>..

Ding, S. L., & Van Hoesen, G. W. (2010). Borders, extent, and topography of human perirhinal cortex as revealed using multiple modern neuroanatomical and pathological markers. *Human Brain Mapping*, 31(9), 1359-1379. doi.

Ding, T., Zhou, X., Kouadir, M., Shi, F., Yang, Y., Liu, J., . . . Zhao, D. (2013). Cellular prion protein participates in the regulation of inflammatory response and apoptosis in BV2 Microglia during infection with mycobacterium bovis. *Journal of Molecular Neuroscience*, 51(1), 118 - 126. doi.

Ding, X.-F., Gao, X., Ding, X.-C., Fan, M., & Chen, J. (2016). Postnatal dysregulation of Notch signal disrupts dendrite development of adult-born neurons in the hippocampus and contributes to memory impairment. [Article]. *Scientific Reports*, 6, 25780. doi: 10.1038/srep25780

<http://www.nature.com/articles/srep25780#supplementary-information>, <http://dx.doi.org/10.1038/srep25780>

Ding, Y., Li, J., Luan, X., Ding, Y. H., Lai, Q., Rafols, J. A., . . . Diaz, F. G. (2004). Exercise pre-conditioning reduces brain damage in ischemic rats that may be associated with regional angiogenesis and cellular overexpression of neurotrophin. *Neuroscience*, 124(3), 583-591. doi.

Ding, Y. H., Li, J., Yao, W. X., Rafols, J. A., Clark, J. C., & Ding, Y. (2006). Exercise preconditioning upregulates cerebral integrins and enhances cerebrovascular integrity in ischemic rats. *Acta Neuropathologica*, 112(1), 74-84. doi.

Dingman, A., Lee, S. Y., Derugin, N., Wendland, M. F., & Vexler, Z. S. (2006). Aminoguanidine inhibits caspase-3 and calpain activation without affecting microglial activation following neonatal transient cerebral ischemia. *Journal of Neurochemistry*, 96(5), 1467-1479. doi: doi:10.1111/j.1471-4159.2006.03672.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.03672.x>

Diniz, G. B., Candido, P. L., Klein, M. O., Alvisi, R. D., Presse, F., Nahon, J.-L., . . . Bittencourt, J. C. (2018). The weaning period promotes alterations in the orexin neuronal population of rats in a suckling-dependent manner. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1723-0. <https://doi.org/10.1007/s00429-018-1723-0>

Dinocourt, C., Aungst, S., Yang, K., & Thompson, S. M. (2011). Homeostatic increase in excitability in area CA1 after Schaffer collateral transection in vivo. *Epilepsia*, 52(9), 1656-1665. doi: 10.1111/j.1528-1167.2011.03113.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03113.x>

Dinocourt, C., Petanjek, Z., Freund, T. F., Ben-Ari, Y., & Esclapez, M. (2003). Loss of interneurons innervating pyramidal cell dendrites and axon initial segments in the CA1 region of the hippocampus following pilocarpine-induced seizures. *Journal of Comparative Neurology*, 459, 407-425. doi.

Disma, N., Mondardini, M. C., Terrando, N., Absalom, A. R., & Bilotta, F. (2015). A systematic review of methodology applied during preclinical anesthetic neurotoxicity studies: important issues and lessons relevant to the design of future clinical research. *Pediatric Anesthesia*, n/a-n/a. doi: 10.1111/pan.12786. <http://dx.doi.org/10.1111/pan.12786>

Dissen, G. A., Lomniczi, A., Heger, S., Neff, T. L., & Ojeda, S. R. (2012). Hypothalamic EAP1 (enhanced at puberty 1) is required for menstrual cyclicity in nonhuman primates. *Endocrinology*, 153(1), 350-361. doi.

Distler, C., Korbmacher, H., & Hoffmann, K. P. (2009). Retinal projections to the accessory optic system in pigmented and albino ferrets (*Mustela putorius furo*). *Experimental Brain Research*, 199(3), 333-343. doi.

Dittgen, T., Nimmerjahn, A., Komai, S., Licznerski, P., Waters, J., Margrie, T. W., . . . Osten, P. (2004). Lentivirus-based genetic manipulations of cortical neurons and their optical and electrophysiological monitoring in vivo. *PNAS*, 101(52), 18206-18211. doi: <http://www.pnas.org/cgi/content/abstract/101/52/18206>

Dixon, K. J., Theus, M. H., Nellersa, C. M., Mier, J., Travieso, L. G., Yu, T.-S., . . . Liebl, D. J. (2014). Endogenous neural stem/progenitor cells stabilize the cortical microenvironment following traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3390. <http://dx.doi.org/10.1089/neu.2014.3390>

Dizon, M. L. V., Shin, L., Sundholm-Peters, N. L., Kang, E., & Szele, F. G. (2006). Subventricular zone cells remain stable in vitro after brain injury. *Neuroscience*, 142(3), 717-725. doi.

Djalali, S., Holtje, M., Grosse, G., Rothe, T., Stroh, T., Grosse, J., . . . Ahnert-Hilger, G. (2005). Effects of brain-derived neurotrophic factor (BDNF) on glial cells and serotonergic neurones during development. *Journal of Neurochemistry*, 92(3), 616-627. doi: doi:10.1111/j.1471-4159.2004.02911.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2004.02911.x>

Djogo, N., Jakovcevski, I., Müller, C., Lee, H. J., Xu, J.-C., Jakovcevski, M., . . . Schachner, M. (2013). Adhesion molecule L1 binds to amyloid beta and reduces Alzheimer's disease pathology in mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.04.014>. <http://www.sciencedirect.com/science/article/pii/S0969996113001289>

Djurisic, M., Popovic, M., Carnevale, N., & Zecevic, D. (2008). Functional Structure of the Mitral Cell Dendritic Tuft in the Rat Olfactory Bulb. *Journal of Neuroscience*, 28(15), 4057-4068. doi: 10.1523/jneurosci.5296-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/15/4057>

Dmitrieva, N., Nagabukuro, H., Resuehr, D., Zhang, G., McAllister, S. L., McGinty, K. A., . . . Berkley, K. J. (2010). Endocannabinoid involvement in endometriosis. *Pain*, 151(3), 703-710. doi.

Dmitrieva, N., Zhang, G., & Nagabukuro, H. (2008). Increased $\alpha 1D$ adrenergic receptor activity and protein expression in the urinary bladder of aged rats. *World Journal of Urology*, 26(6), 649-655. doi.

Doan, T. P., Lagartos-Donate, M. J., Nilssen, E. S., Ohara, S., & Witter, M. P. (2019). Convergent Projections from Perirhinal and Postrhinal Cortices Suggest a Multisensory Nature of Lateral, but Not Medial, Entorhinal Cortex. *Cell Reports*, 29(3), 617-627.e617. doi: <https://doi.org/10.1016/j.celrep.2019.09.005>. <http://www.sciencedirect.com/science/article/pii/S221124719311738>

Dobrović, B., Ćurić, G., Petanjek, Z., & Heffer, M. (2011). Dendritic morphology and spine density is not altered in motor cortex and dentate granular cells in mice lacking the ganglioside biosynthetic gene B4galnt1—a quantitative Golgi Cox study. *Collegium Antropologicum*, 35(Suppl.), 25-30. doi.

Doche, I., Wilcox, G. L., Ericson, M., Valente, N. S., Romiti, R., McAdams, B. D., & Hordinsky, M. K. (2018). Evidence for neurogenic inflammation in lichen planopilaris and frontal fibrosing alopecia pathogenic mechanism. *Experimental Dermatology*, 0(ja). doi: 10.1111/exd.13835. <https://onlinelibrary.wiley.com/doi/abs/10.1111/exd.13835>

- Doig, N. M., Magill, P. J., Apicella, P., Bolam, J. P., & Sharott, A. (2014). Cortical and Thalamic Excitation Mediate the Multiphasic Responses of Striatal Cholinergic Interneurons to Motivationally Salient Stimuli. *The Journal of Neuroscience*, 34(8), 3101-3117. doi: <http://www.jneurosci.org/content/34/8/3101.short>
- Doischer, D., Aurel Hosp, J., Yanagawa, Y., Obata, K., Jonas, P., Vida, I., & Bartos, M. (2008). Postnatal Differentiation of Basket Cells from Slow to Fast Signaling Devices. *Journal of Neuroscience*, 28(48), 12956-12968. doi: 10.1523/jneurosci.2890-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/48/12956>
- Dokter, M., Busch, R., Poser, R., Vogt, M. A., von Bohlen und Halbach, V., Gass, P., . . . von Bohlen und Halbach, O. (2014). Implications of p75NTR for dentate gyrus morphology and hippocampus-related behavior revisited. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-014-0737-5. <http://dx.doi.org/10.1007/s00429-014-0737-5>
- Domonkos, A., Ledri, L. N., Laszlovszky, T., Cserép, C., Borhegyi, Z., Papp, E., . . . Varga, V. (2016). Divergent in vivo activity of non-serotonergic and serotonergic VGlut3-neurons in the median raphe region. *The Journal of Physiology*. doi: <http://onlinelibrary.wiley.com/doi/10.1113/JP272036/full>
- DonCarlos, L. L., Garcia-Ovejero, D., Sarkey, S., Garcia-Segura, L. M., & Azcoitia, I. (2003). Androgen Receptor Immunoreactivity in Forebrain Axons and Dendrites in the Rat. *Endocrinology*, 144(8), 3632-3638. doi: 10.1210/en.2002-0105. <http://endo.endojournals.org/cgi/content/abstract/144/8/3632>
- DonCarlos, L. L., Sarkey, S., Lorenz, B., Azcoitia, I., Garcia-Ovejero, D., Huppenbauer, C., & Garcia-Segura, L. M. (2006). Novel cellular phenotypes and subcellular sites for androgen action in the forebrain. *Neuroscience*, 138(3), 801-807. doi.
- Donega, V., Marcy, G., Lo Giudice, Q., Zweifel, S., Angonin, D., Fiorelli, R., . . . Raineteau, O. (2018). Transcriptional Dysregulation in Postnatal Glutamatergic Progenitors Contributes to Closure of the Cortical Neurogenic Period. *Cell Reports*, 22(10), 2567-2574. doi: <https://doi.org/10.1016/j.celrep.2018.02.030>. <https://www.sciencedirect.com/science/article/pii/S2211124718301980>
- Donegan, M., Kernisant, M., Cua, C., Jasmin, L., & Ohara, P. T. (2013). Satellite glial cell proliferation in the trigeminal ganglia after chronic constriction injury of the infraorbital nerve. *Glia*, n/a-n/a. doi: 10.1002/glia.22571. <http://dx.doi.org/10.1002/glia.22571>
- Dong, H., Wang, Q., Valkova, K., Gonchar, Y., & Burkhalter, A. (2004). Experience-dependent development of feedforward and feedback circuits between lower and higher areas of mouse visual cortex. *Vision Research*, 44(28), 3389-3400. doi.
- Dong, Z., Ferger, B., Paterna, J.-C., Vogel, D., Furler, S., Osinde, M., . . . Bueler, H. (2003). Dopamine-dependent neurodegeneration in rats induced by viral vector-mediated overexpression of the parkin target protein, CDCrel-1. *Proceedings of the National Academy of Sciences*, 100(21), 12438-12443. doi: 10.1073/pnas.2132992100. <http://www.pnas.org/cgi/content/abstract/100/21/12438>
- Dong, Z., Wolfer, D. P., Lipp, H.-P., & Bueler, H. (2004). Hsp70 Gene Transfer by Adeno-associated Virus Inhibits MPTP-Induced Nigrostriatal Degeneration in the Mouse Model of Parkinson Disease. *Molecular Therapy*, 11, 80-88. doi.
- Donnelly, C. J., Willis, D. E., Xu, M., Tep, C., Jiang, C., Yoo, S., . . . others. (2011). Limited availability of ZBP1 restricts axonal mRNA localization and nerve regeneration capacity. *EMBO journal*, 30(22), 4665-4677. doi.

Donohue, D. E., & Ascoli, G. A. (2011). Automated reconstruction of neuronal morphology: An overview. *Brain research reviews*, 67(1), 94-102. doi.

Donohue, D. E., Scorcioni, R., & Ascoli, G. A. (2002). Generation and Description of Neuronal Morphology Using L-Neuron. *Computational Neuroanatomy: Principles and Methods*, 49-49. doi.

Doobin, D. J. (2011). Unilateral primary afferent nerve cut causes altered pruning of dendrites in the developing central taste system. doi.

Doron, G., von Heimendahl, M., Schlattmann, P., Houweling, Arthur R., & Brecht, M. (2014). Spiking Irregularity and Frequency Modulate the Behavioral Report of Single-Neuron Stimulation. *Neuron*, 81(3), 653-663. doi: <http://dx.doi.org/10.1016/j.neuron.2013.11.032>. <http://www.sciencedirect.com/science/article/pii/S089662731301129X>

Dostes, S., Dubreucq, S., Ladevèze, E., Marsicano, G., Abrous, D. N., Chaouloff, F., & Koehl, M. (2015). Running per se stimulates the dendritic arbor of newborn dentate granule cells in mouse hippocampus in a duration-dependent manner. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22551. <http://dx.doi.org/10.1002/hipo.22551>

Doubell, T. P., Skaliora, I., Baron, J., & King, A. J. (2003). Functional Connectivity between the Superficial and Deeper Layers of the Superior Colliculus: An Anatomical Substrate for Sensorimotor Integration. *Journal of Neuroscience*, 23, 6596-6607. doi.

Doucet, J. R., Lenihan, N. M., & May, B. J. (2009). Commissural neurons in the rat ventral cochlear nucleus. *Jaro-Journal of the Association for Research in Otolaryngology*, 10(2), 269-280. doi.

Doucet, J. R., & Ryugo, D. K. (2003). Axonal pathways to the lateral superior olive labeled with biotinylated dextran amine injections in the dorsal cochlear nucleus of rats. *Journal of Comparative Neurology*, 461(4), 452-465. doi.

Dougherty, J. D., Garcia, A. D. R., Nakano, I., Livingstone, M., Norris, B., Polakiewicz, R., . . . Geschwind, D. H. (2005). PBK/TOPK, a Proliferating Neural Progenitor-Specific Mitogen-Activated Protein Kinase Kinase. *Journal of Neuroscience*, 25(46), 10773-10785. doi: 10.1523/jneurosci.3207-05.2005. <http://www.jneurosci.org/cgi/content/abstract/25/46/10773>

Dougherty, K. A., Islam, T., & Johnston, D. (2012). Intrinsic excitability of CA1 pyramidal neurones from the rat dorsal and ventral hippocampus. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2012.242693. <http://dx.doi.org/10.1113/jphysiol.2012.242693>

Dougherty, K. J., Bannatyne, B. A., Jankowska, E., Krutki, P., & Maxwell, D. J. (2005). Membrane Receptors Involved in Modulation of Responses of Spinal Dorsal Horn Interneurons Evoked by Feline Group II Muscle Afferents. *Journal of Neuroscience*, 25(3), 584-593. doi. <http://www.jneurosci.org/cgi/content/abstract/25/3/584>

Dougherty, K. J., & Hochman, S. (2008). Spinal Cord Injury Causes Plasticity in a Subpopulation of Lamina I GABAergic Interneurons. *Journal of Neurophysiology*, 100(1), 212-223. doi: 10.1152/jn.01104.2007. <http://jn.physiology.org/cgi/content/abstract/100/1/212>

Dougherty, K. J., Sawchuk, M. A., & Hochman, S. (2005). Properties of Mouse Spinal Lamina I GABAergic Interneurons. *Journal of Neurophysiology*, 94(5), 3221-3227. doi: 10.1152/jn.00184.2005. <http://jn.physiology.org/cgi/content/abstract/94/5/3221>

Dougherty, K. J., Sawchuk, M. A., & Hochman, S. (2009). Phenotypic diversity and expression of GABAergic inhibitory interneurons during postnatal development in lumbar spinal cord of glutamic acid decarboxylase 67-green fluorescent protein mice. *Neuroscience*, 163(3), 909-919. doi:

Dougherty, S. E., Bartley, A. F., Lucas, E. K., Hablitz, J. J., Dobrunz, L. E., & Cowell, R. M. (2014). Mice lacking the transcriptional coactivator PGC-1 α exhibit alterations in inhibitory synaptic transmission in the motor cortex. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.04.023> <http://www.sciencedirect.com/science/article/pii/S030645221400325X>

Downes, C. E., Wong, C. H. Y., Henley, K. J., Guio-Aguilar, P. L., Zhang, M., Ates, R., . . . Crack, P. J. (2013). MyD88 Is a Critical Regulator of Hematopoietic Cell-Mediated Neuroprotection Seen after Stroke. *PLoS ONE*, 8(3), e57948. doi:

10.1371/journal.pone.0057948. <http://dx.doi.org/10.1371/journal.pone.0057948>

Dragatsis, I., Dietrich, P., Ren, H., Deng, Y. P., Del Mar, N., Wang, H. B., . . . Reiner, A. (2018). Effect of early embryonic deletion of huntingtin from pyramidal neurons on the development and long-term survival of neurons in cerebral cortex and striatum. *Neurobiology of Disease*, 111, 102-117.

doi: <https://doi.org/10.1016/j.nbd.2017.12.015> <https://www.sciencedirect.com/science/article/pii/S0969996117302991>

Drago, I., & Davis, Ronald L. (2016). Inhibiting the Mitochondrial Calcium Uniporter during Development Impairs Memory in Adult *Drosophila*. *Cell Reports*. doi:

10.1016/j.celrep.2016.08.017. <http://dx.doi.org/10.1016/j.celrep.2016.08.017>

Drake, C. T., De Oliveira, A. X., Harris, J. A., Connor, D. M., Winkler, C. W., & Aicher, S. A. (2007). Kappa opioid receptors in the rostral ventromedial medulla of male and female rats. *Journal of Comparative Neurology*, 500(3), 465-476. doi:

Drapeau, E., Montaron, M.-F., Aguerre, S., & Abrous, D. N. (2007). Learning-Induced Survival of New Neurons Depends on the Cognitive Status of Aged Rats. *Journal of Neuroscience*, 27(22), 6037-6044. doi: 10.1523/jneurosci.1031-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/6037>

Drissi, I., Deschamps, C., Alary, R., Robert, A., Dubreuil, V., Le Mouël, A., . . . Pierrefiche, O. (2020). Role of heat shock transcription factor 2 in the NMDA-dependent neuroplasticity induced by chronic ethanol intake in mouse hippocampus. *Addiction Biology*, n/a(n/a), e12939. doi:

10.1111/adb.12939. <https://onlinelibrary.wiley.com/doi/abs/10.1111/adb.12939>

Drouin-Ouellet, J., Brownell, A.-L., Saint-Pierre, M., Fasano, C., Emond, V., Trudeau, L.-E., . . . Cicchetti, F. (2011). Neuroinflammation is associated with changes in glial mGluR5 expression and the development of neonatal excitotoxic lesions. *Glia*, 59(2), 188-199. doi:

10.1002/glia.21086. <http://dx.doi.org/10.1002/glia.21086>

Druart, M., Groszer, M., & Le Magueresse, C. (2020). An etiological *Foxp2* mutation impairs neuronal gain in layer VI cortico-thalamic cells through increased GABA_B/GIRK signaling. *The Journal of Neuroscience*, JN-RM-2615-2619. doi: 10.1523/jneurosci.2615-

19.2020. <http://www.jneurosci.org/content/early/2020/10/05/JNEUROSCI.2615-19.2020>...

Dryanovski, D. I., Guzman, J. N., Xie, Z., Galteri, D. J., Volpicelli-Daley, L. A., Lee, V. M.-Y., . . . Surmeier, D. J. (2013). Calcium Entry and α -Synuclein Inclusions Elevate Dendritic Mitochondrial Oxidant Stress in Dopaminergic Neurons. *Journal of Neuroscience*, 33(24), 10154-10164. doi: 10.1523/jneurosci.5311-12.2013. <http://www.jneurosci.org/content/33/24/10154.abstract>

Du, F., Williamson, J., Bertram, E., Lothman, E., Okuno, E., & .. R. S. (1993). Kynurenien pathway enzymes in a rat model of chronic epilepsy: Immunohistochemical Study of activated Glial cells. *Neuroscience*, 55, 975-989. doi.

Du, J., & Hull, E. M. (1999). Effects of testosterone on neuronal nitric oxide synthase and tyrosine hydroxylase. *Brain Research*, 836(1-2), 90-98. doi.

Duan, X., Gleason, R. C., Li, F., Hosur, K. B., Huang, D., Wang, H., . . . Liang, S. (2015). Sex dimorphism in periodontitis in animal models. *Journal of Periodontal Research*, n/a-n/a. doi: 10.1111/jre.12298. <http://dx.doi.org/10.1111/jre.12298>

Duarte, J., Gaspar, R., Caetano, L., Patricio, P., Cunha, C., Mateus-Pinheiro, A., . . . Gomes, C. (2018). Brain region-specific control of microglia by adenosine A2A-adenosine receptors: uncoupling anxiety and cognition in female rodents. *European Neuropsychopharmacology*, 28, S35-S36. doi: 10.1016/j.euroneuro.2017.12.058. <http://dx.doi.org/10.1016/j.euroneuro.2017.12.058>

Duarte, J. M., Gaspar, R., Caetano, L., Patricio, P., Soares-Cunha, C., Mateus-Pinheiro, A., . . . Gomes, C. A. (2018). Region-specific control of microglia by adenosine A2A receptors: uncoupling anxiety and associated cognitive deficits in female rats. *Glia*, 0(0). doi: doi:10.1002/glia.23476. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23476>

Dubey, M., Bugiani, M., Ridder, M. C., Postma, N. L., Brouwers, E., Polder, E., . . . van der Knaap, M. S. (2014). Mice with Megalencephalic Leukoencephalopathy with Cysts: A developmental angle. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24307. <http://dx.doi.org/10.1002/ana.24307>

Dubourget, R., Sangare, A., Geoffroy, H., Gallopin, T., & Rancillac, A. (2016). Multiparametric characterization of neuronal subpopulations in the ventrolateral preoptic nucleus. [journal article]. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-016-1265-2. <http://dx.doi.org/10.1007/s00429-016-1265-2>

Dubovyk, V., & Manahan-Vaughan, D. (2017). Less means more: The magnitude of synaptic plasticity along the hippocampal dorso-ventral axis is inversely related to the expression levels of plasticity-related neurotransmitter receptors. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22816. <http://dx.doi.org/10.1002/hipo.22816>

Dubovyk, V., & Manahan-Vaughan, D. (2019). Distinct Time-Course of Alterations of Groups I and II Metabotropic Glutamate Receptor and GABAergic Receptor Expression Along the Dorsoventral Hippocampal Axis in an Animal Model of Psychosis. *Frontiers in Behavioral Neuroscience*, 13, 98-98. doi: 10.3389/fnbeh.2019.00098. <https://www.ncbi.nlm.nih.gov/pubmed/31139061>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6519509/>

Dudanova, I., Tabuchi, K., Rohlmann, A., Südhof, T. C., & Missler, M. (2007). Deletion of α -neurexins does not cause a major impairment of axonal pathfinding or synapse formation. *Journal of Comparative Neurology*, 502(2), 261-274. doi.

Dudok, B., Barna, L., Ledri, M., Szabo, S. I., Szabadits, E., Pinter, B., . . . Katona, I. (2014). Cell-specific STORM super-resolution imaging reveals nanoscale organization of cannabinoid signaling. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.3892

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3892.html#suppl.....> <http://dx.doi.org/10.1038/nn.3892>

- Duffy, K. R., & Livingstone, M. S. (2003). Distribution of non-phosphorylated neurofilament in squirrel monkey V1 is complementary to the pattern of cytochrome-oxidase blobs. *Cerebral Cortex*, 13(7), 722-727. doi.
- Duffy, K. R., & Livingstone, M. S. (2005). Loss of neurofilament labeling in the primary visual cortex of monocularly deprived monkeys. *Cerebral Cortex*, 15(8), 1146-1154. doi.
- Dugladze, T., Schmitz, D., Whittington, M. A., Vida, I., & Gloveli, T. (2012). Segregation of Axonal and Somatic Activity During Fast Network Oscillations. *Science*, 336(6087), 1458-1461. doi: 10.1126/science.1222017. <http://www.sciencemag.org/content/336/6087/1458.abstract>
- Dugladze, T., Vida, I., Tort, A. B., Gross, A., Otahal, J., Heinemann, U., . . . Gloveli, T. (2007). Impaired hippocampal rhythmogenesis in a mouse model of mesial temporal lobe epilepsy. *Proceedings of the National Academy of Sciences*, 104(44), 17530-17535. doi: 10.1073/pnas.0708301104. <http://www.pnas.org/cgi/content/abstract/104/44/17530>
- Dumanis, S. B., Cha, H. J., Song, J. M., Trotter, J. H., Spitzer, M., Lee, J. Y., . . . others. (2011). ApoE receptor 2 regulates synapse and dendritic spine formation. *PLoS ONE*, 6(2), e17203-e17203. doi.
- Dumanis, S. B., Tesoriero, J. A., Babus, L. W., Nguyen, M. T., Trotter, J. H., Ladu, M. J., . . . Hoe, H.-S. (2009). ApoE4 Decreases Spine Density and Dendritic Complexity in Cortical Neurons In Vivo. *Journal of Neuroscience*, 29(48), 15317-15322. doi: 10.1523/jneurosci.4026-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/48/15317>
- Dumitriu, D., Cossart, R., Huang, J., & Yuste, R. (2007). Correlation between axonal morphologies and synaptic input kinetics of interneurons from mouse visual cortex. *Cerebral Cortex*, 17(1), 81-91. doi.
- Dumitriu, D., Rodriguez, A., & Morrison, J. H. (2011). High-throughput, detailed, cell-specific neuroanatomy of dendritic spines using microinjection and confocal microscopy. *Nature Protocols*, 6(9), 1391-1411. doi.
- Duong, A. T. H., Reitz, C. J., Louth, E. L., Creighton, S. D., Rasouli, M., Zwaiman, A., . . . Martino, T. A. (2019). The Clock Mechanism Influences Neurobiology and Adaptations to Heart Failure in Clock^{19/19} Mice With Implications for Circadian Medicine. *Scientific Reports*, 9(1), 4994. doi: 10.1038/s41598-019-41469-7. <https://doi.org/10.1038/s41598-019-41469-7>
- Duque, A., Coman, D., Carlyle, B. C., Bordner, K. A., George, E. D., Papademetris, X., . . . Simen, A. A. (2011). Neuroanatomical changes in a mouse model of early life neglect. *Brain Structure and Function*, 1-14. doi.
- Duque, A., Gazula, V.-R., & Kaczmarek, L. K. (2013). Expression of Kv1.3 potassium channels regulates density of cortical interneurons. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22105. <http://dx.doi.org/10.1002/dneu.22105>
- Duque, A., & McCormick, D. A. (2010). Circuit-based Localization of Ferret Prefrontal Cortex. *Cerebral Cortex*, 20(5), 1020-1036. doi.
- Duque, A., & Rakic, P. (2011). Different Effects of Bromodeoxyuridine and [3H]Thymidine Incorporation into DNA on Cell Proliferation, Position, and Fate. *Journal of Neuroscience*, 31(42), 15205-15217. doi: 10.1523/jneurosci.3092-11.2011. <http://www.jneurosci.org/content/31/42/15205.abstract>

Duque, A., Tepper, J. M., Detari, L., Ascoli, G. A., & Zaborszky, L. (2007). Morphological characterization of electrophysiologically and immunohistochemically identified basal forebrain cholinergic and neuropeptide Y-containing neurons. *Brain Structure and Function*, 212(1), 55-73. doi.

Durig, J., & Hornung, J. P. (2000). Neonatal serotonin depletion affects developing and mature mouse cortical neurons. *Neuroreport*, 11(4), 833-833. doi.

Dursun, I., Jakubowska-Doğru, E., van der List, D., Liets, L. C., Coombs, J. L., & Berman, R. F. (2011). Effects of Early Postnatal Exposure to Ethanol on Retinal Ganglion Cell Morphology and Numbers of Neurons in the Dorsolateral Geniculate in Mice. *Alcoholism: Clinical and Experimental Research*. doi.

Dutschmann, M., Waki, H., Manzke, T., Simms, A. E., Pickering, A. E., Richter, D. W., & Paton, J. F. R. (2009). The potency of different serotonergic agonists in counteracting opioid evoked cardiorespiratory disturbances. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 364(1529), 2611-2623. doi.

Dwivedy, A., Gertler, F. B., Miller, J., Holt, C. E., & Lebrand, C. (2007). Ena/VASP function in retinal axons is required for terminal arborization but not pathway navigation. *Development*, 134(11), 2137-2146. doi: 10.1242/dev.002345. <http://dev.biologists.org/cgi/content/abstract/134/11/2137>

Dyhrfeld-Johnsen, J., Maier, J., Schubert, D., Staiger, J., Luhmann, H. J., Stephan, K. E., & Kötter, R. (2005). CoCoDat: a database system for organizing and selecting quantitative data on single neurons and neuronal microcircuitry. *Journal of Neuroscience Methods*, 141(2), 291-308. doi.

Dzirasa, K., Coque, L., Sidor, M. M., Kumar, S., Dancy, E. A., Takahashi, J. S., . . . Nicolelis, M. A. L. (2010). Lithium Ameliorates Nucleus Accumbens Phase-Signaling Dysfunction in a Genetic Mouse Model of Mania. *Journal of Neuroscience*, 30(48), 16314-16323. doi: 10.1523/jneurosci.4289-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/48/16314>

Eales, K. L., Palygin, O., O'Loughlin, T., Rasooli-Nejad, S., Gaestel, M., Müller, J., . . . Corrêa, S. A. (2014). The MK2/3 cascade regulates AMPAR trafficking and cognitive flexibility. *Nature Communications*, 5. doi. <http://www.nature.com/ncomms/2014/140819/ncomms5701/full/ncomms5701.html>

Eastwood, B. S., Hooks, B. M., Paletzki, R. F., O'Connor, N. J., Glaser, J. R., & Gerfen, C. R. (2018). Whole Mouse Brain Reconstruction and Registration to a Reference Atlas with Standard Histochemical Processing of Coronal Sections. *Journal of Comparative Neurology*, 0(ja), e24602. doi:10.1002/cne.24602. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24602>

Eaton, M. J., Gudehithlu, K. P., Quach, T., Silvia, C. P., Hadjiconstantinou, M., & Neff, N. H. (1993). Distribution of aromatic L-amino acid decarboxylase mRNA in mouse brain by in situ hybridization histology. *Journal of Comparative Neurology*, 337(4), 640-654. doi.

Ebert, A. D., Chen, F., He, X., Cryns, V. L., & Bohn, M. C. (2005). A tetracycline-regulated adenovirus encoding dominant-negative caspase-9 is regulated in rat brain and protects against neurotoxin-induced cell death in vitro, but not in vivo. *Experimental Neurology*, 191, S80-S94-S80-S94. doi.

Ebert, A. D., Hann, H. J., & Bohn, M. C. (2008). Progressive degeneration of dopamine neurons in 6-hydroxydopamine rat model of parkinson's disease does not involve activation of caspase-9 and caspase-3. *Journal of Neuroscience Research*, 86(2), 317-325. doi.

- Ebrahimi, M., Yamamoto, Y., Sharifi, K., Kida, H., Kagawa, Y., Yasumoto, Y., . . . Owada, Y. (2015). Astrocyte-expressed FABP7 regulates dendritic morphology and excitatory synaptic function of cortical neurons. *Glia*, n/a-n/a. doi: 10.1002/glia.22902. <http://dx.doi.org/10.1002/glia.22902>
- Eckle, V.-S., Shcheglovitov, A., Vitko, I., Dey, D., Yap, C. C., Winckler, B., & Perez-Reyes, E. (2013). Mechanisms by which a CACNA1H mutation found in epilepsy patients increase seizure susceptibility. *The Journal of Physiology*. doi: 10.1113/jphysiol.2013.264176. <http://jp.physoc.org/content/early/2013/11/22/jphysiol.2013.264176.astract>
- Edfawy, M., Guedes, J. R., Pereira, M. I., Laranjo, M., Carvalho, M. J., Gao, X., . . . Peça, J. (2019). Abnormal mGluR-mediated synaptic plasticity and autism-like behaviours in Gprasp2 mutant mice. *Nature Communications*, 10(1), 1431. doi: 10.1038/s41467-019-09382-9. <https://doi.org/10.1038/s41467-019-09382-9>
- Edlow, B. L., Haynes, R. L., Takahashi, E., Klein, J. P., Cummings, P., Benner, T., . . . Folkerth, R. D. (2013). Disconnection of the Ascending Arousal System in Traumatic Coma. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.1090b1013e3182945bf3182946. doi: http://journals.lww.com/jneuropath/Fulltext/publishahead/Disconnection_o..
- Edmunds, N. B., McCann, K. S., & Laberge, F. (2016). Food Web Structure Shapes the Morphology of Teleost Fish Brains. *Brain, Behavior and Evolution*, 0(0), 128-138. doi: <http://www.karger.com/DOI/10.1159/000445973>
- Efimova, E. V., Kozlova, A. A., Razenkova, V., Katolikova, N. V., Antonova, K. A., Sotnikova, T. D., . . . Gainetdinov, R. R. (2021). Increased dopamine transmission and adult neurogenesis in trace amine-associated receptor 5 (TAAR5) knockout mice. *Neuropharmacology*, 182, 108373. doi: <https://doi.org/10.1016/j.neuropharm.2020.108373>. <http://www.sciencedirect.com/science/article/pii/S002839082030441X>
- Egami, K., Yitta, S., Kasim, S., Lewers, J. C., Roberts, R. C., Lehar, M., & Jinnah, H. A. (2007). Basal ganglia dopamine loss due to defect in purine recycling. *Neurobiology of Disease*, 26, 396-407. doi.
- Egashira, Y., Tanaka, T., Soni, P., Sakuragi, S., Tominaga-Yoshino, K., & Ogura, A. (2010). Involvement of the p75NTR signaling pathway in persistent synaptic suppression coupled with synapse elimination following repeated long-term depression induction. *Journal of Neuroscience Research*, 88(16), 3433-3446. doi: 10.1002/jnr.22505. <http://dx.doi.org/10.1002/jnr.22505>
- Egawa, R., & Yawo, H. (2019). Analysis of Neuro-Neuronal Synapses Using Embryonic Chick Ciliary Ganglion via Single-Axon Tracing, Electrophysiology, and Optogenetic Techniques. *Current Protocols in Neuroscience*, 0(0), e64. doi: doi:10.1002/cpns.64. <https://currentprotocols.onlinelibrary.wiley.com/doi/abs/10.1002/cpns.64>
- Eggan, S. M., & Lewis, D. A. (2007). Immunocytochemical distribution of the cannabinoid CB1 receptor in the primate neocortex: a regional and laminar analysis. *Cerebral Cortex*, 17(1), 175-191. doi.
- Eggan, S. M., Mizoguchi, Y., Stoyak, S. R., & Lewis, D. A. (2010). Development of cannabinoid 1 receptor protein and messenger RNA in monkey dorsolateral prefrontal cortex. *Cerebral Cortex*, 20(5), 1164-1174. doi.
- Egger, R., Narayanan, R. T., Helmstaedter, M., de Kock, C. P. J., & Oberlaender, M. (2012). 3D Reconstruction and Standardization of the Rat Vibrissal Cortex for Precise Registration of Single

Neuron Morphology. PLoS Comput Biol, 8(12), e1002837. doi: 10.1371/journal.pcbi.1002837. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002837>

Egger, V., Nevian, T., & Bruno, R. M. (2008). Subcolumnar Dendritic and Axonal Organization of Spiny Stellate and Star Pyramid Neurons within a Barrel in Rat Somatosensory Cortex. *Cerebral Cortex*, 18(4), 876-889. doi: 10.1093/cercor/bhm126. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/4/876>

Eggermann, E., & Feldmeyer, D. (2009). Cholinergic filtering in the recurrent excitatory microcircuit of cortical layer 4. *Proceedings of the National Academy of Sciences*, 106(28), 11753-11758. doi.

Egusa, S. F., Inoue, Y. U., Asami, J., Terakawa, Y. W., Hoshino, M., & Inoue, T. (2015). Classic cadherin expressions balance postnatal neuronal positioning and dendrite dynamics to elaborate the specific cytoarchitecture of the mouse cortical area. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2015.09.006>. <http://www.sciencedirect.com/science/article/pii/S0168010215002308>

Ehlinger, D. G., Bergstrom, H. C., Burke, J. C., Fernandez, G. M., McDonald, C. G., & Smith, R. F. (2014). Adolescent nicotine-induced dendrite remodeling in the nucleus accumbens is rapid, persistent, and D1-dopamine receptor dependent. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-014-0897-3. <http://dx.doi.org/10.1007/s00429-014-0897-3>

Ehlinger, D. G., Bergstrom, H. C., McDonald, C. G., & Smith, R. F. (2012). Nicotine-induced dendritic remodeling in the insular cortex. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.03.064. <http://www.sciencedirect.com/science/article/pii/S030439401200448X>

Ehlinger, D. G., Burke, J. C., McDonald, C. G., Smith, R. F., & Bergstrom, H. C. Nicotine-induced and D1-receptor-dependent dendritic remodeling in a subset of dorsolateral striatum medium spiny neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.036>. <http://www.sciencedirect.com/science/article/pii/S0306452217303706>

Eid, T., Lee, T.-S. W., Thomas, M. J., Amiry-Moghaddam, M., Bjornsen, L. P., Spencer, D. D., . . . de Lanerolle, N. C. (2005). Loss of perivascular aquaporin 4 may underlie deficient water and K⁺ homeostasis in the human epileptogenic hippocampus. *PNAS*, 102(4), 1193-1198. doi: <http://www.pnas.org/cgi/content/abstract/102/4/1193>

Eisenstein, M. (2009). Neural circuits: Putting neurons on the map. *Nature*, 461(7267), 1149-1152. doi.

Ekstrand, J. J., Domroese, M. E., Feig, S. L., Illig, K. R., & Haberly, L. B. (2001). Immunocytochemical analysis of basket cells in rat piriform cortex. *Journal of Comparative Neurology*, 434(3), 308-328. doi.

ElBasiouny, S. M., Amendola, J., Durand, J., & Heckman, C. J. (2010). Evidence from Computer Simulations for Alterations in the Membrane Biophysical Properties and Dendritic Processing of Synaptic Inputs in Mutant Superoxide Dismutase-1 Motoneurons. *Journal of Neuroscience*, 30(16), 5544-5558. doi: 10.1523/jneurosci.0434-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/16/5544>

El-Danaf, R. N., & Huberman, A. D. (2015). Characteristic Patterns of Dendritic Remodeling in Early-Stage Glaucoma: Evidence from Genetically Identified Retinal Ganglion Cell Types. *The Journal of Neuroscience*, 35(6), 2329-2343. doi: <http://www.jneurosci.org/content/35/6/2329.short>

Eldridge, M. A. G., Lerchner, W., Saunders, R. C., Kaneko, H., Krausz, K. W., Gonzalez, F. J., . . . Richmond, B. J. (2015). Chemogenetic disconnection of monkey orbitofrontal and rhinal cortex reversibly disrupts reward value. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4192

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4192.html#suppl.....><http://dx.doi.org/10.1038/nn.4192>

El-Gohary, Y., Tulachan, S., Guo, P., Welsh, C., Wiersch, J., Prasad, K., . . . Gittes, G. (2013). Smad signaling pathways regulate pancreatic endocrine development. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2013.04.003>. <http://www.sciencedirect.com/science/article/pii/S0012160613001723>

El-Gohary, Y., Tulachan, S., Wiersch, J., Guo, P., Welsh, C., Prasad, K., . . . Gittes, G. (2013). A smad signaling network regulates islet cell proliferation. *Diabetes*. doi: 10.2337/db13-0432. <http://diabetes.diabetesjournals.org/content/early/2013/09/23/db13-0432...>

Eliasieh, K., Liets, L. C., & Chalupa, L. M. (2007). Cellular reorganization in the human retina during normal aging. *Investigative Ophthalmology and Visual Science*, 48(6), 2824-2830. doi.

Elibol-Can, B., Kilic, E., Yuruker, S., & Jakubowska-Dogru, E. (2013). Investigation into the effects of prenatal alcohol exposure on postnatal spine development and expression of synaptophysin and PSD95 in rat hippocampus. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2013.12.003>. <http://www.sciencedirect.com/science/article/pii/S0736574813001767>

Ellender, T. J., Nissen, W., Colgin, L. L., Mann, E. O., & Paulsen, O. (2010). Priming of Hippocampal Population Bursts by Individual Perisomatic-Targeting Interneurons. *Journal of Neuroscience Methods*, 30(17), 5979-5991. doi: 10.1523/jneurosci.3962-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/17/5979>

Elliott, K. C., Wu, W., Bertram, R., Hyson, R. L., & Johnson, F. (2017). Orthogonal Topography In The Parallel Input Architecture Of Songbird HVC. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24189. <http://dx.doi.org/10.1002/cne.24189>

Elliott, K. C., Wu, W., Bertram, R., & Johnson, F. (2013). Disconnection of a basal ganglia circuit in juvenile songbirds attenuates THE SPECTRAL differentiation of SONG syllables. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22151. <http://dx.doi.org/10.1002/dneu.22151>

Elson, A. E. T., Dotson, C. D., Egan, J. M., & Munger, S. D. (2010). Glucagon signaling modulates sweet taste responsiveness. *The FASEB journal*, 24(10), 3960-3969. doi.

Elste, A. M., & Benson, D. L. (2006). Structural basis for developmentally regulated changes in cadherin function at synapses. *Journal of Comparative Neurology*, 495(3), 324-335. doi.

Elston, G. N., Oga, T., & Fujita, I. (2009). Spinogenesis and Pruning Scales across Functional Hierarchies. *Journal of Neuroscience*, 29(10), 3271-3275. doi: 10.1523/jneurosci.5216-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/10/3271>

Elston, G. N., Oga, T., Okamoto, T., & Fujita, I. (2010). Spinogenesis and pruning from early visual onset to adulthood: an intracellular injection study of layer III pyramidal cells in the ventral visual cortical pathway of the macaque monkey. *Cerebral Cortex*, 20(6), 1398-1408. doi.

Elston, G. N., Oga, T., Okamoto, T., & Fujita, I. (2011). Spinogenesis and pruning in the anterior ventral inferotemporal cortex of the macaque monkey: an intracellular injection study of layer III pyramidal cells. *Frontiers in Neuroanatomy*, 5. doi.

Elston, G. N., Okamoto, T., Oga, T., Dornan, D., & Fujita, I. (2010). Spinogenesis and pruning in the primary auditory cortex of the macaque monkey (*Macaca fascicularis*): An intracellular injection study of layer III pyramidal cells. *Brain Research*, 1316, 35-42. doi.

Éltes, T., Kirizs, T., Nusser, Z., & Holderith, N. (2017). Target cell type-dependent differences in Ca²⁺ channel function underlie distinct release probabilities at hippocampal glutamatergic terminals. [10.1523/JNEUROSCI.2024-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/01/23/JNEUROSCI.2024-16.2017...>

Emmenegger, V., Qi, G., Wang, H., & Feldmeyer, D. (2018). Morphological and Functional Characterization of Non-fast-Spiking GABAergic Interneurons in Layer 4 Microcircuitry of Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhx352. <http://dx.doi.org/10.1093/cercor/bhx352>

Engelmann, J., Bacelo, J., van den Burg, E., & Grant, K. (2006). Sensory and Motor Effects of Etomidate Anesthesia. *Journal of Neurophysiology*, 95(2), 1231-1243. doi: 10.1152/jn.00405.2005. <http://jn.physiology.org/cgi/content/abstract/95/2/1231>

Engle, M. P., Merrill, M. A., de Prado, B. M., & Hammond, D. L. (2011). Spinal nerve ligation decreases γ -aminobutyric acidB receptors on specific populations of immunohistochemically-identified neurons in L5 dorsal root ganglion of the rat. *Journal of Comparative Neurology*. doi.

Enomoto, M., Bunge, M. B., & Tsoulfas, P. (2013). A multifunctional neurotrophin with reduced affinity to p75NTR enhances transplanted Schwann cell survival and axon growth after spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.013>. <http://www.sciencedirect.com/science/article/pii/S0014488613001866>

Enriquez-Barreto, L., Palazzetti, C., Brennaman, L. H., Maness, P. F., & Fairén, A. (2012). Neural cell adhesion molecule, NCAM, regulates thalamocortical axon pathfinding and the organization of the cortical somatosensory representation in mouse. *Frontiers in Molecular Neuroscience*, 5. doi.

Eom, T. Y., & Jope, R. S. (2009). Blocked inhibitory serine-phosphorylation of glycogen synthase kinase-3 α/β impairs in vivo neural precursor cell proliferation. *Biological Psychiatry*, 66(5), 494-502. doi.

Erbel-Sieler, C., Dudley, C., Zhou, Y., Wu, X., Estill, S. J., Han, T., . . . McKnight, S. L. (2004). Behavioral and regulatory abnormalities in mice deficient in the NPAS1 and NPAS3 transcription factors. *PNAS*, 101(37), 13648-13653. doi: <http://www.pnas.org/cgi/content/abstract/101/37/13648>

Erekat, N. S. (2016). Cerebellar Purkinje Cells Die by Apoptosis in the Shaker Mutant Rat. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.12.025>. <http://www.sciencedirect.com/science/article/pii/S0006899316308460>

Erekat, N. S. (2018). Active caspase-3 upregulation is augmented in at-risk cerebellar Purkinje cells following inferior olive chemoablation in the shaker mutant rat: an immunofluorescence study. *Neurological Research*, 1-8. doi:

10.1080/01616412.2018.1548792. <https://doi.org/10.1080/01616412.2018.1548792>

- Erickson, S. L., & Lewis, D. A. (2004). Cortical connections of the lateral mediodorsal thalamus in cynomolgus monkeys. *Journal of Comparative Neurology*, 473(1), 107-127. doi.
- Erisir, A., Levey, A. I., & Aoki, C. (2001). Muscarinic receptor M2 in cat visual cortex: Laminar distribution, relationship to γ -aminobutyric acidergic neurons, and effect of cingulate lesions. *Journal of Comparative Neurology*, 441(2), 168-185. doi.
- Ernst, L., Darschnik, S., Roos, J., González-Gómez, M., Beemelmans, C., Beemelmans, C., . . . Wahle, P. (2018). Fast prenatal development of the NPY neuron system in the neocortex of the European wild boar, *Sus scrofa*. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1725-y. <https://doi.org/10.1007/s00429-018-1725-y>
- Ertürk, A., Becker, K., Jährling, N., Mauch, C. P., Hojer, C. D., Egen, J. G., . . . Dodt, H. U. (2012). Three-dimensional imaging of solvent-cleared organs using 3DISCO. *Nature Protocols*, 7(11), 1983-1995. doi.
- Esclapez, M., Hirsch, J. C., Ben-Ari, Y., & Bernard, C. (1999). Newly formed excitatory pathways provide a substrate for hyperexcitability in experimental temporal lobe epilepsy. *Journal of Comparative Neurology*, 408(4), 449-460. doi.
- Esclapez, M., Hirsch, J. C., Khazipov, R., Ben-Ari, Y., & Bernard, C. (1997). Operative GABAergic inhibition in hippocampal CA1 pyramidal neurons in experimental epilepsy. *Proceedings of the National Academy of Sciences*, 94(22), 12151-12156. doi.
- Escobar, C. M., Krajewski, S. J., Sandoval-Guzman, T., Voytko, M. L., & Rance, N. E. (2004). Neuropeptide Y Gene Expression Is Increased in the Hypothalamus of Older Women. *Journal of Clinical Endocrinological Metabolism*, 89(5), 2338-2343. doi: 10.1210/jc.2003-031899. <http://jcem.endojournals.org/cgi/content/abstract/89/5/2338>
- Espallergues, J., Teegarden, S. L., Veerakumar, A., Boulden, J., Challis, C., Jochems, J., . . . Berton, O. (2012). HDAC6 Regulates Glucocorticoid Receptor Signaling in Serotonin Pathways with Critical Impact on Stress Resilience. *Journal of Neuroscience*, 32(13), 4400-4416. doi: 10.1523/jneurosci.5634-11.2012. <http://www.jneurosci.org/content/32/13/4400.abstract>
- Evans, R. C., Twedell, E. L., Zhu, M., Ascencio, J., Zhang, R., & Khaliq, Z. M. (2020). Functional Dissection of Basal Ganglia Inhibitory Inputs onto Substantia Nigra Dopaminergic Neurons. *Cell Reports*, 32(11), 108156. doi: <https://doi.org/10.1016/j.celrep.2020.108156> <http://www.sciencedirect.com/science/article/pii/S2211124720311451>
- Evers, J. F., Schmitt, S., Sibila, M., & Duch, C. (2005). Progress in Functional Neuroanatomy: Precise Automatic Geometric Reconstruction of Neuronal Morphology From Confocal Image Stacks. *Journal of Neurophysiology*, 93(4), 2331-2342. doi: 10.1152/jn.00761.2004. <http://jn.physiology.org/cgi/content/abstract/93/4/2331>
- Evstratova, A., Chamberland, S., & Topolnik, L. (2011). Cell type-specific and activity-dependent dynamics of action potential-evoked Ca²⁺ signals in dendrites of hippocampal inhibitory interneurons. *Journal of Physiology*, 589(8), 1957-1977. doi: 10.1113/jphysiol.2010.204255. <http://jp.physoc.org/content/589/8/1957.abstract>
- Eyo, U., & Dailey, M. (2012). Effects of oxygen-glucose deprivation on microglial mobility and viability in developing mouse hippocampal tissues. *Glia*, 60, 1747 - 1760. doi.

- Eyre, M. D., Antal, M., & Nusser, Z. (2008). Distinct Deep Short-Axon Cell Subtypes of the Main Olfactory Bulb Provide Novel Intrabulbar and Extrabulbar GABAergic Connections. *Journal of Neuroscience*, 28(33), 8217-8229. doi: 10.1523/jneurosci.2490-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/33/8217>
- Eyre, M. D., Kerti, K., & Nusser, Z. (2009). Molecular diversity of deep short-axon cells of the rat main olfactory bulb. *European Journal of Neuroscience*, 29(7), 1397-1407. doi.
- Eyre, M. D., & Nusser, Z. (2016). Only a minority of the inhibitory inputs to cerebellar Golgi cells originates from local GABAergic cells. [10.1523/ENEURO.0055-16.2016]. *eneuro*. doi. <http://eneuro.org/content/early/2016/05/09/ENEURO.0055-16.2016.abstract>
- Eyre, M. D., Renzi, M., Farrant, M., & Nusser, Z. (2012). Setting the Time Course of Inhibitory Synaptic Currents by Mixing Multiple GABAA Receptor α Subunit Isoforms. *Journal of Neuroscience*, 32(17), 5853-5867. doi: 10.1523/jneurosci.6495-11.2012. <http://www.jneurosci.org/content/32/17/5853.abstract>
- Ezerman, E. B., & Forehand, C. J. (1996). Development and segmental organization of rostrocaudal dendrites of rat sympathetic preganglionic neurons. *Journal of the Autonomic Nervous System*, 57(1-2), 29-35. doi.
- Fabel, K., Fabel, K., Tam, B., Kaufer, D., Baiker, A., Simmons, N., . . . Palmer, T. D. (2003). VEGF is necessary for exercise-induced adult hippocampal neurogenesis. *European Journal of Neuroscience*, 18(10), 2803-2812. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2003.0304...>
- Fabene, P. F., Correia, L., Carvalho, R. A., Cavalheiro, E. A., & Bentivoglio, M. (2001). The spiny rat *Proechimys guyannensis* as model of resistance to epilepsy: chemical characterization of hippocampal cell populations and pilocarpine-induced changes. *Neuroscience*, 104(4), 979-1002. doi.
- Fabris, C., Ballarin, C., Massa, R., Granato, A., Fabiani, O., Panzica, G. C., & Cozzi, B. (2009). The vasotocinergic system in the hypothalamus and limbic region of the budgerigar (*Melopsittacus undulatus*). *European Journal of Histochemistry*, 48(4), 367-372. doi.
- Faden, A. I., Fox, G. B., Di, X., Knobloch, S. M., Cernak, I., Mullins, P., . . . Kozikowski, A. P. (2003). Neuroprotective and Nootropic Actions of a Novel Cyclized Dipeptide After Controlled Cortical Impact Injury in Mice. *Journal of Cerebral Blood Flow AND Metabolism*, 23, 355-363. doi.
- Fagel, D. M., Ganat, Y., Cheng, E., Silbereis, J., Ohkubo, Y., Ment, L. R., & Vaccarino, F. M. (2009). Fgfr1 Is Required for Cortical Regeneration and Repair after Perinatal Hypoxia. *Journal of Neuroscience*, 29(4), 1202-1211. doi: 10.1523/jneurosci.4516-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/4/1202>
- Faherty, C. J., Kerley, D., & Smeyne, R. J. (2003). Golgi-Cox morphological analysis of neuronal changes induced by environmental enrichment. *Developmental Brain Research*, 141(1-2), 55-61. doi.
- Fahimi, A., Baktir, M. A., Moghadam, S., Mojabi, F. S., Sumanth, K., McNerney, M. W., . . . Salehi, A. (2016). Physical exercise induces structural alterations in the hippocampal astrocytes: exploring the role of BDNF-TrkB signaling. [journal article]. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-016-1308-8. <http://dx.doi.org/10.1007/s00429-016-1308-8>
- Fairén, A. (2007). Cajal and Lorente de Nó on cortical interneurons: Coincidences and progress. *Brain Research Reviews*, 55(2), 430-444. doi.

- Fakira, A. K., Gaspers, L. D., Thomas, A. P., Li, H., Jain, M. R., & Elkabes, S. (2012). Purkinje cell dysfunction and delayed death in plasma membrane calcium ATPase 2-heterozygous mice. *Molecular and Cellular Neuroscience*, 0. doi: 10.1016/j.mcn.2012.07.001. <http://www.sciencedirect.com/science/article/pii/S1044743112001091>
- Falcone, C., Wolf-Ochoa, M., Amina, S., Hong, T., Vakilzadeh, G., Hopkins, W. D., . . . Martinez-Cerdeño, V. (2018). Cortical interlaminar astrocytes across the therian mammal radiation. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24605. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24605>
- Fan, C., Zheng, Y., Cheng, X., Qi, X., Bu, P., Luo, X., . . . Cao, Q. (2013). Transplantation of D15A-Expressing Glial-Restricted-Precursor-Derived Astrocytes Improves Anatomical and Locomotor Recovery after Spinal Cord Injury. *International Journal of Biological Sciences*, 9(1), 78. doi.
- Fan, X. M., Hendley, E. D., & Forehand, C. J. (1995). Enhanced vascular neuropeptide Y-immunoreactive innervation in two hypertensive rat strains. *Hypertension*, 26(5), 758-763. doi.
- Fan, X.-W., Chen, F., Chen, Y., Chen, G.-H., Liu, H.-H., Guan, S.-K., . . . Wu, K.-L. (2015). Electroacupuncture Prevents Cognitive Impairments by Regulating the Early Changes after Brain Irradiation in Rats. *PLoS ONE*, 10(4), e0122087. doi: 10.1371/journal.pone.0122087. <http://dx.doi.org/10.1371%2Fjournal.pone.0122087>
- Fan, X.-W., Liu, H.-H., Wang, H.-B., Chen, F., Yang, Y., Chen, Y., . . . Wu, K.-L. (2017). Electroacupuncture Improves Cognitive Function and Hippocampal Neurogenesis after Brain Irradiation. *Radiation Research*, 0(0), null. doi: 10.1667/rr14561.1. <http://www.rjournal.org/doi/abs/10.1667/RR14561.1>
- Fan, Y., Zou, B., Ruan, Y., Pang, Z., & Xu, Z. C. (2005). In Vivo Demonstration of a Late Depolarizing Postsynaptic Potential in CA1 Pyramidal Neurons. *Journal of Neurophysiology*, 93(3), 1326-1335. doi: 10.1152/jn.00734.2004. <http://jn.physiology.org/cgi/content/abstract/93/3/1326>
- Fan, Z., Liang, Z., Yang, H., Pan, Y., Zheng, Y., & Wang, X. (2017). Tenuigenin protects dopaminergic neurons from inflammation via suppressing NLRP3 inflammasome activation in microglia. [journal article]. *Journal of Neuroinflammation*, 14(1), 256. doi: 10.1186/s12974-017-1036-x. <https://doi.org/10.1186/s12974-017-1036-x>
- Fang, M., Lorke, D. E., Li, J., Gong, X., Yew, J. C. C., & Yew, D. T. (2005). Postnatal Changes in Functional Activities of the Pig's Brain: A Combined Functional Magnetic Resonance Imaging and Immunohistochemical Study. *Neurosignals*, 14(5), 222-233. doi: <http://www.karger.com/DOI/10.1159/000088638>
- Faralli, A., Dagna, F., Albera, A., Bekku, Y., Oohashi, T., Albera, R., . . . Carulli, D. (2015). Modifications of perineuronal nets and remodelling of excitatory and inhibitory afferents during vestibular compensation in the adult mouse. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-015-1095-7. <http://dx.doi.org/10.1007/s00429-015-1095-7>
- Fares, T., & Stepanyants, A. (2009). Cooperative synapse formation in the neocortex. *Proceedings of the National Academy of Sciences*, 106(38), 16463-16468. doi: 10.1073/pnas.0813265106. <http://www.pnas.org/content/106/38/16463.abstract>
- Farfel-Becker, T., Vitner, E. B., Pressey, S. N. R., Eilam, R., Cooper, J. D., & Futerman, A. H. (2011). Spatial and temporal correlation between neuron loss and neuroinflammation in a mouse model of neuronopathic Gaucher disease. *Human Molecular Genetics*, 20(7), 1375-1386. doi: 10.1093/hmg/ddo19. <http://hmg.oxfordjournals.org/cgi/content/abstract/20/7/1375>

- Fargo, K. N., & Sengelaub, D. R. (2004). Exogenous testosterone prevents motoneuron atrophy induced by contralateral motoneuron depletion. *Journal of Neurobiology*, 60(3), 348-359. doi:
- Fargo, K. N., & Sengelaub, D. R. (2004). Testosterone manipulation protects motoneurons from dendritic atrophy after contralateral motoneuron depletion. *Journal of Comparative Neurology*, 469(1), 96-106. doi:
- Fargo, K. N., & Sengelaub, D. R. (2007). Androgenic, but not estrogenic, protection of motoneurons from somal and dendritic atrophy induced by the death of neighboring motoneurons. *Developmental Neurobiology*, 67(8), 1094-1106. doi:
- Farrell, M. R., Holland, F. H., Shansky, R. M., & Brenhouse, H. C. (2016). Sex-specific effects of early life stress on social interaction and prefrontal cortex dendritic morphology in young rats. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.05.009>, <http://www.sciencedirect.com/science/article/pii/S0166432816302753>
- Farrow, K., Teixeira, M., Szikra, T., Viney, Tim J., Balint, K., Yonehara, K., & Roska, B. (2013). Ambient Illumination Toggles a Neuronal Circuit Switch in the Retina and Visual Perception at Cone Threshold. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.02.014>, <http://www.sciencedirect.com/science/article/pii/S0896627313001724>
- Fasolino, M., Sabatini, P., Cuomo, T., & Liguori, G. (2004). Paraneoplastic subacute sensory neuronopathy associated with anti-ri antibodies. *Journal of the Peripheral Nervous System*, 9(2), 109-109. doi:
- Faulkner, J. R., Herrmann, J. E., Woo, M. J., Tansey, K. E., Doan, N. B., & Sofroniew, M. V. (2004). Reactive Astrocytes Protect Tissue and Preserve Function after Spinal Cord Injury. *Journal of Neuroscience*, 24(9), 2143-2155. doi: <http://www.jneurosci.org/cgi/content/abstract/24/9/2143>
- Faunes, M., Botelho, J. F., & Wild, J. M. (2017). Innervation of the syrinx of the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24236. <http://dx.doi.org/10.1002/cne.24236>
- Faunes, M., Fernández, S., Gutiérrez-Ibáñez, C., Iwaniuk, A. N., Wylie, D. R., Mpodozis, J., . . . Marín, G. (2012). Laminar segregation of GABAergic neurons in the avian nucleus isthmi pars magnocellularis: A retrograde tracer and comparative study. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23253. <http://dx.doi.org/10.1002/cne.23253>
- Faunes, M., & Wild, J. M. (2017). The ascending projections of the nuclei of the descending trigeminal tract (nTTD) in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24247. <http://dx.doi.org/10.1002/cne.24247>
- Faunes, M., & Wild, J. M. (2017). The sensory trigeminal complex and the organisation of its primary afferents in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24249. <http://dx.doi.org/10.1002/cne.24249>
- Favero, M., & Castro-Alamancos, M. A. (2013). Synaptic Cooperativity Regulates Persistent Network Activity in Neocortex. *Journal of Neuroscience*, 33(7), 3151-3163. doi: 10.1523/jneurosci.4424-12.2013. <http://www.jneurosci.org/content/33/7/3151.abstract>

Fawley, J. A., Pouliot, W. A., & Dudek, F. E. (2011). Pilocarpine-induced status epilepticus and subsequent spontaneous seizures: lack of effect on the number of gonadotropin-releasing hormone-positive neurons in a mouse model of temporal lobe epilepsy. *Neuroscience*. doi.

Fazeli, W., Zappettini, S., Marguet, S. L., Grendel, J., Esclapez, M., Bernard, C., & Isbrandt, D. (2017). Early-life exposure to caffeine affects the construction and activity of cortical networks in mice. *Experimental Neurology*, 295, 88-103. doi: <https://doi.org/10.1016/j.expneurol.2017.05.013>, <http://www.sciencedirect.com/science/article/pii/S001448861730136X>

Fazio, R., Malaguti, M. C., Molinari, E., Previtali, S., Del Carro, U., Amadio, S., . . . Quattrini, A. (2004). CIDP associated with lung cancer: a paraneoplastic disease? *Journal of the Peripheral Nervous System*, 9(2), 108-108. doi: doi:10.1111/j.1085-9489.2004.009209m.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Fazzari, P., Paternain, A. V., Valiente, M., Pla, R., Luján, R., Lloyd, K., . . . Rico, B. (2010). Control of cortical GABA circuitry development by Nrg1 and ErbB4 signalling. *Nature*, 464(7293), 1376-1380. doi.

Federer, F., Ichida, J. M., Jeffs, J., Schiessl, I., McLoughlin, N., & Angelucci, A. (2009). Four Projection Streams from Primate V1 to the Cytochrome Oxidase Stripes of V2. *Journal of Neuroscience*, 29(49), 15455-15471. doi: 10.1523/jneurosci.1648-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/49/15455>

Federer, F., Williams, D., Ichida, J. M., Merlin, S., & Angelucci, A. (2013). Two Projection Streams from Macaque V1 to the Pale Cytochrome Oxidase Stripes of V2. *Journal of Neuroscience*, 33(28), 11530-11539. doi: 10.1523/jneurosci.5053-12.2013. <http://www.jneurosci.org/content/33/28/11530.abstract>

Feingold, J., Desrochers, T. M., Fujii, N., Harlan, R., Tierney, P. L., Shimazu, H., . . . Graybiel, A. M. (2011). A system for recording neural activity chronically and simultaneously from multiple cortical and subcortical regions in non-human primates. *Journal of Neurophysiology*. doi.

Fekete, Z., Pálfi, E., Márton, G., Handbauer, M., Bérces, Z., Ulbert, I., . . . Négyessy, L. (2016). Combined in vivo recording of neural signals and iontophoretic injection of pathway tracers using a hollow silicon microelectrode. *Sensors and Actuators B: Chemical*. doi: <http://dx.doi.org/10.1016/j.snb.2015.12.099>, <http://www.sciencedirect.com/science/article/pii/S0925400515308236>

Feldmann, M., Beckmann, D., Eysel, U. T., & Manahan-Vaughan, D. (2018). Early Loss of Vision Results in Extensive Reorganization of Plasticity-Related Receptors and Alterations in Hippocampal Function That Extend Through Adulthood. *Cerebral Cortex*, bhy297-bhy297. doi: 10.1093/cercor/bhy297. <http://dx.doi.org/10.1093/cercor/bhy297>

Feldmeyer, D., Brecht, M., Helmchen, F., Petersen, C. C. H., Poulet, J. F. A., Staiger, J. F., . . . Schwarz, C. (2012). Barrel cortex function. *Progress in Neurobiology*, (0). doi: <http://dx.doi.org/10.1016/j.pneurobio.2012.11.002>, <http://www.sciencedirect.com/science/article/pii/S0301008212001700>

Feldmeyer, D., Egger, V., Lubke, J., & Sakmann, B. (1999). Reliable synaptic connections between pairs of excitatory layer 4 neurones within a single 'barrel' of developing rat somatosensory cortex. *Journal of Physiology*, 521(1), 169-190. doi. <http://jp.physoc.org/cgi/content/abstract/521/1/169>

- Feldmeyer, D., Kask, K., Brusa, R., Kornau, H.-C., Kolhekar, R., Rozov, A., . . . Seeburg, P. H. (1999). Neurological dysfunctions in mice expressing different levels of the Q/R site-unedited AMPAR subunit GluR-B. *Nature Neuroscience*, 2, 54-64. doi.
- Feldmeyer, D., Lubke, J., & Sakmann, B. (2006). Efficacy and connectivity of intracolumnar pairs of layer 2/3 pyramidal cells in the barrel cortex of juvenile rats. *Journal of Physiology*, 575(2), 583-602. doi: 10.1113/jphysiol.2006.105106. <http://jp.physoc.org/cgi/content/abstract/575/2/583>
- Feldmeyer, D., Lubke, J., Silver, R. A., & Sakmann, B. (2002). Synaptic connections between layer 4 spiny neurone- layer 2/3 pyramidal cell pairs in juvenile rat barrel cortex: physiology and anatomy of interlaminar signalling within a cortical column. *Journal of Physiology*, 538(3), 803-822. doi: 10.1113/jphysiol.2001.012959. <http://jp.physoc.org/cgi/content/abstract/538/3/803>
- Feldmeyer, D., Qi, G., Emmenegger, V., & Staiger, J. F. (2017). Inhibitory interneurons and their circuit motifs in the many layers of the barrel cortex. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.027>. <http://www.sciencedirect.com/science/article/pii/S0306452217303524>
- Feldmeyer, D., Roth, A., & Sakmann, B. (2005). Monosynaptic Connections between Pairs of Spiny Stellate Cells in Layer 4 and Pyramidal Cells in Layer 5A Indicate That Lemniscal and Paralemniscal Afferent Pathways Converge in the Infragranular Somatosensory Cortex. *Journal of Neuroscience*, 25(13), 3423-3431. doi. <http://www.jneurosci.org/cgi/content/abstract/25/13/3423>
- Felleman, D. J., Xiao, Y., & McClendon, E. (1997). Modular Organization of Occipito-Temporal Pathways: Cortical Connections between Visual Area 4 and Visual Area 2 and Posterior Inferotemporal Ventral Area in Macaque Monkeys. *Journal of Neuroscience*, 17(9), 3185-3200. doi. <http://www.jneurosci.org/cgi/content/abstract/17/9/3185>
- Fellous, J. M., Rudolph, M., Destexhe, A., & Sejnowski, T. J. (2003). Synaptic background noise controls the input/output characteristics of single cells in an in vitro model of in vivo activity. *Neuroscience*, 122(3), 811-829. doi.
- Feng, N., Ning, G., & Zheng, X. (2005). A framework for simulating axon guidance. *Neurocomputing*, 68, 70-84. doi.
- Fenrich, K. K., & Rose, P. K. (2009). Spinal Interneuron Axons Spontaneously Regenerate after Spinal Cord Injury in the Adult Feline. *Journal of Neuroscience*, 29(39), 12145-12158. doi: 10.1523/jneurosci.0897-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/39/12145>
- Fenrich, K. K., & Rose, P. K. (2011). Axons with highly branched terminal regions successfully regenerate across spinal midline transections in the adult cat. *Journal of Comparative Neurology*, 519(16), 3240-3258. doi: 10.1002/cne.22686. <http://dx.doi.org/10.1002/cne.22686>
- Fenrich, K. K., Skelton, N., MacDermid, V. E., Meehan, C. F., Armstrong, S., Neuber-Hess, M. S., & Rose, P. K. (2007). Axonal regeneration and development of de novo axons from distal dendrites of adult feline commissural interneurons after a proximal axotomy. *Journal of Comparative Neurology*, 502(6), 1079-1097. doi.
- Fenstermaker, V., Chen, Y., Ghosh, A., & Yuste, R. (2004). Regulation of dendritic length and branching by semaphorin 3A. *Journal of Neurobiology*, 58(3), 403-412. doi.

Fenton, E. Y., Fournier, N. M., Lussier, A. L., Romay-Tallon, R., Caruncho, H. J., & Kalynchuk, L. E. (2015). Imipramine protects against the deleterious effects of chronic corticosterone on depression-like behavior, hippocampal reelin expression, and neuronal maturation. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.pnpb.2015.02.001>. <http://www.sciencedirect.com/science/article/pii/S0278584615000275>

Ferdman, N., Murmu, R. P., Bock, J., Braun, K., & Leshem, M. (2007). Weaning age, social isolation, and gender, interact to determine adult explorative and social behavior, and dendritic and spine morphology in prefrontal cortex of rats. *Behavioural Brain Research*, 180(2), 174-182. doi.

Ferger, B., Leng, A., Mura, A., Hengerer, B., & Feldon, J. (2004). Genetic ablation of tumor necrosis factor- α (TNF- α) and pharmacological inhibition of TNF-synthesis attenuates MPTP toxicity in mouse striatum. *Journal of Neurochemistry*, 89(4), 822-833. doi.

Fernandez, D. C., Chang, Y.-T., Hattar, S., & Chen, S.-K. (2016). Architecture of retinal projections to the central circadian pacemaker. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1523629113. <http://www.pnas.org/content/early/2016/05/05/1523629113.abstract>

Fernández de Cossío, L., Guzmán, A., van der Veldt, S., & Luheshi, G. N. (2016). Prenatal infection leads to ASD-like behavior and altered synaptic pruning in the mouse offspring. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.09.028>. <http://www.sciencedirect.com/science/article/pii/S0889159116304524>

Fernández, J., Fernández, L., Benavides-Piccione, R., Ballesteros-Yañez, I., DeFelipe, J., & Peña, J. M. (2010). A model for generating synthetic dendrites of cortical neurons. *Trends in Applied Intelligent Systems*, 129-138. doi.

Fernandez, K. A., Jeffers, P. W., Lall, K., Liberman, M. C., & Kujawa, S. G. (2015). Aging after Noise Exposure: Acceleration of Cochlear Synaptopathy in "Recovered" Ears. *The Journal of Neuroscience*, 35(19), 7509-7520. doi. <http://www.jneurosci.org/content/35/19/7509.short>

Fernández, M., Morales, C., Durán, E., Fernandez-Colleman, S., Sentis, E., Mpodozis, J., . . . Marín, G. J. (2019). Parallel organization of the avian sensorimotor arcopallium: Tectofugal visual Pathway in the pigeon (*Columba livia*). *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24775. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24775>

Fernández, M. E., Croce, S., Boutin, C., Cremer, H., & Raineteau, O. (2011). Targeted electroporation of defined lateral ventricular walls: a novel and rapid method to study fate specification during postnatal forebrain neurogenesis. *Neural Development*, 6(1), 1-12. doi.

Fernandez-Gonzalez, P., Benavides-Piccione, R., Leguey, I., Bielza, C., Larrañaga, P., & DeFelipe, J. (2016). Dendritic-branching angles of pyramidal neurons of the human cerebral cortex. [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-016-1311-0. <http://dx.doi.org/10.1007/s00429-016-1311-0>

Ferrante, A., Boussadia, Z., Borreca, A., Mallozzi, C., Pedini, G., Pacini, L., . . . Martire, A. (2021). Adenosine A2A receptor inhibition reduces synaptic and cognitive hippocampal alterations in Fmr1 KO mice. *Translational Psychiatry*, 11(1), 112. doi: 10.1038/s41398-021-01238-5. <https://doi.org/10.1038/s41398-021-01238-5>

- Ferrante, M., Tahvildari, B., Duque, A., Hadzipasic, M., Salkoff, D., Zagha, E. W., . . . McCormick, D. A. (2016). Distinct Functional Groups Emerge from the Intrinsic Properties of Molecularly Identified Entorhinal Interneurons and Principal Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bhw143. <http://cercor.oxfordjournals.org/content/early/2016/06/06/cercor.bhw143>...
- Ferrante, R. J., Andreassen, O. A., Dedeoglu, A., Ferrante, K. L., Jenkins, B. G., Hersch, S. M., & Beal, M. F. (2002). Therapeutic Effects of Coenzyme Q10 and Remacemide in Transgenic Mouse Models of Huntington's Disease. *Journal of Neuroscience*, 22(5), 1592-1599. doi: <http://www.jneurosci.org/cgi/content/abstract/22/5/1592>
- Ferrante, R. J., Andreassen, O. A., Jenkins, B. G., Dedeoglu, A., Kuemmerle, S., Kubilus, J. K., . . . Beal, M. F. (2000). Neuroprotective Effects of Creatine in a Transgenic Mouse Model of Huntington's Disease. *Journal of Neuroscience*, 20(12), 4389-4397. doi: <http://www.jneurosci.org/cgi/content/abstract/20/12/4389>
- Ferrante, R. J., Klein, A. M., Dedeoglu, A., & Flint Beal, M. (2001). Therapeutic efficacy of EGb761 (Gingko biloba extract) in a transgenic mouse model of amyotrophic lateral sclerosis. *Journal of Molecular Neuroscience*, 17(1), 89-96. doi:
- Ferrante, R. J., Kubilus, J. K., Lee, J., Ryu, H., Beesen, A., Zucker, B., . . . Hersch, S. M. (2003). Histone Deacetylase Inhibition by Sodium Butyrate Chemotherapy Ameliorates the Neurodegenerative Phenotype in Huntington's Disease Mice. *Journal of Neuroscience*, 23(28), 9418-9427. doi: <http://www.jneurosci.org/cgi/content/abstract/23/28/9418>
- Ferrante, R. J., Ryu, H., Kubilus, J. K., D'Mello, S., Sugars, K. L., Lee, J., . . . Ratan, R. R. (2004). Chemotherapy for the Brain: The Antitumor Antibiotic Mithramycin Prolongs Survival in a Mouse Model of Huntington's Disease. *Journal of Neuroscience*, 24(46), 10335-10342. doi: <http://www.jneurosci.org/cgi/content/abstract/24/46/10335>
- Ferrarese, L., Jouhanneau, J.-S., Remme, M. W. H., Kremkow, J., Katona, G., Rózsa, B., . . . Poulet, J. F. A. (2018). Dendrite-Specific Amplification of Weak Synaptic Input during Network Activity In Vivo. *Cell Reports*, 24(13), 3455-3465.e3455. doi: <https://doi.org/10.1016/j.celrep.2018.08.088>. <http://www.sciencedirect.com/science/article/pii/S2211124718314074>
- Ferrari, D. C., Mdzomba, B. J., Dehorter, N., Lopez, C., Michel, F. J., Libersat, F., & Hammond, C. (2012). Midbrain dopaminergic neurons generate calcium and sodium currents and release dopamine in the striatum of pups. [Original Research]. *Frontiers in Cellular Neuroscience*, 6. doi: 10.3389/fncel.2012.00007. http://www.frontiersin.org/Journal/Abstract.aspx?s=156&name=cellular_neu...
- Ferrari, S., Cavallaro, T., Lanzafame, M., Malena, M., & Rizzuto, N. (2004). Painful neuropathy vasculitis in HIV infection. *Journal of the Peripheral Nervous System*, 9(2), 123-124. doi: doi:10.1111/j.1085-9489.2004.009209bl.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Ferreira, J. G. P., Duarte, J. C. G., Diniz, G. B., & Bittencourt, J. C. (2017). Litter size determines the number of melanin-concentrating hormone neurons in the medial preoptic area of Sprague Dawley lactating dams. *Physiology and Behavior*. doi: <http://dx.doi.org/10.1016/j.physbeh.2017.08.028>. <http://www.sciencedirect.com/science/article/pii/S0031938417302664>

Ferreira, T. A., Iacono, L. L., & Gross, C. T. (2010). Serotonin receptor 1A modulates actin dynamics and restricts dendritic growth in hippocampal neurons. *European Journal of Neuroscience*, 32(1), 18-26. doi.

Festa, L., Gutoskey, C. J., Graziano, A., Waterhouse, B. D., & Meucci, O. (2015). Induction of Interleukin-1 β by Human Immunodeficiency Virus-1 Viral Proteins Leads to Increased Levels of Neuronal Ferritin Heavy Chain, Synaptic Injury, and Deficits in Flexible Attention. *The Journal of Neuroscience*, 35(29), 10550-10561. doi. <http://www.jneurosci.org/content/35/29/10550.short>

Fetoni, A. R., De Bartolo, P., Eramo, S. L. M., Rolesi, R., Paciello, F., Bergamini, C., . . . Troiani, D. (2013). Noise-Induced Hearing Loss (NIHL) as a Target of Oxidative Stress-Mediated Damage: Cochlear and Cortical Responses after an Increase in Antioxidant Defense. *Journal of Neuroscience*, 33(9), 4011-4023. doi: 10.1523/jneurosci.2282-12.2013. <http://www.jneurosci.org/content/33/9/4011.abstract>

Fiala, J. C. (2005). Reconstruct: a free editor for serial section microscopy. *Journal of Microscopy*, 218(1), 52-61. doi: doi:10.1111/j.1365-2818.2005.01466.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2818.2005.01466.x>

Fieblinger, T., & Cenci, M. A. (2015). Zooming in on the small: The plasticity of striatal dendritic spines in L-DOPA-Induced dyskinesia. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.26139. <http://dx.doi.org/10.1002/mds.26139>

Fieblinger, T., Graves, S. M., Sebel, L. E., Alcacer, C., Plotkin, J. L., Gertler, T. S., . . . Cenci, M. A. (2014). Cell type-specific plasticity of striatal projection neurons in parkinsonism and L-DOPA-induced dyskinesia. *Nature Communications*, 5. doi. <http://www.nature.com/ncomms/2014/141031/ncomms6316/full/ncomms6316.html>

Fiesel, F. C., Schurr, C., Weber, S. S., & Kahle, P. J. (2011). TDP-43 knockdown impairs neurite outgrowth dependent on its target histone deacetylase 6. *Molecular neurodegeneration*, 6(1), 1-10. doi.

Filho, C. S., de Lima, C. M., Fôro, C. A. R., de Oliveira, M. A., Magalhães, N. G. M., Diniz, C. G., . . . Diniz, C. W. P. (2014). Visuospatial learning and memory in the Cebus apella and microglial morphology in the molecular layer of the dentate gyrus and CA1 lacunosum molecular layer. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.10.001>. <http://www.sciencedirect.com/science/article/pii/S0891061814000908>

Filiano, A. J., Martens, L. H., Young, A. H., Warmus, B. A., Zhou, P., Diaz-Ramirez, G., . . . Roberson, E. D. (2013). Dissociation of Frontotemporal Dementia-Related Deficits and Neuroinflammation in Progranulin Haploinsufficient Mice. *Journal of Neuroscience*, 33(12), 5352-5361. doi: 10.1523/jneurosci.6103-11.2013. <http://www.jneurosci.org/content/33/12/5352.abstract>

Filipchuk, A. A., & Durand, J. (2012). Postnatal dendritic development in lumbar motoneurons in mutant superoxide dismutase 1 mouse model of amyotrophic lateral sclerosis. *Neuroscience*. doi.

Filipovic, R., Rakic, S., & Zecevic, N. (2002). Expression of Golgi proteins in adult human brain and multiple sclerosis lesions. *Journal of Neuroimmunology*, 127(1), 1-12. doi.

Fillinger, C., Yalcin, I., Barrot, M., & Veinante, P. (2016). Afferents to anterior cingulate areas 24a and 24b .and midcingulate areas 24a' and 24b' in the mouse. [journal article]. *Brain Structure and Function*, 1-4 doi: 10.1007/s00429-016-1290-1. <http://dx.doi.org/10.1007/s00429-016-1290-1>

Fink, J. S., Kalda, A., Ryu, H., Stack, E. C., Schwarzschild, M. A., Chen, J.-F., & Ferrante, R. J. (2004). Genetic and pharmacological inactivation of the adenosine A2A receptor attenuates 3-nitropropionic acid-induced striatal damage. *Journal of Neurochemistry*, 88(3), 538-544. doi: doi:10.1046/j.1471-4159.2003.02145.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.02145.x>

Finkelstein, Y., Milatovic, D., Lazarovici, P., Ophir, A., Richter, E. D., Aschner, M., . . . others. (2010). Peaceful use of disastrous neurotoxicants. *Neurotoxicology*, 31(5), 608-620. doi.

Finlay, B. L., Charvet, C. J., Bastille, I., Cheung, D. T., Muniz, J. A. P. C., & de Lima Silveira, L. C. (2013). Scaling the primate lateral geniculate nucleus: Niche and neurodevelopment in the regulation of magnocellular and parvocellular cell number and nucleus volume. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23505. <http://dx.doi.org/10.1002/cne.23505>

Fino, E., & Yuste, R. (2011). Dense inhibitory connectivity in neocortex. *Neuron*, 69(6), 1188-1203. doi.

Finsterwald, C., Fiumelli, H., Cardinaux, J.-R., & Martin, J.-L. (2010). Regulation of Dendritic Development by BDNF Requires Activation of CRTR1 by Glutamate. *Journal of Biological Chemistry*, 285(37), 28587-28595. doi: 10.1074/jbc.M110.125740. <http://www.jbc.org/content/285/37/28587.abstract>

Finsterwald, C., & Martin, J.-L. (2011). Cellular mechanisms underlying the regulation of dendritic development by hepatocyte growth factor. *European Journal of Neuroscience*, 34(7), 1053-1061. doi: 10.1111/j.1460-9568.2011.07839.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07839.x>

Florentino, H., Kuczewski, N., Diabira, D., Ferrand, N., Pangalos, M. N., Porcher, C., & Gaiarsa, J.-L. (2009). GABAB Receptor Activation Triggers BDNF Release and Promotes the Maturation of GABAergic Synapses. *Journal of Neuroscience*, 29(37), 11650-11661. doi: 10.1523/jneurosci.3587-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/37/11650>

Fischer, A. K., von Rosenstiel, P., Fuchs, E., Goula, D., Almeida, O. F. X., & Czéh, B. (2002). The prototypic mineralocorticoid receptor agonist aldosterone influences neurogenesis in the dentate gyrus of the adrenalectomized rat. *Brain Research*, 947(2), 290-293. doi.

Fischer, T., Faus-Kessler, T., Welzl, G., Simeone, A., Wurst, W., & Prakash, N. (2011). Fgf15-mediated control of neurogenic and proneural gene expression regulates dorsal midbrain neurogenesis. *Developmental Biology*, 350(2), 496-510. doi.

Fish, K. N., Gonzales-Burgos, G., Zaitsev, A. V., & Lewis, D. A. (2012). Histological characterization of physiologically determined fast spiking interneurons in slices of the primate dorsolateral prefrontal cortex. *Isolated Central Nervous System Circuits (Ed K Ballanyi)*, *Neuromethods Series*, 73, 159-181. doi.

Fiske, B. K., & Brunjes, P. C. (2001). Cell death in the developing and sensory-deprived rat olfactory bulb. *Journal of Comparative Neurology*, 431(3), 311-319. doi.

Fitting, S., Booze, R. M., & Mactutus, C. F. (2006). Neonatal hippocampal Tat injections: developmental effects on prepulse inhibition (PPI) of the auditory startle response. *International Journal of Developmental Neuroscience*, 24(4), 275-283. doi.

Fitzgerald, P. J., Lane, J. W., Thakur, P. H., & Hsiao, S. S. (2004). Receptive Field Properties of the Macaque Second Somatosensory Cortex: Evidence for Multiple Functional Representations. *Journal*

of Neuroscience, 24(49), 11193-11204. doi: 10.1523/jneurosci.3481-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/49/11193>

Fitzgerald, P. J., Lane, J. W., Thakur, P. H., & Hsiao, S. S. (2006). Receptive Field (RF) Properties of the Macaque Second Somatosensory Cortex: RF Size, Shape, and Somatotopic Organization. *Journal of Neuroscience*, 26(24), 6485-6495. doi: 10.1523/jneurosci.5061-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/24/6485>

Fitzgerald, P. J., Lane, J. W., Thakur, P. H., & Hsiao, S. S. (2006). Receptive Field Properties of the Macaque Second Somatosensory Cortex: Representation of Orientation on Different Finger Pads. *Journal of Neuroscience*, 26(24), 6473-6484. doi: 10.1523/jneurosci.5057-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/24/6473>

FitzGibbon, T. (2006). Does the development of the perigeniculate nucleus support the notion of a hierarchical progression within the visual pathway? *Neuroscience*, 140(2), 529-546. doi.

FitzGibbon, T. (2007). Do first order and higher order regions of the thalamic reticular nucleus have different developmental timetables? *Experimental Neurology*, 204(1), 339-354. doi.

FitzGibbon, T. (2007). Do first order and higher order regions of the thalamic reticular nucleus have different developmental timetables? *Experimental Neurology*, 204(1), 339-354. doi.

FitzGibbon, T., Eriköz, B., Grünert, U., & Martin, P. R. (2015). Analysis of the lateral geniculate nucleus in dichromatic and trichromatic marmosets. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23772. <http://dx.doi.org/10.1002/cne.23772>

Fitzgibbon, T., Szmajda, B. A., Martin, P. R., Adams, J. C., Ahlsen, G., Lindstrom, S., . . . Avanzini, G. (2007). First order connections of the visual sector of the thalamic reticular nucleus in marmoset monkeys (*Callithrix jacchus*). *Visual Neuroscience*, 24(6), 857-857. doi.

Fiumelli, H., Briner, A., Puskarjov, M., Blaesse, P., Belem, B. J., Dayer, A. G., . . . Vutskits, L. (2012). An Ion Transport-Independent Role for the Cation-Chloride Cotransporter KCC2 in Dendritic Spinogenesis In Vivo. *Cerebral Cortex*, bhs027. doi: 10.1093/cercor/bhs027. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhs027v1>

Flanigan, T. J., Anderson, J. E., Elayan, I., Allen, A. R., & Ferguson, S. A. (2017). Effects of Cyclophosphamide (CYP) and/or Doxorubicin (DOX) in a Murine Model of Post-Chemotherapy Cognitive Impairment. *Toxicological Sciences*, kfx267-kfx267. doi: 10.1093/toxsci/kfx267. <http://dx.doi.org/10.1093/toxsci/kfx267>

Fletcher, L. N., & Williams, S. R. (2018). Neocortical Topology Governs the Dendritic Integrative Capacity of Layer 5 Pyramidal Neurons. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.10.048>. <http://www.sciencedirect.com/science/article/pii/S0896627318309565>

Florencia, M., A., S. C., & Carol, M. (2018). Distinct timing of neurogenesis of ipsilateral and contralateral retinal ganglion cells. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24467. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24467>

Flores, C., Wen, X., Labelle-Dumais, C., & Kolb, B. (2007). Chronic phencyclidine treatment increases dendritic spine density in prefrontal cortex and nucleus accumbens neurons. *Synapse*, 61(12), 978-984. doi.

Flores, C. E., Nikonenko, I., Mendez, P., Fritschy, J.-M., Tyagarajan, S. K., & Muller, D. (2014). Activity-dependent inhibitory synapse remodeling through gephyrin phosphorylation. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1411170112. <http://www.pnas.org/content/early/2014/12/17/1411170112.abstract>

Flügel, A., Berkowicz, T., Ritter, T., Labeur, M., Jenne, D. E., Li, Z., . . . Wekerle, H. (2001). Migratory activity and functional changes of green fluorescent effector cells before and during experimental autoimmune encephalomyelitis. *Immunity*, 14(5), 547-560. doi:

Foeller, E., Celikel, T., & Feldman, D. E. (2005). Inhibitory Sharpening of Receptive Fields Contributes to Whisker Map Plasticity in Rat Somatosensory Cortex. *Journal of Neurophysiology*, 94(6), 4387-4400. doi: 10.1152/jn.00553.2005. <http://jn.physiology.org/cgi/content/abstract/94/6/4387>

Fogaça, M. V., Campos, A. C., Coelho, L. D., Duman, R. S., & Guimarães, F. S. (2018). The anxiolytic effects of cannabidiol in chronically stressed mice are mediated by the endocannabinoid system: Role of neurogenesis and dendritic remodeling. *Neuropharmacology*, 135, 22-33. doi: <https://doi.org/10.1016/j.neuropharm.2018.03.001>. <https://www.sciencedirect.com/science/article/pii/S0028390818301023>

Fogarty, M. J., Kanjhan, R., Bellingham, M. C., & Noakes, P. G. (2016). Glycinergic Neurotransmission: A Potent Regulator of Embryonic Motor Neuron Dendritic Morphology and Synaptic Plasticity. *The Journal of Neuroscience*, 36(1), 80-87. doi: <http://www.jneurosci.org/content/36/1/80.short>

Fogarty, M. J., Kanjhan, R., Yanagawa, Y., Noakes, P. G., & Bellingham, M. C. (2017). Alterations in hypoglossal motor neurons due to GAD67 and VGAT deficient mice. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.12.004>. <http://www.sciencedirect.com/science/article/pii/S0014488616304046>

Fogarty, M. J., Klenowski, P. M., Lee, J. D., Drieberg-Thompson, J. R., Bartlett, S. E., Ngo, S. T., . . . Noakes, P. G. (2016). Cortical synaptic and dendritic spine abnormalities in a presymptomatic TDP-43 model of amyotrophic lateral sclerosis. [Article]. *Scientific Reports*, 6, 37968. doi: 10.1038/srep37968. <http://dx.doi.org/10.1038/srep37968>

Fogarty, M. J., Mu, E. W. H., Lavidis, N. A., Noakes, P. G., & Bellingham, M. C. (2017). Motor Areas Show Altered Dendritic Structure in an Amyotrophic Lateral Sclerosis Mouse Model. [Original Research]. *Frontiers in Neuroscience*, 11(609). doi: 10.3389/fnins.2017.00609. <https://www.frontiersin.org/article/10.3389/fnins.2017.00609>

Fogarty, M. J., Mu, E. W. H., Lavidis, N. A., Noakes, P. G., & Bellingham, M. C. (2019). Size-dependent vulnerability of lumbar motor neuron dendritic degeneration in SOD1G93A mice. *The anatomical record*, o(ja). doi: 10.1002/ar.24255. <https://anatomypubs.onlinelibrary.wiley.com/doi/abs/10.1002/ar.24255>

Fogarty, M. J., Mu, E. W. H., Noakes, P. G., Lavidis, N. A., & Bellingham, M. C. (2016). Marked changes in dendritic structure and spine density precede significant neuronal death in vulnerable cortical pyramidal neuron populations in the SOD1G93A mouse model of amyotrophic lateral sclerosis. [Journal article]. *Acta Neuropathologica Communications*, 4(1), 1-21. doi: 10.1186/s40478-016-0347-y. <http://dx.doi.org/10.1186/s40478-016-0347-y>

Fogarty, M. J., Noakes, P. G., & Bellingham, M. C. (2015). Motor Cortex Layer V Pyramidal Neurons Exhibit Dendritic Regression, Spine Loss, and Increased Synaptic Excitation in the Presymptomatic hSOD1G93A Mouse Model of Amyotrophic Lateral Sclerosis. *The Journal of Neuroscience*, 35(2), 643-647. doi: <http://www.jneurosci.org/content/35/2/643.short>

Fohlmeister, J. F., Cohen, E. D., & Newman, E. A. (2010). Mechanisms and distribution of ion channels in retinal ganglion cells: Using temperature as an independent variable. *Journal of Neurophysiology*, 00123.02009. doi: 10.1152/jn.00123.2009. <http://jn.physiology.org/cgi/content/abstract/00123.2009v1>

Földy, C., Malenka, Robert C., & Südhof, Thomas C. (2013). Autism-Associated Neuroligin-3 Mutations Commonly Disrupt Tonic Endocannabinoid Signaling. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.02.036>. <http://www.sciencedirect.com/science/article/pii/S0896627313002250>

Fong, A. Y., & Potts, J. T. (2006). Neurokinin-1 receptor activation in Botzinger complex evokes bradypnoea. *Journal of Physiology*, 575(3), 869-885. doi: 10.1113/jphysiol.2006.114314. <http://jp.physoc.org/cgi/content/abstract/575/3/869>

Fonken, L. K., Kitsmiller, E., Smale, L., & Nelson, R. J. (2012). Dim Nighttime Light Impairs Cognition and Provokes Depressive-Like Responses in a Diurnal Rodent. *Journal of Biological Rhythms*, 27(4), 319-327. doi: 10.1177/0748730412448324. <http://jbr.sagepub.com/content/27/4/319.abstract>

Fonken, L. K., Xu, X., Weil, Z. M., Chen, G., Sun, Q., Rajagopalan, S., & Nelson, R. J. (2011). Air pollution impairs cognition, provokes depressive-like behaviors and alters hippocampal cytokine expression and morphology. *Molecular Psychiatry*. doi: <http://www.nature.com/mp/journal/vaop/ncurrent/suppinfo/mp201176s1.html>. <http://dx.doi.org/10.1038/mp.2011.76>

Fontilla, M. F., & Peterson, E. H. (2000). Kinocilia heights on utricular hair cells. *Hearing Research*, 145(1-2), 8-16. doi:

Foo, K. S., Hellysaz, A., & Broberger, C. (2014). Expression and colocalization patterns of calbindin-D28K, calretinin and parvalbumin in the rat hypothalamic arcuate nucleus. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.06.008>. <http://www.sciencedirect.com/science/article/pii/S0891061814000490>

Forehand, C. J. (1990). Morphology of sympathetic preganglionic neurons in the neonatal rat spinal cord: An intracellular horseradish peroxidase study. *Journal of Comparative Neurology*, 298(3), 334-342. doi: <http://dx.doi.org/10.1002/cne.902980306>

Forehand, C. J., & Konopka, L. M. (1989). Frog sympathetic ganglion cells have local axon collaterals. *Journal of Comparative Neurology*, 289(2), 294-303. doi: <http://dx.doi.org/10.1002/cne.902890209>

Forgione, N., Karadimas, S. K., Foltz, W. D., Satkunendrarajah, K., Lip, A., & Fehlings, M. (2014). Bilateral Contusion-Compression Model of Incomplete Traumatic Cervical Spinal Cord Injury (SCI). *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2014.3388>

Fornai, M., Pellegrini, C., Antonioli, L., Segnani, C., Ippolito, C., Barocelli, E., . . . Colucci, R. (2015). Enteric dysfunctions in experimental Parkinson's disease: alterations of excitatory cholinergic neurotransmission regulating colonic motility in rats. *Journal of Pharmacology and Experimental Therapeutics*. doi: 10.1124/jpet.115.228510. <http://jpet.aspetjournals.org/content/early/2015/11/18/jpet.115.228510.a..>

Forner, S., Martini, A. C., Prieto, G. A., Dang, C. T., Rodriguez-Ortiz, C. J., Reyes-Ruiz, J. M., . . . LaFerla, F. M. (2019). Intra- and extracellular β -amyloid overexpression via adeno-associated virus-mediated

gene transfer impairs memory and synaptic plasticity in the hippocampus. *Scientific Reports*, 9(1), 15936. doi: 10.1038/s41598-019-52324-0. <https://doi.org/10.1038/s41598-019-52324-0>

Forny-Germano, L., e Silva, N. M. L., Batista, A. F., Brito-Moreira, J., Gralle, M., Boehnke, S. E., . . . Martinez, A. M. B. (2014). Alzheimer's Disease-Like Pathology Induced by Amyloid- β Oligomers in Nonhuman Primates. *The Journal of Neuroscience*, 34(41), 13629-13643. doi: <http://www.jneurosci.org/content/34/41/13629.short>

Forro, T., Valenti, O., Lasztoczi, B., & Klausberger, T. (2013). Temporal Organization of GABAergic Interneurons in the Intermediate CA1 Hippocampus During Network Oscillations. *Cerebral Cortex*. doi: 10.1093/cercor/bht316. <http://cercor.oxfordjournals.org/content/early/2013/11/22/cercor.bht316...>

Forsberg, K., Wuttke, A., Quadrato, G., Chumakov, P. M., Wizenmann, A., & Di Giovanni, S. (2013). The Tumor Suppressor p53 Fine-Tunes Reactive Oxygen Species Levels and Neurogenesis via PI3 Kinase Signaling. *Journal of Neuroscience*, 33(36), 14318-14330. doi: 10.1523/jneurosci.1056-13.2013. <http://www.jneurosci.org/content/33/36/14318.abstract>

Förstera, E., Bartosb, M., & Zhaoa, S. (2005). Hippocampal Slice Cultures. *Hippocampus*, 3, 9-9. doi.

Fortun, J., Puzis, R., Pearse, D. D., Gage, F. H., & Bunge, M. B. (2009). Muscle injection of AAV-NT3 promotes anatomical reorganization of CST axons and improves behavioral outcome following SCI. *Journal of Neurotrauma*, 26(7), 941-953. doi.

Fortuna, M. G., Kügler, S., & Hülsmann, S. (2018). Probing the function of glycinergic neurons in the mouse respiratory network using optogenetics. *Respiratory physiology & neurobiology*. doi: <https://doi.org/10.1016/j.resp.2018.10.008>, <http://www.sciencedirect.com/science/article/pii/S1569904818300740>

Fortuna, M. G., Stornetta, R. L., West, G. H., & Guyenet, P. G. (2009). Activation of the retrotrapezoid nucleus by posterior hypothalamic stimulation. *Journal of Physiology*, 587(21), 5121-5138. doi: 10.1113/jphysiol.2009.176875. <http://jp.physoc.org/content/587/21/5121.abstract>

Foscarin, S., Gianola, S., Carulli, D., Fazzari, P., Mi, S., Tamagnone, L., & Rossi, F. (2009). Overexpression of GAP-43 modifies the distribution of the receptors for myelin-associated growth-inhibitory proteins in injured Purkinje axons. *European Journal of Neuroscience*, 30(10), 1837-1848. doi.

Foscarin, S., Ponchione, D., Pajaj, E., Leto, K., Gawlak, M., Wilczynski, G. M., . . . Carulli, D. (2011). Experience-dependent plasticity and modulation of growth regulatory molecules at central synapses. *PLoS ONE*, 6(1), e16666-e16666. doi.

Fossati, S., Candiani, S., Nödl, M.-T., Maragliano, L., Pennuto, M., Domingues, P., . . . Zullo, L. (2014). Identification and Expression of Acetylcholinesterase in Octopus vulgaris Arm Development and Regeneration: a Conserved Role for ACHE? *Molecular Neurobiology*, 1-12. doi: 10.1007/s12035-014-8842-2. <http://dx.doi.org/10.1007/s12035-014-8842-2>

Fournier, N. M., Botterill, J. J., Marks, W. N., Guskjolen, A. J., & Kalynchuk, L. E. (2012). Impaired recruitment of seizure-generated neurons into functional memory networks of the adult dentate gyrus following long-term amygdala kindling. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2012.11.031>, <http://www.sciencedirect.com/science/article/pii/S0014488612004487>

- Fowler, M. A., Sidiropoulou, K., Ozkan, E. D., Phillips, C. W., & Cooper, D. C. (2007). Corticolimbic expression of TRPC4 and TRPC5 channels in the rodent brain. *PLoS ONE*, 2(6), e573-e573. doi.
- Fox, C., Dingman, A., Derugin, N., Wendland, M. F., Manabat, C., Ji, S., . . . Vexler, Z. S. (2005). Minocycline confers early but transient protection in the immature brain following focal cerebral ischemia-reperfusion. *Journal of Cerebral Blood Flow and Metabolism*. doi.
- Foxworthy, W. A., Clemo, H. R., & Meredith, M. A. (2012). Laminar and connectional organization of a multisensory cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23264. <http://dx.doi.org/10.1002/cne.23264>
- Foxworthy, W. A., & Meredith, M. A. (2011). An examination of somatosensory area SIII in ferret cortex. *Somatosensory - 38; Motor Research*, 28, 1(2), 1-10. doi.
- Francis, H. W., Rivas, A., Lehar, M., & Ryugo, D. K. (2004). Two types of afferent terminals innervate cochlear inner hair cells in C57BL/6J mice. *Brain Research*, 1016(2), 182-194. doi.
- Francis, H. W., Rivas, A., Lehar, M., Saito, Y., Mouton, P. R., & Ryugo, D. K. (2006). Efficient quantification of afferent cochlear ultrastructure using design-based stereology. *Journal of Neuroscience Methods*, 150(2), 150-158. doi.
- Franco, A., Knafo, S., Banon-Rodriguez, I., Merino-Serrais, P., Fernaud-Espinosa, I., Nieto, M., . . . Anton, I. M. (2011). WIP Is a Negative Regulator of Neuronal Maturation and Synaptic Activity. *Cerebral Cortex*, bhr199. doi: 10.1093/cercor/bhr199. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr199v1>
- Frandolig, J. E., Matney, C. J., Lee, K., Kim, J., Chevée, M., Kim, S.-J., . . . Brown, S. P. (2019). The Synaptic Organization of Layer 6 Circuits Reveals Inhibition as a Major Output of a Neocortical Sublamina. *Cell Reports*, 28(12), 3131-3143.e3135. doi: <https://doi.org/10.1016/j.celrep.2019.08.048>. <http://www.sciencedirect.com/science/article/pii/S2211124719310964>
- Frank, M., Schaeren-Wiemers, N., Schneider, R., & Schwab, M. E. (1999). Developmental Expression Pattern of the Myelin Proteolipin MAL Indicates Different Functions of MAL for Immature Schwann Cells and in a Late Step of CNS Myelinogenesis. *Journal of Neurochemistry*, 73(2), 587-597. doi: <http://www.jneurochem.org/cgi/content/abstract/73/2/587>
- Frank, N. Y., Schatton, T., Kim, S., Zhan, Q., Wilson, B. J., Ma, J., . . . Frank, M. H. (2011). VEGFR-1 Expressed by Malignant Melanoma-Initiating Cells Is Required for Tumor Growth. *Cancer Research*, 71(4), 1474-1485. doi: 10.1158/0008-5472.can-10-1660. <http://cancerres.aacrjournals.org/content/71/4/1474.abstract>
- Frankel, S., Concannon, J., Brusky, K., Pietrowicz, E., Giorgianni, S., Thompson, W. D., & Currie, D. A. (2009). Arsenic exposure disrupts neurite growth and complexity in vitro. *Neurotoxicology*, 30(4), 529-537. doi.
- Frankle, W. G., Laruelle, M., & Haber, S. N. (2006). Prefrontal Cortical Projections to the Midbrain in Primates: Evidence for a Sparse Connection. *Neuropsychopharmacology*, 31, 1627-1636. doi.
- Franklin, S. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2006). Unilateral cochlear ablation before hearing onset disrupts the maintenance of dorsal nucleus of the lateral lemniscus projection patterns in the rat inferior colliculus. *Neuroscience*, 143(1), 105-115. doi.

Franklin, S. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2008). Bilateral cochlear ablation in postnatal rat disrupts development of banded pattern of projections from the dorsal nucleus of the lateral lemniscus to the inferior colliculus. *Neuroscience*, 154(1), 346-354. doi.

Franklin, T. C., Wohleb, E. S., Zhang, Y., Fogaça, M., Hare, B., & Duman, R. S. (2017). Persistent increase in microglial RAGE contributes to chronic stress induced priming of depressive-like behavior. *Biological Psychiatry*. doi: <https://doi.org/10.1016/j.biopsych.2017.06.034>. <http://www.sciencedirect.com/science/article/pii/S0006322317318085>

Fransen, E., D'Hooge, R., Van Camp, G., Verhoye, M., Sijbers, J., Reyniers, E., . . . Koekkoek, S. K. E. (1998). L1 knockout mice show dilated ventricles, vermis hypoplasia and impaired exploration patterns. *Human Molecular Genetics*, 7(6), 999-1009. doi.

Franssen, C. L., Bardi, M., Shea, E. A., Hampton, J. E., Adam Franssen, R., Kinsley, C. H., & Lambert, K. G. (2011). Fatherhood Alters Behavioural and Neural Responsiveness in a Spatial Task. *Journal of Neuroendocrinology*, 23(11), 1177-1187. doi: 10.1111/j.1365-2826.2011.02225.x. <http://dx.doi.org/10.1111/j.1365-2826.2011.02225.x>

Frappe, I., Roger, M., & Gaillard, A. (1999). Transplants of fetal frontal cortex grafted into the occipital cortex of newborn rats receive a substantial thalamic input from nuclei normally projecting to the frontal cortex. *Neuroscience*, 89(2), 409-421. doi.

Frauenknecht, K., Katzav, A., Weiss Lavi, R., Sabag, A., Otten, S., Chapman, J., & Sommer, C. J. (2014). Mice with experimental antiphospholipid syndrome display hippocampal dysfunction and a reduction of dendritic complexity in hippocampal CA1 neurons. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12180. <http://dx.doi.org/10.1111/nan.12180>

Frazer, S., Prados, J., Niquille, M., Cadilhac, C., Markopoulos, F., Gomez, L., . . . Dayer, A. (2017). Transcriptomic and anatomic parcellation of 5-HT₃AR expressing cortical interneuron subtypes revealed by single-cell RNA sequencing. [Article]. *Nature Communications*, 8, 14219. doi: 10.1038/ncomms14219

<http://www.nature.com/articles/ncomms14219#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14219>

Freedman, L. J., Insel, T. R., & Smith, Y. (2000). Subcortical projections of area 25 (subgenual cortex) of the macaque monkey. *Journal of Comparative Neurology*, 421(2), 172-188. doi.

Freedman, L. J., & Maddox, M. T. (2001). A comparison of anti-biotin and biotinylated anti-avidin double-bridge and biotinylated tyramide immunohistochemical amplification. *Journal of Neuroscience Methods*, 112(1), 43-49. doi.

Freedman, L. J., & Shi, C. (2001). Monoaminergic innervation of the macaque extended amygdala. *Neuroscience*, 104(4), 1067-1084. doi.

Freese, J. L., & Amaral, D. G. (2005). The organization of projections from the amygdala to visual cortical areas TE and V1 in the macaque monkey. *Journal of Comparative Neurology*, 486(4), 295-317. doi.

Frega, M., Linda, K., Keller, J. M., Gümüş-Akay, G., Mossink, B., van Rhijn, J.-R., . . . Nadif Kasri, N. (2019). Neuronal network dysfunction in a model for Kleefstra syndrome mediated by enhanced NMDAR

signaling. *Nature Communications*, 10(1), 4928. doi: 10.1038/s41467-019-12947-3. <https://doi.org/10.1038/s41467-019-12947-3>

Fregosi, M., Contestabile, A., Hamadjida, A., & Rouiller, E. M. (2017). Corticobulbar projections from distinct motor cortical areas to the reticular formation in macaque monkeys. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13576. <http://dx.doi.org/10.1111/ejn.13576>

Fregosi, M., & Rouiller, E. M. (2017). Ipsilateral corticotectal projections from the primary, premotor and supplementary motor cortical areas in adult macaque monkeys: a quantitative anterograde tracing study. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13709. <http://dx.doi.org/10.1111/ejn.13709>

Freire, M. A. M., Faber, J., Picanço-Diniz, C. W., Franca, J. G., & Pereira, A. (2011). Morphometric variability of NADPH diaphorase neurons in the primary sensory areas of the rat. *Neuroscience*. doi.

Freire, M. A. M., Franca, J. G., Picanço-Diniz, C. W., Pereira, A., & others. (2005). Neuropil reactivity, distribution and morphology of NADPH diaphorase type I neurons in the barrel cortex of the adult mouse. *Journal of Chemical Neuroanatomy*, 30(2-3), 71-81. doi.

Freire, M. A. M., Gomes-Leal, W., Carvalho, W. A., Guimarães, J. S., Franca, J. G., Picanço-Diniz, C. W., . . . others. (2004). A morphometric study of the progressive changes on NADPH diaphorase activity in the developing rat's barrel field. *Neuroscience Research*, 50(1), 55-66. doi.

Freire, M. A. M., Morya, E., Faber, J., Santos, J. R., Guimaraes, J. S., Lemos, N. A. M., . . . Nicolelis, M. A. L. (2011). Comprehensive Analysis of Tissue Preservation and Recording Quality from Chronic Multielectrode Implants. *PLoS ONE*, 6(11), e27554-e27554. doi.

Freire, M. A. M., Oliveira, R. B., Picanço-Diniz, C. W., Pereira, A., & others. (2007). Differential effects of methylmercury intoxication in the rat's barrel field as evidenced by NADPH diaphorase histochemistry. *Neurotoxicology*, 28(1), 175-181. doi.

Freire, M. A. M., Rocha, E. G., Oliveira, J. L. F., Guimarães, J. S., Silveira, L. C. L., Elston, G. N., . . . Picanço-Diniz, C. W. (2010). Morphological variability of NADPH diaphorase neurons across areas V1, V2, and V3 of the common agouti. *Brain Research*, 1318, 52-63. doi.

Freire, M. A. M., Tourinho, S. C., Guimarães, J. S., Oliveira, J. L. F., Picanço-Diniz, C. W., Gomes-Leal, W., & Pereira, A. (2008). Frontiers: Histochemical characterization, distribution and morphometric analysis of NADPH diaphorase neurons in the spinal cord of the agouti. *Frontiers in Neuroanatomy*, 2. doi.

Freire, M. A. M., Tourinho, S. C., Guimarães, J. S., Oliveira, J. L. F., Picanço-Diniz, C. W., Gomes-Leal, W., & Pereira Jr, A. (2008). Histochemical characterization, distribution and morphometric analysis of NADPH diaphorase neurons in the spinal cord of the agouti. *Frontiers in Neuroanatomy*, 2. doi.

French, C. A., Vinueza Veloz, M. F., Zhou, K., Peter, S., Fisher, S. E., Costa, R. M., & De Zeeuw, C. I. (2018). Differential effects of Foxp2 disruption in distinct motor circuits. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0199-x. <https://doi.org/10.1038/s41380-018-0199-x>

Freria, C. M., Hall, J. C. E., Wei, P., Guan, Z., McTigue, D. M., & Popovich, P. G. (2017). Deletion of the fractalkine receptor, CX3CR1, improves endogenous repair, axon sprouting and synaptogenesis after spinal cord injury in mice. [10.1523/JNEUROSCI.2841-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/03/06/JNEUROSCI.2841-16.2017...>

Freund, M., Walther, T., & von Bohlen und Halbach, O. (2013). Effects of the angiotensin-(1-7) receptor Mas on cell proliferation and on the population of doublecortin positive cells within the dentate gyrus and the piriform cortex. *European Neuropsychopharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.euroneuro.2013.06.004>. <http://www.sciencedirect.com/science/article/pii/S0924977X1300179X>

Freund, P., Wannier, T., Schmidlin, E., Bloch, J., Mir, A., Schwab, M. E., & Rouiller, E. M. (2007). Anti-Nogo-A antibody treatment enhances sprouting of corticospinal axons rostral to a unilateral cervical spinal cord lesion in adult macaque monkey. *Journal of Comparative Neurology*, 502(4), 644-659. doi:

Frick, A., Feldmeyer, D., Helmstaedter, M., & Sakmann, B. (2008). Monosynaptic Connections between Pairs of L5A Pyramidal Neurons in Columns of Juvenile Rat Somatosensory Cortex. *Cerebral Cortex*, 18(2), 397-406. doi: 10.1093/cercor/bhm074. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/2/397>

Frick, A., Feldmeyer, D., & Sakmann, B. (2007). Postnatal development of synaptic transmission in local networks of L5A pyramidal neurons in rat somatosensory cortex. *Journal of Physiology*, 585(1), 103-116. doi: 10.1113/jphysiol.2007.141788. <http://jp.physoc.org/cgi/content/abstract/585/1/103>

Friedman, L. G., Riemsdagh, F. W., Sullivan, J. M., Mesias, R., Williams, F. M., Huntley, G. W., & Benson, D. L. (2014). Cadherin-8 expression, synaptic localization and molecular control of neuronal form in prefrontal cortico-striatal circuits. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23666. <http://dx.doi.org/10.1002/cne.23666>

Friel, K., Chakrabarty, S., Kuo, H.-C., & Martin, J. (2012). Using Motor Behavior during an Early Critical Period to Restore Skilled Limb Movement after Damage to the Corticospinal System during Development. *Journal of Neuroscience*, 32(27), 9265-9276. doi: 10.1523/jneurosci.1198-12.2012. <http://www.jneurosci.org/content/32/27/9265.abstract>

Friel, K. M., & Martin, J. H. (2007). Bilateral Activity-Dependent Interactions in the Developing Corticospinal System. *Journal of Neuroscience*, 27(41), 11083-11090. doi: 10.1523/jneurosci.2814-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/41/11083>

Friese, A., Kaltschmidt, J. A., Ladle, D. R., Sigrist, M., Jessell, T. M., & Arber, S. (2009). Gamma and alpha motor neurons distinguished by expression of transcription factor *Err3*. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0906809106. <http://www.pnas.org/content/early/2009/07/24/0906809106.abstract>

Fritz, R., Yilmazer-Hanke, D., Roskoden, T., Schwegler, H., & Linke, R. (2005). Separate sets of neurons of the central nucleus of the amygdala project to the substantia innominata and the caudal pontine reticular nucleus in the rat. *Neuroscience Letters*, 373(2), 130-133. doi:

Fritzsche, K., Can, A., Shen, H., Tsai, C., Turner, J., Tanenbaum, H. L., . . . Roysam, B. (2003). Automated model based segmentation, tracing and analysis of retinal vasculature from digital fundus images. *State-of-The-Art Angiography, Applications and Plaque Imaging Using MR, CT, Ultrasound and X-rays*, 225-298. doi:

Frohman, K. S., Wiskerke, J., Wise, R. A., Lehman, M. N., & Coolen, L. M. (2010). Methamphetamine acts on subpopulations of neurons regulating sexual behavior in male rats. *Neuroscience*, 166(3), 771-784. doi:

Fryer, J. D., Taylor, J. W., DeMattos, R. B., Bales, K. R., Paul, S. M., Parsadanian, M., & Holtzman, D. M. (2003). Apolipoprotein E Markedly Facilitates Age-Dependent Cerebral Amyloid Angiopathy and

Spontaneous Hemorrhage in Amyloid Precursor Protein Transgenic Mice. *Journal of Neuroscience*, 23(21), 7889-7896. doi: <http://www.jneurosci.org/cgi/content/abstract/23/21/7889>

Fu, M.-m., McAlear, T. S., Nguyen, H., Osés-Prieto, J. A., Valenzuela, A., Shi, R. D., . . . Barres, B. A. (2019). The Golgi Outpost Protein TPPP Nucleates Microtubules and Is Critical for Myelination. *Cell*, 179(1), 132-146.e114. doi: <https://doi.org/10.1016/j.cell.2019.08.025>. <http://www.sciencedirect.com/science/article/pii/S0092867419309134>

Fu, Y. H., Tvrdik, P., Makki, N., Palombi, O., Machold, R., Paxinos, G., & Watson, C. (2009). The precerebellar linear nucleus in the mouse defined by connections, immunohistochemistry, and gene expression. *Brain Research*, 1271, 49-59. doi.

Fucà, E., Guglielmotto, M., Boda, E., Rossi, F., Leto, K., & Buffo, A. (2017). Preventive motor training but not progenitor grafting ameliorates cerebellar ataxia and deregulated autophagy in tambaleante mice. *Neurobiology of Disease*, 102, 49-59. doi: <http://dx.doi.org/10.1016/j.nbd.2017.02.005>. <http://www.sciencedirect.com/science/article/pii/S0969996117300360>

Fuchs, E., Seress, L., & others. (2005). Mossy cells and different subpopulations of pyramidal neurons are immunoreactive for cocaine-and amphetamine-regulated transcript peptide in the hippocampal formation of non-human primates and tree shrew (*Tupaia belangeri*). *Neuroscience*, 136(1), 231-240. doi.

Fudge, J. L., deCampo, D. M., & Becoats, K. T. (2012). Revisiting the hippocampal-amygdala pathway in primates: Association with immature-appearing neurons. *Neuroscience*, 212(0), 104-119. doi: 10.1016/j.neuroscience.2012.03.040. <http://www.sciencedirect.com/science/article/pii/S0306452212003041>

Fuentealba, Luis C., Rompani, Santiago B., Parraguez, Jose I., Obernier, K., Romero, R., Cepko, Constance L., & Alvarez-Buylla, A. (2015). Embryonic Origin of Postnatal Neural Stem Cells. *Cell*, 161(7), 1644-1655. doi: 10.1016/j.cell.2015.05.041. <http://dx.doi.org/10.1016/j.cell.2015.05.041>

Fuentealba, P., Klausberger, T., Karayannis, T., Suen, W. Y., Huck, J., Tomioka, R., . . . Somogyi, P. (2010). Expression of COUP-TFII Nuclear Receptor in Restricted GABAergic Neuronal Populations in the Adult Rat Hippocampus. *Journal of Neuroscience*, 30(5), 1595-1609. doi: 10.1523/jneurosci.4199-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/5/1595>

Fuentes-Santamaria, V., Alvarado, J. C., Brunso-Bechtold, J. K., & Henkel, C. K. (2003). Upregulation of calretinin immunostaining in the ferret inferior colliculus after cochlear ablation. *Journal of Comparative Neurology*, 460(4), 585-596. doi.

Fuentes-Santamaria, V., Alvarado, J. C., Herranz, A. S., Garcia-Atarés, N., & López, D. E. (2007). Morphologic and neurochemical alterations in the superior colliculus of the genetically epilepsy-prone hamster (GPG/Vall). *Epilepsy Research*, 75(2), 206-219. doi.

Fuentes-Santamaria, V., Alvarado, J. C., Taylor, A. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2005). Quantitative changes in calretinin immunostaining in the cochlear nuclei after unilateral cochlear removal in young ferrets. *Journal of Comparative Neurology*, 483(4), 458-475. doi.

Fuentes-Santamaria, V., Cantos, R., Alvarado, J. C., Garcia-Atares, N., & Lopez, D. E. (2005). Morphologic and Neurochemical Abnormalities in the Auditory Brainstem of the Genetically

Epilepsy-prone Hamster (GPG/Vall). *Epilepsia*, 46(7), 1027-1045. doi: doi:10.1111/j.1528-1167.2005.68104.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2005.68104.x>

Fujii, T. G., Nixima, K. i., & Okanoya, K. (2016). Application of Optical Clearing Methods on the Songbird Brain. *Ornithological Science*, 15(2), 163-170. doi: 10.2326/osj.15.163. <http://dx.doi.org/10.2326/osj.15.163>

Fujino, T., Leslie, J. H., Eavri, R., Chen, J. L., Lin, W. C., Flanders, G. H., . . . Nedivi, E. (2011). CPG15 regulates synapse stability in the developing and adult brain. *Genes and Development*, 25(24), 2674-2685. doi: 10.1101/gad.176172.111. <http://genesdev.cshlp.org/content/25/24/2674.abstract>

Fujishima, K., Horie, R., Mochizuki, A., & Kengaku, M. (2012). Principles of branch dynamics governing shape characteristics of cerebellar Purkinje cell dendrites. *Development*, 139(18), 3442-3455. doi: 10.1242/dev.081315. <http://dev.biologists.org/content/139/18/3442.abstract>

Fujita, S., Mizoguchi, N., Aoki, R., Cui, Y., Koshikawa, N., & Kobayashi, M. (2015). Cytoarchitecture-Dependent Decrease in Propagation Velocity of Cortical Spreading Depression in the Rat Insular Cortex Revealed by Optical Imaging. *Cerebral Cortex*. doi: 10.1093/cercor/bhu336. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu336>

...

Fujita, S., Mizoguchi, N., Aoki, R., Cui, Y., Koshikawa, N., & Kobayashi, M. (2015). Cytoarchitecture-Dependent Decrease in Propagation Velocity of Cortical Spreading Depression in the Rat Insular Cortex Revealed by Optical Imaging. *Cerebral Cortex*. doi: 10.1093/cercor/bhu336. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu336>

...

Fujita, Y., Masuda, K., Bando, M., Nakato, R., Katou, Y., Tanaka, T., . . . Yamashita, T. (2017). Decreased cohesin in the brain leads to defective synapse development and anxiety-related behavior. [10.1084/jem.20161517]. *The Journal of experimental medicine*. doi: <http://jem.rupress.org/content/early/2017/04/12/jem.20161517.abstract>

Fujiwara, T., Inoue, T., Maruo, T., Rikitake, Y., Ieki, N., Mandai, K., . . . Mizoguchi, A. (2015). Nectin-1 Spots Regulate the Branching of Olfactory Mitral Cell Dendrites. *Molecular and Cellular Neuroscience*. doi: <http://dx.doi.org/10.1016/j.mcn.2015.07.003>. <http://www.sciencedirect.com/science/article/pii/S1044743115300038>

Fukami, H., & Bradley, R. M. (2005). Biophysical and Morphological Properties of Parasympathetic Neurons Controlling the Parotid and von Ebner Salivary Glands in Rats. *Journal of Neurophysiology*, 93(2), 678-686. doi: 10.1152/jn.00277.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/678>

Fukuda, S., Maeda, H., & Sakurai, M. (2020). Reevaluation of motoneuron morphology: diversity and regularity among motoneurons innervating different arm muscles along a proximal–distal axis. *Scientific Reports*, 10(1), 13089. doi: 10.1038/s41598-020-69662-z. <https://doi.org/10.1038/s41598-020-69662-z>

Fukuda, T. (2009). Network Architecture of Gap Junction-Coupled Neuronal Linkage in the Striatum. *Journal of Neuroscience*, 29(4), 1235-1243. doi: 10.1523/jneurosci.4418-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/4/1235>

Fukuda, T. (2016). Structural organization of the dendritic reticulum linked by gap junctions in layer 4 of the visual cortex. *Neuroscience*.

doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.10.050>. <http://www.sciencedirect.com/science/article/pii/S0306452216305905>

Fukuda, T., & Kosaka, T. (2000). Gap Junctions Linking the Dendritic Network of GABAergic Interneurons in the Hippocampus. *Journal of Neuroscience*, 20(4), 1519-1528. doi: <http://www.jneurosci.org/cgi/content/abstract/20/4/1519>

Fukuda, T., & Kosaka, T. (2003). Ultrastructural study of gap junctions between dendrites of parvalbumin-containing GABAergic neurons in various neocortical areas of the adult rat. *Neuroscience*, 120(1), 5-20. doi:

Fukuda, T., Kosaka, T., Singer, W., & Galuske, R. A. W. (2006). Gap Junctions among Dendrites of Cortical GABAergic Neurons Establish a Dense and Widespread Intercolumnar Network. *Journal of Neuroscience*, 26(13), 3434-3443. doi: 10.1523/jneurosci.4076-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/13/3434>

Fukuda, T., Morooka, K., & Miyagi, Y. (2010). A simple but accurate method for histological reconstruction of the large-sized brain tissue of the human that is applicable to construction of digitized brain database. *Neuroscience Research*, 67(3), 260-265. doi:

Fukui, H., Diaz, F., Garcia, S., & Moraes, C. T. (2007). Cytochrome c oxidase deficiency in neurons decreases both oxidative stress and amyloid formation in a mouse model of Alzheimer's disease. *PNAS*, 104(35), 14163-14168. doi: 10.1073/pnas.0705738104. <http://www.pnas.org/cgi/content/abstract/104/35/14163>

Fukumitsu, K., Fujishima, K., Yoshimura, A., Wu, Y. K., Heuser, J., & Kengaku, M. (2015). Synergistic Action of Dendritic Mitochondria and Creatine Kinase Maintains ATP Homeostasis and Actin Dynamics in Growing Neuronal Dendrites. *The Journal of Neuroscience*, 35(14), 5707-5723. doi: 10.1523/jneurosci.4115-14.2015. <http://www.jneurosci.org/content/35/14/5707.abstract>

Fukumitsu, K., Hatsukano, T., Yoshimura, A., Heuser, J., Fujishima, K., & Kengaku, M. (2015). Mitochondrial fission protein Drp1 regulates mitochondrial transport and dendritic arborization in cerebellar Purkinje cells. *Molecular and Cellular Neuroscience*. doi: <http://dx.doi.org/10.1016/j.mcn.2015.12.006>. <http://www.sciencedirect.com/science/article/pii/S1044743115300464>

Fukunaga, I., Berning, M., Kollo, M., Schmaltz, A., & Schaefer, Andreas T. (2012). Two Distinct Channels of Olfactory Bulb Output. *Neuron*, 75(2), 320-329. doi: 10.1016/j.neuron.2012.05.017. <http://www.sciencedirect.com/science/article/pii/S0896627312004837>

Fukunaga, I., Herb, J. T., Kollo, M., Boyden, E. S., & Schaefer, A. T. (2014). Independent control of gamma and theta activity by distinct interneuron networks in the olfactory bulb. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3760.html>

Fullerton, B. C., & Pandya, D. N. (2007). Architectonic analysis of the auditory-related areas of the superior temporal region in human brain. *Journal of Comparative Neurology*, 504(5), 470-498. doi:

Funamizu, Y., Nishijima, H., Ueno, T., Ueno, S., Mizukami, H., Yagihashi, S., & Tomiyama, M. (2017). Morphological dendritic spine changes of medium spiny neurons in the nucleus accumbens in 6-hydroxydopamine-lesioned rats treated with levodopa. *Neuroscience Research*. doi: <http://doi.org/10.1016/j.neures.2017.03.010>. <http://www.sciencedirect.com/science/article/pii/S0168010216302486>

Fung, J. C. L., & Cho, E. Y. P. (2020). Methylene blue promotes survival and GAP-43 expression of retinal ganglion cells after optic nerve transection. *Life Sciences*, 118462. doi: <https://doi.org/10.1016/j.lfs.2020.118462>. <http://www.sciencedirect.com/science/article/pii/S024320520312157>

Funka-Lea, G. D., & Schwaber, J. S. (1994). A digital brain atlas and its application to the visceral neuraxis. *Journal of Neuroscience Methods*, 54(2), 253-260. doi.

Furman, M., & Crair, M. C. (2012). Synapse maturation is enhanced in the binocular region of the retinocollicular map prior to eye opening. *Journal of Neurophysiology*. doi: 10.1152/jn.00943.2011. <http://jn.physiology.org/content/early/2012/03/02/jn.00943.2011.abstract>

Furman, M., Xu, H.-P., & Crair, M. C. (2013). Competition driven by retinal waves promotes the morphological and functional synaptic development of neurons in the superior colliculus. *Journal of Neurophysiology*. doi: 10.1152/jn.01066.2012. <http://jn.physiology.org/content/early/2013/06/05/jn.01066.2012.abstract>

Furtak, S. C., Moyer Jr, J. R., & Brown, T. H. (2007). Morphology and ontogeny of rat perirhinal cortical neurons. *Journal of Comparative Neurology*, 505(5), 493-510. doi.

Furtak, S. C., Wei, S. M., Agster, K. L., & Burwell, R. D. (2007). Functional neuroanatomy of the parahippocampal region in the rat: the perirhinal and postrhinal cortices. *Hippocampus*, 17(9), 709-722. doi.

Furuta, T., Deschênes, M., & Kaneko, T. (2011). Anisotropic Distribution of Thalamocortical Boutons in Barrels. *Journal of Neuroscience*, 31(17), 6432-6439. doi: 10.1523/jneurosci.6154-10.2011. <http://www.jneurosci.org/content/31/17/6432.abstract>

Furuta, T., Kaneko, T., & Deschenes, M. (2009). Septal Neurons in Barrel Cortex Derive Their Receptive Field Input from the Lemniscal Pathway. *Journal of Neuroscience*, 29(13), 4089-4095. doi: 10.1523/jneurosci.5393-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/13/4089>

Furutani, R., & Kibayashi, K. (2011). Morphological Alteration and Reduction of MAP2-Immunoreactivity in Pyramidal Neurons of Cerebral Cortex in a Rat Model of Focal Cortical Compression. *Journal of Neurotrauma*. doi.

Fuzik, J., Zeisel, A., Mate, Z., Calvigioni, D., Yanagawa, Y., Szabo, G., . . . Harkany, T. (2015). Integration of electrophysiological recordings with single-cell RNA-seq data identifies neuronal subtypes. [Research]. *Nat Biotech*, advance online publication. doi: 10.1038/nbt.3443

<http://www.nature.com/nbt/journal/vaop/ncurrent/abs/nbt.3443.html#supple> <http://dx.doi.org/10.1038/nbt.3443>

Gabbott, P., Warner, T. A., Brown, J., Salway, P., Gabbott, T., & Busby, S. (2012). Amygdala afferents monosynaptically innervate corticospinal neurones in rat medial prefrontal cortex (mPFC). *Journal of Comparative Neurology*. doi.

Gabbott, P. L. A., Warner, T. A., Jays, P. R. L., Salway, P., & Busby, S. J. (2005). Prefrontal cortex in the rat: projections to subcortical autonomic, motor, and limbic centers. *Journal of Comparative Neurology*, 492(2), 145-177. doi.

Gaborieau, E., Hurtado-Chong, A., Fernández, M., Azim, K., & Raineteau, O. (2018). A dual role for the transcription factor Sp8 in postnatal neurogenesis. *Scientific Reports*, 8(1), 14560. doi: 10.1038/s41598-018-32134-6. <https://doi.org/10.1038/s41598-018-32134-6>

Gabr, U., Won, Y. S., Boonlayangoor, S., Thompson, K., Baroody, F. M., & Naclerio, R. M. (2001). C57BL/6 and BALB/c mice have similar neutrophil response to acute *Streptococcus pneumoniae* sinus infections. *Archives of Otolaryngology- Head and Neck Surgery*, 127(8), 985-985. doi.

Gabriele, M. L., Brubaker, D. Q., Chamberlain, K. A., Kross, K. M., Simpson, N. S., & Kavianpour, S. M. (2011). EphA4 and ephrin-B2 expression patterns during inferior colliculus projection shaping prior to experience. *Developmental Neurobiology*, 71(2), 182-199. doi: 10.1002/dneu.20842. <http://dx.doi.org/10.1002/dneu.20842>

Gabriele, M. L., Brunso-Bechtold, J. K., & Henkel, C. K. (2000). Development of afferent patterns in the inferior colliculus of the rat: projection from the dorsal nucleus of the lateral lemniscus. *Journal of Comparative Neurology*, 416(3), 368-382. doi.

Gabriele, M. L., Brunso-Bechtold, J. K., & Henkel, C. K. (2000). Plasticity in the Development of Afferent Patterns in the Inferior Colliculus of the Rat after Unilateral Cochlear Ablation. *Journal of Neuroscience*, 20(18), 6939-6949. doi. <http://www.jneurosci.org/cgi/content/abstract/20/18/6939>

Gagnon, D., & Parent, M. (2014). Distribution of VGLUT3 in Highly Collateralized Axons from the Rat Dorsal Raphe Nucleus as Revealed by Single-Neuron Reconstructions. *PLoS ONE*, 9(2), e87709. doi: 10.1371/journal.pone.0087709. <http://dx.doi.org/10.1371%2Fjournal.pone.0087709>

Gagnon, M., Inhorn, S., Hancock, J., Keller, B., Carpenter, D., Merlin, T., . . . Whalen, R. (2004). Comparison of Cytology Proficiency Testing: Glass Slides vs. Virtual Slides. *Acta Cytologica*, November-December, 788-794. doi.

Gahring, L. C., Persiyanov, K., Days, E. L., & Rogers, S. W. (2005). Age-related loss of neuronal nicotinic receptor expression in the aging mouse hippocampus corresponds with cyclooxygenase-2 and PPAR γ expression and is altered by long-term NS398 administration. *Journal of Neurobiology*, 62(4), 453-468. doi.

Gahring, L. C., Persiyanov, K., Dunn, D., Weiss, R., Meyer, E. L., & Rogers, S. W. (2004). Mouse strain-specific nicotinic acetylcholine receptor expression by inhibitory interneurons and astrocytes in the dorsal hippocampus. *Journal of Comparative Neurology*, 468(3), 334-346. doi.

Gahring, L. C., Persiyanov, K., & Rogers, S. W. (2005). Mouse strain-specific changes in nicotinic receptor expression with age. *Neurobiology of Aging*, 26(6), 973-980. doi.

Gaillard, A., Nasarre, C., & Roger, M. (2003). Early (E12) cortical progenitors can change their fate upon heterotopic transplantation. *European Journal of Neuroscience*, 17(7), 1375-1383. doi: doi:10.1046/j.1460-9568.2003.02576.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02576.x>

Gal, R., & Libersat, F. (2006). New vistas on the initiation and maintenance of insect motor behaviors revealed by specific lesions of the head ganglia. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 192(9), 1003-1020. doi.

Galarreta, M., Erdelyi, F., Szabo, G., & Hestrin, S. (2004). Electrical Coupling among Irregular-Spiking GABAergic Interneurons Expressing Cannabinoid Receptors. *Journal of Neuroscience*, 24(44), 9770-9778. doi: <http://www.jneurosci.org/cgi/content/abstract/24/44/9770>

Galarreta, M., & Hestrin, S. (2002). Electrical and chemical synapses among parvalbumin fast-spiking GABAergic interneurons in adult mouse neocortex. *Proceedings of the National Academy of Sciences*, 99(19), 12438-12443. doi: 10.1073/pnas.192159599. <http://www.pnas.org/cgi/content/abstract/99/19/12438>

Galassi, G., Ruggeri, A., Leone, M., & Cappelli, G. (2004). Chronic ataxic neuropathy initially diagnosed as ataxic variant of guillain barré syndrome. *Journal of the Peripheral Nervous System*, 9(2), 119-119. doi.

Galazo, M. J., Martinez-Cerdeno, V., Porrero, C., & Clasca, F. (2008). Embryonic and Postnatal Development of the Layer I-Directed ("Matrix") Thalamocortical System in the Rat. *Cerebral Cortex*, 18(2), 344-363. doi: 10.1093/cercor/bhm059. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/2/344>

Gale, S. D., & Murphy, G. J. (2014). Distinct Representation and Distribution of Visual Information by Specific Cell Types in Mouse Superficial Superior Colliculus. *The Journal of Neuroscience*, 34(40), 13458-13471. doi: <http://www.jneurosci.org/content/34/40/13458.short>

Gallay, D. S., Gallay, M. N., Jeanmonod, D., Rouiller, E. M., & Morel, A. (2012). The Insula of Reil Revisited: Multiarchitectonic Organization in Macaque Monkeys. *Cerebral Cortex*, 22(1), 175-190. doi.

Galliano, E., Gao, Z., Schonewille, M., Todorov, B., Simons, E., Pop, Andreea S., . . . De Zeeuw, Chris I. (2013). Silencing the Majority of Cerebellar Granule Cells Uncovers Their Essential Role in Motor Learning and Consolidation. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.03.023>. <http://www.sciencedirect.com/science/article/pii/S2211124713001307>

Galvan, A., Charara, A., Pare, J. F., Levey, A. I., & Smith, Y. (2004). Differential subcellular and subsynaptic distribution of GABAA and GABAB receptors in the monkey subthalamic nucleus. *Neuroscience*, 127(3), 709-721. doi.

Galvan, C. D., Wenzel, J. H., Dineley, K. T., Lam, T. T., Schwartzkroin, P. A., Sweatt, J. D., & Swann, J. W. (2003). Postsynaptic contributions to hippocampal network hyperexcitability induced by chronic activity blockade in vivo. *European Journal of Neuroscience*, 18(7), 1861-1872. doi: doi:10.1046/j.1460-9568.2003.02920.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02920.x>

Galvan, E. J., Calixto, E., & Barrionuevo, G. (2008). Bidirectional Hebbian Plasticity at Hippocampal Mossy Fiber Synapses on CA3 Interneurons. *Journal of Neuroscience*, 28(52), 14042-14055. doi: 10.1523/jneurosci.4848-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/52/14042>

Galván, E. J., Pérez-Rosello, T., Gómez-Lira, G., Lara, E., Gutiérrez, R., & Barrionuevo, G. (2015). Synapse-specific compartmentalization of signaling cascades for LTP induction in CA3 interneurons. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.01.024>. <http://www.sciencedirect.com/science/article/pii/S0306452215000792>

Gama, C. I., Tully, S. E., Sotogaku, N., Clark, P. M., Rawat, M., Vaidehi, N., . . . Hsieh-Wilson, L. C. (2006). Sulfation patterns of glycosaminoglycans encode molecular recognition and activity. *Nature of Chemical Biology*. doi.

Gambino, F., Pagès, S., Kehayas, V., Baptista, D., Tatti, R., Carleton, A., & Holtmaat, A. (2014). Sensory-evoked LTP driven by dendritic plateau potentials in vivo. *Nature*. doi: <http://www.nature.com/nature/journal/vaop/ncurrent/full/nature13664.html>

Ganat, Y. M., Silbereis, J., Cave, C., Ngu, H., Anderson, G. M., Ohkubo, Y., . . . Vaccarino, F. M. (2006). Early Postnatal Astroglial Cells Produce Multilineage Precursors and Neural Stem Cells In Vivo. *Journal of Neuroscience*, 26(33), 8609-8621. doi: 10.1523/jneurosci.2532-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/33/8609>

Gantelet, E., Kraftsik, R., Delaloye, S., Gourdon, G., Kuntzer, T., & Barakat-Walter, I. (2007). The expansion of 300 CTG repeats in myotonic dystrophy transgenic mice does not induce sensory or motor neuropathy. *Acta Neuropathologica*, 114(2), 175-185. doi.

Gao, H., Glatzer, N. R., Williams, K. W., Derbenev, A. V., Liu, D., & Smith, B. N. (2009). Morphological and electrophysiological features of motor neurons and putative interneurons in the dorsal vagal complex of rats and mice. *Brain Research*, 1291, 40-52. doi.

Gao, K., & Mason, P. (2001). Physiological and anatomic evidence for functional subclasses of serotonergic raphe magnus cells. *Journal of Comparative Neurology*, 439(4), 426-439. doi.

Gao, L., Tian, M., Zhao, H.-Y., Xu, Q.-Q., Huang, Y.-M., Si, Q.-C., . . . Zeng, Y. (2015). TrkB Activation by 7, 8-Dihydroxyflavone Increases Synapse AMPA Subunits and Ameliorates Spatial Memory Deficits in a Mouse Model of Alzheimer's Disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13432. <http://dx.doi.org/10.1111/jnc.13432>

Gao, P., Postiglione, Maria P., Krieger, Teresa G., Hernandez, L., Wang, C., Han, Z., . . . Shi, S.-H. (2014). Deterministic Progenitor Behavior and Unitary Production of Neurons in the Neocortex. *Cell*, 159(4), 775-788. doi: <http://dx.doi.org/10.1016/j.cell.2014.10.027>. <http://www.sciencedirect.com/science/article/pii/S0092867414013154>

Gao, R., Asano, S. M., Upadhyayula, S., Pisarev, I., Milkie, D. E., Liu, T.-L., . . . Betzig, E. (2019). Cortical column and whole-brain imaging with molecular contrast and nanoscale resolution. *Science*, 363(6424), eaau8302. doi: 10.1126/science.aau8302. <http://science.sciencemag.org/content/363/6424/eaau8302.abstract>

Gao, W. J., & Pallas, S. L. (1999). Cross-Modal Reorganization of Horizontal Connectivity in Auditory Cortex without Altering Thalamocortical Projections. *Journal of Neuroscience*, 19(18), 7940-7950. doi: <http://www.jneurosci.org/cgi/content/abstract/19/18/7940>

Gao, W. J., Wormington, A. B., Newman, D. E., & Pallas, S. L. (2000). Development of inhibitory circuitry in visual and auditory cortex of postnatal ferrets: Immunocytochemical localization of calbindin- and parvalbumin-containing neurons. *Journal of Comparative Neurology*, 422(1), 140-157. doi.

Gao, W.-J., & Goldman-Rakic, P. S. (2003). Selective modulation of excitatory and inhibitory microcircuits by dopamine. *Proceedings of the National Academy of Sciences*, 100(5), 2836-2841. doi: 10.1073/pnas.262796399. <http://www.pnas.org/cgi/content/abstract/100/5/2836>

Gao, W.-J., Krimer, L. S., & Goldman-Rakic, P. S. (2001). Presynaptic regulation of recurrent excitation by D1 receptors in prefrontal circuits. *Neurobiology*, 98, 295-300. doi.

Gao, W.-J., Wang, Y., & Goldman-Rakic, P. S. (2003). Dopamine modulation of perisomatic and peridendritic inhibition in prefrontal cortex. *Journal of Neuroscience*, 23(5), 1622-1630. doi.

Gao, X., & Chen, J. (2011). Mild Traumatic Brain Injury Results in Extensive Neuronal Degeneration in the Cerebral Cortex. *Journal of Neuropathology and Experimental Neurology*, 70(3), 183-183. doi.

Gao, X., Deng, P., Xu, Z. C., & Chen, J. (2011). Moderate Traumatic Brain Injury Causes Acute Dendritic and Synaptic Degeneration in the Hippocampal Dentate Gyrus. *PLoS ONE*, 6(9), e24566-e24566. doi.

Gao, X., Grendel, J., Muhia, M., Castro-Gomez, S., Süsens, U., Isbrandt, D., . . . Ohana, O. (2019). Disturbed prefrontal cortex activity in the absence of schizophrenia-like behavioral dysfunction in Arc/Arg3.1 deficient mice. *The Journal of Neuroscience*, 0623-0619. doi: 10.1523/jneurosci.0623-19.2019. <http://www.jneurosci.org/content/early/2019/09/05/JNEUROSCI.0623-19.2019...>

Gao, Y., Hu, S., Li, Q., Wang, M., Zhi, Z., Kuang, X., . . . Wang, Y. (2018). Neonatal inflammation induces reorganization in dendritic morphology of retinal ganglion cells but not their retinogeniculate projection in mice. *Neuroscience Letters*, 676, 34-40. doi: <https://doi.org/10.1016/j.neulet.2018.04.012>. <https://www.sciencedirect.com/science/article/pii/S0304394018302672>

Gao, Y., Jiang, T., Qu, C., Tao, H., Cao, H., Zhao, Y., . . . Chen, J.-G. (2013). Atlastin-1 regulates dendritic morphogenesis in mouse cerebral cortex. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2013.08.007>. <http://www.sciencedirect.com/science/article/pii/S0168010213001922>

Gao, Y., Liu, L., Li, Q., & Wang, Y. (2015). Differential alterations in the morphology and electrophysiology of layer II pyramidal cells in the primary visual cortex of a mouse model prenatally exposed to LPS. *Neuroscience Letters*, 591(0), 138-143. doi: <http://dx.doi.org/10.1016/j.neulet.2015.02.043>. <http://www.sciencedirect.com/science/article/pii/S0304394015001573>

Gao, Y., Shen, M., Gonzalez, J. C., Dong, Q., Kannan, S., Hoang, J. T., . . . Zhao, X. (2020). RGS6 Mediates Effects of Voluntary Running on Adult Hippocampal Neurogenesis. *Cell Reports*, 32(5), 107997. doi: <https://doi.org/10.1016/j.celrep.2020.107997>. <http://www.sciencedirect.com/science/article/pii/S221124720309827>

Gao, Y., Su, J., Guo, W., Polich, E. D., Magyar, D. P., Xing, Y., . . . Zhao, X. (2015). Inhibition of miR-15a promotes BDNF expression and rescues dendritic maturation deficits in MeCP2-deficient neurons. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1950. <http://dx.doi.org/10.1002/stem.1950>

Gao, Z., Proietti-Onori, M., Lin, Z., ten Brinke, Michiel M., Boele, H.-J., Potters, J.-W., . . . De Zeeuw, Chris I. (2016). Excitatory Cerebellar Nucleocortical Circuit Provides Internal Amplification during Associative Conditioning. *Neuron*, 89(3), 645-657. doi: <http://dx.doi.org/10.1016/j.neuron.2016.01.008>. <http://www.sciencedirect.com/science/article/pii/S089662731600009X>

Garbossa, D., Fontanella, M., Pagni, C. A., & Vercelli, A. (2001). Nitric oxide synthase and cytochrome c oxidase changes in the tumoural and peritumoural cerebral cortex. *Acta Neurochirurgica*, 143(9), 897-908. doi.

Garbossa, D., Fontanella, M., Tomasi, S., Ducati, A., & Vercelli, A. (2005). Differential distribution of NADPH-diaphorase histochemistry in human cerebral cortex. *Brain Research*, 1034(1), 1-10. doi.

- Garbossa, D., & Vercelli, A. (2003). Experimentally-induced microencephaly: effects on cortical neurons. *Brain Research Bulletin*, 60(4), 329-338. doi.
- Garcia, B. G., Neely, M. D., & Deutch, A. Y. (2010). Cortical Regulation of Striatal Medium Spiny Neuron Dendritic Remodeling in Parkinsonism: Modulation of Glutamate Release Reverses Dopamine Depletion-Induced Dendritic Spine Loss. *Cerebral Cortex*, 20(10), 2423-2423. doi.
- Garcia, I., Quast, Kathleen B., Huang, L., Herman, Alexander M., Selever, J., Deussing, Jan M., . . . Arenkiel, Benjamin R. (2014). Local CRH Signaling Promotes Synaptogenesis and Circuit Integration of Adult-Born Neurons. *Developmental cell*, (0). doi: <http://dx.doi.org/10.1016/j.devcel.2014.07.001>. <http://www.sciencedirect.com/science/article/pii/S1534580714004213>
- García, N. V. D. M., Karayannis, T., & Fishell, G. (2011). Neuronal activity is required for the development of specific cortical interneuron subtypes. *Nature*, 472(7343), 351-355. doi.
- García-Cabezas, M. Á., & Barbas, H. (2016). Anterior Cingulate Pathways May Affect Emotions Through Orbitofrontal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhw284. <http://cercor.oxfordjournals.org/content/early/2016/09/20/cercor.bhw284...>
- García-Cabezas, M. A., Martínez-Sánchez, P., Sánchez-González, M. A., Garzon, M., & Cavada, C. (2008). Dopamine Innervation in the Thalamus: Monkey versus Rat. *Cerebral Cortex*, bhn093. doi: 10.1093/cercor/bhn093. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn093v1>
- García-Cabezas, M. Á., Rico, B., Sánchez-González, M. Á., & Cavada, C. (2007). Distribution of the dopamine innervation in the macaque and human thalamus. *Neuroimage*, 34(3), 965-984. doi.
- García-Cairasco, N. (2009). Learning about brain physiology and complexity from the study of the epilepsies. *Brazilian Journal of Medical and Biological Research*, 42(1), 76-86. doi.
- García-Cairasco, N. (2009). Puzzling challenges in contemporary neuroscience: insights from complexity and emergence in epileptogenic circuits. *Epilepsy & Behavior*, 14(1), 54-63. doi.
- García-Cairasco, N., Umeoka, E. H. L., & Cortes de Oliveira, J. A. (2017). The Wistar Audiogenic Rat (WAR) strain and its contributions to epileptology and related comorbidities: History and perspectives. *Epilepsy & Behavior*. doi: <https://doi.org/10.1016/j.yebeh.2017.04.001>. <http://www.sciencedirect.com/science/article/pii/S1525505017302688>
- García-Calero, E., Martínez-de-la-Torre, M., & Puelles, L. (2002). The avian griseum tectale: cytoarchitecture, NOS expression and neurogenesis. *Brain Research Bulletin*, 57(3-4), 353-357. doi.
- García-Junco-Clemente, P., Chow, D. K., Tring, E., Lazaro, M. T., Trachtenberg, J. T., & Golshani, P. (2013). Overexpression of calcium-activated potassium channels underlies cortical dysfunction in a model of PTEN-associated autism. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1309207110. <http://www.pnas.org/content/early/2013/10/16/1309207110.abstract>
- García-Marin, V., Blazquez-Llorca, L., Rodríguez, J. R., Boluda, S., Muntane, G., Ferrer, I., & DeFelipe, J. (2009). Diminished perisomatic GABAergic terminals on cortical neurons adjacent to amyloid plaques. *Frontiers in Neuroanatomy*, 3. doi.

Garcia-Marin, V., Sundiang, M., & Hawken, M. (2014). Reduced density of geniculocortical terminals in foveal layer 4A in the macaque primary visual cortex: relationship to S-cone density. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-014-0826-5. <http://dx.doi.org/10.1007/s00429-014-0826-5>

Garden, D. L. F., Dodson, P. D., O'Donnell, C., White, M. D., & Nolan, M. F. (2008). Tuning of synaptic integration in the medial entorhinal cortex to the organization of grid cell firing fields. *Neuron*, 60(5), 875-889. doi.

Gardian, G., Browne, S. E., Choi, D.-K., Klivenyi, P., Gregorio, J., Kubilus, J. K., . . . Beal, M. F. (2005). Neuroprotective Effects of Phenylbutyrate in the N171-82Q Transgenic Mouse Model of Huntington's Disease. *Journal of Biological Chemistry*, 280(1), 556-563. doi: 10.1074/jbc.M410210200. <http://www.jbc.org/cgi/content/abstract/280/1/556>

Gariépy, J. F., Missaghi, K., Chartré, S., Robert, M., Auclair, F., & Dubuc, R. (2011). Bilateral connectivity in the brainstem respiratory networks of lampreys. *Journal of Comparative Neurology*. doi.

Gariépy, J.-F., Missaghi, K., Chevallier, S., Chartré, S., Robert, M., Auclair, F., . . . Dubuc, R. (2012). Specific neural substrate linking respiration to locomotion. *Proceedings of the National Academy of Sciences*, 109(2), E84-E92. doi: 10.1073/pnas.1113002109. <http://www.pnas.org/content/109/2/E84.abstract>

Garner, H. L., Whittington, M. A., & Henderson, Z. (2005). Induction by kainate of theta frequency rhythmic activity in the rat medial septum-diagonal band complex in vitro. *Journal of Physiology*, 564(1), 83-102. doi: 10.1113/jphysiol.2004.080622. <http://jp.physoc.org/cgi/content/abstract/564/1/83>

Garrett, J. E., Kim, I., Wilson, R. E., & Wellman, C. L. (2006). Effect of N-methyl-d-aspartate receptor blockade on plasticity of frontal cortex after cholinergic deafferentation in rat. *Neuroscience*, 140(1), 57-66. doi.

Garrett, J. E., & Wellman, C. L. (2009). Chronic stress effects on dendritic morphology in medial prefrontal cortex: sex differences and estrogen dependence. *Neuroscience*, 162(1), 195-207. doi.

Garrett, L., Ung, M. C., Heermann, T., Niedermeier, K. M., & Hölter, S. (2018). Analysis of Neuropsychiatric Disease-Related Functional Neuroanatomical Markers in Mice. *Current Protocols in Mouse Biology*, 8(1), 79-128. doi: doi:10.1002/cpmo.37. <https://currentprotocols.onlinelibrary.wiley.com/doi/abs/10.1002/cpmo.37>

Garrido-Sanabria, E. R., Perez, M. G., Banuelos, C., Reyna, T., Hernandez, S., Castaneda, M. T., & Colom, L. V. (2007). Electrophysiological and morphological heterogeneity of slow firing neurons in medial septal/diagonal band complex as revealed by cluster analysis. *Neuroscience*, 146(3), 931-945. doi.

Garske, A. K., Lawyer, C. R., Peterson, B. M., & Illig, K. R. (2013). Adolescent Changes in Dopamine D1 Receptor Expression in Orbitofrontal Cortex and Piriform Cortex Accompany an Associative Learning Deficit. *PLoS ONE*, 8(2), e56191. doi.

Gärtner, U., Alpár, A., Behrbohm, J., Heumann, R. H., Rolf, & Arendt, T. (2005). Enhanced Ras activity promotes spine formation in synRas mice neocortex. *Neuroreport*, 16(2), 149-149. doi.

Gärtner, U., Alpár, A., Reimann, F., Seeger, G., Heumann, R., & Arendt, T. (2004). Constitutive Ras activity induces hippocampal hypertrophy and remodeling of pyramidal neurons in synRas mice. *Journal of Neuroscience Research*, 77(5), 630-641. doi.

Gärtner, U., Alpár, A., Seeger, G., Heumann, R., & Arendt, T. (2004). Enhanced Ras activity in pyramidal neurons induces cellular hypertrophy and changes in afferent and intrinsic connectivity in synRas mice. *International Journal of Developmental Neuroscience*, 22(3), 165-173. doi.

Garvey, L., Pavese, N., Politis, M., Ramlackhansingh, A., Brooks, D., Taylor-Robinson, S., & Winston, A. (2013). Increased microglia activation in neurologically asymptomatic HIV-infected patients receiving effective ART; an 11C-PK11195 PET study. *AIDS*, 28(1), 67 - 72. doi.

Garzotto, D., Giacobini, P., Crepaldi, T., Fasolo, A., & De Marchis, S. (2008). Hepatocyte Growth Factor Regulates Migration of Olfactory Interneuron Precursors in the Rostral Migratory Stream through Met-Grb2 Coupling. *Journal of Neuroscience*, 28(23), 5901-5909. doi: 10.1523/jneurosci.1083-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/23/5901>

Garzotto, D., Giacobini, P., Crepaldi, T., Fasolo, A., & De Marchis, S. (2008). Hepatocyte growth factor regulates migration of olfactory interneuron precursors in the rostral migratory stream through Met-Grb2 coupling. *Journal of Neuroscience*, 28(23), 5901-5909. doi.

Gashi, E., Avallone, J., Webster, T., & Friedman, L. K. (2007). Altered excitability and distribution of NMDA receptor subunit proteins in cortical layers of rat pups following multiple perinatal seizures. *Brain Research*, 1145, 56-65. doi.

Gaspar, R., Soares-Cunha, C., Domingues, A. V., Coimbra, B., Baptista, F. I., Pinto, L., . . . Gomes, C. A. (2021). Resilience to stress and sex-specific remodeling of microglia and neuronal morphology in a rat model of anxiety and anhedonia. *Neurobiology of Stress*, 14, 100302. doi: <https://doi.org/10.1016/j.ynstr.2021.100302>. <https://www.sciencedirect.com/science/article/pii/S2352289521000102>

Gastinger, M. J., Barber, A. J., Khin, S. A., McRill, C. S., Gardner, T. W., & Marshak, D. W. (2001). Abnormal centrifugal axons in streptozotocin-diabetic rat retinas. *Investigative Ophthalmology and Visual Science*, 42(11), 2679-2685. doi.

Gastinger, M. J., Bordt, A. S., Bernal, M. P., & Marshak, D. W. (2005). Serotonergic retinopetal axons in the monkey retina. *Current Eye Research*, 30(12), 1089-1095. doi.

Gastinger, M. J., O'Brien, J. J., Larsen, N. B., & Marshak, D. W. (1999). Histamine immunoreactive axons in the macaque retina. *Investigative Ophthalmology and Visual Science*, 40(2), 487-487. doi.

Gastinger, M. J., Tian, N., Horvath, T., & Marshak, D. W. (2006). Retinopetal axons in mammals: emphasis on histamine and serotonin. *Current Eye Research*, 31(7-8), 655-667. doi.

Gáti, G., Lendvai, D., Hökfelt, T., Harkany, T., & Alpár, A. (2014). Revival of Calcium-Binding Proteins for Neuromorphology: Secretagogin Typifies Distinct Cell Populations in the Avian Brain. *Brain, Behavior and Evolution*, 83(2), 82-92. doi. <http://www.karger.com/Article/FullText/357834>

Gaub, P., Joshi, Y., Wuttke, A., Naumann, U., Schnichels, S., Heiduschka, P., & Di Giovanni, S. (2011). The histone acetyltransferase p300 promotes intrinsic axonal regeneration. *Brain*, 134(7), 2134-2148. doi: 10.1093/brain/awr142. <http://brain.oxfordjournals.org/cgi/content/abstract/134/7/2134>

Gaub, P., Tedeschi, A., Puttagunta, R., Nguyen, T., Schmandke, A., & Di Giovanni, S. (2010). HDAC inhibition promotes neuronal outgrowth and counteracts growth cone collapse through CBP/p300 and P/CAF-dependent p53 acetylation. *Cell Death and Differentiation*, 17(9), 1392-1408. doi.

Gaudet, C. M. A., Lim, Y.-P., Stonestreet, B. S., & Threlkeld, S. W. (2016). Effects of Age, Experience and Inter-alpha Inhibitor Proteins on Working Memory and Neuronal Plasticity after Neonatal Hypoxia-Ischemia. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.016>. <http://www.sciencedirect.com/science/article/pii/S0166432816300134>

Gaugler, M. N., Genc, O., Bobela, W., Mohanna, S., Ardah, M. T., El-Agnaf, O. M., . . . others. (2012). Nigrostriatal overabundance of α -synuclein leads to decreased vesicle density and deficits in dopamine release that correlate with reduced motor activity. *Acta Neuropathologica*, 1-17. doi.

Gauron, C., Meda, F., Dupont, E., Albadri, S., Quenech'Du, N., Ipendey, E., . . . Rampon, C. (2016). Hydrogen peroxide (H₂O₂) controls axon pathfinding during zebrafish development. *Developmental Biology*. doi. <http://www.sciencedirect.com/science/article/pii/S0012160615303110>

Gautschi, M., & Clarke, P. G. H. (2007). Neuronal death in the lateral geniculate nucleus of young ferrets following a cortical lesion: Time-course, age dependence and involvement of caspases. *Brain Research*, 1167, 20-30. doi.

Gaykema, R. P., & Zaborszky, L. (1996). Direct Catecholaminergic-Cholinergic Interactions in the Basal Forebrain. II. Substantia Nigra-Ventral Tegmental Area Projections to holinergeric Neurons. *Journal Comparative Neurology*, 374, 555-577. doi.

Gazula, V. R., Roberts, M., Luzzio, C., Jawad, A. F., & Kalb, R. G. (2004). Effects of limb exercise after spinal cord injury on motor neuron dendrite structure. *Journal of Comparative Neurology*, 476(2), 130-145. doi.

Gazzerro, E., Baldassari, S., Giacomini, C., Musante, V., Fruscione, F., La Padula, V., . . . Minetti, C. (2012). Hyccin, the Molecule Mutated in the Leukodystrophy Hypomyelination and Congenital Cataract (HCC), Is a Neuronal Protein. *PLoS ONE*, 7(3), e32180. doi: 10.1371/journal.pone.0032180. <http://dx.doi.org/10.1371%2Fjournal.pone.0032180>

Gazzerro, E., Baldassari, S., Giacomini, C., Musante, V., Fruscione, F., La Padula, V., . . . others. (2012). Hyccin, the Molecule Mutated in the Leukodystrophy Hypomyelination and Congenital Cataract (HCC), Is a Neuronal Protein. *PLoS ONE*, 7(3), e32180-e32180. doi.

Ge, W.-P., Zhou, W., Luo, Q., Jan, L. Y., & Jan, Y. N. (2009). Dividing glial cells maintain differentiated properties including complex morphology and functional synapses. *Proceedings of the National Academy of Sciences*, 106(1), 328-333. doi: 10.1073/pnas.0811353106. <http://www.pnas.org/content/106/1/328.abstract>

Geary, C. G., Wilk, V. C., Barton, K. L., Jefferson, P. O., Binder, T., Bhutani, V., . . . Bergstrom, H. C. (2021). Sex differences in gut microbiota modulation of aversive conditioning, open field activity, and basolateral amygdala dendritic spine density. [<https://doi.org/10.1002/jnr.24848>]. *Journal of Neuroscience Research*, n/a(n/a). doi: <https://doi.org/10.1002/jnr.24848>. <https://doi.org/10.1002/jnr.24848>

Gebäck, T., & Koumoutsakos, P. (2009). Edge detection in microscopy images using curvelets. *BMC bioinformatics*, 10(1), 75-75. doi.

Geiger, J. R. P., Lubke, J., Roth, A., Frotscher, M., & Jonas, P. (1997). Submillisecond AMPA receptor-mediated signaling at a principal neuron-interneuron synapse. *Neuron*, 18(6), 1009-1023. doi.

Geis, H. R. A. P., & Borst, J. G. G. (2012). Large GABAergic neurons form a distinct subclass within the mouse dorsal cortex of the inferior colliculus with respect to intrinsic properties, synaptic inputs, sound responses, and projections. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23170. <http://dx.doi.org/10.1002/cne.23170>

Geisler, S., & Zahm, D. S. (2005). Afferents of the ventral tegmental area in the rat-anatomical substratum for integrative functions. *Journal of Comparative Neurology*, 490(3), 270-294. doi:

Geisler, S., & Zahm, D. S. (2006). Neurotensin afferents of the ventral tegmental area in the rat: [1] re-examination of their origins and [2] responses to acute psychostimulant and antipsychotic drug administration. *European Journal of Neuroscience*, 24(1), 116-134. doi: doi:10.1111/j.1460-9568.2006.04928.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04928.x>

Geisler, S., & Zahm, D. S. (2006). On the retention of neurotensin in the ventral tegmental area (VTA) despite destruction of the main neurotensinergic afferents of the VTA—Implications for the organization of forebrain projections to the VTA. *Brain Research*, 1087(1), 87-104. doi:

Gelfo, F., De Bartolo, P., Giovine, A., Petrosini, L., & Leggio, M. G. (2009). Layer and regional effects of environmental enrichment on the pyramidal neuron morphology of the rat. *Neurobiology of Learning and Memory*, 91(4), 353-365. doi:

Gelfo, F., Petrosini, L., Graziano, A., De Bartolo, P., Burello, L., Vitale, E., . . . Mandolesi, L. (2013). Cortical Metabolic Deficits in a Rat Model of Cholinergic Basal Forebrain Degeneration. *Neurochemical Research*, 1-10. doi: 10.1007/s11064-013-1120-2. <http://dx.doi.org/10.1007/s11064-013-1120-2>

Gelman, D., Griveau, A., Dehorter, N., Teissier, A., Varela, C., Pla, R., . . . Marin, O. (2011). A Wide Diversity of Cortical GABAergic Interneurons Derives from the Embryonic Preoptic Area. *Journal of Neuroscience*, 31(46), 16570-16580. doi: 10.1523/jneurosci.4068-11.2011. <http://www.jneurosci.org/content/31/46/16570.abstract>

Gelman, D. M., Martini, F. J., Nobrega-Pereira, S., Pierani, A., Kessar, N., & Marin, O. (2009). The Embryonic Preoptic Area Is a Novel Source of Cortical GABAergic Interneurons. *Journal of Neuroscience*, 29(29), 9380-9389. doi: 10.1523/jneurosci.0604-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/29/9380>

Gely-Pernot, A., Coronas, V., Harnois, T., Prestoz, L., Mandairon, N., Didier, A., . . . others. (2012). An Endogenous Vitamin K-Dependent Mechanism Regulates Cell Proliferation in the Brain Subventricular Stem Cell Niche. *Stem Cells*. doi:

Gemignani, F., Brindani, F., Zinno, L., Allegri, I., Alfieri, S., & Marbini, A. (2004). Frequency of clinically diagnosed small fiber neuropathy in a neuropathy population. *Journal of the Peripheral Nervous System*, 9(2), 119-119. doi: doi:10.1111/j.1085-9489.2004.009209aw.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Gendron, L., Lucido, A. L., Mennicken, F., O'Donnell, D., Vincent, J.-P., Stroh, T., & Beaudet, A. (2006). Morphine and Pain-Related Stimuli Enhance Cell Surface Availability of Somatic Δ Opioid Receptors in Rat Dorsal Root Ganglia. *Journal of Neuroscience*, 26, 953-962. doi:

Gennarino, V. A., Palmer, E. E., McDonnell, L. M., Wang, L., Adamski, C. J., Koire, A., . . . Zoghbi, H. Y. (2018). A Mild PUM1 Mutation Is Associated with Adult-Onset Ataxia, whereas Haploinsufficiency Causes Developmental Delay and Seizures. *Cell*, 172(5), 924-936.e911. doi: <https://doi.org/10.1016/j.cell.2018.02.006>. <http://www.sciencedirect.com/science/article/pii/S0092867418301508>

- Genoud, C., Houades, V., Kraftsik, R., Welker, E., & Giaume, C. (2015). Proximity of excitatory synapses and astroglial gap junctions in layer IV of the mouse barrel cortex. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.01.051>. <http://www.sciencedirect.com/science/article/pii/S0306452215001086>
- Genoud, C., Knott, G. W., Sakata, K., Lu, B., & Welker, E. (2004). Altered Synapse Formation in the Adult Somatosensory Cortex of Brain-Derived Neurotrophic Factor Heterozygote Mice. *Journal of Neuroscience*, 24(10), 2394-2400. doi: <http://www.jneurosci.org/cgi/content/abstract/24/10/2394>
- Genoud, C., Quairiaux, C., Steiner, P., Hirling, H., Welker, E., & Knott, G. W. (2006). Plasticity of astrocytic coverage and glutamate transporter expression in adult mouse cortex. *PLoS Biology*, 4(11), e343. doi: <https://doi.org/10.1371/journal.pbio.0040343>
- Gentet, L. J., Avermann, M., Matyas, F., Staiger, J. F., & Petersen, C. C. H. (2010). Membrane potential dynamics of GABAergic neurons in the barrel cortex of behaving mice. *Neuron*, 65(3), 422-435. doi: <https://doi.org/10.1016/j.neuron.2010.02.011>
- Gentet, L. J., Kremer, Y., Taniguchi, H., Huang, Z. J., Staiger, J. F., & Petersen, C. C. H. (2012). Unique functional properties of somatostatin-expressing GABAergic neurons in mouse barrel cortex. *Nature Neuroscience*. doi: <https://doi.org/10.1038/nn.3038>
- George, I., Hara, E., & Hessler, N. A. (2006). Behavioral and neural lateralization of vision in courtship singing of the zebra finch. *Journal of Neurobiology*, 66(10), 1164-1173. doi: <https://doi.org/10.1111/j.1469-7580.2006.01611.x>
- Georgeann S, O. B., Sandra, R., Seanna M, M., Ann M, C., Carlos, P. C., Alvaro, S., & others. (2009). Two-photon axotomy and time-lapse confocal imaging in live zebrafish embryos. *Journal of Visualized Experiments*, (24). doi: <https://doi.org/10.1002/9781200005611.ch24>
- Georgiev, D., González-Burgos, G., Kikuchi, M., Minabe, Y., Lewis, D. A., & Hashimoto, T. (2012). Selective Expression of KCNS3 Potassium Channel α -Subunit in Parvalbumin-Containing GABA Neurons in the Human Prefrontal Cortex. *PLoS ONE*, 7(8), e43904. doi: [10.1371/journal.pone.0043904](https://doi.org/10.1371/journal.pone.0043904). <http://dx.doi.org/10.1371/journal.pone.0043904>
- Gerashchenko, D., Kohls, M. D., Greco, M., Waleh, N. S., Salin-Pascual, R., Kilduff, T. S., . . . Shiromani, P. J. (2001). Hypocretin-2-Saporin Lesions of the Lateral Hypothalamus Produce Narcoleptic-Like Sleep Behavior in the Rat. *Journal of Neuroscience*, 21(18), 7273-7283. doi: [http://www.jneurosci.org/cgi/content/abstract/21/18/7273](https://doi.org/10.1523/JNEUROSCI.1111-01.2001)
- Gerecke, K. M., Kishore, R., Jasnow, A., Quadros-Menella, P., Parker, S., Kozub, F. J., . . . Kinsley, C. H. (2012). Alterations of sex-typical microanatomy: Prenatal stress modifies the structure of medial preoptic area neurons in rats. *Developmental Psychobiology*. doi: <https://doi.org/10.1002/dev.22588>
- Gerfen, Charles R., Paletzki, R., & Heintz, N. (2013). GENSAT BAC Cre-Recombinase Driver Lines to Study the Functional Organization of Cerebral Cortical and Basal Ganglia Circuits. *Neuron*, 80(6), 1368-1383. doi: [http://dx.doi.org/10.1016/j.neuron.2013.10.016](https://doi.org/10.1016/j.neuron.2013.10.016). <http://www.sciencedirect.com/science/article/pii/S0896627313009197>
- Gerkin, R., Tripathy, S., Crook, S., & Kotaleski, J. (2014). Databases and Data Repositories in Computational Neuroscience: Overview. In D. Jaeger & R. Jung (Eds.), *Encyclopedia of Computational Neuroscience* (pp. 1-4): Springer New York.
- Gerlach, S., & Hersch, R. D. (2002). A real-time navigator for the visible human. *IEEE Internet Computing*, 5(2), 27-33. doi: <http://diwww.epfl.ch/w3lsp/publications/gigaserver/artnftvh.pdf>

German, D. C., Liang, C. L., Manaye, K. F., Lane, K., & Sonsalla, P. K. (2000). Pharmacological inactivation of the vesicular monoamine transporter can enhance 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine-induced neurodegeneration of midbrain dopaminergic neurons, but not locus coeruleus noradrenergic neurons. *Neuroscience*, 101(4), 1063-1069. doi.

German, D. C., Manaye, K. F., Wu, D., Hersh, L. B., & Zweig, R. M. (1999). Mesopontine cholinergic and non-cholinergic neurons in schizophrenia. *Journal of Neuroscience*, 94(1), 33-38. doi.

German, D. C., Quintero, E. M., Liang, C. L., Ng, B., Punia, S., Xie, C., & Dietschy, J. M. (2001). Selective neurodegeneration, without neurofibrillary tangles, in a mouse model of Niemann-Pick C disease. *Journal of Comparative Neurology*, 433(3), 415-425. doi.

German, D. C., Yazdani, U., Speciale, S. G., Pasbakhsh, P., Games, D., & Liang, C. L. (2003). Cholinergic neuropathology in a mouse model of Alzheimer's disease. *Journal of Comparative Neurology*, 462(4), 371-381. doi.

Germuska, M., Saha, S., Fiala, J., & Barbas, H. (2006). Synaptic distinction of laminar-specific prefrontal-temporal pathways in primates. *Cerebral Cortex*, 16(6), 865-875. doi.

Gerrits, P. O., Kortekaas, R., Veening, J. G., De Weerd, H., Algra, A., Mouton, L. J., & van der Want, J. J. L. (2008). Estrous cycle-dependent neural plasticity in the caudal brainstem in the female golden hamster: ultrastructural and immunocytochemical studies of axo-dendritic relationships and dynamic remodeling. *Hormones and Behavior*, 54(5), 627-639. doi.

Gerrits, P. O., Krukerink, M., & Veening, J. G. (2009). Columnar organization of estrogen receptor- α immunoreactive neurons in the periaqueductal gray projecting to the nucleus para-retroambiguus in the caudal brainstem of the female golden hamster. *Neuroscience*, 161(2), 459-474. doi.

Gerrits, P. O., Veening, J. G., Blomsma, S. A., & Mouton, L. J. (2008). The nucleus para-retroambiguus: A new group of estrogen receptive cells in the caudal ventrolateral medulla of the female golden hamster. *Hormones and Behavior*, 53(2), 329-341. doi.

Gertler, T. S., Chan, C. S., & Surmeier, D. J. (2008). Dichotomous Anatomical Properties of Adult Striatal Medium Spiny Neurons. *Journal of Neuroscience*, 28(43), 10814-10824. doi: 10.1523/jneurosci.2660-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/43/10814>

Gervais, N. J., Mumby, D. G., & Brake, W. G. (2015). Attenuation of dendritic spine density in the perirhinal cortex following 17 β -estradiol replacement in the rat. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22479. <http://dx.doi.org/10.1002/hipo.22479>

Gharbawie, O., Stepniewska, I., & Kaas, J. (2015). The origins of thalamic inputs to grasp zones in frontal cortex of macaque monkeys. *Brain Structure and Function*, 1-18. doi: 10.1007/s00429-015-1091-y. <http://dx.doi.org/10.1007/s00429-015-1091-y>

Gharbawie, O. A., Stepniewska, I., Burish, M. J., & Kaas, J. H. (2010). Thalamocortical Connections of Functional Zones in Posterior Parietal Cortex and Frontal Cortex Motor Regions in New World Monkeys. *Cerebral Cortex*, bhp308. doi: 10.1093/cercor/bhp308. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp308v1>

Gharbawie, O. A., Stepniewska, I., & Kaas, J. H. (2011). Cortical Connections of Functional Zones in Posterior Parietal Cortex and Frontal Cortex Motor Regions in New World Monkeys. *Cerebral Cortex*. doi:

10.1093/cercor/bhq260. <http://cercor.oxfordjournals.org/content/early/2011/01/24/cercor.bhq260>

....

Gharbawie, O. A., Stepniewska, I., Qi, H., & Kaas, J. H. (2011). Multiple Parietal–Frontal Pathways Mediate Grasping in Macaque Monkeys. *Journal of Neuroscience*, 31(32), 11660-11677. doi: 10.1523/jneurosci.1777-11.2011. <http://www.jneurosci.org/content/31/32/11660.abstract>

Ghashghaei, H. T., & Barbas, H. (2001). Neural interaction between the basal forebrain and functionally distinct prefrontal cortices in the rhesus monkey. *Neuroscience*, 103(3), 593-614. doi.

Ghashghaei, H. T., & Barbas, H. (2002). Pathways for emotion: interactions of prefrontal and anterior temporal pathways in the amygdala of the rhesus monkey. *Neuroscience*, 115(4), 1261-1279. doi.

Ghashghaei, H. T., Hilgetag, C. C., & Barbas, H. (2007). Sequence of information processing for emotions based on the anatomic dialogue between prefrontal cortex and amygdala. *Neuroimage*, 34(3), 905-923. doi.

Ghashghaei, H. T., Weber, J., Pevny, L., Schmid, R., Schwab, M. H., Lloyd, K. C. K., . . . Anton, E. S. (2006). The role of neuregulin-ErbB4 interactions on the proliferation and organization of cells in the subventricular zone. *PNAS*, 0510410103. doi: 10.1073/pnas.0507729103. <http://www.pnas.org/cgi/content/abstract/0510410103v1>

Gheorghita, F., Kraftsik, R., Dubois, R., & Welker, E. (2006). Structural Basis for Map Formation in the Thalamocortical Pathway of the Barrelless Mouse. *Journal of Neuroscience*, 26(39), 10057-10067. doi: 10.1523/jneurosci.1263-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/39/10057>

Ghergherehchi, C. L., Hibbard, E. A., Mikesh, M., Bittner, G. D., & Sengelaub, D. R. (2019). Behavioral recovery and spinal motoneuron remodeling after polyethylene glycol fusion repair of singly cut and ablated sciatic nerves. *PLoS ONE*, 14(10), e0223443. doi: 10.1371/journal.pone.0223443. <https://doi.org/10.1371/journal.pone.0223443>

Ghiglione, E., Beronio, A., Reni, L., & Abruzzese, M. (2004). Leprous neuropathy: a clinical and neurophysiological study. *Journal of the Peripheral Nervous System*, 9(2), 120-121. doi: doi:10.1111/j.1085-9489.2004.009209bb.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Ghosh, A., Haiss, F., Sydekum, E., Schneider, R., Gullo, M., Wyss, M. T., . . . others. (2009). Rewiring of hindlimb corticospinal neurons after spinal cord injury. *Nature Neuroscience*, 13(1), 97-104. doi.

Ghosh, A., Peduzzi, S., Snyder, M., Schneider, R., Starkey, M., & Schwab, M. E. (2011). Heterogeneous Spine Loss in Layer 5 Cortical Neurons after Spinal Cord Injury. *Cerebral Cortex*, bhr191. doi: 10.1093/cercor/bhr191. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr191v1>

Ghosh, A., Sydekum, E., Haiss, F., Peduzzi, S., Zorner, B., Schneider, R., . . . Schwab, M. E. (2009). Functional and Anatomical Reorganization of the Sensory-Motor Cortex after Incomplete Spinal Cord Injury in Adult Rats. *Journal of Neuroscience*, 29(39), 12210-12219. doi: 10.1523/jneurosci.1828-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/39/12210>

Ghosh, S., Larson, S. D., Hefzi, H., Marnoy, Z., Cutforth, T., Dokka, K., & Baldwin, K. K. (2011). Sensory maps in the olfactory cortex defined by long-range viral tracing of single neurons. *Nature*, 472(7342), 217-220. doi.

- Giacomini, C., La Padula, V., Schenone, A., Leandri, M., Contestabile, A., Moruzzo, D., . . . Corradi, A. (2011). Both Schwann cell and axonal defects cause motor peripheral neuropathy in *Ebf2*^{-/-} mice. *Neurobiology of Disease*. doi.
- Giacomini, C., Mahajani, S., Ruffilli, R., Marotta, R., & Gasparini, L. (2015). Lamin B1 protein is required for dendrite development in primary mouse cortical neurons. *Molecular Biology of the Cell*. doi: 10.1091/mbc.E15-05-0307. <http://www.molbiolcell.org/content/early/2015/10/26/mbc.E15-05-0307.abst...>
- Giampà, C., Laurenti, D., Anzilotti, S., Bernardi, G., Menniti, F. S., & Fusco, F. R. (2010). Inhibition of the striatal specific phosphodiesterase PDE10A ameliorates striatal and cortical pathology in R6/2 mouse model of Huntington's disease. *PLoS ONE*, 5(10), e13417-e13417. doi.
- Giampà, C., Montagna, E., Dato, C., Melone, M. A. B., Bernardi, G., & Fusco, F. R. (2013). Systemic Delivery of Recombinant Brain Derived Neurotrophic Factor (BDNF) in the R6/2 Mouse Model of Huntington's Disease. *PLoS ONE*, 8(5), e64037. doi: 10.1371/journal.pone.0064037. <http://dx.doi.org/10.1371%2Fjournal.pone.0064037>
- Gianaris, A., Liu, N.-K., Wang, X.-F., Oakes, E., Brenia, J., Gianaris, T., . . . Xu, X.-M. (2016). Unilateral microinjection of acrolein into thoracic spinal cord produces acute and chronic injury and functional deficits. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.054>. <http://www.sciencedirect.com/science/article/pii/S0306452216300410>
- Giannetti, S., Gaglini, P., Di Rocco, F., Di Rocco, C., & Granato, A. (2000). Organization of cortico-cortical associative projections in a rat model of microgyria. *Neuroreport*, 11(10), 2185-2185. doi.
- Gianola, S., De Castro, F., & Rossi, F. (2009). Anosmin-1 stimulates outgrowth and branching of developing Purkinje axons. *Neuroscience*, 158(2), 570-584. doi.
- Gianola, S., & Rossi, F. (2001). Evolution of the Purkinje cell response to injury and regenerative potential during postnatal development of the rat cerebellum. *Journal of Comparative Neurology*, 430(1), 101-117. doi.
- Gianola, S., & Rossi, F. (2004). GAP-43 overexpression in adult mouse Purkinje cells overrides myelin-derived inhibition of neurite growth. *European Journal of Neuroscience*, 19(4), 819-830. doi: 10.1111/j.0953-816X.2004.03190.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-816X.2004.03190.x>
- Gianola, S., Savio, T., Schwab, M. E., & Rossi, F. (2003). Cell-Autonomous Mechanisms and Myelin-Associated Factors Contribute to the Development of Purkinje Axon Intracortical Plexus in the Rat Cerebellum. *Journal of Neuroscience*, 23, 4613-4624. doi.
- Gibbs, S., Chattopadhyaya, B., Desgent, S., Awad, P. N., Clerk-Lamallice, O., Levesque, M., . . . others. (2011). Long-term consequences of a prolonged febrile seizure in a dual pathology model. *Neurobiology of Disease*. doi.
- Gibson, Daniel A., Tymanskyj, S., Yuan, Rachel C., Leung, Haiwen C., Lefebvre, Julie L., Sanes, Joshua R., . . . Ma, L. (2014). Dendrite Self-Avoidance Requires Cell-Autonomous Slit/Robo Signaling in Cerebellar Purkinje Cells. *Neuron*, 81(5), 1040-1056. doi: <http://dx.doi.org/10.1016/j.neuron.2014.01.009>. <http://www.sciencedirect.com/science/article/pii/S0896627314000142>

Giele, J. L. P., Nabers, A. F., Veening, J. G., van Egmond, J., & Vissers, K. C. P. (2009). The Effect of a Thoracic Spinal Block on Fos Expression in the Lumbar Spinal Cord of the Rat Induced by a Noxious Electrical Stimulus at the Hindpaw. *Anesthesia and Analgesia*, 109(5), 1659-1665. doi.

Gielow, M. R., & Zaborszky, L. (2017). The Input-Output Relationship of the Cholinergic Basal Forebrain. *Cell Reports*, 18(7), 1817-1830. doi: <http://dx.doi.org/10.1016/j.celrep.2017.01.060>. <http://www.sciencedirect.com/science/article/pii/S2211124717301171>

Giesert, F., Glasl, L., Zimprich, A., Ernst, L., Piccoli, G., Stautner, C., . . . Wurst, W. (2017). The pathogenic LRRK2 R1441C mutation induces specific deficits modeling the prodromal phase of Parkinson's disease in the mouse. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.05.013>. <http://www.sciencedirect.com/science/article/pii/S0969996117301237>

Gilbert, M. T., & Soderstrom, K. (2013). Novel song-stimulated dendritic spine formation and Arc/Arg3.1 expression in zebra finch auditory telencephalon are disrupted by cannabinoid agonism. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.10.012>. <http://www.sciencedirect.com/science/article/pii/S0006899313013772>

Gilchrist, L. S., Cain, D. M., Harding-Rose, C., Kov, A. N., Wendelschafer-Crabb, G., Kennedy, W. R., & Simone, D. A. (2005). Re-organization of P2X₃ receptor localization on epidermal nerve fibers in a murine model of cancer pain. *Brain Research*, 1044(2), 197-205. doi.

Gill, K. M., Bernstein, I. L., & Mizumori, S. J. Y. (2007). Immediate early gene activation in hippocampus and dorsal striatum: Effects of explicit place and response training. *Neurobiology of Learning and Memory*, 87(4), 583-596. doi.

Gillani, R. L., Tsai, S. Y., Wallace, D. G., O'Brien, T. E., Arhebamen, E., Tole, M., . . . Kartje, G. L. (2010). Cognitive recovery in the aged rat after stroke and anti-Nogo-A immunotherapy. *Behavioural Brain Research*, 208(2), 415-424. doi.

Gillette, T. A., & Ascoli, G. A. (2012). Measuring and Modeling Morphology: How Dendrites Take Shape Computational Systems Neurobiology. In N. Le Novère (Ed.), (pp. 387-427): Springer Netherlands.

Gillette, T. A., Brown, K. M., & Ascoli, G. A. (2011). The DIADEM metric: Comparing multiple reconstructions of the same neuron. *Neuroinformatics*, 1-13. doi.

Gilmore, J. H., Jarskog, L. F., Vadlamudi, S., & Lauder, J. M. (2004). Prenatal Infection and Risk for Schizophrenia: IL-1, IL-6, and TNF Inhibit Cortical Neuron Dendrite development. *Neuropsychopharmacology*, (29), 1221-1229. doi.

Ginet, V., Puyal, J., Magnin, G., Clarke, P. G. H., & Truttmann, A. C. (2009). Limited role of the c-Jun N-terminal kinase pathway in a neonatal rat model of cerebral hypoxia-ischemia. *Journal of Neurochemistry*, 108(3), 552-562. doi.

Giordano, G., & Costa, L. G. (2012). Morphological Assessment of Neurite Outgrowth in Hippocampal Neuron-Astrocyte Co-Cultures. *Current Protocols in Toxicology*, 11-16. doi.

Giorgio, A. D., & Granato, A. (2015). Reduced density of dendritic spines in pyramidal neurons of rats exposed to alcohol during early postnatal life. *International Journal of Developmental Neuroscience*, 0. doi: <http://dx.doi.org/10.1016/j.ijdevneu.2015.01.005>. <http://www.sciencedirect.com/science/article/pii/S0736574815000076>

Gisabella, B., Scammell, T., Bandaru, S. S., & Saper, C. B. (2019). Regulation of hippocampal dendritic spines following sleep deprivation. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24764. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24764>

Gittins, R., & Harrison, P. (2004). A quantitative morphometric study of the human anterior cingulate cortex. *Brain Research*, 1013, 212 - 222. doi.

Gittis, A. H., Hang, G. B., LaDow, E. S., Shoenfeld, L. R., Atallah, B. V., Finkbeiner, S., & Kreitzer, A. C. (2011). Rapid target-specific remodeling of fast-spiking inhibitory circuits after loss of dopamine. *Neuron*, 71(5), 858-868. doi.

Giza, J. I., Kim, J., Meyer, H. C., Anastasia, A., Dincheva, I., Zheng, C. I., . . . Lee, F. S. (2018). The BDNF Val66Met Prodomain Disassembles Dendritic Spines Altering Fear Extinction Circuitry and Behavior. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.05.024>. <https://www.sciencedirect.com/science/article/pii/S0896627318304227>

Gladden, M. H., Maxwell, D. J., Sahal, A., & Jankowska, E. (2000). Coupling between serotonergic and noradrenergic neurones and γ -motoneurones in the cat. *Journal of Physiology*, 527(2), 213-223. doi.

Glanzer, J., Enose, Y., Wang, T., Kadiu, I., Gong, N., Rozek, W., . . . Gendelman, H. (2007). Genomic and proteomic microglial profiling: pathways for neuroprotective inflammatory responses following nerve fragment clearance and activation. *Journal of Neurochemistry*, 102, 627 - 645. doi.

Glaser, E., & Loos, H. V. D. (1965). A semi-quantitative computer-microscope for the analysis of neuronal morphometry. *IEEE Transactions on Bio-Medical Engineering*. doi.

Glaser, J. R., & Glaser, E. M. (1990). Neuron imaging with Neurolucida—a PC-based system for image combining microscopy. *Computerized Medical Imaging and Graphics*, 14(5), 307-317. doi.

Glasgow, S. D., & Chapman, C. A. (2013). Muscarinic Depolarization of Layer II Neurons of the Parasubiculum. *PLoS ONE*, 8(3), e58901. doi: 10.1371/journal.pone.0058901. <http://dx.doi.org/10.1371/journal.pone.0058901>

Glasl, L., Kloos, K., Giesert, F., Roethig, A., Di Benedetto, B., Kühn, R., . . . others. (2012). Pink1-deficiency in mice impairs gait, olfaction and serotonergic innervation of the olfactory bulb. *Experimental Neurology*. doi.

Glasper, E. R., Hyer, M. M., Katakam, J., Harper, R., Ameri, C., & Wolz, T. (2015). Fatherhood contributes to increased hippocampal spine density and anxiety regulation in California mice. *Brain and Behavior*, n/a-n/a. doi: 10.1002/brb3.416. <http://dx.doi.org/10.1002/brb3.416>

Glass, R., Synowitz, M., Kronenberg, G., Walzlein, J.-H., Markovic, D. S., Wang, L.-P., . . . Kettenmann, H. (2005). Glioblastoma-Induced Attraction of Endogenous Neural Precursor Cells Is Associated with Improved Survival. *Journal of Neuroscience*, 25(10), 2637-2646. doi: 10.1523/jneurosci.5118-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/10/2637>

Glatzer, N. R., Hasney, C. P., Bhaskaran, M. D., & Smith, B. N. (2003). Synaptic and morphologic properties in vitro of premotor rat nucleus tractus solitarius neurons labeled transneuronally from the stomach. *Journal of Comparative Neurology*, 464(4), 525-539. doi.

Glavaski-Joksimovic, A., Virag, T., Chang, Q. A., West, N. C., Mangatu, T. A., McGrogan, M. P., . . . Bohn, M. C. (2009). Reversal of dopaminergic degeneration in a parkinsonian rat following micrografting of human bone marrow-derived neural progenitors. *Cell Transplantation*, 18(7), 801-814. doi.

Gleeson, P., Crook, S., Cannon, R. C., Hines, M. L., Billings, G. O., Farinella, M., . . . others. (2010). NeuroML: a language for describing data driven models of neurons and networks with a high degree of biological detail. *PLoS computational biology*, 6(6), e1000815-e1000815. doi.

Gleeson, P., Steuber, V., & Silver, R. A. (2007). neuroConstruct: a tool for modeling networks of neurons in 3D space. *Neuron*, 54(2), 219-235. doi.

Gleeson, P., Steuber, V., & Silver, R. A. (2008). Using neuroConstruct to develop and modify biologically detailed 3D neuronal network models in health and disease. *Computational Neuroscience in Epilepsy*. doi.

Glendenning, M. L., Lovekamp-Swan, T., & Schreihöfer, D. A. (2008). Protective effect of estrogen in endothelin-induced middle cerebral artery occlusion in female rats. *Neuroscience Letters*, 445(2), 188-192. doi.

Glezer, I., Chernomorets, A., David, S., Plante, M. M., & Rivest, S. (2007). Genes involved in the balance between neuronal survival and death during inflammation. *PLoS ONE*, 2(3), e310-e310. doi.

Glickfeld, L. L., Atallah, B. V., & Scanziani, M. (2008). Complementary Modulation of Somatic Inhibition by Opioids and Cannabinoids. *Journal of Neuroscience*, 28(8), 1824-1832. doi: 10.1523/jneurosci.4700-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/8/1824>

Glickfeld, L. L., & Scanziani, M. (2006). Distinct timing in the activity of cannabinoid-sensitive and cannabinoid-insensitive basket cells. *Nature of Neuroscience*, 9, 807-815. doi.

Glickstein, S. B., Hof, P. R., & Schmauss, C. (2002). Mice Lacking Dopamine D2 and D3 Receptors Have Spatial Working Memory Deficits. *Journal of Neuroscience*, 22(13), 5619-5629. doi: 20026543. <http://www.jneurosci.org/cgi/content/abstract/22/13/5619>

Gloor, C., Luft, A. R., & Hosp, J. A. (2015). Biphasic plasticity of dendritic fields in layer V motor neurons in response to motor learning. *Neurobiology of Learning and Memory*. doi: <http://dx.doi.org/10.1016/j.nlm.2015.08.009>, <http://www.sciencedirect.com/science/article/pii/S1074742715001574>

Gloveli, T., Booker, S. A., Kopell, N., & Dugladze, T. (2018). Cell Type-Specific Activity During Hippocampal Network Oscillations In Vitro. In V. Cutsuridis, B. P. Graham, S. Cobb & I. Vida (Eds.), *Hippocampal Microcircuits: A Computational Modeler's Resource Book* (pp. 327-364). Cham: Springer International Publishing.

Gloveli, T., Dugladze, T., Rotstein, H. G., Traub, R. D., Monyer, H., Heinemann, U., . . . Kopell, N. J. (2005). Orthogonal arrangement of rhythm-generating microcircuits in the hippocampus. *PNAS*, 102(37), 13295-13300. doi. <http://www.pnas.org/cgi/content/abstract/102/37/13295>

Gloveli, T., Dugladze, T., Saha, S., Monyer, H., Heinemann, U., Traub, R. D., . . . Buhl, t. l. E. H. (2005). Differential involvement of oriens/pyramidale interneurons in hippocampal network oscillations in vitro. *Journal of Physiology*, 562(1), 131-147. doi: 10.1113/jphysiol.2004.073007. <http://jp.physoc.org/cgi/content/abstract/562/1/131>

Gloveli, T., Kopell, N., & Dugladze, T. (2010). Neuronal activity patterns during hippocampal network oscillations in vitro. *Hippocampal Microcircuits*, 247-276. doi.

Godavarthi, S. K., Dey, P., Sharma, A., & Jana, N. R. (2015). Impaired adult hippocampal neurogenesis and its partial reversal by chronic treatment of fluoxetine in a mouse model of Angelman syndrome. *Biochemical and Biophysical Research Communications*. doi: <http://dx.doi.org/10.1016/j.bbrc.2015.07.103>. <http://www.sciencedirect.com/science/article/pii/S0006291X15303338>

Godavarthi, S. K., Sharma, A., & Jana, N. R. (2014). Reversal of reduced parvalbumin neurons in hippocampus and amygdala of Angelman syndrome model mice by chronic treatment of fluoxetine. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12726. <http://dx.doi.org/10.1111/jnc.12726>

Godfrey, D. A., Chen, K., Godfrey, M. A., Jin, Y. M., Robinson, K. T., & Hair, C. (2008). Effects of cochlear ablation on amino acid concentrations in the chinchilla posteroventral cochlear nucleus, as compared to rat. *Neuroscience*, 154(1), 304-314. doi.

Godfrey, D. A., Chen, K., Godfrey, M. A., Lee, A. C., Crass, S. P., Shipp, D., . . . Robinson, K. T. (2015). Cochlear ablation effects on amino acid levels in the chinchilla cochlear nucleus. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.03.055>. <http://www.sciencedirect.com/science/article/pii/S0306452215003048>

Godfrey, D. A., Chen, K., O'Toole, T. R., & Mustapha, A. I. A. A. (2017). Amino acid and acetylcholine chemistry in the central auditory system of young, middle-aged and old rats. *Hearing Research*. doi: <https://doi.org/10.1016/j.heares.2017.05.002>. <http://www.sciencedirect.com/science/article/pii/S0378595517301181>

Godfrey, D. A., Kaltenbach, J. A., Chen, K., Ilyas, O., Liu, X., Licari, F., . . . McKnight, D. (2012). Amino acid concentrations in the hamster central auditory system and long-term effects of intense tone exposure. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23095. <http://dx.doi.org/10.1002/jnr.23095>

Godfrey, D. A., Lee, A. C., Hamilton, W. D., Benjamin Iii, L. C., Vishwanath, S., Simo, H., . . . Heffner, R. S. (2016). Volumes of Cochlear Nucleus Regions in Rodents. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.07.003>. <http://www.sciencedirect.com/science/article/pii/S0378595516302660>

Goeke, C. M., Hashimoto, J. G., Guizzetti, M., & Vitalone, A. (2021). Effects of ethanol-and choline-treated astrocytes on hippocampal neuron neurite outgrowth in vitro. *Science Progress*, 104(2), 00368504211018943. doi: 10.1177/00368504211018943. <https://doi.org/10.1177/00368504211018943>

Goeke, C. M., Roberts, M. L., Hashimoto, J. G., Finn, D. A., & Guizzetti, M. (2018). Neonatal Ethanol and Choline Treatments Alter the Morphology of Developing Rat Hippocampal Pyramidal Neurons in Opposite Directions. *Neuroscience*, 374, 13-24. doi: <https://doi.org/10.1016/j.neuroscience.2018.01.031>. <https://www.sciencedirect.com/science/article/pii/S0306452218300472>

Goings, G. E., Kozlowski, D. A., & Szele, F. G. (2006). Differential activation of microglia in neurogenic versus non-neurogenic regions of the forebrain. *Glia*, 54(4), 329-342. doi.

Goings, G. E., Wibisono, B. L., & Szele, F. G. (2002). Cerebral cortex lesions decrease the number of bromodeoxyuridine-positive subventricular zone cells in mice. *Neuroscience Letters*, 329(2), 161-164. doi.

Gold, C., Henze, D. A., Koch, C., & Buzsaki, G. (2006). On the Origin of the Extracellular Action Potential Waveform: A Modeling Study. *Journal of Neurophysiology*, 95(5), 3113-3128. doi: 10.1152/jn.00979.2005. <http://jn.physiology.org/cgi/content/abstract/95/5/3113>

Goldberg, J., Hamzei-Sichani, F., MacLean, J., Tamas, G., Urban, R., & Yuste, R. (2006). From Dendrites to Networks: Optically Probing the Living Brain Slice and Using Principal Component Analysis to Characterize Neuronal Morphology. *Neuroanatomical Tract-Tracing* 3, 452-476. doi.

Goldberg, J. H., Lacefield, C. O., & Yuste, R. (2004). Global dendritic calcium spikes in mouse layer 5 low threshold spiking interneurons: implications for control of pyramidal cell bursting. *Journal of Physiology*, 558(2), 465-478. doi: 10.1113/jphysiol.2004.064519. <http://jp.physoc.org/cgi/content/abstract/558/2/465>

Goldberg, J. H., Tamas, G., Aronov, D., & Yuste, R. (2003). Calcium microdomains in aspiny dendrites. *Neuron*, 40(4), 807-821. doi.

Goldberg, J. H., Tamas, G., & Yuste, R. (2003). Ca²⁺ imaging of mouse neocortical interneurone dendrites: Ia-type K⁺ channels control action potential backpropagation. *Journal of Physiology*, 551(1), 49-65. doi: 10.1113/jphysiol.2003.042580. <http://jp.physoc.org/cgi/content/abstract/551/1/49>

Goldberg, J. H., Yuste, R., & Tamas, G. (2003). Ca²⁺ imaging of mouse neocortical interneurone dendrites: Contribution of Ca²⁺-permeable AMPA and NMDA receptors to subthreshold Ca²⁺dynamics. *Journal of Physiology*, 551(1), 67-78. doi: 10.1113/jphysiol.2003.042598. <http://jp.physoc.org/cgi/content/abstract/551/1/67>

Golden, K. L., Pearse, D. D., Blits, B., Garg, M. S., Oudega, M., Wood, P. M., & Bunge, M. B. (2007). Transduced Schwann cells promote axon growth and myelination after spinal cord injury. *Experimental Neurology*, 207(2), 203-217. doi.

Goldin, M., Epsztein, J., Jorquera, I., Represa, A., Ben-Ari, Y., Crepel, V., & Cossart, R. (2007). Synaptic Kainate Receptors Tune Oriens-Lacunosum Moleculare Interneurons to Operate at Theta Frequency. *Journal of Neuroscience*, 27(36), 9560-9572. doi: 10.1523/jneurosci.1237-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/36/9560>

Golding, N. L., Kath, W. L., & Spruston, N. (2001). Dichotomy of Action-Potential Backpropagation in CA1 Pyramidal Neuron Dendrites. *Journal of Neurophysiology*, 86(6), 2998-3010. doi. <http://jn.physiology.org/cgi/content/abstract/86/6/2998>

Golding, N. L., Mickus, T. J., Katz, Y., Kath, W. L., & Spruston, N. (2005). Factors mediating powerful voltage attenuation along CA1 pyramidal neuron dendrites. *Journal of Physiology*, 568(1), 69-82. doi: 10.1113/jphysiol.2005.086793. <http://jp.physoc.org/cgi/content/abstract/568/1/69>

Goldowitz, D., Cushing, R. C., Laywell, E., D'Arcangelo, G., Sheldon, M., Sweet, H. O., . . . Curran, T. (1997). Cerebellar Disorganization Characteristic of Reeler in Scrambler Mutant Mice Despite

Presence of Reelin. *Journal of Neuroscience*, 17(22), 8767-8777.
doi: <http://www.jneurosci.org/cgi/content/abstract/17/22/8767>

Goldowitz, D., Hamre, K. M., Przyborski, S. A., & Ackerman, S. L. (2000). Granule Cells and Cerebellar Boundaries: Analysis of Unc5h3 Mutant Chimeras. *Journal of Neuroscience*, 20(11), 4129-4137.
doi: <http://www.jneurosci.org/cgi/content/abstract/20/11/4129>

Goldstein, A. Y. N., Jan, Y.-N., & Luo, L. (2005). Function and regulation of Tumbleweed (RacGAP50C) in neuroblast proliferation and neuronal morphogenesis. *PNAS*, 102(10), 3834-3839.
doi: <http://www.pnas.org/cgi/content/abstract/102/10/3834>

Goldwater, D. S., Pavlides, C., Hunter, R. G., Bloss, E. B., Hof, P. R., McEwen, B. S., & Morrison, J. H. (2009). Structural and functional alterations to rat medial prefrontal cortex following chronic restraint stress and recovery. *Neuroscience*, 164(2), 798-808. doi.

Gombash, S. E., Cowley, C. J., Fitzgerald, J. A., Iyer, C. C., Fried, D., McGovern, V. L., . . . Foust, K. D. (2015). SMN Deficiency Disrupts Gastrointestinal and Enteric Nervous System Function in Mice. *Human Molecular Genetics*. doi: 10.1093/hmg/ddv127. <http://hmg.oxfordjournals.org/content/early/2015/04/09/hmg.ddv127.abstract>

Gombash, S. E., Lipton, J. W., Collier, T. J., Madhavan, L., Steece-Collier, K., Cole-Strauss, A., . . . others. (2011). Striatal Pleiotrophin Overexpression Provides Functional and Morphological Neuroprotection in the 6-Hydroxydopamine Model. *Molecular Therapy*, 20(3), 544-554. doi.

Gomes, G. F., Peixoto, R. D. d. F., Maciel, B. G., Santos, K. F. d., Bayma, L. R., Feitoza Neto, P. A., . . . Diniz, C. W. P. (2019). Differential Microglial Morphological Response, TNF α , and Viral Load in Sedentary-like and Active Murine Models After Systemic Non-neurotropic Dengue Virus Infection. *Journal of Histochemistry and Cytochemistry*, 0022155419835218. doi: 10.1369/0022155419835218. <https://doi.org/10.1369/0022155419835218>

Gomez, C., Brinon, J. G., Orío, L., Colado, M. I., Lawrence, A. J., Zhou, F. C., . . . Alonso, J. R. (2007). Changes in the serotonergic system in the main olfactory bulb of rats unilaterally deprived from birth to adulthood. *Journal of Neurochemistry*, 100(4), 924-938. doi: doi:10.1111/j.1471-4159.2006.04229.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04229.x>

Gomez, C., Brinon, J. G., Valero, J., Recio, J. S., Murias, A. R., Curto, G. G., . . . Alonso, J. R. (2007). Sex differences in catechol contents in the olfactory bulb of control and unilaterally deprived rats. *European Journal of Neuroscience*, 25(5), 1517-1528. doi: doi:10.1111/j.1460-9568.2007.05407.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05407.x>

Gómez, C., Curto, G. G., Baltanás, F. C., Valero, J., O'Shea, E., Colado, M. I., . . . Alonso, J. R. (2011). Changes in the serotonergic system and in BDNF distribution in the main olfactory bulb of pcd mice before and after mitral cell loss. *Neuroscience*. doi.

Gómez, C., Jimeno, D., Fernández-Medarde, A., García-Navas, R., Calzada, N., & Santos, E. (2017). Ras-GRF2 regulates nestin-positive stem cell density and onset of differentiation during adult neurogenesis in the mouse dentate gyrus. *Molecular and Cellular Neuroscience*. doi: <https://doi.org/10.1016/j.mcn.2017.09.006>. <http://www.sciencedirect.com/science/article/pii/S1044743117301392>

Gómez-Álvarez, M., & Saldaña, E. (2015). Different tonotopic regions of the lateral superior olive receive a similar combination of afferent inputs. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23942. <http://dx.doi.org/10.1002/cne.23942>

Gómez-Chacón, B., Gámiz, F., & Gallo, M. (2012). Basolateral amygdala lesions attenuate safe taste memory-related c-fos expression in the rat perirhinal cortex. *Behavioural Brain Research*. doi.

Gómez-Galán, M., De Bundel, D., Van Eeckhaut, A., Smolders, I., & Lindskog, M. (2012). Dysfunctional astrocytic regulation of glutamate transmission in a rat model of depression. *Molecular Psychiatry*. doi.

Gomez-Gonzalez, B., & Escobar, A. (2010). Prenatal stress alters microglial development and distribution in postnatal rat brain. *Acta Neuropathol*, 119, 303 - 315. doi.

Goncalves, J. T., Bloyd, C. W., Shtrahman, M., Johnston, S. T., Schafer, S. T., Parylak, S. L., . . . Gage, F. H. (2016). In vivo imaging of dendritic pruning in dentate granule cells. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4301

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4301.html#suppl.....> <http://dx.doi.org/10.1038/nn.4301>

Gonçalves, L., Silva, R., Pinto-Ribeiro, F., Pêgo, J. M., Bessa, J. M., Pertovaara, A., . . . Almeida, A. (2008). Neuropathic pain is associated with depressive behaviour and induces neuroplasticity in the amygdala of the rat. *Experimental Neurology*, 213(1), 48-56. doi.

Gong, H., McGinty, D., Guzman-Marin, R., Chew, K.-T., Stewart, D., & Szymusiak, R. (2004). Activation of c-fos in GABAergic neurones in the preoptic area during sleep and in response to sleep deprivation. *Journal of Physiology*, 556(3), 935-946. doi: 10.1113/jphysiol.2003.056622. <http://jp.physoc.org/cgi/content/abstract/556/3/935>

Gong, H., Szymusiak, R., King, J., Steininger, T., & McGinty, D. (2000). Sleep-related c-Fos protein expression in the preoptic hypothalamus: effects of ambient warming. *American Journal Physiological Integrative Comparative Physiology*, 279(6), R2079-2088. doi. <http://ajpregu.physiology.org/cgi/content/abstract/279/6/R2079>

Gong, H., Xu, D., Yuan, J., Li, X., Guo, C., Peng, J., . . . Luo, Q. (2016). High-throughput dual-colour precision imaging for brain-wide connectome with cytoarchitectonic landmarks at the cellular level. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms12142. <http://dx.doi.org/10.1038/ncomms12142>

Gong, S., Doughty, M., Harbaugh, C. R., Cummins, A., Hatten, M. E., Heintz, N., & Gerfen, C. R. (2007). Targeting Cre Recombinase to Specific Neuron Populations with Bacterial Artificial Chromosome Constructs

Journal of Neuroscience 27(37), 9817-9823. doi.

Gong, S., Zhou, Q., & LeDoux, M. S. (2003). Blink-related sensorimotor anatomy in the rat. *Anatomy and Embryology*, 207(3), 193-208. doi.

Gong, X., Jiang, Y., Zhang, X., An, Y., Zhang, J., Wu, Y., . . . others. (2012). High Proportion of 22q13 Deletions and SHANK3 Mutations in Chinese Patients with Intellectual Disability. *PLoS ONE*, 7(4), e34739-e34739. doi.

- Gong, X., Jiang, Y.-w., Zhang, X., An, Y., Zhang, J., Wu, Y., . . . Wang, H. (2012). High Proportion of 22q13 Deletions and SHANK3 Mutations in Chinese Patients with Intellectual Disability. *PLoS ONE*, 7(4), e34739. doi: 10.1371/journal.pone.0034739. <http://dx.doi.org/10.1371%2Fjournal.pone.0034739>
- Gonzalez, F. F., McQuillen, P., Mu, D., Chang, Y., Wendland, M., Vexler, Z., & Ferriero, D. M. (2007). Erythropoietin Enhances Long-Term Neuroprotection and Neurogenesis in Neonatal Stroke. *Developmental Neuroscience*, 29(4-5), 321-330. doi: <http://www.karger.com/DOI/10.1159/000105473>
- González, G., Fleuret, F., & Fua, P. (2008). Automated delineation of dendritic networks in noisy image stacks. *Computer Vision–ECCV 2008*, 214-227. doi.
- Gonzalez, I., Arévalo-Serrano, J., Perez, J. L., Gonzalo, P., & Gonzalo-Ruiz, A. (2008). Effects of β -amyloid peptide on the density of M2 muscarinic acetylcholine receptor protein in the hippocampus of the rat: relationship with GABA-, calcium-binding protein and somatostatin-containing cells. *Neuropathology and Applied Neurobiology*, 34(5), 506-522. doi.
- González, I., Arévalo-Serrano, J., Sanz-Anquela, J. M., & Gonzalo-Ruiz, A. (2007). Effects of β -amyloid protein on M1 and M2 subtypes of muscarinic acetylcholine receptors in the medial septum-diagonal band complex of the rat: relationship with cholinergic, GABAergic, and calcium-binding protein perikarya. *Acta Neuropathologica*, 113(6), 637-651. doi.
- González, J. F. G., Mel, B. W., & Poirazi, P. (2011). Distinguishing linear vs. non-linear integration in CA1 radial oblique dendrites: it's about time. *Frontiers in computational neuroscience*, 5. doi.
- González-Aparicio, R., & Moratalla, R. (2013). Oleylethanolamide reduces L-DOPA-induced dyskinesia via TRPV1 receptor in a mouse model of Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.10.008>. <http://www.sciencedirect.com/science/article/pii/S0969996113002830>
- Gonzalez-Burgos, G., Krimer, L. S., Povysheva, N. V., Barrionuevo, G., & Lewis, D. A. (2005). Functional Properties of Fast Spiking Interneurons and Their Synaptic Connections With Pyramidal Cells in Primate Dorsolateral Prefrontal Cortex. *Journal of Neurophysiology*, 93(2), 942-953. doi: 10.1152/jn.00787.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/942>
- González-Burgos, G., Krimer, L. S., Urban, N. N., Barrionuevo, G., & Lewis, D. A. (2004). Synaptic efficacy during repetitive activation of excitatory inputs in primate dorsolateral prefrontal cortex. *Cerebral Cortex*, 14(5), 530-542. doi.
- González-Burgos, G., Krimer, L. S., Urban, N. N., Barrionuevo, G., & Lewis, D. A. (2004). Synaptic efficacy during repetitive activation of excitatory inputs in primate dorsolateral prefrontal cortex. *Cerebral Cortex*, 14(5), 530-542. doi.
- Gonzalez-Burgos, G., Kroener, S., Seamans, J. K., Lewis, D. A., & Barrionuevo, G. (2005). Dopaminergic Modulation of Short-Term Synaptic Plasticity in Fast-Spiking Interneurons of Primate Dorsolateral Prefrontal Cortex. *Journal of Neurophysiology*, 94(6), 4168-4177. doi: 10.1152/jn.00698.2005. <http://jn.physiology.org/cgi/content/abstract/94/6/4168>
- Gonzalez-Burgos, G., Kroener, S., Zaitsev, A. V., Povysheva, N. V., Krimer, L. S., Barrionuevo, G., & Lewis, D. A. (2008). Functional Maturation of Excitatory Synapses in Layer 3 Pyramidal Neurons during Postnatal Development of the Primate Prefrontal Cortex. *Cerebral Cortex*, 18(3), 626-637. doi: 10.1093/cercor/bhm095. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/3/626>

Gonzalez-Burgos, G., Miyamae, T., Pafundo, D. E., Yoshino, H., Rotaru, D. C., Hoftman, G., . . . Lewis, D. A. (2014). Functional Maturation of GABA Synapses During Postnatal Development of the Monkey Dorsolateral Prefrontal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhu122. <http://cercor.oxfordjournals.org/content/early/2014/06/05/cercor.bhu122>.

...

Gonzalez-Burgos, G., Rotaru, D. C., Zaitsev, A. V., Povysheva, N. V., & Lewis, D. A. (2008). The GABA transporter GAT1 prevents spillover at proximal and distal GABA synapses onto primate prefrontal cortex neurons. *Journal of Neurophysiology*, 99, 916-928. doi: 10.1152/jn.9161.2008. <http://jn.physiology.org/cgi/content/abstract/99/3/916>

González-Cabrera, C., Meza, R., Ulloa, L., Merino-Sepúlveda, P., Luco, V., Sanhueza, A., . . . Henny, P. (2017). Characterization of the axon initial segment of mice substantia nigra dopaminergic neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24288. <http://dx.doi.org/10.1002/cne.24288>

Gonzalo-Ruiz, A., & Arévalo-Serrano, J. (2012). Interaction between β -amyloid protein and the $\alpha 7$ nicotinic acetylcholine receptor in cholinergic, gabaergic and calcium-binding proteins-containing neurons in the septum-diagonal band complex of the rat. *European Journal of Anatomy*, 10(3), 127-142. doi.

Gonzalo-Ruiz, A., Gonzalez, I., & Sanz-Anquela, J. M. (2003). Effects of β -amyloid protein on serotonergic, noradrenergic, and cholinergic markers in neurons of the pontomesencephalic tegmentum in the rat. *Journal of Chemical Neuroanatomy*, 26(3), 153-169. doi.

Gonzalo-Ruiz, A., Perez, J. L., Sanz, J. M., Geula, C., & Arevalo, J. (2006). Effects of lipids and aging on the neurotoxicity and neuronal loss caused by intracerebral injections of the amyloid- β peptide in the rat. *Experimental Neurology*, 197(1), 41-55. doi.

Goodliffe, J. W., Song, H., Rubakovic, A., Chang, W., Medalla, M., Weaver, C. M., & Luebke, J. I. (2018). Differential changes to D1 and D2 medium spiny neurons in the 12-month-old Q175+/- mouse model of Huntington's Disease. *PLoS ONE*, 13(8), e0200626. doi: 10.1371/journal.pone.0200626. <https://doi.org/10.1371/journal.pone.0200626>

Goodman, R. L., Maltby, M. J., Millar, R. P., Hileman, S. M., Nestor, C. C., Whited, B., . . . Lehman, M. N. (2012). Evidence that Dopamine Acts via Kisspeptin to Hold GnRH Pulse Frequency in Check in Anestrous Ewes. *Endocrinology*. doi: 10.1210/en.2012-1611. <http://endo.oxfordjournals.org/content/early/2012/10/03/en.2012-1611.abstract>

Gordon, M., Shepherd, G., Stepanyants, A., Bureau, I., Chklovskii, D., & Svoboda, K. (2005). Geometric and functional organization of cortical circuits. *Nature Neuroscience*, 8, 782-790. doi.

Gordon, R. J., Tattersfield, A. S., Vazey, E. M., Kells, A. P., McGregor, A. L., Hughes, S. M., & Connor, B. (2007). Temporal profile of subventricular zone progenitor cell migration following quinolinic acid-induced striatal cell loss. *Neuroscience*, 146(4), 1704-1718. doi.

Gos, T., Bock, J., Poeggel, G., & Braun, K. (2008). Stress-induced synaptic changes in the rat anterior cingulate cortex are dependent on endocrine developmental time windows. *Synapse*, 62(3), 229-232. doi.

Goshen, I., Avital, A., Kreisel, T., Licht, T., Segal, M., & Yirmiya, R. (2009). Environmental Enrichment Restores Memory Functioning in Mice with Impaired IL-1 Signaling via Reinstatement of Long-Term

Potential and Spine Size Enlargement. *Journal of Neuroscience*, 29(11), 3395-3403. doi: 10.1523/jneurosci.5352-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3395>

Goto, J., Talos, D. M., Klein, P., Qin, W., Chekaluk, Y. I., Anderl, S., . . . Kwiatkowski, D. J. (2011). Regulable neural progenitor-specific Tsc1 loss yields giant cells with organellar dysfunction in a model of tuberous sclerosis complex. *Proceedings of the National Academy of Sciences*, 108(45), E1070–E1079. doi: 10.1073/pnas.1106454108. <http://www.pnas.org/content/108/45/E1070.abstract>

Goto, K., Kutsuna, N., Yamashita, A., Oshima, H., Suma, T., & Yoshino, A. (2018). Changes of Doublecortin-Immunoreactive Cells from the Acute Phase to Chronic Phase After Transient Global Brain Ischemia in Rat Cingulate Cortex. In O. Thews, J. C. LaManna & D. K. Harrison (Eds.), *Oxygen Transport to Tissue XL* (pp. 69-75). Cham: Springer International Publishing.

Gottlieb, J. P., & Keller, A. (1997). Intrinsic circuitry and physiological properties of pyramidal neurons in rat barrel cortex. *Experimental Brain Research*, 115, 47-60. doi.

Gould, E., Vail, N., Wagers, M., & Gross, C. (2001). Adult-generated hippocampal and neocortical neurons in macaques have a transient existence. *Proceedings of the National Academy of Sciences*, 98(19), 10910-10917. doi.

Gourley, S. L., Swanson, A. M., & Koleske, A. J. (2013). Corticosteroid-Induced Neural Remodeling Predicts Behavioral Vulnerability and Resilience. *Journal of Neuroscience*, 33(7), 3107-3112. doi: 10.1523/jneurosci.2138-12.2013. <http://www.jneurosci.org/content/33/7/3107.abstract>

Gouty-Colomer, L. A., Hosseini, B., Marcelo, I. M., Schreiber, J., Slump, D. E., Yamaguchi, S., . . . Kushner, S. A. (2015). Arc expression identifies the lateral amygdala fear memory trace. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2015.18. <http://dx.doi.org/10.1038/mp.2015.18>

Grachev, P., Porter, K. L., Coolen, L. M., McCosh, R. B., Connors, J. M., Hileman, S. M., . . . Goodman, R. L. (2016). Surge-like LH secretion induced by retrochiasmatic area NK3R activation is mediated primarily by ARC kisspeptin neurones in the ewe. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12393. <http://dx.doi.org/10.1111/jne.12393>

Gradari, S., Pérez-Dómpier, P., Butler, R. G., Martínez-Cué, C., de Polavieja, G. G., & Trejo, J. L. (2016). The relationship between behavior acquisition and persistence abilities: Involvement of adult hippocampal neurogenesis. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22568. <http://dx.doi.org/10.1002/hipo.22568>

Graebenitz, S., Lesting, J., Sosulina, L., Seidenbecher, T., & Pape, H. C. (2010). Alteration of NMDA receptor-mediated synaptic interactions in the lateral amygdala associated with seizure activity in a mouse model of chronic temporal lobe epilepsy. *Epilepsia*, 51(9), 1754-1762. doi.

Graeber, M., & Streit, W. (2010). Microglia: biology and pathology. *Acta Neuropathol*, 119, 89 - 105. doi.

Graf, W., Gerrits, N., Yatim-Dhiba, N., & Ugolini, G. (2002). Mapping the oculomotor system: the power of transneuronal labelling with rabies virus. *European Journal of Neuroscience*, 15(9), 1557. doi.

Grafe, L. A., Geng, E., Corbett, B., Urban, K., & Bhatnagar, S. (2019). Sex- and Stress-Dependent Effects on Dendritic Morphology and Spine Densities in Putative Orexin Neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.026>. <http://www.sciencedirect.com/science/article/pii/S0306452219305998>

Grahn, P. J., Vaishya, S., Knight, A., Chen, B. K., Schmeichel, A., Currier, B., . . . Windebank, A. (2014). Implantation of cauda equina nerve roots through a biodegradable scaffold at the conus medullaris in rat. *The Spine Journal*, (0). doi: <http://dx.doi.org/10.1016/j.spinee.2014.01.059>. <http://www.sciencedirect.com/science/article/pii/S1529943014001375>

Granato, A. (2006). Altered organization of cortical interneurons in rats exposed to ethanol during neonatal life. *Brain Research*, 1069(1), 23-30. doi.

Granato, A., Di Rocco, F., Zumbo, A., Toesca, A., & Giannetti, S. (2003). Organization of cortico-cortical associative projections in rats exposed to ethanol during early postnatal life. *Brain Research Bulletin*, 60(4), 339-344. doi.

Granato, A., & Van Pelt, J. (2003). Effects of early ethanol exposure on dendrite growth of cortical pyramidal neurons: inferences from a computational model. *Developmental Brain Research*, 142(2), 223-227. doi.

Grande, V., Manassero, G., & Vercelli, A. (2014). Neuroprotective and Anti-Inflammatory Roles of the Phosphatase and Tensin Homolog Deleted on Chromosome Ten (PTEN) Inhibition in a Mouse Model of Temporal Lobe Epilepsy. *PLoS ONE*, 9(12), e114554. doi: 10.1371/journal.pone.0114554. <http://dx.doi.org/10.1371/journal.pone.0114554>

Grandis, M., Jain, M., La Padula, V., Balsamo, J., Lilien, J., Kamholz, J., . . . Shy, M. E. (2004). Mutations disrupting extracellular structure of MPZ cause early onset severe forms of CMT1B. *Journal of the Peripheral Nervous System*, 9(2), 111-112. doi: doi:10.1111/j.1085-9489.2004.009209.y.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Grant, A., Hoops, D., Labelle-Dumais, C., Prevost, M., Rajabi, H., Kolb, B., . . . Flores, C. (2007). Netrin-1 receptor-deficient mice show enhanced mesocortical dopamine transmission and blunted behavioural responses to amphetamine. *European Journal of Neuroscience*, 26(11), 3215-3228. doi: doi:10.1111/j.1460-9568.2007.05888.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05888.x>

Grantyn, A., Brandi, A. M., Dubayle, D., Graf, W., Ugolini, G., Hadjidimitrakis, K., & Moschovakis, A. (2002). Density gradients of trans-synaptically labeled collicular neurons after injections of rabies virus in the lateral rectus muscle of the rhesus monkey. *Journal of Comparative Neurology*, 451(4), 346-361. doi.

Grantyn, A., Kuze, B., Brandi, A. M., Thomas, M. A., & Quenech'du, N. (2010). Direct projections of omnipause neurons to reticulospinal neurons: A double-labeling light microscopic study in the cat. *Journal of Comparative Neurology*, 518(23), 4792-4812. doi.

Grau-Perales, A., Gómez-Chacón, B., Morillas, E., & Gallo, M. (2018). Flavor recognition memory related activity of the posterior piriform cortex in adult and aged rats. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2018.12.016>. <http://www.sciencedirect.com/science/article/pii/S0166432818311689>

Grau-Perales, A. B., Gámiz, F., & Gallo, M. (2021). Effect of hippocampal 6-OHDA lesions on the contextual modulation of taste recognition memory. *Behavioural Brain Research*, 409, 113320. doi: <https://doi.org/10.1016/j.bbr.2021.113320>. <https://www.sciencedirect.com/science/article/pii/S0166432821002084>

Grau-Perales, A. B., Levy, E. R. J., Fenton, A. A., & Gallo, M. (2019). Dorsal hippocampal damage disrupts the auditory context-dependent attenuation of taste neophobia in mice. *Neurobiology of Learning and Memory*, 157, 121-127. doi: <https://doi.org/10.1016/j.nlm.2018.12.009>. <http://www.sciencedirect.com/science/article/pii/S1074742718302855>

Graves, Austin R., Moore, Shannon J., Bloss, Erik B., Mensh, Brett D., Kath, William L., & Spruston, N. (2012). Hippocampal Pyramidal Neurons Comprise Two Distinct Cell Types that Are Countermodulated by Metabotropic Receptors. *Neuron*, 76(4), 776-789. doi: <http://dx.doi.org/10.1016/j.neuron.2012.09.036>. <http://www.sciencedirect.com/science/article/pii/S0896627312008902>

Graziano, A., & Jones, E. G. (2009). Early Withdrawal of Axons from Higher Centers in Response to Peripheral Somatosensory Denervation. *Journal of Neuroscience*, 29(12), 3738-3748. doi: 10.1523/jneurosci.5388-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/12/3738>

Greco, M. A., Magner, M., & Shiromani, P. J. (1998). Expression of cholinergic markers in the pons of Flinders rats. *Molecular Brain Research*, 55(2), 232-236. doi.

Greco, M. A., & Shiromani, P. J. (2001). Hypocretin receptor protein and mRNA expression in the dorsolateral pons of rats. *Molecular Brain Research*, 88(1-2), 176-182. doi.

Greminger, A. R., Lee, D. L., Shrager, P., & Mayer-Pröschel, M. (2014). Gestational Iron Deficiency Differentially Alters the Structure and Function of White and Gray Matter Brain Regions of Developing Rats. *The Journal of Nutrition*. doi: 10.3945/jn.113.187732. <http://jn.nutrition.org/content/early/2014/04/16/jn.113.187732.abstract>

Gribaudo, S., Bovetti, S., Friard, O., Denorme, M., Oboti, L., Fasolo, A., & De Marchis, S. (2012). Transitory and activity-dependent expression of Neurogranin in olfactory bulb tufted cells during mouse postnatal development. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23150. <http://dx.doi.org/10.1002/cne.23150>

Gribaudo, S., Bovetti, S., Garzotto, D., Fasolo, A., & De Marchis, S. (2009). Expression and localization of the calmodulin-binding protein neurogranin in the adult mouse olfactory bulb. *Journal of Comparative Neurology*, 517(5), 683-694. doi.

Griffiths, B. B., Sahbaie, P., Rao, A., Arvola, O., Xu, L., Liang, D., . . . Stary, C. M. (2019). Pre-treatment with microRNA-181a Antagomir Prevents Loss of Parvalbumin Expression and Preserves Novel Object Recognition Following Mild Traumatic Brain Injury. [journal article]. *Neuromolecular medicine*. doi: 10.1007/s12017-019-08532-y. <https://doi.org/10.1007/s12017-019-08532-y>

Grill, J. D., & Riddle, D. R. (2002). Age-related and laminar-specific dendritic changes in the medial frontal cortex of the rat. *Brain Research*, 937(1-2), 8-21. doi.

Grill, J. D., Sonntag, W. E., & Riddle, D. R. (2005). Dendritic stability in a model of adult-onset IGF-I deficiency. *Growth Hormone and IGF Research*, 15(5), 337-348. doi.

Grillo, C. A., Risher, M., Macht, V. A., Bumgardner, A. L., Hang, A., Gabriel, C., . . . Reagan, L. P. (2014). Repeated restraint stress-induced atrophy of glutamatergic pyramidal neurons and decreases in glutamatergic efflux in the rat amygdala are prevented by the antidepressant agomelatine. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.09.047>. <http://www.sciencedirect.com/science/article/pii/S0306452214007982>

Grimaldi, P., Saleem, Kadharbatcha S., & Tsao, D. (2016). Anatomical Connections of the Functionally Defined "Face Patches" in the Macaque Monkey. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.05.009>. <http://www.sciencedirect.com/science/article/pii/S0896627316301696>

Grimm, J., Barnes, J., Koerber, J., Glueck, E., Ginder, D., Hyde, J., & Eaton, L. (2015). Effects of acute or chronic environmental enrichment on regional Fos protein expression following sucrose cue-reactivity testing in rats. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-015-1074-z. <http://dx.doi.org/10.1007/s00429-015-1074-z>

Grisot, G., Haber, S. N., & Yendiki, A. (2021). Diffusion MRI and anatomic tracing in the same brain reveal common failure modes of tractography. *Neuroimage*, 239, 118300. doi: <https://doi.org/10.1016/j.neuroimage.2021.118300>. <https://www.sciencedirect.com/science/article/pii/S1053811921005760>

Gritti, I., Henny, P., Galloni, F., Mainville, L., Mariotti, M., & Jones, B. E. (2006). Stereological estimates of the basal forebrain cell population in the rat, including neurons containing choline acetyltransferase, glutamic acid decarboxylase or phosphate-activated glutaminase and colocalizing vesicular glutamate transporters. *Neuroscience*, 143(4), 1051-1064. doi.

Groc, L., Petanjek, Z., Gustafsson, B., Ben-Ari, Y., Hanse, E., & Khazipov, R. (2002). In vivo blockade of neural activity

alters dendritic development of neonatal CA1 pyramidal cells. *European Journal of Neuroscience*, 16(10), 1931. doi.

Groc, L., Petanjek, Z., Gustafsson, B., Ben-Ari, Y., Khazipov, R., & Hanse, E. (2003). Compensatory dendritic growth of CA1 pyramidal cells following growth impairment in the neonatal period. *European Journal of Neuroscience*, 18, 1332-1336. doi.

Groen, M. R., Paulsen, O., Perez-Garci, E., Nevian, T., Wortel, J., Dekker, M. P., . . . Meredith, R. M. (2014). Development of dendritic tonic GABAergic inhibition regulates excitability and plasticity in CA1 pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.00066.2014. <http://jn.physiology.org/content/early/2014/04/18/jn.00066.2014.abstract>

Gröger, N., Mannewitz, A., Bock, J., de Schultz, T. F., Guttman, K., Poeggel, G., & Braun, K. (2017). Infant avoidance training alters cellular activation patterns in prefronto-limbic circuits during adult avoidance learning: I. Cellular imaging of neurons expressing the synaptic plasticity early growth response protein 1 (Egr1). [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-017-1423-1. <http://dx.doi.org/10.1007/s00429-017-1423-1>

Groh, A., Bokor, H., Mease, R. A., Plattner, V. M., Hangya, B., Stroh, A., . . . Acsády, L. (2013). Convergence of Cortical and Sensory Driver Inputs on Single Thalamocortical Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bht173. <http://cercor.oxfordjournals.org/content/early/2013/07/03/cercor.bht173...>

Groh, A., de Kock, C. P. J., Wimmer, V. C., Sakmann, B., & Kuner, T. (2008). Driver or Coincidence Detector: Modal Switch of a Corticothalamic Giant Synapse Controlled by Spontaneous Activity and Short-Term Depression. *Journal of Neuroscience*, 28(39), 9652-9663. doi: 10.1523/jneurosci.1554-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/39/9652>

Groh, A., Meyer, H. S., Schmidt, E. F., Heintz, N., Sakmann, B., & Krieger, P. (2010). Cell-type specific properties of pyramidal neurons in neocortex underlying a layout that is modifiable depending on the cortical area. *Cerebral Cortex*, 20(4), 826-836. doi.

Gröhn, O. H. J., Kettunen, M. I., Mäkelä, H. I., Penttonen, M., Pitkänen, A., Lukkarinen, J. A., & Kauppinen, R. A. (2000). Early Detection of Irreversible Cerebral Ischemia in the Rat Using Dispersion of the Magnetic Resonance Imaging Relaxation Time, T1p. *Journal of Cerebral Blood Flow AND Metabolism*, 20, 1457-1466. doi.

Grońska-Pęski, M., Schachner, M., & Hébert, J. M. (2020). L1cam curbs the differentiation of adult-born hippocampal neurons. *Stem Cell Research*, 48, 101999. doi: <https://doi.org/10.1016/j.scr.2020.101999>. <http://www.sciencedirect.com/science/article/pii/S1873506120303007>

Groom, A., Potter, K., Turcot, V., Pearce, M. S., Embleton, N. D., & Relton, C. L. (2011). Postnatal Growth Is Associated with DNA Methylation and Childhood Adiposity: Using Genetic Variation to Infer the Direction of Causation. *Journal of Developmental Origins of Health and Disease*, 2(1), S2–S34–S32–S34. doi.

Grosso, A., Cambiaghi, M., Milano, L., Renna, A., Sacco, T., & Sacchetti, B. (2016). Region- and Layer-Specific Activation of the Higher Order Auditory Cortex Te2 after Remote Retrieval of Fear or Appetitive Memories. *Cerebral Cortex*. doi: 10.1093/cercor/bhw159. <http://cercor.oxfordjournals.org/content/early/2016/05/31/cercor.bhw159...>

Groves, T. R., Farris, R., Anderson, J. E., Alexander, T. C., Kiffer, F., Carter, G., . . . Allen, A. R. (2017). 5-Fluorouracil chemotherapy upregulates cytokines and alters hippocampal dendritic complexity in aged mice. *Behavioural Brain Research*, 316, 215-224. doi: <http://dx.doi.org/10.1016/j.bbr.2016.08.039>. <http://www.sciencedirect.com/science/article/pii/S0166432816305575>

Groves, T. R., Wang, J., Boerma, M., Allen, A., & o, R. (2017). Assessment of Hippocampal Dendritic Complexity in Aged Mice Using the Golgi-Cox Method. (124), e55696. doi: doi:10.3791/55696. <https://www.jove.com/video/55696>

Gruene, T. M., Roberts, E., Thomas, V., Ronzio, A., & Shansky, R. M. (2014). Sex-specific neuroanatomical correlates of fear expression in prefrontal-amygdala circuits. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2014.11.014>. <http://www.sciencedirect.com/science/article/pii/S0006322314008944>

Grünewald, L., Becker, N., Camphausen, A., O'Leary, A., Lesch, K.-P., Freudenberg, F., & Reif, A. (2018). Expression of the ADHD candidate gene *Diras2* in the brain. [journal article]. *Journal of Neural Transmission*. doi: 10.1007/s00702-018-1867-3. <https://doi.org/10.1007/s00702-018-1867-3>

Grzanna, R., Dubin, J. R., Dent, G. W., Ji, Z., Zhang, W., Ho, S. P., & Hartig, P. R. (1998). Intrastratial and intraventricular injections of oligodeoxynucleotides in the rat brain: tissue penetration, intracellular distribution and c-fos antisense effects. *Molecular Brain Research*, 63, 35-52. doi.

Gu, F., Parada, I., Shen, F., Li, J., Bacci, A., Graber, K., . . . Prince, D. A. (2017). Structural alterations in fast-spiking GABAergic interneurons in a model of posttraumatic neocortical epileptogenesis. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2017.08.008>. <http://www.sciencedirect.com/science/article/pii/S0969996117301894>

Gu, H. H., & Han, D. D. (2017). Chapter 14 - Use of Knock-In Mice to Investigate the Molecular Mechanism of Cocaine Action A2 - Preedy, Victor R The Neuroscience of Cocaine (pp. 135-142). San Diego: Academic Press.

Gu, H. Y., Chai, H., Zhang, J. Y., Yao, Z. B., Zhou, L. H., Wong, W. M., . . . Wu, W. T. (2005). Survival, regeneration and functional recovery of motoneurons after delayed reimplantation of avulsed spinal root in adult rat. *Experimental Neurology*, 192(1), 89-99. doi.

Gu, H.-Y., Chai, H., Zhang, J.-Y., Yao, Z.-B., Zhou, L.-H., Wong, W.-M., . . . Wu, W.-T. (2004). Survival, regeneration and functional recovery of motoneurons in adult rats by reimplantation of ventral root following spinal root avulsion. *European Journal of Neuroscience*, 19(8), 2123-2131. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2004.0329...>

Gu, W., Fu, S., Wang, Y., Li, Y., Lu, H., Xu, X., & Lu, P. (2009). Chondroitin sulfate proteoglycans regulate the growth, differentiation and migration of multipotent neural precursor cells through the integrin signaling pathway. *BMC Neuroscience*, 10(1), 128. doi. <http://www.biomedcentral.com/1471-2202/10/128>.

Gu, W., Zhang, F., Xue, Q., Ma, Z., Lu, P., & Yu, B. (2010). Transplantation of bone marrow mesenchymal stem cells reduces lesion volume and induces axonal regrowth of injured spinal cord. *Neuropathology*, 30(3), 205-217. doi.

Gu, W., Zhang, F., Xue, Q., Ma, Z., Lu, P., & Yu, B. (2012). Bone mesenchymal stromal cells stimulate neurite outgrowth of spinal neurons by secreting neurotrophic factors. *Neurological Research*, 34(2), 172-180. doi.

Gu, Y. W., Su, D. S., Tian, J., & Wang, X. R. (2008). Attenuating phosphorylation of p38 MAPK in the activated microglia: a new mechanism for intrathecal lidocaine reversing tactile allodynia following chronic constriction injury in rats. *Neuroscience Letters*, 431(2), 129-134. doi.

Guadagno, A., Wong, T. P., & Walker, C.-D. (2018). Morphological and functional changes in the preweaning basolateral amygdala induced by early chronic stress associate with anxiety and fear behavior in adult male, but not female rats. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 81(Supplement C), 25-37. doi: <https://doi.org/10.1016/j.pnpbbp.2017.09.025>. <http://www.sciencedirect.com/science/article/pii/S0278584617306437>

Guadaño-Ferraz, A., Viñuela, A., Oeding, G., Bernal, J., & Rausell, E. (2005). RC3/neurogranin is expressed in pyramidal neurons of motor and somatosensory cortex in normal and denervated monkeys. *Journal of Comparative Neurology*, 493(4), 554-570. doi.

Guagliardo, N. A., & Hill, D. L. (2007). Fungiform taste bud degeneration in C57BL/6J mice following chorda-lingual nerve transection. *Journal of Comparative Neurology*, 504(2), 206-216. doi.

Guagliardo, N. A., Yao, J., Stipes, E. J., Cechova, S., Le, T. H., Bayliss, D. A., . . . Barrett, P. Q. (2018). Adrenal Tissue-Specific Deletion of TASK Channels Causes Aldosterone-Driven Angiotensin II-Independent Hypertension. *Hypertension*, 0(0), HYPERTENSIONAHA.118.11962. doi:10.1161/HYPERTENSIONAHA.118.11962. <https://www.ahajournals.org/doi/abs/10.1161/HYPERTENSIONAHA.118.11962> %X The renin-angiotensin system tightly controls aldosterone synthesis. Dysregulation is evident in hypertension (primary aldosteronism), low renin, and resistant hypertension) but also can exist in normotension. Whether chronic, mild aldosterone autonomy can elicit hypertension remains untested. Previously, we reported that global genetic deletion of 2 pore-domain TWIK-relative acid-sensitive potassium channels, TASK-1 and TASK-3, from mice produces

striking aldosterone excess, low renin, and hypertension. Here, we deleted TASK-1 and TASK-3 channels selectively from zona glomerulosa cells and generated a model of mild aldosterone autonomy with attendant hypertension that is aldosterone-driven and Ang II (angiotensin II)-independent. This study shows that a zona glomerulosa-specific channel defect can produce mild autonomous hyperaldosteronism sufficient to cause chronic blood pressure elevation.

Guan, H., & Maness, P. F. (2010). Perisomatic GABAergic Innervation in Prefrontal Cortex Is Regulated by Ankyrin Interaction with the L1 Cell Adhesion Molecule. *Cerebral Cortex*, 20(11), 2684-2693. doi: 10.1093/cercor/bhq016. <http://cercor.oxfordjournals.org/content/20/11/2684.abstract>

Guerra, L., McGarry, L. M., Robles, V., Bielza, C., Larrañaga, P., & Yuste, R. (2011). Comparison between supervised and unsupervised classifications of neuronal cell types: A case study. *Developmental Neurobiology*, 71(1), 71-82. doi: 10.1002/dneu.20809. <http://dx.doi.org/10.1002/dneu.20809>

Guest, J. D., Herrera, L., Margitich, I., Oliveria, M., Marcillo, A., & Casas, C. E. (2008). Xenografts of expanded primate olfactory ensheathing glia support transient behavioral recovery that is independent of serotonergic or corticospinal axonal regeneration in nude rats following spinal cord transection. *Experimental Neurology*, 212(2), 261-274. doi.

Guet-McCreight, A., Camiré, O., Topolnik, L., & Skinner, F. K. (2016). Using A Semi-Automated Strategy To Develop Multi-Compartment Models That Predict Biophysical Properties Of Interneuron Specific 3 (IS3) Cells In Hippocampus. [10.1523/ENEURO.0087-16.2016]. *eneuro*. doi. <http://eneuro.sfn.org/content/early/2016/08/29/ENEURO.0087-16.2016.abstract>

Guha, U., Gomes, W. A., Samanta, J., Gupta, M., Rice, F. L., & Kessler, J. A. (2004). Target-derived BMP signaling limits sensory neuron number and the extent of peripheral innervation in vivo. *Development*, 131(5), 1175-1186. doi: 10.1242/dev.01013. <http://dev.biologists.org/cgi/content/abstract/131/5/1175>

Guillamon-Vivancos, T., Tyler, W. A., Medalla, M., Chang, W. W.-e., Okamoto, M., Haydar, T. F., & Luebke, J. I. (2018). Distinct Neocortical Progenitor Lineages Fine-tune Neuronal Diversity in a Layer-specific Manner. *Cerebral Cortex*. doi: 10.1093/cercor/bhy019. <http://dx.doi.org/10.1093/cercor/bhy019>

Guillery, R. W., Feig, S. L., & Van Lieshout, D. P. (2001). Connections of higher order visual relays in the thalamus: a study of corticothalamic pathways in cats. *Journal of Comparative Neurology*, 438(1), 66-85. doi.

Guilloux, J.-P., David, I., Pehrson, A., Guiard, B. P., Repérant, C., Orvoën, S., . . . David, D. J. (2013). Antidepressant and anxiolytic potential of the multimodal antidepressant vortioxetine (Lu AA21004) assessed by behavioural and neurogenesis outcomes in mice. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.05.014> <http://www.sciencedirect.com/science/article/pii/S0028390813002244>

Guilloux, J.-P., Samuels, B. A., Mendez-David, I., Hu, A., Levinstein, M., Faye, C., . . . Hen, R. (2017). S38093, a histamine H3 antagonist/inverse agonist, promotes hippocampal neurogenesis and improves context discrimination task in aged mice. *Scientific Reports*, 7, 42946. doi.

Guimaraes, B. d. P. P. F., Curado, M. R., Nogueira-Campos, A. A., Houzel, J. C., & Gattass, R. (2021). Nitroergic neurons of the forepaw representation in the rat somatosensory and motor cortices: A quantitative study. [<https://doi.org/10.1002/cne.25192>]. *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25192> <https://doi.org/10.1002/cne.25192>

Gull, S., Ingrisch, I., Tausch, S., Witte, O. W., & Schmidt, S. (2015). Consistent and reproducible staining of glia by a modified Golgi–Cox method. *Journal of Neuroscience Methods*, 256, 141-150. doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.08.029>. <http://www.sciencedirect.com/science/article/pii/S0165027015003209>

Gulyas, A. I., Megias, M., Emri, Z., & Freund, T. F. (1999). Total Number and Ratio of Excitatory and Inhibitory Synapses Converging onto Single Interneurons of Different Types in the CA1 Area of the Rat Hippocampus. *Journal of Neuroscience*, 19(22), 10082-10097. doi: <http://www.jneurosci.org/cgi/content/abstract/19/22/10082>

Gulyas, B., Toth, M., Schain, M., Airaksinen, A., Vas, A., Kostulas, K., . . . Halldin, C. (2012). Evolution of microglial activation in ischaemic core and peri-infarct regions after stroke: a PET study with the TSPO molecular imaging biomarker [^{11}C]vinpocetine. *Journal of the Neurological Sciences*, 320, 110 - 117. doi.

Gunhan, E., van der List, D., & Chalupa, L. M. (2003). Ectopic Photoreceptors and Cone Bipolar Cells in the Developing and Mature Retina. *Journal of Neuroscience*, 23(4), 1383-1389. doi: <http://www.jneurosci.org/cgi/content/abstract/23/4/1383>

Guo, N., Garcia, M. M., & Harlan, R. E. (2008). A morphine-paired environment alters c-Fos expression in the forebrain of rats displaying conditioned place preference or aversion. *Behavioral Neuroscience*, 122(5), 1078-1078. doi.

Guo, S.-L., Tan, G.-H., Li, S., Cheng, X.-W., Zhou, Y., Jia, Y.-F., . . . Xiong, Z.-Q. (2011). Serum inducible kinase is a positive regulator of cortical dendrite development and is required for BDNF-promoted dendritic arborization. *Cell Research*. doi: <http://www.nature.com/cr/journal/vaop/ncurrent/suppinfo/cr201100s1.html>. <http://dx.doi.org/10.1038/cr.2011.100>

Guo, W., Murthy, A. C., Zhang, L., Johnson, E. B., Schaller, E. G., Allan, A. M., & Zhao, X. (2012). Inhibition of GSK3 β improves hippocampus-dependent learning and rescues neurogenesis in a mouse model of fragile X syndrome. *Human Molecular Genetics*, 21(3), 681-691. doi.

Guo, W., Polich, Eric D., Su, J., Gao, Y., Christopher, Devin M., Allan, Andrea M., . . . Zhao, X. (2015). Fragile X Proteins FMRP and FXR2P Control Synaptic GluA1 Expression and Neuronal Maturation via Distinct Mechanisms. *Cell Reports*, 11(10), 1651-1666. doi: <http://dx.doi.org/10.1016/j.celrep.2015.05.013>. <http://www.sciencedirect.com/science/article/pii/S2211124715005252>

Guo, Y., & Udin, S. B. (2000). The Development of Abnormal Axon Trajectories after Rotation of One Eye in *Xenopus*. *Journal of Neuroscience*, 20(11), 4189-4197. doi: <http://www.jneurosci.org/cgi/content/abstract/20/11/4189>

Guo, Z. V., Inagaki, H. K., Daie, K., Druckmann, S., Gerfen, C. R., & Svoboda, K. (2017). Maintenance of persistent activity in a frontal thalamocortical loop. [Article]. *Nature*, advance online publication. doi: 10.1038/nature22324

<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature22324.html#.....> <http://dx.doi.org/10.1038/nature22324>

Gupta, A., Elgammal, F. S., Proddutur, A., Shah, S., & Santhakumar, V. (2012). Decrease in Tonic Inhibition Contributes to Increase in Dentate Semilunar Granule Cell Excitability after Brain Injury.

Journal of Neuroscience, 32(7), 2523-2537. doi: 10.1523/jneurosci.4141-11.2012. <http://www.jneurosci.org/content/32/7/2523.abstract>

Gupta, A., Wang, Y., & Markram, H. (2000). Organizing Principles for a Diversity of GABAergic Interneurons and Synapses in the Neocortex. *Science*, 287, 273-278. doi.

Gupta, N., Greenberg, G., de Tilly, L. N., Gray, B., Polemidiotis, M., & Yucel, Y. H. (2009). Atrophy of the lateral geniculate nucleus in human glaucoma detected by magnetic resonance imaging. *British Journal of Ophthalmology*, 93(1), 56-60. doi: 10.1136/bjo.2008.138172. <http://bjo.bmj.com/cgi/content/abstract/93/1/56>

Gupta, N., Ly, T., Zhang, Q., Kaufman, P. L., Weinreb, R. N., & Yücel, Y. H. (2007). Chronic ocular hypertension induces dendrite pathology in the lateral geniculate nucleus of the brain. *Experimental Eye Research*, 84(1), 176-184. doi.

Gupta, R. C., Milatovic, S., Dettbarn, W. D., Aschner, M., & Milatovic, D. (2007). Neuronal oxidative injury and dendritic damage induced by carbofuran: protection by memantine. *Toxicology and Applied Pharmacology*, 219(2-3), 97-105. doi.

Gurevicius, K., Gureviciene, I., Sivukhina, E., Irintchev, A., Schachner, M., & Tanila, H. (2007). Increased hippocampal and cortical beta oscillations in mice deficient for the HNK-1 sulfotransferase. *Molecular and Cellular Neuroscience*, 34(2), 189-198. doi.

Gurevicius, K., Kuang, F., Stoenica, L., Irintchev, A., Gureviciene, I., Dityatev, A., . . . Tanila, H. (2009). Genetic ablation of tenascin-C expression leads to abnormal hippocampal CA1 structure and electrical activity in vivo. *Hippocampus*, 19(12), 1232-1246. doi.

Gurung, B., & Fritsch*, B. (2004). Time Course of Embryonic Midbrain and Thalamic Auditory Connection Development in Mice as Revealed by Carbocyanine Dye Tracing. *Journal of Comparative Neurology*, 479, 309-327. doi.

Guseva, D., Angelov, D. N., Irintchev, A., & Schachner, M. (2009). Ablation of adhesion molecule L1 in mice favours Schwann cell proliferation and functional recovery after peripheral nerve injury. *Brain*, awp160. doi: 10.1093/brain/awp160. <http://brain.oxfordjournals.org/cgi/content/abstract/awp160v1>

Guseva, D., Loers, G., & Schachner, M. (2014). Function-Triggering Antibodies to the Adhesion Molecule L1 Enhance Recovery after Injury of the Adult Mouse Femoral Nerve. *PLoS ONE*, 9(11), e112984. doi: 10.1371/journal.pone.0112984. <http://dx.doi.org/10.1371%2Fjournal.pone.0112984>

Guseva, D., Zerwas, M., Xiao, M., Jakovcevski, I., Irintchev, A., & Schachner, M. (2011). Adhesion molecule L1 overexpressed under the control of the neuronal Thy-1 promoter improves myelination after peripheral nerve injury in adult mice. *Experimental Neurology*. doi.

Gutarts, R., Nusstein, J., Reader, A., & Beck, M. (2005). In vivo debridement efficacy of ultrasonic irrigation following hand-rotary instrumentation in human mandibular molars. *Journal of Endodontics*, 31(3), 166-170. doi.

Gutierrez-Mecinas, M., Davis, O., Polgár, E., Shahzad, M., Navarro-Batista, K., Furuta, T., . . . Todd, A. J. (2018). Expression of Calretinin Among Different Neurochemical Classes of Interneuron in the Superficial Dorsal Horn of the Mouse Spinal Cord. *Neuroscience*.

doi: <https://doi.org/10.1016/j.neuroscience.2018.12.009>. <http://www.sciencedirect.com/science/article/pii/S0306452218308182>

Gutierrez-Mecinas, M., Kuehn, E. D., Abaira, V. E., Polgár, E., Watanabe, M., & Todd, A. J. (2016). Immunostaining for Homer reveals the majority of excitatory synapses in laminae I–III of the mouse spinal dorsal horn. *Neuroscience*.

doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.009>. <http://www.sciencedirect.com/science/article/pii/S0306452216301580>

Gutierrez-Mecinas, M., Polgár, E., Bell, A. M., Herau, M., & Todd, A. J. (2018). Substance P-expressing excitatory interneurons in the mouse superficial dorsal horn provide a propriospinal input to the lateral spinal nucleus. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1629-x. <https://doi.org/10.1007/s00429-018-1629-x>

Guy, J., Sachkova, A., Möck, M., Witte, M., Wagener, R. J., & Staiger, J. F. (2016). Intracortical Network Effects Preserve Thalamocortical Input Efficacy in a Cortex Without Layers. *Cerebral Cortex*. doi: 10.1093/cercor/bhw281. <http://cercor.oxfordjournals.org/content/early/2016/09/12/cercor.bhw281>

Guy, J., Wagener, R. J., Möck, M., & Staiger, J. F. (2014). Persistence of Functional Sensory Maps in the Absence of Cortical Layers in the Somatosensory Cortex of Reeler Mice. *Cerebral Cortex*. doi: 10.1093/cercor/bhu052. <http://cercor.oxfordjournals.org/content/early/2014/04/23/cercor.bhu052>

...

Guyenet, P. G., Abbott, S. B. G., & Stornetta, R. L. (2012). The respiratory chemoreception conundrum: Light at the end of the tunnel? *Brain Research*, (0). doi: 10.1016/j.brainres.2012.10.028. <http://www.sciencedirect.com/science/article/pii/S0006899312016745>

Guyenet, P. G., Sevigny, C. P., Weston, M. C., & Stornetta, R. L. (2002). Neurokinin-1 Receptor-Expressing Cells of the Ventral Respiratory Group Are Functionally Heterogeneous and Predominantly Glutamatergic. *Journal of Neuroscience*, 22(9), 3806-3816. doi: <http://www.jneurosci.org/cgi/content/abstract/22/9/3806>

Guyenet, P. G., Stornetta, R. L., Riley, T., Norton, F. R., Rosin, D. L., & Lynch, K. R. (1994). Alpha_{2A}-adrenergic receptors are present in lower brainstem catecholaminergic and serotonergic neurons innervating spinal cord. *Brain Research*, 638(1), 285-294. doi:

Guyenet, P. G., & Wang, H. (2001). Pre-Botzinger Neurons With Preinspiratory Discharges "In Vivo" Express NK1 Receptors in the Rat. *Journal of Neurophysiology*, 86(1), 438-446. doi: <http://jn.physiology.org/cgi/content/abstract/86/1/438>

Guzik-Kornacka, A., van der Bourg, A., Vajda, F., Joly, S., Christ, F., Schwab, M., & Pernet, V. (2014). Nogo-A deletion increases the plasticity of the optokinetic response and changes retinal projection organization in the adult mouse visual system. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-014-0909-3. <http://dx.doi.org/10.1007/s00429-014-0909-3>

Gvilia, I., Angara, C., McGinty, D., & Szymusiak, R. (2005). Different neuronal populations of the rat median preoptic nucleus express c-fos during sleep and in response to hypertonic saline or angiotensin-II. *Journal of Physiology*, 569(2), 587-599. doi: 10.1113/jphysiol.2005.097212. <http://jp.physoc.org/cgi/content/abstract/569/2/587>

Gvilia, I., Suntsova, N., Angara, B., McGinty, D., & Szymusiak, R. (2011). Maturation of sleep homeostasis in developing rats: a role for preoptic area neurons. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 300(4), R885-R894. doi: 10.1152/ajpregu.00727.2010. <http://ajpregu.physiology.org/content/300/4/R885.abstract>

Gvilia, I., Turner, A., McGinty, D., & Szymusiak, R. (2006). Preoptic Area Neurons and the Homeostatic Regulation of Rapid Eye Movement Sleep. *Journal of Neuroscience*, 26(11), 3037-3044. doi: 10.1523/jneurosci.4827-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/11/3037>

Gvilia, I., Xu, F., McGinty, D., & Szymusiak, R. (2006). Homeostatic Regulation of Sleep: A Role for Preoptic Area Neurons. *Journal of Neuroscience*, 26(37), 9426-9433. doi: 10.1523/jneurosci.2012-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/37/9426>

Gyengesi, E., Calabrese, E., Sherrier, M., Johnson, G. A., Paxinos, G., & Watson, C. (2013). Semi-automated 3D segmentation of major tracts in the rat brain: comparing DTI with standard histological methods. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-013-0516-8. <http://dx.doi.org/10.1007/s00429-013-0516-8>

Gyengesi, E., Mnch, G., Paxinos, G., & Zaborszky, L. (2014). Can you believe what you see: evaluation of choline acetyl transferase (ChAT) expression in the ChAT-eGFP transgenic mouse (89.1). *The FASEB journal*, 28(1 Supplement). doi: http://www.fasebj.org/content/28/1_Supplement/89.1.abstract

Ha, T., Swanson, D., Larouche, M., Glenn, R., Weeden, D., Zhang, P., . . . Goldowitz, D. (2014). CbGRiTS: Cerebellar gene regulation in time and space. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2014.09.032>. <http://www.sciencedirect.com/science/article/pii/S0012160614005016>

Haas, C., & Fischer, I. (2013). Human astrocytes derived from glial restricted progenitors support regeneration of the injured spinal cord. *Journal of Neurotrauma*, (ja). doi.

Haas, C., Neuhuber, B., Yamagami, T., Rao, M., & Fischer, I. (2011). Phenotypic analysis of astrocytes derived from glial restricted precursors and their impact on axon regeneration. *Experimental Neurology*. doi.

Haas, C. A., Dudeck, O., Kirsch, M., Huszka, C., Kann, G., Pollak, S., . . . Frotscher, M. (2002). Role for Reelin in the Development of Granule Cell Dispersion in Temporal Lobe Epilepsy. *Journal of Neuroscience*, 22(14), 5797-5802. doi: 20026621. <http://www.jneurosci.org/cgi/content/abstract/22/14/5797>

Haas, M. A., Bell, D., Slender, A., Lana-Elola, E., Watson-Scales, S., Fisher, E. M. C., . . . Guillemot, F. (2013). Alterations to Dendritic Spine Morphology, but Not Dendrite Patterning, of Cortical Projection Neurons in Tc1 and Ts1Rhr Mouse Models of Down Syndrome. *PLoS ONE*, 8(10), e78561. doi: 10.1371/journal.pone.0078561. <http://dx.doi.org/10.1371%2Fjournal.pone.0078561>

Haber, S. N., Kim, K.-S., Maily, P., & Calzavara, R. (2006). Reward-Related Cortical Inputs Define a Large Striatal Region in Primates That Interface with Associative Cortical Connections, Providing a Substrate for Incentive-Based Learning. *Journal of Neuroscience*, 26(32), 8368-8376. doi: 10.1523/jneurosci.0271-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/32/8368>

Hackett, T. A., & de la Mothe, L. A. (2009). Regional and laminar distribution of the vesicular glutamate transporter, VGLUT2, in the macaque monkey auditory cortex. *Journal of Chemical Neuroanatomy*, 38(2), 106-116. doi.

Hackett, T. A., De La Mothe, L. A., Ulbert, I., Karmos, G., Smiley, J., & Schroeder, C. E. (2007). Multisensory convergence in auditory cortex. II. Thalamocortical connections of the caudal superior temporal plane. *Journal of Comparative Neurology*, 502(6), 924-952. doi.

Hacohen-Kleiman, G., Moaraf, S., Kapitansky, O., & Gozes, I. (2020). Sex-and Region-Dependent Expression of the Autism-Linked ADNP Correlates with Social- and Speech-Related Genes in the Canary Brain. *Journal of Molecular Neuroscience*. doi: 10.1007/s12031-020-01700-x. <https://doi.org/10.1007/s12031-020-01700-x>

Hada, Y., Yamada, Y., Imamura, K., Mataga, N., Watanabe, Y., & Yamamoto, M. (1999). Effects of monocular enucleation on parvalbumin in rat visual system during postnatal development. *Investigative Ophthalmology and Visual Science*, 40(11), 2535-2545. doi.

Hadjilambrea, G., Mix, E., Rolfs, A., Muller, J., & Strauss, U. (2005). Neuromodulation by a Cytokine: Interferon- β Differentially Augments Neocortical Neuronal Activity and Excitability. *Journal of Neurophysiology*, 93(2), 843-852. doi: 10.1152/jn.01224.2003. <http://jn.physiology.org/cgi/content/abstract/93/2/843>

Hadjimarkou, M. M., Benham, R., Schwarz, J. M., Holder, M. K., & Mong, J. A. (2008). Estradiol suppresses rapid eye movement sleep and activation of sleep-active neurons in the ventrolateral preoptic area. *European Journal of Neuroscience*, 27(7), 1780-1792. doi: doi:10.1111/j.1460-9568.2008.06142.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06142.x>

Haeussner, E., Aschauer, B., Burton, G. J., Huppertz, B., Edler von Koch, F., Müller-Starck, J., . . . Frank, H.-G. (2015). Does 2D-Histologic identification of villous types of human placentas at birth enable sensitive and reliable interpretation of 3D structure? *Placenta*. doi: <http://dx.doi.org/10.1016/j.placenta.2015.10.003>. <http://www.sciencedirect.com/science/article/pii/S0143400415300631>

Haeussner, E., Schmitz, C., Frank, H.-G., & Edler von Koch, F. (2016). Novel 3D light microscopic analysis of IUGR placentas points to a morphological correlate of compensated ischemic placental disease in humans. [Article]. *Scientific Reports*, 6, 24004. doi: 10.1038/srep24004

<http://www.nature.com/articles/srep24004#supplementary-information>. <http://dx.doi.org/10.1038/srep24004>

Hafner, G., Guy, J., Witte, M., Truschow, P., Rüppel, A., Sirmipilatz, N., . . . Staiger, J. F. (2020). Increased Callosal Connectivity in Reeler Mice Revealed by Brain-Wide Input Mapping of VIP Neurons in Barrel Cortex. *Cerebral Cortex*, (bhaa280). doi: 10.1093/cercor/bhaa280. <https://doi.org/10.1093/cercor/bhaa280>

Hafner, G., Witte, M., Guy, J., Subhashini, N., Fenno, L. E., Ramakrishnan, C., . . . Staiger, J. F. (2019). Mapping Brain-Wide Afferent Inputs of Parvalbumin-Expressing GABAergic Neurons in Barrel Cortex Reveals Local and Long-Range Circuit Motifs. *Cell Reports*, 28(13), 3450-3461.e3458. doi: <https://doi.org/10.1016/j.celrep.2019.08.064>. <http://www.sciencedirect.com/science/article/pii/S2211124719311192>

Hagar, J. M., Macht, V. A., Wilson, S. P., & Fadel, J. R. (2017). Upregulation of orexin/hypocretin expression in aged rats: effects on feeding latency and neurotransmission in the insular cortex. *Neuroscience*. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0306452217301793?via=sd>

Hagemann, T. L., Connor, J. X., & Messing, A. (2006). Alexander Disease-Associated Glial Fibrillary Acidic Protein Mutations in Mice Induce Rosenthal Fiber Formation and a White Matter Stress

Response. *Journal of Neuroscience*, 26(43), 11162-11173. doi: 10.1523/jneurosci.3260-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/43/11162>

Haggerty, A. E., Al-Ali, H., & Oudega, M. (2018). Soluble laminin polymers enhance axon growth of primary neurons in vitro. *Journal of Biomedical Materials Research Part A*. doi: <https://onlinelibrary.wiley.com/doi/abs/10.1002/jbm.a.36429>

Hahn, E., Hammond, D. L., & Proudfit, H. K. (2011). Substance P induces the reversible formation of varicosities in the dendrites of rat brainstem neurons. *Brain Research*, 1369, 36-45. doi.

Hahn, K., Sirdofsky, M., Brown, A., Ebenezer, G., Hauer, P., Miller, C., & Polydefkis, M. (2006). Collateral sprouting of human epidermal nerve fibers following intracutaneous axotomy. *Journal of the Peripheral Nervous System*, 11(2), 142-147. doi: 10.1111/j.1085-9489.2006.00079.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2006.00079.x>

Hahn, T. T. G., McFarland, J. M., Berberich, S., Sakmann, B., & Mehta, M. R. (2012). Spontaneous persistent activity in entorhinal cortex modulates cortico-hippocampal interaction in vivo. *Nature Neuroscience*. doi.

Hains, A. B., Vu, M. A. T., Maciejewski, P. K., van Dyck, C. H., Gottron, M., & Arnsten, A. F. T. (2009). Inhibition of protein kinase C signaling protects prefrontal cortex dendritic spines and cognition from the effects of chronic stress. *Proceedings of the National Academy of Sciences*, 106(42), 17957-17962. doi: 10.1073/pnas.0908563106. <http://www.pnas.org/content/106/42/17957.abstract>

Hains, A. B., Yabe, Y., & Arnsten, A. F. T. (2015). Chronic Stimulation of Alpha-2A-Adrenoceptors With Guanfacine Protects Rodent Prefrontal Cortex Dendritic Spines and Cognition From the Effects of Chronic Stress. *Neurobiology of Stress*, (0). doi: <http://dx.doi.org/10.1016/j.ynstr.2015.01.001>. <http://www.sciencedirect.com/science/article/pii/S2352289515000223>

Hains, D. S., Sims-Lucas, S., Carpenter, A., Saha, M., Murawski, I., Kish, K., . . . Bates, C. M. (2010). High incidence of vesicoureteral reflux in mice with Fgfr2 deletion in kidney mesenchyma. *Journal of Urology*, 183(5), 2077-2084. doi.

Hajszán, T., & Zaborszky, L. (2002). Direct catecholaminergic-cholinergic interactions in the basal forebrain. III. Adrenergic innervation of choline acetyltransferase-containing neurons in the rat. *Journal of Comparative Neurology*, 449(2), 141-157. doi.

Hakeem, A. Y., Sherwood, C. C., Bonar, C. J., Butti, C., Hof, P. R., & Allman, J. M. (2009). Von Economo neurons in the elephant brain. *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 292(2), 242-248. doi.

Hakim, J. S., Esmaili Rad, M., Grahn, P. J., Chen, B., Knight, A. M., Schmeichel, A. M., . . . Yaszemski, M. J. (2015). Positively charged oligo(poly(ethylene glycol) fumarate) scaffold implantation results in a permissive lesion environment after spinal cord injury in rat. *Tissue Engineering Part A*. doi: 10.1089/ten.TEA.2015.0019. <http://dx.doi.org/10.1089/ten.TEA.2015.0019>

Halabisky, B., Parada, I., Buckmaster, P. S., & Prince, D. A. (2010). Excitatory Input Onto Hilar Somatostatin Interneurons Is Increased in a Chronic Model of Epilepsy. *Journal of Neurophysiology*, 104(4), 2214-2223. doi: 10.1152/jn.00147.2010. <http://jn.physiology.org/cgi/content/abstract/104/4/2214>

Halassa, Michael M., Chen, Z., Wimmer, Ralf D., Brunetti, Philip M., Zhao, S., Zikopoulos, B., . . . Wilson, Matthew A. (2014). State-Dependent Architecture of Thalamic Reticular Subnetworks. *Cell*, 158(4), 808-821. doi: 10.1016/j.cell.2014.06.025. [http://www.cell.com/cell/abstract/S0092-8674\(14\)00815-0](http://www.cell.com/cell/abstract/S0092-8674(14)00815-0)

Halavi, M., Hamilton, K. A., Parekh, R., & Ascoli, G. A. (2012). Digital reconstructions of neuronal morphology: Three decades of research trends. *Frontiers in Neuroscience*, 6. doi.

Haldipur, P., Bharti, U., Alberti, C., Sarkar, C., Gulati, G., Iyengar, S., . . . Mani, S. (2011). Preterm delivery disrupts the developmental program of the cerebellum. *PLoS ONE*, 6(8), e23449-e23449. doi.

Hallermann, S., de Kock, C. P. J., Stuart, G. J., & Kole, M. H. P. (2012). State and location dependence of action potential metabolic cost in cortical pyramidal neurons. [10.1038/nn.3132]. *Nature Neuroscience*. advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3132.html#suppl> <http://dx.doi.org/10.1038/nn.3132>

Hallermann, S., Pawlu, C., Jonas, P., & Heckmann, M. (2003). A large pool of releasable vesicles in a cortical glutamatergic synapse. *Neuroscience*, 100, 8975-8980. doi.

Halliday, G. M., Hardman, C. D., Cordato, N. J., Hely, M. A., & Morris, J. G. L. (2000). A role for the substantia nigra pars reticulata in the gaze palsy of progressive supranuclear palsy. *Brain*, 123(4), 724-732. doi: 10.1093/brain/123.4.724. <http://brain.oxfordjournals.org/cgi/content/abstract/123/4/724>

Halliday, G. M., Macdonald, V., & Henderson, J. M. (2005). A comparison of degeneration in motor thalamus and cortex between progressive supranuclear palsy and Parkinson's disease. *Brain*, 128(10), 2272-2280. doi: 10.1093/brain/awh596. <http://brain.oxfordjournals.org/cgi/content/abstract/128/10/2272>

Halsell, C. B., & Travers, S. P. (1997). Anterior and Posterior Oral Cavity Responsive Neurons Are Differentially Distributed Among Parabrachial Subnuclei in Rat. *Journal of Neurophysiology*, 78(2), 920-938. doi. <http://jn.physiology.org/cgi/content/abstract/78/2/920>

Halsell, C. B., Travers, S. P., & Travers, J. B. (1996). Ascending and descending projections from the rostral nucleus of the solitary tract originate from separate neuronal populations. *Neuroscience*, 72(1), 185-197. doi.

Hama, Y., Shiraki, K., Yoshida, Y., Maruyama, A., Yasuda, M., Tsuda, M., . . . others. (2010). Antibody to varicella-zoster virus immediate-early protein 62 augments allodynia in zoster via brain-derived neurotrophic factor. *Journal of Virology*, 84(3), 1616-1624. doi.

Hamad, M. I. K., Ma-Högemeier, Z.-L., Riedel, C., Conrads, C., Veitinger, T., Habijan, T., . . . Wahle, P. (2011). Cell class-specific regulation of neocortical dendrite and spine growth by AMPA receptor splice and editing variants. *Development*, 138(19), 4301-4313. doi: 10.1242/dev.071076. <http://dev.biologists.org/content/138/19/4301.abstract>

Hamada, M. S., Goethals, S., de Vries, S. I., Brette, R., & Kole, M. H. P. (2016). Covariation of axon initial segment location and dendritic tree normalizes the somatic action potential. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1607548113. <http://www.pnas.org/content/early/2016/11/30/1607548113.abstract>

Hamada, M. S., & Kole, M. H. (2015). Myelin Loss and Axonal Ion Channel Adaptations Associated with Gray Matter Neuronal Hyperexcitability. *The Journal of Neuroscience*, 35(18), 7272-7286. doi: <http://www.jneurosci.org/content/35/18/7272.full>

Hamadjida, A., Wyss, A., Mir, A., Schwab, M., Belhaj-Saif, A., & Rouiller, E. (2012). Influence of anti-Nogo-A antibody treatment on the reorganization of callosal connectivity of the premotor cortical areas following unilateral lesion of primary motor cortex (M1) in adult macaque monkeys. *Experimental Brain Research*, 1-20. doi: 10.1007/s00221-012-3262-x. <http://dx.doi.org/10.1007/s00221-012-3262-x>

Hamaguchi, S., Hirose, T., Matsumoto, N., Akeda, Y., Irisawa, T., Seki, M., . . . Tomono, K. (2014). Neutrophil extracellular traps in bronchial aspirates: a quantitative analysis. *European Respiratory Journal*. doi: 10.1183/09031936.00139813. <http://erjersjournals.com/content/early/2014/03/06/09031936.00139813.ab..>

Hamam, B. N., Amaral, D. G., & Alonso, A. A. (2002). Morphological and electrophysiological characteristics of layer V neurons of the rat lateral entorhinal cortex. *Journal of Comparative Neurology*, 451(1), 45-61. doi.

Hamam, B. N., Kennedy, T. E., Alonso, A., & Amaral, D. G. (2000). Morphological and electrophysiological characteristics of layer V neurons of the rat medial entorhinal cortex. *Journal of Comparative Neurology*, 418(4), 457-472. doi.

Hamamoto, M., Kiyokage, E., Sohn, J., Hioki, H., Harada, T., & Toida, K. (2016). Structural Basis for Cholinergic Regulation of Neural Circuits in the Mouse Olfactory Bulb. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24088. <http://dx.doi.org/10.1002/cne.24088>

Hamilton, G. F., Criss, K. J., & Klintsova, A. Y. (2015). Voluntary Exercise Partially Reverses Neonatal Alcohol-Induced Deficits in mPFC Layer II/III Dendritic Morphology of Male Adolescent Rats. *Synapse*, n/a-n/a. doi: 10.1002/syn.21827. <http://dx.doi.org/10.1002/syn.21827>

Hamilton, G. F., Whitcher, L. T., & Klintsova, A. Y. (2010). Postnatal binge-like alcohol exposure decreases dendritic complexity while increasing the density of mature spines in mPFC Layer II/III pyramidal neurons. *Synapse*, 64(2), 127-135. doi.

Hamilton, K. A., Parrish-Aungst, S., Margolis, F. L., Erdélyi, F., Szabó, G., & Puche, A. C. (2008). Sensory deafferentation transsynaptically alters neuronal GluR1 expression in the external plexiform layer of the adult mouse main olfactory bulb. *Chemical Senses*, 33(2), 201-201. doi.

Hamity, M. V., Walder, R. Y., & Hammond, D. L. (2014). Increased Neuronal Expression of Neurokinin-1 Receptor and Stimulus-Evoked Internalization of the Receptor in the Rostral Ventromedial Medulla of the Rat after Peripheral Inflammatory Injury. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23564. <http://dx.doi.org/10.1002/cne.23564>

Hamlin, A. S., Buller, K. M., Day, T. A., & Osborne, P. B. (2004). Effect of naloxone-precipitated morphine withdrawal on c-fos expression in rat corticotropin-releasing hormone neurons in the paraventricular hypothalamus and extended amygdala. *Neuroscience Letters*, 362(1), 39-43. doi.

Hammar, I., Bannatyne, B. A., Maxwell, D. J., Edgley, S. A., & Jankowska, E. (2004). The actions of monoamines and distribution of noradrenergic and serotonergic contacts on different subpopulations of commissural interneurons in the cat spinal cord. *European Journal of*

Neuroscience, 19(5), 1305-1316. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0323...>

Hammar, I., & Maxwell, D. J. (2002). Serotonergic and noradrenergic axons make contacts with neurons of the ventral spinocerebellar tract in the cat. *Journal of Comparative Neurology*, 443(3), 310-319. doi:

Hammond, D. L., Ackerman, L., Holdsworth, R., & Elzey, B. (2004). Effects of spinal nerve ligation on immunohistochemically identified neurons in the L4 and L5 dorsal root ganglia of the rat. *Journal of Comparative Neurology*, 475(4), 575-589. doi:

Hammond, V. E., Gunnarsen, J. M., Goh, C.-P., Low, L.-H., Hyakumura, T., Tang, M. M., . . . Tan, S.-S. (2013). Ndfip1 Is Required for the Development of Pyramidal Neuron Dendrites and Spines in the Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht191. <http://cercor.oxfordjournals.org/content/early/2013/07/26/cercor.bht191...>

Hammoum, I., Benlarbi, M., Dellaa, A., Szabó, K., Dékány, B., Csaba, D., . . . Benchouacha-Chekir, R. (2017). Study of Retinal Neurodegeneration and Maculopathy in Diabetic Meriones shawi: A Particular Animal Model with Human-like Macula. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24245. <http://dx.doi.org/10.1002/cne.24245>

Hamodat, H., Fisk, J. D., & Darvesh, S. (2019). Cholinergic Neurons in Nucleus Subputaminalis in Primary Progressive Aphasia. *Canadian Journal of Neurological Sciences*, 1-10. doi: <https://www.cambridge.org/core/journals/canadian-journal-of-neurological..>

Han, S., Arnold, S. A., Sithu, S. D., Mahoney, E. T., Gerald, J. T., Tran, P., . . . Hagg, T. (2010). Rescuing vasculature with intravenous angiopoietin-1 and $\alpha\beta 3$ integrin peptide is protective after spinal cord injury. *Brain*, 133(4), 1026-1042. doi: 10.1093/brain/awq034. <http://brain.oxfordjournals.org/cgi/content/abstract/133/4/1026>

Han, V. Z., Meek, J., Campbell, H. R., & Bell, C. C. (2006). Cell morphology and circuitry in the central lobes of the mormyrid cerebellum. *Journal of Comparative Neurology*, 497(3), 309-325. doi:

Han, X., Lan, X., Li, Q., Gao, Y., Zhu, W., Cheng, T., . . . Wang, J. (2015). Inhibition of prostaglandin E2 receptor EP3 mitigates thrombin-induced brain injury. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15606462. <http://jcb.sagepub.com/content/early/2015/09/23/0271678X15606462/abstract>

Han, Y., Chang, Q. A., Virag, T., West, N. C., George, D., Castro, M. G., & Bohn, M. C. (2010). Lack of humoral immune response to the tetracycline (Tet) activator in rats injected intracranially with Tet-off rAAV vectors. *Gene Therapy*, 17(5), 616-625. doi:

Handa, Y., Ozaki, N., Honda, T., Furukawa, K., Tomita, Y., Inoue, M., . . . Sugiura, Y. (2005). GD3 synthase gene knockout mice exhibit thermal hyperalgesia and mechanical allodynia but decreased response to formalin-induced prolonged noxious stimulation. *Pain*, 117(3), 271-279. doi:

Hanganu, I. L., & Luhmann, H. J. (2004). Functional Nicotinic Acetylcholine Receptors on Subplate Neurons in Neonatal Rat Somatosensory Cortex. *Journal of Neurophysiology*, 92(1), 189-198. doi: 10.1152/jn.00010.2004. <http://jn.physiology.org/cgi/content/abstract/92/1/189>

Hanganu, I. L., Staiger, J. F., Ben-Ari, Y., & Khazipov, R. (2007). Cholinergic Modulation of Spindle Bursts in the Neonatal Rat Visual Cortex In Vivo. *Journal of Neuroscience*, 27(21), 5694-5705. doi: 10.1523/jneurosci.5233-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/21/5694>

Hanson, J. E., & Smith, Y. (1999). Group I Metabotropic Glutamate Receptors at GABAergic Synapses in Monkeys. *Journal of Neuroscience*, 19(15), 6488-6496. doi: <http://www.jneurosci.org/cgi/content/abstract/19/15/6488>

Hanson, J. E., & Smith, Y. (2002). Subcellular distribution of high-voltage-activated calcium channel subtypes in rat globus pallidus neurons. *Journal of Comparative Neurology*, 442(2), 89-98. doi:

Hanson, J. E., Smith, Y., & Jaeger, D. (2004). Sodium Channels and Dendritic Spike Initiation at Excitatory Synapses in Globus Pallidus Neurons. *Journal of Neuroscience*, 24(2), 329-340. doi: 10.1523/jneurosci.3937-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/2/329>

Hanson, J. N., Motala, M. J., Heien, M. L., Gillette, M., Sweedler, J., & Nuzzo, R. G. (2008). Textural guidance cues for controlling process outgrowth of mammalian neurons. *Lab Chip*, 9(1), 122-131. doi:

Hanson, M. G., & Landmesser, L. T. (2004). Normal patterns of spontaneous activity are required for correct motor axon guidance and the expression of specific guidance molecules. *Neuron*, 43(5), 687-701. doi:

Hanson, M. G., Milner, L. D., & Landmesser, L. T. (2008). Spontaneous rhythmic activity in early chick spinal cord influences distinct motor axon pathfinding decisions. *Brain Research Reviews*, 57(1), 77-85. doi:

Hao, J., Rapp, P. R., Janssen, W. G. M., Lou, W., Lasley, B. L., Hof, P. R., & Morrison, J. H. (2007). Interactive effects of age and estrogen on cognition and pyramidal neurons in monkey prefrontal cortex. *PNAS*, 104(27), 11465-11470. doi: 10.1073/pnas.0704757104. <http://www.pnas.org/cgi/content/abstract/104/27/11465>

Hao, J., Rapp, P. R., Leffler, A. E., Leffler, S. R., Janssen, W. G. M., Lou, W., . . . Morrison, J. H. (2006). Estrogen Alters Spine Number and Morphology in Prefrontal Cortex of Aged Female Rhesus Monkeys. *Journal of Neuroscience*, 26(9), 2571-2578. doi: 10.1523/jneurosci.3440-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/9/2571>

Haque, A., Huss, D., & Dickman, J. D. (2006). Afferent Innervation Patterns of the Pigeon Horizontal Crista Ampullaris. *Journal of Neurophysiology*, 96(6), 3293-3304. doi: 10.1152/jn.00930.2005. <http://jn.physiology.org/cgi/content/abstract/96/6/3293>

Haque, A., Zakir, M., & Dickman, J. D. (2009). Regeneration of vestibular horizontal semicircular canal afferents in pigeons. *Journal of Neurophysiology*, 91000.g2008. doi: 10.1152/jn.91000.2008. <http://jn.physiology.org/cgi/content/abstract/91000.2008v1>

Hara, E., Kubikova, L., Hessler, N. A., & Jarvis, E. D. (2007). Role of the midbrain dopaminergic system in modulation of vocal brain activation by social context. *European Journal of Neuroscience*, 25(11), 3406-3416. doi: doi:10.1111/j.1460-9568.2007.05600.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05600.x>

Harbom, L. J., Rudisill, T. L., Michel, N., Litwa, K. A., Beenhakker, M. P., & McConnell, M. J. (2018). The effect of rho kinase inhibition on morphological and electrophysiological maturity in iPSC-derived

neurons. [journal article]. *Cell and Tissue Research*. doi: 10.1007/s00441-018-2942-7. <https://doi.org/10.1007/s00441-018-2942-7>

Harding, A. J., Stimson, E., Henderson, J. M., & Halliday, G. M. (2002). Clinical correlates of selective pathology in the amygdala of patients with Parkinson's disease. *Brain*, 125(11), 2431-2445. doi: 10.1093/brain/awf251. <http://brain.oxfordjournals.org/cgi/content/abstract/125/11/2431>

Hardingham, N. R., Gould, T., & Fox, K. (2011). Anatomical and sensory experiential determinants of synaptic plasticity in layer 2/3 pyramidal neurons of mouse barrel cortex. *Journal of Comparative Neurology*, 519(11), 2090-2124. doi: 10.1002/cne.22583. <http://dx.doi.org/10.1002/cne.22583>

Hargus, G., Cui, Y., Schmid, J.-S., Xu, J., Glatzel, M., Schachner, M., & Bernreuther, C. (2008). Tenascin-R Promotes Neuronal Differentiation of Embryonic Stem Cells and Recruitment of Host-Derived Neural Precursor Cells After Excitotoxic Lesion of the Mouse Striatum. *Stem Cells*, 26(8), 1973-1984. doi: 10.1634/stemcells.2007-0929. <http://stemcells.alphamedpress.org/cgi/content/abstract/26/8/1973>

Harland, B., Collings, D. A., McNaughton, N., Abraham, W. C., & Dalrymple-Alford, J. C. (2014). Anterior thalamic lesions reduce spine density in both hippocampal CA1 and retrosplenial cortex, but enrichment rescues CA1 spines only. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22309. <http://dx.doi.org/10.1002/hipo.22309>

Harmon, K. M., & Wellman, C. L. (2003). Differential effects of cholinergic lesions on dendritic spines in frontal cortex of young adult and aging rats. *Brain Research*, 992(1), 60-68. doi.

Harrer, M. I., & Travers, S. P. (1996). Topographic organization of Fos-like immunoreactivity in the rostral nucleus of the solitary tract evoked by gustatory stimulation with sucrose and quinine. *Brain Research*, 711(1-2), 125-137. doi.

Harris, C. A., Resau, J. H., Hudson, E. A., West, R. A., Moon, C., Black, A. D., & McAllister, J. P. (2011). Reduction of protein adsorption and macrophage and astrocyte adhesion on ventricular catheters by polyethylene glycol and N-acetyl-L-cysteine. *Journal of Biomedical Materials Research Part A*, 98A(3), 425-433. doi: 10.1002/jbm.a.33130. <http://dx.doi.org/10.1002/jbm.a.33130>

Harris, C. A., Resau, J. H., Hudson, E. A., West, R. A., Moon, C., & McAllister, J. P. (2010). Mechanical contributions to astrocyte adhesion using a novel in vitro model of catheter obstruction. *Experimental Neurology*, 222(2), 204-210. doi.

Harris, E., & Stewart, M. (2001). Propagation of synchronous epileptiform events from subiculum backward into area CA1 of rat brain slices. *Brain Research*, 895(1-2), 41-49. doi.

Harris, E., Witter, M. P., Weinstein, G., & Stewart, M. (2001). Intrinsic connectivity of the rat subiculum: I. Dendritic morphology and patterns of axonal arborization by pyramidal neurons. *Journal of Comparative Neurology*, 435(4), 490-505. doi.

Harris, N. G., Nogueira, M. S., Verley, D. R., & Sutton, R. L. (2013). Chondroitinase enhances cortical map plasticity and increases functionally active sprouting axons after brain injury. *Journal of Neurotrauma*, (ja). doi.

Harsan, L.-A., Dávid, C., Reisert, M., Schnell, S., Hennig, J., von Elverfeldt, D., & Staiger, J. F. (2013). Mapping remodeling of thalamocortical projections in the living reeler mouse brain by diffusion

tractography. Proceedings of the National Academy of Sciences. doi: 10.1073/pnas.1218330110. <http://www.pnas.org/content/early/2013/04/19/1218330110.abstract>

Hart, M. G. C. v. d., Czéh, B., Biurrun, G. d., Michaelis, T., Watanabe, T., Natt, O., . . . Fuchs, E. (2002). Substance P receptor antagonist and clomipramine prevent stress-induced alterations in cerebral metabolites, cytochrome in the dentate gyrus and hippocampal volume. *Molecular Psychiatry*, 7, 933-941. doi.

Hartle, K. D., Jeffers, M. S., & Ivanco, T. L. (2010). Changes in dendritic morphology and spine density in motor cortex of the adult rat after stroke during infancy. *Synapse*, 64(8), 602-610. doi.

Hartman, R. E., Laurer, H., Longhi, L., Bales, K. R., Paul, S. M., McIntosh, T. K., & Holtzman, D. M. (2002). Apolipoprotein E4 Influences Amyloid Deposition But Not Cell Loss after Traumatic Brain Injury in a Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 22, 10083-10087. doi.

Hartveit, E., Zandt, B.-J., & Veruki, M. L. (2019). Multiphoton Excitation Microscopy for the Reconstruction and Analysis of Single Neuron Morphology. In E. Hartveit (Ed.), *Multiphoton Microscopy* (pp. 161-194). New York, NY: Springer New York.

Hartwich, K., Pollak, T., & Klausberger, T. (2009). Distinct Firing Patterns of Identified Basket and Dendrite-Targeting Interneurons in the Prefrontal Cortex during Hippocampal Theta and Local Spindle Oscillations. *Journal of Neuroscience*, 29(30), 9563-9574. doi: 10.1523/jneurosci.1397-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/30/9563>

Harty, R. C., Kim, T. H., Thomas, E. A., Cardamone, L., Jones, N. C., Petrou, S., & Wimmer, V. C. (2013). Axon initial segment structural plasticity in animal models of genetic and acquired epilepsy. *Epilepsy Research*, (0). doi: <http://dx.doi.org/10.1016/j.eplepsyres.2013.03.004>. <http://www.sciencedirect.com/science/article/pii/S0920121113000892>

Haruta, M., & Hata, Y. (2007). Experience-driven axon retraction without binocular imbalance in developing visual cortex. *Current Biology*, 17(1), 37-42. doi.

Harvey, A. R., Ehler, E., de Wit, J., Drummond, E. S., Pollett, M. A., Ruitenber, M., . . . Levelt, C. N. (2009). Use of GFP to analyze morphology, connectivity, and function of cells in the central nervous system. *Viral Applications of Green Fluorescent Protein*, 63-63. doi.

Harvey, A. R., Hellström, M., & Rodger, J. (2009). Gene therapy and transplantation in the retinofugal pathway. *Progress in Brain Research*, 175, 151-161. doi.

Harwell, Corey C., Fuentealba, Luis C., Gonzalez-Cerrillo, A., Parker, Phillip R. L., Gertz, Caitlyn C., Mazzola, E., . . . Kriegstein, A. R. (2015). Wide Dispersion and Diversity of Clonally Related Inhibitory Interneurons. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.07.030>. <http://www.sciencedirect.com/science/article/pii/S0896627315006728>

Harwell, Corey C., Parker, Philip R. L., Gee, Steven M., Okada, A., McConnell, Susan K., Kreitzer, Anatol C., & Kriegstein, Arnold R. (2012). Sonic Hedgehog Expression in Corticofugal Projection Neurons Directs Cortical Microcircuit Formation. *Neuron*, 73(6), 1116-1126. doi: 10.1016/j.neuron.2012.02.009. <http://www.sciencedirect.com/science/article/pii/S0896627312001365>

Hasegawa, M., Kondo, M., Suzuki, I., Shimizu, N., Sessle, B. J., & Iwata, K. (2012). ERK is Involved in Tooth-pressure-induced Fos Expression in Vc Neurons. *Journal of Dental Research*. doi: 10.1177/0022034512462397. <http://jdr.sagepub.com/content/early/2012/09/25/0022034512462397.abstract>

Hasegawa, Y., Hojo, Y., Kojima, H., Ikeda, M., Hotta, K., Sato, R., . . . Kawato, S. (2015). Estradiol rapidly modulates synaptic plasticity of hippocampal neurons: Involvement of kinase networks. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.056>. <http://www.sciencedirect.com/science/article/pii/S0006899315000104>

Haselmann, H., Mannara, F., Werner, C., Planagumà, J., Miguez-Cabello, F., Schmidl, L., . . . Geis, C. (2018). Human Autoantibodies against the AMPA Receptor Subunit GluA2 Induce Receptor Reorganization and Memory Dysfunction. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.07.048>. <http://www.sciencedirect.com/science/article/pii/S0896627318306469>

Hashemi-Nezhad, M., & Lyon, D. C. (2012). Orientation Tuning of the Suppressible Extraclassical Surround Depends on Intrinsic Organization of V1. *Cerebral Cortex*, 22(2), 308-326. doi.

Hashimoto, K., & Spector, A. C. (2013). Extensive Lesions in the Gustatory Cortex in the Rat Do Not Disrupt the Retention of a Presurgically Conditioned Taste Aversion and Do Not Impair Unconditioned Concentration-Dependent Licking of Sucrose and Quinine. *Chemical Senses*. doi: 10.1093/chemse/bjt054. <http://chemse.oxfordjournals.org/content/early/2013/11/12/chemse.bjt054>

Hashimoto, M., Takahara, D., Hirata, Y., Inoue, K., Miyachi, S., Nambu, A., . . . Hoshi, E. (2010). Motor and non-motor projections from the cerebellum to rostrocaudally distinct sectors of the dorsal premotor cortex in macaques. *European Journal of Neuroscience*, 31(8), 1402-1413. doi.

Hashimoto-Torii, K., Torii, M., Sarkisian, M. R., Bartley, C. M., Shen, J., Radtke, F., . . . Rakic, P. (2008). Interaction between Reelin and Notch signaling regulates neuronal migration in the cerebral cortex. *Neuron*, 60(2), 273-284. doi.

Hassani, O. K., Henny, P., Lee, M. G., & Jones, B. E. (2010). GABAergic neurons intermingled with orexin and MCH neurons in the lateral hypothalamus discharge maximally during sleep. *European Journal of Neuroscience*, 32(3), 448-457. doi.

Hassani, O. K., Lee, M. G., Henny, P., & Jones, B. E. (2009). Discharge Profiles of Identified GABAergic in Comparison to Cholinergic and Putative Glutamatergic Basal Forebrain Neurons across the Sleep-Wake Cycle. *Journal of Neuroscience*, 29(38), 11828-11840. doi: 10.1523/jneurosci.1259-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/38/11828>

Hassani, O. K., Lee, M. G., & Jones, B. E. (2009). Melanin-concentrating hormone neurons discharge in a reciprocal manner to orexin neurons across the sleep-wake cycle. *Proceedings of the National Academy of Sciences*, 106(7), 2418-2422. doi: 10.1073/pnas.0811400106. <http://www.pnas.org/content/106/7/2418.abstract>

Hastings, N. B., Seth, M. I., Tanapat, P., Rydel, T. A., & Gould, E. (2002). Granule neurons generated during development extend divergent axon collaterals to hippocampal area CA3. *Journal of Comparative Neurology*, 452(4), 324-333. doi.

Hata, Y., Tsumoto, T., & Stryker, M. P. (1999). Selective pruning of more active afferents when cat visual cortex is pharmacologically inhibited. *Neuron*, 22(2), 375-381. doi.

Hatanaka, Y., Hojo, Y., Mukai, H., Murakami, G., Komatsuzaki, Y., Kim, J., . . . Kawato, S. (2014). Rapid increase of spines by dihydrotestosterone and testosterone in hippocampal neurons: Dependence on synaptic androgen receptor and kinase networks. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.011>. <http://www.sciencedirect.com/science/article/pii/S0006899314016801>

Hatanaka, Y., Mukai, H., Mitsuhashi, K., Hojo, Y., Murakami, G., Komatsuzaki, Y., . . . Kawato, S. (2009). Androgen rapidly increases dendritic thorns of CA3 neurons in male rat hippocampus. *Biochemical and Biophysical Research Communications*, 381(4), 728-732. doi.

Hatanaka, Y., Wada, K., & Kabuta, T. (2016). Maternal high-fat diet leads to persistent synaptic instability in mouse offspring via oxidative stress during lactation. *Neurochemistry International*. doi: <http://dx.doi.org/10.1016/j.neuint.2016.03.008>. <http://www.sciencedirect.com/science/article/pii/S0197018616300341>

Hatch, R. J., Leinenga, G., & Götz, J. (2016). Scanning Ultrasound (SUS) Causes No Changes to Neuronal Excitability and Prevents Age-Related Reductions in Hippocampal CA1 Dendritic Structure in Wild-Type Mice. *PLoS ONE*, 11(10), e0164278. doi: 10.1371/journal.pone.0164278. <http://dx.doi.org/10.1371%2Fjournal.pone.0164278>

Hattiangady, B., Rao, M. S., & Shetty, A. K. (2008). Grafting of striatal precursor cells into hippocampus shortly after status epilepticus restrains chronic temporal lobe epilepsy. *Experimental Neurology*, 212(2), 468-481. doi.

Hattiangady, B., Rao, M. S., Zaman, V., & Shetty, A. K. (2006). Incorporation of embryonic CA3 cell grafts into the adult hippocampus at 4-months after injury: effects of combined neurotrophic supplementation and caspase inhibition. *Neuroscience*, 139(4), 1369-1383. doi.

Hattiangady, B., & Shetty, A. K. (2007). *Neural Stem Cell Grafting in an Animal Model of Chronic Temporal Lobe Epilepsy Current Protocols in Stem Cell Biology*: John Wiley & Sons, Inc.

Hattiangady, B., & Shetty, A. K. (2008). Aging does not alter the number or phenotype of putative stem/progenitor cells in the neurogenic region of the hippocampus. *Neurobiology of Aging*, 29(1), 129-147. doi.

Haubst, N., Georges-Labouesse, E., De Arcangelis, A., Mayer, U., & Gotz, M. (2006). Basement membrane attachment is dispensable for radial glial cell fate and for proliferation, but affects positioning of neuronal subtypes. *Development*, 133(16), 3245-3254. doi: 10.1242/dev.02486. <http://dev.biologists.org/cgi/content/abstract/133/16/3245>

Haulcomb, M. M., Mesnard, N. A., Batka, R. J., Alexander, T. D., Sanders, V. M., & Jones, K. J. (2014). Axotomy-induced target disconnection promotes an additional death mechanism involved in motoneuron degeneration in ALS transgenic mice. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23538. <http://dx.doi.org/10.1002/cne.23538>

Hauser, K. F., Hahn, Y. K., Adjan, V. V., Zou, S., Buch, S. K., Nath, A., . . . Knapp, P. E. (2009). HIV-1 Tat and morphine have interactive effects on oligodendrocyte survival and morphology. *Glia*, 57(2), 194-206. doi.

- Hausmann, O. N., Fouad, K., Wallimann, T., & Schwab, M. E. (2002). Protective effects of oral creatine supplementation on spinal cord injury in rats. *Spinal Cord*, 40, 449-456. doi.
- Havton, L. A., & Kellerth, J. O. (2001). Neurofilamentous hypertrophy of intramedullary axonal arbors in intact spinal motoneurons undergoing peripheral sprouting. *Journal of Neurocytology*, 30(11), 917-926. doi.
- Havton, L. A., & Ohara, P. T. (1994). Dendritic orientation of thalamocortical projection neurons in the ventrobasal complex of macaques. *Brain Research*, 638, 126-132. doi.
- Hawes, S. L., Evans, R. C., Unruh, B. A., Benkert, E. E., Gillani, F., Dumas, T. C., & Blackwell, K. T. (2015). Multimodal Plasticity in Dorsal Striatum While Learning a Lateralized Navigation Task. *The Journal of Neuroscience*, 35(29), 10535-10549. doi. <http://www.jneurosci.org/content/35/29/10535.short>
- Hawley, D. F., Bardi, M., Everette, A. M., Higgins, T. J., Tu, K. M., Kinsley, C. H., & Lambert, K. G. (2009). Neurobiological constituents of active, passive, and variable coping strategies in rats: Integration of regional brain neuropeptide Y levels and cardiovascular responses. *Stress: The International Journal on the Biology of Stress*, 13(2), 172-183. doi.
- Haws, M. E., Jaramillo, T. C., Espinosa-Becerra, F., Widman, A., Stuber, G. D., Sparta, D. R., . . . Powell, C. M. (2013). PTEN knockdown alters dendritic spine/protrusion morphology, not density. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23488. <http://dx.doi.org/10.1002/cne.23488>
- Hawthorne, A. L., Wylie, C. J., Landmesser, L. T., Deneris, E. S., & Silver, J. (2010). Serotonergic Neurons Migrate Radially through the Neuroepithelium by Dynamin-Mediated Somal Translocation. *Journal of Neuroscience*, 30(2), 420-430. doi: 10.1523/jneurosci.2333-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/2/420>
- Hay, E., Hill, S., Schürmann, F., Markram, H., & Segev, I. (2011). Models of neocortical layer 5b pyramidal cells capturing a wide range of dendritic and perisomatic active properties. *PLoS computational biology*, 7(7), e1002107-e1002107. doi.
- Hay, E., Schürmann, F., Markram, H., & Segev, I. (2013). Preserving Axo-somatic Spiking Features Despite Diverse Dendritic Morphology. *Journal of Neurophysiology*. doi: 10.1152/jn.00048.2013. <http://jn.physiology.org/content/early/2013/03/22/jn.00048.2013.abstract>
- Hayano, Y., Sasaki, K., Ohmura, N., Takemoto, M., Maeda, Y., Yamashita, T., . . . Yamamoto, N. (2014). Netrin-4 regulates thalamocortical axon branching in an activity-dependent fashion. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1402095111. <http://www.pnas.org/content/early/2014/10/02/1402095111.abstract>
- Hayar, A., Karnup, S., Ennis, M., & Shipley, M. T. (2004). External Tufted Cells: A Major Excitatory Element That Coordinates Glomerular Activity. *Journal of Neuroscience*, 24(30), 6676-6685. doi. <http://www.jneurosci.org/cgi/content/abstract/24/30/6676>
- Hayar, A., Karnup, S., Shipley, M. T., & Ennis, M. (2004). Olfactory Bulb Glomeruli: External Tufted Cells Intrinsically Burst at Theta Frequency and Are Entrained by Patterned Olfactory Input. *Journal of Neuroscience*, 24(5), 1190-1199. doi: 10.1523/jneurosci.4714-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/5/1190>

Hayar, A., Shipley, M. T., & Ennis, M. (2005). Olfactory Bulb External Tufted Cells Are Synchronized by Multiple Intraglomerular Mechanisms. *Journal of Neuroscience*, 25(36), 8197-8208. doi: <http://www.jneurosci.org/cgi/content/abstract/25/36/8197>

Hayase, Y., Amano, S., Hashizume, K., Tominaga, T., Miyamoto, H., Kanno, Y., . . . Hoshino, M. (2020). Down syndrome cell adhesion molecule like-1 (DSCAML1) links the GABA system and seizure susceptibility. *Acta Neuropathologica Communications*, 8(1), 206. doi: 10.1186/s40478-020-01082-6. <https://doi.org/10.1186/s40478-020-01082-6>

Hayashi, K., Furuya, A., Sakamaki, Y., Akagi, T., Shinoda, Y., Sadakata, T., . . . Furuichi, T. (2017). The brain-specific RasGEF very-KIND is required for normal dendritic growth in cerebellar granule cells and proper motor coordination. *PLoS ONE*, 12(3), e0173175. doi: 10.1371/journal.pone.0173175. <http://dx.doi.org/10.1371%2Fjournal.pone.0173175>

Hayashi, M. L., Rao, B. S., Seo, J. S., Choi, H. S., Dolan, B. M., Choi, S. Y., . . . Tonegawa, S. (2007). Inhibition of p21-activated kinase rescues symptoms of fragile X syndrome in mice. *Proceedings of the National Academy of Sciences*, 104(27), 11489-11489. doi: 10.1073/pnas.0708114104

Haynes, R. L., Billiards, S. S., Borenstein, N. S., Volpe, J. J., & Kinney, H. C. (2008). Diffuse axonal injury in periventricular leukomalacia as determined by apoptotic marker fractin. *Pediatric Research*, 63(6), 656-656. doi: 10.1097/PDR.0b013e3181644444

Haynes, R. L., & Kinney, H. C. (2011). Central Axonal Development and Pathology in Early Life. *Cytoskeleton of the Nervous System*, 1-53. doi: 10.1002/cyt.1100

Haynes, R. L., Sleeper, L. A., Volpe, J. J., & Kinney, H. C. (2013). Neuropathologic Studies of the Encephalopathy of Prematurity in the Late Preterm Infant. *Clinics in Perinatology*, (0). doi: <http://dx.doi.org/10.1016/j.clp.2013.07.003>. <http://www.sciencedirect.com/science/article/pii/S0095510813000778>

Haynes, R. L., Xu, G., Folkerth, R. D., Trachtenberg, F. L., Volpe, J. J., & Kinney, H. C. (2011). Potential neuronal repair in cerebral white matter injury in the human neonate. *Pediatric Research*, 69(1), 62-62. doi: 10.1097/PDR.0b013e3181644444

Haynes, W. I. A., & Haber, S. N. (2013). The Organization of Prefrontal-Subthalamic Inputs in Primates Provides an Anatomical Substrate for Both Functional Specificity and Integration: Implications for Basal Ganglia Models and Deep Brain Stimulation. *The Journal of Neuroscience*, 33(11), 4804-4814. doi: 10.1523/jneurosci.4674-12.2013. <http://www.jneurosci.org/content/33/11/4804.abstract>

Hays, S. A., Ruiz, A., Bethea, T., Khodaparast, N., Carmel, J. B., Rennaker, R. L., II, & Kilgard, M. P. (2016). Vagus Nerve Stimulation during Rehabilitative Training Enhances Recovery of Forelimb Function after Ischemic Stroke in Aged Rats. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2016.03.030. <http://dx.doi.org/10.1016/j.neurobiolaging.2016.03.030>

Hazra, A., Gu, F., Aulakh, A., Berridge, C., Eriksen, J. L., & Žiburkus, J. (2013). Inhibitory Neuron and Hippocampal Circuit Dysfunction in an Aged Mouse Model of Alzheimer's Disease. *PLoS ONE*, 8(5), e64318. doi: 10.1371/journal.pone.0064318. <http://dx.doi.org/10.1371%2Fjournal.pone.0064318>

He, H., Mahnke, A. H., Doyle, S., Fan, N., Wang, C.-C., Hall, B. J., . . . Erickson, J. D. (2012). Neurodevelopmental Role for VGLUT2 in Pyramidal Neuron Plasticity, Dendritic Refinement, and in Spatial Learning. *Journal of Neuroscience*, 32(45), 15886-15901. doi: 10.1523/jneurosci.4505-11.2012. <http://www.jneurosci.org/content/32/45/15886.abstract>

- He, J., Nixon, K., Shetty, A. K., & Crews, F. T. (2005). Chronic alcohol exposure reduces hippocampal neurogenesis and dendritic growth of newborn neurons. *European Journal of Neuroscience*, 21(10), 2711-2720. doi: doi:10.1111/j.1460-9568.2005.04120.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04120.x>
- He, M., Tucciarone, J., Lee, S., Nigro, Maximiliano J., Kim, Y., Levine, Jesse M., . . . Huang, Z. J. (2016). Strategies and Tools for Combinatorial Targeting of GABAergic Neurons in Mouse Cerebral Cortex. *Neuron*. doi: 10.1016/j.neuron.2016.08.021. <http://dx.doi.org/10.1016/j.neuron.2016.08.021>
- He, S., Shao, L. R., Rittase, W. B., & Bausch, S. B. (2012). Increased Kv1 Channel Expression May Contribute to Decreased sIPSC Frequency Following Chronic Inhibition of NR2B-Containing NMDAR. *Neuropsychopharmacology*. doi.
- He, T., Mortensen, X., Wang, P., & Tian, N. (2017). The effects of immune protein CD3 ζ development and degeneration of retinal neurons after optic nerve injury. *PLoS ONE*, 12(4), e0175522. doi: 10.1371/journal.pone.0175522. <https://doi.org/10.1371/journal.pone.0175522>
- He, Z., Jia, C., Feng, S., Zhou, K., Tai, Y., Bai, X., & Wang, Y. (2012). TRPC5 Channel Is the Mediator of Neurotrophin-3 in Regulating Dendritic Growth via CaMKII α in Rat Hippocampal Neurons. *Journal of Neuroscience*, 32(27), 9383-9395. doi: 10.1523/jneurosci.6363-11.2012. <http://www.jneurosci.org/content/32/27/9383.abstract>
- Head, B. P., Hu, Y., Finley, J. C., Saldana, M. D., Bonds, J. A., Miyanojara, A., . . . Patel, P. M. (2011). Neuron-targeted Caveolin-1 Protein Enhances Signaling and Promotes Arborization of Primary Neurons. *Journal of Biological Chemistry*, 286(38), 33310-33321. doi.
- Hebbeler, S. L., & Sengelaub, D. R. (2003). Development of a sexually dimorphic neuromuscular system in male rats after spinal transection: morphologic changes and implications for estrogen sites of action. *Journal of Comparative Neurology*, 467(1), 80-96. doi.
- Hebbeler, S. L., Verhovshek, T., & Sengelaub, D. R. (2001). Ovariectomy attenuates dendritic growth in hormone-sensitive spinal motoneurons. *Journal of Neurobiology*, 48(4), 301-314. doi.
- Hebbeler, S. L., Verhovshek, T., & Sengelaub, D. R. (2002). NMDA receptor blockade inhibits estrogenic support of dendritic growth in a sexually dimorphic rat spinal nucleus. *Journal of Comparative Neurology*, 442-452. doi.
- Hebbeler, S. L., Verhovshek, T., & Sengelaub, D. R. (2002). N-methyl-D-aspartate receptor blockade inhibits estrogenic support of dendritic growth in a sexually dimorphic rat spinal nucleus. *Journal of Comparative Neurology*, 451(2), 142-152. doi.
- Hefti, B. J., & Smith, P. H. (2000). Anatomy, Physiology, and Synaptic Responses of Rat Layer V Auditory Cortical Cells and Effects of Intracellular GABAA Blockade. *Journal of Neurophysiology*, 83(5), 2626-2638. doi. <http://jn.physiology.org/cgi/content/abstract/83/5/2626>
- Hegedus, B., Hughes, W. F., Garbow, J. R., Gianino, S., Banerjee, D., Kim, K., . . . Gutmann, D. H. (2009). Optic nerve dysfunction in a mouse model of neurofibromatosis-1 optic glioma. *Journal of Neuropathology and Experimental Neurology*, 68(5), 542-542. doi.
- Heidger, P. M., Dee, F., Consoer, D., Leaven, T., Duncan, J., & Kreiter, C. (2002). Integrated Approach to Teaching and Testing in Histology with Real and Virtual Imaging. *The Anatomical Record*, 269, 107-112. doi.

Heilbronner, S. R., & Haber, S. N. (2014). Frontal Cortical and Subcortical Projections Provide a Basis for Segmenting the Cingulum Bundle: Implications for Neuroimaging and Psychiatric Disorders. *The Journal of Neuroscience*, 34(30), 10041-10054. doi: <http://www.jneurosci.org/content/34/30/10041.short>

Heilbronner, S. R., Meyer, M. A. A., Choi, E. Y., & Haber, S. N. (2018). How do cortico-striatal projections impact on downstream pallidal circuitry? [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1662-9. <https://doi.org/10.1007/s00429-018-1662-9>

Heilbronner, S. R., Rodriguez-Romaguera, J., Quirk, G. J., Groenewegen, H. J., & Haber, S. N. (2016). Circuit Based Cortico-Striatal Homologies between Rat and Primate. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2016.05.012. <http://dx.doi.org/10.1016/j.biopsych.2016.05.012>

Heine, C., Heimrich, B., Vogt, J., Wegner, A., Illes, P., & Franke, H. (2006). P2 receptor-stimulation influences axonal outgrowth in the developing hippocampus in vitro. *Neuroscience*, 138(1), 303-311. doi.

Heine, C., Sygnecka, K., Scherf, N., Grohmann, M., Bräsigg, A., & Franke, H. (2015). P2Y1 receptor mediated neuronal fibre outgrowth in organotypic co-cultures. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2015.02.001>. <http://www.sciencedirect.com/science/article/pii/S0028390815000477>

Heinrichs, S. C., Leite-Morris, K. A., Guy, M. D., Goldberg, L. R., Young, A. J., & Kaplan, G. B. (2013). Dendritic structural plasticity in the basolateral amygdala after fear conditioning and its extinction in mice. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.03.048>. <http://www.sciencedirect.com/science/article/pii/S0166432813001903>

Heistek, T. S., Ruiperez-Alonso, M., Timmerman, A. J., Brussaard, A. B., & Mansvelder, H. D. (2012). α 2-containing GABAA receptors expressed in hippocampal region CA3 control fast network oscillations. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2012.243725. <http://dx.doi.org/10.1113/jphysiol.2012.243725>

Helmeke, C., Ovtscharoff Jr, W., Poeggel, G., & Braun, K. (2001). Juvenile emotional experience alters synaptic inputs on pyramidal neurons in the anterior cingulate cortex. *Cerebral Cortex*, 11(8), 717-727. doi.

Helmeke, C., Poeggel, G., & Braun, K. (2001). Differential emotional experience induces elevated spine densities on basal dendrites of pyramidal neurons in the anterior cingulate cortex of *Octodon degus*. *Neuroscience*, 104(4), 927-931. doi.

Helmeke, C., Seidel, K., Poeggel, G., Bredy, T. W., Abraham, A., & Braun, K. (2009). Paternal deprivation during infancy results in dendrite-and time-specific changes of dendritic development and spine formation in the orbitofrontal cortex of the biparental rodent *Octodon degus*. *Neuroscience*, 163(3), 790-798. doi.

Helmstaedter, M., Sakmann, B., & Feldmeyer, D. (2009). L2/3 interneuron groups defined by multiparameter analysis of axonal projection, dendritic geometry, and electrical excitability. *Cerebral Cortex*, 19(4), 951-962. doi.

Helmstaedter, M., Sakmann, B., & Feldmeyer, D. (2009). Neuronal correlates of local, lateral, and translaminar inhibition with reference to cortical columns. *Cerebral Cortex*, 19(4), 926-937. doi.

- Helmstaedter, M., Sakmann, B., & Feldmeyer, D. (2009). The relation between dendritic geometry, electrical excitability, and axonal projections of L2/3 interneurons in rat barrel cortex. *Cerebral Cortex*, 19(4), 938-950. doi:
- Helmstaedter, M., Staiger, J. F., Sakmann, B., & Feldmeyer, D. (2008). Efficient Recruitment of Layer 2/3 Interneurons by Layer 4 Input in Single Columns of Rat Somatosensory Cortex. *Journal of Neuroscience*, 28(33), 8273-8284. doi: 10.1523/jneurosci.5701-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/33/8273>
- Helton, T. D., Zhao, M., Farris, S., & Dudek, S. M. (2018). Diversity of dendritic morphology and entorhinal cortex synaptic effectiveness in mouse CA2 pyramidal neurons. *Hippocampus*, 0(ja). doi: doi:10.1002/hipo.23012. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23012>
- Helwig, M., Hoshino, A., Berridge, C., Lee, S.-N., Lorenzen, N., Otzen, D. E., . . . Lindberg, I. (2012). The neuroendocrine protein 7B2 suppresses the aggregation of neurodegenerative disease-related proteins. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M112.417071. <http://www.jbc.org/content/early/2012/11/21/jbc.M112.417071.abstract>
- Helyes, Z., Tékus, V., Szentés, N., Pohóczky, K., Botz, B., Kiss, T., . . . Goebel, A. (2019). Transfer of complex regional pain syndrome to mice via human autoantibodies is mediated by interleukin-1-induced mechanisms. *Proceedings of the National Academy of Sciences*, 201820168. doi: 10.1073/pnas.1820168116. <http://www.pnas.org/content/early/2019/06/04/1820168116.abstract>
- Henckens, M. J. A. G., van der Marel, K., van der Toorn, A., Pillai, A. G., Fernández, G., Dijkhuizen, R. M., & Joëls, M. (2014). Stress-induced alterations in large-scale functional networks of the rodent brain. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2014.10.037>. <http://www.sciencedirect.com/science/article/pii/S1053811914008635>
- Henderson, B. W., Greathouse, K. M., Ramdas, R., Walker, C. K., Rao, T. C., Bach, S. V., . . . Herskowitz, J. H. (2019). Pharmacologic inhibition of LIMK1 provides dendritic spine resilience against β -amyloid. *Science Signaling*, 12(587), eaaw9318. doi: <https://stke.sciencemag.org/content/12/587/eaaw9318.abstract>
- Henderson, C., Wijetunge, L., Kinoshita, M. N., Shumway, M., Hammond, R. S., Postma, F. R., . . . Paylor, R. (2012). Reversal of disease-related pathologies in the fragile X mouse model by selective activation of GABAB receptors with arbaclofen. *Sci Transl Med*, 4(152), 152ra128. doi:
- Henderson, J. M., Carpenter, K., Cartwright, H., & Halliday, G. M. (2000). Loss of thalamic intralaminar nuclei in progressive supranuclear palsy and Parkinson's disease: clinical and therapeutic implications. *Brain*, 123(7), 1410-1421. doi: 10.1093/brain/123.7.1410. <http://brain.oxfordjournals.org/cgi/content/abstract/123/7/1410>
- Henderson, Z., Fiddler, G., Saha, S., Boros, A., & Halasy, K. (2004). A parvalbumin-containing, axosomatic synaptic network in the rat medial septum: relevance to rhythmogenesis*. *European Journal of Neuroscience*, 19(10), 2753-2768. doi: doi:10.1111/j.0953-816X.2004.03399.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-816X.2004.03399.x>
- Hendricks, S. J., Brunjes, P. C., & Hill, D. L. (2004). Taste bud cell dynamics during normal and sodium-restricted development. *Journal of Comparative Neurology*, 472(2), 173-182. doi:

Hendrickson, E. B., Edgerton, J. R., & Jaeger, D. (2011). The capabilities and limitations of conductance-based compartmental neuron models with reduced branched or unbranched morphologies and active dendrites. *Journal of Computational Neuroscience*, 30(2), 301-321. doi.

Hendrickson, E. B., Edgerton, J. R., & Jaeger, D. (2011). The use of automated parameter searches to improve ion channel kinetics for neural modeling. *Journal of Computational Neuroscience*, 1-18. doi.

Heng, M. Y., Tallaksen-Greene, S. J., Detloff, P. J., & Albin, R. L. (2007). Longitudinal Evaluation of the Hdh(CAG)¹⁵⁰ Knock-In Murine Model of Huntington's Disease. *Journal of Neuroscience*, 27(34), 8989-8998. doi: 10.1523/jneurosci.1830-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/34/8989>

Henkel, C. K., Fuentes-Santamaria, V., Alvarado, J. C., & Brunso-Bechtold, J. K. (2003). Quantitative measurement of afferent layers in the ferret inferior colliculus: DNLL projections to sublayers. *Hearing Research*, 177(1-2), 32-42. doi.

Henkel, C. K., & Gabriele, M. L. (1999). Organization of the disynaptic pathway from the anteroventral cochlear nucleus to the lateral superior olivary nucleus in the ferret. *Anatomy and Embryology*, 199(2), 149-160. doi.

Hennou, S., Khalilov, I., Diabira, D., Ben-Ari, Y., & Gozlan, H. (2002). Early sequential formation of functional GABAA and glutamatergic synapses on CA1 interneurons of the rat foetal hippocampus. *European Journal of Neuroscience*, 16(2), 197-208. doi: doi:10.1046/j.1460-9568.2002.02073.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02073.x>

Henny, P., Brown, M. C., Micklem, B., Magill, P., & Bolam, J. P. (2013). Stereological and ultrastructural quantification of the afferent synaptome of individual neurons. *Brain Structure and Function*, 1-10. doi: 10.1007/s00429-013-0523-9. <http://dx.doi.org/10.1007/s00429-013-0523-9>

Henny, P., Brown, M. T. C., Northrop, A., Faunes, M., Ungless, M. A., Magill, P. J., & Bolam, J. P. (2012). Structural correlates of heterogeneous in vivo activity of midbrain dopaminergic neurons. *Nature Neuroscience*. doi.

Henny, P., & Jones, B. E. (2006). Innervation of orexin/hypocretin neurons by GABAergic, glutamatergic or cholinergic basal forebrain terminals evidenced by immunostaining for presynaptic vesicular transporter and postsynaptic scaffolding proteins. *Journal of Comparative Neurology*, 499(4), 645-661. doi.

Henny, P., & Jones, B. E. (2006). Vesicular glutamate (VGlut), GABA (VGAT), and acetylcholine (VACht) transporters in basal forebrain axon terminals innervating the lateral hypothalamus. *Journal of Comparative Neurology*, 496(4), 453-467. doi.

Henny, P., & Jones, B. E. (2008). Projections from basal forebrain to prefrontal cortex comprise cholinergic, GABAergic and glutamatergic inputs to pyramidal cells or interneurons. *European Journal of Neuroscience*, 27(3), 654-670. doi: doi:10.1111/j.1460-9568.2008.06029.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06029.x>

Henriksen, E. J., Colgin, L. L., Barnes, C. A., Witter, M. P., Moser, M. B., & Moser, E. I. (2010). Spatial representation along the proximodistal axis of CA1. *Neuron*, 68(1), 127-137. doi.

Henriques, C. F. S., Mateus-Pinheiro, M. M. R., Gaspar, A. R. G., de Carvalho Pinheiro, H. A. R., Duarte, J. F. M., Baptista, F. I. C., . . . dos Reis Vale Gomes, C. A. (2019). Microglia cytoarchitecture in the brain of

adenosine A2A receptor knockout mice: brain region and sex specificities. *European Journal of Neuroscience*, 0(ja). doi: 10.1111/ejn.14561. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14561>

Henry, R. A., Hughes, S. M., & Connor, B. (2007). AAV-mediated delivery of BDNF augments neurogenesis in the normal and quinolinic acid-lesioned adult rat brain. *European Journal of Neuroscience*, 25(12), 3513-3525. doi: 10.1111/j.1460-9568.2007.05625.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05625.x>

Henry, S. M., Held, J. M., Vietje, B. P., & Wells, J. (1995). The role of somatosensory information in a constrained locomotor task. *Experimental Neurology*, 131(2), 251-265. doi.

Henschke, J. U., Oelschlegel, A. M., Angenstein, F., Ohl, F. W., Goldschmidt, J., Kanold, P. O., & Badinger, E. (2017). Early sensory experience influences the development of multisensory thalamocortical and intracortical connections of primary sensory cortices. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1549-1. <https://doi.org/10.1007/s00429-017-1549-1>

Hequembourg, S., & Liberman, M. C. (2001). Spiral ligament pathology: a major aspect of age-related cochlear degeneration in C57BL/6 mice. *Jaro-Journal of the Association for Research in Otolaryngology*, 2(2), 118-129. doi.

Hercher, C., Canetti, L., Turecki, G., & Mechawar, N. (2010). Anterior cingulate pyramidal neurons display altered dendritic branching in depressed suicides. *Journal of Psychiatric Research*, 44(5), 286-293. doi.

Hercher, C., Parent, M., Flores, C., Canetti, L., Turecki, G., & Mechawar, N. (2009). Alcohol dependence-related increase of glial cell density in the anterior cingulate cortex of suicide completers. *Journal of Psychiatry and Neuroscience*, 34, 281 - 288. doi.

Herfst, L., Burgalossi, A., Haskic, K., Tukker, J. J., Schmidt, M., & Brecht, M. (2012). Friction-Based Stabilization of Juxtacellular Recordings in Freely-Moving Rats. *Journal of Neurophysiology*. doi: 10.1152/jn.00910.2011. <http://jn.physiology.org/content/early/2012/04/13/jn.00910.2011.abstract>

Hernandez, M. X., Jiang, S., Cole, T. A., Chu, S.-H., Fonseca, M. I., Fang, M. J., . . . Tenner, A. J. (2017). Prevention of C5aR1 signaling delays microglial inflammatory polarization, favors clearance pathways and suppresses cognitive loss. [journal article]. *Molecular neurodegeneration*, 12(1), 66. doi: 10.1186/s13024-017-0210-z. <https://doi.org/10.1186/s13024-017-0210-z>

Herring, A., Münster, Y., Metzdorf, J., Bolczek, B., Krüssel, S., Krieter, D., . . . Keyvani, K. (2016). Late running is not too late against Alzheimer's pathology. *Neurobiology of Disease*, 94, 44-54. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.003>. <http://www.sciencedirect.com/science/article/pii/S096999611630136X>

Herrmann, J. E., Imura, T., Song, B., Qi, J., Ao, Y., Nguyen, T. K., . . . Sofroniew, M. V. (2008). STAT3 is a Critical Regulator of Astroglial Scar Formation after Spinal Cord Injury. *Journal of Neuroscience*, 28(28), 7231-7243. doi: 10.1523/jneurosci.1709-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/28/7231>

Hester, M. S., & Danzer, S. C. (2013). Accumulation of Abnormal Adult-Generated Hippocampal Granule Cells Predicts Seizure Frequency and Severity. *Journal of Neuroscience*, 33(21), 8926-8936. doi: 10.1523/jneurosci.5161-12.2013. <http://www.jneurosci.org/content/33/21/8926.abstract>

Hester, M. S., Hosford, B. E., Santos, V. R., Singh, S. P., Rolle, I., LaSarge, C. L., . . . Danzer, S. C. (2016). Impact of rapamycin on status epilepticus induced hippocampal pathology and weight gain. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.03.015>. <http://www.sciencedirect.com/science/article/pii/S0014488616300589>

Heukelum, S. V., Geers, F. E., Tulva, K., van Dulm, S., Beckmann, C. F., Buitelaar, J. K., . . . França, A. S. C. (2021). Structural Degradation in Midcingulate Cortex Is Associated with Pathological Aggression in Mice. *Brain Sciences*, 11(7). doi: 10.3390/brainsci11070868.

Heun-Johnson, H., & Levitt, P. (2018). Differential impact of Met receptor gene interaction with early-life stress on neuronal morphology and behavior in mice. *Neurobiology of Stress*, 8, 10-20. doi: <https://doi.org/10.1016/j.ynstr.2017.11.003>. <https://www.sciencedirect.com/science/article/pii/S2352289517300164>

Heyden, A., Angenstein, F., Sallaz, M., Seidenbecher, C., & Montag, D. (2008). Abnormal axonal guidance and brain anatomy in mouse mutants for the cell recognition molecules close homolog of L1 and NgCAM-related cell adhesion molecule. *Neuroscience*, 155(1), 221-233. doi.

Heyden, A., Ionescu, M. C. S., Romorini, S., Kracht, B., Ghiglieri, V., Calabresi, P., . . . Gundelfinger, E. D. (2011). Hippocampal enlargement in Bassoon-mutant mice is associated with enhanced neurogenesis, reduced apoptosis, and abnormal BDNF levels. *Cell and Tissue Research*, 1-16. doi.

Heydendael, W., Sharma, K., Iyer, V., Luz, S., Piel, D., Beck, S., & Bhatnagar, S. (2011). Orexins/Hypocretins Act in the Posterior Paraventricular Thalamic Nucleus During Repeated Stress to Regulate Facilitation to Novel Stress. *Endocrinology*, 152(12), 4738-4752. doi.

Heysieattalab, S., & Sadeghi, L. (2021). Dynamic structural neuroplasticity during and after epileptogenesis in a pilocarpine rat model of epilepsy. *Acta Epileptologica*, 3(1), 3. doi: 10.1186/s42494-020-00037-7. <https://doi.org/10.1186/s42494-020-00037-7>

Hickey, W. (1991). Migration of hematogenous cells through the blood-brain barrier and the initiation of CNS inflammation. *Brain Pathology*, 1, 97 - 105. doi.

Higo, S., Hojo, Y., Ishii, H., Komatsuzaki, Y., Ooishi, Y., Murakami, G., . . . others. (2011). Endogenous synthesis of corticosteroids in the hippocampus. *PLoS ONE*, 6(7), e21631-e21631. doi.

Hilal, M. L., Moreau, M. M., Racca, C., Pinheiro, V. L., Piguel, N. H., Santoni, M.-J., . . . Sans, N. (2016). Activity-Dependent Neuroplasticity Induced by an Enriched Environment Reverses Cognitive Deficits in Scribble Deficient Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhw333. <http://cercor.oxfordjournals.org/content/early/2016/10/26/cercor.bhw333>

Hill, A. A. V., & Cattaert, D. (2008). Recruitment in a heterogeneous population of motor neurons that innervates the depressor muscle of the crayfish walking leg muscle. *Journal of Experimental Biology*, 211(4), 613-629. doi: 10.1242/jeb.006270. <http://jeb.biologists.org/cgi/content/abstract/211/4/613>

Hill, J. J., Kolluri, N., Hashimoto, T., Wu, Q., Sampson, A. R., Monteggia, L. M., & Lewis, D. A. (2005). Analysis of pyramidal neuron morphology in an inducible knockout of brain-derived neurotrophic factor. *Biological Psychiatry*, 57(8), 932-934. doi.

Hill, J. L., Hardy, N. F., Jimenez, D. V., Maynard, K. R., Kardian, A. S., Pollock, C. J., . . . Martinowich, K. (2016). Loss of promoter IV-driven BDNF expression impacts oscillatory activity during sleep, sensory information processing and fear regulation. [Original Article]. *Transl Psychiatry*, 6, e873. doi: 10.1038/tp.2016.153. <http://dx.doi.org/10.1038/tp.2016.153>

Hill, M. N., Hillard, C. J., & McEwen, B. S. (2011). Alterations in Corticolimbic Dendritic Morphology and Emotional Behavior in Cannabinoid CB1 Receptor-Deficient Mice Parallel the Effects of Chronic Stress. *Cerebral Cortex*. doi: 10.1093/cercor/bhq280. <http://cercor.oxfordjournals.org/content/early/2011/01/24/cercor.bhq280>

...

Hill, M. N., Kumar, S. A., Filipowski, S. B., Iverson, M., Stuhr, K. L., Keith, J. M., . . . McEwen, B. S. (2012). Disruption of fatty acid amide hydrolase activity prevents the effects of chronic stress on anxiety and amygdalar microstructure. *Molecular Psychiatry*. doi: <http://www.nature.com/mp/journal/vaop/ncurrent/supinfo/mp201290s1.html>. <http://dx.doi.org/10.1038/mp.2012.90>

Hill, R. L., Zhang, Y. P., Burke, D. A., DeVries, W. H., Zhang, Y., Magnuson, D. S. K., . . . Shields, C. B. (2009). Anatomical and functional outcomes following a precise, graded, dorsal laceration spinal cord injury in C57BL/6 mice. *Journal of Neurotrauma*, 26(1), 1-15. doi.

Hillen, H., Barghorn, S., Striebinger, A., Labkovsky, B., Muller, R., Nimmrich, V., . . . Ebert, U. (2010). Generation and Therapeutic Efficacy of Highly Oligomer-Specific β -Amyloid Antibodies. *Journal of Neuroscience*, 30(31), 10369-10379. doi: 10.1523/jneurosci.5721-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/31/10369>

Hilton, G. D., Ndubuizu, A., Nunez, J. L., & McCarthy, M. M. (2005). Simultaneous glutamate and GABAA receptor agonist administration increases calbindin levels and prevents hippocampal damage induced by either agent alone in a model of perinatal brain injury. *Developmental Brain Research*, 159(2), 99-111. doi.

Hilton, G. D., Ndubuizu, A. N., & McCarthy, M. M. (2004). Neuroprotective effects of estradiol in newborn female rat hippocampus. *Developmental Brain Research*, 150(2), 191-198. doi.

Hilton, G. D., Nuez, J. L., & McCarthy, M. M. (2003). Sex differences in response to kainic acid and estradiol in the hippocampus of newborn rats. *Neuroscience*, 116(2), 383-391. doi.

Hilton, G. D., Nunez, J. L., Bambrick, L., Thompson, S. M., & McCarthy, M. M. (2006). Glutamate-mediated excitotoxicity in neonatal hippocampal neurons is mediated by mGluR-induced release of Ca⁺⁺ from intracellular stores and is prevented by estradiol. *European Journal of Neuroscience*, 24(11), 3008-3016. doi: doi:10.1111/j.1460-9568.2006.05189.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05189.x>

Hilz, M. J., Axelrod, F. B., Bickel, A., Stemper, B., Brys, M., Wendelschafer-Crabb, G., & Kennedy, W. R. (2004). Assessing function and pathology in familial dysautonomia: assessment of temperature perception, sweating and cutaneous innervation. *Brain*, 127(9), 2090-2098. doi: 10.1093/brain/awh235. <http://brain.oxfordjournals.org/cgi/content/abstract/127/9/2090>

Hindman, H. B., DeMagistris, M., Callan, C., McDaniel, T., Bubel, T., & Huxlin, K. R. (2019). Impact of topical anti-fibrotics on corneal nerve regeneration in vivo. *Experimental Eye Research*, 181, 49-60. doi: <https://doi.org/10.1016/j.exer.2019.01.017>. <http://www.sciencedirect.com/science/article/pii/S001448351830561X>

- Hines, M. L., Davison, A. P., & Muller, E. (2009). NEURON and Python. *Frontiers in Neuroinformatics*, 3. doi.
- Hinova-Palova, D., Kotov, G., Landzhov, B., Edelstein, L., Iliev, A., Stanchev, S., . . . Paloff, A. (2019). Cytoarchitecture of the dorsal claustrum of the cat: a quantitative Golgi study. [journal article]. *Journal of Molecular Histology*. doi: 10.1007/s10735-019-09839-7. <https://doi.org/10.1007/s10735-019-09839-7>
- Hinwood, M., Tynan, R. J., Charnley, J. L., Beynon, S. B., Day, T. A., & Walker, F. R. (2012). Chronic Stress Induced Remodeling of the Prefrontal Cortex: Structural Re-Organization of Microglia and the Inhibitory Effect of Minocycline. *Cerebral Cortex*. doi: 10.1093/cercor/bhs151. <http://cercor.oxfordjournals.org/content/early/2012/06/16/cercor.bhs151...>
- Hioki, H. (2014). Compartmental organization of synaptic inputs to parvalbumin-expressing GABAergic neurons in mouse primary somatosensory cortex. *Anatomical Science International*, 1-15. doi: 10.1007/s12565-014-0264-8. <http://dx.doi.org/10.1007/s12565-014-0264-8>
- Hirai, Y., Morishima, M., Karube, F., & Kawaguchi, Y. (2012). Specialized Cortical Subnetworks Differentially Connect Frontal Cortex to Parahippocampal Areas. *Journal of Neuroscience*, 32(5), 1898-1913. doi: 10.1523/jneurosci.2810-11.2012. <http://www.jneurosci.org/content/32/5/1898.abstract>
- Hirayama, T., Tarusawa, E., Yoshimura, Y., Galjart, N., & Yagi, T. (2012). CTCF Is Required for Neural Development and Stochastic Expression of Clustered Pcdh Genes in Neurons. *Cell Reports*, (0). doi: 10.1016/j.celrep.2012.06.014. <http://www.sciencedirect.com/science/article/pii/S22112471200174X>
- Hirose, K., Discolo, C. M., Keasler, J. R., & Ransohoff, R. (2005). Mononuclear phagocytes migrate into the murine cochlea after acoustic trauma. *Journal of Comparative Neurology*, 489(2), 180-194. doi.
- Hirose, K., Li, S.-Z., Ohlemiller, K., & Ransohoff, R. (2014). Systemic Lipopolysaccharide Induces Cochlear Inflammation and Exacerbates the Synergistic Ototoxicity of Kanamycin and Furosemide. *Journal of the Association for Research in Otolaryngology*, 1-16. doi: 10.1007/s10162-014-0458-8. <http://dx.doi.org/10.1007/s10162-014-0458-8>
- Hirose, K., & Liberman, M. C. (2003). Lateral wall histopathology and endocochlear potential in the noise-damaged mouse cochlea. *JARO - Journal of the Association for Research in Otolaryngology*, 4(3), 339-352. doi.
- Hirose, K., & Sato, E. (2011). Comparative analysis of combination kanamycin-furosemide versus kanamycin alone in the mouse cochlea. *Hearing Research*, 272(1), 108-116. doi.
- Hirota, Y., Sawada, M., Kida, Y. S., Huang, S., Yamada, O., Sakaguchi, M., . . . Sawamoto, K. (2012). Roles of Planar Cell Polarity Signaling in Maturation of Neuronal Precursor Cells in the Postnatal Mouse Olfactory Bulb. *Stem Cells*. doi.
- Hirsch, E., Pozzato, M., Vercelli, A., Barberis, L., Azzolino, O., Russo, C., . . . Altruda, F. (2002). Defective Dendrite Elongation but Normal Fertility in Mice Lacking the Rho-Like GTPase Activator Dbl. *Molecular Cell Biology*, 22(9), 3140-3148. doi.
- Hirsch, J. A., Alonso, J. M., Reid, R. C., & Martinez, L. M. (1998). Synaptic Integration in Striate Cortical Simple Cells. *Journal of Neuroscience*, 18, 9517-9528. doi.

- Hirsch, J. A., Gallagher, C. A., Alonso, J. M., & Martinez, L. M. (1998). Ascending Projections of Simple and Complex Cells in Layer 6 of the Cat Striate Cortex. *Journal of Neuroscience*, 18(19), 8086-8094. doi.
- Hirsch, M., Knight, J., Tobita, M., Soltys, J., Panitch, H., & Mao-Draayer, Y. (2009). The effect of interferon- β on mouse neural progenitor cell survival and differentiation. *Biochemical and Biophysical Research Communications*, 388(2), 181-186. doi.
- Ho, S. Y., Chao, C. Y., Huang, H. L., Chiu, T. W., Charoenkwan, P., & Hwang, E. (2011). NeurphologyJ: An automatic neuronal morphology quantification method and its application in pharmacological discovery. *BMC bioinformatics*, 12(1), 230-230. doi.
- Hoard, J. L., Hoover, D. B., & Wondergem, R. (2007). Phenotypic properties of adult mouse intrinsic cardiac neurons maintained in culture. *American Journal of Physiology - Cell Physiology*, 293(6), C1875-1883. doi: 10.1152/ajpcell.00113.2007. <http://ajpcell.physiology.org/cgi/content/abstract/293/6/C1875>
- Hockly, E., Cordery, P. M., Woodman, B., Mahal, A., Van Dellen, A., Blakemore, C., . . . Bates, G. P. (2002). Environmental enrichment slows disease progression in R6/2 Huntington's disease mice. *Annals of Neurology*, 51(2), 235-242. doi.
- Hodde, D., Gerardo-Nava, J., Wöhlk, V., Weinandy, S., Jockenhövel, S., Kriebel, A., . . . Brook, G. A. (2015). Characterisation of cell-substrate interactions between Schwann cells and three-dimensional fibrin hydrogels containing orientated nanofibre topographical cues. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13026. <http://dx.doi.org/10.1111/ejn.13026>
- Hodges, T. E., Louth, E. L., Bailey, C. D. C., & McCormick, C. M. (2018). Adolescent social instability stress alters markers of synaptic plasticity and dendritic structure in the medial amygdala and lateral septum in male rats. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1789-8. <https://doi.org/10.1007/s00429-018-1789-8>
- Hodgson, J. A., Finni, T., Lai, A. M., Edgerton, V. R., & Sinha, S. (2006). Influence of structure on the tissue dynamics of the human soleus muscle observed in MRI studies during isometric contractions. *Journal of Morphology*, 267(5), 584-601. doi.
- Hoe, H.-S., Lee, K. J., Carney, R. S. E., Lee, J., Markova, A., Lee, J.-Y., . . . Rebeck, G. W. (2009). Interaction of Reelin with Amyloid Precursor Protein Promotes Neurite Outgrowth. *Journal of Neuroscience*, 29(23), 7459-7473. doi: 10.1523/jneurosci.4872-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/23/7459>
- Hoebek, F. E., Khosrovani, S., Witter, L., & De Zeeuw, C. I. (2008). Purkinje cell input to cerebellar nuclei in tottering: ultrastructure and physiology. *The Cerebellum*, 7(4), 547-558. doi.
- Hoekstra, J. G., Cook, T. J., Stewart, T., Mattison, H., Dreisbach, M. T., Hoffer, Z. S., & Zhang, J. (2014). Astrocytic Dynamin-Like Protein 1 Regulates Neuronal Protection against Excitotoxicity in Parkinson Disease. *The American journal of pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2014.10.022>. <http://www.sciencedirect.com/science/article/pii/S0002944014006555>
- Hoeltje, M., Djalali, S., Hofmann, F., Muenster-Wandowski, A., Hendrix, S., Boato, F., . . . others. (2009). A 29-amino acid fragment of Clostridium botulinum C3 protein enhances neuronal outgrowth, connectivity, and reinnervation. *FASEB Journal*, 23(4), 1115-1126. doi.

Hoffman, E. J., Mintz, C. D., Wang, S., McNickle, D. G., Salton, S. R. J., & Benson, D. L. (2008). Effects of ethanol on axon outgrowth and branching in developing rat cortical neurons. *Neuroscience*, 157(3), 556-565. doi.

Hoffman, J. F., Wright, C. L., & McCarthy, M. M. (2016). A Critical Period in Purkinje Cell Development Is Mediated by Local Estradiol Synthesis, Disrupted by Inflammation, and Has Enduring Consequences Only for Males. *The Journal of Neuroscience*, 36(39), 10039-10049. doi. <http://www.jneurosci.org/content/36/39/10039.short>

Hoffman, L. F., Choy, K. R., Sulzemeier, D. R., & Simmons, D. D. (2018). Oncomodulin Expression Reveals New Insights into the Cellular Organization of the Murine Utricle Striola. [journal article]. *Journal of the Association for Research in Otolaryngology*. doi: 10.1007/s10162-017-0652-6. <https://doi.org/10.1007/s10162-017-0652-6>

Hoffmann, C. J., Hohberg, M., Chlench, S., Maroski, J., Drab, M., Siegel, G., . . . Zakrzewicz, A. (2011). Suppression of zinc finger protein 580 by high oxLDL/LDL-ratios is followed by enhanced expression of endothelial IL-8. *Atherosclerosis*. doi.

Hoffmann, J. H. O., Meyer, H. S., Schmitt, A. C., Straehle, J., Weitbrecht, T., Sakmann, B., & Helmstaedter, M. (2015). Synaptic Conductance Estimates of the Connection Between Local Inhibitor Interneurons and Pyramidal Neurons in Layer 2/3 of a Cortical Column. *Cerebral Cortex*. doi: 10.1093/cercor/bhv039. <http://cercor.oxfordjournals.org/content/early/2015/03/10/cercor.bhv039>
....

Hoffmann, K., Sivukhina, E., Potschka, H., Schachner, M., Löscher, W., & Dityatev, A. (2009). Retarded kindling progression in mice deficient in the extracellular matrix glycoprotein tenascin-R. *Epilepsia*, 50(4), 859-869. doi.

Höfling, C., Indrischek, H., Höpcke, T., Waniek, A., Cynis, H., Koch, B., . . . Hartlage-Rübsamen, M. (2014). Mouse strain and brain region-specific expression of the glutaminyl cyclases QC and isoQC. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2014.05.008>. <http://www.sciencedirect.com/science/article/pii/S0736574814000781>

Hofmann, G. C., Hasser, E. M., & Kline, D. D. (2021). Unilateral vagotomy alters astrocyte and microglial morphology in the nucleus tractus solitarii of the rat. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. doi: 10.1152/ajpregu.00019.2021. <https://doi.org/10.1152/ajpregu.00019.2021>

Hogan, M. K., Kovalycsik, T., Sun, Q., Rajagopalan, S., & Nelson, R. J. (2015). Combined Effects of Exposure to Dim Light at Night and Fine Particulate Matter on C3H/HeNHsd Mice. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2015.07.033>. <http://www.sciencedirect.com/science/article/pii/S0166432815301042>

Hohberg, M., Knöchel, J., Hoffmann, C. J., Chlench, S., Wunderlich, W., Alter, A., . . . Zakrzewicz, A. (2011). Expression of ADAMTS1 in endothelial cells is induced by shear stress and suppressed in sprouting capillaries. *Journal of Cellular Physiology*, 226(2), 350-361. doi: 10.1002/jcp.22340. <http://dx.doi.org/10.1002/jcp.22340>

Höistad, M., & Barbas, H. (2008). Sequence of information processing for emotions through pathways linking temporal and insular cortices with the amygdala. *Neuroimage*, 40(3), 1016-1033. doi.

Hojo, Y., Higo, S., Kawato, S., Hatanaka, Y., Ooishi, Y., Murakami, G., . . . others. (2011). Frontiers: Hippocampal Synthesis of Sex Steroids and Corticosteroids: Essential for Modulation of Synaptic Plasticity. *Frontiers in Neuroendocrine Science*, 2. doi.

Hojo, Y., Munetomo, A., Mukai, H., Ikeda, M., Sato, R., Hatanaka, Y., . . . Kawato, S. (2015). Estradiol rapidly modulates spinogenesis in hippocampal dentate gyrus: Involvement of kinase networks. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2015.06.008>. <http://www.sciencedirect.com/science/article/pii/S0018506X15001178>

Holden, J. E., Farah, E. N., & Jeong, Y. (2005). Stimulation of the lateral hypothalamus produces antinociception mediated by 5-HT_{1A}, 5-HT_{1B} and 5-HT₃ receptors in the rat spinal cord dorsal horn. *Neuroscience*, 135(4), 1255-1268. doi.

Holden, J. E., & Naleway, E. (2001). Microinjection of carbachol in the lateral hypothalamus produces opposing actions on nociception mediated by α 1-and α 2-adrenoceptors. *Brain Research*, 911(1), 27-36. doi.

Holden, J. E., & Pizzi, J. A. (2008). Lateral hypothalamic-induced antinociception may be mediated by a substance P connection with the rostral ventromedial medulla. *Brain Research*, 1214, 40-49. doi.

Holden, J. E., Pizzi, J. A., & Jeong, Y. (2009). An NK1 receptor antagonist microinjected into the periaqueductal gray blocks lateral hypothalamic-induced antinociception in rats. *Neuroscience Letters*, 453(2), 115-119. doi.

Holden, J. E., Van Poppel, A. Y., & Thomas, S. (2002). Antinociception from lateral hypothalamic stimulation may be mediated by NK1 receptors in the A7 catecholamine cell group in rat. *Brain Research*, 953(1-2), 195-204. doi.

Holden, J. E., Wang, E., Moes, J. R., Wagner, M., Maduko, A., & Jeong, Y. (2014). Differences in carbachol dose, pain condition, and sex following lateral hypothalamic stimulation. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.04.020>. <http://www.sciencedirect.com/science/article/pii/S0306452214003157>

Holder, M. K., Hadjimarkou, M. M., Zup, S. L., Blutstein, T., Benham, R. S., McCarthy, M. M., & Mong, J. A. (2010). Methamphetamine facilitates female sexual behavior and enhances neuronal activation in the medial amygdala and ventromedial nucleus of the hypothalamus. *Psychoneuroendocrinology*, 35(2), 197-208. doi.

Holder, M. K., Veichweg, S. S., & Mong, J. A. (2014). Methamphetamine-Enhanced Female Sexual Motivation is Dependent on Dopamine and Progesterone Signaling in the Medial Amygdala. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2014.10.004>. <http://www.sciencedirect.com/science/article/pii/S0018506X14002165>

Holderith, N., Lorincz, A., Katona, G., Rozsa, B., Kulik, A., Watanabe, M., & Nusser, Z. (2012). Release probability of hippocampal glutamatergic terminals scales with the size of the active zone. [10.1038/nn.3137]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3137.html#suppl.....> <http://dx.doi.org/10.1038/nn.3137>

Holland, T. L., & Soderstrom, K. (2017). Chronic CB1 cannabinoid receptor antagonism persistently increases dendritic spine densities in brain regions important to zebra finch vocal learning and

production in an antidepressant-sensitive manner. *Brain Research*, 1672, 1-9.
doi: <https://doi.org/10.1016/j.brainres.2017.07.015>. <http://www.sciencedirect.com/science/article/pii/S0006899317303141>

Holler, S., Köstinger, G., Martin, K. A. C., Schuhknecht, G. F. P., & Stratford, K. J. (2021). Structure and function of a neocortical synapse. *Nature*. doi: 10.1038/s41586-020-03134-2. <https://doi.org/10.1038/s41586-020-03134-2>

Holliday, E. D., Nucero, P., Kutlu, M. G., Oliver, C., Connelly, K. L., Gould, T. J., & Unterwald, E. M. (2016). Long-term effects of chronic nicotine on emotional and cognitive behaviors and hippocampus cell morphology in mice: comparisons of adult and adolescent nicotine exposure. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13398. <http://dx.doi.org/10.1111/ejn.13398>

Hollis, E. R., Jamshidi, P., Löw, K., Blesch, A., & Tuszynski, M. H. (2009). Induction of corticospinal regeneration by lentiviral trkB-induced Erk activation. *Proceedings of the National Academy of Sciences*, 106(17), 7215-7215. doi.

Holloway, B. B., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2015). The retrotrapezoid nucleus stimulates breathing by releasing glutamate in adult conscious mice. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12996. <http://dx.doi.org/10.1111/ejn.12996>

Holmes, G. M., Browning, K. N., Babic, T., Fortna, S. R., Coleman, F. H., & Travagli, R. A. (2013). Vagal afferent fibres determine the oxytocin-induced modulation of gastric tone. *The Journal of Physiology*, 591(12), 3081-3100. doi: doi:10.1113/jphysiol.2013.253732. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/jphysiol.2013.253732>

Holmes, T. J., & O'connor, N. J. (2000). Blind deconvolution of 3D transmitted light brightfield micrographs. *Journal of Microscopy*, 200(2), 114. doi.

Holmes, W. R., Huwe, J. A., Williams, B., Rowe, M. H., & Peterson, E. H. (2017). Models of utricular bouton afferents: Role of afferent-hair cell connectivity in determining spike train regularity. [10.1152/jn.00895.2016]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2017/02/10/jn.00895.2016.abstract>

Höltje, M., Djalali, S., Hofmann, F., Münster-Wandowski, A., Hendrix, S., Boato, F., . . . Ahnert-Hilger, G. (2009). A 29-amino acid fragment of Clostridium botulinum C3 protein enhances neuronal outgrowth, connectivity, and reinnervation. *The FASEB journal*, 23(4), 1115-1126. doi: 10.1096/fj.08-116855. <http://www.fasebj.org/content/23/4/1115.abstract>

Holtje, M., Hoffmann, A., Hofmann, F., Mucke, C., Grosse, G., Van Rooijen, N., . . . Ahnert-Hilger, G. (2005). Role of Rho GTPase in astrocyte morphology and migratory response during in vitro wound healing. *Journal of Neurochemistry*, 95(5), 1237-1248. doi: doi:10.1111/j.1471-4159.2005.03443.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03443.x>

Holtmaat, A., Wilbrecht, L., Knott, G. W., Welker, E., & Svoboda, K. (2006). Experience-dependent and cell-type-specific spine growth in the neocortex. *Nature*, 441, 979-983. doi.

Homberg, J. R., Olivier, J. D. A., Blom, T., Arentsen, T., van Brunschot, C., Schipper, P., . . . Reneman, L. (2011). Fluoxetine exerts age-dependent effects on behavior and amygdala neuroplasticity in the rat. *PLoS ONE*, 6(1), e16646-e16646. doi.

Honda, C. N. (1995). Differential distribution of calbindin-D28k and parvalbumin in somatic and visceral sensory neurons. *Neuroscience*, 68(3), 883-892. doi.

Honda, Y., & Ishizuka, N. (2004). Organization of Connectivity of the Rat Presubiculum: I. Efferent Projections to the Medial Entorhinal Cortex. *Journal of Comparative Neurology*, 473, 463-484. doi.

Honda, Y., & Ishizuka, N. (2014). Topographic distribution of cortical projection cells in the rat subiculum. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2014.11.011>. <http://www.sciencedirect.com/science/article/pii/S0168010214003204>

Honda, Y., Sasaki, H., Umitsu, Y., & Ishizuka, N. (2012). Zonal distribution of perforant path cells in layer III of the entorhinal area projecting to CA1 and subiculum in the rat. *Neuroscience Research*, (0). doi: 10.1016/j.neures.2012.10.005. <http://www.sciencedirect.com/science/article/pii/S016801021200199X>

Honda, Y., & Shibata, H. (2017). Organizational connectivity among the CA1, subiculum, presubiculum, and entorhinal cortex in the rabbit. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24297. <http://dx.doi.org/10.1002/cne.24297>

Honda, Y., Umitsu, Y., & Ishizuka, N. (2008). Organization of connectivity of the rat presubiculum: II. Associational and commissural connections. *Journal of Comparative Neurology*, 506(4), 640-658. doi.

Hönigsperger, C., Marosi, M., Murphy, R., & Storm, J. F. (2014). Dorso-ventral differences in Kv7/M-current and its impact on resonance, temporal summation, and excitability in rat hippocampal pyramidal cells. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.280826. <http://dx.doi.org/10.1113/jphysiol.2014.280826>

Hood, J. E., Jenkins, J. W., Milatovic, D., Rongzhu, L., & Aschner, M. (2010). Mefloquine induces oxidative stress and neurodegeneration in primary rat cortical neurons. *Neurotoxicology*, 31(5), 518-523. doi.

Hook, M., Woller, S., Bancroft, E., Aceves, M., Funk, M. K., Hartman, J., & Garraway, S. M. (2016). Neurobiological effects of Morphine following Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4507. <http://dx.doi.org/10.1089/neu.2016.4507>

Hooks, B. M., Hires, S. A., Zhang, Y. X., Huber, D., Petreanu, L., Svoboda, K., & Shepherd, G. M. G. (2011). Laminar analysis of excitatory local circuits in vibrissal motor and sensory cortical areas. *PLoS Biology*, 9(1), e1000572-e1000572. doi.

Hooks, B. M., Papale, A. E., Paletzki, R. F., Feroze, M. W., Eastwood, B. S., Couey, J. J., . . . Gerfen, C. R. (2018). Topographic precision in sensory and motor corticostriatal projections varies across cell type and cortical area. *Nature Communications*, 9(1), 3549. doi: 10.1038/s41467-018-05780-7. <https://doi.org/10.1038/s41467-018-05780-7>

Horie, S., Kiyokage, E., Hayashi, S., Inoue, K., Sohn, J., Hioki, H., . . . Toida, K. (2020). Structural basis for noradrenergic regulation of neural circuits in the mouse olfactory bulb. <https://doi.org/10.1002/cne.25085>. *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25085>. <https://doi.org/10.1002/cne.25085>

Horjales-Araujo, E., Hellysaz, A., & Broberger, C. (2014). Lateral hypothalamic thyrotropin-releasing hormone neurons: Distribution and relationship to histochemically defined cell populations in the rat.

Neuroscience, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.06.043>. <http://www.sciencedirect.com/science/article/pii/S0306452214005284>

Hormigo, S., Gómez-Nieto, R., Castellano, O., Herrero-Turrión, M. J., López, D., & Anchieta de Castro e Horta-Júnior, J. (2014). The noradrenergic projection from the locus coeruleus to the cochlear root neurons in rats. *Brain Structure and Function*, 1-20. doi: 10.1007/s00429-014-0739-3. <http://dx.doi.org/10.1007/s00429-014-0739-3>

Hormigo, S., Vega-Flores, G., & Castro-Alamancos, M. A. (2016). Basal Ganglia Output Controls Active Avoidance Behavior. *The Journal of Neuroscience*, 36(40), 10274-10284. doi: <http://www.jneurosci.org/content/36/40/10274.short>

Hormigo, S., Vega-Flores, G., Rovira, V., & Castro-Alamancos, M. A. (2019). Circuits that mediate expression of signaled active avoidance converge in the pedunculopontine tegmentum. *The Journal of Neuroscience*, 0049-0019. doi: 10.1523/jneurosci.0049-19.2019. <http://www.jneurosci.org/content/early/2019/03/29/JNEUROSCI.0049-19.2019...>

Horn, Katherine E., Glasgow, Stephen D., Gobert, D., Bull, S.-J., Luk, T., Girgis, J., . . . Kennedy, Timothy E. (2013). DCC Expression by Neurons Regulates Synaptic Plasticity in the Adult Brain. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2012.12.005>. <http://www.sciencedirect.com/science/article/pii/S2211124712004299>

Horn, K. E., Xu, B., Gobert, D., Hamam, B. N., Thompson, K. M., Wu, C.-L., . . . Kennedy, T. E. (2012). Receptor protein tyrosine phosphatase sigma regulates synapse structure, function and plasticity. *Journal of Neurochemistry*. doi: 10.1111/j.1471-4159.2012.07762.x. <http://dx.doi.org/10.1111/j.1471-4159.2012.07762.x>

Hornfeld, S. H., Terkel, J., & Barnea, A. (2010). Neurons recruited in the nidopallium caudale, following changes in social environment, derive from the same original population. *Behavioural Brain Research*, 208(2), 643-645. doi.

Hornung, J. P. (2003). The human raphe nuclei and the serotonergic system. *Journal of Chemical Neuroanatomy*, 26(4), 331-343. doi.

Horowitz, J., Nagai, M., Desai, T., Pytte, C. L., & Harding, C. (2015). Exposure to the mold *Stachybotrys* alters microglial morphology differentially in CA1 and CA2-3 of the dorsomedial hippocampus. *Brain, Behavior, and Immunity*, 49, Supplement, e32. doi: <http://dx.doi.org/10.1016/j.jbbi.2015.06.127>. <http://www.sciencedirect.com/science/article/pii/S088915911500344X>

Horowitz, P. M., Patterson, K. R., Guillozet-Bongaarts, A. L., Reynolds, M. R., Carroll, C. A., Weintraub, S. T., . . . Binder, L. I. (2004). Early N-Terminal Changes and Caspase-6 Cleavage of Tau in Alzheimer's Disease. *Journal of Neuroscience*, 24(36), 7895-7902. doi: 10.1523/jneurosci.1988-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/36/7895>

Horváth, Á., Tékus, V., Bencze, N., Szentes, N., Scheich, B., Bölcskei, K., . . . Helyes, Z. (2018). Analgesic effects of the novel semicarbazide-sensitive amine oxidase inhibitor SZV 1287 in mouse pain models with neuropathic mechanisms: involvement of transient receptor potential vanilloid 1 and ankyrin 1 receptors. *Pharmacological Research*. doi: <https://doi.org/10.1016/j.phrs.2018.02.006>. <https://www.sciencedirect.com/science/article/pii/S1043661817309313>

- Hosford, B. E., Rowley, S., Liska, J. P., & Danzer, S. C. (2017). Ablation of peri-insult generated granule cells after epilepsy onset halts disease progression. *Scientific Reports*, 7(1), 18015. doi: 10.1038/s41598-017-18237-6. <https://doi.org/10.1038/s41598-017-18237-6>
- Hoshino, A., Helwig, M., Rezaei, S., Berridge, C., Eriksen, J. L., & Lindberg, I. (2013). A novel function for proSAAS as an amyloid anti-aggregant in Alzheimer's disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12454. <http://dx.doi.org/10.1111/jnc.12454>
- Hosp, J., Nolan, H., & Luft, A. (2015). Topography and collateralization of dopaminergic projections to primary motor cortex in rats. *Experimental Brain Research*, 1-11. doi: 10.1007/s00221-015-4211-2. <http://dx.doi.org/10.1007/s00221-015-4211-2>
- Hosp, J. A., Strüber, M., Yanagawa, Y., Obata, K., Vida, I., Jonas, P., & Bartos, M. (2013). Morphophysiological criteria divide dentate gyrus interneurons into classes. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22214. <http://dx.doi.org/10.1002/hipo.22214>
- Hossain, W. A., Antic, S. D., Yang, Y., Rasband, M. N., & Morest, D. K. (2005). Where Is the Spike Generator of the Cochlear Nerve? Voltage-Gated Sodium Channels in the Mouse Cochlea. *Journal of Neuroscience*, 25(29), 6857-6868. doi: <http://www.jneurosci.org/cgi/content/abstract/25/29/6857>
- Hossaini, M., French, P. J., & Holstege, J. C. (2007). Distribution of glycinergic neuronal somata in the rat spinal cord. *Brain Research*, 1142, 61-69. doi.
- Hossaini, M., Jongen, J., Biesheuvel, K., Kuhl, D., & Holstege, J. (2010). Nociceptive stimulation induces expression of Arc/Arg3.1 in the spinal cord with a preference for neurons containing enkephalin. *Molecular Pain*, 6(1), 43. doi: <http://www.molecularpain.com/content/6/1/43>
- Hota, S. K., Barhwal, K., Baitharu, I., Prasad, D., Singh, S. B., & Ilavazhagan, G. (2009). Bacopa monniera leaf extract ameliorates hypobaric hypoxia induced spatial memory impairment. *Neurobiology of Disease*, 34(1), 23-39. doi.
- Hou, G., & Zhang, Z.-W. (2017). NMDA Receptors Regulate the Development of Neuronal Intrinsic Excitability through Cell-Autonomous Mechanisms. [Original Research]. *Frontiers in cellular neuroscience*, 11(353). doi: 10.3389/fncel.2017.00353. <https://www.frontiersin.org/article/10.3389/fncel.2017.00353>
- Hou, P.-S., Miyoshi, G., & Hanashima, C. (2019). Sensory cortex wiring requires preselection of short- and long-range projection neurons through an Egr-Foxg1-COUP-TFI network. *Nature Communications*, 10(1), 3581. doi: 10.1038/s41467-019-11043-w. <https://doi.org/10.1038/s41467-019-11043-w>
- Hou, W.-H., Kuo, N., Fang, G.-W., Huang, H.-S., Wu, K.-P., Zimmer, A., . . . Lien, C.-C. (2016). Wiring Specificity and Synaptic Diversity in the Mouse Lateral Central Amygdala. *The Journal of Neuroscience*, 36(16), 4549-4563. doi: <http://www.jneurosci.org/content/36/16/4549.short>
- Hou, Y., Zhang, Q., Liu, H., Wu, J., Shi, Y., Qi, Y., . . . He, M. (2021). Topographical organization of mammillary neurogenesis and efferent projections in the mouse brain. *Cell Reports*, 34(6), 108712. doi: <https://doi.org/10.1016/j.celrep.2021.108712>. <https://www.sciencedirect.com/science/article/pii/S2211124721000255>
- Hough, L. H., & Brownl, M. E. (2017). Labeling of Neuronal Morphology using Custom Diolistic Techniques. *Journal of Neuroscience Methods*.

doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.03.004>. <http://www.sciencedirect.com/science/article/pii/S0165027017300614>

Hough, L. H., Hill, K., Staudt, L., Grubb, C., & Green, A. (2019). Stereological Investigation of the Rat Ventral Thalamic Nuclei Following Developmental Hyperserotonemia. *Neuroscience*, 411, 202-210. doi: <https://doi.org/10.1016/j.neuroscience.2019.05.054>. <http://www.sciencedirect.com/science/article/pii/S0306452219303847>

Hough, L. H., & Segal, S. (2016). Effects of Developmental Hyperserotonemia on the Morphology of Rat Dentate Nuclear Neurons. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.02.021>. <http://www.sciencedirect.com/science/article/pii/S0306452216001445>

House, D. R. C., Elstrott, J., Koh, E., Chung, J., & Feldman, D. E. (2011). Parallel Regulation of Feedforward Inhibition and Excitation during Whisker Map Plasticity. *Neuron*, 72(5), 819-831. doi.

Houzel, J. C., Carvalho, M. L., & Lent, R. (2002). Interhemispheric connections between primary visual areas: beyond the midline rule. *Brazilian Journal of Medical and Biological Research*, 35(12), 1441-1453. doi.

Houzel, J. C., & Milleret, C. (1999). Visual inter-hemispheric processing: constraints and potentialities set by axonal morphology. *Journal of Physiology-Paris*, 93(4), 271-284. doi.

Houzel, J.-C., Milleret, C., & Innocenti, G. (1994). Morphology of Callosal Axons Interconnecting Areas 17 and 18 of the Cat. *European Journal of Neuroscience*, 6(6), 898-917. doi: doi:10.1111/j.1460-9568.1994.tb00585.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1994.tb00585.x>

Hovis, K. R., Ramnath, R., Dahlen, J. E., Romanova, A. L., LaRocca, G., Bier, M. E., & Urban, N. N. (2012). Activity Regulates Functional Connectivity from the Vomeronasal Organ to the Accessory Olfactory Bulb. *Journal of Neuroscience*, 32(23), 7907-7916. doi: 10.1523/jneurosci.2399-11.2012. <http://www.jneurosci.org/content/32/23/7907.abstract>

Howard, B., Chen, Y., & Zecevic, N. (2006). Cortical progenitor cells in the developing human telencephalon. *Glia*, 53(1), 57-66. doi.

Hoxha, E., Gabriele, R. M. C., Balbo, I., Ravera, F., Masante, L., Zambelli, V., . . . Tempia, F. (2017). Motor Deficits and Cerebellar Atrophy in Elov15 Knock Out Mice. [Original Research]. *Frontiers in cellular neuroscience*, 11(343). doi: 10.3389/fncel.2017.00343. <https://www.frontiersin.org/article/10.3389/fncel.2017.00343>

Hoy Jr, K. C., & Alilain, W. J. (2015). Acute theophylline exposure modulates breathing activity through a cervical contusion. *Experimental Neurology*, 271(0), 72-76. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.04.024>. <http://www.sciencedirect.com/science/article/pii/S0014488615001508>

Hozumi, Y., Kakefuda, K., Yamasaki, M., Watanabe, M., Hara, H., & Goto, K. (2014). Involvement of diacylglycerol kinase β in the spine formation at distal dendrites of striatal medium spiny neurons. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.11.012>. <http://www.sciencedirect.com/science/article/pii/S0006899314015595>

Hsieh, J. T., Lei, B., Sheng, H., Venkatraman, T., Lascola, C. D., Warner, D. S., & James, M. L. (2015). Sex-Specific Effects of Progesterone on Early Outcome of Intracerebral Hemorrhage. *Neuroendocrinology*. doi: <http://www.karger.com/Article/Abstract/440883>

Hsieh, K. C., Gvilia, I., Kumar, S., Uschakov, A., McGinty, D., Alam, M. N., & Szymusiak, R. (2011). c-Fos expression in neurons projecting from the preoptic and lateral hypothalamic areas to the ventrolateral periaqueductal gray in relation to sleep states. *Neuroscience*. doi.

Hsu, J. E., & Jones, T. A. (2005). Time-sensitive enhancement of motor learning with the less-affected forelimb after unilateral sensorimotor cortex lesions in rats. *European Journal of Neuroscience*, 22(8), 2069-2080. doi: doi:10.1111/j.1460-9568.2005.04370.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04370.x>

Hsu, J. E., & Jones, T. A. (2006). Contralesional neural plasticity and functional changes in the less-affected forelimb after large and small cortical infarcts in rats. *Experimental Neurology*, 201(2), 479-494. doi.

Hsu, J. Y. C., Stein, S. A., & Xu, X. M. (2006). Development of the corticospinal tract in the mouse spinal cord: a quantitative ultrastructural analysis. *Brain Research*, 1084(1), 16-27. doi.

Hsu, J. Y. C., Stein, S. A., & Xu, X. M. (2008). Abnormal growth of the corticospinal axons into the lumbar spinal cord of the hyt/hyt mouse with congenital hypothyroidism. *Journal of Neuroscience Research*, 86(14), 3126-3139. doi.

Hsu, J. Y. C., & Xu, X. M. (2005). Early profiles of axonal growth and astroglial response after spinal cord hemisection and implantation of Schwann cell-seeded guidance channels in adult rats. *Journal of Neuroscience Research*, 82(4), 472-483. doi.

Hsu, J.-Y. C., McKeon, R., Goussev, S., Werb, Z., Lee, J.-U., Trivedi, A., & Noble-Haeusslein, L. J. (2006). Matrix Metalloproteinase-2 Facilitates Wound Healing Events That Promote Functional Recovery after Spinal Cord Injury. *Journal of Neuroscience*, 26(39), 9841-9850. doi: 10.1523/jneurosci.1993-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/39/9841>

Hu, H., & Agmon, A. (2016). Differential Excitation of Distally versus Proximally Targeting Cortical Interneurons by Unitary Thalamocortical Bursts. *The Journal of Neuroscience*, 36(26), 6906-6916. doi: <http://www.jneurosci.org/content/36/26/6906.short>

Hu, H., & Jonas, P. (2014). A supercritical density of Na⁺ channels ensures fast signaling in GABAergic interneuron axons. *Nature Neuroscience*. doi.

Hu, H., Liu, Y., Bampoe, K., He, Y., & Yu, M. (2016). Postnatal Gene Therapy Improves Spatial Learning Despite the Presence of Neuronal Ectopia in a Model of Neuronal Migration Disorder. *Genes*, 7(12), 105. doi: <http://www.mdpi.com/2073-4425/7/12/105>

Hu, H., Roth, F. C., Vandael, D., & Jonas, P. (2018). Complementary Tuning of Na⁺ and K⁺ Channel Gating Underlies Fast and Energy-Efficient Action Potentials in GABAergic Interneuron Axons. *Neuron*, 98(1), 156-165.e156. doi: <https://doi.org/10.1016/j.neuron.2018.02.024>. <https://www.sciencedirect.com/science/article/pii/S0896627318301454>

Hu, J., Deng, L., Wang, X., & Xu, X. M. (2009). Effects of extracellular matrix molecules on the growth properties of oligodendrocyte progenitor cells in vitro. *Journal of Neuroscience Research*, 87(13), 2854-2862. doi.

Hu, J.-G., Shi, L.-L., Chen, Y.-J., Xie, X.-M., Zhang, N., Zhu, A.-Y., . . . Lü, H.-Z. (2016). Differential effects of myelin basic protein-activated Th1 and Th2 cells on the local immune microenvironment of injured spinal cord. *Experimental Neurology*, 277, 190-201. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.01.002>. <http://www.sciencedirect.com/science/article/pii/S0014488616300012>

Hu, X.-L., Cheng, X., Cai, L., Tan, G.-H., Xu, L., Feng, X.-Y., . . . Xiong, Z.-Q. (2011). Conditional Deletion of NRSF in Forebrain Neurons Accelerates Epileptogenesis in the Kindling Model. *Cerebral Cortex*. doi: 10.1093/cercor/bhq284. <http://cercor.oxfordjournals.org/content/early/2011/02/21/cercor.bhq284>.

...

Hua, K., Forbes, M. E., Lichtenwalner, R. J., Sonntag, W. E., & Riddle, D. R. (2009). Adult-onset deficiency in growth hormone and insulin-like growth factor-I alters oligodendrocyte turnover in the corpus callosum. *Glia*, 57(10), 1062-1071. doi.

Hua, K., Schindler, M. K., McQuail, J. A., Forbes, M. E., & Riddle, D. R. (2012). Regionally Distinct Responses of Microglia and Glial Progenitor Cells to Whole Brain Irradiation in Adult and Aging Rats. *PLoS ONE*, 7(12), e52728. doi: 10.1371/journal.pone.0052728. <http://dx.doi.org/10.1371/journal.pone.0052728>

Huang, A., Noga, B. R., Carr, P. A., Fedirchuk, B., & Jordan, L. M. (2000). Spinal Cholinergic Neurons Activated During Locomotion: Localization and Electrophysiological Characterization. *Journal of Neurophysiology*, 83(6), 3537-3547. doi: <http://jn.physiology.org/cgi/content/abstract/83/6/3537>

Huang, C. C. Y., Muszynski, K. J., Bolshakov, V. Y., & Balu, D. T. (2019). Deletion of *Dtnbp1* in mice impairs threat memory consolidation and is associated with enhanced inhibitory drive in the amygdala. *Translational Psychiatry*, 9(1), 132. doi: 10.1038/s41398-019-0465-y. <https://doi.org/10.1038/s41398-019-0465-y>

Huang, C. L., & Winer, J. A. (2000). Auditory thalamocortical projections in the cat: laminar and areal patterns of input. *Journal of Comparative Neurology*, 427(2), 302-331. doi.

Huang, C.-W., Chen, Y.-W., Lin, Y.-R., Chen, P.-H., Chou, M.-H., Lee, L.-J., . . . Chen, S.-L. (2016). Conditional Knockout of Breast Carcinoma Amplified Sequence 2 (BCAS2) in Mouse Forebrain Causes Dendritic Malformation via β -catenin. [Article]. *Scientific Reports*, 6, 34927. doi: 10.1038/srep34927

<http://www.nature.com/articles/srep34927#supplementary-information>. <http://dx.doi.org/10.1038/srep34927>

Huang, J., Furuya, A., Hayashi, K., & Furuichi, T. (2011). Interaction between very-KIND Ras guanine exchange factor and microtubule-associated protein 2, and its role in dendrite growth – structure and function of the second kinase noncatalytic C-lobe domain. *FEBS Journal*, no-no. doi: 10.1111/j.1742-4658.2011.08085.x. <http://dx.doi.org/10.1111/j.1742-4658.2011.08085.x>

Huang, J., Polgár, E., Solinski, H. J., Mishra, S. K., Tseng, P.-Y., Iwagaki, N., . . . Hoon, M. A. (2018). Circuit dissection of the role of somatostatin in itch and pain. *Nature Neuroscience*. doi: 10.1038/s41593-018-0119-z. <https://doi.org/10.1038/s41593-018-0119-z>

Huang, L., & Pallas, S. L. (2001). NMDA Antagonists in the Superior Colliculus Prevent Developmental Plasticity But Not Visual Transmission or Map Compression. *Journal of Neurophysiology*, 86(3), 1179-1194. doi: <http://jn.physiology.org/cgi/content/abstract/86/3/1179>

Huang, L.-W., Simonnet, J., Nassar, M., Richevaux, L., Lofredi, R., & Fricker, D. (2017). Laminar Localization and Projection-Specific Properties of Presubicular Neurons Targeting the Lateral Mammillary Nucleus, Thalamus or Medial Entorhinal Cortex. [10.1523/ENEURO.0370-16.2017]. *eneuro*. doi: <http://eneuro.org/content/early/2017/04/28/ENEURO.0370-16.2017.abstract>

Huang, T., & Krimm, R. F. (2013). BDNF and NT4 play interchangeable roles in gustatory development. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2013.12.031>. <http://www.sciencedirect.com/science/article/pii/S0012160613006933>

Huang, T., Ma, L., & Krimm, R. F. (2015). Postnatal reduction of BDNF regulates the developmental remodeling of taste bud innervation. *Developmental Biology*. doi: <http://dx.doi.org/10.1016/j.ydbio.2015.07.006>. <http://www.sciencedirect.com/science/article/pii/S0012160615300403>

Huang, W.-C., Chen, Y., & Page, D. T. (2016). Hyperconnectivity of prefrontal cortex to amygdala projections in a mouse model of macrocephaly/autism syndrome. [Article]. *Nature Communications*, 7, 13421. doi: 10.1038/ncomms13421

<http://www.nature.com/articles/ncomms13421#supplementary-information>. <http://dx.doi.org/10.1038/ncomms13421>

Huang, Z., Yu, Y., Shimoda, Y., Watanabe, K., & Liu, Y. (2012). Loss of neural recognition molecule NB-3 delays the normal projection and terminal branching of developing corticospinal tract axons in the mouse. *Journal of Comparative Neurology*, 520(6), 1227-1245. doi: 10.1002/cne.22772. <http://dx.doi.org/10.1002/cne.22772>

Huangfu, D., & Guyenet, P. G. (1997). Autoactivity of A5 neurons: role of subthreshold oscillations and persistent Na⁺ current. *American Journal of Physiology - Heart and Circulatory Physiology* 273(5), H2280-2289. doi: <http://ajpheart.physiology.org/cgi/content/abstract/273/5/H2280>

Huangfu, D., Schreihofer, M., & Guyenet, P. G. (1997). Effect of cholinergic agonists on bulbospinal C1 neurons in rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 272(1), R249-258. doi: <http://ajpregu.physiology.org/cgi/content/abstract/272/1/R249>

Huber, D., Petreanu, L., Ghitani, N., Ranade, S., Hromádka, T., Mainen, Z., & Svoboda, K. (2007). Sparse optical microstimulation in barrel cortex drives learned behaviour in freely moving mice. *Nature*, 451(7174), 61-64. doi.

Hubert, G. W., Paquet, M., & Smith, Y. (2001). Differential Subcellular Localization of mGluR1a and mGluR5 in the Rat and Monkey Substantia Nigra. *Journal of Neuroscience*, 21(6), 1838-1847. doi: <http://www.jneurosci.org/cgi/content/abstract/21/6/1838>

Huerta-Ocampo, I., Mena-Segovia, J., & Bolam, J. P. (2013). Convergence of cortical and thalamic input to direct and indirect pathway medium spiny neurons in the striatum. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-013-0601-z. <http://dx.doi.org/10.1007/s00429-013-0601-z>

Hüfner, K., Horn, A., Derfuss, T., Glon, C., Sinicina, I., Arbusow, V., . . . Theil, D. (2009). Fewer latent herpes simplex virus type 1 and cytotoxic T cells occur in the ophthalmic division than in the maxillary and mandibular divisions of the human trigeminal ganglion and nerve. *Journal of Virology*, 83(8), 3696-3703. doi.

Hughes, D. I., Boyle, K. A., Kinnon, C. M., Bilsland, C., Quayle, J. A., Callister, R. J., & Graham, B. A. (2013). HCN4 subunit expression in fast-spiking interneurons of the rat spinal cord and hippocampus. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.028>. <http://www.sciencedirect.com/science/article/pii/S0306452213000651>

Hughes, D. I., Polgár, E., Shehab, S. A. S., & Todd, A. J. (2004). Peripheral axotomy induces depletion of the vesicular glutamate transporter VGLUT1 in central terminals of myelinated afferent fibres in the rat spinal cord. *Brain Research*, 1017(1), 69-76. doi.

Hughes, D. I., Scott, D. T., Riddell, J. S., & Todd, A. J. (2007). Upregulation of Substance P in Low-Threshold Myelinated Afferents Is Not Required for Tactile Allodynia in the Chronic Constriction Injury and Spinal Nerve Ligation Models. *Journal of Neuroscience*, 27(8), 2035-2044. doi: 10.1523/jneurosci.5401-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/8/2035>

Hughes, D. I., Scott, D. T., Todd, A. J., & Riddell, J. S. (2003). Lack of Evidence for Sprouting of A β Afferents into the Superficial Laminas of the Spinal Cord Dorsal Horn after Nerve Section. *Journal of Neuroscience*, 23(29), 9491-9499. doi. <http://www.jneurosci.org/cgi/content/abstract/23/29/9491>

Hughes, D. I., Sikander, S., Kinnon, C. M., Boyle, K. A., Watanabe, M., Callister, R. J., & Graham, B. (2012). Morphological, neurochemical and electrophysiological features of parvalbumin-expressing cells: a likely source of axo-axonic inputs in the mouse spinal dorsal horn. *Journal of Physiology*. doi: 10.1113/jphysiol.2012.235655. <http://jp.physoc.org/content/early/2012/06/06/jphysiol.2012.235655.abstract>

Huguenard, A. L., Fernando, S. M., Monks, D. A., & Sengelaub, D. R. (2011). Overexpression of androgen receptors in target musculature confers androgen sensitivity to motoneuron dendrites. *Endocrinology*, 152(2), 639-650. doi.

Huh, C. Y., Amilhon, B., Ferguson, K. A., Manseau, F., Torres-Platas, S. G., Peach, J. P., . . . Williams, S. (2016). Excitatory Inputs Determine Phase-Locking Strength and Spike-Timing of CA1 Stratum Oriens/Alveus Parvalbumin and Somatostatin Interneurons during Intrinsically Generated Hippocampal Theta Rhythm. *The Journal of Neuroscience*, 36(25), 6605-6622. doi. <http://www.jneurosci.org/content/36/25/6605.short>

Huma, Z., Ireland, K., & Maxwell, D. J. (2015). The spino-bulbar-cerebellar pathway: Activation of neurons projecting to the lateral reticular nucleus in the rat in response to noxious mechanical stimuli. *Neuroscience Letters*, 591(0), 197-201. doi: <http://dx.doi.org/10.1016/j.neulet.2015.02.047>. <http://www.sciencedirect.com/science/article/pii/S0304394015001615>

Hung, J., Chansard, M., Ousman, S., Nguyen, M., & Colicos, M. (2010). Activation of microglia by neuronal activity: results from a new in vitro paradigm based on neuronal-silicon interfacing technology. *Brain, Behavior, and Immunity*, 24, 31 - 40. doi.

Hung, V. K. L., Yeung, P. K. K., Lai, A. K. W., Ho, M. C. Y., Lo, A. C. Y., Chan, K. C., . . . Chung, S. K. (2015). Selective astrocytic endothelin-1 overexpression contributes to dementia associated with ischemic

stroke by exaggerating astrocyte-derived amyloid secretion. [Original Article]. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1038/jcbfm.2015.109. <http://dx.doi.org/10.1038/jcbfm.2015.109>

Huppenbauer, C. B., Tanzer, L., DonCarlos, L. L., & Jones, K. J. (2005). Gonadal Steroid Attenuation of Developing Hamster Facial Motoneuron Loss by Axotomy: Equal Efficacy of Testosterone, Dihydrotestosterone, and 17- β Estradiol. *Journal of Neuroscience*, 25(16), 4004-4013. doi: <http://www.jneurosci.org/cgi/content/abstract/25/16/4004>

Hur, E. E., & Zaborszky, L. (2005). Vglut2 afferents to the medial prefrontal and primary somatosensory cortices: a combined retrograde tracing in situ hybridization. *Journal of Comparative Neurology*, 483(3), 351-373. doi.

Hurley, P., Pytte, C., & Kirn, J. R. (2008). Nest of origin predicts adult neuron addition rates in the vocal control system of the zebra finch. *Brain, Behavior and Evolution*, 71(4), 263-270. doi.

Hurliman, E., Groth, D., Wendelschafer-Crabb, G., Kennedy, W., Kavand, S., Ericson, M., & Hordinsky, M. (2016). Small fiber neuropathy in a patient with dermatomyositis and severe scalp pruritus. *British Journal of Dermatology*, n/a-n/a. doi: 10.1111/bjd.14678. <http://dx.doi.org/10.1111/bjd.14678>

Hurtado, A., Marcillo, A., Frydel, B., Bunge, M. B., Bramlett, H. M., & Dietrich, W. D. (2010). Anti-CD11d monoclonal antibody treatment for rat spinal cord compression injury. *Experimental Neurology*. doi.

Hurtado, A., Podinin, H., Oudega, M., & Grimpe, B. (2008). Deoxyribozyme-mediated knockdown of xylosyltransferase-1 mRNA promotes axon growth in the adult rat spinal cord. *Brain*. doi: 10.1093/brain/awn206. <http://brain.oxfordjournals.org/cgi/content/abstract/awn206v1>

Hurtado, O., Cárdenas, A., Pradillo, J. M., Morales, J. R., Ortego, F., Sobrino, T., . . . Lizasoain, I. (2007). A chronic treatment with CDP-choline improves functional recovery and increases neuronal plasticity after experimental stroke. *Neurobiology of Disease*, 26(1), 105-111. doi.

Huss, D., Navaluri, R., Faulkner, K. F., & David Dickman, J. (2010). Development of otolith receptors in Japanese quail. *Developmental Neurobiology*, 70(6), 436-455. doi.

Huxlin, K. R., Williams, J. M., & Price, T. (2008). A neurochemical signature of visual recovery after extrastriate cortical damage in the adult cat. *Journal of Comparative Neurology*, 508(1), 45-61. doi.

Hwang, D. H., Shin, H. Y., Kwon, M. J., Choi, J. Y., Ryu, B.-Y., & Kim, B. G. (2014). Survival of Neural Stem Cell Grafts in the Lesioned Spinal Cord Is Enhanced by a Combination of Treadmill Locomotor Training via Insulin-Like Growth Factor-1 Signaling. *The Journal of Neuroscience*, 34(38), 12788-12800. doi: <http://www.jneurosci.org/content/34/38/12788.short>

Hwang, E., Willis, B. S., & Burwell, R. D. (2017). Prefrontal connections of the perirhinal and postrhinal cortices in the rat. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2017.07.032>. <http://www.sciencedirect.com/science/article/pii/S0166432816313316>

Hwang, I. K., Kim, I. Y., Joo, E. J., Shin, J. H., Choi, J. W., Won, M. H., . . . Seong, J. K. (2010). Metformin normalizes type 2 diabetes-induced decrease in cell proliferation and neuroblast differentiation in the rat dentate gyrus. *Neurochemical Research*, 35(4), 645-650. doi.

- Hwang, I. K., Yi, S. S., Song, W., Won, M. H., Yoon, Y. S., & Seong, J. K. (2010). Effects of age and treadmill exercise in chronic diabetic stages on neuroblast differentiation in a rat model of type 2 diabetes. *Brain Research*, 1341, 63-71. doi.
- Hwang, I. K., Yi, S. S., Yoo, K. Y., Park, O. K., Yan, B., Kim, I. Y., . . . others. (2010). Effects of treadmill exercise on cyclooxygenase-2 in the hippocampus in type 2 diabetic rats: Correlation with the neuroblasts. *Brain Research*, 1341, 84-92. doi.
- Hyer, M. M., Hunter, T. J., Katakam, J., Wolz, T., & Glasper, E. R. (2016). Neurogenesis and anxiety-like behavior in male California mice during the mate's postpartum period. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13168. <http://dx.doi.org/10.1111/ejn.13168>
- Iannotti, C., Li, H., Stemmler, M., Perman, W. H., & Xu, X. M. (2002). Identification of regenerative tissue cables using in vivo MRI after spinal cord hemisection and schwann cell bridging transplantation. *Journal of Neurotrauma*, 19(12), 1543-1554. doi.
- Iannotti, C., Li, H., Yan, P., Lu, X., Wirthlin, L., & Xu, X. M. (2003). Glial cell line-derived neurotrophic factor-enriched bridging transplants promote propriospinal axonal regeneration and enhance myelination after spinal cord injury. *Experimental Neurology*, 183(2), 379-393. doi.
- Iannotti, C., Ping Zhang, Y., Shields, C. B., Han, Y., Burke, D. A., & Xu, X. M. (2004). A neuroprotective role of glial cell line-derived neurotrophic factor following moderate spinal cord contusion injury. *Experimental Neurology*, 189(2), 317-332. doi.
- Iannotti, C., Zhang, Y. P., Shields, L. B. E., Han, Y., Burke, D. A., Xu, X. M., & Shields, C. B. (2006). Dural repair reduces connective tissue scar invasion and cystic cavity formation after acute spinal cord laceration injury in adult rats. *Journal of Neurotrauma*, 23(6), 853-865. doi.
- Ibi, D., Nagai, T., Nakajima, A., Mizoguchi, H., Kawase, T., Tsuboi, D., . . . Yamada, K. (2013). Astroglial IFITM3 mediates neuronal impairments following neonatal immune challenge in mice. *Glia*, n/a-n/a. doi: 10.1002/glia.22461. <http://dx.doi.org/10.1002/glia.22461>
- Íbias, J., Soria-Molinillo, E., Kastanauskaite, A., Orgaz, C., DeFelipe, J., Pellón, R., & Miguéns, M. (2015). Schedule-induced polydipsia is associated with increased spine density in dorsolateral striatum neurons. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.05.026>. <http://www.sciencedirect.com/science/article/pii/S0306452215004583>
- Ibrahim, S., Hu, W., Wang, X., Gao, X., He, C., & Chen, J. (2016). Traumatic Brain Injury Causes Aberrant Migration of Adult-Born Neurons in the Hippocampus. [Article]. *Scientific Reports*, 6, 21793. doi: 10.1038/srep21793
- <http://www.nature.com/articles/srep21793#supplementary-information>. <http://dx.doi.org/10.1038/srep21793>
- Ichinohe, N. (2014). On-going elucidation of mechanisms of primate specific synaptic spine development using the common marmoset (*Callithrix jacchus*). *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2014.10.019>. <http://www.sciencedirect.com/science/article/pii/S0168010214002429>
- Ichinohe, N., Borra, E., & Rockland, K. (2012). Distinct Feedforward and Intrinsic Neurons in Posterior Inferotemporal Cortex Revealed by in Vivo Connection Imaging. *Scientific Reports*, 2. doi.

Ichinohe, N., Fujiyama, F., Kaneko, T., & Rockland, K. S. (2003). Honeycomb-Like Mosaic at the Border of Layers 1 and 2 in the Cerebral Cortex. *Journal of Neuroscience*, 23, 1372-1382. doi.

Ichinohe, N., Hayashi, M., Wakabayashi, K., & Rockland, K. S. (2009). Distribution and progression of amyloid- β deposits in the amygdala of the aged macaque monkey, and parallels with zinc distribution. *Neuroscience*, 159(4), 1374-1383. doi.

Ichinohe, N., Knight, A., Ogawa, M., Ohshima, T., Mikoshiba, K., Yoshihara, Y., . . . Rockland, K. S. (2008). Unusual Patch-Matrix Organization in the Retrosplenial Cortex of the reeler Mouse and Shaking Rat Kawasaki. *Cerebral Cortex*, 18(5), 1125-1138. doi:
10.1093/cercor/bhm148. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/5/1125>

Ichinohe, N., Matsushita, A., Ohta, K., & Rockland, K. S. (2010). Pathway-Specific Utilization of Synaptic Zinc in the Macaque Ventral Visual Cortical Areas. *Cerebral Cortex*, bhq028. doi:
10.1093/cercor/bhq028. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq028v1>

Ichinohe, N., & Rockland, K. S. (2002). Parvalbumin positive dendrites co-localize with apical dendritic bundles in rat retrosplenial cortex. *Neuroreport*, 13(6), 757-757. doi.

Ichinohe, N., & Rockland, K. S. (2004). Region specific micromodularity in the uppermost layers in primate cerebral cortex. *Cerebral Cortex*, 14(11), 1173-1184. doi.

Ichinohe, N., & Rockland, K. S. (2005). Zinc-enriched amygdalo-and hippocampo-cortical connections to the inferotemporal cortices in macaque monkey. *Neuroscience Research*, 53(1), 57-68. doi.

Ichinohe, N., Teng, B., & Kitai, S. T. (2000). Morphological study of the tegmental pedunculopontine nucleus, substantia nigra and subthalamic nucleus, and their interconnections in rat organotypic culture. *Anatomy and Embryology*, 201(6), 435-453. doi.

Igarashi, K. M., Ieki, N., An, M., Yamaguchi, Y., Nagayama, S., Kobayakawa, K., . . . Mori, K. (2012). Parallel Mitral and Tufted Cell Pathways Route Distinct Odor Information to Different Targets in the Olfactory Cortex. *Journal of Neuroscience*, 32(23), 7970-7985. doi: 10.1523/jneurosci.0154-12.2012. <http://www.jneurosci.org/content/32/23/7970.abstract>

Igarashi, K. M., Lu, L., Colgin, L. L., Moser, M.-B., & Moser, E. I. (2014). Coordination of entorhinal-hippocampal ensemble activity during associative learning. *Nature*. doi. <http://www.nature.com/nature/journal/vaop/ncurrent/full/nature13162.html>

Ikebuchi, M., Nanbu, S., Okanoya, K., Suzuki, R., & Bischof, H. J. (2012). Very Early Development of Nucleus Taeniae of the Amygdala. *Brain, Behavior and Evolution*. doi.

Ikeda, M., Hojo, Y., Komatsuzaki, Y., Okamoto, M., Kato, A., Takeda, T., & Kawato, S. (2015). Hippocampal spine changes across the sleep-wake cycle: corticosterone and kinases. *Journal of Endocrinology*. doi: 10.1530/joe-15-0078. <http://joe.endocrinology-journals.org/content/early/2015/06/01/JOE-15-00..>

Ikeda, Y., Zabbarova, I., Schaefer, C. M., Bushnell, D. S., de Groat, W. C., Kanai, A. J., & Bates, C. M. (2017). Fgfr2 is integral for bladder mesenchyme patterning and function. [10.1152/ajprenal.00463.2016]. *American Journal of Physiology - Renal Physiology*. doi. <http://ajprenal.physiology.org/content/early/2017/01/03/ajprenal.00463.2...>

Ikeno, T., & Nelson, R. J. (2014). Acute Melatonin Treatment Alters Dendritic Morphology and Circadian Clock Gene Expression in the Hippocampus of Siberian Hamsters. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22358. <http://dx.doi.org/10.1002/hipo.22358>

Ikeno, T., Weil, Z. M., & Nelson, R. J. (2013). Photoperiod affects the diurnal rhythm of hippocampal neuronal morphology of siberian hamsters. *Chronobiology International*, 0(0), 1-12. doi: doi:10.3109/07420528.2013.800090. <http://informahealthcare.com/doi/abs/10.3109/07420528.2013.800090>

Ikeno, T., Weil, Z. M., & Nelson, R. J. (2014). Timing of light pulses and photoperiod on the diurnal rhythm of hippocampal neuronal morphology of Siberian hamsters. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.04.002>. <http://www.sciencedirect.com/science/article/pii/S0306452214002905>

Ikin, A. F., Sabo, S. L., Lanier, L. M., & Buxbaum, J. D. (2007). A macromolecular complex involving the amyloid precursor protein (APP) and the cytosolic adapter FE65 is a negative regulator of axon branching. *Molecular and Cellular Neuroscience*, 35(1), 57-63. doi.

Ilango, A., Kesner, A. J., Keller, K. L., Stuber, G. D., Bonci, A., & Ikemoto, S. (2014). Similar Roles of Substantia Nigra and Ventral Tegmental Dopamine Neurons in Reward and Aversion. *Journal of Neuroscience*, 34(3), 817-822. doi: <http://www.jneurosci.org/content/34/3/817.short>

Illig, K. R. (2005). Projections from orbitofrontal cortex to anterior piriform cortex in the rat suggest a role in olfactory information processing. *Journal of Comparative Neurology*, 488(2), 224-231. doi.

Illig, K. R., & Eudy, J. D. (2009). Contralateral projections of the rat anterior olfactory nucleus. *Journal of Comparative Neurology*, 512(1), 115-123. doi.

Illig, K. R., King, V. R., & Spear, P. D. (1998). Monocular enucleation prevents retinal ganglion-cell loss following neonatal visual cortex damage in cats. *Visual Neuroscience*, 15(6), 1097-1105. doi.

Imamura, F., & Greer, C. A. (2009). Dendritic branching of olfactory bulb mitral and tufted cells: regulation by TrkB. *PLoS ONE*, 4(8), e6729-e6729. doi.

Inan, M., Blázquez-Llorca, L., Merchán-Pérez, A., Anderson, S. A., DeFelipe, J., & Yuste, R. (2013). Dense and Overlapping Innervation of Pyramidal Neurons by Chandelier Cells. *Journal of Neuroscience*, 33(5), 1907-1914. doi: 10.1523/jneurosci.4049-12.2013. <http://www.jneurosci.org/content/33/5/1907.abstract>

Inan, M., Lu, H.-C., Albright, M. J., She, W.-C., & Crair, M. C. (2006). Barrel Map Development Relies on Protein Kinase A Regulatory Subunit IIbeta-Mediated cAMP Signaling. *Journal of Neuroscience*, 26(16), 4338-4349. doi: 10.1523/jneurosci.3745-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/16/4338>

Inda, M. C., DeFelipe, J., & Munoz, A. (2007). The Distribution of Chandelier Cell Axon Terminals that Express the GABA Plasma Membrane Transporter GAT-1 in the Human Neocortex. *Cerebral Cortex*, 17(9), 2060-2071. doi: 10.1093/cercor/bhl114. <http://cercor.oxfordjournals.org/cgi/content/abstract/17/9/2060>

Inda, M. C., DeFelipe, J., & Munoz, A. (2009). Morphology and Distribution of Chandelier Cell Axon Terminals in the Mouse Cerebral Cortex and Claustroramygdaloid Complex. *Cerebral Cortex*, 19, 41-54. doi: 10.1093/cercor/bhn057. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn057v1>

- Inglis, F., Lee, K., Chiu, K., Purcell, O., Didier, P., Russell-Lodrigue, K., . . . MacLean, A. (2015). Neuropathogenesis of Chikungunya infection: astrogliosis and innate immune activation. *Journal of Neurovirology*, 1-9. doi: 10.1007/s13365-015-0378-3. <http://dx.doi.org/10.1007/s13365-015-0378-3>
- Inglis, F. M., Crockett, R., Korada, S., Abraham, W. C., Hollmann, M., & Kalb, R. G. (2002). The AMPA Receptor Subunit GluR1 Regulates Dendritic Architecture of Motor Neurons. *Journal of Neuroscience*, 22(18), 8042-8051. doi: <http://www.jneurosci.org/cgi/content/abstract/22/18/8042>
- Inglis, F. M., Furia, F., Zuckerman, K. E., Strittmatter, S. M., & Kalb, R. G. (1998). The Role of Nitric Oxide and NMDA Receptors in the Development of Motor Neuron Dendrites. *Journal of Neuroscience*, 18(24), 10493-10501. doi: <http://www.jneurosci.org/cgi/content/abstract/18/24/10493>
- Inglis, F. M., Zuckerman, K. E., & Kalb, R. G. (2000). Experience-dependent development of spinal motor neurons. *Neuron*, 26(2), 299-305. doi.
- Ingraham, J. P., Forbes, M. E., Riddle, D. R., & Sonntag, W. E. (2008). Aging reduces hypoxia-induced microvascular growth in the rodent hippocampus. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 63(1), 12-12. doi.
- Ingraham, S. E., Saha, M., Carpenter, A. R., Robinson, M., Ismail, I., Singh, S., . . . others. (2010). Pathogenesis of renal injury in the megabladder mouse: A genetic model of congenital obstructive nephropathy. *Pediatric Research*, 68(6), 500-507. doi.
- Ingram, E. A., Toyoda, I., Wen, X., & Buckmaster, P. S. (2009). Prolonged infusion of inhibitors of calcineurin or L-type calcium channels does not block mossy fiber sprouting in a model of temporal lobe epilepsy. *Epilepsia*, 50(1), 56-64. doi.
- Ingram, N. T., Khankan, R. R., & Phelps, P. E. (2016). Olfactory Ensheathing Cells Express $\alpha 7$ Integrin to Mediate Their Migration on Laminin. *PLoS ONE*, 11(4), e0153394. doi: 10.1371/journal.pone.0153394. <http://dx.doi.org/10.1371/journal.pone.0153394>
- Innocenti, G. M. (2013). A Dynamic Approach To Brain Connectivity. [Abstract]. *Frontiers in Neuroinformatics*. doi: 10.3389/conf.fninf.2013.09.00059. <http://www.frontiersin.org/Journal/Abstract.aspx?s=752&name=neuroinforma..>
- Innocenti, G. M., & Caminiti, R. (2016). Axon diameter relates to synaptic bouton size: structural properties define computationally different types of cortical connections in primates. [journal article]. *Brain Structure and Function*, 1-9. doi: 10.1007/s00429-016-1266-1. <http://dx.doi.org/10.1007/s00429-016-1266-1>
- Innocenti, G. M., Caminiti, R., & Hof, P. R. (2010). Fiber composition in the planum temporale sector of the corpus callosum in chimpanzee and human. *Brain Structure and Function*, 215(2), 123-128. doi.
- Innocenti, G. M., Caminiti, R., Rouiller, E. M., Knott, G., Dyrby, T. B., Descoteaux, M., & Thiran, J.-P. (2018). Diversity of Cortico-descending Projections: Histological and Diffusion MRI Characterization in the Monkey. *Cerebral Cortex*. doi: 10.1093/cercor/bhx363. <http://dx.doi.org/10.1093/cercor/bhx363>
- Innocenti, G. M., Dyrby, T. B., Andersen, K. W., Rouiller, E. M., & Caminiti, R. (2016). The Crossed Projection to the Striatum in Two Species of Monkey and in Humans: Behavioral and Evolutionary Significance. *Cerebral Cortex*. doi:

10.1093/cercor/bhw161. <http://cercor.oxfordjournals.org/content/early/2016/06/09/cercor.bhw161>...

Innocenti, G. M., Lehmann, P., & Houzel, J.-C. (1994). Computational Structure of Visual Callosal Axons. *European Journal of Neuroscience*, 6(6), 918-935. doi: doi:10.1111/j.1460-9568.1994.tb00586.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1994.tb00586.x>...

Innocenti, G. M., Manger, P. R., Masiello, I., Colin, I., & Tettoni, L. (2002). Architecture and callosal connections of visual areas 17, 18, 19 and 21 in the ferret (*Mustela putorius*). *Cerebral Cortex*, 12(4), 411-411. doi.

Innocenti, G. M., & Vercelli, A. (2010). Dendritic bundles, minicolumns, columns, and cortical output units. *Frontiers in Neuroanatomy*, 4. doi.

Innocenti, G. M., Vercelli, A., & Caminiti, R. (2013). The Diameter of Cortical Axons Depends Both on the Area of Origin and Target. *Cerebral Cortex*. doi:

10.1093/cercor/bht070. <http://cercor.oxfordjournals.org/content/early/2013/03/23/cercor.bht070>..

..

Inoue, K.-i., Miyachi, S., Nishi, K., Okado, H., Nagai, Y., Minamimoto, T., . . . Takada, M. (2018). Recruitment of calbindin into nigral dopamine neurons protects against MPTP-induced parkinsonism. *Movement Disorders*, 0(0). doi: doi:10.1002/mds.107. <https://onlinelibrary.wiley.com/doi/abs/10.1002/mds.107>

Iorgulescu, J. B., Patel, S. P., Louro, J., Andrade, C. M., Sanchez, A. R., & Pearce, D. D. (2015). Acute Putrescine Supplementation with Schwann Cell Implantation Improves Sensory and Serotonergic Axon Growth and Functional Recovery in Spinal Cord Injured Rats. *Neural Plasticity*. doi. <http://www.hindawi.com/journals/np/aa/186385/cta/>

Ip, E. Y. Y., Giza, C. C., Griesbach, G. S., & Hovda, D. A. (2002). Effects of enriched environment and fluid percussion injury on dendritic arborization within the cerebral cortex of the developing rat. *Journal of Neurotrauma*, 19(5), 573-585. doi.

Irie, T., Matsuzaki, Y., Sekino, Y., & Hirai, H. (2013). Kv3.3 channels harboring a mutation of spinocerebellar ataxia type 13 alter excitability and induce cell death in cultured cerebellar Purkinje cells. *The Journal of Physiology*. doi: 10.1113/jphysiol.2013.264309. <http://jp.physoc.org/content/early/2013/11/11/jphysiol.2013.264309.abstract>

Irintchev, A., Rollenhagen, A., Troncoso, E., Kiss, J. Z., & Schachner, M. (2005). Structural and Functional Aberrations in the Cerebral Cortex of Tenascin-C Deficient Mice. *Cerebral Cortex*, 15(7), 950-962. doi: 10.1093/cercor/bhh195. <http://cercor.oxfordjournals.org/cgi/content/abstract/15/7/950>

Irvine, A. D., Sun, P., Kos, L., Wang, X. Q., & Paller, A. S. (2002). A colorimetric bead-binding assay for detection of intermolecular interactions. *Experimental Dermatology*, 11(5), 462-467. doi: doi:10.1034/j.1600-0625.2002.110510.x. <http://www.blackwell-synergy.com/doi/abs/10.1034/j.1600-0625.2002.110510.x>...

Isayama, T., Berson, D. M., & Pu, M. (2000). Theta ganglion cell type of cat retina. *Journal of Comparative Neurology*, 417(1), 32-48. doi.

Isayama, T., O'Brien, B. J., Ugalde, I., Muller, J. F., Frenz, A., Aurora, V., . . . Berson, D. M. (2009). Morphology of retinal ganglion cells in the ferret (*Mustela putorius furo*). *Journal of Comparative Neurology*, 517(4), 459-480. doi.

Ishihara, Y., & Fukuda, T. (2016). Immunohistochemical investigation of the internal structure of the mouse subiculum. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.09.027>. <http://www.sciencedirect.com/science/article/pii/S0306452216304651>

Ishihara, Y., Fukuda, T., & Sato, F. (2019). Internal structure of the rat subiculum characterized by diverse immunoreactivities and septotemporal differences. *Neuroscience Research*. doi: <https://doi.org/10.1016/j.neures.2019.02.001>. <http://www.sciencedirect.com/science/article/pii/S0168010218305388>

Ishikawa, H., Honda, T., Toriyama, K., Torii, S., & Sugiura, Y. (2003). Origin and course of nerves immunoreactive for calcitonin gene-related peptide surrounding the femoral artery in rat. *Anatomy and Embryology*, 207(4), 299-305. doi.

Isoardo, G., Rota, E., Ciaramitaro, P., Tavella, A., Poglio, F., Prolasso, I., & Cocito, D. (2004). Predictive value of clinical, electrophysiological and immunological features for response to IVIg in patients with CIDP. *Journal of the Peripheral Nervous System*, 9(2), 107-107. doi: doi:10.1111/j.1085-9489.2004.009209.l.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Isomura, Y., Sirota, A., Özen, S., Montgomery, S., Mizuseki, K., Henze, D. A., & Buzsáki, G. (2006). Integration and segregation of activity in entorhinal-hippocampal subregions by neocortical slow oscillations. *Neuron*, 52(5), 871-882. doi.

Ito, D., Imai, Y., Ohsawa, K., Nakajima, K., Fukuuchi, Y., & Kohsaka, S. (1998). Microglia-specific localisation of a novel calcium binding protein, Iba1. *Brain Research. Molecular Brain Research*, 57, 1-9. doi.

Ito, T., & Atoji, Y. (2016). Tectothalamic inhibitory projection neurons in the avian torus semicircularis. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23979. <http://dx.doi.org/10.1002/cne.23979>

Ito, T., Bishop, D. C., & Oliver, D. L. (2009). Two Classes of GABAergic Neurons in the Inferior Colliculus. *Journal of Neuroscience*, 29(44), 13860-13869. doi: 10.1523/jneurosci.3454-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/44/13860>

Ito, T., Furuyama, T., Hase, K., Kobayasi, K. I., Hiryu, S., & Riquimaroux, H. (2018). Organization of subcortical auditory nuclei of Japanese house bat (*Pipistrellus abramus*) identified with cytoarchitecture and molecular expression. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24529. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24529>

Ito, T., Hioki, H., Sohn, J., Okamoto, S., Kaneko, T., Iino, S., & Oliver, D. L. (2015). Convergence of lemniscal and local excitatory inputs on large gabaergic tectothalamic neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23789. <http://dx.doi.org/10.1002/cne.23789>

Ito, T., & Oliver, D. L. (2010). Origins of glutamatergic terminals in the inferior colliculus identified by retrograde transport and expression of VGLUT1 and VGLUT2 genes. *Frontiers in Neuroanatomy*, 4. doi.

- Ito, T., & Oliver, D. L. (2014). Local and Commissural IC Neurons Make Axosomatic Inputs on Large GABAergic Tectothalamic Neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23623. <http://dx.doi.org/10.1002/cne.23623>
- Ivakhnitskaia, E., Chin, M. R., Siegel, D., & Guaiquil, V. H. (2021). Vinaxanthone inhibits Semaphorin3A induced axonal growth cone collapse in embryonic neurons but fails to block its growth promoting effects on adult neurons. *Scientific Reports*, 11(1), 13019. doi: 10.1038/s41598-021-92375-w. <https://doi.org/10.1038/s41598-021-92375-w>
- Ivankovic, D., Drew, J., Lesept, F., White, I. J., López Doménech, G., Tooze, S. A., & Kittler, J. T. (2019). Axonal autophagosome maturation defect through failure of ATG9A sorting underpins pathology in AP-4 deficiency syndrome. *Autophagy*, 1-17. doi: 10.1080/15548627.2019.1615302. <https://doi.org/10.1080/15548627.2019.1615302>
- Ivanov, A., Esclapez, M., Pellegrino, C., Shirao, T., & Ferhat, L. (2009). Drebrin A regulates dendritic spine plasticity and synaptic function in mature cultured hippocampal neurons. *Journal of Cell Science*, jcs.033464. doi: 10.1242/jcs.033464. <http://jcs.biologists.org/cgi/content/abstract/jcs.033464v1>
- Iwai, L., Ramos, A., Schaler, A., Weinreb, S., Blazeski, R., & Mason, C. (2016). Retinal pigment epithelial integrity is compromised in the developing albino mouse retina. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24025. <http://dx.doi.org/10.1002/cne.24025>
- Iwasa, M., Kawabe, K., & Sapru, H. N. (2013). Activation of melanocortin receptors in the intermediolateral cell column of the upper thoracic cord elicits tachycardia in the rat. *American Journal of Physiology - Heart and Circulatory Physiology*. doi: 10.1152/ajpheart.00443.2013. <http://ajpheart.physiology.org/content/early/2013/07/03/ajpheart.00443.2>
- Iwasato, T., Inan, M., Kanki, H., Erzurumlu, R. S., Itohara, S., & Crair, M. C. (2008). Cortical Adenylyl Cyclase 1 Is Required for Thalamocortical Synapse Maturation and Aspects of Layer IV Barrel Development. *Journal of Neuroscience*, 28(23), 5931-5943. doi: 10.1523/jneurosci.0815-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/23/5931>
- Iwata, K., Miyachi, S., Imanishi, M., Tsuboi, Y., Kitagawa, J., Teramoto, K., . . . Takada, M. (2011). Ascending multisynaptic pathways from the trigeminal ganglion to the anterior cingulate cortex. *Experimental Neurology*, 227(1), 69-78. doi.
- Iwata, Y., Ozaki, N., Hirata, H., Sugiura, Y., Horii, E., Nakao, E., . . . others. (2006). Fibroblast growth factor-2 enhances functional recovery of reinnervated muscle. *Muscle and Nerve*, 34(5), 623-630. doi.
- Iyengar, S., Qi, H. X., Jain, N., & Kaas, J. H. (2007). Cortical and thalamic connections of the representations of the teeth and tongue in somatosensory cortex of new world monkeys. *Journal of Comparative Neurology*, 501(1), 95-120. doi.
- Izquierdo, A., Wellman, C. L., & Holmes, A. (2006). Brief Uncontrollable Stress Causes Dendritic Retraction in Infralimbic Cortex and Resistance to Fear Extinction in Mice. *Journal of Neuroscience*, 26(21), 5733-5738. doi: 10.1523/jneurosci.0474-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/21/5733>
- Jaarsma, D., Ruigrok, T. J. H., Caffé, R., Cozzari, C., Levey, A. I., Mugnaini, E., & Voogd, J. (1997). Cholinergic innervation and receptors in the cerebellum. *Progress in Brain Research*, 114, 67-96. doi.

Jaarsma, D., van der Pluijm, I., de Waard, M. C., Haasdijk, E. D., Brandt, R., Vermeij, M., . . . others. (2011). Age-Related Neuronal Degeneration: Complementary Roles of Nucleotide Excision Repair and Transcription-Coupled Repair in Preventing Neuropathology. *PLoS genetics*, 7(12), e1002405-e1002405. doi.

Jacinto, L. R., Mata, R., Novais, A., Marques, F., & Sousa, N. (2016). The habenula as a critical node in chronic stress-related anxiety. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.12.003>; <http://www.sciencedirect.com/science/article/pii/S0014488616304034>

Jack, A., Hamad, M. I. K., Gonda, S., Gralla, S., Pahl, S., Hollmann, M., & Wahle, P. (2018). Development of Cortical Pyramidal Cell and Interneuronal Dendrites: a Role for Kainate Receptor Subunits and NETO1. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1414-0. <https://doi.org/10.1007/s12035-018-1414-0>

Jackson, M. E., & Cauller, L. J. (1997). Evaluation of simplified compartmental models of reconstructed neocortical neurons for use in large-scale simulations of biological neural networks. *Brain Research Bulletin*, 44(1), 7-17. doi.

Jacob, A. G., O'Brien, D., Singh, R. K., Comiskey Jr, D. F., Littleton, R. M., Mohammad, F., . . . Bolinger, C. (2013). Stress-Induced Isoforms of MDM2 and MDM4 Correlate with High-Grade Disease and an Altered Splicing Network in Pediatric Rhabdomyosarcoma. *Neoplasia (New York, NY)*, 15(9), 1049. doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3769884/>

Jacob, J., Kent, M., Benson-Amram, S., Herculano-Houzel, S., Raghanti, M. A., Ploppert, E., . . . Lambert, K. (2021). Cytoarchitectural characteristics associated with cognitive flexibility in raccoons. [<https://doi.org/10.1002/cne.25197>]. *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25197>; <https://doi.org/10.1002/cne.25197>

Jacob, V., Petreanu, L., Wright, N., Svoboda, K., & Fox, K. (2012). Regular Spiking and Intrinsic Bursting Pyramidal Cells Show Orthogonal Forms of Experience-Dependent Plasticity in Layer V of Barrel Cortex. *Neuron*, 73(2), 391-404. doi.

Jacobs, B., Creswell, J., J.P., B., Ford, K. L., J.E., B., & Zaidel, E. (2003). Quantitative analysis of cortical pyramidal neurons following corpus callosotomy. *Annals of Neurology*, 54, 126-130. doi.

Jacobs, B., Driscoll, L., & Schall, M. (1997). Life Span Dendritic and Spine Changes in Areas 10 and 18 of Human Cortex: A Quantitative Golgi Study. *Journal of Comparative Neurology*, 386(4), 661-680. doi.

Jacobs, B., Garcia, M. E., Shea-Shumsky, N. B., Tennison, M. E., Schall, M., Saviano, M. S., . . . Manger, P. R. (2017). Comparative Morphology of Gigantopyramidal Neurons in Primary Motor Cortex Across Mammals. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24349. <http://dx.doi.org/10.1002/cne.24349>

Jacobs, B., Harland, T., Kennedy, D., Schall, M., Wicinski, B., Butti, C., . . . Manger, P. (2014). The neocortex of cetartiodactyls. II. Neuronal morphology of the visual and motor cortices in the giraffe (*Giraffa camelopardalis*). *Brain Structure and Function*, 1-22. doi: 10.1007/s00429-014-0830-9. <http://dx.doi.org/10.1007/s00429-014-0830-9>

Jacobs, B., Lee, L., Schall, M., Raghanti, M. A., Lewandowski, A. H., Kottwitz, J. J., . . . Sherwood, C. C. (2015). Neocortical neuronal morphology in the newborn giraffe (*Giraffa camelopardalis tippelskirchi*) and African elephant (*Loxodonta africana*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23841. <http://dx.doi.org/10.1002/cne.23841>

Jacobs, B., Lubs, J., Hannan, M., Anderson, K., Butti, C., Sherwood, C. C., . . . Manger, P. R. (2010). Neuronal morphology in the African elephant (*Loxodonta africana*) neocortex. *Brain Structure and Function*. doi.

Jacobs, B., Schall, M., Prather, M., Kapler, E., Driscoll, L., Baca, S., . . . Trembl, M. (2001). Regional dendritic and spine variation in human cerebral cortex: a quantitative Golgi study. *Cerebral Cortex*, 11(6), 558-558. doi.

Jacobs, G. A., & Pittendrigh, C. S. (2002). Predicting emergent properties of neuronal ensembles using a database of individual neurons. *Computational Neuroanatomy: Principles and Methods*, 151-170. doi.

Jacobson, L. (2019). Glucocorticoid receptor deletion from locus coeruleus norepinephrine neurons promotes depression-like social withdrawal in female but not male mice. *Brain Research*, 1710, 82-91. doi: <https://doi.org/10.1016/j.brainres.2018.12.026>. <http://www.sciencedirect.com/science/article/pii/S0006899318306449>

Jacoby, R. A., & Marshak, D. W. (2000). Synaptic connections of DB3 diffuse bipolar cell axons in macaque retina. *Journal of Comparative Neurology*, 416(1), 19-29. doi.

Jacques, A., Chaaya, N., Hettiarachchi, C., Carmody, M.-L., Beecher, K., Belmer, A., . . . Johnson, L. R. (2019). Microtopography of fear memory consolidation and extinction retrieval within prefrontal cortex and amygdala. [journal article]. *Psychopharmacology*. doi: 10.1007/s00213-018-5068-4. <https://doi.org/10.1007/s00213-018-5068-4>

Jaeger, D. (2005). Realistic single cell modeling—from experiment to simulation. Special Issue on Realistic Neural Modeling WAM-BAMM. doi.

Jaeger, D., & Kita, H. (2011). Functional connectivity and integrative properties of globus pallidus neurons. *Neuroscience*. doi.

Jáidar, O., Carrillo-Reid, L., Nakano, Y., Lopez-Huerta, V. G., Hernandez-Cruz, A., Bargas, J., . . . Arbuthnott, G. W. (2019). Synchronized activation of striatal direct and indirect pathways underlies the behavior in unilateral dopamine-depleted mice. *European Journal of Neuroscience*, 0(ja). doi: 10.1111/ejn.14344. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14344>

Jain, A., McKeon, R. J., Brady-Kalnay, S. M., & Bellamkonda, R. V. (2011). Sustained delivery of activated Rho GTPases and BDNF promotes axon growth in CSPG-rich regions following spinal cord injury. *PLoS ONE*, 6(1), e16135-e16135. doi.

Jain, M., Budinger, G. R. S., Lo, A., Urich, D., Rivera, S. E., Ghosh, A. K., . . . others. (2011). Leptin Promotes Fibroproliferative Acute Respiratory Distress Syndrome by Inhibiting Peroxisome Proliferator-activated Receptor- γ . *American Journal of Respiratory and Critical Care Medicine*, 183(11), 1490-1498. doi.

Jakobs, T. (2014). Analysis of Morphology and Structural Remodeling of Astrocytes. In L. Bakota & R. Brandt (Eds.), *Laser Scanning Microscopy and Quantitative Image Analysis of Neuronal Tissue* (Vol. 87, pp. 129-143): Springer New York.

Jakobs, T. C., Ben, Y., & Masland, R. H. (2003). CD15 immunoreactive amacrine cells in the mouse retina. *Journal of Comparative Neurology*, 465(3), 361-371. doi.

Jakobs, T. C., Ben, Y., & Masland, R. H. (2007). Expression of mRNA for glutamate receptor subunits distinguishes the major classes of retinal neurons, but is less specific for individual cell types. *Molecular Vision*, 13, 933-933. doi.

Jakobs, T. C., Koizumi, A., & Masland, R. H. (2008). The spatial distribution of glutamatergic inputs to dendrites of retinal ganglion cells. *Journal of Comparative Neurology*, 510(2), 221-236. doi.

Jakovcevski, I., Djogo, N., Hölters, L. S., Szpotowicz, E., & Schachner, M. (2013). Transgenic overexpression of the cell adhesion molecule L1 in neurons facilitates recovery after mouse spinal cord injury. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.07.067>. <http://www.sciencedirect.com/science/article/pii/S0306452213006684>

Jakovcevski, I., Mayer, N., & Zecevic, N. (2011). Multiple origins of human neocortical interneurons are supported by distinct expression of transcription factors. *Cerebral Cortex*, 21(8), 1771-1782. doi.

Jakovcevski, I., Siering, J., Hargus, G., Karl, N., Hoelters, L., Djogo, N., . . . Irintchev, A. (2009). Close homologue of adhesion molecule L1 promotes survival of Purkinje and granule cells and granule cell migration during murine cerebellar development. *Journal of Comparative Neurology*, 513(5), 496-510. doi.

Jakovcevski, I., Wu, J., Karl, N., Leshchyn'ska, I., Sytnyk, V., Chen, J., . . . Schachner, M. (2007). Glial Scar Expression of CHL1, the Close Homolog of the Adhesion Molecule L1, Limits Recovery after Spinal Cord Injury. *Journal of Neuroscience*, 27(27), 7222-7233. doi: 10.1523/jneurosci.0739-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7222>

Jakubowska-Dogru, E., Elibol, B., Dursun, I., & Yürüker, S. (2017). Effects of prenatal binge-like ethanol exposure and maternal stress on postnatal morphological development of hippocampal neurons in rats. *International Journal of Developmental Neuroscience*, 61, 40-50. doi: <https://doi.org/10.1016/j.ijdevneu.2017.06.002>. <http://www.sciencedirect.com/science/article/pii/S0736574817300953>

Jalilian, E., Putra, I., Katz, E., Yazdanpanah, G., Guaiquil, V. H., Shen, X., . . . Djalilian, A. R. (2021). Interactions between mesenchymal stem cells (MSCs) and trigeminal ganglion (TGs) improve neurite growth and elongation. *Investigative Ophthalmology and Visual Science*, 62(8), 892-892. doi.

Jamieson, J., Boyd, H. D., & McLachlan, E. M. (2003). Simulations to Derive Membrane Resistivity in Three Phenotypes of Guinea Pig Sympathetic Postganglionic Neuron. *Journal of Neurophysiology*, 89(5), 2430-2440. doi: 10.1152/jn.01000.2002. <http://jn.physiology.org/cgi/content/abstract/89/5/2430>

Jang, H., Boltz, D., McClaren, J., Pani, A. K., Smeyne, M., Korff, A., . . . Smeyne, R. J. (2012). Inflammatory Effects of Highly Pathogenic H5N1 Influenza Virus Infection in the CNS of Mice. *Journal of Neuroscience*, 32(5), 1545-1559. doi: 10.1523/jneurosci.5123-11.2012. <http://www.jneurosci.org/content/32/5/1545.abstract>

Jang, H.-J., Kim, J. Y., Kim, S. Y., & Cho, K.-O. (2018). Persistent Lin28 Expression Impairs Neurite Outgrowth and Cognitive Function in the Developing Mouse Neocortex. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1297-0. <https://doi.org/10.1007/s12035-018-1297-0>

Jankowsky, J. L., Melnikova, T., Fadale, D. J., Xu, G. M., Slunt, H. H., Gonzales, V., . . . Savonenko, A. V. (2005). Environmental Enrichment Mitigates Cognitive Deficits in a Mouse Model of Alzheimer's

Disease. *Journal of Neuroscience*, 25(21), 5217-5224. doi: 10.1523/jneurosci.5080-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/21/5217>

Jann, S., Beretta, S., & Bramerio, M. (2004). Idiopathic CIDP (I-CIDP) and CIDP associated with diabetes mellitus or monoclonal gammopathy of undetermined significance have different clinical course and response to treatment. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi.

Janoos, F., Mosaliganti, K., Xu, X., Machiraju, R., Huang, K., & Wong, S. T. C. (2009). Robust 3D reconstruction and identification of dendritic spines from optical microscopy imaging. *Medical Image Analysis*, 13(1), 167-179. doi.

Janova, H., Arinrad, S., Balmuth, E., Mitjans, M., Hertel, J., Habes, M., . . . Nave, K.-A. (2017). Microglia ablation alleviates myelin-associated catatonic signs in mice. *The Journal of clinical investigation*, 128(2). doi: 10.1172/jci97032. <https://doi.org/10.1172/JCI97032>

Jarosik, J., Legutko, B., Werner, S., Unsicker, K., & von Bohlen und Halbach, O. (2011). Roles of exogenous and endogenous FGF-2 in animal models of depression. *Restorative Neurology and Neuroscience*, 29(3), 153-165. doi.

Jarsky, T., Mady, R., Kennedy, B., & Spruston, N. (2008). Distribution of bursting neurons in the CA1 region and the subiculum of the rat hippocampus. *Journal of Comparative Neurology*, 506(4), 535-547. doi.

Jasmin, L., Janni, G., Moallem, T. M., Lappi, D. A., & Ohara, P. T. (2000). Schwann Cells Are Removed from the Spinal Cord after Effecting Recovery from Paraplegia. *Journal of Neuroscience*, 20(24), 9215-9223. doi. <http://www.jneurosci.org/cgi/content/abstract/20/24/9215>

Jasnow, A. M., Ressler, K. J., Hammack, S. E., Chhatwal, J. p., & Rainnie, D. G. (2009). Distinct Subtypes of Cholecystokinin-containing Interneurons of the Basolateral Amygdala Identified using a CCK Promoter-Specific Lentivirus. *Journal of Neurophysiology*, 91149.92008. doi: 10.1152/jn.91149.2008. <http://jn.physiology.org/cgi/content/abstract/91149.2008v1>

Javdani, F., Holló, K., Hegedűs, K., Kis, G., Hegyi, Z., Dócs, K., . . . Antal, M. (2015). Differential expression patterns of K⁺/Cl⁻ co-transporter 2 in neurons within the superficial spinal dorsal horn of rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23774. <http://dx.doi.org/10.1002/cne.23774>

Jawerka, M., Colak, D., Dimou, L., Spiller, C., Lagger, S., Montgomery, R. L., . . . Götz, M. (2010). The specific role of histone deacetylase 2 in adult neurogenesis. *Neuron Glia Biology*, 6(02), 93-107. doi.

Jedynak, J. P., Uslaner, J. M., Esteban, J. A., & Robinson, T. E. (2007). Methamphetamine-induced structural plasticity in the dorsal striatum. *European Journal of Neuroscience*, 25(3), 847-853. doi:10.1111/j.1460-9568.2007.05316.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05316.x>

Jeerage, K. M., Oreskovic, T. L., Curtin, A. E., Sanders, A. W., Schwindt, R. K., & Chiaramonti, A. N. (2014). Citrate-stabilized gold nanoparticles as negative controls for measurements of neurite outgrowth. *Toxicology in Vitro*, (0). doi: <http://dx.doi.org/10.1016/j.tiv.2014.10.007>. <http://www.sciencedirect.com/science/article/pii/S0887233314001970>

Jeerage, K. M., Oreskovic, T. L., & Hume, S. L. (2012). Neurite outgrowth and differentiation of rat cortex progenitor cells are sensitive to lithium chloride at non-cytotoxic exposures. *Neurotoxicology*, (0). doi: 10.1016/j.neuro.2012.06.010. <http://www.sciencedirect.com/science/article/pii/S0161813X12001428>

Jeffs, J., Federer, F., Ichida, J. M., & Angelucci, A. (2012). High-Resolution Mapping of Anatomical Connections in Marmoset Extrastriate Cortex Reveals a Complete Representation of the Visual Field Bordering Dorsal V2. *Cerebral Cortex*. doi: 10.1093/cercor/bhs088. <http://cercor.oxfordjournals.org/content/early/2012/04/20/cercor.bhs088>

Jeffs, J., Ichida, J. M., Federer, F., & Angelucci, A. (2009). Anatomical evidence for classical and extra-classical receptive field completion across the discontinuous horizontal meridian representation of primate area V2. *Cerebral Cortex*, 19(4), 963-981. doi.

Jenkins, B. G., Klivenyi, P., Kustermann, E., Andreassen, O. A., Ferrante, R. J., Rosen, B. R., & Beal, M. F. (2000). Nonlinear Decrease over Time in N-Acetyl Aspartate Levels in the Absence of Neuronal Loss and Increases in Glutamine and Glucose in Transgenic Huntington's Disease Mice. *Journal of Neurochemistry*, 74(5), 2108-2119. doi. <http://www.jneurochem.org/cgi/content/abstract/74/5/2108>

Jenny, A. B., Cheney, P. D., & Jenny, A. K. (2018). Monkey extensor digitorum communis motoneuron pool: Proximal dendritic trees and small motoneurons. *Neuroscience Letters*, 675, 12-16. doi: <https://doi.org/10.1016/j.neulet.2018.03.051>. <http://www.sciencedirect.com/science/article/pii/S0304394018302283>

Jeon, K.-I., Hindman, H. B., Bubel, T., McDaniel, T., DeMagistris, M., Callan, C., & Huxlin, K. R. (2018). Corneal myofibroblasts inhibit regenerating nerves during wound healing. *Scientific Reports*, 8(1), 12945. doi: 10.1038/s41598-018-30964-y. <https://doi.org/10.1038/s41598-018-30964-y>

Jeong, G. B., Werner, M., Gazula, V. R., Itoh, T., Roberts, M., David, S., . . . others. (2006). Bi-directional control of motor neuron dendrite remodeling by the calcium permeability of AMPA receptors. *Molecular and Cellular Neuroscience*, 32(3), 299-314. doi.

Jeong, J., Pandey, S., Li, Y., Badger, J. D., Lu, W., & Roche, K. W. (2019). PSD-95 binding dynamically regulates NLGN1 trafficking and function. *Proceedings of the National Academy of Sciences*, 116(24), 12035. doi: 10.1073/pnas.1821775116. <http://www.pnas.org/content/116/24/12035.abstract>

Jeong, J. K., Burrows, K., Tremere, L. A., & Pinaud, R. (2011). Neurochemical organization and experience-dependent activation of estrogen-associated circuits in the songbird auditory forebrain. *European Journal of Neuroscience*, 34(2), 283-291. doi: 10.1111/j.1460-9568.2011.07743.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07743.x>

Jeong, J. K., Tremere, L. A., Burrows, K., Majewska, A. K., & Pinaud, R. (2011). The Mouse Primary Visual Cortex Is a Site of Production and Sensitivity to Estrogens. *PLoS ONE*, 6(5), e20400-e20400. doi.

Jeong, J. K., Velho, T. A. F., & Mello, C. V. (2005). Cloning and expression analysis of retinoic acid receptors in the zebra finch brain. *Journal of Comparative Neurology*, 489(1), 23-41. doi.

Jeong, K. H., Nam, J. H., Jin, B. K., & Kim, S. R. (2015). Activation of CNTF/CNTFR α Signaling Pathway by hRheb(S16H) Transduction of Dopaminergic Neurons In Vivo. *PLoS ONE*, 10(3), e0121803. doi: 10.1371/journal.pone.0121803. <http://dx.doi.org/10.1371/journal.pone.0121803>

Jeong, Y., & Holden, J. E. (2009). Lateral Hypothalamic-Induced Alpha-Adrenoceptor Modulation Occurs in a Model of Inflammatory Pain in Rats. *Biological Research For Nursing*, 10(4), 331-339. doi.

Jeong, Y., & Holden, J. E. (2009). The role of spinal orexin-1 receptors in posterior hypothalamic modulation of neuropathic pain. *Neuroscience*, 159(4), 1414-1421. doi.

Jeong, Y., Moes, J. R., Wagner, M., & Holden, J. E. (2012). The Posterior Hypothalamus Exerts Opposing Effects on Nociception via the A7 Catecholamine Cell Group in Rat. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.058. <http://www.sciencedirect.com/science/article/pii/S0306452212009785?v=s5>

Jernigan, M., Morcos, Y., Lee, S. M., Dohan, F. C., Jr., Raine, C., & Levin, M. C. (2003). IgG in brain correlates with clinicopathological damage in HTLV-1 associated neurologic disease. *Neurology*, 60(8), 1320-1327. doi. <http://www.neurology.org/cgi/content/abstract/60/8/1320>

Jessberger, S., Nakashima, K., Clemenson, G. D., Jr., Mejia, E., Mathews, E., Ure, K., . . . Hsieh, J. (2007). Epigenetic Modulation of Seizure-Induced Neurogenesis and Cognitive Decline. *Journal of Neuroscience*, 27(22), 5967-5975. doi: 10.1523/jneurosci.0110-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/5967>

Ji, Y., Lu, Y., Yang, F., Shen, W., Tang, T. T. T., Feng, L., . . . Lu, B. (2010). Acute and gradual increases in BDNF concentration elicit distinct signaling and functions in neurons. *Nature Neuroscience*, 13(3), 302-309. doi.

Jiang, C., Wang, X., Le, Q., Liu, P., Liu, C., Wang, Z., . . . Ma, L. (2019). Morphine coordinates SST and PV interneurons in the prelimbic cortex to disinhibit pyramidal neurons and enhance reward. *Molecular Psychiatry*. doi: 10.1038/s41380-019-0480-7. <https://doi.org/10.1038/s41380-019-0480-7>

Jiang, H., Jiang, W., Zou, J., Wang, B., Yu, M., Pan, Y., . . . Wang, Y. (2015). The GluN2B subunit of N-methyl-D-aspartate receptor regulates the radial migration of cortical neurons in vivo. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.03.031>. <http://www.sciencedirect.com/science/article/pii/S0006899315002280>

Jiang, L., Rampalli, S., George, D., Press, C., Bremer, E. G., O'Gorman, M. R. G., & Bohn, M. C. (2004). Tight regulation from a single tet-off rAAV vector as demonstrated by flow cytometry and quantitative, real-time PCR. *Gene Therapy*, 11, 1057-1067. doi.

Jiang, M., Ash, R. T., Baker, S. A., Suter, B., Ferguson, A., Park, J., . . . Zoghbi, H. Y. (2013). Dendritic Arborization and Spine Dynamics Are Abnormal in the Mouse Model of MECP2 Duplication Syndrome. *Journal of Neuroscience*, 33(50), 19518-19533. doi. <http://www.jneurosci.org/content/33/50/19518.short>

Jiang, M., Oliva Jr, A. A., Lam, T., & Swann, J. W. (2001). GABAergic neurons that pioneer hippocampal area CA1 of the mouse: morphologic features and multiple fates. *Journal of Comparative Neurology*, 439(2), 176-192. doi.

Jiang, M., & Swann, J. W. (2005). A role for L-type calcium channels in the maturation of parvalbumin-containing hippocampal interneurons. *Neuroscience*, 135(3), 839-850. doi.

Jiang, X., Wang, G., Lee, A. J., Stornetta, R. L., & Zhu, J. J. (2013). The organization of two new cortical interneuronal circuits. *Nature Neuroscience*. doi: doi:10.1038/nn.3305.

- Jiang, Y., Coleman, F. H., Kopenhaver Doheny, K., & Travaglini, R. A. (2018). Stress Adaptation Upregulates Oxytocin within Hypothalamo-Vagal Neurocircuits. *Neuroscience*, 390, 198-205. doi: <https://doi.org/10.1016/j.neuroscience.2018.08.021>. <http://www.sciencedirect.com/science/article/pii/S0306452218305669>
- Jiang, Y., Pun, R. Y. K., Peariso, K., Holland, K. D., Lian, Q., & Danzer, S. C. (2015). Olfactory Bulbectomy Leads to the Development of Epilepsy in Mice. *Plos one*, 10(9), e0138178. doi: 10.1371/journal.pone.0138178. <http://dx.doi.org/10.1371%2Fjournal.pone.0138178>
- Jiang, Y.-Q., Armada, K., & Martin, J. H. (2019). Neuronal activity and microglial activation support corticospinal tract and proprioceptive afferent sprouting in spinal circuits after a corticospinal system lesion. *Experimental Neurology*, 113015. doi: <https://doi.org/10.1016/j.expneurol.2019.113015>. <http://www.sciencedirect.com/science/article/pii/S0014488619301645>
- Jiang, Y.-Q., Sarkar, A., Amer, A., & Martin, J. H. (2018). Transneuronal down-regulation of the premotor cholinergic system after corticospinal tract loss. [10.1523/JNEUROSCI.3410-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/07/26/JNEUROSCI.3410-17.2018..>
- Jiang, Y.-Q., Zaaami, B., & Martin, J. H. (2016). Competition with Primary Sensory Afferents Drives Remodeling of Corticospinal Axons in Mature Spinal Motor Circuits. *The Journal of Neuroscience*, 36(1), 193-203. doi: <http://www.jneurosci.org/content/36/1/193.short>
- Jiao, Y., Zhang, C., Yanagawa, Y., & Sun, Q.-Q. (2006). Major Effects of Sensory Experiences on the Neocortical Inhibitory Circuits. *Journal of Neuroscience*, 26(34), 8691-8701. doi: 10.1523/jneurosci.2478-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/34/8691>
- Jiménez, D., Labate, D., Kakadiaris, I., & Papadakis, M. (2014). Improved Automatic Centerline Tracing for Dendritic and Axonal Structures. *Neuroinformatics*, 1-18. doi: 10.1007/s12021-014-9256-z. <http://dx.doi.org/10.1007/s12021-014-9256-z>
- Jimenez-Mateos, E. M., Engel, T., Merino-Serrais, P., McKiernan, R. C., Tanaka, K., Mouri, G., . . . Henshall, D. C. (2012). Silencing microRNA-134 produces neuroprotective and prolonged seizure-suppressive effects. [10.1038/nm.2834]. *Nature Medicine*, advance online publication. doi: <http://www.nature.com/nm/journal/vaop/ncurrent/abs/nm.2834.html#suppleme.....> <http://dx.doi.org/10.1038/nm.2834>
- Jin, X., Hu, H., Mathers, P. H., & Agmon, A. (2003). Brain-Derived Neurotrophic Factor Mediates Activity-Dependent Dendritic Growth in Nonpyramidal Neocortical Interneurons in Developing Organotypic Cultures. *Journal of Neuroscience*, 23, 5662-5673. doi.
- Jin, X., Mathers, P. H., Szabo, G., Katarova, Z., & Agmon, A. (2001). Vertical bias in dendritic trees of non-pyramidal neocortical neurons expressing GAD67-GFP in vitro. *Cerebral Cortex*, 11(7), 666-666. doi.
- Jin, Y., Tay, D., So, K. F., & Wu, W. (2000). Expression of c-jun in the lateral vestibular nucleus following spinal cord injury and peripheral nerve graft transplantation in adult rats. *Journal of Neurocytology*, 29(2), 91-97. doi.
- Jinnou, H., Sawada, M., Kawase, K., Kaneko, N., Herranz-Pérez, V., Miyamoto, T., . . . Sawamoto, K. (2018). Radial Glial Fibers Promote Neuronal Migration and Functional Recovery after Neonatal Brain Injury. *Cell Stem Cell*, 22(1), 128-137.e129. doi: 10.1016/j.stem.2017.11.005. <http://dx.doi.org/10.1016/j.stem.2017.11.005>

Jinnou, H., Sawada, M., Kawase, K., Kaneko, N., Herranz-Pérez, V., Miyamoto, T., . . . Sawamoto, K. (2018). Radial Glial Fibers Promote Neuronal Migration and Functional Recovery after Neonatal Brain Injury. *Cell Stem Cell*, 22(1), 128-137.e129. doi: <https://doi.org/10.1016/j.stem.2017.11.005>, <https://www.sciencedirect.com/science/article/pii/S1934590917304575>

Jinushi-Nakao, S., Arvind, R., Amikura, R., Kinameri, E., Liu, A. W., & Moore, A. W. (2007). Knot/Collier and Cut Control Different Aspects of Dendrite Cytoskeleton and Synergize to Define Final Arbor Shape. *Neuron*, DOI 10.1016/j.neuron.2007.10.031. doi.

Joachim von, Z., Leonie, A., Nicolas, F., Alexander, H., Laetitia, B., Heike, V., & Grégoire, C. (2016). A neurobotic platform for locomotor prosthetic development in rats and mice. *Journal of Neural Engineering*, 13(2), 026007. doi. <http://stacks.iop.org/1741-2552/13/i=2/a=026007>

Jobst, E. E., Robinson, D. W., & Allen, C. N. (2004). Potential pathways for intercellular communication within the calbindin subnucleus of the hamster suprachiasmatic nucleus. *Neuroscience*, 123(1), 87-99. doi.

Johanning, F. W., Beed, P. S., Trimbuch, T., Bendels, M. H. K., Winterer, J., & Schmitz, D. (2009). Dendritic Compartment and Neuronal Output Mode Determine Pathway-Specific Long-Term Potentiation in the Piriform Cortex. *Journal of Neuroscience*, 29(43), 13649-13661. doi: 10.1523/jneurosci.2672-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/43/13649>

John, J., Thannickal, T. C., McGregor, R., Ramanathan, L., Ohtsu, H., Nishino, S., . . . Siegel, J. M. (2013). Greatly increased numbers of histamine cells in human narcolepsy with cataplexy. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.23968. <http://dx.doi.org/10.1002/ana.23968>

John, J., Wu, M. F., Boehmer, L. N., & Siegel, J. M. (2004). Cataplexy-active neurons in the hypothalamus: implications for the role of histamine in sleep and waking behavior. *Neuron*, 42(4), 619-634. doi.

Johnsen, J. D., Stephan, K., Maier, J., Luhmann, H., & Kötter, R. (2003). Guiding the modeller: organizing and selecting experimental data for single cell models using the CoCoDat database. *Neurocomputing*, 52, 239-245. doi.

Johnson, C. B., Schall, M., Tennison, M. E., Garcia, M. E., Shea-Shumsky, N. B., Raghanti, M. A., . . . Jacobs, B. (2016). Neocortical neuronal morphology in the Siberian tiger (*Panthera tigris altaica*) and the clouded leopard (*Neofelis nebulosa*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24022. <http://dx.doi.org/10.1002/cne.24022>

Johnson, D. M. G., Illig, K. R., Behan, M., & Haberly, L. B. (2000). New Features of Connectivity in Piriform Cortex Visualized by Intracellular Injection of Pyramidal Cells Suggest that "Primary" Olfactory Cortex Functions Like "Association" Cortex in Other Sensory Systems. *Journal of Neuroscience*, 20(18), 6974-6982. doi. <http://www.jneurosci.org/cgi/content/abstract/20/18/6974>

Johnson, L. R., Hou, M., Ponce-Alvarez, A., Gribelyuk, L. M., Alphas, H. H., Albert Jr, L., . . . Doyere, V. (2008). A recurrent network in the lateral amygdala: a mechanism for coincidence detection. *Frontiers in Neural Circuits*, 2. doi.

Johnson, M. D., & McIntyre, C. C. (2008). Quantifying the Neural Elements Activated and Inhibited by Globus Pallidus Deep Brain Stimulation. *Journal of Neurophysiology*, 100(5), 2549-2563. doi: 10.1152/jn.90372.2008. <http://jn.physiology.org/cgi/content/abstract/100/5/2549>

Johnson, O. L., & Ouimet, C. C. (2006). A regulatory role for actin in dendritic spine proliferation. *Brain Research*, 1113(1), 1-9. doi.

Johnson, R. T., Breedlove, S. M., & Jordan, C. L. (2008). Sex differences and laterality in astrocyte number and complexity in the adult rat medial amygdala. *Journal of Comparative Neurology*, 511(5), 599-609. doi.

Johnson, R. T., Schneider, A., DonCarlos, L. L., Breedlove, S. M., & Jordan, C. L. (2012). Astrocytes in the rat medial amygdala are responsive to adult androgens. *Journal of Comparative Neurology*. doi.

Johnson, S. A., Wang, J. F., Sun, X., McEwen, B. S., Chattarji, S., & Young, L. T. (2009). Lithium treatment prevents stress-induced dendritic remodeling in the rodent amygdala. *Neuroscience*, 163(1), 34-39. doi.

Johnstone, A. L., Reiersen, G. W., Smith, R. P., Goldberg, J. L., Lemmon, V. P., & Bixby, J. L. (2012). A chemical genetic approach identifies piperazine antipsychotics as promoters of CNS neurite growth on inhibitory substrates. *Molecular and Cellular Neuroscience*, 50(2), 125-135. doi: 10.1016/j.mcn.2012.04.008. <http://www.sciencedirect.com/science/article/pii/S1044743112000826>

Jokivarsi, K. T., Hiltunen, Y., Tuunanen, P. I., Kauppinen, R. A., & Gröhn, O. H. J. (2009). Correlating tissue outcome with quantitative multiparametric MRI of acute cerebral ischemia in rats. *Journal of Cerebral Blood Flow and Metabolism*, 30(2), 415-427. doi.

Jones, B. F., Groenewegen, H. J., & Witter, M. P. (2005). Intrinsic connections of the cingulate cortex in the rat suggest the existence of multiple functionally segregated networks. *Neuroscience*, 133(1), 193-207. doi.

Jones, B. F., & Witter, M. P. (2007). Cingulate cortex projections to the parahippocampal region and hippocampal formation in the rat. *Hippocampus*, 17(10), 957-976. doi.

Jones, C. K., Brady, A. E., Davis, A. A., Xiang, Z., Bubser, M., Tantawy, M. N., . . . Conn, P. J. (2008). Novel Selective Allosteric Activator of the M1 Muscarinic Acetylcholine Receptor Regulates Amyloid Processing and Produces Antipsychotic-Like Activity in Rats. *Journal of Neuroscience*, 28(41), 10422-10433. doi: 10.1523/jneurosci.1850-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10422>

Jones, D. M., Tucker, B. A., Rahimtula, M., & Mearow, K. M. (2003). The synergistic effects of NGF and IGF-1 on neurite growth in adult sensory neurons: convergence on the PI 3-kinase signaling pathway. *Journal of Neurochemistry*, 86(5), 1116-1128. doi: <http://www.jneurochem.org/cgi/content/abstract/86/5/1116>

Jones, E. G., Stone, J. M., & Karten, H. J. (2011). High-resolution digital brain atlases: a Hubble telescope for the brain. *Annals of the New York Academy of Sciences*, 1225(S1), E1477-1478. doi.

Jones, K. A., Zouikr, I., Patience, M., Clarkson, A. N., Isgaard, J., Johnson, S. J., . . . Walker, F. R. (2015). Chronic stress exacerbates neuronal loss associated with secondary neurodegeneration and suppresses microglial-like cells following focal motor cortex ischemia in the mouse. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.02.014> <http://www.sciencedirect.com/science/article/pii/S0889159115000562>

Jones, K. L., & Van de Water, J. (2018). Maternal autoantibody related autism: mechanisms and pathways. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0099-0. <https://doi.org/10.1038/s41380-018-0099-0>

Jones, M. S., & Ariel, M. (2008). Morphology, Intrinsic Membrane Properties, and Rotation-Evoked Responses of Trochlear Motoneurons in the Turtle. *Journal of Neurophysiology*, 99(3), 1187-1200. doi: 10.1152/jn.01205.2007. <http://jn.physiology.org/cgi/content/abstract/99/3/1187>

Jones, T. A., Donlan, N. A., & O'Donnell, S. (2009). Growth and pruning of mushroom body Kenyon cell dendrites during worker behavioral development in the paper wasp, *Polybia aequatorialis* (Hymenoptera: Vespidae). *Neurobiology of Learning and Memory*, 92(4), 485-495. doi.

Jones, T. A., Liput, D. J., Maresh, E. L., Donlan, N., Parikh, T. J., Marlowe, D., & Kozlowski, D. A. (2012). Use-Dependent Dendritic Regrowth Is Limited after Unilateral Controlled Cortical Impact to the Forelimb Sensorimotor Cortex. *Journal of Neurotrauma*, 29(7), 1455-1468. doi.

Jongbloets, B. C., Lemstra, S., Schellino, R., Broekhoven, M. H., Parkash, J., Hellemons, A. J. C. G. M., . . . Pasterkamp, R. J. (2017). Stage-specific functions of Semaphorin7A during adult hippocampal neurogenesis rely on distinct receptors. [Article]. *Nature Communications*, 8, 14666. doi: 10.1038/ncomms14666

<http://www.nature.com/articles/ncomms14666#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14666>

Jongen, J. L. M., Haasdijk, E. D., Sabel-Goedknecht, H., Van der Burg, J., Vecht, C. J., & Holstege, J. C. (2005). Intrathecal injection of GDNF and BDNF induces immediate early gene expression in rat spinal dorsal horn. *Experimental Neurology*, 194(1), 255-266. doi.

Jongen-Relo, A. L., & Amaral, D. G. (1998). Evidence for a GABAergic projection from the central nucleus of the amygdala to the brainstem of the macaque monkey: a combined retrograde tracing and in situ hybridization study. *European Journal of Neuroscience*, 10(9), 2924-2933. doi: 10.1111/j.1460-9568.1998.00299.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1998.00299.x>

Jorstad, A., Nigro, B., Cali, C., Wawrzyniak, M., Fua, P., & Knott, G. (2014). NeuroMorph: A Toolset for the Morphometric Analysis and Visualization of 3D Models Derived from Electron Microscopy Image Stacks. *Neuroinformatics*, 1-10. doi: 10.1007/s12021-014-9242-5. <http://dx.doi.org/10.1007/s12021-014-9242-5>

Joshi, A., Middleton, J. W., Anderson, C. T., Borges, K., Suter, B. A., Shepherd, G. M., & Tzounopoulos, T. (2015). Cell-Specific Activity-Dependent Fractionation of Layer 2/3 → 5B Excitatory Signaling in Mouse Auditory Cortex. *The Journal of Neuroscience*, 35(7), 3112-3123. doi. <http://www.jneurosci.org/content/35/7/3112.short>

Joshi, S., & Hawken, M. J. (2006). Loose-patch-juxtacellular recording in vivo—a method for functional characterization and labeling of neurons in macaque V1. *Journal of Neuroscience Methods*, 156(1-2), 37-49. doi.

Joshi, Y., Sória, M. G., Quadrato, G., Inak, G., Zhou, L., Hervera, A., . . . Giovanni, S. D. (2015). The MDM4/MDM2-p53-IGF1 axis controls axonal regeneration, sprouting and functional recovery after CNS injury. [10.1093/brain/awv125]. *Brain*. doi. <http://brain.oxfordjournals.org/content/early/2015/05/15/brain.awv125.ab..>

Joucla, S., Branchereau, P., Cattaert, D., & Yvert, B. (2012). Extracellular Neural Microstimulation May Activate Much Larger Regions than Expected by Simulations: A Combined Experimental and Modeling Study. *PLoS ONE*, 7(8), e41324. doi: 10.1371/journal.pone.0041324. <http://dx.doi.org/10.1371%2Fjournal.pone.0041324>

Jouhanneau, J.-S., Ferrarese, L., Estebanez, L., Audette, Nick J., Brecht, M., Barth, Alison L., & Poulet, James F. A. (2014). Cortical fosGFP Expression Reveals Broad Receptive Field Excitatory Neurons Targeted by POM. *Neuron*. doi: 10.1016/j.neuron.2014.10.014. [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00912-X](http://www.cell.com/neuron/abstract/S0896-6273(14)00912-X)

Jouhanneau, J.-S., Kremkow, J., Dornn, Anja L., & Poulet, James F. A. (2015). In Vivo Monosynaptic Excitatory Transmission between Layer 2 Cortical Pyramidal Neurons. *Cell Reports*. doi: <http://dx.doi.org/10.1016/j.celrep.2015.11.011>. <http://www.sciencedirect.com/science/article/pii/S22112471501311X>

Jouhanneau, J.-S., Kremkow, J., & Poulet, J. F. (2018). Single synaptic inputs drive high-precision action potentials in parvalbumin expressing GABA-ergic cortical neurons in vivo. *Nature Communications*, 9(1), 1540. doi: <https://www.nature.com/articles/s41467-018-03995-2>

Jourquin, J., Tremblay, E., Bernard, A., Charton, G., Chaillan, F. A., Marchetti, E., . . . Rivera, S. (2005). Tissue inhibitor of metalloproteinases-1 (TIMP-1) modulates neuronal death, axonal plasticity, and learning and memory. *European Journal of Neuroscience*, 22(10), 2569-2578. doi: doi:10.1111/j.1460-9568.2005.04426.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04426.x>

Jovanov-Milošević, N., Čuljat, M., & Kostović, I. (2009). Growth of the human corpus callosum: modular and laminar morphogenetic zones. *Frontiers in Neuroanatomy*, 3. doi.

Joy, M. T., Ben Assayag, E., Shabashov-Stone, D., Liraz-Zaltsman, S., Mazzitelli, J., Arenas, M., . . . Carmichael, S. T. (2019). CCR5 Is a Therapeutic Target for Recovery after Stroke and Traumatic Brain Injury. *Cell*, 176(5), 1143-1157.e1113. doi: <https://doi.org/10.1016/j.cell.2019.01.044>. <http://www.sciencedirect.com/science/article/pii/S092867419301072>

Joyce, M. K. P., García-Cabezas, M. Á., John, Y. J., & Barbas, H. (2020). Serial prefrontal pathways are positioned to balance cognition and emotion in primates. *The Journal of Neuroscience*, JN-RM-0860-0820. doi: 10.1523/jneurosci.0860-20.2020. <http://www.jneurosci.org/content/early/2020/09/28/JNEUROSCI.0860-20.2020..>

Juan, L.-W., Liao, C.-C., Lai, W.-S., Chang, C.-Y., Pei, J.-C., Wong, W.-R., . . . Lee, L.-J. (2013). Phenotypic characterization of C57BL/6J mice carrying the *Disc1* gene from the 129S6/SvEv strain. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-013-0577-8. <http://dx.doi.org/10.1007/s00429-013-0577-8>

Judas, M., Rasin, M. R., Kruslin, B., Kostovic, K., Jukic, D., Petanjek, Z., & Kostovic, I. (2003). Dendritic overgrowth and alterations in laminar phenotypes of neocortical neurons in the newborn with semilobar holoprosencephaly. *Brain Development*, 25, 32-39. doi.

Judaš, M., Sedmak, G., Radoš, M., Sarnavka, V., Fumić, K., Willer, T., . . . others. (2009). POMT-1 associated Walker-Warburg syndrome: A disorder of dendritic development of neocortical neurons. *Neuropediatrics*, 40(2009), 6-14. doi.

Judson, M. C., Eagleson, K. L., Wang, L., & Levitt, P. (2010). Evidence of cell-nonautonomous changes in dendrite and dendritic spine morphology in the met-signaling-deficient mouse forebrain. *Journal of Comparative Neurology*, 518(21), 4463-4478. doi.

Jugloff, D. G. M., Jung, B. P., Purushotham, D., Logan, R., & Eubanks, J. H. (2005). Increased dendritic complexity and axonal length in cultured mouse cortical neurons overexpressing methyl-CpG-binding protein MeCP2. *Neurobiology of Disease*, 19(1-2), 18-27. doi.

Julien Amendola, J. D. (2008). Morphological differences between wild-type and transgenic superoxide dismutase 1 lumbar motoneurons in postnatal mice. *Journal of Comparative Neurology*, 511(3), 329-341. doi. <http://dx.doi.org/10.1002/cne.21818>

Jun, S. B., Hynd, M. R., Dowell-Mesfin, N. M., Al-Kofahi, Y., Roysam, B., Shain, W., & Kim, S. J. (2008). Modulation of cultured neural networks using neurotrophin release from hydrogel-coated microelectrode arrays. *Journal of neural engineering*, 5, 203-203. doi.

Junek, A., Rusak, B., & Semba, K. (2010). Short-term sleep deprivation may alter the dynamics of hippocampal cell proliferation in adult rats. *Neuroscience*, 170(4), 1140-1152. doi.

Jung, Y., Ng, J. H., Keating, C. P., Senthil-Kumar, P., Zhao, J., Randolph, M. A., . . . Evans, C. L. (2014). Comprehensive Evaluation of Peripheral Nerve Regeneration in the Acute Healing Phase Using Tissue Clearing and Optical Microscopy in a Rodent Model. *PLoS ONE*, 9(4), e94054. doi: 10.1371/journal.pone.0094054. <http://dx.doi.org/10.1371%2Fjournal.pone.0094054>

Jurgens, H. A., Amancherla, K., & Johnson, R. W. (2012). Influenza Infection Induces Neuroinflammation, Alters Hippocampal Neuron Morphology, and Impairs Cognition in Adult Mice. *Journal of Neuroscience*, 32(12), 3958-3968. doi.

Jwair, S., Coulon, P., & Ruigrok, T. J. H. (2017). Disynaptic Subthalamic Input to the Posterior Cerebellum in Rat. [Original Research]. *Frontiers in Neuroanatomy*, 11(13). doi: 10.3389/fnana.2017.00013. <http://journal.frontiersin.org/article/10.3389/fnana.2017.00013>

Kabadi, S. V., Stoica, B. A., Byrnes, K. R., Hanscom, M., Loane, D. J., & Faden, A. I. (2011). Selective CDK inhibitor limits neuroinflammation and progressive neurodegeneration after brain trauma. *Journal of Cerebral Blood Flow and Metabolism*, 32(1), 137-149. doi.

Kabadi, S. V., Stoica, B. A., Loane, D. J., Luo, T., & Faden, A. I. (2014). CR8, a novel inhibitor of CDK, limits microglial activation, astrocytosis, neuronal loss, and neurologic dysfunction after experimental traumatic brain injury. *Journal of Cerebral Blood Flow and Metabolism*. doi. <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013228a.html>

Kabotyanski, E. A., Baxter, D. A., & Byrne, J. H. (1998). Identification and Characterization of Catecholaminergic Neuron B65, Which Initiates and Modifies Patterned Activity in the Buccal Ganglia of Aplysia. *Journal of Neurophysiology*, 79(2), 605-621. doi. <http://jn.physiology.org/cgi/content/abstract/79/2/605>

Kadam, S. D., & Dudek, F. E. (2007). Neuropathological features of a rat model for perinatal hypoxic-ischemic encephalopathy with associated epilepsy. *Journal of Comparative Neurology*, 505(6), 716-737. doi.

Kadam, S. D., Smith-Hicks, C. L., Smith, D. R., Worley, P. F., & Comi, A. M. (2010). Functional integration of new neurons into hippocampal networks and poststroke comorbidities following neonatal stroke in mice. *Epilepsy & Behavior*, 18(4), 344-357. doi.

Kadish, I., Pradier, L., & van Groen, T. (2002). Transgenic mice expressing the human presenilin 1 gene demonstrate enhanced hippocampal reorganization following entorhinal cortex lesions. *Brain Research Bulletin*, 57(5), 587-594. doi.

Kadiyala, S. B., Papandrea, D., Tuz, K., Anderson, T. M., Jayakumar, S., Herron, B. J., & Ferland, R. J. (2014). Spatiotemporal differences in the c-fos pathway between C57BL/6J and DBA/2J mice following flurothyl-induced seizures: a dissociation of hippocampal Fos from seizure activity. *Epilepsy Research*. doi: 10.1016/j.eplepsyres.2014.11.009. [http://www.epires-journal.com/article/S0920-1211\(14\)00323-4/abstract](http://www.epires-journal.com/article/S0920-1211(14)00323-4/abstract)

Kaesler, M., Wyss, A. F., Bashir, S., Hamadjida, A., Liu, Y., Bloch, J., . . . Rouiller, E. M. (2010). Effects of unilateral motor cortex lesion on ipsilesional hand's reach and grasp performance in monkeys: relationship with recovery in the contralesional hand. *Journal of Neurophysiology*, 103(3), 1630-1645. doi.

Kaesler, M., Wyss, A. F., Bashir, S., Hamadjida, A., Liu, Y., Bloch, J., . . . Rouiller, E. M. (2010). Effects of Unilateral Motor Cortex Lesion on Ipsilesional Hand's Reach and Grasp Performance in Monkeys: relationship with recovery in the contralesional hand. *Journal of Neurophysiology*, 00459.02009. doi: 10.1152/jn.00459.2009. <http://jn.physiology.org/cgi/content/abstract/00459.2009v1>

Kafetzopoulos, V., Kokras, N., Sotiropoulos, I., Oliveira, J. F., Leite-Almeida, H., Vasalou, A., . . . Dalla, C. (2017). The nucleus reuniens: a key node in the neurocircuitry of stress and depression. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2017.55. <http://dx.doi.org/10.1038/mp.2017.55>

Kafetzopoulos, V., Kokras, N., Sousa, N., Antoniou, K., Sotiropoulos, I., & Dalla, C. (2020). Nucleus reuniens lesion and antidepressant treatment prevent hippocampal neurostructural alterations induced by chronic mild stress in male rats. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.08.017>. <http://www.sciencedirect.com/science/article/pii/S0306452220305339>

Kaiser, K. M. M., Lubke, J., Zilberter, Y., & Sakmann, B. (2004). Postsynaptic Calcium Influx at Single Synaptic Contacts between Pyramidal Neurons and Bitufted Interneurons in Layer 2/3 of Rat Neocortex Is Enhanced by Backpropagating Action Potentials. *Journal of Neuroscience*, 24(6), 1319-1329. doi: 10.1523/jneurosci.2852-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/6/1319>

Kaiser, K. M. M., Zilberter, Y., & Sakmann, B. (2001). Back-propagating action potentials mediate calcium signalling in dendrites of bitufted interneurons in layer 2/3 of rat somatosensory cortex. *Journal of Physiology*, 535(1), 17-31. doi. <http://jp.physoc.org/cgi/content/abstract/535/1/17>

Kajimoto, K., Valenzuela, C. F., Allan, A. M., Ge, S., Gu, Y., & Cunningham, L. A. (2016). Prenatal alcohol exposure alters synaptic activity of adult hippocampal dentate granule cells under conditions of enriched environment. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22588. <http://dx.doi.org/10.1002/hipo.22588>

Kajiwara, Y., Buxbaum, J. D., & Grice, D. E. (2009). SLITRK1 binds 14-3-3 and regulates neurite outgrowth in a phosphorylation-dependent manner. *Biological Psychiatry*, 66(10), 918-925. doi.

Kalambogias, J., Chen, C.-C., Khan, S., Son, T., Wercberger, R., Headlam, C., . . . Brumberg, J. C. (2019). Development and Sensory Experience Dependent Regulation of Microglia in Barrel Cortex. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24771. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24771>

Kalanithi, P. S. A., Zheng, W., Kataoka, Y., DiFiglia, M., Grantz, H., Saper, C. B., . . . Vaccarino, F. M. (2005). Altered parvalbumin-positive neuron distribution in basal ganglia of individuals with Tourette syndrome. *PNAS*, 102(37), 13307-13312. doi: <http://www.pnas.org/cgi/content/abstract/102/37/13307>

Kalinichev, M., Rosenblatt, J. S., & Morrell, J. I. (2000). The medial preoptic area, necessary for adult maternal behavior in rats, is only partially established as a component of the neural circuit that supports maternal behavior in juvenile rats. *Behavioral Neuroscience*, 114(1), 196-196. doi.

Kalinichev, M., Rosenblatt, J. S., Nakabeppu, Y., & Morrell, J. I. (2000). Induction of c-Fos-like and FosB-like immunoreactivity reveals forebrain neuronal populations involved differentially in pup-mediated maternal behavior in juvenile and adult rats. *Journal of Comparative Neurology*, 416(1), 45-78. doi.

Kalisman, N., Silberberg, G., & Markram, H. (2003). Deriving physical connectivity from neuronal morphology. *Biological Cybernetics*, 88(3), 210-218. doi.

Kalliomäki, M., Schmidt, R., Hägglöf, B., Karlsten, R., Sjögren, N., Albrecht, P., . . . others. (2011). Structural and functional differences between neuropathy with and without pain? *Experimental Neurology*. doi.

Kallop, D. Y., Meilandt, W. J., Gogineni, A., Easley-Neal, C., Wu, T., Jubbe, A. M., . . . Scarce-Levie, K. (2014). A Death Receptor 6-Amyloid Precursor Protein Pathway Regulates Synapse Density in the Mature CNS But Does Not Contribute to Alzheimer's Disease-Related Pathophysiology in Murine Models. *The Journal of Neuroscience*, 34(19), 6425-6437. doi: <http://www.jneurosci.org/content/34/19/6425.short>

Kalume, F., Lee, S. M., Morcos, Y., Callaway, J. C., & Levin, M. C. (2004). Molecular mimicry: Cross-reactive antibodies from patients with immune-mediated neurologic disease inhibit neuronal firing. *Journal of Neuroscience Research*, 77(1), 82-89. doi.

Kalus, P., Bondzio, J., Federspiel, A., Müller, T. J., & Zuschratter, W. (2002). Cell-type specific alterations of cortical interneurons in schizophrenic patients. *Neuroreport*, 13(5), 713-713. doi.

Kalus, P., Muller, T. J., Zuschratter, W., & Senitz, D. (2000). The dendritic architecture of prefrontal pyramidal neurons in schizophrenic patients. *Neuroreport*, 11(16), 3621-3621. doi.

Kambiz, S., Baas, M., Duraku, L., Kerver, A., Koning, A., Walbeehm, E., & Ruigrok, T. (2014). Innervation mapping of the hind paw of the rat using Evans Blue extravasation, Optical Surface Mapping and CASAM. *Journal of Neuroscience Methods*. doi: <http://www.sciencedirect.com/science/article/pii/S0165027014001095>

Kameda, H., Furuta, T., Matsuda, W., Ohira, K., Nakamura, K., Hioki, H., & Kaneko, T. (2008). Targeting green fluorescent protein to dendritic membrane in central neurons. *Neuroscience Research*, 61(1), 79-91. doi.

Kameda, H., Hioki, H., Tanaka, Y. H., Tanaka, T., Sohn, J., Sonomura, T., . . . Kaneko, T. (2012). Parvalbumin-producing cortical interneurons receive inhibitory inputs on proximal portions and

cortical excitatory inputs on distal dendrites. *European Journal of Neuroscience*, 35(6), 838-854. doi: 10.1111/j.1460-9568.2012.08027.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08027.x>

Kanbar, R., Depuy, S. D., West, G. H., Stornetta, R. L., & Guyenet, P. G. (2011). Regulation of visceral sympathetic tone by A5 noradrenergic neurons in rodents. *Journal of Physiology*, 589(4), 903-917. doi: 10.1113/jphysiol.2010.198374. <http://jp.physoc.org/content/589/4/903.abstract>

Kaneko, M., Xie, Y., An, J. J., Stryker, M. P., & Xu, B. (2012). Dendritic BDNF Synthesis Is Required for Late-Phase Spine Maturation and Recovery of Cortical Responses Following Sensory Deprivation. *Journal of Neuroscience*, 32(14), 4790-4802. doi: 10.1523/jneurosci.4462-11.2012. <http://www.jneurosci.org/content/32/14/4790.abstract>

Kang, B. J., Chang, D. A., Mackay, D. D., West, G. H., Moreira, T. S., Takakura, A. C., . . . Stornetta, R. L. (2007). Central nervous system distribution of the transcription factor Phox2b in the adult rat. *Journal of Comparative Neurology*, 503(5), 627-641. doi.

Kang, N., Baum, M. J., & Cherry, J. A. (2009). A direct main olfactory bulb projection to the γ -vomeroneasal γ -Oamygdala in female mice selectively responds to volatile pheromones from males. *European Journal of Neuroscience*, 29(3), 624-634. doi.

Kang, N., Baum, M. J., & Cherry, J. A. (2011). Different Profiles of Main and Accessory Olfactory Bulb Mitral/Tufted Cell Projections Revealed in Mice Using an Anterograde Tracer and a Whole-Mount, Flattened Cortex Preparation. *Chemical Senses*, 36(3), 251-260. doi.

Kang, S., Wu, C., Banik, R. K., & Brennan, T. J. (2010). Effect of capsaicin treatment on nociceptors in rat glabrous skin one day after plantar incision. *Pain*, 148(1), 128-140. doi.

Kannagara, T. S., Bostrom, C. A., Ratzlaff, A., Thompson, L., Cater, R. M., Gil-Mohapel, J., & Christie, B. R. (2014). Deletion of the NMDA Receptor GluN2A Subunit Significantly Decreases Dendritic Growth in Maturing Dentate Granule Neurons. *PLoS ONE*, 9(8), e103155. doi: 10.1371/journal.pone.0103155. <http://dx.doi.org/10.1371/journal.pone.0103155>

Kano, T., Kouzuki, T., Mizuno, S., Ueda, S., Yamanoue, M., Sakane, F., . . . Shirai, Y. (2014). Both the C1 domain and a basic amino acid cluster at the C-terminus are important for the neurite and branch induction ability of DGK β . *Biochemical and Biophysical Research Communications*, (0). doi: <http://dx.doi.org/10.1016/j.bbrc.2014.03.113>. <http://www.sciencedirect.com/science/article/pii/S0006291X14005658>

Kántor, O., Benkő, Z., Énzsöly, A., Dávid, C., Naumann, A., Nitschke, R., . . . Völgyi, B. (2015). Characterization of connexin36 gap junctions in the human outer retina. *Brain Structure and Function*, 1-22. doi: 10.1007/s00429-015-1082-z. <http://dx.doi.org/10.1007/s00429-015-1082-z>

Kántor, O., Mezey, S., Adeghate, J., Naumann, A., Nitschke, R., Énzsöly, A., . . . Somogyvári, Z. (2016). Calcium buffer proteins are specific markers of human retinal neurons. *Cell and Tissue Research*, 1-22. doi. <http://link.springer.com/article/10.1007/s00441-016-2376-z>

Kántor, O., Varga, A., Nitschke, R., Naumann, A., Énzsöly, A., Lukáts, Á., . . . Völgyi, B. (2017). Bipolar cell gap junctions serve major signaling pathways in the human retina. [journal article]. *Brain Structure and Function*, 1-22. doi: 10.1007/s00429-016-1360-4. <http://dx.doi.org/10.1007/s00429-016-1360-4>

- Kapfhammer, J. P., & Gugger, O. S. (2012). The Analysis of Purkinje Cell Dendritic Morphology in Organotypic Slice Cultures. *Journal of Visualized Experiments*, (61), e3637. doi:10.3791/3637. <http://www.jove.com/details.stp?id=3637>
- Karabeg, M. M., Grauthoff, S., Kollert, S. Y., Weidner, M., Heiming, R. S., Jansen, F., . . . Lewejohann, L. (2013). 5-HTT Deficiency Affects Neuroplasticity and Increases Stress Sensitivity Resulting in Altered Spatial Learning Performance in the Morris Water Maze but Not in the Barnes Maze. *PLoS ONE*, 8(10), e78238. doi: 10.1371/journal.pone.0078238. <http://dx.doi.org/10.1371%2Fjournal.pone.0078238>
- Karagiannis, A., Gallopin, T., David, C., Battaglia, D., Geoffroy, H., Rossier, J., . . . Cauli, B. (2009). Classification of NPY-Expressing Neocortical Interneurons. *Journal of Neuroscience*, 29(11), 3642-3659. doi: 10.1523/jneurosci.0058-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3642>
- Karathanasis, E., Chan, L., Karumbaiah, L., McNeeley, K., D'Orsi, C. J., Annapragada, A. V., . . . Bellamkonda, R. V. (2009). Tumor Vascular Permeability to a Nanoprobe Correlates to Tumor-Specific Expression Levels of Angiogenic Markers. *PLoS ONE*, 4(6), e5843. doi: 10.1371/journal.pone.0005843.
- Karathanasis, E., Park, J., Agarwal, A., Patel, V., Zhao, F., Annapragada, A. V., . . . Bellamkonda, R. V. (2008). MRI mediated, non-invasive tracking of intratumoral distribution of nanocarriers in rat glioma. *Nanotechnology*, 19, 315101-315101. doi.
- Karatsoreos, I. N., Bhagat, S., Bloss, E. B., Morrison, J. H., & McEwen, B. S. (2011). Disruption of circadian clocks has ramifications for metabolism, brain, and behavior. *Proceedings of the National Academy of Sciences*, 108(4), 1657-1662. doi: 10.1073/pnas.1018375108. <http://www.pnas.org/content/108/4/1657.abstract>
- Kardon, A. P., Polgár, E., Hachisuka, J., Snyder, L. M., Cameron, D., Savage, S., . . . Hemenway, G. M. (2014). Dynorphin Acts as a Neuromodulator to Inhibit Itch in the Dorsal Horn of the Spinal Cord. *Neuron*. doi: <http://www.sciencedirect.com/science/article/pii/S0896627314002086>
- Karelina, K., Gaier, K. R., Prabhu, M., Wenger, V., Corrigan, T. E. D., & Weil, Z. M. (2016). Binge ethanol in adulthood exacerbates negative outcomes following juvenile traumatic brain injury. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.11.009>. <http://www.sciencedirect.com/science/article/pii/S0889159116304998>
- Karelina, K., Hansen, K. F., Choi, Y.-S., DeVries, A. C., Arthur, J. S. C., & Obrietan, K. (2012). MSK1 regulates environmental enrichment-induced hippocampal plasticity and cognitive enhancement. *Learning and Memory*, 19(11), 550-560. doi: 10.1101/lm.025775.112. <http://learnmem.cshlp.org/content/19/11/550.abstract>
- Karelina, K., Sarac, B., Freeman, L. M., Gaier, K. R., & Weil, Z. M. (2016). Traumatic Brain Injury and Obesity Induce Persistent Central Insulin Resistance. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13194. <http://dx.doi.org/10.1111/ejn.13194>
- Karim, M. R., & Moore, A. W. (2011). Convergent Local Identity and Topographic Projection of Sensory Neurons. *Journal of Neuroscience*, 31(47), 17017-17027. doi: 10.1523/jneurosci.2815-11.2011. <http://www.jneurosci.org/content/31/47/17017.abstract>
- Karimnamazi, H., & Travers, J. B. (1998). Differential projections from gustatory responsive regions of the parabrachial nucleus to the medulla and forebrain. *Brain Research*, 813(2), 283-302. doi.

- Karimnamazi, H., Travers, S. P., & Travers, J. B. (2002). Oral and gastric input to the parabrachial nucleus of the rat. *Brain Research*, 957(2), 193-206. doi.
- Karino, S., Smith, P. H., Yin, T. C. T., & Joris, P. X. (2011). Axonal Branching Patterns as Sources of Delay in the Mammalian Auditory Brainstem: A Re-Examination. *Journal of Neuroscience*, 31(8), 3016-3031. doi: 10.1523/jneurosci.5175-10.2011. <http://www.jneurosci.org/content/31/8/3016.abstract>
- Karle, K. N., Möckel, D., Reid, E., & Schöls, L. (2012). Axonal transport deficit in a KIF5A-/-mouse model. *Neurogenetics*, 1-11. doi.
- Karnani, M. M., Jackson, J., Ayzenshtat, I., Sichani, A. H., Manoocheri, K., Kim, S., & Yuste, R. (2016). Opening Holes in the Blanket of Inhibition: Localized Lateral Disinhibition by VIP Interneurons. *The Journal of Neuroscience*, 36(12), 3471-3480. doi. <http://www.jneurosci.org/content/36/12/3471.short>
- Karnup, S. V., Hayar, A., Shipley, M. T., & Kurnikova, M. G. (2006). Spontaneous field potentials in the glomeruli of the olfactory bulb: the leading role of juxtaglomerular cells. *Neuroscience*, 142(1), 203-221. doi.
- Karperien, A., Ahammer, H., & Jelinek, H. (2013). Quantitating the subtleties of microglial morphology with fractal analysis. *Front Cell Neurosci*, 7, 3. doi.
- Karube, F., & Kisvárdy, Z. F. (2010). Axon Topography of Layer IV Spiny Cells to Orientation Map in the Cat Primary Visual Cortex (Area 18). *Cerebral Cortex*. doi: 10.1093/cercor/bhq232. <http://cercor.oxfordjournals.org/content/early/2010/11/09/cercor.bhq232>.
...
- Karube, F., Kubota, Y., & Kawaguchi, Y. (2004). Axon Branching and Synaptic Bouton Phenotypes in GABAergic Nonpyramidal Cell Subtypes. *Journal of Neuroscience*, 24(12), 2853-2865. doi. <http://www.jneurosci.org/cgi/content/abstract/24/12/2853>
- Kashyap, G., Bapat, D., Das, D., Gowaikar, R., Amritkar, R. E., Rangarajan, G., . . . Ambika, G. (2019). Synapse loss and progress of Alzheimer's disease -A network model. *Scientific Reports*, 9(1), 6555. doi: 10.1038/s41598-019-43076-y. <https://doi.org/10.1038/s41598-019-43076-y>
- Kaskan, P. M., Franco, E. C. S., Yamada, E. S., de Lima Silveira, L. C., Darlington, R. B., & Finlay, B. L. (2005). Peripheral variability and central constancy in mammalian visual system evolution. *Proceedings of the Royal Society B: Biological Sciences*, 272(1558), 91-100. doi.
- Kaskan, P. M., & Kaas, J. H. (2007). Cortical connections of the middle temporal and the middle temporal crescent visual areas in prosimian galagos (*Otolemur garnetti*). *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 290(3), 349-366. doi.
- Kasprizhny, A. V., Gogan, P., Horcholle-Bossavit, G., & Tyc-Dumont, S. (2002). Neuronal morphology data bases: morphological noise and assesment of data quality. *Network: Computation in Neural Systems*, 13(3), 357-380. doi.
- Kassem, M., Lagopoulos, J., Stait-Gardner, T., Price, W., Chohan, T., Arnold, J., . . . Bennett, M. (2012). Stress-Induced Grey Matter Loss Determined by MRI Is Primarily Due to Loss of Dendrites and Their Synapses. *Molecular Neurobiology*, 1-17. doi: 10.1007/s12035-012-8365-7. <http://dx.doi.org/10.1007/s12035-012-8365-7>

- Kasugai, Y., Vogel, E., Hörtnagl, H., Schönherr, S., Paradiso, E., Hauschild, M., . . . Ferraguti, F. (2019). Structural and Functional Remodeling of Amygdala GABAergic Synapses in Associative Fear Learning. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.08.013>, <http://www.sciencedirect.com/science/article/pii/S089662731930697X>
- Kato, S., Sugawara, M., Kobayashi, K., Kimura, K., Inoue, K.-i., Takada, M., & Kobayashi, K. (2019). Enhancement of the transduction efficiency of a lentiviral vector for neuron-specific retrograde gene delivery through the point mutation of fusion glycoprotein type E. *Journal of Neuroscience Methods*, 311, 147-155. doi: <https://doi.org/10.1016/j.jneumeth.2018.10.023>, <http://www.sciencedirect.com/science/article/pii/S0165027018303376>
- Kato, Y., Kato, M., Hasegawa, T., & Okanoya, K. (2010). Song memory in female birds: neuronal activation suggests phonological coding. *Neuroreport*, 21(6), 404-404. doi.
- Kato, Y., Kato, M., & Okanoya, K. (2012). Sequential information of self-produced song is represented in the auditory areas in male Bengalese finches. *Neuroreport*, 23(8), 488-488. doi.
- Katona, L., Micklem, B., Borhegyi, Z., Swiejkowski, D. A., Valenti, O., Viney, T. J., . . . Somogyi, P. (2016). Behavior-dependent activity patterns of GABAergic long-range projecting neurons in the rat hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22696. <http://dx.doi.org/10.1002/hipo.22696>
- Katow, H., Kanaya, T., Ogawa, T., Egawa, R., & Yawo, H. (2017). Regulation of axon arborization pattern in the developing chick ciliary ganglion: Possible involvement of caspase 3. *Development, growth & differentiation*, 59(3), 115-128. doi: 10.1111/dgd.12346. <http://dx.doi.org/10.1111/dgd.12346>
- Katz, E., Guaiquil, V. H., Ivakhnitskaia, E., Lara, D., Anwar, K., Jalilian, E., . . . Djalilian, A. R. (2021). Exosomes as a Novel Multitarget Approach to Promote Growth of Corneal Sensory Neurons. *Investigative Ophthalmology and Visual Science*, 62(8), 749-749. doi.
- Kaufling, J., Girard, D., Maitre, M., Leste-Lasserre, T., & Georges, F. (2017). Species-specific diversity in the anatomical and physiological organization of the BNST-VTA pathway. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13554. <http://dx.doi.org/10.1111/ejn.13554>
- Kaufling, J., Veinante, P., Pawlowski, S. A., Freund-Mercier, M. J., & Barrot, M. (2010). γ -Aminobutyric acid cells with cocaine-induced FosB in the ventral tegmental area innervate mesolimbic neurons. *Biological Psychiatry*, 67(1), 88-92. doi.
- Kaufling, J., Waltisperger, E., Bourdy, R., Valera, A., Veinante, P., Freund-Mercier, M.-J., & Barrot, M. (2010). Pharmacological recruitment of the GABAergic tail of the ventral tegmental area by acute drug exposure. *British Journal of Pharmacology*, no-no. doi: 10.1111/j.1476-5381.2010.00984.x. <http://dx.doi.org/10.1111/j.1476-5381.2010.00984.x>
- Kaufman, J. A., Ahrens, E. T., Laidlaw, D. H., Zhang, S., & Allman, J. M. (2005). Anatomical analysis of an aye-aye brain (*Daubentonia madagascariensis*, primates: Prosimii) combining histology, structural magnetic resonance imaging, and diffusion-tensor imaging. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 287(1), 1026-1037. doi.
- Kaur, S., Junek, A., Black, M. A., & Semba, K. (2008). Effects of Ibotenate and 192IgG-Saporin Lesions of the Nucleus Basalis Magnocellularis/Substantia Innominata on Spontaneous Sleep and Wake States

and on Recovery Sleep after Sleep Deprivation in Rats. *Journal of Neuroscience*, 28(2), 491-504. doi: 10.1523/jneurosci.1585-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/2/491>

Kauser, H., Sahu, S., Kumar, S., & Panjwani, U. (2013). Guanfacine is an effective countermeasure for hypobaric hypoxia induced cognitive decline. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.09.023>. <http://www.sciencedirect.com/science/article/pii/S0306452213007951>

Kauser, H., Sahu, S., & Panjwani, U. (2016). Guanfacine promotes neuronal survival in medial prefrontal cortex under hypobaric hypoxia. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.01.053>. <http://www.sciencedirect.com/science/article/pii/S0006899316300300>

Kawabe, T., Chitravanshi, V. C., Kawabe, K., & Sapru, H. N. (2008). Cardiovascular function of a glutamatergic projection from the hypothalamic paraventricular nucleus to the nucleus tractus solitarius in the rat. *Neuroscience*, 153(3), 605-617. doi.

Kawabe, T., Iwasa, M., Kawabe, K., & Sapru, H. N. (2016). Attenuation of angiotensin type 2 receptor function in the rostral ventrolateral medullary pressor area of the spontaneously hypertensive rat. *Clinical and Experimental Hypertension*, 1-9. doi: <http://www.tandfonline.com/doi/abs/10.3109/10641963.2015.1081229>

Kawabe, T., Kawabe, K., & Sapru, H. N. (2012). Cardiovascular Responses to Chemical Stimulation of the Hypothalamic Arcuate Nucleus in the Rat: Role of the Hypothalamic Paraventricular Nucleus. *PLoS ONE*, 7(9), e45180. doi: 10.1371/journal.pone.0045180. <http://dx.doi.org/10.1371/journal.pone.0045180>

Kawabe, T., Kawabe, K., & Sapru, H. N. (2012). Effect of Barodenervation on Cardiovascular Responses Elicited from the Hypothalamic Arcuate Nucleus of the Rat. *PLoS ONE*, 7(12), e53111. doi: 10.1371/journal.pone.0053111. <http://dx.doi.org/10.1371/journal.pone.0053111>

Kawaguchi, Y., Karube, F., & Kubota, Y. (2006). Dendritic Branch Typing and Spine Expression Patterns in Cortical Nonpyramidal Cells. *Cerebral Cortex*, 16696-16711. doi.

Kawanai, T., Ago, Y., Watanabe, R., Inoue, A., Taruta, A., Onaka, Y., . . . Takuma, K. (2016). Prenatal Exposure to Histone Deacetylase Inhibitors Affects Gene Expression of Autism-Related Molecules and Delays Neuronal Maturation. [journal article]. *Neurochemical Research*, 1-11. doi: 10.1007/s11064-016-1969-y. <http://dx.doi.org/10.1007/s11064-016-1969-y>

Ke, M.-T., & Imai, T. (2001). *Optical Clearing of Fixed Brain Samples Using SeeDB* Current Protocols in Neuroscience: John Wiley & Sons, Inc.

Ke, M.-T., Nakai, Y., Fujimoto, S., Takayama, R., Yoshida, S., Kitajima, Tomoya S., . . . Imai, T. (2016). Super-Resolution Mapping of Neuronal Circuitry With an Index-Optimized Clearing Agent. *Cell Reports*. doi: 10.1016/j.celrep.2016.02.057. <http://dx.doi.org/10.1016/j.celrep.2016.02.057>

Kecskes, S., Kőszeghy, Á., Szücs, G., Rusznák, Z., Matesz, C., & Birinyi, A. (2012). Three-dimensional reconstruction and quantitative morphometric analysis of pyramidal and giant neurons of the rat dorsal cochlear nucleus. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-012-0457-7. <http://dx.doi.org/10.1007/s00429-012-0457-7>

Kecskes, S., Matesz, C., & Birinyi, A. (2013). Termination of trigeminal primary afferents on glossopharyngeal–vagal motoneurons: Possible neural networks underlying the swallowing phase and visceromotor responses of prey-catching behavior. *Brain Research Bulletin*, (0). doi: <http://dx.doi.org/10.1016/j.brainresbull.2013.09.006>. <http://www.sciencedirect.com/science/article/pii/S0361923013001457>

Kecskes, S., Matesz, C., Gaál, B., & Birinyi, A. (2015). Neural circuits underlying tongue movements for the prey-catching behavior in frog: distribution of primary afferent terminals on motoneurons supplying the tongue. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-014-0988-1. <http://dx.doi.org/10.1007/s00429-014-0988-1>

Keenan, T. M., Hooker, A., Spilker, M. E., Li, N., Boggy, G. J., Vicini, P., & Folch, A. (2006). Automated identification of axonal growth cones in time-lapse image sequences. *Journal of Neuroscience Methods*, 151(2), 232-238. doi:

Keil, K. P., Sethi, S., Wilson, M. D., Silverman, J. L., Pessah, I. N., & Lein, P. J. (2018). Genetic mutations in Ca²⁺ signaling alter dendrite morphology and social approach in juvenile mice. *Genes, Brain and Behavior*, 0(ja), e12526. doi: 10.1111/gbb.12526. <https://onlinelibrary.wiley.com/doi/abs/10.1111/gbb.12526>

Keith, R. E., Azcarate, J. M., Keith, M. J., Hung, C. W., Badakhsh, M. F., & Dumas, T. C. (2019). Direct Intracellular Signaling by the Carboxy terminus of NMDA Receptor GluN2 Subunits Regulates Dendritic Morphology in Hippocampal CA1 Pyramidal Neurons. *Neuroscience*, 396, 138-153. doi: <https://doi.org/10.1016/j.neuroscience.2018.11.021>. <http://www.sciencedirect.com/science/article/pii/S0306452218307528>

Kelava, I., Reillo, I., Murayama, A. Y., Kalinka, A. T., Stenzel, D., Tomancak, P., . . . others. (2012). Abundant occurrence of basal radial glia in the subventricular zone of embryonic neocortex of a lissencephalic primate, the common marmoset *Callithrix jacchus*. *Cerebral Cortex*, 22(2), 469-481. doi:

Keller, A., Arissian, K., & Asanuma, H. (1992). Synaptic proliferation in the motor cortex of adult cats after long-term thalamic stimulation. *Journal of Neurophysiology*, 68(1), 295-308. doi:

Keller, A., & Asanuma, H. (1993). Synaptic relationships involving local axon collaterals of pyramidal neurons in the cat motor cortex. *Journal of Comparative Neurology*, 336, 229-242. doi:

Keller, A., Carlson, G. C., & others. (1999). Neonatal whisker clipping alters intracortical, but not thalamocortical projections, in rat barrel cortex. *Journal of Comparative Neurology*, 412(1), 83-94. doi:

Keller, A., Weintraub, N. D., & Miyashita, E. (1996). Tactile experience determines the organization of movement representations in rat motor cortex. *Neuroreport*, 7, 2373-2378. doi:

Kelsch, W., Li, Z., Eliava, M., Goengrich, C., & Monyer, H. (2012). GluN2B-Containing NMDA Receptors Promote Wiring of Adult-Born Neurons into Olfactory Bulb Circuits. *Journal of Neuroscience*, 32(36), 12603-12611. doi: 10.1523/jneurosci.1459-12.2012. <http://www.jneurosci.org/content/32/36/12603.abstract>

Kelsch, W., Li, Z., Wieland, S., Senkov, O., Herb, A., Göngrich, C., & Monyer, H. (2014). GluN2B-Containing NMDA Receptors Promote Glutamate Synapse Development in Hippocampal Interneurons. *The Journal of Neuroscience*, 34(48), 16022-16030. doi: <http://www.jneurosci.org/content/34/48/16022.short>

Kelsch, W., Mosley, C. P., Lin, C.-W., & Lois, C. (2007). Distinct Mammalian Precursors Are Committed to Generate Neurons with Defined Dendritic Projection Patterns. *PLoS Biology*, 5(11), e300. doi: <http://dx.doi.org/10.1371/journal.pbio.0050300>

Kempermann, G., & Gage, F. H. (2002). Genetic determinants of adult hippocampal neurogenesis correlate with acquisition, but not probe trial performance, in the water maze task. *European Journal of Neuroscience*, 16(1), 129. doi.

Kempermann, G., Kuhn, H. G., & Gage, F. H. (1997). Genetic influence on neurogenesis in the dentate gyrus of adult mice. *Proceedings of the National Academy of Sciences*, 94(19), 10409-10414. doi.

Kempermann, G., Kuhn, H. G., & Gage, F. H. (1998). Experience-Induced Neurogenesis in the Senescent Dentate Gyrus. *Journal of Neuroscience*, 18(9), 3206-3212. doi: <http://www.jneurosci.org/cgi/content/abstract/18/9/3206>

Kempainen, S., & Pitkänen, A. (2000). Distribution of parvalbumin, calretinin, and calbindin-D28k immunoreactivity in the rat amygdaloid complex and colocalization with γ -aminobutyric acid. *Journal of Comparative Neurology*, 426(3), 441-467. doi.

Kempainen, S., & Pitkänen, A. (2004). Damage to the amygdalo-hippocampal projection in temporal lobe epilepsy: A tract-tracing study in chronic epileptic rats. *Neuroscience*, 126(2), 485-501. doi.

Keniston, L. P., Allman, B. L., Meredith, M. A., & Clemo, H. R. (2009). Somatosensory and multisensory properties of the medial bank of the ferret rostral suprasylvian sulcus. *Experimental Brain Research*, 196(2), 239-251. doi.

Kennedy, A. L., & Mawe, G. M. (1998). Duodenal Sensory Neurons Project to Sphincter of Oddi Ganglia in Guinea Pig. *Journal of Neuroscience*, 18(19), 8065-8073. doi: <http://www.jneurosci.org/cgi/content/abstract/18/19/8065>

Kennedy, P. J., & Shapiro, M. L. (2004). Retrieving Memories via Internal Context Requires the Hippocampus. *Journal of Neuroscience*, 24(31), 6979-6985. doi: 10.1523/jneurosci.1388-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/31/6979>

Kennedy, W. R. (2004). Opportunities afforded by the study of unmyelinated nerves in skin and other organs. *Muscle and Nerve*, 29(6), 756-767. doi.

Kennedy, W. R., Vanhove, G. F., Tobias, J., Bley, K. R., Walk, D., Wendelschafer-Crabb, G., . . . Group, N.-C. S. (2010). A Randomized Controlled Open-Label Study of the Long-term Effects of NGX-4010, a High-Concentration Capsaicin Patch, on Epidermal Nerve Fiber Density and Sensory Function in Healthy Volunteers. *Journal of Pain*, 11, 579-587. doi.

Kennedy, W. R., Wendelschafer-Crabb, G., & Johnson, T. (1996). Quantitation of epidermal nerves in diabetic neuropathy. *Neurology*, 47, 1042-1048. doi.

Kennedy, W. R., Wendelschafer-Crabb, G., Johnson, T., & Nolano, M. (1999). A skin blister method to study epidermal nerves in peripheral nerve disease. *Muscle and Nerve*, 22, 360-371. doi.

Kennedy, W. R., Wendelschafer-Crabb, G., Polydefkis, M., & McArthur, J. (2005). Pathology and Quantitation of Cutaneous Innervation. *Peripheral Neuropathy*, (4th Edition, Editors: Dyck & Thomas, Saunders Press). doi.

Kenny, S. L., Wright, L. D., Green, A. D., Mashoodh, R., & Perrot, T. S. (2013). Expression of maternal behavior and activation of the bed nucleus of the stria terminalis during predatory threat exposure: Modulatory effects of transport stress. *Physiology and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.physbeh.2013.08.024>. <http://www.sciencedirect.com/science/article/pii/S0031938413002734>

Kent, M., Bardi, M., Hazelgrove, A., Sewell, K., Kirk, E., Thompson, B., . . . Lambert, K. (2017). Profiling coping strategies in male and female rats: Potential neurobehavioral markers of increased resilience to depressive symptoms. *Hormones and Behavior*, 95, 33-43. doi: <http://dx.doi.org/10.1016/j.yhbeh.2017.07.011>. <http://www.sciencedirect.com/science/article/pii/S0018506X16305505>

Kent, M., Scott, S., Lambert, S., Kirk, E., Terhune-Cotter, B., Thompson, B., . . . Lambert, K. (2018). Contingency Training Alters Neurobiological Components of Emotional Resilience in Male and Female Rats. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.06.010>. <http://www.sciencedirect.com/science/article/pii/S0306452218304214>

Kenyon, K. A., Bushong, E. A., Mauer, A. S., Strehler, E. E., Weinberg, R. J., & Burette, A. C. (2010). Cellular and subcellular localization of the neuron-specific plasma membrane calcium ATPase PMCA1a in the rat brain. *Journal of Comparative Neurology*, 518(16), 3169-3183. doi:

Keren, N., Bar-Yehuda, D., & Korngreen, A. (2009). Experimentally guided modeling of dendritic excitability in rat neocortical pyramidal neurons. *Journal of Physiology*, *jphysiol.2008.167130*. doi: 10.1113/jphysiol.2008.167130. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.167130v1>

Kerloch, T., Clavreul, S., Goron, A., Abrous, D. N., & Pacary, E. (2018). Dentate Granule Neurons Generated During Perinatal Life Display Distinct Morphological Features Compared With Later-Born Neurons in the Mouse Hippocampus. *Cerebral Cortex*, bhy224-bhy224. doi: 10.1093/cercor/bhy224. <http://dx.doi.org/10.1093/cercor/bhy224>

Kern, H., Boncompagni, S., Rossigni, K., Mayr, W., Protasi, F., & Carraro, U. (2004). Myogenesis contributes to functional electrical stimulation (fes)-induced recovery of myofiber excitability and mass of human long-term denervated muscles in spinal cord injury (SCI). *Journal of the Peripheral Nervous System*, 9(2), 116-116. doi:

Kerr, A. L., Wolke, M. L., Bell, J. A., & Jones, T. A. (2013). Post-stroke protection from maladaptive effects of learning with the non-paretic forelimb by bimanual home cage experience in C57BL/6 mice. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.05.062>. <http://www.sciencedirect.com/science/article/pii/S0166432813003410>

Kerr, J. N. D., de Kock, C. P. J., Greenberg, D. S., Bruno, R. M., Sakmann, B., & Helmchen, F. (2007). Spatial Organization of Neuronal Population Responses in Layer 2/3 of Rat Barrel Cortex. *Journal of Neuroscience*, 27(48), 13316-13328. doi: 10.1523/jneurosci.2210-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/48/13316>

Kerr, K. M., Agster, K. L., Furtak, S. C., & Burwell, R. D. (2007). Functional neuroanatomy of the parahippocampal region: the lateral and medial entorhinal areas. *Hippocampus*, 17(9), 697-708. doi:

Kerrisk, M. E., Greer, C. A., & Koleske, A. J. (2013). Integrin $\alpha 3$ Is Required for Late Postnatal Stability of Dendrite Arbors, Dendritic Spines and Synapses, and Mouse Behavior. *Journal of Neuroscience*,

33(16), 6742-6752. doi: 10.1523/jneurosci.0528-

13.2013. <http://www.jneurosci.org/content/33/16/6742.abstract>

Keshavarzi, S., Power, J. M., Albers, E. H., Sullivan, R. K., & Sah, P. (2015). Dendritic Organization of Olfactory Inputs to Medial Amygdala Neurons. *The Journal of Neuroscience*, 35(38), 13020-13028. doi: <http://www.jneurosci.org/content/35/38/13020.abstract#>

Keshavarzi, S., Sullivan, R. K., Ianno, D. J., & Sah, P. (2014). Functional Properties and Projections of Neurons in the Medial Amygdala. *The Journal of Neuroscience*, 34(26), 8699-8715. doi: <http://www.jneurosci.org/content/34/26/8699.short>

Kettenmann, H., Hanisch, U., Noda, M., & Verkhratsky, A. (2011). Physiology of microglia. *Physiological Reviews*, 91, 461 - 553. doi:

Keyser-Marcus, L., Stafisso-Sandoz, G., Gerecke, K., Jasnow, A., Nightingale, L., Lambert, K. G., . . . Kinsley, C. H. (2001). Alterations of medial preoptic area neurons following pregnancy and pregnancy-like steroidal treatment in the rat. *Brain Research Bulletin*, 55(6), 737-745. doi:

Kha, H. T., Finkelstein, D. I., Tomas, D., Drago, J., Pow, D. V., & Horne, M. K. (2001). Projections from the substantia nigra pars reticulata to the motor thalamus of the rat: single axon reconstructions and immunohistochemical study. *Journal of Comparative Neurology*, 440(1), 20-30. doi:

Khalansky, A. S., Hekmatara, T., Barnreuther, C., Rubtsov, B. V., Kondakova, L. I., Matschke, J., . . . Shvets, V. I. (2011). Morphological Evaluation of the Antitumour Effect of the Nanoparticle-Bound Doxorubicin in a Rat Glioblastoma Model. *Russian Journal of Biopharmaceuticals*, 3(2), 41-50. doi:

Khalil, R., Contreras-Ramirez, V., & Levitt, J. B. (2018). Postnatal refinement of interareal feedforward projections in ferret visual cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1632-2. <https://doi.org/10.1007/s00429-018-1632-2>

Khalil, R., & Levitt, J. B. (2014). Developmental remodeling of corticocortical feedback circuits in ferret visual cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23591. <http://dx.doi.org/10.1002/cne.23591>

Khalilov, I., Esclapez, M., Medina, I., Aggoun, D., Lamsa, K., Leinekugel, X., . . . Ben-Ari, Y. (1997). A novel in vitro preparation: the intact hippocampal formation. *Neuron*, 19(4), 743-749. doi:

Khalilq, Z. M., & Raman, I. M. (2006). Relative Contributions of Axonal and Somatic Na Channels to Action Potential Initiation in Cerebellar Purkinje Neurons. *Journal of Neuroscience*, 26(7), 1935-1944. doi: 10.1523/jneurosci.4664-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/7/1935>

Khalki, L., Sadlaoud, K., Lerond, J., Coq, J.-O., Brezun, J.-M., Vinay, L., . . . Bras, H. (2018). Changes in innervation of lumbar motoneurons and organization of premotor network following training of transected adult rats. *Experimental Neurology*, 299(Part A), 1-14. doi: <https://doi.org/10.1016/j.expneurol.2017.09.002>. <http://www.sciencedirect.com/science/article/pii/S0014488617302327>

Khankan, R. R., Griffis, K. G., Haggerty-Skeans, J. R., Zhong, H., Roy, R. R., Edgerton, V. R., & Phelps, P. E. (2016). Olfactory Ensheathing Cell Transplantation after a Complete Spinal Cord Transection Mediates Neuroprotective and Immunomodulatory Mechanisms to Facilitate Regeneration. *The Journal of Neuroscience*, 36(23), 6269-6286. doi: <http://www.jneurosci.org/content/36/23/6269.short>

- Khankan, R. R., Wanner, I. B., & Phelps, P. E. (2015). Olfactory ensheathing cell–neurite alignment enhances neurite outgrowth in scar-like cultures. *Experimental Neurology*, 269(0), 93-101. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.03.025>. <http://www.sciencedirect.com/science/article/pii/S0014488615001016>
- Kharatishvili, I., Nissinen, J. P., McIntosh, T. K., & Pitkänen, A. (2006). A model of posttraumatic epilepsy induced by lateral fluid-percussion brain injury in rats. *Neuroscience*, 140(2), 685-697. doi:
- Kharatishvili, I., & Pitkänen, A. (2010). Association of the severity of cortical damage with the occurrence of spontaneous seizures and hyperexcitability in an animal model of posttraumatic epilepsy. *Epilepsy Research*, 90(1-2), 47-59. doi:
- Khazipov, R., Esclapez, M., Caillard, O., Bernard, C., Khalilov, I., Tyzio, R., . . . Ben-Ari, Y. (2001). Early Development of Neuronal Activity in the Primate Hippocampus In Utero. *Journal of Neuroscience*, 21(24), 9770-9781. doi: <http://www.jneurosci.org/cgi/content/abstract/21/24/9770>
- Kherlopian, A., Song, T., Duan, Q., Neimark, M., Po, M., Gohagan, J., & Laine, A. (2008). A review of imaging techniques for systems biology. *BMC Systems Biology*, 2(1), 74. doi: <http://www.biomedcentral.com/1752-0509/2/74>
- Khodr, C. E., Pedapati, J., Han, Y., & Bohn, M. C. (2011). Inclusion of a portion of the native SNCA 3'UTR reduces toxicity of human S129A SNCA on striatal-projecting dopamine neurons in rat substantia nigra. *Developmental Neurobiology*. doi:
- Khodr, C. E., Sapru, M. K., Pedapati, J., Han, Y., West, N. C., Kells, A. P., . . . Bohn, M. C. (2011). An alpha-synuclein AAV gene silencing vector ameliorates a behavioral deficit in a rat model of Parkinson's disease, but displays toxicity in dopamine neurons. *Brain Research*. doi:
- Kholodar-Smith, D. B., Allen, T. A., & Brown, T. H. (2008). Fear conditioning to discontinuous auditory cues requires perirhinal cortical function. *Behavioral Neuroscience*, 122(5), 1178-1178. doi:
- Kholodar-Smith, D. B., Boguszewski, P., & Brown, T. H. (2008). Auditory trace fear conditioning requires perirhinal cortex. *Neurobiology of Learning and Memory*, 90(3), 537-543. doi:
- Kholodilov, N., Yarygina, O., Oo, T. F., Zhang, H., Sulzer, D., Dauer, W., & Burke, R. E. (2004). Regulation of the Development of Mesencephalic Dopaminergic Systems by the Selective Expression of Glial Cell Line-Derived Neurotrophic Factor in Their Targets. *Journal of Neuroscience*, 24(12), 3136-3146. doi: 10.1523/jneurosci.4506-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/12/3136>
- Khorevin, V. I. (2008). Central projections of the lagena (the third otolith endorgan of the inner ear) in the pigeon. *Neurophysiology*, 40(3), 167-177. doi:
- Khoshvakhti, H., Yurt, K. K., Altunkaynak, B. Z., Türkmen, A. P., Elibol, E., Aydın, I., . . . Kaplan, S. (2015). Effects of melatonin on diclofenac sodium treated rat kidney: a stereological and histopathological study. *Renal Failure*, (ahead-of-print), 1-5. doi: <http://www.tandfonline.com/doi/abs/10.3109/0886022X.2015.1073556>
- Khosrovani, S., Van Der Giessen, R. S., De Zeeuw, C. I., & De Jeu, M. T. G. (2007). In vivo mouse inferior olive neurons exhibit heterogeneous subthreshold oscillations and spiking patterns. *Proceedings of the National Academy of Sciences*, 104(40), 15911-15916. doi: 10.1073/pnas.0702727104. <http://www.pnas.org/cgi/content/abstract/104/40/15911>

Khundadze, M., Kollmann, K., Koch, N., Biskup, C., Nietzsche, S., Zimmer, G., . . . Hübner, C. A. (2013). A Hereditary Spastic Paraplegia Mouse Model Supports a Role of ZFYVE26/SPASTIZIN for the Endolysosomal System. *PLoS Genet*, 9(12), e1003988. doi: 10.1371/journal.pgen.1003988. <http://dx.doi.org/10.1371%2Fjournal.pgen.1003988>

Khurshid, N., Agarwal, V., & Iyengar, S. (2009). Expression of [mu]- and Opioid receptors in song control regions of adult male zebra finches (*Taenopygia guttata*). *Journal of Chemical Neuroanatomy*, 37(3), 158-169. doi.

Khurshid, N., Hameed, L. S., Mohanasundaram, S., & Iyengar, S. (2010). Opioid modulation of cell proliferation in the ventricular zone of adult zebra finches (*Taenopygia guttata*). *The FASEB journal*, 24(10), 3681-3695. doi.

Kichula, E. A., & Huntley, G. W. (2008). Developmental and comparative aspects of posterior medial thalamocortical innervation of the barrel cortex in mice and rats. *Journal of Comparative Neurology*, 509(3), 239-258. doi.

Kiechle, T., Dedeoglu, A., Kubilus, J., Kowall, N. W., Beal, M. F., Friedlander, R. M., . . . Ferrante, R. J. (2002). Cytochrome C and caspase-9 expression in Huntington's disease. *Neuromolecular Medicine*, 1(3), 183-195. doi.

Kiffer, F., Alexander, T., Anderson, J. E., Groves, T., Wang, J., Sridharan, V., . . . Allen, A. R. (2019). Late Effects of 16O-Particle Radiation on Female Social and Cognitive Behavior and Hippocampal Physiology. *Radiation Research*, 0(0), null. doi: 10.1667/rr15092.1. <http://www.rjournal.org/doi/abs/10.1667/RR15092.1>

Kiffer, F., Carr, H., Groves, T., Anderson, J. E., Alexander, T., Wang, J., . . . Allen, A. R. (2017). Effects of 1H + 16O Charged Particle Irradiation on Short-Term Memory and Hippocampal Physiology in a Murine Model. *Radiation Research*, 0(0), null. doi: 10.1667/rr14843.1. <http://www.rjournal.org/doi/abs/10.1667/RR14843.1>

Kiffer, F., Howe, A. K., Carr, H., Wang, J., Alexander, T., Anderson, J. E., . . . Allen, A. R. (2018). Late effects of 1H irradiation on hippocampal physiology. *Life Sciences in Space Research*, 17, 51-62. doi: <https://doi.org/10.1016/j.lssr.2018.03.004>. <https://www.sciencedirect.com/science/article/pii/S2214552417301141>

Kikuta, S., Sakamoto, T., Nagayama, S., Kanaya, K., Kinoshita, M., Kondo, K., . . . Yamasoba, T. (2015). Sensory Deprivation Disrupts Homeostatic Regeneration of Newly Generated Olfactory Sensory Neurons after Injury in Adult Mice. *The Journal of Neuroscience*, 35(6), 2657-2673. doi. <http://www.jneurosci.org/content/35/6/2657.short>

Kikuta, S., Sato, K., Kashiwadani, H., Tsunoda, K., Yamasoba, T., & Mori, K. (2010). Neurons in the anterior olfactory nucleus pars externa detect right or left localization of odor sources. *Proceedings of the National Academy of Sciences*, 107(27), 12363-12368. doi: 10.1073/pnas.1003999107. <http://www.pnas.org/content/107/27/12363.abstract>

Kilb, W., Hartmann, D., Saftig, P., & Luhmann, H. J. (2004). Altered morphological and electrophysiological properties of Cajal-Retzius cells in cerebral cortex of embryonic Presenilin-1 knockout mice. *European Journal of Neuroscience*, 20(10), 2749-2756. doi: doi:10.1111/j.1460-9568.2004.03732.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03732.x>

Kilb, W., Kirischuk, S., & Luhmann, H. J. (2011). Electrical activity patterns and the functional maturation of the neocortex. *European Journal of Neuroscience*, 34(10), 1677-1686. doi.

Kim, C. B. Y., Pier, L. P., & Spear, P. D. (1997). Effects of aging on numbers and sizes of neurons in histochemically defined subregions of monkey striate cortex. *The Anatomical Record*, 247(1), 119-128. doi: [http://dx.doi.org/10.1002/\(SICI\)1097-0185\(199701\)247:1<119::AID-AR14>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0185(199701)247:1<119::AID-AR14>3.0.CO;2-S)

Kim, C. B. Y., Tom, B. W., & Spear, P. D. (1996). Effects of aging on the densities, numbers, and sizes of retinal ganglion cells in rhesus monkey. *Neurobiology of Aging*, 17(3), 431-438. doi.

Kim, Euseok J., Juavinett, Ashley L., Kyubwa, Espoir M., Jacobs, Matthew W., & Callaway, Edward M. (2015). Three Types of Cortical Layer 5 Neurons That Differ in Brain-wide Connectivity and Function. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.11.002> <http://www.sciencedirect.com/science/article/pii/S0896627315009812>

Kim, E. R., Lew, P. S., Spirikina, A., & Mizuno, T. M. (2016). Xenin-induced feeding suppression is not mediated through the activation of central extracellular signal-regulated kinase signaling in mice. *Behavioural Brain Research*, 312, 118-126. doi: <http://dx.doi.org/10.1016/j.bbr.2016.06.026> <http://www.sciencedirect.com/science/article/pii/S0166432816303801>

Kim, E. S., Kim, G. M., Lu, X., Hsu, C. Y., & Xu, X. M. (2002). Neural circuitry of the adult rat central nervous system after spinal cord injury: a study using fast blue and the Bartha strain of pseudorabies virus. *Journal of Neurotrauma*, 19(6), 787-800. doi.

Kim, E. S., Li, H., McCulloch, P. F., Morrison, L. A., Yoon, K. W., & Xu, X. M. (2000). Spatial and temporal patterns of transneuronal labeling in CNS neurons after injection of pseudorabies virus into the sciatic nerve of adult rats. *Brain Research*, 857(1-2), 41-55. doi.

Kim, G.-M., Xu, J., Xu, J., Song, S.-K., Yan, P., Ku, G., . . . Hsu, C. Y. (2001). Tumor Necrosis Factor Receptor Deletion Reduces Nuclear Factor- κ B Activation, Cellular Inhibitor of Apoptosis Protein 2 Expression, and Functional Recovery after Traumatic Spinal Cord Injury. *Journal of Neuroscience*, 21(17), 6617-6625. doi: <http://www.jneurosci.org/cgi/content/abstract/21/17/6617>

Kim, H. C., Yamada, K., Nitta, A., Olariu, A., Tran, M. H., Mizuno, M., . . . others. (2003). Immunocytochemical evidence that amyloid β (1-42) impairs endogenous antioxidant systems in vivo. *Neuroscience*, 119(2), 399-419. doi.

Kim, H. G., & Connors, B. W. (1993). Apical dendrites of the neocortex: correlation between sodium- and calcium-dependent spiking and pyramidal cell morphology. *Journal of Neuroscience*, 13(12), 5301-5311. doi: <http://www.jneurosci.org/cgi/content/abstract/13/12/5301>

Kim, H. H., Puche, A. C., & Margolis, F. L. (2006). Odorant Deprivation Reversibly Modulates Transsynaptic Changes in the NR2B-Mediated CREB Pathway in Mouse Piriform Cortex. *Journal of Neuroscience*, 26(37), 9548-9559. doi: 10.1523/jneurosci.1727-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/37/9548>

Kim, I., Wilson, R. E., & Wellman, C. L. (2005). Aging and cholinergic deafferentation alter GluR1 expression in rat frontal cortex. *Neurobiology of Aging*, 26(7), 1073-1081. doi.

Kim, J., Matney, C. J., Roth, R. H., & Brown, S. P. (2016). Synaptic Organization of the Neuronal Circuits of the Claustrum. *The Journal of Neuroscience*, 36(3), 773-784. doi: <http://www.jneurosci.org/content/36/3/773.short>

Kim, J., Schalk, J. C., Koss, W. A., Gremminger, R. L., Taxier, L. R., Gross, K. S., & Frick, K. M. (2019). Dorsal Hippocampal Actin Polymerization is Necessary for Activation of G-protein-Coupled Estrogen Receptor (GPER) to Increase CA1 Dendritic Spine Density and Enhance Memory Consolidation. *The Journal of Neuroscience*, 2687-2618. doi: 10.1523/jneurosci.2687-18.2019. <http://www.jneurosci.org/content/early/2019/10/18/JNEUROSCI.2687-18.2019..>

Kim, J. C., & Mankarious, L. A. (2000). Novel cell proliferation marker for identification of a growth center in the developing human cricoid. *Archives of Otolaryngology- Head and Neck Surgery*, 126(2), 197-197. doi.

Kim, Jung H., Wang, X., Coolon, R., & Ye, B. (2013). Dscam Expression Levels Determine Presynaptic Arbor Sizes in *Drosophila* Sensory Neurons. *Neuron*, 78(5), 827-838. doi: <http://dx.doi.org/10.1016/j.neuron.2013.05.020>. <http://www.sciencedirect.com/science/article/pii/S0896627313004406>

Kim, J.-Y., Ash, R. T., Ceballos-Diaz, C., Levites, Y., Golde, T. E., Smirnakis, S. M., & Jankowsky, J. L. (2013). Viral transduction of the neonatal brain delivers controllable genetic mosaicism for visualising and manipulating neuronal circuits in vivo. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12126. <http://dx.doi.org/10.1111/ejn.12126>

Kim, K. Y., Ju, W. K., Hegedus, B., Gutmann, D. H., & Ellisman, M. H. (2010). Ultrastructural characterization of the optic pathway in a mouse model of neurofibromatosis-1 optic glioma. *Neuroscience*, 170(1), 178-188. doi.

Kim, M., Chiego, D. J., & Bradley, R. M. (2004). Morphology of parasympathetic neurons innervating rat lingual salivary glands. *Autonomic Neuroscience*, 111(1), 27-36. doi.

Kim, M., Chiego, D. J., & Bradley, R. M. (2008). Ionotropic glutamate receptor expression in preganglionic neurons of the rat inferior salivatory nucleus. *Autonomic Neuroscience*, 138(1), 83-90. doi.

Kim, M. E., Shrestha, B. R., Blazeski, R., Mason, C. A., & Grueber, W. B. (2012). Integrins Establish Dendrite-Substrate Relationships that Promote Dendritic Self-Avoidance and Patterning in *Drosophila* Sensory Neurons. *Neuron*, 73(1), 79-91. doi.

Kim, S. K., Hwang, I. K., Yoo, K. Y., Yoo, D. Y., Bae, E., Lee, C. H., . . . others. (2010). Pregnancy inhibits cell proliferation and neuroblast differentiation without neuronal damage in the hippocampal dentate gyrus in C57BL/6N mice. *Brain Research*, 1315, 25-32. doi.

Kim, S. Y., Hsu, J. E., Husbands, L. C., Kleim, J. A., & Jones, T. A. (2017). Coordinated plasticity of synapses and astrocytes underlies practice-driven functional vicariation in peri-infarct motor cortex. [10.1523/JNEUROSCI.1295-17.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/11/13/JNEUROSCI.1295-17.2017..>

Kim, S. Y., & Jones, T. A. (2010). Lesion size-dependent synaptic and astrocytic responses in cortex contralateral to infarcts in middle-aged rats. *Synapse*, 64(9), 659-671. doi.

Kim, S. Y., & Jones, T. A. (2012). The effects of ceftriaxone on skill learning and motor functional outcome after ischemic cortical damage in rats. *Restorative Neurology and Neuroscience*. doi.

Kim, T. H., Richards, K., Heng, J., Petrou, S., & Reid, C. A. (2012). Two lines of transgenic mice expressing cre-recombinase exhibit increased seizure susceptibility. *Epilepsy Research*, (0).

doi: <http://dx.doi.org/10.1016/j.eplepsyres.2012.10.005>. <http://www.sciencedirect.com/science/article/pii/S0920121112003117>

Kim, W., Kim, D. W., Shin, B. N., Yoo, D. Y., Nam, S. M., Kim, M. J., . . . others. (2011). PEP-1-Frataxin Significantly Increases Cell Proliferation and Neuroblast Differentiation by Reducing Lipid Peroxidation in the Mouse Dentate Gyrus. *Neurochemical Research*, 1-7. doi.

Kimura, E., Ding, Y., & Tohyama, C. (2016). AhR signaling activation disrupts migration and dendritic growth of olfactory interneurons in the developing mouse. [Article]. *Scientific Reports*, 6, 26386. doi: 10.1038/srep26386. <http://dx.doi.org/10.1038/srep26386>

Kimura, E., Kubo, K.-i., Matsuyoshi, C., Benner, S., Hosokawa, M., Endo, T., . . . Tohyama, C. (2015). Developmental origin of abnormal dendritic growth in the mouse brain induced by in utero disruption of aryl hydrocarbon receptor signaling. *Neurotoxicology and Teratology*. doi: <http://dx.doi.org/10.1016/j.ntt.2015.10.005>. <http://www.sciencedirect.com/science/article/pii/S0892036215300398>

Kimura, E., Matsuyoshi, C., Miyazaki, W., Benner, S., Hosokawa, M., Yokoyama, K., . . . Tohyama, C. (2015). Prenatal exposure to bisphenol A impacts neuronal morphology in the hippocampal CA1 region in developing and aged mice. *Archives of Toxicology*, 1-10. doi. <http://link.springer.com/article/10.1007/s00204-015-1485-x/fulltext.html>

Kimura, T., Fukuda, T., Sahara, N., Yamashita, S., Murayama, M., Mizoroki, T., . . . Takashima, A. (2010). Aggregation of Detergent-insoluble Tau Is Involved in Neuronal Loss but Not in Synaptic Loss. *Journal of Biological Chemistry*, 285(49), 38692-38699. doi: 10.1074/jbc.M110.136630. <http://www.jbc.org/content/285/49/38692.abstract>

Kimura, T., & Murakami, F. (2014). Evidence That Dendritic Mitochondria Negatively Regulate Dendritic Branching in Pyramidal Neurons in the Neocortex. *The Journal of Neuroscience*, 34(20), 6938-6951. doi. <http://www.jneurosci.org/content/34/20/6938.short>

Kimura, T., Yamashita, S., Fukuda, T., Park, J.-M., Murayama, M., Mizoroki, T., . . . Takashima, A. (2007). Hyperphosphorylated tau in parahippocampal cortex impairs place learning in aged mice expressing wild-type human tau. *EMBO Journal*, 26, 5143-5152. doi.

King, C. T., Hashimoto, K., Blonde, G. D., & Spector, A. C. (2015). Unconditioned oromotor taste reactivity elicited by sucrose and quinine is unaffected by extensive bilateral damage to the gustatory zone of the insular cortex in rats. *Brain Research*, 1599(0), 9-19. doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.035>. <http://www.sciencedirect.com/science/article/pii/S0006899314017429>

King, C. T., Travers, S. P., Rowland, N. E., Garcea, M., & Spector, A. C. (1999). Glossopharyngeal Nerve Transection Eliminates Quinine-Stimulated Fos-Like Immunoreactivity in the Nucleus of the Solitary Tract: Implications for a Functional Topography of Gustatory Nerve Input in Rats. *Journal of Neuroscience*, 19(8), 3107-3121. doi. <http://www.jneurosci.org/cgi/content/abstract/19/8/3107>

King, L. A., Mitrophanous, K. A., Clark, L. A., Kim, V. N., Rohll, J. B., Kingsman, A. J., & Colello, R. J. (2000). Growth factor enhanced retroviral gene transfer to the adult central nervous system. *Gene Therapy*, 7, 1103-1111. doi.

Kingsbury, M. A., Graf, E. R., & Finlay, B. L. (2000). Altered development of visual subcortical projections following neonatal thalamic ablation in the hamster. *Journal of Comparative Neurology*, 424(1), 165-178. doi.

- Kingsbury, M. A., Lettman, N. A., & Finlay, B. L. (2002). Reduction of early thalamic input alters adult corticocortical connectivity. *Developmental Brain Research*, 138(1), 35-43. doi.
- Kinney, H. C., Belliveau, R. A., Trachtenberg, F. L., Rava, L. A., & Paterson, D. S. (2007). The development of the medullary serotonergic system in early human life. *Autonomic Neuroscience*, 132(1), 81-102. doi.
- Kinney, H. C., Haynes, R. L., Xu, G., Andiman, S. E., Folkerth, R. D., Sleeper, L. A., & Volpe, J. J. (2012). Neuron deficit in the white matter and subplate in periventricular leukomalacia. *Annals of Neurology*. doi.
- Kinoshita, Y., Kalir, T., Rahaman, J., Dottino, P., & Stave Kohtz, D. (2011). Alterations in nuclear pore architecture allow cancer cell entry into or exit from drug-resistant dormancy. *American journal of pathology*. doi.
- Kinsley, C. H., Trainer, R., Stafisso-Sandoz, G., Quadros, P., Marcus, L. K., Hearon, C., . . . others. (2006). Motherhood and the hormones of pregnancy modify concentrations of hippocampal neuronal dendritic spines. *Hormones and Behavior*, 49(2), 131-142. doi.
- Kipiani, E. (2009). Timing of action potentials and input currents in perisomatic and trilaminar interneurons during kainate induced gamma oscillations in mice CA1 hippocampus. *Georgian Medical News*, (170), 75-75. doi.
- Kirschuk, S., Luhmann, H. J., & Kilb, W. (2014). Cajal–Retzius cells: Update on structural and functional properties of these mystic neurons that bridged the 20th century. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.06.009>. <http://www.sciencedirect.com/science/article/pii/S0306452214004941>
- Kishan, A. U., Lee, C. C., & Winer, J. A. (2008). Branched projections in the auditory thalamocortical and corticocortical systems. *Neuroscience*, 154(1), 283-293. doi.
- Kiss, J., Csaba, Z., Csáki, Á., & Halász, B. (2013). Demonstration of estrogen receptor α protein in glutamatergic (vesicular glutamate transporter 2 immunoreactive) neurons of the female rat hypothalamus and amygdala using double-label immunocytochemistry. *Experimental Brain Research*, 1-8. doi.
- Kiss, J., Maglóczy, Z., Somogyi, J., & Freund, T. F. (1997). Distribution of calretinin-containing neurons relative to other neurochemically-identified cell types in the medial septum of the rat. *Neuroscience*, 78(2), 399-410. doi.
- Kisvárdy, Z. F., Bonhoeffer, T., Kim, D. S., & Eysel, U. T. (1996). Functional topography of horizontal neuronal networks in cat visual cortex (area 18). *Brain theory: biological basis and computational principles*, 97-122. doi.
- Kisvárdy, Z. F., Crook, J. M., Buzás, P., & Eysel, U. T. (2000). Combined physiological-anatomical approaches to study lateral inhibition. *Journal of Neuroscience Methods*, 103(1), 91-106. doi.
- Kisvárdy, Z. F., Ferecskó, A. S., Kovács, K., Buzás, P., Budd, J. M. L., & Eysel, U. T. (2002). One axon-multiple functions: specificity of lateral inhibitory connections by large basket cells. *Journal of Neurocytology*, 31(3), 255-264. doi.

- Kisvarday, Z. F., Toth, E., Rausch, M., & Eysel, U. T. (1997). Orientation-specific relationship between populations of excitatory and inhibitory lateral connections in the visual cortex of the cat. *Cerebral Cortex*, 7(7), 605-618. doi.
- Kita, H. (1996). Two pathways between the cortex and the basal ganglia output nuclei and the globus pallidus. *Advances in Behavioral Biology*, 47, 77-96. doi.
- Kitamura, A., Hojo, Y., Ikeda, M., Karakawa, S., Kuwahara, T., Kim, J., . . . Tsurugizawa, T. (2018). Ingested d-Aspartate Facilitates the Functional Connectivity and Modifies Dendritic Spine Morphology in Rat Hippocampus. *Cerebral Cortex*, bhy120-bhy120. doi: 10.1093/cercor/bhy120. <http://dx.doi.org/10.1093/cercor/bhy120>
- Kiyama, T., Long, Y., Chen, C.-K., Whitaker, C. M., Shay, A., Wu, H., . . . Mao, C.-A. (2019). Essential Roles of Tbr1 in the Formation and Maintenance of the Orientation-Selective J-RGCs and a Group of OFF-Sustained RGCs in Mouse. *Cell Reports*, 27(3), 900-915.e905. doi: <https://doi.org/10.1016/j.celrep.2019.03.077>. <http://www.sciencedirect.com/science/article/pii/S2211124719304164>
- Kiyashchenko, L. I., Mileykovskiy, B. Y., Lai, Y.-Y., & Siegel, J. M. (2001). Increased and Decreased Muscle Tone With Orexin (Hypocretin) Microinjections in the Locus Coeruleus and Pontine Inhibitory Area. *Journal of Neurophysiology*, 85(5), 2008-2016. doi. <http://jn.physiology.org/cgi/content/abstract/85/5/2008>
- Kiyokage, E., Kobayashi, K., & Toida, K. (2016). Spatial distribution of synapses on tyrosine hydroxylase expressing juxtglomerular cells in the mouse olfactory glomerulus. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24147. <http://dx.doi.org/10.1002/cne.24147>
- Kiyokage, E., Pan, Y. Z., Shao, Z., Kobayashi, K., Szabo, G., Yanagawa, Y., . . . others. (2010). Molecular identity of periglomerular and short axon cells. *Journal of Neuroscience*, 30(3), 1185-1196. doi.
- Kiyokage, E., Pan, Y.-Z., Shao, Z., Kobayashi, K., Szabo, G., Yanagawa, Y., . . . Shipley, M. T. (2010). Molecular Identity of Periglomerular and Short Axon Cells. *Journal of Neuroscience* 30(3), 1185-1196. doi: 10.1523/jneurosci.3497-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/3/1185>
- Kiyomoto, M., Shinoda, M., Okada-Ogawa, A., Noma, N., Shibuta, K., Tsuboi, Y., . . . Iwata, K. (2013). Fractalkine Signaling in Microglia Contributes to Ectopic Orofacial Pain following Trapezius Muscle Inflammation. *Journal of Neuroscience*, 33(18), 7667-7680. doi: 10.1523/jneurosci.4968-12.2013. <http://www.jneurosci.org/content/33/18/7667.abstract>
- Kjonigsen, L. J., Leergaard, T. B., Witter, M. P., & Bjaalie, J. G. (2011). Digital atlas of anatomical subdivisions and boundaries of the rat hippocampal region. *Frontiers in neuroinformatics*, 5. doi.
- Klam, F., & Graf, W. (2003). Vestibular response kinematics in posterior parietal cortex neurons of macaque monkeys. *European Journal of Neuroscience*, 18(4), 995-1010. doi: doi:10.1046/j.1460-9568.2003.02813.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02813.x>
- Klam, F., & Graf, W. (2006). Discrimination between active and passive head movements by macaque ventral and medial intraparietal cortex neurons. *Journal of Physiology*, 574(2), 367-386. doi: 10.1113/jphysiol.2005.103697. <http://jp.physoc.org/cgi/content/abstract/574/2/367>
- Klapka, N., Hermanns, S., Straten, G., Masanneck, C., Duis, S., Hamers, F. P. T., . . . Muller, H. W. (2005). Suppression of fibrous scarring in spinal cord injury of rat promotes long-distance regeneration of

corticospinal tract axons, rescue of primary motoneurons in somatosensory cortex and significant functional recovery. *European Journal of Neuroscience*, 22(12), 3047-3058. doi: doi:10.1111/j.1460-9568.2005.04495.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04495.x>

Klein, R. C., Acheson, S. K., Mace, B. E., Sullivan, P. M., & Moore, S. D. (2014). Altered neurotransmission in the lateral amygdala in aged human apoE4 targeted replacement mice. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.02.019>. <http://www.sciencedirect.com/science/article/pii/S0197458014002255>

Klein, R. C., Mace, B. E., Moore, S. D., & Sullivan, P. M. (2010). Progressive loss of synaptic integrity in human apolipoprotein E4 targeted replacement mice and attenuation by apolipoprotein E2. *Neuroscience*, 171(4), 1265-1272. doi.

Klein, R. C., Saini, S., Risher, M. L., Acheson, S. K., Fleming, R. L., Sexton, H. G., . . . Moore, S. D. (2014). Regional-Specific Effects of Ovarian Hormone Loss on Synaptic Plasticity in Adult Human APOE Targeted Replacement Mice. *PLoS ONE*, 9(4), e94071. doi: 10.1371/journal.pone.0094071. <http://dx.doi.org/10.1371/journal.pone.0094071>

Klenowski, P. M., Fogarty, M. J., Belmer, A., Noakes, P. G., Bellingham, M. C., & Bartlett, S. E. (2015). Structural and functional characterization of dendritic arbors and GABAergic synaptic inputs on interneurons and principal cells in the rat basolateral amygdala. [10.1152/jn.00824.2014]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2015/06/01/jn.00824.2014.abstract>

Klenowski, P. M., Fogarty, M. J., Shariff, M., Belmer, A., Bellingham, M. C., & Bartlett, S. E. (2016). Increased synaptic excitation and abnormal dendritic structure of prefrontal cortex layer V pyramidal neurons following prolonged binge-like consumption of ethanol. [10.1523/ENEURO.0248-16.2016]. *eneuro*. doi: <http://eneuro.org/content/early/2016/11/30/ENEURO.0248-16.2016.abstract>

Klevenyi, P., Andreassen, O., Ferrante, R. J., Schleicher Jr, J. R., Friedlander, R. M., & Beal, M. F. (1999). Transgenic mice expressing a dominant negative mutant interleukin-1 beta converting enzyme show resistance to MPTP neurotoxicity. *Neuroreport*, 10(3), 635-635. doi.

Klevenyi, P., Andreassen, O. A., Ferrante, R. J., Dedeoglu, A., Mueller, G., Lancelot, E., . . . Beal, M. F. (2000). Mice Deficient in Cellular Glutathione Peroxidase Show Increased Vulnerability to Malonate, 3-Nitropropionic Acid, and 1-Methyl-4-Phenyl-1,2,5,6-Tetrahydropyridine. *Journal of Neuroscience*, 20(1), 1-7. doi: <http://www.jneurosci.org/cgi/content/abstract/20/1/1>

Klevenyi, P., Andreassen, O. A., Ferrante, R. J., Lancelot, E., Reif, D., & Beal, M. F. (2000). Inhibition of neuronal nitric oxide synthase protects against MPTP toxicity. *Neuroreport*, 11(6), 1265-1265. doi.

Klevenyi, P., Beal, M. F., Ferrante, R. J., Andreassen, O. A., Wermer, M., Chin, M.-R., & Bonventre, J. V. (1998). Mice Deficient in Group IV Cytosolic Phospholipase A2 Are Resistant to MPTP Neurotoxicity. *Journal of Neurochemistry*, 71, 2634-2637. doi.

Klevenyi, P., Ferrante, R. J., Gardian, G., Browne, S., Chabrier, P.-E., & Beal, M. F. (2003). Increased survival and neuroprotective effects of BN82451 in a transgenic mouse model of Huntington's disease. *Journal of Neurochemistry*, 86(1), 267-272. doi: <http://www.jneurochem.org/cgi/content/abstract/86/1/267>

Klevenyi, P., Ferrante, R. J., Matthews, R. T., Bogdanov, M. B., Klein, A. M., Andreassen, O. A., . . . Beal, M. F. (1999). Neuroprotective effects of creatine in a transgenic animal model of amyotrophic lateral sclerosis. *Nature Medicine*, 5, 347-350. doi.

Klivenyi, P., Siwek, D., Gardian, G., Yang, L., Starkov, A., Cleren, C., . . . Beal, M. F. (2006). Mice lacking alpha-synuclein are resistant to mitochondrial toxins. *Neurobiology of Disease*, 21(3), 541-548. doi:

Klocke, C., Allen, J. L., Sobolewski, M., Blum, J. L., Zelikoff, J. T., & Cory-Slechta, D. A. (2017). Exposure to Fine and Ultrafine Particulate Matter during Gestation Alters Postnatal Oligodendrocyte Maturation, Proliferation Capacity, and Myelination. *Neurotoxicology*. doi: <https://doi.org/10.1016/j.neuro.2017.10.004>, <http://www.sciencedirect.com/science/article/pii/S0161813X17302085>

Klocke, C., Allen, J. L., Sobolewski, M., Mayer-Pröschel, M., Blum, J. L., Lauterstein, D., . . . Cory-Slechta, D. A. (2017). Neuropathological Consequences of Gestational Exposure to Concentrated Ambient Fine and Ultrafine Particles in the Mouse. *Toxicological Sciences*. doi: 10.1093/toxsci/kfx010. <http://toxsci.oxfordjournals.org/content/early/2017/01/13/toxsci.kfx010...>

Kloosterboer, E., & Funke, K. (2019). Repetitive transcranial magnetic stimulation recovers cortical map plasticity induced by sensory deprivation due to deafferentiation. *The Journal of Physiology*, o(ja). doi: 10.1113/jp277507. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP277507>

Kloosterman, F., van Haeften, T., Witter, M. P., & Lopes da Silva, F. H. (2003). Electrophysiological characterization of interlaminar entorhinal connections: an essential link for re-entrance in the hippocampal-entorhinal system. *European Journal of Neuroscience*, 18(11), 3037-3052. doi: doi:10.1111/j.1460-9568.2003.03046.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2003.03046.x>

Klop, E. M., Mouton, L. J., & Holstege, G. (2002). Nucleus retroambiguus projections to the periaqueductal grey in the cat. *Journal of Comparative Neurology*, 445(1), 47-58. doi:

Klop, E. M., Mouton, L. J., & Holstege, G. (2006). Periparabigeminal and adjoining mesencephalic tegmental field projections to the dorsolateral periaqueductal grey in cat - a possible role for oculomotor input in the defensive system. *European Journal of Neuroscience*, 23(8), 2145-2157. doi: doi:10.1111/j.1460-9568.2006.04740.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04740.x>

Klop, E. M., Mouton, L. J., Kuipers, R., & Holstege, G. (2005). Neurons in the lateral sacral cord of the cat project to periaqueductal grey, but not to thalamus. *European Journal of Neuroscience*, 21(8), 2159-2166. doi: doi:10.1111/j.1460-9568.2005.04039.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04039.x>

Klug, J. R., Mathur, B. N., Kash, T. L., Wang, H.-D., Matthews, R. T., Robison, A. J., . . . Winder, D. G. (2012). Genetic Inhibition of CaMKII in Dorsal Striatal Medium Spiny Neurons Reduces Functional Excitatory Synapses and Enhances Intrinsic Excitability. *PLoS ONE*, 7(9), e45323. doi: 10.1371/journal.pone.0045323. <http://dx.doi.org/10.1371%2Fjournal.pone.0045323>

Klusman, I., & Schwab, M. E. (1997). Effects of pro-inflammatory cytokines in experimental spinal cord injury. *Brain Research*, 762(1-2), 173-184. doi:

Knafo, S., Ariav, G., Barkai, E., & Libersat, F. (2004). Olfactory learning-induced increase in spine density along the apical dendrites of CA1 hippocampal neurons. *Hippocampus*, 14(7), 819-825. doi:

Knafo, S., Grossman, Y., Barkai, E., & Benshalom, G. (2001). Olfactory learning is associated with increased spine density along apical dendrites of pyramidal neurons in the rat piriform cortex. *European Journal of Neuroscience*, 13(3), 633. doi:

Knafo, S., Libersat, F., & Barkai, E. (2005). Dynamics of learning-induced spine redistribution along dendrites of pyramidal neurons in rats. *European Journal of Neuroscience*, 21(4), 927-935. doi: doi:10.1111/j.1460-9568.2005.03936.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03936.x>

Knafo, S., Venero, C., Merino-Serrais, P., Fernaud-Espinosa, I., Gonzalez-Soriano, J., Ferrer, I., . . . DeFelipe, J. (2009). Morphological alterations to neurons of the amygdala and impaired fear conditioning in a transgenic mouse model of Alzheimer's disease. *Journal of Pathology*, 219(1), 41-51. doi.

Knafo, S., Venero, C., Sánchez-Puelles, C., Pereda-Peréz, I., Franco, A., Sandi, C., . . . others. (2012). Facilitation of AMPA Receptor Synaptic Delivery as a Molecular Mechanism for Cognitive Enhancement. *PLoS Biology*, 10(2), e1001262-e1001262. doi.

Kneynsberg, A., & Kanaan, N. M. (2017). Aging Does Not Affect Axon Initial Segment Structure and Somatic Localization of Tau Protein in Hippocampal Neurons of Fischer 344 Rats. [10.1523/ENEURO.0043-17.2017]. *eneuro*, 4(4). doi: <http://eneuro.org/content/4/4/ENEURO.0043-17.2017.abstract>

Knight, J. C., Scharf, E. L., & Mao-Draayer, Y. (2010). Fas activation increases neural progenitor cell survival. *Journal of Neuroscience Research*, 88(4), 746-757. doi.

Knight, W. D., Little, J. T., Carreno, F. R., Toney, G. M., Mifflin, S. W., & Cunningham, J. T. (2011). Chronic intermittent hypoxia increases blood pressure and expression of FosB/ΔosB in central autonomic regions. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 301(1), R131-R139. doi: 10.1152/ajpregu.00830.2010. <http://ajpregu.physiology.org/content/301/1/R131.abstract>

Knott, G. W. (2013). Imaging Green Fluorescent Protein-Labeled Neurons Using Light and Electron Microscopy. *Cold Spring Harbor Protocols*, 2013(6), pdb.prot075127. doi: 10.1101/pdb.prot075127. <http://cshprotocols.cshlp.org/content/2013/6/pdb.prot075127.abstract>

Knott, G. W., Holtmaat, A., Wilbrecht, L., Welker, E., & Svoboda, K. (2006). Spine growth precedes synapse formation in the adult neocortex in vivo. *Nature Neuroscience*. doi.

Knowles, J. K., Rajadas, J., Nguyen, T.-V. V., Yang, T., LeMieux, M. C., Vander Griend, L., . . . Longo, F. M. (2009). The p75 Neurotrophin Receptor Promotes Amyloid-β(1-42)-Induced Neuritic Dystrophy In Vitro and In Vivo. *Journal of Neuroscience*, 29(34), 10627-10637. doi: 10.1523/jneurosci.0620-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/34/10627>

Knowles, J. K., Simmons, D. A., Nguyen, T.-V. V., Vander Griend, L., Xie, Y., Zhang, H., . . . Longo, F. M. (2013). A small molecule p75NTR ligand prevents cognitive deficits and neurite degeneration in an Alzheimer's mouse model. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2013.02.015>. <http://www.sciencedirect.com/science/article/pii/S0197458013000882>

Knutson, D. C., Mitzey, A. M., Talton, L. E., & Clagett-Dame, M. (2015). Mice null for NEDD9 (HEF1) display extensive hippocampal dendritic spine loss and cognitive impairment. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2015.12.005>. <http://www.sciencedirect.com/science/article/pii/S0006899315009440>

Knyihár-Csillik, E., Tajti, J., Chadaide, Z., Csillik, B., & Vécsei, L. (2001). Functional immunohistochemistry of neuropeptides and nitric oxide synthase in the nerve fibers of the

supratentorial dura mater in an experimental migraine model. *Microscopy Research and Technique*, 53(3), 193-211. doi.

Knyihar-Csillik, E., Tajti, J., Csillik, A. E., Chadaide, Z., Mihaly, A., & Vecsei, L. (2000). Effects of eletriptan on the peptidergic innervation of the cerebral dura mater and trigeminal ganglion, and on the expression of c-fos and c-jun in the trigeminal complex of the rat in an experimental migraine model. *European Journal of Neuroscience*, 12(11), 3991-4002. doi: doi:10.1046/j.1460-9568.2000.00299.x <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2000.00299.x>

Knyihar-Csillik, E., & Vecsei, L. (1999). Effect of a nitric oxide donor on nitroergic nerve fibers in the rat dura mater. *Neuroscience Letters*, 260(2), 97-100. doi.

Ko, M.-C., Lee, L. J.-H., Li, Y., & Lee, L.-J. (2014). Long-term consequences of neonatal fluoxetine exposure in adult rats. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22185. <http://dx.doi.org/10.1002/dneu.22185>

Kobayashi, M., & Buckmaster, P. S. (2003). Reduced Inhibition of Dentate Granule Cells in a Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 23(6), 2440-2452. doi. <http://www.jneurosci.org/cgi/content/abstract/23/6/2440>

Kobayashi, M., Fujita, S., Takei, H., Song, L., Chen, S., Suzuki, I., . . . Koshikawa, N. (2010). Functional mapping of gustatory neurons in the insular cortex revealed by pERK-immunohistochemistry and in vivo optical imaging. *Synapse*, 64(4), 323-334. doi.

Kobayashi, Y., & Amaral, D. G. (2003). Macaque monkey retrosplenial cortex: II. Cortical afferents. *Journal of Comparative Neurology*, 466(1), 48-79. doi.

Kobrin, K. L., Arena, D. T., Heinrichs, S. C., Nguyen, O. H., & Kaplan, G. B. (2017). Dopamine D1 receptor agonist treatment attenuates extinction of morphine conditioned place preference while increasing dendritic complexity in the nucleus accumbens core. *Behavioural Brain Research*, 322, Part A, 18-28. doi: <http://dx.doi.org/10.1016/j.bbr.2017.01.011>
<http://www.sciencedirect.com/science/article/pii/S0166432816308853>

Kobrin, K. L., Moody, O., Arena, D. T., Moore, C. F., Heinrichs, S. C., & Kaplan, G. B. (2015). Acquisition of morphine conditioned place preference increases the dendritic complexity of nucleus accumbens core neurons. *Addiction Biology*, n/a-n/a. doi: 10.1111/adb.12273. <http://dx.doi.org/10.1111/adb.12273>

Kodali, M., Parihar, V. K., Hattiangady, B., Mishra, V., Shuai, B., & Shetty, A. K. (2015). Resveratrol Prevents Age-Related Memory and Mood Dysfunction with Increased Hippocampal Neurogenesis and Microvasculature, and Reduced Glial Activation. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep08075

<http://www.nature.com/srep/2015/150128/srep08075/abs/srep08075.html#supp.....><http://dx.doi.org/10.1038/srep08075>

Kodama, T., Usui, S., Honda, Y., & Kimura, M. (2005). High Fos expression during the active phase in orexin neurons of a diurnal rodent, *Tamias sibiricus barberi*. *Peptides*, 26(4), 631-638. doi.

Koehl, M., Ladevèze, E., Catania, C., Cota, D., & Abrous, D. N. (2021). Inhibition of mTOR signaling by genetic removal of p70 S6 kinase 1 increases anxiety-like behavior in mice. *Translational Psychiatry*, 11(1), 165. doi: 10.1038/s41398-020-01187-5. <https://doi.org/10.1038/s41398-020-01187-5>

- Koehl, M., van der Veen, R., Gonzales, D., Piazza, P. V., & Abrous, D. N. (2012). Interplay of Maternal Care and Genetic Influences in Programming Adult Hippocampal Neurogenesis. *Biological Psychiatry*, (0). doi: 10.1016/j.biopsych.2012.03.001. <http://www.sciencedirect.com/science/article/pii/S0006322312002144>
- Koepfen, J., Nguyen, A. Q., Nikolakopoulou, A. M., Garcia, M., Hanna, S., Woodruff, S., . . . Ethell, I. M. (2018). Functional consequences of synapse remodeling following astrocyte-specific regulation of ephrin-B1 in the adult hippocampus. [10.1523/JNEUROSCI.3618-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/05/23/JNEUROSCI.3618-17.2018>.
- Koganezawa, N., Gisetstad, R., Husby, E., Doan, T. P., & Witter, M. P. (2015). Excitatory Postrhinal Projections to Principal Cells in the Medial Entorhinal Cortex. *The Journal of Neuroscience*, 35(48), 15860-15874. doi: <http://www.jneurosci.org/content/35/48/15860.short>
- Kohara, K., Kitamura, A., Adachi, N., Nishida, M., Itami, C., Nakamura, S., & Tsumoto, T. (2003). Inhibitory But Not Excitatory Cortical Neurons Require Presynaptic Brain-Derived Neurotrophic Factor for Dendritic Development, as Revealed by Chimera Cell Culture. *Journal of Neuroscience*, 23, 6123-3131. doi.
- Kohara, K., Yasuda, H., Huang, Y., Adachi, N., Sohya, K., & Tsumoto, T. (2007). A Local Reduction in Cortical GABAergic Synapses after a Loss of Endogenous Brain-Derived Neurotrophic Factor, as Revealed by Single-Cell Gene Knock-Out Method. *Journal of Neuroscience*, 27(27), 7234-7244. doi: 10.1523/jneurosci.1943-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7234>
- Kohl, Z., Kuhn, H. G., Cooper-Kuhn, C. M., Winkler, J., Aigner, L., & Kempermann, G. (2002). Prewearing enrichment has no lasting effects on adult hippocampal neurogenesis in four-month-old mice. *Genes, Brain and Behavior*, 1(1), 46. doi.
- Koizumi, A., Jakobs, T. C., & Masland, R. H. (2010). A mosaic of synaptic contacts among three retinal neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.22522. <http://dx.doi.org/10.1002/cne.22522>
- Koizumi, A., Jakobs, T. C., & Masland, R. H. (2011). Regular mosaic of synaptic contacts among three retinal neurons. *Journal of Comparative Neurology*, 519(2), 341-357. doi: 10.1002/cne.22522. <http://dx.doi.org/10.1002/cne.22522>
- Koizumi, H., Koshiya, N., Chia, J. X., Cao, F., Nugent, J., Zhang, R., & Smith, J. C. (2013). Structural-Functional Properties of Identified Excitatory and Inhibitory Interneurons within Pre-Bötzing Complex Respiratory Microcircuits. *Journal of Neuroscience*, 33(7), 2994-3009. doi: 10.1523/jneurosci.4427-12.2013. <http://www.jneurosci.org/content/33/7/2994.abstract>
- Kok, M. A., Chabot, N., & Lomber, S. G. (2013). Crossmodal reorganization of cortical afferents to dorsal auditory cortex following early- and Late-onset deafness. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23439. <http://dx.doi.org/10.1002/cne.23439>
- Kok, M. A., & Lomber, S. G. (2016). Origin of the Thalamic Projection to Dorsal Auditory Cortex in Hearing and Deafness. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.05.013>, <http://www.sciencedirect.com/science/article/pii/S037859551630123X>

Kokkoroyannis, T., Scudder, C. A., Balaban, C. D., Highstein, S. M., & Moschovakis, A. K. (1996). Anatomy and physiology of the primate interstitial nucleus of Cajal I. efferent projections. *Journal of Neurophysiology*, 75(2), 725-739. doi.

Kokkosis, A., Mullahy, M., Aguirre, A., & Tsirka, S.-A. (2019). Chronic Stress Induces Inflammatory Responses and Compromises the NG2-Glial Homeostasis during Depression. *The FASEB Journal*, 33(1_supplement), 666.667-666.667. doi: 10.1096/fasebj.2019.33.1_supplement.666.7. https://www.fasebj.org/doi/abs/10.1096/fasebj.2019.33.1_supplement.666.7

Kolbaev, S. N., Mohapatra, N., Chen, R., Lombardi, A., Staiger, J. F., Luhmann, H. J., . . . Kilb, W. (2020). NKCC-1 mediated Cl⁻ uptake in immature CA3 pyramidal neurons is sufficient to compensate phasic GABAergic inputs. *Scientific Reports*, 10(1), 18399. doi: 10.1038/s41598-020-75382-1. <https://doi.org/10.1038/s41598-020-75382-1>

Kole, M. H., & Popovic, M. A. (2016). Patch-Clamp Recording from Myelinated Central Axons. *Advanced Patch-Clamp Analysis for Neuroscientists*, 123-138. doi. http://link.springer.com/protocol/10.1007/978-1-4939-3411-9_6

Kole, M. H. P., Brauer, A. U., & Stuart, G. J. (2007). Inherited cortical HCN1 channel loss amplifies dendritic calcium electrogenesis and burst firing in a rat absence epilepsy model. *Journal of Physiology*, 578(2), 507-525. doi: 10.1113/jphysiol.2006.122028. <http://jp.physoc.org/cgi/content/abstract/578/2/507>

Kole, M. H. P., Costoli, T., Koolhaas, J. M., & Fuchs, E. (2004). Bidirectional shift in the cornu ammonis 3 pyramidal dendritic organization following brief stress. *Neuroscience*, 125(2), 337-347. doi.

Kole, M. H. P., Czéh, B., & Fuchs, E. (2004). Homeostatic maintenance in excitability of tree shrew hippocampal CA3 pyramidal neurons after chronic stress. *Hippocampus*, 14(6), 742-751. doi.

Kole, M. H. P., Hallermann, S., & Stuart, G. J. (2006). Single Ih Channels in Pyramidal Neuron Dendrites: Properties, Distribution, and Impact on Action Potential Output. *Journal of Neuroscience*, 26(6), 1677-1687. doi: 10.1523/jneurosci.3664-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/6/1677>

Kole, M. H. P., Ilschner, S. U., Kampa, B. M., Williams, S. R., Ruben, P. C., & Stuart, G. J. (2008). Action potential generation requires a high sodium channel density in the axon initial segment. *Nature Neuroscience*, 11, 178-186. doi.

Kole, M. H. P., Letzkus, J. J., & Stuart, G. J. (2007). Axon initial segment Kv1 channels control axonal action potential waveform and synaptic efficacy. *Neuron*, 55(4), 633-647. doi.

Köllensperger, M., Stefanova, N., Reindl, M., Poewe, W., & Wenning, G. K. (2007). Loss of dopaminergic responsiveness in a double lesion rat model of the Parkinson variant of multiple system atrophy. *Movement Disorders*, 22(3), 353-358. doi.

Kollo, M., Schmaltz, A., Abdelhamid, M., Fukunaga, I., & Schaefer, A. T. (2014). 'Silent' mitral cells dominate odor responses in the olfactory bulb of awake mice. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3768.html>

Kolluri, N., Sun, Z., Sampson, A. R., & Lewis, D. A. (2005). Lamina-specific reductions in dendritic spine density in the prefrontal cortex of subjects with schizophrenia. *American Journal of Psychiatry*, 162(6), 1200-1202. doi.

Kolter, J. F., Hildenbrand, M. F., Popp, S., Nauroth, S., Bankmann, J., Rother, L., . . . Schmitt-Böhrer, A. (2021). Serotonin transporter genotype modulates resting state and predator stress-induced amygdala perfusion in mice in a sex-dependent manner. *PLoS ONE*, 16(2), e0247311. doi: 10.1371/journal.pone.0247311. <https://doi.org/10.1371/journal.pone.0247311>

Komatsuzaki, Y., Hatanaka, Y., Murakami, G., Mukai, H., Hojo, Y., Saito, M., . . . Kawato, S. (2012). Corticosterone Induces Rapid Spinogenesis via Synaptic Glucocorticoid Receptors and Kinase Networks in Hippocampus. *PLoS ONE*, 7(4), e34124. doi: 10.1371/journal.pone.0034124. <http://dx.doi.org/10.1371/journal.pone.0034124>

Komatsuzaki, Y., Murakami, G., Tsurugizawa, T., Mukai, H., Tanabe, N., Mitsuhashi, K., . . . Kawato, S. (2005). Rapid spinogenesis of pyramidal neurons induced by activation of glucocorticoid receptors in adult male rat hippocampus. *Biochemical and Biophysical Research Communications*, 335(4), 1002-1007. doi.

Komiyama, T., Johnson, W. A., Luo, L., & Jefferis, G. S. X. E. (2003). From lineage to wiring specificity: POU domain transcription factors control precise connections of *Drosophila* olfactory projection neurons. *Cell*, 112(2), 157-167. doi.

Komiyama, T., Sato, T. R., O'Connor, D. H., Zhang, Y. X., Huber, D., Hooks, B. M., . . . Svoboda, K. (2010). Learning-related fine-scale specificity imaged in motor cortex circuits of behaving mice. *Nature*, 464(7292), 1182-1186. doi.

Kondo, H., Lavenex, P., & Amaral, D. G. (2008). Intrinsic connections of the macaque monkey hippocampal formation: I. Dentate gyrus. *Journal of Comparative Neurology*, 511(4), 497-520. doi.

Kondo, H., Lavenex, P., & Amaral, D. G. (2009). Intrinsic connections of the macaque monkey hippocampal formation: II. CA3 connections. *Journal of Comparative Neurology*, 515(3), 349-377. doi.

Kondo, M., Tsuboi, Y., Yamamoto, T., Inage, T., Iwamoto, Y., & Kamogawa, H. (2006). The location of brainstem neurons with bilateral projections to the motor nuclei of jaw openers in the cat. *Neuroscience Letters*, 403(3), 250-255. doi.

Kong, J. H., Fish, D. R., Rockhill, R. L., & Masland, R. H. (2005). Diversity of ganglion cells in the mouse retina: unsupervised morphological classification and its limits. *Journal of Comparative Neurology*, 489(3), 293-310. doi.

Kongsui, R., Beynon, S. B., Johnson, S., Mayhew, J., Kuter, P., Nilsson, M., & Walker, F. R. (2014). Chronic stress induces prolonged suppression of the P2X7 receptor within multiple regions of the hippocampus: A cumulative threshold spectra analysis. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.05.017>. <http://www.sciencedirect.com/science/article/pii/S0889159114001391>

Kongsui, R., Johnson, S. J., Graham, B. A., Nilsson, M., & Walker, F. R. (2015). A combined cumulative threshold spectra and digital reconstruction analysis reveal structural alterations of microglia within the prefrontal cortex following low-dose LPS administration. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.09.061>. <http://www.sciencedirect.com/science/article/pii/S030645221500888X>

Kononenko, N. L., Claßen, G. A., Kuijpers, M., Puchkov, D., Maritzen, T., Tempes, A., . . . Haucke, V. (2017). Retrograde transport of TrkB-containing autophagosomes via the adaptor AP-2 mediates neuronal complexity and prevents neurodegeneration. [Article]. *Nature Communications*, 8, 14819. doi: 10.1038/ncomms14819

<https://www.nature.com/articles/ncomms14819#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14819>

Konopaske, G. T., Lange, N., Coyle, J. T., & Benes, F. M. (2014). PRefrontal cortical dendritic spine pathology in schizophrenia and bipolar disorder. *JAMA Psychiatry*. doi: 10.1001/jamapsychiatry.2014.1582. <http://dx.doi.org/10.1001/jamapsychiatry.2014.1582>

Kopel, H., Meshulam, M., & Mizrahi, A. (2009). Three-dimensional distribution patterns of newborn neurons in the adult olfactory bulb. *Journal of Neuroscience Methods*, 182(2), 189-194. doi.

Kopel, H., Schechtman, E., Groysman, M., & Mizrahi, A. (2012). Enhanced Synaptic Integration of Adult-Born Neurons in the Olfactory Bulb of Lactating Mothers. *Journal of Neuroscience*, 32(22), 7519-7527. doi.

Kopp, B., Wick, D., & Herman, J. (2013). Differential effects of homotypic vs. heterotypic chronic stress regimens on microglial activation in the prefrontal cortex. *Physiology and Behavior*, 122, 246 - 252. doi.

Koppes, A., Zaccor, N., Rivet, C., Williams, L., Piselli, J., Gilbert, R., & Thompson, D. (2014). Neurite outgrowth on electrospun PLLA fibers is enhanced by exogenous electrical stimulation. *Journal of neural engineering*, 11(4), 046002. doi. <http://iopscience.iop.org/1741-2552/11/4/046002>

Koppes, A. N., Nordberg, A. L., Paolillo, G., Goodsell, N., Darwish, H., Zhang, L., & Thompson, D. M. (2013). Electrical Stimulation of Schwann Cells Promotes Sustained Increases in Neurite Outgrowth. *Tissue Engineering*, (ja). doi. <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2013.0012>

Koppes, A. N., Seggio, A. M., & Thompson, D. M. (2011). Neurite outgrowth is significantly increased by the simultaneous presentation of Schwann cells and moderate exogenous electric fields. *Journal of neural engineering*, 8, 046023-046023. doi.

Korbel, J. O., Tirosh-Wagner, T., Urban, A. E., Chen, X.-N., Kasowski, M., Dai, L., . . . Korenberg, J. R. (2009). The genetic architecture of Down syndrome phenotypes revealed by high-resolution analysis of human segmental trisomies. *Proceedings of the National Academy of Sciences*, 106(29), 12031-12036. doi: 10.1073/pnas.0813248106. <http://www.pnas.org/content/106/29/12031.abstract>

Korn, M. J., Koppel, S. J., & Cramer, K. S. (2011). Astrocyte-Secreted Factors Modulate a Gradient of Primary Dendritic Arbors in Nucleus Laminaris of the Avian Auditory Brainstem. *PLoS ONE*, 6(11). doi: 10.1371/journal.pone.0027383.

Korosi, A., Veening, J. G., Kozicz, T., Henckens, M., Dederen, J., Groenink, L., . . . Roubos, E. W. (2006). Distribution and expression of CRF receptor 1 and 2 mRNAs in the CRF over-expressing mouse brain. *Brain Research*, 1072(1), 46-54. doi.

Kosaka, T., Komada, M., & Kosaka, K. (2008). Sodium channel cluster, [beta] IV-spectrin and ankyrinG positive. *Neuroscience Research*, 62(3), 176-186. doi.

Kosaka, T., & Kosaka, K. (2011). "Interneurons" in the olfactory bulb revisited. *Neuroscience Research*, 69(2), 93-99. doi.

Kosaka, T., Pignatelli, A., & Kosaka, K. (2019). Heterogeneity of tyrosine hydroxylase expressing neurons in the main olfactory bulb of the mouse. *Neuroscience Research*. doi: <https://doi.org/10.1016/j.neures.2019.10.004>. <http://www.sciencedirect.com/science/article/pii/S0168010219304717>

Kosaka, T., Yasuda, S., & Kosaka, K. (2017). Calcium-binding protein, secretogin, characterizes novel groups of interneurons in the rat striatum. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2017.01.004>. <http://www.sciencedirect.com/science/article/pii/S016801021630195X>

Kosche, G., Vallentin, D., & Long, M. A. (2015). Interplay of Inhibition and Excitation Shapes a Premotor Neural Sequence. *The Journal of Neuroscience*, 35(3), 1217-1227. doi: <http://www.jneurosci.org/content/35/3/1217.short>

Koschützke, L., Bertram, J., Hartmann, B., Bartsch, D., Lotze, M., & von Bohlen und Halbach, O. (2015). SrGAP3 knockout mice display enlarged lateral ventricles and specific cilia disturbances of ependymal cells in the third ventricle. *Cell and Tissue Research*, 1-6. doi: 10.1007/s00441-015-2224-6. <http://dx.doi.org/10.1007/s00441-015-2224-6>

Koss, W. A., Belden, C. E., Hristov, A. D., & Juraska, J. M. (2013). Dendritic remodeling in the adolescent medial prefrontal cortex and the basolateral amygdala of male and female rats. *Synapse*, n/a-n/a. doi: 10.1002/syn.21716. <http://dx.doi.org/10.1002/syn.21716>

Kossut, M., & Juliano, S. L. (1999). Anatomical correlates of representational map reorganization induced by partial vibrissotomy in the barrel cortex of adult mice. *Neuroscience*, 92(3), 807-817. doi.

Kostin, A., Alam, A., McGinty, D., Szymusiak, R., & Alam, N. (2019). Chronic Suppression of Hypothalamic Cell Proliferation and Neurogenesis Induces Aging-like Changes in Sleep-Wake Organization in Young Mice. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.01.053>. <http://www.sciencedirect.com/science/article/pii/S0306452219300806>

Kostovic, I., Rasin, M. R., Petanjek, Z., & Judas, M. (2002). Morphological Characteristics of the Cells in the Subcallosal Zone (Nucleus septohippocampalis) of the Human Fetus. *Neuroembryology and Aging*, 1(3), 97-104. doi: <http://www.karger.com/DOI/10.1159/000063528>

Kostović, I., Sedmak, G., & Judaš, M. (2018). Neural histology and neurogenesis of the human fetal and infant brain. *Neuroimage*. doi: <https://doi.org/10.1016/j.neuroimage.2018.12.043>. <http://www.sciencedirect.com/science/article/pii/S1053811918321876>

Kotani, O., Suzuki, T., Yokoyama, M., Iwata-Yoshikawa, N., Nakajima, N., Sato, H., . . . Nagata, N. (2016). Intracerebral inoculation of mouse-passaged Saffold virus type 3 affects cerebellar development in neonatal mice. *Journal of Virology*. doi: 10.1128/jvi.00864-16. <http://jvi.asm.org/content/early/2016/08/25/JVI.00864-16.abstract>

Kötter, R., Schubert, D., Dyhrfeld-Johnsen, J., Luhmann, H. J., & Staiger, J. F. (2005). Optical release of caged glutamate for stimulation of neurons in the in vitro slice preparation. *Journal of biomedical optics*, 10, 011003-011003. doi.

- Kouser, M., Speed, H. E., Dewey, C. M., Reimers, J. M., Widman, A. J., Gupta, N., . . . Xiao, B. (2013). Loss of Predominant Shank3 Isoforms Results in Hippocampus-Dependent Impairments in Behavior and Synaptic Transmission. *Journal of Neuroscience*, 33(47), 18448-18468. doi: <http://www.jneurosci.org/content/33/47/18448.short>
- Kovács, A., & Pál, B. (2017). Astrocyte-Dependent Slow Inward Currents (SICs) Participate in Neuromodulatory Mechanisms in the Pedunculopontine Nucleus (PPN). [Original Research]. *Frontiers in cellular neuroscience*, 11(16). doi: 10.3389/fncel.2017.00016. <http://journal.frontiersin.org/article/10.3389/fncel.2017.00016>
- Kovalecz, G., Kecskes, S., Birinyi, A., & Matesz, C. (2015). Termination of trigeminal afferent fibers on facial motoneurons: Possible neural network mediating jaw opening during prey-catching behavior of the frog. *Brain Research Bulletin*. doi: <http://dx.doi.org/10.1016/j.brainresbull.2015.09.012>. <http://www.sciencedirect.com/science/article/pii/S036192301530040X>
- Kowalski, J., Geuting, M., Paul, S., Dieni, S., Laurens, J., Zhao, S., . . . Vida, I. (2010). Proper Layering Is Important for Precisely Timed Activation of Hippocampal Mossy Cells. *Cerebral Cortex*, 20(9), 2043-2054. doi: 10.1093/cercor/bhp267. <http://cercor.oxfordjournals.org/content/20/9/2043.abstract>
- Kozloski, J., Sfyraakis, K., Hill, S., Schurmann, F., Peck, C., & Markram, H. (2008). Identifying, tabulating, and analyzing contacts between branched neuron morphologies. *IBM Journal of Research and Development*, 52(1.2), 43-55. doi.
- Kozorovitskiy, Y., Gross, C. G., Kopil, C., Battaglia, L., McBreen, M., Stranahan, A. M., & Gould, E. (2005). Experience induces structural and biochemical changes in the adult primate brain. *PNAS*, 102, 17478-17482. doi.
- Kozsurek, M., Lukácsi, E., Fekete, C., & Puskár, Z. (2009). Nonselective innervation of lamina I projection neurons by cocaine- and amphetamine-regulated transcript peptide (CART)-immunoreactive fibres in the rat spinal dorsal horn. *European Journal of Neuroscience*, 29(12), 2375-2387. doi.
- Kozsurek, M., Lukácsi, E., Fekete, C., Wittmann, G., Rethelyi, M., & Puskar, Z. (2007). Cocaine- and amphetamine-regulated transcript peptide (CART) is present in peptidergic C primary afferents and axons of excitatory interneurons with a possible role in nociception in the superficial laminae of the rat spinal cord. *European Journal of Neuroscience*, 26(6), 1624-1631. doi: doi:10.1111/j.1460-9568.2007.05789.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05789.x>
- Krajcski, R. N., Macey-Dare, A., van Heusden, F., Ebrahimjee, F., & Ellender, T. J. (2019). Dynamic postnatal development of the cellular and circuit properties of striatal D1 and D2 spiny projection neurons. *The Journal of Physiology*, 0(ja). doi: 10.1113/jp278416. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP278416>
- Krajewski, S. J., Abel, T. W., Voytko, M. L., & Rance, N. E. (2003). Ovarian Steroids Differentially Modulate the Gene Expression of Gonadotropin-Releasing Hormone Neuronal Subtypes in the Ovariectomized Cynomolgus Monkey. *Journal of Clinical Endocrinological Metabolism*, 88(2), 655-662. doi: 10.1210/jc.2002-020887. <http://jcem.endojournals.org/cgi/content/abstract/88/2/655>
- Krajewski, S. J., Burke, M. C., Anderson, M. J., McMullen, N. T., & Rance, N. E. (2010). Forebrain projections of arcuate neurokinin B neurons demonstrated by anterograde tract-tracing and monosodium glutamate lesions in the rat. *Neuroscience*, 166(2), 680-697. doi.

Kramer, P. F., Twedell, E. L., Shin, J. H., Zhang, R., & Khaliq, Z. M. (2020). Axonal mechanisms mediating γ -aminobutyric acid receptor type A (GABA-A) inhibition of striatal dopamine release. *eLife*, 9, e55729. doi: 10.7554/eLife.55729. <https://doi.org/10.7554/eLife.55729>

Krashia, P., Cordella, A., Nobili, A., La Barbera, L., Federici, M., Leuti, A., . . . Mercuri, N. B. (2019). Blunting neuroinflammation with resolvin D1 prevents early pathology in a rat model of Parkinson's disease. *Nature Communications*, 10(1), 3945. doi: 10.1038/s41467-019-11928-w. <https://doi.org/10.1038/s41467-019-11928-w>

Kraushar, M. L., Thompson, K., Wijeratne, H. R. S., Viljetic, B., Sakers, K., Marson, J. W., . . . Rasin, M.-R. (2014). Temporally defined neocortical translation and polysome assembly are determined by the RNA-binding protein Hu antigen R. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1408305111. <http://www.pnas.org/content/early/2014/08/22/1408305111.abstract>

Kraushar, M. L., Viljetic, B., Wijeratne, H. S., Thompson, K., Jiao, X., Pike, J. W., . . . Hart, R. P. (2015). Thalamic WNT3 Secretion Spatiotemporally Regulates the Neocortical Ribosome Signature and mRNA Translation to Specify Neocortical Cell Subtypes. *The Journal of Neuroscience*, 35(31), 10911-10926. doi: <http://www.jneurosci.org/content/35/31/10911.short>

Krebs-Kraft, D. L., Hill, M. N., Hillard, C. J., & McCarthy, M. M. (2010). Sex difference in cell proliferation in developing rat amygdala mediated by endocannabinoids has implications for social behavior. *Proceedings of the National Academy of Sciences*, 107(47), 20535-20540. doi: 10.1073/pnas.1005003107. <http://www.pnas.org/content/107/47/20535.abstract>

Krellman, J. W., Ruiz, H. H., Marciano, V. A., Mondrow, B., & Croll, S. D. (2014). Behavioral and Neuroanatomical Abnormalities in Pleiotrophin Knockout Mice. *PLoS ONE*, 9(7), e100597. doi: 10.1371/journal.pone.0100597. <http://dx.doi.org/10.1371%2Fjournal.pone.0100597>

Kreutzberg, G. (1996). Microglia: a sensor for pathological events in the CNS. *Trends in Neurosciences*, 19, 312 - 318. doi.

Krey, J. F., Paşca, S. P., Shcheglovitov, A., Yazawa, M., Schwemberger, R., Rasmusson, R., & Dolmetsch, R. E. (2013). Timothy syndrome is associated with activity-dependent dendritic retraction in rodent and human neurons. *Nature Neuroscience*. doi.

Krichmar, J. L., Nasuto, S. J., Scorcioni, R., Washington, S. D., & Ascoli, G. A. (2002). Effects of dendritic morphology on CA3 pyramidal cell electrophysiology: a simulation study. *Brain Research*, 941, 11-28. doi.

Krieger, P. (2009). Experience-dependent increase in spine calcium evoked by backpropagating action potentials in layer 5 pyramidal neurons in rat somatosensory cortex. *European Journal of Neuroscience*, 30(10), 1870-1877. doi.

Krieger, P., Kuner, T., & Sakmann, B. (2007). Synaptic Connections between Layer 5B Pyramidal Neurons in Mouse Somatosensory Cortex Are Independent of Apical Dendrite Bundling. *Journal of Neuroscience*, 27(43), 11473-11482. doi: 10.1523/jneurosci.1182-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/43/11473>

Krimer, L. S., & Goldman-Rakic, P. S. (2001). Prefrontal Microcircuits: Membrane Properties and Excitatory Input of Local, Medium, and Wide Arbor Interneurons. *Journal of Neuroscience*, 21(11), 3788-3796. doi: <http://www.jneurosci.org/cgi/content/abstract/21/11/3788>

Krimer, L. S., Jakab, R. L., & Goldman-Rakic, P. S. (1997). Quantitative Three-Dimensional Analysis of the Catecholaminergic Innervation of Identified Neurons in the Macaque Prefrontal Cortex. *Journal of Neuroscience*, 17(19), 7450-7461. doi: <http://www.jneurosci.org/cgi/content/abstract/17/19/7450>

Krimer, L. S., Muly, E. C., Williams, G. V., & Goldman-Rakic, P. S. (1998). Dopaminergic regulation of cerebral cortical microcirculation. *Nature Neuroscience*, 1, 286-289. doi:

Krimer, L. S., Zaitsev, A. V., Czanner, G., Kroner, S., Gonzalez-Burgos, G., Povysheva, N. V., . . . Lewis, D. A. (2005). Cluster Analysis-Based Physiological Classification and Morphological Properties of Inhibitory Neurons in Layers 2-3 of Monkey Dorsolateral Prefrontal Cortex. *Journal of Neurophysiology*, 94(5), 3009-3022. doi: 10.1152/jn.00156.2005. <http://jn.physiology.org/cgi/content/abstract/94/5/3009>

Kripke, E., Senft, S., Mozzherin, D., & Hanlon, R. (2015). Visualizing Biological Complexity in Cephalopod Skin: A Synergy of Art and Science Technologies. *Leonardo*, 516-517. doi: 10.1162/LEON_a_01124. http://dx.doi.org/10.1162/LEON_a_01124

Krishnasamy, S., Weng, Y.-C., Thammisetty, S. S., Phaneuf, D., Lalancette-Hebert, M., & Kriz, J. (2017). Molecular imaging of nestin in neuroinflammatory conditions reveals marked signal induction in activated microglia. [journal article]. *Journal of Neuroinflammation*, 14(1), 45. doi: 10.1186/s12974-017-0816-7. <http://dx.doi.org/10.1186/s12974-017-0816-7>

Kristensen, B. W., Noer, H., Gramsbergen, J. B., Zimmer, J., & Noraberg, J. (2003). Colchicine induces apoptosis in organotypic hippocampal slice cultures. *Brain Research*, 964(2), 264-278. doi:

Kron, M., Howell, C. J., Adams, I. T., Ransbottom, M., Christian, D., Ogier, M., & Katz, D. M. (2012). Brain Activity Mapping in Mecp2 Mutant Mice Reveals Functional Deficits in Forebrain Circuits, Including Key Nodes in the Default Mode Network, that are Reversed with Ketamine Treatment. *Journal of Neuroscience*, 32(40), 13860-13872. doi: 10.1523/jneurosci.2159-12.2012. <http://www.jneurosci.org/content/32/40/13860.abstract>

Kröner, S., Krimer, L. S., Lewis, D. A., & Barrionuevo, G. (2007). Dopamine Increases Inhibition in the Monkey Dorsolateral Prefrontal Cortex through Cell Type-Specific Modulation of Interneurons. *Cerebral Cortex*, 17(5), 1020-1032. doi:

Kroner, S., Rosenkranz, J. A., Grace, A. A., & Barrionuevo, G. (2005). Dopamine Modulates Excitability of Basolateral Amygdala Neurons In Vitro. *Journal of Neurophysiology*, 93(3), 1598-1610. doi: 10.1152/jn.00843.2004. <http://jn.physiology.org/cgi/content/abstract/93/3/1598>

Ksiazek, I., Burkhardt, C., Lin, S., Seddik, R., Maj, M., Bezakova, G., . . . Ruegg, M. A. (2007). Synapse Loss in Cortex of Agrin-Deficient Mice after Genetic Rescue of Perinatal Death. *Journal of Neuroscience*, 27(27), 7183-7195. doi: 10.1523/jneurosci.1609-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7183>

Kubota, Y. (2014). Untangling GABAergic wiring in the cortical microcircuit. *Current Opinion in Neurobiology*, 26(0), 7-14. doi: <http://dx.doi.org/10.1016/j.conb.2013.10.003>. <http://www.sciencedirect.com/science/article/pii/S0959438813001955>

Kubota, Y. (2016). Morphological and Neurochemical Characterization of Electrophysiologically Identified Cells. *Receptor and Ion Channel Detection in the Brain*, 277. doi: http://link.springer.com/protocol/10.1007/978-1-4939-3064-7_20

- Kubota, Y., Hatada, S., Kondo, S., Karube, F., & Kawaguchi, Y. (2007). Neocortical Inhibitory Terminals Innervate Dendritic Spines Targeted by Thalamocortical Afferents. *Journal of Neuroscience*, 27(5), 1139-1150. doi: 10.1523/jneurosci.3846-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/5/1139>
- Kubota, Y., Karube, F., Nomura, M., Gullledge, A. T., Mochizuki, A., Schertel, A., & Kawaguchi, Y. (2011). Conserved properties of dendritic trees in four cortical interneuron subtypes. [10.1038/srep00089]. *Scientific Reports*, 1. doi: <http://www.nature.com/srep/2011/110913/srep00089/abs/srep00089.html#supp.....> <http://dx.doi.org/10.1038/srep00089>
- Kubota, Y., Shigematsu, N., Karube, F., Sekigawa, A., Kato, S., Yamaguchi, N., . . . Kawaguchi, Y. (2011). Selective Coexpression of Multiple Chemical Markers Defines Discrete Populations of Neocortical GABAergic Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhq252. <http://cercor.oxfordjournals.org/content/early/2011/01/10/cercor.bhq252>.
- ⚭
- Kucera, J., Cooney, W., Que, A., Szeder, V., Stancz-Szeder, H., & Walro, J. (2002). Formation of supernumerary muscle spindles at the expense of golgi tendon organs in ER81-deficient mice. *Developmental Dynamics*, 223(3), 389-401. doi.
- Küchler, M., Fouad, K., Weinmann, O., Schwab, M. E., & Raineteau, O. (2002). Red nucleus projections to distinct motor neuron pools in the rat spinal cord. *Journal of Comparative Neurology*, 448(4), 349-359. doi.
- Kucukdereli, H., Allen, N. J., Lee, A. T., Feng, A., Ozlu, M. I., Conatser, L. M., . . . Eroglu, C. (2011). Control of excitatory CNS synaptogenesis by astrocyte-secreted proteins Hevin and SPARC. *Proceedings of the National Academy of Sciences*, 108(32), E440-E449. doi: 10.1073/pnas.1104977108. <http://www.pnas.org/content/108/32/E440.abstract>
- Kuddannaya, S., Tong, C. S., Fan, Y., & Zhang, Y. (2018). Geometrically Mediated Topographic Steering of Neurite Behaviors and Network Formation. *Advanced Materials Interfaces*, 1700819-n/a. doi: 10.1002/admi.201700819. <http://dx.doi.org/10.1002/admi.201700819>
- Kuhla, B., Boeck, K., Lüth, H. J., Schmidt, A., Weigle, B., Schmitz, M., . . . Arendt, T. (2006). Age-dependent changes of glyoxalase I expression in human brain. *Neurobiology of Aging*, 27(6), 815-822. doi.
- Kuhla, B., Boeck, K., Schmidt, A., Ogunlade, V., Arendt, T., Münch, G., & Lüth, H. J. (2007). Age- and stage-dependent glyoxalase I expression and its activity in normal and Alzheimer's disease brains. *Neurobiology of Aging*, 28(1), 29-41. doi.
- Kuipers, R., Eggens-Meijer, E., & McMurray, G. (2007). Barrington's nucleus in the guinea pig (< i> Cavia porcellus): Location in relation to noradrenergic cell groups and connections to the lumbosacral spinal cord. *Brain Research Bulletin*, 72(1), 49-56. doi.
- Kuipers, R., & Klop, E. M. (2006). Neurons in the guinea pig (< i> Cavia porcellus) lateral lumbosacral spinal cord project to the central part of the lateral periaqueductal gray matter. *Brain Research*, 1101(1), 43-50. doi.
- Kuipers, R., Mensinga, G. M., Boers, J., Klop, E. M., & Holstege, G. (2006). Infralimbic cortex projects to all parts of the pontine and medullary lateral tegmental field in cat. *European Journal of*

Neuroscience, 23(11), 3014-3024. doi: doi:10.1111/j.1460-9568.2006.04843.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04843.x>

Kuipers, R., Mouton, L. J., & Holstege, G. (2006). Afferent projections to the pontine micturition center in the cat. *Journal of Comparative Neurology*, 494(1), 36-53. doi.

Kuisle, M., Wanaverbecq, N., Brewster, A. L., Frere, S. G. A., Pinault, D., Baram, T. Z., & Luthi, A. (2006). Functional stabilization of weakened thalamic pacemaker channel regulation in rat absence epilepsy. *Journal of Physiology*, 575(1), 83-100. doi: 10.1113/jphysiol.2006.110486. <http://jp.physoc.org/cgi/content/abstract/575/1/83>

Kujawa, S. G., & Liberman, M. C. (2009). Adding Insult to Injury: Cochlear Nerve Degeneration after "Temporary" Noise-Induced Hearing Loss. *Journal of Neuroscience*, 29(45), 14077-14085. doi: 10.1523/jneurosci.2845-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/45/14077>

Kulesza, R. J. (2007). Cytoarchitecture of the human superior olivary complex: medial and lateral superior olive. *Hearing Research*, 225(1), 80-90. doi.

Kulesza, R. J., Viñuela, A., Saldaña, E., Berrebi, A. S., & others. (2002). Unbiased stereological estimates of neuron number in subcortical auditory nuclei of the rat. *Hearing Research*, 168(1-2), 12-24. doi.

Kuliszewski, M. A., Kobulnik, J., Lindner, J. R., Stewart, D. J., & Leong-Poi, H. (2011). Vascular gene transfer of SDF-1 promotes endothelial progenitor cell engraftment and enhances angiogenesis in ischemic muscle. *Molecular Therapy*, 19(5), 895-902. doi.

Kumagai, G., Tsoulfas, P., Toh, S., McNiece, I., Bramlett, H. M., & Dietrich, W. D. (2013). Genetically modified mesenchymal stem cells (MSCs) promote axonal regeneration and prevent hypersensitivity after spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.028>. <http://www.sciencedirect.com/science/article/pii/S0014488613002112>

Kumar, A., Stoica, B. A., Loane, D. J., Yang, M., Abulwerdi, G., Khan, N., . . . Faden, A. I. (2017). Microglial-derived microparticles mediate neuroinflammation after traumatic brain injury. [journal article]. *Journal of Neuroinflammation*, 14(1), 47. doi: 10.1186/s12974-017-0819-4. <http://dx.doi.org/10.1186/s12974-017-0819-4>

Kumar, P., & Ohana, O. (2008). Inter- and Intralaminar Subcircuits of Excitatory and Inhibitory Neurons in Layer 6a of the Rat Barrel Cortex. *Journal of Neurophysiology*, 100(4), 1909-1922. doi: 10.1152/jn.90684.2008. <http://jn.physiology.org/cgi/content/abstract/100/4/1909>

Kumar, S., Alam, M. N., Rai, S., Bashir, T., McGinty, D., & Szymusiak, R. (2011). Central nervous system sites of the sleep promoting effects of eszopiclone in rats. *Neuroscience*. doi.

Kumar, S., Rai, S., Hsieh, K.-C., McGinty, D., Alam, M. N., & Szymusiak, R. (2013). Adenosine A2A Receptors Regulate the Activity of Sleep Regulatory GABAergic Neurons in the Preoptic Hypothalamus. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: 10.1152/ajpregu.00402.2012. <http://ajpregu.physiology.org/content/early/2013/04/27/ajpregu.00402.2012>

Kumar, S., Szymusiak, R., Bashir, T., Rai, S., McGinty, D., & Alam, M. N. (2007). Effects of serotonin on perifornical-lateral hypothalamic area neurons in rat. *European Journal of Neuroscience*, 25(1), 201-

212. doi: doi:10.1111/j.1460-9568.2006.05268.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05268.x>

Kumar, S., Szymusiak, R., Bashir, T., Suntsova, N., Rai, S., McGinty, D., & Alam, M. N. (2008). Inactivation of median preoptic nucleus causes c-Fos expression in hypocretin- and serotonin-containing neurons in anesthetized rat. *Brain Research*, 1234, 66-77. doi:

Kumbasar, A., Plachez, C., Gronostajski, R. M., Richards, L. J., & Litwack, E. D. (2009). Absence of the transcription factor Nfib delays the formation of the basilar pontine and other mossy fiber nuclei. *Journal of Comparative Neurology*, 513(1), 98-112. doi:

Kuokkanen, P. T., Wagner, H., Ashida, G., Carr, C. E., & Kempter, R. (2010). On the Origin of the Extracellular Field Potential in the Nucleus Laminaris of the Barn Owl (*Tyto alba*). *Journal of Neurophysiology*, 104(4), 2274-2290. doi: 10.1152/jn.00395.2010. <http://jn.physiology.org/cgi/content/abstract/104/4/2274>

Kupferman, Justine V., Basu, J., Russo, Marco J., Guevarra, J., Cheung, Stephanie K., & Siegelbaum, Steven A. (2014). Reelin Signaling Specifies the Molecular Identity of the Pyramidal Neuron Distal Dendritic Compartment. *Cell*, 158(6), 1335-1347. doi: <http://dx.doi.org/10.1016/j.cell.2014.07.035>. <http://www.sciencedirect.com/science/article/pii/S0092867414009854>

Kuramoto, E. (2019). Method for Labeling and Reconstruction of Single Neurons Using Sindbis Virus Vectors. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2019.05.002>. <http://www.sciencedirect.com/science/article/pii/S0891061818302023>

Kuramoto, E., Furuta, T., Nakamura, K. C., Unzai, T., Hioki, H., & Kaneko, T. (2009). Two Types of Thalamocortical Projections from the Motor Thalamic Nuclei of the Rat: A Single Neuron-Tracing Study Using Viral Vectors. *Cerebral Cortex*, bhn231. doi: 10.1093/cercor/bhn231. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn231v1>

Kuramoto, E., Ohno, S., Furuta, T., Unzai, T., Tanaka, Y. R., Hioki, H., & Kaneko, T. (2013). Ventral Medial Nucleus Neurons Send Thalamocortical Afferents More Widely and More Preferentially to Layer 1 than Neurons of the Ventral Anterior–Ventral Lateral Nuclear Complex in the Rat. *Cerebral Cortex*. doi: 10.1093/cercor/bht216. <http://cercor.oxfordjournals.org/content/early/2013/08/21/cercor.bht216...>

Kuramoto, E., Pan, S., Furuta, T., Tanaka, Y. R., Iwai, H., Yamanaka, A., . . . Hioki, H. (2016). Individual Mediodorsal Thalamic Neurons Project to Multiple Areas of the Rat Prefrontal Cortex: A Single Neuron-Tracing Study Using Virus Vectors. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24054. <http://dx.doi.org/10.1002/cne.24054>

Kurnikova, A., Deschenes, M., & Kleinfeld, D. (2018). Functional brainstem circuits for control of nose motion. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00608.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00608.2018>

Kuroda, T., Nakamura, H., Itoh, K., Le, W. R., Yoshimura, S., Takenaka, K., & Sakai, N. (2002). Nestin immunoreactivity in local neurons of the adult rat striatum after remote cortical injury. *Journal of Chemical Neuroanatomy*, 24(2), 137-146. doi:

Kurotani, T., Miyashita, T., Wintzer, M., Konishi, T., Sakai, K., Ichinohe, N., & Rockland, K. S. (2012). Pyramidal neurons in the superficial layers of rat retrosplenial cortex exhibit a late-spiking firing property. *Brain Structure and Function*, 1-16. doi.

Kurt, S., Deutscher, A., Crook, J. M., Ohl, F. W., Budinger, E., Moeller, C. K., . . . Schulze, H. (2008). Auditory cortical contrast enhancing by global winner-take-all inhibitory interactions. *PLoS ONE*, 3(3), e1735-e1735. doi.

Kurz, J. E., Moore, B. J., Henderson, S. C., Campbell, J. N., & Churn, S. B. (2008). A cellular mechanism for dendritic spine loss in the pilocarpine model of status epilepticus. *Epilepsia*, 0(0), ???-??? doi: doi:10.1111/j.1528-1167.2008.01616.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2008.01616.x>

Kuśmierczak, M., Lajeunesse, F., Grand, L., & Timofeev, I. (2014). Changes in long-range connectivity and neuronal reorganization in partial cortical deafferentation model of epileptogenesis. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.09.079>. <http://www.sciencedirect.com/science/article/pii/S0306452214008495>

Kusnoor, S. V., Bubser, M., & Deutch, A. Y. (2012). The effects of nigrostriatal dopamine depletion on the thalamic parafascicular nucleus. *Brain Research*. doi.

Kusnoor, S. V., Parris, J., Muly, E. C., Morgan, J. I., & Deutch, A. Y. (2010). Extracerebellar role for Cerebellin1: Modulation of dendritic spine density and synapses in striatal medium spiny neurons. *Journal of Comparative Neurology*, 518(13), 2525-2537. doi.

Kutscher, A., & Covey, E. (2009). Functional role of GABAergic and glycinergic inhibition in the intermediate nucleus of the lateral lemniscus of the big brown bat. *Journal of Neurophysiology*, 101(6), 3135-3146. doi.

Kutsuna, N., Murata, Y., Eriguchi, T., Takada, Y., Oshima, H., Sakatani, K., & Katayama, Y. (2013). DCX-Expressing Neurons Decrease in the Retrosplenial Cortex after Global Brain Ischemia. In W. J. Welch, F. Palm, D. F. Bruley & D. K. Harrison (Eds.), *Oxygen Transport to Tissue XXXIV* (Vol. 765, pp. 115-121): Springer New York.

Kutsuna, N., Suma, T., Takada, Y., Yamashita, A., Oshima, H., Sakatani, K., . . . Katayama, Y. (2012). Decrease in doublecortin expression without neuronal cell death in rat retrosplenial cortex after stress exposure. *Neuroreport*, 23(4), 211-211. doi.

Kutsuna, N., Yamashita, A., Eriguchi, T., Oshima, H., Suma, T., Sakatani, K., . . . Katayama, Y. (2013). Acute stress exposure preceding transient global brain ischemia exacerbates the decrease in cortical remodeling potential in the rat retrosplenial cortex. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2013.10.011>. <http://www.sciencedirect.com/science/article/pii/S0168010213002472>

Kuwajima, M., Hall, R. A., Aiba, A., & Smith, Y. (2004). Subcellular and subsynaptic localization of group I metabotropic glutamate receptors in the monkey subthalamic nucleus. *Journal of Comparative Neurology*, 474(4), 589-602. doi.

Kuwajima, T., Sitko, A. A., Bhansali, P., Jurgens, C., Guido, W., & Mason, C. (2013). ClearT: a detergent- and solvent-free clearing method for neuronal and non-neuronal tissue. *Development*, 140(6), 1364-1368. doi: 10.1242/dev.091844. <http://dev.biologists.org/content/140/6/1364.abstract>

Kuwajima, T., Soares, C. A., Sitko, A. A., Lefebvre, V., & Mason, C. (2017). SoxC Transcription Factors Promote Contralateral Retinal Ganglion Cell Differentiation and Axon Guidance in the Mouse Visual System. *Neuron*. doi: [http://www.cell.com/neuron/abstract/S0896-6273\(17\)30053-3?_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0896627317300533%3Fshowall%3Dtrue](http://www.cell.com/neuron/abstract/S0896-6273(17)30053-3?_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0896627317300533%3Fshowall%3Dtrue)

Kwan, K. Y., Glazer, J. M., Corey, D. P., Rice, F. L., & Stucky, C. L. (2009). TRPA1 Modulates Mechanotransduction in Cutaneous Sensory Neurons. *Journal of Neuroscience*, 29(15), 4808-4819. doi: 10.1523/jneurosci.5380-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/15/4808>

Kwon, M. J., Shin, H. Y., Cui, Y., Kim, H., Le Thi, A. H., Choi, J. Y., . . . Kim, B. G. (2015). CCL2 Mediates Neuron–Macrophage Interactions to Drive Proregenerative Macrophage Activation Following Preconditioning Injury. *The Journal of Neuroscience*, 35(48), 15934-15947. doi: <http://www.jneurosci.org/content/35/48/15934.short>

Kwon, Y. S., Ann, H. S., Nabeshima, T., Shin, E. J., Kim, W. K., Jhoo, J. H., . . . others. (2004). Selegiline potentiates the effects of EGb 761 in response to ischemic brain injury. *Neurochemistry International*, 45(1), 157-170. doi.

Kwon, Y. S., Nabeshima, T., Shin, E. J., Chun, W., Jhoo, J. H., Jhoo, W. K., . . . others. (2004). PAP 9704, a Korean Herbal Medicine Attenuates Methamphetamine-Induced Hyperlocomotion via Adenosine A_{2A} Receptor Stimulation in Mice. *Biological and Pharmaceutical Bulletin*, 27(6), 906-909. doi.

La, Walker, y. C., Fry, M. C. M. E., Wang, D. J., Du, D. X., Zuzzio, M. K., . . . Xu, P. X.-M. (2018). Functional and histological gender comparison of age-matched rats after moderate thoracic contusive spinal cord injury. 2018, 0(

), null. doi: 10.1089/neu.2018.6233. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.6233>

La Rosa, C., Cavallo, F., Pecora, A., Chincarini, M., Ala, U., Faulkes, C. G., . . . Bonfanti, L. (2020). Phylogenetic variation in cortical layer II immature neuron reservoir of mammals. *eLife*, 9, e55456. doi: 10.7554/eLife.55456. <https://doi.org/10.7554/eLife.55456>

La Rosa, C., Parolisi, R., Palazzo, O., Lévy, F., Meurisse, M., & Bonfanti, L. (2018). Clusters of DCX+ cells "trapped" in the subcortical white matter of early postnatal Cetartiodactyla (*Tursiops truncatus*, *Stenella coeruleoalba* and *Ovis aries*). [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1708-z. <https://doi.org/10.1007/s00429-018-1708-z>

Labedi, A., Benali, A., Mix, A., Neubacher, U., & Funke, K. (2014). Modulation of Inhibitory Activity Markers by Intermittent Theta-Burst Stimulation in Rat Cortex is NMDA-Receptor Dependent. *Brain Stimulation*, (0). doi: <http://dx.doi.org/10.1016/j.brs.2014.02.010>. <http://www.sciencedirect.com/science/article/pii/S1935861X14001089>

Laberge, F., & Smith, A. (2017). Efferent Axonal Projections of the Habenular Complex in the Fire-Bellied Toad *Bombina orientalis*. *Brain, Behavior and Evolution*. doi: <https://www.karger.com/Article/Abstract/481394>

Labrakakis, C., Lorenzo, L. E., Bories, C., Ribeiro-da-Silva, A., & De Koninck, Y. (2009). Inhibitory coupling between inhibitory interneurons in the spinal cord dorsal horn. *Molecular Pain*, 5(1), 24-24. doi.

Lacey, C. J., Bolam, J. P., & Magill, P. J. (2007). Novel and Distinct Operational Principles of Intralaminar Thalamic Neurons and Their Striatal Projections. *Journal of Neuroscience*, 27(16), 4374-4384. doi: 10.1523/jneurosci.5519-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/16/4374>

Laemle, L. K., & Ottenweller, J. E. (2001). The relationship between circadian rhythmicity and vasoactive intestinal polypeptide in the suprachiasmatic nucleus of congenitally anophthalmic mice. *Brain Research*, 917(1), 105-111. doi.

Laemle, L. K., Puzskarczuk, M., & Feinberg, R. N. (1999). Apoptosis in early ocular morphogenesis in the mouse. *Developmental Brain Research*, 112(1), 129-133. doi.

Laezza, F., Doherty, J. J., & Dingledine, R. (1999). Long-Term Depression in Hippocampal Interneurons: Joint Requirement for Pre- and Postsynaptic Events. *Science*, 285, 1411-1414. doi. <http://www.sciencemag.org/cgi/search?maxtoshow=&HITS=&hits-&RESULTFORMAT,..>

Lafemina, M. J., Sheldon, R. A., & Ferriero, D. M. (2006). Acute Hypoxia-Ischemia Results in Hydrogen Peroxide Accumulation in Neonatal But Not Adult Mouse Brain. *Pediatric Research*, 59(5), 680-683. doi.

Lagace, D. C., Whitman, M. C., Noonan, M. A., Ables, J. L., DeCarolis, N. A., Arguello, A. A., . . . Eisch, A. J. (2007). Dynamic Contribution of Nestin-Expressing Stem Cells to Adult Neurogenesis. *Journal of Neuroscience*, 27(46), 12623-12629. doi: 10.1523/jneurosci.3812-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/46/12623>

Laguesse, S., Morisot, N., Shin, J. H., Liu, F., Adrover, M. F., Sakhai, S. A., . . . Ron, D. (2017). Prosapip1-Dependent Synaptic Adaptations in the Nucleus Accumbens Drive Alcohol Intake, Seeking, and Reward. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2017.08.037>. <http://www.sciencedirect.com/science/article/pii/S0896627317307808>

Lähteinen, S., Pitkänen, A., Koponen, E., Saarelainen, T., & Castren, E. (2003). Exacerbated status epilepticus and acute cell loss, but no changes in epileptogenesis, in mice with increased brain-derived neurotrophic factor signaling. *Neuroscience*, 122(4), 1081-1092. doi.

Lahteinen, S., Pitkanen, A., Saarelainen, T., Nissinen, J., Koponen, E., & Castren, E. (2002). Decreased BDNF signalling in transgenic mice reduces epileptogenesis. *European Journal of Neuroscience*, 15(4), 721-734. doi: doi:10.1046/j.1460-9568.2002.01897.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.01897.x>

Lai, Y. Y., Hsieh, K. C., Nguyen, D., Peever, J., & Siegel, J. M. (2008). Neurotoxic lesions at the ventral mesopontine junction change sleep time and muscle activity during sleep: an animal model of motor disorders in sleep. *Neuroscience*, 154(2), 431-443. doi.

Laing, R. J., Turecek, J., Takahata, T., & Olavarria, J. F. (2014). Identification of Eye-Specific Domains and Their Relation to Callosal Connections in Primary Visual Cortex of Long Evans Rats. *Cerebral Cortex*. doi: 10.1093/cercor/bhu128. <http://cercor.oxfordjournals.org/content/early/2014/06/25/cercor.bhu128>.

...

Lam, C.-S., Li, J.-J., Tipoe, G. L., Youdim, M. B. H., & Fung, M.-L. (2017). Monoamine oxidase A upregulated by chronic intermittent hypoxia activates indoleamine 2,3-dioxygenase and neurodegeneration. *PLoS ONE*, 12(6), e0177940. doi: 10.1371/journal.pone.0177940. <https://doi.org/10.1371/journal.pone.0177940>

Lam, C.-S., Tipoe, G. L., Wong, J. K.-C., Youdim, M. B. H., & Fung, M.-L. (2016). M30 Antagonizes Indoleamine 2,3-Dioxygenase Activation and Neurodegeneration Induced by Corticosterone in the Hippocampus. *PLoS ONE*, 11(11), e0166966. doi: 10.1371/journal.pone.0166966. <http://dx.doi.org/10.1371%2Fjournal.pone.0166966>

Lam, Y. W., Cox, C. L., Varela, C., & Sherman, S. M. (2005). Morphological Correlates of Triadic Circuitry in the Lateral Geniculate Nucleus of Cats and Rats. *Journal of Neurophysiology*, 93(2), 748-757. doi: 10.1152/jn.00256.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/748>

Lamas, V., Alvarado, J. C., Carro, J., & Merchán, M. A. (2013). Long-Term Evolution of Brainstem Electrical Evoked Responses to Sound after Restricted Ablation of the Auditory Cortex. *PLoS ONE*, 8(9), e73585. doi: 10.1371/journal.pone.0073585. <http://dx.doi.org/10.1371%2Fjournal.pone.0073585>

Lambe, E. K., Krimer, L. S., & Goldman-Rakic, P. S. (2000). Differential Postnatal Development of Catecholamine and Serotonin Inputs to Identified Neurons in Prefrontal Cortex of Rhesus Monkey. *Journal of Neuroscience*, 20(23), 8780-8787. doi: <http://www.jneurosci.org/cgi/content/abstract/20/23/8780>

Lambert, K., Hyer, M., Bardi, M., Rzucidlo, A., Scott, S., Terhunecotter, B., . . . Kinsley, C. (2016). Natural-enriched environments lead to enhanced environmental engagement and altered neurobiological resilience. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.037>. <http://www.sciencedirect.com/science/article/pii/S0306452216301968>

Lambert, K. G., Buckelew, S. K., Staffiso-Sandoz, G., Gaffga, S., Carpenter, W., Fisher, J., & Kinsley, C. H. (1998). Activity-stress induces atrophy of apical dendrites of hippocampal pyramidal neurons in male rats. *Physiology and Behavior*, 65(1), 43-49. doi.

Lambert, K. G., Franssen, C. L., Bardi, M., Hampton, J. E., Hainley, L., Karsner, S., . . . others. (2011). Characteristic Neurobiological Patterns Differentiate Paternal Responsiveness in Two *Peromyscus* Species. *Brain, Behavior and Evolution*, 77(3), 159-175. doi.

Lambert, K. G., Franssen, C. L., Hampton, J. E., Rzucidlo, A. M., Hyer, M. M., True, M., . . . Bardi, M. (2012). Modeling Paternal Attentiveness: Distressed Pups Evoke Differential Neurobiological and Behavioral Responses in Paternal and Nonpaternal Mice. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2012.12.023>. <http://www.sciencedirect.com/science/article/pii/S0306452212012043>

Lambert, K. G., Gerecke, K. M., Quadros, P. S., Doudera, E., Jasnow, A. M., & Kinsley, C. H. (2000). Activity-stress increases density of GFAP-immunoreactive astrocytes in the rat hippocampus. *Stress: The International Journal on the Biology of Stress*, 3(4), 275-284. doi.

Lambert, K. G., Quadros, P., Aurentz, C., Lowry, C., & Kinsley, C. H. (1999). Does Chronic Activity-Stress Produce Hippocampal Atrophy and Basal Forebrain Lesions?: A Preliminary Analysis. *Annals of the New York Academy of Sciences*, 877(1), 742-746. doi: doi:10.1111/j.1749-6632.1999.tb09314.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.1999.tb09314.x>

Lammel, S., Hetzel, A., Häckel, O., Jones, I., Liss, B., & Roeper, J. (2008). Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system. *Neuron*, 57(5), 760-773. doi.

Lammel, S., Lim, B. K., Ran, C., Huang, K. W., Betley, M. J., Tye, K. M., . . . Malenka, R. C. (2012). Input-specific control of reward and aversion in the ventral tegmental area. *Nature*. doi.

Lampe, K. J., Antaris, A. L., & Heilshorn, S. C. (2012). Design of 3D engineered protein hydrogels for tailored control of neurite growth. *Acta Biomaterialia*, (0). doi: 10.1016/j.actbio.2012.10.033. <http://www.sciencedirect.com/science/article/pii/S1742706112005259?V=s5>

Land, P. W., & Aizenman, E. (2005). Zinc accumulation after target loss: an early event in retrograde degeneration of thalamic neurons. *European Journal of Neuroscience*, 21(3), 647-657. doi: doi:10.1111/j.1460-9568.2005.03903.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03903.x>

Land, P. W., & Monaghan, A. P. (2003). Expression of the transcription factor, *tailless*, is required for formation of superficial cortical layers. *Cerebral Cortex*, 13(9), 921-931. doi.

Landers, M. S., Knott, G. W., Lipp, H. P., Poletaeva, I., & Welker, E. (2011). Synapse formation in adult barrel cortex following naturalistic environmental enrichment. *Neuroscience*. doi.

Landin, J. D., Palac, M., Carter, J. M., Dzumaga, Y., Santerre-Anderson, J. L., Fernandez, G. M., . . . Werner, D. F. (2019). General anesthetic exposure in adolescent rats causes persistent maladaptations in cognitive and affective behaviors and neuroplasticity. *Neuropharmacology*, 150, 153-163. doi: <https://doi.org/10.1016/j.neuropharm.2019.03.022> <http://www.sciencedirect.com/science/article/pii/S0028390818305203>

Landsberg, R. L., Awatramani, R. B., Hunter, N. L., Farago, A. F., DiPietrantonio, H. J., Rodriguez, C. I., & Dymecki, S. M. (2005). Hindbrain rhombic lip is comprised of discrete progenitor cell populations allocated by *Pax6*. *Neuron*, 48(6), 933-947. doi.

Langle, S. L., Poulain, D. A., & Theodosis, D. T. (2003). Induction of rapid, activity-dependent neuronal-glial remodelling in the adult rat hypothalamus *in vitro*. *European Journal of Neuroscience*, 18(1), 206-214. doi: doi:10.1046/j.1460-9568.2003.02741.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02741.x>

Lang-Ouellette, D., Gruver, K. M., Smith-Dijak, A., Blot, F. G. C., Stewart, C. A., de Vanssay de Blavous, P., . . . Watt, A. J. (2021). Purkinje cell axonal swellings enhance action potential fidelity and cerebellar function. *Nature Communications*, 12(1), 4129. doi: 10.1038/s41467-021-24390-4. <https://doi.org/10.1038/s41467-021-24390-4>

Lanz, F., Moret, V., Ambett, R., Cappe, C., Rouiller, E. M., & Loquet, G. (2016). Distant heterotopic callosal connections to premotor cortex in non-human primates. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.12.035> <http://www.sciencedirect.com/science/article/pii/S0306452216307357>

Lao, Z., Raju, G. P., Bai, C. B., & Joyner, Alexandra L. (2012). MASTR: A Technique for Mosaic Mutant Analysis with Spatial and Temporal Control of Recombination Using Conditional Floxed Alleles in Mice. *Cell Reports*, (0). doi: 10.1016/j.celrep.2012.07.004. <http://www.sciencedirect.com/science/article/pii/S221124712002008>

Lao, Z., Raju, G. P., Bai, C. B., & Joyner, A. L. (2012). Mosaic mutant Analysis with Spatial and Temporal control of Recombination (MASTR): a new technique for determining the fate of mutant cells using conditional floxed alleles in mice. *Cell Reports*, 2(2), 386. doi.

LaPlaca, M. C., & Lessing, M. C. (2012). Assessment of Membrane Permeability After Traumatic Brain Injury. *Springer Protocols Handbooks*. doi.

LaPlaca, M. C., Lessing, M. C., Prado, G. R., Zhou, R., Tate, C. C., Geddes-Klein, D., . . . Zhang, L. (2018). Mechanoporation is a potential indicator of tissue strain and subsequent degeneration following experimental traumatic brain injury. *Clinical Biomechanics*. doi: <https://doi.org/10.1016/j.clinbiomech.2018.05.016>. <http://www.sciencedirect.com/science/article/pii/S0268003318304765>

Lara, J., Kusano, K., House, S., & Gainer, H. (2003). Interactions of cyclic adenosine monophosphate, brain-derived neurotrophic factor, and glial cell line-derived neurotrophic factor treatment on the survival and growth of postnatal mesencephalic dopamine neurons in vitro. *Experimental Neurology*, 180(1), 32-45. doi:

Laramée, M. E., Kurotani, T., Rockland, K. S., Bronchti, G., & Boire, D. (2011). Indirect pathway between the primary auditory and visual cortices through layer V pyramidal neurons in V2L in mouse and the effects of bilateral enucleation. *European Journal of Neuroscience*, 34(1), 65-78. doi: 10.1111/j.1460-9568.2011.07732.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07732.x>

Laramée, M. E., Rockland, K. S., Prince, S., Bronchti, G., & Boire, D. (2012). Principal Component and Cluster Analysis of Layer V Pyramidal Cells in Visual and Non-Visual Cortical Areas Projecting to the Primary Visual Cortex of the Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhs060. <http://cercor.oxfordjournals.org/content/early/2012/03/16/cercor.bhs060>

Laramée, M.-E., Bronchti, G., & Boire, D. (2013). Primary visual cortex projections to extrastriate cortices in enucleated and anophthalmic mice. *Brain Structure and Function*, 1-20. doi: 10.1007/s00429-013-0623-6. <http://dx.doi.org/10.1007/s00429-013-0623-6>

Large, A. M., Vogler, N. W., Mielo, S., & Oswald, A.-M. M. (2016). Balanced feedforward inhibition and dominant recurrent inhibition in olfactory cortex. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1519295113. <http://www.pnas.org/content/early/2016/02/04/1519295113.abstract>

Laricchiuta, D., Saba, L., De Bartolo, P., Caioli, S., Zona, C., & Petrosini, L. (2016). Maintenance of aversive memories shown by fear extinction-impaired phenotypes is associated with increased activity in the amygdaloid-prefrontal circuit. [Article]. *Scientific Reports*, 6, 21205. doi: 10.1038/srep21205

<http://www.nature.com/articles/srep21205#supplementary-information>. <http://dx.doi.org/10.1038/srep21205>

Larkum, M. E., Nevian, T., Sandler, M., Polsky, A., & Schiller, J. (2009). Synaptic Integration in Tuft Dendrites of Layer 5 Pyramidal Neurons: A New Unifying Principle. *Science*, 325(5941), 756-760. doi: 10.1126/science.1171958. <http://www.sciencemag.org/cgi/content/abstract/325/5941/756>

Larkum, M. E., Watanabe, S., Lasser-Ross, N., Rhodes, P., & Ross, W. N. (2007). Dendritic Properties of Turtle Pyramidal neurons. *Journal of Neurophysiology*, 01076.02007. doi: 10.1152/jn.01076.2007. <http://jn.physiology.org/cgi/content/abstract/01076.2007v1>

Larkum, M. E., & Zhu, J. J. (2002). Signaling of Layer 1 and Whisker-Evoked Ca²⁺ and Na⁺ Action Potentials in Distal and Terminal Dendrites of Rat Neocortical Pyramidal Neurons In Vitro and In Vivo. *Journal of Neuroscience*, 22(16), 6991-7005. doi: <http://www.jneurosci.org/cgi/content/abstract/22/16/6991>

Larkum, M. E., Zhu, J. J., & Sakmann, B. (2001). Dendritic mechanisms underlying the coupling of the dendritic with the axonal action potential initiation zone of adult rat layer 5 pyramidal neurons. *Journal of Physiology*, 533(2), 447-466. doi: <http://jp.physoc.org/cgi/content/abstract/533/2/447>

Larphaveesarp, A., Georgevits, M., Ferriero, D. M., & Gonzalez, F. F. (2016). Delayed erythropoietin therapy improves histological and behavioral outcomes after transient neonatal stroke. *Neurobiology of Disease*, 93, 57-63. doi: <http://dx.doi.org/10.1016/j.nbd.2016.04.006>. <http://www.sciencedirect.com/science/article/pii/S0969996116300882>

Laureau, T., Hilal, L. M., Fourrier, C., De Smedt-Peyrusse, V., Sans, N., Capuron, L., & Laye, S. (2014). Nutritional omega-3 modulates neuronal morphology in the prefrontal cortex along with depression-related behaviour through corticosterone secretion. [Original Article]. *Transl Psychiatry*, 4, e437. doi: 10.1038/tp.2014.77. <http://dx.doi.org/10.1038/tp.2014.77>

Larsen, D. L. D., & Callaway, E. M. (2006). Development of layer-specific axonal arborizations in mouse primary somatosensory cortex. *Journal of Comparative Neurology*, 494(3), 398-414. doi.

Larsen, D. L. D., Wickersham, I. R., & Callaway, E. M. (2007). Frontiers: Retrograde tracing with recombinant rabies virus reveals correlations between projection targets and dendritic architecture in layer 5 of mouse barrel cortex. *Frontiers in Neural Circuits*, 2. doi.

Larsen, D. L. D., Wickersham, I. R., & Callaway, E. M. (2007). Retrograde tracing with recombinant rabies virus reveals correlations between projection targets and dendritic architecture in layer 5 of mouse barrel cortex. *Frontiers in Neural Circuits*, 1. doi.

Larson, S. D., Fong, L. L., Gupta, A., Condit, C., Bug, W. J., & Martone, M. E. (2007). A formal ontology of subcellular neuroanatomy. *Frontiers in Neuroinformatics*, 1. doi.

Larson, S. D., Fong, L. L., Gupta, A., Condit, C., Bug, W. J., & Martone, M. E. (2007). A formal ontology of subcellular neuroanatomy (Vol. 1).

LaSarge, C. L., Pun, R. Y. K., Gu, Z., Santos, V. R., & Danzer, S. C. (2019). Impact of mTOR hyperactive neurons on the morphology and physiology of adjacent neurons: Do PTEN KO cells make bad neighbors? *Experimental Neurology*, 321, 113029. doi: <https://doi.org/10.1016/j.expneurol.2019.113029>. <http://www.sciencedirect.com/science/article/pii/S0014488619301785>

LaSarge, C. L., Pun, R. Y. K., Muntifering, M. B., & Danzer, S. C. (2016). Disrupted hippocampal network physiology following PTEN deletion from newborn dentate granule cells. *Neurobiology of Disease*, 96, 105-114. doi: <http://dx.doi.org/10.1016/j.nbd.2016.09.004>. <http://www.sciencedirect.com/science/article/pii/S0969996116302200>

LaSarge, C. L., Santos, V. R., & Danzer, S. C. (2015). PTEN deletion from adult-generated dentate granule cells disrupts granule cell mossy fiber axon structure. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.12.029>. <http://www.sciencedirect.com/science/article/pii/S0969996114004008>

Lasserre, S., Hernando, J., Hill, S., Schürmann, F., Miguel Anasagasti, P., Markram, H., & others. (2012). A neuron membrane mesh representation for visualization of electrophysiological simulations. *Visualization and Computer Graphics, IEEE Transactions on*, (99), 1-1. doi.

Laszczyk, A. M., Fox-Quick, S., Vo, H. T., Nettles, D., Pugh, P. C., Overstreet-Wadiche, L., & King, G. D. (2017). Klotho regulates postnatal neurogenesis and protects against age-related spatial memory loss. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2017.07.008>. <http://www.sciencedirect.com/science/article/pii/S0197458017302415>

Lasztóczy, B., & Klausberger, T. (2014). Layer-Specific GABAergic Control of Distinct Gamma Oscillations in the CA1 Hippocampus. *Neuron*, 81(5), 1126-1139. doi: <http://dx.doi.org/10.1016/j.neuron.2014.01.021>. <http://www.sciencedirect.com/science/article/pii/S089662731400052X>

Lasztóczy, B., Tukker, J. J., Somogyi, P., & Klausberger, T. (2011). Terminal Field and Firing Selectivity of Cholecystokinin-Expressing Interneurons in the Hippocampal CA3 Area. *Journal of Neuroscience*, 31(49), 18073-18093. doi: 10.1523/jneurosci.3573-11.2011. <http://www.jneurosci.org/content/31/49/18073.abstract>

Lath, N. R., Galambos, C., Rocha, A. B., Malek, M., Gittes, G. K., & Potoka, D. A. (2012). Defective pulmonary innervation and autonomic imbalance in congenital diaphragmatic hernia. *American Journal of Physiology-Lung Cellular and Molecular Physiology*, 302(4), L390-L398. doi: 10.1152/ajplung.00112.2012

Lattanzi, A., Neri, M., Maderia, C., di Girolamo, I., Martino, S., Orlacchio, A., . . . Gritti, A. (2010). Widespread enzymatic correction of CNS tissues by a single intracerebral injection of therapeutic lentiviral vector in leukodystrophy mouse models. *Human Molecular Genetics*, 19(1), 101-110. doi: 10.1093/hmg/ddq099. <http://hmg.oxfordjournals.org/cgi/content/abstract/ddq099v2>

Lau, B. W. M., Ren, C., Yang, J., Yan, S. W. L., Chang, R. C. C., Pu, M., & So, K. F. (2011). Light deprivation induces depression-like behavior and suppresses neurogenesis in diurnal Mongolian gerbil (*Meriones unguiculatus*). *Cell Transplantation*, 20(6), 871-881. doi: 10.1089/cell.2010.0168

Lau, T., Bigio, B., Zelli, D., McEwen, B. S., & Nasca, C. (2016). Stress-induced structural plasticity of medial amygdala stellate neurons and rapid prevention by a candidate antidepressant. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.68. <http://dx.doi.org/10.1038/mp.2016.68>

Lauer, A. M., Connelly, C. J., Graham, H., & Ryugo, D. K. (2013). Morphological Characterization of Bushy Cells and Their Inputs in the Laboratory Mouse (*Mus musculus*) Anteroventral Cochlear Nucleus. *PLoS ONE*, 8(8), e73308. doi: 10.1371/journal.pone.0073308. <http://dx.doi.org/10.1371/journal.pone.0073308>

Lauer, A. M., Fuchs, P. A., Ryugo, D. K., & Francis, H. W. (2012). Efferent synapses return to inner hair cells in the aging cochlea. *Neurobiology of Aging*, 33(1), 101-110. doi: 10.1016/j.neurobiolaging.2012.02.007. <http://www.sciencedirect.com/science/article/pii/S0197458012001522>

Lauer, M., & Senitz, D. (2006). Dendritic excrescences seem to characterize hippocampal CA3 pyramidal neurons in humans. *Journal of Neural Transmission*, 113(10), 1469-1475. doi: 10.1007/s00401-006-0168-8

Lauer, S. M., Lenschow, C., & Brecht, M. (2017). Sexually selected size differences and conserved sexual monomorphism of genital cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24237. <http://dx.doi.org/10.1002/cne.24237>

Lauria, G., Cornblath, D. R., Johansson, O., McArthur, J. C., Mellgren, S. I., Nolano, M., . . . Sommer, C. (2005). EFNS guidelines on the use of skin biopsy in the diagnosis of peripheral neuropathy. *European Journal of Neurology*, 18(1), 1-10. doi: 10.1016/j.euroneuro.2004.11.001

Journal of Neurology, 12(10), 747-758. doi: doi:10.1111/j.1468-1331.2005.01260.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1468-1331.2005.01260.x>

Lauria, G., Cornblath, D. R., Johansson, O., McArthur, J. C., Mellgren, S. I., Nolano, M., . . . Sommer, C. (2005). Use of Skin Biopsy in the Diagnosis of Peripheral Neuropathy. *European Handbook of Neurological Management*, 94-108. doi.

Lauria, G., Hsieh, S. T., Johansson, O., Kennedy, W. R., Leger, J. M., Mellgren, S. I., . . . others. (2010). European Federation of Neurological Societies/Peripheral Nerve Society Guideline on the use of skin biopsy in the diagnosis of small fiber neuropathy. Report of a joint task force of the European Federation of Neurological Societies and the Peripheral Nerve Society. *European Journal of Neurology*, 17(7), 903-e949-903-e949. doi.

Lavallee, P., & Deschenes, M. (2004). Dendroarchitecture and Lateral Inhibition in Thalamic Barreloids. *Journal of Neuroscience*, 24(27), 6098-6105. doi: <http://www.jneurosci.org/cgi/content/abstract/24/27/6098>

Lavenex, P., Steele, M. A., & Jacobs, L. F. (2000). The seasonal pattern of cell proliferation and neuron number in the dentate gyrus of wild adult eastern grey squirrels. *European Journal of Neuroscience*, 12(2), 643. doi.

Lavezzi, H. N., Parsley, K. P., & Zahm, D. S. (2011). Mesopontine rostromedial tegmental nucleus neurons projecting to the dorsal raphe and pedunculo-pontine tegmental nucleus: psychostimulant-elicited Fos expression and collateralization. *Brain Structure and Function*, 1-16. doi.

Lavian, H., & Korngreen, A. (2015). Inhibitory short-term plasticity modulates neuronal activity in the rat entopeduncular nucleus in vitro. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12965. <http://dx.doi.org/10.1111/ejn.12965>

Lavzin, M., Rapoport, S., Polsky, A., Garion, L., & Schiller, J. (2012). Nonlinear dendritic processing determines angular tuning of barrel cortex neurons in vivo. [10.1038/nature11451]. *Nature*, advance online publication. doi: <http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature11451.html#> <http://dx.doi.org/10.1038/nature11451>

Law, L. M., Gardner, R. D., Allen, T. A., & Lee, D. W. (2010). Species-specific injury-induced cell proliferation in the hippocampus and subventricular zone of food-storing and nonstoring wild birds. *Developmental Neurobiology*, 70(1), 16-27. doi.

Lawrence, J. J., Saraga, F., Churchill, J. F., Statland, J. M., Travis, K. E., Skinner, F. K., & McBain, C. J. (2006). Somatodendritic Kv7/KCNQ/M Channels Control Interspike Interval in Hippocampal Interneurons. *Journal of Neuroscience*, 26(47), 12325-12338. doi: 10.1523/jneurosci.3521-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/47/12325>

Lawrence, M. S., Foellmer, H. G., Elsworth, J. D., Kim, J. H., Leranath, C., Kozlowski, D. A., . . . Redmond, D. E. (1999). Inflammatory responses and their impact on β -galactosidase transgene expression following adenovirus vector delivery to the primate caudate nucleus. *Gene Therapy*, 6, 1368-1379. doi.

Lawrence, R. C., Otero, N. K. H., & Kelly, S. J. (2011). Selective effects of perinatal ethanol exposure in medial prefrontal cortex and nucleus accumbens. *Neurotoxicology and Teratology*. doi.

Lazarczyk, M. J., Kemmler, J. E., Eyford, B. A., Short, J. A., Varghese, M., Sowa, A., . . . Dickstein, D. L. (2016). Major Histocompatibility Complex class I proteins are critical for maintaining neuronal structural complexity in the aging brain. [Article]. *Scientific Reports*, 6, 26199. doi: 10.1038/srep26199

<http://www.nature.com/articles/srep26199#supplementary-information>. <http://dx.doi.org/10.1038/srep26199>

Lazarenko, R. M., Milner, T. A., Depuy, S. D., Stornetta, R. L., West, G. H., Kievits, J. A., . . . Guyenet, P. G. (2009). Acid sensitivity and ultrastructure of the retrotrapezoid nucleus in Phox2b-EGFP transgenic mice. *Journal of Comparative Neurology*, 517(1), 69-86. doi.

Lazarewicz, M. T., Boer-Iwema, S., & Ascoli, G. A. (2002). Practical aspects in anatomically accurate simulations of neuronal electrophysiology. *Computational Neuroanatomy: Principles and Methods*, 127-148. doi.

Lázaro, J., Hertel, M., Sherwood, C. C., Muturi, M., & Dechmann, D. K. N. (2018). Profound seasonal changes in brain size and architecture in the common shrew. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1666-5. <https://doi.org/10.1007/s00429-018-1666-5>

Lazarov, O., Peterson, L. D., Peterson, D. A., & Sisodia, S. S. (2006). Expression of a Familial Alzheimer's Disease-Linked Presenilin-1 Variant Enhances Perforant Pathway Lesion-Induced Neuronal Loss in the Entorhinal Cortex. *Journal of Neuroscience*, 26(2), 429-434. doi: 10.1523/jneurosci.3961-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/2/429>

Lazarus, M. S., & Huang, Z. J. (2011). Distinct maturation profiles of perisomatic and dendritic targeting GABAergic interneurons in the mouse primary visual cortex during the critical period of ocular dominance plasticity. *Journal of Neurophysiology*, 106(2), 775-787. doi: 10.1152/jn.00729.2010. <http://jn.physiology.org/content/106/2/775.abstract>

Le Bé, J. V., Silberberg, G., Wang, Y., & Markram, H. (2007). Morphological, electrophysiological, and synaptic properties of corticocollateral pyramidal cells in the neonatal rat neocortex. *Cerebral Cortex*, 17(9), 2204-2213. doi.

Le Bon-Jego, M., & Yuste, R. (2007). Persistently active, pacemaker-like neurons in neocortex. *Frontiers in Neuroscience*, 1(1), 123-123. doi.

Le Cam, J., Estebanez, L., Jacob, V., & Shulz, D. E. (2011). Spatial structure of multiwhisker receptive fields in the barrel cortex is stimulus dependent. *Journal of Neurophysiology*, 106(2), 986-998. doi: 10.1152/jn.00044.2011. <http://jn.physiology.org/content/106/2/986.abstract>

Le Magueresse, C., Alfonso, J., Bark, C., Eliava, M., Khrulev, S., & Monyer, H. (2011). Subventricular Zone-Derived Neuroblasts Use Vasculature as a Scaffold to Migrate Radially to the Cortex in Neonatal Mice. *Cerebral Cortex*, bhr302. doi: 10.1093/cercor/bhr302. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr302v1>

Le Magueresse, C., Alfonso, J., Khodosevich, K., Arroyo Martin, Á. A., Bark, C., & Monyer, H. (2011). "Small Axonless Neurons": Postnatally Generated Neocortical Interneurons with Delayed Functional Maturation. *Journal of Neuroscience*, 31(46), 16731-16747. doi: 10.1523/jneurosci.4273-11.2011. <http://www.jneurosci.org/content/31/46/16731.abstract>

Le Masson, G., Przedborski, S., & Abbott, L. F. (2014). A Computational Model of Motor Neuron Degeneration. *Neuron*. doi: 10.1016/j.neuron.2014.07.001. [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00582-0](http://www.cell.com/neuron/abstract/S0896-6273(14)00582-0)

Leach, N. D., Nodal, F. R., Cordery, P. M., King, A. J., & Bajo, V. M. (2013). Cortical Cholinergic Input Is Required for Normal Auditory Perception and Experience-Dependent Plasticity in Adult Ferrets. *Journal of Neuroscience*, 33(15), 6659-6671. doi: 10.1523/jneurosci.5039-12.2013. <http://www.jneurosci.org/content/33/15/6659.abstract>

Leal-Campanario, R., Alarcon-Martinez, L., Rieiro, H., Martinez-Conde, S., Alarcon-Martinez, T., Zhao, X., . . . Macknik, S. L. (2017). Abnormal Capillary Vasodynamics Contribute to Ictal Neurodegeneration in Epilepsy. [Article]. *Scientific Reports*, 7, 43276. doi: 10.1038/srep43276

<http://www.nature.com/articles/srep43276#supplementary-information>. <http://dx.doi.org/10.1038/srep43276>

Lean, G. A., Liu, Y.-j., & Lyon, D. C. (2018). Cell type specific tracing of the subcortical input to primary visual cortex from the basal forebrain. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24412. <http://dx.doi.org/10.1002/cne.24412>

Leao, R. M., Kushmerick, C., Pinaud, R., Renden, R., Li, G.-L., Taschenberger, H., . . . von Gersdorff, H. (2005). Presynaptic Na⁺ Channels: Locus, Development, and Recovery from Inactivation at a High-Fidelity Synapse. *Journal of Neuroscience*, 25(14), 3724-3738. doi: <http://www.jneurosci.org/cgi/content/abstract/25/14/3724>

Lebhardt, P., Hohenberg, C. C. v., Weber-Fahr, W., Kelsch, W., & Sartorius, A. (2015). Optogenetic fMRI in the mouse hippocampus: hemodynamic response to brief glutamatergic stimuli. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15606455. <http://jcb.sagepub.com/content/early/2015/09/23/0271678X15606455.abstract>

Lebrand, C., Dent, E. W., Strasser, G. A., Lanier, L. M., Krause, M., Svitkina, T. M., . . . Gertler, F. B. (2004). Critical role of Ena/VASP proteins for filopodia formation in neurons and in function downstream of netrin-1. *Neuron*, 42(1), 37-49. doi:

Lecrux, C., Sandoe, C. H., Neupane, S., Kropf, P., Toussay, X., Tong, X.-K., . . . Hamel, E. (2017). Impact of altered cholinergic tones on the neurovascular coupling response to whisker stimulation. [10.1523/JNEUROSCI.1784-16.2016]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/01/09/JNEUROSCI.1784-16.2016..>

Ledergerber, D., & Larkum, M. E. (2010). Properties of Layer 6 Pyramidal Neuron Apical Dendrites. *Journal of Neuroscience*, 30(39), 13031-13044. doi: 10.1523/jneurosci.2254-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/39/13031>

Lee, A., Wissekerke, A. E., Rosin, D. L., & Lynch, K. R. (1998). Localization of α 2c-adrenergic receptor immunoreactivity in catecholaminergic neurons in the rat central nervous system. *Neuroscience*, 84(4), 1085-1096. doi:

Lee, A. J., Wang, G., Jiang, X., Johnson, S. M., Hoang, E. T., Lanté, F., . . . Julius Zhu, J. (2014). Canonical Organization of Layer 1 Neuron-Led Cortical Inhibitory and Disinhibitory Interneuronal Circuits. *Cerebral Cortex*. doi: 10.1093/cercor/bhu020. <http://cercor.oxfordjournals.org/content/early/2014/02/18/cercor.bhu020...>

Lee, A. K., Manns, I. D., Sakmann, B., & Brecht, M. (2006). Whole-cell recordings in freely moving rats. *Neuron*, 51(4), 399-407. doi.

Lee, C., μΨÄσÿetÄö, & others. (2010). The effects of mild and severe stress on dendritic remodelling of hippocampal pyramidal neurons on exercised rats. HKU Theses Online (HKUTO). doi.

Lee, C. C., Imaizumi, K., Schreiner, C. E., & Winer, J. A. (2004). Concurrent Tonotopic Processing Streams in Auditory Cortex. *Cerebral Cortex*, 14(4), 441-451. doi: 10.1093/cercor/bhh006. <http://cercor.oxfordjournals.org/cgi/content/abstract/14/4/441>

Lee, C. C., Schreiner, C. E., Imaizumi, K., & Winer, J. A. (2004). Tonotopic and heterotopic projection systems in physiologically defined auditory cortex. *Neuroscience*, 128(4), 871-887. doi.

Lee, C. C., & Winer, J. A. (2005). Principles governing auditory cortex connections. *Cerebral Cortex*, 15(11), 1804-1814. doi.

Lee, C. C., & Winer, J. A. (2008). Connections of cat auditory cortex: I. Thalamocortical system. *Journal of Comparative Neurology*, 507(6), 1879-1900. doi.

Lee, C. C., & Winer, J. A. (2008). Connections of cat auditory cortex: II. Commissural system. *Journal of Comparative Neurology*, 507(6), 1901-1919. doi.

Lee, C. C., & Winer, J. A. (2008). Connections of cat auditory cortex: III. Corticocortical system. *Journal of Comparative Neurology*, 507(6), 1920-1943. doi.

Lee, C. H., Yoo, D. Y., Park, O. K., Park, J. H., Yi, S. S., Yoon, Y. S., . . . Hwang, I. K. (2011). Effects of Adrenalectomy and Replacement Therapy of Corticosterone on Cell Proliferation and Neuroblast Differentiation in the Rat Dentate Gyrus. *Neurochemical Research*, 1-9. doi.

Lee, C. Y., Romanova, E. V., & Sweedler, J. V. (2013). Laminar stream of detergents for subcellular neurite damage in a microfluidic device: a simple tool for the study of neuroregeneration. *Journal of neural engineering*, 10(3), 036020. doi.

Lee, D., Hyun, J. H., Jung, K., Hannan, P., & Kwon, H.-B. (2017). A calcium- and light-gated switch to induce gene expression in activated neurons. [Research]. *Nat Biotech*, advance online publication. doi: 10.1038/nbt.3902

<http://www.nature.com/nbt/journal/vaop/ncurrent/abs/nbt.3902.html#supple.....> <http://dx.doi.org/10.1038/nbt.3902>

Lee, D. C., Jensen, A. L., Schiefer, M. A., Morgan, C. W., & Grill, W. M. (2005). Structural mechanisms to produce differential dendritic gains. *Brain Research*, 1033(2), 117-127. doi.

Lee, D. W., Fernando, G., Peterson, R. S., Allen, T. A., & Schlinger, B. A. (2007). Estrogen mediation of injury-induced cell birth in neuroproliferative regions of the adult zebra finch brain. *Developmental Neurobiology*, 67(8), 1107-1117. doi.

Lee, F. K. H., Fang, M. R., Antonio, G. E., Yeung, D. K. W., Chan, E. T. Y., Zhang, L. H., . . . Ahuja, A. T. (2006). Diffusion tensor imaging (DTI) of rodent brains in vivo using a 1.5 T clinical MR scanner. *Journal of Magnetic Resonance Imaging*, 23(5), 747-751. doi.

Lee, H., Leamey, C. A., & Sawatari, A. (2008). Rapid reversal of chondroitin sulfate proteoglycan associated staining in subcompartments of mouse neostriatum during the emergence of behaviour. *PLoS ONE*, 3(8), e3020-e3020. doi.

Lee, H., McKeon, R. J., & Bellamkonda, R. V. (2010). Sustained delivery of thermostabilized chABC enhances axonal sprouting and functional recovery after spinal cord injury. *Proceedings of the National Academy of Sciences*, 107(8), 3340-3345. doi.

Lee, H., & Sawatari, A. (2011). Medium spiny neurons of the neostriatal matrix exhibit specific, stereotyped changes in dendritic arborization during a critical developmental period in mice. *European Journal of Neuroscience*, 34(9), 1345-1354. doi: 10.1111/j.1460-9568.2011.07852.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07852.x>

Lee, J. (2008). Fast Rhythmic Bursting Cells: The Horizontal Fiber System in the Cat's Primary Visual Cortex. *Pennscience*, 6(2), 21-26. doi.

Lee, J.-R., Lin, E., Hofacer, R., Upton, B., Lee, S., Ewing, L., . . . Loepke, A. (2017). Alternative technique or mitigating strategy for sevoflurane-induced neurodegeneration: a randomized controlled dose-escalation study of dexmedetomidine in neonatal rats. *BJA: British Journal of Anaesthesia*. doi. <https://academic.oup.com/bja/article-abstract/doi/10.1093/bja/aex219/406..>

Lee, J. S., Choi, B. Y., Cho, B. P., Lee, J. Y., Jung, W., & Yang, Y. C. (2008). Effects of Prenatal Stress and Restraint Stress on Amygdala Complex of the Rat: II. Effects on the Astrocytic Cell Processes. *Korean Journal of Physical Anthropology*, 21(3), 235-243. doi.

Lee, J. W., Jergova, S., Furmanski, O., Gajavelli, S., & Sagen, J. (2012). Predifferentiated GABAergic neural precursor transplants for alleviation of dysesthetic central pain following excitotoxic spinal cord injury. *Frontiers in Physiology*, 3. doi.

Lee, J.-Y., Lee, L.-J., Fan, C.-C., Chang, H.-C., Shih, H.-A., Min, M.-Y., & Chang, M.-S. (2017). Important roles of VILSE in dendritic architecture and synaptic plasticity. [Article]. *Scientific Reports*, 7, 45646. doi: 10.1038/srep45646

<https://www.nature.com/articles/srep45646#supplementary-information>. <http://dx.doi.org/10.1038/srep45646>

Lee, K., Chiu, K., Renner, N., Sansing, H., Didier, P., & MacLean, A. (2014). Form follows function: astrocyte morphology and immune dysfunction in SIV neuroAIDS. *Journal of Neurovirology*, 1-11. doi: 10.1007/s13365-014-0267-1. <http://dx.doi.org/10.1007/s13365-014-0267-1>

Lee, K. K. H., Kwong, W. H., Chau, F.-t., Yew, D. T., & Chan, W. Y. (2002). Pien Tze Huang Protects the Liver against Carbon Tetrachloride-Induced Damage. *Pharmacology and Toxicology*, 91(4), 185. doi.

Lee, K. M., Chiu, K. B., Didier, P. J., Baker, K. C., & MacLean, A. G. (2015). Naltrexone treatment reverses astrocyte atrophy and immune dysfunction in self-harming macaques. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2015.07.017>. <http://www.sciencedirect.com/science/article/pii/S0889159115004122>

Lee, K. M., Chiu, K. B., Sansing, H. A., Didier, P. J., Lackner, A. A., & MacLean, A. G. (2016). The flavivirus dengue induces hypertrophy of white matter astrocytes. [journal article]. *Journal of Neurovirology*, 1-9. doi: 10.1007/s13365-016-0461-4. <http://dx.doi.org/10.1007/s13365-016-0461-4>

- Lee, K. M., Chiu, K. B., Sansing, H. A., Inglis, F. M., Baker, K. C., & MacLean, A. G. (2013). Astrocyte Atrophy and Immune Dysfunction in Self-Harming Macaques. *PLoS ONE*, 8(7), e69980. doi: 10.1371/journal.pone.0069980. <http://dx.doi.org/10.1371%2Fjournal.pone.0069980>
- Lee, L. J., & Lee, L. J. H. (2011). Neonatal fluoxetine exposure alters motor performances of adolescent rats. *Developmental Neurobiology*. doi.
- Lee, L.-J., Tsytsarev, V., & Erzurumlu, R. S. (2017). Structural and functional differences in the barrel cortex of *Mecp2* null mice. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24315. <http://dx.doi.org/10.1002/cne.24315>
- Lee, M. G., Hassani, O. K., Alonso, A., & Jones, B. E. (2005). Cholinergic Basal Forebrain Neurons Burst with Theta during Waking and Paradoxical Sleep. *Journal of Neuroscience*, 25(17), 4365-4369. doi. <http://www.jneurosci.org/cgi/content/abstract/25/17/4365>
- Lee, M. G., Hassani, O. K., & Jones, B. E. (2005). Discharge of Identified Orexin/Hypocretin Neurons across the Sleep-Waking Cycle. *Journal of Neuroscience*, 25(28), 6716-6720. doi. <http://www.jneurosci.org/cgi/content/abstract/25/28/6716>
- Lee, M. G., Manns, I. D., Alonso, A., & Jones, B. E. (2004). Sleep-Wake Related Discharge Properties of Basal Forebrain Neurons Recorded With Micropipettes in Head-Fixed Rats. *Journal of Neurophysiology*, 92(2), 1182-1198. doi: 10.1152/jn.01003.2003. <http://jn.physiology.org/cgi/content/abstract/92/2/1182>
- Lee, P.-C., Chuang, C.-C., Chiang, A.-S., & Ching, Y.-T. (2012). High-throughput Computer Method for 3D Neuronal Structure Reconstruction from the Image Stack of the *Drosophila* Brain and Its Applications. *PLoS Comput Biol*, 8(9), e1002658. doi: 10.1371/journal.pcbi.1002658. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002658>
- Lee, P.-C., He, H.-y., Lin, C.-Y., Ching, Y.-T., & Cline, H. (2013). Computer Aided Alignment and Quantitative 4D Structural Plasticity Analysis of Neurons. *Neuroinformatics*, 1-9. doi: 10.1007/s12021-013-9179-0. <http://dx.doi.org/10.1007/s12021-013-9179-0>
- Lee, S., Hjerling-Leffler, J., Zagha, E., Fishell, G., & Rudy, B. (2010). The Largest Group of Superficial Neocortical GABAergic Interneurons Expresses Ionotropic Serotonin Receptors. *Journal of Neuroscience*, 30(50), 16796-16808. doi: 10.1523/jneurosci.1869-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/16796>
- Lee, S., Kruglikov, I., Huang, Z. J., Fishell, G., & Rudy, B. (2013). A disinhibitory circuit mediates motor integration in the somatosensory cortex. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3544.html>
- Lee, S., Shang, Y., & Huang, E. J. (2016). Mechanisms of Dendrite Degeneration in Amyotrophic Lateral Sclerosis Dendrites (pp. 545-579): Springer.
- Lee, S., & Stevens, C. F. (2007). General design principle for scalable neural circuits in a vertebrate retina. *PNAS*, 104(31), 12931-12935. doi: 10.1073/pnas.0705469104. <http://www.pnas.org/cgi/content/abstract/104/31/12931>
- Lee, S. B., Bagley, J. A., Lee, H. Y., Jan, L. Y., & Jan, Y.-N. (2011). Pathogenic polyglutamine proteins cause dendrite defects associated with specific actin cytoskeletal alterations in *Drosophila*.

Proceedings of the National Academy of Sciences. doi:
10.1073/pnas.1113573108. <http://www.pnas.org/content/early/2011/09/14/1113573108.abstract>

Lee, S.-H., Dudok, B., Parihar, V. K., Jung, K.-M., Zöldi, M., Kang, Y.-J., . . . Soltesz, I. (2016). Neurophysiology of space travel: energetic solar particles cause cell type-specific plasticity of neurotransmission. [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-016-1345-3. <http://dx.doi.org/10.1007/s00429-016-1345-3>

Lee, S.-H., Marchionni, I., Bezaire, M., Varga, C., Danielson, N., Lovett-Barron, M., . . . Soltesz, I. (2014). Parvalbumin-Positive Basket Cells Differentiate among Hippocampal Pyramidal Cells. *Neuron*. doi: 10.1016/j.neuron.2014.03.034. [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00336-5](http://www.cell.com/neuron/abstract/S0896-6273(14)00336-5)

Lee, S. M., Rosen, S., Weinstein, P., van Rooijen, N., & Noble-Haeusslein, L. J. (2011). Prevention of both neutrophil and monocyte recruitment promotes recovery after spinal cord injury. *Journal of Neurotrauma*, 28(9), 1893-1907. doi:

Lee, T. C., Greene-Schloesser, D., Payne, V., Diz, D. I., Hsu, F.-C., Kooshki, M., . . . Robbins, M. E. (2012). Chronic Administration of the Angiotensin-Converting Enzyme Inhibitor, Ramipril, Prevents Fractionated Whole-Brain Irradiation-Induced Perirhinal Cortex-Dependent Cognitive Impairment. *Radiation Research*. doi: 10.1667/rr2731.1. <http://www.rjournal.org/doi/abs/10.1667/RR2731.1>

Lee, T. T. Y., Filipski, S. B., Hill, M. N., & McEwen, B. S. (2014). Morphological and behavioral evidence for impaired prefrontal cortical function in female CB1 receptor deficient mice. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.05.064>. <http://www.sciencedirect.com/science/article/pii/S0166432814003672>

Lee, W. C. A., Chen, J. L., Huang, H., Leslie, J. H., Amitai, Y., So, P. T., & Nedivi, E. (2008). A dynamic zone defines interneuron remodeling in the adult neocortex. *Proceedings of the National Academy of Sciences*, 105(50), 19968-19973. doi:

Lee, W.-C. A., Huang, H., Feng, G., Sanes, J. R., Brown, E. N., So, P. T., & Nedivi, E. (2006). Dynamic Remodeling of Dendritic Arbors in GABAergic Interneurons of Adult Visual Cortex. *PLoS Biology*, 4(2), e29. doi: <http://dx.doi.org/10.1371/journal.pbio.0040029>

Lee, Y.-H., Lin, Y.-N., Chuang, C.-C., & Lo, C.-C. (2014). SPIN: A Method of Skeleton-Based Polarity Identification for Neurons. *Neuroinformatics*, 1-21. doi: 10.1007/s12021-014-9225-6. <http://dx.doi.org/10.1007/s12021-014-9225-6>

Leergaard, T. B., & Bjaalie, J. G. (1995). Semi-automatic data acquisition for quantitative neuroanatomy. MicroTrace—computer programme for recording of the spatial distribution of neuronal populations. *Neuroscience Research*, 22(2), 231-243. doi:

Leergaard, T. B., Lillehaug, S., De Schutter, E., Bower, J. M., & Bjaalie, J. G. (2006). Topographical organization of pathways from somatosensory cortex through the pontine nuclei to tactile regions of the rat cerebellar hemispheres. *European Journal of Neuroscience*, 24(10), 2801-2812. doi: 10.1111/j.1460-9568.2006.05150.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05150.x>

Leergaard, T. B., White, N. S., De Crespigny, A., Bolstad, I., D'Arceuil, H., Bjaalie, J. G., & Dale, A. M. (2010). Quantitative histological validation of diffusion MRI fiber orientation distributions in the rat brain. *PLoS ONE*, 5(1), e8595-e8595. doi:

- Lefler, Y. A., Arzi, A., Reiner, K., Sukhotinsky, I., & Devor, M. (2008). Bulbospinal neurons of the rat rostromedial medulla are highly collateralized. *Journal of Comparative Neurology*, 506(6), 960-978. doi.
- Lefort, S., Tomm, C., Floyd Sarria, J. C., & Petersen, C. C. H. (2009). The excitatory neuronal network of the C2 barrel column in mouse primary somatosensory cortex. *Neuron*, 61(2), 301-316. doi.
- Legendre, D. I., Vietje, B., & Wells, J. (1994). The Differentiation of Dentate Granule Cells Following Transplantation. *Exploring Neurology*, 125, 247-257. doi.
- Leggio, M. G., Mandolesi, L., Federico, F., Spirito, F., Ricci, B., Gelfo, F., & Petrosini, L. (2005). Environmental enrichment promotes improved spatial abilities and enhanced dendritic growth in the rat. *Behavioural Brain Research*, 163(1), 78-90. doi.
- Legué, E., Gottshall, J. L., Jaumouillé, E., Roselló-Díez, A., Shi, W., Barraza, L. H., . . . Joyner, A. L. (2016). Differential timing of granule cell production during cerebellum development underlies generation of the foliation pattern. [Journal article]. *Neural Development*, 11(1), 1-14. doi: 10.1186/s13064-016-0072-z. <http://dx.doi.org/10.1186/s13064-016-0072-z>
- Legué, E., Riedel, E., & Joyner, A. L. (2015). Clonal analysis reveals granule cell behaviors and compartmentalization that determine the folded morphology of the cerebellum. *Development*. doi: 10.1242/dev.120287. <http://dev.biologists.org/content/early/2015/04/01/dev.120287.abstract>
- Leguey, I., Bielza, C., Larrañaga, P., Kastanauskaite, A., Rojo, C., Benavides-Piccione, R., & DeFelipe, J. (2016). Dendritic branching angles of pyramidal cells across layers of the juvenile rat somatosensory cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23977. <http://dx.doi.org/10.1002/cne.23977>
- Lehman, J. F., Greenberg, B. D., McIntyre, C. C., Rasmussen, S. A., & Haber, S. N. (2011). Rules Ventral Prefrontal Cortical Axons Use to Reach Their Targets: Implications for Diffusion Tensor Imaging Tractography and Deep Brain Stimulation for Psychiatric Illness. *Journal of Neuroscience*, 31(28), 10392-10402. doi: 10.1523/jneurosci.0595-11.2011. <http://www.jneurosci.org/content/31/28/10392.abstract>
- Lei, W.-L., Xing, S.-G., Deng, C.-Y., Ju, X.-C., Jiang, X.-Y., & Luo, Z.-G. (2012). Laminin/ β 1 integrin signal triggers axon formation by promoting microtubule assembly and stabilization. *Cell Research*. doi: <http://www.nature.com/cr/journal/vaop/ncurrent/supinfo/cr201240s1.html>. <http://dx.doi.org/10.1038/cr.2012.40>
- Lei, Y., Garrahan, N., Hermann, B., Fautsch, M. P., Johnson, D. H., Hernandez, M. R., . . . Morgan, J. E. (2009). Topography of neuron loss in the retinal ganglion cell layer in human glaucoma. *British Journal of Ophthalmology*, 93(12), 1676-1679. doi.
- Lei, Z., Ruan, Y., Yang, A. N., & Xu, Z. C. (2006). NMDA receptor mediated dendritic plasticity in cortical cultures after oxygen-glucose deprivation. *Neuroscience Letters*, 407(3), 224-229. doi.
- Lein, P. J., Yang, D., Bachstetter, A. D., Tilson, H. A., Harry, G. J., Mervis, R. F., & Kodavanti, P. R. S. (2007). Ontogenetic alterations in molecular and structural correlates of dendritic growth after developmental exposure to polychlorinated biphenyls. *Environmental Health Perspectives*, 115(4), 556-556. doi.

Leite-Morris, K. A., Kobrin, K. L., Guy, M. D., Young, A. J., Heinrichs, S. C., & Kaplan, G. B. (2014). Extinction of opiate reward reduces dendritic arborization and c-Fos expression in the nucleus accumbens core. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.12.041>. <http://www.sciencedirect.com/science/article/pii/S0166432813007900>

Leitner, F. C., Melzer, S., Lutcke, H., Pinna, R., Seeburg, P. H., Helmchen, F., & Monyer, H. (2016). Spatially segregated feedforward and feedback neurons support differential odor processing in the lateral entorhinal cortex. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4303

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4303.html#suppl.....> <http://dx.doi.org/10.1038/nn.4303>

Lemaire, V., Tronel, S., Montaron, M.-F., Fabre, A., Dugast, E., & Abrous, D. N. (2012). Long-Lasting Plasticity of Hippocampal Adult-Born Neurons. *Journal of Neuroscience*, 32(9), 3101-3108. doi: 10.1523/jneurosci.4731-11.2012. <http://www.jneurosci.org/content/32/9/3101.abstract>

Lemmens, M. A. M., Steinbusch, H. W. M., Rutten, B. P. F., & Schmitz, C. (2010). Advanced microscopy techniques for quantitative analysis in neuromorphology and neuropathology research: current status and requirements for the future. *Journal of Chemical Neuroanatomy*, 40(3), 199-209. doi.

Lendvay, T. S., Sweet, R., Han, C.-H., Soygur, T., Cheng, J.-F., Plaire, J. C., . . . Bassuk, J. A. (2007). Compensatory paracrine mechanisms that define the urothelial response to injury in partial bladder outlet obstruction. *American Journal of Physiology - Renal Physiology*, 293(4), F1147-1156. doi: 10.1152/ajprenal.00006.2007. <http://ajprenal.physiology.org/cgi/content/abstract/293/4/F1147>

Lenschow, C., & Brecht, M. (2018). Physiological and Anatomical Outputs of Rat Genital Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhx359. <http://dx.doi.org/10.1093/cercor/bhx359>

Lenz, K. M., Graham, M. D., Parada, M., Fleming, A. S., Sengelaub, D. R., & Monks, D. A. (2008). Tactile stimulation during artificial rearing influences adult function and morphology in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, 68(4), 542-557. doi.

Lenz, K. M., Nugent, B. M., Haliyur, R., & McCarthy, M. M. (2013). Microglia Are Essential to Masculinization of Brain and Behavior. *Journal of Neuroscience*, 33(7), 2761-2772. doi: 10.1523/jneurosci.1268-12.2013. <http://www.jneurosci.org/content/33/7/2761.abstract>

Lenz, K. M., Pickett, L. A., Wright, C. L., Galan, A., & McCarthy, M. M. (2019). Prenatal Allergen Exposure Perturbs Sexual Differentiation and Programs Lifelong Changes in Adult Social and Sexual Behavior. *Scientific Reports*, 9(1), 4837. doi: 10.1038/s41598-019-41258-2. <https://doi.org/10.1038/s41598-019-41258-2>

Lenz, K. M., & Sengelaub, D. R. (2006). Maternal licking influences dendritic development of motoneurons in a sexually dimorphic neuromuscular system. *Brain Research*, 1092(1), 87-99. doi.

Lenz, K. M., & Sengelaub, D. R. (2009). Maternal care effects on SNB motoneuron development: The mediating role of sensory afferent distribution and activity. *Developmental Neurobiology*, 69(9), 603-615. doi.

Lenzer-Fanara, J. R., Li, T., Salerni, E. A., Payen, F., & Croll, S. D. (2017). VEGF treatment during status epilepticus attenuates long-term seizure-associated alterations in astrocyte morphology. *Epilepsy &*

Behavior, 70, Part A, 33-44.

doi: <http://doi.org/10.1016/j.yebeh.2017.02.019>. <http://www.sciencedirect.com/science/article/pii/S1525505016306527>

Leon, N. C. y. (2013). Transient down-regulation of sound-induced c-Fos protein expression in the inferior colliculus after ablation of the. Auditory neuroanatomy: A sound foundation for sound processing, 59. doi.

Leong, D. W., Komen, J. C., Hewitt, C. A., Arnaud, E., McKenzie, M., Phipson, B., . . . Scott, H. S. (2012). Proteomic and metabolomic analyses of a mitochondrial complex I deficient mouse model generated by spontaneous B2 Short Interspersed Nuclear Element (SINE) insertion into the NADH dehydrogenase (ubiquinone) Fe-S protein 4 (Ndufs4) gene. Journal of Biological Chemistry. doi: 10.1074/jbc.M111.327601. <http://www.jbc.org/content/early/2012/04/25/jbc.M111.327601.abstract>

Leong, D. W., Komen, J. C., Hewitt, C. A., Arnaud, E., McKenzie, M., Phipson, B., . . . others. (2012). Proteomic and metabolomic analyses of a mitochondrial complex I deficient mouse model generated by spontaneous B2 Short Interspersed Nuclear Element (SINE) insertion into the NADH dehydrogenase (ubiquinone) Fe-S protein 4 (Ndufs4) gene. Journal of Biological Chemistry. doi.

Lepora, N. F., Blomeley, C. P., Hoyland, D., Bracci, E., Overton, P. G., & Gurney, K. (2011). A simple method for characterizing passive and active neuronal properties: application to striatal neurons. European Journal of Neuroscience, 34(9), 1390-1405. doi: 10.1111/j.1460-9568.2011.07879.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07879.x>

Lerchner, W., Corgiat, B., Der Minassian, V., Saunders, R., & Richmond, B. (2014). Injection parameters and virus dependent choice of promoters to improve neuron targeting in the nonhuman primate brain. Gene Therapy. doi. <http://www.nature.com/gt/journal/vaop/ncurrent/full/gt201375a.html>

Lesicko, A. M. H., Sons, S. K., & Llano, D. A. (2020). Circuit mechanisms underlying the segregation and integration of parallel processing streams in the inferior colliculus. The Journal of Neuroscience, JN-RM-0646-0620. doi: 10.1523/jneurosci.0646-20.2020. <https://www.jneurosci.org/content/jneuro/early/2020/07/14/JNEUROSCI.0646..>

Letinic, K., Sebastian, R., Toomre, D., & Rakic, P. (2009). Exocyst is involved in polarized cell migration and cerebral cortical development. Proceedings of the National Academy of Sciences, 106(27), 11342-11347. doi.

Leto, K., Bartolini, A., Di Gregorio, A., Imperiale, D., De Luca, A., Parmigiani, E., . . . Rossi, F. (2011). Modulation of cell-cycle dynamics is required to regulate the number of cerebellar GABAergic interneurons and their rhythm of maturation. Development, 138(16), 3463-3472. doi: 10.1242/dev.064378. <http://dev.biologists.org/content/138/16/3463.abstract>

Leto, K., Bartolini, A., Yanagawa, Y., Obata, K., Magrassi, L., Schilling, K., & Rossi, F. (2009). Laminar Fate and Phenotype Specification of Cerebellar GABAergic Interneurons. Journal of Neuroscience, 29(21), 7079-7091. doi: 10.1523/jneurosci.0957-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/21/7079>

Leto, K., Carletti, B., Williams, I. M., Magrassi, L., & Rossi, F. (2006). Different Types of Cerebellar GABAergic Interneurons Originate from a Common Pool of Multipotent Progenitor Cells. Journal of Neuroscience, 26(45), 11682-11694. doi: 10.1523/jneurosci.3656-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11682>

Letzkus, J. J., Wolff, S. B. E., Meyer, E. M. M., Tovote, P., Courtin, J., Herry, C., & Lüthi, A. (2011). A disinhibitory microcircuit for associative fear learning in the auditory cortex. *Nature*, 480(7377), 331-335. doi.

Leuner, B., Glasper, E. R., & Gould, E. (2010). Sexual experience promotes adult neurogenesis in the hippocampus despite an initial elevation in stress hormones. *PLoS ONE*, 5(7), e11597-e11597. doi.

Leuner, K., Li, W., Amaral, M. D., Rudolph, S., Calfa, G., Schuwald, A. M., . . . Pozzo-Miller, L. (2012). Hyperforin modulates dendritic spine morphology in hippocampal pyramidal neurons by activating Ca²⁺-permeable TRPC6 channels. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22052. <http://dx.doi.org/10.1002/hipo.22052>

Leventopoulos, M., Ruedi-Bettschen, D., Knuesel, I., Feldon, J., Pryce, C. R., & Opacka-Juffry, J. (2007). Long-term effects of early life deprivation on brain glia in Fischer rats. *Brain Research*, 1142, 119-126. doi.

Lévesque, J. C., & Parent, A. (2005). GABAergic interneurons in human subthalamic nucleus. *Movement Disorders*, 20(5), 574-584. doi.

Lévesque, M., & Parent, A. (2005). The striatofugal fiber system in primates: A reevaluation of its organization based on single-axon tracing studies. *PNAS*, 102(33), 11888-11893. doi. <http://www.pnas.org/cgi/content/abstract/102/33/11888>

Lévesque, M., Parent, R., & Parent, A. (2006). Cellular and subcellular localization of neurokinin-1 and neurokinin-3 receptors in primate globus pallidus. *European Journal of Neuroscience*, 23(10), 2760-2772. doi: doi:10.1111/j.1460-9568.2006.04800.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04800.x>

Levine, N. D., Rademacher, D. J., Collier, T. J., O'Malley, J. A., Kells, A. P., San Sebastian, W., . . . Steece-Collier, K. (2013). Advances in thin tissue Golgi-Cox impregnation: Fast, reliable methods for multi-assay analyses in rodent and non-human primate brain. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2012.12.001>. <http://www.sciencedirect.com/science/article/pii/S0165027012004682>

Levy, A. D., Xiao, X., Shaw, J. E., Sudarsana Devi, S. P., Katrancha, S. M., Bennett, A. M., . . . Koleske, A. J. (2018). Noonan Syndrome-Associated SHP2 Dephosphorylates GluN2B to Regulate NMDA Receptor Function. *Cell Reports*, 24(6), 1523-1535. doi: <https://doi.org/10.1016/j.celrep.2018.07.006>. <http://www.sciencedirect.com/science/article/pii/S221124718310830>

Levy, M., Lu, Z., Dion, G., & Kara, P. (2014). The Shape of Dendritic Arbors in Different Functional Domains of the Cortical Orientation Map. *The Journal of Neuroscience*, 34(9), 3231-3236. doi. <http://www.jneurosci.org/content/34/9/3231.short>

Levy, R. B., Marquarding, T., Reid, A. P., Pun, C. M., Renier, N., & Oviedo, H. V. (2019). Circuit asymmetries underlie functional lateralization in the mouse auditory cortex. *Nature Communications*, 10(1), 2783. doi: 10.1038/s41467-019-10690-3. <https://doi.org/10.1038/s41467-019-10690-3>

Levy, R. B., & Reyes, A. D. (2012). Spatial Profile of Excitatory and Inhibitory Synaptic Connectivity in Mouse Primary Auditory Cortex. *Journal of Neuroscience*, 32(16), 5609-5619. doi: 10.1523/jneurosci.5158-11.2012. <http://www.jneurosci.org/content/32/16/5609.abstract>

Lewandowski, T. A., Ponce, R. A., Charleston, J. S., Hong, S., & Faustman, E. M. (2003). Changes in cell cycle parameters and cell number in the rat midbrain during organogenesis. *Developmental Brain Research*, 141(1-2), 117-128. doi.

Lewers, J. C., Ceballos-Picot, I., Shirley, T. L., Mockel, L., Egami, K., & Jinnah, H. A. (2008). Consequences of Impaired Purine Recycling In Dopaminergic Neurons. *Neuroscience*, 152, 761-772. doi.

Lewis, J. W., & Olavarria, J. F. (1995). Two rules for callosal connectivity in striate cortex of the rat. *Journal of Comparative Neurology*, 361(1), 119-137. doi.

Lewis, S. L., Khoo, P. L., Andrea De Young, R., Bildsoe, H., Wakamiya, M., Behringer, R. R., . . . Tam, P. P. L. (2007). Genetic interaction of *Gsc* and *Dkk1* in head morphogenesis of the mouse. *Mechanisms of Development*, 124(2), 157-165. doi.

Li, A., Xue, J., & Peterson, E. H. (2008). Architecture of the Mouse Utricle: Macular Organization and Hair Bundle Heights. *Journal of Neurophysiology*, 99(2), 718-733. doi: 10.1152/jn.00831.2007. <http://jn.physiology.org/cgi/content/abstract/99/2/718>

Li, C. P., Olavarria, J. F., & Greger, B. E. (1995). Occipital cortico-pyramidal projection in hypothyroid rats. *Developmental Brain Research*, 89(2), 227-234. doi.

Li, F. W., Deurveilher, S., & Semba, K. (2011). Behavioural and neuronal activation after microinjections of AMPA and NMDA into the perifornical lateral hypothalamus in rats. *Behavioural Brain Research*. doi.

Li, H., Fertuzinhos, S., Mohns, E., Hnasko, Thomas S., Verhage, M., Edwards, R., . . . Crair, Michael C. (2013). Laminar and Columnar Development of Barrel Cortex Relies on Thalamocortical Neurotransmission. *Neuron*, 79(5), 970-986. doi: <http://dx.doi.org/10.1016/j.neuron.2013.06.043>. <http://www.sciencedirect.com/science/article/pii/S089662731300559X>

Li, H., Yuan, X., & others. (2012). Lipopolysaccharide disrupts the directional persistence of alveolar myofibroblast migration through EGF receptor. *American Journal of Physiology-Lung Cellular and Molecular Physiology*. doi.

Li, H., Zhao, P., Xu, Q., Shan, S., Hu, C., Qiu, Z., & Xu, X. (2016). The autism-related gene SNRPN regulates cortical and spine development via controlling nuclear receptor Nr4a1. [Article]. *Scientific Reports*, 6, 29878. doi: 10.1038/srep29878

<http://www.nature.com/articles/srep29878#supplementary-information>. <http://dx.doi.org/10.1038/srep29878>

Li, H. H., Roy, M., Kuscuoglu, U., Spencer, C. M., Halm, B., Harrison, K. C., . . . others. (2009). Induced chromosome deletions cause hypersociability and other features of Williams-Beuren syndrome in mice. *EMBO Molecular Medicine*, 1(1), 50-65. doi.

Li, H.-S., Ke, J., Zhao, G.-Z., Wu, L.-A., Kou, J.-P., & Liu, H.-C. (2015). Effects of Danggui-Shaoyao-San on the Influence of Spatial Learning and Memory Induced by Experimental Tooth Movement. *Chinese Medical Journal*, 128(14), 1948. doi. Effects of Danggui-Shaoyao-San on the Influence of Spatial Learning and Memory Induced by Experimental Tooth Movement

Li, J., Ding, Y. H., Rafols, J. A., Lai, Q., McAllister, J. P., & Ding, Y. (2005). Increased astrocyte proliferation in rats after running exercise. *Neuroscience Letters*, 386(3), 160-164. doi.

Li, J., Gu, X., Ma, Y., Calicchio, M. L., Kong, D., Teng, Y. D., . . . others. (2010). *in* Nna1 Mediates Purkinje Cell Dendritic Development via Lysyl Oxidase Propeptide and NF-KB Signaling. *Neuron*, 68(1), 45-60. doi.

Li, K., Abbott, S. B. G., Shi, Y., Eggan, P., Gonye, E. C., & Bayliss, D. A. (2021). TRPM4 mediates a subthreshold membrane potential oscillation in respiratory chemoreceptor neurons that drives pacemaker firing and breathing. *Cell Reports*, 34(5), 108714. doi: <https://doi.org/10.1016/j.celrep.2021.108714>. <https://www.sciencedirect.com/science/article/pii/S2211124721000279>

Li, L., Huang, C., Ai, J., Yan, B., Gu, H., Ma, Z., . . . others. (2010). Structural remodeling of vagal afferent innervation of aortic arch and nucleus ambiguus (NA) projections to cardiac ganglia in a transgenic mouse model of type 1 diabetes (OVE26). *Journal of Comparative Neurology*, 518(14), 2771-2793. doi.

Li, L., Wei, D., Wang, Q., Pan, J., Liu, R., Zhang, X., & Bao, L. (2012). MEC-17 Deficiency Leads to Reduced α -Tubulin Acetylation and Impaired Migration of Cortical Neurons. *Journal of Neuroscience*, 32(37), 12673-12683. doi: 10.1523/jneurosci.0016-12.2012. <http://www.jneurosci.org/content/32/37/12673.abstract>

Li, L.-L., Ginet, V., Liu, X., Vergun, O., Tuittila, M., Mathieu, M., . . . Courtney, M. J. (2013). The nNOS-p38MAPK Pathway Is Mediated by NOS1AP during Neuronal Death. *Journal of Neuroscience*, 33(19), 8185-8201. doi: 10.1523/jneurosci.4578-12.2013. <http://www.jneurosci.org/content/33/19/8185.abstract>

Li, L. Y., Wang, Z., Šedý, J., Quazi, R., Walro, J. M., Frank, E., & Kucera, J. (2006). Neurotrophin-3 ameliorates sensory-motor deficits in Er81-deficient mice. *Developmental Dynamics*, 235(11), 3039-3050. doi.

Li, N., Chen, T.-W., Guo, Z. V., Gerfen, C. R., & Svoboda, K. (2015). A motor cortex circuit for motor planning and movement. [Article]. *Nature*, 519(7541), 51-56. doi: 10.1038/nature14178. <http://dx.doi.org/10.1038/nature14178>

Li, N., Liu, R. J., Dwyer, J. M., Banasr, M., Lee, B., Son, H., . . . Duman, R. S. (2011). Glutamate N-methyl-D-aspartate receptor antagonists rapidly reverse behavioral and synaptic deficits caused by chronic stress exposure. *Biological Psychiatry*. doi.

Li, P., Greben, K., Wördenweber, R., Simon, U., Offenhäusser, A., & Mayer, D. (2015). Tuning neuron adhesion and neurite guiding by functionalized AuNPs and backfill chemistry. *RSC Adv*. doi: <http://pubs.rsc.org/en/content/articlelanding/2015/ra/c5ra06901g#!divAbs..>

Li, Q., Guo-Ross, S., Lewis, D. V., Turner, D., White, A. M., Wilson, W. A., & Swartzwelder, H. S. (2004). Dietary Prenatal Choline Supplementation Alters Postnatal Hippocampal Structure and Function. *Journal of Neurophysiology*, 91(4), 1545-1555. doi: 10.1152/jn.00785.2003. <http://jn.physiology.org/cgi/content/abstract/91/4/1545>

Li, Q., Wan, J., Lan, X., Han, X., Wang, Z., & Wang, J. (2017). Neuroprotection of brain-permeable iron chelator VK-28 against intracerebral hemorrhage in mice. *Journal of Cerebral Blood Flow and Metabolism*, 0271678X17709186. doi: 10.1177/0271678x17709186. <http://dx.doi.org/10.1177/0271678X17709186>

Li, Q., Wu, L., Oelschlager, D. K., Wan, M., Stockard, C. R., Grizzle, W. E., . . . Cao, X. (2005). Smad4 Inhibits Tumor Growth by Inducing Apoptosis in Estrogen Receptor- α -positive Breast Cancer Cells. *Journal of Biological Chemistry*, 280(29), 27022-27028. doi: 10.1074/jbc.M505071200. <http://www.jbc.org/cgi/content/abstract/280/29/27022>

Li, R. S., Tay, D. K., Chan, H. H. L., & So, K.-F. (2006). Changes of retinal functions following the induction of ocular hypertension in rats using argon laser photocoagulation. *Clinical and Experimental Ophthalmology*, 34(6), 575-583. doi: doi:10.1111/j.1442-9071.2006.01279.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1442-9071.2006.01279.x>

Li, S., Kumar T, P., Joshee, S., Kirschstein, T., Subburaju, S., Khalili, J. S., . . . Vasudevan, A. (2017). Endothelial cell-derived GABA signaling modulates neuronal migration and postnatal behavior. [Original Article]. *Cell Research*. doi: 10.1038/cr.2017.135

<https://www.nature.com/articles/cr2017135#supplementary-information>. <http://dx.doi.org/10.1038/cr.2017.135>

Li, S., Quan, T., Zhou, H., Li, A., Fu, L., Gong, H., . . . Zeng, S. (2019). Review of advances and prospects in neuron reconstruction. *Chinese Science Bulletin*, 64(0023-074X), 532. doi: <https://doi.org/10.1360/Ng72018-00998>. [http://engine.scichina.com/publisher/Science/China/Press/journal/Chinese Science Bulletin/64/5-6/10.1360/Ng72018-00998](http://engine.scichina.com/publisher/Science/China/Press/journal/Chinese%20Science%20Bulletin/64/5-6/10.1360/Ng72018-00998)

Li, S., Zhang, C., Takemori, H., Zhou, Y., & Xiong, Z.-Q. (2009). TORC1 Regulates Activity-Dependent CREB-Target Gene Transcription and Dendritic Growth of Developing Cortical Neurons. *Journal of Neuroscience*, 29(8), 2334-2343. doi: 10.1523/jneurosci.2296-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/8/2334>

Li, S., Zhou, H., Quan, T., Li, J., Li, Y., Li, A., . . . Zeng, S. (2016). SparseTracer: the Reconstruction of Discontinuous Neuronal Morphology in Noisy Images. [journal article]. *Neuroinformatics*, 1-17. doi: 10.1007/s12021-016-9317-6. <http://dx.doi.org/10.1007/s12021-016-9317-6>

Li, W., Ghose, S., Gleason, K., Begovic, A., Perez, J., Bartko, J., . . . Tamminga, C. A. (2015). Synaptic Proteins In Schizophrenia Hippocampus Indicate Increased Neuronal Activity in CA3. *The American Journal of Psychiatry*, 172(4), 373. doi. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4457341/>

Li, W., Ghose, S., Gleason, K., Begovic, A., Perez, J., Bartko, J., . . . Tamminga, C. A. (2015). Synaptic Proteins in the Hippocampus Indicative of Increased Neuronal Activity in CA3 in Schizophrenia. *The American Journal of Psychiatry*. doi. <http://ajp.psychiatryonline.org/doi/10.1176/appi.ajp.2014.14010123>

Li, W. C., & Wang, S. R. (1999). Morphology and Dye-Coupling of Cells in the Pigeon Isthmo-Optic Nucleus. *Brain, Behavior and Evolution*, 53(2), 67-74. doi. <http://www.karger.com/DOI/10.1159/000006583>

Li, W.-Y., Chang, Y.-C., Lee, L.-H., & Lee, L.-J. (2014). Prenatal Infection Affects the Neuronal Architecture and Cognitive Function in Adult Mice. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Citation/362383>

Li, W.-Y., Wang, Y., Zhai, F.-G., Sun, P., Cheng, Y.-X., Deng, L.-X., & Wang, Z.-Y. (2017). AAV-KLF7 Promotes Descending Propriospinal Neuron Axonal Plasticity after Spinal Cord Injury. *Neural Plasticity*, 2017. doi. <https://www.hindawi.com/journals/np/2017/1621629/cta/>

Li, W.-Y., Zhang, W.-T., Cheng, Y.-X., Liu, Y.-C., Zhai, F.-G., Sun, P., . . . Wang, Y. (2018). Inhibition of KLF7-Targeting MicroRNA 146b Promotes Sciatic Nerve Regeneration. [journal article]. *Neuroscience bulletin*. doi: 10.1007/s12264-018-0206-x. <https://doi.org/10.1007/s12264-018-0206-x>

Li, X., Han, X., Tu, X., Zhu, D., Feng, Y., Jiang, T., . . . Chen, J.-G. (2018). An Autism-Related, Nonsense Foxp1 Mutant Induces Autophagy and Delays Radial Migration of the Cortical Neurons. *Cerebral Cortex*, bhy185-bhy185. doi: 10.1093/cercor/bhy185. <http://dx.doi.org/10.1093/cercor/bhy185>

Li, X., Ren, C., Huang, L., Lin, B., Pu, M., Pickard, G. E., & So, K.-F. (2015). The Dorsal Raphe Nucleus Receives Afferents From Alpha-Like Retinal Ganglion Cells and Intrinsically Photosensitive Retinal Ganglion Cells in the RatDRN-Projecting ipRGCs in Rats. *Investigative Ophthalmology and Visual Science*, 56(13), 8373-8381. doi: 10.1167/iov.15-16614. <http://dx.doi.org/10.1167/iov.15-16614>

Li, X., Yan, M., Guo, Z., Yan, L., Feng, R., Zhu, H., . . . Chen, J.-G. (2020). Inhibition of Sar1b, the Gene Implicated in Chylomicron Retention Disease, Impairs Migration and Morphogenesis of Developing Cortical Neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.09.044>. <http://www.sciencedirect.com/science/article/pii/S030645222030628X>

Li, Y., Acerbo, M. J., & Robinson, T. E. (2004). The induction of behavioural sensitization is associated with cocaine-induced structural plasticity in the core (but not shell) of the nucleus accumbens. *European Journal of Neuroscience*, 20(6), 1647-1654. doi.

Li, Y., Aimone, J. B., Xu, X., Callaway, E. M., & Gage, F. H. (2012). Development of GABAergic inputs controls the contribution of maturing neurons to the adult hippocampal network. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1120754109. <http://www.pnas.org/content/early/2012/02/22/1120754109.abstract>

Li, Y., Brewer, D., Burke, R. E., & Ascoli, G. A. (2005). Developmental changes in spinal motoneuron dendrites in neonatal mice. *Journal of Comparative Neurology*, 483(3), 304-317. doi.

Li, Y., Chen, X., Belkasim, S., & Pan, Y. (2008). High performance bio-image database retrieval using MPI. *International Journal of Bioinformatics Research and Applications*, 4(1), 49-63. doi.

Li, Y., Godfrey, D. A., Godfrey, M. A., Ding, D., & Salvi, R. (2002). Effects of carboplatin on amino acid chemistry in chinchilla cochlear nucleus. *Hearing Research*, 165(1-2), 19-29. doi.

Li, Y., Luo, J., Lau, W. M., Zheng, G., Fu, S., Wang, T. T., . . . others. (2011). Caveolin-1 Plays a Crucial Role in Inhibiting Neuronal Differentiation of Neural Stem/Progenitor Cells via VEGF Signaling-Dependent Pathway. *PLoS ONE*, 6(8), e22901-e22901. doi.

Li, Y., Missig, G., Finger, B. C., Landino, S. M., Alexander, A. J., Mokler, E., . . . Bolshakov, V. Y. (2018). Maternal and Early Postnatal Immune Activation Produce Dissociable Effects on Neurotransmission in mPFC-Amygdala Circuits. [10.1523/JNEUROSCI.3642-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/02/28/JNEUROSCI.3642-17.2018...>

Li, Y., Xu, J., Liu, Y., Zhu, J., Liu, N., Zeng, W., . . . Zhang, X. (2017). A distinct entorhinal cortex to hippocampal CA1 direct circuit for olfactory associative learning. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4517

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4517.html#suppl.....><http://dx.doi.org/10.1038/nn.4517>

Li, Y. W., Bayliss, D. A., & Guyenet, P. G. (1995). C1 neurons of neonatal rats: intrinsic beating properties and alpha 2-adrenergic receptors. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 269(6), R1356-1369.

doi: <http://ajpregu.physiology.org/cgi/content/abstract/269/6/R1356>

Li, Y. W., & Guyenet, P. G. (1996). Activation of GABAB receptors increases a potassium conductance in rat bulbospinal neurons of the C1 area. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 271(5), R1304-1310.

doi: <http://ajpregu.physiology.org/cgi/content/abstract/271/5/R1304>

Li, Y. W., & Guyenet, P. G. (1997). Effect of substance P on C1 and other bulbospinal cells of the RVLM in neonatal rats. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 273(2), R805-R813-R805-R813. doi:

Li, Y.-W., & Guyenet, P. G. (1996). Angiotensin II Decreases a Resting K⁺ Conductance in Rat Bulbospinal Neurons of the C1 Area. *Circulation Research*, 78(2), 274-282.

doi: <http://circres.ahajournals.org/cgi/content/abstract/78/2/274>

Li, Z., Jagadapillai, R., Gozal, E., & Barnes, G. (2019). Deletion of Semaphorin 3F in Interneurons Is Associated with Decreased GABAergic Neurons, Autism-like Behavior, and Increased Oxidative Stress Cascades. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1450-9.

<https://doi.org/10.1007/s12035-018-1450-9>

Lia, B., & Olavarria, J. F. (1996). The distribution of corticotectal projection neurons correlates with the interblob compartment in macaque striate cortex. *Visual Neuroscience*, 13(03), 461-466. doi:

Lian, H., Yang, L., Cole, A., Sun, L., Chiang, Angie C. A., Fowler, Stephanie W., . . . Zheng, H. (2014). NFκB-Activated Astroglial Release of Complement C3 Compromises Neuronal Morphology and Function Associated with Alzheimer's Disease. *Neuron*, (0).

doi: <http://dx.doi.org/10.1016/j.neuron.2014.11.018>. <http://www.sciencedirect.com/science/article/pii/S0896627314010460>

Liang, C. L., & Marks, G. A. (2009). A novel GABAergic afferent input to the pontine reticular formation: the mesopontine GABAergic column. *Brain Research*, 1297, 32-40. doi:

Liao, C. C., & Lee, L. J. (2011). Evidence for structural and functional changes of subplate neurons in developing rat barrel cortex. *Brain Structure and Function*, 1-18. doi:

Liao, C. C., & Lee, L. J. (2011). Neonatal fluoxetine exposure affects the action potential properties and dendritic development in cortical subplate neurons of rats. *Toxicology Letters*. doi:

Liao, C.-C., DiCarlo, G. E., Gharbawie, O. A., Qi, H.-X., & Kaas, J. H. (2015). Spinal cord neuron inputs to the cuneate nucleus that partially survive dorsal column lesions: A pathway that could contribute to recovery after spinal cord injury. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23783. <http://dx.doi.org/10.1002/cne.23783>

Liao, C.-C., Gharbawie, O. A., Qi, H., & Kaas, J. H. (2013). Cortical connections to single digit representations in area 3b of somatosensory cortex in squirrel monkeys and prosimian galagos. *Journal of Comparative Neurology*, n/a-n/a. doi:

10.1002/cne.23377. <http://dx.doi.org/10.1002/cne.23377>

Liao, C.-C., Qi, H.-X., Reed, J., Miller, D., & Kaas, J. (2014). Congenital foot deformation alters the topographic organization in the primate somatosensory system. *Brain Structure and Function*, 1-24. doi: 10.1007/s00429-014-0913-7. <http://dx.doi.org/10.1007/s00429-014-0913-7>

Liao, C.-C., Reed, J. L., Kaas, J. H., & Qi, H.-X. (2015). Intracortical connections are altered after long-standing deprivation of dorsal column inputs in the hand region of area 3b in squirrel monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23921. <http://dx.doi.org/10.1002/cne.23921>

Liao, C.-C., Reed, J. L., Qi, H.-X., Sawyer, E. K., & Kaas, J. H. (2018). Second-order spinal cord pathway contributes to cortical responses after long recoveries from dorsal column injury in squirrel monkeys. [10.1073/pnas.1718826115]. *Proceedings of the National Academy of Sciences*. doi: <http://www.pnas.org/content/early/2018/03/28/1718826115.abstract>

Liao, J. C. (2010). Organization and physiology of posterior lateral line afferent neurons in larval zebrafish. *Biology Letters*, 6(3), 402-405. doi.

Liao, Y. Y., Teng, S. F., Lin, L. C., Kolczewski, S., Prinssen, E. P., Lee, L. J., . . . Chiou, L. C. (2010). Functional heterogeneity of nociceptin/orphanin FQ receptors revealed by (+)-5a Compound and Ro 64-6198 in rat periaqueductal grey slices. *International Journal of Neuropsychopharmacology*, 1(1), 1-13. doi.

Lieberman, M. C., Tartaglino, E., Fleming, J. C., & Neufeld, E. J. (2006). Deletion of SLC19A2, the high affinity thiamine transporter, causes selective inner hair cell loss and an auditory neuropathy phenotype. *Journal of the Association for Research in Otolaryngology*, 7(3), 211-217. doi.

Libersat, F., & Duch, C. (2002). Morphometric analysis of dendritic remodeling in an identified motoneuron during postembryonic development. *Journal of Comparative Neurology*, 450(2), 153-166. doi.

Licht, T., Eavri, R., Goshen, I., Shlomai, Y., Mizrahi, A., & Keshet, E. (2010). VEGF is required for dendritogenesis of newly born olfactory bulb interneurons. *Development*, 137(2), 261-271. doi: 10.1242/dev.039636. <http://dev.biologists.org/content/137/2/261.abstract>

Lichtenwalner, R. J., Forbes, M. E., Bennett, S. A., Lynch, C. D., Sonntag, W. E., & Riddle, D. R. (2001). Intracerebroventricular infusion of insulin-like growth factor-I ameliorates the age-related decline in hippocampal neurogenesis. *Neuroscience*, 107(4), 603-613. doi.

Lieberoth, A., Splittstoesser, F., Katagihallimath, N., Jakovcevski, I., Loers, G., Ranscht, B., . . . Kleene, R. (2009). Lewisx and α 2,3-Sialyl Glycans and Their Receptors TAG-1, Contactin, and L1 Mediate CD24-Dependent Neurite Outgrowth. *Journal of Neuroscience*, 29(20), 6677-6690. doi: 10.1523/jneurosci.4361-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/20/6677>

Liebetanz, D., Koch, R., Mayenfels, S., König, F., Paulus, W., & Nitsche, M. A. (2009). Safety limits of cathodal transcranial direct current stimulation in rats. *Clinical Neurophysiology*, 120(6), 1161-1167. doi.

Lienbacher, K., Mustari, M., Ying, H. S., Büttner-Ennever, J. A., & Horn, A. K. E. (2011). Do Palisade Endings in Extraocular Muscles Arise from Neurons in the Motor Nuclei? *Investigative Ophthalmology and Visual Science*, 52(5), 2510-2519. doi.

- Lieshoff, C., Pröve, E., & Bischof, H. J. (2000). Testosterone-dependent plasticity of avian forebrain neurons is not restricted to the song control system. *Neuroreport*, 11(11), 2479-2479. doi:
- Liets, L. C., Eliasieh, K., van der List, D. A., & Chalupa, L. M. (2006). Dendrites of rod bipolar cells sprout in normal aging retina. *PNAS*, 103(32), 12156-12160. doi: 10.1073/pnas.0605211103. <http://www.pnas.org/cgi/content/abstract/103/32/12156>
- Liimatainen, T., Hakumäki, J. M., Kauppinen, R. A., & Ala-Korpela, M. (2009). Monitoring of gliomas in vivo by diffusion MRI and ¹H MRS during gene therapy-induced apoptosis: interrelationships between water diffusion and mobile lipids. *NMR in Biomedicine*, 22(3), 272-279. doi:
- Liimatainen, T., Sierra, A., Hanson, T., Sorce, D. J., Ylä-Herttua, S., Garwood, M., . . . Gröhn, O. (2011). Glioma cell density in a rat gene therapy model gauged by water relaxation rate along a fictitious magnetic field. *Magnetic Resonance in Medicine*. doi:
- Lillehaug, S., Øyan, D., Leergaard, T. B., & Bjaalie, J. G. (2002). Comparison of semi-automatic and automatic data acquisition methods for studying three-dimensional distributions of large neuronal populations and axonal plexuses. *Network: Computation in Neural Systems*, 13(3), 343-356. doi:
- Lillehaug, S., Øyan, D., Leergaard, T. B., & Bjaalie, J. G. (2002). Methods for recording distributions of neuronal populations. *Network: Computation in Neural Systems*, 13, 343-356. doi:
- Lillehaug, S., Yetman, M. J., Puchades, M. A., Checinska, M. M., Kleven, H., Jankowsky, J. L., . . . Leergaard, T. B. (2019). Brain-wide distribution of reporter expression in five transgenic tetracycline-transactivator mouse lines. [Data Descriptor]. *Scientific Data*, 6, 190028. doi: 10.1038/sdata.2019.28. <https://doi.org/10.1038/sdata.2019.28>
- Lim, C. S., & Alkon, D. L. (2012). Protein kinase C stimulates HuD-mediated mRNA stability and protein expression of neurotrophic factors and enhances dendritic maturation of hippocampal neurons in culture. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22048. <http://dx.doi.org/10.1002/hipo.22048>
- Lim, C. S., & Alkon, D. L. (2017). Inhibition of Coactivator-associated Arginine Methyltransferase 1 Modulates Dendritic Arborization and Spine Maturation of Cultured Hippocampal Neurons. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M117.775619. <http://www.jbc.org/content/early/2017/03/06/jbc.M117.775619.abstract>
- Lim, S. H., Wang, T.-J., Tseng, G.-F., Lee, Y. F., Huang, Y.-S., Chen, J.-R., & Cheng, C.-L. (2013). The Distribution of Muscles Fibers and Their Types in the Female Rat Urethra: Cytoarchitecture and Three-Dimensional Reconstruction. *Anatomical Record*, n/a-n/a. doi: 10.1002/ar.22740. <http://dx.doi.org/10.1002/ar.22740>
- Lim, S. L., Tran, D. N., Zumkehr, J., Chen, C., Ghiaar, S., Kieu, Z., . . . Kitazawa, M. (2018). Inhibition of hematopoietic cell kinase dysregulates microglial function and accelerates early stage Alzheimer's disease-like neuropathology. *Glia*, 0(0). doi: doi:10.1002/glia.23522. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23522>
- Lima, A., Sardinha, V., Oliveira, A., Reis, M., Mota, C., Silva, M., . . . Sousa, N. (2014). Astrocyte pathology in the prefrontal cortex impairs the cognitive function of rats. *Molecular Psychiatry*. doi: <http://www.nature.com/mp/journal/vaop/ncurrent/full/mp2013182a.html>
- Lin, B., & Masland, R. H. (2005). Synaptic contacts between an identified type of ON cone bipolar cell and ganglion cells in the mouse retina. *European Journal of Neuroscience*, 21(5), 1257-1270. doi:

doi:10.1111/j.1460-9568.2005.03967.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03967.x>

Lin, B., & Masland, R. H. (2006). Populations of wide-field amacrine cells in the mouse retina. *Journal of Comparative Neurology*, 499(5), 797-809. doi.

Lin, B., & Peng, E. B. (2013). Retinal Ganglion Cells are Resistant to Photoreceptor Loss in Retinal Degeneration. *PLoS ONE*, 8(6), e68084. doi: 10.1371/journal.pone.0068084. <http://dx.doi.org/10.1371%2Fjournal.pone.0068084>

Lin, B., Wang, S. W., & Masland, R. H. (2004). Retinal ganglion cell type, size, and spacing can be specified independent of homotypic dendritic contacts. *Neuron*, 43(4), 475-485. doi.

Lin, C. W., Sim, S., Ainsworth, A., Okada, M., Kelsch, W., & Lois, C. (2010). Genetically increased cell-intrinsic excitability enhances neuronal integration into adult brain circuits. *Neuron*, 65(1), 32-39. doi.

Lin, D. M., Yang, Y. H., Scolnick, J. A., Brunet, L. J., Marsh, H., Peng, V., . . . Ngai, J. (2004). Spatial patterns of gene expression in the olfactory bulb. *PNAS*, 101(34), 12718-12723. doi: <http://www.pnas.org/cgi/content/abstract/101/34/12718>

Lin, G. L., Borders, C. B., Lundewall, L. J., & Wellman, C. L. (2014). D1 Receptors Regulate Dendritic Morphology in Normal and Stressed Prelimbic Cortex. *Psychoneuroendocrinology*. doi: 10.1016/j.psyneuen.2014.09.020. [http://www.psyneuen-journal.com/article/S0306-4530\(14\)00360-6/abstract](http://www.psyneuen-journal.com/article/S0306-4530(14)00360-6/abstract)

Lin, L., & Chan, S.-O. (2003). Perturbation of CD44 function affects chiasmatic routing of retinal axons in brain slice preparations of the mouse retinofugal pathway. *European Journal of Neuroscience*, 17(11), 2299-2312. doi: doi:10.1046/j.1460-9568.2003.02686.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02686.x>

Lin, L., Cheung, A. W. S., & Chan, S. O. (2005). Chiasmatic neurons in the ventral diencephalon of mouse embryos—Changes in arrangement and heterogeneity in surface antigen expression. *Developmental Brain Research*, 158(1-2), 1-12. doi.

Lin, L., & Isacson, O. (2006). Axonal Growth Regulation of Fetal and Embryonic Stem Cell-Derived Dopaminergic Neurons by Netrin-1 and Slits. *Stem Cells*, 24(11), 2504-2513. doi: 10.1634/stemcells.2006-0119. <http://stemcells.alphamedpress.org/cgi/content/abstract/24/11/2504>

Lin, M., Ai, J., Li, L., Huang, C., Chapleau, M. W., Liu, R., . . . Cheng, Z. J. (2008). Structural remodeling of nucleus ambiguus projections to cardiac ganglia following chronic intermittent hypoxia in C57BL/6J mice. *Journal of Comparative Neurology*, 509(1), 103-117. doi.

Lin, R. J., & Jaeger, D. (2011). Using computer simulations to determine the limitations of dynamic clamp stimuli applied at the soma in mimicking distributed conductance sources. *Journal of Neurophysiology*, 105(5), 2610-2624. doi: 10.1152/jn.00968.2010. <http://jn.physiology.org/content/105/5/2610.abstract>

Lin, W.-Y., Williams, C. R., Yan, C., & Parrish, J. Z. (2016). Functions of the SLC36 transporter Pathetic in growth control. *Fly*, (just-accepted), 00-00. doi: <http://www.tandfonline.com/doi/abs/10.1080/19336934.2015.1129089>

Lin, X., Li, Z., Ma, H., & Wang, X. (2017). An evolutionary developmental approach for generation of 3D neuronal morphologies using gene regulatory networks. *Neurocomputing*. doi: <http://dx.doi.org/10.1016/j.neucom.2017.08.005>. <http://www.sciencedirect.com/science/article/pii/S0925231217313504>

Lin, X.-J., Liu, R., Li, C., Yi, X., Fu, B., Walker, M. J., . . . Lin, C.-H. (2020). Melatonin ameliorates spatial memory and motor deficits via preserving the integrity of cortical and hippocampal dendritic spine morphology in mice with neurotrauma. *Inflammopharmacology*. doi: 10.1007/s10787-020-00750-2. <https://doi.org/10.1007/s10787-020-00750-2>

Lindau, N. T., Bänninger, B. J., Gullo, M., Good, N. A., Bachmann, L. C., Starkey, M. L., & Schwab, M. E. (2013). Rewiring of the corticospinal tract in the adult rat after unilateral stroke and anti-Nogo-A therapy. *Brain*. doi: 10.1093/brain/awt336. <http://brain.oxfordjournals.org/content/early/2013/12/18/brain.awt336.ab..>

Lindenbach, D., Conti, M. M., Ostock, C. Y., Dupre, K. B., & Bishop, C. (2015). Alterations in primary motor cortex neurotransmission and gene expression in hemi-parkinsonian rats with drug-induced dyskinesia. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.09.018>. <http://www.sciencedirect.com/science/article/pii/S0306452215008283>

Lindner, M. D., Gribkoff, V. K., Donlan, N. A., & Jones, T. A. (2003). Long-Lasting Functional Disabilities in Middle-Aged Rats with Small Cerebral Infarcts. *Journal of Neuroscience*, 23(34), 10913-10922. doi: <http://www.jneurosci.org/cgi/content/abstract/23/34/10913>

Lindquist, R. A., Guinto, C. D., Rodas-Rodriguez, J. L., Fuentealba, L. C., Tate, M. C., Rowitch, D. H., & Alvarez-Buylla, A. (2016). Identification of proliferative progenitors associated with prominent postnatal growth of the pons. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11628. <http://dx.doi.org/10.1038/ncomms11628>

Lindsay, K. A., Maxwell, D. J., Rosenberg, J. R., & Tucker, G. (2007). A new approach to reconstruction models of dendritic branching patterns. *Mathematical Biosciences*, 205(2), 271-296. doi.

Lindsay, K. A., Rosenberg, J. R., & Tucker, G. (2003). Analytical and numerical construction of equivalent cables. *Mathematical Biosciences*, 184(2), 137-164. doi.

Lindstrom, S. H., Nacsá, N., Blankenship, T., Fitzgerald, P. G., Weller, C., Vaney, D. I., & Wilson, M. (2009). Distribution and structure of efferent synapses in the chicken retina. *Visual Neuroscience*, 26(02), 215-226. doi.

Linske, M. (2019). Use of 3D Neuronal Reconstructions for Carrying out Morphological Analyses. doi: <https://dc.uwm.edu/uwsurca/2019/Posters/98/>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., & Roeper, J. (2005). K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons. *Nature Neuroscience*, 8, 1742-1751. doi.

Liston, C., Miller, M. M., Goldwater, D. S., Radley, J. J., Rocher, A. B., Hof, P. R., . . . McEwen, B. S. (2006). Stress-Induced Alterations in Prefrontal Cortical Dendritic Morphology Predict Selective Impairments in Perceptual Attentional Set-Shifting. *Journal of Neuroscience*, 26(30), 7870-7874. doi: 10.1523/jneurosci.1184-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/30/7870>

Little, C. M., Coons, K. D., & Sengelaub, D. R. (2009). Neuroprotective effects of testosterone on the morphology and function of somatic motoneurons following the death of neighboring motoneurons. *Journal of Comparative Neurology*, 512(3), 359-372. doi:

Littler, C. M., Wehling, C. A., Wick, M. J., Fagan, K. A., Cool, C. D., Messing, R. O., & Dempsey, E. C. (2005). Divergent contractile and structural responses of the murine PKC- ϵ null pulmonary circulation to chronic hypoxia. *American Journal of Physiology and Lung Cell Molecular Physiology*, 289(6), L1083-1093. doi: 10.1152/ajplung.00472.2004. <http://ajplung.physiology.org/cgi/content/abstract/289/6/L1083>

Litwin-Kumar, A., Chacron, M. J., & Doiron, B. (2012). The Spatial Structure of Stimuli Shapes the Timescale of Correlations in Population Spiking Activity. *PLoS Comput Biol*, 8(9), e1002667. doi: 10.1371/journal.pcbi.1002667. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002667>

Liu, A.-M., Chen, B.-L., Yu, L.-T., Liu, T., Shi, L.-L., Yu, P.-P., . . . Zhou, L.-B. (2020). Human adipose tissue- and umbilical cord-derived stem cells: which is a better alternative to treat spinal cord injury? [Research Article]. *Neural Regeneration Research*, 15(12), 2306-2317. doi: 10.4103/1673-5374.284997. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2020;volume=15;...>

Liu, B., Wang, L., Cao, Y., Xu, W., Shi, F., Tian, Q., & Zhou, X. (2017). Hypothermia pretreatment improves cognitive impairment via enhancing synaptic plasticity in a traumatic brain injury model. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2017.07.008>. <http://www.sciencedirect.com/science/article/pii/S0006899317302986>

Liu, B., Zupan, B., Laird, E., Klein, S., Gleason, G., Bozinoski, M., . . . Toth, M. (2013). Maternal hematopoietic TNF, via milk chemokines, programs hippocampal development and memory. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3596.html>

Liu, C., Wang, Y., Smallwood, P. M., & Nathans, J. (2008). An Essential Role for Frizzled5 in Neuronal Survival in the Parafascicular Nucleus of the Thalamus. *Journal of Neuroscience*, 28(22), 5641-5653. doi: 10.1523/jneurosci.1056-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/22/5641>

Liu, F., Ichihara, S., Mohideen, S. S., Sai, U., Kitoh, J., & Ichihara, G. (2009). Comparative Study on Susceptibility to 1-Bromopropane in Three Mice Strains. *Toxicological Sciences*, 112(1), 100-110. doi: 10.1093/toxsci/kfp173. <http://toxsci.oxfordjournals.org/cgi/content/abstract/112/1/100>

Liu, F., Ichihara, S., Valentine, W. M., Itoh, K., Yamamoto, M., Sheik Mohideen, S., . . . Ichihara, G. (2010). Increased Susceptibility of Nrf2-Null Mice to 1-Bromopropane-Induced Hepatotoxicity. *Toxicological Sciences*, 115(2), 596-606. doi: 10.1093/toxsci/kfq075. <http://toxsci.oxfordjournals.org/cgi/content/abstract/115/2/596>

Liu, G., Yu, J., Ding, J., Xie, C., Sun, L., Rudenko, I., . . . Cai, H. (2014). Aldehyde dehydrogenase 1 defines and protects a nigrostriatal dopaminergic neuron subpopulation. *The Journal of clinical investigation*, 124(7), 0-0. doi: 10.1172/jci72176. <http://www.jci.org/articles/view/72176>

Liu, H., Friedman, L. K., & Kaur, J. (2006). Perinatal seizures preferentially protect CA1 neurons from seizure-induced damage in prepubescent rats. *Seizure*, 15(1), 1-16. doi:

Liu, J., Morel, A., Wannier, T., & Rouiller, E. M. (2002). Origins of callosal projections to the supplementary motor area (SMA): A direct comparison between pre-SMA and SMA-proper in macaque monkeys. *Journal of Comparative Neurology*, 443(1), 71-85. doi:

- Liu, J., Shi, M., Hong, Z., Zhang, J. P., Bradner, J., Quinn, T., . . . Zhang, J. (2010). Identification of ciliary neurotrophic factor receptor α as a mediator of neurotoxicity induced by α -synuclein. *Proteomics*, 10(11), 2138-2150. doi:
- Liu, L.-F., Palmer, A. R., & Wallace, M. N. (2006). Phase-Locked Responses to Pure Tones in the Inferior Colliculus. *Journal of Neurophysiology*, 95(3), 1926-1935. doi: 10.1152/jn.00497.2005. <http://jn.physiology.org/cgi/content/abstract/95/3/1926>
- Liu, N., Varma, S., Tsao, D., Shooter, E. M., & Tolwani, R. J. (2007). Depleting endogenous neurotrophin-3 enhances myelin formation in the Trembler-J mouse, a model of a peripheral neuropathy. *Journal of Neuroscience Research*, 85(13), 2863-2869. doi:
- Liu, N. K., Titsworth, W. L., Zhang, Y. P., Xhafa, A. I., Shields, C. B., & Xu, X. M. (2011). Characterizing Phospholipase A 2-Induced Spinal Cord Injury: A Comparison with Contusive Spinal Cord Injury in Adult Rats. *Translational Stroke Research*, 1-11. doi:
- Liu, N. K., Zhang, Y. P., Titsworth, W. L., Jiang, X., Han, S., Lu, P. H., . . . Xu, X. M. (2006). A novel role of phospholipase A2 in mediating spinal cord secondary injury. *Annals of Neurology*, 59(4), 606-619. doi:
- Liu, N.-K., Byers, J. S., Lam, T., Lu, Q.-B., Sengelaub, D. R., & Xu, X.-M. (2014). Inhibition of cPLA2 has neuroprotective effects on motoneuron and muscle atrophy following spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3690. <http://dx.doi.org/10.1089/neu.2014.3690>
- Liu, N.-K., Deng, L.-X., Zhang, Y. P., Lu, Q.-B., Wang, X.-F., Hu, J.-G., . . . Xu, X.-M. (2014). cPLA2 protein as a novel therapeutic target for spinal cord injury. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24134. <http://dx.doi.org/10.1002/ana.24134>
- Liu, N.-K., Zhang, Y. P., Han, S., Pei, J., Xu, L. Y., Lu, P.-H., . . . Xu, X.-M. (2007). Annexin A1 Reduces Inflammatory Reaction and Tissue Damage Through Inhibition of Phospholipase A2 Activation in Adult Rats Following Spinal Cord Injury. *Journal of Neuropathology and Experimental Neurology*, 66(10), 932-943. doi:
- Liu, N.-K., Zhang, Y.-P., Zou, J., Verhovshek, T., Chen, C., Lu, Q.-B., . . . Xu, X.-M. (2014). A semicircular controlled cortical impact produces long-term motor and cognitive dysfunction that correlates well with damage to both the sensorimotor cortex and hippocampus. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.05.042>, <http://www.sciencedirect.com/science/article/pii/S0006899314007574>
- Liu, R., Yang, X.-D., Liao, X.-M., Xie, X.-M., Su, Y.-A., Li, J.-T., . . . Si, T.-M. (2016). Early postnatal stress suppresses the developmental trajectory of hippocampal pyramidal neurons: the role of CRHR1. *Brain Structure and Function*, 1-12. doi: <http://link.springer.com/article/10.1007/s00429-016-1182-4>
- Liu, R. J., Lee, F. S., Li, X. Y., Bambico, F., Duman, R. S., & Aghajanian, G. K. (2011). Brain-derived neurotrophic factor Val66Met allele impairs basal and ketamine-stimulated synaptogenesis in prefrontal cortex. *Biological Psychiatry*. doi:
- Liu, R.-J., & Aghajanian, G. K. (2008). Stress blunts serotonin- and hypocretin-evoked EPSCs in prefrontal cortex: Role of corticosterone-mediated apical dendritic atrophy. *Proceedings of the National Academy of Sciences*, 105(1), 359-364. doi: 10.1073/pnas.0706679105. <http://www.pnas.org/cgi/content/abstract/105/1/359>

- Liu, S., & Shipley, M. T. (2008). Intrinsic Conductances Actively Shape Excitatory and Inhibitory Postsynaptic Responses in Olfactory Bulb External Tufted Cells. *Journal of Neuroscience*, 28(41), 10311-10322. doi: 10.1523/jneurosci.2608-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10311>
- Liu, S., & Shipley, M. T. (2008). Multiple Conductances Cooperatively Regulate Spontaneous Bursting in Mouse Olfactory Bulb External Tufted Cells. *Journal of Neuroscience*, 28(7), 1625-1639. doi: 10.1523/jneurosci.3906-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/7/1625>
- Liu, T., Lu, J., Lukasiewicz, K., Pan, B., & Zuo, Y. (2021). Stress induces microglia-associated synaptic circuit alterations in the dorsomedial prefrontal cortex. *Neurobiology of Stress*, 15, 100342. doi: <https://doi.org/10.1016/j.ynstr.2021.100342>. <https://www.sciencedirect.com/science/article/pii/S2352289521000503>
- Liu, T. T., Bannatyne, B. A., Jankowska, E., & Maxwell, D. J. (2009). Cholinergic terminals in the ventral horn of adult rat and cat: evidence that glutamate is a cotransmitter at putative interneuron synapses but not at central synapses of motoneurons. *Neuroscience*, 161(1), 111-122. doi.
- Liu, T. T., Bannatyne, B. A., Jankowska, E., & Maxwell, D. J. (2010). Properties of axon terminals contacting intermediate zone excitatory and inhibitory premotor interneurons with monosynaptic input from group I and II muscle afferents. *Journal of Physiology*, 588(21), 4217-4233. doi: 10.1113/jphysiol.2010.192211. <http://dx.doi.org/10.1113/jphysiol.2010.192211>
- Liu, T. T., Bannatyne, B. A., & Maxwell, D. J. (2010). Organization and neurochemical properties of intersegmental interneurons in the lumbar enlargement of the adult rat. *Neuroscience*, 171(2), 461-484. doi.
- Liu, W. A., Chen, S., Li, Z., Lee, C. H., Mirzaa, G., Dobyns, W. B., . . . Shi, S.-H. (2018). PARD3 dysfunction in conjunction with dynamic HIPPO signaling drives cortical enlargement with massive heterotopia. *Genes and Development*. doi: 10.1101/gad.313171.118. <http://genesdev.cshlp.org/content/early/2018/06/13/gad.313171.118.abstract>
- Liu, X., Sha, O., & Cho, E. P. (2013). Remote Ischemic Postconditioning Promotes the Survival of Retinal Ganglion Cells after Optic Nerve Injury. *Journal of Molecular Neuroscience*, 1-8. doi: 10.1007/s12031-013-0036-2. <http://dx.doi.org/10.1007/s12031-013-0036-2>
- Liu, X. F., Tari, P. K., & Haas, K. (2009). PKM[zeta] Restricts Dendritic Arbor Growth by Filopodial and Branch Stabilization within the Intact and Awake Developing Brain. *Journal of Neuroscience*, 29(39), 12229-12235. doi: 10.1523/jneurosci.2842-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/39/12229>
- Liu, Y., Chen, Y., Lu, X., Wang, Y., Duan, Y., Cheng, C., & Shen, A. (2012). SCYL1BP1 modulates neurite outgrowth and regeneration via regulating Mdm2/p53 pathway. *Molecular Biology of the Cell*. doi: 10.1091/mbc.E12-05-0362. <http://www.molbiolcell.org/content/early/2012/10/08/mbc.E12-05-0362.abst...>
- Liu, Y., Wang, Y., Du, Z., Yan, X., Zheng, P., & Liu, Y. (2016). Fbxo30 Regulates Mammopoiesis by Targeting the Bipolar Mitotic Kinesin Eg5. *Cell Reports*. doi: <http://dx.doi.org/10.1016/j.celrep.2016.03.083>. <http://www.sciencedirect.com/science/article/pii/S2211124716303850>

Liu, Y., Xing, H., Sheng, W., Singh, K. N., Korkmaz, A. G., Comeau, C., . . . Li, Y. (2021). Alteration of the cholinergic system and motor deficits in cholinergic neuron-specific Dyt1 knockout mice. *Neurobiology of Disease*, 154, 105342. doi: <https://doi.org/10.1016/j.nbd.2021.105342>. <https://www.sciencedirect.com/science/article/pii/S0969996121000917>

Liu, Y., Xu, X.-H., Chen, Q., Wang, T., Deng, C.-Y., Song, B.-L., . . . Luo, Z.-G. (2013). Myosin Vb controls biogenesis of post-Golgi Rab10 carriers during axon development. *Nature Communications*, 4. doi: <http://www.nature.com/ncomms/2013/130617/ncomms3005/full/ncomms3005.html>

Liu, Y. W. J., Curtis, M. A., Gibbons, H. M., Mee, E. W., Bergin, P. S., Teoh, H. H., . . . Faull, R. L. M. (2008). Doublecortin expression in the normal and epileptic adult human brain. *European Journal of Neuroscience*, 28(11), 2254-2265. doi.

Liu, Z., Xu, D., Zhao, Y., & Zheng, J. (2010). Non-syndromic mild mental retardation candidate gene CDKL3 regulates neuronal morphogenesis. *Neurobiology of Disease*, 39(3), 242-251. doi.

Livneh, Y., Feinstein, N., Klein, M., & Mizrahi, A. (2009). Sensory Input Enhances Synaptogenesis of Adult-Born Neurons. *Journal of Neuroscience*, 29(1), 86-97. doi: 10.1523/jneurosci.4105-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/1/86>

Livneh, Y., & Mizrahi, A. (2011). Long-term changes in the morphology and synaptic distributions of adult-born neurons. *Journal of Comparative Neurology*, 519(11), 2212-2224. doi: 10.1002/cne.22625. <http://dx.doi.org/10.1002/cne.22625>

Llewellyn-Smith, I. J., Martin, C. L., Fenwick, N. M., DiCarlo, S. E., Lujan, H. L., & Schreihofer, A. M. (2007). VGLUT1 and VGLUT2 innervation in autonomic regions of intact and transected rat spinal cord. *Journal of Comparative Neurology*, 503(6), 741-767. doi.

Llewellyn-Smith, I. J., Schreihofer, A. M., & Guyenet, P. G. (2001). Distribution and amino acid content of enkephalin-immunoreactive inputs onto juxtacellularly labelled bulbospinal barosensitive neurons in rat rostral ventrolateral medulla. *Neuroscience*, 108(2), 307-322. doi.

Lloyd, S. A., Wensley, B., Faherty, C. J., & Smeyne, R. J. (2003). Regional differences in cortical dendrite morphology following in utero exposure to cocaine. *Developmental Brain Research*, 147(1-2), 59-66. doi.

Lo, A. C. Y., Chen, A. Y. S., Hung, V. K. L., Yaw, L. P., Fung, M. K. L., Ho, M. C. Y., . . . Chung, S. K. (2005). Endothelin-1 overexpression leads to further water accumulation and brain edema after middle cerebral artery occlusion via aquaporin 4 expression in astrocytic end-feet. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Lo Jr, T. P., Cho, K. S., Garg, M. S., Lynch, M. P., Marcillo, A. E., Koivisto, D. L., . . . others. (2009). Systemic hypothermia improves histological and functional outcome after cervical spinal cord contusion in rats. *Journal of Comparative Neurology*, 514(5), 433-448. doi.

Loavenbruck, A., Wendelschafer-Crabbe, G., Sandroni, P., & Kennedy, W. R. (2014). Quantification of Sweat Gland Volume and Innervation in Neuropathy; Correlation with Thermoregulatory Sweat Testing. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.24185. <http://dx.doi.org/10.1002/mus.24185>

- Lobanova, A., She, R., Pieraut, S., Clapp, C., Maximov, A., & Denchi, E. L. (2017). Different requirements of functional telomeres in neural stem cells and terminally differentiated neurons. *Genes and Development*. doi: <http://genesdev.cshlp.org/content/early/2017/04/20/gad.295402.116.abstract>
- Lodovichi, C., Di Cristo, G., Cenni, M. C., & Maffei, L. (2001). Bcl-2 overexpression per se does not promote regeneration of neonatal crushed optic fibers. *European Journal of Neuroscience*, 13(4), 833-838. doi: doi:10.1046/j.1460-9568.2001.01440.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2001.01440.x>
- Loepke, A. W., Istaphanous, G. K., McAuliffe Iii, J. J., Miles, L., Hughes, E. A., McCann, J. C., . . . others. (2009). The effects of neonatal isoflurane exposure in mice on brain cell viability, adult behavior, learning, and memory. *Anesthesia and Analgesia*, 108(1), 90-104. doi.
- Loepke, A. W., McAuliffe, J. J., Mba, E. C. H., McCann, J. C., Danz, S. C., Ward, C., . . . others. (2008). Neuronal Density in Adult Mice Is Not Altered Following Neonatal Isoflurane Exposure. *Anesthesiology*, 109, A200-A200. doi.
- Loftus, W. C., Bishop, D. C., & Oliver, D. L. (2010). Differential Patterns of Inputs Create Functional Zones in Central Nucleus of Inferior Colliculus. *Journal of Neuroscience*, 30(40), 13396-13408. doi: 10.1523/jneurosci.0338-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/40/13396>
- Loftus, W. C., Bishop, D. C., Saint Marie, R. L., & Oliver, D. L. (2004). Organization of binaural excitatory and inhibitory inputs to the inferior colliculus from the superior olive. *Journal of Comparative Neurology*, 472(3), 330-344. doi.
- Loftus, W. C., Malmierca, M. S., Bishop, D. C., & Oliver, D. L. (2008). The cytoarchitecture of the inferior colliculus revisited: a common organization of the lateral cortex in rat and cat. *Neuroscience*, 154(1), 196-205. doi.
- Lohr, K. M., Bernstein, A. I., Stout, K. A., Dunn, A. R., Lazo, C. R., Alter, S. P., . . . Miller, G. W. (2014). Increased vesicular monoamine transporter enhances dopamine release and opposes Parkinson disease-related neurodegeneration in vivo. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1402134111. <http://www.pnas.org/content/early/2014/06/11/1402134111.abstract>
- Lohr, K. M., Stout, K. A., Dunn, A. R., Wang, M., Salahpour, A., Guillot, T. S., & Miller, G. W. (2015). Increased Vesicular Monoamine Transporter 2 (VMAT2; Slc18a2) Protects against Methamphetamine Toxicity. *ACS Chemical Neuroscience*. doi: 10.1021/acschemneuro.5b00010. <http://dx.doi.org/10.1021/acschemneuro.5b00010>
- Long, H., Zhu, X., Yang, P., Gao, Q., Chen, Y., & Ma, L. (2012). Myo9b and RICS Modulate Dendritic Morphology of Cortical Neurons. *Cerebral Cortex*, bhr378. doi: 10.1093/cercor/bhr378. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr378v1>
- Long, J. B., Jay, S. M., Segal, S. S., & Madri, J. A. (2009). VEGF-A and Semaphorin3A: modulators of vascular sympathetic innervation. *Developmental Biology*, 334(1), 119-132. doi.
- Long, J. B., & Segal, S. S. (2009). Quantifying perivascular sympathetic innervation: Regional differences in male C57BL/6 mice at 3 and 20 months. *Journal of Neuroscience Methods*. doi.
- Longair, M. H., Baker, D. A., & Armstrong, J. D. (2011). Simple Neurite Tracer: open source software for reconstruction, visualization and analysis of neuronal processes. *Bioinformatics*, 27(17), 2453-2454. doi:

10.1093/bioinformatics/btr390. <http://bioinformatics.oxfordjournals.org/cgi/content/abstract/27/17/2453>

Longordo, F., To, M.-S., Ikeda, K., & Stuart, G. J. (2013). Sublinear integration underlies binocular processing in primary visual cortex. *Nature Neuroscience*. doi.

Lopes, A., Torres, D. B., Rodrigues, A. J., Cerqueira, J. J., Pêgo, J. M., Sousa, N., . . . Boer, P. A. (2012). Gestational protein restriction induces ca3 dendritic atrophy in dorsal hippocampal neurons but does not alter learning and memory performance in adult offspring. *International Journal of Developmental Neuroscience*, (0).
doi: <http://dx.doi.org/10.1016/j.ijdevneu.2012.12.003>. <http://www.sciencedirect.com/science/article/pii/S0736574812006259>

López-Cabrera, J. D., Hernández-Pérez, L. A., Orozco-Morales, R., & Lorenzo-Ginori, J. V. (2020). New morphological features based on the Sholl analysis for automatic classification of traced neurons. *Journal of Neuroscience Methods*, 343, 108835.
doi: <https://doi.org/10.1016/j.jneumeth.2020.108835>. <http://www.sciencedirect.com/science/article/pii/S0165027020302582>

López-Cabrera, J. D., & Lorenzo-Ginori, J. V. (2018). Feature selection for the classification of traced neurons. *Journal of Neuroscience Methods*, 303, 41-54.
doi: <https://doi.org/10.1016/j.jneumeth.2018.04.002>. <https://www.sciencedirect.com/science/article/pii/S0165027018301055>

López-Cruz, P. L., Bielza, C., Larrañaga, P., Benavides-Piccione, R., & DeFelipe, J. (2011). Models and Simulation of 3D Neuronal Dendritic Trees Using Bayesian Networks. *Neuroinformatics*, 9(4), 347-369. doi.

Lopez-Huerta, V. G., Nakano, Y., Bausenwein, J., Jaidar, O., Lazarus, M., Cherasse, Y., . . . Arbutnott, G. (2015). The neostriatum: two entities, one structure? *Brain Structure and Function*, 1-13.
doi. <http://link.springer.com/article/10.1007/s00429-015-1000-4/fulltext.html>

Lorenzati, M., Boda, E., Parolisi, R., Bonato, M., Borsello, T., Herdegen, T., . . . Vercelli, A. (2021). c-Jun N-terminal kinase 1 (JNK1) modulates oligodendrocyte progenitor cell architecture, proliferation and myelination. *Scientific Reports*, 11(1), 7264. doi: 10.1038/s41598-021-86673-6. <https://doi.org/10.1038/s41598-021-86673-6>

Lőrincz, M. L., Gunner, D., Bao, Y., Connelly, W. M., Isaac, J. T. R., Hughes, S. W., & Crunelli, V. (2015). A Distinct Class of Slow (~0.2–2 Hz) Intrinsically Bursting Layer 5 Pyramidal Neurons Determines UP/DOWN State Dynamics in the Neocortex. *The Journal of Neuroscience*, 35(14), 5442-5458. doi: 10.1523/jneurosci.3603-14.2015. <http://www.jneurosci.org/content/35/14/5442.abstract>

Lorke, D. E., Wong, L. Y., Lai, H. W. L., Poon, P. W. F., Zhang, A., Chan, W. Y., & Yew, D. T. W. (2003). Early postnatal sound exposure induces lasting neuronal changes in the inferior colliculus of senescence accelerated mice (SAMP8): a morphometric study on GABAergic neurons and NMDA expression. *Cellular and Molecular Neurobiology*, 23(2), 143-164. doi.

Losavio, B. E., Liang, Y., Santamaria-Pang, A., Kakadiaris, I. A., Colbert, C. M., & Saggau, P. (2008). Live Neuron Morphology Automatically Reconstructed from Multiphoton and Confocal Imaging Data. *Journal of Neurophysiology*, 90627.92008. doi: 10.1152/jn.90627.2008. <http://jn.physiology.org/cgi/content/abstract/90627.2008v1>

Loske, P., Boato, F., Hendrix, S., Piepgras, J., Just, I., Ahnert-Hilger, G., & Höltje, M. (2012). Minimal essential length of Clostridium botulinum C3 peptides to enhance neuronal regenerative growth and connectivity in a non-enzymatic mode. *Journal of Neurochemistry*. doi.

Lotocki, G., de Rivero Vaccari, J. P., Perez, E. R., Sanchez-Molano, J., Furones-Alonso, O., Bramlett, H. M., & Dietrich, W. D. (2009). Alterations in blood-brain barrier permeability to large and small molecules and leukocyte accumulation after traumatic brain injury: effects of post-traumatic hypothermia. *Journal of Neurotrauma*, 26(7), 1123-1134. doi.

Lotocki, G., Vaccari, J. R., Alonso, O., Molano, J. S., Nixon, R., Safavi, P., . . . Bramlett, H. M. (2011). Oligodendrocyte vulnerability following traumatic brain injury in rats. *Neuroscience Letters*. doi.

Louis, E., Vonsattel, J.-P., & Faust, P. (2015). Reduced Purkinje Cell Dendritic Arborization and Loss of Dendritic Spines in Essential Tremor (S32.001). *Neurology*, 84(14 Supplement). doi: http://www.neurology.org/content/84/14_Supplement/S32.001.abstract

Louis, E. D., Babij, R., Cortés, E., Vonsattel, J.-P. G., & Faust, P. L. (2013). The inferior olivary nucleus: A postmortem study of essential tremor cases versus controls. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.25400. <http://dx.doi.org/10.1002/mds.25400>

Louis, E. D., Diaz, D. T., Kuo, S.-H., Gan, S.-R., Cortes, E. P., Vonsattel, J. P. G., & Faust, P. L. (2018). Inferior Olivary nucleus degeneration does not lessen tremor in essential tremor. [journal article]. *Cerebellum & Ataxias*, 5(1), 1. doi: 10.1186/s40673-018-0080-3. <https://doi.org/10.1186/s40673-018-0080-3>

Louis, E. D., Faust, P. L., Ma, K. J., Yu, M., Cortes, E., & Vonsattel, J. P. G. (2011). Torpedoes in the Cerebellar Vermis in Essential Tremor Cases vs. Controls. *Cerebellum*, 1-8. doi.

Louth, E. L., Luctkar, H. D., Heney, K. A., & Bailey, C. D. C. (2018). Developmental ethanol exposure alters the morphology of mouse prefrontal neurons in a layer-specific manner. *Brain Research*, 1678(Supplement C), 94-105. doi: <https://doi.org/10.1016/j.brainres.2017.10.005>. <http://www.sciencedirect.com/science/article/pii/S0006899317304456>

Love, G., Torrey, N., McNamara, I., Morgan, M., Banks, M., Hester, N. W., . . . Lambert, K. G. (2005). Maternal experience produces long-lasting behavioral modifications in the rat. *Behavioral Neuroscience*, 119(4), 1084-1084. doi.

Lovekamp-Swan, T., Glendenning, M., & Schreihofner, D. A. (2007). A high soy diet reduces programmed cell death and enhances bcl-xL expression in experimental stroke. *Neuroscience*, 148(3), 644-652. doi.

Lovekamp-Swan, T., Glendenning, M. L., & Schreihofner, D. A. (2007). A high soy diet enhances neurotrophin receptor and Bcl-XL gene expression in the brains of ovariectomized female rats. *Brain Research*, 1159, 54-66. doi.

Lovell, P. V., Clayton, D. F., Replogle, K. L., & Mello, C. V. (2008). Birdsong "transcriptomics": neurochemical specializations of the oscine song system. *PLoS ONE*, 3(10), e3440-e3440. doi.

Lovell, P. V., & Mello, C. V. (2011). Brain expression and song regulation of the cholecystokinin gene in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, 519(2), 211-237. doi.

Lovett-Barron, M., Turi, G. F., Kaifosh, P., Lee, P. H., Bolze, F., Sun, X. H., . . . Losonczy, A. (2012). Regulation of neuronal input transformations by tunable dendritic inhibition. *Nature Neuroscience*. doi.

Lozano, J., Abulafia, D. P., Danton, G. H., Watson, B. D., & Dietrich, W. D. (2007). Characterization of a thromboembolic photochemical model of repeated stroke in mice. *Journal of Neuroscience Methods*, 162(1), 244-254. doi.

Lu, C., Li, Q.-Q., Li, Y.-Y., Lin, H.-Z., Qu, J., Wang, Y., & Zhang, Y.-F. (2017). Light deprivation produces distinct morphological orchestrations on RGCs and cortical cells in a depressive-like YFP-H mouse model. *Neuroscience Letters*, 659, 60-68. doi: <http://dx.doi.org/10.1016/j.neulet.2017.08.073>. <http://www.sciencedirect.com/science/article/pii/S0304394017307309>

Lu, D., He, L., Xiang, W., Ai, W.-M., Cao, Y., Wang, X.-S., . . . Yan, X.-X. (2012). Somal and Dendritic Development of Human CA3 Pyramidal Neurons From Midgestation to Middle Childhood: A Quantitative Golgi Study. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, n/a-n/a. doi: 10.1002/ar.22616. <http://dx.doi.org/10.1002/ar.22616>

Lu, E., Llano, D. A., & Sherman, S. M. (2009). Different distributions of calbindin and calretinin immunostaining across the medial and dorsal divisions of the mouse medial geniculate body. *Hearing Research*, 257(1-2), 16-23. doi.

Lu, G., Wai, S. M., Poon, W. S., & Yew, D. T. (2005). Ki67 and doublecortin positive cells in the human prefrontal cortices of normal aging and vascular dementia. *Microscopy Research and Technique*, 68(5), 255-257. doi.

Lu, H.-C., Tan, Q., Rousseaux, M. W. C., Wang, W., Kim, J.-Y., Richman, R., . . . Zoghbi, H. Y. (2017). Disruption of the ATXN1-CIC complex causes a spectrum of neurobehavioral phenotypes in mice and humans. [Article]. *Nature Genetics*, advance online publication. doi: 10.1038/ng.3808

<http://www.nature.com/ng/journal/vaop/ncurrent/abs/ng.3808.html#suppleme.....> <http://dx.doi.org/10.1038/ng.3808>

Lü, H. Z., Wang, Y. X., Zhou, J. S., Wang, F. C., & Hu, J. G. (2010). Cyclosporin A increases recovery after spinal cord injury but does not improve myelination by oligodendrocyte progenitor cell transplantation. *BMC neuroscience*, 11(1), 127-127. doi.

Lü, H. Z., Xu, L., Zou, J., Wang, Y. X., Ma, Z. W., Xu, X. M., & Lu, P. H. (2008). Effects of autoimmunity on recovery of function in adult rats following spinal cord injury. *Brain, Behavior, and Immunity*, 22(8), 1217-1230. doi.

Lu, J. (2011). Neuronal tracing for connectomic studies. *Neuroinformatics*, 9(2), 159-166. doi.

Lu, J., Fiala, J. C., & Lichtman, J. W. (2009). Semi-automated reconstruction of neural processes from large numbers of fluorescence images. *PLoS ONE*, 4(5), e5655-e5655. doi.

Lu, J., Némethy, Z., Pego, J. M., Cerqueira, J. J., Sousa, N., & Almeida, O. F. X. (2005). .6 Cellular and molecular analysis of stress-induced neurodegeneration—methodological considerations. *Techniques in the Behavioral and Neural Sciences*, 15, 729-749. doi.

Lu, J.-t., Li, C.-y., Zhao, J.-P., Poo, M.-m., & Zhang, X.-h. (2007). Spike-Timing-Dependent Plasticity of Neocortical Excitatory Synapses on Inhibitory Interneurons Depends on Target Cell Type. *Journal of Neuroscience*, 27(36), 9711-9720. doi: 10.1523/jneurosci.2513-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/36/9711>

Lu, L., Leutgeb, J. K., Tsao, A., Henriksen, E. J., Leutgeb, S., Barnes, C. A., . . . Moser, E. I. (2013). Impaired hippocampal rate coding after lesions of the lateral entorhinal cortex. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3462.html>

Lu, L.-H., Li, J.-C., Wai, M. S. M., Lam, W. P., Forster, E. L., Fang, M.-R., & Yew, D. T. (2007). Perinatal hypoxia induces subsequent retinal degeneration in the offspring of ovoviviparous fish, *Xiphophorus maculatus*. *Veterinary Ophthalmology*, 10(5), 289-294. doi: doi:10.1111/j.1463-5224.2007.00552.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1463-5224.2007.00552.x>

Lu, Q., Cui, Q., Yip, H. K., & So, K. F. (2003). c-Jun expression in surviving and regenerating retinal ganglion cells: effects of intravitreal neurotrophic supply. *Investigative Ophthalmology and Visual Science*, 44(12), 5342-5348. doi.

Lu, R., Liu, X., Long, H., & Ma, L. (2012). Effects of prenatal cocaine and heroin exposure on neuronal dendrite morphogenesis and spatial recognition memory in mice. *Neuroscience Letters*, 522(2), 128-133. doi: 10.1016/j.neulet.2012.06.023. <http://www.sciencedirect.com/science/article/pii/S0304394012008191>

Lu, X.-H., & Yang, X. W. (2017). Genetically-directed Sparse Neuronal Labeling in BAC Transgenic Mice through Mononucleotide Repeat Frameshift. [Article]. *Scientific Reports*, 7, 43915. doi: 10.1038/srep43915

<http://www.nature.com/articles/srep43915#supplementary-information>. <http://dx.doi.org/10.1038/srep43915>

Lu, Y., Inokuchi, H., McLachlan, E. M., Li, J. S., & Higashi, H. (2001). Correlation between electrophysiology and morphology of three groups of neuron in the dorsal commissural nucleus of lumbosacral spinal cord of mature rats studied in vitro. *Journal of Comparative Neurology*, 437(2), 156-169. doi.

Lu, Y., & Perl, E. R. (2003). A Specific Inhibitory Pathway between Substantia Gelatinosa Neurons Receiving Direct C-Fiber Input. *Journal of Neuroscience*, 23(25), 8752-8758. doi: <http://www.jneurosci.org/cgi/content/abstract/23/25/8752>

Lu, Y., & Perl, E. R. (2005). Modular Organization of Excitatory Circuits between Neurons of the Spinal Superficial Dorsal Horn (Laminae I and II). *Journal of Neuroscience*, 25(15), 3900-3907. doi: <http://www.jneurosci.org/cgi/content/abstract/25/15/3900>

Lubics, A., Reglödi, D., Slezak, S., Szelier, M., Lengvari, I., & others. (1997). Co-localization of serotonin and FMRFamide-like immunoreactivities in the central nervous system of the earthworm, *Eisenia fetida*. *Acta Histochemica*, 99(4), 459-459. doi.

Lubke, J., Egger, V., Sakmann, B., & Feldmeyer, D. (2000). Columnar Organization of Dendrites and Axons of Single and Synaptically Coupled Excitatory Spiny Neurons in Layer 4 of the Rat Barrel Cortex. *Journal of Neuroscience*, 20(14), 5300-5311. doi: <http://www.jneurosci.org/cgi/content/abstract/20/14/5300>

Lübke, J., & Feldmeyer, D. (2007). Excitatory signal flow and connectivity in a cortical column: focus on barrel cortex. *Brain Structure and Function*, 212(1), 3-17. doi.

Lubke, J., Roth, A., Feldmeyer, D., & Sakmann, B. (2003). Morphometric Analysis of the Columnar Innervation Domain of Neurons Connecting Layer 4 and Layer 2/3 of Juvenile Rat Barrel Cortex. *Cerebral Cortex*, 13(10), 1051-1063. doi: 10.1093/cercor/13.10.1051. <http://cercor.oxfordjournals.org/cgi/content/abstract/13/10/1051>

Lucas, N. N., & Lee, D. W. (2009). BDNF increases BrdU-IR cells in the injured adult zebra finch hippocampus. *Neuroreport*, 20(12), 1066-1066. doi.

Lucassen, P. J., Vollmann-Honsdorf, G. K., Gleisberg, M., Czeh, B., De Kloet, E. R., & Fuchs, E. (2001). Chronic psychosocial stress differentially affects apoptosis in hippocampal subregions and cortex of the adult tree shrew. *European Journal of Neuroscience*, 14(1), 161-166. doi: doi:10.1046/j.0953-816x.2001.01629.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.0953-816x.2001.01629.x>

Luebke, J. I., & Rosene, D. L. (2003). Aging alters dendritic morphology, input resistance, and inhibitory signaling in dentate granule cells of the rhesus monkey. *Journal of Comparative Neurology*, 460(4), 573-584. doi.

Luebke, J. I., Weider, J. M., McCarley, R. W., & Greene, R. W. (1992). Distribution of NADPH-diaphorase positive somata in the brainstem of the monitor lizard *Varanus exanthematicus*. *Neuroscience Letters*, 148(1), 129-132. doi.

Luisi, J., Narayanaswamy, A., Galbreath, Z., & Roysam, B. (2011). The FARSIGHT Trace Editor: An Open Source Tool for 3-D Inspection and Efficient Pattern Analysis Aided Editing of Automated Neuronal Reconstructions. *Neuroinformatics*, 1-11. doi.

Lujan, H. L., Janbaih, H., & DiCarlo, S. E. (2012). Dynamic Interaction Between the Heart and its Sympathetic Innervation Following T5 Spinal Cord Transection. *Journal of Applied Physiology*. doi: 10.1152/jappphysiol.00522.2012. <http://jap.physiology.org/content/early/2012/06/18/jappphysiol.00522.20..>

Lujan, H. L., Palani, G., & DiCarlo, S. E. (2010). Structural neuroplasticity following T5 spinal cord transection: increased cardiac sympathetic innervation density and SPN arborization. *American Journal of Physiology and Lung Cell Molecular Physiology*, 299(4), R985-995. doi: 10.1152/ajpregu.00329.2010. <http://ajpregu.physiology.org/cgi/content/abstract/299/4/R985>

Lujan, H. L., Palani, G., Peduzzi, J. D., & DiCarlo, S. E. (2010). Targeted ablation of mesenteric projecting sympathetic neurons reduces the hemodynamic response to pain in conscious, spinal cord-transected rats. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 298(5), R1358-R1365-R1358-R1365. doi.

Lujan, H. L., Palani, G., Zhang, L., & DiCarlo, S. E. (2010). Targeted ablation of cardiac sympathetic neurons reduces the susceptibility to ischemia-induced sustained ventricular tachycardia in conscious rats. *American Journal of Physiology-Heart and Circulatory Physiology*, 298(5), H1330-H1339-H1330-H1339. doi.

Lujan, H. L., Tonson, A., Wiseman, R. W., & DiCarlo, S. E. (2018). Chronic, Complete Cervical6-7 Cord Transection: Distinct Autonomic and Cardiac Deficits. *Journal of Applied Physiology*, 0(0), null. doi: 10.1152/jappphysiol.01104.2017. <http://www.physiology.org/doi/abs/10.1152/jappphysiol.01104.2017>

Luke, L. M., Allred, R. P., & Jones, T. A. (2004). Unilateral ischemic sensorimotor cortical damage induces contralesional synaptogenesis and enhances skilled reaching with the ipsilateral forelimb in adult male rats. *Synapse*, 54(4), 187-199. doi.

Luo, Q., Douglas, M., Burkholder, T., & Sokoloff, A. J. (2013). Absence of developmental and unconventional myosin heavy chain in human suprahyoid muscles. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.23946. <http://dx.doi.org/10.1002/mus.23946>

Luo, X., Muñoz-Pino, E., Francavilla, R., Vallée, M., Droit, A., & Topolnik, L. (2019). Transcriptomic profile of the subiculum-projecting VIP GABAergic neurons in the mouse CA1 hippocampus. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01883-z. <https://doi.org/10.1007/s00429-019-01883-z>

Lus, G., Vincitorio, C. M., Di Palma, A., Carpo, M., Allaria, S., & Cotrufo, R. (2004). Chronic relapsing polyneuropathy associated with hepatitis B virus infection. *Journal of the Peripheral Nervous System*, 9(2), 115-116. doi: doi:10.1111/j.1085-9489.2004.009209a.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Lussier, A. L., Lebedeva, K., Fenton, E. Y., Guskjolen, A., Caruncho, H. J., & Kalynchuk, L. E. (2013). The progressive development of depression-like behavior in corticosterone-treated rats is paralleled by slowed granule cell maturation and decreased reelin expression in the adult dentate gyrus. *Neuropharmacology*, 71(0), 174-183. doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.04.012>. <http://www.sciencedirect.com/science/article/pii/S0028390813001494>

Luz, L. L., Szucs, P., Pinho, R., & Safronov, B. V. (2010). Monosynaptic excitatory inputs to spinal lamina I anterolateral-tract-projecting neurons from neighbouring lamina I neurons. *Journal of Physiology*, 588(22), 4489-4505. doi: 10.1113/jphysiol.2010.197012. <http://jp.physoc.org/content/588/22/4489.abstract>

Luzzati, F., De Marchis, S., Parlato, R., Gribaudo, S., Schütz, G., Fasolo, A., & Peretto, P. (2011). New Striatal Neurons in a Mouse Model of Progressive Striatal Degeneration Are Generated in both the Subventricular Zone and the Striatal Parenchyma. *PLoS ONE*, 6(9), e25088-e25088. doi.

Luzzati, F., Nato, G., Oboti, L., Vigna, E., Rolando, C., Armentano, M., . . . Peretto, P. (2014). Quiescent neuronal progenitors are activated in the juvenile guinea pig lateral striatum and give rise to transient neurons. *Development*, 141(21), 4065-4075. doi: 10.1242/dev.107987. <http://dev.biologists.org/content/141/21/4065.abstract>

Lv, X., Ren, S.-Q., Zhang, X.-J., Shen, Z., Ghosh, T., Xianyu, A., . . . Shi, S.-H. (2019). TBR2 coordinates neurogenesis expansion and precise microcircuit organization via Protocadherin 19 in the mammalian cortex. *Nature Communications*, 10(1), 3946. doi: 10.1038/s41467-019-11854-x. <https://doi.org/10.1038/s41467-019-11854-x>

Ly, T., Gupta, N., Weinreb, R. N., Kaufman, P. L., & Yücel, Y. H. (2011). Dendrite plasticity in the lateral geniculate nucleus in primate glaucoma. *Vision Research*, 51(2), 243-250. doi.

Lynch, S. W., Braas, K. M., Harakall, S. A., Kennedy, A. L., Mawe, G. M., & Parsons, R. L. (1999). Neuropeptide Y (NPY) expression is increased in explanted guinea pig parasympathetic cardiac ganglia neurons. *Brain Research*, 827(1-2), 70-78. doi.

Lyon, D. C., Nassi, J. J., & Callaway, E. M. (2010). A disinaptic relay from superior colliculus to dorsal stream visual cortex in macaque monkey. *Neuron*, 65(2), 270-279. doi.

- Lyon, D. C., & Rabideau, C. (2012). Lack of robust LGN label following transneuronal rabies virus injections into macaque area V4. *Journal of Comparative Neurology*. doi.
- M., F., A., C., S., B., S., B., J., C., F., B. J., . . . M., R. E. (2018). Changes of motor corticobulbar projections following different lesion types affecting the central nervous system in adult macaque monkeys. *European Journal of Neuroscience*, 0(ja). doi: doi:10.1111/ejn.14074. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14074>
- M., F. K., Alayna, L., Joseph, G., & Corinna, D.-S. (2018). Extensive Somatosensory and Motor Corticospinal Sprouting Occurs Following a Central Dorsal Column Lesion in Monkeys. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24491. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24491>
- Ma, J., Yao, X.-H., Fu, Y., & Yu, Y.-C. (2013). Development of Layer 1 Neurons in the Mouse Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht114. <http://cercor.oxfordjournals.org/content/early/2013/05/15/cercor.bht114...>
- Ma, J., Zhang, L.-Q., He, Z.-X., He, X.-X., Wang, Y.-J., Jian, Y.-L., . . . Zhu, X.-J. (2019). Autism candidate gene DIP2A regulates spine morphogenesis via acetylation of cortactin. *PLoS Biology*, 17(10), e3000461. doi: 10.1371/journal.pbio.3000461. <https://doi.org/10.1371/journal.pbio.3000461>
- Ma, L., Lopez, G. F., & Krimm, R. F. (2009). Epithelial-Derived Brain-Derived Neurotrophic Factor Is Required for Gustatory Neuron Targeting during a Critical Developmental Period. *Journal of Neuroscience*, 29(11), 3354-3364. doi: 10.1523/jneurosci.3970-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3354>
- Ma, S.-F., Chen, Y.-J., Zhang, J.-X., Shen, L., Wang, R., Zhou, J.-S., . . . Lü, H.-Z. (2014). Adoptive transfer of M2 macrophages promotes locomotor recovery in adult rats after spinal cord injury. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.11.007>. <http://www.sciencedirect.com/science/article/pii/S0889159114005224>
- Ma, X., Chen, K., Cui, Y., Huang, G., Nehme, A., Zhang, L., . . . Qiu, S. (2020). Depletion of microglia in developing cortical circuits reveals its critical role in glutamatergic synapse development, functional connectivity, and critical period plasticity. *Journal of Neuroscience Research*, n/a(n/a). doi: 10.1002/jnr.24641. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24641>
- Ma, X., Chen, K., Lu, Z., Piechowicz, M., Liu, Q., Wu, J., & Qiu, S. (2018). Disruption of MET receptor tyrosine kinase, an autism risk factor, impairs developmental synaptic plasticity in the hippocampus. *Developmental Neurobiology*, 0(ja). doi: doi:10.1002/dneu.22645. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22645>
- Ma, X., Huang, J., Xin, X., Yan, Y., Mains, R. E., & Eipper, B. A. (2012). A Role for Kalirin in the Response of Rat Medium Spiny Neurons to Cocaine. *Molecular Pharmacology*. doi: 10.1124/mol.112.080044. <http://molpharm.aspetjournals.org/content/early/2012/07/24/mol.112.080044...>
- Ma, X.-M., Huang, J., Wang, Y., Eipper, B. A., & Mains, R. E. (2003). Kalirin, a Multifunctional Rho Guanine Nucleotide Exchange Factor, Is Necessary for Maintenance of Hippocampal Pyramidal Neuron Dendrites and Dendritic Spines. *Journal of Neuroscience*, 23(33), 10593-10603. doi: <http://www.jneurosci.org/cgi/content/abstract/23/33/10593>

Ma, X.-M., Wang, Y., Ferraro, F., Mains, R. E., & Eipper, B. A. (2008). Kalirin-7 Is an Essential Component of both Shaft and Spine Excitatory Synapses in Hippocampal Interneurons. *Journal of Neuroscience*, 28(3), 711-724. doi: 10.1523/jneurosci.5283-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/3/711>

Ma, Y., Hu, H., Berrebi, A. S., Mathers, P. H., & Agmon, A. (2006). Distinct Subtypes of Somatostatin-Containing Neocortical Interneurons Revealed in Transgenic Mice. *Journal of Neuroscience*, 26(19), 5069-5082. doi: 10.1523/jneurosci.0661-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/19/5069>

Ma, Y., & Prince, D. A. (2012). Functional alterations in GABAergic fast-spiking interneurons in chronically injured epileptogenic neocortex. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.03.027. <http://www.sciencedirect.com/science/article/pii/S0969996112001118>

Ma, Y., Ramachandran, A., Ford, N., Parada, I., & Prince, D. A. (2013). Remodeling of dendrites and spines in the C1q knockout model of genetic epilepsy. *Epilepsia*, n/a-n/a. doi: 10.1111/epi.12195. <http://dx.doi.org/10.1111/epi.12195>

Ma, Z., Cao, Q., Zhang, L., Hu, J., Howard, R. M., Lu, P., . . . Xu, X. M. (2009). Oligodendrocyte precursor cells differentially expressing Nogo-A but not MAG are more permissive to neurite outgrowth than mature oligodendrocytes. *Experimental Neurology*, 217(1), 184-196. doi:

Ma, Z., Zhang, Y. P., Liu, W., Yan, G., Li, Y., Shields, L. B. E., . . . Shields, C. B. (2016). A controlled spinal cord contusion for the rhesus macaque monkey. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.02.008>. <http://www.sciencedirect.com/science/article/pii/S0014488616300309>

Mac Donald, C. L., Dikranian, K., Bayly, P., Holtzman, D., & Brody, D. (2007). Diffusion Tensor Imaging Reliably Detects Experimental Traumatic Axonal Injury and Indicates Approximate Time of Injury. *Journal of Neuroscience*, 27(44), 11869-11876. doi: 10.1523/jneurosci.3647-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/44/11869>

MacAskill, A. F., & Kittler, J. T. (2016). Loss of Dendritic Complexity Precedes Neurodegeneration in a Mouse Model with Disrupted Mitochondrial Distribution in Mature Dendrites. doi: [http://www.cell.com/cell-reports/pdf/S2211-1247\(16\)31208-6.pdf](http://www.cell.com/cell-reports/pdf/S2211-1247(16)31208-6.pdf)

MacDonald, S. C., Simcoff, R., Jordan, L. M., Dodd, J. G., Cheng, K. W., & Hochman, S. (2002). A population of oligodendrocytes derived from multipotent neural precursor cells expresses a cholinergic phenotype in culture and responds to ciliary neurotrophic factor. *Journal of Neuroscience Research*, 68(3), 255-264. doi:

Macedo-Lima, M., Freire, M. A. M., de Carvalho Pimentel, H., Rodrigues Ferreira Lins, L. C., Amador de Lucena Medeiros, K. A., Viola, G. G., . . . Marchioro, M. (2017). Characterization of NADPH Diaphorase- and Doublecortin-Positive Neurons in the Lizard Hippocampal Formation. *Brain, Behavior and Evolution*, 0(0), 222-234. doi: <http://www.karger.com/DOI/10.1159/000453105>

Macharadze, T., Pielot, R., Wanger, T., Scheich, H., Gundelfinger, E. D., Budinger, E., . . . Kreutz, M. R. (2011). Altered Neuronal Activity Patterns in the Visual Cortex of the Adult Rat after Partial Optic Nerve Crush--A Single-Cell Resolution Metabolic Mapping Study. *Cerebral Cortex*, bhr256. doi: 10.1093/cercor/bhr256. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr256v1>

Macias, M., Nowicka, D., Czupryn, A., Sulejczak, D., Skup, M., Skangiel-Kramaska, J., & Czarkowska-Bauch, J. (2009). Exercise-induced motor improvement after complete spinal cord transection and its

relation to expression of brain-derived neurotrophic factor and presynaptic markers. *BMC neuroscience*, 10(1), 144-144. doi.

MacKenzie-Graham, A., Tinsley, M. R., Shah, K. P., Aguilar, C., Strickland, L. V., Boline, J., . . . others. (2006). Cerebellar cortical atrophy in experimental autoimmune encephalomyelitis. *Neuroimage*, 32(3), 1016-1023. doi.

MacKenzie-Graham, A. J., Lee, E.-F., Dinov, I. D., Yuan, H., Jacobs, R. E., & Toga, A. W. (2007). Multimodal, Multidimensional Models of Mouse Brain. *Epilepsia*, 48(s4), 75-81. doi: doi:10.1111/j.1528-1167.2007.01244.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2007.01244.x>

Mackie, M., Hughes, D. I., Maxwell, D. J., Tillakaratne, N. J. K., & Todd, A. J. (2003). Distribution and colocalisation of glutamate decarboxylase isoforms in the rat spinal cord. *Neuroscience*, 119(2), 461-472. doi.

MacLean, J. N., Fenstermaker, V., Watson, B. O., & Yuste, R. (2006). A visual thalamocortical slice. *Nature Methods*, 3(2), 129-134. doi.

MacLeod, K., & Carr, C. (2005). Synaptic dynamics and intensity coding in the cochlear nucleus. *Auditory Signal Processing*, 500-508. doi.

MacLeod, K. M., & Carr, C. E. (2005). Synaptic Physiology in the Cochlear Nucleus Angularis of the Chick. *Journal of Neurophysiology*, 93(5), 2520-2529. doi: 10.1152/jn.00898.2004. <http://jn.physiology.org/cgi/content/abstract/93/5/2520>

MacLeod, K. M., Soares, D., & Carr, C. E. (2006). Interaural timing difference circuits in the auditory brainstem of the emu (*Dromaius novaehollandiae*). *Journal of Comparative Neurology*, 495(2), 185-201. doi.

MacNeil, M. A., Purrier, S., Rushmore, R. J., & others. (2010). The composition of the inner nuclear layer of the cat retina. *Visual Neuroscience*, 26(4), 365-365. doi.

Madhavan, L., Daley, B. F., Sortwell, C. E., & Collier, T. J. (2012). Endogenous neural precursors influence grafted neural stem cells and contribute to neuroprotection in the parkinsonian rat. *European Journal of Neuroscience*, 35(6), 883-895. doi: 10.1111/j.1460-9568.2012.08019.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08019.x>

Madhu, L. N., Kodali, M., Attaluri, S., Shuai, B., Melissari, L., Rao, X., & Shetty, A. K. (2021). Melatonin improves brain function in a model of chronic Gulf War Illness with modulation of oxidative stress, NLRP3 inflammasomes, and BDNF-ERK-CREB pathway in the hippocampus. *Redox Biology*, 43, 101973. doi: <https://doi.org/10.1016/j.redox.2021.101973> <https://www.sciencedirect.com/science/article/pii/S221323172100121X>

Madison, J. L., Wegrzynowicz, M., Aschner, M., & Bowman, A. B. (2012). Disease-Toxicant Interactions in Manganese Exposed Huntington Disease Mice: Early Changes in Striatal Neuron Morphology and Dopamine Metabolism. *PLoS ONE*, 7(2), e31024-e31024. doi.

Madsen, P. M., Pinto, M., Patel, S., McCarthy, S., Gao, H., Taherian, M., . . . Brambilla, R. (2017). Mitochondrial DNA double-strand breaks in oligodendrocytes cause demyelination, axonal injury and CNS inflammation. [10.1523/JNEUROSCI.1378-17.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/09/20/JNEUROSCI.1378-17.2017..>

- Maeda, H., Fukuda, S., Kameda, H., Murabe, N., Isoo, N., Mizukami, H., . . . Sakurai, M. (2015). Corticospinal axons make direct synaptic connections with spinal motoneurons innervating forearm muscles early during postnatal development in the rat. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270885. <http://dx.doi.org/10.1113/JP270885>
- Maezawa, I., Swanberg, S., Harvey, D., LaSalle, J. M., & Jin, L.-W. (2009). Rett Syndrome Astrocytes Are Abnormal and Spread MeCP2 Deficiency through Gap Junctions. *Journal of Neuroscience*, 29(16), 5051-5061. doi: 10.1523/jneurosci.0324-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/16/5051>
- Maezawa, I., Zaja-Milatovic, S., Milatovic, D., Stephen, C., Sokal, I., Maeda, N., . . . Montine, K. (2006). Apolipoprotein E isoform-dependent dendritic recovery of hippocampal neurons following activation of innate immunity. *Journal of Neuroinflammation*, 3(1), 21. doi: <http://www.jneuroinflammation.com/content/3/1/21>
- Magableh, A., & Lundy, R. (2014). Somatostatin and Corticotrophin Releasing Hormone Cell Types Are a Major Source of Descending Input From the Forebrain to the Parabrachial Nucleus in Mice. *Chemical Senses*. doi: 10.1093/chemse/bju038. <http://chemse.oxfordjournals.org/content/early/2014/08/02/chemse.bju038...>
- Magariello, A., Muglia, M., Passamonti, L., Bellesi, M., Conforti, F. L., Mazzei, R., . . . Quattrone, A. (2004). Further evidence of genetic heterogeneity in autosomal dominant distal motor neuronopathy. *Journal of the Peripheral Nervous System*, 9(2), 125-125. doi: doi:10.1111/j.1085-9489.2004.009209bp.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Magavi, S., Friedmann, D., Banks, G., Stolfi, A., & Lois, C. (2012). Coincident Generation of Pyramidal Neurons and Protoplasmic Astrocytes in Neocortical Columns. *Journal of Neuroscience*, 32(14), 4762-4772. doi: 10.1523/jneurosci.3560-11.2012. <http://www.jneurosci.org/content/32/14/4762.abstract>
- Magavi, S. S. P., & Lois, C. (2008). Transplanted neurons form both normal and ectopic projections in the adult brain. *Developmental Neurobiology*, 68(14), 1527-1537. doi:
- Magnin, E., Francavilla, R., Amalyan, S., Gervais, E., Suzanne David, L., Luo, X., & Topolnik, L. (2018). Input-specific synaptic location and function of the alpha5 GABAA receptor subunit in the mouse CA1 hippocampal neurons. *The Journal of Neuroscience*, 0567-0518. doi: 10.1523/jneurosci.0567-18.2018. <http://www.jneurosci.org/content/early/2018/12/06/JNEUROSCI.0567-18.2018..>
- Magnotti, L. M., Goodenough, D. A., & Paul, D. L. (2011). Deletion of oligodendrocyte Cx32 and astrocyte Cx43 causes white matter vacuolation, astrocyte loss and early mortality. *Glia*, 59(7), 1064-1074. doi: 10.1002/glia.21179. <http://dx.doi.org/10.1002/glia.21179>
- Magnusson, J., & Cummings, K. J. (2015). Plasticity in breathing and arterial blood pressure following acute intermittent hypercapnic hypoxia in infant rat pups with a partial loss of 5-HT neurons. [10.1152/ajpregu.00241.2015]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: <http://ajpregu.physiology.org/content/early/2015/09/02/ajpregu.00241.201..>
- Magrassi, L., Grimaldi, P., Ibatucci, A., Corselli, M., Ciardelli, L., Castello, S., . . . Rossi, F. (2007). Induction and Survival of Binucleated Purkinje Neurons by Selective Damage and Aging. *Journal of Neuroscience*, 27(37), 9885-9892. doi: 10.1523/jneurosci.2539-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/37/9885>

Magrassi, L., Leto, K., & Rossi, F. (2013). Lifespan of neurons is uncoupled from organismal lifespan. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1217505110. <http://www.pnas.org/content/early/2013/02/19/1217505110.abstract>

Mahady, L., Perez, S. E., Emerich, D. F., Wahlberg, L. U., & Mufson, E. J. (2016). Cholinergic Profiles in the Goettingen miniature pig (*Sus scrofa domestica*) brain. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24087. <http://dx.doi.org/10.1002/cne.24087>

Mahar, I., MacIsaac, A., Kim, J. J., Qiang, C., Davoli, M. A., Turecki, G., & Mechawar, N. (2016). Effects of neuregulin-1 administration on neurogenesis in the adult mouse hippocampus, and characterization of immature neurons along the septotemporal axis. [Article]. *Scientific Reports*, 6, 30467. doi: 10.1038/srep30467

<http://www.nature.com/articles/srep30467#supplementary-information>. <http://dx.doi.org/10.1038/srep30467>

Maher, B. J., & LoTurco, J. J. (2012). Disrupted-in-Schizophrenia (DISC1) Functions Presynaptically at Glutamatergic Synapses. *PLoS ONE*, 7(3), e34053. doi: 10.1371/journal.pone.0034053. <http://dx.doi.org/10.1371/journal.pone.0034053>

Maheshwari, M., Bhutani, S., Das, A., Mukherjee, R., Sharma, A., Kino, Y., . . . Jana, N. R. (2013). Dexamethasone induces heat shock response and slows down disease progression in mouse and fly models of Huntington's disease. *Human Molecular Genetics*. doi: 10.1093/hmg/ddt667. <http://hmg.oxfordjournals.org/content/early/2013/12/30/hmg.ddt667.abstract>

Mai, J. K., Assheuer, J. K., & Paxinos, G. (2004). This long-awaited update of the classic, *The Human Nervous System*, stands as an impressive survey of our knowledge of the brain, spinal cord, and peripheral nervous system. *The Human Nervous System*. doi:

Maia, L. M. S. S., Frazão, M. F., Souza, T. K. M., Silva, M. B., Rocha-de-Melo, A. P., Picanço-Diniz, C. W., . . . Guedes, R. C. A. (2006). L-arginine treatment early in life influences NADPH-diaphorase neurons in visual cortex of normal and early-malnourished adult rats. *Brain Research*, 1072(1), 19-25. doi:

Maibier, M., Bintig, W., Goede, A., Höpfner, M., Kuebler, W. M., Secomb, T. W., . . . Pries, A. R. (2019). Gap junctions regulate vessel diameter in chick chorioallantoic membrane vasculature by both tone-dependent and structural mechanisms. *Microcirculation*, 0(ja). doi: 10.1111/micc.12590. <https://onlinelibrary.wiley.com/doi/abs/10.1111/micc.12590>

Maibier, M., Reglin, B., Nitzsche, B., Xiang, W., Rong, W. W., Hoffmann, B., . . . Pries, A. R. (2016). Structure and hemodynamics of vascular networks in the chorioallantoic membrane of the chicken. [10.1152/ajpheart.00786.2015]. *American Journal of Physiology - Heart and Circulatory Physiology*. doi: <http://ajpheart.physiology.org/content/early/2016/07/06/ajpheart.00786.2>

Maier, E., & Brecht, M. (2018). Layer 4 barrel cortex neurons retain their response properties during whisker replacement. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00333.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00333.2018>

Maier, E., Lauer, S. M., & Brecht, M. (2020). Conserved layer 4 organization and respiration locking in the rodent nose somatosensory cortex. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00138.2020. <https://journals.physiology.org/doi/abs/10.1152/jn.00138.2020>

Maier, I. C., Baumann, K., Thallmair, M., Weinmann, O., Scholl, J., & Schwab, M. E. (2008). Constraint-Induced Movement Therapy in the Adult Rat after Unilateral Corticospinal Tract Injury. *Journal of Neuroscience*, 28(38), 9386-9403. doi: 10.1523/jneurosci.1697-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/38/9386>

Maier, N., Morris, G., Johenning, F. W., & Schmitz, D. (2009). An approach for reliably investigating hippocampal sharp wave-ripples in vitro. *PLoS ONE*, 4(9), e6925-e6925. doi.

Maier, N., Tejero-Cantero, Á., Dornn, A. L., Winterer, J., Beed, P. S., Morris, G., . . . Schmitz, D. (2011). Coherent phasic excitation during hippocampal ripples. *Neuron*, 72(1), 137-152. doi.

Mailly, P., Aliane, V., Groenewegen, H. J., Haber, S. N., & Deniau, J.-M. (2013). The Rat Prefrontostriatal System Analyzed in 3D: Evidence for Multiple Interacting Functional Units. *Journal of Neuroscience*, 33(13), 5718-5727. doi: 10.1523/jneurosci.5248-12.2013. <http://www.jneurosci.org/content/33/13/5718.abstract>

Mailly, P., Charpier, S., Mahon, S., Menetrey, A., Thierry, A. M., Glowinski, J., & Deniau, J. M. (2001). Dendritic Arborizations of the Rat Substantia Nigra Pars Reticulata Neurons: Spatial Organization and Relation to the Lamellar Compartmentation of Striato-Nigral Projections. *Journal of Neuroscience*, 21(17), 6874-6888. doi. <http://www.jneurosci.org/cgi/content/abstract/21/17/6874>

Mailly, P., Charpier, S., Menetrey, A., & Deniau, J.-M. (2003). Three-Dimensional Organization of the Recurrent Axon Collateral Network

of the Substantia Nigra Pars Reticulata Neurons in the Rat. *Journal of Neuroscience*, 23, 5247-5257. doi.

Mailly, P., Haber, S. N., Groenewegen, H. J., & Deniau, J. M. (2010). A 3D multi-modal and multi-dimensional digital brain model as a framework for data sharing. *Journal of Neuroscience Methods*, 194(1), 56-63. doi.

Maioli, S., Lodeiro, M., Merino-Serrais, P., Falahati, F., Khan, W., Puerta, E., . . . the Alzheimer's Disease Neuroimaging, I. (2014). Alterations in brain leptin signalling in spite of unchanged CSF leptin levels in Alzheimer's disease. *Aging Cell*, n/a-n/a. doi: 10.1111/accel.12281. <http://dx.doi.org/10.1111/accel.12281>

Maiti, P., Manna, J., & McDonald, M. P. (2015). Merging advanced technologies with classical methods to uncover dendritic spine dynamics: A hot spot of synaptic plasticity. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2015.02.007>. <http://www.sciencedirect.com/science/article/pii/S0168010215000693>

Major, T., Menon, J., Auyeung, G., Soldner, F., Hockemeyer, D., Jaenisch, R., & Tabar, V. (2011). Transgene Excision Has No Impact on In Vivo Integration of Human iPS Derived Neural Precursors. *PLoS ONE*, 6(9), e24687-e24687. doi.

Makinodan, M., Rosen, K. M., Ito, S., & Corfas, G. (2012). A Critical Period for Social Experience-Dependent Oligodendrocyte Maturation and Myelination. *Science*, 337(6100), 1357-1360. doi: 10.1126/science.1220845. <http://www.sciencemag.org/content/337/6100/1357.short>

Maldonado, M. A., Allred, R. P., Felthouser, E. L., & Jones, T. A. (2008). Motor skill training, but not voluntary exercise, improves skilled reaching after unilateral ischemic lesions of the sensorimotor cortex in rats. *Neurorehabilitation and neural repair*, 22(3), 250-261. doi.

Malik, R., & Chattarji, S. (2012). Enhanced intrinsic excitability and EPSP-spike coupling accompany enriched environment-induced facilitation of LTP in hippocampal CA1 pyramidal neurons. *Journal of Neurophysiology*, 107(5), 1366-1378. doi:

Malik, R., & Johnston, D. (2017). Dendritic GIRK channels gate the integration window, plateau potentials and induction of synaptic plasticity in dorsal but not ventral CA1 neurons. [10.1523/JNEUROSCI.2784-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/03/09/JNEUROSCI.2784-16.2017...>

Malmierca, M. S., Cristaudo, S., Perez-Gonzalez, D., & Covey, E. (2009). Stimulus-Specific Adaptation in the Inferior Colliculus of the Anesthetized Rat. *Journal of Neuroscience*, 29(17), 5483-5493. doi: 10.1523/jneurosci.4153-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/17/5483>

Malmierca, M. S., Izquierdo, M. A., Cristaudo, S., Hernandez, O., Perez-Gonzalez, D., Covey, E., & Oliver, D. L. (2008). A Discontinuous Tonal Organization in the Inferior Colliculus of the Rat. *Journal of Neuroscience*, 28(18), 4767-4776. doi: 10.1523/jneurosci.0238-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/18/4767>

Malmierca, M. S., Saint Marie, R. L., Merchan, M. A., & Oliver, D. L. (2005). Laminar inputs from dorsal cochlear nucleus and ventral cochlear nucleus to the central nucleus of the inferior colliculus: two patterns of convergence. *Neuroscience*, 136(3), 883-894. doi:

Mandel, D. A., & Schreihof, A. M. (2006). Central respiratory modulation of barosensitive neurones in rat caudal ventrolateral medulla. *Journal of Physiology*, 572(3), 881-896. doi: 10.1113/jphysiol.2005.103622. <http://jp.physoc.org/cgi/content/abstract/572/3/881>

Mandel, D. A., & Schreihof, A. M. (2008). Glutamatergic inputs to the CVLM independent of the NTS promote tonic inhibition of sympathetic vasomotor tone in rats. *American Journal of Physiology - Heart and Circulatory Physiology*

216.2008. doi:

10.1152/ajpheart.216.2008. <http://ajpheart.physiology.org/cgi/content/abstract/216.2008v1>

Mandel, D. A., & Schreihof, A. M. (2009). Modulation of the sympathetic response to acute hypoxia by the caudal ventrolateral medulla in rats. *Journal of Physiology*, 587(2), 461-475. doi: 10.1113/jphysiol.2008.161760. <http://jp.physoc.org/cgi/content/abstract/587/2/461>

Mandolesi, L., De Bartolo, P., Foti, F., Gelfo, F., Federico, F., Leggio, M. G., & Petrosini, L. (2008). Environmental enrichment provides a cognitive reserve to be spent in the case of brain lesion. *Journal of Alzheimer's Disease*, 15(1), 11-28. doi:

Mandyam, C. D., Schilling, J. M., Cui, W., Egawa, J., Niesman, I. R., Kellerhals, S. E., . . . Head, B. P. (2015). Neuron-targeted caveolin-1 improves molecular signaling, plasticity and behavior dependent on the hippocampus in adult and aged mice. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2015.09.020. <http://dx.doi.org/10.1016/j.biopsych.2015.09.020>

Mandyam, C. D., Wee, S., Eisch, A. J., Richardson, H. N., & Koob, G. F. (2007). Methamphetamine Self-Administration and Voluntary Exercise Have Opposing Effects on Medial Prefrontal Cortex Gliogenesis. *Journal of Neuroscience*, 27(42), 11442-11450. doi: 10.1523/jneurosci.2505-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/42/11442>

- Manganelli, F., Criscuolo, C., Scarano, V., Perretti, A., De Michele, G., Filla, A., & Santoro, L. (2004). Genotype-phenotype correlation in some autosomal recessive hereditary spastic paraplegias. *Journal of the Peripheral Nervous System*, 9(2), 112-112. doi.
- Manganelli, F., Iodice, V., Provitera, V., Pisciotta, C., Nolano, M., Perretti, A., & Santoro, L. (2007). Small-fiber involvement in spinobulbar muscular atrophy (Kennedy's disease). *Muscle and Nerve*, 36(6), 816-820. doi.
- Mangas, A., Yajeya, J., González, N., Ruiz, I., Duleu, S., Geffard, M., & Coveñas, R. (2017). Overexpression of kynurenic acid in stroke: an endogenous neuroprotector? *Annals of Anatomy - Anatomischer Anzeiger*. doi: <http://dx.doi.org/10.1016/j.aanat.2017.01.002> <http://www.sciencedirect.com/science/article/pii/S094096021730002X>
- Manger, P. R., Masiello, I., & Innocenti, G. M. (2002). Areal organization of the posterior parietal cortex of the ferret (*Mustela putorius*). *Cerebral Cortex*, 12(12), 1280-1297. doi.
- Manger, P. R., Restrepo, C. E., & Innocenti, G. M. (2010). The superior colliculus of the ferret: Cortical afferents and efferent connections to dorsal thalamus. *Brain Research*, 1353, 74-85. doi.
- Mangieri, L. R., Mader, B. J., Thomas, C. E., Taylor, C. A., Luker, A. M., Tse, T. E., . . . Shacka, J. J. (2014). ATP6VoC Knockdown in Neuroblastoma Cells Alters Autophagy-Lysosome Pathway Function and Metabolism of Proteins that Accumulate in Neurodegenerative Disease. *PLoS ONE*, 9(4), e93257. doi: 10.1371/journal.pone.0093257. <http://dx.doi.org/10.1371%2Fjournal.pone.0093257>
- Mangold, J. E., & Hill, D. L. (2007). Extensive Reorganization of Primary Afferent Projections into the Gustatory Brainstem Induced by Feeding a Sodium-Restricted Diet during Development: Less Is More. *Journal of Neuroscience*, 27(17), 4650-4662. doi: 10.1523/jneurosci.4518-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/17/4650>
- Mangold, J. E., & Hill, D. L. (2008). Postnatal reorganization of primary afferent terminal fields in the rat gustatory brainstem is determined by prenatal dietary history. *Journal of Comparative Neurology*, 509(6), 594-607. doi.
- Manitt, C., Eng, C., Pokinko, M., Ryan, R., Torres-Berrio, A., Lopez, J., . . . Schmidt, E. (2013). dcc orchestrates the development of the prefrontal cortex during adolescence and is altered in psychiatric patients. *Translational Psychiatry*, 3(12), e338. doi: <http://www.nature.com/tp/journal/v3/n12/full/tp2013105a.html>
- Manitt, C., Mimee, A., Eng, C., Pokinko, M., Stroh, T., Cooper, H. M., . . . Flores, C. (2011). The Netrin Receptor DCC Is Required in the Pubertal Organization of Mesocortical Dopamine Circuitry. *Journal of Neuroscience*, 31(23), 8381-8394. doi: 10.1523/jneurosci.0606-11.2011. <http://www.jneurosci.org/content/31/23/8381.abstract>
- Mańko, M., Geracitano, R., & Capogna, M. (2011). Functional connectivity of the main intercalated nucleus of the mouse amygdala. *Journal of Physiology*, 589(8), 1911-1925. doi: 10.1113/jphysiol.2010.201475. <http://jp.physoc.org/content/589/8/1911.abstract>
- Manneschi, L., Battisti, C., Pesci, I., Malandrini, A., Santorelli, F. M., Scaglioni, A., . . . Montanari, E. (2004). Peripheral neuropathy as initial sign of mitochondrial disorder. *Journal of the Peripheral Nervous System*, 9(2), 123-123. doi: doi:10.1111/j.1085-9489.2004.009209bk.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Mansoori, B. K., Jean-Charles, L., Touvykine, B., Liu, A., Quessy, S., & Dancause, N. (2014). Acute inactivation of the contralesional hemisphere for longer durations improves recovery after cortical injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.01.010>. <http://www.sciencedirect.com/science/article/pii/S0014488614000235>

Mantilla, C. B., & Sieck, G. C. (2008). Key Aspects of Phrenic Motoneuron and Diaphragm Muscle Development during the Perinatal Period. *Journal of Applied Physiology*, 01192.02007. doi: 10.1152/jappphysiol.01192.2007. <http://jap.physiology.org/cgi/content/abstract/01192.2007v1>

Mantilla, C. B., Zhan, W.-Z., Gransee, H. M., Prakash, Y. S., & Sieck, G. C. (2018). Phrenic motoneuron structural plasticity across models of diaphragm muscle paralysis. *Journal of Comparative Neurology*, 0(0). doi: doi:10.1002/cne.24503. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24503>

Maratta, R., Fenrich, K. K., Zhao, E., Neuber-Hess, M. S., & Rose, P. K. (2015). Distribution and density of contacts from noradrenergic and serotonergic boutons on the dendrites of neck flexor motoneurons in the adult cat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23765. <http://dx.doi.org/10.1002/cne.23765>

Marcelin, B., Liu, Z., Chen, Y., Lewis, A. S., Becker, A., McClelland, S., . . . others. (2012). Dorsoventral Differences in Intrinsic Properties in Developing CA1 Pyramidal Cells. *Journal of Neuroscience*, 32(11), 3736-3747. doi.

Marchetti, C., Tafi, E., Middei, S., Rubinacci, M. A., Restivo, L., Ammassari-Teule, M., & Marie, H. (2010). Synaptic adaptations of CA1 pyramidal neurons induced by a highly effective combinational antidepressant therapy. *Biological Psychiatry*, 67(2), 146-154. doi.

Marcillo, A., Frydel, B., Bramlett, H. M., & Dietrich, W. D. (2011). A reassessment of P2X7 receptor inhibition as a neuroprotective strategy in rat models of contusion injury. *Experimental Neurology*. doi.

Marco, C., Jérôme, G., Nathan, G., Eduardo Martin, M., Nikolaus, W., Polina, S., . . . Gregoire, C. (2018). Advantages of soft subdural implants for the delivery of electrochemical neuromodulation therapies to the spinal cord. *Journal of neural engineering*. doi. <http://iopscience.iop.org/10.1088/1741-2552/aaa87a>

Marconi, E., Nieuw, T., Maccione, A., Valente, P., Simi, A., Messa, M., . . . Benfenati, F. (2012). Emergent Functional Properties of Neuronal Networks with Controlled Topology. *PLoS ONE*, 7(4), e34648. doi: 10.1371/journal.pone.0034648. <http://dx.doi.org/10.1371%2Fjournal.pone.0034648>

Marcucci, F., Maier-Balough, E., Zou, D.-J., & Firestein, S. (2011). Exuberant growth and synapse formation of olfactory sensory neuron axonal arborizations. *Journal of Comparative Neurology*, 519(18), 3713-3726. doi: 10.1002/cne.22684. <http://dx.doi.org/10.1002/cne.22684>

Marfia, G. A., Pachatz, C., Terracciano, C., Leone, G., & Massa, R. (2004). Acute demyelinating sensorimotor polyneuropathy in B-cell lymphoma with IGM autoantibodies against glycolipid GD1B. *Journal of the Peripheral Nervous System*, 9(2), 115-115. doi.

Margolis, E. B., Fujita, W., Devi, L. A., & Fields, H. L. (2017). Two delta opioid receptor subtypes are functional in single ventral tegmental area neurons, and can interact with the mu opioid receptor. *Neuropharmacology*.

doi: <https://doi.org/10.1016/j.neuropharm.2017.06.019>. <http://www.sciencedirect.com/science/article/pii/S0028390817302927>

Margolis, E. B., Hjelmstad, G. O., Fujita, W., & Fields, H. L. (2014). Direct Bidirectional μ -Opioid Control of Midbrain Dopamine Neurons. *The Journal of Neuroscience*, 34(44), 14707-14716. doi: <http://www.jneurosci.org/content/34/44/14707.short>

Maria Victoria, P., Mika, U., & Yasuo, K. (2008). Two distinct activity patterns of fast-spiking interneurons during neocortical UP states. *Proceedings of the National Academy of Sciences*, 105(24), 8428-8433. doi: 10.1073/pnas.0712219105. <http://www.pnas.org/content/105/24/8428.abstract>

Marin, E. C., Jefferis, G. S. X. E., Komiyama, T., Zhu, H., & Luo, L. (2002). Representation of the glomerular olfactory map in the *Drosophila* brain. *Cell*, 109(2), 243-255. doi.

Marinero, F., Marzi, M. J., Hoffmann, N., Amin, H., Pelizzoli, R., Niola, F., . . . De Pietri Tonelli, D. (2017). MicroRNA-independent functions of DGCR8 are essential for neocortical development and TBR1 expression. *EMBO reports*. doi: 10.15252/embr.201642800. <http://www.embopress.org/content/early/2017/02/22/embr.201642800>

Marinelli, S., Pacioni, S., Cannich, A., Marsicano, G., & Bacci, A. (2009). Self-modulation of neocortical pyramidal neurons by endocannabinoids. *Nature Neuroscience*, 12(12), 1488-1490. doi.

Marissal, T., Bonifazi, P., Picardo, M. A., Nardou, R., Petit, L. F., Baude, A., . . . Cossart, R. (2012). Pioneer glutamatergic cells develop into a morpho-functionally distinct population in the juvenile CA3 hippocampus. *Nature Communications*, 3, 1316. doi.

Markham, R. G., Shimizu, T., & Lickliter, R. (2008). Extrinsic embryonic sensory stimulation alters multimodal behavior and cellular activation. *Developmental Neurobiology*, 68(13), 1463-1473. doi.

Markovitz, C. D., Tang, T. T., Edge, D. P., & Lim, H. H. (2012). Three-dimensional brain reconstruction of in vivo electrode tracks for neuroscience and neural prosthetic applications. *Frontiers in Neural Circuits*, 6. doi.

Markram, H., Luo, X., Silberberg, G., Toledo-Rodriguez, M., & Gupta, A. (2005). The Neocortical Databasing the brain: from data to knowledge (neuroinformatics), 327-327. doi.

Markram, H., Muller, E., Ramaswamy, S., Reimann, Michael W., Abdellah, M., Sanchez, Carlos A., . . . Schürmann, F. (2015). Reconstruction and Simulation of Neocortical Microcircuitry. *Cell*, 163(2), 456-492. doi: <http://dx.doi.org/10.1016/j.cell.2015.09.029>. <http://www.sciencedirect.com/science/article/pii/S0092867415011915>

Markram, H., Wang, Y., & Tsodyks, M. (1998). Differential signaling via the same axon of neocortical pyramidal neurons. *Proceedings of the National Academy of Sciences*, 95(9), 5323-5328. doi.

Marks, W. B., & Burke, R. E. (2007). Simulation of motoneuron morphology in three dimensions. I. Building individual dendritic trees. *Journal of Comparative Neurology*, 503(5), 685-700. doi.

Marlinski, V., Nilaweera, W. U., Zelenin, P. V., Sirota, M. G., & Beloozerova, I. N. (2012). Signals from the ventrolateral thalamus to the motor cortex during locomotion. *Journal of Neurophysiology*, 107(1), 455-472. doi: 10.1152/jn.01113.2010. <http://jn.physiology.org/content/107/1/455.abstract>

Marlinski, V., Sirota, M. G., & Beloozerova, I. N. (2012). Differential Gating of Thalamocortical Signals by Reticular Nucleus of Thalamus during Locomotion. *Journal of Neuroscience*, 32(45), 15823-15836. doi: 10.1523/jneurosci.0782-12.2012. <http://www.jneurosci.org/content/32/45/15823.abstract>

Marmolejo, N., Paez, J., Levitt, J. B., & Jones, L. B. (2013). Early Postnatal Lesion of the Medial Dorsal Nucleus Leads to Loss of Dendrites and Spines in Adult Prefrontal Cortex. *Developmental Neuroscience*, (6), 463-476. doi: <http://www.karger.com/DOI/10.1159/000343911>

Maroun, M., Ioannides, P. J., Bergman, K. L., Kavushansky, A., Holmes, A., & Wellman, C. L. (2013). Fear extinction deficits following acute stress associate with increased spine density and dendritic retraction in basolateral amygdala neurons. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12259. <http://dx.doi.org/10.1111/ejn.12259>

Marques, J. M., Rodrigues, R. J., Valbuena, S., Rozas, J. L., Selak, S., Marin, P., . . . Lerma, J. (2013). CRMP2 Tethers Kainate Receptor Activity to Cytoskeleton Dynamics during Neuronal Maturation. *Journal of Neuroscience*, 33(46), 18298-18310. doi: <http://www.jneurosci.org/content/33/46/18298.short>

Marquié, M., Agüero, C., Amaral, A. C., Villarejo-Galende, A., Ramanan, P., Chong, M. S. T., . . . Gómez-Isla, T. (2019). [18F]-AV-1451 binding profile in chronic traumatic encephalopathy: a postmortem case series. [journal article]. *Acta Neuropathologica Communications*, 7(1), 164. doi: 10.1186/s40478-019-0808-1. <https://doi.org/10.1186/s40478-019-0808-1>

Marshall, Kara L., Clary, Rachel C., Baba, Y., Orlowsky, Rachel L., Gerling, Gregory J., & Lumpkin, Ellen A. (2016). Touch Receptors Undergo Rapid Remodeling in Healthy Skin. *Cell Reports*, 17(7), 1719-1727. doi: <http://dx.doi.org/10.1016/j.celrep.2016.10.034>. <http://www.sciencedirect.com/science/article/pii/S2211124716314395>

Marti Mengual, U., Wybo, W. A. M., Spierenburg, L. J. E., Santello, M., Senn, W., & Nevian, T. (2020). Efficient low-pass dendro-somatic coupling in the apical dendrite of layer 5 pyramidal neurons in the anterior cingulate cortex. *The Journal of Neuroscience*, JN-RM-3028-3019. doi: 10.1523/jneurosci.3028-19.2020. <http://www.jneurosci.org/content/early/2020/10/09/JNEUROSCI.3028-19.2020...>

Martin, B., Wang, R., Cong, W.-N., Daimon, C. M., Wu, W. W., Ni, B., . . . Maudsley, S. (2017). Altered learning, memory and social behavior in type 1 taste receptor subunit 3 knockout mice is associated with neuronal dysfunction. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M116.773820. <http://www.jbc.org/content/early/2017/05/18/jbc.M116.773820.abstract>

Martin, B. J., Naughton, B. J., Thirtamara-Rajamani, K., Yoon, D. J., Han, D. D., Devries, A. C., & Gu, H. H. (2011). Dopamine transporter inhibition is necessary for cocaine-induced increases in dendritic spine density in the nucleus accumbens. *Synapse*, 65(6), 490-496. doi.

Martin, E., Cazenave, W., Cattaert, D., & Branchereau, P. (2013). Embryonic alteration of motoneuronal morphology induces hyperexcitability in the mouse model of amyotrophic lateral sclerosis. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.02.011>. <http://www.sciencedirect.com/science/article/pii/S0969996113000739>

Martin li, L. B., Han, P., Lewittes, J., Kuhlman, J. R., Klasing, K. C., & Wikelski, M. (2006). Phytohemagglutinin-induced skin swelling in birds: histological support for a classic immunoeological technique. *Functional Ecology*, 20(2), 290-299. doi.

Martin, J., Kogo, N., Fan, T. X., & Ariel, M. (2003). Morphology of the turtle accessory optic system. *Visual Neuroscience*, 20(6), 639-649. doi:

Martin, K. A., Roth, S., & Rusch, E. S. (2014). Superficial layer pyramidal cells communicate heterogeneously between multiple functional domains of cat primary visual cortex. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/141024/ncomms6252/full/ncomms6252.html>

Martin, K. A. C., Roth, S., & Rusch, E. S. (2017). A biological blueprint for the axons of superficial layer pyramidal cells in cat primary visual cortex. [journal article]. *Brain Structure and Function*, 1-24. doi: 10.1007/s00429-017-1410-6. <http://dx.doi.org/10.1007/s00429-017-1410-6>

Martin, K. P., & Wellman, C. L. (2011). NMDA Receptor Blockade Alters Stress-Induced Dendritic Remodeling in Medial Prefrontal Cortex. *Cerebral Cortex*, 21(10), 2366-2373. doi: 10.1093/cercor/bhr021. <http://cercor.oxfordjournals.org/cgi/content/abstract/21/10/2366>

Martin, K. R., Corlett, A., Dubach, D., Mustafa, T., Coleman, H. A., Parkington, H. C., . . . Pritchard, M. A. (2012). Over-expression of RCAN1 causes Down syndrome-like hippocampal deficits that alter learning and memory. *Human Molecular Genetics*. doi: 10.1093/hmg/dd134. <http://hmg.oxfordjournals.org/content/early/2012/04/16/hmg.dds134.abstract>

Martin, L. (2018). The role of the chorda tympani nerve in the structural development of brainstem neurons. doi: <https://digitalcommons.unomaha.edu/srcaf/2018/schedule/94/>

Martin, L. A., Tan, S.-S., & Goldowitz, D. (2002). Clonal Architecture of the Mouse Hippocampus. *Journal of Neuroscience*, 22(9), 3520-3530. doi: <http://www.jneurosci.org/cgi/content/abstract/22/9/3520>

Martin, L. B., Trainor, B. C., Finy, M. S., & Nelson, R. J. (2007). HPA activity and neotic and anxiety-like behavior vary among *Peromyscus* species. *General and Comparative Endocrinology*, 151(3), 342-350. doi:

Martin, S. M., O'Brien, G. S., Portera-Cailliau, C., & Sagasti, A. (2010). Wallerian degeneration of zebrafish trigeminal axons in the skin is required for regeneration and developmental pruning. *Development*, 137(23), 3985-3994. doi: 10.1242/dev.053611. <http://dev.biologists.org/content/137/23/3985.abstract>

Martin, Y. B., Negredo, P., Villacorta-Atienza, J. A., & Avendaño, C. (2013). Trigeminal intersubnuclear neurons: Morphometry and input-dependent structural plasticity in adult rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23494. <http://dx.doi.org/10.1002/cne.23494>

Martin-Alguacil, N., Schober, J. M., Sengelaub, D. R., Pfaff, D. W., & Shelley, D. N. (2008). Clitoral sexual arousal: neuronal tracing study from the clitoris through the spinal tracts. *Journal of Urology*, 180(4), 1241-1248. doi:

Martinez-Claros, M., Steinbusch, H. W., van Selm, A., van den Hove, D. L. A., Prickaerts, J., & Pawluski, J. L. (2013). Adrenalectomy and corticosterone replacement differentially alter CA3 dendritic morphology and new cell survival in the adult rat hippocampus. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.01.001>. <http://www.sciencedirect.com/science/article/pii/S0891061813000021>

- Martinez-Gonzalez, C., Wang, H. L., Micklem, B. R., Bolam, J. P., & Mena-Segovia, J. (2012). Subpopulations of cholinergic, GABAergic and glutamatergic neurons in the pedunculopontine nucleus contain calcium-binding proteins and are heterogeneously distributed. *European Journal of Neuroscience*. doi.
- Martinez-Martínez, M. Á., Ciceri, G., Espinós, A., Fernández, V., Marín, O., & Borrell, V. (2018). Extensive branching of radially-migrating neurons in the mammalian cerebral cortex. *Journal of Comparative Neurology*, 0(ja). doi:
doi:10.1002/cne.24597. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24597>
- Martins, G. J., Shahrokh, M., & Powell, E. M. (2011). Genetic disruption of Met signaling impairs GABAergic striatal development and cognition. *Neuroscience*, 176, 199-209. doi.
- Martone, M. E., Gupta, A., & Ellisman, M. H. (2004). E-neuroscience: challenges and triumphs in integrating distributed data from molecules to brains. *Nature Neuroscience*, 7(5), 467-472. doi.
- Martone, M. E., Gupta, A., Ellisman, M. H., & Berggren, K. (2004). Neuroscience: challenges and triumphs in integrating distributed data from molecules to brains. *Nature of Neuroscience*, 7, 467-472. doi.
- Martone, M. E., Gupta, A., Ludäscher, B., Zaslavsky, I., & Ellisman, M. H. (2002). Federation of brain data through knowledge-guided mediation. *Neuroscience Databases: A practical guide*, 275-292. doi.
- Martone, M. E., Gupta, A., Wong, M., Qian, X., Sosinsky, G., Ludäscher, B., & Ellisman, M. H. (2002). A cell-centered database for electron tomographic data. *Journal of Structural Biology*, 138(1-2), 145-155. doi.
- Martone, M. E., Zhang, S., Gupta, A., Qian, X., He, H., Price, D. L., . . . Ellisman, M. H. (2003). The cell-centered database. *Neuroinformatics*, 1(4), 379-395. doi.
- Martone, T., Giordano, P., Dagna, F., Carulli, D., Albera, R., & Rossi, F. (2014). Nestin expression and reactive phenomena in the mouse cochlea after kanamycin ototoxicity. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12576. <http://dx.doi.org/10.1111/ejn.12576>
- Marx, M., & Feldmeyer, D. (2012). Morphology and Physiology of Excitatory Neurons in Layer 6b of the Somatosensory Rat Barrel Cortex. *Cerebral Cortex*. doi:
10.1093/cercor/bhs254. <http://cercor.oxfordjournals.org/content/early/2012/09/02/cercor.bhs254>.
...
- Marx, M., Günter, R. H., Hucko, W., Radnikow, G., & Feldmeyer, D. (2012). Improved biocytin labeling and neuronal 3D reconstruction. *Nature Protocols*, 7, 394-407. doi.
- Marx, M., Qi, G., Hanganu-Opatz, I. L., Kilb, W., Luhmann, H. J., & Feldmeyer, D. (2015). Neocortical Layer 6B as a Remnant of the Subplate - A Morphological Comparison. *Cerebral Cortex*. doi:
10.1093/cercor/bhv279. <http://cercor.oxfordjournals.org/content/early/2015/12/03/cercor.bhv279>.
...
- Marzo, S. J., Moeller, C. W., Sharma, N., Cunningham, K., Jones, K. J., & Foecking, E. M. (2010). Facial motor nuclei cell loss with intratemporal facial nerve crush injuries in rats. *The Laryngoscope*, n/a-n/a. doi: 10.1002/lary.21077. <http://dx.doi.org/10.1002/lary.21077>

Maseko, B. C., Jacobs, B., Spocter, M. A., Sherwood, C. C., Hof, P. R., & Manger, P. R. (2012). Qualitative and Quantitative Aspects of the Microanatomy of the African Elephant Cerebellar Cortex. *Brain, Behavior and Evolution*. doi.

Mason, P. (1997). Physiological Identification of Pontomedullary Serotonergic Neurons in the Rat. *Journal of Neurophysiology*, 77(3), 1087-1098. doi: <http://jn.physiology.org/cgi/content/abstract/77/3/1087>

Massé, I. O., Guillemette, S., Laramée, M.-E., Bronchti, G., & Boire, D. (2014). Strain differences of the effect of enucleation and anophthalmia on the size and growth of sensory cortices in mice. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.09.025>. <http://www.sciencedirect.com/science/article/pii/S0006899314012360>

Massé, I. O., Ross, S., Bronchti, G., & Boire, D. (2016). Asymmetric Direct Reciprocal Connections Between Primary Visual and Somatosensory Cortices of the Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhw239. <http://cercor.oxfordjournals.org/content/early/2016/08/13/cercor.bhw239>

Mast, T. G., & Fadool, D. A. (2012). Mature and Precursor Brain-Derived Neurotrophic Factor Have Individual Roles in the Mouse Olfactory Bulb. *PLoS ONE*, 7(2), e31978-e31978. doi.

Masterson, S. P., Li, J., & Bickford, M. E. (2009). Synaptic organization of the tectorecipient zone of the rat lateral posterior nucleus. *Journal of Comparative Neurology*, 515(6), 647-663. doi.

Masurkar, A. V., Srinivas, K. V., Brann, D. H., Warren, R., Lowes, D. C., & Siegelbaum, S. A. (2017). Medial and Lateral Entorhinal Cortex Differentially Excite Deep versus Superficial CA1 Pyramidal Neurons. *Cell Reports*, 18(1), 148-160. doi: [http://www.cell.com/cell-reports/pdf/S2211-1247\(16\)31685-0.pdf](http://www.cell.com/cell-reports/pdf/S2211-1247(16)31685-0.pdf)

Matagne, V., Wondolowski, J., Frerking, M., Shahidullah, M., Delamere, N. A., Sandau, U. S., . . . Ojeda, S. R. (2018). Correcting deregulated Fxyd1 expression rescues deficits in neuronal arborization and potassium homeostasis in MeCP2 deficient male mice. *Brain Research*, 1697, 45-52. doi: <https://doi.org/10.1016/j.brainres.2018.06.013>. <https://www.sciencedirect.com/science/article/pii/S0006899318303408>

Matesz, C., Bácskai, T., Nagy, E., Halasi, G., & Kulik, Á. (2002). Efferent connections of the vestibular nuclei in the rat: a neuromorphological study using PHA-L. *Brain Research Bulletin*, 57(3-4), 313-315. doi.

Matesz, K., Kecskes, S., Bácskai, T., Rácz, É., & Birinyi, A. (2014). Brainstem Circuits Underlying the Prey-Catching Behavior of the Frog. *Brain, Behavior and Evolution*, 83(2), 104-111. doi: <http://www.karger.com/Article/FullText/357751>

Mathiasen, M. L., Hansen, L., & Witter, M. P. (2015). Insular projections to the parahippocampal region in the rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23742. <http://dx.doi.org/10.1002/cne.23742>

Mathur, B. N., Caprioli, R. M., & Deutch, A. Y. (2009). Proteomic Analysis Illuminates a Novel Structural Definition of the Claustrum and Insula. *Cerebral Cortex*, bhn253. doi: 10.1093/cercor/bhn253. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn253v1>

Matikainen-Ankney, B. A., Kezunovic, N., Mesias, R. E., Tian, Y., Williams, F. M., Huntley, G. W., & Benson, D. L. (2016). Altered Development of Synapse Structure and Function in Striatum Caused by Parkinson's Disease-Linked LRRK2-G2019S Mutation. *The Journal of Neuroscience*, 36(27), 7128-7141. doi: <http://www.jneurosci.org/content/36/27/7128.short>

Matos, C. A., Nóbrega, C., Louros, S. R., Almeida, B., Ferreira, E., Valero, J., . . . Carvalho, A. L. (2016). Ataxin-3 phosphorylation decreases neuronal defects in spinocerebellar ataxia type 3 models. *The Journal of Cell Biology*, 212(4), 465-480. doi: 10.1083/jcb.201506025. <http://jcb.rupress.org/content/212/4/465.abstract>

Matricon, J., Seillier, A., & Giuffrida, A. (2016). Distinct neuronal activation patterns are associated with PCP-induced social withdrawal and its reversal by the endocannabinoid-enhancing drug URB597. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2016.04.004>. <http://www.sciencedirect.com/science/article/pii/S0168010216300220>

Matrone, C., Luvisetto, S., La Rosa, L. R., Tamayev, R., Pignataro, A., Canu, N., . . . D'Adamio, L. (2012). Tyr682 in the A β -precursor protein intracellular domain regulates synaptic connectivity, cholinergic function, and cognitive performance. *Aging Cell*, n/a-n/a. doi: 10.1111/accel.12009. <http://dx.doi.org/10.1111/accel.12009>

Matson, J. B., Helen Zha, R., & Stupp, S. I. (2011). Peptide self-assembly for crafting functional biological materials. *Current Opinion in Solid State and Materials Science*. doi.

Matsunaga, E., Kato, M., & Okanoya, K. (2008). Comparative analysis of gene expressions among avian brains: a molecular approach to the evolution of vocal learning. *Brain Research Bulletin*, 75(2-4), 474-479. doi.

Matsunaga, E., Nambu, S., Iriki, A., & Okanoya, K. (2011). Expression pattern of cadherins in the naked mole rat (*Heterocephalus glaber*) suggests innate cortical diversification of the cerebrum. *Journal of Comparative Neurology*, 519(9), 1736-1747. doi: 10.1002/cne.22598. <http://dx.doi.org/10.1002/cne.22598>

Matsunaga, E., & Okanoya, K. (2008). Expression analysis of cadherins in the songbird brain: relationship to vocal system development. *Journal of Comparative Neurology*, 508(2), 329-342. doi.

Matsunaga, E., & Okanoya, K. (2008). Vocal area-related expression of the androgen receptor in the budgerigar (*Melopsittacus undulatus*) brain. *Brain Research*, 1208, 87-94. doi.

Matsunaga, E., & Okanoya, K. (2009). Vocal control area-related expression of neuropilin-1, plexin-A4, and the ligand semaphorin-3A has implications for the evolution of the avian vocal system. *Development, growth & differentiation*, 51(1), 45-54. doi.

Matsunaga, E., & Okanoya, K. (2011). Comparative gene expression analysis among vocal learners (Bengalese finch and budgerigar) and non-learners (quail and ring dove) reveals variable cadherin expressions in the vocal system. *Frontiers in Neuroanatomy*, 5. doi.

Matsuno, T., Kiyokage, E., & Toida, K. (2016). Synaptic distribution of individually labeled mitral cells in the external plexiform layer of the mouse olfactory bulb. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24148. <http://dx.doi.org/10.1002/cne.24148>

- Matta, J. A., Pelkey, K. A., Craig, M. T., Chittajallu, R., Jeffries, B. W., & McBain, C. J. (2013). Developmental origin dictates interneuron AMPA and NMDA receptor subunit composition and plasticity. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3459.html>
- Matta, S. M., Hill-Yardin, E. L., & Crack, P. J. (2019). The influence of neuroinflammation in Autism Spectrum Disorder. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.04.037>, <http://www.sciencedirect.com/science/article/pii/S0889159118307025>
- Matter, C., Pribadi, M., Liu, X., & Trachtenberg, J. T. (2009). Δ Catenin Is Required for the Maintenance of Neural Structure and Function in Mature Cortex In Vivo. *Neuron*, 64(3), 320-327. doi.
- Matthews, B. J., Kim, M. E., Flanagan, J. J., Hattori, D., Clemens, J. C., Zipursky, S. L., & Grueber, W. B. (2007). Dendrite Self-Avoidance Is Controlled by *Dscam*. *Cell*, 129(3), 593-604. doi.
- Matthews, D. W., Deschênes, M., Furuta, T., Moore, J. D., Wang, F., Karten, H. J., & Kleinfeld, D. (2014). Feedback in the brainstem: An excitatory disynaptic pathway for control of whisking. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23724. <http://dx.doi.org/10.1002/cne.23724>
- Mattson, B. J., & Morrell, J. I. (2005). Preference for cocaine-versus pup-associated cues differentially activates neurons expressing either Fos or cocaine-and amphetamine-regulated transcript in lactating, maternal rodents. *Neuroscience*, 135(2), 315-328. doi.
- Mátyás, F., Komlósi, G., Babiczky, Á., Kocsis, K., Barthó, P., Barsy, B., . . . Acsády, L. (2018). A highly collateralized thalamic cell type with arousal-predicting activity serves as a key hub for graded state transitions in the forebrain. *Nature Neuroscience*, 21(11), 1551-1562. doi: 10.1038/s41593-018-0251-9. <https://doi.org/10.1038/s41593-018-0251-9>
- Matzavinos, A., Kao, C.-Y., Green, J. E. F., Sutradhar, A., Miller, M., & Friedman, A. (2009). Modeling oxygen transport in surgical tissue transfer. *Proceedings of the National Academy of Sciences*, 106(29), 12091-12096. doi: 10.1073/pnas.0905037106. <http://www.pnas.org/content/106/29/12091.abstract>
- Maul, B., von Bohlen und Halbach, O., Becker, A., Sterner-Kock, A., Voigt, J. P., Siems, W. E., . . . Walther, T. (2008). Impaired spatial memory and altered dendritic spine morphology in angiotensin II type 2 receptor-deficient mice. *Journal of Molecular Medicine*, 86(5), 563-571. doi.
- Maurice, N., Deniau, J. M., Menetrey, A., Glowinski, J., & Thierry, A. M. (1997). Position of the ventral pallidum in the rat prefrontal cortex-basal ganglia circuit. *Neuroscience*, 80(2), 523-534. doi.
- Mawe, G. M., & Kennedy, A. L. (1999). Duodenal neurons provide nicotinic fast synaptic input to sphincter of Oddi neurons in guinea pig. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 277(1), G226-234. doi: <http://ajpgi.physiology.org/cgi/content/abstract/277/1/G226>
- Max, A., Kyong, L. S., & Gianmaria, M. (2018). Expression of TRPV1 channels by Cajal-Retzius cells and layer-specific modulation of synaptic transmission by capsaicin in the mouse hippocampus. *The Journal of Physiology*, 0(ja). doi: 10.1113/JP275685. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP275685>
- Maximiliano José, N., Hashikawa, Y., & Rudy, B. (2018). Diversity and connectivity of layer 5 somatostatin-expressing interneurons in the mouse barrel cortex. [10.1523/JNEUROSCI.2415-17.2017].

The Journal of Neuroscience.

doi: <http://www.jneurosci.org/content/early/2018/01/11/JNEUROSCI.2415-17.2017..>

Maxwell, D. J., Belle, M. D., Cheunsuang, O., Stewart, A., & Morris, R. (2007). Morphology of inhibitory and excitatory interneurons in superficial laminae of the rat dorsal horn. *Journal of Physiology*, 584(2), 521-533. doi: 10.1113/jphysiol.2007.140996. <http://jp.physoc.org/cgi/content/abstract/584/2/521>

Maxwell, D. J., Riddell, J. S., & Jankowska, E. (2002). Serotonergic and noradrenergic axonal contacts associated with premotor interneurons in spinal pathways from group II muscle afferents. *European Journal of Neuroscience*, 15(8), 1306. doi.

May, O. L., & Hill, D. L. (2006). Gustatory terminal field organization and developmental plasticity in the nucleus of the solitary tract revealed through triple-fluorescence labeling. *Journal of Comparative Neurology*, 497(4), 658-669. doi.

May, P. J., McHaffie, J. G., Stanford, T. R., Jiang, H., Costello, M. G., Coizet, V., . . . Redgrave, P. (2009). Tectonigral projections in the primate: a pathway for pre-attentive sensory input to midbrain dopaminergic neurons. *European Journal of Neuroscience*, 29(3), 575-587. doi.

May, V., Schiller, M. R., Eipper, B. A., & Mains, R. E. (2002). Kalirin Dbl-Homology Guanine Nucleotide Exchange Factor 1 Domain Initiates New Axon Outgrowths via RhoG-Mediated Mechanisms. *Journal of Neuroscience*, 22(16), 6980-6990. doi: <http://www.jneurosci.org/cgi/content/abstract/22/16/6980>

Mayer, A., Lewenhus, G., Franca, J. G. d., Bittencourt-Navarrete, R. E., & Clasca, F. (2019). Thalamic Inputs to Posterior Parietal Cortical Areas Involved in Skilled Forelimb Movement and Tool Use in the Capuchin Monkey. doi: 10.1093/cercor/bhz051. <https://doi.org/10.1093/cercor/bhz051>

Mayer, C., Bandler, Rachel C., & Fishell, G. (2016). Lineage Is a Poor Predictor of Interneuron Positioning within the Forebrain. *Neuron*, 92(1), 45-51. doi: 10.1016/j.neuron.2016.09.035. <http://dx.doi.org/10.1016/j.neuron.2016.09.035>

Mayer, C., Bandler, Rachel C., & Fishell, G. (2016). Lineage Is a Poor Predictor of Interneuron Positioning within the Forebrain. *Neuron*, 92(1), 45-51. doi: 10.1016/j.neuron.2016.09.035. <http://dx.doi.org/10.1016/j.neuron.2016.09.035>

Mayer, C., Bruehl, C., Salt, E. L., Diem, R., Draguhn, A., & Fairless, R. (2018). Selective Vulnerability of α OFF Retinal Ganglion Cells during Onset of Autoimmune Optic Neuritis. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.07.040>. <http://www.sciencedirect.com/science/article/pii/S0306452218305153>

Mayer, C., Jaglin, Xavier H., Cobbs, Lucy V., Bandler, Rachel C., Streicher, C., Cepko, Constance L., . . . Fishell, G. (2015). Clonally Related Forebrain Interneurons Disperse Broadly across Both Functional Areas and Structural Boundaries. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.07.011>. <http://www.sciencedirect.com/science/article/pii/S0896627315006339>

Mayfield, R. D., Zhu, L., Smith, T. A., Tiwari, G. R., & Tucker, H. O. (2020). The SMYD1 and skNAC transcription factors contribute to neurodegenerative diseases. *Brain, Behavior, & Immunity - Health*, 100129. doi: <https://doi.org/10.1016/j.bbih.2020.100129>. <http://www.sciencedirect.com/science/article/pii/S2666354620300946>

Maynard, K., Hobbs, J., Sukumar, M., Kardian, A., Jimenez, D., Schloesser, R., & Martinowich, K. (2017). Brain-Derived Neurotrophic Factor Splice Variants Differentially Impact CA1 and CA3 Dendrite Complexity and Spine Morphology in the Hippocampus. *Biological Psychiatry*, 81(10), S68. doi: 10.1016/j.biopsych.2017.02.177. <http://dx.doi.org/10.1016/j.biopsych.2017.02.177>

Maynard, K. R., Hobbs, J. W., Rajpurohit, S., & Martinowich, K. (2018). Electroconvulsive seizures influence dendritic spine morphology and BDNF expression in a neuroendocrine model of depression. *Brain Stimulation*. doi: <https://doi.org/10.1016/j.brs.2018.04.003>. <https://www.sciencedirect.com/science/article/pii/S1935861X18301049>

Maynard, K. R., Hobbs, J. W., Sukumar, M., Kardian, A. S., Jimenez, D. V., Schloesser, R. J., & Martinowich, K. (2017). Bdnf mRNA splice variants differentially impact CA1 and CA3 dendrite complexity and spine morphology in the hippocampus. [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-017-1405-3. <http://dx.doi.org/10.1007/s00429-017-1405-3>

Maynard, K. R., & Stein, E. (2012). DSCAM Contributes to Dendrite Arborization and Spine Formation in the Developing Cerebral Cortex. *Journal of Neuroscience*, 32(47), 16637-16650. doi: 10.1523/jneurosci.2811-12.2012. <http://www.jneurosci.org/content/32/47/16637.abstract>

Mazarakis, N. K., Mo, C., Renoir, T., van Dellen, A., Deacon, R., Blakemore, C., & Hannan, A. J. (2014). 'Super-Enrichment' Reveals Dose-Dependent Therapeutic Effects of Environmental Stimulation in a Transgenic Mouse Model of Huntington's Disease. *Journal of Huntington's Disease*, 3(3), 299-309. doi: 10.3233/jhd-140118. <http://dx.doi.org/10.3233/JHD-140118>

Mazloom, M., & Smith, Y. (2006). Synaptic microcircuitry of tyrosine hydroxylase-containing neurons and terminals in the striatum of 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine-treated monkeys. *Journal of Comparative Neurology*, 495(4), 453-469. doi:

Mazzaro, N., Barini, E., Spillantini, M. G., Goedert, M., Medini, P., & Gasparini, L. (2016). Tau-Driven Neuronal and Neurotrophic Dysfunction in a Mouse Model of Early Tauopathy. *The Journal of Neuroscience*, 36(7), 2086-2100. doi: <http://www.jneurosci.org/content/36/7/2086.full>

Mazzeo, A., Fodale, V., Aguenouz, M., Praticò, C., Santamaria, L. B., Vita, G., & Toscano, A. (2004). Fatal lamivudine-induced exacerbation of peripheral neuropathy in a patient with HBV and HCV positivity: evidence for iatrogenic mitochondrial damage. *Journal of the Peripheral Nervous System*, 9(2), 122-122. doi:

Mazzeo, A., Laura, M., Giometto, B., Ferlini, A., Musumeci, O., Autunno, M., . . . Messina, C. (2004). Atypical rat cerebellar immunoreactivity in a patient with familial amyloid polyneuropathy. *Journal of the Peripheral Nervous System*, 9(2), 121-122. doi: doi:10.1111/j.1085-9489.2004.009209be.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Mazzoni, F., Novelli, E., & Strettoi, E. (2008). Retinal Ganglion Cells Survive and Maintain Normal Dendritic Morphology in a Mouse Model of Inherited Photoreceptor Degeneration. *Journal of Neuroscience*, 28(52), 14282-14292. doi: 10.1523/jneurosci.4968-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/52/14282>

McAuliffe, J. J., Bronson, S. L., Hester, M. S., Murphy, B. L., Dahlquist-Topalá, R., Richards, D. A., & Danzer, S. C. (2011). Altered patterning of dentate granule cell mossy fiber inputs onto CA3 pyramidal cells in limbic epilepsy. *Hippocampus*, 21(1), 93-107. doi: 10.1002/hipo.20726. <http://dx.doi.org/10.1002/hipo.20726>

McCarn, K., Yursik, B., Halim, S., & Roche, J. K. (2003). Peri-epithelial origin of prostanoids in the human colon. *Journal of Cellular Physiology*, 194(2), 176-185. doi.

McCarthy, M. M., Amateau, S. K., & Mong, J. A. (2002). Steroid Modulation of Astrocytes in the Neonatal Brain: Implications for Adult Reproductive Function. *Biological Reproduction*, 67(3), 691-698. doi: 10.1095/biolreprod.102.003251. <http://www.biolreprod.org/cgi/content/abstract/67/3/691>

McCarthy, M. M., Todd, B. J., & Amateau, S. K. (2003). Estradiol Modulation of Astrocytes and the Establishment of Sex Differences in the Brain. *Annals of the New York Academy of Sciences*, 1007(1), 283-297. doi: doi:10.1196/annals.1286.027. <http://www.blackwell-synergy.com/doi/abs/10.1196/annals.1286.027>

McClendon, E., Chen, K., Gong, X., Sharifnia, E., Hagen, M., Cai, V., . . . Back, S. A. (2014). Prenatal cerebral ischemia triggers dysmaturation of caudate projection neurons. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24100. <http://dx.doi.org/10.1002/ana.24100>

McClendon, E., Wang, K., Degener, O., Brien, K., Hagen, M. W., Gong, X., . . . Back, S. A. (2019). Transient Hypoxemia Disrupts Anatomical and Functional Maturation of Preterm Fetal Ovine CA1 Pyramidal Neurons. *The Journal of Neuroscience*, 1364-1319. doi: 10.1523/jneurosci.1364-19.2019. <http://www.jneurosci.org/content/early/2019/08/27/JNEUROSCI.1364-19.2019>...

McCluskey, L. P., & Hill, D. L. (2002). Sensitive periods for the effect of dietary sodium restriction on intact and denervated taste receptor cells. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 283(5), R1275-1284. doi: 10.1152/ajpregu.00282.2002. <http://ajpregu.physiology.org/cgi/content/abstract/283/5/R1275>

McConnell, M. J., Huang, Y. H., Datwani, A., & Shatz, C. J. (2009). H2-Kb and H2-Db regulate cerebellar long-term depression and limit motor learning. *Proceedings of the National Academy of Sciences*, 106(16), 6784-6789. doi: 10.1073/pnas.0902018106. <http://www.pnas.org/content/106/16/6784.abstract>

McCoy, M. K., Martinez, T. N., Ruhn, K. A., Szymkowski, D. E., Smith, C. G., Botterman, B. R., . . . Tansey, M. G. (2006). Blocking Soluble Tumor Necrosis Factor Signaling with Dominant-Negative Tumor Necrosis Factor Inhibitor Attenuates Loss of Dopaminergic Neurons in Models of Parkinson's Disease. *Journal of Neuroscience*, 26, 9365-9375. doi.

McCulloch, P. F., Faber, K. M., & Panneton, W. M. (1999). Electrical stimulation of the anterior ethmoidal nerve produces the diving response. *Brain Research*, 830(1), 24-31. doi.

McCulloch, P. F., Panneton, W. M., & Guyenet, P. G. (1999). The rostral ventrolateral medulla mediates the sympathoactivation produced by chemical stimulation of the rat nasal mucosa. *Journal of Physiology*, 516(2), 471-484. doi. <http://jp.physoc.org/cgi/content/abstract/516/2/471>

McCutcheon, J. E., Conrad, K. L., Carr, S. B., Ford, K. A., McGehee, D. S., & Marinelli, M. (2012). Dopamine neurons in the ventral tegmental area fire faster in adolescent rats than in adults. *Journal of Neurophysiology*. doi: 10.1152/jn.00077.2012. <http://jn.physiology.org/content/early/2012/06/13/jn.00077.2012.abstract>

McDole, B. (2018). The Role of BDNF in the Survival and Morphological Development of Adult-Born Olfactory Neurons. Florida Atlantic University. Retrieved from <https://search.proquest.com/openview/9ea754caacc63bbea90a75c1bb5f2960/1?..>

- McDole, B., Isgor, C., Pare, C., & Guthrie, K. (2015). BDNF over-expression increases olfactory bulb granule cell dendritic spine density in vivo. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.07.056>. <http://www.sciencedirect.com/science/article/pii/S0306452215006703>
- McDonald, C. G., Dailey, V. K., Bergstrom, H. C., Wheeler, T. L., Eppolito, A. K., Smith, L. N., & Smith, R. F. (2005). Periadolescent nicotine administration produces enduring changes in dendritic morphology of medium spiny neurons from nucleus accumbens. *Neuroscience Letters*, 385(2), 163-167. doi.
- McDonald, C. G., Eppolito, A. K., Brielmaier, J. M., Smith, L. N., Bergstrom, H. C., Lawhead, M. R., & Smith, R. F. (2007). Evidence for elevated nicotine-induced structural plasticity in nucleus accumbens of adolescent rats. *Brain Research*, 1151, 211-218. doi.
- McDonald, K. S., & Kirn, J. R. (2012). Anatomical plasticity in the adult Zebra Finch song system. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23120. <http://dx.doi.org/10.1002/cne.23120>
- McDougal, R. A., Hines, M. L., & Lytton, W. W. (2013). Water-tight membranes from neuronal morphology files. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2013.09.011>. <http://www.sciencedirect.com/science/article/pii/S0165027013003221>
- McDowell, K. A., Hadjimarkou, M. M., Viechweg, S., Rose, A. E., Clark, S. M., Yarowsky, P. J., & Mong, J. A. (2010). Sleep alterations in an environmental neurotoxin-induced model of parkinsonism. *Experimental Neurology*, 226(1), 84-89. doi.
- McGarry, L. M., Packer, A. M., Fino, E., Nikolenko, V., Sippy, T., & Yuste, R. (2010). Frontiers: Quantitative classification of somatostatin-positive neocortical interneurons identifies three interneuron subtypes. *Frontiers in neural circuits*, 4. doi.
- McGarry, L. M., Packer, A. M., Fino, E., Nikolenko, V., Sippy, T., & Yuste, R. (2010). Quantitative classification of somatostatin-positive neocortical interneurons identifies three interneuron subtypes. *Frontiers in Neural Circuits*, 4. doi.
- McGeer, P., Itagaki, S., Boyes, B., & McGeer, E. (1988). Reactive microglia are positive for HLA-DR in the substantia nigra of Parkinson's and Alzheimer's disease brains. *Neurology*, 38, 1285 - 1291. doi.
- McGregor, R., Shan, L., Wu, M.-F., & Siegel, J. M. (2017). Diurnal fluctuation in the number of hypocretin/orexin and histamine producing: Implication for understanding and treating neuronal loss. *PLoS ONE*, 12(6), e0178573. doi: 10.1371/journal.pone.0178573. <https://doi.org/10.1371/journal.pone.0178573>
- McGregor, R., Wu, M.-F., Barber, G., Ramanathan, L., & Siegel, J. M. (2011). Highly Specific Role of Hypocretin (Orexin) Neurons: Differential Activation as a Function of Diurnal Phase, Operant Reinforcement versus Operant Avoidance and Light Level. *Journal of Neuroscience*, 31(43), 15455-15467. doi: 10.1523/jneurosci.4017-11.2011. <http://www.jneurosci.org/content/31/43/15455.abstract>
- McHail, D. G., & Dumas, T. C. (2019). Hippocampal gamma rhythms during Y-maze navigation in the juvenile rat. *Hippocampus*, 0(0). doi: 10.1002/hipo.23168. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23168>
- McIver, E. L., Atherton, J. F., Chu, H.-Y., Cosgrove, K. E., Kondapalli, J., Wokosin, D., . . . Bevan, M. D. (2019). Maladaptive Downregulation of Autonomous Subthalamic Nucleus Activity following the Loss

of Midbrain Dopamine Neurons. *Cell Reports*, 28(4), 992-1002.e1004.
doi: <https://doi.org/10.1016/j.celrep.2019.06.076>. <http://www.sciencedirect.com/science/article/pii/S2211124719308563>

McKellar, C. E., & Shatz, C. J. (2009). Synaptogenesis in purified cortical subplate neurons. *Cerebral Cortex*, 19(8), 1723-1737. doi.

McKenna, J. T., Cordeira, J. W., Jeffrey, B. A., Ward, C. P., Winston, S., McCarley, R. W., & Strecker, R. E. (2009). c-Fos protein expression is increased in cholinergic neurons of the rodent basal forebrain during spontaneous and induced wakefulness. *Brain Research Bulletin*, 80(6), 382-388. doi.

McKeon-O'Malley, C., Siwek, D., Lamoureux, J. A., Williams, C. L., & Kowall, N. W. (2003). Prenatal choline deficiency decreases the cross-sectional area of cholinergic neurons in the medial septal nucleus. *Brain Research*, 977(2), 278-283. doi.

McKinstry, S. U., Karadeniz, Y. B., Worthington, A. K., Hayrapetyan, V. Y., Ozlu, M. I., Serafin-Molina, K., . . . Zeitlin, S. (2014). Huntingtin Is Required for Normal Excitatory Synapse Development in Cortical and Striatal Circuits. *The Journal of Neuroscience*, 34(28), 9455-9472.
doi: <http://www.jneurosci.org/content/34/28/9455.short>

McLaughlin, D. F., Sonty, R. V., & Juliano, S. L. (1998). Organization of the forepaw representation in ferret somatosensory cortex. *Somatosensory and Motor Research*, 15(4), 253-268. doi.

McLaughlin, M., Verschooten, E., & Joris, P. X. (2010). Oscillatory Dipoles As a Source of Phase Shifts in Field Potentials in the Mammalian Auditory Brainstem. *Journal of Neuroscience*, 30(40), 13472-13487.
doi: 10.1523/jneurosci.0294-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/40/13472>

McLaurin, K. A., Li, H., Booze, R. M., Fairchild, A. J., & Mactutus, C. F. (2018). Unraveling Individual Differences In The HIV-1 Transgenic Rat: Therapeutic Efficacy Of Methylphenidate. *Scientific Reports*, 8(1), 136. doi: 10.1038/s41598-017-18300-2. <https://doi.org/10.1038/s41598-017-18300-2>

McLaurin, K. A., Li, H., Booze, R. M., & Mactutus, C. F. (2019). Disruption of Timing: NeuroHIV Progression in the Post-cART Era. *Scientific Reports*, 9(1), 827. doi: 10.1038/s41598-018-36822-1. <https://doi.org/10.1038/s41598-018-36822-1>

McLean, D. L., Masino, M. A., Koh, I. Y. Y., Lindquist, W. B., & Fetcho, J. R. (2008). Continuous shifts in the active set of spinal interneurons during changes in locomotor speed. *Nature Neuroscience*, 11, 1419-1429. doi.

McLean, J. H., & Darby-King, A. (1994). Lack of evidence for serotonergic effect on the cellular development of the olfactory bulb in the postnatal rat. *Brain Research Bulletin*, 34(3), 249-259. doi.

McMullen, N. T., & de Venecia, R. K. (1993). Thalamocortical patches in auditory neocortex. *Brain Research*, 620, 317-322. doi.

McMullen, N. T., Smelser, C. B., & de Venecia, R. K. (1994). A quantitative analysis of parvalbumin neurons in rabbit auditory neocortex. *Journal of Comparative Neurology*, 349(4), 493-511. doi.

McMullen, N. T., Velenovsky, D. S., & Holmes, M. G. (2005). Auditory thalamic organization: cellular slabs, dendritic arbors and tectothalamic axons underlying the frequency map. *Neuroscience*, 136(3), 927-943. doi.

McNally, J. M., McCarley, R. W., McKenna, J. T., Yanagawa, Y., & Brown, R. E. (2011). Complex receptor mediation of acute ketamine application on *in vitro* gamma oscillations in mouse prefrontal cortex: modeling gamma band oscillation abnormalities in schizophrenia. *Neuroscience*. doi.

McNeal, D. W., Darling, W. G., Ge, J., Stilwell-Morecraft, K. S., Solon, K. M., Hynes, S. M., . . . Morecraft, R. J. (2010). Selective long-term reorganization of the corticospinal projection from the supplementary motor cortex following recovery from lateral motor cortex injury. *Journal of Comparative Neurology*, 518(5), 586-621. doi.

McNeal, D. W., Ge, J., Herrick, J. L., Stilwell-Morecraft, K. S., & Morecraft, R. J. (2008). Characterization of some morphological parameters of orbicularis oculi motor neurons in the monkey. *Neuroscience*, 151(1), 12-27. doi.

McNeely, K. C., Cupp, T. D., Little, J. N., Janisch, K. M., Shrestha, A., & Dwyer, N. D. (2017). Mutation of Kinesin-6 Kif20b causes defects in cortical neuron polarization and morphogenesis. [journal article]. *Neural Development*, 12(1), 5. doi: 10.1186/s13064-017-0082-5. <http://dx.doi.org/10.1186/s13064-017-0082-5>

McQuail, J. A., Riddle, D. R., & Nicolle, M. M. (2010). Neuroinflammation not associated with cholinergic degeneration in aged-impaired brain. *Neurobiology of Aging*. doi.

McQuiston, A. R., & Madison, D. V. (1999). Muscarinic Receptor Activity Has Multiple Effects on the Resting Membrane Potentials of CA1 Hippocampal Interneurons. *Journal of Neuroscience*, 19(14), 5693-5702. doi. <http://www.jneurosci.org/cgi/content/abstract/19/14/5693>

McQuiston, A. R., & Madison, D. V. (1999). Muscarinic Receptor Activity Induces an Afterdepolarization in a Subpopulation of Hippocampal CA1 Interneurons. *Journal of Neuroscience*, 19(14), 5703-5710. doi. <http://www.jneurosci.org/cgi/content/abstract/19/14/5703>

McQuiston, A. R., & Madison, D. V. (1999). Nicotinic Receptor Activation Excites Distinct Subtypes of Interneurons in the Rat Hippocampus. *Journal of Neuroscience*, 19(8), 2887-2896. doi. <http://www.jneurosci.org/cgi/content/abstract/19/8/2887>

Mease, R. A., Sumser, A., Sakmann, B., & Groh, A. (2016). Corticothalamic Spike Transfer via the L5B-POm Pathway in vivo. *Cerebral Cortex*. doi: 10.1093/cercor/bhw123. <http://cercor.oxfordjournals.org/content/early/2016/05/12/cercor.bhw123>

...

Medalla, M., & Barbas, H. (2006). Diversity of laminar connections linking periarculate and lateral intraparietal areas depends on cortical structure. *European Journal of Neuroscience*, 23(1), 161-179. doi: 10.1111/j.1460-9568.2005.04522.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04522.x>

Medalla, M., Gilman, J. P., Wang, J.-Y., & Luebke, J. I. (2017). Strength and diversity of inhibitory signaling differentiates primate anterior cingulate from lateral prefrontal cortex. [10.1523/JNEUROSCI.3757-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/04/05/JNEUROSCI.3757-16.2017...>

Medalla, M., Lera, P., Feinberg, M., & Barbas, H. (2007). Specificity in inhibitory systems associated with prefrontal pathways to temporal cortex in primates. *Cerebral Cortex*, 17(suppl 1), i136-i150. doi.

- Medalla, M., & Luebke, J. I. (2015). Diversity of Glutamatergic Synaptic Strength in Lateral Prefrontal versus Primary Visual Cortices in the Rhesus Monkey. *The Journal of Neuroscience*, 35(1), 112-127. doi: <http://www.jneurosci.org/content/35/1/112.short>
- Medini, P. (2011). Cell-type Specific Sub-and Supra-threshold Receptive Fields of Layer 4 and Layer 2/3 Pyramids in Rat Primary Visual Cortex. *Neuroscience*. doi:
- Medini, P. (2011). Layer- and Cell-Type-Specific Subthreshold and Suprathreshold Effects of Long-Term Monocular Deprivation in Rat Visual Cortex. *Journal of Neuroscience*, 31(47), 17134-17148. doi: 10.1523/jneurosci.2951-11.2011. <http://www.jneurosci.org/content/31/47/17134.abstract>
- Medja, F., Lelievre, V., Fontaine, R. H., Lebas, F., Leroux, P., Ouimet, T., . . . Gressens, P. (2006). Thiorphan, a neutral endopeptidase inhibitor used for diarrhoea, is neuroprotective in newborn mice. *Brain*, 129(12), 3209-3223. doi: 10.1093/brain/awl239. <http://brain.oxfordjournals.org/cgi/content/abstract/129/12/3209>
- Meehan, C. F., MacDermid, V. E., Montague, S. J., Neuber-Hess, M., & Rose, P. K. (2011). Dendrite-Derived Supernumerary Axons on Adult Axotomized Motor Neurons Possess Proteins That Are Essential for the Initiation and Propagation of Action Potentials and Synaptic Vesicle Release. *Journal of Neuroscience*, 31(18), 6732-6740. doi: 10.1523/jneurosci.5377-10.2011. <http://www.jneurosci.org/content/31/18/6732.abstract>
- Meer, E. J., Wang, D. O., Kim, S., Barr, I., Guo, F., & Martin, K. C. (2012). Identification of a cis-acting element that localizes mRNA to synapses. *Proceedings of the National Academy of Sciences*. doi:
- Mehanna, A., Igor Jakovcevski, A., & others. (2009). Polysialic acid glycomimetic promotes functional recovery and plasticity after spinal cord injury in mice. *Molecular Therapy*, 18(1), 34-43. doi:
- Mehanna, A., Mishra, B., Kurschat, N., Schulze, C., Bian, S., Loers, G., . . . Schachner, M. (2009). Polysialic acid glycomimetics promote myelination and functional recovery after peripheral nerve injury in mice. *Brain*, 132(6), 1449-1462. doi: 10.1093/brain/awp128. <http://brain.oxfordjournals.org/cgi/content/abstract/132/6/1449>
- Mehanna, A., Szpotowicz, E., Schachner, M., & Jakovcevski, I. (2014). Improved regeneration after femoral nerve injury in mice lacking functional T- and B-lymphocytes. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.06.012>. <http://www.sciencedirect.com/science/article/pii/S001448861400199X>
- Mehder, R. H., Bennett, B. M., & Andrew, R. D. (2021). Age-Related Neuronal Deterioration Specifically Within the Dorsal CA1 Region of the Hippocampus in a Mouse Model of Late Onset Alzheimer's Disease. *Journal of Alzheimer's Disease*, Preprint(Preprint), 1-15. doi: 10.3233/jad-201024.
- Mehta, P., Premkumar, B., & Morris, R. (2016). Production of high quality brain-derived neurotrophic factor (BDNF) and tropomyosin receptor kinase B (TrkB) RNA from isolated populations of rat spinal cord motor neurons obtained by Laser Capture Microdissection (LCM). *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2016.05.063>. <http://www.sciencedirect.com/science/article/pii/S0304394016303937>
- Mehta, V., & Sernagor, E. (2006). Early neural activity and dendritic growth in turtle retinal ganglion cells. *European Journal of Neuroscience*, 24(3), 773-786. doi: doi:10.1111/j.1460-9568.2006.04933.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04933.x>

Mehta, V., & Sernagor, E. (2006). Receptive field structure-function correlates in developing turtle retinal ganglion cells. *European Journal of Neuroscience*, 24(3), 787-794. doi: doi:10.1111/j.1460-9568.2006.04971.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04971.x>

Meier, A. M., Wang, Q., Ji, W., Ganachaud, J., & Burkhalter, A. (2021). Modular network between postrhinal visual cortex, amygdala and entorhinal cortex. *The Journal of Neuroscience*, JN-RM-2185-2120. doi: 10.1523/jneurosci.2185-20.2021. <http://www.jneurosci.org/content/early/2021/04/12/JNEUROSCI.2185-20.2021..>

Meier, F., Giesert, F., Delic, S., Faus-Kessler, T., Matheus, F., Simeone, A., . . . Prakash, N. (2014). FGF/FGFR2 Signaling Regulates the Generation and Correct Positioning of Bergmann Glia Cells in the Developing Mouse Cerebellum. *PLoS ONE*, 9(7), e101124. doi: 10.1371/journal.pone.0101124. <http://dx.doi.org/10.1371%2Fjournal.pone.0101124>

Meijering, E. (2010). Neuron tracing in perspective. *Cytometry Part A*, 77(7), 693-704. doi.

Meijering, E., & Cappellen, G. (2007). Quantitative biological image analysis. *Imaging cellular and molecular biological functions*, 45-70. doi.

Meersman, A. C., Le Merrer, J., Pellissier, L. P., Diaz, J., Clesse, D., Kieffer, B. L., & Becker, J. A. J. (2015). Mice lacking GPR88 show motor deficit, improved spatial learning and low anxiety reversed by delta opioid antagonist. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2015.05.020>. <http://www.sciencedirect.com/science/article/pii/S0006322315004692>

Melani, R., Chelini, G., Cenni, M. C., & Berardi, N. (2017). Enriched environment effects on remote object recognition memory. *Neuroscience*. doi: <http://doi.org/10.1016/j.neuroscience.2017.04.006>. <http://www.sciencedirect.com/science/article/pii/S0306452217302452>

Melchitzky, D. S., Eggan, S. M., & Lewis, D. A. (2005). Synaptic targets of calretinin-containing axon terminals in macaque monkey prefrontal cortex. *Neuroscience*, 130(1), 185-195. doi.

Melief, E. J., Cudaback, E., Jorstad, N. L., Sherfield, E., Postupna, N., Wilson, A., . . . Montine, T. J. (2015). Partial depletion of striatal dopamine enhances penetrance of cognitive deficits in a transgenic mouse model of Alzheimer's disease. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23592. <http://dx.doi.org/10.1002/jnr.23592>

Mello, C. V., Kaser, T., Buckner, A. A., Wirthlin, M., & Lovell, P. V. (2019). Molecular architecture of the zebra finch arcopallium. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24688. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24688>

Mellott, J. G., Beebe, N. L., & Schofield, B. R. (2018). Bilateral projections to the thalamus from individual neurons in the inferior colliculus. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24600. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24600>

Mellott, J. G., Beebe, N. L., & Schofield, B. R. (2018). GABAergic and non-GABAergic projections to the superior colliculus from the auditory brainstem. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1599-4. <https://doi.org/10.1007/s00429-017-1599-4>

Mellott, J. G., Motts, S. D., & Schofield, B. R. (2011). Multiple origins of cholinergic innervation of the cochlear nucleus. *Neuroscience*. doi.

Mellott, J. G., Van der Gucht, E., Lee, C. C., Carrasco, A., Winer, J. A., & Lomber, S. G. (2010). Areas of cat auditory cortex as defined by neurofilament proteins expressing SMI-32. *Hearing Research*, 267(1), 119-136. doi.

Mellott, T. J., Kowall, N. W., Lopez-Coviella, I., & Blusztajn, J. K. (2007). Prenatal choline deficiency increases choline transporter expression in the septum and hippocampus during postnatal development and in adulthood in rats. *Brain Research*, 1151, 1-11. doi.

Melo, A., Kokras, N., Dalla, C., Ferreira, C., Ventura-Silva, A. P., Sousa, N., & Pego, J. M. (2015). The positive effect on ketamine as a priming adjuvant in antidepressant treatment. [Original Article]. *Transl Psychiatry*, 5, e573. doi: 10.1038/tp.2015.66. <http://dx.doi.org/10.1038/tp.2015.66>

Melzer, P., Crane, A. M., & Smith, C. B. (1993). Mouse Barrel Cortex Functionally Compensates for Deprivation Produced by Neonatal Lesion of Whisker Follicles. *European Journal of Neuroscience*, 5(12), 1638-1652. doi: doi:10.1111/j.1460-9568.1993.tb00232.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1993.tb00232.x>

Mena-Segovia, J., Micklem, B. R., Nair-Roberts, R. G., Ungless, M. A., & Bolam, J. P. (2009). GABAergic neuron distribution in the pedunculopontine nucleus defines functional subterritories. *Journal of Comparative Neurology*, 515(4), 397-408. doi.

Mena-Segovia, J., Sims, H. M., Magill, P. J., & Bolam, J. P. (2008). Cholinergic brainstem neurons modulate cortical gamma activity during slow oscillations. *Journal of Physiology*, jphysiol.2008.153874. doi: 10.1113/jphysiol.2008.153874. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.153874v2>

Mendell, A. L., Atwi, S., Bailey, C. D. C., McCloskey, D., Scharfman, H. E., & MacLusky, N. J. (2016). Expansion of mossy fibers and CA3 apical dendritic length accompanies the fall in dendritic spine density after gonadectomy in male, but not female, rats. [Journal article]. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-016-1237-6. <http://dx.doi.org/10.1007/s00429-016-1237-6>

Mendez, I., Sanchez-Pernaute, R., Cooper, O., Viñuela, A., Ferrari, D., Björklund, L., . . . Isacson, O. (2005). Cell type analysis of functional fetal dopamine cell suspension transplants in the striatum and substantia nigra of patients with Parkinson's disease. *Brain*, 128(7), 1498-1510. doi.

Mendez, P., De Roo, M., Poglià, L., Klauser, P., & Müller, D. (2010). N-cadherin mediates plasticity-induced long-term spine stabilization. *Journal of Cell Biology*, 189(3), 589-600. doi: 10.1083/jcb.201003007. <http://jcb.rupress.org/content/189/3/589.abstract>

Méndez, P., Paziènti, A., Szabó, G., & Bacci, A. (2012). Direct Alteration of a Specific Inhibitory Circuit of the Hippocampus by Antidepressants. *Journal of Neuroscience*, 32(47), 16616-16628. doi: 10.1523/jneurosci.1720-12.2012. <http://www.jneurosci.org/content/32/47/16616.abstract>

Mendez-David, I., Guilloux, J.-P., Papp, M., Tritschler, L., Mocaer, E., Gardier, A. M., . . . David, D. J. (2017). S47445 Produces Antidepressant- and Anxiolytic-Like Effects through Neurogenesis Dependent and Independent Mechanisms. [Original Research]. *Frontiers in Pharmacology*, 8(462). doi: 10.3389/fphar.2017.00462. <http://journal.frontiersin.org/article/10.3389/fphar.2017.00462>

Meng, L., Huang, T., Sun, C., Hill, D. L., & Krimm, R. (2017). BDNF is required for taste axon regeneration following unilateral chorda tympani nerve section. *Experimental Neurology*, 293, 27-42. doi: <http://dx.doi.org/10.1016/j.expneurol.2017.03.016>. <http://www.sciencedirect.com/science/article/pii/S0014488617300766>

Meng, L., Ohman-Gault, L., Ma, L., & Krimm, R. F. (2015). Taste bud-derived BDNF is required to maintain normal amounts of innervation to adult taste buds. [10.1523/ENEURO.0097-15.2015]. *eneuro*. doi: <http://eneuro.org/content/early/2015/12/22/ENEURO.0097-15.2015.abstract>

Meng, X., Solarana, K., Bowen, Z., Liu, J., Nagode, D. A., Sheikh, A., . . . Kanold, P. O. (2019). Transient Subgranular Hyperconnectivity to L2/3 and Enhanced Pairwise Correlations During the Critical Period in the Mouse Auditory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhz213. <https://doi.org/10.1093/cercor/bhz213>

Mensingher, A. F., Carey, J. P., Boyle, R., Highstein, S. M., & others. (1997). Differential central projections of physiologically characterized horizontal semicircular canal vestibular nerve afferents in the toadfish, *Opsanus tau*. *Journal of Comparative Neurology*, 384(1), 71-85. doi.

Mensingher, A. F., & Powers, M. K. (1999). Visual function in regenerating teleost retina following cytotoxic lesioning. *Visual Neuroscience*, 16(2), 241-251. doi.

Mentis, G. Z., Alvarez, F. J., Shneider, N. A., Siembab, V. C., & O'Donovan, M. J. (2010). Mechanisms regulating the specificity and strength of muscle afferent inputs in the spinal cord. *Annals of the New York Academy of Sciences*, 1198(1), 220-230. doi.

Mentis, G. Z., Siembab, V. C., Zerda, R., O'Donovan, M. J., & Alvarez, F. J. (2006). Primary Afferent Synapses on Developing and Adult Renshaw Cells. *Journal of Neuroscience*, 26(51), 13297-13310. doi: 10.1523/jneurosci.2945-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/51/13297>

Mercer, A. (2012). Electrically coupled excitatory neurones in cortical regions. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.03.069. <http://www.sciencedirect.com/science/article/pii/S0006899312011213>

Mercer, A., Botcher, N. A., Eastlake, K., & Thomson, A. M. (2012). SP-SR interneurons: A novel class of neurones of the CA2 region of the hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22010. <http://dx.doi.org/10.1002/hipo.22010>

Mercer, A., Eastlake, K., Trigg, H. L., & Thomson, A. M. (2012). Local circuitry involving parvalbumin-positive basket cells in the CA2 region of the hippocampus. *Hippocampus*, 22(1), 43-56. doi.

Mercer, A., Trigg, H. L., & Thomson, A. M. (2007). Characterization of Neurons in the CA2 Subfield of the Adult Rat Hippocampus. *Journal of Neuroscience*, 27(27), 7329-7338. doi: 10.1523/jneurosci.1829-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7329>

Mercer Lindsay, N., Knutsen, P. M., Lozada, A. F., Gibbs, D., Karten, H. J., & Kleinfeld, D. (2019). Orofacial Movements Involve Parallel Corticobulbar Projections from Motor Cortex to Trigeminal Premotor Nuclei. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.08.032> <http://www.sciencedirect.com/science/article/pii/S089662731930738X>

Merchán, P., Bribián, A., Sánchez-Camacho, C., Lezameta, M., Bovolenta, P., & de Castro, F. (2007). Sonic hedgehog promotes the migration and proliferation of optic nerve oligodendrocyte precursors. *Molecular and Cellular Neuroscience*, 36(3), 355-368. doi.

Meredith, G. E. (1997). Neuronal Tract Tracing Methods: Recent Developments for Light and Electron Microscopy. *Analytical morphology: theory, applications, and protocols*, 201-201. doi.

Meredith, G. E., De Souza, I. E. J., Hyde, T. M., Tipper, G., Wong, M. L., & Egan, M. F. (2000). Persistent Alterations in Dendrites, Spines, and Dynorphinergic Synapses in the Nucleus Accumbens Shell of Rats with Neuroleptic-Induced Dyskinesias. *Journal of Neuroscience*, 20(20), 7798-7806. doi: <http://www.jneurosci.org/cgi/content/abstract/20/20/7798>

Meredith, G. E., Farrell, T., Kellaghan, P., Tan, Y., Zahm, D. S., & Totterdell, S. (1999). Immunocytochemical characterization of catecholaminergic neurons in the rat striatum following dopamine-depleting lesions. *European Journal of Neuroscience*, 11(10), 3585. doi:

Meredith, M. A., & Allman, B. L. (2015). Single-unit analysis of somatosensory processing in the core auditory cortex of hearing ferrets. *European Journal of Neuroscience*, 41(5), 686-698. doi: 10.1111/ejn.12828. <http://dx.doi.org/10.1111/ejn.12828>

Meredith, M. A., Clemo, H. R., Corley, S. B., Chabot, N., & Lomber, S. G. (2015). Cortical and thalamic connectivity of the auditory anterior ectosylvian cortex of early-deaf cats: Implications for neural mechanisms of crossmodal plasticity. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2015.12.007>. <http://www.sciencedirect.com/science/article/pii/S037859551530201X>

Meredith, M. A., Clemo, H. R., & Lomber, S. G. (2017). Is territorial expansion a mechanism for crossmodal plasticity? *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13564. <http://dx.doi.org/10.1111/ejn.13564>

Meredith, M. A., Miller, L. K., Ramoa, A. S., Clemo, H. R. H., & Behan, M. (2001). Organization of the neurons of origin of the descending pathways from the ferret superior colliculus. *Neuroscience Research*, 40(4), 301-313. doi:

Merino-Serrais, P., Knafo, S., Alonso-Nanclares, L., Fernaud-Espinosa, I., & DeFelipe, J. (2011). Layer-specific alterations to CA1 dendritic spines in a mouse model of Alzheimer's disease. *Hippocampus*, 21(10), 1037-1044. doi:

Merino-Serrais, P., Loera-Valencia, R., Rodriguez-Rodriguez, P., Parrado-Fernandez, C., Ismail, M. A., Maioli, S., . . . Cedazo-Minguez, A. (2018). 27-Hydroxycholesterol Induces Aberrant Morphology and Synaptic Dysfunction in Hippocampal Neurons. *Cerebral Cortex*, bhy274-bhy274. doi: 10.1093/cercor/bhy274. <http://dx.doi.org/10.1093/cercor/bhy274>

Merkle, F. T., Fuentealba, L. C., Sanders, T. A., Magno, L., Kessar, N., & Alvarez-Buylla, A. (2013). Adult neural stem cells in distinct microdomains generate previously unknown interneuron types. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3610.html>

Mertens, J., Herdy, J. R., Traxler, L., Schafer, S. T., Schlachetzki, J. C. M., Böhnke, L., . . . Gage, F. H. (2021). Age-dependent instability of mature neuronal fate in induced neurons from Alzheimer's patients. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2021.04.004>. <https://www.sciencedirect.com/science/article/pii/S1934590921001612>

Mesnage, B., Gaillard, S., Godin, A. G., Rodeau, J.-L., Hammer, M., Von Engelhardt, J., . . . Cordero-Erausquin, M. (2011). Morphological and functional characterization of cholinergic interneurons in the dorsal horn of the mouse spinal cord. *Journal of Comparative Neurology*, 519(16), 3139-3158. doi: 10.1002/cne.22668. <http://dx.doi.org/10.1002/cne.22668>

Mesquita, S. D., Ferreira, A. C., Gao, F., Coppola, G., Geschwind, D. H., Sousa, J. C., . . . Marques, F. (2015). The choroid plexus transcriptome reveals changes in type I and II interferon responses in a mouse

model of Alzheimer's disease. *Brain, Behavior, and Immunity*, (0).

doi: <http://dx.doi.org/10.1016/j.bbi.2015.06.008>. <http://www.sciencedirect.com/science/article/pii/S0889159115001610>

Methippara, M., Mitrani, B., Schrader, F. X., Szymusiak, R., & McGinty, D. (2012). Salubrial, an endoplasmic reticulum stress blocker, modulates sleep homeostasis and activation of sleep-and wake-regulatory neurons. *Neuroscience*. doi.

Methippara, M. M., Bashir, T., Kumar, S., Alam, N., Szymusiak, R., & McGinty, D. (2008). Salubrial, an inhibitor of protein synthesis, promotes deep slow wave sleep. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90765.92008. doi: 10.1152/ajpregu.90765.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90765.2008v1>

Metz, A. E., Yau, H.-J., Centeno, M. V., Apkarian, A. V., & Martina, M. (2009). Morphological and functional reorganization of rat medial prefrontal cortex in neuropathic pain. *Proceedings of the National Academy of Sciences*, 106(7), 2423-2428. doi: 10.1073/pnas.0809897106. <http://www.pnas.org/content/106/7/2423.abstract>

Metz, G. A. S., Curt, A., van de Meent, H., Klusman, I., Schwab, M. E., & Dietz, V. (2000). Validation of the weight-drop contusion model in rats: a comparative study of human spinal cord injury. *Journal of Neurotrauma*, 17(1), 1-17. doi.

Meuth, S. G., Budde, T., Kanyshkova, T., Broicher, T., Munsch, T., & Pape, H.-C. (2003). Contribution of TWIK-Related Acid-Sensitive K⁺ Channel 1 (TASK1) and TASK3 Channels to the Control of Activity Modes in Thalamocortical Neurons. *Journal of Neuroscience*, 23, 6460-6469. doi.

Meuth, S. G., Kanyshkova, T., Melzer, N., Bittner, S., Kieseier, B. C., Budde, T., & Wiendl, H. (2008). Altered neuronal expression of TASK1 and TASK3 potassium channels in rodent and human autoimmune CNS inflammation. *Neuroscience Letters*, 446(2-3), 133-138. doi.

Meyer, D. A., Richer, E., Benkovic, S. A., Hayashi, K., Kansy, J. W., Hale, C. F., . . . Bibb, J. A. (2008). Striatal dysregulation of Cdk5 alters locomotor responses to cocaine, motor learning, and dendritic morphology. *Proceedings of the National Academy of Sciences*, 105(47), 18561-18566. doi: 10.1073/pnas.0806078105. <http://www.pnas.org/content/105/47/18561.abstract>

Meyer, H. S., Wimmer, V. C., Hemberger, M., Bruno, R. M., de Kock, C. P. J., Frick, A., . . . Helmstaedter, M. (2010). Cell Type-Specific Thalamic Innervation in a Column of Rat Vibrissal Cortex. *Cerebral Cortex*, bhq069. doi: 10.1093/cercor/bhq069. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq069v2>

Meyer, M., Matarredona, E. R., Seiler, R. W., Zimmer, J., & Widmer, H. R. (2001). Additive effect of glial cell line-derived neurotrophic factor and neurotrophin-4/5 on rat fetal nigral explant cultures. *Neuroscience*, 108(2), 273-284. doi.

Meza, R. C., López-Jury, L., Canavier, C. C., & Henny, P. (2017). Role of the axon initial segment in the control of spontaneous frequency of nigral dopaminergic neurons *in vivo*. [10.1523/JNEUROSCI.1432-17.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/12/06/JNEUROSCI.1432-17.2017>.

Mezey, S., & Csillag, A. (2002). Selective striatal connections of midbrain dopaminergic nuclei in the chick (*Gallus domesticus*). *Cell and Tissue Research*, 308(1), 35-46. doi.

Mezey, S. E., & Csillag, A. (2003). The light and electron microscopic characterisation of identified striato-ventro tegmental projection neurons in the domestic chick (*Gallus domesticus*). *Neuroscience Research*, 47(3), 299-308. doi.

Miao, S., Chen, R., Ye, J., Tan, G.-H., Li, S., Zhang, J., . . . Xiong, Z.-Q. (2013). The Angelman Syndrome Protein Ube3a Is Required for Polarized Dendrite Morphogenesis in Pyramidal Neurons. *Journal of Neuroscience*, 33(1), 327-333. doi: 10.1523/jneurosci.2509-12.2013. <http://www.jneurosci.org/content/33/1/327.abstract>

Michaelsen, K., Murk, K., Zagrebelsky, M., Dreznjak, A., Jockusch, B. M., Rothkegel, M., & Korte, M. (2010). Fine-tuning of neuronal architecture requires two profilin isoforms. *Proceedings of the National Academy of Sciences*, 107(36), 15780-15785. doi.

Michaelsen, K., Zagrebelsky, M., Berndt-Huch, J., Polack, M., Buschler, A., Sendtner, M., & Korte, M. (2010). Neurotrophin receptors TrkB.T1 and p75NTR cooperate in modulating both functional and structural plasticity in mature hippocampal neurons. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2010.07460.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07460.x>

Michaelson, S. D., Ozkan, E. D., Aceti, M., Maity, S., Llamosas, N., Weldon, M., . . . Rumbaugh, G. (2018). SYNGAP1 heterozygosity disrupts sensory processing by reducing touch-related activity within somatosensory cortex circuits. *Nature Neuroscience*, 21(12), 1-13. doi: 10.1038/s41593-018-0268-0. <https://doi.org/10.1038/s41593-018-0268-0>

Michelsen, K., van den Hove, D., Schmitz, C., Segers, O., Prickaerts, J., & Steinbusch, H. (2007). Prenatal stress and subsequent exposure to chronic mild stress influence dendritic spine density and morphology in the rat medial prefrontal cortex. *BMC neuroscience*, 8(1), 107-107. doi.

Middei, S., Roberto, A., Berretta, N., Panico, M. B., Lista, S., Bernardi, G., . . . Nisticò, R. (2010). Learning discloses abnormal structural and functional plasticity at hippocampal synapses in the APP23 mouse model of Alzheimer's disease. *Learning and Memory*, 17(5), 236-240. doi.

Middleton, S., Jalics, J., Kispersky, T., LeBeau, F. E. N., Roopun, A. K., Kopell, N. J., . . . Cunningham, M. O. (2008). NMDA receptor-dependent switching between different gamma rhythm-generating microcircuits in entorhinal cortex. *Proceedings of the National Academy of Sciences*, 105(47), 18572-18577. doi: 10.1073/pnas.0809302105. <http://www.pnas.org/content/105/47/18572.abstract>

Midthune, B., Tyan, S. H., Walsh, J. J., Sarsoza, F., Eggert, S., Hof, P. R., . . . Koo, E. H. (2012). Deletion of the amyloid precursor-like protein 2 (APLP2) does not affect hippocampal neuron morphology or function. *Molecular and Cellular Neuroscience*. doi.

Migliore, R., Lupascu, C. A., Bologna, L. L., Romani, A., Courcol, J.-D., Antonel, S., . . . Migliore, M. (2018). The physiological variability of channel density in hippocampal CA1 pyramidal cells and interneurons explored using a unified data-driven modeling workflow. *PLoS computational biology*, 14(9), e1006423. doi: 10.1371/journal.pcbi.1006423. <https://doi.org/10.1371/journal.pcbi.1006423>

Miguéns, M., Kastanauskaite, A., Coria, S. M., Selvas, A., Ballesteros-Yañez, I., DeFelipe, J., & Ambrosio, E. (2013). The Effects of Cocaine Self-Administration on Dendritic Spine Density in the Rat Hippocampus Are Dependent on Genetic Background. *Cerebral Cortex*. doi: 10.1093/cercor/bht200. <http://cercor.oxfordjournals.org/content/early/2013/08/20/cercor.bht200>.

...

Mihaljević, B., Benavides-Piccione, R., Bielza, C., DeFelipe, J., & Larrañaga, P. (2014). Bayesian Network Classifiers for Categorizing Cortical GABAergic Interneurons. *Neuroinformatics*, 1-16. doi: 10.1007/s12021-014-9254-1. <http://dx.doi.org/10.1007/s12021-014-9254-1>

Mihaljević, B., Benavides-Piccione, R., Guerra, L., DeFelipe, J., Larrañaga, P., & Bielza, C. (2014). Classifying GABAergic interneurons with semi-supervised projected model-based clustering. *Artificial Intelligence in Medicine*, (0). doi: <http://dx.doi.org/10.1016/j.artmed.2014.12.010>. <http://www.sciencedirect.com/science/article/pii/S0933365714001481>

Mihaljević, B., Larrañaga, P., Benavides-Piccione, R., Hill, S., DeFelipe, J., & Bielza, C. (2018). Towards a supervised classification of neocortical interneuron morphologies. [journal article]. *BMC bioinformatics*, 19(1), 511. doi: 10.1186/s12859-018-2470-1. <https://doi.org/10.1186/s12859-018-2470-1>

Mijatovic, J., Airavaara, M., Planken, A., Auvinen, P., Raasmaja, A., Piepponen, T. P., . . . Saarma, M. (2007). Constitutive Ret Activity in Knock-In Multiple Endocrine Neoplasia Type B Mice Induces Profound Elevation of Brain Dopamine Concentration via Enhanced Synthesis and Increases the Number of TH-Positive Cells in the Substantia Nigra. *Journal of Neuroscience*, 27(18), 4799-4809. doi: 10.1523/jneurosci.5647-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/18/4799>

Mikhailova, M. A., Deal, A., Grinevich, V. P., Bonin, K. D., Gainetdinov, R. R., & Budygin, E. A. (2018). Real-time accumbal dopamine response to negative stimuli: Effects of ethanol. *ACS Chemical Neuroscience*. doi: 10.1021/acschemneuro.8b00272. <https://doi.org/10.1021/acschemneuro.8b00272>

Mikolaenko, I., Rao, L. M., Roberts, R. C., Kolb, B., & Jinnah, H. A. (2005). A Golgi study of neuronal architecture in a genetic mouse model for Lesch-Nyhan disease. *Neurobiology of Disease*, 20, 479-490. doi.

Milanese, C., Cerri, S., Ulusoy, A., Gornati, S. V., Plat, A., Gabriels, S., . . . Mastroberardino, P. G. (2018). Activation of the DNA damage response in vivo in synucleinopathy models of Parkinson's disease. *Cell Death & Disease*, 9(8), 818. doi: 10.1038/s41419-018-0848-7. <https://doi.org/10.1038/s41419-018-0848-7>

Milanese, C., Gabriels, S., Barnhoorn, S., Cerri, S., Ulusoy, A., Gornati, S. V., . . . Mastroberardino, P. G. (2020). Gender biased neuroprotective effect of Transferrin Receptor 2 deletion in multiple models of Parkinson's disease. *Cell Death and Differentiation*. doi: 10.1038/s41418-020-00698-4. <https://doi.org/10.1038/s41418-020-00698-4>

Milanese, C., Tapias, V., Gabriels, S., Cerri, S., Levandis, G., Blandini, F., . . . Mastroberardino, P. G. (2017). Mitochondrial complex I reversible S-nitrosation improves bioenergetics and is protective in Parkinson's disease. *Antioxidants & Redox Signaling*. doi: 10.1089/ars.2017.6992. <https://doi.org/10.1089/ars.2017.6992>

Milani, M., Cesari, M., Baratta, S., Caccia, C., Balestrini, M. R., Riva, D., . . . Taroni, F. (2004). Molecular analysis of the litaf/simple and prx genes in patients with demyelinating charcot-marie-tooth (CMT) disease. *Journal of the Peripheral Nervous System*, 9(2), 117-117. doi.

Milani, M., Pareyson, D., & Taroni, F. (2004). CMTX: heterozygosity for a GJB1/CX32 mutation in a XXY male results in a mild phenotype. *Journal of the Peripheral Nervous System*, 9(2), 117-117. doi: 10.1111/j.1085-9489.2004.009209ap.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

- Milani, M., Pareyson, D., & Taroni, F. (2004). An unusual cosegregation of cmt1a duplication and hnpp PMP22 point mutation in a family with CMT1 disease. *Journal of the Peripheral Nervous System*, 9(2), 117-117. doi: doi:10.1111/j.1085-9489.2004.009209aq.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Milatovic, D., Aschner, M., Gupta, R. C., Zaja-Milatovic, S., & Barnes, G. (2011). Involvement of Oxidative Stress in Anticholinesterase Pesticide Toxicity. *Anticholinesterase Pesticides*, 133-147. doi.
- Milatovic, D., & Gupta, R. C. (2019). Antioxidants in Prevention and Treatment of Diseases and Toxicity. In R. C. Gupta, A. Srivastava & R. Lall (Eds.), *Nutraceuticals in Veterinary Medicine* (pp. 205-213). Cham: Springer International Publishing.
- Milatovic, D., Gupta, R. C., Yu, Y., Zaja-Milatovic, S., & Aschner, M. (2011). Protective effects of antioxidants and anti-inflammatory agents against manganese-induced oxidative damage and neuronal injury. *Toxicology and Applied Pharmacology*. doi.
- Milatovic, D., Montine, T. J., & Aschner, M. (2011). Prostanoid signaling: dual role for prostaglandin E2 in neurotoxicity. *Neurotoxicology*. doi.
- Milatovic, D., Montine, T. J., Zaja-Milatovic, S., Madison, J. L., Bowman, A. B., & Aschner, M. (2010). Morphometric Analysis in Neurodegenerative Disorders. *Neurotoxicology*, 12, 1-1. doi.
- Milatovic, D., Zaja-Milatovic, S., Gupta, R. C., Yu, Y., & Aschner, M. (2009). Oxidative damage and neurodegeneration in manganese-induced neurotoxicity. *Toxicology and Applied Pharmacology*, 240(2), 219-225. doi.
- Milatovic, D., Zaja-Milatovic, S., Montine, K., Shie, F.-S., & Montine, T. (2004). Neuronal oxidative damage and dendritic degeneration following activation of CD14-dependent innate immune response in vivo. *Journal of Neuroinflammation*, 1(1), 20. doi. <http://www.jneuroinflammation.com/content/1/1/20>
- Milatovic, D., Zaja-Milatovic, S., Montine, K. S., Horner, P. J., & Montine, T. J. (2003). Pharmacologic suppression of neuronal oxidative damage and dendritic degeneration following direct activation of glial innate immunity in mouse cerebrum. *Journal of Neurochemistry*, 87(6), 1518-1526. doi. <http://www.jneurochem.org/cgi/content/abstract/87/6/1518>
- Milatovic, D., Zaja-Milatovic, S., Montine, K. S., Nivison, M., & Montine, T. J. (2005). CD14-dependent innate immunity-mediated neuronal damage in vivo is suppressed by NSAIDs and ablation of a prostaglandin E2 receptor, EP2. *Current Medicinal Chemistry-Central Nervous System Agents*, 5(2), 151-156. doi.
- Milenkovic, N., Zhao, W.-J., Walcher, J., Albert, T., Siemens, J., Lewin, G. R., & Poulet, J. F. (2014). A somatosensory circuit for cooling perception in mice. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3828.html>
- Miles, G. B., Hartley, R., Todd, A. J., & Brownstone, R. M. (2007). Spinal cholinergic interneurons regulate the excitability of motoneurons during locomotion. *PNAS*, 104(7), 2448-2453. doi: 10.1073/pnas.0611134104. <http://www.pnas.org/cgi/content/abstract/104/7/2448>
- Mileykovskiy, B. Y., Kiyashchenko, L. I., Kodama, T., Lai, Y.-Y., & Siegel, J. M. (2000). Activation of Pontine and Medullary Motor Inhibitory Regions Reduces Discharge in Neurons Located in the Locus

Coeruleus and the Anatomical Equivalent of the Midbrain Locomotor Region. *Journal of Neuroscience*, 20(22), 8551-8558. doi: <http://www.jneurosci.org/cgi/content/abstract/20/22/8551>

Mileykovskiy, B. Y., Kiyashchenko, L. I., & Siegel, J. M. (2002). Cessation of activity in red nucleus neurons during stimulation of the medial medulla in decerebrate rats. *Journal of Physiology*, 545(3), 997-1006. doi: 10.1113/jphysiol.2002.028985. <http://jp.physoc.org/cgi/content/abstract/545/3/997>

Mileykovskiy, B. Y., Kiyashchenko, L. I., & Siegel, J. M. (2002). Muscle Tone Facilitation and Inhibition After Orexin-A (Hypocretin-1) Microinjections Into the Medial Medulla. *Journal of Neurophysiology*, 87(5), 2480-2489. doi: <http://jn.physiology.org/cgi/content/abstract/87/5/2480>

Mileykovskiy, B. Y., Kiyashchenko, L. I., & Siegel, J. M. (2005). Behavioral correlates of activity in identified hypocretin/orexin neurons. *Neuron*, 46(5), 787-798. doi.

Milior, G., Chali, F., Dos Santos, T., Royer, J., Miles, R., & Morin-Brureau, M. (2019). Transcriptomics and Live Imaging to Define Functional Phenotypes of Microglia in Pathological Human Tissue. In O. Garaschuk & A. Verkhratsky (Eds.), *Microglia: Methods and Protocols* (pp. 325-336). New York, NY: Springer New York.

Millam, J. R. (2005). Endocrine disruption in a songbird, the Zebra finch. *Functional Avian Endocrinology*, 285-285. doi.

Millard, D. C., Wang, Q., Gollnick, C. A., & Stanley, G. B. (2013). System identification of the nonlinear dynamics in the thalamocortical circuit in response to patterned thalamic microstimulation in vivo. *Journal of neural engineering*, 10(6), 066011. doi: <http://iopscience.iop.org/1741-2552/10/6/066011>

Miller, A., Haroon, E., Raison, C., & Felger, J. (2013). Cytokine targets in the brain: impact on neurotransmitters and neurocircuits. *Depression and Anxiety*, 30, 297 - 306. doi.

Miller, K., & Covey, E. (2011). Comparison of auditory responses in the medial geniculate and pontine gray of the big brown bat, *Eptesicus fuscus*. *Hearing Research*, 275(1), 53-65. doi.

Miller, K. E., Casseday, J. H., & Covey, E. (2005). Relation between intrinsic connections and isofrequency contours in the inferior colliculus of the big brown bat, *Eptesicus fuscus*. *Neuroscience*, 136(3), 895-905. doi.

Miller, M. L., Chadwick, B., Dickstein, D. L., Purushothaman, I., Egervari, G., Rahman, T., . . . Hurd, Y. L. (2018). Adolescent exposure to Δ^9 -tetrahydrocannabinol alters the transcriptional trajectory and dendritic architecture of prefrontal pyramidal neurons. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0243-x. <https://doi.org/10.1038/s41380-018-0243-x>

Miller, M. M., Morrison, J. H., & McEwen, B. S. (2012). Basal anxiety-like behavior predicts differences in dendritic morphology in the medial prefrontal cortex in two strains of rats. *Behavioural Brain Research*, 229(1), 280-288. doi.

Miller, P. J., & Zaborszky, L. (1997). 3-Nitropropionic acid neurotoxicity: visualization by silver staining and implications for use as an animal model of Huntington's disease. *Experimental Neurology*, 146(1), 212-229. doi.

Miller-Sims, V. C., & Bottjer, S. W. (2012). Auditory experience refines cortico-basal ganglia inputs to motor cortex via remapping of single axons during vocal learning in zebra finches. *Journal of*

Neurophysiology, 107(4), 1142-1156. doi:

10.1152/jn.00614.2011. <http://jn.physiology.org/content/107/4/1142.abstract>

Millet, L. J., Collens, M. B., Perry, G. L. W., & Bashir, R. (2011). Pattern analysis and spatial distribution of neurons in culture. *Integr. Biol.*, 3(12), 1167-1178. doi:

Millet, L. J., Stewart, M. E., Nuzzo, R. G., & Gillette, M. U. (2010). Guiding neuron development with planar surface gradients of substrate cues deposited using microfluidic devices. *Lab Chip*, 10(12), 1525-1535. doi:

Milner, T. A., Drake, C. T., Lessard, A., Waters, E. M., Torres-Reveron, A., Graustein, B., . . . Iadecola, C. (2008). Angiotensin II-induced hypertension differentially affects estrogen and progesterone receptors in central autonomic regulatory areas of female rats. *Experimental Neurology*, 212(2), 393-406. doi:

Miloro, M., & Macyb, J. M. (2000). Expanded polytetrafluoroethylene entubulation of the rabbit inferior alveolar nerve. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 89(3), 292-298. doi:

Milosevic, J., Maisel, M., Wegner, F., Leuchtenberger, J., Wenger, R. H., Gerlach, M., . . . Schwarz, J. (2007). Lack of Hypoxia-Inducible Factor-1 α Impairs Midbrain Neural Precursor Cells Involving Vascular Endothelial Growth Factor Signaling. *Journal of Neuroscience*, 27(2), 412-421. doi: 10.1523/jneurosci.2482-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/2/412>

Min, R., Testa-Silva, G., Heistek, T. S., Canto, C. B., Lodder, J. C., Bisogno, T., . . . Mansvelder, H. D. (2010). Diacylglycerol Lipase Is Not Involved in Depolarization-Induced Suppression of Inhibition at Unitary Inhibitory Connections in Mouse Hippocampus. *Journal of Neuroscience*, 30(7), 2710-2715. doi: 10.1523/jneurosci.0544-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/7/2710>

Minciacchi, D., Del Tongo, C., Carretta, D., Nosi, D., & Granato, A. (2010). Alterations of the cortico-cortical network in sensori-motor areas of dystrophin deficient mice. *Neuroscience*, 166(4), 1129-1139. doi:

Minert, A., & Devor, M. (2015). Brainstem node for loss of consciousness due to GABAA receptor-active anesthetics. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.10.001>. <http://www.sciencedirect.com/science/article/pii/S0014488615301035>

Minert, A., Yatziv, S.-L., & Devor, M. (2017). Location of the mesopontine neurons responsible for maintenance of anesthetic loss of consciousness. [10.1523/JNEUROSCI.0544-17.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/08/16/JNEUROSCI.0544-17.2017...>

Minnerup, J., Kim, J. B., Schmidt, A., Diederich, K., Bauer, H., Schilling, M., . . . others. (2011). Effects of neural progenitor cells on sensorimotor recovery and endogenous repair mechanisms after photothrombotic stroke. *Stroke*, 42(6), 1757-1763. doi:

Minnerup, J., Kim, J. B., Schmidt, A., Diederich, K., Bauer, H., Schilling, M., . . . Schabitz, W.-R. (2011). Effects of Neural Progenitor Cells on Sensorimotor Recovery and Endogenous Repair Mechanisms After Photothrombotic Stroke. *Stroke*, 42(6), 1757-1763. doi: 10.1161/strokeaha.110.599282. <http://stroke.ahajournals.org/cgi/content/abstract/42/6/1757>

Minnich, J. E., Mann, S. L., Stock, M., Stolzenbach, K. A., Mortell, B. M., Soderstrom, K. E., . . . Kozlowski, D. A. (2010). Glial cell line-derived neurotrophic factor (GDNF) gene delivery protects cortical neurons

from dying following a traumatic brain injury. *Restorative Neurology and Neuroscience*, 28(3), 293-309. doi.

Minocha, S., Valloton, D., Arsenijevic, Y., Cardinaux, J.-R., Guidi, R., Hornung, J.-P., & Lebrand, C. (2017). Nkx2.1 regulates the generation of telencephalic astrocytes during embryonic development. [Article]. *Scientific Reports*, 7, 43093. doi: 10.1038/srep43093

<http://www.nature.com/articles/srep43093#supplementary-information>, <http://dx.doi.org/10.1038/srep43093>

Mintz, C. D., Barrett, K. M., Student, S. C. S., Benson, D. L., & Harrison, N. L. (2012). Anesthetics Interfere with Axon Guidance and Growth Cone Function in Developing Neocortical Neurons via a GABAA Receptor Mechanism. *American Society of Anesthesiologists*. doi.

Mintz, C. D., Carcea, I., McNickle, D. G., Dickson, T. C., Ge, Y., Salton, S. R. J., & Benson, D. L. (2008). ERM proteins regulate growth cone responses to Sema3A. *Journal of Comparative Neurology*, 510(4), 351-366. doi.

Mintz, C. D., Smith, S. C., Barrett, K. M. S., & Benson, D. L. (2012). Anesthetics Interfere With the Polarization of Developing Cortical Neurons. *Journal of Neurosurgical Anesthesiology*, Publish Ahead of Print, 10.1097/ANA.1090b1013e31826a31803a31826. doi. http://journals.lww.com/jnsa/Fulltext/publishahead/Anesthetics_Interfere..

Miocinovic, S., Parent, M., Butson, C. R., Hahn, P. J., Russo, G. S., Vitek, J. L., & McIntyre, C. C. (2006). Computational Analysis of Subthalamic Nucleus and Lenticular Fasciculus Activation During Therapeutic Deep Brain Stimulation. *Journal of Neurophysiology*, 96(3), 1569-1580. doi: 10.1152/jn.00305.2006. <http://jn.physiology.org/cgi/content/abstract/96/3/1569>

Miquelajauregui, A., Kribakaran, S., Mostany, R., Badaloni, A., Consalez, G., & Portera-Cailliau, C. (2014). Steady-state dynamics and experience-dependent plasticity of dendritic spines of layer 4/5a pyramidal neurons in somatosensory cortex. [Abstract]. *Frontiers in Systems Neuroscience*. doi: 10.3389/conf.fnsys.2014.05.00016. http://www.frontiersin.org/Journal/FullText.aspx?s=1091&name=systems_neu..

Miquelajauregui, A., Kribakaran, S., Mostany, R., Badaloni, A., Consalez, G. G., & Portera-Cailliau, C. (2015). Layer 4 Pyramidal Neurons Exhibit Robust Dendritic Spine Plasticity In Vivo after Input Deprivation. *The Journal of Neuroscience*, 35(18), 7287-7294. doi. <http://www.jneurosci.org/content/35/18/7287.short>

Mirescu, C., Peters, J. D., & Gould, E. (2004). Early life experience alters response of adult neurogenesis to stress. *Nature of Neuroscience*, 7, 841-846. doi.

Mischel, N. A., Llewellyn-Smith, I. J., & Mueller, P. J. (2013). Physical (in)activity dependent structural plasticity in bulbospinal catecholaminergic neurons of rat rostral ventrolateral medulla. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23464. <http://dx.doi.org/10.1002/cne.23464>

Mishra, A., Knerr, B., Paixao, S., Kramer, E. R., & Klein, R. (2008). Dendrite arborization and synapse maturation (Dasm)-1 is dispensable for dendrite arborization. *Molecular and Cellular Biology*, MCB.02102-02107. doi: 10.1128/mcb.02102-07. <http://mcb.asm.org/cgi/content/abstract/MCB.02102-07v1>

- Mishra, A., Knerr, B., Paixao, S., Kramer, E. R., & Klein, R. (2008). The Protein Dendrite Arborization and Synapse Maturation 1 (Dasm-1) Is Dispensable for Dendrite Arborization. *Molecular and Cellular Biology*, 28(8), 2782-2791. doi: 10.1128/mcb.02102-07. <http://mcb.asm.org/cgi/content/abstract/28/8/2782>
- Mishra, R. K., Kim, S., Guzman, S. J., & Jonas, P. (2016). Symmetric spike timing-dependent plasticity at CA3-CA3 synapses optimizes storage and recall in autoassociative networks. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11552. <http://dx.doi.org/10.1038/ncomms11552>
- Mitchell, E. J., Dewar, D., & Maxwell, D. J. (2016). Is Remodelling of Corticospinal Tract Terminations Originating in the Intact Hemisphere Associated with Recovery following Transient Ischaemic Stroke in the Rat? *PLoS ONE*, 11(3), e0152176. doi: 10.1371/journal.pone.0152176. <http://dx.doi.org/10.1371%2Fjournal.pone.0152176>
- Mitchell, E. J., McCallum, S., Dewar, D., & Maxwell, D. J. (2016). Corticospinal and Reticulospinal Contacts on Cervical Commissural and Long Descending Propriospinal Neurons in the Adult Rat Spinal Cord; Evidence for Powerful Reticulospinal Connections. *PLoS ONE*, 11(3), e0152094. doi: 10.1371/journal.pone.0152094. <http://dx.doi.org/10.1371%2Fjournal.pone.0152094>
- Mitra, A., Mitra, S. S., & Tsien, R. W. (2011). Heterogeneous reallocation of presynaptic efficacy in recurrent excitatory circuits adapting to inactivity. [10.1038/nn.3004]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3004.html#suppl.....http://dx.doi.org/10.1038/nn.3004>
- Mitra, R., Jadhav, S., McEwen, B. S., Vyas, A., & Chattarji, S. (2005). Stress duration modulates the spatiotemporal patterns of spine formation in the basolateral amygdala. *PNAS*, 102(26), 9371-9376. doi: <http://www.pnas.org/cgi/content/abstract/102/26/9371>
- Mitrić, M., Seewald, A., Moschetti, G., Sacerdote, P., Ferraguti, F., Kummer, K. K., & Kress, M. (2019). Layer- and subregion-specific electrophysiological and morphological changes of the medial prefrontal cortex in a mouse model of neuropathic pain. *Scientific Reports*, 9(1), 9479. doi: 10.1038/s41598-019-45677-z. <https://doi.org/10.1038/s41598-019-45677-z>
- Mittelman-Smith, M. A., Krajewski-Hall, S. J., McMullen, N. T., & Rance, N. E. (2015). Neurokinin 3 Receptor-Expressing Neurons in the Median Preoptic Nucleus Modulate Heat-Dissipation Effectors in the Female Rat. *Endocrinology*, 0(0), en.2014-1974. doi: doi:10.1210/en.2014-1974. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1974>
- Mittelman-Smith, M. A., Williams, H., Krajewski-Hall, S. J., Lai, J., Ciofi, P., McMullen, N. T., & Rance, N. E. (2012). Arcuate Kisspeptin/Neurokinin B/Dynorphin (KNDy) Neurons Mediate the Estrogen Suppression of Gonadotropin Secretion and Body Weight. *Endocrinology*, 153(6), 2800-2812. doi.
- Mix, A., Hoppenrath, K., & Funke, K. (2014). Reduction in cortical parvalbumin expression due to intermittent theta-burst stimulation correlates with maturation of the perineuronal nets in young rats. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22205. <http://dx.doi.org/10.1002/dneu.22205>
- Miyamae, T., Chen, K., Lewis, D. A., & Gonzalez Burgos, G. (2017). Distinct physiological maturation of parvalbumin-positive neuron subtypes in mouse prefrontal cortex. [10.1523/JNEUROSCI.3325-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/04/13/JNEUROSCI.3325-16.2017...>

Miyamoto, D., Iijima, M., Yamamoto, H., Nomura, H., & Matsuki, N. (2011). Behavioural effects of antidepressants are dependent and independent on the integrity of the dentate gyrus. *International Journal of Neuropsychopharmacology*, 14(07), 967-976. doi: 10.1017/S1461145710001276. <http://dx.doi.org/10.1017/S1461145710001276>

Miyamoto, M., Tsuboi, Y., Honda, K., Kobayashi, M., Takamiya, K., Haganir, R. L., . . . Iwata, K. (2012). Involvement of AMPA Receptor GluR2 and GluR3 Trafficking in Trigeminal Spinal Subnucleus Caudalis and C1/C2 Neurons in Acute-Facial Inflammatory Pain. *PLoS ONE*, 7(8), e44055. doi: 10.1371/journal.pone.0044055. <http://dx.doi.org/10.1371%2Fjournal.pone.0044055>

Miyamoto, M., Tsuboi, Y., Takamiya, K., Haganir, R. L., Kondo, M., Shinoda, M., . . . Iwata, K. (2011). Involvement of GluR2 and GluR3 subunit C-termini in the trigeminal spinal subnucleus caudalis and C1-C2 neurons in trigeminal neuropathic pain. *Neuroscience Letters*. doi.

Miyamoto, Y., & Fukuda, T. (2015). Immunohistochemical study on the neuronal diversity and three-dimensional organization of the mouse entopeduncular nucleus. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2015.02.006>. <http://www.sciencedirect.com/science/article/pii/S016801021500053X>

Miyamoto, Y., & Fukuda, T. (2021). The habenula-targeting neurons in the mouse entopeduncular nucleus contain not only somatostatin-positive neurons but also nitric oxide synthase-positive neurons. *Brain Structure and Function*. doi: 10.1007/s00429-021-02264-1. <https://doi.org/10.1007/s00429-021-02264-1>

Miyamoto, Y., Katayama, S., Shigematsu, N., Nishi, A., & Fukuda, T. (2018). Striosome-based map of the mouse striatum that is conformable to both cortical afferent topography and uneven distributions of dopamine D1 and D2 receptor-expressing cells. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1749-3. <https://doi.org/10.1007/s00429-018-1749-3>

Miyamoto, Y., Nagayoshi, I., Nishi, A., & Fukuda, T. (2019). Three divisions of the mouse caudal striatum differ in the proportions of dopamine D1 and D2 receptor-expressing cells, distribution of dopaminergic axons, and composition of cholinergic and GABAergic interneurons. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01928-3. <https://doi.org/10.1007/s00429-019-01928-3>

Miyashita, T., Wintzer, M., Kurotani, T., Konishi, T., Ichinohe, N., & Rockland, K. S. (2010). Neurotrophin-3 is involved in the formation of apical dendritic bundles in cortical layer 2 of the rat. *Cerebral Cortex*, 20(1), 229-240. doi.

Miyoshi, G., Hjerling-Leffler, J., Karayannis, T., Sousa, V. H., Butt, S. J. B., Battiste, J., . . . Fishell, G. (2010). Genetic Fate Mapping Reveals That the Caudal Ganglionic Eminence Produces a Large and Diverse Population of Superficial Cortical Interneurons. *Journal of Neuroscience*, 30(5), 1582-1594. doi: 10.1523/jneurosci.4515-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/5/1582>

Mizrahi, A. (2007). Dendritic development and plasticity of adult-born neurons in the mouse olfactory bulb. *Nature Neuroscience*, 10, 444-452. doi.

Mizrahi, A., Ben-Ner, E., Katz, M. J., Kedem, K., Glusman, J. G., & Libersat, F. (2000). Comparative analysis of dendritic architecture of identified neurons using the Hausdorff distance metric. *Journal of Comparative Neurology*, 422(3), 415-428. doi.

- Mizrahi, A., Crowley, J. C., Shtoyerman, E., & Katz, L. C. (2004). High-Resolution In Vivo Imaging of Hippocampal Dendrites and Spines. *Journal of Neuroscience*, 24(13), 3147-3151. doi: <http://www.jneurosci.org/cgi/content/abstract/24/13/3147>
- Mizrahi, A., & Katz, L. C. (2003). Dendritic stability in the adult olfactory bulb. *Nature of Neuroscience*, 6, 1201-1207. doi.
- Mizrahi, A., & Libersat, F. (2001). Synaptic Reorganization Induced by Selective Photoablation of an Identified Neuron. *Journal of Neuroscience*, 21(23), 9280-9290. doi: <http://www.jneurosci.org/cgi/content/abstract/21/23/9280>
- Mizrahi, A., & Libersat, F. (2002). Afferent input regulates the formation of distal dendritic branches. *Journal of Comparative Neurology*, 452(1), 1-10. doi.
- Mizuno, T., Schmauss, C., & Rayport, S. (2007). Distinct roles of presynaptic dopamine receptors in the differential modulation of the intrinsic synapses of medium-spiny neurons in the nucleus accumbens. *BMC Neuroscience*, 8(1), 8. doi: <http://www.biomedcentral.com/1471-2202/8/8>
- Mlynárik, V., Kohler, I., Gambarota, G., Vaslin, A., Clarke, P. G. H., & Gruetter, R. (2008). Quantitative proton spectroscopic imaging of the neurochemical profile in rat brain with microliter resolution at ultra-short echo times. *Magnetic Resonance in Medicine*, 59(1), 52-58. doi.
- Modirrousta, M., Mainville, L., & Jones, B. (2007). Dynamic changes in GABAA receptors on basal forebrain cholinergic neurons following sleep deprivation and recovery. *BMC Neuroscience*, 8(1), 15. doi: <http://www.biomedcentral.com/1471-2202/8/15>
- Módol, L., Sousa, V. H., Malvache, A., Tressard, T., Baude, A., & Cossart, R. (2017). Spatial Embryonic Origin Delineates GABAergic Hub Neurons Driving Network Dynamics in the Developing Entorhinal Cortex. *Cerebral Cortex*, 1-13. doi: <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx198/405654>..
- Moench, K. M., Maroun, M., Kavushansky, A., & Wellman, C. (2015). Alterations in Neuronal Morphology in Infralimbic Cortex Predict Resistance to Fear Extinction Following Acute Stress. *Neurobiology of Stress*. doi: <http://dx.doi.org/10.1016/j.ynstr.2015.12.002>. <http://www.sciencedirect.com/science/article/pii/S2352289515300217>
- Moench, K. M., & Wellman, C. L. (2017). Differential dendritic remodeling in prelimbic cortex of male and female rats during recovery from chronic stress. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.049>. <http://www.sciencedirect.com/science/article/pii/S0306452217303834>
- Moga, M. M., Dempah, D., & Zhou, D. (2005). Annexin 7-immunoreactive microglia in the hippocampus of control and adrenalectomized rats. *Neuroscience Letters*, 380(1), 42-47. doi.
- Moga, M. M., Geib, B. M., Zhou, D., & Prins, G. S. (2000). Androgen receptor-immunoreactivity in the forebrain of the Eastern Fence lizard (*Sceloporus undulatus*). *Brain Research*, 879(1-2), 174-182. doi.
- Moga, M. M., & Moore, R. Y. (1996). Putative excitatory amino acid projections to the suprachiasmatic nucleus in the rat. *Brain Research*, 743(1-2), 171-177. doi.

- Mohajeri, M. H., Figlewicz, D. A., & Bohn, M. C. (1999). Intramuscular grafts of myoblasts genetically modified to secrete glial cell line-derived neurotrophic factor prevent motoneuron loss and disease progression in a mouse model of familial amyotrophic lateral sclerosis. *Human Gene Therapy*, 10(11), 1853-1866. doi:
- Mohammad, H., Marchisella, F., Ortega-Martinez, S., Hollos, P., Eerola, K., Komulainen, E., . . . Coffey, E. T. (2016). JNK1 controls adult hippocampal neurogenesis and imposes cell-autonomous control of anxiety behaviour from the neurogenic niche. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.203. <http://dx.doi.org/10.1038/mp.2016.203>
- Mohammad, M. G., Tsai, V. W., Ruitenber, M. J., Hassanpour, M., Li, H., Hart, P. H., . . . Brown, D. A. (2014). Immune cell trafficking from the brain maintains CNS immune tolerance. *The Journal of Clinical Investigation*, 124(3), 1228. doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3934177/>
- Mohammed, A. H., & Bogdanovi, N. (2011). Effect of environmental enrichment on morphology of deep layer III and layer V pyramidal cells of occipital cortex in oldest-old rat Çoà quantitative Golgi Cox study. *Collegium Antropologicum*, 35(1), 253-258. doi:
- Mohammed, H., & Jain, N. (2013). Two whisker motor areas in the rat cortex: Evidence from thalamocortical connections. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23424. <http://dx.doi.org/10.1002/cne.23424>
- Mohammed, H., & Jain, N. (2016). Ipsilateral cortical inputs to the rostral and caudal motor areas in rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24011. <http://dx.doi.org/10.1002/cne.24011>
- Mohan, H., de Haan, R., Broersen, R., Pieneman, A. W., Helmchen, F., Staiger, J. F., . . . de Kock, C. P. J. (2019). Functional architecture and encoding of tactile sensorimotor behavior in rat posterior parietal cortex. *The Journal of Neuroscience*, 0693-0619. doi: 10.1523/jneurosci.0693-19.2019. <http://www.jneurosci.org/content/early/2019/07/22/JNEUROSCI.0693-19.2019..>
- Mohan, H., Verhoog, M. B., Doreswamy, K. K., Eyal, G., Aardse, R., Lodder, B. N., . . . de Kock, C. P. J. (2015). Dendritic and Axonal Architecture of Individual Pyramidal Neurons across Layers of Adult Human Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv188. <http://cercor.oxfordjournals.org/content/early/2015/08/28/cercor.bhv188>
- ...
- Mohan, V., Sullivan, C. S., Guo, J., Wade, S. D., Majumder, S., Agarwal, A., . . . Maness, P. F. (2018). Temporal Regulation of Dendritic Spines Through NrCAM-Semaphorin3F Receptor Signaling in Developing Cortical Pyramidal Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhy004. <http://dx.doi.org/10.1093/cercor/bhy004>
- Mohan, V., Wade, S. D., Sullivan, C. S., Kasten, M. R., Sweetman, C., Stewart, R., . . . Maness, P. F. (2019). Close Homolog of L1 Regulates Dendritic Spine Density in the Mouse Cerebral Cortex through Semaphorin 3B. *The Journal of Neuroscience*, 2984-2918. doi: 10.1523/jneurosci.2984-18.2019. <http://www.jneurosci.org/content/early/2019/06/10/JNEUROSCI.2984-18.2019..>
- Mohr, M. A., & Sisk, C. L. (2013). Pubertally born neurons and glia are functionally integrated into limbic and hypothalamic circuits of the male Syrian hamster. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1219443110. <http://www.pnas.org/content/early/2013/03/01/1219443110.abstract>

Mojabi, F. S., Fahimi, A., Moghadam, S., Moghadam, S., McNerneny, M. W., Ponnusamy, R., . . . Salehi, A. (2016). GABAergic Hyperinnervation of Dentate Granule Cells in the Ts65Dn Mouse Model of Down Syndrome Exploring the Role of App. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22664. <http://dx.doi.org/10.1002/hipo.22664>

Molnár, G., Faragó, N., Kocsis, Á. K., Rózsa, M., Lovas, S., Boldog, E., . . . Puskás, L. G. (2014). GABAergic Neurogliaform Cells Represent Local Sources of Insulin in the Cerebral Cortex. *Journal of Neuroscience*, 34(4), 1133-1137. doi. <http://www.jneurosci.org/content/34/4/1133.short>

Molnár, G., Oláh, S., Komlósi, G., Füle, M., Szabadics, J., Varga, C., . . . Tamás, G. (2008). Complex events initiated by individual spikes in the human cerebral cortex. *PLoS Biology*, 6(9), e222-e222. doi.

Mong, J. A., & Blutstein, T. (2006). Estradiol modulation of astrocytic form and function: implications for hormonal control of synaptic communication. *Neuroscience*, 138(3), 967-975. doi.

Mong, J. A., Glaser, E., & McCarthy, M. M. (1999). Gonadal Steroids Promote Glial Differentiation and Alter Neuronal Morphology in the Developing Hypothalamus in a Regionally Specific Manner. *Journal of Neuroscience*, 19(4), 1464-1472. doi. <http://www.jneurosci.org/cgi/content/abstract/19/4/1464>

Mong, J. A., & McCarthy, M. M. (2002). Ontogeny of sexually dimorphic astrocytes in the neonatal rat arcuate. *Developmental Brain Research*, 139(2), 151-158. doi.

Mong, J. A., Nunez, J. L., & McCarthy, M. M. (2002). GABA Mediates Steroid-Induced Astrocyte Differentiation in the Neonatal Rat Hypothalamus. *Journal of Neuroendocrinology*, 14(1), 45-55. doi: doi:10.1046/j.1365-2826.2002.00737.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1365-2826.2002.00737.x>

Mongeau, R., Miller, G. A., Chiang, E., & Anderson, D. J. (2003). Neural correlates of competing fear behaviors evoked by an innately aversive stimulus. *Journal of Neuroscience*, 23(9), 3855-3868. doi.

Monlezun, S., Ouali, S., Poulain, D. A., & Theodosis, D. T. (2005). Polysialic acid is required for active phases of morphological plasticity of neurosecretory axons and their glia. *Molecular and Cellular Neuroscience*, 29(4), 516-524. doi.

Monory, K., Polack, M., Remus, A., Lutz, B., & Korte, M. (2015). Cannabinoid CB1 Receptor Calibrates Excitatory Synaptic Balance in the Mouse Hippocampus. *The Journal of Neuroscience*, 35(9), 3842-3850. doi.

Monory, K., Polack, M., Remus, A., Lutz, B., & Korte, M. (2015). Cannabinoid CB1 Receptor Calibrates Excitatory Synaptic Balance in the Mouse Hippocampus. *The Journal of Neuroscience*, 35(9), 3842-3850. doi. <http://www.jneurosci.org/content/35/9/3842.short>

Monroy, F. P., Banerjee, S. K., Duong, T., & Aviles, H. (1999). Cold stress-induced modulation of inflammatory responses and intracerebral cytokine mRNA expression in acute murine toxoplasmosis. *Journal of Parasitology*, 878-886. doi.

Montag-Sallaz, M., Baarke, A., & Montag, D. (2003). Aberrant neuronal connectivity in CHL1-deficient mice is associated with altered information processing-related immediate early gene expression. *Journal of Neurobiology*, 57(1), 67-80. doi.

- Montag-Sallaz, M., & Buonviso, N. (2002). Altered odor-induced expression of c-fos and arg 3.1 immediate early genes in the olfactory system after familiarization with an odor. *Journal of Neurobiology*, 52(1), 61-72. doi.
- Montag-Sallaz, M., Montag, D., & Schachner, M. (2003). Altered processing of novel information in N-CAM-deficient mice. *Neuroreport*, 14(10), 1343-1343. doi.
- Montag-Sallaz, M., Welzl, H., Kuhl, D., Montag, D., Schachner, M., & others. (1999). Novelty-induced increased expression of immediate-early genes c-fos and arg 3.1 in the mouse brain. *Journal of Neurobiology*, 38(2), 234-246. doi.
- Montague, S. J., Fenrich, K. K., Mayer-Macaulay, C., Maratta, R., Neuber-Hess, M. S., & Rose, P. K. (2012). Non-uniform distribution of contacts from noradrenergic and serotonergic boutons on the dendrites of cat splenius motoneurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23196. <http://dx.doi.org/10.1002/cne.23196>
- Montarolo, F., Martire, S., Perga, S., Spadaro, M., Brescia, I., Allegra, S., . . . Bertolotto, A. (2019). NURR1 deficiency is associated to ADHD-like phenotypes in mice. *Translational Psychiatry*, 9(1), 207. doi: 10.1038/s41398-019-0544-0. <https://doi.org/10.1038/s41398-019-0544-0>
- Montarolo, F., Parolisi, R., Hoxha, E., Boda, E., & Tempia, F. (2013). Early Enriched Environment Exposure Protects Spatial Memory and Accelerates Amyloid Plaque Formation in APP^{Swe}/PS1^{L166P} Mice. *PLoS ONE*, 8(7), e69381. doi: 10.1371/journal.pone.0069381. <http://dx.doi.org/10.1371%2Fjournal.pone.0069381>
- Montarolo, F., Perga, S., Martire, S., & Bertolotto, A. (2015). Nurr1 reduction influences the onset of chronic EAE in mice. *Inflammation Research*, 1-4. doi: 10.1007/s00011-015-0871-4. <http://dx.doi.org/10.1007/s00011-015-0871-4>
- Monteiro, G. A., Clemo, H. R., & Meredith, M. A. (2003). Anterior ectosylvian cortical projections to the rostral suprasylvian multisensory zone in cat. *Neuroreport*, 14(17), 2139-2139. doi.
- Moon, L. D. F., Leasure, J. L., Gage, F. H., & Bunge, M. B. (2006). Motor enrichment sustains hindlimb movement recovered after spinal cord injury and glial transplantation. *Restorative Neurology and Neuroscience*, 24(3), 147-161. doi.
- Moonat, S., Sakharkar, A. J., Zhang, H., & Pandey, S. C. (2011). The role of amygdaloid brain-derived neurotrophic factor, activity-regulated cytoskeleton-associated protein and dendritic spines in anxiety and alcoholism. *Addiction Biology*, no-no. doi: 10.1111/j.1369-1600.2010.00275.x. <http://dx.doi.org/10.1111/j.1369-1600.2010.00275.x>
- Moore, A. R., Zhou, W. L., Jakovcevski, I., Zecevic, N., & Antic, S. D. (2012). Physiological properties of human fetal cortex in vitro. *Isolated Central Nervous System Circuits* (Ed K Ballanyi), *NeuroMethods Series*, 73, 125-158. doi.
- Moore, A. R., Zhou, W.-L., Jakovcevski, I., Zecevic, N., & Antic, S. D. (2011). Spontaneous Electrical Activity in the Human Fetal Cortex In Vitro. *Journal of Neuroscience*, 31(7), 2391-2398. doi: 10.1523/jneurosci.3886-10.2011. <http://www.jneurosci.org/content/31/7/2391.abstract>
- Moore, A. W., Bearden, S. E., & Segal, S. S. (2010). Regional activation of rapid onset vasodilatation in mouse skeletal muscle: regulation through α -adrenoreceptors. *Journal of Physiology*, 588(17), 3321-3331. doi: 10.1113/jphysiol.2010.193672. <http://jp.physoc.org/content/588/17/3321.abstract>

Moore, J. D., Deschênes, M., Kurnikova, A., & Kleinfeld, D. (2014). Activation and measurement of free whisking in the lightly anesthetized rodent. *Nature Protocols*, 9(8), 1792-1802. doi: <http://www.nature.com/nprot/journal/v9/n8/abs/nprot.2014.119.html>

Moore, J. D., Mercer Lindsay, N., Deschênes, M., & Kleinfeld, D. (2015). Vibrissa Self-Motion and Touch Are Reliably Encoded along the Same Somatosensory Pathway from Brainstem through Thalamus. *PLoS Biol*, 13(9), e1002253. doi: 10.1371/journal.pbio.1002253. <http://dx.doi.org/10.1371%2Fjournal.pbio.1002253>

Mooser, F., Bosking, W. H., & Fitzpatrick, D. (2004). A morphological basis for orientation tuning in primary visual cortex. *Nature of Neuroscience*, 7, 872-879. doi.

Morais, M., Patricio, P., Mateus-Pinheiro, A., Alves, N. D., Machado-Santos, A. R., Correia, J. S., . . . Bessa, J. M. (2017). The modulation of adult neuroplasticity is involved in the mood-improving actions of atypical antipsychotics in an animal model of depression. [Original Article]. *Transl Psychiatry*, 7, e1146. doi: 10.1038/tp.2017.120. <http://dx.doi.org/10.1038/tp.2017.120>

Morais, M., Santos, P. A., Mateus-Pinheiro, A., Patricio, P., Pinto, L., Sousa, N., . . . Bessa, J. M. (2014). The effects of chronic stress on hippocampal adult neurogenesis and dendritic plasticity are reversed by selective MAO-A inhibition. *Journal of Psychopharmacology*. doi: 10.1177/0269881114553646. <http://jop.sagepub.com/content/early/2014/10/09/0269881114553646.abstract>

Morales Silva, R., Alvarado-Torres, J., Boudewyn, L., & Walkley, S. (2015). Characterization of Dendritogenesis in Cortical Pyramidal Layer V Neurons in Niemann-Pick Type C Disease Using Yellow Fluorescent Protein. *The FASEB journal*, 29(1 Supplement). doi: http://www.fasebj.org/content/29/1_Supplement/LB637.abstract

Morawski, M., Hartlage-Rübsamen, M., Jäger, C., Waniek, A., Schilling, S., Schwab, C., . . . Roßner, S. (2010). Distinct glutamyl cyclase expression in Edinger-Westphal nucleus, locus coeruleus and nucleus basalis Meynert contributes to pGlu-A β pathology in Alzheimer's disease. *Acta Neuropathologica*, 120(2), 195-207. doi.

Morbin, M., Capobianco, R., Borgna, M., Lombardi, R., Geppetti, P., Davis, J. B., . . . Lauria, G. (2004). Painful diabetic neuropathy (pdn): a morphological study of capsaicin receptor distribution. *Journal of the Peripheral Nervous System*, 9(2), 119-120. doi: doi:10.1111/j.1085-9489.2004.009209ay.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Morcuende, S., Delgado-Garcia, J.-M., & Ugolini, G. (2002). Neuronal Premotor Networks Involved in Eyelid Responses: Retrograde Transneuronal Tracing with Rabies Virus from the Orbicularis Oculi Muscle in the Rat. *Journal of Neuroscience*, 22(20), 8808-8818. doi: <http://www.jneurosci.org/cgi/content/abstract/22/20/8808>

Moreau, M. M., Piguél, N., Papouin, T., Koehl, M., Durand, C. M., Rubio, M. E., . . . Sans, N. (2010). The Planar Polarity Protein Scribble1 Is Essential for Neuronal Plasticity and Brain Function. *Journal of Neuroscience*, 30(29), 9738-9752. doi: 10.1523/jneurosci.6007-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/29/9738>

Morecraft, R. J., Binneboese, A., Stilwell-Morecraft, K. S., & Ge, J. (2017). Localization of Orofacial Representation in the Corona Radiata, Internal Capsule and Cerebral Peduncle in Macaca mulatta. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24275. <http://dx.doi.org/10.1002/cne.24275>

Morecraft, R. J., Cipolloni, P. B., Stilwell-Morecraft, K. S., Gedney, M. T., & Pandya, D. N. (2004). Cytoarchitecture and cortical connections of the posterior cingulate and adjacent somatosensory fields in the rhesus monkey. *Journal of Comparative Neurology*, 469(1), 37-69. doi.

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., McNeal, D. W., Hynes, S. M., Pizzimenti, M. A., . . . Darling, W. G. (2015). Frontal and Frontoparietal Injury Differentially affect the Ipsilateral Corticospinal Projection from the Non-lesioned Hemisphere in Monkey (*Macaca mulatta*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23861. <http://dx.doi.org/10.1002/cne.23861>

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., McNeal, D. W., Pizzimenti, M. A., & Darling, W. G. (2013). Terminal distribution of the corticospinal projection from the hand/arm region of the primary motor cortex to the cervical enlargement in rhesus monkey. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23410. <http://dx.doi.org/10.1002/cne.23410>

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., Rotella, D. L., Pizzimenti, M. A., & Darling, W. G. (2019). Terminal organization of the corticospinal projection from the lateral premotor cortex to the cervical enlargement (C5–T1) in rhesus monkey. *Journal of Comparative Neurology*, 0(0). doi: 10.1002/cne.24706. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24706>

Morecraft, R. J., Herrick, J. L., Stilwell-Morecraft, K. S., Louie, J. L., Schroeder, C. M., Ottenbacher, J. G., & Schoolfield, M. W. (2002). Localization of arm representation in the corona radiata and internal capsule in the non-human primate. *Brain*, 125(1), 176-198. doi: 10.1093/brain/awf011. <http://brain.oxfordjournals.org/cgi/content/abstract/125/1/176>

Morecraft, R. J., McNeal, D. W., Stilwell-Morecraft, K. S., Dvanajscak, Z., Ge, J., & Schneider, P. (2007). Localization of arm representation in the cerebral peduncle of the non-human primate. *Journal of Comparative Neurology*, 504(2), 149-167. doi.

Morecraft, R. J., McNeal, D. W., Stilwell-Morecraft, K. S., Gedney, M., Ge, J., Schroeder, C. M., & Van Hoesen, G. W. (2007). Amygdala interconnections with the cingulate motor cortex in the rhesus monkey. *Journal of Comparative Neurology*, 500(1), 134-165. doi.

Morecraft, R. J., Stilwell-Morecraft, K. S., Cipolloni, P. B., Ge, J., McNeal, D. W., & Pandya, D. N. (2012). Cytoarchitecture and Cortical Connections of the Anterior Cingulate and Adjacent Somatomotor Fields in the Rhesus Monkey. *Brain Research Bulletin*. doi.

Morecraft, R. J., Stilwell-Morecraft, K. S., Ge, J., Cipolloni, P. B., & Pandya, D. N. (2015). Cytoarchitecture and Cortical Connections of the Anterior Insula and Adjacent Frontal Motor Fields in the Rhesus Monkey. *Brain Research Bulletin*. doi: <http://dx.doi.org/10.1016/j.brainresbull.2015.10.004>. <http://www.sciencedirect.com/science/article/pii/S0361923015300447>

Morecraft, R. J., Stilwell-Morecraft, K. S., Solon-Cline, K. M., Ge, J., & Darling, W. G. (2014). Cortical innervation of the hypoglossal nucleus in the non-human primate (*Macaca mulatta*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23614. <http://dx.doi.org/10.1002/cne.23614>

Moreira, T. S., Takakura, A. C., Colombari, E., & Guyenet, P. G. (2006). Central chemoreceptors and sympathetic vasomotor outflow. *Journal of Physiology*, 577(1), 369-386. doi: 10.1113/jphysiol.2006.115600. <http://jp.physoc.org/cgi/content/abstract/577/1/369>

Moreira, T. S., Takakura, A. C., Colombari, E., West, G. H., & Guyenet, P. G. (2007). Inhibitory input from slowly adapting lung stretch receptors to retrotrapezoid nucleus chemoreceptors. *Journal of*

Physiology, 580(1), 285-300. doi: 10.1113/jphysiol.2006.125336. <http://jp.physoc.org/cgi/content/abstract/580/1/285>

Morel, A., Gallay, M. N., Baechler, A., Wyss, M., & Gallay, D. S. (2013). The human insula: architectonic organization and postmortem mri registration. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2012.12.076>. <http://www.sciencedirect.com/science/article/pii/S0306452213000419>

Morel, A., Liu, J., Wannier, T., Jeanmonod, D., & Rouiller, E. M. (2005). Divergence and convergence of thalamocortical projections to premotor and supplementary motor cortex: a multiple tracing study in the macaque monkey. *European Journal of Neuroscience*, 21(4), 1007-1029. doi: doi:10.1111/j.1460-9568.2005.03921.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03921.x>

Morel, A., Loup, F., Magnin, M., & Jeanmonod, D. (2002). Neurochemical organization of the human basal ganglia: Anatomofunctional territories defined by the distributions of calcium-binding proteins and SMI-32. *Journal of Comparative Neurology*, 443(1), 86-103. doi.

Morel, A., Magnin, M., & Jeanmonod, D. (2001). Efferent connections of the human striatum and pallidum: a nauta degeneration study. *Basal ganglia and thalamus in health and disease*. Kluwer, New York, 61-65. doi.

Morel, C., Sherrin, T., Kennedy, N. J., Forest, K. H., Avcioglu Barutcu, S., Robles, M., . . . Todorovic, C. (2018). JIP1-Mediated JNK Activation Negatively Regulates Synaptic Plasticity and Spatial Memory. [10.1523/JNEUROSCI.1913-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/03/14/JNEUROSCI.1913-17.2018..>

Morelli, E., Ghiglieri, V., Pendolino, V., Bagetta, V., Pignataro, A., Fejtova, A., . . . Calabresi, P. (2014). Environmental enrichment restores CA1 hippocampal LTP and reduces severity of seizures in epileptic mice. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.05.010>. <http://www.sciencedirect.com/science/article/pii/S0014488614001526>

Morellini, F., Sivukhina, E., Stoenica, L., Oulianova, E., Bukalo, O., Jakovcevski, I., . . . Schachner, M. (2010). Improved Reversal Learning and Working Memory and Enhanced Reactivity to Novelty in Mice with Enhanced GABAergic Innervation in the Dentate Gyrus. *Cerebral Cortex*, bhq017. doi: 10.1093/cercor/bhq017. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq017v1>

Morello, N., Tonoli, E., Logrand, F., Fiorito, V., Fagoonee, S., Turco, E., . . . Tolosano, E. (2009). Haemopexin affects iron distribution and ferritin expression in mouse brain. *Journal of Cellular and Molecular Medicine*, 13(10), 4192-4204. doi.

Moreno-Juan, V., Filipchuk, A., Antón-Bolaños, N., Mezzera, C., Gezelius, H., Andrés, B., . . . López-Bendito, G. (2017). Prenatal thalamic waves regulate cortical area size prior to sensory processing. [Article]. *Nature Communications*, 8, 14172. doi: 10.1038/ncomms14172

<http://www.nature.com/articles/ncomms14172#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14172>

Moresco, E. M. Y., Donaldson, S., Williamson, A., & Koleske, A. J. (2005). Integrin-Mediated Dendrite Branch Maintenance Requires Abelson (Abl) Family Kinases. *Journal of Neuroscience*, 25(26), 6105-6118. doi. <http://www.jneurosci.org/cgi/content/abstract/25/26/6105>

Moretto, N., Bolchi, A., Rivetti, C., Imbimbo, B. P., Villetti, G., Pietrini, V., . . . Ottonello, S. (2007). Conformation-sensitive Antibodies against Alzheimer Amyloid-beta by Immunization with a Thioredoxin-constrained B-cell Epitope Peptide. *Journal of Biological Chemistry*, 282(15), 11436-11445. doi: 10.1074/jbc.M609690200. <http://www.jbc.org/cgi/content/abstract/282/15/11436>

Morgado, P., Marques, F., Ribeiro, B., Leite-Almeida, H., Pêgo, J. M., Rodrigues, A. J., . . . Cerqueira, J. J. (2015). Stress induced risk-aversion is reverted by D2/D3 agonist in the rat. *European Neuropsychopharmacology*. doi: <http://dx.doi.org/10.1016/j.euroneuro.2015.07.003>. <http://www.sciencedirect.com/science/article/pii/S0924977X15002217>

Morgan, C. W. (2001). Axons of sacral preganglionic neurons in the cat: I. Origin, initial segment, and myelination. *Journal of Neurocytology*, 30(6), 523-544. doi.

Morgan, C. W. (2001). Axons of sacral preganglionic neurons in the cat: II. Axon collaterals. *Journal of Neurocytology*, 30(9), 767-787. doi.

Morgan, C. W., & Ohara, P. T. (2001). Quantitative analysis of the dendrites of sacral preganglionic neurons in the cat. *Journal of Comparative Neurology*, 437(1), 56-69. doi.

Morgan, J. T., & Amaral, D. G. (2013). A comparative analysis of the dendritic organization of principal neurons in the lateral and central nuclei of the rhesus macaque and rat amygdala. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23467. <http://dx.doi.org/10.1002/cne.23467>

Morillas, E., Gómez-Chacón, B., & Gallo, M. (2017). Flavor and object recognition memory impairment induced by excitotoxic lesions of the perirhinal cortex. *Neurobiology of Learning and Memory*, 144, 230-234. doi: <https://doi.org/10.1016/j.nlm.2017.08.002>. <http://www.sciencedirect.com/science/article/pii/S1074742717301272>

Morino, S., Petrucci, M. T., Gragnani, F., Ceschin, V., Clemenzi, A., Di Pasquale, A., & Antonimi, G. (2004). Thalidomide-associated neuropathy in multiple myeloma. *Journal of the Peripheral Nervous System*, 9(2), 116-116. doi.

Morishima, M., & Kawaguchi, Y. (2006). Recurrent Connection Patterns of Corticostriatal Pyramidal Cells in Frontal Cortex. *Journal of Neuroscience*, 26(16), 4394-4405. doi: 10.1523/jneurosci.0252-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/16/4394>

Morishima, M., Kobayashi, K., Kato, S., Kobayashi, K., & Kawaguchi, Y. (2017). Segregated Excitatory-Inhibitory Recurrent Subnetworks in Layer 5 of the Rat Frontal Cortex. *Cerebral Cortex*, 1-12. doi: 10.1093/cercor/bhx276. <http://dx.doi.org/10.1093/cercor/bhx276>

Morishima, M., Morita, K., Kubota, Y., & Kawaguchi, Y. (2011). Highly Differentiated Projection-Specific Cortical Subnetworks. *Journal of Neuroscience*, 31(28), 10380-10391. doi: 10.1523/jneurosci.0772-11.2011. <http://www.jneurosci.org/content/31/28/10380.abstract>

Morishima, Y., Toigawa, M., Ohmura, N., Yoneda, T., Tagane, Y., & Hata, Y. (2012). Critical Period of Experience-Driven Axon Retraction in the Pharmacologically Inhibited Visual Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhs235. <http://cercor.oxfordjournals.org/content/early/2012/08/08/cercor.bhs235>.

...

Morishita, M., Maejima, S., & Tsukahara, S. (2017). Gonadal Hormone-Dependent Sexual Differentiation of a Female-Biased Sexually Dimorphic Cell Group in the Principal Nucleus of the Bed Nucleus of the Stria Terminalis in Mice. *Endocrinology*. doi: <https://academic.oup.com/endo/article-abstract/doi/10.1210/en.2017-00240..>

Morishita, T., Yamashita, A., Katayama, Y., Oshima, H., Nishizaki, Y., Shijo, K., . . . Yamamoto, T. (2011). Chronological Changes in Astrocytes Induced by Chronic Electrical Sensorimotor Cortex Stimulation in Rats. *Neurologia Medico-Chirurgica*, 51(7), 496-502. doi.

Morita-Isogai, Y., Sato, H., Saito, M., Kuramoto, E., Yin, D. X., Kaneko, T., . . . Kang, Y. (2017). A distinct functional distribution of α and γ motoneurons in the rat trigeminal motor nucleus. [journal article]. *Brain Structure and Function*, 1-9. doi: 10.1007/s00429-017-1400-8. <http://dx.doi.org/10.1007/s00429-017-1400-8>

Moritani, M., Kida, H., Nagase, Y., Fukami, H., Honma, S., Takemura, M., . . . Yoshida, A. (2003). Quantitative analysis of the dendritic architectures of single jaw-closing and jaw-opening motoneurons in cats. *Experimental Brain Research*, 150(3), 265-275. doi.

Moritoh, S., Komatsu, Y., Yamamori, T., & Koizumi, A. (2013). Diversity of Retinal Ganglion Cells Identified by Transient GFP Transfection in Organotypic Tissue Culture of Adult Marmoset Monkey Retina. *PLoS ONE*, 8(1), e54667. doi: 10.1371/journal.pone.0054667. <http://dx.doi.org/10.1371%2Fjournal.pone.0054667>

Morozov, Y. M., Ayoub, A. E., & Rakic, P. (2006). Translocation of Synaptically Connected Interneurons across the Dentate Gyrus of the Early Postnatal Rat Hippocampus. *Journal of Neuroscience*, 26(19), 5017-5027. doi: 10.1523/jneurosci.0272-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/19/5017>

Morrell, J. S. L. J. I. (2007). 5 Neuroendocrinology and Neurochemistry of Maternal Motivation and Behavior. *Handbook of neurochemistry and molecular neurobiology: Behavioral neurochemistry, neuroendocrinology, and molecular neurobiology*, 7. doi.

Morris, J. S., Weil, Z. M., & Nelson, R. J. (2013). Sexual Experience and Testosterone During Adolescence Alters Adult Neuronal Morphology and Behavior. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2013.08.001>. <http://www.sciencedirect.com/science/article/pii/S0018506X13001487>

Morris, M. J., Mahgoub, M., Na, E. S., Pranav, H., & Monteggia, L. M. (2013). Loss of Histone Deacetylase 2 Improves Working Memory and Accelerates Extinction Learning. *Journal of Neuroscience*, 33(15), 6401-6411. doi: 10.1523/jneurosci.1001-12.2013. <http://www.jneurosci.org/content/33/15/6401.abstract>

Morrison, H., & Filosa, J. (2013). A quantitative spatiotemporal analysis of microglia morphology during ischemic stroke and reperfusion. *J Neuroinflammation*, 10, 4. doi.

Morris-Schaffer, K., Merrill, A., Jew, K., Wong, C., Conrad, K., Harvey, K., . . . Cory-Slechta, D. A. (2019). Effects of neonatal inhalation exposure to ultrafine carbon particles on pathology and behavioral outcomes in C57BL/6J mice. [journal article]. *Particle and Fibre Toxicology*, 16(1), 10. doi: 10.1186/s12989-019-0293-5. <https://doi.org/10.1186/s12989-019-0293-5>

Morris-Schaffer, K., Merrill, A. K., Wong, C., Jew, K., Sobolewski, M., & Cory-Slechta, D. A. (2019). Limited developmental neurotoxicity from neonatal inhalation exposure to diesel exhaust particles in

C57BL/6 mice. [journal article]. *Particle and Fibre Toxicology*, 16(1), 1. doi: 10.1186/s12989-018-0287-8. <https://doi.org/10.1186/s12989-018-0287-8>

Morshedi, M. M., & Meredith, G. E. (2008). Repeated amphetamine administration induces Fos in prefrontal cortical neurons that project to the lateral hypothalamus but not the nucleus accumbens or basolateral amygdala. *Psychopharmacology*, 197(2), 179-189. doi:

Mortillo, S., Elste, A., Ge, Y., Patil, S. B., Hsiao, K., Huntley, G. W., . . . Benson, D. L. (2012). Compensatory redistribution of neuroligins and N-cadherin following deletion of synaptic β 1-integrin. *Journal of Comparative Neurology*, 520(9), 2041-2052. doi: 10.1002/cne.23027. <http://dx.doi.org/10.1002/cne.23027>

Morton, P. D., Dellarole, A., Theus, M. H., Walters, W. M., Berge, S. S., & Bethea, J. R. (2013). Activation of NF- κ B in Schwann Cells Is Dispensable for Myelination In Vivo. *Journal of Neuroscience*, 33(24), 9932-9936. doi: 10.1523/jneurosci.2483-12.2013. <http://www.jneurosci.org/content/33/24/9932.abstract>

Morton, P. D., Johnstone, J. T., Ramos, A. Y., Liebl, D. J., Bunge, M. B., & Bethea, J. R. (2012). Nuclear factor- κ B activation in schwann cells regulates regeneration and remyelination. *Glia*, 60(4), 639-650. doi: 10.1002/glia.22297. <http://dx.doi.org/10.1002/glia.22297>

Mosberger, A. C., Miehlbradt, J. C., Bjelopoljak, N., Schneider, M. P., Wahl, A.-S., Ineichen, B. V., . . . Schwab, M. E. (2017). Axotomized Corticospinal Neurons Increase Supra-Lesional Innervation and Remain Crucial for Skilled Reaching after Bilateral Pyramidotomy. *Cerebral Cortex*. doi: 10.1093/cercor/bhw405. <http://cercor.oxfordjournals.org/content/early/2017/01/08/cercor.bhw405...>

Moschovakis, A. K., Gregoriou, G. G., Ugolini, G., Doldan, M., Graf, W., Guldin, W., . . . Savaki, H. E. (2004). Oculomotor Areas of the Primate Frontal Lobes: A Transneuronal Transfer of Rabies Virus and [14C]-2-Deoxyglucose Functional Imaging Study. *Journal of Neuroscience*, 24(25), 5726-5740. doi: <http://www.jneurosci.org/cgi/content/abstract/24/25/5726>

Moschovakis, A. K., Kitama, T., Dalezios, Y., Petit, J., Brandi, A. M., & Grantyn, A. A. (1998). An Anatomical Substrate for the Spatiotemporal Transformation. *Journal of Neuroscience*, 18(23), 10219-10229. doi: <http://www.jneurosci.org/cgi/content/abstract/18/23/10219>

Mostacciuolo, M. L., Crestanello, E., Boaretto, F., Boscolo, E., Liguori, M., Tessarolo, D., . . . Vazza, G. (2004). Distal hereditary motor neuropathy (DHMN): a new locus for an autosomal recessive form. *Journal of the Peripheral Nervous System*, 9(2), 122-123. doi: doi:10.1111/j.1085-9489.2004.009209b.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Mostany, R., Chowdhury, T. G., Johnston, D. G., Portonovo, S. A., Carmichael, S. T., & Portera-Cailliau, C. (2010). Local Hemodynamics Dictate Long-Term Dendritic Plasticity in Peri-Infarct Cortex. *Journal of Neuroscience*, 30(42), 14116-14126. doi: 10.1523/jneurosci.3908-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/42/14116>

Mostany, R., & Portera-Cailliau, C. (2011). Absence of Large-Scale Dendritic Plasticity of Layer 5 Pyramidal Neurons in Peri-Infarct Cortex. *Journal of Neuroscience*, 31(5), 1734-1738. doi: 10.1523/jneurosci.4386-10.2011. <http://www.jneurosci.org/content/31/5/1734.abstract>

Mota, C., Taipa, R., das Neves, S. P., Monteiro-Martins, S., Monteiro, S., Palha, J. A., . . . Cerqueira, J. J. (2019). Structural and molecular correlates of cognitive aging in the rat. *Scientific Reports*, 9(1), 2005. doi: 10.1038/s41598-019-39645-w. <https://doi.org/10.1038/s41598-019-39645-w>

Motley, S. E., Grossman, Y., Janssen, W. G. M., Baxter, M. G., Rapp, P. R., Dumitriu, D., & Morrison, J. H. (2018). Selective loss of thin spines in area 7a of the primate intraparietal sulcus predicts age-related working memory impairment. [10.1523/JNEUROSCI.1234-18.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/10/24/JNEUROSCI.1234-18.2018>..

Mott, D. D., Li, Q., Okazaki, M. M., Turner, D. A., & Lewis, D. V. (1999). GABAB-Receptor-Mediated Currents in Interneurons of the Dentate-Hilus Border. *Journal of Neurophysiology*, 82(3), 1438-1450. doi. <http://jn.physiology.org/cgi/content/abstract/82/3/1438>

Mott, D. D., Turner, D. A., Okazaki, M. M., & Lewis, D. V. (1997). Interneurons of the Dentate-Hilus Border of the Rat Dentate Gyrus: Morphological and Electrophysiological Heterogeneity. *Journal of Neuroscience*, 17(11), 3990-4005. doi. <http://www.jneurosci.org/cgi/content/abstract/17/11/3990>

Motts, S. D., & Schofield, B. R. (2009). Sources of cholinergic input to the inferior colliculus. *Neuroscience*, 160(1), 103-114. doi.

Motts, S. D., & Schofield, B. R. (2010). Cholinergic and Non-Cholinergic Projections from the Pedunculopontine and Laterodorsal Tegmental Nuclei to the Medial Geniculate Body in Guinea Pigs. *Frontiers in Neuroanatomy*, 4. doi.

Motts, S. D., Slusarczyk, A. S., Sowick, C. S., & Schofield, B. R. (2008). Distribution of cholinergic cells in guinea pig brainstem. *Neuroscience*, 154(1), 186-195. doi.

Mou, H., Yang, Y., Riehs, M. A., Barrios, J., Shivaraju, M., Haber, A. L., . . . Ai, X. (2021). Airway basal stem cells generate distinct subpopulations of PNECs. *Cell Reports*, 35(3), 109011. doi: <https://doi.org/10.1016/j.celrep.2021.109011>. <https://www.sciencedirect.com/science/article/pii/S2211124721003259>

Mounir, S., & Parent, A. (2002). The expression of neurokinin-1 receptor at striatal and pallidal levels in normal human brain. *Neuroscience Research*, 44(1), 71-81. doi.

Moutin, E., Nikonenko, I., Stefanelli, T., Wirth, A., Ponimaskin, E., De Roo, M., & Muller, D. (2016). Palmitoylation of cdc42 Promotes Spine Stabilization and Rescues Spine Density Deficit in a Mouse Model of 22q11.2 Deletion Syndrome. *Cerebral Cortex*. doi: 10.1093/cercor/bhw183. <http://cercor.oxfordjournals.org/content/early/2016/06/24/cercor.bhw183>..

Moyer, J. R., & Brown, T. H. (2007). Visually guided patch-clamp recordings in brain slices. *Neuromethods*, 38, 169-169. doi.

Mozhui, K., Karlsson, R.-M., Kash, T. L., Ihne, J., Norcross, M., Patel, S., . . . Holmes, A. (2010). Strain Differences in Stress Responsivity Are Associated with Divergent Amygdala Gene Expression and Glutamate-Mediated Neuronal Excitability. *Journal of Neuroscience*, 30(15), 5357-5367. doi: 10.1523/jneurosci.5017-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/15/5357>

Mridha, Z., Wu, L. Q., & Dickman, J. D. (2012). Morphology and innervation of the vestibular lagena in pigeons. *Neuroscience*. doi.

Mueller, M., & Egger, V. (2020). Dendritic integration in olfactory bulb granule cells upon simultaneous multispine activation: Low thresholds for nonlocal spiking activity. *PLoS Biology*, 18(9), e3000873. doi: 10.1371/journal.pbio.3000873. <https://doi.org/10.1371/journal.pbio.3000873>

Muessel, M. J., Berman, N. E. J., & Klein, R. M. (2000). Early and specific expression of Monocyte Chemoattractant Protein-1 in the thalamus induced by cortical injury. *Brain Research*, 870(1-2), 211-221. doi.

Muessel, M. J., Klein, R. M., Wilson, A. M., & Berman, N. E. J. (2002). Ablation of the chemokine monocyte chemoattractant protein-1 delays retrograde neuronal degeneration, attenuates microglial activation, and alters expression of cell death molecules. *Molecular Brain Research*, 103(1-2), 12-27. doi.

Muglia, M., Criscuolo, C., Magariello, A., De Michele, G., Scarano, V., D'Adamo, P., . . . Quattrone, A. (2004). Narrowing of the critical region in autosomal recessive spastic paraplegia linked to the SPG5 locus. *Journal of the Peripheral Nervous System*, 9(2), 124-124. doi: doi:10.1111/j.1085-9489.2004.009209bo.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Muhammad, A. J., Markram, H., & others. (2005). NEOBASE: databasing the neocortical microcircuit. *Studies in Health Technology and Informatics*, 112, 167-178. doi.

Mukai, H., Hatanaka, Y., Mitsuhashi, K., Hojo, Y., Komatsuzaki, Y., Sato, R., . . . Kawato, S. (2011). Automated Analysis of Spines from Confocal Laser Microscopy Images: Application to the Discrimination of Androgen and Estrogen Effects on Spinogenesis. *Cerebral Cortex*, bhr059. doi: 10.1093/cercor/bhr059. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr059v1>

Mukai, H., Hatanaka, Y., Mitsuhashi, K., Hojo, Y., Komatsuzaki, Y., Sato, R., . . . Kawato, S. (2011). Editor's Choice: Automated Analysis of Spines from Confocal Laser Microscopy Images: Application to the Discrimination of Androgen and Estrogen Effects on Spinogenesis. *Cerebral Cortex*, 21(12), 2704-2704. doi.

Mukai, H., Tsurugizawa, T., Murakami, G., Kominami, S., Ishii, H., Ogiue-Ikeda, M., . . . Kawato, S. (2007). Rapid modulation of long-term depression and spinogenesis via synaptic estrogen receptors in hippocampal principal neurons. *Journal of Neurochemistry*, 100(4), 950-967. doi: doi:10.1111/j.1471-4159.2006.04264.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04264.x>

Mukhida, K., Baghbaderani, B. A., Hong, M., Lewington, M., Phillips, T., McLeod, M., . . . Mendez, I. (2008). Survival, differentiation, and migration of bioreactor-expanded human neural precursor cells in a model of Parkinson disease in rats. *Neurosurgical Focus*, 24(3-4), 8-8. doi.

Mukhopadhyay, P., Farrell, T., Sharma, G., McGuire, T. R., O'Kane, B., & Sharp, J. G. (2013). Heterogeneity of Functional Properties of Clone 66 Murine Breast Cancer Cells Expressing Various Stem Cell Phenotypes. *PLoS ONE*, 8(11), e78725. doi: 10.1371/journal.pone.0078725. <http://dx.doi.org/10.1371/journal.pone.0078725>

Mulherkar, S. A., & Jana, N. R. (2010). Loss of dopaminergic neurons and resulting behavioural deficits in mouse model of Angelman syndrome. *Neurobiology of Disease*, 40(3), 586-592. doi.

Mulkey, D. K., Rosin, D. L., West, G., Takakura, A. C., Moreira, T. S., Bayliss, D. A., & Guyenet, P. G. (2007). Serotonergic Neurons Activate Chemosensitive Retrotrapezoid Nucleus Neurons by a pH-Independent Mechanism. *Journal of Neuroscience*, 27(51), 14128-14138. doi: 10.1523/jneurosci.4167-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/51/14128>

Mullen, B. R., Ross, B., Chou, J. W., Khankan, R., Khialeeva, E., Bui, K., & Carpenter, E. M. (2016). A Complex Interaction Between Reduced Reelin Expression and Prenatal Organophosphate Exposure Alters Neuronal Cell Morphology. *ASN Neuro*, 8(3). doi: 10.1177/1759091416656253. <http://asn.sagepub.com/content/8/3/1759091416656253.abstract>

Müller, C. M., Vlachos, A., & Deller, T. (2010). Calcium homeostasis of acutely denervated and lesioned dentate gyrus in organotypic entorhino-hippocampal co-cultures. *Cell Calcium*, 47(3), 242-252. doi.

Muly, E. C., III, Szigeti, K., & Goldman-Rakic, P. S. (1998). D1 Receptor in Interneurons of Macaque Prefrontal Cortex: Distribution and Subcellular Localization. *Journal of Neuroscience*, 18(24), 10553-10565. doi. <http://www.jneurosci.org/cgi/content/abstract/18/24/10553>

Muniak, M. A., & Ryugo, D. K. (2013). Tonotopic organization of vertical cells in the dorsal cochlear nucleus of the CBA/J mouse. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23454. <http://dx.doi.org/10.1002/cne.23454>

Muñoz-Castañeda, R., Díaz, D., Peris, L., Andrieux, A., Bosc, C., Muñoz-Castañeda, J. M., . . . Weruaga, E. (2018). Cytoskeleton stability is essential for the integrity of the cerebellum and its motor- and affective-related behaviors. *Scientific Reports*, 8(1), 3072. doi: 10.1038/s41598-018-21470-2. <https://doi.org/10.1038/s41598-018-21470-2>

Munson, J. M., Fried, L., Rowson, S. A., Bonner, M. Y., Karumbaiah, L., Diaz, B., . . . Arbiser, J. L. (2012). Anti-invasive adjuvant therapy with imipramine blue enhances chemotherapeutic efficacy against glioma. *Science Translational Medicine*, 4(127), 127ra136-127ra136. doi.

Murai, A., Iwata, R., Fujimoto, S., Aihara, S., Tsuboi, A., Muroyama, Y., . . . Imai, T. (2016). Distorted coarse axon targeting and reduced dendrite connectivity underlie dysosmia after olfactory axon injury. [10.1523/ENEURO.0242-16.2016]. *eneuro*. doi. <http://eneuro.sfn.org/content/early/2016/10/05/ENEURO.0242-16.2016.abstract>

Murakami, G., Edamura, M., Furukawa, T., Kawasaki, H., Kosugi, I., Fukuda, A., . . . Nakahara, D. (2018). MHC class I in dopaminergic neurons suppresses relapse to reward seeking. [10.1126/sciadv.aap7388]. *Science Advances*, 4(3). doi. <http://advances.sciencemag.org/content/4/3/eaap7388.abstract>

Murakami, G., Hojo, Y., Ogiue-Ikeda, M., Mukai, H., Chambon, P., Nakajima, K., . . . Kawato, S. (2014). Estrogen receptor KO mice study on rapid modulation of spines and long-term depression in the hippocampus. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.002>. <http://www.sciencedirect.com/science/article/pii/S0006899314016710>

Murakami, G., Tsurugizawa, T., Hatanaka, Y., Komatsuzaki, Y., Tanabe, N., Mukai, H., . . . others. (2006). Comparison between basal and apical dendritic spines in estrogen-induced rapid spinogenesis of CA1 principal neurons in the adult hippocampus. *Biochemical and Biophysical Research Communications*, 351(2), 553-558. doi.

Murase, S., Lantz, C., Kim, E., Gupta, N., Higgins, R., Stopfer, M., . . . Quinlan, E. (2015). Matrix Metalloproteinase-9 Regulates Neuronal Circuit Development and Excitability. *Molecular Neurobiology*, 1-17. doi: 10.1007/s12035-015-9295-y. <http://dx.doi.org/10.1007/s12035-015-9295-y>

Murata, K., Kanno, M., Ieki, N., Mori, K., & Yamaguchi, M. (2015). Mapping of Learned Odor-Induced Motivated Behaviors in the Mouse Olfactory Tubercle. *The Journal of Neuroscience*, 35(29), 10581-10599. doi. <http://www.jneurosci.org/content/35/29/10581.short>

Murayama, M., Perez-Garci, E., Nevian, T., Bock, T., Senn, W., & Larkum, M. E. (2009). Dendritic encoding of sensory stimuli controlled by deep cortical interneurons. *Nature*. doi: <http://dx.doi.org/10.1038/nature07663>

<http://www.nature.com/nature/journal/vaop/ncurrent/suppinfo/nature07663...>

Murmu, M. S., Salomon, S., Biala, Y., Weinstock, M., Braun, K., & Bock, J. (2006). Changes of spine density and dendritic complexity in the prefrontal cortex in offspring of mothers exposed to stress during pregnancy. *European Journal of Neuroscience*, 24(5), 1477-1487. doi: doi:10.1111/j.1460-9568.2006.05024.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05024.x>

Murofushi, W., Mori, K., Murata, K., & Yamaguchi, M. (2018). Functional development of olfactory tubercle domains during weaning period in mice. *Scientific Reports*, 8(1), 13204. doi: 10.1038/s41598-018-31604-1. <https://doi.org/10.1038/s41598-018-31604-1>

Murphy, B. L., & Danzer, S. C. (2011). Somatic Translocation: A Novel Mechanism of Granule Cell Dendritic Dismorphogenesis and Dispersion. *Journal of Neuroscience*, 31(8), 2959-2964. doi: 10.1523/jneurosci.3381-10.2011. <http://www.jneurosci.org/content/31/8/2959.abstract>

Murphy, B. L., Hofacer, R. D., Faulkner, C. N., Loepke, A. W., & Danzer, S. C. (2012). Abnormalities of granule cell dendritic structure are a prominent feature of the intrahippocampal kainic acid model of epilepsy despite reduced postinjury neurogenesis. *Epilepsia*, 53(5), 908-921. doi: 10.1111/j.1528-1167.2012.03463.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03463.x>

Murphy, B. L., Pun, R. Y. K., Yin, H., Faulkner, C. R., Loepke, A. W., & Danzer, S. C. (2011). Heterogeneous Integration of Adult-Generated Granule Cells into the Epileptic Brain. *Journal of Neuroscience*, 31(1), 105-117. doi: 10.1523/jneurosci.2728-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/1/105>

Murphy, J. A., Deurveilher, S., & Semba, K. (2003). Stimulant doses of caffeine induce c-FOS activation in orexin/hypocretin-containing neurons in rat. *Neuroscience*, 121(2), 269-275. doi.

Murphy, P. C., Duckett, S. G., & Sillito, A. M. (2000). Comparison of the Laminar Distribution of Input from Areas 17 and 18 of the Visual Cortex to the Lateral Geniculate Nucleus of the Cat. *Journal of Neuroscience*, 20(2), 845-853. doi: <http://www.jneurosci.org/cgi/content/abstract/20/2/845>

Murtie, J. C., Macklin, W. B., & Corfas, G. (2007). Morphometric Analysis of Oligodendrocytes in the Adult Mouse Frontal Cortex. *Journal of Neuroscience Research*, 85, 2080-2086. doi.

Musazzi, L., Racagni, G., & Popoli, M. (2011). Stress, glucocorticoids and glutamate release: Effects of antidepressant drugs. *Neurochemistry International*. doi.

Mutlu, G. M., Budinger, G. R. S., Green, A. A., Urich, D., Soberanes, S., Chiarella, S. E., . . . Hersam, M. C. (2010). Biocompatible nanoscale dispersion of single-walled carbon nanotubes minimizes in vivo pulmonary toxicity. *Nano letters*, 10(5), 1664-1670. doi.

Muzzi, P., Camera, P., Cunto, F., & Vercelli, A. (2006). Role of citron K in the development of cerebral cortex. *Development and Plasticity in Sensory Thalamus and Cortex*, 92-107. doi.

Muzzi, P., Camera, P., Di Cunto, F., & Vercelli, A. (2009). Deletion of the citron kinase gene selectively affects the number and distribution of interneurons in barrelfield cortex. *Journal of Comparative Neurology*, 513(3), 249-264. doi.

- Myatt, D. R., Hadlington, T., Ascoli, G. A., & Nasuto, S. J. (2012). Neuromantic—from semi-manual to semi-automatic reconstruction of neuron morphology. *Frontiers in Neuroinformatics*, 6. doi.
- Myers, E. A., & Rinaman, L. (2005). Trimethylthiazoline supports conditioned flavor avoidance and activates viscerosensory, hypothalamic, and limbic circuits in rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 288(6), R1716-1726. doi: 10.1152/ajpregu.00479.2004. <http://ajpregu.physiology.org/cgi/content/abstract/288/6/R1716>
- Myers, S. A., DeVries, W. H., Andres, K. R., Gruenthal, M. J., Benton, R. L., Hoying, J. B., . . . Whittemore, S. R. (2011). CD47 knockout mice exhibit improved recovery from spinal cord injury. *Neurobiology of Disease*, 42(1), 21-34. doi.
- Nadasdy, Z., Buzsaki, G., & Zaborszky, L. (2006). Functional Connectivity of the Brain: Reconstruction from Static and Dynamic Data. *Neuroanatomical Tract-Tracing* 3, 631-681. doi.
- Nadasdy, Z., Varsanyi, P., & Zaborszky, L. (2010). Clustering of large cell populations: Method and application to the basal forebrain cholinergic system. *Journal of Neuroscience Methods*, 194(1), 46-55. doi.
- Nadasdy, Z., & Zaborszky, L. (2001). Visualization of density relations in large-scale neural networks. *Anatomy and Embryology*, 204, 303-317. doi.
- Nagamine, K., Ozaki, N., Shinoda, M., Asai, H., Nishiguchi, H., Mitsudo, K., . . . Sugiura, Y. (2006). Mechanical allodynia and thermal hyperalgesia induced by experimental squamous cell carcinoma of the lower gingiva in rats. *Journal of Pain*, 7(9), 659-670. doi.
- Nagase, Y., Nakamura, T., Moritani, M., Honma, S., & Yoshida, A. (1999). A quantitative analysis of the dendritic organization of cat trigeminal motoneurons. *Neurobiology of mastication: from molecular to systems approach*, (1186), 373-373. doi.
- Naggar, I., Lazar, J., Kamran, H., Orman, R., & Stewart, M. (2013). Relation of autonomic and cardiac abnormalities to ventricular fibrillation in a rat model of epilepsy. *Epilepsy Research*, (0). doi: <http://dx.doi.org/10.1016/j.eplepsyres.2013.10.018>. <http://www.sciencedirect.com/science/article/pii/S0920121113002842>
- Naim, M. M., Shehab, S. A. S., & Todd, A. J. (1998). Cells in laminae III and IV of the rat spinal cord which possess the neurokinin-1 receptor receive monosynaptic input from myelinated primary afferents. *European Journal of Neuroscience*, 10(9), 3012-3019. doi.
- Nakagawa, H., Ninomiya, T., Yamashita, T., & Takada, M. (2015). Reorganization of corticospinal tract fibers after spinal cord injury in adult macaques. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep11986. <http://dx.doi.org/10.1038/srep11986>
- Nakagawa, H., Ueno, M., Itokazu, T., & Yamashita, T. (2013). Bilateral movement training promotes axonal remodeling of the corticospinal tract and recovery of motor function following traumatic brain injury in mice. *Cell Death & Disease*, 4(3), e534. doi.
- Nakai, T., Nagai, T., Tanaka, M., Itoh, N., Asai, N., Enomoto, A., . . . Sokabe, M. (2014). Girdin Phosphorylation Is Crucial for Synaptic Plasticity and Memory: A Potential Role in the Interaction of BDNF/TrkB/Akt Signaling with NMDA Receptor. *The Journal of Neuroscience*, 34(45), 14995-15008. doi. <http://www.jneurosci.org/content/34/45/14995.short>

Nakajima, K., Miranda, A., Craig, D. W., Shekhtman, T., Kmoch, S., Bleyer, A., . . . Kelsoe, J. R. (2020). Ntrk1 mutation co-segregating with bipolar disorder and inherited kidney disease in a multiplex family causes defects in neuronal growth and depression-like behavior in mice. *Translational Psychiatry*, 10(1), 407. doi: 10.1038/s41398-020-01087-8. <https://doi.org/10.1038/s41398-020-01087-8>

Nakajima, T., Fortier-Lebel, N., & Drew, T. (2019). Premotor Cortex Provides a Substrate for the Temporal Transformation of Information During the Planning of Gait Modifications. doi: 10.1093/cercor/bhz039. <https://doi.org/10.1093/cercor/bhz039>

Nakamoto, K. T., Mellott, J. G., Killius, J., Storey-Workley, M. E., Sowick, C. S., & Schofield, B. R. (2013). Analysis of excitatory synapses in the guinea pig inferior colliculus: a study using electron microscopy and GABA immunocytochemistry. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.061>. <http://www.sciencedirect.com/science/article/pii/S030645221300105X>

Nakamoto, K. T., Sowick, C. S., & Schofield, B. R. (2013). Auditory cortical axons contact commissural cells throughout the guinea pig inferior colliculus. *Hearing Research*, (0). doi: <http://dx.doi.org/10.1016/j.heares.2013.10.003>. <http://www.sciencedirect.com/science/article/pii/S0378595513002475>

Nakamura, H., Hioki, H., Furuta, T., & Kaneko, T. (2015). Different cortical projections from three subdivisions of the rat lateral posterior thalamic nucleus: a single-neuron tracing study with viral vectors. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12882. <http://dx.doi.org/10.1111/ejn.12882>

Nakamura, H., & Itoh, K. (2004). Cytoarchitectonic and connectional organization of the ventral lateral geniculate nucleus in the cat. *Journal of Comparative Neurology*, 473(4), 439-462. doi.

Nakamura, H., Kuroda, T., Wakita, M., Kusunoki, M., Kato, A., Mikami, A., . . . Itoh, K. (2001). From Three-Dimensional Space Vision to Prehensile Hand Movements: The Lateral Intraparietal Area Links the Area V3A and the Anterior Intraparietal Area in Macaques. *Journal of Neuroscience*, 21(20), 8174-8187. doi. <http://www.jneurosci.org/cgi/content/abstract/21/20/8174>

Nakamura, H., Le, W. R., Wakita, M., Mikami, A., & Itoh, K. (2004). Projections from the cytochrome oxidase modules of visual area V2 to the ventral posterior area in the macaque. *Experimental Brain Research*, 155(1), 102-110. doi.

Nakamura, H., Wu, R., Watanabe, K., Onozuka, M., & Itoh, K. (2006). Projections of glutamate decarboxylase positive and negative cerebellar neurons to the pretectum in the cat. *Neuroscience Letters*, 403(1), 30-34. doi.

Nakano, T., Yoshimoto, J., Wickens, J., & Doya, K. (2009). Calcium responses model in striatum dependent on timed input sources. *Artificial Neural Networks-ICANN 2009*, 249-258. doi.

Nakano, Y., Karube, F., Hirai, Y., Kobayashi, K., Hioki, H., Okamoto, S., . . . Fujiyama, F. (2018). Parvalbumin-producing striatal interneurons receive excitatory inputs onto proximal dendrites from the motor thalamus in male mice. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.24214. <http://dx.doi.org/10.1002/jnr.24214>

Nakashima, S., Morishita, M., Ueno, K., & Tsukahara, S. (2019). Region-specific effects of copulation on dendritic spine morphology and gene expression related to spinogenesis in the medial preoptic nucleus of male rats. *Psychoneuroendocrinology*, 108, 1-13.

doi: <https://doi.org/10.1016/j.psyneuen.2019.05.025>. <http://www.sciencedirect.com/science/article/pii/S0306453018310977>

Nakashima, S., & Tsukahara, S. (2011). Decrease in spine number of the sexually dimorphic nucleus of the preoptic area (SDN-POA) with sexual experience in male rats. *Neuroscience Research*, 71, e267–e267–e267–e267. doi.

Nakazawa, T., Watanabe, M., Kudo, H., Nishida, K., & Tamai, M. (2010). Susceptibility to N-methyl-d-aspartate toxicity in morphological and functional types of cat retinal ganglion cells. *Japanese Journal of Ophthalmology*, 54(2), 156–162. doi.

Nam, H., & Kerman, I. A. (2016). Distribution of catecholaminergic presympathetic-premotor neurons in the rat lower brainstem. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.02.066>. <http://www.sciencedirect.com/science/article/pii/S0306452216002153>

Namavari, A., Chaudhary, S., Chang, J. H., Yco, L., Sonawane, S., Khanolkar, V., . . . Jain, S. (2012). Cyclosporine Immunomodulation Retards Regeneration of Surgically Transected Corneal Nerves. *Investigative Ophthalmology and Visual Science*, 53(2), 732–740. doi.

Namavari, A., Chaudhary, S., Sarkar, J., Yco, L., Patel, K., Han, K. Y., . . . Jain, S. (2011). In vivo serial imaging of regenerating corneal nerves after surgical transection in transgenic thy1-YFP mice. *Investigative Ophthalmology and Visual Science*, 52(11), 8025–8032. doi.

Nandi, S., Alviña, K., Lituma, P. J., Castillo, P. E., & Hébert, J. M. (2018). Neurotrophin and FGF Signaling Adapter Proteins, FRS2 and FRS3, Regulate Dentate Granule Cell Maturation and Excitatory Synaptogenesis. *Neuroscience*, 369(Supplement C), 192–201. doi: <https://doi.org/10.1016/j.neuroscience.2017.11.017>. <http://www.sciencedirect.com/science/article/pii/S0306452217308114>

Narayanan, R. T., Egger, R., Johnson, A. S., Mansvelter, H. D., Sakmann, B., de Kock, C. P. J., & Oberlaender, M. (2015). Beyond Columnar Organization: Cell Type- and Target Layer-Specific Principles of Horizontal Axon Projection Patterns in Rat Vibrissal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv053. <http://cercor.oxfordjournals.org/content/early/2015/04/01/cercor.bhv053>
....

Narayanan, S. N., Jetti, R., Gorantla, V. R., Kumar, R. S., Nayak, S., & Bhat, P. G. (2014). Appraisal of the effect of brain impregnation duration on neuronal staining and morphology in a modified Golgi–Cox method. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.07.007>. <http://www.sciencedirect.com/science/article/pii/S0165027014002581>

Narkilahti, S., Nissinen, J., & Pitkänen, A. (2003). Administration of caspase 3 inhibitor during and after status epilepticus in rat: effect on neuronal damage and epileptogenesis. *Neuropharmacology*, 44(8), 1068–1088. doi.

Nascimento-Silva, S., Pinõn, C., Soares, J. G. M., & Gattass, R. (2014). Feedforward and feedback connections and their relation to the CytOx modules of V2 in Cebus monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23571. <http://dx.doi.org/10.1002/cne.23571>

Nash, B., Festa, L., Lin, C., & Meucci, O. (2019). Opioid and chemokine regulation of cortical synaptodendritic damage in HIV-associated neurocognitive disorders. *Brain Research*, 1723, 146409.

doi: <https://doi.org/10.1016/j.brainres.2019.146409>. <http://www.sciencedirect.com/science/article/pii/S0006899319304639>

Naskar, A., Mahadevan, A., Philip, M., & Alladi, P. A. (2019). Aging mildly affects dendritic arborisation and synaptic protein expression in human substantia nigra pars compacta. *Journal of Chemical Neuroanatomy*, 97, 57-65.

doi: <https://doi.org/10.1016/j.jchemneu.2019.02.001>. <http://www.sciencedirect.com/science/article/pii/S0891061818301819>

Nason, M. W., Jr., & Mason, P. (2004). Modulation of Sympathetic and Somatomotor Function by the Ventromedial Medulla. *Journal of Neurophysiology*, 92(1), 510-522. doi: 10.1152/jn.00089.2004. <http://jn.physiology.org/cgi/content/abstract/92/1/510>

Nasrallah, K., Therreau, L., Robert, V., Huang, A. J. Y., McHugh, T. J., Piskorowski, R. A., & Chevaleyre, V. (2019). Routing Hippocampal Information Flow through Parvalbumin Interneuron Plasticity in Area CA2. *Cell Reports*, 27(1), 86-98.e83.

doi: <https://doi.org/10.1016/j.celrep.2019.03.014>. <http://www.sciencedirect.com/science/article/pii/S2211124719303213>

Nasse, J., Terman, D., Venugopal, S., Hermann, G., Rogers, R. C., & Travers, J. B. (2008). Local Circuit Input to the Medullary Reticular Formation from the Rostral Nucleus of the Solitary Tract. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90457.92008. doi: 10.1152/ajpregu.90457.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90457.2008v1>

Nassi, J. J., & Callaway, E. M. (2006). Multiple Circuits Relaying Primate Parallel Visual Pathways to the Middle Temporal Area. *Journal of Neuroscience*, 26(49), 12789-12798. doi: 10.1523/jneurosci.4044-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/49/12789>

Nassi, J. J., & Callaway, E. M. (2007). Specialized circuits from primary visual cortex to V2 and area MT. *Neuron*, 55(5), 799-808. doi:

Nassi, J. J., Lyon, D. C., & Callaway, E. M. (2006). The parvocellular LGN provides a robust disynaptic input to the visual motion area MT. *Neuron*, 50(2), 319-327. doi:

Nathan, B. P., Nisar, R., Short, J., Randall, S., Grissom, E., Griffin, G., . . . Struble, R. G. (2005). Delayed olfactory nerve regeneration in ApoE-deficient mice. *Brain Research*, 1041(1), 87-94. doi:

Naumann, N., Alpár, A., Ueberham, U., Arendt, T., & Gärtner, U. (2010). Transgenic expression of human wild-type amyloid precursor protein decreases neurogenesis in the adult hippocampus. *Hippocampus*, 20(8), 971-979. doi:

Naumann, R. K., Anjum, F., Roth-Alpermann, C., & Brecht, M. (2012). Cytoarchitecture, areas, and neuron numbers of the etruscan shrew cortex. *Journal of Comparative Neurology*. doi:

Naumann, R. K., Ray, S., Prokop, S., Las, L., Heppner, F. L., & Brecht, M. (2015). Conserved size & periodicity of pyramidal patches in layer 2 of medial/caudal entorhinal cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23865. <http://dx.doi.org/10.1002/cne.23865>

Navailles, S., Hof, P. R., & Schmauss, C. (2008). Antidepressant drug-induced stimulation of mouse hippocampal neurogenesis is age-dependent and altered by early life stress. *Journal of Comparative Neurology*, 509(4), 372-381. doi:

Navarro, A. I., & Mandyam, C. D. (2015). Protracted abstinence from chronic ethanol exposure alters the structure of neurons and expression of oligodendrocytes and myelin in the medial prefrontal cortex. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.02.043>. <http://www.sciencedirect.com/science/article/pii/S0306452215001955>

Navarro, X., Verdu, E., Wendelschafer-Crabb, G., & Kennedy, W. R. (1995). Innervation of Cutaneous Structures in the Mouse Hind Paw: A Confocal Microscopy Immunohistochemical Study. *Journal of Neuroscience Research*, 41, 111-120. doi.

Navarro, X., Verdu, E., Wendelschafer-Crabb, G., & Kennedy, W. R. (1997). Immunohistochemical Study of Skin Reinnervation by Regenerative Axons. *Journal of Comparative Neurology*, 380, 164-174. doi.

Nayak, L., Dasgupta, A., Das, R., Ghosh, K., & De, R. K. (2018). Computational neuroscience and neuroinformatics: Recent progress and resources. [journal article]. *Journal of Biosciences*. doi: 10.1007/s12038-018-9813-y. <https://doi.org/10.1007/s12038-018-9813-y>

Nayyar, T., Bubser, M., Ferguson, M. C., Diana Neely, M., Shawn Goodwin, J., Montine, T. J., . . . Ansah, T. A. (2009). Cortical serotonin and norepinephrine denervation in parkinsonism: preferential loss of the beaded serotonin innervation. *European Journal of Neuroscience*, 30(2), 207-216. doi.

Nazaran, A., Wisco, J. J., Hageman, N., Schettler, S. P., Wong, A., Vinters, H. V., . . . Bangerter, N. K. (2015). Methodology for computing white matter nerve fiber orientation in human histological slices. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.11.023>. <http://www.sciencedirect.com/science/article/pii/S0165027015004252>

Nedelescu, H. (2018). Brain architecture at varying scales. *Journal of Neuroscience Research*, 96(9), 1447-1449. doi: doi:10.1002/jnr.24272. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24272>

Nedelescu, H., & Abdelhack, M. (2013). Comparative Morphology of Dendritic Arbors in Populations of Purkinje Cells in Mouse Sulcus and Apex. *Neural Plasticity*, 2013, 12. doi: 10.1155/2013/948587. <http://dx.doi.org/10.1155/2013/948587>

Nedelescu, H., Abdelhack, M., & Pritchard, A. T. (2018). Regional differences in Purkinje cell morphology in the cerebellar vermis of male mice. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.24206. <http://dx.doi.org/10.1002/jnr.24206>

Nedelescu, H., Chowdhury, T. G., Wable, G. S., Arbuthnott, G., & Aoki, C. (2016). Cerebellar subdivisions differ in exercise-induced plasticity of noradrenergic axons and in their association with resilience to activity-based anorexia. [journal article]. *Brain Structure and Function*, 1-23. doi: 10.1007/s00429-016-1220-2. <http://dx.doi.org/10.1007/s00429-016-1220-2>

Negraes, P. D., Trujillo, C. A., Yu, N.-K., Wu, W., Yao, H., Liang, N., . . . Muotri, A. R. (2021). Altered network and rescue of human neurons derived from individuals with early-onset genetic epilepsy. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01104-2. <https://doi.org/10.1038/s41380-021-01104-2>

Negredo, P., Martin, Y. B., Lagares, A., Castro, J., Villacorta, J. A., & Avendaño, C. (2009). Trigeminothalamic barrelette neurons: natural structural side asymmetries and sensory input-dependent plasticity in adult rats. [Epub ahead of print]. *Neuroscience*. doi.

Negwer, M., Liu, Y.-J., Schubert, D., & Lyon, D. C. (2017). V1 connections reveal a series of elongated higher visual areas in the California ground squirrel, *Otospermophilus beecheyi*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24173. <http://dx.doi.org/10.1002/cne.24173>

Négyessy, L., Gal, V., Farkas, T., & Toldi, J. (2000). Cross-modal plasticity of the corticothalamic circuits in rats enucleated on the first postnatal day. *European Journal of Neuroscience*, 12(5), 1654-1668. doi: doi:10.1046/j.1460-9568.2000.00057.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2000.00057.x>

Négyessy, L., & Goldman-Rakic, P. S. (2005). Morphometric characterization of synapses in the primate prefrontal cortex formed by afferents from the mediodorsal thalamic nucleus. *Experimental Brain Research*, 164(2), 148-154. doi:

Négyessy, L., Pálfi, E., Ashaber, M., Palmer, C., Jákli, B., Friedman, R. M., . . . Roe, A. W. (2013). Intrinsic horizontal connections process global tactile features in the primary somatosensory cortex: Neuroanatomical evidence. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23317. <http://dx.doi.org/10.1002/cne.23317>

Nelissen, T. P., Bamford, R. A., Tochitani, S., Akkus, K., Kudzinskas, A., Yokoi, K., . . . Oguro-Ando, A. (2018). CD38 is Required for Dendritic Organization in Visual Cortex and Hippocampus. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.12.050>. <http://www.sciencedirect.com/science/article/pii/S0306452217309405>

Nelson, L. H., Warden, S., & Lenz, K. M. (2017). Sex differences in microglial phagocytosis in the neonatal hippocampus. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2017.03.010>. <http://www.sciencedirect.com/science/article/pii/S0889159117301009>

Nemargut, J. P., Zhu, J., Savoie, B. T., & Wang, G. Y. (2009). Differential effects of charybdotoxin on the activity of retinal ganglion cells in the dark- and light-adapted mouse retina. *Vision Research*, 49(3), 388-397. doi:

Nesin, S. M., Sabitha, K. R., Gupta, A., & Laxmi, T. R. (2019). Constraint Induced Movement Therapy as a Rehabilitative Strategy for Ischemic Stroke—Linking Neural Plasticity with Restoration of Skilled Movements. *Journal of Stroke and Cerebrovascular Diseases*. doi: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2019.02.028>. <http://www.sciencedirect.com/science/article/pii/S1052305719300849>

Neumann, J., Dash-Wagh, S., Jüngling, K., Tsai, T., Meschkat, M., Räk, A., . . . Wahle, P. (2014). Y-P30 promotes axonal growth by stabilizing growth cones. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-014-0764-2. <http://dx.doi.org/10.1007/s00429-014-0764-2>

Neumann, J. R., Dash-Wagh, S., Jack, A., Räk, A., Jüngling, K., Hamad, M. I. K., . . . Wahle, P. (2019). The primate-specific peptide Y-P30 regulates morphological maturation of neocortical dendritic spines. *PLoS ONE*, 14(2), e0211151. doi: 10.1371/journal.pone.0211151. <https://doi.org/10.1371/journal.pone.0211151>

Neuner, J., Ovsepian, S. V., Dorostkar, M., Filser, S., Gupta, A., Michalakis, S., . . . Herms, J. (2014). Pathological α -synuclein impairs adult-born granule cell development and functional integration in the olfactory bulb. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140528/ncomms4915/full/ncomms4915.html>.

- Neuser, F., Polack, M., Annaheim, C., Tucker, K. L., & Korte, M. (2013). Region-Specific Integration of Embryonic Stem Cell-Derived Neuronal Precursors into a Pre-Existing Neuronal Circuit. *PLoS ONE*, 8(6), e66497. doi: 10.1371/journal.pone.0066497. <http://dx.doi.org/10.1371%2Fjournal.pone.0066497>
- Nevian, T., Larkum, M. E., Polsky, A., & Schiller, J. (2007). Properties of basal dendrites of layer 5 pyramidal neurons: a direct patch-clamp recording study. *Nature of Neuroscience*, 10, 206-214. doi.
- Nevue, A. A., Lovell, P. V., Wirthlin, M., & Mello, C. V. (2020). Molecular specializations of deep cortical layer analogs in songbirds. *Scientific Reports*, 10(1), 18767. doi: 10.1038/s41598-020-75773-4. <https://doi.org/10.1038/s41598-020-75773-4>
- Newson, P., Lynch-Frame, A., Roach, R., Bennett, S., Carr, V., & Chahl, L. A. (2005). Intrinsic sensory deprivation induced by neonatal capsaicin treatment induces changes in rat brain and behaviour of possible relevance to schizophrenia. *British Journal of Pharmacology*. doi.
- Newson, P. N., van den Buuse, M., Martin, S., Lynch-Frame, A., & Chahl, L. A. (2014). Effects of neonatal treatment with the TRPV1 agonist, capsaicin, on adult rat brain and behaviour. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.06.036>. <http://www.sciencedirect.com/science/article/pii/S0166432814004197>
- Neymotin, S. A., Suter, B. A., Dura-Bernal, S., Shepherd, G. M. G., Migliore, M., & Lytton, W. W. (2016). Optimizing computer models of corticospinal neurons to replicate in vitro dynamics. [10.1152/jn.00570.2016]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2016/10/14/jn.00570.2016.abstract>
- Ng, J., Nardine, T., Harms, M., Tzu, J., Goldstein, A., Sun, Y., . . . Luo, L. (2002). Rac GTPases control axon growth, guidance and branching. *Nature*, 416, 442-447. doi.
- Nguyen, H., Kerimoglu, C., Pirouz, M., Pham, L., Kiszka, K. A., Sokpor, G., . . . Tuoc, T. (2018). Epigenetic Regulation by BAF Complexes Limits Neural Stem Cell Proliferation by Suppressing Wnt Signaling in Late Embryonic Development. *Stem Cell Reports*. doi: <https://doi.org/10.1016/j.stemcr.2018.04.014>. <http://www.sciencedirect.com/science/article/pii/S2213671118301826>
- Nguyen, H., Sokpor, G., Pham, L., Rosenbusch, J., Stoykova, A., Staiger, J. F., & Tuoc, T. (2016). Epigenetic regulation by BAF (mSWI/SNF) chromatin remodeling complexes is indispensable for embryonic development. *Cell Cycle*, 00-00. doi: 10.1080/15384101.2016.1160984. <http://dx.doi.org/10.1080/15384101.2016.1160984>
- Nguyen, T.-V. V., Shen, L., Vander Griend, L., Quach, L. N., Belichenko, N. P., Saw, N., . . . Longo, F. M. (2014). Small Molecule p75^{NTR} Ligands Reduce Pathological Phosphorylation and Misfolding of Tau, Inflammatory Changes, Cholinergic Degeneration, and Cognitive Deficits in A β PP^{L/S} Transgenic Mice. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-140036. <http://dx.doi.org/10.3233/JAD-140036>
- Nhan, H. L., & Callaway, E. M. (2012). Morphology of superior colliculus- and middle temporal area-projecting neurons in primate primary visual cortex. *Journal of Comparative Neurology*, 520(1), 52-80. doi: 10.1002/cne.22685. <http://dx.doi.org/10.1002/cne.22685>
- Ni, W., Rajkumar, K., Nagy, J. I., & Murphy, L. J. (1997). Impaired brain development and reduced astrocyte response to injury in transgenic mice expressing IGF binding protein-1. *Brain Research*, 769(1), 97-107. doi.

Ni, X., & Martin-Caraballo, M. (2010). Differential effect of glutamate receptor blockade on dendritic outgrowth in chicken lumbar motoneurons. *Neuropharmacology*, 58(3), 593-604. doi.

Niblock, M. M., Brunso-Bechtold, J. K., & Riddle, D. R. (2000). Insulin-Like Growth Factor I Stimulates Dendritic Growth in Primary Somatosensory Cortex. *Journal of Neuroscience*, 20(11), 4165-4176. doi. <http://www.jneurosci.org/cgi/content/abstract/20/11/4165>

Niblock, M. M., Gao, H., Li, A., Jeffress, E. C., Murphy, M., & Nattie, E. E. (2010). Fos-Tau-LacZ mice reveal sex differences in brainstem c-fos activation in response to mild carbon dioxide exposure. *Brain Research*, 1311, 51-63. doi.

Niblock, M. M., Kinney, H. C., Luce, C. J., Belliveau, R. A., & Filiano, J. J. (2004). The development of the medullary serotonergic system in the piglet. *Autonomic Neuroscience*, 110(2), 65-80. doi.

Nickerson, P. E. B., Da Silva, N., Myers, T., Stevens, K., & Clarke, D. B. (2008). Neural progenitor potential in cultured Müller glia: effects of passaging and exogenous growth factor exposure. *Brain Research*, 1230, 1-12. doi.

Nickerson, P. E. B., Emsley, J. G., Myers, T., & Clarke, D. B. (2007). Proliferation and expression of progenitor and mature retinal phenotypes in the adult mammalian ciliary body after retinal ganglion cell injury. *Investigative Ophthalmology and Visual Science*, 48(11), 5266-5275. doi.

Nickerson, P. E. B., McLeod, M. C., Myers, T., & Clarke, D. B. (2011). Effects of epidermal growth factor and erythropoietin on Müller glial activation and phenotypic plasticity in the adult mammalian retina. *Journal of Neuroscience Research*, 89(7), 1018-1030. doi: 10.1002/jnr.22629. <http://dx.doi.org/10.1002/jnr.22629>

Nickles, H. T., Sumkauskaite, M., Wang, X., Wegner, I., Puderbach, M., & Kuebler, W. M. (2014). Mechanical ventilation causes airway distension with pro-inflammatory sequelae in mice. [10.1152/ajplung.00288.2013]. *American Journal of Physiology - Lung Cellular and Molecular Physiology*. doi. <http://ajplung.physiology.org/content/early/2014/05/09/ajplung.00288.2013>.

Nicoleau, C., Benzakour, O., Agasse, F., Thiriet, N., Petit, J., Prestoz, L., . . . Coronas, V. (2008). Endogenous hepatocyte growth factor is a niche signal for subventricular zone neural stem cell amplification and self-renewal. *Stem Cells*, stemcells.2008-0226. doi: 10.1634/stemcells.2008-0226. <http://stemcells.alphaamedpress.org/cgi/content/abstract/stemcells.2008-0226>.

Nicoleau, C., Benzakour, O., Agasse, F., Thiriet, N., Petit, J., Prestoz, L., . . . Coronas, V. (2009). Endogenous Hepatocyte Growth Factor Is a Niche Signal for Subventricular Zone Neural Stem Cell Amplification and Self-Renewal. *Stem Cells*, 27(2), 408-419. doi.

Nicoletti, J. N., Lenzer, J., Salerni, E. A., Shah, S. K., Elkady, A., Khalid, S., . . . Croll, S. D. (2010). Vascular endothelial growth factor attenuates status epilepticus-induced behavioral impairments in rats. *Epilepsy & Behavior*, 19(3), 272-277. doi.

Nielsen, K. J., Callaway, E. M., & Krauzlis, R. J. (2012). Viral vector-based reversible neuronal inactivation and behavioral manipulation in the macaque monkey. *Frontiers in Systems Neuroscience*, 6. doi.

Nieto-Gonzalez, J. L., Carrascal, L., Nunez-Abades, P., & Torres, B. (2007). Phasic and tonic firing properties in rat oculomotor nucleus motoneurons, studied in vitro. *European Journal of*

Neuroscience. doi: doi:10.1111/j.1460-9568.2007.05516.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05516.x>

Nietzer, S. L., Bonn, M., Jansen, F., Heiming, R. S., Lewejohann, L., Sachser, N., . . . Schmitt, A. G. (2011). Serotonin transporter knockout and repeated social defeat stress: Impact on neuronal morphology and plasticity in limbic brain areas. *Behavioural Brain Research*. doi.

Niisato, E., Nagai, J., Yamashita, N., Abe, T., Kiyonari, H., Goshima, Y., & Ohshima, T. (2012). CRMP4 suppresses apical dendrite bifurcation of CA1 pyramidal neurons in the mouse hippocampus. *Developmental Neurobiology*. doi.

Nikitczuk, J. S., Patil, S. B., Matikainen-Ankney, B. A., Scarpa, J., Shapiro, M. L., Benson, D. L., & Huntley, G. W. (2014). N-cadherin regulates molecular organization of excitatory and inhibitory synaptic circuits in adult hippocampus in vivo. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22282. <http://dx.doi.org/10.1002/hipo.22282>

Nikonenko, A. G., Sun, M., Lepsveridze, E., Apostolova, I., Petrova, I., Irintchev, A., . . . Schachner, M. (2006). Enhanced perisomatic inhibition and impaired long-term potentiation in the CA1 region of juvenile CHL1-deficient mice. *European Journal of Neuroscience*, 23(7), 1839-1852. doi: doi:10.1111/j.1460-9568.2006.04710.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04710.x>

Nikonenko, I., Boda, B., Steen, S., Knott, G., Welker, E., & Muller, D. (2008). PSD-95 promotes synaptogenesis and multiinnervated spine formation through nitric oxide signaling. *Journal of Cellular Biology*, 183(6), 1115-1127. doi: 10.1083/jcb.200805132. <http://jcb.rupress.org/cgi/content/abstract/183/6/1115>

Nikonenko, I., Nikonenko, A., Mendez, P., Michurina, T. V., Enikolopov, G., & Muller, D. (2013). Nitric oxide mediates local activity-dependent excitatory synapse development. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1311927110. <http://www.pnas.org/content/early/2013/10/09/1311927110.abstract>

Nimmerjahn, A., Kirchhoff, F., & Helmchen, F. (2005). Resting microglial cells are highly dynamic surveillants of brain parenchyma in vivo. *Science*, 308, 1314 - 1318. doi.

Ninomiya, T., Sawamura, H., Inoue, K.-i., & Takada, M. (2012). Multisynaptic Inputs from the Medial Temporal Lobe to V4 in Macaques. *PLoS ONE*, 7(12), e52115. doi: 10.1371/journal.pone.0052115. <http://dx.doi.org/10.1371%2Fjournal.pone.0052115>

Ninomiya, T., Sawamura, H., Inoue, K.-i., & Takada, M. (2012). Segregated Pathways Carrying Frontally Derived Top-Down Signals to Visual Areas MT and V4 in Macaques. *Journal of Neuroscience*, 32(20), 6851-6858. doi: 10.1523/jneurosci.6295-11.2012. <http://www.jneurosci.org/content/32/20/6851.abstract>

Nisbet, D. R., & Williams, R. J. (2012). Self-Assembled Peptides: Characterisation and In Vivo Response. *Biointerphases*, 7, 2-2. doi.

Nishijima, H., Ueno, T., Ueno, S., Mori, F., Miki, Y., & Tomiyama, M. (2016). Levodopa-Induced Morphologic Changes of Prefrontal Pyramidal Tract-Type Neurons in a Rat Model of Parkinson's Disease. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2016.10.001>. <http://www.sciencedirect.com/science/article/pii/S0168010216302127>

- Nishimura, M., Gu, X., & Swann, J. W. (2011). Seizures in early life suppress hippocampal dendrite growth while impairing spatial learning. *Neurobiology of Disease*. doi.
- Nishimura, M., Owens, J., & Swann, J. W. (2008). Effects of chronic network hyperexcitability on the growth of hippocampal dendrites. *Neurobiology of Disease*, 29(2), 267-277. doi.
- Nissinen, J., Lukasiuk, K., & Pitkäräinen, A. (2001). Is mossy fiber sprouting present at the time of the first spontaneous seizures in rat experimental temporal lobe epilepsy? *Hippocampus*, 11(3), 299-310. doi.
- Nithianantharajah, J., Barkus, C., Vijjaratnam, N., Clement, O., & Hannan, A. J. (2009). Modeling brain reserve: experience-dependent neuronal plasticity in healthy and Huntington's disease transgenic mice. *American Journal of Geriatric Psychiatry*, 17(3), 196-196. doi.
- Niu, S., Yabut, O., & D'Arcangelo, G. (2008). The Reelin Signaling Pathway Promotes Dendritic Spine Development in Hippocampal Neurons. *Journal of Neuroscience*, 28(41), 10339-10348. doi: 10.1523/jneurosci.1917-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10339>
- Niv, F., Keiner, S., Witte, O. W., Lie, C. D., & Redecker, C. (2012). Aberrant Neurogenesis After Stroke A Retroviral Cell Labeling Study. *Stroke*. doi.
- Noakes, Z., Keefe, F., Tamburini, C., Kelly, C. M., Cruz Santos, M., Dunnett, S. B., . . . Li, M. (2019). Human Pluripotent Stem Cell-Derived Striatal Interneurons: Differentiation and Maturation In Vitro and in the Rat Brain. *Stem Cell Reports*. doi: <https://doi.org/10.1016/j.stemcr.2018.12.014>. <http://www.sciencedirect.com/science/article/pii/S2213671118305332>
- Nobili, A., Krashia, P., Cordella, A., La Barbera, L., Dell'Acqua, M. C., Caruso, A., . . . D'Amelio, M. (2018). Ambra1 Shapes Hippocampal Inhibition/Excitation Balance: Role in Neurodevelopmental Disorders. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0911-5. <https://doi.org/10.1007/s12035-018-0911-5>
- Nobili, A., Latagliata, E. C., Viscomi, M. T., Cavallucci, V., Cutuli, D., Giacobuzzo, G., . . . D'Amelio, M. (2017). Dopamine neuronal loss contributes to memory and reward dysfunction in a model of Alzheimer's disease. [Article]. *Nature Communications*, 8, 14727. doi: 10.1038/ncomms14727
<https://www.nature.com/articles/ncomms14727#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14727>
- Nobili, P., Colciaghi, F., Finardi, A., Zambon, S., Locatelli, D., & Battaglia, G. S. (2015). Continuous neurodegeneration and death pathway activation in neurons and glia in an experimental model of severe chronic epilepsy. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2015.08.002>. <http://www.sciencedirect.com/science/article/pii/S0969996115300231>
- Nobrega-Pereira, S., Gelman, D., Bartolini, G., Pla, R., Pierani, A., & Marin, O. (2010). Origin and Molecular Specification of Globus Pallidus Neurons. *Journal of Neuroscience*, 30(8), 2824-2834. doi: 10.1523/jneurosci.4023-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/8/2824>
- Noctor, S. C., Palmer, S. L., Hasling, T., & Juliano, S. L. (1999). Interference with the development of early generated neocortex results in disruption of radial glia and abnormal formation of neocortical layers. *Cerebral Cortex*, 9(2), 121-136. doi.

Noctor, S. C., Palmer, S. L., McLaughlin, D. F., & Juliano, S. L. (2001). Disruption of Layers 3 and 4 during Development Results in Altered Thalamocortical Projections in Ferret Somatosensory Cortex. *Journal of Neuroscience*, 21(9), 3184-3195. doi: <http://www.jneurosci.org/cgi/content/abstract/21/9/3184>

Nodal, F. R., Bajo, V. M., & King, A. J. (2010). Role of Primary Auditory Cortex in Acoustic Orientation and Approach-to-Target Responses. *Neurophysiological Bases of Auditory Perception*, 581-593. doi:

Nodal, F. R., Bajo, V. M., & King, A. J. (2012). Plasticity of spatial hearing: behavioural effects of cortical inactivation. *Journal of Physiology*. doi:

Nodal, F. R., Kacelnik, O., Bajo, V. M., Bizley, J. K., Moore, D. R., & King, A. J. (2009). Lesions of the Auditory Cortex impair Azimuthal Sound Localization and its Recalibration in Ferrets. *Journal of Neurophysiology*, 00991.02009. doi: 10.1152/jn.00991.2009. <http://jn.physiology.org/cgi/content/abstract/00991.2009v1>

Noerenberg, A., Hu, H., Vida, I., Bartos, M., & Jonas, P. (2009). Distinct nonuniform cable properties optimize rapid and efficient activation of fast-spiking GABAergic interneurons. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0910716107. <http://www.pnas.org/content/early/2009/12/15/0910716107.abstract>

Noga, B. R., Johnson, D. M. G., Riesgo, M. I., & Pinzon, A. (2009). Locomotor-activated neurons of the cat. I. Serotonergic innervation and co-localization of 5-HT₇, 5-HT_{2A} and 5-HT_{1A} receptors in the thoraco-lumbar spinal cord. *Journal of Neurophysiology*, 91179.92008. doi: 10.1152/jn.91179.2008. <http://jn.physiology.org/cgi/content/abstract/91179.2008v1>

Noga, B. R., Johnson, D. M. G., Riesgo, M. I., & Pinzon, A. (2011). Locomotor-activated neurons of the cat. II. Noradrenergic innervation and colocalization with NE α 1a or NE α 2b receptors in the thoraco-lumbar spinal cord. *Journal of Neurophysiology*, 105(4), 1835-1849. doi:

Nolano, M., Provitera, V., Caporaso, G., Stancanelli, A., Leandri, M., Biasiotta, A., . . . Truini, A. (2012). Cutaneous innervation of the human face as assessed by skin biopsy. *Journal of Anatomy*, n/a-n/a. doi: 10.1111/joa.12001. <http://dx.doi.org/10.1111/joa.12001>

Nolano, M., Provitera, V., Caporaso, G., Stancanelli, A., Vitale, D. F., & Santoro, L. (2010). Quantification of pilomotor nerves: A new tool to evaluate autonomic involvement in diabetes. *Neurology*, 75(12), 1089-1097. doi: 10.1212/WNL.ob013e3181f39cf4. <http://www.neurology.org/cgi/content/abstract/75/12/1089>

Nolano, M., Provitera, V., Crisci, C., Saltalamacchia, A. M., Wendelschafer-Crabb, G., Kennedy, W. R., . . . Caruso, G. (2001). Small fibers involvement in Friedreich's ataxia. *Annals of Neurology*, 50(1), 17-25. doi:

Nolano, M., Provitera, V., Crisci, C., Stancanelli, A., Wendelschafer-Crabb, G., Kennedy, W. R., & Santoro, L. (2003). Quantification of myelinated endings and mechanoreceptors in human digital skin. *Annals of Neurology*, 54(2), 197-205. doi:

Nolano, M., Provitera, V., Estraneo, A., Selim, M. M., Caporaso, G., Stancanelli, A., . . . Santoro, L. (2008). Sensory deficit in Parkinson's disease: evidence of a cutaneous denervation. *Brain*, awn102. doi: 10.1093/brain/awn102. <http://brain.oxfordjournals.org/cgi/content/abstract/awn102v1>

Nolano, M., Provitera, V., Perretti, A., Saltalamacchia, A. M., Tugnoli, V., Donadio, V., . . . Santoro, L. (2004). Cutaneous innervation in ross syndrome: a functional and morphological study in 8 patients.

Journal of the Peripheral Nervous System, 9(2), 114-114. doi: doi:10.1111/j.1085-9489.2004.009209ah.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Nolano, M., Provitera, V., Perretti, A., Stancanelli, A., Saltalamacchia, A. M., Donadio, V., . . . Santoro, L. (2006). Ross syndrome: a rare or a misknown disorder of thermoregulation? A skin innervation study on 12 subjects. *Brain*, 129(8), 2119-2131. doi: 10.1093/brain/awl175. <http://brain.oxfordjournals.org/cgi/content/abstract/129/8/2119>

Nolano, M., Simone, D. A., Wendelschafer-Crabb, G., Johnson, T., Hazen, E., & Kennedy, W. R. (1999). Topical capsaicin in humans: parallel loss of epidermal nerve fibers and pain sensation. *Pain*, 81(1-2), 135-145. doi.

Noma, N., Tsuboi, Y., Kondo, M., Matsumoto, M., Sessle, B. J., Kitagawa, J., . . . Iwata, K. (2008). Organization of pERK-immunoreactive cells in trigeminal spinal nucleus caudalis and upper cervical cord following capsaicin injection into oral and craniofacial regions in rats. *Journal of Comparative Neurology*, 507(3), 1428-1440. doi.

Noma, N., Watanabe, K., Sato, Y., Imamura, Y., Yamamoto, Y., Ito, R., . . . Iwata, K. (2016). Botulinum neurotoxin type A alleviates mechanical hypersensitivity associated with infraorbital nerve constriction injury in rats. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2016.11.043>. <http://www.sciencedirect.com/science/article/pii/S0304394016308953>

Noma, S., Ohya-Shimada, W., Kanai, M., Ueda, K., Nakamura, T., & Funakoshi, H. (2012). Overexpression of HGF attenuates the degeneration of Purkinje cells and Bergmann glia in a knockin mouse model of spinocerebellar ataxia type 7. *Neuroscience Research*. doi.

Nonaka-Kinoshita, M., Reillo, I., Artegiani, B., Martínez-Martínez, M. Á., Nelson, M., Borrell, V., & Calegari, F. (2013). Regulation of cerebral cortex size and folding by expansion of basal progenitors. *The EMBO journal*. doi.

Nonkes, L. J. P., & Homberg, J. R. (2012). Perseverative instrumental and Pavlovian responding to conditioned stimuli in serotonin transporter knockout rats. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2012.12.004>. <http://www.sciencedirect.com/science/article/pii/S1074742712001815>

Nonkes, L. J. P., Tomson, K., M\æartin, A., Dederen, J., Roald Maes, J. H., & Homberg, J. (2010). Orbitofrontal cortex and amygdalar over-activity is associated with an inability to use the value of expected outcomes to guide behaviour in serotonin transporter knockout rats. *Neurobiology of Learning and Memory*, 94(1), 65-72. doi.

Norden, D., & Godbout, J. (2013). Review: microglia of the aged brain: primed to be activated and resistant to regulation. *Neuropathology and Applied Neurobiology*, 39, 19 - 34. doi.

Nordengen, K., Heuser, C., Rinholm, J., Matalon, R., & Gundersen, V. (2013). Localisation of N-acetylaspartate in oligodendrocytes/myelin. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-013-0691-7. <http://dx.doi.org/10.1007/s00429-013-0691-7>

Nordengen, K., Morland, C., Slusher, B. S., & Gundersen, V. (2019). Dendritic Localization and Exocytosis of NAAG in the Rat Hippocampus. *Cerebral Cortex*. doi: 10.1093/cercor/bhz176. <https://doi.org/10.1093/cercor/bhz176>

Notsu, E., & Toida, K. (2019). Examination of morphological and synaptic features of calbindin-immunoreactive neurons in deep layers of the rat olfactory bulb with correlative laser and volume electron microscopy. *Microscopy*. doi: 10.1093/jmicro/dfz019. <https://doi.org/10.1093/jmicro/dfz019>

Novak, V., Freimer, M. L., Kissel, J. T., Sahenk, Z., Periquet, I. M., Nash, S. M., . . . Mendell, J. R. (2001). Autonomic impairment in painful neuropathy. *Neurology*, 56(7), 861-868. doi: <http://www.neurology.org/cgi/content/abstract/56/7/861>

Nowacek, A. S., & Sengelau, D. R. (2006). Estrogenic support of motoneuron dendritic growth via the neuromuscular periphery in a sexually dimorphic motor system. *Journal of Neurobiology*, 66(9), 962-976. doi.

Nowotschin, S., Setty, M., Kuo, Y.-Y., Liu, V., Garg, V., Sharma, R., . . . Pe'er, D. (2019). The emergent landscape of the mouse gut endoderm at single-cell resolution. *Nature*. doi: 10.1038/s41586-019-1127-1. <https://doi.org/10.1038/s41586-019-1127-1>

Noye Tuplin, E. W., & Holahan, M. R. (2019). Exploring time-dependent changes in conditioned place preference for food reward and associated changes in the nucleus accumbens. *Behavioural Brain Research*, 361, 14-25. doi: <https://doi.org/10.1016/j.bbr.2018.12.031>. <http://www.sciencedirect.com/science/article/pii/S0166432818311367>

Nugent, B. M., Wright, C. L., Shetty, A. C., Hodes, G. E., Lenz, K. M., Mahurkar, A., . . . McCarthy, M. M. (2015). Brain feminization requires active repression of masculinization via DNA methylation. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.3988

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3988.html#suppl> <http://dx.doi.org/10.1038/nn.3988>

Nunes, A. C. L., Duarte, R. B., Sousa, T. B., dos Santos, J. R., Freire, M. A. M., & Costa, M. S. M. O. (2010). Expression of the immediate-early gene *egr-1* and substance P in the spinal cord following locomotor training in adult rats. *Brain Research*, 1345, 125-136. doi.

Nunez, J. L., Alt, J. J., & McCarthy, M. M. (2003). A new model for prenatal brain damage: i. GABAA receptor activation induces cell death in developing rat hippocampus. *Experimental Neurology*, 181(2), 258-269. doi.

Nunez, J. L., Alt, J. J., & McCarthy, M. M. (2003). A novel model for prenatal brain damage: ii. long-term deficits in hippocampal cell number and hippocampal-dependent behavior following neonatal GABAA receptor activation. *Experimental Neurology*, 181(2), 270-280. doi.

Nunez, J. L., Kim, Y., & Juraska, J. M. (1998). Neonatal cryoanesthesia affects the morphology of the visual cortex in the adult rat. *Developmental Brain Research*, 111(1), 89-98. doi.

Nunez, J. L., & McCarthy, M. M. (2003). Estradiol Exacerbates Hippocampal Damage in a Model of Preterm Infant Brain Injury. *Endocrinology*, 144(6), 2350-2359. doi: 10.1210/en.2002-220840. <http://endo.endojournals.org/cgi/content/abstract/144/6/2350>

Nuñez, J. L., & McCarthy, M. M. (2004). Cell death in the rat hippocampus in a model of prenatal brain injury: time course and expression of death-related proteins. *Neuroscience*, 129(2), 393-402. doi.

Núñez, J. L., & McCarthy, M. M. (2008). Androgens predispose males to GABA_A-mediated excitotoxicity in the developing hippocampus. *Experimental Neurology*, 210(2), 699-708. doi.

Nuseir, K., & Proudfit, H. K. (2000). Bidirectional modulation of nociception by GABA neurons in the dorsolateral pontine tegmentum that tonically inhibit spinally projecting noradrenergic A7 neurons. *Neuroscience*, 96(4), 773-783. doi.

O'Brien, B. J., Abel, P. L., & Olavarria, J. F. (2002). Connections of calbindin-D28k-defined subdivisions in inferior pulvinar with visual areas V2, V4 and MT in macaque monkeys. *Thalamus and Related Systems*, 1(04), 317-330. doi.

O'Reilly, K., Flatberg, A., Islam, S., Olsen, L., Kruge, I., & Witter, M. (2014). Identification of dorsal-ventral hippocampal differentiation in neonatal rats. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-014-0831-8. <http://dx.doi.org/10.1007/s00429-014-0831-8>

O'Reilly, K. C., Levy, E. R. J., Patino, A. V., Perica, M. I., & Fenton, A. A. (2018). Sub-circuit alterations in dorsal hippocampus structure and function after global neurodevelopmental insult. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1704-3. <https://doi.org/10.1007/s00429-018-1704-3>

Oberheim, N., Takano, T., Han, X., He, W., Lin, J., Wang, F., . . . Nedergaard, M. (2009). Uniquely hominid features of adult human astrocytes. *Journal of Neuroscience*, 29, 3276 - 3287. doi.

Oberlaender, M., Boudewijns, Z. S. R. M., Kleele, T., Mansvelder, H. D., Sakmann, B., & de Kock, C. P. J. (2011). Three-dimensional axon morphologies of individual layer 5 neurons indicate cell type-specific intracortical pathways for whisker motion and touch. *Proceedings of the National Academy of Sciences*, 108(10), 4188-4193. doi: 10.1073/pnas.1100647108. <http://www.pnas.org/content/108/10/4188.abstract>

Oberlaender, M., Bruno, R. M., Sakmann, B., & Broser, P. J. (2007). Transmitted light brightfield mosaic microscopy for three-dimensional tracing of single neuron morphology. *Journal of biomedical optics*, 12, 064029-064029. doi.

Oberlaender, M., de Kock, C. P. J., Bruno, R. M., Ramirez, A., Meyer, H. S., Dercksen, V. J., . . . Sakmann, B. (2011). Cell Type-Specific Three-Dimensional Structure of Thalamocortical Circuits in a Column of Rat Vibrissal Cortex. *Cerebral Cortex*, bhr317. doi: 10.1093/cercor/bhr317. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr317v1>

Oberlaender, M., Ramirez, A., & Bruno, Randy M. (2012). Sensory Experience Restructures Thalamocortical Axons during Adulthood. *Neuron*, 74(4), 648-655. doi: 10.1016/j.neuron.2012.03.022. <http://www.sciencedirect.com/science/article/pii/S0896627312002905>

Obernier, K., Cebrian-Silla, A., Thomson, M., Parraguez, J. I., Anderson, R., Guinto, C., . . . Alvarez-Buylla, A. (2018). Adult Neurogenesis Is Sustained by Symmetric Self-Renewal and Differentiation. *Cell Stem Cell*, 22(2), 221-234.e228. doi: <https://doi.org/10.1016/j.stem.2018.01.003>. <https://www.sciencedirect.com/science/article/pii/S1934590918300031>

O'Blenes, S. B., Li, A. W., Chen, R., Arora, R. C., & Horackova, M. (2010). Engraftment is optimal when myoblasts are transplanted early: the role of hepatocyte growth factor. *Annals of Thoracic Surgery*, 89(3), 829-835. doi.

- Oboti, L., Savalli, G., Giachino, C., De Marchis, S., Panzica, G. C., Fasolo, A., & Peretto, P. (2009). Integration and sensory experience-dependent survival of newly-generated neurons in the accessory olfactory bulb of female mice. *European Journal of Neuroscience*, 29(4), 679-692. doi.
- Oboti, L., Schellino, R., Giachino, C., Chamero, P., Pyrski, M., Leinders-Zufall, T., . . . Peretto, P. (2011). Newborn interneurons in the accessory olfactory bulb promote mate recognition in female mice. *Frontiers in Neuroscience*, 5. doi.
- O'Brien, B. J., Abel, P. L., & Olavarria, J. F. (1997). A morphological anomaly of the dorsal lateral geniculate nucleus in *Macaca fascicularis*. *Cell and Tissue Research*, 289(1), 11-16. doi.
- O'Brien, B. J., Abel, P. L., & Olavarria, J. F. (2001). The retinal input to calbindin-D28k-defined subdivisions in macaque inferior pulvinar. *Neuroscience Letters*, 312(3), 145-148. doi.
- O'Bryant, A., Bernier, B., & Jones, T. A. (2007). Abnormalities in skilled reaching movements are improved by peripheral anesthetization of the less-affected forelimb after sensorimotor cortical infarcts in rats. *Behavioural Brain Research*, 177(2), 298-307. doi.
- Odajima, J., Wills, Z. P., Ndassa, Y. M., Terunuma, M., Kretschmannova, K., Deeb, T. Z., . . . others. (2011). Cyclin E constrains Cdk5 activity to regulate synaptic plasticity and memory formation. *Developmental cell*. doi.
- Odeh, F., Ackerley, R., Bjaalie, J. G., & Apps, R. (2005). Pontine Maps Linking Somatosensory and Cerebellar Cortices Are in Register with Climbing Fiber Somatotopy. *Journal of Neuroscience*, 25(24), 5680-5690. doi. <http://www.jneurosci.org/cgi/content/abstract/25/24/5680>
- Odeh, F., & Antal, M. (2001). The projections of the midbrain periaqueductal grey to the pons and medulla oblongata in rats. *European Journal of Neuroscience*, 14(8), 1275. doi.
- Odeh, F., Antal, M., & Zagon, A. (2003). Heterogeneous synaptic inputs from the ventrolateral periaqueductal gray matter to neurons responding to somatosensory stimuli in the rostral ventromedial medulla of rats. *Brain Research*, 959(2), 287-294. doi.
- Odeh, F., Leergaard, T. B., Boy, J., Schmidt, T., Riess, O., & Bjaalie, J. G. (2011). Atlas of transgenic Tet-Off Ca²⁺/calmodulin-dependent protein kinase II and prion protein promoter activity in the mouse brain. *Neuroimage*, 54(4), 2603-2611. doi.
- O'Donnell, S., Donlan, N. A., & Jones, T. A. (2004). Mushroom body structural change is associated with division of labor in eusocial wasp workers (*Polybia aequatorialis*, Hymenoptera: Vespidae). *Neuroscience Letters*, 356(3), 159-162. doi.
- Oga, T., Okamoto, T., & Fujita, I. (2016). Basal Dendrites of Layer-III Pyramidal Neurons do not Scale with Changes in Cortical Magnification Factor in Macaque Primary Visual Cortex. [Original Research]. *Frontiers in neural circuits*, 10(74). doi: 10.3389/fncir.2016.00074. <http://journal.frontiersin.org/article/10.3389/fncir.2016.00074>
- Ogawa, M., Nagai, T., Saito, Y., Miyaguchi, H., Kumakura, K., Abe, K., & Asakura, T. (2018). Short-term mastication after weaning upregulates GABAergic signalling and reduces dendritic spine in thalamus. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2018.03.032> <https://www.sciencedirect.com/science/article/pii/S0006291X18305060>

Oginsky, M. F., Rodgers, E. W., Clark, M. C., Simmons, R., Krenz, W. D. C., & Baro, D. J. (2010). D2 receptors receive paracrine neurotransmission and are consistently targeted to a subset of synaptic structures in an identified neuron of the crustacean stomatogastric nervous system. *Journal of Comparative Neurology*, 518(3), 255-276. doi.

Oh, K. B., Stanton, M. J., West, W. W., Todd, G. L., & Wagner, K.-U. (2007). Tsg101 is upregulated in a subset of invasive human breast cancers and its targeted overexpression in transgenic mice reveals weak oncogenic properties for mammary cancer initiation. *Oncogene*. doi.

Oh, Y.-M., Karube, F., Takahashi, S., Kobayashi, K., Takada, M., Uchigashima, M., . . . Fujiyama, F. (2016). Using a novel PV-Cre rat model to characterize pallidonigral cells and their terminations. [journal article]. *Brain Structure and Function*, 1-20. doi: 10.1007/s00429-016-1346-2. <http://dx.doi.org/10.1007/s00429-016-1346-2>

Ohab, J. J., Fleming, S., Blesch, A., & Carmichael, S. T. (2006). A Neurovascular Niche for Neurogenesis after Stroke. *Journal of Neuroscience*, 26(50), 13007-13016. doi: 10.1523/jneurosci.4323-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/50/13007>

Ohana, O., Portner, H., & Martin, K. A. C. (2012). Fast Recruitment of Recurrent Inhibition in the Cat Visual Cortex. *PLoS ONE*, 7(7), e40601. doi: 10.1371/journal.pone.0040601. <http://dx.doi.org/10.1371%2Fjournal.pone.0040601>

Ohana, O., & Sakmann, B. (1998). Transmitter release modulation in nerve terminals of rat neocortical pyramidal cells by intracellular calcium buffers. *Journal of Physiology*, 513(1), 135-148. doi. <http://jp.physoc.org/cgi/content/abstract/513/1/135>

Ohara, P. T., & Havton, L. A. (1994). Dendritic architecture of rat somatosensory thalamocortical projection neurons. *Journal of Comparative Neurology*, 341, 159-171. doi.

Ohara, P. T., & Havton, L. A. (1996). Dendritic arbors of neurons from different regions of the rat thalamic reticular nucleus share a similar orientation. *Brain Research*, 728, 236-240. doi.

Ohgomori, T., Yamada, J., Takeuchi, H., Kadomatsu, K., & Jinno, S. (2016). Comparative morphometric analysis of microglia in the spinal cord of SOD1G93A transgenic mouse model of amyotrophic lateral sclerosis. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13227. <http://dx.doi.org/10.1111/ejn.13227>

Ohkubo, Y., Uchida, A. O., Shin, D., Partanen, J., & Vaccarino, F. M. (2004). Fibroblast Growth Factor Receptor 1 Is Required for the Proliferation of Hippocampal Progenitor Cells and for Hippocampal Growth in Mouse. *Journal of Neuroscience*, 24(27), 6057-6069. doi. <http://www.jneurosci.org/cgi/content/abstract/24/27/6057>

Ohm, D. T., Bloss, E. B., Janssen, W. G., Dietz, K. C., Wadsworth, S., Lou, W., . . . Morrison, J. H. (2012). Clinically Relevant Hormone Treatments Fail to Induce Spinogenesis in Prefrontal Cortex of Aged Female Rhesus Monkeys. *Journal of Neuroscience*, 32(34), 11700-11705. doi: 10.1523/jneurosci.1881-12.2012. <http://www.jneurosci.org/content/32/34/11700.abstract>

Ohman-Gault, L., Huang, T., & Krimm, R. (2017). The transcription factor Phox2b distinguishes between oral and non-oral sensory neurons in the geniculate ganglion. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24312. <http://dx.doi.org/10.1002/cne.24312>

- Ohmura, N., Kawasaki, K., Satoh, T., & Hata, Y. (2014). In vivo electroporation to physiologically identified deep brain regions in postnatal mammals. *Brain Structure and Function*, 1-10. doi: 10.1007/s00429-014-0724-x. <http://dx.doi.org/10.1007/s00429-014-0724-x>
- Oi, H., Partida, G. J., Lee, S. C., Ishida, A. T., Altomare, C., Bucchi, A., . . . others. (2010). HCN4-like immunoreactivity in rat retinal ganglion cells. *Visual Neuroscience*, 25(1), 95-95. doi.
- Ojima, H., & Takayanagi, M. (2004). Cortical convergence from different frequency domains in the cat primary auditory cortex. *Neuroscience*, 126(1), 203-212. doi.
- Ojima, H., Takayanagi, M., Potapov, D., & Homma, R. (2005). Isofrequency band-like zones of activation revealed by optical imaging of intrinsic signals in the cat primary auditory cortex. *Cerebral Cortex*, 15(10), 1497-1509. doi.
- Okada, T., Yoshioka, M., Inoue, K., & Kawai, Y. (2006). Local axonal arborization patterns of distinct neuronal types in the caudal nucleus of the tractus solitarius. *Brain Research*, 1083(1), 134-144. doi.
- Okada-Ogawa, A., Suzuki, I., Sessle, B. J., Chiang, C.-Y., Salter, M. W., Dostrovsky, J. O., . . . Iwata, K. (2009). Astroglia in Medullary Dorsal Horn (Trigeminal Spinal Subnucleus Caudalis) Are Involved in Trigeminal Neuropathic Pain Mechanisms. *Journal of Neuroscience*, 29(36), 11161-11171. doi: 10.1523/jneurosci.3365-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/36/11161>
- Okino, E., Morita, S., Hoshikawa, Y., & Tsukahara, S. (2020). The glutamatergic system in the preoptic area is involved in the retention of maternal behavior in maternally experienced female rats. *Psychoneuroendocrinology*, 120, 104792. doi: <https://doi.org/10.1016/j.psyneuen.2020.104792>. <http://www.sciencedirect.com/science/article/pii/S0306453020302134>
- Okusa, M. D. (2002). The Inflammatory Cascade in Acute Ischemic Renal Failure. *Nephron*, 90(2), 133-138. doi. <http://www.karger.com/DOI/10.1159/000049032>
- Okusa, M. D., Linden, J., Huang, L., Rieger, J. M., Macdonald, T. L., & Huynh, L. P. (2000). A2A adenosine receptor-mediated inhibition of renal injury and neutrophil adhesion. *American Journal of Physiology - Renal Physiology*, 279(5), F809-818. doi. <http://ajprenal.physiology.org/cgi/content/abstract/279/5/F809>
- Oláh, S., Füle, M., Komlósi, G., Varga, C., Báldi, R., Barzó, P., & Tamás, G. (2009). Regulation of cortical microcircuits by unitary GABA-mediated volume transmission. *Nature*, 461(7268), 1278-1281. doi.
- Oláh, S., Komlósi, G., Szabadics, J., Varga, C., Tóth, É., Barzó, P., & Tamás, G. (2007). Output of neurogliaform cells to various neuron types in the human and rat cerebral cortex. *Frontiers in Neural Circuits*, 1. doi.
- Olariu, A., Cleaver, K. M., & Cameron, H. A. (2007). Decreased neurogenesis in aged rats results from loss of granule cell precursors without lengthening of the cell cycle. *Journal of Comparative Neurology*, 501(4), 659-667. doi.
- Olariu, A., Cleaver, K. M., Shore, L. E., Brewer, M. D., & Cameron, H. A. (2005). A natural form of learning can increase and decrease the survival of new neurons in the dentate gyrus. *Hippocampus*, 15(6), 750-762. doi.

- Olavarria, J. F. (1995). The effect of visual deprivation on the number of callosal cells in the cat is less pronounced in extrastriate cortex than in the 17/18 border region. *Neuroscience Letters*, 195(3), 147-150. doi.
- Olavarria, J. F. (2001). Callosal connections correlate preferentially with ipsilateral cortical domains in cat areas 17 and 18, and with contralateral domains in the 17/18 transition zone. *Journal of Comparative Neurology*, 433(4), 441-457. doi.
- Olavarria, J. F., & Abel, P. L. (1996). The distribution of callosal connections correlates with the pattern of cytochrome oxidase stripes in visual area V2 of macaque monkeys. *Cerebral Cortex*, 6(4), 631-639. doi.
- Olavarria, J. F., & Hiroi, R. (2003). Retinal influences specify cortico-cortical maps by postnatal day six in rats and mice. *Journal of Comparative Neurology*, 459(2), 156-172. doi.
- Olavarria, J. F., Laing, R., Hiroi, R., & Lasiene, J. (2008). Topography and axon arbor architecture in the visual callosal pathway: effects of deafferentation and blockade of TV-methyl-D-aspartate receptors. *Biological Research*, 41(4), 413-424. doi.
- Olavarria, J. F., & Li, C. (1995). Effects of neonatal enucleation on the organization of callosal linkages in striate cortex of the rat. *Journal of Comparative Neurology*, 361(1), 138-151. doi.
- Olavarria, J. F., van Brederode, J. F. M., & Spain, W. J. (2007). Retinal influences induce bidirectional changes in the kinetics of n-methyl-d-aspartate receptor-mediated responses in striate cortex cells during postnatal development. *Neuroscience*, 148(3), 683-699. doi.
- Olave, M. J., & Maxwell, D. J. (2003). Axon terminals possessing the α 2c-adrenergic receptor in the rat dorsal horn are predominantly excitatory. *Brain Research*, 965(1-2), 269-273. doi.
- Olave, M. J., & Maxwell, D. J. (2003). Neurokinin-1 projection cells in the rat dorsal horn receive synaptic contacts from axons that possess α 2C-adrenergic receptors. *Journal of Neuroscience*, 23(17), 6837-6846. doi.
- Olave, M. J., & Maxwell, D. J. (2004). Axon terminals possessing α 2C-adrenergic receptors densely innervate neurons in the rat lateral spinal nucleus which respond to noxious stimulation. *Neuroscience*, 126(2), 391-403. doi.
- Olave, M. J., Puri, N., Kerr, R., & Maxwell, D. J. (2002). Myelinated and unmyelinated primary afferent axons form contacts with cholinergic interneurons in the spinal dorsal horn. *Experimental Brain Research*, 145(4), 448-456. doi.
- Oldenbeuving, A. W., Eisenman, L. M., De Zeeuw, C. I., & Ruigrok, T. J. H. (1999). Inferior olivary-induced expression of Fos-like immunoreactivity in the cerebellar nuclei of wild-type and Lurcher mice. *European Journal of Neuroscience*, 11(11), 3809-3822. doi: doi:10.1046/j.1460-9568.1999.00796.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1999.00796.x>
- Oliva, A. A., Jr, Jiang, M., Lam, T., Smith, K. L., & Swann, J. W. (2000). Novel Hippocampal Interneuronal Subtypes Identified Using Transgenic Mice That Express Green Fluorescent Protein in GABAergic Interneurons. *Journal of Neuroscience*, 20(9), 3354-3368. doi. <http://www.jneurosci.org/cgi/content/abstract/20/9/3354>

Oliva, A. A., Kang, Y., Furones, C., Alonso, O. F., Bruno, O., Dalton Dietrich, W., & Atkins, C. M. (2012). Phosphodiesterase isoform-specific expression induced by traumatic brain injury. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12049. <http://dx.doi.org/10.1111/jnc.12049>

Oliveira, M., Rodrigues, A. J., Leão, P., Cardona, D., Pêgo, J. M., & Sousa, N. (2011). The bed nucleus of stria terminalis and the amygdala as targets of antenatal glucocorticoids: implications for fear and anxiety responses. *Psychopharmacology*, 1-11. doi.

Oliver, D. L., Beckius, G. E., Bishop, D. C., Loftus, W. C., & Batra, R. (2003). Topography of Interaural Temporal Disparity Coding in Projections of Medial Superior Olive to Inferior Colliculus. *Journal of Neuroscience*, 23(19), 7438-7449. doi. <http://www.jneurosci.org/cgi/content/abstract/23/19/7438>

Oliver, D. L., Ostapoff, E. M., & Beckius, G. E. (1999). Direct innervation of identified tectothalamic neurons in the inferior colliculus by axons from the cochlear nucleus. *Neuroscience*, 93(2), 643-658. doi.

Olivier, J. D. A., de Jong, T. R., Jos Dederen, P., van Oorschot, R., Heeren, D., Pattij, T., . . . others. (2007). Effects of acute and chronic apomorphine on sex behavior and copulation-induced neural activation in the male rat. *European Journal of Pharmacology*, 576(1-3), 61-76. doi.

Olivier, J. D. A., Van Der Hart, M. G. C., Van Swelm, R. P. L., Dederen, P. J., Homberg, J. R., Cremers, T., . . . Ellenbroek, B. A. (2008). A study in male and female 5-HT transporter knockout rats: an animal model for anxiety and depression disorders. *Neuroscience*, 152(3), 573-584. doi.

Olsbo, V., Myllymäki, M., Waller, L. A., & Särkkä, A. (2013). Development and evaluation of spatial point process models for epidermal nerve fibers. *Mathematical Biosciences*, (0). doi: <http://dx.doi.org/10.1016/j.mbs.2013.03.001>. <http://www.sciencedirect.com/science/article/pii/S0025556413000734>

Olsen, G. M., Ohara, S., Iijima, T., & Witter, M. P. (2016). Parahippocampal and retrosplenial connections of rat posterior parietal cortex. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22701. <http://dx.doi.org/10.1002/hipo.22701>

Olsen, G. M., & Witter, M. P. (2016). The posterior parietal cortex of the rat: architectural delineation and thalamic differentiation. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24032. <http://dx.doi.org/10.1002/cne.24032>

Olson, A. J., Picones, A., & Korenbrot, J. I. (2000). Developmental Switch in Excitability, Ca²⁺ and K⁺ Currents of Retinal Ganglion Cells and Their Dendritic Structure. *Journal of Neurophysiology*, 84(4), 2063-2077. doi. <http://jn.physiology.org/cgi/content/abstract/84/4/2063>

Olson, C. R., Rodrigues, P. V., Jeong, J. K., Prah, D. J., & Mello, C. V. (2011). Organization and development of zebra finch HVC and paraHVC based on expression of zRalDH, an enzyme associated with retinoic acid production. *Journal of Comparative Neurology*, 519(1), 148-161. doi: 10.1002/cne.22510. <http://dx.doi.org/10.1002/cne.22510>

Oltedal, L., Veruki, M. L., & Hartveit, E. (2009). Passive membrane properties and electrotonic signal processing in retinal rod bipolar cells. *Journal of Physiology*, jphysiol.2008.165415. doi: 10.1113/jphysiol.2008.165415. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.165415v1>

Omelian, J. M., Poe, M. J., Gomez, A. M., Apa, K. L., & Sollars, S. I. (2015). Developmental time course of peripheral cross-modal sensory interaction of the trigeminal and gustatory systems. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22349. <http://dx.doi.org/10.1002/dneu.22349>

Omelian, J. M., Samson, K. K., & Sollars, S. I. (2016). Chronic Oral Capsaicin Exposure During Development Leads to Adult Rats with Reduced Taste Bud Volumes. [journal article]. *Chemosensory Perception*, 1-10. doi: 10.1007/s12078-016-9214-2. <http://dx.doi.org/10.1007/s12078-016-9214-2>

On, V., Zahedi, A., Ethell, I. M., & Bhanu, B. (2017). Automated spatio-temporal analysis of dendritic spines and related protein dynamics. *PLoS ONE*, 12(8), e0182958. doi: 10.1371/journal.pone.0182958. <https://doi.org/10.1371/journal.pone.0182958>

Onge, J. R. S., Stopper, C. M., Zahm, D. S., & Floresco, S. B. (2012). Separate Prefrontal-Subcortical Circuits Mediate Different Components of Risk-Based Decision Making. *Journal of Neuroscience*, 32(8), 2886-2899. doi.

Onochie, I. N. (2017). Pre-Synaptic and Post-Synaptic Pathways from the Hippocampus to Medial Prefrontal Cortex in Rhesus Monkeys. Boston University. Retrieved from <https://search.proquest.com/openview/9f6d445eb89c10eabdfd5daabb133839/1?...>

Opala, E. A., Verlezza, S., Long, H., Rusu, D., Woodside, B., & Walker, C.-D. (2019). Experience of Adversity during a First Lactation Modifies Prefrontal Cortex Morphology in Primiparous Female Rats: Lack of Long Term Effects on a Subsequent Lactation. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.022>. <http://www.sciencedirect.com/science/article/pii/S0306452219305937>

Orefice, L., & Xu, B. (2016). Tools for Analyzing the Role of Local Protein Synthesis in Synaptic Plasticity. In N. Karpova (Ed.), *Epigenetic Methods in Neuroscience Research* (Vol. 105, pp. 175-193): Springer New York.

Orefice, L. L., Shih, C.-C., Xu, H., Waterhouse, E. G., & Xu, B. (2016). Control of spine maturation and pruning through proBDNF synthesized and released in dendrites. *Molecular and Cellular Neuroscience*, 71, 66-79. doi: <http://dx.doi.org/10.1016/j.mcn.2015.12.010>. <http://www.sciencedirect.com/science/article/pii/S104474311530049X>

Orefice, L. L., Waterhouse, E. G., Partridge, J. G., Lalchandani, R. R., Vicini, S., & Xu, B. (2013). Distinct Roles for Somatically and Dendritically Synthesized Brain-Derived Neurotrophic Factor in Morphogenesis of Dendritic Spines. *Journal of Neuroscience*, 33(28), 11618-11632. doi: 10.1523/jneurosci.0012-13.2013. <http://www.jneurosci.org/content/33/28/11618.abstract>

Orlando, C., & Raineteau, O. (2014). Integrity of cortical perineuronal nets influences corticospinal tract plasticity after spinal cord injury. *Brain Structure and Function*, 1-15. doi. <http://link.springer.com/article/10.1007/s00429-013-0701-9/fulltext.html>

Orlowski, D., & Bjarkam, C. R. (2012). A simple reproducible and time saving method of semi-automatic dendrite spine density estimation compared to manual spine counting. *Journal of Neuroscience Methods*, (0). doi: 10.1016/j.jneumeth.2012.05.009. <http://www.sciencedirect.com/science/article/pii/S0165027012001628>

Orman, R. (2015). Claustrum: a case for directional, excitatory, intrinsic connectivity in the rat. *The Journal of Physiological Sciences*, 1-12. doi: 10.1007/s12576-015-0391-6. <http://dx.doi.org/10.1007/s12576-015-0391-6>

Orner, D., Chen, C.-C., Orner, D., & Brumberg, J. (2013). Alterations of dendritic protrusions over the first postnatal year of a mouse: an analysis in layer VI of the barrel cortex. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-013-0596-5. <http://dx.doi.org/10.1007/s00429-013-0596-5>

Ortega, J. A., Memi, F., Radonjic, N., Filipovic, R., Bagasrawala, I., Zecevic, N., & Jakovcevski, I. (2017). The Subventricular Zone. *The Neuroscientist*, 1073858417691009. doi: 10.1177/1073858417691009. <http://dx.doi.org/10.1177/1073858417691009>

Osipovitch, M., Asenjo Martinez, A., Mariani, J. N., Cornwell, A., Dhaliwal, S., Zou, L., . . . Goldman, S. A. (2018). Human ESC-Derived Chimeric Mouse Models of Huntington's Disease Reveal Cell-Intrinsic Defects in Glial Progenitor Cell Differentiation. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2018.11.010>. <http://www.sciencedirect.com/science/article/pii/S1934590918305460>

Ossa-Fuentes, L., Mpodozis, J., & Vargas, A. O. (2015). Bird embryos uncover homology and evolution of the dinosaur ankle. [Article]. *Nat Commun*, 6. doi: 10.1038/ncomms9902. <http://dx.doi.org/10.1038/ncomms9902>

Ostapoff, E. M., Morest, D. K., & Parham, K. (1999). Spatial organization of the reciprocal connections between the cat dorsal and anteroventral cochlear nuclei. *Hearing Research*, 130(1-2), 75-93. doi:

Osterhout, Jessica A., Stafford, Benjamin K., Nguyen, Phong L., Yoshihara, Y., & Huberman, Andrew D. (2015). Contactin-4 Mediates Axon-Target Specificity and Functional Development of the Accessory Optic System. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2015.04.005>. <http://www.sciencedirect.com/science/article/pii/S0896627315003347>

Osterop, S. F., Virtanen, M. A., Loepke, J. R., Joseph, B., Loepke, A. W., & Vutskits, L. (2015). Developmental stage-dependent impact of midazolam on calbindin, calretinin and parvalbumin expression in the immature rat medial prefrontal cortex during the brain growth spurt. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2015.04.002>. <http://www.sciencedirect.com/science/article/pii/S0736574815000507>

Oswald, A. M. M., & Reyes, A. D. (2011). Development of inhibitory timescales in auditory cortex. *Cerebral Cortex*, 21(6), 1351-1361. doi:

Oswald, A.-M. M., Doiron, B., Rinzel, J., & Reyes, A. D. (2009). Spatial Profile and Differential Recruitment of GABAB Modulate Oscillatory Activity in Auditory Cortex. *Journal of Neuroscience*, 29(33), 10321-10334. doi: 10.1523/jneurosci.1703-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/33/10321>

Ota, H., Hikita, T., Sawada, M., Nishioka, T., Matsumoto, M., Komura, M., . . . Asai, N. (2014). Speed control for neuronal migration in the postnatal brain by Gmp-mediated local inactivation of RhoA. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140730/ncomms5532/full/ncomms5532.html>

- Otsuka, T., & Kawaguchi, Y. (2008). Firing-Pattern-Dependent Specificity of Cortical Excitatory Feed-Forward Subnetworks. *Journal of Neuroscience*, 28(44), 11186-11195. doi: 10.1523/jneurosci.1921-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/44/11186>
- Otsuka, T., & Kawaguchi, Y. (2009). Cortical Inhibitory Cell Types Differentially Form Intralaminar and Interlaminar Subnetworks with Excitatory Neurons. *Journal of Neuroscience*, 29(34), 10533-10540. doi: 10.1523/jneurosci.2219-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/34/10533>
- Otsuka, T., & Kawaguchi, Y. (2011). Cell Diversity and Connection Specificity between Callosal Projection Neurons in the Frontal Cortex. *Journal of Neuroscience*, 31(10), 3862-3870. doi: 10.1523/jneurosci.5795-10.2011. <http://www.jneurosci.org/content/31/10/3862.abstract>
- Otsuka, T., & Kawaguchi, Y. (2013). Common excitatory synaptic inputs to electrically connected cortical fast-spiking cell networks. *Journal of Neurophysiology*. doi: 10.1152/jn.00071.2013. <http://jn.physiology.org/content/early/2013/05/10/jn.00071.2013.abstract>
- Ou, Y.-T., Lu, M. S. C., & Chiao, C.-C. (2012). The effects of electrical stimulation on neurite outgrowth of goldfish retinal explants. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.08.041. <http://www.sciencedirect.com/science/article/pii/S0006899312013959>
- Ouda, L., Burianová, J., Balogová, Z., Lu, H., & Syka, J. (2014). Structural changes in the adult rat auditory system induced by brief postnatal noise exposure. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-014-0929-z. <http://dx.doi.org/10.1007/s00429-014-0929-z>
- Ouda, L., Burianova, J., & Syka, J. (2012). Age-related changes in calbindin and calretinin immunoreactivity in the central auditory system of the rat. *Experimental Gerontology*, (0). doi: 10.1016/j.exger.2012.04.003. <http://www.sciencedirect.com/science/article/pii/S0531556512000903>
- Ouda, L., Druga, R., & Syka, J. (2008). Changes in parvalbumin immunoreactivity with aging in the central auditory system of the rat. *Experimental Gerontology*, 43(8), 782-789. doi.
- Oudega, M., Chao, O. Y., Avison, D. L., Bronson, R. T., Buchser, W. J., Hurtado, A., & Grimpe, B. (2012). Systemic administration of a deoxyribozyme to xylosyltransferase-1 mRNA promotes recovery after a spinal cord contusion injury. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.06.006. <http://www.sciencedirect.com/science/article/pii/S0014488612002415>
- Ouedraogo, D. W., Lenck-Santini, P.-P., Marti, G., Robbe, D., Crépel, V., & Epszstein, J. (2016). Abnormal UP/DOWN membrane potential dynamics coupled with the neocortical slow oscillation in dentate granule cells during the latent phase of temporal lobe epilepsy. [10.1523/ENEURO.0017-16.2016]. *eneuro*. doi: <http://eneuro.org/content/early/2016/05/09/ENEURO.0017-16.2016.abstract>
- Ouhaz, Z., Ba-M'hamed, S., & Bennis, M. (2017). Morphological, structural, and functional alterations of the prefrontal cortex and the basolateral amygdala after early lesion of the rat mediodorsal thalamus. [journal article]. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-016-1354-2. <http://dx.doi.org/10.1007/s00429-016-1354-2>
- Ourednik, J., Ourednik, V., Bastmeyer, M., & Schachner, M. (2001). Ectopic expression of the neural cell adhesion molecule L1 in astrocytes leads to changes in the development of the corticospinal tract. *European Journal of Neuroscience*, 14(9), 1464. doi.

Ouyang, J., & Alway, S. E. (2004). Transgene expression in hypertrophied and aged skeletal muscle in vivo by lentivirus delivery. *Journal of Gene Medicine*, 6(3), 278-287. doi.

Ouyang, Q., Lizarraga, Sofia B., Schmidt, M., Yang, U., Gong, J., Ellisor, D., . . . Morrow, Eric M. (2013). Christianson Syndrome Protein NHE6 Modulates TrkB Endosomal Signaling Required for Neuronal Circuit Development. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.07.043>. <http://www.sciencedirect.com/science/article/pii/S0896627313006673>

Overman, J. J., Clarkson, A. N., Wanner, I. B., Overman, W. T., Eckstein, I., Maguire, J. L., . . . Carmichael, S. T. (2012). A role for ephrin-A5 in axonal sprouting, recovery, and activity-dependent plasticity after stroke. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1204386109. <http://www.pnas.org/content/early/2012/07/24/1204386109.abstract>

Overstreet-Wadiche, L., & McBain, C. J. (2015). Neurogliaform cells in cortical circuits. [Review]. *Nat Rev Neurosci*, 16(8), 458-468. doi: 10.1038/nrn3969. <http://dx.doi.org/10.1038/nrn3969>

Ovtscharoff Jr, W., Helmeke, C., & Braun, K. (2006). Lack of paternal care affects synaptic development in the anterior cingulate cortex. *Brain Research*, 1116(1), 58-63. doi.

Oyola, M. G., Zuloaga, D. G., Carbone, D., Malysz, A. M., Acevedo-Rodriguez, A., Handa, R. J., & Mani, S. K. (2015). CYP7B1 Enzyme Deletion Impairs Reproductive Behaviors in Male Mice. *Endocrinology*, 0(0), en.2014-1786. doi: doi:10.1210/en.2014-1786. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1786>

Ozkan, E. D., Aceti, M., Creson, T. K., Rojas, C. S., Hubbs, C., McGuire, M. N., . . . Rumbaugh, G. (2015). Input-specific regulation of hippocampal circuit maturation by non-muscle Myosin IIB. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13146. <http://dx.doi.org/10.1111/jnc.13146>

Özkay, Ü. D., Söztutar, E., Can, Ö. D., Üçel, U. I., Öztürk, Y., & Ulupinar, E. (2015). Effects of long-term agomelatine treatment on the cognitive performance and hippocampal plasticity of adult rats. *Behavioural Pharmacology*. doi.

Ozomaro, U., Cai, G., Kajiwara, Y., Yoon, S., Makarov, V., Delorme, R., . . . Grice, D. E. (2013). Characterization of SLITRK1 Variation in Obsessive-Compulsive Disorder. *PLoS ONE*, 8(8), e70376. doi: 10.1371/journal.pone.0070376. <http://dx.doi.org/10.1371%2Fjournal.pone.0070376>

Packer, A. M., McConnell, D. J., Fino, E., & Yuste, R. (2012). Axo-Dendritic Overlap and Laminar Projection Can Explain Interneuron Connectivity to Pyramidal Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bhs210. <http://cercor.oxfordjournals.org/content/early/2012/08/30/cercor.bhs210>.
...

Packer, A. M., & Yuste, R. (2011). Dense, Unspecific Connectivity of Neocortical Parvalbumin-Positive Interneurons: A Canonical Microcircuit for Inhibition? *Journal of Neuroscience*, 31(37), 13260-13271. doi: 10.1523/jneurosci.3131-11.2011. <http://www.jneurosci.org/content/31/37/13260.abstract>

Padival, M. A., Blume, S. R., & Amiel Rosenkranz, J. (2013). Repeated restraint stress exerts different impact on structure of neurons in the lateral and basal nuclei of the amygdala. *Neuroscience*. doi.

Padival, M. A., Blume, S. R., Vantrease, J. E., & Rosenkranz, J. A. (2015). Qualitatively different effect of repeated stress during adolescence on principal neuron morphology across lateral and basal nuclei of the rat amygdala. *Neuroscience*, 291(0), 128-145.

doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.02.012>. <http://www.sciencedirect.com/science/article/pii/S0306452215001542>

Pafundo, D. E., Pretell Annan, C. A., Fulginiti, N. M., & Belforte, J. E. (2021). Early NMDA Receptor Ablation in Interneurons Causes an Activity-Dependent E/I Imbalance in vivo in Prefrontal Cortex Pyramidal Neurons of a Mouse Model Useful for the Study of Schizophrenia. *Schizophrenia Bulletin*, (sbab030). doi: 10.1093/schbul/sbab030. <https://doi.org/10.1093/schbul/sbab030>

Pahle, J., Muhia, M., Wagener, R. J., Tippmann, A., Bock, H. H., Graw, J., . . . Brunne, B. (2019). Selective Inactivation of Reelin in Inhibitory Interneurons Leads to Subtle Changes in the Dentate Gyrus But Leaves Cortical Layering and Behavior Unaffected. *Cerebral Cortex*. doi: 10.1093/cercor/bhz196. <https://doi.org/10.1093/cercor/bhz196>

Palanca, A. M. S., Lee, S.-L., Yee, L. E., Joe-Wong, C., Trinh, L. A., Hiroyasu, E., . . . Sagasti, A. (2012). New transgenic reporters identify somatosensory neuron subtypes in larval zebrafish. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22049. <http://dx.doi.org/10.1002/dneu.22049>

Palanza, L., Jhaveri, S., Donati, S., Nuzzi, R., & Vercelli, A. (2005). Quantitative spatial analysis of the distribution of NADPH-diaphorase-positive neurons in the developing and mature rat retina. *Brain Research Bulletin*, 65(4), 349-360. doi.

Palanza, L., Nuzzi, R., Repici, M., & Vercelli, A. (2002). Ganglion cell apoptosis and increased number of NADPH-d-positive neurones in the rodent retina in an experimental model of glaucoma. *Acta Ophthalmologica Scandinavica*, 80(s236), 47. doi.

Paldino, E., D'Angelo, V., Sancesario, G., & Fusco, F. R. (2020). Pyroptotic cell death in the R6/2 mouse model of Huntington's disease: new insight on the inflammasome. *Cell Death Discovery*, 6(1), 69. doi: 10.1038/s41420-020-00293-z. <https://doi.org/10.1038/s41420-020-00293-z>

Pálfi, E., Zalányi, L., Ashaber, M., Palmer, C., Kántor, O., Roe, A. W., . . . Négyessy, L. (2018). Connectivity of neuronal populations within and between areas of primate somatosensory cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1671-8. <https://doi.org/10.1007/s00429-018-1671-8>

Palizvan, M. R., Sohya, K., Kohara, K., Maruyama, A., Yasuda, H., Kimura, F., & Tsumoto, T. (2004). Brain-derived neurotrophic factor increases inhibitory synapses, revealed in solitary neurons cultured from rat visual cortex. *Neuroscience*, 126(4), 955-966. doi.

Pallas, S. L., Littman, T., & Moore, D. R. (1999). Cross-modal reorganization of callosal connectivity without altering thalamocortical projections. *Proceedings of the National Academy of Sciences*, 96(15), 8751-8756. doi.

Pallé, A., Zorzo, C., Luskey, V. E., McGreevy, K. R., Fernández, S., & Trejo, J. L. (2019). Social dominance differentially alters gene expression in the medial prefrontal cortex without affecting adult hippocampal neurogenesis or stress and anxiety-like behavior. *The FASEB journal*, 0(0), fj.201801600R. doi: 10.1096/fj.201801600R. <https://www.fasebj.org/doi/abs/10.1096/fj.201801600R>

Palmer, A. R., Wallace, M. N., Arnott, R. H., & Shackleton, T. M. (2003). Morphology of physiologically characterised ventral cochlear nucleus stellate cells. *Experimental Brain Research*, 153, 418-426. doi.

Palmer, L. M., Clark, B. A., GrÄ¼ndemann, J., Roth, A., Stuart, G. J., & HÄusser, M. (2010). Initiation of simple and complex spikes in cerebellar Purkinje cells. *Journal of Physiology*, 588(10), 1709-1717. doi: 10.1113/jphysiol.2010.188300. <http://jp.physoc.org/content/588/10/1709.abstract>

Palmer, L. M., Shai, A. S., Reeve, J. E., Anderson, H. L., Paulsen, O., & Larkum, M. E. (2014). NMDA spikes enhance action potential generation during sensory input. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3646.html>

Palmer, S. L., Noctor, S. C., Jablonska, B., & Juliano, S. L. (2001). Laminar specific alterations of thalamocortical projections in organotypic cultures following layer 4 disruption in ferret somatosensory cortex. *European Journal of Neuroscience*, 13(8), 1559. doi.

Pan, H. C., Shen, Y. Q., Loers, G., Jakovcevski, I., & Schachner, M. (2014). Tegaserod, a small compound mimetic of polysialic acid promotes functional recovery after spinal cord injury in mice. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.06.069>. <http://www.sciencedirect.com/science/article/pii/S0306452214005545>

Pan, Y., Zhang, H., Acharya, A. B., Patrick, P. H., Oliver, D., & Morley, J. E. (2005). Effect of testosterone on functional recovery in a castrate male rat stroke model. *Brain Research*, 1043(1), 195-204. doi.

Pan, Z., Fukuoka, S., Karagianni, N., Guaiquil, V. H., & Rosenblatt, M. I. (2013). Vascular endothelial growth factor promotes anatomical and functional recovery of injured peripheral nerves in the avascular cornea. *FASEB journal*. doi: 10.1096/fj.12-225185. <http://www.fasebj.org/content/early/2013/04/05/fj.12-225185.abstract>

Panaite, P. A., Gantelet, E., Kraftsik, R., Gourdon, G., Kuntzer, T., & Barakat-Walter, I. (2008). Myotonic dystrophy transgenic mice exhibit pathologic abnormalities in diaphragm neuromuscular junctions and phrenic nerves. *Journal of Neuropathology and Experimental Neurology*, 67(8), 763-763. doi.

Pandey, S. C., Sakharkar, A. J., Tang, L., & Zhang, H. (2015). Potential role of adolescent alcohol exposure-induced amygdaloid histone modifications in anxiety and alcohol intake during adulthood. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.03.019>. <http://www.sciencedirect.com/science/article/pii/S0969996115000911>

Pandey, S. C., Zhang, H., Ugale, R., Prakash, A., Xu, T., & Misra, K. (2008). Effector Immediate-Early Gene Arc in the Amygdala Plays a Critical Role in Alcoholism. *Journal of Neuroscience*, 28(10), 2589-2600. doi: 10.1523/jneurosci.4752-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/10/2589>

Pangestinarsih, T. W., Sigit, K., Sajuthi, D., & others. (2006). Kajian Imunohistokimia Perkembangan Bentuk Neuron Atekolaminergik Pada Area Postrema Monyet Ekor Panjang (*Macaca fascicularis*)= Morphological Development of Catecholaminergic Neurons in the Area Postrema of Long-tailed. *Jurnal Sain Veteriner*, 24(2006). doi.

Pangratz-Fuehrer, S., & Hestrin, S. (2011). Synaptogenesis of Electrical and GABAergic Synapses of Fast-Spiking Inhibitory Neurons in the Neocortex. *Journal of Neuroscience*, 31(30), 10767-10775. doi: 10.1523/jneurosci.6655-10.2011. <http://www.jneurosci.org/content/31/30/10767.abstract>

Panico, M. B., Palumbo, C., Vigo, T., Nobbio, L., Pisani, V., Terracciano, C., . . . Massa, R. (2004). Down-regulation of receptors for semaphorins and VEGF in a transgenic model of CMT1A. *Journal of the Peripheral Nervous System*, 9(2), 120-120. doi.

Panneton, W. M., Gan, Q., & Dahms, T. E. (2010). Cardiorespiratory and neural consequences of rats brought past their aerobic dive limit. *Journal of Applied Physiology*, 109(4), 1256-1269. doi: 10.1152/jappphysiol.00110.2010. <http://jap.physiology.org/cgi/content/abstract/109/4/1256>

Panneton, W. M., Gan, Q., & Dahms, T. E. (2010). Central CO₂ Chemoreception in Cardiorespiratory Control: Cardiorespiratory and neural consequences of rats brought past their aerobic dive limit. *Journal of Applied Physiology*, 109(4), 1256-1256. doi.

Panneton, W. M., Gan, Q., & Juric, R. (2005). The central termination of sensory fibers from nerves to the gastrocnemius muscle of the rat. *Neuroscience*, 134(1), 175-187. doi.

Panneton, W. M., Gan, Q., Le, J., Livergood, R. S., Clerc, P., & Juric, R. (2012). Activation of brainstem neurons by underwater diving in the rat. *Frontiers in Physiology*, 3. doi.

Panneton, W. M., Hsu, H., & Gan, Q. (2010). Distinct central representations for sensory fibers innervating either the conjunctiva or cornea of the rat. *Experimental Eye Research*, 90(3), 388-396. doi.

Panoutsopoulou, I., Wendelschafer-Crabb, G., & Kennedy, W. R. (2009). Histological evaluation of neuropathy from analysis of epidermal nerves in a skin blister. *Neurology*, 72, 1205-1210. doi.

Panoutsopoulou, I. G., Luciano, C. A., Wendelschafer-Crabb, G., Hodges, J. S., & Kennedy, W. R. (2014). Epidermal innervation in healthy children and adolescents. *Muscle and Nerve*. doi. <http://onlinelibrary.wiley.com/doi/10.1002/mus.24329/abstract>

Panoutsopoulou, I. G., Wendelschafer-Crabb, G., Hodges, J. S., & Kennedy, W. R. (2009). Skin blister and skin biopsy to quantify epidermal nerves. *Neurology*, 72(14), 1205-1210. doi.

Panza, P., Sitko, A. A., Maischein, H.-M., Koch, I., Flötenmeyer, M., Wright, G. J., . . . Söllner, C. (2015). The LRR receptor *Islr2* is required for retinal axon routing at the vertebrate optic chiasm. *Neural Development*, 10(1), 23. doi. <http://www.neuraldevelopment.com/content/10/1/23/citation>

Panza, P., Sitko, A. A., Maischein, H.-M., Koch, I., Flötenmeyer, M., Wright, G. J., . . . Söllner, C. (2015). The LRR receptor *Islr2* is required for retinal axon routing at the vertebrate optic chiasm. *Neural Development*, 10(1), 1. doi. <http://opticalstemcell.com/?tag=islr2-vasorin-slit-like2-optic-chiasm-gl..>

Papageorgiou, I., Fetani, A., Lewen, A., Heinemann, U., & Kann, O. (2014). Widespread activation of microglial cells in the hippocampus of chronic epileptic rats correlates only partially with neurodegeneration. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-014-0802-0. <http://dx.doi.org/10.1007/s00429-014-0802-0>

Papageorgiou, I. E., Gabriel, S., Fetani, A. F., Kann, O., & Heinemann, U. (2011). Redistribution of astrocytic glutamine synthetase in the hippocampus of chronic epileptic rats. *Glia*, 59(11), 1706-1718. doi: 10.1002/glia.21217. <http://dx.doi.org/10.1002/glia.21217>

Papageorgiou, I. E., Lewen, A., Galow, L. V., Cesetti, T., Scheffel, J., Regen, T., . . . Kann, O. (2015). TLR4-activated microglia require IFN- γ to induce severe neuronal dysfunction and death in situ. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1513853113. <http://www.pnas.org/content/early/2015/12/17/1513853113.abstract>

Papaioannou, S., Brigham, L., & Krieger, P. (2012). Sensory deprivation during early development causes an increased exploratory behavior in a whisker-dependent decision task. *Brain and Behavior*, n/a-n/a. doi: 10.1002/brb3.102. <http://dx.doi.org/10.1002/brb3.102>

Papp, I., Szucs, P., Hollo, K., Erdelyi, F., Szabo, G., & Antal, M. (2006). Hyperpolarization-activated and cyclic nucleotide-gated cation channel subunit 2 ion channels modulate synaptic transmission from nociceptive primary afferents containing substance P to secondary sensory neurons in laminae I-II of the rodent spinal dorsal horn. *European Journal of Neuroscience*, 24(5), 1341-1352. doi: 10.1111/j.1460-9568.2006.05013.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05013.x>

Papp, O. I., Karlócai, M. R., Tóth, I. E., Freund, T. F., & Hájos, N. (2013). Different input and output properties characterize parvalbumin-positive basket and axo-axonic cells in the hippocampal CA3 subfield. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22147. <http://dx.doi.org/10.1002/hipo.22147>

Paquet, M., & Smith, Y. (2000). Presynaptic NMDA receptor subunit immunoreactivity in GABAergic terminals in rat brain. *Journal of Comparative Neurology*, 423(2), 330-347. doi: 10.1002/hipo.22147

Paquet, M., & Smith, Y. (2003). Group I Metabotropic Glutamate Receptors in the Monkey Striatum: Subsynaptic Association with Glutamatergic and Dopaminergic Afferents. *Journal of Neuroscience*, 23(20), 7659-7669. doi: <http://www.jneurosci.org/cgi/content/abstract/23/20/7659>

Parato, J., Shen, H., & Smith, S. S. (2018). $\alpha 4\beta 5$ GABAA Receptors Trigger Synaptic Pruning and Reduce Dendritic Length of Female Mouse CA3 Hippocampal Pyramidal Cells at Puberty. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.11.032>. <http://www.sciencedirect.com/science/article/pii/S0306452218307656>

Paré, M., Albrecht, P. J., Noto, C. J., Bodkin, N. L., Pittenger, G. L., Schreyer, D. J., . . . Rice, F. L. (2007). Differential hypertrophy and atrophy among all types of cutaneous innervation in the glabrous skin of the monkey hand during aging and naturally occurring type 2 diabetes. *Journal of Comparative Neurology*, 501(4), 543-567. doi: 10.1002/hipo.22147

Paré, M., Behets, C., & Cornu, O. (2003). Paucity of presumptive ruffini corpuscles in the index finger pad of humans. *Journal of Comparative Neurology*, 456(3), 260-266. doi: 10.1002/hipo.22147

Paré, M., Smith, A. M., & Rice, F. L. (2002). Distribution and terminal arborizations of cutaneous mechanoreceptors in the glabrous finger pads of the monkey. *Journal of Comparative Neurology*, 445(4), 347-359. doi: 10.1002/hipo.22147

Parekh, R., Armañanzas, R., & Ascoli, G. (2015). The importance of metadata to assess information content in digital reconstructions of neuronal morphology. *Cell and Tissue Research*, 1-7. doi: 10.1007/s00441-014-2103-6. <http://dx.doi.org/10.1007/s00441-014-2103-6>

Parekh, R., & Ascoli, Giorgio A. (2013). Neuronal Morphology Goes Digital: A Research Hub for Cellular and System Neuroscience. *Neuron*, 77(6), 1017-1038. doi: <http://dx.doi.org/10.1016/j.neuron.2013.03.008>. <http://www.sciencedirect.com/science/article/pii/S0896627313002328>

Parent, A., Cicchetti, F., & Beach, T. G. (1995). Calretinin-immunoreactive neurons in the human striatum. *Brain Research*, 674(2), 347-351. doi: 10.1002/hipo.22147

Parent, C., Wen, X., Dhir, S. K., Ryan, R., Diorio, J., & Zhang, T.-Y. (2017). Maternal care associates with differences in morphological complexity in the medial preoptic area. *Behavioural Brain Research*, 326, 22-32. doi: <http://dx.doi.org/10.1016/j.bbr.2017.02.047>. <http://www.sciencedirect.com/science/article/pii/S0166432816310956>

Parent, M., Lévesque, M., & Parent, A. (2001). Two types of projection neurons in the internal pallidum of primates: Single-axon tracing and three-dimensional reconstruction. *Journal of Comparative Neurology*, 439(2), 162-175. doi.

Parent, M., & Parent, A. (2002). Axonal collateralization in primate basal ganglia and related thalamic nuclei. *Thalamus and Related Systems*, 2(01), 71-86. doi.

Parent, M., & Parent, A. (2004). The pallidofugal motor fiber system in primates. *Parkinsonism and Related Disorders*, 10(4), 203-211. doi.

Parent, M., & Parent, A. (2005). Single-axon tracing and three-dimensional reconstruction of centre médian-parafascicular thalamic neurons in primates. *Journal of Comparative Neurology*, 481(1), 127-144. doi.

Pareyson, D., Dell'Anna, E., DiMonda, T., Scaioli, V., Ciano, C., Sghirlanzoni, A., . . . Taroni, F. (2004). Influence of gender and pregnancy on CMT1A. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi: doi:10.1111/j.1085-9489.2004.009209at.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Parihar, V. K., Allen, B. D., Tran, K., Chmielewski, N. N., Craver, B. M., Martirosian, V., . . . Acharya, M. (2014). Targeted overexpression of mitochondrial catalase prevents radiation-induced cognitive dysfunction. *Antioxidants & Redox Signaling*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/ars.2014.5929>

Parihar, V. K., Hattiangady, B., Kuruba, R., Shuai, B., & Shetty, A. K. (2009). Predictable chronic mild stress improves mood, hippocampal neurogenesis and memory. *Molecular Psychiatry*, 16(2), 171-183. doi.

Parikh, V., Howe, W. M., Welchko, R. M., Naughton, S. X., D'Amore, D. E., Han, D. H., . . . Sarter, M. (2012). Diminished trkA receptor signaling reveals cholinergic-attentional vulnerability of aging. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12090. <http://dx.doi.org/10.1111/ejn.12090>

Parish, C. L., Finkelstein, D. I., Drago, J., Borrelli, E., & Horne, M. K. (2001). The Role of Dopamine Receptors in Regulating the Size of Axonal Arbors. *Journal of Neuroscience*, 21(14), 5147-5157. doi: <http://www.jneurosci.org/cgi/content/abstract/21/14/5147>

Parish, C. L., Stanic, D., Drago, J., Borrelli, E., Finkelstein, E. I., & Horne, M. K. (2002). Effects of long-term treatment with dopamine receptor agonists and antagonists on terminal arbor size. *European Journal of Neuroscience*, 16(5), 787. doi.

Parisiadou, L., Yu, J., Sgobio, C., Xie, C., Liu, G., Sun, L., . . . Lovinger, D. M. (2014). LRRK2 regulates synaptogenesis and dopamine receptor activation through modulation of PKA activity. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3636.html>

Park, J. J., Zup, S. L., Verhovshek, T., Sengelaub, D. R., & Forger, N. G. (2002). Castration reduces motoneuron soma size but not dendritic length in the spinal nucleus of the bulbocavernosus of wild-type and BCL-2 overexpressing mice. *Journal of Neurobiology*, 53(3), 403-412. doi.

Park, S. M., Lim, J. S., Ramakrishna, S., Kim, S. H., Kim, W. K., Lee, J., . . . Lee, J. H. (2018). Brain Somatic Mutations in MTOR Disrupt Neuronal Ciliogenesis, Leading to Focal Cortical Dyslamination. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.05.039>. <http://www.sciencedirect.com/science/article/pii/S0896627318304379>

Parker, S. B., Hertzberg, E. L., & Minkoff, R. (1994). Modulation of gap junction-mediated intercellular communication in embryonic chick mesenchyme during tissue remodeling in vitro. *Cell and Tissue Research*, 275(2), 215-224. doi.

Parlato, R., Cruz, H., Otto, C., Murtra, P., Parkitna, J. R., Martin, M., . . . others. (2010). Effects of the cell type-specific ablation of the cAMP-responsive transcription factor in noradrenergic neurons on locus coeruleus firing and withdrawal behavior after chronic exposure to morphine. *Journal of Neurochemistry*, 115(3), 563-573. doi.

Parolisi, R., Cozzi, B., & Bonfanti, L. (2017). Non-neurogenic SVZ-like niche in dolphins, mammals devoid of olfaction. [journal article]. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-016-1361-3. <http://dx.doi.org/10.1007/s00429-016-1361-3>

Parrish, J. Z., Xu, P., Kim, C. C., Jan, L. Y., & Jan, Y. N. (2009). The microRNA*i>* bantam Functions in Epithelial Cells to Regulate Scaling Growth of Dendrite Arbors in*<i>* Drosophila Sensory Neurons. *Neuron*, 63(6), 788-802. doi.

Parrish-Aungst, S., Kiyokage, E., Szabo, G., Yanagawa, Y., Shipley, M. T., & Puche, A. C. (2011). Sensory experience selectively regulates transmitter synthesis enzymes in interglomerular circuits. *Brain Research*. doi.

Parrish-Aungst, S., Shipley, M. T., Erdelyi, F., Szabo, G., & Puche, A. C. (2007). Quantitative analysis of neuronal diversity in the mouse olfactory bulb. *Journal of Comparative Neurology*, 501(6), 825-836. doi.

Parvizi, J. (2009). The Efferent Connections of the Temporal Pole in the Macaque. *Neuroimage*, 47, S175-S175. doi.

Parvizi, J., & Damasio, A. R. (2003). Differential distribution of calbindin D28K and parvalbumin among functionally distinctive sets of structures in the macaque brainstem. *Journal of Comparative Neurology*, 462(2), 153-167. doi.

Parvizi, J., Van Hoesen, G. W., Buckwalter, J., & Damasio, A. (2006). Neural connections of the posteromedial cortex in the macaque. *PNAS*, 103(5), 1563-1568. doi: 10.1073/pnas.0507729103. <http://www.pnas.org/cgi/content/abstract/103/5/1563>

Parvizi, J., Van Hoesen, G. W., & Damasio, A. (1998). Severe pathological changes of parabrachial nucleus in Alzheimer's disease. *Neuroreport*, 9(18), 4151-4151. doi.

Parvizi, J., Van Hoesen, G. W., & Damasio, A. (2001). The selective vulnerability of brainstem nuclei to Alzheimer's disease. *Annals of Neurology*, 49(1), 53-66. doi.

- Pasaro, R., Ribas-Salgueiro, J. L., Matarredona, E. R., Sarmiento, M., & Ribas, J. (2009). Systemic inhibition of the Na⁺/H⁺ exchanger type 3 in intact rats activates brainstem respiratory regions. *Arterial Chemoreceptors*, 395-401. doi.
- Pasbakhsh, P., & Omid, M. M. N. (2005). Neuropathological Changes In The PDAPP Transgenic Mouse Model Of Alzheimer's Disease. *Acta Medica Iranica*, 43(3). doi.
- Pascucci, T., Rossi, L., Colamartino, M., Gabucci, C., Carducci, C., Valzania, A., . . . Leuzzi, V. (2018). A new therapy prevents intellectual disability in mouse with phenylketonuria. *Molecular Genetics and Metabolism*. doi: <https://doi.org/10.1016/j.ymgme.2018.03.009>. <http://www.sciencedirect.com/science/article/pii/S1096719218300799>
- Passaquin, A. C., Renard, M., Kay, L., Challet, C., Mokhtarian, A., Wallimann, T., & Rugg, U. T. (2002). Creatine supplementation reduces skeletal muscle degeneration and enhances mitochondrial function in mdx mice. *Neuromuscular Disorders*, 12(2), 174-182. doi.
- Passos, P. P., Borba, J. M. C., de Melo, A. P. R., Guedes, R. C. A., da Silva, R. P., Gouveia, K. M. M., . . . Picanço-Diniz, C. W. (2012). Dopaminergic Cell Populations of the Rat Substantia Nigra are Differentially Affected by Essential Fatty Acid Dietary Restriction over Two Generations. *Journal of Chemical Neuroanatomy*. doi.
- Patel, D., Anilkumar, S., Chattarji, S., de Boer, S. F., & Buwalda, B. (2021). Repeated victorious and defeat experiences induce similar apical dendritic spine remodeling in CA1 hippocampus of rats. *Behavioural Brain Research*, 406, 113243. doi: <https://doi.org/10.1016/j.bbr.2021.113243>. <https://www.sciencedirect.com/science/article/pii/S0166432821001315>
- Patel, M. B., Sons, S., Yudintsev, G., Lesicko, A. M., Yang, L., Taha, G. A., . . . Llano, D. A. (2016). Anatomical characterization of subcortical descending projections to the inferior colliculus in mouse. *Journal of Comparative Neurology*. doi. <http://onlinelibrary.wiley.com/doi/10.1002/cne.24106/full>
- Patel, Y., Shin, J., Gowland, P. A., Pausova, Z., Paus, T., & consortium, I. (2018). Maturation of the Human Cerebral Cortex During Adolescence: Myelin or Dendritic Arbor? *Cerebral Cortex*, bhy204-bhy204. doi: 10.1093/cercor/bhy204. <http://dx.doi.org/10.1093/cercor/bhy204>
- Paterna, J. C., Leng, A., Weber, E., Feldon, J., & Büeler, H. (2007). DJ-1 and Parkin modulate dopamine-dependent behavior and inhibit MPTP-induced nigral dopamine neuron loss in mice. *Molecular Therapy*, 15(4), 698-704. doi.
- Paterson, D. S., Belliveau, R. A., Trachtenberg, F., & Kinney, H. C. (2004). Differential development of 5-HT receptor and the serotonin transporter binding in the human infant medulla. *Journal of Comparative Neurology*, 472(2), 221-231. doi.
- Paterson, D. S., & Darnall, R. (2009). 5-HT_{2A} receptors are concentrated in regions of the human infant medulla involved in respiratory and autonomic control. *Autonomic Neuroscience*, 147(1-2), 48-55. doi.
- Paterson, D. S., Trachtenberg, F. L., Thompson, E. G., Belliveau, R. A., Beggs, A. H., Darnall, R., . . . Kinney, H. C. (2006). Multiple serotonergic brainstem abnormalities in sudden infant death syndrome. *JAMA: journal of the American Medical Association*, 296(17), 2124-2124. doi.

Pathania, M., Davenport, E., Muir, J., Sheehan, D., López-Doménech, G., & Kittler, J. (2014). The autism and schizophrenia associated gene CYFIP1 is critical for the maintenance of dendritic complexity and the stabilization of mature spines. *Translational Psychiatry*, 4(3), e374. doi.

Pathania, M., Torres-Reveron, J., Yan, L., Kimura, T., Lin, T. V., Gordon, V., . . . Van Vactor, D. (2012). miR-132 Enhances Dendritic Morphogenesis, Spine Density, Synaptic Integration, and Survival of Newborn Olfactory Bulb Neurons. *PLoS ONE*, 7(5), e38174. doi.

Patience, M., Zouikr, I., Jones, K., Clarkson, A., Isgaard, J., Johnson, S., . . . Nilsson, M. (2014). Photothrombotic Stroke Induces Persistent Ipsilateral and Contralateral Astrogliosis in Key Cognitive Control Nuclei. *Neurochemical Research*, 1-10. doi: 10.1007/s11064-014-1487-8. <http://dx.doi.org/10.1007/s11064-014-1487-8>

Patrick, S. L., Connors, B. W., & Landisman, C. E. (2006). Developmental changes in somatostatin-positive interneurons in a freeze-lesion model of epilepsy. *Epilepsy Research*, 70(2), 161-171. doi.

Patrizi, A., Awad, P. N., Chattopadhyaya, B., Li, C., Di Cristo, G., & Fagiolini, M. (2019). Accelerated Hyper-Maturation of Parvalbumin Circuits in the Absence of MeCP2. *Cerebral Cortex*. doi: 10.1093/cercor/bhz085. <https://doi.org/10.1093/cercor/bhz085>

Pattij, T., de Jong, T. R., Uitterdijk, A., Waldinger, M. D., Veening, J. G., Cools, A. R., . . . Olivier, B. (2005). Individual differences in male rat ejaculatory behaviour: searching for models to study ejaculation disorders. *European Journal of Neuroscience*, 22(3), 724-734. doi: doi:10.1111/j.1460-9568.2005.04252.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04252.x>

Pavlidis, P., & Madison, D. V. (1999). Synaptic Transmission in Pair Recordings From CA3 Pyramidal Cells in Organotypic Culture. *Journal of Neurophysiology*, 81(6), 2787-2797. doi. <http://jn.physiology.org/cgi/content/abstract/81/6/2787>

Pavlopoulos, E., Trifilieff, P., Chevaleyre, V., Fioriti, L., Zairis, S., Pagano, A., . . . Kandel, E. R. (2011). Neuralized1 Activates CPEB3: A Function for Nonproteolytic Ubiquitin in Synaptic Plasticity and Memory Storage. *Cell*, 147(6), 1369-1383. doi.

Pawelzik, H., Bannister, A. P., Deuchars, J., Ilia, M., & Thomson, A. M. (1999). Modulation of bistratified cell IPSPs and basket cell IPSPs by pentobarbitone sodium, diazepam and Zn²⁺: dual recordings in slices of adult rat hippocampus. *European Journal of Neuroscience*, 11(10), 3552. doi.

Pawlak, R., Rao, B. S. S., Melchor, J. P., Chattarji, S., McEwen, B., & Strickland, S. (2005). Tissue plasminogen activator and plasminogen mediate stress-induced decline of neuronal and cognitive functions in the mouse hippocampus. *Proceedings of the National Academy of Sciences*, 102(50), 18201-18206. doi: 10.1073/pnas.0509232102. <http://www.pnas.org/cgi/content/abstract/102/50/18201>

Pawlowski, S. A., Gaillard, S., Ghorayeb, I., Ribeiro-da-Silva, A., Schlichter, R., & Cordero-Erausquin, M. (2013). A Novel Population of Cholinergic Neurons in the Macaque Spinal Dorsal Horn of Potential Clinical Relevance for Pain Therapy. *Journal of Neuroscience*, 33(9), 3727-3737. doi: 10.1523/jneurosci.3954-12.2013. <http://www.jneurosci.org/content/33/9/3727.abstract>

Pawluski, J. L., Valença, A., Santos, A. I. M., Costa-Nunes, J. P., Steinbusch, H. W. M., & Strelakova, T. (2012). Pregnancy or stress decrease complexity of CA3 pyramidal neurons in the hippocampus of adult female rats. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.059. <http://www.sciencedirect.com/science/article/pii/S030645212009797?v=s5>

- Paz, J. T., Christian, C. A., Parada, I., Prince, D. A., & Huguenard, J. R. (2010). Focal Cortical Infarcts Alter Intrinsic Excitability and Synaptic Excitation in the Reticular Thalamic Nucleus. *Journal of Neuroscience Methods*, 30(15), 5465-5479. doi: 10.1523/jneurosci.5083-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/15/5465>
- Paz, J. T., Deniau, J.-M., & Charpier, S. (2005). Rhythmic Bursting in the Cortico-Subthalamo-Pallidal Network during Spontaneous Genetically Determined Spike and Wave Discharges. *Journal of Neuroscience*, 25(8), 2092-2101. doi: <http://www.jneurosci.org/cgi/content/abstract/25/8/2092>
- Paz, R. M., Tubert, C., Stahl, A. M., Amarillo, Y., Rela, L., & Murer, M. G. (2021). Levodopa Causes Striatal Cholinergic Interneuron Burst-Pause Activity in Parkinsonian Mice. <https://doi.org/10.1002/mds.28516>. *Movement Disorders*, n/a(n/a). doi: <https://doi.org/10.1002/mds.28516>. <https://doi.org/10.1002/mds.28516>
- Pearn, M. L., Schilling, J. M., Jian, M., Egawa, J., Wu, C., Mandyam, C. D., . . . Head, B. P. (2018). Inhibition of RhoA reduces propofol-mediated growth cone collapse, axonal transport impairment, loss of synaptic connectivity, and behavioural deficits. *British Journal of Anaesthesia*. doi: 10.1016/j.bja.2017.12.033. <http://dx.doi.org/10.1016/j.bja.2017.12.033>
- Pearse, D. D., Lo Jr, T. P., Cho, K. S., Lynch, M. P., Garg, M. S., Marcillo, A. E., . . . Dietrich, W. D. (2005). Histopathological and behavioral characterization of a novel cervical spinal cord displacement contusion injury in the rat. *Journal of Neurotrauma*, 22(6), 680-702. doi: 10.1089/neu.2004.22.680
- Peça, J., Feliciano, C., Ting, J. T., Wang, W., Wells, M. F., Venkatraman, T. N., . . . Feng, G. (2011). Shank3 mutant mice display autistic-like behaviours and striatal dysfunction. *Nature*, 472(7344), 437-442. doi: 10.1038/nature10185
- Pedrazzoli, M., Losurdo, M., Paolone, G., Medelin, M., Jaupaj, L., Cisterna, B., . . . Buffelli, M. (2019). Glucocorticoid receptors modulate dendritic spine plasticity and microglia activity in an animal model of Alzheimer's disease. *Neurobiology of Disease*, 132, 104568. doi: <https://doi.org/10.1016/j.nbd.2019.104568>. <http://www.sciencedirect.com/science/article/pii/S0969996119302360>
- Pedrazzoli, M., Medelin, M., Marchiotto, F., Cisterna, B., Malatesta, M., & Buffelli, M. (2021). An improved and simplified protocol to combine Golgi-Cox staining with immunofluorescence and transmission electron microscopy techniques. *Neurochemistry International*, 142, 104922. doi: <https://doi.org/10.1016/j.neuint.2020.104922>. <http://www.sciencedirect.com/science/article/pii/S0197018620303132>
- Peeva, G. P., Angelova, S. K., Guntinas-Lichius, O., Streppel, M., Irintchev, A., Schutz, U., . . . Angelov, D. N. (2006). Improved outcome of facial nerve repair in rats is associated with enhanced regenerative response of motoneurons and augmented neocortical plasticity. *European Journal of Neuroscience*, 24(8), 2152-2162. doi: doi:10.1111/j.1460-9568.2006.05091.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05091.x>
- Pego, J. M., Morgado, P., Pinto, L. G., Cerqueira, J. J., Almeida, O. F. X., & Sousa, N. (2008). Dissociation of the morphological correlates of stress-induced anxiety and fear. *European Journal of Neuroscience*, 27(6), 1503-1516. doi: doi:10.1111/j.1460-9568.2008.06112.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06112.x>
- Peirs, C., Patil, S., Bouali-Benazzouz, R., Artola, A., Landry, M., & Dallel, R. (2013). Protein kinase C gamma interneurons in the rat medullary dorsal horn: Distribution and synaptic inputs of these neurons, and subcellular localization of the enzyme. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23407. <http://dx.doi.org/10.1002/cne.23407>

Pelaez, N. M., Schreihofner, A. M., & Guyenet, P. G. (2002). Decompensated hemorrhage activates serotonergic neurons in the subependymal parapyramidal region of the rat medulla. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 283(3), R688-697. doi: 10.1152/ajpregu.00154.2002. <http://ajpregu.physiology.org/cgi/content/abstract/283/3/R688>

Pellegrini, C., Fornai, M., Colucci, R., Tirota, E., Blandini, F., Levandis, G., . . . Antonioli, L. (2016). Alteration of colonic excitatory tachykininergic motility and enteric inflammation following dopaminergic nigrostriatal neurodegeneration. [Journal article]. *Journal of Neuroinflammation*, 13(1), 1-13. doi: 10.1186/s12974-016-0608-5. <http://dx.doi.org/10.1186/s12974-016-0608-5>

Pellegrino, R. M., Boda, E., Montarolo, F., Boero, M., Mezzanotte, M., Saglio, G., . . . Roetto, A. (2016). Transferrin Receptor 2 Dependent Alterations of Brain Iron Metabolism Affect Anxiety Circuits in the Mouse. [Article]. *Scientific Reports*, 6, 30725. doi: 10.1038/srep30725

<http://www.nature.com/articles/srep30725#supplementary-information>. <http://dx.doi.org/10.1038/srep30725>

Pelt, J. V., & Uylings, H. B. M. (2003). Growth functions in dendritic outgrowth. *Brain and Mind*, 4(1), 51-65. doi.

Peng, H. (2008). Bioimage informatics: a new area of engineering biology. *Bioinformatics*, 24(17), 1827-1836. doi.

Peng, H., Bria, A., Zhou, Z., Iannello, G., & Long, F. (2014). Extensible visualization and analysis for multidimensional images using Vaa3D. *Nature Protocols*, 9(1), 193-208. doi. <http://www.nature.com/nprot/journal/v9/n1/abs/nprot.2014.011.html>

Peng, H., Ruan, Z., Atasoy, D., & Sternson, S. (2010). Automatic reconstruction of 3D neuron structures using a graph-augmented deformable model. *Bioinformatics*, 26(12), i38-i46-i38-i46. doi.

Peng, H., Ruan, Z., Long, F., Simpson, J. H., & Myers, E. W. (2010). V3D enables real-time 3D visualization and quantitative analysis of large-scale biological image data sets. *Nature Biotechnology*, 28(4), 348-353. doi.

Peng, H., Tang, J., Xiao, H., Bria, A., Zhou, J., Butler, V., . . . Long, F. (2014). Virtual finger boosts three-dimensional imaging and microsurgery as well as terabyte volume image visualization and analysis. [Article]. *Nature Communications*, 5. doi: 10.1038/ncomms5342. <http://dx.doi.org/10.1038/ncomms5342>

Peng, J., Mao, X. O., Stevenson, F. F., Hsu, M., & Andersen, J. K. (2004). The Herbicide Paraquat Induces Dopaminergic Nigral Apoptosis through Sustained Activation of the JNK Pathway. *Journal of Biological Chemistry*, 279(31), 32626-32632. doi: 10.1074/jbc.M404596200. <http://www.jbc.org/cgi/content/abstract/279/31/32626>

Peng, J., Oo, M. L., & Andersen, J. K. (2010). Synergistic Effects of Environmental Risk Factors and Gene Mutations in Parkinson's Disease Accelerate Age-Related Neurodegeneration. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2010.07036.x. <http://dx.doi.org/10.1111/j.1471-4159.2010.07036.x>

Peng, J., Xie, L., Stevenson, F. F., Melov, S., Di Monte, D. A., & Andersen, J. K. (2006). Nigrostriatal Dopaminergic Neurodegeneration in the Weaver Mouse Is Mediated via Neuroinflammation and

Alleviated by Minocycline Administration. *Journal of Neuroscience*, 26(45), 11644-11651. doi: 10.1523/jneurosci.3447-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11644>

Peng, X., Parsons, T. D., & Balice-Gordon, R. J. (2012). Determinants of synaptic strength vary across an axon arbor. *Journal of Neurophysiology*. doi.

Peng, Y., Lu, Z., Li, G., Piechowicz, M., Anderson, M., Uddin, Y., . . . Qiu, S. (2016). The autism-associated MET receptor tyrosine kinase engages early neuronal growth mechanism and controls glutamatergic circuits development in the forebrain. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2015.182. <http://dx.doi.org/10.1038/mp.2015.182>

Peng, Y. R., He, S., Marie, H., Zeng, S. Y., Ma, J., Tan, Z. J., . . . Yu, X. (2009). Coordinated changes in dendritic arborization and synaptic strength during neural circuit development. *Neuron*, 61(1), 71-84. doi.

Penney, J., Mendell, A., Zeng, M., Tran, K., Lymer, J., Turner, P. V., . . . Lu, R. (2017). LUMAN/CREB3 is a key regulator of glucocorticoid-mediated stress responses. *Molecular and Cellular Endocrinology*, 439, 95-104. doi: <http://dx.doi.org/10.1016/j.mce.2016.10.022>. <http://www.sciencedirect.com/science/article/pii/S0303720716304336>

Percaccio, C. R., Pruette, A. L., Mistry, S. T., Chen, Y. H., & Kilgard, M. P. (2007). Sensory experience determines enrichment-induced plasticity in rat auditory cortex. *Brain Research*, 1174, 76-91. doi.

Perdeh, J., Berioso, B., Love, Q., LoGiudice, N., Le, T. L., Harrelson, J. P., & Roberts, S. C. (2019). Critical functions of the polyamine putrescine for proliferation and viability of *Leishmania donovani* parasites. [journal article]. *Amino Acids*. doi: 10.1007/s00726-019-02736-z. <https://doi.org/10.1007/s00726-019-02736-z>

Pereda-Pérez, I., Valencia, A., Baliyan, S., Núñez, A., Sanz-García, A., Zamora, B., . . . Venero, C. (2019). Systemic administration of a fibroblast growth factor receptor 1 agonist rescues the cognitive deficit in aged socially isolated rats. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2019.02.011>. <http://www.sciencedirect.com/science/article/pii/S0197458019300582>

Pereira, I. T., Agster, K. L., & Burwell, R. D. (2016). Subcortical connections of the perirhinal, postrhinal, and entorhinal cortices of the rat. I. afferents. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22603. <http://dx.doi.org/10.1002/hipo.22603>

Pereira, L. d. S., Gobbo, D. R., Ferreira, J. G. P., Horta-Junior, J. d. A. d. C. e., Sá, S. I., & Bittencourt, J. C. (2020). Effects of ovariectomy on inputs from the medial preoptic area to the ventromedial nucleus of the hypothalamus of young adult rats. *Journal of Anatomy*, n/a(n/a). doi: 10.1111/joa.13304. <https://doi.org/10.1111/joa.13304>

Pereira, M., & Morrell, J. I. (2009). The changing role of the medial preoptic area in the regulation of maternal behavior across the postpartum period: Facilitation followed by inhibition. *Behavioural Brain Research*, 205(1), 238-248. doi.

Pereira, M., & Morrell, J. I. (2010). The medial preoptic area is necessary for motivated choice of pup-over cocaine-associated environments by early postpartum rats. *Neuroscience*, 167(2), 216-231. doi.

- Pérez de Sevilla Müller, L., Solomon, A., Sheets, K., Hapukino, H., Rodriguez, A., & Brecha, N. C. (2017). Multiple cell types form the VIP amacrine cell population. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24234. <http://dx.doi.org/10.1002/cne.24234>
- Perez, S. E., Getova, D. P., He, B., Counts, S. E., Geula, C., Desire, L., . . . Mufson, E. J. (2011). Rac1b Increases with Progressive Tau Pathology within Cholinergic Nucleus Basalis Neurons in Alzheimer's Disease. *American Journal of Pathology*. doi:
- Perez, S. E., Raghanti, M. A., Hof, P. R., Kramer, L., Ikonovic, M. D., Lacor, P. N., . . . Mufson, E. J. (2013). Alzheimer's disease pathology in the neocortex and hippocampus of the western lowland gorilla (*Gorilla gorilla gorilla*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23428. <http://dx.doi.org/10.1002/cne.23428>
- Perez, S. M., & Lodge, D. J. (2018). Convergent inputs from the hippocampus and thalamus to the nucleus accumbens regulate dopamine neuron activity. [10.1523/JNEUROSCI.2629-16.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/10/24/JNEUROSCI.2629-16.2018..>
- Perez-Cruz, C., Nolte, M. W., van Gaalen, M. M., Rustay, N. R., Termont, A., Tanghe, A., . . . Ebert, U. (2011). Reduced Spine Density in Specific Regions of CA1 Pyramidal Neurons in Two Transgenic Mouse Models of Alzheimer's Disease. *Journal of Neuroscience*, 31(10), 3926-3934. doi: 10.1523/jneurosci.6142-10.2011. <http://www.jneurosci.org/content/31/10/3926.abstract>
- Perez-Cruz, C., Simon, M., Czéh, B., Flügge, G., & Fuchs, E. (2009). Hemispheric differences in basilar dendrites and spines of pyramidal neurons in the rat prelimbic cortex: activity-and stress-induced changes. *European Journal of Neuroscience*, 29(4), 738-747. doi:
- Perez-Cruz, C., Simon, M., Flügge, G., Fuchs, E., & Czéh, B. (2009). Diurnal rhythm and stress regulate dendritic architecture and spine density of pyramidal neurons in the rat infralimbic cortex. *Behavioural Brain Research*, 205(2), 406-413. doi:
- Pérez-Garci, E., Larkum, M. E., & Nevian, T. (2012). Inhibition of dendritic Ca²⁺ spikes by GABAB receptors in cortical pyramidal neurons is mediated by a direct Gi/o-βγ subunit interaction with Cav1 channels. *Journal of Physiology*. doi: 10.1113/jphysiol.2012.245464. <http://jp.physoc.org/content/early/2012/11/21/jphysiol.2012.245464.abstract>
- Pérez-Santos, I., Palomero-Gallagher, N., Zilles, K., & Cavada, C. (2021). Distribution of the Noradrenaline Innervation and Adrenoceptors in the Macaque Monkey Thalamus. *Cerebral Cortex*, (bhab073). doi: 10.1093/cercor/bhab073. <https://doi.org/10.1093/cercor/bhab073>
- Periquet, M. I., Novak, V., Collins, M. P., Nagaraja, H. N., Erdem, S., Nash, S. M., . . . Mendell, J. R. (1999). Painful sensory neuropathy: Prospective evaluation using skin biopsy. *Neurology*, 53(8), 1641-. doi: <http://www.neurology.org/cgi/content/abstract/53/8/1641>
- Perkins, A. E., Fadel, J. R., & Kelly, S. J. (2015). The effects of postnatal alcohol exposure and galantamine on the context pre-exposure facilitation effect and acetylcholine efflux using in vivo microdialysis. *Alcohol*. doi: 10.1016/j.alcohol.2015.01.010. [http://www.alcoholjournal.org/article/S0741-8329\(14\)20180-7/abstract](http://www.alcoholjournal.org/article/S0741-8329(14)20180-7/abstract)
- Perlini, Laura E., Szczurkowska, J., Ballif, Bryan A., Piccini, A., Sacchetti, S., Giovedi, S., . . . Cancedda, L. (2015). Synapsin III Acts Downstream of Semaphorin 3A/CDK5 Signaling to Regulate Radial Migration

and Orientation of Pyramidal Neurons In Vivo. *Cell Reports*, (0).

doi: <http://dx.doi.org/10.1016/j.celrep.2015.03.022> <http://www.sciencedirect.com/science/article/pii/S2211124715002910>

Perng, V., Li, C., Klocke, C. R., Navazesh, S. E., Pinneles, D. K., Lein, P. J., & Ji, P. (2021). Iron Deficiency and Iron Excess Differently Affect Dendritic Architecture of Pyramidal Neurons in the Hippocampus of Piglets. *The Journal of Nutrition*, 151(1), 235-244. doi:

10.1093/jn/nxaa326. <https://doi.org/10.1093/jn/nxaa326>

Pernia, M., Díaz, I., Colmenárez-Raga, A. C., Rivadulla, C., Cudeiro, J., Plaza, I., & Merchán, M. A. (2019). Cross-modal reaction of auditory and visual cortices after long-term bilateral hearing deprivation in the rat. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01991-w.

<https://doi.org/10.1007/s00429-019-01991-w>

Pernia, M., Estevez, S., Poveda, C., Plaza, I., Carro, J., Juiz, M., & Merchan, M. A. (2017). c-Fos and Arc/Arg3.1 expression in auditory and visual cortices after hearing loss: Evidence of sensory crossmodal reorganization in adult rats. *Journal of Comparative Neurology*, n/a-n/a. doi:

10.1002/cne.24233. <http://dx.doi.org/10.1002/cne.24233>

Perreault, M.-C., Qin, Y., Heggelund, P., & Zhu, J. J. (2003). Postnatal development of GABAergic signalling in the rat lateral geniculate nucleus: presynaptic dendritic mechanisms. *Journal of Physiology*, 546(1), 137-148. doi:

10.1113/jphysiol.2002.030643. <http://jp.physoc.org/cgi/content/abstract/546/1/137>

Perreault, M.-C., & Raastad, M. (2006). Contribution of morphology and membrane resistance to integration of fast synaptic signals in two thalamic cell types. *Journal of Physiology*, 577(1), 205-220. doi: 10.1113/jphysiol.2006.113043.

<http://jp.physoc.org/cgi/content/abstract/577/1/205>

Perrenoud, Q., Geoffroy, H., Gauthier, B., Rancillac, A., Alfonsi, F., Kessar, N., . . . Gallopin, T. (2012). Characterization of Type I and Type II nNOS-Expressing Interneurons in the Barrel Cortex of Mouse. *Frontiers in neural Circuits*, 6. doi:

Perrenoud, Q., Rossier, J., Geoffroy, H., Vitalis, T., & Gallopin, T. (2012). Diversity of GABAergic Interneurons in Layer VIa and VIb of Mouse Barrel Cortex. *Cerebral Cortex*, bhs032. doi: 10.1093/cercor/bhs032. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhs032v1>

Perretti, A., Nolano, M., De Joanna, G., Tugnoli, V., Iannetti, G., Provitara, V., . . . Santoro, L. (2003). Is Ross syndrome a dysautonomic disorder only? An electrophysiologic and histologic study. *Clinical Neurophysiology*, 114(1), 7-16. doi:

Perron, A., Sharif, N., Gendron, L., Lavallée, M., Stroh, T., Mazella, J., & Beaudet, A. (2006). Sustained neurotensin exposure promotes cell surface recruitment of NTS2 receptors. *Biochemical and Biophysical Research Communications*, 343(3), 799-808. doi:

Perrot-Sinal, T. S., Davis, A. M., Gregerson, K. A., Kao, J. P. Y., & McCarthy, M. M. (2001). Estradiol Enhances Excitatory Gammabutyric Acid-Mediated Calcium Signaling in Neonatal Hypothalamic Neurons. *Endocrinology*, 142(6), 2238-2243. doi:

10.1210/en.142.6.2238. <http://endo.endojournals.org/cgi/content/abstract/142/6/2238>

Perumal, M. B., Latimer, B., Xu, L., Stratton, P., Nair, S., & Sah, P. (2021). Microcircuit mechanisms for the generation of sharp-wave ripples in the basolateral amygdala: A role for chandelier interneurons. *Cell Reports*, 35(6), 109106.

doi: <https://doi.org/10.1016/j.celrep.2021.109106>. <https://www.sciencedirect.com/science/article/pii/S221112472100440X>

Peruzzi, D., Bartlett, E., Smith, P. H., & Oliver, D. L. (1997). A Monosynaptic GABAergic Input from the Inferior Colliculus to the Medial Geniculate Body in Rat. *Journal of Neuroscience*, 17(10), 3766-3777. doi: <http://www.jneurosci.org/cgi/content/abstract/17/10/3766>

Peruzzi, D., & Forehand, C. J. (1994). Morphology of two classes of target-specific bullfrog sympathetic preganglionic neurons. *Journal of Comparative Neurology*, 341(3), 315-323. doi: <http://dx.doi.org/10.1002/cne.903410303>

Peruzzi, D., Hendley, E. D., & Forehand, C. J. (1991). Hypertrophy of stellate ganglion cells in hypertensive, but not hyperactive, rats. *Journal of the American Physiology Society*, 261(4 Pt 2). doi:

Peruzzi, D., Sivaramakrishnan, S., & Oliver, D. L. (2000). Identification of cell types in brain slices of the inferior colliculus. *Neuroscience*, 101(2), 403-416. doi:

Pervan, C. L., Lautz, J. D., Blitzer, A. L., Langert, K. A., & Stubbs Jr, E. B. (2015). Rho GTPase Signaling Promotes Constitutive Expression and Release of TGF- β 2 by Human Trabecular Meshwork Cells. *Experimental Eye Research*. doi: <http://dx.doi.org/10.1016/j.exer.2015.12.010>. <http://www.sciencedirect.com/science/article/pii/S0014483515300956>

Peschansky, V. J., Burbridge, T. J., Volz, A. J., Fiondella, C., Wissner-Gross, Z., Galaburda, A. M., . . . Rosen, G. D. (2009). The Effect of Variation in Expression of the Candidate Dyslexia Susceptibility Gene Homolog Kiaa0319 on Neuronal Migration and Dendritic Morphology in the Rat. *Cerebral Cortex*, bhp154. doi: 10.1093/cercor/bhp154. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp154v1>

Petanjek, Z., Judaš, M., Šimić, G., Rašin, M. R., Uylings, H. B. M., Rakic, P., & Kostović, I. (2011). Extraordinary neoteny of synaptic spines in the human prefrontal cortex. *Proceedings of the National Academy of Sciences*, 108(32), 13281-13286. doi: 10.1073/pnas.1105108108. <http://www.pnas.org/content/108/32/13281.abstract>

Peterfi, Z., McGinty, D., Sarai, E., & Szymusiak, R. (2009). Growth hormone releasing hormone (GHRH) activates sleep regulatory neurons of the rat preoptic hypothalamus. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 00494.02009. doi: 10.1152/ajpregu.00494.2009. <http://ajpregu.physiology.org/cgi/content/abstract/00494.2009v1>

Peterfi, Z., McGinty, D., Sarai, E., & Szymusiak, R. (2010). Growth hormone-releasing hormone activates sleep regulatory neurons of the rat preoptic hypothalamus. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 298(1), R147-R156-R147-R156. doi:

Petersen, C. C. H. (2002). Short-Term Dynamics of Synaptic Transmission Within the Excitatory Neuronal Network of Rat Layer 4 Barrel Cortex. *Journal of Neurophysiology*, 87(6), 2904-2914. doi: <http://jn.physiology.org/cgi/content/abstract/87/6/2904>

Petersen, C. C. H. (2006). Advances in Understanding Cortical Function Through Combined Voltage-Sensitive Dye Imaging, Whole-Cell Recordings, and Analysis of Cellular Morphology. *Neuroanatomical Tract-Tracing* 3, 436-451. doi:

Petersen, C. C. H., Grinvald, A., & Sakmann, B. (2003). Spatiotemporal Dynamics of Sensory Responses in Layer 2/3 of Rat Barrel Cortex Measured In Vivo by Voltage-Sensitive Dye Imaging Combined with Whole-Cell Voltage Recordings and Neuron Reconstructions. *Journal of Neuroscience*, 23(4), 1298-1309. doi.

Petersen, C. C. H., & Sakmann, B. (2000). The Excitatory Neuronal Network of Rat Layer 4 Barrel Cortex. *Journal of Neuroscience*, 20(20), 7579-7586.

doi: <http://www.jneurosci.org/cgi/content/abstract/20/20/7579>

Petersen, C. C. H., & Sakmann, B. (2001). Functionally Independent Columns of Rat Somatosensory Barrel Cortex Revealed with Voltage-Sensitive Dye Imaging. *Journal of Neuroscience*, 21(21), 8435-8446. doi: <http://www.jneurosci.org/cgi/content/abstract/21/21/8435>

Petersen, K. L., Rice, F. L., Farhadi, M., Reda, H., & Rowbotham, M. C. (2010). Natural history of cutaneous innervation following herpes zoster. *Pain*, 150(1), 75-82. doi.

Petersen, K. L., Rice, F. L., Suess, F., Berro, M., & Rowbotham, M. C. (2002). Relief of post-herpetic neuralgia by surgical removal of painful skin. *Pain*, 98(1-2), 119-126. doi.

Peterson, D. C., & Wenstrup, J. J. (2012). Selectivity and persistent firing responses to social vocalizations in the basolateral amygdala. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.04.069. <http://www.sciencedirect.com/science/article/pii/S0306452212004319>

Peterson, D. R., & Sukowski, E. J. (2019). Prevention of Oxidative Injury Associated with Thrombolysis for Ischemic Stroke Antioxidants: IntechOpen.

Petit-Pedrol, M., Sell, J., Planagumà, J., Mannara, F., Radosevic, M., Haselmann, H., . . . Geis, C. (2018). LGI1 antibodies alter Kv1.1 and AMPA receptors changing synaptic excitability, plasticity and memory. *Brain*, 141(11), 3144-3159. doi: 10.1093/brain/awy253. <http://dx.doi.org/10.1093/brain/awy253>

Petkau, T. L., Hill, A., & Leavitt, B. R. (2015). Core neuropathological abnormalities in progranulin-deficient mice are penetrant on multiple genetic backgrounds. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.12.006> <http://www.sciencedirect.com/science/article/pii/S0306452215010891>

Petkau, T. L., Neal, S. J., Milnerwood, A., Mew, A., Hill, A. M., Orban, P., . . . others. (2011). Synaptic dysfunction in progranulin-deficient mice. *Neurobiology of Disease*. doi.

Petrelli, A., Marconi, E., Salerno, M., De Pietri Tonelli, D., Berdondini, L., & Dante, S. (2013). Nano-volume drop patterning for rapid on-chip neuronal connect-ability assays. [10.1039/C3LC50564B]. *Lab on a Chip*. doi: 10.1039/c3lc50564b. <http://dx.doi.org/10.1039/C3LC50564B>

Petrenko, V., Mihhailova, J., Salmon, P., & Kiss, J. Z. (2015). Apoptotic neurons induce proliferative responses of progenitor cells in the postnatal neocortex. *Experimental Neurology*, 273, 126-137. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.08.010> <http://www.sciencedirect.com/science/article/pii/S0014488615300716>

Petrik, D., Jiang, Y., Birnbaum, S. G., Powell, C. M., Kim, M.-S., Hsieh, J., & Eisch, A. J. (2012). Functional and mechanistic exploration of an adult neurogenesis-promoting small molecule. *FASEB journal*. doi: 10.1096/fj.11-201426. <http://www.fasebj.org/content/early/2012/04/26/fj.11-201426.abstract>

- Petruzza, S., Venkat, A., Gyulassy, A., Scorzelli, G., Federer, F., Angelucci, A., . . . Bremer, P.-T. (2017). ISAVS: interactive scalable analysis and visualization system. Paper presented at the SIGGRAPH Asia 2017 Symposium on Visualization, Bangkok, Thailand. <https://dl.acm.org/citation.cfm?id=3139299>
- Petruzzello-Pellegrini, T. N., Yuen, D. A., Page, A. V., Patel, S., Soltyk, A. M., Matouk, C. C., . . . others. (2012). The CXCR4/CXCR7/SDF-1 pathway contributes to the pathogenesis of Shiga toxin-associated hemolytic uremic syndrome in humans and mice. *Journal of clinical investigation*, 122(2), 759-759. doi.
- Petzel, A., Bernard, R., Poller, W. C., & Veh, R. W. (2017). Anterior and posterior parts of the rat ventral tegmental area and the rostromedial tegmental nucleus receive topographically distinct afferents from the lateral habenular complex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24200. <http://dx.doi.org/10.1002/cne.24200>
- Peuser, J., Belhaj-Saif, A., Hamadjida, A., Schmidlin, E., Gindrat, A. D., Völker, A. C., . . . Scheffold, F. (2011). Follow-up of cortical activity and structure after lesion with laser speckle imaging and magnetic resonance imaging in nonhuman primates. *Journal of biomedical optics*, 16, 096011-096011. doi.
- Peyron, C., & Kilduff, T. S. (2017). Mapping the Hypocretin/Orexin Neuronal System: An Unexpectedly Productive Journey. [10.1523/JNEUROSCI.1708-16.2016]. *The Journal of Neuroscience*, 37(9), 2268. doi. <http://www.jneurosci.org/content/37/9/2268.abstract>
- Peyron, C., Tighe, D. K., van den Pol, A. N., de Lecea, L., Heller, H. C., Sutcliffe, J. G., & Kilduff, T. S. (1998). Neurons Containing Hypocretin (Orexin) Project to Multiple Neuronal Systems. *Journal of Neuroscience*, 18(23), 9996-10015. doi. <http://www.jneurosci.org/cgi/content/abstract/18/23/9996>
- Phillips, M. A., Colonnese, M. T., Goldberg, J., Lewis, L. D., Brown, E. N., & Constantine-Paton, M. (2011). A Synaptic Strategy for Consolidation of Convergent Visuotopic Maps. *Neuron*, 71(4), 710-724. doi.
- Philpot, K. B., Dallvechia-Adams, S., Smith, Y., & Kuhar, M. J. (2005). A cocaine-and-amphetamine-regulated-transcript peptide projection from the lateral hypothalamus to the ventral tegmental area. *Neuroscience*, 135(3), 915-925. doi.
- Piao, C.-S., Stoica, B. A., Wu, J., Sabirzhanov, B., Zhao, Z., Cabatbat, R., . . . Faden, A. I. (2013). Late exercise reduces neuroinflammation and cognitive dysfunction after traumatic brain injury. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.12.017>. <http://www.sciencedirect.com/science/article/pii/S0969996113000089>
- Piard, J., Hu, J.-H., Campeau, P. M., Rzońca, S., Van Esch, H., Vincent, E., . . . Worley, P. F. (2017). FRMPD4 mutations cause X-linked intellectual disability and disrupt dendritic spine morphogenesis. *Human Molecular Genetics*, ddx426-ddx426. doi: 10.1093/hmg/ddx426. <http://dx.doi.org/10.1093/hmg/ddx426>
- Piatti, M., Bogliun, G., Marzorati, L., Zincone, A., Giussani, G., Colombo, N., . . . others. (2004). Total neuropathy scale items as early predictors of chemotherapy-induced peripheral neurotoxicity. *Journal of the Peripheral Nervous System*, 9(2), 105-105. doi.
- Picard, N., Leslie, J. H., Trowbridge, S. K., Subramanian, J., Nedivi, E., & Fagiolini, M. (2014). Aberrant Development and Plasticity of Excitatory Visual Cortical Networks in the Absence of cpg15. *The Journal of Neuroscience*, 34(10), 3517-3522. doi. <http://www.jneurosci.org/content/34/10/3517.short>

Picardo, M. A., Guigue, P., Bonifazi, P., Batista-Brito, R., Allene, C., Ribas, A., . . . Baude, A. (2011). Pioneer GABA cells comprise a subpopulation of hub neurons in the developing hippocampus. *Neuron*, 71(4), 695-709. doi.

Piccini, A., Castroflorio, E., Valente, P., Guarnieri, F. C., Aprile, D., Michetti, C., . . . Giovedi, S. (2017). APACHE Is an AP2-Interacting Protein Involved in Synaptic Vesicle Trafficking and Neuronal Development. *Cell Reports*, 21(12), 3596-3611. doi: <https://doi.org/10.1016/j.celrep.2017.11.073>. <https://www.sciencedirect.com/science/article/pii/S2211124717317382>

Piccini, A., Perlini, L. E., Cancedda, L., Benfenati, F., & Giovedi, S. (2015). Phosphorylation by PKA and Cdk5 Mediates the Early Effects of Synapsin III in Neuronal Morphological Maturation. *The Journal of Neuroscience*, 35(38), 13148-13159. doi. <http://www.jneurosci.org/content/35/38/13148.abstract>

Piche, M., Chabot, N., Bronchti, G., Miceli, D., Lepore, F., & Guillemot, J. P. (2007). Auditory responses in the visual cortex of neonatally enucleated rats. *Neuroscience*, 145(3), 1144-1156. doi.

Pichon, F., Nikonenko, I., Kraftsik, R., & Welker, E. (2012). Intracortical connectivity of layer VI pyramidal neurons in the somatosensory cortex of normal and barreless mice. *European Journal of Neuroscience*. doi.

Pickard, G. E., Smith, B. N., Belenky, M., Rea, M. A., Dudek, F. E., & Sollars, P. J. (1999). 5-HT_{1B} receptor-mediated presynaptic inhibition of retinal input to the suprachiasmatic nucleus. *Journal of Neuroscience*, 19(10), 4034-4045. doi.

Pickrell, A. M., Pinto, M., Hida, A., & Moraes, C. T. (2011). Striatal Dysfunctions Associated with Mitochondrial DNA Damage in Dopaminergic Neurons in a Mouse Model of Parkinson's Disease. *Journal of Neuroscience*, 31(48), 17649-17658. doi: 10.1523/jneurosci.4871-11.2011. <http://www.jneurosci.org/content/31/48/17649.abstract>

Picones, A., Chung, S. C., & Korenbrot, J. I. (2003). Developmental maturation of passive electrical properties in retinal ganglion cells of rainbow trout. *Journal of Physiology*, 548(1), 71-83. doi: 10.1113/jphysiol.2002.034637. <http://jp.physoc.org/cgi/content/abstract/548/1/71>

Pidoux, M., Mahon, S., Deniau, J.-M., & Charpier, S. (2011). Integration and propagation of somatosensory responses in the corticostriatal pathway: an intracellular study in vivo. *Journal of Physiology*, 589(2), 263-281. doi: 10.1113/jphysiol.2010.199646. <http://jp.physoc.org/content/589/2/263.abstract>

Piechota, M., Romanowska-Pawliczek, A., & Soltys, Z. (2007). Analiza fraktalna w badaniu morfologii komórek tkanki nerwowej: metody i problemy. *Episteme*, 5, 11-28. doi.

Pielecka-Fortuna, J., Wagener, R. J., Martens, A.-K., Goetze, B., Schmidt, K.-F., Staiger, J. F., & Löwel, S. (2014). The disorganized visual cortex in reelin-deficient mice is functional and allows for enhanced plasticity. *Brain Structure and Function*, 1-19. doi. <http://link.springer.com/article/10.1007/s00429-014-0866-x/fulltext.html>

Pieper, A. A., Xie, S., Capota, E., Estill, S. J., Zhong, J., Long, J. M., . . . others. (2010). Discovery of a proneurogenic, neuroprotective chemical. *Cell*, 142(1), 39-51. doi.

Pieraut, S., Gounko, N., Sando Iii, R., Dang, W., Rebboah, E., Panda, S., . . . Maximov, A. (2014). Experience-Dependent Remodeling of Basket Cell Networks in the Dentate Gyrus. *Neuron*, 84(1), 107-

122.

doi: <http://dx.doi.org/10.1016/j.neuron.2014.09.012>. <http://www.sciencedirect.com/science/article/pii/S0896627314008009>

Pierce, J. P., McCloskey, D. P., & Scharfman, H. E. (2011). Morphometry of hilar ectopic granule cells in the rat. *Journal of Comparative Neurology*, 519(6), 1196-1218. doi: 10.1002/cne.22568. <http://dx.doi.org/10.1002/cne.22568>

Pierret, T., Lavallee, P., & Deschenes, M. (2000). Parallel Streams for the Relay of Vibrissal Information through Thalamic Barreloids. *Journal of Neuroscience*, 20(19), 7455-7462. doi: <http://www.jneurosci.org/cgi/content/abstract/20/19/7455>

Pierucci, F., Garcia-Gil, M., Frati, A., Bini, F., Martinesi, M., Vannini, E., . . . Meacci, E. (2017). Vitamin D3 protects against A β peptide cytotoxicity in differentiated human neuroblastoma SH- SY5Y cells: A role for S1P1/p38MAPK/ATF4 axis. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2017.01.003>. <http://www.sciencedirect.com/science/article/pii/S0028390817300035>

Pignataro, A., Meli, G., Pagano, R., Fontebasso, V., Battistella, R., Conforto, G., . . . Middei, S. (2018). Activity-induced A β oligomers drive compensatory synaptic rearrangements in brain circuits controlling memory of pre-symptomatic AD mice. *Biological Psychiatry*. doi: <https://doi.org/10.1016/j.biopsych.2018.10.018>. <http://www.sciencedirect.com/science/article/pii/S0006322318319802>

Pignataro, A., Pagano, R., Guarneri, G., Middei, S., & Ammassari-Teule, M. (2017). Extracellular matrix controls neuronal features that mediate the persistence of fear. [journal article]. *Brain Structure and Function*, 1-10. doi: 10.1007/s00429-017-1440-0. <http://dx.doi.org/10.1007/s00429-017-1440-0>

Pignatelli, M., Vollmayr, B., Richter, S. H., Middei, S., Matrisciano, F., Molinaro, G., . . . Gass, P. (2012). Enhanced mGlu5-receptor dependent long-term depression at the Schaffer collateral-CA1 synapse of congenitally learned helpless rats. *Neuropharmacology*, (0). doi: 10.1016/j.neuropharm.2012.05.046. <http://www.sciencedirect.com/science/article/pii/S0028390812002547?v=s5>

Pijpers, A., Apps, R., Pardoe, J., Voogd, J., & Ruigrok, T. J. H. (2006). Precise Spatial Relationships between Mossy Fibers and Climbing Fibers in Rat Cerebellar Cortical Zones. *Journal of Neuroscience*, 26(46), 12067-12080. doi: 10.1523/jneurosci.2905-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/46/12067>

Pijpers, A., & Ruigrok, T. J. H. (2006). Organization of pontocerebellar projections to identified climbing fiber zones in the rat. *Journal of Comparative Neurology*, 496(4), 513-528. doi.

Pijpers, A., Winkelman, B. H. J., Bronsing, R., & Ruigrok, T. J. H. (2008). Selective Impairment of the Cerebellar C1 Module Involved in Rat Hind Limb Control Reduces Step-Dependent Modulation of Cutaneous Reflexes. *Journal of Neuroscience*, 28(9), 2179-2189. doi: 10.1523/jneurosci.4668-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/9/2179>

Pillai-Nair, N., Panicker, A. K., Rodriguiz, R. M., Gilmore, K. L., Demyanenko, G. P., Huang, J. Z., . . . Maness, P. F. (2005). Neural Cell Adhesion Molecule-Secreting Transgenic Mice Display Abnormalities in GABAergic Interneurons and Alterations in Behavior. *Journal of Neuroscience*, 25(18), 4659-4671. doi: <http://www.jneurosci.org/cgi/content/abstract/25/18/4659>

- Pilz, G.-A., Shitamukai, A., Reillo, I., Pacary, E., Schwausch, J., Stahl, R., . . . Godinho, L. (2013). Amplification of progenitors in the mammalian telencephalon includes a new radial glial cell type. *Nature Communications*, 4. doi: <http://www.nature.com/ncomms/2013/130710/ncomms3125/full/ncomms3125.html>
- Pimentel, D. O., & Margrie, T. W. (2008). Glutamatergic transmission and plasticity between olfactory bulb mitral cells. *Journal of Physiology*, jphysiol.2007.149575. doi: 10.1113/jphysiol.2007.149575. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2007.149575v1>
- Pinaud, R., Fortes, A. F., Lovell, P., & Mello, C. V. (2006). Calbindin-positive neurons reveal a sexual dimorphism within the songbird analogue of the mammalian auditory cortex. *Journal of Neurobiology*, 66(2), 182-195. doi.
- Pinaud, R., & Mello, C. V. (2007). GABA immunoreactivity in auditory and song control brain areas of zebra finches. *Journal of Chemical Neuroanatomy*, 34(1), 1-21. doi.
- Pinaud, R., Saldanha, C. J., Wynne, R. D., Lovell, P. V., & Mello, C. V. (2007). The excitatory thalamo-"cortical" projection within the song control system of zebra finches is formed by calbindin-expressing neurons. *Journal of Comparative Neurology*, 504(6), 601-618. doi.
- Pinaud, R., Terleph, T. A., Tremere, L. A., Phan, M. L., Dagostin, A. A., Leao, R. M., . . . Vicario, D. S. (2008). Inhibitory Network Interactions Shape the Auditory Processing of Natural Communication Signals in the Songbird Auditory Forebrain. *Journal of Neurophysiology*, 01239.02007. doi: 10.1152/jn.01239.2007. <http://jn.physiology.org/cgi/content/abstract/01239.2007v1>
- Pinaud, R., Velho, T. A. F., Jeong, J. K., Tremere, L. A., Leao, R. M., von Gersdorff, H., & Mello, C. V. (2004). GABAergic neurons participate in the brain's response to birdsong auditory stimulation. *European Journal of Neuroscience*, 20(5), 1318-1330. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0358..>
- Pinault, D. (2003). Cellular interactions in the rat somatosensory thalamocortical system during normal and epileptic 5-9 Hz oscillations. *Journal of Physiology*, 552(3), 881-905. doi: 10.1113/jphysiol.2003.046573. <http://jp.physoc.org/cgi/content/abstract/552/3/881>
- Pinault, D. (2005). A new stabilizing craniotomy-duratomy technique for single-cell anatomoelectrophysiological exploration of living intact brain networks. *Journal of Neuroscience Methods*, 141(2), 231-242. doi.
- Pinault, D. (2010). The Juxtacellular Recording Labeling Technique. *Electrophysiological Recording Techniques*. doi.
- Pinault, D., & Deschenes, M. (1998). Anatomical evidence for a mechanism of lateral inhibition in the rat thalamus. *European Journal of Neuroscience*, 10(11), 3462-3469. doi: doi:10.1046/j.1460-9568.1998.00362.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1998.00362.x>
- Pinault, D., Slezia, A., & Acsady, L. (2006). Corticothalamic 5-9 Hz oscillations are more pro-epileptogenic than sleep spindles in rats. *Journal of Physiology*, 574(1), 209-227. doi: 10.1113/jphysiol.2006.108498. <http://jp.physoc.org/cgi/content/abstract/574/1/209>
- Pinault, D., Smith, Y., & Deschenes, M. (1997). Dendrodendritic and Axoaxonic Synapses in the Thalamic Reticular Nucleus of the Adult Rat. *Journal of Neuroscience*, 17(9), 3215-3233. doi: <http://www.jneurosci.org/cgi/content/abstract/17/9/3215>

Pinault, D., Vergnes, M., & Marescaux, C. (2001). Medium-voltage 5-9-Hz oscillations give rise to spike-and-wave discharges in a genetic model of absence epilepsy: in vivo dual extracellular recording of thalamic relay and reticular neurons. *Neuroscience*, 105(1), 181-201. doi.

Pinheiro, S., Silva, J., Mota, C., Vaz-Silva, J., Veloso, A., Pinto, V., . . . Sotiropoulos, I. (2015). Tau Mislocation in Glucocorticoid-Triggered Hippocampal Pathology. *Molecular Neurobiology*, 1-9. doi: 10.1007/s12035-015-9356-2. <http://dx.doi.org/10.1007/s12035-015-9356-2>

Pinkernelle, J., Abraham, A., Seidel, K., & Braun, K. (2009). Paternal deprivation induces dendritic and synaptic changes and hemispheric asymmetry of pyramidal neurons in the somatosensory cortex. *Developmental Neurobiology*, 69(10), 663-673. doi.

Pinto, B., Morelli, G., Rastogi, M., Savardi, A., Fumagalli, A., Petretto, A., . . . Cancedda, L. (2020). Rescuing Over-activated Microglia Restores Cognitive Performance in Juvenile Animals of the Dp(16) Mouse Model of Down Syndrome. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2020.09.010>. <http://www.sciencedirect.com/science/article/pii/S0896627320307108>

Pinto, L., Drechsel, D., Schmid, M. T., Ninkovic, J., Irmeler, M., Brill, M. S., . . . others. (2009). AP2γ regulates basal progenitor fate in a region-and layer-specific manner in the developing cortex. *Nature Neuroscience*, 12(10), 1229-1237. doi.

Pinto, L., Mateus-Pinheiro, A., Morais, M., Bessa, J. M., & Sousa, N. (2012). Immuno-Golgi as a Tool for Analyzing Neuronal 3D-Dendritic Structure in Phenotypically Characterized Neurons. *PLoS ONE*, 7(3), e33114. doi: 10.1371/journal.pone.0033114. <http://dx.doi.org/10.1371%2Fjournal.pone.0033114>

Pinto, V., Szucs, P., Lima, D., & Safronov, B. V. (1990). Multisegmental A and C-Fiber Input to Neurons in Lamina I and the Lateral Spinal Nucleus. *Journal of Neuroscience*, 30(6), 2384-2395. doi: 10.1523/jneurosci.3445-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/6/2384>

Pinzon, A., Marcillo, A., Pabon, D., Bramlett, H. M., Bunge, M. B., & Dietrich, W. D. (2008). A re-assessment of erythropoietin as a neuroprotective agent following rat spinal cord compression or contusion injury. *Experimental Neurology*, 213(1), 129-136. doi.

Pinzon, A., Marcillo, A., Quintana, A., Stamler, S., Bunge, M. B., Bramlett, H. M., & Dietrich, W. D. (2008). A re-assessment of minocycline as a neuroprotective agent in a rat spinal cord contusion model. *Brain Research*, 1243, 146-151. doi.

Pirone, A., Miragliotta, V., Cozzi, B., & Granato, A. (2019). The Claustrum of the Pig: An Immunohistochemical and a Quantitative Golgi Study. *The anatomical record*, 0(ja). doi: 10.1002/ar.24073. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ar.24073>

Pirttilä, T. J., Manninen, A., Jutila, L., Nissinen, J., Kälviäinen, R., Vapalahti, M., . . . others. (2005). Cystatin C expression is associated with granule cell dispersion in epilepsy. *Annals of Neurology*, 58(2), 211-223. doi.

Pirttilä, T. J., & Pitkänen, A. (2006). Cystatin C expression is increased in the hippocampus following photothrombotic stroke in rat. *Neuroscience Letters*, 395(2), 108-113. doi.

Pitcher, J., Abt, A., Myers, J., Han, R., Snyder, M., Graziano, A., . . . Meucci, O. (2014). Neuronal ferritin heavy chain and drug abuse affect HIV-associated cognitive dysfunction. *The Journal of clinical investigation*, 124(2), 0-0. doi: 10.1172/jci70090. <http://www.jci.org/articles/view/70090>

Pitkänen, A., Narkilahti, S., Bezvenyuk, Z., Haapalinna, A., & Nissinen, J. (2004). Atipamezole, an α 2-adrenoceptor antagonist, has disease modifying effects on epileptogenesis in rats. *Epilepsy Research*, 61(1), 119-140. doi.

Pitkänen, A., Nissinen, J., Jolkkonen, E., Tuunanen, J., & Halonen, J. T. (1999). Effects of vigabatrin treatment on status epilepticus-induced neuronal damage and mossy fiber sprouting in the rat hippocampus. *Epilepsy Research*, 33(1), 67-85. doi.

Pitkänen, A., Nissinen, J., Nairismägi, J., Lukasiuk, K., Gröhn, O. H. J., Miettinen, R., & Kauppinen, R. (2002). Progression of neuronal damage after status epilepticus and during spontaneous seizures in a rat model of temporal lobe epilepsy. *Progress in Brain Research*, 135, 67-83. doi.

Pitkanen, A., Pikkarainen, M., Nurminen, N., & Ylinen, A. (2000). Reciprocal Connections between the Amygdala and the Hippocampal Formation, Perirhinal Cortex, and Postrhinal Cortex in Rat: A Review. *Annals of the New York Academy of Sciences*, 911(1), 369-391. doi: doi:10.1111/j.1749-6632.2000.tb06738.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2000.tb06738.x>.

Pitkanen, A., Savander, M. I. A., Nurminen, N., & Ylinen, A. (2003). Intrinsic Synaptic Circuitry of the Amygdala. *Annals of the New York Academy of Sciences*, 985(1), 34-49. doi: doi:10.1111/j.1749-6632.2003.tb07069.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2003.tb07069.x>.

Pizzimenti, M. A., Darling, W. G., Rotella, D. L., McNeal, D. W., Herrick, J. L., Ge, J., . . . Morecraft, R. J. (2007). Measurement of Reaching Kinematics and Prehensile Dexterity in Nonhuman Primates. *Journal of Neurophysiology*, 98(2), 1015-1029. doi: 10.1152/jn.00354.2007. <http://jn.physiology.org/cgi/content/abstract/98/2/1015>

Pla, P., Orvoen, S., Benstaali, C., Dodier, S., Gardier, A. M., David, D. J., . . . Saudou, F. (2013). Huntingtin Acts Non Cell-Autonomously on Hippocampal Neurogenesis and Controls Anxiety-Related Behaviors in Adult Mouse. *Plos one*, 8(9), e73902. doi: 10.1371/journal.pone.0073902. <http://dx.doi.org/10.1371%2Fjournal.pone.0073902>

Pla, R., Stanco, A., Howard, M. A., Rubin, A. N., Vogt, D., Mortimer, N., . . . Rubenstein, J. L. R. (2017). Dlx1 and Dlx2 Promote Interneuron GABA Synthesis, Synaptogenesis, and Dendritogenesis. *Cerebral Cortex*, 1-19. doi: 10.1093/cercor/bhx241. <http://dx.doi.org/10.1093/cercor/bhx241>

Planche, V., Panatier, A., Hiba, B., Ducourneau, E.-G., Raffard, G., Dubourdiou, N., . . . Tourdias, T. (2016). Selective dentate gyrus disruption causes memory impairment at the early stage of experimental multiple sclerosis. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.11.010>. <http://www.sciencedirect.com/science/article/pii/S0889159116305128>

Platt, M. P., Adler, W. T., Mehlhorn, A. J., Johnson, G. C., Wright, K. A., Choi, R. T., . . . Rosen, G. D. (2013). Embryonic disruption of the candidate dyslexia susceptibility gene homologue Kiaa0319-like results in neuronal migration disorders. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.056>. <http://www.sciencedirect.com/science/article/pii/S0306452213005629>

Podraza, K. M., Mehta, Y., Husak, V. A., Lippmann, E., O'Brien, T. E., Kartje, G. L., & Tsai, S.-Y. (2017). Improved functional outcome after chronic stroke with delayed anti-Nogo-A therapy: A clinically relevant intention-to-treat analysis. *Journal of Cerebral Blood Flow and Metabolism*, 0271678X17730994. doi: 10.1177/0271678x17730994. <https://doi.org/10.1177/0271678X17730994>

Poeggel, G., Helmeke, C., Abraham, A., Schwabe, T., Friedrich, P., & Braun, K. (2003). Juvenile emotional experience alters synaptic composition in the rodent cortex, hippocampus, and lateral amygdala. *PNAS*, 100(26), 16137-16142. doi: <http://www.pnas.org/cgi/content/abstract/100/26/16137>

Poglia, L., Muller, D., & Nikonenko, I. (2011). Ultrastructural modifications of spine and synapse morphology by SAP97. *Hippocampus*, 21(9), 990-998. doi: 10.1002/hipo.20811. <http://dx.doi.org/10.1002/hipo.20811>

Poglio, F., Tavella, A., Ciaramitaro, P., Prolasso, I., Vercelli, L., Mongini, T., . . . Cocito, D. (2004). Electrophysiological features in the distinction between hereditary demyelinating and chronic acquired demyelinating neuropathies. *Journal of the Peripheral Nervous System*, 9(2), 113-113. doi: doi:10.1111/j.1085-9489.2004.009209ae.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Pohlkamp, T., Dávid, C., Cauli, B., Gallopin, T., Bouché, E., Karagiannis, A., . . . Bock, H. H. (2013). Characterization and Distribution of Reelin-Positive Interneuron Subtypes in the Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht161. <http://cercor.oxfordjournals.org/content/early/2013/06/26/cercor.bht161...>

Polgár, E., Al Ghamdi, K. S., & Todd, A. J. (2010). Two populations of neurokinin 1 receptor-expressing projection neurons in lamina I of the rat spinal cord that differ in AMPA receptor subunit composition and density of excitatory synaptic input. *Neuroscience*, 167(4), 1192-1204. doi.

Polgár, E., Al-Khater, K. M., Shehab, S., Watanabe, M., & Todd, A. J. (2008). Large projection neurons in lamina I of the rat spinal cord that lack the neurokinin 1 receptor are densely innervated by VGLUT2-containing axons and possess GluR4-containing AMPA receptors. *Journal of Neuroscience*, 28(49), 13150-13150. doi.

Polgár, E., Durrieux, C., Hughes, D. I., & Todd, A. J. (2013). A Quantitative Study of Inhibitory Interneurons in Laminae I-III of the Mouse Spinal Dorsal Horn. *PLoS ONE*, 8(10), e78309. doi: 10.1371/journal.pone.0078309. <http://dx.doi.org/10.1371%2Fjournal.pone.0078309>

Polgár, E., Furuta, T., Kaneko, T., & Todd, A. (2006). Characterization of neurons that express preprotachykinin B in the dorsal horn of the rat spinal cord. *Neuroscience*, 139(2), 687-697. doi.

Polgár, E., Gray, S., Riddell, J. S., & Todd, A. J. (2004). Lack of evidence for significant neuronal loss in laminae I-III of the spinal dorsal horn of the rat in the chronic constriction injury model. *Pain*, 111(1), 144-150. doi.

Polgár, E., Hughes, D. I., Arham, A. Z., & Todd, A. J. (2005). Loss of Neurons from Laminae I-III of the Spinal Dorsal Horn Is Not Required for Development of Tactile Allodynia in the Spared Nerve Injury Model of Neuropathic Pain. *Journal of Neuroscience*, 25(28), 6658-6666. doi: <http://www.jneurosci.org/cgi/content/abstract/25/28/6658>

Polgár, E., Puskar, Z., Watt, C., Matesz, C., & Todd, A. J. (2002). Selective innervation of lamina I projection neurons that possess the neurokinin 1 receptor by serotonin-containing axons in the rat spinal cord. *Neuroscience*, 109(4), 799-809. doi.

Polgár, E., Sardella, T. C., Tiong, S. Y., Locke, S., Watanabe, M., & Todd, A. J. (2013). Functional differences between neurochemically-defined populations of inhibitory interneurons in the rat spinal dorsal horn. *Pain*. doi.

Polgár, E., Sardella, T. C. P., Watanabe, M., & Todd, A. J. (2011). Quantitative study of NPY-expressing GABAergic neurons and axons in rat spinal dorsal horn. *Journal of Comparative Neurology*, 519(6), 1007-1023. doi: 10.1002/cne.22570. <http://dx.doi.org/10.1002/cne.22570>

Polgár, E., Shehab, S. A. S., Watt, C., & Todd, A. J. (1999). GABAergic Neurons that Contain Neuropeptide Y Selectively Target Cells with the Neurokinin 1 Receptor in Laminae III and IV of the Rat Spinal Cord. *Journal of Neuroscience*, 19(7), 2637-2646. doi: <http://www.jneurosci.org/cgi/content/abstract/19/7/2637>

Polgár, E., Thomson, S., Maxwell, D. J., Al-Khater, K., & Todd, A. J. (2007). A population of large neurons in laminae III and IV of the rat spinal cord that have long dorsal dendrites and lack the neurokinin 1 receptor. *European Journal of Neuroscience*, 26(6), 1587-1598. doi: doi:10.1111/j.1460-9568.2007.05793.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05793.x>

Polgár, E., & Todd, A. J. (2008). Tactile allodynia can occur in the spared nerve injury model in the rat without selective loss of GABA or GABA_A receptors from synapses in laminae I-II of the ipsilateral spinal dorsal horn. *Neuroscience*, 156(1), 193-202. doi.

Polgár, E., Watanabe, M., Hartmann, B., Grant, S., & Todd, A. (2008). Expression of AMPA receptor subunits at synapses in laminae I-III of the rodent spinal dorsal horn. *Molecular Pain*, 4(1), 5. doi: <http://www.molecularpain.com/content/4/1/5>

Polgár, E., Wright, L. L., & Todd, A. J. (2010). A quantitative study of brainstem projections from lamina I neurons in the cervical and lumbar enlargement of the rat. *Brain Research*, 1308, 58-67. doi.

Polinski, N. K., Gombash, S. E., Manfredsson, F. P., Lipton, J. W., Kemp, C. J., Cole-Strauss, A., . . . Sortwell, C. E. (2014). Recombinant adeno-associated virus 2/5-mediated gene transfer is reduced in the aged rat midbrain. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2014.07.047. [http://www.neurobiologyofaging.org/article/S0197-4580\(14\)00636-8/abstract](http://www.neurobiologyofaging.org/article/S0197-4580(14)00636-8/abstract)

Poll, S., & Fuhrmann, M. (2019). Chapter 14 - Long-Term In Vivo Imaging of Structural Plasticity in Rodents. In D. Manahan-Vaughan (Ed.), *Handbook of Behavioral Neuroscience* (Vol. 28, pp. 253-262): Elsevier.

Pollack, G. A., Bezek, J. L., Lee, S. H., Scarlata, M. J., Weingast, L. T., & Bergstrom, H. C. (2018). Cued fear memory generalization increases over time. *Learning and Memory*, 25(7), 298-308. doi: 10.1101/lm.047555.118. <http://learnmem.cshlp.org/content/25/7/298.abstract>

Poller, W. C., Bernard, R., Derst, C., Weiss, T., Madai, V. I., & Veh, R. W. (2011). Lateral habenular neurons projecting to reward-processing monoaminergic nuclei express hyperpolarization-activated cyclic nucleotid-gated cation (HCN) channels. *Neuroscience*. doi.

Poller, W. C., Madai, V. I., Bernard, R., Laube, G., & Veh, R. W. (2013). A glutamatergic projection from the lateral hypothalamus targets VTA-projecting neurons in the lateral habenula of the rat. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.01.029>. <http://www.sciencedirect.com/science/article/pii/S0006899313001236>

Poncer, J. C., McKinney, R. A., Gahwiler, B. H., & Thompson, S. M. (2000). Differential control of GABA release at synapses from distinct interneurons in rat hippocampus. *Journal of Physiology*, 528(1), 123-130. doi: <http://jp.physoc.org/cgi/content/abstract/528/1/123>

Poncer, J. C., McKinney, R. A., Gähwiler, B. H., & Thompson, S. M. (1997). Either N-or P-type calcium channels mediate GABA release at distinct hippocampal inhibitory synapses. *Neuron*, 18(3), 463-472. doi.

Pons-Espinal, M., Martinez de Lagran, M., & Dierssen, M. (2013). Environmental enrichment rescues Dyrk1A activity and hippocampal adult neurogenesis in TgDyrk1A. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.08.008>. <http://www.sciencedirect.com/science/article/pii/S0969996113002295>

Poo, C., & Isaacson, J. S. (2009). Odor Representations in Olfactory Cortex. *Neuron*, 62(6), 850-861. doi.

Poon, A., Li, Z., Wolfe, G. W., Lu, L., Williams, R. W., Hayes, N. L., . . . Goldowitz, D. (2010). Identification of a Chr 11 quantitative trait locus that modulates proliferation in the rostral migratory stream of the adult mouse brain. *European Journal of Neuroscience*, 32(4), 523-537. doi.

Poorthuis, R. B., Bloem, B., Schak, B., Wester, J., de Kock, C. P. J., & Mansvelder, H. D. (2012). Layer-Specific Modulation of the Prefrontal Cortex by Nicotinic Acetylcholine Receptors. *Cerebral Cortex*, bhr390. doi: 10.1093/cercor/bhr390. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr390v1>

Popko, J., Fernandes, A., Brites, D., & Lanier, L. M. (2009). Automated analysis of NeuronJ tracing data. *Cytometry Part A*, 75(4), 371-376. doi.

Popović, M., Caballero-Bleda, M., Popović, N., Puellas, L., van Groen, T., & Witter, M. P. (2006). Verapamil prevents, in a dose-dependent way, the loss of ChAT-immunoreactive neurons in the cerebral cortex following lesions of the rat nucleus basalis magnocellularis. *Experimental Brain Research*, 170(3), 368-375. doi.

Popovic, M., Djurusic, M., & Zecevic, D. (2005). Determinants of Low EPSP Attenuation in Primary Dendrites of Mitral Cells: Modeling Study. *Annals of the New York Academy of Sciences*, 1048(1), 344-348. doi: doi:10.1196/annals.1342.033. <http://www.blackwell-synergy.com/doi/abs/10.1196/annals.1342.033>

Porreca, F., Burgess, S. E., Gardell, L. R., Vanderah, T. W., Malan Jr, T. P., Ossipov, M. H., . . . Lai, J. (2001). Inhibition of neuropathic pain by selective ablation of brainstem medullary cells expressing the μ -opioid receptor. *Journal of Neuroscience*, 21(14), 5281-5288. doi.

Porreca, F., Burgess, S. E., Gardell, L. R., Vanderah, T. W., Malan, T. P., Jr, Ossipov, M. H., . . . Lai, J. (2001). Inhibition of Neuropathic Pain by Selective Ablation of Brainstem Medullary Cells Expressing the μ -Opioid Receptor. *Journal of Neuroscience*, 21(14), 5281-5288. doi. <http://www.jneurosci.org/cgi/content/abstract/21/14/5281>

Porrero, C., Rodríguez-Moreno, J., Quetglas, J. I., Smerdou, C., Furuta, T., & Clasca, F. (2016). A Simple and Efficient In Vivo non-viral RNA Transfection Method For Labeling the Whole Axonal Tree of Individual Adult Long-Range Projection Neurons. [Methods]. *Frontiers in Neuroanatomy*, 10. doi: 10.3389/fnana.2016.00027. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy..>

Porter, J. T., Cauli, B., Staiger, J. F., Lambolez, B., Rossier, J., & Audinat, E. (1998). Properties of bipolar VIPergic interneurons and their excitation by pyramidal neurons in the rat neocortex. *European Journal of Neuroscience*, 10(12), 3617. doi.

Porter, J. T., Johnson, C. K., & Agmon, A. (2001). Diverse Types of Interneurons Generate Thalamus-Evoked Feedforward Inhibition in the Mouse Barrel Cortex. *Journal of Neuroscience*, 21(8), 2699-2710. doi: <http://www.jneurosci.org/cgi/content/abstract/21/8/2699>

Porter, L. L., Rizzo, E., & Hornung, J.-P. (1999). Dopamine Affects Parvalbumin Expression during Cortical Development In Vitro. *Journal of Neuroscience*, 19(20), 8990-9003. doi: <http://www.jneurosci.org/cgi/content/abstract/19/20/8990>

Portera-Cailliau, C., Weimer, R. M., De Paola, V., Caroni, P., & Svoboda, K. (2005). Diverse Modes of Axon Elaboration in the Developing Neocortex. *PLoS Biology*, 3(8), e272. doi: <http://dx.doi.org/10.1371/journal.pbio.0030272>

Porteros, Á., Gómez, C., Valero, J., Calvo-Baltanás, F., & Alonso, J. R. (2007). Chemical organization of the macaque monkey olfactory bulb: III. Distribution of cholinergic markers. *Journal of Comparative Neurology*, 501(6), 854-865. doi:

Poskanzer, K., Needleman, L. A., Bozdagi, O., & Huntley, G. W. (2003). N-Cadherin Regulates Ingrowth and Laminar Targeting of Thalamocortical Axons. *Journal of Neuroscience*, 23(6), 2294-2305. doi: <http://www.jneurosci.org/cgi/content/abstract/23/6/2294>

Potez, S., & Larkum, M. E. (2008). Effect of Common Anesthetics on Dendritic Properties in Layer 5 Neocortical Pyramidal Neurons. *Journal of Neurophysiology*, 01126.02007. doi: 10.1152/jn.01126.2007. <http://jn.physiology.org/cgi/content/abstract/01126.2007v1>

Potts, J. T., Fong, A. Y., Anguelov, P. I., Lee, S., McGovern, D., & Grias, I. (2007). Targeted deletion of neurokinin-1 receptor expressing nucleus tractus solitarii neurons precludes somatosensory depression of arterial baroreceptor-heart rate reflex. *Neuroscience*, 145(3), 1168-1181. doi:

Potts, J. T., & Paton, J. F. R. (2006). Optical imaging of medullary ventral respiratory network during eupnea and gasping In situ. *European Journal of Neuroscience*, 23(11), 3025-3033. doi: 10.1111/j.1460-9568.2006.04809.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04809.x>

Potvin, O., Allen, K., Thibaudeau, G., Doré, F. Y., & Goulet, S. (2006). Performance on spatial working memory tasks after dorsal or ventral hippocampal lesions and adjacent damage to the subiculum. *Behavioral Neuroscience*, 120(2), 413-413. doi:

Potvin, O., Doré, F. Y., & Goulet, S. (2007). Contributions of the dorsal hippocampus and the dorsal subiculum to processing of idiothetic information and spatial memory. *Neurobiology of Learning and Memory*, 87(4), 669-678. doi:

Potvin, O., Doré, F. Y., & Goulet, S. (2009). Lesions of the dorsal subiculum and the dorsal hippocampus impaired pattern separation in a task using distinct and overlapping visual stimuli. *Neurobiology of Learning and Memory*, 91(3), 287-297. doi:

Potvin, O., Lemay, F., Dion, M., Corado, G., Doré, F. Y., & Goulet, S. (2010). Contribution of the dorsal subiculum to memory for temporal order and novelty detection using objects, odors, or spatial locations in the rat. *Neurobiology of Learning and Memory*, 93(3), 330-336. doi:

Pouille, F., Marin-Burgin, A., Adesnik, H., Atallah, B. V., & Scanziani, M. (2009). Input normalization by global feedforward inhibition expands cortical dynamic range. *Nature Neuroscience*, 12(12), 1577-1585. doi:

- Poulet, J. F. A., & Petersen, C. C. H. (2008). Internal brain state regulates membrane potential synchrony in barrel cortex of behaving mice. *Nature*. doi: doi:10.1038/nature07150.
- Povysheva, N. V., Zaitsev, A. V., Gonzalez-Burgos, G., & Lewis, D. A. (2013). Electrophysiological Heterogeneity of Fast-Spiking Interneurons: Chandelier versus Basket Cells. *PLoS ONE*, 8(8), e70553. doi: 10.1371/journal.pone.0070553. <http://dx.doi.org/10.1371%2Fjournal.pone.0070553>
- Povysheva, N. V., Zaitsev, A. V., Kroner, S., Krimer, O. A., Rotaru, D. C., Gonzalez-Burgos, G., . . . Krimer, L. S. (2007). Electrophysiological Differences Between Neurogliaform Cells From Monkey and Rat Prefrontal Cortex. *Journal of Neurophysiology*, 97(2), 1030-1039. doi: 10.1152/jn.00794.2006. <http://jn.physiology.org/cgi/content/abstract/97/2/1030>
- Povysheva, N. V., Zaitsev, A. V., Rotaru, D. C., Gonzalez-Burgos, G., Lewis, D. A., & Krimer, L. S. (2008). Parvalbumin-positive Basket Interneurons in Monkey and Rat Prefrontal Cortex. *Journal of Neurophysiology*, 99(3), 903-912. doi: 10.1152/jn.00396.2008. <http://jn.physiology.org/cgi/content/abstract/99/3/903>
- Powell, G., Levine, R., & Fregosi, R. (2014). The effects of developmental nicotine exposure on hypoglossal motoneuron morphology and electrophysiology (871.2). *The FASEB Journal*, 28(1 Supplement). doi: http://www.fasebj.org/content/28/1_Supplement/871.2.abstract
- Powell, G. L., Gaddy, J., Xu, F., Fregosi, R. F., & Levine, R. B. (2016). Developmental Nicotine Exposure disrupts dendritic arborization patterns of hypoglossal motoneurons in the neonatal rat. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22379. <http://dx.doi.org/10.1002/dneu.22379>
- Powley, T. L., Baronowsky, E. A., Gilbert, J. M., Hudson, C. N., Martin, F. N., Mason, J. K., . . . Phillips, R. J. (2013). Vagal afferent innervation of the lower esophageal sphincter. *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2013.03.008>. <http://www.sciencedirect.com/science/article/pii/S1566070213000684>
- Powley, T. L., Gilbert, J. M., Baronowsky, E. A., Billingsley, C. N., Martin, F. N., & Phillips, R. J. (2012). Vagal sensory innervation of the gastric sling muscle and antral wall: implications for gastro-esophageal reflux disease? *Neurogastroenterology and Motility*, no-no. doi: 10.1111/nmo.12003. <http://dx.doi.org/10.1111/nmo.12003>
- Powley, T. L., Hudson, C. N., McAdams, J. L., Baronowsky, E. A., Martin, F. N., Mason, J. K., & Phillips, R. J. (2013). Organization of Vagal Afferents in Pylorus: Mechanoreceptors Arrayed for High Sensitivity and Fine Spatial Resolution? *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2014.02.008>. <http://www.sciencedirect.com/science/article/pii/S1566070214000381>
- Powley, T. L., Hudson, C. N., McAdams, J. L., Baronowsky, E. A., & Phillips, R. J. (2015). Vagal Intramuscular Arrays (IMAs) – The Specialized Mechanoreceptor Arbors That Innervate the Smooth Muscle Layers of the Stomach Examined in the Rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23892. <http://dx.doi.org/10.1002/cne.23892>
- Powley, T. L., Mittal, R. K., Baronowsky, E. A., Hudson, C. N., Martin, F. N., McAdams, J. L., . . . Phillips, R. J. (2013). Architecture of vagal motor units controlling striated muscle of esophagus: Peripheral elements patterning peristalsis? *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2013.08.069>. <http://www.sciencedirect.com/science/article/pii/S15660702130006784>

Powley, T. L., & Phillips, R. J. (2002). I. Morphology and topography of vagal afferents innervating the GI tract. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 283(6), G1217–G1225- G1217–G1225. doi.

Powley, T. L., & Phillips, R. J. (2002). Musings on the Wanderer: What's New in Our Understanding of Vago-Vagal Reflexes?: I. Morphology and topography of vagal afferents innervating the GI tract. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 283(6), G1217-1225. doi: 10.1152/ajpgi.00249.2002. <http://ajpgi.physiology.org/cgi/content/abstract/283/6/G1217>

Powley, T. L., & Phillips, R. J. (2011). Vagal intramuscular array afferents form complexes with interstitial cells of Cajal in gastrointestinal smooth muscle: analogues of muscle spindle organs? *Neuroscience*. doi.

Pozner, T., Vistoropsky, Y., Moaraf, S., Heiblum, R., & Barnea, A. (2018). Questioning Seasonality of Neuronal Plasticity in the Adult Avian Brain. *Scientific Reports*, 8(1), 11289. doi: 10.1038/s41598-018-29532-1. <https://doi.org/10.1038/s41598-018-29532-1>

Pozniak, C. D., Barnabé-Heider, F., Rymar, V. V., Lee, A. F., Sadikot, A. F., & Miller, F. D. (2002). p73 Is Required for Survival and Maintenance of CNS Neurons. *Journal of Neuroscience*, 22, 9800-9809. doi.

Praag, H. v., Shubert, T., Zhao, C., & Gage, F. H. (2005). Exercise Enhances Learning and Hippocampal Neurogenesis in Aged Mice. *Journal of Neuroscience*, 25(38), 8680-8685. doi.

Prakash, A., Zhang, H., & Pandey, S. C. (2008). Innate Differences in the Expression of Brain-Derived Neurotrophic Factor in the Regions Within the Extended Amygdala Between Alcohol Preferring and Nonpreferring Rats. *Alcoholism: Clinical and Experimental Research*. doi: doi:10.1111/j.1530-0277.2008.00650.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1530-0277.2008.00650.x>

Prakash, Y. S., Mantilla, C. B., Zhan, W.-Z., Smithson, K. G., & Sieck, G. C. (2000). Phrenic motoneuron morphology during rapid diaphragm muscle growth. *Journal of Applied Physiology*, 89(2), 563-572. doi. <http://jap.physiology.org/cgi/content/abstract/89/2/563>

Pressler, R. T., & Stowbridge, B. W. (2006). Blanes cells mediate persistent feedforward inhibition onto granule cells in the olfactory bulb. *Neuron*, 49(6), 889-904. doi.

Previtali, S. C., Dina, G., Galizia, G., Malaguti, C., Amadio, S., Del Carro, U., . . . Quattrini, A. (2004). Peripheral nerve regeneration in the absence of glial fibrillary acidic protein. *Journal of the Peripheral Nervous System*, 9(2), 113-113. doi: doi:10.1111/j.1085-9489.2004.009209ac.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Prevosto, V., Graf, W., & Ugolini, G. (2009). Posterior parietal cortex areas MIP and LIPv receive eye position and velocity inputs via ascending preposito-thalamo-cortical pathways. *European Journal of Neuroscience*, 30(6), 1151-1161. doi.

Prevosto, V., Graf, W., & Ugolini, G. (2010). Cerebellar inputs to intraparietal cortex areas LIP and MIP: functional frameworks for adaptive control of eye movements, reaching, and arm/eye/head movement coordination. *Cerebral Cortex*, 20(1), 214-228. doi.

Prevosto, V., Graf, W., & Ugolini, G. (2011). Proprioceptive pathways to posterior parietal areas MIP and LIPv from the dorsal column nuclei and the postcentral somatosensory cortex. *European Journal of*

Neuroscience, 33(3), 444-460. doi: 10.1111/j.1460-9568.2010.07541.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07541.x>

Prevosto, V., Graf, W., & Ugolini, G. (2017). The Control of Eye Movements by the Cerebellar Nuclei: Polysynaptic Projections from the Fastigial, Interpositus Posterior and Dentate nuclei to Lateral Rectus Motoneurons in Primates. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13546. <http://dx.doi.org/10.1111/ejn.13546>

Prévôt, T. D., Viollet, C., Epelbaum, J., Dominguez, G., Béracochéa, D., & Guillou, J.-L. (2018). sst2-receptor gene deletion exacerbates chronic stress-induced deficits: Consequences for emotional and cognitive ageing. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. doi: <https://doi.org/10.1016/j.pnpbp.2018.01.022>. <https://www.sciencedirect.com/science/article/pii/S0278584617309004>

Price, D. L., Chow, S. K., MacLean, N. A. B., Hakozaki, H., Peltier, S., Martone, M. E., & Ellisman, M. H. (2005). High-resolution large-scale mosaic imaging using multiphoton microscopy to characterize transgenic mouse models of human neurological disorders. *Neuroinformatics*, Submitted. doi.

Prince, D. A., Parada, I., Scalise, K., Graber, K., Jin, X., & Shen, F. (2009). Epilepsy following cortical injury: cellular and molecular mechanisms as targets for potential prophylaxis. *Epilepsia*, 50, 30-40. doi.

Prins, T. J., Saldate, J. J., Berke, G. S., & Hoffman, L. F. (2019). On the Legacy of Genetically Altered Mouse Models to Explore Vestibular Function: Distribution of Vestibular Hair Cell Phenotypes in the Otoferlin-Null Mouse. *Annals of Otology, Rhinology and Laryngology*, 128(6_suppl), 125S-133S. doi: 10.1177/0003489419834596. <https://journals.sagepub.com/doi/abs/10.1177/0003489419834596>

Prithviraj, R., & Inglis, F. M. (2008). Expression of the *i>* N-methyl-d-aspartate receptor subunit NR3B regulates dendrite morphogenesis in spinal motor neurons. *Neuroscience*, 155(1), 145-153. doi.

Prithviraj, R., Kelly, K. M., Espinoza-Lewis, R., Hexom, T., Clark, A. B., & Inglis, F. M. (2008). Differential regulation of dendrite complexity by AMPA receptor subunits GluR1 and GluR2 in motor neurons. *Developmental Neurobiology*, 68(2), 247-264. doi.

Priya, R., Paredes, M. F., Karayannis, T., Yusuf, N., Liu, X., Jaglin, X., . . . Fishell, G. (2018). Activity Regulates Cell Death within Cortical Interneurons through a Calcineurin-Dependent Mechanism. *Cell Reports*, 22(7), 1695-1709. doi: 10.1016/j.celrep.2018.01.007. <http://dx.doi.org/10.1016/j.celrep.2018.01.007>

Priya, R., Rakela, B., Kaneko, M., Spatazza, J., Larimer, P., Hoseini, M. S., . . . Stryker, M. P. (2019). Vesicular GABA transporter is necessary for transplant-induced critical period plasticity in mouse visual cortex. *The Journal of Neuroscience*, 1253-1218. doi: 10.1523/jneurosci.1253-18.2019. <http://www.jneurosci.org/content/early/2019/01/31/JNEUROSCI.1253-18.2019...>

Prochnow, N., Lee, P., Hall, W. C., & Schmidt, M. (2007). In Vitro Properties of Neurons in the Rat Pretectal Nucleus of the Optic Tract. *Journal of Neurophysiology*, 97(5), 3574-3584. doi: 10.1152/jn.00039.2007. <http://jn.physiology.org/cgi/content/abstract/97/5/3574>

Proctor, A. R., Ramirez, G. A., Han, S., Liu, Z., Bubel, T. M., & Choe, R. (2018). Validation of diffuse correlation spectroscopy sensitivity to nicotinamide-induced blood flow elevation in the murine hindlimb using the fluorescent microsphere technique.

Prönneke, A., Scheuer, B., Wagener, R. J., Möck, M., Witte, M., & Staiger, J. F. (2015). Characterizing VIP Neurons in the Barrel Cortex of VIPcre/tdTomato Mice Reveals Layer-Specific Differences. *Cerebral Cortex*. doi: 10.1093/cercor/bhv202. <http://cercor.oxfordjournals.org/content/early/2015/09/24/cercor.bhv202>

....

Provitera, V., Nolano, M., Caporaso, G., Stancanelli, A., Manganelli, F., Iodice, R., . . . Pellecchia, M. T. (2014). Postganglionic sudomotor denervation in patients with multiple system atrophy. *Neurology*, 10.1212/WNL.0000000000000518. doi: <http://www.neurology.org/content/early/2014/05/16/WNL.0000000000000518.s..>

Provitera, V., Nolano, M., Pagano, A., Caporaso, G., Stancanelli, A., & Santoro, L. (2007). Myelinated nerve endings in human skin. *Muscle and Nerve*, 35(6), 767-775. doi.

Provitera, V., Nolano, M., Pappone, N., di Girolamo, C., Stancanelli, A., Lullo, F., . . . Santoro, L. (2005). Distal degeneration of sensory and autonomic cutaneous nerve fibres in systemic sclerosis. *Annals of the Rheumatic Diseases*, 64(10), 1524-1526. doi.

Provitera, V., Nolano, M., Stancanelli, A., Caporaso, G., Vitale, D. F., & Santoro, L. (2014). Intraepidermal nerve fiber analysis using immunofluorescence with and without confocal microscopy. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.24338. <http://dx.doi.org/10.1002/mus.24338>

Provitera, V., Nolano, M., Stancanelli, A., Lullo, F., & Santoro, L. (2004). Standard deviation of the distances between consecutive epidermal nerve fibers as a parameter to study their distribution in human skin. *Journal of the Peripheral Nervous System*, 9(2), 114-114. doi: doi:10.1111/j.1085-9489.2004.009209ag.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Prusky, G., & Arjannikova, T. (1999). Intracellular filling and reconstruction of identified neurons in fixed rat brain slices. *Brain Research Protocols*, 3(3), 313-319. doi.

Pruszek, J., Ludwig, W., Blak, A., Alavian, K., & Isacson, O. (2009). CD15, CD24, and CD29 define a surface biomarker code for neural lineage differentiation of stem cells. *Stem Cells*, 27(12), 2928-2940. doi.

Pucilowska, J., Puzerey, P. A., Karlo, J. C., Galán, R. F., & Landreth, G. E. (2012). Disrupted ERK Signaling during Cortical Development Leads to Abnormal Progenitor Proliferation, Neuronal and Network Excitability and Behavior, Modeling Human Neuro-Cardio-Facial-Cutaneous and Related Syndromes. *Journal of Neuroscience*, 32(25), 8663-8677. doi: 10.1523/jneurosci.1107-12.2012. <http://www.jneurosci.org/content/32/25/8663.abstract>

Pucker, A. D., Carpenter, A. R., McHugh, K. M., & Mutti, D. O. (2014). Guinea Pig Ciliary Muscle Development. *Optometry and Vision Science*, Publish Ahead of Print, 10.1097/OPX.0000000000000304. doi: http://journals.lww.com/optvissci/Fulltext/publishahead/Guinea_Pig_Cilia..

Pugh, P., Adlaf, E., Zhao, C. S., Markwardt, S., Gavin, C., Wadiche, J., & Overstreet-Wadiche, L. (2011). Enhanced integration of newborn neurons after neonatal insults. *Frontiers in Neuroscience*, 5. doi.

Pullela, R., Raber, J., Pfankuch, T., Ferriero, D. M., Claus, C. P., Koh, S. E., . . . Noble-Haeusslein, L. J. (2006). Traumatic Injury to the Immature Brain Results in Progressive Neuronal Loss, Hyperactivity and Delayed Cognitive Impairments. *Developmental Neuroscience*, 28(4-5), 396-409. doi: <http://www.karger.com/DOI/10.1159/000094166>

Pun, Raymund Y. K., Rolle, Isaiah J., LaSarge, Candi L., Hosford, Bethany E., Rosen, Jules M., Uhl, Juli D., . . . Danzer, Steve C. (2012). Excessive Activation of mTOR in Postnatally Generated Granule Cells Is Sufficient to Cause Epilepsy. *Neuron*, 75(6), 1022-1034. doi: 10.1016/j.neuron.2012.08.002. <http://www.sciencedirect.com/science/article/pii/S0896627312007052>

Purcell, I. M., & Perachio, A. A. (1997). Three-Dimensional Analysis of Vestibular Efferent Neurons Innervating Semicircular Canals of the Gerbil. *Journal of Neurophysiology*, 78(6), 3234-3248. doi: <http://jn.physiology.org/cgi/content/abstract/78/6/3234>

Purcell, I. M., & Perachio, A. A. (2001). Peripheral patterns of terminal innervation of vestibular primary afferent neurons projecting to the vestibulocerebellum in the gerbil. *Journal of Comparative Neurology*, 433(1), 48-61. doi.

Purves-Tyson, T. D., Arshi, M. S., Handelsman, D. J., Cheng, Y., & Keast, J. R. (2007). Androgen and estrogen receptor-mediated mechanisms of testosterone action in male rat pelvic autonomic ganglia. *Neuroscience*, 148(1), 92-104. doi.

Puschban, Z., Stefanova, N., Petersén, A. A., Winkler, C., Brundin, P., Poewe, W., & Wenning, G. K. (2005). Evidence for dopaminergic re-innervation by embryonic allografts in an optimized rat model of the Parkinsonian variant of multiple system atrophy. *Brain Research Bulletin*, 68(1), 54-58. doi.

Pushchin, I. I., Podugolnikova, T. A., & Kondrashev, S. L. (2011). A multivariate approach to structural heterogeneity of retinal ganglion cells. *Visual Neuroscience*, 28(6), 499-499. doi.

Puskár, Z., Polgár, E., & Todd, A. J. (2001). A population of large lamina I projection neurons with selective inhibitory input in rat spinal cord. *Neuroscience*, 102(1), 167-176. doi.

Putatunda, R., Zhang, Y., Li, F., Yang, X.-F., Barbe, M. F., & Hu, W. (2018). Adult neurogenic deficits in HIV-1 Tg26 transgenic mice. [journal article]. *Journal of Neuroinflammation*, 15(1), 287. doi: 10.1186/s12974-018-1322-2. <https://doi.org/10.1186/s12974-018-1322-2>

Puttagunta, R., Schmandke, A., Floriddia, E., Gaub, P., Fomin, N., Ghyselinck, N. B., & Di Giovanni, S. (2011). RA-RAR- β counteracts myelin-dependent inhibition of neurite outgrowth via Lingo-1 repression. *Journal of Cell Biology*, 193(7), 1147-1156. doi: 10.1083/jcb.201102066. <http://jcb.rupress.org/content/193/7/1147.abstract>

Puttagunta, R., Tedeschi, A., Sória, M. G., Hervera, A., Lindner, R., Rathore, K. I., . . . Schmandke, A. (2014). PCAF-dependent epigenetic changes promote axonal regeneration in the central nervous system. *Nature Communications*, 5. doi.

Puusepp, S., Kovacs-Nagy, R., Alhaddad, B., Braunisch, M., Hoffmann, G. F., Kotzaeridou, U., . . . Öunap, K. (2018). Compound heterozygous SPATA5 variants in four families and functional studies of SPATA5 deficiency. *European Journal of Human Genetics*. doi: 10.1038/s41431-017-0001-6. <https://doi.org/10.1038/s41431-017-0001-6>

Puyal, J., Vaslin, A., Mottier, V., & Clarke, P. G. H. (2009). Postischemic treatment of neonatal cerebral ischemia should target autophagy. *Annals of Neurology*, 66(3), 378-389. doi.

Puzan, M. L., Legesse, B., Koppes, R. A., Fenniri, H., & Koppes, A. N. (2018). Bioactive Organic Rosette Nanotubes Support Sensory Neurite Outgrowth. *ACS Biomaterials Science & Engineering*. doi: 10.1021/acsbomaterials.8b00326. <https://doi.org/10.1021/acsbomaterials.8b00326>

Puzerey, P. A., Kodama, N. X., & Galan, R. F. (2015). Abnormal cell-intrinsic and network excitability in the neocortex of serotonin-deficient Pet-1 knock-out mice. [10.1152/jn.00996.2014]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2015/11/20/jn.00996.2014.abstract>

Pyapali, G. K., & Turner, D. A. (1994). Denervation-induced dendritic alterations in CA1 pyramidal cells following kainic acid hippocampal lesions in rats. *Brain Research*, 652(2), 279-290. doi.

Pyapali, G. K., & Turner, D. A. (1996). Increased dendritic extent in hippocampal CA1 neurons from aged F344 rats. *Neurobiology of Aging*, 17(4), 601-611. doi.

Pyapali, G. K., Turner, D. A., & Madison, R. D. (1994). Fetal transplants in rat hippocampus following kainic acid lesions: influence of post-lesion delay on graft survival and integration. *Restorative Neurology and Neuroscience*, 6(2), 113-126. doi.

Pyronneau, A., He, Q., Hwang, J.-Y., Porch, M., Contractor, A., & Zukin, R. S. (2017). Aberrant Rac1-cofilin signaling mediates defects in dendritic spines, synaptic function, and sensory perception in fragile X syndrome. [10.1126/scisignal.aan0852]. *Science Signaling*, 10(504). doi: <http://stke.sciencemag.org/content/10/504/eaan0852.abstract>

Pyter, L. M., Reader, B. F., & Nelson, R. J. (2005). Short Photoperiods Impair Spatial Learning and Alter Hippocampal Dendritic Morphology in Adult Male White-Footed Mice (*Peromyscus leucopus*). *Journal of Neuroscience*, 25(18), 4521-4526. doi: <http://www.jneurosci.org/cgi/content/abstract/25/18/4521>

Pytte, C., Yu, Y.-L., Wildstein, S., George, S., & Kirn, J. R. (2011). Adult Neuron Addition to the Zebra Finch Song Motor Pathway Correlates with the Rate and Extent of Recovery from Botox-Induced Paralysis of the Vocal Muscles. *Journal of Neuroscience*, 31(47), 16958-16968. doi: 10.1523/jneurosci.2971-11.2011. <http://www.jneurosci.org/content/31/47/16958.abstract>

Pytte, C. L., George, S., Korman, S., David, E., Bogdan, D., & Kirn, J. R. (2012). Adult Neurogenesis Is Associated with the Maintenance of a Stereotyped, Learned Motor Behavior. *Journal of Neuroscience*, 32(20), 7052-7057. doi: 10.1523/jneurosci.5385-11.2012. <http://www.jneurosci.org/content/32/20/7052.abstract>

Pytte, C. L., Gerson, M., Miller, J., & Kirn, J. R. (2007). Increasing stereotypy in adult zebra finch song correlates with a declining rate of adult neurogenesis. *Developmental Neurobiology*, 67(13), 1699-1720. doi.

Pytte, C. L., Parent, C., Wildstein, S., Varghese, C., & Oberlander, S. (2010). Deafening decreases neuronal incorporation in the zebra finch caudomedial nidopallium (NCM). *Behavioural Brain Research*, 211(2), 141-147. doi.

Qi, C., Liu, S., Qin, R., Zhang, Y., Wang, G., Shang, Y., . . . Liang, J. (2014). Coordinated Regulation of Dendrite Arborization by Epigenetic Factors CDYL and EZH2. *The Journal of Neuroscience*, 34(13), 4494-4508. doi: <http://www.jneurosci.org/content/34/13/4494.short>

Qi, G., & Feldmeyer, D. (2015). Dendritic Target Region-Specific Formation of Synapses Between Excitatory Layer 4 Neurons and Layer 6 Pyramidal Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bhu334. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu334>.

...

Qi, G., van Aerde, K., Abel, T., & Feldmeyer, D. (2016). Adenosine Differentially Modulates Synaptic Transmission of Excitatory and Inhibitory Microcircuits in Layer 4 of Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhw243. <http://cercor.oxfordjournals.org/content/early/2016/08/13/cercor.bhw243...>

Qi, H. X., Stewart Phillips, W., & Kaas, J. H. (2004). Connections of neurons in the lumbar ventral horn of spinal cord are altered after long-standing limb loss in a macaque monkey. *Somatosensory and Motor Research*, 21(3-4), 229-239. doi.

Qi, H.-X., Gharbawie, O. A., Wong, P., & Kaas, J. H. (2011). Cell-poor septa separate representations of digits in the ventroposterior nucleus of the thalamus in monkeys and prosimian galagos. *Journal of Comparative Neurology*, 519(4), 738-758. doi: 10.1002/cne.22545. <http://dx.doi.org/10.1002/cne.22545>

Qi, W., & Crook, S. (2004). Tools for neuroinformatic data exchange: An XML application for neuronal morphology data. *Neurocomputing*, 58, 1091-1095. doi.

Qian, D. J., Wu, D. W., Xiong, D. W., Chai, D. Z., Xu, P. X.-M., & Jin, D. X. (2018). Longitudinal optogenetic motor mapping revealed structural and functional impairments and enhanced corticorubral projection following contusive spinal cord injury in mice. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5713. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5713>

Qin, L., Jing, D., Parauda, S., Carmel, J., Ratan, R. R., Lee, F. S., & Cho, S. (2014). An Adaptive Role for BDNF Val66Met Polymorphism in Motor Recovery in Chronic Stroke. *The Journal of Neuroscience*, 34(7), 2493-2502. doi. <http://www.jneurosci.org/content/34/7/2493.full>

Qin, R., Cao, S., Lyu, T., Qi, C., Zhang, W., & Wang, Y. (2017). CDYL Deficiency Disrupts Neuronal Migration and Increases Susceptibility to Epilepsy. *Cell Reports*, 18(2), 380-390. doi: <http://dx.doi.org/10.1016/j.celrep.2016.12.043>.
[//www.sciencedirect.com/science/article/pii/S221112471631748X](http://www.sciencedirect.com/science/article/pii/S221112471631748X)

Qiu, G., Helmeste, D. M., Samaranayake, A. N., Lau, W. M., Lee, T. M. C., Tang, S. W., & So, K. F. (2007). Modulation of the suppressive effect of corticosterone on adult rat hippocampal cell proliferation by paroxetine. *Neuroscience bulletin*, 23(3), 131-135. doi.

Qiu, L., Zhu, C., Wang, X., Xu, F., Eriksson, P. S., Nilsson, M., . . . Blomgren, K. (2007). Less neurogenesis and inflammation in the immature than in the juvenile brain after cerebral hypoxia-ischemia. *Journal of Cerebral Blood Flow AND Metabolism*, 27, 785-794. doi.

Qiu, S., Lu, Z., & Levitt, P. (2014). MET Receptor Tyrosine Kinase Controls Dendritic Complexity, Spine Morphogenesis, and Glutamatergic Synapse Maturation in the Hippocampus. *The Journal of Neuroscience*, 34(49), 16166-16179. doi. <http://www.jneurosci.org/content/34/49/16166.short>

Qu, J., & Myhr, K. L. (2011). The Morphology and Intrinsic Excitability of Developing Mouse Retinal Ganglion Cells. *PLoS ONE*, 6(7), e21777-e21777. doi.

Qu, W., Liu, N.-k., Xie, X.-m. S., Li, R., & Xu, X.-m. (2016). Automated monitoring of early neurobehavioral changes in mice following traumatic brain injury. *Neural Regeneration Research*, 11(2), 248. doi. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2016;volume=11;...>

Quast, K. B., Ung, K., Froudarakis, E., Huang, L., Herman, I., Addison, A. P., . . . Arenkiel, B. R. (2016). Developmental broadening of inhibitory sensory maps. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4467

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4467.html#suppl.....> <http://dx.doi.org/10.1038/nn.4467>

Quattrini, A., Biffi, A., Amadio, S., Bertani, I., Dina, G., Del Carro, U., . . . Naldini, L. (2004). Correction of metachromatic leukodystrophies (MLD) in the mouse model by transplantation of genetically modified hematopoietic stem cells. *Journal of the Peripheral Nervous System*, 9(2), 113-114. doi: doi:10.1111/j.1085-9489.2004.009209af.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Queiroga, C. S. F., Tomasi, S., Widerøe, M., Alves, P. M., Vercelli, A., & Vieira, H. L. A. (2012). Preconditioning Triggered by Carbon Monoxide (CO) Provides Neuronal Protection Following Perinatal Hypoxia-Ischemia. *PLoS ONE*, 7(8), e42632. doi.

Queme, L. F., Ross, J. L., Lu, P., Hudgins, R. C., & Jankowski, M. P. (2016). Dual Modulation of Nociception and Cardiovascular Reflexes during Peripheral Ischemia through P2Y1 Receptor-Dependent Sensitization of Muscle Afferents. *The Journal of Neuroscience*, 36(1), 19-30. doi. <http://www.jneurosci.org/content/36/1/19.short>

Quigg, M., Clayburn, H., Straume, M., Menaker, M., & Bertram, E. H. (1999). Hypothalamic Neuronal Loss and Altered Circadian Rhythm of Temperature in a Rat Model of Mesial Temporal Lobe Epilepsy. *Epilepsia*, 40(12), 1688-1696. doi: doi:10.1111/j.1528-1157.1999.tb01585.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1157.1999.tb01585...>

Quilichini, P., Sirota, A., & Buzsaki, G. (2010). Intrinsic Circuit Organization and Theta-Gamma Oscillation Dynamics in the Entorhinal Cortex of the Rat. *Journal of Neuroscience*, 30(33), 11128-11142. doi: 10.1523/jneurosci.1327-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/33/11128>

Quilichini, Pascale P., Le Van Quyen, M., Ivanov, A., Turner, Dennis A., Carabalona, A., Gozlan, H., . . . Bernard, C. (2012). Hub GABA Neurons Mediate Gamma-Frequency Oscillations at Ictal-like Event Onset in the Immature Hippocampus. *Neuron*, 74(1), 57-64. doi: 10.1016/j.neuron.2012.01.026. <http://www.sciencedirect.com/science/article/pii/S089662731200181X>

Quinlan, K. A., Reedich, E., Arnold, W. D., Puritz, A., Cavarsan, C. F., Heckman, C., & DiDonato, C. J. (2019). Hyperexcitability precedes motoneuron loss in the Smn2B^{-/-} mouse model of spinal muscular atrophy. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00652.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00652.2018>

Quoc, E. B., Ribot, J., Quenech'Du, N., Doutremer, S., Lebas, N., Grantyn, A., . . . Milleret, C. (2011). Asymmetrical interhemispheric connections develop in cat visual cortex after early unilateral convergent strabismus: anatomy, physiology, and mechanisms. *Frontiers in Neuroanatomy*, 5. doi.

R de Jong, T., Pattij, T., Veening, J. G., Dederen, P., Waldinger, M. D., Cools, A. R., & Olivier, B. (2005). Citalopram combined with WAY 100635 inhibits ejaculation and ejaculation-related Fos immunoreactivity. *European Journal of Pharmacology*, 509(1), 49-59. doi.

Raber, J., Allen, A. R., Weber, S., Chakraborti, A., Sharma, S., & Fike, J. R. (2016). Effect of behavioral testing on spine density of basal dendrites in the CA1 region of the hippocampus modulated by 56Fe irradiation. *Behavioural Brain Research*, 302, 263-268.

doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.035>. <http://www.sciencedirect.com/science/article/pii/S0166432816300316>

Raber, J., Fan, Y., Matsumori, Y., Liu, Z., Weinstein, P. R., Fike, J. R., & Liu, J. (2004). Irradiation attenuates neurogenesis and exacerbates ischemia-induced deficits. *Annals of Neurology*, 55(3), 381-389. doi.

Rácz, E., Bácskai, T., Halasi, G., Kovács, E., & Matesz, C. (2006). Organization of dye-coupled cerebellar granule cells labeled from afferent vestibular and dorsal root fibers in the frog *Rana esculenta*. *Journal of Comparative Neurology*, 496(3), 382-394. doi.

Rácz, É., Bácskai, T., Szabo, G., Székely, G., & Matesz, C. (2008). Organization of last-order premotor interneurons related to the protraction of tongue in the frog, *Rana esculenta*. *Brain Research*, 1187, 111-115. doi.

Radley, J. J., Anderson, R. M., Cosme, C. V., Glanz, R. M., Miller, M. C., Romig-Martin, S. A., & LaLumiere, R. T. (2015). The Contingency of Cocaine Administration Accounts for Structural and Functional Medial Prefrontal Deficits and Increased Adrenocortical Activation. *The Journal of Neuroscience*, 35(34), 11897-11910. doi. <http://www.jneurosci.org/content/35/34/11897.short>

Radley, J. J., Anderson, R. M., Hamilton, B. A., Alcock, J. A., & Romig-Martin, S. A. (2013). Chronic Stress-Induced Alterations of Dendritic Spine Subtypes Predict Functional Decrements in an Hypothalamo-Pituitary-Adrenal-Inhibitory Prefrontal Circuit. *Journal of Neuroscience*, 33(36), 14379-14391. doi: 10.1523/jneurosci.0287-13.2013. <http://www.jneurosci.org/content/33/36/14379.abstract>

Radley, J. J., Arias, C. M., & Sawchenko, P. E. (2006). Regional Differentiation of the Medial Prefrontal Cortex in Regulating Adaptive Responses to Acute Emotional Stress. *Journal of Neuroscience*, 26(50), 12967-12976. doi: 10.1523/jneurosci.4297-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/50/12967>

Radley, J. J., Rocher, A. B., Janssen, W. G. M., Hof, P. R., McEwen, B. S., & Morrison, J. H. (2005). Reversibility of apical dendritic retraction in the rat medial prefrontal cortex following repeated stress. *Experimental Neurology*, 196(1), 199-203. doi.

Radley, J. J., Rocher, A. B., Miller, M., Janssen, W. G. M., Liston, C., Hof, P. R., . . . Morrison, J. H. (2005). Repeated Stress Induces Dendritic Spine Loss in the Rat Medial Prefrontal Cortex. *Cerebral Cortex*, doi:10.1093/cercor/bhi104. doi.

Radley, J. J., Rocher, A. B., Rodriguez, A., Ehlenberger, D. B., Dammann, M., McEwen, B. S., . . . Hof, P. R. (2008). Repeated stress alters dendritic spine morphology in the rat medial prefrontal cortex. *Journal of Comparative Neurology*, 507(1), 1141-1150. doi.

Radley, J. J., Sisti, H. M., Hao, J., Rocher, A. B., McCall, T., Hof, P. R., . . . Morrison, J. H. (2004). Chronic behavioral stress induces apical dendritic reorganization in pyramidal neurons of the medial prefrontal cortex. *Neuroscience*, 125(1), 1-6. doi.

Radoczy-Drajko, Z., Windisch, P., Svidro, E., Tajti, P., Molnar, B., & Gerber, G. (2021). Clinical, radiographical and histological evaluation of alveolar ridge preservation with an autogenous tooth derived particulate graft in EDS class 3-4 defects. *BMC Oral Health*, 21(1), 63. doi: 10.1186/s12903-021-01429-y. <https://doi.org/10.1186/s12903-021-01429-y>

Radojević, M., & Meijering, E. (2018). Automated Neuron Reconstruction from 3D Fluorescence Microscopy Images Using Sequential Monte Carlo Estimation. [journal article]. *Neuroinformatics*. doi: 10.1007/s12021-018-9407-8. <https://doi.org/10.1007/s12021-018-9407-8>

Raffi, H. S., Bates, J. M., Laszik, Z., & Kumar, S. (2009). Tamm-Horsfall protein protects against urinary tract infection by proteus mirabilis. *Journal of Urology*, 181(5), 2332-2338. doi.

Rai, K. S., Hattiangady, B., & Shetty, A. K. (2007). Enhanced production and dendritic growth of new dentate granule cells in the middle-aged hippocampus following intracerebroventricular FGF-2 infusions. *European Journal of Neuroscience*, 26(7), 1765-1779. doi: doi:10.1111/j.1460-9568.2007.05820.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05820.x>

Rai, S., Kumar, S., Alam, M. A., Szymusiak, R., McGinty, D., & Alam, M. N. (2010). A1 receptor mediated adenosinergic regulation of perifornical-lateral hypothalamic area neurons in freely behaving rats. *Neuroscience*, 167(1), 40-48. doi.

Raibon, E., Sauve, Y., Carter, D. A., & Gaillard, F. (2002). Microglial changes accompanying the promotion of retinal ganglion cell axonal regeneration into peripheral nerve grafts. *Journal of Neurocytology*, 31(1), 57-71. doi.

Raïke, R. S., Hess, E. J., & Jinnah, H. A. (2015). Dystonia and cerebellar degeneration in the leaner mouse mutant. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.03.011>. <http://www.sciencedirect.com/science/article/pii/S0006899315001936>

Raïke, R. S., Pizoli, C. E., Weisz, C., van den Maagdenberg, A. M. J. M., Jinnah, H. A., & Hess, E. J. (2012). Limited regional cerebellar dysfunction induces focal dystonia in mice. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.07.019. <http://www.sciencedirect.com/science/article/pii/S0969996112002677>

Raineteau, O., Fouad, K., Bareyre, F. M., & Schwab, M. E. (2002). Reorganization of descending motor tracts in the rat spinal cord. *European Journal of Neuroscience*, 16(9), 1761-1771. doi: doi:10.1046/j.1460-9568.2002.02243.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02243.x>

Rainwater, T., Wood, M., Millam, J., & Hooper, M. (2008). Effects of Perchlorate on Growth and Behavior of a Granivorous Passerine, the Zebra Finch (*Taeniopygia guttata*). *Archives of Environmental Contamination and Toxicology*. doi. <http://dx.doi.org/10.1007/s00244-007-9045-x>

Raivich, G., Bohatschek, M., Kloss, C., Werner, A., Jones, L., & Kreutzberg, G. (1999). Neuroglial activation repertoire in the injured brain: graded response, molecular mechanisms and cues to physiological function. *Brain Research. Brain Research Reviews*, 30, 77 - 105. doi.

Rajah, R. A., Glaser, E. M., & Hirshfield, A. N. (1992). The changing architecture of the neonatal rat ovary during histogenesis. *Developmental Dynamics*, 194(3), 177-192. doi.

Rajamani, U., Gross, A. R., Hjelm, B. E., Sequeira, A., Vawter, M. P., Tang, J., . . . Sareen, D. (2018). Super-Obese Patient-Derived iPSC Hypothalamic Neurons Exhibit Obesogenic Signatures and Hormone Responses. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2018.03.009>. <http://www.sciencedirect.com/science/article/pii/S1934590918301152>

- Rakic, S., & Zecevic, N. (2000). Programmed cell death in the developing human telencephalon. *European Journal of Neuroscience*, 12(8), 2721. doi.
- Raman, D., Milatovic, S. Z., Milatovic, D., Splittgerber, R., Fan, G. H., & Richmond, A. (2011). Chemokines, macrophage inflammatory protein-2 and stromal cell-derived factor-1 α , suppress amyloid [beta]-induced neurotoxicity. *Toxicology and Applied Pharmacology*. doi.
- Ramanan, S., Kooshki, M., Zhao, W., Hsu, F. C., Riddle, D. R., & Robbins, M. E. (2009). The PPAR α agonist fenofibrate preserves hippocampal neurogenesis and inhibits microglial activation after whole-brain irradiation. *International Journal of Radiation Oncology* Biology* Physics*, 75(3), 870-877. doi.
- Ramaswamy, S., Hill, S. L., King, J. G., Schürmann, F., Wang, Y., & Markram, H. (2012). Intrinsic morphological diversity of thick-tufted layer 5 pyramidal neurons ensures robust and invariant properties of in silico synaptic connections. *Journal of Physiology*, 590(4), 737-752. doi: 10.1113/jphysiol.2011.219576. <http://jp.physoc.org/content/590/4/737.abstract>
- Ramer, L. M., Borisoff, J. F., & Ramer, M. S. (2004). Rho-kinase inhibition enhances axonal plasticity and attenuates cold hyperalgesia after dorsal rhizotomy. *Journal of Neuroscience*, 24, 10796-10805. doi.
- Rami, G., Caillard, O., Medina, I., Pellegrino, C., Fattoum, A., Ben-Ari, Y., & Ferhat, L. (2006). Change in the shape and density of dendritic spines caused by overexpression of acidic calponin in cultured hippocampal neurons. *Hippocampus*, 16(2), 183-197. doi.
- Ramirez, A., Pnevmatikakis, E. A., Merel, J., Paninski, L., Miller, K. D., & Bruno, R. M. (2014). Spatiotemporal receptive fields of barrel cortex revealed by reverse correlation of synaptic input. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/v17/n6/full/nn.3720.html>
- Ramm, P. (1990). Image analyzers for bioscience applications. *Computerized Medical Imaging and Graphics*, 14(5), 287-306. doi.
- Ramon, V., Eric, F., An, T., C., T. E., Ramona, B., Caterina, B., & Salvatore, O. (2018). Acute tau knockdown in the hippocampus of adult mice causes learning and memory deficits. *Aging Cell*, 0(0), e12775. doi: doi:10.1111/accel.12775. <https://onlinelibrary.wiley.com/doi/abs/10.1111/accel.12775>
- Ramos, R. L., Tam, D. M., & Brumberg, J. C. (2008). Physiology and morphology of callosal projection neurons in mouse. *Neuroscience*, 153(3), 654-663. doi.
- Ramsay, A. M., & Meredith, M. A. (2004). Multiple sensory afferents to ferret pseudosylvian sulcal cortex. *Neuroreport*, 15(3), 461-461. doi.
- Ranade, S. C., Rose, A., Rao, M., Gallego, J., Gressens, P., & Mani, S. (2008). Different types of nutritional deficiencies affect different domains of spatial memory function checked in a radial arm maze. *Neuroscience*, 152(4), 859-866. doi.
- Rance, N. E., & Bruce, T. R. (1994). Neurokinin B gene expression is increased in the Arcuate Nucleus of Ovariectomized Rats. *Neuroendocrinology*, 60, 337-345. doi.
- Rance, N. E., McMullen, N. T., Smialek, J. E., Price, D. L., & III, W. S. Y. (1990). Postmenopausal hypertrophy of neurons expressing the estrogen receptor gene in the human hypothalamus. *Journal of Clinical Endocrinology And Metabolism*, 71(1), 79-85. doi.

Rance, N. E., Uswandi, S. V., & McMullen, N. T. (1993). Neuronal Hypertrophy in the Hypothalamus of Older Men. *Neurobiology of Aging*, 14, 337-342. doi.

Rance, N. E., & Young III, W. S. (1991). Hypertrophy and increased gene expression of neurons containing neurokinin-B and substance-P messenger ribonucleic acids in the hypothalamus of postmenopausal women. *Endocrinology*, 128, 2239-. doi.

Rance, N. E., Young III, W. S., & McMullen, N. T. (1994). Topography of neurons expressing luteinizing hormone-releasing hormone gene transcripts in the human hypothalamus and basal forebrain. *Journal of Comparative Neurology*, 339(4), 573-586. doi.

Randolph, M. E., Luo, Q., Ho, J., Vest, K. E., Sokoloff, A. J., & Pavlath, G. K. (2014). Ageing and muscular dystrophy differentially affect murine pharyngeal muscles in a region-dependent manner. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.280420. <http://dx.doi.org/10.1113/jphysiol.2014.280420>

Rangon, C.-M., Fortes, S., Lelievre, V., Leroux, P., Plaisant, F., Joubert, C., . . . Gressens, P. (2007). Chronic Mild Stress during Gestation Worsens Neonatal Brain Lesions in Mice. *Journal of Neuroscience*, 27(28), 7532-7540. doi: 10.1523/jneurosci.5330-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/28/7532>

Ranjan, A., & Mallick, B. N. (2010). Frontiers: A Modified Method for Consistent and Reliable Golgi-Cox Staining in Significantly Reduced Time. *Frontiers in Sleep And Chronobiology*, 1. doi.

Ranjan, A., & Mallick, B. N. (2010). A modified method for consistent and reliable Golgi-Cox staining in significantly reduced time. *Frontiers in Neurology*, 1. doi.

Ranjan, A., & Mallick, B. N. (2012). Differential staining of glia and neurons by modified Golgi-Cox method. *Journal of Neuroscience Methods*, (0). doi: 10.1016/j.jneumeth.2012.06.023. <http://www.sciencedirect.com/science/article/pii/S0165027012002488>

Rao, M. S., Hattiangady, B., Abdel-Rahman, A., Stanley, D. P., & Shetty, A. K. (2005). Newly born cells in the ageing dentate gyrus display normal migration, survival and neuronal fate choice but endure retarded early maturation. *European Journal of Neuroscience*, 21(2), 464-476. doi: doi:10.1111/j.1460-9568.2005.03853.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03853.x>

Rao, M. S., Hattiangady, B., Rai, K. S., & Shetty, A. K. (2007). Strategies for promoting anti-seizure effects of hippocampal fetal cells grafted into the hippocampus of rats exhibiting chronic temporal lobe epilepsy. *Neurobiology of Disease*, 27(2), 117-132. doi.

Rao, M. S., Hattiangady, B., & Shetty, A. K. (2006). The window and mechanisms of major age-related decline in the production of new neurons within the dentate gyrus of the hippocampus. *Aging Cell*, 5(6), 545-558. doi.

Rao, M. S., & Shetty, A. K. (2004). Efficacy of doublecortin as a marker to analyse the absolute number and dendritic growth of newly generated neurons in the adult dentate gyrus. *European Journal of Neuroscience*, 19(2), 234-246. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2003.0312...>

Rao, R. P., Anilkumar, S., McEwen, B. S., & Chattarji, S. (2012). Glucocorticoids protect against the delayed behavioral and cellular effects of acute stress on the amygdala. *Biological Psychiatry*. doi.

Rao, R. P., von Heimendahl, M., Bahr, V., & Brecht, M. (2019). Neuronal Responses to Conspecifics in the Ventral CA1. *Cell Reports*, 27(12), 3460-3472.e3463. doi: <https://doi.org/10.1016/j.celrep.2019.05.081>. <http://www.sciencedirect.com/science/article/pii/S221112471930720X>

Rapp, P. R., & Gallagher, M. (1996). Preserved neuron number in the hippocampus of aged rats with spatial learning deficits. *Proceedings of the National Academy of Sciences*, 93(18), 9926-9930. doi: 10.1073/pnas.93.18.9926. <http://www.pnas.org/cgi/content/abstract/93/18/9926>

Rash, B. G., Lim, H. D., Breunig, J. J., & Vaccarino, F. M. (2011). FGF Signaling Expands Embryonic Cortical Surface Area by Regulating Notch-Dependent Neurogenesis. *Journal of Neuroscience*, 31(43), 15604-15617. doi: 10.1523/jneurosci.4439-11.2011. <http://www.jneurosci.org/content/31/43/15604.abstract>

Rash, B. G., Tomasi, S., Lim, H. D., Suh, C. Y., & Vaccarino, F. M. (2013). Cortical Gyrification Induced by Fibroblast Growth Factor 2 in the Mouse Brain. *Journal of Neuroscience*, 33(26), 10802-10814. doi: 10.1523/jneurosci.3621-12.2013. <http://www.jneurosci.org/content/33/26/10802.abstract>

Rašin, M. R., Gazula, V. R., Breunig, J. J., Kwan, K. Y., Johnson, M. B., Liu-Chen, S., . . . others. (2007). Numb and Numbl are required for maintenance of cadherin-based adhesion and polarity of neural progenitors. *Nature Neuroscience*, 10(7), 819-827. doi.

Ratliff, W. A., Delic, V., Pick, C. G., & Citron, B. A. (2020). Dendritic arbor complexity and spine density changes after repetitive mild traumatic brain injury and neuroprotective treatments. *Brain Research*, 1746, 147019. doi: <https://doi.org/10.1016/j.brainres.2020.147019>. <http://www.sciencedirect.com/science/article/pii/S0006899320303759>

Ratliff, P., Hillen, B., Glaser, J., & Jenkinson, D. P. (2003). Visible Human 2, o-the Next Generation. *Medicine meets virtual reality 11: NextMed: health horizon*, 94, 275-275. doi.

Rausell, E., Bickford, L., Manger, P. R., Woods, T. M., & Jones, E. G. (1998). Extensive Divergence and Convergence in the Thalamocortical Projection to Monkey Somatosensory Cortex. *Journal of Neuroscience*, 18(11), 4216-4232. doi: <http://www.jneurosci.org/cgi/content/abstract/18/11/4216>

Rauskolb, S., Zagrebelsky, M., Drenjak, A., Deogracias, R., Matsumoto, T., Wiese, S., . . . others. (2010). Global deprivation of brain-derived neurotrophic factor in the CNS reveals an area-specific requirement for dendritic growth. *Journal of Neuroscience*, 30(5), 1739-1739. doi.

Ravani, A., Salvi, F., Rimessi, P., Lauria, G., Vita, G., Toscano, A., . . . Ferlini, A. (2004). The spectrum of transthyretin gene mutations in Italy: a report. *Journal of the Peripheral Nervous System*, 9(2), 122-122. doi: 10.1111/j.1085-9489.2004.009209bg.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Raven, F., Meerlo, P., Van der Zee, E. A., Abel, T., & Havekes, R. (2018). A brief period of sleep deprivation causes spine loss in the dentate gyrus of mice. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2018.03.018>. <http://www.sciencedirect.com/science/article/pii/S1074742718300728>

Ravi, N., Li, Z., Oetli, L.-L., Bartsch, D., Schönig, K., & Kelsch, W. (2014). Postnatal subventricular zone progenitors switch their fate to generate neurons with distinct synaptic input patterns. *Development*. doi: 10.1242/dev.110767. <http://dev.biologists.org/content/early/2014/12/16/dev.110767.abstract>

Ravinder, S., Burghardt, N., Brodsky, R., Bauer, E., & Chattarji, S. (2013). A role for the extended amygdala in the fear-enhancing effects of acute selective serotonin reuptake inhibitor treatment. *Translational Psychiatry*, 3(1), e209. doi.

Ravinder, S., Pillai, A. G., & Chattarji, S. (2011). Cellular Correlates of Enhanced Anxiety Caused by Acute Treatment with the Selective Serotonin Reuptake Inhibitor Fluoxetine in Rats. *Frontiers in Behavioral Neuroscience*, 5. doi.

Ray, K., Dutta, A., Panjwani, U., Thakur, L., Anand, J. P., & Kumar, S. (2011). Hypobaric hypoxia modulates brain biogenic amines and disturbs sleep architecture. *Neurochemistry International*, 58(1), 112-118. doi.

Ray, S., Burallossi, A., Brecht, M., & Naumann, R. K. (2017). Complementary Modular Microcircuits of the Rat Medial Entorhinal Cortex. [Original Research]. *Frontiers in Systems Neuroscience*, 11(20). doi: 10.3389/fnsys.2017.00020. <http://journal.frontiersin.org/article/10.3389/fnsys.2017.00020>

Razzali, N., Rahim, M. S. M., Kumoi, R., & Daman, D. (2010). Gouraud Shading to Improve Appearance of Neuronal Morphology Visualization. *International Journal of Biometrics and Bioinformatics (IJBB)*, 4(2), 52-52. doi.

Read, H. L., Miller, L. M., Schreiner, C. E., & Winer, J. A. (2008). Two thalamic pathways to primary auditory cortex. *Neuroscience*, 152(1), 151-159. doi.

Read, H. L., Nauen, D. W., Escabi, M. A., Miller, L. M., Schreiner, C. E., & Winer, J. A. (2011). Distinct core thalamocortical pathways to central and dorsal primary auditory cortex. *Hearing Research*, 274(1), 95-104. doi.

Read, H. L., & Reyes, A. D. (2018). Sensing Sound Through Thalamocortical Afferent Architecture and Cortical Microcircuits. In D. L. Oliver, N. B. Cant, R. R. Fay & A. N. Popper (Eds.), *The Mammalian Auditory Pathways: Synaptic Organization and Microcircuits* (pp. 169-198). Cham: Springer International Publishing.

Read, H. L., Winer, J. A., & Schreiner, C. E. (2001). Modular organization of intrinsic connections associated with spectral tuning in cat auditory cortex. *Proceedings of the National Academy of Sciences*, 98(14), 8042-8047. doi: 10.1073/pnas.131591898. <http://www.pnas.org/cgi/content/abstract/98/14/8042>

Reagan, L. P., Cowan, H. B., Woodruff, J. L., Piroli, G. G., Erichsen, J. M., Evans, A. N., . . . Grillo, C. A. (2021). Hippocampal-specific insulin resistance elicits behavioral despair and hippocampal dendritic atrophy. *Neurobiology of Stress*, 100354. doi: <https://doi.org/10.1016/j.ynstr.2021.100354>. <https://www.sciencedirect.com/science/article/pii/S235228952100062X>

Reaume, A. G., Elliott, J. L., Hoffman, E. K., Kowall, N. W., Ferrante, R. J., Siwek, D. R., . . . Snider, W. D. (1996). Motor neurons in Cu/Zn superoxide dismutase-deficient mice develop normally but exhibit enhanced cell death after axonal injury. *Nature Genetics*, 13, 43-47. doi.

Rebello, T. J., Yu, Q., Goodfellow, N. M., Cagliostro, M. K. C., Teissier, A., Morelli, E., . . . Dwork, A. J. (2014). Postnatal Day 2 to 11 Constitutes a 5-HT-Sensitive Period Impacting Adult mPFC Function. *The Journal of Neuroscience*, 34(37), 12379-12393. doi: <http://www.jneurosci.org/content/34/37/12379.short>

Recio, J. S., Weruaga, E., Gómez, C., Valero, J., Briñón, J. G., & Alonso, J. R. (2007). Changes in the connections of the main olfactory bulb after mitral cell selective neurodegeneration. *Journal of Neuroscience Research*, 85(11), 2407-2421. doi.

Reda, H., Greene, K., Rice, F. L., Rowbotham, M. C., & Petersen, K. L. (2013). Natural History of Herpes Zoster: Late follow-up 3.9yrs (n=43) and 7.7yrs (n=10). *Pain*, (0). doi: <http://dx.doi.org/10.1016/j.pain.2013.04.015>, <http://www.sciencedirect.com/science/article/pii/S030439591300170X>

Reddaway, R. B., Davidow, A. W., Deal, S. L., & Hill, D. L. (2012). The impact of chorda tympani nerve injury on cell survival, axon maintenance, and morphology of its terminal field in the nucleus of the solitary tract. *Journal of Comparative Neurology*. doi.

Redmond, S. A., Figueres-Oñate, M., Obernier, K., Nascimento, M. A., Parraguez, J. I., López-Mascaraque, L., . . . Alvarez-Buylla, A. (2019). Development of Ependymal and Postnatal Neural Stem Cells and Their Origin from a Common Embryonic Progenitor. *Cell Reports*, 27(2), 429-441.e423. doi: <https://doi.org/10.1016/j.celrep.2019.01.088>, <http://www.sciencedirect.com/science/article/pii/S221112471930124X>

Reglödi, D., Lubics, A., Szelier, M., & Lengvári, I. (1999). Gastrin-and cholecystokinin-like immunoreactivities in the nervous system of the earthworm. *Journal of Peptides*, 20(5), 569-577. doi.

Rehberg, K., Kliche, S., Madencioglu, D. A., Thiere, M., Müller, B., Meineke, B. M., . . . Stork, O. (2014). The Serine/Threonine Kinase Ndr2 Controls Integrin Trafficking and Integrin-Dependent Neurite Growth. *The Journal of Neuroscience*, 34(15), 5342-5354. doi: <http://www.jneurosci.org/content/34/15/5342.short>

Reichard, R. A., Parsley, K. P., Subramanian, S., Stevenson, H. S., Schwartz, Z. M., Sura, T., & Zahm, D. S. (2019). The lateral preoptic area and ventral pallidum embolden behavior. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-01826-0. <https://doi.org/10.1007/s00429-018-01826-0>

Reichard, R. A., Subramanian, S., Desta, M. T., Sura, T., Becker, M. L., Ghobadi, C. W., . . . Zahm, D. S. (2016). Abundant collateralization of temporal lobe projections to the accumbens, bed nucleus of stria terminalis, central amygdala and lateral septum. [journal article]. *Brain Structure and Function*, 1-18. doi: 10.1007/s00429-016-1321-y. <http://dx.doi.org/10.1007/s00429-016-1321-y>

Reid, C. A., Leaw, B., Richards, K. L., Richardson, R., Wimmer, V., Yu, C., . . . Petrou, S. (2014). Reduced dendritic arborization and hyperexcitability of pyramidal neurons in a Scn1b-based model of Dravet syndrome. *Brain*. doi: 10.1093/brain/awu077. <http://brain.oxfordjournals.org/content/early/2014/04/17/brain.awu077.ab>.

.

Reillo, I., & Borrell, V. (2011). Germinal Zones in the Developing Cerebral Cortex of Ferret: Ontogeny, Cell Cycle Kinetics, and Diversity of Progenitors. *Cerebral Cortex*, bhr284. doi: 10.1093/cercor/bhr284. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr284v1>

Reillo, I., de Juan Romero, C., García-Cabezas, M. Á., & Borrell, V. (2011). A role for intermediate radial glia in the tangential expansion of the mammalian cerebral cortex. *Cerebral Cortex*, 21(7), 1674-1694. doi.

Reilly, J. F., Games, D., Rydel, R. E., Freedman, S., Schenk, D., Young, W. G., . . . Bloom, F. E. (2003). Amyloid deposition in the hippocampus and entorhinal cortex: Quantitative analysis of a transgenic mouse model. *Neuroscience*, 100, 4837-4842. doi.

Reimers-Kipping, S., Hevers, W., Pääbo, S., & Enard, W. (2011). Humanized Foxp2 specifically affects cortico-basal ganglia circuits. *Neuroscience*, 175, 75-84. doi.

Reinchisi, G., Ijichi, K., Glidden, N., Jakovcevski, I., & Zecevic, N. (2011). COUP-TFII Expressing Interneurons in Human Fetal Forebrain. *Cerebral Cortex*, bhr359. doi: 10.1093/cercor/bhr359. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr359v1>

Reiner, A., Fitzgerald, M. E. C., Del Mar, N., & Li, C. (2017). Neural control of choroidal blood flow. *Progress in Retinal and Eye Research*. doi: <https://doi.org/10.1016/j.preteyeres.2017.12.001>. <https://www.sciencedirect.com/science/article/pii/S1350946217300770>

Reiner, A., Jiao, Y., Del Mar, N., Laverghetta, A. V., & Lei, W. L. (2003). Differential morphology of pyramidal tract-type and intratelencephalically projecting-type corticostriatal neurons and their intrastriatal terminals in rats. *Journal of Comparative Neurology*, 457(4), 420-440. doi.

Reiner, A., Lafferty, D. C., Wang, H. B., Del Mar, N., & Deng, Y. P. (2012). The group 2 metabotropic glutamate receptor agonist LY379268 rescues neuronal, neurochemical and motor abnormalities in R6/2 Huntington's disease mice. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.03.025. <http://www.sciencedirect.com/science/article/pii/S0969996112000964>

Reiner, K., Sukhotinsky, I., & Devor, M. (2007). Mesopontine tegmental anesthesia area projects independently to the rostromedial medulla and to the spinal cord. *Neuroscience*, 146(3), 1355-1370. doi.

Reiner, K., Sukhotinsky, I., & Devor, M. (2008). Bulbospinal neurons implicated in mesopontine-induced anesthesia are substantially collateralized. *Journal of Comparative Neurology*, 508(3), 418-436. doi.

Rekha, J., Veena, L. R., Prem, N., Kalaivani, P., Choudhury, R., Alladi, P. A., . . . Kutty, B. M. (2011). NIH-3T3 fibroblast transplants enhance host regeneration and improve spatial learning in ventral subicular lesioned rats. *Behavioural Brain Research*, 218(2), 315-324. doi.

Rema, V., Bali, K. K., Ramachandra, R., Chugh, M., Darokhan, Z., & Chaudhary, R. (2008). Cytidine-5-diphosphocholine supplement in early life induces stable increase in dendritic complexity of neurons in the somatosensory cortex of adult rats. *Neuroscience*, 155(2), 556-564. doi.

Remple, M. S., Jain, N., Diener, P. S., & Kaas, J. H. (2004). Bilateral effects of spinal overhemisections on the development of the somatosensory system in rats. *Journal of Comparative Neurology*, 475(4), 604-619. doi.

Remple, M. S., Reed, J. L., Stepniewska, I., & Kaas, J. H. (2006). Organization of frontoparietal cortex in the tree shrew (*Tupaia belangeri*). I. Architecture, microelectrode maps, and corticospinal connections. *Journal of Comparative Neurology*, 497(1), 133-154. doi.

Remple, M. S., Reed, J. L., Stepniewska, I., Lyon, D. C., & Kaas, J. H. (2007). The organization of frontoparietal cortex in the tree shrew (*Tupaia belangeri*): II. Connectional evidence for a frontal-posterior parietal network. *Journal of Comparative Neurology*, 501(1), 121-149. doi.

Ren, A., Zhang, H., Xie, Z., Ma, X., Ji, W., He, Z., . . . Zhang, W. J. (2012). Regulation of hippocampus-dependent memory by the zinc finger protein Zbtb20 in mature CA1 neurons. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2012.234187. <http://dx.doi.org/10.1113/jphysiol.2012.234187>

Ren, S.-Q., Li, Z., Lin, S., Bergami, M., & Shi, S.-H. (2019). Precise Long-Range Microcircuit-to-Microcircuit Communication Connects the Frontal and Sensory Cortices in the Mammalian Brain. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.06.028>. <http://www.sciencedirect.com/science/article/pii/S0896627319305987>

Ren, W., Centeno, M. V., Berger, S., Wu, Y., Na, X., Liu, X., . . . Surmeier, D. J. (2015). The indirect pathway of the nucleus accumbens shell amplifies neuropathic pain. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4199
<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4199.html#suppl> <http://dx.doi.org/10.1038/nn.4199>

Ren, W., Centeno, M. V., Wei, X., Wickersham, I., Martina, M., Apkarian, A. V., & Surmeier, D. J. (2021). Adaptive alterations in the mesoaccumbal network after peripheral nerve injury. *Pain*, 162(3), 895-906. doi: 10.1097/j.pain.0000000000002092. https://journals.lww.com/pain/Fulltext/2021/03000/Adaptive_alterations_i..

Ren, Z., Sahir, N., Murakami, S., Luellen, B. A., Earnheart, J. C., Lal, R., . . . Luscher, B. (2014). Defects in dendrite and spine maturation and synaptogenesis associated with an anxious-depressive-like phenotype of GABAA receptor-deficient mice. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.07.019>. <http://www.sciencedirect.com/science/article/pii/S0028390814002810>

Renner, N. A., Sansing, H. A., Inglis, F. M., Mehra, S., Kaushal, D., Lackner, A. A., & MacLean, A. G. (2012). Transient acidification and subsequent proinflammatory cytokine stimulation of astrocytes induce distinct activation phenotypes. *Journal of Cellular Physiology*, n/a-n/a. doi: 10.1002/jcp.24283. <http://dx.doi.org/10.1002/jcp.24283>

Repetto, I. E., Monti, R., Tropiano, M., Tomasi, S., Arbini, A., Andrade-Moraes, C.-H., . . . Vercelli, A. (2016). The Isotropic Fractionator as a Tool for Quantitative Analysis in Central Nervous System Diseases. [Methods]. *Frontiers in cellular neuroscience*, 10(190). doi: 10.3389/fncel.2016.00190. <http://journal.frontiersin.org/article/10.3389/fncel.2016.00190>

Repici, M., Atzori, C., Migheli, A., & Vercelli, A. (2003). Molecular mechanisms of neuronal death in the dorsal lateral geniculate nucleus following visual cortical lesions. *Neuroscience*, 117(4), 859-867. doi:

Repici, M., & Borsello, T. (2007). JNK pathway as therapeutic target to prevent degeneration in the central nervous system. *Hypoxia and Exercise*, 145-155. doi:

Repici, M., Centeno, C., Tomasi, S., Forloni, G., Bonny, C., Vercelli, A., & Borsello, T. (2007). Time-course of c-Jun N-terminal kinase activation after cerebral ischemia and effect of D-JNK1 on c-Jun and caspase-3 activation. *Neuroscience*, 150(1), 40-49. doi:

Restivo, L., Ferrari, F., Passino, E., Sgobio, C., Bock, J., Oostra, B. A., . . . Ammassari-Teule, M. (2005). Enriched environment promotes behavioral and morphological recovery in a mouse model for the fragile X syndrome. *PNAS*, 102(32), 11557-11562. doi: <http://www.pnas.org/cgi/content/abstract/102/32/11557>

Restivo, L., Ferrari, F., Passino, E., Sgobio, C., Bock, J., Oostra, B. A., . . . Ammassari-Teule, M. (2005). Enriched environment promotes behavioral and morphological recovery in a mouse model for the fragile X syndrome. *Proceedings of the National Academy of Sciences of the United States of America*, 102(32), 11557-11562. doi: <http://readtiger.com/www.pnas.org/content/102/32/11557.full>

Restrepo, C. E., Manger, P. R., Spenger, C., & Innocenti, G. M. (2003). Immature cortex lesions alter retinotopic maps and interhemispheric connections. *Annals of Neurology*, 54(1), 51-65. doi:

Revest, J. M., Dupret, D., Koehl, M., Funk-Reiter, C., Grosjean, N., Piazza, P. V., & Abrous, D. N. (2009). Adult hippocampal neurogenesis is involved in anxiety-related behaviors. *Molecular Psychiatry*. doi: <http://dx.doi.org/10.1038/mp.2009.15>

<http://www.nature.com/mp/journal/vaop/ncurrent/supinfo/mp200915s1.html>

Reyes, A., Lujan, R., Rozov, A., Burnashev, N., Somogyi, P., & Sakmann, B. (1998). Target-cell-specific facilitation and depression in neocortical circuits. *Nature Neuroscience*, 1, 279-285. doi:

Reyes, A., & Sakmann, B. (1999). Developmental Switch in the Short-Term Modification of Unitary EPSPs Evoked in Layer 2/3 and Layer 5 Pyramidal Neurons of Rat Neocortex. *Journal of Neuroscience*, 19(10), 3827-3835. doi: <http://www.jneurosci.org/cgi/content/abstract/19/10/3827>

Reyes, L. D., Harland, T., Reep, R. L., Sherwood, C. C., & Jacobs, B. (2016). Golgi Analysis of Neuron Morphology in the Presumptive Somatosensory Cortex and Visual Cortex of the Florida Manatee (*Trichechus manatus latirostris*). *Brain, Behavior and Evolution*. doi: <http://www.karger.com/Article/Abstract/445495>

Reynolds, L. M., Pokinko, M., Torres Berrío, A., Cuesta, S., Lambert, L. C., Del Cid Pellitero, E., . . . Flores, C. (2017). DCC receptors drive prefrontal cortex maturation by determining dopamine axon targeting in adolescence. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2017.06.009. <http://dx.doi.org/10.1016/j.biopsych.2017.06.009>

Reynolds, L. M., Yetnikoff, L., Pokinko, M., Wodzinski, M., Epelbaum, J. G., Lambert, L. C., . . . Flores, C. (2018). Early Adolescence is a Critical Period for the Maturation of Inhibitory Behavior. *Cerebral Cortex*, bhy247-bhy247. doi: 10.1093/cercor/bhy247. <http://dx.doi.org/10.1093/cercor/bhy247>

Reynolds, S. M., & Zahm, D. S. (2005). Specificity in the Projections of Prefrontal and Insular Cortex to Ventral Striatopallidum and the Extended Amygdala. *Journal of Neuroscience*, 25, 11757-11767. doi:

Rezaie, P., Patel, K., & Male, D. (1999). Microglia in the human fetal spinal cord-patterns of distribution, morphology and phenotype. *Brain Research. Developmental Brain Research*, 115, 71 - 81. doi:

Rezaie, P., Trillo-Pazos, G., Greenwood, J., Everall, I., & Male, D. (2002). Motility and ramification of human fetal microglia in culture: an investigation using time-lapse video microscopy and image analysis. *Experimental Cell Research*, 274, 68 - 82. doi:

Rheims, S., Minlebaev, M., Ivanov, A., Represa, A., Khazipov, R., Holmes, G. L., . . . Zilberter, Y. (2008). Excitatory GABA in Rodent Developing Neocortex in vitro. *Journal of Neurophysiology*, 90402.92008. doi: 10.1152/jn.90402.2008. <http://jn.physiology.org/cgi/content/abstract/90402.2008v1>

Rhode, W. S. (1999). Vertical Cell Responses to Sound in Cat Dorsal Cochlear Nucleus. *Journal of Neurophysiology*, 82(2), 1019-1032. doi: <http://jn.physiology.org/cgi/content/abstract/82/2/1019>

Rhode, W. S. (2008). Response patterns to sound associated with labeled globular/bushy cells in cat. *Neuroscience*, 154(1), 87-98. doi.

Rhodes, P. (2006). The Properties and Implications of NMDA Spikes in Neocortical Pyramidal Cells. *Journal of Neuroscience*, 26(25), 6704-6715. doi: 10.1523/jneurosci.3791-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/25/6704>

Rhodes, P. A., & Llinás, R. (2005). A model of thalamocortical relay cells. *Journal of Physiology*, 565(3), 765-781. doi.

Ribeiro, A., Balasubramanian, S., Hughes, D., Vargo, S., Powell, E. M., & Leach, J. B. (2013). β 1-integrin Cytoskeletal Signaling Regulates Sensory Neuron Response to Matrix Dimensionality. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.05.057>. <http://www.sciencedirect.com/science/article/pii/S0306452213004909>

Rice, F. L., Castel, D., Ruggiero, E., Dockum, M., Houk, G., Sabbag, I., . . . Meilin, S. (2018). Human-like cutaneous neuropathologies associated with a porcine model of peripheral neuritis: A translational platform for neuropathic pain. *Neurobiology of Pain*. doi: <https://doi.org/10.1016/j.nypai.2018.07.002>. <http://www.sciencedirect.com/science/article/pii/S2452073X1830014X>

Rice, F. L., Houk, G., Wymer, J. P., Gosline, S. J. C., Guinney, J., Wu, J., . . . Riccardi, V. M. (2019). The evolution and multi-molecular properties of NF1 cutaneous neurofibromas originating from C-fiber sensory endings and terminal Schwann cells at normal sites of sensory terminations in the skin. *PLoS ONE*, 14(5), e0216527. doi: 10.1371/journal.pone.0216527. <https://doi.org/10.1371/journal.pone.0216527>

Rice, F. L., Xie, J. Y., Albrecht, P. J., Acker, E., Bourgeois, J., Navratilova, E., . . . Porreca, F. (2016). Anatomy and immunochemical characterization of the non-arterial peptidergic diffuse dural innervation of the rat and Rhesus monkey: Implications for functional regulation and treatment in migraine. *Cephalalgia*. doi: 10.1177/0333102416677051. <http://cep.sagepub.com/content/early/2016/11/16/0333102416677051>. abstract

Richardson, B. D., Ling, L. L., Uteshev, V. V., & Caspary, D. M. (2013). Reduced GABAA Receptor-Mediated Tonic Inhibition in Aged Rat Auditory Thalamus. *Journal of Neuroscience*, 33(3), 1218-1227. doi: 10.1523/jneurosci.3277-12.2013. <http://www.jneurosci.org/content/33/3/1218.abstract>

Richter, M. C., Ludewig, S., Winschel, A., Abel, T., Bold, C., Salzburger, L. R., . . . Fritz, A. K. (2018). Distinct in vivo roles of secreted APP ectodomain variants APPs α and APPs β in regulation of spine density, synaptic plasticity, and cognition. *The EMBO journal*, e98335. doi: <http://emboj.embopress.org/content/early/2018/04/13/embj201798335.export>

Richter, Z., Janszky, J., Sétáló Jr, G., Horváth, R., Horváth, Z., Dóczi, T., . . . Ábrahám, H. (2016). Characterization of neurons in the cortical white matter in human temporal lobe epilepsy. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.07.011>. <http://www.sciencedirect.com/science/article/pii/S0306452216303165>

Richwine, A. F., Parkin, A. O., Buchanan, J. B., Chen, J., Markham, J. A., Juraska, J. M., & Johnson, R. W. (2008). Architectural changes to CA1 pyramidal neurons in adult and aged mice after peripheral immune stimulation. *Psychoneuroendocrinology*, 33(10), 1369-1377. doi.

- Richwine, A. F., Sparkman, N. L., Dilger, R. N., Buchanan, J. B., & Johnson, R. W. (2009). Cognitive deficits in interleukin-10-deficient mice after peripheral injection of lipopolysaccharide. *Brain, Behavior, and Immunity*, 23(6), 794-802. doi.
- Rickey, L. M., Sarkey, S., & DonCarlos, L. L. (2008). Estrogen-sensitive projections from the medial preoptic area to the dorsal pontine tegmentum, including Barrington's nucleus, in the rat. *Neurourology and Urodynamics*, 27(5), 440-445. doi.
- Riedemann, S., Sutor, B., Bergami, M., & Riedemann, T. (2019). Gad1-promotor-driven GFP expression in non-GABAergic neurons of the nucleus endopiriformis in a transgenic mouse line. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24673. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24673>
- Riederer, B. M., Berbel, P., & Innocenti, G. M. (2004). Neurons in the corpus callosum of the cat during postnatal development. *European Journal of Neuroscience*, 19(8), 2039-2046. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0330..>
- Rieff, H. I., & Corfas, G. (2006). ErbB receptor signalling regulates dendrite formation in mouse cerebellar granule cells in vivo. *European Journal of Neuroscience*, 23(8), 2225-2229. doi: doi:10.1111/j.1460-9568.2006.04727.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04727.x>
- Rieger, S., & Sagasti, A. (2011). Hydrogen Peroxide Promotes Injury-Induced Peripheral Sensory Axon Regeneration in the Zebrafish Skin. *PLoS Biology*, 9(5), e1000621-e1000621. doi.
- Ries, A., Goldberg, J. L., & Grimpe, B. (2007). A novel biological function for CD44 in axon growth of retinal ganglion cells identified by a bioinformatics approach. *Journal of Neurochemistry*, 103(4), 1491-1505. doi: doi:10.1111/j.1471-4159.2007.04858.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04858.x>
- Rigas, P., & Castro-Alamancos, M. A. (2007). Thalamocortical Up States: Differential Effects of Intrinsic and Extrinsic Cortical Inputs on Persistent Activity. *Journal of Neuroscience*, 27(16), 4261-4272. doi: 10.1523/jneurosci.0003-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/16/4261>
- Rinaldi, T., Silberberg, G., & Markram, H. (2008). Hyperconnectivity of Local Neocortical Microcircuitry Induced by Prenatal Exposure to Valproic Acid. *Cerebral Cortex*, 18(4), 763-770. doi: 10.1093/cercor/bhm117. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/4/763>
- Rinaman, L., Levitt, P., & Card, J. P. (2000). Progressive Postnatal Assembly of Limbic-Autonomic Circuits Revealed by Central Transneuronal Transport of Pseudorabies Virus. *Journal of Neuroscience*, 20(7), 2731-2741. doi. <http://www.jneurosci.org/cgi/content/abstract/20/7/2731>
- Rind, F. C., Wernitznig, S., Pölt, P., Zankel, A., Gütl, D., Sztarker, J., & Leitinger, G. (2016). Two identified looming detectors in the locust: ubiquitous lateral connections among their inputs contribute to selective responses to looming objects. [Article]. *Scientific Reports*, 6, 35525. doi: 10.1038/srep35525
<http://www.nature.com/articles/srep35525#supplementary-information>. <http://dx.doi.org/10.1038/srep35525>
- Rios-Pilier, J., & Krimm, R. F. (2019). TrkB expression and dependence divides gustatory neurons into three subpopulations. [journal article]. *Neural Development*, 14(1), 3. doi: 10.1186/s13064-019-0127-z. <https://doi.org/10.1186/s13064-019-0127-z>

- Riquier, A. (2017). Microglia Response to Taste Nerve Injury Lasts Less Than Two Weeks in Young Rats. doi: <http://digitalcommons.unomaha.edu/srcaf/2017/schedule/200/>
- Riquier, A. (2018). Developmental differences in the microglia response to nerve injury are resistant to dietary sodium deprivation. doi: <https://digitalcommons.unomaha.edu/srcaf/2018/schedule/92/>
- Riquier, A. J., & Sollars, S. I. (2017). Microglia density decreases in the rat rostral nucleus of the solitary tract across development and increases in an age-dependent manner following denervation. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.04.037>. <http://www.sciencedirect.com/science/article/pii/S0306452217302956>
- Risher, M.-L., Fleming, R. L., Risher, W. C., Miller, K. M., Klein, R. C., Wills, T., . . . Swartzwelder, H. S. (2015). Adolescent Intermittent Alcohol Exposure: Persistence of Structural and Functional Hippocampal Abnormalities into Adulthood. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/acer.12725. <http://dx.doi.org/10.1111/acer.12725>
- Rivara, C. B., Sherwood, C. C., Bouras, C., & Hof, P. R. (2003). Stereologic characterization and spatial distribution patterns of Betz cells in the human primary motor cortex. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 270(2), 137-151. doi.
- Rivas, A., & Francis, H. W. (2005). Inner ear abnormalities in a Kcnq1 (Kvlqt1) knockout mouse: a model of Jervell and Lange-Nielsen syndrome. *Otology and Neurotology*, 26(3), 415-415. doi.
- Rivera, H. M., & Bethea, C. L. (2013). Ovarian steroids increase PSD-95 expression and dendritic spines in the dorsal raphe of ovariectomized macaques. *Synapse*, n/a-n/a. doi: 10.1002/syn.21702. <http://dx.doi.org/10.1002/syn.21702>
- Rivero, O., Selten, M. M., Sich, S., Popp, S., Bacmeister, L., Amendola, E., . . . Lesch, K. P. (2015). Cadherin-13, a risk gene for ADHD and comorbid disorders, impacts GABAergic function in hippocampus and cognition. [Original Article]. *Transl Psychiatry*, 5, e655. doi: 10.1038/tp.2015.152. <http://dx.doi.org/10.1038/tp.2015.152>
- Rivlin-Etzion, M., Zhou, K., Wei, W., Elstrott, J., Nguyen, P. L., Barres, B. A., . . . Feller, M. B. (2011). Transgenic Mice Reveal Unexpected Diversity of On-Off Direction-Selective Retinal Ganglion Cell Subtypes and Brain Structures Involved in Motion Processing. *Journal of Neuroscience*, 31(24), 8760-8769. doi: 10.1523/jneurosci.0564-11.2011. <http://www.jneurosci.org/content/31/24/8760.abstract>
- Roberts, C. B., Best, J. A., & Suter, K. J. (2006). Dendritic Processing of Excitatory Synaptic Input in Hypothalamic Gonadotropin Releasing-Hormone Neurons. *Endocrinology*, 147(3), 1545-1555. doi: 10.1210/en.2005-1350. <http://endo.endojournals.org/cgi/content/abstract/147/3/1545>
- Roberts, C. B., O'Boyle, M. P., & Suter, K. J. (2009). Dendrites determine the contribution of after depolarization potentials (ADPs) to generation of repetitive action potentials in hypothalamic gonadotropin releasing-hormone (GnRH) neurons. *Journal of Computational Neuroscience*, 26(1), 39-53. doi.
- Robillard, K. N., Lee, K. M., Chiu, K. B., & MacLean, A. G. (2016). Glial cell morphological and density changes through the lifespan of rhesus macaques. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.01.006>. <http://www.sciencedirect.com/science/article/pii/S088915911630006X>

Robinson, L. C., Barat, O., & Mellott, J. G. (2019). GABAergic and glutamatergic cells in the inferior colliculus dynamically express the GABAAR $\gamma 1$ subunit during aging. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2019.04.007>. <http://www.sciencedirect.com/science/article/pii/S0197458019301149>

Rocco, M. M., & Brumberg, J. C. (2007). The sensorimotor slice. *Journal of Neuroscience Methods*, 162(1-2), 139-147. doi.

Rocco-Donovan, M., Ramos, R. L., Giraldo, S., & Brumberg, J. C. (2011). Characteristics of synaptic connections between rodent primary somatosensory and motor cortices. *Somatosensory and Motor Research*, (0), 1-10. doi.

Rocha, E. G., Santiago, L. F., Freire, M. A. M., Gomes-Leal, W., Dias, I. A., Lent, R., . . . Picanço-Diniz, C. W. (2007). Callosal axon arbors in the limb representations of the somatosensory cortex (SI) in the agouti (*Dasyprocta primnolopha*). *Journal of Comparative Neurology*, 500(2), 255-266. doi.

Rocheftort, N., Quenech'du, N., Watroba, L., Mallat, M., Giaume, C., & Milleret, C. (2002). Microglia and astrocytes may participate in the shaping of visual callosal projections during postnatal development. *Journal of Physiology-Paris*, 96(3-4), 183-192. doi.

Rocheftort, N. L., Buzas, P., Quenech'du, N., Koza, A., Eysel, U. T., Milleret, C., & Kisvarday, Z. F. (2009). Functional Selectivity of Interhemispheric Connections in Cat Visual Cortex. *Cerebral Cortex*, bhp001. doi: 10.1093/cercor/bhp001. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp001v1>

Rochester, J. R., Forstmeier, W., & Millam, J. R. (2010). Post-hatch oral estrogen in zebra finches (< i> Taeniopygia guttata): Is infertility due to disrupted testes morphology or reduced copulatory behavior? *Physiology and Behavior*, 101(1), 13-21. doi.

Rock, R., Hu, S., Deshpande, A., Munir, S., May, B., Baker, C., . . . Kapur, V. (2005). Transcriptional response of human microglial cells to interferon-gamma. *Genes Immun*, 6, 712 - 719. doi.

Rockland, K. S. (2002). Visual cortical organization at the single axon level: a beginning. *Neuroscience Research*, 42(3), 155-166. doi.

Rodger, J., Drummond, E. S., Hellström, M., Robertson, D., & Harvey, A. R. (2012). Long-Term Gene Therapy Causes Transgene-Specific Changes in the Morphology of Regenerating Retinal Ganglion Cells. *PLoS ONE*, 7(2), e31061-e31061. doi.

Rodrigues, A. J., Leão, P., Pêgo, J. M., Cardona, D., Carvalho, M. M., Oliveira, M., . . . others. (2011). Mechanisms of initiation and reversal of drug-seeking behavior induced by prenatal exposure to glucocorticoids. *Molecular Psychiatry*. doi.

Rodriguez, A., Ehlenberger, D., Kelliher, K., Einstein, M., Henderson, S. C., Morrison, J. H., . . . Wearne, S. L. (2003). Automated reconstruction of three-dimensional neuronal morphology from laser scanning microscopy images. *Methods*, 30(1), 94-105. doi.

Rodriguez, A., Ehlenberger, D. B., Dickstein, D. L., Hof, P. R., & Wearne, S. L. (2008). Automated three-dimensional detection and shape classification of dendritic spines from fluorescence microscopy images. *PLoS ONE*, 3(4), e1997-e1997. doi.

Rodriguez, A., Ehlenberger, D. B., Hof, P. R., & Wearne, S. L. (2006). Rayburst sampling, an algorithm for automated three-dimensional shape analysis from laser scanning microscopy images. *Nature Protocols*, 1, 2152-2161. doi.

Rodriguez-Contreras, A., van Hoeve, J. S. S., Habets, R. L. P., Locher, H., & Borst, J. G. G. (2008). Dynamic development of the calyx of Held synapse. *Proceedings of the National Academy of Sciences*. 0801395105. doi: 10.1073/pnas.0801395105. <http://www.pnas.org/cgi/content/abstract/0801395105v1>

Rodriguez-Rodriguez, P., Sandebring-Matton, A., Merino-Serrais, P., Parrado-Fernandez, C., Rabano, A., Winblad, B., . . . Cedazo-Minguez, A. (2017). Tau hyperphosphorylation induces oligomeric insulin accumulation and insulin resistance in neurons. *Brain*, awx256-awx256. doi: 10.1093/brain/awx256. <http://dx.doi.org/10.1093/brain/awx256>

Roehrich, e. a. (2003). Insulin-secreting beta -Cell Dysfunction Induced by Human Lipoproteins. *Science*, 18368 -18375. doi.

Rogers, J. T., Rusiana, I., Trotter, J., Zhao, L., Donaldson, E., Pak, D. T. S., . . . others. (2011). Reelin supplementation enhances cognitive ability, synaptic plasticity, and dendritic spine density. *Learning and Memory*, 18(9), 558-564. doi.

Rogers, S. W., Weis, J. J., Ma, Y., Teuscher, C., & Gahring, L. C. (2008). Mouse chromosome 11 harbors genetic determinants of hippocampal strain-specific nicotinic receptor expression. *Hippocampus*, 18(8), 750-757. doi.

Rohrbeck, A., Stahl, F., Höltje, M., Hettwer, T., Lindner, P., Hagemann, S., . . . Haastert-Talini, K. (2015). C3-induced release of neurotrophic factors from Schwann cells – potential mechanism behind its regeneration promoting activity. *Neurochemistry International*. doi: <http://dx.doi.org/10.1016/j.neuint.2015.09.007>. <http://www.sciencedirect.com/science/article/pii/S0197018615300498>

Roitman, M. F., Na, E., Anderson, G., Jones, T. A., & Bernstein, I. L. (2002). Induction of a salt appetite alters dendritic morphology in nucleus accumbens and sensitizes rats to amphetamine. *Journal of Neuroscience*, 22(11), RC225-RC225. doi.

Rojo, C., Leguey, I., Kastanauskaite, A., Bielza, C., Larrañaga, P., DeFelipe, J., & Benavides-Piccione, R. (2016). Laminar Differences in Dendritic Structure of Pyramidal Neurons in the Juvenile rat Somatosensory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv316. <http://cercor.oxfordjournals.org/content/early/2016/01/12/cercor.bhv316>.

..

Rojo, M. G., García, G. B., Mateos, C. P., García, J. G., & Vicente, M. C. (2006). Critical comparison of 31 commercially available digital slide systems in pathology. *International Journal of Surgical Pathology*, 14(4), 285-305. doi.

Rolando, C., Gribaudo, S., Yoshikawa, K., Leto, K., De Marchis, S., & Rossi, F. (2010). Extracerebellar progenitors grafted to the neurogenic milieu of the postnatal rat cerebellum adapt to the host environment but fail to acquire cerebellar identities. *European Journal of Neuroscience*, 31(8), 1340-1351. doi.

Rolando, C., Parolisi, R., Boda, E., Schwab, M. E., Rossi, F., & Buffo, A. (2012). Distinct Roles of Nogo-A and Nogo Receptor 1 in the Homeostatic Regulation of Adult Neural Stem Cell Function and

Neuroblast Migration. *Journal of Neuroscience*, 32(49), 17788-17799. doi: 10.1523/jneurosci.3142-12.2012. <http://www.jneurosci.org/content/32/49/17788.abstract>

Rolf, B., Bastmeyer, M., Schachner, M., & Bartsch, U. (2002). Pathfinding Errors of Corticospinal Axons in Neural Cell Adhesion Molecule-Deficient Mice. *Journal of Neuroscience*, 22, 8357-8362. doi.

Romand, S., Wang, Y., Toledo-Rodriguez, M., & Markram, H. (2011). Morphological development of thick-tufted layer V pyramidal cells in the rat somatosensory cortex. [Original Research]. *Frontiers in Neuroanatomy*, 5. doi: 10.3389/fnana.2011.00005. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy...>

Romanova, E. V., Oxley, S. P., Rubakhin, S. S., Bohn, P. W., & Sweedler, J. V. (2006). Self-assembled monolayers of alkanethiols on gold modulate electrophysiological parameters and cellular morphology of cultured neurons. *Biomaterials*, 27(8), 1665-1669. doi.

Romanova, E. V., Roth, M. J., Rubakhin, S. S., Jakubowski, J. A., Kelley, W. P., Kirk, M. D., . . . Sweedler, J. V. (2006). Identification and characterization of homologues of vertebrate β -thymosin in the marine mollusk *Aplysia californica*. *Journal of Mass Spectrometry*, 41(8), 1030-1040. doi.

Romanowska-Pawliczek, A., Pawliczek, P., & Sottys, Z. (2009). Algorithm for Treelike Structures Generation. *Computers in Medical Activity*, 255-263. doi.

Romanski, L. M., Bates, J. F., & Goldman-Rakic, P. S. (1999). Auditory belt and parabelt projections to the prefrontal cortex in the rhesus monkey. *Journal of Comparative Neurology*, 403(2), 141-157. doi.

Romanski, L. M., Tian, B., Fritz, J., Mishkin, M., Goldman-Rakic, P. S., & Rauschecker, J. P. (1999). Dual streams of auditory afferents target multiple domains in the primate prefrontal cortex. *Nature Neuroscience*, 2, 1131-1136. doi.

Romariz, S. A. A., Paiva, D. S., Galindo, L. T., Barnabé, G. F., Guedes, V. A., Borlongan, C. V., & Longo, B. M. (2016). Medial Ganglionic Eminence Cells Freshly Obtained or Expanded as Neurospheres Show Distinct Cellular and Molecular Properties in Reducing Epileptic Seizures. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12650. <http://dx.doi.org/10.1111/cns.12650>

Rometo, A. M., Krajewski, S. J., Lou Voytko, M., & Rance, N. E. (2007). Hypertrophy and Increased Kisspeptin Gene Expression in the Hypothalamic Infundibular Nucleus of Postmenopausal Women and Ovariectomized Monkeys. *Journal of Clinical Endocrinological Metabolism*, 92(7), 2744-2750. doi: 10.1210/jc.2007-0553. <http://jcem.endojournals.org/cgi/content/abstract/92/7/2744>

Rometo, A. M., & Rance, N. E. (2008). Changes in prodynorphin gene expression and neuronal morphology in the hypothalamus of postmenopausal women. *Journal of Neuroendocrinology*, 20(12), 1376-1381. doi.

Rong, Y., Wei, P., Parris, J., Guo, H., Pattarini, R., Correia, K., . . . Morgan, J. I. (2012). Comparison of Cbln1 and Cbln2 functions using transgenic and knockout mice. *Journal of Neurochemistry*, 120(4), 528-540. doi: 10.1111/j.1471-4159.2011.07604.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07604.x>

Rood, B. D., Calizo, L. H., Piel, D., Spangler, Z. P., Campbell, K., & Beck, S. G. (2014). Dorsal Raphe Serotonin Neurons in Mice: Immature Hyperexcitability Transitions to Adult State during First Three Postnatal Weeks Suggesting Sensitive Period for Environmental Perturbation. *The Journal of Neuroscience*, 34(14), 4809-4821. doi. <http://www.jneurosci.org/content/34/14/4809.short>

Ropireddy, D., Scorcioni, R., Lasher, B., Buzsáki, G., & Ascoli, G. A. (2011). Axonal morphometry of hippocampal pyramidal neurons semi-automatically reconstructed after in vivo labeling in different CA3 locations. *Brain Structure and Function*, 216(1), 1-15. doi.

Ros, H., Magill, P. J., Moss, J., Bolam, J. P., & Mena-Segovia, J. (2010). Distinct types of non-cholinergic pedunculopontine neurons are differentially modulated during global brain states. *Neuroscience*, 170(1), 78-91. doi.

Ros, H., Sachdev, R. N. S., Yu, Y., Sestan, N., & McCormick, D. A. (2009). Neocortical Networks Entrain Neuronal Circuits in Cerebellar Cortex. *Journal of Neuroscience*, 29(33), 10309-10320. doi: 10.1523/jneurosci.2327-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/33/10309>

Rosano, C., Sweeney, J. A., Melchitzky, D. S., & Lewis, D. A. (2003). The human precentral sulcus: chemoarchitecture of a region corresponding to the frontal eye fields. *Brain Research*, 972(1), 16-30. doi.

Roscoe, R., Jr., Mactutus, C., & Booze, R. (2014). HIV-1 Transgenic Female Rat: Synaptodendritic Alterations of Medium Spiny Neurons in the Nucleus Accumbens. *Journal of Neuroimmune Pharmacology*, 1-12. doi: 10.1007/s11481-014-9555-z. <http://dx.doi.org/10.1007/s11481-014-9555-z>

Rosen, G. D., Azoulay, N. G., Griffin, E. G., Newbury, A., Koganti, L., Fujisaki, N., . . . Williams, R. W. (2012). Bilateral Subcortical Heterotopia with Partial Callosal Agenesis in a Mouse Mutant. *Cerebral Cortex*. doi: 10.1093/cercor/bhs080. <http://cercor.oxfordjournals.org/content/early/2012/03/27/cercor.bhs080>

....

Rosen, G. D., Bai, J., Wang, Y., Fiondella, C. G., Threlkeld, S. W., LoTurco, J. J., & Galaburda, A. M. (2007). Disruption of Neuronal Migration by RNAi of *Dyx1c1* Results in Neocortical and Hippocampal Malformations. *Cerebral Cortex*, 17(11), 2562-2572. doi: 10.1093/cercor/bhl162. <http://cercor.oxfordjournals.org/cgi/content/abstract/17/11/2562>

Rosen, G. D., Mesples, B., Hendriks, M., & Galaburda, A. M. (2006). Histometric changes and cell death in the thalamus after neonatal neocortical injury in the rat. *Neuroscience*, 141(2), 875-888. doi.

Rosen, R. F., Farberg, A. S., Gearing, M., Dooyema, J., M Long, P., Anderson, D. C., . . . others. (2008). Tauopathy with paired helical filaments in an aged chimpanzee. *Journal of Comparative Neurology*, 509(3), 259-270. doi.

Rosin, D. L., Chang, D. A., & Guyenet, P. G. (2006). Afferent and efferent connections of the rat retrotrapezoid nucleus. *Journal of Comparative Neurology*, 499(1), 64-89. doi.

Rosin, D. L., Weston, M. C., Sevigny, C. P., Stornetta, R. L., & Guyenet, P. G. (2003). Hypothalamic orexin (hypocretin) neurons express vesicular glutamate transporters VGLUT1 or VGLUT2. *Journal of Comparative Neurology*, 465(4), 593-603. doi.

Rosoklija, G., Toomayan, G., Ellis, S. P., Keilp, J., Mann, J. J., Latov, N., . . . Dwork, A. J. (2000). Structural Abnormalities of Subicular Dendrites in Subjects With Schizophrenia and Mood Disorders: Preliminary Findings. *Archives of General Psychiatry*, 57(4), 349-356. doi: 10.1001/archpsyc.57.4.349. <http://archpsyc.ama-assn.org/cgi/content/abstract/57/4/349>

Ross, J. L., Queme, L. F., Cohen, E. R., Green, K. J., Lu, P., Shank, A. T., . . . Jankowski, M. P. (2016). Muscle IL1 β Drives Ischemic Myalgia via ASIC3-Mediated Sensory Neuron Sensitization. *The Journal of Neuroscience*, 36(26), 6857-6871. doi: <http://www.jneurosci.org/content/36/26/6857.short>

Rossetto, M. G., Zanarella, E., Orso, G., Scorzeto, M., Megighian, A., Kumar, V., . . . Daga, A. (2011). Defhc1.1, a homologue of the juvenile myoclonic gene EFHC1, modulates architecture and basal activity of the neuromuscular junction in *Drosophila*. *Human Molecular Genetics*, 20(21), 4248-4257. doi:

Rossi, S., Furlan, R., De Chiara, V., Musella, A., Lo Giudice, T., Mataluni, G., . . . others. (2009). Exercise attenuates the clinical, synaptic and dendritic abnormalities of experimental autoimmune encephalomyelitis. *Neurobiology of Disease*, 36(1), 51-59. doi:

Rost, S., Akyüz, N., Martinovic, T., Huckhagel, T., Jakovcevski, I., & Schachner, M. (2016). Germline ablation of dermatan-4O-sulfotransferase1 reduces regeneration after mouse spinal cord injury. *Neuroscience*, 312, 74-85. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.11.013>. <http://www.sciencedirect.com/science/article/pii/S0306452215010027>

Rotaru, D. C., Olezene, C., Miyamae, T., Povysheva, N. V., Zaitsev, A. V., Lewis, D. A., & Gonzalez-Burgos, G. (2015). Functional properties of GABA synaptic inputs onto GABA neurons in monkey prefrontal cortex. [10.1152/jn.00799.2014]. *Journal of Neurophysiology*, 113(6), 1850-1861. doi: <http://jn.physiology.org/content/113/6/1850.abstract>

Rotaru, D. C., Yoshino, H., Lewis, D. A., Ermentrout, G. B., & Gonzalez-Burgos, G. (2011). Glutamate Receptor Subtypes Mediating Synaptic Activation of Prefrontal Cortex Neurons: Relevance for Schizophrenia. *Journal of Neuroscience*, 31(1), 142-156. doi: 10.1523/jneurosci.1970-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/1/142>

Roth, A., & Hausser, M. (2001). Compartmental models of rat cerebellar Purkinje cells based on simultaneous somatic and dendritic patch-clamp recordings. *Journal of Physiology*, 535(2), 445-472. doi: <http://jp.physoc.org/cgi/content/abstract/535/2/445>

Rotterman, T. M., Akhter, E. T., Lane, A. R., MacPherson, K. P., Garcia, V. V., Tansey, M. G., & Alvarez, F. J. (2019). Spinal motor circuit synaptic plasticity after peripheral nerve injury depends on microglia activation and a CCR2 mechanism. *The Journal of Neuroscience*, 2945-2917. doi: 10.1523/jneurosci.2945-17.2019. <http://www.jneurosci.org/content/early/2019/03/01/JNEUROSCI.2945-17.2019>

Rotterman, T. M., Nardelli, P., Cope, T. C., & Alvarez, F. J. (2014). Normal Distribution of VGLUT1 Synapses on Spinal Motoneuron Dendrites and Their Reorganization after Nerve Injury. *The Journal of Neuroscience*, 34(10), 3475-3492. doi: <http://www.jneurosci.org/content/34/10/3475.short>

Rouiller, E. M., & Durif, C. (2004). The dual pattern of corticothalamic projection of the primary auditory cortex in macaque monkey. *Neuroscience Letters*, 358(1), 49-52. doi:

Routh, B. N., Johnston, D., Harris, K., & Chitwood, R. A. (2009). Anatomical and electrophysiological comparison of CA1 pyramidal neurons of the rat and mouse. *Journal of Neurophysiology*, 00082.02009. doi: 10.1152/jn.00082.2009. <http://jn.physiology.org/cgi/content/abstract/00082.2009v1>

Routh, B. N., Rathour, R. K., Baumgardner, M. E., Kalmbach, B. E., Johnston, D., & Brager, D. H. (2017). Increased transient Na⁺ conductance and action potential output in layer 2/3 prefrontal cortex

neurons of the fmr1-/- mouse. The Journal of Physiology, n/a-n/a. doi: 10.1113/jp274258. <http://dx.doi.org/10.1113/JP274258>

Rovira-Esteban, L., Péterfi, Z., Vikór, A., Máté, Z., Szabó, G., & Hájos, N. (2017). Morphological and physiological properties of CCK/CB1R-expressing interneurons in the basal amygdala. [journal article]. Brain Structure and Function, 1-23. doi: 10.1007/s00429-017-1417-z. <http://dx.doi.org/10.1007/s00429-017-1417-z>

Roy, K., Murtie, J. C., El-Khodori, B. F., Edgar, N., Sardi, S. P., Hooks, B. M., . . . Corfas, G. (2007). Loss of erbB signaling in oligodendrocytes alters myelin and dopaminergic function, a potential mechanism for neuropsychiatric disorders. PNAS, 104(19), 8131-8136. doi: 10.1073/pnas.0702157104. <http://www.pnas.org/cgi/content/abstract/104/19/8131>

Roy, S., & Wang, X. (2016). Distinct Neural Activities in Premotor Cortex during Natural Vocal Behaviors in a New World Primate, the Common Marmoset (Callithrix jacchus). [10.1523/JNEUROSCI.1646-16.2016]. The Journal of Neuroscience, 36(48), 12168. doi: <http://www.jneurosci.org/content/36/48/12168.abstract>

Roysam, B., Lin, G., Abdul-Karim, M. A., Al-Kofahi, O., Al-Kofahi, K., Shain, W., . . . Turner, J. N. (2006). Automated three-dimensional image analysis methods for confocal microscopy. Handbook Of Biological Confocal Microscopy, 316-337. doi.

Rozov, A., Jeretic, J., Sakmann, B., & Burnashev, N. (2001). AMPA Receptor Channels with Long-Lasting Desensitization in Bipolar Interneurons Contribute to Synaptic Depression in a Novel Feedback Circuit in Layer 2/3 of Rat Neocortex. Journal of Neuroscience, 21(20), 8062-8071. doi: <http://www.jneurosci.org/cgi/content/abstract/21/20/8062>

Rózsa, M., Baka, J., Bordé, S., Rózsa, B., Katona, G., & Tamás, G. (2015). Unitary GABAergic volume transmission from individual interneurons to astrocytes in the cerebral cortex. Brain Structure and Function, 1-9. doi: 10.1007/s00429-015-1166-9. <http://dx.doi.org/10.1007/s00429-015-1166-9>

Ruan, Y. W., Lei, Z., Fan, Y., Zou, B., & Xu, Z. C. (2009). Diversity and fluctuation of spine morphology in CA1 pyramidal neurons after transient global ischemia. Journal of Neuroscience Research, 87(1), 61-68. doi.

Ruan, Y. W., Zou, B., Fan, Y., Li, Y., Lin, N., Zeng, Y. S., . . . Xu, Z. C. (2006). Dendritic plasticity of CA1 pyramidal neurons after transient global ischemia. Neuroscience, 140(1), 191-201. doi.

Rubio, M. E., & Wenthold, R. J. (1999). Differential Distribution of Intracellular Glutamate Receptors in Dendrites. Journal of Neuroscience, 19(13), 5549-5562. doi: <http://www.jneurosci.org/cgi/content/abstract/19/13/5549>

Ruchi, M., Kelly Ann, D., Komal, P., Connor, B., & Daniel, J. (2015). Mapping the electrophysiological and morphological properties of CA1 pyramidal neurons along the longitudinal hippocampal axis. Hippocampus, n/a-n/a. doi: 10.1002/hipo.22526. <http://dx.doi.org/10.1002/hipo.22526>

Ruder, L., Takeoka, A., & Arber, S. (2016). Long-Distance Descending Spinal Neurons Ensure Quadrupedal Locomotor Stability. Neuron. doi: <http://dx.doi.org/10.1016/j.neuron.2016.10.032>. <http://www.sciencedirect.com/science/article/pii/S0896627316307826>

Rudolph, L. M., & Sengelaub, D. R. (2012). Critical period for estrogen-dependent motoneuron dendrite growth is coincident with ER α expression in target musculature. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22040. <http://dx.doi.org/10.1002/dneu.22040>

Rudolph, L. M., & Sengelaub, D. R. (2013). Castration-induced upregulation of muscle ER α supports estrogen sensitivity of motoneuron dendrites in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22118. <http://dx.doi.org/10.1002/dneu.22118>

Rudolph, M., Pelletier, J. G., Pare, D., & Destexhe, A. (2005). Characterization of Synaptic Conductances and Integrative Properties During Electrically Induced EEG-Activated States in Neocortical Neurons In Vivo. *Journal of Neurophysiology*, 94(4), 2805-2821. doi: 10.1152/jn.01313.2004. <http://jn.physiology.org/cgi/content/abstract/94/4/2805>

Rühling, S., Kramer, F., Schmutz, S., Amor, S., Jiangshan, Z., Schmitz, C., . . . Hochstrasser, T. (2018). Visualization of the Breakdown of the Axonal Transport Machinery: a Comparative Ultrastructural and Immunohistochemical Approach. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1353-9. <https://doi.org/10.1007/s12035-018-1353-9>

Ruigrok, H. (2013). Cerebellar Influences on Descending Spinal Motor Systems. *Handbook of the Cerebellum and Cerebellar Disorders*, 497-528. doi.

Ruigrok, T. J. H. (2003). Collateralization of climbing and mossy fibers projecting to the nodulus and flocculus of the rat cerebellum. *Journal of Comparative Neurology*, 466(2), 278-298. doi.

Ruigrok, T. J. H. (2011). Ins and outs of cerebellar modules. *Cerebellum*, 10(3). doi.

Ruigrok, T. J. H., Pijpers, A., Goedknecht-Sabel, E., & Coulon, P. (2008). Multiple cerebellar zones are involved in the control of individual muscles: a retrograde transneuronal tracing study with rabies virus in the rat. *European Journal of Neuroscience*, 28(1), 181-200. doi.

Ruigrok, T. J. H., van der Burg, H., & Sabel-Goedknecht, E. (1996). Locomotion coincides with c-Fos expression in related areas of inferior olive and cerebellar nuclei in the rat. *Neuroscience Letters*, 214(2-3), 119-122. doi.

Ruitenbergh, M. J., Vukovic, J., Blomster, L., Hall, J. M., Jung, S., Filgueira, L., . . . Plant, G. W. (2008). CX3CL1/fractalkine regulates branching and migration of monocyte-derived cells in the mouse olfactory epithelium. *Journal of Neuroimmunology*, 205(1-2), 80-85. doi.

Runker, A. E., Bartsch, U., Nave, K.-A., & Schachner, M. (2003). The C264Y Missense Mutation in the Extracellular Domain of L1 Impairs Protein Trafficking In Vitro and In Vivo. *Journal of Neuroscience*, 23(1), 277-286. doi. <http://www.jneurosci.org/cgi/content/abstract/23/1/277>

Ruth Clemo, H., & Alex Meredith, M. (2004). Cortico-cortical relations of cat somatosensory areas SIV and SV. *Somatosensory and Motor Research*, 21(3-4), 199-209. doi.

Ruth Clemo, H., Sharma, G. K., Allman, B. L., & Alex Meredith, M. (2008). Auditory projections to extrastriate visual cortex: connectional basis for multisensory processing in 'unimodal' visual neurons. *Experimental Brain Research*, 191(1), 37-47. doi.

Ruthazer, E. S., Bachleida, A. R., & Olavarria, J. F. (2010). The role of interstitial branching in the development of visual corticocortical connections: A time-lapse and fixed-tissue analysis. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.22502. <http://dx.doi.org/10.1002/cne.22502>

Ruthazer, E. S., & Stryker, M. P. (1996). The Role of Activity in the Development of Long-Range Horizontal Connections in Area 17 of the Ferret. *Journal of Neuroscience*, 16(22), 7253-7269. doi: <http://www.jneurosci.org/cgi/content/abstract/16/22/7253>

Ryan, R. T., Bhardwaj, S. K., Tse, Y. C., Srivastava, L. K., & Wong, T. P. (2012). Opposing Alterations in Excitation and Inhibition of Layer 5 Medial Prefrontal Cortex Pyramidal Neurons Following Neonatal Ventral Hippocampal Lesion. *Cerebral Cortex*. doi: 10.1093/cercor/bhs111. <http://cercor.oxfordjournals.org/content/early/2012/05/09/cercor.bhs111...>

Ryan, S., Ehrlich, D., & Rainnie, D. (2014). Morphology and dendritic maturation of developing principal neurons in the rat basolateral amygdala. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-014-0939-x. <http://dx.doi.org/10.1007/s00429-014-0939-x>

Ryan, S., Li, C., Menigoz, A., Hazra, R., Dabrowska, J., Ehrlich, D., . . . Rainnie, D. G. (2017). Repeated shock stress facilitates basolateral amygdala synaptic plasticity through decreased cAMP-specific phosphodiesterase type IV (PDE4) expression. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1575-z. <https://doi.org/10.1007/s00429-017-1575-z>

Ryu, H., Lee, J., Hagerty, S. W., Soh, B. Y., McAlpin, S. E., Cormier, K. A., . . . Ferrante, R. J. (2006). ESET/SETDB1 gene expression and histone H3 (K9) trimethylation in Huntington's disease. *PNAS*, 103(50), 19176-19181. doi: 10.1073/pnas.0606373103. <http://www.pnas.org/cgi/content/abstract/103/50/19176>

Ryu, H., Lee, J., Olofsson, B. A., Mwidau, A., Dedeoglu, A., Escudero, M., . . . Ratan, R. R. (2003). Histone deacetylase inhibitors prevent oxidative neuronal death independent of expanded polyglutamine repeats via an Sp1-dependent pathway. *Neuroscience*, 100, 4281-4286. doi:

Ryu, H., Smith, K., Camelo, S. I., Carreras, I., Lee, J., Iglesias, A. H., . . . Ferrante, R. J. (2005). Sodium phenylbutyrate prolongs survival and regulates expression of anti-apoptotic genes in transgenic amyotrophic lateral sclerosis mice. *Journal of Neurochemistry*, 93(5), 1087-1098. doi: 10.1111/j.1471-4159.2005.03077.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03077.x>

Ryu, Y. K., Khan, S., Smith, S. C., & Mintz, C. D. (2014). Isoflurane Impairs the Capacity of Astrocytes to Support Neuronal Development in a Mouse Dissociated Coculture Model. *Journal of Neurosurgical Anesthesiology*, 26(4), 363-368. doi: 10.1097/ANA.000000000000119. doi: http://journals.lww.com/jnsa/Fulltext/2014/10000/Isoflurane_Impairs_the...

Saalfrank, D., Konduri, A. K., Latifi, S., Habibey, R., Golabchi, A., Martiniuc, A. V., . . . Blau, A. (2015). Incubator-independent cell-culture perfusion platform for continuous long-term microelectrode array electrophysiology and time-lapse imaging. [10.1098/rsos.150031]. *Royal Society Open Science*, 2(6). doi: <http://rsos.royalsocietypublishing.org/content/2/6/150031.abstract>

Saarelainen, T., Hendolin, P., Lucas, G., Koponen, E., Sairanen, M., MacDonald, E., . . . Castren, E. (2003). Activation of the TrkB Neurotrophin Receptor Is Induced by Antidepressant Drugs and Is Required for Antidepressant-Induced Behavioral Effects. *Journal of Neuroscience*, 23(1), 349-357. doi: <http://www.jneurosci.org/cgi/content/abstract/23/1/349>

Saba, L., Viscomi, M. T., Caioli, S., Pignataro, A., Bisicchia, E., Pieri, M., . . . Zona, C. (2015). Altered Functionality, Morphology, and Vesicular Glutamate Transporter Expression of Cortical Motor Neurons from a Presymptomatic Mouse Model of Amyotrophic Lateral Sclerosis. *Cerebral Cortex*. doi: 10.1093/cercor/bhu317. <http://cercor.oxfordjournals.org/content/early/2015/01/16/cercor.bhu317>.

..

Saban, M., Towner, R., Smith, N., Abbott, A., Neeman, M., Davis, C., . . . Saban, R. (2007). Lymphatic vessel density and function in experimental bladder cancer. *BMC Cancer*, 7(1), 219. doi: <http://www.biomedcentral.com/1471-2407/7/219>

SACHKOVA, A., SPERLING, S., MIELKE, D., SCHATLO, B., ROHDE, V., & NINKOVIC, M. (2019). Combined Applications of Repurposed Drugs and Their Detrimental Effects on Glioblastoma Cells. *Anticancer Research*, 39(1), 207-214. doi: 10.21873/anticancer.13099. <http://ar.iiarjournals.org/content/39/1/207.abstract>

Sadakane, O., Watakabe, A., Ohtsuka, M., Takaji, M., Sasaki, T., Kasai, M., . . . Yamamori, T. (2015). In vivo two-photon imaging of dendritic spines in marmoset neocortex. [10.1523/ENEURO.0019-15.2015]. *eneuro*. doi: <http://eneuro.org/content/early/2015/08/27/ENEURO.0019-15.2015.abstract>

Sadallah, M., Labat-Gest, V., & Tempia, F. (2015). Propagation of neuronal damage to embryonic grafts transplanted in the hippocampus of murine models of Alzheimer's disease. *Rejuvenation Research*. doi: 10.1089/rej.2015.1672. <http://dx.doi.org/10.1089/rej.2015.1672>

Sadek, A. R., Magill, P. J., & Bolam, J. P. (2007). A Single-Cell Analysis of Intrinsic Connectivity in the Rat Globus Pallidus. *Journal of Neuroscience*, 27(24), 6352-6362. doi: 10.1523/jneurosci.0953-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/24/6352>

Saez, I., & Friedlander, M. J. (2009). Synaptic Output of Individual Layer 4 Neurons in Guinea Pig Visual Cortex. *Journal of Neuroscience*, 29(15), 4930-4944. doi: 10.1523/jneurosci.0046-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/15/4930>

Saghatelyan, A. K., Nikonenko, A. G., Sun, M., Rolf, B., Putthoff, P., Kutsche, M., . . . Schachner, M. (2004). Reduced GABAergic transmission and number of hippocampal perisomatic inhibitory synapses in juvenile mice deficient in the neural cell adhesion molecule L1. *Molecular and Cellular Neuroscience*, 26(1), 191-203. doi:

Sah, N., & Sikdar, S. K. (2013). Transition in subicular burst firing neurons from epileptiform activity to suppressed state by feedforward inhibition. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12262. <http://dx.doi.org/10.1111/ejn.12262>

Saini, V., Loers, G., Kaur, G., Schachner, M., & Jakovcevski, I. (2016). Impact of neural cell adhesion molecule deletion on regeneration after mouse spinal cord injury. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13271. <http://dx.doi.org/10.1111/ejn.13271>

Saini, V., Lutz, D., Kataria, H., Kaur, G., Schachner, M., & Loers, G. (2016). The polysialic acid mimetics 5-nonyloxytryptamine and vinorelbine facilitate nervous system repair. [Article]. *Scientific Reports*, 6, 26927. doi: 10.1038/srep26927

<http://www.nature.com/articles/srep26927#supplementary-information>. <http://dx.doi.org/10.1038/srep26927>

Saito, K., Hitomi, S., Suzuki, I., Masuda, Y., Kitagawa, J., Tsuboi, Y., . . . Iwata, K. (2008). Modulation of trigeminal spinal subnucleus caudalis neuronal activity following regeneration of transected inferior alveolar nerve in rats. *Journal of Neurophysiology*, 00794.02007. doi: 10.1152/jn.00794.2007. <http://jn.physiology.org/cgi/content/abstract/00794.2007v1>

Sakaguchi, R., Leiwe, M. N., & Imai, T. (2018). Bright multicolor labeling of neuronal circuits with fluorescent proteins and chemical tags. *eLife*, 7, e40350. doi: 10.7554/eLife.40350. <https://www.ncbi.nlm.nih.gov/pubmed/30454553>

<https://www.ncbi.nlm.nih.gov/pmc/PMC6245733/>

Sakai, S. T., Davidson, A. G., & Buford, J. A. (2009). Reticulospinal neurons in the pontomedullary reticular formation of the monkey (< i> Macaca fascicularis). *Neuroscience*, 163(4), 1158-1170. doi.

Sakakibara, Y., Kasahara, Y., Hall, F. S., Lesch, K.-P., Murphy, D., Uhl, G., & Sora, I. (2014). Developmental alterations in anxiety and cognitive behavior in serotonin transporter mutant mice. *Psychopharmacology*, 1-15. doi: 10.1007/s00213-014-3554-x. <http://dx.doi.org/10.1007/s00213-014-3554-x>

Sakamoto, K., Saito, T., Orman, R., Koizumi, K., Lazar, J., Saliccioli, L., & Stewart, M. (2008). Autonomic consequences of kainic acid-induced limbic cortical seizures in rats: Peripheral autonomic nerve activity, acute cardiovascular changes, and death. *Epilepsia*, 49(6), 982-996. doi.

Sakata, S., & Harris, K. D. (2009). Laminar structure of spontaneous and sensory-evoked population activity in auditory cortex. *Neuron*, 64(3), 404-418. doi.

Sakurai, A., Atkins, C. M., Alonso, O. F., Bramlett, H. M., & Dietrich Iii, W. D. (2011). Mild Hyperthermia Worsens The Neuropathological Damage Associated With Mild Traumatic Brain Injury In Rats. *Journal of Neurotrauma*, (ja). doi.

Saldeitis, K., Happel, M. F. K., Ohl, F. W., Scheich, H., & Budinger, E. (2014). Anatomy of the auditory thalamocortical system in the Mongolian gerbil: Nuclear origins and cortical field-, layer-, and frequency-specificities. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23540. <http://dx.doi.org/10.1002/cne.23540>

Salesse, C., Mueller, C. L., Chamberland, S., & Topolnik, L. (2011). Age-dependent remodelling of inhibitory synapses onto hippocampal CA1 oriens-lacunosum moleculare interneurons. *Journal of Physiology*, 589(20), 4885-4901. doi: 10.1113/jphysiol.2011.215244. <http://jp.physoc.org/content/589/20/4885.abstract>

Salimi, I., Friel, K. M., & Martin, J. H. (2008). Pyramidal Tract Stimulation Restores Normal Corticospinal Tract Connections and Visuomotor Skill after Early Postnatal Motor Cortex Activity Blockade. *Journal of Neuroscience*, 28(29), 7426-7434. doi: 10.1523/jneurosci.1078-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/29/7426>

Sam Qian, C., Kaplow, M., Lee, J. K., & Grueber, W. B. (2018). Diversity of internal sensory neuron axon projection patterns is controlled by the POU-domain protein Pdm3 in Drosophila larvae. [10.1523/JNEUROSCI.2125-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/01/24/JNEUROSCI.2125-17.2018..>

Sametsky, E. A., Turner, J. G., Larsen, D., Ling, L., & Caspary, D. M. (2015). Enhanced GABAA-Mediated Tonic Inhibition in Auditory Thalamus of Rats with Behavioral Evidence of Tinnitus. *The Journal of Neuroscience*, 35(25), 9369-9380. doi: <http://www.jneurosci.org/content/35/25/9369.short>

Sampedro-Piquero, P., Bartolo, P. D., Petrosini, L., Zancada-Menendez, C., Arias, J., & Begega, A. (2014). Astrocytic plasticity as a possible mediator of the cognitive improvements after environmental enrichment in aged rats. *Neurobiology of Learning and Memory*. doi: <http://www.sciencedirect.com/science/article/pii/S107474271400063X>

Sampetean, O., Saga, I., Nakanishi, M., Sugihara, E., Fukaya, R., Onishi, N., . . . others. (2011). Invasion precedes tumor mass formation in a malignant brain tumor model of genetically modified neural stem cells. *Neoplasia* (New York, NY), 13(9), 784-784. doi.

Samsonovich, A. V., & Ascoli, G. A. (2002). Towards virtual brains. *Computational Neuroanatomy: Principles and Methods*, 423-434. doi.

Samuels, I. S., Karlo, J. C., Faruzzi, A. N., Pickering, K., Herrup, K., Sweatt, J. D., . . . Landreth, G. E. (2008). Deletion of ERK2 Mitogen-Activated Protein Kinase Identifies Its Key Roles in Cortical Neurogenesis and Cognitive Function. *Journal of Neuroscience*, 28(27), 6983-6995. doi: 10.1523/jneurosci.0679-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/27/6983>

Sanagi, T., Sasaki, T., Nakagaki, K., Minamimoto, T., Kohsaka, S., & Ichinohe, N. (2019). Segmented Iba1-Positive Processes of Microglia in Autism Model Marmosets. *Frontiers in cellular neuroscience*, 13, 344-344. doi: 10.3389/fncel.2019.00344. <https://www.ncbi.nlm.nih.gov/pubmed/31417364>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6682657/>

Sana-Ur-Rehman, H., Markus, I., Moore, K. H., Mansfield, K. J., & Liu, L. (2017). Expression and localization of pannexin-1 and CALHM1 in porcine bladder and their involvement in modulating ATP release. [10.1152/ajpregu.00039.2016]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: <http://ajpregu.physiology.org/content/early/2017/02/22/ajpregu.00039.2016>

Sanchez, C. M., Titus, D. J., Wilson, N. M., Freund, J. E., & Atkins, C. M. (2020). Early Life Stress Exacerbates Outcome after Traumatic Brain Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2020.7267. <https://doi.org/10.1089/neu.2020.7267>

Sánchez-Benito, D., Gómez-Nieto, R., Hernández-Noriega, S., Murashima, A. A. B., de Oliveira, J. A. C., Garcia-Cairasco, N., . . . Hyppolito, M. A. (2016). Morphofunctional alterations in the olivocochlear efferent system of the genetic audiogenic seizure-prone hamster GASH:Sal. *Epilepsy & Behavior*. doi: 10.1016/j.yebeh.2016.05.040. <http://dx.doi.org/10.1016/j.yebeh.2016.05.040>

Sanchez-Gonzalez, M. A., Garcia-Cabezas, M. A., Rico, B., & Cavada, C. (2005). The Primate Thalamus Is a Key Target for Brain Dopamine. *Journal of Neuroscience*, 25(26), 6076-6083. doi: <http://www.jneurosci.org/cgi/content/abstract/25/26/6076>

Sanchez-Guajardo, V., Barnum, C., Tansey, M., & Romero-Ramos, M. (2013). Neuroimmunological processes in Parkinson's disease and their relation to alpha-synuclein: microglia as the referee between neuronal processes and peripheral immunity. *ASN Neuro*, 5, 113 - 139. doi.

Sánchez-Huertas, C., & Rico, B. (2011). CREB-Dependent Regulation of GAD65 Transcription by BDNF/TrkB in Cortical Interneurons. *Cerebral Cortex*, 21(4), 777-788. doi.

- Sánchez-Pernaute, R., Brownell, A. L., Jenkins, B. G., & Isacson, O. (2005). Insights into Parkinson's disease models and neurotoxicity using non-invasive imaging. *Toxicology and Applied Pharmacology*, 207(2), 251-256. doi.
- Sanchez-Pernaute, R., Studer, L., Ferrari, D., Perrier, A., Lee, H., Vinuela, A., & Isacson, O. (2005). Long-Term Survival of Dopamine Neurons Derived from Parthenogenetic Primate Embryonic Stem Cells (Cyno-1) After Transplantation. *Stem Cells*, 23(7), 914-922. doi: 10.1634/stemcells.2004-0172. <http://stemcells.alphamedpress.org/cgi/content/abstract/23/7/914>
- Sánchez-Puelles, C., Calleja-Felipe, M., Ouro, A., Bougamra, G., Arroyo, A., Diez, I., . . . Knafo, S. (2019). PTEN Activity Defines an Axis for Plasticity at Cortico-Amygdala Synapses and Influences Social Behavior. *Cerebral Cortex*. doi: 10.1093/cercor/bhz103. <https://doi.org/10.1093/cercor/bhz103>
- Sanders, J., Cowansage, K., Baumgärtel, K., & Mayford, M. (2012). Elimination of Dendritic Spines with Long-Term Memory Is Specific to Active Circuits. *Journal of Neuroscience*, 32(36), 12570-12578. doi: 10.1523/jneurosci.1131-12.2012. <http://www.jneurosci.org/content/32/36/12570.abstract>
- Sando III, R., Baumgaertel, K., Pieraut, S., Torabi-Rander, N., Wandless, T. J., Mayford, M., & Maximov, A. (2013). Inducible control of gene expression with destabilized Cre. *Nature methods*. doi. <http://www.nature.com/nmeth/journal/vaop/ncurrent/full/nmeth.2640.html>
- Sando, R., Bushong, E., Zhu, Y., Huang, M., Considine, C., Phan, S., . . . Maximov, A. (2017). Assembly of Excitatory Synapses in the Absence of Glutamatergic Neurotransmission. *Neuron*, 94(2), 312-321.e313. doi: <https://doi.org/10.1016/j.neuron.2017.03.047>. <http://www.sciencedirect.com/science/article/pii/S089662731730291X>
- Sandoval, D. A., Bagnol, D., Woods, S. C., D'Alessio, D. A., & Seeley, R. J. (2008). Arcuate glucagon-like peptide 1 receptors regulate glucose homeostasis but not food intake. *Diabetes and Metabolism*, 57(8), 2046-2054. doi.
- Sandoval-Guzmán, T., & E Rance, N. (2004). Central injection of senktide, an NK< sub>3</sub> receptor agonist, or neuropeptide Y inhibits LH secretion and induces different patterns of Fos expression in the rat hypothalamus. *Brain Research*, 1026(2), 307-312. doi.
- Sandoval-Guzman, T., Stalcup, S. T., Krajewski, S. J., Voytko, M. L., & Rance, N. E. (2004). Effects of Ovariectomy on the Neuroendocrine Axes Regulating Reproduction and Energy Balance in Young Cynomolgus Macaques. *Journal of Neuroendocrinology*, 16(2), 146-153. doi: doi:10.1111/j.0953-8194.2004.01143.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-8194.2004.01143.x>
- Sandroni, P. (2004). A case of insensitivity to pain without anhidrosis: a new syndrome? *Journal of the Peripheral Nervous System*, 9(2), 104-104. doi: doi:10.1111/j.1085-9489.2004.009209a.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Sandstrom, M. I., Sarter, M., & Bruno, J. P. (1996). Interactions between D1 and muscarinic receptors in the induction of striatal c-fos in rats depleted of dopamine as neonates. *Developmental Brain Research*, 96(1-2), 148-158. doi.
- Sanghera, M. K., Manaye, K., McMahon, A., Sonsalla, P. K., & German, D. C. (1997). Dopamine transporter mRNA levels are high in midbrain neurons vulnerable to MPTP. *Neuroreport*, 8(15), 3327-3327. doi.

Sansevero, G., Baroncelli, L., Scali, M., & Sale, A. (2018). Intranasal BDNF administration promotes visual function recovery in adult amblyopic rats. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.02.006>. <http://www.sciencedirect.com/science/article/pii/S0028390818300637>

Santamaria-Pang, A., Hernandez-Herrera, P., Papadakis, M., Saggau, P., & Kakadiaris, I. (2015). Automatic Morphological Reconstruction of Neurons from Multiphoton and Confocal Microscopy Images Using 3D Tubular Models. *Neuroinformatics*, 1-24. doi: 10.1007/s12021-014-9253-2. <http://dx.doi.org/10.1007/s12021-014-9253-2>

Santello, M., Bisco, A., Nevian, N. E., Lacivita, E., Leopoldo, M., & Nevian, T. (2017). The brain-penetrant 5-HT7 receptor agonist LP-211 reduces the sensory and affective components of neuropathic pain. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2017.07.005>. <http://www.sciencedirect.com/science/article/pii/S0969996117301584>

Santello, M., & Nevian, T. (2015). Dysfunction of Cortical Dendritic Integration in Neuropathic Pain Reversed by Serotonergic Neuromodulation. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2015.03.003>. <http://www.sciencedirect.com/science/article/pii/S0896627315001993>

Santiago, L. F., Rocha, E. G., Santos, C. L. A., Pereira, A., Franca, J. G., & Picanço-Diniz, C. W. (2010). S1 to S2 hind- and forelimb projections in the agouti somatosensory cortex: Axon fragments morphological analysis. *Journal of Chemical Neuroanatomy*, 40(4), 339-345. doi.

Santos, H. R., Cintra, W. M., Aracava, Y., Maciel, C. M., Castro, N. G., & Albuquerque, E. X. (2004). Spine density and dendritic branching pattern of hippocampal CA1 pyramidal neurons in neonatal rats chronically exposed to the organophosphate paraoxon. *Neurotoxicology*, 25(3), 481-494. doi.

Santos, R., Vadodaria, K. C., Jaeger, B. N., Mei, A., Lefcochilos-Fogelquist, S., Mendes, A. P., . . . Fredlender, C. (2017). Differentiation of Inflammation-Responsive Astrocytes from Glial Progenitors Generated from Human Induced Pluripotent Stem Cells. *Stem Cell Reports*, 8(6), 1757-1769. doi. [http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711\(17\)30218-7](http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711(17)30218-7)

Santos, V. R., de Castro, O. W., Pun, R. Y. K., Hester, M. S., Murphy, B. L., Loepke, A. W., . . . Danzer, S. C. (2011). Contributions of mature granule cells to structural plasticity in temporal lobe epilepsy. *Neuroscience*. doi.

Santos, V. R., Pun, R. Y. K., Arafa, S. R., LaSarge, C. L., Rowley, S., Khademi, S., . . . Danzer, S. C. (2017). PTEN deletion increases hippocampal granule cell excitability in male and female mice. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.08.014>. <http://www.sciencedirect.com/science/article/pii/S0969996117302048>

Santuccio, G., Sanvito, L., Speciale, L., Merlino, L., Sgandurra, M., Ceresa, L., . . . Nemni, R. (2004). Immunologic profile in chronic inflammatory polyneuropathies associated or not associated with MGUS. *Journal of the Peripheral Nervous System*, 9(2), 106-107. doi: doi:10.1111/j.1085-9489.2004.009209i.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Sanvito, L., Santuccio, G., Speciale, L., Sgandurra, M., Merlino, L., Ceresa, L., . . . Nemni, R. (2004). Increase of pro-inflammatory cytokines in chronic sensory ataxic neuropathies. *Journal of the Peripheral Nervous System*, 9(2), 106-106. doi.

- Sanz-García, A., Knafo, S., Pereda-Pérez, I., Esteban, J. A., Venero, C., & Armario, A. (2016). Administration of the TrkB receptor agonist 7,8-dihydroxyflavone prevents traumatic stress-induced spatial memory deficits and changes in synaptic plasticity. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22599. <http://dx.doi.org/10.1002/hipo.22599>
- Sardella, T. C. P., Polgár, E., Garzillo, F., Furuta, T., Kaneko, T., Watanabe, M., & Todd, A. J. (2011). Dynorphin is expressed primarily by GABAergic neurons that contain galanin in the rat dorsal horn. *Molecular Pain*, 7(1), 76-76. doi.
- Sardella, T. C. P., Polgár, E., Watanabe, M., & Todd, A. J. (2011). A quantitative study of neuronal nitric oxide synthase expression in laminae I-III of the rat spinal dorsal horn. *Neuroscience*. doi.
- Sardinha, V. M., Guerra-Gomes, S., Caetano, I., Tavares, G., Martins, M., Reis, J. S., . . . Oliveira, J. F. (2017). Astrocytic signaling supports hippocampal–prefrontal theta synchronization and cognitive function. *Glia*, n/a-n/a. doi: 10.1002/glia.23205. <http://dx.doi.org/10.1002/glia.23205>
- Sarid, L., Bruno, R., Sakmann, B., Segev, I., & Feldmeyer, D. (2007). Modeling a layer 4-to-layer 2/3 module of a single column in rat neocortex: Interweaving in vitro and in vivo experimental observations. *Proceedings of the National Academy of Sciences*, 0707853104. doi: 10.1073/pnas.0707853104. <http://www.pnas.org/cgi/content/abstract/0707853104v1>
- Sarid, L., Feldmeyer, D., Gidon, A., Sakmann, B., & Segev, I. (2013). Contribution of Intracolumnar Layer 2/3-to-Layer 2/3 Excitatory Connections in Shaping the Response to Whisker Deflection in Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht268. <http://cercor.oxfordjournals.org/content/early/2013/10/27/cercor.bht268..>
- ⌵
- Sarkar, A., Mei, A., Paquola, A. C. M., Stern, S., Bardy, C., Klug, J. R., . . . Gage, F. H. (2018). Efficient Generation of CA3 Neurons from Human Pluripotent Stem Cells Enables Modeling of Hippocampal Connectivity In Vitro. *Cell Stem Cell*, 22(5), 684-697.e689. doi: <https://doi.org/10.1016/j.stem.2018.04.009>. <https://www.sciencedirect.com/science/article/pii/S1934590918301711>
- Sarkar, J., Chaudhary, S., Namavari, A., Ozturk, O., Chang, J. H., Yco, L., . . . Jain, S. (2012). Corneal Neurotoxicity Due to Topical Benzalkonium Chloride. *Investigative Ophthalmology and Visual Science*, 53(4), 1792-1802. doi.
- Sarkey, S., Azcoitia, I., Garcia-Segura, L. M., Garcia-Ovejero, D., & DonCarlos, L. L. (2008). Classical androgen receptors in non-classical sites in the brain. *Hormones and Behavior*, 53(5), 753-764. doi.
- Sarkisian, M. R., Bartley, C. M., Chi, H., Nakamura, F., Hashimoto-Torii, K., Torii, M., . . . Rakic, P. (2006). MEKK4 signaling regulates filamin expression and neuronal migration. *Neuron*, 52(5), 789-801. doi.
- Satkunendrarajah, K., Nissiri, F., Karadimas, S. K., Lip, A., Yao, G., & Fehlings, M. G. (2015). Riluzole promotes motor and respiratory recovery associated enhanced neuronal survival and function following high cervical hemisection. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.011>. <http://www.sciencedirect.com/science/article/pii/S0014488615300935>
- Sato, E., Shick, H. E., Ransohoff, R. M., & Hirose, K. (2008). Repopulation of cochlear macrophages in murine hematopoietic progenitor cell chimeras: the role of CX3CR1. *Journal of Comparative Neurology*, 506(6), 930-942. doi.

Sato, E., Shick, H. E., Ransohoff, R. M., & Hirose, K. (2010). Expression of fractalkine receptor CX3CR1 on cochlear macrophages influences survival of hair cells following ototoxic injury. *Jaro-Journal of the Association for Research in Otolaryngology*, 11(2), 223-234. doi.

Sato, F., Lavallée, P., Lévesque, M., & Parent, A. (2000). Single-axon tracing study of neurons of the external segment of the globus pallidus in primate. *Journal of Comparative Neurology*, 417(1), 17-31. doi.

Saul, M. L., Helmreich, D. L., Callahan, L. M., & Fudge, J. L. (2013). Differences in amygdala cell proliferation between adolescent and young adult rats. *Developmental Psychobiology*, n/a-n/a. doi: 10.1002/dev.21115. <http://dx.doi.org/10.1002/dev.21115>

Saul, M. L., Helmreich, D. L., Rehman, S., & Fudge, J. L. (2015). Proliferating cells in the adolescent rat amygdala: Characterization and response to stress. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.10.003>. <http://www.sciencedirect.com/science/article/pii/S0306452215009100>

Saunders, A., Oldenburg, I. A., Berezovskii, V. K., Johnson, C. A., Kingery, N. D., Elliott, H. L., . . . Sabatini, B. L. (2015). A direct GABAergic output from the basal ganglia to frontal cortex. [Letter]. *Nature*, advance online publication. doi: 10.1038/nature14179

<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature14179.html#.....http://dx.doi.org/10.1038/nature14179>

Sautter, N. B., Shick, E. H., Ransohoff, R. M., Charo, I. F., & Hirose, K. (2006). CC chemokine receptor 2 is protective against noise-induced hair cell death: studies in CX3CR1+/GFP mice. *Jaro-Journal of the Association for Research in Otolaryngology*, 7(4), 361-372. doi.

Sava, B. A., Teissier, A., Pierani, A., Staiger, J. F., Luhmann, H. J., Kilb, W., & others. (2010). Electrophysiological and morphological properties of Cajal-Retzius cells with different ontogenetic origins. *Neuroscience*, 167(3), 724-734. doi.

Savanthrapadian, S., Meyer, T., Elgueta, C., Booker, S. A., Vida, I., & Bartos, M. (2014). Synaptic Properties of SOM- and CCK-Expressing Cells in Dentate Gyrus Interneuron Networks. *The Journal of Neuroscience*, 34(24), 8197-8209. doi: <http://www.jneurosci.org/content/34/24/8197.short>

Save, L., Baude, A., & Cossart, R. (2018). Temporal Embryonic Origin Critically Determines Cellular Physiology in the Dentate Gyrus. *Cerebral Cortex*, bhy132-bhy132. doi: 10.1093/cercor/bhy132. <http://dx.doi.org/10.1093/cercor/bhy132>

Savidan, J., Kaeser, M., Belhaj-Saïf, A., Schmidlin, E., & Rouiller, E. M. (2017). Role of primary motor cortex in the control of manual dexterity assessed via sequential bilateral lesion in the adult macaque monkey: A case study. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.06.018>. <http://www.sciencedirect.com/science/article/pii/S0306452217304165>

Savonenko, A., Munoz, P., Melnikova, T., Wang, Q., Liang, X., Breyer, R. M., . . . Andreasson, K. (2009). Impaired cognition, sensorimotor gating, and hippocampal long-term depression in mice lacking the prostaglandin E2 EP2 receptor. *Experimental Neurology*, 217(1), 63-73. doi.

Savonenko, A. V., Melnikova, T., Laird, F. M., Stewart, K. A., Price, D. L., & Wong, P. C. (2008). Alteration of BACE1-dependent NRG1/ErbB4 signaling and schizophrenia-like phenotypes in BACE1-null mice.

Proceedings of the National Academy of Sciences, 105(14), 5585-5590. doi: 10.1073/pnas.0710373105. <http://www.pnas.org/cgi/content/abstract/105/14/5585>

Savtchenko, L. P., Bard, L., Jensen, T. P., Reynolds, J. P., Kraev, I., Medvedev, N., . . . Rusakov, D. A. (2018). Disentangling astroglial physiology with a realistic cell model in silico. *Nature Communications*, 9(1), 3554. doi: 10.1038/s41467-018-05896-w. <https://doi.org/10.1038/s41467-018-05896-w>

Sawada, Y., Kajiwara, G., Iizuka, A., Takayama, K., Shuvaev, A. N., Koyama, C., & Hirai, H. (2010). High transgene expression by lentiviral vectors causes maldevelopment of Purkinje cells in vivo. *The Cerebellum*, 9(3), 291-302. doi.

Sawallisch, C., Berhorster, K., Disanza, A., Mantoani, S., Kintscher, M., Stoenica, L., . . . Kreienkamp, H.-J. (2009). The insulin receptor substrate of 53 kDa (IRS_{p53}) limits hippocampal synaptic plasticity. *Journal of Biological Chemistry*, M808425200. doi: 10.1074/jbc.M808425200. <http://www.jbc.org/cgi/content/abstract/M808425200v1>

Saylor, A. J., Meredith, G. E., Vercillo, M. S., Zahm, D. S., & McGinty, J. F. (2006). BDNF heterozygous mice demonstrate age-related changes in striatal and nigral gene expression. *Experimental Neurology*, 199(2), 362-372. doi.

Scala, F., Kobak, D., Bernabucci, M., Bernaerts, Y., Cadwell, C. R., Castro, J. R., . . . Tolias, A. S. (2020). Phenotypic variation of transcriptomic cell types in mouse motor cortex. *Nature*. doi: 10.1038/s41586-020-2907-3. <https://doi.org/10.1038/s41586-020-2907-3>

Scarlata, M. J., Lee, S. H., Lee, D., Kandigian, S. E., Hiller, A. J., Dishart, J. G., . . . Bergstrom, H. C. (2019). Chemogenetic stimulation of the infralimbic cortex reverses alcohol-induced fear memory overgeneralization. *Scientific Reports*, 9(1), 6730. doi: 10.1038/s41598-019-43159-w. <https://doi.org/10.1038/s41598-019-43159-w>

Scarlato, M., Carpo, M., Previtali, S., Pareyson, D., Briani, C., Casellato, C., . . . Quattrini, A. (2004). Poems syndrome: role of two angiogenic factors, VEGF and EPO. *Journal of the Peripheral Nervous System*, 9(2), 110-110. doi: doi:10.1111/j.1085-9489.2004.009209u.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Sceniak, M. P., Lang, M., Enomoto, A. C., James Howell, C., Hermes, D. J., & Katz, D. M. (2015). Mechanisms of Functional Hypoconnectivity in the Medial Prefrontal Cortex of Mecp2 Null Mice. *Cerebral Cortex*. doi: 10.1093/cercor/bhv002. <http://cercor.oxfordjournals.org/content/early/2015/02/06/cercor.bhv002...>

Schachter, M. J., Oesch, N., Smith, R. G., & Taylor, W. R. (2010). Dendritic spikes amplify the synaptic signal to enhance detection of motion in a simulation of the direction-selective ganglion cell. *PLoS computational biology*, 6(8), e1000899-e1000899. doi.

Schaefer, A. T., Helmstaedter, M., Sakmann, B., & Korngreen, A. (2003). Correction of conductance measurements in non-space-clamped structures: 1. Voltage-gated K⁺ channels. *Biophysical Journal*, 84(6), 3508-3528. doi.

Schaefer, A. T., Helmstaedter, M., Schmitt, A. C., Bar-Yehuda, D., Almog, M., Ben-Porat, H., . . . Korngreen, A. (2007). Dendritic voltage-gated K⁺ conductance gradient in pyramidal neurones of neocortical layer 5B from rats. *Journal of Physiology*, 579(3), 737-752. doi: 10.1113/jphysiol.2006.122564. <http://jp.physoc.org/cgi/content/abstract/579/3/737>

Schaefer, A. T., Larkum, M. E., Sakmann, B., & Roth, A. (2003). Coincidence Detection in Pyramidal Neurons Is Tuned by Their Dendritic Branching Pattern. *Journal of Neurophysiology*, 89(6), 3143-3154. doi: 10.1152/jn.00046.2003. <http://jn.physiology.org/cgi/content/abstract/89/6/3143>

Schaefer, T. L., Davenport, M. H., Grainger, L. M., Robinson, C. K., Earnheart, A. T., Stegman, M. S., . . . Erickson, C. A. (2017). Acamprosate in a mouse model of fragile X syndrome: modulation of spontaneous cortical activity, ERK1/2 activation, locomotor behavior, and anxiety. [journal article]. *Journal of Neurodevelopmental Disorders*, 9(1), 6. doi: 10.1186/s11689-017-9184-y. <http://dx.doi.org/10.1186/s11689-017-9184-y>

Schafer, S. T., Han, J., Pena, M., und Halbach, O. v. B., Peters, J., & Gage, F. H. (2015). The Wnt Adaptor Protein ATP6AP2 Regulates Multiple Stages of Adult Hippocampal Neurogenesis. *The Journal of Neuroscience*, 35(12), 4983-4998. doi: <http://www.jneurosci.org/content/35/12/4983.short>

Schafer, S. T., Paquola, A. C. M., Stern, S., Gosselin, D., Ku, M., Pena, M., . . . Gage, F. H. (2019). Pathological priming causes developmental gene network heterochronicity in autistic subject-derived neurons. *Nature Neuroscience*. doi: 10.1038/s41593-018-0295-x. <https://doi.org/10.1038/s41593-018-0295-x>

Schalk, J. (2018). The Role of Actin Polymerization in GPER-Mediated Dendritic Spine Morphology in Female Mice. doi: https://scholar.google.com/scholar?hl=en&as_sdt=1%2C46&q=The+Role+of+Act..

Scharbarg, E., Daenens, M., Lemaître, F., Geoffroy, H., Guille-Collignon, M., Gallopin, T., & Rancillac, A. (2016). Astrocyte-derived adenosine is central to the hypnogenic effect of glucose. [Article]. *Scientific Reports*, 6, 19107. doi: 10.1038/srep19107

<http://www.nature.com/articles/srep19107#supplementary-information>. <http://dx.doi.org/10.1038/srep19107>

Scharfman, H. E., Sollas, A. L., Berger, R. E., & Goodman, J. H. (2003). Electrophysiological Evidence of Monosynaptic Excitatory Transmission Between Granule Cells After Seizure-Induced Mossy Fiber Sprouting. *Journal of Neurophysiology*, 90(4), 2536-2547. doi: 10.1152/jn.00251.2003. <http://jn.physiology.org/cgi/content/abstract/90/4/2536>

Scharkowski, F., Frotscher, M., Lutz, D., Korte, M., & Michaelsen-Preusse, K. (2017). Altered Connectivity and Synapse Maturation of the Hippocampal Mossy Fiber Pathway in a Mouse Model of the Fragile X Syndrome. *Cerebral Cortex*. doi: 10.1093/cercor/bhw408. <http://cercor.oxfordjournals.org/content/early/2017/01/10/cercor.bhw408>

Schellino, R., Trova, S., Cimino, I., Farinetti, A., Jongbloets, B. C., Pasterkamp, R. J., . . . Peretto, P. (2016). Opposite-sex attraction in male mice requires testosterone-dependent regulation of adult olfactory bulb neurogenesis. [Article]. *Scientific Reports*, 6, 36063. doi: 10.1038/srep36063

<http://www.nature.com/articles/srep36063#supplementary-information>. <http://dx.doi.org/10.1038/srep36063>

Schenker, M., Kraftsik, R., Glauser, L., Kuntzer, T., Bogousslavsky, J., & Barakat-Walter, I. (2003). Thyroid hormone reduces the loss of axotomized sensory neurons in dorsal root ganglia after sciatic nerve transection in adult rat. *Experimental Neurology*, 184(1), 225-236. doi:

- Schepers, J., Gebhardt, C., Bracke, A., Eiffler, I., & von Bohlen und Halbach, O. (2020). Structural and functional consequences in the amygdala of leptin-deficient mice. *Cell and Tissue Research*. doi: 10.1007/s00441-020-03266-x. <https://doi.org/10.1007/s00441-020-03266-x>
- Schier, L. A., Blonde, G. D., & Spector, A. C. (2015). Bilateral lesions in a specific subregion of posterior insular cortex impair conditioned taste aversion expression in rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23822. <http://dx.doi.org/10.1002/cne.23822>
- Schier, L. A., Hashimoto, K., Bales, M. B., Blonde, G. D., & Spector, A. C. (2014). High-resolution lesion-mapping strategy links a hot spot in rat insular cortex with impaired expression of taste aversion learning. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1315624111. <http://www.pnas.org/content/early/2014/01/03/1315624111.abstract>
- Schierwagen, A., Alpár, A., & Gärtner, U. (2007). Scaling properties of pyramidal neurons in mice neocortex. *Mathematical Biosciences*, 207(2), 352-364. doi.
- Schierwagen, A., Costa, L. F., Alpar, A., Gärtner, U., & Arendt, T. (2008). Neuromorphological phenotyping in transgenic mice: a multiscale fractal analysis. *Mathematical Modeling of Biological Systems, Volume II*, 185-192. doi.
- Schierwagen, A., Villmann, T., Alpár, A., & Gärtner, U. (2010). Cluster analysis of cortical pyramidal neurons using SOM. *Artificial Neural Networks in Pattern Recognition*, 120-130. doi.
- Schiller, J., Schiller, Y., Stuart, G., & Sakmann, B. (1997). Calcium action potentials restricted to distal apical dendrites of rat neocortical pyramidal neurons. *Journal of Physiology*, 505(3), 605-616. doi.
- Schilling, S., Mehr, A., Ludewig, S., Stephan, J., Zimmermann, M., August, A., . . . Eggert, S. (2017). APLP1 is a synaptic cell adhesion molecule, supporting maintenance of dendritic spines and basal synaptic transmission. [10.1523/JNEUROSCI.1875-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/04/27/JNEUROSCI.1875-16.2017...>
- Schindler, M. K., Bourland, J. D., Forbes, M. E., Hua, K., & Riddle, D. R. (2011). Neurobiological responses to stereotactic focal irradiation of the adult rodent hippocampus. *Journal of the Neurological Sciences*. doi.
- Schindler, M. K., Forbes, M. E., Robbins, M. E., & Riddle, D. R. (2008). Aging-dependent changes in the radiation response of the adult rat brain. *International Journal of Radiation Oncology* Biology* Physics*, 70(3), 826-834. doi.
- Schinstine, M., & Cornbrooks, C. J. (1990). Axotomy enhances the outgrowth of neurites from embryonic rat septal-basal forebrain neurons on a laminin substratum. *Experimental Neurology*, 108, 10-22. doi.
- Schlett, K., Pieri, I., Metzger, F., Marchetti, L., Steigerwald, F., Dere, E., . . . others. (2004). Long-term NR2B expression in the cerebellum alters granule cell development and leads to NR2A down-regulation and motor deficits. *Molecular and Cellular Neuroscience*, 27(3), 215-226. doi.
- Schley, M., Bayram, A., Rukwied, R., Dusch, M., Konrad, C., Benrath, J., . . . Schmelz, M. (2012). Skin innervation at different depths correlates with small fibre function but not with pain in neuropathic pain patients. *European Journal of Pain*, n/a-n/a. doi: 10.1002/j.1532-2149.2012.00157.x. <http://dx.doi.org/10.1002/j.1532-2149.2012.00157.x>

Schmalbach, B., Lepsveridze, E., Djogo, N., Papashvili, G., Kuang, F., Leshchyn'ska, I., . . . Schachner, M. (2015). Age-dependent loss of parvalbumin-expressing hippocampal interneurons in mice deficient in CHL1, a mental retardation and schizophrenia susceptibility gene. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13284. <http://dx.doi.org/10.1111/jnc.13284>

Schmeichel, A. M., Gehrking, J. A., Minota, K., Low, P. A., Singer, W., & Mandrekar, J. N. (2019). Refined Quantitation of Sweat Gland Innervation. doi: 10.1093/jnen/nlz015. <https://doi.org/10.1093/jnen/nlz015>

Schmidlin, E., Jouffrais, C., Freund, P., Wannier-Morino, P., Beaud, M.-L., Rouiller, E., & Wannier, T. (2009). A case of polymicrogyria in macaque monkey: impact on anatomy and function of the motor system. *BMC Neuroscience*, 10(1), 155. doi: <http://www.biomedcentral.com/1471-2202/10/155>

Schmidt, M. V., Schülke, J.-P., Liebl, C., Stiess, M., Avrabos, C., Bock, J., . . . Rein, T. (2011). Tumor suppressor down-regulated in renal cell carcinoma 1 (DRR1) is a stress-induced actin bundling factor that modulates synaptic efficacy and cognition. *Proceedings of the National Academy of Sciences*, 108(41), 17213-17218. doi: 10.1073/pnas.1103318108. <http://www.pnas.org/content/108/41/17213.abstract>

Schmidt, T. M., & Kofuji, P. (2010). Differential Cone Pathway Influence on Intrinsically Photosensitive Retinal Ganglion Cell Subtypes. *Journal of Neuroscience*, 30(48), 16262-16271. doi: 10.1523/jneurosci.3656-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/48/16262>

Schmidt, T. M., & Kofuji, P. (2011). Structure and function of bistratified intrinsically photosensitive retinal ganglion cells in the mouse. *Journal of Comparative Neurology*, 519(8), 1492-1504. doi: 10.1002/cne.22579. <http://dx.doi.org/10.1002/cne.22579>

Schneider, J., Berndt, N., Papageorgiou, I. E., Maurer, J., Bulik, S., Both, M., . . . Kann, O. (2017). Local oxygen homeostasis during various neuronal network activity states in the mouse hippocampus. *Journal of Cerebral Blood Flow and Metabolism*, 0(0), 0271678X17740091. doi: 10.1177/0271678x17740091. <http://journals.sagepub.com/doi/abs/10.1177/0271678X17740091>

Schnieder, T., & Dwork, A. (2011). Searching for neuropathology: gliosis in schizophrenia. *Biological Psychiatry*, 69, 134 - 139. doi.

Schoenfeld, T. A., & Knott, T. K. (2002). NADPH diaphorase activity in olfactory receptor neurons and their axons conforms to a rhinotopically-distinct dorsal zone of the hamster nasal cavity and main olfactory bulb. *Journal of Chemical Neuroanatomy*, 24(4), 269-285. doi.

Schoenfeld, T. J., Rhee, D., Martin, L., Smith, J. A., Sonti, A. N., Padmanaban, V., & Cameron, H. A. (2019). New neurons restore structural and behavioral abnormalities in a rat model of PTSD. *Hippocampus*, 0(0). doi: 10.1002/hipo.23087. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23087>

Schofield, B. R. (2001). Origins of projections from the inferior colliculus to the cochlear nucleus in guinea pigs. *Journal of Comparative Neurology*, 429(2), 206-220. doi.

Schofield, B. R. (2002). Ascending and descending projections from the superior olivary complex in guinea pigs: different cells project to the cochlear nucleus and the inferior colliculus. *Journal of Comparative Neurology*, 453(3), 217-225. doi.

Schofield, B. R. (2009). Projections to the inferior colliculus from layer VI cells of auditory cortex. *Neuroscience*, 159(1), 246-258. doi.

Schofield, B. R. (2010). Projections from auditory cortex to midbrain cholinergic neurons that project to the inferior colliculus. *Neuroscience*, 166(1), 231-240. doi.

Schofield, B. R., & Coomes, D. L. (2005). Auditory cortical projections to the cochlear nucleus in guinea pigs. *Hearing Research*, 199(1), 89-102. doi.

Schofield, B. R., Coomes, D. L., & Schofield, R. M. (2006). Cells in auditory cortex that project to the cochlear nucleus in guinea pigs. *JARO-Journal of the Association for Research in Otolaryngology*, 7(2), 95-109. doi.

Schofield, B. R., Schofield, R. M., Sorensen, K. A., & Motts, S. D. (2007). On the use of retrograde tracers for identification of axon collaterals with multiple fluorescent retrograde tracers. *Neuroscience*, 146(2), 773-783. doi.

Schofield, C. M., Hsu, R., Barker, A. J., Gertz, C. C., Belloch, R., & Ullian, E. M. (2011). Monoallelic deletion of the microRNA biogenesis gene *Dgcr8* produces deficits in the development of excitatory synaptic transmission in the prefrontal cortex. *Neural Development*, 6(1), 1-10. doi.

Scholtens, M. L. H., Barrett, P. L. F., & Heuvel, D. M. P. v. d. (2018). a2nn001t8 *Brain Connectivity*, 0(ja), null. doi: 10.1089/brain.2018.0622. <https://www.liebertpub.com/doi/abs/10.1089/brain.2018.0622>

Schonewille, M., Belmeguenai, A., Koekkoek, S. K., Houtman, S. H., Boele, H. J., van Beugen, B. J., . . . others. (2010). Purkinje cell-specific knockout of the protein phosphatase PP2B impairs potentiation and cerebellar motor learning. *Neuron*, 67(4), 618-628. doi.

Schonewille, M., Luo, C., Ruigrok, T. J. H., Voogd, J., Schmolesky, M. T., Rutteman, M., . . . De Zeeuw, C. I. (2006). Zonal organization of the mouse flocculus: physiology, input, and output. *Journal of Comparative Neurology*, 497(4), 670-682. doi.

Schoonover, C. E., Tapia, J.-C., Schilling, V. C., Wimmer, V., Blazeski, R., Zhang, W., . . . Bruno, R. M. (2014). Comparative Strength and Dendritic Organization of Thalamocortical and Corticocortical Synapses onto Excitatory Layer 4 Neurons. *The Journal of Neuroscience*, 34(20), 6746-6758. doi. <http://www.jneurosci.org/content/34/20/6746.short>

Schreihofner, A. M., & Guyenet, P. G. (2000). Role of presympathetic C1 neurons in the sympatholytic and hypotensive effects of clonidine in rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 279(5), R1753-1762. doi. <http://ajpregu.physiology.org/cgi/content/abstract/279/5/R1753>

Schreihofner, A. M., & Guyenet, P. G. (2000). Sympathetic reflexes after depletion of bulbospinal catecholaminergic neurons with anti-D β H-saporin. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 279(2), R729-R742-R729-R742. doi.

Schreihofner, A. M., & Guyenet, P. G. (2003). Baro-Activated Neurons With Pulse-Modulated Activity in the Rat Caudal Ventrolateral Medulla Express GAD67 mRNA. *Journal of Neurophysiology*, 89(3), 1265-1277. doi: 10.1152/jn.00737.2002. <http://jn.physiology.org/cgi/content/abstract/89/3/1265>

Schreihofner, A. M., Stornetta, R. L., & Guyenet, P. G. (2000). Regulation of sympathetic tone and arterial pressure by rostral ventrolateral medulla after depletion of C1 cells in rat. *Journal of Physiology*, 529(1), 221-236. doi. <http://jp.physoc.org/cgi/content/abstract/529/1/221>

Schrödl, F., De Laet, A., Tassignon, M. J., Van Bogaert, P. P., Brehmer, A., Neuhuber, W. L., & Timmermans, J. P. (2003). Intrinsic choroidal neurons in the human eye: projections, targets, and basic electrophysiological data. *Investigative Ophthalmology and Visual Science*, 44(9), 3705-3712. doi.

Schroedl, F., De Laet, A., Tassignon, M. J., Van Bogaert, P. P., Brehmer, A., Neuhuber, W. L., & Timmermans, J. P. (2003). Intrinsic Choroidal Neurons (ICN) in the Human Eye: Projections, Targets and Basic Electrophysiological Data. *Investigative Ophthalmology and Visual Science*, 44(5), 2798-2798. doi.

Schröter, A., Lustenberger, R. M., Obermair, F. J., & Thallmair, M. (2009). High-dose corticosteroids after spinal cord injury reduce neural progenitor cell proliferation. *Neuroscience*, 161(3), 753-763. doi.

Schubert, D., Kötter, R., Luhmann, H. J., & Staiger, J. F. (2006). Morphology, electrophysiology and functional input connectivity of pyramidal neurons characterizes a genuine layer Va in the primary somatosensory cortex. *Cerebral Cortex*, 16(2), 223-236. doi.

Schubert, D., Kötter, R., & Staiger, J. F. (2007). Mapping functional connectivity in barrel-related columns reveals layer- and cell type-specific microcircuits. *Brain Structure and Function*, 212(2), 107-119. doi.

Schubert, D., Kötter, R., Zilles, K., Luhmann, H. J., & Staiger, J. F. (2003). Cell Type-Specific Circuits of Cortical Layer IV Spiny Neurons. *Journal of Neuroscience*, 23(7), 2961-2970. doi. <http://www.jneurosci.org/cgi/content/abstract/23/7/2961>

Schubert, D., Staiger, J. F., Cho, N., Kötter, R., Zilles, K., & Luhmann, H. J. (2001). Layer-Specific Intracolumnar and Transcolumnar Functional Connectivity of Layer V Pyramidal Cells in Rat Barrel Cortex. *Journal of Neuroscience*, 21(10), 3580-3592. doi. <http://www.jneurosci.org/cgi/content/abstract/21/10/3580>

Schubert, V., Lebrecht, D., & Holtmaat, A. (2013). Peripheral Deafferentation-Driven Functional Somatosensory Map Shifts Are Associated with Local, Not Large-Scale Dendritic Structural Plasticity. *Journal of Neuroscience*, 33(22), 9474-9487. doi: 10.1523/jneurosci.1032-13.2013. <http://www.jneurosci.org/content/33/22/9474.abstract>

Schulte-Altendorneburg, G., Droste, D. W., Felszeghy, S., Csiba, L., Popa, V., Hegedus, K., . . . Ringelstein, E. B. (2002). Detection of Carotid Artery Stenosis by In Vivo Duplex Ultrasound: Correlation With Planimetric Measurements of the Corresponding Postmortem Specimens. *Stroke*, 33(10), 2402-2407. doi: 10.1161/01.str.0000030111.34093.02. <http://stroke.ahajournals.org/cgi/content/abstract/33/10/2402>

-

Schulte-Altendorneburg, G., Droste, D. W., Kollár, J., Beyna, T., Felszeghy, S., Módos, L., . . . Csiba, L. (2005). Measuring carotid artery stenosis. *Journal of Neurology*, 252(5), 575-582. doi.

Schultheiss, N. W., Edgerton, J. R., & Jaeger, D. (2010). Phase Response Curve Analysis of a Full Morphological Globus Pallidus Neuron Model Reveals Distinct Perisomatic and Dendritic Modes of Synaptic Integration. *Journal of Neuroscience* 30(7), 2767-2782. doi: 10.1523/jneurosci.3959-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/7/2767>

Schultheiss, N. W., Edgerton, J. R., & Jaeger, D. (2012). Robustness, variability, phase dependence, and longevity of individual synaptic input effects on spike timing during fluctuating synaptic backgrounds: A modeling study of globus pallidus neuron phase response properties. *Neuroscience*. doi.

Schultz, A. J., Rotterman, T. M., Dwarakanath, A., & Alvarez, F. J. (2017). VGLUT1 synapses and P-boutons on regenerating motoneurons after nerve crush. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24244. <http://dx.doi.org/10.1002/cne.24244>

Schulz, K. M., Zehr, J. L., Salas-Ramirez, K. Y., & Sisk, C. L. (2009). Testosterone programs adult social behavior before and during, but not after, adolescence. *Endocrinology*, en.2008-1708. doi: 10.1210/en.2008-1708. <http://endo.endojournals.org/cgi/content/abstract/en.2008-1708v1>

Schumann, C. M., & Amaral, D. G. (2006). Stereological Analysis of Amygdala Neuron Number in Autism. *Journal of Neuroscience*, 26(29), 7674-7679. doi: 10.1523/jneurosci.1285-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/29/7674>

Schwab, M. H., Bartholomae, A., Heimrich, B., Feldmeyer, D., Druffel-Augustin, S., Goebbels, S., . . . Nave, K.-A. (2000). Neuronal Basic Helix-Loop-Helix Proteins (NEX and BETA2/Neuro D) Regulate Terminal Granule Cell Differentiation in the Hippocampus. *Journal of Neuroscience*, 20(10), 3714-3724. doi: <http://www.jneurosci.org/cgi/content/abstract/20/10/3714>

Schwarz, J., Schwarz, S. C., Dorigo, O., Stützer, A., Wegner, F., Labarca, C., . . . Lester, H. A. (2006). Enhanced expression of hypersensitive $\alpha 4^*$ nAChR in adult mice increases the loss of midbrain dopaminergic neurons. *The FASEB Journal*, 20(7), 935-946. doi.

Schwarzbach, E., Bonislawski, D. P., Xiong, G., & Cohen, A. S. (2006). Mechanisms underlying the inability to induce area CA1 LTP in the mouse after traumatic brain injury. *Hippocampus*, 16(6), 541-550. doi.

Schweitzer, J., Gimnopoulos, D., Lieberoth, B. C., Pogoda, H. M., Feldner, J., Ebert, A., . . . Becker, C. G. (2007). Contactin1a expression is associated with oligodendrocyte differentiation and axonal regeneration in the central nervous system of zebrafish. *Molecular and Cellular Neuroscience*, 35(2), 194-207. doi.

Schweizer Burguete, A., Almeida, S., Gao, F.-B., Kalb, R., Akins, M. R., & Bonini, N. M. (2015). GGGGCC microsatellite RNA is neuritically localized, induces branching defects, and perturbs transport granule function. *eLife*. doi: 10.7554/eLife.08881. <http://elifesciences.org/elife/early/2015/12/09/eLife.08881.full.pdf>

Schweizer, F. E., Savin, D., Luu, C., Sultemeier, D. R., & Hoffman, L. F. (2009). Distribution of high-conductance calcium-activated potassium channels in rat vestibular epithelia. *Journal of Comparative Neurology*, 517(2), 134-145. doi.

Sciamanna, G., Hollis, R., Ball, C., Martella, G., Tassone, A., Marshall, A., . . . Standaert, D. G. (2012). Cholinergic dysregulation produced by selective inactivation of the dystonia-associated protein torsinA. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.04.015. <http://www.sciencedirect.com/science/article/pii/S0969996112001611>

Scobie, K. N., Hall, B. J., Wilke, S. A., Klemenhagen, K. C., Fujii-Kuriyama, Y., Ghosh, A., . . . Sahay, A. (2009). Kruppel-Like Factor 9 Is Necessary for Late-Phase Neuronal Maturation in the Developing Dentate Gyrus and during Adult Hippocampal Neurogenesis. *Journal of Neuroscience*, 29(31), 9875-9887. doi: 10.1523/jneurosci.2260-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/31/9875>

Scorcioni, R., & Ascoli, G. (2001). Algorithmic extraction of morphological statistics from electronic archives of neuroanatomy. *Connectionist Models of Neurons, Learning Processes, and Artificial Intelligence*, 30-37. doi.

Scorcioni, R., Lazarewicz, M. T., & Ascoli, G. A. (2004). Quantitative morphometry of hippocampal pyramidal cells: differences between anatomical classes and reconstructing laboratories. *Journal of Comparative Neurology*, 473(2), 177-193. doi.

Scorcioni, R., Polavaram, S., & Ascoli, G. A. (2008). L-Measure: a web-accessible tool for the analysis, comparison and search of digital reconstructions of neuronal morphologies. *Nature Protocols*, 3(5), 866-876. doi.

Scorcioni, R., Wright, S. N., Patrick Card, J., Ascoli, G. A., & Barrionuevo, G. (2008). Point Analysis in Java Applied to Histological Images of the Perforant Pathway: A User's Account. *Neuroinformatics*, 6(1), 63-67. doi.

Scorza, C. A., Araujo, B. H. S., Leite, L. A., Torres, L. B., Pacheco Otalora, L. F., Oliveira, M. S., . . . Cavalheiro, E. A. (2011). Morphological and electrophysiological properties of pyramidal-like neurons in the stratum oriens of CA1 and CA2 area of *Proechimys*. *Neuroscience*. doi.

Scott, B. B., Gardner, T., Ji, N., Fee, M. S., & Lois, C. (2012). Wandering Neuronal Migration in the Postnatal Vertebrate Forebrain. *Journal of Neuroscience*, 32(4), 1436-1446. doi: 10.1523/jneurosci.2145-11.2012. <http://www.jneurosci.org/content/32/4/1436.abstract>

Scott, B. B., & Lois, C. (2007). Developmental origin and identity of song system neurons born during vocal learning in songbirds. *Journal of Comparative Neurology*, 502(2), 202-214. doi.

Scott, B. H., Leccese, P. A., Saleem, K. S., Kikuchi, Y., Mullarkey, M. P., Fukushima, M., . . . Saunders, R. C. (2015). Intrinsic Connections of the Core Auditory Cortical Regions and Rostral Supratemporal Plane in the Macaque Monkey. *Cerebral Cortex*. doi: 10.1093/cercor/bhv277. <http://cercor.oxfordjournals.org/content/early/2015/11/29/cercor.bhv277..>

.

Scott, B. H., Saleem, K. S., Kikuchi, Y., Fukushima, M., Mishkin, M., & Saunders, R. C. (2017). Thalamic connections of the core auditory cortex and rostral supratemporal plane in the macaque monkey. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24283. <http://dx.doi.org/10.1002/cne.24283>

Scott, E., Reuter, J., & Luo, L. (2003). Dendritic development of *Drosophila* high order visual system neurons is independent of sensory experience. *BMC Neuroscience*, 4(1), 14. doi. <http://www.biomedcentral.com/1471-2202/4/14>

Scott, E. K., Raabe, T., & Luo, L. (2002). Structure of the vertical and horizontal system neurons of the lobula plate in *Drosophila*. *Journal of Comparative Neurology*, 454(4), 470-481. doi.

Scott, E. K., Reuter, J. E., & Luo, L. (2003). Small GTPase Cdc42 Is Required for Multiple Aspects of Dendritic Morphogenesis. *Journal of Neuroscience*, 23(8), 3118-3123. doi. <http://www.jneurosci.org/cgi/content/abstract/23/8/3118>

Scott, L. L., Mathews, P. J., & Golding, N. L. (2010). Perisomatic Voltage-Gated Sodium Channels Actively Maintain Linear Synaptic Integration in Principal Neurons of the Medial Superior Olive. *Journal of Neuroscience*, 30(6), 2039-2050. doi: 10.1523/jneurosci.2385-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/6/2039>

Scott, R., Lalic, T., Kullmann, D. M., Capogna, M., & Rusakov, D. A. (2008). Target-Cell Specificity of Kainate Autoreceptor and Ca²⁺-Store-Dependent Short-Term Plasticity at Hippocampal Mossy Fiber

Synapses. *Journal of Neuroscience*, 28(49), 13139-13149. doi: 10.1523/jneurosci.2932-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/49/13139>

Seal, R. P., Akil, O., Yi, E., Weber, C. M., Grant, L., Yoo, J., . . . others. (2008). Sensorineural deafness and seizures in mice lacking vesicular glutamate transporter 3. *Neuron*, 57(2), 263-275. doi.

Seaman, M. E., Peirce, S. M., & Kelly, K. (2011). Rapid analysis of vessel elements (RAVE): a tool for studying physiologic, pathologic and tumor angiogenesis. *PLoS ONE*, 6(6), e20807-e20807. doi.

Sebeo, J., Hof, P. R., & Perl, D. P. (2004). Occurrence of a-synuclein pathology in the cerebellum of Guamanian patients with parkinsonism-dementia complex. *Acta Neuropathologica*, 107(6), 497-503. doi.

Sedi, J., Urdziková, L., Likavcanová, K., Hejcl, A., Jendelová, P., & Syková, E. (2007). A new model of severe neurogenic pulmonary edema in spinal cord injured rat. *Neuroscience Letters*, 423(2), 167-171. doi.

Šedý, J., Urdziková, L., Likavcanová, K., Hejcl, A., Burian, M., Jendelová, P., . . . Syková, E. (2007). Low concentration of isoflurane promotes the development of neurogenic pulmonary edema in spinal cord injured rats. *Journal of Neurotrauma*, 24(9), 1487-1501. doi.

Seggio, A. M., Ellison, K. S., Hynd, M. R., Shain, W., & Thompson, D. M. (2008). Cryopreservation of transfected primary dorsal root ganglia neurons. *Journal of Neuroscience Methods*, 173(1), 67-73. doi.

Seggio, A. M., Narayanaswamy, A., Roysam, B., & Thompson, D. M. (2010). Self-aligned Schwann cell monolayers demonstrate an inherent ability to direct neurite outgrowth. *Journal of neural engineering*, 7, 046001-046001. doi.

Segura-Aguilar, J., Caviedes, P., Danysz, W., Guillemin, G., Sulzer, D., Grez, F. D., . . . Calaf, G. (2010). IV Neurotoxicity Society Meeting: Neurochemical Mechanisms of Neurodegenerative Disorders. *Neurotox Res*, 18, 1-47. doi.

Seib, L. M., & Wellman, C. L. (2003). Daily injections alter spine density in rat medial prefrontal cortex. *Neuroscience Letters*, 337(1), 29-32. doi.

Seidl, A. H., Rubel, E. W., & Barria, A. (2014). Differential Conduction Velocity Regulation in Ipsilateral and Contralateral Collaterals Innervating Brainstem Coincidence Detector Neurons. *The Journal of Neuroscience*, 34(14), 4914-4919. doi: 10.1523/jneurosci.5460-13.2014. <http://www.jneurosci.org/content/34/14/4914.abstract>

Seidl, A. H., Rubel, E. W., & Harris, D. M. (2010). Mechanisms for Adjusting Interaural Time Differences to Achieve Binaural Coincidence Detection. *Journal of Neuroscience*, 30(1), 70-80. doi: 10.1523/jneurosci.3464-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/1/70>

Seigel, G. M., Wagner, J., Wronska, A., Campbell, L., Ju, W., & Zhong, N. (2005). Progression of early postnatal retinal pathology in a mouse model of neuronal ceroid lipofuscinosis. *Eye*, 19, 1306-1312. doi.

Sekerková, G., Ilijic, E., & Mugnaini, E. (2004). Bromodeoxyuridine administered during neurogenesis of the projection neurons causes cerebellar defects in rat. *Journal of Comparative Neurology*, 470(3), 221-239. doi.

Selby, L., Zhang, C., & Sun, Q. Q. (2007). Major defects in neocortical GABAergic inhibitory circuits in mice lacking the fragile X mental retardation protein. *Neuroscience Letters*, 412(3), 227-232. doi.

Selemon, L. D., Begovi, Cacute, A., Goldman-Rakic, P. S., & Castner, S. A. (2006). Amphetamine sensitization alters dendritic morphology in prefrontal cortical pyramidal neurons in the non-human primate. *Neuropsychopharmacology*, 32(4), 919-931. doi.

Selemon, L. D., & Begovic, A. (2020). Reduced Midbrain Dopamine Neuron Number in the Adult Non-human Primate Brain after Fetal Radiation Exposure. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.07.005>. <http://www.sciencedirect.com/science/article/pii/S0306452220304383>

Selemon, L. D., Begović, A., & Rakic, P. (2009). Selective reduction of neuron number and volume of the mediodorsal nucleus of the thalamus in macaques following irradiation at early gestational ages. *Journal of Comparative Neurology*, 515(4), 454-464. doi.

Selemon, L. D., Begović, A., Williams, G. V., & Castner, S. A. (2010). Reversal of neuronal and cognitive consequences of amphetamine sensitization following chronic treatment with a D1 antagonist. *Pharmacology Biochemistry and Behavior*, 96(3), 325-332. doi.

Selenica, M., Alvarez, J., Nash, K., Lee, D., Cao, C., Lin, X., . . . Gordon, M. (2013). Diverse activation of microglia by chemokine (C-C motif) ligand 2 overexpression in brain. *J Neuroinflammation*, 10, 86. doi.

Selim, M. M., Wabner, K. A., Wendelschafer-Crabb, G., & Kennedy, W. R. (2007). Stimulated growth of human and pig epidermal nerve fibers by tape stripping. *Archives of Dermatological Research*, 299(10), 513-516. doi.

Selim, M. M., Wendelschafer-Crabb, G., Hodges, J. S., Simone, D. A., Foster, S. X. Y. L., Vanhove, G. F., & Kennedy, W. R. (2010). Variation in quantitative sensory testing and epidermal nerve fiber density in repeated measurements. *Pain*, 151(3), 575-581. doi.

Selim, M. M., Wendelschafer-Crabb, G., Redmon, J. B., Khoruts, A., Hodges, J. S., Koch, K., . . . Kennedy, W. R. (2010). Gastric mucosal nerve density: A biomarker for diabetic autonomic neuropathy? *Neurology*, 75(11), 973-981. doi: 10.1212/WNL.ob013e3181f25f19. <http://www.neurology.org/cgi/content/abstract/75/11/973>

Selten, M. M., Meyer, F., Ba, W., Vallès, A., Maas, D. A., Negwer, M., . . . Martens, G. J. M. (2016). Increased GABAB receptor signaling in a rat model for schizophrenia. [Article]. *Scientific Reports*, 6, 34240. doi: 10.1038/srep34240. <http://dx.doi.org/10.1038/srep34240>

Sempere-Ferrández, A., Andrés-Bayón, B., & Geijo-Barrientos, E. (2017). Callosal responses in a retrosplenial column. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1529-5. <https://doi.org/10.1007/s00429-017-1529-5>

Semple, B. D., Dixit, S., Shultz, S. R., Boon, W. C., & O'Brien, T. J. (2017). Sex-dependent changes in neuronal morphology and psychosocial behaviors after pediatric brain injury. *Behavioural Brain Research*, 319, 48-62. doi: <http://dx.doi.org/10.1016/j.bbr.2016.10.045>. <http://www.sciencedirect.com/science/article/pii/S0166432816306477>

Sen, S., Parishar, P., Pundir, A. S., Reiner, A., & Iyengar, S. (2019). The Expression of Tyrosine Hydroxylase and DARPP-32 in the House Crow (*Corvus splendens*) brain. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24649. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24649>

Senft, S. L. (2011). A brief history of neuronal reconstruction. *Neuroinformatics*, 9(2), 119-128. doi.

Sengelaub, D. R., Han, Q., Liu, N.-K., Maczuga, M., Szalavari, V., Valencia, S., & Xu, X.-M. (2017). Protective Effects of Estradiol and Dihydrotestosterone Following Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5329. <https://doi.org/10.1089/neu.2017.5329>

Senitz, D., & Beckmann, H. (2003). Granule cells of the dentate gyrus with basal and recurrent dendrites in schizophrenic patients and controls. A comparative Golgi study. *Journal of Neural Transmission*, 110(3), 317-326. doi.

Senut, M.-C., Suhr, S. T., Kaspar, B., & Gage, F. H. (2000). Intraneuronal Aggregate Formation and Cell Death after Viral Expression of Expanded Polyglutamine Tracts in the Adult Rat Brain. *Journal of Neuroscience*, 20(1), 219-229. doi. <http://www.jneurosci.org/cgi/content/abstract/20/1/219>

Sepulveda, B., Mesias, R., Li, X., Yue, Z., & Benson, D. L. (2013). Short- and Long-Term Effects of LRRK2 on Axon and Dendrite Growth. *PLoS ONE*, 8(4), e61986. doi: 10.1371/journal.pone.0061986. <http://dx.doi.org/10.1371%2Fjournal.pone.0061986>

Seress, L., Ábrahám, H., Czéh, B., Fuchs, E., & Léránth, C. (2008). Calretinin expression in hilar mossy cells of the hippocampal dentate gyrus of nonhuman primates and humans. *Hippocampus*, 18(4), 425-434. doi.

Seress, L., Ábrahám, H., Dóczi, T., Lázár, G., & Kozicz, T. (2004). Cocaine- and amphetamine-regulated transcript peptide (CART) is a selective marker of rat granule cells and of human mossy cells in the hippocampal dentate gyrus. *Neuroscience*, 125(1), 13-24. doi.

Seress, L., Ábrahám, H., Horváth, Z., Dóczi, T., Janszky, J., Klemm, J., . . . Bakay, R. A. E. (2009). Survival of mossy cells of the hippocampal dentate gyrus in humans with mesial temporal lobe epilepsy. *Journal of Neurosurgery*, 111(6), 1237-1247. doi.

Seress, L., Abraham, H., Tornoczky, T., & Kosztolányi, G. (2001). Cell formation in the human hippocampal formation from mid-gestation to the late postnatal period. *Neuroscience*, 105(4), 831-843. doi.

Sergeant, S., McQuail, J. A., Riddle, D. R., Chilton, F. H., Ortmeier, S. B., Jessup, J. A., . . . Nicolle, M. M. (2011). Dietary Fish Oil Modestly Attenuates the Effect of Age on Diastolic Function but Has No Effect on Memory or Brain Inflammation in Aged Rats. *Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 66A(5), 521-533. doi: 10.1093/gerona/glr017. <http://biomedgerontology.oxfordjournals.org/cgi/content/abstract/66A/5/521>

Sergeyenko, Y., Lall, K., Liberman, M. C., & Kujawa, S. G. (2013). Age-Related Cochlear Synaptopathy: An Early-Onset Contributor to Auditory Functional Decline. *Journal of Neuroscience*, 33(34), 13686-13694. doi: 10.1523/jneurosci.1783-13.2013. <http://www.jneurosci.org/content/33/34/13686.abstract>

Serra, F. T., Carvalho, A. D., Araujo, B. H. S., Torres, L. B., Cardoso, F. d. S., Henrique, J. S., . . . Gomes da Silva, S. (2019). Early exercise induces long-lasting morphological changes in cortical and

hippocampal neurons throughout of a sedentary period of rats. *Scientific Reports*, 9(1), 13684. doi: 10.1038/s41598-019-50218-9. <https://doi.org/10.1038/s41598-019-50218-9>

Serradj, N., & Martin, J. H. (2016). Motor Experience Reprograms Development of a Genetically-Altered Bilateral Corticospinal Motor Circuit. *PLoS ONE*, 11(9), e0163775. doi: 10.1371/journal.pone.0163775. <http://dx.doi.org/10.1371%2Fjournal.pone.0163775>

Serradj, N., Paixão, S., Sobocki, T., Feinberg, M., Klein, R., Kullander, K., & Martin, J. H. (2014). EphA4-Mediated Ipsilateral Corticospinal Tract Misprojections Are Necessary for Bilateral Voluntary Movements But Not Bilateral Stereotypic Locomotion. *The Journal of Neuroscience*, 34(15), 5211-5221. doi: <http://www.jneurosci.org/content/34/15/5211.short>

Servais, M., & de Jager, G. (1997). Video Compression using the three dimensional discrete cosine transform (3D-DCT). *Proc COMSIG*, 27-32. doi.

Sfakianos, M. K., Eisman, A., Gourley, S. L., Bradley, W. D., Scheetz, A. J., Settleman, J., . . . Koleske, A. J. (2007). Inhibition of Rho via Arg and p190RhoGAP in the Postnatal Mouse Hippocampus Regulates Dendritic Spine Maturation, Synapse and Dendrite Stability, and Behavior. *Journal of Neuroscience*, 27(41), 10982-10992. doi: 10.1523/jneurosci.0793-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/41/10982>

Sgobio, C., Trabalza, A., Spalloni, A., Zona, C., Carunchio, I., Longone, P., & Ammassari-Teule, M. (2008). Abnormal medial prefrontal cortex connectivity and defective fear extinction in the presymptomatic G93A SOD1 mouse model of ALS. *Genes, Brain and Behavior*, 7(4), 427-434. doi.

Shah, N. M., Pisapia, D. J., Maniatis, S., Mendelsohn, M. M., Nemes, A., & Axel, R. (2004). Visualizing sexual dimorphism in the brain. *Neuron*, 43(3), 313-319. doi.

Shah, N. S., Pugh, P. C., Nam, H., Rosenthal, D. T., van Wijk, D., Gaszner, B., . . . Kerman, I. A. (2013). A Subset of Presympathetic-Premotor Neurons within the Centrally Projecting Edinger-Westphal Nucleus Expresses Urocortin-1. *Journal of Chemical Neuroanatomy*. doi: <http://www.sciencedirect.com/science/article/pii/S0891061813000513>

Shah, V., Drill, E., & Lance-Jones, C. (2004). Ectopic expression of Hoxd10 in thoracic spinal segments induces motoneurons with a lumbosacral molecular profile and axon projections to the limb. *Developmental Dynamics*, 231(1), 43-56. doi.

Shahriar, S., Brian, M., Jared, C., Sommer, A., Sami, Z., Julio, G., . . . C., S. J. (2018). Morphometric analysis of astrocytes in brainstem respiratory regions. *Journal of Comparative Neurology*, o(ja). doi: 10.1002/cne.24472. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24472>

Shall, M. S., Dimitrova, D. M., & Goldberg, S. J. (2003). Extraocular motor unit and whole-muscle contractile properties in the squirrel monkey. *Experimental Brain Research*, 151(3), 338-345. doi.

Shambayati, M., Patel, M., Ma, Y., Cunningham, R. L., & Schreihof, D. A. (2014). Central inflammatory response to experimental stroke is inhibited by a neuroprotective dose of dietary soy. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.09.042>. <http://www.sciencedirect.com/science/article/pii/S0006899314012645>

Shang, Y., Doan, C. N., Arnold, T. D., Lee, S., Tang, A. A., Reichardt, L. F., & Huang, E. J. (2013). Transcriptional Corepressors HIPK1 and HIPK2 Control Angiogenesis Via TGF- β -TAK1-Dependent Mechanism. *PLoS Biology*, 11(4). doi:

Shang, Y., & Huang, E. J. (2016). Mechanisms of FUS mutations in familial amyotrophic lateral sclerosis. *Brain Research*.

doi: <http://dx.doi.org/10.1016/j.brainres.2016.03.036>. <http://www.sciencedirect.com/science/article/pii/S0006899316301652>

Shansky, R. M., Hamo, C., Hof, P. R., Lou, W., McEwen, B. S., & Morrison, J. H. (2010). Estrogen Promotes Stress Sensitivity in a Prefrontal Cortex–Amygdala Pathway. *Cerebral Cortex*, 20(11), 2560–2567. doi: 10.1093/cercor/bhq003. <http://cercor.oxfordjournals.org/content/20/11/2560.abstract>

Shansky, R. M., Hamo, C., Hof, P. R., McEwen, B. S., & Morrison, J. H. (2009). Stress-Induced Dendritic Remodeling in the Prefrontal Cortex is Circuit Specific. *Cerebral Cortex*, bhp003. doi: 10.1093/cercor/bhp003. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp003v1>

Shao, H., Li, T., Zhu, R., Xu, X., Yu, J., Chen, S., . . . He, L. (2018). Carbon nanotube multilayered nanocomposites as multifunctional substrates for actuating neuronal differentiation and functions of neural stem cells. *Biomaterials*, 175, 93–109.

doi: <https://doi.org/10.1016/j.biomaterials.2018.05.028>. <http://www.sciencedirect.com/science/article/pii/S0142961218303715>

Shao, Z., Puche, A. C., Kiyokage, E., Szabo, G., & Shipley, M. T. (2009). Two GABAergic Intraglomerular Circuits Differentially Regulate Tonic and Phasic Presynaptic Inhibition of Olfactory Nerve Terminals. *Journal of Neurophysiology*, 91116.92008. doi:

10.1152/jn.91116.2008. <http://jn.physiology.org/cgi/content/abstract/91116.2008v1>

Shapiro, L. A., Korn, M. J., & Ribak, C. E. (2005). Newly generated dentate granule cells from epileptic rats exhibit elongated hilar basal dendrites that align along GFAP-immunolabeled processes. *Neuroscience*, 136(3), 823–831. doi:

Shapiro, L. A., Upadhyaya, P., & Ribak, C. E. (2007). Spatiotemporal profile of dendritic outgrowth from newly born granule cells in the adult rat dentate gyrus. *Brain Research*, 1149, 30–37. doi:

Shapiro, L. P., Omar, M. H., Koleske, A. J., & Gourley, S. L. (2017). Corticosteroid-induced dendrite loss and behavioral deficiencies can be blocked by activation of Abl2/Arg kinase. *Molecular and Cellular Neuroscience*.

doi: <https://doi.org/10.1016/j.mcn.2017.10.007>. <http://www.sciencedirect.com/science/article/pii/S1044743117303408>

Sharif, H., Alexander, H., Azam, A., & Martin, J. H. (2021). Dual motor cortex and spinal cord neuromodulation improves rehabilitation efficacy and restores skilled locomotor function in a rat cervical contusion injury model. *Experimental Neurology*, 113715.

doi: <https://doi.org/10.1016/j.expneurol.2021.113715>. <https://www.sciencedirect.com/science/article/pii/S0014488621001217>

Shariff, M., Klenowski, P., Morgan, M., Patkar, O., Mu, E., Bellingham, M., . . . Bartlett, S. E. (2017). Binge-like sucrose consumption reduces the dendritic length and complexity of principal neurons in the adolescent rat basolateral amygdala. *PLoS ONE*, 12(8), e0183063. doi:

10.1371/journal.pone.0183063. <https://doi.org/10.1371/journal.pone.0183063>

Sharko, A. C., Fadel, J. R., Kaigler, K. F., & Wilson, M. A. (2016). Activation of orexin/hypocretin neurons is associated with individual differences in cued fear extinction. *Physiology and Behavior*. doi: <http://dx.doi.org/10.1016/j.physbeh.2016.10.008>. <http://www.sciencedirect.com/science/article/pii/S0031938416306631>

Sharko, A. C., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2012). Individual Differences in Voluntary Ethanol Consumption Lead to Differential Activation of the Central Amygdala in Rats: Relationship to the Anxiolytic and Stimulant Effects of Low Dose Ethanol. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/j.1530-0277.2012.01907.x. <http://dx.doi.org/10.1111/j.1530-0277.2012.01907.x>

Sharko, A. C., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2015). Ethanol-induced anxiolysis and neuronal activation in the amygdala and bed nucleus of the stria terminalis. *Alcohol*. doi: <http://dx.doi.org/10.1016/j.alcohol.2015.11.001>. <http://www.sciencedirect.com/science/article/pii/S0741832915300069>

Sharma, K. K., Kelly, E. A., Pfeifer, C. W., & Fudge, J. L. (2019). Translating Fear Circuitry: Amygdala Projections to Subgenual and Perigenual Anterior Cingulate in the Macaque. *Cerebral Cortex*. doi: 10.1093/cercor/bhz106. <https://doi.org/10.1093/cercor/bhz106>

Shaughnessy, D. W., Hyson, R. L., Bertram, R., Wu, W., & Johnson, F. (2018). Female zebra finches do not sing yet share neural pathways necessary for singing in males. *Journal of Comparative Neurology*, o(ja). doi: doi:10.1002/cne.24569. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24569>

Shaw, B. K., & Kennedy, G. G. (2002). Evidence for species differences in the pattern of androgen receptor distribution in relation to species differences in an androgen-dependent behavior. *Journal of Neurobiology*, 52(3), 203-220. doi.

She, W. C., Quairiaux, C., Albright, M. J., Wang, Y. C., Sanchez, D. E., Chang, P. S., . . . Lu, H. C. (2009). Roles of mGluR5 in synaptic function and plasticity of the mouse thalamocortical pathway. *European Journal of Neuroscience*, 29(7), 1379-1396. doi.

Shefner, J. M., Reaume, A. G., Flood, D. G., Scott, R. W., Kowall, N. W., Ferrante, R. J., . . . Brown, R. H., Jr. (1999). Mice lacking cytosolic copper/zinc superoxide dismutase display a distinctive motor axonopathy. *Neurology*, 53(6), 1239-. doi: <http://www.neurology.org/cgi/content/abstract/53/6/1239>

Shehab, S., McGonigle, D., Hughes, D. I., Todd, A. J., & Redgrave, P. (2005). Anatomical evidence for an anticonvulsant relay in the rat ventromedial medulla. *European Journal of Neuroscience*, 22(6), 1431-1444. doi: doi:10.1111/j.1460-9568.2005.04326.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04326.x>

Shehab, S. A. S., & Hughes, D. I. (2011). Simultaneous identification of unmyelinated and myelinated primary somatic afferents by co-injection of isolectin B4 and Cholera toxin subunit B into the sciatic nerve of the rat. *Journal of Neuroscience Methods*. doi.

Sheikh, A., Meng, X., Liu, J., Mikhailova, A., Kao, J. P. Y., McQuillen, P. S., & Kanold, P. O. (2018). Neonatal Hypoxia-Ischemia Causes Functional Circuit Changes in Subplate Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhx358. <http://dx.doi.org/10.1093/cercor/bhx358>

Shen, M., Guo, Y., Dong, Q., Gao, Y., Stockton, M. E., Li, M., . . . Zhao, X. (2021). FXR1 regulation of parvalbumin interneurons in the prefrontal cortex is critical for schizophrenia-like behaviors. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01096-z. <https://doi.org/10.1038/s41380-021-01096-z>

Shen, M., Wang, F., Li, M., Sah, N., Stockton, M. E., Tidei, J. J., . . . Zhao, X. (2019). Reduced mitochondrial fusion and Huntingtin levels contribute to impaired dendritic maturation and behavioral deficits in Fmr1-mutant mice. *Nature Neuroscience*, 22(3), 386-400. doi: 10.1038/s41593-019-0338-y. <https://doi.org/10.1038/s41593-019-0338-y>

Shen, P. C., Xu, D. F., Liu, J. W., Li, K., Lin, M., Wang, H. T., . . . Zheng, J. (2011). TC10 β /CDC42 GTPase activating protein is required for the growth of cortical neuron dendrites. *Neuroscience*. doi.

Sheng, J., Mrak, R., & Griffin, W. (1997). Neuritic plaque evolution in Alzheimer's disease is accompanied by transition of activated microglia from primed to enlarged to phagocytic forms. *Acta Neuropathol*, 94, 1 - 5. doi.

Shepherd, D. (2016). Examining the effects of anti-Nogo-A immunotherapy on post-stroke neurogenesis in the adult rat. Loyola University Chicago.

Shepherd, G. M. G., & Svoboda, K. (2005). Laminar and Columnar Organization of Ascending Excitatory Projections to Layer 2/3 Pyramidal Neurons in Rat Barrel Cortex. *Journal of Neuroscience*, 25(24), 5670-5679. doi. <http://www.jneurosci.org/cgi/content/abstract/25/24/5670>

Sheppard, K. M., Padmanabhan, V., Coolen, L. M., & Lehman, M. N. (2011). Prenatal Programming by Testosterone of Hypothalamic Metabolic Control Neurons in the Ewe. *Journal of Neuroendocrinology*, 23(5), 401-411. doi: 10.1111/j.1365-2826.2011.02126.x. <http://dx.doi.org/10.1111/j.1365-2826.2011.02126.x>

Sheppert, A. D., Spirou, G. A., Berrebi, A. S., & Garnett, J. D. (2003). Three-dimensional reconstruction of immunolabeled neuromuscular junctions in the human thyroarytenoid muscle. *The Laryngoscope*, 113(11), 1973-1976. doi: 10.1097/00005537-200311000-00022. <http://dx.doi.org/10.1097/00005537-200311000-00022>

Sherwood, C. C., Stimpson, C. D., Butti, C., Bonar, C. J., Newton, A. L., Allman, J. M., & Hof, P. R. (2009). Neocortical neuron types in Xenarthra and Afrotheria: implications for brain evolution in mammals. *Brain Structure and Function*, 213(3), 301-328. doi.

Sheth, R. N., Manzano, G., Li, X., & Levi, A. D. (2008). Transplantation of human bone marrow-derived stromal cells into the contused spinal cord of nude rats. *Journal of Neurosurgery: Spine*, 8(2), 153-162. doi.

Shetty, A. K. (2002). Entorhinal axons exhibit sprouting in CA1 subfield of the adult hippocampus in a rat model of temporal lobe epilepsy. *Hippocampus*, 12(4), 534-542. doi.

Shetty, A. K., Rapoza, D., Madison, R. D., & Turner, D. A. (1995). Selective laser-activated lesioning of prelabeled fetal hippocampal grafts by intracellular photolytic chromophore. *Neuroscience*, 69(2), 407-416. doi.

Shetty, A. K., & Turner, D. A. (1995). Enhanced cell survival in fetal hippocampal suspension transplants grafted to adult rat hippocampus following kainate lesions: a three-dimensional graft reconstruction study. *Neuroscience*, 67(3), 561-582. doi.

Shetty, A. K., & Turner, D. A. (1995). Intracerebroventricular kainic acid administration in adult rat alters hippocampal calbindin and non-phosphorylated neurofilament expression. *Journal of Comparative Neurology*, 363(4), 581-599. doi.

Shetty, A. K., & Turner, D. A. (1995). Non-phosphorylated neurofilament protein immunoreactivity in adult and developing rat hippocampus: specificity and application in grafting studies. *Brain Research*, 676(2), 293-306. doi.

Shetty, A. K., & Turner, D. A. (1996). Development of fetal hippocampal grafts in intact and lesioned hippocampus. *Progress in Neurobiology*, 50(5-6), 597-653. doi.

Shetty, A. K., & Turner, D. A. (2000). Fetal Hippocampal Grafts Containing CA3 Cells Restore Host Hippocampal Glutamate Decarboxylase-Positive Interneuron Numbers in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 20(23), 8788-8801. doi. <http://www.jneurosci.org/cgi/content/abstract/20/23/8788>

Shetty, A. K., Zaman, V., & Hattiangady, B. (2005). Repair of the Injured Adult Hippocampus through Graft-Mediated Modulation of the Plasticity of the Dentate Gyrus in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 25(37), 8391-8401. doi. <http://www.jneurosci.org/cgi/content/abstract/25/37/8391>

Shi, E., Shi, K., Qiu, S., Sheth, K. N., Lawton, M. T., & Ducruet, A. F. (2019). Chronic inflammation, cognitive impairment, and distal brain region alteration following intracerebral hemorrhage. *The FASEB Journal*, 0(0), fj.201900257R. doi: 10.1096/fj.201900257R. <https://www.fasebj.org/doi/abs/10.1096/fj.201900257R>

Shi, F., Zhu, H., Yang, S., Liu, Y., Feng, Y., Shi, J., . . . others. (2009). Glial response and myelin clearance in areas of wallerian degeneration after spinal cord hemisection in the monkey *Macaca fascicularis*. *Journal of Neurotrauma*, 26(11), 2083-2096. doi.

Shi, L., Pang, H., Linville, M. C., Bartley, A. N., Argenta, A. E., & Brunso-Bechtold, J. K. (2006). Maintenance of inhibitory interneurons and boutons in sensorimotor cortex between middle and old age in Fischer 344 X Brown Norway rats. *Journal of Chemical Neuroanatomy*, 32(1), 46-53. doi.

Shi, M., Bradner, J., Bammler, T. K., Eaton, D. L., Zhang, J. P., Ye, Z. C., . . . Zhang, J. (2009). Identification of Glutathione S-Transferase Pi as a Protein Involved in Parkinson Disease Progression. *American Journal of Pathology*, 175(1), 54-65. doi.

Shi, W., Xianyu, A., Han, Z., Tang, X., Li, Z., Zhong, H., . . . Shi, S.-H. (2017). Ontogenetic establishment of order-specific nuclear organization in the mammalian thalamus. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4519

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4519.html#suppl.....> <http://dx.doi.org/10.1038/nn.4519>

Shi, Y., Abe, C., Holloway, B. B., Shu, S., Kumar, N. N., Weaver, J. L., . . . Guyenet, P. G. (2016). Nalcn Is a "Leak" Sodium Channel That Regulates Excitability of Brainstem Chemosensory Neurons and Breathing. *The Journal of Neuroscience*, 36(31), 8174-8187. doi. <http://www.jneurosci.org/content/36/31/8174.short>

- Shi, Y., Stornetta, D. S., Reklow, R. J., Sahu, A., Wabara, Y., Nguyen, A., . . . Bayliss, D. A. (2020). A brainstem peptide system activated at birth protects postnatal breathing. *Nature*. doi: 10.1038/s41586-020-2991-4. <https://doi.org/10.1038/s41586-020-2991-4>
- Shibata, H., & Yukie, M. (2003). Differential thalamic connections of the posteroventral and dorsal posterior cingulate gyrus in the monkey. *European Journal of Neuroscience*, 18(6), 1615-1626. doi: doi:10.1046/j.1460-9568.2003.02868.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02868.x>
- Shibusawa, N., Hashimoto, K., Nikrodhanond, A. A., Liberman, M. C., Applebury, M. L., Liao, X. H., . . . Wondisford, F. E. (2003). Thyroid hormone action in the absence of thyroid hormone receptor DNA-binding in vivo. *Journal of Clinical Investigation*, 112(4), 588-597. doi: 10.1172/jci200318377. <http://www.jci.org/cgi/content/abstract/112/4/588>
- Shibuta, K., Suzuki, I., Shinoda, M., Tsuboi, Y., Honda, K., Shimizu, N., . . . Iwata, K. (2012). Organization of hyperactive microglial cells in trigeminal spinal subnucleus caudalis and upper cervical spinal cord associated with orofacial neuropathic pain. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.02.023. <http://www.sciencedirect.com/science/article/pii/S0006899312003009>
- Shields, C. B., Zhang, Y. P., Shields, L. B. E., Han, Y., Burke, D. A., & Mayer, N. W. (2005). The therapeutic window for spinal cord decompression in a rat spinal cord injury model. *Journal of Neurosurgery: Spine*, 3(4), 302-307. doi.
- Shields, L. B. E., Zhang, Y. P., Burke, D. A., Gray, R., & Shields, C. B. (2008). Benefit of chondroitinase ABC on sensory axon regeneration in a laceration model of spinal cord injury in the rat. *Surgical Neurology*, 69(6), 568-577. doi.
- Shigematsu, N., Nishi, A., & Fukuda, T. (2018). Gap Junctions Interconnect Different Subtypes of Parvalbumin-Positive Interneurons in Barrels and Septa with Connectivity Unique to Each Subtype. *Cerebral Cortex*. doi: 10.1093/cercor/bhy038. <http://dx.doi.org/10.1093/cercor/bhy038>
- Shigematsu, N., Ueta, Y., Mohamed, A. A., Hatada, S., Fukuda, T., Kubota, Y., & Kawaguchi, Y. (2015). Selective Thalamic Innervation of Rat Frontal Cortical Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhv124. <http://cercor.oxfordjournals.org/content/early/2015/06/03/cercor.bhv124>.
...
- Shih, C.-H., Chen, H.-Y., Lee, H.-C., & Tsai, H.-J. (2015). Purple Chromoprotein Gene Serves as a New Selection Marker for Transgenesis of the Microalga *Nannochloropsis oculata*. *PloS one*, 10(3), e0120780. doi: 10.1371/journal.pone.0120780. <http://dx.doi.org/10.1371/journal.pone.0120780>
- Shih, T.-W., Lee, L.-J., Chang, H.-C., Lin, H.-W., & Chang, M.-S. (2020). An important role of PHRF1 in dendritic architecture and memory formation by modulating TGF- β signaling. *Scientific Reports*, 10(1), 10857. doi: 10.1038/s41598-020-67675-2. <https://doi.org/10.1038/s41598-020-67675-2>
- Shijo, K., Katayama, Y., Yamashita, A., Kobayashi, K., Oshima, H., Fukaya, C., & Yamamoto, T. (2008). c-Fos Expression After Chronic Electrical Stimulation of Sensorimotor Cortex in Rats. *Neuromodulation: Technology at the Neural Interface*, 11(3), 187-195. doi.
- Shimizu, K., Matsumoto, K., Noma, N., Matsuura, S., Ohara, K., Komiya, H., . . . Iwata, K. (2014). Involvement of Trigeminal Transition Zone and Laminated Subnucleus Caudalis in Masseter Muscle Hypersensitivity Associated with Tooth Inflammation. *PLoS ONE*, 9(10), e109168. doi: 10.1371/journal.pone.0109168. <http://dx.doi.org/10.1371/journal.pone.0109168>

Shin, D. M., Korada, S., Raballo, R., Shashikant, C. S., Simeone, A., Taylor, J. R., & Vaccarino, F. (2004). Loss of Glutamatergic Pyramidal Neurons in Frontal and Temporal Cortex Resulting from Attenuation of FGFR1 Signaling Is Associated with Spontaneous Hyperactivity in Mice. *Journal of Neuroscience*, 24(9), 2247-2258. doi: 10.1523/jneurosci.5285-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/9/2247>

Shin, E. J., Ko, K. H., Kim, W. K., Chae, J. S., Yen, T. P. H., Kim, H. J., . . . Kim, H. C. (2008). Role of glutathione peroxidase in the ontogeny of hippocampal oxidative stress and kainate seizure sensitivity in the genetically epilepsy-prone rats. *Neurochemistry International*, 52(6), 1134-1147. doi.

Shin, E. J., Nabeshima, T., Suh, H. W., Jhoo, W. K., Oh, K. W., Lim, Y. K., . . . Kim, H. C. (2005). Ginsenosides attenuate methamphetamine-induced behavioral side effects in mice via activation of adenosine A_{2A} receptors: possible involvements of the striatal reduction in AP-1 DNA binding activity and proenkephalin gene expression. *Behavioural Brain Research*, 158(1), 143-157. doi.

Shin, E. J., Oh, K. W., Kim, K. W., Kwon, Y. S., Jhoo, J. H., Jhoo, W. K., . . . Kim, H. C. (2004). Attenuation of cocaine-induced conditioned place preference by *Polygala tenuifolia* root extract. *Life Sciences*, 75(23), 2751-2764. doi.

Shin, E. J., Suh, S. K., Lim, Y. K., Jhoo, W. K., Hjelle, O. P., Ottersen, O. P., . . . others. (2005). Ascorbate attenuates trimethyltin-induced oxidative burden and neuronal degeneration in the rat hippocampus by maintaining glutathione homeostasis. *Neuroscience*, 133(3), 715-727. doi.

Shin, E.-J., Jhoo, J. H., Kim, W.-K., Jhoo, W. K., Lee, C., Jung, B. D., & Kim, H.-C. (2004). Protection Against Kainate Neurotoxicity By Pyrrolidine Dithiocarbamate. *Clinical and Experimental Pharmacology and Physiology*, 31(5-6), 320-326. doi: doi:10.1111/j.1440-1681.2004.03990.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1440-1681.2004.03990.x>

Shin, R., & Ikemoto, S. (2010). Administration of the GABA_A receptor antagonist picrotoxin into rat supramammillary nucleus induces c-Fos in reward-related brain structures. *Supramammillary picrotoxin and c-Fos expression*. *BMC Neuroscience*, 11(1), 101. doi. <http://www.biomedcentral.com/1471-2202/11/101>

Shinder, V., Govrin-Lippmann, R., Cohen, S., Belenky, M., Ilin, P., Fried, K., . . . Devor, M. (1999). Structural basis of sympathetic-sensory coupling in rat and human dorsal root ganglia following peripheral nerve injury. *Journal of Neurocytology*, 28(9), 743-761. doi.

Shinoda, M., Honda, T., Ozaki, N., Hattori, H., Mizutani, H., Ueda, M., & Sugiura, Y. (2003). Nerve terminals extend into the temporomandibular joint of adjuvant arthritic rats. *European Journal of Pain*, 7(6), 493-505. doi.

Shinoda, M., Kawashima, K., Ozaki, N., Asai, H., Nagamine, K., & Sugiura, Y. (2007). P2X₃ receptor mediates heat hyperalgesia in a rat model of trigeminal neuropathic pain. *Journal of Pain*, 8(7), 588-597. doi.

Shinoda, M., Kawashima, K., Ozaki, N., Asai, H., Nagamine, K., & Sugiura, Y. (2007). P2X₃ Receptor Mediates Heat Hyperalgesia in a Rat Model of Trigeminal Neuropathic Pain. *Journal of Pain*, 8(7), 588-597. doi.

Shinoda, M., Ogino, A., Ozaki, N., Urano, H., Hironaka, K., Yasui, M., & Sugiura, Y. (2008). Involvement of TRPV1 in nociceptive behavior in a rat model of cancer pain. *Journal of Pain*, 9(8), 687-699. doi.

Shinoda, M., Ozaki, N., Asai, H., Nagamine, K., & Sugiura, Y. (2005). Changes in P2X₃ receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats. *Pain*, 116(1), 42-51. doi.

Shinohara, M., Zhu, Y., & Murakami, F. (2013). Four-dimensional analysis of nucleogenesis of the pontine nucleus in the hindbrain. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23353. <http://dx.doi.org/10.1002/cne.23353>

Shirai, Y., Kouzuki, T., Kakefuda, K., Moriguchi, S., Oyagi, A., Horie, K., . . . others. (2010). Essential role of neuron-enriched diacylglycerol kinase (DGK), DGK β in neurite spine formation, contributing to cognitive function. *PLoS ONE*, 5(7), e11602-e11602. doi.

Shirai, Y., & Saito, N. (2012). Diacylglycerol Kinase (DGK) as a Regulator of PKC. *Neuromethods*, 68(2), 259-271. doi.

Shirley, T. L., Lewers, J. C., Egami, K., Majumdar, A., Kelly, M., Ceballos-Picot, I., . . . Jinnah, H. A. (2007). A human neuronal tissue culture model for Lesch-Nyhan disease. *Journal of Neurochemistry*, 101(3), 841-853. doi: doi:10.1111/j.1471-4159.2007.04472.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04472.x>

Shishido, K., Shishido, T., Kato, K., Watanabe, Y., Ono, M., Kobayashi, M., . . . Niwa, S. I. (2000). Neurotoxic effect of high dose methamphetamine administration on the hippocampal formation of adult mice: morphometric study using image analyzer. *Neuroreport*, 11(9), 1973-1973. doi.

Shivalkar, M., & Giniger, E. (2012). Control of Dendritic Morphogenesis by Trio in *Drosophila melanogaster*. *PLoS ONE*, 7(3), e33737. doi: 10.1371/journal.pone.0033737. <http://dx.doi.org/10.1371%2Fjournal.pone.0033737>

Shmelkov, S. V., Hormigo, A., Jing, D., Proenca, C. C., Bath, K. G., Milde, T., . . . others. (2010). Slitrk5 deficiency impairs corticostriatal circuitry and leads to obsessive-compulsive-like behaviors in mice. *Nature Medicine*, 16(5), 598-602. doi.

Shneider, N. A., Brown, M. N., Smith, C. A., Pickel, J., & Alvarez, F. J. (2009). Gamma motor neurons express distinct genetic markers at birth and require muscle spindle-derived GDNF for postnatal survival. *Neural Development*, 4, 42-42. doi.

Shook, B. A., Lenington, J. B., Acabchuk, R. L., Halling, M., Sun, Y., Peters, J., . . . Conover, J. C. (2013). Ventriculomegaly associated with ependymal gliosis and declines in barrier integrity in the aging human and mouse brain. *Aging Cell*, n/a-n/a. doi: 10.1111/accel.12184. <http://dx.doi.org/10.1111/accel.12184>

Shooner, C., Hallum, L. E., Kumbhani, R. D., Ziemba, C. M., Garcia-Marin, V., Kelly, J. G., . . . Kiorpes, L. (2015). Population representation of visual information in areas V1 and V2 of amblyopic macaques. *Vision Research*, (0). doi: <http://dx.doi.org/10.1016/j.visres.2015.01.012>. <http://www.sciencedirect.com/science/article/pii/S0042698915000280>

Shrestha, B. R., & Grueber, W. B. (2011). Methods for exploring the genetic control of sensory neuron dendrite morphogenesis in *Drosophila*. *Cold Spring Harbor Protocols*, 2011(8), pdb-top123-pdb-top123. doi.

Shrestha, S. S., Anne Bannatyne, B., Jankowska, E., Hammar, I., Nilsson, E., & Maxwell, D. J. (2012). Inhibitory inputs to four types of spinocerebellar tract neurons in the cat spinal cord. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.015. <http://www.sciencedirect.com/science/article/pii/S0306452212009189?v=s5>

Shrestha, S. S., Bannatyne, B. A., Jankowska, E., Hammar, I., Nilsson, E., & Maxwell, D. J. (2012). Excitatory inputs to four types of spinocerebellar tract neurons in the cat and the rat thoraco-lumbar spinal cord. *Journal of Physiology*. doi.

Shu, S., Zhang, Z., Spicer, D., Kulikowicz, E., Hu, K., Babapoor-Farrokhran, S., . . . Robertson, C. L. (2019). Administration of a 20-Hydroxyeicosatetraenoic Acid Synthesis Inhibitor Improves Outcome in a Rat Model of Pediatric Traumatic Brain Injury. *Developmental Neuroscience*. doi: 10.1159/000500895. <https://www.karger.com/DOI/10.1159/000500895>

Shu, Y. (2008). Recurrent Cortical Network Activity and Modulation of Synaptic Transmission. *Seizure Prediction in Epilepsy*, 83-95. doi.

Shuler, M. G., Krimm, R. F., & Hill, D. L. (2004). Neuron/target plasticity in the peripheral gustatory system. *Journal of Comparative Neurology*, 472(2), 183-192. doi.

Shyam, S., & F, S. C. (2018). The distributed circuit within the piriform cortex makes odor discrimination robust. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24492. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24492>

Si, X., Zakir, M. M., & Dickman, J. D. (2003). Afferent Innervation of the Utricular Macula in Pigeons. *Journal of Neurophysiology*, 89(3), 1660-1677. doi: 10.1152/jn.00690.2002. <http://jn.physiology.org/cgi/content/abstract/89/3/1660>

Siddiqi, F., Chen, F., Aron, A. W., Fiondella, C. G., Patel, K., & LoTurco, J. J. (2012). Fate Mapping by PiggyBac Transposase Reveals That Neocortical GLAST+ Progenitors Generate More Astrocytes Than Nestin+ Progenitors in Rat Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhs332. <http://cercor.oxfordjournals.org/content/early/2012/10/31/cercor.bhs332..>

.

Sidiropoulou, K., Lu, F. M., Fowler, M. A., Xiao, R., Phillips, C., Ozkan, E. D., . . . Cooper, D. C. (2009). Dopamine modulates an mGluR5-mediated depolarization underlying prefrontal persistent activity. *Nature Neuroscience*, 12(2), 190-199. doi.

Siegel, J. M., Nienhuis, R., Gulyani, S., Ouyang, S., Wu, M. F., Mignot, E., . . . Cornford, M. (1999). Neuronal Degeneration in Canine Narcolepsy. *Journal of Neuroscience*, 19(1), 248-257. doi. <http://www.jneurosci.org/cgi/content/abstract/19/1/248>

Siembab, V. C., Gomez-Perez, L., Rotterman, T. M., Shneider, N. A., & Alvarez, F. J. (2015). Role of primary afferents in the developmental regulation of motor axon synapse numbers on Renshaw cells. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23946. <http://dx.doi.org/10.1002/cne.23946>

Siembab, V. C., Smith, C. A., Zagoraoui, L., Berrocal, M. C., Mentis, G. Z., & Alvarez, F. J. (2010). Target selection of proprioceptive and motor axon synapses on neonatal V1-derived Ia inhibitory interneurons and Renshaw cells. *Journal of Comparative Neurology*, 518(23), 4675-4701. doi.

Sierra, A., Encinas, J., Deudero, J., Chancey, J., Enikolopov, G., Overstreet-Wadiche, L., . . . Maletic-Savatic, M. (2010). Microglia shape adult hippocampal neurogenesis through apoptosis-coupled phagocytosis. *Cell Stem Cell*, 7, 483 - 495. doi.

Sieveritz, B., & Arbuthnott, G. W. (2020). Prelimbic cortical targets of ventromedial thalamic projections include inhibitory interneurons and corticostriatal pyramidal neurons in the rat. *Brain Structure and Function*. doi: 10.1007/s00429-020-02109-3. <https://doi.org/10.1007/s00429-020-02109-3>

Siewiorek, G. M., Eskandari, M. K., & Finol, E. A. (2008). The Angioguard β embolic protection device. *Expert review of medical devices*, 5(3), 287-287. doi.

Siewiorek, G. M., Wholey, M. H., & Finol, E. A. (2008). Vascular resistance in the carotid artery: an in vitro investigation of embolic protection filters. *Journal of Vascular and Interventional Radiology*, 19(10), 1467-1476. doi.

Sik, A. (2006). Merging structure and function: Combination of In vivo extracellular and intracellular electrophysiological recordings with neuroanatomical techniques. *Neuroanatomical Tract-Tracing* 3, 175-196. doi.

Silberberg, G., & Markram, H. (2007). Disynaptic inhibition between neocortical pyramidal cells mediated by Martinotti cells. *Neuron*, 53(5), 735-746. doi.

Silva, J. M., Rodrigues, S., Sampaio-Marques, B., Gomes, P., Neves-Carvalho, A., Dioli, C., . . . Sotiropoulos, I. (2018). Dysregulation of autophagy and stress granule-related proteins in stress-driven Tau pathology. *Cell Death and Differentiation*. doi: 10.1038/s41418-018-0217-1. <https://doi.org/10.1038/s41418-018-0217-1>

Sim, S., Antolin, S., Lin, C.-W., Lin, Y.-X., & Lois, C. (2013). Increased Cell-Intrinsic Excitability Induces Synaptic Changes in New Neurons in the Adult Dentate Gyrus That Require Npas4. *Journal of Neuroscience*, 33(18), 7928-7940. doi: 10.1523/jneurosci.1571-12.2013. <http://www.jneurosci.org/content/33/18/7928.abstract>

Simard, A. R., & Rivest, S. (2007). Neuroprotective effects of resident microglia following acute brain injury. *Journal of Comparative Neurology*, 504(6), 716-729. doi.

Simmons, D. A., Belichenko, N. P., Yang, T., Condon, C., Monbureau, M., Shamloo, M., . . . Longo, F. M. (2013). A Small Molecule TrkB Ligand Reduces Motor Impairment and Neuropathology in R6/2 and BACHD Mouse Models of Huntington's Disease. *Journal of Neuroscience*, 33(48), 18712-18727. doi. <http://www.jneurosci.org/content/33/48/18712.short>

Simmons, D. A., Knowles, J. K., Belichenko, N. P., Banerjee, G., Finkle, C., Massa, S. M., & Longo, F. M. (2014). A Small Molecule p75^{NTR} Ligand, LM11A-31, Reverses Cholinergic Neurite Dystrophy in Alzheimer's Disease Mouse Models with Mid- to Late-Stage Disease Progression. *PLoS ONE*, 9(8), e102136. doi: 10.1371/journal.pone.0102136. <http://dx.doi.org/10.1371/journal.pone.0102136>

Simmons, D. A., Lartey, F. M., Schüler, E., Rafat, M., King, G., Kim, A., . . . Loo, B. W. (2019). Reduced cognitive deficits after FLASH irradiation of whole mouse brain are associated with less hippocampal dendritic spine loss and neuroinflammation. *Radiotherapy and Oncology*. doi: <https://doi.org/10.1016/j.radonc.2019.06.006>. <http://www.sciencedirect.com/science/article/pii/S0167814019329421>

Simmons, D. A., Mehta, R. A., Lauterborn, J. C., Gall, C. M., & Lynch, G. (2011). Brief amphetamine treatments slow the progression of Huntington's disease phenotypes in R6/2 mice. *Neurobiology of Disease*, 41(2), 436-444. doi.

Simões, A. P., Silva, C. G., Marques, J. M., Pochmann, D., Porciúncula, L. O., Ferreira, S., . . . Rodrigues, R. J. (2018). Glutamate-induced and NMDA receptor-mediated neurodegeneration entails P2Y1 receptor activation. *Cell Death & Disease*, 9(3), 297. doi: 10.1038/s41419-018-0351-1. <https://doi.org/10.1038/s41419-018-0351-1>

Simões, C. S., Vianney, P. V. R., De Moura, M. M., Freire, M. A. M., Mello, L. E., Sameshima, K., . . . Ribeiro, S. (2010). Activation of frontal neocortical areas by vocal production in marmosets. *Frontiers In Integrative Neuroscience*, 4. doi.

Simon, A., Olah, S., Molnar, G., Szabadics, J., & Tamas, G. (2005). Gap-Junctional Coupling between Neurogliaform Cells and Various Interneuron Types in the Neocortex. *Journal of Neuroscience*, 25(27), 6278-6285. doi. <http://www.jneurosci.org/cgi/content/abstract/25/27/6278>

Simon, Christian M., Janas, Anna M., Lotti, F., Tapia, Juan C., Pellizzoni, L., & Mentis, George Z. (2016). A Stem Cell Model of the Motor Circuit Uncouples Motor Neuron Death from Hyperexcitability Induced by SMN Deficiency. *Cell Reports*. doi: 10.1016/j.celrep.2016.06.087. <http://dx.doi.org/10.1016/j.celrep.2016.06.087>

Simone, D. A., Nolano, M., Johnson, T., Wendelschafer-Crabb, G., & Kennedy, W. R. (1998). Intradermal Injection of Capsaicin in Humans Produces Degeneration and Subsequent Reinnervation of Epidermal Nerve Fibers: Correlation with Sensory Function. *Journal of Neuroscience*, 18(21), 8947-8959. doi. <http://www.jneurosci.org/cgi/content/abstract/18/21/8947>

Simonetti, T., Lee, H., Bourke, M., Leamey, C. A., & Sawatari, A. (2009). Enrichment from birth accelerates the functional and cellular development of a motor control area in the mouse. *PLoS ONE*, 4(8), e6780-e6780. doi.

Simonnet, J., Eugène, E., Cohen, I., Miles, R., & Fricker, D. (2012). Cellular neuroanatomy of rat presubiculum. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12065. <http://dx.doi.org/10.1111/ejn.12065>

Simpson, J., & Keefe, J. (2012). Differential effects of RET and TRKB on axonal branching and survival of parasympathetic neurons. *Developmental Neurobiology*. doi.

Simpson, J. I., Hulscher, H. C., Sabel-Goedknecht, E., & Ruigrok, T. J. H. (2005). Between in and out: linking morphology and physiology of cerebellar cortical interneurons. *Progress in Brain Research*, 148, 329-340. doi.

Sims-Lucas, S. (2012). Analysis of 3D Branching Pattern: Hematoxylin and Eosin Method. *Methods in Molecular Biology*, 886, 73. doi.

Sims-Lucas, S., Argyropoulos, C., Kish, K., McHugh, K., Bertram, J. F., Quigley, R., & Bates, C. M. (2009). Three-dimensional imaging reveals ureteric and mesenchymal defects in Fgfr2-mutant kidneys. *Journal of the American Society of Nephrology*, 20(12), 2525-2533. doi.

Sims-Lucas, S., Cusack, B., Baust, J., Eswarakumar, V. P., Masatoshi, H., Takeuchi, A., & Bates, C. M. (2011). Fgfr1 and the Ilc isoform of Fgfr2 play critical roles in the metanephric mesenchyme mediating

early inductive events in kidney development. *Developmental Dynamics*, 240(1), 240-249. doi: 10.1002/dvdy.22501. <http://dx.doi.org/10.1002/dvdy.22501>

Sims-Lucas, S., Cusack, B., Eswarakumar, V. P., Zhang, J., Wang, F., & Bates, C. M. (2011). Independent roles of Fgfr2 and Frs2 α in ureteric epithelium. *Development*, 138(7), 1275-1280. doi: 10.1242/dev.062158. <http://dev.biologists.org/content/138/7/1275.abstract>

Sinclair, E. B., Hildebrandt, B. A., Culbert, K. M., Klump, K. L., & Sisk, C. L. (2017). Preliminary evidence of sex differences in behavioral and neural responses to palatable food reward in rats. *Physiology and Behavior*. doi: <http://doi.org/10.1016/j.physbeh.2017.03.042>. <http://www.sciencedirect.com/science/article/pii/S0031938417300045>

Singh, B. K., Vatsa, N., Nelson, V. K., Kumar, V., Kumar, S. S., Mandal, S. C., . . . Jana, N. R. (2018). Azadiradione Restores Protein Quality Control and Ameliorates the Disease Pathogenesis in a Mouse Model of Huntington's Disease. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0853-3. <https://doi.org/10.1007/s12035-017-0853-3>

Singh, K., Lilleväli, K., Gilbert, S. F., Bregin, A., Narvik, J., Jayaram, M., . . . Philips, M.-A. (2018). The combined impact of IgLON family proteins Lsamp and Neurotrimin on developing neurons and behavioral profiles in mouse. *Brain Research Bulletin*, 140, 5-18. doi: <https://doi.org/10.1016/j.brainresbull.2018.03.013>. <http://www.sciencedirect.com/science/article/pii/S0361923017307207>

Singh, S., Metz, I., Amor, S., van der Valk, P., Stadelmann, C., & Bruck, W. (2013). Microglial nodules in early multiple sclerosis white matter are associated with degenerating axons. *Acta Neuropathol*, 125, 595 - 608. doi.

Singh, S. P., LaSarge, C. L., An, A., McAuliffe, J. J., & Danzer, S. C. (2015). Clonal analysis of newborn hippocampal dentate granule cell proliferation and development in temporal lobe epilepsy. [10.1523/ENEURO.0087-15.2015]. *eneuro*. doi. <http://eneuro.org/content/early/2015/12/24/ENEURO.0087-15.2015.abstract>

Singh, S. R., Hileman, S. M., Connors, J. M., McManus, C. J., Coolen, L. M., Lehman, M. N., & Goodman, R. L. (2009). Estradiol negative feedback regulation by glutamatergic afferents to A15 dopaminergic neurons: variation with season. *Endocrinology*, en.2009-0432. doi: 10.1210/en.2009-0432. <http://endo.endojournals.org/cgi/content/abstract/en.2009-0432v1>

Siniscalco, D., Giordano, C., Fuccio, C., Luongo, L., Ferraraccio, F., Rossi, F., . . . Maione, S. (2008). Involvement of subtype 1 metabotropic glutamate receptors in apoptosis and caspase-7 over-expression in spinal cord of neuropathic rats. *Pharmacological Research*, 57(3), 223-233. doi.

Sitko, A. A., Kuwajima, T., & Mason, C. (2018). Eye-specific segregation and differential fasciculation of developing retinal ganglion cell axons in the mouse visual pathway. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24392. <http://dx.doi.org/10.1002/cne.24392>

Sivasankaran, R., Pei, J., Wang, K. C., Zhang, Y. P., Shields, C. B., Xu, X.-M., & He, Z. (2004). PKC mediates inhibitory effects of myelin and chondroitin sulfate proteoglycans on axonal regeneration. *Nature of Neuroscience*, (7), 261-268. doi.

Sivertsen, M. S., Perreault, M.-C., & Glover, J. C. (2015). Pontine reticulospinal projections in the neonatal mouse – internal organization and axon trajectories. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23904. <http://dx.doi.org/10.1002/cne.23904>

Sivukhina, E. V., Morozov, I. E., Dolzhikov, A. A., Jirikowski, G. F., & Grinevich, V. (2010). Comparison of vasopressin and oxytocin expressions in the hypothalamo-neurohypophysial system of patients with chronic heart failure. *Hormone and Metabolic Research*, 42(1), 56-56. doi.

Sivukhina, E. V., Poskrebyшева, A. S., Smurova, I. V., Dolzhikov, A. A., Morozov, I. E., Jirikowski, G. F., & Grinevich, V. (2009). Altered Hypothalamic-Pituitary-Adrenal Axis Activity in Patients with Chronic Heart Failure. *Hormone and Metabolic Research*, 41(10), 778-778. doi.

Sjöström, P. J., & Häusser, M. (2006). A cooperative switch determines the sign of synaptic plasticity in distal dendrites of neocortical pyramidal neurons. *Neuron*, 51(2), 227-238. doi.

Skinner, F., & Saraga, F. (2010). Single Neuron Models: Interneurons. *Hippocampal Microcircuits*, 399-422. doi.

Skripuletz, T., Schmieidl, A., Schade, J., Bedoui, S., Glaab, T., Pabst, R., . . . Stephan, M. (2007). Dose-dependent recruitment of CD25⁺ and CD26⁺ T cells in a novel F344 rat model of asthma. *American Journal of Physiology and Lung Cell Molecular Physiology*, 292(6), L1564-1571. doi: 10.1152/ajplung.00273.2006. <http://ajplung.physiology.org/cgi/content/abstract/292/6/L1564>

Slater, B. J., Willis, A. M., & Llano, D. A. (2012). Evidence for Layer-Specific Differences in Auditory Corticocollicular Neurons. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.10.053. <http://www.sciencedirect.com/science/article/pii/S0306452212010779?v=s5>

Slaughter, K., Li, H., & Sokoloff, A. J. (2005). Neuromuscular Organization of the Superior Longitudinalis Muscle in the Human Tongue. *Cells Tissues Organs*, 181(1), 51-64. doi. <http://www.karger.com/DOI/10.1159/000089968>

Slezia, A., Hangya, B., Ulbert, I., & Acsady, L. (2011). Phase Advancement and Nucleus-Specific Timing of Thalamocortical Activity during Slow Cortical Oscillation. *Journal of Neuroscience*, 31(2), 607-617. doi: 10.1523/jneurosci.3375-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/2/607>

Slézia, A., Hangya, B., Ulbert, I., & Acsády, L. (2011). Phase advancement and nucleus-specific timing of thalamocortical activity during slow cortical oscillation. *Journal of Neuroscience*, 31(2), 607-617. doi.

Smafield, T., Pasupuleti, V., Sharma, K., Haganir, R., Ye, B., & Zhou, J. (2015). Automatic Dendritic Length Quantification for High Throughput Screening of Mature Neurons. *Neuroinformatics*, 1-16. doi: 10.1007/s12021-015-9267-4. <http://dx.doi.org/10.1007/s12021-015-9267-4>

Smedowski, A., Liu, X., Pietrucha-Dutczak, M., Matuszek, I., Varjosalo, M., & Lewin-Kowalik, J. (2016). Predegenerated Schwann cells—a novel prospect for cell therapy for glaucoma: neuroprotection, neuroregeneration and neuroplasticity. [Article]. *Scientific Reports*, 6, 23187. doi: 10.1038/srep23187

<http://www.nature.com/articles/srep23187#supplementary-information>. <http://dx.doi.org/10.1038/srep23187>

Smedowski, A., Liu, X., Pietrucha-Dutczak, M., Matuszek, I., Varjosalo, M., & Lewin-Kowalik, J. (2016). Predegenerated Schwann cells—a novel prospect for cell therapy for glaucoma: neuroprotection, neuroregeneration and neuroplasticity. [Article]. *Scientific Reports*, 6, 23187. doi: 10.1038/srep23187

<http://www.nature.com/articles/srep23187#supplementary-information>. <http://dx.doi.org/10.1038/srep23187>

Smith, A. H., Kuliszewski, M. A., Liao, C., Rudenko, D., Stewart, D. J., & Leong-Poi, H. (2012). Sustained Improvement in Perfusion and Flow Reserve After Temporally Separated Delivery of Vascular Endothelial Growth Factor and Angiopoietin-1 Plasmid Deoxyribonucleic Acid. *Journal of the American College of Cardiology*, 59(14), 1320-1328. doi: 10.1016/j.jacc.2011.12.025. <http://www.sciencedirect.com/science/article/pii/S0735109712002768>

Smith, B. N., & Dudek, F. E. (2001). Short- and Long-Term Changes in CA1 Network Excitability After Kainate Treatment in Rats. *Journal of Neurophysiology*, 85(1), 1-9. doi: <http://jn.physiology.org/cgi/content/abstract/85/1/1>

Smith, C., Gentleman, S., Leclercq, P., Murray, L., Griffin, W., Graham, D., & Nicoll, J. (2012). The neuroinflammatory response in humans after traumatic brain injury. *Neuropathology and Applied Neurobiology*, 39(6), 654 - 666. doi.

Smith, D. E., Roberts, J., Gage, F. H., & Tuszynski, M. H. (1999). Age-associated neuronal atrophy occurs in the primate brain and is reversible by growth factor gene therapy. *Proceedings of the National Academy of Sciences*, 96(19), 10893-10898. doi.

Smith, D. V., & Uteshev, V. V. (2008). Heterogeneity of nicotinic acetylcholine receptor expression in the caudal nucleus of the solitary tract. *Neuropharmacology*, 54(2), 445-453. doi.

Smith, E. S., Smith, D. R., Eyring, C., Braileanu, M., Smith-Connor, K. S., Ei Tan, Y., . . . Blue, M. E. (2018). Altered trajectories of neurodevelopment and behavior in mouse models of Rett Syndrome. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2018.11.007>. <http://www.sciencedirect.com/science/article/pii/S1074742718302624>

Smith, J. C., McClung, J. R., & Goldberg, S. J. (2006). Effects of 12 days of artificial rearing on morphology of hypoglossal motoneurons innervating tongue retrusors in rat. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 288(3), 280-285. doi.

Smith, J. H., Rowland, C., Harland, B., Moslehi, S., Montgomery, R. D., Schobert, K., . . . Taylor, R. P. (2021). How neurons exploit fractal geometry to optimize their network connectivity. *Scientific Reports*, 11(1), 2332. doi: 10.1038/s41598-021-81421-2. <https://doi.org/10.1038/s41598-021-81421-2>

Smith, K. C., Ehlinger, D. G., & Smith, R. F. (2015). Adolescent nicotine alters dendritic morphology in the bed nucleus of the stria terminalis. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2015.01.056>. <http://www.sciencedirect.com/science/article/pii/S0304394015000695>

Smith, K. L., Kassem, M. S., Clarke, D. J., Kuligowski, M. P., Bedoya-Pérez, M. A., Todd, S. M., . . . Arnold, J. C. (2019). Microglial cell hyper-ramification and neuronal dendritic spine loss in the hippocampus and medial prefrontal cortex in a mouse model of PTSD. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.05.042>. <http://www.sciencedirect.com/science/article/pii/S089159119302107>

Smith, K. L., Turner, J. N., Szarowski, D. H., & Swann, J. W. (1994). Localizing sites of intradendritic electrophysiological recordings by confocal light microscopy. *Microscopy Research and Technique*, 29(4), 310-318. doi.

Smith, K. M., Boyle, K. A., Madden, J. F., Dickinson, S. A., Jobling, P., Callister, R. J., . . . Graham, B. A. (2015). Functional heterogeneity of calretinin-expressing neurons in the mouse superficial dorsal

horn: Implications for spinal pain processing. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270855. <http://dx.doi.org/10.1113/JP270855>

Smith, K. M., Boyle, K. A., Mustapa, M., Jobling, P., Callister, R. J., Hughes, D. I., & Graham, B. A. (2016). Distinct forms of synaptic inhibition and neuromodulation regulate calretinin-positive neuron excitability in the spinal cord dorsal horn. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.058>. <http://www.sciencedirect.com/science/article/pii/S0306452216300458>

Smith, K. M., Maragnoli, M. E., Phull, P. M., Tran, K. M., Choubey, L., & Vaccarino, F. M. (2014). Fgfr1 Inactivation in the Mouse Telencephalon Results in Impaired Maturation of Interneurons Expressing Parvalbumin. *PLoS ONE*, 9(8), e103696. doi: 10.1371/journal.pone.0103696. <http://dx.doi.org/10.1371/journal.pone.0103696>

Smith, K. M., Matson, S., Matson, W. R., Cormier, K., Del Signore, S. J., Hagerty, S. W., . . . Ferrante, R. J. (2006). Dose ranging and efficacy study of high-dose coenzyme Q10 formulations in Huntington's disease mice. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1762(6), 616-626. doi.

Smith, Laura N., Jedynek, Jakub P., Fontenot, Miles R., Hale, Carly F., Dietz, Karen C., Taniguchi, M., . . . Cowan, Christopher W. (2014). Fragile X Mental Retardation Protein Regulates Synaptic and Behavioral Plasticity to Repeated Cocaine Administration. *Neuron*, 82(3), 645-658. doi: <http://dx.doi.org/10.1016/j.neuron.2014.03.028>. <http://www.sciencedirect.com/science/article/pii/S089662731400258X>

Smith, P. H., Bartlett, E. L., & Kowalkowski, A. (2006). Unique combination of anatomy and physiology in cells of the rat paralaminar thalamic nuclei adjacent to the medial geniculate body. *Journal of Comparative Neurology*, 496(3), 314-334. doi.

Smith, P. H., Massie, A., & Joris, P. X. (2005). Acoustic stria: anatomy of physiologically characterized cells and their axonal projection patterns. *Journal of Comparative Neurology*, 482(4), 349-371. doi.

Smith, R. F., McDonald, C. G., Bergstrom, H. C., Ehlinger, D. G., & Brielmaier, J. M. (2015). Adolescent nicotine induces persisting changes in development of neural connectivity. *Neuroscience and Biobehavioral Reviews*, 55(0), 432-443. doi: <http://dx.doi.org/10.1016/j.neubiorev.2015.05.019>. <http://www.sciencedirect.com/science/article/pii/S0149763415001542>

Smrt, R. D., Szulwach, K. E., Pfeiffer, R. L., Li, X., Guo, W., Pathania, M., . . . others. (2010). MicroRNA miR-137 Regulates Neuronal Maturation by Targeting Ubiquitin Ligase Mind Bomb-1. *Stem Cells*, 28(6), 1060-1070. doi.

Snider, J., Pillai, A., & Stevens, C. F. (2010). A universal property of axonal and dendritic arbors. *Neuron*, 66(1), 45-56. doi.

Snook, E. R., Fisher-Perkins, J. M., Sansing, H. A., Lee, K. M., Alvarez, X., MacLean, A. G., . . . Bunnell, B. A. (2013). Innate Immune Activation in the Pathogenesis of a Murine Model of Globoid Cell Leukodystrophy. *American Journal of Pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2013.10.011>. <http://www.sciencedirect.com/science/article/pii/S0002944013007232>

Snow, W. M., Hartle, K., & Ivanko, T. L. (2008). Altered morphology of motor cortex neurons in the VPA rat model of autism. *Developmental Psychobiology*, 50(7), 633-639. doi.

Soares, C. A., & Mason, C. A. (2015). Transient ipsilateral retinal ganglion cell projections to the brain: Extent, targeting and disappearance. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22291. <http://dx.doi.org/10.1002/dneu.22291>

Soares, D., Yamamoto, Y., Strickler, A. G., & Jeffery, W. R. (2004). The Lens Has a Specific Influence on Optic Nerve and Tectum Development in the Blind Cavefish *Astyanax*. *Developmental Neuroscience*, 26(5-6), 308-317. doi:

Soares, J. G. M., Rosado De Castro, P. H., Fiorani, M., Nascimento-Silva, S., & Gattass, R. (2008). Distribution of neurofilament proteins in the lateral geniculate nucleus, primary visual cortex, and area MT of adult *Cebus* monkeys. *Journal of Comparative Neurology*, 508(4), 605-614. doi:

Soares, L. M., De Vry, J., Steinbusch, H. W. M., Milani, H., Prickaerts, J., & Weffort de Oliveira, R. M. (2016). Risperidone improves cognition, reduces anxiety- and despair-like behaviors and impacts hippocampal neuroplasticity after transient global cerebral ischemia. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.062>. <http://www.sciencedirect.com/science/article/pii/S0306452216300495>

Soares-Cunha, C., Coimbra, B., Borges, S., Carvalho, M., Rodrigues, A., & Sousa, N. (2014). The motivational drive to natural rewards is modulated by prenatal glucocorticoid exposure. *Translational Psychiatry*, 4(6), e397. doi: <http://www.nature.com/tp/journal/v4/n6/full/tp201445a.html>

Sobue, A., Ito, N., Nagai, T., Shan, W., Hada, K., Nakajima, A., . . . Yamada, K. (2018). Astroglial major histocompatibility complex class I following immune activation leads to behavioral and neuropathological changes. *Glia*, n/a-n/a. doi: 10.1002/glia.23299. <http://dx.doi.org/10.1002/glia.23299>

Sobue, A., Kushima, I., Nagai, T., Shan, W., Kohno, T., Aleksic, B., . . . Ozaki, N. (2018). Genetic and animal model analyses reveal the pathogenic role of a novel deletion of RELN in schizophrenia. *Scientific Reports*, 8(1), 13046. doi: 10.1038/s41598-018-31390-w. <https://doi.org/10.1038/s41598-018-31390-w>

Soderstrom, K. E., O'Malley, J. A., Levine, N. D., Sortwell, C. E., Collier, T. J., & Steece-Collier, K. (2010). Impact of dendritic spine preservation in medium spiny neurons on dopamine graft efficacy and the expression of dyskinesias in parkinsonian rats. *European Journal of Neuroscience*, 31(3), 478-490. doi:

Soeda, Y., Yoshikawa, M., Almeida, O. F. X., Sumioka, A., Maeda, S., Osada, H., . . . Takashima, A. (2015). Toxic tau oligomer formation blocked by capping of cysteine residues with 1,2-dihydroxybenzene groups. [Article]. *Nature Communications*, 6. doi: 10.1038/ncomms10216. <http://dx.doi.org/10.1038/ncomms10216>

Sohn, J., Okamoto, S., Kataoka, N., Kaneko, T., Nakamura, K., & Hioki, H. (2016). Differential Inputs to the Perisomatic and Distal-Dendritic Compartments of VIP-Positive Neurons in Layer 2/3 of the Mouse Barrel Cortex. [Original Research]. *Frontiers in Neuroanatomy*, 10(124). doi: 10.3389/fnana.2016.00124. <http://journal.frontiersin.org/article/10.3389/fnana.2016.00124>

Sokoloff, A. J., Daugherty, M., & Li, H. (2010). Myosin heavy-chain composition of the human hyoglossus muscle. *Dysphagia*, 25(2), 81-93. doi:

Sokoloff, A. J., Li, H., & Burkholder, T. J. (2007). Limited expression of slow tonic myosin heavy chain in human cranial muscles. *Muscle and Nerve*, 36(2), 183-189. doi:

Sokoloff, A. J., Yang, B., Li, H., & Burkholder, T. J. (2007). Immunohistochemical characterization of slow and fast myosin heavy chain composition of muscle fibres in the styloglossus muscle of the human and macaque (*Macaca rhesus*). *Archives of Oral Biology*, 52(6), 533-543. doi.

Solís, O., Espadas, I., Del-Bel, E. A., & Moratalla, R. (2014). Nitric oxide synthase inhibition decreases L-DOPA-induced dyskinesia and the expression of striatal molecular markers in *Pitx3*^{-/-} aphakia mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.09.010>. <http://www.sciencedirect.com/science/article/pii/S0969996114002824>

Sollars, S. I. (2005). Chorda tympani nerve transection at different developmental ages produces differential effects on taste bud volume and papillae morphology in the rat. *Journal of Neurobiology*, 64(3), 310-320. doi.

Sollars, S. I., & Bernstein, I. L. (2000). Neonatal chorda tympani transection permanently disrupts fungiform taste bud and papilla structure in the rat. *Physiology and Behavior*, 69(4), 439-444. doi.

Sollars, S. I., & Hill, D. L. (2000). Lack of functional and morphological susceptibility of the greater superficial petrosal nerve to developmental dietary sodium restriction. *Chemical Senses*, 25(6), 719-727. doi.

Sollars, S. I., Smith, P. C., & Hill, D. L. (2002). Time course of morphological alterations of fungiform papillae and taste buds following chorda tympani transection in neonatal rats. *Journal of Neurobiology*, 51(3), 223-236. doi.

Sollars, S. I., Walker, B. R., Thaw, A. K., & Hill, D. L. (2006). Age-related decrease of the chorda tympani nerve terminal field in the nucleus of the solitary tract is prevented by dietary sodium restriction during development. *Neuroscience*, 137(4), 1229-1236. doi.

Soltys, Z., Ziąja, M., Pawlinski, R., Setkowicz, Z., & Janeczko, K. (2001). Morphology of reactive microglia in the injured cerebral cortex. Fractal analysis and complementary quantitative methods. *Journal of Neuroscience Research*, 63, 90 - 97. doi.

Sommer, G., Bouley, D., Frisoli, J., Pierce, L., Sandner-Porkristl, D., & Fahrig, R. (2007). Determination of 3-dimensional Zonal Renal Volumes Using Contrast-enhanced Computed Tomography. *Journal of Computer Assisted Tomography*, 31(2), 209-213. doi.

Sonawane, S., Khanolkar, V., Namavari, A., Chaudhary, S., Gandhi, S., Tibrewal, S., . . . Jain, S. (2012). Ocular Surface Extracellular DNA and Nuclease Activity Imbalance: A New Paradigm for Inflammation in Dry Eye Disease. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iops.12-10430. <http://www.iovs.org/content/early/2012/11/19/iops.12-10430.abstract>

Song, C., Ehlers, V. L., & Moyer, J. R. (2015). Trace Fear Conditioning Differentially Modulates Intrinsic Excitability of Medial Prefrontal Cortex–Basolateral Complex of Amygdala Projection Neurons in Infralimbic and Prelimbic Cortices. *The Journal of Neuroscience*, 35(39), 13511-13524. doi. <http://www.jneurosci.org/content/35/39/13511.short>

Song, C., & Moyer, J. R. (2017). Layer- and Subregion-Specific Differences in the Neurophysiological Properties of Rat Medial Prefrontal Cortex Pyramidal Neurons. [10.1152/jn.00146.2017]. *Journal of Neurophysiology*. doi. <http://jn.physiology.org/content/early/2017/09/29/jn.00146.2017.abstract>

Song, C.-H., Bernhard, D., Bolarinwa, C., Hess, E. J., Smith, Y., & Jinnah, H. A. (2013). Subtle microstructural changes of the striatum in a DYT1 knock-in mouse model of dystonia. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.01.008>. <http://www.sciencedirect.com/science/article/pii/S0969996113000326>

Song, C.-H., Bernhard, D., Hess, E. J., & Jinnah, H. A. (2013). Subtle microstructural defects of the cerebellum in a knock-in mouse model of DYT1 dystonia. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.10.003>. <http://www.sciencedirect.com/science/article/pii/S0969996113002763>

Song, J.-J., Oh, S.-M., Kwon, O.-C., Wulansari, N., Lee, H.-S., Chang, M.-Y., . . . Lee, S.-H. (2018). Cografting astrocytes improves cell therapeutic outcomes in a Parkinson's disease model. *The Journal of clinical investigation*, 128(1), 463-482. doi: 10.1172/jci93924. <https://doi.org/10.1172/JCI93924>

Song, S., Sj, str, m, P. J., Reigl, M., Nelson, S., & Chklovskii, D. B. (2005). Highly Nonrandom Features of Synaptic Connectivity in Local Cortical Circuits. *PLoS Biology*, 3(3), e68. doi: <http://dx.doi.org/10.1371/journal.pbio.0030068>

Song, X. M., Wang, Y., Zhu, Z., & Li, C. Y. (2010). Morphological Bases of Suppressive and Facilitative Spatial Summation in the Striate Cortex of the Cat. *PLoS ONE*, 5(11), e15025-e15025. doi: 10.1371/journal.pone.0170751. <http://dx.doi.org/10.1371/journal.pone.0170751>

Song, Y., Mellott, J. G., & Winer, J. A. (2011). Microvascular organization of the cat inferior colliculus. *Hearing Research*, 274(1-2), 5-12. doi: 10.1016/j.heares.2011.05.012

Sonner, M. J., Walters, M. C., & Ladle, D. R. (2017). Analysis of Proprioceptive Sensory Innervation of the Mouse Soleus: A Whole-Mount Muscle Approach. *PLoS ONE*, 12(1), e0170751. doi: 10.1371/journal.pone.0170751. <http://dx.doi.org/10.1371/journal.pone.0170751>

Sonner, P. M., Filosa, J. A., & Stern, J. E. (2008). Diminished A-type potassium current and altered firing properties in presympathetic PVN neurones in renovascular hypertensive rats. *Journal of Physiology*, 586(6), 1605-1622. doi: doi:10.1113/jphysiol.2007.147413. <http://www.blackwell-synergy.com/doi/abs/10.1113/jphysiol.2007.147413>

Sonner, P. M., & Stern, J. E. (2007). Functional role of A-type potassium currents in rat presympathetic PVN neurones. *Journal of Physiology*, 582(3), 1219-1238. doi: 10.1113/jphysiol.2007.134379. <http://jp.physoc.org/cgi/content/abstract/582/3/1219>

Sonsalla, P. K., Manzino, L., Sinton, C. M., Liang, C. L., German, D. C., & Zeevalk, G. D. (1997). Inhibition of striatal energy metabolism produces cell loss in the ipsilateral substantia nigra. *Brain Research*, 773(1-2), 223-226. doi: 10.1016/S0006-8993(97)00223-2

Soriano, F. X., Martel, M.-A., Papadia, S., Vaslin, A., Baxter, P., Rickman, C., . . . Hardingham, G. E. (2008). Specific Targeting of Pro-Death NMDA Receptor Signals with Differing Reliance on the NR2B PDZ Ligand. *Journal of Neuroscience*, 28(42), 10696-10710. doi: 10.1523/jneurosci.1207-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/42/10696>

Sorrells, S. F., Paredes, M. F., Cebrian-Silla, A., Sandoval, K., Qi, D., Kelley, K. W., . . . Alvarez-Buylla, A. (2018). Human hippocampal neurogenesis drops sharply in children to undetectable levels in adults. *Nature*, 555, 377. doi: 10.1038/nature25975

<https://www.nature.com/articles/nature25975#supplementary-information>, <http://dx.doi.org/10.1038/nature25975>

Sorrells, S. F., Paredes, M. F., Velmeshev, D., Herranz-Pérez, V., Sandoval, K., Mayer, S., . . . Alvarez-Buylla, A. (2019). Immature excitatory neurons develop during adolescence in the human amygdala. *Nature Communications*, 10(1), 2748. doi: 10.1038/s41467-019-10765-1. <https://doi.org/10.1038/s41467-019-10765-1>

Soteros, B. M., Cong, Q., Palmer, C. R., & Sia, G.-M. (2018). Sociability and synapse subtype-specific defects in mice lacking SRPX2, a language-associated gene. *PLoS ONE*, 13(6), e0199399. doi: 10.1371/journal.pone.0199399. <https://doi.org/10.1371/journal.pone.0199399>

Sotiropoulos, I., Silva, J., Kimura, T., Rodrigues, A. J., Costa, P., Almeida, O. F. X., . . . Takashima, A. (2014). Female Hippocampus Vulnerability to Environmental Stress as Precipitating Factor in Tau Aggregation Pathology. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-140693. <http://dx.doi.org/10.3233/JAD-140693>

Sotogaku, N., Tully, S. E., Gama, C. I., Higashi, H., Tanaka, M., Hsieh-Wilson, L. C., & Nishi, A. (2007). Activation of phospholipase C pathways by a synthetic chondroitin sulfate-E tetrasaccharide promotes neurite outgrowth of dopaminergic neurons. *Journal of Neurochemistry*, 103(2), 749-760. doi: doi:10.1111/j.1471-4159.2007.04849.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04849.x>

Soukhova-O'Hare, G. K., Cheng, Z., Roberts, A. M., & Gozal, D. (2006). Postnatal intermittent hypoxia alters baroreflex function in adult rats. *American Journal of Physiology - Heart and Circulatory Physiology*

290(3), H1157-1164. doi: 10.1152/ajpheart.00767.2005. <http://ajpheart.physiology.org/cgi/content/abstract/290/3/H1157>

Soundararajan, P., Fawcett, J. P., & Rafuse, V. F. (2010). Guidance of Postural Motoneurons Requires MAPK/ERK Signaling Downstream of Fibroblast Growth Factor Receptor 1. *Journal of Neuroscience*, 30(19), 6595-6606. doi: 10.1523/jneurosci.4932-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/19/6595>

Soundararajan, P., Lindsey, B. W., Leopold, C., & Rafuse, V. F. (2007). Easy and Rapid Differentiation of Embryonic Stem Cells into Functional Motoneurons Using Sonic Hedgehog-Producing Cells. *Stem Cells*, 25(7), 1697-1706. doi: 10.1634/stemcells.2006-0654. <http://stemcells.alphamedpress.org/cgi/content/abstract/25/7/1697>

Soundararajan, P., Miles, G. B., Rubin, L. L., Brownstone, R. M., & Rafuse, V. F. (2006). Motoneurons Derived from Embryonic Stem Cells Express Transcription Factors and Develop Phenotypes Characteristic of Medial Motor Column Neurons. *Journal of Neuroscience*, 26(12), 3256-3268. doi: 10.1523/jneurosci.5537-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/12/3256>

Sousa, V. H., Miyoshi, G., Hjerling-Leffler, J., Karayannis, T., & Fishell, G. (2009). Characterization of Nkx6-2-Derived Neocortical Interneuron Lineages. *Cerebral Cortex*, bhp038. doi: 10.1093/cercor/bhp038. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp038v1>

Souza, G. M., Kanbar, R., Stornetta, D. S., Abbott, S. B., Stornetta, R. L., & Guyenet, P. G. (2018). Breathing regulation and blood gas homeostasis after near complete lesions of the retrotrapezoid nucleus in adult rats. *The Journal of Physiology*. doi: Citation for: Breathing regulation and blood gas homeostasis after near complete lesions of the retrotrapezoid nucleus in adult rats

- Souza, G. M. P. R., Stornetta, R. L., Stornetta, D. S., Abbott, S. B. G., & Guyenet, P. G. (2019). Contribution of the retrotrapezoid nucleus and carotid bodies to arousal from sleep elicited by hypercapnia and hypoxia. *The Journal of Neuroscience*, 1268-1219. doi: 10.1523/jneurosci.1268-19.2019. <http://www.jneurosci.org/content/early/2019/10/18/JNEUROSCI.1268-19.2019..>
- Soztutar, E., Colak, E., & Ulupinar, E. (2015). Gender- and anxiety level-dependent effects of perinatal stress exposure on medial prefrontal cortex. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2015.06.005>, <http://www.sciencedirect.com/science/article/pii/S0014488615300169>
- Spalloni, A., Origlia, N., Sgobio, C., Trabalza, A., Nutini, M., Berretta, N., . . . Longone, P. (2010). Postsynaptic Alteration of NR2A Subunit and Defective Autophosphorylation of alphaCaMKII at Threonine-286 Contribute to Abnormal Plasticity and Morphology of Upper Motor Neurons in Presymptomatic SOD1G93A Mice, a Murine Model for Amyotrophic Lateral Sclerosis. *Cerebral Cortex*, bhq152. doi: 10.1093/cercor/bhq152. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq152v1>
- Spangenberg, E. E., Lee, R. J., Najafi, A. R., Rice, R. A., Elmore, M. R. P., Blurton-Jones, M., . . . Green, K. N. (2016). Eliminating microglia in Alzheimer's mice prevents neuronal loss without modulating amyloid- β pathology. *Brain*. doi: 10.1093/brain/aww016. <http://brain.oxfordjournals.org/content/brain/early/2016/02/26/brain.aww016>
- Speed, H. E., Blaiss, C. A., Kim, A., Haws, M. E., Melvin, N. R., Jennings, M., . . . Powell, C. M. (2012). Delayed Reduction of Hippocampal Synaptic Transmission and Spines Following Exposure to Repeated Subclinical Doses of Organophosphorus Pesticide in Adult Mice. *Toxicological Sciences*, 125(1), 196-208. doi: 10.1093/toxsci/kfr253. <http://toxsci.oxfordjournals.org/cgi/content/abstract/125/1/196>
- Spiegel, I., Mardinly, Alan R., Gabel, Harrison W., Bazinet, Jeremy E., Couch, Cameron H., Tzeng, Christopher P., . . . Greenberg, Michael E. (2014). Npas4 Regulates Excitatory-Inhibitory Balance within Neural Circuits through Cell-Type-Specific Gene Programs. *Cell*, 157(5), 1216-1229. doi: 10.1016/j.cell.2014.03.058. [http://www.cell.com/cell/abstract/S0092-8674\(14\)00547-9](http://www.cell.com/cell/abstract/S0092-8674(14)00547-9)
- Spigolon, G., Veronesi, C., Bonny, C., & Vercelli, A. (2010). c-Jun N-terminal kinase signaling pathway in excitotoxic cell death following kainic acid-induced status epilepticus. *European Journal of Neuroscience*, 31(7), 1261-1272. doi:
- Spike, R. C., Puskar, Z., Andrew, D., & Todd, A. J. (2003). A quantitative and morphological study of projection neurons in lamina I of the rat lumbar spinal cord. *European Journal of Neuroscience*, 18(9), 2433-2448. doi:
- Spike, R. C., Puskar, Z., Sakamoto, H., Stewart, W., Watt, C., & Todd, A. J. (2002). MOR-1-immunoreactive neurons in the dorsal horn of the rat spinal cord: evidence for nonsynaptic innervation by substance P-containing primary afferents and for selective activation by noxious thermal stimuli. *European Journal of Neuroscience*, 15(8), 1306-1316. doi: doi:10.1046/j.1460-9568.2002.01969.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.01969.x>
- Spires, T. L., Grote, H. E., Garry, S., Cordery, P. M., Van Dellen, A., Blakemore, C., & Hannan, A. J. (2004). Dendritic spine pathology and deficits in experience-dependent dendritic plasticity in R6/1 Huntington's disease transgenic mice. *European Journal of Neuroscience*, 19(10), 2799-2807. doi: doi:10.1111/j.0953-816X.2004.03374.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-816X.2004.03374.x>

Spirou, G. A., Chirila, F. V., von Gersdorff, H., & Manis, P. B. (2008). Heterogeneous Ca²⁺ influx along the adult calyx of held: A structural and computational study. *Neuroscience*, 154(1), 171-185. doi.

Spray, K. J., & Bernstein, I. L. (2004). Afferent and efferent connections of the parvicellular subdivision of INTS: defining a circuit involved in taste aversion learning. *Behavioural Brain Research*, 154(1), 85-97. doi.

Squintani, G., Ferrari, S., Refatti, N., Capra, F., Caramaschi, P., Rizzuto, N., & Tonin, P. (2004). Multineuropathy in a patient with HBV infection, polyarteritis nodosa and celiac disease. *Journal of the Peripheral Nervous System*, 9(2), 105-106. doi: doi:10.1111/j.1085-9489.2004.009209f.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Sreedhar, S., & Gowda, K. M. N. (2014). 582: AUTOIMMUNE STATUS EPILEPTICUS IN CHILDREN. *Critical Care Medicine*, 42(12), A1500. doi: 10.1097/1501.ccm.0000458079.0000485977.0000458019. doi. http://journals.lww.com/ccmjournals/Fulltext/2014/12001/582_AUTOIMMUNE...

Srinivas, K. V., Buss, E. W., Sun, Q., Santoro, B., Takahashi, H., Nicholson, D. A., & Siegelbaum, S. A. (2017). The dendrites of CA2 and CA1 pyramidal neurons differentially regulate information flow in the cortico-hippocampal circuit. [10.1523/JNEUROSCI.2219-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/02/17/JNEUROSCI.2219-16.2017...>

Srinivasan, A., Muñoz-Estrada, J., Bourgeois, J. R., Nalwalk, J. W., Pumiglia, K. M., Sheen, V. L., & Ferland, R. J. (2017). BranchAnalysis2D/3D Automates Morphometry Analyses of Branching Structures. *Journal of Neuroscience Methods*. doi: <https://doi.org/10.1016/j.jneumeth.2017.10.017>. <http://www.sciencedirect.com/science/article/pii/S0165027017303734>

Srinivasan, S., Carlo, C. N., & Stevens, C. F. (2015). Predicting visual acuity from the structure of visual cortex. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1509282112. <http://www.pnas.org/content/early/2015/06/03/1509282112.abstract>

St. Onge, J. R., Stopper, C. M., Zahm, D. S., & Floresco, S. B. (2012). Separate Prefrontal-Subcortical Circuits Mediate Different Components of Risk-Based Decision Making. *Journal of Neuroscience*, 32(8), 2886-2899. doi: 10.1523/jneurosci.5625-11.2012. <http://www.jneurosci.org/content/32/8/2886.abstract>

Stack, E. C., Dedeoglu, A., Smith, K. M., Cormier, K., Kubilus, J. K., Bogdanov, M., . . . Ferrante, R. J. (2007). Neuroprotective Effects of Synaptic Modulation in Huntington's Disease R6/2 Mice. *Journal of Neuroscience*, 27(47), 12908-12915. doi: 10.1523/jneurosci.4318-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/47/12908>

Stack, E. C., Kubilus, J. K., Smith, K., Cormier, K., Del Signore, S. J., Guelin, E., . . . Ferrante, R. J. (2005). Chronology of behavioral symptoms and neuropathological sequela in R6/2 Huntington's disease transgenic mice. *Journal of Comparative Neurology*, 490(4), 354-370. doi.

Stack, E. C., Smith, K. M., Ryu, H., Cormier, K., Chen, M., Hagerty, S. W., . . . Ferrante, R. J. (2006). Combination therapy using minocycline and coenzyme Q₁₀ in R6/2 transgenic Huntington's disease mice. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1762(3), 373-380. doi.

Stackpole, E. E., Akins, M. R., & Fallon, J. R. (2014). N-myristoylation regulates the axonal distribution of the Fragile X-related protein FXR2P. *Molecular and Cellular Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.mcn.2014.08.003>. <http://www.sciencedirect.com/science/article/pii/S1044743114000979>

Stafisso-Sandoz, G., Polley, D., Holt, E., Lambert, K. G., & Kinsley, C. H. (1998). Opiate Disruption of Maternal Behavior: Morphine Reduces, and Naloxone Restores, c-fos Activity in the Medial Preoptic Area of Lactating Rats. *Brain Research Bulletin*, 45(3), 307-313. doi.

Staiger, J., Bojak, I., Miceli, S., & Schubert, D. (2014). A gradual depth-dependent change in connectivity features of supragranular pyramidal cells in rat barrel cortex. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-014-0726-8. <http://dx.doi.org/10.1007/s00429-014-0726-8>

Staiger, J. F., Flagmeyer, I., Schubert, D., Zilles, K., Kötter, R., & Huhmann, H. J. (2004). Functional Diversity of Layer IV Spiny Neurons in Rat Somatosensory Cortex: Quantitative Morphology of Electrophysiologically Characterized and Biocytin Labeled Cells. *Cerebral Cortex*, V14(N6), 690-701. doi.

Staiger, J. F., Loucif, A. J. C., Schubert, D., & Möck, M. (2016). Morphological Characteristics of Electrophysiologically Characterized Layer Vb Pyramidal Cells in Rat Barrel Cortex. *PLoS ONE*, 11(10), e0164004. doi: 10.1371/journal.pone.0164004. <http://dx.doi.org/10.1371/journal.pone.0164004>

Staiger, J. F., Masanneck, C., Bisler, S., Schleicher, A., Zuschratter, W., & Zilles, K. (2002). Excitatory and inhibitory neurons express c-Fos in barrel-related columns after exploration of a novel environment. *Neuroscience*, 109(4), 687-699. doi.

Staiger, J. F., Masanneck, C., Schleicher, A., & Zuschratter, W. (2004). Calbindin-containing interneurons are a target for VIP-immunoreactive synapses in rat primary somatosensory cortex. *Journal of Comparative Neurology*, 468(2), 179-189. doi.

Staiger, J. F., Schubert, D., Zuschratter, W., Kötter, R., & Luhmann, H. J. (2002). Innervation of interneurons immunoreactive for VIP by intrinsically bursting pyramidal cells and fast-spiking interneurons in infragranular layers of juvenile rat neocortex. *European Journal of Neuroscience*, 16(1), 11-20. doi: doi:10.1046/j.1460-9568.2002.02048.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02048.x>

Staiger, J. F., Zuschratter, W., Luhmann, H. J., & Schubert, D. (2009). Local circuits targeting parvalbumin-containing interneurons in layer IV of rat barrel cortex. *Brain Structure and Function*, 214(1), 1-13. doi.

Stamatakis, S., Francis, H. W., Lehar, M., May, B. J., & Ryugo, D. K. (2006). Synaptic alterations at inner hair cells precede spiral ganglion cell loss in aging C57BL/6J mice. *Hearing Research*, 221(1-2), 104-118. doi.

Stancanelli, A., Nolano, M., Provitera, V., Caporaso, G., & Santoro, L. (2013). 42. Epidermal nerve fiber quantification in immunofluorescence with and without confocal microscopy. *Clinical Neurophysiology*, 124(11), e198. doi: <http://dx.doi.org/10.1016/j.clinph.2013.06.069>. <http://www.sciencedirect.com/science/article/pii/S1388245713007931>

Standish, A., Enquist, L. W., Miselis, R. R., & Schwaber, J. S. (1995). Dendritic morphology of cardiac related medullary neurons defined by circuit-specific infection by a recombinant pseudorabies virus expressing β -galactosidase. *Journal of Neurovirology*, 1(5-6), 359-368. doi.

Stankovic, K., Rio, C., Xia, A., Sugawara, M., Adams, J. C., Liberman, M. C., & Corfas, G. (2004). Survival of Adult Spiral Ganglion Neurons Requires erbB Receptor Signaling in the Inner Ear. *Journal of Neuroscience*, 24(40), 8651-8661. doi: <http://www.jneurosci.org/cgi/content/abstract/24/40/8651>

Stanley, E. M., & Fadel, J. (2012). Aging-related deficits in orexin/hypocretin modulation of the septohippocampal cholinergic system. *Synapse*, 66(5), 445-452. doi: 10.1002/syn.21533. <http://dx.doi.org/10.1002/syn.21533>

Stanley, E. M., Fadel, J. R., & Mott, D. D. (2011). Interneuron loss reduces dendritic inhibition and GABA release in hippocampus of aged rats. *Neurobiology of Aging*. doi:

Staples, M. C., Kim, A., & Mandyam, C. D. (2015). Dendritic remodeling of hippocampal neurons is associated with altered NMDA receptor expression in alcohol dependent rats. *Molecular and Cellular Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.mcn.2015.03.008>. <http://www.sciencedirect.com/science/article/pii/S1044743115000378>

Starkey, M. L., Bleul, C., Kasper, H., Mosberger, A. C., Zörner, B., Giger, S., . . . Schwab, M. E. (2014). High-Impact, Self-Motivated Training Within an Enriched Environment With Single Animal Tracking Dose-Dependently Promotes Motor Skill Acquisition and Functional Recovery. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968314520721. <http://nnr.sagepub.com/content/early/2014/02/10/1545968314520721.abstract>

Starkey, M. L., Bleul, C., Zörner, B., Lindau, N. T., Mueggler, T., Rudin, M., & Schwab, M. E. (2012). Back seat driving: hindlimb corticospinal neurons assume forelimb control following ischaemic stroke. *Brain*, 135(11), 3265-3281. doi: 10.1093/brain/aws270. <http://brain.oxfordjournals.org/content/135/11/3265.abstract>

Stauffer, T. R., Elliott, K. C., Ross, M. T., Basista, M. J., Hyson, R. L., & Johnson, F. (2012). Axial Organization of a Brain Region That Sequences a Learned Pattern of Behavior. *Journal of Neuroscience*, 32(27), 9312-9322. doi: 10.1523/jneurosci.0978-12.2012. <http://www.jneurosci.org/content/32/27/9312.abstract>

Stecina, K. (2017). Midbrain stimulation-evoked lumbar spinal activity and fictive locomotion in the adult decerebrate mouse. *Journal of Neuroscience Methods*. doi: <https://doi.org/10.1016/j.jneumeth.2017.06.015>. <http://www.sciencedirect.com/science/article/pii/S0165027017302236>

Stedehouder, J., Couey, J., Brizee, D., Hosseini, B., Slotman, J., Dirven, C., . . . Kushner, S. (2017). Fast-spiking Parvalbumin Interneurons are Frequently Myelinated in the Cerebral Cortex of Mice and Humans. *Cerebral Cortex*, 1-13. doi: <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx203/407981..>

Steele, J. W., Brautigam, H., Short, J. A., Sowa, A., Shi, M., Yadav, A., . . . Dickstein, D. L. (2014). Early fear memory defects are associated with altered synaptic plasticity and molecular architecture in the TgCRND8 Alzheimer's disease mouse model. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23536. <http://dx.doi.org/10.1002/cne.23536>

Stefanou, S. S., Kastellakis, G., & Poirazi, P. (2016). Creating and Constraining Compartmental Models of Neurons Using Experimental Data. *Advanced Patch-Clamp Analysis for Neuroscientists*, 325-343. doi: http://link.springer.com/protocol/10.1007/978-1-4939-3411-9_15

- Steffen, H. (1998). Application of the Leitz Microvid in microscopic morphometry: the image combining computer microscope. *Leitz Technology Journal*. doi.
- Steger, R., Kamal, A., Lutchman, S., Intrabartolo, L., Sohail, R., & Brumberg, J. C. (2014). Chronic caffeine ingestion causes microglia activation, but not proliferation in the healthy brain. *Brain Research Bulletin*, (0). doi: <http://dx.doi.org/10.1016/j.brainresbull.2014.05.004>. <http://www.sciencedirect.com/science/article/pii/S036192301400094X>
- Steger, R., Ramos, R. L., Cao, R., Yang, Q., Chen, C.-C., Dominici, J., & Brumberg, J. C. (2013). Physiology and morphology of inverted pyramidal neurons in the rodent neocortex. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.004>. <http://www.sciencedirect.com/science/article/pii/S0306452213005010>
- Steininger, T. L., Alam, M. N., Gong, H., Szymusiak, R., & McGinty, D. (1999). Sleep-waking discharge of neurons in the posterior lateral hypothalamus of the albino rat. *Brain Research*, 840(1-2), 138-147. doi.
- Steininger, T. L., Gong, H., McGinty, D., & Szymusiak, R. (2001). Subregional organization of preoptic area/anterior hypothalamic projections to arousal-related monoaminergic cell groups. *Journal of Comparative Neurology*, 429(4), 638-653. doi.
- Stence, N., Waite, M., & Dailey, M. (2001). Dynamics of microglial activation: a confocal time-lapse analysis in hippocampal slices. *Glia*, 33, 256 - 266. doi.
- Stepanek, L., Stoker, A. W., Stoeckli, E., & Bixby, J. L. (2005). Receptor Tyrosine Phosphatases Guide Vertebrate Motor Axons during Development. *Journal of Neuroscience*, 25(15), 3813-3823. doi. <http://www.jneurosci.org/cgi/content/abstract/25/15/3813>
- Stepanyants, A., & Chklovskii, D. B. (2005). Neurogeometry and potential synaptic connectivity. *Trends in Neurosciences*, 28(7), 387-394. doi.
- Stepanyants, A., Hirsch, J. A., Martinez, L. M., Kisvárdy, Z. F., Ferecsko, A. S., & Chklovskii, D. B. (2008). Local Potential Connectivity in Cat Primary Visual Cortex. *Cerebral Cortex*, 18(1), 13-28. doi: 10.1093/cercor/bhm027. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/1/13>
- Stepanyants, A., Martinez, L. M., Ferecskó, A. S., & Kisvárdy, Z. F. (2009). The fractions of short-and long-range connections in the visual cortex. *Proceedings of the National Academy of Sciences*, 106(9), 3555-3555. doi.
- Stepanyants, A., Tamas, G., & Chklovskii, D. (2004). Class-Specific Features of Neuronal Wiring. *Neuron*, 43, 251-259. doi.
- Stephan, A. H., Madison, D. V., Mateos, J. M., Fraser, D. A., Lovelett, E. A., Coutellier, L., . . . Barres, B. A. (2013). A Dramatic Increase of C1q Protein in the CNS during Normal Aging. *Journal of Neuroscience*, 33(33), 13460-13474. doi: 10.1523/jneurosci.1333-13.2013. <http://www.jneurosci.org/content/33/33/13460.abstract>
- Stephan, R., Goellner, B., Moreno, E., Frank, C. A., Hugenschmidt, T., Genoud, C., . . . Pielage, J. (2015). Hierarchical Microtubule Organization Controls Axon Caliber and Transport and Determines Synaptic Structure and Stability. *Developmental cell*, (0). doi: <http://dx.doi.org/10.1016/j.devcel.2015.02.003>. <http://www.sciencedirect.com/science/article/pii/S1534580715001057>

Stephens, B., Guiloff, R. J., Navarrete, R., Newman, P., Nikhar, N., & Lewis, P. (2006). Widespread loss of neuronal populations in the spinal ventral horn in sporadic motor neuron disease. A morphometric study. *Journal of the Neurological Sciences*, 244(1), 41-58. doi.

Stephens, B., Mueller, A. J., Shering, A. F., Hood, S. H., Taggart, P., Arbutnott, G. W., . . . others. (2005). Evidence of a breakdown of corticostriatal connections in Parkinson's disease. *Neuroscience*, 132(3), 741-754. doi.

Ster, J., Steuble, M., Orlando, C., Diep, T.-M., Akhmedov, A., Raineteau, O., . . . Gerber, U. (2014). Calsyntenin-1 Regulates Targeting of Dendritic NMDA Receptors and Dendritic Spine Maturation in CA1 Hippocampal Pyramidal Cells during Postnatal Development. *The Journal of Neuroscience*, 34(26), 8716-8727. doi. <http://www.jneurosci.org/content/34/26/8716.short>

Stern, J. E. (2001). Electrophysiological and morphological properties of pre-autonomic neurones in the rat hypothalamic paraventricular nucleus. *Journal of Physiology*, 537(1), 161-177. doi. <http://jp.physoc.org/cgi/content/abstract/537/1/161>

Stern, J. E., & Armstrong, W. E. (1998). Reorganization of the Dendritic Trees of Oxytocin and Vasopressin Neurons of the Rat Supraoptic Nucleus during Lactation. *Journal of Neuroscience*, 18(3), 841-853. doi. <http://www.jneurosci.org/cgi/content/abstract/18/3/841>

Sterratt, D. C., Groen, M. R., Meredith, R. M., & van Ooyen, A. (2012). Spine Calcium Transients Induced by Synaptically-Evoked Action Potentials Can Predict Synapse Location and Establish Synaptic Democracy. *PLoS Computational Biology*, 8(6), e1002545. doi: 10.1371/journal.pcbi.1002545. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002545>

Steuber, V., De Schutter, E., & Jaeger, D. (2004). Passive models of neurons in the deep cerebellar nuclei: the effect of reconstruction errors. *Neurocomputing*, 58, 563-568. doi.

Stevens, H. E., Su, T., Yanagawa, Y., & Vaccarino, F. M. (2012). Prenatal stress delays inhibitory neuron progenitor migration in the developing neocortex. *Psychoneuroendocrinology*, (0). doi: 10.1016/j.psyneuen.2012.07.011. <http://www.sciencedirect.com/science/article/pii/S0306453012002636>

Stewart, M., Orman, R., Fernandez, K., & Lytton, W. W. (2007). Computer Simulation of Epilepsy: Implications for Seizure Spread and Behavioral Dysfunction. *Behavioral Aspects of Epilepsy: Principles and Practice*. New York: Demos Medical Publishing, LLC. doi.

Stewart, W., & Maxwell, D. J. (2000). Morphological evidence for selective modulation by serotonin of a subpopulation of dorsal horn cells which possess the neurokinin-1 receptor. *European Journal of Neuroscience*, 12(12), 4583. doi.

Stief, F., Zuschratter, W., Hartmann, K., Schmitz, D., & Draguhn, A. (2007). Enhanced synaptic excitation-inhibition ratio in hippocampal interneurons of rats with temporal lobe epilepsy. *European Journal of Neuroscience*, 25(2), 519-528. doi.

Stillman, A. A., Krsnik, Z., Sun, J., Rasin, M. R., State, M. W., Sestan, N., & Louvi, A. (2009). Developmentally regulated and evolutionarily conserved expression of SLITRK1 in brain circuits implicated in Tourette syndrome. *Journal of Comparative Neurology*, 513(1), 21-37. doi: 10.1002/cne.21919. <http://www.ncbi.nlm.nih.gov/pubmed/19105198>

Stocker, S. D., Simmons, J. R., Stornetta, R. L., Toney, G. M., & Guyenet, P. G. (2006). Water deprivation activates a glutamatergic projection from the hypothalamic paraventricular nucleus to the rostral ventrolateral medulla. *Journal of Comparative Neurology*, 494(4), 673-685. doi.

Stockton, D. B., & Santamaria, F. (2017). Integrating the Allen Brain Institute Cell Types Database into Automated Neuroscience Workflow. [journal article]. *Neuroinformatics*. doi: 10.1007/s12021-017-9337-x. <https://doi.org/10.1007/s12021-017-9337-x>

Stokes, C. C. A., & Isaacson, J. S. (2010). From dendrite to soma: dynamic routing of inhibition by complementary interneuron microcircuits in olfactory cortex. *Neuron*, 67(3), 452-465. doi.

Stone, S. S. D., Teixeira, C. M., DeVito, L. M., Zaslavsky, K., Josselyn, S. A., Lozano, A. M., & Frankland, P. W. (2011). Stimulation of Entorhinal Cortex Promotes Adult Neurogenesis and Facilitates Spatial Memory. *Journal of Neuroscience*, 31(38), 13469-13484. doi: 10.1523/jneurosci.3100-11.2011. <http://www.jneurosci.org/content/31/38/13469.abstract>

Stoneham, E. T., McHail, D. G., Boggs, K. N., Albani, S. H., Carty, J. A., Evans, R. C., . . . Dumas, T. C. (2017). Functional perturbation of forebrain principal neurons reveals differential effects in novel and well-learned tasks. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2017.06.024>. <http://www.sciencedirect.com/science/article/pii/S000689931730272X>

Storage, D. A., Higgins, N. C., & Read, H. L. (2010). Thalamic label patterns suggest primary and ventral auditory fields are distinct core regions. *Journal of Comparative Neurology*, 518(10), 1630-1646. doi.

Storage, D. A., Higgins, N. C., & Read, H. L. (2011). Thalamocortical pathway specialization for sound frequency resolution. *Journal of Comparative Neurology*, 519(2), 177-193. doi.

Stork, O., Zhdanov, A., Kudersky, A., Yoshikawa, T., Obata, K., & Pape, H.-C. (2004). Neuronal Functions of the Novel Serine/Threonine Kinase Ndr2. *Journal of Biological Chemistry*, 279(44), 45773-45781. doi: 10.1074/jbc.M403552200. <http://www.jbc.org/cgi/content/abstract/279/44/45773>

Stornetta, R. L., Grubb, M. C., & Guyenet, P. G. (1997). Atipamezole-precipitated clonidine withdrawal induces c-Fos expression in rat central nervous system. *Brain Research*, 764(1-2), 81-92. doi.

Stornetta, R. L., Macon, C. J., Nguyen, T. M., Coates, M. B., & Guyenet, P. G. (2012). Cholinergic neurons in the mouse rostral ventrolateral medulla target sensory afferent areas. *Brain Structure and Function*, 1-21. doi.

Stornetta, R. L., McQuiston, T. J., & Guyenet, P. G. (2004). GABAergic and glycinergic presympathetic neurons of rat medulla oblongata identified by retrograde transport of pseudorabies virus and in situ hybridization. *Journal of Comparative Neurology*, 479(3), 257-270. doi.

Stornetta, R. L., Moreira, T. S., Takakura, A. C., Kang, B. J., Chang, D. A., West, G. H., . . . Guyenet, P. G. (2006). Expression of *Phox2b* by Brainstem Neurons Involved in Chemosensory Integration in the Adult Rat. *Journal of Neuroscience* 26(40), 10305-10314. doi: 10.1523/jneurosci.2917-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/40/10305>

Stornetta, R. L., Rosin, D. L., Simmons, J. R., McQuiston, T. J., Vujovic, N., Weston, M. C., & Guyenet, P. G. (2005). Coexpression of vesicular glutamate transporter-3 and γ -aminobutyric acidergic markers in rat rostral medullary raphe and intermediolateral cell column. *Journal of Comparative Neurology*, 492(4), 477-494. doi.

- Stornetta, R. L., Rosin, D. L., Wang, H., Sevigny, C. P., Weston, M. C., & Guyenet, P. G. (2003). A group of glutamatergic interneurons expressing high levels of both neurokinin-1 receptors and somatostatin identifies the region of the pre-Bötzinger complex. *Journal of Comparative Neurology*, 455(4), 499-512. doi.
- Stornetta, R. L., Schreihöfer, A. M., Pelaez, N. M., Sevigny, C. P., & Guyenet, P. G. (2001). Preproenkephalin mRNA is expressed by C1 and non-C1 barosensitive bulbospinal neurons in the rostral ventrolateral medulla of the rat. *Journal of Comparative Neurology*, 435(1), 111-126. doi.
- Stornetta, R. L., Sevigny, C. P., & Guyenet, P. G. (2002). Vesicular glutamate transporter DNPI/VGLUT2 mRNA is present in C1 and several other groups of brainstem catecholaminergic neurons. *Journal of Comparative Neurology*, 444(3), 191-206. doi.
- Stornetta, R. L., Sevigny, C. P., & Guyenet, P. G. (2003). Inspiratory augmenting bulbospinal neurons express both glutamatergic and enkephalinergic phenotypes. *Journal of Comparative Neurology*, 455(1), 113-124. doi.
- Stornetta, R. L., Sevigny, C. P., Schreihöfer, A. M., Rosin, D. L., & Guyenet, P. G. (2002). Vesicular glutamate transporter DNPI/VGLUT2 is expressed by both C1 adrenergic and nonaminergic presympathetic vasomotor neurons of the rat medulla. *Journal of Comparative Neurology*, 444(3), 207-220. doi.
- Strauch, C., & Manahan-Vaughan, D. (2017). In the Piriform Cortex, the Primary Impetus for Information Encoding through Synaptic Plasticity Is Provided by Descending Rather than Ascending Olfactory Inputs. *Cerebral Cortex*, 1-13. doi: 10.1093/cercor/bhx315. <http://dx.doi.org/10.1093/cercor/bhx315>
- Streit, W., Braak, H., Xue, Q., & Bechmann, I. (2009). Dystrophic (senescent) rather than activated microglial cells are associated with tau pathology and likely precede neurodegeneration in Alzheimer's disease. *Acta Neuropathol*, 118, 475 - 485. doi.
- Strekalova, T., Bahzenova, N., Trofimov, A., Schmitt-Böhrer, A. G., Markova, N., Grigoriev, V., . . . Bachurin, S. (2017). Pro-neurogenic, Memory-Enhancing and Anti-stress Effects of DF302, a Novel Fluorine Gamma-Carboline Derivative with Multi-target Mechanism of Action. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0745-6. <https://doi.org/10.1007/s12035-017-0745-6>
- Strobel, C., Sullivan, R. K. P., Stratton, P., & Sah, P. (2017). Calcium signalling in medial intercalated cell dendrites and spines. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp274261. <http://dx.doi.org/10.1113/JP274261>
- Stroh, O., Freichel, M., Kretz, O., Birnbaumer, L., Hartmann, J., & Egger, V. (2012). NMDA Receptor-Dependent Synaptic Activation of TRPC Channels in Olfactory Bulb Granule Cells. *Journal of Neuroscience*, 32(17), 5737-5746. doi: 10.1523/jneurosci.3753-11.2012. <http://www.jneurosci.org/content/32/17/5737.abstract>
- Stroh, T., van Schouwenburg, M. R., Beaudet, A., & Tannenbaum, G. S. (2009). Subcellular Dynamics of Somatostatin Receptor Subtype 1 in the Rat Arcuate Nucleus: Receptor Localization and Synaptic Connectivity Vary in Parallel with the Ultradian Rhythm of Growth Hormone Secretion. *Journal of Neuroscience*, 29(25), 8198-8205. doi: 10.1523/jneurosci.0336-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/25/8198>
- Strong, C. E., Schoepfer, K. J., Dossat, A. M., Saland, S. K., Wright, K. N., & Kabbaj, M. (2017). Locomotor sensitization to intermittent ketamine administration is associated with nucleus accumbens plasticity

in male and female rats. *Neuropharmacology*.

doi: <https://doi.org/10.1016/j.neuropharm.2017.05.003> <http://www.sciencedirect.com/science/article/pii/S0028390817301995>

Struble, R. G., Afridi, S., Beckman-Randall, S., Li, M., Cady, C., Nathan, B., & McAsey, M. E. (2006). Neocortical and hippocampal glial fibrillary acidic protein immunoreactivity shows region-specific variation during the mouse estrous cycle. *Neuroendocrinology*, 83(5-6), 325-335. doi.

Struble, R. G., Beckman, S. L., Fesser, E., & Nathan, B. P. (2001). Volumetric and horseradish peroxidase tracing analysis of rat olfactory bulb following reversible olfactory nerve lesions. *Chemical Senses*, 26(8), 971-981. doi.

Struble, R. G., & Clark, H. B. (1992). Olfactory bulb lesions in Alzheimers disease. *Neurobiology of Aging*, 13, 469-473. doi.

Stutzmann, G. E., McEwen, B. S., & LeDoux, J. E. (1998). Serotonin Modulation of Sensory Inputs to the Lateral Amygdala: Dependency on Corticosterone. *Journal of Neuroscience*, 18(22), 9529-9538. doi. <http://www.jneurosci.org/cgi/content/abstract/18/22/9529>

Su, H., Wang, L., Cai, J., Yuan, Q., Yang, X., Yao, X., . . . Wu, W. (2013). Transplanted motoneurons derived from human induced pluripotent stem cells form functional connections with target muscle. *Stem Cell Research*, (0). doi: <http://dx.doi.org/10.1016/j.scr.2013.02.007>. <http://www.sciencedirect.com/science/article/pii/S187350611300024X>

Su, X., Chen, J.-J., Liu, L.-Y., Huang, Q., Zhang, L.-Z., Li, X.-Y., . . . Yu, Y.-C. (2017). Neonatal CX26 removal impairs neocortical development and leads to elevated anxiety. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1613237114. <http://www.pnas.org/content/early/2017/03/03/1613237114.abstract>

Su, X., Guan, W., Yu, Y.-C., & Fu, Y. (2014). Cerebellar stem cells do not produce neurons and astrocytes in adult mouse. *Biochemical and Biophysical Research Communications*, (0). doi: <http://dx.doi.org/10.1016/j.bbrc.2014.05.131>. <http://www.sciencedirect.com/science/article/pii/S0006291X14010201>

Suarez, L. M., Alberquilla, S., García-Montes, J. R., & Moratalla, R. (2018). Differential synaptic remodeling by dopamine in direct and indirect striatal projection neurons in *Pitx3*^{-/-} mice, a genetic model of Parkinson's disease. [10.1523/JNEUROSCI.3184-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/02/26/JNEUROSCI.3184-17.2018...>

Suárez, L. M., Solís, O., Caramés, J. M., Taravini, I. R., Solís, J. M., Murer, M. G., & Moratalla, R. (2013). L-DOPA Treatment Selectively Restores Spine Density in Dopamine Receptor D2-Expressing Projection Neurons in Dyskinetic Mice. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2013.05.006>. <http://www.sciencedirect.com/science/article/pii/S0006322313004162>

Suarez, N. A. (2018). Understanding the impact of L1 activity in Rett Syndrome using an iPSC-derived 3D model. UNIVERSITY OF CALIFORNIA, SAN DIEGO.

Subramanian, J., Michel, K., Benoit, M., & Nedivi, E. (2019). CPG15/Neuritin Mimics Experience in Selecting Excitatory Synapses for Stabilization by Facilitating PSD95 Recruitment. *Cell Reports*, 28(6), 1584-1595.e1585.

doi: <https://doi.org/10.1016/j.celrep.2019.07.012> <http://www.sciencedirect.com/science/article/pii/S221124719309027>

Sudarov, A., Gooden, F., Tseng, D., Gan, W.-B., & Ross, M. E. (2013). Lis1 controls dynamics of neuronal filopodia and spines to impact synaptogenesis and social behaviour. *EMBO Molecular Medicine*, n/a-n/a. doi: 10.1002/emmm.201202106. <http://dx.doi.org/10.1002/emmm.201202106>

Suenaga, T., Yukie, M., Gao, S., & Nakahara, D. (2012). Sex-specific effects of prenatal stress on neuronal development in the medial prefrontal cortex and the hippocampus. *Neuroreport*, 23(7), 430-430. doi.

Sugama, S., Takenouchi, T., Fujita, M., Kitani, H., Conti, B., & Hashimoto, M. (2012). Corticosteroids limit microglial activation occurring during acute stress. *Neuroscience*, 232C, 13 - 20. doi.

Sugawara, M., Corfas, G., & Liberman, M. C. (2005). Influence of supporting cells on neuronal degeneration after hair cell loss. *JARO - Journal of the Association for Research in Otolaryngology*, 6(2), 136-147. doi.

Sugihara, I., Brown, K. M., & Ascoli, G. A. (2013). New insights on vertebrate olivo-cerebellar climbing fibers from computerized morphological reconstructions. *BioArchitecture*, 3(2), 0--1. doi.

Sugiuchi, Y., Izawa, Y., Takahashi, M., Na, J., & Shinoda, Y. (2005). Physiological Characterization of Synaptic Inputs to Inhibitory Burst Neurons From the Rostral and Caudal Superior Colliculus. *Journal of Neurophysiology*, 93(2), 697-712. doi: 10.1152/jn.00502.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/697>

Sugiura, M., & Kanda, K. (2004). Progress of Age-Related Changes in Properties of Motor Units in the Gastrocnemius Muscle of Rats. *Journal of Neurophysiology*, 92(3), 1357-1365. doi: 10.1152/jn.00947.2003. <http://jn.physiology.org/cgi/content/abstract/92/3/1357>

Sui, Y. I., Stanić, D., Tomas, D., Jarrott, B., & Horne, M. K. (2009). Meloxicam reduces lipopolysaccharide-induced degeneration of dopaminergic neurons in the rat substantia nigra pars compacta. *Neuroscience Letters*, 460(2), 121-125. doi.

Sukhotinsky, I., Hopkins, D. A., Lu, J., Saper, C. B., & Devor, M. (2005). Movement suppression during anesthesia: neural projections from the mesopontine tegmentum to areas involved in motor control. *Journal of Comparative Neurology*, 489(4), 425-448. doi.

Sukhotinsky, I., Reiner, K., Govrin-Lippmann, R., Belenky, M., Lu, J., Hopkins, D. A., . . . Devor, M. (2006). Projections from the mesopontine tegmental anesthesia area to regions involved in pain modulation. *Journal of Chemical Neuroanatomy*, 32(2-4), 159-178. doi.

Sukhotinsky, I., Zalkind, V., & Devor, M. (2003). Anesthetic effect of barbiturates microinjected into the brainstem: neuroanatomy. *Progress in Pain Research and Management*, 24, 305-314. doi.

Sukhotinsky, I., Zalkind, V., Lu, J., Hopkins, D. A., Saper, C. B., & Devor, M. (2007). Neural pathways associated with loss of consciousness caused by intracerebral microinjection of GABAA-active anesthetics. *European Journal of Neuroscience*, 25(5), 1417-1436. doi: doi:10.1111/j.1460-9568.2007.05399.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05399.x>

Sullivan, E. D. K., Kent, M., Thompson, B., Bardi, M., & Lambert, K. (2019). Maternal-Induced Shifts in Allostatic Demands: Reproductive Experience Alters Emotional and Cognitive Biobehavioral

Responses in Rats (*Rattus norvegicus*). *Neuroscience Letters*.

doi: <https://doi.org/10.1016/j.neulet.2019.01.048>. <http://www.sciencedirect.com/science/article/pii/S0304394019300667>

Sultan, Khadeejah T., Han, Z., Zhang, X.-J., Xianyu, A., Li, Z., Huang, K., & Shi, S.-H. (2016). Clonally Related GABAergic Interneurons Do Not Randomly Disperse but Frequently Form Local Clusters in the Forebrain. *Neuron*, 92(1), 31-44. doi:

10.1016/j.neuron.2016.09.033. <http://dx.doi.org/10.1016/j.neuron.2016.09.033>

Sultan, K. T., Liu, W. A., Li, Z.-L., Shen, Z., Li, Z., Zhang, X.-J., . . . Shi, S.-H. (2018). Progressive divisions of multipotent neural progenitors generate late-born chandelier cells in the neocortex. *Nature Communications*, 9(1), 4595. doi: 10.1038/s41467-018-07055-7. <https://doi.org/10.1038/s41467-018-07055-7>

Summa, M., Russo, D., Penna, I., Margaroli, N., Bayer, I. S., Bandiera, T., . . . Bertorelli, R. (2018). A biocompatible sodium alginate/povidone iodine film enhances wound healing. *European Journal of Pharmaceutics and Biopharmaceutics*, 122(Supplement C), 17-24.

doi: <https://doi.org/10.1016/j.ejpb.2017.10.004>. <http://www.sciencedirect.com/science/article/pii/S0939641117307750>

Sun, C., Dayal, A., & Hill, D. L. (2015). Expanded Terminal Fields of Gustatory Nerves Accompany Embryonic BDNF Overexpression in Mouse Oral Epithelia. *The Journal of Neuroscience*, 35(1), 409-421. doi: <http://www.jneurosci.org/content/35/1/409.short>

Sun, C., Hummler, E., & Hill, D. L. (2016). Selective Deletion of Sodium Salt Taste During Development Leads to Expanded Terminal Fields of Gustatory Nerves in the Adult Mouse Nucleus of the Solitary Tract. [10.1523/JNEUROSCI.2913-16.2016]. *The Journal of Neuroscience*.

doi: <http://www.jneurosci.org/content/early/2016/12/09/JNEUROSCI.2913-16.2016>.

Sun, G., Yang, S., Cao, G., Wang, Q., Hao, J., Wen, Q., . . . Zhou, S. (2017). $\gamma\delta$ T cells provide the early source of IFN- γ to aggravate lesions in spinal cord injury. *Journal of Experimental Medicine*, jem. 20170686. doi: <http://jem.rupress.org/content/early/2017/12/26/jem.20170686>

Sun, G., Zeng, S., Liu, X., Shi, H., Zhang, R., Wang, B., . . . Yu, T. (2019). Synthesis and Characterization of a Silica-Based Drug Delivery System for Spinal Cord Injury Therapy. [journal article]. *Nano-Micro Letters*, 11(1), 23. doi: 10.1007/s40820-019-0252-6. <https://doi.org/10.1007/s40820-019-0252-6>

Sun, G.-Z., He, Y.-C., Ma, X. K., Li, S.-T., Chen, D.-J., Gao, M., . . . Wu, J. (2017). Hippocampal synaptic and neural network deficits in young mice carrying the human APOE4 gene. *CNS Neuroscience & Therapeutics*, 23(9), 748-758. doi: 10.1111/cns.12720. <http://dx.doi.org/10.1111/cns.12720>

Sun, H. Y., Li, Q., Bartley, A. F., & Dobrunz, L. E. (2018). Target-cell-specific Short-term Plasticity Reduces the Excitatory Drive onto CA1 Interneurons Relative to Pyramidal Cells During Physiologically Derived Spike Trains. *Neuroscience*.

doi: <https://doi.org/10.1016/j.neuroscience.2018.07.051>. <http://www.sciencedirect.com/science/article/pii/S0306452218305359>

Sun, L. W. (2013). Viral and Non-viral Tracing of Cerebellar Corticonuclear and Vestibulorubral Projections in the Mouse. *Open Journal of Neuroscience*, 3(1).

doi: <http://rossscience.org/ARTICLE/OJNS-3-3.php>

Sun, L. W., & Clark, J. H. (2011). Transsynaptic tracing of conditioned eyeblink circuits in the mouse cerebellum. *Neuroscience*. doi.

Sun, M., Ahmad, N., Zhang, R., & Graw, J. (2018). Crybb2 associates with Tmsb4X and is crucial for dendrite morphogenesis. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2018.05.195>, <http://www.sciencedirect.com/science/article/pii/S0006291X18312841>

Sun, P., Wang, X.-Q., Lopatka, K., Bangash, S., & Paller, A. S. (2002). Ganglioside Loss Promotes Survival Primarily by Activating Integrin-Linked Kinase/Akt Without Phosphoinositide 3-OH Kinase Signaling. *Journal of Investigative Dermatology*, 119(1), 107. doi.

Sun, Q., Jiang, Y.-Q., & Lu, M. C. (2020). Topographic heterogeneity of intrinsic excitability in mouse hippocampal CA3 pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.00147.2020. <https://doi.org/10.1152/jn.00147.2020>

Sun, Q., Sotayo, A., Cazzulino, A. S., Snyder, A. M., Denny, C. A., & Siegelbaum, S. A. (2017). Proximodistal Heterogeneity of Hippocampal CA3 Pyramidal Neuron Intrinsic Properties, Connectivity, and Reactivation during Memory Recall. *Neuron*, 95(3), 656-672.e653. doi: <https://doi.org/10.1016/j.neuron.2017.07.012>, <http://www.sciencedirect.com/science/article/pii/S0896627317306347>

Sun, Q.-Q. (2009). Experience-dependent intrinsic plasticity in interneurons of barrel cortex layer IV. *Journal of Neurophysiology*, 00562.02009. doi: 10.1152/jn.00562.2009. <http://jn.physiology.org/cgi/content/abstract/00562.2009v1>

Sun, Q.-Q. (2009). A novel role of dendritic gap junction and mechanisms underlying its interaction with thalamocortical conductance in fast spiking inhibitory neurons. *BMC Neuroscience*, 10(1), 131. doi. <http://www.biomedcentral.com/1471-2202/10/131>

Sun, Q. Q. (2009). Experience-dependent intrinsic plasticity in interneurons of barrel cortex layer IV. *Journal of Neurophysiology*, 102(5), 2955-2955. doi.

Sun, Q. Q., Huguenard, J. R., & Prince, D. A. (2005). Reorganization of barrel circuits leads to thalamically-evoked cortical epileptiform activity. *Thalamus and Related Systems*, 3(4), 261-261. doi.

Sun, Q.-Q., Huguenard, J. R., & Prince, D. A. (2006). Barrel Cortex Microcircuits: Thalamocortical Feedforward Inhibition in Spiny Stellate Cells Is Mediated by a Small Number of Fast-Spiking Interneurons. *Journal of Neuroscience*, 26, 1219-1230. doi.

Sun, W., & Panneton, W. M. (2005). Defining projections from the caudal pressor area of the caudal ventrolateral medulla. *Journal of Comparative Neurology*, 482(3), 273-293. doi.

Sun, Y., Gao, Y., Tidei, J. J., Shen, M., Hoang, J. T., Wagner, D., & Zhao, X. (2018). Loss of MeCP2 in immature neurons leads to impaired network integration. *Human Molecular Genetics*, ddy338-ddy338. doi: 10.1093/hmg/ddy338. <http://dx.doi.org/10.1093/hmg/ddy338>

Sundholm-Peters, N., Yang, H., Goings, G. E., Walker, A. S., & Szele, F. G. (2005). Subventricular Zone Neuroblasts Emigrate Toward Cortical Lesions. *Journal of Neuropathology and Experimental Neurology*, 64(12), 1089-1100. doi.

- Suntsova, N., Guzman-Marin, R., Kumar, S., Alam, M. N., Szymusiak, R., & McGinty, D. (2007). The Median Preoptic Nucleus Reciprocally Modulates Activity of Arousal-Related and Sleep-Related Neurons in the Perifornical Lateral Hypothalamus. *Journal of Neuroscience*, 27(7), 1616-1630. doi: 10.1523/jneurosci.3498-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/7/1616>
- Suntsova, N., Kumar, S., Guzman-Marin, R., Alam, M. N., Szymusiak, R., & McGinty, D. (2009). A role for the preoptic sleep-promoting system in absence epilepsy. *Neurobiology of Disease*, 36(1), 126-141. doi.
- Suntsova, N., Szymusiak, R., Alam, M. N., Guzman-Marin, R., & McGinty, D. (2002). Sleep-waking discharge patterns of median preoptic nucleus neurons in rats. *Journal of Physiology*, 543(2), 665-677. doi: 10.1113/jphysiol.2002.023085. <http://jp.physoc.org/cgi/content/abstract/543/2/665>
- Sürmeli, G., Akay, T., Ippolito, G. C., Tucker, P. W., & Jessell, T. M. (2011). Patterns of spinal sensory-motor connectivity prescribed by a dorsoventral positional template. *Cell*, 147(3), 653-665. doi.
- Sürmeli, G., Marcu, Daniel C., McClure, C., Garden, Derek L. F., Pastoll, H., & Nolan, Matthew F. (2015). Molecularly Defined Circuitry Reveals Input-Output Segregation in Deep Layers of the Medial Entorhinal Cortex. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.10.041>. <http://www.sciencedirect.com/science/article/pii/S0896627315009356>
- Susick, L. L., Lowing, J. L., Provenzano, A. M., Hildebrandt, C. C., & Conti, A. C. (2014). Postnatal Ethanol Exposure Simplifies the Dendritic Morphology of Medium Spiny Neurons Independently of Adenylyl Cyclase 1 and 8 Activity in Mice. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/acer.12383. <http://dx.doi.org/10.1111/acer.12383>
- Suter, B. A., Migliore, M., & Shepherd, G. M. G. (2012). Intrinsic Electrophysiology of Mouse Corticospinal Neurons: a Class-Specific Triad of Spike-Related Properties. *Cerebral Cortex*. doi: 10.1093/cercor/bhs184. <http://cercor.oxfordjournals.org/content/early/2012/07/03/cercor.bhs184>.
- ..
- Suter, B. A., & Shepherd, G. M. (2015). Reciprocal Interareal Connections to Corticospinal Neurons in Mouse M1 and S2. *The Journal of Neuroscience*, 35(7), 2959-2974. doi. <http://www.jneurosci.org/content/35/7/2959.short>
- Suter, K. J., Song, W. J., Sampson, T. L., Wuarin, J.-P., Saunders, J. T., Dudek, F. E., & Moenter, S. M. (2000). Genetic Targeting of Green Fluorescent Protein to Gonadotropin-Releasing Hormone Neurons: Characterization of Whole-Cell Electrophysiological Properties and Morphology. *Endocrinology*, 141(1), 412-419. doi: 10.1210/en.141.1.412. <http://endo.endojournals.org/cgi/content/abstract/141/1/412>
- Suthakar, K., & Ryugo, D. K. (2016). Descending projections from the inferior colliculus to medial olivocochlear efferents: Mice with normal hearing, early onset hearing loss, and congenital deafness. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.06.014>. <http://www.sciencedirect.com/science/article/pii/S0378595516301381>
- Sutlive, T. G., McClung, J. R., & Goldberg, S. J. (1999). Whole-Muscle and Motor-Unit Contractile Properties of the Styloglossus Muscle in Rat. *Journal of Neurophysiology*, 82(2), 584-592. doi. <http://jn.physiology.org/cgi/content/abstract/82/2/584>

Suwa, B., Bock, N., Preusse, S., Rothenberger, A., & Manzke, T. (2014). Distribution of Serotonin 4(a) Receptors in the juvenile Rat Brain and Spinal Cord. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.12.004>. <http://www.sciencedirect.com/science/article/pii/S0891061814000027>

Suwabe, T., & Bradley, R. M. (2009). Characteristics of rostral solitary tract nucleus neurons with identified afferent connections that project to the parabrachial nucleus in rats. *Journal of Neurophysiology*, 91(1), 91-100. doi: 10.1152/jn.91.1.91. <http://jn.physiology.org/cgi/content/abstract/91.1.91>

Suwabe, T., Mistretta, C. M., Krull, C., & Bradley, R. M. (2011). Pre- and postnatal differences in membrane, action potential, and ion channel properties of rostral nucleus of the solitary tract neurons. *Journal of Neurophysiology*, 106(5), 2709-2719. doi: 10.1152/jn.00178.2011. <http://jn.physiology.org/content/106/5/2709.abstract>

Suzawa, M., Muhammad, N. M., Joseph, B. S., & Bland, M. L. (2019). The Toll Signaling Pathway Targets the Insulin-like Peptide Dilp6 to Inhibit Growth in *Drosophila*. *Cell Reports*, 28(6), 1439-1446.e1435. doi: <https://doi.org/10.1016/j.celrep.2019.07.015>. <http://www.sciencedirect.com/science/article/pii/S2211124719309052>

Suzuki, I., Kitagawa, J., Noma, N., Tsuboi, Y., Kondo, M., Honda, K., . . . others. (2008). Attenuation of naloxone-induced Vc pERK hyper-expression following capsaicin stimulation of the face in aged rat. *Neuroscience Letters*, 442(1), 39-43. doi: 10.1016/j.neulet.2008.05.011

Suzuki, I., Tsuboi, Y., Shinoda, M., Shibuta, K., Honda, K., Katagiri, A., . . . Iwata, K. (2013). Involvement of ERK Phosphorylation of Trigeminal Spinal Subnucleus Caudalis Neurons in Thermal Hypersensitivity in Rats with Infraorbital Nerve Injury. *PLoS ONE*, 8(2), e57278. doi: 10.1371/journal.pone.0057278. <http://dx.doi.org/10.1371/journal.pone.0057278>

Suzuki, L., Coulon, P., Sabel-Goedknecht, E. H., & Ruigrok, T. J. H. (2012). Organization of Cerebral Projections to Identified Cerebellar Zones in the Posterior Cerebellum of the Rat. *Journal of Neuroscience*, 32(32), 10854-10869. doi: 10.1523/jneurosci.0857-12.2012. <http://www.jneurosci.org/content/32/32/10854.abstract>

Suzuki, N., & Bekkers, J. M. (2010). Distinctive Classes of GABAergic Interneurons Provide Layer-Specific Phasic Inhibition in the Anterior Piriform Cortex. *Cerebral Cortex*, bhq046. doi: 10.1093/cercor/bhq046. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq046v1>

Suzuki, N., & Bekkers, J. M. (2011). Two Layers of Synaptic Processing by Principal Neurons in Piriform Cortex. *Journal of Neuroscience*, 31(6), 2156-2166. doi: 10.1523/jneurosci.5430-10.2011. <http://www.jneurosci.org/content/31/6/2156.abstract>

Suzuki, N., & Bekkers, J. M. (2012). Microcircuits Mediating Feedforward and Feedback Synaptic Inhibition in the Piriform Cortex. *Journal of Neuroscience*, 32(3), 919-931. doi: 10.1523/jneurosci.4112-11.2012. <http://www.jneurosci.org/content/32/3/919.abstract>

Suzuki, S., Zhou, H., Neumaier, J. F., & Pham, T. A. (2007). Opposing functions of CREB and MKK1 synergistically regulate the geometry of dendritic spines in visual cortex. *Journal of Comparative Neurology*, 503(5), 605-617. doi: 10.1002/cne.21400

Suzuki, T., Bramlett, H. M., & Dietrich, W. D. (2003). The importance of gender on the beneficial effects of posttraumatic hypothermia. *Experimental Neurology*, 184(2), 1017-1026. doi: 10.1016/S0014-4886(03)00101-1

Suzuki, W. A., & Porteros, A. (2002). Distribution of calbindin D-28k in the entorhinal, perirhinal, and parahippocampal cortices of the macaque monkey. *Journal of Comparative Neurology*, 451(4), 392-412. doi.

Suzuki, Y., Kiyokage, E., Sohn, J., Hioki, H., & Toida, K. (2014). Structural basis for serotonergic regulation of neural circuits in the mouse olfactory bulb. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23680. <http://dx.doi.org/10.1002/cne.23680>

Suzuki, Y., Takeda, M., Obara, N., Suzuki, N., & Takeichi, N. (2000). Olfactory epithelium consisting of supporting cells and horizontal basal cells in the posterior nasal cavity of mice. *Cell and Tissue Research*, 299(3), 313-325. doi.

Svedin, P., Hagberg, H., Savman, K., Zhu, C., & Mallard, C. (2007). Matrix Metalloproteinase-9 Gene Knock-out Protects the Immature Brain after Cerebral Hypoxia-Ischemia. *Journal of Neuroscience*, 27(7), 1511-1518. doi: 10.1523/jneurosci.4391-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/7/1511>

Svirskis, G., Gutman, A., & Hounsgaard, J. (2001). Electrotonic Structure of Motoneurons in the Spinal Cord of the Turtle: Inferences for the Mechanisms of Bistability. *Journal of Neurophysiology*, 85(1), 391-398. doi. <http://jn.physiology.org/cgi/content/abstract/85/1/391>

Swartz, E. M., & Holmes, G. M. (2014). Gastric vagal motoneuron function is maintained following experimental spinal cord injury. *Neurogastroenterology and Motility*, n/a-n/a. doi: 10.1111/nmo.12452. <http://dx.doi.org/10.1111/nmo.12452>

Sydekum, E., Baltés, C., Ghosh, A., Mueggler, T., Schwab, M. E., & Rudin, M. (2009). Functional reorganization in rat somatosensory cortex assessed by fMRI: elastic image registration based on structural landmarks in fMRI images and application to spinal cord injured rats. *Neuroimage*, 44(4), 1345-1354. doi.

Sydekum, E., Ghosh, A., Gullo, M., Baltés, C., Schwab, M., & Rudin, M. (2013). Rapid functional reorganization of the forelimb cortical representation after thoracic spinal cord injury in adult rats. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2013.10.045>, <http://www.sciencedirect.com/science/article/pii/S1053811913010689>

Symons, F. J., Gilles, E., Tervo, R., Wendelschafer-Crabb, G., Panoutsopoulou, I., & Kennedy, W. (2014). Skin and self-injury: a possible link between peripheral innervation and immune function? *Developmental Medicine and Child Neurology*, n/a-n/a. doi: 10.1111/dmcn.12580. <http://dx.doi.org/10.1111/dmcn.12580>

Symons, F. J., Wendelschafer-Crabb, G., Kennedy, W., Hardrict, R., Dahl, N., & Bodfish, J. W. (2008). Evidence of altered epidermal nerve fiber morphology in adults with self-injurious behavior and neurodevelopmental disorders. *Pain*, 134(1-2), 232-237. doi.

Szabadics, J., Lorincz, A., & Tamas, G. (2001). β and γ Frequency Synchronization by Dendritic GABAergic Synapses and Gap Junctions in a Network of Cortical Interneurons. *Journal of Neuroscience*, 21(15), 5824-5831. doi. <http://www.jneurosci.org/cgi/content/abstract/21/15/5824>

Szabadics, J., Lorincz, A., & Tamás, G. (2001). β and γ frequency synchronization by dendritic GABAergic synapses and gap junctions in a network of cortical interneurons. *Journal of Neuroscience*, 21(15), 5824-5831. doi.

Szabadics, J., Tamas, G., & Soltesz, I. (2007). Different transmitter transients underlie presynaptic cell type specificity of GABA_A,slow and GABA_A,fast. *Proceedings of the National Academy of Sciences*, 104(37), 14831-14836. doi: 10.1073/pnas.0707204104. <http://www.pnas.org/cgi/content/abstract/104/37/14831>

Szabadics, J., Varga, C., Molnar, G., Olah, S., Barzo, P., & Tamas, G. (2006). Excitatory Effect of GABAergic Axo-Axonic Cells in Cortical Microcircuits. *Science*, 311, 233-235. doi.

Szabó, Z., Bácskai, T., Deák, Á., Matesz, K., Veress, G., & Sziklai, I. (2011). Dendrodendritic connections between the cochlear efferent neurons in guinea pig. *Neuroscience Letters*. doi.

Szczurkowska, J., Pischedda, F., Pinto, B., Managò, F., Haas, C. A., Summa, M., . . . Cancedda, L. (2018). NEGR1 and FGFR2 cooperatively regulate cortical development and core behaviours related to autism disorders in mice. *Brain*, awy190-awy190. doi: 10.1093/brain/awy190. <http://dx.doi.org/10.1093/brain/awy190>

Szegedi, V., Paizs, M., Csakvari, E., Molnar, G., Barzo, P., Tamas, G., & Lamsa, K. (2016). Plasticity in Single Axon Glutamatergic Connection to GABAergic Interneurons Regulates Complex Events in the Human Neocortex. *PLoS Biology*, 14(11), e2000237. doi: 10.1371/journal.pbio.2000237. <http://dx.doi.org/10.1371%2Fjournal.pbio.2000237>

Szkudlarek, H. J., & Raastad, M. (2007). Electrical properties of morphologically characterized neurons in the intergeniculate leaflet of the rat thalamus. *Neuroscience*, 150(2), 309-318. doi.

Szoboszlai, M., Lőrincz, A., Lanore, F., Vervaeke, K., Silver, R. A., & Nusser, Z. (2016). Functional Properties of Dendritic Gap Junctions in Cerebellar Golgi Cells. *Neuron*. doi: 10.1016/j.neuron.2016.03.029. <http://dx.doi.org/10.1016/j.neuron.2016.03.029>

Szöke, E., Seress, L., & Szolcsányi, J. (2002). Neonatal capsaicin treatment results in prolonged mitochondrial damage and delayed cell death of B cells in the rat trigeminal ganglia. *Neuroscience*, 113(4), 925-937. doi.

Szpak, G., Lewandowska, E., Lechowicz, W., Wierzba-Bobrowicz, T., Kulczycki, J., Bertrand, E., . . . Dymecki, J. (2006). The brain immune response in human prion diseases. Microglial activation and microglial disease. I. Sporadic Creutzfeldt-Jakob disease. *Folia Neuropathologica*, 44, 202 - 213. doi.

Sztarker, J., & Rind, F. C. (2014). A look into the cockpit of the developing locust: Looming detectors and predator avoidance. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22184. <http://dx.doi.org/10.1002/dneu.22184>

Szucs, P., Luz, L. L., Lima, D., & Safronov, B. V. (2010). Local axon collaterals of lamina I projection neurons in the spinal cord of young rats. *Journal of Comparative Neurology*, 518(14), 2645-2665. doi.

Szucs, P., Luz, L. L., Pinho, R., Aguiar, P., Antal, Z., Tiong, S. Y. X., . . . Safronov, B. V. (2013). Axon diversity of lamina I local-circuit neurons in the lumbar spinal cord. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23311. <http://dx.doi.org/10.1002/cne.23311>

Szucs, P., Odeh, F., Szokol, K., & Antal, M. (2003). Neurons with distinctive firing patterns, morphology and distribution in laminae V-VII of the neonatal rat lumbar spinal cord. *European Journal of Neuroscience*, 17(3), 537-544. doi: doi:10.1046/j.1460-9568.2003.02484.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02484.x>

Szűcs, P., Odeh, F., Szokol, K., & Antal, M. (2003). Neurons with distinctive firing patterns, morphology and distribution in laminae V–VII of the neonatal rat lumbar spinal cord. *European Journal of Neuroscience*, 17(3), 537–544. doi.

Szucs, P., Pinto, V., & Safronov, B. V. (2009). Advanced technique of infrared LED imaging of unstained cells and intracellular structures in isolated spinal cord, brainstem, ganglia and cerebellum. *Journal of Neuroscience Methods*, 177(2), 369–380. doi.

Tabor, K. M., Wong, R. O. L., & Rubel, E. W. (2011). Topography and morphology of the inhibitory projection from superior olivary nucleus to nucleus laminaris in chickens (*Gallus gallus*). *Journal of Comparative Neurology*, 519(2), 358–375. doi: 10.1002/cne.22523. <http://dx.doi.org/10.1002/cne.22523>

Tachikawa, K. S., Yoshihara, Y., & Kuroda, K. O. (2013). Behavioral Transition from Attack to Parenting in Male Mice: A Crucial Role of the Vomeronasal System. *Journal of Neuroscience*, 33(12), 5120–5126. doi: 10.1523/jneurosci.2364-12.2013. <http://www.jneurosci.org/content/33/12/5120.abstract>

Tae, H.-S., Smith, K. M., Phillips, A. M., Boyle, K. A., Li, M., Forster, I. C., . . . Reid, C. A. (2017). Gabapentin Modulates HCN4 Channel Voltage-Dependence. [Original Research]. *Frontiers in Pharmacology*, 8(554). doi: 10.3389/fphar.2017.00554. <http://journal.frontiersin.org/article/10.3389/fphar.2017.00554>

Taguchi, T., Yasui, M., Kubo, A., Abe, M., Kiyama, H., Yamanaka, A., & Mizumura, K. (2013). Nociception originating from the crural fascia in rats. *Pain*, 154(7), 1103–1114. doi: <http://dx.doi.org/10.1016/j.pain.2013.03.017>. <http://www.sciencedirect.com/science/article/pii/S0304395913001127>

Taha, S., & Stryker, M. P. (2002). Rapid ocular dominance plasticity requires cortical but not geniculate protein synthesis. *Neuron*, 34(3), 425–436. doi.

Tahvildari, B., & Alonso, A. (2005). Morphological and electrophysiological properties of lateral entorhinal cortex layers II and III principal neurons. *Journal of Comparative Neurology*, 491(2), 123–140. doi.

Tai, Y., Feng, S., Ge, R., Du, W., Zhang, X., He, Z., & Wang, Y. (2008). TRPC6 channels promote dendritic growth via the CaMKIV-CREB pathway. *Journal of Cell Science*, 121(14), 2301–2307. doi: 10.1242/jcs.026906. <http://jcs.biologists.org/cgi/content/abstract/121/14/2301>

Tai, Y., Gallo, N. B., Wang, M., Yu, J.-R., & Van Aelst, L. (2019). Axo-axonic Innervation of Neocortical Pyramidal Neurons by GABAergic Chandelier Cells Requires AnkyrinG-Associated L1CAM. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.02.009>. <http://www.sciencedirect.com/science/article/pii/S0896627319301187>

Tai, Y., Janas, Justyna A., Wang, C.-L., & Van Aelst, L. (2014). Regulation of Chandelier Cell Cartridge and Bouton Development via DOCK7-Mediated ErbB4 Activation. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.12.034>. <http://www.sciencedirect.com/science/article/pii/S2211124713007924>

Tailby, C., Wright, L. L., Metha, A. B., & Calford, M. B. (2005). Activity-dependent maintenance and growth of dendrites in adult cortex. *PNAS*, 102(12), 4631–4636. doi. <http://www.pnas.org/cgi/content/abstract/102/12/4631>

Taipa, R., Ferreira, V., Brochado, P., Robinson, A., Reis, I., Marques, F., . . . Sousa, N. (2017). Inflammatory pathology markers (activated microglia and reactive astrocytes) in early and late onset Alzheimer

disease: a post-mortem study. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12445. <http://dx.doi.org/10.1111/nan.12445>

Takafuji, V., Lublin, D., Lynch, K., & Roche, J. K. (2001). Mucosal prostanoid receptors and synthesis in familial adenomatous polyposis. *Histochemistry and Cell Biology*, 116(2), 171-181. doi:

Takahara, D., Inoue, K.-i., Hirata, Y., Miyachi, S., Nambu, A., Takada, M., & Hoshi, E. (2012). Multisynaptic projections from the ventrolateral prefrontal cortex to the dorsal premotor cortex in macaques – anatomical substrate for conditional visuomotor behavior. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2012.08251.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08251.x>

Takahashi, M., Sugiuchi, Y., & Shinoda, Y. (2007). Commissural Mirror-Symmetric Excitation and Reciprocal Inhibition Between the Two Superior Colliculi and Their Roles in Vertical and Horizontal Eye Movements. *Journal of Neurophysiology*, 98(5), 2664-2682. doi: 10.1152/jn.00696.2007. <http://jn.physiology.org/cgi/content/abstract/98/5/2664>

Takahashi, M., Sugiuchi, Y., & Shinoda, Y. (2010). Topographic Organization of Excitatory and Inhibitory Commissural Connections in the Superior Colliculi and Their Functional Roles in Saccade Generation. *Journal of Neurophysiology*, 104(6), 3146-3167. doi: 10.1152/jn.00554.2010. <http://jn.physiology.org/content/104/6/3146.abstract>

Takakura, A. C., & Moreira, T. S. (2013). Arterial chemoreceptor activation reduces the activity of parapyramidal serotonergic neurons in rats. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.069>, <http://www.sciencedirect.com/science/article/pii/S0306452213001139>

Takakura, A. C., Moreira, T. S., Menani, J. V., & Colombari, E. (2011). Inhibition of the caudal pressor area reduces cardiorespiratory chemoreflex responses. *Neuroscience*. doi:

Takakura, A. C., Moreira, T. S., Stornetta, R. L., West, G. H., Gwilt, J. M., & Guyenet, P. G. (2008). Selective lesion of retrotrapezoid Phox2b-expressing neurons raises the apnoeic threshold in rats. *Journal of Physiology*, 586(12), 2975-2991. doi: 10.1113/jphysiol.2008.153163. <http://jp.physoc.org/cgi/content/abstract/586/12/2975>

Takakura, A. C., Moreira, T. S., West, G. H., Gwilt, J. M., Colombari, E., Stornetta, R. L., & Guyenet, P. G. (2007). GABAergic Pump Cells of Solitary Tract Nucleus Innervate Retrotrapezoid Nucleus Chemoreceptors. *Journal of Neurophysiology*, 98(1), 374-381. doi: 10.1152/jn.00322.2007. <http://jn.physiology.org/cgi/content/abstract/98/1/374>

Takakura, A. C. T., Moreira, T. S., Colombari, E., West, G. H., Stornetta, R. L., & Guyenet, P. G. (2006). Peripheral chemoreceptor inputs to retrotrapezoid nucleus (RTN) CO₂-sensitive neurons in rats. *Journal of Physiology*, 572(2), 503-523. doi: 10.1113/jphysiol.2005.103788. <http://jp.physoc.org/cgi/content/abstract/572/2/503>

Takami, T., Oudega, M., Bates, M. L., Wood, P. M., Kleitman, N., & Bunge, M. B. (2002). Schwann Cell But Not Olfactory Ensheathing Glia Transplants Improve Hindlimb Locomotor Performance in the Moderately Contused Adult Rat Thoracic Spinal Cord. *Journal of Neuroscience*, 22(15), 6670-6681. doi: 20026636. <http://www.jneurosci.org/cgi/content/abstract/22/15/6670>

Takashima, N., Odaka, Y. S., Sakoori, K., Akagi, T., Hashikawa, T., Morimura, N., . . . Aruga, J. (2011). Impaired Cognitive Function and Altered Hippocampal Synapse Morphology in Mice Lacking *Lrrtm1*, a Gene Associated with Schizophrenia. *PLoS ONE*, 6(7), e22716-e22716. doi:

Takashima, Y., Fannon, M. J., Galinato, M. H., Steiner, N. L., An, M., Zemljic-Harpf, A. E., . . . Mandyam, C. D. (2018). Neuroadaptations in the dentate gyrus following contextual cued reinstatement of methamphetamine seeking. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1615-3. <https://doi.org/10.1007/s00429-018-1615-3>

Takata, Y., Nakagawa, H., Ninomiya, T., Yamanaka, H., & Takada, M. (2021). Morphological features of large layer V pyramidal neurons in cortical motor-related areas of macaque monkeys: analysis of basal dendrites. *Scientific Reports*, 11(1), 4171. doi: 10.1038/s41598-021-83680-5. <https://doi.org/10.1038/s41598-021-83680-5>

Takaya, R., Nagai, J., Piao, W., Niisato, E., Nakabayashi, T., Yamazaki, Y., . . . Ohshima, T. (2016). CRMP1 and CRMP4 are required for proper orientation of dendrites of cerebral pyramidal neurons in the developing mouse brain. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.11.003>. <http://www.sciencedirect.com/science/article/pii/S0006899316307429>

Takayanagi, M., & Ojima, H. (2006). Microtopography of the dual corticothalamic projections originating from domains along the frequency axis of the cat primary auditory cortex. *Neuroscience*, 142(3), 769-780. doi.

Takeda, T., Uchihara, T., Arai, N., Mizutani, T., & Iwata, M. (2009). Progression of hippocampal degeneration in amyotrophic lateral sclerosis with or without memory impairment: distinction from Alzheimer disease. *Acta Neuropathologica*, 117(1), 35-44. doi.

Takeno, S., Wake, M., Mount, R. J., & Harrison, R. V. (1998). Degeneration of Spiral Ganglion Cells in the Chinchilla after Inner Hair Cell Loss Induced by Carboplatin. *Audiology and Neurotology*, 3(5), 281-290. doi.

Takeoka, A., & Arber, S. (2019). Functional Local Proprioceptive Feedback Circuits Initiate and Maintain Locomotor Recovery after Spinal Cord Injury. *Cell Reports*, 27(1), 71-85.e73. doi: <https://doi.org/10.1016/j.celrep.2019.03.010>. <http://www.sciencedirect.com/science/article/pii/S221124719303171>

Takeuchi, Y., Asano, H., Katayama, Y., Muragaki, Y., Imoto, K., & Miyata, M. (2014). Large-Scale Somatotopic Refinement via Functional Synapse Elimination in the Sensory Thalamus of Developing Mice. *The Journal of Neuroscience*, 34(4), 1258-1270. doi: <http://www.jneurosci.org/content/34/4/1258.short>

Takeuchi, Y., Osaki, H., Yagasaki, Y., Katayama, Y., & Miyata, M. (2017). Afferent Fiber Remodeling in the Somatosensory Thalamus of Mice as a Neural Basis of Somatotopic Reorganization in the Brain and Ectopic Mechanical Hypersensitivity after Peripheral Sensory Nerve Injury. [10.1523/ENEURO.0345-16.2017]. *eneuro*. doi: <http://eneuro.org/content/early/2017/03/23/ENEURO.0345-16.2017.abstract>

Tamás, G., Lörincz, A., Simon, A., & Szabadics, J. (2003). Identified sources and targets of slow inhibition in the neocortex. *Science*, 299(5614), 1902-1905. doi.

Tamás, G., & Szabadics, J. (2004). Summation of unitary IPSPs elicited by identified axo-axonic interneurons. *Cerebral Cortex*, 14(8), 823-826. doi.

Tamas, G., Szabadics, J., Lorincz, A., & Somogyi, P. (2004). Input and frequency-specific entrainment of postsynaptic firing by IPSPs of perisomatic or dendritic origin. *European Journal of Neuroscience*, 20(10), 2681-2690. doi: doi:10.1111/j.1460-9568.2004.03719.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03719.x>

Tamás, G., Szabadics, J., & Somogyi, P. (2002). Cell Type- and Subcellular Position-Dependent Summation of Unitary Postsynaptic Potentials in Neocortical Neurons. *Journal of Neuroscience*, 22(3), 740-747. doi: <http://www.jneurosci.org/cgi/content/abstract/22/3/740>

Tan, A. M., Chang, Y. W., Zhao, P., Hains, B. C., & Waxman, S. G. (2011). Rac1-regulated dendritic spine remodeling contributes to neuropathic pain after peripheral nerve injury. *Experimental Neurology*. doi.

Tan, A. M., Colletti, M., Rorai, A. T., Skene, J. H. P., & Levine, J. M. (2006). Antibodies against the NG2 Proteoglycan Promote the Regeneration of Sensory Axons within the Dorsal Columns of the Spinal Cord. *Journal of Neuroscience*, 26(18), 4729-4739. doi: 10.1523/jneurosci.3900-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/18/4729>

Tan, A. M., Samad, O. A., Fischer, T. Z., Zhao, P., Persson, A.-K., & Waxman, S. G. (2012). Maladaptive Dendritic Spine Remodeling Contributes to Diabetic Neuropathic Pain. *Journal of Neuroscience*, 32(20), 6795-6807. doi: 10.1523/jneurosci.1017-12.2012. <http://www.jneurosci.org/content/32/20/6795.abstract>

Tan, A. M., Samad, O. A., Liu, S., Bandaru, S., Zhao, P., & Waxman, S. G. (2013). Burn injury-induced mechanical allodynia is maintained by Rac1-regulated dendritic spine dysgenesis. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.07.017>. <http://www.sciencedirect.com/science/article/pii/S0014488613002343>

Tan, A. M., Stamboulian, S., Chang, Y.-W., Zhao, P., Hains, A. B., Waxman, S. G., & Hains, B. C. (2008). Neuropathic Pain Memory Is Maintained by Rac1-Regulated Dendritic Spine Remodeling after Spinal Cord Injury. *Journal of Neuroscience*, 28(49), 13173-13183. doi: 10.1523/jneurosci.3142-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/49/13173>

Tan, A. M., & Waxman, S. G. (2011). Spinal cord injury, dendritic spine remodeling, and spinal memory mechanisms. *Experimental Neurology*. doi.

Tan, G.-H., Liu, Y.-Y., Hu, X.-L., Yin, D.-M., Mei, L., & Xiong, Z.-Q. (2011). Neuregulin 1 represses limbic epileptogenesis through ErbB4 in parvalbumin-expressing interneurons. [10.1038/nn.3005]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3005.html#suppl.....http://dx.doi.org/10.1038/nn.3005>

Tan, H., Ren, R., Xiong, Z., & Wang, Y. (2009). Effects of ketamine and midazolam on morphology of dendritic spines in hippocampal CA1 region of neonatal mice. *Chinese Medical Journal (English Edition)*, 122(4), 455-455. doi.

Tan, H. O., Reid, C. A., Chiu, C., Jones, M. V., & Petrou, S. (2008). Increased thalamic inhibition in the absence seizure prone DBA/2J mouse. *Epilepsia*, 49(5), 921-925. doi: doi:10.1111/j.1528-1167.2008.01536.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2008.01536.x>

Tan, L. A., Al Chawaf, A., Vaccarino, F. J., Boutros, P. C., & Lovejoy, D. A. (2011). Teneurin C-terminal associated peptide (TCAP)-1 modulates dendritic morphology in hippocampal neurons and decreases anxiety-like behaviors in rats. *Physiology and Behavior*. doi.

Tan, P. L., Barr, T., Inglis, P. N., Mitsuma, N., Huang, S. M., Garcia-Gonzalez, M. A., . . . Katsanis, N. (2007). From the Cover: Loss of Bardet Biedl syndrome proteins causes defects in peripheral sensory

innervation and function. *Proceedings of the National Academy of Sciences*, 104(44), 17524-17529. doi: 10.1073/pnas.0706618104. <http://www.pnas.org/cgi/content/abstract/104/44/17524>

Tan, X., Liu, Wenying A., Zhang, X.-J., Shi, W., Ren, S.-Q., Li, Z., . . . Shi, S.-H. (2016). Vascular Influence on Ventral Telencephalic Progenitors and Neocortical Interneuron Production. *Developmental cell*, 36(6), 624-638. doi: <http://dx.doi.org/10.1016/j.devcel.2016.02.023>, <http://www.sciencedirect.com/science/article/pii/S1534580716300788>

Tan, Z., Hu, H., Huang, Z. J., & Agmon, A. (2008). Robust but delayed thalamocortical activation of dendritic-targeting inhibitory interneurons. *Proceedings of the National Academy of Sciences*, 105(6), 2187-2192. doi: 10.1073/pnas.0710628105. <http://www.pnas.org/cgi/content/abstract/105/6/2187>

Tanabe, N., Yoshino, H., Kimoto, T., Hojo, Y., Ogiue-Ikeda, M., Shimohigashi, Y., & Kawato, S. (2012). Nanomolar dose of bisphenol A rapidly modulates spinogenesis in adult hippocampal neurons. *Molecular and Cellular Endocrinology*. doi.

Tanabe, S., Inoue, K.-i., Tsuge, H., Uezono, S., Nagaya, K., Fujiwara, M., . . . Takada, M. (2017). The use of an optimized chimeric envelope glycoprotein enhances the efficiency of retrograde gene transfer of a pseudotyped lentiviral vector in the primate brain. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2017.02.007>, <http://www.sciencedirect.com/science/article/pii/S0168010216303236>

Tanabe, S., Uezono, S., Tsuge, H., Fujiwara, M., Miwa, M., Kato, S., . . . Takada, M. (2019). A note on retrograde gene transfer efficiency and inflammatory response of lentiviral vectors pseudotyped with FuG-E vs. FuG-B2 glycoproteins. *Scientific Reports*, 9(1), 3567. doi: 10.1038/s41598-019-39535-1. <https://doi.org/10.1038/s41598-019-39535-1>

Tanaka, I., & Ezure, K. (2004). Overall distribution of GLYT2 mRNA-containing versus GAD67 mRNA-containing neurons and colocalization of both mRNAs in midbrain, pons, and cerebellum in rats. *Neuroscience Research*, 49(2), 165-178. doi.

Tanaka, I., Ezure, K., & Kondo, M. (2003). Distribution of glycine transporter 2 mRNA-containing neurons in relation to glutamic acid decarboxylase mRNA-containing neurons in rat medulla. *Neuroscience Research*, 47(2), 139-151. doi.

Tanaka, N. K., Suzuki, E., Dye, L., Ejima, A., & Stopfer, M. (2012). Dye fills reveal additional olfactory tracts in the protocerebrum of wild-type *Drosophila*. *Journal of Comparative Neurology*, 520(18), 4131-4140. doi: 10.1002/cne.23149. <http://dx.doi.org/10.1002/cne.23149>

Tanaka, S., Ribot, J., Imamura, K., & Tani, T. (2006). Orientation-restricted continuous visual exposure induces marked reorganization of orientation maps in early life. *Neuroimage*, 30(2), 462-477. doi.

Tanaka, S., & Takakuwa, Y. (2016). A method for detailed analysis of the structure of mast cell secretory granules by negative contrast imaging. *Scientific Reports*, 6. doi: <http://www.nature.com/articles/srep23369>

Tanaka, Y. H., Tanaka, Y. R., Fujiyama, F., Furuta, T., Yanagawa, Y., & Kaneko, T. (2011). Local connections of layer 5 GABAergic interneurons to corticospinal neurons. *Frontiers in neural circuits*, 5. doi.

Tanaka, Y. R., Tanaka, Y. H., Konno, M., Fujiyama, F., Sonomura, T., Okamoto-Furuta, K., . . . Kaneko, T. (2011). Local Connections of Excitatory Neurons to Corticothalamic Neurons in the Rat Barrel Cortex. *Journal of Neuroscience*, 31(50), 18223-18236. doi: 10.1523/jneurosci.3139-11.2011. <http://www.jneurosci.org/content/31/50/18223.abstract>

Tang, M. K., Kindler, P. M., Cai, D. Q., Chow, P. H., Li, M., & Lee, K. K. H. (2004). Heart-type fatty acid binding proteins are upregulated during terminal differentiation of mouse cardiomyocytes, as revealed by proteomic analysis. *Cell and Tissue Research*, 316(3), 339-347. doi.

Tang, Q., Brecht, M., & Burgalossi, A. (2014). Juxtacellular recording and morphological identification of single neurons in freely moving rats. *Nature Protocols*, 9(10), 2369-2381. doi: <http://www.nature.com/nprot/journal/v9/n10/abs/nprot.2014.161.html>

Tang, Q., Burgalossi, A., Ebbesen, C. L., Sanguinetti-Scheck, J. I., Schmidt, H., Tukker, J. J., . . . Schmitz, D. (2016). Functional Architecture of the Rat Parasubiculum. *The Journal of Neuroscience*, 36(7), 2289-2301. doi: <http://www.jneurosci.org/content/36/7/2289.short>

Tang, Q., Ebbesen, C. L., Sanguinetti-Scheck, J. I., Preston-Ferrer, P., Gundlfinger, A., Winterer, J., . . . Schmitz, D. (2015). Anatomical Organization and Spatiotemporal Firing Patterns of Layer 3 Neurons in the Rat Medial Entorhinal Cortex. *The Journal of Neuroscience*, 35(36), 12346-12354. doi: <http://www.jneurosci.org/content/35/36/12346.abstract>

Tang, S. K., Knobloch, R. A., Mauksch, C., & Connor, B. (2013). Redirection of doublecortin-positive cell migration by over-expression of the chemokines MCP-1, MIP-1 α and GRO α in the adult rat brain. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.12.022>. <http://www.sciencedirect.com/science/article/pii/S0306452213010385>

Tang, T.-S., Chen, X., Liu, J., & Bezprozvanny, I. (2007). Dopaminergic Signaling and Striatal Neurodegeneration in Huntington's Disease. *Journal of Neuroscience*, 27(30), 7899-7910. doi: 10.1523/jneurosci.1396-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/30/7899>

Tang, X., Büttner-Ennever, J. A., Mustari, M. J., & Horn, A. K. E. (2015). Internal Organization of Medial Rectus and Inferior Rectus Muscle Neurons in the C-Group of the Oculomotor Nucleus in Monkey. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23760. <http://dx.doi.org/10.1002/cne.23760>

Tang, Y., Christensen-Dalsgaard, J., & Carr, C. E. (2011). Organization of the auditory brainstem in a lizard, *Gekko gecko* I. auditory nerve, cochlear nuclei and superior olivary nuclei. *Journal of Comparative Neurology*. doi.

Tang, Y., Stryker, M. P., Alvarez-Buylla, A., & Espinosa, J. S. (2014). Cortical plasticity induced by transplantation of embryonic somatostatin or parvalbumin interneurons. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1421844112. <http://www.pnas.org/content/early/2014/12/05/1421844112.abstract>

Tang, Y. P., & Wade, J. (2015). Sex and Age Differences in Brain Derived Neurotrophic Factor and Vimentin in the Zebra Finch Song System: Relationships to Newly Generated Cells. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23893. <http://dx.doi.org/10.1002/cne.23893>

Tang, Y. Z., & Carr, C. E. (2004). Development of NMDA R1 expression in chicken auditory brainstem. *Hearing Research*, 191(1), 79-89. doi.

- Tang, Y. Z., & Carr, C. E. (2007). Development of N-methyl-D-aspartate receptor subunits in avian auditory brainstem. *Journal of Comparative Neurology*, 502(3), 400-413. doi.
- Tanifum, E. A., Dasgupta, I., Srivastava, M., Bhavane, R. C., Sun, L., Berridge, J., . . . Annapragada, A. (2012). Intravenous Delivery of Targeted Liposomes to Amyloid- β Pathology in APP/PSEN1 Transgenic Mice. *PLoS ONE*, 7(10), e48515. doi: 10.1371/journal.pone.0048515. <http://dx.doi.org/10.1371%2Fjournal.pone.0048515>
- Tanné-Gariépy, J., Boussaoud, D., & Rouiller, E. M. (2002). Projections of the claustrum to the primary motor, premotor, and prefrontal cortices in the macaque monkey. *Journal of Comparative Neurology*, 454(2), 140-157. doi.
- Tanné-Gariépy, J., Rouiller, E. M., & Boussaoud, D. (2002). Parietal inputs to dorsal versus ventral premotor areas in the macaque monkey: evidence for largely segregated visuomotor pathways. *Experimental Brain Research*, 145(1), 91-103. doi.
- Tapias, V., Greenamyre, J. T., & Watkins, S. C. (2012). Automated imaging system for fast quantitation of neurons, cell morphology and neurite morphometry in vivo and in vitro. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.11.018>. <http://www.sciencedirect.com/science/article/pii/S0969996112003816>
- Tarantini, S., Tucsek, Z., Valcarcel-Ares, M. N., Toth, P., Gautam, T., Giles, C. B., . . . Csiszar, A. (2016). Circulating IGF-1 deficiency exacerbates hypertension-induced microvascular rarefaction in the mouse hippocampus and retrosplenial cortex: implications for cerebrovascular and brain aging. [journal article]. *AGE*, 1-17. doi: 10.1007/s11357-016-9931-0. <http://dx.doi.org/10.1007/s11357-016-9931-0>
- Tardif, E., & Clarke, S. (2001). Intrinsic connectivity of human auditory areas: a tracing study with Dil. *European Journal of Neuroscience*, 13(5), 1045. doi.
- Tardif, E., & Clarke, S. (2002). Commissural connections of human superior colliculus. *Neuroscience*, 111(2), 363-372. doi.
- Tardif, E., Delacuisine, B., Probst, A., & Clarke, S. (2005). Intrinsic connectivity of human superior colliculus. *Experimental Brain Research*, 166(3), 316-324. doi.
- Tardif, E., Probst, A., & Clarke, S. (2007). Laminar specificity of intrinsic connections in Broca's area. *Cerebral Cortex*, 17(12), 2949-2960. doi.
- Tashiro, A., Aaron, G., Aronov, D., Cossart, R., Dumitriu, D., Fenstermaker, V., . . . others. (2006). Imaging Brain Slices. *Handbook Of Biological Confocal Microscopy*, 722-735. doi.
- Tate, C. M., Lee, J.-H., & Skalnik, D. G. (2009). CXXC Finger Protein 1 Contains Redundant Functional Domains That Support Embryonic Stem Cell Cytosine Methylation, Histone Methylation, and Differentiation. *Molecular and Cellular Biology*, 29(14), 3817-3831. doi: 10.1128/mcb.00243-09. <http://mcb.asm.org/cgi/content/abstract/29/14/3817>
- Tatsui, C. E., Martinez, G., Li, X., Pattany, P., & Levi, A. D. (2006). Evaluation of DuraGen in preventing peridural fibrosis in rabbits. *Journal of Neurosurgery: Spine*, 4(1), 51-59. doi.

Tatti, R., Bhaukaurally, K., Gschwend, O., Seal, R. P., Edwards, R. H., Rodriguez, I., & Carleton, A. (2014). A population of glomerular glutamatergic neurons controls sensory information transfer in the mouse olfactory bulb. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140507/ncomms4791/full/ncomms4791.html>

Tavares, G., Martins, M., Correia, J. S., Sardinha, V. M., Guerra-Gomes, S., das Neves, S. P., . . . Oliveira, J. F. (2016). Employing an open-source tool to assess astrocyte tridimensional structure. [journal article]. *Brain Structure and Function*, 1-11. doi: 10.1007/s00429-016-1316-8. <http://dx.doi.org/10.1007/s00429-016-1316-8>

Tavella, A., Ciaramitaro, P., Costa, P., Paolasso, I., Poglio, F., Duranda, E., & Cocito, D. (2004). Agreement between diagnostic hypothesis and results of the electrodiagnostic tests. *Journal of the Peripheral Nervous System*, 9(2), 107-107. doi: doi:10.1111/j.1085-9489.2004.00920gk.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.00920gk.x>

Taverna, S., Canciani, B., & Pennartz, C. (2007). Membrane properties and synaptic connectivity of fast-spiking interneurons in rat ventral striatum. *Brain Research*, 1152, 49-56. doi.

Taverna, S., van Dongen, Y. C., Groenewegen, H. J., & Pennartz, C. M. A. (2004). Direct Physiological Evidence for Synaptic Connectivity Between Medium-Sized Spiny Neurons in Rat Nucleus Accumbens In Situ. *Journal of Neurophysiology*, 91(3), 1111-1121. doi: 10.1152/jn.00892.2003. <http://jn.physiology.org/cgi/content/abstract/91/3/1111>

Taxini, C. L., Takakura, A. C., Gargaglioni, L. H., & Moreira, T. S. (2011). Control of the central chemoreflex by A5 noradrenergic neurons in rats. *Neuroscience*. doi.

Tay, D., Diao, Y. C., Xiao, Y. M., & So, K. F. (2002). Postnatal development of nicotinamide adenine dinucleotide phosphate-diaphorase-positive neurons in the retina of the golden hamster. *Journal of Comparative Neurology*, 446(4), 342-348. doi.

Tay, S.-K., Blythe, J., & Lipovich, L. (2009). Global discovery of primate-specific genes in the human genome. *Proceedings of the National Academy of Sciences*, 106(29), 12019-12024. doi: 10.1073/pnas.0904569106. <http://www.pnas.org/content/106/29/12019.abstract>

Tebbenkamp, A. T., Varela, L., Choi, J., Paredes, M. I., Giani, A. M., Song, J. E., . . . Liu, Z.-W. (2018). The 7q11. 23 Protein DNAJC30 Interacts with ATP Synthase and Links Mitochondria to Brain Development. *Cell*. doi: [https://www.cell.com/cell/pdf/S0092-8674\(18\)31186-3.pdf](https://www.cell.com/cell/pdf/S0092-8674(18)31186-3.pdf)

Tejada, J., Arisi, G. M., García-Cairasco, N., & Roque, A. C. (2012). Morphological Alterations in Newly Born Dentate Gyrus Granule Cells That Emerge after Status Epilepticus Contribute to Make Them Less Excitable. *PLoS ONE*, 7(7), e40726. doi: 10.1371/journal.pone.0040726. <http://dx.doi.org/10.1371/journal.pone.0040726>

Tekumalla, P. K., Tontonoz, M., Hesla, M. A., & Kirn, J. R. (2002). Effects of excess thyroid hormone on cell death, cell proliferation, and new neuron incorporation in the adult zebra finch telencephalon. *Journal of Neurobiology*, 51(4), 323-341. doi.

Teng, L.-L., Lu, G.-L., Chiou, L.-C., Lin, W.-S., Cheng, Y.-Y., Hsueh, T.-E., . . . Wang, P.-Y. (2019). Serotonin receptor HTR6-mediated mTORC1 signaling regulates dietary restriction-induced memory enhancement. *PLoS Biology*, 17(3), e2007097. doi: 10.1371/journal.pbio.2007097. <https://doi.org/10.1371/journal.pbio.2007097>

Tennant, K. A., & Jones, T. A. (2009). Sensorimotor behavioral effects of endothelin-1 induced small cortical infarcts in C57BL/6 mice. *Journal of Neuroscience Methods*, 181(1), 18-26. doi.

Tennant, K. A., Kerr, A. L., Adkins, D. L., Donlan, N., Thomas, N., Kleim, J. A., & Jones, T. A. (2014). Age-Dependent Reorganization of Peri-Infarct "Premotor" Cortex With Task-Specific Rehabilitative Training in Mice. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968314541329. <http://nnr.sagepub.com/content/early/2014/07/07/1545968314541329.abstract>

Tenório, F., Giraldo-Guimarães, A., Santos, H. R., Cintra, W. M., & Mendez-Otero, R. (1998). Eye enucleation alters intracellular distribution of NO synthase in the superior colliculus. *Neuroreport*, 9(1), 145-145. doi.

Teramoto, K., Tsuboi, Y., Shinoda, M., Hitomi, S., Abe, K., Kaji, K., . . . Iwata, K. (2013). Changes in expression of growth-associated protein-43 in trigeminal ganglion neurons and of the jaw opening reflex following inferior alveolar nerve transection in rats. *European Journal of Oral Sciences*, 121(2), 86-91. doi: 10.1111/eos.12021. <http://dx.doi.org/10.1111/eos.12021>

Terenghi, F., Grimoldi, N., Costa, A., & Nobile-Orazio, E. (2004). Solitary plexiform neurofibroma presenting as purely motor axonal cervical plexopathy. *Journal of the Peripheral Nervous System*, 9(2), 108-108. doi: doi:10.1111/j.1085-9489.2004.009209n.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Tereshchenko, Y., Brandewiede, J., Schachner, M., Irintchev, A., & Morellini, F. (2008). Novelty-induced behavioral traits correlate with numbers of brainstem noradrenergic neurons and septal cholinergic neurons in C57BL/6J mice. *Behavioural Brain Research*, 191(2), 280-284. doi.

Tereshchenko, Y., Morellini, F., Dityatev, A., Schachner, M., & Irintchev, A. (2011). Neural cell adhesion molecule ablation in mice causes hippocampal dysplasia and loss of septal cholinergic neurons. *Journal of Comparative Neurology*, 519(12), 2475-2492. doi: 10.1002/cne.22636. <http://dx.doi.org/10.1002/cne.22636>

Terman, J. R., Wang, X. M., & Martin, G. F. (1996). Growth of dorsal spinocerebellar axons through a lesion of their spinal pathway during early development in the North American opossum, *Didelphis virginiana*. *Developmental Brain Research*, 93(1-2), 33-48. doi.

Terman, J. R., Wang, X. M., & Martin, G. F. (1999). Developmental plasticity of ascending spinal axons: Studies using the north american opossum, *Didelphis virginiana*. *Developmental Brain Research*, 112(1), 65-77. doi.

Terry, K., Blum, R., & Szumita, P. (2014). 585: EVALUATING THE TRANSITION FROM DEXMEDETOMIDINE TO CLONIDINE FOR PAD MANAGEMENT IN THE ICU. *Critical Care Medicine*, 42(12), A1500-A1501 1510.1097/1501.ccm.0000458082.0000470730.f.d. doi. http://journals.lww.com/ccmjournal/Fulltext/2014/12001/585_EVALUATING...

Tettoni, L., Lehmann, P., Houzel, J. C., & Innocenti, G. M. (1996). Maxsim, software for the analysis of multiple axonal arbors and their simulated activation. *Journal of Neuroscience Methods*, 67(1), 1-9. doi.

Tettoni, L., Lehmann, P., Houzel, J. C., & Innocenti, G. M. (1996). Software for the analysis of multiple axonal arbors and their simulated activation. *Journal of Neuroscience Methods*, 67, 1-9. doi.

Teune, T. M., Van Der Burg, J., Van Der Moer, J., Voogd, J., & Ruigrok, T. J. H. (2000). Topography of cerebellar nuclear projections to the brain stem in the rat. *Progress in Brain Research*, 124, 141-172. doi.

Thakur, P. H., Fitzgerald, P. J., Lane, J. W., & Hsiao, S. S. (2006). Receptive Field Properties of the Macaque Second Somatosensory Cortex: Nonlinear Mechanisms Underlying the Representation of Orientation Within a Finger Pad. *Journal of Neuroscience*, 26(52), 13567-13575. doi: 10.1523/jneurosci.3990-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/52/13567>

Thangavel, R., Sahu, S. K., Van Hoesen, G. W., & Zaheer, A. (2008). Modular and laminar pathology of Brodmann's area 37 in Alzheimer's disease. *Neuroscience*, 152(1), 50-55. doi.

Thangavel, R., Van Hoesen, G. W., & Zaheer, A. (2008). Posterior parahippocampal gyrus pathology in Alzheimer's disease. *Neuroscience*, 154(2), 667-676. doi.

Thangavel, R., Van Hoesen, G. W., & Zaheer, A. (2009). The abnormally phosphorylated tau lesion of early Alzheimer's disease. *Neurochemical Research*, 34(1), 118-123. doi.

Thankachan, S., Katsuki, F., McKenna, J. T., Yang, C., Shukla, C., Deisseroth, K., . . . Basheer, R. (2019). Thalamic Reticular Nucleus Parvalbumin Neurons Regulate Sleep Spindles and Electrophysiological Aspects of Schizophrenia in Mice. *Scientific Reports*, 9(1), 3607. doi: 10.1038/s41598-019-40398-9. <https://doi.org/10.1038/s41598-019-40398-9>

Thannickal, T. C., John, J., Shan, L., Swaab, D. F., Wu, M.-F., Ramanathan, L., . . . Siegel, J. M. (2018). Opiates increase the number of hypocretin-producing cells in human and mouse brain and reverse cataplexy in a mouse model of narcolepsy. [10.1126/scitranslmed.aa04953]. *Science Translational Medicine*, 10(447). doi. <http://stm.sciencemag.org/content/10/447/eaao4953.abstract>

Thannickal, T. C., Lai, Y.-Y., & Siegel, J. M. (2007). Hypocretin (orexin) cell loss in Parkinson's disease. *Brain*, 130(6), 1586-1595. doi: 10.1093/brain/awm097. <http://brain.oxfordjournals.org/cgi/content/abstract/130/6/1586>

Thannickal, T. C., Moore, R. Y., Nienhuis, R., Ramanathan, L., Gulyani, S., Aldrich, M., . . . Siegel, J. M. (2000). Reduced number of hypocretin neurons in human narcolepsy. *Neuron*, 27(3), 469-474. doi.

Thannickal, T. C., Nienhuis, R., & Siegel, J. M. (2009). Localized loss of hypocretin (orexin) cells in narcolepsy without cataplexy. *Sleep*, 32(8), 993-993. doi.

Thannickal, T. C., Siegel, J. M., Nienhuis, R., & Moore, R. Y. (2003). Pattern of Hypocretin (Orexin) Soma and Axon Loss, and Gliosis, in Human Narcolepsy. *Brain Pathology*, 13(3), 340-351. doi: 10.1111/j.1750-3639.2003.tb00033.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1750-3639.2003.tb00033.x>

Thé, L., Wallace, M. L., Chen, C. H., Chorev, E., & Brecht, M. (2013). Structure, Function, and Cortical Representation of the Rat Submandibular Whisker Trident. *The Journal of Neuroscience*, 33(11), 4815-4824. doi: 10.1523/jneurosci.4770-12.2013. <http://www.jneurosci.org/content/33/11/4815.abstract>

Thibaudeau, G., Doré, F. Y., & Goulet, S. (2009). Additional evidence for intact appetitive trace conditioning in hippocampal-lesioned rats. *Behavioral Neuroscience*, 123(3), 707-707. doi.

Thibaudeau, G., Potvin, O., Allen, K., Doré, F. Y., & Goulet, S. (2007). Dorsal, ventral, and complete excitotoxic lesions of the hippocampus in rats failed to impair appetitive trace conditioning. *Behavioural Brain Research*, 185(1), 9-20. doi.

Thier, M. C., Hommerding, O., Panten, J., Pinna, R., García-González, D., Berger, T., . . . Trumpp, A. (2019). Identification of Embryonic Neural Plate Border Stem Cells and Their Generation by Direct Reprogramming from Adult Human Blood Cells. *Cell Stem Cell*, 24(1), 166-182.e113. doi: <https://doi.org/10.1016/j.stem.2018.11.015>. <http://www.sciencedirect.com/science/article/pii/S1934590918305514>

Thimm, A., & Funke, K. (2014). Multiple blocks of intermittent and continuous theta-burst stimulation applied via TMS differently affect sensory responses in rat barrel cortex. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.282467. <http://dx.doi.org/10.1113/jphysiol.2014.282467>

Thind, K. K., Ribak, C. E., & Buckmaster, P. S. (2008). Synaptic input to dentate granule cell basal dendrites in a rat model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 509(2), 190-202. doi.

Thind, K. K., Yamawaki, R., Phanwar, I., Zhang, G., Wen, X., & Buckmaster, P. S. (2010). Initial loss but later excess of GABAergic synapses with dentate granule cells in a rat model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 518(5), 647-667. doi.

Thiriet, N., Agasse, F., Nicoleau, C., Guégan, C., Vallette, F., Cadet, J. L., . . . Coronas, V. (2011). NPY promotes chemokinesis and neurogenesis in the rat subventricular zone. *Journal of Neurochemistry*, 116(6), 1018-1027. doi.

Thomanetz, V., Angliker, N., Cloëtta, D., Lustenberger, R. M., Schweighauser, M., Oliveri, F., . . . Rüegg, M. A. (2013). Ablation of the mTORC2 component rictor in brain or Purkinje cells affects size and neuron morphology. *Journal of Cell Biology*, 201(2), 293-308. doi: 10.1083/jcb.201205030. <http://jcb.rupress.org/content/201/2/293.abstract>

Thomas, C. C., Combe, C. L., Dyar, K. A., & Inglis, F. M. (2008). Modest alterations in patterns of motor neuron dendrite morphology in the *Fmr1* knockout mouse model for fragile X. *International Journal of Developmental Neuroscience*, 26(7), 805-811. doi.

Thomas, J. E., & Hill, D. L. (2008). The effects of dietary protein restriction on chorda tympani nerve taste responses and terminal field organization. *Neuroscience*, 157(2), 329-339. doi.

Thomas, R. M., Hotsenpiller, G., & Peterson, D. A. (2007). Acute Psychosocial Stress Reduces Cell Survival in Adult Hippocampal Neurogenesis without Altering Proliferation. *Journal of Neuroscience*, 27(11), 2734-2743. doi: 10.1523/jneurosci.3849-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/11/2734>

Thomas, T. C., Ogle, S. B., Rumney, B. M., May, H. G., Adelson, P. D., & Lifshitz, J. (2016). Does time heal all wounds? Experimental diffuse traumatic brain injury results in persisting histopathology in the thalamus. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.12.038>. <http://www.sciencedirect.com/science/article/pii/S0166432816313341>

Thompson, J. A., Basista, M. J., Wu, W., Bertram, R., & Johnson, F. (2011). Dual Pre-Motor Contribution to Songbird Syllable Variation. *Journal of Neuroscience*, 31(1), 322-330. doi: 10.1523/jneurosci.5967-09.2011. <http://www.jneurosci.org/cgi/content/abstract/31/1/322>

Thompson, J. A., Wu, W., Bertram, R., & Johnson, F. (2007). Auditory-Dependent Vocal Recovery in Adult Male Zebra Finches Is Facilitated by Lesion of a Forebrain Pathway That Includes the Basal Ganglia. *Journal of Neuroscience*, 27(45), 12308-12320. doi: 10.1523/jneurosci.2853-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/45/12308>

Thomsen, L. B., Jörntell, H., & Midtgaard, J. (2010). Presynaptic calcium signalling in cerebellar mossy fibres. *Frontiers in neural circuits*, 4. doi.

Thongkorn, S., Kanlayaprasit, S., Panjabud, P., Saeliw, T., Jantheang, T., Kasitipradit, K., . . . Sarachana, T. (2021). Sex differences in the effects of prenatal bisphenol A exposure on autism-related genes and their relationships with the hippocampus functions. *Scientific Reports*, 11(1), 1241-1241. doi: 10.1038/s41598-020-80390-2. <https://pubmed.ncbi.nlm.nih.gov/33441873>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7806752/>

Thota, A. K., & Jung, R. (2013, 3-5 May 2013). Specific Overground Walking Kinematic Measures are Related to Degree of Spinal Injury in the Rat. Paper presented at the Biomedical Engineering Conference (SBEC), 2013 29th Southern.

Threlkeld, S. W., McClure, M. M., Bai, J., Wang, Y., LoTurco, J. J., Rosen, G. D., & Fitch, R. H. (2007). Developmental disruptions and behavioral impairments in rats following in utero RNAi of *Dyx1c1*. *Brain Research Bulletin*, 71(5), 508-514. doi.

Tian, J., Tep, C., Benedick, A., Saidi, N., Ryu, J. C., Kim, M. L., . . . Yoon, S. O. (2014). P75 regulates Purkinje cell firing by modulating SK channel activity through Rac1. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M114.589937. <http://www.jbc.org/content/early/2014/09/24/jbc.M114.589937.abstract>

Tian, N. (2003). Light Deprivation Blocks the Developmental Changes of Ganglion Cell Dendritic Ramification in Mouse Retina. *Investigative Ophthalmology and Visual Science*, 44(5), 3237-3237. doi.

Tierney, P. L., Degenetais, E., Thierry, A.-M., Glowinski, J., & Gioanni, Y. (2004). Influence of the hippocampus on interneurons of the rat prefrontal cortex. *European Journal of Neuroscience*, 20(2), 514-524. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0350...>

Tilelli, C. Q., Martins, A. R., Larson, R. E., & Garcia-Cairasco, N. (2003). Immunohistochemical localization of myosin Va in the adult rat brain. *Neuroscience*, 121(3), 573-586. doi.

Till, S. M., Wijetunge, L. S., Seidel, V. G., Harlow, E., Wright, A. K., Bagni, C., . . . Kind, P. C. (2012). Altered maturation of the primary somatosensory cortex in a mouse model of fragile X syndrome. *Human Molecular Genetics*, dds030. doi: 10.1093/hmg/ddso30. <http://hmg.oxfordjournals.org/cgi/content/abstract/ddso30v2>

Timofeev, I., Grenier, F., & Steriade, M. (2000). Impact of intrinsic properties and synaptic factors on the activity of neocortical networks in vivo. *Journal of Physiology-Paris*, 94(5-6), 343-355. doi.

Timofeeva, E., Dufresne, C., Sik, A., Zhang, Z.-W., & Deschenes, M. (2005). Cholinergic Modulation of Vibrissal Receptive Fields in Trigeminal Nuclei. *Journal of Neuroscience*, 25(40), 9135-9143. doi: <http://www.jneurosci.org/cgi/content/abstract/25/40/9135>

Timofeeva, E., Merette, C., Emond, C., Lavallee, P., & Deschenes, M. (2003). A Map of Angular Tuning Preference in Thalamic Barreloids. *Journal of Neuroscience*, 23(33), 10717-10723. doi: <http://www.jneurosci.org/cgi/content/abstract/23/33/10717>

Timonin, M. E., Cushing, B. S., & Wynne-Edwards, K. E. (2008). In three brain regions central to maternal behaviour, neither male nor female Phodopus dwarf hamsters show changes in oestrogen receptor alpha distribution with mating or parenthood. *Journal of Neuroendocrinology*, 20(12), 1301-1309. doi.

Tiong, S. Y. X., Polgár, E., van Kralingen, J. C., Watanabe, M., & Todd, A. J. (2011). Galanin-immunoreactivity identifies a distinct population of inhibitory interneurons in laminae I-III of the rat spinal cord. *Molecular Pain*, 7(1), 36-36. doi.

Tischfield, D. J., Saraswat, D. K., Furash, A., Fowler, S. C., Fuccillo, M. V., & Anderson, S. A. (2017). Loss of the neurodevelopmental gene *Zswim6* alters striatal morphology and motor regulation. *Neurobiology of Disease*, 103, 174-183. doi: <https://doi.org/10.1016/j.nbd.2017.04.013>. <http://www.sciencedirect.com/science/article/pii/S0969996117300876>

Titmus, M. J., Tsai, H. J., Lima, R., & Udin, S. B. (1999). Effects of choline and other nicotinic agonists on the tectum of juvenile and adult *Xenopus* frogs: a patch-clamp study. *Neuroscience*, 91(2), 753-769. doi.

Titomanlio, L., Schwendimann, L., & Gressens, P. (2015). Animal Models of Cerebral Dysgenesis: Excitotoxic Brain Injury. In J. Y. Yager (Ed.), *Animal Models of Neurodevelopmental Disorders* (Vol. 104, pp. 239-246): Springer New York.

Titsworth, W. L., Onifer, S. M., Liu, N. K., & Xu, X. M. (2007). Focal phospholipases A2 group III injections induce cervical white matter injury and functional deficits with delayed recovery concomitant with Schwann cell remyelination. *Experimental Neurology*, 207(1), 150-162. doi.

Titus, D. J., Furones, C., Atkins, C. M., & Dietrich, W. D. (2015). Emergence of cognitive deficits after mild traumatic brain injury due to hyperthermia. *Experimental Neurology*, 263(0), 254-262. doi: <http://dx.doi.org/10.1016/j.expneurol.2014.10.020>. <http://www.sciencedirect.com/science/article/pii/S0014488614003562>

Titus, D. J., Johnstone, T., Johnson, N. H., London, S. H., Chapalamadugu, M., Hogenkamp, D., . . . Atkins, C. M. (2019). Positive allosteric modulation of the $\alpha 7$ nicotinic acetylcholine receptor as a treatment for cognitive deficits after traumatic brain injury. *PLoS ONE*, 14(10), e0223180. doi: 10.1371/journal.pone.0223180. <https://doi.org/10.1371/journal.pone.0223180>

Titus, D. J., Sakurai, A., Kang, Y., Furones, C., Jergova, S., Santos, R., . . . Atkins, C. M. (2013). Phosphodiesterase Inhibition Rescues Chronic Cognitive Deficits Induced by Traumatic Brain Injury. *Journal of Neuroscience*, 33(12), 5216-5226. doi: 10.1523/jneurosci.5133-12.2013. <http://www.jneurosci.org/content/33/12/5216.abstract>

Titus, D. J., Wilson, N. M., Alcazar, O., Calixte, D. A., Dalton Dietrich, W., Gurney, M. E., & Atkins, C. M. (2018). A Negative Allosteric Modulator of PDE4D Enhances Learning after Traumatic Brain Injury. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2017.12.008>. <https://www.sciencedirect.com/science/article/pii/S1074742717302162>

Titus, D. J., Wilson, N. M., Freund, J. E., Carballosa, M. M., Sikah, K. E., Furones, C., . . . Atkins, C. M. (2016). Chronic Cognitive Dysfunction after Traumatic Brain Injury Is Improved with a Phosphodiesterase 4B Inhibitor. *The Journal of Neuroscience*, 36(27), 7095-7108. doi: <http://www.jneurosci.org/content/36/27/7095.short>

Tlamsa, A. P., & Brumberg, J. C. (2010). Organization and morphology of thalamocortical neurons of mouse ventral lateral thalamus. *Somatosensory and Motor Research*, 27(1), 34-43. doi.

Tobari, Y., Nakamura, K. Z., & Okanoya, K. (2005). Sex differences in the telencephalic song control circuitry in Bengalese finches (*Lonchura striata* var. *domestica*). *Zoological Science*, 22(10), 1089-1094. doi.

Tobari, Y., Okumura, T., Tani, J., & Okanoya, K. (2006). Non-singing female Bengalese Finches (*Lonchura striata* var. *domestica*) possess neuronal projections connecting a song learning region to a song motor region. *Ornithological Science*, 5(1), 47-55. doi.

Tobari, Y., Okumura, T., Tani, J., & Okanoya, K. (2011). A direct neuronal connection between the telencephalic nucleus robustus arcopallialis and the nucleus nervi hypoglossi, pars tracheosyringalis in Bengalese finches (*Lonchura striata* var. *domestica*). *Neuroscience Research*. doi.

Tobin, A.-E., Van Hooser, S. D., & Calabrese, R. L. (2006). Creation and Reduction of a Morphologically Detailed Model of a Leech Heart Interneuron. *Journal of Neurophysiology*, 96(4), 2107-2120. doi: 10.1152/jn.00026.2006. <http://jn.physiology.org/cgi/content/abstract/96/4/2107>

Toda, T., Hsu, J. Y., Linker, S. B., Hu, L., Schafer, S. T., Mertens, J., . . . Gage, F. H. (2017). Nup153 Interacts with Sox2 to Enable Bimodal Gene Regulation and Maintenance of Neural Progenitor Cells. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2017.08.012> <http://www.sciencedirect.com/science/article/pii/S1934590917303302>

Todd, A. J. (2002). Confocal Imaging of Nerve Cells and Their Connections. *Cellular and molecular methods in neuroscience research*, 259-272. doi.

Todd, A. J., Hughes, D. I., Polgar, E., Nagy, G. G., Mackie, M., Ottersen, O. P., & Maxwell, D. J. (2003). The expression of vesicular glutamate transporters VGLUT1 and VGLUT2 in neurochemically defined axonal populations in the rat spinal cord with emphasis on the dorsal horn. *European Journal of Neuroscience*, 17(1), 13-27. doi: doi:10.1046/j.1460-9568.2003.02406.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02406.x>

Todd, A. J., Polgár, E., Watt, C., Bailey, M. E. S., & Watanabe, M. (2009). Neurokinin 1 receptor-expressing projection neurons in laminae III and IV of the rat spinal cord have synaptic AMPA receptors that contain GluR2, GluR3 and GluR4 subunits. *European Journal of Neuroscience*, 29(4), 718-726. doi.

Todd, A. J., Puskar, Z., Spike, R. C., Hughes, C., Watt, C., & Forrest, L. (2002). Projection Neurons in Lamina I of Rat Spinal Cord with the Neurokinin 1 Receptor Are Selectively Innervated by Substance P-Containing Afferents and Respond to Noxious Stimulation. *Journal of Neuroscience*, 22(10), 4103-4113. doi. <http://www.jneurosci.org/cgi/content/abstract/22/10/4103>

Todd, A. J., Spike, R. C., & Polgar, E. (1998). A quantitative study of neurons which express neurokinin-1 or somatostatin sst2a receptor in rat spinal dorsal horn. *Neuroscience*, 85(2), 459-473. doi.

Todd, A. J., Spike, R. C., Young, S., & Puskar, Z. (2005). Fos induction in lamina I projection neurons in response to noxious thermal stimuli. *Neuroscience*, 131(1), 209-217. doi.

- Todd, B. J., Schwarz, J. M., & McCarthy, M. M. (2005). Prostaglandin-E₂: a point of divergence in estradiol-mediated sexual differentiation. *Hormones and Behavior*, 48(5), 512-521. doi.
- Todd, B. J., Schwarz, J. M., Mong, J. A., & McCarthy, M. M. (2007). Glutamate AMPA/kainate receptors, not GABAA receptors, mediate estradiol-induced sex differences in the hypothalamus. *Developmental Neurobiology*, 67(3), 304-315. doi.
- Todorov, B., Kros, L., Shyti, R., Plak, P., Haasdijk, E. D., Raike, R. S., . . . others. (2011). Purkinje Cell-Specific Ablation of Ca^v2.1 Channels is Sufficient to Cause Cerebellar Ataxia in Mice. *Cerebellum*, 1-13. doi.
- Todros, T., Marzioni, D., Lorenzi, T., Piccoli, E., Capparuccia, L., Perugini, V., . . . others. (2007). Evidence for a Role of TGF- β 1 in the Expression and Regulation of α -SMA in Fetal Growth Restricted Placentae. *Placenta*, 28(11-12), 1123-1132. doi.
- Toesca, A., Giannetti, S., & Granato, A. (2003). Overexpression of the p75 neurotrophin receptor in the sensori-motor cortex of rats exposed to ethanol during early postnatal life. *Neuroscience Letters*, 342(1-2), 89-92. doi.
- Tolbert, D. L., Conoyer, B., & Ariel, M. (2004). Quantitative analysis of granule cell axons and climbing fiber afferents in the turtle cerebellar cortex. *Anatomy and Embryology*, 209(1), 49-58. doi.
- Tole, S., Christian, C., & Grove, E. A. (1997). Early specification and autonomous development of cortical fields in the mouse hippocampus. *Development*, 124(24), 4959-4970. doi.
- Toledo-Rodriguez, M., Goodman, P., Illic, M., Wu, C., & Markram, H. (2005). Neuropeptide and calcium-binding protein gene expression profiles predict neuronal anatomical type in the juvenile rat. *Journal of Physiology*, 567(2), 401-413. doi: 10.1113/jphysiol.2005.089250. <http://jp.physoc.org/cgi/content/abstract/567/2/401>
- Tolnai, S., Hernandez, O., Englitz, B., RübSamen, R., & Malmierca, M. S. (2008). The medial nucleus of the trapezoid body in rat: spectral and temporal properties vary with anatomical location of the units. *European Journal of Neuroscience*, 27(10), 2587-2598. doi.
- Tolwani, R. J., Buckmaster, P. S., Varma, S., Cosgaya, J. M., Wu, Y., Suri, C., & Shooter, E. M. (2002). BDNF overexpression increases dendrite complexity in hippocampal dentate gyrus. *Neuroscience*, 114(3), 795-805. doi.
- Tolwani, R. J., Cosgaya, J. M., Varma, S., Jacob, R., Kuo, L. E., & Shooter, E. M. (2004). BDNF overexpression produces a long-term increase in myelin formation in the peripheral nervous system. *Journal of Neuroscience Research*, 77(5), 662-669. doi.
- Toma, J. S., Shettar, B. C., Chipman, P. H., Pinto, D. M., Borowska, J. P., Ichida, J. K., . . . Rafuse, V. F. (2015). Motoneurons Derived from Induced Pluripotent Stem Cells Develop Mature Phenotypes Typical of Endogenous Spinal Motoneurons. *The Journal of Neuroscience*, 35(3), 1291-1306. doi. <http://www.jneurosci.org/content/35/3/1291.short>
- Tomankova, K., Jerabkova, P., Zmeskal, O., Vesela, M., & Haderka, J. (2006). Use of image analysis to study growth and division of yeast cells. *Journal of Imaging Science and Technology*, 50, 583-583. doi.

- Tomasi, S., Caminiti, R., & Innocenti, G. M. (2011). Areal Differences in Diameter and Length of Corticofugal Projections. *Cerebral Cortex*, bhr183. doi: 10.1093/cercor/bhr183. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr183v1>
- Tomchik, S. M., & Lu, Z. (2005). Octavolateral projections and organization in the medulla of a teleost fish, the sleeper goby (*Dormitator latifrons*). *Journal of Comparative Neurology*, 481(1), 96-117. doi.
- Tomycz, N. D., Haynes, R. L., Schmidt, E. F., Ackerson, K., & Kinney, H. C. (2010). Novel neuropathologic findings in the Haddad syndrome. *Acta Neuropathologica*, 119(2), 261-269. doi.
- Tong, Cheuk K., Chen, J., Cebrián-Silla, A., Mirzadeh, Z., Obernier, K., Guinto, Cristina D., . . . Alvarez-Buylla, A. (2014). Axonal Control of the Adult Neural Stem Cell Niche. *Cell Stem Cell*, (0). doi: <http://dx.doi.org/10.1016/j.stem.2014.01.014>. <http://www.sciencedirect.com/science/article/pii/S1934590914000150>
- Tong, Cheuk K., Fuentealba, Luis C., Shah, Jugal K., Lindquist, Robert A., Ihrie, Rebecca A., Guinto, Cristina D., . . . Alvarez-Buylla, A. (2015). A Dorsal SHH-Dependent Domain in the V-SVZ Produces Large Numbers of Oligodendroglial Lineage Cells in the Postnatal Brain. *Stem Cell Reports*. doi: 10.1016/j.stemcr.2015.08.013. <http://dx.doi.org/10.1016/j.stemcr.2015.08.013>
- Tong, D., Godale, C. M., Kadakia, F. K., Gu, Z., Danzer, C. S. K., Alghamdi, A., . . . Danzer, S. C. (2019). Immature murine hippocampal neurones do not develop long-term structural changes after a single isoflurane exposure. *British Journal of Anaesthesia*. doi: <https://doi.org/10.1016/j.bja.2019.08.019>. <http://www.sciencedirect.com/science/article/pii/S00709121930649X>
- Tonna, J. E., Balanoff, A. M., Lewin, M. R., Saandari, N., & Wintermark, M. (2010). Potentially Low Cost Solution to Extend Use of Early Generation Computed Tomography. *Western Journal of Emergency Medicine*, 11(5), 463-463. doi.
- Tooney, P. A., Anderson, W. B., Lynch-Frame, A., & Chahl, L. A. (2005). The effects of haloperidol treatment on the distribution of NK1 receptor immunoreactive neurons in guinea-pig brain. *Neuroscience Letters*, 383(1), 155-159. doi.
- Topolnik, L. (2012). Dendritic calcium mechanisms and long-term potentiation in cortical inhibitory interneurons. *European Journal of Neuroscience*. doi.
- Topp, K. S., Tanner, K. D., & Levine, J. D. (2000). Damage to the cytoskeleton of large diameter sensory neurons and myelinated axons in vincristine-induced painful peripheral neuropathy in the rat. *Journal of Comparative Neurology*, 424(4), 563-576. doi.
- Torben-Nielsen, B., Vanderlooy, S., & Postma, E. O. (2008). Non-parametric algorithmic generation of neuronal morphologies. *Neuroinformatics*, 6(4), 257-277. doi.
- Torborg, C. L., Berg, A. P., Jeffries, B. W., Bayliss, D. A., & McBain, C. J. (2006). TASK-Like Conductances Are Present within Hippocampal CA1 Stratum Oriens Interneuron Subpopulations. *Journal of Neuroscience*, 26(28), 7362-7367. doi: 10.1523/jneurosci.1257-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/28/7362>
- Torborg, C. L., Nakashiba, T., Tonegawa, S., & McBain, C. J. (2010). Control of CA3 Output by Feedforward Inhibition Despite Developmental Changes in the Excitation-Inhibition Balance. *Journal*

of Neuroscience, 30(46), 15628-15637. doi: 10.1523/jneurosci.3099-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/46/15628>

Toriumi, K., Ikami, M., Kondo, M., Mouri, A., Koseki, T., Ibi, D., . . . Nabeshima, T. (2013). SHATI/NAT8L regulates neurite outgrowth via microtubule stabilization. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23273. <http://dx.doi.org/10.1002/jnr.23273>

Torres, J. B., Assuncao, J., Farias, J. A., Kahwage, R., Lins, N., Passos, A., . . . Diniz, C. W. P. (2006). NADPH-diaphorase histochemical changes in the hippocampus, cerebellum and striatum are correlated with different modalities of exercise and watermaze performances. *Experimental Brain Research*, 175(2), 292-304. doi.

Torres, L. B., Araujo, B. H. S., Marruaz, K. S., de Souza, J. S., Sousa, B. S., Silva, S. G. d., . . . Cavaleiro, E. A. (2014). Parvalbumin expression and distribution in the hippocampal formation of *Cebus apella*. *American Journal of Primatology*, n/a-n/a. doi: 10.1002/ajp.22366. <http://dx.doi.org/10.1002/ajp.22366>

Torres-Espin, A., Santos, D., González-Pérez, F., del Valle, J., & Navarro, X. (2014). Neurite-J: An Image-J plug-in for axonal growth analysis in organotypic cultures. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.08.005>. <http://www.sciencedirect.com/science/article/pii/S0165027014002891>

Torres-Platas, S., Comeau, S., Rachalski, A., Bo, G., Cruceanu, C., Turecki, G., . . . Mechawar, N. (2014). Morphometric characterization of microglial phenotypes in human cerebral cortex. *Journal of Neuroinflammation*, 11(1), 12. doi: <http://www.jneuroinflammation.com/content/11/1/12>

Torres-Platas, S. G., Hercher, C., Davoli, M. A., Maussion, G., Labonté, B., Turecki, G., & Mechawar, N. (2011). Astrocytic Hypertrophy in Anterior Cingulate White Matter of Depressed Suicides. *Neuropsychopharmacology*, 36(13), 2650-2658. doi.

Tort, A. B. L., Rotstein, H. G., Dugladze, T., Gloveli, T., & Kopell, N. J. (2007). On the formation of gamma-coherent cell assemblies by oriens lacunosum-moleculare interneurons in the hippocampus. *PNAS*, 104(33), 13490-13495. doi: 10.1073/pnas.0705708104. <http://www.pnas.org/cgi/content/abstract/104/33/13490>

Torvund, M. M., Ma, T. S., Connaughton, V. P., Ono, F., & Nelson, R. F. (2016). Cone signals in monostratified and bistratified amacrine cells of adult zebrafish retina. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24107. <http://dx.doi.org/10.1002/cne.24107>

Tóth, K., Hofer, K. T., Kandrás, Á., Entz, L., Bagó, A., Erőss, L., . . . Wittner, L. (2017). Hyperexcitability of the network contributes to synchronization processes in the human epileptic neocortex. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp275413. <http://dx.doi.org/10.1113/JP275413>

Toth, P., Tucsek, Z., Sosnowska, D., Gautam, T., Mitschelen, M., Tarantini, S., . . . Csiszar, A. (2013). Age-related autoregulatory dysfunction and cerebrovascular injury in mice with angiotensin II-induced hypertension. *Journal of Cerebral Blood Flow and Metabolism*. doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013143a.html>

Totola, L. T., Alves, T. B., Takakura, A. C., Ferreira-Neto, H. C., Antunes, V. R., Menani, J. V., . . . Moreira, T. S. (2013). Commissural nucleus of the solitary tract regulates the antihypertensive effects elicited by moxonidine. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.065>. <http://www.sciencedirect.com/science/article/pii/S030645221300571X>

Touchette, J. C., Breckenridge, J. M., Wilken, G. H., & Macarthur, H. (2015). Direct intranigral injection of dopaminochrome causes degeneration of dopamine neurons. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2015.12.028>. <http://www.sciencedirect.com/science/article/pii/S0304394015303190>

Touj, S., Houle, S., Ramla, D., Jeffrey-Gauthier, R., Hotta, H., Bronchti, G., . . . Piché, M. (2017). Sympathetic regulation and anterior cingulate cortex volume are altered in a rat model of chronic back pain. *Neuroscience*, 352, 9-18. doi: <http://doi.org/10.1016/j.neuroscience.2017.03.047>. <http://www.sciencedirect.com/science/article/pii/S0306452217302221>

Touj, S., Tokunaga, R., Al Aïn, S., Bronchti, G., & Piché, M. (2019). Pain Hypersensitivity is Associated with Increased Amygdala Volume and c-Fos Immunoreactivity in Anophthalmic Mice. *Neuroscience*, 418, 37-49. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.035>. <http://www.sciencedirect.com/science/article/pii/S0306452219306086>

Touvykine, B., Mansoori, B. K., Jean-Charles, L., Deffeyes, J., Quessy, S., & Dancause, N. (2015). The Effect of Lesion Size on the Organization of the Ipsilesional and Contralateral Motor Cortex. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968315585356. <http://nnr.sagepub.com/content/early/2015/05/06/1545968315585356.abstract>

Towers, S. K., & Hestrin, S. (2008). D1-Like Dopamine Receptor Activation Modulates GABAergic Inhibition But Not Electrical Coupling between Neocortical Fast-Spiking Interneurons. *Journal of Neuroscience*, 28(10), 2633-2641. doi: 10.1523/jneurosci.5079-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/10/2633>

Toyoda, I., & Buckmaster, P. S. (2005). Prolonged Infusion of Cycloheximide Does Not Block Mossy Fiber Sprouting in a Model of Temporal Lobe Epilepsy. *Epilepsia*, 46(7), 1017-1020. doi: 10.1111/j.1528-1167.2005.04605.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2005.04605.x>

Trabalza, A., Colazingari, S., Sgobio, C., & Bevilacqua, A. (2011). Contextual learning increases dendrite complexity and EphrinB2 levels in hippocampal mouse neurons. *Behavioural Brain Research*. doi.

Trachtenberg, J. T., Chen, B. E., Knott, G. W., Feng, G., Sanes, J. R., Welker, E., & Svoboda, K. (2002). Long-term in vivo imaging of experience-dependent synaptic plasticity in adult cortex. *Nature*, 420, 788-794. doi.

Trachtenberg, J. T., & Stryker, M. P. (2001). Rapid Anatomical Plasticity of Horizontal Connections in the Developing Visual Cortex. *Journal of Neuroscience*, 21(10), 3476-3482. doi: <http://www.jneurosci.org/cgi/content/abstract/21/10/3476>

Trageser, J. C., Burke, K. A., Masri, R., Li, Y., Sellers, L., & Keller, A. (2006). State-Dependent Gating of Sensory Inputs by Zona Incerta. *Journal of Neurophysiology*, 96(3), 1456-1463. doi: 10.1152/jn.00423.2006. <http://jn.physiology.org/cgi/content/abstract/96/3/1456>

Trainor, B. C., Greiwe, K. M., & Nelson, R. J. (2006). Individual differences in estrogen receptor α in select brain nuclei are associated with individual differences in aggression. *Hormones and Behavior*, 50(2), 338-345. doi.

Trainor, B. C., Rowland, M. R., & Nelson, R. J. (2007). Photoperiod affects estrogen receptor α , estrogen receptor β and aggressive behavior. *European Journal of Neuroscience*, 26(1), 207-218. doi: doi:10.1111/j.1460-9568.2007.05654.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05654.x>

Trainor, B. C., Workman, J. L., Jessen, R., & Nelson, R. J. (2007). Impaired nitric oxide synthase signaling dissociates social investigation and aggression. *Behavioral Neuroscience*, 121(2), 362-362. doi.

Travers, J. B., Herman, K., Yoo, J., & Travers, S. P. (2007). Taste reactivity and Fos expression in GAD1-EGFP transgenic mice. *Chemical Senses*, 32(2), 129-137. doi.

Travers, J. B., & Rinaman, L. (2002). Identification of lingual motor control circuits using two strains of pseudorabies virus. *Neuroscience*, 115(4), 1139-1151. doi.

Travers, J. B., Yoo, J. E., Chandran, R., Herman, K., & Travers, S. P. (2005). Neurotransmitter phenotypes of intermediate zone reticular formation projections to the motor trigeminal and hypoglossal nuclei in the rat. *Journal of Comparative Neurology*, 488(1), 28-47. doi.

Travers, S. P. (2002). Quinine and citric acid elicit distinctive Fos-like immunoreactivity in the rat nucleus of the solitary tract. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 282(6), R1798-1810. doi: 10.1152/ajpregu.00590.2001. <http://ajpregu.physiology.org/cgi/content/abstract/282/6/R1798>

Travers, S. P., & Hu, H. (2000). Extranuclear projections of rNST neurons expressing gustatory-elicited Fos. *Journal of Comparative Neurology*, 427(1), 124-138. doi.

Travers, S. P., & Travers, J. B. (2007). Taste-evoked Fos expression in nitrenergic neurons in the nucleus of the solitary tract and reticular formation of the rat. *Journal of Comparative Neurology*, 500(4), 746-760. doi.

Travis, K., Ford, K., & Jacobs, B. (2005). Regional Dendritic Variation in Neonatal Human Cortex: A Quantitative Golgi Study. *Developmental Neuroscience*, 27, 277-287. doi.

Tremblay, M., Lowery, R., & Majewska, A. (2010). Microglial interactions with synapses are modulated by visual experience. *PLoS Biol*, 8, e1000527. doi.

Tremere, L. A., Jeong, J. K., & Pinaud, R. (2009). Estradiol Shapes Auditory Processing in the Adult Brain by Regulating Inhibitory Transmission and Plasticity-Associated Gene Expression. *Journal of Neuroscience*, 29(18), 5949-5963. doi: 10.1523/jneurosci.0774-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/18/5949>

Tretter, Y. P., Hertel, M., Munz, B., Bruggencate, G. t., Werner, S., & Alzheimer, C. (2000). Induction of activin A is essential for the neuroprotective action of basic fibroblast growth factor in vivo. *Nature Medicine*, 6, 812-815. doi.

Treweek, J. B., Chan, K. Y., Flytzanis, N. C., Yang, B., Deverman, B. E., Greenbaum, A., . . . Gradinaru, V. (2015). Whole-body tissue stabilization and selective extractions via tissue-hydrogel hybrids for high-resolution intact circuit mapping and phenotyping. *IProtocol. Nat. Protocols*, 10(11), 1860-1896. doi: 10.1038/nprot.2015.122

<http://www.nature.com/nprot/journal/v10/n11/abs/nprot.2015.122.html#supp.....> <http://dx.doi.org/10.1038/nprot.2015.122>

- Tricoire, L., Pelkey, K. A., Daw, M. I., Sousa, V. H., Miyoshi, G., Jeffries, B., . . . McBain, C. J. (2010). Common Origins of Hippocampal Ivy and Nitric Oxide Synthase Expressing Neurogliaform Cells. *Journal of Neuroscience*, 30(6), 2165-2176. doi: 10.1523/jneurosci.5123-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/6/2165>
- Tricoire, L., Pelkey, K. A., Erkkila, B. E., Jeffries, B. W., Yuan, X., & McBain, C. J. (2011). A Blueprint for the Spatiotemporal Origins of Mouse Hippocampal Interneuron Diversity. *Journal of Neuroscience*, 31(30), 10948-10970. doi: 10.1523/jneurosci.0323-11.2011. <http://www.jneurosci.org/content/31/30/10948.abstract>
- Trillaud-Doppia, E., Paradis-Isler, N., & Boehm, J. (2016). A single amino acid difference between the intracellular domains of amyloid precursor protein and amyloid-like precursor protein 2 enables induction of synaptic depression and block of long-term potentiation. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.02.016>. <http://www.sciencedirect.com/science/article/pii/S0969996116300377>
- Trinchero, M. F., Koehl, M., Bechakra, M., Delage, P., Charrier, V., Grosjean, N., . . . Abrous, D. N. (2015). Effects of spaced learning in the water maze on development of dentate granule cells generated in adult mice. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22438. <http://dx.doi.org/10.1002/hipo.22438>
- Tripanichkul, W., Stanic, D., Drago, J., Finkelstein, D. I., & Horne, M. K. (2003). D2 Dopamine receptor blockade results in sprouting of DA axons in the intact animal but prevents sprouting following nigral lesions. *European Journal of Neuroscience*, 17(5), 1033. doi.
- Tripathy, S. J., Burton, S. D., Geramita, M., Gerkin, R. C., & Urban, N. N. (2015). Brain-wide analysis of electrophysiological diversity yields novel categorization of mammalian neuron types. [10.1152/jn.00237.2015]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2015/03/20/jn.00237.2015.abstract>
- Tronel, S., Fabre, A., Charrier, V., Olier, S. H. R., Gage, F. H., & Abrous, D. N. (2010). Spatial learning sculpts the dendritic arbor of adult-born hippocampal neurons. *Proceedings of the National Academy of Sciences*, 107(17), 7963-7968. doi: 10.1073/pnas.0914613107. <http://www.pnas.org/content/107/17/7963.abstract>
- Tropea, D., Caleo, M., & Maffei, L. (2003). Synergistic Effects of Brain-Derived Neurotrophic Factor and Chondroitinase ABC on Retinal Fiber Sprouting after Denervation of the Superior Colliculus in Adult Rats. *Journal of Neuroscience*, 23, 7034-7044. doi.
- Trotter, R. N., Stornetta, R. L., Guyenet, P. G., & Roberts, M. R. (2007). Transneuronal mapping of the CNS network controlling sympathetic outflow to the rat thymus. *Autonomic Neuroscience*, 131(1), 9-20. doi.
- Trujillo, C. A., Adams, J. W., Negraes, P. D., Carromeu, C., Tejwani, L., Acab, A., . . . Muotri, A. R. (2020). Pharmacological reversal of synaptic and network pathology in human MECP2-KO neurons and cortical organoids. [<https://doi.org/10.15252/emmm.202012523>]. *EMBO Molecular Medicine*, n/a(n/a), e12523. doi: <https://doi.org/10.15252/emmm.202012523>. <https://doi.org/10.15252/emmm.202012523>
- Truong, H., McGinnis, L., Dindo, L., Honda, C. N., & Giesler, G. J. (2004). Identification of dorsal root ganglion neurons that innervate the common bile duct of rats. *Experimental Brain Research*, 155(4), 477-484. doi.

Tsai, M.-S., Lee, M.-L., Chang, C.-Y., Fan, H.-H., Yu, I. S., Chen, Y.-T., . . . Lin, S.-W. (2015). Functional and structural deficits of the dentate gyrus network coincide with emerging spontaneous seizures in an Scn1a mutant Dravet Syndrome model during development. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.010>. <http://www.sciencedirect.com/science/article/pii/S0969996115000376>

Tsay, D., & Yuste, R. (2002). Role of Dendritic Spines in Action Potential Backpropagation: A Numerical Simulation Study. *Journal of Neurophysiology*, 88(5), 2834-2845. doi: 10.1152/jn.00781.2001. <http://jn.physiology.org/cgi/content/abstract/88/5/2834>

Tse, K.-H., Novikov, L. N., Wiberg, M., & Kingham, P. J. (2014). Intrinsic mechanisms underlying the neurotrophic activity of adipose derived stem cells. *Experimental Cell Research*, (0). doi: <http://dx.doi.org/10.1016/j.yexcr.2014.08.034>. <http://www.sciencedirect.com/science/article/pii/S0014482714003723>

Tsechpenakis, G., Mukherjee, P., Kim, M., & Chiba, A. (2011). Three-dimensional Motor Neuron Morphology Estimation in the Drosophila Ventral Nerve Cord. *Biomedical Engineering, IEEE Transactions on*, (99), 1-1. doi.

Tseng, M. T., Fu, Q., Lor, K., Fernandez-Botran, G. R., Deng, Z.-B., Graham, U., . . . Yokel, R. A. (2013). Persistent Hepatic Structural Alterations Following Nanoceria Vascular Infusion in the Rat. *Toxicologic Pathology*. doi: 10.1177/0192623313505780. <http://tpx.sagepub.com/content/early/2013/10/31/0192623313505780.abstract>

Tsiola, A., Hamzei-Sichani, F., Peterlin, Z., & Yuste, R. (2003). Quantitative morphologic classification of layer 5 neurons from mouse primary visual cortex. *Journal of Comparative Neurology*, 461(4), 415-428. doi.

Tsubo, Y., Takada, M., Reyes, A. D., & Fukai, T. (2007). Layer and frequency dependencies of phase response properties of pyramidal neurons in rat motor cortex. *European Journal of Neuroscience*, 25(11), 3429-3441. doi: doi:10.1111/j.1460-9568.2007.05579.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05579.x>

Tsuboi, T., Honda, T., Hishida, S., Shigetomi, T., Ueda, M., & Sugiura, Y. (2004). A quantitative study of nerve fiber density in the submandibular gland of rats. *Nagoya Journal of Medical Science*, 67(1-2), 25-34. doi.

Tsujimura, T., Kondo, M., Kitagawa, J., Tsuboi, Y., Saito, K., Tohara, H., . . . Iwata, K. (2009). Involvement of ERK phosphorylation in brainstem neurons in modulation of swallowing reflex in rats. *Journal of Physiology*, jphysiol.2008.165324. doi: 10.1113/jphysiol.2008.165324. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.165324v1>

Tsuneoka, Y., Maruyama, T., Yoshida, S., Nishimori, K., Kato, T., Numan, M., & Kuroda, K. O. (2012). Functional, anatomical, and neurochemical differentiation of medial preoptic area subregions in relation to maternal behavior in the mouse. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23251. <http://dx.doi.org/10.1002/cne.23251>

Tsuru-Aoyagi, K., Potts, M. B., Trivedi, A., Pfankuch, T., Raber, J., Wendland, M., . . . Noble-Haeusslein, L. J. (2009). Glutathione peroxidase activity modulates recovery in the injured immature brain. *Annals of Neurology*, 65(5), 540-549. doi.

Tsurugizawa, T., Mukai, H., Tanabe, N., Murakami, G., Hojo, Y., Kominami, S., . . . others. (2005). Estrogen induces rapid decrease in dendritic thorns of CA3 pyramidal neurons in adult male rat hippocampus. *Biochemical and Biophysical Research Communications*, 337(4), 1345-1352. doi.

Tu, S., Akhtar, M. W., Escorihuela, R. M., Amador-Arjona, A., Swarup, V., Parker, J., . . . Nakanishi, N. (2017). NitroSynapsin therapy for a mouse MEF2C haploinsufficiency model of human autism. *Nature Communications*, 8(1), 1488. doi: 10.1038/s41467-017-01563-8. <https://doi.org/10.1038/s41467-017-01563-8>

Tu, Y., Luo, R., Li, X., Lin, M., & Qiu, M. (2012). Hypermyelination and overexpression of neuregulin-1 in thoracic sympathetic nerves in patients with primary palmar hyperhidrosis. *Journal of Clinical Neuroscience*, (0). doi: 10.1016/j.jocn.2011.12.032. <http://www.sciencedirect.com/science/article/pii/S0967586812002433>

Tucker, B. A., Rahimtula, M., & Mearow, K. M. (2005). Integrin activation and neurotrophin signaling cooperate to enhance neurite outgrowth in sensory neurons. *Journal of Comparative Neurology*, 486(3), 267-280. doi.

Tucker, B. A., Rahimtula, M., & Mearow, K. M. (2006). Laminin and growth factor receptor activation stimulates differential growth responses in subpopulations of adult DRG neurons. *European Journal of Neuroscience*, 24(3), 676-690. doi: doi:10.1111/j.1460-9568.2006.04963.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04963.x>

Tucsek, Z., Toth, P., Tarantini, S., Sosnowska, D., Gautam, T., Warrington, J. P., . . . Csiszar, A. (2014). Aging Exacerbates Obesity-induced Cerebromicrovascular Rarefaction, Neurovascular Uncoupling, and Cognitive Decline in Mice. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*. doi: 10.1093/gerona/glu080. <http://biomedgerontology.oxfordjournals.org/content/early/2014/06/02/ger...>

Tukker, J. J., Lasztóczy, B., Katona, L., Roberts, J. D. B., Pissadaki, E. K., Dalezios, Y., . . . Somogyi, P. (2013). Distinct Dendritic Arborization and In Vivo Firing Patterns of Parvalbumin-Expressing Basket Cells in the Hippocampal Area CA3. *Journal of Neuroscience*, 33(16), 6809-6825. doi: 10.1523/jneurosci.5052-12.2013. <http://www.jneurosci.org/content/33/16/6809.abstract>

Tulapurkar, M. E., Hasday, J. D., & Singh, I. S. (2011). Prolonged exposure to hyperthermic stress augments neutrophil recruitment to lung during the post-exposure recovery period. *International Journal of Hyperthermia*, 27(7), 717-725. doi.

Tulke, S., Williams, P., Hellysaz, A., Ilegems, E., Wendel, M., & Broberger, C. (2015). Nucleobindin 1 (NUCB1) is a Golgi-resident marker of neurons. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.11.062>. <http://www.sciencedirect.com/science/article/pii/S0306452215010611>

Tuntivanich, N., Pittler, S. J., Fischer, A. J., Omar, G., Kiupel, M., Weber, A., . . . Petersen-Jones, S. M. (2009). Characterization of a canine model of autosomal recessive retinitis pigmentosa due to a PDE6A mutation. *Investigative Ophthalmology and Visual Science*, 50(2), 801-813. doi.

Tuntivanich, N., Weber, A. J., Render, J. A., & Petersen-Jones, S. M. (2005). Histopathological Characterization of the Retinal Degeneration of the Rod Cyclic GMP Phosphodiesterase Alpha (PDE6A) Mutant Dog Model of Retinitis Pigmentosa. *Investigative Ophthalmology and Visual Science*, 46(5), 5238-5238. doi.

Tuoc, T., Dere, E., Radyushkin, K., Pham, L., Nguyen, H., Tonchev, A. B., . . . Stoykova, A. (2016). Ablation of BAF170 in Developing and Postnatal Dentate Gyrus Affects Neural Stem Cell Proliferation, Differentiation, and Learning. [journal article]. *Molecular Neurobiology*, 1-18. doi: 10.1007/s12035-016-9948-5. <http://dx.doi.org/10.1007/s12035-016-9948-5>

Turner, A. C., Kraev, I., Stewart, M. G., Stramek, A., Overton, P. G., & Dommett, E. J. (2018). Chronic amphetamine enhances visual input to and suppresses visual output from the superior colliculus in withdrawal. *Neuropharmacology*, 138, 118-129. doi: <https://doi.org/10.1016/j.neuropharm.2018.05.033>. <http://www.sciencedirect.com/science/article/pii/S0028390818302685>

Turner, B. A., Sparrow, J., Cai, B., Monroe, J., Mikawa, T., & Hempstead, B. L. (2006). TrkB/BDNF signaling regulates photoreceptor progenitor cell fate decisions. *Developmental Biology*, 299(2), 455-465. doi.

Turner, D. A., Li, X. G., Pyapali, G. K., Ylinen, A., & Buzsaki, G. (1995). Morphometric and Electrical Properties of Reconstructed Hippocampal CA3 Neurons Recorded in Vivo. *Journal of Comparative Neurology*, 356, 580-594. doi.

Turrero Garcia, M., Mazzola, E., & Harwell, Corey C. (2016). Lineage Relationships Do Not Drive MGE/PoA-Derived Interneuron Clustering in the Brain. *Neuron*, 92(1), 52-58. doi: 10.1016/j.neuron.2016.09.034. <http://dx.doi.org/10.1016/j.neuron.2016.09.034>

Turrin, N. P., & Rivest, S. (2006). Molecular and cellular immune mediators of neuroprotection. *Molecular Neurobiology*, 34(3), 221-242. doi.

Turrin, N. P., & Rivest, S. (2006). Tumor necrosis factor α but not interleukin 1β mediates neuroprotection in response to acute nitric oxide excitotoxicity. *Journal of Neuroscience*, 26(1), 143-151. doi.

Tuszynski, M. H., Grill, R., Jones, L. L., Brant, A., Blesch, A., Löw, K., . . . Lu, P. (2003). NT-3 gene delivery elicits growth of chronically injured corticospinal axons and modestly improves functional deficits after chronic scar resection. *Experimental Neurology*, 181(1), 47-56. doi.

Tuszynski, M. H., Grill, R., Jones, L. L., McKay, H. M., & Blesch, A. (2002). Spontaneous and augmented growth of axons in the primate spinal cord: Effects of local injury and nerve growth factor-secreting cell grafts. *Journal of Comparative Neurology*, 449(1), 88-101. doi.

Tuunanen, J., Lukasiuk, K., Halonen, T., & Pitkanen, A. (1999). Status epilepticus-induced neuronal damage in the rat amygdaloid complex: distribution, time-course and mechanisms. *Neuroscience*, 94(2), 473-495. doi.

Tuunanen, J., & Pitkänen, A. (2000). Do seizures cause neuronal damage in rat amygdala kindling? *Epilepsy Research*, 39(2), 171-176. doi.

Tyan, L., Chamberland, S., Magnin, E., Camiré, O., Francavilla, R., David, L. S., . . . Topolnik, L. (2014). Dendritic Inhibition Provided by Interneuron-Specific Cells Controls the Firing Rate and Timing of the Hippocampal Feedback Inhibitory Circuitry. *The Journal of Neuroscience*, 34(13), 4534-4547. doi. <http://www.jneurosci.org/content/34/13/4534.short>

Tyan, S.-H., Shih, A. Y.-J., Walsh, J. J., Murayama, H., Sarsoza, F., Ku, L., . . . Dickstein, D. L. (2012). Amyloid precursor protein (APP) regulates synaptic structure and function. *Molecular and Cellular*

Neuroscience, (0). doi:

10.1016/j.mcn.2012.07.009. <http://www.sciencedirect.com/science/article/pii/S104474311200125X>

Tynan, R. J., Beynon, S. B., Hinwood, M., Johnson, S. J., Nilsson, M., Woods, J. J., & Walker, F. R. (2013). Chronic stress-induced disruption of the astrocyte network is driven by structural atrophy and not loss of astrocytes. *Acta Neuropathologica*, 1-17. doi.

Tyndall, S. J., Patel, S. J., & Walikonis, R. S. (2007). Hepatocyte growth factor-induced enhancement of dendritic branching is blocked by inhibitors of N-methyl-D-aspartate receptors and calcium/calmodulin-dependent kinases. *Journal of Neuroscience Research*, 85(11), 2343-2351. doi.

Tysseling-Mattiace, V. M., Sahni, V., Niece, K. L., Birch, D., Czeisler, C., Fehlings, M. G., . . . Kessler, J. A. (2008). Self-Assembling Nanofibers Inhibit Glial Scar Formation and Promote Axon Elongation after Spinal Cord Injury. *Journal of Neuroscience*, 28(14), 3814-3823. doi: 10.1523/jneurosci.0143-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/14/3814>

Tyzio, R., Khalilov, I., Represa, A., Crepel, V., Zilberter, Y., Rheims, S., . . . others. (2009). Inhibitory actions of the gamma-aminobutyric acid in pediatric Sturge-Weber syndrome. *Annals of Neurology*, 66(2), 209-218. doi.

Udin, S. B. (2008). Isthmotectal axons maintain normal arbor size but fail to support normal branch numbers in dark-reared *Xenopus laevis*. *Journal of Comparative Neurology*, 507(4), 1559-1570. doi.

Ueberham, E., Arendt, E., Starke, M., Bittner, R., & Gebhardt, R. (2004). Reduction and expansion of the glutamine synthetase expressing zone in livers from tetracycline controlled TGF- β 1 transgenic mice and multiple starved mice. *Journal of Hepatology*, 41(1), 75-81. doi.

Ueberham, U., Hilbrich, I., Ueberham, E., Rohn, S., Glöckner, P., Dietrich, K., . . . Arendt, T. (2012). Transcriptional control of cell cycle-dependent kinase 4 by Smad proteins—implications for Alzheimer's disease. *Neurobiology of Aging*. doi.

Ueberham, U., Ueberham, E., Brückner, M. K., Seeger, G., Gärtner, U., Gruschka, H., . . . Arendt, T. (2005). Inducible neuronal expression of transgenic TGF- β 1 in vivo: dissection of short-term and long-term effects. *European Journal of Neuroscience*, 22(1), 50-64. doi.

Ueda, K., Ueyama, T., Oka, M., Ito, T., Tsuruo, Y., & Ichinose, M. (2009). Polaprezinc (Zinc L-carnosine) is a potent inducer of anti-oxidative stress enzyme, heme oxygenase (HO)-1—a new mechanism of gastric mucosal protection. *Journal of Pharmacological Sciences*, 110(3), 285-294. doi.

Ueda, K., Ueyama, T., Yoshida, K., Kimura, H., Ito, T., Shimizu, Y., . . . Ichinose, M. (2008). Adaptive HNE-Nrf2-HO-1 pathway against oxidative stress is associated with acute gastric mucosal lesions. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 295(3), G460-G469-G460-G469. doi.

Uekita, T., & Okanoya, K. (2011). Hippocampus lesions induced deficits in social and spatial recognition in *Octodon degus*. *Behavioural Brain Research*. doi.

Uematsu, M., Hirai, Y., Karube, F., Ebihara, S., Kato, M., Abe, K., . . . Kawaguchi, Y. (2008). Quantitative Chemical Composition of Cortical GABAergic Neurons Revealed in Transgenic Venus-Expressing Rats. *Cerebral Cortex*, 18(2), 315-330. doi: 10.1093/cercor/bhm056. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/2/315>

Ueta, Y., Otsuka, T., Morishima, M., Ushimaru, M., & Kawaguchi, Y. (2013). Multiple Layer 5 Pyramidal Cell Subtypes Relay Cortical Feedback from Secondary to Primary Motor Areas in Rats. *Cerebral Cortex*. doi: 10.1093/cercor/bht088. <http://cercor.oxfordjournals.org/content/early/2013/04/02/cercor.bht088>.

...

Ueta, Y., Sohn, J., Agahari, F. A., Im, S., Hirai, Y., Miyata, M., & Kawaguchi, Y. (2019). Ipsi- and contralateral corticocortical projection-dependent subcircuits in layer 2 of the rat frontal cortex. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00333.2019. <https://www.physiology.org/doi/abs/10.1152/jn.00333.2019>

Ueyama, T., Tanioku, T., Nuta, J., Kujira, K., Ito, T., Nakai, S., & Tsuruo, Y. (2006). Estrogen alters c-Fos response to immobilization stress in the brain of ovariectomized rats. *Brain Research*, 1084(1), 67-79. doi.

Ugolini, G. (2010). Advances in viral transneuronal tracing. *Journal of Neuroscience Methods*, 194(1), 2-20. doi.

Ugolini, G., Klam, F., Doldan Dans, M., Dubayle, D., Brandi, A. M., Büttner-Ennever, J., & Graf, W. (2006). Horizontal eye movement networks in primates as revealed by retrograde transneuronal transfer of rabies virus: differences in monosynaptic input to "slow" and "fast" abducens motoneurons. *Journal of Comparative Neurology*, 498(6), 762-785. doi.

Ugolini, G., Prevosto, V., & Graf, W. (2019). Ascending vestibular pathways to parietal areas MIP and LIPv and efference copy inputs from the medial reticular formation: functional frameworks for body representations updating and online movement guidance. *European Journal of Neuroscience*, 0(ja). doi: 10.1111/ejn.14426. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14426>

Uhrig, B. A., Clements, I. P., Boerckel, J. D., Huebsch, N., Bellamkonda, R. V., & Guldberg, R. E. (2012). Characterization of a composite injury model of severe lower limb bone and nerve trauma. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.1537. <http://dx.doi.org/10.1002/term.1537>

Ulanovsky, N., & Moss, C. F. (2007). Hippocampal cellular and network activity in freely moving echolocating bats. *Nature of Neuroscience*, 10, 224-233. doi.

Ulatowski, L., Parker, R., Warriar, G., Sultana, R., Butterfield, D. A., & Manor, D. (2013). Vitamin E is essential for Purkinje neuron integrity. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.12.001>. <http://www.sciencedirect.com/science/article/pii/S0306452213010105>

Ullrich, M., Weber, M., Post, A. M., Popp, S., Grein, J., Zechner, M., . . . Schuh, K. (2017). OCD-like behavior is caused by dysfunction of thalamo-amygdala circuits and upregulated TrkB/ERK-MAPK signaling as a result of SPRED2 deficiency. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.232. <http://dx.doi.org/10.1038/mp.2016.232>

Ulmke, P. A., Sakib, M. S., Ditte, P., Sokpor, G., Kerimoglu, C., Pham, L., . . . Tuoc, T. (2021). Molecular Profiling Reveals Involvement of ESCO2 in Intermediate Progenitor Cell Maintenance in the Developing Mouse Cortex. *Stem Cell Reports*. doi: <https://doi.org/10.1016/j.stemcr.2021.03.008>. <https://www.sciencedirect.com/science/article/pii/S2213671121001387>

- Ulmke, P. A., Xie, Y., Sokpor, G., Pham, L., Shomroni, O., Berulava, T., . . . Tuoc, T. (2021). Post-transcriptional regulation by the exosome complex is required for cell survival and forebrain development via repression of P53 signaling. *Development*, 148(3), dev188276. doi: 10.1242/dev.188276. <http://dev.biologists.org/content/148/3/dev188276.abstract>
- Ultanir, Sila K., Hertz, Nicholas T., Li, G., Ge, W.-P., Burlingame, Alma L., Pleasure, Samuel J., . . . Jan, Y.-N. (2012). Chemical Genetic Identification of NDR1/2 Kinase Substrates AAK1 and Rabin8 Uncovers Their Roles in Dendrite Arborization and Spine Development. *Neuron*, 73(6), 1127-1142. doi: 10.1016/j.neuron.2012.01.019. <http://www.sciencedirect.com/science/article/pii/S089662731200137Z>
- Ulvestad, E., Williams, K., Vedeler, C., Antel, J., Nyland, H., Mork, S., & Matre, R. (1994). Reactive microglia in multiple sclerosis lesions have an increased expression of receptors for the Fc part of IgG. *Journal of the Neurological Sciences*, 121, 125 - 131. doi.
- Um, K., Niu, S., Duman, Joseph G., Cheng, Jinxuan X., Tu, Y.-K., Schwechter, B., . . . Tolia, Kimberley F. (2014). Dynamic Control of Excitatory Synapse Development by a Rac1 GEF/GAP Regulatory Complex. *Developmental cell*, 29(6), 701-715. doi: <http://dx.doi.org/10.1016/j.devcel.2014.05.011>. <http://www.sciencedirect.com/science/article/pii/S153458071400313X>
- Unal, B., Ibáñez-Sandoval, O., Shah, F., Abercrombie, E., & Tepper, J. M. (2011). Frontiers: Distribution of Tyrosine Hydroxylase-Expressing Interneurons with Respect to Anatomical Organization of the Neostriatum. *Frontiers in Systems Neuroscience*, 5. doi.
- Ünal, B., Ibáñez-Sandoval, O., Shah, F., Abercrombie, E. D., & Tepper, J. M. (2011). Distribution of tyrosine hydroxylase-expressing interneurons with respect to anatomical organization of the neostriatum. *Frontiers in Systems Neuroscience*, 5. doi.
- Ünal, B., Shah, F., Kothari, J., & Tepper, J. (2013). Anatomical and electrophysiological changes in striatal TH interneurons after loss of the nigrostriatal dopaminergic pathway. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-013-0658-8. <http://dx.doi.org/10.1007/s00429-013-0658-8>
- Unal, C. T., Golowasch, J. P., & Zaborszky, L. (2012). Adult mouse basal forebrain harbors two distinct cholinergic populations defined by their electrophysiology. *Frontiers in Behavioral Neuroscience*, 6. doi.
- Unal, G., Crump, M. G., Viney, T. J., Éltés, T., Katona, L., Klausberger, T., & Somogyi, P. (2018). Spatio-temporal specialization of GABAergic septo-hippocampal neurons for rhythmic network activity. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1626-0. <https://doi.org/10.1007/s00429-018-1626-0>
- Unal, G., Joshi, A., Viney, T. J., Kis, V., & Somogyi, P. (2015). Synaptic Targets of Medial Septal Projections in the Hippocampus and Extrahippocampal Cortices of the Mouse. *The Journal of Neuroscience*, 35(48), 15812-15826. doi. <http://www.jneurosci.org/content/35/48/15812.full>
- Underwood, M. D., Arango, V., Smith, R. W., Bakalian, M. J., & Mann, J. J. (1993). Computerized three-dimensional reconstruction reveals cerebrovascular regulatory subregions in rat brain stem. *Neuroimage*, 1, 79-86. doi.
- Underwood, M. D., Bakalian, M. J., Arango, V., Smith, R. W., & Mann, J. J. (1992). Regulation of cortical blood flow by the dorsal raphe nucleus: topographic organization of cerebrovascular regulatory regions. *Journal of Cerebral Blood Flow and Metabolism*, 12, 664-673. doi.

Unger, M. M., Oertel, W. H., Thannickal, T. C., Lai, Y. Y., & Siegel, J. M. (2010). Lesions Associated with Sleep Disturbances. *Non-Dopamine Lesions in Parkinson's Disease*, 167-167. doi.

Uotani, C., Sugimori, K., & Kobayashi, K. (2006). Association of minimal thickness of the medial temporal lobe with hippocampal volume, maximal and minimal hippocampal length: volumetric approach with horizontal magnetic resonance imaging scans for evaluation of a diagnostic marker for neuroimaging of alzheimer's disease. *Psychiatry Clinical Neuroscience*, 60(3), 319-326. doi.

Upadhy, D., Hattiangady, B., Shetty, G. A., Zanirati, G., Kodali, M., & Shetty, A. K. (2016). Neural Stem Cell or Human Induced Pluripotent Stem Cell-Derived GABA-ergic Progenitor Cell Grafting in an Animal Model of Chronic Temporal Lobe Epilepsy Current protocols in stem cell biology: John Wiley & Sons, Inc.

Urban, K. R., Geng, E., Bhatnagar, S., & Valentino, R. J. (2019). Age- and sex-dependent impact of repeated social stress on morphology of rat prefrontal cortex pyramidal neurons. *Neurobiology of Stress*, 100165. doi: <https://doi.org/10.1016/j.ynstr.2019.100165>. <http://www.sciencedirect.com/science/article/pii/S2352289518301097>

Urban, N. N., & Castro, J. B. (2005). Tuft Calcium Spikes in Accessory Olfactory Bulb Mitral Cells. *Journal of Neuroscience*, 25(20), 5024-5028. doi: <http://www.jneurosci.org/cgi/content/abstract/25/20/5024>

Urich, D., Eisenberg, J. L., Hamill, K. J., Takawira, D., Chiarella, S. E., Soberanes, S., . . . others. (2011). Lung-specific loss of the laminin $\alpha 3$ subunit confers resistance to mechanical injury. *Journal of Cell Science*, 124(17), 2927-2937. doi.

Urrea, C., Danton, G. H., Bramlett, H. M., & Dietrich, W. D. (2004). The beneficial effect of mild hypothermia in a rat model of repeated thromboembolic insults. *Acta Neuropathologica*, 107(5), 413-420. doi.

Uschakov, A., Gong, H., McGinty, D., & Szymusiak, R. (2006). Sleep-active neurons in the preoptic area project to the hypothalamic paraventricular nucleus and perifornical lateral hypothalamus. *European Journal of Neuroscience*, 23(12), 3284-3296. doi:10.1111/j.1460-9568.2006.04860.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04860.x>

Uschakov, A., Gong, H., McGinty, D., & Szymusiak, R. (2007). Efferent projections from the median preoptic nucleus to sleep-and arousal-regulatory nuclei in the rat brain. *Neuroscience*, 150(1), 104-120. doi.

Uschakov, A., McGinty, D., Szymusiak, R., & McKinley, M. J. (2009). Functional correlates of activity in neurons projecting from the lamina terminalis to the ventrolateral periaqueductal gray. *European Journal of Neuroscience*, 30(12), 2347-2355. doi.

Usher, L. C., Johnstone, A., Ertürk, A., Hu, Y., Strikis, D., Wanner, I. B., . . . others. (2010). A chemical screen identifies novel compounds that overcome glial-mediated inhibition of neuronal regeneration. *Journal of Neuroscience*, 30(13), 4693-4706. doi.

Usher, L. C., Johnstone, A., Erturk, A., Hu, Y., Strikis, D., Wanner, I. B., . . . Bixby, J. L. (2010). A Chemical Screen Identifies Novel Compounds That Overcome Glial-Mediated Inhibition of Neuronal Regeneration. *Journal of Neuroscience*, 30(13), 4693-4706. doi: 10.1523/jneurosci.0302-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/13/4693>

Ushimaru, M., & Kawaguchi, Y. (2015). Temporal Structure of Neuronal Activity among Cortical Neuron Subtypes during Slow Oscillations in Anesthetized Rats. *The Journal of Neuroscience*, 35(34), 11988-12001. doi: <http://www.jneurosci.org/content/35/34/11988.short>

Usrey, W. M., & Reid, R. C. (2000). Visual physiology of the lateral geniculate nucleus in two species of New World monkey: *Saimiri sciureus* and *Aotus trivirgatus*. *Journal of Physiology*, 523(3), 755-769. doi: <http://jp.physoc.org/cgi/content/abstract/523/3/755>

Utagawa, A., Bramlett, H. M., Daniels, L., Lotocki, G., Dekaban, G. A., Weaver, L. C., & Dietrich, W. D. (2008). Transient blockage of the CD11d/CD18 integrin reduces contusion volume and macrophage infiltration after traumatic brain injury in rats. *Brain Research*, 1207, 155-163. doi.

Utagawa, A., Truettner, J. S., Dietrich, W. D., & Bramlett, H. M. (2008). Systemic inflammation exacerbates behavioral and histopathological consequences of isolated traumatic brain injury in rats. *Experimental Neurology*, 211(1), 283-291. doi.

Uteshev, V. V., & Smith, D. V. (2006). Cholinergic modulation of neurons in the gustatory region of the nucleus of the solitary tract. *Brain Research*, 1084(1), 38-53. doi.

Uva, L., Gruschke, S., Biella, G., De Curtis, M., & Witter, M. P. (2004). Cytoarchitectonic characterization of the parahippocampal region of the guinea pig. *Journal of Comparative Neurology*, 474(2), 289-303. doi.

Vaarmann, A., Mandel, M., Zeb, A., Wareski, P., Liiv, J., Kuum, M., . . . Kaasik, A. (2016). Mitochondrial biogenesis is required for axonal growth. [10.1242/dev.128926]. *Development*. doi: <http://dev.biologists.org/content/early/2016/04/26/dev.128926.abstract>

Vadodaria, K. C., Ji, Y., Skime, M., Paquola, A. C., Nelson, T., Hall-Flavin, D., . . . Gage, F. H. (2019). Altered serotonergic circuitry in SSRI-resistant major depressive disorder patient-derived neurons. *Molecular Psychiatry*. doi: 10.1038/s41380-019-0377-5. <https://doi.org/10.1038/s41380-019-0377-5>

Valbuena, S., García, Á., Mazier, W., Paternain, A. V., & Lerma, J. (2019). Unbalanced dendritic inhibition of CA1 neurons drives spatial-memory deficits in the Ts2Cje Down syndrome model. *Nature Communications*, 10(1), 4991. doi: 10.1038/s41467-019-13004-9. <https://doi.org/10.1038/s41467-019-13004-9>

Valdés, J. L., Sánchez, C., Riveros, M. E., Blandina, P., Contreras, M., Fariás, P., & Torrealba, F. (2010). The histaminergic tuberomammillary nucleus is critical for motivated arousal. *European Journal of Neuroscience*, 31(11), 2073-2085. doi.

Valentina, C., Sara, M., Ketty, L., Elisa, F., Eriola, H., Sara, B., . . . K., N. S. (2018). Sox2 conditional mutation in mouse causes ataxic symptoms, cerebellar vermis hypoplasia, and postnatal defects of Bergmann glia. *Glia*, 0(0). doi: 10.1002/glia.23448. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23448>

Valenza, M., Chen, J. Y., Di Paolo, E., Ruozi, B., Belletti, D., Bardile, C. F., . . . Di Donato, S. (2015). Cholesterol-loaded nanoparticles ameliorate synaptic and cognitive function in Huntington's disease mice. *EMBO Molecular Medicine*, e201505413. doi: <http://embomolmed.embopress.org/content/early/2015/11/20/emmm.201505413...>

Valero, J., Weruaga, E., Murias, A. R., Recio, J. S., Curto, G. G., Gomez, C., & Alonso, J. R. (2007). Changes in cell migration and survival in the olfactory bulb of the pcd/pcd mouse. *Developmental Neurobiology*, 67(7), 839-859. doi:

Valiente, M., Ciceri, G., Rico, B., & Marin, O. (2011). Focal Adhesion Kinase Modulates Radial Glia-Dependent Neuronal Migration through Connexin-26. *Journal of Neuroscience*, 31(32), 11678-11691. doi: 10.1523/jneurosci.2678-11.2011. <http://www.jneurosci.org/content/31/32/11678.abstract>

Vallieres, L., Campbell, I. L., Gage, F. H., & Sawchenko, P. E. (2002). Reduced Hippocampal Neurogenesis in Adult Transgenic Mice with Chronic Astrocytic Production of Interleukin-6. *Journal of Neuroscience*, 22(2), 486-492. doi. <http://www.jneurosci.org/cgi/content/abstract/22/2/486>

Valonen, P. K., Lehtimäki, K. K., Väisänen, T. H., Kettunen, M. I., Gröhn, O. H. J., Ylä-Herttuala, S., & Kauppinen, R. A. (2004). Water diffusion in a rat glioma during ganciclovir-thymidine kinase gene therapy-induced programmed cell death in vivo: Correlation with cell density. *Journal of Magnetic Resonance Imaging*, 19(4), 389-396. doi.

Valverde-Franco, G., Lussier, B., Hum, D., Wu, J., Hamadjida, A., Dancause, N., . . . Martel-Pelletier, J. (2016). Cartilage-specific deletion of ephrin-B2 in mice results in early developmental defects and an osteoarthritis-like phenotype during aging in vivo. *Arthritis Research & Therapy*, 18, 65. doi: 10.1186/s13075-016-0965-6. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4791873/>

van Aerde, K. I., & Feldmeyer, D. (2013). Morphological and Physiological Characterization of Pyramidal Neuron Subtypes in Rat Medial Prefrontal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht278. <http://cercor.oxfordjournals.org/content/early/2013/10/09/cercor.bht278..>

;

van Aerde, K. I., Mann, E. O., Canto, C. B., Heistek, T. S., Linkenkaer-Hansen, K., Mulder, A. B., . . . Mansvelder, H. D. (2009). Flexible spike timing of layer 5 neurons during dynamic beta oscillation shifts in rat prefrontal cortex. *Journal of Physiology*, 587(21), 5177-5196. doi: 10.1113/jphysiol.2009.178384. <http://jp.physoc.org/content/587/21/5177.abstract>

van Aerde, K. I., Qi, G., & Feldmeyer, D. (2013). Cell Type-Specific Effects of Adenosine on Cortical Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bht274. <http://cercor.oxfordjournals.org/content/early/2013/10/09/cercor.bht274..>

;

van de Wetering, R., & Schenk, S. (2019). Regional changes in FosB expression in rat brain following MDMA self-administration predict increased sensitivity to effects of locally infused MDMA. *Addiction Biology*, 0(0), e12814. doi: 10.1111/adb.12814. <https://onlinelibrary.wiley.com/doi/abs/10.1111/adb.12814>

van Dellen, A., Deacon, R., York, D., Blakemore, C., & Hannan, A. J. (2001). Anterior cingulate cortical transplantation in transgenic Huntington's disease mice. *Brain Research Bulletin*, 56(3-4), 313-318. doi.

van den Brandt, B., Casalbuoni, S., Czapek, G., Diggelmann, U., Ebert, T., Huber, D., . . . others. (1999). Status report on the ORPHEUS dark matter detector and on its SQUID readout system. *Nuclear Physics B-Proceedings Supplements*, 70(1), 101-105. doi.

Van der Gucht, E., Hof, P. R., Van Brussel, L., Burnat, K., & Arckens, L. (2007). Neurofilament protein and neuronal activity markers define regional architectonic parcellation in the mouse visual cortex. *Cerebral Cortex*, 17(12), 2805-2819. doi.

- van Dijk, K. D., Berendse, H. W., Drukarch, B., Fratantoni, S. A., Pham, T. V., Piersma, S. R., . . . van de Berg, W. D. J. (2011). The proteome of the locus ceruleus in Parkinson's disease: relevance to pathogenesis. *Brain Pathology*, no-no. doi: 10.1111/j.1750-3639.2011.00540.x. <http://dx.doi.org/10.1111/j.1750-3639.2011.00540.x>
- Van Dongen, Y. C., Maily, P., Thierry, A. M., Groenewegen, H. J., & Deniau, J. M. (2008). Three-dimensional organization of dendrites and local axon collaterals of shell and core medium-sized spiny projection neurons of the rat nucleus accumbens. *Brain Structure and Function*, 213(1), 129-147. doi.
- van Groen, T. (2001). Entorhinal cortex of the mouse: cytoarchitectonical organization. *Hippocampus*, 11(4), 397-407. doi.
- van Groen, T., Miettinen, P., & Kadish, I. (2003). The entorhinal cortex of the mouse: organization of the projection to the hippocampal formation. *Hippocampus*, 13(1), 133-149. doi.
- van Heukelum, S., Drost, L., Mogavero, F., Jager, A., Havenith, M. N., & Glennon, J. C. (2018). Aggression in BALB/cJ mice is differentially predicted by the volumes of anterior and midcingulate cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1816-9. <https://doi.org/10.1007/s00429-018-1816-9>
- van Heusden, F., Macey-Dare, A., Gordon, J., Krajewski, R., Sharott, A., & Ellender, T. (2021). Diversity in striatal synaptic circuits arises from distinct embryonic progenitor pools in the ventral telencephalon. *Cell Reports*, 35(4), 109041. doi: <https://doi.org/10.1016/j.celrep.2021.109041>. <https://www.sciencedirect.com/science/article/pii/S2211124721003570>
- Van Hoesen, G. W., Augustinack, J. C., Dierking, J., Redman, S. J., & Thangavel, R. (2000). The Parahippocampal Gyrus in Alzheimer's Disease: Clinical and Preclinical Neuroanatomical Correlates. *Annals of the New York Academy of Sciences*, 911(1), 254-274. doi: doi:10.1111/j.1749-6632.2000.tb06731.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2000.tb06731.x>.
- Van Hoesen, G. W., Parvizi, J., & Chu, C. C. (2000). Orbitofrontal cortex pathology in Alzheimer's disease. *Cerebral Cortex*, 10(3), 243-251. doi.
- van Luijtelaar, G., Fabene, P. F., de Bruin, N., Jongema, C., Ellenbroek, B. A., & Veening, J. G. (2001). Neural correlates of sensory gating in the rat: decreased Fos induction in the lateral septum. *Brain Research Bulletin*, 54(2), 145-151. doi.
- van Noort, J., Baker, D., & Amor, S. (2012). Mechanisms in the development of multiple sclerosis lesions: reconciling autoimmune and neurodegenerative factors. *CNS Neurol Disord Drug Targets*, 11, 556 - 569. doi.
- van Pelt, J., van Ooyen, A., & Uylings, H. B. M. (2001). The need for integrating neuronal morphology databases and computational environments in exploring neuronal structure and function. *Anatomy and Embryology*, 204(4), 255-265. doi.
- van Praag, H., Christie, B., Sejnowski, T., & Gage, F. (1999). Running enhances neurogenesis, learning, and long-term potentiation in mice. *Proceedings of the National Academy of Sciences*, 96(23), 13427-13431. doi.

Van Raamsdonk, J. M., Pearson, J., Bailey, C. D. C., Rogers, D. A., Johnson, G. V. W., Hayden, M. R., & Leavitt, B. R. (2005). Cystamine treatment is neuroprotective in the YAC128 mouse model of Huntington disease. *Journal of Neurochemistry*, 95(1), 210-220. doi: doi:10.1111/j.1471-4159.2005.03357.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03357.x>

Van Slooten, A. R., Sun, Y., Clarkson, A. N., & Connor, B. J. (2015). L-NIO as a novel mechanism for inducing focal cerebral ischemia in the adult rat brain. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.02.022>. <http://www.sciencedirect.com/science/article/pii/S0165027015000746>

van Welie, I., Remme, M. W. H., van Hoof, J. A., & Wadman, W. J. (2006). Different levels of Ih determine distinct temporal integration in bursting and regular-spiking neurons in rat subiculum. *Journal of Physiology*, 576(1), 203-214. doi: 10.1113/jphysiol.2006.113944. <http://jp.physoc.org/cgi/content/abstract/576/1/203>

Vandael, D., Okamoto, Y., Borges-Merjane, C., Vargas-Barroso, V., Suter, B. A., & Jonas, P. (2021). Subcellular patch-clamp techniques for single-bouton stimulation and simultaneous pre- and postsynaptic recording at cortical synapses. *Nature Protocols*. doi: 10.1038/s41596-021-00526-0. <https://doi.org/10.1038/s41596-021-00526-0>

Vanderhorst, V., Terasawa, E., Ralston, H. J., & others. (2004). Projections from estrogen receptor- α immunoreactive neurons in the periaqueductal gray to the lateral medulla oblongata in the rhesus monkey. *Neuroscience*, 125(1), 243-253. doi.

VanderHorst, V., Terasawa, E., & Ralston lii, H. J. (2009). Estrogen receptor- α -immunoreactive neurons in the brainstem and spinal cord of the female rhesus monkey: Species-specific characteristics. *Neuroscience*, 158(2), 798-810. doi.

Vanderhorst, V. G. J. M., Terasawa, E., & Ralston lii, H. J. (2002). Estrogen receptor- α -immunoreactive neurons in the ventrolateral periaqueductal gray receive monosynaptic input from the lumbosacral cord in the rhesus monkey. *Journal of Comparative Neurology*, 443(1), 27-42. doi.

Vanderhorst, V. G. J. M., Terasawa, E., Ralston lii, H. J., & Holstege, G. (2000). Monosynaptic projections from the lateral periaqueductal gray to the nucleus retroambiguus in the rhesus monkey: implications for vocalization and reproductive behavior. *Journal of Comparative Neurology*, 424(2), 251-268. doi.

Vanderhorst, V. G. J. M., Terasawa, E., Ralston lii, H. J., & Holstege, G. (2000). Monosynaptic projections from the nucleus retroambiguus to motoneurons supplying the abdominal wall, axial, hindlimb, and pelvic floor muscles in the female rhesus monkey. *Journal of Comparative Neurology*, 424(2), 233-250. doi.

Vannini, E., Olimpico, F., Middei, S., Ammassari-Teule, M., de Graaf, E. L., McDonnell, L., . . . Caleo, M. (2016). Electrophysiology of glioma: a Rho GTPase-activating protein reduces tumor growth and spares neuron structure and function. *Neuro-Oncology*. doi: 10.1093/neuonc/now114. <http://neuro-oncology.oxfordjournals.org/content/early/2016/06/12/neuonc..>

Vannini, E., Restani, L., Pietrasanta, M., Panarese, A., Mazzoni, A., Rossetto, O., . . . Caleo, M. (2015). Altered sensory processing and dendritic remodeling in hyperexcitable visual cortical networks. *Brain Structure and Function*, 1-18. doi: 10.1007/s00429-015-1080-1. <http://dx.doi.org/10.1007/s00429-015-1080-1>

Varga, C., Sik, A., Lavallee, P., & Deschenes, M. (2002). Dendroarchitecture of Relay Cells in Thalamic Barreloids: A Substrate for Cross-Whisker Modulation. *Journal of Neuroscience*, 22(14), 6186-6194. doi: <http://www.jneurosci.org/cgi/content/abstract/22/14/6186>

Varga, C., Tamas, G., Barzo, P., Olah, S., & Somogyi, P. (2015). Molecular and Electrophysiological Characterization of GABAergic Interneurons Expressing the Transcription Factor COUP-TFII in the Adult Human Temporal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv045. <http://cercor.oxfordjournals.org/content/early/2015/03/18/cercor.bhv045>

....

Varga, V., Hangya, B., Kranitz, K., Ludanyi, A., Zemankovics, R., Katona, I., . . . Borhegyi, Z. (2008). The presence of pacemaker HCN channels identifies theta rhythmic GABAergic neurons in the medial septum. *Journal of Physiology*, 586(16), 3893-3915. doi: 10.1113/jphysiol.2008.155242. <http://jp.physoc.org/cgi/content/abstract/586/16/3893>

Varga, Z., Csabai, D., Miseta, A., Wiborg, O., & Czéh, B. (2016). Chronic stress affects the number of GABAergic neurons in the orbitofrontal cortex of rats. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.08.030>. <http://www.sciencedirect.com/science/article/pii/S0166432816305423>

Vasilkoski, Z., & Stepanyants, A. (2009). Detection of the optimal neuron traces in confocal microscopy images. *Journal of Neuroscience Methods*, 178(1), 197-204. doi.

Vasistha, N. A., García-Moreno, F., Arora, S., Cheung, A. F. P., Arnold, S. J., Robertson, E. J., & Molnár, Z. (2014). Cortical and Clonal Contribution of Tbr2 Expressing Progenitors in the Developing Mouse Brain. *Cerebral Cortex*. doi: 10.1093/cercor/bhu125. <http://cercor.oxfordjournals.org/content/early/2014/06/13/cercor.bhu125>.

..

Vaslin, A., Naegele-Tollardo, S., Puyal, J., & Clarke, P. G. H. (2011). Excitotoxicity-induced endocytosis mediates neuroprotection by TAT-peptide-linked JNK inhibitor. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2011.07535.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07535.x>

Vastagh, C., Schwirtlich, M., Kwakowsky, A., Erdélyi, F., Margolis, F. L., Yanagawa, Y., . . . Szabó, G. (2014). The spatiotemporal segregation of GAD forms defines distinct GABA signaling functions in the developing mouse olfactory system and provides novel insights into the origin and migration of GnRH neurons. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22222. <http://dx.doi.org/10.1002/dneu.22222>

Vastagh, C., Vig, J., Hamori, J., & Takacs, J. (2005). Delayed postnatal settlement of cerebellar Purkinje cells in vermal lobules VI and VII of the mouse. *Anatomy and Embryology*, 209(6), 471-484. doi.

Vastagh, C., Vig, J., Takacs, J., & Hamori, J. (2005). Quantitative analysis of the postnatal development of Purkinje neurons in the cerebellum of the cat. *International Journal of Developmental Neuroscience*, 23(1), 27-35. doi.

Vazey, E. M., Chen, K., Hughes, S. M., & Connor, B. (2006). Transplanted adult neural progenitor cells survive, differentiate and reduce motor function impairment in a rodent model of Huntington's disease. *Experimental Neurology*, 199(2), 384-396. doi.

Vazey, E. M., Connor, B., Grammatopoulos, T. N., Jones, S. M., Yoshimura, M., Hoover, B. R., . . . others. (2010). Differential fate and functional outcome of lithium chloride primed adult neural progenitor cell transplants in a rat model of Huntington. *Genesis*, 17, 19-19. doi.

Vaz-Silva, J., Gomes, P., Jin, Q., Zhu, M., Zhuravleva, V., Quintremil, S., . . . Soares-Cunha, C. (2018). Endolysosomal degradation of Tau and its role in glucocorticoid-driven hippocampal malfunction. *The EMBO journal*, e99084. doi: <http://emboj.embopress.org/content/early/2018/08/30/emboj.201899084.export>

Veening, J. G., Coolen, L. M., De Jong, T. R., Joosten, H. W., De Boer, S. F., Koolhaas, J. M., & Olivier, B. (2005). Do similar neural systems subserve aggressive and sexual behaviour in male rats? Insights from c-Fos and pharmacological studies. *European Journal of Pharmacology*, 526(1), 226-239. doi:

Veerakumar, A., Challis, C., Gupta, P., Da, J., Upadhyay, A., Beck, S. G., & Berton, O. (2014). Antidepressant-like effects of cortical deep brain stimulation coincide with pro-neuroplastic adaptations of serotonin systems. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2013.12.009>, <http://www.sciencedirect.com/science/article/pii/S000632231301130X>

Vegiopoulos, A., Muller-Decker, K., Strzoda, D., Schmitt, I., Chichelnitskiy, E., Ostertag, A., . . . Herzig, S. (2010). Cyclooxygenase-2 Controls Energy Homeostasis in Mice by de Novo Recruitment of Brown Adipocytes. *Science*, 328(5982), 1158-1161. doi: 10.1126/science.1186034. <http://www.sciencemag.org/cgi/content/abstract/328/5982/1158>

Velenovsky, D. S., Cetas, J. S., Price, R. O., Sinex, D. G., & McMullen, N. T. (2003). Functional Subregions in Primary Auditory Cortex Defined by Thalamocortical Terminal Arbors: An Electrophysiological and Anterograde Labeling Study. *Journal of Neuroscience*, 23(1), 308-316. doi:

Vélez-Fort, M., Rousseau, Charly V., Niedworok, Christian J., Wickersham, Ian R., Rancz, Ede A., Brown, Alexander P. Y., . . . Margrie, Troy W. (2014). The Stimulus Selectivity and Connectivity of Layer Six Principal Cells Reveals Cortical Microcircuits Underlying Visual Processing. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2014.08.001>, <http://www.sciencedirect.com/science/article/pii/S089662731400676X>

Velho, T. A. F., Lovell, P., & Mello, C. V. (2007). Enriched expression and developmental regulation of the middle-weight neurofilament (NF-m) gene in song control nuclei of the zebra finch. *Journal of Comparative Neurology*, 500(3), 477-497. doi:

Velho, T. A. F., Lu, K., Ribeiro, S., Pinaud, R., Vicario, D., & Mello, C. V. (2012). Noradrenergic Control of Gene Expression and Long-Term Neuronal Adaptation Evoked by Learned Vocalizations in Songbirds. *PLoS ONE*, 7(5), e36276. doi: 10.1371/journal.pone.0036276. <http://dx.doi.org/10.1371/journal.pone.0036276>

Velho, T. A. F., & Mello, C. V. (2008). Synapsins Are Late Activity-Induced Genes Regulated by Birdsong. *Journal of Neuroscience*, 28(46), 11871-11882. doi: 10.1523/jneurosci.2307-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/46/11871>

Velho, T. A. F., Pinaud, R., Rodrigues, P. V., & Mello, C. V. (2005). Co-induction of activity-dependent genes in songbirds. *European Journal of Neuroscience*, 22(7), 1667-1678. doi: doi:10.1111/j.1460-9568.2005.04369.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04369.x>

Venance, L., Rozov, A., Blatow, M., Burnashev, N., Feldmeyer, D., & Monyer, H. (2000). Connexin expression in electrically coupled postnatal rat brain neurons. *Proceedings of the National Academy of Sciences*, 97(18), 10260-10265. doi:

Venero, C., Guadano-Ferraz, A., Herrero, A. I., Nordstrom, K., Manzano, J., de Escobar, G. M., . . . Vennstrom, B. (2005). Anxiety, memory impairment, and locomotor dysfunction caused by a mutant

thyroid hormone receptor $\alpha 1$ can be ameliorated by T3 treatment. *Genes and Development*, 19(18), 2152-2163. doi: 10.1101/gad.346105. <http://www.genesdev.org/cgi/content/abstract/19/18/2152>

Venugopal, S., Boulant, J. A., Chen, Z., & Travers, J. B. (2010). Intrinsic membrane properties of pre-*oromotor neurons in the intermediate zone of the medullary reticular formation*. *Neuroscience*, 168(1), 31-47. doi.

Vera-Esquivel, C. (2018). Neutrophils in the Genuiculate Ganglion Following Chorda Tympani Transection in Adult Rats. doi: <https://digitalcommons.unomaha.edu/srcaf/2018/schedule/124/>

Verberne, A. J. M., Stornetta, R. L., & Guyenet, P. G. (1999). Properties of C1 and other ventrolateral medullary neurones with hypothalamic projections in the rat. *Journal of Physiology*, 517(2), 477-494. doi: <http://jp.physoc.org/cgi/content/abstract/517/2/477>

Vercelli, A. (2006). Brain maps and connectivity representation. *Neuroinformatics*, 4(4), 319-320. doi.

Vercelli, A., Biggi, S., Scip, A., Repetto, I. E., Cimini, S., Falleroni, F., . . . Borsello, T. (2015). Exploring the role of MKK7 in excitotoxicity and cerebral ischemia: a novel pharmacological strategy against brain injury. [Original Article]. *Cell Death Dis*, 6, e1854. doi: 10.1038/cddis.2015.226. <http://dx.doi.org/10.1038/cddis.2015.226>

Vercelli, A., Garbossa, D., Biasiol, S., Repici, M., & Jhaveri, S. (2000). NOS inhibition during postnatal development leads to increased ipsilateral retinocollicular and retinogeniculate projections in rats. *European Journal of Neuroscience*, 12(2), 473. doi.

Vercelli, A., Garbossa, D., Repici, M., Biasiol, S., & Jhaveri, S. (2001). Role of nitric oxide in the development of retinal projections. *Italian Journal of Embryological Anatomy*, 106(2), 489-498. doi.

Vercelli, A., Marini, G., & Tredici, G. (2003). Anatomical organization of the telencephalic connections of the parafascicular nucleus in adult and developing rats. *European Journal of Neuroscience*, 18(2), 275-289. doi: doi:10.1046/j.1460-9568.2003.02743.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02743.x>

Vercelli, A., Repici, M., Garbossa, D., & Grimaldi, A. (2000). Recent techniques for tracing pathways in the central nervous system of developing and adult mammals. *Brain Research Bulletin*, 51(1), 11-28. doi.

Vercelli, A. E., & Cracco, C. M. (1994). Effects of eye enucleation on NADPH-diaphorase positive neurons in the superficial layers of the rat superior colliculus. *Developmental Brain Research*, 83, 85-98. doi.

Vercelli, A. E., Garbossa, D., Curtetti, R., & Innocenti, G. M. (2004). Somatodendritic minicolumns of output neurons in the rat visual cortex. *European Journal of Neuroscience*, 20(2), 495-502. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0348..>

Veres, J. M., Nagy, G. A., & Hájos, N. (2017). Perisomatic GABAergic synapses of basket cells effectively control principal neuron activity in amygdala networks. [JOUR]. *eLife*, 6, e20721. doi: 10.7554/eLife.20721. <https://dx.doi.org/10.7554/eLife.20721>

Veres, J. M., Nagy, G. A., Vereczki, V. K., András, T., & Hájos, N. (2014). Strategically Positioned Inhibitory Synapses of Axo-axonic Cells Potently Control Principal Neuron Spiking in the Basolateral

Amygdala. *The Journal of Neuroscience*, 34(49), 16194-16206.
doi: <http://www.jneurosci.org/content/34/49/16194.short>

Verhovshek, T., Buckley, K. E., Sergent, M. A., & Sengelaub, D. R. (2010). Testosterone metabolites differentially maintain adult morphology in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, 70(4), 206-221. doi:

Verhovshek, T., & Sengelaub, D. R. (2010). Trophic Effects of Brain-Derived Neurotrophic Factor Blockade in an Androgen-Sensitive Neuromuscular System. *Endocrinology*, 151(11), 5337-5348. doi:

Verhovshek, T., & Sengelaub, D. R. (2013). Androgen action at the target musculature regulates brain-derived neurotrophic factor protein in the spinal nucleus of the bulbocavernosus. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22083. <http://dx.doi.org/10.1002/dneu.22083>

Veruki, M. L., Oltedal, L., & Hartveit, E. (2010). Electrical coupling and passive membrane properties of All amacrine cells. *Journal of Neurophysiology*, 01105.02009. doi: 10.1152/jn.01105.2009. <http://jn.physiology.org/cgi/content/abstract/01105.2009v1>

Vervaeke, K., Lorincz, A., Gleeson, P., Farinella, M., Nusser, Z., & Silver, R. A. (2010). Rapid desynchronization of an electrically coupled interneuron network with sparse excitatory synaptic input. *Neuron*, 67(3), 435-451. doi:

Vetere, G., Restivo, L., & Ammassari-Teule, M. (2012). Pre-synaptic control of remote fear extinction in the neocortex. *Frontiers in Behavioral Neuroscience*, 6. doi:

Vetere, G., Restivo, L., Novembre, G., Aceti, M., Lumaca, M., & Ammassari-Teule, M. (2011). Extinction partially reverts structural changes associated with remote fear memory. *Learning and Memory*, 18(9), 554-557. doi:

Vetter, P., Roth, A., & Hausser, M. (2001). Propagation of Action Potentials in Dendrites Depends on Dendritic Morphology. *Journal of Neurophysiology*, 85(2), 926-937.
doi: <http://jn.physiology.org/cgi/content/abstract/85/2/926>

Viale, B., Song, L., Petrenko, V., Wenger Combremont, A.-L., Contestabile, A., Bocchi, R., . . . Kiss, J. Z. (2019). Transient Deregulation of Canonical Wnt Signaling in Developing Pyramidal Neurons Leads to Dendritic Defects and Impaired Behavior. *Cell Reports*, 27(5), 1487-1502.e1486.
doi: <https://doi.org/10.1016/j.celrep.2019.04.026>. <http://www.sciencedirect.com/science/article/pii/S221124719304917>

Vickers, C. A., Stephens, B., Bowen, J., Arbuthnott, G. W., Grant, S. G. N., & Ingham, C. A. (2006). Neurone specific regulation of dendritic spines in vivo by post synaptic density 95 protein (PSD-95). *Brain Research*, 1090(1), 89-98. doi:

Viel, J. J., McManus, D. Q., Cady, C., Evans, M. S., & Brewer, G. J. (2001). Temperature and time interval for culture of postmortem neurons from adult rat cortex. *Journal of Neuroscience Research*, 64(4), 311-321. doi:

Vig, J., Takács, J., Abraham, H., Kovacs, G. G., & Hamori, J. (2005). Calretinin-immunoreactive unipolar brush cells in the developing human cerebellum. *International Journal of Developmental Neuroscience*, 23(8), 723-729. doi:

- Vigo, T., Schenone, A., Mancardi, G., Abruzzese, M., Timmerman, V., Van Hummelen, P., & Nobbio, L. (2004). Expression of ciliary neurotrophic factor (CNTF) in charcot-marie-tooth type 1A (CMT1A) disease. *Journal of the Peripheral Nervous System*, 9(2), 111-111. doi.
- Világi, I., Takács, J., Gulyás-Kovács, A., Banczerowski-Pelyhe, I., & Tarnawa, I. (2002). Protective effect of the antiepileptic drug candidate talampanel against AMPA-induced striatal neurotoxicity in neonatal rats. *Brain Research Bulletin*, 59(1), 35-40. doi.
- Villa, Katherine L., Berry, Kalen P., Subramanian, J., Cha, Jae W., Oh, Won C., Kwon, H.-B., . . . Nedivi, E. (2016). Inhibitory Synapses Are Repeatedly Assembled and Removed at Persistent Sites In Vivo. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.01.010>. <http://www.sciencedirect.com/science/article/pii/S0896627316000118>
- Villa, M. F., & Amthor, F. R. (1995). Automating the quantitative analysis of 2-D neural dendritic trees. *Journal of Neuroscience Methods*, 56(1), 77-88. doi.
- Villalba, R. M., Lee, H., Raju, D., & Smith, Y. (2009). Striatal dopaminergic denervation and spine loss in MPTP-treated monkeys. *The Basal Ganglia IX*, 361-375. doi.
- Villalba, R. M., Lee, H., & Smith, Y. (2009). Dopaminergic denervation and spine loss in the striatum of MPTP-treated monkeys. *Experimental Neurology*, 215(2), 220-227. doi.
- Villar-Cerviño, V., Molano-Mazón, M., Catchpole, T., Valdeolillos, M., Henkemeyer, M., Martínez, Luis M., . . . Marín, O. (2013). Contact Repulsion Controls the Dispersion and Final Distribution of Cajal-Retzius Cells. *Neuron*, 77(3), 457-471. doi: <http://dx.doi.org/10.1016/j.neuron.2012.11.023>. <http://www.sciencedirect.com/science/article/pii/S0896627312010380>
- Villeda, S. A., Plambeck, K. E., Middeldorp, J., Castellano, J. M., Mosher, K. I., Luo, J., . . . Berdnik, D. (2014). Young blood reverses age-related impairments in cognitive function and synaptic plasticity in mice. *Nature Medicine*. doi: <http://www.nature.com/nm/journal/vaop/ncurrent/full/nm.3569.html>
- Vincent, V. A., Robinson, C. C., Simsek, D., & Murphy, G. M. J. (2002). Macrophage colony stimulating factor prevents NMDA-induced neuronal death in hippocampal organotypic cultures. *Journal of Neurochemistry*, 82(6), 1388. doi.
- Vinegoni, C., Leon Swisher, C., Fumene Feruglio, P., Giedt, R. J., Rousso, D. L., Stapleton, S., & Weissleder, R. (2016). Real-time high dynamic range laser scanning microscopy. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11077. <http://dx.doi.org/10.1038/ncomms11077>
- Vinet, J., Lemieux, P., Tamburri, A., Tiesinga, P., Scafidi, J., Gallo, V., & Sik, A. (2010). Subclasses of oligodendrocytes populate the mouse hippocampus. *European Journal of Neuroscience*, 31(3), 425-438. doi.
- Viney, T. J., Lasztocki, B., Katona, L., Crump, M. G., Tukker, J. J., Klausberger, T., & Somogyi, P. (2013). Network state-dependent inhibition of identified hippocampal CA3 axo-axonic cells in vivo. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3550.html>
- Virtanen, M. A., Laco, C. M., Fiumelli, H., Kosel, M., Tyagarajan, S., de Roo, M., & Vutskits, L. (2018). Development of inhibitory synaptic inputs on layer 2/3 pyramidal neurons in the rat medial prefrontal

cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1602-0. <https://doi.org/10.1007/s00429-017-1602-0>

Vistoropsky-Katz, Y., Heiblum, R., Smorodinsky, N.-I., & Barnea, A. (2016). Active immunization against vasoactive intestinal polypeptide decreases neuronal recruitment and inhibits reproduction in zebra finches. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23971. <http://dx.doi.org/10.1002/cne.23971>

Viswanathan, S., Williams, M. E., Bloss, E. B., Stasevich, T. J., Speer, C. M., Nern, A., . . . Looger, L. L. (2015). High-performance probes for light and electron microscopy. [Article]. *Nat Meth*, advance online publication. doi: 10.1038/nmeth.3365

<http://www.nature.com/nmeth/journal/vaop/ncurrent/abs/nmeth.3365.html#su.....><http://dx.doi.org/10.1038/nmeth.3365>

Vithayathil, J., Pucilowska, J., Friel, D., & Landreth, G. E. (2017). Chronic impairment of ERK signaling in glutamatergic neurons of the forebrain does not affect spatial memory retention and LTP in the same manner as acute blockade of the ERK pathway. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22769. <http://dx.doi.org/10.1002/hipo.22769>

Vivinetto, A. L., Kim, I.-d., Goldberg, D. C., Fones, L., Brown, E., Tarabykin, V. S., . . . Cave, J. W. (2020). Zeb2 Is a Regulator of Astroglial and Functional Recovery after CNS Injury. *Cell Reports*, 31(13), 107834. doi: <https://doi.org/10.1016/j.celrep.2020.107834>. <http://www.sciencedirect.com/science/article/pii/S221124720308159>

Vizzard, M. A. (2001). Alterations in neuropeptide expression in lumbosacral bladder pathways following chronic cystitis. *Journal of Chemical Neuroanatomy*, 21(2), 125-138. doi.

Vlachy, J., Jo, M., Li, Q., Turgay, A., Keskinocak, P., Larry, O., . . . Vats, A. (2014). 584: CONTINUOUS ELECTROENCEPHALOGRAPHY FOR SEIZURE DETECTION IN CHILDREN: WHO SHOULD WE MONITOR? *Critical Care Medicine*, 42(12), A1500. doi: 1510.1097/1501.ccm.0000458081.0000493600.0000458082a. doi: http://journals.lww.com/ccmjournals/Fulltext/2014/12001/584_____CONTINUOUS...

Vlug, A. S., Teuling, E., Haasdijk, E. D., French, P., Hoogenraad, C. C., & Jaarsma, D. (2005). ATF3 expression precedes death of spinal motoneurons in amyotrophic lateral sclerosis-SOD1 transgenic mice and correlates with c-Jun phosphorylation, CHOP expression, somato-dendritic ubiquitination and Golgi fragmentation. *European Journal of Neuroscience*, 22(8), 1881-1894. doi: doi:10.1111/j.1460-9568.2005.04389.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04389.x>

Vogt, B., Nimchinsky, E., Vogt, L., & Hof, P. (1995). Human cingulate cortex: surface features, flat maps, and cytoarchitecture. *Journal of Comparative Neurology*, 359, 490 - 506. doi.

Voigt, T., Opitz, T., & de Lima, A. D. (2005). Activation of Early Silent Synapses by Spontaneous Synchronous Network Activity Limits the Range of Neocortical Connections. *Journal of Neuroscience*, 25(18), 4605-4615. doi: <http://www.jneurosci.org/cgi/content/abstract/25/18/4605>

Voinesco, F., Glauser, L., Kraftsik, R., & Barakat-Walter, I. (1998). Local administration of thyroid hormones in silicone chamber increases regeneration of rat transected sciatic nerve. *Experimental Neurology*, 150(1), 69-81. doi.

Volgushev, M., Chauvette, S., Mukovski, M., & Timofeev, I. (2006). Precise Long-Range Synchronization of Activity and Silence in Neocortical Neurons during Slow-Wave Sleep. *Journal of Neuroscience*, 26(21), 5665-5672. doi: 10.1523/jneurosci.0279-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/21/5665>

Volgushev, M., Vidyasagar, T. R., Chistiakova, M., & Eysel, U. T. (2000). Synaptic transmission in the neocortex during reversible cooling. *Neuroscience*, 98(1), 9-22. doi.

Volgushev, M., Vidyasagar, T. R., Chistiakova, M., Yousef, T., & Eysel, U. T. (2000). Membrane properties and spike generation in rat visual cortical cells during reversible cooling. *Journal of Physiology*, 522(1), 59-76. doi. <http://jp.physoc.org/cgi/content/abstract/522/1/59>

Volk, D. W., Pierri, J. N., Fritschy, J. M., Auh, S., Sampson, A. R., & Lewis, D. A. (2002). Reciprocal alterations in pre- and postsynaptic inhibitory markers at chandelier cell inputs to pyramidal neurons in schizophrenia. *Cerebral Cortex*, 12(10), 1063-1070. doi.

Volpe, B., Berlin, R., & Frankfurt, M. (2015). The brain at risk: the sepsis syndrome and lessons from preclinical experiments. *Immunologic Research*, 1-5. doi: 10.1007/s12026-015-8704-7. <http://dx.doi.org/10.1007/s12026-015-8704-7>

Volpi, N., Carbotti, P., Greco, G., Bibbo, G., Alessandrini, C., & Giannini, F. (2004). Endothelin and endothelin-converting-enzyme-1 in inflammatory neuropathies: an immunohistological study. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi: doi:10.1111/j.1085-9489.2004.009209au.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Volpi, N., Carbotti, P., Greco, G., Bibbò, G., Alessandrini, C., & Giannini, F. (2004). Endothelin and endothelin-converting-enzyme-1 in inflammatory neuropathies: an immunohistological study. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi.

Vomero, M., Castagnola, E., Ciarpella, F., Maggiolini, E., Goshi, N., Zucchini, E., . . . Ricci, D. (2017). Highly Stable Glassy Carbon Interfaces for Long-Term Neural Stimulation and Low-Noise Recording of Brain Activity. [Article]. *Scientific Reports*, 7, 40332. doi: 10.1038/srep40332

<http://www.nature.com/articles/srep40332#supplementary-information>. <http://dx.doi.org/10.1038/srep40332>

Vomero, M., Castagnola, E., Ordonez, J. S., Carli, S., Zucchini, E., Maggiolini, E., . . . Stieglitz, T. (2017). Incorporation of Silicon Carbide and Diamond-Like Carbon as Adhesion Promoters Improves In Vitro and In Vivo Stability of Thin-Film Glassy Carbon Electrocardiography Arrays. *Advanced Biosystems*, 1700081-n/a. doi: 10.1002/adbi.201700081. <http://dx.doi.org/10.1002/adbi.201700081>

von Bohlen und Halbach, O., Krause, S., Medina, D., Sciarretta, C., Minichiello, L., & Unsicker, K. (2006). Regional- and age-dependent reduction in trkB receptor expression in the hippocampus is associated with altered spine morphologies. *Biological Psychiatry*, 59(9), 793-800. doi.

von Bohlen Und Halbach, O., Minichiello, L., & Unsicker, K. (2008). TrkB but not trkC receptors are necessary for postnatal maintenance of hippocampal spines. *Neurobiology of Aging*, 29(8), 1247-1255. doi.

Von Bohlen und Halbach, O., Zacher, C., Gass, P., & Unsicker, K. (2006). Age-related alterations in hippocampal spines and deficiencies in spatial memory in mice. *Journal of Neuroscience Research*, 83(4), 525-531. doi.

von der Heydt, R., Zhou, H., & Friedman, H. S. (2000). Representation of stereoscopic edges in monkey visual cortex. *Vision Research*, 40(15), 1955-1967. doi.

von der Ohe, C. G., Darian-Smith, C., Garner, C. C., & Heller, H. C. (2006). Ubiquitous and Temperature-Dependent Neural Plasticity in Hibernators. *Journal of Neuroscience*, 26(41), 10590-10598. doi: 10.1523/jneurosci.2874-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/41/10590>

von Engelhardt, J., Eliava, M., Meyer, A. H., Rozov, A., & Monyer, H. (2007). Functional Characterization of Intrinsic Cholinergic Interneurons in the Cortex. *Journal of Neuroscience*, 27(21), 5633-5642. doi: 10.1523/jneurosci.4647-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/21/5633>

von Engelhardt, J., Khrulev, S., Eliava, M., Wahlster, S., & Monyer, H. (2011). 5-HT_{3A} Receptor-Bearing White Matter Interstitial GABAergic Interneurons Are Functionally Integrated into Cortical and Subcortical Networks. *Journal of Neuroscience*, 31(46), 16844-16854. doi: 10.1523/jneurosci.0310-11.2011. <http://www.jneurosci.org/content/31/46/16844.abstract>

von Heimendahl, M., Rao, R. P., & Brecht, M. (2012). Weak and Nondiscriminative Responses to Conspecifics in the Rat Hippocampus. *Journal of Neuroscience*, 32(6), 2129-2141. doi: 10.1523/jneurosci.3812-11.2012. <http://www.jneurosci.org/content/32/6/2129.abstract>

Voorhies, A. C., & Bernstein, I. L. (2006). Induction and expression of salt appetite: effects on Fos expression in nucleus accumbens. *Behavioural Brain Research*, 172(1), 90-96. doi.

Voulalas, P. J., Ji, Y., Jiang, L., Asgar, J., Ro, J. Y., & Masri, R. (2016). Loss of dopamine D1 receptors and diminished D1/5 receptor-mediated ERK phosphorylation in the periaqueductal gray after spinal cord lesion. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.11.040>. <http://www.sciencedirect.com/science/article/pii/S0306452216306613>

Vucurovic, K., Gallopin, T., Ferezou, I., Rancillac, A., Chameau, P., van Hooft, J. A., . . . Vitalis, T. (2010). Serotonin 3A Receptor Subtype as an Early and Protracted Marker of Cortical Interneuron Subpopulations. *Cerebral Cortex*, bhp310. doi: 10.1093/cercor/bhp310. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp310v1>

Vukšić, M. (2009). Development and plasticity of the hippocampal dentate gyrus. *Neurogenomics and neuroimaging of developmental disorders*. doi.

Vukšić, M., Bobić Rasonja, M., Knezović, V., Jovanov Milošević, N., Petanjek, Z., Orešković, D., . . . Brugger, P. C. (2019). Histological and MRI Study of the Development of the Human Indusium Griseum. doi: 10.1093/cercor/bhz004. <https://dx.doi.org/10.1093/cercor/bhz004>

Vukšić, M., Del Turco, D., Bas Orth, C., Burbach, G. J., Feng, G., Müller, C. M., . . . Deller, T. (2008). 3D-reconstruction and functional properties of GFP-positive and GFP-negative granule cells in the fascia dentata of the Thy1-GFP mouse. *Hippocampus*, 18(4), 364-375. doi.

Vukšić, M., Del Turco, D., Vlachos, A., Schuldt, G., Müller, C. M., Schneider, G., & Deller, T. (2011). Unilateral entorhinal denervation leads to long-lasting dendritic alterations of mouse hippocampal granule cells. *Experimental Neurology*. doi.

Vukšić, M., Petanjek, Z., & Kostović, I. (2011). Development of prefrontal layer III pyramidal neurons in infants with down syndrome. *Translational Neuroscience*, 2(3), 225-232. doi.

Vukšić, M., Petanjek, Z., Rasin, M. R., & Kostovic, I. (2002). Perinatal growth of prefrontal layer III pyramids in Down syndrome. *Pediatric Neurology*, 27, 36-38. doi.

Vutskits, L., Briner, A., Klauser, P., Gascon, E., Dayer, A. G., Kiss, J. Z., . . . Morel, D. R. (2008). Adverse effects of methylene blue on the central nervous system. *Anesthesiology*, 108(4), 684-684. doi.

Vyas, A., Jadhav, S., & Chattarji, S. (2006). Prolonged behavioral stress enhances synaptic connectivity in the basolateral amygdala. *Neuroscience*, 143(2), 387-393. doi.

Wable, G. S., Barbarich-Marsteller, N. C., Chowdhury, T. G., Sabaliauskas, N. A., Farb, C. R., & Aoki, C. (2013). Excitatory synapses on dendritic shafts of the caudal basal amygdala exhibit elevated levels of GABA_A receptor $\alpha 4$ subunits following the induction of activity-based anorexia. *Synapse*, n/a-n/a. doi: 10.1002/syn.21690. <http://dx.doi.org/10.1002/syn.21690>

Waddell, J., Bowers, J. M., Edwards, N. S., Jordan, C. L., & McCarthy, M. M. (2013). Dysregulation of neonatal hippocampal cell genesis in the androgen insensitive Tfm rat. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2013.05.009>, <http://www.sciencedirect.com/science/article/pii/S0018506X13001190>

Waddell, J., Hanscom, M., Sharon Edwards, N., McKenna, M. C., & McCarthy, M. M. (2015). Sex differences in cell genesis, hippocampal volume and behavioral outcomes in a rat model of neonatal HI. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.003>, <http://www.sciencedirect.com/science/article/pii/S0014488615300856>

Waddell, J., Hanscom, M., Sharon Edwards, N., McKenna, M. C., & McCarthy, M. M. (2015). Sex differences in cell genesis, hippocampal volume and behavioral outcomes in a rat model of neonatal HI. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.003>, <http://www.sciencedirect.com/science/article/pii/S0014488615300856>

Wagener, R. J., David, C., Zhao, S., Haas, C. A., & Staiger, J. F. (2010). The Somatosensory Cortex of reeler Mutant Mice Shows Absent Layering But Intact Formation and Behavioral Activation of Columnar Somatotopic Maps. *Journal of Neuroscience*, 30(46), 15700-15709. doi: 10.1523/jneurosci.3707-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/46/15700>

Wagener, R. J., Witte, M., Guy, J., Mingo-Moreno, N., Kügler, S., & Staiger, J. F. (2015). Thalamocortical Connections Drive Intracortical Activation of Functional Columns in the Mislaminated Reeler Somatosensory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv257. <http://cercor.oxfordjournals.org/content/early/2015/11/11/cercor.bhv257...>

Wagner, M., Banerjee, T., Jeong, Y., & Holden, J. E. (2016). Sex differences in hypothalamic-mediated tonic norepinephrine release for thermal hyperalgesia in rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.038>, <http://www.sciencedirect.com/science/article/pii/S0306452216300082>

Wahl, A. S., Büchler, U., Brändli, A., Brattoli, B., Musall, S., Kasper, H., . . . Schwab, M. E. (2017). Optogenetically stimulating intact rat corticospinal tract post-stroke restores motor control through regionalized functional circuit formation. *Nature Communications*, 8(1), 1187. doi: 10.1038/s41467-017-01090-6. <https://doi.org/10.1038/s41467-017-01090-6>

- Wai, M. S. M., Liang, Y., Shi, C., Cho, E. Y. P., Kung, H., & Yew, D. T. (2009). Co-localization of hyperphosphorylated tau and caspases in the brainstem of Alzheimer's disease patients. *Biogerontology*, 10(4), 457-469. doi.
- Wai, M. S. M., Lorke, D. E., Webb, S. E., & Yew, D. T. (2006). The pattern of c-fos activation in the CNS is related to behavior in the mudskipper, *Periophthalmus cantonensis*. *Behavioural Brain Research*, 167(2), 318-327. doi.
- Wainwright, M. L., Zhang, H., Byrne, J. H., & Cleary, L. J. (2002). Localized Neuronal Outgrowth Induced by Long-Term Sensitization Training in *Aplysia*. *Journal of Neuroscience*, 22(10), 4132-4141. doi. <http://www.jneurosci.org/cgi/content/abstract/22/10/4132>
- Wake, H., Moorhouse, A., Jinno, S., Kohsaka, S., & Nabekura, J. (2009). Resting microglia directly monitor the functional state of synapses in vivo and determine the fate of ischemic terminals. *Journal of Neuroscience*, 29, 3974 - 3980. doi.
- Wakeling, E. N., & Fyfe, J. C. (2011). Lix1 Knockout Mouse Does Not Exhibit Spinal Muscular Atrophy Phenotype. *Journal of Heredity*, 102(Suppl_1), S32-39. doi: 10.1093/jhered/esr031. http://jhered.oxfordjournals.org/cgi/content/abstract/102/Suppl_1/S32
- Waldau, B., Hattiangady, B., Kuruba, R., & Shetty, A. K. (2010). Medial Ganglionic Eminence-Derived Neural Stem Cell Grafts Ease Spontaneous Seizures and Restore GDNF Expression in a Rat Model of Chronic Temporal Lobe Epilepsy. *Stem Cells*, 28(7), 1153-1164. doi.
- Walk, D., Wendelschafer-Crabb, G., Davey, C., & Kennedy, W. R. (2007). Concordance between epidermal nerve fiber density and sensory examination in patients with symptoms of idiopathic small fiber neuropathy. *Journal of the Neurological Sciences*, 255(1), 23-26. doi.
- Walker, C. L., Walker, M. J., Liu, N. K., Risberg, E. C., Gao, X., Chen, J., & Xu, X. M. (2012). Systemic Bisperoxovanadium Activates Akt/mTOR, Reduces Autophagy, and Enhances Recovery following Cervical Spinal Cord Injury. *PLoS ONE*, 7(1), e30012-e30012. doi.
- Walker, C. L., Wang, X., Bullis, C., Liu, N.-K., Lu, Q., Fry, C., . . . Xu, X.-M. (2014). Biphasic bisperoxovanadium administration and Schwann cell transplantation for repair after cervical contusive spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.12.002>. <http://www.sciencedirect.com/science/article/pii/S0014488614003872>
- Walker, C. L., & Xu, X.-M. (2014). PTEN inhibitor bisperoxovanadium protects oligodendrocytes and myelin and prevents neuronal atrophy in adult rats following cervical hemicontusive spinal cord injury. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2014.02.039>. <http://www.sciencedirect.com/science/article/pii/S0304394014001438>
- Walker, C. L., Zhang, Y. P., Liu, Y., Li, Y., Walker, M. J., Liu, N.-K., . . . Xu, X.-M. (2016). Anatomical and functional effects of lateral cervical hemicontusion in adult rats. *Restorative Neurology and Neuroscience*, (Preprint), 1-12. doi. <http://content.iospress.com/articles/restorative-neurology-and-neuroscie..>
- Walker, F., Möck, M., Feyerabend, M., Guy, J., Wagener, R. J., Schubert, D., . . . Witte, M. (2016). Parvalbumin- and vasoactive intestinal polypeptide-expressing neocortical interneurons impose differential inhibition on Martinotti cells. [Article]. *Nature Communications*, 7, 13664. doi: 10.1038/ncomms13664

<http://www.nature.com/articles/ncomms13664#supplementary-information>, <http://dx.doi.org/10.1038/ncomms13664>

Walker, F. R., Beynon, S. B., Jones, K. A., Zhao, Z., Kongsui, R., Cairns, M., & Nilsson, M. (2014). Dynamic structural remodelling of microglia in health and disease: A review of the models, the signals and the mechanisms. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2013.12.010>. <http://www.sciencedirect.com/science/article/pii/S0889159113005953>

Wallace, D. J., & Sakmann, B. (2008). Plasticity of Representational Maps in Somatosensory Cortex Observed by In Vivo Voltage-Sensitive Dye Imaging. *Cerebral Cortex*, 18(6), 1361-1373. doi: 10.1093/cercor/bhm168. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/6/1361>

Wallace, M. G., Hartle, K. D., Snow, W. M., Ward, N. L., & Ivanco, T. L. (2007). Effect of hypoxia on the morphology of mouse striatal neurons. *Neuroscience*, 147(1), 90-96. doi.

Wallace, M. N., Anderson, L. A., & Palmer, A. R. (2007). Phase-Locked Responses to Pure Tones in the Auditory Thalamus. *Journal of Neurophysiology*, 98(4), 1941-1952. doi: 10.1152/jn.00697.2007. <http://jn.physiology.org/cgi/content/abstract/98/4/1941>

Wallhausserfranke, E., Nixdorfbbergweiler, B. E., & DeVoogd, T. J. (1995). Song isolation is associated with maintaining high spine frequencies on zebra finch IMAN neurons. *Neurobiology of Learning and Memory*, 64(1), 25-35. doi.

Wallin-Miller, K., Li, G., Kelishani, D., & Wood, R. I. (2016). Anabolic-androgenic steroids decrease dendritic spine density in the nucleus accumbens of male rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.045>. <http://www.sciencedirect.com/science/article/pii/S0306452216302044>

Walter, C., Murphy, B. L., Pun, R. Y. K., Spieles-Engemann, A. L., & Danzer, S. C. (2007). Pilocarpine-Induced Seizures Cause Selective Time-Dependent Changes to Adult-Generated Hippocampal Dentate Granule Cells. *Journal of Neuroscience*, 27(28), 7541-7552. doi: 10.1523/jneurosci.0431-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/28/7541>

Walter, G. C., Phillips, R. J., McAdams, J. L., & Powley, T. L. (2016). Individual sympathetic postganglionic neurons co-innervate myenteric ganglia and smooth muscle layers in the gastrointestinal tract of the rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23978. <http://dx.doi.org/10.1002/cne.23978>

Waltreit, R., Leimer, U., von Bohlen und Halbach, O., Panke, J., Hölter, S. M., Garrett, L., . . . Bartsch, D. (2012). Srgap3^{-/-} mice present a neurodevelopmental disorder with schizophrenia-related intermediate phenotypes. *FASEB Journal*. doi: 10.1096/fj.11-202317. <http://www.fasebj.org/content/early/2012/07/20/fj.11-202317.abstract>

Walton, J. C., Chen, Z., Travers, J. B., & Nelson, R. J. (2013). Exogenous Melatonin Reproduces the Effects of Short Day Lengths on Hippocampal Function in Male White-Footed Mice, *Peromyscus leucopus*. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.020>. <http://www.sciencedirect.com/science/article/pii/S0306452213005253>

Walton, J. C., Haim, A., Spieldenner, J. M., & Nelson, R. J. (2012). Photoperiod Alters Fear Responses and Basolateral Amygdala Neuronal Spine Density in White-Footed Mice (< i> Peromyscus leucopus). *Behavioural Brain Research*. doi.

- Walton, J. C., Pyter, L. M., Weil, Z. M., & Nelson, R. J. (2012). Photoperiod Mediated Changes in Olfactory Bulb Neurogenesis and Olfactory Behavior in Male White-Footed Mice (*Peromyscus leucopus*). *PLoS ONE*, 7(8), e42743. doi: 10.1371/journal.pone.0042743. <http://dx.doi.org/10.1371%2Fjournal.pone.0042743>
- Wan, S., Browning, K. N., Coleman, F. H., Sutton, G., Zheng, H., Butler, A., . . . Travagli, R. A. (2008). Presynaptic Melanocortin-4 Receptors on Vagal Afferent Fibers Modulate the Excitability of Rat Nucleus Tractus Solitarius Neurons. *Journal of Neuroscience*, 28(19), 4957-4966. doi: 10.1523/jneurosci.5398-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/19/4957>
- Wan, S., Coleman, F. H., & Travagli, R. A. (2007). Cholecystokinin-8s excites identified rat pancreatic-projecting vagal motoneurons. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 293(2), G484-492. doi: 10.1152/ajpgi.00116.2007. <http://ajpgi.physiology.org/cgi/content/abstract/293/2/G484>
- Wan, S., Coleman, F. H., & Travagli, R. A. (2007). Glucagon-like peptide-1 excites pancreas-projecting preganglionic vagal motoneurons. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 292(6), G1474-1482. doi: 10.1152/ajpgi.00562.2006. <http://ajpgi.physiology.org/cgi/content/abstract/292/6/G1474>
- Wang, B., Pan, L., Wei, M., Wang, Q., Liu, W.-W., Wang, N., . . . Bao, L. (2015). FMRP-Mediated Axonal Delivery of miR-181d Regulates Axon Elongation by Locally Targeting Map1b and Calm1. *Cell Reports*, 13(12), 2794-2807. doi: <http://dx.doi.org/10.1016/j.celrep.2015.11.057>. <http://www.sciencedirect.com/science/article/pii/S2211124715014060>
- Wang, B., Yin, L., Zou, X., Ye, M., Liu, Y., He, T., . . . Shu, Y. (2015). A Subtype of Inhibitory Interneuron with Intrinsic Persistent Activity in Human and Monkey Neocortex. *Cell Reports*, 10(9), 1450-1458. doi: <http://dx.doi.org/10.1016/j.celrep.2015.02.018>. <http://www.sciencedirect.com/science/article/pii/S2211124715001643>
- Wang, C., Wilson, W. A., Moore, S. D., Mace, B. E., Maeda, N., Schmechel, D. E., & Sullivan, P. M. (2005). Human apoE4-targeted replacement mice display synaptic deficits in the absence of neuropathology. *Neurobiology of Disease*, 18(2), 390-398. doi: 10.1016/j.neurobi.2005.05.005
- Wang, D., She, L., Sui, Y.-n., Yuan, X.-b., Wen, Y., & Poo, M.-m. (2012). Forward transport of proteins in the plasma membrane of migrating cerebellar granule cells. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1219203110. <http://www.pnas.org/content/early/2012/11/30/1219203110.abstract>
- Wang, D. S., Inokuchi, H., Tanaka, E., Isagai, T., Li, J. S., & Higashi, H. (2002). Postnatal changes in the overall postsynaptic currents evoked in CA1 pyramidal neurons of the rat hippocampus. *Life Sciences*, 72(4-5), 341-353. doi: 10.1016/S0014-2999(02)01400-0
- Wang, F., Rendahl, K. G., Manning, W. C., Quiroz, D., Coyne, M., & Miller, S. S. (2003). AAV-mediated expression of vascular endothelial growth factor induces choroidal neovascularization in rat. *Investigative Ophthalmology and Visual Science*, 44(2), 781-790. doi: 10.1167/44.2.781
- Wang, F., Wolfson, S. N., Gharib, A., & Sagasti, A. (2012). LAR Receptor Tyrosine Phosphatases and HSPGs Guide Peripheral Sensory Axons to the Skin. *Current Biology*. doi: 10.1016/j.cub.2012.05.018

Wang, F. E., Shi, G., Niesman, M. R., Rewolinski, D. A., & Miller, S. S. (2005). VEGF Receptor Inhibitors (AG13764 and AG13711) Reverse VEGF-Induced Choroidal Neovascularization in Rat Eye. *Investigative Ophthalmology and Visual Science*, 46(5), 5305-5305. doi:

Wang, F. E., Shi, G., Niesman, M. R., Rewolinski, D. A., & Miller, S. S. (2007). Receptor tyrosine kinase inhibitors AG013764 and AG013711 reduce choroidal neovascularization in rat eye. *Experimental Eye Research*, 84(4), 922-933. doi:

Wang, G., Wyskiel, D. R., Yang, W., Wang, Y., Milbern, L. C., Lalanne, T., . . . Zhu, J. J. (2015). An optogenetics- and imaging-assisted simultaneous multiple patch-clamp recording system for decoding complex neural circuits. [Protocol]. *Nat. Protocols*, 10(3), 397-412. doi: 10.1038/nprot.2015.019. <http://dx.doi.org/10.1038/nprot.2015.019>

Wang, H., Germanson, T. P., & Guyenet, P. G. (2002). Depressor and Tachypneic Responses to Chemical Stimulation of the Ventral Respiratory Group Are Reduced by Ablation of Neurokinin-1 Receptor-Expressing Neurons. *Journal of Neuroscience*, 22(9), 3755-3764. doi: <http://www.jneurosci.org/cgi/content/abstract/22/9/3755>

Wang, H., Li, J.-T., Zhang, Y., Liu, R., Wang, X.-D., Si, T.-M., & Su, Y.-A. (2018). Prenatal Exposure to Antipsychotics Disrupts the Plasticity of Dentate Neurons and Memory in Adult Male Mice. *International Journal of Neuropsychopharmacology*, ppy073-ppy073. doi: 10.1093/ijnp/ppy073. <http://dx.doi.org/10.1093/ijnp/ppy073>

Wang, H., Liu, N.-K., Zhang, Y. P., Deng, L., Lu, Q.-B., Shields, C. B., . . . Xu, X.-M. (2015). Treadmill training induced lumbar motoneuron dendritic plasticity and behavior recovery in adult rats after a thoracic contusive spinal cord injury. *Experimental Neurology*, 271, 368-378. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.07.004>. <http://www.sciencedirect.com/science/article/pii/S0014488615300388>

Wang, H., Liu, S., Wang, H., Wang, G., & Zhu, A. (2014). The effect of propofol postconditioning on the expression of K⁺-Cl⁻-co-transporter 2 in GABAergic inhibitory interneurons of acute ischemia/reperfusion injury rats. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.11.036>. <http://www.sciencedirect.com/science/article/pii/S0006899314016205>

Wang, H., Stornetta, R. L., Rosin, D. L., & Guyenet, P. G. (2001). Neurokinin-1 receptor-immunoreactive neurons of the ventral respiratory group in the rat. *Journal of Comparative Neurology*, 434(2), 128-146. doi:

Wang, H., Stradtman, G. G., Wang, X.-J., & Gao, W.-J. (2008). A specialized NMDA receptor function in layer 5 recurrent microcircuitry of the adult rat prefrontal cortex. *Proceedings of the National Academy of Sciences*, 105(43), 16791-16796. doi: 10.1073/pnas.0804318105. <http://www.pnas.org/content/105/43/16791.abstract>

Wang, H., Weston, M. C., McQuiston, T. J., Stornetta, R. L., & Guyenet, P. G. (2003). Neurokinin-1 receptor-expressing cells regulate depressor region of rat ventrolateral medulla. *American Journal of Physiology - Heart and Circulatory Physiology* 285(6), H2757-2769. doi: 10.1152/ajpheart.00528.2003. <http://ajpheart.physiology.org/cgi/content/abstract/285/6/H2757>

Wang, H., Zhang, Y. P., Cai, J., Shields, L. B. E., Tucek, C. A., Shi, R., . . . Xu, X.-M. (2016). A Compact Blast-Induced Traumatic Brain Injury Model in Mice. [10.1093/jnen/nlv019]. *Journal of*

Neuropathology and Experimental Neurology.

doi: <http://jnen.oxfordjournals.org/content/early/2016/01/21/jnen.nlv019.abst..>

Wang, H. B., Deng, Y. P., & Reiner, A. (2007). In situ hybridization histochemical and immunohistochemical evidence that striatal projection neurons co-containing substance P and enkephalin are overrepresented in the striosomal compartment of striatum in rats. *Neuroscience Letters*, 425(3), 195-199. doi.

Wang, H. D., Stanwood, G. D., Grandy, D. K., & Deutch, A. Y. (2009). Dystrophic dendrites in prefrontal cortical pyramidal cells of dopamine D₁ and D₂ but not D₄ receptor knockout mice. *Brain Research*, 1300, 58-64. doi.

Wang, H.-D., & Deutch, A. Y. (2007). Dopamine Depletion of the Prefrontal Cortex Induces Dendritic Spine Loss: Reversal by Atypical Antipsychotic Drug Treatment. *Neuropsychopharmacology*. doi.

Wang, J., & Barbas, H. (2018). Specificity of primate amygdalar pathways to hippocampus. [10.1523/JNEUROSCI.1267-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/09/24/JNEUROSCI.1267-18.2018..>

Wang, J., Ono, K., Dickstein, D. L., Arrieta-Cruz, I., Zhao, W., Qian, X., . . . others. (2010). Carvedilol as a potential novel agent for the treatment of Alzheimer's disease. *Neurobiology of Aging*. doi.

Wang, J., Zhu, G., Huang, L., Nie, T., Tao, K., Li, Y., & Gao, G. (2017). Morphine administration induces change in anxiety-related behavior via Wnt/ β -catenin signaling. *Neuroscience Letters*, 639, 199-206. doi: <http://dx.doi.org/10.1016/j.neulet.2017.01.005>. <http://www.sciencedirect.com/science/article/pii/S0304394017300058>

Wang, J.-W., David, D. J., Monckton, J. E., Battaglia, F., & Hen, R. (2008). Chronic Fluoxetine Stimulates Maturation and Synaptic Plasticity of Adult-Born Hippocampal Granule Cells. *Journal of Neuroscience*, 28(6), 1374-1384. doi: 10.1523/jneurosci.3632-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/6/1374>

Wang, K., Lu, J.-M., Xing, Z.-H., Zhao, Q.-R., Hu, L.-Q., Xue, L., . . . Mei, Y.-A. (2017). Effect of 1.8 GHz radiofrequency electromagnetic radiation on novel object associative recognition memory in mice. [Article]. *Scientific Reports*, 7, 44521. doi: 10.1038/srep44521. <http://dx.doi.org/10.1038/srep44521>

Wang, L., Chang, X., She, L., Xu, D., Huang, W., & Poo, M.-m. (2015). Autocrine Action of BDNF on Dendrite Development of Adult-Born Hippocampal Neurons. *The Journal of Neuroscience*, 35(22), 8384-8393. doi: <http://www.jneurosci.org/content/35/22/8384.abstract>

Wang, L., Conner, J. M., Nagahara, A. H., & Tuszynski, M. H. (2016). Rehabilitation drives enhancement of neuronal structure in functionally relevant neuronal subsets. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1514682113. <http://www.pnas.org/content/early/2016/02/17/1514682113.abstract>

Wang, L., Conner, J. M., Rickert, J., & Tuszynski, M. H. (2011). Structural plasticity within highly specific neuronal populations identifies a unique parcellation of motor learning in the adult brain. *Proceedings of the National Academy of Sciences*, 108(6), 2545-2550. doi: 10.1073/pnas.1014335108. <http://www.pnas.org/content/108/6/2545.abstract>

Wang, L., Deng, Q.-Q., Wu, X.-H., Yu, J., Yang, X.-L., & Zhong, Y.-M. (2013). Upregulation of Glutamate-Aspartate Transporter by Glial Cell Line-Derived Neurotrophic Factor Ameliorates Cell Apoptosis in

Neural Retina in Streptozotocin-Induced Diabetic Rats. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12150. <http://dx.doi.org/10.1111/cns.12150>

Wang, L., Ennis, M., Szabo, G., & Armstrong, W. E. (2014). Characteristics of GABAergic and Cholinergic Neurons in the Perinuclear Zone of Mouse Supraoptic Nucleus.

Wang, L., & Krauzlis, R. J. (2020). Involvement of Striatal Direct Pathway in Visual Spatial Attention in Mice. *Current Biology*. doi: <https://doi.org/10.1016/j.cub.2020.08.083>. <http://www.sciencedirect.com/science/article/pii/S0960982220312732>

Wang, L., Pang, K., Han, K., Adamski, C. J., Wang, W., He, L., . . . Zoghbi, H. Y. (2019). An autism-linked missense mutation in SHANK3 reveals the modularity of Shank3 function. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0324-x. <https://doi.org/10.1038/s41380-018-0324-x>

Wang, L., Rangarajan, K. V., Gerfen, C. R., & Krauzlis, R. J. (2018). Activation of Striatal Neurons Causes a Perceptual Decision Bias during Visual Change Detection in Mice. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.01.049>. <http://www.sciencedirect.com/science/article/pii/S0896627318300746>

Wang, M., & Bradley, R. M. (2010). Properties of GABAergic Neurons in the Rostral Solitary Tract Nucleus in Mice. *Journal of Neurophysiology*, 103(6), 3205-3218. doi: 10.1152/jn.00971.2009. <http://jn.physiology.org/cgi/content/abstract/103/6/3205>

Wang, P.-Y., Sung, C.-W., Tsai, Y.-H., Yeh, S.-R., Lin, W.-S., & Fan, S.-Z. (2020). Nervous system deletion of mammalian INDY in mice mimics dietary restriction-induced memory enhancement. *The Journals of Gerontology: Series A*, (glaa203). doi: 10.1093/gerona/glaa203. <https://doi.org/10.1093/gerona/glaa203>

Wang, Q., Marcucci, F., Cerullo, I., & Mason, C. (2016). Ipsilateral and contralateral retinal ganglion cells express distinct genes during decussation at the optic chiasm. [10.1523/ENEURO.0169-16.2016]. *eneuro*. doi: <http://eneuro.org/content/early/2016/11/17/ENEURO.0169-16.2016.abstract>

Wang, Q., Millard, D. C., Zheng, H. J. V., & Stanley, G. B. (2012). Voltage-sensitive dye imaging reveals improved topographic activation of cortex in response to manipulation of thalamic microstimulation parameters. *Journal of neural engineering*, 9, 026008-026008. doi:

Wang, R., & Millam, J. R. (1999). Corticotropin-releasing hormone-immunopositive nerve elements in apposition to chicken gonadotropin-releasing hormone I-containing perikarya in Japanese quail (*Coturnix coturnix japonica*) brain. *Cell and Tissue Research*, 297(2), 223-228. doi:

Wang, S., Benamer, N., Zanella, S., Kumar, N. N., Shi, Y., Bévangut, M., . . . Bayliss, D. A. (2013). TASK-2 Channels Contribute to pH Sensitivity of Retrotrapezoid Nucleus Chemoreceptor Neurons. *The Journal of Neuroscience*, 33(41), 16033-16044. doi: 10.1523/jneurosci.2451-13.2013. <http://www.jneurosci.org/content/33/41/16033.abstract>

Wang, S., Bolós, M., Clark, R., Cullen, C., Southam, K. A., Foa, L., . . . Young, K. M. (2016). Amyloid β precursor protein regulates neuron survival and maturation in the adult mouse brain. *Molecular and Cellular Neuroscience*. doi: <http://dx.doi.org/10.1016/j.mcn.2016.09.002>. <http://www.sciencedirect.com/science/article/pii/S1044743116301580>

Wang, S., Cesca, F., Loers, G., Schweizer, M., Buck, F., Benfenati, F., . . . Kleene, R. (2011). Synapsin I Is an Oligomannose-Carrying Glycoprotein, Acts As an Oligomannose-Binding Lectin, and Promotes Neurite Outgrowth and Neuronal Survival When Released via Glia-Derived Exosomes. *Journal of Neuroscience*, 31(20), 7275-7290. doi: 10.1523/jneurosci.6476-10.2011. <http://www.jneurosci.org/content/31/20/7275.abstract>

Wang, S.-z., Ibrahim, L. A., Kim, Y. J., Gibson, D. A., Leung, H. C., Yuan, W., . . . Zhang, L. I. (2013). Slit/Robo Signaling Mediates Spatial Positioning of Spiral Ganglion Neurons during Development of Cochlear Innervation. *Journal of Neuroscience*, 33(30), 12242-12254. doi: 10.1523/jneurosci.5736-12.2013. <http://www.jneurosci.org/content/33/30/12242.abstract>

Wang, T., Guan, R.-L., Liu, M.-C., Shen, X.-F., Chen, J., Zhao, M.-G., & Luo, W.-J. (2015). Lead Exposure Impairs Hippocampus Related Learning and Memory by Altering Synaptic Plasticity and Morphology During Juvenile Period. *Molecular Neurobiology*, 1-13. doi: 10.1007/s12035-015-9312-1. <http://dx.doi.org/10.1007/s12035-015-9312-1>

Wang, T., Liu, Y., Xu, X. H., Deng, C. Y., Wu, K. Y., Zhu, J., . . . Luo, Z. G. (2011). Lgl1 Activation of Rab10 Promotes Axonal Membrane Trafficking Underlying Neuronal Polarization. *Developmental cell*. doi:

Wang, T.-J., Chen, J.-R., Wang, W.-J., Wang, Y.-J., & Tseng, G.-F. (2014). Genistein Partly Eases Aging and Estropause-Induced Primary Cortical Neuronal Changes in Rats. *PLoS ONE*, 9(2), e89819. doi: 10.1371/journal.pone.0089819. <http://dx.doi.org/10.1371%2Fjournal.pone.0089819>

Wang, W., Li, C., Chen, Q., van der Goes, M.-S., Hawrot, J., Yao, A. Y., . . . Zhang, Q. (2017). Striatopallidal dysfunction underlies repetitive behavior in Shank3-deficient model of autism. *The Journal of clinical investigation*, 127(5). doi: <https://www.jci.org/articles/view/87997/citations>

Wang, W., Zhang, H., Lee, D.-H., Yu, J., Cheng, T., Hong, M., . . . Wang, J. (2017). Using functional and molecular MRI techniques to detect neuroinflammation and neuroprotection after traumatic brain injury. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.04.019>. <http://www.sciencedirect.com/science/article/pii/S0889159117301290>

Wang, X., de Rivero Vaccari, J. P., Wang, H., Diaz, P., German, R., Marcillo, A., & Keane, R. W. (2011). Activation of the Nuclear Factor E2-Related Factor 2/Antioxidant Response Element Pathway is Neuroprotective Following Spinal Cord Injury. *Journal of Neurotrauma*, (ja). doi:

Wang, X., Gao, X., Michalski, S., Zhao, S., & Chen, J. (2015). Traumatic Brain Injury Severity Affects Neurogenesis in Adult Mouse Hippocampus. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4097. <http://dx.doi.org/10.1089/neu.2015.4097>

Wang, X., Hong, H., Brown, D. H., Sanchez, J. T., & Wang, Y. (2017). Distinct Neural Properties in the Low Frequency Region of the Chicken Cochlear Nucleus Magnocellularis. [10.1523/ENEURO.0016-17.2017]. *eneuro*. doi: <http://eneuro.org/content/early/2017/04/04/ENEURO.0016-17.2017.abstract>

Wang, X., Kim, J. H., Bazzi, M., Robinson, S., Collins, C. A., & Ye, B. (2013). Bimodal Control of Dendritic and Axonal Growth by the Dual Leucine Zipper Kinase Pathway. *PLoS Biol*, 11(6), e1001572. doi: 10.1371/journal.pbio.1001572. <http://dx.doi.org/10.1371%2Fjournal.pbio.1001572>

Wang, X., Romine, J. L., Gao, X., & Chen, J. (2017). Aging impairs dendrite morphogenesis of newborn neurons and is rescued by 7, 8-dihydroxyflavone. *Aging Cell*, 16(2), 304-311. doi: 10.1111/acer.12553. <http://dx.doi.org/10.1111/acer.12553>

- Wang, X., Sirianni, A., Pei, Z., Cormier, K., Smith, K., Jiang, J., . . . Friedlander, R. M. (2011). The Melatonin MT1 Receptor Axis Modulates Mutant Huntingtin-Mediated Toxicity. *Journal of Neuroscience*, 31(41), 14496-14507. doi: 10.1523/jneurosci.3059-11.2011. <http://www.jneurosci.org/content/31/41/14496.abstract>
- Wang, X., Sun, P., Al-Qamari, A., Tai, T., Kawashima, I., & Paller, A. S. (2001). Carbohydrate-Carbohydrate Binding of Ganglioside to Integrin alpha 5 Modulates alpha 5beta 1 Function. *Journal of Biological Chemistry*, 276(11), 8436-8444. doi: 10.1074/jbc.M006097200. <http://www.jbc.org/cgi/content/abstract/276/11/8436>
- Wang, X., & Sun, Q.-Q. (2012). Characterization of axo-axonic synapses in the piriform cortex of *Mus musculus*. *Journal of Comparative Neurology*, 520(4), 832-847. doi: 10.1002/cne.22792. <http://dx.doi.org/10.1002/cne.22792>
- Wang, X., Vaingankar, V., Sanchez, C. S., Sommer, F. T., & Hirsch, J. A. (2010). Thalamic interneurons and relay cells use complementary synaptic mechanisms for visual processing. *Nature Neuroscience*, 14(2), 224-231. doi.
- Wang, X., Zhu, S., Pei, Z., Drozda, M., Stavrovskaya, I. G., Del Signore, S. J., . . . Friedlander, R. M. (2008). Inhibitors of Cytochrome c Release with Therapeutic Potential for Huntington's Disease. *Journal of Neuroscience*, 28(38), 9473-9485. doi: 10.1523/jneurosci.1867-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/38/9473>
- Wang, X., Zorio, D. A. R., Schecterson, L., Lu, Y., & Wang, Y. (2018). Postsynaptic FMRP regulates synaptogenesis *in vivo* in the developing cochlear nucleus. [10.1523/JNEUROSCI.0665-18.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/06/27/JNEUROSCI.0665-18.2018>.
- Wang, X.-D., Rammes, G., Kraev, I., Wolf, M., Liebl, C., Scharf, S. H., . . . Schmidt, M. V. (2011). Forebrain CRF1 Modulates Early-Life Stress-Programmed Cognitive Deficits. *Journal of Neuroscience*, 31(38), 13625-13634. doi: 10.1523/jneurosci.2259-11.2011. <http://www.jneurosci.org/content/31/38/13625.abstract>
- Wang, X. Q., Sun, P., O'Gorman, M., Tai, T., & Paller, A. S. (2001). Epidermal growth factor receptor glycosylation is required for ganglioside GM3 binding and GM3-mediated suppression of activation. *Glycobiology*, 11(7), 515-522. doi.
- Wang, X. Q., Sun, P., & Paller, A. S. (2001). Inhibition of integrin-linked kinase/protein kinase B/Akt signaling. *Journal of Biological Chemistry*, 276(48), 44504-44511. doi.
- Wang, Y., Barakat, A., & Zhou, H. (2010). Electrotonic coupling between pyramidal neurons in the neocortex. *PLoS ONE*, 5(4), e10253-e10253. doi.
- Wang, Y., Gupta, A., & Markram, H. (1999). Anatomical and functional differentiation of glutamatergic synaptic innervation in the neocortex. *Journal of Physiology-Paris*, 93(4), 305-317. doi.
- Wang, Y., Gupta, A., Toledo-Rodriguez, M., Wu, C. Z., & Markram, H. (2002). Anatomical, physiological, molecular and circuit properties of nest basket cells in the developing somatosensory cortex. *Cerebral Cortex*, 12(4), 395-410. doi.

- Wang, Y., Hirose, K., & Liberman, M. C. (2002). Dynamics of noise-induced cellular injury and repair in the mouse cochlea. *JARO—Journal of the Association for Research in Otolaryngology*, 3(3), 248-268. doi.
- Wang, Y., Markram, H., Goodman, P. H., Berger, T. K., Ma, J., & Goldman-Rakic, P. S. (2005). Heterogeneity in the pyramidal network of the medial prefrontal cortex. *Nature Neuroscience*, Volume 9. doi.
- Wang, Y., Toledo-Rodriguez, M., Gupta, A., Wu, C., Silberberg, G., Luo, J., & Markram, H. (2004). Anatomical, physiological and molecular properties of Martinotti cells in the somatosensory cortex of the juvenile rat. *Journal of Physiology*, 561(1), 65-90. doi: 10.1113/jphysiol.2004.073353. <http://jp.physoc.org/cgi/content/abstract/561/1/65>
- Wang, Y., Ye, M., Kuang, X., Li, Y., & Hu, S. (2018). A Simplified Morphological Classification Scheme for Pyramidal Cells in Six Layers of Primary Somatosensory Cortex of Juvenile rats. *IBRO Reports*. doi: <https://doi.org/10.1016/j.ibror.2018.10.001>. <http://www.sciencedirect.com/science/article/pii/S2451830118300293>
- Wang, Y.-T., Huang, C.-C., Lin, Y.-S., Huang, W.-F., Yang, C.-Y., Lee, C.-C., . . . Hsu, K.-S. (2016). Conditional deletion of Eps8 reduces hippocampal synaptic plasticity and impairs cognitive function. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.07.021>. <http://www.sciencedirect.com/science/article/pii/S0028390816303070>
- Wang, Z., Chen, Li M., Négyessy, L., Friedman, Robert M., Mishra, A., Gore, John C., & Roe, Anna W. (2013). The Relationship of Anatomical and Functional Connectivity to Resting-State Connectivity in Primate Somatosensory Cortex. *Neuron*, 78(6), 1116-1126. doi: <http://dx.doi.org/10.1016/j.neuron.2013.04.023>. <http://www.sciencedirect.com/science/article/pii/S0896627313003255>
- Wanigasekara, Y., & Keast, J. R. (2005). Neurturin has multiple neurotrophic effects on adult rat sacral parasympathetic ganglion neurons. *European Journal of Neuroscience*, 22(3), 595-604. doi: 10.1111/j.1460-9568.2005.04260.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04260.x>
- Wanner, I. B., Anderson, M. A., Song, B., Levine, J., Fernandez, A., Gray-Thompson, Z., . . . Sofroniew, M. V. (2013). Glial Scar Borders Are Formed by Newly Proliferated, Elongated Astrocytes That Interact to Corral Inflammatory and Fibrotic Cells via STAT3-Dependent Mechanisms after Spinal Cord Injury. *Journal of Neuroscience*, 33(31), 12870-12886. doi: 10.1523/jneurosci.2121-13.2013. <http://www.jneurosci.org/content/33/31/12870.abstract>
- Wanner, I. B., Deik, A., Torres, M., Rosendahl, A., Neary, J. T., Lemmon, V. P., & Bixby, J. L. (2008). A new in vitro model of the glial scar inhibits axon growth. *Glia*, 56(15), 1691-1709. doi.
- Wanner, I. B., Mahoney, J., Jessen, K. R., Wood, P. M., Bates, M., & Bunge, M. B. (2006). Invariant mantling of growth cones by Schwann cell precursors characterize growing peripheral nerve fronts. *Glia*, 54(5), 424-438. doi.
- Wannier, T., Schmidlin, E., Bloch, J., & Rouiller, E. M. (2005). A unilateral section of the corticospinal tract at cervical level in primate does not lead to measurable cell loss in motor cortex. *Journal of Neurotrauma*, 22(6), 703-717. doi.

Wannier-Morino, P., Schmidlin, E., Freund, P., Belhaj-Saif, A., Bloch, J., Mir, A., . . . Wannier, T. (2008). Fate of rubrospinal neurons after unilateral section of the cervical spinal cord in adult macaque monkeys: effects of an antibody treatment neutralizing Nogo-A. *Brain Research*, 1217, 96-109. doi.

Wardach, J., Wagner, M., Jeong, Y., & Holden, J. E. (2015). Lateral Hypothalamic Stimulation Reduces Hyperalgesia Through Spinally Descending Orexin-A Neurons in Neuropathic Pain. *Western Journal of Nursing Research*. doi: 10.1177/0193945915610083. <http://wjn.sagepub.com/content/early/2015/10/12/0193945915610083.abstract>

Warling, A., Uchida, R., Shin, H., Dodelson, C., Garcia, M. E., Shea-Shumsky, N. B., . . . Jacobs, B. (2020). Putative dendritic correlates of chronic traumatic encephalopathy: A preliminary quantitative Golgi exploration. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25022. <https://doi.org/10.1002/cne.25022>

Warmus, B. A., Sekar, D. R., McCutchen, E., Schellenberg, G. D., Roberts, R. C., McMahon, L. L., & Roberson, E. D. (2014). Tau-Mediated NMDA Receptor Impairment Underlies Dysfunction of a Selectively Vulnerable Network in a Mouse Model of Frontotemporal Dementia. *The Journal of Neuroscience*, 34(49), 16482-16495. doi. <http://www.jneurosci.org/content/34/49/16482.short>

Warren, E. J., Allen, C. N., Brown, R. L., & Robinson, D. W. (2002). Intrinsic Membrane Properties and Morphological Characteristics of Rat Retinal Ganglion Cells that Project to the Suprachiasmatic Nucleus. *Investigative Ophthalmology and Visual Science*, 43(12), 2774-2774. doi.

Warren, E. J., Allen, C. N., Brown, R. L., & Robinson, D. W. (2003). Intrinsic light responses of retinal ganglion cells projecting to the circadian system. *European Journal of Neuroscience*, 17(9), 1727. doi.

Warren, M. S., Bradley, W. D., Gourley, S. L., Lin, Y.-C., Simpson, M. A., Reichardt, L. F., . . . Koleske, A. J. (2012). Integrin $\beta 1$ Signals through Arg to Regulate Postnatal Dendritic Arborization, Synapse Density, and Behavior. *Journal of Neuroscience*, 32(8), 2824-2834. doi: 10.1523/jneurosci.3942-11.2012. <http://www.jneurosci.org/content/32/8/2824.abstract>

Warrington, J. P., Csiszar, A., Johnson, D. A., Herman, T. S., Ahmad, S., Lee, Y. W., & Sonntag, W. E. (2011). Cerebral microvascular rarefaction induced by whole brain radiation is reversible by systemic hypoxia in mice. *American Journal of Physiology - Heart and Circulatory Physiology*, 300(3), H736-H744. doi: 10.1152/ajpheart.01024.2010. <http://ajpheart.physiology.org/content/300/3/H736.abstract>

Warrington, J. P., Csiszar, A., Mitschelen, M., Lee, Y. W., & Sonntag, W. E. (2012). Whole Brain Radiation-Induced Impairments in Learning and Memory Are Time-Sensitive and Reversible by Systemic Hypoxia. *PLoS ONE*, 7(1), e30444-e30444. doi.

Wartella, J., Amory, E., Macbeth, A., McNamara, I., Stevens, L., Lambert, K. G., & Kinsley, C. H. (2003). Single or multiple reproductive experiences attenuate neurobehavioral stress and fear responses in the female rat. *Physiology and Behavior*, 79(3), 373-381. doi.

Waselus, M., Flagel, S. B., Jedynek, J. P., Akil, H., Robinson, T. E., & Watson Jr, S. J. (2013). Long-term effects of cocaine experience on neuroplasticity in the nucleus accumbens core of addiction-prone rats. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.042>. <http://www.sciencedirect.com/science/article/pii/S0306452213005484>

- Washburn, C. P., Bayliss, D. A., & Guyenet, P. G. (2003). Cardiorespiratory neurons of the rat ventrolateral medulla contain TASK-1 and TASK-3 channel mRNA. *Restorative Neurology and Neuroscience*, 138(1), 19-35. doi.
- Washburn, C. P., Sirois, J. E., Talley, E. M., Guyenet, P. G., & Bayliss, D. A. (2002). Serotonergic Raphe Neurons Express TASK Channel Transcripts and a TASK-Like pH- and Halothane-Sensitive K⁺ Conductance. *Journal of Neuroscience*, 22(4), 1256-1265. doi. <http://www.jneurosci.org/cgi/content/abstract/22/4/1256>
- Watanabe, K., Morishima, Y., Toigawa, M., & Hata, Y. (2009). Experience-Driven Axon Retraction in the Pharmacologically Inactivated Visual Cortex Does Not Require Synaptic Transmission. *PLoS ONE*, 4(1), e4193-e4193. doi.
- Watanabe, Y., Johnson, R. S., Butler, L. S., Binder, D. K., Spiegelman, B. M., Papaioannou, V. E., & McNamara, J. O. (1996). Null Mutation of c-fos Impairs Structural and Functional Plasticities in the Kindling Model of Epilepsy. *Journal of Neuroscience*, 16, 3827-3836. doi.
- Watase, T., Shimizu, K., Ohara, K., Komiya, H., Kanno, K., Hatori, K., . . . Iwata, K. (2018). [EXPRESS] Role of medullary astroglial glutamine synthesis in tooth pulp hypersensitivity associated with frequent masseter muscle contraction. *Molecular Pain*, 0(0), 1744806918763270. doi: 10.1177/1744806918763270. <http://journals.sagepub.com/doi/abs/10.1177/1744806918763270>
- Waters, E. M., Yildirim, M., Janssen, W. G. M., Lou, W. Y., McEwen, B. S., Morrison, J. H., & Milner, T. A. (2011). Estrogen and aging affect the synaptic distribution of estrogen receptor beta-immunoreactivity in the CA1 region of female rat hippocampus. *Brain Research*, 1379, 86-97. doi.
- Waters, J., & Helmchen, F. (2004). Boosting of Action Potential Backpropagation by Neocortical Network Activity In Vivo. *Journal of Neuroscience*, 24(49), 11127-11136. doi. <http://www.jneurosci.org/cgi/content/abstract/24/49/11127>
- Waters, J., Larkum, M., Sakmann, B., & Helmchen, F. (2003). Supralinear Ca²⁺ Influx into Dendritic Tufts of Layer 2/3 Neocortical Pyramidal Neurons In Vitro and In Vivo. *Journal of Neuroscience*, 23(24), 8558-8567. doi. <http://www.jneurosci.org/cgi/content/abstract/23/24/8558>
- Waters, J., Schaefer, A., & Sakmann, B. (2005). Backpropagating action potentials in neurones: measurement, mechanisms and potential functions. *Progress in Biophysics and Molecular Biology*, 87(1), 145-170. doi.
- Watson, A. H. D. (2003). GABA-and glycine-like immunoreactivity in axons and dendrites contacting the central terminals of rapidly adapting glabrous skin afferents in rat spinal cord. *Journal of Comparative Neurology*, 464(4), 497-510. doi.
- Watson, A. H. D. (2004). Synaptic interactions between the terminals of slow-adapting type II mechanoreceptor afferents and neurones expressing γ -aminobutyric acid-and glycine-like immunoreactivity in the rat spinal cord. *Journal of Comparative Neurology*, 471(2), 168-179. doi.
- Watson, A. H. D., Hughes, D. I., & Bazzaz, A. A. (2002). Synaptic relationships between hair follicle afferents and neurones expressing GABA and glycine-like immunoreactivity in the spinal cord of the rat. *Journal of Comparative Neurology*, 452(4), 367-380. doi.
- Watson, B. O., MacLean, J. N., & Yuste, R. (2008). UP states protect ongoing cortical activity from thalamic inputs. *PLoS ONE*, 3(12), e3971-e3971. doi.

- Watson, K. K., Jones, T. K., & Allman, J. M. (2006). Dendritic architecture of the von Economo neurons. *Neuroscience*, 141(3), 1107-1112. doi.
- Watt, A. J., Cuntz, H., Mori, M., Nusser, Z., Sjöström, P. J., & Häusser, M. (2009). Traveling waves in developing cerebellar cortex mediated by asymmetrical Purkinje cell connectivity. *Nature Neuroscience*, 12(4), 463-473. doi.
- Wearne, S. L., Rodriguez, A., Ehlenberger, D. B., Rocher, A. B., Henderson, S. C., & Hof, P. R. (2005). New techniques for imaging, digitization and analysis of three-dimensional neural morphology on multiple scales. *Neuroscience*, 136(3), 661-680. doi.
- Weaver, C. M., & Wearne, S. L. (2008). Neuronal firing sensitivity to morphologic and active membrane parameters. *PLoS Biology*, 4(1), e11-e11. doi.
- Weaver, J. L., Arandjelovic, S., Brown, G., Mendu, S. K., Schappe, M. S., Buckley, M. W., . . . Chung, J. (2017). Hematopoietic pannexin 1 function is critical for neuropathic pain. *Scientific Reports*, 7, 42550. doi.
- Webb, I. C., Coolen, L. M., & Lehman, M. N. (2013). NMDA and PACAP Receptor Signaling Interact to Mediate Retinal-Induced SCN Cellular Rhythmicity in the Absence of Light. *PLoS ONE*, 8(10), e76365. doi: 10.1371/journal.pone.0076365. <http://dx.doi.org/10.1371/journal.pone.0076365>
- Webber, M. J., Kessler, J. A., & Stupp, S. I. (2010). Emerging peptide nanomedicine to regenerate tissues and organs. *Journal of Internal Medicine*, 267(1), 71-88. doi.
- Weber, A. J. (2002). Intracellular analysis of parasol cells in normal and glaucomatous eyes. *Investigative Ophthalmology and Visual Science*, 43(12), 2164-2164. doi.
- Weber, A. J. (2003). Ex Vivo and Whole-Mount Retinal Preparations. *Ocular Neuroprotection*, 205-205. doi.
- Weber, A. J., & Harman, C. D. (2003). Differential Effects of Optic Nerve Injury and BDNF Treatment on the Dendritic Fields of Cat Retinal Ganglion Cells. *Investigative Ophthalmology and Visual Science*, 44(5), 5227-5227. doi.
- Weber, A. J., & Harman, C. D. (2005). Structure–function relations of parasol cells in the normal and glaucomatous primate retina. *Investigative Ophthalmology and Visual Science*, 46(9), 3197-3207. doi.
- Weber, A. J., & Harman, C. D. (2008). BDNF Preserves the dendritic morphology of α and β ganglion cells in the cat retina after optic nerve injury. *Investigative Ophthalmology and Visual Science*, 49(6), 2456-2463. doi.
- Weber, A. J., Harman, C. D., & Viswanathan, S. (2008). Effects of optic nerve injury, glaucoma, and neuroprotection on the survival, structure, and function of ganglion cells in the mammalian retina. *Journal of Physiology*, 586(18), 4393-4400. doi: 10.1113/jphysiol.2008.156729. <http://jp.physoc.org/cgi/content/abstract/586/18/4393>
- Weber, B., Greenan, G., Prohaska, S., Baum, D., Hege, H. C., Müller-Reichert, T., . . . Verbavatz, J. M. (2011). Automated tracing of microtubules in electron tomograms of plastic embedded samples of *Caenorhabditis elegans* embryos. *Journal of Structural Biology*. doi.

- Weber, I., Puskar, Z., Kozak, N., & Antal, M. (2007). Projections of primary afferent fibers to last-order premotor interneurons in the lumbar spinal cord of rats. *Brain Research Bulletin*, 71(4), 337-343. doi.
- Weber, P., Bartsch, U., Schachner, M., & Montag, D. (1998). Na, K-ATPase subunit β 1 knock-in prevents lethality of β 2 deficiency in mice. *Journal of Neuroscience*, 18(22), 9192-9203. doi.
- Webster, J., Urban, C., Berbaum, K., Loske, C., Alpar, A., GÄrtner, U., . . . MÜnch, G. (2005). The carbonyl scavengers aminoguanidine and tenilsetam protect against the neurotoxic effects of methylglyoxal. *Neurotoxicity Research*, 7(1), 95-101. doi.
- Wefers, B., Hitz, C., Hölter, S. M., Trümbach, D., Hansen, J., Weber, P., . . . Kühn, R. (2012). MAPK Signaling Determines Anxiety in the Juvenile Mouse Brain but Depression-Like Behavior in Adults. *PLoS ONE*, 7(4), e35035. doi: 10.1371/journal.pone.0035035. <http://dx.doi.org/10.1371%2Fjournal.pone.0035035>
- Wefers, C. J., Dehay, C., Berland, M., Kennedy, H., & Chalupa, L. M. (2000). Binocular competition does not regulate retinogeniculate arbor size in fetal monkey. *Journal of Comparative Neurology*, 427(3), 362-369. doi.
- Wefers, C. J., Dehay, C., Berland, M., Kennedy, H., & Chalupa, L. M. (2000). Regulate Retinogeniculate Arbor Size in Fetal Monkey. *Journal of Comparative Neurology*, 427, 362-369. doi.
- Wei, B., Nie, Y., Li, X., Wang, C., Ma, T., Huang, Z., . . . Yang, Z. (2011). Emx1-expressing neural stem cells in the subventricular zone give rise to new interneurons in the ischemic injured striatum. *European Journal of Neuroscience*, 33(5), 819-830. doi: 10.1111/j.1460-9568.2010.07570.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07570.x>
- Wei, D., Gao, N., Li, L., Zhu, J.-X., Diao, L., Huang, J., . . . Wang, Q. (2017). α -Tubulin Acetylation Restricts Axon Overbranching by Dampening Microtubule Plus-End Dynamics in Neurons. *Cerebral Cortex*, 1-15. doi. <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx2..>
- Wei, H., Bonjean, M., Petry, H. M., Sejnowski, T. J., & Bickford, M. E. (2011). Thalamic Burst Firing Propensity: A Comparison of the Dorsal Lateral Geniculate and Pulvinar Nuclei in the Tree Shrew. *Journal of Neuroscience*, 31(47), 17287-17299. doi: 10.1523/jneurosci.6431-10.2011. <http://www.jneurosci.org/content/31/47/17287.abstract>
- Wei, H., Masterson, S. P., Petry, H. M., & Bickford, M. E. (2011). Diffuse and Specific Tectopulvinar Terminals in the Tree Shrew: Synapses, Synapsins, and Synaptic Potentials. *PLoS ONE*, 6(8), e23781-e23781. doi.
- Wei, L., Hao, J., Lacher, R. K., Abbott, T., Chung, L., Colangelo, C., & Kaffman, A. (2015). Early-Life Stress Perturbs Key Cellular Programs in the Developing Mouse Hippocampus. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Abstract/430861>
- Wei, L., Simen, A., Mane, S., & Kaffman, A. (2011). Early Life Stress Inhibits Expression of a Novel Innate Immune Pathway in the Developing Hippocampus. *Neuropsychopharmacology*, 37(2), 567-580. doi.
- Wei, P., Pattarini, R., Rong, Y., Guo, H., Bansal, P. K., Kusnoor, S. V., . . . Morgan, J. I. (2012). The Cbln Family of Proteins Interact with Multiple Signaling Pathways. *Journal of Neurochemistry*. doi.
- Wei, W., & Feller, M. B. (2011). Organization and development of direction-selective circuits in the retina. *Trends in Neurosciences*. doi.

- Wei, W., Hamby, A. M., Zhou, K., & Feller, M. B. (2010). Development of asymmetric inhibition underlying direction selectivity in the retina. *Nature*, 469(7330), 402-406. doi.
- Weidenhofer, J., Yip, J., Zavitsanou, K., Huang, X. F., Chahl, L. A., & Tooney, P. A. (2006). Immunohistochemical localisation of the NK1 receptor in the human amygdala: Preliminary investigation in schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 30(7), 1313-1321. doi.
- Weir, R. K., Bauman, M. D., Jacobs, B., & Schumann, C. M. (2017). Protracted dendritic growth in the typically developing human amygdala and increased spine density in young ASD brains. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24332. <http://dx.doi.org/10.1002/cne.24332>
- Weir, R. K., Forghany, R., Smith, S. E. P., Patterson, P. H., McAllister, A. K., Schumann, C. M., & Bauman, M. D. (2015). Preliminary evidence of neuropathology in nonhuman primates prenatally exposed to maternal immune activation. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.03.009>. <http://www.sciencedirect.com/science/article/pii/S088915911500080X>
- Weiss, D. S., & Keller, A. (1994). Specific Patterns of Intrinsic Connections Between Representations in the Rat Motor Cortex. *Cerebral Cortex*, 4, 205-214. doi.
- Weißflog, L., Becker, N., Bossert, N., Freudenberg, F., Kittel-Schneider, S., & Reif, A. (2016). Expression profile of the diacylglycerol kinase eta gene DGKH. [journal article]. *European Archives of Psychiatry and Clinical Neuroscience*, 1-10. doi: 10.1007/s00406-016-0695-4. <http://dx.doi.org/10.1007/s00406-016-0695-4>
- Welker, E., Armstrong-James, M., Bronchti, G., Ourednik, W., Gheorghita-Baechler, F., Dubois, R., . . . Neumann, P. E. (1996). Altered Sensory Processing in the Somatosensory Cortex of the Mouse Mutant Barrelless. *Science*, 271(5257), 1864-1867. doi: 10.1126/science.271.5257.1864. <http://www.sciencemag.org/cgi/content/abstract/271/5257/1864>
- Weller, R. E., White, D. M., & Walton, M. M. G. (2000). Intrinsic connections in the caudal subdivision of the dorsolateral visual area (DLC) in squirrel monkeys. *Journal of Comparative Neurology*, 420(1), 52-69. doi.
- Wellman, C. L. (2001). Dendritic reorganization in pyramidal neurons in medial prefrontal cortex after chronic corticosterone administration. *Journal of Neurobiology*, 49(3), 245-253. doi.
- Wellman, C. L., Camp, M., Jones, V. M., MacPherson, K. P., Ihne, J., Fitzgerald, P., . . . Holmes, A. (2013). Convergent effects of mouse Pet-1 deletion and human PET-1 variation on amygdala fear and threat processing. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.09.025>. <http://www.sciencedirect.com/science/article/pii/S0014488613002938>
- Wellman, C. L., Izquierdo, A., Garrett, J. E., Martin, K. P., Carroll, J., Millstein, R., . . . Holmes, A. (2007). Impaired Stress-Coping and Fear Extinction and Abnormal Corticolimbic Morphology in Serotonin Transporter Knock-Out Mice. *Journal of Neuroscience*, 27(3), 684-691. doi: 10.1523/jneurosci.4595-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/3/684>
- Wells, A. M., García-Cabezas, M. Á., & Barbas, H. (2020). Topological atlas of the hypothalamus in adult rhesus monkey. *Brain Structure and Function*, 225(6), 1777-1803. doi: 10.1007/s00429-020-02093-8. <https://doi.org/10.1007/s00429-020-02093-8>

Wells, D. G., & Mawe, G. M. (1993). Physiological and morphological properties of neurons in sphincter of Oddi region of the guinea pig. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 265(2), G258-269. doi: <http://ajpgi.physiology.org/cgi/content/abstract/265/2/G258>

Wells, D. G., Talmage, E. K., & Mawe, G. M. (1995). Immunohistochemical identification of neurons in ganglia of the guinea pig sphincter of Oddi. *Journal of Comparative Neurology*, 352(1), 106-116. doi:

Wells, J., Vietje, B. P., Wells, D. G., & Paradee, J. (1992). Isomorphic activation of astrocytes in the somatosensory thalamus. *Glia*, 5(2), 154-160. doi:

Wen, J., Yang, H.-B., Zhou, B., Lou, H.-F., & Duan, S. (2013). β -Catenin Is Critical for Cerebellar Foliation and Lamination. *PLoS ONE*, 8(5), e64451. doi: 10.1371/journal.pone.0064451. <http://dx.doi.org/10.1371%2Fjournal.pone.0064451>

Wen, Q., Stepanyants, A., Elston, G. N., Grosberg, A. Y., & Chklovskii, D. B. (2009). Maximization of the connectivity repertoire as a statistical principle governing the shapes of dendritic arbors. *Proceedings of the National Academy of Sciences*, 106(30), 12536-12541. doi: 10.1073/pnas.0901530106. <http://www.pnas.org/content/106/30/12536.abstract>

Wen, T.-C., Sindhurakar, A., Ramirez, V. C., Park, H., Gupta, D., & Carmel, J. B. (2019). Targeted Infarction of the Internal Capsule in the Rat Using Microstimulation Guidance. *Stroke*, 0(0), STROKEAHA.119.025646. doi: 10.1161/STROKEAHA.119.025646. <https://www.ahajournals.org/doi/abs/10.1161/STROKEAHA.119.025646>

Wendelschafer-Crabb, G., Neppalli, V., Jessurun, J., Hodges, J., Vance, K., Saltzman, D., . . . Kennedy, W. R. (2009). Mucosal nerve deficiency in chronic childhood constipation: a postmigration defect. *Journal of Pediatric Surgery* 44, 773-782. doi:

Wendland, M. F., Faustino, J., West, T., Manabat, C., Holtzman, D. M., & Vexler, Z. S. (2008). Early Diffusion-Weighted MRI as a Predictor of Caspase-3 Activation After Hypoxic-Ischemic Insult in Neonatal Rodents. *Stroke*, STROKEAHA.107.506352. doi: 10.1161/strokeaha.107.506352. <http://stroke.ahajournals.org/cgi/content/abstract/STROKEAHA.107.506352v1>

Weng, Y.-H., Chen, C.-Y., Lin, K.-J., Chen, Y.-L., Yeh, T.-H., Hsiao, I.-T., . . . Wang, H.-L. (2015). (R1441C) LRRK2 induces the degeneration of SN dopaminergic neurons and alters the expression of genes regulating neuronal survival in a transgenic mouse model. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.001>, <http://www.sciencedirect.com/science/article/pii/S0014488615300832>

Wenger Combremont, A.-L., Bayer, L., Dupré, A., Muhlethaler, M., & Serafin, M. (2016). SLOW BURSTING NEURONS OF MICE CORTICAL LAYER 6B ARE DEPOLARIZED BY HYPOCRETIN/OREXIN AND MAJOR TRANSMITTERS OF AROUSAL. *Frontiers in neurology*, 7, 88. doi: <http://journal.frontiersin.org/article/10.3389/fneur.2016.00088/full>

Wenger Combremont, A.-L., Bayer, L., Dupré, A., Mühlethaler, M., & Serafin, M. (2016). Effects of Hypocretin/Orexin and Major Transmitters of Arousal on Fast Spiking Neurons in Mouse Cortical Layer 6B. *Cerebral Cortex*. doi: 10.1093/cercor/bhw158. <http://cercor.oxfordjournals.org/content/early/2016/05/27/cercor.bhw158...>

Wenger, N., Moraud, E. M., Gandar, J., Musienko, P., Capogrosso, M., Baud, L., . . . Courtine, G. (2016). Spatiotemporal neuromodulation therapies engaging muscle synergies improve motor control after spinal cord injury. [Article]. *Nature Medicine*, advance online publication. doi: 10.1038/nm.4025

<http://www.nature.com/nm/journal/vaop/ncurrent/abs/nm.4025.html#suppleme.....><http://dx.doi.org/10.1038/nm.4025>

Wenk, H. N., & Honda, C. N. (2003). Silver nitrate cauterization: characterization of a new model of corneal inflammation and hyperalgesia in rat. *Pain*, 105(3), 393-401. doi.

Wenk, H. N., Nannenga, M. N., & Honda, C. N. (2003). Effect of morphine sulphate eye drops on hyperalgesia in the rat cornea. *Pain*, 105(3), 455-465. doi.

Wentzel, C., Sommer, Julia E., Nair, R., Stiefvater, A., Sibarita, J.-B., & Scheiffele, P. (2013). mSYD1A, a Mammalian Synapse-Defective-1 Protein, Regulates Synaptogenic Signaling and Vesicle Docking. *Neuron*, 78(6), 1012-1023. doi: <http://dx.doi.org/10.1016/j.neuron.2013.05.010> <http://www.sciencedirect.com/science/article/pii/S0896627313004030>

Wester, J. C., Mahadevan, V., Rhodes, C. T., Calvigioni, D., Venkatesh, S., Maric, D., . . . McBain, C. J. (2019). Neocortical Projection Neurons Instruct Inhibitory Interneuron Circuit Development in a Lineage-Dependent Manner. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.03.036> <http://www.sciencedirect.com/science/article/pii/S0896627319302995>

Wester, J. C., & McBain, C. J. (2016). Interneurons Differentially Contribute to Spontaneous Network Activity in the Developing Hippocampus Dependent on Their Embryonic Lineage. *The Journal of Neuroscience*, 36(9), 2646-2662. doi. <http://www.jneurosci.org/content/36/9/2646.short>

Weston, M., Wang, H., Stornetta, R. L., Sevigny, C. P., & Guyenet, P. G. (2003). Fos expression by glutamatergic neurons of the solitary tract nucleus after phenylephrine-induced hypertension in rats. *Journal of Comparative Neurology*, 460(4), 525-541. doi.

Weston, M. C., Chen, H., & Swann, J. W. (2012). Multiple Roles for Mammalian Target of Rapamycin Signaling in Both Glutamatergic and GABAergic Synaptic Transmission. *Journal of Neuroscience*, 32(33), 11441-11452. doi.

Weston, M. C., Stornetta, R. L., & Guyenet, P. G. (2004). Glutamatergic neuronal projections from the marginal layer of the rostral ventral medulla to the respiratory centers in rats. *Journal of Comparative Neurology*, 473(1), 73-85. doi.

Whetstone, W. D., Walker, B., Trivedi, A., Lee, S., Noble-Haesuslein, L. J., & Hsu, J.-Y. C. (2017). Protease-Activated Receptor-1 Supports Locomotor Recovery by Biased Agonist Activated Protein C after Contusive Spinal Cord Injury. *PLoS ONE*, 12(1), e0170512. doi: 10.1371/journal.pone.0170512. <http://dx.doi.org/10.1371%2Fjournal.pone.0170512>

Whitcher, L. T., & Klintsova, A. Y. (2008). Postnatal binge-like alcohol exposure reduces spine density without affecting dendritic morphology in rat mPFC.

. *Synapse*, 29(62(8)), 566-573. doi.

White, L. E., Bosking, W. H., Williams, S. M., & Fitzpatrick, D. (1999). Maps of Central Visual Space in Ferret V1 and V2 Lack Matching Inputs from the Two Eyes. *Journal of Neuroscience*, 19(16), 7089-7099. doi: <http://www.jneurosci.org/cgi/content/abstract/19/16/7089>

White, M. A., Lin, Z., Kim, E., Henstridge, C. M., Pena Altamira, E., Hunt, C. K., . . . Sreedharan, J. (2019). Sarm1 deletion suppresses TDP-43-linked motor neuron degeneration and cortical spine loss. *Acta Neuropathologica Communications*, 7(1), 166. doi: 10.1186/s40478-019-0800-9. <https://doi.org/10.1186/s40478-019-0800-9>

White, M. G., Cody, P. A., Bubser, M., Wang, H.-D., Deutch, A. Y., & Mathur, B. N. (2016). Cortical hierarchy governs rat claustrrocortical circuit organization. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23970. <http://dx.doi.org/10.1002/cne.23970>

White, N. S., Leergaard, T. B., D'Arceuil, H., Bjaalie, J. G., & Dale, A. M. (2012). Probing tissue microstructure with restriction spectrum imaging: Histological and theoretical validation. *Human Brain Mapping*. doi.

White, S. V., Czisch, C. E., Han, M. H., Plant, C. D., Harvey, A. R., & Plant, G. W. (2016). Intravenous Transplantation Of Mesenchymal Progenitors Distribute Solely To The Lungs And Improve Outcomes in Cervical Spinal Cord Injury. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.2364. <http://dx.doi.org/10.1002/stem.2364>

Whitney, E. R., Kemper, T. L., Bauman, M. L., Rosene, D. L., & Blatt, G. J. (2008). Cerebellar Purkinje cells are reduced in a subpopulation of autistic brains: a stereological experiment using calbindin-D28k. *The Cerebellum*, 7(3), 406-416. doi.

Whittle, N., Fadok, J., MacPherson, K. P., Nguyen, R., Botta, P., Wolff, S. B. E., . . . Ciochi, S. (2021). Central amygdala micro-circuits mediate fear extinction. *Nature Communications*, 12(1), 4156. doi: 10.1038/s41467-021-24068-x. <https://doi.org/10.1038/s41467-021-24068-x>

Whyland, K. L., Slusarczyk, A. S., & Bickford, M. E. (2019). GABAergic cell types in the superficial layers of the mouse superior colliculus. *Journal of Comparative Neurology*, 0(0). doi: 10.1002/cne.24754. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24754>

Wieland, S., Du, D., Oswald, M. J., Parlato, R., Köhr, G., & Kelsch, W. (2014). Phasic Dopaminergic Activity Exerts Fast Control of Cholinergic Interneuron Firing via Sequential NMDA, D2, and D1 Receptor Activation. *The Journal of Neuroscience*, 34(35), 11549-11559. doi: <http://www.jneurosci.org/content/34/35/11549.short>

Wieland, S., Schindler, S., Huber, C., Köhr, G., Oswald, M. J., & Kelsch, W. (2015). Phasic Dopamine Modifies Sensory-Driven Output of Striatal Neurons through Synaptic Plasticity. *The Journal of Neuroscience*, 35(27), 9946-9956. doi: <http://www.jneurosci.org/content/35/27/9946.short>

Wijetunge, L. S., Till, S. M., Gillingwater, T. H., Ingham, C. A., & Kind, P. C. (2008). mGluR5 Regulates Glutamate-Dependent Development of the Mouse Somatosensory Cortex. *Journal of Neuroscience*, 28(49), 13028-13037. doi: 10.1523/jneurosci.2600-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/49/13028>

Wilber, A. A., Southwood, C. J., & Wellman, C. L. (2009). Brief neonatal maternal separation alters extinction of conditioned fear and corticolimbic glucocorticoid and NMDA receptor expression in adult rats. *Developmental Neurobiology*, 69(2-3), 73-87. doi.

- Wilber, A. A., & Wellman, C. L. (2009). Neonatal maternal separation alters the development of glucocorticoid receptor expression in the interpositus nucleus of the cerebellum. *International Journal of Developmental Neuroscience*, 27(7), 649-654. doi.
- Wilber, A. A., & Wellman, C. L. (2009). Neonatal maternal separation-induced changes in glucocorticoid receptor expression in posterior interpositus interneurons but not projection neurons predict deficits in adult eyeblink conditioning. *Neuroscience Letters*, 460(3), 214-218. doi.
- Willbrecht, L., Holtmaat, A., Wright, N., Fox, K., & Svoboda, K. (2010). Structural Plasticity Underlies Experience-Dependent Functional Plasticity of Cortical Circuits. *Journal of Neuroscience Methods*, 30(14), 4927-4932. doi: 10.1523/jneurosci.6403-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/14/4927>
- Wilkinson, G. A., Farinas, I., Backus, C., Yoshida, C. K., & Reichardt, L. F. (1996). Neurotrophin-3 Is a Survival Factor In Vivo for Early Mouse Trigeminal Neurons. *Journal of Neuroscience*, 16(23), 7661-7669. doi. <http://www.jneurosci.org/cgi/content/abstract/16/23/7661>
- Willard, S. L., Friedman, D. P., Henkel, C. K., & Shively, C. A. (2009). Anterior hippocampal volume is reduced in behaviorally depressed female cynomolgus macaques. *Psychoneuroendocrinology*, 34(10), 1469-1475. doi.
- Williams, E. C., Zhong, X., Mohamed, A., Li, R., Liu, Y., Dong, Q., . . . Chang, Q. (2014). Mutant astrocytes differentiated from Rett syndrome patients-specific iPSCs have adverse effects on wild type neurons. *Human Molecular Genetics*. doi: 10.1093/hmg/ddu008. <http://hmg.oxfordjournals.org/content/early/2014/01/12/hmg.ddu008.abstract>
- Williams, I. M., Carletti, B., Leto, K., Magrassi, L., & Rossi, F. (2008). Cerebellar granule cells transplanted in vivo can follow physiological and unusual migratory routes to integrate into the recipient cortex. *Neurobiology of Disease*, 30(1), 139-149. doi.
- Williams, K. L., Rahimtula, M., & Mearow, K. M. (2006). Heat shock protein 27 is involved in neurite extension and branching of dorsal root ganglion neurons in vitro. *Journal of Neuroscience Research*, 84(4), 716-723. doi.
- Williams, K. M., & Mong, J. A. (2017). Methamphetamine and Ovarian Steroid Responsive Cells in the Posteriodorsal Medial Amygdala are Required for Methamphetamine-enhanced Proceptive Behaviors. [Article]. *Scientific Reports*, 7, 39817. doi: 10.1038/srep39817
<http://www.nature.com/articles/srep39817#supplementary-information>. <http://dx.doi.org/10.1038/srep39817>
- Williams, M. R., DeSpensa, T., Li, M., Gullledge, A. T., & Luikart, B. W. (2015). Hyperactivity of Newborn Pten Knock-out Neurons Results from Increased Excitatory Synaptic Drive. *The Journal of Neuroscience*, 35(3), 943-959. doi. <http://www.jneurosci.org/content/35/3/943.short>
- Williams, M. R., Fricano-Kugler, C. J., Getz, S. A., Skelton, P. D., Lee, J., Rizzuto, C. P., . . . Luikart, B. W. (2016). A Retroviral CRISPR-Cas9 System for Cellular Autism-Associated Phenotype Discovery in Developing Neurons. [Article]. *Scientific Reports*, 6, 25611. doi: 10.1038/srep25611. <http://dx.doi.org/10.1038/srep25611>

- Williams, P. T., Kim, S., & Martin, J. H. (2014). Postnatal Maturation of the Red Nucleus Motor Map Depends on Rubrospinal Connections with Forelimb Motor Pools. *The Journal of Neuroscience*, 34(12), 4432-4441. doi: <http://www.jneurosci.org/content/34/12/4432.short>
- Williams, P. T., & Martin, J. H. (2015). Motor Cortex Activity Organizes the Developing Rubrospinal System. *The Journal of Neuroscience*, 35(39), 13363-13374. doi: Motor Cortex Activity Organizes the Developing Rubrospinal System
- Williams, R., Rohr, A. M., Wang, W. T., Choi, I. Y., Lee, P., Berman, N. E. J., . . . LeVine, S. M. (2011). Iron deposition is independent of cellular inflammation in a cerebral model of multiple sclerosis. *BMC neuroscience*, 12(1), 59-59. doi.
- Williams, R., Venkatesh, I., Pearse, D., Udvardia, A., & Bunge, M. (2015). MASH1/Ascl1a Leads to GAP43 Expression and Axon Regeneration in the Adult CNS. *PLoS ONE*, 10(3), e0118918. doi: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0118918>
- Williams, R. R., Pearse, D. D., Tresco, P. A., & Bunge, M. B. (2012). The assessment of adeno-associated vectors as potential intrinsic treatments for brainstem axon regeneration. *Journal of gene medicine*, 14(1), 20-34. doi.
- Williams, S. R., & Fletcher, L. N. (2018). A Dendritic Substrate for the Cholinergic Control of Neocortical Output Neurons. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.11.035>. <http://www.sciencedirect.com/science/article/pii/S0896627318310444>
- Willis, K. L., Christensen-Dalsgaard, J., Ketten, D. R., & Carr, C. E. (2013). Middle Ear Cavity Morphology Is Consistent with an Aquatic Origin for Testudines. *PLoS ONE*, 8(1), e54086. doi: 10.1371/journal.pone.0054086. <http://dx.doi.org/10.1371/journal.pone.0054086>
- Wilson, J. M., Hartley, R., Maxwell, D. J., Todd, A. J., Lieberam, I., Kaltschmidt, J. A., . . . Brownstone, R. M. (2005). Conditional Rhythmicity of Ventral Spinal Interneurons Defined by Expression of the Hbg Homeodomain Protein. *Journal of Neuroscience*, 25(24), 5710-5719. doi: <http://www.jneurosci.org/cgi/content/abstract/25/24/5710>
- Wilson, M. D., Sethi, S., Lein, P. J., & Keil, K. P. (2017). Valid Statistical Approaches for Analyzing Sholl Data: Mixed Effects versus Simple Linear Models. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.01.003>. <http://www.sciencedirect.com/science/article/pii/S0165027017300055>
- Wilson, N. M., Gurney, M. E., Dietrich, W. D., & Atkins, C. M. (2017). Therapeutic benefits of phosphodiesterase 4B inhibition after traumatic brain injury. *PLoS ONE*, 12(5), e0178013. doi: 10.1371/journal.pone.0178013. <https://doi.org/10.1371/journal.pone.0178013>
- Wilson, R. E., Coons, K. D., & Sengelaub, D. R. (2009). Neuroprotective effects of testosterone on dendritic morphology following partial motoneuron depletion: Efficacy in female rats. *Neuroscience Letters*, 465(2), 123-127. doi.
- Windle, V., Power, A., & Corbett, D. (2007). Norepinephrine depletion facilitates recovery of function after focal ischemia in the rat. *European Journal of Neuroscience*, 26(7), 1822-1831. doi: 10.1111/j.1460-9568.2007.05799.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05799.x>

- Windrem, M. S., Osipovitch, M., Liu, Z., Bates, J., Chandler-Militello, D., Zou, L., . . . Goldman, S. A. (2017). Human iPSC Glial Mouse Chimeras Reveal Glial Contributions to Schizophrenia. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2017.06.012>. <http://www.sciencedirect.com/science/article/pii/S1934590917302382>
- Winer, J. A., Chernock, M. L., Larue, D. T., & Cheung, S. W. (2002). Descending projections to the inferior colliculus from the posterior thalamus and the auditory cortex in rat, cat, and monkey. *Hearing Research*, 168(1-2), 181-195. doi.
- Winkler, C. W., Hermes, S. M., Chavkin, C. I., Drake, C. T., Morrison, S. F., & Aicher, S. A. (2006). Kappa Opioid Receptor (KOR) and GAD67 Immunoreactivity Are Found in OFF and NEUTRAL Cells in the Rostral Ventromedial Medulla. *Journal of Neurophysiology*, 96(6), 3465-3473. doi: 10.1152/jn.00676.2006. <http://jn.physiology.org/cgi/content/abstract/96/6/3465>
- Winkowski, D. E., Nagode, D. A., Donaldson, K. J., Yin, P., Shamma, S. A., Fritz, J. B., & Kanold, P. O. (2017). Orbitofrontal Cortex Neurons Respond to Sound and Activate Primary Auditory Cortex Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhw409. <http://cercor.oxfordjournals.org/content/early/2017/01/08/cercor.bhw409>
- Winner, B., Cooper-Kuhn, C. M., Aigner, R., Winkler, J., & Kuhn, H. G. (2002). Long-term survival and cell death of newly generated neurons in the adult rat olfactory bulb. *European Journal of Neuroscience*, 16(9), 1681. doi.
- Winterer, J., Lukacsovich, D., Que, L., Sartori, A. M., Luo, W., & Földy, C. (2019). Single-cell RNAseq characterization of anatomically-identified OLM interneurons in different transgenic mouse lines. *European Journal of Neuroscience*, 0(ja). doi: 10.1111/ejn.14549. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14549>
- Winterer, J., Stempel, A. V., Dugladze, T., Földy, C., Maziashvili, N., Zivkovic, A. R., . . . Schmitz, D. (2011). Cell-Type-Specific Modulation of Feedback Inhibition by Serotonin in the Hippocampus. *Journal of Neuroscience*, 31(23), 8464-8475. doi: 10.1523/jneurosci.6382-10.2011. <http://www.jneurosci.org/content/31/23/8464.abstract>
- Witelson, S. F., Kigar, D. L., & McKanna, J. A. (1992). A computer-assisted direct-imaging system to obtain numerical densities of neurons in human cortex. *Brain Research Bulletin*, 29(3-4), 441-447. doi.
- Witsch, J., Golkowski, D., Hahn, T. T. G., Petrou, S., & Spors, H. (2015). Cortical alterations in a model for absence epilepsy and febrile seizures: In vivo findings in mice carrying a human GABA(A)R gamma2 subunit mutation. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.018>. <http://www.sciencedirect.com/science/article/pii/S0969996115000522>
- Witter, M. P. (2006). Connections of the subiculum of the rat: topography in relation to columnar and laminar organization. *Behavioural Brain Research*, 174(2), 251-264. doi.
- Wittner, L., Henze, D. A., Zaborszky, L., & Buzsaki, G. (2006). Hippocampal CA3 pyramidal cells selectively innervate aspiny interneurons. *European Journal of Neuroscience*, 24(5), 1286-1298. doi: 10.1111/j.1460-9568.2006.04992.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04992.x>

Wittner, L., Henze, D. A., Záborszky, L., & Buzsáki, G. (2007). Three-dimensional reconstruction of the axon arbor of a CA3 pyramidal cell recorded and filled in vivo. *Brain Structure and Function*, 212(1), 75-83. doi.

Wittner, L., Huberfeld, G., Clemenceau, S., Eross, L., Dezamis, E., Entz, L., . . . Miles, R. (2009). The epileptic human hippocampal cornu ammonis 2 region generates spontaneous interictal-like activity in vitro. *Brain*, awp238. doi: 10.1093/brain/awp238. <http://brain.oxfordjournals.org/cgi/content/abstract/awp238v1>

Wittner, L., & Miles, R. (2007). Factors defining a pacemaker region for synchrony in the hippocampus. *Journal of Physiology*, 584(3), 867-883. doi: 10.1113/jphysiol.2007.138131. <http://jp.physoc.org/cgi/content/abstract/584/3/867>

Wohlfart, S., Bernreuther, C., Khalansky, A. S., Theisen, A., Weissenberger, J., Gelperina, S., . . . Kreuter, J. (2009). Increased numbers of injections of doxorubicin bound to nanoparticles lead to enhanced efficacy against rat glioblastoma 101/8. *Journal of Nanoneuroscience*, 1(2), 144-151. doi.

Wohlfart, S., Khalansky, A. S., Gelperina, S., Maksimenko, O., Bernreuther, C., Glatzel, M., & Kreuter, J. (2011). Efficient chemotherapy of rat glioblastoma using Doxorubicin-loaded PLGA nanoparticles with different stabilizers. *PLoS ONE*, 6(5), e19121-e19121. doi.

Woitke, F., Ceanga, M., Rudolph, M., Niv, F., Witte, O. W., Redecker, C., . . . Keiner, S. (2017). Adult hippocampal neurogenesis poststroke: More new granule cells but aberrant morphology and impaired spatial memory. *PLoS ONE*, 12(9), e0183463. doi: 10.1371/journal.pone.0183463. <https://doi.org/10.1371/journal.pone.0183463>

Wojtera, M., Sobow, T., Kloszewska, I., Liberski, P., Brown, D., & Sikorska, B. (2012). Expression of immunohistochemical markers on microglia in Creutzfeldt-Jakob disease and Alzheimer's disease: morphometric study and review of the literature. *Folia Neuropathologica*, 50, 74 - 84. doi.

Wong, A. M., Wang, J. W., & Axel, R. (2002). Spatial representation of the glomerular map in the *Drosophila* protocerebrum. *Cell*, 109(2), 229-241. doi.

Wong, A. S. L., Lee, R. H. K., Cheung, A. Y., Yeung, P. K., Chung, S. K., Cheung, Z. H., & Ip, N. Y. (2011). Cdk5-mediated phosphorylation of endophilin B1 is required for induced autophagy in models of Parkinson's disease. *Nature cell biology*, 13(5), 568-579. doi.

Wong, C., Chabot, N., Kok, M. A., & Lomber, S. G. (2013). Modified Areal Cartography in Auditory Cortex Following Early- and Late-Onset Deafness. *Cerebral Cortex*. doi: 10.1093/cercor/bht026. <http://cercor.oxfordjournals.org/content/early/2013/02/13/cercor.bht026>.

..

Wong, C., Chabot, N., Kok, M. A., & Lomber, S. G. (2015). Amplified somatosensory and visual cortical projections to a core auditory area, the anterior auditory field, Following early- and late-onset deafness. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23771. <http://dx.doi.org/10.1002/cne.23771>

Woo, T.-U., Whitehead, R. E., Melchitzky, D. S., & Lewis, D. A. (1998). A subclass of prefrontal gamma -aminobutyric acid axon terminals are selectively altered in schizophrenia. *Proceedings of the National Academy of Sciences*, 95(9), 5341-5346. doi: 10.1073/pnas.95.9.5341. <http://www.pnas.org/cgi/content/abstract/95/9/5341>

Wood, W. E., Olson, C. R., Lovell, P. V., & Mello, C. V. (2008). Dietary retinoic acid affects song maturation and gene expression in the song system of the zebra finch. *Developmental Neurobiology*, 68(10), 1213-1224. doi.

Woodruff, A. R., Anderson, S. A., & Yuste, R. (2010). The enigmatic function of chandelier cells. *Frontiers in Neuroscience*, 4. doi.

Woodruff, A. R., McGarry, L. M., Vogels, T. P., Inan, M., Anderson, S. A., & Yuste, R. (2011). State-Dependent Function of Neocortical Chandelier Cells. *Journal of Neuroscience*, 31(49), 17872-17886. doi: 10.1523/jneurosci.3894-11.2011. <http://www.jneurosci.org/content/31/49/17872.abstract>

Woodruff, A. R., & Sah, P. (2007). Networks of Parvalbumin-Positive Interneurons in the Basolateral Amygdala. *Journal of Neuroscience*, 27(3), 553-563. doi: 10.1523/jneurosci.3686-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/3/553>

Woolsey, T. A. (2005). Barrels XVII-proceedings. *Somatosensory and Motor Research*, 1(2), 1-23. doi.

Wootz, H., FitzSimons-Kantamneni, E., Larhammar, M., Rotterman, T. M., Enjin, A., Patra, K., . . . Alvarez, F. J. (2012). Alterations in the motor neuron-renshaw cell circuit in the Sod1G93A mouse model. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23266. <http://dx.doi.org/10.1002/cne.23266>

Workman, J. L., Bowers, S. L., & Nelson, R. J. (2009). Enrichment and photoperiod interact to affect spatial learning and hippocampal dendritic morphology in white-footed mice (*Peromyscus leucopus*). *European Journal of Neuroscience*, 29(1), 161-170. doi.

Workman, J. L., Fonken, L. K., Gusfa, J., Kassouf, K. M., & Nelson, R. J. (2011). Post-weaning environmental enrichment alters affective responses and interacts with behavioral testing to alter nNOS immunoreactivity. *Pharmacology Biochemistry and Behavior*. doi.

Workman, J. L., Manny, N., Walton, J. C., & Nelson, R. J. (2011). Short day lengths alter stress and depressive-like responses, and hippocampal morphology in Siberian hamsters. *Hormones and Behavior*. doi.

Works, S. J., Wilson, R. E., & Wellman, C. L. (2004). Age-dependent effect of cholinergic lesion on dendritic morphology in rat frontal cortex. *Neurobiology of Aging*, 25(7), 963-974. doi.

Worthen, R. J., Garzon Zighelboim, S. S., Torres Jaramillo, C. S., & Beurel, E. (2020). Anti-inflammatory IL-10 administration rescues depression-associated learning and memory deficits in mice. *Journal of Neuroinflammation*, 17(1), 246. doi: 10.1186/s12974-020-01922-1. <https://doi.org/10.1186/s12974-020-01922-1>

Wozny, C., & Williams, S. R. (2011). Specificity of Synaptic Connectivity between Layer 1 Inhibitory Interneurons and Layer 2/3 Pyramidal Neurons in the Rat Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhq257. <http://cercor.oxfordjournals.org/content/early/2011/01/13/cercor.bhq257>.

..

Wright, A. K., & Arbuthnott, G. W. (2007). The influence of the subthalamic nucleus upon the damage to the dopamine system following lesions of globus pallidus in rats. *European Journal of Neuroscience*. doi: doi:10.1111/j.1460-9568.2007.05706.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05706.x>

- Wright, A. K., Atherton, J. F., Norrie, L., & Arbuthnott, G. W. (2004). Death of dopaminergic neurones in the rat substantia nigra can be induced by damage to globus pallidus. *European Journal of Neuroscience*, 20(7), 1737-1744. doi: doi:10.1111/j.1460-9568.2004.03636.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03636.x>
- Wright, A. K., Miller, C., Williams, M., & Arbuthnott, G. (2008). Microglial activation is not prevented by tacrolimus but dopamine neuron damage is reduced in a rat model of Parkinson's disease progression. *Brain Research*, 1216, 78-86. doi.
- Wright, A. K., Norrie, L., & Arbuthnott, G. W. (2000). Corticofugal axons from adjacent 'barrel' columns of rat somatosensory cortex: cortical and thalamic terminal patterns. *Journal of Anatomy*, 196(3), 379-390. doi.
- Wright, A. K., Ramanathan, S., & Arbuthnott, G. W. (2001). Identification of the source of the bilateral projection system from cortex to somatosensory neostriatum and an exploration of its physiological actions. *Neuroscience*, 103(1), 87-96. doi.
- Wright, C. L., & McCarthy, M. M. (2009). Prostaglandin E2-Induced Masculinization of Brain and Behavior Requires Protein Kinase A, AMPA/Kainate, and Metabotropic Glutamate Receptor Signaling. *Journal of Neuroscience*, 29(42), 13274-13282. doi: 10.1523/jneurosci.3603-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/42/13274>
- Wu, A. S., Kiaei, M., Aguirre, N., Crow, J. P., Calingasan, N. Y., Browne, S., & Beal, M. F. (2003). Iron porphyrin treatment extends survival in a transgenic animal model of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 85(1), 142. doi.
- Wu, B., Li, C., & Lei, H. (2018). SAPAP4 Deletion Causes Synaptic Dysfunction in the nucleus accumbens. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2018.10.016>. <http://www.sciencedirect.com/science/article/pii/S0006291X18321582>
- Wu, B., Matic, D., Djogo, N., Szpotowicz, E., Schachner, M., & Jakovcevski, I. (2012). Improved regeneration after spinal cord injury in mice lacking functional T- and B-lymphocytes. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.07.016. <http://www.sciencedirect.com/science/article/pii/S0014488612002932>
- Wu, C. C., & Karten, H. J. (1998). The thalamo-hyperstriatal system is established by the time of hatching in chicks (*Gallus gallus*): a cholera toxin B subunit study. *Visual Neuroscience*, 15(2), 349-358. doi.
- Wu, C.-C., Reilly, J. F., Young, W. G., Morrison, J. H., & Bloom, F. E. (2004). High-throughput Morphometric Analysis of Individual Neurons. *Cerebral Cortex*, 14(5), 543-554. doi: 10.1093/cercor/bhh016. <http://cercor.oxfordjournals.org/cgi/content/abstract/14/5/543>
- Wu, D., Zhang, Y., Xu, X., Guo, T., Xie, D., Zhu, R., . . . He, L. (2018). RGD/TAT-functionalized chitosan-graft-PEI-PEG gene nanovector for sustained delivery of NT-3 for potential application in neural regeneration. *Acta Biomaterialia*. doi: <https://doi.org/10.1016/j.actbio.2018.03.030>. <http://www.sciencedirect.com/science/article/pii/S1742706118301594>
- Wu, F., Han, B., Wu, S., Yang, L., Leng, S., Li, M., . . . Yao, H. (2019). Circular RNA TLK1 aggravates neuronal injury and neurological deficits after ischemic stroke via miR-335-3p/TIPARP. *The Journal of*

Neuroscience, 0299-0219. doi: 10.1523/jneurosci.0299-19.2019. <http://www.jneurosci.org/content/early/2019/07/16/JNEUROSCI.0299-19.2019...>

Wu, J., Kung, J., Dong, J., Chang, L., Xie, C., Habib, A., . . . Cai, H. (2019). Distinct Connectivity and Functionality of Aldehyde Dehydrogenase 1a1-Positive Nigrostriatal Dopaminergic Neurons in Motor Learning. *Cell Reports*, 28(5), 1167-1181.e1167. doi: <https://doi.org/10.1016/j.celrep.2019.06.095>. <http://www.sciencedirect.com/science/article/pii/S2211124719308812>

Wu, J., Raver, C., Piao, C., Keller, A., & Faden, A. (2013). Cell Cycle Activation Contributes to Increased Neuronal Activity in the Posterior Thalamic Nucleus and Associated Chronic Hyperesthesia after Rat Spinal Cord Contusion. *Neurotherapeutics*, 1-19. doi: 10.1007/s13311-013-0198-1. <http://dx.doi.org/10.1007/s13311-013-0198-1>

Wu, J., Zhao, Z., Kumar, A., Lipinski, M. M., Loane, D. J., Stoica, B. A., & Faden, A. I. (2016). ER stress and disrupted neurogenesis in the brain are associated with cognitive impairment and depressive-like behavior after spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4348. <http://dx.doi.org/10.1089/neu.2015.4348>

Wu, J., Zhao, Z., Sabirzhanov, B., Stoica, B. A., Kumar, A., Luo, T., . . . Faden, A. I. (2014). Spinal Cord Injury Causes Brain Inflammation Associated with Cognitive and Affective Changes: Role of Cell Cycle Pathways. *The Journal of Neuroscience*, 34(33), 10989-11006. doi: <http://www.jneurosci.org/content/34/33/10989.short>

Wu, J. I., Lessard, J., Olave, I. A., Qiu, Z., Ghosh, A., Graef, I. A., & Crabtree, G. R. (2007). Regulation of dendritic development by neuron-specific chromatin remodeling complexes. *Neuron*, 56(1), 94-108. doi:

Wu, K.-Y., Zhou, X.-P., & Luo, Z.-G. (2010). Geranylgeranyltransferase I is essential for dendritic development of cerebellar Purkinje cells. *Molecular Brain Research*, 3(1), 18. doi: <http://www.molecularbrain.com/content/3/1/18>

Wu, M. F., John, J., Boehmer, L. N., Yau, D., Nguyen, G. B., & Siegel, J. M. (2004). Activity of dorsal raphe cells across the sleep-waking cycle and during cataplexy in narcoleptic dogs. *Journal of Physiology*, 554(1), 202-215. doi: 10.1113/jphysiol.2003.052134. <http://jp.physoc.org/cgi/content/abstract/554/1/202>

Wu, P. X., Qu, P. W., Bakare, M. A., Zhang, D. Y.-P., Fry, M. C. M., Shields, D. L., . . . Xu, P. X.-M. (2018). A Laser-Guided Spinal Cord Displacement Injury in Adult Mice. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5756. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5756>

Wu, P.-z., O'Malley, J. T., de Gruttola, V., & Liberman, M. C. (2020). Age-related hearing loss is dominated by damage to inner ear sensory cells, not the cellular battery that powers them. *The Journal of Neuroscience*, JN-RM-0937-0920. doi: 10.1523/jneurosci.0937-20.2020. <https://www.jneurosci.org/content/jneuro/early/2020/07/17/JNEUROSCI.0937..>

Wu, W., Lee, S.-Y., Wu, X., Tyler, J. Y., Wang, H., Ouyang, Z., . . . Cheng, J.-X. (2013). Neuroprotective ferulic acid (FA)-glycol chitosan (GC) nanoparticles for functional restoration of traumatically injured spinal cord. *Biomaterials*, (0). doi: <http://dx.doi.org/10.1016/j.biomaterials.2013.11.074>. <http://www.sciencedirect.com/science/article/pii/S0142961213014403>

Wu, W., Li, L., Yick, L. W., Chai, H., Xie, Y., Yang, Y., . . . Oppenheim, R. W. (2003). GDNF and BDNF alter the expression of neuronal NOS, c-Jun, and p75 and prevent motoneuron death following spinal root avulsion in adult rats. *Journal of Neurotrauma*, 20(6), 603-612. doi:

Wu, X., Fu, Y., Knott, G., Lu, J., Di Cristo, G., & Huang, Z. J. (2012). GABA Signaling Promotes Synapse Elimination and Axon Pruning in Developing Cortical Inhibitory Interneurons. *Journal of Neuroscience*, 32(1), 331-343. doi: 10.1523/jneurosci.3189-11.2012. <http://www.jneurosci.org/content/32/1/331.abstract>

Wu, X., Lv, Y.-G., Du, Y.-F., Chen, F., Reed, M. N., Hu, M., . . . Hong, H. (2018). Neuroprotective effects of INT-777 against A β 1-42-induced cognitive impairment, neuroinflammation, apoptosis, and synaptic dysfunction in mice. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2018.06.018>. <http://www.sciencedirect.com/science/article/pii/S0889159118302344>

Wu, X.-H., Li, Y.-Y., Zhang, P.-P., Qian, K.-W., Ding, J.-H., Hu, G., . . . Zhong, Y.-M. (2015). Unaltered retinal dopamine levels in a C57BL/6 mouse model of form-deprivation myopia. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iovs.13-13362. <http://www.iovs.org/content/early/2015/01/19/iovs.13-13362.abstract>

Wu, X.-S., Wang, Y.-C., Liu, T.-T., Wang, L., Sun, X.-H., Wang, L.-Q., . . . Zhong, Y.-M. (2019). Morphological alterations of intrinsically photosensitive retinal ganglion cells after ablation of mouse photoreceptors with selective photocoagulation. *Experimental Eye Research*, 188, 107812. doi: <https://doi.org/10.1016/j.exer.2019.107812>. <http://www.sciencedirect.com/science/article/pii/S001448351930449X>

Wu, Y., & Parent, A. (2000). Striatal interneurons expressing calretinin, parvalbumin or NADPH-diaphorase: a comparative study in the rat, monkey and human. *Brain Research*, 863(1-2), 182-191. doi:

Wu, Y.-J., Lin, C.-C., Yeh, C.-M., Chien, M.-E., Tsao, M.-C., Tseng, P., . . . Hsu, K.-S. (2017). Repeated transcranial direct current stimulation improves cognitive dysfunction and synaptic plasticity deficit in the prefrontal cortex of streptozotocin-induced diabetic rats. *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*. doi: 10.1016/j.brs.2017.08.007. <http://dx.doi.org/10.1016/j.brs.2017.08.007>

Wurth, S., Capogrosso, M., Raspopovic, S., Gandar, J., Federici, G., Kinany, N., . . . Micera, S. (2017). Long-term usability and bio-integration of polyimide-based intra-neural stimulating electrodes. *Biomaterials*, 122, 114-129. doi: <http://dx.doi.org/10.1016/j.biomaterials.2017.01.014>. <http://www.sciencedirect.com/science/article/pii/S0142961217300224>

Wyeth, R. C., & Croll, R. P. (2011). Peripheral sensory cells in the cephalic sensory organs of *Lymnaea stagnalis*. *Journal of Comparative Neurology*, 519(10), 1894-1913. doi: 10.1002/cne.22607. <http://dx.doi.org/10.1002/cne.22607>

Xiang, Z., Haroutunian, V., Ho, L., Purohit, D., & Pasinetti, G. (2006). Microglia activation in the brain as inflammatory biomarker of Alzheimer's disease neuropathology and clinical dementia. *Disease Markers*, 22, 95 - 102. doi:

Xiang, Z., & Prince, D. A. (2003). Heterogeneous Actions of Serotonin on Interneurons in Rat Visual Cortex. *Journal of Neurophysiology*, 89(3), 1278-1287. doi: 10.1152/jn.00533.2002. <http://jn.physiology.org/cgi/content/abstract/89/3/1278>

Xiao, D., & Barbas, H. (2002). Pathways for emotions and memory II. Afferent input to the anterior thalamic nuclei from prefrontal, temporal, hypothalamic areas and the basal ganglia in the rhesus monkey. *Thalamus and Related Systems*, 2(01), 33-48. doi.

Xiao, D., Zikopoulos, B., & Barbas, H. (2009). Laminar and modular organization of prefrontal projections to multiple thalamic nuclei. *Neuroscience*, 161(4), 1067-1081. doi.

Xiao, J., Levitt, J. B., & Buffenstein, R. (2006). The use of a novel and simple method of revealing neural fibers to show the regression of the lateral geniculate nucleus in the naked mole-rat (< i> Heterocephalus glaber). *Brain Research*, 1077(1), 81-89. doi.

Xiao, X., Djuricic, M., Hoogi, A., Sapp, R. W., Shatz, C. J., & Rubin, D. L. (2018). Automated dendritic spine detection using convolutional neural networks on maximum intensity projected microscopic volumes. *Journal of Neuroscience Methods*, 309, 25-34. doi: <https://doi.org/10.1016/j.jneumeth.2018.08.019>. <http://www.sciencedirect.com/science/article/pii/S0165027018302553>

Xiao, Y., & Felleman, D. J. (2004). Projections from primary visual cortex to cytochrome oxidase thin stripes and interstripes of macaque visual area 2. *PNAS*, 101(18), 7147-7151. doi. <http://www.pnas.org/cgi/content/abstract/101/18/7147>

Xiao, Y., Zych, A., & Felleman, D. J. (1999). Segregation and convergence of functionally defined V2 thin stripe and interstripe compartment projections to area V4 of macaques. *Cerebral Cortex*, 9(8), 792-804. doi.

Xie, L., Kang, H., Xu, Q., Chen, M. J., Liao, Y., Thiyagarajan, M., . . . Nedergaard, M. (2013). Sleep Drives Metabolite Clearance from the Adult Brain. *Science*, 342(6156), 373-377. doi: 10.1126/science.1241224. <http://www.sciencemag.org/content/342/6156/373.abstract>

Xie, L., Korkmaz, K., Braun, K., & Bock, J. (2013). Early Life Stress-induced Histone Acetylations Correlate with Activation of the Synaptic Plasticity Genes Arc and Egr1 in the Mouse Hippocampus. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12210. <http://dx.doi.org/10.1111/jnc.12210>

Xie, X.-M., Shi, L.-L., Shen, L., Wang, R., Qi, Q., Wang, Q.-Y., . . . Hu, J.-G. (2016). Co-transplantation of MRF-overexpressing oligodendrocyte precursor cells and Schwann cells promotes recovery in rat after spinal cord injury. *Neurobiology of Disease*, 94, 196-204. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.016>. <http://www.sciencedirect.com/science/article/pii/S0969996116301577>

Xie, Y., Castro-Hernández, R., Sokpor, G., Pham, L., Narayanan, R., Rosenbusch, J., . . . Tuoc, T. (2019). RBM15 Modulates the Function of Chromatin Remodeling Factor BAF155 Through RNA Methylation in Developing Cortex. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-019-1595-1. <https://doi.org/10.1007/s12035-019-1595-1>

Xie, Y., Hayden, M. R., & Xu, B. (2010). BDNF Overexpression in the Forebrain Rescues Huntington's Disease Phenotypes in YAC128 Mice. *Journal of Neuroscience*, 30(44), 14708-14718. doi: 10.1523/jneurosci.1637-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/44/14708>

Xie, Y.-w., Li, Z.-y., Du, J., Chen, Y., Chen, B.-y., Wang, T.-t., . . . Wang, Y. (2018). Visualization of Rostral Migratory Stream in the Developing Rat Brain by In Vivo Electroporation. [journal article]. *Cellular and Molecular Neurobiology*. doi: 10.1007/s10571-018-0577-6. <https://doi.org/10.1007/s10571-018-0577-6>

- Xie, Z., Cahill, M. E., & Penzes, P. (2010). Kalirin loss results in cortical morphological alterations. *Molecular and Cellular Neuroscience*, 43(1), 81-89. doi.
- Xie, Z., Cahill, M. E., Radulovic, J., Wang, J., Campbell, S. L., Miller, C. A., . . . Penzes, P. (2011). Hippocampal phenotypes in kalirin-deficient mice. *Molecular and Cellular Neuroscience*, 46(1), 45-54. doi.
- Xin, C., Xin, H., Bin, L., Zhenyu, Z., Lei, J., Chengguang, H., & Yicheng, L. (2010). Changes in neural dendrites and synapses in rat somatosensory cortex following neonatal post-hemorrhagic hydrocephalus. *Brain Research Bulletin*, 83(1-2), 44-48. doi.
- Xing, B., Han, G., Wang, M.-J., Snyder, M. A., & Gao, W.-J. (2018). Juvenile treatment with mGluR2/3 agonist prevents schizophrenia-like phenotypes in adult by acting through GSK3 β . *Neuropharmacology*, 137, 359-371. doi: <https://doi.org/10.1016/j.neuropharm.2018.05.019>. <http://www.sciencedirect.com/science/article/pii/S0028390818302429>
- Xiong, G., Mojsilovic-Petrovic, J., Pérez, C. A., & Kalb, R. G. (2007). Embryonic motor neuron dendrite growth is stunted by inhibition of nitric oxide-dependent activation of soluble guanylyl cyclase and protein kinase G. *European Journal of Neuroscience*, 25(7), 1987-1997. doi.
- Xiong, M., Li, J., Ma, S.-M., Yang, Y., & Zhou, W.-H. (2013). Effects of hypothermia on oligodendrocyte precursor cell proliferation, differentiation and maturation following hypoxia ischemia in vivo and in vitro. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.03.015>. <http://www.sciencedirect.com/science/article/pii/S0014488613001088>
- Xu, C. J., Xu, L., Huang, L. D., Li, Y., Yu, P. P., Hang, Q., . . . Lu, P. H. (2010). Combined NgR Vaccination and Neural Stem Cell Transplantation Promote Functional Recovery after Spinal Cord Injury in Adult Rats. *Neuropathology and Applied Neurobiology*, no-no. doi. <http://dx.doi.org/10.1111/j.1365-2990.2010.01117.x>
- Xu, D., Bu, J., Gu, S., Xia, Y., Du, J., & Wang, Y. (2011). Celecoxib Impairs Heart Development via Inhibiting Cyclooxygenase-2 Activity in Zebrafish Embryos. *Anesthesiology*, 114(2), 391-391. doi.
- Xu, F., Ono, M., Ito, T., Uchiumi, O., Wang, F., Zhang, Y., . . . Kato, N. (2020). Remodeling of projections from ventral hippocampus to prefrontal cortex in Alzheimer's mice. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25032. <https://doi.org/10.1002/cne.25032>
- Xu, G., Broadbelt, K. G., Haynes, R. L., Folkerth, R. D., Borenstein, N. S., Belliveau, R. A., . . . Kinney, H. C. (2011). Late Development of the GABAergic System in the Human Cerebral Cortex and White Matter. *Journal of Neuropathology and Experimental Neurology*, 70(10), 841-841. doi.
- Xu, H., Jeong, H.-Y., Tremblay, R., & Rudy, B. (2013). Neocortical Somatostatin-Expressing GABAergic Interneurons Disinhibit the Thalamorecipient Layer 4. *Neuron*, 77(1), 155-167. doi: <http://dx.doi.org/10.1016/j.neuron.2012.11.004>. <http://www.sciencedirect.com/science/article/pii/S0896627312009956>
- Xu, H.-P., Sun, J.-H., & Tian, N. (2014). A general principle governs vision dependent dendritic patterning of retinal ganglion cells. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23609. <http://dx.doi.org/10.1002/cne.23609>

- Xu, H.-T., Han, Z., Gao, P., He, S., Li, Z., Shi, W., . . . Shi, S.-H. (2014). Distinct Lineage-Dependent Structural and Functional Organization of the Hippocampus. *Cell*, 157(7), 1552-1564. doi: 10.1016/j.cell.2014.03.067. [http://www.cell.com/cell/abstract/S0092-8674\(14\)00610-2](http://www.cell.com/cell/abstract/S0092-8674(14)00610-2)
- Xu, J., He, J., He, H., Peng, R., & Xi, J. (2016). Comparison of RNAi NgR and NEP1-40 in Acting on Axonal Regeneration After Spinal Cord Injury in Rat Models. [journal article]. *Molecular Neurobiology*, 1-11. doi: 10.1007/s12035-016-0315-3. <http://dx.doi.org/10.1007/s12035-016-0315-3>
- Xu, J. C., Bernreuther, C., Cui, Y. F., Jakovcevski, I., Hargus, G., Xiao, M. F., & Schachner, M. (2011). Transplanted L1 Expressing Radial Glia and Astrocytes Enhance Recovery after Spinal Cord Injury. *Journal of Neurotrauma*, 28(9), 1921-1937. doi.
- Xu, J.-C., Xiao, M.-F., Jakovcevski, I., Sivukhina, E., Hargus, G., Cui, Y.-F., . . . Bernreuther, C. (2013). The extracellular matrix glycoprotein tenascin-R regulates neurogenesis during development and in the adult dentate gyrus of mice. *Journal of Cell Science*. doi: 10.1242/jcs.137612. <http://jcs.biologists.org/content/early/2013/12/11/jcs.137612.abstract>
- Xu, L., Mirnics, K., Bowman, A. B., Liu, W., Da, J., Porter, N. A., & Korade, Z. (2011). DHCEO accumulation is a critical mediator of pathophysiology in a Smith-Lemli-Opitz syndrome model. *Neurobiology of Disease*. doi.
- Xu, L., Ryu, J., Hiel, H., Menon, A., Aggarwal, A., Rha, E., . . . Koliatsos, V. E. (2015). Transplantation of human oligodendrocyte progenitor cells in an animal model of diffuse traumatic axonal injury: survival and differentiation. *Stem cell research & therapy*, 6(1), 1. doi: <http://neuralprogram.com/Neuralprograms.NeuralNetworksinJava.CNeura.Netw..>
- Xu, L., Schaefer, M. L., Linville, R. M., Aggarwal, A., Mbuguiro, W., Wester, B. A., & Koliatsos, V. E. (2016). Neuroinflammation in primary blast neurotrauma: Time course and prevention by torso shielding. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.01.010>. <http://www.sciencedirect.com/science/article/pii/S0014488616300103>
- Xu, L., Xu, C., Lü, H. Z., Wang, Y. X., Li, Y., & Lu, P. H. (2010). Long-term fate of allogeneic neural stem cells following transplantation into injured spinal cord. *Stem Cell Reviews and Reports*, 6(1), 121-136. doi.
- Xu, Q., Liu, Y.-y., Wang, X., Tan, G.-h., Li, H.-p., Hulbert, S. W., . . . Jiang, Y.-h. (2018). Autism-associated CHD8 deficiency impairs axon development and migration of cortical neurons. [journal article]. *Molecular Autism*, 9(1), 65. doi: 10.1186/s13229-018-0244-2. <https://doi.org/10.1186/s13229-018-0244-2>
- Xu, Q., Yang, G. Y., Liu, N., Xu, P., Chen, Y. L., Zhou, Z., . . . Ding, X. (2012). P₄-ATPase ATP8A2 acts in synergy with CDC50A to enhance neurite outgrowth. *FEBS Letters*. doi.
- Xu, X., & Callaway, E. M. (2009). Laminar Specificity of Functional Input to Distinct Types of Inhibitory Cortical Neurons. *Journal of Neuroscience*, 29(1), 70-85. doi: 10.1523/jneurosci.4104-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/1/70>
- Xu, X., Roby, K. D., & Callaway, E. M. (2006). Mouse cortical inhibitory neuron type that coexpresses somatostatin and calretinin. *Journal of Comparative Neurology*, 499(1), 144-160. doi.

- Xu, X., Roby, K. D., & Callaway, E. M. (2010). Immunochemical characterization of inhibitory mouse cortical neurons: three chemically distinct classes of inhibitory cells. *Journal of Comparative Neurology*, 518(3), 389-404. doi.
- Xu, Y., Li, S., Vernon, M. M., Pan, J., Chen, L., Barish, P. A., . . . Ogle, W. O. (2011). Curcumin prevents corticosterone-induced neurotoxicity and abnormalities of neuroplasticity via 5-HT receptor pathway. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2011.07356.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07356.x>
- Xu, Z., Li, G., & Feng, X. (2012). Exploration on the Underlying Mechanism of Female Predominance in Spasmodic Dysphonia: An Anatomical Study of Nodose Ganglion in Rats. *Indian Journal of Otolaryngology and Head & Neck Surgery*, 1-5. doi: 10.1007/s12070-012-0572-z. <http://dx.doi.org/10.1007/s12070-012-0572-z>
- Xu, Z.-X., Tan, J.-W., Xu, H., Hill, C. J., Ostrovskaya, O., Martemyanov, K. A., & Xu, B. (2019). Caspase-2 promotes AMPA receptor internalization and cognitive flexibility via mTORC2-AKT-GSK3 β signaling. *Nature Communications*, 10(1), 3622. doi: 10.1038/s41467-019-11575-1. <https://doi.org/10.1038/s41467-019-11575-1>
- Xue, J., & Peterson, E. H. (2006). Hair Bundle Heights in the Utricle: Differences Between Macular Locations and Hair Cell Types. *Journal of Neurophysiology*, 95(1), 171-186. doi: 10.1152/jn.00800.2005. <http://jn.physiology.org/cgi/content/abstract/95/1/171>
- Yabut, O., Renfro, A., Niu, S., Swann, J. W., Marin, O., & D'Arcangelo, G. (2007). Abnormal laminar position and dendrite development of interneurons in the reeler forebrain. *Brain Research*, 1140, 75-83. doi.
- Yabuta, N. H., & Callaway, E. M. (1998). Cytochrome-oxidase blobs and intrinsic horizontal connections of layer 2/3 pyramidal neurons in primate V1. *Visual Neuroscience*, 15(6), 1007-1027. doi.
- Yabuta, N. H., & Callaway, E. M. (1998). Functional Streams and Local Connections of Layer 4C Neurons in Primary Visual Cortex of the Macaque Monkey. *Journal of Neuroscience*, 18(22), 9489-9499. doi. <http://www.jneurosci.org/cgi/content/abstract/18/22/9489>
- Yako, H., Kato, T., Yoshida, S., Higuchi, M., Chen, M., Kanno, N., . . . Kato, Y. (2013). Three-dimensional studies of Prop1-expressing cells in the rat pituitary just before birth. *Cell and Tissue Research*, 1-11. doi: 10.1007/s00441-013-1717-4. <http://dx.doi.org/10.1007/s00441-013-1717-4>
- Yako, H., Kato, T., Yoshida, S., Inoue, K., & Kato, Y. (2011). Three-dimensional studies of Prop1-expressing cells in the rat pituitary primordium of Rathke's pouch. *Cell and Tissue Research*, 1-8. doi.
- Yalcin, I., Bohren, Y., Waltisperger, E., Sage-Ciocca, D., Yin, J. C., Freund-Mercier, M. J., & Barrot, M. (2011). A Time-Dependent History of Mood Disorders in a Murine Model of Neuropathic Pain. *Biological Psychiatry*. doi.
- Yalgın, C., Ebrahimi, S., Delandre, C., Yoong, L. F., Akimoto, S., Tran, H., . . . Moore, A. W. (2015). Centrosomin represses dendrite branching by orienting microtubule nucleation. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4099
- <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4099.html#suppl> <http://dx.doi.org/10.1038/nn.4099>

Yamada, H., Honda, T., Kikuchi, S., & Sugiura, Y. (1998). Direct innervation of sensory fibers from the dorsal root ganglion of the cervical dura mater of rats. *Spine*, 23(14), 1524-1524. doi.

Yamada, H., Honda, T., Yaginuma, H., Kikuchi, S., & Sugiura, Y. (2001). Comparison of sensory and sympathetic innervation of the dura mater and posterior longitudinal ligament in the cervical spine after removal of the stellate ganglion. *Journal of Comparative Neurology*, 434(1), 86-100. doi.

Yamada, J., Hatabe, J., Tankyo, K., & Jinno, S. (2016). Cell type- and region-specific enhancement of adult hippocampal neurogenesis by daidzein in middle-aged female mice. *Neuropharmacology*, 111, 92-106.
doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.08.036>. <http://www.sciencedirect.com/science/article/pii/S0028390816303720>

Yamada, J., Nadanaka, S., Kitagawa, H., Takeuchi, K., & Jinno, S. (2018). Increased synthesis of chondroitin sulfate proteoglycan promotes adult hippocampal neurogenesis in response to enriched environment. [10.1523/JNEUROSCI.0632-18.2018]. *The Journal of Neuroscience*.
doi. <http://www.jneurosci.org/content/early/2018/08/20/JNEUROSCI.0632-18.2018>.

Yamada, K. H., Kozłowski, D. A., Seidl, S. E., Lance, S., Wieschhaus, A. J., Sundivakkam, P., . . . Chishti, A. H. (2012). Targeted Gene Inactivation of Calpain-1 Suppresses Cortical Degeneration Due to Traumatic Brain Injury and Neuronal Apoptosis Induced by Oxidative Stress. *Journal of Biological Chemistry*, 287(16), 13182-13193. doi:
10.1074/jbc.M111.302612. <http://www.jbc.org/content/287/16/13182.abstract>

Yamada, R., Okuda, H., Kuba, H., Nishino, E., Ishii, T. M., & Ohmori, H. (2013). The Cooperation of Sustained and Phasic Inhibitions Increases the Contrast of ITD-Tuning in Low-Frequency Neurons of the Chick Nucleus Laminaris. *Journal of Neuroscience*, 33(9), 3927-3938. doi: 10.1523/jneurosci.2377-12.2013. <http://www.jneurosci.org/content/33/9/3927.abstract>

Yamada, S., Itoh, N., Nagai, T., Nakai, T., Ibi, D., Nakajima, A., . . . Yamada, K. (2018). Innate immune activation of astrocytes impairs neurodevelopment via upregulation of follistatin-like 1 and interferon-induced transmembrane protein 3. [journal article]. *Journal of Neuroinflammation*, 15(1), 295. doi: 10.1186/s12974-018-1332-0. <https://doi.org/10.1186/s12974-018-1332-0>

Yamada, S., Nagai, T., Nakai, T., Ibi, D., Nakajima, A., & Yamada, K. (2014). Matrix metalloproteinase-3 is a possible mediator of neurodevelopmental impairment due to polyI:C-induced innate immune activation of astrocytes. *Brain, Behavior, and Immunity*, (0).
doi: <http://dx.doi.org/10.1016/j.bbi.2014.02.014>. <http://www.sciencedirect.com/science/article/pii/S0889159114000609>

Yamaki, K.-i., & Akita, K. (2020). Abstracts presented at the Joint meeting of the 22nd Congress of the Japanese Research Society of Clinical Anatomy and the 3rd Congress of Kurume Research Society of Clinical Anatomy. *Surgical and Radiologic Anatomy*. doi: 10.1007/s00276-020-02562-z. <https://doi.org/10.1007/s00276-020-02562-z>

Yamasaki, T. R., Blurton-Jones, M., Morrisette, D. A., Kitazawa, M., Oddo, S., & LaFerla, F. M. (2007). Neural Stem Cells Improve Memory in an Inducible Mouse Model of Neuronal Loss. *Journal of Neuroscience*, 27(44), 11925-11933. doi: 10.1523/jneurosci.1627-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/44/11925>

Yamashita, A., Fuchs, E., Taira, M., Yamamoto, T., & Hayashi, M. (2012). Somatostatin-immunoreactive senile plaque-like structures in the frontal cortex and nucleus accumbens of aged tree shrews and

Japanese macaques. *Journal of Medical Primatology*, 41(3), 147-157. doi: 10.1111/j.1600-0684.2012.00540.x. <http://dx.doi.org/10.1111/j.1600-0684.2012.00540.x>

Yamashita, T., Pala, A., Pedrido, L., Kremer, Y., Welker, E., & Petersen, Carl C. H. (2013). Membrane Potential Dynamics of Neocortical Projection Neurons Driving Target-Specific Signals. *Neuron*, 80(6), 1477-1490. doi: <http://dx.doi.org/10.1016/j.neuron.2013.10.059>. <http://www.sciencedirect.com/science/article/pii/S0896627313010325>

Yamawaki, R., Thind, K., & Buckmaster, P. S. (2014). Blockade of excitatory synaptogenesis with proximal dendrites of dentate granule cells following rapamycin treatment in a mouse model of temporal lobe epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23681. <http://dx.doi.org/10.1002/cne.23681>

Yamini, B., Yu, X., Gillespie, G. Y., Kufe, D. W., & Weichselbaum, R. R. (2004). Transcriptional Targeting of Adenovirally Delivered Tumor Necrosis Factor α by Temozolomide in Experimental Glioblastoma. *Cancer Research*, 64(18), 6381-6384. doi: 10.1158/0008-5472.can-04-2117. <http://cancerres.aacrjournals.org/cgi/content/abstract/64/18/6381>

Yan, B., Li, L., Harden, S. W., Epstein, P. N., Wurster, R. D., & Cheng, Z. J. (2009). Diabetes induces neural degeneration in nucleus ambiguus (NA) and attenuates heart rate control in OVE26 mice. *Experimental Neurology*, 220(1), 34-43. doi:

Yan, B., Li, L., Harden, S. W., Gozal, D., Lin, Y., Wead, W. B., . . . Cheng, Z. J. (2008). Chronic Intermittent Hypoxia Impaired Heart Rate Responses to AMPA and NMDA and Induces a Loss of Glutamate Receptor Neurons in Nucleus Ambiguus of F344 Rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90412.92008. doi: 10.1152/ajpregu.90412.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90412.2008v1>

Yan, B., Park, J., Chen, B., Cho, J., Kim, I., Ahn, J., . . . Lee, Y. (2014). Long-term administration of scopolamine interferes with nerve cell proliferation, differentiation and migration in adult mouse hippocampal dentate gyrus, but it does not induce cell death. *Neural Regeneration Research*, 9(19), 1731. doi: <http://www.nrroonline.org/citation.asp?issn=1673-5374;year=2014;volume=9;...>

Yan, B., Soukhova-O'Hare, G. K., Li, L., Lin, Y., Gozal, D., Wead, W. B., . . . Cheng, Z. J. (2008). Attenuation of heart rate control and neural degeneration in nucleus ambiguus following chronic intermittent hypoxia in young adult Fischer 344 rats. *Neuroscience*, 153(3), 709-720. doi:

Yan, D., Guo, L., & Wang, Y. (2006). Requirement of dendritic Akt degradation by the ubiquitin-proteasome system for neuronal polarity. *Journal of Cell Biology*, 174(3), 415-424. doi: 10.1083/jcb.200511028. <http://www.jcb.org/cgi/content/abstract/174/3/415>

Yan, J., Porch, M. W., Court-Vazquez, B., Bennett, M. V. L., & Zukin, R. S. (2018). Activation of autophagy rescues synaptic and cognitive deficits in fragile X mice. [10.1073/pnas.1808247115]. *Proceedings of the National Academy of Sciences*. doi: <http://www.pnas.org/content/early/2018/09/20/1808247115.abstract>

Yanai-Inamura, H., Ohashi, R., Ishigami, T., Hirata, T., Kumakura, F., Kono, G., . . . Miyata, K. (2018). Urethral function and histopathology in aged female rats as a stress urinary incontinence model. LUTS: Lower Urinary Tract Symptoms, n/a-n/a. doi: 10.1111/luts.12209. <http://dx.doi.org/10.1111/luts.12209>

Yang, C., McKenna, J. T., Zant, J. C., Winston, S., Basheer, R., & Brown, R. E. (2014). Cholinergic Neurons Excite Cortically Projecting Basal Forebrain GABAergic Neurons. *The Journal of Neuroscience*, 34(8), 2832-2844. doi: <http://www.jneurosci.org/content/34/8/2832.abstract>

Yang, C. H., Huang, C. C., & Hsu, K. S. (2012). A Critical Role for Protein Tyrosine Phosphatase Nonreceptor Type 5 in Determining Individual Susceptibility to Develop Stress-Related Cognitive and Morphological Changes. *Journal of Neuroscience*, 32(22), 7550-7562. doi:

Yang, C. Y., Song, B., Ao, Y., Nowak, A. P., Abelowitz, R. B., Korsak, R. A., . . . Sofroniew, M. V. (2009). Biocompatibility of amphiphilic diblock copolypeptide hydrogels in the central nervous system. *Biomaterials*, 30(15), 2881-2898. doi:

Yang, C.-Y., Yu, T.-H., Wen, W.-L., Ling, P., & Hsu, K.-S. (2019). Conditional Deletion of CC2D1A Reduces Hippocampal Synaptic Plasticity and Impairs Cognitive Function through Rac1 Hyperactivation. *The Journal of Neuroscience*, 2395-2318. doi: 10.1523/jneurosci.2395-18.2019. <http://www.jneurosci.org/content/early/2019/04/16/JNEUROSCI.2395-18.2019...>

Yang, G.-Y., Liang, B., Zhu, J., & Luo, Z.-G. (2011). Calpain Activation by Wingless-type Murine Mammary Tumor Virus Integration Site Family, Member 5A (Wnt5a) Promotes Axonal Growth. *Journal of Biological Chemistry*, 286(8), 6566-6576. doi: 10.1074/jbc.M110.196568. <http://www.jbc.org/content/286/8/6566.abstract>

Yang, H., Lu, P., McKay, H. M., Bernot, T., Keirstead, H., Steward, O., . . . Tuszynski, M. H. (2006). Endogenous Neurogenesis Replaces Oligodendrocytes and Astrocytes after Primate Spinal Cord Injury. *Journal of Neuroscience*, 26(8), 2157-2166. doi: 10.1523/jneurosci.4070-05.2005. <http://www.jneurosci.org/cgi/content/abstract/26/8/2157>

Yang, H. K. C., Sundholm-Peters, N. L., Goings, G. E., Walker, A. S., Hyland, K., & Szele, F. G. (2004). Distribution of doublecortin expressing cells near the lateral ventricles in the adult mouse brain. *Journal of Neuroscience Research*, 76(3), 282-295. doi:

Yang, J., Charif, A. C., Puskas, J. E., Phillips, H., Shanahan, K. J., Garsed, J., . . . Luciano, M. G. (2015). Biocompatibility evaluation of a thermoplastic rubber for wireless telemetric intracranial pressure sensor coating. *Journal of the Mechanical Behavior of Biomedical Materials*, (0). doi: <http://dx.doi.org/10.1016/j.jmbbm.2015.01.018>. <http://www.sciencedirect.com/science/article/pii/S1751616115000272>

Yang, J., Dombrowski, S. M., Deshpande, A., Krajcir, N., & Luciano, M. G. (2010). VEGF/VEGFR-2 changes in frontal cortex, choroid plexus, and CSF after chronic obstructive hydrocephalus. *Journal of the Neurological Sciences*, 296(1-2), 39-46. doi:

Yang, L., Li, R., Kaneko, T., Takle, K., Morikawa, Rei K., Essex, L., . . . Ye, B. (2014). Trimg Regulates Activity-Dependent Fine-Scale Topography in *Drosophila*. *Current Biology*. doi: 10.1016/j.cub.2014.03.041. [http://www.cell.com/current-biology/abstract/S0960-9822\(14\)00333-9](http://www.cell.com/current-biology/abstract/S0960-9822(14)00333-9)

Yang, L. Y., Verhovshek, T., & Sengelaub, D. R. (2004). Brain-Derived Neurotrophic Factor and Androgen Interact in the Maintenance of Dendritic Morphology in a Sexually Dimorphic Rat Spinal Nucleus. *Endocrinology*, 145(1), 161-168. doi: 10.1210/en.2003-0853. <http://endo.endojournals.org/cgi/content/abstract/145/1/161>

Yang, Q., Chen, C.-C., Ramos, R. L., Katz, E., Keller, A., & Brumberg, J. C. (2014). Intrinsic properties of and thalamocortical inputs onto identified corticothalamic-VPM neurons. *Somatosensory and Motor Research*, 0(0), 1-16. doi:

doi:10.3109/08990220.2013.869495. <http://informahealthcare.com/doi/abs/10.3109/08990220.2013.869495>

Yang, S., Su, W., & Bao, S. (2012). Long-term, but not transient, threshold shifts alter the morphology and increase the excitability of cortical pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.00371.2012. <http://jn.physiology.org/content/early/2012/06/13/jn.00371.2012.abstract>

Yang, T., Liu, H., Tran, K. C., Leng, A., Massa, S. M., & Longo, F. M. (2020). Small-molecule modulation of the p75 neurotrophin receptor inhibits a wide range of tau molecular pathologies and their sequelae in P301S tauopathy mice. *Acta Neuropathologica Communications*, 8(1), 156. doi: 10.1186/s40478-020-01034-0. <https://doi.org/10.1186/s40478-020-01034-0>

Yang, T., Massa, S. M., Tran, K. C., Simmons, D. A., Rajadas, J., Zeng, A. Y., . . . Longo, F. M. (2016). A small molecule TrkB/TrkC neurotrophin receptor co-activator with distinctive effects on neuronal survival and process outgrowth. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.06.015>. <http://www.sciencedirect.com/science/article/pii/S0028390816302684>

Yang, T., Tran, K. C., Zeng, A. Y., Massa, S. M., & Longo, F. M. (2020). Small molecule modulation of the p75 neurotrophin receptor inhibits multiple amyloid beta-induced tau pathologies. *Scientific Reports*, 10(1), 20322. doi: 10.1038/s41598-020-77210-y. <https://doi.org/10.1038/s41598-020-77210-y>

Yang, W., Carrasquillo, Y., Hooks, B. M., Nerbonne, J. M., & Burkhalter, A. (2013). Distinct Balance of Excitation and Inhibition in an Interareal Feedforward and Feedback Circuit of Mouse Visual Cortex. *The Journal of Neuroscience*, 33(44), 17373-17384. doi: <http://www.jneurosci.org/content/33/44/17373.short>

Yang, W. K., Peng, Y. H., Li, H., Lin, H. C., Lin, Y. C., Lai, T. T., . . . others. (2011). Nak Regulates Localization of Clathrin Sites in Higher-Order Dendrites to Promote Local Dendrite Growth. *Neuron*, 72(2), 285-299. doi: 10.1016/j.neuron.2011.06.015

Yang, Y., Chen, K., Rosa, M., Yu, H.-H., Kuang, L.-R., & Yang, J. (2021). Visual response characteristics of neurons in the second visual area of marmosets. *Neural Regeneration Research*, 16(9), 1871-1876. doi: 10.4103/1673-5374.303043. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2021;volume=16;issue=9>

Yang, Y., Wang, Z.-H., Jin, S., Gao, D., Liu, N., Chen, S.-P., . . . Wang, J.-Z. (2016). Opposite monosynaptic scaling of BLP-vCA1 inputs governs hopefulness- and helplessness-modulated spatial learning and memory. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11935. <http://dx.doi.org/10.1038/ncomms11935>

Yanpallewar, S. U., Barrick, C. A., Palko, M. E., Fulgenzi, G., & Tessarollo, L. (2012). Tamalin Is a Critical Mediator of Electroconvulsive Shock-Induced Adult Neuroplasticity. *Journal of Neuroscience*, 32(7), 2252-2262. doi: 10.1523/jneurosci.5493-11.2012. <http://www.jneurosci.org/content/32/7/2252.abstract>

Yao, W., & Godfrey, D. A. (1999). Vesicular Acetylcholine Transporter in the Rat Cochlear Nucleus: An Immunohistochemical Study. *Journal of Histochemistry AND Cytochemistry*, 47(1), 83-90. doi: <http://www.jhc.org/cgi/content/abstract/47/1/83>

Yao, X.-H., Wang, M., He, X.-N., He, F., Zhang, S.-Q., Lu, W., . . . Yu, Y.-C. (2016). Electrical coupling regulates layer 1 interneuron microcircuit formation in the neocortex. [Article]. *Nature Communications*, 7, 12229. doi: 10.1038/ncomms12229

<http://www.nature.com/articles/ncomms12229#supplementary-information>, <http://dx.doi.org/10.1038/ncomms12229>

Yao, Z.-F., Wang, Y., Lin, Y.-H., Wu, Y., Zhu, A.-Y., Wang, R., . . . Jiang, Z.-Q. (2017). Transplantation of PDGF-AA-Overexpressing Oligodendrocyte Precursor Cells Promotes Recovery in Rat Following Spinal Cord Injury. *Frontiers in cellular neuroscience*, 11. doi: <http://web.a.ebscohost.com/abstract?direct=true&profile=ehost&scope=site..>

Yarch, J., Federer, F., & Angelucci, A. (2016). Local Circuits of V1 Layer 4B Neurons Projecting to V2 Thick Stripes Define Distinct Cell Classes and Avoid Cytochrome Oxidase Blobs. [10.1523/JNEUROSCI.2848-16.2016]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2016/12/02/JNEUROSCI.2848-16.2016..>

Yarch, J., Larsen, H., Chen, M., & Angelucci, A. (2019). Morphological Cell Types Projecting from V1 Layer 4B to V2 Thick and Thin Stripes. *The Journal of Neuroscience*, 1096-1019. doi: 10.1523/jneurosci.1096-19.2019. <http://www.jneurosci.org/content/early/2019/07/29/JNEUROSCI.1096-19.2019..>

Yasmin, F., Saxena, K., McEwen, B. S., & Chattarji, S. (2016). The delayed strengthening of synaptic connectivity in the amygdala depends on NMDA receptor activation during acute stress. [10.14814/phy2.13002]. *Physiological Reports*, 4(20). doi: <http://physreports.physiology.org/content/4/20/e13002.abstract>

Yasuda, H., Huang, Y., & Tsumoto, T. (2008). Regulation of excitability and plasticity by endocannabinoids and PKA in developing hippocampus. *Proceedings of the National Academy of Sciences*, 105(8), 3106-3111. doi: 10.1073/pnas.0708349105. <http://www.pnas.org/cgi/content/abstract/105/8/3106>

Yasui, M., Shiraishi, Y., Ozaki, N., Hayashi, K., Hori, K., Ichianagi, M., & Sugiura, Y. (2011). Nerve growth factor and associated nerve sprouting contribute to local mechanical hyperalgesia in a rat model of bone injury. *European Journal of Pain*. doi.

Yata, T., Nakamura, M., Sagawa, H., Tokita, Y., Terasaki, H., & Watanabe, M. (2007). Survival and axonal regeneration of off-center retinal ganglion cells of adult cats are promoted with an anti-glaucoma drug, nipradilol, but not BDNF and CNTF. *Neuroscience*, 148(1), 53-64. doi.

Yau, S. Y., Lau, B. W. M., Tong, J. B., Wong, R., Ching, Y. P., Qiu, G., . . . So, K. F. (2011). Hippocampal neurogenesis and dendritic plasticity support running-improved spatial learning and depression-like behaviour in stressed rats. *PLoS ONE*, 6(9), e24263-e24263. doi.

Yavuzoglu, A., Schofield, B. R., & Wenstrup, J. J. (2010). Substrates of auditory frequency integration in a nucleus of the lateral lemniscus. *Neuroscience*, 169(2), 906-919. doi.

Yavuzoglu, A., Schofield, B. R., & Wenstrup, J. J. (2011). Circuitry Underlying Spectrotemporal Integration in the Auditory Midbrain. *Journal of Neuroscience*, 31(40), 14424-14435. doi: 10.1523/jneurosci.3529-11.2011. <http://www.jneurosci.org/content/31/40/14424.abstract>

Ybarra, N., Hemond, P. J., O'Boyle, M. P., & Suter, K. J. (2011). Spatially selective, testosterone-independent remodeling of dendrites in gonadotropin-releasing hormone (GnRH) neurons prepubertally in male rats. *Endocrinology*, 152(5). doi.

Ye, B., Kim, J. H., Yang, L., McLachlan, I., Younger, S., Jan, L. Y., & Jan, Y. N. (2011). Differential Regulation of Dendritic and Axonal Development by the Novel Krüppel-Like Factor Dar1. *Journal of Neuroscience*, 31(9), 3309-3319. doi: 10.1523/jneurosci.6307-10.2011. <http://www.jneurosci.org/content/31/9/3309.abstract>

Ye, L., Fritschi, S. K., Schelle, J., Obermuller, U., Degenhardt, K., Kaeser, S. A., . . . Jucker, M. (2015). Persistence of Aβ seeds in APP null mouse brain. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4117

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4117.html#suppl.....> <http://dx.doi.org/10.1038/nn.4117>

Ye, Y., Machado, D. G., & Kim, D. O. (2000). Projection of the marginal shell of the anteroventral cochlear nucleus to olivocochlear neurons in the cat. *Journal of Comparative Neurology*, 420(1), 127-138. doi.

Yeh, C.-M., Huang, C.-C., & Hsu, K.-S. (2012). Prenatal stress alters hippocampal synaptic plasticity in young rat offspring through preventing the proteolytic conversion of pro-brain-derived neurotrophic factor (BDNF) to mature BDNF. *Journal of Physiology*, 590(4), 991-1010. doi: 10.1113/jphysiol.2011.222042. <http://jp.physoc.org/content/590/4/991.abstract>

Yetnikoff, L., Cheng, A., Lavezzi, H. N., Parsley, K. P., & Zahm, D. S. (2015). Sources of input to the rostromedial tegmental nucleus, ventral tegmental area and lateral habenula compared: A study in rat. *Journal of Comparative Neurology*. doi. <http://onlinelibrary.wiley.com/doi/10.1002/cne.23797/abstract>

Yetnikoff, L., Reichard, R. A., Schwartz, Z. M., Parsely, K. P., & Zahm, D. S. (2013). Protracted maturation of forebrain afferent connections of the ventral tegmental area in the rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23459. <http://dx.doi.org/10.1002/cne.23459>

Yeung, P. K. K., Lai, A. K. W., Son, H. J., Zhang, X., Hwang, O., Chung, S. S. M., & Chung, S. K. (2016). Aldose reductase deficiency leads to oxidative stress-induced dopaminergic neuronal loss and autophagic abnormality in an animal model of Parkinson's disease. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2016.11.008>. <http://www.sciencedirect.com/science/article/pii/S0197458016302950>

Yew, W. P., Djukic, N. D., Jayaseelan, J. S. P., Walker, F. R., Roos, K. A. A., Chataway, T. K., . . . Sims, N. R. (2019). Early treatment with minocycline following stroke in rats improves functional recovery and differentially modifies responses of peri-infarct microglia and astrocytes. [journal article]. *Journal of Neuroinflammation*, 16(1), 6. doi: 10.1186/s12974-018-1379-y. <https://doi.org/10.1186/s12974-018-1379-y>

Yick, L. W., Wu, W., & So, K. F. (1999). Additive effect of NOS inhibitor and neurotrophic factors on the survival of injured Clarke's neurons. *Neuroreport*, 10(12), 2569-2569. doi.

Yin, L., Zheng, R., Ke, W., He, Q., Zhang, Y., Li, J., . . . Shu, Y. (2018). Autapses enhance bursting and coincidence detection in neocortical pyramidal cells. *Nature Communications*, 9(1), 4890. doi: 10.1038/s41467-018-07317-4. <https://doi.org/10.1038/s41467-018-07317-4>

Yin, Y.-M., Lu, Y., Zhang, L.-X., Zhang, G.-P., & Zhang, Z.-Q. (2015). Bone marrow stromal cells transplantation combined with ultrashortwave therapy promotes functional recovery on spinal cord injury in rats. *Synapse*, n/a-n/a. doi: 10.1002/syn.21802. <http://dx.doi.org/10.1002/syn.21802>

Yip, H. K. F., Lai, T. Y. Y., So, K. F., & Kwok, A. K. H. (2006). Retinal ganglion cells toxicity caused by photosensitising effects of intravitreal indocyanine green with illumination in rat eyes. *British Journal of Ophthalmology*, 90(1), 99-102. doi: 10.1136/bjo.2005.076042. <http://bjo.bmj.com/cgi/content/abstract/90/1/99>

Yip, Z. C., Miller-Sims, V. C., & Bottjer, S. W. (2012). The morphology of axonal projections from the high vocal center to vocal motor cortex in songbirds. *Journal of Comparative Neurology*. doi.

Yiu, A. P., Rashid, A. J., & Josselyn, S. A. (2011). Increasing CREB Function in the CA1 Region of Dorsal Hippocampus Rescues the Spatial Memory Deficits in a Mouse Model of Alzheimer's Disease. *Neuropsychopharmacology*. doi: <http://www.nature.com/npp/journal/vaop/ncurrent/suppinfo/npp2011107s1.html>. <http://dx.doi.org/10.1038/npp.2011.107>

Yokoi, F., Dang, M. T., Zhang, L., Dexter, K. M., Efimenko, I., Krishnaswamy, S., . . . Li, Y. (2021). Reversal of motor-skill transfer impairment by trihexyphenidyl and reduction of dorsolateral striatal cholinergic interneurons in Dyt1 Δ AG knock-in mice. *IBRO Neuroscience Reports*, 11, 1-7. doi: <https://doi.org/10.1016/j.ibneur.2021.05.003>. <https://www.sciencedirect.com/science/article/pii/S2667242121000233>

Yokoi, F., Dang, M. T., Zhou, T., & Li, Y. (2012). Abnormal nuclear envelopes in the striatum and motor deficits in DYT11 myoclonus-dystonia mouse models. *Human Molecular Genetics*, 21(4), 916-925. doi.

Yokoi, F., Oleas, J., Xing, H., Liu, Y., Dexter, K. M., Misztal, C., . . . Li, Y. (2019). Decreased number of striatal cholinergic interneurons and motor deficits in dopamine receptor 2-expressing-cell-specific Dyt1 conditional knockout mice. *Neurobiology of Disease*, 104638. doi: <https://doi.org/10.1016/j.nbd.2019.104638>. <http://www.sciencedirect.com/science/article/pii/S0969996119303134>

Yokoi, I., & Komatsu, H. (2010). Cortico-geniculate feedback linking the visual fields surrounding the blind spot in the cat. *Experimental Brain Research*, 202(1), 247-251. doi.

Yonekura, J., & Yokoi, M. (2008). Conditional genetic labeling of mitral cells of the mouse accessory olfactory bulb to visualize the organization of their apical dendritic tufts. *Molecular and Cellular Neuroscience*, 37(4), 708-718. doi.

Yoneyama-Sarnecky, T., Olivas, A. D., Azari, S., Ferriero, D. M., Manvelyan, H. M., & Noble-Haeusslein, L. J. (2010). Heme oxygenase-2 modulates early pathogenesis after traumatic injury to the immature brain. *Developmental Neuroscience*, 32(1), 81-90. doi.

Yoo, D. Y., Choi, J. H., Kim, W., Yoo, K. Y., Lee, C. H., Yoon, Y. S., . . . Hwang, I. K. (2011). Effects of Melissa officinalis L.(Lemon Balm) Extract on Neurogenesis Associated with Serum Corticosterone and GABA in the Mouse Dentate Gyrus. *Neurochemical Research*, 36(2), 250-257. doi.

Yoo, D. Y., Kim, W., Kim, D. W., Yoo, K. Y., Chung, J. Y., Youn, H. Y., . . . Hwang, I. K. (2011). Pyridoxine enhances cell proliferation and neuroblast differentiation by upregulating the GABAergic system in the mouse dentate gyrus. *Neurochemical Research*, 36(5), 713-721. doi.

Yoo, D. Y., Kim, W., Kim, I. H., Nam, S. M., Chung, J. Y., Choi, J. H., . . . Hwang, I. K. (2012). Combination effects of sodium butyrate and pyridoxine treatment on cell proliferation and neuroblast differentiation in the dentate gyrus of D-galactose-induced aging model mice. *Neurochemical Research*, 1-9. doi.

Yoo, D. Y., Kim, W., Lee, C. H., Shin, B. N., Nam, S. M., Choi, J. H., . . . Hwang, I. K. (2011). Melatonin improves d-galactose-induced aging effects on behavior, neurogenesis, and lipid peroxidation in the mouse dentate gyrus via increasing pCREB expression. *Journal of Pineal Research*. doi.

Yoo, D. Y., Kim, W., Nam, S. M., Kim, D. W., Chung, J. Y., Choi, S. Y., . . . Hwang, I. K. (2011). Synergistic Effects of Sodium Butyrate, a Histone Deacetylase Inhibitor, on Increase of Neurogenesis Induced by Pyridoxine and Increase of Neural Proliferation in the Mouse Dentate Gyrus. *Neurochemical Research*, 1-8. doi.

Yoo, D. Y., Kim, W., Nam, S. M., Yoo, K. Y., Lee, C. H., Choi, J. H., . . . Yoon, Y. S. (2011). Reduced Cell Proliferation and Neuroblast Differentiation in the Dentate Gyrus of High Fat Diet-Fed Mice are Ameliorated by Metformin and Glimperide Treatment. *Neurochemical Research*, 1-8. doi.

Yoo, D. Y., Kim, W., Yoo, K. Y., Lee, C. H., Choi, J. H., Kang, I. J., . . . Hwang, I. K. (2011). Effects of Nelumbo nucifera Rhizome Extract on Cell Proliferation and Neuroblast Differentiation in the Hippocampal Dentate Gyrus in a Scopolamine-induced Amnesia Animal Model. *Phytotherapy Research*, 25(6), 809-815. doi.

Yoo, D. Y., Kim, W., Yoo, K. Y., Nam, S. M., Chung, J. Y., Yoon, Y. S., . . . Hwang, I. K. (2012). Effects of pyridoxine on a high-fat diet-induced reduction of cell proliferation and neuroblast differentiation depend on cyclic adenosine monophosphate response element binding protein in the mouse dentate gyrus. *Journal of Neuroscience Research*. doi.

Yoo, D. Y., Kim, W., Yoo, K.-Y., Lee, C. H., Choi, J. H., Yoon, Y. S., . . . Hwang, I. K. (2010). Grape seed extract enhances neurogenesis in the hippocampal dentate gyrus in C57BL/6 mice. *Phytotherapy Research*, n/a-n/a. doi: 10.1002/ptr.3319. <http://dx.doi.org/10.1002/ptr.3319>

Yoo, D. Y., Shin, B. N., Kim, I. H., Kim, W., Kim, D. W., Yoo, K. Y., . . . others. (2012). Effects of Cu, Zn-Superoxide Dismutase on Cell Proliferation and Neuroblast Differentiation in the Mouse Dentate Gyrus. *Neurochemical Research*, 1-7. doi.

Yoon, Y. J., Gokin, A. P., & Martin-Caraballo, M. (2010). Pharmacological manipulation of GABA-driven activity in ovo disrupts the development of dendritic morphology but not the maturation of spinal cord network activity. *Neural Development*, 5, 11. doi.

Yoon, Y. J., White, S. L., Ni, X., Gokin, A. P., & Martin-Caraballo, M. (2012). Downregulation of GluA2 AMPA Receptor Subunits Reduces the Dendritic Arborization of Developing Spinal Motoneurons. *PLoS ONE*, 7(11), e49879. doi: 10.1371/journal.pone.0049879. <http://dx.doi.org/10.1371/journal.pone.0049879>

Yoshii, A., Murata, Y., Kim, J., Zhang, C., Shokat, K. M., & Constantine-Paton, M. (2011). TrkB and Protein Kinase M ζ Regulate Synaptic Localization of PSD-95 in Developing Cortex. *Journal of Neuroscience*, 31(33), 11894-11904. doi: 10.1523/jneurosci.2190-11.2011. <http://www.jneurosci.org/content/31/33/11894.abstract>

Yoshino, H., Miyamae, T., Hansen, G., Zambrowicz, B., Flynn, M., Pedicord, D., . . . Gonzalez-Burgos, G. (2011). Postsynaptic diacylglycerol lipase α mediates retrograde endocannabinoid suppression of inhibition in mouse prefrontal cortex. *Journal of Physiology*, 589(20), 4857-4884. doi: 10.1113/jphysiol.2011.212225. <http://jp.physoc.org/content/589/20/4857.abstract>

Young, A., & Sun, Q.-Q. (2009). GABAergic Inhibitory Interneurons in the Posterior Piriform Cortex of the GAD67-GFP Mouse. *Cerebral Cortex*, 19, 3011-3029. doi: 10.1093/cercor/bhp072. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp072v1>

Young, C. C., Stegen, M., Bernard, R., Müller, M., Bischofberger, J., Veh, R. W., . . . Wolfart, J. (2009). Upregulation of inward rectifier K⁺ (Kir2) channels in dentate gyrus granule cells in temporal lobe epilepsy. *Journal of Physiology*, 587(17), 4213-4233. doi.

Young, K. A., Thompson, P. M., Cruz, D. A., Williamson, D. E., & Selemon, L. D. (2015). BA11 FKBP5 expression levels correlate with dendritic spine density in postmortem PTSD and controls. *Neurobiology of Stress*, 2, 67-72. doi: <http://dx.doi.org/10.1016/j.ynstr.2015.07.002>. <http://www.sciencedirect.com/science/article/pii/S2352289515300060>

Young, M. E., Ohm, D. T., Janssen, W. G. M., Gee, N. A., Lasley, B. L., & Morrison, J. H. (2013). Continuously delivered ovarian steroids do not alter dendritic spine density or morphology in macaque dorsolateral prefrontal cortical neurons. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.09.062>. <http://www.sciencedirect.com/science/article/pii/S0306452213008415>

Young, S. Z., Taylor, M. M., Wu, S., Ikeda-Matsuo, Y., Kubera, C., & Bordey, A. (2012). NKCC1 Knockdown Decreases Neuron Production through GABAA-Regulated Neural Progenitor Proliferation and Delays Dendrite Development. *Journal of Neuroscience*, 32(39), 13630-13638. doi: 10.1523/jneurosci.2864-12.2012. <http://www.jneurosci.org/content/32/39/13630.abstract>

Young, T. R., Bourke, M., Zhou, X., Oohashi, T., Sawatari, A., Fässler, R., & Leamey, C. A. (2013). Ten-m2 Is Required for the Generation of Binocular Visual Circuits. *Journal of Neuroscience*, 33(30), 12490-12509. doi: 10.1523/jneurosci.4708-12.2013. <http://www.jneurosci.org/content/33/30/12490.abstract>

Younts, T. J., Chevaleyre, V., & Castillo, P. E. (2013). CA1 Pyramidal Cell Theta-Burst Firing Triggers Endocannabinoid-Mediated Long-Term Depression at Both Somatic and Dendritic Inhibitory Synapses. *The Journal of Neuroscience*, 33(34), 13743-13757. doi: 10.1523/jneurosci.0817-13.2013. <http://www.jneurosci.org/content/33/34/13743.abstract>

Yousef, T., Bonhoeffer, T., Kim, D.-S., Eysel, U. T., Toth, E., & Kisvárdy, Z. F. (1999). Orientation topography of layer 4 lateral networks revealed by optical imaging in cat visual cortex (area 18). *European Journal of Neuroscience*, 11(12), 4291-4308. doi: doi:10.1046/j.1460-9568.1999.00863.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1999.00863.x>

Yousef, T., Tóth, É., Rausch, M., Eysel, U. T., & Kisvárdy, Z. F. (2001). Topography of orientation centre connections in the primary visual cortex of the cat. *Neuroreport*, 12(8), 1693-1693. doi.

Yu, Diana X., Di Giorgio, Francesco P., Yao, J., Marchetto, Maria C., Brennand, K., Wright, R., . . . Gage, Fred H. (2014). Modeling Hippocampal Neurogenesis Using Human Pluripotent Stem Cells. *Stem Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.stemcr.2014.01.009>. <http://www.sciencedirect.com/science/article/pii/S2213671114000265>

Yu, H., Wang, Y., Pattwell, S., Jing, D., Liu, T., Zhang, Y., . . . Chen, Z.-Y. (2009). Variant BDNF Val66Met Polymorphism Affects Extinction of Conditioned Aversive Memory. *Journal of Neuroscience*, 29(13), 4056-4064. doi: 10.1523/jneurosci.5539-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/13/4056>

Yu, J., Gutnisky, D. A., Hires, S. A., & Svoboda, K. (2016). Layer 4 fast-spiking interneurons filter thalamocortical signals during active somatosensation. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4412

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4412.html#suppl.....> <http://dx.doi.org/10.1038/nn.4412>

Yu, J., Proddatur, A., Swietek, B., Elgammal, F. S., & Santhakumar, V. (2015). Functional Reduction in Cannabinoid-Sensitive Heterotypic Inhibition of Dentate Basket Cells in Epilepsy: Impact on Network Rhythms. *Cerebral Cortex*. doi: 10.1093/cercor/bhv199. <http://cercor.oxfordjournals.org/content/early/2015/09/22/cercor.bhv199>.

...

Yu, J., Swietek, B., Proddatur, A., & Santhakumar, V. (2015). Dentate total molecular layer interneurons mediate cannabinoid-sensitive inhibition. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22419. <http://dx.doi.org/10.1002/hipo.22419>

Yu, J., Swietek, B., Proddatur, A., & Santhakumar, V. (2016). Dentate cannabinoid-sensitive interneurons undergo unique and selective strengthening of mutual synaptic inhibition in experimental epilepsy. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.01.013>. <http://www.sciencedirect.com/science/article/pii/S0969996116300146>

Yu, J., Wang, L., Weng, S.-J., Yang, X.-L., Zhang, D.-Q., & Zhong, Y.-M. (2013). Hyperactivity of ON-Type Retinal Ganglion Cells in Streptozotocin-Induced Diabetic Mice. *PLoS ONE*, 8(9), e76049. doi: 10.1371/journal.pone.0076049. <http://dx.doi.org/10.1371%2Fjournal.pone.0076049>

Yu, P., Huang, L., Zou, J., Yu, Z., Wang, Y., Wang, X., . . . Lu, P. H. (2008). Immunization with recombinant Nogo-66 receptor (NgR) promotes axonal regeneration and recovery of function after spinal cord injury in rats. *Neurobiology of Disease*, 32(3), 535-542. doi.

Yu, P., Huang, L., Zou, J., Zhu, H., Wang, X., Yu, Z., . . . Lu, P. H. (2007). DNA vaccine against NgR promotes functional recovery after spinal cord injury in adult rats. *Brain Research*, 1147, 66-76. doi.

Yu, P., Zhang, Y. P., Shields, L. B. E., Zheng, Y., Hu, X., Hill, R., . . . others. (2011). Inhibitor of DNA binding 2 promotes sensory axonal growth after SCI. *Experimental Neurology*. doi.

Yu, S., Jia, L., Zhang, Y., Wu, D., Xu, Z., Ng, C.-F., . . . Chan, F. L. (2012). Increased expression of activated endothelial nitric oxide synthase contributes to antiandrogen resistance in prostate cancer cells by suppressing androgen receptor transactivation. *Cancer Letters*, (0). doi: 10.1016/j.canlet.2012.09.006. <http://www.sciencedirect.com/science/article/pii/S0304383512005435>

Yu, S., Wang, X., Ng, C.-F., Chen, S., & Chan, F. L. (2007). ERR γ Suppresses Cell Proliferation and Tumor Growth of Androgen-Sensitive and Androgen-Insensitive Prostate Cancer Cells and Its Implication as a Therapeutic Target for Prostate Cancer. *Cancer Research*, 67(10), 4904-4914. doi: 10.1158/0008-5472.can-06-3855. <http://cancerres.aacrjournals.org/cgi/content/abstract/67/10/4904>

Yu, S., Wong, Y. C., Wang, X. H., Ling, M. T., Ng, C. F., Chen, S., & Chan, F. L. (2007). Orphan nuclear receptor estrogen-related receptor- β suppresses in vitro and in vivo growth of prostate cancer cells via p21/WAF1/CIP1 induction and as a potential therapeutic target in prostate cancer. *Oncogene*, doi: 10.1038/sj.onc.1210986. doi.

- Yu, S., Zhang, Y., Yuen, M. T., Zou, C., Danielpour, D., & Chan, F. L. (2011). 17-Beta-estradiol induces neoplastic transformation in prostatic epithelial cells. *Cancer Letters*, 304(1), 8-20. doi.
- Yu, X., Sperling, A., Blair, C., Thompson, K., & Naclerio, R. (2004). Antigen stimulation of T< sub> H 2 cells augments acute bacterial sinusitis in mice. *Journal of Allergy and Clinical Immunology*, 114(2), 328-334. doi.
- Yu, Y. C., He, S., Chen, S., Fu, Y., Brown, K. N., Yao, X. H., . . . others. (2012). Preferential electrical coupling regulates neocortical lineage-dependent microcircuit assembly. *Nature*. doi.
- Yu, Y.-C., Bultje, R. S., Wang, X., & Shi, S.-H. (2009). Specific synapses develop preferentially among sister excitatory neurons in the neocortex. *Nature*. doi. <http://dx.doi.org/10.1038/nature07722>
- <http://www.nature.com/nature/journal/vaop/ncurrent/supinfo/nature07722...>
- Yuan, K., Fink, K. L., Winer, J. A., & Schreiner, C. E. (2010). Local connection patterns of parvalbumin-positive inhibitory interneurons in rat primary auditory cortex. *Hearing Research*. doi.
- Yuan, K., Shih, J. Y., Winer, J. A., & Schreiner, C. E. (2011). Functional Networks of Parvalbumin-Immunoreactive Neurons in Cat Auditory Cortex. *Journal of Neuroscience*, 31(37), 13333-13342. doi: 10.1523/jneurosci.1000-11.2011. <http://www.jneurosci.org/content/31/37/13333.abstract>
- Yuan, Q., Scott, D. E., So, K. F., & Wu, W. (2006). Developmental changes of nitric oxide synthase expression in the rat hypothalamoneurohypophyseal system. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 288(1), 36-45. doi.
- Yuan, X., Trachtenberg, J. T., Potter, S. M., & Roysam, B. (2009). MDL constrained 3-D grayscale skeletonization algorithm for automated extraction of dendrites and spines from fluorescence confocal images. *Neuroinformatics*, 7(4), 213-232. doi.
- Yudintsev, G., & Llano, D. A. (2017). Layer 5 and 6 neurons projecting to the inferior colliculus comprise two distinct and heterogeneous populations in the cortex. doi. <https://www.ideals.illinois.edu/handle/2142/95194>
- Yuen, D. A., Connelly, K. A., Advani, A., Liao, C., Kuliszewski, M. A., Trogadis, J., . . . others. (2010). Culture-modified bone marrow cells attenuate cardiac and renal injury in a chronic kidney disease rat model via a novel antifibrotic mechanism. *PLoS ONE*, 5(3), e9543-e9543. doi.
- Yun, J., Nagai, T., Furukawa-Hibi, Y., Kuroda, K., Kaibuchi, K., Greenberg, M. E., & Yamada, K. (2012). Neuronal PAS domain protein 4 (Npas4) regulates neurite outgrowth and phosphorylation of synapsin I. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M112.413310. <http://www.jbc.org/content/early/2012/11/21/jbc.M112.413310.abstract>
- Yun, S., Reynolds, R. P., Petrof, I., White, A., Rivera, P. D., Segev, A., . . . Eisch, A. J. (2018). Stimulation of entorhinal cortex–dentate gyrus circuitry is antidepressive. *Nature Medicine*. doi: 10.1038/s41591-018-0002-1. <https://doi.org/10.1038/s41591-018-0002-1>
- Yuste, R., & Urban, R. (2004). Dendritic spines and linear networks. *Journal of Physiology-Paris*, 98(4-6), 479-486. doi.

Zaborszky, L., Buhl, D. L., Pobalashingham, S., Bjaalie, J. G., & Nadasdy, Z. (2005). Three-dimensional chemoarchitecture of the basal forebrain: spatially specific association of cholinergic and calcium binding protein-containing neurons. *Neuroscience*, 136(3), 697-713. doi.

Zaborszky, L., Csordas, A., Buhl, D., Duque, A., Somogyi, J., & Nadasdy, Z. (2002). Computational anatomical analysis of the basal forebrain corticopetal system. *Computational Neuroanatomy: Principles and Methods*, 171-197. doi.

Zaborszky, L., Csordas, A., Mosca, K., Kim, J., Gielow, M. R., Vadasz, C., & Nadasdy, Z. (2013). Neurons in the Basal Forebrain Project to the Cortex in a Complex Topographic Organization that Reflects Corticocortical Connectivity Patterns: An Experimental Study Based on Retrograde Tracing and 3D Reconstruction. *Cerebral Cortex*. doi: 10.1093/cercor/bht210. <http://cercor.oxfordjournals.org/content/early/2013/08/19/cercor.bht210...>

Zaborszky, L., & Duque, A. (2000). Local synaptic connections of basal forebrain neurons. *Behavioural Brain Research*, 115(2), 143-158. doi.

Zaborszky, L., Duque, A., Gielow, M., Gombkoto, P., Nadasdy, Z., & Somogyi, J. (2015). Chapter 19 - Organization of the Basal Forebrain Cholinergic Projection System: Specific or Diffuse? In G. Paxinos (Ed.), *The Rat Nervous System (Fourth Edition)* (pp. 491-507). San Diego: Academic Press.

Zaborszky, L., Duque, A., & others. (2003). Sleep-wake mechanisms and basal forebrain circuitry. *Frontiers in Bioscience*, 8, d1146-d1169-d1146-d1169. doi.

Zaborszky, L., Gaykema, R. P., Swanson, D. J., & Cullinan, W. E. (1997). Cortical input to the basal forebrain. *Neuroscience*, 79(4), 1051-1078. doi.

Zaborszky, L., Pang, K., Somogyi, J., Nadasdy, Z., & Kallo, I. (1999). The Basal Forebrain Corticopetal System Revisited. *Annals of the New York Academy of Sciences*, 877(1), 339-367. doi: doi:10.1111/j.1749-6632.1999.tb09276.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.1999.tb0927...>

Zaborszky, L., Rosin, D. L., & Kiss, J. (2004). Alpha-adrenergic receptor (α 2A) is colocalized in basal forebrain cholinergic neurons: A light and electron microscopic double immunolabeling study. *Journal of Neurocytology*, 33(3), 265-276. doi.

Zaborszky, L., & Vadasz, C. (2002). The Midbrain Dopaminergic System: Anatomy and Genetic Variation in Dopamine Neuron Number of Inbred Mouse Strains. *Behavior Genetics*, 31. doi.

Zagrebelsky, M., Buffo, A., Skerra, A., Schwab, M. E., Strata, P., & Rossi, F. (1998). Retrograde Regulation of Growth-Associated Gene Expression in Adult Rat Purkinje Cells by Myelin-Associated Neurite Growth Inhibitory Proteins. *Journal of Neuroscience*, 18(19), 7912-7929. doi. <http://www.jneurosci.org/cgi/content/abstract/18/19/7912>

Zagrebelsky, M., Gödecke, N., Remus, A., & Korte, M. (2018). Cell type-specific effects of BDNF in modulating dendritic architecture of hippocampal neurons. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1715-0. <https://doi.org/10.1007/s00429-018-1715-0>

Zagrebelsky, M., Holz, A., Dechant, G., Barde, Y.-A., Bonhoeffer, T., & Korte, M. (2005). The p75 Neurotrophin Receptor Negatively Modulates Dendrite Complexity and Spine Density in Hippocampal Neurons. *Journal of Neuroscience*, 25(43), 9989-9999. doi. http://www.jneurosci.org/cgi/content/abstract/25/43/9989_

Zagrebelsky, M., Schweigreiter, R., Bandtlow, C. E., Schwab, M. E., & Korte, M. (2010). Nogo-A Stabilizes the Architecture of Hippocampal Neurons. *Journal of Neuroscience*, 30(40), 13220-13234. doi: 10.1523/jneurosci.1044-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/40/13220>

Zahm, D. S., Cheng, A. Y., Lee, T. J., Ghobadi, C. W., Schwartz, Z. M., Geisler, S., . . . Veh, R. W. (2011). Inputs to the midbrain dopaminergic complex in the rat, with emphasis on extended amygdala-recipient sectors. *Journal of Comparative Neurology*, 519(16), 3159-3188. doi: 10.1002/cne.22670. <http://dx.doi.org/10.1002/cne.22670>

Zahm, D. S., Parsley, K. P., Schwartz, Z. M., & Cheng, A. Y. (2012). On lateral septum-like characteristics of outputs from the accumbal hedonic 'hotspot' of Peciña and Berridge with commentary on the transitional nature of basal forebrain 'boundaries'. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23157. <http://dx.doi.org/10.1002/cne.23157>

Zaitsev, A. V., Povysheva, N. V., Gonzalez-Burgos, G., Rotaru, D., Fish, K. N., Krimer, L. S., & Lewis, D. A. (2008). Interneuron Diversity in Layers 2-3 of Monkey Prefrontal Cortex. *Cerebral Cortex*, bhn198. doi: 10.1093/cercor/bhn198. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn198v1>

Zaitsev, A. V., Povysheva, N. V., Lewis, D. A., & Krimer, L. S. (2007). P/Q-Type, But Not N-Type, Calcium Channels Mediate GABA Release From Fast-Spiking Interneurons to Pyramidal Cells in Rat Prefrontal Cortex. *Journal of Neurophysiology*, 97(5), 3567-3573. doi: 10.1152/jn.01293.2006. <http://jn.physiology.org/cgi/content/abstract/97/5/3567>

Zaja-Milatovic, S., Gupta, R. C., Aschner, M., & Milatovic, D. (2009). Protection of DFP-induced oxidative damage and neurodegeneration by antioxidants and NMDA receptor antagonist. *Toxicology and Applied Pharmacology*, 240(2), 124-131. doi.

Zaja-Milatovic, S., Gupta, R. C., Aschner, M., Montine, T. J., & Milatovic, D. (2008). Pharmacologic suppression of oxidative damage and dendritic degeneration following kainic acid-induced excitotoxicity in mouse cerebrum. *Neurotoxicology*, 29(4), 621-627. doi.

Zaja-Milatovic, S., Keene, C. D., Montine, K. S., Leverenz, J. B., Tsuang, D., & Montine, T. J. (2006). Selective dendritic degeneration of medium spiny neurons in dementia with Lewy bodies. *Neurology*, 66(10), 1591-1593. doi: 10.1212/01.wnl.0000216137.09685.c1. <http://www.neurology.org/cgi/content/abstract/66/10/1591>

Zaja-Milatovic, S., Milatovic, D., Schantz, A. M., Zhang, J., Montine, K. S., Samii, A., . . . Montine, T. J. (2005). Dendritic degeneration in neostriatal medium spiny neurons in Parkinson disease. *Neurology*, 64(3), 545-547. doi: 10.1212/01.wnl.0000150591.33787.a4. <http://www.neurology.org/cgi/content/abstract/64/3/545>

Zakiewicz, I. M., van Dongen, Y. C., Leergaard, T. B., & Bjaalie, J. G. (2011). Workflow and Atlas System for Brain-Wide Mapping of Axonal Connectivity in Rat. *PLoS ONE*, 6(8), e22669-e22669. doi.

Zakir, M., & Dickman, J. D. (2006). Regeneration of Vestibular Otolith Afferents after Ototoxic Damage. *Journal of Neuroscience*, 26(11), 2881-2893. doi: 10.1523/jneurosci.3903-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/11/2881>

Zakir, M., Huss, D., & Dickman, J. D. (2003). Afferent Innervation Patterns of the Sacculi in Pigeons. *Journal of Neurophysiology*, 89(1), 534-550. doi: 10.1152/jn.00817.2001. <http://jn.physiology.org/cgi/content/abstract/89/1/534>

Zakir, M., Wu, L. Q., & Dickman, J. D. (2012). Morphology and innervation of the vestibular lagena in pigeons. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.02.014. <http://www.sciencedirect.com/science/article/pii/S0306452212001376>

Zalcman, S. S., Patel, A., Mohla, R., Zhu, Y., & Siegel, A. (2012). Soluble Cytokine Receptors (sIL-2R α , sIL-2R β) Induce Subunit-Specific Behavioral Responses and Accumulate in the Cerebral Cortex and Basal Forebrain. *PLoS ONE*, 7(4), e36316. doi: 10.1371/journal.pone.0036316. <http://dx.doi.org/10.1371%2Fjournal.pone.0036316>

Zallo, F., Gardenal, E., Verkhatsky, A., & Rodríguez, J. J. (2018). Loss of calretinin and parvalbumin positive interneurons in the hippocampal CA1 of aged Alzheimer's disease mice. *Neuroscience Letters*, 681, 19-25. doi: <https://doi.org/10.1016/j.neulet.2018.05.027>. <http://www.sciencedirect.com/science/article/pii/S0304394018303628>

Zaman, V., Turner, D. A., & Shetty, A. K. (2001). Prolonged postlesion transplantation delay adversely influences survival of both homotopic and heterotopic fetal hippocampal cell grafts in Kainate-lesioned CA3 region of adult hippocampus. *Cell Transplantation*, 10(1), 41-52. doi.

Zandt, B.-J., Liu, J. H., Veruki, M. L., & Hartveit, E. (2016). All amacrine cells: quantitative reconstruction and morphometric analysis of electrophysiologically identified cells in live rat retinal slices imaged with multi-photon excitation microscopy. *Brain Structure and Function*, 1-32. doi. <http://link.springer.com/article/10.1007/s00429-016-1206-0/fulltext.html>

Zandt, B.-J., Losnegård, A., Hodneland, E., Veruki, M. L., Lundervold, A., & Hartveit, E. (2017). Semi-automatic 3D morphological reconstruction of neurons with densely branching morphology: application to retinal All amacrine cells imaged with multi-photon excitation microscopy. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.01.008>. <http://www.sciencedirect.com/science/article/pii/S0165027017300080>

Zandt, B.-J., Veruki, M. L., & Hartveit, E. (2018). Electrotonic signal processing in All amacrine cells: compartmental models and passive membrane properties for a gap junction-coupled retinal neuron. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1696-z. <https://doi.org/10.1007/s00429-018-1696-z>

Zarrinpar, A., & Callaway, E. M. (2006). Local Connections to Specific Types of Layer 6 Neurons in the Rat Visual Cortex. *Journal of Neurophysiology*, 95(3), 1751-1761. doi: 10.1152/jn.00974.2005. <http://jn.physiology.org/cgi/content/abstract/95/3/1751>

Zarrinpar, A., & Callaway, E. M. (2014). Functional Local Input to Layer 5 Pyramidal Neurons in the Rat Visual Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhu268. <http://cercor.oxfordjournals.org/content/early/2014/11/18/cercor.bhu268>.

...

Zeba, M., Jovanov-Milošević, N., & Petanjek, Z. (2008). Quantitative analysis of basal dendritic tree of layer III pyramidal neurons in different areas of adult human frontal cortex. *Collegium Antropologicum*, 32(Suppl.), 161-169. doi.

Zecevic, N., Hu, F., & Jakovcevski, I. (2011). Interneurons in the developing human neocortex. *Developmental Neurobiology*, 71(1), 18-33. doi: 10.1002/dneu.20812. <http://dx.doi.org/10.1002/dneu.20812>

- Zecevic, N., Rakic, S., Jakovcevski, I., & Filipovic, R. (2006). Contributions of the neocortical SVZ to human brain development. *Mammalian Subventricular Zones*, 117-158. doi.
- Zechel, S., Unsicker, K., & von Bohlen und Halbach, O. (2009). Fibroblast growth factor-2 deficiency affects hippocampal spine morphology, but not hippocampal catecholaminergic or cholinergic innervation. *Developmental Dynamics*, 238(2), 343-350. doi.
- Zehle, S., Bock, J., Jezierski, G., Gruss, M., & Braun, K. (2007). Methylphenidate treatment recovers stress-induced elevated dendritic spine densities in the rodent dorsal anterior cingulate cortex. *Developmental Neurobiology*, 67(14), 1891-1900. doi.
- Zehr, J. L., Nichols, L. R., Schulz, K. M., & Sisk, C. L. (2008). Adolescent development of neuron structure in dentate gyrus granule cells of male Syrian hamsters. *Developmental Neurobiology*, 68(14), 1517-1526. doi.
- Zehr, J. L., Todd, B. J., Schulz, K. M., McCarthy, M. M., & Sisk, C. L. (2006). Dendritic pruning of the medial amygdala during pubertal development of the male Syrian hamster. *Journal of Neurobiology*, 66(6), 578-590. doi.
- Zemmar, A., Chen, C.-C., Weinmann, O., Kast, B., Vajda, F., Bozeman, J., . . . Schwab, M. E. (2017). Oligodendrocyte-and Neuron-Specific Nogo-A Restrict Dendritic Branching and Spine Density in the Adult Mouse Motor Cortex. *Cerebral Cortex*, 1-9. doi. <https://academic.oup.com/cercor/article/3827059/Oligodendrocyte-and-Neur...>
- Zeng, Y., Bi, W., Wang, Y., Tang, X., & Xu, B. (2014). Automatic Recovery of Z-Jumps for Neuronal Morphology Reconstruction. [Abstract]. *Frontiers in neuroinformatics*. doi: 10.3389/conf.fninf.2014.18.00002. <http://www.frontiersin.org/Journal/FullText.aspx?s=752&name=neuroinforma..>
- Zeng, Y., Liu, Y., Wu, M., Liu, J., & Hu, Q. (2012). Activation of TrkB by 7, 8-Dihydroxyflavone Prevents Fear Memory Defects and Facilitates Amygdalar Synaptic Plasticity in Aging. *Journal of Alzheimer's Disease*. doi.
- Zeng, Y., Lv, F., Li, L., Yu, H., Dong, M., & Fu, Q. (2012). 7,8-dihydroxyflavone rescues spatial memory and synaptic plasticity in cognitively impaired aged rats. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2012.07830.x. <http://dx.doi.org/10.1111/j.1471-4159.2012.07830.x>
- Zeng, Y., Tan, M., Kohyama, J., Sneddon, M., Watson, J. B., Sun, Y. E., & Xie, C.-W. (2011). Epigenetic Enhancement of BDNF Signaling Rescues Synaptic Plasticity in Aging. *Journal of Neuroscience*, 31(49), 17800-17810. doi: 10.1523/jneurosci.3878-11.2011. <http://www.jneurosci.org/content/31/49/17800.abstract>
- Zepecki, J. P., Snyder, K. M., Moreno, M. M., Fajardo, E., Fiser, A., Ness, J., . . . Tapinos, N. (2018). Regulation of human glioma cell migration, tumor growth, and stemness gene expression using a Lck targeted inhibitor. *Oncogene*. doi: 10.1038/s41388-018-0546-z. <https://doi.org/10.1038/s41388-018-0546-z>
- Zepeda, A., Aguilar-Arredondo, A., Michel, G., Ramos-Languren, L. E., Escobar, M. L., & Arias, C. (2012). Functional recovery of the dentate gyrus after a focal lesion is accompanied by structural reorganization in the adult rat. *Brain Structure and Function*, 1-17. doi.

- Zhan, R.-Z., & Nadler, J. V. (2009). Enhanced Tonic GABA Current in Normotopic and Hilar Ectopic Dentate Granule Cells after Pilocarpine-Induced Status Epilepticus. *Journal of Neurophysiology*, 101(1), 1-10. doi: 10.1152/jn.00147.2009. <http://jn.physiology.org/cgi/content/abstract/00147.2009v1>
- Zhan, R.-Z., Timofeeva, O., & Nadler, J. V. (2010). High Ratio of Synaptic Excitation to Synaptic Inhibition in Hilar Ectopic Granule Cells of Pilocarpine-Treated Rats. *Journal of Neurophysiology*, 104(6), 3293-3304. doi: 10.1152/jn.00663.2010. <http://jn.physiology.org/content/104/6/3293.abstract>
- Zhan, X., Pongstaporn, T., & Ryugo, D. K. (2006). Projections of the second cervical dorsal root ganglion to the cochlear nucleus in rats. *Journal of Comparative Neurology*, 496(3), 335-348. doi: 10.1002/cne.1088
- Zhan, X., & Ryugo, D. K. (2007). Projections of the lateral reticular nucleus to the cochlear nucleus in rats. *Journal of Comparative Neurology*, 504(5), 583-598. doi: 10.1002/cne.1158
- Zhang, B., Glasgow, E., Murase, T., Verbalis, J. G., & Gainer, H. (2001). Chronic Hypoosmolality Induces a Selective Decrease in Magnocellular Neurone Soma and Nuclear Size in the Rat Hypothalamic Supraoptic Nucleus. *Journal of Neuroendocrinology*, 13(1), 29-35. doi: 10.1046/j.1365-3075.2001.00311.x
- Zhang, C., Szabó, G., Erdélyi, F., Rose, J. D., & Sun, Q. Q. (2006). Novel interneuronal network in the mouse posterior piriform cortex. *Journal of Comparative Neurology*, 499(6), 1000-1015. doi: 10.1002/cne.1088
- Zhang, D., Marlin, M. C., Liang, Z., Ahmad, M., Ashpole, N., Sonntag, W., . . . Li, G. (2016). Protein Tyrosine Phosphatase MEG2 Regulates the Transport and Signal Transduction of Tropomyosin Receptor Kinase A. *Journal of Biological Chemistry*, 291(12), 4550-4560. doi: 10.1074/jbc.M116.728550. <http://www.jbc.org/content/early/2016/09/21/jbc.M116.728550.abstract>
- Zhang, D., Patel, A., Zhu, Y., Siegel, A., & Zalzman, S. S. (2012). Anti-streptococcus IgM antibodies induce repetitive stereotyped movements: Cell activation and co-localization with Fcα/μ receptors in the striatum and motor cortex. *Brain, Behavior, and Immunity*, 26(1), 1-10. doi: 10.1016/j.bbi.2011.10.001
- Zhang, D. Z., Rasmussen, D. L., Saraswati, D. M., Koehler, D. R., Robertson, D. C. L., & Kannan, D. S. (2018). Traumatic injury leads to inflammation and altered tryptophan metabolism in the juvenile rabbit brain. *Journal of Neurotrauma*, 35(1), 1-10. doi: 10.1089/neu.2017.5450. <https://www.liebertpub.com/doi/abs/10.1089/neu.2017.5450>
- Zhang, G., Dmitrieva, N., Liu, Y., McGinty, K. A., & Berkley, K. J. (2008). Endometriosis as a neurovascular condition: estrous variations in innervation, vascularization, and growth factor content of ectopic endometrial cysts in the rat. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 294(1), R162-171. doi: 10.1152/ajpregu.00649.2007. <http://ajpregu.physiology.org/cgi/content/abstract/294/1/R162>
- Zhang, G., Jung, B. P., Ho, W., Jugloff, D. G. M., Cheung, H. H., Gurd, J. W., . . . Eubanks, J. H. (2007). Isolation and characterization of LCHN: a novel factor induced by transient global ischemia in the adult rat hippocampus. *Journal of Neurochemistry*, 101(1), 263-273. doi: 10.1111/j.1471-4159.2006.04374.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04374.x>
- Zhang, G.-r., Zhao, H., Cook, N., Svestka, M., Choi, E. M., Jan, M., . . . Geller, A. I. (2017). Characteristic and intermingled neocortical circuits encode different visual object discriminations. *Behavioural Brain Research*, 328, 1-10. doi: 10.1016/j.bbr.2017.05.016. <http://www.sciencedirect.com/science/article/pii/S0166432817305144>

- Zhang, H., Li, Y., de Carvalho-Barbosa, M., Kavelaars, A., Heijnen, C. J., Albrecht, P. J., & Dougherty, P. M. (2016). Dorsal root ganglion infiltration by macrophages contributes to paclitaxel chemotherapy induced peripheral neuropathy. *The Journal of Pain*. doi: 10.1016/j.jpain.2016.02.011. <http://dx.doi.org/10.1016/j.jpain.2016.02.011>
- Zhang, H., Sun, G., Li, X., Fu, Z., Guo, C., Cao, G., . . . Gao, Y. (2019). Inhibition of MALT1 paracaspase activity improves lesion recovery following spinal cord injury. *Science Bulletin*. doi: <https://doi.org/10.1016/j.scib.2019.04.026>. <http://www.sciencedirect.com/science/article/pii/S2095927319302403>
- Zhang, J. M., Konkle, A., Zup, S. L., & McCarthy, M. M. (2008). Impact of sex and hormones on new cells in the developing rat hippocampus: a novel source of sex dimorphism? *European Journal of Neuroscience*, 27(4), 791-800. doi.
- Zhang, J. M., Tonelli, L., Regenold, W. T., & McCarthy, M. M. (2010). Effects of neonatal flutamide treatment on hippocampal neurogenesis and synaptogenesis correlate with depression-like behaviors in preadolescent male rats. *Neuroscience*, 169(1), 544-554. doi.
- Zhang, J.-Y., Liu, T.-H., He, Y., Pan, H.-Q., Zhang, W.-H., Yin, X.-P., . . . Pan, B.-X. (2018). Chronic stress remodels synapses in an amygdala circuit-specific manner. *Biological Psychiatry*. doi: <https://doi.org/10.1016/j.biopsych.2018.06.019>. <http://www.sciencedirect.com/science/article/pii/S0006322318316330>
- Zhang, L., & Hernández, V. S. (2012). Synaptic innervation to rat hippocampus by vasopressin-immuno-positive fibres from the hypothalamic supraoptic and paraventricular nuclei. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.10.010. <http://www.sciencedirect.com/science/article/pii/S0306452212010184?v=s5>
- Zhang, L., Hsu, F. C., Mojsilovic-Petrovic, J., Jablonski, A. M., Zhai, J., Coulter, D. A., & Kalb, R. G. (2015). Structure–function analysis of SAP97, a modular scaffolding protein that drives dendrite growth. *Molecular and Cellular Neuroscience*, 65(0), 31-44. doi: <http://dx.doi.org/10.1016/j.mcn.2015.02.011>. <http://www.sciencedirect.com/science/article/pii/S104474311500024X>
- Zhang, L., Jablonski, A. M., Mojsilovic-Petrovic, J., Ding, H., Seeholzer, S., Newton, I. P., . . . Kalb, R. G. (2017). SAP97 Binding Partner CRIPT Promotes Dendrite Growth *in Vitro* and *in Vivo*. *ENEURO*.0175-17.2017. doi. <http://eneuro.org/content/early/2017/11/27/ENEURO.0175-17.2017.abstract>
- Zhang, L., Ma, Z., Smith, G. M., Wen, X., Pressman, Y., Wood, P. M., & Xu, X. M. (2009). GDNF-enhanced axonal regeneration and myelination following spinal cord injury is mediated by primary effects on neurons. *Glia*, 57(11), 1178-1191. doi.
- Zhang, L., Schessl, J., Werner, M., Bonnemann, C., Xiong, G., Mojsilovic-Petrovic, J., . . . Kalb, R. (2008). Role of GluR1 in Activity-Dependent Motor System Development. *Journal of Neuroscience*, 28(40), 9953-9968. doi: 10.1523/jneurosci.0880-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/40/9953>
- Zhang, Q., Gao, X., Li, C., Feliciano, C., Wang, D., Zhou, D., . . . Itohara, S. (2016). Impaired Dendritic Development and Memory in Sorbs2 Knock-Out Mice. *The Journal of Neuroscience*, 36(7), 2247-2260. doi. <http://www.jneurosci.org/content/36/7/2247.short>

- Zhang, S., Burda, J. E., Anderson, M. A., Zhao, Z., Ao, Y., Cheng, Y., . . . Sofroniew, M. V. (2015). Thermoresponsive Copolyptide Hydrogel Vehicles for Central Nervous System Cell Delivery. *ACS Biomaterials Science & Engineering*. doi: 10.1021/acsbiomaterials.5b00153. <http://dx.doi.org/10.1021/acsbiomaterials.5b00153>
- Zhang, S., Wang, P., Ren, L., Hu, C., & Bi, J. (2016). Protective effect of melatonin on soluble A β 1-42-induced memory impairment, astrogliosis, and synaptic dysfunction via the Musashi1/Notch1/Hes1 signaling pathway in the rat hippocampus. [journal article]. *Alzheimer's Research & Therapy*, 8(1), 1-18. doi: 10.1186/s13195-016-0206-x. <http://dx.doi.org/10.1186/s13195-016-0206-x>
- Zhang, W., & Benson, D. L. (2002). Developmentally regulated changes in cellular compartmentation and synaptic distribution of actin in hippocampal neurons. *Journal of Neuroscience Research*, 69(4), 427-436. doi.
- Zhang, W., & Benson, D. L. (2006). Targeting and clustering citron to synapses. *Molecular and Cellular Neuroscience*, 31(1), 26-36. doi.
- Zhang, W., & Buckmaster, P. S. (2009). Dysfunction of the Dentate Basket Cell Circuit in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(24), 7846-7856. doi: 10.1523/jneurosci.6199-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/24/7846>
- Zhang, W., Gardell, S., Zhang, D., Xie, J. Y., Agnes, R. S., Badghisi, H., . . . Lai, J. (2008). Neuropathic pain is maintained by brainstem neurons co-expressing opioid and cholecystokinin receptors. *Brain*, awn330. doi: 10.1093/brain/awn330. <http://brain.oxfordjournals.org/cgi/content/abstract/awn330v1>
- Zhang, W., Huguenard, J. R., & Buckmaster, P. S. (2012). Increased Excitatory Synaptic Input to Granule Cells from Hilar and CA3 Regions in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 32(4), 1183-1196. doi: 10.1523/jneurosci.5342-11.2012. <http://www.jneurosci.org/content/32/4/1183.abstract>
- Zhang, W., Kobayashi, M., Moritani, M., Masuda, Y., Dong, J., Yagi, T., . . . Morimoto, T. (2003). An involvement of trigeminal mesencephalic neurons in regulation of occlusal vertical dimension in the guinea pig. *Journal of Dental Research*, 82(7), 565-569. doi.
- Zhang, W., Thamattoor, A. K., LeRoy, C., & Buckmaster, P. S. (2014). Surviving mossy cells enlarge and receive more excitatory synaptic input in a mouse model of temporal lobe epilepsy. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22396. <http://dx.doi.org/10.1002/hipo.22396>
- Zhang, W., Yamawaki, R., Wen, X., Uhl, J., Diaz, J., Prince, D. A., & Buckmaster, P. S. (2009). Surviving Hilar Somatostatin Interneurons Enlarge, Sprout Axons, and Form New Synapses with Granule Cells in a Mouse Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(45), 14247-14256. doi: 10.1523/jneurosci.3842-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/45/14247>
- Zhang, X., C. Rojas, J., & Gonzalez-Lima, F. (2006). Methylene blue prevents neurodegeneration caused by rotenone in the retina. *Neurotoxicity Research*, 9(1), 47-57. doi.
- Zhang, X., Gokin, A. P., & Jr, G. J. G. (2002). Responses of spinothalamic tract neurons in the thoracic spinal cord of rats to somatic stimuli and to graded distention of the bile duct. *Somatosensory and Motor Research*, 19(1), 5-17. doi.

Zhang, X., & Guizzetti, M. (2018). In Vitro and In Vitro Models for Alcohol Toxicity to the Extracellular Matrix of Astrocytes. doi: https://link.springer.com/protocol/10.1007/7653_2018_20

Zhang, X., Wang, W.-A., Jiang, L.-X., Liu, H.-Y., Zhang, B.-Z., Lim, N., . . . Huang, F.-D. (2017). Down-regulation of RBO-PI4KIII α facilitates A β 42 secretion and ameliorates neural deficits in A β 42-expressing Drosophila. *Journal of Neuroscience*, 3567-3516. doi: <http://www.jneurosci.org/content/early/2017/04/19/JNEUROSCI.3567-16.2017>

Zhang, X., Zhu, J., Yang, G.-Y., Wang, Q.-J., Qian, L., Chen, Y.-M., . . . Luo, Z.-G. (2007). Dishevelled promotes axon differentiation by regulating atypical protein kinase C. *Nature Cell Biology* doi.

Zhang, Y., Bonnan, A., Bony, G., Ferezou, I., Pietropaolo, S., Ginger, M., . . . Frick, A. (2014). Dendritic channelopathies contribute to neocortical and sensory hyperexcitability in Fmr1- γ mice. [Article]. *Nature Neuroscience*, 17(12), 1701-1709. doi: 10.1038/nn.3864

<http://www.nature.com/neuro/journal/v17/n12/abs/nn.3864.html#supplementa.....http://dx.doi.org/10.1038/nn.3864>

Zhang, Y., Buckmaster, P. S., Qiu, L., Wang, J., Keunen, O., Ghobadi, S. N., . . . Wintermark, M. (2021). Non-invasive, neurotoxic surgery reduces seizures in a rat model of temporal lobe epilepsy. *Experimental Neurology*, 343, 113761. doi: <https://doi.org/10.1016/j.expneurol.2021.113761>, <https://www.sciencedirect.com/science/article/pii/S0014488621001679>

Zhang, Y., Du, L., Bai, Y., Han, B., He, C., Gong, L., . . . Yao, H. (2018). CircDYM ameliorates depressive-like behavior by targeting miR-9 to regulate microglial activation via HSP90 ubiquitination. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0285-0. <https://doi.org/10.1038/s41380-018-0285-0>

Zhang, Y., Wang, Y.-G., Zhang, Q., Liu, X.-J., Liu, X., Jiao, L., . . . He, C. (2009). Interaction of mint2 with TRKA is involved in regulation of nerve growth factor-induced neurite outgrowth. *Journal of Biological Chemistry*, M809214200. doi: 10.1074/jbc.M809214200. <http://www.jbc.org/cgi/content/abstract/M809214200v1>

Zhang, Y., Zhang, H., Yuan, X., & Gu, X. (2007). Differential Effects of Phenylalanine on Rac1, Cdc42, and RhoA Expression and Activity in Cultured Cortical Neurons. *Pediatric Research*, 62(1), 8-13. doi.

Zhang, Y., Zhang, Y. P., Pepinsky, B., Huang, G., Shields, L. B. E., Shields, C. B., & Mi, S. (2015). Inhibition of LINGO-1 promotes functional recovery after experimental spinal cord demyelination. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2015.02.006>, <http://www.sciencedirect.com/science/article/pii/S001448861500028X>

Zhang, Y. F., Liu, L. X., Cao, H. T., Ou, L., Qu, J., Wang, Y., & Chen, J. G. (2015). Otx1 promotes basal dendritic growth and regulates intrinsic electrophysiological and synaptic properties of layer V pyramidal neurons in mouse motor cortex. *Neuroscience*, 285(0), 139-154. doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.11.019>, <http://www.sciencedirect.com/science/article/pii/S0306452214009762>

Zhang, Y.-F., Li, Q.-Q., Qu, J., Sun, C.-M., & Wang, Y. (2016). Alterations of motor cortical microcircuit in a depressive-like mouse model produced by light deprivation. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.11.026>, <http://www.sciencedirect.com/science/article/pii/S0306452216306479>

Zhang, Y. P., Iannotti, C., Shields, L. B. E., Han, Y., Burke, D. A., Xu, X. M., & Shields, C. B. (2004). Dural closure, cord approximation, and clot removal: enhancement of tissue sparing in a novel laceration spinal cord injury model. *Journal of Neurosurgery: Spine*, 100(4), 343-352. doi.

Zhang, Z., Lin, Y.-A., Kim, S.-Y., Su, L., Liu, J., Kannan, R. M., & Kannan, S. (2020). Systemic dendrimer-drug nanomedicines for long-term treatment of mild-moderate cerebral palsy in a rabbit model. *Journal of Neuroinflammation*, 17(1), 319. doi: 10.1186/s12974-020-01984-1.

1. <https://doi.org/10.1186/s12974-020-01984-1>

Zhang, Z., Narayan, S., Su, L., Al-Alawyat, H., Liu, J., & Kannan, S. (2018). Cerebellar injury and impaired function in a rabbit model of maternal inflammation induced neonatal brain injury. *Neurobiology of Learning and Memory*. doi: <https://europepmc.org/abstract/med/30016703>

Zhang, Z., & van Praag, H. (2014). Maternal immune activation differentially impacts mature and adult-born hippocampal neurons in male mice. *Brain, Behavior, and Immunity*, (o). doi: <http://dx.doi.org/10.1016/j.bbi.2014.10.010>. <http://www.sciencedirect.com/science/article/pii/S0889159114005078>

Zhang, Z.-w. (2004). Maturation of Layer V Pyramidal Neurons in the Rat Prefrontal Cortex: Intrinsic Properties and Synaptic Function. *Journal of Neurophysiology*, 91(3), 1171-1182. doi: 10.1152/jn.00855.2003. <http://jn.physiology.org/cgi/content/abstract/91/3/1171>

Zhang, Z. W., & Deschenes, M. (1998). Projections to layer VI of the posteromedial barrel field in the rat: a reappraisal of the role of corticothalamic pathways. *Cerebral Cortex*, 8(5), 428-436. doi.

Zhao, H. B., Parham, K., Ghoshal, S., & Kim, D. O. (1995). Small neurons in the vestibular nerve root project to the marginal shell of the anteroventral cochlear nucleus in the cat. *Brain Research*, 700(1-2), 295-298. doi.

Zhao, H.-M., Wenthold, R. J., & Petralia, R. S. (1998). Glutamate Receptor Targeting to Synaptic Populations on Purkinje Cells Is Developmentally Regulated. *Journal of Neuroscience*, 18(14), 5517-5528. doi: <http://www.jneurosci.org/cgi/content/abstract/18/14/5517>

Zhao, L., Gong, N., Liu, M., Pan, X., Sang, S., Sun, X., . . . Xu, T. (2014). Beneficial synergistic effects of microdose lithium with pyrroloquinoline quinone in an Alzheimer's disease mouse model. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2014.06.003. [http://www.neurobiologyofaging.org/article/S0197-4580\(14\)00404-7/abstract](http://www.neurobiologyofaging.org/article/S0197-4580(14)00404-7/abstract)

Zhao, P., Hill, M., Liu, S., Chen, L., Bangalore, L., Waxman, S. G., & Tan, A. M. (2016). Dendritic Spine Remodeling Following Early and Late Rac1-Inhibition after Spinal Cord Injury: Evidence for a Pain Biomarker. [10.1152/jn.01057.2015]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2016/02/25/jn.01057.2015.abstract>

Zhao, Q.-R., Lu, J.-M., Yao, J.-J., Zhang, Z.-Y., Ling, C., & Mei, Y.-A. (2015). Neuritin reverses deficits in murine novel object associative recognition memory caused by exposure to extremely low-frequency (50 Hz) electromagnetic fields. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep11768

<http://www.nature.com/srep/2015/150703/srep11768/abs/srep11768.html#supp.....> <http://dx.doi.org/10.1038/srep11768>

- Zhao, S., Gao, X., Dong, W., & Chen, J. (2015). The Role of 7,8-Dihydroxyflavone in Preventing Dendrite Degeneration in Cortex After Moderate Traumatic Brain Injury. *Molecular Neurobiology*, 1-12. doi: 10.1007/s12035-015-9128-z. <http://dx.doi.org/10.1007/s12035-015-9128-z>
- Zhao, S., Yu, A., Wang, X., Gao, X., & Chen, J. (2015). Post-injury treatment of 7,8-dihydroxyflavone promotes neurogenesis in the hippocampus of the adult mouse. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4036. <http://dx.doi.org/10.1089/neu.2015.4036>
- Zhao, X.-F., Liao, Y., Alam, M. M., Mathur, R., Feustel, P., Mazurkiewicz, J. E., . . . Huang, Y. (2020). Microglial mTOR is neuronal protective and anti-epileptogenic in the pilocarpine model of temporal lobe epilepsy. *The Journal of Neuroscience*, JN-RM-2754-2719. doi: 10.1523/jneurosci.2754-19.2020. <https://www.jneurosci.org/content/jneuro/early/2020/08/28/JNEUROSCI.2754-19.2020>
- Zhao, Z., Lange, D., Voustantiouk, A., MacGrogan, D., Ho, L., Suh, J., . . . Pasinetti, G. (2006). A ketogenic diet as a potential novel therapeutic intervention in amyotrophic lateral sclerosis. *BMC Neuroscience*, 7(1), 29. doi: <http://www.biomedcentral.com/1471-2202/7/29>
- Zhao, Z., Lange, D. J., Ho, L., Bonini, S., Shao, B., Salton, S. R., . . . Pasinetti, G. M. (2008). Vgf is a novel biomarker associated with muscle weakness in amyotrophic lateral sclerosis (ALS), with a potential role in disease pathogenesis. *International Journal of Medical Sciences*, 5(2), 92-92. doi:
- Zhao, Z., Ong, L. K., Johnson, S., Nilsson, M., & Walker, F. R. (2017). Chronic stress induced disruption of the peri-infarct neurovascular unit following experimentally induced photothrombotic stroke. *Journal of Cerebral Blood Flow and Metabolism*, 0(0), 0271678X17696100. doi: 10.1177/0271678X17696100. <http://journals.sagepub.com/doi/abs/10.1177/0271678X17696100>
- Zheng, F., Lammert, K., Nixdorf-Bergweiler, B. E., Steigerwald, F., Volkmann, J., & Alzheimer, C. (2011). Axonal failure during high frequency stimulation of rat subthalamic nucleus. *Journal of Physiology*, 589(11), 2781-2793. doi: 10.1113/jphysiol.2011.205807. <http://dx.doi.org/10.1113/jphysiol.2011.205807>
- Zheng, J., Shen, W.-H., Lu, T.-J., Zhou, Y., Chen, Q., Wang, Z., . . . Xiong, Z.-Q. (2008). Clathrin-dependent endocytosis is required for TrkB-dependent Akt-mediated neuronal protection and dendritic growth. *Journal of Biological Chemistry*, M709930200. doi: 10.1074/jbc.M709930200. <http://www.jbc.org/cgi/content/abstract/M709930200v1>
- Zheng, J., Xu, D. F., Li, K., Wang, H. T., Shen, P. C., Lin, M., . . . Wang, R. (2011). Neonatal exposure to fluoxetine and fluvoxamine alters spine density in mouse hippocampal CA1 pyramidal neurons. *International journal of clinical and experimental pathology*, 4(2), 162-162. doi:
- Zheng, W., Geng, A.-q., Li, P.-F., Wang, Y., & Yuan, X.-b. (2011). Robo4 Regulates the Radial Migration of Newborn Neurons in Developing Neocortex. *Cerebral Cortex*, bhr330. doi: 10.1093/cercor/bhr330. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr330v1>
- Zheng, Y., Wildonger, J., Ye, B., Zhang, Y., Kita, A., Younger, S. H., . . . Jan, Y. N. (2008). Dynein is required for polarized dendritic transport and uniform microtubule orientation in axons. *Nature Cell Biology*, 10(10), 1172-1180. doi:
- Zhong, J., Deng, J., Phan, J., Dlouhy, S., Wu, H., Yao, W., . . . Lee, W. H. (2005). Insulin-like growth factor-I protects granule neurons from apoptosis and improves ataxia in weaver mice. *Journal of Neuroscience Research*, 80(4), 481-490. doi:

Zhou, B., Cai, Q., Xie, Y., & Sheng, Z.-H. (2012). Snapin Recruits Dynein to BDNF-TrkB Signaling Endosomes for Retrograde Axonal Transport and Is Essential for Dendrite Growth of Cortical Neurons. *Cell Reports*, (0). doi: 10.1016/j.celrep.2012.06.010. <http://www.sciencedirect.com/science/article/pii/S221124712001702>

Zhou, D. Q., Xiang, D. H., Li, D. A., Lin, D. W., Huang, D. Z., Guo, M. J., . . . Ren, D. Y. (2018). Activating Adiponectin Signaling with Exogenous AdipoRon Reduces Myelin Lipid Accumulation and Suppresses Macrophage Recruitment after Spinal Cord Injury. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5783. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5783>

Zhou, F., Yin, G., Gao, Y., Liu, D., Xie, J., Ouyang, L., . . . Fan, G. (2019). Toxicity assessment due to prenatal and lactational exposure to lead, cadmium and mercury mixtures. *Environment International*, 133, 105192. doi: <https://doi.org/10.1016/j.envint.2019.105192>. <http://www.sciencedirect.com/science/article/pii/S0160412019319154>

Zhou, F. C., Anthony, B., Dunn, K. W., Lindquist, W. B., Xu, Z. C., & Deng, P. (2007). Chronic alcohol drinking alters neuronal dendritic spines in the brain reward center nucleus accumbens. *Brain Research*, 1134, 148-161. doi.

Zhou, H., Friedman, H. S., & von der Heydt, R. (2000). Coding of Border Ownership in Monkey Visual Cortex. *Journal of Neuroscience*, 20(17), 6594-6611. doi: <http://www.jneurosci.org/cgi/content/abstract/20/17/6594>

Zhou, H., Gao, S., Duan, X., Liang, S., Scott, D. A., Lamont, R. J., & Wang, H. (2015). Inhibition of serum- and glucocorticoid-inducible kinase 1 enhances TLR-mediated inflammation and promotes endotoxin-driven organ failure. *The FASEB Journal*. doi: 10.1096/fj.15-270462. <http://www.fasebj.org/content/early/2015/05/20/fj.15-270462.abstract>

Zhou, L., Huang, K.-X., Kecojevic, A., Welsh, A. M., & Koliatsos, V. E. (2006). Evidence that serotonin reuptake modulators increase the density of serotonin innervation in the forebrain. *Journal of Neurochemistry*, 96(2), 396-406. doi: doi:10.1111/j.1471-4159.2005.03562.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03562.x>

Zhou, L. H., & Wu, W. (2006). Survival of injured spinal motoneurons in adult rat upon treatment with glial cell line-derived neurotrophic factor at 2 weeks but not at 4 weeks after root avulsion. *Journal of Neurotrauma*, 23(6), 920-927. doi.

Zhou, P., Burton, S. D., Snyder, A. C., Smith, M. A., Urban, N. N., & Kass, R. E. (2015). Establishing a Statistical Link between Network Oscillations and Neural Synchrony. *PLoS Comput Biol*, 11(10), e1004549. doi: 10.1371/journal.pcbi.1004549. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1004549>

Zhou, T., John-Alder, H. B., Weis, J. S., & Weis, P. (2000). Endocrine disruption: thyroid dysfunction in mummichogs (< i> Fundulus heteroclitus) from a polluted habitat. *Marine Environmental Research*, 50(1), 393-397. doi.

Zhou, T., John-Alder, H. B., Weis, P., & Weis, J. S. (1999). Thyroidal status of mummichogs (*Fundulus heteroclitus*) from a polluted versus a reference habitat. *Environmental Toxicology and Chemistry*, 18(12), 2817-2823. doi.

Zhou, W., Wang, G., Small, C. L., Liu, Z., Weng, C. C., Yang, L., . . . Meistrich, M. L. (2010). Gene Expression Alterations by Conditional Knockout of Androgen Receptor in Adult Sertoli Cells of

Utp14bjsd/jds (jds) Mice. *Biology of Reproduction*, 83(5), 759-766. doi: 10.1095/biolreprod.110.085472. <http://www.biolreprod.org/content/83/5/759.abstract>

Zhou, W., Zhang, L., Guoxiang, X., Mojsilovic-Petrovic, J., Takamaya, K., Sattler, R., . . . Kalb, R. (2008). GluR1 Controls Dendrite Growth through Its Binding Partner, SAP97. *Journal of Neuroscience*, 28(41), 10220-10233. doi: 10.1523/jneurosci.3434-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10220>

Zhou, W. L., Yan, P., Wuskell, J. P., Loew, L. M., & Antic, S. D. (2008). Dynamics of action potential backpropagation in basal dendrites of prefrontal cortical pyramidal neurons. *European Journal of Neuroscience*, 27(4), 923-936. doi.

Zhou, W.-L., Short, S. M., Rich, M. T., Oikonomou, K. D., Singh, M. B., Sterjanaj, E. V., & Antic, S. D. (2014). Branch specific and spike-order specific action potential invasion in basal, oblique, and apical dendrites of cortical pyramidal neurons. *Neurophotonics*, 2(2), 021006-021006. doi: 10.1117/1.NPh.2.2.021006. <http://dx.doi.org/10.1117/1.NPh.2.2.021006>

Zhou, X., Mansori, I., Fischer, T., Witte, M., & Staiger, J. F. (2019). Characterizing the morphology of somatostatin-expressing interneurons and their synaptic innervation pattern in the barrel cortex of the GIN mouse. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24756. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24756>

Zhou, X., Rickmann, M., Hafner, G., & Staiger, J. F. (2017). Subcellular Targeting of VIP Boutons in Mouse Barrel Cortex is Layer-Dependent and not Restricted to Interneurons. *Cerebral Cortex*, 1-16. doi. <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx220/409636>...

Zhou, X., & Wong, S. (2008). Computational systems bioinformatics and bioimaging for pathway analysis and drug screening. *Proceedings of the IEEE*, 96(8), 1310-1331. doi.

Zhou, X., & Wong, S. T. C. (2008). A primer on image informatics of high content screening. *High Content Screening*, 43-84. doi.

Zhou, X.-P., Wu, K.-Y., Liang, B., Fu, X.-Q., & Luo, Z.-G. (2008). TrkB-mediated activation of geranylgeranyltransferase I promotes dendritic morphogenesis. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0800846105. <http://www.pnas.org/content/early/2008/10/27/0800846105.abstract>

Zhou, Y., Ji, J., Chen, C., & Hong, F. (2019). Retardation of axonal and dendritic outgrowth is associated with MAPK signaling pathway in offspring mice following maternal exposure to nano titanium dioxide. *Journal of Agricultural and Food Chemistry*. doi: 10.1021/acs.jafc.8b06992. <https://doi.org/10.1021/acs.jafc.8b06992>

Zhou, Y. D., Lee, S., Jin, Z., Wright, M., Smith, S. E. P., & Anderson, M. P. (2009). Arrested maturation of excitatory synapses in autosomal dominant lateral temporal lobe epilepsy. *Nature Medicine*, 15(10), 1208-1214. doi.

Zhu, D. Y., Liu, S. H., Sun, H. S., & Lu, Y. M. (2003). Expression of Inducible Nitric Oxide Synthase after Focal Cerebral Ischemia Stimulates Neurogenesis in the Adult Rodent Dentate Gyrus. *Journal of Neuroscience*, 23(1), 223-229. doi.

- Zhu, H., Clemens, S., Sawchuk, M., & Hochman, S. (2007). Expression and distribution of all dopamine receptor subtypes (D1-D5) in the mouse lumbar spinal cord: A real-time polymerase chain reaction and non-autoradiographic in situ hybridization study. *Neuroscience*, 149(4), 885-897. doi.
- Zhu, H., & Luo, L. (2004). Diverse functions of N-cadherin in dendritic and axonal terminal arborization of olfactory projection neurons. *Neuron*, 42(1), 63-75. doi.
- Zhu, J. J. (2000). Maturation of layer 5 neocortical pyramidal neurons: amplifying salient layer 1 and layer 4 inputs by Ca²⁺ action potentials in adult rat tuft dendrites. *Journal of Physiology*, 526(3), 571-587. doi. <http://jp.physoc.org/cgi/content/abstract/526/3/571>
- Zhu, J. J. (2009). Activity Level-Dependent Synapse-Specific AMPA Receptor Trafficking Regulates Transmission Kinetics. *Journal of Neuroscience*, 29(19), 6320-6335. doi: 10.1523/jneurosci.4630-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/19/6320>
- Zhu, J. J., & Connors, B. W. (1999). Intrinsic Firing Patterns and Whisker-Evoked Synaptic Responses of Neurons in the Rat Barrel Cortex. *Journal of Neurophysiology*, 81(3), 1171-1183. doi. <http://jn.physiology.org/cgi/content/abstract/81/3/1171>
- Zhu, J. J., & Heggelund, P. (2001). Muscarinic Regulation of Dendritic and Axonal Outputs of Rat Thalamic Interneurons: A New Cellular Mechanism for Uncoupling Distal Dendrites. *Journal of Neuroscience*, 21(4), 1148-1159. doi. <http://www.jneurosci.org/cgi/content/abstract/21/4/1148>
- Zhu, J. J., & Lo, F.-S. (1999). Three GABA Receptor-Mediated Postsynaptic Potentials in Interneurons in the Rat Lateral Geniculate Nucleus. *Journal of Neuroscience*, 19(14), 5721-5730. doi. <http://www.jneurosci.org/cgi/content/abstract/19/14/5721>
- Zhu, L.-Q., Zheng, H.-Y., Peng, C.-X., Liu, D., Li, H.-L., Wang, Q., & Wang, J.-Z. (2010). Protein Phosphatase 2A Facilitates Axonogenesis by Dephosphorylating CRMP2. *Journal of Neuroscience*, 30(10), 3839-3848. doi: 10.1523/jneurosci.5174-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/10/3839>
- Zhu, X., Liu, Y., Yin, Y., Shao, A., Zhang, B., Kim, S., & Zhou, J. (2009). MSC p43 required for axonal development in motor neurons. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0901872106. <http://www.pnas.org/content/early/2009/08/25/0901872106.abstract>
- Zhu, Y., Fenik, P., Zhan, G., Mazza, E., Kelz, M., Aston-Jones, G., & Veasey, S. C. (2007). Selective Loss of Catecholaminergic Wake Active Neurons in a Murine Sleep Apnea Model. *Journal of Neuroscience*, 27(37), 10060-10071. doi: 10.1523/jneurosci.0857-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/37/10060>
- Zhu, Y., Stornetta, R. L., & Zhu, J. J. (2004). Chandelier Cells Control Excessive Cortical Excitation: Characteristics of Whisker-Evoked Synaptic Responses of Layer 2/3 Nonpyramidal and Pyramidal Neurons. *Journal of Neuroscience*, 24(22), 5101-5108. doi. <http://www.jneurosci.org/cgi/content/abstract/24/22/5101>
- Zhu, Y., Xu, J., Hauswirth, W. W., & DeVries, S. H. (2014). Genetically Targeted Binary Labeling of Retinal Neurons. *The Journal of Neuroscience*, 34(23), 7845-7861. doi. <http://www.jneurosci.org/content/34/23/7845.short>

Zhu, Y., Zhang, Q., Zhang, W., Li, N., Dai, Y., Tu, J., . . . Wang, R. (2017). Protective Effect of 17 β -Estradiol Upon Hippocampal Spine Density and Cognitive Function in an Animal Model of Vascular Dementia. *Scientific Reports*, 7, 42660. doi:

Zhu, Y., & Zhu, J. J. (2004). Rapid Arrival and Integration of Ascending Sensory Information in Layer 1 Nonpyramidal Neurons and Tuft Dendrites of Layer 5 Pyramidal Neurons of the Neocortex. *Journal of Neuroscience*, 24(6), 1272-1279. doi: 10.1523/jneurosci.4805-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/6/1272>

Zhu, Y.-B., Xu, L., Wang, Y., Zhang, R., Wang, Y.-C., Li, J.-B., & Mu, D. (2020). Posterior Thalamic Nucleus Mediates Facial Histaminergic Itch. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.07.048>. <http://www.sciencedirect.com/science/article/pii/S030645222030498X>

Ziburkus, J., Cressman, J. R., & Schiff, S. (2012). Seizures As Imbalanced Up States: Excitatory And Inhibitory Conductances During Seizure-Like Events. *Journal of Neurophysiology*. doi: 10.1152/jn.00232.2012. <http://jn.physiology.org/content/early/2012/11/30/jn.00232.2012.abstract>

Zikopoulos, B., & Barbas, H. (2006). Prefrontal Projections to the Thalamic Reticular Nucleus form a Unique Circuit for Attentional Mechanisms. *Journal of Neuroscience*, 26(28), 7348-7361. doi: 10.1523/jneurosci.5511-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/28/7348>

Zikopoulos, B., & Barbas, H. (2007). Parallel driving and modulatory pathways link the prefrontal cortex and thalamus. *PLoS ONE*, 2(9), e848-e848. doi:

Zikopoulos, B., & Barbas, H. (2012). Pathways for Emotions and Attention Converge on the Thalamic Reticular Nucleus in Primates. *Journal of Neuroscience*, 32(15), 5338-5350. doi: 10.1523/jneurosci.4793-11.2012. <http://www.jneurosci.org/content/32/15/5338.abstract>

Zikopoulos, B., García-Cabezas, M. Á., & Barbas, H. (2018). Parallel trends in cortical gray and white matter architecture and connections in primates allow fine study of pathways in humans and reveal network disruptions in autism. *PLoS Biology*, 16(2), e2004559. doi: 10.1371/journal.pbio.2004559. <https://doi.org/10.1371/journal.pbio.2004559>

Zikopoulos, B., John, Y. J., García-Cabezas, M. Á., Bunce, J. G., & Barbas, H. (2016). The intercalated nuclear complex of the primate amygdala. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.052>. <http://www.sciencedirect.com/science/article/pii/S0306452216302111>

Zilberstein, Y., Liberman, M. C., & Corfas, G. (2012). Inner Hair Cells Are Not Required for Survival of Spiral Ganglion Neurons in the Adult Cochlea. *Journal of Neuroscience*, 32(2), 405-410. doi: 10.1523/jneurosci.4678-11.2012. <http://www.jneurosci.org/content/32/2/405.abstract>

Zimmer, L. A., Ennis, M., Wiley, R. G., & Shipley, M. T. (1998). Nerve Gas-Induced Seizures: Role of Acetylcholine in the Rapid Induction of Fos and Glial Fibrillary Acidic Protein in Piriform Cortex. *Journal of Neuroscience*, 18(10), 3897-3908. doi: <http://www.jneurosci.org/cgi/content/abstract/18/10/3897>

Zimmer, S. E., Doll, S. G., Garcia, A. D. R., & Akins, M. R. (2016). Splice form-dependent regulation of axonal arbor complexity by FMRP. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22453. <http://dx.doi.org/10.1002/dneu.22453>

Zirlinger, M. (2003). Selection and validation of microarray candidate genes from subregions and subnuclei of the brain. *Methods*, 31(4), 290-300. doi:

Zirlinger, M., Kreiman, G., & Anderson, D. J. (2001). Amygdala-enriched genes identified by microarray technology are restricted to specific amygdaloid subnuclei. *Proceedings of the National Academy of Sciences*, 98(9), 5270-5275. doi: 10.1073/pnas.091094698. <http://www.pnas.org/cgi/content/abstract/98/9/5270>

Zito, K., Knott, G., Shepherd, G. M. G., Shenolikar, S., & Svoboda, K. (2004). Induction of spine growth and synapse formation by regulation of the spine actin cytoskeleton. *Neuron*, 44(2), 321-334. doi:

Zito, K., Scheuss, V., Knott, G., Hill, T., & Svoboda, K. (2009). Rapid functional maturation of nascent dendritic spines. *Neuron*, 61(2), 247-258. doi:

Zitterkopf, N. L., McNeal, D. W., Eyster, K. M., Bradley, D. S., & Cafruny, W. A. (2004). Lactate dehydrogenase-elevating virus induces apoptosis in cultured macrophages and in spinal cords of C58 mice coincident with onset of murine amyotrophic lateral sclerosis. *Virus Research*, 106(1), 35-42. doi:

Zomorodi, R., Ferecskó, A. S., Kovács, K., Kröger, H., & Timofeev, I. (2010). Analysis of morphological features of thalamocortical neurons from the ventroposterolateral nucleus of the cat. *Journal of Comparative Neurology*, 518(17), 3541-3556. doi:

Zomorodi, R., Kröger, H., & Timofeev, I. (2008). Modeling thalamocortical cell: impact of Ca²⁺ channel distribution and cell geometry on firing pattern. *Frontiers in Computational Neuroscience*, 2. doi:

Zörner, B., Bachmann, L. C., Filli, L., Kapitza, S., Gullo, M., Bolliger, M., . . . Schwab, M. E. (2014). Chasing central nervous system plasticity: the brainstem's contribution to locomotor recovery in rats with spinal cord injury. *Brain*. doi: 10.1093/brain/awu078. <http://brain.oxfordjournals.org/content/early/2014/04/14/brain.awu078.ab>

..

Zortea, M., Merlini, L., & Mostacciolo, M. L. (2004). A novel gbp insertion in GJB1 gene causing late onset, intermediate CMT in an Italian patient. *Journal of the Peripheral Nervous System*, 9(2), 123-123. doi: doi:10.1111/j.1085-9489.2004.009209bj.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Zucca, S., Pasquale, V., Lagomarsino de Leon Roig, P., Panzeri, S., & Fellin, T. (2019). Thalamic Drive of Cortical Parvalbumin-Positive Interneurons during Down States in Anesthetized Mice. *Current Biology*. doi: <https://doi.org/10.1016/j.cub.2019.04.007>. <http://www.sciencedirect.com/science/article/pii/S0960982219304051>

Zuccotti, A., Le Magueresse, C., Chen, M., Neitz, A., & Monyer, H. (2014). The transcription factor Fezf2 directs the differentiation of neural stem cells in the subventricular zone toward a cortical phenotype. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1320290111. <http://www.pnas.org/content/early/2014/07/02/1320290111.abstract>

Zufferey, P. D., Jin, F., Nakamura, H., Tettoni, L., & Innocenti, G. M. (1999). The role of pattern vision in the development of cortico-cortical connections. *European Journal of Neuroscience*, 11(8), 2669-2688. doi: doi:10.1046/j.1460-9568.1999.00683.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1999.00683.x>

Zuidema, J. M., Desmond, G. P., Rivet, C. J., Kearns, K. R., Thompson, D. M., & Gilbert, R. J. (2015). Nebulized solvent ablation of aligned PLLA fibers for the study of neurite response to anisotropic-to-isotropic fiber/film transition (AFFT) boundaries in astrocyte–neuron co-cultures. *Biomaterials*, 46(0), 82-94. doi: <http://dx.doi.org/10.1016/j.biomaterials.2014.12.046> <http://www.sciencedirect.com/science/article/pii/S0142961214012964>

Zuloaga, D. G., Carbone, D. L., & Handa, R. J. (2012). Prenatal dexamethasone selectively decreases calretinin expression in the adult female lateral amygdala. *Neuroscience Letters*. doi.

Zuloaga, D. G., Carbone, D. L., Quihuis, A., Hiroi, R., Chong, D. L., & Handa, R. J. (2011). Perinatal dexamethasone-induced alterations in apoptosis within the hippocampus and paraventricular nucleus of the hypothalamus are influenced by age and sex. *Journal of Neuroscience Research*. doi.

Zuloaga, D. G., Yahn, S. L., Pang, Y., Quihuis, A. M., Oyola, M. G., Reyna, A., . . . Mani, S. K. (2012). Distribution and Estrogen Regulation of Membrane Progesterone Receptor- β in the Female Rat Brain. *Endocrinology*. doi: 10.1210/en.2012-1469. <http://endo.endojournals.org/content/early/2012/07/03/en.2012-1469.abstract>

Zuriel, E., & Devor, M. (2001). Dye coupling does not explain functional crosstalk within dorsal root ganglia. *Journal of the Peripheral Nervous System*, 6(4), 227. doi.

Zweifel, S., Buquet, J., Caruso, L., Rousseau, D., & Raineteau, O. (2018). "FlashMap" - A Semi-Automatic Tool for Rapid and Accurate Spatial Analysis of Marker Expression in the Subventricular Zone. *Scientific Reports*, 8(1), 16086. doi: 10.1038/s41598-018-33939-1. <https://doi.org/10.1038/s41598-018-33939-1>

Zwirner, J., Möbius, D., Bechmann, I., Arendt, T., Hoffmann, K.-T., Jäger, C., . . . Hammer, N. (2016). Subthalamic nucleus volumes are highly consistent but decrease age-dependently—a combined magnetic resonance imaging and stereology approach in humans. *Human Brain Mapping*, n/a-n/a. doi: 10.1002/hbm.23427. <http://dx.doi.org/10.1002/hbm.23427>

Serrano, M. E., E. Kim, et al. (2022). "Imaging Synaptic Density: The Next Holy Grail of Neuroscience?" *Frontiers in neuroscience* 16: 796129-796129. doi: 10.3389/fnins.2022.796129

Merino-Serrais, P., S. Plaza-Alonso, et al. (2022). "Microanatomical study of pyramidal neurons in the contralesional somatosensory cortex after experimental ischemic stroke." *Cerebral Cortex*: bhac121. <https://doi.org/10.1093/cercor/bhac121>

de Prisco, N., A. Chemiakine, et al. (2022). "Protocol to assess the effect of disease-driving variants on mouse brain morphology and primary hippocampal neurons." *STAR Protocols* 3(2): 101244. <https://doi.org/10.1016/j.xpro.2022.101244>

wu, s., Y. Yuye, et al. (2022). "FUS aggregation following ischemic stroke favors brain astrocyte activation through inducing excessive autophagy" *Cellular and Molecular Neurobiology*. <https://doi.org/10.21203/rs.3.rs-1411533/v1>

Jiang, S., L. Xiao, et al. (2022). "The GABAB receptor agonist STX209 reverses the autism-like behaviour in an animal model of autism induced by prenatal exposure to valproic acid." *Mol Med Rep* 25(5): 154. <https://doi.org/10.3892/mmr.2022.12670>

Pollo, M. L. M., C. Gimenes, et al. (2022). "Male rats are more vulnerable to pentylenetetrazole-kindling model but females have more spatial memory-related deficits." *Epilepsy & Behavior* 129: 108632. <https://doi.org/10.1016/j.yebeh.2022.108632>

Shao, Y., Q. Ge, et al. (2022). "Pathological Networks Involving Dysmorphic Neurons in Type II Focal Cortical Dysplasia." *Neuroscience Bulletin*. <https://doi.org/10.1007/s12264-022-00828-7>

Wang, Q., Y. Wang, et al. (2022). "Regional and cell type-specific afferent and efferent projections of the mouse claustrum." *bioRxiv*: 2022.2002.2023.481555. 10.1101/2022.02.23.481555

Cheon, S., A. M. Culver, et al. (2022). "Counteracting epigenetic mechanisms regulate the structural development of neuronal circuitry in human neurons." *Molecular Psychiatry*. 10.1038/s41380-022-01474-1

Fournel, R., M. L. Veruki, et al. (2022). "Digital reconstruction and quantitative morphometric analysis of bipolar cells in live rat retinal slices." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25308>

Getz, S. A., K. Tariq, et al. (2022). "PTEN Regulates Dendritic Arborization by Decreasing Microtubule Polymerization Rate." *The Journal of Neuroscience: JN-RM-1835-1821*. <https://doi.org/10.1523/JNEUROSCI.1835-21.2022>

Sanders, B., D. D'Andrea, et al. (2022). "Transcriptional programs regulating neuronal differentiation are disrupted in DLG2 knockout human embryonic stem cells and enriched for schizophrenia and related disorders risk variants." *Nature Communications* 13(1): 27. <https://doi.org/10.1038/s41467-021-27601-0>

Hartveit, E., M. L. Veruki, et al. (2022). "Dendritic morphology of an inhibitory retinal interneuron enables simultaneous local and global synaptic integration." *The Journal of Neuroscience: JN-RM-0695-0621*. <https://doi.org/10.1523/JNEUROSCI.0695-21.2021>

Standiford, M. M., E. M. Grund, et al. (2021). "Citruillinated myelin induces microglial TNF α and inhibits endogenous repair in the cuprizone model of demyelination." *Journal of Neuroinflammation* 18(1): 305. <https://doi.org/10.1186/s12974-021-02360-3>

van Rhijn, J.-R., Y. Shi, et al. (2022). "Brunner syndrome associated MAOA mutations result in NMDAR hyperfunction and increased network activity in human dopaminergic neurons." *Neurobiology of Disease* 163: 105587. <https://doi.org/10.1016/j.nbd.2021.105587>

Havton, L. A., N. P. Biscola, et al. (2021). "Human organ donor-derived vagus nerve biopsies allow for well-preserved ultrastructure and high-resolution mapping of myelinated and unmyelinated fibers." *Scientific Reports* 11(1): 23831. <https://doi.org/10.1038/s41598-021-03248-1>

Yu, T.-S., Y. Tensaouti, et al. (2021). "Astrocytic ApoE underlies maturation of hippocampal neurons and cognitive recovery after traumatic brain injury in mice." *Communications Biology* 4(1): 1303. <https://doi.org/10.1038/s42003-021-02841-4>

Weber, A. J., A. B. Adamson, et al. (2021). "Conditional deletion of ROCK2 induces anxiety-like behaviors and alters dendritic spine density and morphology on CA1 pyramidal neurons." *Molecular Brain* 14(1): 169. <https://doi.org/10.1186/s13041-021-00878-4>

Yang, C., Y. Tian, et al. (2021). "Restoration of FMRP expression in adult V1 neurons rescues visual deficits in a mouse model of fragile X syndrome." *Protein & Cell*. <https://doi.org/10.1007/s13238-021-00878-z>

Lentini, C., M. d'Orange, et al. (2021). "Reprogramming reactive glia into interneurons reduces chronic seizure activity in a mouse model of mesial temporal lobe epilepsy." *Cell Stem Cell*. <https://doi.org/10.1016/j.stem.2021.09.002>

Shirinpour, S., N. Hananeia, et al. "Multi-scale modeling toolbox for single neuron and subcellular activity under Transcranial Magnetic Stimulation." *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*. <https://doi.org/10.1016/j.brs.2021.09.004>

Achilly, N. P., Wang, W., & Zoghbi, H. Y. (2021). Presymptomatic training mitigates functional deficits in a mouse model of Rett syndrome. *Nature*. doi: 10.1038/s41586-021-03369-7. <https://doi.org/10.1038/s41586-021-03369-7>

Adler, S. M., Girotti, M., & Morilak, D. A. (2020). Optogenetically-induced long term depression in the rat orbitofrontal cortex ameliorates stress-induced reversal learning impairment. *Neurobiology of Stress*, 13, 100258. doi: <https://doi.org/10.1016/j.ynstr.2020.100258>. <http://www.sciencedirect.com/science/article/pii/S2352289520300485>

Allen, A. G., Worell, S. D., Nwazo, G. C., Madrid, R., Dampier, W., Nonnemacher, M. R., & Wigdahl, B. (2019). Abstracts of the 16th International Symposium on NeuroVirology November 12-16, 2019 Atlanta, GA, USA. [journal article]. *Journal of NeuroVirology*. doi: 10.1007/s13365-019-00807-1. <https://doi.org/10.1007/s13365-019-00807-1>

Asede, D., Doddapaneni, D., Chavez, A., Okoh, J., Ali, S., Von-Walter, C., & Bolton, M. M. (2021). Apical intercalated cell cluster: A distinct sensory regulator in the amygdala. *Cell Reports*, 35(7), 109151. doi: <https://doi.org/10.1016/j.celrep.2021.109151>. <https://www.sciencedirect.com/science/article/pii/S2211124721004939>

Ayata, P., Badimon, A., Strasburger, H. J., Duff, M. K., Montgomery, S. E., Loh, Y.-H. E., . . . Schaefer, A. (2018). Epigenetic regulation of brain region-specific microglia clearance activity. *Nature Neuroscience*, 21(8), 1049-1060. doi: 10.1038/s41593-018-0192-3. <https://doi.org/10.1038/s41593-018-0192-3>

Baharani, A., Wei, Z., Roesler, W. J., & Mousseau, D. D. (2020). A Progressive Loss of phosphoSer138-Profilin Aligns with Symptomatic Course in the R6/2 Mouse Model of Huntington's Disease: Possible Sex-Dependent Signaling. *Cellular and Molecular Neurobiology*. doi: 10.1007/s10571-020-00984-2. <https://doi.org/10.1007/s10571-020-00984-2>

Baker, C. A., Bolton, M. M., & Parra, A. (2019). Regional Specialization of Pyramidal Neuron Morphology and Physiology in the Tree Shrew Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhy326. <https://dx.doi.org/10.1093/cercor/bhy326>

Baltussen, L. L., Negraes, P. D., Silvestre, M., Claxton, S., Moeskops, M., Christodoulou, E., . . . Ulanir, S. K. (2018). Chemical genetic identification of CDKL5 substrates reveals its role in neuronal microtubule dynamics. [10.15252/embj.201899763]. *The EMBO Journal*. doi: <http://emboj.embopress.org/content/early/2018/09/28/embj.201899763.abstract>

Bannatyne, B. A., Hao, Z.-Z., Dyer, G. M. C., Watanabe, M., Maxwell, D. J., & Berkowitz, A. (2020). Neurotransmitters and motoneuron contacts of multifunctional and behaviorally specialized turtle

spinal cord interneurons. *The Journal of Neuroscience*, 2200–2219. doi: 10.1523/jneurosci.2200-19.2020. <http://www.jneurosci.org/content/early/2020/02/14/JNEUROSCI.2200-19.2020...>

Bayne, M., Alvarsson, A., Devarakonda, K., Li, R., Jimenez-Gonzalez, M., Garibay, D., . . . Stanley, S. A. (2020). Repeated hypoglycemia remodels neural inputs and disrupts mitochondrial function to blunt glucose-inhibited GHRH neuron responsiveness. *JCI Insight*, 5(21). doi: 10.1172/jci.insight.133488. <https://doi.org/10.1172/jci.insight.133488>

Bell, A. M., Gutierrez-Mecinas, M., Stevenson, A., Casas-Benito, A., Wildner, H., West, S. J., . . . Todd, A. J. (2020). Expression of green fluorescent protein defines a specific population of lamina II excitatory interneurons in the GRP::eGFP mouse. *Scientific Reports*, 10(1), 13176. doi: 10.1038/s41598-020-69711-7. <https://doi.org/10.1038/s41598-020-69711-7>

Belmer, A., Patkar, O. L., Lanoue, V., & Bartlett, S. E. (2018). 5-HT_{1A} receptor-dependent modulation of emotional and neurogenic deficits elicited by prolonged consumption of alcohol. *Scientific Reports*, 8(1), 2099. doi: 10.1038/s41598-018-20504-z. <https://doi.org/10.1038/s41598-018-20504-z>

Benavides-Piccione, R., Regalado-Reyes, M., Fernaud-Espinosa, I., Kastanauskaite, A., Tapia-González, S., León-Espinosa, G., . . . DeFelipe, J. (2019). Differential Structure of Hippocampal CA1 Pyramidal Neurons in the Human and Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhz122. <https://doi.org/10.1093/cercor/bhz122>

Benson, C. A., Olson, K.-L., Patwa, S., Reimer, M. L., Bangalore, L., Hill, M., . . . Tan, A. M. (2021). Conditional RAC1 knockout in motor neurons restores H-reflex rate-dependent depression after spinal cord injury. *Scientific Reports*, 11(1), 7838. doi: 10.1038/s41598-021-87476-5. <https://doi.org/10.1038/s41598-021-87476-5>

Bocchio, M., Gouny, C., Angulo-Garcia, D., Toulat, T., Tressard, T., Quiroli, E., . . . Cossart, R. (2020). Hippocampal hub neurons maintain distinct connectivity throughout their lifetime. *Nature Communications*, 11(1), 4559. doi: 10.1038/s41467-020-18432-6. <https://doi.org/10.1038/s41467-020-18432-6>

Bondy, B. J., Haimes, D. B., & Golding, N. L. (2021). Physiological diversity influences detection of stimulus envelope and fine structure in neurons of the medial superior olive. *The Journal of Neuroscience*, JN-RM-2354-2320. doi: 10.1523/jneurosci.2354-20.2021. <http://www.jneurosci.org/content/early/2021/06/01/JNEUROSCI.2354-20.2021...>

Boros, B. D., Greathouse, K. M., Gearing, M., & Herskowitz, J. H. (2018). Dendritic spine remodeling accompanies Alzheimer's disease pathology and genetic susceptibility in cognitively normal aging. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2018.09.003>. <http://www.sciencedirect.com/science/article/pii/S0197458018303269>

Boros, B. D., Greathouse, K. M., Gentry, E. G., Curtis, K. A., Birchall, E. L., Gearing, M., & Herskowitz, J. H. (2017). Dendritic spines provide cognitive resilience against Alzheimer's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.25049. <http://dx.doi.org/10.1002/ana.25049>

Borreca, A., Valeri, F., De Luca, M., Ernst, L., Russo, A., Nobili, A., . . . Ammassari-Teule, M. (2020). Transient upregulation of translational efficiency in prodromal and early symptomatic Tg2576 mice contributes to A β pathology. *Neurobiology of Disease*, 104787. doi: <https://doi.org/10.1016/j.nbd.2020.104787>. <http://www.sciencedirect.com/science/article/pii/S0969996120300620>

Buskila, Y., Bellot-Saez, A., Kékesi, O., Cameron, M., & Morley, J. (2020). Extending the Life Span of Acute Neuronal Tissue for Imaging and Electrophysiological Studies. In N. J. D. Wright (Ed.), *Basic Neurobiology Techniques* (pp. 235-259). New York, NY: Springer US.

Chaaya, N., Jacques, A., Belmer, A., Richard, D. J., Bartlett, S. E., Battle, A. R., & Johnson, L. R. (2018). Localization of Contextual and Context Removed Auditory Fear Memory within the Basolateral Amygdala Complex. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.12.004>. <http://www.sciencedirect.com/science/article/pii/S030645221830798X>

Che, A., Babij, R., Iannone, A. F., Fetcho, R. N., Ferrer, M., Liston, C., . . . De Marco Garcia, N. V. (2018). Layer I Interneurons Sharpen Sensory Maps during Neonatal Development. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.06.002>. <http://www.sciencedirect.com/science/article/pii/S0896627318304707>

Chen, C.-K. J., Chen, Y.-J., Shay, A., Weber, N., & Jiang, Z. (2020). Retinal ganglion cells with recombinase activity in mice with engineered Cre in the vGluT3 gene. *Investigative Ophthalmology & Visual Science*, 61(7), 4522-4522. doi.

Chen, S.-T., Lai, W.-J., Zhang, W.-J., Chen, Q.-P., Zhou, L.-B., So, K.-F., & Shi, L.-L. (2020). Insulin-like growth factor 1 partially rescues early developmental defects caused by SHANK2 knockdown in human neurons. [Research Article]. *Neural Regeneration Research*, 15(12), 2335-2343. doi: 10.4103/1673-5374.285002. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2020;volume=15;..>

Chen, X., Xie, C., Tian, W., Sun, L., Wang, Z., Hawes, S., . . . Cai, H. (2020). Parkinson's disease-related Leucine-rich repeat kinase 2 modulates nuclear morphology and genomic stability in striatal projection neurons during aging. *Molecular Neurodegeneration*, 15(1), 12. doi: 10.1186/s13024-020-00360-0. <https://doi.org/10.1186/s13024-020-00360-0>

Collins, D. P., Anastasiades, P. G., Marlin, J. J., & Carter, A. G. (2018). Reciprocal Circuits Linking the Prefrontal Cortex with Dorsal and Ventral Thalamic Nuclei. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.03.024>. <https://www.sciencedirect.com/science/article/pii/S0896627318302307>

Czaniecki, C., Ryan, T., Stykel, M. G., Drolet, J., Heide, J., Hallam, R., . . . Ryan, S. D. (2019). Axonal pathology in hPSC-based models of Parkinson's disease results from loss of Nrf2 transcriptional activity at the Map1b gene locus. *Proceedings of the National Academy of Sciences*, 201900576. doi: 10.1073/pnas.1900576116. <http://www.pnas.org/content/early/2019/06/21/1900576116.abstract>

da Silva, M. P., Moraes, D. J. A., Bonagamba, L. G. H., Mecawi, A. d. S., Varanda, W. A., & Machado, B. H. (2019). Hyperexcitability and plasticity induced by sustained hypoxia on rectus abdominis motoneurons. *The Journal of Physiology*, 0(ja). doi: 10.1113/JP277030. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP277030>

Delatour, L. C., Yeh, P. W., & Yeh, H. H. (2018). Ethanol Exposure In Utero Disrupts Radial Migration and Pyramidal Cell Development in the Somatosensory Cortex. *Cerebral Cortex*, bhy094-bhy094. doi: 10.1093/cercor/bhy094. <http://dx.doi.org/10.1093/cercor/bhy094>

Delatour, L. C., Yeh, P. W. L., & Yeh, H. H. (2019). Prenatal Exposure to Ethanol Alters Synaptic Activity in Layer V/VI Pyramidal Neurons of the Somatosensory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhz199. <https://doi.org/10.1093/cercor/bhz199>

Diaz Vera, D., Soucy, J. R., Lee, A., Koppes, R. A., & Koppes, A. N. (2021). Light irradiation of peripheral nerve cells: Wavelength impacts primary sensory neuron outgrowth in vitro. *Journal of Photochemistry and Photobiology B: Biology*, 215, 112105. doi: <https://doi.org/10.1016/j.jphotobiol.2020.112105>. <http://www.sciencedirect.com/science/article/pii/S1011134420305558>

Dickstein, D. L., Dickstein, D. R., Janssen, W. G. M., Hof, P. R., Glaser, J. R., Rodriguez, A., . . . Tappan, S. J. (2016). Automatic Dendritic Spine Quantification from Confocal Data with NeuroLucida 360 Current Protocols in Neuroscience: John Wiley & Sons, Inc.

Dickstein, D. L., Talty, R., Bresnahan, E., Varghese, M., Perry, B., Janssen, W. G. M., . . . Limoli, C. L. (2018). Alterations in synaptic density and myelination in response to exposure to high-energy charged particles. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24530. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24530>

Doan, T. P., Lagartos-Donate, M. J., Nilssen, E. S., Ohara, S., & Witter, M. P. (2019). Convergent Projections from Perirhinal and Postrhinal Cortices Suggest a Multisensory Nature of Lateral, but Not Medial, Entorhinal Cortex. *Cell Reports*, 29(3), 617-627.e617. doi: <https://doi.org/10.1016/j.celrep.2019.09.005>. <http://www.sciencedirect.com/science/article/pii/S2211124719311738>

Donega, V., Marcy, G., Lo Giudice, Q., Zweifel, S., Angonin, D., Fiorelli, R., . . . Raineteau, O. (2018). Transcriptional Dysregulation in Postnatal Glutamatergic Progenitors Contributes to Closure of the Cortical Neurogenic Period. *Cell Reports*, 22(10), 2567-2574. doi: <https://doi.org/10.1016/j.celrep.2018.02.030>. <https://www.sciencedirect.com/science/article/pii/S2211124718301980>

El Boukhari, H., Ouhaz, Z., Ba-M'hamed, S., & Bennis, M. (2020). Early lesion of the reticular thalamic nucleus disrupts the structure and function of the mediodorsal thalamus and prefrontal cortex. *Developmental Neurobiology*, n/a(n/a). doi: 10.1002/dneu.22733. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22733>

Erickson, R. P., Aras, S., Purandare, N., Hüttemann, M., Liu, J., Dragotto, J., . . . Grossman, L. I. (2020). Decreased membrane cholesterol in liver mitochondria of the point mutation mouse model of juvenile Niemann–Pick C1, Npc1nmf164. *Mitochondrion*, 51, 15-21. doi: <https://doi.org/10.1016/j.mito.2019.12.003>. <http://www.sciencedirect.com/science/article/pii/S1567724919300017>

Frega, M., Linda, K., Keller, J. M., Gümüş-Akay, G., Mossink, B., van Rhijn, J.-R., . . . Nadif Kasri, N. (2019). Neuronal network dysfunction in a model for Kleefstra syndrome mediated by enhanced NMDAR signaling. *Nature Communications*, 10(1), 4928. doi: 10.1038/s41467-019-12947-3. <https://doi.org/10.1038/s41467-019-12947-3>

Fu, M.-m., McAlear, T. S., Nguyen, H., Osés-Prieto, J. A., Valenzuela, A., Shi, R. D., . . . Barres, B. A. (2019). The Golgi Outpost Protein TPPP Nucleates Microtubules and Is Critical for Myelination. *Cell*, 179(1), 132-146.e114. doi: <https://doi.org/10.1016/j.cell.2019.08.025>. <http://www.sciencedirect.com/science/article/pii/S0092867419309134>

Furuta, T., Bush, N. E., Yang, A. E.-T., Ebara, S., Miyazaki, N., Murata, K., . . . Hartmann, M. J. Z. (2020). The Cellular and Mechanical Basis for Response Characteristics of Identified Primary Afferents in the Rat Vibrissal System. *Current Biology*.

doi: <https://doi.org/10.1016/j.cub.2019.12.068>. <http://www.sciencedirect.com/science/article/pii/S0960982219317014>

Gaborieau, E., Hurtado-Chong, A., Fernández, M., Azim, K., & Raineteau, O. (2018). A dual role for the transcription factor Sp8 in postnatal neurogenesis. *Scientific Reports*, 8(1), 14560. doi: 10.1038/s41598-018-32134-6. <https://doi.org/10.1038/s41598-018-32134-6>

Gennarino, V. A., Palmer, E. E., McDonnell, L. M., Wang, L., Adamski, C. J., Koire, A., . . . Zoghbi, H. Y. (2018). A Mild PUM1 Mutation Is Associated with Adult-Onset Ataxia, whereas Haploinsufficiency Causes Developmental Delay and Seizures. *Cell*, 172(5), 924-936.e911. doi: <https://doi.org/10.1016/j.cell.2018.02.006>. <http://www.sciencedirect.com/science/article/pii/S0092867418301508>

Gisabella, B., Scammell, T., Bandaru, S. S., & Saper, C. B. (2019). Regulation of hippocampal dendritic spines following sleep deprivation. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24764. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24764>

Goodliffe, J. W., Song, H., Rubakovic, A., Chang, W., Medalla, M., Weaver, C. M., & Luebke, J. I. (2018). Differential changes to D1 and D2 medium spiny neurons in the 12-month-old Q175⁺/⁻ mouse model of Huntington's Disease. *PLOS ONE*, 13(8), e0200626. doi: 10.1371/journal.pone.0200626. <https://doi.org/10.1371/journal.pone.0200626>

Harley, S. B. R., Willis, E. F., Shaikh, S. N., Blackmore, D. G., Sah, P., Ruitenber, M. J., . . . Vukovic, J. (2021). Selective ablation of BDNF from microglia reveals novel roles in self-renewal and hippocampal neurogenesis. *The Journal of Neuroscience*, JN-RM-2539-2520. doi: 10.1523/jneurosci.2539-20.2021. <http://www.jneurosci.org/content/early/2021/03/22/JNEUROSCI.2539-20.2021>.

Hartveit, E., Zandt, B.-J., & Veruki, M. L. (2019). Multiphoton Excitation Microscopy for the Reconstruction and Analysis of Single Neuron Morphology. In E. Hartveit (Ed.), *Multiphoton Microscopy* (pp. 161-194). New York, NY: Springer New York.

Helton, T. D., Zhao, M., Farris, S., & Dudek, S. M. (2018). Diversity of dendritic morphology and entorhinal cortex synaptic effectiveness in mouse CA2 pyramidal neurons. *Hippocampus*, 0(ja). doi: 10.1002/hipo.23012. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23012>

Henderson, B. W., Greathouse, K. M., Ramdas, R., Walker, C. K., Rao, T. C., Bach, S. V., . . . Herskowitz, J. H. (2019). Pharmacologic inhibition of LIMK1 provides dendritic spine resilience against β -amyloid. *Science Signaling*, 12(587), eaaw9318. doi: <https://stke.sciencemag.org/content/12/587/eaaw9318.abstract>

Hinova-Palova, D., Kotov, G., Landzhov, B., Edelstein, L., Iliev, A., Stanchev, S., . . . Paloff, A. (2019). Cytoarchitecture of the dorsal claustrum of the cat: a quantitative Golgi study. [journal article]. *Journal of Molecular Histology*. doi: 10.1007/s10735-019-09839-7. <https://doi.org/10.1007/s10735-019-09839-7>

Hjorth, J. J. J., Kozlov, A., Carannante, I., Frost Nylén, J., Lindroos, R., Johansson, Y., . . . Grillner, S. (2020). The microcircuits of striatum in silico. *Proceedings of the National Academy of Sciences*, 117(17), 9554-9565. doi: 10.1073/pnas.2000671117. <https://www.pnas.org/content/pnas/117/17/9554.full.pdf>

Hoshiba, Y., Toda, T., Ebisu, H., Wakimoto, M., Yanagi, S., & Kawasaki, H. (2016). Sox11 Balances Dendritic Morphogenesis with Neuronal Migration in the Developing Cerebral Cortex. *The Journal of Neuroscience*, 36(21), 5775-5784. doi:

Jacques, A., Chaaya, N., Hettiarachchi, C., Carmody, M.-L., Beecher, K., Belmer, A., . . . Johnson, L. R. (2019). Microtopography of fear memory consolidation and extinction retrieval within prefrontal cortex and amygdala. [journal article]. *Psychopharmacology*. doi: 10.1007/s00213-018-5068-4. <https://doi.org/10.1007/s00213-018-5068-4>

Jeong, J., Pandey, S., Li, Y., Badger, J. D., Lu, W., & Roche, K. W. (2019). PSD-95 binding dynamically regulates NLGN1 trafficking and function. *Proceedings of the National Academy of Sciences*, 116(24), 12035. doi: 10.1073/pnas.1821775116. <http://www.pnas.org/content/116/24/12035.abstract>

Jiang, S., Guan, Y., Chen, S., Jia, X., Ni, H., Zhang, Y., . . . Gong, H. (2020). Anatomically revealed morphological patterns of pyramidal neurons in layer 5 of the motor cortex. *Scientific Reports*, 10(1), 7916. doi: 10.1038/s41598-020-64665-2. <https://doi.org/10.1038/s41598-020-64665-2>

Kashyap, G., Bapat, D., Das, D., Gowaiakar, R., Amritkar, R. E., Rangarajan, G., . . . Ambika, G. (2019). Synapse loss and progress of Alzheimer's disease -A network model. *Scientific Reports*, 9(1), 6555. doi: 10.1038/s41598-019-43076-y. <https://doi.org/10.1038/s41598-019-43076-y>

Kékesi, O., Liang, H., Münch, G., Morley, J. W., Gyengesi, E., & Buskila, Y. (2019). The differential impact of acute microglia activation on the excitability of cholinergic neurons in the mouse medial septum. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01905-w. <https://doi.org/10.1007/s00429-019-01905-w>

Kiyama, T., Long, Y., Chen, C.-K., Whitaker, C. M., Shay, A., Wu, H., . . . Mao, C.-A. (2019). Essential Roles of *Tbr1* in the Formation and Maintenance of the Orientation-Selective J-RGCs and a Group of OFF-Sustained RGCs in Mouse. *Cell Reports*, 27(3), 900-915.e905. doi: <https://doi.org/10.1016/j.celrep.2019.03.077>. <http://www.sciencedirect.com/science/article/pii/S221124719304164>

Kobayashi, C., Okamoto, K., Mochizuki, Y., Urakubo, H., Funayama, K., Ishikawa, T., . . . Ikegaya, Y. (2018). GABAergic inhibition reduces the impact of synaptic excitation on somatic excitation. *Neuroscience Research*. doi: <https://doi.org/10.1016/j.neures.2018.09.014>. <http://www.sciencedirect.com/science/article/pii/S0168010218302281>

Koeppen, J., Nguyen, A. Q., Nikolakopoulou, A. M., Garcia, M., Hanna, S., Woodruff, S., . . . Ethell, I. M. (2018). Functional consequences of synapse remodeling following astrocyte-specific regulation of ephrin-B1 in the adult hippocampus. [10.1523/JNEUROSCI.3618-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/05/23/JNEUROSCI.3618-17.2018>..

Kovaleski, R. F., Callahan, J. W., Chazalon, M., Wokosin, D. L., Baufreton, J., & Bevan, M. D. (2020). Dysregulation of external globus pallidus-subthalamic nucleus network dynamics in parkinsonian mice during cortical slow-wave activity and activation. *The Journal of Physiology*, n/a(n/a). doi: 10.1113/jp279232. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP279232>

Kuddannaya, S., Tong, C. S., Fan, Y., & Zhang, Y. (2018). Geometrically Mediated Topographic Steering of Neurite Behaviors and Network Formation. *Advanced Materials Interfaces*, 1700819-n/a. doi: 10.1002/admi.201700819. <http://dx.doi.org/10.1002/admi.201700819>

Lee, D., Hyun, J. H., Jung, K., Hannan, P., & Kwon, H.-B. (2017). A calcium- and light-gated switch to induce gene expression in activated neurons. [Research]. *Nat Biotech*, advance online publication. doi: 10.1038/nbt.3902

<http://www.nature.com/nbt/journal/vaop/ncurrent/abs/nbt.3902.html#supple.....> <http://dx.doi.org/10.1038/nbt.3902>

Lee, S.-h., Jaejin, S., & Chang, M.-y. (2019). Transplantation effect of dopamine neuron engraftment by co-transplantation of midbrain astrocytes and vm-npcs: Google Patents.

Lellouche, Y., Minert, A., Schreiber, C., Aroch, I., Vaso, K., Fishman, Y., & Devor, M. (2020). Individual Mesopontine Neurons Implicated in Anesthetic Loss-of-consciousness Employ Separate Ascending Pathways to the Cerebral Cortex. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.02.022> <http://www.sciencedirect.com/science/article/pii/S0306452220301081>

Lesicko, A. M. H., Sons, S. K., & Llano, D. A. (2020). Circuit mechanisms underlying the segregation and integration of parallel processing streams in the inferior colliculus. *The Journal of Neuroscience*, JN-RM-0646-0620. doi: 10.1523/jneurosci.0646-20.2020. <https://www.jneurosci.org/content/jneuro/early/2020/07/14/JNEUROSCI.0646..>

Li, Y., Missig, G., Finger, B. C., Landino, S. M., Alexander, A. J., Mokler, E., . . . Bolshakov, V. Y. (2018). Maternal and Early Postnatal Immune Activation Produce Dissociable Effects on Neurotransmission in mPFC-Amygdala Circuits. [10.1523/JNEUROSCI.3642-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/02/28/JNEUROSCI.3642-17.2018...>

Linske, M. (2019). Use of 3D Neuronal Reconstructions for Carrying out Morphological Analyses. doi. <https://dc.uwm.edu/uwsurca/2019/Posters/98/>

Lu, H.-C., Tan, Q., Rousseaux, M. W. C., Wang, W., Kim, J.-Y., Richman, R., . . . Zoghbi, H. Y. (2017). Disruption of the ATXN1-CIC complex causes a spectrum of neurobehavioral phenotypes in mice and humans. [Article]. *Nat Genet*, advance online publication. doi: 10.1038/ng.3808

<http://www.nature.com/ng/journal/vaop/ncurrent/abs/ng.3808.html#suppleme.....> <http://dx.doi.org/10.1038/ng.3808>

Maier, E., Lauer, S. M., & Brecht, M. (2020). Conserved layer 4 organization and respiration locking in the rodent nose somatosensory cortex. *Journal of Neurophysiology*. doi: 10.1152/jn.00138.2020. <https://doi.org/10.1152/jn.00138.2020>

Marquié, M., Agüero, C., Amaral, A. C., Villarejo-Galende, A., Ramanan, P., Chong, M. S. T., . . . Gómez-Isla, T. (2019). [18F]-AV-1451 binding profile in chronic traumatic encephalopathy: a postmortem case series. [journal article]. *Acta Neuropathologica Communications*, 7(1), 164. doi: 10.1186/s40478-019-0808-1. <https://doi.org/10.1186/s40478-019-0808-1>

Matovic, S., Ichiyama, A., Igarashi, H., Salter, E. W., Sunstrum, J. K., Wang, X. F., . . . Inoue, W. (2020). Neuronal hypertrophy dampens neuronal intrinsic excitability and stress responsiveness during chronic stress. *The Journal of Physiology*, n/a(n/a). doi: 10.1113/jp279666. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP279666>

McClendon, E., Wang, K., Degener, O., Brien, K., Hagen, M. W., Gong, X., . . . Back, S. A. (2019). Transient Hypoxemia Disrupts Anatomical and Functional Maturation of Preterm Fetal Ovine CA1 Pyramidal Neurons. *The Journal of Neuroscience*, 1364-1319. doi: 10.1523/jneurosci.1364-19.2019. <http://www.jneurosci.org/content/early/2019/08/27/JNEUROSCI.1364-19.2019...>

McLaurin, K. A., Li, H., Booze, R. M., Fairchild, A. J., & Mactutus, C. F. (2018). Unraveling Individual Differences In The HIV-1 Transgenic Rat: Therapeutic Efficacy Of Methylphenidate. *Scientific Reports*, 8(1), 136. doi: 10.1038/s41598-017-18300-2. <https://doi.org/10.1038/s41598-017-18300-2>

McLaurin, K. A., Li, H., Booze, R. M., & Mactutus, C. F. (2019). Disruption of Timing: NeuroHIV Progression in the Post-cART Era. *Scientific Reports*, 9(1), 827. doi: 10.1038/s41598-018-36822-1. <https://doi.org/10.1038/s41598-018-36822-1>

Meredith, M. A., Keniston, L. P., Prickett, E. H., Bajwa, M., Cojanu, A., Clemo, H. R., & Allman, B. L. (2020). What is a multisensory cortex? A laminar, connectional, and functional study of a ferret temporal cortical multisensory area. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.24859. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24859>

Michaelson, S. D., Ozkan, E. D., Aceti, M., Maity, S., Llamosas, N., Weldon, M., . . . Rumbaugh, G. (2018). SYNGAP1 heterozygosity disrupts sensory processing by reducing touch-related activity within somatosensory cortex circuits. *Nature Neuroscience*, 21(12), 1-13. doi: 10.1038/s41593-018-0268-0. <https://doi.org/10.1038/s41593-018-0268-0>

Motley, S. E., Grossman, Y., Janssen, W. G. M., Baxter, M. G., Rapp, P. R., Dumitriu, D., & Morrison, J. H. (2018). Selective loss of thin spines in area 7a of the primate intraparietal sulcus predicts age-related working memory impairment. [10.1523/JNEUROSCI.1234-18.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/10/24/JNEUROSCI.1234-18.2018..>

Nagahama, K., Fujino, S., Watanabe, T., Uesaka, N., & Kano, M. (2021). Combining electrophysiology and optogenetics for functional screening of pyramidal neurons in the mouse prefrontal cortex. *STAR Protocols*, 2(2), 100469. doi: <https://doi.org/10.1016/j.xpro.2021.100469>. <https://www.sciencedirect.com/science/article/pii/S2666166721001763>

Nakajima, K., Miranda, A., Craig, D. W., Shekhtman, T., Kmoch, S., Bleyer, A., . . . Kelsoe, J. R. (2020). Ntrk1 mutation co-segregating with bipolar disorder and inherited kidney disease in a multiplex family causes defects in neuronal growth and depression-like behavior in mice. *Translational Psychiatry*, 10(1), 407. doi: 10.1038/s41398-020-01087-8. <https://doi.org/10.1038/s41398-020-01087-8>

Nash, B., Festa, L., Lin, C., & Meucci, O. (2019). Opioid and chemokine regulation of cortical synaptodendritic damage in HIV-associated neurocognitive disorders. *Brain Research*, 1723, 146409. doi: <https://doi.org/10.1016/j.brainres.2019.146409>. <http://www.sciencedirect.com/science/article/pii/S0006899319304639>

Nasrallah, K., Therreau, L., Robert, V., Huang, A. J. Y., McHugh, T. J., Piskorowski, R. A., & Chevaleyre, V. (2019). Routing Hippocampal Information Flow through Parvalbumin Interneuron Plasticity in Area CA2. *Cell Reports*, 27(1), 86-98.e83. doi: <https://doi.org/10.1016/j.celrep.2019.03.014>. <http://www.sciencedirect.com/science/article/pii/S221124719303213>

Nedelescu, H. (2018). Brain architecture at varying scales. *Journal of Neuroscience Research*, 96(9), 1447-1449. doi: doi:10.1002/jnr.24272. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24272>

Nedelescu, H., Abdelhack, M., & Pritchard, A. T. (2018). Regional differences in Purkinje cell morphology in the cerebellar vermis of male mice. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.24206. <http://dx.doi.org/10.1002/jnr.24206>

Nestor, J., Arinuma, Y., Huerta, T. S., Kowal, C., Nasiri, E., Kello, N., . . . Diamond, B. (2018). Lupus antibodies induce behavioral changes mediated by microglia and blocked by ACE inhibitors. [10.1084/jem.20180776]. *The Journal of Experimental Medicine*. doi: <http://jem.rupress.org/content/early/2018/09/04/jem.20180776.abstract>

Noakes, Z., Keefe, F., Tamburini, C., Kelly, C. M., Cruz Santos, M., Dunnett, S. B., . . . Li, M. (2019). Human Pluripotent Stem Cell-Derived Striatal Interneurons: Differentiation and Maturation In Vitro and in the Rat Brain. *Stem Cell Reports*. doi: <https://doi.org/10.1016/j.stemcr.2018.12.014>. <http://www.sciencedirect.com/science/article/pii/S2213671118305332>

Osipovitch, M., Asenjo Martinez, A., Mariani, J. N., Cornwell, A., Dhaliwal, S., Zou, L., . . . Goldman, S. A. (2018). Human ESC-Derived Chimeric Mouse Models of Huntington's Disease Reveal Cell-Intrinsic Defects in Glial Progenitor Cell Differentiation. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2018.11.010>. <http://www.sciencedirect.com/science/article/pii/S1934590918305460>

Panja, D., Li, Y., Ward, M. E., & Li, Z. (2021). miR-936 is Increased in Schizophrenia and Inhibits Neural Development and AMPA Receptor-Mediated Synaptic Transmission. *Schizophrenia Bulletin*, (sbab046). doi: 10.1093/schbul/sbab046. <https://doi.org/10.1093/schbul/sbab046>

Paulina Urban, V. R. T., Michał Denkiewicz, Grzegorz Bokota, Nirmal Das, Subhadip Basu, and Dariusz Plewczynski. (2020). The Mixture of Autoregressive Hidden Markov Models of Morphology for Dendritic Spines During Activation Process. *Journal of Computational Biology*, 0(0), null. doi: 10.1089/cmb.2019.0383. <https://www.liebertpub.com/doi/abs/10.1089/cmb.2019.0383>

Pereira, L. d. S., Gobbo, D. R., Ferreira, J. G. P., Horta-Junior, J. d. A. d. C. e., Sá, S. I., & Bittencourt, J. C. (2020). Effects of ovariectomy on inputs from the medial preoptic area to the ventromedial nucleus of the hypothalamus of young adult rats. *Journal of Anatomy*, n/a(n/a). doi: 10.1111/joa.13304. <https://doi.org/10.1111/joa.13304>

Piard, J., Hu, J.-H., Campeau, P. M., Rzońca, S., Van Esch, H., Vincent, E., . . . Worley, P. F. (2017). FRMPD4 mutations cause X-linked intellectual disability and disrupt dendritic spine morphogenesis. *Human Molecular Genetics*, ddx426-ddx426. doi: 10.1093/hmg/ddx426. <http://dx.doi.org/10.1093/hmg/ddx426>

Poppe, L., Rué, L., Timmers, M., Lenaerts, A., Storm, A., Callaerts-Vegh, Z., . . . Lemmens, R. (2019). EphA4 loss improves social memory performance and alters dendritic spine morphology without changes in amyloid pathology in a mouse model of Alzheimer's disease. *Alzheimer's Research & Therapy*, 11(1), 102. doi: 10.1186/s13195-019-0554-4. <https://doi.org/10.1186/s13195-019-0554-4>

Putatunda, R., Zhang, Y., Li, F., Yang, X.-F., Barbe, M. F., & Hu, W. (2018). Adult neurogenic deficits in HIV-1 Tg26 transgenic mice. [journal article]. *Journal of Neuroinflammation*, 15(1), 287. doi: 10.1186/s12974-018-1322-2. <https://doi.org/10.1186/s12974-018-1322-2>

Quinlan, K. A., Reedich, E., Arnold, W. D., Puritz, A., Cavarsan, C. F., Heckman, C., & DiDonato, C. J. (2019). Hyperexcitability precedes motoneuron loss in the Smn2B^{-/-} mouse model of spinal muscular atrophy. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00652.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00652.2018>

Rios-Pilier, J., & Krimm, R. F. (2019). TrkB expression and dependence divides gustatory neurons into three subpopulations. [journal article]. *Neural Development*, 14(1), 3. doi: 10.1186/s13064-019-0127-z. <https://doi.org/10.1186/s13064-019-0127-z>

Rühling, S., Kramer, F., Schmutz, S., Amor, S., Jiangshan, Z., Schmitz, C., . . . Hochstrasser, T. (2018). Visualization of the Breakdown of the Axonal Transport Machinery: a Comparative Ultrastructural and Immunohistochemical Approach. *Journal article*. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1353-9. <https://doi.org/10.1007/s12035-018-1353-9>

Schmeichel, A. M., Gehrking, J. A., Minota, K., Low, P. A., Singer, W., & Mandrekar, J. N. (2019). Refined Quantitation of Sweat Gland Innervation. doi: 10.1093/jnen/nlz015. <https://doi.org/10.1093/jnen/nlz015>

Shahriar, S., Brian, M., Jared, C., Sommer, A., Sami, Z., Julio, G., . . . C., S. J. (2018). Morphometric analysis of astrocytes in brainstem respiratory regions. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24472. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24472>

Skelton, P. D., Poquerusse, J., Salinaro, J. R., Li, M., & Luikart, B. W. (2020). Activity-dependent dendritic elaboration requires Pten. *Neurobiology of Disease*, 134, 104703. doi: <https://doi.org/10.1016/j.nbd.2019.104703>. <http://www.sciencedirect.com/science/article/pii/S096999611930378X>

Stedehouder, J., Couey, J., Brizee, D., Hosseini, B., Slotman, J., Dirven, C., . . . Kushner, S. (2017). Fast-spiking Parvalbumin Interneurons are Frequently Myelinated in the Cerebral Cortex of Mice and Humans. *Cerebral Cortex*, 1-13. doi: <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx203/407981..>

Subramanian, J., Michel, K., Benoit, M., & Nedivi, E. (2019). CPG15/Neuritin Mimics Experience in Selecting Excitatory Synapses for Stabilization by Facilitating PSD95 Recruitment. *Cell Reports*, 28(6), 1584-1595.e1585. doi: <https://doi.org/10.1016/j.celrep.2019.07.012>. <http://www.sciencedirect.com/science/article/pii/S2211124719309027>

Tai, Y., Gallo, N. B., Wang, M., Yu, J.-R., & Van Aelst, L. (2019). Axo-axonic Innervation of Neocortical Pyramidal Neurons by GABAergic Chandelier Cells Requires AnkyrinG-Associated L1CAM. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.02.009>. <http://www.sciencedirect.com/science/article/pii/S0896627319301187>

Tong, D., Godale, C. M., Kadakia, F. K., Gu, Z., Danzer, C. S. K., Alghamdi, A., . . . Danzer, S. C. (2019). Immature murine hippocampal neurones do not develop long-term structural changes after a single isoflurane exposure. *British Journal of Anaesthesia*. doi: <https://doi.org/10.1016/j.bja.2019.08.019>. <http://www.sciencedirect.com/science/article/pii/S000709121930649X>

Ullah, F., Asgarov, R., Venigalla, M., Liang, H., Niedermayer, G., Münch, G., & Gyengesi, E. (2020). Effects of a solid lipid curcumin particle formulation on chronic activation of microglia and astroglia in the GFAP-IL6 mouse model. *Scientific Reports*, 10(1), 2365. doi: 10.1038/s41598-020-58838-2. <https://doi.org/10.1038/s41598-020-58838-2>

Viar, K., Njoku, D., Secor McVoy, J., & Oh, U. (2020). Sarm1 knockout protects against early but not late axonal degeneration in experimental allergic encephalomyelitis. *PLOS ONE*, 15(6), e0235110. doi: 10.1371/journal.pone.0235110. <https://doi.org/10.1371/journal.pone.0235110>

Walker, C. K., Greathouse, K. M., Boros, B. D., Poovey, E. H., Clearman, K. R., Ramdas, R., . . . Herskowitz, J. H. (2020). Dendritic Spine Remodeling and Synaptic Tau Levels in PS19 Tauopathy Mice. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.12.006>. <http://www.sciencedirect.com/science/article/pii/S0306452220307764>

Wang, L., Challis, C., Li, S., Fowlkes, C. C., Ravindra Kumar, S., Yuan, P.-Q., & Taché, Y. F. (2020). Multicolor sparse viral labeling and 3D digital tracing of enteric plexus in mouse proximal colon using a novel adeno-associated virus capsid. [<https://doi.org/10.1111/nmo.14014>]. *Neurogastroenterology & Motility*, n/a(n/a), e14014. doi: <https://doi.org/10.1111/nmo.14014>.
<https://doi.org/10.1111/nmo.14014>

Wang, L., Pang, K., Han, K., Adamski, C. J., Wang, W., He, L., . . . Zoghbi, H. Y. (2019). An autism-linked missense mutation in SHANK3 reveals the modularity of Shank3 function. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0324-x. <https://doi.org/10.1038/s41380-018-0324-x>

Whyland, K. L., Slusarczyk, A. S., & Bickford, M. E. (2019). GABAergic cell types in the superficial layers of the mouse superior colliculus. *Journal of Comparative Neurology*, 0(0). doi: 10.1002/cne.24754. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24754>

Wu, F., Han, B., Wu, S., Yang, L., Leng, S., Li, M., . . . Yao, H. (2019). Circular RNA TLK1 aggravates neuronal injury and neurological deficits after ischemic stroke via miR-335-3p/TIPARP. *The Journal of Neuroscience*, 0299-0219. doi: 10.1523/jneurosci.0299-19.2019. <http://www.jneurosci.org/content/early/2019/07/16/JNEUROSCI.0299-19.2019..>

Wu, P.-z., O'Malley, J. T., de Gruttola, V., & Liberman, M. C. (2021). Primary Neural Degeneration in Noise-Exposed Human Cochleas: Correlations with Outer Hair Cell Loss and Word-Discrimination Scores. *The Journal of Neuroscience*, JN-RM-3238-3220. doi: 10.1523/jneurosci.3238-20.2021. <http://www.jneurosci.org/content/early/2021/04/19/JNEUROSCI.3238-20.2021..>

Xiao, X., Djuricic, M., Hoogi, A., Sapp, R. W., Shatz, C. J., & Rubin, D. L. (2018). Automated dendritic spine detection using convolutional neural networks on maximum intensity projected microscopic volumes. *Journal of Neuroscience Methods*, 309, 25-34. doi: <https://doi.org/10.1016/j.jneumeth.2018.08.019>.
<http://www.sciencedirect.com/science/article/pii/S0165027018302553>

Yousuf, H., Nye, A. N., & James R Moyer, J. (2020). Heterogeneity of Neuronal Firing Type and Morphology in Retrosplenial Cortex of Male F344 Rats. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00577.2019. <https://journals.physiology.org/doi/abs/10.1152/jn.00577.2019>

Zandt, B.-J., Losnegård, A., Hodneland, E., Veruki, M. L., Lundervold, A., & Hartveit, E. (2017). Semi-automatic 3D morphological reconstruction of neurons with densely branching morphology: application to retinal All amacrine cells imaged with multi-photon excitation microscopy. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.01.008>.
<http://www.sciencedirect.com/science/article/pii/S0165027017300080>

Zhan, J., Fegg, F. N., Kaddatz, H., Rühling, S., Frenz, J., Denecke, B., . . . Kipp, M. (2021). Focal white matter lesions induce long-lasting axonal degeneration, neuroinflammation and behavioral deficits. *Neurobiology of Disease*, 155, 105371. doi: <https://doi.org/10.1016/j.nbd.2021.105371>.
<https://www.sciencedirect.com/science/article/pii/S0969996121001200>

Zhang, X., Schlögl, A., & Jonas, P. (2020). Selective Routing of Spatial Information Flow from Input to Output in Hippocampal Granule Cells. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2020.07.006>.
<http://www.sciencedirect.com/science/article/pii/S0896627320305237>

Zhang, Y., Du, L., Bai, Y., Han, B., He, C., Gong, L., . . . Yao, H. (2018). CircDYM ameliorates depressive-like behavior by targeting miR-9 to regulate microglial activation via HSP90 ubiquitination. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0285-0. <https://doi.org/10.1038/s41380-018-0285-0>

Zweifel, S., Buquet, J., Caruso, L., Rousseau, D., & Raineteau, O. (2018). "FlashMap" - A Semi-Automatic Tool for Rapid and Accurate Spatial Analysis of Marker Expression in the Subventricular Zone. *Scientific Reports*, 8(1), 16086. doi: 10.1038/s41598-018-33939-1. <https://doi.org/10.1038/s41598-018-33939-1>

Jacobsen, N. L., C. E. Norton, et al. (2022). "Myofibre injury induces capillary disruption and regeneration of disorganized microvascular networks." *The Journal of Physiology* 600(1): 41-60. doi: 10.1113/JP282292.

Jaffey, D. M., L. Chesney, et al. (2021). "Stomach serosal arteries distinguish gastric regions of the rat." *Journal of Anatomy* 239(4): 903-912. <https://doi.org/10.1111/joa.13480>

Yao, Y., A. Taub, et al. (2021). "The brain clock portal system: SCN-OVLT." *bioRxiv*: 2021.2001.2024.427962. 10.1101/2021.01.24.427962

Gama Sosa, M. A., R. De Gasperi, et al. (2019). "Low-level blast exposure disrupts gliovascular and neurovascular connections and induces a chronic vascular pathology in rat brain." *Acta Neuropathologica Communications* 7(1): 6. <https://doi.org/10.1186/s40478-018-0647-5>

Sullivan, A. E., S. J. Tappan, et al. (2021). "A Comprehensive, FAIR File Format for Neuroanatomical Structure Modeling." *Neuroinformatics*. <https://doi.org/10.1007/s12021-021-09530-x>

Gama Sosa, M. A., R. De Gasperi, et al. (2021). "Low-level blast exposure induces chronic vascular remodeling, perivascular astrocytic degeneration and vascular-associated neuroinflammation." *Acta Neuropathologica Communications* 9(1): 167. <https://doi.org/10.1186/s40478-021-01269-5>

Yao, Y., A. B. n. Taub, et al. (2021). "Identification of the suprachiasmatic nucleus venous portal system in the mammalian brain." *Nature Communications* 12(1): 5643. <https://doi.org/10.1038/s41467-021-25793-z>

Button, E. B., Boyce, G. K., Wilkinson, A., Stukas, S., Hayat, A., Fan, J., . . . Wellington, C. L. (2019). ApoA-I deficiency increases cortical amyloid deposition, cerebral amyloid angiopathy, cortical and hippocampal astrogliosis, and amyloid-associated astrocyte reactivity in APP/PS1 mice. *Alzheimer's Research & Therapy*, 11(1), 44. doi: 10.1186/s13195-019-0497-9. <https://doi.org/10.1186/s13195-019-0497-9>

Munarin, F., Kant, R. J., Rupert, C. E., Khoo, A., & Coulombe, K. L. K. (2020). Engineered human myocardium with local release of angiogenic proteins improves vascularization and cardiac function in injured rat hearts. *Biomaterials*, 120033. doi: <https://doi.org/10.1016/j.biomaterials.2020.120033>. <http://www.sciencedirect.com/science/article/pii/S0142961220302799>

Rountree, I., Polucha, C., Coulombe, K. L. K., & Munarin, F. (2021). Assessing the angiogenic efficacy of pleiotrophin released from injectable heparin-alginate gels. *Tissue Engineering Part A*. doi: 10.1089/ten.TEA.2020.0335. <https://doi.org/10.1089/ten.TEA.2020.0335>

Pettit, N. L., X. C. Yuan, et al. (2022). "Hippocampal place codes are gated by behavioral engagement." *Nature Neuroscience*. <https://doi.org/10.1038/s41593-022-01050-4>

Hattori, R. and T. Komiyama (2022). "Longitudinal two-photon calcium imaging with ultra-large cranial window for head-fixed mice." *STAR Protocols* 3(2): 101343. <https://doi.org/10.1016/j.xpro.2022.101343>

Georgiou, C., V. Kehayas, et al. (2022). "A subpopulation of cortical VIP-expressing interneurons with highly dynamic spines." *Communications Biology* 5(1): 352. <https://doi.org/10.1038/s42003-022-03278-z>

Summers, M. T. and M. B. Feller (2022). "Distinct inhibitory pathways control velocity and directional tuning in the mouse retina." *Current Biology*. <https://doi.org/10.1016/j.cub.2022.03.054>

Suzuki, N., M. L. S. Tantirigama, et al. (2022). "Fast and slow feedforward inhibitory circuits for cortical odor processing." *eLife* 11: e73406. DOI: 10.7554/eLife.73406

Hösli, L., M. Zuend, et al. (2022). "Direct vascular contact is a hallmark of cerebral astrocytes." *Cell Reports* 39(1): 110599. <https://doi.org/10.1016/j.celrep.2022.110599>

Fearey, B. C., L. Binkle, et al. (2022). "A glibenclamide-sensitive TRPM4-mediated component of CA1 excitatory postsynaptic potentials appears in experimental autoimmune encephalomyelitis." *Scientific Reports* 12(1): 6000. <https://doi.org/10.1038/s41598-022-09875-6>

Ammer, G., R. M. Vieira, et al. (2022). "Anatomical distribution and functional roles of electrical synapses in *Drosophila*." *Current Biology*. <https://doi.org/10.1016/j.cub.2022.03.040>

Formozov, A., M. Chini, et al. (2022). "Calcium Imaging and Electrophysiology of hippocampal Activity under Anesthesia and natural Sleep in Mice." *Scientific Data* 9(1): 113. <https://doi.org/10.1038/s41597-022-01244-2>

Horgan, C. C., M. Jensen, et al. (2022). "Hybrid confocal Raman endomicroscopy for morpho-chemical tissue characterization." *Biomedical Optics Express* 13(4): 2278-2285. <https://doi.org/10.1364/BOE.449110>

Zong, W., H. A. Obenaus, et al. "Large-scale two-photon calcium imaging in freely moving mice." *Cell*. <https://doi.org/10.1016/j.cell.2022.02.017>

Chen, K., Q. Hu, et al. (2022). "Inhibition of unfolded protein response prevents post-anesthesia neuronal hyperactivity and synapse loss in aged mice." *Aging Cell* n/a(n/a): e13592. 10.1111/ace1.13592

Livezey, J. A., P. S. Sachdeva, et al. (2022). "Not optimal, just noisy: the geometry of correlated variability leads to highly suboptimal sensory coding." *bioRxiv*: 2022.2003.2008.483488. <https://doi.org/10.1101/2022.03.08.483488>

Park, A., V. Croset, et al. (2022). "Gliotransmission of D-serine promotes thirst-directed behaviors in *Drosophila*." *bioRxiv*: 2022.2003.2007.483255. <https://doi.org/10.1101/2022.03.07.483255>

Weiler, S., D. Guggiana Nilo, et al. (2022). "Orientation and direction tuning align with dendritic morphology and spatial connectivity in mouse visual cortex." *Current Biology*. <https://doi.org/10.1016/j.cub.2022.02.048>

Hösli, L., N. Binini, et al. (2022). "Decoupling astrocytes in adult mice impairs synaptic plasticity and spatial learning." *Cell Reports* 38(10): 110484. <https://doi.org/10.1016/j.celrep.2022.110484>

Yildirim, M., C. Delepine, et al. (2022). "Label-free three-photon imaging of intact human cerebral organoids: tracking early events in brain development and deficits in Rett Syndrome." *bioRxiv*: 2022.2002.2028.482282. <https://doi.org/10.1101/2022.02.28.482282>

- Gellner, A.-K., A. Sitter, et al. (2022). "Stress vulnerability shapes disruption of motor cortical neuroplasticity." *Translational Psychiatry* 12(1): 91. <https://doi.org/10.1038/s41398-022-01855-8>
- Handley, E. E., L. A. Reale, et al. (2022). "Estrogen Enhances Dendrite Spine Function and Recovers Deficits in Neuroplasticity in the prpTDP-43A315T Mouse Model of Amyotrophic Lateral Sclerosis." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-02742-5>
- Heintz, T. G., A. J. Hinojosa, et al. (2022). "Opposite forms of adaptation in mouse visual cortex are controlled by distinct inhibitory microcircuits." *Nature Communications* 13(1): 1031. 10.1038/s41467-022-28635-8
- Turner, N. L., T. Macrina, et al. (2022). "Reconstruction of neocortex: Organelles, compartments, cells, circuits, and activity." *Cell*. <https://doi.org/10.1016/j.cell.2022.01.023>
- Murphy-Baum, B. L. and G. B. Awatramani (2022). "Parallel processing in active dendrites during periods of intense spiking activity." *Cell Reports* 38(8): 110412. <https://doi.org/10.1016/j.celrep.2022.110412>
- Xie, Y., A. T. Kuan, et al. (2022). "Astrocyte-neuron crosstalk through Hedgehog signaling mediates cortical synapse development." *Cell Reports* 38(8): 110416. <https://doi.org/10.1016/j.celrep.2022.110416>
- Ahn, S. J., N. E. Ruiz-Urbe, et al. (2020). "Label-free assessment of hemodynamics in individual cortical brain vessels using third harmonic generation microscopy." *Biomedical Optics Express* 11(5): 2665-2678. 10.1364/boe.385848
- Arkhipov, A., N. W. Gouwens, et al. (2018). "Visual physiology of the layer 4 cortical circuit in silico." *PLOS Computational Biology* 14(11): e1006535. 10.1371/journal.pcbi.1006535
- Baker, C. A., C. McKellar, et al. (2021). "Neural Network Organization for Courtship Song Feature Detection in *Drosophila*." *bioRxiv: 2020.2010.2008.332148*. 10.1101/2020.10.08.332148
- Bakker, G.-J., S. Weischer, et al. (2022). "Intravital deep-tumor single-beam 3-photon, 4-photon, and harmonic microscopy." *eLife* 11: e63776. 10.7554/eLife.63776
- Bale, M. R., M. Bitzidou, et al. (2020). "Learning a tactile sequence induces selectivity to action decisions and outcomes in the mouse somatosensory cortex." *bioRxiv: 2020.2004.2017.037143*. 10.1101/2020.04.17.037143
- Barz, C. S., P. M. Garderes, et al. (2021). "Functional and Structural Properties of Highly Responsive Somatosensory Neurons in Mouse Barrel Cortex." *Cerebral Cortex* 31(10): 4533-4553. 10.1093/cercor/bhab104
- Bounds, H. A., M. Sadahiro, et al. (2021). "Multifunctional Cre-dependent transgenic mice for high-precision all-optical interrogation of neural circuits." *bioRxiv: 2021.2010.2005.463223*. 10.1101/2021.10.05.463223
- Deverett, B., S. A. Koay, et al. (2018). "A cerebellar role in evidence-guided decision-making." *bioRxiv: 343095*. 10.1101/343095
- Engelhard, B., J. Finkelstein, et al. (2018). "Specialized and spatially organized coding of sensory, motor, and cognitive variables in midbrain dopamine neurons." *bioRxiv: 456194*. 10.1101/456194

Gaffield, M. A. and J. M. Christie (2021). "The cerebellum encodes and influences the initiation and termination of discontinuous movements." *bioRxiv*: 2021.2006.2024.449622. 10.1101/2021.06.24.449622

Hong, S. Z., L. Mesik, et al. (2021). "Norepinephrine Potentiates and Serotonin Depresses Visual Cortical Responses by Transforming Eligibility Traces." *bioRxiv*: 2021.2006.2022.449441. 10.1101/2021.06.22.449441

Klapoetke, N. C., A. Nern, et al. (2017). "Ultra-selective looming detection from radial motion opponency." *Nature* 551(7679): 237-241. 10.1038/nature24626

Lyll, E. H., D. P. Mossing, et al. (2020). "Synthesis of higher order feature codes through stimulus-specific supra-linear summation." *bioRxiv*: 2020.2006.2024.169359. 10.1101/2020.06.24.169359

Nagai, J., A. Bellafard, et al. (2021). "Specific and behaviorally consequential astrocyte Gq GPCR signaling attenuation in vivo with i β ARK." *Neuron* 109(14): 2256-2274.e2259. <https://doi.org/10.1016/j.neuron.2021.05.023>

Orlova, N., F. Najafi, et al. (2021). "Multiplane Mesoscope reveals distinct cortical interactions following expectation violations." *bioRxiv*: 2020.2010.2006.328294. 10.1101/2020.10.06.328294

Pichler, P. and L. Lagnado (2018). "Hair cells with heterogeneous transfer characteristics encode mechanical stimuli in the lateral line of zebrafish." *bioRxiv*: 261669. 10.1101/261669

Rübel, O., A. Tritt, et al. (2021). "The Neurodata Without Borders ecosystem for neurophysiological data science." *bioRxiv*: 2021.2003.2013.435173. 10.1101/2021.03.13.435173

Sharma, A., A. Goring, et al. (2021). "Multiscale molecular profiling of pathological bone resolves sexually dimorphic control of extracellular matrix composition." *Disease Models & Mechanisms* 14(3). 10.1242/dmm.048116

Shin, J. (2021). "Perirhinal feedback input controls neocortical memory formation via layer 1."

Stein, I. S., T. C. Hill, et al. (2019). Two-Photon Glutamate Uncaging to Study Structural and Functional Plasticity of Dendritic Spines. *Multiphoton Microscopy*. E. Hartveit. New York, NY, Springer New York: 65-85. 10.1007/978-1-4939-9702-2_4

Takemura, S.-y., Y. Aso, et al. (2017). "A connectome of a learning and memory center in the adult *Drosophila* brain." *eLife* 6: e26975. 10.7554/eLife.26975

Vierock, J., S. Rodriguez-Rozada, et al. (2021). "BiPOLES is an optogenetic tool developed for bidirectional dual-color control of neurons." *Nature Communications* 12(1): 4527. 10.1038/s41467-021-24759-5

Westermann, L. M., L. Fleischhauer, et al. (2020). "Imbalanced cellular metabolism compromises cartilage homeostasis and joint function in a mouse model of mucopolidosis type III gamma." *Disease Models & Mechanisms* 13(11). 10.1242/dmm.046425

Zhou, P., J. Reimer, et al. (2020). "EASE: EM-Assisted Source Extraction from calcium imaging data." *bioRxiv*: 2020.2003.2025.007468. 10.1101/2020.03.25.007468

- Aggarwal, A., R. Liu, et al. (2022). "Glutamate indicators with improved activation kinetics and localization for imaging synaptic transmission." bioRxiv: 2022.2002.2013.480251. <https://doi.org/10.1101/2022.02.13.480251>
- Bakker, G.-J., S. Weischer, et al. (2022). "Intravital deep-tumor single-beam 3-photon, 4-photon, and harmonic microscopy." eLife 11: e63776. 10.7554/eLife.63776
- Barbara, R., M. N. Kantharaju, et al. (2022). "PyZebraScope: an open-source platform for brain-wide neural activity imaging in zebrafish." bioRxiv: 2022.2002.2013.480249. <https://doi.org/10.1101/2022.02.13.480249>
- Adoff, M. D., J. R. Climer, et al. (2021). "The functional organization of excitatory synaptic input to place cells." Nature Communications 12(1): 3558. 10.1038/s41467-021-23829-y
- Afrashteh, N., S. Inayat, et al. (2021). "Spatiotemporal structure of sensory-evoked and spontaneous activity revealed by mesoscale imaging in anesthetized and awake mice." Cell Reports 37(10): 110081. <https://doi.org/10.1016/j.celrep.2021.110081>
- Au - Jongbloets, B. C., L. Au - Ma, et al. (2019). "Visualizing Protein Kinase A Activity In Head-fixed Behaving Mice Using In Vivo Two-photon Fluorescence Lifetime Imaging Microscopy." JoVE(148): e59526. doi:10.3791/59526
- Au - Wang, Z., S. Au - McCracken, et al. (2021). "Transpupillary Two-photon In vivo Imaging of the Mouse Retina." JoVE(168): e61970. doi:10.3791/61970
- Brown, J., I. Antón Oldenburg, et al. (2020). "Spatial integration during active tactile sensation drives elementary shape perception." bioRxiv: 2020.2003.2016.994145. 10.1101/2020.03.16.994145
- Chen, C., S. Agrawal, et al. (2021). "Functional architecture of neural circuits for leg proprioception in *Drosophila*." Current Biology 31(23): 5163-5175.e5167. <https://doi.org/10.1016/j.cub.2021.09.035>
- Cheng, Z., Y. Han, et al. (2021). "Probing neuronal functions with precise and targeted laser ablation in the living cortex." Optica 8(12): 1559-1572. 10.1364/optica.433562
- Churgin, M. A., D. Lavrentovich, et al. (2021). "Neural correlates of individual odor preference in *Drosophila*." bioRxiv: 2021.2012.2024.474127. 10.1101/2021.12.24.474127
- Collins, L., L. Boddington, et al. (2021). "Vagus nerve stimulation induces widespread cortical and behavioral activation." Current Biology 31(10): 2088-2098.e2083. <https://doi.org/10.1016/j.cub.2021.02.049>
- Deverett, B., S. A. Koay, et al. (2018). "Cerebellar involvement in an evidence-accumulation decision-making task." eLife 7: e36781. 10.7554/eLife.36781
- Doron, G., N. Shin Jiyun, et al. (2020). "Perirhinal input to neocortical layer 1 controls learning." Science 370(6523): eaaz3136. 10.1126/science.aaz3136
- Dürst, C. D., J. S. Wiegert, et al. (2019). "High-speed imaging of glutamate release with genetically encoded sensors." Nature Protocols 14(5): 1401-1424. 10.1038/s41596-019-0143-9
- Engelhard, B., J. Finkelstein, et al. (2019). "Specialized coding of sensory, motor and cognitive variables in VTA dopamine neurons." Nature 570(7762): 509-513. 10.1038/s41586-019-1261-9

- Esmaeili, V., K. Tamura, et al. (2021). "Rapid suppression and sustained activation of distinct cortical regions for a delayed sensory-triggered motor response." *Neuron* 109(13): 2183-2201.e2189. <https://doi.org/10.1016/j.neuron.2021.05.005>
- Fleming, W., S. Jewell, et al. (2021). "Inferring spikes from calcium imaging in dopamine neurons." *PLOS ONE* 16(6): e0252345. 10.1371/journal.pone.0252345
- Fratzl, A., A. M. Koltchev, et al. (2021). "Flexible inhibitory control of visually evoked defensive behavior by the ventral lateral geniculate nucleus." *Neuron* 109(23): 3810-3822.e3819. <https://doi.org/10.1016/j.neuron.2021.09.003>
- Gray Shawn, R., L. Ye, et al. "Noradrenergic terminal short-term potentiation enables modality-selective integration of sensory input and vigilance state." *Science Advances* 7(51): eabk1378. 10.1126/sciadv.abk1378
- Kafashan, M., A. Jaffe, et al. (2020). "Scaling of information in large neural populations reveals signatures of information-limiting correlations." *bioRxiv*: 2020.2001.2010.902171. 10.1101/2020.01.10.902171
- Keller, A. J., M. Dipoppa, et al. (2020). "A Disinhibitory Circuit for Contextual Modulation in Primary Visual Cortex." *Neuron* 108(6): 1181-1193.e1188. <https://doi.org/10.1016/j.neuron.2020.11.013>
- Kline, A. M., D. A. Aponte, et al. (2021). "Inhibitory gating of coincidence-dependent sensory binding in secondary auditory cortex." *Nature Communications* 12(1): 4610. 10.1038/s41467-021-24758-6
- Lee, J. S., J. J. Briguglio, et al. (2020). "The Statistical Structure of the Hippocampal Code for Space as a Function of Time, Context, and Value." *Cell* 183(3): 620-635.e622. <https://doi.org/10.1016/j.cell.2020.09.024>
- Lu, J., A. H. Behbahani, et al. (2022). "Transforming representations of movement from body- to world-centric space." *Nature* 601(7891): 98-104. 10.1038/s41586-021-04191-x
- Lyll, E. H., D. P. Mossing, et al. (2021). "Synthesis of a comprehensive population code for contextual features in the awake sensory cortex." *eLife* 10: e62687. 10.7554/eLife.62687
- Massengill, C. I., L. Bayless-Edwards, et al. (2021). "Highly sensitive genetically-encoded sensors for population and subcellular imaging of cAMP *in vivo*." *bioRxiv*: 2021.2008.2027.457999. 10.1101/2021.08.27.457999
- Melander, J. B., A. Nayebi, et al. (2021). "Distinct *in vivo* dynamics of excitatory synapses onto cortical pyramidal neurons and parvalbumin-positive interneurons." *Cell Reports* 37(6): 109972. <https://doi.org/10.1016/j.celrep.2021.109972>
- Men, Y., L. Ye, et al. (2020). "Astroglial FMRP deficiency cell-autonomously up-regulates miR-128 and disrupts developmental astroglial mGluR5 signaling." *Proceedings of the National Academy of Sciences* 117(40): 25092. 10.1073/pnas.2014080117
- Mittal, A. M., D. Gupta, et al. (2020). "Multiple network properties overcome random connectivity to enable stereotypic sensory responses." *Nature Communications* 11(1): 1023. 10.1038/s41467-020-14836-6

Orsolich, I., M. Rio, et al. (2021). "Mesoscale cortical dynamics reflect the interaction of sensory evidence and temporal expectation during perceptual decision-making." *Neuron* 109(11): 1861-1875.e1810. <https://doi.org/10.1016/j.neuron.2021.03.031>

Pacheco, D. A., S. Y. Thiberge, et al. (2021). "Auditory activity is diverse and widespread throughout the central brain of *Drosophila*." *Nature Neuroscience* 24(1): 93-104. 10.1038/s41593-020-00743-y

Perez-Alvarez, A., B. C. Fearey, et al. (2020). "Freeze-frame imaging of synaptic activity using SynTagMA." *Nature Communications* 11(1): 2464. 10.1038/s41467-020-16315-4

Pisano, F., M. Pisanello, et al. (2018). "Multipoint and large volume fiber photometry with a single tapered optical fiber implant." *bioRxiv*: 455766. 10.1101/455766

Porges, E., D. Jenner, et al. (2021). "Antibiotic-Loaded Polymersomes for Clearance of Intracellular *Burkholderia thailandensis*." *ACS Nano* 15(12): 19284-19297. 10.1021/acsnano.1c05309

Puścian, A., H. Benisty, et al. (2020). "NMDAR-Dependent Emergence of Behavioral Representation in Primary Visual Cortex." *Cell Reports* 32(4): 107970. <https://doi.org/10.1016/j.celrep.2020.107970>

Scholl, B., D. E. Wilson, et al. (2019). "Functional Logic of Layer 2/3 Inhibitory Connectivity in the Ferret Visual Cortex." *Neuron* 104(3): 451-457.e453. <https://doi.org/10.1016/j.neuron.2019.08.004>

Schulze, L., J. Henninger, et al. (2018). "Transparent *Danio rerio* as a genetically tractable vertebrate brain model." *Nature Methods* 15(11): 977-983. 10.1038/s41592-018-0144-6

Schumacher, J. W., M. McCann, et al. (2021). "Selective enhancement of neural coding in V1 underlies fine discrimination learning in tree shrew." *bioRxiv*: 2021.2001.2010.426145. 10.1101/2021.01.10.426145

Sedigh-Sarvestani, M., K.-S. Lee, et al. (2021). "A sinusoidal transform of the visual field in cortical area V2." *bioRxiv*: 2020.2012.2008.416651. 10.1101/2020.12.08.416651

Severson, K. S., D. Xu, et al. (2017). "Active Touch and Self-Motion Encoding by Merkel Cell-Associated Afferents." *Neuron* 94(3): 666-676.e669. <https://doi.org/10.1016/j.neuron.2017.03.045>

Shakhi, P. K., M. M. Bijeesh, et al. (2021). "An in-house constructed dual channel confocal fluorescence microscope for biomolecular imaging." *OSA Continuum* 4(8): 2177-2192. 10.1364/osac.428601

Stringer, C., M. Michaelos, et al. (2021). "High-precision coding in visual cortex." *Cell* 184(10): 2767-2778.e2715. <https://doi.org/10.1016/j.cell.2021.03.042>

Sumser, A., M. Joesch, et al. (2021). "An extended toolkit for production and use of RVdG-CVS-N2c rabies viral vectors uncovers hidden hippocampal connections." *bioRxiv*: 2021.2012.2023.474014. 10.1101/2021.12.23.474014

Tang, L. and M. J. Higley (2020). "Layer 5 Circuits in V1 Differentially Control Visuomotor Behavior." *Neuron* 105(2): 346-354.e345. <https://doi.org/10.1016/j.neuron.2019.10.014>

Turner, N. L., T. Macrina, et al. (2020). "Multiscale and multimodal reconstruction of cortical structure and function." *bioRxiv*: 2020.2010.2014.338681. 10.1101/2020.10.14.338681

Unger, E. K., J. P. Keller, et al. (2020). "Directed Evolution of a Selective and Sensitive Serotonin Sensor via Machine Learning." *Cell* 183(7): 1986-2002.e1926. <https://doi.org/10.1016/j.cell.2020.11.040>

Vavladeli, A., T. Daigle, et al. (2020). "Projection-specific Activity of Layer 2/3 Neurons Imaged in Mouse Primary Somatosensory Barrel Cortex During a Whisker Detection Task." *Function* 1(1): zqaa008. 10.1093/function/zqaa008

Yang, W., M. Chini, et al. (2021). "Anesthetics fragment hippocampal network activity, alter spine dynamics, and affect memory consolidation." *PLOS Biology* 19(4): e3001146. 10.1371/journal.pbio.3001146

Yildirim, M., M. Hu, et al. (2019). "Label-free characterization of visual cortical areas in awake mice via three-photon microscopy reveals correlations between functional maps and structural substrates." bioRxiv: 790436. 10.1101/790436

Zhang, J.-F., B. Liu, et al. (2021). "An ultrasensitive biosensor for high-resolution kinase activity imaging in awake mice." *Nature Chemical Biology* 17(1): 39-46. 10.1038/s41589-020-00660-y

Zhang, K., J. Hu, et al. (2021). "Deep compressed imaging via optimized pattern scanning." *Photonics Research* 9(3): B57-B70. 10.1364/prj.410556

Zhao, Z., J. L. Zung, et al. (2020). "Chemical signatures of human odour generate a unique neural code in the brain of *Aedes aegypti* mosquitoes." bioRxiv: 2020.2011.2001.363861. 10.1101/2020.11.01.363861

Adam, E. M., T. Johns, et al. (2021). "Dynamic control of visually-guided locomotion through cortico-subthalamic projections." bioRxiv: 2020.2002.2005.936443. 10.1101/2020.02.05.936443

Allen, C. H., D. Ahmed, et al. (2021). "Label-free two-photon imaging of mitochondrial activity in murine macrophages stimulated with bacterial and viral ligands." *Scientific Reports* 11(1): 14081. 10.1038/s41598-021-93043-9

Aponte, D. A., G. Handy, et al. (2021). "Recurrent network dynamics shape direction selectivity in primary auditory cortex." *Nature Communications* 12(1): 314. 10.1038/s41467-020-20590-6

Arttamangkul, S., E. J. Platt, et al. (2021). "Functional independence of endogenous μ - and δ -opioid receptors co-expressed in cholinergic interneurons." *eLife* 10: e69740. 10.7554/eLife.69740

Arttamangkul, S., A. Plazek, et al. (2019). "Visualizing endogenous opioid receptors in living neurons using ligand-directed chemistry." *eLife* 8: e49319. 10.7554/eLife.49319

Chen, D., M. Ren, et al. (2020). "Design of a multi-modality DMD-based two-photon microscope system." *Optics Express* 28(20): 30187-30198. 10.1364/oe.404652

Efimova, V. S., L. V. Isaeva, et al. (2019). "Analysis of In Vivo Activity of the Bovine Cholesterol Hydroxylase/Lyase System Proteins Expressed in *Escherichia coli*." *Molecular Biotechnology* 61(4): 261-273. 10.1007/s12033-019-00158-6

Egger, R., Y. Tupikov, et al. (2020). "Local Axonal Conduction Shapes the Spatiotemporal Properties of Neural Sequences." *Cell* 183(2): 537-548.e512. <https://doi.org/10.1016/j.cell.2020.09.019>

Haidey, J. N., G. Peringod, et al. (2021). "Astrocytes regulate ultra-slow arteriole oscillations via stretch-mediated TRPV4-COX-1 feedback." *Cell Reports* 36(5): 109405. <https://doi.org/10.1016/j.celrep.2021.109405>

Herdzik, K. P., K. N. Bourdakos, et al. (2020). "Multimodal spectral focusing CARS and SFG microscopy with a tailored coherent continuum from a microstructured fiber." *Applied Physics B* 126(5): 84. 10.1007/s00340-020-7406-6

Hige, T., Y. Aso, et al. (2015). "Heterosynaptic Plasticity Underlies Aversive Olfactory Learning in *Drosophila*." *Neuron* 88(5): 985-998. <https://doi.org/10.1016/j.neuron.2015.11.003>

James, B., P. Piekarz, et al. (2021). "Multivesicular Release Increases the Efficiency of Information Transmission at Sensory Synapses." *bioRxiv*: 2021.2011.2004.467256. 10.1101/2021.11.04.467256

Ji, X., S. Saha, et al. (2017). "The Sodium Channel β 4 Auxiliary Subunit Selectively Controls Long-Term Depression in Core Nucleus Accumbens Medium Spiny Neurons." *Frontiers in Cellular Neuroscience* 11. 10.3389/fncel.2017.00017

Kazemipour, A., O. Novak, et al. (2019). "Kilohertz frame-rate two-photon tomography." *Nature Methods* 16(8): 778-786. 10.1038/s41592-019-0493-9

Keller, A. J., M. M. Roth, et al. (2020). "Feedback generates a second receptive field in neurons of the visual cortex." *Nature* 582(7813): 545-549. 10.1038/s41586-020-2319-4

Kim, B., H. Le, et al. (2020). "High-speed combined reflectance confocal and moxifloxacin based two-photon microscopy." *Biomedical Optics Express* 11(3): 1555-1567. 10.1364/boe.385763

Kim, H., J. Homann, et al. (2019). "A Long Timescale Stimulus History Effect in the Primary Visual Cortex." *bioRxiv*: 585539. 10.1101/585539

Kim, S. S., A. M. Hermundstad, et al. (2019). "Generation of stable heading representations in diverse visual scenes." *Nature* 576(7785): 126-131. 10.1038/s41586-019-1767-1

Koekkoek, L. L., M. Slomp, et al. (2021). "Disruption of lateral hypothalamic calorie detection by a free choice high fat diet." *The FASEB Journal* 35(9): e21804. <https://doi.org/10.1096/fj.202100762R>

Latifi, S., S. Mitchell, et al. (2020). "Neuronal Network Topology Indicates Distinct Recovery Processes after Stroke." *Cerebral Cortex* 30(12): 6363-6375. 10.1093/cercor/bhaa191

Liu, R., N. Ball, et al. (2019). "Aberration-free multi-plane imaging of neural activity from the mammalian brain using a fast-switching liquid crystal spatial light modulator." *Biomedical Optics Express* 10(10): 5059-5080. 10.1364/boe.10.005059

Liu, Y., G. Foustoukos, et al. (2022). "Axonal and Dendritic Morphology of Excitatory Neurons in Layer 2/3 Mouse Barrel Cortex Imaged Through Whole-Brain Two-Photon Tomography and Registered to a Digital Brain Atlas." *Frontiers in neuroanatomy* 15: 791015-791015. 10.3389/fnana.2021.791015

Liu, Y., Y. Xin, et al. (2021). "A cortical circuit mechanism for structural knowledge-based flexible sensorimotor decision-making." *Neuron* 109(12): 2009-2024.e2006. <https://doi.org/10.1016/j.neuron.2021.04.014>

Mahn, M., I. Saraf-Sinik, et al. (2021). "Optogenetic silencing of neurotransmitter release with a naturally occurring invertebrate rhodopsin." *bioRxiv*: 2021.2002.2018.431673. 10.1101/2021.02.18.431673

Moura, C. C., K. N. Bourdakos, et al. (2019). "Live-imaging of Bioengineered Cartilage Tissue using Multimodal Non-linear Molecular Imaging." *Scientific Reports* 9(1): 5561. 10.1038/s41598-019-41466-w

- Oda, K., J. Vierock, et al. (2018). "Crystal structure of the red light-activated channelrhodopsin Chrimson." *Nature Communications* 9(1): 3949. 10.1038/s41467-018-06421-9
- Perez-Alvarez, A., F. Huhn, et al. (2021). "Freeze-Frame Imaging of Dendritic Calcium Signals With TubuTag." *Frontiers in Molecular Neuroscience* 14. 10.3389/fnmol.2021.635820
- Peron, S., R. Pancholi, et al. (2020). "Recurrent interactions in local cortical circuits." *Nature* 579(7798): 256-259. 10.1038/s41586-020-2062-x
- Radvansky, B. A., J. Y. Oh, et al. (2021). "Behavior determines the hippocampal spatial mapping of a multisensory environment." *Cell Reports* 36(5): 109444. <https://doi.org/10.1016/j.celrep.2021.109444>
- Rikhye, R. V., M. Yildirim, et al. (2021). "Reliable Sensory Processing in Mouse Visual Cortex through Cooperative Interactions between Somatostatin and Parvalbumin Interneurons." *The Journal of Neuroscience* 41(42): 8761. 10.1523/jneurosci.3176-20.2021
- Runyan, C. A., E. Piasini, et al. (2017). "Distinct timescales of population coding across cortex." *Nature* 548(7665): 92-96. 10.1038/nature23020
- Shuster, S. A., M. J. Wagner, et al. (2021). "The relationship between birth timing, circuit wiring, and physiological response properties of cerebellar granule cells." *Proceedings of the National Academy of Sciences* 118(23): e2101826118. 10.1073/pnas.2101826118
- Smith, G. B. and D. Fitzpatrick (2016). *Viral Injection and Cranial Window Implantation for In Vivo Two-Photon Imaging. High-Resolution Imaging of Cellular Proteins: Methods and Protocols*. S. D. Schwartzbach, O. Skalli and T. Schikorski. New York, NY, Springer New York: 171-185. 10.1007/978-1-4939-6352-2_10
- Sridharan, S., M. A. Gajowa, et al. (2022). "High-performance microbial opsins for spatially and temporally precise perturbations of large neuronal networks." *Neuron*. <https://doi.org/10.1016/j.neuron.2022.01.008>
- Streich, L., J. C. Boffi, et al. (2021). "High-resolution structural and functional deep brain imaging using adaptive optics three-photon microscopy." *Nature Methods* 18(10): 1253-1258. 10.1038/s41592-021-01257-6
- Takahashi, T., K. P. Herdizik, et al. (2021). "Selective Imaging of Microplastic and Organic Particles in Flow by Multimodal Coherent Anti-Stokes Raman Scattering and Two-Photon Excited Autofluorescence Analysis." *Analytical Chemistry* 93(12): 5234-5240. 10.1021/acs.analchem.0c05474
- Tang, A. D., W. Bennett, et al. (2021). "Subthreshold repetitive transcranial magnetic stimulation drives structural synaptic plasticity in the young and aged motor cortex." *Brain Stimulation* 14(6): 1498-1507. <https://doi.org/10.1016/j.brs.2021.10.001>
- Tyson, A. L., M. Vélez-Fort, et al. (2022). "Accurate determination of marker location within whole-brain microscopy images." *Scientific Reports* 12(1): 867. 10.1038/s41598-021-04676-9
- Valente, M., G. Pica, et al. (2021). "Correlations enhance the behavioral readout of neural population activity in association cortex." *Nature Neuroscience* 24(7): 975-986. 10.1038/s41593-021-00845-1

- Wang, F., K. Wang, et al. (2020). "Circuit and Behavioral Mechanisms of Sexual Rejection by *Drosophila* Females." *Current Biology* 30(19): 3749-3760.e3743. <https://doi.org/10.1016/j.cub.2020.07.083>
- Wang, K., F. Wang, et al. (2021). "Neural circuit mechanisms of sexual receptivity in *Drosophila* females." *Nature* 589(7843): 577-581. 10.1038/s41586-020-2972-7
- Xiong, W.-H., M. Qin, et al. (2021). "Myristoylation alone is sufficient for PKA catalytic subunits to associate with the plasma membrane to regulate neuronal functions." *Proceedings of the National Academy of Sciences* 118(15): e2021658118. 10.1073/pnas.2021658118
- Yatsenko, D., T. Nguyen, et al. (2021). "DataJoint Elements: Data Workflows for Neurophysiology." *bioRxiv*: 2021.2003.2030.437358. 10.1101/2021.03.30.437358
- Yildirim, M., H. Sugihara, et al. (2019). "Functional imaging of visual cortical layers and subplate in awake mice with optimized three-photon microscopy." *Nature Communications* 10(1): 177. 10.1038/s41467-018-08179-6
- Yuhao, Y., S. Niraj, et al. (2020). Monitoring uptake of palmitic acid by glioma cells using stimulated Raman scattering microscopy. *Proc.SPIE*. 10.1117/12.2546260
- Zhang, D., E. Redington, et al. (2021). "Rational engineering of ratiometric calcium sensors with bright green and red fluorescent proteins." *Communications Biology* 4(1): 924. 10.1038/s42003-021-02452-z
- Zhou, A., S. A. Engelmann, et al. (2022). "Evaluation of resonant scanning as a high-speed imaging technique for two-photon imaging of cortical vasculature." *Biomedical Optics Express* 13(3): 1374-1385. 10.1364/boe.448473
- Zhu, Y. and F. Gabbiani (2018). Combined Two-Photon Calcium Imaging and Single-Ommatidium Visual Stimulation to Study Fine-Scale Retinotopy in Insects. *Extracellular Recording Approaches*. R. V. Sillitoe. New York, NY, Springer New York: 185-206. 10.1007/978-1-4939-7549-5_10
- Kim, S., M. L. Wallace, et al. (2022). "Co-packaging of opposing neurotransmitters in individual synaptic vesicles in the central nervous system." *Neuron*. <https://doi.org/10.1016/j.neuron.2022.01.007>
- Lei, Z., K. Henderson, et al. (2022). "A neural circuit linking learning and sleep in *Drosophila* long-term memory." *Nature Communications* 13(1): 609. <https://doi.org/10.1038/s41467-022-28256-1>
- Deschamps, J. and J. Ries (2020). "EMU: reconfigurable graphical user interfaces for Micro-Manager." *BMC Bioinformatics* 21(1): 456. 10.1186/s12859-020-03727-8
- Fast, A., A. Lal, et al. (2020). "FLAME: Macroscopic imaging with microscopic resolution. Optical biopsy of human skin." *bioRxiv*: 2020.2001.2031.927590. 10.1101/2020.01.31.927590
- Gaffield, M. A., S. B. Amat, et al. (2015). "Chronic imaging of movement-related Purkinje cell calcium activity in awake behaving mice." *Journal of Neurophysiology* 115(1): 413-422. 10.1152/jn.00834.2015
- Gaffield, M. A. and J. M. Christie (2017). "Movement Rate Is Encoded and Influenced by Widespread, Coherent Activity of Cerebellar Molecular Layer Interneurons." *The Journal of Neuroscience* 37(18): 4751. 10.1523/jneurosci.0534-17.2017

- Gill, J. V., G. M. Lerman, et al. (2020). "Precise Holographic Manipulation of Olfactory Circuits Reveals Coding Features Determining Perceptual Detection." *Neuron* 108(2): 382-393.e385. <https://doi.org/10.1016/j.neuron.2020.07.034>
- Giovannucci, A., A. Badura, et al. (2017). "Cerebellar granule cells acquire a widespread predictive feedback signal during motor learning." *Nature Neuroscience* 20(5): 727-734. 10.1038/nn.4531
- Graves, A. R., R. H. Roth, et al. (2021). "Visualizing synaptic plasticity in vivo by large-scale imaging of endogenous AMPA receptors." *eLife* 10: e66809. 10.7554/eLife.66809
- Griffiths, V. A., A. M. Valera, et al. (2020). "Real-time 3D movement correction for two-photon imaging in behaving animals." *Nature Methods* 17(7): 741-748. 10.1038/s41592-020-0851-7
- Henschke, J. U., E. Dylida, et al. (2020). "Reward Association Enhances Stimulus-Specific Representations in Primary Visual Cortex." *Current Biology* 30(10): 1866-1880.e1865. <https://doi.org/10.1016/j.cub.2020.03.018>
- Jayant, K., J. J. Hirtz, et al. (2017). "Targeted intracellular voltage recordings from dendritic spines using quantum-dot-coated nanopipettes." *Nature Nanotechnology* 12(4): 335-342. 10.1038/nnano.2016.268
- Ji, X., S. Saha, et al. (2017). "Dopamine Receptors Differentially Control Binge Alcohol Drinking-Mediated Synaptic Plasticity of the Core Nucleus Accumbens Direct and Indirect Pathways." *The Journal of Neuroscience* 37(22): 5463. 10.1523/jneurosci.3845-16.2017
- Kim Sung, S., H. Rouault, et al. (2017). "Ring attractor dynamics in the Drosophila central brain." *Science* 356(6340): 849-853. 10.1126/science.aal4835
- Klioutchnikov, A., D. J. Wallace, et al. (2020). "Three-photon head-mounted microscope for imaging deep cortical layers in freely moving rats." *Nature Methods* 17(5): 509-513. 10.1038/s41592-020-0817-9
- Li, B., C. Wu, et al. (2020). "An adaptive excitation source for high-speed multiphoton microscopy." *Nature Methods* 17(2): 163-166. 10.1038/s41592-019-0663-9
- Liu, H., Y. Du, et al. (2017). "Sealing of Immersion Deuterium Dioxide and Its Application to Signal Maintenance for Ex-Vivo and In-Vivo Multiphoton Microscopy Excited at the 1700-nm Window." *IEEE Photonics Journal* 9(5): 1-8. 10.1109/jphot.2017.2737012
- Liu, H., J. Wang, et al. (2018). "Ex and in vivo characterization of the wavelength-dependent 3-photon action cross-sections of red fluorescent proteins covering the 1700-nm window." *Journal of Biophotonics* 11(7): e201700351. <https://doi.org/10.1002/jbio.201700351>
- Liu, R., N. Ball, et al. (2018). "Multi-plane Imaging of Neural Activity From the Mammalian Brain Using a Fast-switching Liquid Crystal Spatial Light Modulator." *bioRxiv*: 506618. 10.1101/506618
- Liu, R., Z. Li, et al. (2019). "Direct wavefront sensing enables functional imaging of infragranular axons and spines." *Nature Methods* 16(7): 615-618. 10.1038/s41592-019-0434-7
- Ma, Z., H. Liu, et al. (2020). "Stability of motor cortex network states during learning-associated neural reorganizations." *Journal of Neurophysiology* 124(5): 1327-1342. 10.1152/jn.00061.2020
- Marvin, J. S., B. Scholl, et al. (2018). "Stability, affinity, and chromatic variants of the glutamate sensor iGluSnFR." *Nature Methods* 15(11): 936-939. 10.1038/s41592-018-0171-3

- Moran, A. K., T. P. Eiting, et al. (2021). "Dynamics of Glutamatergic Drive Underlie Diverse Responses of Olfactory Bulb Outputs In Vivo." *eNeuro* 8(2): ENEURO.0110-0121.2021. 10.1523/eneuro.0110-21.2021
- Pafundo, D. E., M. A. Nicholas, et al. (2016). "Top-Down-Mediated Facilitation in the Visual Cortex Is Gated by Subcortical Neuromodulation." *The Journal of Neuroscience* 36(10): 2904. 10.1523/jneurosci.2909-15.2016
- Pisanello, M., F. Pisano, et al. (2019). "The Three-Dimensional Signal Collection Field for Fiber Photometry in Brain Tissue." *Frontiers in Neuroscience* 13. 10.3389/fnins.2019.00082
- Pologruto, T. A., B. L. Sabatini, et al. (2003). "ScanImage: Flexible software for operating laser scanning microscopes." *BioMedical Engineering OnLine* 2(1): 13. 10.1186/1475-925x-2-13
- Pottackal, J., J. H. Singer, et al. (2021). "Computational and Molecular Properties of Starburst Amacrine Cell Synapses Differ With Postsynaptic Cell Type." *Frontiers in Cellular Neuroscience* 15. 10.3389/fncel.2021.660773
- Reimer, J., M. J. McGinley, et al. (2016). "Pupil fluctuations track rapid changes in adrenergic and cholinergic activity in cortex." *Nature Communications* 7(1): 13289. 10.1038/ncomms13289
- Song, A., A. S. Charles, et al. (2017). "Volumetric two-photon imaging of neurons using stereoscopy (vTwINS)." *Nature Methods* 14(4): 420-426. 10.1038/nmeth.4226
- Takasaki, K. T., D. Tsybouski, et al. (2019). "Dual-plane 3-photon microscopy with remote focusing." *Biomedical Optics Express* 10(11): 5585-5599. 10.1364/boe.10.005585
- Thomas, C. I., M. A. Ryan, et al. (2021). "Targeting Functionally Characterized Synaptic Architecture Using Inherent Fiducials and 3D Correlative Microscopy." *Microscopy and Microanalysis* 27(1): 156-169. Doi: 10.1017/s1431927620024757
- Valle, A. F. and J. D. Seelig (2019). "Two-photon Bessel beam tomography for fast volume imaging." *Optics Express* 27(9): 12147-12162. 10.1364/oe.27.012147
- Wagner, M. J., J. Savall, et al. (2021). "A neural circuit state change underlying skilled movements." *Cell* 184(14): 3731-3747.e3721. <https://doi.org/10.1016/j.cell.2021.06.001>
- Wang, K., Y. Pan, et al. (2021). "Deep-skin multiphoton microscopy of lymphatic vessels excited at the 1700-nm window in vivo." *Biomedical Optics Express* 12(10): 6474-6484. 10.1364/boe.437482
- Wang, K., W. Wen, et al. (2017). "Order-of-magnitude multiphoton signal enhancement based on characterization of absorption spectra of immersion oils at the 1700-nm window." *Optics Express* 25(6): 5909-5916. 10.1364/oe.25.005909
- Yildirim, M., M. Hu, et al. (2020). "Quantitative third-harmonic generation imaging of mouse visual cortex areas reveals correlations between functional maps and structural substrates." *Biomedical Optics Express* 11(10): 5650-5673. 10.1364/boe.396962
- Yu, C.-H., J. N. Stirman, et al. (2021). "Diesel2p mesoscope with dual independent scan engines for flexible capture of dynamics in distributed neural circuitry." *Nature Communications* 12(1): 6639. 10.1038/s41467-021-26736-4

- Dhanya, S. K. and G. Hasan (2022). "Two photon imaging of calcium responses in murine Purkinje neurons." *STAR Protocols* 3(1): 101105. <https://doi.org/10.1016/j.xpro.2021.101105>
- Tyson, A. L., M. Vélez-Fort, et al. (2022). "Accurate determination of marker location within whole-brain microscopy images." *Scientific Reports* 12(1): 867. <https://doi.org/10.1038/s41598-021-04676-9>
- Hartveit, E., M. L. Veruki, et al. (2022). "Dendritic morphology of an inhibitory retinal interneuron enables simultaneous local and global synaptic integration." *The Journal of Neuroscience: JN-RM-*0695-0621. <https://doi.org/10.1523/JNEUROSCI.0695-21.2021>
- Sun, B., M. Wang, et al. (2022). "Intravital Imaging of the Murine Subventricular Zone with Three Photon Microscopy." *Cerebral Cortex: bhab400*. <https://doi.org/10.1093/cercor/bhab400>
- Pulin, M., K. E. Stockhausen, et al. (2022). "Orthogonally-polarized excitation for improved two-photon and second-harmonic-generation microscopy, applied to neurotransmitter imaging with GPCR-based sensors." *Biomedical Optics Express* 13(2): 777-790. <https://doi.org/10.1364/BOE.448760>
- Tiriac, A., K. Bistrong, et al. (2022). "The influence of spontaneous and visual activity on the development of direction selectivity maps in mouse retina." *Cell Reports* 38(2): 110225. <https://doi.org/10.1016/j.celrep.2021.110225>
- Ueda, H. H., Y. Nagasawa, et al. (2022). "Chronic neuronal excitation leads to dual metaplasticity in the signaling for structural long-term potentiation." *Cell Reports* 38(1): 110153. <https://doi.org/10.1016/j.celrep.2021.110153>
- Tsukahara, T., D. H. Brann, et al. (2021). "A transcriptional rheostat couples past activity to future sensory responses." *Cell*. <https://doi.org/10.1016/j.cell.2021.11.022>
- Heuke, S., I. Rimke, et al. (2021). "Shot-noise limited tunable dual-vibrational frequency stimulated Raman scattering microscopy." *Biomedical Optics Express* 12(12): 7780-7789. <https://doi.org/10.1364/BOE.446348>
- Zhuang, J., Y. Wang, et al. (2021). "Laminar distribution and arbor density of two functional classes of thalamic inputs to primary visual cortex." *Cell Reports* 37(2): 109826. <https://doi.org/10.1016/j.celrep.2021.109826>
- Fratzl, A., A. M. Koltchev, et al. (2021). "Flexible inhibitory control of visually evoked defensive behavior by the ventral lateral geniculate nucleus." *Neuron*. <https://doi.org/10.1016/j.neuron.2021.09.003>
- Abdolghader, P., A. Ridsdale, et al. (2021). "Unsupervised hyperspectral stimulated Raman microscopy image enhancement: denoising and segmentation via one-shot deep learning." *Optics Express* 29(21): 34205-34219. <https://doi.org/10.1364/OE.439662>
- Goltstein, P. M., S. Reinert, et al. (2021). "Mouse visual cortex areas represent perceptual and semantic features of learned visual categories." *Nature Neuroscience* 24(10): 1441-1451. <https://doi.org/10.1038/s41593-021-00914-5>
- Wang, K., Y. Pan, et al. (2021). "Deep-skin multiphoton microscopy of lymphatic vessels excited at the 1700-nm window in vivo." *Biomedical Optics Express* 12(10): 6474-6484. <https://doi.org/10.1364/BOE.437482>

Agrawal, S., Dickinson, E. S., Sustar, A., Gurung, P., Shepherd, D., Truman, J. W., & Tuthill, J. C. (2020). Central processing of leg proprioception in *Drosophila*. *eLife*, 9, e60299. doi: 10.7554/eLife.60299. <https://doi.org/10.7554/eLife.60299>

Allen, C. H., Ahmed, D., Raiche-Tanner, O., Chauhan, V., Mostaço-Guidolin, L., Cassol, E., & Murugkar, S. (2021). Label-free two-photon imaging of mitochondrial activity in murine macrophages stimulated with bacterial and viral ligands. *Scientific Reports*, 11(1), 14081. doi: 10.1038/s41598-021-93043-9. <https://doi.org/10.1038/s41598-021-93043-9>

Allen, C. H., Benjamin, H., Olivia, R.-T., & Sangeeta, M. (2021). Compact silicon photomultiplier detection of multimodal multiphoton microscopy signals. Paper presented at the Proc.SPIE.

Allen, C. H., Hansson, B., Raiche-Tanner, O., & Murugkar, S. (2020). Coherent anti-Stokes Raman scattering imaging using silicon photomultipliers. *Optics Letters*, 45(8), 2299-2302. doi: 10.1364/ol.390050. <http://ol.osa.org/abstract.cfm?URI=ol-45-8-2299>

Arttamangkul, S., Plazek, A., Platt, E. J., Jin, H., Murray, T. F., Birdsong, W. T., . . . Williams, J. T. (2019). Visualizing endogenous opioid receptors in living neurons using ligand-directed chemistry. *eLife*, 8, e49319. doi: 10.7554/eLife.49319. <https://doi.org/10.7554/eLife.49319>

Aso, Y., Ray, R. P., Long, X., Bushey, D., Cichewicz, K., Ngo, T.-T. B., . . . Rubin, G. M. (2019). Nitric oxide acts as a cotransmitter in a subset of dopaminergic neurons to diversify memory dynamics. *eLife*, 8, e49257. doi: 10.7554/eLife.49257. <https://doi.org/10.7554/eLife.49257>

Bale, M. R., Bitzidou, M., Giusto, E., Kinghorn, P., & Maravall, M. (2021). Sequence Learning Induces Selectivity to Multiple Task Parameters in Mouse Somatosensory Cortex. *Current Biology*, 31(3), 473-485.e475. doi: <https://doi.org/10.1016/j.cub.2020.10.059>. <https://www.sciencedirect.com/science/article/pii/S096098222031602X>

Benbenishty, A., Gadrich, M., Cottarelli, A., Lubart, A., Kain, D., Amer, M., . . . Blinder, P. (2019). Prophylactic TLR9 stimulation reduces brain metastasis through microglia activation. *PLoS Biology*, 17(3), e2006859. doi: 10.1371/journal.pbio.2006859. <https://doi.org/10.1371/journal.pbio.2006859>

Bjørnstad, D. M., Åbjørsbråten, K. S., Hennestad, E., Cunen, C., Hermansen, G. H., Bojarskaite, L., . . . Enger, R. (2021). Begonia—A Two-Photon Imaging Analysis Pipeline for Astrocytic Ca²⁺ Signals. [Original Research]. *Frontiers in cellular neuroscience*, 15(176). doi: 10.3389/fncel.2021.681066. <https://www.frontiersin.org/article/10.3389/fncel.2021.681066>

Blot, A., Roth, M. M., Gasler, I., Javadzadeh, M., Imhof, F., & Hofer, S. B. (2021). Visual intracortical and transthalamic pathways carry distinct information to cortical areas. *Neuron*, 109(12), 1996-2008.e1996. doi: <https://doi.org/10.1016/j.neuron.2021.04.017>. <https://www.sciencedirect.com/science/article/pii/S089662732100283X>

Chakraborty, T., Chen, B., Daetwyler, S., Chang, B.-J., Vanderpoorten, O., Sapoznik, E., . . . Fiolka, R. (2020). Converting lateral scanning into axial focusing to speed up three-dimensional microscopy. *Light: Science & Applications*, 9(1), 165. doi: 10.1038/s41377-020-00401-9. <https://doi.org/10.1038/s41377-020-00401-9>

Chang, J. T., Whitney, D., & Fitzpatrick, D. (2020). Experience-Dependent Reorganization Drives Development of a Binocularly Unified Cortical Representation of Orientation. *Neuron*, 107(2), 338-350.e335.

doi: <https://doi.org/10.1016/j.neuron.2020.04.022> <https://www.sciencedirect.com/science/article/pii/S0896627320303147>

Chen, B., Chakraborty, T., Daetwyler, S., Manton, J. D., Dean, K., & Fiolka, R. (2020). Extended depth of focus multiphoton microscopy via incoherent pulse splitting. *Biomedical Optics Express*, 11(7), 3830-3842. doi: 10.1364/boe.393931. <http://www.osapublishing.org/boe/abstract.cfm?URI=boe-11-7-3830>

Chen, D., Ren, M., Zhang, D., Chen, J., Gu, S., & Chen, S.-C. (2020). Design of a multi-modality DMD-based two-photon microscope system. *Optics Express*, 28(20), 30187-30198. doi: 10.1364/oe.404652. <http://www.opticsexpress.org/abstract.cfm?URI=oe-28-20-30187>

Chen, X., Cheng, H., Deng, X., Tong, S., Li, J., Qiu, P., & Wang, K. (2021). Self-phase-modulated femtosecond laser source at 1603 nm and its application to deep-brain 3-photon microscopy in vivo. [\[https://doi.org/10.1002/jbio.202000349\]](https://doi.org/10.1002/jbio.202000349). *Journal of Biophotonics*, 14(3), e202000349. doi: <https://doi.org/10.1002/jbio.202000349>. <https://doi.org/10.1002/jbio.202000349>

Cheng, H., Tong, S., Deng, X., Liu, H., Du, Y., He, C., . . . Wang, K. (2019). Deep-brain 2-photon fluorescence microscopy in vivo excited at the 1700 nm window. *Optics Letters*, 44(17), 4432-4435. doi: 10.1364/ol.44.004432. <http://ol.osa.org/abstract.cfm?URI=ol-44-17-4432>

Cheung, J., Maire, P., Kim, J., Sy, J., & Hires, S. A. (2019). The Sensorimotor Basis of Whisker-Guided Anteroposterior Object Localization in Head-Fixed Mice. *Current Biology*, 29(18), 3029-3040.e3024. doi: <https://doi.org/10.1016/j.cub.2019.07.068>. <https://www.sciencedirect.com/science/article/pii/S0960982219309480>

Choi, J., Goncharov, V., Kleinbart, J., Orsborn, A., & Pesaran, B. (2018, 18-21 July 2018). Monkey-MIMMS: Towards Automated Cellular Resolution Large-Scale Two-Photon Microscopy In The Awake Macaque Monkey. Paper presented at the 2018 40th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC).

Chong, E. Z., Panniello, M., Barreiros, I., Kohl, M. M., & Booth, M. J. (2019). Quasi-simultaneous multiplane calcium imaging of neuronal circuits. *Biomedical Optics Express*, 10(1), 267-282. doi: 10.1364/boe.10.000267. <http://www.osapublishing.org/boe/abstract.cfm?URI=boe-10-1-267>

Clemens, J., Ozeri-Engelhard, N., & Murthy, M. (2018). Fast intensity adaptation enhances the encoding of sound in *Drosophila*. *Nature Communications*, 9(1), 134. doi: 10.1038/s41467-017-02453-9. <https://doi.org/10.1038/s41467-017-02453-9>

Collot, M., Wilms, C. D., Bentkhayet, A., Marcaggi, P., Couchman, K., Charpak, S., . . . Mallet, J.-M. (2015). CaRuby-Nano: a novel high affinity calcium probe for dual color imaging. *eLife*, 4, e05808. doi: 10.7554/eLife.05808. <https://doi.org/10.7554/eLife.05808>

Costa Moura, C., Lanham, S. A., Monfort, T., Bourdakos, K. N., Tare, R. S., Oreffo, R. O. C., & Mahajan, S. (2018). Quantitative temporal interrogation in 3D of bioengineered human cartilage using multimodal label-free imaging. *Integrative Biology*, 10(10), 635-645. doi: 10.1039/c8ib00050f. <https://doi.org/10.1039/c8ib00050f>

Dag, U., Lei, Z., Le, J. Q., Wong, A., Bushey, D., & Keleman, K. (2019). Neuronal reactivation during post-learning sleep consolidates long-term memory in *Drosophila*. *eLife*, 8, e42786. doi: 10.7554/eLife.42786. <https://doi.org/10.7554/eLife.42786>

Dana, H., Sun, Y., Mohar, B., Hulse, B. K., Kerlin, A. M., Hasseman, J. P., . . . Kim, D. S. (2019). High-performance calcium sensors for imaging activity in neuronal populations and microcompartments. *Nature Methods*, 16(7), 649-657. doi: 10.1038/s41592-019-0435-6. <https://doi.org/10.1038/s41592-019-0435-6>

de Boer, W. D. A. M., Hirtz, J. J., Capretti, A., Gregorkiewicz, T., Izquierdo-Serra, M., Han, S., . . . Yuste, R. (2018). Neuronal photoactivation through second-harmonic near-infrared absorption by gold nanoparticles. *Light: Science & Applications*, 7(1), 100. doi: 10.1038/s41377-018-0103-0. <https://doi.org/10.1038/s41377-018-0103-0>

de Malmazet, D., Kühn, N. K., & Farrow, K. (2018). Retinotopic Separation of Nasal and Temporal Motion Selectivity in the Mouse Superior Colliculus. *Current Biology*, 28(18), 2961-2969.e2964. doi: <https://doi.org/10.1016/j.cub.2018.07.001>. <https://www.sciencedirect.com/science/article/pii/S096098221830900X>

Deverett, B., Koay, S. A., Oostland, M., & Wang, S. S. H. (2018). Cerebellar involvement in an evidence-accumulation decision-making task. *eLife*, 7, e36781. doi: 10.7554/eLife.36781. <https://doi.org/10.7554/eLife.36781>

Diana, G., Sainsbury, T. T. J., & Meyer, M. P. (2019). Bayesian inference of neuronal assemblies. *PLOS Computational Biology*, 15(10), e1007481. doi: 10.1371/journal.pcbi.1007481. <https://doi.org/10.1371/journal.pcbi.1007481>

Donzis, E. J., Estrada-Sánchez, A. M., Indersmitten, T., Oikonomou, K., Tran, C. H., Wang, C., . . . Levine, M. S. (2020). Cortical Network Dynamics Is Altered in Mouse Models of Huntington's Disease. *Cerebral Cortex*, 30(4), 2372-2388. doi: 10.1093/cercor/bhzz245. <https://doi.org/10.1093/cercor/bhzz245>

Driscoll, L. N., Pettit, N. L., Minderer, M., Chettih, S. N., & Harvey, C. D. (2017). Dynamic Reorganization of Neuronal Activity Patterns in Parietal Cortex. *Cell*, 170(5), 986-999.e916. doi: <https://doi.org/10.1016/j.cell.2017.07.021>. <https://www.sciencedirect.com/science/article/pii/S0092867417308280>

Dürst, C. D., Wiegert, J. S., Helassa, N., Kerruth, S., Coates, C., Schulze, C., . . . Oertner, T. G. (2019). High-speed imaging of glutamate release with genetically encoded sensors. *Nature Protocols*, 14(5), 1401-1424. doi: 10.1038/s41596-019-0143-9. <https://doi.org/10.1038/s41596-019-0143-9>

El-Boustani, S., Sermet, B. S., Foustoukos, G., Oram, T. B., Yizhar, O., & Petersen, C. C. H. (2020). Anatomically and functionally distinct thalamocortical inputs to primary and secondary mouse whisker somatosensory cortices. *Nature Communications*, 11(1), 3342. doi: 10.1038/s41467-020-17087-7. <https://doi.org/10.1038/s41467-020-17087-7>

Engelhard, B., Finkelstein, J., Cox, J., Fleming, W., Jang, H. J., Ornelas, S., . . . Witten, I. B. (2019). Specialized coding of sensory, motor and cognitive variables in VTA dopamine neurons. *Nature*, 570(7762), 509-513. doi: 10.1038/s41586-019-1261-9. <https://doi.org/10.1038/s41586-019-1261-9>

Esmaeili, V., Tamura, K., Muscinelli, S. P., Modirshanechi, A., Boscaglia, M., Lee, A. B., . . . Petersen, C. C. H. (2021). Rapid suppression and sustained activation of distinct cortical regions for a delayed sensory-triggered motor response. *Neuron*, 109(13), 2183-2201.e2189. doi: <https://doi.org/10.1016/j.neuron.2021.05.005>. <https://www.sciencedirect.com/science/article/pii/S0896627321003317>

Euler, T., Franke, K., & Baden, T. (2019). Studying a Light Sensor with Light: Multiphoton Imaging in the Retina. In E. Hartveit (Ed.), *Multiphoton Microscopy* (pp. 225-250). New York, NY: Springer New York.

Fast, A., Lal, A., Durkin, A. F., Lentsch, G., Harris, R. M., Zachary, C. B., . . . Balu, M. (2020). Fast, large area multiphoton exoscope (FLAME) for macroscopic imaging with microscopic resolution of human skin. *Scientific Reports*, 10(1), 18093. doi: 10.1038/s41598-020-75172-9. <https://doi.org/10.1038/s41598-020-75172-9>

Fast, A., Lal, A., Durkin, A. F., Zachary, C. B., Ganesan, A. K., & Balu, M. (2020). FLAME: Macroscopic imaging with microscopic resolution. *Optical biopsy of human skin*. bioRxiv, 2020.2001.2031.927590. doi: 10.1101/2020.01.31.927590. <http://biorxiv.org/content/early/2020/02/02/2020.01.31.927590.abstract>

Feese, B. D., Pafundo, D. E., Schmehl, M. N., & Kuhlman, S. J. (2017). Binocular deprivation induces both age-dependent and age-independent forms of plasticity in parvalbumin inhibitory neuron visual response properties. *Journal of Neurophysiology*, 119(2), 738-751. doi: 10.1152/jn.00386.2017. <https://doi.org/10.1152/jn.00386.2017>

Fleming, W., Jewell, S., Engelhard, B., Witten, D. M., & Witten, I. B. (2021). Inferring spikes from calcium imaging in dopamine neurons. *PLOS ONE*, 16(6), e0252345. doi: 10.1371/journal.pone.0252345. <https://doi.org/10.1371/journal.pone.0252345>

Gaffield, M. A., Amat, S. B., Bitto, H., & Christie, J. M. (2016). Chronic imaging of movement-related Purkinje cell calcium activity in awake behaving mice. *Journal of Neurophysiology*, 115(1), 413-422. doi: 10.1152/jn.00834.2015. <https://journals.physiology.org/doi/abs/10.1152/jn.00834.2015>

Gaffield, M. A., Bonnan, A., & Christie, J. M. (2019). Conversion of Graded Presynaptic Climbing Fiber Activity into Graded Postsynaptic Ca²⁺ Signals by Purkinje Cell Dendrites. *Neuron*, 102(4), 762-769.e764. doi: <https://doi.org/10.1016/j.neuron.2019.03.010>. <https://www.sciencedirect.com/science/article/pii/S089662731930217X>

Gaffield, M. A., & Christie, J. M. (2017). Movement Rate Is Encoded and Influenced by Widespread, Coherent Activity of Cerebellar Molecular Layer Interneurons. *The Journal of Neuroscience*, 37(18), 4751. doi: 10.1523/jneurosci.0534-17.2017. <http://www.jneurosci.org/content/37/18/4751.abstract>

Gaffield, M. A., Rowan, M. J. M., Amat, S. B., Hirai, H., & Christie, J. M. (2018). Inhibition gates supralinear Ca²⁺ signaling in Purkinje cell dendrites during practiced movements. *eLife*, 7, e36246. doi: 10.7554/eLife.36246. <https://doi.org/10.7554/eLife.36246>

Gala, R., Lebrecht, D., Sahlender, D. A., Jorstad, A., Knott, G., Holtmaat, A., & Stepanyants, A. (2017). Computer assisted detection of axonal bouton structural plasticity in in vivo time-lapse images. *eLife*, 6, e29315. doi: 10.7554/eLife.29315. <https://doi.org/10.7554/eLife.29315>

Gan, M., He, C., Liu, H., Zhuang, Z., Qiu, P., & Wang, K. (2019). Air-core fiber or photonic-crystal rod, which is more suitable for energetic femtosecond pulse generation and three-photon microscopy at the 1700-nm window? [<https://doi.org/10.1002/jbio.201900069>]. *Journal of Biophotonics*, 12(10), e201900069. doi: <https://doi.org/10.1002/jbio.201900069>, <https://doi.org/10.1002/jbio.201900069>

Gauthier, J. L., & Tank, D. W. (2018). A Dedicated Population for Reward Coding in the Hippocampus. *Neuron*, 99(1), 179-193.e177.

doi: <https://doi.org/10.1016/j.neuron.2018.06.008>. <https://www.sciencedirect.com/science/article/pii/S0896627318304768>

Godenzini, L., Alwis, D., Guzulaitis, R., Honnuraiah, S., Stuart, G. J., & Palmer, L. M. (2021). Auditory input enhances somatosensory encoding and tactile goal-directed behavior. *Nature Communications*, 12(1), 4509. doi: 10.1038/s41467-021-24754-w. <https://doi.org/10.1038/s41467-021-24754-w>

Groschner, L. N., Chan Wah Hak, L., Bogacz, R., DasGupta, S., & Miesenböck, G. (2018). Dendritic Integration of Sensory Evidence in Perceptual Decision-Making. *Cell*, 173(4), 894-905.e813. doi: <https://doi.org/10.1016/j.cell.2018.03.075>. <https://www.sciencedirect.com/science/article/pii/S0092867418304471>

Gu, Y., Lewallen, S., Kinkhabwala, A. A., Domnisoru, C., Yoon, K., Gauthier, J. L., . . . Tank, D. W. (2018). A Map-like Micro-Organization of Grid Cells in the Medial Entorhinal Cortex. *Cell*, 175(3), 736-750.e730. doi: <https://doi.org/10.1016/j.cell.2018.08.066>. <https://www.sciencedirect.com/science/article/pii/S009286741831167X>

Hall, C. E., McNamara, J. O., & Yasuda, R. (2019). Analysis of TrkB Receptor Activity Using FRET Sensors. In C. B. Duarte & E. Tongiorgi (Eds.), *Brain-Derived Neurotrophic Factor (BDNF)* (pp. 149-157). New York, NY: Springer New York.

Hamodi, A. S., Martinez Sabino, A., Fitzgerald, N. D., Moschou, D., & Crair, M. C. (2020). Transverse sinus injections drive robust whole-brain expression of transgenes. *eLife*, 9, e53639. doi: 10.7554/eLife.53639. <https://doi.org/10.7554/eLife.53639>

Hamodi, A. S., Sabino, A. M., Fitzgerald, N. D., & Crair, M. C. (2019). Transverse sinus injections: A novel method for whole-brain vector-driven gene delivery. *bioRxiv*, 579730. doi: 10.1101/579730. <http://biorxiv.org/content/early/2019/03/16/579730.abstract>

Har-Gil, H., Golgher, L., Israel, S., Kain, D., Cheshnovsky, O., Parnas, M., & Blinder, P. (2018). PySight: plug and play photon counting for fast continuous volumetric intravital microscopy. *Optica*, 5(9), 1104-1112. doi: 10.1364/optica.5.001104. <http://www.osapublishing.org/optica/abstract.cfm?URI=optica-5-9-1104>

Hattori, R., Danskin, B., Babic, Z., Mlynaryk, N., & Komiyama, T. (2019). Area-Specificity and Plasticity of History-Dependent Value Coding During Learning. *Cell*, 177(7), 1858-1872.e1815. doi: <https://doi.org/10.1016/j.cell.2019.04.027>. <https://www.sciencedirect.com/science/article/pii/S0092867419304465>

He, C., Deng, X., Pan, Y., Tong, S., Kang, J., Li, J., . . . Wang, K. (2020). 3-photon microscopy of myelin in mouse digital skin excited at the 1700-nm window. [<https://doi.org/10.1002/jbio.202000321>]. *Journal of Biophotonics*, 13(12), e202000321. doi: <https://doi.org/10.1002/jbio.202000321>. <https://doi.org/10.1002/jbio.202000321>

He, C., Gan, M., Deng, X., Liu, H., Qiu, P., & Wang, K. (2019). 3-photon fluorescence imaging of sulforhodamine B-labeled elastic fibers in the mouse skin in vivo. [<https://doi.org/10.1002/jbio.201900185>]. *Journal of Biophotonics*, 12(11), e201900185. doi: <https://doi.org/10.1002/jbio.201900185>. <https://doi.org/10.1002/jbio.201900185>

He, J., Du, Y., Zhuang, Z., Wen, W., Liu, H., Wang, K., & Qiu, P. (2018). Wavelength Separation Tunable 2-Color Soliton Generation and Its Application to 2-Color Fluorescence Multiphoton Microscopy. *Journal of Lightwave Technology*, 36(16), 3249-3253. doi: 10.1109/jlt.2018.2833280.

Henschke, J. U., Dylida, E., Katsanevaki, D., Dupuy, N., Currie, S. P., Amvrosiadis, T., . . . Rochefort, N. L. (2020). Reward Association Enhances Stimulus-Specific Representations in Primary Visual Cortex. *Current Biology*, 30(10), 1866-1880.e1865.
doi: <https://doi.org/10.1016/j.cub.2020.03.018> <https://www.sciencedirect.com/science/article/pii/S0960982220303560>

Henschke, J. U., Price, A. T., & Pakan, J. M. P. (2021). Enhanced modulation of cell-type specific neuronal responses in mouse dorsal auditory field during locomotion. *Cell Calcium*, 96, 102390.
doi: <https://doi.org/10.1016/j.ceca.2021.102390> <https://www.sciencedirect.com/science/article/pii/S0143416021000440>

Herdzik, K. P., Bourdakos, K. N., Johnson, P. B., Lister, A. P., Pitera, A. P., Guo, C.-y., . . . Mahajan, S. (2020). Multimodal spectral focusing CARS and SFG microscopy with a tailored coherent continuum from a microstructured fiber. *Applied Physics B*, 126(5), 84. doi: 10.1007/s00340-020-7406-6. <https://doi.org/10.1007/s00340-020-7406-6>

Hige, T., Aso, Y., Modi, Mehrab N., Rubin, Gerald M., & Turner, Glenn C. (2015). Heterosynaptic Plasticity Underlies Aversive Olfactory Learning in *Drosophila*. *Neuron*, 88(5), 985-998.
doi: <https://doi.org/10.1016/j.neuron.2015.11.003> <https://www.sciencedirect.com/science/article/pii/S0896627315009824>

Inoue, M., Takeuchi, A., Manita, S., Horigane, S.-i., Sakamoto, M., Kawakami, R., . . . Bito, H. (2019). Rational Engineering of XCaMPs, a Multicolor GECI Suite for In Vivo Imaging of Complex Brain Circuit Dynamics. *Cell*, 177(5), 1346-1360.e1324.
doi: <https://doi.org/10.1016/j.cell.2019.04.007> <https://www.sciencedirect.com/science/article/pii/S0092867419303939>

Jackman, S. L., Chen, C. H., Chettih, S. N., Neufeld, S. Q., Drew, I. R., Agba, C. K., . . . Regehr, W. G. (2018). Silk Fibroin Films Facilitate Single-Step Targeted Expression of Optogenetic Proteins. *Cell Reports*, 22(12), 3351-3361.
doi: <https://doi.org/10.1016/j.celrep.2018.02.081> <https://www.sciencedirect.com/science/article/pii/S221124718302912>

Jeanne, J. M., Fişek, M., & Wilson, R. I. (2018). The Organization of Projections from Olfactory Glomeruli onto Higher-Order Neurons. *Neuron*, 98(6), 1198-1213.e1196.
doi: <https://doi.org/10.1016/j.neuron.2018.05.011> <https://www.sciencedirect.com/science/article/pii/S0896627318303830>

Kafashan, M., Jaffe, A. W., Chettih, S. N., Nogueira, R., Arandia-Romero, I., Harvey, C. D., . . . Drugowitsch, J. (2021). Scaling of sensory information in large neural populations shows signatures of information-limiting correlations. *Nature Communications*, 12(1), 473. doi: 10.1038/s41467-020-20722-y. <https://doi.org/10.1038/s41467-020-20722-y>

Katlowitz, K. A., Picardo, M. A., & Long, M. A. (2018). Stable Sequential Activity Underlying the Maintenance of a Precisely Executed Skilled Behavior. *Neuron*, 98(6), 1133-1140.e1133.
doi: <https://doi.org/10.1016/j.neuron.2018.05.017> <https://www.sciencedirect.com/science/article/pii/S089662731830415X>

Kato, H. K., Asinof, S. K., & Isaacson, J. S. (2017). Network-Level Control of Frequency Tuning in Auditory Cortex. *Neuron*, 95(2), 412-423.e414.
doi: <https://doi.org/10.1016/j.neuron.2017.06.019> <https://www.sciencedirect.com/science/article/pii/S0896627317305172>

Kato, Hiroyuki K., Gillet, Shea N., & Isaacson, Jeffrey S. (2015). Flexible Sensory Representations in Auditory Cortex Driven by Behavioral Relevance. *Neuron*, 88(5), 1027-1039. doi: <https://doi.org/10.1016/j.neuron.2015.10.024>. <https://www.sciencedirect.com/science/article/pii/S0896627315009186>

Kerlin, A., Mohar, B., Flickinger, D., MacLennan, B. J., Dean, M. B., Davis, C., . . . Svoboda, K. (2019). Functional clustering of dendritic activity during decision-making. *eLife*, 8, e46966. doi: 10.7554/eLife.46966. <https://doi.org/10.7554/eLife.46966>

Kim, H., Homann, J., Tank, D. W., & Berry, M. J. (2019). A Long Timescale Stimulus History Effect in the Primary Visual Cortex. *bioRxiv*, 585539. doi: 10.1101/585539. <http://biorxiv.org/content/early/2019/03/21/585539.abstract>

Kim, M.-H., Znamenskiy, P., Iacaruso, M. F., & Mrsic-Flogel, T. D. (2018). Segregated Subnetworks of Intracortical Projection Neurons in Primary Visual Cortex. *Neuron*, 100(6), 1313-1321.e1316. doi: <https://doi.org/10.1016/j.neuron.2018.10.023>. <https://www.sciencedirect.com/science/article/pii/S0896627318309115>

Kinkhabwala, A. A., Gu, Y., Aronov, D., & Tank, D. W. (2020). Visual cue-related activity of cells in the medial entorhinal cortex during navigation in virtual reality. *eLife*, 9, e43140. doi: 10.7554/eLife.43140. <https://doi.org/10.7554/eLife.43140>

Klapoetke, N. C., Nern, A., Peek, M. Y., Rogers, E. M., Breads, P., Rubin, G. M., . . . Card, G. M. (2017). Ultra-selective looming detection from radial motion opponency. *Nature*, 551(7679), 237-241. doi: 10.1038/nature24626. <https://doi.org/10.1038/nature24626>

Knoblich, U., Huang, L., Zeng, H., & Li, L. (2019). Neuronal cell-subtype specificity of neural synchronization in mouse primary visual cortex. *Nature Communications*, 10(1), 2533. doi: 10.1038/s41467-019-10498-1. <https://doi.org/10.1038/s41467-019-10498-1>

Lee, K.-S., Huang, X., & Fitzpatrick, D. (2016). Topology of ON and OFF inputs in visual cortex enables an invariant columnar architecture. *Nature*, 533(7601), 90-94. doi: 10.1038/nature17941. <https://doi.org/10.1038/nature17941>

LeMessurier, A. M., Laboy-Juárez, K. J., McClain, K., Chen, S., Nguyen, T., & Feldman, D. E. (2019). Enrichment drives emergence of functional columns and improves sensory coding in the whisker map in L2/3 of mouse S1. *eLife*, 8, e46321. doi: 10.7554/eLife.46321. <https://doi.org/10.7554/eLife.46321>

Lerman, G. M., Little, J. P., Gill, J. V., Rinberg, D., & Shoham, S. (2019). Real-Time In Situ Holographic Optogenetics Confocally Unraveled Sculpting Microscopy. [<https://doi.org/10.1002/lpor.201900144>]. *Laser & Photonics Reviews*, 13(9), 1900144. doi: <https://doi.org/10.1002/lpor.201900144>. <https://doi.org/10.1002/lpor.201900144>

Light, S. E. W., & Jontes, J. D. (2019). Multiplane Calcium Imaging Reveals Disrupted Development of Network Topology in Zebrafish *pcdh19* Mutants. *eNeuro*, 6(3), ENEURO.0420-0418.2019. doi: 10.1523/eneuro.0420-18.2019. <https://pubmed.ncbi.nlm.nih.gov/31061071>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6525332/>

Lin, Q., Manley, J., Helmreich, M., Schlumm, F., Li, J. M., Robson, D. N., . . . Vaziri, A. (2020). Cerebellar Neurodynamics Predict Decision Timing and Outcome on the Single-Trial Level. *Cell*, 180(3), 536-

551.e517.

doi: <https://doi.org/10.1016/j.cell.2019.12.018>. <https://www.sciencedirect.com/science/article/pii/S0092867419313807>

Liu, H., Du, Y., Peng, X., Zhou, X., Qiu, P., & Wang, K. (2017). Sealing of Immersion Deuterium Dioxide and Its Application to Signal Maintenance for Ex-Vivo and In-Vivo Multiphoton Microscopy Excited at the 1700-nm Window. *IEEE Photonics Journal*, 9(5), 1-8. doi: 10.1109/jphot.2017.2737012.

Liu, H., Zhuang, Z., He, J., Tong, S., He, C., Deng, X., . . . Wang, K. (2019). High-energy polarized soliton synthesis and its application to deep-brain 3-photon microscopy in vivo. *Optics Express*, 27(11), 15309-15317. doi: 10.1364/oe.27.015309. <http://www.opticsexpress.org/abstract.cfm?URI=oe-27-11-15309>

Liu, R., Ball, N., Brockill, J., Kuan, L., Millman, D., White, C., . . . Saggau, P. (2018). Multi-plane Imaging of Neural Activity From the Mammalian Brain Using a Fast-switching Liquid Crystal Spatial Light Modulator. *bioRxiv*, 506618. doi: 10.1101/506618. <http://biorxiv.org/content/early/2018/12/30/506618.abstract>

Long, B., Li, L., Knoblich, U., Zeng, H., & Peng, H. (2015). 3D Image-Guided Automatic Pipette Positioning for Single Cell Experiments in vivo. *Scientific Reports*, 5(1), 18426. doi: 10.1038/srep18426. <https://doi.org/10.1038/srep18426>

Lur, G., Vinck, Martin A., Tang, L., Cardin, Jessica A., & Higley, Michael J. (2016). Projection-Specific Visual Feature Encoding by Layer 5 Cortical Subnetworks. *Cell Reports*, 14(11), 2538-2545. doi: <https://doi.org/10.1016/j.celrep.2016.02.050>. <https://www.sciencedirect.com/science/article/pii/S2211124716301711>

Ma, L., Jongbloets, B. C., Xiong, W.-H., Melander, J. B., Qin, M., Lameyer, T. J., . . . Zhong, H. (2018). A Highly Sensitive A-Kinase Activity Reporter for Imaging Neuromodulatory Events in Awake Mice. *Neuron*, 99(4), 665-679.e665. doi: <https://doi.org/10.1016/j.neuron.2018.07.020>. <https://www.sciencedirect.com/science/article/pii/S0896627318305944>

Makino, H., Ren, C., Liu, H., Kim, A. N., Kondapaneni, N., Liu, X., . . . Komiyama, T. (2017). Transformation of Cortex-wide Emergent Properties during Motor Learning. *Neuron*, 94(4), 880-890.e888. doi: <https://doi.org/10.1016/j.neuron.2017.04.015>. <https://www.sciencedirect.com/science/article/pii/S0896627317303410>

Maltese, M., March, J. R., Bashaw, A. G., & Tritsch, N. X. (2019). Dopamine modulates the size of striatal projection neuron ensembles. *bioRxiv*, 865006. doi: 10.1101/865006. <http://biorxiv.org/content/early/2019/12/05/865006.abstract>

Maltese, M., March, J. R., Bashaw, A. G., & Tritsch, N. X. (2021). Dopamine differentially modulates the size of projection neuron ensembles in the intact and dopamine-depleted striatum. *eLife*, 10, e68041. doi: 10.7554/eLife.68041. <https://doi.org/10.7554/eLife.68041>

Mamiya, A., Gurung, P., & Tuthill, J. C. (2018). Neural Coding of Leg Proprioception in *Drosophila*. *Neuron*, 100(3), 636-650.e636. doi: <https://doi.org/10.1016/j.neuron.2018.09.009>. <https://www.sciencedirect.com/science/article/pii/S0896627318307827>

Marques, T., Summers, M. T., Fioreze, G., Fridman, M., Dias, R. F., Feller, M. B., & Petreanu, L. (2018). A Role for Mouse Primary Visual Cortex in Motion Perception. *Current Biology*, 28(11), 1703-1713.e1706.

doi: <https://doi.org/10.1016/j.cub.2018.04.012>. <https://www.sciencedirect.com/science/article/pii/S0960982218304408>

Mateo, C., Knutsen, P. M., Tsai, P. S., Shih, A. Y., & Kleinfeld, D. (2017). Entrainment of Arteriole Vasomotor Fluctuations by Neural Activity Is a Basis of Blood-Oxygenation-Level-Dependent "Resting-State" Connectivity. *Neuron*, 96(4), 936-948.e933.

doi: <https://doi.org/10.1016/j.neuron.2017.10.012>. <https://www.sciencedirect.com/science/article/pii/S0896627317309807>

Mayrhofer, J. M., El-Boustani, S., Foustoukos, G., Auffret, M., Tamura, K., & Petersen, C. C. H. (2019). Distinct Contributions of Whisker Sensory Cortex and Tongue-Jaw Motor Cortex in a Goal-Directed Sensorimotor Transformation. *Neuron*, 103(6), 1034-1043.e1035.

doi: <https://doi.org/10.1016/j.neuron.2019.07.008>. <https://www.sciencedirect.com/science/article/pii/S0896627319306348>

Meier, M., & Borst, A. (2019). Extreme Compartmentalization in a Drosophila Amacrine Cell. *Current Biology*, 29(9), 1545-1550.e1542.

doi: <https://doi.org/10.1016/j.cub.2019.03.070>. <https://www.sciencedirect.com/science/article/pii/S0960982219303987>

Meshulam, L., Gauthier, J. L., Brody, C. D., Tank, D. W., & Bialek, W. (2017). Collective Behavior of Place and Non-place Neurons in the Hippocampal Network. *Neuron*, 96(5), 1178-1191.e1174.

doi: <https://doi.org/10.1016/j.neuron.2017.10.027>. <https://www.sciencedirect.com/science/article/pii/S0896627317309960>

Mikael, T. E., David, R., Nancy, H.-D., Marco, W., Christoph, H., Rainer, A. L., . . . Marco, A. (2020). Surgical microscope with integrated fluorescence lifetime imaging for 5-aminolevulinic acid fluorescence-guided neurosurgery. *Journal of Biomedical Optics*, 25(7), 1-7. doi:

10.1117/1.jbo.25.7.071202. <https://doi.org/10.1117/1.JBO.25.7.071202>

Minamisawa, G., Kwon, S. E., Chevée, M., Brown, S. P., & O'Connor, D. H. (2018). A Non-canonical Feedback Circuit for Rapid Interactions between Somatosensory Cortices. *Cell Reports*, 23(9), 2718-2731.e2716.

doi: <https://doi.org/10.1016/j.celrep.2018.04.115>. <https://www.sciencedirect.com/science/article/pii/S221124718307150>

Minderer, M., Brown, K. D., & Harvey, C. D. (2019). The Spatial Structure of Neural Encoding in Mouse Posterior Cortex during Navigation. *Neuron*, 102(1), 232-248.e211.

doi: <https://doi.org/10.1016/j.neuron.2019.01.029>. <https://www.sciencedirect.com/science/article/pii/S089662731930056X>

Mishra, A., Salari, A., Berigan, B. R., Miguel, K. C., Amirshenava, M., Robinson, A., . . . Zars, T. (2018). The Drosophila Gr28bD product is a non-specific cation channel that can be used as a novel thermogenetic tool. *Scientific Reports*, 8(1), 901. doi: 10.1038/s41598-017-19065-

4. <https://doi.org/10.1038/s41598-017-19065-4>

Mitani, A., Dong, M., & Komiyama, T. (2018). Brain-Computer Interface with Inhibitory Neurons Reveals Subtype-Specific Strategies. *Current Biology*, 28(1), 77-83.e74.

doi: <https://doi.org/10.1016/j.cub.2017.11.035>. <https://www.sciencedirect.com/science/article/pii/S0960982217315178>

- Mitani, A., & Komiyama, T. (2018). Real-Time Processing of Two-Photon Calcium Imaging Data Including Lateral Motion Artifact Correction. [Methods]. *Frontiers in Neuroinformatics*, 12(98). doi: 10.3389/fninf.2018.00098. <https://www.frontiersin.org/article/10.3389/fninf.2018.00098>
- Moore, A. K., Weible, A. P., Balmer, T. S., Trussell, L. O., & Wehr, M. (2018). Rapid Rebalancing of Excitation and Inhibition by Cortical Circuitry. *Neuron*, 97(6), 1341-1355.e1346. doi: <https://doi.org/10.1016/j.neuron.2018.01.045>, <https://www.sciencedirect.com/science/article/pii/S0896627318300709>
- Morcos, A. S., & Harvey, C. D. (2016). History-dependent variability in population dynamics during evidence accumulation in cortex. *Nature Neuroscience*, 19(12), 1672-1681. doi: 10.1038/nn.4403. <https://doi.org/10.1038/nn.4403>
- Moura, C. C., Bourdakos, K. N., Tare, R. S., Oreffo, R. O. C., & Mahajan, S. (2019). Live-imaging of Bioengineered Cartilage Tissue using Multimodal Non-linear Molecular Imaging. *Scientific Reports*, 9(1), 5561. doi: 10.1038/s41598-019-41466-w. <https://doi.org/10.1038/s41598-019-41466-w>
- Murphy-Royal, C., Johnston, A. D., Boyce, A. K. J., Diaz-Castro, B., Institoris, A., Peringod, G., . . . Gordon, G. R. (2020). Stress gates an astrocytic energy reservoir to impair synaptic plasticity. *Nature Communications*, 11(1), 2014. doi: 10.1038/s41467-020-15778-9. <https://doi.org/10.1038/s41467-020-15778-9>
- Oda, K., Vierock, J., Oishi, S., Rodriguez-Rozada, S., Taniguchi, R., Yamashita, K., . . . Nureki, O. (2018). Crystal structure of the red light-activated channelrhodopsin Chrimson. *Nature Communications*, 9(1), 3949. doi: 10.1038/s41467-018-06421-9. <https://doi.org/10.1038/s41467-018-06421-9>
- Oppermann, J., Fischer, P., Silapetere, A., Liepe, B., Rodriguez-Rozada, S., Flores-Urbe, J., . . . Wietek, J. (2019). MerMAIDs: a family of metagenomically discovered marine anion-conducting and intensely desensitizing channelrhodopsins. *Nature Communications*, 10(1), 3315. doi: 10.1038/s41467-019-11322-6. <https://doi.org/10.1038/s41467-019-11322-6>
- Orlova, N., Tsybouski, D., Najafi, F., Seid, S., Kivikas, S., Kato, I., . . . Saggau, P. (2020). Multiplane Mesoscope reveals distinct cortical interactions following expectation violations. *bioRxiv*, 2020.2010.2006.328294. doi: 10.1101/2020.10.06.328294. <http://biorxiv.org/content/early/2020/10/10/2020.10.06.328294.abstract>
- Parker, J. G., Marshall, J. D., Ahanonu, B., Wu, Y.-W., Kim, T. H., Grewe, B. F., . . . Schnitzer, M. J. (2018). Diametric neural ensemble dynamics in parkinsonian and dyskinetic states. *Nature*, 557(7704), 177-182. doi: 10.1038/s41586-018-0090-6. <https://doi.org/10.1038/s41586-018-0090-6>
- Pearre, B. W., Michas, C., Tsang, J.-M., Gardner, T. J., & Otchy, T. M. (2019). Fast micron-scale 3D printing with a resonant-scanning two-photon microscope. *Additive Manufacturing*, 30, 100887. doi: <https://doi.org/10.1016/j.addma.2019.100887>, <https://www.sciencedirect.com/science/article/pii/S2214860418303944>
- Peron, S., Pancholi, R., Voelcker, B., Wittenbach, J. D., Ólafsdóttir, H. F., Freeman, J., & Svoboda, K. (2020). Recurrent interactions in local cortical circuits. *Nature*, 579(7798), 256-259. doi: 10.1038/s41586-020-2062-x. <https://doi.org/10.1038/s41586-020-2062-x>
- Pichler, P., & Lagnado, L. (2019). The Transfer Characteristics of Hair Cells Encoding Mechanical Stimuli in the Lateral Line of Zebrafish. *The Journal of Neuroscience*, 39(1), 112. doi: 10.1523/jneurosci.1472-18.2018. <http://www.jneurosci.org/content/39/1/112.abstract>

Pisanello, M., Pisano, F., Hyun, M., Maglie, E., Balena, A., De Vittorio, M., . . . Pisanello, F. (2019). The Three-Dimensional Signal Collection Field for Fiber Photometry in Brain Tissue. [Original Research]. *Frontiers in Neuroscience*, 13(82). doi: 10.3389/fnins.2019.00082. <https://www.frontiersin.org/article/10.3389/fnins.2019.00082>

Pisano, F., Pisanello, M., Maglie, E., Balena, A., Sileo, L., Spagnolo, B., . . . Pisanello, F. (2018). Multipoint and large volume fiber photometry with a single tapered optical fiber implant. *bioRxiv*, 455766. doi: 10.1101/455766. <http://biorxiv.org/content/early/2018/10/29/455766.abstract>

Podgorski, K., & Ranganathan, G. (2016). Brain heating induced by near-infrared lasers during multiphoton microscopy. *Journal of Neurophysiology*, 116(3), 1012-1023. doi: 10.1152/jn.00275.2016. <https://doi.org/10.1152/jn.00275.2016>

Poleg-Polsky, A., Ding, H., & Diamond, J. S. (2018). Functional Compartmentalization within Starburst Amacrine Cell Dendrites in the Retina. *Cell Reports*, 22(11), 2898-2908. doi: <https://doi.org/10.1016/j.celrep.2018.02.064>. <https://www.sciencedirect.com/science/article/pii/S2211124718302584>

Pottackal, J., Singer, J. H., & Demb, J. B. (2020). Receptor Mechanisms for Fast Cholinergic Transmission in Direction-Selective Retinal Circuitry. *Frontiers in cellular neuroscience*, 14, 604163-604163. doi: 10.3389/fncel.2020.604163. <https://pubmed.ncbi.nlm.nih.gov/33324168>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7726240/>

Pujala, A., & Koyama, M. (2019). Chronology-based architecture of descending circuits that underlie the development of locomotor repertoire after birth. *eLife*, 8, e42135. doi: 10.7554/eLife.42135. <https://doi.org/10.7554/eLife.42135>

Ramachandra, V., Pawlak, V., Wallace, D. J., & Kerr, J. N. D. (2020). Impact of visual callosal pathway is dependent upon ipsilateral thalamus. *Nature Communications*, 11(1), 1889. doi: 10.1038/s41467-020-15672-4. <https://doi.org/10.1038/s41467-020-15672-4>

Reinhard, K., Li, C., Do, Q., Burke, E. G., Heynderickx, S., & Farrow, K. (2019). A projection specific logic to sampling visual inputs in mouse superior colliculus. *eLife*, 8, e50697. doi: 10.7554/eLife.50697. <https://doi.org/10.7554/eLife.50697>

Ruiz-Urbe, N. E., Ahn, S. J., & Schaffer, C. B. (2019, 2019/04/14). Label Free Imaging of Cortical Blood Vessels Using Third Harmonic Generation (THG) Microscopy. Paper presented at the Biophotonics Congress: Optics in the Life Sciences Congress 2019 (BODA,BRAIN,NTM,OMA,OMP), Tucson, Arizona.

Samonds, J. M., Feese, B. D., Lee, T. S., & Kuhlman, S. J. (2017). Nonuniform surround suppression of visual responses in mouse V1. *Journal of Neurophysiology*, 118(6), 3282-3292. doi: 10.1152/jn.00172.2017. <https://doi.org/10.1152/jn.00172.2017>

Schiavo, J. K., Valtcheva, S., Bair-Marshall, C., Song, S. C., Martin, K. A., & Froemke, R. C. (2020). Innate sensitivity and plastic mechanisms in auditory cortex for reliable maternal behavior. *bioRxiv*, 2020.2003.2011.987941. doi: 10.1101/2020.03.11.987941. <http://biorxiv.org/content/early/2020/03/12/2020.03.11.987941.abstract>

Schiavo, J. K., Valtcheva, S., Bair-Marshall, C. J., Song, S. C., Martin, K. A., & Froemke, R. C. (2020). Innate and plastic mechanisms for maternal behaviour in auditory cortex. *Nature*, 587(7834), 426-431. doi: 10.1038/s41586-020-2807-6. <https://pubmed.ncbi.nlm.nih.gov/33029014>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7677212/>

Scholl, B., Thomas, C. I., Ryan, M. A., Kamasawa, N., & Fitzpatrick, D. (2021). Cortical response selectivity derives from strength in numbers of synapses. *Nature*, 590(7844), 111-114. doi: 10.1038/s41586-020-03044-3. <https://doi.org/10.1038/s41586-020-03044-3>

Scholl, B., Wilson, D. E., & Fitzpatrick, D. (2017). Local Order within Global Disorder: Synaptic Architecture of Visual Space. *Neuron*, 96(5), 1127-1138.e1124. doi: <https://doi.org/10.1016/j.neuron.2017.10.017>. <https://www.sciencedirect.com/science/article/pii/S0896627317309856>

Scholl, B., Wilson, D. E., Jaepel, J., & Fitzpatrick, D. (2019). Functional Logic of Layer 2/3 Inhibitory Connectivity in the Ferret Visual Cortex. *Neuron*, 104(3), 451-457.e453. doi: <https://doi.org/10.1016/j.neuron.2019.08.004>. <https://www.sciencedirect.com/science/article/pii/S0896627319306889>

Scott, B. B., Constantinople, C. M., Akrami, A., Hanks, T. D., Brody, C. D., & Tank, D. W. (2017). Fronto-parietal Cortical Circuits Encode Accumulated Evidence with a Diversity of Timescales. *Neuron*, 95(2), 385-398.e385. doi: <https://doi.org/10.1016/j.neuron.2017.06.013>. <https://www.sciencedirect.com/science/article/pii/S0896627317305111>

Shen, J., Blute, T. A., Liberti, W. A., Yen, W., Liberti, D. C., Kotten, D. N., . . . Gardner, T. J. (2017). Songbird organotypic culture as an *in vitro* model for interrogating sparse sequencing networks. *bioRxiv*, 164228. doi: 10.1101/164228. <http://biorxiv.org/content/early/2017/07/17/164228.abstract>

Smith, G. B., & Fitzpatrick, D. (2016). Viral Injection and Cranial Window Implantation for In Vivo Two-Photon Imaging. In S. D. Schwartzbach, O. Skalli & T. Schikorski (Eds.), *High-Resolution Imaging of Cellular Proteins: Methods and Protocols* (pp. 171-185). New York, NY: Springer New York.

Srinivasan, R., Huang, B. S., Venugopal, S., Johnston, A. D., Chai, H., Zeng, H., . . . Khakh, B. S. (2015). Ca²⁺ signaling in astrocytes from *Ip3r2*^{-/-} mice in brain slices and during startle responses in vivo. *Nature Neuroscience*, 18(5), 708-717. doi: 10.1038/nn.4001. <https://doi.org/10.1038/nn.4001>

Stein, I. S., Hill, T. C., Oh, W. C., Parajuli, L. K., & Zito, K. (2019). Two-Photon Glutamate Uncaging to Study Structural and Functional Plasticity of Dendritic Spines. In E. Hartveit (Ed.), *Multiphoton Microscopy* (pp. 65-85). New York, NY: Springer New York.

Takahashi, N., Moberg, S., Zolnik, T. A., Catanese, J., Sachdev, R. N. S., Larkum, M. E., & Jaeger, D. (2021). Thalamic input to motor cortex facilitates goal-directed action initiation. *Current Biology*. doi: <https://doi.org/10.1016/j.cub.2021.06.089>. <https://www.sciencedirect.com/science/article/pii/S0960982221009180>

Takasaki, K., Abbasi-Asl, R., & Waters, J. (2020). Superficial Bound of the Depth Limit of Two-Photon Imaging in Mouse Brain. *eNeuro*, 7(1), ENEURO.0255-0219.2019. doi: 10.1523/eneuro.0255-19.2019. <https://pubmed.ncbi.nlm.nih.gov/31907211>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6984806/>

Tan, H. L., Roth, R. H., Graves, A. R., Cudmore, R. H., & Huganir, R. L. (2020). Lamina-specific AMPA receptor dynamics following visual deprivation in vivo. *eLife*, 9, e52420. doi: 10.7554/eLife.52420. <https://doi.org/10.7554/eLife.52420>

Tang, A. D., Bennett, W., Bindoff, A. D., Collins, J., Garry, M. I., Summers, J. J., . . . Canty, A. J. (2021). Low intensity repetitive transcranial magnetic stimulation drives structural synaptic plasticity in the young and aged motor cortex. *bioRxiv*, 2021.2003.2010.434706. doi: 10.1101/2021.03.10.434706. <http://biorxiv.org/content/early/2021/03/11/2021.03.10.434706.abstract>

Thomas, C. I., Ryan, M. A., Scholl, B., Guerrero-Given, D., Fitzpatrick, D., & Kamasawa, N. (2021). Targeting Functionally Characterized Synaptic Architecture Using Inherent Fiducials and 3D Correlative Microscopy. *Microscopy and Microanalysis*, 27(1), 156-169. doi: 10.1017/s1431927620024757. <https://www.cambridge.org/core/article/targeting-functionally-characteri..>

Tiriac, A., Smith, B. E., & Feller, M. B. (2018). Light Prior to Eye Opening Promotes Retinal Waves and Eye-Specific Segregation. *Neuron*, 100(5), 1059-1065.e1054. doi: <https://doi.org/10.1016/j.neuron.2018.10.011>. <https://www.sciencedirect.com/science/article/pii/S0896627318308997>

Tran, C. H. T., Peringod, G., & Gordon, G. R. (2018). Astrocytes Integrate Behavioral State and Vascular Signals during Functional Hyperemia. *Neuron*, 100(5), 1133-1148.e1133. doi: <https://doi.org/10.1016/j.neuron.2018.09.045>. <https://www.sciencedirect.com/science/article/pii/S089662731830847X>

Tran-Van-Minh, A., Rebola, N., Hoehne, A., & DiGregorio, D. A. (2019). Two-Photon Neurotransmitter Uncaging for the Study of Dendritic Integration. In E. Hartveit (Ed.), *Multiphoton Microscopy* (pp. 33-64). New York, NY: Springer New York.

Tsutsumi, S., Chadney, O., Yiu, T.-L., Bäumlner, E., Faraggiana, L., Beau, M., & Häusser, M. (2020). Purkinje Cell Activity Determines the Timing of Sensory-Evoked Motor Initiation. *Cell Reports*, 33(12), 108537. doi: <https://doi.org/10.1016/j.celrep.2020.108537>. <https://www.sciencedirect.com/science/article/pii/S221124720315266>

Tsutsumi, S., Hidaka, N., Isomura, Y., Matsuzaki, M., Sakimura, K., Kano, M., & Kitamura, K. (2019). Modular organization of cerebellar climbing fiber inputs during goal-directed behavior. *eLife*, 8, e47021. doi: 10.7554/eLife.47021. <https://doi.org/10.7554/eLife.47021>

Tyson, A. L., Rousseau, C. V., Niedworok, C. J., Keshavarzi, S., Tsitoura, C., Cossell, L., . . . Margrie, T. W. (2021). A deep learning algorithm for 3D cell detection in whole mouse brain image datasets. *PLOS Computational Biology*, 17(5), e1009074. doi: 10.1371/journal.pcbi.1009074. <https://doi.org/10.1371/journal.pcbi.1009074>

Vavladeli, A., Daigle, T., Zeng, H., Crochet, S., & Petersen, C. C. H. (2020). Projection-specific Activity of Layer 2/3 Neurons Imaged in Mouse Primary Somatosensory Barrel Cortex During a Whisker Detection Task. *Function*, 1(zqaa008). doi: 10.1093/function/zqaa008. <https://doi.org/10.1093/function/zqaa008>

Wagner, M. J., Kim, T. H., Kadmon, J., Nguyen, N. D., Ganguli, S., Schnitzer, M. J., & Luo, L. (2019). Shared Cortex-Cerebellum Dynamics in the Execution and Learning of a Motor Task. *Cell*, 177(3), 669-682.e624. doi: <https://doi.org/10.1016/j.cell.2019.02.019>. <https://www.sciencedirect.com/science/article/pii/S0092867419301680>

Wagner, M. J., Kim, T. H., Savall, J., Schnitzer, M. J., & Luo, L. (2017). Cerebellar granule cells encode the expectation of reward. *Nature*, 544(7648), 96-100. doi: 10.1038/nature21726. <https://doi.org/10.1038/nature21726>

Wang, C.-C., Moorhouse, S., Stain, C., Seymour, M., Green, E., Penfield, S., & Moger, J. (2018). In situ chemically specific mapping of agrochemical seed coatings using stimulated Raman scattering microscopy. <https://doi.org/10.1002/jbio.201800108>. *Journal of Biophotonics*, 11(11), e201800108. doi: <https://doi.org/10.1002/jbio.201800108>. <https://doi.org/10.1002/jbio.201800108>

Wang, K., Du, Y., Liu, H., Gan, M., Tong, S., Wen, W., . . . Qiu, P. (2019). Visualizing the "sandwich" structure of osteocytes in their native environment deep in bone in vivo. <https://doi.org/10.1002/jbio.201800360>. *Journal of Biophotonics*, 12(4), e201800360. doi: <https://doi.org/10.1002/jbio.201800360>. <https://doi.org/10.1002/jbio.201800360>

Wang, K., Pan, Y., Tong, S., Chen, X., Lu, Y., & Qiu, P. (2021). Deep-skin multiphoton microscopy in vivo excited at 1600 nm: A comparative investigation with silicone oil and deuterium dioxide immersion. <https://doi.org/10.1002/jbio.202100076>. *Journal of Biophotonics*, n/a(n/a), e202100076. doi: <https://doi.org/10.1002/jbio.202100076>. <https://doi.org/10.1002/jbio.202100076>

Wang, K., Wen, W., Liu, H., Du, Y., Zhuang, Z., & Qiu, P. (2018). Transmittance Characterization of Objective Lenses Covering all Four Near Infrared Optical Windows and its Application to Three-Photon Microscopy Excited at 1820 nm. *IEEE Photonics Journal*, 10(3), 1-7. doi: 10.1109/jphot.2018.2828435.

Wang, K., Wen, W., Wang, Y., Wang, K., He, J., Wang, J., . . . Qiu, P. (2017). Order-of-magnitude multiphoton signal enhancement based on characterization of absorption spectra of immersion oils at the 1700-nm window. *Optics Express*, 25(6), 5909-5916. doi: 10.1364/oe.25.005909. <http://www.opticsexpress.org/abstract.cfm?URI=oe-25-6-5909>

Wang, Y., Wang, K., Wen, W., & Qiu, P. (2016). Comparison of Signal Detection of GaAsP and GaAs PMTs for Multiphoton Microscopy at the 1700-nm window. *IEEE Photonics Journal*, 8(3), 1-6. doi: 10.1109/jphot.2016.2570005.

Weisenburger, S., Tejera, F., Demas, J., Chen, B., Manley, J., Sparks, F. T., . . . Vaziri, A. (2019). Volumetric Ca²⁺ Imaging in the Mouse Brain Using Hybrid Multiplexed Sculpted Light Microscopy. *Cell*, 177(4), 1050-1066.e1014. doi: <https://doi.org/10.1016/j.cell.2019.03.011>. <https://www.sciencedirect.com/science/article/pii/S0092867419302739>

Wilson, D. E., Scholl, B., & Fitzpatrick, D. (2018). Differential tuning of excitation and inhibition shapes direction selectivity in ferret visual cortex. *Nature*, 560(7716), 97-101. doi: 10.1038/s41586-018-0354-1. <https://doi.org/10.1038/s41586-018-0354-1>

Wilson, D. E., Smith, G. B., Jacob, A. L., Walker, T., Dimidschstein, J., Fishell, G., & Fitzpatrick, D. (2017). GABAergic Neurons in Ferret Visual Cortex Participate in Functionally Specific Networks. *Neuron*, 93(5), 1058-1065.e1054. doi: <https://doi.org/10.1016/j.neuron.2017.02.035>. <https://www.sciencedirect.com/science/article/pii/S0896627317301435>

Wilson, D. E., Whitney, D. E., Scholl, B., & Fitzpatrick, D. (2016). Orientation selectivity and the functional clustering of synaptic inputs in primary visual cortex. *Nature Neuroscience*, 19(8), 1003-1009. doi: 10.1038/nn.4323. <https://doi.org/10.1038/nn.4323>

Xin, Y., Zhong, L., Zhang, Y., Zhou, T., Pan, J., & Xu, N.-L. (2019). Sensory-to-Category Transformation via Dynamic Reorganization of Ensemble Structures in Mouse Auditory Cortex. *Neuron*, 103(5), 909-921.e906. doi: <https://doi.org/10.1016/j.neuron.2019.06.004>.
<https://www.sciencedirect.com/science/article/pii/S089662731930532X>

Yao, S., Yuan, P., Ouellette, B., Zhou, T., Mortrud, M., Balaram, P., . . . Cetin, A. (2020). RecV recombinase system for in vivo targeted optogenomic modifications of single cells or cell populations. *Nature Methods*, 17(4), 422-429. doi: [10.1038/s41592-020-0774-3](https://doi.org/10.1038/s41592-020-0774-3). <https://doi.org/10.1038/s41592-020-0774-3>

Yap, K., Drakew, A., Smilovic, D., Rietsche, M., Paul, M. H., Vuksic, M., . . . Deller, T. (2020). The actin-modulating protein synaptopodin mediates long-term survival of dendritic spines. *eLife*, 9, e62944. doi: [10.7554/eLife.62944](https://doi.org/10.7554/eLife.62944). <https://doi.org/10.7554/eLife.62944>

Ye, L., Orynbayev, M., Zhu, X., Lim, E. Y., Dereddi, R. R., Agarwal, A., . . . Paukert, M. (2020). Ethanol abolishes vigilance-dependent astroglia network activation in mice by inhibiting norepinephrine release. *Nature Communications*, 11(1), 6157. doi: [10.1038/s41467-020-19475-5](https://doi.org/10.1038/s41467-020-19475-5).
<https://doi.org/10.1038/s41467-020-19475-5>

Yu, C.-H., Stirman, J. N., Yu, Y., Hira, R., & Smith, S. L. (2020). Diesel2p mesoscope with dual independent scan engines for flexible capture of dynamics in distributed neural circuitry. *bioRxiv*, 2020.2009.2020.305508. doi: [10.1101/2020.09.20.305508](https://doi.org/10.1101/2020.09.20.305508).
<http://biorxiv.org/content/early/2020/09/20/2020.09.20.305508.abstract>

Yuhao, Y., Niraj, S., & Fake, L. (2020). Monitoring uptake of palmitic acid by glioma cells using stimulated Raman scattering microscopy. Paper presented at the Proc.SPIE.

Zeiger, W. A., Marosi, M., Saggi, S., Noble, N., Samad, I., & Portera-Cailliau, C. (2020). Plasticity after cortical stroke involves potentiating responses of pre-existing circuits but not functional remapping to new circuits. *bioRxiv*, 2020.2011.2009.375840. doi: [10.1101/2020.11.09.375840](https://doi.org/10.1101/2020.11.09.375840).
<http://biorxiv.org/content/early/2020/11/10/2020.11.09.375840.abstract>

Zeiger, W. A., Marosi, M., Saggi, S., Noble, N., Samad, I., & Portera-Cailliau, C. (2021). Barrel cortex plasticity after photothrombotic stroke involves potentiating responses of pre-existing circuits but not functional remapping to new circuits. *Nature Communications*, 12(1), 3972. doi: [10.1038/s41467-021-24211-8](https://doi.org/10.1038/s41467-021-24211-8). <https://doi.org/10.1038/s41467-021-24211-8>

Zhao, L., Li, Z., Vong, J. S. L., Chen, X., Lai, H.-M., Yan, L. Y. C., . . . Ko, H. (2020). Pharmacologically reversible zonation-dependent endothelial cell transcriptomic changes with neurodegenerative disease associations in the aged brain. *Nature Communications*, 11(1), 4413. doi: [10.1038/s41467-020-18249-3](https://doi.org/10.1038/s41467-020-18249-3). <https://doi.org/10.1038/s41467-020-18249-3>

Zhao, Y., Bushey, D., Zhao, Y., Schreiter, E. R., Harrison, D. J., Wong, A. M., & Campbell, R. E. (2018). Inverse-response Ca²⁺ indicators for optogenetic visualization of neuronal inhibition. *Scientific Reports*, 8(1), 11758. doi: [10.1038/s41598-018-30080-x](https://doi.org/10.1038/s41598-018-30080-x). <https://doi.org/10.1038/s41598-018-30080-x>

Zhou, L., Nho, K., Haddad, M. G., Cherepacha, N., Tubeleviciute-Aydin, A., Tsai, A. P., . . . LeBlanc, A. C. (2021). Rare CASP6N73T variant associated with hippocampal volume exhibits decreased proteolytic activity, synaptic transmission defect, and neurodegeneration. *Scientific Reports*, 11(1), 12695. doi: [10.1038/s41598-021-91367-0](https://doi.org/10.1038/s41598-021-91367-0). <https://doi.org/10.1038/s41598-021-91367-0>

- Zhu, Y., & Gabbiani, F. (2016). Fine and distributed subcellular retinotopy of excitatory inputs to the dendritic tree of a collision-detecting neuron. *Journal of Neurophysiology*, 115(6), 3101-3112. doi: 10.1152/jn.00044.2016. <https://doi.org/10.1152/jn.00044.2016>
- Zhu, Y., & Gabbiani, F. (2018). Combined Two-Photon Calcium Imaging and Single-Ommatidium Visual Stimulation to Study Fine-Scale Retinotopy in Insects. In R. V. Sillitoe (Ed.), *Extracellular Recording Approaches* (pp. 185-206). New York, NY: Springer New York.
- Gergues, M. M., K. J. Han, et al. (2020). "Circuit and molecular architecture of a ventral hippocampal network." *Nature Neuroscience* 23(11): 1444-1452. 10.1038/s41593-020-0705-8
- Hooks, B. M., A. E. Papale, et al. (2018). "Cell type-specific variation of somatotopic precision across corticostriatal projections." *bioRxiv*: 261446. 10.1101/261446
- Lindberg, P. T., J. W. Mitchell, et al. (2019). "Pituitary Adenylate Cyclase-Activating Peptide (PACAP)-Glutamate Co-transmission Drives Circadian Phase-Advancing Responses to Intrinsically Photosensitive Retinal Ganglion Cell Projections by Suprachiasmatic Nucleus." *Frontiers in Neuroscience* 13. <https://doi.org/10.3389/fnins.2019.01281>
- Paletzki, R. and C. R. Gerfen (2015). "Whole Mouse Brain Image Reconstruction from Serial Coronal Sections Using FIJI (ImageJ)." *Current Protocols in Neuroscience* 73(1): 1.25.21-21.25.21. <https://doi.org/10.1002/0471142301.ns0125s73>
- Zepecki, J. P., K. M. Snyder, et al. (2019). "Regulation of human glioma cell migration, tumor growth, and stemness gene expression using a Lck targeted inhibitor." *Oncogene* 38(10): 1734-1750. 10.1038/s41388-018-0546-z
- Zhang, L., V. S. Hernandez, et al. (2021). "Behavioral role of PACAP signaling reflects its selective distribution in glutamatergic and GABAergic neuronal subpopulations." *eLife* 10: e61718. <https://doi.org/10.7554/eLife.61718>
- Lerchner, W., A. A. Adil, et al. (2021). "RNAi and chemogenetic reporter co-regulation in primate striatal interneurons." *Gene Therapy*. <https://doi.org/10.1038/s41434-021-00260-y>
- Naskar, S., J. Qi, et al. (2021). "Cell-type-specific recruitment of GABAergic interneurons in the primary somatosensory cortex by long-range inputs." *Cell Reports* 34(8): 108774. <https://doi.org/10.1016/j.celrep.2021.108774>
- Weber-Adrian, D., R. H. Kofoed, et al. (2021). "Systemic AAV6-synapsin-GFP administration results in lower liver biodistribution, compared to AAV1&2 and AAV9, with neuronal expression following ultrasound-mediated brain delivery." *Scientific Reports* 11(1): 1934. <https://doi.org/10.1038/s41598-021-81046-5>
- Fedakar, H. I. (2021). "Developing New Empirical Formulae for the Resilient Modulus of Fine-Grained Subgrade Soils Using a Large Long-Term Pavement Performance Dataset and Artificial Neural Network Approach." *Transportation Research Record*: 03611981211057054. <https://doi.org/10.1177/03611981211057054>
- Inácio, S. V., J. F. Gomes, et al. (2021). "Automated Diagnostics: Advances in the Diagnosis of Intestinal Parasitic Infections in Humans and Animals." *Frontiers in veterinary science* 8: 715406-715406. doi: 10.3389/fvets.2021.715406

- Eastwood, B. S., Hooks, B. M., Paletzki, R. F., O'Connor, N. J., Glaser, J. R., & Gerfen, C. R. (2019). Whole mouse brain reconstruction and registration to a reference atlas with standard histochemical processing of coronal sections. *Journal of Comparative Neurology*, 0(0). doi: 10.1002/cne.24602. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24602>
- Hooks, B. M., Papale, A. E., Paletzki, R., Feroze, M., Eastwood, B. S., Couey, J. J., . . . Gerfen, C. R. (2018). Cell type-specific variation of somatotopic precision across corticostriatal projections. *bioRxiv*, 261446. doi: 10.1101/261446. <http://biorxiv.org/content/early/2018/02/07/261446.abstract>
- Hooks, B. M., Papale, A. E., Paletzki, R. F., Feroze, M. W., Eastwood, B. S., Couey, J. J., . . . Gerfen, C. R. (2018). Topographic precision in sensory and motor corticostriatal projections varies across cell type and cortical area. *Nature Communications*, 9(1), 3549. doi: 10.1038/s41467-018-05780-7. <https://doi.org/10.1038/s41467-018-05780-7>
- Paletzki, R., & Gerfen, C. R. (2015). Whole Mouse Brain Image Reconstruction from Serial Coronal Sections Using FIJI (ImageJ). *Current Protocols in Neuroscience*, 73(1), 1.25.21-21.25.21. doi: 10.1002/0471142301.ns0125s73. <https://currentprotocols.onlinelibrary.wiley.com/doi/abs/10.1002/0471142301.ns0125s73>
- Xue, Y., Z. Gursky, et al. (2022). "Sustained glymphatic transport and impaired drainage to the nasal cavity observed in multiciliated cell ciliopathies with hydrocephalus." *Fluids and Barriers of the CNS* 19(1): 20. <https://doi.org/10.1186/s12987-022-00319-x>
- Terstege, D. J., D. O. Oboh, et al. (2022). "FASTMAP: Open-Source Flexible Atlas Segmentation Tool for Multi-Area Processing of Biological Images." *eneuro: ENEURO.0325-0321.2022*. <https://doi.org/10.1523/ENEURO.0325-21.2022>
- Eastwood, B. S., B. M. Hooks, et al. (2019). "Whole mouse brain reconstruction and registration to a reference atlas with standard histochemical processing of coronal sections." *Journal of Comparative Neurology* 527(13): 2170-2178. <https://doi.org/10.1002/cne.24602>
- Gergues, M. M., K. J. Han, et al. (2020). "Circuit and molecular architecture of a ventral hippocampal network." *Nature Neuroscience* 23(11): 1444-1452. <https://doi.org/10.1038/s41593-020-0705-8>
- Otomo, K., J. Perkins, et al. (2020). "In vivo patch-clamp recordings reveal distinct subthreshold signatures and threshold dynamics of midbrain dopamine neurons." *Nature Communications* 11(1): 6286. <https://doi.org/10.1038/s41467-020-20041-2>
- Tappan, S. J., B. S. Eastwood, et al. (2019). "Automatic navigation system for the mouse brain." *Journal of Comparative Neurology* 527(13): 2200-2211. <https://doi.org/10.1002/cne.24635>
- Ma, J., J. du Hoffmann, et al. (2021). "Divergent projections of the paraventricular nucleus of the thalamus mediate the selection of passive and active defensive behaviors." *Nature Neuroscience* 24(10): 1429-1440. <https://doi.org/10.1038/s41593-021-00912-7>
- Eastwood, B. S., Hooks, B. M., Paletzki, R. F., O'Connor, N. J., Glaser, J. R., & Gerfen, C. R. (2019). Whole mouse brain reconstruction and registration to a reference atlas with standard histochemical processing of coronal sections. *Journal of Comparative Neurology*, 0(0). doi: 10.1002/cne.24602. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24602>
- Naskar, S., Qi, J., Pereira, F., Gerfen, C. R., & Lee, S. (2021). Cell-type-specific recruitment of GABAergic interneurons in the primary somatosensory cortex by long-range inputs. *Cell Reports*, 34(8), 108774.

doi: <https://doi.org/10.1016/j.celrep.2021.108774> <https://www.sciencedirect.com/science/article/pii/S2211124721000875>

Tappan, S. J., Eastwood, B. S., O'connor, N., Wang, Q., Ng, L., Feng, D., . . . Schmitz, C. (2019). Automatic navigation system for the mouse brain. *Journal of Comparative Neurology*. doi: <https://www.ncbi.nlm.nih.gov/pubmed/30635922>

Castro, A., Becerra, M., Jesús Manso, M., & Anadón, R. (2015). Neuronal organization of the brain in the adult amphioxus (*Branchiostoma lanceolatum*): A study with acetylated tubulin immunohistochemistry. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23785. <http://dx.doi.org/10.1002/cne.23785>

Chen, C.-C., Winkler, C. M., Pfenning, A. R., & Jarvis, E. D. (2013). Molecular profiling of the developing avian telencephalon: Regional timing and brain subdivision continuities. *Journal of Comparative Neurology*, 521(16), 3666-3701. doi: 10.1002/cne.23406. <http://dx.doi.org/10.1002/cne.23406>

Condro, M. C., Matynia, A., Foster, N. N., Ago, Y., Rajbhandari, A. K., Jayaram, B., . . . Waschek, J. A. (2016). High-resolution characterization of a PACAP-EGFP transgenic mouse model for mapping PACAP-expressing neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24035. <http://dx.doi.org/10.1002/cne.24035>

Daniel, H., Ester, D., P., U. J. F., L., J. A., Timothy, S.-G., A., D. G., . . . Scott, K. J. (2018). A 3D MRI-based atlas of a lizard brain. *Journal of Comparative Neurology*, o(ja). doi: 10.1002/cne.24480. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24480>

Gerfen, Charles R., Paletzki, R., & Heintz, N. (2013). GENSAT BAC Cre-Recombinase Driver Lines to Study the Functional Organization of Cerebral Cortical and Basal Ganglia Circuits. *Neuron*, 80(6), 1368-1383. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0896627313009197>

Haeussner, E., Aschauer, B., Burton, G. J., Huppertz, B., Edler von Koch, F., Müller-Starck, J., . . . Frank, H.-G. (2015). Does 2D-Histologic identification of villous types of human placentas at birth enable sensitive and reliable interpretation of 3D structure? *Placenta*. doi: <http://dx.doi.org/10.1016/j.placenta.2015.10.003>. <http://www.sciencedirect.com/science/article/pii/S0143400415300631>

Hannibal, J., Christiansen, A. T., Heegaard, S., Fahrenkrug, J., & Kiilgaard, J. F. (2017). Melanopsin expressing human retinal ganglion cells: Subtypes, distribution and intraretinal connectivity. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24181. <http://dx.doi.org/10.1002/cne.24181>

Hof, P. R. (2014). Passages 2014. *Journal of Comparative Neurology*, 522(1), 1-5. doi: 10.1002/cne.23474. <http://dx.doi.org/10.1002/cne.23474>

Hooks, B. M., Papale, A. E., Paletzki, R. F., Feroze, M. W., Eastwood, B. S., Couey, J. J., . . . Gerfen, C. R. (2018). Topographic precision in sensory and motor corticostriatal projections varies across cell type and cortical area. *Nature Communications*, 9(1), 3549. doi: 10.1038/s41467-018-05780-7. <https://doi.org/10.1038/s41467-018-05780-7>

Iacono, D., Lee, P., Edlow, B. L., Gray, N., Fischl, B., Kenney, K., . . . Perl, D. P. (2019). Early-Onset Dementia in War Veterans: Brain Polypathology and Clinicopathologic Complexity. *Journal of Neuropathology & Experimental Neurology*. doi: 10.1093/jnen/nlz122. <https://doi.org/10.1093/jnen/nlz122>

Karten, H. J., Glaser, J. R., & Hof, P. R. (2013). An important landmark in scientific publishing. *Journal of Comparative Neurology*, 521(8), 1697-1698. doi: 10.1002/cne.23329. <http://dx.doi.org/10.1002/cne.23329>

Lipovich, L., Hou, Z.-c., Jia, H., Sinkler, C., McGowen, M., Sterner, K. N., . . . Wildman, D. E. (2015). High-throughput RNA sequencing reveals structural differences of orthologous brain-expressed genes between western lowland gorillas and humans. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23843. <http://dx.doi.org/10.1002/cne.23843>

O'Connor, N., Tappan, S., & Glaser, J. (2014). How to Prepare Neuroanatomical Image Data *Current Protocols in Neuroscience* (Vol. 69): John Wiley & Sons, Inc. <https://doi.org/10.1002/0471142301.ns0121s69>

Ogilvie, R., Sawyer, R., Greenwold, M., Bao, W., & Thompson, J. (2014). Evolution of a cross-institutional asynchronous online 500 level college histology course with interactive lectures and virtual lab component (530.1). *The FASEB Journal*, 28(1 Supplement). doi: http://www.fasebj.org/content/28/1_Supplement/530.1.abstract

Pastrana, E. (2014). A genetic handle on brain circuits. *Nature Methods*, 11, 128. doi: <http://www.nature.com/nmeth/journal/v11/n2/full/nmeth.2829.html>

Sakano, H., Zorio, D. A. R., Wang, X., Ting, Y. S., Noble, W. S., MacCoss, M. J., . . . Wang, Y. (2017). Proteomic analyses of nucleus laminaris identified candidate targets of the fragile X mental retardation protein. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24281. <http://dx.doi.org/10.1002/cne.24281>

Samal, N., & Prakash, R. V. K. (2019). Randomized cross-over study and a qualitative analysis comparing virtual microscopy and light microscopy for learning undergraduate histopathology. *Indian Journal of Pathology and Microbiology*, 62(1), 84. doi:

J. Alex Parker, Sarah Duhaim, Constantin Bretonneau et al. Transgenic TDP-43 and endogenous TDP-1 *Caenorhabditis elegans* ALS models show motor deficits and age-dependent neurodegeneration, 20 April 2022, PREPRINT (Version 1) available at Research Square <https://doi.org/10.21203/rs.3.rs-1555653/v1>

Toker, I. A. and O. Hobert (2022). "The Cbr-DPY-10(Arg92Cys) modification is a reliable co-conversion marker for CRISPR/Cas9 genome editing in *Caenorhabditis briggsae*." *microPublication Biology*: 10.17912/micropub.biology.000554. doi: 10.17912/micropub.biology.000554

Datta, R., A. Robertson, et al. (2022). "High concentrations of the anthelmintic diethylcarbamazine paralyze *C. elegans* independently of TRP-2." *microPublication Biology*: 10.17912/micropub.biology.000548. doi: 10.17912/micropub.biology.000548

Zhang, M. G. and P. W. Sternberg (2022). "Both entry to and exit from diapause arrest in *Caenorhabditis elegans* are regulated by a steroid hormone pathway." *Development*. <https://doi.org/10.1242/dev.200173>

Romero-Márquez, J. M., M. D. Navarro-Hortal, et al. (2022). "An oleuropein rich-olive (*Olea europaea* L.) leaf extract reduces β -amyloid and tau proteotoxicity through regulation of oxidative- and heat shock-stress responses in *Caenorhabditis elegans*." *Food and Chemical Toxicology* 162: 112914. <https://doi.org/10.1016/j.fct.2022.112914>

- Garg, V., S. André, et al. (2022). "A Markerless Pose Estimator Applicable to Limbless Animals." *Frontiers in Behavioral Neuroscience* 16. <https://doi.org/10.3389/fnbeh.2022.819146>
- Zaroubi, L., I. Ozugergin, et al. "The Ubiquitous Soil Terpene Geosmin Acts as a Warning Chemical." *Applied and Environmental Microbiology* 0(0): e00093-00022. <https://doi.org/10.1128/aem.00093-22>
- Chiang, Y.-C., C.-P. Liao, et al. (2022). "A serotonergic circuit regulates aversive associative learning under mitochondrial stress in *C. elegans*." *Proceedings of the National Academy of Sciences* 119(11): e2115533119. <https://doi.org/10.1073/pnas.2115533119>
- Gaeta, A. L., J. B. Nourse, et al. (2022). "Systemic RNA interference-defective (SID) genes modulate dopaminergic neurodegeneration in *C. elegans*." *bioRxiv: 2022.2002.2023.481573*. [10.1101/2022.02.23.481573](https://doi.org/10.1101/2022.02.23.481573)
- Hagar, S., S. Yehuda, et al. (2022). *Nature Portfolio*. 10.21203/rs.3.rs-1345880/v1
- Yan, Z., X. Cheng, et al. (2022). "Sexually Dimorphic Neurotransmitter Release at the Neuromuscular Junction in Adult *Caenorhabditis elegans*." *Frontiers in Molecular Neuroscience* 14. <https://doi.org/10.3389/fnmol.2021.780396>
- Chou, S.-H., Y.-J. Chen, et al. (2022). "A role for dopamine in *C. elegans* avoidance behavior induced by mitochondrial stress." *Neuroscience Research*. <https://doi.org/10.1016/j.neures.2022.01.005>
- Possik, E., C. Schmitt, et al. (2022). "Phosphoglycolate phosphatase homologs act as glycerol-3-phosphate phosphatase to control stress and healthspan in *C. elegans*." *Nature Communications* 13(1): 177. <https://doi.org/10.1038/s41467-021-27803-6>
- Wang, C., Y. Li, et al. (2022). "Tris(1,3-dichloro-2-propyl) phosphate reduces longevity through a specific microRNA-mediated DAF-16/FoxO in an unconventional insulin/insulin-like growth factor-1 signaling pathway." *Journal of Hazardous Materials* 425: 128043. <https://doi.org/10.1016/j.jhazmat.2021.128043>
- Raffaele, M., K. Kovacovicova, et al. (2021). "Nociceptin/orphanin FQ opioid receptor (NOP) selective ligand MCOPPB links anxiolytic and senolytic effects." *GeroScience*. <https://doi.org/10.1007/s11357-021-00487-y>
- Palumbos, S. D., R. Skelton, et al. (2021). "cAMP controls a trafficking mechanism that maintains the neuron specificity and subcellular placement of electrical synapses." *Developmental Cell*. <https://doi.org/10.1016/j.devcel.2021.10.011>
- Chai, C. M., W. Chen, et al. (2021). "A conserved behavioral role for a nematode interneuron neuropeptide receptor." *Genetics*(iyab198). <https://doi.org/10.1093/genetics/iyab198>
- Gaur, A. V. and R. Agarwal (2021). "Risperidone Induced Alterations in Feeding and Locomotion Behavior of *Caenorhabditis elegans*." *Current Research in Toxicology*. <https://doi.org/10.1016/j.crttox.2021.10.003>
- Cuentas-Condori, A., B. Mulcahy, et al. "C. elegans neurons have functional dendritic spines." *eLife* 8: e47918
- C1 - eLife 2019;8:e47918. 10.7554/eLife.47918

- Doser, R. L., G. C. Amberg, et al. "Reactive Oxygen Species Modulate Activity-Dependent AMPA Receptor Transport in *C. elegans*." *The Journal of Neuroscience* 40(39): 7405. <https://doi.org/10.1523/JNEUROSCI.0902-20.2020>
- Seo, Y., S. Kingsley, et al. "Metabolic shift from glycogen to trehalose promotes lifespan and healthspan in *Caenorhabditis elegans*." *Proceedings of the National Academy of Sciences* 115(12): E2791. <https://doi.org/10.1073/pnas.1714178115>
- Tahernia, M., M. Mohammadifar, et al. "Paper-Supported High-Throughput 3D Culturing, Trapping, and Monitoring of *Caenorhabditis Elegans*." *Micromachines* 11(1). <https://doi.org/10.3390/mi11010099>
- Williams, A. B., F. Heider, et al. "Restoration of Proteostasis in the Endoplasmic Reticulum Reverses an Inflammation-Like Response to Cytoplasmic DNA in *Caenorhabditis elegans*." *Genetics* 212(4): 1259. <https://doi.org/10.1534/genetics.119.302422>
- Martinez, B. A., D. A. Petersen, et al. "Dysregulation of the Mitochondrial Unfolded Protein Response Induces Non-Apoptotic Dopaminergic Neurodegeneration in *C. elegans*; Models of Parkinson's Disease." *The Journal of Neuroscience* 37(46): 11085. <https://doi.org/10.1523/JNEUROSCI.1294-17.2017>
- Pereira, A. G., X. Gracida, et al. "*C. elegans* aversive olfactory learning generates diverse intergenerational effects." *Journal of Neurogenetics* 34(3-4): 378-388. <https://doi.org/10.1080/01677063.2020.1819265>
- Rollins, J. A., A. C. Howard, et al. "Assessing Health Span in *Caenorhabditis elegans*: Lessons From Short-Lived Mutants." *The Journals of Gerontology: Series A* 72(4): 473-480. <https://doi.org/10.1093/gerona/glw248>
- Soh, M. S., X. Cheng, et al. "Disruption of genes associated with Charcot-Marie-Tooth type 2 lead to common behavioural, cellular and molecular defects in *Caenorhabditis elegans*." *PLOS ONE* 15(4): e0231600. <https://doi.org/10.1371/journal.pone.0231600>
- Angstman, N., Frank, H.-G., & Schmitz, C. (2016). Advanced behavioral analyses show that the presence of food causes subtle changes in *C. elegans* movement. [Original Research]. *Frontiers in Behavioral Neuroscience*, 10. doi: 10.3389/fnbeh.2016.00060. http://www.frontiersin.org/Journal/Abstract.aspx?s=99&name=behavioral_ne..
- Angstman, N. B., Kiessling, M. C., Frank, H.-G., & Schmitz, C. (2015). High interindividual variability in dose-dependent reduction in speed of movement after exposing *C. elegans* to shock waves. *Frontiers in Behavioral Neuroscience*, 9, 12. doi: 10.3389/fnbeh.2015.00012. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4319468/>
- Ao, Y., Zeng, K., Yu, B., Miao, Y., Hung, W., Yu, Z., . . . Gao, S. (2019). An Upconversion Nanoparticle Enables Near Infrared-Optogenetic Manipulation of the *Caenorhabditis elegans* Motor Circuit. *ACS Nano*. doi: 10.1021/acsnano.8b09270. <https://doi.org/10.1021/acsnano.8b09270>
- Bai, J., Farias-Pereira, R., Jang, M., Zhang, Y., Lee, S. M., Kim, Y.-S., . . . Kim, K.-H. (2021). Azelaic Acid Promotes *Caenorhabditis elegans* Longevity at Low Temperature Via an Increase in Fatty Acid Desaturation. *Pharmaceutical Research*. doi: 10.1007/s11095-020-02975-w. <https://doi.org/10.1007/s11095-020-02975-w>

Bai, J., Farias-Pereira, R., Zhang, Y., Jang, M., Park, Y., & Kim, K.-H. (2020). C. elegans ACAT regulates lipolysis and its related lifespan in fasting through modulation of the genes in lipolysis and insulin/IGF-1 signaling. *BioFactors*, n/a(n/a). doi: 10.1002/biof.1666. <https://iubmb.onlinelibrary.wiley.com/doi/abs/10.1002/biof.1666>

Barbagallo, B., Philbrook, A., Touroutine, D., Banerjee, N., Oliver, D., Lambert, C. M., & Francis, M. M. (2017). Excitatory neurons sculpt GABAergic neuronal connectivity in the C. elegans motor circuit. *Development*, 144(10), 1807. doi: 10.1242/dev.141911. <http://dev.biologists.org/content/144/10/1807.abstract>

Barbagallo, B., Philbrook, A., Touroutine, D., Banerjee, N., Oliver, D., Lambert, C. M., & Francis, M. M. (2017). Excitatory neurons sculpt GABAergic neuronal connectivity in the C. elegans motor circuit. *Development*, 144(10), 1807-1819. doi: 10.1242/dev.141911. <https://dev.biologists.org/content/develop/144/10/1807.full.pdf>

Benbow, S. J., Strovast, T. J., Darvas, M., Saxton, A., & Kraemer, B. C. (2020). Synergistic toxicity between tau and amyloid drives neuronal dysfunction and neurodegeneration in transgenic C. elegans. *Human Molecular Genetics*. doi: 10.1093/hmg/ddz319. <https://doi.org/10.1093/hmg/ddz319>

Bhattacharya, R., Touroutine, D., Barbagallo, B., Climer, J., Lambert, C. M., Clark, C. M., . . . Francis, M. M. (2014). A Conserved Dopamine-Cholecystokinin Signaling Pathway Shapes Context-Dependent Caenorhabditis elegans Behavior. *PLoS Genet*, 10(8), e1004584. doi: 10.1371/journal.pgen.1004584. <http://dx.doi.org/10.1371%2Fjournal.pgen.1004584>

Brosnan, C. A., Palmer, A. J., & Zuryn, S. (2021). Cell-type-specific profiling of loaded miRNAs from Caenorhabditis elegans reveals spatial and temporal flexibility in Argonaute loading. *Nature Communications*, 12(1), 2194. doi: 10.1038/s41467-021-22503-7. <https://doi.org/10.1038/s41467-021-22503-7>

Brugman, K. I., Kato, M., Oh, J. Y., Sternberg, P. W., Maher, S., Wong, W.-R., & Howe, K. (2019). Autism-associated missense genetic variants impact locomotion and neurodevelopment in Caenorhabditis elegans. doi: 10.1093/hmg/ddz051. <https://doi.org/10.1093/hmg/ddz051>

Chen, N., Li, J., Li, D., Yang, Y., & He, D. (2014). Chronic Exposure to Perfluorooctane Sulfonate Induces Behavior Defects and Neurotoxicity through Oxidative Damages, In Vivo and In Vitro *PLoS ONE*, 9(11), e113453. doi: 10.1371/journal.pone.0113453. <http://dx.doi.org/10.1371%2Fjournal.pone.0113453>

Choi, M.-K., Liu, H., Wu, T., Yang, W., & Zhang, Y. (2020). NMDAR-mediated modulation of gap junction circuit regulates olfactory learning in C. elegans. *Nature Communications*, 11(1), 3467. doi: 10.1038/s41467-020-17218-0. <https://doi.org/10.1038/s41467-020-17218-0>

Chute, C. D., DiLoreto, E. M., Zhang, Y. K., Reilly, D. K., Rayes, D., Coyle, V. L., . . . Srinivasan, J. (2019). Co-option of neurotransmitter signaling for inter-organismal communication in C. elegans. *Nature Communications*, 10(1), 3186. doi: 10.1038/s41467-019-11240-7. <https://doi.org/10.1038/s41467-019-11240-7>

Császár, N. B. M., Angstman, N. B., Milz, S., Sprecher, C. M., Kobel, P., Farhat, M., . . . Schmitz, C. (2015). Radial Shock Wave Devices Generate Cavitation. *PLoS ONE*, 10(10), e0140541. doi: 10.1371/journal.pone.0140541. <http://dx.doi.org/10.1371%2Fjournal.pone.0140541>

Farias-Pereira, R., Kim, E., & Park, Y. (2019). Cafestol increases fat oxidation and energy expenditure in Caenorhabditis elegans via DAF-12-dependent pathway. *Food Chemistry*, 125537.

doi: <https://doi.org/10.1016/j.foodchem.2019.125537>. <http://www.sciencedirect.com/science/article/pii/S0308814619316565>

Farias-Pereira, R., Oshiro, J., Kim, K.-H., & Park, Y. (2018). Green coffee bean extract and 5-O-caffeoylquinic acid regulate fat metabolism in *Caenorhabditis elegans*. *Journal of Functional Foods*, 48, 586–593.
doi: <https://doi.org/10.1016/j.jff.2018.07.049>. <http://www.sciencedirect.com/science/article/pii/S1756464618303876>

Farias-Pereira, R., Park, C.-S., & Park, Y. (2020). Kahweol Reduces Food Intake of *Caenorhabditis elegans*. *Journal of Agricultural and Food Chemistry*. doi: 10.1021/acs.jafc.0c03030. <https://doi.org/10.1021/acs.jafc.0c03030>

Farias-Pereira, R., Savarese, J., Yue, Y., Lee, S.-H., & Park, Y. (2019). Fat-lowering effects of isorhamnetin are via NHR-49-dependent pathway in *Caenorhabditis elegans*. *Current Research in Food Science*.
doi: <https://doi.org/10.1016/j.crf.2019.11.002>. <http://www.sciencedirect.com/science/article/pii/S2665927119300103>

Faten A Taki, X. P., Baohong Zhang. (2013). Nicotine Exposure Caused Significant Transgenerational Heritable Behavioral Changes In *Caenorhabditis Elegans*. *EXCLI Journal*, 12, 793–806.
doi: http://www.researchgate.net/publication/256496981_NICOTINE_EXPOSURE_CAUS..

Flores, B. N., Li, X., Malik, A. M., Martinez, J., Beg, A. A., & Barmada, S. J. (2019). An Intramolecular Salt Bridge Linking TDP43 RNA Binding, Protein Stability, and TDP43-Dependent Neurodegeneration. *Cell Reports*, 27(4), 1133–1150.e1138.
doi: <https://doi.org/10.1016/j.celrep.2019.03.093>. <http://www.sciencedirect.com/science/article/pii/S2211124719304322>

Fouad, A. D., Teng, S., Mark, J. R., Liu, A., Alvarez-Illera, P., Ji, H., . . . Fang-Yen, C. (2018). Distributed rhythm generators underlie *Caenorhabditis elegans* forward locomotion. *eLife*, 7, e29913. doi: 10.7554/eLife.29913. <https://doi.org/10.7554/eLife.29913>

Fry, A. L., Laboy, J. T., & Norman, K. R. (2014). VAV-1 acts in a single interneuron to inhibit motor circuit activity in *Caenorhabditis elegans*. [Article]. *Nat Commun*, 5. doi: 10.1038/ncomms6579. <http://dx.doi.org/10.1038/ncomms6579>

Gao, S., Guan, S. A., Fouad, A. D., Meng, J., Kawano, T., Huang, Y.-C., . . . Lu, Y. (2018). Excitatory motor neurons are local oscillators for backward locomotion. *eLife*, 7.
doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5780044/>

Gong, J., Yuan, Y., Ward, A., Kang, L., Zhang, B., Wu, Z., . . . Xu, X. Z. S. (2016). The *C. elegans* Taste Receptor Homolog LITE-1 Is a Photoreceptor. *Cell*, 167(5), 1252–1263.e1210.
doi: <http://dx.doi.org/10.1016/j.cell.2016.10.053>. <http://www.sciencedirect.com/science/article/pii/S0092867416315185>

Goya, M. E., Xue, F., Sampedro-Torres-Quevedo, C., Arnaouteli, S., Riquelme-Dominguez, L., Romanowski, A., . . . Doitsidou, M. (2020). Probiotic *Bacillus subtilis* Protects against α -Synuclein Aggregation in *C. elegans*. *Cell Reports*, 30(2), 367–380.e367.
doi: <https://doi.org/10.1016/j.celrep.2019.12.078>. <http://www.sciencedirect.com/science/article/pii/S2211124719317437>

- Han, B., Bellemer, A., & Koelle, M. R. (2015). An Evolutionarily Conserved Switch in Response to GABA Affects Development and Behavior of the Locomotor Circuit of *Caenorhabditis elegans*. *Genetics*, 199(4), 1159-1172. doi: 10.1534/genetics.114.173963. <http://www.genetics.org/content/199/4/1159.abstract>
- Hardaway, J. A., Sturgeon, S. M., Snarrenberg, C. L., Li, Z., Xu, X. S., Bermingham, D. P., . . . Carvelli, L. (2015). Glial Expression of the *Caenorhabditis elegans* Gene *swip-10* Supports Glutamate Dependent Control of Extrasynaptic Dopamine Signaling. *The Journal of Neuroscience*, 35(25), 9409-9423. doi: <http://www.jneurosci.org/content/35/25/9409.short>
- Hill, T. (2017). Ephrin Receptors, A1Y Interneuron Physiology, and Behavior. doi: http://digitalcommons.kennesaw.edu/integrbiol_etd/22/
- Hsueh, Y.-P., Gronquist, M. R., Schwarz, E. M., Nath, R. D., Lee, C.-H., Gharib, S., . . . Sternberg, P. W. (2017). Nematophagous fungus *Arthrobotrys oligospora* mimics olfactory cues of sex and food to lure its nematode prey. *JOURN. eLife*, 6, e20023. doi: 10.7554/eLife.20023. <https://dx.doi.org/10.7554/eLife.20023>
- Kosmaczewski, S. G., Han, S. M., Han, B., Irving Meyer, B., Baig, H. S., Athar, W., . . . Hammarlund, M. (2015). RNA ligation in neurons by RtcB inhibits axon regeneration. *Proceedings of the National Academy of Sciences*, 112(27), 8451-8456. doi: 10.1073/pnas.1502948112. <http://www.pnas.org/content/112/27/8451.abstract>
- Kow, R. L., Strovas, T. J., McMillan, P. J., Jacobi, A. M., Behlke, M. A., Saxton, A. D., . . . Kraemer, B. C. (2021). Distinct Poly(A) nucleases have differential impact on *sut-2* dependent tauopathy phenotypes. *Neurobiology of Disease*, 147, 105148. doi: <https://doi.org/10.1016/j.nbd.2020.105148>. <http://www.sciencedirect.com/science/article/pii/S096999612030423X>
- Leung, H.-H., Liang, C., Marcotte, D., & McEachern, H. (2015). Effect of salinity on the locomotion of *Caenorhabditis elegans*. *The Expedition*, 4. doi: <http://ojs.library.ubc.ca/index.php/expedition/article/view/186394>
- Li, G., Gong, J., Liu, J., Liu, J., Li, H., Hsu, A.-L., . . . Xu, X. Z. S. (2019). Genetic and pharmacological interventions in the aging motor nervous system slow motor aging and extend life span in *C. elegans*. *Science Advances*, 5(1), eaau5041. doi: 10.1126/sciadv.aau5041. <http://advances.sciencemag.org/content/5/1/eaau5041.abstract>
- Li, J., Li, D., Yang, Y., Xu, T., Li, P., & He, D. (2015). Acrylamide induces locomotor defects and degeneration of dopamine neurons in *Caenorhabditis elegans*. *Journal of Applied Toxicology*, n/a-n/a. doi: 10.1002/jat.3144. <http://dx.doi.org/10.1002/jat.3144>
- Liu, H., Yang, W., Wu, T., Duan, F., Soucy, E., Jin, X., & Zhang, Y. (2018). Cholinergic Sensorimotor Integration Regulates Olfactory Steering. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2017.12.003>. <https://www.sciencedirect.com/science/article/pii/S0896627317311261>
- Lyu, S., Doroodchi, A., Xing, H., Sheng, Y., DeAndrade, M. P., Yang, Y., . . . Li, Y. (2020). BTBD9 and dopaminergic dysfunction in the pathogenesis of restless legs syndrome. *Brain Structure and Function*. doi: 10.1007/s00429-020-02090-x. <https://doi.org/10.1007/s00429-020-02090-x>

- Mah, M. W., Mitha, I., Trinh, A., & Wu, D. (2017). Effect of NaCl concentration on the mid-body movement of *Caenorhabditis elegans*. *The Expedition*, 6. doi: <http://ojs.library.ubc.ca/index.php/expedition/article/view/189083>
- Malvar, S., Gontijo, R., Carmo, B., & Cunha, F. (2017). On the kinematics-wave motion of living particles in suspension. *Biomicrofluidics*, 11(4), 044112. doi: <http://aip.scitation.org/doi/abs/10.1063/1.4997715>
- Martin, J., Oka, Y., Pabla, P., & Qubain, O. (2017). The effect of temperature on the locomotion of *Caenorhabditis elegans*. *The Expedition*, 6. doi: <http://ojs.library.ubc.ca/index.php/expedition/article/view/189099>
- Martinez, B. A., Kim, H., Ray, A., Caldwell, G. A., & Caldwell, K. A. (2015). A bacterial metabolite induces glutathione-tractable proteostatic damage, proteasomal disturbances, and PINK1-dependent autophagy in *C. elegans*. [Original Article]. *Cell Death Dis*, 6, e1908. doi: 10.1038/cddis.2015.270. <http://dx.doi.org/10.1038/cddis.2015.270>
- Meneely, P. M., Dahlberg, C. L., & Rose, J. K. (2019). Working with Worms: *Caenorhabditis elegans* as a Model Organism. *Current Protocols Essential Laboratory Techniques*, 19(1), e35. doi: 10.1002/cpet.35. <https://currentprotocols.onlinelibrary.wiley.com/doi/abs/10.1002/cpet.35>
- Morales-Zavala, F., Arriagada, H., Hassan, N., Velasco, C., Riveros, A., Álvarez, A. R., . . . Kogan, M. J. (2017). Peptide multifunctionalized gold nanorods decrease toxicity of β -amyloid peptide in a *Caenorhabditis elegans* model of Alzheimer's disease. *Nanomedicine: Nanotechnology, Biology and Medicine*. doi: <https://doi.org/10.1016/j.nano.2017.06.013>. <http://www.sciencedirect.com/science/article/pii/S1549963417301211>
- Nagarajan, A., Ning, Y., Reisner, K., Buraei, Z., Larsen, J. P., Hobert, O., & Doitsidou, M. (2014). Progressive Degeneration of Dopaminergic Neurons through TRP Channel-Induced Cell Death. *The Journal of Neuroscience*, 34(17), 5738–5746. doi: <http://www.jneurosci.org/content/34/17/5738.short>
- O'Donnell, M. P., Chao, P.-H., Kammenga, J. E., & Sengupta, P. (2018). Rictor/TORC2 mediates gut-to-brain signaling in the regulation of phenotypic plasticity in *C. elegans*. *PLoS genetics*, 14(2), e1007213. doi: <https://www.ncbi.nlm.nih.gov/pubmed/29415022>
- Polli, J. R., Dobbins, D. L., Kobet, R. A., Farwell, M. A., Zhang, B., Lee, M.-H., & Pan, X. (2014). Drug-dependent behaviors and nicotinic acetylcholine receptor expressions in *Caenorhabditis elegans* following chronic nicotine exposure. *NeuroToxicology*, (0). doi: <http://dx.doi.org/10.1016/j.neuro.2014.12.005>. <http://www.sciencedirect.com/science/article/pii/S0161813X14002204>
- Raj, V., Nair, A., & Thekkuveetil, A. (2021). Manganese exposure during early larval stages of *C. elegans* causes learning disability in the adult stage. *Biochemical and Biophysical Research Communications*, 568, 89–94. doi: <https://doi.org/10.1016/j.bbrc.2021.06.073>. <https://www.sciencedirect.com/science/article/pii/S0006291X21009955>
- Ramachandran, S., Banerjee, N., Bhattacharya, R., Touroutine, D., Lambert, C. M., Schoofs, L., . . . Francis, M. M. (2020). A conserved neuropeptide system links head and body motor circuits to enable adaptive behavior. *bioRxiv*, 2020.2004.2027.064550. doi: 10.1101/2020.04.27.064550. <https://www.biorxiv.org/content/biorxiv/early/2020/04/28/2020.04.27.064550>

Ramachandran, S., Banerjee, N., Bhattacharya, R., Touroutine, D., Lambert, C. M., Schoofs, L., . . . Francis, M. M. (2020). A conserved neuropeptide system links head and body motor circuits to enable adaptive behavior. *bioRxiv*, 2020.2004.2027.064550. doi: 10.1101/2020.04.27.064550. <http://biorxiv.org/content/early/2020/04/28/2020.04.27.064550.abstract>

Rendon-Nava, D., Mendoza-Espinosa, D., Negron-Silva, G. E., Valdez-Calderon, A., Martinez-Torres, A., Tellez-Arreola, J. L., & Gonzalez-Montiel, S. (2017). Chrysin functionalized NHC-Au(I) complexes: Synthesis, characterization and effects on the nematode *Caenorhabditis elegans*. [10.1039/C6NJ03299K]. *New Journal of Chemistry*. doi: 10.1039/c6nj03299k. <http://dx.doi.org/10.1039/C6NJ03299K>

Rochester, J. D., Tanner, P. C., Sharp, C. S., Andralojc, K. M., & Updike, D. L. (2017). PQN-75 is expressed in the pharyngeal gland cells of *Caenorhabditis elegans* and is dispensable for germline development. [10.1242/bio.027987]. *Biology Open*, 6(9), 1355. doi: <http://bio.biologists.org/content/6/9/1355.abstract>

Roussel, N., Sprenger, J., Tappan, S. J., & Glaser, J. R. (2014). Robust tracking and quantification of *C. elegans* body shape and locomotion through coiling, entanglement, and omega bends. *Worm*, 3(4), e982437. doi: 10.4161/21624054.2014.982437. <http://dx.doi.org/10.4161/21624054.2014.982437>

Sakamoto, K., Soh, Z., Suzuki, M., Iino, Y., & Tsuji, T. (2021). Forward and backward locomotion patterns in *C. elegans* generated by a connectome-based model simulation. *Scientific Reports*, 11(1), 13737. doi: 10.1038/s41598-021-92690-2. <https://doi.org/10.1038/s41598-021-92690-2>

Salzberg, Y., Pechuk, V., Gat, A., Setty, H., Sela, S., & Oren-Suissa, M. (2020). Synaptic Protein Degradation Controls Sexually Dimorphic Circuits through Regulation of DCC/UNC-40. *Current Biology*. doi: <https://doi.org/10.1016/j.cub.2020.08.002>. <http://www.sciencedirect.com/science/article/pii/S0960982220311568>

Shen, P., Hsieh, T.-H., Yue, Y., Sun, Q., Clark, J. M., & Park, Y. (2017). Deltamethrin increases the fat accumulation in 3T3-L1 adipocytes and *Caenorhabditis elegans*. *Food and Chemical Toxicology*, 101, 149-156. doi: <http://dx.doi.org/10.1016/j.fct.2017.01.015>. <http://www.sciencedirect.com/science/article/pii/S0278691517300236>

Shen, P., Kershaw, J. C., Yue, Y., Wang, O., Kim, K.-H., McClements, D. J., & Park, Y. (2018). Effects of conjugated linoleic acid (CLA) on fat accumulation, activity, and proteomics analysis in *Caenorhabditis elegans*. *Food Chemistry*, 249, 193-201. doi: <https://doi.org/10.1016/j.foodchem.2018.01.017>. <http://www.sciencedirect.com/science/article/pii/S0308814618300177>

Shen, P., Yue, Y., Kim, K.-H., & Park, Y. (2017). Piceatannol Reduces Fat Accumulation in *Caenorhabditis elegans*. *Journal of Medicinal Food*. doi: 10.1089/jmf.2016.0179. <https://doi.org/10.1089/jmf.2016.0179>

Shen, P., Yue, Y., Sun, Q., Kasireddy, N., Kim, K.-H., & Park, Y. (2017). Piceatannol extends the lifespan of *Caenorhabditis elegans* via DAF-16. *BioFactors*, n/a-n/a. doi: 10.1002/biof.1346. <http://dx.doi.org/10.1002/biof.1346>

Shepherd, E., Greiner, S. P., & Bowdridge, S. (2020). Characterization of ovine monocyte activity when cultured with *Haemonchus contortus* larvae in vitro. *Parasite Immunology*, n/a(n/a), e12773. doi: 10.1111/pim.12773. <https://onlinelibrary.wiley.com/doi/abs/10.1111/pim.12773>

Shuai, X., Bailey-Brock, J. H., & Lin, D. T. (2014). Spatio-temporal changes in trophic categories of infaunal polychaetes near the four wastewater ocean outfalls on Oahu, Hawaii. *Water Research*, (0). doi: <http://dx.doi.org/10.1016/j.watres.2014.03.058>. <http://www.sciencedirect.com/science/article/pii/S0043135414002541>

Sun, Q., Yue, Y., Shen, P., Yang, J. J., & Park, Y. (2016). Cranberry Product Decreases Fat Accumulation in *Caenorhabditis elegans*. *Journal of Medicinal Food*. doi: 10.1089/jmf.2015.0133. <http://dx.doi.org/10.1089/jmf.2015.0133>

Sutphin, G. L., Backer, G., Sheehan, S., Bean, S., Corban, C., Liu, T., . . . Aging Research in Genomic Epidemiology Consortium Gene Expression Working, G. (2017). *Caenorhabditis elegans* orthologs of human genes differentially expressed with age are enriched for determinants of longevity. *Aging Cell*, n/a-n/a. doi: 10.1111/ace1.12595. <http://dx.doi.org/10.1111/ace1.12595>

Télliez-Arreola, J., Valdez-Calderón, A., González-Montiel, S., Martínez-Torres, A., & Hernández, A. (2019). Some effects of a chrysin bromide-derivative on GABA-A receptors and on *Caenorhabditis elegans*. *Europe PMC*. doi. <https://europepmc.org/fulltext/ctx/m1023>

Vozdek, R., Long, Y., & Ma, D. K. (2018). The receptor tyrosine kinase HIR-1 coordinates HIF-independent responses to hypoxia and extracellular matrix injury. [10.1126/scisignal.aat0138]. *Science Signaling*, 11(550). doi. <http://stke.sciencemag.org/content/11/550/eaat0138.abstract>

Weeks, J. C., Roberts, W. M., Leasure, C., Suzuki, B. M., Robinson, K. J., Currey, H., . . . Liachko, N. F. (2018). Sertraline, Paroxetine, and Chlorpromazine Are Rapidly Acting Anthelmintic Drugs Capable of Clinical Repurposing. *Scientific Reports*, 8(1), 975. doi: 10.1038/s41598-017-18457-w. <https://doi.org/10.1038/s41598-017-18457-w>

Woldemariam, S., Nagpal, J., Hill, T., Li, J., Schneider, M. W., Shankar, R., . . . Etoile, N. (2019). Using a Robust and Sensitive GFP-Based cGMP Sensor for Real Time Imaging in Intact *Caenorhabditis elegans*. *Genetics*, genetics.302392.302019. doi: 10.1534/genetics.119.302392. <http://www.genetics.org/content/early/2019/07/22/genetics.119.302392.abs...>

Wu, X., Al-Amin, M., Zhao, C., An, F., Wang, Y., Huang, Q., . . . Song, H. (2020). Catechinic acid, a natural polyphenol compound, extends the lifespan of *Caenorhabditis elegans* via mitophagy pathways. [10.1039/DoFO00694G]. *Food & Function*. doi: 10.1039/d0fo00694g. <http://dx.doi.org/10.1039/DoFO00694G>

Wu, X., Mohammad, A., Zhao, C., An, F., Wang, Y., Huang, Q., . . . Song, H. (2020). Catechinic acid, a natural polyphenols compound, extends the lifespan of *Caenorhabditis elegans* via mitophagy pathways. [10.1039/DoFO00694G]. *Food & Function*. doi: 10.1039/d0fo00694g. <http://dx.doi.org/10.1039/DoFO00694G>

Xiao, R., Chun, L., Ronan, Elizabeth A., Friedman, David I., Liu, J., & Xu, X. Z. S. (2015). RNAi Interrogation of Dietary Modulation of Development, Metabolism, Behavior, and Aging in *C. elegans*. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2015.04.024>. <http://www.sciencedirect.com/science/article/pii/S2211124715004118>

Xu, T., Li, P., Wu, S., Lei, L., & He, D. (2017). Tris(2-chloroethyl) phosphate (TCEP) and tris(2-chloropropyl) phosphate (TCPP) induce locomotor deficits and dopaminergic degeneration in *Caenorhabditis elegans*. [10.1039/C6TX00306K]. *Toxicology Research*. doi: 10.1039/c6tx00306k. <http://dx.doi.org/10.1039/C6TX00306K>

Xu, T., Zhang, M., Hu, J., Li, Z., Wu, T., Bao, J., . . . He, D. (2017). Behavioral deficits and neural damage of *Caenorhabditis elegans* induced by three rare earth elements. *Chemosphere*, 181, 55-62. doi: <https://doi.org/10.1016/j.chemosphere.2017.04.068>. <http://www.sciencedirect.com/science/article/pii/S0045653517306045>

Yue, Y., Li, S., Qian, Z., Pereira, R. F., Lee, J., Doherty, J. J., . . . Park, Y. (2020). Perfluorooctanesulfonic acid (PFOS) and perfluorobutanesulfonic acid (PFBS) impaired reproduction and altered offspring physiological functions in *Caenorhabditis elegans*. *Food and Chemical Toxicology*, 111695. doi: <https://doi.org/10.1016/j.fct.2020.111695>. <http://www.sciencedirect.com/science/article/pii/S0278691520305858>

Yue, Y., Li, S., Qian, Z., Pereira, R. F., Lee, J., Doherty, J. J., . . . Park, Y. (2020). Perfluorooctanesulfonic acid (PFOS) and perfluorobutanesulfonic acid (PFBS) impaired reproduction and altered offspring physiological functions in *Caenorhabditis elegans*. *Food and Chemical Toxicology*, 145, 111695. doi: <https://doi.org/10.1016/j.fct.2020.111695>. <http://www.sciencedirect.com/science/article/pii/S0278691520305858>

Yue, Y., Li, S., Qian, Z., Pereira, R. F., Lee, J., Doherty, J. J., . . . Park, Y. (2020). Perfluorooctanesulfonic acid (PFOS) and perfluorobutanesulfonic acid (PFBS) impaired reproduction and altered offspring physiological functions in *Caenorhabditis elegans*. *Food and Chemical Toxicology*, 145, 111695. doi: <https://doi.org/10.1016/j.fct.2020.111695>. <http://www.sciencedirect.com/science/article/pii/S0278691520305858>

Yue, Y., Shen, P., Chang, A. L., Qi, W., Kim, K.-H., Kim, D., & Park, Y. (2019). trans-Trismethoxy resveratrol decreased fat accumulation dependent on fat-6 and fat-7 in *Caenorhabditis elegans*. *Food & Function*. doi: <https://pubs.rsc.org/en/content/articlelanding/2019/fo/c9fo00778d#divAb...>

Yue, Y., Shen, P., Xu, Y., & Park, Y. (2018). p-Coumaric acid improves oxidative and osmosis stress responses in *Caenorhabditis elegans*. *Journal of the Science of Food and Agriculture*, o(ja). doi: 10.1002/jsfa.9288. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jsfa.9288>

Yue, Y., Wang, J., Shen, P., Kim, K.-H., & Park, Y. (2021). Methylglyoxal influences development of *Caenorhabditis elegans* via lin-41-dependent pathway. *Food and Chemical Toxicology*, 152, 112238. doi: <https://doi.org/10.1016/j.fct.2021.112238>. <https://www.sciencedirect.com/science/article/pii/S0278691521002714>

Yue, Y., Wang, J., Shen, P., Kim, K.-H., & Park, Y. (2021). Methylglyoxal influences development of *Caenorhabditis elegans* via lin-41-dependent pathway. *Food and Chemical Toxicology*, 152, 112238. doi: <https://doi.org/10.1016/j.fct.2021.112238>. <https://www.sciencedirect.com/science/article/pii/S0278691521002714>

Zhang, T., Xie, L., Liu, R., Chang, M., Jin, Q., & Wang, X. (2021). Differentiated 4,4-dimethylsterols from vegetable oils reduce fat deposition dependent on NHR-49/SCD pathway in *Caenorhabditis elegans*. [10.1039/D1FO00669J]. *Food & Function*. doi: 10.1039/d1fo00669j. <http://dx.doi.org/10.1039/D1FO00669J>

Aaberg, M. A. I., Aaberg, N. D., Hedbäcker, H., Oscarsson, J., & Eriksson, P. S. (2000). Peripheral infusion of IGF-I selectively induces neurogenesis in the adult rat hippocampus. *Journal of Neuroscience*, 20(8), 2896-2903. doi:

Abel, T. W., & Rance, N. E. (2000). Stereologic study of the hypothalamic infundibular nucleus in young and older women. *Journal of Comparative Neurology*, 424(4), 679-688. doi:

Ábrahám, H., & Lázár, G. (2000). Early microglial reaction following mild forebrain ischemia induced by common carotid artery occlusion in rats. *Brain research*, 862(1-2), 63-73. doi.

Ábrahám, H., Somogyvári-Vigh, A., Maderdrut, J. L., Vigh, S., & Arimura, A. (2003). Rapidly activated microglial cells in the preoptic area may play a role in the generation of hyperthermia following occlusion of the middle cerebral artery in the rat. *Experimental brain research*, 153(1), 84-91. doi.

Anderson, K., Yamamoto, E., Kaplan, J., Hannan, M., & Jacobs, B. (2010). Neurolucida Lucivid versus Neurolucida camera: A quantitative and qualitative comparison of three-dimensional neuronal reconstructions. *Journal of neuroscience methods*, 186(2), 209-214. doi.

Anderson, W., Newson, P., Skeri, M., Janssen, N., Milne, S., Yip, J., . . . Chahl, L. A. (2011). Effect of subchronic administration of tachykinin antagonists on response of guinea-pigs to mild and severe stress. *Regulatory peptides*. doi.

Aoki, S., Coulon, P., & Ruigrok, T. J. H. (2017). Multizonal Cerebellar Influence Over Sensorimotor Areas of the Rat Cerebral Cortex. *Cerebral cortex*. doi: 10.1093/cercor/bhx343. <http://dx.doi.org/10.1093/cercor/bhx343>

Austin, J. E., & Buckmaster, P. S. (2004). Recurrent excitation of granule cells with basal dendrites and low interneuron density and inhibitory postsynaptic current frequency in the dentate gyrus of macaque monkeys. *Journal of Comparative Neurology*, 476(3), 205-218. doi.

Badura, A., Schonewille, M., Voges, K., Galliano, E., Renier, N., Gao, Z., . . . De Zeeuw, Chris I. (2013). Climbing Fiber Input Shapes Reciprocity of Purkinje Cell Firing. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.03.018>. <http://www.sciencedirect.com/science/article/pii/S0896627313002651>

Bahia, C. P., Houzel, J. C., Picanço-Diniz, C. W., & Pereira Jr, A. (2008). Spatiotemporal distribution of proteoglycans in the developing rat's barrel field and the effects of early deafferentation. *Journal of Comparative Neurology*, 510(2), 145-157. doi.

Bai, X., Zhu, J., Yang, J., Savoie, B. T., & Wang, G. Y. (2009). Mechanisms that limit the light stimulus frequency following through the dl-2-amino-4-phosphonobutyric acid sensitive and insensitive rod Off-pathways. *Neuroscience*, 162(1), 184-194. doi.

Bailey, T. W., Hermes, S. M., Whittier, K. L., Aicher, S. A., & Andresen, M. C. (2007). A-type potassium channels differentially tune afferent pathways from rat solitary tract nucleus to caudal ventrolateral medulla or paraventricular hypothalamus. *Journal of Physiology*, 582(2), 613-628. doi.

Beaudoin, D. L., Kupershtok, M., & Demb, J. B. (2017). Selective synaptic connections in the retinal pathway for night vision. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24313. <http://dx.doi.org/10.1002/cne.24313>

Beaudoin, D. L., Manookin, M. B., & Demb, J. B. (2008). Distinct expressions of contrast gain control in parallel synaptic pathways converging on a retinal ganglion cell. *Journal of Physiology*, 586(22), 5487-5502. doi.

Berggren, K., Ezerman, E. B., McCaffery, P., & Forehand, C. J. (2001). Expression and regulation of the retinoic acid synthetic enzyme RALDH-2 in the embryonic chicken wing. *Developmental Dynamics*, 222(1), 1-16. doi.

Bianchi, S., Stimpson, C. D., Bauernfeind, A. L., Schapiro, S. J., Baze, W. B., McArthur, M. J., . . . Sherwood, C. C. (2012). Dendritic Morphology of Pyramidal Neurons in the Chimpanzee Neocortex: Regional Specializations and Comparison to Humans. *Cerebral cortex*. doi: 10.1093/cercor/bhs239. <http://cercor.oxfordjournals.org/content/early/2012/08/08/cercor.bhs239>

....

Birgit, W., Paul B, C., Christopher L, P., & others. (2008). Cellules entières Recordings of Light évoqués courants synaptiques excitateurs dans la tranche la rétine. *Journal of Visualized Experiments*, (1). doi.

Blackmore, E. M., Miranda Dos Santos, F., Krajewski-Hall, S. J., Rance, N. E., & McMullen, N. T. (2019). Glutamatergic Neurokinin 3 receptor neurons in the median preoptic nucleus modulate heat-defense pathways in female mice. *Endocrinology*. doi: 10.1210/en.2018-00934. <https://dx.doi.org/10.1210/en.2018-00934>

Bloom, F. E., Young, W. G., Nimchinsky, E. A., Hof, P. R., & Morrison, J. H. (1997). Neuronal vulnerability and informatics in human disease. *Progress in Neuroinformatics Research*, 1, 83-123. doi.

Boele, H.-J., Koekkoek, S. K., De Zeeuw, C. I., & Ruigrok, T. J. (2013). Axonal Sprouting and Formation of Terminals in the Adult Cerebellum during Associative Motor Learning. *Journal of Neuroscience*, 33(45), 17897-17907. doi. <http://www.jneurosci.org/content/33/45/17897.abstract>

Borgesius, N. Z., de Waard, M. C., van der Pluijm, I., Omrani, A., Zondag, G. C. M., van der Horst, G. T. J., . . . Elgersma, Y. (2011). Accelerated age-related cognitive decline and neurodegeneration, caused by deficient DNA repair. *Journal of Neuroscience*, 31(35), 12543-12553. doi.

Borghuis, B. G., Ratliff, C., & Smith, R. G. (2018). Impact of light-adaptive mechanisms on mammalian retinal visual encoding at high light levels. *Journal of neurophysiology*. doi. <http://www.physiology.org/doi/abs/10.1152/jn.00682.2017>

Borghuis, B. G., Sterling, P., & Smith, R. G. (2009). Loss of sensitivity in an analog neural circuit. *Journal of Neuroscience*, 29(10), 3045-3058. doi.

Boyett, J. M., & Buckmaster, P. S. (2001). Somatostatin-immunoreactive interneurons contribute to lateral inhibitory circuits in the dentate gyrus of control and epileptic rats. *Hippocampus*, 11(4), 418-422. doi.

Braas, K. M., Rossignol, T. M., Girard, B. M., May, V., & Parsons, R. L. (2004). Pituitary adenylate cyclase activating polypeptide (PACAP) decreases neuronal somatostatin immunoreactivity in cultured guinea-pig parasympathetic cardiac ganglia. *Neuroscience*, 126(2), 335-346. doi.

Briggs, F., Kiley, Caitlin W., Callaway, Edward M., & Usrey, W. M. (2016). Morphological Substrates for Parallel Streams of Corticogeniculate Feedback Originating in Both V1 and V2 of the Macaque Monkey. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.02.038>. <http://www.sciencedirect.com/science/article/pii/S0896627316001756>

Brown, K. M., Barrionuevo, G., Canty, A. J., De Paola, V., Hirsch, J. A., Jefferis, G. S. X. E., . . . Ascoli, G. A. (2011). The DIADEM data sets: Representative light microscopy images of neuronal morphology to advance automation of digital reconstructions. *Neuroinformatics*, 9(2), 143-157. doi.

- Brown, K. M., Sugihara, I., Shinoda, Y., & Ascoli, G. A. (2012). Digital Morphometry of Rat Cerebellar Climbing Fibers Reveals Distinct Branch and Bouton Types. *Journal of Neuroscience*, 32(42), 14670-14684. doi.
- Buckmaster, P. S. (2004). Prolonged Infusion of Tetrodotoxin Does Not Block Mossy Fiber Sprouting in Pilocarpine-treated Rats. *Epilepsia*, 45(5), 452-458. doi.
- Buckmaster, P. S., & Dudek, F. E. (1997). Network properties of the dentate gyrus in epileptic rats with hilar neuron loss and granule cell axon reorganization. *Journal of Neurophysiology*, 77(5), 2685-2696. doi.
- Buckmaster, P. S., Ingram, E. A., & Wen, X. (2009). Inhibition of the mammalian target of rapamycin signaling pathway suppresses dentate granule cell axon sprouting in a rodent model of temporal lobe epilepsy. *Journal of Neuroscience*, 29(25), 8259-8269. doi.
- Buckmaster, P. S., & Jongen-Rêlo, A. L. (1999). Highly specific neuron loss preserves lateral inhibitory circuits in the dentate gyrus of kainate-induced epileptic rats. *Journal of Neuroscience*, 19(21), 9519-9529. doi.
- Buckmaster, P. S., Jongen-Rêlo, A. L., Davari, S. B., & Wong, E. H. (2000). Testing the disinhibition hypothesis of epileptogenesis in vivo and during spontaneous seizures. *Journal of Neuroscience*, 20(16), 6232-6240. doi.
- Buckmaster, P. S., Otero-Corchón, V., Rubinstein, M., & Low, M. J. (2002). Heightened seizure severity in somatostatin knockout mice. *Epilepsy research*, 48(1), 43-56. doi.
- Buckmaster, P. S., Yamawaki, R., & Zhang, G. F. (2002). Axon arbors and synaptic connections of a vulnerable population of interneurons in the dentate gyrus in vivo. *Journal of Comparative Neurology*, 445(4), 360-373. doi.
- Burke, M. C., Letts, P. A., Krajewski, S. J., & Rance, N. E. (2006). Coexpression of dynorphin and neurokinin B immunoreactivity in the rat hypothalamus: morphologic evidence of interrelated function within the arcuate nucleus. *Journal of Comparative Neurology*, 498(5), 712-726. doi.
- Burkhalter, J., Fiumelli, H., Erickson, J. D., & Martin, J. L. (2007). A critical role for system A amino acid transport in the regulation of dendritic development by brain-derived neurotrophic factor (BDNF). *Journal of Biological Chemistry*, 282(8), 5152-5159. doi.
- Campbell, H. R., Meek, J., Zhang, J., & Bell, C. C. (2007). Anatomy of the posterior caudal lobe of the cerebellum and the eminentia granularis posterior in a mormyrid fish. *Journal of Comparative Neurology*, 502(5), 714-735. doi.
- Chaffiol, A., Ishii, M., Cao, Y., & Mangel, S. C. (2017). Dopamine Regulation of GABAA Receptors Contributes to Light/Dark Modulation of the ON-Cone Bipolar Cell Receptive Field Surround in the Retina. *Current Biology*. doi: <https://doi.org/10.1016/j.cub.2017.07.063>. <http://www.sciencedirect.com/science/article/pii/S0960982217309673>
- Chao, T. K., Burgess, B. J., Eddington, D. K., Nadol, J. B., & others. (2002). Morphometric changes in the cochlear nucleus in patients who had undergone cochlear implantation for bilateral profound deafness. *Hearing research*, 174(1-2), 196-205. doi.

Charvet, C. J., Reep, R. L., & Finlay, B. L. (2015). Evolution of cytoarchitectural landscapes in the mammalian isocortex: Sirenians (*Trichechus manatus*) in comparison with other mammals. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23864. <http://dx.doi.org/10.1002/cne.23864>

Chen, S., & Buckmaster, P. S. (2005). Stereological analysis of forebrain regions in kainate-treated epileptic rats. *Brain research*, 1057(1), 141-152. doi.

Cholanian, M., Krajewski-Hall, S. J., Levine, R. B., McMullen, N. T., & Rance, N. E. (2014). Electrophysiology of Arcuate Neurokinin B Neurons in Female Tac2-EGFP Transgenic Mice. *Endocrinology*, 0(0), en.2014-1065. doi: doi:10.1210/en.2014-1065. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1065>

Cholanian, M., Krajewski-Hall, S. J., McMullen, N. T., & Rance, N. E. (2015). Oestradiol reduces the dendritic spine density of KNDy neurones in the arcuate nucleus of ovariectomized Tac2-EGFP transgenic mice. *Journal of neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12263. <http://dx.doi.org/10.1111/jne.12263>

Dacks, P. A., Krajewski, S. J., & Rance, N. E. (2011). Activation of Neurokinin 3 Receptors in the Median Preoptic Nucleus Decreases Core Temperature in the Rat. *Endocrinology*, 152(12), 4894-4905. doi.

Das, I., Sparrow, J. R., Lin, M. I., Shih, E., Mikawa, T., & Hempstead, B. L. (2000). Trk C signaling is required for retinal progenitor cell proliferation. *Journal of Neuroscience*, 20(8), 2887-2895. doi.

Delatour, B., & Witter, M. P. (2002). Projections from the parahippocampal region to the prefrontal cortex in the rat: evidence of multiple pathways. *European Journal of Neuroscience*, 15(8), 1400-1407. doi.

Demb, J. B., Haarsma, L., Freed, M. A., & Sterling, P. (1999). Functional circuitry of the retinal ganglion cell's nonlinear receptive field. *Journal of neuroscience*, 19(22), 9756-9767. doi.

Demb, J. B., Sterling, P., & Freed, M. A. (2004). How retinal ganglion cells prevent synaptic noise from reaching the spike output. *Journal of neurophysiology*, 92(4), 2510-2519. doi.

Demb, J. B., Zaghloul, K., Haarsma, L., & Sterling, P. (2001). Bipolar cells contribute to nonlinear spatial summation in the brisk-transient (Y) ganglion cell in mammalian retina. *Journal of Neuroscience*, 21(19), 7447-7454. doi.

Demb, J. B., Zaghloul, K., & Sterling, P. (2001). Cellular basis for the response to second-order motion cues in Y retinal ganglion cells. *Neuron*, 32(4), 711-721. doi.

Dick, J., G.C., B. F., Bin, W., Subramanian, V., Jan, V., Dies, M., . . . I., D. Z. C. (2018). The basal interstitial nucleus (BIN) of the cerebellum provides diffuse ascending inhibitory input to the floccular granule cell layer. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24479. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24479>

Escobar, C. M., Krajewski, S. J., Sandoval-Guzmán, T., Voytko, M. L., & Rance, N. E. (2004). Neuropeptide Y gene expression is increased in the hypothalamus of older women. *Journal of Clinical Endocrinology & Metabolism*, 89(5), 2338-2343. doi.

Filichia, E., Hoffer, B., Qi, X., & Luo, Y. (2016). Inhibition of Drp1 mitochondrial translocation provides neural protection in dopaminergic system in a Parkinson's disease model induced by MPTP. [Article]. *Scientific Reports*, 6, 32656. doi: 10.1038/srep32656

<http://www.nature.com/articles/srep32656#supplementary-information>, <http://dx.doi.org/10.1038/srep32656>

Filichia, E., Shen, H., Zhou, X., Qi, X., Jin, K., Greig, N., . . . Luo, Y. (2015). Forebrain neuronal specific ablation of p53 gene provides protection in a cortical ischemic stroke model. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.03.018>, <http://www.sciencedirect.com/science/article/pii/S0306452215002407>

Fisher, K. M., Lilak, A., Garner, J., & Darian-Smith, C. (2018). Extensive Somatosensory and Motor Corticospinal Sprouting Occurs Following a Central Dorsal Column Lesion in Monkeys. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24491. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24491>

Fujita, S., Mizoguchi, N., Aoki, R., Cui, Y., Koshikawa, N., & Kobayashi, M. (2015). Cytoarchitecture-Dependent Decrease in Propagation Velocity of Cortical Spreading Depression in the Rat Insular Cortex Revealed by Optical Imaging. *Cerebral cortex*. doi: 10.1093/cercor/bhu336. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu336>.

...

Funka-Lea, G. D., & Schwaber, J. S. (1994). A digital brain atlas and its application to the visceral neuraxis. *Journal of neuroscience methods*, 54(2), 253-260. doi.

Gladden, M. H., Maxwell, D. J., Sahal, A., & Jankowska, E. (2000). Coupling between serotonergic and noradrenergic neurones and γ -motoneurones in the cat. *Journal of Physiology*, 527(2), 213-223. doi.

Glaser, J. R., & Glaser, E. M. (2000). Stereology, morphometry, and mapping: the whole is greater than the sum of its parts. *Journal of Chemical Neuroanatomy*, 20(1), 115-126. doi.

Guo, X., Sun, X., Hu, D., Wang, Y.-J., Fujioka, H., Vyas, R., . . . Qi, X. (2016). VCP recruitment to mitochondria causes mitophagy impairment and neurodegeneration in models of Huntington's disease. [Article]. *Nature Communications*, 7, 12646. doi: 10.1038/ncomms12646

<http://www.nature.com/articles/ncomms12646#supplementary-information>, <http://dx.doi.org/10.1038/ncomms12646>

Guyenet, P. G., & Wang, H. (2001). Pre-Bötzing neurons with preinspiratory discharges "in vivo" express NK1 receptors in the rat. *Journal of neurophysiology*, 86(1), 438-446. doi.

Hänni, M., Edvardsson, H., Wågberg, M., Pettersson, K., & Smedby, Ö. (2004). Quantification of atherosclerosis with MRI and image processing in spontaneously hyperlipidemic rabbits. *Journal of Cardiovascular Magnetic Resonance*, 6(3), 675-684. doi.

Harding, C. F., Pytte, C. L., Page, K. G., Ryberg, K. J., Normand, E., Remigio, G. J., . . . Abreu, o. (2019). Mold inhalation causes innate immune activation, neural, cognitive and emotional dysfunction. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.11.006>, <http://www.sciencedirect.com/science/article/pii/S089159119303010>

Harris, E., & Stewart, M. (2001). Propagation of synchronous epileptiform events from subiculum backward into area CA1 of rat brain slices. *Brain research*, 895(1-2), 41-49. doi.

- Harris, E., Witter, M. P., Weinstein, G., & Stewart, M. (2001). Intrinsic connectivity of the rat subiculum: I. Dendritic morphology and patterns of axonal arborization by pyramidal neurons. *Journal of Comparative Neurology*, 435(4), 490-505. doi.
- Henny, P., Brown, M. T. C., Northrop, A., Faunes, M., Ungless, M. A., Magill, P. J., & Bolam, J. P. (2012). Structural correlates of heterogeneous in vivo activity of midbrain dopaminergic neurons. *Nature Neuroscience*. doi.
- Homann, J., & Freed, M. A. (2016). A mammalian retinal ganglion cell implements a neuronal computation that maximizes the SNR of its postsynaptic currents. [10.1523/JNEUROSCI.2814-16.2016]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2016/12/30/JNEUROSCI.2814-16.2016..>
- Hoshi, H., Tian, L. M., Massey, S. C., & Mills, S. L. (2011). Two distinct types of ON directionally selective ganglion cells in the rabbit retina. *Journal of Comparative Neurology*, 519(13), 2509-2521. doi.
- Hoshi, H., Tian, L.-M., Massey, S. C., & Mills, S. L. (2012). Properties of the ON bistratified ganglion cell in the rabbit retina. *Journal of Comparative Neurology*. doi: 10.1002/cne.23237. <http://dx.doi.org/10.1002/cne.23237>
- Hsieh, K. C., Gvilia, I., Kumar, S., Uschakov, A., McGinty, D., Alam, M. N., & Szymusiak, R. (2011). c-Fos expression in neurons projecting from the preoptic and lateral hypothalamic areas to the ventrolateral periaqueductal gray in relation to sleep states. *Neuroscience*. doi.
- Huerta-Ocampo, I., Mena-Segovia, J., & Bolam, J. P. (2013). Convergence of cortical and thalamic input to direct and indirect pathway medium spiny neurons in the striatum. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-013-0601-z. <http://dx.doi.org/10.1007/s00429-013-0601-z>
- Huisman, E., Uylings, H., & Hoogland, P. V. (2004). A 100% increase of dopaminergic cells in the olfactory bulb may explain hyposmia in Parkinson's disease. *Movement disorders*, 19(6), 687-692. doi.
- Huisman, E., Uylings, H., & Hoogland, P. V. (2008). Gender-related changes in increase of dopaminergic neurons in the olfactory bulb of Parkinson's disease patients. *Movement Disorders*, 23(10), 1407-1413. doi.
- Illig, K. R. (2005). Projections from orbitofrontal cortex to anterior piriform cortex in the rat suggest a role in olfactory information processing. *The Journal of comparative neurology*, 488(2), 224-231. doi.
- Illig, K. R., & Eudy, J. D. (2009). Contralateral projections of the rat anterior olfactory nucleus. *Journal of comparative neurology*, 512(1), 115-123. doi.
- Ingram, E. A., Toyoda, I., Wen, X., & Buckmaster, P. S. (2009). Prolonged infusion of inhibitors of calcineurin or L-type calcium channels does not block mossy fiber sprouting in a model of temporal lobe epilepsy. *Epilepsia*, 50(1), 56-64. doi.
- Jacobs, B., Lubs, J., Hannan, M., Anderson, K., Butti, C., Sherwood, C. C., . . . Manger, P. R. (2011). Neuronal morphology in the African elephant (*Loxodonta africana*) neocortex. *Brain Structure and Function*, 215(3), 273-298. doi.
- Jeong, J. K., Velho, T. A. F., & Mello, C. V. (2005). Cloning and expression analysis of retinoic acid receptors in the zebra finch brain. *Journal of Comparative Neurology*, 489(1), 23-41. doi.

Jin, N. G., Chuang, A. Z., Masson, P. J., & Ribelayga, C. P. (2015). Rod electrical coupling is controlled by a circadian clock and dopamine in mouse retina. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.284919. <http://dx.doi.org/10.1113/jphysiol.2014.284919>

Jönsson-Rylander, A. C., Nilsson, T., Fritsche-Danielson, R., Hammarström, A., Behrendt, M., Andersson, J. O., . . . others. (2005). Role of ADAMTS-1 in Atherosclerosis. *Arteriosclerosis, thrombosis, and vascular biology*, 25(1), 180-185. doi.

Jwair, S., Coulon, P., & Ruigrok, T. J. H. (2017). Disynaptic Subthalamic Input to the Posterior Cerebellum in Rat. [Original Research]. *Frontiers in Neuroanatomy*, 11(13). doi: 10.3389/fnana.2017.00013. <http://journal.frontiersin.org/article/10.3389/fnana.2017.00013>

Kambiz, S., Baas, M., Duraku, L., Kerver, A., Koning, A., Walbeehm, E., & Ruigrok, T. (2014). Innervation mapping of the hind paw of the rat using Evans Blue extravasation, Optical Surface Mapping and CASAM. *Journal of neuroscience methods*. doi. <http://www.sciencedirect.com/science/article/pii/S0165027014001095>

Katona, L., Hartwich, K., Tomioka, R., Somogyi, J., Roberts, J. D. B., Wagner, K., . . . Somogyi, P. (2020). Synaptic organisation and behaviour-dependent activity of mGluR8a-innervated GABAergic trilaminar cells projecting from the hippocampus to the subiculum. *Brain Structure and Function*. doi: 10.1007/s00429-020-02029-2. <https://doi.org/10.1007/s00429-020-02029-2>

Katona, L., Micklem, B., Borhegyi, Z., Swiejkowski, D. A., Valenti, O., Viney, T. J., . . . Somogyi, P. (2016). Behavior-dependent activity patterns of GABAergic long-range projecting neurons in the rat hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22696. <http://dx.doi.org/10.1002/hipo.22696>

Kennedy, A. L., & Mawe, G. M. (1998). Duodenal sensory neurons project to sphincter of Oddi ganglia in guinea pig. *Journal of Neuroscience*, 18(19), 8065-8073. doi.

King, C. T., Travers, S. P., Rowland, N. E., Garcea, M., & Spector, A. C. (1999). Glossopharyngeal nerve transection eliminates quinine-stimulated fos-like immunoreactivity in the nucleus of the solitary tract: implications for a functional topography of gustatory nerve input in rats. *Journal of Neuroscience*, 19(8), 3107-3121. doi.

Kiyama, T., Long, Y., Chen, C.-K., Whitaker, C. M., Shay, A., Wu, H., . . . Mao, C.-A. (2019). Essential Roles of *Tbr1* in the Formation and Maintenance of the Orientation-Selective J-RGCs and a Group of OFF-Sustained RGCs in Mouse. *Cell Reports*, 27(3), 900-915.e905. doi: <https://doi.org/10.1016/j.celrep.2019.03.077>. <http://www.sciencedirect.com/science/article/pii/S2211124719304164>

Koch, K., McLean, J., Berry, M., Sterling, P., Balasubramanian, V., & Freed, M. A. (2004). Efficiency of information transmission by retinal ganglion cells. *Current Biology*, 14(17), 1523-1530. doi.

Krajewski, S. J., Abel, T. W., Voytko, M. L., & Rance, N. E. (2003). Ovarian steroids differentially modulate the gene expression of gonadotropin-releasing hormone neuronal subtypes in the ovariectomized cynomolgus monkey. *Journal of Clinical Endocrinology & Metabolism*, 88(2), 655-662. doi.

Krajewski, S. J., Burke, M. C., Anderson, M. J., McMullen, N. T., & Rance, N. E. (2010). Forebrain projections of arcuate neurokinin B neurons demonstrated by anterograde tract-tracing and monosodium glutamate lesions in the rat. *Neuroscience*, 166(2), 680-697. doi.

- Kumar, S. S., & Buckmaster, P. S. (2006). Hyperexcitability, interneurons, and loss of GABAergic synapses in entorhinal cortex in a model of temporal lobe epilepsy. *Journal of Neuroscience*, 26(17), 4613-4623. doi.
- Kuokkanen, P. T., Wagner, H., Ashida, G., Carr, C. E., & Kempster, R. (2010). On the origin of the extracellular field potential in the nucleus laminaris of the barn owl (*Tyto alba*). *Journal of Neurophysiology*, 104(4), 2274-2290. doi.
- Lammel, S., Hetzel, A., Häckel, O., Jones, I., Liss, B., & Roeper, J. (2008). Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system. *Neuron*, 57(5), 760-773. doi.
- Lee, C. C., Imaizumi, K., Schreiner, C. E., & Winer, J. A. (2004). Concurrent tonotopic processing streams in auditory cortex. *Cerebral cortex*, 14(4), 441-451. doi.
- Lee, C. C., Schreiner, C. E., Imaizumi, K., & Winer, J. A. (2004). Tonotopic and heterotopic projection systems in physiologically defined auditory cortex. *Neuroscience*, 128(4), 871-887. doi.
- Li, W., Ghose, S., Gleason, K., Begovic, A., Perez, J., Bartko, J., . . . Tamminga, C. A. (2015). Synaptic Proteins in the Hippocampus Indicative of Increased Neuronal Activity in CA3 in Schizophrenia. doi. <http://ajp.psychiatryonline.org/doi/10.1176/appi.ajp.2014.14010123>
- Li, W., Prakash, R., Kelly-Cobbs, A. I., Ogbi, S., Kozak, A., El-Remessy, A. B., . . . Ergul, A. (2010). Adaptive Cerebral Neovascularization in a Model of Type 2 Diabetes. *Diabetes*, 59(1), 228-235. doi.
- Llewellyn-Smith, I. J., Martin, C. L., Fenwick, N. M., DiCarlo, S. E., Lujan, H. L., & Schreihofer, A. M. (2007). VGLUT1 and VGLUT2 innervation in autonomic regions of intact and transected rat spinal cord. *Journal of Comparative Neurology*, 503(6), 741-767. doi.
- Lovell, P. V., Clayton, D. F., Replogle, K. L., & Mello, C. V. (2008). Birdsong "transcriptomics": neurochemical specializations of the oscine song system. *PloS one*, 3(10), e3440-e3440. doi.
- Lovell, P. V., & Mello, C. V. (2011). Brain expression and song regulation of the cholecystokinin gene in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, 519(2), 211-237. doi.
- Luo, Y., Shen, H., Liu, H. S., Yu, S. J., Reiner, D. J., Harvey, B. K., . . . Wang, Y. (2012). CART peptide induces neuroregeneration in stroke rats. *Journal of Cerebral Blood Flow & Metabolism*. doi.
- Luo, Y., Wang, Y., Kuang, S. Y., Chiang, Y. H., & Hoffer, B. (2010). Decreased level of Nurr1 in heterozygous young adult mice leads to exacerbated acute and long-term toxicity after repeated methamphetamine exposure. *PloS one*, 5(12), e15193-e15193. doi.
- Lynch, S. W., Braas, K. M., Harakall, S. A., Kennedy, A. L., Mawe, G. M., & Parsons, R. L. (1999). Neuropeptide Y (NPY) expression is increased in explanted guinea pig parasympathetic cardiac ganglia neurons. *Brain research*, 827(1-2), 70-78. doi.
- Lyons, D. M., Buckmaster, P. S., Lee, A. G., Wu, C., Mitra, R., Duffey, L. M., . . . Schatzberg, A. F. (2010). Stress coping stimulates hippocampal neurogenesis in adult monkeys. *Proceedings of the National Academy of Sciences*, 107(33), 14823-14827. doi.
- M., F. K., Alayna, L., Joseph, G., & Corinna, D.-S. (2018). Extensive Somatosensory and Motor Corticospinal Sprouting Occurs Following a Central Dorsal Column Lesion in Monkeys. *Journal of*

Comparative Neurology, 0(ja). doi:

doi:10.1002/cne.24491. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24491>

Manookin, M. B., Beaudoin, D. L., Ernst, Z. R., Flagel, L. J., & Demb, J. B. (2008). Disinhibition combines with excitation to extend the operating range of the OFF visual pathway in daylight. *Journal of Neuroscience*, 28(16), 4136-4150. doi.

Manookin, M. B., & Demb, J. B. (2006). Presynaptic mechanism for slow contrast adaptation in mammalian retinal ganglion cells. *Neuron*, 50(3), 453-464. doi.

Manookin, M. B., Weick, M., Stafford, B. K., & Demb, J. B. (2010). NMDA receptor contributions to visual contrast coding. *Neuron*, 67(2), 280-293. doi.

Martinez-Gonzalez, C., Wang, H. L., Micklem, B. R., Bolam, J. P., & Mena-Segovia, J. (2012). Subpopulations of cholinergic, GABAergic and glutamatergic neurons in the pedunculopontine nucleus contain calcium-binding proteins and are heterogeneously distributed. *European Journal of Neuroscience*. doi.

Martinic, G., Hazell, L., & Stocker, R. (2003). Vascular Microdissection, Perfusion, and Excision of the Murine Arterial Tree for Use in Atherogenic Disease Investigations. *Journal of the American Association for Laboratory Animal Science*, 42(5), 47-52. doi.

Mawe, G. M., & Kennedy, A. L. (1999). Duodenal neurons provide nicotinic fast synaptic input to sphincter of Oddi neurons in guinea pig. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 277(1), G226-G234-G226-G234. doi.

McMullen, N. T., Velenovsky, D. S., & Holmes, M. G. (2005). Auditory thalamic organization: cellular slabs, dendritic arbors and tectothalamic axons underlying the frequency map. *Neuroscience*, 136(3), 927-943. doi.

Mello, C. V., Kaser, T., Buckner, A. A., Wirthlin, M., & Lovell, P. V. (2019). Molecular architecture of the zebra finch arcopallium. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24688. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24688>

Mena-Segovia, J., Micklem, B. R., Nair-Roberts, R. G., Ungless, M. A., & Bolam, J. P. (2009). GABAergic neuron distribution in the pedunculopontine nucleus defines functional subterritories. *Journal of Comparative Neurology*, 515(4), 397-408. doi.

Mitchell, T. W., Nissanov, J., Han, L. Y., Mufson, E. J., Schneider, J. A., Cochran, E. J., . . . Arnold, S. E. (2000). Novel method to quantify neuropil threads in brains from elders with or without cognitive impairment. *Journal of Histochemistry & Cytochemistry*, 48(12), 1627-1627. doi.

Mitrasinovic, O. M., Murphy, G. M., & others. (2003). Microglial overexpression of the M-CSF receptor augments phagocytosis of opsonized A [beta]. *Neurobiology of aging*, 24(6), 807-815. doi.

Mittelman-Smith, M. A., Williams, H., Krajewski-Hall, S. J., Lai, J., Ciofi, P., McMullen, N. T., & Rance, N. E. (2012). Arcuate Kisspeptin/Neurokinin B/Dynorphin (KNDy) Neurons Mediate the Estrogen Suppression of Gonadotropin Secretion and Body Weight. *Endocrinology*, 153(6), 2800-2812. doi.

Mohammed, H., & Jain, N. (2013). Two whisker motor areas in the rat cortex: Evidence from thalamocortical connections. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23424. <http://dx.doi.org/10.1002/cne.23424>

- Mohammed, H., & Jain, N. (2016). Ipsilateral cortical inputs to the rostral and caudal motor areas in rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24011. <http://dx.doi.org/10.1002/cne.24011>
- Mulkey, D. K., Rosin, D. L., West, G., Takakura, A. C., Moreira, T. S., Bayliss, D. A., & Guyenet, P. G. (2007). Serotonergic neurons activate chemosensitive retrotrapezoid nucleus neurons by a pH-independent mechanism. *Journal of Neuroscience*, 27(51), 14128-14138. doi.
- Nair-Roberts, R. G., Chatelain-Badie, S. D., Benson, E., White-Cooper, H., Bolam, J. P., & Ungless, M. A. (2008). Stereological estimates of dopaminergic, GABAergic and glutamatergic neurons in the ventral tegmental area, substantia nigra and retrorubral field in the rat. *Neuroscience*, 152(4), 1024-1031. doi.
- Nemargut, J. P., & Wang, G. Y. (2009). Inhibition of nitric oxide synthase desensitizes retinal ganglion cells to light by diminishing their excitatory synaptic currents under light adaptation. *Vision research*, 49(24), 2936-2947. doi.
- Nemargut, J. P., Zhu, J., Savoie, B. T., & Wang, G. Y. (2009). Differential effects of charybdotoxin on the activity of retinal ganglion cells in the dark- and light-adapted mouse retina. *Vision research*, 49(3), 388-397. doi.
- Newson, P., Lynch-Frame, A., Roach, R., Bennett, S., Carr, V., & Chahl, L. A. (2005). Intrinsic sensory deprivation induced by neonatal capsaicin treatment induces changes in rat brain and behaviour of possible relevance to schizophrenia. *British journal of pharmacology*, 146(3), 408-418. doi.
- Newson, P. N., van den Buuse, M., Martin, S., Lynch-Frame, A., & Chahl, L. A. (2014). Effects of neonatal treatment with the TRPV1 agonist, capsaicin, on adult rat brain and behaviour. *Behavioural brain research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.06.036>. <http://www.sciencedirect.com/science/article/pii/S0166432814004197>
- Oldenbeuving, A. W., Eisenman, L. M., De Zeeuw, C. I., & Ruigrok, T. J. H. (1999). Inferior olivary-induced expression of Fos-like immunoreactivity in the cerebellar nuclei of wild-type and Lurcher mice. *European Journal of Neuroscience*, 11(11), 3809-3822. doi.
- Oliva Jr, A. A., Jiang, M., Lam, T., Smith, K. L., & Swann, J. W. (2000). Novel hippocampal interneuronal subtypes identified using transgenic mice that express green fluorescent protein in GABAergic interneurons. *The Journal of Neuroscience*, 20(9), 3354-3368. doi.
- Olson, C. R., Rodrigues, P. V., Jeong, J. K., Prael, D. J., & Mello, C. V. (2011). Organization and development of zebra finch HVC and paraHVC based on expression of zRalDH, an enzyme associated with retinoic acid production. *Journal of Comparative Neurology*, 519(1), 148-161. doi.
- Oswald, M. J., Palmer, D. N., Kay, G. W., Shemilt, S. J. A., Rezaie, P., & Cooper, J. D. (2005). Glial activation spreads from specific cerebral foci and precedes neurodegeneration in presymptomatic ovine neuronal ceroid lipofuscinosis (CLN6). *Neurobiology of disease*, 20(1), 49-63. doi.
- Paulson, L., Persson, A. A., Vonck, K., Van Dycke, A., Kuhn, H. G., Boon, P., . . . Raedt, R. (2010). Effect of levetiracetam on hippocampal protein expression and cell proliferation in rats. *Epilepsy research*, 90(1), 110-120. doi.
- Pelaez, N. M., Schreihofner, A. M., & Guyenet, P. G. (2002). Decompensated hemorrhage activates serotonergic neurons in the subependymal parapyramidal region of the rat medulla. *American*

Journal of Physiology-Regulatory, Integrative and Comparative Physiology, 283(3), R688–R697– R688–R697. doi.

Petanjek, Z., Judaš, M., Kostović, I., & Uylings, H. B. M. (2008). Lifespan alterations of basal dendritic trees of pyramidal neurons in the human prefrontal cortex: a layer-specific pattern. *Cerebral cortex*, 18(4), 915-929. doi.

Pettersson, K. S., Eliasson, U. B., Abrahamsson, T., W\aaagberg, M., Carrier, M., & Kengatharan, K. M. (2007). N, N-Diacetyl-L-cystine Improves Endothelial Function in Atherosclerotic Watanabe Heritable Hyperlipidaemic Rabbits. *Basic & clinical pharmacology & toxicology*, 100(1), 36-42. doi.

Pijpers, A., Apps, R., Pardoe, J., Voogd, J., & Ruigrok, T. J. H. (2006). Precise spatial relationships between mossy fibers and climbing fibers in rat cerebellar cortical zones. *Journal of Neuroscience*, 26(46), 12067-12080. doi.

Pijpers, A., & Ruigrok, T. J. H. (2006). Organization of pontocerebellar projections to identified climbing fiber zones in the rat. *Journal of Comparative Neurology*, 496(4), 513-528. doi.

Pijpers, A., Winkelman, B. H. J., Bronsing, R., & Ruigrok, T. J. H. (2008). Selective impairment of the cerebellar C1 module involved in rat hind limb control reduces step-dependent modulation of cutaneous reflexes. *Journal of Neuroscience*, 28(9), 2179-2189. doi.

Pinaud, R., Fortes, A. F., Lovell, P., & Mello, C. V. (2006). Calbindin-positive neurons reveal a sexual dimorphism within the songbird analogue of the mammalian auditory cortex. *Journal of neurobiology*, 66(2), 182-195. doi.

Pinaud, R., Saldanha, C. J., Wynne, R. D., Lovell, P. V., & Mello, C. V. (2007). The excitatory thalamo-"cortical" projection within the song control system of zebra finches is formed by calbindin-expressing neurons. *Journal of Comparative Neurology*, 504(6), 601-618. doi.

Pinaud, R., Velho, T. A. F., Jeong, J. K., Tremere, L. A., Leão, R. M., Von Gersdorff, H., & Mello, C. V. (2004). GABAergic neurons participate in the brain's response to birdsong auditory stimulation. *European Journal of Neuroscience*, 20(5), 1318-1330. doi.

Pontikis, C. C., Cella, C. V., Parihar, N., Lim, M. J., Chakrabarti, S., Mitchison, H. M., . . . Cooper, J. D. (2004). Late onset neurodegeneration in the *Cln3^{sup}* mouse model of juvenile neuronal ceroid lipofuscinosis is preceded by low level glial activation. *Brain research*, 1023(2), 231-242. doi.

Pytte, C. L., George, S., Korman, S., David, E., Bogdan, D., & Kirn, J. R. (2012). Adult Neurogenesis Is Associated with the Maintenance of a Stereotyped, Learned Motor Behavior. *Journal of Neuroscience*, 32(20), 7052-7057. doi.

Pytte, C. L., Parent, C., Wildstein, S., Varghese, C., & Oberlander, S. (2010). Deafening decreases neuronal incorporation in the zebra finch caudomedial nidopallium (NCM). *Behavioural brain research*, 211(2), 141-147. doi.

Qi, X., Davis, B., Chiang, Y.-H., Filichia, E., Barnett, A., Greig, N. H., . . . Luo, Y. (2016). Dopaminergic neuron-specific deletion of p53 gene is neuroprotective in an experimental Parkinson's disease model. *Journal of Neurochemistry*, n/a-n/a. doi:

10.1111/jnc.13706. <http://dx.doi.org/10.1111/jnc.13706>

Raedt, R., Boon, P., Persson, A., Alborn, A. M., Boterberg, T., Van Dycke, A., . . . others. (2007). Radiation of the Rat Brain Suppresses Seizure-Induced Neurogenesis and Transiently Enhances Excitability during Kindling Acquisition. *Epilepsia*, 48(10), 1952-1963. doi.

Read, H. L., Miller, L. M., Schreiner, C. E., & Winer, J. A. (2008). Two thalamic pathways to primary auditory cortex. *Neuroscience*, 152(1), 151-159. doi.

Richter, Z., Janszky, J., Sétáló Jr, G., Horváth, R., Horváth, Z., Dóczi, T., . . . Ábrahám, H. (2016). Characterization of neurons in the cortical white matter in human temporal lobe epilepsy. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.07.011>. <http://www.sciencedirect.com/science/article/pii/S0306452216303165>

Rometo, A. M., Krajewski, S. J., Voytko, M. L., & Rance, N. E. (2007). Hypertrophy and increased kisspeptin gene expression in the hypothalamic infundibular nucleus of postmenopausal women and ovariectomized monkeys. *Journal of Clinical Endocrinology & Metabolism*, 92(7), 2744-2750. doi.

Rometo, A. M., & Rance, N. E. (2008). Changes in prodynorphin gene expression and neuronal morphology in the hypothalamus of postmenopausal women. *Journal of neuroendocrinology*, 20(12), 1376-1381. doi.

Rosin, D. L., Chang, D. A., & Guyenet, P. G. (2006). Afferent and efferent connections of the rat retrotrapezoid nucleus. *Journal of Comparative Neurology*, 499(1), 64-89. doi.

Rosoklija, G., Toomayan, G., Ellis, S. P., Keilp, J., Mann, J. J., Latov, N., . . . Dwork, A. J. (2000). Structural abnormalities of subicular dendrites in subjects with schizophrenia and mood disorders: preliminary findings. *Archives of general psychiatry*, 57(4), 349-349. doi.

Ruigrok, T. J. H. (2003). Collateralization of climbing and mossy fibers projecting to the nodulus and flocculus of the rat cerebellum. *Journal of Comparative Neurology*, 466(2), 278-298. doi.

Ruigrok, T. J. H., Pijpers, A., Goedknecht-Sabel, E., & Coulon, P. (2008). Multiple cerebellar zones are involved in the control of individual muscles: a retrograde transneuronal tracing study with rabies virus in the rat. *European Journal of Neuroscience*, 28(1), 181-200. doi.

Ruigrok, T. J. H., van der Burg, H., & Sabel-Goedknecht, E. (1996). Locomotion coincides with c-Fos expression in related areas of inferior olive and cerebellar nuclei in the rat. *Neuroscience letters*, 214(2-3), 119-122. doi.

Saylor, A. J., Meredith, G. E., Vercillo, M. S., Zahm, D. S., & McGinty, J. F. (2006). BDNF heterozygous mice demonstrate age-related changes in striatal and nigral gene expression. *Experimental neurology*, 199(2), 362-372. doi.

Schonewille, M., Luo, C., Ruigrok, T. J. H., Voogd, J., Schmolesky, M. T., Rutteman, M., . . . De Zeeuw, C. I. (2006). Zonal organization of the mouse flocculus: physiology, input, and output. *Journal of Comparative Neurology*, 497(4), 670-682. doi.

Schreihöfer, A. M., Stornetta, R. L., & Guyenet, P. G. (2000). Regulation of sympathetic tone and arterial pressure by rostral ventrolateral medulla after depletion of C1 cells in rat. *The Journal of Physiology*, 529(1), 221-236. doi.

- Selemon, L. D., Ceritoglu, C., Ratnanather, J. T., Wang, L., Harms, M. P., Aldridge, K., . . . Rakic, P. (2012). Distinct abnormalities of the primate prefrontal cortex caused by ionizing radiation in early or midgestation. *The Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23217. <http://dx.doi.org/10.1002/cne.23217>
- Shaw, B. K., & Kennedy, G. G. (2002). Evidence for species differences in the pattern of androgen receptor distribution in relation to species differences in an androgen-dependent behavior. *Journal of neurobiology*, 52(3), 203-220. doi.
- Shefner, J. M., Reaume, A. G., Flood, D. G., Scott, R. W., Kowall, N. W., Ferrante, R. J., . . . Brown Jr, R. H. (1999). Mice lacking cytosolic copper/zinc superoxide dismutase display a distinctive motor axonopathy. *Neurology*, 53(6), 1239-1239. doi.
- Silbereis, J., Cheng, E., Ganat, Y. M., Ment, L. R., & Vaccarino, F. M. (2009). Precursors with glial fibrillary acidic protein promoter activity transiently generate GABA interneurons in the postnatal cerebellum. *Stem Cells*, 27(5), 1152-1163. doi.
- Smith, K. M., Fagel, D. M., Stevens, H. E., Rabenstein, R. L., Maragnoli, M. E., Ohkubo, Y., . . . Vaccarino, F. M. (2008). Deficiency in inhibitory cortical interneurons associates with hyperactivity in fibroblast growth factor receptor 1 mutant mice. *Biological psychiatry*, 63(10), 953-962. doi.
- Spratt, N. J., Donnan, G. A., McLeod, D. D., & Howells, D. W. (2010). 'Salvaged' stroke ischaemic penumbra shows significant injury: studies with the hypoxia tracer FMISO. *Journal of Cerebral Blood Flow & Metabolism*, 31(3), 934-943. doi.
- Stafford, B. K., Manookin, M. B., Singer, J. H., & Demb, J. B. (2014). NMDA and AMPA receptors contribute similarly to temporal processing in mammalian retinal ganglion cells. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.276543. <http://dx.doi.org/10.1113/jphysiol.2014.276543>
- Stasheff, S. F. (2008). Emergence of sustained spontaneous hyperactivity and temporary preservation of OFF responses in ganglion cells of the retinal degeneration (rd1) mouse. *Journal of neurophysiology*, 99(3), 1408-1421. doi.
- Stasheff, S. F., Shankar, M., & Andrews, M. P. (2011). Developmental time course distinguishes changes in spontaneous and light-evoked retinal ganglion cell activity in rd1 and rd10 mice. *Journal of Neurophysiology*, 105(6), 3002-3009. doi.
- Stevens, H. E., Smith, K. M., Maragnoli, M. E., Fagel, D., Borok, E., Shanabrough, M., . . . Vaccarino, F. M. (2010). *Fgfr2* is required for the development of the medial prefrontal cortex and its connections with limbic circuits. *Journal of Neuroscience*, 30(16), 5590-5602. doi.
- Stocker, S. D., Simmons, J. R., Stornetta, R. L., Toney, G. M., & Guyenet, P. G. (2006). Water deprivation activates a glutamatergic projection from the hypothalamic paraventricular nucleus to the rostral ventrolateral medulla. *Journal of Comparative Neurology*, 494(4), 673-685. doi.
- Stornetta, R. L., Grubb, M. C., & Guyenet, P. G. (1997). Atipamezole-precipitated clonidine withdrawal induces c-Fos expression in rat central nervous system. *Brain research*, 764(1-2), 81-92. doi.
- Stornetta, R. L., McQuiston, T. J., & Guyenet, P. G. (2004). GABAergic and glycinergic presympathetic neurons of rat medulla oblongata identified by retrograde transport of pseudorabies virus and in situ hybridization. *Journal of Comparative Neurology*

479(3), 257-270. doi.

Stornetta, R. L., Rosin, D. L., Simmons, J. R., McQuiston, T. J., Vujovic, N., Weston, M. C., & Guyenet, P. G. (2005). Coexpression of vesicular glutamate transporter-3 and γ -aminobutyric acidergic markers in rat rostral medullary raphe and intermediolateral cell column. *Journal of Comparative Neurology*, 492(4), 477-494. doi.

Stornetta, R. L., Schreihofner, A. M., Pelaez, N. M., Sevigny, C. P., & Guyenet, P. G. (2001). Preproenkephalin mRNA is expressed by C1 and non-C1 barosensitive bulbospinal neurons in the rostral ventrolateral medulla of the rat. *Journal of Comparative Neurology*, 435(1), 111-126. doi.

Stornetta, R. L., Sevigny, C. P., & Guyenet, P. G. (2002). Vesicular glutamate transporter DNPI/VGLUT2 mRNA is present in C1 and several other groups of brainstem catecholaminergic neurons. *Journal of Comparative Neurology*, 444(3), 191-206. doi.

Suzuki, L., Coulon, P., Sabel-Goedknecht, E. H., & Ruigrok, T. J. H. (2012). Organization of Cerebral Projections to Identified Cerebellar Zones in the Posterior Cerebellum of the Rat. *Journal of Neuroscience*, 32(32), 10854-10869. doi: 10.1523/jneurosci.0857-12.2012. <http://www.jneurosci.org/content/32/32/10854.abstract>

Suzuki, Y., Kiyokage, E., Sohn, J., Hioki, H., & Toida, K. (2014). Structural basis for serotonergic regulation of neural circuits in the mouse olfactory bulb. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23680. <http://dx.doi.org/10.1002/cne.23680>

Tailby, C., Wright, L. L., Metha, A. B., & Calford, M. B. (2005). Activity-dependent maintenance and growth of dendrites in adult cortex. *Proceedings of the National Academy of Sciences of the United States of America*, 102(12), 4631-4631. doi.

Tardif, E., & Clarke, S. (2001). Intrinsic connectivity of human auditory areas: a tracing study with Dil. *European Journal of Neuroscience*, 13(5), 1045-1050. doi.

Tardif, E., Delacuisine, B., Probst, A., & Clarke, S. (2005). Intrinsic connectivity of human superior colliculus. *Experimental brain research*, 166(3), 316-324. doi.

Tardif, E., Probst, A., & Clarke, S. (2007). Laminar specificity of intrinsic connections in Broca's area. *Cerebral cortex*, 17(12), 2949-2960. doi.

Tata, D. A., & Anderson, B. J. (2002). A new method for the investigation of capillary structure. *Journal of Neuroscience Methods*, 113(2), 199-206. doi.

Teune, T. M., Van Der Burg, J., Van Der Moer, J., Voogd, J., & Ruigrok, T. J. H. (2000). Topography of cerebellar nuclear projections to the brain stem in the rat. *Progress in Brain Research*, 124, 141-172. doi.

Thind, K. K., Yamawaki, R., Phanwar, I., Zhang, G., Wen, X., & Buckmaster, P. S. (2010). Initial loss but later excess of GABAergic synapses with dentate granule cells in a rat model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 518(5), 647-667. doi.

Tokutake, Y., & Freed, M. A. (2008). Retinal ganglion cells—spatial organization of the receptive field reduces temporal redundancy. *European Journal of Neuroscience*, 28(5), 914-923. doi.

- Tooney, P. A., Anderson, W. B., Lynch-Frame, A., & Chahl, L. A. (2005). The effects of haloperidol treatment on the distribution of NK₁ receptor immunoreactive neurons in guinea-pig brain. *Neuroscience letters*, 383(1), 155-159. doi.
- Toyoda, I., & Buckmaster, P. S. (2005). Prolonged infusion of cycloheximide does not block mossy fiber sprouting in a model of temporal lobe epilepsy. *Epilepsia*, 46(7), 1017-1020. doi.
- Tukker, J. J., Lasztóczy, B., Katona, L., Roberts, J. D. B., Pissadaki, E. K., Dalezios, Y., . . . Somogyi, P. (2013). Distinct Dendritic Arborization and In Vivo Firing Patterns of Parvalbumin-Expressing Basket Cells in the Hippocampal Area CA3. *Journal of Neuroscience*, 33(16), 6809-6825. doi: 10.1523/jneurosci.5052-12.2013. <http://www.jneurosci.org/content/33/16/6809.abstract>
- Turner, B. A., Sparrow, J., Cai, B., Monroe, J., Mikawa, T., & Hempstead, B. L. (2006). TrkB/BDNF signaling regulates photoreceptor progenitor cell fate decisions. *Developmental biology*, 299(2), 455-465. doi.
- Uschakov, A., Gong, H., McGinty, D., & Szymusiak, R. (2007). Efferent projections from the median preoptic nucleus to sleep-and arousal-regulatory nuclei in the rat brain. *Neuroscience*, 150(1), 104-120. doi.
- Vastagh, C., Vig, J., Takacs, J., & Hamori, J. (2005). Quantitative analysis of the postnatal development of Purkinje neurons in the cerebellum of the cat. *International Journal of Developmental Neuroscience*, 23(1), 27-35. doi.
- Viney, T. J., Lasztóczy, B., Katona, L., Crump, M. G., Tukker, J. J., Klausberger, T., & Somogyi, P. (2013). Network state-dependent inhibition of identified hippocampal CA3 axo-axonic cells in vivo. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3550.html>
- Vlug, A. S., Teuling, E., Haasdijk, E. D., French, P., Hoogenraad, C. C., & Jaarsma, D. (2005). ATF3 expression precedes death of spinal motoneurons in amyotrophic lateral sclerosis-SOD1 transgenic mice and correlates with c-Jun phosphorylation, CHOP expression, somato-dendritic ubiquitination and Golgi fragmentation. *European Journal of Neuroscience*, 22(8), 1881-1894. doi.
- Wågberg, M., Jansson, A. H., Westerlund, C., Östlund-Lindqvist, A. M., Särnstrand, B., Bergstrand, H., & Pettersson, K. (2001). N, N'-diacetyl-L-cystine (DiNAC), the disulphide dimer of N-acetylcysteine, inhibits atherosclerosis in WHHL rabbits: evidence for immunomodulatory agents as a new approach to prevent atherosclerosis. *Journal of Pharmacology and Experimental Therapeutics*, 299(1), 76-82. doi.
- Wang, A. Y. M., Wong, V. H. Y., Lee, P. Y., Bui, B. V., Dudczig, S., Vessey, K. A., & Fletcher, E. L. (2021). Retinal ganglion cell dysfunction in mice following acute intraocular pressure is exacerbated by P2X7 receptor knockout. *Scientific Reports*, 11(1), 4184. doi: 10.1038/s41598-021-83669-0. <https://doi.org/10.1038/s41598-021-83669-0>
- Wang, F., Rendahl, K. G., Manning, W. C., Quiroz, D., Coyne, M., & Miller, S. S. (2003). AAV-mediated expression of vascular endothelial growth factor induces choroidal neovascularization in rat. *Investigative ophthalmology & visual science*, 44(2), 781-790. doi.
- Wang, G. (2006). Unique functional properties of the APB sensitive and insensitive rod pathways signaling light decrements in mouse retinal ganglion cells. *Visual neuroscience*, 23(1), 127-127. doi.

Wang, G. Y., van der List, D. A., Nemargut, J. P., Coombs, J. L., & Chalupa, L. M. (2007). The sensitivity of light-evoked responses of retinal ganglion cells is decreased in nitric oxide synthase gene knockout mice. *Journal of Vision*, 7(14). doi.

Wang, H., Germanson, T. P., & Guyenet, P. G. (2002). Depressor and tachypneic responses to chemical stimulation of the ventral respiratory group are reduced by ablation of neurokinin-1 receptor-expressing neurons. *Journal of Neuroscience*, 22(9), 3755-3764. doi.

Wang, H., Stornetta, R. L., Rosin, D. L., & Guyenet, P. G. (2001). Neurokinin-1 receptor-immunoreactive neurons of the ventral respiratory group in the rat. *Journal of Comparative Neurology*, 434(2), 128-146. doi.

Wang, H., Weston, M. C., McQuiston, T. J., Stornetta, R. L., & Guyenet, P. G. (2003). Neurokinin-1 receptor-expressing cells regulate depressor region of rat ventrolateral medulla. *American Journal of Physiology-Heart and Circulatory Physiology*, 285(6), H2757-H2769-H2757-H2769. doi.

Washburn, C. P., Bayliss, D. A., & Guyenet, P. G. (2003). Cardiorespiratory neurons of the rat ventrolateral medulla contain TASK-1 and TASK-3 channel mRNA. *Respiratory physiology & neurobiology*, 138(1), 19-35. doi.

Watari, H., Born, D. E., & Gleason, C. A. (2006). Effects of first trimester binge alcohol exposure on developing white matter in fetal sheep. *Pediatric research*, 59, 560-564. doi.

Weick, M., & Demb, J. B. (2011). Delayed-rectifier k channels contribute to contrast adaptation in Mammalian retinal ganglion cells. *Neuron*, 71(1), 166-179. doi.

Werner, B., Cook, P. B., & Passaglia, C. L. (2008). Complex temporal response patterns with a simple retinal circuit. *Journal of neurophysiology*, 100(2), 1087-1097. doi.

Witting, P. K., Christison, J. K., Eriksson, A. W., Pettersson, K., & Stocker, R. (1999). Time-dependent changes to lipids and antioxidants in plasma and aortas of apolipoprotein E knockout mice. *Journal of Lipid Research*, 40(6), 1104-1112. doi.

Witting, P. K., Pettersson, K., Östlund-Lindqvist, A. M., Westerlund, C., Eriksson, A. W., & Stocker, R. (1999). Inhibition by a coantioxidant of aortic lipoprotein lipid peroxidation and atherosclerosis in apolipoprotein E and low density lipoprotein receptor gene double knockout mice. *The FASEB journal*, 13(6), 667-675. doi.

Wood, W. E., Olson, C. R., Lovell, P. V., & Mello, C. V. (2008). Dietary retinoic acid affects song maturation and gene expression in the song system of the zebra finch. *Developmental Neurobiology*, 68(10), 1213-1224. doi.

Xu, Y., Dhingra, N. K., Smith, R. G., & Sterling, P. (2005). Sluggish and brisk ganglion cells detect contrast with similar sensitivity. *Journal of neurophysiology*, 93(5), 2388-2395. doi.

Yamawaki, R., Thind, K., & Buckmaster, P. S. (2014). Blockade of excitatory synaptogenesis with proximal dendrites of dentate granule cells following rapamycin treatment in a mouse model of temporal lobe epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23681. <http://dx.doi.org/10.1002/cne.23681>

Yang, J., Pahng, J., & Wang, G.-Y. (2012). Dopamine modulates the off pathway in light-adapted mouse retina. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23137. <http://dx.doi.org/10.1002/jnr.23137>

Yang, Y. T., Lin, P. K., Wan, C., Yang, W. C., Lin, L. J., Wu, C. Y., & Chiao, C. C. (2011). Responses of rabbit retinal ganglion cells to subretinal electrical stimulation using a silicon-based microphotodiode array. *Investigative ophthalmology & visual science*, 52(13), 9353-9361. doi.

Zaghloul, K. A., Boahen, K., & Demb, J. B. (2003). Different circuits for ON and OFF retinal ganglion cells cause different contrast sensitivities. *Journal of neuroscience*, 23(7), 2645-2654. doi.

Zaghloul, K. A., Boahen, K., & Demb, J. B. (2005). Contrast adaptation in subthreshold and spiking responses of mammalian Y-type retinal ganglion cells. *Journal of Neuroscience*, 25(4), 860-868. doi.

Zaghloul, K. A., Manookin, M. B., Borghuis, B. G., Boahen, K., & Demb, J. B. (2007). Functional circuitry for peripheral suppression in mammalian Y-type retinal ganglion cells. *Journal of neurophysiology*, 97(6), 4327-4340. doi.

Zhang, W., Kobayashi, M., Moritani, M., Masuda, Y., Dong, J., Yagi, T., . . . Morimoto, T. (2003). An involvement of trigeminal mesencephalic neurons in regulation of occlusal vertical dimension in the guinea pig. *Journal of dental research*, 82(7), 565-569. doi.

Zhou, X., Pace, J., Filichia, E., Lv, T., Davis, B., Hoffer, B., . . . Luo, Y. (2016). Dopaminergic neurons. *Experimental neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.06.013>. <http://www.sciencedirect.com/science/article/pii/S0014488616301789>

Zong, W., H. A. Obenaus, et al. "Large-scale two-photon calcium imaging in freely moving mice." *Cell*. <https://doi.org/10.1016/j.cell.2022.02.017>

Abdelfattah, A. S., J. Zheng, et al. (2023). "Sensitivity optimization of a rhodopsin-based fluorescent voltage indicator." *Neuron* 111(10): 1547-1563.e1549. <https://doi.org/10.1016/j.neuron.2023.03.009>

Abrahamsson, T., C. Y. C. Chou, et al. (2017). "Differential Regulation of Evoked and Spontaneous Release by Presynaptic NMDA Receptors." *Neuron* 96(4): 839-855.e835. <https://doi.org/10.1016/j.neuron.2017.09.030>

Alberto, C.-M., C. Michelle, et al. (2010). "Delayed Stabilization of Dendritic Spines in Fragile X Mice." *The Journal of Neuroscience* 30(23): 7793. <https://doi.org/10.1523/JNEUROSCI.0577-10.2010>

Aleksander, S., S. Volker, et al. (2005). "NMDA Receptor Subunit-Dependent [Ca²⁺] Signaling in Individual Hippocampal Dendritic Spines." *The Journal of Neuroscience* 25(26): 6037. <https://doi.org/10.1523/JNEUROSCI.1221-05.2005>

Ali, F., D. M. Gerhard, et al. (2020). "Ketamine disinhibits dendrites and enhances calcium signals in prefrontal dendritic spines." *Nature Communications* 11(1): 72. <https://doi.org/10.1038/s41467-019-13809-8>

Andermann, M., A. Kerlin, et al. (2010). "Chronic cellular imaging of mouse visual cortex during operant behavior and passive viewing." *Frontiers in Cellular Neuroscience* 4. <https://doi.org/10.3389/fncel.2010.00003>

- Andermann, Mark L., Nathan B. Gilfoy, et al. (2013). "Chronic Cellular Imaging of Entire Cortical Columns in Awake Mice Using Microprisms." *Neuron* 80(4): 900-913. <https://doi.org/10.1016/j.neuron.2013.07.052>
- Andermann, Mark L., Aaron M. Kerlin, et al. (2011). "Functional Specialization of Mouse Higher Visual Cortical Areas." *Neuron* 72(6): 1025-1039. <https://doi.org/10.1016/j.neuron.2011.11.013>
- Baeza-Lehnert, F., A. S. Saab, et al. (2019). "Non-Canonical Control of Neuronal Energy Status by the Na⁺ Pump." *Cell Metabolism* 29(3): 668-680.e664. <https://doi.org/10.1016/j.cmet.2018.11.005>
- Barker, A. J. and H. Baier (2015). "Sensorimotor Decision Making in the Zebrafish Tectum." *Current Biology* 25(21): 2804-2814. <https://doi.org/10.1016/j.cub.2015.09.055>
- Barnstedt, O., D. Oswald, et al. (2016). "Memory-Relevant Mushroom Body Output Synapses Are Cholinergic." *Neuron* 89(6): 1237-1247. <https://doi.org/10.1016/j.neuron.2016.02.015>
- Blot, A., M. M. Roth, et al. (2021). "Visual intracortical and transthalamic pathways carry distinct information to cortical areas." *Neuron* 109(12): 1996-2008.e1996. <https://doi.org/10.1016/j.neuron.2021.04.017>
- Bock, R., J. H. Shin, et al. (2013). "Strengthening the accumbal indirect pathway promotes resilience to compulsive cocaine use." *Nature Neuroscience* 16(5): 632-638. <https://doi.org/10.1038/nn.3369>
- Broussard, G. J., Y. Liang, et al. (2018). "In vivo measurement of afferent activity with axon-specific calcium imaging." *Nature Neuroscience* 21(9): 1272-1280. <https://doi.org/10.1038/s41593-018-0211-4>
- Bugeon, S., J. Duffield, et al. (2022). "A transcriptomic axis predicts state modulation of cortical interneurons." *Nature* 607(7918): 330-338. <https://doi.org/10.1038/s41586-022-04915-7>
- Bulovaite, E., Z. Qiu, et al. (2022). "A brain atlas of synapse protein lifetime across the mouse lifespan." *Neuron* 110(24): 4057-4073.e4058. <https://doi.org/10.1016/j.neuron.2022.09.009>
- Burgess, C. P., A. Lak, et al. (2017). "High-Yield Methods for Accurate Two-Alternative Visual Psychophysics in Head-Fixed Mice." *Cell Reports* 20(10): 2513-2524. <https://doi.org/10.1016/j.celrep.2017.08.047>
- Carter, A. G. and B. L. Sabatini (2004). "State-Dependent Calcium Signaling in Dendritic Spines of Striatal Medium Spiny Neurons." *Neuron* 44(3): 483-493. <https://doi.org/10.1016/j.neuron.2004.10.013>
- Chatterjee, S., H. A. Sullivan, et al. (2018). "Nontoxic, double-deletion-mutant rabies viral vectors for retrograde targeting of projection neurons." *Nature Neuroscience* 21(4): 638-646. <https://doi.org/10.1038/s41593-018-0091-7>
- Chen, I. W., R. Emiliano, et al. (2019). "In Vivo Submillisecond Two-Photon Optogenetics with Temporally Focused Patterned Light." *The Journal of Neuroscience* 39(18): 3484. <https://doi.org/10.1523/JNEUROSCI.1785-18.2018>
- Chen, N., H. Sugihara, et al. (2015). "An acetylcholine-activated microcircuit drives temporal dynamics of cortical activity." *Nature Neuroscience* 18(6): 892-902. <https://doi.org/10.1038/nn.4002>
- Chen, T.-W., N. Li, et al. (2017). "A Map of Anticipatory Activity in Mouse Motor Cortex." *Neuron* 94(4): 866-879.e864. "A Map of Anticipatory Activity in Mouse Motor Cortex."

- Chen, T.-W., T. J. Wardill, et al. (2013). "Ultrasensitive fluorescent proteins for imaging neuronal activity." *Nature* 499(7458): 295-300. <https://doi.org/10.1038/nature12354>
- Cheriyamkunnel, S. J., S. Rose, et al. (2021). "A neuronal mechanism controlling the choice between feeding and sexual behaviors in *Drosophila*." *Current Biology* 31(19): 4231-4245.e4234. <https://doi.org/10.1016/j.cub.2021.07.029>
- Chiu, C. Q., J. S. Martenson, et al. (2018). "Input-Specific NMDAR-Dependent Potentiation of Dendritic GABAergic Inhibition." *Neuron* 97(2): 368-377.e363. <https://doi.org/10.1016/j.neuron.2017.12.032>
- Chu, J., Y. Oh, et al. (2016). "A bright cyan-excitable orange fluorescent protein facilitates dual-emission microscopy and enhances bioluminescence imaging in vivo." *Nature Biotechnology* 34(7): 760-767. <https://doi.org/10.1038/nbt.3550>
- Clancy, K. B., A. C. Koralek, et al. (2014). "Volitional modulation of optically recorded calcium signals during neuroprosthetic learning." *Nature Neuroscience* 17(6): 807-809. <https://doi.org/10.1038/nn.3712>
- Cruz Hernández, J. C., O. Bracko, et al. (2019). "Neutrophil adhesion in brain capillaries reduces cortical blood flow and impairs memory function in Alzheimer's disease mouse models." *Nature Neuroscience* 22(3): 413-420. <https://doi.org/10.1038/s41593-018-0329-4>
- Cruz-Martín, A., R. N. El-Danaf, et al. (2014). "A dedicated circuit links direction-selective retinal ganglion cells to the primary visual cortex." *Nature* 507(7492): 358-361. <https://doi.org/10.1038/nature12989>
- Cynthia, X. H., A. C. Daniel, et al. (2017). "Tactile Defensiveness and Impaired Adaptation of Neuronal Activity in the *Fmr1* Knock-Out Mouse Model of Autism." *The Journal of Neuroscience* 37(27): 6475. <https://doi.org/10.1523/JNEUROSCI.0651-17.2017>
- Dana, H., T.-W. Chen, et al. (2014). "Thy1-GCaMP6 Transgenic Mice for Neuronal Population Imaging In Vivo." *PLOS ONE* 9(9): e108697. <https://doi.org/10.1371/journal.pone.0108697>
- Dana, H., B. Mohar, et al. (2016). "Sensitive red protein calcium indicators for imaging neural activity." *eLife* 5: e12727. <https://doi.org/10.7554/eLife.12727>
- Dana, H., Y. Sun, et al. (2019). "High-performance calcium sensors for imaging activity in neuronal populations and microcompartments." *Nature Methods* 16(7): 649-657. <https://doi.org/10.1038/s41592-019-0435-6>
- De Paola, V., A. Holtmaat, et al. (2006). "Cell Type-Specific Structural Plasticity of Axonal Branches and Boutons in the Adult Neocortex." *Neuron* 49(6): 861-875. <https://doi.org/10.1016/j.neuron.2006.02.017>
- Deverett, B., S. A. Koay, et al. (2018). "Cerebellar involvement in an evidence-accumulation decision-making task." *eLife* 7: e36781. "Cerebellar involvement in an evidence-accumulation decision-making task."
- Diamanti, E. M., C. B. Reddy, et al. (2021). "Spatial modulation of visual responses arises in cortex with active navigation." *eLife* 10: e63705. <https://doi.org/10.7554/eLife.63705>

- Díaz-García, C. M., C. Lahmann, et al. (2019). "Quantitative in vivo imaging of neuronal glucose concentrations with a genetically encoded fluorescence lifetime sensor." *Journal of Neuroscience Research* 97(8): 946-960. <https://doi.org/10.1002/jnr.24433>
- Díaz-García, C. M., R. Mongeon, et al. (2017). "Neuronal Stimulation Triggers Neuronal Glycolysis and Not Lactate Uptake." *Cell Metabolism* 26(2): 361-374.e364. <https://doi.org/10.1016/j.cmet.2017.06.021>
- Diering, G. H., R. S. Nirujogi, et al. (2017). "Homer1a drives homeostatic scaling-down of excitatory synapses during sleep." *Science* 355(6324): 511-515. <https://www.science.org/doi/full/10.1126/science.aai8355>
- Ding, H., R. G. Smith, et al. (2016). "Species-specific wiring for direction selectivity in the mammalian retina." *Nature* 535(7610): 105-110. <https://doi.org/10.1038/nature18609>
- Dipoppa, M., A. Ranson, et al. (2018). "Vision and Locomotion Shape the Interactions between Neuron Types in Mouse Visual Cortex." *Neuron* 98(3): 602-615.e608. <https://doi.org/10.1016/j.neuron.2018.03.037>
- Dombeck, D. A., C. D. Harvey, et al. (2010). "Functional imaging of hippocampal place cells at cellular resolution during virtual navigation." *Nature Neuroscience* 13(11): 1433-1440. <https://doi.org/10.1038/nn.2648>
- Dombeck, D. A., A. N. Khabbaz, et al. (2007). "Imaging Large-Scale Neural Activity with Cellular Resolution in Awake, Mobile Mice." *Neuron* 56(1): 43-57. "Imaging Large-Scale Neural Activity with Cellular Resolution in Awake, Mobile Mice."
- Driscoll, L. N., N. L. Pettit, et al. (2017). "Dynamic Reorganization of Neuronal Activity Patterns in Parietal Cortex." *Cell* 170(5): 986-999.e916. <https://doi.org/10.1016/j.cell.2017.07.021>
- Economo, M. N., N. G. Clack, et al. (2016). "A platform for brain-wide imaging and reconstruction of individual neurons." *eLife* 5: e10566. <https://doi.org/10.7554/eLife.10566>
- Eliceiri, K. W., M. R. Berthold, et al. (2012). "Biological imaging software tools." *Nature Methods* 9(7): 697-710. <https://doi.org/10.1038/nmeth.2084>
- Elizabeth, M. C. H. (2007). "Optical brain imaging in vivo: techniques and applications from animal to man." *Journal of Biomedical Optics* 12(5): 051402. <https://pubmed.ncbi.nlm.nih.gov/17994863/>
- Engelhard, B., J. Finkelstein, et al. (2019). "Specialized coding of sensory, motor and cognitive variables in VTA dopamine neurons." *Nature* 570(7762): 509-513. <https://doi.org/10.1038/s41586-019-1261-9>
- Felsenberg, J., O. Barnstedt, et al. (2017). "Re-evaluation of learned information in *Drosophila*." *Nature* 544(7649): 240-244. <https://doi.org/10.1038/nature21716>
- Felsenberg, J., P. F. Jacob, et al. (2018). "Integration of Parallel Opposing Memories Underlies Memory Extinction." *Cell* 175(3): 709-722.e715. <https://doi.org/10.1016/j.cell.2018.08.021>
- Filosa, A., Alison J. Barker, et al. (2016). "Feeding State Modulates Behavioral Choice and Processing of Prey Stimuli in the Zebrafish Tectum." *Neuron* 90(3): 596-608. <https://doi.org/10.1016/j.neuron.2016.03.014>

- Fischer, M. C., J. W. Wilson, et al. (2016). "Invited Review Article: Pump-probe microscopy." *Review of Scientific Instruments* 87(3). <https://doi.org/10.1063/1.4943211>
- Fosque, B. F., Y. Sun, et al. (2015). "Labeling of active neural circuits in vivo with designed calcium integrators." *Science* 347(6223): 755-760. <https://www.science.org/doi/abs/10.1126/science.1260922>
- Fratzl, A., A. M. Koltchev, et al. (2021). "Flexible inhibitory control of visually evoked defensive behavior by the ventral lateral geniculate nucleus." *Neuron* 109(23): 3810-3822.e3819. <https://doi.org/10.1016/j.neuron.2021.09.003>
- Freeman, J., N. Vladimirov, et al. (2014). "Mapping brain activity at scale with cluster computing." *Nature Methods* 11(9): 941-950. <https://doi.org/10.1038/nmeth.3041>
- Fujiwara, T., M. Brotas, et al. (2022). "Walking strides direct rapid and flexible recruitment of visual circuits for course control in *Drosophila*." *Neuron* 110(13): 2124-2138.e2128. <https://doi.org/10.1016/j.neuron.2022.04.008>
- Gambino, F., S. Pagès, et al. (2014). "Sensory-evoked LTP driven by dendritic plateau potentials in vivo." *Nature* 515(7525): 116-119. <https://doi.org/10.1038/nature13664>
- Gasselin, C., B. Hohl, et al. (2021). "Cell-type-specific nicotinic input disinhibits mouse barrel cortex during active sensing." *Neuron* 109(5): 778-787.e773. <https://doi.org/10.1016/j.neuron.2020.12.018>
- Gill, J. V., G. M. Lerman, et al. (2020). "Precise Holographic Manipulation of Olfactory Circuits Reveals Coding Features Determining Perceptual Detection." *Neuron* 108(2): 382-393.e385. <https://doi.org/10.1016/j.neuron.2020.07.034>
- Glück, C., K. D. Ferrari, et al. (2021). "Distinct signatures of calcium activity in brain mural cells." *eLife* 10: e70591. <https://doi.org/10.7554/eLife.70591>
- Goel, A., D. A. Cantu, et al. (2018). "Impaired perceptual learning in a mouse model of Fragile X syndrome is mediated by parvalbumin neuron dysfunction and is reversible." *Nature Neuroscience* 21(10): 1404-1411. <https://doi.org/10.1038/s41593-018-0231-0>
- Goltstein, P. M., S. Reinert, et al. (2021). "Mouse visual cortex areas represent perceptual and semantic features of learned visual categories." *Nature Neuroscience* 24(10): 1441-1451. <https://doi.org/10.1038/s41593-021-00914-5>
- Gonçalves, J. T., J. E. Anstey, et al. (2013). "Circuit level defects in the developing neocortex of Fragile X mice." *Nature Neuroscience* 16(7): 903-909. <https://doi.org/10.1038/nn.3415>
- Gray, N. W., R. M. Weimer, et al. (2006). "Rapid Redistribution of Synaptic PSD-95 in the Neocortex In Vivo." *PLOS Biology* 4(11): e370. <https://doi.org/10.1371/journal.pbio.0040370>
- Gregor, T., D. W. Tank, et al. (2007). "Probing the Limits to Positional Information." *Cell* 130(1): 153-164. <https://doi.org/10.1016/j.cell.2007.05.025>
- Gu, Y., S. Lewallen, et al. (2018). "A Map-like Micro-Organization of Grid Cells in the Medial Entorhinal Cortex." *Cell* 175(3): 736-750.e730. <https://doi.org/10.1016/j.cell.2018.08.066>
- Hamilton, Andrew M., Won C. Oh, et al. (2012). "Activity-Dependent Growth of New Dendritic Spines Is Regulated by the Proteasome." *Neuron* 74(6): 1023-1030. <https://doi.org/10.1016/j.neuron.2012.04.031>

Han, Y., J. M. Kebschull, et al. (2018). "The logic of single-cell projections from visual cortex." *Nature* 556(7699): 51-56. <https://doi.org/10.1038/nature26159>

Harvey, C. D., A. G. Ehrhardt, et al. (2008). "A genetically encoded fluorescent sensor of ERK activity." *Proceedings of the National Academy of Sciences* 105(49): 19264-19269. <https://doi.org/10.1073/pnas.080459810>

Harvey, C. D. and K. Svoboda (2007). "Locally dynamic synaptic learning rules in pyramidal neuron dendrites." *Nature* 450(7173): 1195-1200. <https://doi.org/10.1038/nature06416>

Harward, S. C., N. G. Hedrick, et al. (2016). "Autocrine BDNF-TrkB signalling within a single dendritic spine." *Nature* 538(7623): 99-103. <https://doi.org/10.1038/nature19766>

Hatim, A. Z., G. B. Bart, et al. (2012). "A Cre-Dependent GCaMP3 Reporter Mouse for Neuronal Imaging In Vivo." *The Journal of Neuroscience* 32(9): 3131. <https://doi.org/10.1523/JNEUROSCI.4469-11.2012>

He, B., K. Doubrovinski, et al. (2014). "Apical constriction drives tissue-scale hydrodynamic flow to mediate cell elongation." *Nature* 508(7496): 392-396. <https://doi.org/10.1038/nature13070>

Hedrick, N. G., S. C. Harward, et al. (2016). "Rho GTPase complementation underlies BDNF-dependent homo- and heterosynaptic plasticity." *Nature* 538(7623): 104-108. <https://doi.org/10.1038/nature19784>

Hefendehl, J. K., J. LeDue, et al. (2016). "Mapping synaptic glutamate transporter dysfunction in vivo to regions surrounding A β plaques by iGluSnFR two-photon imaging." *Nature Communications* 7(1): 13441. <https://doi.org/10.1038/ncomms13441>

Helmchen, F. and W. Denk (2005). "Deep tissue two-photon microscopy." *Nature Methods* 2(12): 932-940. <https://doi.org/10.1038/nmeth818>

Heneka, M. T., F. Nadrigny, et al. (2010). "Locus ceruleus controls Alzheimer's disease pathology by modulating microglial functions through norepinephrine." *Proceedings of the National Academy of Sciences* 107(13): 6058-6063. <https://doi.org/10.1073/pnas.0909586107>

Hesse, M., M. Doengi, et al. (2018). "Midbody Positioning and Distance Between Daughter Nuclei Enable Unequivocal Identification of Cardiomyocyte Cell Division in Mice." *Circulation Research* 123(9): 1039-1052. <https://www.ahajournals.org/doi/full/10.1161/CIRCRESAHA.118.312792>

Higley, M. J. and B. L. Sabatini (2010). "Competitive regulation of synaptic Ca²⁺ influx by D2 dopamine and A_{2A} adenosine receptors." *Nature Neuroscience* 13(8): 958-966. <https://doi.org/10.1038/nn.2592>

Holbro, N., Å. Grunditz, et al. (2009). "Differential distribution of endoplasmic reticulum controls metabotropic signaling and plasticity at hippocampal synapses." *Proceedings of the National Academy of Sciences* 106(35): 15055-15060. <https://doi.org/10.1073/pnas.0905110106>

Holtmaat, A., T. Bonhoeffer, et al. (2009). "Long-term, high-resolution imaging in the mouse neocortex through a chronic cranial window." *Nature Protocols* 4(8): 1128-1144. <https://doi.org/10.1038/nprot.2009.89>

Holtmaat, A., L. Wilbrecht, et al. (2006). "Experience-dependent and cell-type-specific spine growth in the neocortex." *Nature* 441(7096): 979-983. <https://doi.org/10.1038/nature04783>

Holtmaat, A. J. G. D., J. T. Trachtenberg, et al. (2005). "Transient and Persistent Dendritic Spines in the Neocortex In Vivo." *Neuron* 45(2): 279-291. <https://doi.org/10.1016/j.neuron.2005.01.003>

Horton, N. G., K. Wang, et al. (2013). "In vivo three-photon microscopy of subcortical structures within an intact mouse brain." *Nature Photonics* 7(3): 205-209. <https://doi.org/10.1038/nphoton.2012.336>

Hösli, L., N. Binini, et al. (2022). "Decoupling astrocytes in adult mice impairs synaptic plasticity and spatial learning." *Cell Reports* 38(10). <https://doi.org/10.1016/j.celrep.2022.110484>

Hösli, L., M. Zuend, et al. (2022). "Direct vascular contact is a hallmark of cerebral astrocytes." *Cell Reports* 39(1). <https://doi.org/10.1016/j.celrep.2022.110599>

Huang, K.-H., P. Rupprecht, et al. (2020). "A virtual reality system to analyze neural activity and behavior in adult zebrafish." *Nature Methods* 17(3): 343-351. <https://doi.org/10.1038/s41592-020-0759-2>

Huber, D., D. A. Gutnisky, et al. (2012). "Multiple dynamic representations in the motor cortex during sensorimotor learning." *Nature* 484(7395): 473-478. <https://doi.org/10.1038/nature11039>

Huber, D., L. Petreanu, et al. (2008). "Sparse optical microstimulation in barrel cortex drives learned behaviour in freely moving mice." *Nature* 451(7174): 61-64. <https://doi.org/10.1038/nature06445>

Hwang, F.-J., R. H. Roth, et al. (2022). "Motor learning selectively strengthens cortical and striatal synapses of motor engram neurons." *Neuron* 110(17): 2790-2801.e2795. <https://doi.org/10.1016/j.neuron.2022.06.006>

Iacaruso, M. F., I. T. Gasler, et al. (2017). "Synaptic organization of visual space in primary visual cortex." *Nature* 547(7664): 449-452. <https://doi.org/10.1038/nature23019>

Ibrahim, Leena A., L. Mesik, et al. (2016). "Cross-Modality Sharpening of Visual Cortical Processing through Layer-1-Mediated Inhibition and Disinhibition." *Neuron* 89(5): 1031-1045. <https://doi.org/10.1016/j.neuron.2016.01.027>

Inoue, M., A. Takeuchi, et al. (2019). "Rational Engineering of XCaMPs, a Multicolor GECI Suite for In Vivo Imaging of Complex Brain Circuit Dynamics." *Cell* 177(5): 1346-1360.e1324. <https://doi.org/10.1016/j.cell.2019.04.007>

Ivar, S. S., A. G. John, et al. (2015). "Non-Ionotropic NMDA Receptor Signaling Drives Activity-Induced Dendritic Spine Shrinkage." *The Journal of Neuroscience* 35(35): 12303. <https://doi.org/10.1523/JNEUROSCI.4289-14.2015>

Jacob, P. F. and S. Waddell (2020). "Spaced Training Forms Complementary Long-Term Memories of Opposite Valence in *Drosophila*." *Neuron* 106(6): 977-991.e974. <https://doi.org/10.1016/j.neuron.2020.03.013>

Jaepel, J., M. Hübener, et al. (2017). "Lateral geniculate neurons projecting to primary visual cortex show ocular dominance plasticity in adult mice." *Nature Neuroscience* 20(12): 1708-1714. <https://doi.org/10.1038/s41593-017-0021-0>

Jasper, A., C. Tsai-Wen, et al. (2012). "Optimization of a GCaMP Calcium Indicator for Neural Activity Imaging." *The Journal of Neuroscience* 32(40): 13819. <https://doi.org/10.1523/JNEUROSCI.2601-12.2012>

Jing, M., P. Zhang, et al. (2018). "A genetically encoded fluorescent acetylcholine indicator for in vitro and in vivo studies." *Nature Biotechnology* 36(8): 726-737. <https://doi.org/10.1038/nbt.4184>

Kerlin, A. M., M. L. Andermann, et al. (2010). "Broadly tuned response properties of diverse inhibitory neuron subtypes in mouse visual cortex." *Neuron* 67(5): 858-871. <https://pubmed.ncbi.nlm.nih.gov/20826316/>

Kim, S. S., A. M. Hermundstad, et al. (2019). "Generation of stable heading representations in diverse visual scenes." *Nature* 576(7785): 126-131. <https://doi.org/10.1038/s41586-019-1767-1>

Kim, S. S., H. Rouault, et al. (2017). "Ring attractor dynamics in the *Drosophila* central brain." *Science* 356(6340): 849-853. <https://www.science.org/doi/full/10.1126/science.aal4835>

Klapoetke, N. C., A. Nern, et al. (2017). "Ultra-selective looming detection from radial motion opponency." *Nature* 551(7679): 237-241. <https://doi.org/10.1038/nature24626>

Koizumi, K., Y. Hattori, et al. (2018). "ApoE4 disrupts neurovascular regulation and undermines white matter integrity and cognitive function." *Nature Communications* 9(1): 3816. <https://doi.org/10.1038/s41467-018-06301-2>

Kong, C., C. Pilger, et al. (2020). "High-contrast, fast chemical imaging by coherent Raman scattering using a self-synchronized two-colour fibre laser." *Light: Science & Applications* 9(1): 25. <https://doi.org/10.1038/s41377-020-0259-2>

Koveal, D., P. C. Rosen, et al. (2022). "A high-throughput multiparameter screen for accelerated development and optimization of soluble genetically encoded fluorescent biosensors." *Nature Communications* 13(1): 2919. <https://doi.org/10.1038/s41467-022-30685-x>

Kuhlman, S. J., N. D. Olivas, et al. (2013). "A disinhibitory microcircuit initiates critical-period plasticity in the visual cortex." *Nature* 501(7468): 543-546. <https://doi.org/10.1038/nature12485>

Lai, H. M., Y. Tang, et al. (2022). "Antibody stabilization for thermally accelerated deep immunostaining." *Nature Methods* 19(9): 1137-1146. <https://doi.org/10.1038/s41592-022-01569-1>

Lecoq, J., J. Savall, et al. (2014). "Visualizing mammalian brain area interactions by dual-axis two-photon calcium imaging." *Nature Neuroscience* 17(12): 1825-1829. <https://doi.org/10.1038/nn.3867>

Lee, K.-S., X. Huang, et al. (2016). "Topology of ON and OFF inputs in visual cortex enables an invariant columnar architecture." *Nature* 533(7601): 90-94. <https://doi.org/10.1038/nature17941>

Li, B., T. P. Nguyen, et al. (2020). "Inhibition of impulsive action by projection-defined prefrontal pyramidal neurons." *Proceedings of the National Academy of Sciences* 117(29): 17278-17287. <https://doi.org/10.1073/pnas.2000523117>

Li, X., Y. Li, et al. (2023). "Real-time denoising enables high-sensitivity fluorescence time-lapse imaging beyond the shot-noise limit." *Nature Biotechnology* 41(2): 282-292. <https://doi.org/10.1038/s41587-022-01450-8>

Li, Y., H. Lu, et al. (2012). "Clonally related visual cortical neurons show similar stimulus feature selectivity." *Nature* 486(7401): 118-121. <https://doi.org/10.1038/nature11110>

- Lin, Q., J. Manley, et al. (2020). "Cerebellar Neurodynamics Predict Decision Timing and Outcome on the Single-Trial Level." *Cell* 180(3): 536-551.e517. <https://doi.org/10.1016/j.cell.2019.12.018>
- Lin, S., D. Oswald, et al. (2014). "Neural correlates of water reward in thirsty *Drosophila*." *Nature Neuroscience* 17(11): 1536-1542. <https://doi.org/10.1038/nn.3827>
- Lohse, M., J. C. Dahmen, et al. (2021). "Subcortical circuits mediate communication between primary sensory cortical areas in mice." *Nature Communications* 12(1): 3916. <https://doi.org/10.1038/s41467-021-24200-x>
- Lu, J., A. H. Behbahani, et al. (2022). "Transforming representations of movement from body- to world-centric space." *Nature* 601(7891): 98-104. <https://doi.org/10.1038/s41586-021-04191-x>
- Lu, R., W. Sun, et al. (2017). "Video-rate volumetric functional imaging of the brain at synaptic resolution." *Nature Neuroscience* 20(4): 620-628. <https://doi.org/10.1038/nn.4516>
- Lutz, S. E., J. R. Smith, et al. (2017). "Caveolin1 Is Required for Th1 Cell Infiltration, but Not Tight Junction Remodeling, at the Blood-Brain Barrier in Autoimmune Neuroinflammation." *Cell Reports* 21(8): 2104-2117. <https://doi.org/10.1016/j.celrep.2017.10.094>
- Ma, L., J. Day-Cooney, et al. (2022). "Locomotion activates PKA through dopamine and adenosine in striatal neurons." *Nature* 611(7937): 762-768. <https://doi.org/10.1038/s41586-022-05407-4>
- Mächler, P., Matthias T. Wyss, et al. (2016). "In Vivo Evidence for a Lactate Gradient from Astrocytes to Neurons." *Cell Metabolism* 23(1): 94-102. <https://doi.org/10.1016/j.cmet.2015.10.010>
- Mahn, M., I. Saraf-Sinik, et al. (2021). "Efficient optogenetic silencing of neurotransmitter release with a mosquito rhodopsin." *Neuron* 109(10): 1621-1635.e1628. <https://doi.org/10.1016/j.neuron.2021.03.013>
- Maisak, M. S., J. Haag, et al. (2013). "A directional tuning map of *Drosophila* elementary motion detectors." *Nature* 500(7461): 212-216. <https://doi.org/10.1038/nature12320>
- Major, G., A. Polsky, et al. (2008). "Spatiotemporally Graded NMDA Spike/Plateau Potentials in Basal Dendrites of Neocortical Pyramidal Neurons." *Journal of Neurophysiology* 99(5): 2584-2601. <https://doi.org/10.1152/jn.00011.2008>
- Makino, H. and T. Komiyama (2015). "Learning enhances the relative impact of top-down processing in the visual cortex." *Nature Neuroscience* 18(8): 1116-1122. <https://doi.org/10.1038/nn.4061>
- Manifold, B., S. Men, et al. (2021). "A versatile deep learning architecture for classification and label-free prediction of hyperspectral images." *Nature Machine Intelligence* 3(4): 306-315. <https://doi.org/10.1038/s42256-021-00309-y>
- Mansour, A. A., J. T. Gonçalves, et al. (2018). "An in vivo model of functional and vascularized human brain organoids." *Nature Biotechnology* 36(5): 432-441. <https://doi.org/10.1038/nbt.4127>
- Marques, T., J. Nguyen, et al. (2018). "The functional organization of cortical feedback inputs to primary visual cortex." *Nature Neuroscience* 21(5): 757-764. <https://doi.org/10.1038/s41593-018-0135-z>
- Marshel, J. H., T. Mori, et al. (2010). "Targeting Single Neuronal Networks for Gene Expression and Cell Labeling In Vivo." *Neuron* 67(4): 562-574. <https://doi.org/10.1016/j.neuron.2010.08.001>

Marvin, J. S., B. G. Borghuis, et al. (2013). "An optimized fluorescent probe for visualizing glutamate neurotransmission." *Nature Methods* 10(2): 162-170. <https://doi.org/10.1038/nmeth.2333>

Massengill, C. I., L. Bayless-Edwards, et al. (2022). "Sensitive genetically encoded sensors for population and subcellular imaging of cAMP in vivo." *Nature Methods* 19(11): 1461-1471. <https://doi.org/10.1038/s41592-022-01646-5>

Mattiazzi Usaj, M., E. B. Styles, et al. (2016). "High-Content Screening for Quantitative Cell Biology." *Trends in Cell Biology* 26(8): 598-611. <https://doi.org/10.1016/j.tcb.2016.03.008>

Meyer, D. J., C. M. Díaz-García, et al. (2022). "The Na⁺/K⁺ pump dominates control of glycolysis in hippocampal dentate granule cells." *eLife* 11: e81645. <https://doi.org/10.7554/eLife.81645>

Michele, C., M. Bohumil, et al. (2014). "The Relationship between PSD-95 Clustering and Spine Stability In Vivo." *The Journal of Neuroscience* 34(6): 2075. <https://doi.org/10.1523/JNEUROSCI.3353-13.2014>

Moeyaert, B., G. Holt, et al. (2018). "Improved methods for marking active neuron populations." *Nature Communications* 9(1): 4440. <https://doi.org/10.1038/s41467-018-06935-2>

Moll, F. W., D. Kranz, et al. (2023). "Thalamus drives vocal onsets in the zebra finch courtship song." *Nature* 616(7955): 132-136. <https://doi.org/10.1038/s41586-023-05818-x>

Moore, A. K., A. P. Weible, et al. (2018). "Rapid Rebalancing of Excitation and Inhibition by Cortical Circuitry." *Neuron* 97(6): 1341-1355.e1346. <https://doi.org/10.1016/j.neuron.2018.01.045>

Morcos, A. S. and C. D. Harvey (2016). "History-dependent variability in population dynamics during evidence accumulation in cortex." *Nature Neuroscience* 19(12): 1672-1681. <https://doi.org/10.1038/nn.4403>

Murakoshi, H., M. E. Shin, et al. (2017). "Kinetics of Endogenous CaMKII Required for Synaptic Plasticity Revealed by Optogenetic Kinase Inhibitor." *Neuron* 94(1): 37-47.e35. <https://doi.org/10.1016/j.neuron.2017.02.036>

Murakoshi, H., H. Wang, et al. (2011). "Local, persistent activation of Rho GTPases during plasticity of single dendritic spines." *Nature* 472(7341): 100-104. <https://doi.org/10.1038/nature09823>

Ngo-Anh, T. J., B. L. Bloodgood, et al. (2005). "SK channels and NMDA receptors form a Ca²⁺-mediated feedback loop in dendritic spines." *Nature Neuroscience* 8(5): 642-649. <https://doi.org/10.1038/nn1449>

Niels, N., B. Svenja, et al. (2021). "Cell-Type-Specific Dynamics of Calcium Activity in Cortical Circuits over the Course of Slow-Wave Sleep and Rapid Eye Movement Sleep." *The Journal of Neuroscience* 41(19): 4212. <https://doi.org/10.1523/JNEUROSCI.1957-20.2021>

Niethard, N., M. Hasegawa, et al. (2016). "Sleep-Stage-Specific Regulation of Cortical Excitation and Inhibition." *Current Biology* 26(20): 2739-2749. <https://doi.org/10.1016/j.cub.2016.08.035>

Nojima, T., A. Rings, et al. (2021). "A sex-specific switch between visual and olfactory inputs underlies adaptive sex differences in behavior." *Current Biology* 31(6): 1175-1191.e1176. <https://doi.org/10.1016/j.cub.2020.12.047>

O'Connor, D. H., S. P. Peron, et al. (2010). "Neural activity in barrel cortex underlying vibrissa-based object localization in mice." *Neuron* 67(6): 1048-1061. <https://doi.org/10.1016/j.neuron.2010.08.026>

Oh, W. C., T. C. Hill, et al. (2013). "Synapse-specific and size-dependent mechanisms of spine structural plasticity accompanying synaptic weakening." *Proceedings of the National Academy of Sciences* 110(4): E305-E312. <https://doi.org/10.1073/pnas.1214705110>

Oh, Won C., Laxmi K. Parajuli, et al. (2015). "Heterosynaptic Structural Plasticity on Local Dendritic Segments of Hippocampal CA1 Neurons." *Cell Reports* 10(2): 162-169. <https://doi.org/10.1016/j.celrep.2014.12.016>

Oheim, M., D. J. Michael, et al. (2006). "Principles of two-photon excitation fluorescence microscopy and other nonlinear imaging approaches." *Advanced Drug Delivery Reviews* 58(7): 788-808. <https://doi.org/10.1016/j.addr.2006.07.005>

Okubo, T. S., P. Patella, et al. (2020). "A Neural Network for Wind-Guided Compass Navigation." *Neuron* 107(5): 924-940.e918. <https://doi.org/10.1016/j.neuron.2020.06.022>

Owald, D., J. Felsenberg, et al. (2015). "Activity of Defined Mushroom Body Output Neurons Underlies Learned Olfactory Behavior in *Drosophila*." *Neuron* 86(2): 417-427. <https://doi.org/10.1016/j.neuron.2015.03.025>

Park, H. Y., H. Lim, et al. (2014). "Visualization of Dynamics of Single Endogenous mRNA Labeled in Live Mouse." *Science* 343(6169): 422-424. <https://www.science.org/doi/abs/10.1126/science.1239200>

Parker, J. G., J. D. Marshall, et al. (2018). "Diametric neural ensemble dynamics in parkinsonian and dyskinetic states." *Nature* 557(7704): 177-182. <https://doi.org/10.1038/s41586-018-0090-6>

Patriarchi, T., J. R. Cho, et al. (2018). "Ultrafast neuronal imaging of dopamine dynamics with designed genetically encoded sensors." *Science* 360(6396): eaat4422. <https://www.science.org/doi/full/10.1126/science.aat4422>

Patterson, M. A., E. M. Szatmari, et al. (2010). "AMPA receptors are exocytosed in stimulated spines and adjacent dendrites in a Ras-ERK-dependent manner during long-term potentiation." *Proceedings of the National Academy of Sciences* 107(36): 15951-15956. <https://doi.org/10.1073/pnas.0913875107>

Peñagarikano, O., Brett S. Abrahams, et al. (2011). "Absence of CNTNAP2 Leads to Epilepsy, Neuronal Migration Abnormalities, and Core Autism-Related Deficits." *Cell* 147(1): 235-246. <https://doi.org/10.1016/j.cell.2011.08.040>

Perez-Alvarez, A., S. Yin, et al. (2020). "Endoplasmic reticulum visits highly active spines and prevents runaway potentiation of synapses." *Nature Communications* 11(1): 5083. <https://doi.org/10.1038/s41467-020-18889-5>

Perisse, E., D. Oswald, et al. (2016). "Aversive Learning and Appetitive Motivation Toggle Feed-Forward Inhibition in the *Drosophila* Mushroom Body." *Neuron* 90(5): 1086-1099. <https://doi.org/10.1016/j.neuron.2016.04.034>

Peron, S., R. Pancholi, et al. (2020). "Recurrent interactions in local cortical circuits." *Nature* 579(7798): 256-259. <https://doi.org/10.1038/s41586-020-2062-x>

Peron, Simon P., J. Freeman, et al. (2015). "A Cellular Resolution Map of Barrel Cortex Activity during Tactile Behavior." *Neuron* 86(3): 783-799. <https://doi.org/10.1016/j.neuron.2015.03.027>

Petreaanu, L., D. A. Gutnisky, et al. (2012). "Activity in motor-sensory projections reveals distributed coding in somatosensation." *Nature* 489(7415): 299-303. <https://doi.org/10.1038/nature11321>

Petrik, D., M. H. Myoga, et al. (2018). "Epithelial Sodium Channel Regulates Adult Neural Stem Cell Proliferation in a Flow-Dependent Manner." *Cell Stem Cell* 22(6): 865-878.e868. <https://doi.org/10.1016/j.stem.2018.04.016>

Peyman, G., J. T. Gonçalves, et al. (2009). "Internally Mediated Developmental Desynchronization of Neocortical Network Activity." *The Journal of Neuroscience* 29(35): 10890. <https://doi.org/10.1523/JNEUROSCI.2012-09.2009>

Picardo, Michel A., J. Merel, et al. (2016). "Population-Level Representation of a Temporal Sequence Underlying Song Production in the Zebra Finch." *Neuron* 90(4): 866-876. <https://doi.org/10.1016/j.neuron.2016.02.016>

Picot, A., S. Dominguez, et al. (2018). "Temperature Rise under Two-Photon Optogenetic Brain Stimulation." *Cell Reports* 24(5): 1243-1253.e1245. <https://doi.org/10.1016/j.celrep.2018.06.119>

Polack, P.-O., J. Friedman, et al. (2013). "Cellular mechanisms of brain state-dependent gain modulation in visual cortex." *Nature Neuroscience* 16(9): 1331-1339. <https://doi.org/10.1038/nn.3464>

Prevedel, R., A. J. Verhoef, et al. (2016). "Fast volumetric calcium imaging across multiple cortical layers using sculpted light." *Nature Methods* 13(12): 1021-1028. <https://doi.org/10.1038/nmeth.4040>

Qin, Z., Z. She, et al. (2022). "Deep tissue multi-photon imaging using adaptive optics with direct focus sensing and shaping." *Nature Biotechnology* 40(11): 1663-1671. <https://doi.org/10.1038/s41587-022-01343-w>

Reinert, S., M. Hübener, et al. (2021). "Mouse prefrontal cortex represents learned rules for categorization." *Nature* 593(7859): 411-417. <https://doi.org/10.1038/s41586-021-03452-z>

Ribeiro, I. M. A., M. Drews, et al. (2018). "Visual Projection Neurons Mediating Directed Courtship in *Drosophila*." *Cell* 174(3): 607-621.e618. <https://doi.org/10.1016/j.cell.2018.06.020>

Ricardo, M., E. A. James, et al. (2013). "Altered Synaptic Dynamics during Normal Brain Aging." *The Journal of Neuroscience* 33(9): 4094. <https://doi.org/10.1523/JNEUROSCI.4825-12.2013>

Rice, H. C., D. de Malmazet, et al. (2019). "Secreted amyloid-2; precursor protein functions as a GABABR1a ligand to modulate synaptic transmission." *Science* 363(6423): eaao4827. <https://www.science.org/doi/full/10.1126/science.aao4827>

Rickgauer, J. P., K. Deisseroth, et al. (2014). "Simultaneous cellular-resolution optical perturbation and imaging of place cell firing fields." *Nature Neuroscience* 17(12): 1816-1824. <https://doi.org/10.1038/nn.3866>

Robles, E., E. Laurell, et al. (2014). "The Retinal Projectome Reveals Brain-Area-Specific Visual Representations Generated by Ganglion Cell Diversity." *Current Biology* 24(18): 2085-2096. <https://doi.org/10.1016/j.cub.2014.07.080>

- Romano, Sebastián A., T. Pietri, et al. (2015). "Spontaneous Neuronal Network Dynamics Reveal Circuit's Functional Adaptations for Behavior." *Neuron* 85(5): 1070-1085. <https://doi.org/10.1016/j.neuron.2015.01.027>
- Roome, C. J. and B. Kuhn (2018). "Simultaneous dendritic voltage and calcium imaging and somatic recording from Purkinje neurons in awake mice." *Nature Communications* 9(1): 3388. <https://doi.org/10.1038/s41467-018-05900-3>
- Rossi, L. F., K. D. Harris, et al. (2020). "Spatial connectivity matches direction selectivity in visual cortex." *Nature* 588(7839): 648-652. <https://doi.org/10.1038/s41586-020-2894-4>
- Roth, M. M., J. C. Dahmen, et al. (2016). "Thalamic nuclei convey diverse contextual information to layer 1 of visual cortex." *Nature Neuroscience* 19(2): 299-307. <https://doi.org/10.1038/nn.4197>
- Roth, R. H., R. H. Cudmore, et al. (2020). "Cortical Synaptic AMPA Receptor Plasticity during Motor Learning." *Neuron* 105(5): 895-908.e895. <https://doi.org/10.1016/j.neuron.2019.12.005>
- Rübel, O., A. Tritt, et al. (2022). "The Neurodata Without Borders ecosystem for neurophysiological data science." *eLife* 11: e78362. <https://doi.org/10.7554/eLife.78362>
- Rumyantsev, O. I., J. A. Lecoq, et al. (2020). "Fundamental bounds on the fidelity of sensory cortical coding." *Nature* 580(7801): 100-105. <https://doi.org/10.1038/s41586-020-2130-2>
- Rupprecht, P., S. Carta, et al. (2021). "A database and deep learning toolbox for noise-optimized, generalized spike inference from calcium imaging." *Nature Neuroscience* 24(9): 1324-1337. <https://doi.org/10.1038/s41593-021-00895-5>
- Saleem, A. B., E. M. Diamanti, et al. (2018). "Coherent encoding of subjective spatial position in visual cortex and hippocampus." *Nature* 562(7725): 124-127. <https://doi.org/10.1038/s41586-018-0516-1>
- Schneider-Mizell, C. M., A. L. Bodor, et al. (2021). "Structure and function of axo-axonic inhibition." *eLife* 10: e73783. <https://doi.org/10.7554/eLife.73783>
- Scholl, B., C. I. Thomas, et al. (2021). "Cortical response selectivity derives from strength in numbers of synapses." *Nature* 590(7844): 111-114. <https://doi.org/10.1038/s41586-020-03044-3>
- Scholl, B., D. E. Wilson, et al. (2017). "Local Order within Global Disorder: Synaptic Architecture of Visual Space." *Neuron* 96(5): 1127-1138.e1124. <https://doi.org/10.1016/j.neuron.2017.10.017>
- Schröder, S., N. A. Steinmetz, et al. (2020). "Arousal Modulates Retinal Output." *Neuron* 107(3): 487-495.e489. <https://doi.org/10.1016/j.neuron.2020.04.026>
- Seelig, J. D., M. E. Chiappe, et al. (2010). "Two-photon calcium imaging from head-fixed *Drosophila* during optomotor walking behavior." *Nature Methods* 7(7): 535-540. <https://doi.org/10.1038/nmeth.1468>
- Seelig, J. D. and V. Jayaraman (2013). "Feature detection and orientation tuning in the *Drosophila* central complex." *Nature* 503(7475): 262-266. <https://doi.org/10.1038/nature12601>
- Seelig, J. D. and V. Jayaraman (2015). "Neural dynamics for landmark orientation and angular path integration." *Nature* 521(7551): 186-191. <https://doi.org/10.1038/nature14446>

Shao, L.-X., C. Liao, et al. (2021). "Psilocybin induces rapid and persistent growth of dendritic spines in frontal cortex in vivo." *Neuron* 109(16): 2535-2544.e2534. <https://doi.org/10.1016/j.neuron.2021.06.008>

Sheffield, M. E. J., M. D. Adoff, et al. (2017). "Increased Prevalence of Calcium Transients across the Dendritic Arbor during Place Field Formation." *Neuron* 96(2): 490-504.e495. <https://doi.org/10.1016/j.neuron.2017.09.029>

Sheffield, M. E. J. and D. A. Dombeck (2015). "Calcium transient prevalence across the dendritic arbour predicts place field properties." *Nature* 517(7533): 200-204. <https://doi.org/10.1038/nature13871>

Shibata, A. C. E., H. H. Ueda, et al. (2021). "Photoactivatable CaMKII induces synaptic plasticity in single synapses." *Nature Communications* 12(1): 751. <https://doi.org/10.1038/s41467-021-21025-6>

Singh, A. P., P. Wu, et al. (2022). "Optogenetic control of the Bicoid morphogen reveals fast and slow modes of gap gene regulation." *Cell Reports* 38(12). <https://doi.org/10.1016/j.celrep.2022.110543>

Sjöström, P. J. and M. Häusser (2006). "A cooperative switch determines the sign of synaptic plasticity in distal dendrites of neocortical pyramidal neurons." *Neuron* 51(2): 227-238. <https://doi.org/10.1016/j.neuron.2006.06.017>

Smith, S. L., I. T. Smith, et al. (2013). "Dendritic spikes enhance stimulus selectivity in cortical neurons in vivo." *Nature* 503(7474): 115-120. <https://doi.org/10.1038/nature12600>

Srinivasan, R., B. S. Huang, et al. (2015). "Ca²⁺ signaling in astrocytes from *Ip3r2*^{-/-} mice in brain slices and during startle responses in vivo." *Nature Neuroscience* 18(5): 708-717. <https://doi.org/10.1038/nn.4001>

Stringer, C., M. Michaelos, et al. (2021). "High-precision coding in visual cortex." *Cell* 184(10): 2767-2778.e2715. <https://doi.org/10.1016/j.cell.2021.03.042>

Stringer, C., M. Pachitariu, et al. (2019). "High-dimensional geometry of population responses in visual cortex." *Nature* 571(7765): 361-365. <https://doi.org/10.1038/s41586-019-1346-5>

Suter, B., T. O'Connor, et al. (2010). "Ephus: Multipurpose Data Acquisition Software for Neuroscience Experiments." *Frontiers in Neural Circuits* 4. <https://doi.org/10.3389/fncir.2010.00100>

Svoboda, K. and R. Yasuda (2006). "Principles of Two-Photon Excitation Microscopy and Its Applications to Neuroscience." *Neuron* 50(6): 823-839. <https://doi.org/10.1016/j.neuron.2006.05.019>

Tada, M., A. Takeuchi, et al. (2014). "A highly sensitive fluorescent indicator dye for calcium imaging of neural activity in vitro and in vivo." *European Journal of Neuroscience* 39(11): 1720-1728. <https://doi.org/10.1111/ejn.12476>

Taisz, I., E. Donà, et al. (2023). "Generating parallel representations of position and identity in the olfactory system." *Cell* 186(12): 2556-2573.e2522. <https://doi.org/10.1016/j.cell.2023.04.038>

Tamara, S.-H., I. N. María, et al. (2015). "Channel-Mediated Lactate Release by K⁺-Stimulated Astrocytes." *The Journal of Neuroscience* 35(10): 4168. <https://doi.org/10.1523/JNEUROSCI.5036-14.2015>

Tanaka, R. and D. A. Clark (2022). "Neural mechanisms to exploit positional geometry for collision avoidance." *Current Biology* 32(11): 2357-2374.e2356. <https://doi.org/10.1016/j.cub.2022.04.023>

Thiele, Tod R., Joseph C. Donovan, et al. (2014). "Descending Control of Swim Posture by a Midbrain Nucleus in Zebrafish." *Neuron* 83(3): 679-691. <https://doi.org/10.1016/j.neuron.2014.04.018>

Tritsch, N. X., J. B. Ding, et al. (2012). "Dopaminergic neurons inhibit striatal output through non-canonical release of GABA." *Nature* 490(7419): 262-266. <https://doi.org/10.1038/nature11466>

Tritsch, N. X., W.-J. Oh, et al. (2014). "Midbrain dopamine neurons sustain inhibitory transmission using plasma membrane uptake of GABA, not synthesis." *eLife* 3: e01936. <https://doi.org/10.7554/eLife.01936>

Truong, T. V., W. Supatto, et al. (2011). "Deep and fast live imaging with two-photon scanned light-sheet microscopy." *Nature Methods* 8(9): 757-760. <https://doi.org/10.1038/nmeth.1652>

Vigot, R., S. Barbieri, et al. (2006). "Differential Compartmentalization and Distinct Functions of GABAB Receptor Variants." *Neuron* 50(4): 589-601. <https://doi.org/10.1016/j.neuron.2006.04.014>

Voitov, I. and T. D. Mrsic-Flogel (2022). "Cortical feedback loops bind distributed representations of working memory." *Nature* 608(7922): 381-389. <https://doi.org/10.1038/s41586-022-05014-3>

Wagner, M. J., T. H. Kim, et al. (2017). "Cerebellar granule cells encode the expectation of reward." *Nature* 544(7648): 96-100. <https://doi.org/10.1038/nature21726>

Walker, E. Y., F. H. Sinz, et al. (2019). "Inception loops discover what excites neurons most using deep predictive models." *Nature Neuroscience* 22(12): 2060-2065. <https://doi.org/10.1038/s41593-019-0517-x>

Wallace, M. L., A. Saunders, et al. (2017). "Genetically Distinct Parallel Pathways in the Entopeduncular Nucleus for Limbic and Sensorimotor Output of the Basal Ganglia." *Neuron* 94(1): 138-152.e135. <https://doi.org/10.1016/j.neuron.2017.03.017>

Wanner, A. A. and R. W. Friedrich (2020). "Whitening of odor representations by the wiring diagram of the olfactory bulb." *Nature Neuroscience* 23(3): 433-442. <https://doi.org/10.1038/s41593-019-0576-z>

Weber, Stephanie C. and Clifford P. Brangwynne (2015). "Inverse Size Scaling of the Nucleolus by a Concentration-Dependent Phase Transition." *Current Biology* 25(5): 641-646. <https://doi.org/10.1016/j.cub.2015.01.012>

Wekselblatt, J. B., E. D. Flister, et al. (2016). "Large-scale imaging of cortical dynamics during sensory perception and behavior." *Journal of Neurophysiology* 115(6): 2852-2866. <https://journals.physiology.org/doi/full/10.1152/jn.01056.2015%40apsselect.2016.3.issue-4>

Wiegert, J. S. and T. G. Oertner (2013). "Long-term depression triggers the selective elimination of weakly integrated synapses." *Proceedings of the National Academy of Sciences* 110(47): E4510-E4519. <https://doi.org/10.1073/pnas.1315926110>

Wilson, D. E., B. Scholl, et al. (2018). "Differential tuning of excitation and inhibition shapes direction selectivity in ferret visual cortex." *Nature* 560(7716): 97-101. <https://doi.org/10.1038/s41586-018-0354-1>

Wilson, D. E., D. E. Whitney, et al. (2016). "Orientation selectivity and the functional clustering of synaptic inputs in primary visual cortex." *Nature Neuroscience* 19(8): 1003-1009. <https://doi.org/10.1038/nn.4323>

Winnubst, J., Juliette E. Cheyne, et al. (2015). "Spontaneous Activity Drives Local Synaptic Plasticity In Vivo." *Neuron* 87(2): 399-410. <https://doi.org/10.1016/j.neuron.2015.06.029>

Wright, J. A., T. Richards, et al. (2014). "The role of iron in the skin and cutaneous wound healing." *Frontiers in Pharmacology* 5. <https://doi.org/10.3389/fphar.2014.00156>

Wu, M., S. Minkowicz, et al. (2021). "Ketamine Rapidly Enhances Glutamate-Evoked Dendritic Spinogenesis in Medial Prefrontal Cortex Through Dopaminergic Mechanisms." *Biological Psychiatry* 89(11): 1096-1105. <https://doi.org/10.1016/j.biopsych.2020.12.022>

Wu, M., S. Minkowicz, et al. (2021). "Attenuated dopamine signaling after aversive learning is restored by ketamine to rescue escape actions." *eLife* 10: e64041. <https://doi.org/10.7554/eLife.64041>

Xiao, L., M. F. Priest, et al. (2017). "Biased Oxytocinergic Modulation of Midbrain Dopamine Systems." *Neuron* 95(2): 368-384.e365. <https://doi.org/10.1016/j.neuron.2017.06.003>

Xu, N.-L., M. T. Harnett, et al. (2012). "Nonlinear dendritic integration of sensory and motor input during an active sensing task." *Nature* 492(7428): 247-251. <https://doi.org/10.1038/nature11601>

Xue, M., B. V. Atallah, et al. (2014). "Equalizing excitation-inhibition ratios across visual cortical neurons." *Nature* 511(7511): 596-600. <https://doi.org/10.1038/nature13321>

Yang, W., J.-eun K. Miller, et al. (2016). "Simultaneous Multi-plane Imaging of Neural Circuits." *Neuron* 89(2): 269-284. <https://doi.org/10.1016/j.neuron.2015.12.012>

Yao, J., B. Sun, et al. (2020). "Limiting RyR2 Open Time Prevents Alzheimer's Disease-Related Neuronal Hyperactivity and Memory Loss but Not 2-Amyloid Accumulation." *Cell Reports* 32(12). <https://doi.org/10.1016/j.celrep.2020.108169>

Yasuda, R., C. D. Harvey, et al. (2006). "Supersensitive Ras activation in dendrites and spines revealed by two-photon fluorescence lifetime imaging." *Nature Neuroscience* 9(2): 283-291. <https://doi.org/10.1038/nn1635>

Yasuda, R., E. A. Nimchinsky, et al. (2004). "Imaging Calcium Concentration Dynamics in Small Neuronal Compartments." *Science's STKE* 2004(219): pl5-pl5. <https://www.science.org/doi/abs/10.1126/stke.2192004pl5>

Yasuda, R., B. L. Sabatini, et al. (2003). "Plasticity of calcium channels in dendritic spines." *Nature Neuroscience* 6(9): 948-955. <https://doi.org/10.1038/nn1112>

Zhang, Y., R. H. Cudmore, et al. (2015). "Visualization of NMDA receptor-dependent AMPA receptor synaptic plasticity in vivo." *Nature Neuroscience* 18(3): 402-407. <https://doi.org/10.1038/nn.3936>

Zhong, L., Y. Zhang, et al. (2019). "Causal contributions of parietal cortex to perceptual decision-making during stimulus categorization." *Nature Neuroscience* 22(6): 963-973. <https://doi.org/10.1038/s41593-019-0383-6>

Zito, K., V. Scheuss, et al. (2009). "Rapid Functional Maturation of Nascent Dendritic Spines." *Neuron* 61(2): 247-258. <https://doi.org/10.1016/j.neuron.2008.10.054>

Zuend, M., A. S. Saab, et al. (2020). "Arousal-induced cortical activity triggers lactate release from astrocytes." *Nature Metabolism* 2(2): 179-191. <https://doi.org/10.1038/s42255-020-0170-4>

(2010). "HER-2 Expression Correlates with Survivin in Primary Invasive Ductal Breast Cancers." *Asian Pacific Journal of Cancer Prevention* 11(5): 1201-1204. https://journal.waocp.org/article_25349.html

(2013). "Up-Expression and of SPARC in db/db mice kidney." *Basic & Clinical Medicine* 33(9): 1097-1100. http://journal11.magtechjournal.com/Jwk_jcyxylc/EN/

Acker, C. D. and L. M. Loew (2013). Characterization of Voltage-Sensitive Dyes in Living Cells Using Two-Photon Excitation. *Chemical Neurobiology: Methods and Protocols*. M. R. Banghart. Totowa, NJ, Humana Press: 147-160. https://link.springer.com/protocol/10.1007/978-1-62703-345-9_11

Adi, S., F. Nairouz, et al. (2014). Two-photon in vivo imaging of retinal microstructures. *Proc.SPIE*. <https://doi.org/10.1117/12.2039375>

Agarwal, C., Y. Sharma, et al. (2000). "A Polyphenolic Fraction from Grape Seeds Causes Irreversible Growth Inhibition of Breast Carcinoma MDA-MB468 Cells by Inhibiting Mitogen-activated Protein Kinases Activation and Inducing G1 Arrest and Differentiation1." *Clinical Cancer Research* 6(7): 2921-2930. <https://aacrjournals.org/clincancerres/article/6/7/2921/288242/A-Polyphenolic-Fraction-from-Grape-Seeds-Causes>

Ailin, W., W. Zhonghai, et al. (2020). Study of the sarcomeric addition process in a tissue-like cell construct under mechanical overload via TPEF-SHG imaging system. *Proc.SPIE*. <https://doi.org/10.1117/12.2546280>

Alex, C. T. K., R. Andrew, et al. (2009). Label-free imaging of arterial tissues using photonic crystal fiber (PCF) based nonlinear optical microscopic system. *Proc.SPIE*. 718204 (2009) <https://doi.org/10.1117/12.809361>

Alex, C. T. K., R. Andrew, et al. (2010). "Multimodal nonlinear optical imaging of atherosclerotic plaque development in myocardial infarction-prone rabbits." *Journal of Biomedical Optics* 15(2): 020501. <https://doi.org/10.1117/1.3353960>

Alex, C. T. K., B. M.-G. Leila, et al. (2011). Using multimodal femtosecond CARS imaging to determine plaque burden in luminal atherosclerosis. *Proc.SPIE*. <https://doi.org/10.1117/12.873867>

Allemann, N., W. Chamon, et al. (1993). "High-Frequency Ultrasound Quantitative Analyses of Corneal Scarring Following Excimer Laser Keratectomy." *Archives of Ophthalmology* 111(7): 968-973. <https://jamanetwork.com/journals/jamaophthalmology/article-abstract/640296>

Alonso, I., I. Scheer, et al. (2023). "Peripersonal encoding of forelimb proprioception in the mouse somatosensory cortex." *Nature Communications* 14(1): 1866. <https://doi.org/10.1038/s41467-023-37575-w>

Amaya, M., K. Sahana, et al. (2015). "Layer 4 Pyramidal Neurons Exhibit Robust Dendritic Spine Plasticity & In Vivo after Input Deprivation." *The Journal of Neuroscience* 35(18): 7287. <https://doi.org/10.1523/JNEUROSCI.5215-14.2015>

Ana, F. O. and Y. Ryohei (2014). "Neurofibromin Is the Major Ras Inactivator in Dendritic Spines." *The Journal of Neuroscience* 34(3): 776. <https://doi.org/10.1523/JNEUROSCI.3096-13.2014>

Andrásfalvy, B. K., G. L. Galiñanes, et al. (2014). "Quantum dot-based multiphoton fluorescent pipettes for targeted neuronal electrophysiology." *Nature Methods* 11(12): 1237-1241. <https://doi.org/10.1038/nmeth.3146>

Åsa, G., H. Niklaus, et al. (2008). "Spine Neck Plasticity Controls Postsynaptic Calcium Signals through Electrical Compartmentalization." *The Journal of Neuroscience* 28(50): 13457. <https://doi.org/10.1523/JNEUROSCI.2702-08.2008>

Au - Chia, T. H. and M. J. Au - Levene (2009). "In vivo Imaging of Deep Cortical Layers using a Microprism." *JoVE*(30): e1509. <https://www.jove.com/t/1509/in-vivo-imaging-of-deep-cortical-layers-using-a-microprism>

Au - Espinoza, R., B. Au - Wong, et al. (2022). "Real-Time, Two-Color Stimulated Raman Scattering Imaging of Mouse Brain for Tissue Diagnosis." *JoVE*(180): e63484. <https://www.jove.com/t/63484/real-time-two-color-stimulated-raman-scattering-imaging-mouse-brain>

Au - Gatesman Ammer, A., K. E. Au - Hayes, et al. (2011). "Multi-photon Imaging of Tumor Cell Invasion in an Orthotopic Mouse Model of Oral Squamous Cell Carcinoma." *JoVE*(53): e2941. <https://europepmc.org/article/PMC/3196194>

Au - O'Brien, G. S., S. Au - Rieger, et al. (2009). "Two-photon axotomy and time-lapse confocal imaging in live zebrafish embryos." *JoVE*(24): e1129. <https://pubmed.ncbi.nlm.nih.gov/19229185/>

Au - Parra, S. G., S. S. Au - Vesuna, et al. (2012). "Multiphoton Microscopy of Cleared Mouse Brain Expressing YFP." *JoVE*(67): e3848. <https://pubmed.ncbi.nlm.nih.gov/23023035/>

Avital-Cohen, N., R. Heiblum, et al. (2011). "The effect of active immunization against vasoactive intestinal peptide and inhibin on reproductive performance of young White Leghorn roosters." *Poultry Science* 90(10): 2321-2331. <https://pubmed.ncbi.nlm.nih.gov/22184441/>

Ayrault, O., L. Andrique, et al. (2006). "Human tumor suppressor p14ARF negatively regulates rRNA transcription and inhibits UBF1 transcription factor phosphorylation." *Oncogene* 25(58): 7577-7586. <https://doi.org/10.1038/sj.onc.1209743>

Bach, E. and D. T. Holmes (2015). "Reqscan: An open source solution for laboratory requisition scanning, archiving and retrieval." *Journal of Pathology Informatics* 6(1): 3. <https://doi.org/10.4103/2153-3539.150256>

Bachert, B. A., S. J. Choi, et al. (2016). "Unique Footprint in the scl1.3 Locus Affects Adhesion and Biofilm Formation of the Invasive M3-Type Group A Streptococcus." *Frontiers in Cellular and Infection Microbiology* 6. <https://doi.org/10.3389/fcimb.2016.00090>

Balena, A., M. Bianco, et al. (2020). "Two-photon fluorescence-assisted laser ablation of non-planar metal surfaces: fabrication of optical apertures on tapered fibers for optical neural interfaces." *Optics Express* 28(15): 21368-21381. <https://doi.org/10.1364/OE.395187>

Banghart, M. R., X. J. He, et al. (2018). "A Caged Enkephalin Optimized for Simultaneously Probing Mu and Delta Opioid Receptors." *ACS Chemical Neuroscience* 9(4): 684-690. <https://doi.org/10.1021/acschemneuro.7b00485>

Bares, A. J., M. A. Mejjooli, et al. (2020). "Hyperspectral multiphoton microscopy for in vivo visualization of multiple, spectrally overlapped fluorescent labels." *Optica* 7(11): 1587-1601. <https://doi.org/10.1364/OPTICA.389982>

Barker, A. J., T. O. Helmbrecht, et al. (2021). "Functional, molecular and morphological heterogeneity of superficial interneurons in the larval zebrafish tectum." *Journal of Comparative Neurology* 529(9): 2159-2175. <https://doi.org/10.1002/cne.25082>

Bar-Noam, A. S., N. Farah, et al. (2016). "Correction-free remotely scanned two-photon in vivo mouse retinal imaging." *Light: Science & Applications* 5(1): e16007-e16007. <https://doi.org/10.1038/lssa.2016.7>

Barrett, M. J. P., K. D. Ferrari, et al. (2018). "CHIPS: an Extensible Toolbox for Cellular and Hemodynamic Two-Photon Image Analysis." *Neuroinformatics* 16(1): 145-147. <https://doi.org/10.1007/s12021-017-9344-y>

Barson, D., A. S. Hamodi, et al. (2020). "Simultaneous mesoscopic and two-photon imaging of neuronal activity in cortical circuits." *Nature Methods* 17(1): 107-113. <https://doi.org/10.1038/s41592-019-0625-2>

Beaulieu, D. R., I. G. Davison, et al. (2020). "Simultaneous multiplane imaging with reverberation two-photon microscopy." *Nature Methods* 17(3): 283-286. <https://doi.org/10.1038/s41592-019-0728-9>

Bégin, S., B. Burgoyne, et al. (2011). "Coherent anti-Stokes Raman scattering hyperspectral tissue imaging with a wavelength-swept system." *Biomedical Optics Express* 2(5): 1296-1306. <https://doi.org/10.1364/BOE.2.001296>

Ben, J., P. Pawel, et al. (2022). "The Impact of Multivesicular Release on the Transmission of Sensory Information by Ribbon Synapses." *The Journal of Neuroscience* 42(50): 9401. <https://doi.org/10.1523/JNEUROSCI.0717-22.2022>

Berigan, B. R., J. Wang, et al. (2023). "Imaging neuro-urodynamics of mouse major pelvic ganglion with a micro-endoscopic approach." *Journal of Neurophysiology* 129(2): 479-493. <https://doi.org/10.1152/jn.00450.2022>

Bernier, L.-P., E. M. York, et al. (2020). "Microglial metabolic flexibility supports immune surveillance of the brain parenchyma." *Nature Communications* 11(1): 1559. <https://doi.org/10.1038/s41467-020-15267-z>

Bhatia, N., C. Agarwal, et al. (2001). "Differential Responses of Skin Cancer-Chemopreventive Agents Silibinin, Quercetin, and Epigallocatechin 3-Gallate on Mitogenic Signaling and Cell Cycle Regulators in Human Epidermoid Carcinoma A431 Cells." *Nutrition and Cancer* 39(2): 292-299. https://doi.org/10.1207/S15327914nc392_20

Bhatia, N. and R. Agarwal (2001). "Detrimental effect of cancer preventive phytochemicals silymarin, genistein and epigallocatechin 3-gallate on epigenetic events in human prostate carcinoma DU145 cells." *The Prostate* 46(2): 98-107. [https://doi.org/10.1002/1097-0045\(20010201\)46:2<98::AID-PROS1013>3.0.CO;2-K](https://doi.org/10.1002/1097-0045(20010201)46:2<98::AID-PROS1013>3.0.CO;2-K)

Bianco, M., M. Pisanello, et al. (2022). "Orthogonalization of far-field detection in tapered optical fibers for depth-selective fiber photometry in brain tissue." *APL Photonics* 7(2). <https://doi.org/10.1063/5.0073594>

Biermann, B., S. Sokoll, et al. (2014). "Imaging of molecular surface dynamics in brain slices using single-particle tracking." *Nature Communications* 5(1): 3024. <https://doi.org/10.1038/ncomms4024>

Bigelow, A. W., C. R. Geard, et al. (2008). "Microbeam-integrated multiphoton imaging system." *Review of Scientific Instruments* 79(12). <https://doi.org/10.1063/1.3043439>

Bill, H. M., B. Knudsen, et al. (2004). "Epidermal Growth Factor Receptor-Dependent Regulation of Integrin-Mediated Signaling and Cell Cycle Entry in Epithelial Cells." *Molecular and Cellular Biology* 24(19): 8586-8599. <https://doi.org/10.1128/MCB.24.19.8586-8599.2004>

Bimbard, C., T. P. H. Sit, et al. (2023). "Behavioral origin of sound-evoked activity in mouse visual cortex." *Nature Neuroscience* 26(2): 251-258. <https://doi.org/10.1038/s41593-022-01227-x>

Birbach, A., J. M. Verkuyl, et al. (2006). "Reversible, activity-dependent targeting of profilin to neuronal nuclei." *Experimental Cell Research* 312(12): 2279-2287. <https://doi.org/10.1016/j.yexcr.2006.03.026>

Bjørnstad, D. M., K. S. Åbjørnsbråten, et al. (2021). "Begonia—A Two-Photon Imaging Analysis Pipeline for Astrocytic Ca²⁺ Signals." *Frontiers in Cellular Neuroscience* 15. <https://doi.org/10.3389/fncel.2021.681066>

Blumhagen, F., P. Zhu, et al. (2011). "Neuronal filtering of multiplexed odour representations." *Nature* 479(7374): 493-498. <https://doi.org/10.1038/nature10633>

Borghuis, B. G. (2019). *Two-Photon Fluorescence Imaging of Visually Evoked Glutamate Release Using iGluSnFR in the Mouse Visual System. Multiphoton Microscopy*. E. Hartveit. New York, NY, Springer New York: 87-109. https://doi.org/10.1007/978-1-4939-9702-2_5

Borghuis, B. G., J. S. Marvin, et al. (2013). "Two-Photon Imaging of Nonlinear Glutamate Release Dynamics at Bipolar Cell Synapses in the Mouse Retina." *The Journal of Neuroscience* 33(27): 10972-10985. <https://doi.org/10.1523/JNEUROSCI.1241-13.2013>

Bos, R., C. Gainer, et al. (2016). "Role for Visual Experience in the Development of Direction-Selective Circuits." *Current Biology* 26(10): 1367-1375. <https://doi.org/10.1016/j.cub.2016.03.073>

Bozkurt, B., S. B. Kribbs, et al. (1998). "Pathophysiologically Relevant Concentrations of Tumor Necrosis Factor- α Promote Progressive Left Ventricular Dysfunction and Remodeling in Rats." *Circulation* 97(14): 1382-1391. <https://doi.org/10.1161/01.CIR.97.14.1382>

Brüinig, I., S. Kaech, et al. (2004). "Influx of extracellular calcium regulates actin-dependent morphological plasticity in dendritic spines." *Neuropharmacology* 47(5): 669-676. <https://doi.org/10.1016/j.neuropharm.2004.07.038>

Brymer, K. J., E. P. Hurley, et al. (2023). "Asymmetric dysregulation of glutamate dynamics across the synaptic cleft in a mouse model of Alzheimer's disease." *Acta Neuropathologica Communications* 11(1): 27. <https://doi.org/10.1186/s40478-023-01524-x>

Buchanan, K. A., A. V. Blackman, et al. (2012). "Target-specific expression of presynaptic NMDA receptors in neocortical microcircuits." *Neuron* 75(3): 451-466. <https://doi.org/10.1016/j.neuron.2012.06.017>

Calle, E. A., S. Vesuna, et al. (2013). "The Use of Optical Clearing and Multiphoton Microscopy for Investigation of Three-Dimensional Tissue-Engineered Constructs." *Tissue Engineering Part C: Methods* 20(7): 570-577. <https://doi.org/10.1089/ten.tec.2013.0538>

Campagnola, L., M. Kratz, et al. (2014). "ACQ4: an open-source software platform for data acquisition and analysis in neurophysiology research." *Frontiers in Neuroinformatics* 8. <https://doi.org/10.3389/fninf.2014.00003>

Campbell, R. A. A., R. W. Eifert, et al. (2014). "Openstage: A Low-Cost Motorized Microscope Stage with Sub-Micron Positioning Accuracy." *PLOS ONE* 9(2): e88977. <https://doi.org/10.1371/journal.pone.0088977>

Candelier, R., M. Sriti Murmu, et al. (2015). "A microfluidic device to study neuronal and motor responses to acute chemical stimuli in zebrafish." *Scientific Reports* 5(1): 12196. <https://doi.org/10.1038/srep12196>

Capek, E., T. L. Ribeiro, et al. (2023). "Parabolic avalanche scaling in the synchronization of cortical cell assemblies." *Nature Communications* 14(1): 2555. <https://doi.org/10.1038/s41467-023-37976-x>

Cartarozzi, L. P., P. Rieder, et al. (2018). "In vivo two-photon imaging of motoneurons and adjacent glia in the ventral spinal cord." *Journal of Neuroscience Methods* 299: 8-15. <https://doi.org/10.1016/j.jneumeth.2018.01.005>

Case, S. L., R.-L. Lin, et al. (2023). "Age- and sex-dependent alterations in primary somatosensory cortex neuronal calcium network dynamics during locomotion." *Aging Cell* 22(8): e13898. <https://doi.org/10.1111/acel.13898>

Cassini, M. F., V. R. Kakade, et al. (2018). "Mcp1 Promotes Macrophage-Dependent Cyst Expansion in Autosomal Dominant Polycystic Kidney Disease." *J Am Soc Nephrol* 29(10): 2471-2481. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6171277/>

Cătălin, B., S. Mitran, et al. (2013). "Comparative aspects of microglia reaction in white and gray matter." *Curr Health Sci J* 39(3): 151-154. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3945282/>

Cezar, M. T., E. L. C. Sophie, et al. (2018). "Convergent Metabotropic Signaling Pathways Inhibit SK Channels to Promote Synaptic Plasticity in the Hippocampus." *The Journal of Neuroscience* 38(43): 9252. <https://doi.org/10.1523/JNEUROSCI.1160-18.2018>

Chaigneau, E., E. Ronzitti, et al. (2016). "Two-Photon Holographic Stimulation of ReaChR." *Frontiers in Cellular Neuroscience* 10. <https://doi.org/10.3389/fncel.2016.00234>

Chan, S., M. Brophy, et al. (2019). "Aspirin treatment does not increase microhemorrhage size in young or aged mice." *PLOS ONE* 14(1): e0204295. <https://doi.org/10.1371/journal.pone.0204295>

Chen, B., T. Chakraborty, et al. (2020). "Extended depth of focus multiphoton microscopy via incoherent pulse splitting." *Biomedical Optics Express* 11(7): 3830-3842. <https://doi.org/10.1364/BOE.393931>

Chen, P. T. (2019). Characterize the noise in PMT based optical imaging system. 2019 International Conference on Information Technology and Computer Application (ITCA). <https://ieeexplore.ieee.org/abstract/document/9092459/figures#figures>

Chen, S., X. Feng, et al. (2010). "Software controlling algorithms for the system performance optimization of confocal laser scanning microscope." *Biomedical Signal Processing and Control* 5(3): 223-228. <https://doi.org/10.1016/j.bspc.2010.03.002>

Chen, Y., Z. Liu, et al. (2023). "Imaging Low-Temperature Phases of Ice with Polarization-Resolved Hyperspectral Stimulated Raman Scattering Microscopy." *The Journal of Physical Chemistry B* 127(11): 2609-2616. <https://doi.org/10.1021/acs.jpccb.2c09068>

Chen, Y., J. Saulnier, et al. (2014). "A PKA activity sensor for quantitative analysis of endogenous GPCR signaling via 2-photon FRET-FLIM imaging." *Frontiers in Pharmacology* 5. <https://doi.org/10.3389/fphar.2014.00056>

Cheng, H., S. Tong, et al. (2019). "Deep-brain 2-photon fluorescence microscopy in vivo excited at the1700  nm window." *Optics Letters* 44(17): 4432-4435. <https://doi.org/10.1364/OL.44.004432>

Cheng, J., Q. Li, et al. (2011). "Effects of Huangqi Maxingshigan decoction on infectious laryngotracheitis in chickens." *Italian Journal of Animal Science* 10(2): e24. <https://doi.org/10.4081/ijas.2011.e24>

Cheng, Z., H. Jiang, et al. (2020). "Pupil plane actuated remote focusing for rapid focal depth control." *Optics Express* 28(18): 26407-26413. <https://doi.org/10.1364/OE.402787>

Chengqi, Z., L. Chunsheng, et al. (2002). An agent-based framework for petroleum information services from distributed heterogeneous data resources. Ninth Asia-Pacific Software Engineering Conference, 2002. <https://ieeexplore.ieee.org/abstract/document/1183095>

Chenting, L., C. Matteo, et al. (2023). "Design and test of a rigid endomicroscopic system for multimodal imaging and femtosecond laser ablation." *Journal of Biomedical Optics* 28(6): 066004. <https://doi.org/10.1117/1.JBO.28.6.066004>

Chéreau, R., T. Bawa, et al. (2020). "Dynamic perceptual feature selectivity in primary somatosensory cortex upon reversal learning." *Nature Communications* 11(1): 3245. <https://doi.org/10.1038/s41467-020-17005-x>

Chettih, S. N. and C. D. Harvey (2019). "Single-neuron perturbations reveal feature-specific competition in V1." *Nature* 567(7748): 334-340. <https://doi.org/10.1038/s41586-019-0997-6>

Chia, T. H., A. Williamson, et al. (2007). Multiphoton Fluorescence Imaging of NADH to Investigate Metabolic Changes in Human Epileptic Tissue in vitro. 2007 Conference on Lasers and Electro-Optics (CLEO). <https://ieeexplore.ieee.org/abstract/document/4453056>

Chiu, D. N. (2014). Investigation of three aspects of glutamate physiology. <https://www.semanticscholar.org/paper/Investigation-of-three-aspects-of-glutamate-Chiu/oeb3e31c63e93f07f9269dfa7eb8fe05f1de34e0>

Chong, E. Z., M. Panniello, et al. (2019). "Quasi-simultaneous multiplane calcium imaging of neuronal circuits." *Biomedical Optics Express* 10(1): 267-282. <https://doi.org/10.1364/BOE.10.000267>

Chow, B. W., V. Nuñez, et al. (2020). "Caveolae in CNS arterioles mediate neurovascular coupling." *Nature* 579(7797): 106-110. <https://doi.org/10.1038/s41586-020-2026-1>

Chow, D. M., D. Sinefeld, et al. (2020). "Deep three-photon imaging of the brain in intact adult zebrafish." *Nature Methods* 17(6): 605-608. <https://doi.org/10.1038/s41592-020-0819-7>

Chowdhury, T., J. Jimenez, et al. (2010). "Fate of Cajal-Retzius neurons in the postnatal mouse neocortex." *Frontiers in Neuroanatomy* 4. <https://doi.org/10.3389/neuro.05.010.2010>

Christie, J. M., D. N. Chiu, et al. (2011). "Ca²⁺-dependent enhancement of release by subthreshold somatic depolarization." *Nature Neuroscience* 14(1): 62-68. <https://doi.org/10.1038/nn.2718>

- Corey, M. W., T. Joshua, et al. (2020). "The Impact of Steroid Activation of TRPM3 on Spontaneous Activity in the Developing Retina." *eneuro* 7(2): ENEURO.0175-0119.2020. <https://doi.org/10.1523/ENEURO.0175-19.2020>
- Cossell, L., M. F. Iacarus, et al. (2015). "Functional organization of excitatory synaptic strength in primary visual cortex." *Nature* 518(7539): 399-403. <https://doi.org/10.1038/nature14182>
- Cox, J., L. Pinto, et al. (2016). "Calcium imaging of sleep-wake related neuronal activity in the dorsal pons." *Nature Communications* 7(1): 10763. <https://doi.org/10.1038/ncomms10763>
- Crowe, S. E. and G. C. R. Ellis-Davies (2014). "Longitudinal in vivo two-photon fluorescence imaging." *Journal of Comparative Neurology* 522(8): 1708-1727. <https://doi.org/10.1002/cne.23502>
- Cruz-Martin, A., M. Crespo, et al. (2012). "Glutamate Induces the Elongation of Early Dendritic Protrusions via mGluRs in Wild Type Mice, but Not in Fragile X Mice." *PLOS ONE* 7(2): e32446. <https://doi.org/10.1371/journal.pone.0032446>
- Cruz-Martin, A. and C. Portera-Cailliau (2014). "In vivo imaging of axonal and dendritic structures in neonatal mouse cortex." *Cold Spring Harb Protoc* 1(1): 57-64. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9809208/>
- Cullen, M. R. and W. W. Merrill (1992). "Association between Neutrophil Concentration in Bronchoalveolar Lavage Fluid and Recent Losses in Diffusing Capacity in Men Formerly Exposed to Asbestos." *CHEST* 102(3): 682-687. <https://doi.org/10.1378/chest.102.3.682>
- Cupido, A., B. Catalin, et al. (2014). Surgical Procedures to Study Microglial Motility in the Brain and in the Spinal Cord by In Vivo Two-Photon Laser-Scanning Microscopy. *Laser Scanning Microscopy and Quantitative Image Analysis of Neuronal Tissue*. L. Bakota and R. Brandt. New York, NY, Springer New York: 37-50. https://link.springer.com/protocol/10.1007/978-1-4939-0381-8_2
- Daie, K., K. Svoboda, et al. (2021). "Targeted photostimulation uncovers circuit motifs supporting short-term memory." *Nature Neuroscience* 24(2): 259-265. <https://doi.org/10.1038/s41593-020-00776-3>
- Dana, H., A. Marom, et al. (2014). "Hybrid multiphoton volumetric functional imaging of large-scale bioengineered neuronal networks." *Nature Communications* 5(1): 3997. <https://doi.org/10.1038/ncomms4997>
- Dana, H., O. Novak, et al. (2018). "Thy1 transgenic mice expressing the red fluorescent calcium indicator jRGECO1a for neuronal population imaging in vivo." *PLOS ONE* 13(10): e0205444. <https://doi.org/10.1371/journal.pone.0205444>
- Daniel, J. K., R. Davide, et al. (2018). "Combinatorial Expression of *Grp* and *Neurod6* Defines Dopamine Neuron Populations with Distinct Projection Patterns and Disease Vulnerability." *eneuro* 5(3): ENEURO.0152-0118.2018. <https://doi.org/10.1523/ENEURO.0152-18.2018>
- Dehez, H., M. Piché, et al. (2013). "Resolution and contrast enhancement in laser scanning microscopy using dark beam imaging." *Optics Express* 21(13): 15912-15925. <https://doi.org/10.1364/OE.21.015912>
- Demas, J., J. Manley, et al. (2021). "High-speed, cortex-wide volumetric recording of neuroactivity at cellular resolution using light beads microscopy." *Nature Methods* 18(9): 1103-1111. <https://doi.org/10.1038/s41592-021-01239-8>

Deng, X., X. Ma, et al. (2023). "In vivo deep-brain 2-photon fluorescent microscopy labeled with near-infrared dyes excited at the 1700 nm window." *Analytica Chimica Acta* 1255: 341118. <https://doi.org/10.1016/j.aca.2023.341118>

DeNiro, M., O. Alsmadi, et al. (2009). "Modulating the hypoxia-inducible factor signaling pathway as a therapeutic modality to regulate retinal angiogenesis." *Experimental Eye Research* 89(5): 700-717. <https://doi.org/10.1016/j.exer.2009.06.013>

Derong, Z. and H. Yong (2010). A new method and instrument for measurement of plant leaf area. 2010 IEEE International Conference on Intelligent Systems and Knowledge Engineering. <https://ieeexplore.ieee.org/abstract/document/5680761>

Dinesh Jackson Samuel, R. and B. Rajesh Kanna (2019). "A programmable microscopic stage: Design and development." *Microscopy Research and Technique* 82(4): 429-442. <https://pubmed.ncbi.nlm.nih.gov/30575202/>

Ding, J. B., K. T. Takasaki, et al. (2009). "Supraresolution imaging in brain slices using stimulated-emission depletion two-photon laser scanning microscopy." *Neuron* 63(4): 429-437. <https://pubmed.ncbi.nlm.nih.gov/19709626/>

Dong, Y., J. Li, et al. (2022). "Cortical regulation of two-stage rapid eye movement sleep." *Nature Neuroscience* 25(12): 1675-1682. <https://doi.org/10.1038/s41593-022-01195-2>

Donzis, E. J., S. M. Holley, et al. (2018). Neurophysiological Assessment of Huntington's Disease Model Mice. Huntington's Disease. S. V. Precious, A. E. Rosser and S. B. Dunnett. New York, NY, Springer New York: 163-177. <https://pubmed.ncbi.nlm.nih.gov/29856019/>

Dore, K., J. Aow, et al. (2015). "Agonist binding to the NMDA receptor drives movement of its cytoplasmic domain without ion flow." *Proceedings of the National Academy of Sciences* 112(47): 14705-14710. <https://doi.org/10.1073/pnas.1520023112>

Dore, K. and R. Malinow (2021). "Elevated PSD-95 Blocks Ion-flux Independent LTD: A Potential New Role for PSD-95 in Synaptic Plasticity." *Neuroscience* 456: 43-49. <https://doi.org/10.1016/j.neuroscience.2020.02.020>

Doronin, M., S. Makovkin, et al. (2017). "Development of Self-made LSM Software using in Neuroscience." *IOP Conference Series: Materials Science and Engineering* 224(1): 012057. <https://iopscience.iop.org/article/10.1088/1757-899X/224/1/012057/meta>

Dorostkar, M. M., E. Dreosti, et al. (2010). "Computational processing of optical measurements of neuronal and synaptic activity in networks." *Journal of Neuroscience Methods* 188(1): 141-150. <https://doi.org/10.1016/j.jneumeth.2010.01.033>

Duchemin, A., M. Privat, et al. (2022). "Fourier Motion Processing in the Optic Tectum and Pretectum of the Zebrafish Larva." *Frontiers in Neural Circuits* 15. <https://doi.org/10.3389/fncir.2021.814128>

Duffet, L., S. Kosar, et al. (2022). "A genetically encoded sensor for in vivo imaging of orexin neuropeptides." *Nature Methods* 19(2): 231-241. <https://doi.org/10.1038/s41592-021-01390-2>

Dürst, C. D. and T. G. Oertner (2022). Imaging Synaptic Glutamate Release with Two-Photon Microscopy in Organotypic Slice Cultures. *Synaptic Vesicles: Methods and Protocols*. J. Dahlmanns

and M. Dahlmanns. New York, NY, Springer US: 205-219.
https://link.springer.com/protocol/10.1007/978-1-0716-1916-2_16

Dürst, C. D., J. S. Wiegert, et al. (2022). "Vesicular release probability sets the strength of individual Schaffer collateral synapses." *Nature Communications* 13(1): 6126. <https://doi.org/10.1038/s41467-022-33565-6>

Erchova, I., A. Vasalauskaite, et al. (2017). "Enhancement of visual cortex plasticity by dark exposure." *Philosophical Transactions of the Royal Society B: Biological Sciences* 372(1715): 20160159.
<https://doi.org/10.1098/rstb.2016.0159>

Erica, D. A., F. Daniel, et al. (2019). "Dendritic Spines in Early Postnatal Fragile X Mice Are Insensitive to Novel Sensory Experience." *The Journal of Neuroscience* 39(3): 412.
<https://doi.org/10.1523/JNEUROSCI.1734-18.2018>

Eschbach, C., A. Fushiki, et al. (2021). "Circuits for integrating learned and innate valences in the insect brain." *eLife* 10: e62567. <https://doi.org/10.7554/eLife.62567>

Eslam, M. F. M., M.-R. Ciaran, et al. (2017). "Steady-State Free Ca^{2+} in Astrocytes Is Decreased by Experience and Impacts Arteriole Tone." *The Journal of Neuroscience* 37(34): 8150.
<https://doi.org/10.1523/JNEUROSCI.0239-17.2017>

Ferrand, P. (2015). "GPScan.VI: A general-purpose LabVIEW program for scanning imaging or any application requiring synchronous analog voltage generation and data acquisition." *Computer Physics Communications* 192: 342-347. <https://doi.org/10.1016/j.cpc.2015.03.010>

Feruz, G., Y. Shan, et al. (2013). High-spectral resolution nonlinear microspectroscopy and imaging of soft condensed and biological media. *Proc.SPIE*. <https://doi.org/10.1117/12.2003240>

Filosa, A., A. J. Barker, et al. (2016). "Feeding State Modulates Behavioral Choice and Processing of Prey Stimuli in the Zebrafish Tectum." *Neuron* 90(3): 596-608.
<https://doi.org/10.1016/j.neuron.2016.03.014>

Fişek, M. and J. M. Jeanne (2021). Two-Photon Optogenetic Stimulation of Drosophila Neurons. *Channelrhodopsin: Methods and Protocols*. R. E. Dempski. New York, NY, Springer US: 97-108.
<https://pubmed.ncbi.nlm.nih.gov/32865741/>

Fisher, Y. E., J. Lu, et al. (2019). "Sensorimotor experience remaps visual input to a heading-direction network." *Nature* 576(7785): 121-125. <https://doi.org/10.1038/s41586-019-1772-4>

Fjord-Larsen, L., J. L. Johansen, et al. (2005). "Efficient in vivo protection of nigral dopaminergic neurons by lentiviral gene transfer of a modified Neurturin construct." *Experimental Neurology* 195(1): 49-60. <https://doi.org/10.1016/j.expneurol.2005.03.006>

Flores-Valle, A., R. Honnef, et al. (2022). "Automated long-term two-photon imaging in head-fixed walking Drosophila." *Journal of Neuroscience Methods* 368: 109432.
<https://doi.org/10.1016/j.jneumeth.2021.109432>

Fournel, R., M. L. Veruki, et al. (2022). "Digital reconstruction and quantitative morphometric analysis of bipolar cells in live rat retinal slices." *Journal of Comparative Neurology* 530(10): 1700-1728.
<https://doi.org/10.1002/cne.25308>

Francis, A. T., T. T. Nguyen, et al. (2018). "In Situ Stimulated Raman Scattering (SRS) Microscopy Study of the Dissolution of Sustained-Release Implant Formulation." *Molecular Pharmaceutics* 15(12): 5793-5801. <https://doi.org/10.1021/acs.molpharmaceut.8b00965>

Frank, A. C., S. Huang, et al. (2018). "Hotspots of dendritic spine turnover facilitate clustered spine addition and learning and memory." *Nature Communications* 9(1): 422. <https://doi.org/10.1038/s41467-017-02751-2>

Franklin, S. C.-H., L. A. Marcos, et al. (2022). "The Retinal Basis of Light Aversion in Neonatal Mice." *The Journal of Neuroscience* 42(20): 4101. <https://doi.org/10.1523/JNEUROSCI.0151-22.2022>

Friedman, P. J., J. E. Brimm, et al. (1984). "Measuring Lung Volumes from Chest Films Using Equations Derived from Computed Tomography." *Investigative Radiology* 19(4). https://journals.lww.com/investigativeradiology/Abstract/1984/07000/Measuring_Lung_Volumes_from_Chest_Films_Using_5.aspx

Fueser, H., C. Pilger, et al. (2022). "Polystyrene microbeads influence lipid storage distribution in *C. elegans* as revealed by coherent anti-Stokes Raman scattering (CARS) microscopy." *Environmental Pollution* 294: 118662. <https://doi.org/10.1016/j.envpol.2021.118662>

Fulopova, B., W. Bennett, et al. (2022). "Cortical axon sub-population maintains density, but not turnover, of en passant boutons in the aged APP/PS1 amyloidosis model." *Neurobiology of Aging* 115: 29-38. <https://doi.org/10.1016/j.neurobiolaging.2022.03.007>

Galiñanes, G. L., C. Bonardi, et al. (2018). "Directional Reaching for Water as a Cortex-Dependent Behavioral Framework for Mice." *Cell Reports* 22(10): 2767-2783. <https://doi.org/10.1016/j.celrep.2018.02.042>

Gandhi, S. P., Y. Yanagawa, et al. (2008). "Delayed plasticity of inhibitory neurons in developing visual cortex." *Proceedings of the National Academy of Sciences* 105(43): 16797-16802. <https://doi.org/10.1073/pnas.0806159105>

Gangavarapu, T., A. Jayasimha, et al. (2020). "Predicting ICD-9 code groups with fuzzy similarity based supervised multi-label classification of unstructured clinical nursing notes." *Knowledge-Based Systems* 190: 105321. <https://doi.org/10.1016/j.knosys.2019.105321>

Ganten, P. H. (2000). *Hinweise zu Anwendungen und Paketen. Debian GNU/Linux: Grundlagen, Installation, Administration und Anwendung*. P. H. Ganten. Berlin, Heidelberg, Springer Berlin Heidelberg: 619-628. https://link.springer.com/chapter/10.1007/3-540-28623-3_18

Gao, G., Y. Li, et al. (2001). "Unbalanced expression of VEGF and PEDF in ischemia-induced retinal neovascularization." *FEBS Letters* 489(2): 270-276. [https://doi.org/10.1016/S0014-5793\(01\)02110-X](https://doi.org/10.1016/S0014-5793(01)02110-X)

Gao, Y., L. Liu, et al. (2020). "Adaptive optics via pupil ring segmentation improves spherical aberration correction for two-photon imaging of optically cleared tissues." *Optics Express* 28(23): 34935-34947. <https://doi.org/10.1364/OE.408621>

Garcia, H. G. and T. Gregor (2018). *Live Imaging of mRNA Synthesis in Drosophila. RNA Detection: Methods and Protocols*. I. Gaspar. New York, NY, Springer New York: 349-357. https://link.springer.com/protocol/10.1007/978-1-4939-7213-5_23

Garcia-Junco-Clemente, P., D. K. Chow, et al. (2013). "Overexpression of calcium-activated potassium channels underlies cortical dysfunction in a model of *PTEN*-associated autism." *Proceedings of the National Academy of Sciences* 110(45): 18297-18302. <https://doi.org/10.1073/pnas.1309207110>

Gaucher, Q., M. Panniello, et al. (2020). "Complexity of frequency receptive fields predicts tonotopic variability across species." *eLife* 9: e53462. <https://doi.org/10.7554/eLife.53462>

Gauthier, J. L., S. A. Koay, et al. (2022). "Detecting and correcting false transients in calcium imaging." *Nature Methods* 19(4): 470-478. <https://doi.org/10.1038/s41592-022-01422-5>

Gdalyahu, A., M. Lazaro, et al. (2015). "The Autism Related Protein Contactin-Associated Protein-Like 2 (CNTNAP2) Stabilizes New Spines: An In Vivo Mouse Study." *PLOS ONE* 10(5): e0125633. <https://doi.org/10.1371/journal.pone.0125633>

Gee, J. M., Nathan A. Smith, et al. (2014). "Imaging Activity in Neurons and Glia with a Polr2a-Based and Cre-Dependent GCaMP5G-IRES-tdTomato Reporter Mouse." *Neuron* 83(5): 1058-1072. Gee, J. M., Nathan A. Smith, et al. (2014). "Imaging Activity in Neurons and Glia with a *Polr2a*-Based and Cre-Dependent GCaMP5G-IRES-tdTomato Reporter Mouse." *Neuron* 83(5): 1058-1072. <https://pubmed.ncbi.nlm.nih.gov/25155958/>

Gelbart, M. A., B. He, et al. (2012). "Volume conservation principle involved in cell lengthening and nucleus movement during tissue morphogenesis." *Proceedings of the National Academy of Sciences* 109(47): 19298-19303. <https://doi.org/10.1073/pnas.1205258109>

Giardina, G., A. Micko, et al. (2021) "Morpho-Molecular Metabolic Analysis and Classification of Human Pituitary Gland and Adenoma Biopsies Based on Multimodal Optical Imaging." *Cancers* 13 DOI: 10.3390/cancers13133234. <https://doi.org/10.3390/cancers13133234>

Giblin, J. T., S.-W. Park, et al. (2022). "Measuring capillary flow dynamics using interlaced two-photon volumetric scanning." *Journal of Cerebral Blood Flow & Metabolism* 43(4): 595-609. <https://doi.org/10.1177/0271678X221145091>

Gillet, S. N., H. K. Kato, et al. (2018). "Fear Learning Regulates Cortical Sensory Representations by Suppressing Habituation." *Frontiers in Neural Circuits* 11. <https://doi.org/10.3389/fncir.2017.00112>

Gonçalves, J. T., C. W. Bloyd, et al. (2016). "In vivo imaging of dendritic pruning in dentate granule cells." *Nature Neuroscience* 19(6): 788-791. <https://doi.org/10.1038/nn.4301>

Granstedt, A. E., J. B. Bosse, et al. (2013). "In vivo imaging of alphaherpesvirus infection reveals synchronized activity dependent on axonal sorting of viral proteins." *Proceedings of the National Academy of Sciences* 110(37): E3516-E3525. <https://doi.org/10.1073/pnas.1311062110>

Grienberger, C. and J. C. Magee (2022). "Entorhinal cortex directs learning-related changes in CA1 representations." *Nature* 611(7936): 554-562. <https://doi.org/10.1038/s41586-022-05378-6>

Gu, X., J. Y. Li, et al. (2015). "Influence of MiR-451 on Drug Resistances of Paclitaxel-Resistant Breast Cancer Cell Line." *Med Sci Monit* 21: 3291-3297. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4630958/>

Guetg, N., S. A. Aziz, et al. (2010). "NMDA receptor-dependent GABA_B receptor internalization via CaMKII phosphorylation of serine 867 in GABA_{B1}." *Proceedings of the National Academy of Sciences* 107(31): 13924-13929. <https://doi.org/10.1073/pnas.1000909107>

- Haidey, J. N. and G. R. Gordon (2021) "Direct Deviations in Astrocyte Free Ca²⁺ Concentration Control Multiple Arteriole Tone States." *Neuroglia* 2, 48-56 DOI: 10.3390/neuroglia2010006. <https://doi.org/10.3390/neuroglia2010006>
- Ham, Y.-M. and S. J. Mahoney (2013). "Compensation of the AKT signaling by ERK signaling in transgenic mice hearts overexpressing TRIM72." *Experimental Cell Research* 319(10): 1451-1462. <https://doi.org/10.1016/j.yexcr.2013.02.016>
- Hartveit, E. and M. L. Veruki (2019). Combining Multiphoton Excitation Microscopy with Fast Microiontophoresis to Investigate Neuronal Signaling. *Multiphoton Microscopy*. E. Hartveit. New York, NY, Springer New York: 131-159. https://link.springer.com/protocol/10.1007/978-1-4939-9702-2_7
- Heider, B., J. L. Nathanson, et al. (2010). "Two-Photon Imaging of Calcium in Virally Transfected Striate Cortical Neurons of Behaving Monkey." *PLOS ONE* 5(11): e13829. <https://doi.org/10.1371/journal.pone.0013829>
- Herman, M. A., B. Nahir, et al. (2011). "Distribution of Extracellular Glutamate in the Neuropil of Hippocampus." *PLOS ONE* 6(11): e26501. <https://doi.org/10.1371/journal.pone.0026501>
- Hinz, C., I. Namekawa, et al. (2013). "Olfactory imprinting is triggered by MHC peptide ligands." *Scientific Reports* 3(1): 2800. <https://doi.org/10.1038/srep02800>
- Hofemeier, A. D., H. Hachmeister, et al. (2016). "Label-free nonlinear optical microscopy detects early markers for osteogenic differentiation of human stem cells." *Scientific Reports* 6(1): 26716. <https://doi.org/10.1038/srep26716>
- Holland-Moritz, E., J. Gordon, II, et al. (1991). "Motion of atomic steps of gold(111) films on mica." *Langmuir* 7(2): 301-306. <https://doi.org/10.1021/la00050a017>
- Hoogland, T. M., B. Kuhn, et al. (2009). "Radially expanding transglial calcium waves in the intact cerebellum." *Proceedings of the National Academy of Sciences* 106(9): 3496-3501. <https://doi.org/10.1073/pnas.0809269106>
- Horton, N. G., D. Kobat, et al. (2012). In Vivo, Deep Tissue Three-Photon Imaging at the 1700-nm Spectral Window. *Biomedical Optics and 3-D Imaging*, Miami, Florida, Optica Publishing Group. <https://doi.org/10.1364/BIOMED.2012.BSu2B.2>
- Hou, S. S., J. Yang, et al. (2023). "Near-infrared fluorescence lifetime imaging of amyloid- β aggregates and tau fibrils through the intact skull of mice." *Nature Biomedical Engineering* 7(3): 270-280. <https://doi.org/10.1038/s41551-023-01003-7>
- Houle, M.-A., R. C. Burruss, et al. (2017). "Rapid 3D chemical-specific imaging of minerals using stimulated Raman scattering microscopy." *Journal of Raman Spectroscopy* 48(5): 726-735. <https://doi.org/10.1002/jrs.5098>
- Howe, M. W. and D. A. Dombeck (2016). "Rapid signalling in distinct dopaminergic axons during locomotion and reward." *Nature* 535(7613): 505-510. <https://doi.org/10.1038/nature18942>
- Hsiang, J.-C., K. P. Johnson, et al. (2017). "Local processing in neurites of VGluT3-expressing amacrine cells differentially organizes visual information." *eLife* 6: e31307. <https://doi.org/10.7554/eLife.31307>

Hsu, K.-J., Y.-Y. Lin, et al. (2019). "Optical properties of adult *Drosophila* brains in one-, two-, and three-photon microscopy." *Biomedical Optics Express* 10(4): 1627-1637. <https://doi.org/10.1364/BOE.10.001627>

Hu, Q., P. Li, et al. (2018). "Simultaneous two-plane, two-photon imaging based on spatial multiplexing." *Optics Letters* 43(19): 4598-4601. <https://doi.org/10.1364/OL.43.004598>

Huang, A. H., J. L. Balestrini, et al. (2016). "Biaxial Stretch Improves Elastic Fiber Maturation, Collagen Arrangement, and Mechanical Properties in Engineered Arteries." *Tissue Engineering Part C: Methods* 22(6): 524-533. <https://doi.org/10.1089/ten.tec.2015.0309>

Huser, T., H. Hachmeister, et al. (2015). Label-free super-resolution optical microscopy of cellular dynamics. *Asia Communications and Photonics Conference 2015, Hong Kong*, Optica Publishing Group. <https://doi.org/10.1364/ACPC.2015.AS31.1>

Imbriotis, V., A. Ranson, et al. (2021). "RPG: A low-cost, open-source, high-performance solution for displaying visual stimuli." *Journal of Neuroscience Methods* 363: 109343. <https://doi.org/10.1016/j.jneumeth.2021.109343>

Jackson, J., A. J. Canty, et al. (2015). "Laser-Mediated Microlesions in Mouse Neocortex to Investigate Neuronal Degeneration and Regeneration." *Current Protocols in Neuroscience* 73(1): 2.24.21-22.24.17. <https://doi.org/10.1002/0471142301.ns0224s73>

James, C. H. C., L. S. Spencer, et al. (2013). "Target-Specific Effects of Somatostatin-Expressing Interneurons on Neocortical Visual Processing." *The Journal of Neuroscience* 33(50): 19567. <https://doi.org/10.1523/JNEUROSCI.2624-13.2013>

Jefferson, S. J., I. Gregg, et al. (2023). "5-MeO-DMT modifies innate behaviors and promotes structural neural plasticity in mice." *Neuropsychopharmacology* 48(9): 1257-1266. <https://doi.org/10.1038/s41386-023-01572-w>

Jesse, W. W., S. W. Warren, et al. (2016). Real-time digital signal processing in multiphoton and time-resolved microscopy. *Proc.SPIE*. <https://doi.org/10.1117/12.2218102>

Jiang, C., T. Song, et al. (2017). "RAS Promotes Proliferation and Resistances to Apoptosis in Meningioma." *Molecular Neurobiology* 54(1): 779-787. <https://doi.org/10.1007/s12035-016-9763-z>

Jones, J. S., D. M. Small, et al. (2018). "In Vivo Calcium Imaging of Cardiomyocytes in the Beating Mouse Heart With Multiphoton Microscopy." *Frontiers in Physiology* 9. <https://doi.org/10.3389/fphys.2018.00969>

Jordan, S. (2011). "Piezoelectric Actuation Offers Light Microscopy New Capabilities." *Microscopy Today* 19(4): 30-36. <https://doi.org/10.1017/S1551929511000460>

Joseph, P., L. W. Hannah, et al. (2021). "Photoreceptive Ganglion Cells Drive Circuits for Local Inhibition in the Mouse Retina." *The Journal of Neuroscience* 41(7): 1489. <https://doi.org/10.1523/JNEUROSCI.0674-20.2020>

Judkewitz, B., M. Rizzi, et al. (2009). "Targeted single-cell electroporation of mammalian neurons in vivo." *Nature Protocols* 4(6): 862-869. <https://doi.org/10.1038/nprot.2009.56>

- Kang, S., J. Park, et al. (2022). "ICoRD: iterative correlation-based ROI detection method for the extraction of neural signals in calcium imaging." *Journal of Neural Engineering* 19(4): 046035. <https://iopscience.iop.org/article/10.1088/1741-2552/ac84aa/meta>
- Kao, M.-C., A. F. Pegoraro, et al. (2018). "Direct mineralogical imaging of economic ore and rock samples with multi-modal nonlinear optical microscopy." *Scientific Reports* 8(1): 16917. <https://doi.org/10.1038/s41598-018-34779-9>
- Kayvan Forouhesh, T., D. Arash, et al. (2018). Resolution enhancement of 2-photon microscopy using high-refractive index microspheres. *Proc.SPIE*. <https://doi.org/10.1117/12.2290613>
- Kayvan Forouhesh, T., G. P. Emily, et al. (2018). Characterization of bone collagen organization defects in murine hypophosphatasia using a Zernike model of optical aberrations. *Proc.SPIE*. <https://doi.org/10.1117/12.2290896>
- Kayvan Forouhesh, T., S. Min Kyoung, et al. (2017). Fast axial scanning for 2-photon microscopy using liquid lens technology. *Proc.SPIE*. <https://doi.org/10.1117/12.2252992>
- Kayvan Forouhesh, T., P. Sendy, et al. (2018). Finite difference time domain modeling of wavefront aberrations in bone using second harmonic generation microscopy. *Proc.SPIE*. <https://doi.org/10.1117/12.2290376>
- Kayvan, T., K. Peter, et al. (2017). Modelling of optical aberrations caused by light propagation in mouse cranial bone using second harmonic generation imaging. *Proc.SPIE*. <https://doi.org/10.1117/12.2253080>
- Keller, C. C., G. C. Davenport, et al. (2006). "Suppression of Prostaglandin E2 by Malaria Parasite Products and Antipyretics Promotes Overproduction of Tumor Necrosis Factor- α : Association with the Pathogenesis of Childhood Malarial Anemia." *The Journal of Infectious Diseases* 193(10): 1384-1393. <https://doi.org/10.1086/503047>
- Kempf, A., S. M. Song, et al. (2019). "A potassium channel β -subunit couples mitochondrial electron transport to sleep." *Nature* 568(7751): 230-234. <https://doi.org/10.1038/s41586-019-1034-5>
- Kerruth, S., C. Coates, et al. (2019). "The kinetic mechanisms of fast-decay red-fluorescent genetically encoded calcium indicators." *Journal of Biological Chemistry* 294(11): 3934-3946. <https://doi.org/10.1074/jbc.RA118.004543>
- Khibnik, L. A., N. X. Tritsch, et al. (2014). "A Direct Projection from Mouse Primary Visual Cortex to Dorsomedial Striatum." *PLOS ONE* 9(8): e104501. <https://doi.org/10.1371/journal.pone.0104501>
- Kieu, K., S. Mehravar, et al. (2013). "Label-free multi-photon imaging using a compact femtosecond fiber laser mode-locked by carbon nanotube saturable absorber." *Biomedical Optics Express* 4(10): 2187-2195. <https://doi.org/10.1364/BOE.4.002187>
- Kim, B., H. Le, et al. (2020). "High-speed combined reflectance confocal and moxifloxacin based two-photon microscopy." *Biomedical Optics Express* 11(3): 1555-1567. <https://doi.org/10.1364/BOE.385763>
- Kim, C. K., A. Miri, et al. (2014). "Prolonged, brain-wide expression of nuclear-localized GCaMP3 for functional circuit mapping." *Frontiers in Neural Circuits* 8. <https://doi.org/10.3389/fncir.2014.00138>

- Kim, T., N. Shen, et al. "Dendritic and parallel processing of visual threats in the retina control defensive responses." *Science Advances* 6(47): eabc9920. <https://www.science.org/doi/full/10.1126/sciadv.abc9920>
- Klioutchnikov, A., D. J. Wallace, et al. (2023). "A three-photon head-mounted microscope for imaging all layers of visual cortex in freely moving mice." *Nature Methods* 20(4): 610-616. <https://doi.org/10.1038/s41592-022-01688-9>
- Kong, C., S. Bobe, et al. (2021). "Multiscale and Multimodal Optical Imaging of the Ultrastructure of Human Liver Biopsies." *Frontiers in Physiology* 12. <https://doi.org/10.3389/fphys.2021.637136>
- Kong, L., J. Tang, et al. (2015). "Continuous volumetric imaging via an optical phase-locked ultrasound lens." *Nature Methods* 12(8): 759-762. <https://doi.org/10.1038/nmeth.3476>
- Kosalos, J. G. (1984). *Ocean Bottom Imaging*. Offshore Technology Conference. <https://doi.org/10.4043/4717-MS>
- Kostadinova, R., A. Montagner, et al. (2012). "GW501516-activated PPAR β/δ promotes liver fibrosis via p38-JNK MAPK-induced hepatic stellate cell proliferation." *Cell & Bioscience* 2(1): 34. <https://doi.org/10.1186/2045-3701-2-34>
- Kostadinova, R. M., A. R. Nawrocki, et al. (2005). "Tumor necrosis factor alpha and phorbol 12-myristate-13-acetate down-regulate human 11 β -hydroxysteroid dehydrogenase type 2 through p50/p50 NF- κ B homodimers and Egr-1." *The FASEB Journal* 19(6): 1-30. <https://doi.org/10.1096/fj.04-282ofje>
- Król, P. M., P. Podziewski, et al. (2023). "Deviation of coordinates of small-dimension holes in fiberboard." *Wood Material Science & Engineering* 18(4): 1237-1242. <https://doi.org/10.1080/17480272.2022.2121661>
- Król, P. M. and K. Szymona (2023). "Methodology evaluation of computer vision small-dimension hole localization." *Wood Material Science & Engineering* 18(1): 184-192. <https://doi.org/10.1080/17480272.2021.2005140>
- Krumin, M. and S. Shoham (2008). *Characterization of Input-Output Relations in Single Neurons using Spatiotemporal Photo-stimulation*. 14th Nordic-Baltic Conference on Biomedical Engineering and Medical Physics, Berlin, Heidelberg, Springer Berlin Heidelberg. https://link.springer.com/chapter/10.1007/978-3-540-69367-3_101
- Kuchibhotla, K. V., J. V. Gill, et al. (2017). "Parallel processing by cortical inhibition enables context-dependent behavior." *Nature Neuroscience* 20(1): 62-71. <https://doi.org/10.1038/nn.4436>
- Kumar, S., A. Singh, et al. (2016). "Saturation Dynamics Measures Absolute Cross Section and Generates Contrast within a Neuron." *Biophys J* 111(6): 1328-1336. <https://doi.org/10.1016/j.bpj.2016.06.044>
- Kunchur, N. N. and L. B. Mostaço-Guidolin (2022). "Development of an image classification pipeline for atherosclerotic plaques assessment using supervised machine learning." *BMC Bioinformatics* 23(1): 542. <https://doi.org/10.1186/s12859-022-05059-1>

- Kwang-Hee, I. and K. H. David (2010). "Evaluation and Application of T-Ray Nondestructive Characterization of FRP Composite Materials." *비 비 비 비 비 비 비 비* 30(5): 429-436. <https://www.dbpia.co.kr/Journal/articleDetail?nodeld=NODE02213827>
- Kwon, S. E., H. Yang, et al. (2016). "Sensory and decision-related activity propagate in a cortical feedback loop during touch perception." *Nature Neuroscience* 19(9): 1243-1249. <https://doi.org/10.1038/nn.4356>
- Kwon, T., A. Merchán-Pérez, et al. (2018). "Ultrastructural, Molecular and Functional Mapping of GABAergic Synapses on Dendritic Spines and Shafts of Neocortical Pyramidal Neurons." *Cerebral Cortex* 29(7): 2771-2781. <https://doi.org/10.1093/cercor/bhy143>
- Lalanne, T., J. Oyrer, et al. (2016). "Synapse-specific expression of calcium-permeable AMPA receptors in neocortical layer 5." *The Journal of Physiology* 594(4): 837-861. <https://doi.org/10.1113/JP271394>
- Lambert, J. T., T. C. Hill, et al. (2017). "Protracted and asynchronous accumulation of PSD95-family MAGUKs during maturation of nascent dendritic spines." *Developmental Neurobiology* 77(10): 1161-1174. <https://doi.org/10.1002/dneu.22503>
- Laprell, L., C. Schulze, et al. (2021). "The role of microglia membrane potential in chemotaxis." *Journal of Neuroinflammation* 18(1): 21. <https://doi.org/10.1186/s12974-020-02048-0>
- Lars, R., H. Iván Coto, et al. (2022). "Multiphoton microscopy for label-free multicolor imaging of peripheral nerve." *Journal of Biomedical Optics* 27(5): 056501. <https://doi.org/10.1117/1.JBO.27.5.056501>
- Laviv, T., B. B. Kim, et al. (2016). "Simultaneous dual-color fluorescence lifetime imaging with novel red-shifted fluorescent proteins." *Nature Methods* 13(12): 989-992. <https://doi.org/10.1038/nmeth.4046>
- Leila, B. M.-G., C. T. K. Alex, et al. (2014). Evaluating collagen morphology and pathological lipid deposition using multiphoton image statistics. *Proc.SPIE*. <https://doi.org/10.1117/12.2038232>
- Letourneau, J. J., J. Liu, et al. (2009). "Synthesis and initial evaluation of novel, non-peptidic antagonists of the α v-integrins α v β 3 and α v β 5." *Bioorganic & Medicinal Chemistry Letters* 19(2): 352-355. <https://doi.org/10.1016/j.bmcl.2008.11.074>
- Levene, M. J. and T. H. Chia (2009). *Microprisms for In Vivo Multiphoton Microscopy of Cortex*. *Advances in Imaging*, Vancouver, Optica Publishing Group. <https://pubmed.ncbi.nlm.nih.gov/19494189/>
- Li, J., L. Wang, et al. (2021) "Study on Aberration Correction of Adaptive Optics Based on Convolutional Neural Network." *Photonics* 8 DOI: 10.3390/photonics8090377. <https://doi.org/10.3390/photonics8090377>