

## Neurolucida Citations

Barapatre, N., Hansen, L., Kampfer, C., Rübemann, T., Schmitz, C., von Koch, F., & Frank, H. G. (2024). Trophoblast proliferation is higher in female than in male preeclamptic placentas. *Placenta*, 158, 310–317. <https://doi.org/10.1016/j.placenta.2024.10.016>

Brunner, J., Arszovszki, A., Tarcsay, G., & Szabadics, J. (2024). Axons compensate for biophysical constraints of variable size to uniformize their action potentials. *PLoS Biology*, 22(12), e3002929. <https://doi.org/10.1371/journal.pbio.3002929>

Dougalis, A., Abushik, P., Pelkonen, A., Giudice, L., Gómez-Budia, M., Novosolova, N., Välimäki, N.-N., Rezaie, M., Nurkhametova, D., Giniatullina, R., Shakirzyanova, A., Mali, A., Rauramaa, T., Stevens, B., Hiltunen, M., Leinonen, V., & Malm, T. (2025). *Early amyloid spine response and impaired synaptic transmission of pyramidal neurons in human biopsies with Alzheimer's Disease-related pathology* (p. 2025.01.07.630516). bioRxiv. <https://doi.org/10.1101/2025.01.07.630516>

Gaire, S., Yang, H., Dumre, M., Lee, E. J., Park, S.-M., & Joe, E.-H. (2024). Systemic Inflammation Decreases Initial Brain Injury but Attenuates Neurite Extension and Synapse Formation during the Repair of Injured Brains. *Experimental Neurobiology*, 33(5), 251–262. <https://doi.org/10.5607/en24018>

García-Marqués, J. (n.d.). *Lineage Tracing*. Springer Nature.

Höltje, M., Wolkowicz, A., Brunk, I., Baron, J., & Ahnert-Hilger, G. (n.d.).  $G\alpha 1$  and  $G\alpha 1/G\alpha 2$  deletion differentially affect hippocampal mossy fiber tract anatomy and neuronal morphogenesis. *Journal of Neurochemistry*, n/a(n/a). <https://doi.org/10.1111/jnc.16248>

Iyer, A., Vaasjo, L. O., Siththanandan, V. B., C, R. K., Thurmon, A., Akumuo, M., Lu, V., Nnebe, C., Nair, R., Galazo, M. J., & Tharin, S. (2024). miR-193b-365 microcluster downstream of Fezf2 coordinates neuron-subtype identity and dendritic morphology in cortical projection neurons. *iScience*, 27(12). <https://doi.org/10.1016/j.isci.2024.111500>

Kowalczyk, M., Lee, Y.-J., & Huang, W.-H. (2025). TSC2-mTORC1 axis regulates morphogenesis and neurological function of Gli1<sup>+</sup> adult-born dentate granule cells. *Molecular Biology of the Cell*, 36(1), br1. <https://doi.org/10.1091/mbc.E24-08-0366>

Kraatz, G., Xie, H. T. H., Long, H., & Walker, C.-D. (n.d.). Neonatal estradiol and early adversity interact to modify basolateral amygdala morphology and adult behavior in female rats. *Journal of Neuroendocrinology*, n/a(n/a), e13483. <https://doi.org/10.1111/jne.13483>

Layous, R., Tamas, B., Mike, A., Sipos, E., Arszovszki, A., Brunner, J., Szatai, A., Yaseen, F., Andrasi, T., & Szabadics, J. (2025). *Optical recordings of unitary synaptic connections reveal high and random local connectivity between CA3 pyramidal cells* (p. 2025.01.15.633173). bioRxiv. <https://doi.org/10.1101/2025.01.15.633173>

Milligan, C., Cowley, D. O., Stewart, W., Curry, A. M., Forbes, E., Rector, B., Hastie, A., Liu, L., & Hawkins, G. A. (2025). Enhanced Interleukin 6 Trans-Signaling Modulates Disease

Process in Amyotrophic Lateral Sclerosis Mouse Models. *Brain Sciences*, 15(1), Article 1. <https://doi.org/10.3390/brainsci15010084>

Peng, Y., Wang, E., Shen, Z., Shi, S.-H., & Ma, J. (2025). In Vivo Clonal Analysis Using MADM with Spatiotemporal Specificity. In J. García-Marqués & T. Lee (Eds.), *Lineage Tracing: Methods and Protocols* (pp. 265–279). Springer US. [https://doi.org/10.1007/978-1-0716-4310-5\\_13](https://doi.org/10.1007/978-1-0716-4310-5_13)

Qi, G., Yang, D., Messore, F., Bast, A., Yáñez, F., Oberlaender, M., & Feldmeyer, D. (2025). FOXP2-immunoreactive corticothalamic neurons in neocortical layers 6a and 6b are tightly regulated by neuromodulatory systems. *iScience*, 28(1). <https://doi.org/10.1016/j.isci.2024.111646>

Romani, A., Antonietti, A., Bella, D., Budd, J., Giacalone, E., Kurban, K., Sáray, S., Abdellah, M., Arnaudon, A., Boci, E., Colangelo, C., Courcol, J.-D., Delemontex, T., Ecker, A., Falck, J., Favreau, C., Gevaert, M., Hernando, J. B., Herttuainen, J., ... Markram, H. (2024). Community-based reconstruction and simulation of a full-scale model of the rat hippocampus CA1 region. *PLoS Biology*, 22(11), e3002861. <https://doi.org/10.1371/journal.pbio.3002861>

Smith, S. N. (2024, August 19). *Long-Term Impacts of Bupropion Exposure during Critical Developmental Periods on Reward Learning*. Carleton University.

Soleimani, M., Baharnoori, S. M., Massoumi, H., Cheraqpour, K., Asadigandomani, H., Mirzaei, A., Ashraf, M. J., Koganti, R., Chaudhuri, M., Ghassemi, M., Jalilian, E., & Djalilian, A. R. (2025). A deep dive into radiation keratopathy; Going beyond the current frontiers. *Experimental Eye Research*, 251, 110234. <https://doi.org/10.1016/j.exer.2025.110234>

Son, G., Na, Y., Kim, Y., Son, J.-H., Clemenson, G. D., Schafer, S. T., Yoo, J.-Y., Parylak, S. L., Paquola, A., Do, H., Kim, D., Ahn, I., Ju, M., Kang, C. S., Ju, Y., Jung, E., McDonald, A. H., Park, Y., Kim, G., ... Han, J. (2024). miR-124 coordinates metabolic regulators acting at early stages of human neurogenesis. *Communications Biology*, 7(1), 1–14. <https://doi.org/10.1038/s42003-024-07089-2>

Souza, G. M. P. R., Stornetta, D. S., & Abbott, S. B. G. (2025). Interactions between Arousal State and CO<sub>2</sub> Determine the Activity of Central Chemoreceptor Neurons That Drive Breathing. *Journal of Neuroscience*, 45(1). <https://doi.org/10.1523/JNEUROSCI.1587-24.2024>

Walters, B. N., Whiddon, Z. D., McGee, A. W., & Krimm, R. F. (2024). Longitudinal imaging of the taste bud in vivo with two-photon laser scanning microscopy. *PLOS ONE*, 19(12), e0309366. <https://doi.org/10.1371/journal.pone.0309366>

Yu, H., Nagi, S. S., Usoskin, D., Hu, Y., Kupari, J., Bouchatta, O., Yan, H., Cranfill, S. L., Gautam, M., Su, Y., Lu, Y., Wymer, J., Glanz, M., Albrecht, P., Song, H., Ming, G.-L., Prouty, S., Seykora, J., Wu, H., ... Luo, W. (2024). Leveraging deep single-soma RNA sequencing to explore the neural basis of human somatosensation. *Nature Neuroscience*, 27(12), 2326–2340. <https://doi.org/10.1038/s41593-024-01794-1>

Bajikar, S. S., Sztainberg, Y., Trostle, A. J., Tirumala, H. P., Wan, Y.-W., Harrop, C. L., Bengtsson, J. D., Carvalho, C. M. B., Pehlivan, D., Suter, B., Neul, J. L., Liu, Z., Jafar-Nejad, P., Rigo, F., & Zoghbi, H. Y. (2024). Modeling antisense oligonucleotide therapy in MECP2 duplication syndrome human iPSC-derived neurons reveals gene expression programs responsive to MeCP2 levels. *Human Molecular Genetics*, ddae135. <https://doi.org/10.1093/hmg/ddae135>

Brakatselos, C., Polissidis, A., Ntoulas, G., Asprogerakas, M.-Z., Tsarna, O., Vamvakalakovou, A., Nakas, G., Delis, A., Tzimas, P., Skaltsounis, L., Silva, J., Delis, F., Oliveira, J. F., Sotiropoulos, I., & Antoniou, K. (2024). Multi-level therapeutic actions of cannabidiol in ketamine-induced schizophrenia psychopathology in male rats. *Neuropsychopharmacology*, 1–13. <https://doi.org/10.1038/s41386-024-01977-1>

Castro, M. M. L., Amaral Junior, F. L. do, Mendes, F. de C. C. de S., Anthony, D. C., Brites, D. M., T. de O., Diniz, C. W. P., & Sosthenes, M. C. K. (2025). Intriguing astrocyte responses in CA1 to reduced and rehabilitated masticatory function: Dorsal and ventral distinct perspectives in adult mice. *Archives of Oral Biology*, 169, 106097. <https://doi.org/10.1016/j.archoralbio.2024.106097>

Choi, E.-K., Aring, L., Peng, Y., Correia, A. B., Lieberman, A. P., Iwase, S., & Seo, Y. A. (2024). Neuronal SLC39A8 deficiency impairs cerebellar development by altering manganese homeostasis. *JCI Insight*, 9(20). <https://doi.org/10.1172/jci.insight.168440>

Colom, M., Kraev, I., Stramek, A. K., Loza, I. B., Rostron, C. L., Heath, C. J., Dommett, E. J., & Singer, B. F. (2024). Conditioning- and reward-related dendritic and presynaptic plasticity of nucleus accumbens neurons in male and female sign-tracker rats. *European Journal of Neuroscience*, 60(7), 5694–5717. <https://doi.org/10.1111/ejn.16513>

DeGiosio, R. (2024, September 16). *Functional Effects of Schizophrenia-Associated MAP2 Phosphorylation Events* [University of Pittsburgh ETD]. University of Pittsburgh. <https://d-scholarship.pitt.edu/45419/>

DeVries, S. A., Dimovasili, C., Medalla, M., Moore, T. L., & Rosene, D. L. (2024). Dysregulated C1q and CD47 in the aging monkey brain: Association with myelin damage, microglia reactivity, and cognitive decline. *Frontiers in Immunology*, 15. <https://doi.org/10.3389/fimmu.2024.1426975>

Dillon, K. M., Lohr, D. B., Novak, A. G., Petriv, A.-M. V., Neifert, N. T., & Moore, A. M. (2024). Deletion of Nuclear Progesterone Receptors From Kisspeptin Cells Does Not Impair Negative Feedback in Female Mice. *Endocrinology*, 165(10), bqae121. <https://doi.org/10.1210/endocr/bqae121>

Echols, E. (n.d.). *Sources and Termination Patterns of Cholinergic Input to the Ventral Nucleus of the Lateral Lemniscus*.

*Effects of Optogenetic Theta Burst Stimulation of the Lateral Cerebellar Nucleus on Prelimbic Cortex Physiology—ProQuest*. (n.d.). Retrieved October 25, 2024, from <https://www.proquest.com/openview/bdd572c7358eb92be16387629e8b82cf/1?pq->

[origsite=gscholar&cbl=18750&diss=y](#)

Ehlers, J. S. (n.d.). *Die Rolle des Slc35f1 Transporters bei der neuronalen Plastizität im Hippocampus und der Amygdala der Maus.*

Eid, L., Lokmane, L., Raju, P. K., Tene Tadoum, S. B., Jiang, X., Toulouse, K., Lupien-Meilleur, A., Charron-Ligez, F., Toumi, A., Backer, S., Lachance, M., Lavertu-Jolin, M., Montseny, M., Lacaille, J.-C., Bloch-Gallego, E., & Rossignol, E. (2024). Both GEF domains of the autism and developmental epileptic encephalopathy-associated Trio protein are required for proper tangential migration of GABAergic interneurons. *Molecular Psychiatry*, 1–21.  
<https://doi.org/10.1038/s41380-024-02742-y>

Funahashi, Y., Ahammad, R. U., Zhang, X., Hossen, E., Kawatani, M., Nakamuta, S., Yoshimi, A., Wu, M., Wang, H., Wu, M., Li, X., Faruk, M. O., Shohag, M. H., Lin, Y.-H., Tsuboi, D., Nishioka, T., Kuroda, K., Amano, M., Noda, Y., ... Kaibuchi, K. (2024). Signal flow in the NMDA receptor-dependent phosphoproteome regulates postsynaptic plasticity for aversive learning. *Science Signaling*, 17(853), ead09852. <https://doi.org/10.1126/scisignal.ad09852>

Garcilazo, J. L., Verdier, A. Z., Avila, B. S. P., Galindo, I. X. M., Monzón, J. I. H., Ventura, F. A. L., Cortes, E. J., & Díaz, J. V. N. (2024). La tinción de Golgi en la comprensión del sistema nervioso. *JOVENES EN LA CIENCIA*, 28.  
<https://www.jovenesenlaciencia.ugto.mx/index.php/jovenesenlaciencia/article/view/4274>

Han, D., Fuquen, R. W., Willis, K. L., Christensen-Dalsgaard, J., & Carr, C. E. (2024). Sound localization circuits in reptiles. *Frontiers in Amphibian and Reptile Science*, 2.  
<https://doi.org/10.3389/famrs.2024.1429172>

Horváth, Á. I., Bölcskei, K., Szentés, N., Borbély, É., Tékus, V., Botz, B., Rusznák, K., Futácsi, A., Czéh, B., Mátyus, P., & Helyes, Z. (2024). Novel multitarget analgesic candidate SZV-1287 demonstrates potential disease-modifying effects in the monoiodoacetate-induced osteoarthritis mouse model. *Frontiers in Pharmacology*, 15.  
<https://doi.org/10.3389/fphar.2024.1377081>

Jadhav, V., Carreno-Munoz, M. I., Chehrazi, P., Michaud, J. L., Chattopadhyaya, B., & Cristo, G. D. (2024). Developmental Syngap1 haploinsufficiency in medial ganglionic eminence-derived interneurons impairs auditory cortex activity, social behavior and extinction of fear memory. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0946-24.2024>

Kauer, S. D., Benson, C. A., Carrara, J. M., Tarafder, A. A., Ibrahim, Y. H., Estacion, M. A., Waxman, S. G., & Tan, A. M. (2024). PAK1 inhibition with Romidepsin attenuates H-reflex hyperexcitability after spinal cord injury. *The Journal of Physiology*, 602(19), 5061–5081.  
<https://doi.org/10.1113/JP284976>

Kisvárdy T. N. (2024). *Neuronok 3-dimenziós rekonstrukciója az egér prefrontális kéregben.*  
<https://hdl.handle.net/2437/380725>

Kókai É. (2024). *Pathány gerincvelői hátsó szarv felületes lamináiban található neuronok lokális kapcsolatrendszerének feltárása axon elágazódási mintázataik elemzésén keresztül.* <https://hdl.handle.net/2437/379437>

Kristaponyte, I., Beebe, N. L., Harish, N., Schofield, B. R., & Galazyuk, A. V. (2024). *Expression of Group II GluRs in the Inferior Colliculus, Medial Geniculate Body, and Auditory Cortex Increases with Age* (SSRN Scholarly Paper No. 4923212). Social Science Research Network. <https://papers.ssrn.com/abstract=4923212>

LaDouceur, K. (2024). *Rapid Effects of Estrogens and Androgens on Social and Non-Social Short-Term Memory in the Dorsal Hippocampus of Male Mice* [University of Guelph]. <https://hdl.handle.net/10214/28555>

Loganathan, S., Menegaz, D., Dellinger, J. P., Eder, M., & Deussing, J. M. (2024). Cacna1c deficiency in forebrain glutamatergic neurons alters behavior and hippocampal plasticity in female mice. *Translational Psychiatry*, 14(1), 1–11. <https://doi.org/10.1038/s41398-024-03140-2>

Luo, X., Jin, C., Chen, H., Niu, J., Yu, C., Dou, X., Wang, J., Wen, J., Zhang, H., Tian, M., & Zhong, Y. (2024). PET imaging of synaptic vesicle glycoprotein 2 subtype A for neurological recovery in ischemic stroke. *European Journal of Nuclear Medicine and Molecular Imaging*. <https://doi.org/10.1007/s00259-024-06904-6>

Lusk, S., Moushey, A. M., Iwakoshi, N., Wilson, C. G., Li, A., & Ray, R. (2024). Exaggerated postnatal surge of orexin neurons and the effects of elimination of excess orexin on blood pressure and exaggerated chemoreflex in spontaneously hypertensive rats. *Frontiers in Physiology*, 15. <https://doi.org/10.3389/fphys.2024.1341649>

Martínez-Drudis, L., Bérard, M., Musiol, D., Rivest, S., & Oueslati, A. (2024). Pharmacological inhibition of PLK2 kinase activity mitigates cognitive decline but aggravates APP pathology in a sex-dependent manner in APP/PS1 mouse model of Alzheimer's disease. *Heliyon*, 10(20). <https://doi.org/10.1016/j.heliyon.2024.e39571>

Medalla, M., & Luebke, J. I. (2024). Detailed Phenotyping of the Physiology, Structure, and Connectivity of Individual Neocortical Neurons. In J. H. R. Lübke & A. Rollenhagen (Eds.), *New Aspects in Analyzing the Synaptic Organization of the Brain* (pp. 161–181). Springer US. [https://doi.org/10.1007/978-1-0716-4019-7\\_10](https://doi.org/10.1007/978-1-0716-4019-7_10)

Mishra, E., & Thakur, M. K. (2024). Tat-Beclin-1 Ameliorates Memory by Improving Neuronal Cytoarchitecture and Mitigating Mitochondrial Dysfunction in Scopolamine-Induced Amnesic Male Mice. *ACS Pharmacology & Translational Science*. <https://doi.org/10.1021/acsptsci.4c00283>

Nassar, M., Richevaux, L., Lim, D., Tayupo, D., Martin, E., & Fricker, D. (2024). Presubicular VIP expressing interneurons receive facilitating excitation from anterior thalamus. *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2024.09.032>

Ohman, L. C., Huang, T., Unwin, V. A., Singh, A., Walters, B., Whiddon, Z. D., & Krimm, R. F. (2024). Deciphering Peripheral Taste Neuron Diversity: Using Genetic Identity to Bridge Taste Bud Innervation Patterns and Functional Responses. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0583-24.2024>

P. A., H., Basavaraju, N., Chandran, M., Jaleel, A., Bennett, D. A., & Kommaddi, R. P. (2024). Mitigation of synaptic and memory impairments via F-actin stabilization in Alzheimer's

disease. *Alzheimer's Research & Therapy*, 16(1), 200. <https://doi.org/10.1186/s13195-024-01558-w>

Pardillo-Díaz, R., Pérez-García, P., Ortego-Domínguez, M., Gómez-Oliva, R., Martínez-Gómez, N., Domínguez-García, S., García-Cózar, F., Muñoz-Miranda, J. P., Hernández-Galán, R., Carrascal, L., Castro, C., & Nunez-Abades, P. (2024). *The subventricular zone neurogenic niche provides adult born functional neurons to repair cortical brain injuries in response to diterpenoid therapy*. Research Square. <https://doi.org/10.21203/rs.3.rs-4807503/v1>

Patel, A., Aljaabary, A., Yuan, Y., Asgari, P., Bailey, C. D. C., & McCormick, C. M. (2024). Lasting effects of adolescent social instability stress on dendritic morphology in the nucleus accumbens in female and male Long Evans rats. *Neurotoxicology and Teratology*, 106, 107401. <https://doi.org/10.1016/j.ntt.2024.107401>

Pattanayak, R., Ekkatine, R., Petit, C. M., & Yacoubian, T. A. (2024). 14-3-3 phosphorylation inhibits 14-3-3 $\theta$ 's ability to regulate LRRK2 kinase activity and toxicity. *Human Molecular Genetics*, ddae142. <https://doi.org/10.1093/hmg/ddae142>

Peng, X., Trambaiolli, L. R., Choi, E. Y., Lehman, J. F., Linn, G., Russ, B. E., Schroeder, C. E., Haber, S. N., & Liu, H. (2024). Cross-species striatal hubs: Linking anatomy to resting-state connectivity. *NeuroImage*, 301, 120866. <https://doi.org/10.1016/j.neuroimage.2024.120866>

Pushpam, M., Talukdar, A., Anilkumar, S., Maurya, S. K., Issac, T. G., & Diwakar, L. (2024). Recurrent endothelin-1 mediated vascular insult leads to cognitive impairment protected by trophic factor pleiotrophin. *Experimental Neurology*, 381, 114938. <https://doi.org/10.1016/j.expneurol.2024.114938>

Rubio-Teves, M., Martín-Correa, P., Alonso-Martínez, C., Casas-Torremocha, D., García-Amado, M., Timonidis, N., Sheiban, F. J., Bakker, R., Tiesinga, P., Porrero, C., & Clascá, F. (2024). Beyond Barrels: Diverse Thalamocortical Projection Motifs in the Mouse Ventral Posterior Complex. *Journal of Neuroscience*, 44(43). <https://doi.org/10.1523/JNEUROSCI.1096-24.2024>

Sabetta, Z., Krishna, G., Curry-Koski, T., Lopez, M., Adelson, P. D., & Thomas, T. C. (2024). Sex-dependent temporal changes in astrocyte-vessel interactions following diffuse traumatic brain injury in rats. *Frontiers in Physiology*, 15. <https://doi.org/10.3389/fphys.2024.1469073>

Skog, T. D., Johnson, S. B., Hinz, D. C., Lingg, R. T., Schulz, E. N., Luna, J. T., Beltz, T. G., Romig-Martin, S. A., Gantz, S. C., Xue, B., Johnson, A. K., & Radley, J. J. (2024). A prefrontal-periaqueductal gray pathway differentially engages autonomic, hormonal, and behavioral features of the stress coping response. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0844-24.2024>

Sutley-Koury, S. N., Taitano-Johnson, C., Kulinich, A. O., Farooq, N., Wagner, V. A., Robles, M., Hickmott, P. W., Santhakumar, V., Mimche, P. N., & Ethell, I. M. (2024). EphB2 Signaling is Implicated in Astrocyte-mediated Parvalbumin Inhibitory Synapse Development. *Journal of Neuroscience*. <https://doi.org/10.1523/JNEUROSCI.0154-24.2024>

Svirsky, S. (2024, September 16). *The Role of Neurogranin in Synaptic Dysfunction after Experimental Traumatic Brain Injury* [University of Pittsburgh ETD]. University of Pittsburgh.



<https://d-scholarship.pitt.edu/45712/>

*The Role of PI3K-AKT-mTOR Signaling in Neurological Disorder Neurophysiology and Synaptic Plasticity—ProQuest.* (n.d.). Retrieved October 25, 2024, from <https://www.proquest.com/openview/fd6bd5cfbe122ee9bc3972f58753fe98/1?pq-origsite=gscholar&cbl=18750&diss=y>

Wadhwa, M., Chinn, G. A., Sasaki Russell, J. M., Hellman, J., & Sall, J. W. (2024). Neonatal Cannabidiol Exposure Impairs Spatial Memory and Disrupts Neuronal Dendritic Morphology in Young Adult Rats. *Cannabis and Cannabinoid Research*. <https://doi.org/10.1089/can.2024.0010>

Walters, B. N., Whiddon, Z. D., McGee, A. W., & Krimm, R. F. (2024). *Protocol for longitudinal imaging of the taste bud in vivo with two-photon laser scanning microscopy*. <https://protocols.io/view/protocol-for-longitudinal-imaging-of-the-taste-bud-c573y9qn>

Wang, P., Li, J., Li, S., Liu, Y., Gong, J., He, S., Wu, W., Tan, G., & Liu, S. (2024). Palladium-reduced graphene oxide nanocomposites enhance neurite outgrowth and protect neurons from ischemic stroke. *Materials Today Bio*, 28, 101184. <https://doi.org/10.1016/j.mtbio.2024.101184>

Yadav, P., Nasir, F., & Sivanandam, T. M. (2024). Neuroprotective effect of vitamin B12 supplementation on cognitive functions and neuronal morphology at different time intervals after traumatic brain injury in male Swiss albino mice. *Neurochemistry International*, 180, 105869. <https://doi.org/10.1016/j.neuint.2024.105869>

Zhang, L., Huang, L., Yuan, Z., Hang, Y., Zeng, Y., Li, K., Wang, L., Zeng, H., Chen, X., Zhang, H., Xi, J., Chen, D., Gao, Z., Le, L., Chen, J., Ye, W., Liu, L., Wang, Y., & Peng, H. (2024). Collaborative augmented reconstruction of 3D neuron morphology in mouse and human brains. *Nature Methods*, 21(10), 1936–1946. <https://doi.org/10.1038/s41592-024-02401-8>

Bach, S. V., Bauman, A. J., Hosein, D., Tuscher, J. J., Janov, L., Greathouse, K. M., Henderson, B. W., Herskowitz, J. H., Martinowich, K., & Day, J. J. (2024). Distinct roles of Bdnf I and Bdnf IV transcript variant expression in hippocampal neurons. *Hippocampus*, 34(5), 218–229. <https://doi.org/10.1002/hipo.23600>

Bizanti, A., Zhang, Y., Toledo, Z., Bendowski, K. T., Harden, S. W., Mistareehi, A., Chen, J., & others. (2024). Chronic intermittent hypoxia remodels catecholaminergic nerve innervation in mouse atria. *The Journal of Physiology*, 602(1), 49–71. <https://doi.org/10.1113/JP284961>

Clark, A. M., Ingold, A., Reiche, C. F., Cundy, D. III, Balsor, J. L., Federer, F., McAlinden, N., Cheng, Y., Rolston, J. D., & Rieth, L. (2024). An optrode array for spatiotemporally-precise large-scale optogenetic stimulation of deep cortical layers in non-human primates. *Communications Biology*, 7(1), 329. <https://www.nature.com/articles/s42003-024-05984-2>

Cook, A. K., Greathouse, K. M., Manuel, P. N., Cooper, N. H., Eberhardt, J. M., Freeman, C. D., Weber, A. J., Herskowitz, J. H., & Arrant, A. E. (2024). Dendritic spine head diameter is reduced in the prefrontal cortex of progranulin haploinsufficient mice. *Molecular Brain*, 17. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11155153/>

Diniz, D. G., de Oliveira, J. H. P., Guerreiro, L. C. F., de Menezes, G. C., de Assis, A. C. L., Duarte, T. Q., Dos Santos, I. B. D., Maciel, F. D., da S. Soares, G. L., & Araújo, S. C. (2024). Contrasting disease progression, microglia reactivity, tolerance, and resistance to *Toxoplasma gondii* infection in two mouse strains. *Biomedicines*, *12*(7), 1420. <https://www.mdpi.com/2227-9059/12/7/1420>

Fay, M. G., Lang, P. J., Denu, D. S., O'Connor, N. J., Haydoabck, B. W., Blaisdell, J. O., Roussel, N., Wilson, A. L., Aronson, S. R., & Angstman, P. J. (2024). ClearScope: A fully integrated light sheet theta microscope for sub-cellular resolution imaging without lateral size constraints. *bioRxiv*. <https://www.biorxiv.org/content/10.1101/2024.08.15.608141.abstract>

Fogarty, M. J. (2024). Dendritic morphology of motor neurons and interneurons within the compact, semicompact, and loose formations of the rat nucleus ambiguus. *Frontiers in Cellular Neuroscience*, *18*, 1409974. <https://www.frontiersin.org/articles/10.3389/fncel.2024.1409974/full>

Frigon, E.-M., Gérin-Lajoie, A., Dadar, M., Boire, D., & Maranzano, J. (2024). Comparison of histological procedures and antigenicity of human post-mortem brains fixed with solutions used in gross anatomy laboratories. *Frontiers in Neuroanatomy*, *18*, 1372953. <https://www.frontiersin.org/articles/10.3389/fnana.2024.1372953/full>

Fuller-Jackson, J.-P., Osborne, P. B., & Keast, J. R. (2024). Axon tracing and node segmentation of myelinated bladder afferents in the pelvic nerve. *Protocols.io*. <https://www.protocols.io/view/axon-tracing-and-node-segmentation-of-myelinated-b-dedu3a6w.html>

Galanis, C., Neuhaus, L., Hananeia, N., Turi, Z., Jedlicka, P., & Vlachos, A. (2024). Axon morphology and intrinsic cellular properties determine repetitive transcranial magnetic stimulation threshold for plasticity. *Frontiers in Cellular Neuroscience*, *18*, 1374555. <https://www.frontiersin.org/articles/10.3389/fncel.2024.1374555/full>



Giusti, S. A., Pino, N. S., Pannunzio, C., Ogando, M. B., Armando, N. G., Garrett, L., Zimprich, A., & others. (2024). A brain-enriched circular RNA controls excitatory neurotransmission and restricts sensitivity to aversive stimuli. *Science Advances*, 10(21), eadj8769. <https://doi.org/10.1126/sciadv.adj8769>

Hanes, C. M., Mah, K. M., Steffen, D. M., McLeod, C. M., Marcucci, C. G., Fuller, L. C., Burgess, R. W., Garrett, A. M., & Weiner, J. A. (2024). A C-terminal motif containing a PKC phosphorylation site regulates  $\gamma$ -protocadherin-mediated dendrite arborization in the cerebral cortex in vivo. *Developmental Neurobiology*, 84(3), 217–235. <https://doi.org/10.1002/dneu.22950>

Jiang, H.-H., Wu, T.-H., Lee, L.-J., Lee, J.-C., Chung, B.-C., Yang, F.-M., & Hu, M.-C. (2024). Dendritic morphology of developing hippocampal neurons in Cyp11a1 null mice. *Developmental Neuroscience*, 1–15. <https://karger.com/dne/article-pdf/doi/10.1159/000540106/4253813/000540106.pdf>

Jung, R., Bigit, B., Zhou, Q., Toth, P., Guaiquil, V. H., Chang, J.-H., & Rosenblatt, M. (2024). Characterization of TRPM8 expression in trigeminal ganglia and cornea. *Investigative Ophthalmology & Visual Science*, 65(7), 37–37. <https://iovs.arvojournals.org/article.aspx?articleid=2796244>

Lai, W., Zhao, Y., Chen, Y., Dai, Z., Chen, R., Niu, Y., Chen, X., Chen, S., Huang, G., & Shan, Z. (2024). Autism patient-derived SHANK2BY29X mutation affects the development of ALDH1A1 negative dopamine neuron. *Molecular Psychiatry*, 1–15. <https://www.nature.com/articles/s41380-024-02578-6>

Lara-Newman, D., Xiao, C., Zhou, Q., Nguyen, T., Rosenblatt, M., & Guaiquil, V. H. (2024). Different approaches for delivering growth factors to the cornea: Assessing EphrinB2's role in vivo. *Investigative Ophthalmology & Visual Science*, 65(7), 47–47. <https://iovs.arvojournals.org/article.aspx?articleid=2796171>

Leite, J., Nhoatto, F., Jacob, A., Santana, R., & Lobato, F. (2024). Computational tools for neuronal morphometric analysis: A systematic search and review. *Neuroinformatics*, 22(3), 353–377. <https://doi.org/10.1007/s12021-024-09674-6>

Leiwe, M. N., Fujimoto, S., Baba, T., Moriyasu, D., Saha, B., Sakaguchi, R., Inagaki, S., & Imai, T. (2024). Automated neuronal reconstruction with super-multicolour Tetbow labelling and threshold-based clustering of colour hues. *Nature Communications*, 15(1), 5279. <https://www.nature.com/articles/s41467-024-49455-y>

Merchan Jr, M., Plaza, I., Nieto, J., Plaza, J., Abecia, J. A., & Palacios, C. (2024). Densitometric analysis of GnRH and IBA1 immunocytochemistry in the basal ventromedial hypothalamus of the ewe. *Theriogenology*. <https://www.sciencedirect.com/science/article/pii/S0093691X24002905>

Noftz, W. A., Echols, E. E., Beebe, N. L., Mellott, J. G., & Schofield, B. R. (2024). Differential cholinergic innervation of lemniscal versus non-lemniscal regions of the inferior colliculus. *Journal of Chemical Neuroanatomy*, 139, 102443. <https://www.sciencedirect.com/science/article/pii/S0891061824000577>

Parishar, P., Rajagopalan, M., & Iyengar, S. (2024). Changes in the dopaminergic circuitry and adult neurogenesis linked to reinforcement learning in corvids. *Frontiers in Neuroscience*, 18, 1359874. <https://www.frontiersin.org/articles/10.3389/fnins.2024.1359874/full>

Prevot, T., Bernardo, A., Marcotte, M., Wong, K., Mondal, P., Cook, J., & Sibille, E. (2024). Targeting the  $\alpha 5$ -GABAA receptor alleviates cognitive deficits and reverses neuronal atrophy across animal models of brain disorders. *Biological Psychiatry*, 95(10), S117–S118. [https://www.biologicalpsychiatryjournal.com/article/S0006-3223\(24\)00382-2/abstract](https://www.biologicalpsychiatryjournal.com/article/S0006-3223(24)00382-2/abstract)

Prkačin, M. V., Petanjek, Z., & Banovac, I. (2024). A novel approach to cytoarchitectonics: Developing an objective framework for the morphological analysis of the cerebral cortex. *Frontiers in Neuroanatomy*, 18, 1441645. <https://www.frontiersin.org/journals/neuroanatomy/articles/10.3389/fnana.2024.1441645/full>

Reimer, M. L., Kauer, S. D., Benson, C. A., King, J. F., Patwa, S., Feng, S., Estacion, M. A., Bangalore, L., Waxman, S. G., & Tan, A. M. (2024). A FAIR, open-source virtual reality platform for dendritic spine analysis. *Patterns*. [https://www.cell.com/patterns/fulltext/S2666-3899\(24\)00183-1](https://www.cell.com/patterns/fulltext/S2666-3899(24)00183-1)

Reimer, M. L., Kauer, S. D., Benson, C. A., King, J. F., Patwa, S., Feng, S., Estacion, M. A., Bangalore, L., Waxman, S., & Tan, A. M. (2024). A novel, open-source virtual reality platform for dendritic spine analysis. *bioRxiv*. <https://www.biorxiv.org/content/10.1101/2024.02.02.578597.abstract>

Rogers, D. J., Bergeron, B. P., Watson, G. M., & Smith, K. M. (2022). 3D printed chamber for live cell imaging on an upright epifluorescence microscope. *Journal of Biological Education*. <https://doi.org/10.1080/00219266.2022.2030389>

Tecuatl, C., Ljungquist, B., & Ascoli, G. A. (2024). Accelerating the continuous community sharing of digital neuromorphology data. *bioRxiv*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10983892/>

Timonidis, N., Rubio-Teves, M., Alonso-Martínez, C., Bakker, R., García-Amado, M., Tiesinga, P., & Clascá, F. (2023). Analyzing thalamocortical tract-tracing experiments in a common reference space. *Neuroinformatics*, 22(1), 23–43. <https://doi.org/10.1007/s12021-023-09644-4>

Tompkins, J. D., Hoover, D. B., Havton, L. A., Patel, J. C., Cho, Y., Smith, E. H., Biscola, N. P., Ajijola, O. A., Shivkumar, K., & Ardell, J. L. (2024). Comparative specialization of intrinsic cardiac neurons in humans, mice, and pigs. *bioRxiv*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11030249/>

Van Duyne, R., Irollo, E., Lin, A., Johnson, J. A., Guillem, A. M., O'Brien, E. V., Merja, L., Nash, B., Jackson, J. G., & Sarkar, A. (2024). Adult human brain tissue cultures to study neuroHIV. *Cells*, 13(13), 1127. <https://www.mdpi.com/2073-4409/13/13/1127>

Vieira, M. M., Peng, S., Won, S., Hong, E., Inati, S. K., Thurm, A., Thiam, A. H., Kim, S., Myers, S. J., & Badger, J. D. (2024). A frameshift variant of GluN2A identified in an epilepsy patient results in NMDA receptor mistargeting. *Journal of Neuroscience*, 44(4). <https://www.jneurosci.org/content/44/4/e0557232023.abstract>

Walker, C. K., Liu, E., Greathouse, K. M., Adamson, A. B., Wilson, J. P., Poovey, E. H., Curtis, K. A., & others. (2024). Dendritic spine head diameter predicts episodic memory performance in older adults. *Science Advances*, 10(32), eadn5181. <https://doi.org/10.1126/sciadv.adn5181>

Wang, C.-Y., Jiang, S.-Y., Liao, S.-M., Wu, Q.-S., Pan, H.-Q., Zhang, W.-H., Pan, B.-X., & Liu, W.-Z. (2024). Dimethyl fumarate ameliorates chronic stress-induced anxiety-like behaviors by decreasing neuroinflammation and neuronal activity in the amygdala. *International*

*Immunopharmacology*, 137, 112414.

<https://www.sciencedirect.com/science/article/pii/S1567576924009354>

Wang, Z., Cheng, X., Shuang, R., Gao, T., Zhao, T., Hou, D., Zhang, Y., Yang, J., & Tao, W. (2024). Dandouchi polypeptide alleviates depressive-like behavior and promotes hippocampal neurogenesis by activating the TRIM67/NF- $\kappa$ B pathway in CUMS-induced mice. *Journal of Agricultural and Food Chemistry*, 72(30), 16726–16738.

<https://doi.org/10.1021/acs.jafc.4c02183>

White, P., Ranasinghe, S., Chen, J., Van de Looij, Y., Sizonenko, S., Prasad, J., Berry, M., Bennet, L., Gunn, A., & Dean, J. (2024). Comparative utility of MRI and EEG for early detection of cortical dysmaturation after postnatal systemic inflammation in the neonatal rat. *Brain, Behavior, and Immunity*. <https://www.sciencedirect.com/science/article/pii/S0889159124005038>

Wiedmann, N. M., Fuller-Jackson, J.-P., Osborne, P. B., & Keast, J. R. (2024). An adeno-associated viral labeling approach to visualize the meso- and microanatomy of mechanosensory afferents and autonomic innervation of the rat urinary bladder. *The FASEB Journal*, 38(1), e23380. <https://doi.org/10.1096/fj.202301113R>

Wu, H.-H. J., Tzu-Hsuan, J., Lee, L.-J., Lee, J.-C., Chung, B.-C., Yang, F.-M., & Hu, M.-C. (2024). Dendritic morphology of developing hippocampal neurons in Cyp11a1 null mice. *Developmental Neuroscience*. <https://karger.com/dne/article-pdf/doi/10.1159/000540106/4257955/000540106.pdf>

<https://doi.org/10.1159/000540106/4257955/000540106.pdf>

Xia, Q.-q., Singh, A., Wang, J., Xuan, Z. X., Singer, J. D., & Powell, C. M. (2024). Autism risk gene Cul3 alters neuronal morphology via caspase-3 activity in mouse hippocampal neurons. *Frontiers in Cellular Neuroscience*, 18, 1320784.

<https://www.frontiersin.org/articles/10.3389/fncel.2024.1320784/full>

Zouridis, I. S., Balsamo, G., Preston-Ferrer, P., & Burgalossi, A. (2024). Anatomical and electrophysiological analysis of the Fasciola cinerea of the mouse hippocampus.

*Hippocampus*. <https://doi.org/10.1002/hipo.23623>

Banovac, I., Prkačin, M. V., Kirchbaum, I., Trnski-Levak, S., Bobić-Rasonja, M., Sedmak, G., Petanjek, Z., & Jovanov-Milosevic, N. (2024). Morphological and molecular characteristics of perineuronal nets in the human prefrontal cortex—A possible link to microcircuitry specialization. *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-024-04306-1>

Bartmeyer, P. M., Biscola, N. P., & Havton, L. A. (2024). Nonbinary 2D distribution tool maps autonomic nerve fiber clustering in lumbosacral ventral roots of rhesus macaques. *Eneuro*, 11(4). <https://www.eneuro.org/content/11/4/ENEURO.0009-23.2024.abstract>

Benavides-Piccione, R., Blazquez-Llorca, L., Kastanauskaite, A., Fernaud-Espinosa, I., Tapiá-González, S., & DeFelipe, J. (2024). Key morphological features of human pyramidal neurons. *Cerebral Cortex*, 34(5), bhae180. <https://academic.oup.com/cercor/article-abstract/34/5/bhae180/7671264>

Bhardwaj, S. K., Nath, M., Wong, T. P., & Srivastava, L. K. (2024). Loss of Dysbindin-1 in excitatory neurons in mice impacts NMDAR-dependent behaviors, neuronal morphology, and synaptic transmission in the ventral hippocampus. *Scientific Reports*, 14(1), 15239.

<https://www.nature.com/articles/s41598-024-65566-4>

Chamberland, S., Grant, G., Machold, R., Nebet, E. R., Tian, G., Stich, J., Hanani, M., Kullander, K., & Tsien, R. W. (2024). Functional specialization of hippocampal somatostatin-expressing

interneurons. *Proceedings of the National Academy of Sciences*, 121(17), e2306382121. <https://doi.org/10.1073/pnas.2306382121>

Chen, T.-Y., Lin, S.-P., Huang, D.-F., Huang, H.-S., Tsai, F.-C., Lee, L.-J., Lin, H.-Y., & Huang, H.-P. (2024). Mature neurons from iPSCs unveil neurodegeneration-related pathways in mucopolysaccharidosis type II: GSK-3 $\beta$  inhibition for therapeutic potential. *Cell Death & Disease*, 15(4), 302. <https://www.nature.com/articles/s41419-024-06692-9>

Fernandes, C., Forny-Germano, L., Andrade, M. M., Lyra E Silva, N. M., Ramos-Lobo, A. M., Meireles, F., Tovar-Moll, F., Donato Jr, J., & De Felice, F. G. (2024). Leptin receptor reactivation restores brain function in early-life Lepr-deficient mice. *Brain*. <https://academic.oup.com/brain/advance-article-abstract/doi/10.1093/brain/awae127/7656512>

Fujikawa, R., Yamada, J., Maeda, S., Inuma, K. M., Moriyama, G., & Jinno, S. (2024). Inhibition of reactive oxygen species production accompanying alternatively activated microglia by risperidone in a mouse ketamine model of schizophrenia. *Journal of Neurochemistry*. <https://doi.org/10.1111/jnc.16133>

Ganesan, K., Rentsch, P., Langdon, A., Milham, L. T., & Vissel, B. (2024). Modeling sporadic Alzheimer's disease in mice by combining apolipoprotein E4 risk gene with environmental risk factors. *Frontiers in Aging Neuroscience*, 16, 1357405. <https://www.frontiersin.org/articles/10.3389/fnagi.2024.1357405/full>

García-Amado, M., Prensa, L., Porrero, C., Clascá, F., Rubio-Teves, M., Díez-Hernando, S., Sánchez-Jiménez, A., & Villacorta-Atienza, J. A. (2024). Isotropic virtual planes for measuring axonal length: Population and single neuron approaches in mice and human brain. In J. Bernacer & M. García-Amado (Eds.), *Advances in Stereology for Neuroscience* (pp. 3–22). Neuromethods. New York, NY: Springer US. [https://doi.org/10.1007/978-1-0716-3977-1\\_1](https://doi.org/10.1007/978-1-0716-3977-1_1)

Granato, V., Congiu, L., Jakovcevski, I., Kleene, R., Schwindenhammer, B., Fernandes, L., Freitag, S., Schachner, M., & Loers, G. (2024). Mice mutated in the first fibronectin domain of adhesion molecule L1 show brain malformations and behavioral abnormalities. *Biomolecules*, 14(4), 468. <https://www.mdpi.com/2218-273X/14/4/468>

Guzzo, S. (2024). Novel organic and biohybrid strategies to improve neural interfaces biocompatibility. *Sfera*. <https://sfera.unife.it/handle/11392/2544254>

Hayes, S. H., Patel, S. V., Arora, P., Zhao, L., Schormans, A. L., Whitehead, S. N., & Allman, B. L. (2024). Neurophysiological, structural, and molecular alterations in the prefrontal and auditory cortices following noise-induced hearing loss. *Neurobiology of Disease*, 106619. <https://www.sciencedirect.com/science/article/pii/S0969996124002195>

Johnson, A. J. D. (2024). *Investigating metabolic dysfunction in motor neuron disease* (PhD thesis). Macquarie University. [https://figshare.mq.edu.au/articles/thesis/Investigating\\_metabolic\\_dysfunction\\_in\\_motor\\_neuron\\_disease/25440172](https://figshare.mq.edu.au/articles/thesis/Investigating_metabolic_dysfunction_in_motor_neuron_disease/25440172)

Jönsson, K., Hultgren, T., Risling, M., & Sköld, M. K. (2024). Nerve tracing in juvenile rats: A feasible model for the study of brachial plexus birth palsy and cocontractions? *Journal of Brachial Plexus and Peripheral Nerve Injury*, 19(01), e6–e12. <https://doi.org/10.1055/s-0044-1778691>

Keith, R. E., Wild, G. A., Keith, M. J., Chen, D., Pack, S., & Dumas, T. C. (2024). Individual NMDA receptor GluN2 subunit signaling domains differentially regulate the postnatal maturation of hippocampal excitatory synaptic transmission and plasticity but not dendritic morphology. *Synapse*, 78(4), e22292. <https://doi.org/10.1002/syn.22292>

Liu, Y., Wang, L., Zhou, C., Yuan, Y., Fang, B., Lu, K., Xu, F., Chen, L., & Huang, L. (2024). MiR-31-5p regulates the neuroinflammatory response via TRAF6 in neuropathic pain. *Biology Direct*, 19(1), 10. <https://doi.org/10.1186/s13062-023-00434-1>

Lv, X.-J., Lv, S.-S., Wang, G.-H., Chang, Y., Cai, Y.-Q., Liu, H.-Z., Xu, G.-Z., Xu, W.-D., & Zhang, Y.-Q. (2024). Glia-derived adenosine in the ventral hippocampus drives pain-related anxiodepression in a mouse model resembling trigeminal neuralgia. *Brain, Behavior, and Immunity*, 117, 224–241. <https://www.sciencedirect.com/science/article/pii/S0889159124000242>

Masoli, S., Sanchez-Ponce, D., Vrieler, N., Abu-Haya, K., Lerner, V., Shahar, T., Nedelescu, H., Rizza, M. F., Benavides-Piccione, R., & DeFelipe, J. (2024). Human Purkinje cells outperform mouse Purkinje cells in dendritic complexity and computational capacity. *Communications Biology*, 7(1), 5. <https://www.nature.com/articles/s42003-023-05689-y>

McGregor, R., Wu, M.-F., Thannickal, T. C., Li, S., & Siegel, J. M. (2024). Opioid-induced neuroanatomical, microglial and behavioral changes are blocked by suvorexant without diminishing opioid analgesia. *Nature Mental Health*, 1–14. <https://www.nature.com/articles/s44220-024-00278-2>

Murray, K. E., Ratliff, W. A., Delic, V., & Citron, B. A. (2024). Gulf War toxicant-induced reductions in dendritic arbors and spine densities of dentate granule cells are improved by treatment with a Nrf2 activator. *Brain Research*, 1823, 148682. <https://www.sciencedirect.com/science/article/pii/S0006899323004535>

Paldino, E., Migliorato, G., & Fusco, F. R. (2024). Neuroimmune pathways involvement in neurodegeneration of R6/2 mouse model of Huntington's disease. *Frontiers in Cellular Neuroscience*, 18, 1360066. <https://www.frontiersin.org/articles/10.3389/fncel.2024.1360066/full>

Pascual-García, M., Unkel, M., Slotman, J. A., Bolleboom, A., Bouwen, B., Houtsmuller, A. B., Dirven, C., Gao, Z., Hijazi, S., & Kushner, S. A. (2024). Morphological correlates of pyramidal cell axonal myelination in mouse and human neocortex. *Cerebral Cortex*, 34(4), bhae147. <https://academic.oup.com/cercor/article-abstract/34/4/bhae147/7644536>

Potenza, M. L., Blankvoort, S., Carvalho, M. M., Grimstvedt, J. S., Di Maria, V., Moan, K., Raveendran Nair, R., Flatset, M. S., Zhang, Q., & Thomas, L. F. (2024). Generation of an enhancer-driven gene expression viral tool specific to dentate granule cell-types through direct hippocampal injection. *Frontiers in Neuroscience*, 18, 1274174. <https://www.frontiersin.org/articles/10.3389/fnins.2024.1274174/full>

Reverte, I., Marchetti, C., Pezza, S., Zenoni, S. F., Scaringi, G., Ferrucci, L., D'Ottavio, G., Pignataro, A., Andolina, D., & Raspa, M. (2024). Microglia-mediated calcium-permeable AMPAR accumulation in the nucleus accumbens drives hyperlocomotion during cocaine withdrawal. *Brain, Behavior, and Immunity*, 115, 535–542. <https://www.sciencedirect.com/science/article/pii/S0889159123003409>

Rexrode, L. E., Hartley, J., Showmaker, K. C., Challagundla, L., Vandewege, M. W., Martin, B. E., Blair, E., Bollavarapu, R., Antonyraj, R. B., & Hilton, K. (2024). Molecular profiling of the



hippocampus of children with autism spectrum disorder. *Molecular Psychiatry*, 1–12. <https://www.nature.com/articles/s41380-024-02441-8>

Romariz, S. A. A., Sanabria, V., Ribeiro Da Silva, K., Quintella, M. L., De Melo, B. A. G., Porcionatto, M., De Almeida, D. C., & Longo, B. M. (2024). High concentrations of cannabidiol induce neurotoxicity in neurosphere culture system. *Neurotoxicity Research*, 42(1), 14. <https://doi.org/10.1007/s12640-024-00692-5>

Shaikh, A. L., Murray, K. E., Ravindranath, V., & Citron, B. A. (2024). Gulf War toxicant-induced effects on the hippocampal dendritic arbor are reversed by treatment with a *Withania somnifera* extract. *Frontiers in Neuroscience*, 18, 1368667. <https://www.frontiersin.org/articles/10.3389/fnins.2024.1368667/full>

Silveira, M. A., Herrera, Y. N., Beebe, N. L., Schofield, B. R., & Roberts, M. T. (2024). Lineage-tracing reveals an expanded population of NPY neurons in the inferior colliculus. *bioRxiv*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10996674/>

Stern, S., Zhang, L., Wang, M., Wright, R., Rosh, I., Hussein, Y., Stern, T., Choudhary, A., Tripathi, U., & Reed, P. (2024). Monozygotic twins discordant for schizophrenia differ in maturation and synaptic transmission. *Molecular Psychiatry*, 1–15. <https://www.nature.com/articles/s41380-024-02561-1>

Sun, K., Ray, S., Gupta, N., Aldworth, Z., & Stopfer, M. (2024). Olfactory system structure and function in newly hatched and adult locusts. *Scientific Reports*, 14(1), 2608. <https://www.nature.com/articles/s41598-024-52879-7>

Uceda-Heras, A., Aparicio-Rodríguez, G., & García-Cabezas, M. Á. (2024). Hyperphosphorylated tau in Alzheimer's disease disseminates along pathways predicted by the structural model for cortico-cortical connections. *Journal of Comparative Neurology*, 532(5), e25623. <https://doi.org/10.1002/cne.25623>

Velasco, I., Garcia-Cantero, J. J., Brito, J. P., Bayona, S., Pastor, L., & Mata, S. (2024). NeuroEditor: A tool to edit and visualize neuronal morphologies. *Frontiers in Neuroanatomy*, 18, 1342762. <https://www.frontiersin.org/articles/10.3389/fnana.2024.1342762/full>

Vermoyal, J.-C., Hardy, D., Goirand-Lopez, L., Vinck, A., Silvagnoli, L., Fortoul, A., Francis, F., Cappello, S., Bureau, I., & Represa, A. (2024). Grey matter heterotopia subtypes show specific morpho-electric signatures and network dynamics. *Brain*, 147(3), 996–1010. <https://academic.oup.com/brain/article-abstract/147/3/996/7276961>

Wadhwa, M., Sall, J. W., & Chinn, G. A. (2024). Neonatal diazepam exposure decreases dendritic arborization and spine density of cortical pyramidal neurons in rats. *Journal of Neurosurgical Anesthesiology*, 10–1097. [https://journals.lww.com/jnsa/fulltext/9900/neonatal\\_diazepam\\_exposure\\_decreases\\_dendritic.116.aspx](https://journals.lww.com/jnsa/fulltext/9900/neonatal_diazepam_exposure_decreases_dendritic.116.aspx)

Wojtas, M. N., Diaz-González, M., Stavtseva, N., Shoam, Y., Verma, P., Buberaman, A., Izhak, I., Geva, A., Basch, R., & Ouro, A. (2024). Interplay between hippocampal TACR3 and systemic testosterone in regulating anxiety-associated synaptic plasticity. *Molecular Psychiatry*, 29(3), 686–703. <https://www.nature.com/articles/s41380-023-02361-z>

Xu, J., Wen, J., Mathena, R. P., Singh, S., Boppana, S. H., Yoon, O. I., Choi, J., Li, P., Zhang, P., & Mintz, C. D. (2024). Early postnatal exposure to midazolam causes lasting histological and



neurobehavioral deficits via activation of the mTOR pathway. *International Journal of Molecular Sciences*, 25(12), 6743. <https://www.mdpi.com/1422-0067/25/12/6743>

Xu, Z. (2024). *Illuminating the changes of auditory cortical microcircuits from early development to aging* (PhD thesis). Johns Hopkins University. <https://jscholarship.library.jhu.edu/items/b15bd606-d33c-4cde-a79e-03187361ad23>

Yuan, Z., & Wang, Y. (2024). Efficient processing and analysis of neuronal morphology and imaging data for large-scale studies. In *2024 5th International Conference on Computer Engineering and Application (ICCEA)* (pp. 928–931). IEEE. <https://ieeexplore.ieee.org/abstract/document/10603765/>

Zehra, B., Mohamed, N., Farhat, A., Bru-Mercier, G., Satsangi, D., Tambi, R., Kamarudheen, R., & others. (2024). Integrative analysis of long isoform sequencing and functional data identifies distinct cortical layer neuronal subtypes derived from human iPSCs. *Journal of Neurophysiology*, 132(3), 653–665. <https://doi.org/10.1152/jn.00045.2024>

Zhao, Y., Dong, D., Yan, D., Yang, B., Gui, W., Ke, M., Xu, A., & Tan, Z. (2024). Increased retinal venule diameter as a prognostic indicator for recurrent cerebrovascular events: A prospective observational study. *Neural Regeneration Research*, 19(5), 1156–1160. [https://journals.lww.com/nrronline/fulltext/2024/05000/increased\\_retinal\\_venule\\_diameter\\_as\\_a\\_prognostic.48.aspx](https://journals.lww.com/nrronline/fulltext/2024/05000/increased_retinal_venule_diameter_as_a_prognostic.48.aspx)

Zouridis, I. S., Schmors, L., Fischer, K. M., Berens, P., Preston-Ferrer, P., & Burgalossi, A. (2024). Juxtacellular recordings from identified neurons in the mouse locus coeruleus. *European Journal of Neuroscience*, 60(1), 3659–3676. <https://doi.org/10.1111/ejn.16368>

An, J., Yang, H., Park, S. M., Chwae, Y.-J., & Joe, E.-H. (2024). The LRRK2-G2019S mutation attenuates repair of brain injury partially by reducing the release of osteopontin-containing monocytic exosome-like vesicles. *Neurobiology of Disease*, 197, 106528. <https://www.sciencedirect.com/science/article/pii/S096999612400127X>

Dickstein, D. L., Zhang, R., Ru, N., Vozenin, M.-C., Perry, B. C., Wang, J., Acharya, M. M., & Limoli, C. L. (2024). Structural plasticity of pyramidal cell neurons measured after FLASH and conventional dose-rate irradiation. *Research Square*. <https://www.researchsquare.com/article/rs-4656938/latest>

Esteve, N. A., Rogers, D. J., Stagra, J. A., Mayeux, H., Nora, G., Huval, L., & Smith, K. M. (2024). Tancyte radial morphology and proliferation are influenced by fibroblast growth factor receptor 1 and high-fat diet. *European Journal of Neuroscience*. <https://doi.org/10.1111/ejn.16473>

Fontana, F., Cafarelli, A., Iacoponi, F., Gasparini, S., Pratellesi, T., Koppes, A. N., & Ricotti, L. (2024). Pulsed electromagnetic field stimulation enhances neurite outgrowth in neural cells and modulates inflammation in macrophages. *Engineered Regeneration*, 5(1), 80–91. <https://www.sciencedirect.com/science/article/pii/S2666138123000610>

Ham, J. R., Szabo, M., Annor-Bediako, J., Stark, R. A., Iwaniuk, A. N., & Pellis, S. M. (2024). Quality not quantity: Deficient juvenile play experiences lead to altered medial prefrontal cortex neurons and sociocognitive skill deficits. *Developmental Psychobiology*, 66(2), e22456. <https://doi.org/10.1002/dev.22456>

Herman, J., Rittenhouse, N., Mandino, F., Majid, M., Wang, Y., Mezger, A., Kump, A., Kadian, S., Lake, E. M. R., & Verardi, P. H. (2024). Ventricular-subventricular zone stem cell niche

adaptations in a mouse model of post-infectious hydrocephalus. *Frontiers in Neuroscience*, 18, 1429829.

<https://www.frontiersin.org/journals/neuroscience/articles/10.3389/fnins.2024.1429829/full>

Kennedy, W. M., Gonzalez, J. C., Lee, H., Wadiche, J. I., & Overstreet-Wadiche, L. (2024). T-type Ca<sup>2+</sup> channels mediate a critical period of plasticity in adult-born granule cells. *Journal of Neuroscience*, 44(15). <https://www.jneurosci.org/content/44/15/e1503232024.abstract>

Kirazli, O., Ozkan, M., Verimli, U., Gulhan, R., Arman, A., & Sehirli, U. S. (2024). The effect of growth hormone on motor findings and dendrite morphology in an experimental Parkinson's disease model. *Anatomical Science International*. <https://doi.org/10.1007/s12565-024-00790-6>

Kuramoto, E., Fukushima, M., Sendo, R., Ohno, S., Iwai, H., Yamanaka, A., Sugimura, M., & Goto, T. (2024). Three-dimensional topography of rat trigeminal ganglion neurons using a combination of retrograde labeling and tissue-clearing techniques. *Journal of Comparative Neurology*, 532(2), e25584. <https://doi.org/10.1002/cne.25584>

Merino-Serrais, P., Plaza-Alonso, S., Hellal, F., Valero-Freitag, S., Kastanauskaite, A., Plesnila, N., & DeFelipe, J. (2024). Structural changes of CA1 pyramidal neurons after stroke in the contralesional hippocampus. *Brain Pathology*, 34(3), e13222. <https://doi.org/10.1111/bpa.13222>

Papale, A. E., Harish, M., Paletzki, R. F., O'Connor, N. J., Eastwood, B. S., Seal, R. P., Williamson, R. S., Gerfen, C. R., & Hooks, B. M. (2024). Symmetry in frontal but not motor and somatosensory cortical projections. *Journal of Neuroscience*, 44(33). <https://www.jneurosci.org/content/44/33/e1195232024.abstract>

Pelaez, M. C., Fiore, F., Larochele, N., Dabbaghizadeh, A., Comaduran, M. F., Arbour, D., Minotti, S., Marcadet, L., Semaan, M., & Robitaille, R. (2024). Reversal of cognitive deficits in FUSR521G amyotrophic lateral sclerosis mice by arimoclomol and a class I histone deacetylase inhibitor independent of heat shock protein induction. *Neurotherapeutics*. <https://www.sciencedirect.com/science/article/pii/S1878747924000746>

Pizzella, A., Penna, E., Abate, N., Frenna, E., Canafoglia, L., Ragona, F., Russo, R., & others. (2024). Pathological deficit of cystatin B impairs synaptic plasticity in EPM1 human cerebral organoids. *Molecular Neurobiology*, 61(7), 4318–4334. <https://doi.org/10.1007/s12035-023-03812-y>

Raudales, R., Kim, G., Kelly, S. M., Hatfield, J., Guan, W., Zhao, S., Paul, A., Qian, Y., Li, B., & Huang, Z. J. (2024). Specific and comprehensive genetic targeting reveals brain-wide distribution and synaptic input patterns of GABAergic axo-axonic interneurons. *Elife*, 13, RP93481. <https://elifesciences.org/articles/93481>

Rentsch, P., Ganesan, K., Langdon, A., Konen, L. M., & Vissel, B. (2024). Toward the development of a sporadic model of Alzheimer's disease: Comparing pathologies between humanized APP and the familial J20 mouse models. *Frontiers in Aging Neuroscience*, 16, 1421900. <https://www.frontiersin.org/articles/10.3389/fnagi.2024.1421900/full>

Rind, F. C. (2024). Recent advances in insect vision in a 3D world: Looming stimuli and escape behaviour. *Current Opinion in Insect Science*, 63, 101180. <https://www.sciencedirect.com/science/article/pii/S2214574524000221>

Ruff, D. S., Balbo, I., Lai, R.-Y., Dieng, D., Hennessey, C., Vennam, K., Dwork, A. J., & others. (2024). Reduced Bergmann glial process terminations and lateral appendages in essential tremor.

*Annals of Clinical and Translational Neurology*, 11(2), 377–388.  
<https://doi.org/10.1002/acn3.51958>

Samokhina, E., Mangat, A. K., Malladi, C. S., Gyengesi, E., Morley, J. W., & Buskila, Y. (2024). Potassium homeostasis during disease progression of Alzheimer's disease. *bioRxiv*.  
<https://www.biorxiv.org/content/10.1101/2024.05.23.595252.abstract>

Shigematsu, N., Miyamoto, Y., Esumi, S., & Fukuda, T. (2024). The anterolateral barrel subfield differs from the posteromedial barrel subfield in the morphology and cell density of parvalbumin-positive GABAergic interneurons. *Eneuro*, 11(3).  
<https://www.eneuro.org/content/11/3/ENEURO.0518-22.2024.abstract>

Svirsky, S. E., Henchir, J., Parry, M., Holets, E., Zhang, T., Gittes, G. K., Carlson, S. W., & Dixon, C. E. (2024). Viral-mediated increased hippocampal neurogranin modulates synapses at one month in a rat model of controlled cortical impact. *Research Square*.  
<https://www.researchsquare.com/article/rs-3994164/latest>

Ugolini, G., & Graf, W. (2024). Pathways from the superior colliculus and the nucleus of the optic tract to the posterior parietal cortex in macaque monkeys: Functional frameworks for representation updating and online movement guidance. *European Journal of Neuroscience*, 59(10), 2792–2825. <https://doi.org/10.1111/ejn.16314>

Walters, B. N., Whiddon, Z. D., McGee, A. W., & Krimm, R. F. (2024). Protocol for longitudinal imaging of the taste bud in vivo with two-photon laser scanning microscopy. *Protocols.io*.  
<https://www.protocols.io/view/protocol-for-longitudinal-imaging-of-the-taste-bud-c573y9qn.html>

Wang, P., Li, J., Li, S., Liu, Y., Gong, J., He, S., Wu, W., Tan, G., & Liu, S. (2024). Palladium-reduced graphene oxide nanocomposites enhance neurite outgrowth and protect neurons from ischemic stroke. *Materials Today Bio*, 101184.  
<https://www.sciencedirect.com/science/article/pii/S259000642400245X>

Willis, E. F., Kim, S. J., Chen, W., Nyuydzefe, M., MacDonald, K. P. A., Zanin-Zhorov, A., Ruitenbergh, M. J., & Vukovic, J. (2024). ROCK2 regulates microglia proliferation and neuronal survival after traumatic brain injury. *Brain, Behavior, and Immunity*, 117, 181–194.  
<https://www.sciencedirect.com/science/article/pii/S0889159124000047>

Winkler-Ferenczi, Z., Pelyvas, B., Nagy, M., Marosi, M., Beresova, M., Varga, R., Bencze, J., Szucs, P., Berenyi, E., & Englohner, A. (2024). Repeated diagnostic ultrasound exposure modifies the structural properties of CA1 dendrites and alters the hippocampal transcriptome. *Scientific Reports*, 14(1), 11713. <https://www.nature.com/articles/s41598-024-62621-y>

Armada, Gisela, Susana Roque, Cláudia Serre-Miranda, Liliana Ferreira, Ana Vale, Ana João Rodrigues, Wanjin Hong, Margarida Correia-Neves, and Neide Vieira. "SNX27: A Trans-Species Cognitive Modulator with Implications for Anxiety and Stress Susceptibility." *Neurobiology of Stress* 30 (May 1, 2024): 100619.  
<https://doi.org/10.1016/j.ynstr.2024.100619>.

Csemer, Andrea, Cintia Sokvári, Baneen Maamrah, László Szabó, Kristóf Korpás, Krisztina Pocsai, and Balázs Pál. "Pharmacological Activation of Piezo1 Channels Enhances Astrocyte-Neuron Communication via NMDA Receptors in the Murine Neocortex." *International Journal of Molecular Sciences* 25, no. 7 (January 2024): 3994. <https://doi.org/10.3390/ijms25073994>.

Dubey, Vivek, Aparna Banerjee Dixit, Manjari Tripathi, P. Sarat Chandra, and Jyotirmoy

Banerjee. "Quantification of Neuronal Dendritic Spine Density and Lengths of Apical and Basal Dendrites in Temporal Lobe Structures Using Golgi-Cox Staining." In *Neuroprotection: Method and Protocols*, edited by Swapan K. Ray, 57–66. New York, NY: Springer US, 2024. [https://doi.org/10.1007/978-1-0716-3662-6\\_5](https://doi.org/10.1007/978-1-0716-3662-6_5).

Gonye, Elizabeth C., Alexandra V. Dagli, Natasha N. Kumar, Rachel T. Clements, Wenhao Xu, and Douglas A. Bayliss. "Expression of Endogenous Epitope-Tagged GPR4 in the Mouse Brain." *eNeuro* 11, no. 3 (March 1, 2024). <https://doi.org/10.1523/ENEURO.0002-24.2024>.

Gonzalo-Martin, Enrique, Carmen Alonso-Martinez, Lucía Prensa Sepúlveda, and Francisco Clasca. "Micropopulation Mapping of the Mouse Parafascicular Nucleus Connections Reveals Diverse Input–Output Motifs." *Frontiers in Neuroanatomy* 17 (January 8, 2024). <https://doi.org/10.3389/fnana.2023.1305500>.

Lee, Do-Hun, Dan Cao, Younghye Moon, Chen Chen, Nai-Kui Liu, Xiao-Ming Xu, and Wei Wu. "Enhancement of Motor Functional Recovery in Thoracic Spinal Cord Injury: Voluntary Wheel Running versus Forced Treadmill Exercise." *Neural Regeneration Research*, 10.4103/NRR.NRR. Accessed April 12, 2024. <https://doi.org/10.4103/NRR.NRR-D-23-01585>.

Lloyd, David A., Maria Alejandra Gonzalez-Gonzalez, and Mario I. Romero-Ortega. "AxoDetect: An Automated Nerve Image Segmentation and Quantification Workflow for Computational Nerve Modeling." *Journal of Neural Engineering* 21, no. 2 (March 2024): 026017. <https://doi.org/10.1088/1741-2552/ad31c3>.

Mendes, Fabíola de Carvalho Chaves de Siqueira, and Marcia Consentino Kronka Sosthenes. "Introduction of a Model for The Modification Of Masticatory Activity To Investigate Induced Neural And Behavioral Alterations In Mice." *MethodsX*, April 5, 2024, 102701. <https://doi.org/10.1016/j.mex.2024.102701>.

Mingo-Moreno, Nieves, Pavel Truschow, Jochen F Staiger, and Robin J Wagener. "Caudally Pronounced Deficiencies in Preplate Splitting and Migration Underly a Rostro-Caudal Progression of Cortical Lamination Defects in the Reeler Brain." *Cerebral Cortex* 34, no. 2 (February 1, 2024): bhae023. <https://doi.org/10.1093/cercor/bhae023>.

Mortessagne, Pierre, Estelle Cartier, Maddalena Balia, Murielle Fèvre, Fiona Corailler, Cyril Herry, Djohar Nora Abrous, Arne Battenfeld, and Emilie Pacary. "Genetic Labeling of Embryonically-Born Dentate Granule Neurons in Young Mice Using the PenkCre Mouse Line." *Scientific Reports* 14, no. 1 (February 29, 2024): 5022.

<https://doi.org/10.1038/s41598-024-55299-9>.

Nascimento, Marcos Assis, Sean Biagiotti, Vicente Herranz-Pérez, Samara Santiago, Raymund Bueno, Chun J. Ye, Taylor J. Abel, et al. "Protracted Neuronal Recruitment in the Temporal Lobes of Young Children." *Nature* 626, no. 8001 (February 2024): 1056–65.

<https://doi.org/10.1038/s41586-023-06981-x>.

Nejad, Ghazaleh Ghamkhari, Francesca Mottarlini, Zohreh Tavassoli, Lucia Caffino, Fabio Fumagalli, Judith R. Homberg, and Yaghoub Fathollahi. "Conditioned Morphine Tolerance Promotes Neurogenesis, Dendritic Remodelling and pro-Plasticity Molecules in the Adult Rat Hippocampus." *Addiction Biology* 29, no. 3 (2024): e13377.

<https://doi.org/10.1111/adb.13377>.

Ono, Munenori, Tetsufumi Ito, Sachiko Yamaki, Yoshie Hori, Qing Zhou, Xirun Zhao, Shinji Muramoto, et al. "Spatiotemporal Development of the Neuronal Accumulation of Amyloid Precursor Protein and the Amyloid Plaque Formation in the Brain of 3xTg-AD Mice." *Heliyon* 10, no. 7 (April 15, 2024): e28821. <https://doi.org/10.1016/j.heliyon.2024.e28821>.

Rudolf, Jennifer, Natalie Philipello, Tamara Fleihan, J. David Dickman, and Kira E. Delmore. "Night-Time Neuronal Activation of Cluster N in a North American Songbird." *PLOS ONE* 19, no. 3 (March 21, 2024): e0300479. <https://doi.org/10.1371/journal.pone.0300479>.

Scaricamazza, Silvia, Valentina Nesci, Illari Salvatori, Gianmarco Fenili, Marco Rosina, Michela Gloriani, Maria Paola Paronetto, Luca Madaro, Alberto Ferri, and Cristiana Valle. "Endurance Exercise Has a Negative Impact on the Onset of SOD1-G93A ALS in Female Mice and Affects the Entire Skeletal Muscle-Motor Neuron Axis." *Frontiers in Pharmacology* 15 (March 25, 2024). <https://doi.org/10.3389/fphar.2024.1360099>.

Shi, Yuying, and Guangfu Wang. "Protocol to Study Microcircuits in the Medial Entorhinal Cortex in Mice Using Multiple Patch-Clamp Recordings and Morphological Reconstruction." *STAR Protocols* 5, no. 1 (March 15, 2024): 102917. <https://doi.org/10.1016/j.xpro.2024.102917>.

Suman, Anjali, Archisman Mahapatra, Priya Gupta, Shubhendu Shekhar Ray, and Rahul Kumar Singh. "Polystyrene Microplastics Induced Disturbances in Neuronal Arborization and Dendritic Spine Density in Mice Prefrontal Cortex." *Chemosphere* 351 (March 1, 2024): 141165. <https://doi.org/10.1016/j.chemosphere.2024.141165>.

Takács, Virág, Zsuzsanna Bardóczi, Áron Orosz, Abel Major, Luca Tar, Péter Berki, Péter Papp, et al. "Synaptic and Dendritic Architecture of Different Types of Hippocampal Somatostatin Interneurons." *PLOS Biology* 22, no. 3 (March 12, 2024): e3002539. <https://doi.org/10.1371/journal.pbio.3002539>.

Torres, D.B., A. Lopes, A.J. Rodrigues, A.P. Ventura-Silva, N. Sousa, J.A.R. Gontijo, P.A. Boer, and Marcelo Gustavo Lopes. "Early Morphological and Neurochemical Changes of the Bed Nucleus of Stria Terminalis (BNST) in Gestational Protein-Restricted Male Offspring."

*Nutritional Neuroscience* 0, no. 0 (2024): 1–19.  
<https://doi.org/10.1080/1028415X.2024.2320498>.

Wang, Hao-Wei, Yi-Hsuan Huang, Hsiao-Jou Tung, Wei-Sheng Lin, Hao-Chieh Chiu, Shuei-Liong Lin, Shou-Zen Fan, and Pei-Yu Wang. "Ludwigia Octovalvis (Jacq.) P.H. Raven Extract Improves Memory Performance in Mice with Chronic Kidney Disease." *Phytomedicine Plus* 4, no. 2 (May 1, 2024): 100556. <https://doi.org/10.1016/j.phyplu.2024.100556>.

Abhishek, Kumar, and Birendra Nath Mallick. "Sleep Loss Disrupts Decision-Making Ability and Neuronal Cytomorphology in Zebrafish and the Effects Are Mediated by Noradrenaline Acting on A1-Adrenoceptor." *Neuropharmacology* 247 (April 1, 2024): 109861.  
<https://doi.org/10.1016/j.neuropharm.2024.109861>.

Bartkowska, Katarzyna, Paulina Koguc-Sobolewska, Ruzanna Djavadian, and Krzysztof Turlejski. "Astrocytes of the Anterior Commissure Regulate the Axon Guidance Pathways of Newly Generated Neocortical Neurons in the Opossum *Monodelphis Domestica*." *International Journal of Molecular Sciences* 25, no. 3 (January 2024): 1476.  
<https://doi.org/10.3390/ijms25031476>.

Benson, Curtis A., Kai-Lan Olson, Siraj Patwa, Sierra D. Kauer, Jared F. King, Stephen G. Waxman, and Andrew M. Tan. "Conditional Astrocyte Rac1KO Attenuates Hyperreflexia after Spinal Cord Injury." *Journal of Neuroscience* 44, no. 1 (January 3, 2024).  
<https://doi.org/10.1523/JNEUROSCI.1670-22.2023>.

Blanco-Hernández, Eduardo, Giuseppe Balsamo, Patricia Preston-Ferrer, and Andrea Burgalossi. "Sensory and Behavioral Modulation of Thalamic Head-Direction Cells." *Nature Neuroscience* 27, no. 1 (January 2024): 28–33. <https://doi.org/10.1038/s41593-023-01506-1>.

Cerdán Cerdá, Antonio, Nicola Toschi, Constantina A Treaba, Valeria Barletta, Elena Herranz, Ambica Mehndiratta, Jose A Gomez-Sanchez, Caterina Mainero, and Silvia De Santis. "A Translational MRI Approach to Validate Acute Axonal Damage Detection as an Early Event in Multiple Sclerosis." Edited by Karla L Miller and Timothy E Behrens. *eLife* 13 (January 9, 2024): e79169. <https://doi.org/10.7554/eLife.79169>.

Chintamen, Sana, Pallavi Gaur, Nicole Vo, Elizabeth M. Bradshaw, Vilas Menon, and Steven G. Kernie. "Distinct Microglial Transcriptomic Signatures within the Hippocampus." *PLOS ONE* 19, no. 1 (January 5, 2024): e0296280. <https://doi.org/10.1371/journal.pone.0296280>.

Fisher, Karen M., Joseph P. Garner, and Corinna Darian-Smith. "Chronic Adaptations in the Dorsal Horn Following a Cervical Spinal Cord Injury in Primates." *Journal of Neuroscience* 44, no. 3 (January 17, 2024). <https://doi.org/10.1523/JNEUROSCI.0877-23.2023>.

Fontana, Francesco, Andrea Cafarelli, Francesco Iacoponi, Soria Gasparini, Tiziano Pratellesi, Abigail N. Koppes, and Leonardo Ricotti. "Pulsed Electromagnetic Field Stimulation Enhances Neurite Outgrowth in Neural Cells and Modulates Inflammation in Macrophages." *Engineered Regeneration* 5, no. 1 (March 1, 2024): 80–91.  
<https://doi.org/10.1016/j.engreg.2023.11.003>.



Glærum, Ingvild Lynneberg, Keagan Dunville, Kristian Moan, Maike Krause, Nicola Pietro Montaldo, Hinako Kirikae, Maximiliano Jose Nigro, Pål Sætrom, Barbara van Loon, and Giulia Quattrocchio. "Postnatal Persistence of Hippocampal Cajal-Retzius Cells Has a Crucial Role in the Establishment of the Hippocampal Circuit." *Development* 151, no. 1 (January 9, 2024): dev202236. <https://doi.org/10.1242/dev.202236>.

Goldman, Steven A. "Chapter 14 - The Role of Glial Pathology in Huntington's Disease." In *Huntington's Disease*, edited by X. William Yang, Leslie M. Thompson, and Myriam Heiman, 337–51. Academic Press, 2024. <https://doi.org/10.1016/B978-0-323-95672-7.00020-0>.

Gomez-Arboledas, Angela, Maria I. Fonseca, Enikő Kramar, Shu-Hui Chu, Nicole D. Schartz, Purnika Selvan, Marcelo A. Wood, and Andrea J. Tenner. "C5aR1 Signaling Promotes Region- and Age-Dependent Synaptic Pruning in Models of Alzheimer's Disease." *Alzheimer's & Dementia* n/a, no. n/a. Accessed February 22, 2024. <https://doi.org/10.1002/alz.13682>.

Kokkosis, Alexandros G., Miguel M. Madeira, Zachary Hage, Kimonas Valais, Dimitris Koliatsis, Emran Resutov, and Stella E. Tsirka. "Chronic Psychosocial Stress Triggers Microglial-/Macrophage-Induced Inflammatory Responses Leading to Neuronal Dysfunction and Depressive-Related Behavior." *Glia* 72, no. 1 (2024): 111–32. <https://doi.org/10.1002/glia.24464>.

Kuramoto, Eriko, Makoto Fukushima, Ryoza Sendo, Sachi Ohno, Haruki Iwai, Atsushi Yamanaka, Mitsutaka Sugimura, and Tetsuya Goto. "Three-Dimensional Topography of Rat Trigeminal Ganglion Neurons Using a Combination of Retrograde Labeling and Tissue-Clearing Techniques." *Journal of Comparative Neurology* 532, no. 2 (2024): e25584. <https://doi.org/10.1002/cne.25584>.

Leon, Walter R. Mancina, David M. Steffen, Fiona R. Dale-Huang, Benjamin Rakela, Arnar Breevoort, Ricardo Romero-Rodriguez, Andrea R. Hasenstaub, Michael P. Stryker, Joshua A. Weiner, and Arturo Alvarez-Buylla. "The Clustered Gamma Protocadherin PcdhγC4 Isoform Regulates Cortical Interneuron Programmed Cell Death in the Mouse Cortex." *Proceedings of the National Academy of Sciences* 121, no. 6 (February 6, 2024): e2313596120. <https://doi.org/10.1073/pnas.2313596120>.

Liu, Yuqi, Lijuan Wang, Chengcheng Zhou, Yuan Yuan, Bin Fang, Kaimei Lu, Fangxia Xu, Lianhua Chen, and Lina Huang. "MiR-31-5p Regulates the Neuroinflammatory Response via TRAF6 in Neuropathic Pain." *Biology Direct* 19, no. 1 (January 24, 2024): 10. <https://doi.org/10.1186/s13062-023-00434-1>.

Michaud, Félix. "Early Changes in Firing Properties of VIP Interneurons and CA1 Inhibition in the 3xTg-AD Mouse Model of Alzheimer's Disease," 2024. <http://hdl.handle.net/20.500.11794/135024>.

Miller, Persephone A., Jesukhogie G. Williams-Ikhenoba, Aditi S. Sankhe, Brendan H. Hoffe, and Melissa J. Chee. "Neuroanatomical, Electrophysiological, and Morphological Characterization of Melanin-Concentrating Hormone Cells Coexpressing Cocaine- and Amphetamine-Regulated Transcript." *Journal of Comparative Neurology* 532, no. 2 (2024): e25588. <https://doi.org/10.1002/cne.25588>.

Mishra, Ela, and Mahendra Kumar Thakur. "Vitamin B12-Folic Acid Supplementation Improves Memory by Altering Mitochondrial Dynamics, Dendritic Arborization, and Neurodegeneration in Old and Amnesic Male Mice." *The Journal of Nutritional Biochemistry* 124 (February 1, 2024): 109536. <https://doi.org/10.1016/j.jnutbio.2023.109536>.

Murray, Kathleen E., Whitney A. Ratliff, Vedad Delic, and Bruce A. Citron. "Gulf War Toxicant-Induced Reductions in Dendritic Arbors and Spine Densities of Dentate Granule Cells Are Improved by Treatment with a Nrf2 Activator." *Brain Research* 1823 (January 15, 2024): 148682. <https://doi.org/10.1016/j.brainres.2023.148682>.

Nolan, Matthew, Connor Scott, Patrick. R. Hof, and Olaf Ansorge. "Betz Cells of the Primary Motor Cortex." *Journal of Comparative Neurology* 532, no. 1 (2024): e25567. <https://doi.org/10.1002/cne.25567>.

Paciello, Fabiola, Anna Pisani, Rolando Rolesi, Raffaele Montuoro, Veronica Mohamed-Hizam, Giammarco Boni, Cristian Ripoli, et al. "Oxidative Stress and Inflammation Cause Auditory System Damage via Glial Cell Activation and Dysregulated Expression of Gap Junction Proteins in an Experimental Model of Styrene-Induced Oto/Neurotoxicity." *Journal of Neuroinflammation* 21, no. 1 (January 4, 2024): 4. <https://doi.org/10.1186/s12974-023-02996-3>.

Palicz, Rebeka, Bettina Pater, Pavel Truschow, Mirko Witte, and Jochen F. Staiger. "Intersectional Strategy to Study Cortical Inhibitory Parvalbumin-Expressing Interneurons." *Scientific Reports* 14, no. 1 (February 3, 2024): 2829. <https://doi.org/10.1038/s41598-024-52901-y>.

Pilar, Carlos del, Lucía Garrido-Matilla, Lucía del Pozo-Filiu, Rafael Lebrón-Galán, Raúl F. Arias, Diego Clemente, José Ramón Alonso, Eduardo Weruaga, and David Díaz. "Intracerebellar Injection of Monocytic Immature Myeloid Cells Prevents the Adverse Effects Caused by Stereotactic Surgery in a Model of Cerebellar Neurodegeneration." *Journal of Neuroinflammation* 21, no. 1 (February 14, 2024): 49. <https://doi.org/10.1186/s12974-023-03000-8>.

Raudales, Ricardo, Gukhan Kim, Sean M. Kelly, Joshua Hatfield, Wuqiang Guan, Shengli Zhao, Anirban Paul, Yongjun Qian, Bo Li, and Z. Josh Huang. "Specific and Comprehensive Genetic Targeting Reveals Brain-Wide Distribution and Synaptic Input Patterns of GABAergic Axo-Axonic Interneurons." *eLife* 13 (January 16, 2024). <https://doi.org/10.7554/eLife.93481.1>.

Reverte, Ingrid, Claudia Marchetti, Sara Pezza, Soami F. Zenoni, Giorgia Scaringi, Laura Ferrucci, Ginevra D'Ottavio, et al. "Microglia-Mediated Calcium-Permeable AMPAR Accumulation in the Nucleus Accumbens Drives Hyperlocomotion during Cocaine Withdrawal." *Brain, Behavior, and Immunity* 115 (January 1, 2024): 535–42. <https://doi.org/10.1016/j.bbi.2023.11.007>.

Shen, Zhongfu, Jiajun Yang, Qiangqiang Zhang, Kuiyu Wang, Xiaohui Lv, Xiaolin Hu, Jian Ma, and Song-Hai Shi. "How Variable Progenitor Clones Construct a Largely Invariant Neocortex." *National Science Review* 11, no. 1 (January 1, 2024): nwad247. <https://doi.org/10.1093/nsr/nwad247>.

Silverstein, Shana E., Ruairi O'Sullivan, Olena Bukalo, Dipanwita Pati, Julia A. Schaffer, Aaron Limoges, Leo Zsembik, et al. "A Distinct Cortical Code for Socially Learned Threat." *Nature*, February 7, 2024, 1–7. <https://doi.org/10.1038/s41586-023-07008-1>.

Sokpor, Godwin, Cemil Kerimoglu, Pauline Antonie Ulmke, Linh Pham, Hoang Duy Nguyen, Beate Brand-Saberi, Jochen F. Staiger, Andre Fischer, Huu Phuc Nguyen, and Tran Tuoc. "H3 Acetylation-Induced Basal Progenitor Generation and Neocortex Expansion Depends on the Transcription Factor Pax6." *Biology* 13, no. 2 (February 2024): 68. <https://doi.org/10.3390/biology13020068>.

Song, Nan, Zhenhong Liu, Yan Gao, Shanshan Lu, Shenglian Yang, and Chao Yuan. "NAc-DBS Corrects Depression-like Behaviors in CUMS Mouse Model via Disinhibition of DA Neurons in the VTA." *Molecular Psychiatry*, February 15, 2024, 1–17. <https://doi.org/10.1038/s41380-024-02476-x>.

"Spatial Memory Impairment Is Associated with Oxidative Stress, Neurodegeneration and Abnormalities Neuromorphology in the Hippocampus of Rotenone-Induced Parkinson's Mouse Model: Neuroprotective Role of a Specialized Bacopa Monnieri Extract (CDRI-08)," January 12, 2024. <https://doi.org/10.21203/rs.3.rs-3791127/v1>.

Spoletti, Elena, Livia La Barbera, Emma Cauzzi, Maria Luisa De Paolis, Luana Saba, Ramona Marino, Giuseppe Sciamanna, et al. "Dopamine Neuron Degeneration in the Ventral Tegmental Area Causes Hippocampal Hyperexcitability in Experimental Alzheimer's Disease." *Molecular Psychiatry*, January 16, 2024, 1–16. <https://doi.org/10.1038/s41380-024-02408-9>.

Suman, Anjali, Archisman Mahapatra, Priya Gupta, Shubhendu Shekhar Ray, and Rahul Kumar Singh. "Polystyrene Microplastics Induced Disturbances in Neuronal Arborization and Dendritic Spine Density in Mice Prefrontal Cortex." *Chemosphere* 351 (March 1, 2024): 141165. <https://doi.org/10.1016/j.chemosphere.2024.141165>.

Sun, Kui, Subhasis Ray, Nitin Gupta, Zane Aldworth, and Mark Stopfer. "Olfactory System Structure and Function in Newly Hatched and Adult Locusts." *Scientific Reports* 14, no. 1 (January 31, 2024): 2608. <https://doi.org/10.1038/s41598-024-52879-7>.

Wegener, A. J., M. M. Hyer, I. Targett, A. Kloster, G. A. Shaw, A. M. M. Rodriguez, S. K. Dyer, and G. N. Neigh. "Behavior, Synaptic Mitochondria, and Microglia Are Differentially Impacted by Chronic Adolescent Stress and Repeated Endotoxin Exposure in Male and Female Rats." *Stress* 27, no. 1 2299971. <https://doi.org/10.1080/10253890.2023.2299971>.

Zhao, Ying, Dawei Dong, Ding Yan, Bing Yang, Weirong Gui, Man Ke, Anding Xu, and Zefeng Tan. "Increased Retinal Venule Diameter as a Prognostic Indicator for Recurrent Cerebrovascular Events: A Prospective Observational Study." *Neural Regeneration Research* 19, no. 5 (May 2024): 1156. <https://doi.org/10.4103/1673-5374.382863>.

Hernandez-Reynoso, A. G., B. S. Sturgill, et al. (2023). "The effect of a Mn(III)tetrakis(4-benzoic acid) porphyrin (MnTBAP) coating on the chronic recording performance of planar silicon intracortical microelectrode arrays." *Biomaterials* 303: 122351. <https://doi.org/10.1016/j.biomaterials.2023.122351>

Nevue, A. A., B. M. Zemel, et al. (2023). "Cell type specializations of the vocal-motor cortex in songbirds." *Cell Reports* 42(11). <https://doi.org/10.1016/j.celrep.2023.113344>

Qin, Y., X.-Y. Zhang, et al. (2023). "Downregulation of mGluR1-mediated signaling underlying autistic-like core symptoms in Shank1 P1812L-knock-in mice." *Translational Psychiatry* 13(1): 329. <https://doi.org/10.1038/s41398-023-02626-9>

Tetsushi, N., F. Satoshi, et al. (2023). "Microglia are dispensable for developmental dendrite pruning of mitral cells in mice." *eneuro*: ENEURO.0323-0323.2023. <https://doi.org/10.1523/ENEURO.0323-23.2023>

Jeon, K.-I., A. Kumar, et al. (2023). "Blocking Mitochondrial Pyruvate Transport Alters Corneal Myofibroblast Phenotype: A New Target for Treating Fibrosis." *Investigative Ophthalmology & Visual Science* 64(13): 36-36. <https://doi.org/10.1167/iovs.64.13.36>

Timonidis, N., M. Rubio-Teves, et al. (2023). "Analyzing Thalamocortical Tract-Tracing Experiments in a Common Reference Space." *Neuroinformatics*. <https://doi.org/10.1007/s12021-023-09644-4>

Ament, S. A., M. Cortes-Gutierrez, et al. "A single-cell genomic atlas for maturation of the human cerebellum during early childhood." *Science Translational Medicine* 0(0): eade1283. <https://www.science.org/doi/full/10.1126/scitranslmed.ade1283>

Beers, D., D. Goniotaki, et al. (2023). "Barcodes distinguishing morphology of neuronal tauopathy." *Physical Review Research* 5(4): 043006. <https://doi.org/10.1103/PhysRevResearch.5.043006>

Massa, G., S. Camuso, et al. (2023). Investigating Cerebellar Abnormalities in a mouse model of lysosomal lipid storage disease: Implication for Social Behavior. [https://www.researchgate.net/publication/374470148\\_Investigating\\_Cerebellar\\_Abnormalities\\_in\\_a\\_mouse\\_model\\_of\\_lysosomal\\_lipid\\_storage\\_disease\\_Implication\\_for\\_Social\\_Behavior](https://www.researchgate.net/publication/374470148_Investigating_Cerebellar_Abnormalities_in_a_mouse_model_of_lysosomal_lipid_storage_disease_Implication_for_Social_Behavior)

Longren, L. L., L. Eigen, et al. "Dense reconstruction of elephant trunk musculature." *Current Biology*. <https://doi.org/10.1016/j.cub.2023.09.007>

Zhao, Y., D. Dong, et al. (2024). "Increased retinal venule diameter as a prognostic indicator for recurrent cerebrovascular events: a prospective observational study." *Neural Regeneration Research* 19(5). DOI: [10.4103/1673-5374.382863](https://doi.org/10.4103/1673-5374.382863)

Jongwon, L., C. Amanda, et al. (2023). "Structural and functional development of inhibitory connections from the medial nucleus of the trapezoid body to the superior paraolivary nucleus." *The Journal of Neuroscience*: JN-RM-0920-0923. <https://doi.org/10.1523/JNEUROSCI.0920-23.2023>

Sun, C., S. Zheng, et al. (2023). "Maternal diet during early gestation influences postnatal taste activity-dependent pruning by microglia." *J Exp Med* 220(12): 21. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10512853/>

Beola, L., N. Iturrioz-Rodríguez, et al. (2023). "Drug-Loaded Lipid Magnetic Nanoparticles for Combined Local Hyperthermia and Chemotherapy against Glioblastoma Multiforme." ACS Nano. <https://doi.org/10.1021/acsnano.3c06085>

Camp, C. R., A. Vlachos, et al. (2023). "Loss of Grin2a causes a transient delay in the electrophysiological maturation of hippocampal parvalbumin interneurons." Communications Biology 6(1): 952. <https://doi.org/10.1038/s42003-023-05298-9>

Natale, G., M. Colella, et al. (2023). "Astrocyte Responses Influence Local Effects of Whole-Brain Magnetic Stimulation in Parkinsonian Rats." Mov Disord 12(10): 29599. <https://pubmed.ncbi.nlm.nih.gov/37700489/>

Delestrée, N., E. Semizoglou, et al. (2023). "Serotonergic dysfunction impairs locomotor coordination in spinal muscular atrophy." Brain: awad221. <https://doi.org/10.1093/brain/awad221>

Kokkosis, A. G., M. M. Madeira, et al. (2023). "Chronic psychosocial stress triggers microglial-/macrophage-induced inflammatory responses leading to neuronal dysfunction and depressive-related behavior." Glia 7(10): 24464. <https://pubmed.ncbi.nlm.nih.gov/37675659/>

Li, X., S. Hao, et al. (2023). "Cortex-restricted deletion of Foxp1 impairs barrel formation and induces aberrant tactile responses in a mouse model of autism." Molecular Autism 14(1): 34. <https://doi.org/10.1186/s13229-023-00567-0>

Dubey, V., A. Roy, et al. (2023). "Dendritic reorganization in the hippocampus, anterior temporal lobe, and frontal neocortex of lithium-pilocarpine induced Status Epilepticus (SE)." Journal of Chemical Neuroanatomy: 102329. <https://doi.org/10.1016/j.jchemneu.2023.102329>

Laricchiuta, D., J. Gimenez, et al. (2023). "Synaptic and transcriptomic features of cortical and amygdala pyramidal neurons predict inefficient fear extinction." Cell Rep 42(9): 113066. <https://pubmed.ncbi.nlm.nih.gov/37656620/>

Zhou, F., L. Ouyang, et al. (2023). "Co-exposure to low-dose lead, cadmium, and mercury promotes memory deficits in rats: Insights from the dynamics of dendritic spine pruning in brain development." Ecotoxicology and Environmental Safety 264: 115425. <https://doi.org/10.1016/j.ecoenv.2023.115425>

Collier, T. J., L. Begg, et al. (2023). "Quinpirole inhibits levodopa-induced dyskinesias at structural and behavioral levels: Efficacy negated by co-administration of isradipine." Experimental Neurology 369: 114522. <https://doi.org/10.1016/j.expneurol.2023.114522>

Nguyen, T., N. Nguyen, et al. (2023). "Repeated closed-head mild traumatic brain injury-induced inflammation is associated with nociceptive sensitization." Journal of Neuroinflammation 20(1): 196. <https://doi.org/10.1186/s12974-023-02871-1>

- Han, R., X. Lan, et al. (2023). "Improving outcomes in intracerebral hemorrhage through microglia/macrophage-targeted IL-10 delivery with phosphatidylserine liposomes." *Biomaterials* 301: 122277. <https://doi.org/10.1016/j.biomaterials.2023.122277>
- Sanchez-Molano, J., M. O. Blaya, et al. (2023). "Multimodal magnetic resonance imaging after experimental moderate and severe traumatic brain injury: A longitudinal correlative assessment of structural and cerebral blood flow changes." *PLOS ONE* 18(8): e0289786. <https://doi.org/10.1371/journal.pone.0289786>
- Pfau, D. R., S. Baribeau, et al. (2023). "Loss of TRPC2 function in mice alters sex differences in brain regions regulating social behaviors." *J Comp Neurol* 27(10): 25528. <https://pubmed.ncbi.nlm.nih.gov/37496437/>
- Schellino, R., D. Besusso, et al. (2023). "hESC-derived striatal progenitors grafted into a Huntington's disease rat model support long-term functional motor recovery by differentiating, self-organizing and connecting into the lesioned striatum." *Stem Cell Research & Therapy* 14(1): 189. <https://doi.org/10.1186/s13287-023-03422-4>
- Parmar, J., G. von Jonquieres, et al. (2023). "TRPC Channels Activated by G Protein-Coupled Receptors Drive Ca<sup>2+</sup> Dysregulation Leading to Secondary Brain Injury in the Mouse Model." *Translational Stroke Research*. <https://doi.org/10.1007/s12975-023-01173-1>
- Marino, G., F. Campanelli, et al. (2023). "Intensive exercise ameliorates motor and cognitive symptoms in experimental Parkinson's disease restoring striatal synaptic plasticity." *Science Advances* 9(28): eadh1403. <https://www.science.org/doi/10.1126/sciadv.adh1403>
- Shi, Y., H. Cui, et al. (2023). "Laminar and dorsoventral organization of layer 1 interneuronal microcircuitry in superficial layers of the medial entorhinal cortex." *Cell Reports* 42(7). <https://doi.org/10.1016/j.celrep.2023.112782>
- Mugnaini, M., D. Mehrotra, et al. (2023). "Supra-orbital whiskers act as wind-sensing antennae in rats." *PLOS Biology* 21(7): e3002168. <https://doi.org/10.1371/journal.pbio.3002168>
- Reynolds, L. M., G. Hernandez, et al. (2023). "Amphetamine disrupts dopamine axon growth in adolescence by a sex-specific mechanism in mice." *Nature Communications* 14(1): 4035. <https://doi.org/10.1038/s41467-023-39665-1>
- Di Mascolo, D., I. Guerriero, et al. (2023). "μMESH-Enabled Sustained Delivery of Molecular and Nanoformulated Drugs for Glioblastoma Treatment." *ACS Nano*. <https://doi.org/10.1021/acsnano.3c01574>
- Ekaterina, P., V. Peter, et al. (2023). "SpineTool is an open-source software for analysis of morphology of dendritic spines." *Scientific Reports* 13(1): 10561. <https://doi.org/10.1038/s41598-023-37406-4>
- Guo, Y., M. Shen, et al. (2023). "Elevated levels of FMRP-target MAP1B impair human and mouse neuronal development and mouse social behaviors via autophagy pathway." *Nature Communications* 14(1): 3801. <https://doi.org/10.1038/s41467-023-39337-0>



Li, K., E. C. Gonye, et al. (2023). "The astrocytic Na<sup>+</sup>-HCO<sub>3</sub><sup>-</sup> exchanger NBCe1 is dispensable for respiratory chemosensitivity." *The Journal of Physiology* n/a(n/a). <https://doi.org/10.1113/JP284960>

Nowinski, W. L. (2023). *Toward the Human Nanoscale Connectome: Neuronal Morphology Format, Modeling, and Storage Requirement Estimation*. Computational Science – ICCS 2023, Cham, Springer Nature Switzerland. [https://doi.org/10.1007/978-3-031-36021-3\\_66](https://doi.org/10.1007/978-3-031-36021-3_66)

Guaiquil, V. H., D. Lara-Newman, et al. (2023). "Role of EphrinB2 in corneal epithelium proliferation and neuronal growth." *Investigative Ophthalmology & Visual Science* 64(8): 3130–3130. [2023;64\(8\):3130](https://doi.org/10.1167/2023.64(8).3130).

Massoumi, H., E. Katz, et al. (2023). "Extracellular vesicles (EVs) from 3D cultured human bone marrow mesenchymal stem cells (hBM-MSC) demonstrated increased complexity and neurite elongation in an in-vivo corneal injury model." *Investigative Ophthalmology & Visual Science* 64(8): [2350-2350](https://doi.org/10.1167/2023.64(8).2350).

Pérez-Cervera, L., S. De Santis, et al. (2023). "Alcohol-induced damage to the fimbria/fornix reduces hippocampal-prefrontal cortex connection during early abstinence." *Acta Neuropathologica Communications* 11(1): 101. <https://doi.org/10.1186/s40478-023-01597-8>

Life, B., L. E. B. Bettio, et al. (2023). "Progranulin is an FMRP target that influences macroorchidism but not behaviour in a mouse model of Fragile X Syndrome." *Current Research in Neurobiology*: 100094. <https://doi.org/10.1016/j.crneur.2023.100094>

Lucarelli, M., S. Camuso, et al. (2023). "Reduced Cerebellar BDNF Availability Affects Postnatal Differentiation and Maturation of Granule Cells in a Mouse Model of Cholesterol Dyshomeostasis." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-023-03435-3>

Mishra, E. and M. K. Thakur (2023). "Mdivi-1 Rescues Memory Decline in Scopolamine-Induced Amnesic Male Mice by Ameliorating Mitochondrial Dynamics and Hippocampal Plasticity." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-023-03397-6>

Realinho, A. M., R. Boia, et al. (2023). "Maternal diabetes affects rat offspring retinal structure and function: Sex-specific vulnerabilities at infancy." *Life Sciences* 327: 121852. <https://doi.org/10.1016/j.lfs.2023.121852>

Deiringer, N., U. Schneeweiß, et al. (2023). "The functional anatomy of elephant trunk whiskers." *Communications Biology* 6(1): 591. <https://doi.org/10.1038/s42003-023-04945-5>

Fujimoto, S., M. N. Leiwe, et al. (2023). "Activity-dependent local protection and lateral inhibition control synaptic competition in developing mitral cells in mice." *Developmental Cell*. <https://doi.org/10.1016/j.devcel.2023.05.004>

Muller, S. Z., L. F. Abbott, et al. "A mechanism for differential control of axonal and dendritic spiking underlying learning in a cerebellum-like circuit." *Current Biology*. <https://doi.org/10.1016/j.cub.2023.05.040>

Obi-Nagata, K., N. Suzuki, et al. (2023). "Distorted neurocomputation by a small number of extra-large spines in psychiatric disorders." *Science Advances* 9(23): eade5973. DOI: [10.1126/sciadv.ade5973](https://doi.org/10.1126/sciadv.ade5973)

Bonzano, S., E. Dallorto, et al. (2023). "Nr2f1 shapes mitochondria in the mouse brain unraveling new insights into the neurodevelopmental disorder BBSOAS." *Disease Models & Mechanisms*. <https://doi.org/10.1242/dmm.049854>

Forro, T. and T. Klausberger "Differential behavior-related activity of distinct hippocampal interneuron types during odor-associated spatial navigation." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.05.007>

Lerchner, W., K. Dash, et al. (2023). "Efficient viral expression of a chemogenetic receptor in the old-world monkey amygdala." *Current Research in Neurobiology* 4: 100091. <https://doi.org/10.1016/j.crneur.2023.100091>

Gullotta, G. S., D. De Feo, et al. (2023). "Age-induced alterations of granulopoiesis generate atypical neutrophils that aggravate stroke pathology." *Nature Immunology*. <https://doi.org/10.1038/s41590-023-01505-1>

Paranjape, N., Y.-H. T. Lin, et al. (2023). "A CRISPR-engineered isogenic model of the 22q11.2 A-B syndromic deletion." *Scientific Reports* 13(1): 7689. <https://doi.org/10.1038/s41598-023-34325-2>

Schafer, S. T., A. A. Mansour, et al. (2023). "An in vivo neuroimmune organoid model to study human microglia phenotypes." *Cell* 186(10): 2111-2126.e2120. <https://doi.org/10.1016/j.cell.2023.04.022>

Beebe, N. L., Y. N. Herrera, et al. (2023). "Characterization of three cholinergic inputs to the cochlear nucleus." *Journal of Chemical Neuroanatomy* 131: 102284. <https://doi.org/10.1016/j.jchemneu.2023.102284>

Keto, L. and T. Manninen (2023). "CellRemorph: A Toolkit for Transforming, Selecting, and Slicing 3D Cell Structures on the Road to Morphologically Detailed Astrocyte Simulations." *Neuroinformatics*. <https://doi.org/10.1007/s12021-023-09627-5>

Lavertu-Jolin, M., B. Chattopadhyaya, et al. (2023). "Acan downregulation in parvalbumin GABAergic cells reduces spontaneous recovery of fear memories." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-023-02085-0>

Panahi, M., Y. Hase, et al. (2023). "ER stress induced immunopathology involving complement in CADASIL: implications for therapeutics." *Acta Neuropathologica Communications* 11(1): 76. <https://doi.org/10.1186/s40478-023-01558-1>

Travis, M. R., V. G. Violet, et al. (2023). "Structural preservation does not ensure function at sensory Ia – motoneuron synapses following peripheral nerve injury and repair." *The Journal of Neuroscience: JN-RM-0103-0123*. <https://doi.org/10.1523/JNEUROSCI.0103-23.2023>

- Liu, A., L. Yu, et al. (2023). "Celsr2-mediated morphological polarization and functional phenotype of reactive astrocytes in neural repair." *Glia*. DOI:10.1002/glia.24378
- Lv, J., S. Meng, et al. (2023). "Epigenetic landscape reveals MECOM as an endothelial lineage regulator." *Nature Communications* 14(1): 2390. <https://doi.org/10.1038/s41467-023-38002-w>
- Mahoney-Rafferty, E. C., H. R. Tucker, et al. (2023). "Assessing the Location, Relative Expression and Subclass of Dopamine Receptors in the Cerebellum of Hemi-Parkinsonian Rats." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2023.03.020>
- McGregor, R., A. Matzeu, et al. (2023). "Sensitivity of hypocretin system to chronic alcohol exposure: A human and animal study." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2023.04.018>
- Schoenfeld, T. J., D. Rhee, et al. (2023). "Rewarded maze training increases approach behavior in rats through neurogenesis-dependent growth of ventral hippocampus-prelimbic circuits." *Biological Psychiatry Global Open Science*. <https://doi.org/10.1016/j.bpsgos.2023.04.003>
- Garrett, L., M. Irmeler, et al. (2023). "GPR101 loss promotes insulin resistance and diet-induced obesity risk." *Neuroscience Applied*: 101126. <https://doi.org/10.1016/j.nsa.2023.101126>
- Abdessattar, K., J. Vidya, et al. (2023). "Syngap1 disruption induced by recombination between inverted loxP sites is associated with hippocampal interneuron dysfunction." *eneuro*: ENEURO.0475-0422.2023. <https://doi.org/10.1523/ENEURO.0475-22.2023>
- Lazarczyk, M. J., B. A. Eyford, et al. (2023). "The intracellular domain of major histocompatibility class-I proteins is essential for maintaining excitatory spine density and synaptic ultrastructure in the brain." *Scientific Reports* 13(1): 6448. <https://doi.org/10.1038/s41598-023-30054-8>
- Koehler, C. C., L. S. Almassri, et al. (2023). "Age-related changes of GAD1 mRNA expression in the central inferior colliculus." *Translational Medicine of Aging*. <https://doi.org/10.1016/j.tma.2023.04.001>
- Liu, H., R. N. Caballero-Florán, et al. (2023). "DSCAM gene triplication causes excessive GABAergic synapses in the neocortex in Down syndrome mouse models." *PLOS Biology* 21(4): e3002078. <https://doi.org/10.1371/journal.pbio.3002078>
- Williams, S. R., X. Zhou, et al. "Compartment-specific dendritic information processing in striatal cholinergic interneurons is reconfigured by peptide neuromodulation." *Neuron*. <https://doi.org/10.1016/j.neuron.2023.03.038>
- Yang, L. and J. H. Martin "Effects of motor cortex neuromodulation on the specificity of corticospinal tract spinal axon outgrowth and targeting in rats." *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*. <https://doi.org/10.1016/j.brs.2023.04.014>

Balkaya, M., P. Dohare, et al. (2023). "Conditional deletion of LRRC8A in the brain reduces stroke damage independently of swelling-activated glutamate release." *iScience*: 106669. <https://doi.org/10.1016/j.isci.2023.106669>

Cheung, G., O. Chever, et al. (2023) "Astroglial Connexin 43 Regulates Synaptic Vesicle Release at Hippocampal Synapses." *Cells* 12 DOI: 10.3390/cells12081133. <https://doi.org/10.3390/cells12081133>

Courtney, K. W., M. G. Kelsey, et al. (2023). "Cross-Platform Synaptic Network Analysis of Human Entorhinal Cortex Identifies TWF2 as a Modulator of Dendritic Spine Length." *The Journal of Neuroscience: JN-RM-2102-2122*. <https://doi.org/10.1523/JNEUROSCI.2102-22.2023>

Quillet, R., A. C. Dickie, et al. (2023). "Characterisation of NPFF-expressing neurons in the superficial dorsal horn of the mouse spinal cord." *Scientific Reports* 13(1): 5891. <https://doi.org/10.1038/s41598-023-32720-3>

Roque, S., D. de Sá-Calçada, et al. (2023). "Chronic Mycobacterium avium infection differentially affects the cytokine expression profile of three mouse strains, but has no effect on behavior." *Scientific Reports* 13(1): 6199. <https://doi.org/10.1038/s41598-023-33121-2>

Ruskowitz, E. R., B. G. Munoz-Robles, et al. (2023). "Spatiotemporal functional assembly of split protein pairs through a light-activated SpyLigation." *Nature Chemistry*. <https://doi.org/10.1038/s41557-023-01152-x>

Prevot, T., A. Bernardo, et al. (2023). "Improvement of Cognitive Functions and Neurotrophic Effects Across Animal Models Mediated by A5-GABAA Receptor Positive Allosteric Modulation." *Biological Psychiatry* 93(9, Supplement): S5. <https://doi.org/10.1016/j.biopsych.2023.02.033>

Miranda, C. O., K. Hegedüs, et al. (2023) "Synaptic Targets of Glycinergic Neurons in Laminae I&ndash;III of the Spinal Dorsal Horn." *International Journal of Molecular Sciences* 24 DOI: 10.3390/ijms24086943. <https://doi.org/10.3390/ijms24086943>

Clarity, T., R. Mikofsky, et al. (2023). "Activity-Induced Reshaping of Hippocampal Input-Prefrontal Interneuron Interactions in Wildtype and 22q11.2 Deletion-Relevant Model Mice." *Biological Psychiatry* 93(9, Supplement): S4-S5. <https://doi.org/10.1016/j.biopsych.2023.02.032>

Ehlers, J. S., K. Bracke, et al. (2023). "Morphological and behavioral analysis of Slc35f1-deficient mice revealed no neurodevelopmental phenotype." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-023-02629-8>

Fard, D., E. Testa, et al. (2023). "SEMA6C: a novel adhesion-independent FAK and YAP activator, required for cancer cell viability and growth." *Cellular and Molecular Life Sciences* 80(4): 111. <https://doi.org/10.1007/s00018-023-04756-1>

Gonzalez-Burgos, G., T. Miyamae, et al. (2023). "Mechanisms regulating the properties of inhibition-based gamma oscillations in primate prefrontal and parietal cortices." *Cerebral Cortex*: bhad077. <https://doi.org/10.1093/cercor/bhad077>

Meeuwissen, A. J. M., M. Möck, et al. (2023). "Normal connectivity of thalamorecipient networks in barrel equivalents of the reeler cortex." *Cerebral Cortex*. <https://doi.org/10.1093/cercor/bhad072>

Morairty, S. R., Y. Sun, et al. (2023). "Activation of the nociceptin/orphanin-FQ receptor promotes NREM sleep and EEG slow wave activity." *Proceedings of the National Academy of Sciences* 120(13): e2214171120. <https://doi.org/10.1073/pnas.2214171120>

Sobierajski, E., G. Lauer, et al. (2023). "Development of myelin in fetal and postnatal neocortex of the pig, the European wild boar *Sus scrofa*." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-023-02633-y>

Bearden, S. E., G. W. Payne, et al. (2004). "Arteriolar network architecture and vasomotor function with ageing in mouse gluteus maximus muscle." *J Physiol* 561(Pt 2): 535-545. DOI: 10.1113/jphysiol.2004.068262

Bearden, S. E. and S. S. Segal (2005). "Neurovascular alignment in adult mouse skeletal muscles." *Microcirculation* 12(2): 161-167. DOI: 10.1080/10739680590904964

Cintado, E., P. Tezanos, et al. (2023). "Transgenerational effects of exercise on mouse brain and cognition." *bioRxiv*: 2023.2003.2008.531840. <https://doi.org/10.1101/2023.03.08.531840>

de Schultz, T., K. Braun, et al. (2023). "Paternal Deprivation and Female Biparental Family Rearing Induce Dendritic and Synaptic Changes in Octodon degus: II. Nucleus Accumbens." *Developmental Neuroscience*. <https://doi.org/10.1159/000530050>

Hoffman, P., M. N. Svalina, et al. (2023). "Developmental Characterization of Neuronal Migration Anomalies and Axon Proliferation in mTOR pathway-associated Malformations of Cortical Development." *bioRxiv*: 2023.2003.2011.532231. <https://doi.org/10.1101/2023.03.11.532231>

Ouyang, L., Q. Li, et al. (2023). "Cognitive outcomes caused by low-level lead, cadmium, and mercury mixture exposure at distinct phases of brain development." *Food and Chemical Toxicology* 175: 113707. <https://doi.org/10.1016/j.fct.2023.113707>

Iavarone, E., J. Simko, et al. (2023). "Thalamic control of sensory processing and spindles in a biophysical somatosensory thalamoreticular circuit model of wakefulness and sleep." *Cell Reports* 42(3). <https://doi.org/10.1016/j.celrep.2023.112200>

Rauschenberger, L., E.-M. Krenig, et al. (2023). "Peripheral nerve injury elicits microstructural and neurochemical changes in the striatum and substantia nigra of a DYT-TOR1A mouse model with dystonia-like movements." *Neurobiology of Disease* 179: 106056. <https://doi.org/10.1016/j.nbd.2023.106056>

Lin, Y., X.-J. Zhang, et al. (2023). "Developmental neuronal origin regulates neocortical map formation." *Cell Reports* 42(3). <https://doi.org/10.1016/j.celrep.2023.112170>

Pickett, L. A., J. W. VanRyzin, et al. (2023). "Microglia phagocytosis mediates the volume and function of the rat sexually dimorphic nucleus of the preoptic area." *Proceedings of the National Academy of Sciences* 120(10): e2212646120. <https://doi.org/10.1073/pnas.2212646120>

Pignataro, A., P. Krashia, et al. (2023). "Chemogenetic rectification of the inhibitory tone onto hippocampal neurons reverts autistic-like traits and normalizes local expression of estrogen receptors in the *Ambra1*<sup>+/-</sup> mouse model of female autism." *Translational Psychiatry* 13(1): 63. <https://doi.org/10.1038/s41398-023-02357-x>

Linnhoff, S., A. Haghikia, et al. (2023). "Can transcranial alternating current stimulation (tACS) reduce fatigability-related oscillatory brain activity changes?" *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation* 16(1): 244. <https://doi.org/10.1016/j.brs.2023.01.382>

Boyle, K. A., E. Polgár, et al. (2023). "Neuropeptide Y-expressing dorsal horn inhibitory interneurons gate spinal pain and itch signalling." *bioRxiv*: 2023.2002.2010.528013. <https://doi.org/10.1101/2023.02.10.528013>

Sabetta, Z., G. Krishna, et al. (2023). "Aging with TBI vs. Aging: 6-month temporal profiles for neuropathology and astrocyte activation converge in behaviorally relevant thalamocortical circuitry of male and female rats." *bioRxiv*: 2023.2002.2006.527058. <https://doi.org/10.1101/2023.02.06.527058>

Boghozian, R., S. Sharma, et al. (2023). "Sex and interferon gamma signaling regulate microglia migration in adult mouse cortex &in vivo&." *bioRxiv*: 2023.2002.2002.526857. <https://doi.org/10.1101/2023.02.02.526857>

Carr, C. E., T. Wang, et al. (2023). "Experience-Dependent Plasticity in Nucleus Laminaris of the Barn Owl." *bioRxiv*: 2023.2002.2002.526884. <https://doi.org/10.1101/2023.02.02.526884>

Gonzalez-Burgos, G., T. Miyamae, et al. "Strength of excitatory inputs to layer 3 pyramidal neurons during synaptic pruning in the monkey prefrontal cortex: Relevance for the pathogenesis of schizophrenia." *Biological Psychiatry*. <https://doi.org/10.1016/j.biopsych.2023.01.019>

Latina, V., M. De Introna, et al. (2023) "Immunotherapy with Cleavage-Specific 12A12mAb Reduces the Tau Cleavage in Visual Cortex and Improves Visuo-Spatial Recognition Memory in Tg2576 AD Mouse Model." *Pharmaceutics* 15 DOI: 10.3390/pharmaceutics15020509. <https://doi.org/10.3390/pharmaceutics15020509>

Mut-Arbona, P., L. Huang, et al. (2023). "Dual role of the P2X7 receptor in dendritic outgrowth during physiological and pathological brain development." *The Journal of Neuroscience*: JN-RM-0805-0822. <https://doi.org/10.1523/JNEUROSCI.0805-22.2022>



Szegedi, V., E. Bakos, et al. (2023). "HCN channels at the cell soma ensure the rapid electrical reactivity of fast-spiking interneurons in human neocortex." *PLOS Biology* 21(2): e3002001. <https://doi.org/10.1371/journal.pbio.3002001>

Wang, Y., T. Wang, et al. (2023) "Thyroid Hormone Transporters MCT8 and OATP1C1 Are Expressed in Pyramidal Neurons and Interneurons in the Adult Motor Cortex of Human and Macaque Brain." *International Journal of Molecular Sciences* 24 DOI: 10.3390/ijms24043207. <https://doi.org/10.3390/ijms24043207>

Galbiati, M., M. Meroni, et al. (2023). "Bicalutamide and Trehalose Ameliorate Spinal and Bulbar Muscular Atrophy Pathology in Mice." *Neurotherapeutics*. <https://doi.org/10.1007/s13311-023-01343-x>

Ali, Z., G. Sivakumar, et al. (2022). "A report on digitised neuronal tracing method to study neurons in their entirety." *MethodsX* 9(101715). DOI: 10.1016/j.mex.2022.101715

Correa, D., M. I. Scheuber, et al. (2023). "Intranasal delivery of full-length anti-Nogo-A antibody: A potential alternative route for therapeutic antibodies to central nervous system targets." *Proceedings of the National Academy of Sciences* 120(4): e2200057120. <https://doi.org/10.1073/pnas.2200057120>

Hu, W., S. Zhu, et al. (2023). "Functional ultrasound imaging reveals 3D structure of orientation domains in ferret primary visual cortex." *NeuroImage* 268: 119889. <https://doi.org/10.1016/j.neuroimage.2023.119889>

Jiang, T., Y. Yang, et al. (2023). "MicroRNA-218 regulates neuronal radial migration and morphogenesis by targeting *Satb2* in developing neocortex." *Biochemical and Biophysical Research Communications* 647: 9-15. <https://doi.org/10.1016/j.bbrc.2023.01.053>

Borrecia, A., M. De Luca, et al. (2023). "Fmr1-KO mice failure to detect object novelty associates with a post-test decrease of structural and synaptic plasticity upstream of the hippocampus." *Scientific Reports* 13(1): 755. <https://doi.org/10.1038/s41598-023-27991-9>

Campos, H. C., D. E. Ribeiro, et al. (2022). "Distinct Effects of the Hippocampal Transplantation of Neural and Mesenchymal Stem Cells in a Transgenic Model of Alzheimer's Disease." *Stem Cell Reviews and Reports* 18(2): 781-791. <https://doi.org/10.1007/s12015-021-10321-9>

Coolen, R. L., J. C. Cambier, et al. (2023). "Androgen receptors in the forebrain: a study in adult male cats." *Journal of Morphology* n/a(n/a). <https://doi.org/10.1002/jmor.21553>

Jaffey, D. M., J. McAdams, et al. "Vagal Preganglionic Axons Arborize in the Myenteric Plexus into Two Types: Nitrergic and Non-nitrergic Postganglionic Motor Pools?" *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology* 0(0): null. <https://doi.org/10.1152/ajpregu.00260.2022>

Marsan, E., D. Velmeshev, et al. (2023). "Astroglial toxicity promotes synaptic degeneration in the thalamocortical circuit in frontotemporal dementia with GRN mutations." *The Journal of Clinical Investigation*. 10.1172/JCI164919

Pellis, S. M., V. C. Pellis, et al. (2023). "Play fighting and the development of the social brain: The rat's tale." *Neuroscience & Biobehavioral Reviews* 145: 105037. <https://doi.org/10.1016/j.neubiorev.2023.105037>

Cambiaghi, M., C. Infortuna, et al. (2022). "High-frequency rTMS modulates emotional behaviors and structural plasticity in layers II/III and V of the mPFC." *Front Cell Neurosci* 16(1082211). DOI: 10.3389/fncel.2022.1082211

Gutierrez-Mecinas, M., É. Kókai, et al. (2023). "Antibodies Against the Gastrin-releasing Peptide Precursor Pro-Gastrin-releasing Peptide Reveal Its Expression in the Mouse Spinal Dorsal Horn." *Neuroscience* 510: 60-71. <https://doi.org/10.1016/j.neuroscience.2022.12.023>

Guy, J., M. Möck, et al. (2023). "Direction selectivity of inhibitory interneurons in mouse barrel cortex differs between interneuron subtypes." *Cell Reports* 42(1): 111936. <https://doi.org/10.1016/j.celrep.2022.111936>

Hashimoto, J. G., M. L. Singer, et al. (2023). "Sex differences in hippocampal structural plasticity and glycosaminoglycan disaccharide levels after neonatal handling." *Experimental Neurology* 361: 114313. <https://doi.org/10.1016/j.expneurol.2022.114313>

Liu, N.-K., L.-X. Deng, et al. (2022). "Restoring mitochondrial cardiolipin homeostasis reduces cell death and promotes recovery after spinal cord injury." *Cell Death & Disease* 13(12): 1058. <https://doi.org/10.1038/s41419-022-05369-5>

Kiyokage, E., S. Ichikawa, et al. "Effects of estradiol on dopaminergic synapse formation in the mouse olfactory bulb." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25441>

Meszéna, D., A. Barlay, et al. (2022). "Seeing beyond the spikes: Reconstructing the complete spatiotemporal membrane potential distribution from paired intra- and extracellular recordings." *The Journal of Physiology* n/a(n/a). <https://doi.org/10.1113/JP283550>

Riccitelli, S., F. Boi, et al. (2022). "Glial Bmal1 role in mammalian retina daily changes." *Scientific Reports* 12(1): 21561. <https://doi.org/10.1038/s41598-022-25783-1>

Butti, E., S. Cattaneo, et al. (2022). "Neural precursor cells tune striatal connectivity through the release of IGF1." *Nature Communications* 13(1): 7579. <https://doi.org/10.1038/s41467-022-35341-y>

Gasperini, C., K. Tuntevski, et al. (2022). "Piwil2 (Mili) sustains neurogenesis and prevents cellular senescence in the postnatal hippocampus." *EMBO reports* n/a(n/a): e53801. <https://doi.org/10.15252/embr.202153801>

Gatica, R. I., G. Lazcano, et al. (2023). *Dendrites Crossing Borders: Quantifying the Distribution of Individual Substantia Nigra Dopaminergic Neurons' Dendritic Tree in Pars Compacta and Pars Reticulata. Dopaminergic System Function and Dysfunction: Experimental Approaches.* J. A. Fuentealba-Evans and P. Henny. New York, NY, Springer US: 65-80. [https://doi.org/10.1007/978-1-0716-2799-0\\_3](https://doi.org/10.1007/978-1-0716-2799-0_3)

Kole, K., B. J. B. Voeselek, et al. (2022). "Parvalbumin basket cell myelination accumulates axonal mitochondria to internodes." *Nature Communications* 13(1): 7598. <https://doi.org/10.1038/s41467-022-35350-x>

Sideromenos, S., M. Nikou, et al. (2022). "The metabolic regulator USF-1 is involved in the control of affective behaviour in mice." *Translational Psychiatry* 12(1): 497. <https://doi.org/10.1038/s41398-022-02266-5>

Tanaka, R., J. Liao, et al. (2023). "Inhibition of Rho-kinase ameliorates decreased spine density in the medial prefrontal cortex and methamphetamine-induced cognitive dysfunction in mice carrying schizophrenia-associated mutations of the *Arhgap10* gene." *Pharmacological Research* 187: 106589. <https://doi.org/10.1016/j.phrs.2022.106589>

Wang, Y.-C., C.-H. Chen, et al. (2022). "High-Fat Diet Exacerbates Autistic-Like Restricted Repetitive Behaviors and Social Abnormalities in CC2D1A Conditional Knockout Mice." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-03146-1>

Donato, C., D. B. Victorino, et al. (2022). "Pharmacological signature and target-specificity of inhibitory circuits formed by Martinotti cells in the mouse barrel cortex." *The Journal of Neuroscience*: JN-RM-1661-1621. <https://doi.org/10.1523/JNEUROSCI.1661-21.2022>

Kathe, C., M. A. Skinnider, et al. (2022). "The neurons that restore walking after paralysis." *Nature* 611(7936): 540-547. <https://doi.org/10.1038/s41586-022-05385-7>

Rava, A., P. La Rosa, et al. (2022). "The appearance of phagocytic microglia in the postnatal brain of Niemann Pick type C mice is developmentally regulated and underscores shortfalls in fine odor discrimination." *J Cell Physiol* 2(10): 30909. DOI: 10.1002/jcp.30909

Sun, S. and M. Brecht (2022). "Relative enlargement of the medial preoptic nucleus in the Etruscan shrew, the smallest torpid mammal." *Scientific Reports* 12(1): 18602. <https://doi.org/10.1038/s41598-022-22320-y>

Symons, F. J., C. C. Burkitt, et al. (2022). "Modifying quantitative sensory testing to investigate behavioral reactivity in a pediatric global developmental delay sample: Relation to peripheral innervation and chronic pain outcomes." *Developmental Psychobiology* 64(8): e22329. <https://doi.org/10.1002/dev.22329>

Green, T. R. F., S. M. Murphy, et al. (2022). "Comparisons of quantitative approaches for assessing microglial morphology reveal inconsistencies, ecological fallacy, and a need for standardization." *Scientific Reports* 12(1): 18196. <https://doi.org/10.1038/s41598-022-23091-2>

Kaufmann, L. V., U. Schneeweiß, et al. (2022). "Elephant facial motor control." *Science Advances* 8(43): eabq2789. DOI: 10.1126/sciadv.abq2789

Riquier, A. J. and S. I. Sollars (2022). "Terminal field volume of the glossopharyngeal nerve in adult rats reverts to prepruning size following microglia depletion with PLX5622." *Developmental Neurobiology* n/a(n/a). <https://doi.org/10.1002/dneu.22904>

Fudge, J. L., E. A. Kelly, et al. (2022). "Corticotropin releasing factor (CRF) co-expression in GABAergic, glutamatergic and GABA/glutamatergic subpopulations in the central extended amygdala and ventral pallidum of young male primates." *J Neurosci* 24(22): 1453-1422. DOI: 10.1523/JNEUROSCI.1453-22.2022

He, L.-X., L. Wan, et al. (2020). "Synaptic development of layer V pyramidal neurons in the prenatal human prefrontal neocortex: a NeuroLucida-aided Golgi study." *Neural Regeneration Research* 15(8). doi: 10.4103/1673-5374.274345

Cirino, P. V., M. Hordinsky, et al. (2022). "Small fiber neuropathy and intractable scalp pruritus in dermatomyositis patients." *Skin Health and Disease* n/a(n/a): e173. <https://doi.org/10.1002/ski2.173>

Gergin, S., Ö. Kirazlı, et al. (2022). "The effects of regular swimming exercise and melatonin on the neurons localized in the striatum of hemiparkinsonian rats." *Anatomical Science International*. <https://doi.org/10.1007/s12565-022-00688-1>

Valcárcel-Hernández, V., M. Guillén-Yunta, et al. (2022). "A CRISPR/Cas9-engineered avatar mouse model of monocarboxylate transporter 8 deficiency displays distinct neurological alterations." *Neurobiology of Disease* 174: 105896. <https://doi.org/10.1016/j.nbd.2022.105896>

Fell, C. W., A. Hagelkruys, et al. (2022). "FIBCD1 is an endocytic GAG receptor associated with a novel neurodevelopmental disorder." *EMBO Molecular Medicine* 14(9): e15829. <https://doi.org/10.15252/emmm.202215829>

Nguyen, H., G. Sokpor, et al. (2022). "BAF (mSWI/SNF) complex regulates mediolateral cortical patterning in the developing forebrain." *Frontiers in Cell and Developmental Biology* 10. <https://doi.org/10.3389/fcell.2022.1011109>

Romano, N., B. Di Giacomo, et al. (2022) "Ribosomal RACK1 Regulates the Dendritic Arborization by Repressing FMRP Activity." *International Journal of Molecular Sciences* 23 DOI: 10.3390/ijms231911857. <https://doi.org/10.3390/ijms231911857>

Huang, P.-H., T.-Y. Yang, et al. (2022). "Involvement of a BH3-only apoptosis sensitizer gene Bim-s in hippocampus-mediated mood control." *Translational Psychiatry* 12(1): 411. <https://doi.org/10.1038/s41398-022-02184-6>

Dayananda, K. K., S. Ahmed, et al. (2023). "Early life stress impairs synaptic pruning in the developing hippocampus." *Brain, Behavior, and Immunity* 107: 16-31. <https://doi.org/10.1016/j.bbi.2022.09.014>

Liu, Y., N. Song, et al. (2022). "β-Arrestin2-biased Drd2 agonist UNC9995 alleviates astrocyte inflammatory injury via interaction between β-arrestin2 and STAT3 in mouse model of depression." *Journal of Neuroinflammation* 19(1): 240. <https://doi.org/10.1186/s12974-022-02597-6>

Hayes, L. N., K. An, et al. (2022). "Prenatal immune stress blunts microglia reactivity, impairing neurocircuitry." *Nature*. <https://doi.org/10.1038/s41586-022-05274-z>

Fernandes, V., K. Preeti, et al. (2022). "Neuroepigenetic Changes in DNA Methylation Affecting Diabetes-Induced Cognitive Impairment." *Cellular and Molecular Neurobiology*. <https://doi.org/10.1007/s10571-022-01278-5>

Polgár, E., A. C. Dickie, et al. (2022). "Grpr expression defines a population of superficial dorsal horn vertical cells that have a role in both itch and pain." *Pain* 11(10): 0000000000002677. DOI: 10.1097/j.pain.0000000000002677

Hellysaz, A., L. Svensson, et al. (2022). "Rotavirus Downregulates Tyrosine Hydroxylase in the Noradrenergic Sympathetic Nervous System in Ileum, Early in Infection and Simultaneously with Increased Intestinal Transit and Altered Brain Activities." *mBio* 12(10): 01387-01322. 10.1128/mbio.01387-22

Huang, W., Q. Xu, et al. (2022). "Linking transcriptomes with morphological and functional phenotypes in mammalian retinal ganglion cells." *Cell Reports* 40(11): 111322. <https://doi.org/10.1016/j.celrep.2022.111322>

Ogata, S., Y. Miyamoto, et al. (2022). "The tail of the mouse striatum contains a novel large type of GABAergic neuron incorporated in a unique disinhibitory pathway that relays auditory signals to subcortical nuclei." *The Journal of Neuroscience: JN-RM-2236-2221*. <https://doi.org/10.1523/JNEUROSCI.2236-21.2022>

Srivastava, M., C. Angel, et al. (2022). "Form, synapses and orientation topography of a new cell type in layer 6 of the cat's primary visual cortex." *Scientific Reports* 12(1): 15428. <https://doi.org/10.1038/s41598-022-19746-9>

Pullin, A. N., V. S. Farrar, et al. (2022). "Providing height to pullets does not influence hippocampal dendritic morphology or brain-derived neurotrophic factor at the end of the rearing period." *Poultry Science*: 102161. <https://doi.org/10.1016/j.psj.2022.102161>

Benraiss, A., J. N. Mariani, et al. (2022). "A TCF7L2-responsive suppression of both homeostatic and compensatory remyelination in Huntington disease mice." *Cell Reports* 40(9): 111291. <https://doi.org/10.1016/j.celrep.2022.111291>

Xu, X., R. O. Belez, et al. (2022). "Adenosine A2A receptors control synaptic remodeling in the adult brain." *Scientific Reports* 12(1): 14690. <https://doi.org/10.1038/s41598-022-18884-4>

Hatayama, M., K.-i. Katayama, et al. (2022). "SLITRK1-mediated noradrenergic projection suppression in the neonatal prefrontal cortex." *Communications Biology* 5(1): 935. <https://doi.org/10.1038/s42003-022-03891-y>

Imado, E., S. Sun, et al. (2022). "Prenatal exposure to valproic acid causes allodynia associated with spinal microglial activation." *Neurochemistry International* 160: 105415. <https://doi.org/10.1016/j.neuint.2022.105415>

Koukoulis, F., M. Montmerle, et al. (2022). "Visual-area-specific tonic modulation of GABA release by endocannabinoids sets the activity and coordination of neocortical principal neurons." *Cell Reports* 40(8): 111202. <https://doi.org/10.1016/j.celrep.2022.111202>

Jiang, S.-N., J.-W. Cao, et al. (2022). "Sncg, Mybpc1, and Parm1 Classify subpopulations of VIP-expressing interneurons in layers 2/3 of the somatosensory cortex." *Cerebral Cortex*: bhac343. <https://doi.org/10.1093/cercor/bhac343>

Fisher, K. M., J. P. Garner, et al. (2022). "Small sensory spinal lesions that affect hand function in monkeys greatly alter primary afferent and motor neuron connections in the cord." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25395>

Schmidt, S., M. D. Luecken, et al. (2022). "Primary cilia and SHH signaling impairments in human and mouse models of Parkinson's disease." *Nature Communications* 13(1): 4819. <https://doi.org/10.1038/s41467-022-32229-9>

Kent, M. H., J. C. Jacob, et al. (2022). "Disrupted development from head to tail: Pervasive effects of postnatal restricted resources on neurobiological, behavioral, and morphometric outcomes." *Front Behav Neurosci* 16(910056). doi: 10.3389/fnbeh.2022.910056

Jalilian, E., H. Massoumi, et al. (2022). "Bone marrow mesenchymal stromal cells in a 3D system produce higher concentration of extracellular vesicles (EVs) with increased complexity and enhanced neuronal growth properties." *Stem Cell Research & Therapy* 13(1): 425. <https://doi.org/10.1186/s13287-022-03128-z>

Traxler, L., J. R. Herdy, et al. (2022). "Warburg-like metabolic transformation underlies neuronal degeneration in sporadic Alzheimer's disease." *Cell Metabolism*. <https://doi.org/10.1016/j.cmet.2022.07.014>

Ploppert, E., J. Jacob, et al. (2022). "Influence of Effort-based Reward Training on Neuroadaptive Cognitive Responses: Implications for Preclinical Behavioral Approaches for Depressive Symptoms." *Neuroscience*. <https://doi.org/10.1016/j.neuroscience.2022.08.002>

Stern, S., S. Lau, et al. (2022). "Reduced synaptic activity and dysregulated extracellular matrix pathways in midbrain neurons from Parkinson's disease patients." *npj Parkinson's Disease* 8(1): 103. <https://doi.org/10.1038/s41531-022-00366-z>

Fell, C. W., A. Hagelkruys, et al. (2022). "FIBCD1 is an endocytic GAG receptor associated with a novel neurodevelopmental disorder." *EMBO Molecular Medicine* n/a(n/a): e15829. <https://doi.org/10.15252/emmm.202215829>

Guimaraes, J. S., N. A. M. Lemos, et al. (2022). "Microelectrode implants, inflammatory response and long-lasting effects on NADPH diaphorase neurons in the rat frontal cortex." *Experimental Brain Research*. <https://doi.org/10.1007/s00221-022-06434-3>

Kersten, Y., B. Friedrich-Müller, et al. (2022). "A brain atlas of the carrion crow (*Corvus corone*)." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25392>

Hyer, M. M., S. K. Dyer, et al. (2022). "Fructose-Induced Cognitive Impairment Co-occurs with Morphological Changes in Dendrites and Microglia of Male Rats." *Psychoneuroimmunology Journal*. DOI:10.32371/pnij/246142



Sohn, J., M. Suzuki, et al. (2022). "Presynaptic supervision of cortical spine dynamics in motor learning." *Science Advances* 8(30): eabm0531. DOI: 10.1126/sciadv.abm0531

Mohr, M. A., N. S. Michael, et al. (2022). "Sex differences in proliferation and attrition of pubertally born cells in the rat posterior dorsal medial amygdala." *Developmental Cognitive Neuroscience* 57: 101141. <https://doi.org/10.1016/j.dcn.2022.101141>

Madison, F. N., N. Palin, et al. (2022). "Sex-specific effects of neonatal paternal deprivation on microglial cell density in adult California mouse (*Peromyscus californicus*) dentate gyrus." *Brain, Behavior, and Immunity* 106: 1-10. <https://doi.org/10.1016/j.bbi.2022.07.161>

Lin, X., T. Zhao, et al. (2022). "7,8-Dihydroxyflavone accelerates recovery of Brown-Sequard syndrome in adult female rats with spinal cord lateral hemisection." *Biomedicine & Pharmacotherapy* 153: 113397. <https://doi.org/10.1016/j.biopha.2022.113397>

Amer, A. and J. H. Martin (2022). "Repeated motor cortex theta-burst stimulation produces persistent strengthening of corticospinal motor output and durable spinal cord structural changes in the rat." *Brain Stimulation*. <https://doi.org/10.1016/j.brs.2022.07.005>

Amalyan, S., S. Tamboli, et al. (2022). "Enhanced motor cortex output and disinhibition in asymptomatic female mice with C9orf72 genetic expansion." *Cell Reports* 40(1): 111043. <https://doi.org/10.1016/j.celrep.2022.111043>

Rahimian, R., K. Perlman, et al. (2022). "Targeting microglia-oligodendrocyte crosstalk in neurodegenerative and psychiatric disorders." *Drug Discovery Today*. <https://doi.org/10.1016/j.drudis.2022.06.015>

Tu, X., X. Li, et al. (2022). "Unilateral cerebral ischemia induces morphological changes in the layer V projection neurons of the contralateral hemisphere." *Neuroscience Research*. <https://doi.org/10.1016/j.neures.2022.06.007>

Jacob, J., S. Watanabe, et al. (2022). "Divergent neural and endocrine responses in wild-caught and laboratory-bred *Rattus norvegicus*." *Behavioural Brain Research* 432: 113978. <https://doi.org/10.1016/j.bbr.2022.113978>

Taxier, L. R., S. M. Philippi, et al. (2022). "APOE4 homozygote females are resistant to the beneficial effects of 17 $\beta$ -estradiol on memory and CA1 dendritic spine density in the EFAD mouse model of Alzheimer's disease." *Neurobiology of Aging*. <https://doi.org/10.1016/j.neurobiolaging.2022.06.005>

Wang, M. Z., B. Y. Hayden, et al. (2022). "A structural and functional subdivision in central orbitofrontal cortex." *Nature Communications* 13(1): 3623. <https://doi.org/10.1038/s41467-022-31273-9>

Zhou, J., S. Hormigo, et al. (2022). "Caution influences avoidance and approach behaviors differently." *The Journal of Neuroscience: JN-RM-1892-1821*. <https://doi.org/10.1523/JNEUROSCI.1892-21.2022>

Coverdell, T. C., R.-J. Abraham-Fan, et al. (2022). "Genetic encoding of an esophageal motor circuit." *Cell Reports* 39(11): 110962. <https://doi.org/10.1016/j.celrep.2022.110962>

Xiao, C., D. Lara, et al. (2022). "Netrin-4 modulates corneal wound healing by enhancing corneal epithelium and nerve regeneration in vitro and in vivo." *Investigative Ophthalmology & Visual Science* 63(7): 3234 – A0269-3234 – A0269. <https://iovs.arvojournals.org/article.aspx?articleid=2781095>

Jalilian, E., B. Bigit, et al. (2022). "Exosomes from 3D cultures of Bone Marrow Mesenchymal Stem Cell (BM-MSCs) have higher neuro-regenerative potential than those generated from 2D conditions." *Investigative Ophthalmology & Visual Science* 63(7): 1209 – A0209-1209 – A0209. <https://iovs.arvojournals.org/article.aspx?articleid=2779796>

Khokhar, S. K., M. Kambali, et al. "Role of an enriched environment in ameliorating early life stress-induced changes in structure and functions of hippocampus and amygdala in rats." *Indian Journal of Physiology and Pharmacology* 66. doi:10.25259/IJPP\_96\_2022

Ramos-Prats, A., E. Paradiso, et al. (2022). "VIP-expressing interneurons in the anterior insular cortex contribute to sensory processing to regulate adaptive behavior." *Cell Reports* 39(9): 110893. <https://doi.org/10.1016/j.celrep.2022.110893>

Hagena, H., M. Feldmann, et al. (2022). "Lifelong changes of neurotransmitter receptor expression and debilitation of hippocampal synaptic plasticity following early postnatal blindness." *Scientific Reports* 12(1): 9142. <https://doi.org/10.1038/s41598-022-13127-y>

Kugler, E. C., A. Rampun, et al. (2022). "Analytical Approaches for the Segmentation of the Zebrafish Brain Vasculature." *Current Protocols* 2(5): e443. <https://doi.org/10.1002/cpz1.443>

Puhahn-Schmeiser, B., T. Kleemann, et al. (2022). "Granule cell dispersion in two mouse models of temporal lobe epilepsy and reeler mice is associated with changes in dendritic orientation and spine distribution." *Hippocampus* n/a(n/a). <https://doi.org/10.1002/hipo.23447>

Garcia-Hernandez, R., A. Cerdán Cerdá, et al. "Mapping microglia and astrocyte activation in vivo using diffusion MRI." *Science Advances* 8(21): eabq2923. DOI: 10.1126/sciadv.abq2923

Zhou, F., P. Ebea, et al. (2022). "Small Extracellular Vesicles in Milk Cross the Blood-Brain Barrier in Murine Cerebral Cortex Endothelial Cells and Promote Dendritic Complexity in the Hippocampus and Brain Function in C57BL/6J Mice." *Frontiers in nutrition* 9: 838543-838543. 10.3389/fnut.2022.838543

van Wageningen, T. A., E. Gerrits, et al. (2020). "Distinct gene expression profiles in leukocortical demyelinated white and grey matter areas of Multiple Sclerosis patients." *bioRxiv*: 2020.2006.2003.131300. <https://doi.org/10.1101/2020.06.03.131300>

Zambon, A., L. C. Rico, et al. (2022). "Gestational immune activation disrupts hypothalamic neurocircuits of maternal care behavior." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-022-01602-x>

Nelson, D. W., D. L. Puhl, et al. (2022). "Multivariate analysis reveals topography dependent relationships amongst neurite morphological features from dorsal root ganglia neurons." *Journal of Neural Engineering*. <https://doi.org/10.1088/1741-2552/ac7078>

Anstötz, M., S. K. Lee, et al. (2022). "Glutamate released by Cajal-Retzius cells impacts specific hippocampal circuits and behaviors." *Cell Reports* 39(7): 110822. <https://doi.org/10.1016/j.celrep.2022.110822>

Guo, S., J. Xue, et al. (2022). "Smart imaging to empower brain-wide neuroscience at single-cell levels." *Brain Informatics* 9(1): 10. <https://doi.org/10.1186/s40708-022-00158-4>

Ichise, M., K. Sakoori, et al. (2022). "Leucine-Rich Repeats and Transmembrane Domain 2 Controls Protein Sorting in the Striatal Projection System and Its Deficiency Causes Disturbances in Motor Responses and Monoamine Dynamics." *Frontiers in Molecular Neuroscience* 15. <https://doi.org/10.3389/fnmol.2022.856315>

Zhou, L., G. Kong, et al. "Reversible CD8 T cell–neuron cross-talk causes aging-dependent neuronal regenerative decline." *Science* 376(6594): eabd5926. DOI: 10.1126/science.abd5926

Huang, W., Q. Xu, et al. (2022). "Identification of TPBG-Expressing Amacrine Cells in DAT-tdTomato Mouse." *Investigative Ophthalmology & Visual Science* 63(5): 13-13. <https://doi.org/10.1167/iovs.63.5.13>

Ma, J., D. Nguyen, et al. (2022). "Spinal Afferent Innervation of the Rat Stomach: Anterograde Tracing." *The FASEB Journal* 36(S1). <https://doi.org/10.1096/fasebj.2022.36.S1.R5454>

Maloney, S. E., D. R. Tabachnick, et al. (2022). "Fluoxetine exposure throughout neurodevelopment differentially influences basilar dendritic morphology in the motor and prefrontal cortices." *Scientific Reports* 12(1): 7605. <https://doi.org/10.1038/s41598-022-11614-w>

Papes, F., A. P. Camargo, et al. (2022). "Transcription Factor 4 loss-of-function is associated with deficits in progenitor proliferation and cortical neuron content." *Nature Communications* 13(1): 2387. <https://doi.org/10.1038/s41467-022-29942-w>

Sun, W., X. Chen, et al. (2022). "Prelimbic proBDNF Facilitates Retrieval-Dependent Fear Memory Destabilization by Regulation of Synaptic and Neural Functions in Juvenile Rats." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-02849-9>

Gegenhuber, B., M. V. Wu, et al. (2022). "Gene regulation by gonadal hormone receptors underlies brain sex differences." *Nature*. <https://doi.org/10.1038/s41586-022-04686-1>

Ardizzone, A., V. Bova, et al. (2022). "SUN11602, a bFGF mimetic, modulated neuroinflammation, apoptosis and calcium-binding proteins in an in vivo model of MPTP-induced nigrostriatal degeneration." *Journal of Neuroinflammation* 19(1): 107. <https://doi.org/10.1186/s12974-022-02457-3>

Csabai, D., A. Sebök-Tornai, et al. (2022). "A Preliminary Quantitative Electron Microscopic Analysis Reveals Reduced Number of Mitochondria in the Infralimbic Cortex of Rats

Exposed to Chronic Mild Stress." *Frontiers in Behavioral Neuroscience*  
16. <https://doi.org/10.3389/fnbeh.2022.885849>

Maehata, K., K. Shimizu, et al. (2020). "Hippocampal 7 $\alpha$ -Hydroxylated Neurosteroids Are Raised by Training and Bolster Remote Spatial Memory with Increase of the Spine Densities." *iScience* 23(10): 101559. <https://doi.org/10.1016/j.isci.2020.101559>

Prevot, T., A. Bernardo, et al. (2022). "P99. Role of  $\alpha$ 5-GABAA Receptor Positive Allosteric Modulation on Cognitive Functions and Neurotrophic Effects Across Animal Models." *Biological Psychiatry* 91(9): S127. <https://doi.org/10.1016/j.biopsych.2022.02.333>

Ali, Z., G. Sivakumar, et al. (2022). "A report on digitised neuronal tracing method to study neurons in their entirety." *MethodsX*: 101715. <https://doi.org/10.1016/j.mex.2022.101715>

Boda, E., M. Lorenzati, et al. (2022). "Molecular and functional heterogeneity in dorsal and ventral oligodendrocyte progenitor cells of the mouse forebrain in response to DNA damage." *Nature Communications* 13(1): 2331. <https://doi.org/10.1038/s41467-022-30010-6>

Saini, V., D. Lutz, et al. (2016). "The polysialic acid mimetics 5-nonyloxytryptamine and vinorelbine facilitate nervous system repair." *Scientific Reports* 6(1): 26927. <https://doi.org/10.1038/srep26927>

Costa, V. S., A. O. B. Suassuna, et al. (2022). Immediate Cortical and Spinal C-Fos Immunoreactivity After ICMS of the Primary Somatosensory Cortex in Rats. XXVII Brazilian Congress on Biomedical Engineering, Cham, Springer International Publishing. [https://doi.org/10.1007/978-3-030-70601-2\\_330](https://doi.org/10.1007/978-3-030-70601-2_330)

Shotaro Tanaka and Fumio Nakamura, "Exploring the Bio-Functional Breaking Point of Living Tissue Subjected to External Physical Pressure," *J. Robot. Mechatron.*, Vol.34, No.2, pp. 319-321, 2022. doi: 10.20965/jrm.2022.p0319

Catale, C., L. Lo Iacono, et al. (2022). "Early Life Social Stress Causes Sex- and Region-Dependent Dopaminergic Changes that Are Prevented by Minocycline." *Molecular Neurobiology*. <https://doi.org/10.1007/s12035-022-02830-6>

El Khoueiry, C., C. Alba-Delgado, et al. (2022). "GABAA and Glycine Receptor-Mediated Inhibitory Synaptic Transmission onto Adult Rat Lamina III PKC $\gamma$ -Interneurons: Pharmacological but Not Anatomical Specialization." *Cells* 11(8): 1356. <https://doi.org/10.3390/cells11081356>

Park, H. H., Y.-M. Kim, et al. (2022). "Dual-functional hydrogel system for spinal cord regeneration with sustained release of arylsulfatase B alleviates fibrotic microenvironment and promotes axonal regeneration." *Biomaterials* 284: 121526. <https://doi.org/10.1016/j.biomaterials.2022.121526>

Georgiou, C., V. Kehayas, et al. (2022). "A subpopulation of cortical VIP-expressing interneurons with highly dynamic spines." *Communications Biology* 5(1): 352. <https://doi.org/10.1038/s42003-022-03278-z>

- Balsamo, G., E. Blanco-Hernández, et al. (2022). "Modular microcircuit organization of the presubicular head-direction map." *Cell Reports* 39(2): 110684. <https://doi.org/10.1016/j.celrep.2022.110684>
- Dhar, S., S. Gadd, et al. (2022). "A tumor suppressor role for EZH2 in diffuse midline glioma pathogenesis." *Acta Neuropathologica Communications* 10(1): 47. <https://doi.org/10.1186/s40478-022-01336-5>
- Hibbard, E. A. and D. R. Sengelaub (2022). "Intraneural Topography of Rat Sciatic Axons: Implications for Polyethylene Glycol Fusion Peripheral Nerve Repair." *Frontiers in Cellular Neuroscience* 16. <https://doi.org/10.3389/fncel.2022.852933>
- Stables, J., E. K. Green, et al. (2022). "A kinase-dead Csf1r mutation associated with adult-onset leukoencephalopathy has a dominant inhibitory impact on CSF1R signalling." *Development* 149(8). <https://doi.org/10.1242/dev.200237>
- Inagaki, M., K.-i. Inoue, et al. (2022). "Rapid processing of threatening faces in the amygdala of nonhuman primates: subcortical inputs and dual roles." *Cerebral Cortex: bhac109*. <https://doi.org/10.1093/cercor/bhac109>
- Stella, T., K. Alexandros, et al. (2022). *Research Square*. 10.21203/rs.3.rs-882180/v1
- Souza, G. M. P. R., R. L. Stornetta, et al. (2022). "Adrenergic C1 neurons monitor arterial blood pressure and determine the sympathetic response to hemorrhage." *Cell Reports* 38(10): 110480. <https://doi.org/10.1016/j.celrep.2022.110480>
- McKinney, A., M. Hu, et al. (2022). "Cellular and Circuit Organization of the Locus Coeruleus of Adult Mice." *bioRxiv*: 2022.2003.2001.481656. <https://doi.org/10.1101/2022.03.01.481656>
- Iavarone, E., J. Simko, et al. (2022). "Reconstruction and simulation of thalamoreticular microcircuitry." *bioRxiv*: 2022.2002.2028.482273. <https://doi.org/10.1101/2022.02.28.482273>
- Inagaki, H. K., S. Chen, et al. (2022). "A midbrain-thalamus-cortex circuit reorganizes cortical dynamics to initiate movement." *Cell*. <https://doi.org/10.1016/j.cell.2022.02.006>
- Murase, S., S. E. Robertson, et al. (2022). "Chronic Monocular Deprivation Reveals MMP9-Dependent and -Independent Aspects of Murine Visual System Plasticity." *International Journal of Molecular Sciences* 23(5). 10.3390/ijms23052438
- Rusznák, K., Á. I. Horváth, et al. (2022). "Experimental Arthritis Inhibits Adult Hippocampal Neurogenesis in Mice." *Cells* 11(5). 10.3390/cells11050791
- Chen, S., H. Xu, et al. (2022). "Morpho-Electric Properties and Diversity of Oxytocin Neurons in Paraventricular Nucleus of Hypothalamus in Female and Male Mice." *The Journal of Neuroscience*: JN-RM-2494-2421. 10.1523/jneurosci.2494-21.2022
- Ivan, B., S. Dora, et al. (2022). *Molecular Neurobiology*. 10.21203/rs.3.rs-1351458/v1

Neubauer, F. B., R. Min, et al. (2022). "Presynaptic NMDA Receptors Influence Ca<sup>2+</sup> Dynamics by Interacting with Voltage-Dependent Calcium Channels during the Induction of Long-Term Depression." *Neural Plasticity* 2022: 2900875. <https://doi.org/10.1155/2022/2900875>

Rogers, D. J., B. P. Bergeron, et al. (2022). "3D printed chamber for live cell imaging on an upright epifluorescence microscope." *Journal of Biological Education*: 1-7. <https://doi.org/10.1080/00219266.2022.2030389>

Tanaka, S., K. Takizawa, et al. (2022). "One-step visualization of natural cell activities in non-labeled living spheroids." *Scientific Reports* 12(1): 1500. <https://doi.org/10.1038/s41598-022-05347-z>

Purkart, L., J. M. Tuff, et al. (2022). "Trigeminal ganglion and sensory nerves suggest tactile specialization of elephants." *Current Biology*. <https://doi.org/10.1016/j.cub.2021.12.051>

Chalif, J. I., M. d. L. Martínez-Silva, et al. (2022). "Control of mammalian locomotion by ventral spinocerebellar tract neurons." *Cell* 185(2): 328-344.e326. <https://doi.org/10.1016/j.cell.2021.12.014>

Vomero, M., F. Ciarpella, et al. (2022). "On the longevity of flexible neural interfaces: Establishing biostability of polyimide-based intracortical implants." *Biomaterials* 281: 121372. <https://doi.org/10.1016/j.biomaterials.2022.121372>

Perumal, M. B. and P. Sah (2022). "A protocol to investigate cellular and circuit mechanisms generating sharp wave ripple oscillations in rodent basolateral amygdala using ex vivo slices." *STAR Protocols* 3(1): 101085. <https://doi.org/10.1016/j.xpro.2021.101085>

Fernández-Pérez, A., A. Sanz-Magro, et al. (2022). "Restricting feeding to dark phase fails to entrain circadian activity and energy expenditure oscillations in Pitx3-mutant Aphakia mice." *Cell Reports* 38(2): 110241. <https://doi.org/10.1016/j.celrep.2021.110241>

Jakovcevski, I., D. von, et al. (2022). "Mice lacking perforin have improved regeneration of the injured femoral nerve." *Neural Regeneration Research* 17(8): 1802-1808. DOI: 10.4103/1673-5374.332152

Clabough, E., J. Ingersoll, et al. (2022). "Acute Ethanol Exposure during Synaptogenesis Rapidly Alters Medium Spiny Neuron Morphology and Synaptic Protein Expression in the Dorsal Striatum." *International Journal of Molecular Sciences* 23(1). <https://doi.org/10.3390/ijms23010290>

Goeke, C. M., X. Zhang, et al. (2022). "Astrocyte tissue plasminogen activator expression during brain development and its role in pyramidal neuron neurite outgrowth." *Neuroscience Letters* 769: 136422. <https://doi.org/10.1016/j.neulet.2021.136422>

Jenny, A. B. and P. D. Cheney (2022). "Monkey flexor and abductor pollicis brevis motoneuron pools: Proximal dendritic trees and small motoneurons." *Neuroscience Letters* 769: 136429. <https://doi.org/10.1016/j.neulet.2021.136429>



Spoleti, E., P. Krashia, et al. (2021). "Early derailment of firing properties in CA1 pyramidal cells of the ventral hippocampus in an Alzheimer's disease mouse model." *Experimental Neurology*: 113969. <https://doi.org/10.1016/j.expneurol.2021.113969>

Qiu, Y., X.-j. Xue, et al. (2021). "Perillaldehyde improves cognitive function in vivo and in vitro by inhibiting neuronal damage via blocking TRPM2/NMDAR pathway." *Chinese Medicine* 16(1): 136. <https://doi.org/10.1186/s13020-021-00545-9>

Barak, T., E. Ristori, et al. (2021). "PPIL4 is essential for brain angiogenesis and implicated in intracranial aneurysms in humans." *Nature Medicine* 27(12): 2165-2175. <https://doi.org/10.1038/s41591-021-01572-7>

Patel, A. V., S. A. Codeluppi, et al. (2021). "Developmental Age and Biological Sex Influence Muscarinic Receptor Function and Neuron Morphology within Layer VI of the Medial Prefrontal Cortex." *Cerebral Cortex*: bhab406. <https://doi.org/10.1093/cercor/bhab406>

Lebowitz, J. J., M. Trinkle, et al. (2021). "Subcellular localization of D2 receptors in the murine substantia nigra." *Brain Structure and Function*. <https://doi.org/10.1007/s00429-021-02432-3>

Sobierajski, E., G. Lauer, et al. (2021). "Development of microglia in fetal and postnatal neocortex of the pig, the European wild boar (*Sus scrofa*)." *Journal of Comparative Neurology* n/a(n/a). <https://doi.org/10.1002/cne.25280>

Gonzalez, S., T. L. M. McHugh, et al. (2022). "Small molecule modulation of TrkB and TrkC neurotrophin receptors prevents cholinergic neuron atrophy in an Alzheimer's disease mouse model at an advanced pathological stage." *Neurobiology of Disease* 162: 105563. <https://doi.org/10.1016/j.nbd.2021.105563>

Rotterman, T. M., D. I. Carrasco, et al. (2021). "Axon initial segment geometry in relation to motoneuron excitability." *PLOS ONE* 16(11): e0259918. <https://doi.org/10.1371/journal.pone.0259918>

Hogg, P. W., P. Coleman, et al. (2021). "Quantifying neuronal structural changes over time using dynamic morphometrics." *Trends in Neurosciences*. <https://doi.org/10.1016/j.tins.2021.10.011>

Prokop, S., P. Ábrányi-Balogh, et al. (2021). "PharmacoSTORM nanoscale pharmacology reveals cariprazine binding on Islands of Calleja granule cells." *Nature Communications* 12(1): 6505. <https://doi.org/10.1038/s41467-021-26757-z>

Natale, N. R., M. Kent, et al. (2021). "Neurobiological effects of a probiotic-supplemented diet in chronically stressed male Long-Evans rats: Evidence of enhanced resilience." *IBRO Neuroscience Reports*. <https://doi.org/10.1016/j.ibneur.2021.10.004>

Sheikh, A., X. Meng, et al. (2021). "Neonatal Hypoxia-Ischemia Causes Persistent Intracortical Circuit Changes in Layer 4 of Rat Auditory Cortex." *Cerebral Cortex*(bhab365). <https://doi.org/10.1093/cercor/bhab365>

Trujillo-Estrada, L., P. W. Vanderklisch, et al. (2021). "SPG302 Reverses Synaptic and Cognitive Deficits Without Altering Amyloid or Tau Pathology in a Transgenic Model of Alzheimer's Disease." *Neurotherapeutics*. <https://doi.org/10.1007/s13311-021-01143-1>

Yang, C., Y. Tian, et al. (2021). "Restoration of FMRP expression in adult V1 neurons rescues visual deficits in a mouse model of fragile X syndrome." *Protein & Cell*. <https://doi.org/10.1007/s13238-021-00878-z>

Oberto, V. J., C. J. Boucly, et al. (2021). "Distributed cell assemblies spanning prefrontal cortex and striatum." *Current Biology*. <https://doi.org/10.1016/j.cub.2021.10.007>

Liu, J., Z. Deng, et al. (2021). "The circRNA circ-Nbea participates in regulating diabetic encephalopathy." *Brain Research*: 147702. <https://doi.org/10.1016/j.brainres.2021.147702>

Bourel, J., V. Planche, et al. (2021). "Complement C3 mediates early hippocampal neurodegeneration and memory impairment in experimental multiple sclerosis." *Neurobiology of Disease* 160: 105533. <https://doi.org/10.1016/j.nbd.2021.105533>

Xie, S., H. Li, et al. (2021). "PUPIL enables mapping and stamping of transient electrical connectivity in developing nervous systems." *Cell Reports* 37(3): 109853. <https://doi.org/10.1016/j.celrep.2021.109853>

Kolk, S. M. and P. Rakic (2021). "Development of prefrontal cortex." *Neuropsychopharmacology*. <https://doi.org/10.1038/s41386-021-01137-9>

Morecraft, R. J., K. S. Stilwell-Morecraft, et al. (2021). "Lack of somatotopy among corticospinal tract fibers passing through the primate craniovertebral junction and cervical spinal cord: pathoanatomical substrate of central cord syndrome and cruciate paralysis." *Journal of Neurosurgery*: 1-15. <https://doi.org/10.3171/2021.4.JNS202464>

Matho, K. S., D. Huilgol, et al. (2021). "Genetic dissection of the glutamatergic neuron system in cerebral cortex." *Nature* 598(7879): 182-187. <https://doi.org/10.1038/s41586-021-03955-9>

Gentili, M., L. Hidalgo-Garcia, et al. (2021). "A recombinant glucocorticoid-induced leucine zipper protein ameliorates symptoms of dextran sulfate sodium-induced colitis by improving intestinal permeability." *The FASEB Journal* 35(11): e21950. <https://doi.org/10.1096/fj.202100778RRRR>

Lane, A. R., I. C. Cogdell, et al. (2021). "Genetic targeting of adult Renshaw cells using a Calbindin 1 destabilized Cre allele for intersection with Parvalbumin or Engrailed1." *Scientific Reports* 11(1): 19861. <https://doi.org/10.1038/s41598-021-99333-6>

Medalla, M., W. Chang, et al. (2021). "Layer-specific pyramidal neuron properties underlie diverse anterior cingulate cortical motor and limbic networks." *Cerebral Cortex*(bhab347). <https://doi.org/10.1093/cercor/bhab347>

Sarkar, D., M. Shariq, et al. (2021). "Adult brain neurons require continual expression of the schizophrenia-risk gene Tcf4 for structural and functional integrity." *Translational Psychiatry* 11(1): 494. <https://doi.org/10.1038/s41398-021-01618-x>

Yang, F.-C., L. B. Dokovna, et al. (2021). "Functional Differentiation of Dorsal and Ventral Posterior Parietal Cortex of the Rat: Implications for Controlled and Stimulus-Driven Attention." *Cerebral Cortex*(bhab308). <https://doi.org/10.1093/cercor/bhab308>

Heyer, D. B., R. Wilbers, et al. (2021). "Verbal and General IQ Associate with Supragranular Layer Thickness and Cell Properties of the Left Temporal Cortex." *Cerebral Cortex*(bhab330). <https://doi.org/10.1093/cercor/bhab330>

Noftz, W. A., N. L. Beebe, et al. (2021). "Dense cholinergic projections to auditory and multisensory nuclei of the intercollicular midbrain." *Hearing Research* 411: 108352. <https://doi.org/10.1016/j.heares.2021.108352>

Watanabe, S., T. Kurotani, et al. (2021). "Functional and molecular characterization of a non-human primate model of autism spectrum disorder shows similarity with the human disease." *Nature Communications* 12(1): 5388. <https://doi.org/10.1038/s41467-021-25487-6>

Masachs, N., V. Charrier, et al. (2021). "The temporal origin of dentate granule neurons dictates their role in spatial memory." *Molecular Psychiatry*. <https://doi.org/10.1038/s41380-021-01276-x>

Guzun, L., P. Fortier-Poisson, et al. (2021). "Tactile sensitivity in the rat: a correlation between receptor structure and function." *Experimental Brain Research*. <https://doi.org/10.1007/s00221-021-06193-7>

Abate, G., Colazingari, S., Accoto, A., Conversi, D., & Bevilacqua, A. (2018). Dendritic spine density and EphrinB2 levels of hippocampal and anterior cingulate cortex neurons increase sequentially during formation of recent and remote fear memory in the mouse. *Behavioural Brain Research*. doi. <https://www.sciencedirect.com/science/article/pii/S0166432817313888>

Abbasi, S., & Kumar, S. S. (2014). Regular-spiking cells in the presubiculum are hyperexcitable in a rat model of Temporal Lobe Epilepsy. *Journal of Neurophysiology*, jn. 00406.02014. doi.

Abbasi, S., & Kumart, S. S. (2013). Electrophysiological and morphological characterization of cells in superficial layers of rat presubiculum. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23365. <http://dx.doi.org/10.1002/cne.23365>

Abbott, S. B., Kanbar, R., Bochorishvili, G., Coates, M. B., Stornetta, R. L., & Guyenet, P. G. (2012). C1 neurons excite locus coeruleus and A5 noradrenergic neurons along with sympathetic outflow in rats. *Journal of Physiology*. doi.

Abbott, S. B. G., DePuy, S. D., Nguyen, T., Coates, M. B., Stornetta, R. L., & Guyenet, P. G. (2013). Selective Optogenetic Activation of Rostral Ventrolateral Medullary Catecholaminergic Neurons Produces Cardiorespiratory Stimulation in Conscious Mice. *Journal of Neuroscience*, 33(7), 3164-3177. doi: 10.1523/jneurosci.1046-12.2013. <http://www.jneurosci.org/content/33/7/3164.abstract>

Abbott, S. B. G., Holloway, B. B., Viar, K. E., & Guyenet, P. G. (2013). Vesicular glutamate transporter 2 is required for the respiratory and parasympathetic activation produced by optogenetic stimulation of catecholaminergic neurons in the rostral ventrolateral medulla of mice in vivo. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12421. <http://dx.doi.org/10.1111/ejn.12421>

Abbott, S. B. G., Stornetta, R. L., Coates, M. B., & Guyenet, P. G. (2011). Phox2b-Expressing Neurons of the Parafacial Region Regulate Breathing Rate, Inspiration, and Expiration in Conscious Rats. *Journal of Neuroscience*, 31(45), 16410-16422. doi: 10.1523/jneurosci.3280-11.2011. <http://www.jneurosci.org/content/31/45/16410.abstract>

Abbott, S. B. G., Stornetta, R. L., Fortuna, M. G., Depuy, S. D., West, G. H., Harris, T. E., & Guyenet, P. G. (2009). Photostimulation of Retrotrapezoid Nucleus Phox2b-Expressing Neurons In Vivo Produces Long-Lasting Activation of Breathing in Rats. *Journal of Neuroscience*, 29(18), 5806-5819. doi: 10.1523/jneurosci.1106-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/18/5806>

Abbott, S. B. G., Stornetta, R. L., Socolovsky, C. S., West, G. H., & Guyenet, P. G. (2009). Photostimulation of channelrhodopsin-2 expressing ventrolateral medullary neurons increases sympathetic nerve activity and blood pressure in rats. *Journal of Physiology*, 587(23), 5613-5631. doi.

Abdellah, M., Hernando, J., Eilemann, S., Lapere, S., Antille, N., Markram, H., & Schürmann, F. (2018). NeuroMorphoVis: a collaborative framework for analysis and visualization of neuronal morphology skeletons reconstructed from microscopy stacks. *Bioinformatics*, 34(13), i574-i582. doi: 10.1093/bioinformatics/bty231. <http://dx.doi.org/10.1093/bioinformatics/bty231>

Abdel-Rahman, A., Rao, M. S., & Shetty, A. K. (2004). Nestin expression in hippocampal astrocytes after injury depends on the age of the hippocampus. *Glia*, 47(4), 299-313. doi.

Abdolhoseini, M., Walker, F., & Johnson, S. (2016, 16-20 Aug. 2016). Automated tracing of microglia using multilevel thresholding and minimum spanning trees. Paper presented at the 2016 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC).

Abe, C., Inoue, T., Inglis, M. A., Viar, K. E., Huang, L., Ye, H., . . . Guyenet, P. G. (2017). C1 neurons mediate a stress-induced anti-inflammatory reflex in mice. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4526

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4526.html#suppl.....> <http://dx.doi.org/10.1038/nn.4526>

Abel, P. L., O'Brien, B. J., & Olavarria, J. F. (2000). Organization of callosal linkages in visual area V2 of macaque monkey. *Journal of Comparative Neurology*, 428(2), 278-293. doi.

Abel, T. W., & Rance, N. E. (1999). Proopiomelanocortin gene expression is decreased in the infundibular nucleus of postmenopausal women. *Molecular Brain Research*, 69(2), 202-208. doi.

Abel, T. W., Voytko, M. L., & Rance, N. E. (1999). The effects of hormone replacement therapy on hypothalamic neuropeptide gene expression in a primate model of menopause. *Journal of Clinical Endocrinology and Metabolism*, 84(6), 2111-2118. doi: <http://www.ncbi.nlm.nih.gov/pubmed/10372719>

Abelson, J. F., Kwan, K. Y., O'Roak, B. J., Baek, D. Y., Stillman, A. A., Morgan, T. M., . . . State, M. W. (2005). Sequence Variants in SLITRK1 Are Associated with Tourette's Syndrome. *Science*, 310(5746), 317-320. doi: 10.1126/science.1116502. <http://www.sciencemag.org/cgi/content/abstract/310/5746/317>

-

Ables, J. L., DeCarolis, N. A., Johnson, M. A., Rivera, P. D., Gao, Z., Cooper, D. C., . . . Eisch, A. J. (2010). Notch1 Is Required for Maintenance of the Reservoir of Adult Hippocampal Stem Cells. *Journal of Neuroscience*, 30(31), 10484-10492. doi: 10.1523/jneurosci.4721-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/31/10484>

Ábrahám, H., & Lázár, G. (2000). Early microglial reaction following mild forebrain ischemia induced by common carotid artery occlusion in rats. *Brain Research*, 862(1-2), 63-73. doi.

Abraham, H., & Meyer, G. (2003). Reelin-expressing neurons in the postnatal and adult human hippocampal formation. *Hippocampus*, 13(6), 715-727. doi.

Ábrahám, H., Orsi, G., & Seress, L. (2007). Ontogeny of cocaine- and amphetamine-regulated transcript (CART) peptide and calbindin immunoreactivity in granule cells of the dentate gyrus in the rat. *International Journal of Developmental Neuroscience*, 25(5), 265-274. doi.

Ábrahám, H., Richter, Z., Gyimesi, C., Horváth, Z., Janszky, J., Dóczi, T., & Seress, L. (2011). Degree and pattern of calbindin immunoreactivity in granule cells of the dentate gyrus differ in mesial temporal sclerosis, cortical malformation- and tumor-related epilepsies. *Brain Research*. doi.

Ábrahám, H., Somogyvari-Vigh, A., Maderdrut, J. L., Vigh, S., & Arimura, A. (2003). Rapidly activated microglial cells in the preoptic area may play a role in the generation of hyperthermia following occlusion of the middle cerebral artery in the rat. *Experimental Brain Research*, 153(1), 84-91. doi.

Ábrahám, H., Tornóczky, T., Kosztolányi, G., & Seress, L. (2001). Cell formation in the cortical layers of the developing human cerebellum. *International Journal of Developmental Neuroscience*, 19(1), 53-62. doi.

Ábrahám, H., Tornóczky, T., Kosztolányi, G., & Seress, L. (2004). Cell proliferation correlates with the postconceptual and not with the postnatal age in the hippocampal dentate gyrus, temporal neocortex and cerebellar cortex of preterm infants. *Early Human Development*, 78(1), 29-43. doi.

Abraham, H., Tóth, Z., Bari, F., Domoki, F., & Seress, L. (2005). Novel calretinin and reelin expressing neuronal population includes Cajal-Retzius-type cells in the neocortex of adult pigs. *Neuroscience*, 136(1), 217-230. doi.

Abulafia, D. P., de Rivero Vaccari, J. P., Lozano, J. D., Lotocki, G., Keane, R. W., & Dietrich, W. D. (2008). Inhibition of the inflammasome complex reduces the inflammatory response after thromboembolic stroke in mice. *Journal of Cerebral Blood Flow Metabolism*. doi: <http://dx.doi.org/10.1038/jcbfm.2008.143>

Abulafia, R., Zalkind, V., & Devor, M. (2009). Cerebral Activity during the Anesthesia-Like State Induced by Mesopontine Microinjection of Pentobarbital. *Journal of Neuroscience*, 29(21), 7053-7064. doi: 10.1523/jneurosci.1357-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/21/7053>

Acabchuk, R., Briggs, D. I., Angoa-Pérez, M., Powers, M., Wolferz, R., Soloway, M., . . . Conover, J. C. (2016). Repeated mild traumatic brain injury causes focal response in lateral septum and hippocampus. *Concussion*. doi: 10.2217/cnc-2015-0001. <http://dx.doi.org/10.2217/cnc-2015-0001>

Acabchuk, R. L., Sun, Y., Wolferz, J. R., Eastman, M. B., Lennington, J. B., Shook, B. A., . . . Conover, J. C. (2015). 3D Modeling of the Lateral Ventricles and Histological Characterization of Periventricular Tissue in Humans and Mouse. *JoVE*, (99), e52328. doi: 10.3791/52328. <http://www.jove.com/video/52328>

Aceti, M., Vetere, G., Novembre, G., Restivo, L., & Ammassari-Teule, M. (2015). Progression of activity and structural changes in the anterior cingulate cortex during remote memory formation. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2015.05.003>. <http://www.sciencedirect.com/science/article/pii/S1074742715000866>

Aceves, M., Bancroft, E., Aceves, A. R., & Hook, M. (2016). NorBNI blocks the adverse effects of morphine following spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4601. <http://dx.doi.org/10.1089/neu.2016.4601>

Aceves, M., Terminel, M. N., Okoreeh, A., Aceves, A. R., Ming Gong, Y., Polanco, A., . . . Hook, M. A. (2019). Morphine increases macrophages at the lesion site following spinal cord injury: Protective effects of minocycline. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.01.023>. <http://www.sciencedirect.com/science/article/pii/S0889159119300790>

Acker, C. D., & Antic, S. D. (2009). Quantitative assessment of the distributions of membrane conductances involved in action potential backpropagation along basal dendrites. *Journal of Neurophysiology*, 101(3), 1524-1541. doi:

Ackermann, J., Ashton, G., Lyons, S., James, D., Hornung, J. P., Jones, N., & Breitwieser, W. (2011). Loss of ATF2 function leads to cranial motoneuron degeneration during embryonic mouse development. *PLoS ONE*, 6(4), e19090-e19090. doi:

Ackley, M. A., Hurley, R. W., Virnich, D. E., & Hammond, D. L. (2001). A cellular mechanism for the antinociceptive effect of  $\kappa$  opioid receptor agonist. *Pain*, 91(3), 377-388. doi:

Acsady, L., Kamondi, A., Sik, A., Freund, T., & Buzsaki, G. (1998). GABAergic Cells Are the Major Postsynaptic Targets of Mossy Fibers in the Rat Hippocampus. *Journal of*



Neuroscience, 18(9), 3386-3403.

doi: <http://www.jneurosci.org/cgi/content/abstract/18/9/3386>

Adachi, K., Fujita, S., Yoshida, A., Sakagami, H., Koshikawa, N., & Kobayashi, M. (2012). Anatomical and electrophysiological mechanisms for asymmetrical excitatory propagation in the rat insular cortex: in vivo optical imaging and whole-cell patch-clamp studies. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23246. <http://dx.doi.org/10.1002/cne.23246>

Adams, V. L., Goodman, R. L., Salm, A. K., Coolen, L. M., Karsch, F. J., & Lehman, M. N. (2006). Morphological Plasticity in the Neural Circuitry Responsible for Seasonal Breeding in the Ewe. *Endocrinology*, 147(10), 4843-4851. doi: 10.1210/en.2006-0408. <http://endo.endojournals.org/cgi/content/abstract/147/10/4843>

Adar, E., Nottebohm, F., & Barnea, A. (2008). The Relationship between Nature of Social Change, Age, and Position of New Neurons and Their Survival in Adult Zebra Finch Brain. *Journal of Neuroscience*, 28(20), 5394-5400. doi: 10.1523/jneurosci.5706-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/20/5394>

Adesnik, H., Li, G., During, M. J., Pleasure, S. J., & Nicoll, R. A. (2008). NMDA receptors inhibit synapse unsilencing during brain development. *Proceedings of the National Academy of Sciences*, 105(14), 5597-5602. doi: 10.1073/pnas.0800946105. <http://www.pnas.org/cgi/content/abstract/105/14/5597>

Adkins, D. A. L., Bury, S. D., & Jones, T. A. (2002). Laminar-dependent dendritic spine alterations in the motor cortex of adult rats following callosal transection and forced forelimb use. *Neurobiology of Learning and Memory*, 78(1), 35-52. doi.

Adkins, D. A. L., Campos, P., Quach, D., Borromeo, M., Schallert, K., & Jones, T. A. (2006). Epidural cortical stimulation enhances motor function after sensorimotor cortical infarcts in rats. *Experimental Neurology*, 200(2), 356-370. doi.

Adkins, D. A. L., Hsu, J. E., & Jones, T. A. (2008). Motor cortical stimulation promotes synaptic plasticity and behavioral improvements following sensorimotor cortex lesions. *Experimental Neurology*, 212(1), 14-28. doi.

Adkins, D. A. L., & Jones, T. A. (2005). D-amphetamine enhances skilled reaching after ischemic cortical lesions in rats. *Neuroscience Letters*, 380(3), 214-218. doi.

Adler, S. M., Girotti, M., & Morilak, D. A. (2020). Optogenetically-induced long term depression in the rat orbitofrontal cortex ameliorates stress-induced reversal learning impairment. *Neurobiology of Stress*, 13, 100258. doi: <https://doi.org/10.1016/j.ynstr.2020.100258>. <http://www.sciencedirect.com/science/article/pii/S2352289520300485>

Adler, W. T., Platt, M. P., Mehlhorn, A. J., Haight, J. L., Currier, T. A., Etchegaray, M. A., . . . Rosen, G. D. (2013). Position of Neocortical Neurons Transfected at Different Gestational Ages with shRNA Targeted against Candidate Dyslexia Susceptibility Genes. *PLoS ONE*, 8(5),



e65179. doi:

10.1371/journal.pone.0065179. <http://dx.doi.org/10.1371%2Fjournal.pone.0065179>

Adolf, A., Leondaritis, G., Rohrbeck, A., Eickholt, B. J., Just, I., Ahnert-Hilger, G., & Höltje, M. (2016). The intermediate filament protein vimentin is essential for axonotrophic effects of Clostridium botulinum C3 exoenzyme. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13739. <http://dx.doi.org/10.1111/jnc.13739>

Advani, A., Connelly, K. A., Yuen, D. A., Zhang, Y., Advani, S. L., Trogadis, J., . . . others. (2011). Fluorescent Microangiography Is a Novel and Widely Applicable Technique for Delineating the Renal Microvasculature. *PLoS ONE*, 6(10), e24695-e24695. doi.

Afroz, S., Shen, H., & Smith, S. S. (2017).  $\alpha 4\beta\delta$  GABAA receptors reduce dendritic spine density in CA1 hippocampus and impair relearning ability of adolescent female mice: Effects of a GABA agonist and a stress steroid. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.01.051>. <http://www.sciencedirect.com/science/article/pii/S0306452217300714>

Agarwal, V. R., Sinton, C. M., Liang, C. L., Fisher, C., German, D. C., & Simpson, E. R. (2000). Upregulation of estrogen receptors in the forebrain of aromatase knockout (ArKO) mice. *Molecular and Cellular Endocrinology*, 162(1-2), 9-16. doi.

Agasse, F., Benzakour, O., Berjeaud, J.-M., Roger, M., & Coronas, V. (2006). Endogenous factors derived from embryonic cortex regulate proliferation and neuronal differentiation of postnatal subventricular zone cell cultures. *European Journal of Neuroscience*, 23(8), 1970-1976. doi: doi:10.1111/j.1460-9568.2006.04739.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04739.x>

Agasse, F., Mendez-David, I., Christaller, W., Carpentier, R., Braz, B. Y., David, D. J., . . . Humbert, S. (2020). Chronic Corticosterone Elevation Suppresses Adult Hippocampal Neurogenesis by Hyperphosphorylating Huntingtin. *Cell Reports*, 32(1), 107865. doi: <https://doi.org/10.1016/j.celrep.2020.107865>. <http://www.sciencedirect.com/science/article/pii/S2211124720308469>

Agasse, F., Nicoleau, C., Petit, J., Jaber, M., Roger, M., Benzakour, O., & Coronas, V. (2007). Evidence for a major role of endogenous fibroblast growth factor-2 in apoptotic cortex-induced subventricular zone cell proliferation. *European Journal of Neuroscience*, 26(11), 3036-3042. doi: doi:10.1111/j.1460-9568.2007.05915.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05915.x>

Agasse, F., Roger, M., & Coronas, V. (2004). Neurogenic and intact or apoptotic non-neurogenic areas of adult brain release diffusible molecules that differentially modulate the development of subventricular zone cell cultures. *European Journal of Neuroscience*, 19(6), 1459-1468. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0325...>

Ago, Y., Hayata-Takano, A., Kawanai, T., Yamauchi, R., Takeuchi, S., Cushman, J. D., . . . Waschek, J. A. (2017). Impaired extinction of cued fear memory and abnormal dendritic morphology in the prelimbic and infralimbic cortices in VPAC2 receptor (VIPR2)-deficient

mice. *Neurobiology of Learning and Memory*.

doi: <https://doi.org/10.1016/j.nlm.2017.10.010>. <http://www.sciencedirect.com/science/article/pii/S1074742717301624>

Agster, K. L., & Burwell, R. D. (2013). Hippocampal and subicular efferents and afferents of the perirhinal, postrhinal, and entorhinal cortices of the rat. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.07.005>. <http://www.sciencedirect.com/science/article/pii/S016643281300404X>

Aguiar, P., Sousa, M., & Szucs, P. (2013). Versatile Morphometric Analysis and Visualization of the Three-Dimensional Structure of Neurons. *Neuroinformatics*, 1-11. doi: 10.1007/s12021-013-9188-z. <http://dx.doi.org/10.1007/s12021-013-9188-z>

Aguiar, P., & Szucs, P. (2011). Detailed visualization and morphometric analysis of reconstructed neurons using Blender and Python. *BMC neuroscience*, 12(Suppl 1), P323-P323. doi.

Aguilar, J. R., & Castro-Alamancos, M. A. (2005). Spatiotemporal Gating of Sensory Inputs in Thalamus during Quiescent and Activated States. *Journal of Neuroscience*, 25, 10990-11002. doi.

Aguilar-Arredondo, A., & Zepeda, A. (2018). Memory retrieval-induced activation of adult-born neurons generated in response to damage to the dentate gyrus. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1664-7. <https://doi.org/10.1007/s00429-018-1664-7>

Ahlborn, P., Schachner, M., & Irintchev, A. (2007). One hour electrical stimulation accelerates functional recovery after femoral nerve repair. *Experimental Neurology*, 208(1), 137-144. doi.

Ahlfeld, J., Mustari, M., & Horn, A. K. E. (2011). Sources of calretinin inputs to motoneurons of extraocular muscles involved in upgaze. *Annals of the New York Academy of Sciences*, 1233(1), 91-99. doi: 10.1111/j.1749-6632.2011.06168.x. <http://dx.doi.org/10.1111/j.1749-6632.2011.06168.x>

Ahmad, A., Momenan, R., van Gelderen, P., Moriguchi, T., Greiner, R. S., Salem, J. R., & others. (2004). Gray and white matter brain volume in aged rats raised on n-3 fatty acid deficient diets. *Nutritional Neuroscience*, 7(1), 13-20. doi.

Ahmad, A., Moriguchi, T., & Salem, N. (2002). Decrease in neuron size in docosahexaenoic acid-deficient brain. *Pediatric Neurology*, 26(3), 210-218. doi.

Ahmad, A., & Spear, P. D. (1993). Effects of aging on the size, density, and number of rhesus monkey lateral geniculate neurons. *Journal of Comparative Neurology*, 334(4), 631-643. doi.

Ahmed, B., Cordery, P. M., McLelland, D., Bair, W., & Krug, K. (2012). Long-Range Clustered Connections within Extrastriate Visual Area V5/MT of the Rhesus Macaque. *Cerebral Cortex*, 22(1), 60-73. doi.

Ahn, S., Kim, T.-G., Kim, K.-S., & Chung, S. (2015). Differentiation of human pluripotent stem cells into medial ganglionic eminence vs. caudal ganglionic eminence cells. *Methods*. doi: <http://dx.doi.org/10.1016/j.ymeth.2015.09.009>. <http://www.sciencedirect.com/science/article/pii/S1046202315300815>

Ahnert-Hilger, G., Höltje, M., Grosse, G., Pickert, G., Mucke, C., Nixdorf-Bergweiler, B., . . . Just, I. (2004). Differential effects of Rho GTPases on axonal and dendritic development in hippocampal neurones. *Journal of Neurochemistry*, 90(1), 9-18. doi.

Ai, J., Epstein, P. N., Gozal, D., Yang, B., Wurster, R., & Cheng, Z. J. (2007). Morphology and topography of nucleus ambiguus projections to cardiac ganglia in rats and mice. *Neuroscience*, 149(4), 845-860. doi.

Ai, J., Gozal, D., Li, L., Wead, W. B., Chapleau, M. W., Wurster, R., . . . Cheng, Z. (2007). Degeneration of vagal efferent axons and terminals in cardiac ganglia of aged rats. *Journal of Comparative Neurology*, 504(1), 74-88. doi. <http://dx.doi.org/10.1002/cne.21431>

Ai, J., Wurster, R. D., Harden, S. W., & Cheng, Z. J. (2009). Vagal afferent innervation and remodeling in the aortic arch of young-adult fischer 344 rats following chronic intermittent hypoxia. *Neuroscience*, 164(2), 658-666. doi.

Aihara, S., Fujimoto, S., Sakaguchi, R., & Imai, T. (2021). BMPR-2 gates activity-dependent stabilization of primary dendrites during mitral cell remodeling. *Cell Reports*, 35(12), 109276. doi: <https://doi.org/10.1016/j.celrep.2021.109276>. <https://www.sciencedirect.com/science/article/pii/S2211124721006434>

Airado, C., Gómez, C., Recio, J. S., Baltanás, F. C., Weruaga, E., & Alonso, J. R. (2008). Zincergic innervation from the anterior olfactory nucleus to the olfactory bulb displays plastic responses after mitral cell loss. *Journal of Chemical Neuroanatomy*, 36(3-4), 197-208. doi.

Ajoy, R., Lo, Y.-C., Ho, M.-H., Chen, Y.-Y., Wang, Y., Chen, Y.-H., . . . Chou, S.-Y. (2021). CCL5 promotion of bioenergy metabolism is crucial for hippocampal synapse complex and memory formation. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01103-3. <https://doi.org/10.1038/s41380-021-01103-3>

Akashi, K., Kakizaki, T., Kamiya, H., Fukaya, M., Yamasaki, M., Abe, M., . . . Sakimura, K. (2009). NMDA receptor GluN2B (GluR2/NR2B) subunit is crucial for channel function, postsynaptic macromolecular organization, and actin cytoskeleton at hippocampal CA3 synapses. *Journal of Neuroscience*, 29(35), 10869-10882. doi.

Akers, K. G., Martinez-Canabal, A., Restivo, L., Yiu, A. P., De Cristofaro, A., Hsiang, H.-L. L., . . . Shoji, H. (2014). Hippocampal Neurogenesis Regulates Forgetting During Adulthood and Infancy. *Science*, 344(6184), 598-602. doi. <http://www.sciencemag.org/content/344/6184/598.short>

Akgül, G., Abebe, D., Yuan, X. Q., Auville, K., & McBain, C. J. (2019). The Role of AMPARs in the Maturation and Integration of Caudal Ganglionic Eminence-Derived Interneurons into Developing Hippocampal Microcircuits. *Scientific Reports*, 9(1), 5435. doi: 10.1038/s41598-019-41920-9. <https://doi.org/10.1038/s41598-019-41920-9>

Akhtar, M. W., Sanz-Blasco, S., Dolatabadi, N., Parker, J., Chon, K., Lee, M. S., . . . Lipton, S. A. (2016). Elevated glucose and oligomeric [beta]-amyloid disrupt synapses via a common pathway of aberrant protein S-nitrosylation. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms10242. <http://dx.doi.org/10.1038/ncomms10242>

Akyüz, N., Rost, S., Mehanna, A., Bian, S., Loers, G., Oezen, I., . . . Schachner, M. (2013). Dermatan 4-O-sulfotransferase1 ablation accelerates peripheral nerve regeneration. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.01.025>. <http://www.sciencedirect.com/science/article/pii/S0014488613000381>

Al Ghamdi, K. S., Polgár, E., & Todd, A. J. (2009). Soma size distinguishes projection neurons from neurokinin 1 receptor-expressing interneurons in lamina I of the rat lumbar spinal dorsal horn. *Neuroscience*, 164(4), 1794-1804. doi.

Alam, M. N., Kumar, S., Bashir, T., Suntsova, N., Methippara, M. M., Szymusiak, R., & McGinty, D. (2005). GABA-mediated control of hypocretin- but not melanin-concentrating hormone-immunoreactive neurones during sleep in rats. *Journal of Physiology*, 563(2), 569-582. doi: 10.1113/jphysiol.2004.076927. <http://jp.physoc.org/cgi/content/abstract/563/2/569>

Alberquilla, S., Gonzalez-Granillo, A., Martin, E. D., & Moratalla, R. (2019). Dopamine regulates spine density in striatal projection neurons in a concentration-dependent manner. *Neurobiology of Disease*, 104666. doi: <https://doi.org/10.1016/j.nbd.2019.104666>. <http://www.sciencedirect.com/science/article/pii/S0969996119303419>

Albrecht, P. J., Hines, S., Eisenberg, E., Pud, D., Finlay, D. R., Connolly, M. K., . . . Rice, F. L. (2006). Pathologic alterations of cutaneous innervation and vasculature in affected limbs from patients with complex regional pain syndrome. *Pain*, 120(3), 244-266. doi.

Albrecht, P. J., Hou, Q., Argoff, C. E., Storey, J. R., Wymer, J. P., & Rice, F. L. (2013). Excessive Peptidergic Sensory Innervation of Cutaneous Arteriole-Venule Shunts (AVS) in the Palmar Glabrous Skin of Fibromyalgia Patients: Implications for Widespread Deep Tissue Pain and Fatigue. *Pain Medicine*, n/a-n/a. doi: 10.1111/pme.12139. <http://dx.doi.org/10.1111/pme.12139>

Alçada-Morais, S., Gonçalves, N., Moreno-Juan, V., Andres, B., Ferreira, S., Marques, J. M., . . . Rodrigues, R. J. (2021). Adenosine A2A Receptors Contribute to the Radial Migration of Cortical Projection Neurons through the Regulation of Neuronal Polarization and Axon Formation. *Cerebral Cortex*, (bhab188). doi: 10.1093/cercor/bhab188. <https://doi.org/10.1093/cercor/bhab188>

Aleksic, D., Aksić, M., Divac, N., Radonjić, V., Filipović, B., & Jakovčevski, I. (2014). Thermomineral water promotes axonal sprouting but does not reduce glial scar formation in a mouse model of spinal cord injury. *Neural Regeneration Research*, 9(24), 2174. doi. <http://www.nrronline.org/citation.asp?issn=1673-5374;year=2014;volume=9...>

Alexander, T. C., Butcher, H., Krager, K., Kiffer, F., Groves, T., Wang, J., . . . Allen, A. R. (2018). Behavioral Effects of Focal Irradiation in a Juvenile Murine Model. *Radiation Research*, 0(0), null. doi: 10.1667/rr14847.1. <http://www.rjournal.org/doi/abs/10.1667/RR14847.1>

Alexander, T. C., Kiffer, F., Groves, T., Anderson, J., Wang, J., Hayar, A., . . . Allen, A. R. (2019). Effects of thioTEPA chemotherapy on cognition and motor coordination. *Synapse*, 0(ja). doi: doi:10.1002/syn.22085. <https://onlinelibrary.wiley.com/doi/abs/10.1002/syn.22085>

Alexander, T. C., Simecka, C. M., Kiffer, F., Groves, T., Anderson, J., Carr, H., . . . Allen, A. R. (2017). Changes in cognition and dendritic complexity following intrathecal methotrexate and cytarabine treatment in a juvenile murine model. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2017.12.008>. <https://www.sciencedirect.com/science/article/pii/S0166432817314122>

Ali, A. B., Deuchars, J., Pawelzik, H., & Thomson, A. M. (1998). CA1 pyramidal to basket and bistratified cell EPSPs: dual intracellular recordings in rat hippocampal slices. *Journal of Physiology*, 507(1), 201-217. doi. <http://jp.physoc.org/cgi/content/abstract/507/1/201>

Ali, A. B., Rossier, J., Staiger, J. F., & Audinat, E. (2001). Kainate receptors regulate unitary IPSCs elicited in pyramidal cells by fast-spiking interneurons in the neocortex. *Journal of Neuroscience*, 21(9), 2992-2992. doi.

Al-Khater, K. M., Kerr, R., & Todd, A. J. (2008). A quantitative study of spinothalamic neurons in laminae I, III, and IV in lumbar and cervical segments of the rat spinal cord. *Journal of Comparative Neurology*, 511(1), 1-18. doi.

Al-Khater, K. M., & Todd, A. J. (2009). Collateral projections of neurons in laminae I, III, and IV of rat spinal cord to thalamus, periaqueductal gray matter, and lateral parabrachial area. *Journal of Comparative Neurology*, 515(6), 629-646. doi.

Al-Kofahi, K. A., Can, A., Lasek, S., Szarowski, D. H., Dowell-Mesfin, N., Shain, W., . . . Roysam, B. (2003). Median-based robust algorithms for tracing neurons from noisy confocal microscope images. *Information Technology in Biomedicine, IEEE Transactions on*, 7(4), 302-317. doi.

Al-Kofahi, K. A., Lasek, S., Szarowski, D. H., Pace, C. J., Nagy, G., Turner, J. N., & Roysam, B. (2002). Rapid automated three-dimensional tracing of neurons from confocal image stacks. *Information Technology in Biomedicine, IEEE Transactions on*, 6(2), 171-187. doi.

Al-Kofahi, O., Can, A., Lasek, S., Szarowski, D. H., Turner, J. N., & Roysam, B. (2003). Algorithms for accurate 3D registration of neuronal images acquired by confocal scanning laser microscopy. *Journal of Microscopy*, 211(1), 8-18. doi: doi:10.1046/j.1365-2818.2003.01196.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1365-2818.2003.01196.x>

Alkondon, M., & Albuquerque, E. X. (2001). Nicotinic acetylcholine receptor  $\alpha 7$  and  $\alpha 4\beta 2$  subtypes differentially control GABAergic input to CA1 neurons in rat hippocampus. *Journal of Neurophysiology*, 86(6), 3043-3043. doi.

Alkondon, M., & Albuquerque, E. X. (2004). The nicotinic acetylcholine receptor subtypes and their function in the hippocampus and cerebral cortex. *Progress in Brain Research*, 145, 109-120. doi:

Alkondon, M., & Albuquerque, E. X. (2006). Subtype-Specific Inhibition of Nicotinic Acetylcholine Receptors by Choline: A Regulatory Pathway. *Journal of Pharmacology and Experimental Therapeutics*, 318(1), 268-275. doi: 10.1124/jpet.106.103135. <http://jpet.aspetjournals.org/cgi/content/abstract/318/1/268>

Alkondon, M., Aracava, Y., Pereira, E. F. R., & Albuquerque, E. X. (2009). A Single in Vivo Application of Cholinesterase Inhibitors Has Neuron Type-Specific Effects on Nicotinic Receptor Activity in Guinea Pig Hippocampus. *Journal of Pharmacology and Experimental Therapeutics*, 328(1), 69-82. doi: 10.1124/jpet.108.146068. <http://jpet.aspetjournals.org/cgi/content/abstract/328/1/69>

Alkondon, M., Braga, M. F. M., Pereira, E. F. R., Maelicke, A., & Albuquerque, E. X. (2000). Alpha-7 Nicotinic acetylcholine receptors and modulation of gabaergic synaptic transmission in the hippocampus. *European Journal of Pharmacology*, 393(1-3), 59-67. doi:

Alkondon, M., Pereira, E. F. R., & Albuquerque, E. X. (2003). NMDA and AMPA Receptors Contribute to the Nicotinic Cholinergic Excitation of CA1 Interneurons in the Rat Hippocampus. *Journal of Neurophysiology*, 90(3), 1613-1625. doi: 10.1152/jn.00214.2003. <http://jn.physiology.org/cgi/content/abstract/90/3/1613>

Alkondon, M., Pereira, E. F. R., & Albuquerque, E. X. (2007). Age-dependent changes in the functional expression of two nicotinic receptor subtypes in CA1 stratum radiatum interneurons in the rat hippocampus. *Biochemical Pharmacology*, 74(8), 1134-1144. doi:

Alkondon, M., Pereira, E. F. R., Almeida, L. E. F., Randall, W. R., & Albuquerque, E. X. (2000). Nicotine at concentrations found in cigarette smokers activates and desensitizes nicotinic acetylcholine receptors in CA1 interneurons of rat hippocampus. *Neuropharmacology*, 39(13), 2726-2739. doi:

Alkondon, M., Pereira, E. F. R., Eisenberg, H. M., & Albuquerque, E. X. (2000). Nicotinic Receptor Activation in Human Cerebral Cortical Interneurons: a Mechanism for Inhibition and Disinhibition of Neuronal Networks. *Journal of Neuroscience*, 20(1), 66-75. doi: <http://www.jneurosci.org/cgi/content/abstract/20/1/66>

Alkondon, M., Pereira, E. F. R., Eisenberg, H. M., Kajii, Y., Schwarcz, R., & Albuquerque, E. X. (2011). Age Dependency of Inhibition of  $\alpha 7$  Nicotinic Receptors and Tonically Active N-Methyl-d-aspartate Receptors by Endogenously Produced Kynurenic Acid in the Brain. *Journal of Pharmacology and Experimental Therapeutics*, 337(3), 572-582. doi: 10.1124/jpet.110.177386. <http://jpet.aspetjournals.org/content/337/3/572.abstract>

Alkondon, M., Pereira, E. F. R., Potter, M. C., Kauffman, F. C., Schwarcz, R., & Albuquerque, E. X. (2007). Strain-Specific Nicotinic Modulation of Glutamatergic Transmission in the CA1 Field of the Rat Hippocampus: August Copenhagen Irish Versus Sprague-Dawley. *Journal of Neurophysiology*, 97(2), 1163-1170. doi: 10.1152/jn.01119.2006. <http://jn.physiology.org/cgi/content/abstract/97/2/1163>



Alkondon, M., Pereira, E. F. R., Yu, P., Arruda, E. Z., Almeida, L. E. F., Guidetti, P., . . . Albuquerque, E. X. (2004). Targeted Deletion of the Kynurenine Aminotransferase II Gene Reveals a Critical Role of Endogenous Kynurenic Acid in the Regulation of Synaptic Transmission via  $\alpha 7$  Nicotinic Receptors in the Hippocampus. *Journal of Neuroscience*, 24(19), 4635-4648. doi: <http://www.jneurosci.org/cgi/content/abstract/24/19/4635>

Allen, A. G., Worell, S. D., Nwazo, G. C., Madrid, R., Dampier, W., Nonnemacher, M. R., & Wigdahl, B. (2019). Abstracts of the 16th International Symposium on NeuroVirology November 12-16, 2019 Atlanta, GA, USA. *Journal of Neurovirology*. doi: 10.1007/s13365-019-00807-1. <https://doi.org/10.1007/s13365-019-00807-1>

Allen, K., Potvin, O., Dore, F. Y., & Goulet, S. (2004). Modulation of the impairment of hippocampectomized rats on the radial-arm maze cue task by visual characteristics and subicular damage. *Behavioral Neuroscience*, 118(6), 1214-1214. doi.

Allen, K., Potvin, O., Thibaudeau, G., Doré, F. Y., & Goulet, S. (2007). Processing idiothetic cues to remember visited locations: Hippocampal and vestibular contributions to radial-arm maze performance. *Hippocampus*, 17(8), 642-653. doi.

Allene, C., Picardo, M. A., Becq, H., Miyoshi, G., Fishell, G., & Cossart, R. (2012). Dynamic Changes in Interneuron Morphophysiological Properties Mark the Maturation of Hippocampal Network Activity. *Journal of Neuroscience*, 32(19), 6688-6698. doi: 10.1523/jneurosci.0081-12.2012. <http://www.jneurosci.org/content/32/19/6688.abstract>

Allman, B. L., Bittencourt-Navarrete, R. E., Keniston, L. P., Medina, A. E., Wang, M. Y., & Meredith, M. A. (2008). Do Cross-Modal Projections Always Result in Multisensory Integration? *Cerebral Cortex*, bhm230. doi: 10.1093/cercor/bhm230. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhm230v1>

-

Allman, B. L., Keniston, L. P., & Meredith, M. A. (2009). Adult deafness induces somatosensory conversion of ferret auditory cortex. *Proceedings of the National Academy of Sciences*, 106(14), 5925-5930. doi: 10.1073/pnas.0809483106. <http://www.pnas.org/content/106/14/5925.abstract>

Allred, R. P., Adkins, D. A. L., Woodlee, M. T., Husbands, L. C., Maldonado, M. A., Kane, J. R., . . . Jones, T. A. (2008). The vermicelli handling test: a simple quantitative measure of dexterous forepaw function in rats. *Journal of Neuroscience Methods*, 170(2), 229-244. doi.

Allred, R. P., Cappellini, C. H., & Jones, T. A. (2010). The "good" limb makes the "bad" limb worse: Experience-dependent interhemispheric disruption of functional outcome after cortical infarcts in rats. *Behavioral Neuroscience*, 124(1), 124-124. doi.

Allred, R. P., & Jones, T. A. (2004). Unilateral ischemic sensorimotor cortical damage in female rats: forelimb behavioral effects and dendritic structural plasticity in the contralateral homotopic cortex. *Experimental Neurology*, 190(2), 433-445. doi.

Allred, R. P., & Jones, T. A. (2008). Maladaptive effects of learning with the less-affected forelimb after focal cortical infarcts in rats. *Experimental Neurology*, 210(1), 172-181. doi.



Allred, R. P., Maldonado, M. A., & Jones, T. A. (2005). Training the "less-affected" forelimb after unilateral cortical infarcts interferes with functional recovery of the impaired forelimb in rats. *Restorative Neurology and Neuroscience*, 23(5), 297-302. doi.

Almog, M., & Korngreen, A. (2014). A Quantitative Description of Dendritic Conductances and Its Application to Dendritic Excitation in Layer 5 Pyramidal Neurons. *Journal of Neuroscience*, 34(1), 182-196. doi. <http://www.jneurosci.org/content/34/1/182.abstract>

Al-Mosawie, A., Wilson, J. M., & Brownstone, R. M. (2007). Heterogeneity of V2-derived interneurons in the adult mouse spinal cord. *European Journal of Neuroscience*, 26(11), 3003-3015. doi: doi:10.1111/j.1460-9568.2007.05907.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05907.x>

Alonso, M., Medina, J. H., & Pozzo-Miller, L. (2004). ERK1/2 activation is necessary for BDNF to increase dendritic spine density in hippocampal CA1 pyramidal neurons. *Learning and Memory*, 11(2), 172-178. doi.

Alpár, A., Ueberham, U., Brückner, M. K., Seeger, G., Arendt, T., & Gärtner, U. (2006). Different dendrite and dendritic spine alterations in basal and apical arbors in mutant human amyloid precursor protein transgenic mice. *Brain Research*, 1099(1), 189-198. doi.

Alpár, A., Gärtner, U., Seeger, G., Härtig, W., Brauer, K., & Arendt, T. (2004). Constitutive expression of p21H-rasVal12 in pyramidal neurons results in reorganization of mouse neocortical afferents. *Journal of Neurobiology*, 60(3), 263-274. doi.

Alpár, A., Künzle, H., Gärtner, U., Popkova, Y., Bauer, U., Grosche, J., . . . Härtig, W. (2010). Slow age-dependent decline of doublecortin expression and BrdU labeling in the forebrain from lesser hedgehog tenrecs. *Brain Research*, 1330, 9-19. doi.

Alpár, A., Naumann, N., Arendt, T., & Gärtner, U. (2009). Constitutively enhanced p21Ras activity amplifies dendritic remodeling of hippocampal neurons during physical activity. *International Journal of Developmental Neuroscience*, 27(4), 407-411. doi.

Alpar, A., Naumann, N., Härtig, W., Arendt, T., & Gärtner, U. (2008). Enhanced Ras activity preserves dendritic size and extension as well as synaptic contacts of neurons after functional deprivation in synRas mice. *European Journal of Neuroscience*, 27(12), 3083-3094. doi.

Alpár, A., Naumann, N., Ueberham, U., Arendt, T., & Gärtner, U. (2009). Deprivation-induced dendritic shrinkage might be oppositely affected by the expression of wild-type and mutated human amyloid precursor protein. *Journal of Neuroscience Research*, 87(8), 1813-1822. doi.

Alpar, A., Palm, K., Schierwagen, A., Arendt, T., & Gärtner, U. (2003). Expression of constitutively active p21H-rasVal12 in postmitotic pyramidal neurons results in increased dendritic size and complexity. *Journal of Comparative Neurology*, 467(1), 119-133. doi.

Alpár, A., Ueberham, U., Brückner, M. K., Arendt, T., & Gärtner, U. (2006). The expression of wild-type human amyloid precursor protein affects the dendritic phenotype of neocortical

pyramidal neurons in transgenic mice. *International Journal of Developmental Neuroscience*, 24(2), 133-140. doi.

Alpár, A., Ueberham, U., Lendvai, D., Naumann, N., Rohn, S., Gáti, G., . . . Gartner, U. (2011). Activity-induced dendrite and dendritic spine development in human amyloid precursor protein transgenic mice. *International Journal of Developmental Neuroscience*. doi.

Alpar, A., Ueberham, U., Seeger, G., Arendt, T., & Gartner, U. (2007). Effects of wild-type and mutant human amyloid precursor protein on cortical afferent network. *NeuroReport*, 18(12), 1247-1250. doi.

Alqudah, S., Chertoff, M., Durham, D., Moskovitz, J., Staecker, H., & Peppi, M. (2018). Methionine Sulfoxide Reductase A Knockout Mice Show Progressive Hearing Loss and Sensitivity to Acoustic Trauma. *Audiology and Neurotology*, 23(1), 20-31. doi. <https://www.karger.com/DOI/10.1159/000488276>

Altemus, K. L., Lavenex, P., Ishizuka, N., & Amaral, D. G. (2005). Morphological characteristics and electrophysiological properties of CA1 pyramidal neurons in macaque monkeys. *Neuroscience*, 136(3), 741-756. doi.

Alvandi, M. S., Bourmpoula, M., Homberg, J. R., & Fathollahi, Y. (2017). Association of contextual cues with morphine reward increases neural and synaptic plasticity in the ventral hippocampus of rats. *Addiction Biology*, n/a-n/a. doi: 10.1111/adb.12547. <http://dx.doi.org/10.1111/adb.12547>

Alvarado, J. A., Dhande, O. S., Prosseda, P. P., Kowal, T. J., Ning, K., Jabbehdari, S., . . . Sun, Y. (2020). Developmental Distribution of Primary Cilia in the Retinofugal Visual Pathway. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25029. <https://doi.org/10.1002/cne.25029>

Alvarado, J. C., Fuentes-Santamaria, V., Franklin, S. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2005). Unilateral cochlear ablation in adult ferrets results in upregulation in calretinin immunostaining in the central nucleus of the inferior colliculus. *Neuroscience*, 136(3), 957-969. doi.

Alvarado, J. C., Fuentes-Santamaria, V., Henkel, C. K., & Brunso-Bechtold, J. K. (2004). Alterations in calretinin immunostaining in the ferret superior olivary complex after cochlear ablation. *Journal of Comparative Neurology*, 470(1), 63-79. doi.

Alvarez, F. J., Bullinger, K. L., Titus, H. E., Nardelli, P., & Cope, T. C. (2010). Permanent reorganization of Ia afferent synapses on motoneurons after peripheral nerve injuries. *Annals of the New York Academy of Sciences*, 1198(1), 231-241. doi.

Alvarez, F. J., Titus-Mitchell, H. E., Bullinger, K. L., Kraszpulski, M., Nardelli, P., & Cope, T. C. (2011). Permanent central synaptic disconnection of proprioceptors after nerve injury and regeneration. I. Loss of VGLUT1/IA synapses on motoneurons. *Journal of Neurophysiology*, 106(5), 2450-2470. doi: 10.1152/jn.01095.2010. <http://jn.physiology.org/content/106/5/2450.abstract>

Alves, M. J., Goksel, M., Kaya, B., Mostafa, H., Gygli, P., Stephens, J., . . . Czeisler, C. M. (2018). CCNA2 Ablation in Aged Mice Results in Abnormal rRNA Granule Accumulation in Hippocampus. *The American journal of pathology*. doi: <https://doi.org/10.1016/j.ajpath.2018.10.020>. <http://www.sciencedirect.com/science/article/pii/S000294401830381X>

Amateau, S. K., & McCarthy, M. M. (2002). A Novel Mechanism of Dendritic Spine Plasticity Involving Estradiol Induction of Prostaglandin-E2. *Journal of Neuroscience*, 22, 8586-8596. doi.

Amateau, S. K., & McCarthy, M. M. (2002). Sexual Differentiation of Astrocyte Morphology in the Developing Rat Preoptic Area. *Journal of Neuroendocrinology*, 14(11), 904. doi.

Amateau, S. K., & McCarthy, M. M. (2004). Induction of PGE2 by estradiol mediates developmental masculinization of sex behavior. *Nature Neuroscience*, 7, 643-650. doi.

Ambalavanar, R., Tanaka, Y., Selbie, W. S., & Ludlow, C. L. (2004). Neuronal Activation in the Medulla Oblongata During Selective Elicitation of the Laryngeal Adductor Response. *Journal of Neurophysiology*, 92(5), 2920-2932. doi: 10.1152/jn.00064.2004. <http://jn.physiology.org/cgi/content/abstract/92/5/2920>

Ambros-Ingerson, J., & Holmes, W. R. (2005). Analysis and comparison of morphological reconstructions of hippocampal field CA1 pyramidal cells. *Hippocampus*, 15(3), 302-315. doi.

Ambrus, A., Kraftsik, R., & Barakat-Walter, I. (1998). Ontogeny of calretinin expression in rat dorsal root ganglia. *Developmental Brain Research*, 106(1-2), 101-108. doi.

Amegandjin, C. A., Choudhury, M., Jadhav, V., Carriço, J. N., Quintal, A., Berryer, M., . . . Di Cristo, G. (2021). Sensitive period for rescuing parvalbumin interneurons connectivity and social behavior deficits caused by TSC1 loss. *Nature Communications*, 12(1), 3653. doi: 10.1038/s41467-021-23939-7. <https://doi.org/10.1038/s41467-021-23939-7>

Amendola, J., & Durand, J. (2008). Morphological differences between wild-type and transgenic superoxide dismutase 1 lumbar motoneurons in postnatal mice. *Journal of Comparative Neurology*, 511(3), 329-341. doi.

Amendola, J., Gueritaud, J. P., Lamotte D'Incamps, B., Bories, C., Liabeuf, S., Allene, C., . . . Durand, J. (2007). Postnatal electrical and morphological abnormalities in lumbar motoneurons from transgenic mouse models of amyotrophic lateral sclerosis. *Archives Italiennes de Biologie*, 145(3), 311-323. doi.

Amitai, Y., Gibson, J. R., Beierlein, M., Patrick, S. L., Ho, A. M., Connors, B. W., & Golomb, D. (2002). The Spatial Dimensions of Electrically Coupled Networks of Interneurons in the Neocortex. *Journal of Neuroscience*, 22(10), 4142-4152. doi. <http://www.jneurosci.org/cgi/content/abstract/22/10/4142>

Ammari, R., Lopez, C., Bioulac, B., Garcia, L., & Hammond, C. (2010). Subthalamic nucleus evokes similar long lasting glutamatergic excitations in pallidal, entopeduncular and nigral neurons in the basal ganglia slice. *Neuroscience*, 166(3), 808-818. doi.

Amran, M. Y., Fujii, J., Suzuki, S. O., Kolling, G. L., Villanueva, S. Y. A. M., Kainuma, M., . . . Yoshida, S.-i. (2013). Investigation of Encephalopathy Caused by Shiga Toxin 2c-Producing Escherichia coli Infection in Mice. *PLoS ONE*, 8(3), e58959. doi: 10.1371/journal.pone.0058959. <http://dx.doi.org/10.1371%2Fjournal.pone.0058959>

An, J. J., Gharami, K., Liao, G. Y., Woo, N. H., Lau, A. G., Vanevski, F., . . . others. (2008). Distinct role of long 3' UTR BDNF mRNA in spine morphology and synaptic plasticity in hippocampal neurons. *Cell*, 134(1), 175-187. doi.

Anastassiou, C. A., Perin, R., Buzsaki, G., Markram, H., & Koch, C. (2015). Cell-type- and activity-dependent extracellular correlates of intracellular spiking. [10.1152/jn.00628.2014]. *Journal of Neurophysiology*. doi. <http://jn.physiology.org/content/early/2015/05/14/jn.00628.2014.abstract>

Andersen, B. (2019). Coupled Microglia Response in the Brainstem Following Lingual Nerve Transection in Sprague-Dawley Rats. doi. <https://digitalcommons.unomaha.edu/srcaf/2019/Schedule/163/>

Anderson, B. (1995). Dendrites and cognition: A negative pilot study in the rat. *Intelligence*, 20(3), 291-308. doi.

Anderson, B., & Harvey, T. (1996). Alterations in cortical thickness and neuronal density in the frontal cortex of Albert Einstein. *Neuroscience Letters*, 210(3), 161-164. doi.

Anderson, B., & Rutledge, V. (1996). Age and hemisphere effects on dendritic structure. *Brain*, 119(6), 1983-1990. doi.

Anderson, J. E., Trujillo, M., McElroy, T., Groves, T., Alexander, T., Kiffer, F., & Allen, A. R. (2019). Early effects of Cyclophosphamide, Methotrexate, and 5-fluorouracil on neuronal morphology and hippocampal-dependent behavior in a murine model. *Toxicological Sciences*. doi: 10.1093/toxsci/kfz213. <https://doi.org/10.1093/toxsci/kfz213>

Anderson, K., Bones, B., Robinson, B., Hass, C., Lee, H., Ford, K., . . . Jacobs, B. (2009). The morphology of supragranular pyramidal neurons in the human insular cortex: a quantitative Golgi study. *Cerebral Cortex*, 19(9), 2131-2144. doi.

Anderson, K., Bones, B., Robinson, B., Hass, C., Lee, H., Ford, K., . . . Jacobs, B. (2009). The Morphology of Supragranular Pyramidal Neurons in the Human Insular Cortex: A Quantitative Golgi Study. *Cerebral Cortex*, bhn234. doi: 10.1093/cercor/bhn234. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn234v1>

Anderson, K., Yamamoto, E., Kaplan, J., Hannan, M., & Jacobs, B. (2010). NeuroLucida Lucivid versus NeuroLucida camera: A quantitative and qualitative comparison of three-dimensional neuronal reconstructions. *Journal of Neuroscience Methods*, 186(2), 209-214. doi.

Anderson, L. A., Malmierca, M. S., Wallace, M. N., & Palmer, A. R. (2006). Evidence for a direct, short latency projection from the dorsal cochlear nucleus to the auditory thalamus in the guinea pig. *European Journal of Neuroscience*, 24(2), 491-498. doi: doi:10.1111/j.1460-

9568.2006.04930.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04930.x>

Anderson, L. A., Wallace, M. N., & Palmer, A. R. (2007). Identification of subdivisions in the medial geniculate body of the guinea pig. *Hearing Research*, 228(1), 156-167. doi.

Anderson, M. A., Burda, J. E., Ren, Y., Ao, Y., O'Shea, T. M., Kawaguchi, R., . . . Sofroniew, M. V. (2016). Astrocyte scar formation aids central nervous system axon regeneration. [Article]. *Nature*, advance online publication. doi: 10.1038/nature17623

<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature17623.html#.....http://dx.doi.org/10.1038/nature17623>

Anderson, M. A., O'Shea, T. M., Burda, J. E., Ao, Y., Barlatey, S. L., Bernstein, A. M., . . . Sofroniew, M. V. (2018). Required growth facilitators propel axon regeneration across complete spinal cord injury. *Nature*. doi: 10.1038/s41586-018-0467-6. <https://doi.org/10.1038/s41586-018-0467-6>

Anderson, R. M., Birnie, A. K., Koblesky, N. K., Romig-Martin, S. A., & Radley, J. J. (2014). Adrenocortical Status Predicts the Degree of Age-Related Deficits in Prefrontal Structural Plasticity and Working Memory. *The Journal of Neuroscience*, 34(25), 8387-8397. doi. <http://www.jneurosci.org/content/34/25/8387.short>

Anderson, R. M., Glanz, R. M., Johnson, S. B., Miller, M. M., Romig-Martin, S., & Radley, J. J. (2016). Prolonged corticosterone exposure induces dendritic spine remodeling and attrition in the rat medial prefrontal cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24019. <http://dx.doi.org/10.1002/cne.24019>

Anderson, R. M., Johnson, S. B., Lingg, R. T., Hinz, D. C., Romig-Martin, S. A., & Radley, J. J. (2019). Evidence for Similar Prefrontal Structural and Functional Alterations in Male and Female Rats Following Chronic Stress or Glucocorticoid Exposure. *Cerebral Cortex*. doi: 10.1093/cercor/bhz092. <https://doi.org/10.1093/cercor/bhz092>

Anderson, W., Newson, P., Skeri, M., Janssen, N., Milne, S., Yip, J., . . . Chahl, L. A. (2011). Effect of subchronic administration of tachykinin antagonists on response of guinea-pigs to mild and severe stress. *Regulatory Peptides*. doi.

Andersson, C., Rajala, T., & Särkkä, A. (2017). Hierarchical models for epidermal nerve fiber data. *Statistics in Medicine*, n/a-n/a. doi: 10.1002/sim.7516. <http://dx.doi.org/10.1002/sim.7516>

Andersson, E. R., Prakash, N., Cajanek, L., Minina, E., Bryja, V., Bryjova, L., . . . Arenas, E. (2008). Wnt5a regulates ventral midbrain morphogenesis and the development of A9-A10 dopaminergic cells in vivo. *PLoS ONE*, 3(10), e3517-e3517. doi.

ANDEZ, L. Z. D. B., & EIDEN, L. (2017). SUBCORTICAL HOMEOSTATIC CIRCUITRY MODULATES BRAIN WAVES AND BEHAVIORAL ADAPTATION: RELEVANCE FOR THE EMERGING MULTIDISCIPLINE OF SOCIAL NEUROSCIENCE. *Mathematical Biology and*

Biological Physics, 204.

doi: [https://books.google.com/books?hl=en&lr=lang\\_en&id=vlcvDwAAQBAJ&oi=fnd&p...](https://books.google.com/books?hl=en&lr=lang_en&id=vlcvDwAAQBAJ&oi=fnd&p...)

Andiman, S. E., Haynes, R. L., Trachtenberg, F. L., Billiards, S. S., Folkerth, R. D., Volpe, J. J., & Kinney, H. C. (2010). The cerebral cortex overlying periventricular leukomalacia: analysis of pyramidal neurons. *Brain Pathology*, 20(4), 803-814. doi.

Andjelic, S., Gallopin, T., Cauli, B., Hill, E. L., Roux, L., Badr, S., . . . Lambolez, B. (2008). Glutamatergic non-pyramidal neurons from neocortical layer VI and their comparison with pyramidal and spiny stellate neurons. *Journal of Neurophysiology*, 91094.92008. doi: 10.1152/jn.91094.2008. <http://jn.physiology.org/cgi/content/abstract/91094.2008v1>

Andjelkovic, A., Nikolic, B., Pachter, J., & Zecevic, N. (1998). Macrophages/microglial cells in human central nervous system during development: an immunohistochemical study. *Brain Research*, 814, 13 - 25. doi.

Andjus, P. R., Zhu, L., Cesa, R., Carulli, D., & Strata, P. (2003). A change in the pattern of activity affects the developmental regression of the Purkinje cell polyinnervation by climbing fibers in the rat cerebellum. *Neuroscience*, 121(3), 563-572. doi.

Ando, K., Laborde, Q., Brion, J.-P., & Duyckaerts, C. (2018). Chapter 21 - 3D imaging in the postmortem human brain with CLARITY and CUBIC. In I. Huitinga & M. J. Webster (Eds.), *Handbook of Clinical Neurology* (Vol. 150, pp. 303-317): Elsevier.

Andolina, D., Di Segni, M., Bisicchia, E., D'Alessandro, F., Cestari, V., Ventura, A., . . . Ventura, R. (2016). Effects of lack of microRNA-34 on the neural circuitry underlying the stress response and anxiety. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.03.044>. <http://www.sciencedirect.com/science/article/pii/S0028390816301162>

Andorfer, C., Acker, C. M., Kress, Y., Hof, P. R., Duff, K., & Davies, P. (2005). Cell-Cycle Reentry and Cell Death in Transgenic Mice Expressing Nonmutant Human Tau Isoforms. *Journal of Neuroscience*, 25(22), 5446-5454. doi: 10.1523/jneurosci.4637-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/22/5446>

André, C., Guzman-Quevedo, O., Rey, C., Rémus-Borel, J., Clark, S., Castellanos-Jankiewicz, A., . . . Cota, D. (2016). Inhibiting Microglia Expansion Prevents Diet-induced Hypothalamic and Peripheral Inflammation. [10.2337/db16-0586]. *Diabetes*. doi: <http://diabetes.diabetesjournals.org/content/early/2016/11/30/db16-0586...>

Andreassen, O. A., Ferrante, R. J., Hughes, D. B., Klivenyi, P., Dedeoglu, A., Ona, V. O., . . . Beal, M. F. (2000). Malonate and 3-Nitropropionic Acid Neurotoxicity Are Reduced in Transgenic Mice Expressing a Caspase-1 Dominant-Negative Mutant. *Journal of Neurochemistry*, 75(2), 847-852. doi: <http://www.jneurochem.org/cgi/content/abstract/75/2/847>

Andressoo, J. O., Mitchell, J. R., de Wit, J., Hoogstraten, D., Volker, M., Toussaint, W., . . . others. (2006). An Xpd mouse model for the combined xeroderma pigmentosum/Cockayne syndrome exhibiting both cancer predisposition and segmental progeria. *Cancer Cell*, 10(2), 121-132. doi.



Andrew, R. G., Changiz, G., & Sultan, D. (2018). The Cholinergic System in the Basal Forebrain of the Atlantic White-Sided Dolphin (*Lagenorhynchus acutus*). *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24460. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24460>

Andrey, P., & Maurin, Y. (2005). Free-D: an integrated environment for three-dimensional reconstruction from serial sections. *Journal of Neuroscience Methods*, 145(1-2), 233-244. doi.

Andrioli, A., Alonso-Nanclares, L., Arellano, J. I., & DeFelipe, J. (2007). Quantitative analysis of parvalbumin-immunoreactive cells in the human epileptic hippocampus. *Neuroscience*, 149(1), 131-143. doi.

ANGELUCCI, G. S. F. F. A. (2018). Scaling Big Data Neuroscience: From Interactive Analytics to HPC Platforms. *Big Data and HPC: Ecosystem and Convergence*, 33, 53. doi: [https://books.google.com/books?hl=en&lr=lang\\_en&id=Yo1xDwAAQBAJ&oi=fnd&p...](https://books.google.com/books?hl=en&lr=lang_en&id=Yo1xDwAAQBAJ&oi=fnd&p...)

Angiari, C., Ferrarini, M., Taioli, F., Cavallaro, T., Fabrizi, G. M., & Rizzuto, N. (2004). Charcot-marie-tooth disease type 1: novel cases and novel mutations detected by DHPLC. *Journal of the Peripheral Nervous System*, 9(2), 122-122. doi.

Angulo, M. C., Staiger, J. F., Rossier, J., & Audinat, E. (2003). Distinct Local Circuits Between Neocortical Pyramidal Cells and Fast-Spiking Interneurons in Young Adult Rats. *Journal of Neurophysiology*, 89(2), 943-953. doi: 10.1152/jn.00750.2002. <http://jn.physiology.org/cgi/content/abstract/89/2/943>

Anilkumar, S., Patel, D., de Boer, S. F., Chattarji, S., & Buwalda, B. (2021). Decreased dendritic spine density in posterodorsal medial amygdala neurons of proactive coping rats. *Behavioural Brain Research*, 397, 112940. doi: <https://doi.org/10.1016/j.bbr.2020.112940>. <http://www.sciencedirect.com/science/article/pii/S0166432820306392>

Annamneedi, A., Caliskan, G., Müller, S., Montag, D., Budinger, E., Angenstein, F., . . . Stork, O. (2018). Ablation of the presynaptic organizer Bassoon in excitatory neurons retards dentate gyrus maturation and enhances learning performance. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1692-3. <https://doi.org/10.1007/s00429-018-1692-3>

Anselmi, L., Bove, C., Coleman, F. H., Le, K., Subramanian, M. P., Venkiteswaran, K., . . . Travagli, R. A. (2018). Ingestion of subthreshold doses of environmental toxins induces ascending Parkinsonism in the rat. *npj Parkinson's Disease*, 4(1), 30. doi: 10.1038/s41531-018-0066-0. <https://doi.org/10.1038/s41531-018-0066-0>

Anselmi, L., Toti, L., Bove, C., Hampton, J., & Travagli, R. A. (2017). A Nigro-Vagal Pathway Controls Gastric Motility and is Affected in a Rat Model of Parkinsonism. *Gastroenterology*. doi: <https://doi.org/10.1053/j.gastro.2017.08.069>. <http://www.sciencedirect.com/science/article/pii/S0016508517361383>

Anselmi, L., Toti, L., Bove, C., Hampton, J., & Travagli, R. A. (2017). A Nigro-Vagal Pathway Controls Gastric Motility and Is Affected in a Rat Model of Parkinsonism. *Gastroenterology*, 153(6), 1581-1593.



doi: <https://doi.org/10.1053/j.gastro.2017.08.069>. <http://www.sciencedirect.com/science/article/pii/S0016508517361383>

Ansorge, J., Humanes-Valera, D., Pausin, F. P., Schwarz, M. K., & Krieger, P. (2020). Cortical layer 6 control of sensory responses in higher-order thalamus. *The Journal of Physiology*, n/a(n/a). doi: 10.1113/jp279915. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP279915>

Anstötz, M., Cosgrove, K., Hack, I., Mugnaini, E., Maccaferri, G., & Lübke, J. R. (2013). Morphology, input–output relations and synaptic connectivity of Cajal–Retzius cells in layer 1 of the developing neocortex of CXCR4–EGFP mice. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-013-0627-2. <http://dx.doi.org/10.1007/s00429-013-0627-2>

Anstötz, M., Fiske, M. P., & Maccaferri, G. (2021). Impaired KCC2 Function Triggers Interictal-Like Activity Driven by Parvalbumin-Expressing Interneurons in the Isolated Subiculum In Vitro. *Cerebral Cortex*, (bhab115). doi: 10.1093/cercor/bhab115. <https://doi.org/10.1093/cercor/bhab115>

Anstötz, M., Huang, H., Marchionni, I., Haumann, I., Maccaferri, G., & Lübke, J. H. R. (2015). Developmental Profile, Morphology, and Synaptic Connectivity of Cajal–Retzius Cells in the Postnatal Mouse Hippocampus. *Cerebral Cortex*. doi: 10.1093/cercor/bhv271. <http://cercor.oxfordjournals.org/content/early/2015/11/18/cercor.bhv271...>

Anstötz, M., Karsak, M., & Rune, G. M. (2018). Integrity of Cajal–Retzius cells in the reeler-mouse hippocampus. *Hippocampus*, o(ja). doi: doi:10.1002/hipo.23049. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23049>

Anstötz, M., Lee, S. K., Neblett, T. I., Rune, G. M., & Maccaferri, G. (2017). Experience-Dependent Regulation of Cajal–Retzius Cell Networks in the Developing and Adult Mouse Hippocampus. *Cerebral Cortex*, 1-16. doi: <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1...>

Antal, M., Eyre, M., Finklea, B., & Nusser, Z. (2006). External tufted cells in the main olfactory bulb form two distinct subpopulations. *European Journal of Neuroscience*, 24(4), 1124-1136. doi: doi:10.1111/j.1460-9568.2006.04988.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04988.x>

Antic, S. D. (2003). Action potentials in basal and oblique dendrites of rat neocortical pyramidal neurons. *Journal of Physiology*, 550(1), 35-50. doi: 10.1113/jphysiol.2002.033746. <http://jp.physoc.org/cgi/content/abstract/550/1/35>

Anton-Sanchez, L., Bielza, C., Larrañaga, P., & DeFelipe, J. (2016). Wiring Economy of Pyramidal Cells in the Juvenile Rat Somatosensory Cortex. *PLoS ONE*, 11(11), e0165915. doi: 10.1371/journal.pone.0165915. <http://dx.doi.org/10.1371%2Fjournal.pone.0165915>

Antonucci, F., Cerri, C., Vetencourt, J. F., & Caleo, M. (2010). Acute neuroprotection by the synaptic blocker botulinum neurotoxin E in a rat model of focal cerebral ischaemia. *Neuroscience*, 169(1), 395-401. doi.

Antzoulatos, E., Jakowec, M. W., Petzinger, G. M., & Wood, R. I. (2011). MPTP Neurotoxicity and Testosterone Induce Dendritic Remodeling of Striatal Medium Spiny Neurons in the C57BL/6 Mouse. *Parkinson's Disease*, 2011. doi:

Anwar, H., Hepburn, I., Nedelcsu, H., Chen, W., & De Schutter, E. (2013). Stochastic Calcium Mechanisms Cause Dendritic Calcium Spike Variability. *Journal of Neuroscience*, 33(40), 15848-15867. doi: 10.1523/jneurosci.1722-13.2013. <http://www.jneurosci.org/content/33/40/15848.abstract>

Aoki, C. (2016). Synaptic changes in the hippocampus of adolescent female rodents associated with resilience to anxiety and suppression of food restriction-evoked hyperactivity in an animal model for anorexia nervosa. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.01.019>. <http://www.sciencedirect.com/science/article/pii/S0006899316000329>

Aoki, S., Coulon, P., & Ruigrok, T. J. H. (2017). Multizonal Cerebellar Influence Over Sensorimotor Areas of the Rat Cerebral Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhx343. <http://dx.doi.org/10.1093/cercor/bhx343>

Apa, K. L. (2017). Foliate Taste Bud Volume Following Chorda Tympani Nerve Injury in Rats. doi: <http://digitalcommons.unomaha.edu/srcaf/2017/schedule/79/>

Apicella, A. J., Wickersham, I. R., Seung, H. S., & Shepherd, G. M. G. (2012). Laminarly Orthogonal Excitation of Fast-Spiking and Low-Threshold-Spiking Interneurons in Mouse Motor Cortex. *Journal of Neuroscience*, 32(20), 7021-7033. doi: 10.1523/jneurosci.0011-12.2012. <http://www.jneurosci.org/content/32/20/7021.abstract>

Apolloni, S., Amadio, S., Montilli, C., Volonté, C., & D'Ambrosi, N. (2013). Ablation of P2X7 receptor exacerbates gliosis and motoneuron death in the SOD1-G93A mouse model of amyotrophic lateral sclerosis. *Human Molecular Genetics*. doi: 10.1093/hmg/ddt259. <http://hmg.oxfordjournals.org/content/early/2013/06/03/hmg.ddt259.abstract>

Apolloni, S., Fabbrizio, P., Amadio, S., & Volonté, C. (2016). Actions of the antihistaminergic clemastine on presymptomatic SOD1-G93A mice ameliorate ALS disease progression. [journal article]. *Journal of Neuroinflammation*, 13(1), 1-15. doi: 10.1186/s12974-016-0658-8. <http://dx.doi.org/10.1186/s12974-016-0658-8>

Apolloni, S., Fabbrizio, P., Parisi, C., Amadio, S., & Volonté, C. (2014). Clemastine Confers Neuroprotection and Induces an Anti-Inflammatory Phenotype in SOD1G93A Mouse Model of Amyotrophic Lateral Sclerosis. *Molecular Neurobiology*, 1-14. doi: 10.1007/s12035-014-9019-8. <http://dx.doi.org/10.1007/s12035-014-9019-8>

Apostolova, I., Irintchev, A., & Schachner, M. (2006). Tenascin-R Restricts Posttraumatic Remodeling of Motoneuron Innervation and Functional Recovery after Spinal Cord Injury in Adult Mice. *Journal of Neuroscience*, 26(30), 7849-7859. doi: 10.1523/jneurosci.1526-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/30/7849>

Aprile, I., Stalberg, E., Caliandro, P., Pazzaglia, C., Tonali, P., Foschini, M., . . . Padua, L. (2004). New neurophysiological findings on skin receptors or intradermal nerve endings after repetitive capsaicin application. *Journal of the Peripheral Nervous System*, 9(2), 109-110. doi: doi:10.1111/j.1085-9489.2004.009209s.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Arango, V., Underwood, M. D., & Mann, J. J. (1996). Fewer pigmented locus coeruleus neurons in suicide victims: preliminary results. *Biological Psychiatry*, 39(2), 112-120. doi.

Arango, V., Underwood, M. D., Pauler, D. K., Kass, R. E., & Mann, J. J. (1996). Differential Age-Related Loss of Pigmented Locus Coeruleus Neurons in Suicides, Alcoholics, and Alcoholic Suicides. *Alcoholism: Clinical and Experimental Research*, 20(7), 1141-1148. doi.

Araya-Callis, C., Hiemke, C., Abumaria, N., & Flugge, G. (2012). Chronic psychosocial stress and citalopram modulate the expression of the glial proteins GFAP and NDRG2 in the hippocampus. *Psychopharmacology*, 1-14. doi.

Ardeshipour, F., Hurliman, E., Wendelschafer-Crabb, G., & et al. (2017). Comparison of neurovascular characteristics of facial skin in patients after primary and revision rhytidectomies. *JAMA Facial Plastic Surgery*. doi: 10.1001/jamafacial.2017.0007. <http://dx.doi.org/10.1001/jamafacial.2017.0007>

Arellano, J. I., Benavides-Piccione, R., DeFelipe, J., & Yuste, R. (2007). Ultrastructure of dendritic spines: correlation between synaptic and spine morphologies. *Frontiers in Neuroscience*, 1(1), 131-131. doi.

Arellano, J. I., Espinosa, A., Fairén, A., Yuste, R., & DeFelipe, J. (2007). Non-synaptic dendritic spines in neocortex. *Neuroscience*, 145(2), 464-469. doi.

Arendt, T., Bender, K. J., Rangel, J., & Feldman, D. E. (2003). Development of Columnar Topography in the Excitatory Layer 4 to Layer 2/3 Projection in Rat Barrel Cortex. *Journal of Neuroscience*, 23(25), 8759-8770 \* 8759. doi.

Arévalo-Serrano, J., Sanz-Anquela, J. M., & Gonzalo-Ruiz, A. (2008). Beta-amyloid peptide-induced modifications in  $\alpha 7$  nicotinic acetylcholine receptor immunoreactivity in the hippocampus of the rat: Relationship with GABAergic and calcium-binding proteins perikarya. *Brain Research Bulletin*, 75(5), 533-544. doi.

Argue, K. J., VanRyzin, J. W., Falvo, D. J., Whitaker, A. R., Yu, S. J., & McCarthy, M. M. (2017). Activation of both CB1 and CB2 endocannabinoid receptors are critical for masculinization of the developing medial amygdala and juvenile social play behavior. [10.1523/ENEURO.0344-16.2017]. *eneuro*. doi: <http://eneuro.org/content/early/2017/01/16/ENEURO.0344-16.2017.abstract>

Ariatti, A., Cappelli, G., Suozzi, R., & Galassi, G. (2004). Neuromuscular complications of jejunoileal shunt for morbid obesity: case report and literature review. *Journal of the Peripheral Nervous System*, 9(2), 116-117. doi: doi:10.1111/j.1085-9489.2004.009209ao.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

- Ariel, M., Ward, K. C., & Tolbert, D. L. (2009). Topography of Purkinje Cells and Other Calbindin-Immunoreactive Cells Within Adult and Hatchling Turtle Cerebellum. *The Cerebellum*. doi.
- Arisi, G. M., & Garcia-Cairasco, N. (2006). Hippocampal doublecortin-positive granular neurons have abnormal dendritic morphology in the temporal lobe epilepsy pilocarpine model. *Journal of Epilepsy and Clinical Neurophysiology*, 12(3), 135-138. doi.
- Arisi, G. M., & Garcia-Cairasco, N. (2006). A proliferação de neurônios granulares hipocampais aumenta e os dendritos dos novos neurônios são anormais no modelo experimental de ELT induzida por pilocarpina. *Journal of Epilepsy and Clinical Neurophysiology*, 12(3), 135-138. doi.
- Arisi, G. M., & Garcia-Cairasco, N. (2007). Doublecortin-positive newly born granule cells of hippocampus have abnormal apical dendritic morphology in the pilocarpine model of temporal lobe epilepsy. *Brain Research*, 1165, 126-134. doi.
- Arisi, G. M., Ruch, M., Foresti, M. L., Mukherjee, S., Ribak, C. E., & Shapiro, L. A. (2011). Astrocyte Alterations in the Hippocampus Following Pilocarpine-induced Seizures in Aged Rats. *Aging and Disease*, 2(4), 294-300. doi.
- Ariza, J., Hurtado, J., Rogers, H., Ikeda, R., Dill, M., Steward, C., . . . Martínez-Cerdeño, V. (2017). Maternal autoimmune antibodies alter the dendritic arbor and spine numbers in the infragranular layers of the cortex. *PLoS ONE*, 12(8), e0183443. doi. <https://www.ncbi.nlm.nih.gov/pubmed/28820892>
- Ariza, J., Rogers, H., Hashemi, E., Noctor, S. C., & Martínez-Cerdeño, V. (2016). The Number of Chandelier and Basket Cells Are Differentially Decreased in Prefrontal Cortex in Autism. *Cerebral Cortex*. doi: 10.1093/cercor/bhw349. <http://cercor.oxfordjournals.org/content/early/2016/11/23/cercor.bhw349...>
- Armañanzas, R., & Ascoli, G. A. (2015). Towards the automatic classification of neurons. *Trends in Neurosciences*, (0). doi: <http://dx.doi.org/10.1016/j.tins.2015.02.004>, <http://www.sciencedirect.com/science/article/pii/S016622361500034X>
- Armelle, R., Jeanne, L., Quentin, P., Hélène, G., Isabelle, F., Tania, V., & Jean, R. (2010). Degenerative abnormalities in transgenic neocortical neuropeptide Y interneurons expressing tau-green fluorescent protein. *Journal of Neuroscience Research*, 88(3), 487-499. doi. <http://dx.doi.org/10.1002/jnr.22234>
- Arnott, R. H., Wallace, M. N., Shackleton, T. M., & Palmer, A. R. (2004). Onset neurones in the anteroventral cochlear nucleus project to the dorsal cochlear nucleus. *JARO-Journal of the Association for Research in Otolaryngology*, 5, 153-170. doi.
- Aroniadou, V. A., & Keller, A. (1993). The patterns and synaptic properties of horizontal intracortical connections in the rat motor cortex. *Journal of Neurophysiology*, 70(4), 1553-1569. doi.

Aroniadou-Anderjaska, V., & Keller, A. (1996). Intrinsic inhibitory pathways in mouse barrel cortex. *NeuroReport*, 7, 2363-2368. doi.

Arrant, A. E., Filiano, A. J., Warmus, B. A., Hall, A. M., & Roberson, E. D. (2016). Progranulin haploinsufficiency causes biphasic social dominance abnormalities in the tube test. *Genes, Brain and Behavior*, n/a-n/a. doi: 10.1111/gbb.12300. <http://dx.doi.org/10.1111/gbb.12300>

Arruda-Carvalho, M., Restivo, L., Guskjolen, A., Epp, J. R., Elgersma, Y., Josselyn, S. A., & Frankland, P. W. (2014). Conditional Deletion of  $\alpha$ -CaMKII Impairs Integration of Adult-Generated Granule Cells into Dentate Gyrus Circuits and Hippocampus-Dependent Learning. *The Journal of Neuroscience*, 34(36), 11919-11928. doi: <http://www.jneurosci.org/content/34/36/11919.short>

Arslan, E., Garip, I. C., Gulseren, G., Tekinay, A. B., & Guler, M. O. (2014). Bioactive Supramolecular Peptide Nanofibers for Regenerative Medicine. *Advanced Healthcare Materials*, n/a-n/a. doi: 10.1002/adhm.201300491. <http://dx.doi.org/10.1002/adhm.201300491>

Arsznov, B. M., Lundrigan, B. L., Holekamp, K. E., & Sakai, S. T. (2010). Sex and the frontal cortex: a developmental CT study in the spotted hyena. *Brain, Behavior and Evolution*, 76(3-4), 185-197. doi.

Arszovszki, A., Borhegyi, Z., & Klausberger, T. (2014). Three axonal projection routes of individual pyramidal cells in the ventral CA1 hippocampus. [Original Research]. *Frontiers in Neuroanatomy*, 8. doi: 10.3389/fnana.2014.00053. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy..>

Artinian, J., Peret, A., Mircheva, Y., Marti, G., & Crépel, V. (2015). Impaired neuronal operation through aberrant intrinsic plasticity in epilepsy. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24348. <http://dx.doi.org/10.1002/ana.24348>

Arvola, O., Kaidonis, G., Xu, L., Griffiths, B., & Stary, C. M. (2019). Hippocampal sub-regional differences in the microRNA response to forebrain ischemia. *Molecular and Cellular Neuroscience*. doi: <https://doi.org/10.1016/j.mcn.2019.05.003>. <http://www.sciencedirect.com/science/article/pii/S1044743118304032>

Arzt, M., Sakmann, B., & Meyer, H. S. (2017). Anatomical Correlates of Local, Translaminar, and Transcolumnar Inhibition by Layer 6 GABAergic Interneurons in Somatosensory Cortex. *Cerebral Cortex*, 1(12). doi: <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1...>

Asai, H., Ozaki, N., Shinoda, M., Nagamine, K., Tohnai, I., Ueda, M., & Sugiura, Y. (2005). Heat and mechanical hyperalgesia in mice model of cancer pain. *Pain*, 117(1-2), 19-29. doi.

Asante, C. O., & Martin, J. H. (2013). Differential Joint-Specific Corticospinal Tract Projections within the Cervical Enlargement. *PLoS ONE*, 8(9), e74454. doi: 10.1371/journal.pone.0074454. <http://dx.doi.org/10.1371%2Fjournal.pone.0074454>

Asboth, L., Friedli, L., Beauparlant, J., Martinez-Gonzalez, C., Anil, S., Rey, E., . . . Courtine, G. (2018). Cortico-reticulo-spinal circuit reorganization enables functional recovery after severe spinal cord contusion. *Nature Neuroscience*, 21(4), 576-588. doi: 10.1038/s41593-018-0093-5. <https://doi.org/10.1038/s41593-018-0093-5>

Aschenbeck, K. A., Hordinsky, M. K., Kennedy, W. R., Wendelschafer-Crabb, G., Ericson, M. E., Kavand, S., . . . Panoutsopoulou, I. G. (2018). Neuromodulatory treatment of recalcitrant plaque psoriasis with onabotulinumtoxinA. *Journal of the American Academy of Dermatology*, 79(6), 1156-1159. doi: 10.1016/j.jaad.2018.07.058. <https://doi.org/10.1016/j.jaad.2018.07.058>

Ascoli, G. A. (1999). Progress and perspectives in computational neuroanatomy. *The Anatomical Record*, 257(6), 195-207. doi.

Ascoli, G. A. (2002). Neuroanatomical algorithms for dendritic modelling. *Network: Computation in Neural Systems*, 13(3), 247-260. doi.

Ascoli, G. A. (2006). Mobilizing the base of neuroscience data: the case of neuronal morphologies. *Nature Reviews Neuroscience*, 7, 318-324. doi.

Ascoli, G. A. (2007). Successes and rewards in sharing digital reconstructions of neuronal morphology. *Neuroinformatics*, 5(3), 154-160. doi.

Ascoli, G. A., Brown, K. M., Calixto, E., Card, J. P., Galvan, E. J., Perez-Rosello, T., & Barrionuevo, G. (2009). Quantitative morphometry of electrophysiologically identified CA3b interneurons reveals robust local geometry and distinct cell classes. *Journal of Comparative Neurology*, 515(6), 677-695. doi.

Ascoli, G. A., Donohue, D. E., & Halavi, M. (2007). NeuroMorpho.Org: A Central Resource for Neuronal Morphologies. *Journal of Neuroscience*, 27(35), 9247-9251. doi: 10.1523/jneurosci.2055-07.2007. <http://www.jneurosci.org>

Ascoli, G. A., & Krichmar, J. L. (2000). L-Neuron: a modeling tool for the efficient generation and parsimonious description of dendritic morphology. *Neurocomputing*, 32, 1003-1011. doi.

Ascoli, G. A., Krichmar, J. L., Nasuto, S. J., & Senft, S. L. (2001). Generation, description and storage of dendritic morphology data. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 356(1412), 1131-1145. doi.

Ascoli, G. A., & Scorcioni, R. (2006). Neuron and network modeling. *Neuroanatomical Tract-Tracing* 3, 604-630. doi.

Ashaber, M., Pálfi, E., Friedman, R. M., Palmer, C., Jáklí, B., Chen, L. M., . . . Négyessy, L. (2013). Connectivity of somatosensory cortical area 1 form an anatomical substrate for the emergence of multifinger receptive fields and complex feature selectivity in the squirrel monkey (*Saimiri sciureus*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23499. <http://dx.doi.org/10.1002/cne.23499>



Atherton, J. F., Wokosin, D. L., Ramanathan, S., & Bevan, M. D. (2008). Autonomous initiation and propagation of action potentials in neurons of the subthalamic nucleus. *Journal of Physiology*, *jphysiol.2008.155861*. doi: 10.1113/jphysiol.2008.155861. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.155861v1>

Atkins, C. M., Cepero, M. L., Kang, Y., Liebl, D. J., & Dietrich, W. D. (2012). Effects of rolipram on histopathological outcome after controlled cortical impact injury in mice. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.10.019. <http://www.sciencedirect.com/science/article/pii/S0304394012013766>

Atkins, C. M., Kang, Y., Furones, C., Truettner, J. S., Alonso, O. F., & Dietrich, W. D. (2012). Postinjury treatment with rolipram increases hemorrhage after traumatic brain injury. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23069. <http://dx.doi.org/10.1002/jnr.23069>

Atkins, C. M., Oliva, A. A., Alonso, O. F., Chen, S., Bramlett, H. M., Hu, B.-R., & Dietrich, W. D. (2007). Hypothermia treatment potentiates ERK1/2 activation after traumatic brain injury. *European Journal of Neuroscience*, *26*(4), 810-819. doi: doi:10.1111/j.1460-9568.2007.05720.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05720.x>

Atkins, C. M., Oliva Jr, A. A., Alonso, O. F., Pearse, D. D., Bramlett, H. M., & Dietrich, W. D. (2007). Modulation of the cAMP signaling pathway after traumatic brain injury. *Experimental Neurology*, *208*(1), 145-158. doi.

Atkins, C. M., Truettner, J. S., Lotocki, G., Sanchez-Molano, J., Kang, Y., Alonso, O. F., . . . Bramlett, H. M. (2010). Post-traumatic seizure susceptibility is attenuated by hypothermia therapy. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2010.07467.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07467.x>

Atkinson, R. A. K., Fair, H. L., Wilson, R., Vickers, J. C., & King, A. E. (2021). Effects of TDP-43 overexpression on neuron proteome and morphology in vitro. *Molecular and Cellular Neuroscience*, *114*, 103627. doi: <https://doi.org/10.1016/j.mcn.2021.103627>. <https://www.sciencedirect.com/science/article/pii/S1044743121000403>

Au - Economides, G., Au - Falk, S., & Au - Mercer, A. (2018). Biocytin Recovery and 3D Reconstructions of Filled Hippocampal CA2 Interneurons. *JoVE*, (141), e58592. doi: doi:10.3791/58592. <https://www.jove.com/video/58592>

Aubrecht, T. G., Weil, Z. M., & Nelson, R. J. (2014). Melatonin treatment during early life interacts with restraint to alter neuronal morphology and provoke depressive-like responses. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.01.025>. <http://www.sciencedirect.com/science/article/pii/S0166432814000394>



Aungst, J. L., Heyward, P. M., Puche, A. C., Karnup, S. V., Hayar, A., Szabo, G., & Shipley, M. T. (2003). Centre-surround inhibition among olfactory bulb glomeruli. *Nature*, 426, 323-329. doi.

Ausdenmoore, B. D., Markwell, Z. A., & Ladle, D. R. (2011). Localization of presynaptic inputs on dendrites of individually labeled neurons in three dimensional space using a center distance algorithm. *Journal of Neuroscience Methods*. doi.

Austgen, J. R., Fong, A. Y., Foley, C. M., Mueller, P. J., Kline, D. D., Heesch, C. M., & Hasser, E. M. (2009). Expression of group I metabotropic glutamate receptors on phenotypically different cells within the nucleus of the solitary tract in the rat. *Neuroscience*, 159(2), 701-716. doi.

Austin, J. E., & Buckmaster, P. S. (2004). Recurrent excitation of granule cells with basal dendrites and low interneuron density and inhibitory postsynaptic current frequency in the dentate gyrus of macaque monkeys. *Journal of Comparative Neurology*, 476(3), 205-218. doi.

Austin, M. C., Rice, P. M., Mann, J. J., & Arango, V. (1995). Localization of corticotropin-releasing hormone in the human locus coeruleus and pedunculo-pontine tegmental nucleus: an immunocytochemical and in situ hybridization study. *Neuroscience*, 64(3), 713-727. doi.

Avallone, J., Gashi, E., Magrys, B., & Friedman, L. K. (2006). Distinct regulation of metabotropic glutamate receptor (mGluR1 alpha) in the developing limbic system following multiple early-life seizures. *Experimental Neurology*, 202(1), 100-111. doi.

Averaimo, S., Gritti, M., Barini, E., Gasparini, L., & Mazzanti, M. (2014). CLIC1 functional expression is required for cAMP-induced neurite elongation in postnatal mouse retinal ganglion cells. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12832. <http://dx.doi.org/10.1111/jnc.12832>

Averbeck, B. B., Lehman, J., Jacobson, M., & Haber, S. N. (2014). Estimates of Projection Overlap and Zones of Convergence within Frontal-Striatal Circuits. *The Journal of Neuroscience*, 34(29), 9497-9505. doi. <http://www.jneurosci.org/content/34/29/9497.short>

Avermann, M., Tomm, C., Mateo, C., Gerstner, W., & Petersen, C. C. H. (2012). Microcircuits of excitatory and inhibitory neurons in layer 2/3 of mouse barrel cortex. *Journal of Neurophysiology*. doi: 10.1152/jn.00917.2011. <http://jn.physiology.org/content/early/2012/03/02/jn.00917.2011.abstract>

Avior, Y., Ron, S., Kroitorou, D., Albeldas, C., Lerner, V., Corneo, B., . . . Cohen Solal, T. (2021). Depression patient-derived cortical neurons reveal potential biomarkers for antidepressant response. *Translational Psychiatry*, 11(1), 201. doi: 10.1038/s41398-021-01319-5. <https://doi.org/10.1038/s41398-021-01319-5>

Avramescu, S., Nita, D. A., & Timofeev, I. (2009). Neocortical post-traumatic epileptogenesis is associated with loss of GABAergic neurons. *Journal of Neurotrauma*, 26(5), 799-812. doi.

Awad, P. N., Amegandjin, C. A., Szczurkowska, J., Carriço, J. N., Fernandes do Nascimento, A. S., Baho, E., . . . Di Cristo, G. (2018). KCC2 Regulates Dendritic Spine Formation in a Brain-Region Specific and BDNF Dependent Manner. *Cerebral Cortex*, bhy198-bhy198. doi: 10.1093/cercor/bhy198. <http://dx.doi.org/10.1093/cercor/bhy198>

Awad, P. N., Sanon, N. T., Chattopadhyaya, B., Carriço, J. N., Ouardouz, M., Gagné, J., . . . Di Cristo, G. (2016). Reducing premature KCC2 expression rescues seizure susceptibility and spine morphology in atypical febrile seizures. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.02.014>. <http://www.sciencedirect.com/science/article/pii/S0969996116300353>

Awasaki, T., & Ito, K. (2004). Engulfing Action of Glial Cells Is Required for Programmed Axon Pruning during *Drosophila* Metamorphosis. *Current Biology*, 14(8), 668-677. doi.

Axelrod, C. J., Laberge, F., & Robinson, B. W. (2018). Intraspecific brain size variation between coexisting sunfish ecotypes. [10.1098/rspb.2018.1971]. *Proceedings of the Royal Society B: Biological Sciences*, 285(1890). doi: <http://rspb.royalsocietypublishing.org/content/285/1890/20181971.abstract>

Ayata, P., Badimon, A., Strasburger, H. J., Duff, M. K., Montgomery, S. E., Loh, Y.-H. E., . . . Schaefer, A. (2018). Epigenetic regulation of brain region-specific microglia clearance activity. *Nature Neuroscience*, 21(8), 1049-1060. doi: 10.1038/s41593-018-0192-3. <https://doi.org/10.1038/s41593-018-0192-3>

Ayoub, A. E., & Salm, A. K. (2003). Increased Morphological Diversity of Microglia in the Activated Hypothalamic Supraoptic Nucleus. *Journal of Neuroscience*, 23(21), 7759-7766. doi: <http://www.jneurosci.org/cgi/content/abstract/23/21/7759>

Aytan, N., Choi, J.-K., Carreras, I., Crabtree, L., Nguyen, B., Lehar, M., . . . Dedeoglu, A. (2018). Protective effects of 7,8-dihydroxyflavone on neuropathological and neurochemical changes in a mouse model of Alzheimer's disease. *European Journal of Pharmacology*. doi: <https://doi.org/10.1016/j.ejphar.2018.02.045>. <https://www.sciencedirect.com/science/article/pii/S0014299918301304>

Azan, G., Low, W. C., Wendelschafer-Crabb, G., Ikramuddin, S., & Kennedy, W. R. (2011). Evidence for neural progenitor cells in the human adult enteric nervous system. *Cell and Tissue Research*, 1-9. doi.

Azim, K., Fiorelli, R., Zweifel, S., Hurtado-Chong, A., Yoshikawa, K., Slomianka, L., & Raineteau, O. (2012). 3-Dimensional Examination of the Adult Mouse Subventricular Zone Reveals Lineage-Specific Microdomains. *PLoS ONE*, 7(11), e49087. doi: 10.1371/journal.pone.0049087. <http://dx.doi.org/10.1371%2Fjournal.pone.0049087>

Azim, K., Zweifel, S., Klaus, F., Yoshikawa, K., Amrein, I., & Raineteau, O. (2012). Early Decline in Progenitor Diversity in the Marmoset Lateral Ventricle. *Cerebral Cortex*. doi: 10.1093/cercor/bhs085. <http://cercor.oxfordjournals.org/content/early/2012/04/03/cercor.bhs085>...

Ba, Q., Cui, C., Wen, L., Feng, S., Zhou, J., & Yang, K. (2015). Schisandrin B shows neuroprotective effect in 6-OHDA-induced Parkinson's disease via inhibiting the negative modulation of miR-34a on Nrf2 pathway. *Biomedicine and Pharmacotherapy*. doi: <http://dx.doi.org/10.1016/j.biopha.2015.07.034>. <http://www.sciencedirect.com/science/article/pii/S075333221500178X>

Babic, T., Bhagat, R., Wan, S., Browning, K. N., Snyder, M., Fortna, S. R., & Travagli, R. A. (2012). Role of the vagus in the reduced pancreatic exocrine function in copper-deficient rats. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 304(4), G437-G448. doi: <https://www.physiology.org/doi/full/10.1152/ajpgi.00402.2012>

Bacci, A., Rudolph, U., Huguenard, J. R., & Prince, D. A. (2003). Major Differences in Inhibitory Synaptic Transmission onto Two Neocortical Interneuron Subclasses. *Journal of Neuroscience*, 23(29), 9664-9674. doi: <http://www.jneurosci.org/cgi/content/abstract/23/29/9664>

Bachmann, C., Nguyen, H., Rosenbusch, J., Pham, L., Rabe, T., Patwa, M., . . . Tuoc, T. (2016). mSWI/SNF (BAF) Complexes Are Indispensable for the Neurogenesis and Development of Embryonic Olfactory Epithelium. *PLoS Genet*, 12(9), e1006274. doi: 10.1371/journal.pgen.1006274. <http://dx.doi.org/10.1371%2Fjournal.pgen.1006274>

Bachmann, L. C., Lindau, N. T., Felder, P., & Schwab, M. E. (2014). Sprouting of Brainstem-Spinal Tracts in Response to Unilateral Motor Cortex Stroke in Mice. *The Journal of Neuroscience*, 34(9), 3378-3389. doi: <http://www.jneurosci.org/content/34/9/3378.short>

Bacigaluppi, M., Russo, G. L., Peruzzotti-Jametti, L., Rossi, S., Sandrone, S., Butti, E., . . . Martino, G. (2016). Neural Stem Cell Transplantation Induces Stroke Recovery by Upregulating Glutamate Transporter GLT-1 in Astrocytes. [10.1523/JNEUROSCI.1643-16.2016]. *The Journal of Neuroscience*, 36(41), 10529. doi: <http://www.jneurosci.org/content/36/41/10529.abstract>

Badura, A., Schonewille, M., Voges, K., Galliano, E., Renier, N., Gao, Z., . . . De Zeeuw, Chris I. (2013). Climbing Fiber Input Shapes Reciprocity of Purkinje Cell Firing. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.03.018>. <http://www.sciencedirect.com/science/article/pii/S0896627313002651>

Bae, M. H., Bissonette, G. B., Mars, W. M., Michalopoulos, G. K., Achim, C. L., Depireux, D. A., & Powell, E. M. (2010). Hepatocyte growth factor (HGF) modulates GABAergic inhibition and seizure susceptibility. *Experimental Neurology*, 221(1), 129-135. doi.

Bagley, J., LaRocca, G., Jimenez, D., & Urban, N. (2007). Adult neurogenesis and specific replacement of interneuron subtypes in the mouse main olfactory bulb. *BMC Neuroscience*, 8(1), 92. doi: <http://www.biomedcentral.com/1471-2202/8/92>

Bagnall, M. W., Bushong, E. A., Ellisman, M. H., Scanziani, M., & others. (2011). Multiple clusters of release sites formed by individual thalamic afferents onto cortical interneurons ensure reliable transmission. *Neuron*, 71(1), 180-194. doi.

Bagnall, M. W., Zingg, B., Sakatos, A., Moghadam, S. H., Zeilhofer, H. U., & Lac, S. d. (2009). Glycinergic Projection Neurons of the Cerebellum. *Journal of Neuroscience*, 29(32), 10104-10110. doi: 10.1523/jneurosci.2087-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/32/10104>

Baharnoori, M., Brake, W. G., & Srivastava, L. K. (2009). Prenatal immune challenge induces developmental changes in the morphology of pyramidal neurons of the prefrontal cortex and hippocampus in rats. *Schizophrenia Research*, 107(1), 99-109. doi.

Bahia, C. P., Houzel, J. C., Picanço-Diniz, C. W., & Pereira Jr, A. (2008). Spatiotemporal distribution of proteoglycans in the developing rat's barrel field and the effects of early deafferentation. *Journal of Comparative Neurology*, 510(2), 145-157. doi.

Bahia, C. P., Vianna-Barbosa, R. J., Tovar-Moll, F., & Lent, R. (2018). Terminal Arbors of Callosal Axons Undergo Plastic Changes in Early-Amputated Rats. *Cerebral Cortex*. doi: 10.1093/cercor/bhy043. <http://dx.doi.org/10.1093/cercor/bhy043>

Bähner, F., Weiss, E. K., Birke, G., Maier, N., Schmitz, D., Rudolph, U., . . . Draguhn, A. (2011). Cellular correlate of assembly formation in oscillating hippocampal networks in vitro. *Proceedings of the National Academy of Sciences*, 108(35), E607-E616. doi: 10.1073/pnas.1103546108. <http://www.pnas.org/content/108/35/E607.abstract>

Bailey, C. D. C., Alves, N. C., Nashmi, R., De Biasi, M., & Lambe, E. K. (2011). Nicotinic  $\alpha 5$  Subunits Drive Developmental Changes in the Activation and Morphology of Prefrontal Cortex Layer VI Neurons. *Biological Psychiatry*. doi.

Bailey, C. D. C., Tian, M. K., Kang, L., O'Reilly, R., & Lambe, E. K. (2013). ChRNA5 genotype determines the long-lasting effects of developmental in vivo nicotine exposure on prefrontal attention circuitry. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.09.003>. <http://www.sciencedirect.com/science/article/pii/S0028390813004103>

Bailey, D. J., Wade, J., & Saldanha, C. J. (2009). Hippocampal lesions impair spatial memory performance, but not song—a developmental study of independent memory systems in the zebra finch. *Developmental Neurobiology*, 69(8), 491-504. doi.

Bailey, T. W., Hermes, S. M., Whittier, K. L., Aicher, S. A., & Andresen, M. C. (2007). A-type potassium channels differentially tune afferent pathways from rat solitary tract nucleus to caudal ventrolateral medulla or paraventricular hypothalamus. *Journal of Physiology*, 582(2), 613-628. doi: 10.1113/jphysiol.2007.132365. <http://jp.physoc.org/cgi/content/abstract/582/2/613>

Bajic, D. (2016). Combining Anterograde Tracing and Immunohistochemistry to Define Neuronal Synaptic Circuits. doi. [http://link.springer.com/protocol/10.1007/7657\\_2015\\_81](http://link.springer.com/protocol/10.1007/7657_2015_81)

Bajic, D., & Proudfit, H. K. (2013). Projections from the rat cuneiform nucleus to the A7, A6 (locus coeruleus), and A5 pontine noradrenergic cell groups. *Journal of Chemical Neuroanatomy*, (0).

doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.03.001>. <http://www.sciencedirect.com/science/article/pii/S0891061813000276>

Bajic, D., Van Bockstaele, E. J., & Proudfit, H. K. (2012). Ultrastructural analysis of rat ventrolateral periaqueductal gray projections to the a5 cell group. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.08.021. <http://www.sciencedirect.com/science/article/pii/S0306452212008482?v=s5>

Bajic, D., VanManh Hoang, Q., Nakajima, S., & Nakajima, Y. (2004). Dissociated histaminergic neuron cultures from the tuberomammillary nucleus of rats: culture methods and ghrelin effects. *Journal of Neuroscience Methods*, 132(2), 177-184. doi.

Bajo, V. M., Leach, N. D., Cordery, P. M., Nodal, F. R., & King, A. J. (2014). The cholinergic basal forebrain in the ferret and its inputs to the auditory cortex. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12653. <http://dx.doi.org/10.1111/ejn.12653>

Bajo, V. M., & Moore, D. R. (2005). Descending projections from the auditory cortex to the inferior colliculus in the gerbil, *Meriones unguiculatus*. *Journal of Comparative Neurology*, 486(2), 101-116. doi.

Bajo, V. M., Nodal, F. R., Bizley, J. K., & King, A. J. (2010). The non-lemniscal auditory cortex in ferrets: convergence of corticotectal inputs in the superior colliculus. *Frontal Neuroanatomy*, 21(4), 18. doi.

Bajo, V. M., Nodal, F. R., Bizley, J. K., Moore, D. R., & King, A. J. (2007). The ferret auditory cortex: descending projections to the inferior colliculus. *Cerebral Cortex*, 17(2), 475-491. doi.

Bajo, V. M., Nodal, F. R., Moore, D. R., & King, A. J. (2010). The descending corticocollicular pathway mediates learning-induced auditory plasticity. *Nature Neuroscience*, 13(2), 253-260. doi.

Baker, C. A., Bolton, M. M., & Parra, A. (2019). Regional Specialization of Pyramidal Neuron Morphology and Physiology in the Tree Shrew Neocortex. doi: 10.1093/cercor/bhy326. <https://dx.doi.org/10.1093/cercor/bhy326>

Baker, F. C., Shah, S., Stewart, D., Angara, C., Gong, H., Szymusiak, R., . . . McGinty, D. (2005). Interleukin 1 $\beta$  enhances non-rapid eye movement sleep and increases c-Fos protein expression in the median preoptic nucleus of the hypothalamus. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 288(4), R998-R1005-R1005. doi.

Bakken, G. S., Colayori, S. E., & Duong, T. (2012). Analytical methods for the geometric optics of thermal vision illustrated with four species of pitvipers. *Journal of Experimental Biology*, 215(15), 2621-2629. doi: 10.1242/jeb.063495. <http://jeb.biologists.org/content/215/15/2621.abstract>

Bakken, T. E., & Stevens, C. F. (2012). Visual system scaling in teleost fish. *Journal of Comparative Neurology*, 520(1), 142-153. doi: 10.1002/cne.22704. <http://dx.doi.org/10.1002/cne.22704>

Bakker, R., & Tiesinga, P. H. E. (2016). Web-based neuron morphology viewer as an aid to develop new standards for neuron morphology file formats. [Abstract]. *Frontiers in neuroinformatics*. doi: 10.3389/conf.fninf.2016.20.00079. <http://www.frontiersin.org/Journal/FullText.aspx?s=752&name=neuroinforma..>

Baksa, B., Kovács, A., Bayasgalan, T., Szentesi, P., Kőszeghy, Á., Szücs, P., & Pál, B. (2019). Characterization of functional subgroups among genetically identified cholinergic neurons in the pedunculopontine nucleus. [journal article]. *Cellular and Molecular Life Sciences*. doi: 10.1007/s00018-019-03025-4. <https://doi.org/10.1007/s00018-019-03025-4>

Bal, R., Green, G. G. R., Rees, A., & Sanders, D. J. (2002). Firing patterns of inferior colliculus neurons-histology and mechanism to change firing patterns in rat brain slices. *Neuroscience Letters*, 317(1), 42-46. doi.

Balakrishnan, B., Dai, H., Janisse, J., Romero, R., & Kannan, S. (2013). Maternal Endotoxin Exposure Results in Abnormal Neuronal Architecture in the Newborn Rabbit. *Developmental Neuroscience*. doi.

Balan, I. S., Fiskum, G., & Kristian, T. (2010). Visualization and quantification of NAD (H) in brain sections by a novel histo-enzymatic nitrotetrazolium blue staining technique. *Brain Research*, 1316, 112-119. doi.

Balaram, P., Hackett, T. A., & Kaas, J. H. (2013). Differential expression of vesicular glutamate transporters 1 and 2 may identify distinct modes of glutamatergic transmission in the macaque visual system. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.02.007>. <http://www.sciencedirect.com/science/article/pii/S0891061813000185>

Balaram, P., Isaamullah, M., Petry, H. M., Bickford, M. E., & Kaas, J. H. (2014). Distributions of vesicular glutamate transporters 1 and 2 in the visual system of tree shrews (*Tupaia belangeri*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23727. <http://dx.doi.org/10.1002/cne.23727>

Baldi, A., Calia, E., Ciampini, A., Riccio, M., Vetuschi, A., Persico, A. M., & Keller, F. (2000). Deafferentation-induced apoptosis of neurons in thalamic somatosensory nuclei of the newborn rat: critical period and rescue from cell death by peripherally applied neurotrophins. *European Journal of Neuroscience*, 12(7), 2281. doi.

Baldwin, M. K. L., Balaram, P., & Kaas, J. H. (2012). Projections of the superior colliculus to the pulvinar in prosimian galagos (*Otolemur garnettii*) and VGLUT2 staining of the visual pulvinar. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23252. <http://dx.doi.org/10.1002/cne.23252>

Baldwin, M. K. L., & Kaas, J. H. (2011). Cortical projections to the superior colliculus in prosimian galagos (*Otolemur garnettii*). *Journal of Comparative Neurology*. doi.

Baldwin, M. K. L., Kaskan, P. M., Zhang, B., Chino, Y. M., & Kaas, J. H. (2012). Cortical and subcortical connections of V1 and V2 in early postnatal macaque monkeys. *Journal of*



Comparative Neurology, 520(3), 544-569. doi:  
10.1002/cne.22732. <http://dx.doi.org/10.1002/cne.22732>

Baldwin, M. K. L., Wong, P., Reed, J. L., & Kaas, J. H. (2011). Superior colliculus connections with visual thalamus in gray squirrels (*Sciurus carolinensis*): Evidence for four subdivisions within the pulvinar complex. *Journal of Comparative Neurology*, 519(6), 1071-1094. doi:  
10.1002/cne.22552. <http://dx.doi.org/10.1002/cne.22552>

Balemans, M. C. M., Kasri, N. N., Kopanitsa, M. V., Afinowi, N. O., Ramakers, G., Peters, T. A., . . . Van der Zee, C. E. E. M. (2012). Hippocampal dysfunction in the Euchromatin histone methyltransferase 1 heterozygous knockout mouse model for Kleefstra syndrome. *Human Molecular Genetics*. doi:  
10.1093/hmg/dd5490. <http://hmg.oxfordjournals.org/content/early/2012/11/21/hmg.dds490.abstract>

Bálint, E., Kitka, T., Zachar, G., Ádám, Á., Hemmings, H. C., & Csillag, A. (2004). Abundance and location of DARPP-32 in striato-tegmental circuits of domestic chicks. *Journal of Chemical Neuroanatomy*, 28(1), 27-36. doi.

Balka, L., Hägerrotha, P.-Å., Åkermana, G., Hansona, M., Tjärnlunda, U., Hanssona, T., . . . Sundberga, H. (2009). Wild birds of declining European species are dying from a thiamine deficiency syndrome. *Proceedings of the National Academy of Sciences*, 106(29), 12001-12006. doi:  
10.1073/pnas.0902903106. <http://www.pnas.org/content/106/29/12001.abstract>

Ball, K. T., Wellman, C. L., Fortenberry, E., & Rebec, G. V. (2009). Sensitizing regimens of ( $\pm$ ) 3, 4-methylenedioxymethamphetamine (ecstasy) elicit enduring and differential structural alterations in the brain motive circuit of the rat. *Neuroscience*, 160(2), 264-274. doi.

Ball, K. T., Wellman, C. L., Fortenberry, E., & Rebec, G. V. (2009). Sensitizing regimens of MDMA (ecstasy) elicit enduring and differential structural alterations in the brain motive circuit of the rat. *Neuroscience*, 160(2), 264-264. doi.

Ball, K. T., Wellman, C. L., Miller, B. R., & Rebec, G. V. (2010). Electrophysiological and structural alterations in striatum associated with behavioral sensitization to ( $\pm$ ) 3, 4-methylenedioxymethamphetamine (ecstasy) in rats: role of drug context. *Neuroscience*, 171(3), 794-811. doi.

Ballesteros-Yanez, I., Ambrosio, E., Benavides-Piccione, R., Perez, J., Torres, I., Miguens, M., . . . DeFelipe, J. (2007). The effects of morphine self-administration on cortical pyramidal cell structure in addiction-prone Lewis rats. *Cerebral Cortex*, 17(1), 238-249. doi.

Ballesteros-Yanez, I., Ambrosio, E., Pérez, J., Torres, I., Miguéns, M., García-Lecumberri, C., & Defelipe, J. (2008). Morphine self-administration effects on the structure of cortical pyramidal cells in addiction-resistant rats. *Brain Research*. doi.

Ballesteros-Yanez, I., Benavides-Piccione, R., Bourgeois, J.-P., Changeux, J.-P., & DeFelipe, J. (2010). Alterations of cortical pyramidal neurons in mice lacking high-affinity nicotinic

receptors. *Proceedings of the National Academy of Sciences*, 107(25), 11567-11572. doi: 10.1073/pnas.1006269107. <http://www.pnas.org/content/107/25/11567.abstract>

Ballesteros-Yanez, I., Benavides-Piccione, R., Elston, G. N., Yuste, R., & DeFelipe, J. (2006). Density and morphology of dendritic spines in mouse neocortex. *Neuroscience*, 138(2), 403-409. doi.

Ballesteros-Yáñez, I., Valverde, O., Ledent, C., Maldonado, R., & DeFelipe, J. (2007). Chronic cocaine treatment alters dendritic arborization in the adult motor cortex through a CB<sub>1</sub> cannabinoid receptor-dependent mechanism. *Neuroscience*, 146(4), 1536-1545. doi.

Ballester-Rosado, C. J., Albright, M. J., Wu, C.-S., Liao, C.-C., Zhu, J., Xu, J., . . . Lu, H.-C. (2010). mGluR5 in Cortical Excitatory Neurons Exerts Both Cell-Autonomous and -Nonautonomous Influences on Cortical Somatosensory Circuit Formation. *Journal of Neuroscience*, 30(50), 16896-16909. doi: 10.1523/jneurosci.2462-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/16896>

Ballester-Rosado, C. J., Sun, H., Huang, J.-Y., & Lu, H.-C. (2016). mGluR5 Exerts Cell-Autonomous Influences on the Functional and Anatomical Development of Layer IV Cortical Neurons in the Mouse Primary Somatosensory Cortex. *The Journal of Neuroscience*, 36(34), 8802-8814. doi. <http://www.jneurosci.org/content/36/34/8802.short>

Ballou, E. W., Smith, W. B., Anelli, R., & Heckman, C. J. (2006). Measuring dendritic distribution of membrane proteins. *Journal of Neuroscience Methods*, 156(1-2), 257-266. doi.

Balsara, R. D., Ferreira, A. N., Donahue, D. L., Castellino, F. J., & Sheets, P. L. (2014). Probing NMDA receptor GluN2A and GluN2B subunit expression and distribution in cortical neurons. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.01.005>. <http://www.sciencedirect.com/science/article/pii/S0028390814000124>

Baltussen, L. L., Negraes, P. D., Silvestre, M., Claxton, S., Moeskops, M., Christodoulou, E., . . . Ultanir, S. K. (2018). Chemical genetic identification of CDKL5 substrates reveals its role in neuronal microtubule dynamics. [10.15252/emboj.201899763]. *The EMBO journal*. doi. <http://emboj.embopress.org/content/early/2018/09/28/emboj.201899763.abstract>

Balu, D. T., Basu, A. C., Corradi, J. P., Cacace, A. M., & Coyle, J. T. (2011). The NMDA receptor co-agonists, d-serine and glycine, regulate neuronal dendritic architecture in the somatosensory cortex. *Neurobiology of Disease*. doi.

Balu, D. T., & Coyle, J. T. (2012). Neuronal d-serine regulates dendritic architecture in the somatosensory cortex. *Neuroscience Letters*, 517(2), 77-81. doi: 10.1016/j.neulet.2012.04.020. <http://www.sciencedirect.com/science/article/pii/S0304394012005289>

Balu, D. T., & Coyle, J. T. (2014). Chronic D-serine reverses arc expression and partially rescues dendritic abnormalities in a mouse model of NMDA receptor hypofunction. *Neurochemistry International*, (0).

doi: <http://dx.doi.org/10.1016/j.neuint.2014.05.015>. <http://www.sciencedirect.com/science/article/pii/S0197018614001375>

Balu, D. T., Li, Y., Puhl, M. D., Benneyworth, M. A., Basu, A. C., Takagi, S., . . . Coyle, J. T. (2013). Multiple risk pathways for schizophrenia converge in serine racemase knockout mice, a mouse model of NMDA receptor hypofunction. *Proceedings of the National Academy of Sciences*. doi:

10.1073/pnas.1304308110. <http://www.pnas.org/content/early/2013/05/30/1304308110.abstract>

Bamber, N. I., Li, H., Lu, X., Oudega, M., Aebischer, P., & Xu, X. M. (2001). Neurotrophins BDNF and NT-3 promote axonal re-entry into the distal host spinal cord through Schwann cell-seeded mini-channels. *European Journal of Neuroscience*, 13(2), 257. doi.

Bamberl, N. I., Li, H., & Xu, M. (1999). into Hemisected Adult Rat Spinal Cords. *Neural Plasticity*, 6(4). doi.

Bang, P. I., Sewell, W. F., & Malicki, J. J. (2001). Morphology and cell type heterogeneities of the inner ear epithelia in adult and juvenile zebrafish (*Danio rerio*). *Journal of Comparative Neurology*, 438(2), 173-190. doi.

Bang, S. J., & Brown, T. H. (2009). Perirhinal cortex supports acquired fear of auditory objects. *Neurobiology of Learning and Memory*, 92(1), 53-62. doi.

Bangasser, D., Zhang, X., Garachh, V., Hanhauser, E., & Valentino, R. (2011). Sexual dimorphism in locus coeruleus dendritic morphology: a structural basis for sex differences in emotional arousal. *Physiology and Behavior*. doi.

Bangasser, D. A., Reyes, B. A. S., Piel, D., Garachh, V., Zhang, X. Y., Plona, Z. M., . . . Valentino, R. J. (2012). Increased vulnerability of the brain norepinephrine system of females to corticotropin-releasing factor overexpression. *Molecular Psychiatry*. doi.

Banke, T. G., & McBain, C. J. (2006). GABAergic Input onto CA3 Hippocampal Interneurons Remains Shunting throughout Development. *Journal of Neuroscience*, 26(45), 11720-11725. doi: 10.1523/jneurosci.2887-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11720>

Banks, G. T., Haas, M. A., Line, S., Shepherd, H. L., AlQatari, M., Stewart, S., . . . Fisher, E. M. C. (2011). Behavioral and Other Phenotypes in a Cytoplasmic Dynein Light Intermediate Chain 1 Mutant Mouse. *Journal of Neuroscience*, 31(14), 5483-5494. doi: 10.1523/jneurosci.5244-10.2011. <http://www.jneurosci.org/content/31/14/5483.abstract>

Bannatyne, B. A., Liu, T. T., Hammar, I., Stecina, K., Jankowska, E., & Maxwell, D. J. (2009). Excitatory and inhibitory intermediate zone interneurons in pathways from feline group I and II afferents: differences in axonal projections and input. *Journal of Physiology*, 587(2), 379-399. doi:

10.1113/jphysiol.2008.159129. <http://jp.physoc.org/cgi/content/abstract/587/2/379>

Banno, R., Arima, H., Hayashi, M., Goto, M., Watanabe, M., Sato, I., . . . Oiso, Y. (2007). Central administration of melanocortin agonist increased insulin sensitivity in diet-induced obese rats. *FEBS Letters*, 581(6), 1131-1136. doi.

Banno, T., Ichinohe, N., Rockland, K. S., & Komatsu, H. (2011). Reciprocal Connectivity of Identified Color-Processing Modules in the Monkey Inferior Temporal Cortex. *Cerebral Cortex*, 21(6), 1295-1310. doi.

Banovac, I., Sedmak, D., Džaja, D., Jalšovec, D., Jovanov Milošević, N., Rašin, M. R., & Petanjek, Z. (2019). Somato-dendritic morphology and axon origin site specify von Economo neurons as a subclass of modified pyramidal neurons in the human anterior cingulate cortex. *Journal of Anatomy*, 235(3), 651-669. doi: 10.1111/joa.13068. <https://onlinelibrary.wiley.com/doi/abs/10.1111/joa.13068>

Bantle, C. M., Phillips, A. T., Smeyne, R. J., Rocha, S. M., Olson, K. E., & Tjalkens, R. B. (2019). Infection with mosquito-borne alphavirus induces selective loss of dopaminergic neurons, neuroinflammation and widespread protein aggregation. *npj Parkinson's Disease*, 5(1), 20. doi: 10.1038/s41531-019-0090-8. <https://doi.org/10.1038/s41531-019-0090-8>

Bao, Y., Bramlett, H. M., Atkins, C. M., Truettner, J. S., Lotocki, G., Alonso, O. F., & Dietrich, W. D. (2011). Post-traumatic seizures exacerbate histopathological damage after fluid-percussion brain injury. *Journal of Neurotrauma*, 28(1), 35-42. doi.

Bao, Y., Hua, B., Hou, W., Shi, Z., Li, W., Li, C., . . . Qin, Y. (2013). Involvement of Protease-Activated Receptor 2 in Nociceptive Behavior in a Rat Model of Bone Cancer. *Journal of Molecular Neuroscience*, 1-11. doi: 10.1007/s12031-013-0112-7. <http://dx.doi.org/10.1007/s12031-013-0112-7>

Baptista, S., Lourenço, J., Milhazes, N., Borges, F., Paula Silva, A., & Bacci, A. (2016). Chronic treatment with low doses of methamphetamine promotes neuronal differentiation and strengthens long-term potentiation of glutamatergic synapses onto dentate granule neurons. [10.1523/ENEURO.0141-16.2016]. *eneuro*. doi: <http://eneuro.org/content/early/2016/06/22/ENEURO.0141-16.2016.abstract>

Baptista, V., Zheng, Z. L., Coleman, F. H., Rogers, R. C., & Travagli, R. A. (2005). Characterization of neurons of the nucleus tractus solitarius pars centralis. *Brain Research*, 1052(2), 139-146. doi.

Baptista, V., Zheng, Z. L., Coleman, F. H., Rogers, R. C., & Travagli, R. A. (2005). Cholecystokinin Octapeptide Increases Spontaneous Glutamatergic Synaptic Transmission to Neurons of the Nucleus Tractus Solitarius Centralis. *Journal of Neurophysiology*, 94(4), 2763-2771. doi: 10.1152/jn.00351.2005. <http://jn.physiology.org/cgi/content/abstract/94/4/2763>

Baquet, Z. C., Bickford, P. C., & Jones, K. R. (2005). Brain-Derived Neurotrophic Factor Is Required for the Establishment of the Proper Number of Dopaminergic Neurons in the Substantia Nigra Pars Compacta. *Journal of Neuroscience*, 25(26), 6251-6259. doi: 10.1523/jneurosci.4601-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/26/6251>

Baquet, Z. C., Gorski, J. A., & Jones, K. R. (2004). Early Striatal Dendrite Deficits followed by Neuron Loss with Advanced Age in the Absence of Anterograde Cortical Brain-Derived Neurotrophic Factor. *Journal of Neuroscience*, 24(17), 4250-4258. doi: 10.1523/jneurosci.3920-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/17/4250>

Baraban, S. C., Stornetta, R. L., & Guyenet, P. G. (1995). Effects of morphine and morphine withdrawal on adrenergic neurons of the rat rostral ventrolateral medulla. *Brain Research*, 676(2), 245-257. doi.

Barakat-Walter, I., Kraftsik, R., Kuntzer, T., Bogouslavsky, J., & Magistretti, P. (2000). Differential effect of thyroid hormone deficiency on the growth of calretinin-expressing neurons in rat spinal cord and dorsal root ganglia. *Journal of Comparative Neurology*, 426(4), 519-533. doi.

Barakat-Walter, I., Kraftsik, R., Schenker, M., & Kuntzer, T. (2007). Thyroid hormone in biodegradable nerve guides stimulates sciatic nerve regeneration: a potential therapeutic approach for human peripheral nerve injuries. *Journal of Neurotrauma*, 24(3), 567-577. doi.

Baranova, O., Miranda, L. F., Pichiule, P., Dragatsis, I., Johnson, R. S., & Chavez, J. C. (2007). Neuron-Specific Inactivation of the Hypoxia Inducible Factor 1 $\alpha$  Increases Brain Injury in a Mouse Model of Transient Focal Cerebral Ischemia. *Journal of Neuroscience*, 27(23), 6320-6332. doi: 10.1523/jneurosci.0449-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/23/6320>

Barapatre, N., Haeussner, E., Gynspan, D., Schmitz, C., Edler von Koch, F., & Frank, H.-G. (2019). The Density of Cell Nuclei at the Materno-Fetal Exchange Barrier is Sexually Dimorphic in Normal Placentas, but not in IUGR. *Scientific Reports*, 9(1), 2359. doi: 10.1038/s41598-019-38739-9. <https://doi.org/10.1038/s41598-019-38739-9>

Barapatre, N., Kampfer, C., Henschen, S., Schmitz, C., Edler von Koch, F., & Frank, H.-G. (2021). Growth restricted placentas show severely reduced volume of villous components with perivascular myofibroblasts. *Placenta*, 109, 19-27. doi: <https://doi.org/10.1016/j.placenta.2021.04.006>. <https://www.sciencedirect.com/science/article/pii/S0143400421001211>

Barbas, H., Medalla, M., Alade, O., Suski, J., Zikopoulos, B., & Lera, P. (2005). Relationship of prefrontal connections to inhibitory systems in superior temporal areas in the rhesus monkey. *Cerebral Cortex*, 15(9), 1356-1356. doi.

Barbas, H., Saha, S., Rempel-Clower, N., & Ghashghaei, T. (2003). Serial pathways from primate prefrontal cortex to autonomic areas may influence emotional expression. *BMC Neuroscience*, 4(1), 25. doi. <http://www.biomedcentral.com/1471-2202/4/25>

Barbour, D. L., & Callaway, E. M. (2008). Excitatory Local Connections of Superficial Neurons in Rat Auditory Cortex. *Journal of Neuroscience*, 28(44), 11174-11185. doi: 10.1523/jneurosci.2093-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/44/11174>

Bardi, M., True, M., Franssen, C. L., Kaufman, C., Rzucidlo, A., & Lambert, K. G. (2012). Effort-Based Reward (EBR) training enhances neurobiological efficiency in a problem-solving task: Insights for depression therapies. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.10.027. <http://www.sciencedirect.com/science/article/pii/S0006899312016733>

Bardy, C., van den Hurk, M., Kakaradov, B., Erwin, J. A., Jaeger, B. N., Hernandez, R. V., . . . Gage, F. H. (2016). Predicting the functional states of human iPSC-derived neurons with single-cell RNA-seq and electrophysiology. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.158. <http://dx.doi.org/10.1038/mp.2016.158>

Barhwal, K., Das, S. K., Kumar, A., Hota, S. K., Srivastava, R. B., & Kumar, B. (2015). Insulin Receptor A and Sirtuin 1 synergistically improve learning and spatial memory following chronic salidroside treatment during hypoxia. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13225. <http://dx.doi.org/10.1111/jnc.13225>

Bari, B. A., Ollerenshaw, D. R., Millard, D. C., Wang, Q., & Stanley, G. B. (2013). Behavioral and Electrophysiological Effects of Cortical Microstimulation Parameters. *PLoS ONE*, 8(12), e82170. doi: 10.1371/journal.pone.0082170. <http://dx.doi.org/10.1371%2Fjournal.pone.0082170>

Barini, E., Antico, O., Zhao, Y., Asta, F., Tucci, V., Catelani, T., . . . Gasparini, L. (2016). Metformin promotes tau aggregation and exacerbates abnormal behavior in a mouse model of tauopathy. [journal article]. *Molecular Neurodegeneration*, 11(1), 1-20. doi: 10.1186/s13024-016-0082-7. <http://dx.doi.org/10.1186/s13024-016-0082-7>

Barkan, S., Ayali, A., Nottebohm, F., & Barnea, A. (2007). Neuronal recruitment in adult zebra finch brain during a reproductive cycle. *Developmental Neurobiology*, 67(6), 687-701. doi:

Barkat, T. R., Polley, D. B., & Hensch, T. K. (2011). A critical period for auditory thalamocortical connectivity. *Nature Neuroscience*, 14(9), 1189-1194. doi:

Barna, B. F., Takakura, A. C., & Moreira, T. S. (2012). Pontomedullary and hypothalamic distribution of Fos-like immunoreactive neurons after acute exercise in rats. *Neuroscience*, 212(0), 120-130. doi: 10.1016/j.neuroscience.2012.03.039. <http://www.sciencedirect.com/science/article/pii/S030645221200303X>

Barnea, A., Mishal, A., & Nottebohm, F. (2006). Social and spatial changes induce multiple survival regimes for new neurons in two regions of the adult brain: An anatomical representation of time? *Behavioural Brain Research*, 167(1), 63-74. doi:

Baron, J., Blex, C., Rohrbeck, A., Rachakonda, S. K., Birnbaumer, L., Ahnert-Hilger, G., & Brunk, I. (2012). The  $\alpha$ -subunit of the trimeric GTPase Go2 regulates axonal growth. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12123. <http://dx.doi.org/10.1111/jnc.12123>

Baron, M. S., Noonan, J. B., & Mewes, K. (2006). Restricted ablative lesions in motor portions of GPi in primates produce extensive loss of motor-related neurons and degeneration of the lenticular fasciculus. *Experimental Neurology*, 202(1), 67-75. doi:



- Baroody, F. M., Cheng, C. C., Moylan, B., deTineo, M., Haney, L., Reed, K. D., . . . others. (2001). Absence of nasal mucosal atrophy with fluticasone aqueous nasal spray. *Archives of Otolaryngology- Head and Neck Surgery*, 127(2), 193-193. doi:
- Barr, T. P., Albrecht, P. J., Hou, Q., Mongin, A. A., Strichartz, G. R., & Rice, F. L. (2013). Air-Stimulated ATP Release from Keratinocytes Occurs through Connexin Hemichannels. *PLoS ONE*, 8(2), e56744. doi: 10.1371/journal.pone.0056744. <http://dx.doi.org/10.1371%2Fjournal.pone.0056744>
- Barrera, K., Chu, P., Abramowitz, J., Steger, R., Ramos, R. L., & Brumberg, J. C. (2012). Organization of myelin in the mouse somatosensory barrel cortex and the effects of sensory deprivation. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22060. <http://dx.doi.org/10.1002/dneu.22060>
- Barthas, F., Sellmeijer, J., Hugel, S., Waltisperger, E., Barrot, M., & Yalcin, I. (2014). The Anterior Cingulate Cortex is a Critical Hub for Pain-Induced Depression. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2014.08.004. [http://www.biologicalpsychiatryjournal.com/article/S0006-3223\(14\)00597-6/abstract](http://www.biologicalpsychiatryjournal.com/article/S0006-3223(14)00597-6/abstract)
- Bartho, P., Slezia, A., Varga, V., Bokor, H., Pinault, D., Buzsaki, G., & Acsady, L. (2007). Cortical Control of Zona Incerta. *Journal of Neuroscience*, 27(7), 1670-1681. doi: 10.1523/jneurosci.3768-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/7/1670>
- Bartkowska, K., Aniszewska, A., Turlejski, K., & Djavadian, R. L. (2014). Distribution and function of TrkB receptors in the developing brain of the opossum *Monodelphis domestica*. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22165. <http://dx.doi.org/10.1002/dneu.22165>
- Bartkowska, K., Gajerska, M., Turlejski, K., & Djavadian, R. L. (2013). Expression of TrkC Receptors in the Developing Brain of the *Monodelphis* opossum and Its Effect on the Development of Cortical Cells. *Plos one*, 8(9), e74346. doi: 10.1371/journal.pone.0074346. <http://dx.doi.org/10.1371%2Fjournal.pone.0074346>
- Bartkowska, K., Swiatek, I., Aniszewska, A., Jurewicz, E., Turlejski, K., Filipek, A., & Djavadian, R. L. (2017). Stress-Dependent Changes in the CacyBP/SIP Interacting Protein S100A6 in the Mouse Brain. *PLoS ONE*, 12(1), e0169760. doi: 10.1371/journal.pone.0169760. <http://dx.doi.org/10.1371%2Fjournal.pone.0169760>
- Bartkowska, K., Turlejski, K., Grabiec, M., Ghazaryan, A., Yavruoyan, E., & Djavadian, R. L. (2010). Adult neurogenesis in the hedgehog (*Erinaceus concolor*) and mole (*Talpa europaea*). *Brain, Behavior and Evolution*, 76(2), 128-143. doi:
- Bartlett, E. L., & Smith, P. H. (1999). Anatomic, Intrinsic, and Synaptic Properties of Dorsal and Ventral Division Neurons in Rat Medial Geniculate Body. *Journal of Neurophysiology*, 81(5), 1999-2016. doi. <http://jn.physiology.org/cgi/content/abstract/81/5/1999>

Bartolini, A., Vigliani, M. C., Magrassi, L., Vercelli, A., & Rossi, F. (2011). G-CSF administration to adult mice stimulates the proliferation of microglia but does not modify the outcome of ischemic injury. *Neurobiology of Disease*, 41(3), 640-649. doi.

Bartos, M., Vida, I., Frotscher, M., Geiger, J. R. P., & Jonas, P. (2001). Rapid Signaling at Inhibitory Synapses in a Dentate Gyrus Interneuron Network. *Journal of Neuroscience*, 21(8), 2687-2698. doi. <http://www.jneurosci.org/cgi/content/abstract/21/8/2687>

Bartus, R. T., Baumann, T. L., Brown, L., Kruegel, B. R., Ostrove, J. M., & Herzog, C. D. (2012). Advancing neurotrophic factors as treatments for age-related neurodegenerative diseases: developing and demonstrating "clinical proof-of-concept" for AAV-neurturin (CERE-120) in Parkinson's disease. *Neurobiology of Aging*, (0). doi: 10.1016/j.neurobiolaging.2012.07.018. <http://www.sciencedirect.com/science/article/pii/S0197458012004216>

Bar-Yehuda, D., & Korngreen, A. (2008). Space-Clamp Problems When Voltage Clamping Neurons Expressing Voltage-Gated Conductances. *Journal of Neurophysiology*, 99(3), 1127-1136. doi: 10.1152/jn.01232.2007. <http://jn.physiology.org/cgi/content/abstract/99/3/1127>

Basaldella, E., Takeoka, A., Sigrist, M., & Arber, S. (2015). Multisensory Signaling Shapes Vestibulo-Motor Circuit Specificity. *Cell*, 163(2), 301-312. doi: <http://dx.doi.org/10.1016/j.cell.2015.09.023>. <http://www.sciencedirect.com/science/article/pii/S0092867415011848>

Baseer, N., Polgár, E., Watanabe, M., Furuta, T., Kaneko, T., & Todd, A. J. (2012). Projection Neurons in Lamina III of the Rat Spinal Cord Are Selectively Innervated by Local Dynorphin-Containing Excitatory Neurons. *Journal of Neuroscience*, 32(34), 11854-11863. doi: 10.1523/jneurosci.2707-12.2012. <http://www.jneurosci.org/content/32/34/11854.abstract>

Bashir, K., Elble, R. J., Ghobrial, M., & Struble, R. G. (1998). Hemianopsia in Dementia With Lewy Bodies. *Archives of Neurology*, 55(8), 1132-1135. doi: 10.1001/archneur.55.8.1132. <http://archneur.ama-assn.org/cgi/content/abstract/55/8/1132>

Bashir, S., Kaeser, M., Wyss, A., Hamadjida, A., Liu, Y., Bloch, J., . . . Rouiller, E. M. (2012). Short-term effects of unilateral lesion of the primary motor cortex (M1) on ipsilesional hand dexterity in adult macaque monkeys. *Brain Structure and Function*, 1-17. doi.

Bast, T., Wilson, I. A., Witter, M. P., & Morris, R. G. M. (2009). From rapid place learning to behavioral performance: a key role for the intermediate hippocampus. *PLoS Biology*, 7(4), e1000089-e1000089. doi.

Bast, T., Zhang, W. N., & Feldon, J. (2003). Dorsal hippocampus and classical fear conditioning to tone and context in rats: Effects of local NMDA-receptor blockade and stimulation. *Hippocampus*, 13(6), 657-675. doi.

Bastidas, J., Athauda, G., De La Cruz, G., Chan, W.-M., Golshani, R., Berrocal, Y., . . . Pearse, D. D. (2017). Human schwann cells exhibit long-term cell survival, are not tumorigenic and

promote repair when transplanted into the contused spinal cord. *Glia*, n/a-n/a. doi: 10.1002/glia.23161. <http://dx.doi.org/10.1002/glia.23161>

bastien Jouhanneau, J.-S., Kremkow, J., Dorn, A. L., & Poulet, J. F. (2015). In Vivo Monosynaptic Excitatory Transmission between Layer 2 Cortical Pyramidal Neurons. doi: [http://www.cell.com/cell-reports/pdf/S2211-1247\(15\)01311-X.pdf](http://www.cell.com/cell-reports/pdf/S2211-1247(15)01311-X.pdf)

Basting, T. M., Abe, C., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2016). Is plasticity within the retrotrapezoid nucleus responsible for the recovery of the PCO<sub>2</sub> set-point after carotid body denervation in rats? *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp272046. <http://dx.doi.org/10.1113/JP272046>

Basting, T. M., Burke, P. G., Kanbar, R., Viar, K. E., Stornetta, D. S., Stornetta, R. L., & Guyenet, P. G. (2015). Hypoxia Silences Retrotrapezoid Nucleus Respiratory Chemoreceptors via Alkalosis. *The Journal of Neuroscience*, 35(2), 527-543. doi: <http://www.jneurosci.org/content/35/2/527.short>

Basu, J., Srinivas, Kalyan V., Cheung, Stephanie K., Taniguchi, H., Huang, Z. J., & Siegelbaum, Steven A. (2013). A Cortico-Hippocampal Learning Rule Shapes Inhibitory Microcircuit Activity to Enhance Hippocampal Information Flow. *Neuron*, 79(6), 1208-1221. doi: <http://dx.doi.org/10.1016/j.neuron.2013.07.001>. <http://www.sciencedirect.com/science/article/pii/S0896627313005667>

Basu, J., Zaremba, J. D., Cheung, S. K., Hitti, F. L., Zemelman, B. V., Losonczy, A., & Siegelbaum, S. A. (2016). Gating of hippocampal activity, plasticity, and memory by entorhinal cortex long-range inhibition. [10.1126/science.aaa5694]. *Science*, 351(6269). doi: <http://science.sciencemag.org/content/351/6269/aaa5694.abstract>

Batalha, V. L., Pego, J. M., Fontinha, B. M., Costenla, A. R., Valadas, J. S., Baqi, Y., ... Lopes, L. V. (2012). Adenosine A<sub>2A</sub> receptor blockade reverts hippocampal stress-induced deficits and restores corticosterone circadian oscillation. *Molecular Psychiatry*. doi.

Bathellier, B., Margrie, T. W., & Larkum, M. E. (2009). Properties of Piriform Cortex Pyramidal Cell Dendrites: Implications for Olfactory Circuit Design. *Journal of Neuroscience*, 29(40), 12641-12652. doi: 10.1523/jneurosci.1124-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/40/12641>

Batista-Brito, R., Rossignol, E., Hjerling-Leffler, J., Denaxa, M., Wegner, M., Lefebvre, V., ... Fishell, G. (2009). The Cell-Intrinsic Requirement of Sox6 for Cortical Interneuron Development. *Neuron*, 63(4), 466-481. doi.

Batra, R., & Fitzpatrick, D. C. (1997). Neurons Sensitive to Interaural Temporal Disparities in the Medial Part of the Ventral Nucleus of the Lateral Lemniscus. *Journal of Neurophysiology*, 78(1), 511-515. doi: <http://jn.physiology.org/cgi/content/abstract/78/1/511>

Batra, R., & Fitzpatrick, D. C. (1999). Discharge Patterns of Neurons in the Ventral Nucleus of the Lateral Lemniscus of the Unanesthetized Rabbit. *Journal of Neurophysiology*, 82(3), 1097-1113. doi: <http://jn.physiology.org/cgi/content/abstract/82/3/1097>

Baufreton, J., Kirkham, E., Atherton, J. F., Menard, A., Magill, P. J., Bolam, J. P., & Bevan, M. D. (2009). Sparse but selective and potent synaptic transmission from the globus pallidus to the subthalamic nucleus. *Journal of Neurophysiology*, 00305.02009. doi: 10.1152/jn.00305.2009. <http://jn.physiology.org/cgi/content/abstract/00305.2009v1>

Baulch, J. E., Acharya, M. M., Allen, B. D., Ru, N., Chmielewski, N. N., Martirosian, V., . . . Limoli, C. L. (2016). Cranial grafting of stem cell-derived microvesicles improves cognition and reduces neuropathology in the irradiated brain. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1521668113. [http://www.pnas.org/content/early/2016/03/30/1521668113.ab stract](http://www.pnas.org/content/early/2016/03/30/1521668113.abstract)

Baum, P., Vogt, M. A., Gass, P., Unsicker, K., & von Bohlen und Halbach, O. (2016). FGF-2 deficiency causes dysregulation of Arhgef6 and downstream targets in the cerebral cortex accompanied by altered neurite outgrowth and dendritic spine morphology. *International Journal of Developmental Neuroscience*. doi: <http://dx.doi.org/10.1016/j.ijdevneu.2016.03.002>. <http://www.sciencedirect.com/science/article/pii/S0736574816300259>

Bäurle, J., Frischmuth, S., & Kranda, K. (2004). TRAIL-related death receptors in normal, < i> Lurcher and< i> weaver mutant mouse brain. *Neuroscience Letters*, 372(1), 46-51. doi.

Bausch, S. B., He, S., Petrova, Y., Wang, X.-M., & McNamara, J. O. (2006). Plasticity of Both Excitatory and Inhibitory Synapses Is Associated With Seizures Induced by Removal of Chronic Blockade of Activity in Cultured Hippocampus. *Journal of Neurophysiology*, 96(4), 2151-2167. doi: 10.1152/jn.00355.2006. <http://jn.physiology.org/cgi/content/abstract/96/4/2151>

Bayraktar, T., Welker, E., Freund, T. F., Zilles, K., & Staiger, J. F. (2000). Neurons immunoreactive for vasoactive intestinal polypeptide in the rat primary somatosensory cortex: Morphology and spatial relationship to barrel-related columns. *Journal of Comparative Neurology*, 420(3), 291-304. doi.

Bazelot, M., Dinocourt, C., Cohen, I., & Miles, R. (2010). Unitary inhibitory field potentials in the CA3 region of rat hippocampus. *Journal of Physiology*, 588(12), 2077-2090. doi.

Bazelot, M., Simonnet, J., Dinocourt, C., Bruel-Jungerman, E., Miles, R., Fricker, D., & Francis, F. (2012). Cellular anatomy, physiology and epileptiform activity in the CA3 region of Dcx knockout mice: a neuronal lamination defect and its consequences. *European Journal of Neuroscience*, 35(2), 244-256. doi.

Bearden, S. E. (2006). Effect of aging on the structure and function of skeletal muscle microvascular networks. *Microcirculation*, 13(4), 279-288. doi.

Bearden, S. E., Payne, G. W., Chisty, A., & Segal, S. S. (2004). Arteriolar network architecture and vasomotor function with ageing in mouse gluteus maximus muscle. *Journal of Physiology*, 561(2), 535-545. doi: 10.1113/jphysiol.2004.068262. <http://jp.physoc.org/cgi/content/abstract/561/2/535>

- Bearden, S. E., & Segal, S. S. (2005). Neurovascular Alignment in Adult Mouse Skeletal Muscles. *Microcirculation*, 12, 161-167. doi.
- Beare, J. E., Morehouse, J. R., DeVries, W. H., Enzmann, G. U., Burke, D. A., Magnuson, D. S. K., & Whitemore, S. R. (2009). Gait analysis in normal and spinal contused mice using the TreadScan system. *Journal of Neurotrauma*, 26(11), 2045-2056. doi.
- Beare, R., Richards, K., Murphy, S., Petrou, S., & Reutens, D. (2008). An assessment of methods for aligning two-dimensional microscope sections to create image volumes. *Journal of Neuroscience Methods*, 170(2), 332-344. doi.
- Beau, A. D., Shrestha, S. S., Anne Bannatyne, B., Jalicy, S. M., Linnen, S., & Maxwell, D. J. (2012). Neurotransmitter Phenotypes of Descending Systems in the Rat Lumbar Spinal Cord. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.037. <http://www.sciencedirect.com/science/article/pii/S0306452212009578?v=s5>
- Beaud, M. L., Rouiller, E. M., Bloch, J., Mir, A., Schwab, M. E., Wannier, T., & Schmidlin, E. (2012). Invasion of lesion territory by regenerating fibers after spinal cord injury in adult macaque monkeys. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.052. <http://www.sciencedirect.com/science/article/pii/S0306452212009724?v=s5>
- Beauparlant, J., van den Brand, R., Barraud, Q., Friedli, L., Musienko, P., Dietz, V., & Courtine, G. (2013). Undirected compensatory plasticity contributes to neuronal dysfunction after severe spinal cord injury. *Brain*. doi: 10.1093/brain/awt204. <http://brain.oxfordjournals.org/content/early/2013/09/28/brain.awt204.ab..>
- Beaver, C. J., Cannon, R. C., & Turner, D. A. (2005). Cellular Morphology. Databasing the brain: from data to knowledge (neuroinformatics), 251-251. doi.
- Beck, L. A., & Wade, J. (2009). Morphology and estrogen receptor  $\alpha$  mRNA expression in the developing green anole forebrain. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, 311(3), 162-171. doi.
- Becker, C. G., & Becker, T. (2000). Gradients of ephrin-A2 and ephrin-A5b mRNA during retinotopic regeneration of the optic projection in adult zebrafish. *Journal of Comparative Neurology*, 427(3), 469-483. doi.
- Becker, C. G., & Becker, T. (2002). Repellent Guidance of Regenerating Optic Axons by Chondroitin Sulfate Glycosaminoglycans in Zebrafish. *Journal of Neuroscience*, 22(3), 842-853. doi. <http://www.jneurosci.org/cgi/content/abstract/22/3/842>
- Becker, K., Abraham, A., Kindler, J., Helmeke, C., & Braun, K. (2007). Exposure to neonatal separation stress alters exploratory behavior and corticotropin releasing factor expression in neurons in the amygdala and hippocampus. *Developmental Neurobiology*, 67(5), 617-629. doi.

Becker, T., & Becker, C. G. (2001). Regenerating descending axons preferentially reroute to the gray matter in the presence of a general macrophage/microglial reaction caudal to a spinal transection in adult zebrafish. *Journal of Comparative Neurology*, 433(1), 131-147. doi.

Becker, T., Becker, C. G., Schachner, M., & Bernhardt, R. R. (2001). Antibody to the HNK-1 glycoepitope affects fasciculation and axonal pathfinding in the developing posterior lateral line nerve of embryonic zebrafish. *Mechanisms of Development*, 109(1), 37-49. doi.

Beckius, G. E., Batra, R., & Oliver, D. L. (1999). Axons from Anteroventral Cochlear Nucleus that Terminate in Medial Superior Olive of Cat: Observations Related to Delay Lines. *Journal of Neuroscience*, 19(8), 3146-3161. doi. <http://www.jneurosci.org/cgi/content/abstract/19/8/3146>

Becknell, B., Carpenter, A. R., Allen, J. L., Wilhide, M. E., Ingraham, S. E., Hains, D. S., & McHugh, K. M. (2013). Molecular Basis of Renal Adaptation in a Murine Model of Congenital Obstructive Nephropathy. *PLoS ONE*, 8(9), e72762. doi: 10.1371/journal.pone.0072762. <http://dx.doi.org/10.1371%2Fjournal.pone.0072762>

Becq, H., Jorquera, I., Ben-Ari, Y., Weiss, S., & Represa, A. (2005). Differential properties of dentate gyrus and CA1 neural precursors. *Journal of Neurobiology*, 62(2), 243-261. doi.

Bedard, A., Gravel, C., & Parent, A. (2006). Chemical characterization of newly generated neurons in the striatum of adult primates. *Experimental Brain Research*, 170(4), 501-512. doi.

Bedrosian, T. A., Fonken, L. K., Walton, J. C., Haim, A., & Nelson, R. J. (2011). Dim light at night provokes depression-like behaviors and reduces CA1 dendritic spine density in female hamsters. *Psychoneuroendocrinology*. doi.

Bedrosian, T. A., Weil, Z. M., & Nelson, R. J. (2012). Chronic Citalopram Treatment Ameliorates Depressive Behavior Associated With Light at Night. *Behavioral Neuroscience*. doi: 10.1037/a0029699.

Bedrosian, T. A., Weil, Z. M., & Nelson, R. J. (2012). Chronic dim light at night provokes reversible depression-like phenotype: possible role for TNF. *Molecular Psychiatry*. doi. <http://dx.doi.org/10.1038/mp.2012.96>

Beebe, N. L., & Schofield, B. R. (2018). Perineuronal nets in subcortical auditory nuclei of four rodent species with differing hearing ranges. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24383. <http://dx.doi.org/10.1002/cne.24383>

Beebe, N. L., Young, J. W., Mellott, J. G., & Schofield, B. R. (2016). Extracellular Molecular Markers and Soma Size of Inhibitory Neurons: Evidence for Four Subtypes of GABAergic Cells in the Inferior Colliculus. *The Journal of Neuroscience*, 36(14), 3988-3999. doi. <http://www.jneurosci.org/content/36/14/3988.short>

Beed, P., Bendels, M. H. K., Wiegand, H. F., Leibold, C., Johenning, F. W., & Schmitz, D. (2010). Analysis of excitatory microcircuitry in the medial entorhinal cortex reveals cell-type-specific differences. *Neuron*, 68(6), 1059-1066. doi.



Beed, P., Gundlfinger, A., Schneiderbauer, S., Song, J., Böhm, C., Burgalossi, A., . . . Schmitz, D. (2013). Inhibitory Gradient along the Dorsoventral Axis in the Medial Entorhinal Cortex. *Neuron*, 79(6), 1197-1207.

doi: <http://dx.doi.org/10.1016/j.neuron.2013.06.038>. <http://www.sciencedirect.com/science/article/pii/S0896627313005540>

Beed, P., Ray, S., Velasquez, L. M., Stumpf, A., Parthier, D., Swaminathan, A., . . . Schmitz, D. (2020). Species-specific differences in synaptic transmission and plasticity. *Scientific Reports*, 10(1), 16557. doi: 10.1038/s41598-020-73547-6. <https://doi.org/10.1038/s41598-020-73547-6>

Beers, D. R., Ho, B.-K., Sikl, L., Alexianu, M. E., Mosier, D. R., Mohamed, A. H., . . . Appel, S. H. (2001). Parvalbumin overexpression alters immune-mediated increases in intracellular calcium, and delays disease onset in a transgenic model of familial amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 79(3), 499. doi.

Beguín, S., Crépel, V., Aniksztejn, L., Becq, H., Pelosi, B., Pallesi-Pocachard, E., . . . Represa, A. (2012). An Epilepsy-Related ARX Polyalanine Expansion Modifies Glutamatergic Neurons Excitability and Morphology Without Affecting GABAergic Neurons Development. *Cerebral Cortex*. doi: 10.1093/cercor/bhs138. <http://cercor.oxfordjournals.org/content/early/2012/05/24/cercor.bhs138...>

Behan, M., Steinhacker, K., Jeffrey-Borger, S., & Meredith, M. A. (2002). Chemoarchitecture of GABAergic neurons in the ferret superior colliculus. *Journal of Comparative Neurology*, 452(4), 334-359. doi.

Behnke, J., Cheedalla, A., Bhatt, V., Bhat, M., Teng, S., Palmieri, A., . . . Alder, J. (2017). Neuropeptide VGF Promotes Maturation of Hippocampal Dendrites That Is Reduced by Single Nucleotide Polymorphisms. *International Journal of Molecular Sciences*, 18(3), 612. doi: <http://www.mdpi.com/1422-0067/18/3/612>

Bekirov, I. H., Nagy, V., Svoronos, A., Huntley, G. W., & Benson, D. L. (2008). Cadherin-8 and N-cadherin differentially regulate pre- and postsynaptic development of the hippocampal mossy fiber pathway. *Hippocampus*, 18(4), 349-363. doi.

Belanger, A. M., Przybylska, M., Gefteas, E., Furgerson, M., Geller, S., Kloss, A., . . . Yew, N. S. (2018). Inhibiting neutral amino acid transport for the treatment of phenylketonuria. *JCI Insight*, 3(14). doi: 10.1172/jci.insight.121762. <https://doi.org/10.1172/jci.insight.121762>

Belevych, N., Buchanan, K., Chen, Q., Bailey, M., & Quan, N. (2010). Location-specific activation of the paraventricular nucleus of the hypothalamus by localized inflammation. *Brain, Behavior, and Immunity*, 24(7), 1137-1147. doi.

Bell, J. A., Wolke, M. L., Ortez, R. C., Jones, T. A., & Kerr, A. L. (2014). Training Intensity Affects Motor Rehabilitation Efficacy Following Unilateral Ischemic Insult of the Sensorimotor Cortex in C57BL/6 Mice. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968314553031. <http://nrr.sagepub.com/content/early/2014/10/08/1545968314553031.abstract>

Bell, L. A., Bell, K. A., & McQuiston, A. R. (2013). Synaptic muscarinic response types in hippocampal CA1 interneurons depend on different levels of presynaptic activity and different muscarinic receptor subtypes. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.05.026>. <http://www.sciencedirect.com/science/article/pii/S0028390813002402>

Bell, L. A., Bell, K. A., & McQuiston, A. R. (2014). Muscarinic receptor activation by optogenetically released acetylcholine in hippocampal CA1 depolarizes VIP-expressing but has varying effects on PV-expressing perisomatic interneurons. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.277814. <http://dx.doi.org/10.1113/jphysiol.2014.277814>

Bell, M. R., De Lorme, K. C., Figueira, R. J., Kashy, D. A., & Sisk, C. L. (2012). Adolescent gain in positive valence of a socially relevant stimulus: engagement of the mesocorticolimbic reward circuitry. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12058. <http://dx.doi.org/10.1111/ejn.12058>

Bell, M. R., Meerts, S. H., & Sisk, C. L. (2013). Adolescent brain maturation is necessary for adult-typical mesocorticolimbic responses to a rewarding social cue. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22106. <http://dx.doi.org/10.1002/dneu.22106>

Bell, S., Rousseau, J., Peng, H., Aouabed, Z., Priam, P., Theroux, J.-F., . . . Campeau, P. M. (2019). Mutations in ACTL6B Cause Neurodevelopmental Deficits and Epilepsy and Lead to Loss of Dendrites in Human Neurons. *The American Journal of Human Genetics*, 104(5), 815-834. doi: <https://doi.org/10.1016/j.ajhg.2019.03.022>. <http://www.sciencedirect.com/science/article/pii/S0002929719301181>

Bell, Z. W., Lovell, P., Mello, C. V., Yip, P. K., George, J. M., & Clayton, D. F. (2019). Urotensin-related gene transcripts mark developmental emergence of the male forebrain vocal control system in songbirds. *Scientific Reports*, 9(1), 816. doi: 10.1038/s41598-018-37057-w. <https://doi.org/10.1038/s41598-018-37057-w>

Bellavance, M.-A., Takatoh, J., Lu, J., Demers, M., Kleinfeld, D., Wang, F., & Deschênes, M. (2017). Parallel Inhibitory and Excitatory Trigemino-Facial Feedback Circuitry for Reflexive Vibrissa Movement. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2017.06.045>. <http://www.sciencedirect.com/science/article/pii/S0896627317305974>

Belloli, S., Brioschi, A., Politi, L. S., Ronchetti, F., Calderoni, S., Raccagni, I., . . . Moresco, R. M. (2013). Characterization of biological features of a rat F98 GBM model: A PET-MRI study with [18F]FAZA and [18F]FDG. *Nuclear Medicine and Biology*, 40(6), 831-840. doi: <http://dx.doi.org/10.1016/j.nucmedbio.2013.05.004>. <http://www.sciencedirect.com/science/article/pii/S0969805113001054>

Bellone, E., Balestra, P., Di Maria, E., Pigullo, S., Gulli, R., Ajmar, F., & Mandich, P. (2004). Screening for mutations in the lipopolysaccharide-induced tumor necrosis factor-alpha factor (litaf) gene in italian patients with charcot-marie-tooth disease. *Journal of the Peripheral Nervous System*, 9(2), 112-112. doi: 10.1007/s10046-004-0010-0

- Belmer, A., Patkar, O. L., Lanoue, V., & Bartlett, S. E. (2018). 5-HT<sub>1A</sub> receptor-dependent modulation of emotional and neurogenic deficits elicited by prolonged consumption of alcohol. *Scientific Reports*, 8(1), 2099. doi: 10.1038/s41598-018-20504-z. <https://doi.org/10.1038/s41598-018-20504-z>
- Belnoue, L., Malvaut, S., Ladevèze, E., Abrous, D. N., & Koehl, M. (2016). Plasticity in the olfactory bulb of the maternal mouse is prevented by gestational stress. [Article]. *Scientific Reports*, 6, 37615. doi: 10.1038/srep37615. <http://dx.doi.org/10.1038/srep37615>
- Beloate, L. N., Omrani, A., Adan, R. A., Webb, I. C., & Coolen, L. M. (2016). Ventral Tegmental Area Dopamine Cell Activation during Male Rat Sexual Behavior Regulates Neuroplasticity and d-Amphetamine Cross-Sensitization following Sex Abstinence. *The Journal of Neuroscience*, 36(38), 9949-9961. doi: <http://www.jneurosci.org/content/36/38/9949.short>
- Beltramo, R., D'Urso, G., Dal Maschio, M., Farisello, P., Bovetti, S., Clovis, Y., . . . Fellin, T. (2013). Layer-specific excitatory circuits differentially control recurrent network dynamics in the neocortex. *Nature Medicine*. doi.
- beltWillis, K. L., McCormick, C. A., & Carr, C. E. (2012). Hindbrain auditory circuits of turtles. [Abstract]. *Frontiers in Behavioral Neuroscience*. doi: 10.3389/conf.fnbeh.2012.27.00034.
- Ben Hamed, S., Duhamel, J. R., Bremmer, F., & Graf, W. (2001). Representation of the visual field in the lateral intraparietal area of macaque monkeys: a quantitative receptive field analysis. *Experimental Brain Research*, 140(2), 127-144. doi.
- Ben M'Barek, K., Pla, P., Orvoen, S., Benstaali, C., Godin, J. D., Gardier, A. M., . . . Humbert, S. (2013). Huntingtin Mediates Anxiety/Depression-Related Behaviors and Hippocampal Neurogenesis. *Journal of Neuroscience*, 33(20), 8608-8620. doi: 10.1523/jneurosci.5110-12.2013. <http://www.jneurosci.org/content/33/20/8608.abstract>
- Benali, A., Trippe, J., Weiler, E., Mix, A., Petrasch-Parwez, E., Girzalsky, W., . . . Funke, K. (2011). Theta-Burst Transcranial Magnetic Stimulation Alters Cortical Inhibition. *Journal of Neuroscience*, 31(4), 1193-1203. doi: 10.1523/jneurosci.1379-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/4/1193>
- Ben-Ari, Y., & Cossart, R. (2000). Kainate, a double agent that generates seizures: two decades of progress. *Trends in Neurosciences*, 23(11), 580-587. doi.
- Benavides-Piccione, R., Arellano, J. I., & DeFelipe, J. (2005). Catecholaminergic Innervation of Pyramidal Neurons in the Human Temporal Cortex. *Cerebral Cortex*, 15(doi:10.1093/cercor/bhio36), 1584-1591. doi.
- Benavides-Piccione, R., & DeFelipe, J. (2007). Distribution of neurons expressing tyrosine hydroxylase in the human cerebral cortex. *Journal of Anatomy*, 211(2), 212-222. doi: doi:10.1111/j.1469-7580.2007.00760.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1469-7580.2007.00760.x>

- Benavides-Piccione, R., Hamzei-Sichani, F., Ballesteros-Yanez, I., DeFelipe, J., & Yuste, R. (2006). Dendritic size of pyramidal neurons differs among mouse cortical regions. *Cerebral Cortex*, 16(7), 990-990. doi.
- Benavides-Piccione, R., Regalado-Reyes, M., Fernaud-Espinosa, I., Kastanauskaite, A., Tapiá-González, S., León-Espinosa, G., . . . DeFelipe, J. (2019). Differential Structure of Hippocampal CA1 Pyramidal Neurons in the Human and Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhz122. <https://doi.org/10.1093/cercor/bhz122>
- Benavides-Piccione, R., Rojo, C., Kastanauskaite, A., & DeFelipe, J. (2021). Variation in Pyramidal Cell Morphology Across the Human Anterior Temporal Lobe. *Cerebral Cortex*, (bhab034). doi: 10.1093/cercor/bhab034. <https://doi.org/10.1093/cercor/bhab034>
- Bendels, M. H. K., Beed, P., Leibold, C., Schmitz, D., & Jochenning, F. W. (2008). A novel control software that improves the experimental workflow of scanning photostimulation experiments. *Journal of Neuroscience Methods*, 175(1), 44-57. doi.
- Bender, K., Deshmukh, S., & Feldman, D. (2006). LTD as a Mechanism for Map Plasticity in Rat Barrel Cortex. *Development and Plasticity in Sensory Thalamus and Cortex*, 271-287. doi.
- Benedetti, L., Zuccarino, R., Grandis, M., Fiocchi, I., Beronio, A., Ghiglione, E., . . . Schenone, A. (2004). Is clinical variability in CMT1A related to epigenetic factors? *Journal of the Peripheral Nervous System*, 9(2), 111-111. doi: doi:10.1111/j.1085-9489.2004.009209w.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Benedetti, S., Previtali, S., Toniolo, D., Iannaccone, S., Sferrazza, B., Comi, G., . . . Bertini, E. (2004). Dominant lamin A/C gene mutations can be associated with muscular dystrophy and peripheral neuropathy. *Journal of the Peripheral Nervous System*, 9(2), 113-113. doi: doi:10.1111/j.1085-9489.2004.009209ad.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Bengochea, M., Berón de Astrada, M., Tomsic, D., & Sztarker, J. (2017). A crustacean lobula plate: morphology, connections and retinotopic organization. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24322. <http://dx.doi.org/10.1002/cne.24322>
- Bengtsson Gonzales, C., Hunt, S., Muñoz-Manchado, A. B., McBain, C. J., & Hjerling-Leffler, J. (2020). Intrinsic electrophysiological properties predict variability in morphology and connectivity among striatal Parvalbumin-expressing Pthlh-cells. *Scientific Reports*, 10(1), 15680. doi: 10.1038/s41598-020-72588-1. <https://doi.org/10.1038/s41598-020-72588-1>
- Benito-Gonzalez, A., & Alvarez, F. J. (2012). Renshaw Cells and Ia Inhibitory Interneurons Are Generated at Different Times from p1 Progenitors and Differentiate Shortly after Exiting the Cell Cycle. *Journal of Neuroscience*, 32(4), 1156-1170. doi: 10.1523/jneurosci.3630-12.2012. <http://www.jneurosci.org/content/32/4/1156.abstract>

Benneyworth, M. A., & Coyle, J. T. (2012). Altered Acquisition and Extinction of Amphetamine-Paired Context Conditioning in Genetic Mouse Models of Altered NMDA Receptor Function. *Neuropsychopharmacology*. doi: <http://dx.doi.org/10.1038/npp.2012.108>

Bennur, S., Rao, S., Pawlak, R., Strickland, S., McEwen, B. S., & Chattarji, S. (2007). Stress-induced spine loss in the medial amygdala is mediated by tissue-plasminogen activator. *Neuroscience*, 144(1), 8-16. doi.

Benson, C. G., & Cant, N. B. (2008). The ventral nucleus of the lateral lemniscus of the gerbil (*Meriones unguiculatus*): organization of connections with the cochlear nucleus and the inferior colliculus. *Journal of Comparative Neurology*, 510(6), 673-690. doi.

Benton, R. L., & Whittemore, S. R. (2003). VEGF 165 therapy exacerbates secondary damage following spinal cord injury. *Neurochemical Research*, 28(11), 1693-1703. doi.

Benton, R. L., Woock, J. P., Gozal, E., Hetman, M., & Whittemore, S. R. (2005). Intraspinal application of endothelin results in focal ischemic injury of spinal gray matter and restricts the differentiation of engrafted neural stem cells. *Neurochemical Research*, 30(6), 809-823. doi.

Bento-Torres, J., Sobral, L. L., Reis, R. R., de Oliveira, R. B., Anthony, D. C., Vasconcelos, P. F. C., . . . o Diniz, C. W. (2017). Age and Environment Influences on Mouse Prion Disease Progression: Behavioral Changes and Morphometry and Stereology of Hippocampal Astrocytes. *Oxidative Medicine and Cellular Longevity*, 2017, 18. doi: 10.1155/2017/4504925. <https://doi.org/10.1155/2017/4504925>

Berezovskii, V. K., & Born, R. T. (2000). Specificity of Projections from Wide-Field and Local Motion-Processing Regions within the Middle Temporal Visual Area of the Owl Monkey. *Journal of Neuroscience*, 20(3), 1157-1169. doi: <http://www.jneurosci.org/cgi/content/abstract/20/3/1157>

Berezovskii, V. K., Nassi, J. J., & Born, R. T. (2011). Segregation of feedforward and feedback projections in mouse visual cortex. *Journal of Comparative Neurology*, 519(18), 3672-3683. doi: 10.1002/cne.22675. <http://dx.doi.org/10.1002/cne.22675>

Berg, A. P., & Bayliss, D. A. (2007). Striatal Cholinergic Interneurons Express a Receptor-Insensitive Homomeric TASK-3-Like Background K<sup>+</sup> Current. *Journal of Neurophysiology*, 97(2), 1546-1552. doi: 10.1152/jn.01090.2006. <http://jn.physiology.org/cgi/content/abstract/97/2/1546>

Berger, T., Larkum, M. E., & Luscher, H.-R. (2001). High Ih Channel Density in the Distal Apical Dendrite of Layer V Pyramidal Cells Increases Bidirectional Attenuation of EPSPs. *Journal of Neurophysiology*, 85(2), 855-868. doi: <http://jn.physiology.org/cgi/content/abstract/85/2/855>

Berger, T. K., Silberberg, G., Perin, R., & Markram, H. (2010). Brief bursts self-inhibit and correlate the pyramidal network. *PLoS Biology*, 8(9), e1000473-e1000473. doi.

Berggren, K., Ezerman, E. B., McCaffery, P., & Forehand, C. J. (2001). Expression and regulation of the retinoic acid synthetic enzyme RALDH-2 in the embryonic chicken wing. *Developmental Dynamics*, 222(1), 1-16. doi.

Bergstrom, H., McDonald, C., Dey, S., Tang, H., Selwyn, R., & Johnson, L. (2012). The structure of Pavlovian fear conditioning in the amygdala. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-012-0478-2. <http://dx.doi.org/10.1007/s00429-012-0478-2>

Bergstrom, H. C., & Johnson, L. R. (2014). An organization of visual and auditory fear conditioning in the lateral amygdala. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2014.07.008>. <http://www.sciencedirect.com/science/article/pii/S107474271400135X>

Bergstrom, H. C., McDonald, C. G., French, H. T., & Smith, R. F. (2008). Continuous nicotine administration produces selective, age-dependent structural alteration of pyramidal neurons from prelimbic cortex. *Synapse*, 62(1), 31-39. doi.

Bergstrom, H. C., McDonald, C. G., & Johnson, L. R. (2011). Pavlovian fear conditioning activates a common pattern of neurons in the lateral amygdala of individual brains. *PLoS ONE*, 6(1), e15698-e15698. doi.

Bergstrom, H. C., Smith, R. F., Mollinedo, N. S., & McDonald, C. G. (2010). Chronic nicotine exposure produces lateralized, age-dependent dendritic remodeling in the rodent basolateral amygdala. *Synapse*, 64(10), 754-764. doi.

Bergwell, H. R. (2017). Chronic Capsaicin Does Not Induce Microglia Response in Adult Rat. doi. <http://digitalcommons.unomaha.edu/srcaf/2017/schedule/1/>

Berkley, K. J., Dmitrieva, N., Curtis, K. S., & Papka, R. E. (2004). Innervation of ectopic endometrium in a rat model of endometriosis. *Proceedings of the National Academy of Sciences*, 101(30), 11094-11098. doi: 10.1073/pnas.0403663101. <http://www.pnas.org/cgi/content/abstract/101/30/11094>

Berlanga, M. L., Price, D. L., Phung, B. S., Giuly, R., Terada, M., Yamada, N., . . . others. (2011). Multiscale imaging characterization of dopamine transporter knockout mice reveals regional alterations in spine density of medium spiny neurons. *Brain Research*. doi.

Berman, R. F., Murray, K. D., Arque, G., Hunsaker, M. R., & Wenzel, H. J. (2012). Abnormal dendrite and spine morphology in primary visual cortex in the CGG knock-in mouse model of the fragile X premutation. *Epilepsia*, 53, 150-160. doi: 10.1111/j.1528-1167.2012.03486.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03486.x>

Berman, R. F., Schwartz, J. J., & Hunsaker, M. R. (2015). Mouse Models of the Fragile X-Associated Tremor/Ataxia Syndrome (FXTAS) and the Fragile X Premutation. doi. <http://mrhunsaker.github.io/CGGKIMotor/>

Bernácer, J., Prensa, L., & Giménez-Amaya, J. M. (2007). Cholinergic interneurons are differentially distributed in the human striatum. *PLoS ONE*, 2(11), e1174-e1174. doi.



Bernard, R., & Veh, R. W. (2012). Individual neurons in the rat lateral habenular complex mostly project to either the dopaminergic ventral tegmental area or to the serotonergic raphe nuclei. *Journal of Comparative Neurology*. doi.

Bernreuther, C., Dihne, M., Johann, V., Schiefer, J., Cui, Y., Hargus, G., . . . Schachner, M. (2006). Neural Cell Adhesion Molecule L1-Transfected Embryonic Stem Cells Promote Functional Recovery after Excitotoxic Lesion of the Mouse Striatum. *Journal of Neuroscience*, 26(45), 11532-11539. doi: 10.1523/jneurosci.2688-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11532>

Bernstein, S. L., Guo, Y., Slater, B. J., Puche, A., & Kelman, S. E. (2007). Neuron stress and loss following rodent anterior ischemic optic neuropathy in double-reporter transgenic mice. *Investigative Ophthalmology and Visual Science*, 48(5), 2304-2310. doi.

Bernstock, J. D., Peruzzotti-Jametti, L., Leonardi, T., Vicario, N., Ye, D., Lee, Y.-j., . . . Pluchino, S. (2019). SUMOylation promotes survival and integration of neural stem cell grafts in ischemic stroke. *EBioMedicine*. doi: <https://doi.org/10.1016/j.ebiom.2019.03.035>. <http://www.sciencedirect.com/science/article/pii/S2352396419301756>

Berryer, M. H., Chattopadhyaya, B., Xing, P., Riebe, I., Bosoi, C., Sanon, N., . . . Di Cristo, G. (2016). Decrease of SYNGAP1 in GABAergic cells impairs inhibitory synapse connectivity, synaptic inhibition and cognitive function. [Article]. *Nature Communications*, 7, 13340. doi: 10.1038/ncomms13340

<http://www.nature.com/articles/ncomms13340#supplementary-information>. <http://dx.doi.org/10.1038/ncomms13340>

Bersano, A., Allaria, S., & Nobile-Orazio, E. (2004). 14-3-3 protein in the CSF of inflammatory peripheral neuropathies. *Journal of the Peripheral Nervous System*, 9(2), 108-108. doi.

Berson, D. M., Stein, J. J., & others. (1995). Retinotopic organization of the superior colliculus in relation to the retinal distribution of afferent ganglion cells. *Visual Neuroscience*, 12, 671-671. doi.

Berthet, A., Margolis, E. B., Zhang, J., Hsieh, I., Zhang, J., Hnasko, T. S., . . . Huang, E. J. (2014). Loss of Mitochondrial Fission Depletes Axonal Mitochondria in Midbrain Dopamine Neurons. *The Journal of Neuroscience*, 34(43), 14304-14317. doi. <http://www.jneurosci.org/content/34/43/14304.short>

Bertram, J., Koschützke, L., Pfannmöller, J. P., Esche, J., van Diepen, L., Kuss, A. W., . . . von Bohlen und Halbach, O. (2016). Morphological and behavioral characterization of adult mice deficient for SrGAP3. [journal article]. *Cell and Tissue Research*, 1-11. doi: 10.1007/s00441-016-2413-y. <http://dx.doi.org/10.1007/s00441-016-2413-y>

Berzhanskaya, J., & Ascoli, G. (2008). Computational neuroanatomy. *Scholarpedia*, 3(3), 1313-1313. doi.

Bessa, J., Morais, M., Marques, F., Pinto, L., Palha, J., Almeida, O., & Sousa, N. (2013). Stress-induced anhedonia is associated with hypertrophy of medium spiny neurons of the nucleus accumbens. *Translational Psychiatry*, 3(6), e266. doi: <http://www.nature.com/tp/journal/v3/n6/abs/tp201339a.html>

Bessa, J. M., Ferreira, D., Melo, I., Marques, F., Cerqueira, J. J., Palha, J. A., . . . Sousa, N. (2008). The mood-improving actions of antidepressants do not depend on neurogenesis but are associated with neuronal remodeling. *Molecular Psychiatry*. doi.

Bethea, C. L., Coleman, K., Phu, K., Reddy, A. P., & Phu, A. (2014). Relationships between androgens, serotonin gene expression and innervation in male macaques. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.05.056>. <http://www.sciencedirect.com/science/article/pii/S0306452214004643>

Beutler, L. R., Eldred, K. C., Quintana, A., Keene, C. D., Rose, S. E., Postupna, N., . . . Palmiter, R. D. (2011). Severely Impaired Learning and Altered Neuronal Morphology in Mice Lacking NMDA Receptors in Medium Spiny Neurons. *PLoS ONE*, 6(11), e28168-e28168. doi.

Beynon, S. B., & Walker, F. R. (2012). Microglial activation in the injured and healthy brain: what are we really talking about? Practical and theoretical issues associated with the measurement of changes in microglial morphology. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.07.029. <http://www.sciencedirect.com/science/article/pii/S0306452212007543?v=s5>

Bezchlibnyk, Y. B., Stone, S. S. D., Hamani, C., & Lozano, A. M. (2016). High frequency stimulation of the infralimbic cortex induces morphological changes in rat hippocampal neurons. *Brain Stimulation*. doi: <http://dx.doi.org/10.1016/j.brs.2016.11.013>. <http://www.sciencedirect.com/science/article/pii/S1935861X1630314X>

Bezgin, G., Reid, A. T., Schubert, D., & Kötter, R. (2009). Matching spatial with ontological brain regions using Java tools for visualization, database access, and integrated data analysis. *Neuroinformatics*, 7(1), 7-22. doi.

Bhagat, R., Fortna, S. R., & Browning, K. N. (2014). Exposure to a high fat diet during the perinatal period alters vagal motoneurone excitability, even in the absence of obesity. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.282806. <http://dx.doi.org/10.1113/jphysiol.2014.282806>

Bhagwandin, A., Gravett, N., Hemingway, J., Oosthuizen, M. K., Bennett, N. C., Siegel, J. M., & Manger, P. R. (2011). Orexinergic neuron numbers in three species of African mole rats with rhythmic and arrhythmic chronotypes. *Neuroscience*. doi.

Bhalala, U., Lee, E. J., Armstrong, J., Parikh, M., Lee, J., Kannan, S., . . . Koehler, R. (2014). 581: NEUROINFLAMMATION PERSISTS BEYOND ACUTE INJURY AFTER PEDIATRIC HYPOXIC-ASPHYXIC CARDIAC ARREST. *Critical Care Medicine*, 42(12), A1499-A1500. doi: <http://journals.lww.com/ccmjournal/Fulltext/2014/12001/581> NEUROINFLAM...

Bhumra, G. S., Bannatyne, B. A., Watanabe, M., Todd, A. J., Maxwell, D. J., & Beato, M. (2014). The Recurrent Case for the Renshaw Cell. *The Journal of Neuroscience*, 34(38), 12919-12932. doi: <http://www.jneurosci.org/content/34/38/12919.full>

Biamonte, F., Assenza, G., Marino, R., D'Amelio, M., Panteri, R., Caruso, D., . . . others. (2009). Interactions between neuroactive steroids and reelin haploinsufficiency in Purkinje cell survival. *Neurobiology of Disease*, 36(1), 103-115. doi:

Bian, S., Akyüz, N., Bernreuther, C., Loers, G., Laczynska, E., Jakovcevski, I., & Schachner, M. (2011). Dermatan sulfotransferase Chst14/D4st1, but not chondroitin sulfotransferase Chst11/C4st1, regulates proliferation and neurogenesis of neural progenitor cells. *Journal of Cell Science*, 124(23), 4051-4063. doi: 10.1242/jcs.088120. <http://jcs.biologists.org/content/124/23/4051.abstract>

Bianchi, S., Bauernfeind, A. L., Gupta, K., Stimpson, C. D., Spocter, M. A., Bonar, C. J., . . . Sherwood, C. C. (2011). Neocortical neuron morphology in Afrotheria: comparing the rock hyrax with the African elephant. *Annals of the New York Academy of Sciences*, 1225(1), 37-46. doi:

Bianchi, S., Stimpson, C. D., Bauernfeind, A. L., Schapiro, S. J., Baze, W. B., McArthur, M. J., . . . Sherwood, C. C. (2012). Dendritic Morphology of Pyramidal Neurons in the Chimpanzee Neocortex: Regional Specializations and Comparison to Humans. *Cerebral Cortex*. doi: 10.1093/cercor/bhs239. <http://cercor.oxfordjournals.org/content/early/2012/08/08/cercor.bhs239...>

Bianchi, S., Stimpson, C. D., Duka, T., Larsen, M. D., Janssen, W. G. M., Collins, Z., . . . Sherwood, C. C. (2013). Synaptogenesis and development of pyramidal neuron dendritic morphology in the chimpanzee neocortex resembles humans. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1301224110. [http://www.pnas.org/content/early/2013/06/04/1301224110.ab stract](http://www.pnas.org/content/early/2013/06/04/1301224110.abstract)

Biasiotta, A. (2012). Neuropathic pain in neuropathy: A combined clinical, neurophysiological and morphological study. doi:

Bicanic, I., Hladnik, A., & Petanjek, Z. (2017). A Quantitative Golgi Study of Dendritic Morphology in the Mice Striatum Medium Spiny Neurons. [Original Research]. *Frontiers in Neuroanatomy*, 11(37). doi: 10.3389/fnana.2017.00037. <http://journal.frontiersin.org/article/10.3389/fnana.2017.00037>

Bickford, M. E., Zhou, N., Krahe, T. E., Govindaiah, G., & Guido, W. (2015). Retinal and Tectal "Driver-Like" Inputs Converge in the Shell of the Mouse Dorsal Lateral Geniculate Nucleus. *The Journal of Neuroscience*, 35(29), 10523-10534. doi: <http://www.jneurosci.org/content/35/29/10523.short>

Bielza, C., Benavides-Piccione, R., López-Cruz, P., Larrañaga, P., & DeFelipe, J. (2014). Branching angles of pyramidal cell dendrites follow common geometrical design principles in different cortical areas. *Scientific Reports*, 4. doi: <http://www.nature.com/srep/2014/140801/srep05909/full/srep05909.html>

Bienvenu, T. C., Busti, D., Micklem, B. R., Mansouri, M., Magill, P. J., Ferraguti, F., & Capogna, M. (2015). Large Intercalated Neurons of Amygdala Relay Noxious Sensory Information. *The Journal of Neuroscience*, 35(5), 2044-2057. doi: <http://www.jneurosci.org/content/35/5/2044.short>

Biering-Sørensen, F., Biering-Sørensen, T., Liu, N., Malmqvist, L., Wecht, J. M., & Krassioukov, A. (2017). Alterations in cardiac autonomic control in spinal cord injury. *Autonomic Neuroscience*. doi: [http://www.autonomicneuroscience.com/article/S1566-0702\(17\)30044-9/abstract](http://www.autonomicneuroscience.com/article/S1566-0702(17)30044-9/abstract)

Biernaskie, J., Chernenko, G., & Corbett, D. (2004). Efficacy of Rehabilitative Experience Declines with Time after Focal Ischemic Brain Injury. *Journal of Neuroscience*, 24(5), 1245-1254. doi: 10.1523/jneurosci.3834-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/5/1245>

Biernaskie, J., & Corbett, D. (2001). Enriched Rehabilitative Training Promotes Improved Forelimb Motor Function and Enhanced Dendritic Growth after Focal Ischemic Injury. *Journal of Neuroscience*, 21(14), 5272-5280. doi: <http://www.jneurosci.org/cgi/content/abstract/21/14/5272>

Biffiger, K., Bartsch, S., Montag, D., Aguzzi, A., Schachner, M., & Bartsch, U. (2000). Severe Hypomyelination of the Murine CNS in the Absence of Myelin-Associated Glycoprotein and Fyn Tyrosine Kinase. *Journal of Neuroscience*, 20(19), 7430-7437. doi: <http://www.jneurosci.org/cgi/content/abstract/20/19/7430>

Bigbee, J. W., Sharma, K. V., Chan, E. L. P., & Böglér, O. (2000). Evidence for the direct role of acetylcholinesterase in neurite outgrowth in primary dorsal root ganglion neurons. *Brain Research*, 861(2), 354-362. doi.

Biggs, B. T., Tang, T., & Krimm, R. F. (2016). Insulin-Like Growth Factors Are Expressed in the Taste System, but Do Not Maintain Adult Taste Buds. *PLoS ONE*, 11(2), e0148315. doi: 10.1371/journal.pone.0148315. <http://dx.doi.org/10.1371%2Fjournal.pone.0148315>

Bilgen, M., Dancause, N., Al-Hafez, B., He, Y. Y., & Malone, T. M. (2005). Manganese-enhanced MRI of rat spinal cord injury. *Magnetic Resonance Imaging*, 23(7), 829-832. doi.

Billeci, L., Pioggia, G., Vaglini, F., & Ahluwalia, A. (2010). Automated extraction and classification of dynamic metrical features of morphological development in dissociated Purkinje neurons. *Journal of Neuroscience Methods*, 185(2), 315-324. doi.

Billiards, S. S., Haynes, R. L., Folkerth, R. D., Borenstein, N. S., Trachtenberg, F. L., Rowitch, D. H., . . . Kinney, H. C. (2008). Myelin Abnormalities without Oligodendrocyte Loss in Periventricular Leukomalacia. *Brain Pathology*. doi: doi:10.1111/j.1750-3639.2007.00107.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1750-3639.2007.00107.x>

Billiards, S. S., Haynes, R. L., Folkerth, R. D., Trachtenberg, F. L., Liu, L. G., Volpe, J. J., & Kinney, H. C. (2006). Development of microglia in the cerebral white matter of the human fetus and infant. *Journal of Comparative Neurology*, 497(2), 199-208. doi.

Bindu, B., Alladi, P. A., Mansooralikhan, B. M., Srikumar, B. N., Raju, T. R., & Kutty, B. M. (2007). Short-term exposure to an enriched environment enhances dendritic branching but not brain-derived neurotrophic factor expression in the hippocampus of rats with ventral subicular lesions. *Neuroscience*, 144(2), 412-423. doi.

Binley, K. E., Ng, W. S., Tribble, J. R., Song, B., & Morgan, J. E. (2014). Sholl analysis: A quantitative comparison of semi-automated methods. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.01.017>. <http://www.sciencedirect.com/science/article/pii/S0165027014000284>

Binneboese, A., & Morecraft, R. J. (2015). Localization of Orofacial Motor Representation in the Corona Radiata, Internal Capsule, and Cerebral Peduncle in the Non-Human Primate. *South Dakota Medicine*, 68(9).

doi: <http://web.a.ebscohost.com/abstract?direct=true&profile=ehost&scope=site...>

Biran, V., Heine, V. M., Verney, C., Sheldon, R., Spadafora, R., Vexler, Z. S., . . . Ferriero, D. M. (2011). Cerebellar abnormalities following hypoxia alone compared to hypoxic-ischemic forebrain injury in the developing rat brain. *Neurobiology of Disease*, 41(1), 138-146. doi.

Bird, C. W., Gardiner, A. S., Bolognani, F., Tanner, D. C., Chen, C.-Y., Lin, W.-J., . . . Perrone-Bizzozero, N. (2013). KSRP Modulation of GAP-43 mRNA Stability Restricts Axonal Outgrowth in Embryonic Hippocampal Neurons. *PLoS ONE*, 8(11), e79255. doi: 10.1371/journal.pone.0079255. <http://dx.doi.org/10.1371%2Fjournal.pone.0079255>

Birinyi, A., Rácz, N., Kecskes, S., Matesz, C., & Kovalecz, G. (2017). Neural circuits underlying jaw movements for the prey-catching behavior in frog: distribution of vestibular afferent terminals on motoneurons supplying the jaw. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1581-1. <https://doi.org/10.1007/s00429-017-1581-1>

Biró, Á. A., Brémaud, A., Falck, J., & Ruiz, A. J. (2018). A-type K<sup>+</sup> channels impede supralinear summation of clustered glutamatergic inputs in layer 3 neocortical pyramidal neurons. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.07.005>. <http://www.sciencedirect.com/science/article/pii/S0028390818303605>

Biro, A. A., Holderith, N. B., & Nusser, Z. (2005). Quantal Size Is Independent of the Release Probability at Hippocampal Excitatory Synapses. *Journal of Neuroscience*, 25(1), 223-232. doi: <http://www.jneurosci.org/cgi/content/abstract/25/1/223>

Biro, A. A., Holderith, N. B., & Nusser, Z. (2006). Release Probability-Dependent Scaling of the Postsynaptic Responses at Single Hippocampal GABAergic Synapses. *Journal of Neuroscience*, 26(48), 12487-12496. doi: 10.1523/jneurosci.3106-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/48/12487>

Bisicchia, E., Sasso, V., Catanzaro, G., Leuti, A., Besharat, Z. M., Chiacchiarini, M., . . . Chiurchiù, V. (2018). Resolvin D1 Halts Remote Neuroinflammation and Improves Functional Recovery after Focal Brain Damage Via ALX/FPR2 Receptor-Regulated MicroRNAs. [journal article].

Molecular Neurobiology. doi: 10.1007/s12035-018-0889-z.  
<https://doi.org/10.1007/s12035-018-0889-z>

Bissonette, G. B., Bae, M. H., Suresh, T., Jaffe, D. E., & Powell, E. M. (2010). Astrocyte-Mediated Hepatocyte Growth Factor/Scatter Factor Supplementation Restores GABAergic Interneurons and Corrects Reversal Learning Deficits in Mice. *Journal of Neuroscience*, 30(8), 2918-2923. doi: 10.1523/jneurosci.5268-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/8/2918>

Bissonette, G. B., Bae, M. H., Suresh, T., Jaffe, D. E., & Powell, E. M. (2013). Prefrontal cognitive deficits in mice with altered cerebral cortical GABAergic interneurons. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.10.051>. <http://www.sciencedirect.com/science/article/pii/S0166432813006761>

Bittner, G., Sengelau, D., & Ghergherehchi, C. (2018). Conundrums and confusions regarding how polyethylene glycol-fusion produces excellent behavioral recovery after peripheral nerve injuries. [Invited Review]. *Neural Regeneration Research*, 13(1), 53-57. doi: 10.4103/1673-5374.224363. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2018;volume=13;...>

Bizley, J. K., Bajo, V. M., Nodal, F. R., & King, A. J. (2015). Cortico-cortical connectivity within ferret auditory cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23784. <http://dx.doi.org/10.1002/cne.23784>

Bizon, J. L., & Gallagher, M. (2003). Production of new cells in the rat dentate gyrus over the lifespan: relation to cognitive decline. *European Journal of Neuroscience*, 18(1), 215-219. doi: doi:10.1046/j.1460-9568.2003.02733.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02733.x>

Bizon, J. L., Helm, K. A., Han, J. S., Chun, H. J., Pucilowska, J., Lund, P. K., & Gallagher, M. (2001). Hypothalamic-pituitary-adrenal axis function and corticosterone receptor expression in behaviourally characterized young and aged Long-Evans rats. *European Journal of Neuroscience*, 14(10), 1739-1751. doi.

Bizon, J. L., Helm, K. A., Han, J.-S., Chun, H.-J., Pucilowska, J., Lund, P. K., & Gallagher, M. (2001). Hypothalamic-pituitary-adrenal axis function and corticosterone receptor expression in behaviourally characterized young and aged Long-Evans rats. *European Journal of Neuroscience*, 14(10), 1739-1751. doi: doi:10.1046/j.0953-816x.2001.01781.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.0953-816x.2001.01781.x>

Bizon, J. L., Lee, H. J., & Gallagher, M. (2004). Neurogenesis in a rat model of age-related cognitive decline. *Aging Cell*, 3(4), 227-234. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1474-9728.2004.0009...>

Bjaalie, J. G. (2002). Localization in the brain: new solutions emerging. *Nature Reviews Neuroscience*, 3, 322-325. doi.



Bjaalie, J. G., & Leergaard, T. B. (2006). Three-dimensional computerized reconstruction from serial sections: cell populations, regions, and whole brain. *Neuroanatomical Tract-Tracing* 3, 530-565. doi.

Bjaalie, J. G., Leergaard, T. B., & Pettersen, C. (2006). Micro3D: computer program for three-dimensional reconstruction visualization, and analysis of neuronal populations and brain regions. *International Journal of Neuroscience*, 116(4), 515-540. doi.

Bjornsson, C. S., Lin, G., Al-Kofahi, Y., Narayanaswamy, A., Smith, K. L., Shain, W., & Roysam, B. (2008). Associative image analysis: a method for automated quantification of 3D multi-parameter images of brain tissue. *Journal of Neuroscience Methods*, 170(1), 165-178. doi.

Black, C., Resau, J., West, R., Grever, W., Hlady, V., & McAllister, J. (2009). Are we implanting catheters that facilitate shunt failure? *Cerebrospinal Fluid Research*, 6(Suppl 1), S42. doi. <http://www.cerebrospinalfluidresearch.com/content/6/S1/S42>

Blackman, A. V., Grabuschnig, S., Legenstein, R., & Sjöström, P. J. (2014). A Comparison of Manual Neuronal Reconstruction from Biocytin Histology or 2-Photon Imaging: Morphometry and Computer Modeling. *Frontiers in Neuroanatomy*, 8, 65. doi. <http://journal.frontiersin.org/Journal/10.3389/fnana.2014.00065/abstract>

Blackmore, E. M., Miranda Dos Santos, F., Krajewski-Hall, S. J., Rance, N. E., & McMullen, N. T. (2019). Glutamatergic Neurokinin 3 receptor neurons in the median preoptic nucleus modulate heat-defense pathways in female mice. doi: 10.1210/en.2018-00934. <https://dx.doi.org/10.1210/en.2018-00934>

Blackmore, M. G., Moore, D. L., Smith, R. P., Goldberg, J. L., Bixby, J. L., & Lemmon, V. P. (2010). High content screening of cortical neurons identifies novel regulators of axon growth. *Molecular and Cellular Neuroscience*, 44(1), 43-54. doi.

Blakely, B. D., Bye, C. R., Fernando, C., Prasad, A., Pasterkamp, J., Macheda, M. L., . . . Parish, C. (2013). Ryk, a receptor regulating Wnt5a-mediated neurogenesis and axon morphogenesis of ventral midbrain dopaminergic neurons. *Stem Cells and Development*, (ja). doi.

Blanchet, J., Longpré, F., Bureau, G., Morissette, M., DiPaolo, T., Bronchti, G., & Martinoli, M. G. (2008). Resveratrol, a red wine polyphenol, protects dopaminergic neurons in MPTP-treated mice. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 32(5), 1243-1250. doi.

Bland, K. M., Aharon, A., Widener, E. L., Song, M. I., Casey, Z. O., Zuo, Y., & Vidal, G. S. (2021). FMRP regulates the subcellular distribution of cortical dendritic spine density in a non-cell-autonomous manner. *Neurobiology of Disease*, 150, 105253. doi: <https://doi.org/10.1016/j.nbd.2021.105253>. <https://www.sciencedirect.com/science/article/pii/S0969996121000024>

Blaszczyk, W. M., Telkes, I., & Distler, C. (2004). GABA-immunoreactive starburst amacrine cells in pigmented and albino rats. *European Journal of Neuroscience*, 20(11), 3195-3198. doi:10.1111/j.1460-9568.2004.03761.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03761.x>

Blatow, M., Rozov, A., Katona, I., Hormuzdi, S. G., Meyer, A. H., Whittington, M. A., . . . Monyer, H. (2003). A novel network of multipolar bursting interneurons generates theta frequency oscillations in neocortex. *Neuron*, 38(5), 805-817. doi.

Blaya, M. O., Bramlett, H., Nadoo, J., Pieper, A. A., & Dietrich III, W. D. (2013). Neuroprotective efficacy of a proneurogenic compound after traumatic brain injury. *Journal of Neurotrauma*, (ja). doi. <http://online.liebertpub.com/doi/abs/10.1089/neu.2013.3135>

Blaya, M. O., Tsoulfas, P., Bramlett, H. M., & Dietrich, W. D. (2014). Neural progenitor cell transplantation promotes neuroprotection, enhances hippocampal neurogenesis, and improves cognitive outcomes after traumatic brain injury. *Experimental Neurology*, (o). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.11.014>. <http://www.sciencedirect.com/science/article/pii/S0014488614003847>

Blazquez-Llorca, L., Garcia-Marin, V., & DeFelipe, J. (2010). Frontiers: Pericellular innervation of neurons expressing abnormally hyperphosphorylated tau in the hippocampal formation of Alzheimer's disease patients. *Frontiers in Neuroanatomy*, 4. doi.

Blazquez-Llorca, L., Garcia-Marin, V., & DeFelipe, J. (2010). Pericellular Innervation of Neurons Expressing Abnormally Hyperphosphorylated Tau in the Hippocampal Formation of Alzheimer's Disease Patients. *Frontiers in Neuroanatomy*, 4. doi.

Blazquez-Llorca, L., García-Marín, V., & DeFelipe, J. (2010). GABAergic complex basket formations in the human neocortex. *Journal of Comparative Neurology*, 518(24), 4917-4937. doi: 10.1002/cne.22496. <http://dx.doi.org/10.1002/cne.22496>

Blazquez-Llorca, L., Garcia-Marin, V., Merino-Serrais, P., Ávila, J., & DeFelipe, J. (2011). Abnormal Tau Phosphorylation in the Thorny Excrescences of CA3 Hippocampal Neurons in Patients with Alzheimer's Disease. *Journal of Alzheimer's Disease*, 26(4), 683-698. doi.

Bloch, S. L., & Friis, M. (2011). Objective measurement of the human endolymphatic sac dimensions in Ménière's disease. *Otology & Neurotology*, 32(8), 1364-1364. doi.

Blöchliger, S., Weinmann, O., Schwab, M. E., & Thallmair, M. (2001). Neuronal plasticity and formation of new synaptic contacts follow pyramidal lesions and neutralization of Nogo-A: A light and electron microscopic study in the pontine nuclei of adult rats. *Journal of Comparative Neurology*, 433(3), 426-436. doi.

Blondel, O., Collin, C., McCarran, W. J., Zhu, S., Zamostiano, R., Gozes, I., . . . McKay, R. D. G. (2000). A Glia-Derived Signal Regulating Neuronal Differentiation. *Journal of Neuroscience*, 20(21), 8012-8020. doi. <http://www.jneurosci.org/cgi/content/abstract/20/21/8012>

Bloss, E. B., Janssen, W. G., McEwen, B. S., & Morrison, J. H. (2010). Interactive Effects of Stress and Aging on Structural Plasticity in the Prefrontal Cortex. *Journal of Neuroscience* 30(19), 6726-6731. doi: 10.1523/jneurosci.0759-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/19/6726>

Blouin, A. M., Thannickal, T. C., Worley, P. F., Baraban, J. M., Reti, I. M., & Siegel, J. M. (2005). Narp immunostaining of human hypocretin (orexin) neurons: Loss in narcolepsy. *Neurology*,

65(8), 1189-1192. doi:

10.1212/01.wnl.0000175219.01544.c8. <http://www.neurology.org/cgi/content/abstract/65/8/1189>

Blume, S. R., Freedberg, M., Vantrease, J. E., Chan, R., Padival, M., Record, M. J., . . . Rosenkranz, J. A. (2017). Sex- and estrus-dependent differences in rat basolateral amygdala. [10.1523/JNEUROSCI.0758-17.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/09/27/JNEUROSCI.0758-17.2017...>

Blume, S. R., Padival, M., Urban, J. H., & Rosenkranz, J. A. (2019). Disruptive effects of repeated stress on basolateral amygdala neurons and fear behavior across the estrous cycle in rats. *Scientific Reports*, 9(1), 12292. doi: 10.1038/s41598-019-48683-3. <https://doi.org/10.1038/s41598-019-48683-3>

Blutstein, T., Baab, P. J., Zielke, H. R., & Mong, J. A. (2009). Hormonal modulation of amino acid neurotransmitter metabolism in the arcuate nucleus of the adult female rat: A novel action of estradiol. *Endocrinology*, en.2008-1701. doi: 10.1210/en.2008-1701. <http://endo.endojournals.org/cgi/content/abstract/en.2008-1701v1>

Blythe, S. N., Wokosin, D., Atherton, J. F., & Bevan, M. D. (2009). Cellular Mechanisms Underlying Burst Firing in Substantia Nigra Dopamine Neurons. *Journal of Neuroscience*, 29(49), 15531-15541. doi: 10.1523/jneurosci.2961-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/49/15531>

Boato, F., Hendrix, S., Huelsenbeck, S. C., Hofmann, F., Gro\ss, G., Djalali, S., . . . others. (2010). C3 peptide enhances recovery from spinal cord injury by improved regenerative growth of descending fiber tracts. *Journal of Cell Science*, 123(10), 1652-1662. doi:

Boccazzi, M., Rolando, C., Abbracchio, M. P., Buffo, A., & Ceruti, S. (2013). Purines regulate adult brain subventricular zone cell functions: Contribution of reactive astrocytes. *Glia*, n/a-n/a. doi: 10.1002/glia.22614. <http://dx.doi.org/10.1002/glia.22614>

Bocchio, M., Fisher, S. P., Unal, G., Ellender, T. J., Vyazovskiy, V. V., & Capogna, M. (2016). Sleep and serotonin modulate paracapsular nitric oxide synthase expressing neurons of the amygdala. [10.1523/ENEURO.0177-16.2016]. *eneuro*. doi: <http://eneuro.sfn.org/content/early/2016/09/26/ENEURO.0177-16.2016.abstract>

Bochorishvili, G., Nguyen, T., Coates, M. B., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2014). The orexinergic neurons receive synaptic input from C1 cells in rats. *Journal of Comparative Neurology*. doi: <http://onlinelibrary.wiley.com/doi/10.1002/cne.23643/abstract>

Bock, A. S., Kroenke, C. D., Taber, E. N., & Olavarria, J. F. (2012). Retinal input influences the size and corticocortical connectivity of visual cortex during postnatal development in the ferret. *Journal of Comparative Neurology*, 520(5), 914-932. doi: 10.1002/cne.22738. <http://dx.doi.org/10.1002/cne.22738>

Bock, A. S., & Olavarria, J. F. (2011). Neonatal enucleation during a critical period reduces the precision of cortico-cortical projections in visual cortex. *Neuroscience Letters*. doi:

Bock, J., & Braun, K. (1999). Blockade of N-methyl-d-aspartate receptor activation suppresses learning-induced synaptic elimination. *Proceedings of the National Academy of Sciences*, 96(5), 2485-2490. doi.

Bock, J., & Braun, K. (1999). Filial imprinting in domestic chicks is associated with spine pruning in the associative area, dorsocaudal neostriatum. *European Journal of Neuroscience*, 11(7), 2566. doi.

Bock, J., Gruss, M., Becker, S., & Braun, K. (2005). Experience-induced changes of dendritic spine densities in the prefrontal and sensory cortex: correlation with developmental time windows. *Cerebral Cortex*, 15(6), 802-808. doi.

Bock, J., Murmu, M. S., Biala, Y., Weinstock, M., & Braun, K. (2011). Prenatal stress and neonatal handling induce sex-specific changes in dendritic complexity and dendritic spine density in hippocampal subregions of prepubertal rats. *Neuroscience*. doi.

Bock, J., Poeschel, J., Schindler, J., Börner, F., Shachar-Dadon, A., Ferdman, N., . . . Poeggel, G. (2014). Transgenerational sex-specific impact of preconception stress on the development of dendritic spines and dendritic length in the medial prefrontal cortex. *Brain Structure and Function*, 1-9. doi: 10.1007/s00429-014-0940-4. <http://dx.doi.org/10.1007/s00429-014-0940-4>

Boda, E., Di Maria, S., Rosa, P., Taylor, V., Abbracchio, M. P., & Buffo, A. (2014). Early phenotypic asymmetry of sister oligodendrocyte progenitor cells after mitosis and its modulation by aging and extrinsic factors. *Glia*, n/a-n/a. doi: 10.1002/glia.22750. <http://dx.doi.org/10.1002/glia.22750>

Boda, E., Viganò, F., Rosa, P., Fumagalli, M., Labat-Gest, V., Tempia, F., . . . Buffo, A. (2011). The GPR17 receptor in NG2 expressing cells: Focus on in vivocell maturation and participation in acute trauma and chronic damage. *Glia*, 59(12), 1958-1973. doi: 10.1002/glia.21237. <http://dx.doi.org/10.1002/glia.21237>

Bódi, I., Minkó, K., Molnár, D., Nagy, N., & Oláh, I. (2014). A novel aspect of the structure of the avian thymic medulla. *Cell and Tissue Research*, 1-13. doi: 10.1007/s00441-014-2027-1. <http://dx.doi.org/10.1007/s00441-014-2027-1>

Boeckler, F., Leng, A., Mura, A., Bettinetti, L., Feldon, J., Gmeiner, P., & Ferger, B. (2003). Attenuation of 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D3-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice. *Biochemical Pharmacology*, 66(6), 1025-1032. doi.

Boele, H.-J., Koekkoek, S. K., De Zeeuw, C. I., & Ruigrok, T. J. (2013). Axonal Sprouting and Formation of Terminals in the Adult Cerebellum during Associative Motor Learning. *Journal of Neuroscience*, 33(45), 17897-17907. doi. <http://www.jneurosci.org/content/33/45/17897.abstract>

Boerma, M., Singh, P., Sridharan, V., Tripathi, P., Sharma, S., & Singh, S. P. (2015). Effects of Local Heart Irradiation in a Glutathione S-Transferase Alpha 4-Null Mouse Model. *Radiation*

Research, 183(6), 610-619. doi:

doi:10.1667/RR13979.1. <http://www.rrjournal.org/doi/abs/10.1667/RR13979.1>

Boers, J., Gerrits, P. O., Meijer, E., & Holstege, G. (1999). Estrogen receptor- $\alpha$ -immunoreactive neurons in the mesencephalon, pons and medulla oblongata of the female golden hamster. *Neuroscience Letters*, 267(1), 17-20. doi.

Boers, J., Hulshoff, A. C., de Weerd, H., Mouton, L. J., Kuipers, R., & Holstege, G. (2005). Afferent projections to pharynx and soft palate motoneurons: A light and electron microscopical tracing study in the cat. *Journal of Comparative Neurology*, 486(1), 18-38. doi.

Bogdanov, M. B., Ferrante, R. J., Kuemmerle, S., Klivenyi, P., & Beal, M. F. (1998). Increased Vulnerability to 3-Nitropropionic Acid in an Animal Model of Huntington's Disease. *Journal of Neurochemistry*, 71, 2642-2644. doi.

Boger, H. A., Middaugh, L. D., Patrick, K. S., Ramamoorthy, S., Denehy, E. D., Zhu, H., . . . McGinty, J. F. (2007). Long-Term Consequences of Methamphetamine Exposure in Young Adults Are Exacerbated in Glial Cell Line-Derived Neurotrophic Factor Heterozygous Mice. *Journal of Neuroscience*, 27(33), 8816-8825. doi: 10.1523/jneurosci.1067-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/33/8816>

Böhm, C., Pangalos, M., Schmitz, D., & Winterer, J. (2015). Serotonin Attenuates Feedback Excitation onto O-LM Interneurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhv098. <http://cercor.oxfordjournals.org/content/early/2015/05/28/cercor.bhv098...>

Böhm, C., Peng, Y., Maier, N., Winterer, J., Poulet, J. F., Geiger, J. R., & Schmitz, D. (2015). Functional Diversity of Subicular Principal Cells during Hippocampal Ripples. *The Journal of Neuroscience*, 35(40), 13608-13618. doi: <https://www.jneurosci.org/content/35/40/13608.full#>

Bohn, M. C., Choi-Lundberg, D. L., Davidson, B. L., Leranath, C., Kozłowski, D. A., Smith, J. C., . . . Redmond, D. E. (1999). Adenovirus-mediated transgene expression in nonhuman primate brain. *Human Gene Therapy*, 10(7), 1175-1184. doi.

Boido, M., Garbossa, D., Fontanella, M., Ducati, A., & Vercelli, A. (2012). Mesenchymal stem cell transplantation reduces glial cyst and improves functional outcome following spinal cord compression. *World Neurosurgery*, (0). doi: 10.1016/j.wneu.2012.08.014. <http://www.sciencedirect.com/science/article/pii/S187887501209084?v=s5>

Boido, M., Garbossa, D., & Vercelli, A. (2011). Early graft of neural precursors in spinal cord compression reduces glial cyst and improves function. *Journal of Neurosurgery: Spine*, 15(1), 97-106. doi.

Boillot, M., Lee, C.-Y., Allene, C., Leguern, E., Baulac, S., & Rouach, N. (2016). LGI1 acts presynaptically to regulate excitatory synaptic transmission during early postnatal development. [Article]. *Scientific Reports*, 6, 21769. doi: 10.1038/srep21769

<http://www.nature.com/articles/srep21769#supplementary-information>. <http://dx.doi.org/10.1038/srep21769>

Boitard, M., Bocchi, R., Egervari, K., Petrenko, V., Viale, B., Gremaud, S., . . . Kiss, Jozsef Z. (2015). Wnt Signaling Regulates Multipolar-to-Bipolar Transition of Migrating Neurons in the Cerebral Cortex. *Cell Reports*, 10(8), 1349-1361. doi: <http://dx.doi.org/10.1016/j.celrep.2015.01.061>. <http://www.sciencedirect.com/science/article/pii/S2211124715001035>

Bokor, H., Acsady, L., & Deschenes, M. (2008). Vibrissal Responses of Thalamic Cells That Project to the Septal Columns of the Barrel Cortex and to the Second Somatosensory Area. *Journal of Neuroscience*, 28(20), 5169-5177. doi: 10.1523/jneurosci.0490-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/20/5169>

Bolat, D. (2017). Three-dimensional reconstruction of the spinal cord of thoroughbred. *Eurasian Journal of Veterinary Sciences*, 33(2), 127-129. doi: <https://www.cabdirect.org/cabdirect/abstract/20173212610>

Boley, A. M., Perez, S. M., & Lodge, D. J. (2014). A fundamental role for hippocampal parvalbumin in the dopamine hyperfunction associated with schizophrenia. *Schizophrenia Research*, (0). doi: <http://dx.doi.org/10.1016/j.schres.2014.05.005>. <http://www.sciencedirect.com/science/article/pii/S0920996414002345>

Bolis, A., Previtali, S., Bussini, S., Dina, G., Dati, G., Feltri, M. L., . . . Bolino, A. (2004). Unravelling the molecular basis of CMT4B pathology. *Journal of the Peripheral Nervous System*, 9(2), 125-125. doi: doi:10.1111/j.1085-9489.2004.009209bq.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Bomer, K., Brichta, A., Baroody, F., Boonlayangoor, S., Li, X., & Naclerio, R. M. (1998). A mouse model of acute bacterial rhinosinusitis. *Archives of Otolaryngology- Head and Neck Surgery*, 124(11), 1227-1227. doi.

Bonifazi, P., Goldin, M., Picardo, M. A., Jorquera, I., Cattani, A., Bianconi, G., . . . Cossart, R. (2009). GABAergic Hub Neurons Orchestrate Synchrony in Developing Hippocampal Networks. *Science*, 326(5958), 1419-1424. doi: 10.1126/science.1175509. <http://www.sciencemag.org/cgi/content/abstract/326/5958/1419>

Bonn, M., Schmitt, A., Lesch, K. P., Van Bockstaele, E. J., & Asan, E. (2012). Serotonergic innervation and serotonin receptor expression of NPY-producing neurons in the rat lateral and basolateral amygdaloid nuclei. *Brain Structure and Function*, 1-15. doi.

Bonthius, D., Mahoney, J., Buchmeier, M., Karacay, B., & Taggard, D. (2002). Critical Role for Glial Cells in the Propagation and Spread of Lymphocytic Choriomeningitis Virus in the Developing Rat Brain. *Journal of Virology*, 76(13), 6618-6635. doi.



Bony, G., Szczurkowska, J., Tamagno, I., Shelly, M., Contestabile, A., & Cancedda, L. (2013). Non-hyperpolarizing GABAB receptor activation regulates neuronal migration and neurite growth and specification by cAMP/LKB1. *Nature Communications*, 4, 1800. doi.

Bonzano, S., Bovetti, S., Fasolo, A., Peretto, P., & De Marchis, S. (2014). Odour enrichment increases adult-born dopaminergic neurons in the mouse olfactory bulb. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12724. <http://dx.doi.org/10.1111/ejn.12724>

Booker, S. A., Gross, A., Althof, D., Shigemoto, R., Bettler, B., Frotscher, M., . . . Vida, I. (2013). Differential GABAB-Receptor-Mediated Effects in Perisomatic- and Dendrite-Targeting Parvalbumin Interneurons. *Journal of Neuroscience*, 33(18), 7961-7974. doi: 10.1523/jneurosci.1186-12.2013. <http://www.jneurosci.org/content/33/18/7961.abstract>

Bordt, A. S., Hoshi, H., Yamada, E. S., Perryman-Stout, W. C., & Marshak, D. W. (2006). Synaptic input to OFF parasol ganglion cells in macaque retina. *Journal of Comparative Neurology*, 498(1), 46-57. doi.

Borgesius, N. Z., de Waard, M. C., van der Pluijm, I., Omrani, A., Zondag, G. C. M., van der Horst, G. T. J., . . . Elgersma, Y. (2011). Accelerated Age-Related Cognitive Decline and Neurodegeneration, Caused by Deficient DNA Repair. *Journal of Neuroscience*, 31(35), 12543-12553. doi: 10.1523/jneurosci.1589-11.2011. <http://www.jneurosci.org/content/31/35/12543.abstract>

Borgna, M., Lombardi, R., Lauria, G., Grezzi, P., Savino, C., Bianchi, R., . . . Cavaletti, G. (2004). Intraepidermal innervation and tail nerve conduction velocity in neurotoxicity models: results of a correlation study in normal and pathological conditions. *Journal of the Peripheral Nervous System*, 9(2), 104-105. doi: doi:10.1111/j.1085-9489.2004.009209c.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Bories, C., Husson, Z., Guitton, M. J., & De Koninck, Y. (2013). Differential Balance of Prefrontal Synaptic Activity in Successful versus Unsuccessful Cognitive Aging. *Journal of Neuroscience*, 33(4), 1344-1356. doi: 10.1523/jneurosci.3258-12.2013. <http://www.jneurosci.org/content/33/4/1344.abstract>

Borin, M., Saraceno, C., Catania, M., Lorenzetto, E., Pontelli, V., Paterlini, A., . . . Bolognin, S. (2018). Rac1 activation links tau hyperphosphorylation and A $\beta$  dysmetabolism in Alzheimer's disease. [journal article]. *Acta Neuropathologica Communications*, 6(1), 61. doi: 10.1186/s40478-018-0567-4. <https://doi.org/10.1186/s40478-018-0567-4>

Borniger, J. C., Walker li, W. H., Surbhi, Emmer, K. M., Zhang, N., Zalenski, A. A., . . . DeVries, A. C. (2018). A Role for Hypocretin/Orexin in Metabolic and Sleep Abnormalities in a Mouse Model of Non-metastatic Breast Cancer. *Cell Metabolism*. doi: <https://doi.org/10.1016/j.cmet.2018.04.021>. <http://www.sciencedirect.com/science/article/pii/S155041311830305X>

Boros, B. D., Greathouse, K. M., Gearing, M., & Herskowitz, J. H. (2018). Dendritic spine remodeling accompanies Alzheimer's disease pathology and genetic susceptibility in cognitively normal aging. *Neurobiology of Aging*.

doi: <https://doi.org/10.1016/j.neurobiolaging.2018.09.003>. <http://www.sciencedirect.com/science/article/pii/S0197458018303269>

Boros, B. D., Greathouse, K. M., Gentry, E. G., Curtis, K. A., Birchall, E. L., Gearing, M., & Herskowitz, J. H. (2017). Dendritic spines provide cognitive resilience against Alzheimer's disease. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.25049. <http://dx.doi.org/10.1002/ana.25049>

Borowska, J., Jones, C. T., Zhang, H., Blacklaws, J., Goulding, M., & Zhang, Y. (2013). Functional Subpopulations of V3 Interneurons in the Mature Mouse Spinal Cord. *Journal of Neuroscience*, 33(47), 18553-18565. doi: <http://www.jneurosci.org/content/33/47/18553.short>

Borra, E., Ichinohe, N., Sato, T., Tanifuji, M., & Rockland, K. S. (2010). Cortical connections to area TE in monkey: hybrid modular and distributed organization. *Cerebral Cortex*, 20(2), 257-270. doi:

Borrecia, A., Latina, V., Corsetti, V., Middei, S., Piccinin, S., Della Valle, F., . . . Amadoro, G. (2018). AD-Related N-Terminal Truncated Tau Is Sufficient to Recapitulate In Vivo the Early Perturbations of Human Neuropathology: Implications for Immunotherapy. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0974-3. <https://doi.org/10.1007/s12035-018-0974-3>

Borrell, V., & Callaway, E. M. (2002). Reorganization of Exuberant Axonal Arbors Contributes to the Development of Laminar Specificity in Ferret Visual Cortex. *Journal of Neuroscience*, 22(15), 6682-6695. doi: <http://www.jneurosci.org/cgi/content/abstract/22/15/6682>

Borrell, V., Kaspar, B. K., Gage, F. H., & Callaway, E. M. (2006). In vivo evidence for radial migration of neurons by long-distance somal translocation in the developing ferret visual cortex. *Cerebral Cortex*, 16(11), 1571-1583. doi:

Borrett, S., & Hughes, L. (2016). Reporting methods for processing and analysis of data from serial block face scanning electron microscopy. *Journal of Microscopy*, n/a-n/a. doi: 10.1111/jmi.12377. <http://dx.doi.org/10.1111/jmi.12377>

Borsello, T., Clarke, P. G. H., Hirt, L., Vercelli, A., Repici, M., Schorderet, D. F., . . . Bonny, C. (2003). A peptide inhibitor of c-Jun N-terminal kinase protects against excitotoxicity and cerebral ischemia. *Nature of Medicine*, 9, 1180-1186. doi:

Bortolato, M., Chen, K., Godar, S. C., Chen, G., Wu, W., Rebrin, I., . . . Shih, J. C. (2011). Social Deficits and Perseverative Behaviors, but not Overt Aggression, in MAO-A Hypomorphic Mice. *Neuropsychopharmacology*. doi:

Bortolato, M., Godar, S. C., Alzghoul, L., Zhang, J., Darling, R. D., Simpson, K. L., . . . Shih, J. C. (2012). Monoamine oxidase A and A/B knockout mice display autistic-like features. *International Journal of Neuropsychopharmacology, FirstView*, 1-20. doi: 10.1017/S1461145712000715. <http://dx.doi.org/10.1017/S1461145712000715>

Bortone, Dante S., Olsen, Shawn R., & Scanziani, M. (2014). Translaminar Inhibitory Cells Recruited by Layer 6 Corticothalamic Neurons Suppress Visual Cortex. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2014.02.021>. <http://www.sciencedirect.com/science/article/pii/S0896627314001524>

Bosch, C., Degos, B., Deniau, J.-M., & Venance, L. (2011). Subthalamic nucleus high-frequency stimulation generates a concomitant synaptic excitation–inhibition in substantia nigra pars reticulata. *Journal of Physiology*, 589(17), 4189–4207. doi: 10.1113/jphysiol.2011.211367. <http://dx.doi.org/10.1113/jphysiol.2011.211367>

Bosch, D., & Ehrlich, I. (2015). Postnatal maturation of GABAergic modulation of sensory inputs onto lateral amygdala principal neurons. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270645. <http://dx.doi.org/10.1113/JP270645>

Boschen, K. E., McKeown, S. E., Roth, T. L., & Klintsova, A. Y. (2016). Impact of exercise and a complex environment on hippocampal dendritic morphology, Bdnf gene expression, and DNA methylation in male rat pups neonatally exposed to alcohol. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22448. <http://dx.doi.org/10.1002/dneu.22448>

Boschen, K. E., Ruggiero, M. J., & Klintsova, A. Y. (2016). Neonatal binge alcohol exposure increases microglial activation in the developing rat hippocampus. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.033>. <http://www.sciencedirect.com/science/article/pii/S0306452216300033>

Bosking, W. H., Kretz, R., Pucak, M. L., & Fitzpatrick, D. (2000). Functional Specificity of Callosal Connections in Tree Shrew Striate Cortex. *Journal of Neuroscience*, 20(6), 2346–2359. doi: <http://www.jneurosci.org/cgi/content/abstract/20/6/2346>

Bosking, W. H., Zhang, Y., Schofield, B., & Fitzpatrick, D. (1997). Orientation Selectivity and the Arrangement of Horizontal Connections in Tree Shrew Striate Cortex. *Journal of Neuroscience*, 17(6), 2112–2127. doi: <http://www.jneurosci.org/cgi/content/abstract/17/6/2112>

Bossolasco, P., Cova, L., Levandis, G., Diana, V., Cerri, S., Deliliers, G. L., . . . Armentero, M. T. (2012). Noninvasive near-infrared live imaging of human adult mesenchymal stem cells transplanted in a rodent model of Parkinson's disease. *International Journal of Nanomedicine*, 7, 435–435. doi.

Bota, M., & Arbib, M. A. (2002). The NeuroHomology Database: an online KMS for handling and evaluation of the neurobiological information. *Neuroscience Databases: A practical guide*, 203–220. doi.

Both, M., Böhner, F., von Bohlen und Halbach, O., & Draguhn, A. (2008). Propagation of specific network patterns through the mouse hippocampus. *Hippocampus*, 18(9), 899–908. doi.

Bothwell, S., Meredith, G. E., Phillips, J., Staunton, H., Doherty, C., Grigorenko, E., . . . Farrell, M. (2001). Neuronal Hypertrophy in the Neocortex of Patients with Temporal Lobe Epilepsy.

Journal of Neuroscience, 21(13), 4789-4800.

doi: <http://www.jneurosci.org/cgi/content/abstract/21/13/4789>

Bottjer, S. W., Alderete, T. L., & Chang, D. (2010). Conjunction of vocal production and perception regulates expression of the immediate early gene ZENK in a novel cortical region of songbirds. *Journal of Neurophysiology*, 103(4), 1833-1842. doi.

Bottjer, S. W., & To, M. (2012). Afferents from Vocal Motor and Respiratory Effectors Are Recruited during Vocal Production in Juvenile Songbirds. *Journal of Neuroscience*, 32(32), 10895-10906. doi: 10.1523/jneurosci.0990-

12.2012. <http://www.jneurosci.org/content/32/32/10895.abstract>

Boucetta, S., Cissé, Y., Mainville, L., Morales, M., & Jones, B. E. (2014). Discharge Profiles across the Sleep–Waking Cycle of Identified Cholinergic, GABAergic, and Glutamatergic Neurons in the Pontomesencephalic Tegmentum of the Rat. *The Journal of Neuroscience*. doi.

Boucetta, S., & Jones, B. E. (2009). Activity Profiles of Cholinergic and Intermingled GABAergic and Putative Glutamatergic Neurons in the Pontomesencephalic Tegmentum of Urethane-Anesthetized Rats. *Journal of Neuroscience*, 29(14), 4664-4674. doi: 10.1523/jneurosci.5502-

08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/14/4664>

Boudrias, M.-H., McPherson, R. L., Frost, S. B., & Cheney, P. D. (2009). Output Properties and Organization of the Forelimb Representation of Motor Areas on the Lateral Aspect of the Hemisphere in Rhesus Macaques. *Cerebral Cortex*, bhp084. doi:

10.1093/cercor/bhp084. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp084v1>

Bouley, D. M., Alarcón, C. N., Hildebrandt, T., & O'Connell-Rodwell, C. E. (2007). The distribution, density and three-dimensional histomorphology of Pacinian corpuscles in the foot of the Asian elephant (*Elephas maximus*) and their potential role in seismic communication. *Journal of Anatomy*, 211(4), 428-435. doi.

Bourgeois, J. R., & Ferland, R. J. (2019). Loss of the neurodevelopmental Joubert syndrome causing protein, *Ahi1*, causes motor and muscle development delays independent of central nervous system involvement. *Developmental Biology*.

doi: <https://doi.org/10.1016/j.ydbio.2019.01.014>, <http://www.sciencedirect.com/science/article/pii/S0012160618304238>

Bouslama, M., Renaud, J., Olivier, P., Fontaine, R. H., Matrot, B., Gressens, P., & Gallego, J. (2007). Melatonin prevents learning disorders in brain-lesioned newborn mice. *Neuroscience*, 150(3), 712-719. doi.

Bousquet, M., St-Amour, I., Vandal, M., Julien, P., Cicchetti, F., & Calon, F. (2011). High-fat diet exacerbates MPTP-induced dopaminergic degeneration in mice. *Neurobiology of Disease*. doi.

Boussaoud, D., Tanné-Gariépy, J., Wannier, T., & Rouiller, E. (2005). Callosal connections of dorsal versus ventral premotor areas in the macaque monkey: a multiple retrograde tracing study. *BMC Neuroscience*, 6(1), 67. doi: <http://www.biomedcentral.com/1471-2202/6/67>

Boutte, R. W., Merlin, S., Yona, G., Griffiths, B., Angelucci, A., Kahn, I., . . . Blair, S. (2017). Utah optrode array customization using stereotactic brain atlases and 3-D CAD modeling for optogenetic neocortical interrogation in small rodents and nonhuman primates. *Neurophotonics*, 4(4), 041502-041502. doi: 10.1117/1.NPh.4.4.041502. <http://dx.doi.org/10.1117/1.NPh.4.4.041502>

Bove, C., Coleman, F. H., & Travaglini, R. A. (2019). Characterization of the Basic Membrane Properties of Neurons of the Rat Dorsal Motor Nucleus of the Vagus in Paraquat-Induced Models of Parkinsonism. *Neuroscience*, 418, 122-132. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.048>. <http://www.sciencedirect.com/science/article/pii/S030645221930630X>

Bovetti, S., Bonzano, S., Garzotto, D., Giannelli, S. G., Iannielli, A., Armentano, M., . . . De Marchis, S. (2013). COUP-TFI controls activity-dependent tyrosine hydroxylase expression in adult dopaminergic olfactory bulb interneurons. *Development*. doi: 10.1242/dev.089961. <http://dev.biologists.org/content/early/2013/11/12/dev.089961.abstract>

Bovetti, S., Hsieh, Y.-C., Bovolenta, P., Perroteau, I., Kazunori, T., & Puche, A. C. (2007). Blood Vessels Form a Scaffold for Neuroblast Migration in the Adult Olfactory Bulb. *Journal of Neuroscience*, 27(22), 5976-5980. doi: 10.1523/jneurosci.0678-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/5976>

Bovetti, S., Veyrac, A., Peretto, P., Fasolo, A., & De Marchis, S. (2009). Olfactory enrichment influences adult neurogenesis modulating GAD67 and plasticity-related molecules expression in newborn cells of the olfactory bulb. *PLoS ONE*, 4(7), e6359-e6359. doi: 10.1371/journal.pone.006359

Boy, J., Leergaard, T. B., Schmidt, T., Odeh, F., Bichelmeier, U., Nuber, S., . . . others. (2006). Expression mapping of tetracycline-responsive prion protein promoter: digital atlas for generating cell-specific disease models. *Neuroimage*, 33(2), 449-462. doi: 10.1006/nimg.2006.0185

Boyd, Alison M., Sturgill, James F., Poo, C., & Isaacson, Jeffrey S. (2012). Cortical Feedback Control of Olfactory Bulb Circuits. *Neuron*, 76(6), 1161-1174. doi: <http://dx.doi.org/10.1016/j.neuron.2012.10.020>. <http://www.sciencedirect.com/science/article/pii/S0896627312009403>

Boyett, J. M., & Buckmaster, P. S. (2001). Somatostatin-immunoreactive interneurons contribute to lateral inhibitory circuits in the dentate gyrus of control and epileptic rats. *Hippocampus*, 11(4), 418-422. doi: 10.1002/hipo.1001

Boyette-Davis, J. A., Cata, J. P., Zhang, H., Driver, L. C., Wendelschafer-Crabb, G., Kennedy, W. R., & Dougherty, P. M. (2011). Follow-Up Psychophysical Studies in Bortezomib-Related Chemoneuropathy Patients. *Journal of Pain*. doi: 10.1016/j.jpain.2011.05.005

Boyle, K. A., Gutierrez-Mecinas, M., Polgár, E., Mooney, N., O'Connor, E., Furuta, T., . . . Todd, A. J. (2017). A quantitative study of neurochemically defined populations of inhibitory interneurons in the superficial dorsal horn of the mouse spinal cord. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.08.044>. <http://www.sciencedirect.com/science/article/pii/S0306452217306206>

Boyle, R., Ehsanian, R., Mofrad, A., Popova, Y., & Varelas, J. (2018). Morphology of the Utricular Otolith Organ in the Toadfish, *Opsanus tau*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24429. <http://dx.doi.org/10.1002/cne.24429>

Bozdagi, O., Valcin, M., Poskanzer, K., Tanaka, H., & Benson, D. L. (2004). Temporally distinct demands for classic cadherins in synapse formation and maturation. *Molecular and Cellular Neuroscience*, 27(4), 509-521. doi.

Bozis, A., & Moschovakis, A. K. (1998). Neural network simulations of the primate oculomotor system III. An one-dimensional, one-directional model of the superior colliculus. *Biological Cybernetics*, 79(3), 215-230. doi.

Braas, K. M., Rossignol, T. M., Girard, B. M., May, V., & Parsons, R. L. (2004). Pituitary adenylate cyclase activating polypeptide (PACAP) decreases neuronal somatostatin immunoreactivity in cultured guinea-pig parasympathetic cardiac ganglia. *Neuroscience*, 126(2), 335-346. doi.

Bracke, A., Domanska, G., Bracke, K., Harzsch, S., van den Brandt, J., Bröker, B., & von Bohlen und Halbach, O. (2019). Obesity Impairs Mobility and Adult Hippocampal Neurogenesis. *Journal of Experimental Neuroscience*, 13, 1179069519883580. doi: 10.1177/1179069519883580. <https://doi.org/10.1177/1179069519883580>

Bracke, A., Schäfer, S., von Bohlen und Halbach, V., Klempin, F., Bente, K., Bracke, K., . . . von Bohlen und Halbach, O. (2018). ATP6AP2 over-expression causes morphological alterations in the hippocampus and in hippocampus-related behaviour. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1633-1. <https://doi.org/10.1007/s00429-018-1633-1>

Bragg, E. M., & Briggs, F. (2017). Large-scale Reconstructions and Independent, Unbiased Clustering Based on Morphological Metrics to Classify Neurons in Selective Populations. (120), e55133. doi: doi:10.3791/55133. <https://www.jove.com/video/55133>

Brambilla, R., Bracchi-Ricard, V., Hu, W. H., Frydel, B., Bramwell, A., Karmally, S., . . . Bethea, J. R. (2005). Inhibition of astroglial nuclear factor KB reduces inflammation and improves functional recovery after spinal cord injury. *Journal of Experimental Medicine*, 202(1), 145-156. doi.

Branchereau, P., Cattaert, D., Delpy, A., Allain, A.-E., Martin, E., & Meyrand, P. (2016). Depolarizing GABA/glycine synaptic events switch from excitation to inhibition during frequency increases. [Article]. *Scientific Reports*, 6, 21753. doi: 10.1038/srep21753

<http://www.nature.com/articles/srep21753#supplementary-information>. <http://dx.doi.org/10.1038/srep21753>



- Branco, T., Clark, B. A., & Häusser, M. (2010). Dendritic Discrimination of Temporal Input Sequences in Cortical Neurons. *Science* 329(5999), 1671-1675. doi.
- Branco, T., & Häusser, M. (2011). Synaptic integration gradients in single cortical pyramidal cell dendrites. *Neuron*, 69(5), 885-892. doi.
- Brandt, N., Löffler, T., Fester, L., & Rune, G. M. (2020). Sex-specific features of spine densities in the hippocampus. *Scientific Reports*, 10(1), 11405. doi: 10.1038/s41598-020-68371-x. <https://doi.org/10.1038/s41598-020-68371-x>
- Braun, K., Antemano, R., Helmeke, C., Büchner, M., & Poeggel, G. (2009). Juvenile separation stress induces rapid region- and layer-specific changes in S100 $\beta$ - and glial fibrillary acidic protein-immunoreactivity in astrocytes of the rodent medial prefrontal cortex. *Neuroscience*, 160(3), 629-638. doi.
- Braun, K., & Hofmann, H. (1995). Slice cultures of the imprinting-relevant forebrain area MNH of the domestic chick: quantitative characterization of neuronal morphology. *Developmental Brain Research*, 86, 286-296. doi.
- Braun, K., & Segal, M. (2000). FMRP involvement in formation of synapses among cultured hippocampal neurons. *Cerebral Cortex*, 10(10), 1045-1052. doi.
- Brauth, S. E., Liang, W., Amateau, S. K., & Robert, T. F. (2005). Sexual dimorphism of vocal control nuclei in budgerigars (*Melopsittacus undulatus*) revealed with Nissl and NADPH-d staining. *Journal of Comparative Neurology*, 484(1), 15-27. doi.
- Bravin, M., Morando, L., Vercelli, A., Rossi, F., & Strata, P. (1999). Control of spine formation by electrical activity in the adult rat cerebellum. *Proceedings of the National Academy of Sciences*, 96(4), 1704-1709. doi.
- Bravin, M., Rossi, F., & Strata, P. (1995). Different climbing fibres innervate separate dendritic regions of the same purkinje cell in hypogranular cerebellum. *Journal of Comparative Neurology*, 357(3), 395-407. doi. <http://dx.doi.org/10.1002/cne.903570306>
- Breach, M. R., Moench, K. M., & Wellman, C. L. (2019). Social instability in adolescence differentially alters dendritic morphology in the medial prefrontal cortex and its response to stress in adult male and female rats. *Developmental Neurobiology*, 0(0). doi: 10.1002/dneu.22723. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22723>
- Brecht, M., Roth, A., & Sakmann, B. (2003). Dynamic receptive fields of reconstructed pyramidal cells in layers 3 and 2 of rat somatosensory barrel cortex. *Journal of Physiology*, 553(1), 243-265. doi: 10.1113/jphysiol.2003.044222. <http://jp.physoc.org/cgi/content/abstract/553/1/243>
- Brecht, M., & Sakmann, B. (2002). Dynamic representation of whisker deflection by synaptic potentials in spiny stellate and pyramidal cells in the barrels and septa of layer 4 rat somatosensory cortex. *Journal of Physiology*, 543(1), 49-70. doi: 10.1113/jphysiol.2002.018465. <http://jp.physoc.org/cgi/content/abstract/543/1/49>

- Brecht, M., & Sakmann, B. (2002). Whisker maps of neuronal subclasses of the rat ventral posterior medial thalamus, identified by whole-cell voltage recording and morphological reconstruction. *Journal of Physiology*, 538(2), 495-515. doi: 10.1113/jphysiol.2001.012334. <http://jp.physoc.org/cgi/content/abstract/538/2/495>
- Brecht, M., Schneider, M., Sakmann, B., & Margrie, T. W. (2003). Whisker movements evoked by stimulation of single pyramidal cells in rat motor cortex. *Nature*, 427, 704-710. doi.
- Bregy, A., Nixon, R., Lotocki, G., Alonso, O. F., Atkins, C. M., Tsoulfas, P., . . . Dietrich, W. D. (2011). Posttraumatic hypothermia increases doublecortin expressing neurons in the dentate gyrus after traumatic brain injury in the rat. *Experimental Neurology*. doi.
- Bremen, P., & Joris, P. X. (2013). Axonal Recordings from Medial Superior Olive Neurons Obtained from the Lateral Lemniscus of the Chinchilla (*Chinchilla laniger*). *The Journal of Neuroscience*, 33(44), 17506-17518. doi. <http://www.jneurosci.org/content/33/44/17506.short>
- Bremmer, F., Duhamel, J.-R., Ben Hamed, S., & Graf, W. (2002). Heading encoding in the macaque ventral intraparietal area (VIP). *European Journal of Neuroscience*, 16(8), 1554-1568. doi: doi:10.1046/j.1460-9568.2002.02207.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02207.x>
- Bremmer, F., Klam, F., Duhamel, J.-R., Ben Hamed, S., & Graf, W. (2002). Visual-vestibular interactive responses in the macaque ventral intraparietal area (VIP). *European Journal of Neuroscience*, 16(8), 1569-1586. doi: doi:10.1046/j.1460-9568.2002.02206.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02206.x>
- Brenneman, L. H., & Maness, P. F. (2008). Developmental regulation of GABAergic interneuron branching and synaptic development in the prefrontal cortex by soluble neural cell adhesion molecule. *Molecular and Cellular Neuroscience*, 37(4), 781-793. doi.
- Brenneman, L. H., Zhang, X., Guan, H., Triplett, J. W., Brown, A., Demyanenko, G. P., . . . Maness, P. F. (2012). Polysialylated NCAM and EphrinA/EphA Regulate Synaptic Development of GABAergic Interneurons in Prefrontal Cortex. *Cerebral Cortex*, bhr392. doi: 10.1093/cercor/bhr392. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr392v1>
- Brennan, A. R., Yuan, P., Dickstein, D. L., Rocher, A. B., Hof, P. R., Manji, H., & Arnsten, A. F. T. (2009). Protein kinase C activity is associated with prefrontal cortical decline in aging. *Neurobiology of Aging*, 30(5), 782-792. doi.
- Brennan, C., Rivas-Plata, K., & Landis, S. C. (1999). The p75 neurotrophin receptor influences NT-3 responsiveness of sympathetic neurons in vivo. *Nature Neuroscience*, 2, 699-705. doi.
- Bressoud, R., & Innocenti, G. M. (1999). Typology, early differentiation, and exuberant growth of a set of cortical axons. *Journal of Comparative Neurology*, 406(1), 87-108. doi. [http://dx.doi.org/10.1002/\(SICI\)1096-9861\(19990329\)406:1<87::AID-CNE6>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1096-9861(19990329)406:1<87::AID-CNE6>3.0.CO;2-S)

Breton, J. M., Charbit, A. R., Snyder, B. J., Fong, P. T. K., Dias, E. V., Himmels, P., . . . Margolis, E. B. (2018). Relative Contributions and Mapping of Ventral Tegmental Area Dopamine and GABA Neurons by Projection Target in the Rat. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24572. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24572>

Brette, R., Rudolph, M., Carnevale, T., Hines, M., Beeman, D., Bower, J. M., . . . others. (2007). Simulation of networks of spiking neurons: a review of tools and strategies. *Journal of Computational Neuroscience*, 23(3), 349-398. doi.

Brett-Green, B., Fifkova, E., Larue, D. T., Winer, J. A., & Barth, D. S. (2003). A multisensory zone in rat parietotemporal cortex: Intra- and extracellular physiology and thalamocortical connections. *Journal of Comparative Neurology*, 460(2), 223-237. doi.

Brettle, M., Suchowerska, A. K., Chua, S. W., Ittner, L. M., & Fath, T. (2015). Amyotrophic lateral sclerosis-associated mutant profilin 1 increases dendritic arborisation and spine formation in primary hippocampal neurons. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2015.09.034>. <http://www.sciencedirect.com/science/article/pii/S0304394015301609>

Breunig, J. J., Silbereis, J., Vaccarino, F. M., Sestan, N., & Rakic, P. (2007). Notch regulates cell fate and dendrite morphology of newborn neurons in the postnatal dentate gyrus. *Proceedings of the National Academy of Sciences*, 104(51), 20558-20563. doi: 10.1073/pnas.0710156104. <http://www.pnas.org/cgi/content/abstract/104/51/20558>

Brevik, A., Leergaard, T. B., Svanevik, M., & Bjaalie, J. G. (2001). Three-dimensional computerised atlas of the rat brain stem precerebellar system: approaches for mapping, visualization, and comparison of spatial distribution data. *Anatomy and Embryology*, 204(4), 319-332. doi.

Brewer, G. J., Espinosa, J. A., & Struble, R. G. (2003). Effect of Neuregen nutrient medium on survival of cortical neurons after aspiration lesion in rats. *Journal of Neurosurgery*, 98(6), 1291-1298. doi.

Brewer, K. L., Lee, J. W., Downs, H., Oaklander, A. L., & Yezierski, R. P. (2008). Dermatome scratching after intramedullary quisqualate injection: correlation with cutaneous denervation. *Journal of Pain*, 9(11), 999-1005. doi.

Brewster, A. L., Lugo, J. N., Patil, V. V., Lee, W. L., Qian, Y., Vanegas, F., & Anderson, A. E. (2013). Rapamycin Reverses Status Epilepticus-Induced Memory Deficits and Dendritic Damage. *PLoS ONE*, 8(3), e57808. doi: 10.1371/journal.pone.0057808. <http://dx.doi.org/10.1371%2Fjournal.pone.0057808>

Briani, C., Zara, G., Bernardinello, L., Cavalletto, L., Ermani, M., & Chemello, L. (2004). Pegylated alpha-interferons peripheral neurotoxicity: prospective study in chronic hepatitis C. *Journal of the Peripheral Nervous System*, 9(2), 110-111. doi.

Bribián, A., Barallobre, M. J., Soussi-Yanicostas, N., & de Castro, F. (2006). Anosmin-1 modulates the FGF-2-dependent migration of oligodendrocyte precursors in the developing optic nerve. *Molecular and Cellular Neuroscience*, 33(1), 2-14. doi.

- Bridges, N., Slais, K., & Syková, E. (2008). The effects of chronic corticosterone on hippocampal astrocyte numbers: A comparison of male and female Wistar rats. *Acta Neurobiologiae Experimentalis*, 68(2), 131-131. doi.
- Briffaud, V., Williams, P., Courty, J., & Broberger, C. (2015). Excitation of Tuberoinfundibular Dopamine Neurons by Oxytocin: Crosstalk in the Control of Lactation. *The Journal of Neuroscience*, 35(10), 4229-4237. doi. <http://www.jneurosci.org/content/35/10/4229.short>
- Briggs, F., & Callaway, E. M. (2005). Laminar patterns of local excitatory input to layer 5 neurons in macaque primary visual cortex. *Cerebral Cortex*, 15(5), 479-488. doi.
- Briggs, F., Kiley, Caitlin W., Callaway, Edward M., & Usrey, W. M. (2016). Morphological Substrates for Parallel Streams of Corticogeniculate Feedback Originating in Both V1 and V2 of the Macaque Monkey. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.02.038>. <http://www.sciencedirect.com/science/article/pii/S0896627316001756>
- Bright, F. M., Byard, R. W., Vink, R., & Paterson, D. S. (2017). Medullary Serotonin Neuron Abnormalities in an Australian Cohort of Sudden Infant Death Syndrome. *Journal of Neuropathology and Experimental Neurology*. doi. <https://academic.oup.com/jnen/article-abstract/doi/10.1093/jnen/nlx071/4...>
- Brill, M. S., Ninkovic, J., Winpenny, E., Hodge, R. D., Ozen, I., Yang, R., . . . others. (2009). Adult generation of glutamatergic olfactory bulb interneurons. *Nature Neuroscience*, 12(12), 1524-1533. doi.
- Brilliant, M. J., Elble, R. J., Ghobrial, M., & Struble, R. G. (1997). The distribution of amyloid  $\beta$  protein deposition in the corpus striatum of patients with Alzheimer's disease. *Neuropathology and Applied Neurobiology*, 23(4), 322-325. doi.
- Brindani, F., Gemignani, F., Zinno, L., & Marbini, A. (2004). Aquadynia. a manifestation of small fiber sensory neuropathy? *Journal of the Peripheral Nervous System*, 9(2), 119-119. doi: doi:10.1111/j.1085-9489.2004.009209av.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>
- Briner, A., De Roo, M., Dayer, A., Muller, D., Habre, W., & Vutskits, L. (2010). Volatile anesthetics rapidly increase dendritic spine density in the rat medial prefrontal cortex during synaptogenesis. *Anesthesiology*, 112(3), 546-546. doi.
- Briner, A., Nikonenko, I., De Roo, M., Dayer, A., Muller, D., & Vutskits, L. (2011). Developmental stage-dependent persistent impact of propofol anesthesia on dendritic spines in the rat medial prefrontal cortex. *Anesthesiology*, 115(2), 282-282. doi.
- Brinkmann, B. G., Agarwal, A., Sereda, M. W., Garratt, A. N., Müller, T., Wende, H., . . . others. (2008). Neuregulin-1/ErbB signaling serves distinct functions in myelination of the peripheral and central nervous system. *Neuron*, 59(4), 581-595. doi.
- Briska, A. M., Uhlrich, D. J., & Lytton, W. W. (2000). Independent dendritic domains in the thalamic circuit. *Neurocomputing*, 32, 299-305. doi.

Briska, A. M., Uhrlich, D. J., & Lytton, W. W. (2003). Computer model of passive signal integration based on whole-cell in vitro studies of rat lateral geniculate nucleus. *European Journal of Neuroscience*, 17(8), 1531-1541. doi: doi:10.1046/j.1460-9568.2003.02579.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02579.x>

Brizuela, M., Blizzard, C. A., Chuckowree, J. A., Pitman, K. A., Young, K. M., & Dickson, T. (2017). Mild traumatic brain injury leads to decreased inhibition and a differential response of calretinin positive interneurons in the injured cortex. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.4977. <http://dx.doi.org/10.1089/neu.2017.4977>

Broadbelt, K. G., Paterson, D. S., Rivera, K. D., L Trachtenberg, F., & Kinney, H. C. (2010). Neuroanatomic relationships between the GABAergic and serotonergic systems in the developing human medulla. *Autonomic Neuroscience*, 154(1-2), 30-41. doi.

Broadbelt, K. G., Rivera, K. D., Paterson, D. S., Duncan, J. R., Trachtenberg, F. L., Paulo, J. A., . . . others. (2012). Brainstem deficiency of the 14-3-3 regulator of serotonin synthesis: a proteomics analysis in the sudden infant death syndrome. *Molecular & Cellular Proteomics*, 11(1). doi.

Brockett, E. G., Seenan, P. G., Anne Bannatyne, B., & Maxwell, D. J. (2013). Ascending and descending propriospinal pathways between lumbar and cervical segments in the rat: evidence for a substantial ascending excitatory pathway. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.02.039>. <http://www.sciencedirect.com/science/article/pii/S0306452213001735>

Brohlin, M., Kingham, P. J., Novikova, L. N., Novikov, L. N., & Wiberg, M. (2012). Aging Effect on Neurotrophic Activity of Human Mesenchymal Stem Cells. *PLoS ONE*, 7(9), e45052. doi: 10.1371/journal.pone.0045052. <http://dx.doi.org/10.1371%2Fjournal.pone.0045052>

Brombas, A., Fletcher, L. N., & Williams, S. R. (2014). Activity-Dependent Modulation of Layer 1 Inhibitory Neocortical Circuits by Acetylcholine. *The Journal of Neuroscience*, 34(5), 1932-1941. doi. <http://www.jneurosci.org/content/34/5/1932.short>

Broser, P. J., Erdogan, S., Grinevich, V., Osten, P., Sakmann, B., & Wallace, D. J. (2008). Automated axon length quantification for populations of labelled neurons. *Journal of Neuroscience Methods*, 169(1), 43-54. doi.

Brown, E. C. Z., Steadman, C. J., Lee, T. M., Padmanabhan, V., Lehman, M. N., & Coolen, L. M. (2015). Sex differences and effects of prenatal exposure to excess testosterone on ventral tegmental area dopamine neurons in adult sheep. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12871. <http://dx.doi.org/10.1111/ejn.12871>

Brown, J., Cooper-Kuhn, C. M., Kempermann, G., Praag, H. V., Winkler, J., Gage, F. H., & Kuhn, H. G. (2003). Enriched environment and physical activity stimulate hippocampal but not olfactory bulb neurogenesis. *European Journal of Neuroscience*, 17(10), 2042. doi.

Brown, K. M., Barrionuevo, G., Canty, A. J., De Paola, V., Hirsch, J. A., Jefferis, G. S. X. E., . . . Ascoli, G. A. (2011). The DIADEM data sets: Representative light microscopy images of

neuronal morphology to advance automation of digital reconstructions. *Neuroinformatics*, 1-15. doi.

Brown, K. M., Donohue, D. E., D'Alessandro, G., & Ascoli, G. A. (2005). A cross-platform freeware tool for digital reconstruction of neuronal arborizations from image stacks. *Neuroinformatics*, 3(4), 343-360. doi.

Brown, K. M., Sugihara, I., Shinoda, Y., & Ascoli, G. A. (2012). Digital Morphometry of Rat Cerebellar Climbing Fibers Reveals Distinct Branch and Bouton Types. *Journal of Neuroscience*, 32(42), 14670-14684. doi: 10.1523/jneurosci.2018-12.2012. <http://www.jneurosci.org/content/32/42/14670.abstract>

Brown, M. E., Martin, J. R., Rosenbluth, J., & Ariel, M. (2011). A novel path for rapid transverse communication of vestibular signals in turtle cerebellum. *Journal of Neurophysiology*, 105(3), 1071-1088. doi: 10.1152/jn.00986.2009. <http://jn.physiology.org/content/105/3/1071.abstract>

Brown, P. B., Millecchia, R., Lawson, J. J., Brown, A. G., Koerber, H. R., Culberson, J., & Stephens, S. (2005). From innervation density to tactile acuity 2: Embryonic and adult pre- and postsynaptic somatotopy in the dorsal horn. *Brain Research*, 1055(1), 36-59. doi.

Brown, R. E., McKenna, J. T., Winston, S., Basheer, R., Yanagawa, Y., Thakkar, M. M., & McCarley, R. W. (2008). Characterization of GABAergic neurons in rapid-eye-movement sleep controlling regions of the brainstem reticular formation in GAD67-green fluorescent protein knock-in mice. *European Journal of Neuroscience*, 27(2), 352-363. doi: 10.1111/j.1460-9568.2008.06024.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06024.x>

Brown, S. M., Henning, S., & Wellman, C. L. (2005). Mild, short-term stress alters dendritic morphology in rat medial prefrontal cortex. *Cerebral Cortex*, 15(11), 1714-1722. doi.

Brown, S. P., & Hestrin, S. (2009). Intracortical circuits of pyramidal neurons reflect their long-range axonal targets. *Nature*. doi. <http://dx.doi.org/10.1038/nature07658>

<http://www.nature.com/nature/journal/vaop/ncurrent/suppinfo/nature07658...>

Browning, K. N., Babic, T., Holmes, G. M., Swartz, E. M., & Travagli, R. A. (2013). A critical re-evaluation of the specificity of action of perivagal capsaicin. *Journal of Physiology*. doi: 10.1113/jphysiol.2012.246827. <http://jp.physoc.org/content/early/2013/01/07/jphysiol.2012.246827.abstract>

Browning, K. N., Babic, T., Toti, L., Holmes, G. M., Coleman, F. H., & Travagli, R. A. (2014). Plasticity in the brainstem vagal circuits controlling gastric motor function triggered by corticotropin releasing factor. *The Journal of Physiology*, 592(20), 4591-4605. doi: 10.1113/jphysiol.2014.278192. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/jphysiol.2014.278192>

Browning, K. N., Coleman, F. H., & Travagli, R. A. (2005). Characterization of pancreas-projecting rat dorsal motor nucleus of vagus neurons. *American Journal of Physiology* -



Gastrointestinal Liver Physiology, 288(5), G950-955. doi:  
10.1152/ajpgi.00549.2004. <http://ajpgi.physiology.org/cgi/content/abstract/288/5/G950>

Browning, K. N., Coleman, F. H., & Travagli, R. A. (2005). Effects of pancreatic polypeptide on pancreas-projecting rat dorsal motor nucleus of the vagus neurons. *American Journal of Physiol - Gastrointest Liver Physiology*, 289(2), G209-219. doi:  
10.1152/ajpgi.00560.2004. <http://ajpgi.physiology.org/cgi/content/abstract/289/2/G209>

Browning, K. N., Travagli, R. A., & others. (2004). Morphological differences between planes of section do not influence the electrophysiological properties of identified rat dorsal motor nucleus of the vagus neurons. *Brain Research*, 1003(1), 54-60. doi.

Brownstone, R. M., & Wilson, J. M. (2008). Strategies for delineating spinal locomotor rhythm-generating networks and the possible role of Hbg interneurons in rhythmogenesis. *Brain Research Reviews*, 57(1), 64-76. doi.

Brozoski, T., Brozoski, D., Wisner, K., & Bauer, C. (2017). Chronic tinnitus and unipolar brush cell alterations in the cerebellum and dorsal cochlear nucleus. *Hearing Research*, 350, 139-151.  
doi: <https://doi.org/10.1016/j.heares.2017.04.016> <http://www.sciencedirect.com/science/article/pii/S037859551730059X>

Brückner, G., Morawski, M., & Arendt, T. (2008). Aggrecan-based extracellular matrix is an integral part of the human basal ganglia circuit. *Neuroscience*, 151(2), 489-504. doi.

Brudvig, J. J., Cain, J. T., Schmidt-Grimminger, G. G., Stumpo, D. J., Roux, K. J., Blackshear, P. J., & Weimer, J. M. (2018). MARCKS Is Necessary for Netrin-DCC Signaling and Corpus Callosum Formation. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0990-3. <https://doi.org/10.1007/s12035-018-0990-3>

Brumberg, J. C., Hamzei-Sichani, F., & Yuste, R. (2003). Morphological and Physiological Characterization of Layer VI Corticofugal Neurons of Mouse Primary Visual Cortex. *Journal of Neurophysiology*, 89(5), 2854-2867. doi:  
10.1152/jn.01051.2002. <http://jn.physiology.org/cgi/content/abstract/89/5/2854>

Brüne, M., Schöbel, A., Karau, R., Benali, A., Faustmann, P. M., Juckel, G., & Petrasch-Parwez, E. (2010). Von Economo neuron density in the anterior cingulate cortex is reduced in early onset schizophrenia. *Acta Neuropathologica*, 119(6), 771-778. doi.

Brunjes, P. C. (2021). Pyramidal Cells in Olfactory Cortex. *Chemical Senses*, (bjab002). doi: 10.1093/chemse/bjab002. <https://doi.org/10.1093/chemse/bjab002>

Brunjes, P. C., Kay, R. B., & Arrivillaga, J. P. (2011). The mouse olfactory peduncle. *Journal of Comparative Neurology*, 519(14), 2870-2886. doi:  
10.1002/cne.22662. <http://dx.doi.org/10.1002/cne.22662>

Brunjes, P. C., & Kenerson, M. C. (2010). The anterior olfactory nucleus: quantitative study of dendritic morphology. *Journal of Comparative Neurology*, 518(9), 1603-1616. doi.

Bruno, R. M., Hahn, T. T. G., Wallace, D. J., de Kock, C. P. J., & Sakmann, B. (2009). Sensory Experience Alters Specific Branches of Individual Corticocortical Axons during Development. *Journal of Neuroscience*, 29(10), 3172-3181. doi: 10.1523/jneurosci.5911-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/10/3172>

Brus-Ramer, M., Carmel, J. B., Chakrabarty, S., & Martin, J. H. (2007). Electrical Stimulation of Spared Corticospinal Axons Augments Connections with Ipsilateral Spinal Motor Circuits after Injury. *Journal of Neuroscience*, 27(50), 13793-13801. doi: 10.1523/jneurosci.3489-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/50/13793>

Brzozowska, N. I., Smith, K. L., Zhou, C., Waters, P. M., Cavalcante, L. M., Abelev, S. V., . . . Arnold, J. C. (2017). Genetic deletion of P-glycoprotein alters stress responsivity and increases depression-like behavior, social withdrawal and microglial activation in the hippocampus of female mice. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.05.008>. <http://www.sciencedirect.com/science/article/pii/S088915911730154X>

Bu, Q., Wang, A., Hamzah, H., Waldman, A., Jiang, K., Dong, Q., . . . Chang, Q. (2017). CREB signaling is involved in Rett syndrome pathogenesis. [10.1523/JNEUROSCI.3735-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/03/07/JNEUROSCI.3735-16.2017...>

Bubser, M., Fadel, J. R., Jackson, L. L., Meador-Woodruff, J. H., Jing, D., & Deutch, A. Y. (2005). Dopaminergic regulation of orexin neurons. *European Journal of Neuroscience*, 21(11), 2993-3001. doi: doi:10.1111/j.1460-9568.2005.04121.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04121.x>

Buchanan, Katherine A., Blackman, Arne V., Moreau, Alexandre W., Elgar, D., Costa, Rui P., Lalanne, T., . . . Sjöström, P. J. (2012). Target-Specific Expression of Presynaptic NMDA Receptors in Neocortical Microcircuits. *Neuron*, 75(3), 451-466. doi: 10.1016/j.neuron.2012.06.017. <http://www.sciencedirect.com/science/article/pii/S089662731200579X>

Buchser, W. J., Slepak, T. I., Gutierrez-Arenas, O., Bixby, J. L., & Lemmon, V. P. (2010). Kinase/phosphatase overexpression reveals pathways regulating hippocampal neuron morphology. *Molecular systems biology*, 6(1). doi.

Buckiova, D., Popelar, J., & Syka, J. (2006). Collagen changes in the cochlea of aged Fischer 344 rats. *Experimental Gerontology*, 41(3), 296-302. doi.

Buckiova, D., Popelar, J., & Syka, J. (2007). Aging cochleas in the F344 rat: morphological and functional changes. *Experimental Gerontology*, 42(7), 629-638. doi.

Buckmaster, C. A., Eichenbaum, H., Amaral, D. G., Suzuki, W. A., & Rapp, P. R. (2004). Entorhinal Cortex Lesions Disrupt the Relational Organization of Memory in Monkeys. *Journal of Neuroscience*, 24(44), 9811-9825. doi: 10.1523/jneurosci.1532-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/44/9811>

Buckmaster, P. S. (2004). Prolonged Infusion of Tetrodotoxin Does Not Block Mossy Fiber Sprouting in Pilocarpine-treated Rats. *Epilepsia*, 45(5), 452-458. doi: 10.1111/j.0013-9580.2004.67103.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0013-9580.2004.67103.x>

Buckmaster, P. S. (2012). Mossy cell dendritic structure quantified and compared with other hippocampal neurons labeled in rats in vivo. *Epilepsia*, 53, 9-17. doi: 10.1111/j.1528-1167.2012.03470.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03470.x>

Buckmaster, P. S., Abrams, E., & Wen, X. (2017). Seizure frequency correlates with loss of dentate gyrus GABAergic neurons in a mouse model of temporal lobe epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24226. <http://dx.doi.org/10.1002/cne.24226>

Buckmaster, P. S., Alonso, A., Canfield, D. R., & Amaral, D. G. (2004). Dendritic morphology, local circuitry, and intrinsic electrophysiology of principal neurons in the entorhinal cortex of macaque monkeys. *Journal of Comparative Neurology*, 470(3), 317-329. doi:

Buckmaster, P. S., & Amaral, D. G. (2001). Intracellular recording and labeling of mossy cells and proximal CA3 pyramidal cells in macaque monkeys. *Journal of Comparative Neurology*, 430(2), 264-281. doi:

Buckmaster, P. S., & Dudek, F. E. (1997). Network Properties of the Dentate Gyrus in Epileptic Rats With Hilar Neuron Loss and Granule Cell Axon Reorganization. *Journal of Neurophysiology*, 77(5), 2685-2696. doi: <http://jn.physiology.org/cgi/content/abstract/77/5/2685>

Buckmaster, P. S., & Dudek, F. E. (1999). In Vivo Intracellular Analysis of Granule Cell Axon Reorganization in Epileptic Rats. *Journal of Neurophysiology*, 81(2), 712-721. doi: <http://jn.physiology.org/cgi/content/abstract/81/2/712>

Buckmaster, P. S., Ingram, E. A., & Wen, X. (2009). Inhibition of the Mammalian Target of Rapamycin Signaling Pathway Suppresses Dentate Granule Cell Axon Sprouting in a Rodent Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(25), 8259-8269. doi: 10.1523/jneurosci.4179-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/25/8259>

Buckmaster, P. S., & Jongen-Relo, A. L. (1999). Highly Specific Neuron Loss Preserves Lateral Inhibitory Circuits in the Dentate Gyrus of Kainate-Induced Epileptic Rats. *Journal of Neuroscience*, 19(21), 9519-9529. doi: <http://www.jneurosci.org/cgi/content/abstract/19/21/9519>

Buckmaster, P. S., & Wen, X. (2011). Rapamycin suppresses axon sprouting by somatostatin interneurons in a mouse model of temporal lobe epilepsy. *Epilepsia*, 52(11), 2057-2064. doi: 10.1111/j.1528-1167.2011.03253.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03253.x>

Buckmaster, P. S., Yamawaki, R., & Thind, K. (2016). More Docked Vesicles and Larger Active Zones at Basket Cell-to-Granule Cell Synapses in a Rat Model of Temporal Lobe Epilepsy.

The Journal of Neuroscience, 36(11), 3295-3308.  
doi: <http://www.jneurosci.org/content/36/11/3295.short>

Buckmaster, P. S., Yamawaki, R., & Zhang, G. F. (2002). Axon arbors and synaptic connections of a vulnerable population of interneurons in the dentate gyrus in vivo. *Journal of Comparative Neurology*, 445(4), 360-373. doi.

Buckmaster, P. S., Zhang, G. F., & Yamawaki, R. (2002). Axon Sprouting in a Model of Temporal Lobe Epilepsy Creates a Predominantly Excitatory Feedback Circuit. *Journal of Neuroscience*, 22(15), 6650-6658.  
doi: <http://www.jneurosci.org/cgi/content/abstract/22/15/6650>

Buckwalter, J. A., Parvizi, J., Morecraft, R. J., & van Hoesen, G. W. (2008). Thalamic projections to the posteromedial cortex in the macaque. *Journal of Comparative Neurology*, 507(5), 1709-1733. doi.

Buckwalter, J. A., Schumann, C. M., & Van Hoesen, G. W. (2008). Evidence for direct projections from the basal nucleus of the amygdala to retrosplenial cortex in the Macaque monkey. *Experimental Brain Research*, 186(1), 47-57. doi.

Budd, J. M. L., Kovács, K., Ferecskó, A. S., Buzás, P., Eysel, U. T., & Kisvárdy, Z. F. (2010). Neocortical axon arbors trade-off material and conduction delay conservation. *PLoS computational biology*, 6(3), e1000711-e1000711. doi.

Budzynski, C. A., Gagliardo, A., Ioalé, P., & Bingman, V. P. (2002). Participation of the homing pigeon thalamofugal visual pathway in sun-compass associative learning. *European Journal of Neuroscience*, 15(1), 197. doi.

Buetler, T. M., Renard, M., Offord, E. A., Schneider, H., & Rugg, U. T. (2002). Green tea extract decreases muscle necrosis in mdx mice and protects against reactive oxygen species. *American Journal of Clinical Nutrition*, 75(4), 749-753. doi.

Buffo, A., Carulli, D., Rossi, F., & Strata, P. (2003). Extrinsic regulation of injury/growth-related gene expression in the inferior olive of the adult rat. *European Journal of Neuroscience*, 18(8), 2146-2158. doi: doi:10.1046/j.1460-9568.2003.02940.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02940.x>

Buffo, A., Rite, I., Tripathi, P., Lepier, A., Colak, D., Horn, A.-P., . . . Gotz, M. (2008). Origin and progeny of reactive gliosis: A source of multipotent cells in the injured brain. *Proceedings of the National Academy of Sciences*, 105(9), 3581-3586. doi: 10.1073/pnas.0709002105. <http://www.pnas.org/cgi/content/abstract/105/9/3581>

Buffo, A., Vosko, M. R., Erturk, D., Hamann, G. F., Jucker, M., Rowitch, D., & Gotz, M. (2005). Expression pattern of the transcription factor Olig2 in response to brain injuries: Implications for neuronal repair. *Proceedings of the National Academy of Sciences*, 102(50), 18183-18188. doi: 10.1073/pnas.0506535102. <http://www.pnas.org/cgi/content/abstract/102/50/18183>

Buffo, A., Zagrebelsky, M., Huber, A. B., Skerra, A., Schwab, M. E., Strata, P., & Rossi, F. (2000). Application of Neutralizing Antibodies against NI-35/250 Myelin-Associated Neurite Growth

Inhibitory Proteins to the Adult Rat Cerebellum Induces Sprouting of Uninjured Purkinje Cell Axons. *Journal of Neuroscience*, 20(6), 2275-2286. doi: <http://www.jneurosci.org/cgi/content/abstract/20/6/2275>

Bugaysen, J., Bar-Gad, I., & Korngreen, A. (2013). Continuous Modulation of Action Potential Firing by a Unitary GABAergic Connection in the Globus Pallidus In Vitro. *Journal of Neuroscience*, 33(31), 12805-12809. doi: 10.1523/jneurosci.1970-13.2013. <http://www.jneurosci.org/content/33/31/12805.abstract>

Buhler, A. V., Choi, J., Proudfit, H. K., & Gebhart, G. F. (2005). Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive. *Pain*, 114(1), 285-294. doi.

Buhler, A. V., Proudfit, H. K., & Gebhart, G. F. (2004). Separate populations of neurons in the rostral ventromedial medulla project to the spinal cord and to the dorsolateral pons in the rat. *Brain Research*, 1016(1), 12-19. doi.

Buhler, A. V. K., Tachibana, S., Zhang, Y., & Quock, R. M. (2018). nNOS immunoreactivity co-localizes with GABAergic and cholinergic neurons, and associates with  $\beta$ -endorphinergic and met-enkephalinergic opioidergic fibers in rostral ventromedial medulla and A5 of the mouse. *Brain Research*, 1698, 170-178. doi: <https://doi.org/10.1016/j.brainres.2018.08.003>. <http://www.sciencedirect.com/science/article/pii/S0006899318304189>

Bui Quoc, E., Quenech'Du, N., & Milleret, C. (2005). Plasticity of Visual Interhemispheric Transfer to Areas 17 and 18 in Cats With Convergent Unilateral Early Strabismus. *Investigative Ophthalmology and Visual Science*, 46(5), 2958-2958. doi.

Bullmann, T., Seeger, G., Stieler, J., Hanics, J., Reimann, K., Petra Kretzschmann, T., ... Arendt, T. (2015). Tau phosphorylation associated spine regression does not impair hippocampal dependent memory in hibernating Golden hamsters. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22522. <http://dx.doi.org/10.1002/hipo.22522>

Bunce, J. G., Zikopoulos, B., Feinberg, M., & Barbas, H. (2013). Parallel prefrontal pathways reach distinct excitatory and inhibitory systems in memory-related rhinal cortices. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23413. <http://dx.doi.org/10.1002/cne.23413>

Burbridge, T. J., Wang, Y., Volz, A. J., Peschansky, V. J., Lisann, L., Galaburda, A. M., ... Rosen, G. D. (2008). Postnatal analysis of the effect of embryonic knockdown and overexpression of candidate dyslexia susceptibility gene homolog *Dcdc2* in the rat. *Neuroscience*, 152(3), 723-733. doi.

Bureau, I., Shepherd, G. M. G., & Svoboda, K. (2004). Precise development of functional and anatomical columns in the neocortex. *Neuron*, 42(5), 789-801. doi.

Bureau, I., Shepherd, G. M. G., & Svoboda, K. (2008). Circuit and Plasticity Defects in the Developing Somatosensory Cortex of *Fmr1* Knock-Out Mice. *Journal of Neuroscience*,

28(20), 5178-5188. doi: 10.1523/jneurosci.1076-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/20/5178>

Bureau, I., von Saint Paul, F., & Svoboda, K. (2006). Interdigitated Paralemniscal and Lemniscal Pathways in the Mouse Barrel Cortex. *PLoS Biology*, 4(12), e382. doi: <http://dx.doi.org/10.1371/journal.pbio.0040382>

Burianova, J., Ouda, L., Profant, O., & Syka, J. (2009). Age-related changes in GAD levels in the central auditory system of the rat. *Experimental Gerontology*, 44(3), 161-169. doi:

Burke, M. C., Letts, P. A., Krajewski, S. J., & Rance, N. E. (2006). Coexpression of dynorphin and neurokinin B immunoreactivity in the rat hypothalamus: morphologic evidence of interrelated function within the arcuate nucleus. *Journal of Comparative Neurology*, 498(5), 712-726. doi:

Burke, M. R., Adkins-Regan, E., & Wade, J. (2007). Laterality in syrinx muscle morphology of the Japanese quail (*Coturnix japonica*). *Physiology and Behavior*, 90(4), 682-686. doi:

Burke, P. G. R., Abbott, S. B. G., Coates, M. B., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2014). Optogenetic Stimulation of Adrenergic C1 Neurons Causes Sleep State Dependent Cardiorespiratory Stimulation and Arousal with Sighs in Rats. *American Journal of Respiratory and Critical Care Medicine*. doi: 10.1164/rccm.201407-1262OC. <http://dx.doi.org/10.1164/rccm.201407-1262OC>

Burke, P. G. R., Kanbar, R., Basting, T. M., Hodges, W. M., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2015). State-dependent control of breathing by the retrotrapezoid nucleus. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270053. <http://dx.doi.org/10.1113/JP270053>

Burke, P. G. R., Kanbar, R., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2015). Selective optogenetic stimulation of the retrotrapezoid nucleus in sleeping rats activates breathing without changing blood pressure or causing arousal or sighs. [10.1152/jappphysiol.00164.2015]. *Journal of Applied Physiology*. doi: <http://jap.physiology.org/content/early/2015/04/07/jappphysiol.00164.20...>

Burkhalter, J., Fiumelli, H., Erickson, J. D., & Martin, J.-L. (2007). A Critical Role for System A Amino Acid Transport in the Regulation of Dendritic Development by Brain-derived Neurotrophic Factor (BDNF). *Journal of Biological Chemistry*, 282(8), 5152-5159. doi: 10.1074/jbc.M608548200. <http://www.jbc.org/cgi/content/abstract/282/8/5152>

Burleson, A., Nusstein, J., Reader, A., & Beck, M. (2007). The In Vivo Evaluation of Hand/Rotary/Ultrasound Instrumentation in Necrotic, Human Mandibular Molars. *Journal of Endodontics*, 33(7), 782-787. doi:

Burnett, L. R., Stein, B. E., Chaponis, D., & Wallace, M. T. (2004). Superior colliculus lesions preferentially disrupt multisensory orientation. *Neuroscience*, 124(3), 535-547. doi:

Burnett, L. R., Stein, B. E., Perrault, T. J., & Wallace, M. T. (2007). Excitotoxic lesions of the superior colliculus preferentially impact multisensory neurons and multisensory integration. *Experimental Brain Research*, 179(2), 325-338. doi:



Burton, S. D., & Urban, N. N. (2015). Rapid Feedforward Inhibition and Asynchronous Excitation Regulate Granule Cell Activity in the Mammalian Main Olfactory Bulb. *The Journal of Neuroscience*, 35(42), 14103-14122. doi: <http://www.jneurosci.org/content/35/42/14103.short>

Bush, A. L., & Hyson, R. L. (2006). Lithium increases BCL-2 expression in chick cochlear nucleus and protects against deafferentation-induced cell death. *Neuroscience*, 138(4), 1341-1349. doi.

Buskila, Y., Bellot-Saez, A., KÁ©kesi, O., Cameron, M., & Morley, J. (2019). Extending the Life Span of Acute Neuronal Tissue for Imaging and Electrophysiological Studies. In N. J. D. Wright (Ed.), *Basic Neurobiology Techniques* (pp. 235-259). New York, NY: Springer US.

Busti, D., Bienvenu, T., Micklem, B., Magill, P., Shigemoto, R., Capogna, M., & Ferraguti, F. (2011). Morphological characterization of large intercalated neurons provides novel insight on intrinsic networks of the amygdala. *BMC Pharmacology*, 11(Suppl 2), A9-A9. doi.

Busto, G. U., Guven-Ozkan, T., Chakraborty, M., & Davis, R. L. (2016). Developmental inhibition of miR-iab8-3p disrupts mushroom body neuron structure and adult learning ability. *Developmental Biology*. doi: <http://dx.doi.org/10.1016/j.ydbio.2016.09.010>. <http://www.sciencedirect.com/science/article/pii/S0012160616303141>

Butler, A. K., Dantzker, J. L., Shah, R. B., & Callaway, E. M. (2001). Development of visual cortical axons: Layer-specific effects of extrinsic influences and activity blockade. *Journal of Comparative Neurology*, 430(3), 321-331. doi.

Butler, B. E., Chabot, N., Kral, A., & Lomber, S. G. (2016). Origins of thalamic and cortical projections to the posterior auditory field in congenitally deaf cats. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.06.003>. <http://www.sciencedirect.com/science/article/pii/S0378595516301319>

Butler, B. E., Chabot, N., & Lomber, S. G. (2016). Quantifying and comparing the pattern of thalamic and cortical projections to the posterior auditory field in hearing and deaf cats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24005. <http://dx.doi.org/10.1002/cne.24005>

Butler, B. E., Chabot, N., & Lomber, S. G. (2016). A quantitative comparison of the hemispheric, areal, and laminar origins of sensory and motor cortical projections to the superior colliculus of the cat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23980. <http://dx.doi.org/10.1002/cne.23980>

Butler, B. E., de la Rúa, A., Ward-Able, T., & Lomber, S. G. (2017). Cortical and thalamic connectivity to the second auditory cortex of the cat is resilient to the onset of deafness. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1523-y. <https://doi.org/10.1007/s00429-017-1523-y>

Butler, B. E., Sunstrum, J. K., & Lomber, S. G. (2018). Modified origins of cortical projections to the superior colliculus in the deaf: Dispersion of auditory efferents.

[10.1523/JNEUROSCI.2858-17.2018]. The Journal of Neuroscience.

doi: <http://www.jneurosci.org/content/early/2018/04/02/JNEUROSCI.2858-17.2018...>

Butler, R. K., Oliver, E. M., Sharko, A. C., Parilla-Carrero, J., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2016). Activation of corticotropin releasing factor-containing neurons in the rat central amygdala and bed nucleus of the stria terminalis following exposure to two different anxiogenic stressors. *Behavioural Brain Research*.

doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.051>. <http://www.sciencedirect.com/science/article/pii/S0166432816300493>

Butler, R. K., White, L. C., Frederick-Duus, D., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2012). Comparison of the activation of somatostatin- and neuropeptide Y-containing neuronal populations of the rat amygdala following two different anxiogenic stressors. *Experimental Neurology*, (0). doi:

10.1016/j.expneurol.2012.08.002. <http://www.sciencedirect.com/science/article/pii/S0014488612003111>

Butovsky, O., Ziv, Y., Schwartz, A., Landa, G., Talpalar, A., Pluchino, S., . . . Schwartz, M. (2006). Microglia activated by IL-4 or IFN-gamma differentially induce neurogenesis and oligodendrogenesis from adult stem/progenitor cells. *Molecular and Cellular Neurosciences*, 31, 149 - 160. doi.

Butti, C., Janeway, C., Townshend, C., Wicinski, B., Reidenberg, J., Ridgway, S., . . . Jacobs, B. (2014). The neocortex of cetartiodactyls: I. A comparative Golgi analysis of neuronal morphology in the bottlenose dolphin (*Tursiops truncatus*), the minke whale (*Balaenoptera acutorostrata*), and the humpback whale (*Megaptera novaeangliae*). *Brain Structure and Function*, 1-30. doi: 10.1007/s00429-014-0860-3. <http://dx.doi.org/10.1007/s00429-014-0860-3>

Buzas, P., Eysel, U., & Kisvárdy, Z. (1998). Functional topography of single cortical cells: an intracellular approach combined with optical imaging. *Brain Research Protocols*, 3(2), 199-208. doi.

Buzás, P., Eysel, U. T., Adorján, P., & Kisvárdy, Z. F. (2001). Axonal topography of cortical basket cells in relation to orientation, direction, and ocular dominance maps. *Journal of Comparative Neurology*, 437(3), 259-285. doi.

Buzás, P., Kovács, K., Ferecskó, A. S., Budd, J. M. L., Eysel, U. T., & Kisvárdy, Z. F. (2006). Model-based analysis of excitatory lateral connections in the visual cortex. *Journal of Comparative Neurology*, 499(6), 861-881. doi.

Byers, J. S., Huguenard, A. L., Kuruppu, D., Liu, N. K., Xu, X. M., & Sengelaub, D. R. (2012). Neuroprotective effects of testosterone on motoneuron and muscle morphology following spinal cord injury. *Journal of Comparative Neurology*. doi.

C., G. K., Lu, L., Praveen, C., P., W. J., C., W. M., & Anna, C. L. (2018). Genetic inactivation of synaptosomal-associated protein 25 (SNAP-25) in adult hippocampal neural progenitors impairs pattern discrimination learning but not survival or structural maturation of newborn

dentate granule cells. Hippocampus, 0(ja). doi:  
doi:10.1002/hipo.23008. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23008>

Cabañero, D., Irie, T., Celorrio, M., Trousdale, C., Owens, D. M., Virley, D., . . . Morón, J. A. (2016). Identification of an epidermal keratinocyte AMPA glutamate receptor involved in dermatopathies associated with sensory abnormalities. PAIN Reports, 1(3), e573. doi: 10.1097/pr9.0000000000000573. [http://journals.lww.com/painrpts/Fulltext/2016/09000/Identification\\_of\\_a...](http://journals.lww.com/painrpts/Fulltext/2016/09000/Identification_of_a...)

Cabungcal, J. H., Nicolas, D., Kraftsik, R., Cuénod, M., Do, K. Q., & Hornung, J. P. (2006). Glutathione deficit during development induces anomalies in the rat anterior cingulate GABAergic neurons: relevance to schizophrenia. Neurobiology of Disease, 22(3), 624-637. doi.

Caetano, L., Pinheiro, H., Patricio, P., Mateus-Pinheiro, A., Alves, N. D., Coimbra, B., . . . Gomes, C. A. (2016). Adenosine A2A receptor regulation of microglia morphological remodeling-gender bias in physiology and in a model of chronic anxiety. [Original Article]. Molecular Psychiatry. doi: 10.1038/mp.2016.173. <http://dx.doi.org/10.1038/mp.2016.173>

Cafforio, G., D'Avino, C., Calabrese, R., & Siciliano, G. (2004). Clinical open-label study for evaluation of efficacy and tolerability of oxcarbazepine in the treatment of neuropathic pain. Journal of the Peripheral Nervous System, 9(2), 120-120. doi.

Cagalinec, M., Liiv, M., Hodurova, Z., Hickey, M. A., Vaarmann, A., Mandel, M., . . . Kaasik, A. (2016). Role of Mitochondrial Dynamics in Neuronal Development: Mechanism for Wolfram Syndrome. PLoS Biol, 14(7), e1002511. doi: 10.1371/journal.pbio.1002511. <http://dx.doi.org/10.1371%2Fjournal.pbio.1002511>

Cahill, S. P., Hatchard, T., Abizaid, A., & Holahan, M. R. (2014). An examination of early neural and cognitive alterations in hippocampal-spatial function of ghrelin receptor-deficient rats. Behavioural Brain Research, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.02.004>. <http://www.sciencedirect.com/science/article/pii/S0166432814000710>

Cai, Y., Chew, C., Muñoz, F., & Sengelaub, D. R. (2016). Neuroprotective effects of testosterone metabolites and dependency on receptor action on the morphology of somatic motoneurons following the death of neighboring motoneurons. Developmental Neurobiology, n/a-n/a. doi: 10.1002/dneu.22445. <http://dx.doi.org/10.1002/dneu.22445>

Cain, D. M., Wacnik, P. W., Turner, M., Wendelschafer-Crabb, G., Kennedy, W. R., Wilcox, G. L., & Simone, D. A. (2001). Functional Interactions between Tumor and Peripheral Nerve: Changes in Excitability and Morphology of Primary Afferent Fibers in a Murine Model of Cancer Pain. Journal of Neuroscience, 21(23), 9367-9376. doi: <http://www.jneurosci.org/cgi/content/abstract/21/23/9367>

Caldwell, A. S. L., Eid, S., Kay, C. R., Jimenez, M., McMahon, A. C., Desai, R., . . . Walters, K. A. (2015). Haplosufficient genomic androgen receptor signaling is adequate to protect female mice from induction of polycystic ovary syndrome features by prenatal

hyperandrogenization. *Endocrinology*, 0(0), en.2014-1887. doi: doi:10.1210/en.2014-1887. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1887>

Calella, A., Nerlov, C., Lopez, R., Sciarretta, C., von Bohlen und Halbach, O., Bereshchenko, O., & Minichiello, L. (2007). Neurotrophin/Trk receptor signaling mediates C/EBP $\alpha$ , - $\beta$  and NeuroD recruitment to immediate-early gene promoters in neuronal cells and requires C/EBPs to induce immediate-early gene transcription. *Neural Development*, 2(1), 4. doi. <http://www.neuraldevelopment.com/content/2/1/4>

Caleo, M., Cenni, M. C., Costa, M., Menna, E., Zentilin, L., Giadrossi, S., . . . Maffei, L. (2002). Expression of BCL-2 via adeno-associated virus vectors rescues thalamic neurons after visual cortex lesion in the adult rat. *European Journal of Neuroscience*, 15(8), 1271. doi.

Caleo, M., Medini, P., von Bartheld, C. S., & Maffei, L. (2003). Provision of Brain-Derived Neurotrophic Factor via Anterograde Transport from the Eye Preserves the Physiological Responses of Axotomized Geniculate Neurons. *Journal of Neuroscience*, 23, 287-296. doi.

Caleo, M., Tropea, D., Rossi, C., Gianfranceschi, L., & Maffei, L. (2009). Environmental enrichment promotes fiber sprouting after deafferentation of the superior colliculus in the adult rat brain. *Experimental Neurology*, 216(2), 515-519. doi.

Caliandro, P., Mondelli, M., Aprile, I., Pazzaglia, C., Sabatelli, M., Tonali, P., & Padua, L. (2004). Is carpal tunnel syndrome surgery useful in patients with diabetes or autoimmune polyneuropathies? *Journal of the Peripheral Nervous System*, 9(2), 109-109. doi: doi:10.1111/j.1085-9489.2004.00920gr.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.00920gr.x>

Calixto, E., Galván, E. J., Card, J. P., & Barrionuevo, G. (2008). Coincidence detection of convergent perforant path and mossy fibre inputs by CA3 interneurons. *Journal of Physiology*, 586(11), 2695-2712. doi.

Calizo, L. H., Ma, X., Pan, Y., Lemos, J., Craige, C., Heemstra, L., & Beck, S. G. (2011). Raphe serotonin neurons are not homogenous: electrophysiological, morphological and neurochemical evidence. *Neuropharmacology*. doi.

Callaway, E. M., & Borrell, V. (2011). Developmental Sculpting of Dendritic Morphology of Layer 4 Neurons in Visual Cortex: Influence of Retinal Input. *Journal of Neuroscience*, 31(20), 7456-7470. doi: 10.1523/jneurosci.5222-10.2011. <http://www.jneurosci.org/content/31/20/7456.abstract>

Callio, J., Oury, T. D., & Chu, C. T. (2005). Manganese Superoxide Dismutase Protects against 6-Hydroxydopamine Injury in Mouse Brains. *Journal of Biological Chemistry*, 280(18), 18536-18542. doi: 10.1074/jbc.M413224200. <http://www.jbc.org/cgi/content/abstract/280/18/18536>

Calzavara, R., Maily, P., & Haber, S. N. (2007). Relationship between the corticostriatal terminals from areas 9 and 46, and those from area 8A, dorsal and rostral premotor cortex and area 24c: an anatomical substrate for cognition to action. *European Journal of Neuroscience*, 26(7), 2005-2024. doi.

Cambiaghi, M., Cherchi, L., Masin, L., Infortuna, C., Briski, N., Caviasco, C., . . . Battaglia, F. (2021). High-frequency repetitive transcranial magnetic stimulation enhances layer II/III morphological dendritic plasticity in mouse primary motor cortex. *Behavioural Brain Research*, 410, 113352. doi: <https://doi.org/10.1016/j.bbr.2021.113352>. <https://www.sciencedirect.com/science/article/pii/S0166432821002400>

Camelo, S., Iglesias, A. H., Hwang, D., Due, B., Ryu, H., Smith, K., . . . others. (2005). Transcriptional therapy with the histone deacetylase inhibitor trichostatin A ameliorates experimental autoimmune encephalomyelitis. *Journal of Neuroimmunology*, 164(1), 10-21. doi.

Cameron, D., Gutierrez-Mecinas, M., Gomez-Lima, M., Watanabe, M., Polgár, E., & Todd, A. J. (2015). The organisation of spinoparabrachial neurons in the mouse. *Pain*, Publish Ahead of Print. doi: 10.1097/j.pain.0000000000000270. [http://journals.lww.com/pain/Fulltext/publishahead/The\\_organisation\\_of\\_s...](http://journals.lww.com/pain/Fulltext/publishahead/The_organisation_of_s...)

Cameron, M. C., Zhan, R. Z., & Nadler, J. V. (2011). Morphologic integration of hilar ectopic granule cells into dentate gyrus circuitry in the pilocarpine model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 519(11), 2175-2192. doi.

Cameron, M. C., Zhan, R.-Z., & Nadler, J. V. (2011). Morphologic integration of hilar ectopic granule cells into dentate gyrus circuitry in the pilocarpine model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 519(11), 2175-2192. doi: 10.1002/cne.22623. <http://dx.doi.org/10.1002/cne.22623>

Caminiti, R., Carducci, F., Piervincenzi, C., Battaglia-Mayer, A., Confalone, G., Visco-Comandini, F., . . . Innocenti, G. M. (2013). Diameter, Length, Speed, and Conduction Delay of Callosal Axons in Macaque Monkeys and Humans: Comparing Data from Histology and Magnetic Resonance Imaging Diffusion Tractography. *Journal of Neuroscience*, 33(36), 14501-14511. doi: 10.1523/jneurosci.0761-13.2013. <http://www.jneurosci.org/content/33/36/14501.abstract>

Caminiti, R., Ghaziri, H., Galuske, R., Hof, P. R., & Innocenti, G. M. (2009). Evolution amplified processing with temporally dispersed slow neuronal connectivity in primates. *Proceedings of the National Academy of Sciences*, 106(46), 19551-19556. doi: 10.1073/pnas.0907655106. <http://www.pnas.org/content/106/46/19551.abstract>

Camiré, O., & Topolnik, L. (2012). Functional compartmentalisation and regulation of postsynaptic Ca<sup>2+</sup> transients in inhibitory interneurons. *Cell Calcium*. doi.

Camiré, O., & Topolnik, L. (2014). Dendritic Calcium Nonlinearities Switch the Direction of Synaptic Plasticity in Fast-Spiking Interneurons. *The Journal of Neuroscience*, 34(11), 3864-3877. doi. <http://www.jneurosci.org/content/34/11/3864.short>

Camp, M. C., MacPherson, K. P., Lederle, L., Graybeal, C., Gaburro, S., DeBrouse, L. M., . . . others. (2012). Genetic Strain Differences in Learned Fear Inhibition Associated with Variation

in Neuroendocrine, Autonomic, and Amygdala Dendritic Phenotypes. *Neuropsychopharmacology*. doi.

Campbell, H. R., Meek, J., Zhang, J., & Bell, C. C. (2007). Anatomy of the posterior caudal lobe of the cerebellum and the eminentia granularis posterior in a mormyrid fish. *Journal of Comparative Neurology*, 502(5), 714-735. doi.

Campbell, J. C., Jeyamohan, S. B., Cruz, P. D. L., Chen, N., Shin, D., & Pilitsis, J. G. (2014). Place conditioning to apomorphine in rat models of Parkinson's disease: Differences by dose and side-effect expression. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.09.002>. <http://www.sciencedirect.com/science/article/pii/S0166432814005853>

Campbell, J. N., Churn, S. B., & Register, D. (2012). Traumatic brain injury causes an FK506-sensitive loss and an overgrowth of dendritic spines in rat forebrain. *Journal of Neurotrauma*, (ja). doi.

Campbell, T., Lin, S., DeVries, C., & Lambert, K. (2003). Coping strategies in male and female rats exposed to multiple stressors. *Physiology and Behavior*, 78(3), 495-504. doi.

Campeau, S., & Watson Jr, S. J. (2000). Connections of some auditory-responsive posterior thalamic nuclei putatively involved in activation of the hypothalamo-pituitary-adrenocortical axis in response to audiogenic stress in rats: An anterograde and retrograde tract tracing study combined with fos expression. *Journal of Comparative Neurology*, 423(3), 474-491. doi.

Canese, R., Zoratto, F., Altabella, L., Porcari, P., Mercurio, L., de Pasquale, F., . . . Adriani, W. (2014). Persistent modification of forebrain networks and metabolism in rats following adolescent exposure to a 5-HT<sub>7</sub> receptor agonist. *Psychopharmacology*, 1-15. doi: 10.1007/s00213-014-3639-6. <http://dx.doi.org/10.1007/s00213-014-3639-6>

Canh, M. Y., Serpe, C. J., Sanders, V., & Jones, K. J. (2006). CD4<sup>+</sup> T cell-mediated facial motoneuron survival after injury: Distribution pattern of cell death and rescue throughout the extent of the facial motor nucleus. *Journal of Neuroimmunology*, 181(1), 93-99. doi.

Cannon, K. E., Chazot, P. L., Hann, V., Shenton, F., Hough, L. B., & Rice, F. L. (2007). Immunohistochemical localization of histamine H<sub>3</sub> receptors in rodent skin, dorsal root ganglia, superior cervical ganglia, and spinal cord: Potential antinociceptive targets. *Pain*, 129(1), 76-92. doi.

Cannon, R. C., Howell, F. W., Goddard, N. H., & De Schutter, E. (2002). Non-curated distributed databases for experimental data and models in neuroscience. *Network: Computation in Neural Systems*, 13(3), 415-428. doi.

Cannon, R. C., O'Donnell, C., & Nolan, M. F. (2010). Stochastic ion channel gating in dendritic neurons: morphology dependence and probabilistic synaptic activation of dendritic spikes. *PLoS computational biology*, 6(8), e1000886-e1000886. doi.



Cannon, R. C., Turner, D. A., Pyapali, G. K., & Wheal, H. V. (1998). An on-line archive of reconstructed hippocampal neurons. *Journal of Neuroscience Methods*, 84(1-2), 49-54. doi.

Cannon, R. C., Wheal, H. V., & Turner, D. A. (1999). Dendrites of classes of hippocampal neurons differ in structural complexity and branching patterns. *Journal of Comparative Neurology*, 413. doi.

Canta, A., Lanzani, F., Galbiati, S., Frigeni, B., Giussani, G., Marmioli, P., . . . Cavaletti, G. (2004). RAT in vivo models of taxanes' peripheral neurotoxicity following chronic intravenous administration. *Journal of the Peripheral Nervous System*, 9(2), 104-104. doi: 10.1111/j.1085-9489.2004.009209b.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Canto, C. B., Koganezawa, N., Lagartos, M. J. D., Reilly, K. C., Mansvelder, H. D., & Witter, M. P. (2019). Postnatal development of functional projections from para- and presubiculum to medial entorhinal cortex in the rat. *The Journal of Neuroscience*, 1623-1619. doi: 10.1523/jneurosci.1623-19.2019. <http://www.jneurosci.org/content/early/2019/09/11/JNEUROSCI.1623-19.2019...>

Canto, C. B., Witter, L., & De Zeeuw, C. I. (2016). Whole-Cell Properties of Cerebellar Nuclei Neurons In Vivo. *PLoS ONE*, 11(11), e0165887. doi: 10.1371/journal.pone.0165887. <http://dx.doi.org/10.1371%2Fjournal.pone.0165887>

Canto, C. B., & Witter, M. P. (2011). Cellular properties of principal neurons in the rat entorhinal cortex. I. The lateral entorhinal cortex. *Hippocampus*. doi.

Canto, C. B., & Witter, M. P. (2011). Cellular properties of principal neurons in the rat entorhinal cortex. II. The medial entorhinal cortex. *Hippocampus*. doi.

Cantone, G., Xiao, J., McFarlane, N., & Levitt, J. B. (2005). Feedback connections to ferret striate cortex: direct evidence for visuotopic convergence of feedback inputs. *Journal of Comparative Neurology*, 487(3), 312-331. doi.

Cantone, G., Xiao, J. U. N., & Levitt, J. B. (2006). Retinotopic organization of ferret suprasylvian cortex. *Visual Neuroscience*, 23(01), 61-77. doi.

Canty, A. J., & De Paola, V. (2011). Axonal reconstructions going live. *Neuroinformatics*, 1-3. doi.

Canty, A. J., Teles-Grilo Ruivo, L. M., Nesarajah, C., Song, S., Jackson, J. S., Little, G. E., & De Paola, V. (2013). Synaptic Elimination and Protection after Minimal Injury Depend on Cell Type and Their Prelesion Structural Dynamics in the Adult Cerebral Cortex. *Journal of Neuroscience*, 33(25), 10374-10383. doi: 10.1523/jneurosci.0254-13.2013. <http://www.jneurosci.org/content/33/25/10374.abstract>

Cao, Q., Xu, X.-M., DeVries, W. H., Enzmann, G. U., Ping, P., Tsoulfas, P., . . . Whittemore, S. R. (2005). Functional Recovery in Traumatic Spinal Cord Injury after Transplantation of Multineurotrophin-Expressing Glial-Restricted Precursor Cells. *Journal of Neuroscience*, 25(30), 6947-6957. doi. <http://www.jneurosci.org/cgi/content/abstract/25/30/6947>

Cao, Q., Zhang, Y. P., Iannotti, C., DeVries, W. H., Xu, X. M., Shields, C. B., & Whittemore, S. R. (2005). Functional and electrophysiological changes after graded traumatic spinal cord injury in adult rat. *Experimental Neurology*, 191, S3–S16–S13–S16. doi.

Cao, X. C., Pappalardo, L. W., Waxman, S. G., & Tan, A. M. (2017). Dendritic spine dysgenesis in superficial dorsal horn sensory neurons after spinal cord injury. *Molecular Pain*, 13, 1744806916688016. doi: 10.1177/1744806916688016. <http://dx.doi.org/10.1177/1744806916688016>

Cao, Y., Matsuyama, K., Fujito, Y., & Aoki, M. (2006). Involvement of medullary GABAergic and serotonergic raphe neurons in respiratory control: electrophysiological and immunohistochemical studies in rats. *Neuroscience Research*, 56(3), 322–331. doi.

Capasso, M., Caporale, C. M., De Angelis, M. V., Cantarella, C., Di Muzio, A., Lugaresi, A., & Uncini, A. (2004). Demyelinating motor guillain-barré syndrome following rubella. *Journal of the Peripheral Nervous System*, 9(2), 115–115. doi.

Capito, R. M., Mata, A., & Stupp, S. I. (2009). Self-Assembling Peptide-Based Nanostructures for Regenerative Medicine. *Nanotechnology*. doi.

Capogrosso, M., Milekovic, T., Borton, D., Wagner, F., Moraud, E. M., Mignardot, J.-B., . . . Courtine, G. (2016). A brain–spine interface alleviating gait deficits after spinal cord injury in primates. [Letter]. *Nature*, 539(7628), 284–288. doi: 10.1038/nature20118

<http://www.nature.com/nature/journal/v539/n7628/abs/nature20118.html#sup.....> <http://dx.doi.org/10.1038/nature20118>

Caporale, C. M., Capasso, M., Lucani, M., Gandolfi, P., De Angelis, M. V., Di Muzio, A., . . . Uncini, A. (2004). Experimental axonopathy induced by immunization with campylobacter jejuni lipopolysaccharide from a patient with guillain-barré syndrome. *Journal of the Peripheral Nervous System*, 9(2), 114–115. doi.

Cappe, C., Morel, A., & Rouiller, E. M. (2007). Thalamocortical and the dual pattern of corticothalamic projections of the posterior parietal cortex in macaque monkeys. *Neuroscience*, 146(3), 1371–1387. doi.

Cappello, S., Attardo, A., Wu, X., Iwasato, T., Itohara, S., Wilsch-Bräuninger, M., . . . Götz, M. (2006). The Rho-GTPase cdc42 regulates neural progenitor fate at the apical surface. *Nature of Neuroscience*, 9, 1099–1107. doi.

Cappello, S., Böhringer, Christian R. J., Bergami, M., Conzelmann, K.-K., Ghanem, A., Tomassy, Giulio S., . . . Götz, M. (2012). A Radial Glia-Specific Role of RhoA in Double Cortex Formation. *Neuron*, 73(5), 911–924. doi: 10.1016/j.neuron.2011.12.030. <http://www.sciencedirect.com/science/article/pii/S0896627312000803>

Capshaw, G., Soares, D., & Carr, C. E. (2019). Bony labyrinth morphometry reveals hidden diversity in lungless salamanders (Family Plethodontidae): Structural correlates of ecology,

development, and vision in the inner ear. *Evolution*, 0(ja). doi: 10.1111/evo.13837. <https://onlinelibrary.wiley.com/doi/abs/10.1111/evo.13837>

Caputi, A., Rozov, A., Blatow, M., & Monyer, H. (2009). Two calretinin-positive GABAergic cell types in layer 2/3 of the mouse neocortex provide different forms of inhibition. *Cerebral Cortex*, 19(6), 1345-1359. doi:

Carballosa Gonzalez, M. M., Blaya, M. O., Alonso, O. F., Bramlett, H. M., & Hentall, I. D. (2012). Midbrain raphe stimulation improves behavioral and anatomical recovery from fluid-percussion brain injury. *Journal of Neurotrauma*, (ja). doi:

Carbone, D. L., Zuloaga, D. G., Lacagnina, A. F., & Handa, R. J. (2012). Prepro-thyrotropin releasing hormone expressing neurons in the juxtaparaventricular region of the lateral hypothalamus are activated by leptin and altered by prenatal glucocorticoid exposure. *Brain Research*, (o). doi: 10.1016/j.brainres.2012.08.020. <http://www.sciencedirect.com/science/article/pii/S0006899312013534>

Carbone, D. L., Zuloaga, D. G., Lacagnina, A. F., McGivern, R. F., & Handa, R. J. (2012). Exposure to dexamethasone during late gestation causes female-specific decreases in core body temperature and prepro-thyrotropin-releasing hormone expression in the paraventricular nucleus of the hypothalamus in rats. *Physiology & Behavior*, (o). doi: 10.1016/j.physbeh.2012.07.010. <http://www.sciencedirect.com/science/article/pii/S0031938412002739>

Carcea, I., Ma'ayan, A., Mesias, R., Sepulveda, B., Salton, S. R., & Benson, D. L. (2010). Flotillin-Mediated Endocytic Events Dictate Cell Type-Specific Responses to Semaphorin 3A. *Journal of Neuroscience*, 30(45), 15317-15329. doi: 10.1523/jneurosci.1821-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/45/15317>

Carcea, I., Patil, S. B., Robison, A. J., Mesias, R., Huntsman, M. M., Froemke, R. C., . . . Benson, D. L. (2014). Maturation of cortical circuits requires Semaphorin 7A. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1408680111. <http://www.pnas.org/content/early/2014/09/03/1408680111.abstract>

Cárdenas, A., Villalba, A., de Juan Romero, C., Picó, E., Kyrousi, C., Tzika, A. C., . . . Borrell, V. (2018). Evolution of Cortical Neurogenesis in Amniotes Controlled by Robo Signaling Levels. *Cell*. doi: <https://doi.org/10.1016/j.cell.2018.06.007>. <http://www.sciencedirect.com/science/article/pii/S0092867418307323>

Cardinale, A., Paldino, E., Giampà, C., Bernardi, G., & Fusco, F. R. (2015). PARP-1 Inhibition Is Neuroprotective in the R6/2 Mouse Model of Huntington's Disease. *PLoS ONE*, 10(8), e0134482. doi: 10.1371/journal.pone.0134482. <http://dx.doi.org/10.1371%2Fjournal.pone.0134482>

Cardona, A., Saalfeld, S., Schindelin, J., Arganda-Carreras, I., Preibisch, S., Longair, M., . . . Douglas, R. J. (2012). TrakEM2 Software for Neural Circuit Reconstruction. *PLoS ONE*, 7(6), e38011. doi: 10.1371/journal.pone.0038011. <http://dx.doi.org/10.1371%2Fjournal.pone.0038011>

Cardoso, H. D., Santos Junior, E. F., de Santana, D. F., Gonçalves-Pimentel, C., Angelim, M. K., Isaac, A. R., . . . da Silveira Andrade-da-Costa, B. L. (2013). Omega-3 deficiency and neurodegeneration in the substantia nigra: Involvement of increased nitric oxide production and reduced BDNF expression. *Biochimica et Biophysica Acta (BBA) - General Subjects*, (0). doi: <http://dx.doi.org/10.1016/j.bbagen.2013.12.023>, <http://www.sciencedirect.com/science/article/pii/S0304416513005515>

Carim-Todd, L., Bath, K. G., Fulgenzi, G., Yanpallewar, S., Jing, D., Barrick, C. A., . . . others. (2009). Endogenous truncated TrkB.T1 receptor regulates neuronal complexity and TrkB kinase receptor function in vivo. *Journal of Neuroscience*, 29(3), 678-685. doi.

Carim-Todd, L., Bath, K. G., Fulgenzi, G., Yanpallewar, S., Jing, D., Barrick, C. A., . . . Tessarollo, L. (2009). Endogenous Truncated TrkB.T1 Receptor Regulates Neuronal Complexity and TrkB Kinase Receptor Function In Vivo. *Journal of Neuroscience*, 29(3), 678-685. doi: 10.1523/jneurosci.5060-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/3/678>

Carletti, B., Grimaldi, P., Magrassi, L., & Rossi, F. (2002). Specification of Cerebellar Progenitors After Heterotopic-Heterochronic Transplantation to the Embryonic CNS In Vivo and In Vitro. *Journal of Neuroscience*, 22(16), 7132-7146. doi. <http://www.jneurosci.org/cgi/content/abstract/22/16/7132>

Carletti, B., Grimaldi, P., Magrassi, L., & Rossi, F. (2004). Engraftment and differentiation of neocortical progenitor cells transplanted to the embryonic brain in utero. *Journal of Neurocytology*, 33(3), 309-319. doi.

Carletti, B., & Rossi, F. (2005). Selective rather than inductive mechanisms favour specific replacement of Purkinje cells by embryonic cerebellar cells transplanted to the cerebellum of adult Purkinje cell degeneration (pcd) mutant mice. *European Journal of Neuroscience*, 22(5), 1001-1012. doi: doi:10.1111/j.1460-9568.2005.04314.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04314.x>

Carletti, B., Williams, I. M., Leto, K., Nakajima, K., Magrassi, L., & Rossi, F. (2008). Time constraints and positional cues in the developing cerebellum regulate Purkinje cell placement in the cortical architecture. *Developmental Biology*, 317(1), 147-160. doi.

Carlin, K. P., Jiang, Z., & Brownstone, R. M. (2000). Characterization of calcium currents in functionally mature mouse spinal motoneurons. *European Journal of Neuroscience*, 12(5), 1624. doi.

Carlo, C. N., Stefanacci, L., Semendeferi, K., & Stevens, C. F. (2010). Comparative analyses of the neuron numbers and volumes of the amygdaloid complex in old and new world primates. *Journal of Comparative Neurology*, 518(8), 1176-1198. doi.

Carlo, C. N., & Stevens, C. F. (2011). Analysis of differential shrinkage in frozen brain sections and its implications for the use of guard zones in stereology. *Journal of Comparative Neurology*, 519(14), 2803-2810. doi: 10.1002/cne.22652. <http://dx.doi.org/10.1002/cne.22652>

Carlo, C. N., & Stevens, C. F. (2013). Structural uniformity of neocortex, revisited. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1221398110. <http://www.pnas.org/content/early/2013/01/02/1221398110.abstract>

Carlson, G. C., Shipley, M. T., & Keller, A. (2000). Long-Lasting Depolarizations in Mitral Cells of the Rat Olfactory Bulb. *Journal of Neuroscience*, 20(5), 2011-2021. doi: <http://www.jneurosci.org/cgi/content/abstract/20/5/2011>

Carlsson, Y., Schwendimann, L., Vontell, R., Rousset, C. I., Wang, X., Lebon, S., . . . others. (2011). Genetic inhibition of caspase-2 reduces hypoxic-ischemic and excitotoxic neonatal brain injury. *Annals of Neurology*. doi.

Carmel, J. B., Kimura, H., Berrol, L. J., & Martin, J. H. (2013). Motor cortex electrical stimulation promotes axon outgrowth to brain stem and spinal targets that control the forelimb impaired by unilateral corticospinal injury. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12119. <http://dx.doi.org/10.1111/ejn.12119>

Carnevale, N. T., & Hines, M. (2008). The NEURON Simulation Environment in Epilepsy Research. *Computational Neuroscience in Epilepsy*, 18-18. doi.

Carnevale, T. (2007). Neuron simulation environment. *Scholarpedia*, 2(6), 1378-1378. doi.

Carpenter, A., Paulus, A., Robinson, M., Bates, C. M., Robinson, M. L., Hains, D., . . . McHugh, K. M. (2012). 3-dimensional morphometric analysis of murine bladder development and dysmorphogenesis. *Developmental Dynamics*, 241(3), 522-533. doi: 10.1002/dvdy.23744. <http://dx.doi.org/10.1002/dvdy.23744>

Carmo, M., Scarlato, M., Bardella, M. T., Terrani, C., Peracchi, M., Allaria, S., . . . Bresolin, N. (2004). Painful sensory neuropathy and dysimmunity: is there a relation? *Journal of the Peripheral Nervous System*, 9(2), 121-121. doi: doi:10.1111/j.1085-9489.2004.009209bc.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Carr, C. E., Shah, S., McColgan, T., Ashida, G., Kuokkanen, P. T., Brill, S., . . . Wagner, H. (2015). Maps of interaural delay in the owl's nucleus laminaris. [10.1152/jn.00644.2015]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2015/07/27/jn.00644.2015.abstract>

Carr, H., Alexander, T. C., Groves, T., Kiffer, F., Wang, J., Price, E., . . . Allen, A. R. (2018). Early effects of 16O radiation on Neuronal Morphology and Cognition in a Murine Model. *Life Sciences in Space Research*. doi: <https://doi.org/10.1016/j.lssr.2018.03.001>. <http://www.sciencedirect.com/science/article/pii/S2214552417301323>

Carrascal, L., Nieto-Gonzalez, J. L., Torres, B., & Nunez-Abades, P. (2009). Changes in somatodendritic morphometry of rat oculomotor nucleus motoneurons during postnatal development. *Journal of Comparative Neurology*, 514(2), 189-202. doi.

Carrascal, L., Nieto-González, J. L., Torres, B., & Nunez-Abades, P. (2011). Diminution of Voltage Threshold Plays a Key Role in Determining Recruitment of Oculomotor Nucleus Motoneurons during Postnatal Development. *PLoS ONE*, 6(12), e28748-e28748. doi.

Carrasco, A., Brown, T. A., Kok, M. A., Chabot, N., Kral, A., & Lomber, S. G. (2013). Influence of Core Auditory Cortical Areas on Acoustically Evoked Activity in Contralateral Primary Auditory Cortex. *Journal of Neuroscience*, 33(2), 776-789. doi: 10.1523/jneurosci.1784-12.2013. <http://www.jneurosci.org/content/33/2/776.abstract>

Carrasco, A., & Lomber, S. G. (2013). Influence of inter-field communication on neuronal response synchrony across auditory cortex. *Hearing Research*, (0). doi: <http://dx.doi.org/10.1016/j.heares.2013.05.012>. <http://www.sciencedirect.com/science/article/pii/S0378595513001421>

Carrasco, M. M., Mao, Y.-T., Balmer, T. S., & Pallas, S. L. (2011). Inhibitory plasticity underlies visual deprivation-induced loss of receptive field refinement in the adult superior colliculus. *European Journal of Neuroscience*, 33(1), 58-68. doi: 10.1111/j.1460-9568.2010.07478.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07478.x>

Carrigan, I. D., Croll, R. P., & Wyeth, R. C. (2015). Morphology, innervation and peripheral sensory cells of the siphon of *Aplysia californica*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23795. <http://dx.doi.org/10.1002/cne.23795>

Carter, M. A. (2017). Examination of Taste Bud Volumes on the Side of the Tongue Opposite to Nerve Injury in Young and Adult Rats. doi. <http://digitalcommons.unomaha.edu/srcaf/2017/schedule/152/>

Carulli, D., Buffo, A., Botta, C., Altruda, F., & Strata, P. (2002). Regenerative and survival capabilities of Purkinje cells overexpressing c-Jun. *European Journal of Neuroscience*, 16(1), 105. doi.

Carulli, D., Foscari, S., Faralli, A., Pajaj, E., & Rossi, F. (2013). Modulation of semaphorin3A in perineuronal nets during structural plasticity in the adult cerebellum. *Molecular and Cellular Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.mcn.2013.08.003>. <http://www.sciencedirect.com/science/article/pii/S104474311300081X>

Carulli, D., Pizzorusso, T., Kwok, J. C. F., Putignano, E., Poli, A., Forostyak, S., . . . Fawcett, J. W. (2010). Animals lacking link protein have attenuated perineuronal nets and persistent plasticity. *Brain*, awq145. doi: 10.1093/brain/awq145. <http://brain.oxfordjournals.org/cgi/content/abstract/awq145v1>

Carvell, G. E., & Simons, D. J. (2017). Effect of Whisker Geometry on Contact Force Produced by Vibrissae Moving at Different Velocities. [10.1152/jn.00046.2017]. *Journal of*



Neurophysiology.

doi: <http://jn.physiology.org/content/early/2017/06/26/jn.00046.2017.abstract>

Casanova, J. R., Nishimura, M., Le, J., Lam, T. T., & Swann, J. W. (2013). Rapid hippocampal network adaptation to recurring synchronous activity – a role for calcineurin. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12315. <http://dx.doi.org/10.1111/ejn.12315>

Casanova, J. R., Nishimura, M., Owens, J. W., & Swann, J. W. (2012). Impact of seizures on developing dendrites: Implications for intellectual developmental disabilities. *Epilepsia*, 53, 116-124. doi: 10.1111/j.1528-1167.2012.03482.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03482.x>

Casas, C. E., Herrera, L. P., Prusmack, C., Ruenes, G., Marcillo, A., & Guest, J. D. (2005). Effects of epidural hypothermic saline infusion on locomotor outcome and tissue preservation after moderate thoracic spinal cord contusion in rats. *Journal of Neurosurgery: Spine*, 2(3), 308-318. doi.

Case, L., & Broberger, C. (2017). Neurotensin Broadly Recruits Inhibition via White Matter Neurons in the Mouse Cerebral Cortex: Synaptic Mechanisms for Decorrelation. *Cerebral Cortex*, 1-14. doi: <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1...>

Casella, E., Thomas, T., Vanino, D., Fellows-Mayle, W., Lifshitz, J., Card, J. P., & Adelson, P. D. (2014). Traumatic brain injury alters long-term hippocampal neuron morphology in juvenile, but not immature, rats. *Child's Nervous System*, 1-10. doi: 10.1007/s00381-014-2446-z. <http://dx.doi.org/10.1007/s00381-014-2446-z>

Casella, G. T. B., Almeida, V. W., Grumbles, R. M., Liu, Y., & Thomas, C. K. (2010). Neurotrophic factors improve muscle reinnervation from embryonic neurons. *Muscle and Nerve*, 42(5), 788-797. doi: 10.1002/mus.21757. <http://dx.doi.org/10.1002/mus.21757>

Casellato, C., Di Troia, A., Terenghi, F., & Nobile-Orazio, E. (2004). Peripheral nervous system involvement as presenting symptom of systemic B-cell lymphoma. *Journal of the Peripheral Nervous System*, 9(2), 108-109. doi.

Casoni, F., Malone, S. A., Belle, M., Luzzati, F., Collier, F., Allet, C., . . . Giacobini, P. (2016). Development of the neurons controlling fertility in humans: new insights from 3D imaging and transparent fetal brains. [10.1242/dev.139444]. *Development*, 143(21), 3969. doi: <http://dev.biologists.org/content/143/21/3969.abstract>

Castañeda, M. T., Sanabria, E. R. G., Hernandez, S., Ayala, A., Reyna, T. A., Wu, J. Y., & Colom, L. V. (2005). Glutamic acid decarboxylase isoforms are differentially distributed in the septal region of the rat. *Neuroscience Research*, 52(1), 107-119. doi.

Castellanos, D. A., Tsoulfas, P., Frydel, B. R., Gajavelli, S., Bes, J.-C., & Sagen, J. (2002). TrkC Overexpression enhances Survival and Migration of Neural Stem Cell Transplants in the Rat spinal cord. *Cell Transplantation*, 11, 297-307. doi.

Castren, M., Tervonen, T., Karkkainen, V., Heinonen, S., Castren, E., Larsson, K., . . . Akerman, K. (2005). Altered differentiation of neural stem cells in fragile X syndrome. *Proceedings of the National Academy of Sciences*, 102(49), 17834-17839. doi: 10.1073/pnas.0508995102. <http://www.pnas.org/cgi/content/abstract/102/49/17834>

Castro-Alamancos, M. A., & Tawara-Hirata, Y. (2007). Area-Specific Resonance of Excitatory Networks in Neocortex: Control by Outward Currents. *Epilepsia*, 48(8), 1572-1584. doi: doi:10.1111/j.1528-1167.2007.01113.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2007.01113.x>

Castro-Gomes, V., Bergstrom, H. C., McGuire, J. L., Parker, C. C., Coyner, J., Landeira-Fernandez, J., . . . Johnson, L. R. (2015). A dendritic organization of lateral amygdala neurons in fear susceptible and resistant mice. *Neurobiology of Learning and Memory*. doi: <http://dx.doi.org/10.1016/j.nlm.2015.11.010>. <http://www.sciencedirect.com/science/article/pii/S1074742715002191>

Cataldo, G., Lovric, J., Chen, C. C., Pytte, C. L., & Bodnar, R. J. (2010). Ventromedial and medial preoptic hypothalamic ibotenic acid lesions potentiate systemic morphine analgesia in female, but not male rats. *Behavioural Brain Research*, 214(2), 301-316. doi.

Cattaert, D., Libersat, F., & El Manira, A. (2001). Presynaptic Inhibition and Antidromic Spikes in Primary Afferents of the Crayfish: A Computational and Experimental Analysis. *Journal of Neuroscience*, 21(3), 1007-1021. doi. <http://www.jneurosci.org/cgi/content/abstract/21/3/1007>

Catuara-Solarz, S., Espinosa-Carrasco, J., Erb, I., Langohr, K., Gonzalez, J. R., Notredame, C., & Dierssen, M. (2016). Combined treatment With environmental enrichment And (-)-epigallocatechin-3-gallate ameliorates learning deficits And hippocampal alterations In A mouse model Of Down syndrome. [10.1523/ENEURO.0103-16.2016]. *eneuro*. doi. <http://eneuro.org/content/early/2016/10/19/ENEURO.0103-16.2016.abstract>

Caudle, W. M., Kitsou, E., Li, J., Bradner, J., & Zhang, J. (2009). A role for a novel protein, nucleolin, in Parkinson's disease. *Neuroscience Letters*, 459(1), 11-15. doi.

Cavaletti, G., Beronio, A., Reni, L., Ghiglione, E., Schenone, A., Briani, C., . . . Carpo, M. (2004). Thalidomide sensory neurotoxicity: results of a collaborative clinical and neurophysiological study. *Journal of the Peripheral Nervous System*, 9(2), 105-105. doi: doi:10.1111/j.1085-9489.2004.009209e.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209e.x>

Cavallaro, T., Fabrizi, G. M., Angiari, C., Lus, G., Cabrini, I., Cotrufo, R., & Rizzuto, N. (2004). Are giant axons a pathological marker of charcot-marie-tooth neuropathy type 2E? *Journal of the Peripheral Nervous System*, 9(2), 124-124. doi.

Cavarretta, F., Burton, S. D., Igarashi, K. M., Shepherd, G. M., Hines, M. L., & Migliore, M. (2018). Parallel odor processing by mitral and middle tufted cells in the olfactory bulb. *Scientific Reports*, 8(1), 7625. doi: 10.1038/s41598-018-25740-x. <https://doi.org/10.1038/s41598-018-25740-x>

Cazorla, M., de Carvalho, Fernanda D., Chohan, Muhammad O., Shegda, M., Chuhma, N., Rayport, S., . . . Kellendonk, C. (2014). Dopamine D2 Receptors Regulate the Anatomical and Functional Balance of Basal Ganglia Circuitry. *Neuron*, 81(1), 153-164. doi: <http://dx.doi.org/10.1016/j.neuron.2013.10.041>. <http://www.sciencedirect.com/science/article/pii/S0896627313009938>

Cazorla, M., Shegda, M., Ramesh, B., Harrison, N. L., & Kellendonk, C. (2012). Striatal D2 Receptors Regulate Dendritic Morphology of Medium Spiny Neurons via Kir2 Channels. *Journal of Neuroscience*, 32(7), 2398-2409. doi: 10.1523/jneurosci.6056-11.2012. <http://www.jneurosci.org/content/32/7/2398.abstract>

Cea-del Rio, C. A., Lawrence, J. J., Erdelyi, F., Szabo, G., & McBain, C. J. (2011). Cholinergic modulation amplifies the intrinsic oscillatory properties of CA1 hippocampal cholecystinin-positive interneurons. *Journal of Physiology*, 589(3), 609-627. doi: 10.1113/jphysiol.2010.199422. <http://dx.doi.org/10.1113/jphysiol.2010.199422>

Cejková, J., Ardan, T., Simonová, Z., Cejka, C., Malec, J., Jirsová, K., . . . Brunová, B. (2007). Nitric oxide synthase induction and cytotoxic nitrogen-related oxidant formation in conjunctival epithelium of dry eye (Sjögren [] s syndrome). *Nitric Oxide*, 17(1), 10-17. doi:

Ceredig, R. A., Pierre, F., Doridot, S., Alduntzin, U., Salvat, E., Yalcin, I., . . . Massotte, D. (2018). Peripheral Delta Opioid Receptors Mediate Duloxetine Anti-allodynic Effect in a Mouse Model of Neuropathic Pain. *European Journal of Neuroscience*, 0(ja). doi: 10.1111/ejn.14093. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14093>

Cerkevich, C. M., Qi, H.-X., & Kaas, J. H. (2013). Corticocortical projections to representations of the teeth, tongue, and face in somatosensory area 3b of macaque monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23426. <http://dx.doi.org/10.1002/cne.23426>

Cerkevich, C. M., Qi, H.-X., & Kaas, J. H. (2013). Thalamic input to representations of the teeth, tongue, and face in somatosensory area 3b of macaque monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23386. <http://dx.doi.org/10.1002/cne.23386>

Cernea, M., Phillips, R., Padmanabhan, V., Coolen, L. M., & Lehman, M. N. (2016). Prenatal Testosterone Exposure Decreases Colocalization of Insulin Receptors in Kisspeptin/Neurokinin B/Dynorphin (KNDy) and Agouti-Related Peptide (AgRP) Neurons of the Adult Ewe. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13373. <http://dx.doi.org/10.1111/ejn.13373>

Cerqueira, J. J., Mailliet, F., Almeida, O. F. X., Jay, T. M., & Sousa, N. (2007). The Prefrontal Cortex as a Key Target of the Maladaptive Response to Stress. *Journal of Neuroscience*, 27(11), 2781-2787. doi: 10.1523/jneurosci.4372-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/11/2781>

Cerqueira, J. J., Pego, J. M., Taipa, R., Bessa, J. M., Almeida, O. F. X., & Sousa, N. (2005). Morphological Correlates of Corticosteroid-Induced Changes in Prefrontal Cortex-Dependent Behaviors. *Journal of Neuroscience*, 25(34), 7792-7800. doi:

10.1523/jneurosci.1598-05.2005. <http://www.jneurosci.org/cgi/content/abstract/25/34/7792>

Cerqueira, J. J., Taipa, R., Uylings, H. B. M., Almeida, O. F. X., & Sousa, N. (2007). Specific configuration of dendritic degeneration in pyramidal neurons of the medial prefrontal cortex induced by differing corticosteroid regimens. *Cerebral Cortex*, 17(9), 1998-2006. doi.

Cerrato, V., Parmigiani, E., Figueres-Oñate, M., Betizeau, M., Aprato, J., Nanavaty, I., . . . Buffo, A. (2018). Multiple origins and modularity in the spatiotemporal emergence of cerebellar astrocyte heterogeneity. *PLoS Biology*, 16(9), e2005513. doi: 10.1371/journal.pbio.2005513. <https://doi.org/10.1371/journal.pbio.2005513>

Cerri, S., Levandis, G., Ambrosi, G., Montepeloso, E., Antoninetti, G. F., Franco, R., . . . Pinna, A. (2014). Neuroprotective Potential of Adenosine A2A and Cannabinoid CB1 Receptor Antagonists in an Animal Model of Parkinson Disease. *Journal of Neuropathology and Experimental Neurology*. doi.

Cerri, S., Levandis, G., Ambrosi, G., Montepeloso, E., Antoninetti, G. F., Franco, R., . . . Pinna, A. (2014). Neuroprotective Potential of Adenosine A2A and Cannabinoid CB1 Receptor Antagonists in an Animal Model of Parkinson Disease. *Journal of Neuropathology and Experimental Neurology*. doi. <http://www.nature.com/ncomms/2014/140408/ncomms4602/full/ncomms4602.html>

Cetas, J. S., De Venecia, R. K., & McMullen, N. T. (1999). Thalamocortical afferents of Lorente de No: medial geniculate axons that project to primary auditory cortex have collateral branches to layer I. *Brain Research*, 830(1), 203-208. doi.

Cetas, J. S., Price, R. O., Velenovsky, D. S., Crowe, J. J., & McMullen, N. T. (2003). Dendritic Orientation and Laminar Architecture in the Rabbit Auditory Thalamus. *Journal of Comparative Neurology*, 458, 307-317. doi.

Cetas, J. S., Price, R. O., Velenovsky, D. S., Crowe, J. J., Sinex, D. G., & McMullen, N. T. (2002). Cell Types and Response Properties of Neurons in the Ventral Division of the Medial Geniculate Body of the Rabbit. *Journal of Comparative Neurology*, 445, 78-96. doi.

Cetas, J. S., Price, R. O., Velenovsky, D. S., Sinex, D. G., & McMullen, N. T. (2001). Frequency organization and cellular lamination in the medial geniculate body of the rabbit. *Hearing Research*, 155(1-2), 113-123. doi.

Cha, M., Um, S. W., Kwon, M., Nam, T. S., & Lee, B. H. (2017). Repetitive motor cortex stimulation reinforces the pain modulation circuits of peripheral neuropathic pain. *Scientific Reports*, 7, 7986. doi: 10.1038/s41598-017-08208-2. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5554204/>

Chaaya, N., Jacques, A., Belmer, A., Richard, D. J., Bartlett, S. E., Battle, A. R., & Johnson, L. R. (2018). Localization of Contextual and Context Removed Auditory Fear Memory within the Basolateral Amygdala Complex. *Neuroscience*.

doi: <https://doi.org/10.1016/j.neuroscience.2018.12.004>. <http://www.sciencedirect.com/science/article/pii/S030645221830798X>

Chabot, N., Butler, B. E., & Lomber, S. G. (2015). Differential modification of cortical and thalamic projections to cat primary auditory cortex following early- and late-onset deafness. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23790. <http://dx.doi.org/10.1002/cne.23790>

Chabot, N., Mellott, J. G., Hall, A. J., Tichenoff, E. L., & Lomber, S. G. (2013). Cerebral origins of the auditory projection to the superior colliculus of the cat. *Hearing Research*, (0). doi: <http://dx.doi.org/10.1016/j.heares.2013.02.008>. <http://www.sciencedirect.com/science/article/pii/S0378595513000671>

Chabot, N., Robert, S., Tremblay, R., Miceli, D., Boire, D., & Bronchti, G. (2007). Audition differently activates the visual system in neonatally enucleated mice compared with anophthalmic mutants. *European Journal of Neuroscience*, 26(8), 2334-2348. doi: 10.1111/j.1460-9568.2007.05854.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05854.x>

Chabrol, F. P., Eglen, S. J., & Sernagor, E. (2012). GABAergic control of retinal ganglion cell dendritic development. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.040. <http://www.sciencedirect.com/science/article/pii/S0306452212009608?v=s5>

Chailangkarn, T., Trujillo, C. A., Freitas, B. C., Hrvoj-Mihic, B., Herai, R. H., Yu, D. X., . . . Muotri, A. R. (2016). A human neurodevelopmental model for Williams syndrome. [Letter]. *Nature*, 536(7616), 338-343. doi: 10.1038/nature19067

<http://www.nature.com/nature/journal/v536/n7616/abs/nature19067.html#sup.....http://dx.doi.org/10.1038/nature19067>

Chakrabarty, A., Emerson, M. R., & LeVine, S. M. (2003). Hemeoxygenase-1 in SJL mice with experimental allergic encephalomyelitis. *Multiple Sclerosis*, 9(4), 372-381. doi.

Chakrabarty, S., & Martin, J. (2011). Postnatal refinement of proprioceptive afferents in the cat cervical spinal cord. *European Journal of Neuroscience*. doi.

Chakrabarty, S., Shulman, B., & Martin, J. H. (2009). Activity-Dependent Codevelopment of the Corticospinal System and Target Interneurons in the Cervical Spinal Cord. *Journal of Neuroscience*, 29(27), 8816-8827. doi: 10.1523/jneurosci.0735-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/27/8816>

Chakraborty, P., & Chattarji, S. (2018). Timing is everything: differential effects of chronic stress on fear extinction. [journal article]. *Psychopharmacology*. doi: 10.1007/s00213-018-5053-y. <https://doi.org/10.1007/s00213-018-5053-y>

Chakraborty, P., & Chattarji, S. (2019). Interventions after acute stress prevent its delayed effects on the amygdala. *Neurobiology of Stress*, 10, 100168.

doi: <https://doi.org/10.1016/j.yjnstr.2019.100168>. <http://www.sciencedirect.com/science/article/pii/S2352289518301036>

Chakravarty, S., Chikkatur, A., de Coninck, H., Pacala, S., Socolow, R., & Tavoni, M. (2009). Sharing global CO<sub>2</sub> emission reductions among one billion high emitters. *Proceedings of the National Academy of Sciences*, 106(29), 11884-11888. doi: 10.1073/pnas.0905232106. <http://www.pnas.org/content/106/29/11884.abstract>

Chalfin, B. P., Cheung, D. T., Muniz, J. A. P. C., de Lima Silveira, L. C., & Finlay, B. L. (2007). Scaling of neuron number and volume of the pulvinar complex in New World primates: comparisons with humans, other primates, and mammals. *Journal of Comparative Neurology*, 504(3), 265-274. doi:

Chamberland, S., Salesse, C., Topolnik, D., & Topolnik, L. (2010). Synapse-specific inhibitory control of hippocampal feedback inhibitory circuit. *Frontiers in Cellular Neuroscience*, 4. doi:

Chan, C.-F., Kuo, T.-W., Weng, J.-Y., Lin, Y.-C., Chen, T.-Y., Cheng, J.-K., & Lien, C.-C. (2013). Ba<sup>2+</sup>- and bupivacaine-sensitive background K<sup>+</sup> conductances mediate rapid EPSP attenuation in oligodendrocyte precursor cells. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2013.257113. <http://dx.doi.org/10.1113/jphysiol.2013.257113>

Chan, C. Y., Yoo, J. E., & Travers, S. P. (2004). Diverse bitter stimuli elicit highly similar patterns of Fos-like immunoreactivity in the nucleus of the solitary tract. *Chemical Senses*, 29(7), 573-581. doi:

Chancey, J. H., Adlaf, E. W., Sapp, M. C., Pugh, P. C., Wadiche, J. I., & Overstreet-Wadiche, L. S. (2013). GABA Depolarization Is Required for Experience-Dependent Synapse Unsilencing in Adult-Born Neurons. *Journal of Neuroscience*, 33(15), 6614-6622. doi: 10.1523/jneurosci.0781-13.2013. <http://www.jneurosci.org/content/33/15/6614.abstract>

Chand, P., & Jain, N. (2015). Intracortical and Thalamocortical Connections of the Hand and Face Representations in Somatosensory Area 3b of Macaque Monkeys and Effects of Chronic Spinal Cord Injuries. *The Journal of Neuroscience*, 35(39), 13475-13486. doi: <http://www.jneurosci.org/content/35/39/13475.abstract>

Chang, E. H., Volpe, B. T., Mackay, M., Aranow, C., Watson, P., Kowal, C., . . . Diamond, B. (2015). Selective Impairment of Spatial Cognition Caused by Autoantibodies to the N-Methyl-d-Aspartate Receptor. *EBioMedicine*, (0). doi: <http://dx.doi.org/10.1016/j.ebiom.2015.05.027>. <http://www.sciencedirect.com/science/article/pii/S2352396415300293>

Chang, J. C., Leung, M., Gokozan, H. N., Gygli, P. E., Catacutan, F. P., Czeisler, C., & Otero, J. J. (2015). Mitotic Events in Cerebellar Granule Progenitor Cells That Expand Cerebellar Surface Area Are Critical for Normal Cerebellar Cortical Lamination in Mice. *Journal of Neuropathology and Experimental Neurology*, 74(3), 261-272. doi: [http://journals.lww.com/jneuropath/Abstract/2015/03000/Mitotic\\_Events\\_in..](http://journals.lww.com/jneuropath/Abstract/2015/03000/Mitotic_Events_in..)



Chang, L. (2015). Quantitative analysis tools and correlative imaging applications for N-STORM. [Application Note]. *Nat Meth*, 12(11). doi: 10.1038/nmeth.f.385. <http://dx.doi.org/10.1038/nmeth.f.385>

Chang, Y.-M., & Luebke, J. I. (2007). Electrophysiological Diversity of Layer 5 Pyramidal Cells in the Prefrontal Cortex of the Rhesus Monkey: In Vitro Slice Studies. *Journal of Neurophysiology*, 98(5), 2622-2632. doi: 10.1152/jn.00585.2007. <http://jn.physiology.org/cgi/content/abstract/98/5/2622>

Chang, Y. S., Mu, D., Wendland, M., Sheldon, R. A., Vexler, Z. S., McQuillen, P. S., & Ferriero, D. M. (2005). Erythropoietin Improves Functional and Histological Outcome in Neonatal Stroke. *Pediatric Research*, 58(1), 106-111. doi.

Chang-Mu, C., Jen-Kun, L., Shing-Hwa, L., & Shoei-Yn, L. S. (2010). Characterization of neurotoxic effects of NMDA and the novel neuroprotection by phytopolyphenols in mice. *Behavioral Neuroscience*, 124(4), 541-541. doi.

Chao, T. K., Burgess, B. J., Eddington, D. K., & Nadol, J. B. (2002). Morphometric changes in the cochlear nucleus in patients who had undergone cochlear implantation for bilateral profound deafness. *Hearing Research*, 174(1-2), 196-205. doi.

Chapleau, C. A., Calfa, G. D., Lane, M. C., Albertson, A. J., Larimore, J. L., Kudo, S., . . . Pozzo-Miller, L. (2009). Dendritic spine pathologies in hippocampal pyramidal neurons from Rett syndrome brain and after expression of Rett-associated MECP2 mutations. *Neurobiology of Disease*, 35(2), 219-233. doi.

Chapman, M. A., & Zahm, D. S. (1996). Altered Fos-like immunoreactivity in terminal regions of the mesotelencephalic dopamine system is associated with reappearance of tyrosine hydroxylase immunoreactivity at the sites of focal 6-hydroxydopamine lesions in the nucleus accumbens. *Brain Research*, 736(1-2), 270-279. doi.

Charbonneau, V., Laramée, M.-E., Boucher, V., Bronchti, G., & Boire, D. (2012). Cortical and subcortical projections to primary visual cortex in anophthalmic, enucleated and sighted mice. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2012.08215.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08215.x>

Charvet, C. J., Cahalane, D. J., & Finlay, B. L. (2013). Systematic, Cross-Cortex Variation in Neuron Numbers in Rodents and Primates. *Cerebral Cortex*. doi: 10.1093/cercor/bht214. <http://cercor.oxfordjournals.org/content/early/2013/08/17/cercor.bht214...>

Charvet, C. J., Reep, R. L., & Finlay, B. L. (2015). Evolution of cytoarchitectural landscapes in the mammalian isocortex: Sirenians (*Trichechus manatus*) in comparison with other mammals. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23864. <http://dx.doi.org/10.1002/cne.23864>

Chattopadhyaya, B., Baho, E., Huang, Z. J., Schachner, M., & Di Cristo, G. (2013). Neural Cell Adhesion Molecule-Mediated Fyn Activation Promotes GABAergic Synapse Maturation in

Postnatal Mouse Cortex. *Journal of Neuroscience*, 33(14), 5957-5968. doi: 10.1523/jneurosci.1306-12.2013. <http://www.jneurosci.org/content/33/14/5957.abstract>

Chattopadhyaya, B., Cristo, G. D., Wu, C. Z., Knott, G., Kuhlman, S., Fu, Y., . . . Huang, Z. J. (2007). GAD67-mediated GABA synthesis and signaling regulate inhibitory synaptic innervation in the visual cortex. *Neuron*, 54(6), 889-903. doi:

Chau, L. S., Prakapenka, A. V., Zendeli, L., Davis, A. S., & Galvez, R. (2014). Training-Dependent Associative Learning Induced Neocortical Structural Plasticity: A Trace Eyeblink Conditioning Analysis. *PLoS ONE*, 9(4), e95317. doi: 10.1371/journal.pone.0095317. <http://dx.doi.org/10.1371%2Fjournal.pone.0095317>

Chaudhary, P., Das-Earl, P., & Schreihofner, A. M. (2021). Preserved glycemic control and baroreflex efficacy in young adult hypertensive female obese Zucker rats. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. doi: 10.1152/ajpregu.00341.2020. <https://doi.org/10.1152/ajpregu.00341.2020>

Chaudhary, P., & Schreihofner, A. M. (2018). Improved glucose homeostasis in male obese Zucker rats coincides with enhanced baroreflexes and activation of the nucleus tractus solitarius. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 0(0), null. doi: 10.1152/ajpregu.00195.2018. <https://www.physiology.org/doi/abs/10.1152/ajpregu.00195.2018>

Chaudhuri, A. D., Dastgheyb, R. M., Yoo, S.-W., Trout, A., Talbot Jr, C. C., Hao, H., . . . Haughey, N. J. (2018). TNF $\alpha$  and IL-1 $\beta$  modify the miRNA cargo of astrocyte shed extracellular vesicles to regulate neurotrophic signaling in neurons. *Cell Death & Disease*, 9(3), 363. doi: 10.1038/s41419-018-0369-4. <https://doi.org/10.1038/s41419-018-0369-4>

Chauvette, S., Volgushev, M., & Timofeev, I. (2010). Origin of Active States in Local Neocortical Networks during Slow Sleep Oscillation. *Cerebral Cortex*, bhq009. doi: 10.1093/cercor/bhq009. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq009v1>

Che, A., Babij, R., Iannone, A. F., Fetcho, R. N., Ferrer, M., Liston, C., . . . De Marco García, N. V. (2018). Layer I Interneurons Sharpen Sensory Maps during Neonatal Development. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.06.002>. <http://www.sciencedirect.com/science/article/pii/S0896627318304707>

Cheadle, L., Tzeng, C. P., Kalish, B. T., Harmin, D. A., Rivera, S., Ling, E., . . . Greenberg, M. E. (2018). Visual Experience-Dependent Expression of Fn14 Is Required for Retinogeniculate Refinement. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.06.036>. <http://www.sciencedirect.com/science/article/pii/S0896627318305324>

Chen, A. I., de Nooij, J. C., & Jessell, T. M. (2006). Graded activity of transcription factor Runx3 specifies the laminar termination pattern of sensory axons in the developing spinal cord. *Neuron*, 49(3), 395-408. doi:

Chen, B., He, J., Yang, H., Zhang, Q., Zhang, L., Zhang, X., . . . Hao, D. (2015). Repair of spinal cord injury by implantation of bFGF-incorporated HEMA-MOETACL hydrogel in rats. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep09017. <http://dx.doi.org/10.1038/srep09017>

Chen, B. K., Madigan, N. N., Hakim, J. S., Dadsetan, M., McMahon, S. S., Yaszemski, M. J., & Windebank, A. J. (2017). GDNF Schwann cells in hydrogel scaffolds promote regional axon regeneration, remyelination and functional improvement after spinal cord transection in rats. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.2431. <http://dx.doi.org/10.1002/term.2431>

Chen, C., Cheng, M., Ito, T., & Song, S. (2018). Neuronal organization in the inferior colliculus revisited with cell-type-dependent monosynaptic tracing. [10.1523/JNEUROSCI.2173-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/02/26/JNEUROSCI.2173-17.2018..>

Chen, C. C., Abrams, S., Pinhas, A., & Brumberg, J. C. (1988). Morphological heterogeneity of layer VI neurons in mouse barrel cortex. *Journal of Comparative Neurology*, 512(6), 511-519. doi:

Chen, C. C., Tam, D., & Brumberg, J. C. (2011). Sensory deprivation differentially impacts the dendritic development of pyramidal versus non-pyramidal neurons in layer 6 of mouse barrel cortex. *Brain Structure and Function*, 1-12. doi:

Chen, C.-C., Abrams, S., Pinhas, A., & Brumberg, J. C. (2009). Morphological heterogeneity of layer VI neurons in mouse barrel cortex. *Journal of Comparative Neurology*, 512(6), 726-746. doi: <http://dx.doi.org/10.1002/cne.21926>

Chen, C.-C., Bajnath, A., & Brumberg, J. C. (2014). The Impact of Development and Sensory Deprivation on Dendritic Protrusions in the Mouse Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht415. <http://cercor.oxfordjournals.org/content/early/2014/01/08/cercor.bht415....>

Chen, C.-C., Chu, P., & Brumberg, J. C. (2015). Experience-dependent regulation of tissue-type plasminogen activator in the mouse barrel cortex. *Neuroscience Letters*, 599(0), 152-157. doi: <http://dx.doi.org/10.1016/j.neulet.2015.05.050>. <http://www.sciencedirect.com/science/article/pii/S0304394015004152>

Chen, C.-C., Lu, H.-C., & Brumberg, J. C. (2012). mGluR5 knockout mice display increased dendritic spine densities. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.07.014. <http://www.sciencedirect.com/science/article/pii/S0304394012009378>

Chen, C.-M., Orefice, L. L., Chiu, S.-L., LeGates, T. A., Hattar, S., Huganir, R. L., . . . Kuruvilla, R. (2017). Wnt5a is essential for hippocampal dendritic maintenance and spatial learning and memory in adult mice. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1615792114. <http://www.pnas.org/content/early/2017/01/03/1615792114.abs tract>

Chen, F., Becker, A. J., & LoTurco, J. J. (2014). Contribution of Tumor Heterogeneity in a New Animal Model of CNS Tumors. *Molecular Cancer Research*. doi: 10.1158/1541-7786.mcr-13-0531. <http://mcr.aacrjournals.org/content/early/2014/02/05/1541-7786.MCR-13-05...>

Chen, F., & LoTurco, J. (2012). A method for stable transgenesis of radial glia lineage in rat neocortex by piggyBac mediated transposition. *Journal of Neuroscience Methods*, 207(2), 172-180. doi: 10.1016/j.jneumeth.2012.03.016. <http://www.sciencedirect.com/science/article/pii/S0165027012001112>

Chen, G., Jin, M., & Yuan, X.-b. (2015). Using in utero electroporation to investigate the role of semaphorin-3A in radial migration of cortical neurons. doi: <https://www.scientificprotocols.org/protocols/using-in-utero-electropora...>

Chen, G., Sima, J., Jin, M., Wang, K.-y., Xue, X.-j., Zheng, W., . . . Yuan, X.-b. (2007). Semaphorin-3A guides radial migration of cortical neurons during development. *Nature Neuroscience*. doi.

Chen, H., Qian, K., Chen, W., Hu, B., Blackburn, L. W. I. V., Du, Z., . . . Zhang, S.-C. (2015). Human-derived neural progenitors functionally replace astrocytes in adult mice. *The Journal of clinical investigation*, 125(3), 0-0. doi: 10.1172/jci69097. <http://www.jci.org/articles/view/69097>

Chen, H., Xiao, H., Liu, T., & Peng, H. (2015). SmartTracing: self-learning-based Neuron reconstruction. *Brain Informatics*, 1-10. doi: <http://link.springer.com/article/10.1007/s40708-015-0018-y/fulltext.html>

Chen, I., Limb, C. J., & Ryugo, D. K. (2010). The effect of cochlear-implant-mediated electrical stimulation on spiral ganglion cells in congenitally deaf white cats. *Jaro-Journal of the Association for Research in Otolaryngology*, 11(4), 587-603. doi.

Chen, J., Hanna, P., Ardell, J. L., Hoover, D. B., Vadigepalli, R., Schwaber, J., . . . Cheng, Z. J. (2019). Intrinsic Cardiac Ganglionic Neurons Projecting to the SA node in the Rat and Pig Hearts: Retrograde Labeling and Neurolucida 3-D Reconstruction. *The FASEB journal*, 33(1\_supplement), 773.772-773.772. doi: 10.1096/fasebj.2019.33.1\_supplement.773.2. [https://www.fasebj.org/doi/abs/10.1096/fasebj.2019.33.1\\_supplement.773.2](https://www.fasebj.org/doi/abs/10.1096/fasebj.2019.33.1_supplement.773.2)

Chen, J., Lee, H. J., Jakovcevski, I., Shah, R., Bhagat, N., Loers, G., . . . others. (2010). The extracellular matrix glycoprotein tenascin-C is beneficial for spinal cord regeneration. *Molecular Therapy*, 18(10), 1769-1777. doi.

Chen, J.-G., Rasin, M.-R., Kwan, K. Y., & Sestan, N. (2005). Zfp312 is required for subcortical axonal projections and dendritic morphology of deep-layer pyramidal neurons of the cerebral cortex. *Proceedings of the National Academy of Sciences*, 102(49), 17792-17797. doi: 10.1073/pnas.0509032102. <http://www.pnas.org/cgi/content/abstract/102/49/17792>

Chen, J. L., Flanders, G. H., Lee, W.-C. A., Lin, W. C., & Nedivi, E. (2011). Inhibitory Dendrite Dynamics as a General Feature of the Adult Cortical Microcircuit. *Journal of Neuroscience*,

31(35), 12437-12443. doi: 10.1523/jneurosci.0420-11.2011. <http://www.jneurosci.org/content/31/35/12437.abstract>

Chen, J. L., Lin, W. C., Cha, J. W., So, P. T., Kubota, Y., & Nedivi, E. (2011). Structural basis for the role of inhibition in facilitating adult brain plasticity. *Nature Neuroscience*, 14(5), 587-594. doi:

Chen, Jerry L., Villa, Katherine L., Cha, Jae W., So, Peter T. C., Kubota, Y., & Nedivi, E. (2012). Clustered Dynamics of Inhibitory Synapses and Dendritic Spines in the Adult Neocortex. *Neuron*, 74(2), 361-373. doi: 10.1016/j.neuron.2012.02.030. <http://www.sciencedirect.com/science/article/pii/S089662731200267X>

Chen, J. R., Wang, T. J., Wang, Y. J., & Tseng, G. F. (2010). The immediate large-scale dendritic plasticity of cortical pyramidal neurons subjected to acute epidural compression. *Neuroscience*, 167(2), 414-427. doi:

Chen, J.-R., Tseng, G.-F., Wang, Y.-J., & Wang, T.-J. (2014). Exogenous dehydroisoandrosterone sulfate reverses the dendritic changes of the central neurons in aging male rats. *Experimental Gerontology*, 57(0), 191-202. doi: <http://dx.doi.org/10.1016/j.exger.2014.06.010>. <http://www.sciencedirect.com/science/article/pii/S0531556514001892>

Chen, J.-R., Wang, B.-N., Tseng, G.-F., Wang, Y.-J., Huang, Y.-S., & Wang, T.-J. (2014). Morphological changes of cortical pyramidal neurons in hepatic encephalopathy. *BMC Neuroscience*, 15(1), 15. doi: <http://www.biomedcentral.com/1471-2202/15/15/>

Chen, J.-R., Yan, Y.-T., Wang, T.-J., Chen, L.-J., Wang, Y.-J., & Tseng, G.-F. (2009). Gonadal Hormones Modulate the Dendritic Spine Densities of Primary Cortical Pyramidal Neurons in Adult Female Rat. *Cerebral Cortex*, bhp048. doi: 10.1093/cercor/bhp048. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp048v1>

Chen, K., Godfrey, D. A., Ilyas, O., Xu, J., & Preston, T. W. (2009). Cerebellum-Related Characteristics of Scn8a-Mutant Mice. *Cerebellum*, 8(3), 192-201. doi:

Chen, K., Henry, R. A., Hughes, S. M., & Connor, B. (2007). Creating a neurogenic environment: the role of BDNF and FGF2. *Molecular and Cellular Neuroscience*, 36(1), 108-120. doi:

Chen, L.-H., Advani, S. L., Thai, K., Kabir, M. G., Sood, M. M., Gibson, I. W., . . . Advani, A. (2014). SDF-1/CXCR4 Signaling Preserves Microvascular Integrity and Renal Function in Chronic Kidney Disease. *PLoS ONE*, 9(3), e92227. doi: 10.1371/journal.pone.0092227. <http://dx.doi.org/10.1371%2Fjournal.pone.0092227>

Chen, L.-J., Wang, Y.-J., Chen, J.-R., & Tseng, G.-F. (2016). Hydrocephalus compacted cortex and hippocampus and altered their output neurons in association with spatial learning and memory deficits in rats. *Brain Pathology*, n/a-n/a. doi: 10.1111/bpa.12414. <http://dx.doi.org/10.1111/bpa.12414>

Chen, L.-J., Wang, Y.-J., & Tseng, G.-F. (2017). Cortical compression rapidly trimmed transcallosal projections and altered axonal anterograde transport machinery. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2017.08.020>. <http://www.sciencedirect.com/science/article/pii/S0306452217305869>

Chen, N., Sugihara, H., Kim, J., Fu, Z., Barak, B., Sur, M., . . . Han, W. (2016). Direct modulation of GFAP-expressing glia in the arcuate nucleus bi-directionally regulates feeding. [JOUR]. *eLife*, 5, e18716. doi: 10.7554/eLife.18716. <https://dx.doi.org/10.7554/eLife.18716>

Chen, P., Zhang, T., Yuan, Z., Shen, B., & Chen, L. (2019). Expression of the RNA methyltransferase *Nsun5* is essential for developing cerebral cortex. *Molecular Brain*, 12(1), 74. doi: 10.1186/s13041-019-0496-6. <https://doi.org/10.1186/s13041-019-0496-6>

Chen, Q., Jiang, L., Li, C., Hu, D., Bu, J.-w., Cai, D., & Du, J.-l. (2012). Haemodynamics-Driven Developmental Pruning of Brain Vasculature in Zebrafish. *PLoS Biol*, 10(8), e1001374. doi: 10.1371/journal.pbio.1001374. <http://dx.doi.org/10.1371%2Fjournal.pbio.1001374>

Chen, Q., Zhu, Y.-C., Yu, J., Miao, S., Zheng, J., Xu, L., . . . Xiong, Z.-Q. (2010). CDKL5, a Protein Associated with Rett Syndrome, Regulates Neuronal Morphogenesis via Rac1 Signaling. *Journal of Neuroscience*, 30(38), 12777-12786. doi: 10.1523/jneurosci.1102-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/38/12777>

Chen, S., Bennet, L., & McGregor, A. L. (2017). Delayed Varenicline Administration Reduces Inflammation and Improves Forelimb Use Following Experimental Stroke. *Journal of Stroke and Cerebrovascular Diseases*. doi: <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2017.06.051>. <http://www.sciencedirect.com/science/article/pii/S1052305717303476>

Chen, S., & Buckmaster, P. S. (2005). Stereological analysis of forebrain regions in kainate-treated epileptic rats. *Brain Research*, 1057(1-2), 141-152. doi.

Chen, S., Fujita, S., Koshikawa, N., & Kobayashi, M. (2010). Pilocarpine-induced status epilepticus causes acute interneuron loss and hyper-excitatory propagation in rat insular cortex. *Neuroscience*, 166(1), 341-353. doi.

Chen, S., Kobayashi, M., Honda, Y., Kakuta, S., Sato, F., & Kishi, K. (2007). Preferential neuron loss in the rat piriform cortex following pilocarpine-induced status epilepticus. *Epilepsy Research*, 74(1), 1-18. doi.

Chen, S. X., Tari, P. K., She, K., & Haas, K. (2010). Neurexin-neuroligin cell adhesion complexes contribute to synaptotropic dendritogenesis via growth stabilization mechanisms in vivo. *Neuron*, 67(6), 967-983. doi.

Chen, W., & De Schutter, E. (2017). Time to Bring Single Neuron Modeling into 3D. [journal article]. *Neuroinformatics*, 1-3. doi: 10.1007/s12021-016-9321-x. <http://dx.doi.org/10.1007/s12021-016-9321-x>



Chen, W., Prithviraj, R., Mahnke, A. H., McGloin, K. E., Tan, J. W., Gooch, A. K., & Inglis, F. M. (2009). AMPA glutamate receptor subunits 1 and 2 regulate dendrite complexity and spine motility in neurons of the developing neocortex. *Neuroscience*, 159(1), 172-182. doi:

Chen, W. J., Lin, Y., Xiong, Z. Q., Wei, W., Ni, W., Tan, G. H., . . . others. (2011). Exome sequencing identifies truncating mutations in PRRT2 that cause paroxysmal kinesigenic dyskinesia. *Nature Genetics*, 43(12), 1252-1255. doi:

Chen, X., Han, X., Blanchi, B., Guan, W., Ge, W., Yu, Y.-C., & Sun, Y. E. (2020). Graded and pan-neural disease phenotypes of Rett Syndrome linked with dosage of functional MeCP2. *Protein & Cell*. doi: 10.1007/s13238-020-00773-z. <https://doi.org/10.1007/s13238-020-00773-z>

Chen, X., Rochefort, Nathalie L., Sakmann, B., & Konnerth, A. (2013). Reactivation of the Same Synapses during Spontaneous Up States and Sensory Stimuli. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.05.042>. <http://www.sciencedirect.com/science/article/pii/S2211124713002751>

Chen, X., Shu, S., Kennedy, D. P., Willcox, S. C., & Bayliss, D. A. (2008). Subunit-Specific Effects of Isoflurane On Neuronal Ih In HCN1 Knockout Mice. *Journal of Neurophysiology*, 01352.02007. doi: 10.1152/jn.01352.2007. <http://jn.physiology.org/cgi/content/abstract/01352.2007v1>

Chen, X., Zhang, K., Zhou, L., Gao, X., Wang, J., Yao, Y., . . . Li, S. (2016). Coupled electrophysiological recording and single cell transcriptome analyses revealed molecular mechanisms underlying neuronal maturation. *Protein & Cell*, 1-12. doi: <http://link.springer.com/article/10.1007/s13238-016-0247-8/fulltext.html>

Chen, Y., Rex, C. S., Rice, C. J., Dubé, C. M., Gall, C. M., Lynch, G., & Baram, T. Z. (2010). Correlated memory defects and hippocampal dendritic spine loss after acute stress involve corticotropin-releasing hormone signaling. *Proceedings of the National Academy of Sciences*, 107(29), 13123-13128. doi: 10.1073/pnas.1003825107. <http://www.pnas.org/content/107/29/13123.abstract>

Chen, Y., Wang, F., Long, H., Chen, Y., Wu, Z., & Ma, L. (2011). GRK5 promotes F-actin bundling and targets bundles to membrane structures to control neuronal morphogenesis. *Journal of Cell Biology*, 194(6), 905-920. doi: 10.1083/jcb.201104114. <http://jcb.rupress.org/content/194/6/905.abstract>

Chen, Y.-J. J., Johnson, M. A., Lieberman, M. D., Goodchild, R. E., Schobel, S., Lewandowski, N., . . . Role, L. W. (2008). Type III Neuregulin-1 Is Required for Normal Sensorimotor Gating, Memory-Related Behaviors, and Corticostriatal Circuit Components. *Journal of Neuroscience*, 28(27), 6872-6883. doi: 10.1523/jneurosci.1815-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/27/6872>

Chen, Y. M., Wang, Q. J., Hu, H. S., Yu, P. C., Zhu, J., Drewes, G., . . . Luo, Z. G. (2006). Microtubule affinity-regulating kinase 2 functions downstream of the PAR-3/PAR-6/atypical PKC complex in regulating hippocampal neuronal polarity. *PNAS*, 103(22), 8534-

8539. doi:

10.1073/pnas.0509955103. <http://www.pnas.org/cgi/content/abstract/103/22/8534>

Chen, Y.-P., & Chiao, C.-C. (2014). Spatial Distribution of Excitatory Synapses on the Dendrites of Ganglion Cells in the Mouse Retina. *Plos one*, 9(1), e86159. doi:

10.1371/journal.pone.0086159. <http://dx.doi.org/10.1371%2Fjournal.pone.0086159>

Chen, Z., Peppi, M., Kujawa, S. G., & Sewell, W. F. (2009). Regulated Expression of Surface AMPA Receptors Reduces Excitotoxicity in Auditory Neurons. *Journal of Neurophysiology*, 00288.02009. doi:

10.1152/jn.00288.2009. <http://jn.physiology.org/cgi/content/abstract/00288.2009v1>

Cheng, J. X., Scala, F., Blanco, F. A., Niu, S., Firozi, K., Keehan, L., . . . Tolia, K. F. (2020). The Rac-GEF Tiam1 Promotes Dendrite and Synapse Stabilization of Dentate Granule Cells and Restricts Hippocampal-Dependent Memory Functions. *The Journal of Neuroscience*, JN-RM-3271-3271. doi: 10.1523/jneurosci.3271-

17.2020. <https://www.jneurosci.org/content/jneuro/early/2020/12/14/JNEUROSCI.3271...>

Cheng, L., Itoh, K., & Lemmon, V. (2005). L1-Mediated Branching Is Regulated by Two Ezrin-Radixin-Moesin (ERM)-Binding Sites, the RSLE Region and a Novel Juxtamembrane ERM-Binding Region. *Journal of Neuroscience*, 25(2), 395-403.

doi: <http://www.jneurosci.org/cgi/content/abstract/25/2/395>

Cheng, L., Lemmon, S., & Lemmon, V. (2005). RanBPM is an L1-interacting protein that regulates L1-mediated mitogen-activated protein kinase activation. *Journal of Neurochemistry*, 94(4), 1102-1110. doi: doi:10.1111/j.1471-

4159.2005.03254.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03254.x>

Cheng, L., & Lemmon, V. (2004). Pathological missense mutations of neural cell adhesion molecule L1 affect neurite outgrowth and branching on an L1 substrate. *Molecular and Cellular Neuroscience*, 27(4), 522-530. doi:

Cheng, T.-L., Wang, Z., Liao, Q., Zhu, Y., Zhou, W.-H., Xu, W., & Qiu, Z. (2014). MeCP2 Suppresses Nuclear MicroRNA Processing and Dendritic Growth by Regulating the DGCR8/Drosha Complex. *Developmental cell*, 28(5), 547-560.

doi: <http://dx.doi.org/10.1016/j.devcel.2014.01.032>. <http://www.sciencedirect.com/science/article/pii/S1534580714000732>

Cheng, X., Li, Y., Huang, Y., Feng, X., Feng, G., & Xiong, Z. Q. (2010). Pulse labeling and long-term tracing of newborn neurons in the adult subgranular zone. *Cell Research*, 21(2), 338-349. doi:

Cheng, Z. (2016). Vagal cardiac efferent innervation in F344 rats: Effects of chronic intermittent hypoxia. *Autonomic Neuroscience: Basic and Clinical*. doi:

10.1016/j.autneu.2016.10.005. <http://dx.doi.org/10.1016/j.autneu.2016.10.005>

Chernock, M. L., Larue, D. T., & Winer, J. A. (2004). A periodic network of neurochemical modules in the inferior colliculus. *Hearing Research*, 188(1-2), 12-20. doi:

Cheung, A. F. P., Kondo, S., Abdel-Mannan, O., Chodroff, R. A., Sirey, T. M., Bluy, L. E., . . . Molnar, Z. (2009). The Subventricular Zone Is the Developmental Milestone of a 6-Layered Neocortex: Comparisons in Metatherian and Eutherian Mammals. *Cerebral Cortex*, bhp168. doi: 10.1093/cercor/bhp168. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp168v1>

Cheung, A. F. P., Pollen, A. A., Tavaré, A., DeProto, J., & Molnar, Z. (2007). Comparative aspects of cortical neurogenesis in vertebrates. *Journal of Anatomy*, 211(2), 164-176. doi: 10.1111/j.1469-7580.2007.00769.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1469-7580.2007.00769.x>

Cheung, A. W. S., Lam, J. S. Y., & Chan, S. O. (2005). Selective inhibition of ventral temporal but not dorsal nasal neurites from mouse retinal explants during contact with chondroitin sulphate. *Cell and Tissue Research*, 321(1), 9-19. doi.

Cheung, K. K., Chan, W. Y., & Burnstock, G. (2005). Expression of P2X purinoceptors during rat brain development and their inhibitory role on motor axon outgrowth in neural tube explant cultures. *Neuroscience*, 133(4), 937-945. doi.

Chévere-Torres, I., Kaphzan, H., Bhattacharya, A., Kang, A., Maki, J. M., Gambello, M. J., . . . Klann, E. (2011). Metabotropic glutamate receptor-dependent long-term depression is impaired due to elevated ERK signaling in the  $\Delta$ FG mouse model of tuberous sclerosis complex. *Neurobiology of Disease*. doi.

Chew, C., Kiley, B. J., & Sengelaub, D. R. (2018). Neuroprotective effects on the morphology of somatic motoneurons following the death of neighboring motoneurons: A role for microglia? *Developmental Neurobiology*, o(ja). doi: 10.1002/dneu.22652. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22652>

Chew, C., & Sengelaub, D. R. (2020). Exercise is neuroprotective on the morphology of somatic motoneurons following the death of neighboring motoneurons via androgen action at the target muscle. [<https://doi.org/10.1002/dneu.22794>]. *Developmental Neurobiology*, n/a(n/a). doi: <https://doi.org/10.1002/dneu.22794>. <https://doi.org/10.1002/dneu.22794>

Chiang, E., & Strowbridge, B. W. (2007). Diversity of Neural Signals Mediated by Multiple, Burst-Firing Mechanisms in Rat Olfactory Tubercle Neurons. *Journal of Neurophysiology*, 98(5), 2716-2728. doi: 10.1152/jn.00807.2007. <http://jn.physiology.org/cgi/content/abstract/98/5/2716>

Chidambaram, S. B., Rathipriya, A. G., Bolla, S. R., Bhat, A., Ray, B., Mahalakshmi, A. M., . . . Sakharkar, M. K. (2019). Dendritic spines: Revisiting the physiological role. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 92, 161-193. doi: <https://doi.org/10.1016/j.pnpbp.2019.01.005>, <http://www.sciencedirect.com/science/article/pii/S0278584618306079>

Chiesa, N., Barlow, C., Wynshaw-Boris, A., Strata, P., & Tempia, F. (2000). Atm-deficient mice Purkinje cells show age-dependent defects in calcium spike bursts and calcium currents. *Neuroscience*, 96(3), 575-583. doi.

Chinta, S. J., Kumar, M. J., Hsu, M., Rajagopalan, S., Kaur, D., Rane, A., . . . Andersen, J. K. (2007). Inducible Alterations of Glutathione Levels in Adult Dopaminergic Midbrain Neurons Result in Nigrostriatal Degeneration. *Journal of Neuroscience*, 27(51), 13997-14006. doi: 10.1523/jneurosci.3885-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/51/13997>

Chiola, S., Napan, K. L., Wang, Y., Lazarenko, R. M., Armstrong, C. J., Cui, J., & Shcheglovitov, A. (2021). Defective AMPA-mediated synaptic transmission and morphology in human neurons with hemizygous SHANK3 deletion engrafted in mouse prefrontal cortex. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01023-2. <https://doi.org/10.1038/s41380-021-01023-2>

Chirila, F. V., Rowland, K. C., Thompson, J. M., & Spirou, G. A. (2007). Development of gerbil medial superior olive: integration of temporally delayed excitation and inhibition at physiological temperature. *Journal of Physiology*, 584(1), 167-190. doi: 10.1113/jphysiol.2007.137976. <http://jp.physoc.org/cgi/content/abstract/584/1/167>

Chitravanshi, V. C., Bhatt, S., & Sapru, H. N. (2009). Microinjections of alpha-melanocyte stimulating hormone into the nucleus ambiguus of the rat elicit vagally mediated bradycardia. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90978.g2008. doi: 10.1152/ajpregu.90978.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90978.2008v1>

Chitravanshi, V. C., Bhatt, S., & Sapru, H. N. (2009). Microinjections of  $\alpha$ -melanocyte stimulating hormone into the nucleus ambiguus of the rat elicit vagally mediated bradycardia. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 296(5), R1402-R1411-R1402-R1411. doi.

Chitravanshi, V. C., Kawabe, K., & Sapru, H. N. (2016). Stimulation of the hypothalamic arcuate nucleus increases brown adipose tissue nerve activity via hypothalamic paraventricular and dorsomedial nuclei. [10.1152/ajpheart.00176.2016]. *American Journal of Physiology - Heart and Circulatory Physiology*. doi. <http://ajpheart.physiology.org/content/early/2016/07/06/ajpheart.00176.2...>

Chittajallu, R., Craig, M. T., McFarland, A., Yuan, X., Gerfen, S., Tricoire, L., . . . Liang, B. J. (2013). Dual origins of functionally distinct O-LM interneurons revealed by differential 5-HT<sub>3A</sub>R expression. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3538.html>

Chiu, K. B., Lee, K. M., Robillard, K. N., & MacLean, A. G. (2019). A Method to Investigate Astrocyte and Microglial Morphological Changes in the Aging Brain of the Rhesus Macaque. In B. Di Benedetto (Ed.), *Astrocytes: Methods and Protocols* (pp. 265-276). New York, NY: Springer New York.

Chklovskii, D. B., Vitaladevuni, S., & Scheffer, L. K. (2010). Semi-automated reconstruction of neural circuits using electron microscopy. *Current Opinion in Neurobiology*, 20(5), 667-675. doi.

Chmielewski, N. N., Caressi, C., Giedzinski, E., Parihar, V. K., & Limoli, C. L. (2016). Contrasting the effects of proton irradiation on dendritic complexity of subiculum neurons in wild type and MCAT mice. *Environmental and Molecular Mutagenesis*, n/a-n/a. doi: 10.1002/em.22006. <http://dx.doi.org/10.1002/em.22006>

Cho, Y. T., Ernst, M., & Fudge, J. L. (2013). Cortico–Amygdala–Striatal Circuits Are Organized as Hierarchical Subsystems through the Primate Amygdala. *Journal of Neuroscience*, 33(35), 14017–14030. doi: 10.1523/jneurosci.0170-13.2013. <http://www.jneurosci.org/content/33/35/14017.abstract>

Cho, Y. T., & Fudge, J. L. (2010). Heterogeneous dopamine populations project to specific subregions of the primate amygdala. *Neuroscience*, 165(4), 1501–1518. doi:

Chocyk, A., Bobula, B., Dudys, D., Przyborowska, A., Majcher-Maślanka, I., Hess, G., & Wędzony, K. (2013). Early-life stress affects the structural and functional plasticity of the medial prefrontal cortex in adolescent rats. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12208. <http://dx.doi.org/10.1111/ejn.12208>

Choi, D.-J., Eun, J.-H., Kim, B. G., Jou, I., Park, S. M., & Joe, E.-H. (2017). A Parkinson's disease gene, DJ-1, repairs brain injury through Sox9 stabilization and astrogliosis. *Glia*, n/a-n/a. doi: 10.1002/glia.23258. <http://dx.doi.org/10.1002/glia.23258>

Choi, E. Y., Tanimura, Y., Vage, P. R., Yates, E. H., & Haber, S. N. (2016). Convergence of prefrontal and parietal anatomical projections in a connective hub in the striatum. *Neuroimage*. doi: <http://dx.doi.org/10.1016/j.neuroimage.2016.09.037>. <http://www.sciencedirect.com/science/article/pii/S1053811916305146>

Choi, J. K., Jenkins, B. G., Carreras, I., Kaymakçalan, S., Cormier, K., Kowall, N. W., & Dedeoglu, A. (2010). Anti-inflammatory treatment in AD mice protects against neuronal pathology. *Experimental Neurology*, 223(2), 377–384. doi:

Choi, J. Y., Cui, Y., Chowdhury, S. T., & Kim, B. G. (2017). High-mobility group box-1 as an autocrine trophic factor in white matter stroke. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1702035114. [http://www.pnas.org/content/early/2017/05/31/1702035114.ab stract](http://www.pnas.org/content/early/2017/05/31/1702035114.abstract)

Choi, J. Y., Kang, Y. M., Kim, J. H., Kim, J.-H., Lee, S. J., & Kim, B. G. (2014). Role of Toll-like receptor 2 in ischemic demyelination and oligodendrocyte death. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.01.146>. <http://www.sciencedirect.com/science/article/pii/S0197458014001687>

Cholanian, M., Krajewski-Hall, S. J., Levine, R. B., McMullen, N. T., & Rance, N. E. (2014). Electrophysiology of Arcuate Neurokinin B Neurons in Female Tac2-EGFP Transgenic Mice. *Endocrinology*, 0(0), en.2014-1065. doi: doi:10.1210/en.2014-1065. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1065>

Cholanian, M., Krajewski-Hall, S. J., McMullen, N. T., & Rance, N. E. (2015). Oestradiol reduces the dendritic spine density of KNDy neurones in the arcuate nucleus of ovariectomized Tac2-EGFP transgenic mice. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12263. <http://dx.doi.org/10.1111/jne.12263>

Chomsung, R. D., Petry, H. M., & Bickford, M. E. (2008). Ultrastructural examination of diffuse and specific tectopulvinar projections in the tree shrew. *Journal of Comparative Neurology*, 510(1), 24-46. doi.

Chomsung, R. D., Wei, H., Day-Brown, J. D., Petry, H. M., & Bickford, M. E. (2010). Synaptic organization of connections between the temporal cortex and pulvinar nucleus of the tree shrew. *Cerebral Cortex*, 20(4), 997-1011. doi.

Chong, C. H., Li, Q., Mak, P. H. S., Ng, C. C. P., Leung, E. H. W., Tan, V. H., . . . Chan, S. Y. (2019). Lrrc7 mutant mice model developmental emotional dysregulation that can be alleviated by mGluR5 allosteric modulation. *Translational Psychiatry*, 9(1), 244. doi: 10.1038/s41398-019-0580-9. <https://doi.org/10.1038/s41398-019-0580-9>

Chorev, E., & Brecht, M. (2012). In vivo dual intra and extracellular recordings suggest bi-directional coupling between CA1 pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.01115.2011. <http://jn.physiology.org/content/early/2012/06/13/jn.01115.2011.abstract>

Chowdhury, S. S., Lecomte, V., Erlich, J. H., Maloney, C. A., & Morris, M. J. (2016). Paternal High Fat Diet in Rats Leads to Renal Accumulation of Lipid and Tubular Changes in Adult Offspring. *Nutrients*, 8(9), 521. doi. <http://www.mdpi.com/2072-6643/8/9/521/html>

Chowdhury, T., Barbarich-Marsteller, N., Chan, T., & Aoki, C. (2013). Activity-based anorexia has differential effects on apical dendritic branching in dorsal and ventral hippocampal CA1. *Brain Structure and Function*, 1-11. doi: 10.1007/s00429-013-0612-9. <http://dx.doi.org/10.1007/s00429-013-0612-9>

Chowdhury, T. G., Jimenez, J. C., Bomar, J. M., Cruz-Martin, A., Cattle, J. P., & Portera-Cailliau, C. (2010). Fate of Cajal–Retzius neurons in the postnatal mouse neocortex. *Frontiers in Neuroanatomy*, 4. doi.

Chowdhury, T. G., Ríos, M. B., Chan, T. E., Barbarich-Marsteller, N. C., & Aoki, C. (2014). Activity-based anorexia during adolescence disrupts normal development of the CA1 pyramidal cells in the ventral hippocampus of female rats. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22320. <http://dx.doi.org/10.1002/hipo.22320>

Choy, J. M. C., Suzuki, N., Shima, Y., Budisantoso, T., Nelson, S. B., & Bekkers, J. M. (2015). Optogenetic Mapping of Intracortical Circuits Originating from Semilunar Cells in the Piriform Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv258. <http://cercor.oxfordjournals.org/content/early/2015/10/25/cercor.bhv258....>

Christensen, A., Dewing, P., & Micevych, P. (2011). Membrane-Initiated Estradiol Signaling Induces Spinogenesis Required for Female Sexual Receptivity. *Journal of Neuroscience*,



31(48), 17583-17589. doi: 10.1523/jneurosci.3030-11.2011. <http://www.jneurosci.org/content/31/48/17583.abstract>

Christensen-Dalsgaard, J., Brandt, C., Willis, K. L., Christensen, C. B., Ketten, D., Edds-Walton, P., . . . Carr, C. E. (2012). Specialization for underwater hearing by the tympanic middle ear of the turtle, *Trachemys scripta elegans*. *Proceedings of the Royal Society B: Biological Sciences*. doi: 10.1098/rspb.2012.0290. <http://rspb.royalsocietypublishing.org/content/early/2012/03/16/rspb.201...>

Christensen-Dalsgaard, J., Tang, Y., & Carr, C. E. (2011). Binaural processing by the gecko auditory periphery. *Journal of Neurophysiology*, 105(5), 1992-2004. doi: 10.1152/jn.00004.2011. <http://jn.physiology.org/content/105/5/1992.abstract>

Christian, K. M., Miracle, A. D., Wellman, C. L., & Nakazawa, K. (2011). Chronic stress-induced hippocampal dendritic retraction requires CA3 NMDA receptors. *Neuroscience*, 174, 26-36. doi.

Christianson, J. A., Riekhof, J. T., & Wright, D. E. (2003). Restorative effects of neurotrophin treatment on diabetes-induced cutaneous axon loss in mice. *Experimental Neurology*, 179(2), 188-199. doi.

Christophe, E., Roebuck, A., Staiger, J. F., Lavery, D. J., Charpak, S., & Audinat, E. (2002). Two Types of Nicotinic Receptors Mediate an Excitation of Neocortical Layer I Interneurons. *Journal of Neurophysiology*, 88(3), 1318-1327. doi. <http://jn.physiology.org/cgi/content/abstract/88/3/1318>

Chu, H.-Y., McIver, E. L., Kovaleski, R. F., Atherton, J. F., & Bevan, M. D. (2017). Loss of Hyperdirect Pathway Cortico-Subthalamic Inputs Following Degeneration of Midbrain Dopamine Neurons. *Neuron*, 95(6), 1306-1318.e1305. doi: <https://doi.org/10.1016/j.neuron.2017.08.038>. <http://www.sciencedirect.com/science/article/pii/S089662731730781X>

Chu, P., Abraham, R., Budhu, K., Khan, U., De Marco Garcia, N., & Brumberg, J. C. (2018). The Impact of Perineuronal Net Digestion Using Chondroitinase ABC on the Intrinsic Physiology of Cortical Neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.07.004>. <http://www.sciencedirect.com/science/article/pii/S030645221830472X>

Chu, Y.-F., Yen, C.-T., & Lee, L.-J. (2012). Neonatal whisker clipping alters behavior, neuronal structure and neural activity in adult rats. *Behavioural Brain Research*, (0). doi: 10.1016/j.bbr.2012.10.022. <http://www.sciencedirect.com/science/article/pii/S0166432812006729>

Chu, Z., Galarreta, M., & Hestrin, S. (2003). Synaptic Interactions of Late-Spiking Neocortical Neurons in Layer 1. *Journal of Neuroscience*, 23, 96-102. doi.

Chung, B. Y. T., Bignell, W., Jacklin, D. L., Winters, B. D., & Bailey, C. D. C. (2016). Postsynaptic nicotinic acetylcholine receptors facilitate excitation of developing CA1 pyramidal neurons.

[10.1152/jn.00370.2016]. Journal of Neurophysiology.

doi: <http://jn.physiology.org/content/early/2016/07/29/jn.00370.2016.abstract>

Chung, C. G., Kwon, M. J., Jeon, K. H., Hyeon, D. Y., Han, M. H., Park, J. H., . . . Lee, S. B. (2017). Golgi Outpost Synthesis Impaired by Toxic Polyglutamine Proteins Contributes to Dendritic Pathology in Neurons. *Cell Reports*, 20(2), 356-369.

doi: <https://doi.org/10.1016/j.celrep.2017.06.059>. <http://www.sciencedirect.com/science/article/pii/S2211124717308902>

Chung, H. S., Louis, J. M., & Eaton, W. A. (2009). Experimental determination of upper bound for transition path times in protein folding from single-molecule photon-by-photon trajectories. *Proceedings of the National Academy of Sciences*, 106(29), 11837-11844. doi: 10.1073/pnas.0901178106. <http://www.pnas.org/content/106/29/11837.abstract>

Chung, J. R., Sung, C., Mayerich, D., Kwon, J., Miller, D. E., Huffman, T., . . . Choe, Y. (2011). Multiscale exploration of mouse brain microstructures using the knife-edge scanning microscope brain atlas. *Frontiers in neuroinformatics*, 5. doi.

Chung, S., Picones, A., & Korenbrot, J. I. (2003). Developmental Maturation of Passive Electrical Properties of Retinal Ganglion Cells. *Investigative Ophthalmology and Visual Science*, 44(5), 1656-1656. doi.

Churchill, J., Tharp, J., Wellman, C., Sengelau, D., & Garraghty, P. (2004). Morphological correlates of injury-induced reorganization in primate somatosensory cortex. *BMC Neuroscience*, 5(1), 43. doi: <http://www.biomedcentral.com/1471-2202/5/43>

Ciaramitaro, P., Poglio, F., Tavella, A., Rota, E., Prolasso, I., Isoardo, G., . . . Cocito, D. (2004). Phrenic nerve conduction study in CIDP. *Journal of the Peripheral Nervous System*, 9(2), 107-107. doi: doi:10.1111/j.1085-9489.2004.009209j.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Cicchetti, F., Gould, P. V., & Parent, A. (1996). Sparing of striatal neurons coexpressing calretinin and substance P (NK1) receptor in Huntington's disease. *Brain Research*, 730(1-2), 232-237. doi.

Cicchetti, F., & Parent, A. (1996). Striatal interneurons in Huntington's disease: Selective increase in the density of calretinin-immunoreactive medium-sized neurons. *Movement Disorders*, 11(6), 619-626. doi.

Cicchetti, F., Saporta, S., Hauser, R. A., Parent, M., Saint-Pierre, M., Sanberg, P. R., . . . Freeman, T. B. (2009). Neural transplants in patients with Huntington's disease undergo disease-like neuronal degeneration. *Proceedings of the National Academy of Sciences*, 106(30), 12483-12488. doi:

10.1073/pnas.0904239106. <http://www.pnas.org/content/106/30/12483.abstract>

Ciceri, G., Dehorter, N., Sols, I., Huang, J. Z., Maravall, M., & Marín, O. (2013). Lineage-specific laminar organization of cortical GABAergic interneurons. *Nature Neuroscience*.

doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3485.html>

Cicvaric, A., Yang, J., Bulat, T., Zambon, A., Dominguez-Rodriguez, M., Kühn, R., . . . Monje, F. J. (2018). Enhanced synaptic plasticity and spatial memory in female but not male FLRT2-haplodeficient mice. *Scientific Reports*, 8(1), 3703. doi: 10.1038/s41598-018-22030-4. <https://doi.org/10.1038/s41598-018-22030-4>

Cid, E., Santos-Ledo, A., Parrilla-Monge, M., Lillo, C., Arévalo, R., Lara, J. M., . . . Velasco, A. (2010). Prox1 expression in rod precursors and Müller cells. *Experimental Eye Research*, 90(2), 267-276. doi.

Cina, C., & Hochman, S. (2000). Diffuse distribution of sulforhodamine-labeled neurons during serotonin-evoked locomotion in the neonatal rat thoracolumbar spinal cord. *Journal of Comparative Neurology*, 423(4), 590-602. doi.

Ciocchi, S., Herry, C., Grenier, F., Wolff, S. B. E., Letzkus, J. J., Vlachos, I., . . . others. (2010). Encoding of conditioned fear in central amygdala inhibitory circuits. *Nature*, 468(7321), 277-282. doi.

Cipolloni, P. B., Kimerer, L., Weintraub, N. D., Smith, D. V., & Keller, A. (1998). Distribution of inhibitory synapses on the somata of pyramidal neurons in cat motor cortex. *Somatosensory and Motor Research*, 15(4), 276-286. doi.

Cisbani, G., Drouin-Ouellet, J., Gibrat, C., Saint-Pierre, M., Lagacé, M., Badrinarayanan, S., . . . Cicchetti, F. (2015). Cystamine/cysteamine rescue the dopaminergic system and show neurorestorative properties in an animal model of Parkinson's disease. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2015.07.012>. <http://www.sciencedirect.com/science/article/pii/S0969996115300152>

Clancy, B., Silva-Filho, M., & Friedlander, M. J. (2001). Structure and projections of white matter neurons in the postnatal rat visual cortex. *Journal of Comparative Neurology*, 434(2), 233-252. doi.

Clancy, B., Teague-Ross, T. J., & Nagarajan, R. (2009). Cross-species analyses of the cortical GABAergic and subplate neural populations. *Frontiers in Neuroanatomy*, 3. doi.

Clark, C. G., Hasser, E. M., Kunze, D. L., Katz, D. M., & Kline, D. D. (2011). Endogenous Brain-Derived Neurotrophic Factor in the Nucleus Tractus Solitarius Tonicly Regulates Synaptic and Autonomic Function. *Journal of Neuroscience*, 31(34), 12318-12329. doi: 10.1523/jneurosci.0746-11.2011. <http://www.jneurosci.org/content/31/34/12318.abstract>

Clark, D. P. Q., Perreau, V. M., Shultz, S. R., Brady, R. D., Lei, E., Dixit, S., . . . Boon, W. C. (2019). Inflammation in Traumatic Brain Injury: Roles for Toxic A1 Astrocytes and Microglial-Astrocytic Crosstalk. [journal article]. *Neurochemical Research*. doi: 10.1007/s11064-019-02721-8. <https://doi.org/10.1007/s11064-019-02721-8>

Clark, R. M., Blizzard, C. A., Young, K. M., King, A. E., & Dickson, T. C. (2017). Calretinin and Neuropeptide Y interneurons are differentially altered in the motor cortex of the SOD1G93A mouse model of ALS. [Article]. *Scientific Reports*, 7, 44461. doi: 10.1038/srep44461. <http://dx.doi.org/10.1038/srep44461>

Clark, T. A., Sullender, C., Kazmi, S. M., Speetles, B. L., Williamson, M. R., Palmberg, D. M., . . . Jones, T. A. (2019). Artery targeted photothrombosis widens the vascular penumbra, instigates peri-infarct neovascularization and models forelimb impairments. *Scientific Reports*, 9(1), 2323. doi: 10.1038/s41598-019-39092-7. <https://doi.org/10.1038/s41598-019-39092-7>

Clarke, J., Mala, H., Windle, V., Chernenko, G., & Corbett, D. (2009). The effects of repeated rehabilitation "tune-ups" on functional recovery after focal ischemia in rats. *Neurorehabilitation and neural repair*, 23(9), 886-894. doi.

Clarkson, C., Juíz, J. M., & Merchán, M. A. (2010). Transient down-regulation of sound-induced c-Fos protein expression in the inferior colliculus after ablation of the auditory cortex. *Frontiers in Neuroanatomy*, 4. doi.

Clarkson, C., Juíz, J. M., & Merchán, M. A. (2010). Long-term regulation in calretinin staining in the rat inferior colliculus after unilateral auditory cortical ablation. *Journal of Comparative Neurology*, 518(20), 4261-4276. doi.

Claus, C. P., Tsuru-Aoyagi, K., Adwanikar, H., Walker, B., Whetstone, W., & Noble-Haeusslein, L. J. (2010). Age is a determinant of leukocyte infiltration and loss of cortical volume after traumatic brain injury. *Developmental Neuroscience*, 32(5-6), 454-465. doi.

Clause, A., Kim, G., Sonntag, M., Weisz, Catherine J. C., Vetter, Douglas E., Rübtsamen, R., & Kandler, K. (2014). The Precise Temporal Pattern of Prehearing Spontaneous Activity Is Necessary for Tonotopic Map Refinement. *Neuron*, 82(4), 822-835. doi: 10.1016/j.neuron.2014.04.001. [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00291-8](http://www.cell.com/neuron/abstract/S0896-6273(14)00291-8)

Clemens, A. M., Wang, H., & Brecht, M. (2020). The lateral septum mediates kinship behavior in the rat. *Nature Communications*, 11(1), 3161. doi: 10.1038/s41467-020-16489-x. <https://doi.org/10.1038/s41467-020-16489-x>

Clemens, S., Sawchuk, M. A., & Hochman, S. (2005). Reversal of the circadian expression of tyrosine-hydroxylase but not nitric oxide synthase levels in the spinal cord of dopamine D3 receptor knockout mice. *Neuroscience*, 133(2), 353-357. doi.

Clement, James P., Aceti, M., Creson, Thomas K., Ozkan, Emin D., Shi, Y., Reish, Nicholas J., . . . Rumbaugh, G. (2012). Pathogenic SYNGAP1 Mutations Impair Cognitive Development by Disrupting Maturation of Dendritic Spine Synapses. *Cell*, 151(4), 709-723. doi: 10.1016/j.cell.2012.08.045. <http://www.sciencedirect.com/science/article/pii/S0092867412012408>

Clemente, D., Porteros, A., Arenzana, F. J., Aijon, J., Parrilla, M., Santos-Ledo, A., & Arevalo, R. (2008). Characterization of NADPH-diaphorase-positive glial cells of the tench optic nerve after axotomy. *Archives Italiennes de Biologie*, 146(1), 35-52. doi.

Clements, I. P., Kim, Y., English, A. W., Lu, X., Chung, A., & Bellamkonda, R. V. (2009). Thin-film enhanced nerve guidance channels for peripheral nerve repair. *Biomaterials*, 30(23), 3834-3846. doi.

Clemo, H. R., Allman, B. L., Donlan, M. A., & Meredith, M. A. (2007). Sensory and multisensory representations within the cat rostral suprasylvian cortex. *Journal of Comparative Neurology*, 503(1), 110-127. doi.

Clemo, H. R., Lomber, S. G., & Meredith, M. A. (2014). Synaptic Basis for Cross-modal Plasticity: Enhanced Supragranular Dendritic Spine Density in Anterior Ectosylvian Auditory Cortex of the Early Deaf Cat. *Cerebral Cortex*. doi: 10.1093/cercor/bhu225. <http://cercor.oxfordjournals.org/content/early/2014/10/01/cercor.bhu225...>

Clemo, H. R., Lomber, S. G., & Meredith, M. A. (2017). Synaptic distribution and plasticity in primary auditory cortex (A1) exhibits laminar and cell-specific changes in the deaf. *Hearing Research*. doi: <https://doi.org/10.1016/j.heares.2017.06.009>. <http://www.sciencedirect.com/science/article/pii/S037859551730165X>

Cliburn, R. A., Dunn, A. R., Stout, K. A., Hoffman, C. A., Lohr, K. M., Bernstein, A. I., . . . Miller, G. W. (2016). Immunochemical localization of vesicular monoamine transporter 2 (VMAT2) in mouse brain. *Journal of Chemical Neuroanatomy*. doi: <http://dx.doi.org/10.1016/j.jchemneu.2016.11.003>. <http://www.sciencedirect.com/science/article/pii/S0891061816300953>

Codd, L. N., Blackmore, D. G., Vukovic, J., & Bartlett, P. F. (2020). Exercise reverses learning deficits induced by hippocampal injury by promoting neurogenesis. *Scientific Reports*, 10(1), 19269. doi: 10.1038/s41598-020-76176-1. <https://doi.org/10.1038/s41598-020-76176-1>

Coddington, Luke T., Rudolph, S., Vande Lune, P., Overstreet-Wadiche, L., & Wadiche, Jacques I. (2013). Spillover-Mediated Feedforward Inhibition Functionally Segregates Interneuron Activity. *Neuron*. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0896627313003218>

Coe, C. L., Kramer, M., Czéh, B., Gould, E., Reeves, A. J., Kirschbaum, C., & Fuchs, E. (2003). Prenatal stress diminishes neurogenesis in the dentate gyrus of juvenile rhesus monkeys. *Biological Psychiatry*, 54(10), 1025-1034. doi.

Cohen, A. S., Pfister, B. J., Schwarzbach, E., Sean Grady, M., Goforth, P. B., & Satin, L. S. (2007). Injury-induced alterations in CNS electrophysiology. *Progress in Brain Research*, 161, 143-169. doi.

Cohen, J. D., & Castro-Alamancos, M. A. (2007). Early Sensory Pathways for Detection of Fearful Conditioned Stimuli: Tectal and Thalamic Relays. *Journal of Neuroscience*, 27(29), 7762-7776. doi: 10.1523/jneurosci.1124-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/29/7762>

Cohen, J. D., Hirata, A., & Castro-Alamancos, M. A. (2008). Vibrissa Sensation in Superior Colliculus: Wide-Field Sensitivity and State-Dependent Cortical Feedback. *Journal of Neuroscience*, 28(44), 11205-11220. doi: 10.1523/jneurosci.2999-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/44/11205>

Cohen, S., Gabel, H. W., Hemberg, M., Hutchinson, A. N., Sadacca, L. A., Ebert, D. H., . . . others. (2011). Genome-Wide Activity-Dependent MeCP2 Phosphorylation Regulates Nervous System Development and Function. *Neuron*, 72(1), 72-85. doi.

Cohen, S. M., Suutari, B., He, X., Wang, Y., Sanchez, S., Tirko, N. N., . . . Ma, H. (2018). Calmodulin shuttling mediates cytonuclear signaling to trigger experience-dependent transcription and memory. *Nature Communications*, 9(1), 2451. doi: 10.1038/s41467-018-04705-8. <https://doi.org/10.1038/s41467-018-04705-8>

Coimbra, J. P., Trévia, N., Videira Marceliano, M. L., da Silveira Andrade-Da-Costa, B. L., Picanço-Diniz, C. W., & Yamada, E. S. (2009). Number and distribution of neurons in the retinal ganglion cell layer in relation to foraging behaviors of tyrant flycatchers. *Journal of Comparative Neurology*, 514(1), 66-73. doi.

Colak, D., Mori, T., Brill, M. S., Pfeifer, A., Falk, S., Deng, C., . . . Gotz, M. (2008). Adult Neurogenesis Requires Smad4-Mediated Bone Morphogenic Protein Signaling in Stem Cells. *Journal of Neuroscience*, 28(2), 434-446. doi: 10.1523/jneurosci.4374-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/2/434>

Colavito, V., Tognoli, C., Tiberio, L., Bentivoglio, M., Grassi-Zucconi, G., & Bertini, G. (2011). Neonatal treatment with clomipramine induces morphological and cellular changes in the adult rat brain. *Italian Journal of Anatomy and Embryology*, 116(2), 47-47. doi.

Colbert, C. M., & Pan, E. (2002). Ion channel properties underlying axonal action potential initiation in pyramidal neurons. *Nature Neuroscience*, 5, 533-538. doi.

Colciaghi, F., Finardi, A., Nobili, P., Locatelli, D., Spigolon, G., & Battaglia, G. S. (2014). Progressive Brain Damage, Synaptic Reorganization and NMDA Activation in a Model of Epileptogenic Cortical Dysplasia. *PLoS ONE*, 9(2), e89898. doi: 10.1371/journal.pone.0089898. <http://dx.doi.org/10.1371%2Fjournal.pone.0089898>

Colciaghi, F., Nobili, P., Cipelletti, B., Cagnoli, C., Zambon, S., Locatelli, D., . . . Battaglia, G. S. (2019). Targeting PSD95-nNOS interaction by Tat-N-dimer peptide during status epilepticus is neuroprotective in MAM-pilocarpine rat model. *Neuropharmacology*, 153, 82-97. doi: <https://doi.org/10.1016/j.neuropharm.2019.04.028>. <http://www.sciencedirect.com/science/article/pii/S0028390819301431>

Coldren, K. M., Brown, R., Hasser, E. M., & Heesch, C. M. (2015). Relaxin increases sympathetic nerve activity and activates spinally-projecting neurons in the paraventricular nucleus of nonpregnant, but not pregnant, rats. [10.1152/ajpregu.00186.2015]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi. <http://ajpregu.physiology.org/content/early/2015/09/23/ajpregu.00186.201...>

Cole, C. J., Mercaldo, V., Restivo, L., Yiu, A. P., Sekeres, M. J., Han, J.-H., . . . Josselyn, S. A. (2012). MEF2 negatively regulates learning-induced structural plasticity and memory formation. [10.1038/nn.3189]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3189.html#suppl.....> <http://dx.doi.org/10.1038/nn.3189>



Coletta, S., Zeraati, R., Nasr, K., Preston-Ferrer, P., & Burgalossi, A. (2018). Interspike Interval Analysis and Spikelets in Presubicular Head-Direction Cells. *Journal of Neurophysiology*, 0(0), null. doi:

10.1152/jn.00019.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00019.2018>

Colicos, M. A., Firth, S. I., Bosze, J., Goldstein, J., & Feller, M. B. (2004). Emergence of Realistic Retinal Networks in Culture Promoted by the Superior Colliculus. *Developmental Neuroscience*, 26(5-6), 406-416. doi. <http://www.karger.com/DOI/10.1159/000082283>

Colin-Le Brun, I., Ferrand, N., Caillard, O., Tosetti, P., Ben-Ari, Y., & Gaiarsa, J.-L. (2004). Spontaneous synaptic activity is required for the formation of functional GABAergic synapses in the developing rat hippocampus. *Journal of Physiology*, 559(1), 129-139. doi: 10.1113/jphysiol.2004.065060. <http://jp.physoc.org/cgi/content/abstract/559/1/129>

Collier, T. J., O'Malley, J., Rademacher, D. J., Stancati, J. A., Sisson, K. A., Sortwell, C. E., . . . Steece-Collier, K. (2015). Interrogating the aged striatum: Robust survival of grafted dopamine neurons in aging rats produces inferior behavioral recovery and evidence of impaired integration. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.03.005>. <http://www.sciencedirect.com/science/article/pii/S0969996115000674>

Collin, C., Vicario-Abejon, C., Rubio, M. E., Wenthold, R. J., McKay, R. D. G., & Segal, M. (2001). Neurotrophins act at presynaptic terminals to activate synapses among cultured hippocampal neurons. *European Journal of Neuroscience*, 13(7), 1273. doi.

Collins, D. P., Anastasiades, P. G., Marlin, J. J., & Carter, A. G. (2018). Reciprocal Circuits Linking the Prefrontal Cortex with Dorsal and Ventral Thalamic Nuclei. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.03.024>. <https://www.sciencedirect.com/science/article/pii/S0896627318302307>

Combs, H. L., Jones, T. A., Kozlowski, D. A., & Adkins, D. L. (2015). Combinatorial Motor Training Results In Functional Reorganization Of Remaining Motor Cortex After Controlled Cortical Impact In Rats. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4136. <http://dx.doi.org/10.1089/neu.2015.4136>

Comi, A. M., Weisz, C. J. C., Hightet, B. H., Skolasky, R. L., Pardo, C. A., & Hess, E. J. (2005). Sturge-Weber syndrome: altered blood vessel fibronectin expression and morphology. *Journal of Child Neurology*, 20(7), 572-577. doi.

Conde, D., & Komisaruk, B. R. (2012). A neuroanatomical correlate of sensorimotor recovery in response to repeated vaginocervical stimulation in rats. *Frontiers in Physiology*, 3. doi.

Conde-Sousa, E., Szücs, P., Peng, H., & Aguiar, P. (2016). N3DFix: an Algorithm for Automatic Removal of Swelling Artifacts in Neuronal Reconstructions. [journal article]. *Neuroinformatics*, 1-8. doi: 10.1007/s12021-016-9308-7. <http://dx.doi.org/10.1007/s12021-016-9308-7>

Conforti, F. L., Muglia, M., Mazzei, R., Valentino, P., Patitucci, A., Bono, F., . . . others. (2004). A splice-junction mutation in SBF2 gene causes autosomal recessive charcot-marie-tooth

disease (CMT4B2) in a family from southern Italy. *Journal of the Peripheral Nervous System*, 9(2), 124-124. doi.

Connelly, C. J., Ryugo, D. K., & Muniak, M. A. (2016). The effect of progressive hearing loss on the morphology of endbulbs of Held and bushy cells. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.07.004>. <http://www.sciencedirect.com/science/article/pii/S0378595516301472>

Connelly, W. M., Crunelli, V., & Errington, A. C. (2015). The Global Spike: Conserved Dendritic Properties Enable Unique Ca<sup>2+</sup> Spike Generation in Low-Threshold Spiking Neurons. *The Journal of Neuroscience*, 35(47), 15505-15522. doi: <http://www.jneurosci.org/content/35/47/15505.full>

Conner, K. R., Forbes, M. E., Lee, W. H., Lee, Y. W., & Riddle, D. (2011). AT1 receptor antagonism does not influence early radiation-induced changes in microglial activation or neurogenesis in the normal rat brain. *Radiation Research*. doi.

Conner, K. R., Payne, V. S., Forbes, M. E., Robbins, M. E., & Riddle, D. R. (2010). Effects of the AT1 receptor antagonist L-158,809 on microglia and neurogenesis after fractionated whole-brain irradiation. *Radiation Research*, 173(1), 49-49. doi.

Connolly, J. D., Hashemi-Nezhad, M., & Lyon, D. C. (2012). Parallel feedback pathways in visual cortex of cats revealed through a modified rabies virus. *Journal of Comparative Neurology*, 520(5), 988-1004. doi: 10.1002/cne.22748. <http://dx.doi.org/10.1002/cne.22748>

Connor, B., Kozlowski, D. A., Schallert, T., Tillerson, J. L., Davidson, B. L., & Bohn, M. C. (1999). Differential effects of glial cell line-derived neurotrophic factor (GDNF) in the striatum and substantia nigra of the aged Parkinsonian rat. *Gene Therapy*, 6, 1936-1951. doi.

Conte, D., Legg, E. D., McCourt, A. C., Silajdzic, E., Nagy, G. G., & Maxwell, D. J. (2005). Transmitter content, origins and connections of axons in the spinal cord that possess the serotonin (5-hydroxytryptamine) 3 receptor. *Neuroscience*, 134(1), 165-173. doi.

Contestabile, A., Colangiulo, R., Lucchini, M., Gindrat, A. D., Hamadjida, A., Kaeser, M., . . . Schmidlin, E. (2018). Asymmetric and distant effects of a unilateral lesion of the primary motor cortex on the bilateral supplementary motor areas in adult macaque monkeys. [10.1523/JNEUROSCI.0904-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/10/24/JNEUROSCI.0904-18.2018>..

Conti, G., Baron, P. L., Scarpini, E., Bresolin, E., & De Pol, A. (2004). Pro-inflammatory cytokines induce differentiation in cultured schwann cells. *Journal of the Peripheral Nervous System*, 9(2), 106-106. doi: doi:10.1111/j.1085-9489.2004.009209g.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209g.x>

Conti, V., Pazzaglia, C., Aprile, I., Caliandro, P., Tonali, P., & Padua, L. (2004). The self-care approach as a new tool in modern health care. carpal tunnel syndrome, an ideal model to evaluate the efficacy of an instructional video. *Journal of the Peripheral Nervous System*, 9(2), 110-110. doi.

Cook, P. M., Prusky, G., Ramoa, A. S., & others. (1999). The role of spontaneous retinal activity before eye opening in the maturation of form and function in the retinogeniculate pathway of the ferret. *Visual Neuroscience*, 16(3), 491-501. doi.

Cook, S. C., & Wellman, C. L. (2004). Chronic stress alters dendritic morphology in rat medial prefrontal cortex. *Journal of Neurobiology*, 60(2), 236-248. doi.

Cooke, B. M., Stokas, M. R., & Woolley, C. S. (2007). Morphological sex differences and laterality in the prepubertal medial amygdala. *Journal of Comparative Neurology*, 501(6), 904-915. doi.

Cooke, B. M., & Woolley, C. S. (2009). Effects of prepubertal gonadectomy on a male-typical behavior and excitatory synaptic transmission in the amygdala. *Developmental Neurobiology*, 69(2-3), 141-152. doi.

Coolen, L. M., Olivier, B., Peters, H. J. P. W., & Veening, J. G. (1997). Demonstration of Ejaculation-Induced Neural Activity in the Male Rat Brain Using 5-HT<sub>1A</sub> Agonist 8-OH-DPAT. *Physiology and Behavior*, 62(4), 881-891. doi.

Coomber, B., Edwards, D., Jones, S., Shackleton, T., Goldschmidt, J., Wallace, M., & Palmer, A. (2011). Frontiers: Cortical Inactivation by Cooling in Small Animals. *Frontiers in Systems Neuroscience*, 5. doi.

Coombs, J., Van Der List, D., Wang, G. Y., & Chalupa, L. M. (2006). Morphological properties of mouse retinal ganglion cells. *Neuroscience*, 140(1), 123-136. doi.

Coombs, J. L., Van Der List, D., & Chalupa, L. M. (2007). Morphological properties of mouse retinal ganglion cells during postnatal development. *Journal of Comparative Neurology*, 503(6), 803-814. doi.

Coomes, D. L., & Schofield, B. R. (2004). Projections from the auditory cortex to the superior olivary complex in guinea pigs. *European Journal of Neuroscience*, 19(8), 2188-2200. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2004.0331...>

Coomes, D. L., & Schofield, B. R. (2004). Separate projections from the inferior colliculus to the cochlear nucleus and thalamus in guinea pigs. *Hearing Research*, 191(1-2), 67-78. doi.

Coomes, D. L., Schofield, R. M., & Schofield, B. R. (2005). Unilateral and bilateral projections from cortical cells to the inferior colliculus in guinea pigs. *Brain Research*, 1042(1), 62-72. doi.

Coomes Peterson, D., & Schofield, B. R. (2007). Projections from auditory cortex contact ascending pathways that originate in the superior olive and inferior colliculus. *Hearing Research*, 232(1-2), 67-77. doi.

Cooper, D. C., Moore, S. J., Staff, N. P., & Spruston, N. (2003). Psychostimulant-Induced Plasticity of Intrinsic Neuronal Excitability in Ventral Subiculum. *Journal of Neuroscience*, 23(30), 9937-9946. doi. <http://www.jneurosci.org/cgi/content/abstract/23/30/9937>

Cooper, O., & Isacson, O. (2004). Intrastratial Transforming Growth Factor  $\alpha$  Delivery to a Model of Parkinson's Disease Induces Proliferation and Migration of Endogenous Adult Neural Progenitor Cells without Differentiation into Dopaminergic Neurons. *Journal of Neuroscience*, 24(41), 8924-8931. doi: 10.1523/jneurosci.2344-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/41/8924>

Copf, T. (2014). Developmental shaping of dendritic arbors in drosophila relies on tightly regulated intra-neuronal activity of protein kinase A (PKA). *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2014.07.002>. <http://www.sciencedirect.com/science/article/pii/S0012160614003364>

Corbett, D., Giles, T., Evans, S., McLean, J., & Biernaskie, J. (2006). Dynamic changes in CA1 dendritic spines associated with ischemic tolerance. *Experimental Neurology*, 202(1), 133-138. doi.

Corbett, N. J., Gabbott, P. L., Klementiev, B., Davies, H. A., Colyer, F. M., Novikova, T., & Stewart, M. G. (2013). Amyloid-Beta Induced CA1 Pyramidal Cell Loss in Young Adult Rats Is Alleviated by Systemic Treatment with FGL, a Neural Cell Adhesion Molecule-Derived Mimetic Peptide. *PLoS ONE*, 8(8), e71479. doi: 10.1371/journal.pone.0071479. <http://dx.doi.org/10.1371%2Fjournal.pone.0071479>

Cordeau, P., Jr., Lalancette-Hebert, M., Weng, Y. C., & Kriz, J. (2008). Live Imaging of Neuroinflammation Reveals Sex and Estrogen Effects on Astrocyte Response to Ischemic Injury. *Stroke*, 39(3), 935-942. doi: 10.1161/strokeaha.107.501460. <http://stroke.ahajournals.org/cgi/content/abstract/39/3/935>

Cornbrooks, E. B., Pouliot, W. A., & Mawe, G. M. (1992). Structure of neurons and ganglia of the guinea pig gallbladder: Light and electron microscopic studies. *Journal of Comparative Neurology*, 317(1), 31-44. doi.

Coronas, V., Arnault, P., & Roger, M. (2002). Cortical diffusible factors increase MAP-2 immunoreactive neuronal population in thalamic cultures. *Neuroscience Research*, 43(1), 57-67. doi.

Coronas, V., Bantubungi, K., Fombonne, J., Krantic, S., Schiffmann, S. N., & Roger, M. (2004). Dopamine D3 receptor stimulation promotes the proliferation of cells derived from the post-natal subventricular zone. *Journal of Neurochemistry*, 91(6), 1292-1301. doi: doi:10.1111/j.1471-4159.2004.02823.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2004.02823.x>

Correa, D., & Segal, S. S. (2012). Neurovascular proximity in the diaphragm muscle of adult mice. *Microcirculation*. doi.

Correia, S. S., Bassani, S., Brown, T. C., Lisé, M. F., Backos, D. S., El-Husseini, A., . . . Esteban, J. A. (2008). Motor protein-dependent transport of AMPA receptors into spines during long-term potentiation. *Nature Neuroscience*, 11(4), 457-466. doi.

Corson, J. A., & Erisir, A. (2013). Monosynaptic convergence of chorda tympani and glossopharyngeal afferents onto ascending relay neurons in the nucleus of the solitary tract: A high-resolution confocal and correlative electron microscopy approach. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23357. <http://dx.doi.org/10.1002/cne.23357>

Corty, M. M., Tam, J., & Grueber, W. B. (2016). Dendritic diversification through transcription factor-mediated suppression of alternative morphologies. [10.1242/dev.130906]. *Development*, 143(8), 1351-1362. doi: <http://dev.biologists.org/content/143/8/1351.abstract>

Corvetti, L., & Rossi, F. (2005). Degradation of Chondroitin Sulfate Proteoglycans Induces Sprouting of Intact Purkinje Axons in the Cerebellum of the Adult Rat. *Journal of Neuroscience*, 25(31), 7150-7158. doi: <http://www.jneurosci.org/cgi/content/abstract/25/31/7150>

Cory-Slechta, D. A., Sobolewski, M., Marvin, E., Conrad, K., Merrill, A., Anderson, T., . . . Oberdorster, G. (2019). The Impact of Inhaled Ambient Ultrafine Particulate Matter on Developing Brain: Potential Importance of Elemental Contaminants. *Toxicologic Pathology*, 0192623319878400. doi: 10.1177/0192623319878400. <https://doi.org/10.1177/0192623319878400>

Cosgrove, K. E., Galván, E. J., Meriney, S. D., & Barrionuevo, G. (2010). Area CA3 interneurons receive two spatially segregated mossy fiber inputs. *Hippocampus*, 20(9), 1003-1009. doi:

Cosgrove, K. E., & Maccaferri, G. (2012). mGlu1 $\alpha$ -dependent recruitment of excitatory GABAergic input to neocortical Cajal-Retzius cells. *Neuropharmacology*, (0). doi: 10.1016/j.neuropharm.2012.04.025. <http://www.sciencedirect.com/science/article/pii/S002839081200161X>

Cosme, R., Lublin, D., Takafuji, V., Lynch, K., & Roche, J. K. (2000). Prostanoids in human colonic mucosa: effects of inflammation on PGE2 receptor expression. *Human Immunology*, 61(7), 684-696. doi:

Cosme, R., & Roche, J. K. (2001). Immunohistochemical Detection and Quantitation of Cell Surface Receptors for Prostanoids. *Colorectal cancer: methods and protocols*, 50, 231-231. doi:

Cossart, R. (2014). Operational hub cells: a morpho-physiologically diverse class of GABAergic neurons united by a common function. *Current Opinion in Neurobiology*, 26(0), 51-56. doi: <http://dx.doi.org/10.1016/j.conb.2013.12.002>, <http://www.sciencedirect.com/science/article/pii/S0959438813002262>

Cossart, R., Bernard, C., & Ben-Ari, Y. (2005). Multiple facets of GABAergic neurons and synapses: multiple fates of GABA signalling in epilepsies. *Trends in Neurosciences*, 28(2), 108-115. doi:

Cossart, R., Dinocourt, C., Hirsch, J. C., Merchan-Perez, A., Felipe, J. D., Ben-Ari, Y., . . . Bernard, C. (2001). Dendritic but not somatic GABAergic inhibition is decreased in experimental epilepsy. *Nature Neuroscience*, 4, 52-62. doi.

Cossart, R., Esclapez, M., Hirsch, J. C., Bernard, C., & Ben-Ari, Y. (1998). GluR5 kainate receptor activation in interneurons increases tonic inhibition of pyramidal cells. *Nature Neuroscience*, 1, 470-478. doi.

Cossart, R., Petanjek, Z., Dumitriu, D., Hirsch, J. C., Ben-Ari, Y., Esclapez, M., & Bernard, C. (2006). Interneurons targeting similar layers receive synaptic inputs with similar kinetics. *Hippocampus*. doi.

Cossette, M., Lecomte, F., & Parent, A. (2005). Morphology and distribution of dopaminergic neurons intrinsic to the human striatum. *Journal of Chemical Neuroanatomy*, 29(1), 1-11. doi.

Contentin, C., Robert, M., Savéant, J.-M., & Teillout, A.-L. (2009). Concerted proton-coupled electron transfers in aquo/hydroxo/oxo metal complexes: Electrochemistry of [OsII(bpy)2py(OH<sub>2</sub>)<sub>2</sub>]<sup>2+</sup> in water. *Proceedings of the National Academy of Sciences*, 106(29), 11829-11836. doi: 10.1073/pnas.0905020106. <http://www.pnas.org/content/106/29/11829.abstract>

Cotel, F., Fletcher, L. N., Kalita-de Croft, S., Apergis-Schoute, J., & Williams, S. R. (2017). Cell Class-Dependent Intracortical Connectivity and Output Dynamics of Layer 6 Projection Neurons of the Rat Primary Visual Cortex. *Cerebral Cortex*, 1-11. doi. <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx1..>

Couch, B. A., DeMarco, G. J., Gourley, S. L., & Koleske, A. J. (2010). Increased dendrite branching in A $\beta$ PP/PS1 mice and elongation of dendrite arbors by fasudil administration. *Journal of Alzheimer's Disease*, 20(4), 1003-1008. doi.

Couchman, K., Grothe, B., & Felmy, F. (2010). Medial Superior Olivary Neurons Receive Surprisingly Few Excitatory and Inhibitory Inputs with Balanced Strength and Short-Term Dynamics. *Journal of Neuroscience*, 30(50), 17111-17121. doi: 10.1523/jneurosci.1760-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/17111>

Courtine, G., Song, B., Roy, R. R., Zhong, H., Herrmann, J. E., Ao, Y., . . . Sofroniew, M. V. (2008). Recovery of supraspinal control of stepping via indirect propriospinal relay connections after spinal cord injury. *Nature Medicine*, 14(1), 69-74. doi.

Cova, L., Gelosa, P., Mura, E., Mauro, A., Stramba-Badiale, M., Michailidis, G., . . . Zanchetti, A. (2013). Vascular and parenchymal lesions along with enhanced neurogenesis characterize the brain of asymptomatic stroke-prone spontaneous hypertensive rats. *Journal of Hypertension*, Publish Ahead of Print, 10.1097/HJH.1090b1013e3283619d3283617f. doi. [http://journals.lww.com/jhypertension/Fulltext/publishahead/Vascular\\_and...](http://journals.lww.com/jhypertension/Fulltext/publishahead/Vascular_and...)

Cox, S. J., & Raol, J. H. (2004). Recovering the passive properties of tapered dendrites from single and dual potential recordings. *Mathematical Biosciences*, 190(1), 9-37. doi.



Craig, M. T., & McBain, C. J. (2015). Fast Gamma Oscillations Are Generated Intrinsically in CA1 without the Involvement of Fast-Spiking Basket Cells. *The Journal of Neuroscience*, 35(8), 3616-3624. doi: <http://www.jneurosci.org/content/35/8/3616.short>

Craig, M. T., & McBain, C. J. (2015). Navigating the circuitry of the brain's GPS system: Future challenges for neurophysiologists. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22456. <http://dx.doi.org/10.1002/hipo.22456>

Craver, B. M., Acharya, M. M., Allen, B. D., Benke, S. N., Hultgren, N. W., Baulch, J. E., & Limoli, C. L. (2016). 3D surface analysis of hippocampal microvasculature in the irradiated brain. *Environmental and Molecular Mutagenesis*, n/a-n/a. doi: 10.1002/em.22015. <http://dx.doi.org/10.1002/em.22015>

Crawford, L. K., Craige, C. P., & Beck, S. G. (2011). Glutamatergic input is selectively increased in dorsal raphe subfield 5-HT neurons: role of morphology, topography and selective innervation. *European Journal of Neuroscience*, 34(11), 1794-1806. doi: 10.1111/j.1460-9568.2011.07882.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07882.x>

Crépel, V., & Mulle, C. (2015). Physiopathology of kainate receptors in epilepsy. *Current Opinion in Pharmacology*, 20(0), 83-88. doi: <http://dx.doi.org/10.1016/j.coph.2014.11.012>. <http://www.sciencedirect.com/science/article/pii/S1471489214001672>

Creutz, L. M., & Kritzer, M. F. (2004). Mesostriatal and mesolimbic projections of midbrain neurons immunoreactive for estrogen receptor beta or androgen receptors in rats. *Journal of Comparative Neurology*, 476(4), 348-362. doi: 10.1002/cne.20104

Crimins, J., Rocher, A., & Luebke, J. (2012). Electrophysiological changes precede morphological changes to frontal cortical pyramidal neurons in the rTg4510 mouse model of progressive tauopathy. *Acta Neuropathologica*, 1-19. doi: 10.1007/s00401-012-1038-9. <http://dx.doi.org/10.1007/s00401-012-1038-9>

Criscuolo, C., Fontebasso, V., Middei, S., Stazi, M., Ammassari-Teule, M., Yan, S. S., & Origlia, N. (2017). Entorhinal Cortex dysfunction can be rescued by inhibition of microglial RAGE in an Alzheimer's disease mouse model. *Scientific Reports*, 7, 42370. doi: 10.1038/s41598-017-04237-0

Crochet, S., Chauvette, S., Boucetta, S., & Timofeev, I. (2005). Modulation of synaptic transmission in neocortex by network activities. *European Journal of Neuroscience*, 21(4), 1030-1044. doi: 10.1111/j.1460-9568.2005.03932.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03932.x>

Crochet, S., Poulet, J. F. A., Kremer, Y., & Petersen, C. C. H. (2011). Synaptic mechanisms underlying sparse coding of active touch. *Neuron*, 69(6), 1160-1175. doi: 10.1016/j.neuron.2011.05.025

Croci, L., Chung, S.-H., Masserdotti, G., Gianola, S., Bizzoca, A., Gennarini, G., ... Consalez, G. G. (2006). A key role for the HLH transcription factor EBF2COE2, O/E-3 in Purkinje neuron migration and cerebellar cortical topography. *Development*, 133(14), 2719-2729. doi: 10.1242/dev.02437. <http://dev.biologists.org/cgi/content/abstract/133/14/2719>

Crociara, P., Chieppa, M. N., Vallino Costassa, E., Berrone, E., Gallo, M., Lo Faro, M., . . . Corona, C. (2019). Motor neuron degeneration, severe myopathy and TDP-43 increase in a transgenic pig model of SOD1-linked familial ALS. *Neurobiology of Disease*, 124, 263-275. doi: <https://doi.org/10.1016/j.nbd.2018.11.021>. <http://www.sciencedirect.com/science/article/pii/S0969996118307526>

Crociara, P., Parolisi, R., Conte, D., Fumagalli, M., & Bonfanti, L. (2013). Cellular and Molecular Characterization of Multipolar Map5-Expressing Cells: A Subset of Newly Generated, Stage-Specific Parenchymal Cells in the Mammalian Central Nervous System. *PLoS ONE*, 8(5), e63258. doi: 10.1371/journal.pone.0063258. <http://dx.doi.org/10.1371%2Fjournal.pone.0063258>

Crocker, A., Espana, R. A., Papadopoulou, M., Saper, C. B., Faraco, J., Sakurai, T., . . . Scammell, T. E. (2005). Concomitant loss of dynorphin, NARP, and orexin in narcolepsy. *Neurology*, 65(8), 1184-1188. doi: 10.1212/01.WNL.0000168173.71940.ab. <http://www.neurology.org/cgi/content/abstract/65/8/1184>

Croisier, E., Moran, L., Dexter, D., Pearce, R., & Graeber, M. (2005). Microglial inflammation in the parkinsonian substantia nigra: relationship to alpha-synuclein deposition. *J Neuroinflammation*, 2, 14. doi.

Crombe, A., Planche, V., Raffard, G., Bourel, J., Dubourdiou, N., Panatier, A., . . . Tourdias, T. (2018). Deciphering the microstructure of hippocampal subfields with in vivo DTI and NODDI: Applications to experimental multiple sclerosis. *Neuroimage*, 172, 357-368. doi: <https://doi.org/10.1016/j.neuroimage.2018.01.061>. <https://www.sciencedirect.com/science/article/pii/S1053811918300612>

Crook, J. M., Kisvarday, Z. F., & Eysel, U. T. (1998). Evidence for a contribution of lateral inhibition to orientation tuning and direction selectivity in cat visual cortex: reversible inactivation of functionally characterized sites combined with neuroanatomical tracing techniques. *European Journal of Neuroscience*, 10(6), 2056-2075. doi: doi:10.1046/j.1460-9568.1998.00218.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1998.00218.x>

Crook, S., Gleeson, P., Howell, F., Svitak, J., & Silver, R. A. (2007). MorphML: level 1 of the NeuroML standards for neuronal morphology data and model specification. *Neuroinformatics*, 5(2), 96-104. doi.

Croquelois, A., Bronchti, G., & Welker, E. (2005). Cortical origin of functional recovery in the somatosensory cortex of the adult mouse after thalamic lesion. *European Journal of Neuroscience*, 21(7), 1798-1806. doi: doi:10.1111/j.1460-9568.2005.03994.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03994.x>

Croquelois, A., Giuliani, F., Savary, C., Kielar, M., Amiot, C., Schenk, F., & Welker, E. (2008). Characterization of the HeCo Mutant Mouse: A New Model of Subcortical Band Heterotopia Associated with Seizures and Behavioral Deficits. *Cerebral Cortex*, bhn106. doi: 10.1093/cercor/bhn106. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn106v1>

Cross, D. J., & Cavazos, J. E. (2007). Synaptic reorganization in subiculum and CA3 after early-life status epilepticus in the kainic acid rat model. *Epilepsy Research*, 73(2), 156-165. doi.

Crupi, R., Cambiaghi, M., Deckelbaum, R., Hansen, I., Mindes, J., Spina, E., & Battaglia, F. (2011). n-3 fatty acids prevent impairment of neurogenesis and synaptic plasticity in B-cell activating factor (BAFF) transgenic mice. *Preventive Medicine*. doi.

Crupi, R., Cambiaghi, M., Spatz, L., Hen, R., Thorn, M., Friedman, E., . . . Battaglia, F. (2010). Reduced adult neurogenesis and altered emotional behaviors in autoimmune-prone B-cell activating factor transgenic mice. *Biological Psychiatry*, 67(6), 558-566. doi.

Crutcher, E., Pal, R., Naini, F., Zhang, P., Laugsch, M., Kim, J., . . . Schaaf, C. P. (2019). mTOR and autophagy pathways are dysregulated in murine and human models of Schaaf-Yang syndrome. *Scientific Reports*, 9(1), 15935. doi: 10.1038/s41598-019-52287-2. <https://doi.org/10.1038/s41598-019-52287-2>

Cruz, D. A., Eggan, S. M., Azmitia, E. C., & Lewis, D. A. (2004). Serotonin1A receptors at the axon initial segment of prefrontal pyramidal neurons in schizophrenia. *American Journal of Psychiatry*, 161(4), 739-742. doi.

Cruz, D. A., Eggan, S. M., & Lewis, D. A. (2003). Postnatal development of pre- and postsynaptic GABA markers at chandelier cell connections with pyramidal neurons in monkey prefrontal cortex. *Journal of Comparative Neurology*, 465(3), 385-400. doi.

Cruz, D. A., Lovallo, E. M., Stockton, S., Rasband, M., & Lewis, D. A. (2009). Postnatal development of synaptic structure proteins in pyramidal neuron axon initial segments in monkey prefrontal cortex. *Journal of Comparative Neurology*, 514(4), 353-367. doi.

Cruz, D. A., Weaver, C. L., Lovallo, E. M., Melchitzky, D. S., & Lewis, D. A. (2009). Selective alterations in postsynaptic markers of chandelier cell inputs to cortical pyramidal neurons in subjects with schizophrenia. *Neuropsychopharmacology*, 34(9), 2112-2124. doi.

Cruz-Martin, A., & Portera-Cailliau, C. (2014). In Vivo Imaging of Axonal and Dendritic Structures in Neonatal Mouse Cortex. *Cold Spring Harbor Protocols*, 2014(1), pdb.proto80150. doi: 10.1101/pdb.proto80150. <http://cshprotocols.cshlp.org/content/2014/1/pdb.proto80150.abstract>

Csabai, D., Csekő, K., Szaiff, L., Varga, Z., Miseta, A., Helyes, Z., & Czéh, B. (2016). Low intensity, long term exposure to tobacco smoke inhibits hippocampal neurogenesis in adult mice. *Behavioural Brain Research*, 302, 44-52. doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.022>. <http://www.sciencedirect.com/science/article/pii/S0166432816300195>

Csabai, D., Seress, L., Varga, Z., Ábrahám, H., Miseta, A., Wiborg, O., & Czéh, B. (2016). Electron microscopic analysis of hippocampal axo-somatic synapses in a chronic stress model for depression. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22650. <http://dx.doi.org/10.1002/hipo.22650>

Csajbók, É. A., Kocsis, Á. K., Faragó, N., Furdan, S., Kovács, B., Lovas, S., . . . Tamás, G. (2019). Expression of GLP-1 receptors in insulin-containing interneurons of rat cerebral cortex. [journal article]. *Diabetologia*. doi: 10.1007/s00125-018-4803-z. <https://doi.org/10.1007/s00125-018-4803-z>

Cuccioli, V., Bueno, C., Belvindrah, R., Lledo, P. M., & Martinez, S. (2014). Attractive action of FGF-signaling contributes to the postnatal developing hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22386. <http://dx.doi.org/10.1002/hipo.22386>

Cui, D., Dougherty, K. J., Machacek, D. W., Sawchuk, M., Hochman, S., & Baro, D. J. (2006). Divergence between motoneurons: gene expression profiling provides a molecular characterization of functionally discrete somatic and autonomic motoneurons. *Physiological Genomics*, 24(3), 276-289. doi: 10.1152/physiolgenomics.00109.2005. <http://physiolgenomics.physiology.org/cgi/content/abstract/24/3/276>

Cui, R.-Z., Wang, L., Qiao, S.-N., Wang, Y.-C., Wang, X., Yuan, F., . . . Zhong, Y.-M. (2019). ON-Type Retinal Ganglion Cells are Preferentially Affected in STZ-Induced Diabetic Mice. *Changes of Retinal Ganglion Cells in Diabetic Mice*. *Investigative Ophthalmology and Visual Science*, 60(5), 1644-1656. doi: 10.1167/iovs.18-26359. <https://doi.org/10.1167/iovs.18-26359>

Cui, Y.-F., Hargus, G., Xu, J.-C., Schmid, J. S., Shen, Y.-Q., Glatzel, M., . . . Bernreuther, C. (2010). Embryonic stem cell-derived L1 overexpressing neural aggregates enhance recovery in Parkinsonian mice. *Brain*, 133(1), 189-204. doi: 10.1093/brain/awp290. <http://brain.oxfordjournals.org/cgi/content/abstract/133/1/189>

Cullen, C. L., Burne, T. H. J., Lavidis, N. A., & Moritz, K. M. (2013). Low Dose Prenatal Ethanol Exposure Induces Anxiety-Like Behaviour and Alters Dendritic Morphology in the Basolateral Amygdala of Rat Offspring. *PLoS ONE*, 8(1), e54924. doi: 10.1371/journal.pone.0054924. <http://dx.doi.org/10.1371%2Fjournal.pone.0054924>

Cullen, C. L., Burne, T. H. J., Lavidis, N. A., & Moritz, K. M. (2014). Low Dose Prenatal Alcohol Exposure Does Not Impair Spatial Learning and Memory in Two Tests in Adult and Aged Rats. *PLoS ONE*, 9(6), e101482. doi: 10.1371/journal.pone.0101482. <http://dx.doi.org/10.1371%2Fjournal.pone.0101482>

Cunningham, C. L., Martinez-Cerdeño, V., & Noctor, S. C. (2013). Microglia regulate the number of neural precursor cells in the developing cerebral cortex. *Journal of Neuroscience*, 33(10), 4216-4233. doi: <https://search.proquest.com/openview/70a939d69a1cb77bdd1067296217c884/1...>

Cunningham, J. T., Knight, W. D., Mifflin, S. W., & Nestler, E. J. (2012). An Essential Role for FosB in the Median Preoptic Nucleus in the Sustained Hypertensive Effects of Chronic Intermittent Hypoxia. *Hypertension*. doi: 10.1161/hypertensionaha.112.193789. <http://hyper.ahajournals.org/content/early/2012/06/11/HYPERTENSIONAHA.11...>

- Cunningham, M., Cho, J.-H., Leung, A., Savvidis, G., Ahn, S., Moon, M., . . . Chung, S. (2014). hPSC-Derived Maturing GABAergic Interneurons Ameliorate Seizures and Abnormal Behavior in Epileptic Mice. *Cell Stem Cell*, 15(5), 559-573. doi: 10.1016/j.stem.2014.10.006. [http://www.cell.com/cell-stem-cell/abstract/S1934-5909\(14\)00457-3](http://www.cell.com/cell-stem-cell/abstract/S1934-5909(14)00457-3)
- Cunningham, M. O., Pervouchine, D. D., Racca, C., Kopell, N. J., Davies, C. H., Jones, R. S. G., . . . Whittington, M. A. (2006). Neuronal metabolism governs cortical network response state. *PNAS*, 0600604103. doi: 10.1073/pnas.0600604103. <http://www.pnas.org/cgi/content/abstract/0600604103v1>
- Curcio, C., Asheld, J. J., Chabla, J. M., Ayubcha, D., Hallas, B. H., Horowitz, J. M., & Torres, G. (2006). Expression profile of Bag 1 in the postmortem brain. *Journal of Chemical Neuroanatomy*, 32(2), 191-195. doi.
- Currier, T. A., Etchegaray, M. A., Haight, J. L., Galaburda, A. M., & Rosen, G. D. (2011). The effects of embryonic knockdown of the candidate dyslexia susceptibility gene homologue *Dyx1c1* on the distribution of GABAergic neurons in the cerebral cortex. *Neuroscience*, 172, 535-546. doi.
- Curtetti, R., Garbossa, D., & Vercelli, A. (2002). Development of dendritic bundles of pyramidal neurons in the rat visual cortex. *Mechanisms of Ageing and Development*, 123(5), 473-479. doi.
- Curto, G. G., Nieto-Estévez, V., Hurtado-Chong, A., Valero, J., Gómez, C., Alonso, J. R., . . . Vicario-Abejón, C. (2014). Pax6 is essential for the maintenance and multi-lineage differentiation of neural stem cells, and for neuronal incorporation into the adult olfactory bulb. *Stem Cells and Development*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/scd.2014.0058>
- Cusimano, M., Biziato, D., Brambilla, E., Donegà, M., Alfaro-Cervello, C., Snider, S., . . . others. (2012). Transplanted neural stem/precursor cells instruct phagocytes and reduce secondary tissue damage in the injured spinal cord. *Brain*, 135(2), 447-460. doi.
- Cusimano, M., Brambilla, E., Capotondo, A., De Feo, D., Tomasso, A., Comi, G., . . . Martino, G. (2018). Selective killing of spinal cord neural stem cells impairs locomotor recovery in a mouse model of spinal cord injury. [journal article]. *Journal of Neuroinflammation*, 15(1), 58. doi: 10.1186/s12974-018-1085-9. <https://doi.org/10.1186/s12974-018-1085-9>
- Cusmano, D. M., Hadjimarkou, M. M., & Mong, J. A. (2013). Gonadal Steroid Modulation of Sleep and Wakefulness in Male and Female Rats Is Sexually Differentiated and Neonatally Organized by Steroid Exposure. *Endocrinology*. doi: 10.1210/en.2013-1624. <http://endo.endojournals.org/content/early/2013/11/01/en.2013-1624.abstract>
- Cutrer, F. M., Sandroni, P., & Wendelschafer-Crabb, G. (2010). Botulinum toxin treatment of cephalgia alopecia increases substance P and calcitonin gene-related peptide-containing cutaneous nerves in scalp. *Cephalalgia*, 30(8), 1000-1006. doi.

Cutuliu, D., Rossi, S., Burello, L., Laricchiuta, D., De Chiara, V., Foti, F., . . . others. (2011). Before or after does it matter? Different protocols of environmental enrichment differently influence motor, synaptic and structural deficits of cerebellar origin. *Neurobiology of Disease*, 42(1), 9-20. doi.

Czajkowski, R., Sugar, J., Zhang, S.-J., Couey, J. J., Ye, J., & Witter, M. P. (2013). Superficially Projecting Principal Neurons in Layer V of Medial Entorhinal Cortex in the Rat Receive Excitatory Retrosplenial Input. *Journal of Neuroscience*, 33(40), 15779-15792. doi: 10.1523/jneurosci.2646-13.2013. <http://www.jneurosci.org/content/33/40/15779.abstract>

Czaniecki, C., Ryan, T., Stykel, M. G., Drolet, J., Heide, J., Hallam, R., . . . Ryan, S. D. (2019). Axonal pathology in hPSC-based models of Parkinson's disease results from loss of Nrf2 transcriptional activity at the Map1b gene locus. *Proceedings of the National Academy of Sciences*, 201900576. doi: 10.1073/pnas.1900576116. <http://www.pnas.org/content/early/2019/06/21/1900576116.abstract>

Czéh, B., Ábrahám, H., Tahtakran, S., Houser, C. R., & Seress, L. (2013). Number and regional distribution of GAD65 mRNA-expressing interneurons in the rat hippocampal formation. *Acta Biologica Hungarica*, 64(4), 395-413. doi. <http://www.akademai.com/content/5n72830655238p75/>

Czéh, B., Abumaria, N., Rygula, R., & Fuchs, E. (2010). Quantitative changes in hippocampal microvasculature of chronically stressed rats: no effect of fluoxetine treatment. *Hippocampus*, 20(1), 174-185. doi.

Czéh, B., Michaelis, T., Watanabe, T., Frahm, J., de Biurrun, G., van Kampen, M., . . . Fuchs, E. (2001). Stress-induced changes in cerebral metabolites, hippocampal volume, and cell proliferation are prevented by antidepressant treatment with tianeptine. *Proceedings of the National Academy of Sciences*, 98(22), 12796-12801. doi: 10.1073/pnas.211427898. <http://www.pnas.org/cgi/content/abstract/98/22/12796>

Czéh, B., Pudovkina, O., van der Hart, M. G. C., Simon, M., Heilbronner, U., Michaelis, T., . . . Fuchs, E. (2005). Examining SLV-323, a novel NK 1 receptor antagonist, in a chronic psychosocial stress model for depression. *Psychopharmacology*, 180(3), 548-557. doi.

Czéh, B., Varga, Z. K. K., Henningsen, K., Kovács, G. L., Miseta, A., & Wiborg, O. (2014). Chronic stress reduces the number of GABAergic interneurons in the adult rat hippocampus, dorsal-ventral and region-specific differences. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22382. <http://dx.doi.org/10.1002/hipo.22382>

Czéh, B., Welt, T., Fischer, A. K., Erhardt, A., Schmitt, W., Müller, M. B., . . . Keck, M. E. (2002). Chronic psychosocial stress and concomitant repetitive transcranial magnetic stimulation: effects on stress hormone levels and adult hippocampal neurogenesis. *Biological Psychiatry*, 52(11), 1057-1065. doi.

Czurko, A., Czeh, B., Seress, L., Nadel, L., & Bures, J. (1997). Severe spatial navigation deficit in the Morris water maze after single high dose of neonatal x-ray irradiation in the rat.



Proceedings of the National Academy of Sciences, 94(6), 2766-2771. doi: 10.1073/pnas.94.6.2766. <http://www.pnas.org/cgi/content/abstract/94/6/2766>

D'Amato, A. R., Puhl, D. L., Ellman, S. A. T., Balouch, B., Gilbert, R. J., & Palermo, E. F. (2019). Vastly extended drug release from poly(pro-17 $\beta$ -estradiol) materials facilitates in vitro neurotrophism and neuroprotection. *Nature Communications*, 10(1), 4830. doi: 10.1038/s41467-019-12835-w. <https://doi.org/10.1038/s41467-019-12835-w>

D'Amato, A. R., Puhl, D. L., Ziemba, A. M., Johnson, C. D. L., Doedee, J., Bao, J., & Gilbert, R. J. (2019). Exploring the effects of electrospun fiber surface nanotopography on neurite outgrowth and branching in neuron cultures. *PLoS ONE*, 14(2), e0211731. doi: 10.1371/journal.pone.0211731. <https://doi.org/10.1371/journal.pone.0211731>

d'Errico, P., Boido, M., Piras, A., Valsecchi, V., De Amicis, E., Locatelli, D., . . . Battaglia, G. (2013). Selective Vulnerability of Spinal and Cortical Motor Neuron Subpopulations in delta7 SMA Mice. *PLoS ONE*, 8(12), e82654. doi: 10.1371/journal.pone.0082654. <http://dx.doi.org/10.1371/journal.pone.0082654>

D'Souza, R. D., Bista, P., Meier, A. M., Ji, W., & Burkhalter, A. (2019). Spatial Clustering of Inhibition in Mouse Primary Visual Cortex. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.09.020>. <http://www.sciencedirect.com/science/article/pii/S0896627319307937>

da Costa, N. M., & Martin, K. A. C. (2009). Selective Targeting of the Dendrites of Corticothalamic Cells by Thalamic Afferents in Area 17 of the Cat. *Journal of Neuroscience*, 29(44), 13919-13928. doi: 10.1523/jneurosci.2785-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/44/13919>

da Fontoura Costa, L., & Manoel, E. T. M. (2003). A percolation approach to neural morphometry and connectivity. *Neuroinformatics*, 1(1), 65-80. doi.

da Rocha, E. G., Freire, M. A. M., Bahia, C. P., Pereira, A., Sosthenes, M. C. K., Silveira, L. C. L., . . . Picanço-Diniz, C. W. (2012). Dendritic structure varies as a function of eccentricity in V1: a quantitative study of NADPH diaphorase neurons in the diurnal South American rodent *agouti*, *Dasyprocta prymnolopha*. *Neuroscience*. doi.

Da Silva, A. V., Houzel, J. C., Targas Yacubian, E. M., Carrete, H., Sakamoto, A. C., Priel, M. R., . . . others. (2006). Dysmorphic neurons in patients with temporal lobe epilepsy. *Brain Research*, 1072(1), 200-207. doi.

da Silva, M. P., Moraes, D. J. A., Bonagamba, L. G. H., Mecawi, A. d. S., Varanda, W. A., & Machado, B. H. (2019). Hyperexcitability and plasticity induced by sustained hypoxia on rectus abdominis motoneurons. *The Journal of Physiology*, 0(ja). doi: 10.1113/JP277030. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP277030>

da Silva, S., Hasegawa, H., Scott, A., Zhou, X., Wagner, A. K., Han, B.-X., & Wang, F. (2011). Proper formation of whisker barrelettes requires periphery-derived Smad4-dependent TGF- $\beta$  signaling. *Proceedings of the National Academy of Sciences*, 108(8), 3395-3400. doi: 10.1073/pnas.1014411108. <http://www.pnas.org/content/108/8/3395.abstract>

Daamen, W. F., Nillesen, S. T. M., Wismans, R. G., Reinhardt, D. P., Hafmans, T., Veerkamp, J. H., & van Kuppevelt, T. H. (2008). A biomaterial composed of collagen and solubilized elastin enhances angiogenesis and elastic fiber formation without calcification. *Tissue Engineering Part A*, 14(3), 349-360. doi.

Dabrowska, J., & Rainnie, D. G. (2010). Expression and distribution of Kv4 potassium channel subunits and potassium channel interacting proteins in subpopulations of interneurons in the basolateral amygdala. *Neuroscience*, 171(3), 721-733. doi.

Dacks, P. A., Krajewski, S. J., & Rance, N. E. (2011). Activation of Neurokinin 3 Receptors in the Median Preoptic Nucleus Decreases Core Temperature in the Rat. *Endocrinology*, 152(12), 4894-4905. doi.

Dacks, P. A., Krajewski, S. J., & Rance, N. E. (2011). Ambient Temperature and 17 $\beta$  -Estradiol Modify Fos Immunoreactivity in the Median Preoptic Nucleus, a Putative Regulator of Skin Vasomotion. *Endocrinology*, 152(7), 2750-2759. doi.

Dahlen, J. E., Jimenez, D. A., Gerkin, R. C., & Urban, N. N. (2011). Morphological analysis of activity-reduced adult-born neurons in the mouse olfactory bulb. [Original Research]. *Frontiers in Neuroscience*, 5. doi: 10.3389/fnins.2011.00066. <http://www.frontiersin.org/Journal/Abstract.aspx?s=748&name=neurogenesis...>

Dahme, M., Bartsch, U., Martini, R., Anliker, B., Schachner, M., & Mantei, N. (1997). Disruption of the mouse L1 gene leads to malformations of the nervous system. *Nature Genetics*, 17, 346-349. doi.

Dajas-Bailador, F., Bonev, B., Garcez, P., Stanley, P., Guillemot, F., & Papalopulu, N. (2012). microRNA-9 regulates axon extension and branching by targeting Map1b in mouse cortical neurons. [10.1038/nn.3082]. *Nature Neuroscience*, 15(5), 697-699. doi: <http://www.nature.com/neuro/journal/v15/n5/abs/nn.3082.html#supplementar.....http://dx.doi.org/10.1038/nn.3082>

Dalrymple-Alford, J. C., Harland, B., Loukavenko, E. A., Perry, B., Mercer, S., Collings, D. A., ... Wolff, M. (2015). Anterior thalamic nuclei lesions and recovery of function: Relevance to cognitive thalamus. *Neuroscience and Biobehavioral Reviews*, (0). doi: <http://dx.doi.org/10.1016/j.neubiorev.2014.12.007>. <http://www.sciencedirect.com/science/article/pii/S0149763414003443>

Daly, D. T., & Ariel, M. (2018). A Novel Cerebellar Commissure and Other Myelinated Axons in the Purkinje Cell Layer of a Pond Turtle (*Trachemys Scripta Elegans*). *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24528. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24528>

D'Amato, F. R., Zanettini, C., Sgobio, C., Sarli, C., Carone, V., Moles, A., & Ammassari-Teule, M. (2011). Intensification of maternal care by double-mothering boosts cognitive function and hippocampal morphology in the adult offspring. *Hippocampus*, 21(3), 298-308. doi: 10.1002/hipo.20750. <http://dx.doi.org/10.1002/hipo.20750>

D'Amelio, M., Cavallucci, V., Middei, S., Marchetti, C., Pacioni, S., Ferri, A., . . . others. (2010). Caspase-3 triggers early synaptic dysfunction in a mouse model of Alzheimer's disease. *Nature Neuroscience*, 14(1), 69-76. doi.

Damiani, D., Novelli, E., Mazzoni, F., & Strettoi, E. (2011). Undersized dendritic arborizations in retinal ganglion cells of the rd1 mutant mouse, a paradigm of early-onset photoreceptor degeneration. *Journal of Comparative Neurology*. doi.

Dancause, N., Barbay, S., Frost, S. B., Mahnken, J. D., & Nudo, R. J. (2007). Interhemispheric connections of the ventral premotor cortex in a new world primate. *Journal of Comparative Neurology*, 505(6), 701-715. doi.

Dancause, N., Barbay, S., Frost, S. B., Plautz, E. J., Chen, D., Zoubina, E. V., . . . Nudo, R. J. (2005). Extensive Cortical Rewiring after Brain Injury. *Journal of Neuroscience*, 25, 10167-10179. doi.

Dancause, N., Barbay, S., Frost, S. B., Plautz, E. J., Popescu, M., Dixon, P. M., . . . Nudo, R. J. (2006). Topographically divergent and convergent connectivity between premotor and primary motor cortex. *Cerebral Cortex*, 16(8), 1057-1057. doi.

Dancause, N., Barbay, S., Frost, S. B., Plautz, E. J., Stowe, A. M., Friel, K. M., & Nudo, R. J. (2006). Ipsilateral connections of the ventral premotor cortex in a new world primate. *Journal of Comparative Neurology*, 495(4), 374-390. doi.

Dancause, N., Duric, V., Barbay, S., Frost, S. B., Stylianou, A., & Nudo, R. J. (2008). An Additional Motor-Related Field in the Lateral Frontal Cortex of Squirrel Monkeys. *Cerebral Cortex*, 18, 2719 - 2728. doi: 10.1093/cercor/bhn050. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn050v1>

D'Andrea, M. R., Saban, M. R., Gerard, N. P., Wershil, B. K., & Saban, R. (2005). Lack of neurokinin-1 receptor expression affects tissue mast cell numbers but not their spatial relationship with nerves. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 288(2), R491-500. doi: 10.1152/ajpregu.00452.2004. <http://ajpregu.physiology.org/cgi/content/abstract/288/2/R491>

Dang, M. T., Yokoi, F., Yin, H. H., Lovinger, D. M., Wang, Y., & Li, Y. (2006). Disrupted motor learning and long-term synaptic plasticity in mice lacking NMDAR1 in the striatum. *Proceedings of the National Academy of Sciences*, 103(41), 15254-15259. doi.

Dang, M. T., Yokoi, F., Yin, H. H., Lovinger, D. M., Wang, Y., & Li, Y. (2006). From the Cover: Disrupted motor learning and long-term synaptic plasticity in mice lacking NMDAR1 in the striatum. *PNAS*, 103(41), 15254-15259. doi: 10.1073/pnas.0601758103. <http://www.pnas.org/cgi/content/abstract/103/41/15254>

Dang, V., Medina, B., Das, D., Moghadam, S., Martin, K. J., Lin, B., . . . Salehi, A. (2013). Formoterol, a Long-Acting  $\beta_2$  Adrenergic Agonist, Improves Cognitive Function and Promotes Dendritic Complexity in a Mouse Model of Down Syndrome. *Biological Psychiatry*, (0).

doi: <http://dx.doi.org/10.1016/j.biopsycho.2013.05.024>. <http://www.sciencedirect.com/science/article/pii/S0006322313004988>

Daniel Michael, V., Marissa, P., Emily, A., & Abigail, K. (2018). Enhanced total neurite outgrowth and secondary branching in dorsal root ganglion neurons elicited by low intensity pulsed ultrasound. *Journal of neural engineering*. doi: <http://iopscience.iop.org/10.1088/1741-2552/aabeba>

Daniel, S. E., Guo, J., & Rainnie, D. G. (2017). A Comparative Analysis of the Physiological Properties of Neurons in the Anterolateral Bed Nucleus of the Stria Terminalis in the *Mus musculus*, *Rattus norvegicus*, and *Macaca mulatta*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24202. <http://dx.doi.org/10.1002/cne.24202>

Danton, G. H., Prado, R., Watson, B. D., & Dietrich, W. D. (2002). Temporal Profile of Enhanced Vulnerability of the Postthrombotic Brain to Secondary Embolic Events. *Stroke*, 33(4), 1113-1119. doi: 10.1161/hs0402.105554. <http://stroke.ahajournals.org/cgi/content/abstract/33/4/1113>

Danzer, S., Price, O., McMullen, N. T., & Rance, N. E. (1999). Sex steroid modulation of neurokinin B gene expression in the arcuate nucleus of adult male rats. *Molecular Brain Research*. doi.

Danzer, S. C., Crooks, K. R. C., Lo, D. C., & McNamara, J. O. (2002). Increased Expression of Brain-Derived Neurotrophic Factor Induces Formation of Basal Dendrites and Axonal Branching in Dentate Granule Cells in Hippocampal Explant Cultures. *Journal of Neuroscience*, 22(22), 9754-9763. doi: <http://www.jneurosci.org/cgi/content/abstract/22/22/9754>

Danzer, S. C., He, X., Loepke, A. W., & McNamara, J. O. (2010). Structural plasticity of dentate granule cell mossy fibers during the development of limbic epilepsy. *Hippocampus*, 20(1), 113-124. doi.

Danzer, S. C., Kotloski, R. J., Walter, C., Hughes, M., & McNamara, J. O. (2008). Altered morphology of hippocampal dentate granule cell presynaptic and postsynaptic terminals following conditional deletion of TrkB. *Hippocampus*, 18(7), 668-678. doi.

Danzer, S. C., McMullen, N. T., & Rance, N. E. (1998). Dendritic growth of arcuate neuroendocrine neurons following orchidectomy in adult rats. *Journal Comparative Neurology*, 390, 234-246. doi.

Danzer, S. C., McMullen, N. T., & Rance, N. E. (2001). Testosterone modulates the dendritic architecture of arcuate neuroendocrine neurons in adult male rats. *Brain Research*, 890(1), 78-85. doi.

Daoud, R., Mies, G., Smialowska, A., Olah, L., Hossmann, K.-A., & Stamm, S. (2002). Ischemia Induces a Translocation of the Splicing Factor tra2-beta 1 and Changes Alternative Splicing Patterns in the Brain. *Journal of Neuroscience*, 22(14), 5889-5899. doi: <http://www.jneurosci.org/cgi/content/abstract/22/14/5889>

Darian-Smith, C., Lilak, A., Garner, J., & Irvine, K.-A. (2014). Corticospinal Sprouting Differs According to Spinal Injury Location and Cortical Origin in Macaque Monkeys. *The Journal of Neuroscience*, 34(37), 12267-12279. doi: <http://www.jneurosci.org/content/34/37/12267.short>

Darling, W., Morecraft, R., Rotella, D., Pizzimenti, M., Ge, J., Stilwell-Morecraft, K., . . . Cheney, P. (2014). Recovery of precision grasping after motor cortex lesion does not require forced use of the impaired hand in macaca mulatta. *Experimental Brain Research*, 1-10. doi: 10.1007/s00221-014-4068-9. <http://dx.doi.org/10.1007/s00221-014-4068-9>

Darling, W. G., Ge, J., Stilwell-Morecraft, K. S., Rotella, D. L., Pizzimenti, M. A., & Morecraft, R. J. (2018). Hand Motor Recovery following Extensive Frontoparietal Cortical Injury is accompanied by Upregulated Corticoreticular Projections in the Monkey. [10.1523/JNEUROSCI.0403-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/06/13/JNEUROSCI.0403-18.2018...>

Darmopil, S., Muneton-Gomez, V. C., de Ceballos, M. L., Bernson, M., & Moratalla, R. (2008). Tyrosine hydroxylase cells appearing in the mouse striatum after dopamine denervation are likely to be projection neurones regulated by l-DOPA. *European Journal of Neuroscience*, 27(3), 580-592. doi: doi:10.1111/j.1460-9568.2008.06040.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06040.x>

Darmopil, S., Petanjek, Z., Mohammed, A. H., & Bogdanović, N. (2009). Environmental enrichment alters dentate granule cell morphology in oldest-old rat. *Journal of Cellular and Molecular Medicine*, 13(8b), 1845-1856. doi.

Darnall, R. A., Schneider, R. W., Tobia, C. M., & Zemel, B. M. (2012). Arousal from sleep in response to intermittent hypoxia in rat pups is modulated by medullary raphe GABAergic mechanisms. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 302(5), R551-R560-R551-R560. doi.

Das, G., Yu, Q., Hui, R., Reuhl, K., Gale, N. W., & Zhou, R. (2016). EphA5 and EphA6: regulation of neuronal and spine morphology. [journal article]. *Cell & Bioscience*, 6(1), 1-12. doi: 10.1186/s13578-016-0115-5. <http://dx.doi.org/10.1186/s13578-016-0115-5>

Das, I., Sparrow, J. R., Lin, M. I., Shih, E., Mikawa, T., & Hempstead, B. L. (2000). Trk C Signaling Is Required for Retinal Progenitor Cell Proliferation. *Journal of Neuroscience*, 20(8), 2887-2895. doi: <http://www.jneurosci.org/cgi/content/abstract/20/8/2887>

Das, M. M., Godoy, M., Chen, S., Moser, V. A., Avalos, P., Roxas, K. M., . . . Goodridge, H. S. (2019). Young bone marrow transplantation preserves learning and memory in old mice. *Communications Biology*, 2(1), 73. doi: 10.1038/s42003-019-0298-5. <https://doi.org/10.1038/s42003-019-0298-5>

Das, S., Nalini, A., Laxmi, T. R., & Raju, T. R. (2020). ALS-CSF-induced structural changes in spinal motor neurons of rat pups cause deficits in motor behaviour. *Experimental Brain Research*. doi: 10.1007/s00221-020-05969-7. <https://doi.org/10.1007/s00221-020-05969-7>

Das, S. K., Baitharu, I., Barhwal, K., Hota, S. K., & Singh, S. B. (2016). Early mood behavioral changes following exposure to monotonous environment during isolation stress is associated with altered hippocampal synaptic plasticity in male rats. *Neuroscience Letters*, 612, 231-237. doi: <http://dx.doi.org/10.1016/j.neulet.2015.12.038>, <http://www.sciencedirect.com/science/article/pii/S0304394015303335>

Dash, P. K., Tian, L.-M., & Moore, A. N. (1998). Sequestration of cAMP response element-binding proteins by transcription factor decoys causes collateral elaboration of regenerating *Aplysia* motor neuron axons. *Proceedings of the National Academy of Sciences*, 95(14), 8339-8344. doi: 10.1073/pnas.95.14.8339. <http://www.pnas.org/cgi/content/abstract/95/14/8339>

Dautan, D., Souza, A. S., Huerta-Ocampo, I., Valencia, M., Assous, M., Witten, I. B., . . . Mena-Segovia, J. (2016). Segregated cholinergic transmission modulates dopamine neurons integrated in distinct functional circuits. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4335

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4335.html#suppl.....http://dx.doi.org/10.1038/nn.4335>

Davenport, E. C., Szulc, B. R., Drew, J., Taylor, J., Morgan, T., Higgs, N. F., . . . Kittler, J. T. (2019). Autism and Schizophrenia-Associated CYFIP1 Regulates the Balance of Synaptic Excitation and Inhibition. *Cell Reports*, 26(8), 2037-2051.e2036. doi: <https://doi.org/10.1016/j.celrep.2019.01.092>, <http://www.sciencedirect.com/science/article/pii/S2211124719301299>

David, C., Schleicher, A., Zuschratter, W., & Staiger, J. F. (2007). The innervation of parvalbumin-containing interneurons by VIP-immunopositive interneurons in the primary somatosensory cortex of the adult rat. *European Journal of Neuroscience*, 25(8), 2329-2340. doi: doi:10.1111/j.1460-9568.2007.05496.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05496.x>

David, S., Stegenga, S. L., Hu, P., Xiong, G., Kerr, E., Becker, K. B., . . . Kalb, R. G. (2005). Expression of Serum- and Glucocorticoid-Inducible Kinase Is Regulated in an Experience-Dependent Manner and Can Cause Dendrite Growth. *Journal of Neuroscience*, 25(30), 7048-7053. doi: <http://www.jneurosci.org/cgi/content/abstract/25/30/7048>

Davis, S. F., Williams, K. W., Xu, W., Glatzer, N. R., & Smith, B. N. (2003). Selective Enhancement of Synaptic Inhibition by Hypocretin (Orexin) in Rat Vagal Motor Neurons: Implications for Autonomic Regulation. *Journal of Neuroscience*, 23, 3844-3854. doi: 10.1523/JNEUROSCI.5760-08.2009

Davison, A. P., Hines, M. L., & Muller, E. (2009). Trends in programming languages for neuroscience simulations. *Frontiers in Neuroscience*, 3(3), 374-374. doi: 10.3389/fnins.2009.00037

Daw, M. I., Tricoire, L., Erdelyi, F., Szabo, G., & McBain, C. J. (2009). Asynchronous Transmitter Release from Cholecystinin-Containing Inhibitory Interneurons Is Widespread and Target-Cell Independent. *Journal of Neuroscience*, 29(36), 11112-11122. doi: 10.1523/JNEUROSCI.5760-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/36/11112>



Dawson, M. R. L., Polito, A., Levine, J. M., & Reynolds, R. (2003). NG2-expressing glial progenitor cells: an abundant and widespread population of cycling cells in the adult rat CNS. *Molecular and Cellular Neuroscience*, 24(2), 476-488. doi.

Day-Brown, J. D., Wei, H., Chomsung, R. D., Petry, H. M., & Bickford, M. E. (2010). Frontiers: Pulvinar Projections to the Striatum and Amygdala in the Tree Shrew. *Frontiers in Neuroanatomy*, 4. doi.

Day-Brown, J. D., Wei, H., Chomsung, R. D., Petry, H. M., & Bickford, M. E. (2010). Pulvinar projections to the striatum and amygdala in the tree shrew. *Frontiers in Neuroanatomy*, 4. doi.

De Angelis, M. V., Capasso, M., Anghiari, C., Cavallaro, T., Di Muzio, A., Fabrizi, G. M., & Uncini, A. (2004). Myelin thickenings in val 102/fs null mutation of MPZ gene. *Journal of the Peripheral Nervous System*, 9(2), 121-121. doi: doi:10.1111/j.1085-9489.2004.009209bd.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

de Araújo Júnior, R. F., Leitão Oliveira, A. L. C., de Melo Silveira, R. F., de Oliveira Rocha, H. A., de França Cavalcanti, P., & de Araújo, A. A. (2014). Telmisartan induces apoptosis and regulates Bcl-2 in human renal cancer cells. *Experimental Biology and Medicine*. doi: 10.1177/1535370214546267. <http://ebm.sagepub.com/content/early/2014/08/13/1535370214546267.abstract>

De Bartolo, P., Gelfo, F., Burello, L., De Giorgio, A., Petrosini, L., & Granato, A. (2011). Plastic Changes in Striatal Fast-Spiking Interneurons Following Hemicerebellectomy and Environmental Enrichment. *The Cerebellum*, 1-9. doi.

De Diego, I. R., Mellstrom, B., Vallejo, M., Naranjo, J. R., & Moratalla, R. (2014). Activation of DREAM, a calcium-binding protein, reduces L-DOPA-induced dyskinesias in mice. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2014.03.023>. <http://www.sciencedirect.com/science/article/pii/S0006322314002248>

De Guzman, R. M., Saulsbery, A. I., & Workman, J. L. (2018). High nursing demand reduces depression-like behavior despite increasing glucocorticoid concentrations and reducing hippocampal neurogenesis in late postpartum rats. *Behavioural Brain Research*, 353, 143-153. doi: <https://doi.org/10.1016/j.bbr.2018.07.012>. <http://www.sciencedirect.com/science/article/pii/S0166432818304674>

De Jong, T. R., Pattij, T., Veening, J. G., Dederen, P., Waldinger, M. D., Cools, A. R., & Olivier, B. (2005). Effects of chronic paroxetine pretreatment on ( $\pm$ )-8-hydroxy-2-(di-n-propyl-amino) tetralin induced c-fos expression following sexual behavior. *Neuroscience*, 134(4), 1351-1361. doi.

de Kock, C. P. (2016). Juxtosomal Loose-Patch Recordings in Awake, Head-Fixed Rats to Study the Link Between Structure and Function of Individual Neurons. *Advanced Patch-*

Clamp Analysis for Neuroscientists, 21-35.

doi: [http://link.springer.com/protocol/10.1007/978-1-4939-3411-9\\_2](http://link.springer.com/protocol/10.1007/978-1-4939-3411-9_2)

de Kock, C. P. J., Bruno, R. M., Spors, H., & Sakmann, B. (2007). Layer- and cell-type-specific suprathreshold stimulus representation in rat primary somatosensory cortex. *Journal of Physiology*, 581(1), 139-154. doi:

10.1113/jphysiol.2006.124321. <http://jp.physoc.org/cgi/content/abstract/581/1/139>

de Kock, C. P. J., Pie, J., Pieneman, A. W., Mease, R. A., Bast, A., Guest, J. M., . . . Sakmann, B. (2021). High-frequency burst spiking in layer 5 thick-tufted pyramids of rat primary somatosensory cortex encodes exploratory touch. *Communications Biology*, 4(1), 709. doi:

10.1038/s42003-021-02241-8. <https://doi.org/10.1038/s42003-021-02241-8>

De Kock, C. P. J., & Sakmann, B. (2008). High frequency action potential bursts  $\leq$  100 Hz in L2/3 and L5B thick tufted neurons in anaesthetized and awake rat primary somatosensory cortex. *Journal of Physiology*, 586(14), 3353-3364. doi:

de Kock, C. P. J., & Sakmann, B. (2009). Spiking in primary somatosensory cortex during natural whisking in awake head-restrained rats is cell-type specific. *Proceedings of the National Academy of Sciences*, 106(38), 16446-16450. doi:

10.1073/pnas.0904143106. <http://www.pnas.org/content/106/38/16446.abstract>

de la Mothe, L. A., Blumell, S., Kajikawa, Y., & Hackett, T. A. (2006). Cortical connections of the auditory cortex in marmoset monkeys: core and medial belt regions. *Journal of Comparative Neurology*, 496(1), 27-71. doi:

De La Mothe, L. A., Blumell, S., Kajikawa, Y., & Hackett, T. A. (2006). Thalamic connections of the auditory cortex in marmoset monkeys: core and medial belt regions. *Journal of Comparative Neurology*, 496(1), 72-96. doi:

De la Rossa, A., Bellone, C., Golding, B., Vitali, I., Moss, J., Toni, N., . . . Jabaudon, D. (2013). In vivo reprogramming of circuit connectivity in postmitotic neocortical neurons. *Nature Neuroscience*. doi:

De La Roza, C., Martínez-Mena, J., Sánchez-Valle, M. E., & Reinoso-Suárez, F. (2004). Projections from the cat posterior lateral hypothalamus to the ventral part of the oral pontine reticular nucleus contain a GABAergic component. *Brain Research*, 1020(1-2), 118-129. doi:

De Lella Ezcurra, A. L., Chertoff, M., Ferrari, C., Graciarena, M., & Pitossi, F. (2010). Chronic expression of low levels of tumor necrosis factor- $\alpha$  in the substantia nigra elicits progressive neurodegeneration, delayed motor symptoms and microglia/macrophage activation. *Neurobiology of Disease*, 37(3), 630-640. doi:

De Lorme, K. C., Schulz, K. M., Salas-Ramirez, K. Y., & Sisk, C. L. (2012). Pubertal testosterone organizes regional volume and neuronal number within the medial amygdala of adult male Syrian hamsters. *Brain Research*, 1460(0), 33-40. doi: 10.1016/j.brainres.2012.04.035. <http://www.sciencedirect.com/science/article/pii/S0006899312007512>

De Lorme, K. C., & Sisk, C. L. (2013). Pubertal testosterone programs context-appropriate agonistic behavior and associated neural activation patterns in male Syrian hamsters. *Physiology and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.physbeh.2013.02.003>. <http://www.sciencedirect.com/science/article/pii/S0031938413000322>

De Luca, A., Vassallo, S., Benitez-Temino, B., Menichetti, G., Rossi, F., & Buffo, A. (2009). Distinct Modes of Neuritic Growth in Purkinje Neurons at Different Developmental Stages: Axonal Morphogenesis and Cellular Regulatory Mechanisms. *PLoS ONE*, 4(8), e6848-e6848. doi.

De Marchis, S., Temoney, S., Erdelyi, F., Bovetti, S., Bovolin, P., Szabo, G., & Puche, A. C. (2004). GABAergic phenotypic differentiation of a subpopulation of subventricular derived migrating progenitors. *European Journal of Neuroscience*, 20(5), 1307-1317. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0358...>

De Marco Garcia, N. V., & Jessell, T. M. (2008). Early motor neuron pool identity and muscle nerve trajectory defined by postmitotic restrictions in Nkx6. 1 activity. *Neuron*, 57(2), 217-231. doi.

de Novellis, V., Siniscalco, D., Galderisi, U., Fuccio, C., Nolano, M., Santoro, L., . . . Maione, S. (2004). Blockade of glutamate mGlu5 receptors in a rat model of neuropathic pain prevents early over-expression of pro-apoptotic genes and morphological changes in dorsal horn lamina II. *Neuropharmacology*, 46(4), 468-479. doi.

de Oliveira, A. M., Nascimento Silva, M. L., Keher, N. B., Bittencourt Navarrete, R. E., Gattass, R., & da Franca, J. G. (2015). Architectonic mapping of somatosensory areas involved in skilled forelimb movements and tool use. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23916. <http://dx.doi.org/10.1002/cne.23916>

de Oliveira, R. B., Gomes Leal, W., Picanço-Diniz, D. L. W., Torres Neto, J. B., Lins, N., Malm, O., & Picanço-Diniz, C. W. (2008). Three dimensional morphometric analyses of axon terminals early changes induced by methylmercury intoxication in the adult cat striate cortex. *Brain Research*, 1244, 155-163. doi.

de Oliveira, T. C. G., Carvalho-Paulo, D., de Lima, C. M., de Oliveira, R. B., Santos Filho, C., Diniz, D. G., . . . Picanço-Diniz, C. W. (2020). Long-term environmental enrichment reduces microglia morphological diversity of the molecular layer of dentate gyrus. *European Journal of Neuroscience*, n/a(n/a). doi: 10.1111/ejn.14920. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14920>

De Paola, V., Holtmaat, A., Knott, G., Song, S., Wilbrecht, L., Caroni, P., & Svoboda, K. (2006). Cell type-specific structural plasticity of axonal branches and boutons in the adult neocortex. *Neuron*, 49(6), 861-875. doi.

de Rivero Vaccari, J. P., Bastien, D., Yurcisin, G., Pineau, I., Dietrich, W. D., De Koninck, Y., . . . Lacroix, S. (2012). P2X4 Receptors Influence Inflammasome Activation after Spinal Cord Injury. *Journal of Neuroscience*, 32(9), 3058-3066. doi: 10.1523/jneurosci.4930-11.2012. <http://www.jneurosci.org/content/32/9/3058.abstract>

de Rivero Vaccari, J. P., Lotocki, G., Alonso, O. F., Bramlett, H. M., Dietrich, W. D., & Keane, R. W. (2009). Therapeutic neutralization of the NLRP1 inflammasome reduces the innate immune response and improves histopathology after traumatic brain injury. *Journal of Cerebral Blood Flow and Metabolism*, 29(7), 1251-1261. doi.

de Rivero Vaccari, J. P., Lotocki, G., Marcillo, A. E., Dietrich, W. D., & Keane, R. W. (2008). A Molecular Platform in Neurons Regulates Inflammation after Spinal Cord Injury. *Journal of Neuroscience*, 28(13), 3404-3414. doi: 10.1523/jneurosci.0157-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/13/3404>

de Schultz, T., Bock, J., & Braun, K. (2020). Paternal Deprivation and Female Biparental Family Rearing Induce Dendritic and Synaptic Changes in *Octodon degus*: I. Medial Prefrontal Cortex. *Frontiers in synaptic neuroscience*, 12, 38-38. doi: 10.3389/fnsyn.2020.00038. <https://pubmed.ncbi.nlm.nih.gov/33013347>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7498658/>

de Sousa, A. A., dos Reis, R. R., de Lima, C. M., de Oliveira, M. A., Fernandes, T. N., Gomes, G. F., . . . Diniz, C. W. P. (2015). Three-dimensional morphometric analysis of microglial changes in a mouse model of virus encephalitis: age and environmental influences. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12951. <http://dx.doi.org/10.1111/ejn.12951>

de Vellis, J., Ghiani, C. A., Wanner, I. B., & Cole, R. (2009). Preparation of Normal and Reactive Astrocyte Cultures. *Protocols for Neural Cell Culture*, 193-216. doi.

de Venecia, R. K., & McMullen, N. T. (1994). Single thalamocortical axons diverge to multiple patches in neonatal auditory cortex. *Developmental Brain Research*, 81, 135-142. doi.

de Villers-Sidani, E., Tahvildari, B., & Alonso, A. (2004). Synaptic activation patterns of the perirhinal-entorhinal inter-connections. *Neuroscience*, 129(1), 255-265. doi.

Dea, M., Hamadjida, A., Elgbeili, G., Quessy, S., & Dancause, N. (2016). Different Patterns of Cortical Inputs to Subregions of the Primary Motor Cortex Hand Representation in *Cebus apella*. *Cerebral Cortex*. doi: 10.1093/cercor/bhv324. <http://cercor.oxfordjournals.org/content/early/2016/01/10/cercor.bhv324...>

Dean, S. L., Knutson, J. F., Krebs-Kraft, D. L., & McCarthy, M. M. (2012). Prostaglandin E2 is an endogenous modulator of cerebellar development and complex behavior during a sensitive postnatal period. *European Journal of Neuroscience*, 35(8), 1218-1229. doi: 10.1111/j.1460-9568.2012.08032.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08032.x>

deazevedo, L. C., Hedin-Pereira, C., & Lent, R. (2002). Diaphorase-positive neurons in the cingulate cortex of human fetuses during the second half of gestation. *Anatomy and Embryology*, 205(1), 29-35. doi.

DeBoer, E. M., Azevedo, R., Vega, T. A., Brodtkin, J., Akamatsu, W., Okano, H., . . . Rasin, M.-R. (2014). Prenatal Deletion of the RNA-Binding Protein HuD Disrupts Postnatal Cortical Circuit

Maturation and Behavior. *The Journal of Neuroscience*, 34(10), 3674-3686. doi: <http://www.jneurosci.org/content/34/10/3674.short>

deCampo, D. M., & Fudge, J. L. (2013). Amygdala projections to the lateral bed nucleus of the stria terminalis in the macaque: Comparison with ventral striatal afferents. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23340. <http://dx.doi.org/10.1002/cne.23340>

Decker, Y., Müller, A., Németh, E., Schulz-Schaeffer, W. J., Fatar, M., Menger, M. D., . . . Fassbender, K. (2017). Analysis of the vasculature by immunohistochemistry in paraffin-embedded brains. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1595-8. <https://doi.org/10.1007/s00429-017-1595-8>

Dedeoglu, A., Kubilus, J. K., Jeitner, T. M., Matson, S. A., Bogdanov, M., Kowall, N. W., . . . Ferrante, R. J. (2002). Therapeutic Effects of Cystamine in a Murine Model of Huntington's Disease. *Journal of Neuroscience*, 22, 8942-8950. doi.

Dedeoglu, A., Kubilus, J. K., Yang, L., Ferrante, K. L., Hersch, S. M., Beal, M. F., & Ferrante, a. R. J. (2003). Creatine therapy provides neuroprotection after onset of clinical symptoms in Huntington's disease transgenic mice. *Journal of Neurochemistry*, 85(6), 1359-1367. doi: doi:10.1046/j.1471-4159.2003.01706.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.01706.x>

Dee, F. (2004). Grant Abstract: Database of Virtual Cervical Cytology Retrieved January 25, 2005, from [http://crisp.cit.nih.gov/crisp/CRISP\\_LIB.getdoc?textkey=6761930&p\\_grant\\_...](http://crisp.cit.nih.gov/crisp/CRISP_LIB.getdoc?textkey=6761930&p_grant_...)

DeFelipe, J., López-Cruz, P. L., Benavides-Piccione, R., Bielza, C., Larrañaga, P., Anderson, S., . . . Feldmeyer, D. (2013). New insights into the classification and nomenclature of cortical GABAergic interneurons. *Nature Reviews Neuroscience*. doi.

Dégenétais, E., Thierry, A. M., Glowinski, J., & Gioanni, Y. (2002). Electrophysiological properties of pyramidal neurons in the rat prefrontal cortex: an in vivo intracellular recording study. *Cerebral Cortex*, 12(1), 1-16. doi.

Degos, B., Deniau, J. M., Le Cam, J., Mailly, P., & Maurice, N. (2008). Evidence for a direct subthalamo-cortical loop circuit in the rat. *European Journal of Neuroscience*, 27(10), 2599-2610. doi.

Dehner, L. R., Keniston, L. P., Clemo, H. R., & Meredith, M. A. (2004). Cross-modal Circuitry Between Auditory and Somatosensory Areas of the Cat Anterior Ectosylvian Sulcal Cortex: A 'New' Inhibitory Form of Multisensory Convergence. *Cerebral Cortex*, 14(4), 387-403. doi: 10.1093/cercor/bhg135. <http://cercor.oxfordjournals.org/cgi/content/abstract/14/4/387>

Dehorter, N., Guigoni, C., Lopez, C., Hirsch, J., Eusebio, A., Ben-Ari, Y., & Hammond, C. (2009). Dopamine-Deprived Striatal GABAergic Interneurons Burst and Generate Repetitive Gigantic IPSCs in Medium Spiny Neurons. *Journal of Neuroscience*, 29(24), 7776-7787. doi: 10.1523/jneurosci.1527-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/24/7776>

Dehorter, N., Lozovaya, N., Mdzomba, B. J., Michel, F. J., Lopez, C., Tsintsadze, V., . . . Hammond, C. (2012). Subthalamic Lesion or Levodopa Treatment Rescues Giant GABAergic Currents of PINK1-Deficient Striatum. *Journal of Neuroscience*, 32(50), 18047-18053. doi: 10.1523/jneurosci.2474-12.2012. <http://www.jneurosci.org/content/32/50/18047.abstract>

Dehorter, N., Michel, F. J., Marissal, T., Rotrou, Y., Matrot, B., Lopez, C., . . . Hammond, C. (2011). Onset of Pup Locomotion Coincides with Loss of NR2C/D-Mediated Cortico-Striatal EPSCs and Dampening of Striatal Network Immature Activity. *Frontiers in cellular neuroscience*, 5. doi.

Dehorter, N., Michel, F. J., Marissal, T., Rotrou, Y., Matrot, B., Lopez, C., . . . Hammond, C. (2011). Onset of Pup Locomotion Coincides with Loss of NR2C/D-Mediated Cortico-Striatal EPSCs and Dampening of Striatal Network Immature Activity. *Frontiers in cellular neuroscience*, 5. doi.

Deitcher, Y., Eyal, G., Kanari, L., Verhoog, M. B., Kahou, A., Antoine, G., . . . Segev, I. (2017). Comprehensive Morpho-Electrotonic Analysis Shows 2 Distinct Classes of L2 and L3 Pyramidal Neurons in Human Temporal Cortex. *Cerebral Cortex*, 1-17. doi. <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx226/415921...>

del Blanco, B., Guiretti, D., Tomasoni, R., Lopez-Cascales, M. T., Muñoz-Viana, R., Lipinski, M., . . . Barco, A. (2019). CBP and SRF co-regulate dendritic growth and synaptic maturation. *Cell Death and Differentiation*. doi: 10.1038/s41418-019-0285-x. <https://doi.org/10.1038/s41418-019-0285-x>

Del Carro, U., Biffi, A., Baldoli, C., Gerevini, S., Amadio, S., Fumagalli, F., . . . Sessa, M. (2004). Clinical history and new prognostic indicators in metachromatic leukodystrophy. *Journal of the Peripheral Nervous System*, 9(2), 112-112. doi: doi:10.1111/j.1085-9489.2004.009209ab.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

del Pino, I., Brotons-Mas, J. R., Marques-Smith, A., Marighetto, A., Frick, A., Marin, O., & Rico, B. (2017). Abnormal wiring of CCK+ basket cells disrupts spatial information coding. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4544

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4544.html#suppl.....> <http://dx.doi.org/10.1038/nn.4544>

Dela Cruz, J. A. D., Coke, T., & Bodnar, R. J. (2016). Simultaneous Detection of c-Fos Activation from Mesolimbic and Mesocortical Dopamine Reward Sites Following Naive Sugar and Fat Ingestion in Rats. (114), e53897. doi: doi:10.3791/53897. <http://www.jove.com/video/53897>

Delaloye, S., Kraftsik, R., Kuntzer, T., & Barakat-Walter, I. (2009). Does the physical disector method provide an accurate estimation

of sensory neuron number in rat dorsal root ganglia? *Journal of Neuroscience Methods*, 176, 290-297. doi.



Delatour, B., & Witter, M. P. (2002). Projections from the parahippocampal region to the prefrontal cortex in the rat: evidence of multiple pathways. *European Journal of Neuroscience*, 15(8), 1400. doi:

Delatour, L. C., Yeh, P. W., & Yeh, H. H. (2018). Ethanol Exposure In Utero Disrupts Radial Migration and Pyramidal Cell Development in the Somatosensory Cortex. *Cerebral Cortex*, bhy094-bhy094. doi: 10.1093/cercor/bhy094. <http://dx.doi.org/10.1093/cercor/bhy094>

Delatour, L. C., Yeh, P. W. L., & Yeh, H. H. (2019). Prenatal Exposure to Ethanol Alters Synaptic Activity in Layer V/VI Pyramidal Neurons of the Somatosensory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhz199. <https://doi.org/10.1093/cercor/bhz199>

Deleuze, C., & Huguenard, J. R. (2006). Distinct Electrical and Chemical Connectivity Maps in the Thalamic Reticular Nucleus: Potential Roles in Synchronization and Sensation. *Journal of Neuroscience*, 26(33), 8633-8645. doi: 10.1523/jneurosci.2333-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/33/8633>

Dell, L.-A., Patzke, N., Bhagwandin, A., Bux, F., Fuxe, K., Barber, G., . . . Manger, P. R. (2012). Organization and number of orexinergic neurons in the hypothalamus of two species of Cetartiodactyla: A comparison of giraffe (*Giraffa camelopardalis*) and harbour porpoise (*Phocoena phocoena*). *Journal of Chemical Neuroanatomy*, (0). doi: 10.1016/j.jchemneu.2012.06.001. <http://www.sciencedirect.com/science/article/pii/S0891061812000336>

Dellacasa-Lindberg, I., Fuks, J., Arrighi, R., Lambert, H., Wallin, R., Chambers, B., & Barragan, A. (2011). Migratory activation of primary cortical microglia upon infection with *Toxoplasma gondii*. *Infection and Immunity*, 79, 3046 - 3052. doi:

Dellen, A., Welch, J., Dixon, R. M., Corderly, P., York, D., Styles, P., . . . Hannan, A. J. (2000). N-Acetylaspartate and DARPP-32 levels decrease in the corpus striatum of Huntington's disease mice. *Neuroreport*, 11(17), 3751-3751. doi:

Dellen, A. v., Blakemore, C., Deacon, R., York, D., & Hannan, A. J. (2002). Delaying the onset of Huntington's in mice. *Nature*, 404, 721-722. doi:

DeMarch, Z., Giampà, C., Patassini, S., Bernardi, G., & Fusco, F. R. (2008). Beneficial effects of rolipram in the R6/2 mouse model of Huntington's disease. *Neurobiology of Disease*, 30(3), 375-387. doi:

De-May, C. L., & Ali, A. B. (2012). Cell-type specific regulation of inhibition via cannabinoid type 1 receptors in rat neocortex. *Journal of Neurophysiology*. doi: 10.1152/jn.00272.2012. <http://jn.physiology.org/content/early/2012/10/05/jn.00272.2012.abstract>

Dembrow, N. C., Chitwood, R. A., & Johnston, D. (2010). Projection-Specific Neuromodulation of Medial Prefrontal Cortex Neurons. *Journal of Neuroscience*, 30(50), 16922-16937. doi: 10.1523/jneurosci.3644-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/16922>

Demyanenko, G. P., Halberstadt, A. I., Rao, R. S., & Maness, P. F. (2010). CHL1 cooperates with PAK1-3 to regulate morphological differentiation of embryonic cortical neurons. *Neuroscience*, 165(1), 107-115. doi.

Demyanenko, G. P., Mohan, V., Zhang, X., Brennaman, L. H., Dharbal, K. E., Tran, T. S., . . . Maness, P. F. (2014). Neural Cell Adhesion Molecule NrCAM Regulates Semaphorin 3F-Induced Dendritic Spine Remodeling. *The Journal of Neuroscience*, 34(34), 11274-11287. doi: <http://www.jneurosci.org/content/34/34/11274.short>

Demyanenko, G. P., Schachner, M., Anton, E., Schmid, R., Feng, G., Sanes, J., & Maness, P. F. (2004). Close homolog of L1 modulates area-specific neuronal positioning and dendrite orientation in the cerebral cortex. *Neuron*, 44(3), 423-437. doi.

Dénes, V., Wilhelm, M., NÉMeth, A., & GÁBriel, R. (2009). Interactions of Serotonergic, Cholinergic, and Tachykinin-Containing Nerve Elements in the Rabbit Small Intestine. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 292(10), 1548-1558. doi.

Deng, C.-Y., Lei, W.-L., Xu, X.-H., Ju, X.-C., Liu, Y., & Luo, Z.-G. (2014). JIP1 Mediates Anterograde Transport of Rab10 Cargos during Neuronal Polarization. *The Journal of Neuroscience*, 34(5), 1710-1723. doi: <http://www.jneurosci.org/content/34/5/1710.short>

Deng, L., Ruan, Y., Chen, C., Frye, C. C., Xiong, W., Jin, X., . . . Xu, X.-M. (2016). Characterization of dendritic morphology and neurotransmitter phenotype of thoracic descending propriospinal neurons after complete spinal cord transection and GDNF treatment. *Experimental Neurology*, 277, 103-114. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.12.018>, <http://www.sciencedirect.com/science/article/pii/S0014488615301461>

Deng, L.-X., Liu, N.-K., Wen, R., Yang, S.-N., Wen, X., & Xu, X.-M. (2021). Laminin-coated multifilament entubulation, combined with Schwann cells and glial cell line-derived neurotrophic factor, promotes unidirectional axonal regeneration in a rat model of thoracic spinal cord hemisection. [Research Article]. *Neural Regeneration Research*, 16(1), 186-191. doi: 10.4103/1673-5374.289436. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2021;volume=16;...>

Deng, M., Hofacer, R. D., Jiang, C., Joseph, B., Hughes, E. A., Jia, B., . . . Loepke, A. W. (2014). Brain regional vulnerability to anaesthesia-induced neuroapoptosis shifts with age at exposure and extends into adulthood for some regions. *British Journal of Anaesthesia*. doi: 10.1093/bja/aet469. <http://bj.oxfordjournals.org/content/early/2014/01/14/bja.aet469.abstract>

Deng, R., Kao, J. P. Y., & Kanold, P. O. (2017). Distinct Translaminar Glutamatergic Circuits to GABAergic Interneurons in the Neonatal Auditory Cortex. *Cell Reports*, 19(6), 1141-1150. doi: <https://doi.org/10.1016/j.celrep.2017.04.044>, <http://www.sciencedirect.com/science/article/pii/S221124717305387>

Dent, G. W., Rule, B. L., Zhan, Y., & Grzanna, R. (2001). The acetylcholine release enhancer linopirdine induces Fos in neocortex of aged rats. *Neurobiology of Aging*, 22(3), 485-494. doi.

DePuy, S. D., Kanbar, R., Coates, M. B., Stornetta, R. L., & Guyenet, P. G. (2011). Control of Breathing by Raphe Obscure Serotonergic Neurons in Mice. *Journal of Neuroscience*, 31(6), 1981-1990. doi: 10.1523/jneurosci.4639-10.2011. <http://www.jneurosci.org/content/31/6/1981.abstract>

Dequen, F., Bomont, P., Gowing, G., Cleveland, D. W., & Julien, J. P. (2008). Modest loss of peripheral axons, muscle atrophy and formation of brain inclusions in mice with targeted deletion of glixonin exon 1. *Journal of Neurochemistry*, 107(1), 253-264. doi.

Dercksen, V. J., Oberlaender, M., Sakmann, B., & Hege, H. C. (2012). Interactive Visualization—a Key Prerequisite for Reconstruction and Analysis of Anatomically Realistic Neural Networks. *Visualization in Medicine and Life Sciences II*, 27-44. doi.

Derugin, N., Dingman, A., Wendland, M. F., Fox, C., Bollen, A., & Vexler, Z. S. (2005). Magnetic resonance imaging as a surrogate measure for histological sub-chronic endpoint in a neonatal rat stroke model. *Brain Research*, 1066(1), 49-56. doi.

Deshmukh, S., Onozuka, K., Bender, K. J., Bender, V. A., Lutz, B., Mackie, K., & Feldman, D. E. (2007). Postnatal development of cannabinoid receptor type 1 expression in rodent somatosensory cortex. *Neuroscience*, 145(1), 279-287. doi.

Deshpande, A., Dombrowski, S. M., Leichliter, A., Krajcir, N., Zingales, N., Inoue, M., . . . Luciano, M. G. (2009). Dissociation between vascular endothelial growth factor receptor-2 and blood vessel density in the caudate nucleus after chronic hydrocephalus. *Journal of Cerebral Blood Flow and Metabolism*, 29(11), 1806-1815. doi.

Dessem, D., Moritani, M., & Ambalavanar, R. (2007). Nociceptive Craniofacial Muscle Primary Afferent Neurons Synapse in Both the Rostral and Caudal Brain Stem. *Journal of Neurophysiology*, 98(1), 214-223. doi: 10.1152/jn.00990.2006. <http://jn.physiology.org/cgi/content/abstract/98/1/214>

Destot-Wong, K. D., Liang, K., Gupta, S. K., Favrais, G., Schwendimann, L., Pansiot, J., . . . others. (2009). The AMPA receptor positive allosteric modulator, S18986, is neuroprotective against neonatal excitotoxic and inflammatory brain damage through BDNF synthesis. *Neuropharmacology*, 57(3), 277-286. doi.

Detrez, J. R., Verstraelen, P., Gebuis, T., Verschuuren, M., Kuijlaars, J., Langlois, X., . . . De Vos, W. H. (2016). Image Informatics Strategies for Deciphering Neuronal Network Connectivity. In H. W. De Vos, S. Munck & J.-P. Timmermans (Eds.), *Focus on Bio-Image Informatics* (pp. 123-148). Cham: Springer International Publishing.

Devanathan, V., Jakovcevski, I., Santucci, A., Li, S., Lee, H. J., Peles, E., . . . Schachner, M. (2010). Cellular form of prion protein inhibits reelin-mediated shedding of Caspr from the neuronal cell surface to potentiate Caspr-mediated inhibition of neurite outgrowth. *Journal of Neuroscience*, 30(27), 9292-9305. doi.

Devanathan, V., Jakovcevski, I., Santuccione, A., Li, S., Lee, H. J., Peles, E., . . . Schachner, M. (2010). Cellular Form of Prion Protein Inhibits Reelin-Mediated Shedding of Caspr from the Neuronal Cell Surface to Potentiate Caspr-Mediated Inhibition of Neurite Outgrowth. *Journal of Neuroscience*, 30(27), 9292-9305. doi: 10.1523/jneurosci.5657-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/27/9292>

DeVito, L. M., Balu, D. T., Kanter, B. R., Lykken, C., Basu, A. C., Coyle, J. T., & Eichenbaum, H. (2010). Serine racemase deletion disrupts memory for order and alters cortical dendritic morphology. *Genes, Brain and Behavior*, no-no. doi: 10.1111/j.1601-183X.2010.00656.x. <http://dx.doi.org/10.1111/j.1601-183X.2010.00656.x>

Devor, A., & Yarom, Y. (2002). Electrotonic Coupling in the Inferior Olivary Nucleus Revealed by Simultaneous Double Patch Recordings. *Journal of Neurophysiology*, 87(6), 3048-3058. doi: <http://jn.physiology.org/cgi/content/abstract/87/6/3048>

Devor, M., Zalkind, V., Fishman, Y., & Minert, A. (2016). Model of anesthetic induction by unilateral intracerebral microinjection of GABAergic agonists. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13186. <http://dx.doi.org/10.1111/ejn.13186>

Dewitt, D. D., Kaszuba, S. N., Thompson, D. M., & Stegemann, J. P. (2009). Collagen I-matrigel scaffolds for enhanced Schwann cell survival and control of three-dimensional cell morphology. *Tissue Engineering Part A*, 15(10), 2785-2793. doi.

DeWulf, V., & Bottjer, S. W. (2005). Neurogenesis within the juvenile zebra finch telencephalic ventricular zone: a map of proliferative activity. *Journal of Comparative Neurology*, 481(1), 70-83. doi.

Dhande, O. S., Bhatt, S., Anishchenko, A., Elstrott, J., Iwasato, T., Swindell, E. C., . . . others. (2011). Role of adenylate cyclase 1 in retinofugal map development. *Journal of Comparative Neurology*. doi.

Dhande, O. S., Estevez, M. E., Quattrochi, L. E., El-Danaf, R. N., Nguyen, P. L., Berson, D. M., & Huberman, A. D. (2013). Genetic Dissection of Retinal Inputs to Brainstem Nuclei Controlling Image Stabilization. *Journal of Neuroscience*, 33(45), 17797-17813. doi: <http://www.jneurosci.org/content/33/45/17797.abstract>

Dhande, O. S., Hua, E. W., Guh, E., Yeh, J., Bhatt, S., Zhang, Y., . . . Crair, M. C. (2011). Development of Single Retinofugal Axon Arbors in Normal and  $\beta 2$  Knock-Out Mice. *Journal of Neuroscience*, 31(9), 3384-3399. doi: 10.1523/jneurosci.4899-10.2011. <http://www.jneurosci.org/content/31/9/3384.abstract>

Dhande, O. S., Stafford, B. K., Franke, K., El-Danaf, R., Percival, K. A., Phan, A. H., . . . Huberman, A. D. (2018). Molecular fingerprinting of On-Off direction selective retinal ganglion cells across species and relevance to primate visual circuits. [10.1523/JNEUROSCI.1784-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/10/29/JNEUROSCI.1784-18.2018..>

Dhar, P., Das, S. K., Barhwal, K., Hota, S. K., Mishra, K. P., & Singh, S. B. (2019). Trans-Himalayan Phytococktail Confers Protection Against Hypobaric Hypoxia-Induced Hippocampal

Neurodegeneration and Memory Impairment in Male Sprague Dawley Rats. *High Altitude Medicine & Biology*, 20(3), 279-292. doi: 10.1089/ham.2019.0011. <https://doi.org/10.1089/ham.2019.0011>

Di Cunto, F., Ferrara, L., Curtetti, R., Imarisio, S., Guazzone, S., Broccoli, V., . . . Silengo, L. (2003). Role of citron kinase in dendritic morphogenesis of cortical neurons. *Brain Research Bulletin*, 60(4), 319-327. doi:

Di Rocco, F., Giannetti, S., Gaglini, P., Di Rocco, C., & Granato, A. (2001). Dendritic Anomalies in a Freezing Model of Microgyria: A Parametric Study. *Pediatric Neurosurgery*, 34(2), 57-62. doi: <http://www.karger.com/DOI/10.1159/000055996>

Di Rocco, F., Giannetti, S., Gaglini, P., Di Rocco, C., & Granato, A. (2002). Dendritic architecture of corticothalamic neurons in a rat model of microgyria. *Child's Nervous System*, 18(12), 690-693. doi:

Di Segni, M., Andolina, D., Coassin, A., Accoto, A., Luchetti, A., Pascucci, T., . . . Ventura, R. (2017). Sensitivity to cocaine in adult mice is due to interplay between genetic makeup, early environment and later experience. *Neuropharmacology*, 125, 87-98. doi: <https://doi.org/10.1016/j.neuropharm.2017.07.014>. <http://www.sciencedirect.com/science/article/pii/S0028390817303428>

Dias, C. M., Punetha, J., Zheng, C., Mazaheri, N., Rad, A., Efthymiou, S., . . . Maroofian, R. (2019). Homozygous Missense Variants in NTNG2, Encoding a Presynaptic Netrin-G2 Adhesion Protein, Lead to a Distinct Neurodevelopmental Disorder. *The American Journal of Human Genetics*. doi: <https://doi.org/10.1016/j.ajhg.2019.09.025>. <http://www.sciencedirect.com/science/article/pii/S0002929719303866>

Dias, I. A., Bahia, C. P., Franca, J. G., Houzel, J. C., Lent, R., Mayer, A. O., . . . Pereira, A. (2014). Topography and architecture of visual and somatosensory areas of the agouti. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23550. <http://dx.doi.org/10.1002/cne.23550>

Díaz, D., del Pilar, C., Carretero, J., Alonso, J. R., & Weruaga, E. (2019). Daily bone marrow cell transplantations for the management of fast neurodegenerative processes. *Journal of Tissue Engineering and Regenerative Medicine*, o(ja). doi: 10.1002/term.2925. <https://onlinelibrary.wiley.com/doi/abs/10.1002/term.2925>

Díaz, D., Lepousez, G., Gheusi, G., Alonso, J. R., Lledo, P.-M., & Weruaga, E. (2012). Bone Marrow Cell Transplantation Restores Olfaction in the Degenerated Olfactory Bulb. *Journal of Neuroscience*, 32(26), 9053-9058. doi: 10.1523/jneurosci.0260-12.2012. <http://www.jneurosci.org/content/32/26/9053.abstract>

Díaz, D., Piquer-Gil, M., Recio, J. S., Martínez-Losa, M. M., Alonso, J. R., Weruaga, E., & Álvarez-Dolado, M. (2017). Bone marrow transplantation improves motor activity in a mouse model of ataxia. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi: 10.1002/term.2626. <http://dx.doi.org/10.1002/term.2626>

Díaz, E., Bravo, D., Rojas, X., & Concha, M. L. (2011). Morphologic and immunohistochemical organization of the human habenular complex. *Journal of Comparative Neurology*, 519(18), 3727-3747. doi: 10.1002/cne.22687. <http://dx.doi.org/10.1002/cne.22687>

Díaz, H. S., Andrade, D. C., Toledo, C., Pereyra, K. V., Schwarz, K. G., Díaz-Jara, E., . . . Rio, R. D. (2019). Episodic stimulation of central chemoreceptor neurons elicits disordered breathing and autonomic dysfunction in volume overload heart failure. *American Journal of Physiology-Lung Cellular and Molecular Physiology*, 0(0), null. doi: 10.1152/ajplung.00007.2019. <https://www.physiology.org/doi/abs/10.1152/ajplung.00007.2019>

Díaz Vera, D., Soucy, J. R., Lee, A., Koppes, R. A., & Koppes, A. N. (2021). Light irradiation of peripheral nerve cells: Wavelength impacts primary sensory neuron outgrowth in vitro. *Journal of Photochemistry and Photobiology B: Biology*, 215, 112105. doi: <https://doi.org/10.1016/j.jphotobiol.2020.112105>. <http://www.sciencedirect.com/science/article/pii/S1011134420305558>

Dibaj, P., Steffens, H., Nadrigny, F., Neusch, C., Kirchhoff, F., & Schomburg, E. (2010). Long-lasting post-mortem activity of spinal microglia in situ in mice. *Journal of Neuroscience Research*, 88, 2431 - 2440. doi.

DiBona, V. L., Shah, M. K., Krause, K. J., Zhu, W., Voglewede, M. M., Smith, D. M., . . . Zhang, H. (2021). Metformin reduces neuroinflammation and improves cognitive functions after traumatic brain injury. *Neuroscience Research*. doi: <https://doi.org/10.1016/j.neures.2021.05.007>. <https://www.sciencedirect.com/science/article/pii/S016801022100105X>

DiBona, V. L., Zhu, W., Shah, M. K., Rafalia, A., Ben Cheikh, H., Crockett, D. P., & Zhang, H. (2019). Loss of Par1b/MARK2 primes microglia during brain development and enhances their sensitivity to injury. [journal article]. *Journal of Neuroinflammation*, 16(1), 11. doi: 10.1186/s12974-018-1390-3. <https://doi.org/10.1186/s12974-018-1390-3>

DiCarlo, J. J., & Johnson, K. O. (2000). Spatial and Temporal Structure of Receptive Fields in Primate Somatosensory Area 3b: Effects of Stimulus Scanning Direction and Orientation. *Journal of Neuroscience*, 20(1), 495-510. doi. <http://www.jneurosci.org/cgi/content/abstract/20/1/495>

DiCarlo, J. J., Johnson, K. O., & Hsiao, S. S. (1998). Structure of Receptive Fields in Area 3b of Primary Somatosensory Cortex in the Alert Monkey. *Journal of Neuroscience*, 18(7), 2626-2645. doi. <http://www.jneurosci.org/cgi/content/abstract/18/7/2626>

Dick, J., G.C., B. F., Bin, W., Subramanian, V., Jan, V., Dies, M., . . . I., D. Z. C. (2018). The basal interstitial nucleus (BIN) of the cerebellum provides diffuse ascending inhibitory input to the floccular granule cell layer. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24479. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24479>

Dickman, J. D., Huss, D., & Lowe, M. (2004). Morphometry of otoconia in the utricle and saccule of developing Japanese quail. *Hearing Research*, 188(1-2), 89-103. doi.



Dickson, C. T., Magistretti, J., Shalinsky, M., Hamam, B., & Alonso, A. (2000). Oscillatory Activity in Entorhinal Neurons and Circuits: Mechanisms and Function. *Annals of the New York Academy of Sciences*, 911(1), 127-150. doi: doi:10.1111/j.1749-6632.2000.tb06723.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2000.tb06723.x>

Dickson, T. C., Mintz, C. D., Benson, D. L., & Salton, S. R. J. (2002). Functional binding interaction identified between the axonal CAM L1 and members of the ERM family. *Journal of Cell Biology*, 157(7), 1105-1112. doi: 10.1083/jcb.200111076. <http://www.jcb.org/cgi/content/abstract/157/7/1105>

Dickstein, D. L., Brautigam, H., Stockton, S. D., Schmeidler, J., & Hof, P. R. (2010). Changes in dendritic complexity and spine morphology in transgenic mice expressing human wild-type tau. *Brain Structure and Function*, 214(2), 161-179. doi:

Dickstein, D. L., Dickstein, D. R., Janssen, W. G. M., Hof, P. R., Glaser, J. R., Rodriguez, A., . . . Tappan, S. J. (2001). Automatic Dendritic Spine Quantification from Confocal Data with Neurolucida 360 *Current Protocols in Neuroscience*: John Wiley & Sons, Inc.

Dickstein, D. L., Talty, R., Bresnahan, E., Varghese, M., Perry, B., Janssen, W. G. M., . . . Limoli, C. L. (2018). Alterations in synaptic density and myelination in response to exposure to high-energy charged particles. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24530. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24530>

Diederich, K., Sevimli, S., Dorr, H., Koters, E., Hoppen, M., Lewejohann, L., . . . Schabitz, W.-R. (2009). The Role of Granulocyte-Colony Stimulating Factor (G-CSF) in the Healthy Brain: A Characterization of G-CSF-Deficient Mice. *Journal of Neuroscience*, 29(37), 11572-11581. doi: 10.1523/jneurosci.0453-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/37/11572>

Dieni, C. V., Nietz, A. K., Panichi, R., Wadiche, J. I., & Overstreet-Wadiche, L. (2013). Distinct Determinants of Sparse Activation during Granule Cell Maturation. *Journal of Neuroscience*, 33(49), 19131-19142. doi: <http://www.jneurosci.org/content/33/49/19131.short>

Dieni, C. V., Panichi, R., Aimone, J. B., Kuo, C. T., Wadiche, J. I., & Overstreet-Wadiche, L. (2016). Low excitatory innervation balances high intrinsic excitability of immature dentate neurons. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11313. <http://dx.doi.org/10.1038/ncomms11313>

DiGiovanna, J., Dominici, N., Friedli, L., Rigosa, J., Duis, S., Kreider, J., . . . Micera, S. (2016). Engagement of the Rat Hindlimb Motor Cortex across Natural Locomotor Behaviors. *The Journal of Neuroscience*, 36(40), 10440-10455. doi: <http://www.jneurosci.org/content/36/40/10440.short>

Dihne, M., Bernreuther, C., Hagel, C., Wesche, K. O., & Schachner, M. (2006). Embryonic Stem Cell-Derived Neuronally Committed Precursor Cells with Reduced Teratoma Formation After Transplantation into the Lesioned Adult Mouse Brain. *Stem Cells*, 24(6), 1458-1466. doi: 10.1634/stemcells.2005-0413. <http://stemcells.alphaamedpress.org/cgi/content/abstract/24/6/1458>

Dillingham, C. H., Gay, S. M., Behrooz, R., & Gabriele, M. L. (2017). Modular-extramodular organization in developing multisensory shell regions of the mouse inferior colliculus. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24300. <http://dx.doi.org/10.1002/cne.24300>

Dima, A., Scholz, M., & Obermayer, K. (2002). Automatic segmentation and skeletonization of neurons from confocal microscopy images based on the 3-D wavelet transform. *Image Processing, IEEE Transactions on*, 11(7), 790-801. doi.

Dima, A., Scholz, M., & Obermayer, K. (2003). Automatic three-dimensional graph construction of nerve cells from confocal microscopy scans. *Journal of Electronic Imaging*, 12, 134-134. doi.

DiNardo, L. A., & Travers, J. B. (1997). Distribution of Fos-Like Immunoreactivity in the Medullary Reticular Formation of the Rat after Gustatory Elicited Ingestion and Rejection Behaviors. *Journal of Neuroscience*, 17(10), 3826-3839. doi. <http://www.jneurosci.org/cgi/content/abstract/17/10/3826>

Ding, L., Chen, H., Diamantaki, M., Coletta, S., Preston-Ferrer, P., & Burgalossi, A. (2020). Structural correlates of CA2 and CA3 pyramidal cell activity in freely-moving mice. *The Journal of Neuroscience*, JN-RM-0099-0020. doi: 10.1523/jneurosci.0099-20.2020. <http://www.jneurosci.org/content/early/2020/06/18/JNEUROSCI.0099-20.2020...>

Ding, S. L., & Van Hoesen, G. W. (2010). Borders, extent, and topography of human perirhinal cortex as revealed using multiple modern neuroanatomical and pathological markers. *Human Brain Mapping*, 31(9), 1359-1379. doi.

Ding, T., Zhou, X., Kouadir, M., Shi, F., Yang, Y., Liu, J., . . . Zhao, D. (2013). Cellular prion protein participates in the regulation of inflammatory response and apoptosis in BV2 Microglia during infection with mycobacterium bovis. *Journal of Molecular Neuroscience*, 51(1), 118 - 126. doi.

Ding, X.-F., Gao, X., Ding, X.-C., Fan, M., & Chen, J. (2016). Postnatal dysregulation of Notch signal disrupts dendrite development of adult-born neurons in the hippocampus and contributes to memory impairment. [Article]. *Scientific Reports*, 6, 25780. doi: 10.1038/srep25780

<http://www.nature.com/articles/srep25780#supplementary-information>. <http://dx.doi.org/10.1038/srep25780>

Ding, Y., Li, J., Luan, X., Ding, Y. H., Lai, Q., Rafols, J. A., . . . Diaz, F. G. (2004). Exercise preconditioning reduces brain damage in ischemic rats that may be associated with regional angiogenesis and cellular overexpression of neurotrophin. *Neuroscience*, 124(3), 583-591. doi.

Ding, Y. H., Li, J., Yao, W. X., Rafols, J. A., Clark, J. C., & Ding, Y. (2006). Exercise preconditioning upregulates cerebral integrins and enhances cerebrovascular integrity in ischemic rats. *Acta Neuropathologica*, 112(1), 74-84. doi.

Dingman, A., Lee, S. Y., Derugin, N., Wendland, M. F., & Vexler, Z. S. (2006). Aminoguanidine inhibits caspase-3 and calpain activation without affecting microglial activation following neonatal transient cerebral ischemia. *Journal of Neurochemistry*, 96(5), 1467-1479. doi: doi:10.1111/j.1471-4159.2006.03672.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.03672.x>

Diniz, G. B., Candido, P. L., Klein, M. O., Alvisi, R. D., Presse, F., Nahon, J.-L., . . . Bittencourt, J. C. (2018). The weaning period promotes alterations in the orexin neuronal population of rats in a suckling-dependent manner. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1723-0. <https://doi.org/10.1007/s00429-018-1723-0>

Dinocourt, C., Aungst, S., Yang, K., & Thompson, S. M. (2011). Homeostatic increase in excitability in area CA1 after Schaffer collateral transection in vivo. *Epilepsia*, 52(9), 1656-1665. doi: 10.1111/j.1528-1167.2011.03113.x. <http://dx.doi.org/10.1111/j.1528-1167.2011.03113.x>

Dinocourt, C., Petanjek, Z., Freund, T. F., Ben-Ari, Y., & Esclapez, M. (2003). Loss of interneurons innervating pyramidal cell dendrites and axon initial segments in the CA1 region of the hippocampus following pilocarpine-induced seizures. *Journal of Comparative Neurology*, 459, 407-425. doi.

Disma, N., Mondardini, M. C., Terrando, N., Absalom, A. R., & Bilotta, F. (2015). A systematic review of methodology applied during preclinical anesthetic neurotoxicity studies: important issues and lessons relevant to the design of future clinical research. *Pediatric Anesthesia*, n/a-n/a. doi: 10.1111/pan.12786. <http://dx.doi.org/10.1111/pan.12786>

Dissen, G. A., Lomniczi, A., Heger, S., Neff, T. L., & Ojeda, S. R. (2012). Hypothalamic EAP1 (enhanced at puberty 1) is required for menstrual cyclicity in nonhuman primates. *Endocrinology*, 153(1), 350-361. doi.

Distler, C., Korbmacher, H., & Hoffmann, K. P. (2009). Retinal projections to the accessory optic system in pigmented and albino ferrets (*Mustela putorius furo*). *Experimental Brain Research*, 199(3), 333-343. doi.

Dittgen, T., Nimmerjahn, A., Komai, S., Licznarski, P., Waters, J., Margrie, T. W., . . . Osten, P. (2004). Lentivirus-based genetic manipulations of cortical neurons and their optical and electrophysiological monitoring in vivo. *PNAS*, 101(52), 18206-18211. doi. <http://www.pnas.org/cgi/content/abstract/101/52/18206>

Dixon, K. J., Theus, M. H., Nelersa, C. M., Mier, J., Travieso, L. G., Yu, T.-S., . . . Liebl, D. J. (2014). Endogenous neural stem/progenitor cells stabilize the cortical microenvironment following traumatic brain injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2014.3390. <http://dx.doi.org/10.1089/neu.2014.3390>

Dizon, M. L. V., Shin, L., Sundholm-Peters, N. L., Kang, E., & Szele, F. G. (2006). Subventricular zone cells remain stable in vitro after brain injury. *Neuroscience*, 142(3), 717-725. doi.

Djalali, S., Holtje, M., Grosse, G., Rothe, T., Stroh, T., Grosse, J., . . . Ahnert-Hilger, G. (2005). Effects of brain-derived neurotrophic factor (BDNF) on glial cells and serotonergic neurones during development. *Journal of Neurochemistry*, 92(3), 616-627. doi: doi:10.1111/j.1471-

4159.2004.02911.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2004.02911.x>

Djogo, N., Jakovcevski, I., Müller, C., Lee, H. J., Xu, J.-C., Jakovcevski, M., . . . Schachner, M. (2013). Adhesion molecule L1 binds to amyloid beta and reduces Alzheimer's disease pathology in mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.04.014>. <http://www.sciencedirect.com/science/article/pii/S0969996113001289>

Djurisic, M., Popovic, M., Carnevale, N., & Zecevic, D. (2008). Functional Structure of the Mitral Cell Dendritic Tuft in the Rat Olfactory Bulb. *Journal of Neuroscience*, 28(15), 4057-4068. doi: 10.1523/jneurosci.5296-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/15/4057>

Dmitrieva, N., Nagabukuro, H., Resuehr, D., Zhang, G., McAllister, S. L., McGinty, K. A., . . . Berkley, K. J. (2010). Endocannabinoid involvement in endometriosis. *Pain*, 151(3), 703-710. doi.

Dmitrieva, N., Zhang, G., & Nagabukuro, H. (2008). Increased  $\alpha$ 1D adrenergic receptor activity and protein expression in the urinary bladder of aged rats. *World Journal of Urology*, 26(6), 649-655. doi.

Doan, T. P., Lagartos-Donate, M. J., Nilssen, E. S., Ohara, S., & Witter, M. P. (2019). Convergent Projections from Perirhinal and Postrhinal Cortices Suggest a Multisensory Nature of Lateral, but Not Medial, Entorhinal Cortex. *Cell Reports*, 29(3), 617-627.e617. doi: <https://doi.org/10.1016/j.celrep.2019.09.005>. <http://www.sciencedirect.com/science/article/pii/S2211124719311738>

Dobrović, B., Ćurić, G., Petanjek, Z., & Heffer, M. (2011). Dendritic morphology and spine density is not altered in motor cortex and dentate granular cells in mice lacking the ganglioside biosynthetic gene B4galnt1—a quantitative Golgi Cox study. *Collegium Antropologicum*, 35(Suppl.), 25-30. doi.

Doche, I., Wilcox, G. L., Ericson, M., Valente, N. S., Romiti, R., McAdams, B. D., & Hordinsky, M. K. (2018). Evidence for neurogenic inflammation in lichen planopilaris and frontal fibrosing alopecia pathogenic mechanism. *Experimental Dermatology*, 0(ja). doi: 10.1111/exd.13835. <https://onlinelibrary.wiley.com/doi/abs/10.1111/exd.13835>

Doig, N. M., Magill, P. J., Apicella, P., Bolam, J. P., & Sharott, A. (2014). Cortical and Thalamic Excitation Mediate the Multiphasic Responses of Striatal Cholinergic Interneurons to Motivationally Salient Stimuli. *The Journal of Neuroscience*, 34(8), 3101-3117. doi. <http://www.jneurosci.org/content/34/8/3101.short>

Doischer, D., Aurel Hosp, J., Yanagawa, Y., Obata, K., Jonas, P., Vida, I., & Bartos, M. (2008). Postnatal Differentiation of Basket Cells from Slow to Fast Signaling Devices. *Journal of Neuroscience*, 28(48), 12956-12968. doi: 10.1523/jneurosci.2890-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/48/12956>

Dokter, M., Busch, R., Poser, R., Vogt, M. A., von Bohlen und Halbach, V., Gass, P., . . . von Bohlen und Halbach, O. (2014). Implications of p75NTR for dentate gyrus morphology and hippocampus-related behavior revisited. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-014-0737-5. <http://dx.doi.org/10.1007/s00429-014-0737-5>

Domonkos, A., Ledri, L. N., Laszlovszky, T., Cserép, C., Borhegyi, Z., Papp, E., . . . Varga, V. (2016). Divergent in vivo activity of non-serotonergic and serotonergic VGLuT3-neurons in the median raphe region. *The Journal of Physiology*. doi: <http://onlinelibrary.wiley.com/doi/10.1113/JP272036/full>

DonCarlos, L. L., Garcia-Ovejero, D., Sarkey, S., Garcia-Segura, L. M., & Azcoitia, I. (2003). Androgen Receptor Immunoreactivity in Forebrain Axons and Dendrites in the Rat. *Endocrinology*, 144(8), 3632-3638. doi: 10.1210/en.2002-0105. <http://endo.endojournals.org/cgi/content/abstract/144/8/3632>

DonCarlos, L. L., Sarkey, S., Lorenz, B., Azcoitia, I., Garcia-Ovejero, D., Huppenbauer, C., & Garcia-Segura, L. M. (2006). Novel cellular phenotypes and subcellular sites for androgen action in the forebrain. *Neuroscience*, 138(3), 801-807. doi.

Donega, V., Marcy, G., Lo Giudice, Q., Zweifel, S., Angonin, D., Fiorelli, R., . . . Raineteau, O. (2018). Transcriptional Dysregulation in Postnatal Glutamatergic Progenitors Contributes to Closure of the Cortical Neurogenic Period. *Cell Reports*, 22(10), 2567-2574. doi: <https://doi.org/10.1016/j.celrep.2018.02.030>. <https://www.sciencedirect.com/science/article/pii/S2211124718301980>

Donegan, M., Kernisant, M., Cua, C., Jasmin, L., & Ohara, P. T. (2013). Satellite glial cell proliferation in the trigeminal ganglia after chronic constriction injury of the infraorbital nerve. *Glia*, n/a-n/a. doi: 10.1002/glia.22571. <http://dx.doi.org/10.1002/glia.22571>

Dong, H., Wang, Q., Valkova, K., Gonchar, Y., & Burkhalter, A. (2004). Experience-dependent development of feedforward and feedback circuits between lower and higher areas of mouse visual cortex. *Vision Research*, 44(28), 3389-3400. doi.

Dong, Z., Ferger, B., Paterna, J.-C., Vogel, D., Furler, S., Osinde, M., . . . Bueler, H. (2003). Dopamine-dependent neurodegeneration in rats induced by viral vector-mediated overexpression of the parkin target protein, CDCrel-1. *Proceedings of the National Academy of Sciences*, 100(21), 12438-12443. doi: 10.1073/pnas.2132992100. <http://www.pnas.org/cgi/content/abstract/100/21/12438>

Dong, Z., Wolfer, D. P., Lipp, H.-P., & Bueler, H. (2004). Hsp70 Gene Transfer by Adeno-associated Virus Inhibits MPTP-Induced Nigrostriatal Degeneration in the Mouse Model of Parkinson Disease. *Molecular Therapy*, 11, 80-88. doi.

Donnelly, C. J., Willis, D. E., Xu, M., Tep, C., Jiang, C., Yoo, S., . . . others. (2011). Limited availability of ZBP1 restricts axonal mRNA localization and nerve regeneration capacity. *EMBO journal*, 30(22), 4665-4677. doi.

Donohue, D. E., & Ascoli, G. A. (2011). Automated reconstruction of neuronal morphology: An overview. *Brain research reviews*, 67(1), 94-102. doi.

Donohue, D. E., Scorcioni, R., & Ascoli, G. A. (2002). Generation and Description of Neuronal Morphology Using L-Neuron. *Computational Neuroanatomy: Principles and Methods*, 49-49. doi.

Doobin, D. J. (2011). Unilateral primary afferent nerve cut causes altered pruning of dendrites in the developing central taste system. doi.

Doron, G., von Heimendahl, M., Schlattmann, P., Houweling, Arthur R., & Brecht, M. (2014). Spiking Irregularity and Frequency Modulate the Behavioral Report of Single-Neuron Stimulation. *Neuron*, 81(3), 653-663. doi: <http://dx.doi.org/10.1016/j.neuron.2013.11.032>. <http://www.sciencedirect.com/science/article/pii/S089662731301129X>

Dostes, S., Dubreucq, S., Ladevèze, E., Marsicano, G., Abrous, D. N., Chaouloff, F., & Koehl, M. (2015). Running per se stimulates the dendritic arbor of newborn dentate granule cells in mouse hippocampus in a duration-dependent manner. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22551. <http://dx.doi.org/10.1002/hipo.22551>

Doubell, T. P., Skaliora, I., Baron, J., & King, A. J. (2003). Functional Connectivity between the Superficial and Deeper Layers of the Superior Colliculus: An Anatomical Substrate for Sensorimotor Integration. *Journal of Neuroscience*, 23, 6596-6607. doi.

Doucet, J. R., Lenihan, N. M., & May, B. J. (2009). Commissural neurons in the rat ventral cochlear nucleus. *Jaro-Journal of the Association for Research in Otolaryngology*, 10(2), 269-280. doi.

Doucet, J. R., & Ryugo, D. K. (2003). Axonal pathways to the lateral superior olive labeled with biotinylated dextran amine injections in the dorsal cochlear nucleus of rats. *Journal of Comparative Neurology*, 461(4), 452-465. doi.

Dougherty, J. D., Garcia, A. D. R., Nakano, I., Livingstone, M., Norris, B., Polakiewicz, R., . . . Geschwind, D. H. (2005). PBK/TOPK, a Proliferating Neural Progenitor-Specific Mitogen-Activated Protein Kinase Kinase. *Journal of Neuroscience*, 25(46), 10773-10785. doi: 10.1523/jneurosci.3207-05.2005. <http://www.jneurosci.org/cgi/content/abstract/25/46/10773>

Dougherty, K. A., Islam, T., & Johnston, D. (2012). Intrinsic excitability of CA1 pyramidal neurones from the rat dorsal and ventral hippocampus. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2012.242693. <http://dx.doi.org/10.1113/jphysiol.2012.242693>

Dougherty, K. J., Bannatyne, B. A., Jankowska, E., Krutki, P., & Maxwell, D. J. (2005). Membrane Receptors Involved in Modulation of Responses of Spinal Dorsal Horn Interneurons Evoked by Feline Group II Muscle Afferents. *Journal of Neuroscience*, 25(3), 584-593. doi. <http://www.jneurosci.org/cgi/content/abstract/25/3/584>

Dougherty, K. J., & Hochman, S. (2008). Spinal Cord Injury Causes Plasticity in a Subpopulation of Lamina I GABAergic Interneurons. *Journal of Neurophysiology*, 100(1), 212-223. doi: 10.1152/jn.01104.2007. <http://jn.physiology.org/cgi/content/abstract/100/1/212>



Dougherty, K. J., Sawchuk, M. A., & Hochman, S. (2005). Properties of Mouse Spinal Lamina I GABAergic Interneurons. *Journal of Neurophysiology*, 94(5), 3221-3227. doi: 10.1152/jn.00184.2005. <http://jn.physiology.org/cgi/content/abstract/94/5/3221>

Dougherty, K. J., Sawchuk, M. A., & Hochman, S. (2009). Phenotypic diversity and expression of GABAergic inhibitory interneurons during postnatal development in lumbar spinal cord of glutamic acid decarboxylase 67-green fluorescent protein mice. *Neuroscience*, 163(3), 909-919. doi:

Dougherty, S. E., Bartley, A. F., Lucas, E. K., Hablitz, J. J., Dobrunz, L. E., & Cowell, R. M. (2014). Mice lacking the transcriptional coactivator PGC-1 $\alpha$  exhibit alterations in inhibitory synaptic transmission in the motor cortex. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.04.023>. <http://www.sciencedirect.com/science/article/pii/S030645221400325X>

Downes, C. E., Wong, C. H. Y., Henley, K. J., Guio-Aguilar, P. L., Zhang, M., Ates, R., . . . Crack, P. J. (2013). MyD88 Is a Critical Regulator of Hematopoietic Cell-Mediated Neuroprotection Seen after Stroke. *PLoS ONE*, 8(3), e57948. doi: 10.1371/journal.pone.0057948. <http://dx.doi.org/10.1371%2Fjournal.pone.0057948>

Dragatsis, I., Dietrich, P., Ren, H., Deng, Y. P., Del Mar, N., Wang, H. B., . . . Reiner, A. (2018). Effect of early embryonic deletion of huntingtin from pyramidal neurons on the development and long-term survival of neurons in cerebral cortex and striatum. *Neurobiology of Disease*, 111, 102-117. doi: <https://doi.org/10.1016/j.nbd.2017.12.015>. <https://www.sciencedirect.com/science/article/pii/S0969996117302991>

Drago, I., & Davis, Ronald L. (2016). Inhibiting the Mitochondrial Calcium Uniporter during Development Impairs Memory in Adult *Drosophila*. *Cell Reports*. doi: 10.1016/j.celrep.2016.08.017. <http://dx.doi.org/10.1016/j.celrep.2016.08.017>

Drake, C. T., De Oliveira, A. X., Harris, J. A., Connor, D. M., Winkler, C. W., & Aicher, S. A. (2007). Kappa opioid receptors in the rostral ventromedial medulla of male and female rats. *Journal of Comparative Neurology*, 500(3), 465-476. doi:

Drapeau, E., Montaron, M.-F., Aguerre, S., & Abrous, D. N. (2007). Learning-Induced Survival of New Neurons Depends on the Cognitive Status of Aged Rats. *Journal of Neuroscience*, 27(22), 6037-6044. doi: 10.1523/jneurosci.1031-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/6037>

Drissi, I., Deschamps, C., Alary, R., Robert, A., Dubreuil, V., Le Mouël, A., . . . Pierrefiche, O. (2020). Role of heat shock transcription factor 2 in the NMDA-dependent neuroplasticity induced by chronic ethanol intake in mouse hippocampus. *Addiction Biology*, n/a(n/a), e12939. doi: 10.1111/adb.12939. <https://onlinelibrary.wiley.com/doi/abs/10.1111/adb.12939>

Drouin-Ouellet, J., Brownell, A.-L., Saint-Pierre, M., Fasano, C., Emond, V., Trudeau, L.-E., . . . Cicchetti, F. (2011). Neuroinflammation is associated with changes in glial mGluR5 expression and the development of neonatal excitotoxic lesions. *Glia*, 59(2), 188-199. doi: 10.1002/glia.21086. <http://dx.doi.org/10.1002/glia.21086>

Druart, M., Groszer, M., & Le Magueresse, C. (2020). An etiological Foxp2 mutation impairs neuronal gain in layer VI cortico-thalamic cells through increased GABAB/GIRK signaling. *The Journal of Neuroscience*, JN-RM-2615-2619. doi: 10.1523/jneurosci.2615-19.2020. <http://www.jneurosci.org/content/early/2020/10/05/JNEUROSCI.2615-19.2020..>

Dryanovski, D. I., Guzman, J. N., Xie, Z., Galteri, D. J., Volpicelli-Daley, L. A., Lee, V. M.-Y., . . . Surmeier, D. J. (2013). Calcium Entry and  $\alpha$ -Synuclein Inclusions Elevate Dendritic Mitochondrial Oxidant Stress in Dopaminergic Neurons. *Journal of Neuroscience*, 33(24), 10154-10164. doi: 10.1523/jneurosci.5311-12.2013. <http://www.jneurosci.org/content/33/24/10154.abstract>

Du, F., Williamson, J., Bertram, E., Lothman, E., Okuno, E., & ., R. S. (1993). Kynurenien pathway enzymes in a rat model of chronic epilepsy: Immunohistochemical Study of activated Glial cells. *Neuroscience*, 55, 975-989. doi.

Du, J., & Hull, E. M. (1999). Effects of testosterone on neuronal nitric oxide synthase and tyrosine hydroxylase. *Brain Research*, 836(1-2), 90-98. doi.

Duan, X., Gleason, R. C., Li, F., Hosur, K. B., Huang, D., Wang, H., . . . Liang, S. (2015). Sex dimorphism in periodontitis in animal models. *Journal of Periodontal Research*, n/a-n/a. doi: 10.1111/jre.12298. <http://dx.doi.org/10.1111/jre.12298>

Duarte, J., Gaspar, R., Caetano, L., Patrício, P., Cunha, C., Mateus-Pinheiro, A., . . . Gomes, C. (2018). Brain region-specific control of microglia by adenosine A2A-adenosine receptors: uncoupling anxiety and cognition in female rodents. *European Neuropsychopharmacology*, 28, S35-S36. doi: 10.1016/j.euroneuro.2017.12.058. <http://dx.doi.org/10.1016/j.euroneuro.2017.12.058>

Duarte, J. M., Gaspar, R., Caetano, L., Patrício, P., Soares-Cunha, C., Mateus-Pinheiro, A., . . . Gomes, C. A. (2018). Region-specific control of microglia by adenosine A2A receptors: uncoupling anxiety and associated cognitive deficits in female rats. *Glia*, 0(0). doi: doi:10.1002/glia.23476. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23476>

Dubey, M., Bugiani, M., Ridder, M. C., Postma, N. L., Brouwers, E., Polder, E., . . . van der Knaap, M. S. (2014). Mice with Megalencephalic Leukoencephalopathy with Cysts: A developmental angle. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24307. <http://dx.doi.org/10.1002/ana.24307>

Dubourget, R., Sangare, A., Geoffroy, H., Gallopin, T., & Rancillac, A. (2016). Multiparametric characterization of neuronal subpopulations in the ventrolateral preoptic nucleus. [journal article]. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-016-1265-2. <http://dx.doi.org/10.1007/s00429-016-1265-2>

Dubovyk, V., & Manahan-Vaughan, D. (2017). Less means more: The magnitude of synaptic plasticity along the hippocampal dorso-ventral axis is inversely related to the expression levels of plasticity-related neurotransmitter receptors. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22816. <http://dx.doi.org/10.1002/hipo.22816>

Dubovyk, V., & Manahan-Vaughan, D. (2019). Distinct Time-Course of Alterations of Groups I and II Metabotropic Glutamate Receptor and GABAergic Receptor Expression Along the Dorsovenral Hippocampal Axis in an Animal Model of Psychosis. *Frontiers in Behavioral Neuroscience*, 13, 98-98. doi: 10.3389/fnbeh.2019.00098. <https://www.ncbi.nlm.nih.gov/pubmed/31139061>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6519509/>

Dudanova, I., Tabuchi, K., Rohlmann, A., Südhof, T. C., & Missler, M. (2007). Deletion of  $\alpha$ -neurexins does not cause a major impairment of axonal pathfinding or synapse formation. *Journal of Comparative Neurology*, 502(2), 261-274. doi.

Dudok, B., Barna, L., Ledri, M., Szabo, S. I., Szabadits, E., Pinter, B., . . . Katona, I. (2014). Cell-specific STORM super-resolution imaging reveals nanoscale organization of cannabinoid signaling. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.3892

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3892.html#suppl.....> <http://dx.doi.org/10.1038/nn.3892>

Duffy, K. R., & Livingstone, M. S. (2003). Distribution of non-phosphorylated neurofilament in squirrel monkey V1 is complementary to the pattern of cytochrome-oxidase blobs. *Cerebral Cortex*, 13(7), 722-727. doi.

Duffy, K. R., & Livingstone, M. S. (2005). Loss of neurofilament labeling in the primary visual cortex of monocularly deprived monkeys. *Cerebral Cortex*, 15(8), 1146-1154. doi.

Dugladze, T., Schmitz, D., Whittington, M. A., Vida, I., & Gloveli, T. (2012). Segregation of Axonal and Somatic Activity During Fast Network Oscillations. *Science*, 336(6087), 1458-1461. doi: 10.1126/science.1222017. <http://www.sciencemag.org/content/336/6087/1458.abstract>

Dugladze, T., Vida, I., Tort, A. B., Gross, A., Otahal, J., Heinemann, U., . . . Gloveli, T. (2007). Impaired hippocampal rhythmogenesis in a mouse model of mesial temporal lobe epilepsy. *Proceedings of the National Academy of Sciences*, 104(44), 17530-17535. doi: 10.1073/pnas.0708301104. <http://www.pnas.org/cgi/content/abstract/104/44/17530>

Dumanis, S. B., Cha, H. J., Song, J. M., Trotter, J. H., Spitzer, M., Lee, J. Y., . . . others. (2011). ApoE receptor 2 regulates synapse and dendritic spine formation. *PLoS ONE*, 6(2), e17203-e17203. doi.

Dumanis, S. B., Tesoriero, J. A., Babus, L. W., Nguyen, M. T., Trotter, J. H., Ladu, M. J., . . . Hoe, H.-S. (2009). ApoE4 Decreases Spine Density and Dendritic Complexity in Cortical Neurons In Vivo. *Journal of Neuroscience*, 29(48), 15317-15322. doi: 10.1523/jneurosci.4026-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/48/15317>

Dumitriu, D., Cossart, R., Huang, J., & Yuste, R. (2007). Correlation between axonal morphologies and synaptic input kinetics of interneurons from mouse visual cortex. *Cerebral Cortex*, 17(1), 81-91. doi.

Dumitriu, D., Rodriguez, A., & Morrison, J. H. (2011). High-throughput, detailed, cell-specific neuroanatomy of dendritic spines using microinjection and confocal microscopy. *Nature Protocols*, 6(9), 1391-1411. doi.

Duong, A. T. H., Reitz, C. J., Louth, E. L., Creighton, S. D., Rasouli, M., Zwaiman, A., . . . Martino, T. A. (2019). The Clock Mechanism Influences Neurobiology and Adaptations to Heart Failure in Clock<sup>Δ19/Δ19</sup> Mice With Implications for Circadian Medicine. *Scientific Reports*, 9(1), 4994. doi: 10.1038/s41598-019-41469-7. <https://doi.org/10.1038/s41598-019-41469-7>

Duque, A., Coman, D., Carlyle, B. C., Bordner, K. A., George, E. D., Papademetris, X., . . . Simen, A. A. (2011). Neuroanatomical changes in a mouse model of early life neglect. *Brain Structure and Function*, 1-14. doi.

Duque, A., Gazula, V.-R., & Kaczmarek, L. K. (2013). Expression of Kv1.3 potassium channels regulates density of cortical interneurons. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22105. <http://dx.doi.org/10.1002/dneu.22105>

Duque, A., & McCormick, D. A. (2010). Circuit-based Localization of Ferret Prefrontal Cortex. *Cerebral Cortex*, 20(5), 1020-1036. doi.

Duque, A., & Rakic, P. (2011). Different Effects of Bromodeoxyuridine and [<sup>3</sup>H]Thymidine Incorporation into DNA on Cell Proliferation, Position, and Fate. *Journal of Neuroscience*, 31(42), 15205-15217. doi: 10.1523/jneurosci.3092-11.2011. <http://www.jneurosci.org/content/31/42/15205.abstract>

Duque, A., Tepper, J. M., Detari, L., Ascoli, G. A., & Zaborszky, L. (2007). Morphological characterization of electrophysiologically and immunohistochemically identified basal forebrain cholinergic and neuropeptide Y-containing neurons. *Brain Structure and Function*, 212(1), 55-73. doi.

Durig, J., & Hornung, J. P. (2000). Neonatal serotonin depletion affects developing and mature mouse cortical neurons. *Neuroreport*, 11(4), 833-833. doi.

Dursun, I., Jakubowska-Doğru, E., van der List, D., Liets, L. C., Coombs, J. L., & Berman, R. F. (2011). Effects of Early Postnatal Exposure to Ethanol on Retinal Ganglion Cell Morphology and Numbers of Neurons in the Dorsolateral Geniculate in Mice. *Alcoholism: Clinical and Experimental Research*. doi.

Dutschmann, M., Waki, H., Manzke, T., Simms, A. E., Pickering, A. E., Richter, D. W., & Paton, J. F. R. (2009). The potency of different serotonergic agonists in counteracting opioid evoked cardiorespiratory disturbances. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 364(1529), 2611-2623. doi.

Dwivedy, A., Gertler, F. B., Miller, J., Holt, C. E., & Lebrand, C. (2007). Ena/VASP function in retinal axons is required for terminal arborization but not pathway navigation. *Development*, 134(11), 2137-2146. doi: 10.1242/dev.002345. <http://dev.biologists.org/cgi/content/abstract/134/11/2137>

Dyhrfeld-Johnsen, J., Maier, J., Schubert, D., Staiger, J., Luhmann, H. J., Stephan, K. E., & Kötter, R. (2005). CoCoDat: a database system for organizing and selecting quantitative data on single neurons and neuronal microcircuitry. *Journal of Neuroscience Methods*, 141(2), 291-308. doi:

Dzirasa, K., Coque, L., Sidor, M. M., Kumar, S., Dancy, E. A., Takahashi, J. S., . . . Nicolelis, M. A. L. (2010). Lithium Ameliorates Nucleus Accumbens Phase-Signaling Dysfunction in a Genetic Mouse Model of Mania. *Journal of Neuroscience*, 30(48), 16314-16323. doi: 10.1523/jneurosci.4289-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/48/16314>

Eales, K. L., Palygin, O., O'Loughlin, T., Rasooli-Nejad, S., Gaestel, M., Müller, J., . . . Corrêa, S. A. (2014). The MK2/3 cascade regulates AMPAR trafficking and cognitive flexibility. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140819/ncomms5701/full/ncomms5701.html>

Eastwood, B. S., Hooks, B. M., Paletzki, R. F., O'Connor, N. J., Glaser, J. R., & Gerfen, C. R. (2018). Whole Mouse Brain Reconstruction and Registration to a Reference Atlas with Standard Histochemical Processing of Coronal Sections. *Journal of Comparative Neurology*, 0(ja), e24602. doi: doi:10.1002/cne.24602. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24602>

Eaton, M. J., Gudehithlu, K. P., Quach, T., Silvia, C. P., Hadjiconstantinou, M., & Neff, N. H. (1993). Distribution of aromatic L-amino acid decarboxylase mRNA in mouse brain by in situ hybridization histology. *Journal of Comparative Neurology*, 337(4), 640-654. doi:

Ebert, A. D., Chen, F., He, X., Cryns, V. L., & Bohn, M. C. (2005). A tetracycline-regulated adenovirus encoding dominant-negative caspase-9 is regulated in rat brain and protects against neurotoxin-induced cell death in vitro, but not in vivo. *Experimental Neurology*, 191, S80-S94-S80-S94. doi:

Ebert, A. D., Hann, H. J., & Bohn, M. C. (2008). Progressive degeneration of dopamine neurons in 6-hydroxydopamine rat model of parkinson's disease does not involve activation of caspase-9 and caspase-3. *Journal of Neuroscience Research*, 86(2), 317-325. doi:

Ebrahimi, M., Yamamoto, Y., Sharifi, K., Kida, H., Kagawa, Y., Yasumoto, Y., . . . Owada, Y. (2015). Astrocyte-expressed FABP7 regulates dendritic morphology and excitatory synaptic function of cortical neurons. *Glia*, n/a-n/a. doi: 10.1002/glia.22902. <http://dx.doi.org/10.1002/glia.22902>

Eckle, V.-S., Shcheglovitov, A., Vitko, I., Dey, D., Yap, C. C., Winckler, B., & Perez-Reyes, E. (2013). Mechanisms by which a CACNA1H mutation found in epilepsy patients increase seizure susceptibility. *The Journal of Physiology*. doi: 10.1113/jphysiol.2013.264176. <http://jp.physoc.org/content/early/2013/11/22/jphysiol.2013.264176.abstract>

Edfawy, M., Guedes, J. R., Pereira, M. I., Laranjo, M., Carvalho, M. J., Gao, X., . . . Peça, J. (2019). Abnormal mGluR-mediated synaptic plasticity and autism-like behaviours in *Gprasp2*

mutant mice. *Nature Communications*, 10(1), 1431. doi: 10.1038/s41467-019-09382-9. <https://doi.org/10.1038/s41467-019-09382-9>

Edlow, B. L., Haynes, R. L., Takahashi, E., Klein, J. P., Cummings, P., Benner, T., . . . Folkerth, R. D. (2013). Disconnection of the Ascending Arousal System in Traumatic Coma. *Journal of Neuropathology and Experimental Neurology*, Publish Ahead of Print, 10.1097/NEN.1090b1013e3182945bf3182946. doi: [http://journals.lww.com/jneuropath/Fulltext/publishahead/Disconnection\\_o..](http://journals.lww.com/jneuropath/Fulltext/publishahead/Disconnection_o..)

Edmunds, N. B., McCann, K. S., & Laberge, F. (2016). Food Web Structure Shapes the Morphology of Teleost Fish Brains. *Brain, Behavior and Evolution*, 0(0), 128-138. doi: <http://www.karger.com/DOI/10.1159/000445973>

Efimova, E. V., Kozlova, A. A., Razenkova, V., Katolikova, N. V., Antonova, K. A., Sotnikova, T. D., . . . Gainetdinov, R. R. (2021). Increased dopamine transmission and adult neurogenesis in trace amine-associated receptor 5 (TAAR5) knockout mice. *Neuropharmacology*, 182, 108373. doi: <https://doi.org/10.1016/j.neuropharm.2020.108373>. <http://www.sciencedirect.com/science/article/pii/S002839082030441X>

Egami, K., Yitta, S., Kasim, S., Lewers, J. C., Roberts, R. C., Lehar, M., & Jinnah, H. A. (2007). Basal ganglia dopamine loss due to defect in purine recycling. *Neurobiology of Disease*, 26, 396-407. doi.

Egashira, Y., Tanaka, T., Soni, P., Sakuragi, S., Tominaga-Yoshino, K., & Ogura, A. (2010). Involvement of the p75NTR signaling pathway in persistent synaptic suppression coupled with synapse elimination following repeated long-term depression induction. *Journal of Neuroscience Research*, 88(16), 3433-3446. doi: 10.1002/jnr.22505. <http://dx.doi.org/10.1002/jnr.22505>

Egawa, R., & Yawo, H. (2019). Analysis of Neuro-Neuronal Synapses Using Embryonic Chick Ciliary Ganglion via Single-Axon Tracing, Electrophysiology, and Optogenetic Techniques. *Current Protocols in Neuroscience*, 0(0), e64. doi: 10.1002/cpns.64. <https://currentprotocols.onlinelibrary.wiley.com/doi/abs/10.1002/cpns.64>

Eggan, S. M., & Lewis, D. A. (2007). Immunocytochemical distribution of the cannabinoid CB1 receptor in the primate neocortex: a regional and laminar analysis. *Cerebral Cortex*, 17(1), 175-191. doi.

Eggan, S. M., Mizoguchi, Y., Stoyak, S. R., & Lewis, D. A. (2010). Development of cannabinoid 1 receptor protein and messenger RNA in monkey dorsolateral prefrontal cortex. *Cerebral Cortex*, 20(5), 1164-1174. doi.

Egger, R., Narayanan, R. T., Helmstaedter, M., de Kock, C. P. J., & Oberlaender, M. (2012). 3D Reconstruction and Standardization of the Rat Vibrissal Cortex for Precise Registration of Single Neuron Morphology. *PLoS Comput Biol*, 8(12), e1002837. doi: 10.1371/journal.pcbi.1002837. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002837>



Egger, V., Nevian, T., & Bruno, R. M. (2008). Subcolumnar Dendritic and Axonal Organization of Spiny Stellate and Star Pyramid Neurons within a Barrel in Rat Somatosensory Cortex. *Cerebral Cortex*, 18(4), 876-889. doi:

10.1093/cercor/bhm126. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/4/876>

Eggermann, E., & Feldmeyer, D. (2009). Cholinergic filtering in the recurrent excitatory microcircuit of cortical layer 4. *Proceedings of the National Academy of Sciences*, 106(28), 11753-11758. doi:

Egusa, S. F., Inoue, Y. U., Asami, J., Terakawa, Y. W., Hoshino, M., & Inoue, T. (2015). Classic cadherin expressions balance postnatal neuronal positioning and dendrite dynamics to elaborate the specific cytoarchitecture of the mouse cortical area. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2015.09.006>, <http://www.sciencedirect.com/science/article/pii/S0168010215002308>

Ehlinger, D. G., Bergstrom, H. C., Burke, J. C., Fernandez, G. M., McDonald, C. G., & Smith, R. F. (2014). Adolescent nicotine-induced dendrite remodeling in the nucleus accumbens is rapid, persistent, and D1-dopamine receptor dependent. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-014-0897-3. <http://dx.doi.org/10.1007/s00429-014-0897-3>

Ehlinger, D. G., Bergstrom, H. C., McDonald, C. G., & Smith, R. F. (2012). Nicotine-induced dendritic remodeling in the insular cortex. *Neuroscience Letters*, (0). doi: 10.1016/j.neulet.2012.03.064. <http://www.sciencedirect.com/science/article/pii/S030439401200448X>

Ehlinger, D. G., Burke, J. C., McDonald, C. G., Smith, R. F., & Bergstrom, H. C. Nicotine-induced and D1-receptor-dependent dendritic remodeling in a subset of dorsolateral striatum medium spiny neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.036>. <http://www.sciencedirect.com/science/article/pii/S0306452217303706>

Eid, T., Lee, T.-S. W., Thomas, M. J., Amiry-Moghaddam, M., Bjornsen, L. P., Spencer, D. D., . . . de Lanerolle, N. C. (2005). Loss of perivascular aquaporin 4 may underlie deficient water and K<sup>+</sup> homeostasis in the human epileptogenic hippocampus. *PNAS*, 102(4), 1193-1198. doi: <http://www.pnas.org/cgi/content/abstract/102/4/1193>

Eisenstein, M. (2009). Neural circuits: Putting neurons on the map. *Nature*, 461(7267), 1149-1152. doi:

Ekstrand, J. J., Domroese, M. E., Feig, S. L., Illig, K. R., & Haberly, L. B. (2001). Immunocytochemical analysis of basket cells in rat piriform cortex. *Journal of Comparative Neurology*, 434(3), 308-328. doi:

ElBasiouny, S. M., Amendola, J., Durand, J., & Heckman, C. J. (2010). Evidence from Computer Simulations for Alterations in the Membrane Biophysical Properties and Dendritic Processing of Synaptic Inputs in Mutant Superoxide Dismutase-1 Motoneurons. *Journal of Neuroscience*, 30(16), 5544-5558. doi: 10.1523/jneurosci.0434-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/16/5544>

El-Danaf, R. N., & Huberman, A. D. (2015). Characteristic Patterns of Dendritic Remodeling in Early-Stage Glaucoma: Evidence from Genetically Identified Retinal Ganglion Cell Types. *The Journal of Neuroscience*, 35(6), 2329-2343. doi: <http://www.jneurosci.org/content/35/6/2329.short>

Eldridge, M. A. G., Lerchner, W., Saunders, R. C., Kaneko, H., Krausz, K. W., Gonzalez, F. J., . . . Richmond, B. J. (2015). Chemogenetic disconnection of monkey orbitofrontal and rhinal cortex reversibly disrupts reward value. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4192

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4192.html#suppl.....> <http://dx.doi.org/10.1038/nn.4192>

El-Gohary, Y., Tulachan, S., Guo, P., Welsh, C., Wiersch, J., Prasad, K., . . . Gittes, G. (2013). Smad signaling pathways regulate pancreatic endocrine development. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2013.04.003>. <http://www.sciencedirect.com/science/article/pii/S0012160613001723>

El-Gohary, Y., Tulachan, S., Wiersch, J., Guo, P., Welsh, C., Prasad, K., . . . Gittes, G. (2013). A smad signaling network regulates islet cell proliferation. *Diabetes*. doi: 10.2337/db13-0432. <http://diabetes.diabetesjournals.org/content/early/2013/09/23/db13-0432....>

Eliasieh, K., Liets, L. C., & Chalupa, L. M. (2007). Cellular reorganization in the human retina during normal aging. *Investigative Ophthalmology and Visual Science*, 48(6), 2824-2830. doi.

Elibol-Can, B., Kilic, E., Yuruker, S., & Jakubowska-Dogru, E. (2013). Investigation into the effects of prenatal alcohol exposure on postnatal spine development and expression of synaptophysin and PSD95 in rat hippocampus. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2013.12.003>. <http://www.sciencedirect.com/science/article/pii/S0736574813001767>

Ellender, T. J., Nissen, W., Colgin, L. L., Mann, E. O., & Paulsen, O. (2010). Priming of Hippocampal Population Bursts by Individual Perisomatic-Targeting Interneurons. *Journal of Neuroscience Methods*, 30(17), 5979-5991. doi: 10.1523/jneurosci.3962-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/17/5979>

Elliott, K. C., Wu, W., Bertram, R., Hyson, R. L., & Johnson, F. (2017). Orthogonal Topography In The Parallel Input Architecture Of Songbird HVC. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24189. <http://dx.doi.org/10.1002/cne.24189>

Elliott, K. C., Wu, W., Bertram, R., & Johnson, F. (2013). Disconnection of a basal ganglia circuit in juvenile songbirds attenuates THE SPECTRAL differentiation of SONG syllables. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22151. <http://dx.doi.org/10.1002/dneu.22151>

Elson, A. E. T., Dotson, C. D., Egan, J. M., & Munger, S. D. (2010). Glucagon signaling modulates sweet taste responsiveness. *The FASEB journal*, 24(10), 3960-3969. doi.

Elste, A. M., & Benson, D. L. (2006). Structural basis for developmentally regulated changes in cadherin function at synapses. *Journal of Comparative Neurology*, 495(3), 324-335. doi.

Elston, G. N., Oga, T., & Fujita, I. (2009). Spinogenesis and Pruning Scales across Functional Hierarchies. *Journal of Neuroscience*, 29(10), 3271-3275. doi: 10.1523/jneurosci.5216-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/10/3271>

Elston, G. N., Oga, T., Okamoto, T., & Fujita, I. (2010). Spinogenesis and pruning from early visual onset to adulthood: an intracellular injection study of layer III pyramidal cells in the ventral visual cortical pathway of the macaque monkey. *Cerebral Cortex*, 20(6), 1398-1408. doi.

Elston, G. N., Oga, T., Okamoto, T., & Fujita, I. (2011). Spinogenesis and pruning in the anterior ventral inferotemporal cortex of the macaque monkey: an intracellular injection study of layer III pyramidal cells. *Frontiers in Neuroanatomy*, 5. doi.

Elston, G. N., Okamoto, T., Oga, T., Dornan, D., & Fujita, I. (2010). Spinogenesis and pruning in the primary auditory cortex of the macaque monkey (*Macaca fascicularis*): An intracellular injection study of layer III pyramidal cells. *Brain Research*, 1316, 35-42. doi.

Éltes, T., Kirizs, T., Nusser, Z., & Holderith, N. (2017). Target cell type-dependent differences in Ca<sup>2+</sup> channel function underlie distinct release probabilities at hippocampal glutamatergic terminals. [10.1523/JNEUROSCI.2024-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/01/23/JNEUROSCI.2024-16.2017...>

Emmenegger, V., Qi, G., Wang, H., & Feldmeyer, D. (2018). Morphological and Functional Characterization of Non-fast-Spiking GABAergic Interneurons in Layer 4 Microcircuitry of Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhx352. <http://dx.doi.org/10.1093/cercor/bhx352>

Engelmann, J., Bacelo, J., van den Burg, E., & Grant, K. (2006). Sensory and Motor Effects of Etomidate Anesthesia. *Journal of Neurophysiology*, 95(2), 1231-1243. doi: 10.1152/jn.00405.2005. <http://jn.physiology.org/cgi/content/abstract/95/2/1231>

Engle, M. P., Merrill, M. A., de Prado, B. M., & Hammond, D. L. (2011). Spinal nerve ligation decreases  $\gamma$ -aminobutyric acid B receptors on specific populations of immunohistochemically-identified neurons in L5 dorsal root ganglion of the rat. *Journal of Comparative Neurology*. doi.

Enomoto, M., Bunge, M. B., & Tsoulfas, P. (2013). A multifunctional neurotrophin with reduced affinity to p75NTR enhances transplanted Schwann cell survival and axon growth after spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.013>. <http://www.sciencedirect.com/science/article/pii/S0014488613001866>

Enriquez-Barreto, L., Palazzetti, C., Brennaman, L. H., Maness, P. F., & Fairén, A. (2012). Neural cell adhesion molecule, NCAM, regulates thalamocortical axon pathfinding and the organization of the cortical somatosensory representation in mouse. *Frontiers in Molecular Neuroscience*, 5. doi.

Eom, T. Y., & Jope, R. S. (2009). Blocked inhibitory serine-phosphorylation of glycogen synthase kinase-3 $\alpha/\beta$  impairs in vivo neural precursor cell proliferation. *Biological Psychiatry*, 66(5), 494-502. doi.

Erbel-Sieler, C., Dudley, C., Zhou, Y., Wu, X., Estill, S. J., Han, T., . . . McKnight, S. L. (2004). Behavioral and regulatory abnormalities in mice deficient in the NPAS1 and NPAS3 transcription factors. *PNAS*, 101(37), 13648-13653. doi: <http://www.pnas.org/cgi/content/abstract/101/37/13648>

Erekat, N. S. (2016). Cerebellar Purkinje Cells Die by Apoptosis in the Shaker Mutant Rat. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.12.025>. <http://www.sciencedirect.com/science/article/pii/S0006899316308460>

Erekat, N. S. (2018). Active caspase-3 upregulation is augmented in at-risk cerebellar Purkinje cells following inferior olive chemoablation in the shaker mutant rat: an immunofluorescence study. *Neurological Research*, 1-8. doi: 10.1080/01616412.2018.1548792. <https://doi.org/10.1080/01616412.2018.1548792>

Erickson, S. L., & Lewis, D. A. (2004). Cortical connections of the lateral mediodorsal thalamus in cynomolgus monkeys. *Journal of Comparative Neurology*, 473(1), 107-127. doi.

Erisir, A., Levey, A. I., & Aoki, C. (2001). Muscarinic receptor M2 in cat visual cortex: Laminal distribution, relationship to  $\gamma$ -aminobutyric acidergic neurons, and effect of cingulate lesions. *Journal of Comparative Neurology*, 441(2), 168-185. doi.

Ernst, L., Darschnik, S., Roos, J., González-Gómez, M., Beemelmans, C., Beemelmans, C., . . . Wahle, P. (2018). Fast prenatal development of the NPY neuron system in the neocortex of the European wild boar, *Sus scrofa*. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1725-y. <https://doi.org/10.1007/s00429-018-1725-y>

Ertürk, A., Becker, K., Jährling, N., Mauch, C. P., Hojer, C. D., Egen, J. G., . . . Dodt, H. U. (2012). Three-dimensional imaging of solvent-cleared organs using 3DISCO. *Nature Protocols*, 7(11), 1983-1995. doi.

Esclapez, M., Hirsch, J. C., Ben-Ari, Y., & Bernard, C. (1999). Newly formed excitatory pathways provide a substrate for hyperexcitability in experimental temporal lobe epilepsy. *Journal of Comparative Neurology*, 408(4), 449-460. doi.

Esclapez, M., Hirsch, J. C., Khazipov, R., Ben-Ari, Y., & Bernard, C. (1997). Operative GABAergic inhibition in hippocampal CA1 pyramidal neurons in experimental epilepsy. *Proceedings of the National Academy of Sciences*, 94(22), 12151-12156. doi.

Escobar, C. M., Krajewski, S. J., Sandoval-Guzman, T., Voytko, M. L., & Rance, N. E. (2004). Neuropeptide Y Gene Expression Is Increased in the Hypothalamus of Older Women. *Journal of Clinical Endocrinological Metabolism*, 89(5), 2338-2343. doi: 10.1210/jc.2003-031899. <http://icem.endojournals.org/cgi/content/abstract/89/5/2338>

Espallergues, J., Teegarden, S. L., Veerakumar, A., Boulden, J., Challis, C., Jochems, J., . . . Berton, O. (2012). HDAC6 Regulates Glucocorticoid Receptor Signaling in Serotonin Pathways with Critical Impact on Stress Resilience. *Journal of Neuroscience*, 32(13), 4400-4416. doi: 10.1523/jneurosci.5634-11.2012. <http://www.jneurosci.org/content/32/13/4400.abstract>

Evans, R. C., Twedell, E. L., Zhu, M., Ascencio, J., Zhang, R., & Khaliq, Z. M. (2020). Functional Dissection of Basal Ganglia Inhibitory Inputs onto Substantia Nigra Dopaminergic Neurons. *Cell Reports*, 32(11), 108156. doi: <https://doi.org/10.1016/j.celrep.2020.108156>. <http://www.sciencedirect.com/science/article/pii/S2211124720311451>

Evers, J. F., Schmitt, S., Sibila, M., & Duch, C. (2005). Progress in Functional Neuroanatomy: Precise Automatic Geometric Reconstruction of Neuronal Morphology From Confocal Image Stacks. *Journal of Neurophysiology*, 93(4), 2331-2342. doi: 10.1152/jn.00761.2004. <http://jn.physiology.org/cgi/content/abstract/93/4/2331>

Evstratova, A., Chamberland, S., & Topolnik, L. (2011). Cell type-specific and activity-dependent dynamics of action potential-evoked Ca<sup>2+</sup> signals in dendrites of hippocampal inhibitory interneurons. *Journal of Physiology*, 589(8), 1957-1977. doi: 10.1113/jphysiol.2010.204255. <http://jp.physoc.org/content/589/8/1957.abstract>

Eyo, U., & Dailey, M. (2012). Effects of oxygen-glucose deprivation on microglial mobility and viability in developing mouse hippocampal tissues. *Glia*, 60, 1747 - 1760. doi.

Eyre, M. D., Antal, M., & Nusser, Z. (2008). Distinct Deep Short-Axon Cell Subtypes of the Main Olfactory Bulb Provide Novel Intrabulbar and Extrabulbar GABAergic Connections. *Journal of Neuroscience*, 28(33), 8217-8229. doi: 10.1523/jneurosci.2490-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/33/8217>

Eyre, M. D., Kerti, K., & Nusser, Z. (2009). Molecular diversity of deep short-axon cells of the rat main olfactory bulb. *European Journal of Neuroscience*, 29(7), 1397-1407. doi.

Eyre, M. D., & Nusser, Z. (2016). Only a minority of the inhibitory inputs to cerebellar Golgi cells originates from local GABAergic cells. [10.1523/ENEURO.0055-16.2016]. *eneuro*. doi. <http://eneuro.org/content/early/2016/05/09/ENEURO.0055-16.2016.abstract>

Eyre, M. D., Renzi, M., Farrant, M., & Nusser, Z. (2012). Setting the Time Course of Inhibitory Synaptic Currents by Mixing Multiple GABAA Receptor  $\alpha$  Subunit Isoforms. *Journal of Neuroscience*, 32(17), 5853-5867. doi: 10.1523/jneurosci.6495-11.2012. <http://www.jneurosci.org/content/32/17/5853.abstract>

Ezerman, E. B., & Forehand, C. J. (1996). Development and segmental organization of rostrocaudal dendrites of rat sympathetic preganglionic neurons. *Journal of the Autonomic Nervous System*, 57(1-2), 29-35. doi.

Fabel, K., Fabel, K., Tam, B., Kaufer, D., Baiker, A., Simmons, N., . . . Palmer, T. D. (2003). VEGF is necessary for exercise-induced adult hippocampal neurogenesis. *European Journal of*

Neuroscience, 18(10), 2803-2812. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2003.0304...>

Fabene, P. F., Correia, L., Carvalho, R. A., Cavalheiro, E. A., & Bentivoglio, M. (2001). The spiny rat *Proechimys guyannensis* as model of resistance to epilepsy: chemical characterization of hippocampal cell populations and pilocarpine-induced changes. *Neuroscience*, 104(4), 979-1002. doi.

Fabris, C., Ballarin, C., Massa, R., Granato, A., Fabiani, O., Panzica, G. C., & Cozzi, B. (2009). The vasotocinergic system in the hypothalamus and limbic region of the budgerigar (*Melopsittacus undulatus*). *European Journal of Histochemistry*, 48(4), 367-372. doi.

Faden, A. I., Fox, G. B., Di, X., Knobloch, S. M., Cernak, I., Mullins, P., . . . Kozikowski, A. P. (2003). Neuroprotective and Nootropic Actions of a Novel Cyclized Dipeptide After Controlled Cortical Impact Injury in Mice. *Journal of Cerebral Blood Flow AND Metabolism*, 23, 355-363. doi.

Fagel, D. M., Ganat, Y., Cheng, E., Silbereis, J., Ohkubo, Y., Ment, L. R., & Vaccarino, F. M. (2009). Fgfr1 Is Required for Cortical Regeneration and Repair after Perinatal Hypoxia. *Journal of Neuroscience*, 29(4), 1202-1211. doi: 10.1523/jneurosci.4516-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/4/1202>

Faherty, C. J., Kerley, D., & Smeyne, R. J. (2003). Golgi-Cox morphological analysis of neuronal changes induced by environmental enrichment. *Developmental Brain Research*, 141(1-2), 55-61. doi.

Fahimi, A., Baktir, M. A., Moghadam, S., Mojabi, F. S., Sumanth, K., McNerney, M. W., . . . Salehi, A. (2016). Physical exercise induces structural alterations in the hippocampal astrocytes: exploring the role of BDNF-TrkB signaling. [journal article]. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-016-1308-8. <http://dx.doi.org/10.1007/s00429-016-1308-8>

Fairén, A. (2007). Cajal and Lorente de Nó on cortical interneurons: Coincidences and progress. *Brain Research Reviews*, 55(2), 430-444. doi.

Fakira, A. K., Gaspers, L. D., Thomas, A. P., Li, H., Jain, M. R., & Elkabes, S. (2012). Purkinje cell dysfunction and delayed death in plasma membrane calcium ATPase 2-heterozygous mice. *Molecular and Cellular Neuroscience*, (0). doi: 10.1016/j.mcn.2012.07.001. <http://www.sciencedirect.com/science/article/pii/S1044743112001091>

Falcone, C., Wolf-Ochoa, M., Amina, S., Hong, T., Vakilzadeh, G., Hopkins, W. D., . . . Martínez-Cerdeño, V. (2018). Cortical interlaminar astrocytes across the therian mammal radiation. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24605. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24605>

Fan, C., Zheng, Y., Cheng, X., Qi, X., Bu, P., Luo, X., . . . Cao, Q. (2013). Transplantation of D15A-Expressing Glial-Restricted-Precursor-Derived Astrocytes Improves Anatomical and Locomotor Recovery after Spinal Cord Injury. *International Journal of Biological Sciences*, 9(1), 78. doi.



Fan, X. M., Hendley, E. D., & Forehand, C. J. (1995). Enhanced vascular neuropeptide Y-immunoreactive innervation in two hypertensive rat strains. *Hypertension*, 26(5), 758-763. doi:

Fan, X.-W., Chen, F., Chen, Y., Chen, G.-H., Liu, H.-H., Guan, S.-K., . . . Wu, K.-L. (2015). Electroacupuncture Prevents Cognitive Impairments by Regulating the Early Changes after Brain Irradiation in Rats. *PLoS ONE*, 10(4), e0122087. doi: 10.1371/journal.pone.0122087. <http://dx.doi.org/10.1371%2Fjournal.pone.0122087>

Fan, X.-W., Liu, H.-H., Wang, H.-B., Chen, F., Yang, Y., Chen, Y., . . . Wu, K.-L. (2017). Electroacupuncture Improves Cognitive Function and Hippocampal Neurogenesis after Brain Irradiation. *Radiation Research*, 0(0), null. doi: 10.1667/rr14561.1. <http://www.rjournal.org/doi/abs/10.1667/RR14561.1>

Fan, Y., Zou, B., Ruan, Y., Pang, Z., & Xu, Z. C. (2005). In Vivo Demonstration of a Late Depolarizing Postsynaptic Potential in CA1 Pyramidal Neurons. *Journal of Neurophysiology*, 93(3), 1326-1335. doi: 10.1152/jn.00734.2004. <http://jn.physiology.org/cgi/content/abstract/93/3/1326>

Fan, Z., Liang, Z., Yang, H., Pan, Y., Zheng, Y., & Wang, X. (2017). Tenuigenin protects dopaminergic neurons from inflammation via suppressing NLRP3 inflammasome activation in microglia. [journal article]. *Journal of Neuroinflammation*, 14(1), 256. doi: 10.1186/s12974-017-1036-x. <https://doi.org/10.1186/s12974-017-1036-x>

Fang, M., Lorke, D. E., Li, J., Gong, X., Yew, J. C. C., & Yew, D. T. (2005). Postnatal Changes in Functional Activities of the Pig's Brain: A Combined Functional Magnetic Resonance Imaging and Immunohistochemical Study. *Neurosignals*, 14(5), 222-233. doi: <http://www.karger.com/DOI/10.1159/000088638>

Faralli, A., Dagna, F., Albera, A., Bekku, Y., Oohashi, T., Albera, R., . . . Carulli, D. (2015). Modifications of perineuronal nets and remodelling of excitatory and inhibitory afferents during vestibular compensation in the adult mouse. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-015-1095-7. <http://dx.doi.org/10.1007/s00429-015-1095-7>

Fares, T., & Stepanyants, A. (2009). Cooperative synapse formation in the neocortex. *Proceedings of the National Academy of Sciences*, 106(38), 16463-16468. doi: 10.1073/pnas.0813265106. <http://www.pnas.org/content/106/38/16463.abstract>

Farfel-Becker, T., Vitner, E. B., Pressey, S. N. R., Eilam, R., Cooper, J. D., & Futerman, A. H. (2011). Spatial and temporal correlation between neuron loss and neuroinflammation in a mouse model of neuronopathic Gaucher disease. *Human Molecular Genetics*, 20(7), 1375-1386. doi: 10.1093/hmg/ddr019. <http://hmg.oxfordjournals.org/cgi/content/abstract/20/7/1375>

Fargo, K. N., & Sengelaub, D. R. (2004). Exogenous testosterone prevents motoneuron atrophy induced by contralateral motoneuron depletion. *Journal of Neurobiology*, 60(3), 348-359. doi:

Fargo, K. N., & Sengelaub, D. R. (2004). Testosterone manipulation protects motoneurons from dendritic atrophy after contralateral motoneuron depletion. *Journal of Comparative Neurology*, 469(1), 96-106. doi.

Fargo, K. N., & Sengelaub, D. R. (2007). Androgenic, but not estrogenic, protection of motoneurons from somal and dendritic atrophy induced by the death of neighboring motoneurons. *Developmental Neurobiology*, 67(8), 1094-1106. doi.

Farrell, M. R., Holland, F. H., Shansky, R. M., & Brenhouse, H. C. (2016). Sex-specific effects of early life stress on social interaction and prefrontal cortex dendritic morphology in young rats. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.05.009>, <http://www.sciencedirect.com/science/article/pii/S0166432816302753>

Farrow, K., Teixeira, M., Szikra, T., Viney, Tim J., Balint, K., Yonehara, K., & Roska, B. (2013). Ambient Illumination Toggles a Neuronal Circuit Switch in the Retina and Visual Perception at Cone Threshold. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.02.014>. <http://www.sciencedirect.com/science/article/pii/S0896627313001724>

Fasolino, M., Sabatini, P., Cuomo, T., & Liguori, G. (2004). Paraneoplastic subacute sensory neuropathy associated with anti-ri antibodies. *Journal of the Peripheral Nervous System*, 9(2), 109-109. doi.

Faulkner, J. R., Herrmann, J. E., Woo, M. J., Tansey, K. E., Doan, N. B., & Sofroniew, M. V. (2004). Reactive Astrocytes Protect Tissue and Preserve Function after Spinal Cord Injury. *Journal of Neuroscience*, 24(9), 2143-2155. doi. <http://www.jneurosci.org/cgi/content/abstract/24/9/2143>

Faunes, M., Botelho, J. F., & Wild, J. M. (2017). Innervation of the syrinx of the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24236. <http://dx.doi.org/10.1002/cne.24236>

Faunes, M., Fernández, S., Gutiérrez-Ibáñez, C., Iwaniuk, A. N., Wylie, D. R., Mpodozis, J., . . . Marin, G. (2012). Laminar segregation of GABAergic neurons in the avian nucleus isthmi pars magnocellularis: A retrograde tracer and comparative study. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23253. <http://dx.doi.org/10.1002/cne.23253>

Faunes, M., & Wild, J. M. (2017). The ascending projections of the nuclei of the descending trigeminal tract (nTTD) in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24247. <http://dx.doi.org/10.1002/cne.24247>

Faunes, M., & Wild, J. M. (2017). The sensory trigeminal complex and the organisation of its primary afferents in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24249. <http://dx.doi.org/10.1002/cne.24249>

Favero, M., & Castro-Alamancos, M. A. (2013). Synaptic Cooperativity Regulates Persistent Network Activity in Neocortex. *Journal of Neuroscience*, 33(7), 3151-3163. doi: 10.1523/jneurosci.4424-12.2013. <http://www.jneurosci.org/content/33/7/3151.abstract>

Fawley, J. A., Pouliot, W. A., & Dudek, F. E. (2011). Pilocarpine-induced status epilepticus and subsequent spontaneous seizures: lack of effect on the number of gonadotropin-releasing hormone-positive neurons in a mouse model of temporal lobe epilepsy. *Neuroscience*. doi.

Fazeli, W., Zappettini, S., Marguet, S. L., Grendel, J., Esclapez, M., Bernard, C., & Isbrandt, D. (2017). Early-life exposure to caffeine affects the construction and activity of cortical networks in mice. *Experimental Neurology*, 295, 88-103. doi: <https://doi.org/10.1016/j.expneurol.2017.05.013>, <http://www.sciencedirect.com/science/article/pii/S001448861730136X>

Fazio, R., Malaguti, M. C., Molinari, E., Previtali, S., Del Carro, U., Amadio, S., . . . Quattrini, A. (2004). CIDP associated with lung cancer: a paraneoplastic disease? *Journal of the Peripheral Nervous System*, 9(2), 108-108. doi:10.1111/j.1085-9489.2004.009209m.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Fazzari, P., Paternain, A. V., Valiente, M., Pla, R., Luján, R., Lloyd, K., . . . Rico, B. (2010). Control of cortical GABA circuitry development by Nrg1 and ErbB4 signalling. *Nature*, 464(7293), 1376-1380. doi.

Federer, F., Ichida, J. M., Jeffs, J., Schiessl, I., McLoughlin, N., & Angelucci, A. (2009). Four Projection Streams from Primate V1 to the Cytochrome Oxidase Stripes of V2. *Journal of Neuroscience*, 29(49), 15455-15471. doi: 10.1523/jneurosci.1648-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/49/15455>

Federer, F., Williams, D., Ichida, J. M., Merlin, S., & Angelucci, A. (2013). Two Projection Streams from Macaque V1 to the Pale Cytochrome Oxidase Stripes of V2. *Journal of Neuroscience*, 33(28), 11530-11539. doi: 10.1523/jneurosci.5053-12.2013. <http://www.jneurosci.org/content/33/28/11530.abstract>

Feingold, J., Desrochers, T. M., Fujii, N., Harlan, R., Tierney, P. L., Shimazu, H., . . . Graybiel, A. M. (2011). A system for recording neural activity chronically and simultaneously from multiple cortical and subcortical regions in non-human primates. *Journal of Neurophysiology*. doi.

Fekete, Z., Pálfi, E., Márton, G., Handbauer, M., Bérces, Z., Ulbert, I., . . . Négyessy, L. (2016). Combined in vivo recording of neural signals and iontophoretic injection of pathway tracers using a hollow silicon microelectrode. *Sensors and Actuators B: Chemical*. doi: <http://dx.doi.org/10.1016/j.snb.2015.12.099>, <http://www.sciencedirect.com/science/article/pii/S0925400515308236>

Feldmann, M., Beckmann, D., Eysel, U. T., & Manahan-Vaughan, D. (2018). Early Loss of Vision Results in Extensive Reorganization of Plasticity-Related Receptors and Alterations in Hippocampal Function That Extend Through Adulthood. *Cerebral Cortex*, bhy297-bhy297. doi: 10.1093/cercor/bhy297. <http://dx.doi.org/10.1093/cercor/bhy297>

Feldmeyer, D., Brecht, M., Helmchen, F., Petersen, C. C. H., Poulet, J. F. A., Staiger, J. F., . . . Schwarz, C. (2012). Barrel cortex function. *Progress in Neurobiology*, (0).

doi: <http://dx.doi.org/10.1016/j.pneurobio.2012.11.002>. <http://www.sciencedirect.com/science/article/pii/S0301008212001700>

Feldmeyer, D., Egger, V., Lubke, J., & Sakmann, B. (1999). Reliable synaptic connections between pairs of excitatory layer 4 neurones within a single 'barrel' of developing rat somatosensory cortex. *Journal of Physiology*, 521(1), 169-190. doi: <http://jp.physoc.org/cgi/content/abstract/521/1/169>

Feldmeyer, D., Kask, K., Brusa, R., Kornau, H.-C., Kolhekar, R., Rozov, A., . . . Seeburg, P. H. (1999). Neurological dysfunctions in mice expressing different levels of the Q/R site-unedited AMPAR subunit GluR-B. *Nature Neuroscience*, 2, 54-64. doi.

Feldmeyer, D., Lubke, J., & Sakmann, B. (2006). Efficacy and connectivity of intracolumnar pairs of layer 2/3 pyramidal cells in the barrel cortex of juvenile rats. *Journal of Physiology*, 575(2), 583-602. doi: 10.1113/jphysiol.2006.105106. <http://jp.physoc.org/cgi/content/abstract/575/2/583>

Feldmeyer, D., Lubke, J., Silver, R. A., & Sakmann, B. (2002). Synaptic connections between layer 4 spiny neurone- layer 2/3 pyramidal cell pairs in juvenile rat barrel cortex: physiology and anatomy of interlaminar signalling within a cortical column. *Journal of Physiology*, 538(3), 803-822. doi: 10.1113/jphysiol.2001.012959. <http://jp.physoc.org/cgi/content/abstract/538/3/803>

Feldmeyer, D., Qi, G., Emmenegger, V., & Staiger, J. F. (2017). Inhibitory interneurons and their circuit motifs in the many layers of the barrel cortex. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.027>. <http://www.sciencedirect.com/science/article/pii/S0306452217303524>

Feldmeyer, D., Roth, A., & Sakmann, B. (2005). Monosynaptic Connections between Pairs of Spiny Stellate Cells in Layer 4 and Pyramidal Cells in Layer 5A Indicate That Lemniscal and Paralemniscal Afferent Pathways Converge in the Infragranular Somatosensory Cortex. *Journal of Neuroscience*, 25(13), 3423-3431. doi: <http://www.jneurosci.org/cgi/content/abstract/25/13/3423>

Felleman, D. J., Xiao, Y., & McClendon, E. (1997). Modular Organization of Occipito-Temporal Pathways: Cortical Connections between Visual Area 4 and Visual Area 2 and Posterior Inferotemporal Ventral Area in Macaque Monkeys. *Journal of Neuroscience*, 17(9), 3185-3200. doi: <http://www.jneurosci.org/cgi/content/abstract/17/9/3185>

Fellous, J. M., Rudolph, M., Destexhe, A., & Sejnowski, T. J. (2003). Synaptic background noise controls the input/output characteristics of single cells in an in vitro model of in vivo activity. *Neuroscience*, 122(3), 811-829. doi.

Feng, N., Ning, G., & Zheng, X. (2005). A framework for simulating axon guidance. *Neurocomputing*, 68, 70-84. doi.

Fenrich, K. K., & Rose, P. K. (2009). Spinal Interneuron Axons Spontaneously Regenerate after Spinal Cord Injury in the Adult Feline. *Journal of Neuroscience*, 29(39), 12145-12158. doi:

10.1523/jneurosci.0897-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/39/12145>

Fenrich, K. K., & Rose, P. K. (2011). Axons with highly branched terminal regions successfully regenerate across spinal midline transections in the adult cat. *Journal of Comparative Neurology*, 519(16), 3240-3258. doi: 10.1002/cne.22686. <http://dx.doi.org/10.1002/cne.22686>

Fenrich, K. K., Skelton, N., MacDermid, V. E., Meehan, C. F., Armstrong, S., Neuber-Hess, M. S., & Rose, P. K. (2007). Axonal regeneration and development of de novo axons from distal dendrites of adult feline commissural interneurons after a proximal axotomy. *Journal of Comparative Neurology*, 502(6), 1079-1097. doi.

Fenstermaker, V., Chen, Y., Ghosh, A., & Yuste, R. (2004). Regulation of dendritic length and branching by semaphorin 3A. *Journal of Neurobiology*, 58(3), 403-412. doi.

Fenton, E. Y., Fournier, N. M., Lussier, A. L., Romay-Tallon, R., Caruncho, H. J., & Kalynchuk, L. E. (2015). Imipramine protects against the deleterious effects of chronic corticosterone on depression-like behavior, hippocampal reelin expression, and neuronal maturation. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.pnpbp.2015.02.001>. <http://www.sciencedirect.com/science/article/pii/S0278584615000275>

Ferdman, N., Murmu, R. P., Bock, J., Braun, K., & Leshem, M. (2007). Weaning age, social isolation, and gender, interact to determine adult explorative and social behavior, and dendritic and spine morphology in prefrontal cortex of rats. *Behavioural Brain Research*, 180(2), 174-182. doi.

Ferger, B., Leng, A., Mura, A., Hengerer, B., & Feldon, J. (2004). Genetic ablation of tumor necrosis factor- $\alpha$  and pharmacological inhibition of TNF-synthesis attenuates MPTP toxicity in mouse striatum. *Journal of Neurochemistry*, 89(4), 822-833. doi.

Fernandez, D. C., Chang, Y.-T., Hattar, S., & Chen, S.-K. (2016). Architecture of retinal projections to the central circadian pacemaker. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1523629113. <http://www.pnas.org/content/early/2016/05/05/1523629113.abstract>

Fernández de Cossío, L., Guzmán, A., van der Veldt, S., & Luheshi, G. N. (2016). Prenatal infection leads to ASD-like behavior and altered synaptic pruning in the mouse offspring. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.09.028>. <http://www.sciencedirect.com/science/article/pii/S0889159116304524>

Fernández, J., Fernández, L., Benavides-Piccione, R., Ballesteros-Yañez, I., DeFelipe, J., & Peña, J. M. (2010). A model for generating synthetic dendrites of cortical neurons. *Trends in Applied Intelligent Systems*, 129-138. doi.

Fernandez, K. A., Jeffers, P. W., Lall, K., Liberman, M. C., & Kujawa, S. G. (2015). Aging after Noise Exposure: Acceleration of Cochlear Synaptopathy in "Recovered" Ears. *The Journal of Neuroscience*, 35(19), 7509-7520. doi: <http://www.jneurosci.org/content/35/19/7509.short>

Fernández, M., Morales, C., Durán, E., Fernandez-Colleman, S., Sentis, E., Mpodozis, J., . . . Marin, G. J. (2019). Parallel organization of the avian sensorimotor arcopallium: Tectofugal visual Pathway in the pigeon (*Columba livia*). *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24775. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24775>

Fernández, M. E., Croce, S., Boutin, C., Cremer, H., & Raineteau, O. (2011). Targeted electroporation of defined lateral ventricular walls: a novel and rapid method to study fate specification during postnatal forebrain neurogenesis. *Neural Development*, 6(1), 1-12. doi:

Fernandez-Gonzalez, P., Benavides-Piccione, R., Leguey, I., Bielza, C., Larrañaga, P., & DeFelipe, J. (2016). Dendritic-branching angles of pyramidal neurons of the human cerebral cortex. [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-016-1311-0. <http://dx.doi.org/10.1007/s00429-016-1311-0>

Ferrante, A., Boussadia, Z., Borreca, A., Mallozzi, C., Pedini, G., Pacini, L., . . . Martire, A. (2021). Adenosine A2A receptor inhibition reduces synaptic and cognitive hippocampal alterations in Fmr1 KO mice. *Translational Psychiatry*, 11(1), 112. doi: 10.1038/s41398-021-01238-5. <https://doi.org/10.1038/s41398-021-01238-5>

Ferrante, M., Tahvildari, B., Duque, A., Hadzipasic, M., Salkoff, D., Zagha, E. W., . . . McCormick, D. A. (2016). Distinct Functional Groups Emerge from the Intrinsic Properties of Molecularly Identified Entorhinal Interneurons and Principal Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bhw143. <http://cercor.oxfordjournals.org/content/early/2016/06/06/cercor.bhw143...>

Ferrante, R. J., Andreassen, O. A., Dedeoglu, A., Ferrante, K. L., Jenkins, B. G., Hersch, S. M., & Beal, M. F. (2002). Therapeutic Effects of Coenzyme Q10 and Remacemide in Transgenic Mouse Models of Huntington's Disease. *Journal of Neuroscience*, 22(5), 1592-1599. doi: <http://www.jneurosci.org/cgi/content/abstract/22/5/1592>

Ferrante, R. J., Andreassen, O. A., Jenkins, B. G., Dedeoglu, A., Kuemmerle, S., Kubilus, J. K., . . . Beal, M. F. (2000). Neuroprotective Effects of Creatine in a Transgenic Mouse Model of Huntington's Disease. *Journal of Neuroscience*, 20(12), 4389-4397. doi: <http://www.jneurosci.org/cgi/content/abstract/20/12/4389>

Ferrante, R. J., Klein, A. M., Dedeoglu, A., & Flint Beal, M. (2001). Therapeutic efficacy of EGb761 (Gingko biloba extract) in a transgenic mouse model of amyotrophic lateral sclerosis. *Journal of Molecular Neuroscience*, 17(1), 89-96. doi:

Ferrante, R. J., Kubilus, J. K., Lee, J., Ryu, H., Beesen, A., Zucker, B., . . . Hersch, S. M. (2003). Histone Deacetylase Inhibition by Sodium Butyrate Chemotherapy Ameliorates the Neurodegenerative Phenotype in Huntington's Disease Mice. *Journal of Neuroscience*, 23(28), 9418-9427. doi: <http://www.jneurosci.org/cgi/content/abstract/23/28/9418>



Ferrante, R. J., Ryu, H., Kubilus, J. K., D'Mello, S., Sugars, K. L., Lee, J., . . . Ratan, R. R. (2004). Chemotherapy for the Brain: The Antitumor Antibiotic Mithramycin Prolongs Survival in a Mouse Model of Huntington's Disease. *Journal of Neuroscience*, 24(46), 10335-10342. doi: <http://www.jneurosci.org/cgi/content/abstract/24/46/10335>

Ferrarese, L., Jouhanneau, J.-S., Remme, M. W. H., Kremkow, J., Katona, G., Rózsa, B., . . . Poulet, J. F. A. (2018). Dendrite-Specific Amplification of Weak Synaptic Input during Network Activity In Vivo. *Cell Reports*, 24(13), 3455-3465.e3455. doi: <https://doi.org/10.1016/j.celrep.2018.08.088>, <http://www.sciencedirect.com/science/article/pii/S2211124718314074>

Ferrari, D. C., Mdzomba, B. J., Dehorter, N., Lopez, C., Michel, F. J., Libersat, F., & Hammond, C. (2012). Midbrain dopaminergic neurons generate calcium and sodium currents and release dopamine in the striatum of pups. [Original Research]. *Frontiers in Cellular Neuroscience*, 6. doi: 10.3389/fncel.2012.00007. [http://www.frontiersin.org/Journal/Abstract.aspx?s=156&name=cellular\\_neu...](http://www.frontiersin.org/Journal/Abstract.aspx?s=156&name=cellular_neu...)

Ferrari, S., Cavallaro, T., Lanzafame, M., Malena, M., & Rizzuto, N. (2004). Painful neuropathy vasculitis in HIV infection. *Journal of the Peripheral Nervous System*, 9(2), 123-124. doi: 10.1111/j.1085-9489.2004.009209bl.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Ferreira, J. G. P., Duarte, J. C. G., Diniz, G. B., & Bittencourt, J. C. (2017). Litter size determines the number of melanin-concentrating hormone neurons in the medial preoptic area of Sprague Dawley lactating dams. *Physiology and Behavior*. doi: <http://dx.doi.org/10.1016/j.physbeh.2017.08.028>, <http://www.sciencedirect.com/science/article/pii/S0031938417302664>

Ferreira, T. A., Iacono, L. L., & Gross, C. T. (2010). Serotonin receptor 1A modulates actin dynamics and restricts dendritic growth in hippocampal neurons. *European Journal of Neuroscience*, 32(1), 18-26. doi.

Festa, L., Gutoskey, C. J., Graziano, A., Waterhouse, B. D., & Meucci, O. (2015). Induction of Interleukin-1 $\beta$  by Human Immunodeficiency Virus-1 Viral Proteins Leads to Increased Levels of Neuronal Ferritin Heavy Chain, Synaptic Injury, and Deficits in Flexible Attention. *The Journal of Neuroscience*, 35(29), 10550-10561. doi: <http://www.jneurosci.org/content/35/29/10550.short>

Fetoni, A. R., De Bartolo, P., Eramo, S. L. M., Rolesi, R., Paciello, F., Bergamini, C., . . . Troiani, D. (2013). Noise-Induced Hearing Loss (NIHL) as a Target of Oxidative Stress-Mediated Damage: Cochlear and Cortical Responses after an Increase in Antioxidant Defense. *Journal of Neuroscience*, 33(9), 4011-4023. doi: 10.1523/jneurosci.2282-12.2013. <http://www.jneurosci.org/content/33/9/4011.abstract>

Fiala, J. C. (2005). Reconstruct: a free editor for serial section microscopy. *Journal of Microscopy*, 218(1), 52-61. doi: 10.1111/j.1365-2818.2005.01466.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2818.2005.01466.x>

Fieblinger, T., & Cenci, M. A. (2015). Zooming in on the small: The plasticity of striatal dendritic spines in L-DOPA-Induced dyskinesia. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.26139. <http://dx.doi.org/10.1002/mds.26139>

Fieblinger, T., Graves, S. M., Sebel, L. E., Alcacer, C., Plotkin, J. L., Gertler, T. S., . . . Cenci, M. A. (2014). Cell type-specific plasticity of striatal projection neurons in parkinsonism and L-DOPA-induced dyskinesia. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/141031/ncomms6316/full/ncomms6316.html>

Fiesel, F. C., Schurr, C., Weber, S. S., & Kahle, P. J. (2011). TDP-43 knockdown impairs neurite outgrowth dependent on its target histone deacetylase 6. *Molecular neurodegeneration*, 6(1), 1-10. doi.

Filho, C. S., de Lima, C. M., Fôro, C. A. R., de Oliveira, M. A., Magalhães, N. G. M., Diniz, C. G., . . . Diniz, C. W. P. (2014). Visuospatial learning and memory in the Cebus apella and microglial morphology in the molecular layer of the dentate gyrus and CA1 lacunosum molecular layer. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.10.001>. <http://www.sciencedirect.com/science/article/pii/S0891061814000908>

Filiano, A. J., Martens, L. H., Young, A. H., Warmus, B. A., Zhou, P., Diaz-Ramirez, G., . . . Roberson, E. D. (2013). Dissociation of Frontotemporal Dementia-Related Deficits and Neuroinflammation in Progranulin Haploinsufficient Mice. *Journal of Neuroscience*, 33(12), 5352-5361. doi: 10.1523/jneurosci.6103-11.2013. <http://www.jneurosci.org/content/33/12/5352.abstract>

Filipchuk, A. A., & Durand, J. (2012). Postnatal dendritic development in lumbar motoneurons in mutant superoxide dismutase 1 mouse model of amyotrophic lateral sclerosis. *Neuroscience*. doi.

Filipovic, R., Rakic, S., & Zecevic, N. (2002). Expression of Golgi proteins in adult human brain and multiple sclerosis lesions. *Journal of Neuroimmunology*, 127(1), 1-12. doi.

Fillinger, C., Yalcin, I., Barrot, M., & Veinante, P. (2016). Afferents to anterior cingulate areas 24a and 24b and midcingulate areas 24a' and 24b' in the mouse. [journal article]. *Brain Structure and Function*, 1-24. doi: 10.1007/s00429-016-1290-1. <http://dx.doi.org/10.1007/s00429-016-1290-1>

Fink, J. S., Kalda, A., Ryu, H., Stack, E. C., Schwarzschild, M. A., Chen, J.-F., & Ferrante, R. J. (2004). Genetic and pharmacological inactivation of the adenosine A2A receptor attenuates 3-nitropropionic acid-induced striatal damage. *Journal of Neurochemistry*, 88(3), 538-544. doi: doi:10.1046/j.1471-4159.2003.02145.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1471-4159.2003.02145.x>

Finkelstein, Y., Milatovic, D., Lazarovici, P., Ophir, A., Richter, E. D., Aschner, M., . . . others. (2010). Peaceful use of disastrous neurotoxicants. *Neurotoxicology*, 31(5), 608-620. doi.

Finlay, B. L., Charvet, C. J., Bastille, I., Cheung, D. T., Muniz, J. A. P. C., & de Lima Silveira, L. C. (2013). Scaling the primate lateral geniculate nucleus: Niche and neurodevelopment in the

regulation of magnocellular and parvocellular cell number and nucleus volume. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23505. <http://dx.doi.org/10.1002/cne.23505>

Fino, E., & Yuste, R. (2011). Dense inhibitory connectivity in neocortex. *Neuron*, 69(6), 1188-1203. doi.

Finsterwald, C., Fiumelli, H., Cardinaux, J.-R., & Martin, J.-L. (2010). Regulation of Dendritic Development by BDNF Requires Activation of CRTC1 by Glutamate. *Journal of Biological Chemistry*, 285(37), 28587-28595. doi: 10.1074/jbc.M110.125740. <http://www.jbc.org/content/285/37/28587.abstract>

Finsterwald, C., & Martin, J.-L. (2011). Cellular mechanisms underlying the regulation of dendritic development by hepatocyte growth factor. *European Journal of Neuroscience*, 34(7), 1053-1061. doi: 10.1111/j.1460-9568.2011.07839.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07839.x>

Florentino, H., Kuczewski, N., Diabira, D., Ferrand, N., Pangalos, M. N., Porcher, C., & Gaiarsa, J.-L. (2009). GABAB Receptor Activation Triggers BDNF Release and Promotes the Maturation of GABAergic Synapses. *Journal of Neuroscience*, 29(37), 11650-11661. doi: 10.1523/jneurosci.3587-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/37/11650>

Fischer, A. K., von Rosenstiel, P., Fuchs, E., Goula, D., Almeida, O. F. X., & Czéh, B. (2002). The prototypic mineralocorticoid receptor agonist aldosterone influences neurogenesis in the dentate gyrus of the adrenalectomized rat. *Brain Research*, 947(2), 290-293. doi.

Fischer, T., Faus-Kessler, T., Welzl, G., Simeone, A., Wurst, W., & Prakash, N. (2011). Fgf15-mediated control of neurogenic and proneural gene expression regulates dorsal midbrain neurogenesis. *Developmental Biology*, 350(2), 496-510. doi.

Fish, K. N., Gonzales-Burgos, G., Zaitsev, A. V., & Lewis, D. A. (2012). Histological characterization of physiologically determined fast spiking interneurons in slices of the primate dorsolateral prefrontal cortex. *Isolated Central Nervous System Circuits* (Ed K Ballanyi), *Neuromethods Series*, 73, 159-181. doi.

Fiske, B. K., & Brunjes, P. C. (2001). Cell death in the developing and sensory-deprived rat olfactory bulb. *Journal of Comparative Neurology*, 431(3), 311-319. doi.

Fitting, S., Booze, R. M., & Mactutus, C. F. (2006). Neonatal hippocampal Tat injections: developmental effects on prepulse inhibition (PPI) of the auditory startle response. *International Journal of Developmental Neuroscience*, 24(4), 275-283. doi.

Fitzgerald, P. J., Lane, J. W., Thakur, P. H., & Hsiao, S. S. (2004). Receptive Field Properties of the Macaque Second Somatosensory Cortex: Evidence for Multiple Functional Representations. *Journal of Neuroscience*, 24(49), 11193-11204. doi: 10.1523/jneurosci.3481-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/49/11193>

Fitzgerald, P. J., Lane, J. W., Thakur, P. H., & Hsiao, S. S. (2006). Receptive Field (RF) Properties of the Macaque Second Somatosensory Cortex: RF Size, Shape, and Somatotopic Organization. *Journal of Neuroscience*, 26(24), 6485-6495. doi: 10.1523/jneurosci.5061-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/24/6485>

Fitzgerald, P. J., Lane, J. W., Thakur, P. H., & Hsiao, S. S. (2006). Receptive Field Properties of the Macaque Second Somatosensory Cortex: Representation of Orientation on Different Finger Pads. *Journal of Neuroscience*, 26(24), 6473-6484. doi: 10.1523/jneurosci.5057-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/24/6473>

FitzGibbon, T. (2006). Does the development of the perigeniculate nucleus support the notion of a hierarchical progression within the visual pathway? *Neuroscience*, 140(2), 529-546. doi.

FitzGibbon, T. (2007). Do first order and higher order regions of the thalamic reticular nucleus have different developmental timetables? *Experimental Neurology*, 204(1), 339-354. doi.

FitzGibbon, T. (2007). Do first order and higher order regions of the thalamic reticular nucleus have different developmental timetables? *Experimental Neurology*, 204(1), 339-354. doi.

FitzGibbon, T., Eriköz, B., Grünert, U., & Martin, P. R. (2015). Analysis of the lateral geniculate nucleus in dichromatic and trichromatic marmosets. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23772. <http://dx.doi.org/10.1002/cne.23772>

Fitzgibbon, T., Szmajda, B. A., Martin, P. R., Adams, J. C., Ahlsen, G., Lindstrom, S., . . . Avanzini, G. (2007). First order connections of the visual sector of the thalamic reticular nucleus in marmoset monkeys (*Callithrix jacchus*). *Visual Neuroscience*, 24(6), 857-857. doi.

Fiumelli, H., Briner, A., Puskarjov, M., Blaesse, P., Belem, B. J., Dayer, A. G., . . . Vutskits, L. (2012). An Ion Transport-Independent Role for the Cation-Chloride Cotransporter KCC2 in Dendritic Spinogenesis In Vivo. *Cerebral Cortex*, bhs027. doi: 10.1093/cercor/bhs027. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhs027v1>

Flanigan, T. J., Anderson, J. E., Elayan, I., Allen, A. R., & Ferguson, S. A. (2017). Effects of Cyclophosphamide (CYP) and/or Doxorubicin (DOX) in a Murine Model of Post-Chemotherapy Cognitive Impairment. *Toxicological Sciences*, kfx267-kfx267. doi: 10.1093/toxsci/kfx267. <http://dx.doi.org/10.1093/toxsci/kfx267>

Fletcher, L. N., & Williams, S. R. (2018). Neocortical Topology Governs the Dendritic Integrative Capacity of Layer 5 Pyramidal Neurons. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.10.048>. <http://www.sciencedirect.com/science/article/pii/S0896627318309565>

Florencia, M., A., S. C., & Carol, M. (2018). Distinct timing of neurogenesis of ipsilateral and contralateral retinal ganglion cells. *Journal of Comparative Neurology*, o(ja). doi: 10.1002/cne.24467. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24467>

Flores, C., Wen, X., Labelle-Dumais, C., & Kolb, B. (2007). Chronic phencyclidine treatment increases dendritic spine density in prefrontal cortex and nucleus accumbens neurons. *Synapse*, 61(12), 978-984. doi.

Flores, C. E., Nikonenko, I., Mendez, P., Fritschy, J.-M., Tyagarajan, S. K., & Muller, D. (2014). Activity-dependent inhibitory synapse remodeling through gephyrin phosphorylation. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1411170112. <http://www.pnas.org/content/early/2014/12/17/1411170112.abstract>

Flügel, A., Berkowicz, T., Ritter, T., Labeur, M., Jenne, D. E., Li, Z., . . . Wekerle, H. (2001). Migratory activity and functional changes of green fluorescent effector cells before and during experimental autoimmune encephalomyelitis. *Immunity*, 14(5), 547-560. doi.

Foeller, E., Celikel, T., & Feldman, D. E. (2005). Inhibitory Sharpening of Receptive Fields Contributes to Whisker Map Plasticity in Rat Somatosensory Cortex. *Journal of Neurophysiology*, 94(6), 4387-4400. doi: 10.1152/jn.00553.2005. <http://jn.physiology.org/cgi/content/abstract/94/6/4387>

Fogaça, M. V., Campos, A. C., Coelho, L. D., Duman, R. S., & Guimarães, F. S. (2018). The anxiolytic effects of cannabidiol in chronically stressed mice are mediated by the endocannabinoid system: Role of neurogenesis and dendritic remodeling. *Neuropharmacology*, 135, 22-33. doi: <https://doi.org/10.1016/j.neuropharm.2018.03.001> <https://www.sciencedirect.com/science/article/pii/S0028390818301023>

Fogarty, M. J., Kanjhan, R., Bellingham, M. C., & Noakes, P. G. (2016). Glycinergic Neurotransmission: A Potent Regulator of Embryonic Motor Neuron Dendritic Morphology and Synaptic Plasticity. *The Journal of Neuroscience*, 36(1), 80-87. doi. <http://www.jneurosci.org/content/36/1/80.short>

Fogarty, M. J., Kanjhan, R., Yanagawa, Y., Noakes, P. G., & Bellingham, M. C. (2017). Alterations in hypoglossal motor neurons due to GAD67 and VGAT deficient mice. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.12.004> <http://www.sciencedirect.com/science/article/pii/S0014488616304046>

Fogarty, M. J., Klenowski, P. M., Lee, J. D., Drieberg-Thompson, J. R., Bartlett, S. E., Ngo, S. T., . . . Noakes, P. G. (2016). Cortical synaptic and dendritic spine abnormalities in a presymptomatic TDP-43 model of amyotrophic lateral sclerosis. [Article]. *Scientific Reports*, 6, 37968. doi: 10.1038/srep37968. <http://dx.doi.org/10.1038/srep37968>

Fogarty, M. J., Mu, E. W. H., Lavidis, N. A., Noakes, P. G., & Bellingham, M. C. (2017). Motor Areas Show Altered Dendritic Structure in an Amyotrophic Lateral Sclerosis Mouse Model. [Original Research]. *Frontiers in Neuroscience*, 11(609). doi: 10.3389/fnins.2017.00609. <https://www.frontiersin.org/article/10.3389/fnins.2017.00609>

Fogarty, M. J., Mu, E. W. H., Lavidis, N. A., Noakes, P. G., & Bellingham, M. C. (2019). Size-dependent vulnerability of lumbar motor neuron dendritic degeneration in SOD1G93A mice.

The anatomical record, 0(ja). doi:

10.1002/ar.24255. <https://anatomypubs.onlinelibrary.wiley.com/doi/abs/10.1002/ar.24255>

Fogarty, M. J., Mu, E. W. H., Noakes, P. G., Lavidis, N. A., & Bellingham, M. C. (2016). Marked changes in dendritic structure and spine density precede significant neuronal death in vulnerable cortical pyramidal neuron populations in the SOD1G93A mouse model of amyotrophic lateral sclerosis. [journal article]. *Acta Neuropathologica Communications*, 4(1), 1-21. doi: 10.1186/s40478-016-0347-y. <http://dx.doi.org/10.1186/s40478-016-0347-y>

Fogarty, M. J., Noakes, P. G., & Bellingham, M. C. (2015). Motor Cortex Layer V Pyramidal Neurons Exhibit Dendritic Regression, Spine Loss, and Increased Synaptic Excitation in the Presymptomatic hSOD1G93A Mouse Model of Amyotrophic Lateral Sclerosis. *The Journal of Neuroscience*, 35(2), 643-647. doi: <http://www.jneurosci.org/content/35/2/643.short>

Fohlmeister, J. F., Cohen, E. D., & Newman, E. A. (2010). Mechanisms and distribution of ion channels in retinal ganglion cells: Using temperature as an independent variable. *Journal of Neurophysiology*, 00123.02009. doi:

10.1152/jn.00123.2009. <http://jn.physiology.org/cgi/content/abstract/00123.2009v1>

Földy, C., Malenka, Robert C., & Südhof, Thomas C. (2013). Autism-Associated Neuroligin-3 Mutations Commonly Disrupt Tonic Endocannabinoid Signaling. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.02.036>. <http://www.sciencedirect.com/science/article/pii/S0896627313002250>

Fong, A. Y., & Potts, J. T. (2006). Neurokinin-1 receptor activation in Botzinger complex evokes bradypnoea. *Journal of Physiology*, 575(3), 869-885. doi:

10.1113/jphysiol.2006.114314. <http://jp.physoc.org/cgi/content/abstract/575/3/869>

Fonken, L. K., Kitsmiller, E., Smale, L., & Nelson, R. J. (2012). Dim Nighttime Light Impairs Cognition and Provokes Depressive-Like Responses in a Diurnal Rodent. *Journal of Biological Rhythms*, 27(4), 319-327. doi:

10.1177/0748730412448324. <http://jbr.sagepub.com/content/27/4/319.abstract>

Fonken, L. K., Xu, X., Weil, Z. M., Chen, G., Sun, Q., Rajagopalan, S., & Nelson, R. J. (2011). Air pollution impairs cognition, provokes depressive-like behaviors and alters hippocampal cytokine expression and morphology. *Molecular Psychiatry*.

doi: <http://www.nature.com/mp/journal/vaop/ncurrent/suppinfo/mp201176s1.html>. <http://dx.doi.org/10.1038/mp.2011.76>

Fontilla, M. F., & Peterson, E. H. (2000). Kinocilia heights on utricular hair cells. *Hearing Research*, 145(1-2), 8-16. doi:

Foo, K. S., Hellysaz, A., & Broberger, C. (2014). Expression and colocalization patterns of calbindin-D28K, calretinin and parvalbumin in the rat hypothalamic arcuate nucleus. *Journal of Chemical Neuroanatomy*, (0).

doi: <http://dx.doi.org/10.1016/j.jchemneu.2014.06.008>. <http://www.sciencedirect.com/science/article/pii/S0891061814000490>



Forehand, C. J. (1990). Morphology of sympathetic preganglionic neurons in the neonatal rat spinal cord: An intracellular horseradish peroxidase study. *Journal of Comparative Neurology*, 298(3), 334-342. doi: <http://dx.doi.org/10.1002/cne.902980306>

Forehand, C. J., & Konopka, L. M. (1989). Frog sympathetic ganglion cells have local axon collaterals. *Journal of Comparative Neurology*, 289(2), 294-303. doi: <http://dx.doi.org/10.1002/cne.902890209>

Forgione, N., Karadimas, S. K., Foltz, W. D., Satkunendrarajah, K., Lip, A., & Fehlings, M. (2014). Bilateral Contusion-Compression Model of Incomplete Traumatic Cervical Spinal Cord Injury (SCI). *Journal of Neurotrauma*, (ja). doi: <http://online.liebertpub.com/doi/abs/10.1089/neu.2014.3388>

Fornai, M., Pellegrini, C., Antonioli, L., Segnani, C., Ippolito, C., Barocelli, E., . . . Colucci, R. (2015). Enteric dysfunctions in experimental Parkinson's disease: alterations of excitatory cholinergic neurotransmission regulating colonic motility in rats. *Journal of Pharmacology and Experimental Therapeutics*. doi: 10.1124/jpet.115.228510. <http://jpet.aspetjournals.org/content/early/2015/11/18/jpet.115.228510.a...>

Forner, S., Martini, A. C., Prieto, G. A., Dang, C. T., Rodriguez-Ortiz, C. J., Reyes-Ruiz, J. M., . . . LaFerla, F. M. (2019). Intra- and extracellular  $\beta$ -amyloid overexpression via adeno-associated virus-mediated gene transfer impairs memory and synaptic plasticity in the hippocampus. *Scientific Reports*, 9(1), 15936. doi: 10.1038/s41598-019-52324-0. <https://doi.org/10.1038/s41598-019-52324-0>

Forny-Germano, L., e Silva, N. M. L., Batista, A. F., Brito-Moreira, J., Gralle, M., Boehnke, S. E., . . . Martinez, A. M. B. (2014). Alzheimer's Disease-Like Pathology Induced by Amyloid- $\beta$  Oligomers in Nonhuman Primates. *The Journal of Neuroscience*, 34(41), 13629-13643. doi: <http://www.jneurosci.org/content/34/41/13629.short>

Forro, T., Valenti, O., Lasztocki, B., & Klausberger, T. (2013). Temporal Organization of GABAergic Interneurons in the Intermediate CA1 Hippocampus During Network Oscillations. *Cerebral Cortex*. doi: 10.1093/cercor/bht316. <http://cercor.oxfordjournals.org/content/early/2013/11/22/cercor.bht316...>

Forsberg, K., Wuttke, A., Quadrato, G., Chumakov, P. M., Wizenmann, A., & Di Giovanni, S. (2013). The Tumor Suppressor p53 Fine-Tunes Reactive Oxygen Species Levels and Neurogenesis via PI3 Kinase Signaling. *Journal of Neuroscience*, 33(36), 14318-14330. doi: 10.1523/jneurosci.1056-13.2013. <http://www.jneurosci.org/content/33/36/14318.abstract>

Förstera, E., Bartosb, M., & Zhaoa, S. (2005). Hippocampal Slice Cultures. *Hippocampus*, 3, 9-9. doi.

Fortun, J., Puzis, R., Pearse, D. D., Gage, F. H., & Bunge, M. B. (2009). Muscle injection of AAV-NT3 promotes anatomical reorganization of CST axons and improves behavioral outcome following SCI. *Journal of Neurotrauma*, 26(7), 941-953. doi.

Fortuna, M. G., Kügler, S., & Hülsmann, S. (2018). Probing the function of glycinergic neurons in the mouse respiratory network using optogenetics. *Respiratory physiology & neurobiology*. doi: <https://doi.org/10.1016/j.resp.2018.10.008>. <http://www.sciencedirect.com/science/article/pii/S1569904818300740>

Fortuna, M. G., Stornetta, R. L., West, G. H., & Guyenet, P. G. (2009). Activation of the retrotrapezoid nucleus by posterior hypothalamic stimulation. *Journal of Physiology*, 587(21), 5121-5138. doi: 10.1113/jphysiol.2009.176875. <http://jp.physoc.org/content/587/21/5121.abstract>

Foscarin, S., Gianola, S., Carulli, D., Fazzari, P., Mi, S., Tamagnone, L., & Rossi, F. (2009). Overexpression of GAP-43 modifies the distribution of the receptors for myelin-associated growth-inhibitory proteins in injured Purkinje axons. *European Journal of Neuroscience*, 30(10), 1837-1848. doi.

Foscarin, S., Ponchione, D., Pajaj, E., Leto, K., Gawlak, M., Wilczynski, G. M., . . . Carulli, D. (2011). Experience-dependent plasticity and modulation of growth regulatory molecules at central synapses. *PLoS ONE*, 6(1), e16666-e16666. doi.

Fossati, S., Candiani, S., Nödl, M.-T., Maragliano, L., Pennuto, M., Domingues, P., . . . Zullo, L. (2014). Identification and Expression of Acetylcholinesterase in Octopus vulgaris Arm Development and Regeneration: a Conserved Role for ACHE? *Molecular Neurobiology*, 1-12. doi: 10.1007/s12035-014-8842-2. <http://dx.doi.org/10.1007/s12035-014-8842-2>

Fournier, N. M., Botterill, J. J., Marks, W. N., Guskjolen, A. J., & Kalynchuk, L. E. (2012). Impaired recruitment of seizure-generated neurons into functional memory networks of the adult dentate gyrus following long-term amygdala kindling. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2012.11.031>. <http://www.sciencedirect.com/science/article/pii/S0014488612004487>

Fowler, M. A., Sidiropoulou, K., Ozkan, E. D., Phillips, C. W., & Cooper, D. C. (2007). Corticolimbic expression of TRPC4 and TRPC5 channels in the rodent brain. *PLoS ONE*, 2(6), e573-e573. doi.

Fox, C., Dingman, A., Derugin, N., Wendland, M. F., Manabat, C., Ji, S., . . . Vexler, Z. S. (2005). Minocycline confers early but transient protection in the immature brain following focal cerebral ischemia-reperfusion. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Foxworthy, W. A., Clemo, H. R., & Meredith, M. A. (2012). Laminar and connective organization of a multisensory cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23264. <http://dx.doi.org/10.1002/cne.23264>

Foxworthy, W. A., & Meredith, M. A. (2011). An examination of somatosensory area SIII in ferret cortex. *Somatosensory - 38; Motor Research*, 28, 1(2), 1-10. doi.

Francis, H. W., Rivas, A., Lehar, M., & Ryugo, D. K. (2004). Two types of afferent terminals innervate cochlear inner hair cells in C57BL/6J mice. *Brain Research*, 1016(2), 182-194. doi.

Francis, H. W., Rivas, A., Lehar, M., Saito, Y., Mouton, P. R., & Ryugo, D. K. (2006). Efficient quantification of afferent cochlear ultrastructure using design-based stereology. *Journal of Neuroscience Methods*, 150(2), 150-158. doi.

Franco, A., Knafo, S., Banon-Rodriguez, I., Merino-Serrais, P., Fernaud-Espinosa, I., Nieto, M., . . . Anton, I. M. (2011). WIP Is a Negative Regulator of Neuronal Maturation and Synaptic Activity. *Cerebral Cortex*, bhr199. doi: 10.1093/cercor/bhr199. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr199v1>

Frandolig, J. E., Matney, C. J., Lee, K., Kim, J., Chevée, M., Kim, S.-J., . . . Brown, S. P. (2019). The Synaptic Organization of Layer 6 Circuits Reveals Inhibition as a Major Output of a Neocortical Sublamina. *Cell Reports*, 28(12), 3131-3143.e3135. doi: <https://doi.org/10.1016/j.celrep.2019.08.048> <http://www.sciencedirect.com/science/article/pii/S2211124719310964>

Frank, M., Schaeren-Wiemers, N., Schneider, R., & Schwab, M. E. (1999). Developmental Expression Pattern of the Myelin Proteolipin MAL Indicates Different Functions of MAL for Immature Schwann Cells and in a Late Step of CNS Myelinogenesis. *Journal of Neurochemistry*, 73(2), 587-597. doi: <http://www.jneurochem.org/cgi/content/abstract/73/2/587>

Frank, N. Y., Schatton, T., Kim, S., Zhan, Q., Wilson, B. J., Ma, J., . . . Frank, M. H. (2011). VEGFR-1 Expressed by Malignant Melanoma-Initiating Cells Is Required for Tumor Growth. *Cancer Research*, 71(4), 1474-1485. doi: 10.1158/0008-5472.can-10-1660. <http://cancerres.aacrjournals.org/content/71/4/1474.abstract>

Frankel, S., Concannon, J., Brusky, K., Pietrowicz, E., Giorgianni, S., Thompson, W. D., & Currie, D. A. (2009). Arsenic exposure disrupts neurite growth and complexity in vitro. *Neurotoxicology*, 30(4), 529-537. doi.

Frankle, W. G., Laruelle, M., & Haber, S. N. (2006). Prefrontal Cortical Projections to the Midbrain in Primates: Evidence for a Sparse Connection. *Neuropsychopharmacology*, 31, 1627-1636. doi.

Franklin, S. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2006). Unilateral cochlear ablation before hearing onset disrupts the maintenance of dorsal nucleus of the lateral lemniscus projection patterns in the rat inferior colliculus. *Neuroscience*, 143(1), 105-115. doi.

Franklin, S. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2008). Bilateral cochlear ablation in postnatal rat disrupts development of banded pattern of projections from the dorsal nucleus of the lateral lemniscus to the inferior colliculus. *Neuroscience*, 154(1), 346-354. doi.

Franklin, T. C., Wohleb, E. S., Zhang, Y., Fogaça, M., Hare, B., & Duman, R. S. (2017). Persistent increase in microglial RAGE contributes to chronic stress induced priming of depressive-like behavior. *Biological Psychiatry*. doi: <https://doi.org/10.1016/j.biopsych.2017.06.034> <http://www.sciencedirect.com/science/article/pii/S0006322317318085>

Fransen, E., D'Hooge, R., Van Camp, G., Verhoye, M., Sijbers, J., Reyniers, E., . . . Koekkoek, S. K. E. (1998). L1 knockout mice show dilated ventricles, vermis hypoplasia and impaired exploration patterns. *Human Molecular Genetics*, 7(6), 999-1009. doi.

Franssen, C. L., Bardi, M., Shea, E. A., Hampton, J. E., Adam Franssen, R., Kinsley, C. H., & Lambert, K. G. (2011). Fatherhood Alters Behavioural and Neural Responsiveness in a Spatial Task. *Journal of Neuroendocrinology*, 23(11), 1177-1187. doi: 10.1111/j.1365-2826.2011.02225.x. <http://dx.doi.org/10.1111/j.1365-2826.2011.02225.x>

Frappe, I., Roger, M., & Gaillard, A. (1999). Transplants of fetal frontal cortex grafted into the occipital cortex of newborn rats receive a substantial thalamic input from nuclei normally projecting to the frontal cortex. *Neuroscience*, 89(2), 409-421. doi.

Frauenknecht, K., Katzav, A., Weiss Lavi, R., Sabag, A., Otten, S., Chapman, J., & Sommer, C. J. (2014). Mice with experimental antiphospholipid syndrome display hippocampal dysfunction and a reduction of dendritic complexity in hippocampal CA1 neurons. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12180. <http://dx.doi.org/10.1111/nan.12180>

Frazer, S., Prados, J., Niquille, M., Cadilhac, C., Markopoulos, F., Gomez, L., . . . Dayer, A. (2017). Transcriptomic and anatomic parcellation of 5-HT<sub>3</sub>AR expressing cortical interneuron subtypes revealed by single-cell RNA sequencing. [Article]. *Nature Communications*, 8, 14219. doi: 10.1038/ncomms14219

<http://www.nature.com/articles/ncomms14219#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14219>

Freedman, L. J., Insel, T. R., & Smith, Y. (2000). Subcortical projections of area 25 (subgenual cortex) of the macaque monkey. *Journal of Comparative Neurology*, 421(2), 172-188. doi.

Freedman, L. J., & Maddox, M. T. (2001). A comparison of anti-biotin and biotinylated anti-avidin double-bridge and biotinylated tyramide immunohistochemical amplification. *Journal of Neuroscience Methods*, 112(1), 43-49. doi.

Freedman, L. J., & Shi, C. (2001). Monoaminergic innervation of the macaque extended amygdala. *Neuroscience*, 104(4), 1067-1084. doi.

Freese, J. L., & Amaral, D. G. (2005). The organization of projections from the amygdala to visual cortical areas TE and V1 in the macaque monkey. *Journal of Comparative Neurology*, 486(4), 295-317. doi.

Frega, M., Linda, K., Keller, J. M., Gümüş-Akay, G., Mossink, B., van Rhijn, J.-R., . . . Nadif Kasri, N. (2019). Neuronal network dysfunction in a model for Kleefstra syndrome mediated by enhanced NMDAR signaling. *Nature Communications*, 10(1), 4928. doi: 10.1038/s41467-019-12947-3. <https://doi.org/10.1038/s41467-019-12947-3>

Fregosi, M., Contestabile, A., Hamadjida, A., & Rouiller, E. M. (2017). Corticobulbar projections from distinct motor cortical areas to the reticular formation in macaque monkeys. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13576. <http://dx.doi.org/10.1111/ejn.13576>

Fregosi, M., & Rouiller, E. M. (2017). Ipsilateral corticotectal projections from the primary, premotor and supplementary motor cortical areas in adult macaque monkeys: a quantitative anterograde tracing study. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13709. <http://dx.doi.org/10.1111/ejn.13709>

Freire, M. A. M., Faber, J., Picanço-Diniz, C. W., Franca, J. G., & Pereira, A. (2011). Morphometric variability of NADPH diaphorase neurons in the primary sensory areas of the rat. *Neuroscience*. doi.

Freire, M. A. M., Franca, J. G., Picanço-Diniz, C. W., Pereira, A., & others. (2005). Neuropil reactivity, distribution and morphology of NADPH diaphorase type I neurons in the barrel cortex of the adult mouse. *Journal of Chemical Neuroanatomy*, 30(2-3), 71-81. doi.

Freire, M. A. M., Gomes-Leal, W., Carvalho, W. A., Guimarães, J. S., Franca, J. G., Picanço-Diniz, C. W., . . . others. (2004). A morphometric study of the progressive changes on NADPH diaphorase activity in the developing rat's barrel field. *Neuroscience Research*, 50(1), 55-66. doi.

Freire, M. A. M., Morya, E., Faber, J., Santos, J. R., Guimaraes, J. S., Lemos, N. A. M., . . . Nicolelis, M. A. L. (2011). Comprehensive Analysis of Tissue Preservation and Recording Quality from Chronic Multielectrode Implants. *PLoS ONE*, 6(11), e27554-e27554. doi.

Freire, M. A. M., Oliveira, R. B., Picanço-Diniz, C. W., Pereira, A., & others. (2007). Differential effects of methylmercury intoxication in the rat's barrel field as evidenced by NADPH diaphorase histochemistry. *Neurotoxicology*, 28(1), 175-181. doi.

Freire, M. A. M., Rocha, E. G., Oliveira, J. L. F., Guimarães, J. S., Silveira, L. C. L., Elston, G. N., . . . Picanço-Diniz, C. W. (2010). Morphological variability of NADPH diaphorase neurons across areas V1, V2, and V3 of the common agouti. *Brain Research*, 1318, 52-63. doi.

Freire, M. A. M., Tourinho, S. C., Guimarães, J. S., Oliveira, J. L. F., Picanço-Diniz, C. W., Gomes-Leal, W., & Pereira, A. (2008). *Frontiers: Histochemical characterization, distribution and morphometric analysis of NADPH diaphorase neurons in the spinal cord of the agouti*. *Frontiers in Neuroanatomy*, 2. doi.

Freire, M. A. M., Tourinho, S. C., Guimarães, J. S., Oliveira, J. L. F., Picanço-Diniz, C. W., Gomes-Leal, W., & Pereira Jr, A. (2008). *Histochemical characterization, distribution and morphometric analysis of NADPH diaphorase neurons in the spinal cord of the agouti*. *Frontiers in Neuroanatomy*, 2. doi.

French, C. A., Vinueza Veloz, M. F., Zhou, K., Peter, S., Fisher, S. E., Costa, R. M., & De Zeeuw, C. I. (2018). Differential effects of Foxp2 disruption in distinct motor circuits. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0199-x. <https://doi.org/10.1038/s41380-018-0199-x>

Freria, C. M., Hall, J. C. E., Wei, P., Guan, Z., McTigue, D. M., & Popovich, P. G. (2017). Deletion of the fractalkine receptor, CX3CR1, improves endogenous repair, axon sprouting and synaptogenesis after spinal cord injury in mice. [10.1523/JNEUROSCI.2841-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/03/06/JNEUROSCI.2841-16.2017..>

Freund, M., Walther, T., & von Bohlen und Halbach, O. (2013). Effects of the angiotensin-(1-7) receptor Mas on cell proliferation and on the population of doublecortin positive cells within the dentate gyrus and the piriform cortex. *European Neuropsychopharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.euroneuro.2013.06.004>. <http://www.sciencedirect.com/science/article/pii/S0924977X1300179X>

Freund, P., Wannier, T., Schmidlin, E., Bloch, J., Mir, A., Schwab, M. E., & Rouiller, E. M. (2007). Anti-Nogo-A antibody treatment enhances sprouting of corticospinal axons rostral to a unilateral cervical spinal cord lesion in adult macaque monkey. *Journal of Comparative Neurology*, 502(4), 644-659. doi:

Frick, A., Feldmeyer, D., Helmstaedter, M., & Sakmann, B. (2008). Monosynaptic Connections between Pairs of L5A Pyramidal Neurons in Columns of Juvenile Rat Somatosensory Cortex. *Cerebral Cortex*, 18(2), 397-406. doi: 10.1093/cercor/bhm074. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/2/397>

Frick, A., Feldmeyer, D., & Sakmann, B. (2007). Postnatal development of synaptic transmission in local networks of L5A pyramidal neurons in rat somatosensory cortex. *Journal of Physiology*, 585(1), 103-116. doi: 10.1113/jphysiol.2007.141788. <http://jp.physoc.org/cgi/content/abstract/585/1/103>

Friedman, L. G., Riemsdagh, F. W., Sullivan, J. M., Mesias, R., Williams, F. M., Huntley, G. W., & Benson, D. L. (2014). Cadherin-8 expression, synaptic localization and molecular control of neuronal form in prefrontal cortico-striatal circuits. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23666. <http://dx.doi.org/10.1002/cne.23666>

Friel, K., Chakrabarty, S., Kuo, H.-C., & Martin, J. (2012). Using Motor Behavior during an Early Critical Period to Restore Skilled Limb Movement after Damage to the Corticospinal System during Development. *Journal of Neuroscience*, 32(27), 9265-9276. doi: 10.1523/jneurosci.1198-12.2012. <http://www.jneurosci.org/content/32/27/9265.abstract>

Friel, K. M., & Martin, J. H. (2007). Bilateral Activity-Dependent Interactions in the Developing Corticospinal System. *Journal of Neuroscience*, 27(41), 11083-11090. doi: 10.1523/jneurosci.2814-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/41/11083>

Friese, A., Kaltschmidt, J. A., Ladle, D. R., Sigrist, M., Jessell, T. M., & Arber, S. (2009). Gamma and alpha motor neurons distinguished by expression of transcription factor Err3. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0906809106. <http://www.pnas.org/content/early/2009/07/24/0906809106.abstract>

Fritz, R., Yilmazer-Hanke, D., Roskoden, T., Schwegler, H., & Linke, R. (2005). Separate sets of neurons of the central nucleus of the amygdala project to the substantia innominata and the caudal pontine reticular nucleus in the rat. *Neuroscience Letters*, 373(2), 130-133. doi:

Fritzsche, K., Can, A., Shen, H., Tsai, C., Turner, J., Tanenbaum, H. L., . . . Roysam, B. (2003). Automated model based segmentation, tracing and analysis of retinal vasculature from



digital fundus images. State-of-The-Art Angiography, Applications and Plaque Imaging Using MR, CT, Ultrasound and X-rays, 225-298. doi.

Frohman, K. S., Wiskerke, J., Wise, R. A., Lehman, M. N., & Coolen, L. M. (2010). Methamphetamine acts on subpopulations of neurons regulating sexual behavior in male rats. *Neuroscience*, 166(3), 771-784. doi.

Fryer, J. D., Taylor, J. W., DeMattos, R. B., Bales, K. R., Paul, S. M., Parsadanian, M., & Holtzman, D. M. (2003). Apolipoprotein E Markedly Facilitates Age-Dependent Cerebral Amyloid Angiopathy and Spontaneous Hemorrhage in Amyloid Precursor Protein Transgenic Mice. *Journal of Neuroscience*, 23(21), 7889-7896. doi: <http://www.jneurosci.org/cgi/content/abstract/23/21/7889>

Fu, M.-m., McAlear, T. S., Nguyen, H., Oses-Prieto, J. A., Valenzuela, A., Shi, R. D., . . . Barres, B. A. (2019). The Golgi Outpost Protein TPPP Nucleates Microtubules and Is Critical for Myelination. *Cell*, 179(1), 132-146.e114. doi: <https://doi.org/10.1016/j.cell.2019.08.025>, <http://www.sciencedirect.com/science/article/pii/S0092867419309134>

Fu, Y. H., Tvrdik, P., Makki, N., Palombi, O., Machold, R., Paxinos, G., & Watson, C. (2009). The precerebellar linear nucleus in the mouse defined by connections, immunohistochemistry, and gene expression. *Brain Research*, 1271, 49-59. doi.

Fucà, E., Guglielmotto, M., Boda, E., Rossi, F., Leto, K., & Buffo, A. (2017). Preventive motor training but not progenitor grafting ameliorates cerebellar ataxia and deregulated autophagy in tambaleante mice. *Neurobiology of Disease*, 102, 49-59. doi: <http://dx.doi.org/10.1016/j.nbd.2017.02.005>, <http://www.sciencedirect.com/science/article/pii/S0969996117300360>

Fuchs, E., Seress, L., & others. (2005). Mossy cells and different subpopulations of pyramidal neurons are immunoreactive for cocaine- and amphetamine-regulated transcript peptide in the hippocampal formation of non-human primates and tree shrew (*Tupaia belangeri*). *Neuroscience*, 136(1), 231-240. doi.

Fudge, J. L., deCampo, D. M., & Becoats, K. T. (2012). Revisiting the hippocampal-amygdala pathway in primates: Association with immature-appearing neurons. *Neuroscience*, 212(0), 104-119. doi: 10.1016/j.neuroscience.2012.03.040. <http://www.sciencedirect.com/science/article/pii/S0306452212003041>

Fuentealba, Luis C., Rompani, Santiago B., Parraguez, Jose I., Obernier, K., Romero, R., Cepko, Constance L., & Alvarez-Buylla, A. (2015). Embryonic Origin of Postnatal Neural Stem Cells. *Cell*, 161(7), 1644-1655. doi: 10.1016/j.cell.2015.05.041. <http://dx.doi.org/10.1016/j.cell.2015.05.041>

Fuentealba, P., Klausberger, T., Karayannis, T., Suen, W. Y., Huck, J., Tomioka, R., . . . Somogyi, P. (2010). Expression of COUP-TFII Nuclear Receptor in Restricted GABAergic Neuronal Populations in the Adult Rat Hippocampus. *Journal of Neuroscience*, 30(5), 1595-1609. doi:

10.1523/jneurosci.4199-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/5/1595>

Fuentes-Santamaria, V., Alvarado, J. C., Brunso-Bechtold, J. K., & Henkel, C. K. (2003). Upregulation of calretinin immunostaining in the ferret inferior colliculus after cochlear ablation. *Journal of Comparative Neurology*, 460(4), 585-596. doi.

Fuentes-Santamaria, V., Alvarado, J. C., Herranz, A. S., Garcia-Atarés, N., & López, D. E. (2007). Morphologic and neurochemical alterations in the superior colliculus of the genetically epilepsy-prone hamster (GPG/Vall). *Epilepsy Research*, 75(2), 206-219. doi.

Fuentes-Santamaria, V., Alvarado, J. C., Taylor, A. R., Brunso-Bechtold, J. K., & Henkel, C. K. (2005). Quantitative changes in calretinin immunostaining in the cochlear nuclei after unilateral cochlear removal in young ferrets. *Journal of Comparative Neurology*, 483(4), 458-475. doi.

Fuentes-Santamaria, V., Cantos, R., Alvarado, J. C., Garcia-Atares, N., & Lopez, D. E. (2005). Morphologic and Neurochemical Abnormalities in the Auditory Brainstem of the Genetically Epilepsy-prone Hamster (GPG/Vall). *Epilepsia*, 46(7), 1027-1045. doi: doi:10.1111/j.1528-1167.2005.68104.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2005.68104.x>

Fujii, T. G., Nixima, K. i., & Okanoya, K. (2016). Application of Optical Clearing Methods on the Songbird Brain. *Ornithological Science*, 15(2), 163-170. doi: 10.2326/osj.15.163. <http://dx.doi.org/10.2326/osj.15.163>

Fujino, T., Leslie, J. H., Eavri, R., Chen, J. L., Lin, W. C., Flanders, G. H., . . . Nedivi, E. (2011). CPG15 regulates synapse stability in the developing and adult brain. *Genes and Development*, 25(24), 2674-2685. doi: 10.1101/gad.176172.111. <http://genesdev.cshlp.org/content/25/24/2674.abstract>

Fujishima, K., Horie, R., Mochizuki, A., & Kengaku, M. (2012). Principles of branch dynamics governing shape characteristics of cerebellar Purkinje cell dendrites. *Development*, 139(18), 3442-3455. doi: 10.1242/dev.081315. <http://dev.biologists.org/content/139/18/3442.abstract>

Fujita, S., Mizoguchi, N., Aoki, R., Cui, Y., Koshikawa, N., & Kobayashi, M. (2015). Cytoarchitecture-Dependent Decrease in Propagation Velocity of Cortical Spreading Depression in the Rat Insular Cortex Revealed by Optical Imaging. *Cerebral Cortex*. doi: 10.1093/cercor/bhu336. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu336....>

Fujita, S., Mizoguchi, N., Aoki, R., Cui, Y., Koshikawa, N., & Kobayashi, M. (2015). Cytoarchitecture-Dependent Decrease in Propagation Velocity of Cortical Spreading Depression in the Rat Insular Cortex Revealed by Optical Imaging. *Cerebral Cortex*. doi: 10.1093/cercor/bhu336. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu336....>

Fujita, Y., Masuda, K., Bando, M., Nakato, R., Katou, Y., Tanaka, T., . . . Yamashita, T. (2017). Decreased cohesin in the brain leads to defective synapse development and anxiety-

related behavior. [10.1084/jem.20161517]. The Journal of experimental medicine. doi: <http://jem.rupress.org/content/early/2017/04/12/jem.20161517.abstract>

Fujiwara, T., Inoue, T., Maruo, T., Rikitake, Y., Ieki, N., Mandai, K., . . . Mizoguchi, A. (2015). Nectin-1 Spots Regulate the Branching of Olfactory Mitral Cell Dendrites. *Molecular and Cellular Neuroscience*. doi: <http://dx.doi.org/10.1016/j.mcn.2015.07.003>. <http://www.sciencedirect.com/science/article/pii/S1044743115300038>

Fukami, H., & Bradley, R. M. (2005). Biophysical and Morphological Properties of Parasympathetic Neurons Controlling the Parotid and von Ebner Salivary Glands in Rats. *Journal of Neurophysiology*, 93(2), 678-686. doi: 10.1152/jn.00277.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/678>

Fukuda, S., Maeda, H., & Sakurai, M. (2020). Reevaluation of motoneuron morphology: diversity and regularity among motoneurons innervating different arm muscles along a proximal-distal axis. *Scientific Reports*, 10(1), 13089. doi: 10.1038/s41598-020-69662-z. <https://doi.org/10.1038/s41598-020-69662-z>

Fukuda, T. (2009). Network Architecture of Gap Junction-Coupled Neuronal Linkage in the Striatum. *Journal of Neuroscience*, 29(4), 1235-1243. doi: 10.1523/jneurosci.4418-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/4/1235>

Fukuda, T. (2016). Structural organization of the dendritic reticulum linked by gap junctions in layer 4 of the visual cortex. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.10.050>. <http://www.sciencedirect.com/science/article/pii/S0306452216305905>

Fukuda, T., & Kosaka, T. (2000). Gap Junctions Linking the Dendritic Network of GABAergic Interneurons in the Hippocampus. *Journal of Neuroscience*, 20(4), 1519-1528. doi: <http://www.jneurosci.org/cgi/content/abstract/20/4/1519>

Fukuda, T., & Kosaka, T. (2003). Ultrastructural study of gap junctions between dendrites of parvalbumin-containing GABAergic neurons in various neocortical areas of the adult rat. *Neuroscience*, 120(1), 5-20. doi: 10.1016/S0304-3940(02)01000-0

Fukuda, T., Kosaka, T., Singer, W., & Galuske, R. A. W. (2006). Gap Junctions among Dendrites of Cortical GABAergic Neurons Establish a Dense and Widespread Intercolumnar Network. *Journal of Neuroscience*, 26(13), 3434-3443. doi: 10.1523/jneurosci.4076-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/13/3434>

Fukuda, T., Morooka, K., & Miyagi, Y. (2010). A simple but accurate method for histological reconstruction of the large-sized brain tissue of the human that is applicable to construction of digitized brain database. *Neuroscience Research*, 67(3), 260-265. doi: 10.1007/s12276-010-0000-0

Fukui, H., Diaz, F., Garcia, S., & Moraes, C. T. (2007). Cytochrome c oxidase deficiency in neurons decreases both oxidative stress and amyloid formation in a mouse model of Alzheimer's disease. *PNAS*, 104(35), 14163-14168. doi: 10.1073/pnas.0705738104. <http://www.pnas.org/cgi/content/abstract/104/35/14163>

Fukumitsu, K., Fujishima, K., Yoshimura, A., Wu, Y. K., Heuser, J., & Kengaku, M. (2015). Synergistic Action of Dendritic Mitochondria and Creatine Kinase Maintains ATP Homeostasis and Actin Dynamics in Growing Neuronal Dendrites. *The Journal of Neuroscience*, 35(14), 5707-5723. doi: 10.1523/jneurosci.4115-14.2015 <http://www.jneurosci.org/content/35/14/5707.abstract>

Fukumitsu, K., Hatsukano, T., Yoshimura, A., Heuser, J., Fujishima, K., & Kengaku, M. (2015). Mitochondrial fission protein Drp1 regulates mitochondrial transport and dendritic arborization in cerebellar Purkinje cells. *Molecular and Cellular Neuroscience*. doi: <http://dx.doi.org/10.1016/j.mcn.2015.12.006>. <http://www.sciencedirect.com/science/article/pii/S1044743115300464>

Fukunaga, I., Berning, M., Kollo, M., Schmaltz, A., & Schaefer, Andreas T. (2012). Two Distinct Channels of Olfactory Bulb Output. *Neuron*, 75(2), 320-329. doi: 10.1016/j.neuron.2012.05.017. <http://www.sciencedirect.com/science/article/pii/S0896627312004837>

Fukunaga, I., Herb, J. T., Kollo, M., Boyden, E. S., & Schaefer, A. T. (2014). Independent control of gamma and theta activity by distinct interneuron networks in the olfactory bulb. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3760.html>

Fullerton, B. C., & Pandya, D. N. (2007). Architectonic analysis of the auditory-related areas of the superior temporal region in human brain. *Journal of Comparative Neurology*, 504(5), 470-498. doi:

Funamizu, Y., Nishijima, H., Ueno, T., Ueno, S., Mizukami, H., Yagihashi, S., & Tomiyama, M. (2017). Morphological dendritic spine changes of medium spiny neurons in the nucleus accumbens in 6-hydroxydopamine-lesioned rats treated with levodopa. *Neuroscience Research*. doi: <http://doi.org/10.1016/j.neures.2017.03.010>. <http://www.sciencedirect.com/science/article/pii/S0168010216302486>

Fung, J. C. L., & Cho, E. Y. P. (2020). Methylene blue promotes survival and GAP-43 expression of retinal ganglion cells after optic nerve transection. *Life Sciences*, 118462. doi: <https://doi.org/10.1016/j.lfs.2020.118462>. <http://www.sciencedirect.com/science/article/pii/S0024320520312157>

Funka-Lea, G. D., & Schwaber, J. S. (1994). A digital brain atlas and its application to the visceral neuraxis. *Journal of Neuroscience Methods*, 54(2), 253-260. doi:

Furman, M., & Crair, M. C. (2012). Synapse maturation is enhanced in the binocular region of the retinocollicular map prior to eye opening. *Journal of Neurophysiology*. doi: 10.1152/jn.00943.2011. <http://jn.physiology.org/content/early/2012/03/02/jn.00943.2011.abstract>

Furman, M., Xu, H.-P., & Crair, M. C. (2013). Competition driven by retinal waves promotes the morphological and functional synaptic development of neurons in the superior colliculus. *Journal of Neurophysiology*. doi:

10.1152/jn.01066.2012. <http://jn.physiology.org/content/early/2013/06/05/jn.01066.2012.abstract>

Furtak, S. C., Moyer Jr, J. R., & Brown, T. H. (2007). Morphology and ontogeny of rat perirhinal cortical neurons. *Journal of Comparative Neurology*, 505(5), 493-510. doi.

Furtak, S. C., Wei, S. M., Agster, K. L., & Burwell, R. D. (2007). Functional neuroanatomy of the parahippocampal region in the rat: the perirhinal and postrhinal cortices. *Hippocampus*, 17(9), 709-722. doi.

Furuta, T., Deschênes, M., & Kaneko, T. (2011). Anisotropic Distribution of Thalamocortical Boutons in Barrels. *Journal of Neuroscience*, 31(17), 6432-6439. doi: 10.1523/jneurosci.6154-10.2011. <http://www.jneurosci.org/content/31/17/6432.abstract>

Furuta, T., Kaneko, T., & Deschenes, M. (2009). Septal Neurons in Barrel Cortex Derive Their Receptive Field Input from the Lemniscal Pathway. *Journal of Neuroscience*, 29(13), 4089-4095. doi: 10.1523/jneurosci.5393-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/13/4089>

Furutani, R., & Kibayashi, K. (2011). Morphological Alteration and Reduction of MAP2-Immunoreactivity in Pyramidal Neurons of Cerebral Cortex in a Rat Model of Focal Cortical Compression. *Journal of Neurotrauma*. doi.

Fuzik, J., Zeisel, A., Mate, Z., Calvigioni, D., Yanagawa, Y., Szabo, G., . . . Harkany, T. (2015). Integration of electrophysiological recordings with single-cell RNA-seq data identifies neuronal subtypes. [Research]. *Nat Biotech*, advance online publication. doi: 10.1038/nbt.3443

<http://www.nature.com/nbt/journal/vaop/ncurrent/abs/nbt.3443.html#supple.....http://dx.doi.org/10.1038/nbt.3443>

Gabbott, P., Warner, T. A., Brown, J., Salway, P., Gabbott, T., & Busby, S. (2012). Amygdala afferents monosynaptically innervate corticospinal neurones in rat medial prefrontal cortex (mPFC). *Journal of Comparative Neurology*. doi.

Gabbott, P. L. A., Warner, T. A., Jays, P. R. L., Salway, P., & Busby, S. J. (2005). Prefrontal cortex in the rat: projections to subcortical autonomic, motor, and limbic centers. *Journal of Comparative Neurology*, 492(2), 145-177. doi.

Gaborieau, E., Hurtado-Chong, A., Fernández, M., Azim, K., & Raineteau, O. (2018). A dual role for the transcription factor Sp8 in postnatal neurogenesis. *Scientific Reports*, 8(1), 14560. doi: 10.1038/s41598-018-32134-6. <https://doi.org/10.1038/s41598-018-32134-6>

Gabr, U., Won, Y. S., Boonlayangoor, S., Thompson, K., Baroody, F. M., & Naclerio, R. M. (2001). C57BL/6 and BALB/c mice have similar neutrophil response to acute *Streptococcus pneumoniae* sinus infections. *Archives of Otolaryngology- Head and Neck Surgery*, 127(8), 985-985. doi.

Gabriele, M. L., Brubaker, D. Q., Chamberlain, K. A., Kross, K. M., Simpson, N. S., & Kavianpour, S. M. (2011). EphA4 and ephrin-B2 expression patterns during inferior colliculus projection shaping prior to experience. *Developmental Neurobiology*, 71(2), 182-199. doi: 10.1002/dneu.20842. <http://dx.doi.org/10.1002/dneu.20842>

Gabriele, M. L., Brunso-Bechtold, J. K., & Henkel, C. K. (2000). Development of afferent patterns in the inferior colliculus of the rat: projection from the dorsal nucleus of the lateral lemniscus. *Journal of Comparative Neurology*, 416(3), 368-382. doi.

Gabriele, M. L., Brunso-Bechtold, J. K., & Henkel, C. K. (2000). Plasticity in the Development of Afferent Patterns in the Inferior Colliculus of the Rat after Unilateral Cochlear Ablation. *Journal of Neuroscience*, 20(18), 6939-6949. doi. <http://www.jneurosci.org/cgi/content/abstract/20/18/6939>

Gagnon, D., & Parent, M. (2014). Distribution of VGLUT3 in Highly Collateralized Axons from the Rat Dorsal Raphe Nucleus as Revealed by Single-Neuron Reconstructions. *PLoS ONE*, 9(2), e87709. doi: 10.1371/journal.pone.0087709. <http://dx.doi.org/10.1371%2Fjournal.pone.0087709>

Gagnon, M., Inhorn, S., Hancock, J., Keller, B., Carpenter, D., Merlin, T., . . . Whalen, R. (2004). Comparison of Cytology Proficiency Testing: Glass Slides vs. Virtual Slides. *Acta Cytologica*, November-December, 788-794. doi.

Gahring, L. C., Persiyanov, K., Days, E. L., & Rogers, S. W. (2005). Age-related loss of neuronal nicotinic receptor expression in the aging mouse hippocampus corresponds with cyclooxygenase-2 and PPAR $\gamma$  expression and is altered by long-term NS398 administration. *Journal of Neurobiology*, 62(4), 453-468. doi.

Gahring, L. C., Persiyanov, K., Dunn, D., Weiss, R., Meyer, E. L., & Rogers, S. W. (2004). Mouse strain-specific nicotinic acetylcholine receptor expression by inhibitory interneurons and astrocytes in the dorsal hippocampus. *Journal of Comparative Neurology*, 468(3), 334-346. doi.

Gahring, L. C., Persiyanov, K., & Rogers, S. W. (2005). Mouse strain-specific changes in nicotinic receptor expression with age. *Neurobiology of Aging*, 26(6), 973-980. doi.

Gaillard, A., Nasarre, C., & Roger, M. (2003). Early (E12) cortical progenitors can change their fate upon heterotopic transplantation. *European Journal of Neuroscience*, 17(7), 1375-1383. doi: doi:10.1046/j.1460-9568.2003.02576.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02576.x>

Gal, R., & Libersat, F. (2006). New vistas on the initiation and maintenance of insect motor behaviors revealed by specific lesions of the head ganglia. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 192(9), 1003-1020. doi.

Galarreta, M., Erdelyi, F., Szabo, G., & Hestrin, S. (2004). Electrical Coupling among Irregular-Spiking GABAergic Interneurons Expressing Cannabinoid Receptors. *Journal of*



Neuroscience, 24(44), 9770-9778.

doi: <http://www.jneurosci.org/cgi/content/abstract/24/44/9770>

Galarreta, M., & Hestrin, S. (2002). Electrical and chemical synapses among parvalbumin fast-spiking GABAergic interneurons in adult mouse neocortex. *Proceedings of the National Academy of Sciences*, 99(19), 12438-12443. doi:

10.1073/pnas.192159599. <http://www.pnas.org/cgi/content/abstract/99/19/12438>

Galassi, G., Ruggeri, A., Leone, M., & Cappelli, G. (2004). Chronic ataxic neuropathy initially diagnosed as ataxic variant of guillain barré syndrome. *Journal of the Peripheral Nervous System*, 9(2), 119-119. doi:

Galazo, M. J., Martinez-Cerdeno, V., Porrero, C., & Clasca, F. (2008). Embryonic and Postnatal Development of the Layer I-Directed ("Matrix") Thalamocortical System in the Rat. *Cerebral Cortex*, 18(2), 344-363. doi:

10.1093/cercor/bhm059. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/2/344>

Gale, S. D., & Murphy, G. J. (2014). Distinct Representation and Distribution of Visual Information by Specific Cell Types in Mouse Superficial Superior Colliculus. *The Journal of Neuroscience*, 34(40), 13458-13471.

doi: <http://www.jneurosci.org/content/34/40/13458.short>

Gallay, D. S., Gallay, M. N., Jeanmonod, D., Rouiller, E. M., & Morel, A. (2012). The Insula of Reil Revisited: Multiarchitectonic Organization in Macaque Monkeys. *Cerebral Cortex*, 22(1), 175-190. doi:

Galliano, E., Gao, Z., Schonewille, M., Todorov, B., Simons, E., Pop, Andreea S., . . . De Zeeuw, Chris I. (2013). Silencing the Majority of Cerebellar Granule Cells Uncovers Their Essential Role in Motor Learning and Consolidation. *Cell Reports*, (0).

doi: <http://dx.doi.org/10.1016/j.celrep.2013.03.023>, <http://www.sciencedirect.com/science/article/pii/S2211124713001307>

Galvan, A., Charara, A., Pare, J. F., Levey, A. I., & Smith, Y. (2004). Differential subcellular and subsynaptic distribution of GABAA and GABAB receptors in the monkey subthalamic nucleus. *Neuroscience*, 127(3), 709-721. doi:

Galvan, C. D., Wenzel, J. H., Dineley, K. T., Lam, T. T., Schwartzkroin, P. A., Sweatt, J. D., & Swann, J. W. (2003). Postsynaptic contributions to hippocampal network hyperexcitability induced by chronic activity blockade in vivo. *European Journal of Neuroscience*, 18(7), 1861-1872. doi: doi:10.1046/j.1460-9568.2003.02920.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02920.x>

Galvan, E. J., Calixto, E., & Barrionuevo, G. (2008). Bidirectional Hebbian Plasticity at Hippocampal Mossy Fiber Synapses on CA3 Interneurons. *Journal of Neuroscience*, 28(52), 14042-14055. doi: 10.1523/jneurosci.4848-

08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/52/14042>

Galván, E. J., Pérez-Rosello, T., Gómez-Lira, G., Lara, E., Gutiérrez, R., & Barrionuevo, G. (2015). Synapse-specific compartmentalization of signaling cascades for LTP induction in CA3

interneurons. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.01.024>. <http://www.sciencedirect.com/science/article/pii/S0306452215000792>

Gama, C. I., Tully, S. E., Sotogaku, N., Clark, P. M., Rawat, M., Vaidehi, N., . . . Hsieh-Wilson, L. C. (2006). Sulfation patterns of glycosaminoglycans encode molecular recognition and activity. *Nature of Chemical Biology*. doi.

Gambino, F., Pagès, S., Kehayas, V., Baptista, D., Tatti, R., Carleton, A., & Holtmaat, A. (2014). Sensory-evoked LTP driven by dendritic plateau potentials in vivo. *Nature*. doi: <http://www.nature.com/nature/journal/vaop/ncurrent/full/nature13664.html>

Ganat, Y. M., Silbereis, J., Cave, C., Ngu, H., Anderson, G. M., Ohkubo, Y., . . . Vaccarino, F. M. (2006). Early Postnatal Astroglial Cells Produce Multilineage Precursors and Neural Stem Cells In Vivo. *Journal of Neuroscience*, 26(33), 8609-8621. doi: 10.1523/jneurosci.2532-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/33/8609>

Gantelet, E., Kraftsik, R., Delaloye, S., Gourdon, G., Kuntzer, T., & Barakat-Walter, I. (2007). The expansion of 300 CTG repeats in myotonic dystrophy transgenic mice does not induce sensory or motor neuropathy. *Acta Neuropathologica*, 114(2), 175-185. doi.

Gao, H., Glatzer, N. R., Williams, K. W., Derbenev, A. V., Liu, D., & Smith, B. N. (2009). Morphological and electrophysiological features of motor neurons and putative interneurons in the dorsal vagal complex of rats and mice. *Brain Research*, 1291, 40-52. doi.

Gao, K., & Mason, P. (2001). Physiological and anatomic evidence for functional subclasses of serotonergic raphe magnus cells. *Journal of Comparative Neurology*, 439(4), 426-439. doi.

Gao, L., Tian, M., Zhao, H.-Y., Xu, Q.-Q., Huang, Y.-M., Si, Q.-C., . . . Zeng, Y. (2015). TrkB Activation by 7, 8-Dihydroxyflavone Increases Synapse AMPA Subunits and Ameliorates Spatial Memory Deficits in a Mouse Model of Alzheimer's Disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13432. <http://dx.doi.org/10.1111/jnc.13432>

Gao, P., Postiglione, Maria P., Krieger, Teresa G., Hernandez, L., Wang, C., Han, Z., . . . Shi, S.-H. (2014). Deterministic Progenitor Behavior and Unitary Production of Neurons in the Neocortex. *Cell*, 159(4), 775-788. doi: <http://dx.doi.org/10.1016/j.cell.2014.10.027>. <http://www.sciencedirect.com/science/article/pii/S0092867414013154>

Gao, R., Asano, S. M., Upadhyayula, S., Pisarev, I., Milkie, D. E., Liu, T.-L., . . . Betzig, E. (2019). Cortical column and whole-brain imaging with molecular contrast and nanoscale resolution. *Science*, 363(6424), eaau8302. doi: 10.1126/science.aau8302. <http://science.sciencemag.org/content/363/6424/eaau8302.abstract>

Gao, W. J., & Pallas, S. L. (1999). Cross-Modal Reorganization of Horizontal Connectivity in Auditory Cortex without Altering Thalamocortical Projections. *Journal of Neuroscience*, 19(18), 7940-7950. doi: <http://www.jneurosci.org/cgi/content/abstract/19/18/7940>

Gao, W. J., Wormington, A. B., Newman, D. E., & Pallas, S. L. (2000). Development of inhibitory circuitry in visual and auditory cortex of postnatal ferrets: Immunocytochemical localization of calbindin- and parvalbumin-containing neurons. *Journal of Comparative Neurology*, 422(1), 140-157. doi.

Gao, W.-J., & Goldman-Rakic, P. S. (2003). Selective modulation of excitatory and inhibitory microcircuits by dopamine. *Proceedings of the National Academy of Sciences*, 100(5), 2836-2841. doi: 10.1073/pnas.262796399. <http://www.pnas.org/cgi/content/abstract/100/5/2836>

Gao, W.-J., Krimer, L. S., & Goldman-Rakic, P. S. (2001). Presynaptic regulation of recurrent excitation by D1 receptors in prefrontal circuits. *Neurobiology*, 98, 295-300. doi.

Gao, W.-J., Wang, Y., & Goldman-Rakic, P. S. (2003). Dopamine modulation of perisomatic and peridendritic inhibition in prefrontal cortex. *Journal of Neuroscience*, 23(5), 1622-1630. doi.

Gao, X., & Chen, J. (2011). Mild Traumatic Brain Injury Results in Extensive Neuronal Degeneration in the Cerebral Cortex. *Journal of Neuropathology and Experimental Neurology*, 70(3), 183-183. doi.

Gao, X., Deng, P., Xu, Z. C., & Chen, J. (2011). Moderate Traumatic Brain Injury Causes Acute Dendritic and Synaptic Degeneration in the Hippocampal Dentate Gyrus. *PLoS ONE*, 6(9), e24566-e24566. doi.

Gao, X., Grendel, J., Muhia, M., Castro-Gomez, S., Süsens, U., Isbrandt, D., . . . Ohana, O. (2019). Disturbed prefrontal cortex activity in the absence of schizophrenia-like behavioral dysfunction in Arc/Arg3.1 deficient mice. *The Journal of Neuroscience*, 0623-0619. doi: 10.1523/jneurosci.0623-19.2019. <http://www.jneurosci.org/content/early/2019/09/05/JNEUROSCI.0623-19.2019..>

Gao, Y., Hu, S., Li, Q., Wang, M., Zhi, Z., Kuang, X., . . . Wang, Y. (2018). Neonatal inflammation induces reorganization in dendritic morphology of retinal ganglion cells but not their retinogeniculate projection in mice. *Neuroscience Letters*, 676, 34-40. doi: <https://doi.org/10.1016/j.neulet.2018.04.012>, <https://www.sciencedirect.com/science/article/pii/S0304394018302672>

Gao, Y., Jiang, T., Qu, C., Tao, H., Cao, H., Zhao, Y., . . . Chen, J.-G. (2013). Atlastin-1 regulates dendritic morphogenesis in mouse cerebral cortex. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2013.08.007>. <http://www.sciencedirect.com/science/article/pii/S0168010213001922>

Gao, Y., Liu, L., Li, Q., & Wang, Y. (2015). Differential alterations in the morphology and electrophysiology of layer II pyramidal cells in the primary visual cortex of a mouse model prenatally exposed to LPS. *Neuroscience Letters*, 591(0), 138-143. doi: <http://dx.doi.org/10.1016/j.neulet.2015.02.043>. <http://www.sciencedirect.com/science/article/pii/S0304394015001573>

Gao, Y., Shen, M., Gonzalez, J. C., Dong, Q., Kannan, S., Hoang, J. T., . . . Zhao, X. (2020). RGS6 Mediates Effects of Voluntary Running on Adult Hippocampal Neurogenesis. *Cell Reports*, 32(5), 107997. doi: <https://doi.org/10.1016/j.celrep.2020.107997>. <http://www.sciencedirect.com/science/article/pii/S2211124720309827>

Gao, Y., Su, J., Guo, W., Polich, E. D., Magyar, D. P., Xing, Y., . . . Zhao, X. (2015). Inhibition of miR-15a promotes BDNF expression and rescues dendritic maturation deficits in MeCP2-deficient neurons. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.1950. <http://dx.doi.org/10.1002/stem.1950>

Gao, Z., Proietti-Onori, M., Lin, Z., ten Brinke, Michiel M., Boele, H.-J., Potters, J.-W., . . . De Zeeuw, Chris I. (2016). Excitatory Cerebellar Nucleocortical Circuit Provides Internal Amplification during Associative Conditioning. *Neuron*, 89(3), 645-657. doi: <http://dx.doi.org/10.1016/j.neuron.2016.01.008>. <http://www.sciencedirect.com/science/article/pii/S089662731600009X>

Garbossa, D., Fontanella, M., Pagni, C. A., & Vercelli, A. (2001). Nitric oxide synthase and cytochrome c oxidase changes in the tumoural and peritumoural cerebral cortex. *Acta Neurochirurgica*, 143(9), 897-908. doi.

Garbossa, D., Fontanella, M., Tomasi, S., Ducati, A., & Vercelli, A. (2005). Differential distribution of NADPH-diaphorase histochemistry in human cerebral cortex. *Brain Research*, 1034(1), 1-10. doi.

Garbossa, D., & Vercelli, A. (2003). Experimentally-induced microencephaly: effects on cortical neurons. *Brain Research Bulletin*, 60(4), 329-338. doi.

Garcia, B. G., Neely, M. D., & Deutch, A. Y. (2010). Cortical Regulation of Striatal Medium Spiny Neuron Dendritic Remodeling in Parkinsonism: Modulation of Glutamate Release Reverses Dopamine Depletion-Induced Dendritic Spine Loss. *Cerebral Cortex*, 20(10), 2423-2423. doi.

Garcia, I., Quast, Kathleen B., Huang, L., Herman, Alexander M., Selever, J., Deussing, Jan M., . . . Arenkiel, Benjamin R. (2014). Local CRH Signaling Promotes Synaptogenesis and Circuit Integration of Adult-Born Neurons. *Developmental cell*, (0). doi: <http://dx.doi.org/10.1016/j.devcel.2014.07.001>. <http://www.sciencedirect.com/science/article/pii/S1534580714004213>

García, N. V. D. M., Karayannis, T., & Fishell, G. (2011). Neuronal activity is required for the development of specific cortical interneuron subtypes. *Nature*, 472(7343), 351-355. doi.

García-Cabezas, M. Á., & Barbas, H. (2016). Anterior Cingulate Pathways May Affect Emotions Through Orbitofrontal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhw284. <http://cercor.oxfordjournals.org/content/early/2016/09/20/cercor.bhw284...>

Garcia-Cabezas, M. A., Martinez-Sanchez, P., Sanchez-Gonzalez, M. A., Garzon, M., & Cavada, C. (2008). Dopamine Innervation in the Thalamus: Monkey versus Rat. *Cerebral Cortex*,

bhn093. doi:

10.1093/cercor/bhn093. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn093v1>

García-Cabezas, M. Á., Rico, B., Sánchez-González, M. Á., & Cavada, C. (2007). Distribution of the dopamine innervation in the macaque and human thalamus. *Neuroimage*, 34(3), 965-984. doi.

Garcia-Cairasco, N. (2009). Learning about brain physiology and complexity from the study of the epilepsies. *Brazilian Journal of Medical and Biological Research*, 42(1), 76-86. doi.

Garcia-Cairasco, N. (2009). Puzzling challenges in contemporary neuroscience: insights from complexity and emergence in epileptogenic circuits. *Epilepsy & Behavior*, 14(1), 54-63. doi.

Garcia-Cairasco, N., Umeoka, E. H. L., & Cortes de Oliveira, J. A. (2017). The Wistar Audiogenic Rat (WAR) strain and its contributions to epileptology and related comorbidities: History and perspectives. *Epilepsy & Behavior*. doi: <https://doi.org/10.1016/j.yebeh.2017.04.001>. <http://www.sciencedirect.com/science/article/pii/S1525505017302688>

García-Calero, E., Martínez-de-la-Torre, M., & Puellas, L. (2002). The avian griseum tectale: cytoarchitecture, NOS expression and neurogenesis. *Brain Research Bulletin*, 57(3-4), 353-357. doi.

Garcia-Junco-Clemente, P., Chow, D. K., Tring, E., Lazaro, M. T., Trachtenberg, J. T., & Golshani, P. (2013). Overexpression of calcium-activated potassium channels underlies cortical dysfunction in a model of PTEN-associated autism. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1309207110. [http://www.pnas.org/content/early/2013/10/16/1309207110.ab stract](http://www.pnas.org/content/early/2013/10/16/1309207110.abstract)

Garcia-Marin, V., Blazquez-Llorca, L., Rodriguez, J. R., Boluda, S., Muntane, G., Ferrer, I., & DeFelipe, J. (2009). Diminished perisomatic GABAergic terminals on cortical neurons adjacent to amyloid plaques. *Frontiers in Neuroanatomy*, 3. doi.

Garcia-Marin, V., Sundiang, M., & Hawken, M. (2014). Reduced density of geniculocortical terminals in foveal layer 4A in the macaque primary visual cortex: relationship to S-cone density. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-014-0826-5. <http://dx.doi.org/10.1007/s00429-014-0826-5>

Garden, D. L. F., Dodson, P. D., O'Donnell, C., White, M. D., & Nolan, M. F. (2008). Tuning of synaptic integration in the medial entorhinal cortex to the organization of grid cell firing fields. *Neuron*, 60(5), 875-889. doi.

Gardian, G., Browne, S. E., Choi, D.-K., Klivenyi, P., Gregorio, J., Kubilus, J. K., . . . Beal, M. F. (2005). Neuroprotective Effects of Phenylbutyrate in the N171-82Q Transgenic Mouse Model of Huntington's Disease. *Journal of Biological Chemistry*, 280(1), 556-563. doi: 10.1074/jbc.M410210200. <http://www.jbc.org/cgi/content/abstract/280/1/556>

Gariépy, J. F., Missaghi, K., Chartré, S., Robert, M., Auclair, F., & Dubuc, R. (2011). Bilateral connectivity in the brainstem respiratory networks of lampreys. *Journal of Comparative Neurology*. doi.

Gariépy, J.-F., Missaghi, K., Chevallier, S., Chartré, S., Robert, M., Auclair, F., . . . Dubuc, R. (2012). Specific neural substrate linking respiration to locomotion. *Proceedings of the National Academy of Sciences*, 109(2), E84–E92. doi: 10.1073/pnas.1113002109. <http://www.pnas.org/content/109/2/E84.abstract>

Garner, H. L., Whittington, M. A., & Henderson, Z. (2005). Induction by kainate of theta frequency rhythmic activity in the rat medial septum-diagonal band complex in vitro. *Journal of Physiology*, 564(1), 83-102. doi: 10.1113/jphysiol.2004.080622. <http://jp.physoc.org/cgi/content/abstract/564/1/83>

Garrett, J. E., Kim, I., Wilson, R. E., & Wellman, C. L. (2006). Effect of N-methyl-d-aspartate receptor blockade on plasticity of frontal cortex after cholinergic deafferentation in rat. *Neuroscience*, 140(1), 57-66. doi.

Garrett, J. E., & Wellman, C. L. (2009). Chronic stress effects on dendritic morphology in medial prefrontal cortex: sex differences and estrogen dependence. *Neuroscience*, 162(1), 195-207. doi.

Garrett, L., Ung, M. C., Heermann, T., Niedermeier, K. M., & Höltter, S. (2018). Analysis of Neuropsychiatric Disease-Related Functional Neuroanatomical Markers in Mice. *Current Protocols in Mouse Biology*, 8(1), 79-128. doi: 10.1002/cpmo.37. <https://currentprotocols.onlinelibrary.wiley.com/doi/abs/10.1002/cpmo.37>

Garrido-Sanabria, E. R., Perez, M. G., Banuelos, C., Reyna, T., Hernandez, S., Castaneda, M. T., & Colom, L. V. (2007). Electrophysiological and morphological heterogeneity of slow firing neurons in medial septal/diagonal band complex as revealed by cluster analysis. *Neuroscience*, 146(3), 931-945. doi.

Garske, A. K., Lawyer, C. R., Peterson, B. M., & Illig, K. R. (2013). Adolescent Changes in Dopamine D1 Receptor Expression in Orbitofrontal Cortex and Piriform Cortex Accompany an Associative Learning Deficit. *PLoS ONE*, 8(2), e56191. doi.

Gärtner, U., Alpár, A., Behrbohm, J., Heumann, R. H., Rolf, & Arendt, T. (2005). Enhanced Ras activity promotes spine formation in synRas mice neocortex. *Neuroreport*, 16(2), 149-149. doi.

Gärtner, U., Alpár, A., Reimann, F., Seeger, G., Heumann, R., & Arendt, T. (2004). Constitutive Ras activity induces hippocampal hypertrophy and remodeling of pyramidal neurons in synRas mice. *Journal of Neuroscience Research*, 77(5), 630-641. doi.

Gärtner, U., Alpár, A., Seeger, G., Heumann, R., & Arendt, T. (2004). Enhanced Ras activity in pyramidal neurons induces cellular hypertrophy and changes in afferent and intrinsic connectivity in synRas mice. *International Journal of Developmental Neuroscience*, 22(3), 165-173. doi.



Garvey, L., Pavese, N., Politis, M., Ramlackhansingh, A., Brooks, D., Taylor-Robinson, S., & Winston, A. (2013). Increased microglia activation in neurologically asymptomatic HIV-infected patients receiving effective ART; an 11C-PK11195 PET study. *AIDS*, 28(1), 67 - 72. doi.

Garzotto, D., Giacobini, P., Crepaldi, T., Fasolo, A., & De Marchis, S. (2008). Hepatocyte Growth Factor Regulates Migration of Olfactory Interneuron Precursors in the Rostral Migratory Stream through Met-Grb2 Coupling. *Journal of Neuroscience*, 28(23), 5901-5909. doi: 10.1523/jneurosci.1083-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/23/5901>

Garzotto, D., Giacobini, P., Crepaldi, T., Fasolo, A., & De Marchis, S. (2008). Hepatocyte growth factor regulates migration of olfactory interneuron precursors in the rostral migratory stream through Met-Grb2 coupling. *Journal of Neuroscience*, 28(23), 5901-5909. doi.

Gashi, E., Avallone, J., Webster, T., & Friedman, L. K. (2007). Altered excitability and distribution of NMDA receptor subunit proteins in cortical layers of rat pups following multiple perinatal seizures. *Brain Research*, 1145, 56-65. doi.

Gaspar, R., Soares-Cunha, C., Domingues, A. V., Coimbra, B., Baptista, F. I., Pinto, L., . . . Gomes, C. A. (2021). Resilience to stress and sex-specific remodeling of microglia and neuronal morphology in a rat model of anxiety and anhedonia. *Neurobiology of Stress*, 14, 100302. doi: <https://doi.org/10.1016/j.ynstr.2021.100302>. <https://www.sciencedirect.com/science/article/pii/S2352289521000102>

Gastinger, M. J., Barber, A. J., Khin, S. A., McRill, C. S., Gardner, T. W., & Marshak, D. W. (2001). Abnormal centrifugal axons in streptozotocin-diabetic rat retinas. *Investigative Ophthalmology and Visual Science*, 42(11), 2679-2685. doi.

Gastinger, M. J., Bordt, A. S., Bernal, M. P., & Marshak, D. W. (2005). Serotonergic retinopetal axons in the monkey retina. *Current Eye Research*, 30(12), 1089-1095. doi.

Gastinger, M. J., O'Brien, J. J., Larsen, N. B., & Marshak, D. W. (1999). Histamine immunoreactive axons in the macaque retina. *Investigative Ophthalmology and Visual Science*, 40(2), 487-487. doi.

Gastinger, M. J., Tian, N., Horvath, T., & Marshak, D. W. (2006). Retinopetal axons in mammals: emphasis on histamine and serotonin. *Current Eye Research*, 31(7-8), 655-667. doi.

Gáti, G., Lendvai, D., Hökfelt, T., Harkany, T., & Alpár, A. (2014). Revival of Calcium-Binding Proteins for Neuromorphology: Secretagogin Typifies Distinct Cell Populations in the Avian Brain. *Brain, Behavior and Evolution*, 83(2), 82-92. doi. <http://www.karger.com/Article/FullText/357834>

Gaub, P., Joshi, Y., Wuttke, A., Naumann, U., Schnichels, S., Heiduschka, P., & Di Giovanni, S. (2011). The histone acetyltransferase p300 promotes intrinsic axonal regeneration. *Brain*, 134(7), 2134-2148. doi: 10.1093/brain/awr142. <http://brain.oxfordjournals.org/cgi/content/abstract/134/7/2134>

Gaub, P., Tedeschi, A., Puttagunta, R., Nguyen, T., Schmandke, A., & Di Giovanni, S. (2010). HDAC inhibition promotes neuronal outgrowth and counteracts growth cone collapse through CBP/p300 and P/CAF-dependent p53 acetylation. *Cell Death and Differentiation*, 17(9), 1392-1408. doi.

Gaudet, C. M. A., Lim, Y.-P., Stonestreet, B. S., & Threlkeld, S. W. (2016). Effects of Age, Experience and Inter-alpha Inhibitor Proteins on Working Memory and Neuronal Plasticity after Neonatal Hypoxia-Ischemia. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.016>. <http://www.sciencedirect.com/science/article/pii/S0166432816300134>

Gaugler, M. N., Genc, O., Bobela, W., Mohanna, S., Ardah, M. T., El-Agnaf, O. M., . . . others. (2012). Nigrostriatal overabundance of  $\alpha$ -synuclein leads to decreased vesicle density and deficits in dopamine release that correlate with reduced motor activity. *Acta Neuropathologica*, 1-17. doi.

Gauron, C., Meda, F., Dupont, E., Albadri, S., Quenech'Du, N., Ipendey, E., . . . Rampon, C. (2016). Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) controls axon pathfinding during zebrafish development. *Developmental Biology*. doi. <http://www.sciencedirect.com/science/article/pii/S0012160615303110>

Gautschi, M., & Clarke, P. G. H. (2007). Neuronal death in the lateral geniculate nucleus of young ferrets following a cortical lesion: Time-course, age dependence and involvement of caspases. *Brain Research*, 1167, 20-30. doi.

Gaykema, R. P., & Zaborszky, L. (1996). Direct Catecholaminergic-Cholinergic Interactions in the Basal Forebrain. II. Substantia Nigra-Ventral Tegmental Area Projections to cholinergic Neurons. *Journal Comparative Neurology*, 374, 555-577. doi.

Gazula, V. R., Roberts, M., Luzzio, C., Jawad, A. F., & Kalb, R. G. (2004). Effects of limb exercise after spinal cord injury on motor neuron dendrite structure. *Journal of Comparative Neurology*, 476(2), 130-145. doi.

Gazzerro, E., Baldassari, S., Giacomini, C., Musante, V., Fruscione, F., La Padula, V., . . . Minetti, C. (2012). Hyccin, the Molecule Mutated in the Leukodystrophy Hypomyelination and Congenital Cataract (HCC), Is a Neuronal Protein. *PLoS ONE*, 7(3), e32180. doi: 10.1371/journal.pone.0032180. <http://dx.doi.org/10.1371%2Fjournal.pone.0032180>

Gazzerro, E., Baldassari, S., Giacomini, C., Musante, V., Fruscione, F., La Padula, V., . . . others. (2012). Hyccin, the Molecule Mutated in the Leukodystrophy Hypomyelination and Congenital Cataract (HCC), Is a Neuronal Protein. *PLoS ONE*, 7(3), e32180-e32180. doi.

Ge, W.-P., Zhou, W., Luo, Q., Jan, L. Y., & Jan, Y. N. (2009). Dividing glial cells maintain differentiated properties including complex morphology and functional synapses. *Proceedings of the National Academy of Sciences*, 106(1), 328-333. doi: 10.1073/pnas.0811353106. <http://www.pnas.org/content/106/1/328.abstract>

Geary, C. G., Wilk, V. C., Barton, K. L., Jefferson, P. O., Binder, T., Bhutani, V., . . . Bergstrom, H. C. (2021). Sex differences in gut microbiota modulation of aversive conditioning, open field

activity, and basolateral amygdala dendritic spine density. [\[https://doi.org/10.1002/jnr.24848\]](https://doi.org/10.1002/jnr.24848). *Journal of Neuroscience Research*, n/a(n/a). doi: <https://doi.org/10.1002/jnr.24848>. <https://doi.org/10.1002/jnr.24848>

Gebäck, T., & Koumoutsakos, P. (2009). Edge detection in microscopy images using curvelets. *BMC bioinformatics*, 10(1), 75-75. doi.

Geiger, J. R. P., Lubke, J., Roth, A., Frotscher, M., & Jonas, P. (1997). Submillisecond AMPA receptor-mediated signaling at a principal neuron-interneuron synapse. *Neuron*, 18(6), 1009-1023. doi.

Geis, H. R. A. P., & Borst, J. G. G. (2012). Large GABAergic neurons form a distinct subclass within the mouse dorsal cortex of the inferior colliculus with respect to intrinsic properties, synaptic inputs, sound responses, and projections. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23170. <http://dx.doi.org/10.1002/cne.23170>

Geisler, S., & Zahm, D. S. (2005). Afferents of the ventral tegmental area in the rat-anatomical substratum for integrative functions. *Journal of Comparative Neurology*, 490(3), 270-294. doi.

Geisler, S., & Zahm, D. S. (2006). Neurotensin afferents of the ventral tegmental area in the rat: [1] re-examination of their origins and [2] responses to acute psychostimulant and antipsychotic drug administration. *European Journal of Neuroscience*, 24(1), 116-134. doi: doi:10.1111/j.1460-9568.2006.04928.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04928.x>

Geisler, S., & Zahm, D. S. (2006). On the retention of neurotensin in the ventral tegmental area (VTA) despite destruction of the main neurotensinergic afferents of the VTA—Implications for the organization of forebrain projections to the VTA. *Brain Research*, 1087(1), 87-104. doi.

Gelfo, F., De Bartolo, P., Giovine, A., Petrosini, L., & Leggio, M. G. (2009). Layer and regional effects of environmental enrichment on the pyramidal neuron morphology of the rat. *Neurobiology of Learning and Memory*, 91(4), 353-365. doi.

Gelfo, F., Petrosini, L., Graziano, A., De Bartolo, P., Burello, L., Vitale, E., . . . Mandolesi, L. (2013). Cortical Metabolic Deficits in a Rat Model of Cholinergic Basal Forebrain Degeneration. *Neurochemical Research*, 1-10. doi: 10.1007/s11064-013-1120-2. <http://dx.doi.org/10.1007/s11064-013-1120-2>

Gelman, D., Griveau, A., Dehorter, N., Teissier, A., Varela, C., Pla, R., . . . Marín, O. (2011). A Wide Diversity of Cortical GABAergic Interneurons Derives from the Embryonic Preoptic Area. *Journal of Neuroscience*, 31(46), 16570-16580. doi: 10.1523/jneurosci.4068-11.2011. <http://www.jneurosci.org/content/31/46/16570.abstract>

Gelman, D. M., Martini, F. J., Nobrega-Pereira, S., Pierani, A., Kessarar, N., & Marín, O. (2009). The Embryonic Preoptic Area Is a Novel Source of Cortical GABAergic Interneurons. *Journal of Neuroscience*, 29(29), 9380-9389. doi: 10.1523/jneurosci.0604-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/29/9380>

Gely-Pernot, A., Coronas, V., Harnois, T., Prestoz, L., Mandairon, N., Didier, A., . . . others. (2012). An Endogenous Vitamin K-Dependent Mechanism Regulates Cell Proliferation in the Brain Subventricular Stem Cell Niche. *Stem Cells*. doi.

Gemignani, F., Brindani, F., Zinno, L., Allegri, I., Alfieri, S., & Marbini, A. (2004). Frequency of clinically diagnosed small fiber neuropathy in a neuropathy population. *Journal of the Peripheral Nervous System*, 9(2), 119-119. doi: doi:10.1111/j.1085-9489.2004.009209aw.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Gendron, L., Lucido, A. L., Mennicken, F., O'Donnell, D., Vincent, J.-P., Stroh, T., & Beaudet, A. (2006). Morphine and Pain-Related Stimuli Enhance Cell Surface Availability of Somatic  $\Delta$ -Opioid Receptors in Rat Dorsal Root Ganglia. *Journal of Neuroscience*, 26, 953-962. doi.

Gennarino, V. A., Palmer, E. E., McDonell, L. M., Wang, L., Adamski, C. J., Koire, A., . . . Zoghbi, H. Y. (2018). A Mild PUM1 Mutation Is Associated with Adult-Onset Ataxia, whereas Haploinsufficiency Causes Developmental Delay and Seizures. *Cell*, 172(5), 924-936.e911. doi: <https://doi.org/10.1016/j.cell.2018.02.006>, <http://www.sciencedirect.com/science/article/pii/S0092867418301508>

Genoud, C., Houades, V., Kraftsik, R., Welker, E., & Giaume, C. (2015). Proximity of excitatory synapses and astroglial gap junctions in layer IV of the mouse barrel cortex. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.01.051>, <http://www.sciencedirect.com/science/article/pii/S0306452215001086>

Genoud, C., Knott, G. W., Sakata, K., Lu, B., & Welker, E. (2004). Altered Synapse Formation in the Adult Somatosensory Cortex of Brain-Derived Neurotrophic Factor Heterozygote Mice. *Journal of Neuroscience*, 24(10), 2394-2400. doi: <http://www.jneurosci.org/cgi/content/abstract/24/10/2394>

Genoud, C., Quairiaux, C., Steiner, P., Hirling, H., Welker, E., & Knott, G. W. (2006). Plasticity of astrocytic coverage and glutamate transporter expression in adult mouse cortex. *PLoS Biology*, 4(11), e343. doi.

Gentet, L. J., Avermann, M., Matyas, F., Staiger, J. F., & Petersen, C. C. H. (2010). Membrane potential dynamics of GABAergic neurons in the barrel cortex of behaving mice. *Neuron*, 65(3), 422-435. doi.

Gentet, L. J., Kremer, Y., Taniguchi, H., Huang, Z. J., Staiger, J. F., & Petersen, C. C. H. (2012). Unique functional properties of somatostatin-expressing GABAergic neurons in mouse barrel cortex. *Nature Neuroscience*. doi.

George, I., Hara, E., & Hessler, N. A. (2006). Behavioral and neural lateralization of vision in courtship singing of the zebra finch. *Journal of Neurobiology*, 66(10), 1164-1173. doi.

Georgeann S, O. B., Sandra, R., Seanna M, M., Ann M, C., Carlos, P. C., Alvaro, S., & others. (2009). Two-photon axotomy and time-lapse confocal imaging in live zebrafish embryos. *Journal of Visualized Experiments*, (24). doi.

Georgiev, D., González-Burgos, G., Kikuchi, M., Minabe, Y., Lewis, D. A., & Hashimoto, T. (2012). Selective Expression of KCNS3 Potassium Channel  $\alpha$ -Subunit in Parvalbumin-Containing GABA Neurons in the Human Prefrontal Cortex. *PLoS ONE*, 7(8), e43904. doi: 10.1371/journal.pone.0043904. <http://dx.doi.org/10.1371%2Fjournal.pone.0043904>

Gerashchenko, D., Kohls, M. D., Greco, M., Waleh, N. S., Salin-Pascual, R., Kilduff, T. S., . . . Shiromani, P. J. (2001). Hypocretin-2-Saporin Lesions of the Lateral Hypothalamus Produce Narcoleptic-Like Sleep Behavior in the Rat. *Journal of Neuroscience*, 21(18), 7273-7283. doi: <http://www.jneurosci.org/cgi/content/abstract/21/18/7273>

Gerecke, K. M., Kishore, R., Jasnow, A., Quadros-Menella, P., Parker, S., Kozub, F. J., . . . Kinsley, C. H. (2012). Alterations of sex-typical microanatomy: Prenatal stress modifies the structure of medial preoptic area neurons in rats. *Developmental Psychobiology*. doi.

Gerfen, Charles R., Paletzki, R., & Heintz, N. (2013). GENSAT BAC Cre-Recombinase Driver Lines to Study the Functional Organization of Cerebral Cortical and Basal Ganglia Circuits. *Neuron*, 80(6), 1368-1383. doi: <http://dx.doi.org/10.1016/j.neuron.2013.10.016>. <http://www.sciencedirect.com/science/article/pii/S0896627313009197>

Gerkin, R., Tripathy, S., Crook, S., & Kotaleski, J. (2014). Databases and Data Repositories in Computational Neuroscience: Overview. In D. Jaeger & R. Jung (Eds.), *Encyclopedia of Computational Neuroscience* (pp. 1-4): Springer New York.

Gerlach, S., & Hersch, R. D. (2002). A real-time navigator for the visible human. *IEEE Internet Computing*, 5(2), 27-33. doi: <http://diwww.epfl.ch/w3lsp/publications/gigaserver/artnftvh.pdf>

German, D. C., Liang, C. L., Manaye, K. F., Lane, K., & Sonsalla, P. K. (2000). Pharmacological inactivation of the vesicular monoamine transporter can enhance 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine-induced neurodegeneration of midbrain dopaminergic neurons, but not locus coeruleus noradrenergic neurons. *Neuroscience*, 101(4), 1063-1069. doi.

German, D. C., Manaye, K. F., Wu, D., Hersh, L. B., & Zweig, R. M. (1999). Mesopontine cholinergic and non-cholinergic neurons in schizophrenia. *Journal of Neuroscience*, 94(1), 33-38. doi.

German, D. C., Quintero, E. M., Liang, C. L., Ng, B., Punia, S., Xie, C., & Dietschy, J. M. (2001). Selective neurodegeneration, without neurofibrillary tangles, in a mouse model of Niemann-Pick C disease. *Journal of Comparative Neurology*, 433(3), 415-425. doi.

German, D. C., Yazdani, U., Speciale, S. G., Pasbakhsh, P., Games, D., & Liang, C. L. (2003). Cholinergic neuropathology in a mouse model of Alzheimer's disease. *Journal of Comparative Neurology*, 462(4), 371-381. doi.

Germuska, M., Saha, S., Fiala, J., & Barbas, H. (2006). Synaptic distinction of laminar-specific prefrontal-temporal pathways in primates. *Cerebral Cortex*, 16(6), 865-875. doi.

Gerrits, P. O., Kortekaas, R., Veening, J. G., De Weerd, H., Algra, A., Mouton, L. J., & van der Want, J. J. L. (2008). Estrous cycle-dependent neural plasticity in the caudal brainstem in the female golden hamster: ultrastructural and immunocytochemical studies of axo-dendritic relationships and dynamic remodeling. *Hormones and Behavior*, 54(5), 627-639. doi:

Gerrits, P. O., Krukerink, M., & Veening, J. G. (2009). Columnar organization of estrogen receptor- $\alpha$  immunoreactive neurons in the periaqueductal gray projecting to the nucleus para-retroambiguus in the caudal brainstem of the female golden hamster. *Neuroscience*, 161(2), 459-474. doi:

Gerrits, P. O., Veening, J. G., Blomsma, S. A., & Mouton, L. J. (2008). The nucleus para-retroambiguus: A new group of estrogen receptive cells in the caudal ventrolateral medulla of the female golden hamster. *Hormones and Behavior*, 53(2), 329-341. doi:

Gertler, T. S., Chan, C. S., & Surmeier, D. J. (2008). Dichotomous Anatomical Properties of Adult Striatal Medium Spiny Neurons. *Journal of Neuroscience*, 28(43), 10814-10824. doi: 10.1523/jneurosci.2660-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/43/10814>

Gervais, N. J., Mumby, D. G., & Brake, W. G. (2015). Attenuation of dendritic spine density in the perirhinal cortex following 17 $\beta$ -estradiol replacement in the rat. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22479. <http://dx.doi.org/10.1002/hipo.22479>

Gharbawie, O., Stepniewska, I., & Kaas, J. (2015). The origins of thalamic inputs to grasp zones in frontal cortex of macaque monkeys. *Brain Structure and Function*, 1-18. doi: 10.1007/s00429-015-1091-y. <http://dx.doi.org/10.1007/s00429-015-1091-y>

Gharbawie, O. A., Stepniewska, I., Burish, M. J., & Kaas, J. H. (2010). Thalamocortical Connections of Functional Zones in Posterior Parietal Cortex and Frontal Cortex Motor Regions in New World Monkeys. *Cerebral Cortex*, bhp308. doi: 10.1093/cercor/bhp308. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp308v1>

Gharbawie, O. A., Stepniewska, I., & Kaas, J. H. (2011). Cortical Connections of Functional Zones in Posterior Parietal Cortex and Frontal Cortex Motor Regions in New World Monkeys. *Cerebral Cortex*. doi: 10.1093/cercor/bhq260. <http://cercor.oxfordjournals.org/content/early/2011/01/24/cercor.bhq260...>

Gharbawie, O. A., Stepniewska, I., Qi, H., & Kaas, J. H. (2011). Multiple Parietal-Frontal Pathways Mediate Grasping in Macaque Monkeys. *Journal of Neuroscience*, 31(32), 11660-11677. doi: 10.1523/jneurosci.1777-11.2011. <http://www.jneurosci.org/content/31/32/11660.abstract>

Ghashghaei, H. T., & Barbas, H. (2001). Neural interaction between the basal forebrain and functionally distinct prefrontal cortices in the rhesus monkey. *Neuroscience*, 103(3), 593-614. doi:



Ghashghaei, H. T., & Barbas, H. (2002). Pathways for emotion: interactions of prefrontal and anterior temporal pathways in the amygdala of the rhesus monkey. *Neuroscience*, 115(4), 1261-1279. doi.

Ghashghaei, H. T., Hilgetag, C. C., & Barbas, H. (2007). Sequence of information processing for emotions based on the anatomic dialogue between prefrontal cortex and amygdala. *Neuroimage*, 34(3), 905-923. doi.

Ghashghaei, H. T., Weber, J., Pevny, L., Schmid, R., Schwab, M. H., Lloyd, K. C. K., . . . Anton, E. S. (2006). The role of neuregulin-ErbB4 interactions on the proliferation and organization of cells in the subventricular zone. *PNAS*, 0510410103. doi: 10.1073/pnas.0507729103. <http://www.pnas.org/cgi/content/abstract/0510410103v1>

Gheorghita, F., Kraftsik, R., Dubois, R., & Welker, E. (2006). Structural Basis for Map Formation in the Thalamocortical Pathway of the Barrelless Mouse. *Journal of Neuroscience*, 26(39), 10057-10067. doi: 10.1523/jneurosci.1263-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/39/10057>

Ghergherehchi, C. L., Hibbard, E. A., Mikesch, M., Bittner, G. D., & Sengelau, D. R. (2019). Behavioral recovery and spinal motoneuron remodeling after polyethylene glycol fusion repair of singly cut and ablated sciatic nerves. *PLoS ONE*, 14(10), e0223443. doi: 10.1371/journal.pone.0223443. <https://doi.org/10.1371/journal.pone.0223443>

Ghiglione, E., Beronio, A., Reni, L., & Abruzzese, M. (2004). Leprous neuropathy: a clinical and neurophysiological study. *Journal of the Peripheral Nervous System*, 9(2), 120-121. doi: 10.1111/j.1085-9489.2004.009209bb.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Ghosh, A., Haiss, F., Sydekum, E., Schneider, R., Gullo, M., Wyss, M. T., . . . others. (2009). Rewiring of hindlimb corticospinal neurons after spinal cord injury. *Nature Neuroscience*, 13(1), 97-104. doi.

Ghosh, A., Peduzzi, S., Snyder, M., Schneider, R., Starkey, M., & Schwab, M. E. (2011). Heterogeneous Spine Loss in Layer 5 Cortical Neurons after Spinal Cord Injury. *Cerebral Cortex*, bhr191. doi: 10.1093/cercor/bhr191. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr191v1>

Ghosh, A., Sydekum, E., Haiss, F., Peduzzi, S., Zorner, B., Schneider, R., . . . Schwab, M. E. (2009). Functional and Anatomical Reorganization of the Sensory-Motor Cortex after Incomplete Spinal Cord Injury in Adult Rats. *Journal of Neuroscience*, 29(39), 12210-12219. doi: 10.1523/jneurosci.1828-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/39/12210>

Ghosh, S., Larson, S. D., Hefzi, H., Marnoy, Z., Cutforth, T., Dokka, K., & Baldwin, K. K. (2011). Sensory maps in the olfactory cortex defined by long-range viral tracing of single neurons. *Nature*, 472(7342), 217-220. doi.

Giacomini, C., La Padula, V., Schenone, A., Leandri, M., Contestabile, A., Moruzzo, D., . . . Corradi, A. (2011). Both Schwann cell and axonal defects cause motor peripheral neuropathy in *Ebf2*<sup>-/-</sup> mice. *Neurobiology of Disease*. doi.

Giacomini, C., Mahajani, S., Ruffilli, R., Marotta, R., & Gasparini, L. (2015). Lamin B1 protein is required for dendrite development in primary mouse cortical neurons. *Molecular Biology of the Cell*. doi: 10.1091/mbc.E15-05-0307. <http://www.molbiolcell.org/content/early/2015/10/26/mbc.E15-05-0307.abst...>

Giampà, C., Laurenti, D., Anzilotti, S., Bernardi, G., Menniti, F. S., & Fusco, F. R. (2010). Inhibition of the striatal specific phosphodiesterase PDE10A ameliorates striatal and cortical pathology in R6/2 mouse model of Huntington's disease. *PLoS ONE*, 5(10), e13417-e13417. doi.

Giampà, C., Montagna, E., Dato, C., Melone, M. A. B., Bernardi, G., & Fusco, F. R. (2013). Systemic Delivery of Recombinant Brain Derived Neurotrophic Factor (BDNF) in the R6/2 Mouse Model of Huntington's Disease. *PLoS ONE*, 8(5), e64037. doi: 10.1371/journal.pone.0064037. <http://dx.doi.org/10.1371%2Fjournal.pone.0064037>

Gianaris, A., Liu, N.-K., Wang, X.-F., Oakes, E., Brenia, J., Gianaris, T., . . . Xu, X.-M. (2016). Unilateral microinjection of acrolein into thoracic spinal cord produces acute and chronic injury and functional deficits. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.054>. <http://www.sciencedirect.com/science/article/pii/S0306452216300410>

Giannetti, S., Gaglini, P., Di Rocco, F., Di Rocco, C., & Granato, A. (2000). Organization of cortico-cortical associative projections in a rat model of microgyria. *Neuroreport*, 11(10), 2185-2185. doi.

Gianola, S., De Castro, F., & Rossi, F. (2009). Anosmin-1 stimulates outgrowth and branching of developing Purkinje axons. *Neuroscience*, 158(2), 570-584. doi.

Gianola, S., & Rossi, F. (2001). Evolution of the Purkinje cell response to injury and regenerative potential during postnatal development of the rat cerebellum. *Journal of Comparative Neurology*, 430(1), 101-117. doi.

Gianola, S., & Rossi, F. (2004). GAP-43 overexpression in adult mouse Purkinje cells overrides myelin-derived inhibition of neurite growth. *European Journal of Neuroscience*, 19(4), 819-830. doi: doi:10.1111/j.0953-816X.2004.03190.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-816X.2004.03190.x>

Gianola, S., Savio, T., Schwab, M. E., & Rossi, F. (2003). Cell-Autonomous Mechanisms and Myelin-Associated Factors Contribute to the Development of Purkinje Axon Intracortical Plexus in the Rat Cerebellum. *Journal of Neuroscience*, 23, 4613-4624. doi.

Gibbs, S., Chattopadhyaya, B., Desgent, S., Awad, P. N., Clerk-Lamallice, O., Levesque, M., . . . others. (2011). Long-term consequences of a prolonged febrile seizure in a dual pathology model. *Neurobiology of Disease*. doi.

Gibson, Daniel A., Tymanskyj, S., Yuan, Rachel C., Leung, Haiwen C., Lefebvre, Julie L., Sanes, Joshua R., . . . Ma, L. (2014). Dendrite Self-Avoidance Requires Cell-Autonomous Slit/Robo Signaling in Cerebellar Purkinje Cells. *Neuron*, 81(5), 1040-1056. doi: <http://dx.doi.org/10.1016/j.neuron.2014.01.009>. <http://www.sciencedirect.com/science/article/pii/S0896627314000142>

Giele, J. L. P., Nabers, A. F., Veening, J. G., van Egmond, J., & Vissers, K. C. P. (2009). The Effect of a Thoracic Spinal Block on Fos Expression in the Lumbar Spinal Cord of the Rat Induced by a Noxious Electrical Stimulus at the Hindpaw. *Anesthesia and Analgesia*, 109(5), 1659-1665. doi.

Gielow, M. R., & Zaborszky, L. (2017). The Input-Output Relationship of the Cholinergic Basal Forebrain. *Cell Reports*, 18(7), 1817-1830. doi: <http://dx.doi.org/10.1016/j.celrep.2017.01.060>. <http://www.sciencedirect.com/science/article/pii/S2211124717301171>

Giesert, F., Glasl, L., Zimprich, A., Ernst, L., Piccoli, G., Stautner, C., . . . Wurst, W. (2017). The pathogenic LRRK2 R1441C mutation induces specific deficits modeling the prodromal phase of Parkinson's disease in the mouse. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.05.013>. <http://www.sciencedirect.com/science/article/pii/S0969996117301237>

Gilbert, M. T., & Soderstrom, K. (2013). Novel song-stimulated dendritic spine formation and Arc/Arg3.1 expression in zebra finch auditory telencephalon are disrupted by cannabinoid agonism. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.10.012>. <http://www.sciencedirect.com/science/article/pii/S0006899313013772>

Gilchrist, L. S., Cain, D. M., Harding-Rose, C., Kov, A. N., Wendelschafer-Crabb, G., Kennedy, W. R., & Simone, D. A. (2005). Re-organization of P2X<sub>3</sub> receptor localization on epidermal nerve fibers in a murine model of cancer pain. *Brain Research*, 1044(2), 197-205. doi.

Gill, K. M., Bernstein, I. L., & Mizumori, S. J. Y. (2007). Immediate early gene activation in hippocampus and dorsal striatum: Effects of explicit place and response training. *Neurobiology of Learning and Memory*, 87(4), 583-596. doi.

Gillani, R. L., Tsai, S. Y., Wallace, D. G., O'Brien, T. E., Arhebamen, E., Tole, M., . . . Kartje, G. L. (2010). Cognitive recovery in the aged rat after stroke and anti-Nogo-A immunotherapy. *Behavioural Brain Research*, 208(2), 415-424. doi.

Gillette, T. A., & Ascoli, G. A. (2012). Measuring and Modeling Morphology: How Dendrites Take Shape

Computational Systems Neurobiology. In N. Le Novère (Ed.), (pp. 387-427): Springer Netherlands.

Gillette, T. A., Brown, K. M., & Ascoli, G. A. (2011). The DIADEM metric: Comparing multiple reconstructions of the same neuron. *Neuroinformatics*, 1-13. doi.

Gilmore, J. H., Jarskog, L. F., Vadlamudi, S., & Lauder, J. M. (2004). Prenatal Infection and Risk for Schizophrenia: IL-1, IL-6, and TNF Inhibit Cortical Neuron Dendrite development. *Neuropsychopharmacology*, 29(9), 1221-1229. doi.

Ginet, V., Puyal, J., Magnin, G., Clarke, P. G. H., & Truttmann, A. C. (2009). Limited role of the c-Jun N-terminal kinase pathway in a neonatal rat model of cerebral hypoxia-ischemia. *Journal of Neurochemistry*, 108(3), 552-562. doi.

Giordano, G., & Costa, L. G. (2012). Morphological Assessment of Neurite Outgrowth in Hippocampal Neuron-Astrocyte Co-Cultures. *Current Protocols in Toxicology*, 11-16. doi.

Giorgio, A. D., & Granato, A. (2015). Reduced density of dendritic spines in pyramidal neurons of rats exposed to alcohol during early postnatal life. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2015.01.005>, <http://www.sciencedirect.com/science/article/pii/S0736574815000076>

Giabellota, B., Scammell, T., Bandaru, S. S., & Saper, C. B. (2019). Regulation of hippocampal dendritic spines following sleep deprivation. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24764. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24764>

Gittins, R., & Harrison, P. (2004). A quantitative morphometric study of the human anterior cingulate cortex. *Brain Research*, 1013, 212 - 222. doi.

Gittis, A. H., Hang, G. B., LaDow, E. S., Shoenfeld, L. R., Atallah, B. V., Finkbeiner, S., & Kreitzer, A. C. (2011). Rapid target-specific remodeling of fast-spiking inhibitory circuits after loss of dopamine. *Neuron*, 71(5), 858-868. doi.

Giza, J. I., Kim, J., Meyer, H. C., Anastasia, A., Dincheva, I., Zheng, C. I., . . . Lee, F. S. (2018). The BDNF Val66Met Prodomain Disassembles Dendritic Spines Altering Fear Extinction Circuitry and Behavior. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.05.024>. <https://www.sciencedirect.com/science/article/pii/S0896627318304227>

Gladden, M. H., Maxwell, D. J., Sahal, A., & Jankowska, E. (2000). Coupling between serotonergic and noradrenergic neurones and  $\gamma$ -motoneurones in the cat. *Journal of Physiology*, 527(2), 213-223. doi.

Glanzer, J., Enose, Y., Wang, T., Kadiu, I., Gong, N., Rozek, W., . . . Gendelman, H. (2007). Genomic and proteomic microglial profiling: pathways for neuroprotective inflammatory responses following nerve fragment clearance and activation. *Journal of Neurochemistry*, 102, 627 - 645. doi.

Glaser, E., & Loos, H. V. D. (1965). A semi-quantitative computer-microscope for the analysis of neuronal morphometry. *IEEE Transactions on Bio-Medical Engineering*. doi.

Glaser, J. R., & Glaser, E. M. (1990). Neuron imaging with Neurolucida—a PC-based system for image combining microscopy. *Computerized Medical Imaging and Graphics*, 14(5), 307-317. doi.

Glasgow, S. D., & Chapman, C. A. (2013). Muscarinic Depolarization of Layer II Neurons of the Parasubiculum. *PLoS ONE*, 8(3), e58901. doi: 10.1371/journal.pone.0058901. <http://dx.doi.org/10.1371/journal.pone.0058901>

Glasl, L., Kloos, K., Giesert, F., Roethig, A., Di Benedetto, B., Kühn, R., . . . others. (2012). Pink1-deficiency in mice impairs gait, olfaction and serotonergic innervation of the olfactory bulb. *Experimental Neurology*. doi.

Glasper, E. R., Hyer, M. M., Katakam, J., Harper, R., Ameri, C., & Wolz, T. (2015). Fatherhood contributes to increased hippocampal spine density and anxiety regulation in California mice. *Brain and Behavior*, n/a-n/a. doi: 10.1002/brb3.416. <http://dx.doi.org/10.1002/brb3.416>

Glass, R., Synowitz, M., Kronenberg, G., Walzlein, J.-H., Markovic, D. S., Wang, L.-P., . . . Kettenmann, H. (2005). Glioblastoma-Induced Attraction of Endogenous Neural Precursor Cells Is Associated with Improved Survival. *Journal of Neuroscience*, 25(10), 2637-2646. doi: 10.1523/jneurosci.5118-04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/10/2637>

Glatzer, N. R., Hasney, C. P., Bhaskaran, M. D., & Smith, B. N. (2003). Synaptic and morphologic properties in vitro of premotor rat nucleus tractus solitarius neurons labeled transneuronally from the stomach. *Journal of Comparative Neurology*, 464(4), 525-539. doi.

Glavaski-Joksimovic, A., Virag, T., Chang, Q. A., West, N. C., Mangatu, T. A., McGrogan, M. P., . . . Bohn, M. C. (2009). Reversal of dopaminergic degeneration in a parkinsonian rat following micrografting of human bone marrow-derived neural progenitors. *Cell Transplantation*, 18(7), 801-814. doi.

Gleeson, P., Crook, S., Cannon, R. C., Hines, M. L., Billings, G. O., Farinella, M., . . . others. (2010). NeuroML: a language for describing data driven models of neurons and networks with a high degree of biological detail. *PLoS computational biology*, 6(6), e1000815-e1000815. doi.

Gleeson, P., Steuber, V., & Silver, R. A. (2007). neuroConstruct: a tool for modeling networks of neurons in 3D space. *Neuron*, 54(2), 219-235. doi.

Gleeson, P., Steuber, V., & Silver, R. A. (2008). Using neuroConstruct to develop and modify biologically detailed 3D neuronal network models in health and disease. *Computational Neuroscience in Epilepsy*. doi.

Glendenning, M. L., Lovekamp-Swan, T., & Schreihöfer, D. A. (2008). Protective effect of estrogen in endothelin-induced middle cerebral artery occlusion in female rats. *Neuroscience Letters*, 445(2), 188-192. doi.

Glezer, I., Chernomoretz, A., David, S., Plante, M. M., & Rivest, S. (2007). Genes involved in the balance between neuronal survival and death during inflammation. *PLoS ONE*, 2(3), e310-e310. doi.

Glickfeld, L. L., Atallah, B. V., & Scanziani, M. (2008). Complementary Modulation of Somatic Inhibition by Opioids and Cannabinoids. *Journal of Neuroscience*, 28(8), 1824-1832. doi:

10.1523/jneurosci.4700-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/8/1824>

Glickfeld, L. L., & Scanziani, M. (2006). Distinct timing in the activity of cannabinoid-sensitive and cannabinoid-insensitive basket cells. *Nature of Neuroscience*, 9, 807-815. doi.

Glickstein, S. B., Hof, P. R., & Schmauss, C. (2002). Mice Lacking Dopamine D2 and D3 Receptors Have Spatial Working Memory Deficits. *Journal of Neuroscience*, 22(13), 5619-5629. doi: 20026543. <http://www.jneurosci.org/cgi/content/abstract/22/13/5619>

Gloor, C., Luft, A. R., & Hosp, J. A. (2015). Biphasic plasticity of dendritic fields in layer V motor neurons in response to motor learning. *Neurobiology of Learning and Memory*. doi: <http://dx.doi.org/10.1016/j.nlm.2015.08.009>. <http://www.sciencedirect.com/science/article/pii/S1074742715001574>

Gloveli, T., Booker, S. A., Kopell, N., & Dugladze, T. (2018). Cell Type-Specific Activity During Hippocampal Network Oscillations In Vitro. In V. Cutsuridis, B. P. Graham, S. Cobb & I. Vida (Eds.), *Hippocampal Microcircuits: A Computational Modeler's Resource Book* (pp. 327-364). Cham: Springer International Publishing.

Gloveli, T., Dugladze, T., Rotstein, H. G., Traub, R. D., Monyer, H., Heinemann, U., . . . Kopell, N. J. (2005). Orthogonal arrangement of rhythm-generating microcircuits in the hippocampus. *PNAS*, 102(37), 13295-13300. doi: <http://www.pnas.org/cgi/content/abstract/102/37/13295>

Gloveli, T., Dugladze, T., Saha, S., Monyer, H., Heinemann, U., Traub, R. D., . . . Buhl, t. I. E. H. (2005). Differential involvement of oriens/pyramidal interneurons in hippocampal network oscillations in vitro. *Journal of Physiology*, 562(1), 131-147. doi: 10.1113/jphysiol.2004.073007. <http://jp.physoc.org/cgi/content/abstract/562/1/131>

Gloveli, T., Kopell, N., & Dugladze, T. (2010). Neuronal activity patterns during hippocampal network oscillations in vitro. *Hippocampal Microcircuits*, 247-276. doi.

Godavarthi, S. K., Dey, P., Sharma, A., & Jana, N. R. (2015). Impaired adult hippocampal neurogenesis and its partial reversal by chronic treatment of fluoxetine in a mouse model of Angelman syndrome. *Biochemical and Biophysical Research Communications*. doi: <http://dx.doi.org/10.1016/j.bbrc.2015.07.103>. <http://www.sciencedirect.com/science/article/pii/S0006291X15303338>

Godavarthi, S. K., Sharma, A., & Jana, N. R. (2014). Reversal of reduced parvalbumin neurons in hippocampus and amygdala of Angelman syndrome model mice by chronic treatment of fluoxetine. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12726. <http://dx.doi.org/10.1111/jnc.12726>

Godfrey, D. A., Chen, K., Godfrey, M. A., Jin, Y. M., Robinson, K. T., & Hair, C. (2008). Effects of cochlear ablation on amino acid concentrations in the chinchilla posteroventral cochlear nucleus, as compared to rat. *Neuroscience*, 154(1), 304-314. doi.

Godfrey, D. A., Chen, K., Godfrey, M. A., Lee, A. C., Crass, S. P., Shipp, D., . . . Robinson, K. T. (2015). Cochlear ablation effects on amino acid levels in the chinchilla cochlear nucleus.



Neuroscience, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.03.055>. <http://www.sciencedirect.com/science/article/pii/S0306452215003048>

Godfrey, D. A., Chen, K., O'Toole, T. R., & Mustapha, A. I. A. A. (2017). Amino acid and acetylcholine chemistry in the central auditory system of young, middle-aged and old rats. *Hearing Research*.

doi: <https://doi.org/10.1016/j.heares.2017.05.002>. <http://www.sciencedirect.com/science/article/pii/S0378595517301181>

Godfrey, D. A., Kaltenbach, J. A., Chen, K., Ilyas, O., Liu, X., Licari, F., . . . McKnight, D. (2012). Amino acid concentrations in the hamster central auditory system and long-term effects of intense tone exposure. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23095. <http://dx.doi.org/10.1002/jnr.23095>

Godfrey, D. A., Lee, A. C., Hamilton, W. D., Benjamin Iii, L. C., Vishwanath, S., Simo, H., . . . Heffner, R. S. (2016). Volumes of Cochlear Nucleus Regions in Rodents. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.07.003>. <http://www.sciencedirect.com/science/article/pii/S0378595516302660>

Goeke, C. M., Hashimoto, J. G., Guizzetti, M., & Vitalone, A. (2021). Effects of ethanol-and choline-treated astrocytes on hippocampal neuron neurite outgrowth in vitro. *Science Progress*, 104(2), 00368504211018943. doi: 10.1177/00368504211018943. <https://doi.org/10.1177/00368504211018943>

Goeke, C. M., Roberts, M. L., Hashimoto, J. G., Finn, D. A., & Guizzetti, M. (2018). Neonatal Ethanol and Choline Treatments Alter the Morphology of Developing Rat Hippocampal Pyramidal Neurons in Opposite Directions. *Neuroscience*, 374, 13-24. doi: <https://doi.org/10.1016/j.neuroscience.2018.01.031>. <https://www.sciencedirect.com/science/article/pii/S0306452218300472>

Goings, G. E., Kozłowski, D. A., & Szele, F. G. (2006). Differential activation of microglia in neurogenic versus non-neurogenic regions of the forebrain. *Glia*, 54(4), 329-342. doi.

Goings, G. E., Wibisono, B. L., & Szele, F. G. (2002). Cerebral cortex lesions decrease the number of bromodeoxyuridine-positive subventricular zone cells in mice. *Neuroscience Letters*, 329(2), 161-164. doi.

Gold, C., Henze, D. A., Koch, C., & Buzsáki, G. (2006). On the Origin of the Extracellular Action Potential Waveform: A Modeling Study. *Journal of Neurophysiology*, 95(5), 3113-3128. doi: 10.1152/jn.00979.2005. <http://jn.physiology.org/cgi/content/abstract/95/5/3113>

Goldberg, J., Hamzei-Sichani, F., MacLean, J., Tamas, G., Urban, R., & Yuste, R. (2006). From Dendrites to Networks: Optically Probing the Living Brain Slice and Using Principal Component Analysis to Characterize Neuronal Morphology. *Neuroanatomical Tract-Tracing* 3, 452-476. doi.

Goldberg, J. H., Lacefield, C. O., & Yuste, R. (2004). Global dendritic calcium spikes in mouse layer 5 low threshold spiking interneurons: implications for control of pyramidal cell

- bursting. *Journal of Physiology*, 558(2), 465-478. doi: 10.1113/jphysiol.2004.064519. <http://jp.physoc.org/cgi/content/abstract/558/2/465>
- Goldberg, J. H., Tamas, G., Aronov, D., & Yuste, R. (2003). Calcium microdomains in aspiny dendrites. *Neuron*, 40(4), 807-821. doi:
- Goldberg, J. H., Tamas, G., & Yuste, R. (2003). Ca<sup>2+</sup> imaging of mouse neocortical interneurone dendrites: Ia-type K<sup>+</sup> channels control action potential backpropagation. *Journal of Physiology*, 551(1), 49-65. doi: 10.1113/jphysiol.2003.042580. <http://jp.physoc.org/cgi/content/abstract/551/1/49>
- Goldberg, J. H., Yuste, R., & Tamas, G. (2003). Ca<sup>2+</sup> imaging of mouse neocortical interneurone dendrites: Contribution of Ca<sup>2+</sup>-permeable AMPA and NMDA receptors to subthreshold Ca<sup>2+</sup>dynamics. *Journal of Physiology*, 551(1), 67-78. doi: 10.1113/jphysiol.2003.042598. <http://jp.physoc.org/cgi/content/abstract/551/1/67>
- Golden, K. L., Pearse, D. D., Blits, B., Garg, M. S., Oudega, M., Wood, P. M., & Bunge, M. B. (2007). Transduced Schwann cells promote axon growth and myelination after spinal cord injury. *Experimental Neurology*, 207(2), 203-217. doi:
- Goldin, M., Epsztein, J., Jorquera, I., Represa, A., Ben-Ari, Y., Crepel, V., & Cossart, R. (2007). Synaptic Kainate Receptors Tune Oriens-Lacunosum Moleculare Interneurons to Operate at Theta Frequency. *Journal of Neuroscience*, 27(36), 9560-9572. doi: 10.1523/jneurosci.1237-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/36/9560>
- Golding, N. L., Kath, W. L., & Spruston, N. (2001). Dichotomy of Action-Potential Backpropagation in CA1 Pyramidal Neuron Dendrites. *Journal of Neurophysiology*, 86(6), 2998-3010. doi: <http://jn.physiology.org/cgi/content/abstract/86/6/2998>
- Golding, N. L., Mickus, T. J., Katz, Y., Kath, W. L., & Spruston, N. (2005). Factors mediating powerful voltage attenuation along CA1 pyramidal neuron dendrites. *Journal of Physiology*, 568(1), 69-82. doi: 10.1113/jphysiol.2005.086793. <http://jp.physoc.org/cgi/content/abstract/568/1/69>
- Goldowitz, D., Cushing, R. C., Laywell, E., D'Arcangelo, G., Sheldon, M., Sweet, H. O., . . . Curran, T. (1997). Cerebellar Disorganization Characteristic of Reeler in Scrambler Mutant Mice Despite Presence of Reelin. *Journal of Neuroscience*, 17(22), 8767-8777. doi: <http://www.jneurosci.org/cgi/content/abstract/17/22/8767>
- Goldowitz, D., Hamre, K. M., Przyborski, S. A., & Ackerman, S. L. (2000). Granule Cells and Cerebellar Boundaries: Analysis of Unc5h3 Mutant Chimeras. *Journal of Neuroscience*, 20(11), 4129-4137. doi: <http://www.jneurosci.org/cgi/content/abstract/20/11/4129>
- Goldstein, A. Y. N., Jan, Y.-N., & Luo, L. (2005). Function and regulation of Tumbleweed (RacGAP50C) in neuroblast proliferation and neuronal morphogenesis. *PNAS*, 102(10), 3834-3839. doi: <http://www.pnas.org/cgi/content/abstract/102/10/3834>

Goldwater, D. S., Pavlides, C., Hunter, R. G., Bloss, E. B., Hof, P. R., McEwen, B. S., & Morrison, J. H. (2009). Structural and functional alterations to rat medial prefrontal cortex following chronic restraint stress and recovery. *Neuroscience*, 164(2), 798-808. doi.

Gombash, S. E., Cowley, C. J., Fitzgerald, J. A., Iyer, C. C., Fried, D., McGovern, V. L., . . . Foust, K. D. (2015). SMN Deficiency Disrupts Gastrointestinal and Enteric Nervous System Function in Mice. *Human Molecular Genetics*. doi: 10.1093/hmg/ddv127. <http://hmg.oxfordjournals.org/content/early/2015/04/09/hmg.ddv127.abstract>

Gombash, S. E., Lipton, J. W., Collier, T. J., Madhavan, L., Steece-Collier, K., Cole-Strauss, A., . . . others. (2011). Striatal Pleiotrophin Overexpression Provides Functional and Morphological Neuroprotection in the 6-Hydroxydopamine Model. *Molecular Therapy*, 20(3), 544-554. doi.

Gomes, G. F., Peixoto, R. D. d. F., Maciel, B. G., Santos, K. F. d., Bayma, L. R., Feitoza Neto, P. A., . . . Diniz, C. W. P. (2019). Differential Microglial Morphological Response, TNF $\alpha$ , and Viral Load in Sedentary-like and Active Murine Models After Systemic Non-neurotropic Dengue Virus Infection. *Journal of Histochemistry and Cytochemistry*, 0022155419835218. doi: 10.1369/0022155419835218. <https://doi.org/10.1369/0022155419835218>

Gomez, C., Brinon, J. G., Orio, L., Colado, M. I., Lawrence, A. J., Zhou, F. C., . . . Alonso, J. R. (2007). Changes in the serotonergic system in the main olfactory bulb of rats unilaterally deprived from birth to adulthood. *Journal of Neurochemistry*, 100(4), 924-938. doi: doi:10.1111/j.1471-4159.2006.04229.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04229.x>

Gomez, C., Brinon, J. G., Valero, J., Recio, J. S., Murias, A. R., Curto, G. G., . . . Alonso, J. R. (2007). Sex differences in catechol contents in the olfactory bulb of control and unilaterally deprived rats. *European Journal of Neuroscience*, 25(5), 1517-1528. doi: doi:10.1111/j.1460-9568.2007.05407.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05407.x>

Gómez, C., Curto, G. G., Baltanás, F. C., Valero, J., O'Shea, E., Colado, M. I., . . . Alonso, J. R. (2011). Changes in the serotonergic system and in BDNF distribution in the main olfactory bulb of pcd mice before and after mitral cell loss. *Neuroscience*. doi.

Gómez, C., Jimeno, D., Fernández-Medarde, A., García-Navas, R., Calzada, N., & Santos, E. (2017). Ras-GRF2 regulates nestin-positive stem cell density and onset of differentiation during adult neurogenesis in the mouse dentate gyrus. *Molecular and Cellular Neuroscience*. doi: <https://doi.org/10.1016/j.mcn.2017.09.006>. <http://www.sciencedirect.com/science/article/pii/S1044743117301392>

Gómez-Álvarez, M., & Saldaña, E. (2015). Different tonotopic regions of the lateral superior olive receive a similar combination of afferent inputs. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23942. <http://dx.doi.org/10.1002/cne.23942>

Gómez-Chacón, B., Gámiz, F., & Gallo, M. (2012). Basolateral amygdala lesions attenuate safe taste memory-related c-fos expression in the rat perirhinal cortex. *Behavioural Brain Research*. doi.

Gómez-Galán, M., De Bundel, D., Van Eeckhaut, A., Smolders, I., & Lindskog, M. (2012). Dysfunctional astrocytic regulation of glutamate transmission in a rat model of depression. *Molecular Psychiatry*. doi.

Gomez-Gonzalez, B., & Escobar, A. (2010). Prenatal stress alters microglial development and distribution in postnatal rat brain. *Acta Neuropathol*, 119, 303 - 315. doi.

Goncalves, J. T., Bloyd, C. W., Shtrahman, M., Johnston, S. T., Schafer, S. T., Parylak, S. L., . . . Gage, F. H. (2016). In vivo imaging of dendritic pruning in dentate granule cells. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4301

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4301.html#suppl.....> <http://dx.doi.org/10.1038/nn.4301>

Gonçalves, L., Silva, R., Pinto-Ribeiro, F., Pêgo, J. M., Bessa, J. M., Pertovaara, A., . . . Almeida, A. (2008). Neuropathic pain is associated with depressive behaviour and induces neuroplasticity in the amygdala of the rat. *Experimental Neurology*, 213(1), 48-56. doi.

Gong, H., McGinty, D., Guzman-Marin, R., Chew, K.-T., Stewart, D., & Szymusiak, R. (2004). Activation of c-fos in GABAergic neurones in the preoptic area during sleep and in response to sleep deprivation. *Journal of Physiology*, 556(3), 935-946. doi: 10.1113/jphysiol.2003.056622. <http://jp.physoc.org/cgi/content/abstract/556/3/935>

Gong, H., Szymusiak, R., King, J., Steininger, T., & McGinty, D. (2000). Sleep-related c-Fos protein expression in the preoptic hypothalamus: effects of ambient warming. *American Journal Physiological Regulatory Integrative Comparative Physiology*, 279(6), R2079-2088. doi. <http://ajpregu.physiology.org/cgi/content/abstract/279/6/R2079>

Gong, H., Xu, D., Yuan, J., Li, X., Guo, C., Peng, J., . . . Luo, Q. (2016). High-throughput dual-colour precision imaging for brain-wide connectome with cytoarchitectonic landmarks at the cellular level. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms12142. <http://dx.doi.org/10.1038/ncomms12142>

Gong, S., Doughty, M., Harbaugh, C. R., Cummins, A., Hatten, M. E., Heintz, N., & Gerfen, C. R. (2007). Targeting Cre Recombinase to Specific Neuron Populations with Bacterial Artificial Chromosome Constructs

*Journal of Neuroscience* 27(37), 9817-9823. doi.

Gong, S., Zhou, Q., & LeDoux, M. S. (2003). Blink-related sensorimotor anatomy in the rat. *Anatomy and Embryology*, 207(3), 193-208. doi.

Gong, X., Jiang, Y., Zhang, X., An, Y., Zhang, J., Wu, Y., . . . others. (2012). High Proportion of 22q13 Deletions and SHANK3 Mutations in Chinese Patients with Intellectual Disability. *PLoS ONE*, 7(4), e34739-e34739. doi.

Gong, X., Jiang, Y.-w., Zhang, X., An, Y., Zhang, J., Wu, Y., . . . Wang, H. (2012). High Proportion of 22q13 Deletions and SHANK3 Mutations in Chinese Patients with Intellectual Disability. *PLoS ONE*, 7(4), e34739. doi: 10.1371/journal.pone.0034739. <http://dx.doi.org/10.1371%2Fjournal.pone.0034739>

Gonzalez, F. F., McQuillen, P., Mu, D., Chang, Y., Wendland, M., Vexler, Z., & Ferriero, D. M. (2007). Erythropoietin Enhances Long-Term Neuroprotection and Neurogenesis in Neonatal Stroke. *Developmental Neuroscience*, 29(4-5), 321-330. doi: <http://www.karger.com/DOI/10.1159/000105473>

González, G., Fleuret, F., & Fua, P. (2008). Automated delineation of dendritic networks in noisy image stacks. *Computer Vision–ECCV 2008*, 214-227. doi.

Gonzalez, I., Arévalo-Serrano, J., Perez, J. L., Gonzalo, P., & Gonzalo-Ruiz, A. (2008). Effects of  $\beta$ -amyloid peptide on the density of M2 muscarinic acetylcholine receptor protein in the hippocampus of the rat: relationship with GABA-, calcium-binding protein and somatostatin-containing cells. *Neuropathology and Applied Neurobiology*, 34(5), 506-522. doi.

González, I., Arévalo-Serrano, J., Sanz-Anquela, J. M., & Gonzalo-Ruiz, A. (2007). Effects of  $\beta$ -amyloid protein on M1 and M2 subtypes of muscarinic acetylcholine receptors in the medial septum-diagonal band complex of the rat: relationship with cholinergic, GABAergic, and calcium-binding protein perikarya. *Acta Neuropathologica*, 113(6), 637-651. doi.

González, J. F. G., Mel, B. W., & Poirazi, P. (2011). Distinguishing linear vs. non-linear integration in CA1 radial oblique dendrites: it's about time. *Frontiers in computational neuroscience*, 5. doi.

González-Aparicio, R., & Moratalla, R. (2013). Oleoylethanolamide reduces L-DOPA-induced dyskinesia via TRPV1 receptor in a mouse model of Parkinson's disease. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.10.008>. <http://www.sciencedirect.com/science/article/pii/S0969996113002830>

Gonzalez-Burgos, G., Krimer, L. S., Povysheva, N. V., Barrionuevo, G., & Lewis, D. A. (2005). Functional Properties of Fast Spiking Interneurons and Their Synaptic Connections With Pyramidal Cells in Primate Dorsolateral Prefrontal Cortex. *Journal of Neurophysiology*, 93(2), 942-953. doi: 10.1152/jn.00787.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/942>

González-Burgos, G., Krimer, L. S., Urban, N. N., Barrionuevo, G., & Lewis, D. A. (2004). Synaptic efficacy during repetitive activation of excitatory inputs in primate dorsolateral prefrontal cortex. *Cerebral Cortex*, 14(5), 530-542. doi.

González-Burgos, G., Krimer, L. S., Urban, N. N., Barrionuevo, G., & Lewis, D. A. (2004). Synaptic efficacy during repetitive activation of excitatory inputs in primate dorsolateral prefrontal cortex. *Cerebral Cortex*, 14(5), 530-542. doi.

Gonzalez-Burgos, G., Kroener, S., Seamans, J. K., Lewis, D. A., & Barrionuevo, G. (2005). Dopaminergic Modulation of Short-Term Synaptic Plasticity in Fast-Spiking Interneurons of

Primate Dorsolateral Prefrontal Cortex. *Journal of Neurophysiology*, 94(6), 4168-4177. doi: 10.1152/jn.00698.2005. <http://jn.physiology.org/cgi/content/abstract/94/6/4168>

Gonzalez-Burgos, G., Kroener, S., Zaitsev, A. V., Povysheva, N. V., Krimer, L. S., Barrionuevo, G., & Lewis, D. A. (2008). Functional Maturation of Excitatory Synapses in Layer 3 Pyramidal Neurons during Postnatal Development of the Primate Prefrontal Cortex. *Cerebral Cortex*, 18(3), 626-637. doi: 10.1093/cercor/bhm095. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/3/626>

-

Gonzalez-Burgos, G., Miyamae, T., Pafundo, D. E., Yoshino, H., Rotaru, D. C., Hoftman, G., . . . Lewis, D. A. (2014). Functional Maturation of GABA Synapses During Postnatal Development of the Monkey Dorsolateral Prefrontal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhu122. <http://cercor.oxfordjournals.org/content/early/2014/06/05/cercor.bhu122....>

Gonzalez-Burgos, G., Rotaru, D. C., Zaitsev, A. V., Povysheva, N. V., & Lewis, D. A. (2008). The GABA transporter GAT1 prevents spillover at proximal and distal GABA synapses onto primate prefrontal cortex neurons. *Journal of Neurophysiology*, 91161.92008. doi: 10.1152/jn.91161.2008. <http://jn.physiology.org/cgi/content/abstract/91161.2008v1>

González-Cabrera, C., Meza, R., Ulloa, L., Merino-Sepúlveda, P., Luco, V., Sanhueza, A., . . . Henny, P. (2017). Characterization of the axon initial segment of mice substantia nigra dopaminergic neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24288. <http://dx.doi.org/10.1002/cne.24288>

Gonzalo-Ruiz, A., & Arévalo-Serrano, J. (2012). Interaction between  $\beta$ -amyloid protein and the  $\alpha 7$  nicotinic acetylcholine receptor in cholinergic, gabaergic and calcium-binding proteins-containing neurons in the septum-diagonal band complex of the rat. *European Journal of Anatomy*, 10(3), 127-142. doi.

Gonzalo-Ruiz, A., Gonzalez, I., & Sanz-Anquela, J. M. (2003). Effects of  $\beta$ -amyloid protein on serotonergic, noradrenergic, and cholinergic markers in neurons of the pontomesencephalic tegmentum in the rat. *Journal of Chemical Neuroanatomy*, 26(3), 153-169. doi.

Gonzalo-Ruiz, A., Perez, J. L., Sanz, J. M., Geula, C., & Arevalo, J. (2006). Effects of lipids and aging on the neurotoxicity and neuronal loss caused by intracerebral injections of the amyloid- $\beta$  peptide in the rat. *Experimental Neurology*, 197(1), 41-55. doi.

Goodliffe, J. W., Song, H., Rubakovic, A., Chang, W., Medalla, M., Weaver, C. M., & Luebke, J. I. (2018). Differential changes to D1 and D2 medium spiny neurons in the 12-month-old Q175<sup>+/-</sup> mouse model of Huntington's Disease. *PLoS ONE*, 13(8), e0200626. doi: 10.1371/journal.pone.0200626. <https://doi.org/10.1371/journal.pone.0200626>

Goodman, R. L., Maltby, M. J., Millar, R. P., Hileman, S. M., Nestor, C. C., Whited, B., . . . Lehman, M. N. (2012). Evidence that Dopamine Acts via Kisspeptin to Hold GnRH Pulse Frequency in Check in Anestrous Ewes. *Endocrinology*. doi: 10.1210/en.2012-1611. <http://endo.endojournals.org/content/early/2012/10/03/en.2012-1611.abstract>



Gordon, M., Shepherd, G., Stepanyants, A., Bureau, I., Chklovskii, D., & Svoboda, K. (2005). Geometric and functional organization of cortical circuits. *Nature Neuroscience*, 8, 782-790. doi.

Gordon, R. J., Tattersfield, A. S., Vazey, E. M., Kells, A. P., McGregor, A. L., Hughes, S. M., & Connor, B. (2007). Temporal profile of subventricular zone progenitor cell migration following quinolinic acid-induced striatal cell loss. *Neuroscience*, 146(4), 1704-1718. doi.

Gos, T., Bock, J., Poeggel, G., & Braun, K. (2008). Stress-induced synaptic changes in the rat anterior cingulate cortex are dependent on endocrine developmental time windows. *Synapse*, 62(3), 229-232. doi.

Goshen, I., Avital, A., Kreisel, T., Licht, T., Segal, M., & Yirmiya, R. (2009). Environmental Enrichment Restores Memory Functioning in Mice with Impaired IL-1 Signaling via Reinstatement of Long-Term Potentiation and Spine Size Enlargement. *Journal of Neuroscience*, 29(11), 3395-3403. doi: 10.1523/jneurosci.5352-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3395>

Goto, J., Talos, D. M., Klein, P., Qin, W., Chekaluk, Y. I., Anderl, S., . . . Kwiatkowski, D. J. (2011). Regulable neural progenitor-specific Tsc1 loss yields giant cells with organellar dysfunction in a model of tuberous sclerosis complex. *Proceedings of the National Academy of Sciences*, 108(45), E1070-E1079. doi: 10.1073/pnas.1106454108. <http://www.pnas.org/content/108/45/E1070.abstract>

Goto, K., Kutsuna, N., Yamashita, A., Oshima, H., Suma, T., & Yoshino, A. (2018). Changes of Doublecortin-Immunoreactive Cells from the Acute Phase to Chronic Phase After Transient Global Brain Ischemia in Rat Cingulate Cortex. In O. Thews, J. C. LaManna & D. K. Harrison (Eds.), *Oxygen Transport to Tissue XL* (pp. 69-75). Cham: Springer International Publishing.

Gottlieb, J. P., & Keller, A. (1997). Intrinsic circuitry and physiological properties of pyramidal neurons in rat barrel cortex. *Experimental Brain Research*, 115, 47-60. doi.

Gould, E., Vail, N., Wagers, M., & Gross, C. (2001). Adult-generated hippocampal and neocortical neurons in macaques have a transient existence. *Proceedings of the National Academy of Sciences*, 98(19), 10910-10917. doi.

Gourley, S. L., Swanson, A. M., & Koleske, A. J. (2013). Corticosteroid-Induced Neural Remodeling Predicts Behavioral Vulnerability and Resilience. *Journal of Neuroscience*, 33(7), 3107-3112. doi: 10.1523/jneurosci.2138-12.2013. <http://www.jneurosci.org/content/33/7/3107.abstract>

Gouty-Colomer, L. A., Hosseini, B., Marcelo, I. M., Schreiber, J., Slump, D. E., Yamaguchi, S., . . . Kushner, S. A. (2015). Arc expression identifies the lateral amygdala fear memory trace. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2015.18. <http://dx.doi.org/10.1038/mp.2015.18>

Grachev, P., Porter, K. L., Coolen, L. M., McCosh, R. B., Connors, J. M., Hileman, S. M., . . . Goodman, R. L. (2016). Surge-like LH secretion induced by retrochiasmatic area NK3R

activation is mediated primarily by ARC kisspeptin neurones in the ewe. *Journal of Neuroendocrinology*, n/a-n/a. doi: 10.1111/jne.12393. <http://dx.doi.org/10.1111/jne.12393>

Gradari, S., Pérez-Dómpier, P., Butler, R. G., Martínez-Cué, C., de Polavieja, G. G., & Trejo, J. L. (2016). The relationship between behavior acquisition and persistence abilities: Involvement of adult hippocampal neurogenesis. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22568. <http://dx.doi.org/10.1002/hipo.22568>

Graebenitz, S., Lesting, J., Sosulina, L., Seidenbecher, T., & Pape, H. C. (2010). Alteration of NMDA receptor-mediated synaptic interactions in the lateral amygdala associated with seizure activity in a mouse model of chronic temporal lobe epilepsy. *Epilepsia*, 51(9), 1754-1762. doi.

Graeber, M., & Streit, W. (2010). Microglia: biology and pathology. *Acta Neuropathol*, 119, 89 - 105. doi.

Graf, W., Gerrits, N., Yatim-Dhiba, N., & Ugolini, G. (2002). Mapping the oculomotor system: the power of transneuronal labelling with rabies virus. *European Journal of Neuroscience*, 15(9), 1557. doi.

Grafe, L. A., Geng, E., Corbett, B., Urban, K., & Bhatnagar, S. (2019). Sex- and Stress-Dependent Effects on Dendritic Morphology and Spine Densities in Putative Orexin Neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.026>. <http://www.sciencedirect.com/science/article/pii/S0306452219305998>

Grahn, P. J., Vaishya, S., Knight, A., Chen, B. K., Schmeichel, A., Currier, B., . . . Windebank, A. (2014). Implantation of cauda equina nerve roots through a biodegradable scaffold at the conus medullaris in rat. *The Spine Journal*, (0). doi: <http://dx.doi.org/10.1016/j.spinee.2014.01.059>. <http://www.sciencedirect.com/science/article/pii/S1529943014001375>

Granato, A. (2006). Altered organization of cortical interneurons in rats exposed to ethanol during neonatal life. *Brain Research*, 1069(1), 23-30. doi.

Granato, A., Di Rocco, F., Zumbo, A., Toesca, A., & Giannetti, S. (2003). Organization of cortico-cortical associative projections in rats exposed to ethanol during early postnatal life. *Brain Research Bulletin*, 60(4), 339-344. doi.

Granato, A., & Van Pelt, J. (2003). Effects of early ethanol exposure on dendrite growth of cortical pyramidal neurons: inferences from a computational model. *Developmental Brain Research*, 142(2), 223-227. doi.

Grande, V., Manassero, G., & Vercelli, A. (2014). Neuroprotective and Anti-Inflammatory Roles of the Phosphatase and Tensin Homolog Deleted on Chromosome Ten (PTEN) Inhibition in a Mouse Model of Temporal Lobe Epilepsy. *PLoS ONE*, 9(12), e114554. doi: 10.1371/journal.pone.0114554. <http://dx.doi.org/10.1371%2Fjournal.pone.0114554>

Grandis, M., Jain, M., La Padula, V., Balsamo, J., Lilien, J., Kamholz, J., . . . Shy, M. E. (2004). Mutations disrupting extracellular structure of MPZ cause early onset severe forms of CMT1B. *Journal of the Peripheral Nervous System*, 9(2), 111-112. doi: doi:10.1111/j.1085-9489.2004.009209y.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Grant, A., Hoops, D., Labelle-Dumais, C., Prevost, M., Rajabi, H., Kolb, B., . . . Flores, C. (2007). Netrin-1 receptor-deficient mice show enhanced mesocortical dopamine transmission and blunted behavioural responses to amphetamine. *European Journal of Neuroscience*, 26(11), 3215-3228. doi: doi:10.1111/j.1460-9568.2007.05888.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05888.x>

Grantyn, A., Brandi, A. M., Dubayle, D., Graf, W., Ugolini, G., Hadjidimitrakis, K., & Moschovakis, A. (2002). Density gradients of trans-synaptically labeled collicular neurons after injections of rabies virus in the lateral rectus muscle of the rhesus monkey. *Journal of Comparative Neurology*, 451(4), 346-361. doi.

Grantyn, A., Kuze, B., Brandi, A. M., Thomas, M. A., & Quenech'du, N. (2010). Direct projections of omnipause neurons to reticulospinal neurons: A double-labeling light microscopic study in the cat. *Journal of Comparative Neurology*, 518(23), 4792-4812. doi.

Grau-Perales, A., Gómez-Chacón, B., Morillas, E., & Gallo, M. (2018). Flavor recognition memory related activity of the posterior piriform cortex in adult and aged rats. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2018.12.016>. <http://www.sciencedirect.com/science/article/pii/S0166432818311689>

Grau-Perales, A. B., Gámiz, F., & Gallo, M. (2021). Effect of hippocampal 6-OHDA lesions on the contextual modulation of taste recognition memory. *Behavioural Brain Research*, 409, 113320. doi: <https://doi.org/10.1016/j.bbr.2021.113320>. <https://www.sciencedirect.com/science/article/pii/S0166432821002084>

Grau-Perales, A. B., Levy, E. R. J., Fenton, A. A., & Gallo, M. (2019). Dorsal hippocampal damage disrupts the auditory context-dependent attenuation of taste neophobia in mice. *Neurobiology of Learning and Memory*, 157, 121-127. doi: <https://doi.org/10.1016/j.nlm.2018.12.009>. <http://www.sciencedirect.com/science/article/pii/S1074742718302855>

Graves, Austin R., Moore, Shannon J., Bloss, Erik B., Mensh, Brett D., Kath, William L., & Spruston, N. (2012). Hippocampal Pyramidal Neurons Comprise Two Distinct Cell Types that Are Countermodulated by Metabotropic Receptors. *Neuron*, 76(4), 776-789. doi: <http://dx.doi.org/10.1016/j.neuron.2012.09.036>. <http://www.sciencedirect.com/science/article/pii/S0896627312008902>

Graziano, A., & Jones, E. G. (2009). Early Withdrawal of Axons from Higher Centers in Response to Peripheral Somatosensory Denervation. *Journal of Neuroscience*, 29(12), 3738-3748. doi: 10.1523/jneurosci.5388-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/12/3738>

Greco, M. A., Magner, M., & Shiromani, P. J. (1998). Expression of cholinergic markers in the pons of Flinders rats. *Molecular Brain Research*, 55(2), 232-236. doi.

Greco, M. A., & Shiromani, P. J. (2001). Hypocretin receptor protein and mRNA expression in the dorsolateral pons of rats. *Molecular Brain Research*, 88(1-2), 176-182. doi.

Greminger, A. R., Lee, D. L., Shrager, P., & Mayer-Pröschel, M. (2014). Gestational Iron Deficiency Differentially Alters the Structure and Function of White and Gray Matter Brain Regions of Developing Rats. *The Journal of Nutrition*. doi: 10.3945/jn.113.187732. <http://jn.nutrition.org/content/early/2014/04/16/jn.113.187732.abstract>

Gribaudo, S., Bovetti, S., Friard, O., Denorme, M., Oboti, L., Fasolo, A., & De Marchis, S. (2012). Transitory and activity-dependent expression of Neurogranin in olfactory bulb tufted cells during mouse postnatal development. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23150. <http://dx.doi.org/10.1002/cne.23150>

Gribaudo, S., Bovetti, S., Garzotto, D., Fasolo, A., & De Marchis, S. (2009). Expression and localization of the calmodulin-binding protein neurogranin in the adult mouse olfactory bulb. *Journal of Comparative Neurology*, 517(5), 683-694. doi.

Griffiths, B. B., Sahbaie, P., Rao, A., Arvola, O., Xu, L., Liang, D., . . . Stary, C. M. (2019). Pre-treatment with microRNA-181a Antagomir Prevents Loss of Parvalbumin Expression and Preserves Novel Object Recognition Following Mild Traumatic Brain Injury. [journal article]. *Neuromolecular medicine*. doi: 10.1007/s12017-019-08532-y. <https://doi.org/10.1007/s12017-019-08532-y>

Grill, J. D., & Riddle, D. R. (2002). Age-related and laminar-specific dendritic changes in the medial frontal cortex of the rat. *Brain Research*, 937(1-2), 8-21. doi.

Grill, J. D., Sonntag, W. E., & Riddle, D. R. (2005). Dendritic stability in a model of adult-onset IGF-I deficiency. *Growth Hormone and IGF Research*, 15(5), 337-348. doi.

Grillo, C. A., Risher, M., Macht, V. A., Bumgardner, A. L., Hang, A., Gabriel, C., . . . Reagan, L. P. (2014). Repeated restraint stress-induced atrophy of glutamatergic pyramidal neurons and decreases in glutamatergic efflux in the rat amygdala are prevented by the antidepressant agomelatine. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.09.047>. <http://www.sciencedirect.com/science/article/pii/S0306452214007982>

Grimaldi, P., Saleem, Kadharbatcha S., & Tsao, D. (2016). Anatomical Connections of the Functionally Defined "Face Patches" in the Macaque Monkey. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.05.009>. <http://www.sciencedirect.com/science/article/pii/S0896627316301696>

Grimm, J., Barnes, J., Koerber, J., Glueck, E., Ginder, D., Hyde, J., & Eaton, L. (2015). Effects of acute or chronic environmental enrichment on regional Fos protein expression following sucrose cue-reactivity testing in rats. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-015-1074-z. <http://dx.doi.org/10.1007/s00429-015-1074-z>

Grisot, G., Haber, S. N., & Yendiki, A. (2021). Diffusion MRI and anatomic tracing in the same brain reveal common failure modes of tractography. *Neuroimage*, 239, 118300. doi: <https://doi.org/10.1016/j.neuroimage.2021.118300> <https://www.sciencedirect.com/science/article/pii/S1053811921005760>

Gritti, I., Henny, P., Galloni, F., Mainville, L., Mariotti, M., & Jones, B. E. (2006). Stereological estimates of the basal forebrain cell population in the rat, including neurons containing choline acetyltransferase, glutamic acid decarboxylase or phosphate-activated glutaminase and colocalizing vesicular glutamate transporters. *Neuroscience*, 143(4), 1051-1064. doi.

Groc, L., Petanjek, Z., Gustafsson, B., Ben-Ari, Y., Hanse, E., & Khazipov, R. (2002). In vivo blockade of neural activity

alters dendritic development of neonatal CA1 pyramidal cells. *European Journal of Neuroscience*, 16(10), 1931. doi.

Groc, L., Petanjek, Z., Gustafsson, B., Ben-Ari, Y., Khazipov, R., & Hanse, E. (2003). Compensatory dendritic growth of CA1 pyramidal cells following growth impairment in the neonatal period. *European Journal of Neuroscience*, 18, 1332-1336. doi.

Groen, M. R., Paulsen, O., Perez-Garci, E., Nevian, T., Wortel, J., Dekker, M. P., . . . Meredith, R. M. (2014). Development of dendritic tonic GABAergic inhibition regulates excitability and plasticity in CA1 pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.00066.2014. <http://jn.physiology.org/content/early/2014/04/18/jn.00066.2014.abstract>

Gröger, N., Mannewitz, A., Bock, J., de Schultz, T. F., Guttman, K., Poeggel, G., & Braun, K. (2017). Infant avoidance training alters cellular activation patterns in prefronto-limbic circuits during adult avoidance learning: I. Cellular imaging of neurons expressing the synaptic plasticity early growth response protein 1 (Egr1). [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-017-1423-1. <http://dx.doi.org/10.1007/s00429-017-1423-1>

Groh, A., Bokor, H., Mease, R. A., Plattner, V. M., Hangya, B., Stroh, A., . . . Acsády, L. (2013). Convergence of Cortical and Sensory Driver Inputs on Single Thalamocortical Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bht173. <http://cercor.oxfordjournals.org/content/early/2013/07/03/cercor.bht173...>

Groh, A., de Kock, C. P. J., Wimmer, V. C., Sakmann, B., & Kuner, T. (2008). Driver or Coincidence Detector: Modal Switch of a Corticothalamic Giant Synapse Controlled by Spontaneous Activity and Short-Term Depression. *Journal of Neuroscience*, 28(39), 9652-9663. doi: 10.1523/jneurosci.1554-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/39/9652>

Groh, A., Meyer, H. S., Schmidt, E. F., Heintz, N., Sakmann, B., & Krieger, P. (2010). Cell-type specific properties of pyramidal neurons in neocortex underlying a layout that is modifiable depending on the cortical area. *Cerebral Cortex*, 20(4), 826-836. doi.

Gröhn, O. H. J., Kettunen, M. I., Mäkelä, H. I., Penttonen, M., Pitkänen, A., Lukkarinen, J. A., & Kauppinen, R. A. (2000). Early Detection of Irreversible Cerebral Ischemia in the Rat Using Dispersion of the Magnetic Resonance Imaging Relaxation Time, T1p. *Journal of Cerebral Blood Flow AND Metabolism*, 20, 1457-1466. doi.

Grońska-Pęski, M., Schachner, M., & Hébert, J. M. (2020). L1cam curbs the differentiation of adult-born hippocampal neurons. *Stem Cell Research*, 48, 101999. doi: <https://doi.org/10.1016/j.scr.2020.101999>, <http://www.sciencedirect.com/science/article/pii/S1873506120303007>

Groom, A., Potter, K., Turcot, V., Pearce, M. S., Embleton, N. D., & Relton, C. L. (2011). Postnatal Growth Is Associated with DNA Methylation and Childhood Adiposity: Using Genetic Variation to Infer the Direction of Causation. *Journal of Developmental Origins of Health and Disease*, 2(1), S2–S34-S32–S34. doi.

Grosso, A., Cambiaghi, M., Milano, L., Renna, A., Sacco, T., & Sacchetti, B. (2016). Region- and Layer-Specific Activation of the Higher Order Auditory Cortex Te2 after Remote Retrieval of Fear or Appetitive Memories. *Cerebral Cortex*. doi: 10.1093/cercor/bhw159. <http://cercor.oxfordjournals.org/content/early/2016/05/31/cercor.bhw159...>

Groves, T. R., Farris, R., Anderson, J. E., Alexander, T. C., Kiffer, F., Carter, G., . . . Allen, A. R. (2017). 5-Fluorouracil chemotherapy upregulates cytokines and alters hippocampal dendritic complexity in aged mice. *Behavioural Brain Research*, 316, 215-224. doi: <http://dx.doi.org/10.1016/j.bbr.2016.08.039>, <http://www.sciencedirect.com/science/article/pii/S0166432816305575>

Groves, T. R., Wang, J., Boerma, M., Allen, A., & o, R. (2017). Assessment of Hippocampal Dendritic Complexity in Aged Mice Using the Golgi-Cox Method. (124), e55696. doi:10.3791/55696. <https://www.jove.com/video/55696>

Gruene, T. M., Roberts, E., Thomas, V., Ronzio, A., & Shansky, R. M. (2014). Sex-specific neuroanatomical correlates of fear expression in prefrontal-amygdala circuits. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2014.11.014>, <http://www.sciencedirect.com/science/article/pii/S0006322314008944>

Grünewald, L., Becker, N., Camphausen, A., O'Leary, A., Lesch, K.-P., Freudenberg, F., & Reif, A. (2018). Expression of the ADHD candidate gene *Diras2* in the brain. [journal article]. *Journal of Neural Transmission*. doi: 10.1007/s00702-018-1867-3. <https://doi.org/10.1007/s00702-018-1867-3>

Grzanna, R., Dubin, J. R., Dent, G. W., Ji, Z., Zhang, W., Ho, S. P., & Hartig, P. R. (1998). Intraatrial and intraventricular injections of oligodeoxynucleotides in the rat brain: tissue penetration, intracellular distribution and c-fos antisense effects. *Molecular Brain Research*, 63, 35-52. doi.

Gu, F., Parada, I., Shen, F., Li, J., Bacci, A., Graber, K., . . . Prince, D. A. (2017). Structural alterations in fast-spiking GABAergic interneurons in a model of posttraumatic neocortical



epileptogenesis. *Neurobiology of Disease*.

doi: <http://dx.doi.org/10.1016/j.nbd.2017.08.008>, <http://www.sciencedirect.com/science/article/pii/S0969996117301894>

Gu, H. H., & Han, D. D. (2017). Chapter 14 - Use of Knock-In Mice to Investigate the Molecular Mechanism of Cocaine Action A2 - Preedy, Victor R *The Neuroscience of Cocaine* (pp. 135-142). San Diego: Academic Press.

Gu, H. Y., Chai, H., Zhang, J. Y., Yao, Z. B., Zhou, L. H., Wong, W. M., . . . Wu, W. T. (2005). Survival, regeneration and functional recovery of motoneurons after delayed reimplantation of avulsed spinal root in adult rat. *Experimental Neurology*, 192(1), 89-99. doi.

Gu, H.-Y., Chai, H., Zhang, J.-Y., Yao, Z.-B., Zhou, L.-H., Wong, W.-M., . . . Wu, W.-T. (2004). Survival, regeneration and functional recovery of motoneurons in adult rats by reimplantation of ventral root following spinal root avulsion. *European Journal of Neuroscience*, 19(8), 2123-2131. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2004.0329...>

Gu, W., Fu, S., Wang, Y., Li, Y., Lu, H., Xu, X., & Lu, P. (2009). Chondroitin sulfate proteoglycans regulate the growth, differentiation and migration of multipotent neural precursor cells through the integrin signaling pathway. *BMC Neuroscience*, 10(1), 128. doi. <http://www.biomedcentral.com/1471-2202/10/128>

Gu, W., Zhang, F., Xue, Q., Ma, Z., Lu, P., & Yu, B. (2010). Transplantation of bone marrow mesenchymal stem cells reduces lesion volume and induces axonal regrowth of injured spinal cord. *Neuropathology*, 30(3), 205-217. doi.

Gu, W., Zhang, F., Xue, Q., Ma, Z., Lu, P., & Yu, B. (2012). Bone mesenchymal stromal cells stimulate neurite outgrowth of spinal neurons by secreting neurotrophic factors. *Neurological Research*, 34(2), 172-180. doi.

Gu, Y. W., Su, D. S., Tian, J., & Wang, X. R. (2008). Attenuating phosphorylation of p38 MAPK in the activated microglia: a new mechanism for intrathecal lidocaine reversing tactile allodynia following chronic constriction injury in rats. *Neuroscience Letters*, 431(2), 129-134. doi.

Guadagno, A., Wong, T. P., & Walker, C.-D. (2018). Morphological and functional changes in the preweaning basolateral amygdala induced by early chronic stress associate with anxiety and fear behavior in adult male, but not female rats. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 81(Supplement C), 25-37. doi: <https://doi.org/10.1016/j.pnpbp.2017.09.025>, <http://www.sciencedirect.com/science/article/pii/S0278584617306437>

Guadaño-Ferraz, A., Viñuela, A., Oeding, G., Bernal, J., & Rausell, E. (2005). RC3/neurogranin is expressed in pyramidal neurons of motor and somatosensory cortex in normal and denervated monkeys. *Journal of Comparative Neurology*, 493(4), 554-570. doi.

Guagliardo, N. A., & Hill, D. L. (2007). Fungiform taste bud degeneration in C57BL/6J mice following chorda-lingual nerve transection. *Journal of Comparative Neurology*, 504(2), 206-216. doi:

Guagliardo, N. A., Yao, J., Stipes, E. J., Cechova, S., Le, T. H., Bayliss, D. A., . . . Barrett, P. Q. (2018). Adrenal Tissue-Specific Deletion of TASK Channels Causes Aldosterone-Driven Angiotensin II-Independent Hypertension. *Hypertension*, 0(0), HYPERTENSIONAHA.118.11962. doi: doi:10.1161/HYPERTENSIONAHA.118.11962. <https://www.ahajournals.org/doi/abs/10.1161/HYPERTENSIONAHA.118.11962> %X The renin-angiotensin system tightly controls aldosterone synthesis. Dysregulation is evident in hypertension (primary aldosteronism), low renin, and resistant hypertension) but also can exist in normotension. Whether chronic, mild aldosterone autonomy can elicit hypertension remains untested. Previously, we reported that global genetic deletion of 2 pore-domain TWIK-related acid-sensitive potassium channels, TASK-1 and TASK-3, from mice produces striking aldosterone excess, low renin, and hypertension. Here, we deleted TASK-1 and TASK-3 channels selectively from zona glomerulosa cells and generated a model of mild aldosterone autonomy with attendant hypertension that is aldosterone-driven and Ang II (angiotensin II)-independent. This study shows that a zona glomerulosa-specific channel defect can produce mild autonomous hyperaldosteronism sufficient to cause chronic blood pressure elevation.

Guan, H., & Maness, P. F. (2010). Perisomatic GABAergic Innervation in Prefrontal Cortex Is Regulated by Ankyrin Interaction with the L1 Cell Adhesion Molecule. *Cerebral Cortex*, 20(11), 2684-2693. doi: 10.1093/cercor/bhq016. <http://cercor.oxfordjournals.org/content/20/11/2684.abstract>

Guerra, L., McGarry, L. M., Robles, V., Bielza, C., Larrañaga, P., & Yuste, R. (2011). Comparison between supervised and unsupervised classifications of neuronal cell types: A case study. *Developmental Neurobiology*, 71(1), 71-82. doi: 10.1002/dneu.20809. <http://dx.doi.org/10.1002/dneu.20809>

Guest, J. D., Herrera, L., Margitich, I., Oliveria, M., Marcillo, A., & Casas, C. E. (2008). Xenografts of expanded primate olfactory ensheathing glia support transient behavioral recovery that is independent of serotonergic or corticospinal axonal regeneration in nude rats following spinal cord transection. *Experimental Neurology*, 212(2), 261-274. doi:

Guet-McCreight, A., Camiré, O., Topolnik, L., & Skinner, F. K. (2016). Using A Semi-Automated Strategy To Develop Multi-Compartment Models That Predict Biophysical Properties Of Interneuron Specific 3 (IS3) Cells In Hippocampus. [10.1523/ENEURO.0087-16.2016]. *eneuro*. doi: <http://eneuro.sfn.org/content/early/2016/08/29/ENEURO.0087-16.2016.abstract>

Guha, U., Gomes, W. A., Samanta, J., Gupta, M., Rice, F. L., & Kessler, J. A. (2004). Target-derived BMP signaling limits sensory neuron number and the extent of peripheral innervation in vivo. *Development*, 131(5), 1175-1186. doi: 10.1242/dev.01013. <http://dev.biologists.org/cgi/content/abstract/131/5/1175>

Guillamon-Vivancos, T., Tyler, W. A., Medalla, M., Chang, W. W.-e., Okamoto, M., Haydar, T. F., & Luebke, J. I. (2018). Distinct Neocortical Progenitor Lineages Fine-tune Neuronal

Diversity in a Layer-specific Manner. *Cerebral Cortex*. doi: 10.1093/cercor/bhy019. <http://dx.doi.org/10.1093/cercor/bhy019>

Guillery, R. W., Feig, S. L., & Van Lieshout, D. P. (2001). Connections of higher order visual relays in the thalamus: a study of corticothalamic pathways in cats. *Journal of Comparative Neurology*, 438(1), 66-85. doi.

Guilloux, J.-P., David, I., Pehrson, A., Guiard, B. P., Repérant, C., Orvoën, S., . . . David, D. J. (2013). Antidepressant and anxiolytic potential of the multimodal antidepressant vortioxetine (Lu AA21004) assessed by behavioural and neurogenesis outcomes in mice. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.05.014>. <http://www.sciencedirect.com/science/article/pii/S0028390813002244>

Guilloux, J.-P., Samuels, B. A., Mendez-David, I., Hu, A., Levinstein, M., Faye, C., . . . Hen, R. (2017). S 38093, a histamine H3 antagonist/inverse agonist, promotes hippocampal neurogenesis and improves context discrimination task in aged mice. *Scientific Reports*, 7, 42946. doi.

Guimaraes, B. d. P. P. F., Curado, M. R., Nogueira-Campos, A. A., Houzel, J. C., & Gattass, R. (2021). Nitroergic neurons of the forepaw representation in the rat somatosensory and motor cortices: A quantitative study. [<https://doi.org/10.1002/cne.25192>] *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25192>. <https://doi.org/10.1002/cne.25192>

Gull, S., Ingrisch, I., Tausch, S., Witte, O. W., & Schmidt, S. (2015). Consistent and reproducible staining of glia by a modified Golgi-Cox method. *Journal of Neuroscience Methods*, 256, 141-150. doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.08.029>. <http://www.sciencedirect.com/science/article/pii/S0165027015003209>

Gulyas, A. I., Megias, M., Emri, Z., & Freund, T. F. (1999). Total Number and Ratio of Excitatory and Inhibitory Synapses Converging onto Single Interneurons of Different Types in the CA1 Area of the Rat Hippocampus. *Journal of Neuroscience*, 19(22), 10082-10097. doi. <http://www.jneurosci.org/cgi/content/abstract/19/22/10082>

Gulyas, B., Toth, M., Schain, M., Airaksinen, A., Vas, A., Kostulas, K., . . . Halldin, C. (2012). Evolution of microglial activation in ischaemic core and peri-infarct regions after stroke: a PET study with the TSPO molecular imaging biomarker [<sup>11</sup>C]vinpocetine. *Journal of the Neurological Sciences*, 320, 110 - 117. doi.

Gunhan, E., van der List, D., & Chalupa, L. M. (2003). Ectopic Photoreceptors and Cone Bipolar Cells in the Developing and Mature Retina. *Journal of Neuroscience*, 23(4), 1383-1389. doi. <http://www.jneurosci.org/cgi/content/abstract/23/4/1383>

Guo, N., Garcia, M. M., & Harlan, R. E. (2008). A morphine-paired environment alters c-Fos expression in the forebrain of rats displaying conditioned place preference or aversion. *Behavioral Neuroscience*, 122(5), 1078-1078. doi.

Guo, S.-L., Tan, G.-H., Li, S., Cheng, X.-W., Zhou, Y., Jia, Y.-F., . . . Xiong, Z.-Q. (2011). Serum inducible kinase is a positive regulator of cortical dendrite development and is required for BDNF-promoted dendritic arborization. *Cell Research*. doi: <http://www.nature.com/cr/journal/vaop/ncurrent/suppinfo/cr2011100s1.html>. <http://dx.doi.org/10.1038/cr.2011.100>

Guo, W., Murthy, A. C., Zhang, L., Johnson, E. B., Schaller, E. G., Allan, A. M., & Zhao, X. (2012). Inhibition of GSK3 $\beta$  improves hippocampus-dependent learning and rescues neurogenesis in a mouse model of fragile X syndrome. *Human Molecular Genetics*, 21(3), 681-691. doi.

Guo, W., Polich, Eric D., Su, J., Gao, Y., Christopher, Devin M., Allan, Andrea M., . . . Zhao, X. (2015). Fragile X Proteins FMRP and FXR2P Control Synaptic GluA1 Expression and Neuronal Maturation via Distinct Mechanisms. *Cell Reports*, 11(10), 1651-1666. doi: <http://dx.doi.org/10.1016/j.celrep.2015.05.013>. <http://www.sciencedirect.com/science/article/pii/S2211124715005252>

Guo, Y., & Udin, S. B. (2000). The Development of Abnormal Axon Trajectories after Rotation of One Eye in *Xenopus*. *Journal of Neuroscience*, 20(11), 4189-4197. doi. <http://www.jneurosci.org/cgi/content/abstract/20/11/4189>

Guo, Z. V., Inagaki, H. K., Daie, K., Druckmann, S., Gerfen, C. R., & Svoboda, K. (2017). Maintenance of persistent activity in a frontal thalamocortical loop. [Article]. *Nature*, advance online publication. doi: 10.1038/nature22324

<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature22324.html#.....> <http://dx.doi.org/10.1038/nature22324>

Gupta, A., Elgammal, F. S., Proddutur, A., Shah, S., & Santhakumar, V. (2012). Decrease in Tonic Inhibition Contributes to Increase in Dentate Semilunar Granule Cell Excitability after Brain Injury. *Journal of Neuroscience*, 32(7), 2523-2537. doi: 10.1523/jneurosci.4141-11.2012. <http://www.jneurosci.org/content/32/7/2523.abstract>

Gupta, A., Wang, Y., & Markram, H. (2000). Organizing Principles for a Diversity of GABAergic Interneurons and Synapses in the Neocortex. *Science*, 287, 273-278. doi.

Gupta, N., Greenberg, G., de Tilly, L. N., Gray, B., Polemidiotis, M., & Yucel, Y. H. (2009). Atrophy of the lateral geniculate nucleus in human glaucoma detected by magnetic resonance imaging. *British Journal of Ophthalmology*, 93(1), 56-60. doi: 10.1136/bjo.2008.138172. <http://bjo.bmj.com/cgi/content/abstract/93/1/56>

Gupta, N., Ly, T., Zhang, Q., Kaufman, P. L., Weinreb, R. N., & Yücel, Y. H. (2007). Chronic ocular hypertension induces dendrite pathology in the lateral geniculate nucleus of the brain. *Experimental Eye Research*, 84(1), 176-184. doi.

Gupta, R. C., Milatovic, S., Dettbarn, W. D., Aschner, M., & Milatovic, D. (2007). Neuronal oxidative injury and dendritic damage induced by carbofuran: protection by memantine. *Toxicology and Applied Pharmacology*, 219(2-3), 97-105. doi.

Gurevicius, K., Gureviciene, I., Sivukhina, E., Irintchev, A., Schachner, M., & Tanila, H. (2007). Increased hippocampal and cortical beta oscillations in mice deficient for the HNK-1 sulfotransferase. *Molecular and Cellular Neuroscience*, 34(2), 189-198. doi.

Gurevicius, K., Kuang, F., Stoenica, L., Irintchev, A., Gureviciene, I., Dityatev, A., . . . Tanila, H. (2009). Genetic ablation of tenascin-C expression leads to abnormal hippocampal CA1 structure and electrical activity in vivo. *Hippocampus*, 19(12), 1232-1246. doi.

Gurung, B., & Fritsch\*, B. (2004). Time Course of Embryonic Midbrain and Thalamic Auditory Connection Development in Mice as Revealed by Carbocyanine Dye Tracing. *Journal of Comparative Neurology*, 479, 309-327. doi.

Guseva, D., Angelov, D. N., Irintchev, A., & Schachner, M. (2009). Ablation of adhesion molecule L1 in mice favours Schwann cell proliferation and functional recovery after peripheral nerve injury. *Brain*, awp160. doi: 10.1093/brain/awp160. <http://brain.oxfordjournals.org/cgi/content/abstract/awp160v1>

Guseva, D., Loers, G., & Schachner, M. (2014). Function-Triggering Antibodies to the Adhesion Molecule L1 Enhance Recovery after Injury of the Adult Mouse Femoral Nerve. *PLoS ONE*, 9(11), e112984. doi: 10.1371/journal.pone.0112984. <http://dx.doi.org/10.1371%2Fjournal.pone.0112984>

Guseva, D., Zerwas, M., Xiao, M., Jakovcevski, I., Irintchev, A., & Schachner, M. (2011). Adhesion molecule L1 overexpressed under the control of the neuronal Thy-1 promoter improves myelination after peripheral nerve injury in adult mice. *Experimental Neurology*. doi.

Gutarts, R., Nusstein, J., Reader, A., & Beck, M. (2005). In vivo debridement efficacy of ultrasonic irrigation following hand-rotary instrumentation in human mandibular molars. *Journal of Endodontics*, 31(3), 166-170. doi.

Gutierrez-Mecinas, M., Davis, O., Polgár, E., Shahzad, M., Navarro-Batista, K., Furuta, T., . . . Todd, A. J. (2018). Expression of Calretinin Among Different Neurochemical Classes of Interneuron in the Superficial Dorsal Horn of the Mouse Spinal Cord. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.12.009>, <http://www.sciencedirect.com/science/article/pii/S0306452218308182>

Gutierrez-Mecinas, M., Kuehn, E. D., Abaira, V. E., Polgár, E., Watanabe, M., & Todd, A. J. (2016). Immunostaining for Homer reveals the majority of excitatory synapses in laminae I-III of the mouse spinal dorsal horn. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.009>, <http://www.sciencedirect.com/science/article/pii/S0306452216301580>

Gutierrez-Mecinas, M., Polgár, E., Bell, A. M., Herau, M., & Todd, A. J. (2018). Substance P-expressing excitatory interneurons in the mouse superficial dorsal horn provide a propriospinal input to the lateral spinal nucleus. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1629-x. <https://doi.org/10.1007/s00429-018-1629-x>

Guy, J., Sachkova, A., Möck, M., Witte, M., Wagener, R. J., & Staiger, J. F. (2016). Intracortical Network Effects Preserve Thalamocortical Input Efficacy in a Cortex Without Layers.

Cerebral Cortex. doi:  
10.1093/cercor/bhw281. <http://cercor.oxfordjournals.org/content/early/2016/09/12/cercor.bhw281...>

Guy, J., Wagener, R. J., Möck, M., & Staiger, J. F. (2014). Persistence of Functional Sensory Maps in the Absence of Cortical Layers in the Somatosensory Cortex of Reeler Mice. *Cerebral Cortex*. doi:  
10.1093/cercor/bhu052. <http://cercor.oxfordjournals.org/content/early/2014/04/23/cercor.bhu052...>

Guyenet, P. G., Abbott, S. B. G., & Stornetta, R. L. (2012). The respiratory chemoreception conundrum: Light at the end of the tunnel? *Brain Research*, (0). doi:  
10.1016/j.brainres.2012.10.028. <http://www.sciencedirect.com/science/article/pii/S0006899312016745>

Guyenet, P. G., Sevigny, C. P., Weston, M. C., & Stornetta, R. L. (2002). Neurokinin-1 Receptor-Expressing Cells of the Ventral Respiratory Group Are Functionally Heterogeneous and Predominantly Glutamatergic. *Journal of Neuroscience*, 22(9), 3806-3816. doi. <http://www.jneurosci.org/cgi/content/abstract/22/9/3806>

Guyenet, P. G., Stornetta, R. L., Riley, T., Norton, F. R., Rosin, D. L., & Lynch, K. R. (1994). Alpha<sub>2A</sub>-adrenergic receptors are present in lower brainstem catecholaminergic and serotonergic neurons innervating spinal cord. *Brain Research*, 638(1), 285-294. doi.

Guyenet, P. G., & Wang, H. (2001). Pre-Botzinger Neurons With Preinspiratory Discharges "In Vivo" Express NK1 Receptors in the Rat. *Journal of Neurophysiology*, 86(1), 438-446. doi. <http://jn.physiology.org/cgi/content/abstract/86/1/438>

Guzik-Kornacka, A., van der Bourg, A., Vajda, F., Joly, S., Christ, F., Schwab, M., & Pernet, V. (2014). Nogo-A deletion increases the plasticity of the optokinetic response and changes retinal projection organization in the adult mouse visual system. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-014-0909-3. <http://dx.doi.org/10.1007/s00429-014-0909-3>

Gvilia, I., Angara, C., McGinty, D., & Szymusiak, R. (2005). Different neuronal populations of the rat median preoptic nucleus express c-fos during sleep and in response to hypertonic saline or angiotensin-II. *Journal of Physiology*, 569(2), 587-599. doi:  
10.1113/jphysiol.2005.097212. <http://jp.physoc.org/cgi/content/abstract/569/2/587>

Gvilia, I., Suntsova, N., Angara, B., McGinty, D., & Szymusiak, R. (2011). Maturation of sleep homeostasis in developing rats: a role for preoptic area neurons. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 300(4), R885-R894. doi:  
10.1152/ajpregu.00727.2010. <http://ajpregu.physiology.org/content/300/4/R885.abstract>

Gvilia, I., Turner, A., McGinty, D., & Szymusiak, R. (2006). Preoptic Area Neurons and the Homeostatic Regulation of Rapid Eye Movement Sleep. *Journal of Neuroscience*, 26(11), 3037-3044. doi: 10.1523/jneurosci.4827-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/11/3037>



Gvilia, I., Xu, F., McGinty, D., & Szymusiak, R. (2006). Homeostatic Regulation of Sleep: A Role for Preoptic Area Neurons. *Journal of Neuroscience*, 26(37), 9426-9433. doi: 10.1523/jneurosci.2012-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/37/9426>

Gyengesi, E., Calabrese, E., Sherrier, M., Johnson, G. A., Paxinos, G., & Watson, C. (2013). Semi-automated 3D segmentation of major tracts in the rat brain: comparing DTI with standard histological methods. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-013-0516-8. <http://dx.doi.org/10.1007/s00429-013-0516-8>

Gyengesi, E., Mnch, G., Paxinos, G., & Zaborszky, L. (2014). Can you believe what you see: evaluation of choline acetyl transferase (ChAT) expression in the ChAT-eGFP transgenic mouse (89.1). *The FASEB journal*, 28(1 Supplement). doi: [http://www.fasebj.org/content/28/1\\_Supplement/89.1.abstract](http://www.fasebj.org/content/28/1_Supplement/89.1.abstract)

Ha, T., Swanson, D., Larouche, M., Glenn, R., Weeden, D., Zhang, P., . . . Goldowitz, D. (2014). CbGRiTS: Cerebellar gene regulation in time and space. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2014.09.032>. <http://www.sciencedirect.com/science/article/pii/S0012160614005016>

Haas, C., & Fischer, I. (2013). Human astrocytes derived from glial restricted progenitors support regeneration of the injured spinal cord. *Journal of Neurotrauma*, (ja). doi.

Haas, C., Neuhuber, B., Yamagami, T., Rao, M., & Fischer, I. (2011). Phenotypic analysis of astrocytes derived from glial restricted precursors and their impact on axon regeneration. *Experimental Neurology*. doi.

Haas, C. A., Dudeck, O., Kirsch, M., Huszka, C., Kann, G., Pollak, S., . . . Frotscher, M. (2002). Role for Reelin in the Development of Granule Cell Dispersion in Temporal Lobe Epilepsy. *Journal of Neuroscience*, 22(14), 5797-5802. doi: 20026621. <http://www.jneurosci.org/cgi/content/abstract/22/14/5797>

Haas, M. A., Bell, D., Slender, A., Lana-Elola, E., Watson-Scales, S., Fisher, E. M. C., . . . Guillemot, F. (2013). Alterations to Dendritic Spine Morphology, but Not Dendrite Patterning, of Cortical Projection Neurons in Tc1 and Ts1Rhr Mouse Models of Down Syndrome. *PLoS ONE*, 8(10), e78561. doi: 10.1371/journal.pone.0078561. <http://dx.doi.org/10.1371%2Fjournal.pone.0078561>

Haber, S. N., Kim, K.-S., Maily, P., & Calzavara, R. (2006). Reward-Related Cortical Inputs Define a Large Striatal Region in Primates That Interface with Associative Cortical Connections, Providing a Substrate for Incentive-Based Learning. *Journal of Neuroscience*, 26(32), 8368-8376. doi: 10.1523/jneurosci.0271-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/32/8368>

Hackett, T. A., & de la Mothe, L. A. (2009). Regional and laminar distribution of the vesicular glutamate transporter, VGLuT2, in the macaque monkey auditory cortex. *Journal of Chemical Neuroanatomy*, 38(2), 106-116. doi.

Hackett, T. A., De La Mothe, L. A., Ulbert, I., Karmos, G., Smiley, J., & Schroeder, C. E. (2007). Multisensory convergence in auditory cortex, II. Thalamocortical connections of the caudal superior temporal plane. *Journal of Comparative Neurology*, 502(6), 924-952. doi.

Hacohen-Kleiman, G., Moaraf, S., Kapitansky, O., & Gozes, I. (2020). Sex-and Region-Dependent Expression of the Autism-Linked ADNP Correlates with Social- and Speech-Related Genes in the Canary Brain. *Journal of Molecular Neuroscience*. doi: 10.1007/s12031-020-01700-x. <https://doi.org/10.1007/s12031-020-01700-x>

Hada, Y., Yamada, Y., Imamura, K., Mataga, N., Watanabe, Y., & Yamamoto, M. (1999). Effects of monocular enucleation on parvalbumin in rat visual system during postnatal development. *Investigative Ophthalmology and Visual Science*, 40(11), 2535-2545. doi.

Hadjilambreva, G., Mix, E., Rolfs, A., Muller, J., & Strauss, U. (2005). Neuromodulation by a Cytokine: Interferon- $\beta$  Differentially Augments Neocortical Neuronal Activity and Excitability. *Journal of Neurophysiology*, 93(2), 843-852. doi: 10.1152/jn.01224.2003. <http://jn.physiology.org/cgi/content/abstract/93/2/843>

Hadjimarkou, M. M., Benham, R., Schwarz, J. M., Holder, M. K., & Mong, J. A. (2008). Estradiol suppresses rapid eye movement sleep and activation of sleep-active neurons in the ventrolateral preoptic area. *European Journal of Neuroscience*, 27(7), 1780-1792. doi: 10.1111/j.1460-9568.2008.06142.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06142.x>

Haeussner, E., Aschauer, B., Burton, G. J., Huppertz, B., Edler von Koch, F., Müller-Starck, J., . . . Frank, H.-G. (2015). Does 2D-Histologic identification of villous types of human placentas at birth enable sensitive and reliable interpretation of 3D structure? *Placenta*. doi: <http://dx.doi.org/10.1016/j.placenta.2015.10.003>. <http://www.sciencedirect.com/science/article/pii/S0143400415300631>

Haeussner, E., Schmitz, C., Frank, H.-G., & Edler von Koch, F. (2016). Novel 3D light microscopic analysis of IUGR placentas points to a morphological correlate of compensated ischemic placental disease in humans. [Article]. *Scientific Reports*, 6, 24004. doi: 10.1038/srep24004

<http://www.nature.com/articles/srep24004#supplementary-information>. <http://dx.doi.org/10.1038/srep24004>

Hafner, G., Guy, J., Witte, M., Truschow, P., Ruppel, A., Sirmipilatz, N., . . . Staiger, J. F. (2020). Increased Callosal Connectivity in Reeler Mice Revealed by Brain-Wide Input Mapping of VIP Neurons in Barrel Cortex. *Cerebral Cortex*, (bhaa280). doi: 10.1093/cercor/bhaa280. <https://doi.org/10.1093/cercor/bhaa280>

Hafner, G., Witte, M., Guy, J., Subhashini, N., Fenno, L. E., Ramakrishnan, C., . . . Staiger, J. F. (2019). Mapping Brain-Wide Afferent Inputs of Parvalbumin-Expressing GABAergic Neurons in Barrel Cortex Reveals Local and Long-Range Circuit Motifs. *Cell Reports*, 28(13), 3450-3461.e3458. doi: <https://doi.org/10.1016/j.celrep.2019.08.064>. <http://www.sciencedirect.com/science/article/pii/S221124719311192>

Hagar, J. M., Macht, V. A., Wilson, S. P., & Fadel, J. R. (2017). Upregulation of orexin/hypocretin expression in aged rats: effects on feeding latency and neurotransmission in the insular cortex. *Neuroscience*. doi: <http://linkinghub.elsevier.com/retrieve/pii/S0306452217301793?via=sd>

Hagemann, T. L., Connor, J. X., & Messing, A. (2006). Alexander Disease-Associated Glial Fibrillary Acidic Protein Mutations in Mice Induce Rosenthal Fiber Formation and a White Matter Stress Response. *Journal of Neuroscience*, 26(43), 11162-11173. doi: 10.1523/jneurosci.3260-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/43/11162>

Haggerty, A. E., Al-Ali, H., & Oudega, M. (2018). Soluble laminin polymers enhance axon growth of primary neurons in vitro. *Journal of Biomedical Materials Research Part A*. doi: <https://onlinelibrary.wiley.com/doi/abs/10.1002/jbm.a.36429>

Hahn, E., Hammond, D. L., & Proudfit, H. K. (2011). Substance P induces the reversible formation of varicosities in the dendrites of rat brainstem neurons. *Brain Research*, 1369, 36-45. doi.

Hahn, K., Sirdofsky, M., Brown, A., Ebenezer, G., Hauer, P., Miller, C., & Polydefkis, M. (2006). Collateral sprouting of human epidermal nerve fibers following intracutaneous axotomy. *Journal of the Peripheral Nervous System*, 11(2), 142-147. doi: doi:10.1111/j.1085-9489.2006.00079.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2006.00079.x>

Hahn, T. T. G., McFarland, J. M., Berberich, S., Sakmann, B., & Mehta, M. R. (2012). Spontaneous persistent activity in entorhinal cortex modulates cortico-hippocampal interaction in vivo. *Nature Neuroscience*. doi.

Hains, A. B., Vu, M. A. T., Maciejewski, P. K., van Dyck, C. H., Gottron, M., & Arnsten, A. F. T. (2009). Inhibition of protein kinase C signaling protects prefrontal cortex dendritic spines and cognition from the effects of chronic stress. *Proceedings of the National Academy of Sciences*, 106(42), 17957-17962. doi: 10.1073/pnas.0908563106. <http://www.pnas.org/content/106/42/17957.abstract>

Hains, A. B., Yabe, Y., & Arnsten, A. F. T. (2015). Chronic Stimulation of Alpha-2A-Adrenoceptors With Guanfacine Protects Rodent Prefrontal Cortex Dendritic Spines and Cognition From the Effects of Chronic Stress. *Neurobiology of Stress*, (0). doi: <http://dx.doi.org/10.1016/j.ynstr.2015.01.001>. <http://www.sciencedirect.com/science/article/pii/S2352289515000223>

Hains, D. S., Sims-Lucas, S., Carpenter, A., Saha, M., Murawski, I., Kish, K., . . . Bates, C. M. (2010). High incidence of vesicoureteral reflux in mice with Fgfr2 deletion in kidney mesenchyma. *Journal of Urology*, 183(5), 2077-2084. doi.

Hajszán, T., & Zaborszky, L. (2002). Direct catecholaminergic-cholinergic interactions in the basal forebrain. III. Adrenergic innervation of choline acetyltransferase-containing neurons in the rat. *Journal of Comparative Neurology*, 449(2), 141-157. doi.

Hakeem, A. Y., Sherwood, C. C., Bonar, C. J., Butti, C., Hof, P. R., & Allman, J. M. (2009). Von Economo neurons in the elephant brain. *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 292(2), 242-248. doi:

Hakim, J. S., Esmaili Rad, M., Grahn, P. J., Chen, B., Knight, A. M., Schmeichel, A. M., . . . Yaszemski, M. J. (2015). Positively charged oligopoly(ethylene glycol) fumarate scaffold implantation results in a permissive lesion environment after spinal cord injury in rat. *Tissue Engineering Part A*. doi: 10.1089/ten.TEA.2015.0019. <http://dx.doi.org/10.1089/ten.TEA.2015.0019>

Halabisky, B., Parada, I., Buckmaster, P. S., & Prince, D. A. (2010). Excitatory Input Onto Hilar Somatostatin Interneurons Is Increased in a Chronic Model of Epilepsy. *Journal of Neurophysiology*, 104(4), 2214-2223. doi: 10.1152/jn.00147.2010. <http://jn.physiology.org/cgi/content/abstract/104/4/2214>

Halassa, Michael M., Chen, Z., Wimmer, Ralf D., Brunetti, Philip M., Zhao, S., Zikopoulos, B., . . . Wilson, Matthew A. (2014). State-Dependent Architecture of Thalamic Reticular Subnetworks. *Cell*, 158(4), 808-821. doi: 10.1016/j.cell.2014.06.025. [http://www.cell.com/cell/abstract/S0092-8674\(14\)00815-0](http://www.cell.com/cell/abstract/S0092-8674(14)00815-0)

Halavi, M., Hamilton, K. A., Parekh, R., & Ascoli, G. A. (2012). Digital reconstructions of neuronal morphology: Three decades of research trends. *Frontiers in Neuroscience*, 6. doi:

Haldipur, P., Bharti, U., Alberti, C., Sarkar, C., Gulati, G., Iyengar, S., . . . Mani, S. (2011). Preterm delivery disrupts the developmental program of the cerebellum. *PLoS ONE*, 6(8), e23449-e23449. doi:

Hallermann, S., de Kock, C. P. J., Stuart, G. J., & Kole, M. H. P. (2012). State and location dependence of action potential metabolic cost in cortical pyramidal neurons. [10.1038/nn.3132]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3132.html#suppl> ..... <http://dx.doi.org/10.1038/nn.3132>

Hallermann, S., Pawlu, C., Jonas, P., & Heckmann, M. (2003). A large pool of releasable vesicles in a cortical glutamatergic synapse. *Neuroscience*, 100, 8975-8980. doi:

Halliday, G. M., Hardman, C. D., Cordato, N. J., Hely, M. A., & Morris, J. G. L. (2000). A role for the substantia nigra pars reticulata in the gaze palsy of progressive supranuclear palsy. *Brain*, 123(4), 724-732. doi: 10.1093/brain/123.4.724. <http://brain.oxfordjournals.org/cgi/content/abstract/123/4/724>

Halliday, G. M., Macdonald, V., & Henderson, J. M. (2005). A comparison of degeneration in motor thalamus and cortex between progressive supranuclear palsy and Parkinson's disease. *Brain*, 128(10), 2272-2280. doi: 10.1093/brain/awh596. <http://brain.oxfordjournals.org/cgi/content/abstract/128/10/2272>

Halsell, C. B., & Travers, S. P. (1997). Anterior and Posterior Oral Cavity Responsive Neurons Are Differentially Distributed Among Parabrachial Subnuclei in Rat. *Journal of*

Neurophysiology, 78(2), 920-938.

doi: <http://jn.physiology.org/cgi/content/abstract/78/2/920>

Halsell, C. B., Travers, S. P., & Travers, J. B. (1996). Ascending and descending projections from the rostral nucleus of the solitary tract originate from separate neuronal populations. *Neuroscience*, 72(1), 185-197. doi:

Hama, Y., Shiraki, K., Yoshida, Y., Maruyama, A., Yasuda, M., Tsuda, M., . . . others. (2010). Antibody to varicella-zoster virus immediate-early protein 62 augments allodynia in zoster via brain-derived neurotrophic factor. *Journal of Virology*, 84(3), 1616-1624. doi:

Hamad, M. I. K., Ma-Högemeier, Z.-L., Riedel, C., Conrads, C., Veitinger, T., Habijan, T., . . . Wahle, P. (2011). Cell class-specific regulation of neocortical dendrite and spine growth by AMPA receptor splice and editing variants. *Development*, 138(19), 4301-4313. doi: 10.1242/dev.071076. <http://dev.biologists.org/content/138/19/4301.abstract>

Hamada, M. S., Goethals, S., de Vries, S. I., Brette, R., & Kole, M. H. P. (2016). Covariation of axon initial segment location and dendritic tree normalizes the somatic action potential. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1607548113. <http://www.pnas.org/content/early/2016/11/30/1607548113.abstract>

Hamada, M. S., & Kole, M. H. (2015). Myelin Loss and Axonal Ion Channel Adaptations Associated with Gray Matter Neuronal Hyperexcitability. *The Journal of Neuroscience*, 35(18), 7272-7286. doi: <http://www.jneurosci.org/content/35/18/7272.full>

Hamadjida, A., Wyss, A., Mir, A., Schwab, M., Belhaj-Saif, A., & Rouiller, E. (2012). Influence of anti-Nogo-A antibody treatment on the reorganization of callosal connectivity of the premotor cortical areas following unilateral lesion of primary motor cortex (M1) in adult macaque monkeys. *Experimental Brain Research*, 1-20. doi: 10.1007/s00221-012-3262-x. <http://dx.doi.org/10.1007/s00221-012-3262-x>

Hamaguchi, S., Hirose, T., Matsumoto, N., Akeda, Y., Irisawa, T., Seki, M., . . . Tomono, K. (2014). Neutrophil extracellular traps in bronchial aspirates: a quantitative analysis. *European Respiratory Journal*. doi: 10.1183/09031936.00139813. <http://erj.ersjournals.com/content/early/2014/03/06/09031936.00139813.ab..>

Hamam, B. N., Amaral, D. G., & Alonso, A. A. (2002). Morphological and electrophysiological characteristics of layer V neurons of the rat lateral entorhinal cortex. *Journal of Comparative Neurology*, 451(1), 45-61. doi:

Hamam, B. N., Kennedy, T. E., Alonso, A., & Amaral, D. G. (2000). Morphological and electrophysiological characteristics of layer V neurons of the rat medial entorhinal cortex. *Journal of Comparative Neurology*, 418(4), 457-472. doi:

Hamamoto, M., Kiyokage, E., Sohn, J., Hioki, H., Harada, T., & Toida, K. (2016). Structural Basis for Cholinergic Regulation of Neural Circuits in the Mouse Olfactory Bulb. *Journal of*

Comparative Neurology, n/a-n/a. doi:  
10.1002/cne.24088. <http://dx.doi.org/10.1002/cne.24088>

Hamilton, G. F., Criss, K. J., & Klintsova, A. Y. (2015). Voluntary Exercise Partially Reverses Neonatal Alcohol-Induced Deficits in mPFC Layer II/III Dendritic Morphology of Male Adolescent Rats. *Synapse*, n/a-n/a. doi:  
10.1002/syn.21827. <http://dx.doi.org/10.1002/syn.21827>

Hamilton, G. F., Witcher, L. T., & Klintsova, A. Y. (2010). Postnatal binge-like alcohol exposure decreases dendritic complexity while increasing the density of mature spines in mPFC Layer II/III pyramidal neurons. *Synapse*, 64(2), 127-135. doi.

Hamilton, K. A., Parrish-Aungst, S., Margolis, F. L., Erdélyi, F., Szabó, G., & Puche, A. C. (2008). Sensory deafferentation transsynaptically alters neuronal GluR1 expression in the external plexiform layer of the adult mouse main olfactory bulb. *Chemical Senses*, 33(2), 201-201. doi.

Hamity, M. V., Walder, R. Y., & Hammond, D. L. (2014). Increased Neuronal Expression of Neurokinin-1 Receptor and Stimulus-Evoked Internalization of the Receptor in the Rostral Ventromedial Medulla of the Rat after Peripheral Inflammatory Injury. *Journal of Comparative Neurology*, n/a-n/a. doi:  
10.1002/cne.23564. <http://dx.doi.org/10.1002/cne.23564>

Hamlin, A. S., Buller, K. M., Day, T. A., & Osborne, P. B. (2004). Effect of naloxone-precipitated morphine withdrawal on *c-fos* expression in rat corticotropin-releasing hormone neurons in the paraventricular hypothalamus and extended amygdala. *Neuroscience Letters*, 362(1), 39-43. doi.

Hammar, I., Bannatyne, B. A., Maxwell, D. J., Edgley, S. A., & Jankowska, E. (2004). The actions of monoamines and distribution of noradrenergic and serotonergic contacts on different subpopulations of commissural interneurons in the cat spinal cord. *European Journal of Neuroscience*, 19(5), 1305-1316. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0323...>

Hammar, I., & Maxwell, D. J. (2002). Serotonergic and noradrenergic axons make contacts with neurons of the ventral spinocerebellar tract in the cat. *Journal of Comparative Neurology*, 443(3), 310-319. doi.

Hammond, D. L., Ackerman, L., Holdsworth, R., & Elzey, B. (2004). Effects of spinal nerve ligation on immunohistochemically identified neurons in the L4 and L5 dorsal root ganglia of the rat. *Journal of Comparative Neurology*, 475(4), 575-589. doi.

Hammond, V. E., Gunnarsen, J. M., Goh, C.-P., Low, L.-H., Hyakumura, T., Tang, M. M., . . . Tan, S.-S. (2013). *Ndfip1* Is Required for the Development of Pyramidal Neuron Dendrites and Spines in the Neocortex. *Cerebral Cortex*. doi:  
10.1093/cercor/bht191. <http://cercor.oxfordjournals.org/content/early/2013/07/26/cercor.bht191...>

Hammoum, I., Benlarbi, M., Dellaa, A., Szabó, K., Dékány, B., Csaba, D., . . . Benchouacha-Chekir, R. (2017). Study of Retinal Neurodegeneration and Maculopathy in Diabetic Meriones



shaw: A Particular Animal Model with Human-like Macula. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24245. <http://dx.doi.org/10.1002/cne.24245>

Hamodat, H., Fisk, J. D., & Darvesh, S. (2019). Cholinergic Neurons in Nucleus Subputaminalis in Primary Progressive Aphasia. *Canadian Journal of Neurological Sciences*, 1-10. doi: <https://www.cambridge.org/core/journals/canadian-journal-of-neurological>.

Han, S., Arnold, S. A., Sithu, S. D., Mahoney, E. T., Gerald, J. T., Tran, P., . . . Hagg, T. (2010). Rescuing vasculature with intravenous angiopoietin-1 and  $\alpha\beta 3$  integrin peptide is protective after spinal cord injury. *Brain*, 133(4), 1026-1042. doi: 10.1093/brain/awq034. <http://brain.oxfordjournals.org/cgi/content/abstract/133/4/1026>

Han, V. Z., Meek, J., Campbell, H. R., & Bell, C. C. (2006). Cell morphology and circuitry in the central lobes of the mormyrid cerebellum. *Journal of Comparative Neurology*, 497(3), 309-325. doi:

Han, X., Lan, X., Li, Q., Gao, Y., Zhu, W., Cheng, T., . . . Wang, J. (2015). Inhibition of prostaglandin E2 receptor EP3 mitigates thrombin-induced brain injury. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15606462. [http://jcb.sagepub.com/content/early/2015/09/23/0271678X\\_15606462.abstract](http://jcb.sagepub.com/content/early/2015/09/23/0271678X_15606462.abstract)

Han, Y., Chang, Q. A., Virag, T., West, N. C., George, D., Castro, M. G., & Bohn, M. C. (2010). Lack of humoral immune response to the tetracycline (Tet) activator in rats injected intracranially with Tet-off rAAV vectors. *Gene Therapy*, 17(5), 616-625. doi:

Handa, Y., Ozaki, N., Honda, T., Furukawa, K., Tomita, Y., Inoue, M., . . . Sugiura, Y. (2005). GD3 synthase gene knockout mice exhibit thermal hyperalgesia and mechanical allodynia but decreased response to formalin-induced prolonged noxious stimulation. *Pain*, 117(3), 271-279. doi:

Hanganu, I. L., & Luhmann, H. J. (2004). Functional Nicotinic Acetylcholine Receptors on Subplate Neurons in Neonatal Rat Somatosensory Cortex. *Journal of Neurophysiology*, 92(1), 189-198. doi: 10.1152/jn.00010.2004. <http://jn.physiology.org/cgi/content/abstract/92/1/189>

Hanganu, I. L., Staiger, J. F., Ben-Ari, Y., & Khazipov, R. (2007). Cholinergic Modulation of Spindle Bursts in the Neonatal Rat Visual Cortex In Vivo. *Journal of Neuroscience*, 27(21), 5694-5705. doi: 10.1523/jneurosci.5233-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/21/5694>

Hanson, J. E., & Smith, Y. (1999). Group I Metabotropic Glutamate Receptors at GABAergic Synapses in Monkeys. *Journal of Neuroscience*, 19(15), 6488-6496. doi: <http://www.jneurosci.org/cgi/content/abstract/19/15/6488>

Hanson, J. E., & Smith, Y. (2002). Subcellular distribution of high-voltage-activated calcium channel subtypes in rat globus pallidus neurons. *Journal of Comparative Neurology*, 442(2), 89-98. doi:

Hanson, J. E., Smith, Y., & Jaeger, D. (2004). Sodium Channels and Dendritic Spike Initiation at Excitatory Synapses in Globus Pallidus Neurons. *Journal of Neuroscience*, 24(2), 329-340. doi: 10.1523/jneurosci.3937-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/2/329>

Hanson, J. N., Motala, M. J., Heien, M. L., Gillette, M., Sweedler, J., & Nuzzo, R. G. (2008). Textural guidance cues for controlling process outgrowth of mammalian neurons. *Lab Chip*, 9(1), 122-131. doi.

Hanson, M. G., & Landmesser, L. T. (2004). Normal patterns of spontaneous activity are required for correct motor axon guidance and the expression of specific guidance molecules. *Neuron*, 43(5), 687-701. doi.

Hanson, M. G., Milner, L. D., & Landmesser, L. T. (2008). Spontaneous rhythmic activity in early chick spinal cord influences distinct motor axon pathfinding decisions. *Brain Research Reviews*, 57(1), 77-85. doi.

Hao, J., Rapp, P. R., Janssen, W. G. M., Lou, W., Lasley, B. L., Hof, P. R., & Morrison, J. H. (2007). Interactive effects of age and estrogen on cognition and pyramidal neurons in monkey prefrontal cortex. *PNAS*, 104(27), 11465-11470. doi: 10.1073/pnas.0704757104. <http://www.pnas.org/cgi/content/abstract/104/27/11465>

Hao, J., Rapp, P. R., Leffler, A. E., Leffler, S. R., Janssen, W. G. M., Lou, W., . . . Morrison, J. H. (2006). Estrogen Alters Spine Number and Morphology in Prefrontal Cortex of Aged Female Rhesus Monkeys. *Journal of Neuroscience*, 26(9), 2571-2578. doi: 10.1523/jneurosci.3440-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/9/2571>

Haque, A., Huss, D., & Dickman, J. D. (2006). Afferent Innervation Patterns of the Pigeon Horizontal Crista Ampullaris. *Journal of Neurophysiology*, 96(6), 3293-3304. doi: 10.1152/jn.00930.2005. <http://jn.physiology.org/cgi/content/abstract/96/6/3293>

Haque, A., Zakir, M., & Dickman, J. D. (2009). Regeneration of vestibular horizontal semicircular canal afferents in pigeons. *Journal of Neurophysiology*, 91000.92008. doi: 10.1152/jn.91000.2008. <http://jn.physiology.org/cgi/content/abstract/91000.2008v1>

Hara, E., Kubikova, L., Hessler, N. A., & Jarvis, E. D. (2007). Role of the midbrain dopaminergic system in modulation of vocal brain activation by social context. *European Journal of Neuroscience*, 25(11), 3406-3416. doi: doi:10.1111/j.1460-9568.2007.05600.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05600.x>

Harbom, L. J., Rudisill, T. L., Michel, N., Litwa, K. A., Beenhakker, M. P., & McConnell, M. J. (2018). The effect of rho kinase inhibition on morphological and electrophysiological maturity in iPSC-derived neurons. [journal article]. *Cell and Tissue Research*. doi: 10.1007/s00441-018-2942-7. <https://doi.org/10.1007/s00441-018-2942-7>

Harding, A. J., Stimson, E., Henderson, J. M., & Halliday, G. M. (2002). Clinical correlates of selective pathology in the amygdala of patients with Parkinson's disease. *Brain*, 125(11), 2431-

2445. doi:

10.1093/brain/awf251. <http://brain.oxfordjournals.org/cgi/content/abstract/125/11/2431>

Hardingham, N. R., Gould, T., & Fox, K. (2011). Anatomical and sensory experiential determinants of synaptic plasticity in layer 2/3 pyramidal neurons of mouse barrel cortex. *Journal of Comparative Neurology*, 519(11), 2090-2124. doi:

10.1002/cne.22583. <http://dx.doi.org/10.1002/cne.22583>

Hargus, G., Cui, Y., Schmid, J.-S., Xu, J., Glatzel, M., Schachner, M., & Bernreuther, C. (2008). Tenascin-R Promotes Neuronal Differentiation of Embryonic Stem Cells and Recruitment of Host-Derived Neural Precursor Cells After Excitotoxic Lesion of the Mouse Striatum. *Stem Cells*, 26(8), 1973-1984. doi: 10.1634/stemcells.2007-

0929. <http://stemcells.alphamedpress.org/cgi/content/abstract/26/8/1973>

Harland, B., Collings, D. A., McNaughton, N., Abraham, W. C., & Dalrymple-Alford, J. C. (2014). Anterior thalamic lesions reduce spine density in both hippocampal CA1 and retrosplenial cortex, but enrichment rescues CA1 spines only. *Hippocampus*, n/a-n/a. doi:

10.1002/hipo.22309. <http://dx.doi.org/10.1002/hipo.22309>

Harmon, K. M., & Wellman, C. L. (2003). Differential effects of cholinergic lesions on dendritic spines in frontal cortex of young adult and aging rats. *Brain Research*, 992(1), 60-68. doi:

Harrer, M. I., & Travers, S. P. (1996). Topographic organization of Fos-like immunoreactivity in the rostral nucleus of the solitary tract evoked by gustatory stimulation with sucrose and quinine. *Brain Research*, 711(1-2), 125-137. doi:

Harris, C. A., Resau, J. H., Hudson, E. A., West, R. A., Moon, C., Black, A. D., & McAllister, J. P. (2011). Reduction of protein adsorption and macrophage and astrocyte adhesion on ventricular catheters by polyethylene glycol and N-acetyl-L-cysteine. *Journal of Biomedical Materials Research Part A*, 98A(3), 425-433. doi:

10.1002/jbm.a.33130. <http://dx.doi.org/10.1002/jbm.a.33130>

Harris, C. A., Resau, J. H., Hudson, E. A., West, R. A., Moon, C., & McAllister, J. P. (2010). Mechanical contributions to astrocyte adhesion using a novel in vitro model of catheter obstruction. *Experimental Neurology*, 222(2), 204-210. doi:

Harris, E., & Stewart, M. (2001). Propagation of synchronous epileptiform events from subiculum backward into area CA1 of rat brain slices. *Brain Research*, 895(1-2), 41-49. doi:

Harris, E., Witter, M. P., Weinstein, G., & Stewart, M. (2001). Intrinsic connectivity of the rat subiculum: I. Dendritic morphology and patterns of axonal arborization by pyramidal neurons. *Journal of Comparative Neurology*, 435(4), 490-505. doi:

Harris, N. G., Nogueira, M. S., Verley, D. R., & Sutton, R. L. (2013). Chondroitinase enhances cortical map plasticity and increases functionally active sprouting axons after brain injury. *Journal of Neurotrauma*, (ja). doi:

Harsan, L.-A., Dávid, C., Reisert, M., Schnell, S., Hennig, J., von Elverfeldt, D., & Staiger, J. F. (2013). Mapping remodeling of thalamocortical projections in the living reeler mouse brain

by diffusion tractography. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1218330110. <http://www.pnas.org/content/early/2013/04/19/1218330110.abs> tract

Hart, M. G. C. v. d., Czéh, B., Biurrun, G. d., Michaelis, T., Watanabe, T., Natt, O., . . . Fuchs, E. (2002). Substance P receptor antagonist and clomipramine prevent stress-induced alterations in cerebral metabolites, cytochrome c expression in the dentate gyrus and hippocampal volume. *Molecular Psychiatry*, 7, 933-941. doi.

Hartle, K. D., Jeffers, M. S., & Ivanco, T. L. (2010). Changes in dendritic morphology and spine density in motor cortex of the adult rat after stroke during infancy. *Synapse*, 64(8), 602-610. doi.

Hartman, R. E., Laurer, H., Longhi, L., Bales, K. R., Paul, S. M., McIntosh, T. K., & Holtzman, D. M. (2002). Apolipoprotein E4 Influences Amyloid Deposition But Not Cell Loss after Traumatic Brain Injury in a Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 22, 10083-10087. doi.

Hartveit, E., Zandt, B.-J., & Veruki, M. L. (2019). Multiphoton Excitation Microscopy for the Reconstruction and Analysis of Single Neuron Morphology. In E. Hartveit (Ed.), *Multiphoton Microscopy* (pp. 161-194). New York, NY: Springer New York.

Hartwich, K., Pollak, T., & Klausberger, T. (2009). Distinct Firing Patterns of Identified Basket and Dendrite-Targeting Interneurons in the Prefrontal Cortex during Hippocampal Theta and Local Spindle Oscillations. *Journal of Neuroscience*, 29(30), 9563-9574. doi: 10.1523/jneurosci.1397-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/30/9563>

Harty, R. C., Kim, T. H., Thomas, E. A., Cardamone, L., Jones, N. C., Petrou, S., & Wimmer, V. C. (2013). Axon initial segment structural plasticity in animal models of genetic and acquired epilepsy. *Epilepsy Research*, (0). doi: <http://dx.doi.org/10.1016/j.eplepsyres.2013.03.004>. <http://www.sciencedirect.com/science/article/pii/S0920121113000892>

Haruta, M., & Hata, Y. (2007). Experience-driven axon retraction without binocular imbalance in developing visual cortex. *Current Biology*, 17(1), 37-42. doi.

Harvey, A. R., Ehlert, E., de Wit, J., Drummond, E. S., Pollett, M. A., Ruitenber, M., . . . Levelt, C. N. (2009). Use of GFP to analyze morphology, connectivity, and function of cells in the central nervous system. *Viral Applications of Green Fluorescent Protein*, 63-63. doi.

Harvey, A. R., Hellström, M., & Rodger, J. (2009). Gene therapy and transplantation in the retinofugal pathway. *Progress in Brain Research*, 175, 151-161. doi.

Harwell, Corey C., Fuentealba, Luis C., Gonzalez-Cerrillo, A., Parker, Phillip R. L., Gertz, Caitlyn C., Mazzola, E., . . . Kriegstein, A. R. (2015). Wide Dispersion and Diversity of Clonally Related Inhibitory Interneurons. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.07.030>. <http://www.sciencedirect.com/science/article/pii/S0896627315006728>

Harwell, Corey C., Parker, Philip R. L., Gee, Steven M., Okada, A., McConnell, Susan K., Kreitzer, Anatol C., & Kriegstein, Arnold R. (2012). Sonic Hedgehog Expression in Corticofugal Projection Neurons Directs Cortical Microcircuit Formation. *Neuron*, 73(6), 1116-1126. doi: 10.1016/j.neuron.2012.02.009. <http://www.sciencedirect.com/science/article/pii/S0896627312001365>

Hasegawa, M., Kondo, M., Suzuki, I., Shimizu, N., Sessle, B. J., & Iwata, K. (2012). ERK is Involved in Tooth-pressure-induced Fos Expression in Vc Neurons. *Journal of Dental Research*. doi: 10.1177/0022034512462397. [http://jdr.sagepub.com/content/early/2012/09/25/00220345\\_12462397.abstract](http://jdr.sagepub.com/content/early/2012/09/25/00220345_12462397.abstract)

Hasegawa, Y., Hojo, Y., Kojima, H., Ikeda, M., Hotta, K., Sato, R., . . . Kawato, S. (2015). Estradiol rapidly modulates synaptic plasticity of hippocampal neurons: Involvement of kinase networks. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.056>. <http://www.sciencedirect.com/science/article/pii/S0006899315000104>

Haselmann, H., Mannara, F., Werner, C., Planagumà, J., Miguez-Cabello, F., Schmidl, L., . . . Geis, C. (2018). Human Autoantibodies against the AMPA Receptor Subunit GluA2 Induce Receptor Reorganization and Memory Dysfunction. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.07.048>. <http://www.sciencedirect.com/science/article/pii/S0896627318306469>

Hashemi-Nezhad, M., & Lyon, D. C. (2012). Orientation Tuning of the Suppressive Extraclassical Surround Depends on Intrinsic Organization of V1. *Cerebral Cortex*, 22(2), 308-326. doi.

Hashimoto, K., & Spector, A. C. (2013). Extensive Lesions in the Gustatory Cortex in the Rat Do Not Disrupt the Retention of a Presurgically Conditioned Taste Aversion and Do Not Impair Unconditioned Concentration-Dependent Licking of Sucrose and Quinine. *Chemical Senses*. doi: 10.1093/chemse/bjt054. <http://chemse.oxfordjournals.org/content/early/2013/11/12/chemse.bjt054...>

Hashimoto, M., Takahara, D., Hirata, Y., Inoue, K., Miyachi, S., Nambu, A., . . . Hoshi, E. (2010). Motor and non-motor projections from the cerebellum to rostrocaudally distinct sectors of the dorsal premotor cortex in macaques. *European Journal of Neuroscience*, 31(8), 1402-1413. doi.

Hashimoto-Torii, K., Torii, M., Sarkisian, M. R., Bartley, C. M., Shen, J., Radtke, F., . . . Rakic, P. (2008). Interaction between Reelin and Notch signaling regulates neuronal migration in the cerebral cortex. *Neuron*, 60(2), 273-284. doi.

Hassani, O. K., Henny, P., Lee, M. G., & Jones, B. E. (2010). GABAergic neurons intermingled with orexin and MCH neurons in the lateral hypothalamus discharge maximally during sleep. *European Journal of Neuroscience*, 32(3), 448-457. doi.

Hassani, O. K., Lee, M. G., Henny, P., & Jones, B. E. (2009). Discharge Profiles of Identified GABAergic in Comparison to Cholinergic and Putative Glutamatergic Basal Forebrain Neurons across the Sleep-Wake Cycle. *Journal of Neuroscience*, 29(38), 11828-11840. doi: 10.1523/jneurosci.1259-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/38/11828>

Hassani, O. K., Lee, M. G., & Jones, B. E. (2009). Melanin-concentrating hormone neurons discharge in a reciprocal manner to orexin neurons across the sleep-wake cycle. *Proceedings of the National Academy of Sciences*, 106(7), 2418-2422. doi: 10.1073/pnas.0811400106. <http://www.pnas.org/content/106/7/2418.abstract>

Hastings, N. B., Seth, M. I., Tanapat, P., Rydel, T. A., & Gould, E. (2002). Granule neurons generated during development extend divergent axon collaterals to hippocampal area CA3. *Journal of Comparative Neurology*, 452(4), 324-333. doi.

Hata, Y., Tsumoto, T., & Stryker, M. P. (1999). Selective pruning of more active afferents when cat visual cortex is pharmacologically inhibited. *Neuron*, 22(2), 375-381. doi.

Hatanaka, Y., Hojo, Y., Mukai, H., Murakami, G., Komatsuzaki, Y., Kim, J., . . . Kawato, S. (2014). Rapid increase of spines by dihydrotestosterone and testosterone in hippocampal neurons: Dependence on synaptic androgen receptor and kinase networks. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.011>. <http://www.sciencedirect.com/science/article/pii/S0006899314016801>

Hatanaka, Y., Mukai, H., Mitsuhashi, K., Hojo, Y., Murakami, G., Komatsuzaki, Y., . . . Kawato, S. (2009). Androgen rapidly increases dendritic thorns of CA3 neurons in male rat hippocampus. *Biochemical and Biophysical Research Communications*, 381(4), 728-732. doi.

Hatanaka, Y., Wada, K., & Kabuta, T. (2016). Maternal high-fat diet leads to persistent synaptic instability in mouse offspring via oxidative stress during lactation. *Neurochemistry International*. doi: <http://dx.doi.org/10.1016/j.neuint.2016.03.008>. <http://www.sciencedirect.com/science/article/pii/S0197018616300341>

Hatch, R. J., Leinenga, G., & Götz, J. (2016). Scanning Ultrasound (SUS) Causes No Changes to Neuronal Excitability and Prevents Age-Related Reductions in Hippocampal CA1 Dendritic Structure in Wild-Type Mice. *PLoS ONE*, 11(10), e0164278. doi: 10.1371/journal.pone.0164278. <http://dx.doi.org/10.1371/journal.pone.0164278>

Hattiangady, B., Rao, M. S., & Shetty, A. K. (2008). Grafting of striatal precursor cells into hippocampus shortly after status epilepticus restrains chronic temporal lobe epilepsy. *Experimental Neurology*, 212(2), 468-481. doi.

Hattiangady, B., Rao, M. S., Zaman, V., & Shetty, A. K. (2006). Incorporation of embryonic CA3 cell grafts into the adult hippocampus at 4-months after injury: effects of combined neurotrophic supplementation and caspase inhibition. *Neuroscience*, 139(4), 1369-1383. doi.

Hattiangady, B., & Shetty, A. K. (2007). *Neural Stem Cell Grafting in an Animal Model of Chronic Temporal Lobe Epilepsy Current Protocols in Stem Cell Biology*: John Wiley & Sons,



Inc.

Hattiangady, B., & Shetty, A. K. (2008). Aging does not alter the number or phenotype of putative stem/progenitor cells in the neurogenic region of the hippocampus. *Neurobiology of Aging*, 29(1), 129-147. doi:

Haubst, N., Georges-Labouesse, E., De Arcangelis, A., Mayer, U., & Gotz, M. (2006). Basement membrane attachment is dispensable for radial glial cell fate and for proliferation, but affects positioning of neuronal subtypes. *Development*, 133(16), 3245-3254. doi: 10.1242/dev.02486. <http://dev.biologists.org/cgi/content/abstract/133/16/3245>

Haulcomb, M. M., Mesnard, N. A., Batka, R. J., Alexander, T. D., Sanders, V. M., & Jones, K. J. (2014). Axotomy-induced target disconnection promotes an additional death mechanism involved in motoneuron degeneration in ALS transgenic mice. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23538. <http://dx.doi.org/10.1002/cne.23538>

Hauser, K. F., Hahn, Y. K., Adjan, V. V., Zou, S., Buch, S. K., Nath, A., . . . Knapp, P. E. (2009). HIV-1 Tat and morphine have interactive effects on oligodendrocyte survival and morphology. *Glia*, 57(2), 194-206. doi:

Hausmann, O. N., Fouad, K., Wallimann, T., & Schwab, M. E. (2002). Protective effects of oral creatine supplementation on spinal cord injury in rats. *Spinal Cord*, 40, 449-456. doi:

Havton, L. A., & Kellerth, J. O. (2001). Neurofilamentous hypertrophy of intramedullary axonal arbors in intact spinal motoneurons undergoing peripheral sprouting. *Journal of Neurocytology*, 30(11), 917-926. doi:

Havton, L. A., & Ohara, P. T. (1994). Dendritic orientation of thalamocortical projection neurons in the ventrobasal complex of macaques. *Brain Research*, 638, 126-132. doi:

Hawes, S. L., Evans, R. C., Unruh, B. A., Benkert, E. E., Gillani, F., Dumas, T. C., & Blackwell, K. T. (2015). Multimodal Plasticity in Dorsal Striatum While Learning a Lateralized Navigation Task. *The Journal of Neuroscience*, 35(29), 10535-10549. doi: <http://www.jneurosci.org/content/35/29/10535.short>

Hawley, D. F., Bardi, M., Everette, A. M., Higgins, T. J., Tu, K. M., Kinsley, C. H., & Lambert, K. G. (2009). Neurobiological constituents of active, passive, and variable coping strategies in rats: Integration of regional brain neuropeptide Y levels and cardiovascular responses. *Stress: The International Journal on the Biology of Stress*, 13(2), 172-183. doi:

Haws, M. E., Jaramillo, T. C., Espinosa-Becerra, F., Widman, A., Stuber, G. D., Sparta, D. R., . . . Powell, C. M. (2013). PTEN knockdown alters dendritic spine/protrusion morphology, not density. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23488. <http://dx.doi.org/10.1002/cne.23488>

Hawthorne, A. L., Wylie, C. J., Landmesser, L. T., Deneris, E. S., & Silver, J. (2010). Serotonergic Neurons Migrate Radially through the Neuroepithelium by Dynamin-Mediated Somal Translocation. *Journal of Neuroscience*, 30(2), 420-430. doi: 10.1523/jneurosci.2333-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/2/420>

Hay, E., Hill, S., Schürmann, F., Markram, H., & Segev, I. (2011). Models of neocortical layer 5b pyramidal cells capturing a wide range of dendritic and perisomatic active properties. *PLoS computational biology*, 7(7), e1002107-e1002107. doi:

Hay, E., Schürmann, F., Markram, H., & Segev, I. (2013). Preserving Axo-somatic Spiking Features Despite Diverse Dendritic Morphology. *Journal of Neurophysiology*. doi: 10.1152/jn.00048.2013. <http://jn.physiology.org/content/early/2013/03/22/jn.00048.2013.abstract>

Hayano, Y., Sasaki, K., Ohmura, N., Takemoto, M., Maeda, Y., Yamashita, T., . . . Yamamoto, N. (2014). Netrin-4 regulates thalamocortical axon branching in an activity-dependent fashion. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1402095111. <http://www.pnas.org/content/early/2014/10/02/1402095111.abstract>

Hayar, A., Karnup, S., Ennis, M., & Shipley, M. T. (2004). External Tufted Cells: A Major Excitatory Element That Coordinates Glomerular Activity. *Journal of Neuroscience*, 24(30), 6676-6685. doi. <http://www.jneurosci.org/cgi/content/abstract/24/30/6676>

Hayar, A., Karnup, S., Shipley, M. T., & Ennis, M. (2004). Olfactory Bulb Glomeruli: External Tufted Cells Intrinsically Burst at Theta Frequency and Are Entrained by Patterned Olfactory Input. *Journal of Neuroscience*, 24(5), 1190-1199. doi: 10.1523/jneurosci.4714-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/5/1190>

Hayar, A., Shipley, M. T., & Ennis, M. (2005). Olfactory Bulb External Tufted Cells Are Synchronized by Multiple Intraglomerular Mechanisms. *Journal of Neuroscience*, 25(36), 8197-8208. doi. <http://www.jneurosci.org/cgi/content/abstract/25/36/8197>

Hayase, Y., Amano, S., Hashizume, K., Tominaga, T., Miyamoto, H., Kanno, Y., . . . Hoshino, M. (2020). Down syndrome cell adhesion molecule like-1 (DSCAML1) links the GABA system and seizure susceptibility. *Acta Neuropathologica Communications*, 8(1), 206. doi: 10.1186/s40478-020-01082-6. <https://doi.org/10.1186/s40478-020-01082-6>

Hayashi, K., Furuya, A., Sakamaki, Y., Akagi, T., Shinoda, Y., Sadakata, T., . . . Furuichi, T. (2017). The brain-specific RasGEF very-KIND is required for normal dendritic growth in cerebellar granule cells and proper motor coordination. *PLoS ONE*, 12(3), e0173175. doi: 10.1371/journal.pone.0173175. <http://dx.doi.org/10.1371%2Fjournal.pone.0173175>

Hayashi, M. L., Rao, B. S., Seo, J. S., Choi, H. S., Dolan, B. M., Choi, S. Y., . . . Tonegawa, S. (2007). Inhibition of p21-activated kinase rescues symptoms of fragile X syndrome in mice. *Proceedings of the National Academy of Sciences*, 104(27), 11489-11489. doi.

Haynes, R. L., Billiards, S. S., Borenstein, N. S., Volpe, J. J., & Kinney, H. C. (2008). Diffuse axonal injury in periventricular leukomalacia as determined by apoptotic marker fractin. *Pediatric Research*, 63(6), 656-656. doi.

Haynes, R. L., & Kinney, H. C. (2011). Central Axonal Development and Pathology in Early Life. *Cytoskeleton of the Nervous System*, 1-53. doi.

Haynes, R. L., Sleeper, L. A., Volpe, J. J., & Kinney, H. C. (2013). Neuropathologic Studies of the Encephalopathy of Prematurity in the Late Preterm Infant. *Clinics in Perinatology*, (0). doi: <http://dx.doi.org/10.1016/j.clp.2013.07.003>, <http://www.sciencedirect.com/science/article/pii/S0095510813000778>

Haynes, R. L., Xu, G., Folkerth, R. D., Trachtenberg, F. L., Volpe, J. J., & Kinney, H. C. (2011). Potential neuronal repair in cerebral white matter injury in the human neonate. *Pediatric Research*, 69(1), 62-62. doi.

Haynes, W. I. A., & Haber, S. N. (2013). The Organization of Prefrontal-Subthalamic Inputs in Primates Provides an Anatomical Substrate for Both Functional Specificity and Integration: Implications for Basal Ganglia Models and Deep Brain Stimulation. *The Journal of Neuroscience*, 33(11), 4804-4814. doi: 10.1523/jneurosci.4674-12.2013. <http://www.jneurosci.org/content/33/11/4804.abstract>

Hays, S. A., Ruiz, A., Bethea, T., Khodaparast, N., Carmel, J. B., Rennaker, R. L., II, & Kilgard, M. P. (2016). Vagus Nerve Stimulation during Rehabilitative Training Enhances Recovery of Forelimb Function after Ischemic Stroke in Aged Rats. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2016.03.030. <http://dx.doi.org/10.1016/j.neurobiolaging.2016.03.030>

Hazra, A., Gu, F., Aulakh, A., Berridge, C., Eriksen, J. L., & Žiburkus, J. (2013). Inhibitory Neuron and Hippocampal Circuit Dysfunction in an Aged Mouse Model of Alzheimer's Disease. *PLoS ONE*, 8(5), e64318. doi: 10.1371/journal.pone.0064318. <http://dx.doi.org/10.1371/journal.pone.0064318>

He, H., Mahnke, A. H., Doyle, S., Fan, N., Wang, C.-C., Hall, B. J., . . . Erickson, J. D. (2012). Neurodevelopmental Role for VGLUT2 in Pyramidal Neuron Plasticity, Dendritic Refinement, and in Spatial Learning. *Journal of Neuroscience*, 32(45), 15886-15901. doi: 10.1523/jneurosci.4505-11.2012. <http://www.jneurosci.org/content/32/45/15886.abstract>

He, J., Nixon, K., Shetty, A. K., & Crews, F. T. (2005). Chronic alcohol exposure reduces hippocampal neurogenesis and dendritic growth of newborn neurons. *European Journal of Neuroscience*, 21(10), 2711-2720. doi: doi:10.1111/j.1460-9568.2005.04120.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04120.x>

He, M., Tucciarone, J., Lee, S., Nigro, Maximiliano J., Kim, Y., Levine, Jesse M., . . . Huang, Z. J. (2016). Strategies and Tools for Combinatorial Targeting of GABAergic Neurons in Mouse Cerebral Cortex. *Neuron*. doi: 10.1016/j.neuron.2016.08.021. <http://dx.doi.org/10.1016/j.neuron.2016.08.021>

He, S., Shao, L. R., Rittase, W. B., & Bausch, S. B. (2012). Increased Kv1 Channel Expression May Contribute to Decreased sIPSC Frequency Following Chronic Inhibition of NR2B-Containing NMDAR. *Neuropsychopharmacology*. doi.

He, T., Mortensen, X., Wang, P., & Tian, N. (2017). The effects of immune protein CD37 development and degeneration of retinal neurons after optic nerve injury. *PLoS ONE*, 12(4), e0175522. doi: 10.1371/journal.pone.0175522. <https://doi.org/10.1371/journal.pone.0175522>

He, Z., Jia, C., Feng, S., Zhou, K., Tai, Y., Bai, X., & Wang, Y. (2012). TRPC5 Channel Is the Mediator of Neurotrophin-3 in Regulating Dendritic Growth via CaMKII $\alpha$  in Rat Hippocampal Neurons. *Journal of Neuroscience*, 32(27), 9383-9395. doi: 10.1523/jneurosci.6363-11.2012. <http://www.jneurosci.org/content/32/27/9383.abstract>

Head, B. P., Hu, Y., Finley, J. C., Saldana, M. D., Bonds, J. A., Miyanohara, A., . . . Patel, P. M. (2011). Neuron-targeted Caveolin-1 Protein Enhances Signaling and Promotes Arborization of Primary Neurons. *Journal of Biological Chemistry*, 286(38), 33310-33321. doi.

Hebbeler, S. L., & Sengelaub, D. R. (2003). Development of a sexually dimorphic neuromuscular system in male rats after spinal transection: morphologic changes and implications for estrogen sites of action. *Journal of Comparative Neurology*, 467(1), 80-96. doi.

Hebbeler, S. L., Verhovshek, T., & Sengelaub, D. R. (2001). Ovariectomy attenuates dendritic growth in hormone-sensitive spinal motoneurons. *Journal of Neurobiology*, 48(4), 301-314. doi.

Hebbeler, S. L., Verhovshek, T., & Sengelaub, D. R. (2002). NMDA receptor blockade inhibits estrogenic support of dendritic growth in a sexually dimorphic rat spinal nucleus. *Journal of Comparative Neurology*, 142-152. doi.

Hebbeler, S. L., Verhovshek, T., & Sengelaub, D. R. (2002). N-methyl-D-aspartate receptor blockade inhibits estrogenic support of dendritic growth in a sexually dimorphic rat spinal nucleus. *Journal of Comparative Neurology*, 451(2), 142-152. doi.

Hefti, B. J., & Smith, P. H. (2000). Anatomy, Physiology, and Synaptic Responses of Rat Layer V Auditory Cortical Cells and Effects of Intracellular GABAA Blockade. *Journal of Neurophysiology*, 83(5), 2626-2638. doi. <http://jn.physiology.org/cgi/content/abstract/83/5/2626>

Hegedus, B., Hughes, W. F., Garbow, J. R., Gianino, S., Banerjee, D., Kim, K., . . . Gutmann, D. H. (2009). Optic nerve dysfunction in a mouse model of neurofibromatosis-1 optic glioma. *Journal of Neuropathology and Experimental Neurology*, 68(5), 542-542. doi.

Heidger, P. M., Dee, F., Consoer, D., Leaven, T., Duncan, J., & Kreiter, C. (2002). Integrated Approach to Teaching and Testing in Histology with Real and Virtual Imaging. *The Anatomical Record*, 269, 107-112. doi.

Heilbronner, S. R., & Haber, S. N. (2014). Frontal Cortical and Subcortical Projections Provide a Basis for Segmenting the Cingulum Bundle: Implications for Neuroimaging and Psychiatric Disorders. *The Journal of Neuroscience*, 34(30), 10041-10054. doi. <http://www.jneurosci.org/content/34/30/10041.short>

Heilbronner, S. R., Meyer, M. A. A., Choi, E. Y., & Haber, S. N. (2018). How do cortico-striatal projections impact on downstream pallidal circuitry? [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1662-9. <https://doi.org/10.1007/s00429-018-1662-9>

Heilbronner, S. R., Rodriguez-Romaguera, J., Quirk, G. J., Groenewegen, H. J., & Haber, S. N. (2016). Circuit Based Cortico-Striatal Homologies between Rat and Primate. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2016.05.012. <http://dx.doi.org/10.1016/j.biopsych.2016.05.012>

Heine, C., Heimrich, B., Vogt, J., Wegner, A., Illes, P., & Franke, H. (2006). P2 receptor-stimulation influences axonal outgrowth in the developing hippocampus in vitro. *Neuroscience*, 138(1), 303-311. doi.

Heine, C., Sygnecka, K., Scherf, N., Grohmann, M., Bräsigk, A., & Franke, H. (2015). P2Y1 receptor mediated neuronal fibre outgrowth in organotypic co-cultures. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2015.02.001>. <http://www.sciencedirect.com/science/article/pii/S0028390815000477>

Heinrichs, S. C., Leite-Morris, K. A., Guy, M. D., Goldberg, L. R., Young, A. J., & Kaplan, G. B. (2013). Dendritic structural plasticity in the basolateral amygdala after fear conditioning and its extinction in mice. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.03.048>. <http://www.sciencedirect.com/science/article/pii/S0166432813001903>

Heistek, T. S., Ruiperez-Alonso, M., Timmerman, A. J., Brussaard, A. B., & Mansvelder, H. D. (2012).  $\alpha$ 2-containing GABAA receptors expressed in hippocampal region CA3 control fast network oscillations. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2012.243725. <http://dx.doi.org/10.1113/jphysiol.2012.243725>

Helmeke, C., Ovtcharoff Jr, W., Poeggel, G., & Braun, K. (2001). Juvenile emotional experience alters synaptic inputs on pyramidal neurons in the anterior cingulate cortex. *Cerebral Cortex*, 11(8), 717-727. doi.

Helmeke, C., Poeggel, G., & Braun, K. (2001). Differential emotional experience induces elevated spine densities on basal dendrites of pyramidal neurons in the anterior cingulate cortex of *Octodon degus*. *Neuroscience*, 104(4), 927-931. doi.

Helmeke, C., Seidel, K., Poeggel, G., Bredy, T. W., Abraham, A., & Braun, K. (2009). Paternal deprivation during infancy results in dendrite- and time-specific changes of dendritic development and spine formation in the orbitofrontal cortex of the biparental rodent *Octodon degus*. *Neuroscience*, 163(3), 790-798. doi.

Helmstaedter, M., Sakmann, B., & Feldmeyer, D. (2009). L2/3 interneuron groups defined by multiparameter analysis of axonal projection, dendritic geometry, and electrical excitability. *Cerebral Cortex*, 19(4), 951-962. doi.

Helmstaedter, M., Sakmann, B., & Feldmeyer, D. (2009). Neuronal correlates of local, lateral, and translaminar inhibition with reference to cortical columns. *Cerebral Cortex*, 19(4), 926-937. doi.

Helmstaedter, M., Sakmann, B., & Feldmeyer, D. (2009). The relation between dendritic geometry, electrical excitability, and axonal projections of L2/3 interneurons in rat barrel cortex. *Cerebral Cortex*, 19(4), 938-950. doi:

Helmstaedter, M., Staiger, J. F., Sakmann, B., & Feldmeyer, D. (2008). Efficient Recruitment of Layer 2/3 Interneurons by Layer 4 Input in Single Columns of Rat Somatosensory Cortex. *Journal of Neuroscience*, 28(33), 8273-8284. doi: 10.1523/jneurosci.5701-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/33/8273>

Helton, T. D., Zhao, M., Farris, S., & Dudek, S. M. (2018). Diversity of dendritic morphology and entorhinal cortex synaptic effectiveness in mouse CA2 pyramidal neurons. *Hippocampus*, 0(ja). doi: doi:10.1002/hipo.23012. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23012>

Helwig, M., Hoshino, A., Berridge, C., Lee, S.-N., Lorenzen, N., Otzen, D. E., . . . Lindberg, I. (2012). The neuroendocrine protein 7B2 suppresses the aggregation of neurodegenerative disease-related proteins. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M112.417071. <http://www.jbc.org/content/early/2012/11/21/jbc.M112.417071.abstract>

Helyes, Z., Tékus, V., Szentés, N., Pohóczky, K., Botz, B., Kiss, T., . . . Goebel, A. (2019). Transfer of complex regional pain syndrome to mice via human autoantibodies is mediated by interleukin-1-induced mechanisms. *Proceedings of the National Academy of Sciences*, 201820168. doi: 10.1073/pnas.1820168116. <http://www.pnas.org/content/early/2019/06/04/1820168116.abstract>

Henckens, M. J. A. G., van der Marel, K., van der Toorn, A., Pillai, A. G., Fernández, G., Dijkhuizen, R. M., & Joëls, M. (2014). Stress-induced alterations in large-scale functional networks of the rodent brain. *Neuroimage*, (0). doi: <http://dx.doi.org/10.1016/j.neuroimage.2014.10.037>. <http://www.sciencedirect.com/science/article/pii/S1053811914008635>

Henderson, B. W., Greathouse, K. M., Ramdas, R., Walker, C. K., Rao, T. C., Bach, S. V., . . . Herskowitz, J. H. (2019). Pharmacologic inhibition of LIMK1 provides dendritic spine resilience against  $\beta$ -amyloid. *Science Signaling*, 12(587), eaaw9318. doi. <https://stke.sciencemag.org/content/12/587/eaaw9318.abstract>

Henderson, C., Wijetunge, L., Kinoshita, M. N., Shumway, M., Hammond, R. S., Postma, F. R., . . . Paylor, R. (2012). Reversal of disease-related pathologies in the fragile X mouse model by selective activation of GABAB receptors with arbaclofen. *Sci Transl Med*, 4(152), 152ra128. doi.

Henderson, J. M., Carpenter, K., Cartwright, H., & Halliday, G. M. (2000). Loss of thalamic intralaminar nuclei in progressive supranuclear palsy and Parkinson's disease: clinical and therapeutic implications. *Brain*, 123(7), 1410-1421. doi: 10.1093/brain/123.7.1410. <http://brain.oxfordjournals.org/cgi/content/abstract/123/7/1410>

-



- Henderson, Z., Fiddler, G., Saha, S., Boros, A., & Halasy, K. (2004). A parvalbumin-containing, axosomatic synaptic network in the rat medial septum: relevance to rhythmogenesis\*. *European Journal of Neuroscience*, 19(10), 2753-2768. doi: doi:10.1111/j.0953-816X.2004.03399.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-816X.2004.03399.x>
- Hendricks, S. J., Brunjes, P. C., & Hill, D. L. (2004). Taste bud cell dynamics during normal and sodium-restricted development. *Journal of Comparative Neurology*, 472(2), 173-182. doi.
- Hendrickson, E. B., Edgerton, J. R., & Jaeger, D. (2011). The capabilities and limitations of conductance-based compartmental neuron models with reduced branched or unbranched morphologies and active dendrites. *Journal of Computational Neuroscience*, 30(2), 301-321. doi.
- Hendrickson, E. B., Edgerton, J. R., & Jaeger, D. (2011). The use of automated parameter searches to improve ion channel kinetics for neural modeling. *Journal of Computational Neuroscience*, 1-18. doi.
- Heng, M. Y., Tallaksen-Greene, S. J., Detloff, P. J., & Albin, R. L. (2007). Longitudinal Evaluation of the Hdh(CAG)<sup>150</sup> Knock-In Murine Model of Huntington's Disease. *Journal of Neuroscience*, 27(34), 8989-8998. doi: 10.1523/jneurosci.1830-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/34/8989>
- Henkel, C. K., Fuentes-Santamaria, V., Alvarado, J. C., & Brunso-Bechtold, J. K. (2003). Quantitative measurement of afferent layers in the ferret inferior colliculus: DNLL projections to sublayers. *Hearing Research*, 177(1-2), 32-42. doi.
- Henkel, C. K., & Gabriele, M. L. (1999). Organization of the disynaptic pathway from the anteroventral cochlear nucleus to the lateral superior olivary nucleus in the ferret. *Anatomy and Embryology*, 199(2), 149-160. doi.
- Hennou, S., Khalilov, I., Diabira, D., Ben-Ari, Y., & Gozlan, H. (2002). Early sequential formation of functional GABAA and glutamatergic synapses on CA1 interneurons of the rat foetal hippocampus. *European Journal of Neuroscience*, 16(2), 197-208. doi: doi:10.1046/j.1460-9568.2002.02073.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02073.x>
- Henny, P., Brown, M. C., Micklem, B., Magill, P., & Bolam, J. P. (2013). Stereological and ultrastructural quantification of the afferent synaptome of individual neurons. *Brain Structure and Function*, 1-10. doi: 10.1007/s00429-013-0523-9. <http://dx.doi.org/10.1007/s00429-013-0523-9>
- Henny, P., Brown, M. T. C., Northrop, A., Faunes, M., Ungless, M. A., Magill, P. J., & Bolam, J. P. (2012). Structural correlates of heterogeneous in vivo activity of midbrain dopaminergic neurons. *Nature Neuroscience*. doi.
- Henny, P., & Jones, B. E. (2006). Innervation of orexin/hypocretin neurons by GABAergic, glutamatergic or cholinergic basal forebrain terminals evidenced by immunostaining for

presynaptic vesicular transporter and postsynaptic scaffolding proteins. *Journal of Comparative Neurology*, 499(4), 645-661. doi.

Henny, P., & Jones, B. E. (2006). Vesicular glutamate (VGlut), GABA (VGAT), and acetylcholine (VACht) transporters in basal forebrain axon terminals innervating the lateral hypothalamus. *Journal of Comparative Neurology*, 496(4), 453-467. doi.

Henny, P., & Jones, B. E. (2008). Projections from basal forebrain to prefrontal cortex comprise cholinergic, GABAergic and glutamatergic inputs to pyramidal cells or interneurons. *European Journal of Neuroscience*, 27(3), 654-670. doi: doi:10.1111/j.1460-9568.2008.06029.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06029.x>

Henriksen, E. J., Colgin, L. L., Barnes, C. A., Witter, M. P., Moser, M. B., & Moser, E. I. (2010). Spatial representation along the proximodistal axis of CA1. *Neuron*, 68(1), 127-137. doi.

Henriques, C. F. S., Mateus-Pinheiro, M. M. R., Gaspar, A. R. G., de Carvalho Pinheiro, H. A. R., Duarte, J. F. M., Baptista, F. I. C., . . . dos Reis Vale Gomes, C. A. (2019). Microglia cytoarchitecture in the brain of adenosine A2A receptor knockout mice: brain region and sex specificities. *European Journal of Neuroscience*, 0(ja). doi: 10.1111/ejn.14561. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14561>

Henry, R. A., Hughes, S. M., & Connor, B. (2007). AAV-mediated delivery of BDNF augments neurogenesis in the normal and quinolinic acid-lesioned adult rat brain. *European Journal of Neuroscience*, 25(12), 3513-3525. doi: doi:10.1111/j.1460-9568.2007.05625.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05625.x>

Henry, S. M., Held, J. M., Vietje, B. P., & Wells, J. (1995). The role of somatosensory information in a constrained locomotor task. *Experimental Neurology*, 131(2), 251-265. doi.

Henschke, J. U., Oelschlegel, A. M., Angenstein, F., Ohl, F. W., Goldschmidt, J., Kanold, P. O., & Budinger, E. (2017). Early sensory experience influences the development of multisensory thalamocortical and intracortical connections of primary sensory cortices. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1549-1. <https://doi.org/10.1007/s00429-017-1549-1>

Hequembourg, S., & Liberman, M. C. (2001). Spiral ligament pathology: a major aspect of age-related cochlear degeneration in C57BL/6 mice. *JARO-Journal of the Association for Research in Otolaryngology*, 2(2), 118-129. doi.

Hercher, C., Canetti, L., Turecki, G., & Mechawar, N. (2010). Anterior cingulate pyramidal neurons display altered dendritic branching in depressed suicides. *Journal of Psychiatric Research*, 44(5), 286-293. doi.

Hercher, C., Parent, M., Flores, C., Canetti, L., Turecki, G., & Mechawar, N. (2009). Alcohol dependence-related increase of glial cell density in the anterior cingulate cortex of suicide completers. *Journal of Psychiatry and Neuroscience*, 34, 281 - 288. doi.

Herfst, L., Burgalossi, A., Haskic, K., Tukker, J. J., Schmidt, M., & Brecht, M. (2012). Friction-Based Stabilization of Juxtacellular Recordings in Freely-Moving Rats. *Journal of Neurophysiology*. doi: 10.1152/jn.00910.2011. <http://jn.physiology.org/content/early/2012/04/13/jn.00910.2011.abstract>

Hernandez, M. X., Jiang, S., Cole, T. A., Chu, S.-H., Fonseca, M. I., Fang, M. J., . . . Tenner, A. J. (2017). Prevention of C5aR1 signaling delays microglial inflammatory polarization, favors clearance pathways and suppresses cognitive loss. [journal article]. *Molecular neurodegeneration*, 12(1), 66. doi: 10.1186/s13024-017-0210-z. <https://doi.org/10.1186/s13024-017-0210-z>

Herring, A., Münster, Y., Metzdorf, J., Bolczek, B., Krüssel, S., Krieter, D., . . . Keyvani, K. (2016). Late running is not too late against Alzheimer's pathology. *Neurobiology of Disease*, 94, 44-54. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.003>. <http://www.sciencedirect.com/science/article/pii/S096999611630136X>

Herrmann, J. E., Imura, T., Song, B., Qi, J., Ao, Y., Nguyen, T. K., . . . Sofroniew, M. V. (2008). STAT3 is a Critical Regulator of Astroglial Scar Formation after Spinal Cord Injury. *Journal of Neuroscience*, 28(28), 7231-7243. doi: 10.1523/jneurosci.1709-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/28/7231>

Hester, M. S., & Danzer, S. C. (2013). Accumulation of Abnormal Adult-Generated Hippocampal Granule Cells Predicts Seizure Frequency and Severity. *Journal of Neuroscience*, 33(21), 8926-8936. doi: 10.1523/jneurosci.5161-12.2013. <http://www.jneurosci.org/content/33/21/8926.abstract>

Hester, M. S., Hosford, B. E., Santos, V. R., Singh, S. P., Rolle, I., LaSarge, C. L., . . . Danzer, S. C. (2016). Impact of rapamycin on status epilepticus induced hippocampal pathology and weight gain. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.03.015>. <http://www.sciencedirect.com/science/article/pii/S0014488616300589>

Heukelum, S. V., Geers, F. E., Tulva, K., van Dulm, S., Beckmann, C. F., Buitelaar, J. K., . . . França, A. S. C. (2021). Structural Degradation in Midcingulate Cortex Is Associated with Pathological Aggression in Mice. *Brain Sciences*, 11(7). doi: 10.3390/brainsci11070868.

Heun-Johnson, H., & Levitt, P. (2018). Differential impact of Met receptor gene interaction with early-life stress on neuronal morphology and behavior in mice. *Neurobiology of Stress*, 8, 10-20. doi: <https://doi.org/10.1016/j.ynstr.2017.11.003>. <https://www.sciencedirect.com/science/article/pii/S2352289517300164>

Heyden, A., Angenstein, F., Sallaz, M., Seidenbecher, C., & Montag, D. (2008). Abnormal axonal guidance and brain anatomy in mouse mutants for the cell recognition molecules close homolog of L1 and NgCAM-related cell adhesion molecule. *Neuroscience*, 155(1), 221-233. doi.

Heyden, A., Ionescu, M. C. S., Romorini, S., Kracht, B., Ghiglieri, V., Calabresi, P., . . . Gundelfinger, E. D. (2011). Hippocampal enlargement in Bassoon-mutant mice is associated with enhanced neurogenesis, reduced apoptosis, and abnormal BDNF levels. *Cell and Tissue Research*, 1-16. doi.

Heydendael, W., Sharma, K., Iyer, V., Luz, S., Piel, D., Beck, S., & Bhatnagar, S. (2011). Orexins/Hypocretins Act in the Posterior Paraventricular Thalamic Nucleus During Repeated Stress to Regulate Facilitation to Novel Stress. *Endocrinology*, 152(12), 4738-4752. doi.

Heysieattalab, S., & Sadeghi, L. (2021). Dynamic structural neuroplasticity during and after epileptogenesis in a pilocarpine rat model of epilepsy. *Acta Epileptologica*, 3(1), 3. doi: 10.1186/s42494-020-00037-7. <https://doi.org/10.1186/s42494-020-00037-7>

Hickey, W. (1991). Migration of hematogenous cells through the blood-brain barrier and the initiation of CNS inflammation. *Brain Pathology*, 1, 97 - 105. doi.

Higo, S., Hojo, Y., Ishii, H., Komatsuzaki, Y., Ooishi, Y., Murakami, G., . . . others. (2011). Endogenous synthesis of corticosteroids in the hippocampus. *PLoS ONE*, 6(7), e21631-e21631. doi.

Hilal, M. L., Moreau, M. M., Racca, C., Pinheiro, V. L., Piguél, N. H., Santoni, M.-J., . . . Sans, N. (2016). Activity-Dependent Neuroplasticity Induced by an Enriched Environment Reverses Cognitive Deficits in Scribble Deficient Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhw333. <http://cercor.oxfordjournals.org/content/early/2016/10/26/cercor.bhw333...>

Hill, A. A. V., & Cattaert, D. (2008). Recruitment in a heterogeneous population of motor neurons that innervates the depressor muscle of the crayfish walking leg muscle. *Journal of Experimental Biology*, 211(4), 613-629. doi: 10.1242/jeb.006270. <http://jeb.biologists.org/cgi/content/abstract/211/4/613>

Hill, J. J., Kolluri, N., Hashimoto, T., Wu, Q., Sampson, A. R., Monteggia, L. M., & Lewis, D. A. (2005). Analysis of pyramidal neuron morphology in an inducible knockout of brain-derived neurotrophic factor. *Biological Psychiatry*, 57(8), 932-934. doi.

Hill, J. L., Hardy, N. F., Jimenez, D. V., Maynard, K. R., Kardian, A. S., Pollock, C. J., . . . Martinowich, K. (2016). Loss of promoter IV-driven BDNF expression impacts oscillatory activity during sleep, sensory information processing and fear regulation. [Original Article]. *Transl Psychiatry*, 6, e873. doi: 10.1038/tp.2016.153. <http://dx.doi.org/10.1038/tp.2016.153>

Hill, M. N., Hillard, C. J., & McEwen, B. S. (2011). Alterations in Corticolimbic Dendritic Morphology and Emotional Behavior in Cannabinoid CB1 Receptor-Deficient Mice Parallel the Effects of Chronic Stress. *Cerebral Cortex*. doi: 10.1093/cercor/bhq280. <http://cercor.oxfordjournals.org/content/early/2011/01/24/cercor.bhq280...>

Hill, M. N., Kumar, S. A., Filipowski, S. B., Iverson, M., Stuhr, K. L., Keith, J. M., . . . McEwen, B. S. (2012). Disruption of fatty acid amide hydrolase activity prevents the effects of chronic stress

on anxiety and amygdalar microstructure. *Molecular Psychiatry*.

doi: <http://www.nature.com/mp/journal/vaop/ncurrent/supinfo/mp201290s1.html>. <http://dx.doi.org/10.1038/mp.2012.90>

Hill, R. L., Zhang, Y. P., Burke, D. A., DeVries, W. H., Zhang, Y., Magnuson, D. S. K., . . . Shields, C. B. (2009). Anatomical and functional outcomes following a precise, graded, dorsal laceration spinal cord injury in C57BL/6 mice. *Journal of Neurotrauma*, 26(1), 1-15. doi.

Hillen, H., Barghorn, S., Striebinger, A., Labkovsky, B., Muller, R., Nimrich, V., . . . Ebert, U. (2010). Generation and Therapeutic Efficacy of Highly Oligomer-Specific  $\beta$ -Amyloid Antibodies. *Journal of Neuroscience*, 30(31), 10369-10379. doi: 10.1523/jneurosci.5721-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/31/10369>

Hilton, G. D., Ndubuizu, A., Nunez, J. L., & McCarthy, M. M. (2005). Simultaneous glutamate and GABAA receptor agonist administration increases calbindin levels and prevents hippocampal damage induced by either agent alone in a model of perinatal brain injury. *Developmental Brain Research*, 159(2), 99-111. doi.

Hilton, G. D., Ndubuizu, A. N., & McCarthy, M. M. (2004). Neuroprotective effects of estradiol in newborn female rat hippocampus. *Developmental Brain Research*, 150(2), 191-198. doi.

Hilton, G. D., Nuez, J. L., & McCarthy, M. M. (2003). Sex differences in response to kainic acid and estradiol in the hippocampus of newborn rats. *Neuroscience*, 116(2), 383-391. doi.

Hilton, G. D., Nunez, J. L., Bambrick, L., Thompson, S. M., & McCarthy, M. M. (2006). Glutamate-mediated excitotoxicity in neonatal hippocampal neurons is mediated by mGluR-induced release of  $Ca^{++}$  from intracellular stores and is prevented by estradiol. *European Journal of Neuroscience*, 24(11), 3008-3016. doi: doi:10.1111/j.1460-9568.2006.05189.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05189.x>

Hilz, M. J., Axelrod, F. B., Bickel, A., Stemper, B., Brys, M., Wendelschafer-Crabb, G., & Kennedy, W. R. (2004). Assessing function and pathology in familial dysautonomia: assessment of temperature perception, sweating and cutaneous innervation. *Brain*, 127(9), 2090-2098. doi: 10.1093/brain/awh235. <http://brain.oxfordjournals.org/cgi/content/abstract/127/9/2090>

Hindman, H. B., DeMagistris, M., Callan, C., McDaniel, T., Bubel, T., & Huxlin, K. R. (2019). Impact of topical anti-fibrotics on corneal nerve regeneration in vivo. *Experimental Eye Research*, 181, 49-60. doi: <https://doi.org/10.1016/j.exer.2019.01.017>. <http://www.sciencedirect.com/science/article/pii/S001448351830561X>

Hines, M. L., Davison, A. P., & Muller, E. (2009). NEURON and Python. *Frontiers in Neuroinformatics*, 3. doi.

Hinova-Palova, D., Kotov, G., Landzhov, B., Edelstein, L., Iliev, A., Stanchev, S., . . . Paloff, A. (2019). Cytoarchitecture of the dorsal claustrum of the cat: a quantitative Golgi study. *Ijournal*

article]. *Journal of Molecular Histology*. doi: 10.1007/s10735-019-09839-

7. <https://doi.org/10.1007/s10735-019-09839-7>

Hinwood, M., Tynan, R. J., Charnley, J. L., Beynon, S. B., Day, T. A., & Walker, F. R. (2012). Chronic Stress Induced Remodeling of the Prefrontal Cortex: Structural Re-Organization of Microglia and the Inhibitory Effect of Minocycline. *Cerebral Cortex*. doi: 10.1093/cercor/bhs151. <http://cercor.oxfordjournals.org/content/early/2012/06/16/cercor.bhs151...>

Hioki, H. (2014). Compartmental organization of synaptic inputs to parvalbumin-expressing GABAergic neurons in mouse primary somatosensory cortex. *Anatomical Science International*, 1-15. doi: 10.1007/s12565-014-0264-8. <http://dx.doi.org/10.1007/s12565-014-0264-8>

Hirai, Y., Morishima, M., Karube, F., & Kawaguchi, Y. (2012). Specialized Cortical Subnetworks Differentially Connect Frontal Cortex to Parahippocampal Areas. *Journal of Neuroscience*, 32(5), 1898-1913. doi: 10.1523/jneurosci.2810-11.2012. <http://www.jneurosci.org/content/32/5/1898.abstract>

Hirayama, T., Tarusawa, E., Yoshimura, Y., Galjart, N., & Yagi, T. (2012). CTCF Is Required for Neural Development and Stochastic Expression of Clustered Pcdh Genes in Neurons. *Cell Reports*, (0). doi: 10.1016/j.celrep.2012.06.014. <http://www.sciencedirect.com/science/article/pii/S22112471200174X>

Hirose, K., Discolo, C. M., Keasler, J. R., & Ransohoff, R. (2005). Mononuclear phagocytes migrate into the murine cochlea after acoustic trauma. *Journal of Comparative Neurology*, 489(2), 180-194. doi:

Hirose, K., Li, S.-Z., Ohlemiller, K., & Ransohoff, R. (2014). Systemic Lipopolysaccharide Induces Cochlear Inflammation and Exacerbates the Synergistic Ototoxicity of Kanamycin and Furosemide. *Journal of the Association for Research in Otolaryngology*, 1-16. doi: 10.1007/s10162-014-0458-8. <http://dx.doi.org/10.1007/s10162-014-0458-8>

Hirose, K., & Liberman, M. C. (2003). Lateral wall histopathology and endocochlear potential in the noise-damaged mouse cochlea. *JARO - Journal of the Association for Research in Otolaryngology*, 4(3), 339-352. doi:

Hirose, K., & Sato, E. (2011). Comparative analysis of combination kanamycin-furosemide versus kanamycin alone in the mouse cochlea. *Hearing Research*, 272(1), 108-116. doi:

Hirota, Y., Sawada, M., Kida, Y. S., Huang, S., Yamada, O., Sakaguchi, M., . . . Sawamoto, K. (2012). Roles of Planar Cell Polarity Signaling in Maturation of Neuronal Precursor Cells in the Postnatal Mouse Olfactory Bulb. *Stem Cells*. doi:

Hirsch, E., Pozzato, M., Vercelli, A., Barberis, L., Azzolino, O., Russo, C., . . . Altruda, F. (2002). Defective Dendrite Elongation but Normal Fertility in Mice Lacking the Rho-Like GTPase Activator Dbl. *Molecular Cell Biology*, 22(9), 3140-3148. doi:



Hirsch, J. A., Alonso, J. M., Reid, R. C., & Martinez, L. M. (1998). Synaptic Integration in Striate Cortical Simple Cells. *Journal of Neuroscience*, 18, 9517-9528. doi.

Hirsch, J. A., Gallagher, C. A., Alonso, J. M., & Martinez, L. M. (1998). Ascending Projections of Simple and Complex Cells in Layer 6 of the Cat Striate Cortex. *Journal of Neuroscience*, 18(19), 8086-8094. doi.

Hirsch, M., Knight, J., Tobita, M., Soltys, J., Panitch, H., & Mao-Draayer, Y. (2009). The effect of interferon- $\beta$  on mouse neural progenitor cell survival and differentiation. *Biochemical and Biophysical Research Communications*, 388(2), 181-186. doi.

Ho, S. Y., Chao, C. Y., Huang, H. L., Chiu, T. W., Charoenkwan, P., & Hwang, E. (2011). NeurphologyJ: An automatic neuronal morphology quantification method and its application in pharmacological discovery. *BMC bioinformatics*, 12(1), 230-230. doi.

Hoard, J. L., Hoover, D. B., & Wondergem, R. (2007). Phenotypic properties of adult mouse intrinsic cardiac neurons maintained in culture. *American Journal of Physiology - Cell Physiology*, 293(6), C1875-1883. doi: 10.1152/ajpcell.00113.2007. <http://ajpcell.physiology.org/cgi/content/abstract/293/6/C1875>

Hockly, E., Cordery, P. M., Woodman, B., Mahal, A., Van Dellen, A., Blakemore, C., . . . Bates, G. P. (2002). Environmental enrichment slows disease progression in R6/2 Huntington's disease mice. *Annals of Neurology*, 51(2), 235-242. doi.

Hodde, D., Gerardo-Nava, J., Wöhlk, V., Weinandy, S., Jockenhövel, S., Kriebel, A., . . . Brook, G. A. (2015). Characterisation of cell-substrate interactions between Schwann cells and three-dimensional fibrin hydrogels containing orientated nanofibre topographical cues. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13026. <http://dx.doi.org/10.1111/ejn.13026>

Hodges, T. E., Louth, E. L., Bailey, C. D. C., & McCormick, C. M. (2018). Adolescent social instability stress alters markers of synaptic plasticity and dendritic structure in the medial amygdala and lateral septum in male rats. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1789-8. <https://doi.org/10.1007/s00429-018-1789-8>

Hodgson, J. A., Finni, T., Lai, A. M., Edgerton, V. R., & Sinha, S. (2006). Influence of structure on the tissue dynamics of the human soleus muscle observed in MRI studies during isometric contractions. *Journal of Morphology*, 267(5), 584-601. doi.

Hoe, H.-S., Lee, K. J., Carney, R. S. E., Lee, J., Markova, A., Lee, J.-Y., . . . Rebeck, G. W. (2009). Interaction of Reelin with Amyloid Precursor Protein Promotes Neurite Outgrowth. *Journal of Neuroscience*, 29(23), 7459-7473. doi: 10.1523/jneurosci.4872-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/23/7459>

Hoebek, F. E., Khosrovani, S., Witter, L., & De Zeeuw, C. I. (2008). Purkinje cell input to cerebellar nuclei in tottering: ultrastructure and physiology. *The Cerebellum*, 7(4), 547-558. doi.

Hoekstra, J. G., Cook, T. J., Stewart, T., Mattison, H., Dreisbach, M. T., Hoffer, Z. S., & Zhang, J. (2014). Astrocytic Dynamin-Like Protein 1 Regulates Neuronal Protection against Excitotoxicity in Parkinson Disease. *The American journal of pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2014.10.022>. <http://www.sciencedirect.com/science/article/pii/S0002944014006555>

Hoeltje, M., Djalali, S., Hofmann, F., Muenster-Wandowski, A., Hendrix, S., Boato, F., . . . others. (2009). A 29-amino acid fragment of Clostridium botulinum C3 protein enhances neuronal outgrowth, connectivity, and reinnervation. *FASEB Journal*, 23(4), 1115-1126. doi.

Hoffman, E. J., Mintz, C. D., Wang, S., McNickle, D. G., Salton, S. R. J., & Benson, D. L. (2008). Effects of ethanol on axon outgrowth and branching in developing rat cortical neurons. *Neuroscience*, 157(3), 556-565. doi.

Hoffman, J. F., Wright, C. L., & McCarthy, M. M. (2016). A Critical Period in Purkinje Cell Development Is Mediated by Local Estradiol Synthesis, Disrupted by Inflammation, and Has Enduring Consequences Only for Males. *The Journal of Neuroscience*, 36(39), 10039-10049. doi. <http://www.jneurosci.org/content/36/39/10039.short>

Hoffman, L. F., Choy, K. R., Sultemeier, D. R., & Simmons, D. D. (2018). Oncomodulin Expression Reveals New Insights into the Cellular Organization of the Murine Utricle Striola. [journal article]. *Journal of the Association for Research in Otolaryngology*. doi: 10.1007/s10162-017-0652-6. <https://doi.org/10.1007/s10162-017-0652-6>

Hoffmann, C. J., Hohberg, M., Chlench, S., Maroski, J., Drab, M., Siegel, G., . . . Zakrzewicz, A. (2011). Suppression of zinc finger protein 580 by high oxLDL/LDL-ratios is followed by enhanced expression of endothelial IL-8. *Atherosclerosis*. doi.

Hoffmann, J. H. O., Meyer, H. S., Schmitt, A. C., Straehle, J., Weitbrecht, T., Sakmann, B., & Helmstaedter, M. (2015). Synaptic Conductance Estimates of the Connection Between Local Inhibitor Interneurons and Pyramidal Neurons in Layer 2/3 of a Cortical Column. *Cerebral Cortex*. doi: 10.1093/cercor/bhv039. <http://cercor.oxfordjournals.org/content/early/2015/03/10/cercor.bhv039....>

Hoffmann, K., Sivukhina, E., Potschka, H., Schachner, M., Löscher, W., & Dityatev, A. (2009). Retarded kindling progression in mice deficient in the extracellular matrix glycoprotein tenascin-R. *Epilepsia*, 50(4), 859-869. doi.

Höfling, C., Indrischek, H., Höpcke, T., Waniek, A., Cynis, H., Koch, B., . . . Hartlage-Rübsamen, M. (2014). Mouse strain and brain region-specific expression of the glutaminyl cyclases QC and isoQC. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2014.05.008>. <http://www.sciencedirect.com/science/article/pii/S0736574814000781>

Hofmann, G. C., Hasser, E. M., & Kline, D. D. (2021). Unilateral vagotomy alters astrocyte and microglial morphology in the nucleus tractus solitarii of the rat. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. doi: 10.1152/ajpregu.00019.2021. <https://doi.org/10.1152/ajpregu.00019.2021>

Hogan, M. K., Kovalycsik, T., Sun, Q., Rajagopalan, S., & Nelson, R. J. (2015). Combined Effects of Exposure to Dim Light at Night and Fine Particulate Matter on C3H/HeNHsd Mice. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2015.07.033> <http://www.sciencedirect.com/science/article/pii/S0166432815301042>

Hohberg, M., Knöchel, J., Hoffmann, C. J., Chlench, S., Wunderlich, W., Alter, A., . . . Zakrzewicz, A. (2011). Expression of ADAMTS1 in endothelial cells is induced by shear stress and suppressed in sprouting capillaries. *Journal of Cellular Physiology*, 226(2), 350-361. doi: 10.1002/jcp.22340. <http://dx.doi.org/10.1002/jcp.22340>

Höistad, M., & Barbas, H. (2008). Sequence of information processing for emotions through pathways linking temporal and insular cortices with the amygdala. *Neuroimage*, 40(3), 1016-1033. doi.

Hojo, Y., Higo, S., Kawato, S., Hatanaka, Y., Ooishi, Y., Murakami, G., . . . others. (2011). Frontiers: Hippocampal Synthesis of Sex Steroids and Corticosteroids: Essential for Modulation of Synaptic Plasticity. *Frontiers in Neuroendocrine Science*, 2. doi.

Hojo, Y., Munetomo, A., Mukai, H., Ikeda, M., Sato, R., Hatanaka, Y., . . . Kawato, S. (2015). Estradiol rapidly modulates spinogenesis in hippocampal dentate gyrus: Involvement of kinase networks. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2015.06.008>. <http://www.sciencedirect.com/science/article/pii/S0018506X15001178>

Holden, J. E., Farah, E. N., & Jeong, Y. (2005). Stimulation of the lateral hypothalamus produces antinociception mediated by 5-HT1A, 5-HT1B and 5-HT3 receptors in the rat spinal cord dorsal horn. *Neuroscience*, 135(4), 1255-1268. doi.

Holden, J. E., & Naleway, E. (2001). Microinjection of carbachol in the lateral hypothalamus produces opposing actions on nociception mediated by  $\alpha$  1-and  $\alpha$  2-adrenoceptors. *Brain Research*, 911(1), 27-36. doi.

Holden, J. E., & Pizzi, J. A. (2008). Lateral hypothalamic-induced antinociception may be mediated by a substance P connection with the rostral ventromedial medulla. *Brain Research*, 1214, 40-49. doi.

Holden, J. E., Pizzi, J. A., & Jeong, Y. (2009). An NK1 receptor antagonist microinjected into the periaqueductal gray blocks lateral hypothalamic-induced antinociception in rats. *Neuroscience Letters*, 453(2), 115-119. doi.

Holden, J. E., Van Poppel, A. Y., & Thomas, S. (2002). Antinociception from lateral hypothalamic stimulation may be mediated by NK1 receptors in the A7 catecholamine cell group in rat. *Brain Research*, 953(1-2), 195-204. doi.

Holden, J. E., Wang, E., Moes, J. R., Wagner, M., Maduko, A., & Jeong, Y. (2014). Differences in carbachol dose, pain condition, and sex following lateral hypothalamic stimulation. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.04.020>. <http://www.sciencedirect.com/science/article/pii/S0306452214003157>

Holder, M. K., Hadjimarkou, M. M., Zup, S. L., Blutstein, T., Benham, R. S., McCarthy, M. M., & Mong, J. A. (2010). Methamphetamine facilitates female sexual behavior and enhances neuronal activation in the medial amygdala and ventromedial nucleus of the hypothalamus. *Psychoneuroendocrinology*, 35(2), 197-208. doi.

Holder, M. K., Veichweg, S. S., & Mong, J. A. (2014). Methamphetamine-Enhanced Female Sexual Motivation is Dependent on Dopamine and Progesterone Signaling in the Medial Amygdala. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2014.10.004>. <http://www.sciencedirect.com/science/article/pii/S0018506X14002165>

Holderith, N., Lorincz, A., Katona, G., Rozsa, B., Kulik, A., Watanabe, M., & Nusser, Z. (2012). Release probability of hippocampal glutamatergic terminals scales with the size of the active zone. [10.1038/nn.3137]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3137.html#suppl.....> <http://dx.doi.org/10.1038/nn.3137>

Holland, T. L., & Soderstrom, K. (2017). Chronic CB1 cannabinoid receptor antagonism persistently increases dendritic spine densities in brain regions important to zebra finch vocal learning and production in an antidepressant-sensitive manner. *Brain Research*, 1672, 1-9. doi: <https://doi.org/10.1016/j.brainres.2017.07.015>. <http://www.sciencedirect.com/science/article/pii/S0006899317303141>

Holler, S., Köstinger, G., Martin, K. A. C., Schuhknecht, G. F. P., & Stratford, K. J. (2021). Structure and function of a neocortical synapse. *Nature*. doi: 10.1038/s41586-020-03134-2. <https://doi.org/10.1038/s41586-020-03134-2>

Holliday, E. D., Nucero, P., Kutlu, M. G., Oliver, C., Connelly, K. L., Gould, T. J., & Unterwald, E. M. (2016). Long-term effects of chronic nicotine on emotional and cognitive behaviors and hippocampus cell morphology in mice: comparisons of adult and adolescent nicotine exposure. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13398. <http://dx.doi.org/10.1111/ejn.13398>

Hollis, E. R., Jamshidi, P., Löw, K., Blesch, A., & Tuszynski, M. H. (2009). Induction of corticospinal regeneration by lentiviral trkB-induced Erk activation. *Proceedings of the National Academy of Sciences*, 106(17), 7215-7215. doi.

Holloway, B. B., Viar, K. E., Stornetta, R. L., & Guyenet, P. G. (2015). The retrotrapezoid nucleus stimulates breathing by releasing glutamate in adult conscious mice. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12996. <http://dx.doi.org/10.1111/ejn.12996>

Holmes, G. M., Browning, K. N., Babic, T., Fortna, S. R., Coleman, F. H., & Travagli, R. A. (2013). Vagal afferent fibres determine the oxytocin-induced modulation of gastric tone. *The Journal of Physiology*, 591(12), 3081-3100. doi:

doi:10.1113/jphysiol.2013.253732. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/jphysiol.2013.253732>

Holmes, T. J., & O'connor, N. J. (2000). Blind deconvolution of 3D transmitted light brightfield micrographs. *Journal of Microscopy*, 200(2), 114. doi.

Holmes, W. R., Huwe, J. A., Williams, B., Rowe, M. H., & Peterson, E. H. (2017). Models of utricular bouton afferents: Role of afferent-hair cell connectivity in determining spike train regularity. [10.1152/jn.00895.2016]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2017/02/10/jn.00895.2016.abstract>

Höltje, M., Djalali, S., Hofmann, F., Münster-Wandowski, A., Hendrix, S., Boato, F., . . . Ahnert-Hilger, G. (2009). A 29-amino acid fragment of Clostridium botulinum C3 protein enhances neuronal outgrowth, connectivity, and reinnervation. *The FASEB journal*, 23(4), 1115-1126. doi: 10.1096/fj.08-116855. <http://www.fasebj.org/content/23/4/1115.abstract>

Holtje, M., Hoffmann, A., Hofmann, F., Mucke, C., Grosse, G., Van Rooijen, N., . . . Ahnert-Hilger, G. (2005). Role of Rho GTPase in astrocyte morphology and migratory response during in vitro wound healing. *Journal of Neurochemistry*, 95(5), 1237-1248. doi: 10.1111/j.1471-4159.2005.03443.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03443.x>

Holtmaat, A., Wilbrecht, L., Knott, G. W., Welker, E., & Svoboda, K. (2006). Experience-dependent and cell-type-specific spine growth in the neocortex. *Nature*, 441, 979-983. doi.

Homberg, J. R., Olivier, J. D. A., Blom, T., Arentsen, T., van Brunschot, C., Schipper, P., . . . Reneman, L. (2011). Fluoxetine exerts age-dependent effects on behavior and amygdala neuroplasticity in the rat. *PLoS ONE*, 6(1), e16646-e16646. doi.

Honda, C. N. (1995). Differential distribution of calbindin-D28k and parvalbumin in somatic and visceral sensory neurons. *Neuroscience*, 68(3), 883-892. doi.

Honda, Y., & Ishizuka, N. (2004). Organization of Connectivity of the Rat Presubiculum: I. Efferent Projections to the Medial Entorhinal Cortex. *Journal of Comparative Neurology*, 473, 463-484. doi.

Honda, Y., & Ishizuka, N. (2014). Topographic distribution of cortical projection cells in the rat subiculum. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2014.11.011>. <http://www.sciencedirect.com/science/article/pii/S0168010214003204>

Honda, Y., Sasaki, H., Umitsu, Y., & Ishizuka, N. (2012). Zonal distribution of perforant path cells in layer III of the entorhinal area projecting to CA1 and subiculum in the rat. *Neuroscience Research*, (0). doi: 10.1016/j.neures.2012.10.005. <http://www.sciencedirect.com/science/article/pii/S016801021200199X>

Honda, Y., & Shibata, H. (2017). Organizational connectivity among the CA1, subiculum, presubiculum, and entorhinal cortex in the rabbit. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24297. <http://dx.doi.org/10.1002/cne.24297>

Honda, Y., Umitsu, Y., & Ishizuka, N. (2008). Organization of connectivity of the rat presubiculum: II. Associational and commissural connections. *Journal of Comparative Neurology*, 506(4), 640-658. doi:

Hönigsperger, C., Marosi, M., Murphy, R., & Storm, J. F. (2014). Dorso-ventral differences in Kv7/M-current and its impact on resonance, temporal summation, and excitability in rat hippocampal pyramidal cells. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.280826. <http://dx.doi.org/10.1113/jphysiol.2014.280826>

Hood, J. E., Jenkins, J. W., Milatovic, D., Rongzhu, L., & Aschner, M. (2010). Mefloquine induces oxidative stress and neurodegeneration in primary rat cortical neurons. *Neurotoxicology*, 31(5), 518-523. doi:

Hook, M., Woller, S., Bancroft, E., Aceves, M., Funk, M. K., Hartman, J., & Garraway, S. M. (2016). Neurobiological effects of Morphine following Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2016.4507. <http://dx.doi.org/10.1089/neu.2016.4507>

Hooks, B. M., Hires, S. A., Zhang, Y. X., Huber, D., Petreanu, L., Svoboda, K., & Shepherd, G. M. G. (2011). Laminar analysis of excitatory local circuits in vibrissal motor and sensory cortical areas. *PLoS Biology*, 9(1), e1000572-e1000572. doi:

Hooks, B. M., Papale, A. E., Paletzki, R. F., Feroze, M. W., Eastwood, B. S., Couey, J. J., . . . Gerfen, C. R. (2018). Topographic precision in sensory and motor corticostriatal projections varies across cell type and cortical area. *Nature Communications*, 9(1), 3549. doi: 10.1038/s41467-018-05780-7. <https://doi.org/10.1038/s41467-018-05780-7>

Horie, S., Kiyokage, E., Hayashi, S., Inoue, K., Sohn, J., Hioki, H., . . . Toida, K. (2020). Structural basis for noradrenergic regulation of neural circuits in the mouse olfactory bulb. [\[https://doi.org/10.1002/cne.25085\]](https://doi.org/10.1002/cne.25085). *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25085>. <https://doi.org/10.1002/cne.25085>

Horjales-Araujo, E., Hellysaz, A., & Broberger, C. (2014). Lateral hypothalamic thyrotropin-releasing hormone neurons: Distribution and relationship to histochemically defined cell populations in the rat. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.06.043>. <http://www.sciencedirect.com/science/article/pii/S0306452214005284>

Hormigo, S., Gómez-Nieto, R., Castellano, O., Herrero-Turrión, M. J., López, D., & Anchieta de Castro e Horta-Júnior, J. (2014). The noradrenergic projection from the locus coeruleus to the cochlear root neurons in rats. *Brain Structure and Function*, 1-20. doi: 10.1007/s00429-014-0739-3. <http://dx.doi.org/10.1007/s00429-014-0739-3>

Hormigo, S., Vega-Flores, G., & Castro-Alamancos, M. A. (2016). Basal Ganglia Output Controls Active Avoidance Behavior. *The Journal of Neuroscience*, 36(40), 10274-10284. doi: <http://www.jneurosci.org/content/36/40/10274.short>



Hormigo, S., Vega-Flores, G., Rovira, V., & Castro-Alamancos, M. A. (2019). Circuits that mediate expression of signaled active avoidance converge in the pedunculopontine tegmentum. *The Journal of Neuroscience*, 0049-0019. doi: 10.1523/jneurosci.0049-19.2019. <http://www.jneurosci.org/content/early/2019/03/29/JNEUROSCI.0049-19.2019..>

Horn, Katherine E., Glasgow, Stephen D., Gobert, D., Bull, S.-J., Luk, T., Girgis, J., . . . Kennedy, Timothy E. (2013). DCC Expression by Neurons Regulates Synaptic Plasticity in the Adult Brain. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2012.12.005>, <http://www.sciencedirect.com/science/article/pii/S2211124712004299>

Horn, K. E., Xu, B., Gobert, D., Hamam, B. N., Thompson, K. M., Wu, C.-L., . . . Kennedy, T. E. (2012). Receptor protein tyrosine phosphatase sigma regulates synapse structure, function and plasticity. *Journal of Neurochemistry*. doi: 10.1111/j.1471-4159.2012.07762.x. <http://dx.doi.org/10.1111/j.1471-4159.2012.07762.x>

Hornfeld, S. H., Terkel, J., & Barnea, A. (2010). Neurons recruited in the nidopallium caudale, following changes in social environment, derive from the same original population. *Behavioural Brain Research*, 208(2), 643-645. doi.

Hornung, J. P. (2003). The human raphe nuclei and the serotonergic system. *Journal of Chemical Neuroanatomy*, 26(4), 331-343. doi.

Horowitz, J., Nagai, M., Desai, T., Pytte, C. L., & Harding, C. (2015). Exposure to the mold *Stachybotrys* alters microglial morphology differentially in CA1 and CA2-3 of the dorsomedial hippocampus. *Brain, Behavior, and Immunity*, 49, Supplement, e32. doi: <http://dx.doi.org/10.1016/j.bbi.2015.06.127>, <http://www.sciencedirect.com/science/article/pii/S088915911500344X>

Horowitz, P. M., Patterson, K. R., Guillozet-Bongaarts, A. L., Reynolds, M. R., Carroll, C. A., Weintraub, S. T., . . . Binder, L. I. (2004). Early N-Terminal Changes and Caspase-6 Cleavage of Tau in Alzheimer's Disease. *Journal of Neuroscience*, 24(36), 7895-7902. doi: 10.1523/jneurosci.1988-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/36/7895>

Horváth, Á., Tékus, V., Bencze, N., Szentés, N., Scheich, B., Bölcskei, K., . . . Helyes, Z. (2018). Analgesic effects of the novel semicarbazide-sensitive amine oxidase inhibitor SZV 1287 in mouse pain models with neuropathic mechanisms: involvement of transient receptor potential vanilloid 1 and ankyrin 1 receptors. *Pharmacological Research*. doi: <https://doi.org/10.1016/j.phrs.2018.02.006>, <https://www.sciencedirect.com/science/article/pii/S1043661817309313>

Hosford, B. E., Rowley, S., Liska, J. P., & Danzer, S. C. (2017). Ablation of peri-insult generated granule cells after epilepsy onset halts disease progression. *Scientific Reports*, 7(1), 18015. doi: 10.1038/s41598-017-18237-6. <https://doi.org/10.1038/s41598-017-18237-6>

Hoshino, A., Helwig, M., Rezaei, S., Berridge, C., Eriksen, J. L., & Lindberg, I. (2013). A novel function for proSAAS as an amyloid anti-aggregant in Alzheimer's disease. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12454. <http://dx.doi.org/10.1111/jnc.12454>

Hosp, J., Nolan, H., & Luft, A. (2015). Topography and collateralization of dopaminergic projections to primary motor cortex in rats. *Experimental Brain Research*, 1-11. doi: 10.1007/s00221-015-4211-2. <http://dx.doi.org/10.1007/s00221-015-4211-2>

Hosp, J. A., Strüber, M., Yanagawa, Y., Obata, K., Vida, I., Jonas, P., & Bartos, M. (2013). Morpho-physiological criteria divide dentate gyrus interneurons into classes. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22214. <http://dx.doi.org/10.1002/hipo.22214>

Hossain, W. A., Antic, S. D., Yang, Y., Rasband, M. N., & Morest, D. K. (2005). Where Is the Spike Generator of the Cochlear Nerve? Voltage-Gated Sodium Channels in the Mouse Cochlea. *Journal of Neuroscience*, 25(29), 6857-6868. doi: <http://www.jneurosci.org/cgi/content/abstract/25/29/6857>

Hossaini, M., French, P. J., & Holstege, J. C. (2007). Distribution of glycinergic neuronal somata in the rat spinal cord. *Brain Research*, 1142, 61-69. doi.

Hossaini, M., Jongen, J., Biesheuvel, K., Kuhl, D., & Holstege, J. (2010). Nociceptive stimulation induces expression of Arc/Arg3.1 in the spinal cord with a preference for neurons containing enkephalin. *Molecular Pain*, 6(1), 43. doi: <http://www.molecularpain.com/content/6/1/43>

Hota, S. K., Barhwal, K., Baitharu, I., Prasad, D., Singh, S. B., & Ilavazhagan, G. (2009). < i> Bacopa monniera leaf extract ameliorates hypobaric hypoxia induced spatial memory impairment. *Neurobiology of Disease*, 34(1), 23-39. doi.

Hou, G., & Zhang, Z.-W. (2017). NMDA Receptors Regulate the Development of Neuronal Intrinsic Excitability through Cell-Autonomous Mechanisms. [Original Research]. *Frontiers in cellular neuroscience*, 11(353). doi: 10.3389/fncel.2017.00353. <https://www.frontiersin.org/article/10.3389/fncel.2017.00353>

Hou, P.-S., Miyoshi, G., & Hanashima, C. (2019). Sensory cortex wiring requires preselection of short- and long-range projection neurons through an Egr-Foxg1-COUP-TFI network. *Nature Communications*, 10(1), 3581. doi: 10.1038/s41467-019-11043-w. <https://doi.org/10.1038/s41467-019-11043-w>

Hou, W.-H., Kuo, N., Fang, G.-W., Huang, H.-S., Wu, K.-P., Zimmer, A., . . . Lien, C.-C. (2016). Wiring Specificity and Synaptic Diversity in the Mouse Lateral Central Amygdala. *The Journal of Neuroscience*, 36(16), 4549-4563. doi: <http://www.jneurosci.org/content/36/16/4549.short>

Hou, Y., Zhang, Q., Liu, H., Wu, J., Shi, Y., Qi, Y., . . . He, M. (2021). Topographical organization of mammillary neurogenesis and efferent projections in the mouse brain. *Cell Reports*, 34(6), 108712. doi: <https://doi.org/10.1016/j.celrep.2021.108712>. <https://www.sciencedirect.com/science/article/pii/S221124721000255>

Hough, L. H., & Brownl, M. E. (2017). Labeling of Neuronal Morphology using Custom Diolistic Techniques. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.03.004>. <http://www.sciencedirect.com/science/article/pii/S0165027017300614>

Hough, L. H., Hill, K., Staudt, L., Grubb, C., & Green, A. (2019). Stereological Investigation of the Rat Ventral Thalamic Nuclei Following Developmental Hyperserotonemia. *Neuroscience*, 411, 202-210. doi: <https://doi.org/10.1016/j.neuroscience.2019.05.054>. <http://www.sciencedirect.com/science/article/pii/S0306452219303847>

Hough, L. H., & Segal, S. (2016). Effects of Developmental Hyperserotonemia on the Morphology of Rat Dentate Nuclear Neurons. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.02.021>. <http://www.sciencedirect.com/science/article/pii/S0306452216001445>

House, D. R. C., Elstrott, J., Koh, E., Chung, J., & Feldman, D. E. (2011). Parallel Regulation of Feedforward Inhibition and Excitation during Whisker Map Plasticity. *Neuron*, 72(5), 819-831. doi.

Houzel, J. C., Carvalho, M. L., & Lent, R. (2002). Interhemispheric connections between primary visual areas: beyond the midline rule. *Brazilian Journal of Medical and Biological Research*, 35(12), 1441-1453. doi.

Houzel, J. C., & Milleret, C. (1999). Visual inter-hemispheric processing: constraints and potentialities set by axonal morphology. *Journal of Physiology-Paris*, 93(4), 271-284. doi.

Houzel, J.-C., Milleret, C., & Innocenti, G. (1994). Morphology of Callosal Axons Interconnecting Areas 17 and 18 of the Cat. *European Journal of Neuroscience*, 6(6), 898-917. doi: doi:10.1111/j.1460-9568.1994.tb00585.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1994.tb0058...>

Hovis, K. R., Ramnath, R., Dahlen, J. E., Romanova, A. L., LaRocca, G., Bier, M. E., & Urban, N. N. (2012). Activity Regulates Functional Connectivity from the Vomeronasal Organ to the Accessory Olfactory Bulb. *Journal of Neuroscience*, 32(23), 7907-7916. doi: 10.1523/jneurosci.2399-11.2012. <http://www.jneurosci.org/content/32/23/7907.abstract>

Howard, B., Chen, Y., & Zecevic, N. (2006). Cortical progenitor cells in the developing human telencephalon. *Glia*, 53(1), 57-66. doi.

Hoxha, E., Gabriele, R. M. C., Balbo, I., Ravera, F., Masante, L., Zambelli, V., . . . Tempia, F. (2017). Motor Deficits and Cerebellar Atrophy in Elov15 Knock Out Mice. [Original Research]. *Frontiers in cellular neuroscience*, 11(343). doi: 10.3389/fncel.2017.00343. <https://www.frontiersin.org/article/10.3389/fncel.2017.00343>

Hoy Jr, K. C., & Alilain, W. J. (2015). Acute theophylline exposure modulates breathing activity through a cervical contusion. *Experimental Neurology*, 271(0), 72-76. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.04.024>. <http://www.sciencedirect.com/science/article/pii/S0014488615001508>

Hozumi, Y., Kakefuda, K., Yamasaki, M., Watanabe, M., Hara, H., & Goto, K. (2014). Involvement of diacylglycerol kinase  $\beta$  in the spine formation at distal dendrites of striatal medium spiny neurons. *Brain Research*, (0).

doi: <http://dx.doi.org/10.1016/j.brainres.2014.11.012>, <http://www.sciencedirect.com/science/article/pii/S0006899314015595>

Hsieh, J. T., Lei, B., Sheng, H., Venkatraman, T., Lascola, C. D., Warner, D. S., & James, M. L. (2015). Sex-Specific Effects of Progesterone on Early Outcome of Intracerebral Hemorrhage. *Neuroendocrinology*. doi: <http://www.karger.com/Article/Abstract/440883>

Hsieh, K. C., Gvilia, I., Kumar, S., Uschakov, A., McGinty, D., Alam, M. N., & Szymusiak, R. (2011). c-Fos expression in neurons projecting from the preoptic and lateral hypothalamic areas to the ventrolateral periaqueductal gray in relation to sleep states. *Neuroscience*. doi.

Hsu, J. E., & Jones, T. A. (2005). Time-sensitive enhancement of motor learning with the less-affected forelimb after unilateral sensorimotor cortex lesions in rats. *European Journal of Neuroscience*, 22(8), 2069-2080. doi: doi:10.1111/j.1460-9568.2005.04370.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04370.x>

Hsu, J. E., & Jones, T. A. (2006). Contralateral neural plasticity and functional changes in the less-affected forelimb after large and small cortical infarcts in rats. *Experimental Neurology*, 201(2), 479-494. doi.

Hsu, J. Y. C., Stein, S. A., & Xu, X. M. (2006). Development of the corticospinal tract in the mouse spinal cord: a quantitative ultrastructural analysis. *Brain Research*, 1084(1), 16-27. doi.

Hsu, J. Y. C., Stein, S. A., & Xu, X. M. (2008). Abnormal growth of the corticospinal axons into the lumbar spinal cord of the hyt/hyt mouse with congenital hypothyroidism. *Journal of Neuroscience Research*, 86(14), 3126-3139. doi.

Hsu, J. Y. C., & Xu, X. M. (2005). Early profiles of axonal growth and astroglial response after spinal cord hemisection and implantation of Schwann cell-seeded guidance channels in adult rats. *Journal of Neuroscience Research*, 82(4), 472-483. doi.

Hsu, J.-Y. C., McKeon, R., Goussev, S., Werb, Z., Lee, J.-U., Trivedi, A., & Noble-Haeusslein, L. J. (2006). Matrix Metalloproteinase-2 Facilitates Wound Healing Events That Promote Functional Recovery after Spinal Cord Injury. *Journal of Neuroscience*, 26(39), 9841-9850. doi: 10.1523/jneurosci.1993-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/39/9841>

Hu, H., & Agmon, A. (2016). Differential Excitation of Distally versus Proximally Targeting Cortical Interneurons by Unitary Thalamocortical Bursts. *The Journal of Neuroscience*, 36(26), 6906-6916. doi: <http://www.jneurosci.org/content/36/26/6906.short>

Hu, H., & Jonas, P. (2014). A supercritical density of Na<sup>+</sup> channels ensures fast signaling in GABAergic interneuron axons. *Nature Neuroscience*. doi.

Hu, H., Liu, Y., Bampoe, K., He, Y., & Yu, M. (2016). Postnatal Gene Therapy Improves Spatial Learning Despite the Presence of Neuronal Ectopia in a Model of Neuronal Migration Disorder. *Genes*, 7(12), 105. doi: <http://www.mdpi.com/2073-4425/7/12/105>

Hu, H., Roth, F. C., Vandael, D., & Jonas, P. (2018). Complementary Tuning of Na<sup>+</sup> and K<sup>+</sup> Channel Gating Underlies Fast and Energy-Efficient Action Potentials in GABAergic Interneuron Axons. *Neuron*, 98(1), 156-165. doi: <https://doi.org/10.1016/j.neuron.2018.02.024>. <https://www.sciencedirect.com/science/article/pii/S0896627318301454>

Hu, J., Deng, L., Wang, X., & Xu, X. M. (2009). Effects of extracellular matrix molecules on the growth properties of oligodendrocyte progenitor cells in vitro. *Journal of Neuroscience Research*, 87(13), 2854-2862. doi.

Hu, J.-G., Shi, L.-L., Chen, Y.-J., Xie, X.-M., Zhang, N., Zhu, A.-Y., . . . Lü, H.-Z. (2016). Differential effects of myelin basic protein-activated Th1 and Th2 cells on the local immune microenvironment of injured spinal cord. *Experimental Neurology*, 277, 190-201. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.01.002>. <http://www.sciencedirect.com/science/article/pii/S0014488616300012>

Hu, X.-L., Cheng, X., Cai, L., Tan, G.-H., Xu, L., Feng, X.-Y., . . . Xiong, Z.-Q. (2011). Conditional Deletion of NRSF in Forebrain Neurons Accelerates Epileptogenesis in the Kindling Model. *Cerebral Cortex*. doi: 10.1093/cercor/bhq284. <http://cercor.oxfordjournals.org/content/early/2011/02/21/cercor.bhq284>....

Hua, K., Forbes, M. E., Lichtenwalner, R. J., Sonntag, W. E., & Riddle, D. R. (2009). Adult-onset deficiency in growth hormone and insulin-like growth factor-I alters oligodendrocyte turnover in the corpus callosum. *Glia*, 57(10), 1062-1071. doi.

Hua, K., Schindler, M. K., McQuail, J. A., Forbes, M. E., & Riddle, D. R. (2012). Regionally Distinct Responses of Microglia and Glial Progenitor Cells to Whole Brain Irradiation in Adult and Aging Rats. *PLoS ONE*, 7(12), e52728. doi: 10.1371/journal.pone.0052728. <http://dx.doi.org/10.1371%2Fjournal.pone.0052728>

Huang, A., Noga, B. R., Carr, P. A., Fedirchuk, B., & Jordan, L. M. (2000). Spinal Cholinergic Neurons Activated During Locomotion: Localization and Electrophysiological Characterization. *Journal of Neurophysiology*, 83(6), 3537-3547. doi: <http://jn.physiology.org/cgi/content/abstract/83/6/3537>

Huang, C. C. Y., Muszynski, K. J., Bolshakov, V. Y., & Balu, D. T. (2019). Deletion of *Dtnbp1* in mice impairs threat memory consolidation and is associated with enhanced inhibitory drive in the amygdala. *Translational Psychiatry*, 9(1), 132. doi: 10.1038/s41398-019-0465-y. <https://doi.org/10.1038/s41398-019-0465-y>

Huang, C. L., & Winer, J. A. (2000). Auditory thalamocortical projections in the cat: laminar and areal patterns of input. *Journal of Comparative Neurology*, 427(2), 302-331. doi.

Huang, C.-W., Chen, Y.-W., Lin, Y.-R., Chen, P.-H., Chou, M.-H., Lee, L.-J., . . . Chen, S.-L. (2016). Conditional Knockout of Breast Carcinoma Amplified Sequence 2 (BCAS2) in Mouse Forebrain Causes Dendritic Malformation via  $\beta$ -catenin. [Article]. *Scientific Reports*, 6, 34927. doi: 10.1038/srep34927

<http://www.nature.com/articles/srep34927#supplementary-information>. <http://dx.doi.org/10.1038/srep34927>

Huang, J., Furuya, A., Hayashi, K., & Furuichi, T. (2011). Interaction between very-KIND Ras guanine exchange factor and microtubule-associated protein 2, and its role in dendrite growth – structure and function of the second kinase noncatalytic C-lobe domain. *FEBS Journal*, no-no. doi: 10.1111/j.1742-4658.2011.08085.x. <http://dx.doi.org/10.1111/j.1742-4658.2011.08085.x>

Huang, J., Polgár, E., Solinski, H. J., Mishra, S. K., Tseng, P.-Y., Iwagaki, N., . . . Hoon, M. A. (2018). Circuit dissection of the role of somatostatin in itch and pain. *Nature Neuroscience*. doi: 10.1038/s41593-018-0119-z. <https://doi.org/10.1038/s41593-018-0119-z>

Huang, L., & Pallas, S. L. (2001). NMDA Antagonists in the Superior Colliculus Prevent Developmental Plasticity But Not Visual Transmission or Map Compression. *Journal of Neurophysiology*, 86(3), 1179-1194. doi: <http://jn.physiology.org/cgi/content/abstract/86/3/1179>

Huang, L.-W., Simonnet, J., Nassar, M., Richevaux, L., Lofredi, R., & Fricker, D. (2017). Laminar Localization and Projection-Specific Properties of Presubicular Neurons Targeting the Lateral Mammillary Nucleus, Thalamus or Medial Entorhinal Cortex. [10.1523/ENEURO.0370-16.2017]. *eneuro*. doi: <http://eneuro.org/content/early/2017/04/28/ENEURO.0370-16.2017.abstract>

Huang, T., & Krimm, R. F. (2013). BDNF and NT4 play interchangeable roles in gustatory development. *Developmental Biology*, (0). doi: <http://dx.doi.org/10.1016/j.ydbio.2013.12.031>. <http://www.sciencedirect.com/science/article/pii/S0012160613006933>

Huang, T., Ma, L., & Krimm, R. F. (2015). Postnatal reduction of BDNF regulates the developmental remodeling of taste bud innervation. *Developmental Biology*. doi: <http://dx.doi.org/10.1016/j.ydbio.2015.07.006>. <http://www.sciencedirect.com/science/article/pii/S0012160615300403>

Huang, W.-C., Chen, Y., & Page, D. T. (2016). Hyperconnectivity of prefrontal cortex to amygdala projections in a mouse model of macrocephaly/autism syndrome. [Article]. *Nature Communications*, 7, 13421. doi: 10.1038/ncomms13421

<http://www.nature.com/articles/ncomms13421#supplementary-information>. <http://dx.doi.org/10.1038/ncomms13421>

Huang, Z., Yu, Y., Shimoda, Y., Watanabe, K., & Liu, Y. (2012). Loss of neural recognition molecule NB-3 delays the normal projection and terminal branching of developing corticospinal tract axons in the mouse. *Journal of Comparative Neurology*, 520(6), 1227-1245. doi: 10.1002/cne.22772. <http://dx.doi.org/10.1002/cne.22772>

Huangfu, D., & Guyenet, P. G. (1997). Autoactivity of A5 neurons: role of subthreshold oscillations and persistent Na<sup>+</sup> current. *American Journal of Physiology - Heart and Circulatory Physiology*



273(5), H2280-2289.

doi: <http://ajpheart.physiology.org/cgi/content/abstract/273/5/H2280>

Huangfu, D., Schreihofer, M., & Guyenet, P. G. (1997). Effect of cholinergic agonists on bulbospinal C1 neurons in rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 272(1), R249-258.

doi: <http://ajprequ.physiology.org/cgi/content/abstract/272/1/R249>

Huber, D., Petreanu, L., Ghitani, N., Ranade, S., Hromádka, T., Mainen, Z., & Svoboda, K. (2007). Sparse optical microstimulation in barrel cortex drives learned behaviour in freely moving mice. *Nature*, 451(7174), 61-64. doi.

Hubert, G. W., Paquet, M., & Smith, Y. (2001). Differential Subcellular Localization of mGluR1a and mGluR5 in the Rat and Monkey Substantia Nigra. *Journal of Neuroscience*, 21(6), 1838-1847. doi: <http://www.jneurosci.org/cgi/content/abstract/21/6/1838>

Huerta-Ocampo, I., Mena-Segovia, J., & Bolam, J. P. (2013). Convergence of cortical and thalamic input to direct and indirect pathway medium spiny neurons in the striatum. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-013-0601-

z. <http://dx.doi.org/10.1007/s00429-013-0601-z>

Hüfner, K., Horn, A., Derfuss, T., Glon, C., Sinicina, I., Arbusow, V., . . . Theil, D. (2009). Fewer latent herpes simplex virus type 1 and cytotoxic T cells occur in the ophthalmic division than in the maxillary and mandibular divisions of the human trigeminal ganglion and nerve. *Journal of Virology*, 83(8), 3696-3703. doi.

Hughes, D. I., Boyle, K. A., Kinnon, C. M., Bilsland, C., Quayle, J. A., Callister, R. J., & Graham, B. A. (2013). HCN4 subunit expression in fast-spiking interneurons of the rat spinal cord and hippocampus. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.028>. <http://www.sciencedirect.com/science/article/pii/S0306452213000651>

Hughes, D. I., Polgár, E., Shehab, S. A. S., & Todd, A. J. (2004). Peripheral axotomy induces depletion of the vesicular glutamate transporter VGLUT1 in central terminals of myelinated afferent fibres in the rat spinal cord. *Brain Research*, 1017(1), 69-76. doi.

Hughes, D. I., Scott, D. T., Riddell, J. S., & Todd, A. J. (2007). Upregulation of Substance P in Low-Threshold Myelinated Afferents Is Not Required for Tactile Allodynia in the Chronic Constriction Injury and Spinal Nerve Ligation Models. *Journal of Neuroscience*, 27(8), 2035-2044. doi: 10.1523/jneurosci.5401-

06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/8/2035>

Hughes, D. I., Scott, D. T., Todd, A. J., & Riddell, J. S. (2003). Lack of Evidence for Sprouting of A $\beta$  Afferents into the Superficial Laminae of the Spinal Cord Dorsal Horn after Nerve Section. *Journal of Neuroscience*, 23(29), 9491-9499.

doi: <http://www.jneurosci.org/cgi/content/abstract/23/29/9491>

Hughes, D. I., Sikander, S., Kinnon, C. M., Boyle, K. A., Watanabe, M., Callister, R. J., & Graham, B. (2012). Morphological, neurochemical and electrophysiological features of parvalbumin-expressing cells: a likely source of axo-axonic inputs in the mouse spinal dorsal horn. *Journal of Physiology*. doi: 10.1113/jphysiol.2012.235655. <http://jp.physoc.org/content/early/2012/06/06/jphysiol.2012.235655.abstract>

Huguenard, A. L., Fernando, S. M., Monks, D. A., & Sengelaub, D. R. (2011). Overexpression of androgen receptors in target musculature confers androgen sensitivity to motoneuron dendrites. *Endocrinology*, 152(2), 639-650. doi.

Huh, C. Y., Amilhon, B., Ferguson, K. A., Manseau, F., Torres-Platas, S. G., Peach, J. P., . . . Williams, S. (2016). Excitatory Inputs Determine Phase-Locking Strength and Spike-Timing of CA1 Stratum Oriens/Alveus Parvalbumin and Somatostatin Interneurons during Intrinsically Generated Hippocampal Theta Rhythm. *The Journal of Neuroscience*, 36(25), 6605-6622. doi. <http://www.jneurosci.org/content/36/25/6605.short>

Huma, Z., Ireland, K., & Maxwell, D. J. (2015). The spino-bulbar-cerebellar pathway: Activation of neurons projecting to the lateral reticular nucleus in the rat in response to noxious mechanical stimuli. *Neuroscience Letters*, 591(0), 197-201. doi: <http://dx.doi.org/10.1016/j.neulet.2015.02.047>. <http://www.sciencedirect.com/science/article/pii/S0304394015001615>

Hung, J., Chansard, M., Ousman, S., Nguyen, M., & Colicos, M. (2010). Activation of microglia by neuronal activity: results from a new in vitro paradigm based on neuronal-silicon interfacing technology. *Brain, Behavior, and Immunity*, 24, 31 - 40. doi.

Hung, V. K. L., Yeung, P. K. K., Lai, A. K. W., Ho, M. C. Y., Lo, A. C. Y., Chan, K. C., . . . Chung, S. K. (2015). Selective astrocytic endothelin-1 overexpression contributes to dementia associated with ischemic stroke by exaggerating astrocyte-derived amyloid secretion. [Original Article]. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1038/jcbfm.2015.109. <http://dx.doi.org/10.1038/jcbfm.2015.109>

Huppenbauer, C. B., Tanzer, L., DonCarlos, L. L., & Jones, K. J. (2005). Gonadal Steroid Attenuation of Developing Hamster Facial Motoneuron Loss by Axotomy: Equal Efficacy of Testosterone, Dihydrotestosterone, and 17- $\beta$  Estradiol. *Journal of Neuroscience*, 25(16), 4004-4013. doi. <http://www.jneurosci.org/cgi/content/abstract/25/16/4004>

Hur, E. E., & Zaborszky, L. (2005). Vglut2 afferents to the medial prefrontal and primary somatosensory cortices: a combined retrograde tracing in situ hybridization. *Journal of Comparative Neurology*, 483(3), 351-373. doi.

Hurley, P., Pytte, C., & Kirn, J. R. (2008). Nest of origin predicts adult neuron addition rates in the vocal control system of the zebra finch. *Brain, Behavior and Evolution*, 71(4), 263-270. doi.

Hurliman, E., Groth, D., Wendelschafer-Crabb, G., Kennedy, W., Kavand, S., Ericson, M., & Hordinsky, M. (2016). Small fiber neuropathy in a patient with dermatomyositis and severe

scalp pruritus. *British Journal of Dermatology*, n/a-n/a. doi: 10.1111/bjd.14678. <http://dx.doi.org/10.1111/bjd.14678>

Hurtado, A., Marcillo, A., Frydel, B., Bunge, M. B., Bramlett, H. M., & Dietrich, W. D. (2010). Anti-CD11d monoclonal antibody treatment for rat spinal cord compression injury. *Experimental Neurology*. doi.

Hurtado, A., Podinin, H., Oudega, M., & Grimpe, B. (2008). Deoxyribozyme-mediated knockdown of xylosyltransferase-1 mRNA promotes axon growth in the adult rat spinal cord. *Brain*. doi: 10.1093/brain/awn206. <http://brain.oxfordjournals.org/cgi/content/abstract/awn206v1>

Hurtado, O., Cárdenas, A., Pradillo, J. M., Morales, J. R., Ortego, F., Sobrino, T., . . . Lizasoain, I. (2007). A chronic treatment with CDP-choline improves functional recovery and increases neuronal plasticity after experimental stroke. *Neurobiology of Disease*, 26(1), 105-111. doi.

Huss, D., Navaluri, R., Faulkner, K. F., & David Dickman, J. (2010). Development of otolith receptors in Japanese quail. *Developmental Neurobiology*, 70(6), 436-455. doi.

Huxlin, K. R., Williams, J. M., & Price, T. (2008). A neurochemical signature of visual recovery after extrastriate cortical damage in the adult cat. *Journal of Comparative Neurology*, 508(1), 45-61. doi.

Hwang, D. H., Shin, H. Y., Kwon, M. J., Choi, J. Y., Ryu, B.-Y., & Kim, B. G. (2014). Survival of Neural Stem Cell Grafts in the Lesioned Spinal Cord Is Enhanced by a Combination of Treadmill Locomotor Training via Insulin-Like Growth Factor-1 Signaling. *The Journal of Neuroscience*, 34(38), 12788-12800. doi. <http://www.jneurosci.org/content/34/38/12788.short>

Hwang, E., Willis, B. S., & Burwell, R. D. (2017). Prefrontal connections of the perirhinal and postrhinal cortices in the rat. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2017.07.032> <http://www.sciencedirect.com/science/article/pii/S0166432816313316>

Hwang, I. K., Kim, I. Y., Joo, E. J., Shin, J. H., Choi, J. W., Won, M. H., . . . Seong, J. K. (2010). Metformin normalizes type 2 diabetes-induced decrease in cell proliferation and neuroblast differentiation in the rat dentate gyrus. *Neurochemical Research*, 35(4), 645-650. doi.

Hwang, I. K., Yi, S. S., Song, W., Won, M. H., Yoon, Y. S., & Seong, J. K. (2010). Effects of age and treadmill exercise in chronic diabetic stages on neuroblast differentiation in a rat model of type 2 diabetes. *Brain Research*, 1341, 63-71. doi.

Hwang, I. K., Yi, S. S., Yoo, K. Y., Park, O. K., Yan, B., Kim, I. Y., . . . others. (2010). Effects of treadmill exercise on cyclooxygenase-2 in the hippocampus in type 2 diabetic rats: Correlation with the neuroblasts. *Brain Research*, 1341, 84-92. doi.

Hyer, M. M., Hunter, T. J., Katakam, J., Wolz, T., & Ghasper, E. R. (2016). Neurogenesis and anxiety-like behavior in male California mice during the mate's postpartum period. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13168. <http://dx.doi.org/10.1111/ejn.13168>

Iannotti, C., Li, H., Stemmler, M., Perman, W. H., & Xu, X. M. (2002). Identification of regenerative tissue cables using in vivo MRI after spinal cord hemisection and schwann cell bridging transplantation. *Journal of Neurotrauma*, 19(12), 1543-1554. doi.

Iannotti, C., Li, H., Yan, P., Lu, X., Wirthlin, L., & Xu, X. M. (2003). Glial cell line-derived neurotrophic factor-enriched bridging transplants promote propriospinal axonal regeneration and enhance myelination after spinal cord injury. *Experimental Neurology*, 183(2), 379-393. doi.

Iannotti, C., Ping Zhang, Y., Shields, C. B., Han, Y., Burke, D. A., & Xu, X. M. (2004). A neuroprotective role of glial cell line-derived neurotrophic factor following moderate spinal cord contusion injury. *Experimental Neurology*, 189(2), 317-332. doi.

Iannotti, C., Zhang, Y. P., Shields, L. B. E., Han, Y., Burke, D. A., Xu, X. M., & Shields, C. B. (2006). Dural repair reduces connective tissue scar invasion and cystic cavity formation after acute spinal cord laceration injury in adult rats. *Journal of Neurotrauma*, 23(6), 853-865. doi.

Ibi, D., Nagai, T., Nakajima, A., Mizoguchi, H., Kawase, T., Tsuboi, D., . . . Yamada, K. (2013). Astroglial IFITM3 mediates neuronal impairments following neonatal immune challenge in mice. *Glia*, n/a-n/a. doi: 10.1002/glia.22461. <http://dx.doi.org/10.1002/glia.22461>

Íbias, J., Soria-Molinillo, E., Kastanauskaite, A., Orgaz, C., DeFelipe, J., Pellón, R., & Miguéns, M. (2015). Schedule-induced polydipsia is associated with increased spine density in dorsolateral striatum neurons. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.05.026>. <http://www.sciencedirect.com/science/article/pii/S0306452215004583>

Ibrahim, S., Hu, W., Wang, X., Gao, X., He, C., & Chen, J. (2016). Traumatic Brain Injury Causes Aberrant Migration of Adult-Born Neurons in the Hippocampus. [Article]. *Scientific Reports*, 6, 21793. doi: 10.1038/srep21793

<http://www.nature.com/articles/srep21793#supplementary-information>. <http://dx.doi.org/10.1038/srep21793>

Ichinohe, N. (2014). On-going elucidation of mechanisms of primate specific synaptic spine development using the common marmoset (*Callithrix jacchus*). *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2014.10.019>. <http://www.sciencedirect.com/science/article/pii/S0168010214002429>

Ichinohe, N., Borra, E., & Rockland, K. (2012). Distinct Feedforward and Intrinsic Neurons in Posterior Inferotemporal Cortex Revealed by in Vivo Connection Imaging. *Scientific Reports*, 2. doi.

Ichinohe, N., Fujiyama, F., Kaneko, T., & Rockland, K. S. (2003). Honeycomb-Like Mosaic at the Border of Layers 1 and 2 in the Cerebral Cortex. *Journal of Neuroscience*, 23, 1372-1382. doi.

Ichinohe, N., Hayashi, M., Wakabayashi, K., & Rockland, K. S. (2009). Distribution and progression of amyloid- $\beta$  deposits in the amygdala of the aged macaque monkey, and parallels with zinc distribution. *Neuroscience*, 159(4), 1374-1383. doi:

Ichinohe, N., Knight, A., Ogawa, M., Ohshima, T., Mikoshiba, K., Yoshihara, Y., . . . Rockland, K. S. (2008). Unusual Patch-Matrix Organization in the Retrosplenial Cortex of the reeler Mouse and Shaking Rat Kawasaki. *Cerebral Cortex*, 18(5), 1125-1138. doi: 10.1093/cercor/bhm148. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/5/1125>

-

Ichinohe, N., Matsushita, A., Ohta, K., & Rockland, K. S. (2010). Pathway-Specific Utilization of Synaptic Zinc in the Macaque Ventral Visual Cortical Areas. *Cerebral Cortex*, bhq028. doi: 10.1093/cercor/bhq028. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq028v1>

Ichinohe, N., & Rockland, K. S. (2002). Parvalbumin positive dendrites co-localize with apical dendritic bundles in rat retrosplenial cortex. *Neuroreport*, 13(6), 757-757. doi:

Ichinohe, N., & Rockland, K. S. (2004). Region specific micromodularity in the uppermost layers in primate cerebral cortex. *Cerebral Cortex*, 14(11), 1173-1184. doi:

Ichinohe, N., & Rockland, K. S. (2005). Zinc-enriched amygdalo-and hippocampo-cortical connections to the inferotemporal cortices in macaque monkey. *Neuroscience Research*, 53(1), 57-68. doi:

Ichinohe, N., Teng, B., & Kitai, S. T. (2000). Morphological study of the tegmental pedunculopontine nucleus, substantia nigra and subthalamic nucleus, and their interconnections in rat organotypic culture. *Anatomy and Embryology*, 201(6), 435-453. doi:

Igarashi, K. M., Ieki, N., An, M., Yamaguchi, Y., Nagayama, S., Kobayakawa, K., . . . Mori, K. (2012). Parallel Mitral and Tufted Cell Pathways Route Distinct Odor Information to Different Targets in the Olfactory Cortex. *Journal of Neuroscience*, 32(23), 7970-7985. doi: 10.1523/jneurosci.0154-12.2012. <http://www.jneurosci.org/content/32/23/7970.abstract>

Igarashi, K. M., Lu, L., Colgin, L. L., Moser, M.-B., & Moser, E. I. (2014). Coordination of entorhinal-hippocampal ensemble activity during associative learning. *Nature*. doi: <http://www.nature.com/nature/journal/vaop/ncurrent/full/nature13162.html>

Ikebuchi, M., Nanbu, S., Okanoya, K., Suzuki, R., & Bischof, H. J. (2012). Very Early Development of Nucleus Taeniae of the Amygdala. *Brain, Behavior and Evolution*. doi:

Ikeda, M., Hojo, Y., Komatsuzaki, Y., Okamoto, M., Kato, A., Takeda, T., & Kawato, S. (2015). Hippocampal spine changes across the sleep-wake cycle: corticosterone and kinases. *Journal of Endocrinology*. doi: 10.1530/joe-15-0078. <http://joe.endocrinology-journals.org/content/early/2015/06/01/JOE-15-00...>

Ikeda, Y., Zabbarova, I., Schaefer, C. M., Bushnell, D. S., de Groat, W. C., Kanai, A. J., & Bates, C. M. (2017). Fgfr2 is integral for bladder mesenchyme patterning and function. [10.1152/ajprenal.00463.2016]. *American Journal of Physiology - Renal Physiology*. doi: <http://ajprenal.physiology.org/content/early/2017/01/03/ajprenal.00463.2...>

Ikeno, T., & Nelson, R. J. (2014). Acute Melatonin Treatment Alters Dendritic Morphology and Circadian Clock Gene Expression in the Hippocampus of Siberian Hamsters. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22358. <http://dx.doi.org/10.1002/hipo.22358>

Ikeno, T., Weil, Z. M., & Nelson, R. J. (2013). Photoperiod affects the diurnal rhythm of hippocampal neuronal morphology of siberian hamsters. *Chronobiology International*, o(0), 1-12. doi: doi:10.3109/07420528.2013.800090. <http://informahealthcare.com/doi/abs/10.3109/07420528.2013.800090>

Ikeno, T., Weil, Z. M., & Nelson, R. J. (2014). Timing of light pulses and photoperiod on the diurnal rhythm of hippocampal neuronal morphology of Siberian hamsters. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.04.002>. <http://www.sciencedirect.com/science/article/pii/S0306452214002905>

Ikin, A. F., Sabo, S. L., Lanier, L. M., & Buxbaum, J. D. (2007). A macromolecular complex involving the amyloid precursor protein (APP) and the cytosolic adapter FE65 is a negative regulator of axon branching. *Molecular and Cellular Neuroscience*, 35(1), 57-63. doi.

Ilango, A., Kesner, A. J., Keller, K. L., Stuber, G. D., Bonci, A., & Ikemoto, S. (2014). Similar Roles of Substantia Nigra and Ventral Tegmental Dopamine Neurons in Reward and Aversion. *Journal of Neuroscience*, 34(3), 817-822. doi. <http://www.jneurosci.org/content/34/3/817.short>

Illig, K. R. (2005). Projections from orbitofrontal cortex to anterior piriform cortex in the rat suggest a role in olfactory information processing. *Journal of Comparative Neurology*, 488(2), 224-231. doi.

Illig, K. R., & Eudy, J. D. (2009). Contralateral projections of the rat anterior olfactory nucleus. *Journal of Comparative Neurology*, 512(1), 115-123. doi.

Illig, K. R., King, V. R., & Spear, P. D. (1998). Monocular enucleation prevents retinal ganglion-cell loss following neonatal visual cortex damage in cats. *Visual Neuroscience*, 15(6), 1097-1105. doi.

Imamura, F., & Greer, C. A. (2009). Dendritic branching of olfactory bulb mitral and tufted cells: regulation by TrkB. *PLoS ONE*, 4(8), e6729-e6729. doi.

Inan, M., Blázquez-Llorca, L., Merchán-Pérez, A., Anderson, S. A., DeFelipe, J., & Yuste, R. (2013). Dense and Overlapping Innervation of Pyramidal Neurons by Chandelier Cells. *Journal of Neuroscience*, 33(5), 1907-1914. doi: 10.1523/jneurosci.4049-12.2013. <http://www.jneurosci.org/content/33/5/1907.abstract>

Inan, M., Lu, H.-C., Albright, M. J., She, W.-C., & Crair, M. C. (2006). Barrel Map Development Relies on Protein Kinase A Regulatory Subunit IIbeta-Mediated cAMP Signaling. *Journal of Neuroscience*, 26(16), 4338-4349. doi: 10.1523/jneurosci.3745-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/16/4338>



Inda, M. C., DeFelipe, J., & Munoz, A. (2007). The Distribution of Chandelier Cell Axon Terminals that Express the GABA Plasma Membrane Transporter GAT-1 in the Human Neocortex. *Cerebral Cortex*, 17(9), 2060-2071. doi: 10.1093/cercor/bhl114. <http://cercor.oxfordjournals.org/cgi/content/abstract/17/9/2060>

Inda, M. C., DeFelipe, J., & Munoz, A. (2009). Morphology and Distribution of Chandelier Cell Axon Terminals in the Mouse Cerebral Cortex and Claustroramygdaloid Complex. *Cerebral Cortex*, 19, 41-54. doi: 10.1093/cercor/bhn057. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn057v1>

Inglis, F., Lee, K., Chiu, K., Purcell, O., Didier, P., Russell-Lodrigue, K., . . . MacLean, A. (2015). Neuropathogenesis of Chikungunya infection: astrogliosis and innate immune activation. *Journal of Neurovirology*, 1-9. doi: 10.1007/s13365-015-0378-3. <http://dx.doi.org/10.1007/s13365-015-0378-3>

Inglis, F. M., Crockett, R., Korada, S., Abraham, W. C., Hollmann, M., & Kalb, R. G. (2002). The AMPA Receptor Subunit GluR1 Regulates Dendritic Architecture of Motor Neurons. *Journal of Neuroscience*, 22(18), 8042-8051. doi: <http://www.jneurosci.org/cgi/content/abstract/22/18/8042>

Inglis, F. M., Furia, F., Zuckerman, K. E., Strittmatter, S. M., & Kalb, R. G. (1998). The Role of Nitric Oxide and NMDA Receptors in the Development of Motor Neuron Dendrites. *Journal of Neuroscience*, 18(24), 10493-10501. doi: <http://www.jneurosci.org/cgi/content/abstract/18/24/10493>

Inglis, F. M., Zuckerman, K. E., & Kalb, R. G. (2000). Experience-dependent development of spinal motor neurons. *Neuron*, 26(2), 299-305. doi.

Ingraham, J. P., Forbes, M. E., Riddle, D. R., & Sonntag, W. E. (2008). Aging reduces hypoxia-induced microvascular growth in the rodent hippocampus. *Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 63(1), 12-12. doi.

Ingraham, S. E., Saha, M., Carpenter, A. R., Robinson, M., Ismail, I., Singh, S., . . . others. (2010). Pathogenesis of renal injury in the megabladder mouse: A genetic model of congenital obstructive nephropathy. *Pediatric Research*, 68(6), 500-507. doi.

Ingram, E. A., Toyoda, I., Wen, X., & Buckmaster, P. S. (2009). Prolonged infusion of inhibitors of calcineurin or L-type calcium channels does not block mossy fiber sprouting in a model of temporal lobe epilepsy. *Epilepsia*, 50(1), 56-64. doi.

Ingram, N. T., Khankan, R. R., & Phelps, P. E. (2016). Olfactory Ensheathing Cells Express ?7 Integrin to Mediate Their Migration on Laminin. *PLoS ONE*, 11(4), e0153394. doi: 10.1371/journal.pone.0153394. <http://dx.doi.org/10.1371%2Fjournal.pone.0153394>

Innocenti, G. M. (2013). A Dynamic Approach To Brain Connectivity. [Abstract]. *Frontiers in Neuroinformatics*. doi: 10.3389/conf.fninf.2013.09.00059. <http://www.frontiersin.org/Journal/Abstract.aspx?s=752& name=neuroinforma...>

Innocenti, G. M., & Caminiti, R. (2016). Axon diameter relates to synaptic bouton size: structural properties define computationally different types of cortical connections in primates. [journal article]. *Brain Structure and Function*, 1-9. doi: 10.1007/s00429-016-1266-1. <http://dx.doi.org/10.1007/s00429-016-1266-1>

Innocenti, G. M., Caminiti, R., & Hof, P. R. (2010). Fiber composition in the planum temporale sector of the corpus callosum in chimpanzee and human. *Brain Structure and Function*, 215(2), 123-128. doi.

Innocenti, G. M., Caminiti, R., Rouiller, E. M., Knott, G., Dyrby, T. B., Descoteaux, M., & Thiran, J.-P. (2018). Diversity of Cortico-descending Projections: Histological and Diffusion MRI Characterization in the Monkey. *Cerebral Cortex*. doi: 10.1093/cercor/bhx363. <http://dx.doi.org/10.1093/cercor/bhx363>

Innocenti, G. M., Dyrby, T. B., Andersen, K. W., Rouiller, E. M., & Caminiti, R. (2016). The Crossed Projection to the Striatum in Two Species of Monkey and in Humans: Behavioral and Evolutionary Significance. *Cerebral Cortex*. doi: 10.1093/cercor/bhw161. <http://cercor.oxfordjournals.org/content/early/2016/06/09/cercor.bhw161...>

Innocenti, G. M., Lehmann, P., & Houzel, J.-C. (1994). Computational Structure of Visual Callosal Axons. *European Journal of Neuroscience*, 6(6), 918-935. doi: doi:10.1111/j.1460-9568.1994.tb00586.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1994.tb00586.x>

Innocenti, G. M., Manger, P. R., Masiello, I., Colin, I., & Tettoni, L. (2002). Architecture and callosal connections of visual areas 17, 18, 19 and 21 in the ferret (*Mustela putorius*). *Cerebral Cortex*, 12(4), 411-411. doi.

Innocenti, G. M., & Vercelli, A. (2010). Dendritic bundles, minicolumns, columns, and cortical output units. *Frontiers in Neuroanatomy*, 4. doi.

Innocenti, G. M., Vercelli, A., & Caminiti, R. (2013). The Diameter of Cortical Axons Depends Both on the Area of Origin and Target. *Cerebral Cortex*. doi: 10.1093/cercor/bht070. <http://cercor.oxfordjournals.org/content/early/2013/03/23/cercor.bht070...>

Inoue, K.-i., Miyachi, S., Nishi, K., Okado, H., Nagai, Y., Minamimoto, T., . . . Takada, M. (2018). Recruitment of calbindin into nigral dopamine neurons protects against MPTP-Induced parkinsonism. *Movement Disorders*, 0(0). doi: doi:10.1002/mds.107. <https://onlinelibrary.wiley.com/doi/abs/10.1002/mds.107>

Iorgulescu, J. B., Patel, S. P., Louro, J., Andrade, C. M., Sanchez, A. R., & Pearce, D. D. (2015). Acute Putrescine Supplementation with Schwann Cell Implantation Improves Sensory and Serotonergic Axon Growth and Functional Recovery in Spinal Cord Injured Rats. *Neural Plasticity*. doi. <http://www.hindawi.com/journals/np/aa/186385/cta/>

Ip, E. Y. Y., Giza, C. C., Griesbach, G. S., & Hovda, D. A. (2002). Effects of enriched environment and fluid percussion injury on dendritic arborization within the cerebral cortex of the developing rat. *Journal of Neurotrauma*, 19(5), 573-585. doi.

Irie, T., Matsuzaki, Y., Sekino, Y., & Hirai, H. (2013). Kv3.3 channels harboring a mutation of spinocerebellar ataxia type 13 alter excitability and induce cell death in cultured cerebellar Purkinje cells. *The Journal of Physiology*. doi: 10.1113/jphysiol.2013.264309. <http://jp.physoc.org/content/early/2013/11/11/jphysiol.2013.264309.abstract>

Irintchev, A., Rollenhagen, A., Troncoso, E., Kiss, J. Z., & Schachner, M. (2005). Structural and Functional Aberrations in the Cerebral Cortex of Tenascin-C Deficient Mice. *Cerebral Cortex*, 15(7), 950-962. doi: 10.1093/cercor/bhh195. <http://cercor.oxfordjournals.org/cgi/content/abstract/15/7/950>

Irvine, A. D., Sun, P., Kos, L., Wang, X. Q., & Paller, A. S. (2002). A colorimetric bead-binding assay for detection of intermolecular interactions. *Experimental Dermatology*, 11(5), 462-467. doi: doi:10.1034/j.1600-0625.2002.110510.x. <http://www.blackwell-synergy.com/doi/abs/10.1034/j.1600-0625.2002.110510...>

Isayama, T., Berson, D. M., & Pu, M. (2000). Theta ganglion cell type of cat retina. *Journal of Comparative Neurology*, 417(1), 32-48. doi.

Isayama, T., O'Brien, B. J., Ugalde, I., Muller, J. F., Frenz, A., Aurora, V., . . . Berson, D. M. (2009). Morphology of retinal ganglion cells in the ferret (*Mustela putorius furo*). *Journal of Comparative Neurology*, 517(4), 459-480. doi.

Ishihara, Y., & Fukuda, T. (2016). Immunohistochemical investigation of the internal structure of the mouse subiculum. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.09.027>. <http://www.sciencedirect.com/science/article/pii/S0306452216304651>

Ishihara, Y., Fukuda, T., & Sato, F. (2019). Internal structure of the rat subiculum characterized by diverse immunoreactivities and septotemporal differences. *Neuroscience Research*. doi: <https://doi.org/10.1016/j.neures.2019.02.001>. <http://www.sciencedirect.com/science/article/pii/S0168010218305388>

Ishikawa, H., Honda, T., Toriyama, K., Torii, S., & Sugijura, Y. (2003). Origin and course of nerves immunoreactive for calcitonin gene-related peptide surrounding the femoral artery in rat. *Anatomy and Embryology*, 207(4), 299-305. doi.

Isoardo, G., Rota, E., Ciaramitaro, P., Tavella, A., Poglio, F., Prolasso, I., & Cocito, D. (2004). Predictive value of clinical, electrophysiological and immunological features for response to IVIg in patients with CIDP. *Journal of the Peripheral Nervous System*, 9(2), 107-107. doi: 10.1111/j.1085-9489.2004.009209.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Isumura, Y., Sirota, A., Özen, S., Montgomery, S., Mizuseki, K., Henze, D. A., & Buzsáki, G. (2006). Integration and segregation of activity in entorhinal-hippocampal subregions by neocortical slow oscillations. *Neuron*, 52(5), 871-882. doi.

Ito, D., Imai, Y., Ohsawa, K., Nakajima, K., Fukuuchi, Y., & Kohsaka, S. (1998). Microglia-specific localisation of a novel calcium binding protein, Iba1. *Brain Research. Molecular Brain Research*, 57, 1 - 9. doi.

Ito, T., & Atoji, Y. (2016). Tectothalamic inhibitory projection neurons in the avian torus semicircularis. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23979. <http://dx.doi.org/10.1002/cne.23979>

Ito, T., Bishop, D. C., & Oliver, D. L. (2009). Two Classes of GABAergic Neurons in the Inferior Colliculus. *Journal of Neuroscience*, 29(44), 13860-13869. doi: 10.1523/jneurosci.3454-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/44/13860>

Ito, T., Furuyama, T., Hase, K., Kobayasi, K. I., Hiryu, S., & Riquimaroux, H. (2018). Organization of subcortical auditory nuclei of Japanese house bat (*Pipistrellus abramus*) identified with cytoarchitecture and molecular expression. *Journal of Comparative Neurology*, o(ja). doi: doi:10.1002/cne.24529. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24529>

Ito, T., Hioki, H., Sohn, J., Okamoto, S., Kaneko, T., Iino, S., & Oliver, D. L. (2015). Convergence of lemniscal and local excitatory inputs on large gabaergic tectothalamic neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23789. <http://dx.doi.org/10.1002/cne.23789>

Ito, T., & Oliver, D. L. (2010). Origins of glutamatergic terminals in the inferior colliculus identified by retrograde transport and expression of VGLUT1 and VGLUT2 genes. *Frontiers in Neuroanatomy*, 4. doi.

Ito, T., & Oliver, D. L. (2014). Local and Commissural IC Neurons Make Axosomatic Inputs on Large GABAergic Tectothalamic Neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23623. <http://dx.doi.org/10.1002/cne.23623>

Ivakhnitskaia, E., Chin, M. R., Siegel, D., & Guaiquil, V. H. (2021). Vinaxanthone inhibits Semaphorin3A induced axonal growth cone collapse in embryonic neurons but fails to block its growth promoting effects on adult neurons. *Scientific Reports*, 11(1), 13019. doi: 10.1038/s41598-021-92375-w. <https://doi.org/10.1038/s41598-021-92375-w>

Ivankovic, D., Drew, J., Lesept, F., White, I. J., López Doménech, G., Tooze, S. A., & Kittler, J. T. (2019). Axonal autophagosome maturation defect through failure of ATG9A sorting underpins pathology in AP-4 deficiency syndrome. *Autophagy*, 1-17. doi: 10.1080/15548627.2019.1615302. <https://doi.org/10.1080/15548627.2019.1615302>

Ivanov, A., Esclapez, M., Pellegrino, C., Shirao, T., & Ferhat, L. (2009). Drebrin A regulates dendritic spine plasticity and synaptic function in mature cultured hippocampal neurons. *Journal of Cell Science*, jcs.033464. doi: 10.1242/jcs.033464. <http://jcs.biologists.org/cgi/content/abstract/jcs.033464v1>

Iwai, L., Ramos, A., Schaler, A., Weinreb, S., Blazeski, R., & Mason, C. (2016). Retinal pigment epithelial integrity is compromised in the developing albino mouse retina. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24025. <http://dx.doi.org/10.1002/cne.24025>

Iwasa, M., Kawabe, K., & Sapru, H. N. (2013). Activation of melanocortin receptors in the intermediolateral cell column of the upper thoracic cord elicits tachycardia in the rat. *American Journal of Physiology - Heart and Circulatory Physiology*. doi: 10.1152/ajpheart.00443.2013. <http://ajpheart.physiology.org/content/early/2013/07/03/ajpheart.00443.2...>

Iwasato, T., Inan, M., Kanki, H., Erzurumlu, R. S., Itohara, S., & Crair, M. C. (2008). Cortical Adenylyl Cyclase 1 Is Required for Thalamocortical Synapse Maturation and Aspects of Layer IV Barrel Development. *Journal of Neuroscience*, 28(23), 5931-5943. doi: 10.1523/jneurosci.0815-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/23/5931>

Iwata, K., Miyachi, S., Imanishi, M., Tsuboi, Y., Kitagawa, J., Teramoto, K., . . . Takada, M. (2011). Ascending multisynaptic pathways from the trigeminal ganglion to the anterior cingulate cortex. *Experimental Neurology*, 227(1), 69-78. doi.

Iwata, Y., Ozaki, N., Hirata, H., Sugiura, Y., Horii, E., Nakao, E., . . . others. (2006). Fibroblast growth factor-2 enhances functional recovery of reinnervated muscle. *Muscle and Nerve*, 34(5), 623-630. doi.

Iyengar, S., Qi, H. X., Jain, N., & Kaas, J. H. (2007). Cortical and thalamic connections of the representations of the teeth and tongue in somatosensory cortex of new world monkeys. *Journal of Comparative Neurology*, 501(1), 95-120. doi.

Izquierdo, A., Wellman, C. L., & Holmes, A. (2006). Brief Uncontrollable Stress Causes Dendritic Retraction in Infralimbic Cortex and Resistance to Fear Extinction in Mice. *Journal of Neuroscience*, 26(21), 5733-5738. doi: 10.1523/jneurosci.0474-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/21/5733>

Jaarsma, D., Ruigrok, T. J. H., Caffé, R., Cozzari, C., Levey, A. I., Mugnaini, E., & Voogd, J. (1997). Cholinergic innervation and receptors in the cerebellum. *Progress in Brain Research*, 114, 67-96. doi.

Jaarsma, D., van der Pluijm, I., de Waard, M. C., Haasdijk, E. D., Brandt, R., Vermeij, M., . . . others. (2011). Age-Related Neuronal Degeneration: Complementary Roles of Nucleotide Excision Repair and Transcription-Coupled Repair in Preventing Neuropathology. *PLoS genetics*, 7(12), e1002405-e1002405. doi.

Jacinto, L. R., Mata, R., Novais, A., Marques, F., & Sousa, N. (2016). The habenula as a critical node in chronic stress-related anxiety. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.12.003>. <http://www.sciencedirect.com/science/article/pii/S0014488616304034>

Jack, A., Hamad, M. I. K., Gonda, S., Gralla, S., Pahl, S., Hollmann, M., & Wahle, P. (2018). Development of Cortical Pyramidal Cell and Interneuronal Dendrites: a Role for Kainate Receptor Subunits and NETO1. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1414-0. <https://doi.org/10.1007/s12035-018-1414-0>

Jackson, M. E., & Cauler, L. J. (1997). Evaluation of simplified compartmental models of reconstructed neocortical neurons for use in large-scale simulations of biological neural networks. *Brain Research Bulletin*, 44(1), 7-17. doi.

Jacob, A. G., O'Brien, D., Singh, R. K., Comiskey Jr, D. F., Littleton, R. M., Mohammad, F., . . . Bolinger, C. (2013). Stress-Induced Isoforms of MDM2 and MDM4 Correlate with High-Grade Disease and an Altered Splicing Network in Pediatric Rhabdomyosarcoma. *Neoplasia* (New York, NY), 15(9), 1049. doi. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3769884/>

Jacob, J., Kent, M., Benson-Amram, S., Herculano-Houzel, S., Raghanti, M. A., Ploppert, E., . . . Lambert, K. (2021). Cytoarchitectural characteristics associated with cognitive flexibility in raccoons. [<https://doi.org/10.1002/cne.25197>]. *Journal of Comparative Neurology*, n/a(n/a). doi: <https://doi.org/10.1002/cne.25197>. <https://doi.org/10.1002/cne.25197>

Jacob, V., Petreanu, L., Wright, N., Svoboda, K., & Fox, K. (2012). Regular Spiking and Intrinsic Bursting Pyramidal Cells Show Orthogonal Forms of Experience-Dependent Plasticity in Layer V of Barrel Cortex. *Neuron*, 73(2), 391-404. doi.

Jacobs, B., Creswell, J., J.P., B., Ford, K. L., J.E., B., & Zaidel, E. (2003). Quantitative analysis of cortical pyramidal neurons following corpus callosotomy. *Annals of Neurology*, 54, 126-130. doi.

Jacobs, B., Driscoll, L., & Schall, M. (1997). Life Span Dendritic and Spine Changes in Areas 10 and 18 of Human Cortex: A Quantitative Golgi Study. *Journal of Comparative Neurology*, 386(4), 661-680. doi.

Jacobs, B., Garcia, M. E., Shea-Shumsky, N. B., Tennison, M. E., Schall, M., Saviano, M. S., . . . Manger, P. R. (2017). Comparative Morphology of Gigantopyramidal Neurons in Primary Motor Cortex Across Mammals. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24349. <http://dx.doi.org/10.1002/cne.24349>

Jacobs, B., Harland, T., Kennedy, D., Schall, M., Wicinski, B., Butti, C., . . . Manger, P. (2014). The neocortex of cetartiodactyls. II. Neuronal morphology of the visual and motor cortices in the giraffe (*Giraffa camelopardalis*). *Brain Structure and Function*, 1-22. doi: 10.1007/s00429-014-0830-9. <http://dx.doi.org/10.1007/s00429-014-0830-9>

Jacobs, B., Lee, L., Schall, M., Raghanti, M. A., Lewandowski, A. H., Kottwitz, J. J., . . . Sherwood, C. C. (2015). Neocortical neuronal morphology in the newborn giraffe (*Giraffa camelopardalis tippelskirchi*) and African elephant (*Loxodonta africana*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23841. <http://dx.doi.org/10.1002/cne.23841>



Jacobs, B., Lubs, J., Hannan, M., Anderson, K., Butti, C., Sherwood, C. C., . . . Manger, P. R. (2010). Neuronal morphology in the African elephant (*Loxodonta africana*) neocortex. *Brain Structure and Function*. doi.

Jacobs, B., Schall, M., Prather, M., Kapler, E., Driscoll, L., Baca, S., . . . Trembl, M. (2001). Regional dendritic and spine variation in human cerebral cortex: a quantitative Golgi study. *Cerebral Cortex*, 11(6), 558-558. doi.

Jacobs, G. A., & Pittendrigh, C. S. (2002). Predicting emergent properties of neuronal ensembles using a database of individual neurons. *Computational Neuroanatomy: Principles and Methods*, 151-170. doi.

Jacobson, L. (2019). Glucocorticoid receptor deletion from locus coeruleus norepinephrine neurons promotes depression-like social withdrawal in female but not male mice. *Brain Research*, 1710, 82-91. doi: <https://doi.org/10.1016/j.brainres.2018.12.026>. <http://www.sciencedirect.com/science/article/pii/S0006899318306449>

Jacoby, R. A., & Marshak, D. W. (2000). Synaptic connections of DB3 diffuse bipolar cell axons in macaque retina. *Journal of Comparative Neurology*, 416(1), 19-29. doi.

Jacques, A., Chaaya, N., Hettiarachchi, C., Carmody, M.-L., Beecher, K., Belmer, A., . . . Johnson, L. R. (2019). Microtopography of fear memory consolidation and extinction retrieval within prefrontal cortex and amygdala. [journal article]. *Psychopharmacology*. doi: 10.1007/s00213-018-5068-4. <https://doi.org/10.1007/s00213-018-5068-4>

Jaeger, D. (2005). Realistic single cell modeling—from experiment to simulation. Special Issue on Realistic Neural Modeling WAM-BAMM. doi.

Jaeger, D., & Kita, H. (2011). Functional connectivity and integrative properties of globus pallidus neurons. *Neuroscience*. doi.

Jáidar, O., Carrillo-Reid, L., Nakano, Y., Lopez-Huerta, V. G., Hernandez-Cruz, A., Bargas, J., . . . Arbuthnott, G. W. (2019). Synchronized activation of striatal direct and indirect pathways underlies the behavior in unilateral dopamine-depleted mice. *European Journal of Neuroscience*, 0(ja). doi: doi:10.1111/ejn.14344. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14344>

Jain, A., McKeon, R. J., Brady-Kalnay, S. M., & Bellamkonda, R. V. (2011). Sustained delivery of activated Rho GTPases and BDNF promotes axon growth in CSPG-rich regions following spinal cord injury. *PLoS ONE*, 6(1), e16135-e16135. doi.

Jain, M., Budinger, G. R. S., Lo, A., Urich, D., Rivera, S. E., Ghosh, A. K., . . . others. (2011). Leptin Promotes Fibroproliferative Acute Respiratory Distress Syndrome by Inhibiting Peroxisome Proliferator-activated Receptor- $\gamma$ . *American Journal of Respiratory and Critical Care Medicine*, 183(11), 1490-1498. doi.

Jakobs, T. (2014). Analysis of Morphology and Structural Remodeling of Astrocytes. In L. Bakota & R. Brandt (Eds.), *Laser Scanning Microscopy and Quantitative Image Analysis of*

Neuronal Tissue (Vol. 87, pp. 129-143): Springer New York.

Jakobs, T. C., Ben, Y., & Masland, R. H. (2003). CD15 immunoreactive amacrine cells in the mouse retina. *Journal of Comparative Neurology*, 465(3), 361-371. doi.

Jakobs, T. C., Ben, Y., & Masland, R. H. (2007). Expression of mRNA for glutamate receptor subunits distinguishes the major classes of retinal neurons, but is less specific for individual cell types. *Molecular Vision*, 13, 933-933. doi.

Jakobs, T. C., Koizumi, A., & Masland, R. H. (2008). The spatial distribution of glutamatergic inputs to dendrites of retinal ganglion cells. *Journal of Comparative Neurology*, 510(2), 221-236. doi.

Jakovcevski, I., Djogo, N., Hölters, L. S., Szpotowicz, E., & Schachner, M. (2013). Transgenic overexpression of the cell adhesion molecule L1 in neurons facilitates recovery after mouse spinal cord injury. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.07.067>. <http://www.sciencedirect.com/science/article/pii/S0306452213006684>

Jakovcevski, I., Mayer, N., & Zecevic, N. (2011). Multiple origins of human neocortical interneurons are supported by distinct expression of transcription factors. *Cerebral Cortex*, 21(8), 1771-1782. doi.

Jakovcevski, I., Siering, J., Hargus, G., Karl, N., Hoelters, L., Djogo, N., . . . Irintchev, A. (2009). Close homologue of adhesion molecule L1 promotes survival of Purkinje and granule cells and granule cell migration during murine cerebellar development. *Journal of Comparative Neurology*, 513(5), 496-510. doi.

Jakovcevski, I., Wu, J., Karl, N., Leshchyns'ka, I., Sytnyk, V., Chen, J., . . . Schachner, M. (2007). Glial Scar Expression of CHL1, the Close Homolog of the Adhesion Molecule L1, Limits Recovery after Spinal Cord Injury. *Journal of Neuroscience*, 27(27), 7222-7233. doi: 10.1523/jneurosci.0739-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7222>

Jakubowska-Dogru, E., Elibol, B., Dursun, I., & Yürüker, S. (2017). Effects of prenatal binge-like ethanol exposure and maternal stress on postnatal morphological development of hippocampal neurons in rats. *International Journal of Developmental Neuroscience*, 61, 40-50. doi: <https://doi.org/10.1016/j.ijdevneu.2017.06.002>. <http://www.sciencedirect.com/science/article/pii/S0736574817300953>

Jalilian, E., Putra, I., Katz, E., Yazdanpanah, G., Guaiquil, V. H., Shen, X., . . . Djalilian, A. R. (2021). Interactions between mesenchymal stem cells (MSCs) and trigeminal ganglion (TGs) improve neurite growth and elongation. *Investigative Ophthalmology and Visual Science*, 62(8), 892-892. doi.

Jamieson, J., Boyd, H. D., & McLachlan, E. M. (2003). Simulations to Derive Membrane Resistivity in Three Phenotypes of Guinea Pig Sympathetic Postganglionic Neuron. *Journal*

of Neurophysiology, 89(5), 2430-2440. doi:

10.1152/jn.01000.2002. <http://jn.physiology.org/cgi/content/abstract/89/5/2430>

Jang, H., Boltz, D., McClaren, J., Pani, A. K., Smeyne, M., Korff, A., . . . Smeyne, R. J. (2012). Inflammatory Effects of Highly Pathogenic H5N1 Influenza Virus Infection in the CNS of Mice. *Journal of Neuroscience*, 32(5), 1545-1559. doi: 10.1523/jneurosci.5123-

11.2012. <http://www.jneurosci.org/content/32/5/1545.abstract>

Jang, H.-J., Kim, J. Y., Kim, S. Y., & Cho, K.-O. (2018). Persistent Lin28 Expression Impairs Neurite Outgrowth and Cognitive Function in the Developing Mouse Neocortex. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1297-

0. <https://doi.org/10.1007/s12035-018-1297-0>

Jankowsky, J. L., Melnikova, T., Fadale, D. J., Xu, G. M., Slunt, H. H., Gonzales, V., . . . Savonenko, A. V. (2005). Environmental Enrichment Mitigates Cognitive Deficits in a Mouse Model of Alzheimer's Disease. *Journal of Neuroscience*, 25(21), 5217-5224. doi:

10.1523/jneurosci.5080-

04.2005. <http://www.jneurosci.org/cgi/content/abstract/25/21/5217>

Jann, S., Beretta, S., & Bramerio, M. (2004). Idiopathic CIDP (I-CIDP) and CIDP associated with diabetes mellitus or monoclonal gammopathy of undetermined significance have different clinical course and response to treatment. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi.

Janoos, F., Mosaliganti, K., Xu, X., Machiraju, R., Huang, K., & Wong, S. T. C. (2009). Robust 3D reconstruction and identification of dendritic spines from optical microscopy imaging. *Medical Image Analysis*, 13(1), 167-179. doi.

Janova, H., Arinrad, S., Balmuth, E., Mitjans, M., Hertel, J., Habes, M., . . . Nave, K.-A. (2017). Microglia ablation alleviates myelin-associated catatonic signs in mice. *The Journal of clinical investigation*, 128(2). doi: 10.1172/jci97032. <https://doi.org/10.1172/JCI97032>

Jarosik, J., Legutko, B., Werner, S., Unsicker, K., & von Bohlen und Halbach, O. (2011). Roles of exogenous and endogenous FGF-2 in animal models of depression. *Restorative Neurology and Neuroscience*, 29(3), 153-165. doi.

Jarsky, T., Mady, R., Kennedy, B., & Spruston, N. (2008). Distribution of bursting neurons in the CA1 region and the subiculum of the rat hippocampus. *Journal of Comparative Neurology*, 506(4), 535-547. doi.

Jasmin, L., Janni, G., Moallem, T. M., Lappi, D. A., & Ohara, P. T. (2000). Schwann Cells Are Removed from the Spinal Cord after Effecting Recovery from Paraplegia. *Journal of Neuroscience*, 20(24), 9215-9223.

doi. <http://www.jneurosci.org/cgi/content/abstract/20/24/9215>

Jasnow, A. M., Ressler, K. J., Hammack, S. E., Chhatwal, J. p., & Rainnie, D. G. (2009). Distinct Subtypes of Cholecystokinin-containing Interneurons of the Basolateral Amygdala Identified using a CCK Promoter-Specific Lentivirus. *Journal of Neurophysiology*,

91149.92008. doi:

10.1152/jn.91149.2008. <http://jn.physiology.org/cgi/content/abstract/91149.2008v1>

Javdani, F., Holló, K., Hegedűs, K., Kis, G., Hegyi, Z., Dócs, K., . . . Antal, M. (2015). Differential expression patterns of K<sup>+</sup>/Cl<sup>-</sup> co-transporter 2 in neurons within the superficial spinal dorsal horn of rats. *Journal of Comparative Neurology*, n/a-n/a. doi:

10.1002/cne.23774. <http://dx.doi.org/10.1002/cne.23774>

Jawerka, M., Colak, D., Dimou, L., Spiller, C., Lagger, S., Montgomery, R. L., . . . Götz, M. (2010). The specific role of histone deacetylase 2 in adult neurogenesis. *Neuron Glia Biology*, 6(02), 93-107. doi:

Jedynak, J. P., Uslaner, J. M., Esteban, J. A., & Robinson, T. E. (2007). Methamphetamine-induced structural plasticity in the dorsal striatum. *European Journal of Neuroscience*, 25(3), 847-853. doi: doi:10.1111/j.1460-9568.2007.05316.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05316.x>

Jeerage, K. M., Oreskovic, T. L., Curtin, A. E., Sanders, A. W., Schwindt, R. K., & Chiamonti, A. N. (2014). Citrate-stabilized gold nanoparticles as negative controls for measurements of neurite outgrowth. *Toxicology in Vitro*, (0).

doi: <http://dx.doi.org/10.1016/j.tiv.2014.10.007>. <http://www.sciencedirect.com/science/article/pii/S0887233314001970>

Jeerage, K. M., Oreskovic, T. L., & Hume, S. L. (2012). Neurite outgrowth and differentiation of rat cortex progenitor cells are sensitive to lithium chloride at non-cytotoxic exposures. *Neurotoxicology*, (0). doi:

10.1016/j.neuro.2012.06.010. <http://www.sciencedirect.com/science/article/pii/S0161813X12001428>

Jeffs, J., Federer, F., Ichida, J. M., & Angelucci, A. (2012). High-Resolution Mapping of Anatomical Connections in Marmoset Extrastriate Cortex Reveals a Complete Representation of the Visual Field Bordering Dorsal V2. *Cerebral Cortex*. doi: 10.1093/cercor/bhs088. <http://cercor.oxfordjournals.org/content/early/2012/04/20/cercor.bhs088....>

Jeffs, J., Ichida, J. M., Federer, F., & Angelucci, A. (2009). Anatomical evidence for classical and extra-classical receptive field completion across the discontinuous horizontal meridian representation of primate area V2. *Cerebral Cortex*, 19(4), 963-981. doi:

Jenkins, B. G., Klivenyi, P., Kustermann, E., Andreassen, O. A., Ferrante, R. J., Rosen, B. R., & Beal, M. F. (2000). Nonlinear Decrease over Time in N-Acetyl Aspartate Levels in the Absence of Neuronal Loss and Increases in Glutamine and Glucose in Transgenic Huntington's Disease Mice. *Journal of Neurochemistry*, 74(5), 2108-2119. doi: <http://www.jneurochem.org/cgi/content/abstract/74/5/2108>

Jenny, A. B., Cheney, P. D., & Jenny, A. K. (2018). Monkey extensor digitorum communis motoneuron pool: Proximal dendritic trees and small motoneurons. *Neuroscience Letters*, 675, 12-16.

doi: <https://doi.org/10.1016/j.neulet.2018.03.051>. <http://www.sciencedirect.com/science/article/pii/S0304394018302283>

Jeon, K.-I., Hindman, H. B., Bubel, T., McDaniel, T., DeMagistris, M., Callan, C., & Huxlin, K. R. (2018). Corneal myofibroblasts inhibit regenerating nerves during wound healing. *Scientific Reports*, 8(1), 12945. doi: 10.1038/s41598-018-30964-y. <https://doi.org/10.1038/s41598-018-30964-y>

Jeong, G. B., Werner, M., Gazula, V. R., Itoh, T., Roberts, M., David, S., . . . others. (2006). Bi-directional control of motor neuron dendrite remodeling by the calcium permeability of AMPA receptors. *Molecular and Cellular Neuroscience*, 32(3), 299-314. doi.

Jeong, J., Pandey, S., Li, Y., Badger, J. D., Lu, W., & Roche, K. W. (2019). PSD-95 binding dynamically regulates NLGN1 trafficking and function. *Proceedings of the National Academy of Sciences*, 116(24), 12035. doi: 10.1073/pnas.1821775116. <http://www.pnas.org/content/116/24/12035.abstract>

Jeong, J. K., Burrows, K., Tremere, L. A., & Pinaud, R. (2011). Neurochemical organization and experience-dependent activation of estrogen-associated circuits in the songbird auditory forebrain. *European Journal of Neuroscience*, 34(2), 283-291. doi: 10.1111/j.1460-9568.2011.07743.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07743.x>

Jeong, J. K., Tremere, L. A., Burrows, K., Majewska, A. K., & Pinaud, R. (2011). The Mouse Primary Visual Cortex Is a Site of Production and Sensitivity to Estrogens. *PLoS ONE*, 6(5), e20400-e20400. doi.

Jeong, J. K., Velho, T. A. F., & Mello, C. V. (2005). Cloning and expression analysis of retinoic acid receptors in the zebra finch brain. *Journal of Comparative Neurology*, 489(1), 23-41. doi.

Jeong, K. H., Nam, J. H., Jin, B. K., & Kim, S. R. (2015). Activation of CNTF/CNTFR $\alpha$  Signaling Pathway by hRheb(S16H) Transduction of Dopaminergic Neurons In Vivo. *PLoS ONE*, 10(3), e0121803. doi: 10.1371/journal.pone.0121803. <http://dx.doi.org/10.1371%2Fjournal.pone.0121803>

Jeong, Y., & Holden, J. E. (2009). Lateral Hypothalamic-Induced Alpha-Adrenoceptor Modulation Occurs in a Model of Inflammatory Pain in Rats. *Biological Research For Nursing*, 10(4), 331-339. doi.

Jeong, Y., & Holden, J. E. (2009). The role of spinal orexin-1 receptors in posterior hypothalamic modulation of neuropathic pain. *Neuroscience*, 159(4), 1414-1421. doi.

Jeong, Y., Moes, J. R., Wagner, M., & Holden, J. E. (2012). The Posterior Hypothalamus Exerts Opposing Effects on Nociception via the A7 Catecholamine Cell Group in Rat. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.058. <http://www.sciencedirect.com/science/article/pii/S030452212009785?v=s5>

Jernigan, M., Morcos, Y., Lee, S. M., Dohan, F. C., Jr., Raine, C., & Levin, M. C. (2003). IgG in brain correlates with clinicopathological damage in HTLV-1 associated neurologic disease.

Neurology, 60(8), 1320-1327.

doi: <http://www.neurology.org/cgi/content/abstract/60/8/1320>

Jessberger, S., Nakashima, K., Clemenson, G. D., Jr., Mejia, E., Mathews, E., Ure, K., . . . Hsieh, J. (2007). Epigenetic Modulation of Seizure-Induced Neurogenesis and Cognitive Decline. *Journal of Neuroscience*, 27(22), 5967-5975. doi: 10.1523/jneurosci.0110-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/22/5967>

Ji, Y., Lu, Y., Yang, F., Shen, W., Tang, T. T. T., Feng, L., . . . Lu, B. (2010). Acute and gradual increases in BDNF concentration elicit distinct signaling and functions in neurons. *Nature Neuroscience*, 13(3), 302-309. doi.

Jiang, C., Wang, X., Le, Q., Liu, P., Liu, C., Wang, Z., . . . Ma, L. (2019). Morphine coordinates SST and PV interneurons in the prelimbic cortex to disinhibit pyramidal neurons and enhance reward. *Molecular Psychiatry*. doi: 10.1038/s41380-019-0480-7. <https://doi.org/10.1038/s41380-019-0480-7>

Jiang, H., Jiang, W., Zou, J., Wang, B., Yu, M., Pan, Y., . . . Wang, Y. (2015). The GluN2B subunit of N-methyl-D-aspartate receptor regulates the radial migration of cortical neurons in vivo. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.03.031>. <http://www.sciencedirect.com/science/article/pii/S0006899315002280>

Jiang, L., Rampalli, S., George, D., Press, C., Bremer, E. G., O'Gorman, M. R. G., & Bohn, M. C. (2004). Tight regulation from a single tet-off rAAV vector as demonstrated by flow cytometry and quantitative, real-time PCR. *Gene Therapy*, 11, 1057-1067. doi.

Jiang, M., Ash, R. T., Baker, S. A., Suter, B., Ferguson, A., Park, J., . . . Zoghbi, H. Y. (2013). Dendritic Arborization and Spine Dynamics Are Abnormal in the Mouse Model of MECP2 Duplication Syndrome. *Journal of Neuroscience*, 33(50), 19518-19533. doi: <http://www.jneurosci.org/content/33/50/19518.short>

Jiang, M., Oliva Jr, A. A., Lam, T., & Swann, J. W. (2001). GABAergic neurons that pioneer hippocampal area CA1 of the mouse: morphologic features and multiple fates. *Journal of Comparative Neurology*, 439(2), 176-192. doi.

Jiang, M., & Swann, J. W. (2005). A role for L-type calcium channels in the maturation of parvalbumin-containing hippocampal interneurons. *Neuroscience*, 135(3), 839-850. doi.

Jiang, X., Wang, G., Lee, A. J., Stornetta, R. L., & Zhu, J. J. (2013). The organization of two new cortical interneuronal circuits. *Nature Neuroscience*. doi: 10.1038/nn.3305.

Jiang, Y., Coleman, F. H., Kopenhaver Doheny, K., & Travagli, R. A. (2018). Stress Adaptation Upregulates Oxytocin within Hypothalamo-Vagal Neurocircuits. *Neuroscience*, 390, 198-205. doi: <https://doi.org/10.1016/j.neuroscience.2018.08.021>. <http://www.sciencedirect.com/science/article/pii/S0306452218305669>



Jiang, Y., Pun, R. Y. K., Peariso, K., Holland, K. D., Lian, Q., & Danzer, S. C. (2015). Olfactory Bulbectomy Leads to the Development of Epilepsy in Mice. *Plos one*, 10(9), e0138178. doi: 10.1371/journal.pone.0138178. <http://dx.doi.org/10.1371%2Fjournal.pone.0138178>

Jiang, Y.-Q., Armada, K., & Martin, J. H. (2019). Neuronal activity and microglial activation support corticospinal tract and proprioceptive afferent sprouting in spinal circuits after a corticospinal system lesion. *Experimental Neurology*, 113015. doi: <https://doi.org/10.1016/j.expneurol.2019.113015>. <http://www.sciencedirect.com/science/article/pii/S0014488619301645>

Jiang, Y.-Q., Sarkar, A., Amer, A., & Martin, J. H. (2018). Transneuronal down-regulation of the premotor cholinergic system after corticospinal tract loss. [10.1523/JNEUROSCI.3410-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/07/26/JNEUROSCI.3410-17.2018..>

Jiang, Y.-Q., Zaaimi, B., & Martin, J. H. (2016). Competition with Primary Sensory Afferents Drives Remodeling of Corticospinal Axons in Mature Spinal Motor Circuits. *The Journal of Neuroscience*, 36(1), 193-203. doi: <http://www.jneurosci.org/content/36/1/193.short>

Jiao, Y., Zhang, C., Yanagawa, Y., & Sun, Q.-Q. (2006). Major Effects of Sensory Experiences on the Neocortical Inhibitory Circuits. *Journal of Neuroscience*, 26(34), 8691-8701. doi: 10.1523/jneurosci.2478-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/34/8691>

Jiménez, D., Labate, D., Kakadiaris, I., & Papadakis, M. (2014). Improved Automatic Centerline Tracing for Dendritic and Axonal Structures. *Neuroinformatics*, 1-18. doi: 10.1007/s12021-014-9256-z. <http://dx.doi.org/10.1007/s12021-014-9256-z>

Jimenez-Mateos, E. M., Engel, T., Merino-Serrais, P., McKiernan, R. C., Tanaka, K., Mouri, G., . . . Henshall, D. C. (2012). Silencing microRNA-134 produces neuroprotective and prolonged seizure-suppressive effects. [10.1038/nm.2834]. *Nature Medicine*, advance online publication. doi: <http://www.nature.com/nm/journal/vaop/ncurrent/abs/nm.2834.html#suppleme.....h> <http://dx.doi.org/10.1038/nm.2834>

Jin, X., Hu, H., Mathers, P. H., & Agmon, A. (2003). Brain-Derived Neurotrophic Factor Mediates Activity-Dependent Dendritic Growth in Nonpyramidal Neocortical Interneurons in Developing Organotypic Cultures. *Journal of Neuroscience*, 23, 5662-5673. doi.

Jin, X., Mathers, P. H., Szabo, G., Katarova, Z., & Agmon, A. (2001). Vertical bias in dendritic trees of non-pyramidal neocortical neurons expressing GAD67-GFP in vitro. *Cerebral Cortex*, 11(7), 666-666. doi.

Jin, Y., Tay, D., So, K. F., & Wu, W. (2000). Expression of c-jun in the lateral vestibular nucleus following spinal cord injury and peripheral nerve graft transplantation in adult rats. *Journal of Neurocytology*, 29(2), 91-97. doi.

Jinnou, H., Sawada, M., Kawase, K., Kaneko, N., Herranz-Pérez, V., Miyamoto, T., . . . Sawamoto, K. (2018). Radial Glial Fibers Promote Neuronal Migration and Functional

Recovery after Neonatal Brain Injury. *Cell Stem Cell*, 22(1), 128-137.e129. doi: 10.1016/j.stem.2017.11.005. <http://dx.doi.org/10.1016/j.stem.2017.11.005>

Jinnou, H., Sawada, M., Kawase, K., Kaneko, N., Herranz-Pérez, V., Miyamoto, T., . . . Sawamoto, K. (2018). Radial Glial Fibers Promote Neuronal Migration and Functional Recovery after Neonatal Brain Injury. *Cell Stem Cell*, 22(1), 128-137.e129. doi: <https://doi.org/10.1016/j.stem.2017.11.005>. <https://www.sciencedirect.com/science/article/pii/S1934590917304575>

Jinushi-Nakao, S., Arvind, R., Amikura, R., Kinameri, E., Liu, A. W., & Moore, A. W. (2007). Knot/Collier and Cut Control Different Aspects of Dendrite Cytoskeleton and Synergize to Define Final Arbor Shape. *Neuron*, DOI 10.1016/j.neuron.2007.10.031. doi.

Joachim von, Z., Leonie, A., Nicolas, F., Alexander, H., Laetitia, B., Heike, V., & Grégoire, C. (2016). A neurobotic platform for locomotor prosthetic development in rats and mice. *Journal of Neural Engineering*, 13(2), 026007. doi. <http://stacks.iop.org/1741-2552/13/i=2/a=026007>

Jobst, E. E., Robinson, D. W., & Allen, C. N. (2004). Potential pathways for intercellular communication within the calbindin subnucleus of the hamster suprachiasmatic nucleus. *Neuroscience*, 123(1), 87-99. doi.

Johanning, F. W., Beed, P. S., Trimbuch, T., Bendels, M. H. K., Winterer, J., & Schmitz, D. (2009). Dendritic Compartment and Neuronal Output Mode Determine Pathway-Specific Long-Term Potentiation in the Piriform Cortex. *Journal of Neuroscience*, 29(43), 13649-13661. doi: 10.1523/jneurosci.2672-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/43/13649>

John, J., Thannickal, T. C., McGregor, R., Ramanathan, L., Ohtsu, H., Nishino, S., . . . Siegel, J. M. (2013). Greatly increased numbers of histamine cells in human narcolepsy with cataplexy. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.23968. <http://dx.doi.org/10.1002/ana.23968>

John, J., Wu, M. F., Boehmer, L. N., & Siegel, J. M. (2004). Cataplexy-active neurons in the hypothalamus: implications for the role of histamine in sleep and waking behavior. *Neuron*, 42(4), 619-634. doi.

Johnsen, J. D., Stephan, K., Maier, J., Luhmann, H., & Kötter, R. (2003). Guiding the modeller: organizing and selecting experimental data for single cell models using the CoCoDat database. *Neurocomputing*, 52, 239-245. doi.

Johnson, C. B., Schall, M., Tennison, M. E., Garcia, M. E., Shea-Shumsky, N. B., Raghanti, M. A., . . . Jacobs, B. (2016). Neocortical neuronal morphology in the Siberian tiger (*Panthera tigris altaica*) and the clouded leopard (*Neofelis nebulosa*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24022. <http://dx.doi.org/10.1002/cne.24022>

Johnson, D. M. G., Illig, K. R., Behan, M., & Haberly, L. B. (2000). New Features of Connectivity in Piriform Cortex Visualized by Intracellular Injection of Pyramidal Cells Suggest that "Primary" Olfactory Cortex Functions Like "Association" Cortex in Other Sensory Systems.

Journal of Neuroscience, 20(18), 6974-6982.

doi: <http://www.jneurosci.org/cgi/content/abstract/20/18/6974>

Johnson, L. R., Hou, M., Ponce-Alvarez, A., Gribelyuk, L. M., Alphas, H. H., Albert Jr, L., . . . Doyere, V. (2008). A recurrent network in the lateral amygdala: a mechanism for coincidence detection. *Frontiers in Neural Circuits*, 2. doi.

Johnson, M. D., & McIntyre, C. C. (2008). Quantifying the Neural Elements Activated and Inhibited by Globus Pallidus Deep Brain Stimulation. *Journal of Neurophysiology*, 100(5), 2549-2563. doi:

10.1152/jn.90372.2008. <http://jn.physiology.org/cgi/content/abstract/100/5/2549>

Johnson, O. L., & Ouimet, C. C. (2006). A regulatory role for actin in dendritic spine proliferation. *Brain Research*, 1113(1), 1-9. doi.

Johnson, R. T., Breedlove, S. M., & Jordan, C. L. (2008). Sex differences and laterality in astrocyte number and complexity in the adult rat medial amygdala. *Journal of Comparative Neurology*, 511(5), 599-609. doi.

Johnson, R. T., Schneider, A., DonCarlos, L. L., Breedlove, S. M., & Jordan, C. L. (2012). Astrocytes in the rat medial amygdala are responsive to adult androgens. *Journal of Comparative Neurology*. doi.

Johnson, S. A., Wang, J. F., Sun, X., McEwen, B. S., Chattarji, S., & Young, L. T. (2009). Lithium treatment prevents stress-induced dendritic remodeling in the rodent amygdala. *Neuroscience*, 163(1), 34-39. doi.

Johnstone, A. L., Reiersen, G. W., Smith, R. P., Goldberg, J. L., Lemmon, V. P., & Bixby, J. L. (2012). A chemical genetic approach identifies piperazine antipsychotics as promoters of CNS neurite growth on inhibitory substrates. *Molecular and Cellular Neuroscience*, 50(2), 125-135. doi:

10.1016/j.mcn.2012.04.008. <http://www.sciencedirect.com/science/article/pii/S1044743112000826>

Jokivarsi, K. T., Hiltunen, Y., Tuunanen, P. I., Kauppinen, R. A., & Gröhn, O. H. J. (2009). Correlating tissue outcome with quantitative multiparametric MRI of acute cerebral ischemia in rats. *Journal of Cerebral Blood Flow and Metabolism*, 30(2), 415-427. doi.

Jones, B. F., Groenewegen, H. J., & Witter, M. P. (2005). Intrinsic connections of the cingulate cortex in the rat suggest the existence of multiple functionally segregated networks. *Neuroscience*, 133(1), 193-207. doi.

Jones, B. F., & Witter, M. P. (2007). Cingulate cortex projections to the parahippocampal region and hippocampal formation in the rat. *Hippocampus*, 17(10), 957-976. doi.

Jones, C. K., Brady, A. E., Davis, A. A., Xiang, Z., Bubser, M., Tantawy, M. N., . . . Conn, P. J. (2008). Novel Selective Allosteric Activator of the M1 Muscarinic Acetylcholine Receptor Regulates Amyloid Processing and Produces Antipsychotic-Like Activity in Rats. *Journal of*

Neuroscience, 28(41), 10422-10433. doi: 10.1523/jneurosci.1850-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10422>

Jones, D. M., Tucker, B. A., Rahimtula, M., & Mearow, K. M. (2003). The synergistic effects of NGF and IGF-1 on neurite growth in adult sensory neurons: convergence on the PI 3-kinase signaling pathway. *Journal of Neurochemistry*, 86(5), 1116-1128. doi: <http://www.jneurochem.org/cgi/content/abstract/86/5/1116>

Jones, E. G., Stone, J. M., & Karten, H. J. (2011). High-resolution digital brain atlases: a Hubble telescope for the brain. *Annals of the New York Academy of Sciences*, 1225(S1), E1477ÇôE159-E1477ÇôE159. doi.

Jones, K. A., Zouikr, I., Patience, M., Clarkson, A. N., Isgaard, J., Johnson, S. J., . . . Walker, F. R. (2015). Chronic stress exacerbates neuronal loss associated with secondary neurodegeneration and suppresses microglial-like cells following focal motor cortex ischemia in the mouse. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.02.014>. <http://www.sciencedirect.com/science/article/pii/S0889159115000562>

Jones, K. L., & Van de Water, J. (2018). Maternal autoantibody related autism: mechanisms and pathways. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0099-0. <https://doi.org/10.1038/s41380-018-0099-0>

Jones, M. S., & Ariel, M. (2008). Morphology, Intrinsic Membrane Properties, and Rotation-Evoked Responses of Trochlear Motoneurons in the Turtle. *Journal of Neurophysiology*, 99(3), 1187-1200. doi: 10.1152/jn.01205.2007. <http://jn.physiology.org/cgi/content/abstract/99/3/1187>

Jones, T. A., Donlan, N. A., & O'Donnell, S. (2009). Growth and pruning of mushroom body Kenyon cell dendrites during worker behavioral development in the paper wasp, *Polybia aequatorialis* (Hymenoptera: Vespidae). *Neurobiology of Learning and Memory*, 92(4), 485-495. doi.

Jones, T. A., Liput, D. J., Maresh, E. L., Donlan, N., Parikh, T. J., Marlowe, D., & Kozlowski, D. A. (2012). Use-Dependent Dendritic Regrowth Is Limited after Unilateral Controlled Cortical Impact to the Forelimb Sensorimotor Cortex. *Journal of Neurotrauma*, 29(7), 1455-1468. doi.

Jongbloets, B. C., Lemstra, S., Schellino, R., Broekhoven, M. H., Parkash, J., Hellemons, A. J. C. G. M., . . . Pasterkamp, R. J. (2017). Stage-specific functions of Semaphorin7A during adult hippocampal neurogenesis rely on distinct receptors. [Article]. *Nature Communications*, 8, 14666. doi: 10.1038/ncomms14666

<http://www.nature.com/articles/ncomms14666#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14666>

Jongen, J. L. M., Haasdijk, E. D., Sabel-Goedknegt, H., Van der Burg, J., Vecht, C. J., & Holstege, J. C. (2005). Intrathecal injection of GDNF and BDNF induces immediate early gene expression in rat spinal dorsal horn. *Experimental Neurology*, 194(1), 255-266. doi.

Jongen-Relo, A. L., & Amaral, D. G. (1998). Evidence for a GABAergic projection from the central nucleus of the amygdala to the brainstem of the macaque monkey: a combined retrograde tracing and in situ hybridization study. *European Journal of Neuroscience*, 10(9), 2924-2933. doi: [doi:10.1111/j.1460-9568.1998.00299.x](https://doi.org/10.1111/j.1460-9568.1998.00299.x). <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1998.00299.x>

Jorstad, A., Nigro, B., Cali, C., Wawrzyniak, M., Fua, P., & Knott, G. (2014). NeuroMorph: A Toolset for the Morphometric Analysis and Visualization of 3D Models Derived from Electron Microscopy Image Stacks. *Neuroinformatics*, 1-10. doi: [10.1007/s12021-014-9242-5](https://doi.org/10.1007/s12021-014-9242-5). <http://dx.doi.org/10.1007/s12021-014-9242-5>

Joshi, A., Middleton, J. W., Anderson, C. T., Borges, K., Suter, B. A., Shepherd, G. M., & Tzounopoulos, T. (2015). Cell-Specific Activity-Dependent Fractionation of Layer 2/3→ 5B Excitatory Signaling in Mouse Auditory Cortex. *The Journal of Neuroscience*, 35(7), 3112-3123. doi: <http://www.jneurosci.org/content/35/7/3112.short>

Joshi, S., & Hawken, M. J. (2006). Loose-patch-juxtacellular recording in vivo—a method for functional characterization and labeling of neurons in macaque V1. *Journal of Neuroscience Methods*, 156(1-2), 37-49. doi: [10.1016/j.jneumeth.2006.01.001](https://doi.org/10.1016/j.jneumeth.2006.01.001)

Joshi, Y., Sória, M. G., Quadrato, G., Inak, G., Zhou, L., Hervera, A., . . . Giovanni, S. D. (2015). The MDM4/MDM2-p53-IGF1 axis controls axonal regeneration, sprouting and functional recovery after CNS injury. [10.1093/brain/awv125]. *Brain*. doi: <http://brain.oxfordjournals.org/content/early/2015/05/15/brain.awv125.ab...>

Joucla, S., Branchereau, P., Cattaert, D., & Yvert, B. (2012). Extracellular Neural Microstimulation May Activate Much Larger Regions than Expected by Simulations: A Combined Experimental and Modeling Study. *PLoS ONE*, 7(8), e41324. doi: [10.1371/journal.pone.0041324](https://doi.org/10.1371/journal.pone.0041324). <http://dx.doi.org/10.1371/journal.pone.0041324>

Jouhanneau, J.-S., Ferrarese, L., Estebanez, L., Audette, Nick J., Brecht, M., Barth, Alison L., & Poulet, James F. A. (2014). Cortical fosGFP Expression Reveals Broad Receptive Field Excitatory Neurons Targeted by POM. *Neuron*. doi: [10.1016/j.neuron.2014.10.014](https://doi.org/10.1016/j.neuron.2014.10.014). [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00912-X](http://www.cell.com/neuron/abstract/S0896-6273(14)00912-X)

Jouhanneau, J.-S., Kremkow, J., Dornn, Anja L., & Poulet, James F. A. (2015). In Vivo Monosynaptic Excitatory Transmission between Layer 2 Cortical Pyramidal Neurons. *Cell Reports*. doi: [http://dx.doi.org/10.1016/j.celrep.2015.11.011](https://doi.org/10.1016/j.celrep.2015.11.011). <http://www.sciencedirect.com/science/article/pii/S22112471501311X>

Jouhanneau, J.-S., Kremkow, J., & Poulet, J. F. (2018). Single synaptic inputs drive high-precision action potentials in parvalbumin expressing GABA-ergic cortical neurons in vivo. *Nature Communications*, 9(1), 1540. doi: <https://www.nature.com/articles/s41467-018-03995-2>

Jourquin, J., Tremblay, E., Bernard, A., Charton, G., Chaillan, F. A., Marchetti, E., . . . Rivera, S. (2005). Tissue inhibitor of metalloproteinases-1 (TIMP-1) modulates neuronal death, axonal

plasticity, and learning and memory. *European Journal of Neuroscience*, 22(10), 2569-2578. doi: doi:10.1111/j.1460-9568.2005.04426.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04426.x>

Jovanov-Milošević, N., Čuljat, M., & Kostović, I. (2009). Growth of the human corpus callosum: modular and laminar morphogenetic zones. *Frontiers in Neuroanatomy*, 3. doi.

Joy, M. T., Ben Assayag, E., Shabashov-Stone, D., Liraz-Zaltsman, S., Mazzitelli, J., Arenas, M., . . . Carmichael, S. T. (2019). CCR5 Is a Therapeutic Target for Recovery after Stroke and Traumatic Brain Injury. *Cell*, 176(5), 1143-1157.e1113. doi: <https://doi.org/10.1016/j.cell.2019.01.044>. <http://www.sciencedirect.com/science/article/pii/S0092867419301072>

Joyce, M. K. P., García-Cabezas, M. Á., John, Y. J., & Barbas, H. (2020). Serial prefrontal pathways are positioned to balance cognition and emotion in primates. *The Journal of Neuroscience*, JN-RM-0860-0820. doi: 10.1523/jneurosci.0860-20.2020. <http://www.jneurosci.org/content/early/2020/09/28/JNEUROSCI.0860-20.2020...>

Juan, L.-W., Liao, C.-C., Lai, W.-S., Chang, C.-Y., Pei, J.-C., Wong, W.-R., . . . Lee, L.-J. (2013). Phenotypic characterization of C57BL/6J mice carrying the *Disc1* gene from the 129S6/SvEv strain. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-013-0577-8. <http://dx.doi.org/10.1007/s00429-013-0577-8>

Judas, M., Rasin, M. R., Kruslin, B., Kostovic, K., Jukic, D., Petanjek, Z., & Kostovic, I. (2003). Dendritic overgrowth and alterations in laminar phenotypes of neocortical neurons in the newborn with semilobar holoprosencephaly. *Brain Development*, 25, 32-39. doi.

Judaš, M., Sedmak, G., Radoš, M., Sarnavka, V., Fumić, K., Willer, T., . . . others. (2009). POMT-1 associated Walker-Warburg syndrome: A disorder of dendritic development of neocortical neurons. *Neuropediatrics*, 40(2009), 6-14. doi.

Judson, M. C., Eagleson, K. L., Wang, L., & Levitt, P. (2010). Evidence of cell-nonautonomous changes in dendrite and dendritic spine morphology in the met-signaling-deficient mouse forebrain. *Journal of Comparative Neurology*, 518(21), 4463-4478. doi.

Jugloff, D. G. M., Jung, B. P., Purushotham, D., Logan, R., & Eubanks, J. H. (2005). Increased dendritic complexity and axonal length in cultured mouse cortical neurons overexpressing methyl-CpG-binding protein MeCP2. *Neurobiology of Disease*, 19(1-2), 18-27. doi.

Julien Amendola, J. D. (2008). Morphological differences between wild-type and transgenic superoxide dismutase 1 lumbar motoneurons in postnatal mice. *Journal of Comparative Neurology*, 511(3), 329-341. doi. <http://dx.doi.org/10.1002/cne.21818>

Jun, S. B., Hynd, M. R., Dowell-Mesfin, N. M., Al-Kofahi, Y., Roysam, B., Shain, W., & Kim, S. J. (2008). Modulation of cultured neural networks using neurotrophin release from hydrogel-coated microelectrode arrays. *Journal of neural engineering*, 5, 203-203. doi.



Junek, A., Rusak, B., & Semba, K. (2010). Short-term sleep deprivation may alter the dynamics of hippocampal cell proliferation in adult rats. *Neuroscience*, 170(4), 1140-1152. doi.

Jung, Y., Ng, J. H., Keating, C. P., Senthil-Kumar, P., Zhao, J., Randolph, M. A., . . . Evans, C. L. (2014). Comprehensive Evaluation of Peripheral Nerve Regeneration in the Acute Healing Phase Using Tissue Clearing and Optical Microscopy in a Rodent Model. *PLoS ONE*, 9(4), e94054. doi: 10.1371/journal.pone.0094054. <http://dx.doi.org/10.1371%2Fjournal.pone.0094054>

Jurgens, H. A., Amancherla, K., & Johnson, R. W. (2012). Influenza Infection Induces Neuroinflammation, Alters Hippocampal Neuron Morphology, and Impairs Cognition in Adult Mice. *Journal of Neuroscience*, 32(12), 3958-3968. doi.

Jwair, S., Coulon, P., & Ruigrok, T. J. H. (2017). Disynaptic Subthalamic Input to the Posterior Cerebellum in Rat. [Original Research]. *Frontiers in Neuroanatomy*, 11(13). doi: 10.3389/fnana.2017.00013. <http://journal.frontiersin.org/article/10.3389/fnana.2017.00013>

Kabadi, S. V., Stoica, B. A., Byrnes, K. R., Hanscom, M., Loane, D. J., & Faden, A. I. (2011). Selective CDK inhibitor limits neuroinflammation and progressive neurodegeneration after brain trauma. *Journal of Cerebral Blood Flow and Metabolism*, 32(1), 137-149. doi.

Kabadi, S. V., Stoica, B. A., Loane, D. J., Luo, T., & Faden, A. I. (2014). CR8, a novel inhibitor of CDK, limits microglial activation, astrogliosis, neuronal loss, and neurologic dysfunction after experimental traumatic brain injury. *Journal of Cerebral Blood Flow and Metabolism*. doi. <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013228a.html>

Kabotyanski, E. A., Baxter, D. A., & Byrne, J. H. (1998). Identification and Characterization of Catecholaminergic Neuron B65, Which Initiates and Modifies Patterned Activity in the Buccal Ganglia of Aplysia. *Journal of Neurophysiology*, 79(2), 605-621. doi. <http://jn.physiology.org/cgi/content/abstract/79/2/605>

Kadam, S. D., & Dudek, F. E. (2007). Neuropathological features of a rat model for perinatal hypoxic-ischemic encephalopathy with associated epilepsy. *Journal of Comparative Neurology*, 505(6), 716-737. doi.

Kadam, S. D., Smith-Hicks, C. L., Smith, D. R., Worley, P. F., & Comi, A. M. (2010). Functional integration of new neurons into hippocampal networks and poststroke comorbidities following neonatal stroke in mice. *Epilepsy & Behavior*, 18(4), 344-357. doi.

Kadish, I., Pradier, L., & van Groen, T. (2002). Transgenic mice expressing the human presenilin 1 gene demonstrate enhanced hippocampal reorganization following entorhinal cortex lesions. *Brain Research Bulletin*, 57(5), 587-594. doi.

Kadiyala, S. B., Papandrea, D., Tuz, K., Anderson, T. M., Jayakumar, S., Herron, B. J., & Ferland, R. J. (2014). Spatiotemporal differences in the c-fos pathway between C57BL/6J and DBA/2J mice following flurothyl-induced seizures: a dissociation of hippocampal Fos from seizure activity. *Epilepsy Research*. doi: 10.1016/j.epilepsyres.2014.11.009. [http://www.epires-journal.com/article/S0920-1211\(14\)00323-4/abstract](http://www.epires-journal.com/article/S0920-1211(14)00323-4/abstract)

Kaeser, M., Wyss, A. F., Bashir, S., Hamadjida, A., Liu, Y., Bloch, J., . . . Rouiller, E. M. (2010). Effects of unilateral motor cortex lesion on ipsilesional hand's reach and grasp performance in monkeys: relationship with recovery in the contralesional hand. *Journal of Neurophysiology*, 103(3), 1630-1645. doi:

Kaeser, M., Wyss, A. F., Bashir, S., Hamadjida, A., Liu, Y., Bloch, J., . . . Rouiller, E. M. (2010). Effects of Unilateral Motor Cortex Lesion on Ipsilesional Hand's Reach and Grasp Performance in Monkeys: relationship with recovery in the contralesional hand. *Journal of Neurophysiology*, 00459.02009. doi: 10.1152/jn.00459.2009. <http://jn.physiology.org/cgi/content/abstract/00459.2009v1>

Kafetzopoulos, V., Kokras, N., Sotiropoulos, I., Oliveira, J. F., Leite-Almeida, H., Vasalou, A., . . . Dalla, C. (2017). The nucleus reuniens: a key node in the neurocircuitry of stress and depression. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2017.55. <http://dx.doi.org/10.1038/mp.2017.55>

Kafetzopoulos, V., Kokras, N., Sousa, N., Antoniou, K., Sotiropoulos, I., & Dalla, C. (2020). Nucleus reuniens lesion and antidepressant treatment prevent hippocampal neurostructural alterations induced by chronic mild stress in male rats. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.08.017>. <http://www.sciencedirect.com/science/article/pii/S0306452220305339>

Kaiser, K. M. M., Lubke, J., Zilberter, Y., & Sakmann, B. (2004). Postsynaptic Calcium Influx at Single Synaptic Contacts between Pyramidal Neurons and Bitufted Interneurons in Layer 2/3 of Rat Neocortex Is Enhanced by Backpropagating Action Potentials. *Journal of Neuroscience*, 24(6), 1319-1329. doi: 10.1523/jneurosci.2852-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/6/1319>

Kaiser, K. M. M., Zilberter, Y., & Sakmann, B. (2001). Back-propagating action potentials mediate calcium signalling in dendrites of bitufted interneurons in layer 2/3 of rat somatosensory cortex. *Journal of Physiology*, 535(1), 17-31. doi: <http://jp.physoc.org/cgi/content/abstract/535/1/17>

Kajimoto, K., Valenzuela, C. F., Allan, A. M., Ge, S., Gu, Y., & Cunningham, L. A. (2016). Prenatal alcohol exposure alters synaptic activity of adult hippocampal dentate granule cells under conditions of enriched environment. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22588. <http://dx.doi.org/10.1002/hipo.22588>

Kajiwara, Y., Buxbaum, J. D., & Grice, D. E. (2009). SLITRK1 binds 14-3-3 and regulates neurite outgrowth in a phosphorylation-dependent manner. *Biological Psychiatry*, 66(10), 918-925. doi:

Kalambogias, J., Chen, C.-C., Khan, S., Son, T., Wercberger, R., Headlam, C., . . . Brumberg, J. C. (2019). Development and Sensory Experience Dependent Regulation of Microglia in Barrel Cortex. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24771. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24771>

Kalanithi, P. S. A., Zheng, W., Kataoka, Y., DiFiglia, M., Grantz, H., Saper, C. B., . . . Vaccarino, F. M. (2005). Altered parvalbumin-positive neuron distribution in basal ganglia of individuals

with Tourette syndrome. PNAS, 102(37), 13307-13312.

doi. <http://www.pnas.org/cgi/content/abstract/102/37/13307>

Kalinichev, M., Rosenblatt, J. S., & Morrell, J. I. (2000). The medial preoptic area, necessary for adult maternal behavior in rats, is only partially established as a component of the neural circuit that supports maternal behavior in juvenile rats. *Behavioral Neuroscience*, 114(1), 196-196. doi.

Kalinichev, M., Rosenblatt, J. S., Nakabeppu, Y., & Morrell, J. I. (2000). Induction of c-Fos-like and FosB-like immunoreactivity reveals forebrain neuronal populations involved differentially in pup-mediated maternal behavior in juvenile and adult rats. *Journal of Comparative Neurology*, 416(1), 45-78. doi.

Kalisman, N., Silberberg, G., & Markram, H. (2003). Deriving physical connectivity from neuronal morphology. *Biological Cybernetics*, 88(3), 210-218. doi.

Kalliomäki, M., Schmidt, R., Hägglöf, B., Karlsten, R., Sjögren, N., Albrecht, P., . . . others. (2011). Structural and functional differences between neuropathy with and without pain? *Experimental Neurology*. doi.

Kallop, D. Y., Meilandt, W. J., Gogineni, A., Easley-Neal, C., Wu, T., Jubb, A. M., . . . Scarce-Levie, K. (2014). A Death Receptor 6-Amyloid Precursor Protein Pathway Regulates Synapse Density in the Mature CNS But Does Not Contribute to Alzheimer's Disease-Related Pathophysiology in Murine Models. *The Journal of Neuroscience*, 34(19), 6425-6437. doi. <http://www.jneurosci.org/content/34/19/6425.short>

Kalume, F., Lee, S. M., Morcos, Y., Callaway, J. C., & Levin, M. C. (2004). Molecular mimicry: Cross-reactive antibodies from patients with immune-mediated neurologic disease inhibit neuronal firing. *Journal of Neuroscience Research*, 77(1), 82-89. doi.

Kalus, P., Bondzio, J., Federspiel, A., Müller, T. J., & Zuschratter, W. (2002). Cell-type specific alterations of cortical interneurons in schizophrenic patients. *Neuroreport*, 13(5), 713-713. doi.

Kalus, P., Muller, T. J., Zuschratter, W., & Senitz, D. (2000). The dendritic architecture of prefrontal pyramidal neurons in schizophrenic patients. *Neuroreport*, 11(16), 3621-3621. doi.

Kambiz, S., Baas, M., Duraku, L., Kerver, A., Koning, A., Walbeehm, E., & Ruigrok, T. (2014). Innervation mapping of the hind paw of the rat using Evans Blue extravasation, Optical Surface Mapping and CASAM. *Journal of Neuroscience Methods*. doi. <http://www.sciencedirect.com/science/article/pii/S0165027014001095>

Kameda, H., Furuta, T., Matsuda, W., Ohira, K., Nakamura, K., Hioki, H., & Kaneko, T. (2008). Targeting green fluorescent protein to dendritic membrane in central neurons. *Neuroscience Research*, 61(1), 79-91. doi.

Kameda, H., Hioki, H., Tanaka, Y. H., Tanaka, T., Sohn, J., Sonomura, T., . . . Kaneko, T. (2012). Parvalbumin-producing cortical interneurons receive inhibitory inputs on proximal portions and cortical excitatory inputs on distal dendrites. *European Journal of Neuroscience*, 35(6),

838-854. doi: 10.1111/j.1460-9568.2012.08027.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08027.x>

Kanbar, R., Depuy, S. D., West, G. H., Stornetta, R. L., & Guyenet, P. G. (2011). Regulation of visceral sympathetic tone by A5 noradrenergic neurons in rodents. *Journal of Physiology*, 589(4), 903-917. doi:

10.1113/jphysiol.2010.198374. <http://jp.physoc.org/content/589/4/903.abstract>

Kaneko, M., Xie, Y., An, J. J., Stryker, M. P., & Xu, B. (2012). Dendritic BDNF Synthesis Is Required for Late-Phase Spine Maturation and Recovery of Cortical Responses Following Sensory Deprivation. *Journal of Neuroscience*, 32(14), 4790-4802. doi:

10.1523/jneurosci.4462-11.2012. <http://www.jneurosci.org/content/32/14/4790.abstract>

Kang, B. J., Chang, D. A., Mackay, D. D., West, G. H., Moreira, T. S., Takakura, A. C., . . . Stornetta, R. L. (2007). Central nervous system distribution of the transcription factor Phox2b in the adult rat. *Journal of Comparative Neurology*, 503(5), 627-641. doi.

Kang, N., Baum, M. J., & Cherry, J. A. (2009). A direct main olfactory bulb projection to the  $\Gamma\check{C}\check{y}$ vomeronasal $\Gamma\check{C}\check{O}$ amygdala in female mice selectively responds to volatile pheromones from males. *European Journal of Neuroscience*, 29(3), 624-634. doi.

Kang, N., Baum, M. J., & Cherry, J. A. (2011). Different Profiles of Main and Accessory Olfactory Bulb Mitral/Tufted Cell Projections Revealed in Mice Using an Anterograde Tracer and a Whole-Mount, Flattened Cortex Preparation. *Chemical Senses*, 36(3), 251-260. doi.

Kang, S., Wu, C., Banik, R. K., & Brennan, T. J. (2010). Effect of capsaicin treatment on nociceptors in rat glabrous skin one day after plantar incision. *Pain*, 148(1), 128-140. doi.

Kannangara, T. S., Bostrom, C. A., Ratzlaff, A., Thompson, L., Cater, R. M., Gil-Mohapel, J., & Christie, B. R. (2014). Deletion of the NMDA Receptor GluN2A Subunit Significantly Decreases Dendritic Growth in Maturing Dentate Granule Neurons. *PLoS ONE*, 9(8), e103155. doi:

10.1371/journal.pone.0103155. <http://dx.doi.org/10.1371%2Fjournal.pone.0103155>

Kano, T., Kouzuki, T., Mizuno, S., Ueda, S., Yamanoue, M., Sakane, F., . . . Shirai, Y. (2014). Both the C1 domain and a basic amino acid cluster at the C-terminus are important for the neurite and branch induction ability of DGK $\beta$ . *Biochemical and Biophysical Research Communications*, (0).

doi: <http://dx.doi.org/10.1016/j.bbrc.2014.03.113>. <http://www.sciencedirect.com/science/article/pii/S0006291X14005658>

Kántor, O., Benkő, Z., Énzsöly, A., Dávid, C., Naumann, A., Nitschke, R., . . . Völgyi, B. (2015). Characterization of connexin36 gap junctions in the human outer retina. *Brain Structure and Function*, 1-22. doi: 10.1007/s00429-015-1082-z. <http://dx.doi.org/10.1007/s00429-015-1082-z>

Kántor, O., Mezey, S., Adegate, J., Naumann, A., Nitschke, R., Énzsöly, A., . . . Somogyvári, Z. (2016). Calcium buffer proteins are specific markers of human retinal neurons. *Cell and Tissue Research*, 1-22. doi. <http://link.springer.com/article/10.1007/s00441-016-2376-z>

Kántor, O., Varga, A., Nitschke, R., Naumann, A., Énzsöly, A., Lukáts, Á., . . . Völgyi, B. (2017). Bipolar cell gap junctions serve major signaling pathways in the human retina. [journal article]. *Brain Structure and Function*, 1-22. doi: 10.1007/s00429-016-1360-4  
4. <http://dx.doi.org/10.1007/s00429-016-1360-4>

Kapfhammer, J. P., & Gugger, O. S. (2012). The Analysis of Purkinje Cell Dendritic Morphology in Organotypic Slice Cultures. *Journal of Visualized Experiments*, (61), e3637. doi: 10.3791/3637. <http://www.jove.com/details.stp?id=3637>

Karabeg, M. M., Grauthoff, S., Kollert, S. Y., Weidner, M., Heiming, R. S., Jansen, F., . . . Lewejohann, L. (2013). 5-HTT Deficiency Affects Neuroplasticity and Increases Stress Sensitivity Resulting in Altered Spatial Learning Performance in the Morris Water Maze but Not in the Barnes Maze. *PLoS ONE*, 8(10), e78238. doi: 10.1371/journal.pone.0078238. <http://dx.doi.org/10.1371%2Fjournal.pone.0078238>

Karagiannis, A., Gallopin, T., David, C., Battaglia, D., Geoffroy, H., Rossier, J., . . . Cauli, B. (2009). Classification of NPY-Expressing Neocortical Interneurons. *Journal of Neuroscience*, 29(11), 3642-3659. doi: 10.1523/jneurosci.0058-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3642>

Karathanasis, E., Chan, L., Karumbaiah, L., McNeeley, K., D'Orsi, C. J., Annapragada, A. V., . . . Bellamkonda, R. V. (2009). Tumor Vascular Permeability to a Nanoprobe Correlates to Tumor-Specific Expression Levels of Angiogenic Markers. *PLoS ONE*, 4(6), e5843. doi: 10.1371/journal.pone.0005843.

Karathanasis, E., Park, J., Agarwal, A., Patel, V., Zhao, F., Annapragada, A. V., . . . Bellamkonda, R. V. (2008). MRI mediated, non-invasive tracking of intratumoral distribution of nanocarriers in rat glioma. *Nanotechnology*, 19, 315101-315101. doi:

Karatsoreos, I. N., Bhagat, S., Bloss, E. B., Morrison, J. H., & McEwen, B. S. (2011). Disruption of circadian clocks has ramifications for metabolism, brain, and behavior. *Proceedings of the National Academy of Sciences*, 108(4), 1657-1662. doi: 10.1073/pnas.1018375108. <http://www.pnas.org/content/108/4/1657.abstract>

Kardon, A. P., Polgár, E., Hachisuka, J., Snyder, L. M., Cameron, D., Savage, S., . . . Hemenway, G. M. (2014). Dynorphin Acts as a Neuromodulator to Inhibit Itch in the Dorsal Horn of the Spinal Cord. *Neuron*. doi: <http://www.sciencedirect.com/science/article/pii/S0896627314002086>

Karelina, K., Gaier, K. R., Prabhu, M., Wenger, V., Corrigan, T. E. D., & Weil, Z. M. (2016). Binge ethanol in adulthood exacerbates negative outcomes following juvenile traumatic brain injury. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.11.009>. <http://www.sciencedirect.com/science/article/pii/S0889159116304998>

Karelina, K., Hansen, K. F., Choi, Y.-S., DeVries, A. C., Arthur, J. S. C., & Obrietan, K. (2012). MSK1 regulates environmental enrichment-induced hippocampal plasticity and cognitive enhancement. *Learning and Memory*, 19(11), 550-560. doi: 10.1101/lm.025775.112. <http://learnmem.cshlp.org/content/19/11/550.abstract>

Karelina, K., Sarac, B., Freeman, L. M., Gaier, K. R., & Weil, Z. M. (2016). Traumatic Brain Injury and Obesity Induce Persistent Central Insulin Resistance. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13194. <http://dx.doi.org/10.1111/ejn.13194>

Karim, M. R., & Moore, A. W. (2011). Convergent Local Identity and Topographic Projection of Sensory Neurons. *Journal of Neuroscience*, 31(47), 17017-17027. doi: 10.1523/jneurosci.2815-11.2011. <http://www.jneurosci.org/content/31/47/17017.abstract>

Karimnamazi, H., & Travers, J. B. (1998). Differential projections from gustatory responsive regions of the parabrachial nucleus to the medulla and forebrain. *Brain Research*, 813(2), 283-302. doi.

Karimnamazi, H., Travers, S. P., & Travers, J. B. (2002). Oral and gastric input to the parabrachial nucleus of the rat. *Brain Research*, 957(2), 193-206. doi.

Karino, S., Smith, P. H., Yin, T. C. T., & Joris, P. X. (2011). Axonal Branching Patterns as Sources of Delay in the Mammalian Auditory Brainstem: A Re-Examination. *Journal of Neuroscience*, 31(8), 3016-3031. doi: 10.1523/jneurosci.5175-10.2011. <http://www.jneurosci.org/content/31/8/3016.abstract>

Karle, K. N., Möckel, D., Reid, E., & Schöls, L. (2012). Axonal transport deficit in a KIF5A-/- mouse model. *Neurogenetics*, 1-11. doi.

Karnani, M. M., Jackson, J., Ayzenshtat, I., Sichani, A. H., Manoocheri, K., Kim, S., & Yuste, R. (2016). Opening Holes in the Blanket of Inhibition: Localized Lateral Disinhibition by VIP Interneurons. *The Journal of Neuroscience*, 36(12), 3471-3480. doi. <http://www.jneurosci.org/content/36/12/3471.short>

Karnup, S. V., Hayar, A., Shipley, M. T., & Kurnikova, M. G. (2006). Spontaneous field potentials in the glomeruli of the olfactory bulb: the leading role of juxtglomerular cells. *Neuroscience*, 142(1), 203-221. doi.

Karperien, A., Ahammer, H., & Jelinek, H. (2013). Quantitating the subtleties of microglial morphology with fractal analysis. *Front Cell Neurosci*, 7, 3. doi.

Karube, F., & Kisvárdy, Z. F. (2010). Axon Topography of Layer IV Spiny Cells to Orientation Map in the Cat Primary Visual Cortex (Area 18). *Cerebral Cortex*. doi: 10.1093/cercor/bhq232. <http://cercor.oxfordjournals.org/content/early/2010/11/09/cercor.bhq232....>

Karube, F., Kubota, Y., & Kawaguchi, Y. (2004). Axon Branching and Synaptic Bouton Phenotypes in GABAergic Nonpyramidal Cell Subtypes. *Journal of Neuroscience*, 24(12), 2853-2865. doi. <http://www.jneurosci.org/cgi/content/abstract/24/12/2853>

Kashyap, G., Bapat, D., Das, D., Gowaikar, R., Amritkar, R. E., Rangarajan, G., . . . Ambika, G. (2019). Synapse loss and progress of Alzheimer's disease -A network model. *Scientific Reports*, 9(1), 6555. doi: 10.1038/s41598-019-43076-y. <https://doi.org/10.1038/s41598-019-43076-y>



Kaskan, P. M., Franco, E. C. S., Yamada, E. S., de Lima Silveira, L. C., Darlington, R. B., & Finlay, B. L. (2005). Peripheral variability and central constancy in mammalian visual system evolution. *Proceedings of the Royal Society B: Biological Sciences*, 272(1558), 91-100. doi.

Kaskan, P. M., & Kaas, J. H. (2007). Cortical connections of the middle temporal and the middle temporal crescent visual areas in prosimian galagos (*Otolemur garnetti*). *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 290(3), 349-366. doi.

Kaspirzhny, A. V., Gogan, P., Horcholle-Bossavit, G., & Tyc-Dumont, S. (2002). Neuronal morphology data bases: morphological noise and assesment of data quality. *Network: Computation in Neural Systems*, 13(3), 357-380. doi.

Kassem, M., Lagopoulos, J., Stait-Gardner, T., Price, W., Chohan, T., Arnold, J., . . . Bennett, M. (2012). Stress-Induced Grey Matter Loss Determined by MRI Is Primarily Due to Loss of Dendrites and Their Synapses. *Molecular Neurobiology*, 1-17. doi: 10.1007/s12035-012-8365-7. <http://dx.doi.org/10.1007/s12035-012-8365-7>

Kasugai, Y., Vogel, E., Hörtnagl, H., Schönherr, S., Paradiso, E., Hauschild, M., . . . Ferraguti, F. (2019). Structural and Functional Remodeling of Amygdala GABAergic Synapses in Associative Fear Learning. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.08.013>. <http://www.sciencedirect.com/science/article/pii/S089662731930697X>

Kato, S., Sugawara, M., Kobayashi, K., Kimura, K., Inoue, K.-i., Takada, M., & Kobayashi, K. (2019). Enhancement of the transduction efficiency of a lentiviral vector for neuron-specific retrograde gene delivery through the point mutation of fusion glycoprotein type E. *Journal of Neuroscience Methods*, 311, 147-155. doi: <https://doi.org/10.1016/j.jneumeth.2018.10.023>. <http://www.sciencedirect.com/science/article/pii/S0165027018303376>

Kato, Y., Kato, M., Hasegawa, T., & Okanoya, K. (2010). Song memory in female birds: neuronal activation suggests phonological coding. *Neuroreport*, 21(6), 404-404. doi.

Kato, Y., Kato, M., & Okanoya, K. (2012). Sequential information of self-produced song is represented in the auditory areas in male Bengalese finches. *Neuroreport*, 23(8), 488-488. doi.

Katona, L., Micklem, B., Borhegyi, Z., Swiejkowski, D. A., Valenti, O., Viney, T. J., . . . Somogyi, P. (2016). Behavior-dependent activity patterns of GABAergic long-range projecting neurons in the rat hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22696. <http://dx.doi.org/10.1002/hipo.22696>

Katow, H., Kanaya, T., Ogawa, T., Egawa, R., & Yawo, H. (2017). Regulation of axon arborization pattern in the developing chick ciliary ganglion: Possible involvement of caspase 3. *Development, growth & differentiation*, 59(3), 115-128. doi: 10.1111/dgd.12346. <http://dx.doi.org/10.1111/dgd.12346>

Katz, E., Guaiquil, V. H., Ivakhnitskaia, E., Lara, D., Anwar, K., Jalilian, E., . . . Djalilian, A. R. (2021). Exosomes as a Novel Multitarget Approach to Promote Growth of Corneal Sensory Neurons. *Investigative Ophthalmology and Visual Science*, 62(8), 749-749. doi.

Kaufling, J., Girard, D., Maitre, M., Leste-Lasserre, T., & Georges, F. (2017). Species-specific diversity in the anatomical and physiological organization of the BNST-VTA pathway. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13554. <http://dx.doi.org/10.1111/ejn.13554>

Kaufling, J., Veinante, P., Pawlowski, S. A., Freund-Mercier, M. J., & Barrot, M. (2010).  $\gamma$ -Aminobutyric acid cells with cocaine-induced  $\Delta$ FosB in the ventral tegmental area innervate mesolimbic neurons. *Biological Psychiatry*, 67(1), 88-92. doi.

Kaufling, J., Waltisperger, E., Bourdy, R., Valera, A., Veinante, P., Freund-Mercier, M.-J., & Barrot, M. (2010). Pharmacological recruitment of the GABAergic tail of the ventral tegmental area by acute drug exposure. *British Journal of Pharmacology*, no-no. doi: 10.1111/j.1476-5381.2010.00984.x. <http://dx.doi.org/10.1111/j.1476-5381.2010.00984.x>

Kaufman, J. A., Ahrens, E. T., Laidlaw, D. H., Zhang, S., & Allman, J. M. (2005). Anatomical analysis of an aye-aye brain (*Daubentonia madagascariensis*, primates: Prosimii) combining histology, structural magnetic resonance imaging, and diffusion-tensor imaging. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 287(1), 1026-1037. doi.

Kaur, S., Junek, A., Black, M. A., & Semba, K. (2008). Effects of Ibotenate and 192IgG-Saporin Lesions of the Nucleus Basalis Magnocellularis/Substantia Innominata on Spontaneous Sleep and Wake States and on Recovery Sleep after Sleep Deprivation in Rats. *Journal of Neuroscience*, 28(2), 491-504. doi: 10.1523/jneurosci.1585-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/2/491>

Kauser, H., Sahu, S., Kumar, S., & Panjwani, U. (2013). Guanfacine is an effective countermeasure for hypobaric hypoxia induced cognitive decline. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.09.023>. <http://www.sciencedirect.com/science/article/pii/S0306452213007951>

Kauser, H., Sahu, S., & Panjwani, U. (2016). Guanfacine promotes neuronal survival in medial prefrontal cortex under hypobaric hypoxia. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.01.053>. <http://www.sciencedirect.com/science/article/pii/S0006899316300300>

Kawabe, T., Chitravanshi, V. C., Kawabe, K., & Sapru, H. N. (2008). Cardiovascular function of a glutamatergic projection from the hypothalamic paraventricular nucleus to the nucleus tractus solitarius in the rat. *Neuroscience*, 153(3), 605-617. doi.

Kawabe, T., Iwasa, M., Kawabe, K., & Sapru, H. N. (2016). Attenuation of angiotensin type 2 receptor function in the rostral ventrolateral medullary pressor area of the spontaneously hypertensive rat. *Clinical and Experimental Hypertension*, 1-9. doi: <http://www.tandfonline.com/doi/abs/10.3109/10641963.2015.1081229>

Kawabe, T., Kawabe, K., & Sapru, H. N. (2012). Cardiovascular Responses to Chemical Stimulation of the Hypothalamic Arcuate Nucleus in the Rat: Role of the Hypothalamic Paraventricular Nucleus. *PLoS ONE*, 7(9), e45180. doi: 10.1371/journal.pone.0045180. <http://dx.doi.org/10.1371%2Fjournal.pone.0045180>

Kawabe, T., Kawabe, K., & Sapru, H. N. (2012). Effect of Barodenervation on Cardiovascular Responses Elicited from the Hypothalamic Arcuate Nucleus of the Rat. *PLoS ONE*, 7(12), e53111. doi: 10.1371/journal.pone.0053111. <http://dx.doi.org/10.1371%2Fjournal.pone.0053111>

Kawaguchi, Y., Karube, F., & Kubota, Y. (2006). Dendritic Branch Typing and Spine Expression Patterns in Cortical Nonpyramidal Cells. *Cerebral Cortex*, 16696-16711. doi.

Kawanai, T., Ago, Y., Watanabe, R., Inoue, A., Taruta, A., Onaka, Y., . . . Takuma, K. (2016). Prenatal Exposure to Histone Deacetylase Inhibitors Affects Gene Expression of Autism-Related Molecules and Delays Neuronal Maturation. [journal article]. *Neurochemical Research*, 1-11. doi: 10.1007/s11064-016-1969-y. <http://dx.doi.org/10.1007/s11064-016-1969-y>

Ke, M.-T., & Imai, T. (2001). Optical Clearing of Fixed Brain Samples Using SeeDB Current Protocols in Neuroscience: John Wiley & Sons, Inc.

Ke, M.-T., Nakai, Y., Fujimoto, S., Takayama, R., Yoshida, S., Kitajima, Tomoya S., . . . Imai, T. (2016). Super-Resolution Mapping of Neuronal Circuitry With an Index-Optimized Clearing Agent. *Cell Reports*. doi: 10.1016/j.celrep.2016.02.057. <http://dx.doi.org/10.1016/j.celrep.2016.02.057>

Kecskes, S., Kőszeghy, Á., Szücs, G., Rusznák, Z., Matesz, C., & Birinyi, A. (2012). Three-dimensional reconstruction and quantitative morphometric analysis of pyramidal and giant neurons of the rat dorsal cochlear nucleus. *Brain Structure and Function*, 1-14. doi: 10.1007/s00429-012-0457-7. <http://dx.doi.org/10.1007/s00429-012-0457-7>

Kecskes, S., Matesz, C., & Birinyi, A. (2013). Termination of trigeminal primary afferents on glossopharyngeal–vagal motoneurons: Possible neural networks underlying the swallowing phase and visceromotor responses of prey-catching behavior. *Brain Research Bulletin*, (0). doi: <http://dx.doi.org/10.1016/j.brainresbull.2013.09.006>. <http://www.sciencedirect.com/science/article/pii/S0361923013001457>

Kecskes, S., Matesz, C., Gaál, B., & Birinyi, A. (2015). Neural circuits underlying tongue movements for the prey-catching behavior in frog: distribution of primary afferent terminals on motoneurons supplying the tongue. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-014-0988-1. <http://dx.doi.org/10.1007/s00429-014-0988-1>

Keenan, T. M., Hooker, A., Spilker, M. E., Li, N., Boggy, G. J., Vicini, P., & Folch, A. (2006). Automated identification of axonal growth cones in time-lapse image sequences. *Journal of Neuroscience Methods*, 151(2), 232-238. doi.

Keil, K. P., Sethi, S., Wilson, M. D., Silverman, J. L., Pessah, I. N., & Lein, P. J. (2018). Genetic mutations in Ca<sup>2+</sup> signaling alter dendrite morphology and social approach in juvenile mice.

Genes, Brain and Behavior, 0(ja), e12526. doi:  
doi:10.1111/gbb.12526. <https://onlinelibrary.wiley.com/doi/abs/10.1111/gbb.12526>

Keith, R. E., Azcarate, J. M., Keith, M. J., Hung, C. W., Badakhsh, M. F., & Dumas, T. C. (2019). Direct Intracellular Signaling by the Carboxy terminus of NMDA Receptor GluN2 Subunits Regulates Dendritic Morphology in Hippocampal CA1 Pyramidal Neurons. *Neuroscience*, 396, 138-153. doi: <https://doi.org/10.1016/j.neuroscience.2018.11.021>. <http://www.sciencedirect.com/science/article/pii/S0306452218307528>

Kelava, I., Reillo, I., Murayama, A. Y., Kalinka, A. T., Stenzel, D., Tomancak, P., . . . others. (2012). Abundant occurrence of basal radial glia in the subventricular zone of embryonic neocortex of a lissencephalic primate, the common marmoset *Callithrix jacchus*. *Cerebral Cortex*, 22(2), 469-481. doi.

Keller, A., Arissian, K., & Asanuma, H. (1992). Synaptic proliferation in the motor cortex of adult cats after long-term thalamic stimulation. *Journal of Neurophysiology*, 68(1), 295-308. doi.

Keller, A., & Asanuma, H. (1993). Synaptic relationships involving local axon collaterals of pyramidal neurons in the cat motor cortex. *Journal of Comparative Neurology*, 336, 229-242. doi.

Keller, A., Carlson, G. C., & others. (1999). Neonatal whisker clipping alters intracortical, but not thalamocortical projections, in rat barrel cortex. *Journal of Comparative Neurology*, 412(1), 83-94. doi.

Keller, A., Weintraub, N. D., & Miyashita, E. (1996). Tactile experience determines the organization of movement representations in rat motor cortex. *Neuroreport*, 7, 2373-2378. doi.

Kelsch, W., Li, Z., Eliava, M., Goengrich, C., & Monyer, H. (2012). GluN2B-Containing NMDA Receptors Promote Wiring of Adult-Born Neurons into Olfactory Bulb Circuits. *Journal of Neuroscience*, 32(36), 12603-12611. doi: 10.1523/jneurosci.1459-12.2012. <http://www.jneurosci.org/content/32/36/12603.abstract>

Kelsch, W., Li, Z., Wieland, S., Senkov, O., Herb, A., Göngrich, C., & Monyer, H. (2014). GluN2B-Containing NMDA Receptors Promote Glutamate Synapse Development in Hippocampal Interneurons. *The Journal of Neuroscience*, 34(48), 16022-16030. doi. <http://www.jneurosci.org/content/34/48/16022.short>

Kelsch, W., Mosley, C. P., Lin, C.-W., & Lois, C. (2007). Distinct Mammalian Precursors Are Committed to Generate Neurons with Defined Dendritic Projection Patterns. *PLoS Biology*, 5(11), e300. doi. <http://dx.doi.org/10.1371/journal.pbio.0050300>

Kempermann, G., & Gage, F. H. (2002). Genetic determinants of adult hippocampal neurogenesis correlate with acquisition, but not probe trial performance, in the water maze task. *European Journal of Neuroscience*, 16(1), 129. doi.

Kempermann, G., Kuhn, H. G., & Gage, F. H. (1997). Genetic influence on neurogenesis in the dentate gyrus of adult mice. *Proceedings of the National Academy of Sciences*, 94(19), 10409-10414. doi.

Kempermann, G., Kuhn, H. G., & Gage, F. H. (1998). Experience-Induced Neurogenesis in the Senescent Dentate Gyrus. *Journal of Neuroscience*, 18(9), 3206-3212. doi. <http://www.jneurosci.org/cgi/content/abstract/18/9/3206>

Kempainen, S., & Pitkänen, A. (2000). Distribution of parvalbumin, calretinin, and calbindin-D28k immunoreactivity in the rat amygdaloid complex and colocalization with  $\gamma$ -aminobutyric acid. *Journal of Comparative Neurology*, 426(3), 441-467. doi.

Kempainen, S., & Pitkänen, A. (2004). Damage to the amygdalo-hippocampal projection in temporal lobe epilepsy: A tract-tracing study in chronic epileptic rats. *Neuroscience*, 126(2), 485-501. doi.

Keniston, L. P., Allman, B. L., Meredith, M. A., & Clemo, H. R. (2009). Somatosensory and multisensory properties of the medial bank of the ferret rostral suprasylvian sulcus. *Experimental Brain Research*, 196(2), 239-251. doi.

Kennedy, A. L., & Mawe, G. M. (1998). Duodenal Sensory Neurons Project to Sphincter of Oddi Ganglia in Guinea Pig. *Journal of Neuroscience*, 18(19), 8065-8073. doi. <http://www.jneurosci.org/cgi/content/abstract/18/19/8065>

Kennedy, P. J., & Shapiro, M. L. (2004). Retrieving Memories via Internal Context Requires the Hippocampus. *Journal of Neuroscience*, 24(31), 6979-6985. doi: 10.1523/jneurosci.1388-04.2004. <http://www.jneurosci.org/cgi/content/abstract/24/31/6979>

Kennedy, W. R. (2004). Opportunities afforded by the study of unmyelinated nerves in skin and other organs. *Muscle and Nerve*, 29(6), 756-767. doi.

Kennedy, W. R., Vanhove, G. F., Tobias, J., Bley, K. R., Walk, D., Wendelschafer-Crabb, G., . . . Group., N.-C. S. (2010). A Randomized Controlled Open-Label Study of the Long-term Effects of NGX-4010, a High-Concentration Capsaicin Patch, on Epidermal Nerve Fiber Density and Sensory Function in Healthy Volunteers. *Journal of Pain*, 11, 579-587. doi.

Kennedy, W. R., Wendelschafer-Crabb, G., & Johnson, T. (1996). Quantitation of epidermal nerves in diabetic neuropathy. *Neurology*, 47, 1042-1048. doi.

Kennedy, W. R., Wendelschafer-Crabb, G., Johnson, T., & Nolano, M. (1999). A skin blister method to study epidermal nerves in peripheral nerve disease. *Muscle and Nerve*, 22, 360-371. doi.

Kennedy, W. R., Wendelschafer-Crabb, G., Polydefkis, M., & McArthur, J. (2005). Pathology and Quantitation of Cutaneous Innervation. *Peripheral Neuropathy*, (4th Edition, Editors: Dyck & Thomas, Saunders Press). doi.

Kenny, S. L., Wright, L. D., Green, A. D., Mashoodh, R., & Perrot, T. S. (2013). Expression of maternal behavior and activation of the bed nucleus of the stria terminalis during predatory

threat exposure: Modulatory effects of transport stress. *Physiology and Behavior*, (0).  
doi: <http://dx.doi.org/10.1016/j.physbeh.2013.08.024>. <http://www.sciencedirect.com/science/article/pii/S0031938413002734>

Kent, M., Bardi, M., Hazelgrove, A., Sewell, K., Kirk, E., Thompson, B., . . . Lambert, K. (2017). Profiling coping strategies in male and female rats: Potential neurobehavioral markers of increased resilience to depressive symptoms. *Hormones and Behavior*, 95, 33-43.  
doi: <http://dx.doi.org/10.1016/j.yhbeh.2017.07.011>. <http://www.sciencedirect.com/science/article/pii/S0018506X16305505>

Kent, M., Scott, S., Lambert, S., Kirk, E., Terhune-Cotter, B., Thompson, B., . . . Lambert, K. (2018). Contingency Training Alters Neurobiological Components of Emotional Resilience in Male and Female Rats. *Neuroscience*.  
doi: <https://doi.org/10.1016/j.neuroscience.2018.06.010>. <http://www.sciencedirect.com/science/article/pii/S0306452218304214>

Kenyon, K. A., Bushong, E. A., Mauer, A. S., Strehler, E. E., Weinberg, R. J., & Burette, A. C. (2010). Cellular and subcellular localization of the neuron-specific plasma membrane calcium ATPase PMCA1a in the rat brain. *Journal of Comparative Neurology*, 518(16), 3169-3183. doi.

Keren, N., Bar-Yehuda, D., & Korngreen, A. (2009). Experimentally guided modeling of dendritic excitability in rat neocortical pyramidal neurons. *Journal of Physiology*, jphysiol.2008.167130. doi: 10.1113/jphysiol.2008.167130. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.167130v1>

Kerloch, T., Clavreul, S., Goron, A., Abrous, D. N., & Pacary, E. (2018). Dentate Granule Neurons Generated During Perinatal Life Display Distinct Morphological Features Compared With Later-Born Neurons in the Mouse Hippocampus. *Cerebral Cortex*, bhy224-bhy224. doi: 10.1093/cercor/bhy224. <http://dx.doi.org/10.1093/cercor/bhy224>

Kern, H., Boncompagni, S., Rossigni, K., Mayr, W., Protasi, F., & Carraro, U. (2004). Myogenesis contributes to functional electrical stimulation (fes)-induced recovery of myofiber excitability and mass of human long-term denervated muscles in spinal cord injury (SCI). *Journal of the Peripheral Nervous System*, 9(2), 116-116. doi.

Kerr, A. L., Wolke, M. L., Bell, J. A., & Jones, T. A. (2013). Post-stroke protection from maladaptive effects of learning with the non-paretic forelimb by bimanual home cage experience in C57BL/6 mice. *Behavioural Brain Research*, (0).  
doi: <http://dx.doi.org/10.1016/j.bbr.2013.05.062>. <http://www.sciencedirect.com/science/article/pii/S0166432813003410>

Kerr, J. N. D., de Kock, C. P. J., Greenberg, D. S., Bruno, R. M., Sakmann, B., & Helmchen, F. (2007). Spatial Organization of Neuronal Population Responses in Layer 2/3 of Rat Barrel Cortex. *Journal of Neuroscience*, 27(48), 13316-13328. doi: 10.1523/jneurosci.2210-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/48/13316>



Kerr, K. M., Agster, K. L., Furtak, S. C., & Burwell, R. D. (2007). Functional neuroanatomy of the parahippocampal region: the lateral and medial entorhinal areas. *Hippocampus*, 17(9), 697-708. doi.

Kerrisk, M. E., Greer, C. A., & Koleske, A. J. (2013). Integrin  $\alpha 3$  Is Required for Late Postnatal Stability of Dendrite Arbors, Dendritic Spines and Synapses, and Mouse Behavior. *Journal of Neuroscience*, 33(16), 6742-6752. doi: 10.1523/jneurosci.0528-13.2013. <http://www.jneurosci.org/content/33/16/6742.abstract>

Keshavarzi, S., Power, J. M., Albers, E. H., Sullivan, R. K., & Sah, P. (2015). Dendritic Organization of Olfactory Inputs to Medial Amygdala Neurons. *The Journal of Neuroscience*, 35(38), 13020-13028. doi: <http://www.jneurosci.org/content/35/38/13020.abstract#>

Keshavarzi, S., Sullivan, R. K., Ianno, D. J., & Sah, P. (2014). Functional Properties and Projections of Neurons in the Medial Amygdala. *The Journal of Neuroscience*, 34(26), 8699-8715. doi: <http://www.jneurosci.org/content/34/26/8699.short>

Kettenmann, H., Hanisch, U., Noda, M., & Verkhratsky, A. (2011). Physiology of microglia. *Physiological Reviews*, 91, 461 - 553. doi.

Keyser-Marcus, L., Stafisso-Sandoz, G., Gerecke, K., Jasnow, A., Nightingale, L., Lambert, K. G., . . . Kinsley, C. H. (2001). Alterations of medial preoptic area neurons following pregnancy and pregnancy-like steroidal treatment in the rat. *Brain Research Bulletin*, 55(6), 737-745. doi.

Kha, H. T., Finkelstein, D. I., Tomas, D., Drago, J., Pow, D. V., & Horne, M. K. (2001). Projections from the substantia nigra pars reticulata to the motor thalamus of the rat: single axon reconstructions and immunohistochemical study. *Journal of Comparative Neurology*, 440(1), 20-30. doi.

Khalansky, A. S., Hekmatara, T., Barnreuther, C., Rubtsov, B. V., Kondakova, L. I., Matschke, J., . . . Shvets, V. I. (2011). Morphological Evaluation of the Antitumour Effect of the Nanoparticle-Bound Doxorubicin in a Rat Glioblastoma Model. *Russian Journal of Biopharmaceuticals*, 3(2), 41-50. doi.

Khalil, R., Contreras-Ramirez, V., & Levitt, J. B. (2018). Postnatal refinement of interareal feedforward projections in ferret visual cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1632-2. <https://doi.org/10.1007/s00429-018-1632-2>

Khalil, R., & Levitt, J. B. (2014). Developmental remodeling of corticocortical feedback circuits in ferret visual cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23591. <http://dx.doi.org/10.1002/cne.23591>

Khalilov, I., Esclapez, M., Medina, I., Aggoun, D., Lamsa, K., Leinekugel, X., . . . Ben-Ari, Y. (1997). A novel in vitro preparation: the intact hippocampal formation. *Neuron*, 19(4), 743-749. doi.

Khalilq, Z. M., & Raman, I. M. (2006). Relative Contributions of Axonal and Somatic Na Channels to Action Potential Initiation in Cerebellar Purkinje Neurons. *Journal of*

Neuroscience, 26(7), 1935-1944. doi: 10.1523/jneurosci.4664-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/7/1935>

Khalki, L., Sadlaoud, K., Lerond, J., Coq, J.-O., Brezun, J.-M., Vinay, L., . . . Bras, H. (2018). Changes in innervation of lumbar motoneurons and organization of premotor network following training of transected adult rats. *Experimental Neurology*, 299(Part A), 1-14. doi: <https://doi.org/10.1016/j.expneurol.2017.09.002>. <http://www.sciencedirect.com/science/article/pii/S0014488617302327>

Khankan, R. R., Griffis, K. G., Haggerty-Skeans, J. R., Zhong, H., Roy, R. R., Edgerton, V. R., & Phelps, P. E. (2016). Olfactory Ensheathing Cell Transplantation after a Complete Spinal Cord Transection Mediates Neuroprotective and Immunomodulatory Mechanisms to Facilitate Regeneration. *The Journal of Neuroscience*, 36(23), 6269-6286. doi: <http://www.jneurosci.org/content/36/23/6269.short>

Khankan, R. R., Wanner, I. B., & Phelps, P. E. (2015). Olfactory ensheathing cell–neurite alignment enhances neurite outgrowth in scar-like cultures. *Experimental Neurology*, 269(0), 93-101. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.03.025>. <http://www.sciencedirect.com/science/article/pii/S0014488615001016>

Kharatishvili, I., Nissinen, J. P., McIntosh, T. K., & Pitkänen, A. (2006). A model of posttraumatic epilepsy induced by lateral fluid-percussion brain injury in rats. *Neuroscience*, 140(2), 685-697. doi.

Kharatishvili, I., & Pitkänen, A. (2010). Association of the severity of cortical damage with the occurrence of spontaneous seizures and hyperexcitability in an animal model of posttraumatic epilepsy. *Epilepsy Research*, 90(1-2), 47-59. doi.

Khazipov, R., Esclapez, M., Caillard, O., Bernard, C., Khalilov, I., Tyzio, R., . . . Ben-Ari, Y. (2001). Early Development of Neuronal Activity in the Primate Hippocampus In Utero. *Journal of Neuroscience*, 21(24), 9770-9781. doi: <http://www.jneurosci.org/cgi/content/abstract/21/24/9770>

Kherlopian, A., Song, T., Duan, Q., Neimark, M., Po, M., Gohagan, J., & Laine, A. (2008). A review of imaging techniques for systems biology. *BMC Systems Biology*, 2(1), 74. doi: <http://www.biomedcentral.com/1752-0509/2/74>

Khodr, C. E., Pedapati, J., Han, Y., & Bohn, M. C. (2011). Inclusion of a portion of the native SNCA 3'UTR reduces toxicity of human S129A SNCA on striatal-projecting dopamine neurons in rat substantia nigra. *Developmental Neurobiology*. doi.

Khodr, C. E., Sapru, M. K., Pedapati, J., Han, Y., West, N. C., Kells, A. P., . . . Bohn, M. C. (2011). An alpha-synuclein AAV gene silencing vector ameliorates a behavioral deficit in a rat model of Parkinson's disease, but displays toxicity in dopamine neurons. *Brain Research*. doi.

Kholodar-Smith, D. B., Allen, T. A., & Brown, T. H. (2008). Fear conditioning to discontinuous auditory cues requires perirhinal cortical function. *Behavioral Neuroscience*, 122(5), 1178-1178. doi.

Kholodar-Smith, D. B., Boguszewski, P., & Brown, T. H. (2008). Auditory trace fear conditioning requires perirhinal cortex. *Neurobiology of Learning and Memory*, 90(3), 537-543. doi.

Kholodilov, N., Yarygina, O., Oo, T. F., Zhang, H., Sulzer, D., Dauer, W., & Burke, R. E. (2004). Regulation of the Development of Mesencephalic Dopaminergic Systems by the Selective Expression of Glial Cell Line-Derived Neurotrophic Factor in Their Targets. *Journal of Neuroscience*, 24(12), 3136-3146. doi: 10.1523/jneurosci.4506-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/12/3136>

Khorevin, V. I. (2008). Central projections of the lagena (the third otolith endorgan of the inner ear) in the pigeon. *Neurophysiology*, 40(3), 167-177. doi.

Khoshvakhti, H., Yurt, K. K., Altunkaynak, B. Z., Türkmen, A. P., Elibol, E., Aydın, I., . . . Kaplan, S. (2015). Effects of melatonin on diclofenac sodium treated rat kidney: a stereological and histopathological study. *Renal Failure*, (ahead-of-print), 1-5. doi. <http://www.tandfonline.com/doi/abs/10.3109/0886022X.2015.1073556>

Khosrovani, S., Van Der Giessen, R. S., De Zeeuw, C. I., & De Jeu, M. T. G. (2007). In vivo mouse inferior olive neurons exhibit heterogeneous subthreshold oscillations and spiking patterns. *Proceedings of the National Academy of Sciences*, 104(40), 15911-15916. doi: 10.1073/pnas.0702727104. <http://www.pnas.org/cgi/content/abstract/104/40/15911>

Khundadze, M., Kollmann, K., Koch, N., Biskup, C., Nietzsche, S., Zimmer, G., . . . Hübner, C. A. (2013). A Hereditary Spastic Paraplegia Mouse Model Supports a Role of ZFYVE26/SPASTIZIN for the Endolysosomal System. *PLoS Genet*, 9(12), e1003988. doi: 10.1371/journal.pgen.1003988. <http://dx.doi.org/10.1371%2Fjournal.pgen.1003988>

Khurshid, N., Agarwal, V., & Iyengar, S. (2009). Expression of  $\mu$ - and  $\delta$ -opioid receptors in song control regions of adult male zebra finches (*Taenopygia guttata*). *Journal of Chemical Neuroanatomy*, 37(3), 158-169. doi.

Khurshid, N., Hameed, L. S., Mohanasundaram, S., & Iyengar, S. (2010). Opioid modulation of cell proliferation in the ventricular zone of adult zebra finches (*Taenopygia guttata*). *The FASEB journal*, 24(10), 3681-3695. doi.

Kichula, E. A., & Huntley, G. W. (2008). Developmental and comparative aspects of posterior medial thalamocortical innervation of the barrel cortex in mice and rats. *Journal of Comparative Neurology*, 509(3), 239-258. doi.

Kiechle, T., Dedeoglu, A., Kubilus, J., Kowall, N. W., Beal, M. F., Friedlander, R. M., . . . Ferrante, R. J. (2002). Cytochrome C and caspase-9 expression in Huntington's disease. *Neuromolecular Medicine*, 1(3), 183-195. doi.

Kiffer, F., Alexander, T., Anderson, J. E., Groves, T., Wang, J., Sridharan, V., . . . Allen, A. R. (2019). Late Effects of <sup>16</sup>O-Particle Radiation on Female Social and Cognitive Behavior and Hippocampal Physiology. *Radiation Research*, 0(0), null. doi: 10.1667/rr15092.1. <http://www.rrjournal.org/doi/abs/10.1667/RR15092.1>

Kiffer, F., Carr, H., Groves, T., Anderson, J. E., Alexander, T., Wang, J., . . . Allen, A. R. (2017). Effects of 1H + 16O Charged Particle Irradiation on Short-Term Memory and Hippocampal Physiology in a Murine Model. *Radiation Research*, 0(0), null. doi: 10.1667/rr14843.1. <http://www.rjournal.org/doi/abs/10.1667/RR14843.1>

Kiffer, F., Howe, A. K., Carr, H., Wang, J., Alexander, T., Anderson, J. E., . . . Allen, A. R. (2018). Late effects of 1H irradiation on hippocampal physiology. *Life Sciences in Space Research*, 17, 51-62. doi: <https://doi.org/10.1016/j.lssr.2018.03.004>. <https://www.sciencedirect.com/science/article/pii/S2214552417301141>

Kikuta, S., Sakamoto, T., Nagayama, S., Kanaya, K., Kinoshita, M., Kondo, K., . . . Yamasoba, T. (2015). Sensory Deprivation Disrupts Homeostatic Regeneration of Newly Generated Olfactory Sensory Neurons after Injury in Adult Mice. *The Journal of Neuroscience*, 35(6), 2657-2673. doi: <http://www.jneurosci.org/content/35/6/2657.short>

Kikuta, S., Sato, K., Kashiwadani, H., Tsunoda, K., Yamasoba, T., & Mori, K. (2010). Neurons in the anterior olfactory nucleus pars externa detect right or left localization of odor sources. *Proceedings of the National Academy of Sciences*, 107(27), 12363-12368. doi: 10.1073/pnas.1003999107. <http://www.pnas.org/content/107/27/12363.abstract>

Kilb, W., Hartmann, D., Saftig, P., & Luhmann, H. J. (2004). Altered morphological and electrophysiological properties of Cajal-Retzius cells in cerebral cortex of embryonic Presenilin-1 knockout mice. *European Journal of Neuroscience*, 20(10), 2749-2756. doi: 10.1111/j.1460-9568.2004.03732.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03732.x>

Kilb, W., Kirischuk, S., & Luhmann, H. J. (2011). Electrical activity patterns and the functional maturation of the neocortex. *European Journal of Neuroscience*, 34(10), 1677-1686. doi.

Kim, C. B. Y., Pier, L. P., & Spear, P. D. (1997). Effects of aging on numbers and sizes of neurons in histochemically defined subregions of monkey striate cortex. *The Anatomical Record*, 247(1), 119-128. doi: [http://dx.doi.org/10.1002/\(SICI\)1097-0185\(199701\)247:1<119::AID-AR14>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0185(199701)247:1<119::AID-AR14>3.0.CO;2-S)

Kim, C. B. Y., Tom, B. W., & Spear, P. D. (1996). Effects of aging on the densities, numbers, and sizes of retinal ganglion cells in rhesus monkey. *Neurobiology of Aging*, 17(3), 431-438. doi.

Kim, Euseok J., Juavinett, Ashley L., Kyubwa, Espoir M., Jacobs, Matthew W., & Callaway, Edward M. (2015). Three Types of Cortical Layer 5 Neurons That Differ in Brain-wide Connectivity and Function. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.11.002>. <http://www.sciencedirect.com/science/article/pii/S0896627315009812>

Kim, E. R., Lew, P. S., Spirkina, A., & Mizuno, T. M. (2016). Xenin-induced feeding suppression is not mediated through the activation of central extracellular signal-regulated kinase signaling in mice. *Behavioural Brain Research*, 312, 118-126. doi: <http://dx.doi.org/10.1016/j.bbr.2016.06.026>. <http://www.sciencedirect.com/science/article/pii/S0166432816303801>

Kim, E. S., Kim, G. M., Lu, X., Hsu, C. Y., & Xu, X. M. (2002). Neural circuitry of the adult rat central nervous system after spinal cord injury: a study using fast blue and the Bartha strain of pseudorabies virus. *Journal of Neurotrauma*, 19(6), 787-800. doi.

Kim, E. S., Li, H., McCulloch, P. F., Morrison, L. A., Yoon, K. W., & Xu, X. M. (2000). Spatial and temporal patterns of transneuronal labeling in CNS neurons after injection of pseudorabies virus into the sciatic nerve of adult rats. *Brain Research*, 857(1-2), 41-55. doi.

Kim, G.-M., Xu, J., Xu, J., Song, S.-K., Yan, P., Ku, G., . . . Hsu, C. Y. (2001). Tumor Necrosis Factor Receptor Deletion Reduces Nuclear Factor- $\kappa$ B Activation, Cellular Inhibitor of Apoptosis Protein 2 Expression, and Functional Recovery after Traumatic Spinal Cord Injury. *Journal of Neuroscience*, 21(17), 6617-6625. doi. <http://www.jneurosci.org/cgi/content/abstract/21/17/6617>

Kim, H. C., Yamada, K., Nitta, A., Olariu, A., Tran, M. H., Mizuno, M., . . . others. (2003). Immunocytochemical evidence that amyloid  $\beta$ (1-42) impairs endogenous antioxidant systems in vivo. *Neuroscience*, 119(2), 399-419. doi.

Kim, H. G., & Connors, B. W. (1993). Apical dendrites of the neocortex: correlation between sodium- and calcium-dependent spiking and pyramidal cell morphology. *Journal of Neuroscience*, 13(12), 5301-5311. doi. <http://www.jneurosci.org/cgi/content/abstract/13/12/5301>

Kim, H. H., Puche, A. C., & Margolis, F. L. (2006). Odorant Deprivation Reversibly Modulates Transsynaptic Changes in the NR2B-Mediated CREB Pathway in Mouse Piriform Cortex. *Journal of Neuroscience*, 26(37), 9548-9559. doi: 10.1523/jneurosci.1727-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/37/9548>

Kim, I., Wilson, R. E., & Wellman, C. L. (2005). Aging and cholinergic deafferentation alter GluR1 expression in rat frontal cortex. *Neurobiology of Aging*, 26(7), 1073-1081. doi.

Kim, J., Matney, C. J., Roth, R. H., & Brown, S. P. (2016). Synaptic Organization of the Neuronal Circuits of the Claustrum. *The Journal of Neuroscience*, 36(3), 773-784. doi. <http://www.jneurosci.org/content/36/3/773.short>

Kim, J., Schalk, J. C., Koss, W. A., Gremminger, R. L., Taxier, L. R., Gross, K. S., & Frick, K. M. (2019). Dorsal Hippocampal Actin Polymerization is Necessary for Activation of G-protein-Coupled Estrogen Receptor (GPER) to Increase CA1 Dendritic Spine Density and Enhance Memory Consolidation. *The Journal of Neuroscience*, 2687-2618. doi: 10.1523/jneurosci.2687-18.2019. <http://www.jneurosci.org/content/early/2019/10/18/JNEUROSCI.2687-18.2019..>

Kim, J. C., & Mankarious, L. A. (2000). Novel cell proliferation marker for identification of a growth center in the developing human cricoid. *Archives of Otolaryngology- Head and Neck Surgery*, 126(2), 197-197. doi.

Kim, Jung H., Wang, X., Coolon, R., & Ye, B. (2013). Dscam Expression Levels Determine Presynaptic Arbor Sizes in Drosophila Sensory Neurons. *Neuron*, 78(5), 827-838.

doi: <http://dx.doi.org/10.1016/j.neuron.2013.05.020>. <http://www.sciencedirect.com/science/article/pii/S0896627313004406>

Kim, J.-Y., Ash, R. T., Ceballos-Diaz, C., Levites, Y., Golde, T. E., Smirnakis, S. M., & Jankowsky, J. L. (2013). Viral transduction of the neonatal brain delivers controllable genetic mosaicism for visualising and manipulating neuronal circuits in vivo. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12126. <http://dx.doi.org/10.1111/ejn.12126>

Kim, K. Y., Ju, W. K., Hegedus, B., Gutmann, D. H., & Ellisman, M. H. (2010). Ultrastructural characterization of the optic pathway in a mouse model of neurofibromatosis-1 optic glioma. *Neuroscience*, 170(1), 178-188. doi.

Kim, M., Chiego, D. J., & Bradley, R. M. (2004). Morphology of parasympathetic neurons innervating rat lingual salivary glands. *Autonomic Neuroscience*, 111(1), 27-36. doi.

Kim, M., Chiego, D. J., & Bradley, R. M. (2008). Ionotropic glutamate receptor expression in preganglionic neurons of the rat inferior salivatory nucleus. *Autonomic Neuroscience*, 138(1), 83-90. doi.

Kim, M. E., Shrestha, B. R., Blazeski, R., Mason, C. A., & Grueber, W. B. (2012). Integrins Establish Dendrite-Substrate Relationships that Promote Dendritic Self-Avoidance and Patterning in *Drosophila* Sensory Neurons. *Neuron*, 73(1), 79-91. doi.

Kim, S. K., Hwang, I. K., Yoo, K. Y., Yoo, D. Y., Bae, E., Lee, C. H., . . . others. (2010). Pregnancy inhibits cell proliferation and neuroblast differentiation without neuronal damage in the hippocampal dentate gyrus in C57BL/6N mice. *Brain Research*, 1315, 25-32. doi.

Kim, S. Y., Hsu, J. E., Husbands, L. C., Kleim, J. A., & Jones, T. A. (2017). Coordinated plasticity of synapses and astrocytes underlies practice-driven functional vicariation in peri-infarct motor cortex. [10.1523/JNEUROSCI.1295-17.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/11/13/JNEUROSCI.1295-17.2017...>

Kim, S. Y., & Jones, T. A. (2010). Lesion size-dependent synaptic and astrocytic responses in cortex contralateral to infarcts in middle-aged rats. *Synapse*, 64(9), 659-671. doi.

Kim, S. Y., & Jones, T. A. (2012). The effects of ceftriaxone on skill learning and motor functional outcome after ischemic cortical damage in rats. *Restorative Neurology and Neuroscience*. doi.

Kim, T. H., Richards, K., Heng, J., Petrou, S., & Reid, C. A. (2012). Two lines of transgenic mice expressing cre-recombinase exhibit increased seizure susceptibility. *Epilepsy Research*, (0). doi: <http://dx.doi.org/10.1016/j.eplepsyres.2012.10.005>. <http://www.sciencedirect.com/science/article/pii/S0920121112003117>

Kim, W., Kim, D. W., Shin, B. N., Yoo, D. Y., Nam, S. M., Kim, M. J., . . . others. (2011). PEP-1-Frataxin Significantly Increases Cell Proliferation and Neuroblast Differentiation by Reducing Lipid Peroxidation in the Mouse Dentate Gyrus. *Neurochemical Research*, 1-7. doi.



Kimura, E., Ding, Y., & Tohyama, C. (2016). AhR signaling activation disrupts migration and dendritic growth of olfactory interneurons in the developing mouse. [Article]. *Scientific Reports*, 6, 26386. doi: 10.1038/srep26386. <http://dx.doi.org/10.1038/srep26386>

Kimura, E., Kubo, K.-i., Matsuyoshi, C., Benner, S., Hosokawa, M., Endo, T., . . . Tohyama, C. (2015). Developmental origin of abnormal dendritic growth in the mouse brain induced by in utero disruption of aryl hydrocarbon receptor signaling. *Neurotoxicology and Teratology*. doi: <http://dx.doi.org/10.1016/j.ntt.2015.10.005>. <http://www.sciencedirect.com/science/article/pii/S0892036215300398>

Kimura, E., Matsuyoshi, C., Miyazaki, W., Benner, S., Hosokawa, M., Yokoyama, K., . . . Tohyama, C. (2015). Prenatal exposure to bisphenol A impacts neuronal morphology in the hippocampal CA1 region in developing and aged mice. *Archives of Toxicology*, 1-10. doi. <http://link.springer.com/article/10.1007/s00204-015-1485-x/fulltext.html>

Kimura, T., Fukuda, T., Sahara, N., Yamashita, S., Murayama, M., Mizoroki, T., . . . Takashima, A. (2010). Aggregation of Detergent-insoluble Tau Is Involved in Neuronal Loss but Not in Synaptic Loss. *Journal of Biological Chemistry*, 285(49), 38692-38699. doi: 10.1074/jbc.M110.136630. <http://www.jbc.org/content/285/49/38692.abstract>

Kimura, T., & Murakami, F. (2014). Evidence That Dendritic Mitochondria Negatively Regulate Dendritic Branching in Pyramidal Neurons in the Neocortex. *The Journal of Neuroscience*, 34(20), 6938-6951. doi. <http://www.jneurosci.org/content/34/20/6938.short>

Kimura, T., Yamashita, S., Fukuda, T., Park, J.-M., Murayama, M., Mizoroki, T., . . . Takashima, A. (2007). Hyperphosphorylated tau in parahippocampal cortex impairs place learning in aged mice expressing wild-type human tau. *EMBO Journal*, 26, 5143-5152. doi.

King, C. T., Hashimoto, K., Blonde, G. D., & Spector, A. C. (2015). Unconditioned oromotor taste reactivity elicited by sucrose and quinine is unaffected by extensive bilateral damage to the gustatory zone of the insular cortex in rats. *Brain Research*, 1599(0), 9-19. doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.035>. <http://www.sciencedirect.com/science/article/pii/S0006899314017429>

King, C. T., Travers, S. P., Rowland, N. E., Garcea, M., & Spector, A. C. (1999). Glossopharyngeal Nerve Transection Eliminates Quinine-Stimulated Fos-Like Immunoreactivity in the Nucleus of the Solitary Tract: Implications for a Functional Topography of Gustatory Nerve Input in Rats. *Journal of Neuroscience*, 19(8), 3107-3121. doi. <http://www.jneurosci.org/cgi/content/abstract/19/8/3107>

King, L. A., Mitrophanous, K. A., Clark, L. A., Kim, V. N., Rohll, J. B., Kingsman, A. J., & Colello, R. J. (2000). Growth factor enhanced retroviral gene transfer to the adult central nervous system. *Gene Therapy*, 7, 1103-1111. doi.

Kingsbury, M. A., Graf, E. R., & Finlay, B. L. (2000). Altered development of visual subcortical projections following neonatal thalamic ablation in the hamster. *Journal of Comparative Neurology*, 424(1), 165-178. doi.

Kingsbury, M. A., Lettman, N. A., & Finlay, B. L. (2002). Reduction of early thalamic input alters adult corticocortical connectivity. *Developmental Brain Research*, 138(1), 35-43. doi.

Kinney, H. C., Belliveau, R. A., Trachtenberg, F. L., Rava, L. A., & Paterson, D. S. (2007). The development of the medullary serotonergic system in early human life. *Autonomic Neuroscience*, 132(1), 81-102. doi.

Kinney, H. C., Haynes, R. L., Xu, G., Andiman, S. E., Folkerth, R. D., Sleeper, L. A., & Volpe, J. J. (2012). Neuron deficit in the white matter and subplate in periventricular leukomalacia. *Annals of Neurology*. doi.

Kinoshita, Y., Kalir, T., Rahaman, J., Dottino, P., & Stave Kohtz, D. (2011). Alterations in nuclear pore architecture allow cancer cell entry into or exit from drug-resistant dormancy. *American journal of pathology*. doi.

Kinsley, C. H., Trainer, R., Stafisso-Sandoz, G., Quadros, P., Marcus, L. K., Hearon, C., . . . others. (2006). Motherhood and the hormones of pregnancy modify concentrations of hippocampal neuronal dendritic spines. *Hormones and Behavior*, 49(2), 131-142. doi.

Kipiani, E. (2009). Timing of action potentials and input currents in perisomatic and trilaminar interneurons during kainate induced gamma oscillations in mice CA1 hippocampus. *Georgian Medical News*, (170), 75-75. doi.

Kirischuk, S., Luhmann, H. J., & Kilb, W. (2014). Cajal–Retzius cells: Update on structural and functional properties of these mystic neurons that bridged the 20th century. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.06.009>. <http://www.sciencedirect.com/science/article/pii/S0306452214004941>

Kishan, A. U., Lee, C. C., & Winer, J. A. (2008). Branched projections in the auditory thalamocortical and corticocortical systems. *Neuroscience*, 154(1), 283-293. doi.

Kiss, J., Csaba, Z., Csáki, Á., & Halász, B. (2013). Demonstration of estrogen receptor  $\alpha$  protein in glutamatergic (vesicular glutamate transporter 2 immunoreactive) neurons of the female rat hypothalamus and amygdala using double-label immunocytochemistry. *Experimental Brain Research*, 1-8. doi.

Kiss, J., Maglóczy, Z., Somogyi, J., & Freund, T. F. (1997). Distribution of calretinin-containing neurons relative to other neurochemically-identified cell types in the medial septum of the rat. *Neuroscience*, 78(2), 399-410. doi.

Kisvárdy, Z. F., Bonhoeffer, T., Kim, D. S., & Eysel, U. T. (1996). Functional topography of horizontal neuronal networks in cat visual cortex (area 18). *Brain theory: biological basis and computational principles*, 97-122. doi.

Kisvárdy, Z. F., Crook, J. M., Buzás, P., & Eysel, U. T. (2000). Combined physiological-anatomical approaches to study lateral inhibition. *Journal of Neuroscience Methods*, 103(1), 91-106. doi.

Kisvárday, Z. F., Ferecskó, A. S., Kovács, K., Buzás, P., Budd, J. M. L., & Eysel, U. T. (2002). One axon-multiple functions: specificity of lateral inhibitory connections by large basket cells. *Journal of Neurocytology*, 31(3), 255-264. doi.

Kisvarday, Z. F., Toth, E., Rausch, M., & Eysel, U. T. (1997). Orientation-specific relationship between populations of excitatory and inhibitory lateral connections in the visual cortex of the cat. *Cerebral Cortex*, 7(7), 605-618. doi.

Kita, H. (1996). Two pathways between the cortex and the basal ganglia output nuclei and the globus pallidus. *Advances in Behavioral Biology*, 47, 77-96. doi.

Kitamura, A., Hojo, Y., Ikeda, M., Karakawa, S., Kuwahara, T., Kim, J., . . . Tsurugizawa, T. (2018). Ingested d-Aspartate Facilitates the Functional Connectivity and Modifies Dendritic Spine Morphology in Rat Hippocampus. *Cerebral Cortex*, bhy120-bhy120. doi: 10.1093/cercor/bhy120. <http://dx.doi.org/10.1093/cercor/bhy120>

Kiyama, T., Long, Y., Chen, C.-K., Whitaker, C. M., Shay, A., Wu, H., . . . Mao, C.-A. (2019). Essential Roles of Tbr1 in the Formation and Maintenance of the Orientation-Selective J-RGCs and a Group of OFF-Sustained RGCs in Mouse. *Cell Reports*, 27(3), 900-915.e905. doi: <https://doi.org/10.1016/j.celrep.2019.03.077>. <http://www.sciencedirect.com/science/article/pii/S2211124719304164>

Kiyashchenko, L. I., Mileykovskiy, B. Y., Lai, Y.-Y., & Siegel, J. M. (2001). Increased and Decreased Muscle Tone With Orexin (Hypocretin) Microinjections in the Locus Coeruleus and Pontine Inhibitory Area. *Journal of Neurophysiology*, 85(5), 2008-2016. doi. <http://jn.physiology.org/cgi/content/abstract/85/5/2008>

Kiyokage, E., Kobayashi, K., & Toida, K. (2016). Spatial distribution of synapses on tyrosine hydroxylase expressing juxtglomerular cells in the mouse olfactory glomerulus. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24147. <http://dx.doi.org/10.1002/cne.24147>

Kiyokage, E., Pan, Y. Z., Shao, Z., Kobayashi, K., Szabo, G., Yanagawa, Y., . . . others. (2010). Molecular identity of periglomerular and short axon cells. *Journal of Neuroscience*, 30(3), 1185-1196. doi.

Kiyokage, E., Pan, Y.-Z., Shao, Z., Kobayashi, K., Szabo, G., Yanagawa, Y., . . . Shipley, M. T. (2010). Molecular Identity of Periglomerular and Short Axon Cells. *Journal of Neuroscience* 30(3), 1185-1196. doi: 10.1523/jneurosci.3497-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/3/1185>

Kiyomoto, M., Shinoda, M., Okada-Ogawa, A., Noma, N., Shibuta, K., Tsuboi, Y., . . . Iwata, K. (2013). Fractalkine Signaling in Microglia Contributes to Ectopic Orofacial Pain following Trapezius Muscle Inflammation. *Journal of Neuroscience*, 33(18), 7667-7680. doi: 10.1523/jneurosci.4968-12.2013. <http://www.jneurosci.org/content/33/18/7667.abstract>

Kjonigsen, L. J., Leergaard, T. B., Witter, M. P., & Bjaalie, J. G. (2011). Digital atlas of anatomical subdivisions and boundaries of the rat hippocampal region. *Frontiers in neuroinformatics*, 5. doi.

Klam, F., & Graf, W. (2003). Vestibular response kinematics in posterior parietal cortex neurons of macaque monkeys. *European Journal of Neuroscience*, 18(4), 995-1010. doi: doi:10.1046/j.1460-9568.2003.02813.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02813.x>

Klam, F., & Graf, W. (2006). Discrimination between active and passive head movements by macaque ventral and medial intraparietal cortex neurons. *Journal of Physiology*, 574(2), 367-386. doi: 10.1113/jphysiol.2005.103697. <http://jp.physoc.org/cgi/content/abstract/574/2/367>

Klapka, N., Hermanns, S., Straten, G., Masannek, C., Duis, S., Hamers, F. P. T., . . . Muller, H. W. (2005). Suppression of fibrous scarring in spinal cord injury of rat promotes long-distance regeneration of corticospinal tract axons, rescue of primary motoneurons in somatosensory cortex and significant functional recovery. *European Journal of Neuroscience*, 22(12), 3047-3058. doi: doi:10.1111/j.1460-9568.2005.04495.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04495.x>

Klein, R. C., Acheson, S. K., Mace, B. E., Sullivan, P. M., & Moore, S. D. (2014). Altered neurotransmission in the lateral amygdala in aged human apoE4 targeted replacement mice. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2014.02.019>. <http://www.sciencedirect.com/science/article/pii/S0197458014002255>

Klein, R. C., Mace, B. E., Moore, S. D., & Sullivan, P. M. (2010). Progressive loss of synaptic integrity in human apolipoprotein E4 targeted replacement mice and attenuation by apolipoprotein E2. *Neuroscience*, 171(4), 1265-1272. doi.

Klein, R. C., Saini, S., Risher, M. L., Acheson, S. K., Fleming, R. L., Sexton, H. G., . . . Moore, S. D. (2014). Regional-Specific Effects of Ovarian Hormone Loss on Synaptic Plasticity in Adult Human APOE Targeted Replacement Mice. *PLoS ONE*, 9(4), e94071. doi: 10.1371/journal.pone.0094071. <http://dx.doi.org/10.1371%2Fjournal.pone.0094071>

Klenowski, P. M., Fogarty, M. J., Belmer, A., Noakes, P. G., Bellingham, M. C., & Bartlett, S. E. (2015). Structural and functional characterization of dendritic arbors and GABAergic synaptic inputs on interneurons and principal cells in the rat basolateral amygdala. [10.1152/jn.00824.2014]. *Journal of Neurophysiology*. doi. <http://jn.physiology.org/content/early/2015/06/01/jn.00824.2014.abstract>

Klenowski, P. M., Fogarty, M. J., Shariff, M., Belmer, A., Bellingham, M. C., & Bartlett, S. E. (2016). Increased synaptic excitation and abnormal dendritic structure of prefrontal cortex layer V pyramidal neurons following prolonged binge-like consumption of ethanol. [10.1523/ENEURO.0248-16.2016]. *eneuro*. doi. <http://eneuro.org/content/early/2016/11/30/ENEURO.0248-16.2016.abstract>

Klevenyi, P., Andreassen, O., Ferrante, R. J., Schleicher Jr, J. R., Friedlander, R. M., & Beal, M. F. (1999). Transgenic mice expressing a dominant negative mutant interleukin-1 [beta] converting enzyme show resistance to MPTP neurotoxicity. *Neuroreport*, 10(3), 635-635. doi.

Klivenyi, P., Andreassen, O. A., Ferrante, R. J., Dedeoglu, A., Mueller, G., Lancelot, E., . . . Beal, M. F. (2000). Mice Deficient in Cellular Glutathione Peroxidase Show Increased Vulnerability to Malonate, 3-Nitropropionic Acid, and 1-Methyl-4-Phenyl-1,2,5,6-Tetrahydropyridine. *Journal of Neuroscience*, 20(1), 1-7.

doi: <http://www.jneurosci.org/cgi/content/abstract/20/1/1>

Klivenyi, P., Andreassen, O. A., Ferrante, R. J., Lancelot, E., Reif, D., & Beal, M. F. (2000). Inhibition of neuronal nitric oxide synthase protects against MPTP toxicity. *Neuroreport*, 11(6), 1265-1265. doi:

Klivenyi, P., Beal, M. F., Ferrante, R. J., Andreassen, O. A., Wermer, M., Chin, M.-R., & Bonventre, J. V. (1998). Mice Deficient in Group IV Cytosolic Phospholipase A2 Are Resistant to MPTP Neurotoxicity. *Journal of Neurochemistry*, 71, 2634-2637. doi:

Klivenyi, P., Ferrante, R. J., Gardian, G., Browne, S., Chabrier, P.-E., & Beal, M. F. (2003). Increased survival and neuroprotective effects of BN82451 in a transgenic mouse model of Huntington's disease. *Journal of Neurochemistry*, 86(1), 267-272.

doi: <http://www.jneurochem.org/cgi/content/abstract/86/1/267>

Klivenyi, P., Ferrante, R. J., Matthews, R. T., Bogdanov, M. B., Klein, A. M., Andreassen, O. A., . . . Beal, M. F. (1999). Neuroprotective effects of creatine in a transgenic animal model of amyotrophic lateral sclerosis. *Nature Medicine*, 5, 347-350. doi:

Klivenyi, P., Siwek, D., Gardian, G., Yang, L., Starkov, A., Cleren, C., . . . Beal, M. F. (2006). Mice lacking alpha-synuclein are resistant to mitochondrial toxins. *Neurobiology of Disease*, 21(3), 541-548. doi:

Klocke, C., Allen, J. L., Sobolewski, M., Blum, J. L., Zelikoff, J. T., & Cory-Slechta, D. A. (2017). Exposure to Fine and Ultrafine Particulate Matter during Gestation Alters Postnatal Oligodendrocyte Maturation, Proliferation Capacity, and Myelination. *Neurotoxicology*. doi: <https://doi.org/10.1016/j.neuro.2017.10.004>. <http://www.sciencedirect.com/science/article/pii/S0161813X17302085>

Klocke, C., Allen, J. L., Sobolewski, M., Mayer-Pröschel, M., Blum, J. L., Lauterstein, D., . . . Cory-Slechta, D. A. (2017). Neuropathological Consequences of Gestational Exposure to Concentrated Ambient Fine and Ultrafine Particles in the Mouse. *Toxicological Sciences*. doi: 10.1093/toxsci/kfx010. <http://toxsci.oxfordjournals.org/content/early/2017/01/13/toxsci.kfx010....>

Kloosterboer, E., & Funke, K. (2019). Repetitive transcranial magnetic stimulation recovers cortical map plasticity induced by sensory deprivation due to deafferentiation. *The Journal of Physiology*, o(ja). doi:

10.1113/jp277507. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP277507>

Kloosterman, F., van Haften, T., Witter, M. P., & Lopes da Silva, F. H. (2003). Electrophysiological characterization of interlaminar entorhinal connections: an essential link for re-entrance in the hippocampal-entorhinal system. *European Journal of Neuroscience*, 18(11), 3037-3052. doi: doi:10.1111/j.1460-

9568.2003.03046.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2003.03046.x>

Klop, E. M., Mouton, L. J., & Holstege, G. (2002). Nucleus retroambiguus projections to the periaqueductal gray in the cat. *Journal of Comparative Neurology*, 445(1), 47-58. doi.

Klop, E. M., Mouton, L. J., & Holstege, G. (2006). Periparabigeminal and adjoining mesencephalic tegmental field projections to the dorsolateral periaqueductal grey in cat - a possible role for oculomotor input in the defensive system. *European Journal of Neuroscience*, 23(8), 2145-2157. doi: doi:10.1111/j.1460-9568.2006.04740.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04740.x>

Klop, E. M., Mouton, L. J., Kuipers, R., & Holstege, G. (2005). Neurons in the lateral sacral cord of the cat project to periaqueductal grey, but not to thalamus. *European Journal of Neuroscience*, 21(8), 2159-2166. doi: doi:10.1111/j.1460-9568.2005.04039.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04039.x>

Klug, J. R., Mathur, B. N., Kash, T. L., Wang, H.-D., Matthews, R. T., Robison, A. J., . . . Winder, D. G. (2012). Genetic Inhibition of CaMKII in Dorsal Striatal Medium Spiny Neurons Reduces Functional Excitatory Synapses and Enhances Intrinsic Excitability. *PLoS ONE*, 7(9), e45323. doi: 10.1371/journal.pone.0045323. <http://dx.doi.org/10.1371%2Fjournal.pone.0045323>

Klusman, I., & Schwab, M. E. (1997). Effects of pro-inflammatory cytokines in experimental spinal cord injury. *Brain Research*, 762(1-2), 173-184. doi.

Knafo, S., Ariav, G., Barkai, E., & Libersat, F. (2004). Olfactory learning-induced increase in spine density along the apical dendrites of CA1 hippocampal neurons. *Hippocampus*, 14(7), 819-825. doi.

Knafo, S., Grossman, Y., Barkai, E., & Benshalom, G. (2001). Olfactory learning is associated with increased spine density along apical dendrites of pyramidal neurons in the rat piriform cortex. *European Journal of Neuroscience*, 13(3), 633. doi.

Knafo, S., Libersat, F., & Barkai, E. (2005). Dynamics of learning-induced spine redistribution along dendrites of pyramidal neurons in rats. *European Journal of Neuroscience*, 21(4), 927-935. doi: doi:10.1111/j.1460-9568.2005.03936.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03936.x>

Knafo, S., Venero, C., Merino-Serrais, P., Fernaud-Espinosa, I., Gonzalez-Soriano, J., Ferrer, I., . . . DeFelipe, J. (2009). Morphological alterations to neurons of the amygdala and impaired fear conditioning in a transgenic mouse model of Alzheimer's disease. *Journal of Pathology*, 219(1), 41-51. doi.

Knafo, S., Venero, C., Sánchez-Puelles, C., Pereda-Peréz, I., Franco, A., Sandi, C., . . . others. (2012). Facilitation of AMPA Receptor Synaptic Delivery as a Molecular Mechanism for Cognitive Enhancement. *PLoS Biology*, 10(2), e1001262-e1001262. doi.



Kneynsberg, A., & Kanaan, N. M. (2017). Aging Does Not Affect Axon Initial Segment Structure and Somatic Localization of Tau Protein in Hippocampal Neurons of Fischer 344 Rats. [10.1523/ENEURO.0043-17.2017]. *eneuro*, 4(4). doi: <http://eneuro.org/content/4/4/ENEURO.0043-17.2017.abstract>

Knight, J. C., Scharf, E. L., & Mao-Draayer, Y. (2010). Fas activation increases neural progenitor cell survival. *Journal of Neuroscience Research*, 88(4), 746-757. doi:

Knight, W. D., Little, J. T., Carreno, F. R., Toney, G. M., Mifflin, S. W., & Cunningham, J. T. (2011). Chronic intermittent hypoxia increases blood pressure and expression of FosB/ΔFosB in central autonomic regions. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 301(1), R131-R139. doi: 10.1152/ajpregu.00830.2010. <http://ajpregu.physiology.org/content/301/1/R131.abstract>

Knott, G. W. (2013). Imaging Green Fluorescent Protein-Labeled Neurons Using Light and Electron Microscopy. *Cold Spring Harbor Protocols*, 2013(6), pdb.prot075127. doi: 10.1101/pdb.prot075127. <http://cshprotocols.cshlp.org/content/2013/6/pdb.prot075127.abstract>

Knott, G. W., Holtmaat, A., Wilbrecht, L., Welker, E., & Svoboda, K. (2006). Spine growth precedes synapse formation in the adult neocortex in vivo. *Nature Neuroscience*. doi:

Knowles, J. K., Rajadas, J., Nguyen, T.-V. V., Yang, T., LeMieux, M. C., Vander Griend, L., . . . Longo, F. M. (2009). The p75 Neurotrophin Receptor Promotes Amyloid-β(1-42)-Induced Neuritic Dystrophy In Vitro and In Vivo. *Journal of Neuroscience*, 29(34), 10627-10637. doi: 10.1523/jneurosci.0620-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/34/10627>

Knowles, J. K., Simmons, D. A., Nguyen, T.-V. V., Vander Griend, L., Xie, Y., Zhang, H., . . . Longo, F. M. (2013). A small molecule p75NTR ligand prevents cognitive deficits and neurite degeneration in an Alzheimer's mouse model. *Neurobiology of Aging*, (0). doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2013.02.015>. <http://www.sciencedirect.com/science/article/pii/S0197458013000882>

Knutson, D. C., Mitzey, A. M., Talton, L. E., & Clagett-Dame, M. (2015). Mice null for NEDDg (HEF1) display extensive hippocampal dendritic spine loss and cognitive impairment. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2015.12.005>. <http://www.sciencedirect.com/science/article/pii/S0006899315009440>

Knyihár-Csillik, E., Tajti, J., Chadaide, Z., Csillik, B., & Vécsei, L. (2001). Functional immunohistochemistry of neuropeptides and nitric oxide synthase in the nerve fibers of the supratentorial dura mater in an experimental migraine model. *Microscopy Research and Technique*, 53(3), 193-211. doi:

Knyihar-Csillik, E., Tajti, J., Csillik, A. E., Chadaide, Z., Mihaly, A., & Vecsei, L. (2000). Effects of eletriptan on the peptidergic innervation of the cerebral dura mater and trigeminal ganglion, and on the expression of c-fos and c-jun in the trigeminal complex of the rat in an experimental migraine model. *European Journal of Neuroscience*, 12(11), 3991-4002. doi:

doi:10.1046/j.1460-9568.2000.00299.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2000.00299.x>

Knyihar-Csillik, E., & Vecsei, L. (1999). Effect of a nitric oxide donor on nitroergic nerve fibers in the rat dura mater. *Neuroscience Letters*, 260(2), 97-100. doi.

Ko, M.-C., Lee, L. J.-H., Li, Y., & Lee, L.-J. (2014). Long-term consequences of neonatal fluoxetine exposure in adult rats. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22185. <http://dx.doi.org/10.1002/dneu.22185>

Kobayashi, M., & Buckmaster, P. S. (2003). Reduced Inhibition of Dentate Granule Cells in a Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 23(6), 2440-2452. doi. <http://www.jneurosci.org/cgi/content/abstract/23/6/2440>

Kobayashi, M., Fujita, S., Takei, H., Song, L., Chen, S., Suzuki, I., . . . Koshikawa, N. (2010). Functional mapping of gustatory neurons in the insular cortex revealed by pERK-immunohistochemistry and in vivo optical imaging. *Synapse*, 64(4), 323-334. doi.

Kobayashi, Y., & Amaral, D. G. (2003). Macaque monkey retrosplenial cortex: II. Cortical afferents. *Journal of Comparative Neurology*, 466(1), 48-79. doi.

Kobrin, K. L., Arena, D. T., Heinrichs, S. C., Nguyen, O. H., & Kaplan, G. B. (2017). Dopamine D1 receptor agonist treatment attenuates extinction of morphine conditioned place preference while increasing dendritic complexity in the nucleus accumbens core. *Behavioural Brain Research*, 322, Part A, 18-28. doi: <http://dx.doi.org/10.1016/j.bbr.2017.01.011>. [//www.sciencedirect.com/science/article/pii/S0166432816308853](http://www.sciencedirect.com/science/article/pii/S0166432816308853)

Kobrin, K. L., Moody, O., Arena, D. T., Moore, C. F., Heinrichs, S. C., & Kaplan, G. B. (2015). Acquisition of morphine conditioned place preference increases the dendritic complexity of nucleus accumbens core neurons. *Addiction Biology*, n/a-n/a. doi: 10.1111/adb.12273. <http://dx.doi.org/10.1111/adb.12273>

Kodali, M., Parihar, V. K., Hattiangady, B., Mishra, V., Shuai, B., & Shetty, A. K. (2015). Resveratrol Prevents Age-Related Memory and Mood Dysfunction with Increased Hippocampal Neurogenesis and Microvasculature, and Reduced Glial Activation. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep08075

<http://www.nature.com/srep/2015/150128/srep08075/abs/srep08075.html#supp.....http://dx.doi.org/10.1038/srep08075>

Kodama, T., Usui, S., Honda, Y., & Kimura, M. (2005). High Fos expression during the active phase in orexin neurons of a diurnal rodent, *Tamias sibiricus barberi*. *Peptides*, 26(4), 631-638. doi.

Koehl, M., Ladevèze, E., Catania, C., Cota, D., & Abrous, D. N. (2021). Inhibition of mTOR signaling by genetic removal of p70 S6 kinase 1 increases anxiety-like behavior in mice. *Translational Psychiatry*, 11(1), 165. doi: 10.1038/s41398-020-01187-5. <https://doi.org/10.1038/s41398-020-01187-5>

Koehl, M., van der Veen, R., Gonzales, D., Piazza, P. V., & Abrous, D. N. (2012). Interplay of Maternal Care and Genetic Influences in Programming Adult Hippocampal Neurogenesis. *Biological Psychiatry*, (0). doi: 10.1016/j.biopsych.2012.03.001. <http://www.sciencedirect.com/science/article/pii/S0006322312002144>

Koeppen, J., Nguyen, A. Q., Nikolakopoulou, A. M., Garcia, M., Hanna, S., Woodruff, S., . . . Ethell, I. M. (2018). Functional consequences of synapse remodeling following astrocyte-specific regulation of ephrin-B1 in the adult hippocampus. [10.1523/JNEUROSCI.3618-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/05/23/JNEUROSCI.3618-17.2018..>

Koganezawa, N., Gisetstad, R., Husby, E., Doan, T. P., & Witter, M. P. (2015). Excitatory Postrhinal Projections to Principal Cells in the Medial Entorhinal Cortex. *The Journal of Neuroscience*, 35(48), 15860-15874. doi: <http://www.jneurosci.org/content/35/48/15860.short>

Kohara, K., Kitamura, A., Adachi, N., Nishida, M., Itami, C., Nakamura, S., & Tsumoto, T. (2003). Inhibitory But Not Excitatory Cortical Neurons Require Presynaptic Brain-Derived Neurotrophic Factor for Dendritic Development, as Revealed by Chimera Cell Culture. *Journal of Neuroscience*, 23, 6123-3131. doi.

Kohara, K., Yasuda, H., Huang, Y., Adachi, N., Sohya, K., & Tsumoto, T. (2007). A Local Reduction in Cortical GABAergic Synapses after a Loss of Endogenous Brain-Derived Neurotrophic Factor, as Revealed by Single-Cell Gene Knock-Out Method. *Journal of Neuroscience*, 27(27), 7234-7244. doi: 10.1523/jneurosci.1943-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7234>

Kohl, Z., Kuhn, H. G., Cooper-Kuhn, C. M., Winkler, J., Aigner, L., & Kempermann, G. (2002). Prewaning enrichment has no lasting effects on adult hippocampal neurogenesis in four-month-old mice. *Genes, Brain and Behavior*, 1(1), 46. doi.

Koizumi, A., Jakobs, T. C., & Masland, R. H. (2010). A mosaic of synaptic contacts among three retinal neurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.22522. <http://dx.doi.org/10.1002/cne.22522>

Koizumi, A., Jakobs, T. C., & Masland, R. H. (2011). Regular mosaic of synaptic contacts among three retinal neurons. *Journal of Comparative Neurology*, 519(2), 341-357. doi: 10.1002/cne.22522. <http://dx.doi.org/10.1002/cne.22522>

Koizumi, H., Koshiya, N., Chia, J. X., Cao, F., Nugent, J., Zhang, R., & Smith, J. C. (2013). Structural-Functional Properties of Identified Excitatory and Inhibitory Interneurons within Pre-Bötzinger Complex Respiratory Microcircuits. *Journal of Neuroscience*, 33(7), 2994-3009. doi: 10.1523/jneurosci.4427-12.2013. <http://www.jneurosci.org/content/33/7/2994.abstract>

Kok, M. A., Chabot, N., & Lomber, S. G. (2013). Crossmodal reorganization of cortical afferents to dorsal auditory cortex following early- and Late-onset deafness. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23439. <http://dx.doi.org/10.1002/cne.23439>

Kok, M. A., & Lomber, S. G. (2016). Origin of the Thalamic Projection to Dorsal Auditory Cortex in Hearing and Deafness. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2016.05.013>. <http://www.sciencedirect.com/science/article/pii/S037859551630123X>

Kokkoroyannis, T., Scudder, C. A., Balaban, C. D., Highstein, S. M., & Moschovakis, A. K. (1996). Anatomy and physiology of the primate interstitial nucleus of Cajal I. efferent projections. *Journal of Neurophysiology*, 75(2), 725-739. doi.

Kokkosis, A., Mullahy, M., Aguirre, A., & Tsirka, S.-A. (2019). Chronic Stress Induces Inflammatory Responses and Compromises the NG2-Glial Homeostasis during Depression. *The FASEB Journal*, 33(1\_supplement), 666.667-666.667. doi: 10.1096/fasebj.2019.33.1\_supplement.666.7. [https://www.fasebj.org/doi/abs/10.1096/fasebj.2019.33.1\\_supplement.666.7](https://www.fasebj.org/doi/abs/10.1096/fasebj.2019.33.1_supplement.666.7)

Kolbaev, S. N., Mohapatra, N., Chen, R., Lombardi, A., Staiger, J. F., Luhmann, H. J., . . . Kilb, W. (2020). NKCC-1 mediated Cl<sup>-</sup> uptake in immature CA3 pyramidal neurons is sufficient to compensate phasic GABAergic inputs. *Scientific Reports*, 10(1), 18399. doi: 10.1038/s41598-020-75382-1. <https://doi.org/10.1038/s41598-020-75382-1>

Kole, M. H., & Popovic, M. A. (2016). Patch-Clamp Recording from Myelinated Central Axons. *Advanced Patch-Clamp Analysis for Neuroscientists*, 123-138. doi. [http://link.springer.com/protocol/10.1007/978-1-4939-3411-9\\_6](http://link.springer.com/protocol/10.1007/978-1-4939-3411-9_6)

Kole, M. H. P., Brauer, A. U., & Stuart, G. J. (2007). Inherited cortical HCN1 channel loss amplifies dendritic calcium electrogenesis and burst firing in a rat absence epilepsy model. *Journal of Physiology*, 578(2), 507-525. doi: 10.1113/jphysiol.2006.122028. <http://jp.physoc.org/cgi/content/abstract/578/2/507>

Kole, M. H. P., Costoli, T., Koolhaas, J. M., & Fuchs, E. (2004). Bidirectional shift in the cornu ammonis 3 pyramidal dendritic organization following brief stress. *Neuroscience*, 125(2), 337-347. doi.

Kole, M. H. P., Czéh, B., & Fuchs, E. (2004). Homeostatic maintenance in excitability of tree shrew hippocampal CA3 pyramidal neurons after chronic stress. *Hippocampus*, 14(6), 742-751. doi.

Kole, M. H. P., Hallermann, S., & Stuart, G. J. (2006). Single I<sub>h</sub> Channels in Pyramidal Neuron Dendrites: Properties, Distribution, and Impact on Action Potential Output. *Journal of Neuroscience*, 26(6), 1677-1687. doi: 10.1523/jneurosci.3664-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/6/1677>

Kole, M. H. P., Ilshner, S. U., Kampa, B. M., Williams, S. R., Ruben, P. C., & Stuart, G. J. (2008). Action potential generation requires a high sodium channel density in the axon initial segment. *Nature Neuroscience*, 11, 178-186. doi.

Kole, M. H. P., Letzkus, J. J., & Stuart, G. J. (2007). Axon initial segment Kv1 channels control axonal action potential waveform and synaptic efficacy. *Neuron*, 55(4), 633-647. doi.

Köllensperger, M., Stefanova, N., Reindl, M., Poewe, W., & Wenning, G. K. (2007). Loss of dopaminergic responsiveness in a double lesion rat model of the Parkinson variant of multiple system atrophy. *Movement Disorders*, 22(3), 353-358. doi.

Kollo, M., Schmaltz, A., Abdelhamid, M., Fukunaga, I., & Schaefer, A. T. (2014). 'Silent' mitral cells dominate odor responses in the olfactory bulb of awake mice. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3768.html>

Kolluri, N., Sun, Z., Sampson, A. R., & Lewis, D. A. (2005). Lamina-specific reductions in dendritic spine density in the prefrontal cortex of subjects with schizophrenia. *American Journal of Psychiatry*, 162(6), 1200-1202. doi.

Kolter, J. F., Hildenbrand, M. F., Popp, S., Nauroth, S., Bankmann, J., Rother, L., . . . Schmitt-Böhrer, A. (2021). Serotonin transporter genotype modulates resting state and predator stress-induced amygdala perfusion in mice in a sex-dependent manner. *PLoS ONE*, 16(2), e0247311. doi: 10.1371/journal.pone.0247311. <https://doi.org/10.1371/journal.pone.0247311>

Komatsuzaki, Y., Hatanaka, Y., Murakami, G., Mukai, H., Hojo, Y., Saito, M., . . . Kawato, S. (2012). Corticosterone Induces Rapid Spinogenesis via Synaptic Glucocorticoid Receptors and Kinase Networks in Hippocampus. *PLoS ONE*, 7(4), e34124. doi: 10.1371/journal.pone.0034124. <http://dx.doi.org/10.1371%2Fjournal.pone.0034124>

Komatsuzaki, Y., Murakami, G., Tsurugizawa, T., Mukai, H., Tanabe, N., Mitsuhashi, K., . . . Kawato, S. (2005). Rapid spinogenesis of pyramidal neurons induced by activation of glucocorticoid receptors in adult male rat hippocampus. *Biochemical and Biophysical Research Communications*, 335(4), 1002-1007. doi.

Komiyama, T., Johnson, W. A., Luo, L., & Jefferis, G. S. X. E. (2003). From lineage to wiring specificity: POU domain transcription factors control precise connections of *Drosophila* olfactory projection neurons. *Cell*, 112(2), 157-167. doi.

Komiyama, T., Sato, T. R., O'Connor, D. H., Zhang, Y. X., Huber, D., Hooks, B. M., . . . Svoboda, K. (2010). Learning-related fine-scale specificity imaged in motor cortex circuits of behaving mice. *Nature*, 464(7292), 1182-1186. doi.

Kondo, H., Lavenex, P., & Amaral, D. G. (2008). Intrinsic connections of the macaque monkey hippocampal formation: I. Dentate gyrus. *Journal of Comparative Neurology*, 511(4), 497-520. doi.

Kondo, H., Lavenex, P., & Amaral, D. G. (2009). Intrinsic connections of the macaque monkey hippocampal formation: II. CA3 connections. *Journal of Comparative Neurology*, 515(3), 349-377. doi.

Kondo, M., Tsuboi, Y., Yamamoto, T., Inage, T., Iwamoto, Y., & Kamogawa, H. (2006). The location of brainstem neurons with bilateral projections to the motor nuclei of jaw openers in the cat. *Neuroscience Letters*, 403(3), 250-255. doi.

Kong, J. H., Fish, D. R., Rockhill, R. L., & Masland, R. H. (2005). Diversity of ganglion cells in the mouse retina: unsupervised morphological classification and its limits. *Journal of Comparative Neurology*, 489(3), 293-310. doi.

Kongsui, R., Beynon, S. B., Johnson, S., Mayhew, J., Kuter, P., Nilsson, M., & Walker, F. R. (2014). Chronic stress induces prolonged suppression of the P2X7 receptor within multiple regions of the hippocampus: A cumulative threshold spectra analysis. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.05.017>. <http://www.sciencedirect.com/science/article/pii/S0889159114001391>

Kongsui, R., Johnson, S. J., Graham, B. A., Nilsson, M., & Walker, F. R. (2015). A combined cumulative threshold spectra and digital reconstruction analysis reveal structural alterations of microglia within the prefrontal cortex following low-dose LPS administration. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.09.061>. <http://www.sciencedirect.com/science/article/pii/S030645221500888X>

Kononenko, N. L., Claßen, G. A., Kuijpers, M., Puchkov, D., Maritzen, T., Tempes, A., . . . Haucke, V. (2017). Retrograde transport of TrkB-containing autophagosomes via the adaptor AP-2 mediates neuronal complexity and prevents neurodegeneration. [Article]. *Nature Communications*, 8, 14819. doi: 10.1038/ncomms14819

<https://www.nature.com/articles/ncomms14819#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14819>

Konopaske, G. T., Lange, N., Coyle, J. T., & Benes, F. M. (2014). Prefrontal cortical dendritic spine pathology in schizophrenia and bipolar disorder. *JAMA Psychiatry*. doi: 10.1001/jamapsychiatry.2014.1582. <http://dx.doi.org/10.1001/jamapsychiatry.2014.1582>

Kopel, H., Meshulam, M., & Mizrahi, A. (2009). Three-dimensional distribution patterns of newborn neurons in the adult olfactory bulb. *Journal of Neuroscience Methods*, 182(2), 189-194. doi.

Kopel, H., Schechtman, E., Groysman, M., & Mizrahi, A. (2012). Enhanced Synaptic Integration of Adult-Born Neurons in the Olfactory Bulb of Lactating Mothers. *Journal of Neuroscience*, 32(22), 7519-7527. doi.

Kopp, B., Wick, D., & Herman, J. (2013). Differential effects of homotypic vs. heterotypic chronic stress regimens on microglial activation in the prefrontal cortex. *Physiology and Behavior*, 122, 246 - 252. doi.

Koppes, A., Zaccor, N., Rivet, C., Williams, L., Piselli, J., Gilbert, R., & Thompson, D. (2014). Neurite outgrowth on electrospun PLLA fibers is enhanced by exogenous electrical stimulation. *Journal of neural engineering*, 11(4), 046002. doi. <http://iopscience.iop.org/1741-2552/11/4/046002>

Koppes, A. N., Nordberg, A. L., Paolillo, G., Goodsell, N., Darwish, H., Zhang, L., & Thompson, D. M. (2013). Electrical Stimulation of Schwann Cells Promotes Sustained Increases in



Neurite Outgrowth. *Tissue Engineering*, (ja).  
doi: <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2013.0012>

Koppes, A. N., Seggio, A. M., & Thompson, D. M. (2011). Neurite outgrowth is significantly increased by the simultaneous presentation of Schwann cells and moderate exogenous electric fields. *Journal of neural engineering*, 8, 046023-046023. doi:

Korbel, J. O., Tirosch-Wagner, T., Urban, A. E., Chen, X.-N., Kasowski, M., Dai, L., . . . Korenberg, J. R. (2009). The genetic architecture of Down syndrome phenotypes revealed by high-resolution analysis of human segmental trisomies. *Proceedings of the National Academy of Sciences*, 106(29), 12031-12036. doi: 10.1073/pnas.0813248106. <http://www.pnas.org/content/106/29/12031.abstract>

Korn, M. J., Koppel, S. J., & Cramer, K. S. (2011). Astrocyte-Secreted Factors Modulate a Gradient of Primary Dendritic Arbors in Nucleus Laminaris of the Avian Auditory Brainstem. *PLoS ONE*, 6(11). doi: 10.1371/journal.pone.0027383.

Korosi, A., Veening, J. G., Kozicz, T., Henckens, M., Dederen, J., Groenink, L., . . . Roubos, E. W. (2006). Distribution and expression of CRF receptor 1 and 2 mRNAs in the CRF over-expressing mouse brain. *Brain Research*, 1072(1), 46-54. doi:

Kosaka, T., Komada, M., & Kosaka, K. (2008). Sodium channel cluster, [beta] IV-spectrin and ankyrinG positive. *Neuroscience Research*, 62(3), 176-186. doi:

Kosaka, T., & Kosaka, K. (2011). "Interneurons" in the olfactory bulb revisited. *Neuroscience Research*, 69(2), 93-99. doi:

Kosaka, T., Pignatelli, A., & Kosaka, K. (2019). Heterogeneity of tyrosine hydroxylase expressing neurons in the main olfactory bulb of the mouse. *Neuroscience Research*. doi: <https://doi.org/10.1016/j.neures.2019.10.004>. <http://www.sciencedirect.com/science/article/pii/S0168010219304717>

Kosaka, T., Yasuda, S., & Kosaka, K. (2017). Calcium-binding protein, secretagoin, characterizes novel groups of interneurons in the rat striatum. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2017.01.004>. <http://www.sciencedirect.com/science/article/pii/S016801021630195X>

Kosche, G., Vallentin, D., & Long, M. A. (2015). Interplay of Inhibition and Excitation Shapes a Premotor Neural Sequence. *The Journal of Neuroscience*, 35(3), 1217-1227. doi: <http://www.jneurosci.org/content/35/3/1217.short>

Koschützke, L., Bertram, J., Hartmann, B., Bartsch, D., Lotze, M., & von Bohlen und Halbach, O. (2015). SrGAP3 knockout mice display enlarged lateral ventricles and specific cilia disturbances of ependymal cells in the third ventricle. *Cell and Tissue Research*, 1-6. doi: 10.1007/s00441-015-2224-6. <http://dx.doi.org/10.1007/s00441-015-2224-6>

Koss, W. A., Belden, C. E., Hristov, A. D., & Juraska, J. M. (2013). Dendritic remodeling in the adolescent medial prefrontal cortex and the basolateral amygdala of male and female rats. *Synapse*, n/a-n/a. doi: 10.1002/syn.21716. <http://dx.doi.org/10.1002/syn.21716>

Kossut, M., & Juliano, S. L. (1999). Anatomical correlates of representational map reorganization induced by partial vibrissotomy in the barrel cortex of adult mice. *Neuroscience*, 92(3), 807-817. doi:

Kostin, A., Alam, A., McGinty, D., Szymusiak, R., & Alam, N. (2019). Chronic Suppression of Hypothalamic Cell Proliferation and Neurogenesis Induces Aging-like Changes in Sleep-Wake Organization in Young Mice. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.01.053>. <http://www.sciencedirect.com/science/article/pii/S0306452219300806>

Kostovic, I., Rasin, M. R., Petanjek, Z., & Judas, M. (2002). Morphological Characteristics of the Cells in the Subcallosal Zone (Nucleus septohippocampalis) of the Human Fetus. *Neuroembryology and Aging*, 1(3), 97-104. doi: <http://www.karger.com/DOI/10.1159/000063528>

Kostović, I., Sedmak, G., & Judaš, M. (2018). Neural histology and neurogenesis of the human fetal and infant brain. *Neuroimage*. doi: <https://doi.org/10.1016/j.neuroimage.2018.12.043>. <http://www.sciencedirect.com/science/article/pii/S1053811918321876>

Kotani, O., Suzuki, T., Yokoyama, M., Iwata-Yoshikawa, N., Nakajima, N., Sato, H., . . . Nagata, N. (2016). Intracerebral inoculation of mouse-passaged Saffold virus type 3 affects cerebellar development in neonatal mice. *Journal of Virology*. doi: 10.1128/jvi.00864-16. <http://jvi.asm.org/content/early/2016/08/25/JVI.00864-16.abstract>

Kötter, R., Schubert, D., Dyhrfeld-Johnsen, J., Luhmann, H. J., & Staiger, J. F. (2005). Optical release of caged glutamate for stimulation of neurons in the in vitro slice preparation. *Journal of biomedical optics*, 10, 011003-011003. doi:

Kouser, M., Speed, H. E., Dewey, C. M., Reimers, J. M., Widman, A. J., Gupta, N., . . . Xiao, B. (2013). Loss of Predominant Shank3 Isoforms Results in Hippocampus-Dependent Impairments in Behavior and Synaptic Transmission. *Journal of Neuroscience*, 33(47), 18448-18468. doi: <http://www.jneurosci.org/content/33/47/18448.short>

Kovács, A., & Pál, B. (2017). Astrocyte-Dependent Slow Inward Currents (SICs) Participate in Neuromodulatory Mechanisms in the Pedunculopontine Nucleus (PPN). [Original Research]. *Frontiers in cellular neuroscience*, 11(16). doi: 10.3389/fncel.2017.00016. <http://journal.frontiersin.org/article/10.3389/fncel.2017.00016>

Kovalecz, G., Kecskes, S., Birinyi, A., & Matesz, C. (2015). Termination of trigeminal afferent fibers on facial motoneurons: Possible neural network mediating jaw opening during prey-catching behavior of the frog. *Brain Research Bulletin*. doi: <http://dx.doi.org/10.1016/j.brainresbull.2015.09.012>. <http://www.sciencedirect.com/science/article/pii/S036192301530040X>

Kowalski, J., Geuting, M., Paul, S., Dieni, S., Laurens, J., Zhao, S., . . . Vida, I. (2010). Proper Layering Is Important for Precisely Timed Activation of Hippocampal Mossy Cells. *Cerebral Cortex*, 20(9), 2043-2054. doi: 10.1093/cercor/bhp267. <http://cercor.oxfordjournals.org/content/20/9/2043.abstract>

Kozloski, J., Sfyarakis, K., Hill, S., Schurmann, F., Peck, C., & Markram, H. (2008). Identifying, tabulating, and analyzing contacts between branched neuron morphologies. *IBM Journal of Research and Development*, 52(1.2), 43-55. doi.

Kozorovitskiy, Y., Gross, C. G., Kopil, C., Battaglia, L., McBreen, M., Stranahan, A. M., & Gould, E. (2005). Experience induces structural and biochemical changes in the adult primate brain. *PNAS*, 102, 17478-17482. doi.

Kozsurek, M., Lukácsi, E., Fekete, C., & Puskár, Z. (2009). Nonselective innervation of lamina I projection neurons by cocaine- and amphetamine-regulated transcript peptide (CART)-immunoreactive fibres in the rat spinal dorsal horn. *European Journal of Neuroscience*, 29(12), 2375-2387. doi.

Kozsurek, M., Lukacs, E., Fekete, C., Wittmann, G., Rethelyi, M., & Puskar, Z. (2007). Cocaine- and amphetamine-regulated transcript peptide (CART) is present in peptidergic C primary afferents and axons of excitatory interneurons with a possible role in nociception in the superficial laminae of the rat spinal cord. *European Journal of Neuroscience*, 26(6), 1624-1631. doi: 10.1111/j.1460-9568.2007.05789.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05789.x>

Krajcski, R. N., Macey-Dare, A., van Heusden, F., Ebrahimjee, F., & Ellender, T. J. (2019). Dynamic postnatal development of the cellular and circuit properties of striatal D1 and D2 spiny projection neurons. *The Journal of Physiology*, 0(ja). doi: 10.1113/jp278416. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP278416>

Krajewski, S. J., Abel, T. W., Voytko, M. L., & Rance, N. E. (2003). Ovarian Steroids Differentially Modulate the Gene Expression of Gonadotropin-Releasing Hormone Neuronal Subtypes in the Ovariectomized Cynomolgus Monkey. *Journal of Clinical Endocrinological Metabolism*, 88(2), 655-662. doi: 10.1210/jc.2002-020887. <http://icem.endojournals.org/cgi/content/abstract/88/2/655>

Krajewski, S. J., Burke, M. C., Anderson, M. J., McMullen, N. T., & Rance, N. E. (2010). Forebrain projections of arcuate neurokinin B neurons demonstrated by anterograde tract-tracing and monosodium glutamate lesions in the rat. *Neuroscience*, 166(2), 680-697. doi.

Kramer, P. F., Twedell, E. L., Shin, J. H., Zhang, R., & Khaliq, Z. M. (2020). Axonal mechanisms mediating  $\gamma$ -aminobutyric acid receptor type A (GABA-A) inhibition of striatal dopamine release. *eLife*, 9, e55729. doi: 10.7554/eLife.55729. <https://doi.org/10.7554/eLife.55729>

Krashia, P., Cordella, A., Nobili, A., La Barbera, L., Federici, M., Leuti, A., . . . Mercuri, N. B. (2019). Blunting neuroinflammation with resolvin D1 prevents early pathology in a rat model of Parkinson's disease. *Nature Communications*, 10(1), 3945. doi: 10.1038/s41467-019-11928-w. <https://doi.org/10.1038/s41467-019-11928-w>

Kraushar, M. L., Thompson, K., Wijeratne, H. R. S., Viljetic, B., Sakers, K., Marson, J. W., . . . Rasin, M.-R. (2014). Temporally defined neocortical translation and polysome assembly are determined by the RNA-binding protein Hu antigen R. *Proceedings of the National Academy of Sciences*. doi:

10.1073/pnas.1408305111.

[http://www.pnas.org/content/early/2014/08/22/1408305111.ab stract](http://www.pnas.org/content/early/2014/08/22/1408305111.abstract)

Kraushar, M. L., Viljetic, B., Wijeratne, H. S., Thompson, K., Jiao, X., Pike, J. W., . . . Hart, R. P. (2015). Thalamic WNT3 Secretion Spatiotemporally Regulates the Neocortical Ribosome Signature and mRNA Translation to Specify Neocortical Cell Subtypes. *The Journal of Neuroscience*, 35(31), 10911-10926.

doi: <http://www.jneurosci.org/content/35/31/10911.short>

Krebs-Kraft, D. L., Hill, M. N., Hillard, C. J., & McCarthy, M. M. (2010). Sex difference in cell proliferation in developing rat amygdala mediated by endocannabinoids has implications for social behavior. *Proceedings of the National Academy of Sciences*, 107(47), 20535-20540. doi: 10.1073/pnas.1005003107. <http://www.pnas.org/content/107/47/20535.abstract>

Krellman, J. W., Ruiz, H. H., Marciano, V. A., Mondrow, B., & Croll, S. D. (2014). Behavioral and Neuroanatomical Abnormalities in Pleiotrophin Knockout Mice. *PLoS ONE*, 9(7), e100597. doi: 10.1371/journal.pone.0100597. <http://dx.doi.org/10.1371%2Fjournal.pone.0100597>

Kreutzberg, G. (1996). Microglia: a sensor for pathological events in the CNS. *Trends in Neurosciences*, 19, 312 - 318. doi.

Krey, J. F., Paşca, S. P., Shcheglovitov, A., Yazawa, M., Schwemberger, R., Rasmusson, R., & Dolmetsch, R. E. (2013). Timothy syndrome is associated with activity-dependent dendritic retraction in rodent and human neurons. *Nature Neuroscience*. doi.

Krichmar, J. L., Nasuto, S. J., Scorcioni, R., Washington, S. D., & Ascoli, G. A. (2002). Effects of dendritic morphology on CA3 pyramidal cell electrophysiology: a simulation study. *Brain Research*, 941, 11-28. doi.

Krieger, P. (2009). Experience-dependent increase in spine calcium evoked by backpropagating action potentials in layer 2/3 pyramidal neurons in rat somatosensory cortex. *European Journal of Neuroscience*, 30(10), 1870-1877. doi.

Krieger, P., Kuner, T., & Sakmann, B. (2007). Synaptic Connections between Layer 5B Pyramidal Neurons in Mouse Somatosensory Cortex Are Independent of Apical Dendrite Bundling. *Journal of Neuroscience*, 27(43), 11473-11482. doi: 10.1523/jneurosci.1182-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/43/11473>

Krimer, L. S., & Goldman-Rakic, P. S. (2001). Prefrontal Microcircuits: Membrane Properties and Excitatory Input of Local, Medium, and Wide Arbor Interneurons. *Journal of Neuroscience*, 21(11), 3788-3796.

doi: <http://www.jneurosci.org/cgi/content/abstract/21/11/3788>

Krimer, L. S., Jakab, R. L., & Goldman-Rakic, P. S. (1997). Quantitative Three-Dimensional Analysis of the Catecholaminergic Innervation of Identified Neurons in the Macaque Prefrontal Cortex. *Journal of Neuroscience*, 17(19), 7450-7461.

doi: <http://www.jneurosci.org/cgi/content/abstract/17/19/7450>

Krimer, L. S., Muly, E. C., Williams, G. V., & Goldman-Rakic, P. S. (1998). Dopaminergic regulation of cerebral cortical microcirculation. *Nature Neuroscience*, 1, 286-289. doi:

Krimer, L. S., Zaitsev, A. V., Czanner, G., Kroner, S., Gonzalez-Burgos, G., Povysheva, N. V., . . . Lewis, D. A. (2005). Cluster Analysis-Based Physiological Classification and Morphological Properties of Inhibitory Neurons in Layers 2-3 of Monkey Dorsolateral Prefrontal Cortex. *Journal of Neurophysiology*, 94(5), 3009-3022. doi: 10.1152/jn.00156.2005. <http://jn.physiology.org/cgi/content/abstract/94/5/3009>

Kripke, E., Senft, S., Mozzherin, D., & Hanlon, R. (2015). Visualizing Biological Complexity in Cephalopod Skin: A Synergy of Art and Science Technologies. *Leonardo*, 516-517. doi: 10.1162/LEON\_a\_01124. [http://dx.doi.org/10.1162/LEON\\_a\\_01124](http://dx.doi.org/10.1162/LEON_a_01124)

Krishnasamy, S., Weng, Y.-C., Thammisetty, S. S., Phaneuf, D., Lalancette-Hebert, M., & Kriz, J. (2017). Molecular imaging of nestin in neuroinflammatory conditions reveals marked signal induction in activated microglia. [journal article]. *Journal of Neuroinflammation*, 14(1), 45. doi: 10.1186/s12974-017-0816-7. <http://dx.doi.org/10.1186/s12974-017-0816-7>

Kristensen, B. W., Noer, H., Gramsbergen, J. B., Zimmer, J., & Norberg, J. (2003). Colchicine induces apoptosis in organotypic hippocampal slice cultures. *Brain Research*, 964(2), 264-278. doi:

Kron, M., Howell, C. J., Adams, I. T., Ransbottom, M., Christian, D., Ogier, M., & Katz, D. M. (2012). Brain Activity Mapping in Mecp2 Mutant Mice Reveals Functional Deficits in Forebrain Circuits, Including Key Nodes in the Default Mode Network, that are Reversed with Ketamine Treatment. *Journal of Neuroscience*, 32(40), 13860-13872. doi: 10.1523/jneurosci.2159-12.2012. <http://www.jneurosci.org/content/32/40/13860.abstract>

Kröner, S., Krimer, L. S., Lewis, D. A., & Barrionuevo, G. (2007). Dopamine Increases Inhibition in the Monkey Dorsolateral Prefrontal Cortex through Cell Type-Specific Modulation of Interneurons. *Cerebral Cortex*, 17(5), 1020-1032. doi:

Kroner, S., Rosenkranz, J. A., Grace, A. A., & Barrionuevo, G. (2005). Dopamine Modulates Excitability of Basolateral Amygdala Neurons In Vitro. *Journal of Neurophysiology*, 93(3), 1598-1610. doi: 10.1152/jn.00843.2004. <http://jn.physiology.org/cgi/content/abstract/93/3/1598>

Ksiazek, I., Burkhardt, C., Lin, S., Seddik, R., Maj, M., Bezakova, G., . . . Rugg, M. A. (2007). Synapse Loss in Cortex of Agrin-Deficient Mice after Genetic Rescue of Perinatal Death. *Journal of Neuroscience*, 27(27), 7183-7195. doi: 10.1523/jneurosci.1609-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7183>

Kubota, Y. (2014). Untangling GABAergic wiring in the cortical microcircuit. *Current Opinion in Neurobiology*, 26(0), 7-14. doi: <http://dx.doi.org/10.1016/j.conb.2013.10.003>, <http://www.sciencedirect.com/science/article/pii/S0959438813001955>

Kubota, Y. (2016). Morphological and Neurochemical Characterization of Electrophysiologically Identified Cells. Receptor and Ion Channel Detection in the Brain, 277. doi: [http://link.springer.com/protocol/10.1007/978-1-4939-3064-7\\_20](http://link.springer.com/protocol/10.1007/978-1-4939-3064-7_20)

Kubota, Y., Hatada, S., Kondo, S., Karube, F., & Kawaguchi, Y. (2007). Neocortical Inhibitory Terminals Innervate Dendritic Spines Targeted by Thalamocortical Afferents. *Journal of Neuroscience*, 27(5), 1139-1150. doi: 10.1523/jneurosci.3846-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/5/1139>

Kubota, Y., Karube, F., Nomura, M., Gullledge, A. T., Mochizuki, A., Schertel, A., & Kawaguchi, Y. (2011). Conserved properties of dendritic trees in four cortical interneuron subtypes. [10.1038/srep00089]. *Scientific Reports*, 1. doi: <http://www.nature.com/srep/2011/110913/srep00089/abs/srep00089.html#supp.....h>  
<http://dx.doi.org/10.1038/srep00089>

Kubota, Y., Shigematsu, N., Karube, F., Sekigawa, A., Kato, S., Yamaguchi, N., . . . Kawaguchi, Y. (2011). Selective Coexpression of Multiple Chemical Markers Defines Discrete Populations of Neocortical GABAergic Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhq252. <http://cercor.oxfordjournals.org/content/early/2011/01/10/cercor.bhq252....>

Kucera, J., Cooney, W., Que, A., Szeder, V., Stancz-Szeder, H., & Walro, J. (2002). Formation of supernumerary muscle spindles at the expense of golgi tendon organs in ER81-deficient mice. *Developmental Dynamics*, 223(3), 389-401. doi.

Küchler, M., Fouad, K., Weinmann, O., Schwab, M. E., & Raineteau, O. (2002). Red nucleus projections to distinct motor neuron pools in the rat spinal cord. *Journal of Comparative Neurology*, 448(4), 349-359. doi.

Kucukdereli, H., Allen, N. J., Lee, A. T., Feng, A., Ozlu, M. I., Conatser, L. M., . . . Eroglu, C. (2011). Control of excitatory CNS synaptogenesis by astrocyte-secreted proteins Hevin and SPARC. *Proceedings of the National Academy of Sciences*, 108(32), E440-E449. doi: 10.1073/pnas.1104977108. <http://www.pnas.org/content/108/32/E440.abstract>

Kuddannaya, S., Tong, C. S., Fan, Y., & Zhang, Y. (2018). Geometrically Mediated Topographic Steering of Neurite Behaviors and Network Formation. *Advanced Materials Interfaces*, 1700819-n/a. doi: 10.1002/admi.201700819. <http://dx.doi.org/10.1002/admi.201700819>

Kuhla, B., Boeck, K., Lüth, H. J., Schmidt, A., Weigle, B., Schmitz, M., . . . Arendt, T. (2006). Age-dependent changes of glyoxalase I expression in human brain. *Neurobiology of Aging*, 27(6), 815-822. doi.

Kuhla, B., Boeck, K., Schmidt, A., Ogunlade, V., Arendt, T., Münch, G., & Lüth, H. J. (2007). Age- and stage-dependent glyoxalase I expression and its activity in normal and Alzheimer's disease brains. *Neurobiology of Aging*, 28(1), 29-41. doi.

Kuipers, R., Eggens-Meijer, E., & McMurray, G. (2007). Barrington's nucleus in the guinea pig (< i> Cavia porcellus): Location in relation to noradrenergic cell groups and connections to the lumbosacral spinal cord. *Brain Research Bulletin*, 72(1), 49-56. doi.



Kuipers, R., & Klop, E. M. (2006). Neurons in the guinea pig (*Cavia porcellus*) lateral lumbosacral spinal cord project to the central part of the lateral periaqueductal gray matter. *Brain Research*, 1101(1), 43-50. doi.

Kuipers, R., Mensinga, G. M., Boers, J., Klop, E. M., & Holstege, G. (2006). Infralimbic cortex projects to all parts of the pontine and medullary lateral tegmental field in cat. *European Journal of Neuroscience*, 23(11), 3014-3024. doi: doi:10.1111/j.1460-9568.2006.04843.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04843.x>

Kuipers, R., Mouton, L. J., & Holstege, G. (2006). Afferent projections to the pontine micturition center in the cat. *Journal of Comparative Neurology*, 494(1), 36-53. doi.

Kuisle, M., Wanaverbecq, N., Brewster, A. L., Frere, S. G. A., Pinault, D., Baram, T. Z., & Luthi, A. (2006). Functional stabilization of weakened thalamic pacemaker channel regulation in rat absence epilepsy. *Journal of Physiology*, 575(1), 83-100. doi: 10.1113/jphysiol.2006.110486. <http://jp.physoc.org/cgi/content/abstract/575/1/83>

Kujawa, S. G., & Liberman, M. C. (2009). Adding Insult to Injury: Cochlear Nerve Degeneration after "Temporary" Noise-Induced Hearing Loss. *Journal of Neuroscience*, 29(45), 14077-14085. doi: 10.1523/jneurosci.2845-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/45/14077>

Kulesza, R. J. (2007). Cytoarchitecture of the human superior olivary complex: medial and lateral superior olive. *Hearing Research*, 225(1), 80-90. doi.

Kulesza, R. J., Viñuela, A., Saldaña, E., Berrebi, A. S., & others. (2002). Unbiased stereological estimates of neuron number in subcortical auditory nuclei of the rat. *Hearing Research*, 168(1-2), 12-24. doi.

Kuliszewski, M. A., Kobulnik, J., Lindner, J. R., Stewart, D. J., & Leong-Poi, H. (2011). Vascular gene transfer of SDF-1 promotes endothelial progenitor cell engraftment and enhances angiogenesis in ischemic muscle. *Molecular Therapy*, 19(5), 895-902. doi.

Kumagai, G., Tsoulfas, P., Toh, S., McNiece, I., Bramlett, H. M., & Dietrich, W. D. (2013). Genetically modified mesenchymal stem cells (MSCs) promote axonal regeneration and prevent hypersensitivity after spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.06.028>. <http://www.sciencedirect.com/science/article/pii/S0014488613002112>

Kumar, A., Stoica, B. A., Loane, D. J., Yang, M., Abulwerdi, G., Khan, N., . . . Faden, A. I. (2017). Microglial-derived microparticles mediate neuroinflammation after traumatic brain injury. [journal article]. *Journal of Neuroinflammation*, 14(1), 47. doi: 10.1186/s12974-017-0819-4. <http://dx.doi.org/10.1186/s12974-017-0819-4>

Kumar, P., & Ohana, O. (2008). Inter- and Intralaminar Subcircuits of Excitatory and Inhibitory Neurons in Layer 6a of the Rat Barrel Cortex. *Journal of Neurophysiology*, 100(4), 1909-1922. doi: 10.1152/jn.90684.2008. <http://jn.physiology.org/cgi/content/abstract/100/4/1909>

Kumar, S., Alam, M. N., Rai, S., Bashir, T., McGinty, D., & Szymusiak, R. (2011). Central nervous system sites of the sleep promoting effects of eszopiclone in rats. *Neuroscience*. doi:

Kumar, S., Rai, S., Hsieh, K.-C., McGinty, D., Alam, M. N., & Szymusiak, R. (2013). Adenosine A2A Receptors Regulate the Activity of Sleep Regulatory GABAergic Neurons in the Preoptic Hypothalamus. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: 10.1152/ajpregu.00402.2012. <http://ajpregu.physiology.org/content/early/2013/04/27/ajpregu.00402.2012>

Kumar, S., Szymusiak, R., Bashir, T., Rai, S., McGinty, D., & Alam, M. N. (2007). Effects of serotonin on perifornical-lateral hypothalamic area neurons in rat. *European Journal of Neuroscience*, 25(1), 201-212. doi: doi:10.1111/j.1460-9568.2006.05268.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05268.x>

Kumar, S., Szymusiak, R., Bashir, T., Suntsova, N., Rai, S., McGinty, D., & Alam, M. N. (2008). Inactivation of median preoptic nucleus causes c-Fos expression in hypocretin- and serotonin-containing neurons in anesthetized rat. *Brain Research*, 1234, 66-77. doi:

Kumbasar, A., Plachez, C., Gronostajski, R. M., Richards, L. J., & Litwack, E. D. (2009). Absence of the transcription factor Nfib delays the formation of the basilar pontine and other mossy fiber nuclei. *Journal of Comparative Neurology*, 513(1), 98-112. doi:

Kuokkanen, P. T., Wagner, H., Ashida, G., Carr, C. E., & Kempster, R. (2010). On the Origin of the Extracellular Field Potential in the Nucleus Laminaris of the Barn Owl (*Tyto alba*). *Journal of Neurophysiology*, 104(4), 2274-2290. doi: 10.1152/jn.00395.2010. <http://jn.physiology.org/cgi/content/abstract/104/4/2274>

Kupferman, Justine V., Basu, J., Russo, Marco J., Guevarra, J., Cheung, Stephanie K., & Siegelbaum, Steven A. (2014). Reelin Signaling Specifies the Molecular Identity of the Pyramidal Neuron Distal Dendritic Compartment. *Cell*, 158(6), 1335-1347. doi: <http://dx.doi.org/10.1016/j.cell.2014.07.035>. <http://www.sciencedirect.com/science/article/pii/S0092867414009854>

Kuramoto, E. (2019). Method for Labeling and Reconstruction of Single Neurons Using Sindbis Virus Vectors. *Journal of Chemical Neuroanatomy*. doi: <https://doi.org/10.1016/j.jchemneu.2019.05.002>. <http://www.sciencedirect.com/science/article/pii/S0891061818302023>

Kuramoto, E., Furuta, T., Nakamura, K. C., Unzai, T., Hioki, H., & Kaneko, T. (2009). Two Types of Thalamocortical Projections from the Motor Thalamus Nuclei of the Rat: A Single Neuron-Tracing Study Using Viral Vectors. *Cerebral Cortex*, bhn231. doi: 10.1093/cercor/bhn231. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn231v1>

Kuramoto, E., Ohno, S., Furuta, T., Unzai, T., Tanaka, Y. R., Hioki, H., & Kaneko, T. (2013). Ventral Medial Nucleus Neurons Send Thalamocortical Afferents More Widely and More Preferentially to Layer 1 than Neurons of the Ventral Anterior-Ventral Lateral Nuclear Complex in the Rat. *Cerebral Cortex*. doi:

10.1093/cercor/bht216. <http://cercor.oxfordjournals.org/content/early/2013/08/21/cercor.bht216...>

Kuramoto, E., Pan, S., Furuta, T., Tanaka, Y. R., Iwai, H., Yamanaka, A., . . . Hioki, H. (2016). Individual Mediodorsal Thalamic Neurons Project to Multiple Areas of the Rat Prefrontal Cortex: A Single Neuron-Tracing Study Using Virus Vectors. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24054. <http://dx.doi.org/10.1002/cne.24054>

Kurnikova, A., Deschenes, M., & Kleinfeld, D. (2018). Functional brainstem circuits for control of nose motion. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00608.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00608.2018>

Kuroda, T., Nakamura, H., Itoh, K., Le, W. R., Yoshimura, S., Takenaka, K., & Sakai, N. (2002). Nestin immunoreactivity in local neurons of the adult rat striatum after remote cortical injury. *Journal of Chemical Neuroanatomy*, 24(2), 137-146. doi.

Kurotani, T., Miyashita, T., Wintzer, M., Konishi, T., Sakai, K., Ichinohe, N., & Rockland, K. S. (2012). Pyramidal neurons in the superficial layers of rat retrosplenial cortex exhibit a late-spiking firing property. *Brain Structure and Function*, 1-16. doi.

Kurt, S., Deutscher, A., Crook, J. M., Ohl, F. W., Budinger, E., Moeller, C. K., . . . Schulze, H. (2008). Auditory cortical contrast enhancing by global winner-take-all inhibitory interactions. *PLoS ONE*, 3(3), e1735-e1735. doi.

Kurz, J. E., Moore, B. J., Henderson, S. C., Campbell, J. N., & Churn, S. B. (2008). A cellular mechanism for dendritic spine loss in the pilocarpine model of status epilepticus. *Epilepsia*, 0(0), ???-???. doi: doi:10.1111/j.1528-1167.2008.01616.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2008.01616.x>

Kuśmierczak, M., Lajeunesse, F., Grand, L., & Timofeev, I. (2014). Changes in long-range connectivity and neuronal reorganization in partial cortical deafferentation model of epileptogenesis. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.09.079>. <http://www.sciencedirect.com/science/article/pii/S0306452214008495>

Kusnoor, S. V., Bubser, M., & Deutch, A. Y. (2012). The effects of nigrostriatal dopamine depletion on the thalamic parafascicular nucleus. *Brain Research*. doi.

Kusnoor, S. V., Parris, J., Muly, E. C., Morgan, J. I., & Deutch, A. Y. (2010). Extracerebellar role for Cerebellin1: Modulation of dendritic spine density and synapses in striatal medium spiny neurons. *Journal of Comparative Neurology*, 518(13), 2525-2537. doi.

Kutscher, A., & Covey, E. (2009). Functional role of GABAergic and glycinergic inhibition in the intermediate nucleus of the lateral lemniscus of the big brown bat. *Journal of Neurophysiology*, 101(6), 3135-3146. doi.

Kutsuna, N., Murata, Y., Eriguchi, T., Takada, Y., Oshima, H., Sakatani, K., & Katayama, Y. (2013). DCX-Expressing Neurons Decrease in the Retrosplenial Cortex after Global Brain Ischemia. In W. J. Welch, F. Palm, D. F. Bruley & D. K. Harrison (Eds.), *Oxygen Transport to Tissue XXXIV*

(Vol. 765, pp. 115-121): Springer New York.

Kutsuna, N., Suma, T., Takada, Y., Yamashita, A., Oshima, H., Sakatani, K., . . . Katayama, Y. (2012). Decrease in doublecortin expression without neuronal cell death in rat retrosplenial cortex after stress exposure. *Neuroreport*, 23(4), 211-211. doi.

Kutsuna, N., Yamashita, A., Eriguchi, T., Oshima, H., Suma, T., Sakatani, K., . . . Katayama, Y. (2013). Acute stress exposure preceding transient global brain ischemia exacerbates the decrease in cortical remodeling potential in the rat retrosplenial cortex. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2013.10.011>. <http://www.sciencedirect.com/science/article/pii/S0168010213002472>

Kuwajima, M., Hall, R. A., Aiba, A., & Smith, Y. (2004). Subcellular and subsynaptic localization of group I metabotropic glutamate receptors in the monkey subthalamic nucleus. *Journal of Comparative Neurology*, 474(4), 589-602. doi.

Kuwajima, T., Sitko, A. A., Bhansali, P., Jurgens, C., Guido, W., & Mason, C. (2013). ClearT: a detergent- and solvent-free clearing method for neuronal and non-neuronal tissue. *Development*, 140(6), 1364-1368. doi: 10.1242/dev.091844. <http://dev.biologists.org/content/140/6/1364.abstract>

Kuwajima, T., Soares, C. A., Sitko, A. A., Lefebvre, V., & Mason, C. (2017). SoxC Transcription Factors Promote Contralateral Retinal Ganglion Cell Differentiation and Axon Guidance in the Mouse Visual System. *Neuron*. doi. [http://www.cell.com/neuron/abstract/S0896-6273\(17\)30053-3?\\_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0896627317300533%3Fshowall%3Dtrue](http://www.cell.com/neuron/abstract/S0896-6273(17)30053-3?_returnURL=http%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0896627317300533%3Fshowall%3Dtrue)

Kwan, K. Y., Glazer, J. M., Corey, D. P., Rice, F. L., & Stucky, C. L. (2009). TRPA1 Modulates Mechanotransduction in Cutaneous Sensory Neurons. *Journal of Neuroscience*, 29(15), 4808-4819. doi: 10.1523/jneurosci.5380-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/15/4808>

Kwon, M. J., Shin, H. Y., Cui, Y., Kim, H., Le Thi, A. H., Choi, J. Y., . . . Kim, B. G. (2015). CCL2 Mediates Neuron–Macrophage Interactions to Drive Proregenerative Macrophage Activation Following Preconditioning Injury. *The Journal of Neuroscience*, 35(48), 15934-15947. doi. <http://www.jneurosci.org/content/35/48/15934.short>

Kwon, Y. S., Ann, H. S., Nabeshima, T., Shin, E. J., Kim, W. K., Jhoo, J. H., . . . others. (2004). Selegiline potentiates the effects of EGb 761 in response to ischemic brain injury. *Neurochemistry International*, 45(1), 157-170. doi.

Kwon, Y. S., Nabeshima, T., Shin, E. J., Chun, W., Jhoo, J. H., Jhoo, W. K., . . . others. (2004). PAP 9704, a Korean Herbal Medicine Attenuates Methamphetamine-Induced Hyperlocomotion via Adenosine A<sub>2A</sub> Receptor Stimulation in Mice. *Biological and Pharmaceutical Bulletin*, 27(6), 906-909. doi.

La, Walker, y. C., Fry, M. C. M. E., Wang, D. J., Du, D. X., Zuzzio, M. K., . . . Xu, P. X.-M. (2018). Functional and histological gender comparison of age-matched rats after moderate thoracic contusive spinal cord injury. 2018, 0(

), null. doi:

10.1089/neu.2018.6233. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.6233>

La Rosa, C., Cavallo, F., Pecora, A., Chincarini, M., Ala, U., Faulkes, C. G., . . . Bonfanti, L. (2020). Phylogenetic variation in cortical layer II immature neuron reservoir of mammals. *eLife*, 9, e55456. doi: 10.7554/eLife.55456. <https://doi.org/10.7554/eLife.55456>

La Rosa, C., Parolisi, R., Palazzo, O., Lévy, F., Meurisse, M., & Bonfanti, L. (2018). Clusters of DCX+ cells "trapped" in the subcortical white matter of early postnatal Cetartiodactyla (*Tursiops truncatus*, *Stenella coeruleoalba* and *Ovis aries*). [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1708-z. <https://doi.org/10.1007/s00429-018-1708-z>

Labedi, A., Benali, A., Mix, A., Neubacher, U., & Funke, K. (2014). Modulation of Inhibitory Activity Markers by Intermittent Theta-Burst Stimulation in Rat Cortex is NMDA-Receptor Dependent. *Brain Stimulation*, (0). doi: <http://dx.doi.org/10.1016/j.brs.2014.02.010>. <http://www.sciencedirect.com/science/article/pii/S1935861X14001089>

Laberge, F., & Smith, A. (2017). Efferent Axonal Projections of the Habenular Complex in the Fire-Bellied Toad *Bombina orientalis*. *Brain, Behavior and Evolution*. doi: <https://www.karger.com/Article/Abstract/481394>

Labrakakis, C., Lorenzo, L. E., Bories, C., Ribeiro-da-Silva, A., & De Koninck, Y. (2009). Inhibitory coupling between inhibitory interneurons in the spinal cord dorsal horn. *Molecular Pain*, 5(1), 24-24. doi.

Lacey, C. J., Bolam, J. P., & Magill, P. J. (2007). Novel and Distinct Operational Principles of Intralaminar Thalamic Neurons and Their Striatal Projections. *Journal of Neuroscience*, 27(16), 4374-4384. doi: 10.1523/jneurosci.5519-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/16/4374>

Laemle, L. K., & Ottenweller, J. E. (2001). The relationship between circadian rhythmicity and vasoactive intestinal polypeptide in the suprachiasmatic nucleus of congenitally anophthalmic mice. *Brain Research*, 917(1), 105-111. doi.

Laemle, L. K., Puskarczyk, M., & Feinberg, R. N. (1999). Apoptosis in early ocular morphogenesis in the mouse. *Developmental Brain Research*, 112(1), 129-133. doi.

Laezza, F., Doherty, J. J., & Dingledine, R. (1999). Long-Term Depression in Hippocampal Interneurons: Joint Requirement for Pre- and Postsynaptic Events. *Science*, 285, 1411-1414. doi. <http://www.sciencemag.org/cgi/search?maxtoshow=&HITS=&hits=&RESULTFORMAT...>

Lafemina, M. J., Sheldon, R. A., & Ferriero, D. M. (2006). Acute Hypoxia-Ischemia Results in Hydrogen Peroxide Accumulation in Neonatal But Not Adult Mouse Brain. *Pediatric Research*, 59(5), 680-683. doi.

Lagace, D. C., Whitman, M. C., Noonan, M. A., Ables, J. L., DeCarolis, N. A., Arguello, A. A., . . . Eisch, A. J. (2007). Dynamic Contribution of Nestin-Expressing Stem Cells to Adult Neurogenesis. *Journal of Neuroscience*, 27(46), 12623-12629. doi: 10.1523/jneurosci.3812-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/46/12623>

Laguesse, S., Morisot, N., Shin, J. H., Liu, F., Adrover, M. F., Sakhai, S. A., . . . Ron, D. (2017). Prosapip1-Dependent Synaptic Adaptations in the Nucleus Accumbens Drive Alcohol Intake, Seeking, and Reward. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2017.08.037>. <http://www.sciencedirect.com/science/article/pii/S0896627317307808>

Lähtinen, S., Pitkänen, A., Koponen, E., Saarelainen, T., & Castren, E. (2003). Exacerbated status epilepticus and acute cell loss, but no changes in epileptogenesis, in mice with increased brain-derived neurotrophic factor signaling. *Neuroscience*, 122(4), 1081-1092. doi.

Lahtinen, S., Pitkanen, A., Saarelainen, T., Nissinen, J., Koponen, E., & Castren, E. (2002). Decreased BDNF signalling in transgenic mice reduces epileptogenesis. *European Journal of Neuroscience*, 15(4), 721-734. doi: doi:10.1046/j.1460-9568.2002.01897.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.01897.x>

Lai, Y. Y., Hsieh, K. C., Nguyen, D., Peever, J., & Siegel, J. M. (2008). Neurotoxic lesions at the ventral mesopontine junction change sleep time and muscle activity during sleep: an animal model of motor disorders in sleep. *Neuroscience*, 154(2), 431-443. doi.

Laing, R. J., Turecek, J., Takahata, T., & Olavarria, J. F. (2014). Identification of Eye-Specific Domains and Their Relation to Callosal Connections in Primary Visual Cortex of Long Evans Rats. *Cerebral Cortex*. doi: 10.1093/cercor/bhu128. <http://cercor.oxfordjournals.org/content/early/2014/06/25/cercor.bhu128...>

Lam, C.-S., Li, J.-J., Tipoe, G. L., Youdim, M. B. H., & Fung, M.-L. (2017). Monoamine oxidase A upregulated by chronic intermittent hypoxia activates indoleamine 2,3-dioxygenase and neurodegeneration. *PLoS ONE*, 12(6), e0177940. doi: 10.1371/journal.pone.0177940. <https://doi.org/10.1371/journal.pone.0177940>

Lam, C.-S., Tipoe, G. L., Wong, J. K.-C., Youdim, M. B. H., & Fung, M.-L. (2016). M30 Antagonizes Indoleamine 2,3-Dioxygenase Activation and Neurodegeneration Induced by Corticosterone in the Hippocampus. *PLoS ONE*, 11(11), e0166966. doi: 10.1371/journal.pone.0166966. <http://dx.doi.org/10.1371%2Fjournal.pone.0166966>

Lam, Y. W., Cox, C. L., Varela, C., & Sherman, S. M. (2005). Morphological Correlates of Triadic Circuitry in the Lateral Geniculate Nucleus of Cats and Rats. *Journal of Neurophysiology*, 93(2), 748-757. doi: 10.1152/jn.00256.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/748>



Lamas, V., Alvarado, J. C., Carro, J., & Merchán, M. A. (2013). Long-Term Evolution of Brainstem Electrical Evoked Responses to Sound after Restricted Ablation of the Auditory Cortex. *PLoS ONE*, 8(9), e73585. doi: 10.1371/journal.pone.0073585. <http://dx.doi.org/10.1371/journal.pone.0073585>

Lambe, E. K., Krimer, L. S., & Goldman-Rakic, P. S. (2000). Differential Postnatal Development of Catecholamine and Serotonin Inputs to Identified Neurons in Prefrontal Cortex of Rhesus Monkey. *Journal of Neuroscience*, 20(23), 8780-8787. doi: <http://www.jneurosci.org/cgi/content/abstract/20/23/8780>

Lambert, K., Hyer, M., Bardi, M., Rzucidlo, A., Scott, S., Terhunecotter, B., . . . Kinsley, C. (2016). Natural-enriched environments lead to enhanced environmental engagement and altered neurobiological resilience. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.037>. <http://www.sciencedirect.com/science/article/pii/S0306452216301968>

Lambert, K. G., Buckelew, S. K., Staffiso-Sandoz, G., Gaffga, S., Carpenter, W., Fisher, J., & Kinsley, C. H. (1998). Activity-stress induces atrophy of apical dendrites of hippocampal pyramidal neurons in male rats. *Physiology and Behavior*, 65(1), 43-49. doi.

Lambert, K. G., Franssen, C. L., Bardi, M., Hampton, J. E., Hainley, L., Karsner, S., . . . others. (2011). Characteristic Neurobiological Patterns Differentiate Paternal Responsiveness in Two *Peromyscus* Species. *Brain, Behavior and Evolution*, 77(3), 159-175. doi.

Lambert, K. G., Franssen, C. L., Hampton, J. E., Rzucidlo, A. M., Hyer, M. M., True, M., . . . Bardi, M. (2012). Modeling Paternal Attentiveness: Distressed Pups Evoke Differential Neurobiological and Behavioral Responses in Paternal and Nonpaternal Mice. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2012.12.023>. <http://www.sciencedirect.com/science/article/pii/S0306452212012043>

Lambert, K. G., Gerecke, K. M., Quadros, P. S., Doudera, E., Jasnow, A. M., & Kinsley, C. H. (2000). Activity-stress increases density of GFAP-immunoreactive astrocytes in the rat hippocampus. *Stress: The International Journal on the Biology of Stress*, 3(4), 275-284. doi.

Lambert, K. G., Quadros, P., Aurentz, C., Lowry, C., & Kinsley, C. H. (1999). Does Chronic Activity-Stress Produce Hippocampal Atrophy and Basal Forebrain Lesions?: A Preliminary Analysis. *Annals of the New York Academy of Sciences*, 877(1), 742-746. doi: 10.1111/j.1749-6632.1999.tb09314.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.1999.tb09314.x>

Lammel, S., Hetzel, A., Häckel, O., Jones, I., Liss, B., & Roeper, J. (2008). Unique properties of mesoprefrontal neurons within a dual mesocorticolimbic dopamine system. *Neuron*, 57(5), 760-773. doi.

Lammel, S., Lim, B. K., Ran, C., Huang, K. W., Betley, M. J., Tye, K. M., . . . Malenka, R. C. (2012). Input-specific control of reward and aversion in the ventral tegmental area. *Nature*. doi.

Lampe, K. J., Antaris, A. L., & Heilshorn, S. C. (2012). Design of 3D engineered protein hydrogels for tailored control of neurite growth. *Acta Biomaterialia*, (0). doi: 10.1016/j.actbio.2012.10.033. <http://www.sciencedirect.com/science/article/pii/S1742706112005259?v=s5>

Land, P. W., & Aizenman, E. (2005). Zinc accumulation after target loss: an early event in retrograde degeneration of thalamic neurons. *European Journal of Neuroscience*, 21(3), 647-657. doi: doi:10.1111/j.1460-9568.2005.03903.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03903.x>

Land, P. W., & Monaghan, A. P. (2003). Expression of the transcription factor, *tailless*, is required for formation of superficial cortical layers. *Cerebral Cortex*, 13(9), 921-931. doi.

Landers, M. S., Knott, G. W., Lipp, H. P., Poletaeva, I., & Welker, E. (2011). Synapse formation in adult barrel cortex following naturalistic environmental enrichment. *Neuroscience*. doi.

Landin, J. D., Palac, M., Carter, J. M., Dzumaga, Y., Santerre-Anderson, J. L., Fernandez, G. M., . . . Werner, D. F. (2019). General anesthetic exposure in adolescent rats causes persistent maladaptations in cognitive and affective behaviors and neuroplasticity. *Neuropharmacology*, 150, 153-163. doi: <https://doi.org/10.1016/j.neuropharm.2019.03.022>. <http://www.sciencedirect.com/science/article/pii/S0028390818305203>

Landsberg, R. L., Awatramani, R. B., Hunter, N. L., Farago, A. F., DiPietrantonio, H. J., Rodriguez, C. I., & Dymecki, S. M. (2005). Hindbrain rhombic lip is comprised of discrete progenitor cell populations allocated by Pax6. *Neuron*, 48(6), 933-947. doi.

Langle, S. L., Poulain, D. A., & Theodosis, D. T. (2003). Induction of rapid, activity-dependent neuronal-glia remodeling in the adult rat hypothalamus in vitro. *European Journal of Neuroscience*, 18(1), 206-214. doi: doi:10.1046/j.1460-9568.2003.02741.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02741.x>

Lang-Ouellette, D., Gruver, K. M., Smith-Dijak, A., Blot, F. G. C., Stewart, C. A., de Vanssay de Blavous, P., . . . Watt, A. J. (2021). Purkinje cell axonal swellings enhance action potential fidelity and cerebellar function. *Nature Communications*, 12(1), 4129. doi: 10.1038/s41467-021-24390-4. <https://doi.org/10.1038/s41467-021-24390-4>

Lanz, F., Moret, V., Ambett, R., Cappe, C., Rouiller, E. M., & Loquet, G. (2016). Distant heterotopic callosal connections to premotor cortex in non-human primates. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.12.035>. <http://www.sciencedirect.com/science/article/pii/S0306452216307357>

Lao, Z., Raju, G. P., Bai, C. B., & Joyner, Alexandra L. (2012). MASTR: A Technique for Mosaic Mutant Analysis with Spatial and Temporal Control of Recombination Using Conditional Floxed Alleles in Mice. *Cell Reports*, (0). doi: 10.1016/j.celrep.2012.07.004. <http://www.sciencedirect.com/science/article/pii/S2211124712002008>

Lao, Z., Raju, G. P., Bai, C. B., & Joyner, A. L. (2012). Mosaic mutant Analysis with Spatial and Temporal control of Recombination (MASTR): a new technique for determining the fate of mutant cells using conditional floxed alleles in mice. *Cell Reports*, 2(2), 386. doi.

LaPlaca, M. C., & Lessing, M. C. (2012). Assessment of Membrane Permeability After Traumatic Brain Injury. *Springer Protocols Handbooks*. doi.

LaPlaca, M. C., Lessing, M. C., Prado, G. R., Zhou, R., Tate, C. C., Geddes-Klein, D., . . . Zhang, L. (2018). Mechanoporation is a potential indicator of tissue strain and subsequent degeneration following experimental traumatic brain injury. *Clinical Biomechanics*. doi: <https://doi.org/10.1016/j.clinbiomech.2018.05.016>. <http://www.sciencedirect.com/science/article/pii/S0268003318304765>

Lara, J., Kusano, K., House, S., & Gainer, H. (2003). Interactions of cyclic adenosine monophosphate, brain-derived neurotrophic factor, and glial cell line-derived neurotrophic factor treatment on the survival and growth of postnatal mesencephalic dopamine neurons in vitro. *Experimental Neurology*, 180(1), 32-45. doi.

Laramée, M. E., Kurotani, T., Rockland, K. S., Bronchti, G., & Boire, D. (2011). Indirect pathway between the primary auditory and visual cortices through layer V pyramidal neurons in V2L in mouse and the effects of bilateral enucleation. *European Journal of Neuroscience*, 34(1), 65-78. doi: 10.1111/j.1460-9568.2011.07732.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07732.x>

Laramée, M. E., Rockland, K. S., Prince, S., Bronchti, G., & Boire, D. (2012). Principal Component and Cluster Analysis of Layer V Pyramidal Cells in Visual and Non-Visual Cortical Areas Projecting to the Primary Visual Cortex of the Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhs060. <http://cercor.oxfordjournals.org/content/early/2012/03/16/cercor.bhs060....>

Laramée, M.-E., Bronchti, G., & Boire, D. (2013). Primary visual cortex projections to extrastriate cortices in enucleated and anophthalmic mice. *Brain Structure and Function*, 1-20. doi: 10.1007/s00429-013-0623-6. <http://dx.doi.org/10.1007/s00429-013-0623-6>

Large, A. M., Vogler, N. W., Mielo, S., & Oswald, A.-M. M. (2016). Balanced feedforward inhibition and dominant recurrent inhibition in olfactory cortex. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1519295113. <http://www.pnas.org/content/early/2016/02/04/1519295113.abstract>

Laricchiuta, D., Saba, L., De Bartolo, P., Caioli, S., Zona, C., & Petrosini, L. (2016). Maintenance of aversive memories shown by fear extinction-impaired phenotypes is associated with increased activity in the amygdaloid-prefrontal circuit. [Article]. *Scientific Reports*, 6, 21205. doi: 10.1038/srep21205

<http://www.nature.com/articles/srep21205#supplementary-information>. <http://dx.doi.org/10.1038/srep21205>

Larkum, M. E., Nevian, T., Sandler, M., Polsky, A., & Schiller, J. (2009). Synaptic Integration in Tuft Dendrites of Layer 5 Pyramidal Neurons: A New Unifying Principle. *Science*, 325(5941), 756-760. doi: 10.1126/science.1171958. <http://www.sciencemag.org/cgi/content/abstract/325/5941/756>

Larkum, M. E., Watanabe, S., Lasser-Ross, N., Rhodes, P., & Ross, W. N. (2007). Dendritic Properties of Turtle Pyramidal neurons. *Journal of Neurophysiology*, 01076.02007. doi: 10.1152/jn.01076.2007. <http://jn.physiology.org/cgi/content/abstract/01076.2007v1>

Larkum, M. E., & Zhu, J. J. (2002). Signaling of Layer 1 and Whisker-Evoked Ca<sup>2+</sup> and Na<sup>+</sup> Action Potentials in Distal and Terminal Dendrites of Rat Neocortical Pyramidal Neurons In Vitro and In Vivo. *Journal of Neuroscience*, 22(16), 6991-7005. doi: <http://www.jneurosci.org/cgi/content/abstract/22/16/6991>

Larkum, M. E., Zhu, J. J., & Sakmann, B. (2001). Dendritic mechanisms underlying the coupling of the dendritic with the axonal action potential initiation zone of adult rat layer 5 pyramidal neurons. *Journal of Physiology*, 533(2), 447-466. doi: <http://jp.physoc.org/cgi/content/abstract/533/2/447>

Larphaveesarp, A., Georgevits, M., Ferriero, D. M., & Gonzalez, F. F. (2016). Delayed erythropoietin therapy improves histological and behavioral outcomes after transient neonatal stroke. *Neurobiology of Disease*, 93, 57-63. doi: <http://dx.doi.org/10.1016/j.nbd.2016.04.006>. <http://www.sciencedirect.com/science/article/pii/S0969996116300882>

Larrieu, T., Hilal, L. M., Fourrier, C., De Smedt-Peyrusse, V., Sans, N., Capuron, L., & Laye, S. (2014). Nutritional omega-3 modulates neuronal morphology in the prefrontal cortex along with depression-related behaviour through corticosterone secretion. [Original Article]. *Transl Psychiatry*, 4, e437. doi: 10.1038/tp.2014.77. <http://dx.doi.org/10.1038/tp.2014.77>

Larsen, D. L. D., & Callaway, E. M. (2006). Development of layer-specific axonal arborizations in mouse primary somatosensory cortex. *Journal of Comparative Neurology*, 494(3), 398-414. doi.

Larsen, D. L. D., Wickersham, I. R., & Callaway, E. M. (2007). Frontiers: Retrograde tracing with recombinant rabies virus reveals correlations between projection targets and dendritic architecture in layer 5 of mouse barrel cortex. *Frontiers in Neural Circuits*, 2. doi.

Larsen, D. L. D., Wickersham, I. R., & Callaway, E. M. (2007). Retrograde tracing with recombinant rabies virus reveals correlations between projection targets and dendritic architecture in layer 5 of mouse barrel cortex. *Frontiers in Neural Circuits*, 1. doi.

Larson, S. D., Fong, L. L., Gupta, A., Condit, C., Bug, W. J., & Martone, M. E. (2007). A formal ontology of subcellular neuroanatomy. *Frontiers in Neuroinformatics*, 1. doi.

Larson, S. D., Fong, L. L., Gupta, A., Condit, C., Bug, W. J., & Martone, M. E. (2007). A formal ontology of subcellular neuroanatomy (Vol. 1).

LaSarge, C. L., Pun, R. Y. K., Gu, Z., Santos, V. R., & Danzer, S. C. (2019). Impact of mTOR hyperactive neurons on the morphology and physiology of adjacent neurons: Do PTEN KO cells make bad neighbors? *Experimental Neurology*, 321, 113029. doi: <https://doi.org/10.1016/j.expneurol.2019.113029>. <http://www.sciencedirect.com/science/article/pii/S0014488619301785>

LaSarge, C. L., Pun, R. Y. K., Muntifering, M. B., & Danzer, S. C. (2016). Disrupted hippocampal network physiology following PTEN deletion from newborn dentate granule cells. *Neurobiology of Disease*, 96, 105-114. doi: <http://dx.doi.org/10.1016/j.nbd.2016.09.004>. <http://www.sciencedirect.com/science/article/pii/S0969996116302200>

LaSarge, C. L., Santos, V. R., & Danzer, S. C. (2015). PTEN deletion from adult-generated dentate granule cells disrupts granule cell mossy fiber axon structure. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.12.029>. <http://www.sciencedirect.com/science/article/pii/S0969996114004008>

Lasserre, S., Hernando, J., Hill, S., Schürmann, F., Miguel Anasagasti, P., Markram, H., & others. (2012). A neuron membrane mesh representation for visualization of electrophysiological simulations. *Visualization and Computer Graphics, IEEE Transactions on*, (99), 1-1. doi.

Laszczyk, A. M., Fox-Quick, S., Vo, H. T., Nettles, D., Pugh, P. C., Overstreet-Wadiche, L., & King, G. D. (2017). Klotho regulates postnatal neurogenesis and protects against age-related spatial memory loss. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2017.07.008>. <http://www.sciencedirect.com/science/article/pii/S0197458017302415>

Lasztóczy, B., & Klausberger, T. (2014). Layer-Specific GABAergic Control of Distinct Gamma Oscillations in the CA1 Hippocampus. *Neuron*, 81(5), 1126-1139. doi: <http://dx.doi.org/10.1016/j.neuron.2014.01.021>. <http://www.sciencedirect.com/science/article/pii/S089662731400052X>

Lasztóczy, B., Tukker, J. J., Somogyi, P., & Klausberger, T. (2011). Terminal Field and Firing Selectivity of Cholecystinin-Expressing Interneurons in the Hippocampal CA3 Area. *Journal of Neuroscience*, 31(49), 18073-18093. doi: 10.1523/jneurosci.3573-11.2011. <http://www.jneurosci.org/content/31/49/18073.abstract>

Lath, N. R., Galambos, C., Rocha, A. B., Malek, M., Gittes, G. K., & Potoka, D. A. (2012). Defective pulmonary innervation and autonomic imbalance in congenital diaphragmatic hernia. *American Journal of Physiology-Lung Cellular and Molecular Physiology*, 302(4), L390-L398. doi.

Lattanzi, A., Neri, M., Maderna, C., di Girolamo, I., Martino, S., Orlacchio, A., . . . Gritti, A. (2010). Widespread enzymatic correction of CNS tissues by a single intracerebral injection of therapeutic lentiviral vector in leukodystrophy mouse models. *Human Molecular Genetics*, ddq099. doi: 10.1093/hmg/ddq099. <http://hmg.oxfordjournals.org/cgi/content/abstract/ddq099v2>

Lau, B. W. M., Ren, C., Yang, J., Yan, S. W. L., Chang, R. C. C., Pu, M., & So, K. F. (2011). Light deprivation induces depression-like behavior and suppresses neurogenesis in diurnal Mongolian gerbil (*Meriones unguiculatus*). *Cell Transplantation*, 20(6), 871-881. doi:

Lau, T., Bigio, B., Zelli, D., McEwen, B. S., & Nasca, C. (2016). Stress-induced structural plasticity of medial amygdala stellate neurons and rapid prevention by a candidate antidepressant. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.68. <http://dx.doi.org/10.1038/mp.2016.68>

Lauer, A. M., Connelly, C. J., Graham, H., & Ryugo, D. K. (2013). Morphological Characterization of Bushy Cells and Their Inputs in the Laboratory Mouse (*Mus musculus*) Anteroventral Cochlear Nucleus. *PLoS ONE*, 8(8), e73308. doi: 10.1371/journal.pone.0073308. <http://dx.doi.org/10.1371/journal.pone.0073308>

Lauer, A. M., Fuchs, P. A., Ryugo, D. K., & Francis, H. W. (2012). Efferent synapses return to inner hair cells in the aging cochlea. *Neurobiology of Aging*, (0). doi: 10.1016/j.neurobiolaging.2012.02.007. <http://www.sciencedirect.com/science/article/pii/S0197458012001522>

Lauer, M., & Senitz, D. (2006). Dendritic excrescences seem to characterize hippocampal CA3 pyramidal neurons in humans. *Journal of Neural Transmission*, 113(10), 1469-1475. doi:

Lauer, S. M., Lenschow, C., & Brecht, M. (2017). Sexually selected size differences and conserved sexual monomorphism of genital cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24237. <http://dx.doi.org/10.1002/cne.24237>

Lauria, G., Cornblath, D. R., Johansson, O., McArthur, J. C., Mellgren, S. I., Nolano, M., . . . Sommer, C. (2005). EFNS guidelines on the use of skin biopsy in the diagnosis of peripheral neuropathy. *European Journal of Neurology*, 12(10), 747-758. doi: 10.1111/j.1468-1331.2005.01260.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1468-1331.2005.01260.x>

Lauria, G., Cornblath, D. R., Johansson, O., McArthur, J. C., Mellgren, S. I., Nolano, M., . . . Sommer, C. (2005). Use of Skin Biopsy in the Diagnosis of Peripheral Neuropathy. *European Handbook of Neurological Management*, 94-108. doi:

Lauria, G., Hsieh, S. T., Johansson, O., Kennedy, W. R., Leger, J. M., Mellgren, S. I., . . . others. (2010). European Federation of Neurological Societies/Peripheral Nerve Society Guideline on the use of skin biopsy in the diagnosis of small fiber neuropathy. Report of a joint task force of the European Federation of Neurological Societies and the Peripheral Nerve Society. *European Journal of Neurology*, 17(7), 903-e949-903-e949. doi:

Lavallee, P., & Deschenes, M. (2004). Dendroarchitecture and Lateral Inhibition in Thalamic Barreloids. *Journal of Neuroscience*, 24(27), 6098-6105. doi: <http://www.jneurosci.org/cgi/content/abstract/24/27/6098>

Lavenex, P., Steele, M. A., & Jacobs, L. F. (2000). The seasonal pattern of cell proliferation and neuron number in the dentate gyrus of wild adult eastern grey squirrels. *European Journal of Neuroscience*, 12(2), 643. doi:



- Lavezzi, H. N., Parsley, K. P., & Zahm, D. S. (2011). Mesopontine rostromedial tegmental nucleus neurons projecting to the dorsal raphe and pedunculo-pontine tegmental nucleus: psychostimulant-elicited Fos expression and collateralization. *Brain Structure and Function*, 1-16. doi.
- Lavian, H., & Korngreen, A. (2015). Inhibitory short-term plasticity modulates neuronal activity in the rat entopeduncular nucleus in vitro. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12965. <http://dx.doi.org/10.1111/ejn.12965>
- Lavzin, M., Rapoport, S., Polsky, A., Garion, L., & Schiller, J. (2012). Nonlinear dendritic processing determines angular tuning of barrel cortex neurons in vivo. [10.1038/nature11451]. *Nature*, advance online publication. doi: <http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature11451.html#.....http://dx.doi.org/10.1038/nature11451>
- Law, L. M., Gardner, R. D., Allen, T. A., & Lee, D. W. (2010). Species-specific injury-induced cell proliferation in the hippocampus and subventricular zone of food-storing and nonstoring wild birds. *Developmental Neurobiology*, 70(1), 16-27. doi.
- Lawrence, J. J., Saraga, F., Churchill, J. F., Statland, J. M., Travis, K. E., Skinner, F. K., & McBain, C. J. (2006). Somatodendritic Kv7/KCNQ/M Channels Control Interspike Interval in Hippocampal Interneurons. *Journal of Neuroscience*, 26(47), 12325-12338. doi: 10.1523/jneurosci.3521-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/47/12325>
- Lawrence, M. S., Foellmer, H. G., Elsworth, J. D., Kim, J. H., Leranath, C., Kozlowski, D. A., . . . Redmond, D. E. (1999). Inflammatory responses and their impact on  $\beta$ -galactosidase transgene expression following adenovirus vector delivery to the primate caudate nucleus. *Gene Therapy*, 6, 1368-1379. doi.
- Lawrence, R. C., Otero, N. K. H., & Kelly, S. J. (2011). Selective effects of perinatal ethanol exposure in medial prefrontal cortex and nucleus accumbens. *Neurotoxicology and Teratology*. doi.
- Lazarczyk, M. J., Kemmler, J. E., Eyford, B. A., Short, J. A., Varghese, M., Sowa, A., . . . Dickstein, D. L. (2016). Major Histocompatibility Complex class I proteins are critical for maintaining neuronal structural complexity in the aging brain. [Article]. *Scientific Reports*, 6, 26199. doi: 10.1038/srep26199  
<http://www.nature.com/articles/srep26199#supplementary-information>. <http://dx.doi.org/10.1038/srep26199>
- Lazarenko, R. M., Milner, T. A., Depuy, S. D., Stornetta, R. L., West, G. H., Kievits, J. A., . . . Guyenet, P. G. (2009). Acid sensitivity and ultrastructure of the retrotrapezoid nucleus in Phox2b-EGFP transgenic mice. *Journal of Comparative Neurology*, 517(1), 69-86. doi.
- Lazarewicz, M. T., Boer-Iwema, S., & Ascoli, G. A. (2002). Practical aspects in anatomically accurate simulations of neuronal electrophysiology. *Computational Neuroanatomy: Principles and Methods*, 127-148. doi.

Lázaro, J., Hertel, M., Sherwood, C. C., Muturi, M., & Dechmann, D. K. N. (2018). Profound seasonal changes in brain size and architecture in the common shrew. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1666-5. <https://doi.org/10.1007/s00429-018-1666-5>

Lazarov, O., Peterson, L. D., Peterson, D. A., & Sisodia, S. S. (2006). Expression of a Familial Alzheimer's Disease-Linked Presenilin-1 Variant Enhances Perforant Pathway Lesion-Induced Neuronal Loss in the Entorhinal Cortex. *Journal of Neuroscience*, 26(2), 429-434. doi: 10.1523/jneurosci.3961-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/2/429>

Lazarus, M. S., & Huang, Z. J. (2011). Distinct maturation profiles of perisomatic and dendritic targeting GABAergic interneurons in the mouse primary visual cortex during the critical period of ocular dominance plasticity. *Journal of Neurophysiology*, 106(2), 775-787. doi: 10.1152/jn.00729.2010. <http://jn.physiology.org/content/106/2/775.abstract>

Le Bé, J. V., Silberberg, G., Wang, Y., & Markram, H. (2007). Morphological, electrophysiological, and synaptic properties of corticocallosal pyramidal cells in the neonatal rat neocortex. *Cerebral Cortex*, 17(9), 2204-2213. doi:

Le Bon-Jego, M., & Yuste, R. (2007). Persistently active, pacemaker-like neurons in neocortex. *Frontiers in Neuroscience*, 1(1), 123-123. doi:

Le Cam, J., Estebanez, L., Jacob, V., & Shulz, D. E. (2011). Spatial structure of multiwhisker receptive fields in the barrel cortex is stimulus dependent. *Journal of Neurophysiology*, 106(2), 986-998. doi: 10.1152/jn.00044.2011. <http://jn.physiology.org/content/106/2/986.abstract>

Le Magueresse, C., Alfonso, J., Bark, C., Eliava, M., Khrulev, S., & Monyer, H. (2011). Subventricular Zone-Derived Neuroblasts Use Vasculature as a Scaffold to Migrate Radially to the Cortex in Neonatal Mice. *Cerebral Cortex*, bhr302. doi: 10.1093/cercor/bhr302. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr302v1>

Le Magueresse, C., Alfonso, J., Khodosevich, K., Arroyo Martín, Á. A., Bark, C., & Monyer, H. (2011). "Small Axonless Neurons": Postnatally Generated Neocortical Interneurons with Delayed Functional Maturation. *Journal of Neuroscience*, 31(46), 16731-16747. doi: 10.1523/jneurosci.4273-11.2011. <http://www.jneurosci.org/content/31/46/16731.abstract>

Le Masson, G., Przedborski, S., & Abbott, L. F. (2014). A Computational Model of Motor Neuron Degeneration. *Neuron*. doi: 10.1016/j.neuron.2014.07.001. [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00582-0](http://www.cell.com/neuron/abstract/S0896-6273(14)00582-0)

Leach, N. D., Nodal, F. R., Cordery, P. M., King, A. J., & Bajo, V. M. (2013). Cortical Cholinergic Input Is Required for Normal Auditory Perception and Experience-Dependent Plasticity in Adult Ferrets. *Journal of Neuroscience*, 33(15), 6659-6671. doi: 10.1523/jneurosci.5039-12.2013. <http://www.jneurosci.org/content/33/15/6659.abstract>

Leal-Campanario, R., Alarcon-Martinez, L., Rieiro, H., Martinez-Conde, S., Alarcon-Martinez, T., Zhao, X., . . . Macknik, S. L. (2017). Abnormal Capillary Vasodynamics Contribute to Ictal Neurodegeneration in Epilepsy. [Article]. *Scientific Reports*, 7, 43276. doi: 10.1038/srep43276

<http://www.nature.com/articles/srep43276#supplementary-information>. <http://dx.doi.org/10.1038/srep43276>

Lean, G. A., Liu, Y.-j., & Lyon, D. C. (2018). Cell type specific tracing of the subcortical input to primary visual cortex from the basal forebrain. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24412. <http://dx.doi.org/10.1002/cne.24412>

Leao, R. M., Kushmerick, C., Pinaud, R., Renden, R., Li, G.-L., Taschenberger, H., . . . von Gersdorff, H. (2005). Presynaptic Na<sup>+</sup> Channels: Locus, Development, and Recovery from Inactivation at a High-Fidelity Synapse. *Journal of Neuroscience*, 25(14), 3724-3738. doi: <http://www.jneurosci.org/cgi/content/abstract/25/14/3724>

Lebhardt, P., Hohenberg, C. C. v., Weber-Fahr, W., Kelsch, W., & Sartorius, A. (2015). Optogenetic fMRI in the mouse hippocampus: hemodynamic response to brief glutamatergic stimuli. *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678x15606455. [http://jcb.sagepub.com/content/early/2015/09/23/0271678X\\_15606455.abstract](http://jcb.sagepub.com/content/early/2015/09/23/0271678X_15606455.abstract)

Lebrand, C., Dent, E. W., Strasser, G. A., Lanier, L. M., Krause, M., Svitkina, T. M., . . . Gertler, F. B. (2004). Critical role of Ena/VASP proteins for filopodia formation in neurons and in function downstream of netrin-1. *Neuron*, 42(1), 37-49. doi.

Lecrux, C., Sandoe, C. H., Neupane, S., Kropf, P., Toussay, X., Tong, X.-K., . . . Hamel, E. (2017). Impact of altered cholinergic tones on the neurovascular coupling response to whisker stimulation. [10.1523/JNEUROSCI.1784-16.2016]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/01/09/JNEUROSCI.1784-16.2016...>

Ledergerber, D., & Larkum, M. E. (2010). Properties of Layer 6 Pyramidal Neuron Apical Dendrites. *Journal of Neuroscience*, 30(39), 13031-13044. doi: 10.1523/jneurosci.2254-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/39/13031>

Lee, A., Wissekerke, A. E., Rosin, D. L., & Lynch, K. R. (1998). Localization of  $\alpha$  2c-adrenergic receptor immunoreactivity in catecholaminergic neurons in the rat central nervous system. *Neuroscience*, 84(4), 1085-1096. doi.

Lee, A. J., Wang, G., Jiang, X., Johnson, S. M., Hoang, E. T., Lanté, F., . . . Julius Zhu, J. (2014). Canonical Organization of Layer 1 Neuron-Led Cortical Inhibitory and Disinhibitory Interneuronal Circuits. *Cerebral Cortex*. doi: 10.1093/cercor/bhu020. <http://cercor.oxfordjournals.org/content/early/2014/02/18/cercor.bhu020...>

Lee, A. K., Manns, I. D., Sakmann, B., & Brecht, M. (2006). Whole-cell recordings in freely moving rats. *Neuron*, 51(4), 399-407. doi.

Lee, C., μΨÄσÿëtÄô, & others. (2010). The effects of mild and severe stress on dendritic remodelling of hippocampal pyramidal neurons on exercised rats. HKU Theses Online (HKUTO). doi.

Lee, C. C., Imaizumi, K., Schreiner, C. E., & Winer, J. A. (2004). Concurrent Tonotopic Processing Streams in Auditory Cortex. *Cerebral Cortex*, 14(4), 441-451. doi: 10.1093/cercor/bhh006. <http://cercor.oxfordjournals.org/cgi/content/abstract/14/4/441>

Lee, C. C., Schreiner, C. E., Imaizumi, K., & Winer, J. A. (2004). Tonotopic and heterotopic projection systems in physiologically defined auditory cortex. *Neuroscience*, 128(4), 871-887. doi.

Lee, C. C., & Winer, J. A. (2005). Principles governing auditory cortex connections. *Cerebral Cortex*, 15(11), 1804-1814. doi.

Lee, C. C., & Winer, J. A. (2008). Connections of cat auditory cortex: I. Thalamocortical system. *Journal of Comparative Neurology*, 507(6), 1879-1900. doi.

Lee, C. C., & Winer, J. A. (2008). Connections of cat auditory cortex: II. Commissural system. *Journal of Comparative Neurology*, 507(6), 1901-1919. doi.

Lee, C. C., & Winer, J. A. (2008). Connections of cat auditory cortex: III. Corticocortical system. *Journal of Comparative Neurology*, 507(6), 1920-1943. doi.

Lee, C. H., Yoo, D. Y., Park, O. K., Park, J. H., Yi, S. S., Yoon, Y. S., . . . Hwang, I. K. (2011). Effects of Adrenalectomy and Replacement Therapy of Corticosterone on Cell Proliferation and Neuroblast Differentiation in the Rat Dentate Gyrus. *Neurochemical Research*, 1-9. doi.

Lee, C. Y., Romanova, E. V., & Sweedler, J. V. (2013). Laminar stream of detergents for subcellular neurite damage in a microfluidic device: a simple tool for the study of neuroregeneration. *Journal of neural engineering*, 10(3), 036020. doi.

Lee, D., Hyun, J. H., Jung, K., Hannan, P., & Kwon, H.-B. (2017). A calcium- and light-gated switch to induce gene expression in activated neurons. [Research]. *Nat Biotech*, advance online publication. doi: 10.1038/nbt.3902

<http://www.nature.com/nbt/journal/vaop/ncurrent/abs/nbt.3902.html#supple.....> <http://dx.doi.org/10.1038/nbt.3902>

Lee, D. C., Jensen, A. L., Schiefer, M. A., Morgan, C. W., & Grill, W. M. (2005). Structural mechanisms to produce differential dendritic gains. *Brain Research*, 1033(2), 117-127. doi.

Lee, D. W., Fernando, G., Peterson, R. S., Allen, T. A., & Schlinger, B. A. (2007). Estrogen mediation of injury-induced cell birth in neuroproliferative regions of the adult zebra finch brain. *Developmental Neurobiology*, 67(8), 1107-1117. doi.

Lee, F. K. H., Fang, M. R., Antonio, G. E., Yeung, D. K. W., Chan, E. T. Y., Zhang, L. H., . . . Ahuja, A. T. (2006). Diffusion tensor imaging (DTI) of rodent brains in vivo using a 1.5 T clinical MR scanner. *Journal of Magnetic Resonance Imaging*, 23(5), 747-751. doi.

- Lee, H., Leamey, C. A., & Sawatari, A. (2008). Rapid reversal of chondroitin sulfate proteoglycan associated staining in subcompartments of mouse neostriatum during the emergence of behaviour. *PLoS ONE*, 3(8), e3020-e3020. doi.
- Lee, H., McKeon, R. J., & Bellamkonda, R. V. (2010). Sustained delivery of thermostabilized chABC enhances axonal sprouting and functional recovery after spinal cord injury. *Proceedings of the National Academy of Sciences*, 107(8), 3340-3345. doi.
- Lee, H., & Sawatari, A. (2011). Medium spiny neurons of the neostriatal matrix exhibit specific, stereotyped changes in dendritic arborization during a critical developmental period in mice. *European Journal of Neuroscience*, 34(9), 1345-1354. doi: 10.1111/j.1460-9568.2011.07852.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07852.x>
- Lee, J. (2008). Fast Rhythmic Bursting Cells: The Horizontal Fiber System in the Cat's Primary Visual Cortex. *Pennscience*, 6(2), 21-26. doi.
- Lee, J.-R., Lin, E., Hofacer, R., Upton, B., Lee, S., Ewing, L., . . . Loepke, A. (2017). Alternative technique or mitigating strategy for sevoflurane-induced neurodegeneration: a randomized controlled dose-escalation study of dexmedetomidine in neonatal rats. *BJA: British Journal of Anaesthesia*. doi. <https://academic.oup.com/bja/article-abstract/doi/10.1093/bja/aex219/406...>
- Lee, J. S., Choi, B. Y., Cho, B. P., Lee, J. Y., Jung, W., & Yang, Y. C. (2008). Effects of Prenatal Stress and Restraint Stress on Amygdala Complex of the Rat: II. Effects on the Astrocytic Cell Processes. *Korean Journal of Physical Anthropology*, 21(3), 235-243. doi.
- Lee, J. W., Jergova, S., Furmanski, O., Gajavelli, S., & Sagen, J. (2012). Predifferentiated GABAergic neural precursor transplants for alleviation of dysesthetic central pain following excitotoxic spinal cord injury. *Frontiers in Physiology*, 3. doi.
- Lee, J.-Y., Lee, L.-J., Fan, C.-C., Chang, H.-C., Shih, H.-A., Min, M.-Y., & Chang, M.-S. (2017). Important roles of VILSE in dendritic architecture and synaptic plasticity. [Article]. *Scientific Reports*, 7, 45646. doi: 10.1038/srep45646  
<https://www.nature.com/articles/srep45646#supplementary-information>. <http://dx.doi.org/10.1038/srep45646>
- Lee, K., Chiu, K., Renner, N., Sansing, H., Didier, P., & MacLean, A. (2014). Form follows function: astrocyte morphology and immune dysfunction in SIV neuroAIDS. *Journal of Neurovirology*, 1-11. doi: 10.1007/s13365-014-0267-1. <http://dx.doi.org/10.1007/s13365-014-0267-1>
- Lee, K. K. H., Kwong, W. H., Chau, F.-t., Yew, D. T., & Chan, W. Y. (2002). Pien Tze Huang Protects the Liver against Carbon Tetrachloride-Induced Damage. *Pharmacology and Toxicology*, 91(4), 185. doi.
- Lee, K. M., Chiu, K. B., Didier, P. J., Baker, K. C., & MacLean, A. G. (2015). Naltrexone treatment reverses astrocyte atrophy and immune dysfunction in self-harming macaques. *Brain, Behavior, and Immunity*.

doi: <http://dx.doi.org/10.1016/j.bbi.2015.07.017>, <http://www.sciencedirect.com/science/article/pii/S0889159115004122>

Lee, K. M., Chiu, K. B., Sansing, H. A., Didier, P. J., Lackner, A. A., & MacLean, A. G. (2016). The flavivirus dengue induces hypertrophy of white matter astrocytes. [journal article]. *Journal of Neurovirology*, 1-9. doi: 10.1007/s13365-016-0461-4. <http://dx.doi.org/10.1007/s13365-016-0461-4>

Lee, K. M., Chiu, K. B., Sansing, H. A., Inglis, F. M., Baker, K. C., & MacLean, A. G. (2013). Astrocyte Atrophy and Immune Dysfunction in Self-Harming Macaques. *PLoS ONE*, 8(7), e69980. doi: 10.1371/journal.pone.0069980. <http://dx.doi.org/10.1371%2Fjournal.pone.0069980>

Lee, L. J., & Lee, L. J. H. (2011). Neonatal fluoxetine exposure alters motor performances of adolescent rats. *Developmental Neurobiology*. doi:

Lee, L.-J., Tsytsarev, V., & Erzurumlu, R. S. (2017). Structural and functional differences in the barrel cortex of *Mecp2* null mice. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24315. <http://dx.doi.org/10.1002/cne.24315>

Lee, M. G., Hassani, O. K., Alonso, A., & Jones, B. E. (2005). Cholinergic Basal Forebrain Neurons Burst with Theta during Waking and Paradoxical Sleep. *Journal of Neuroscience*, 25(17), 4365-4369. doi: <http://www.jneurosci.org/cgi/content/abstract/25/17/4365>

Lee, M. G., Hassani, O. K., & Jones, B. E. (2005). Discharge of Identified Orexin/Hypocretin Neurons across the Sleep-Waking Cycle. *Journal of Neuroscience*, 25(28), 6716-6720. doi: <http://www.jneurosci.org/cgi/content/abstract/25/28/6716>

Lee, M. G., Manns, I. D., Alonso, A., & Jones, B. E. (2004). Sleep-Wake Related Discharge Properties of Basal Forebrain Neurons Recorded With Micropipettes in Head-Fixed Rats. *Journal of Neurophysiology*, 92(2), 1182-1198. doi: 10.1152/jn.01003.2003. <http://jn.physiology.org/cgi/content/abstract/92/2/1182>

Lee, P.-C., Chuang, C.-C., Chiang, A.-S., & Ching, Y.-T. (2012). High-throughput Computer Method for 3D Neuronal Structure Reconstruction from the Image Stack of the *Drosophila* Brain and Its Applications. *PLoS Comput Biol*, 8(9), e1002658. doi: 10.1371/journal.pcbi.1002658. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002658>

Lee, P.-C., He, H.-y., Lin, C.-Y., Ching, Y.-T., & Cline, H. (2013). Computer Aided Alignment and Quantitative 4D Structural Plasticity Analysis of Neurons. *Neuroinformatics*, 1-9. doi: 10.1007/s12021-013-9179-0. <http://dx.doi.org/10.1007/s12021-013-9179-0>

Lee, S., Hjerling-Leffler, J., Zaghera, E., Fishell, G., & Rudy, B. (2010). The Largest Group of Superficial Neocortical GABAergic Interneurons Expresses Ionotropic Serotonin Receptors. *Journal of Neuroscience*, 30(50), 16796-16808. doi: 10.1523/jneurosci.1869-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/50/16796>



Lee, S., Kruglikov, I., Huang, Z. J., Fishell, G., & Rudy, B. (2013). A disinhibitory circuit mediates motor integration in the somatosensory cortex. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3544.html>

Lee, S., Shang, Y., & Huang, E. J. (2016). *Mechanisms of Dendrite Degeneration in Amyotrophic Lateral Sclerosis Dendrites* (pp. 545-579): Springer.

Lee, S., & Stevens, C. F. (2007). General design principle for scalable neural circuits in a vertebrate retina. *PNAS*, 104(31), 12931-12935. doi: 10.1073/pnas.0705469104. <http://www.pnas.org/cgi/content/abstract/104/31/12931>

Lee, S. B., Bagley, J. A., Lee, H. Y., Jan, L. Y., & Jan, Y.-N. (2011). Pathogenic polyglutamine proteins cause dendrite defects associated with specific actin cytoskeletal alterations in *Drosophila*. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1113573108. <http://www.pnas.org/content/early/2011/09/14/1113573108.abstract>

Lee, S.-H., Dudok, B., Parihar, V. K., Jung, K.-M., Zöldi, M., Kang, Y.-J., . . . Soltesz, I. (2016). Neurophysiology of space travel: energetic solar particles cause cell type-specific plasticity of neurotransmission. [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-016-1345-3. <http://dx.doi.org/10.1007/s00429-016-1345-3>

Lee, S.-H., Marchionni, I., Bezaire, M., Varga, C., Danielson, N., Lovett-Barron, M., . . . Soltesz, I. (2014). Parvalbumin-Positive Basket Cells Differentiate among Hippocampal Pyramidal Cells. *Neuron*. doi: 10.1016/j.neuron.2014.03.034. [http://www.cell.com/neuron/abstract/S0896-6273\(14\)00336-5](http://www.cell.com/neuron/abstract/S0896-6273(14)00336-5)

Lee, S. M., Rosen, S., Weinstein, P., van Rooijen, N., & Noble-Haeusslein, L. J. (2011). Prevention of both neutrophil and monocyte recruitment promotes recovery after spinal cord injury. *Journal of Neurotrauma*, 28(9), 1893-1907. doi:

Lee, T. C., Greene-Schloesser, D., Payne, V., Diz, D. I., Hsu, F.-C., Kooshki, M., . . . Robbins, M. E. (2012). Chronic Administration of the Angiotensin-Converting Enzyme Inhibitor, Ramipril, Prevents Fractionated Whole-Brain Irradiation-Induced Perirhinal Cortex-Dependent Cognitive Impairment. *Radiation Research*. doi: 10.1667/rr2731.1. <http://www.rrjournal.org/doi/abs/10.1667/RR2731.1>

Lee, T. T. Y., Filipowski, S. B., Hill, M. N., & McEwen, B. S. (2014). Morphological and behavioral evidence for impaired prefrontal cortical function in female CB1 receptor deficient mice. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.05.064>. <http://www.sciencedirect.com/science/article/pii/S0166432814003672>

Lee, W. C. A., Chen, J. L., Huang, H., Leslie, J. H., Amitai, Y., So, P. T., & Nedivi, E. (2008). A dynamic zone defines interneuron remodeling in the adult neocortex. *Proceedings of the National Academy of Sciences*, 105(50), 19968-19973. doi:

Lee, W.-C. A., Huang, H., Feng, G., Sanes, J. R., Brown, E. N., So, P. T., & Nedivi, E. (2006). Dynamic Remodeling of Dendritic Arbors in GABAergic Interneurons of Adult Visual Cortex. *PLoS Biology*, 4(2), e29. doi: <http://dx.doi.org/10.1371%2Fjournal.pbio.0040029>

Lee, Y.-H., Lin, Y.-N., Chuang, C.-C., & Lo, C.-C. (2014). SPIN: A Method of Skeleton-Based Polarity Identification for Neurons. *Neuroinformatics*, 1-21. doi: 10.1007/s12021-014-9225-6

6. <http://dx.doi.org/10.1007/s12021-014-9225-6>

Leergaard, T. B., & Bjaalie, J. G. (1995). Semi-automatic data acquisition for quantitative neuroanatomy. MicroTrace—computer programme for recording of the spatial distribution of neuronal populations. *Neuroscience Research*, 22(2), 231-243. doi.

Leergaard, T. B., Lillehaug, S., De Schutter, E., Bower, J. M., & Bjaalie, J. G. (2006). Topographical organization of pathways from somatosensory cortex through the pontine nuclei to tactile regions of the rat cerebellar hemispheres. *European Journal of Neuroscience*, 24(10), 2801-2812. doi: doi:10.1111/j.1460-9568.2006.05150.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05150.x>

Leergaard, T. B., White, N. S., De Crespigny, A., Bolstad, I., D'Arceuil, H., Bjaalie, J. G., & Dale, A. M. (2010). Quantitative histological validation of diffusion MRI fiber orientation distributions in the rat brain. *PLoS ONE*, 5(1), e8595-e8595. doi.

Lefler, Y. A., Arzi, A., Reiner, K., Sukhotinsky, I., & Devor, M. (2008). Bulbosplinal neurons of the rat rostromedial medulla are highly collateralized. *Journal of Comparative Neurology*, 506(6), 960-978. doi.

Lefort, S., Tómm, C., Floyd Sarria, J. C., & Petersen, C. C. H. (2009). The excitatory neuronal network of the C2 barrel column in mouse primary somatosensory cortex. *Neuron*, 61(2), 301-316. doi.

Legendre, D. I., Vietje, B., & Wells, J. (1994). The Differentiation of Dentate Granule Cells Following Transplantation. *Exploring Neurology*, 125, 247-257. doi.

Leggio, M. G., Mandolesi, L., Federico, F., Spirito, F., Ricci, B., Gelfo, F., & Petrosini, L. (2005). Environmental enrichment promotes improved spatial abilities and enhanced dendritic growth in the rat. *Behavioural Brain Research*, 163(1), 78-90. doi.

Legué, E., Gottshall, J. L., Jaumouillé, E., Roselló-Díez, A., Shi, W., Barraza, L. H., . . . Joyner, A. L. (2016). Differential timing of granule cell production during cerebellum development underlies generation of the foliation pattern. [journal article]. *Neural Development*, 11(1), 1-14. doi: 10.1186/s13064-016-0072-z. <http://dx.doi.org/10.1186/s13064-016-0072-z>

Legué, E., Riedel, E., & Joyner, A. L. (2015). Clonal analysis reveals granule cell behaviors and compartmentalization that determine the folded morphology of the cerebellum. *Development*. doi: 10.1242/dev.120287. <http://dev.biologists.org/content/early/2015/04/01/dev.120287.abstract>

Leguey, I., Bielza, C., Larrañaga, P., Kastanauskaite, A., Rojo, C., Benavides-Piccione, R., & DeFelipe, J. (2016). Dendritic branching angles of pyramidal cells across layers of the juvenile rat somatosensory cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23977. <http://dx.doi.org/10.1002/cne.23977>

Lehman, J. F., Greenberg, B. D., McIntyre, C. C., Rasmussen, S. A., & Haber, S. N. (2011). Rules Ventral Prefrontal Cortical Axons Use to Reach Their Targets: Implications for Diffusion Tensor Imaging Tractography and Deep Brain Stimulation for Psychiatric Illness. *Journal of Neuroscience*, 31(28), 10392-10402. doi: 10.1523/jneurosci.0595-11.2011. <http://www.jneurosci.org/content/31/28/10392.abstract>

Lei, W.-L., Xing, S.-G., Deng, C.-Y., Ju, X.-C., Jiang, X.-Y., & Luo, Z.-G. (2012). Laminin/ $\beta$ 1 integrin signal triggers axon formation by promoting microtubule assembly and stabilization. *Cell Research*. doi: <http://www.nature.com/cr/journal/vaop/ncurrent/supinfo/cr201240s1.html>. <http://dx.doi.org/10.1038/cr.2012.40>

Lei, Y., Garrahan, N., Hermann, B., Fautsch, M. P., Johnson, D. H., Hernandez, M. R., . . . Morgan, J. E. (2009). Topography of neuron loss in the retinal ganglion cell layer in human glaucoma. *British Journal of Ophthalmology*, 93(12), 1676-1679. doi.

Lei, Z., Ruan, Y., Yang, A. N., & Xu, Z. C. (2006). NMDA receptor mediated dendritic plasticity in cortical cultures after oxygen-glucose deprivation. *Neuroscience Letters*, 407(3), 224-229. doi.

Lein, P. J., Yang, D., Bachstetter, A. D., Tilson, H. A., Harry, G. J., Mervis, R. F., & Kodavanti, P. R. S. (2007). Ontogenetic alterations in molecular and structural correlates of dendritic growth after developmental exposure to polychlorinated biphenyls. *Environmental Health Perspectives*, 115(4), 556-556. doi.

Leite-Morris, K. A., Kobrin, K. L., Guy, M. D., Young, A. J., Heinrichs, S. C., & Kaplan, G. B. (2014). Extinction of opiate reward reduces dendritic arborization and c-Fos expression in the nucleus accumbens core. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2013.12.041>. <http://www.sciencedirect.com/science/article/pii/S0166432813007900>

Leitner, F. C., Melzer, S., Lutcke, H., Pinna, R., Seeburg, P. H., Helmchen, F., & Monyer, H. (2016). Spatially segregated feedforward and feedback neurons support differential odor processing in the lateral entorhinal cortex. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4303

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4303.html#suppl.....> <http://dx.doi.org/10.1038/nn.4303>

Lemaire, V., Tronel, S., Montaron, M.-F., Fabre, A., Dugast, E., & Abrous, D. N. (2012). Long-Lasting Plasticity of Hippocampal Adult-Born Neurons. *Journal of Neuroscience*, 32(9), 3101-3108. doi: 10.1523/jneurosci.4731-11.2012. <http://www.jneurosci.org/content/32/9/3101.abstract>

Lemmens, M. A. M., Steinbusch, H. W. M., Rutten, B. P. F., & Schmitz, C. (2010). Advanced microscopy techniques for quantitative analysis in neuromorphology and neuropathology research: current status and requirements for the future. *Journal of Chemical Neuroanatomy*, 40(3), 199-209. doi.

Lendvay, T. S., Sweet, R., Han, C.-H., Soygur, T., Cheng, J.-F., Plaire, J. C., . . . Bassuk, J. A. (2007). Compensatory paracrine mechanisms that define the urothelial response to injury in partial bladder outlet obstruction. *American Journal of Physiology - Renal Physiology*, 293(4), F1147-1156. doi: 10.1152/ajprenal.00006.2007. <http://ajprenal.physiology.org/cgi/content/abstract/293/4/F1147>

Lenschow, C., & Brecht, M. (2018). Physiological and Anatomical Outputs of Rat Genital Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhx359. <http://dx.doi.org/10.1093/cercor/bhx359>

Lenz, K. M., Graham, M. D., Parada, M., Fleming, A. S., Sengelaub, D. R., & Monks, D. A. (2008). Tactile stimulation during artificial rearing influences adult function and morphology in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, 68(4), 542-557. doi.

Lenz, K. M., Nugent, B. M., Haliyur, R., & McCarthy, M. M. (2013). Microglia Are Essential to Masculinization of Brain and Behavior. *Journal of Neuroscience*, 33(7), 2761-2772. doi: 10.1523/jneurosci.1268-12.2013. <http://www.jneurosci.org/content/33/7/2761.abstract>

Lenz, K. M., Pickett, L. A., Wright, C. L., Galan, A., & McCarthy, M. M. (2019). Prenatal Allergen Exposure Perturbs Sexual Differentiation and Programs Lifelong Changes in Adult Social and Sexual Behavior. *Scientific Reports*, 9(1), 4837. doi: 10.1038/s41598-019-41258-2. <https://doi.org/10.1038/s41598-019-41258-2>

Lenz, K. M., & Sengelaub, D. R. (2006). Maternal licking influences dendritic development of motoneurons in a sexually dimorphic neuromuscular system. *Brain Research*, 1092(1), 87-99. doi.

Lenz, K. M., & Sengelaub, D. R. (2009). Maternal care effects on SNB motoneuron development: The mediating role of sensory afferent distribution and activity. *Developmental Neurobiology*, 69(9), 603-615. doi.

Lenzer-Fanara, J. R., Li, T., Salerni, E. A., Payen, F., & Croll, S. D. (2017). VEGF treatment during status epilepticus attenuates long-term seizure-associated alterations in astrocyte morphology. *Epilepsy & Behavior*, 70, Part A, 33-44. doi: <http://doi.org/10.1016/j.yebeh.2017.02.019>. <http://www.sciencedirect.com/science/article/pii/S1525505016306527>

Leon, N. C. y. (2013). Transient down-regulation of sound-induced c-Fos protein expression in the inferior colliculus after ablation of the. *Auditory neuroanatomy: A sound foundation for sound processing*, 59. doi.

Leong, D. W., Komen, J. C., Hewitt, C. A., Arnaud, E., McKenzie, M., Phipson, B., . . . Scott, H. S. (2012). Proteomic and metabolomic analyses of a mitochondrial complex I deficient mouse model generated by spontaneous B2 Short Interspersed Nuclear Element (SINE) insertion into the NADH dehydrogenase (ubiquinone) Fe-S protein 4 (Ndufs4) gene. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M111.327601. <http://www.jbc.org/content/early/2012/04/25/jbc.M111.327601.abstract>

Leong, D. W., Komen, J. C., Hewitt, C. A., Arnaud, E., McKenzie, M., Phipson, B., . . . others. (2012). Proteomic and metabolomic analyses of a mitochondrial complex I deficient mouse model generated by spontaneous B2 Short Interspersed Nuclear Element (SINE) insertion into the NADH dehydrogenase (ubiquinone) Fe-S protein 4 (Ndufs4) gene. *Journal of Biological Chemistry*. doi.

Lepora, N. F., Blomeley, C. P., Hoyland, D., Bracci, E., Overton, P. G., & Gurney, K. (2011). A simple method for characterizing passive and active neuronal properties: application to striatal neurons. *European Journal of Neuroscience*, 34(9), 1390-1405. doi: 10.1111/j.1460-9568.2011.07879.x. <http://dx.doi.org/10.1111/j.1460-9568.2011.07879.x>

Lerchner, W., Corgiat, B., Der Minassian, V., Saunders, R., & Richmond, B. (2014). Injection parameters and virus dependent choice of promoters to improve neuron targeting in the nonhuman primate brain. *Gene Therapy*. doi: <http://www.nature.com/gt/journal/vaop/ncurrent/full/gt201375a.html>

Lesicko, A. M. H., Sons, S. K., & Llano, D. A. (2020). Circuit mechanisms underlying the segregation and integration of parallel processing streams in the inferior colliculus. *The Journal of Neuroscience*, JN-RM-0646-0620. doi: 10.1523/jneurosci.0646-20.2020. <https://www.jneurosci.org/content/jneuro/early/2020/07/14/JNEUROSCI.0646...>

Letinic, K., Sebastian, R., Toomre, D., & Rakic, P. (2009). Exocyst is involved in polarized cell migration and cerebral cortical development. *Proceedings of the National Academy of Sciences*, 106(27), 11342-11347. doi.

Leto, K., Bartolini, A., Di Gregorio, A., Imperiale, D., De Luca, A., Parmigiani, E., . . . Rossi, F. (2011). Modulation of cell-cycle dynamics is required to regulate the number of cerebellar GABAergic interneurons and their rhythm of maturation. *Development*, 138(16), 3463-3472. doi: 10.1242/dev.064378. <http://dev.biologists.org/content/138/16/3463.abstract>

Leto, K., Bartolini, A., Yanagawa, Y., Obata, K., Magrassi, L., Schilling, K., & Rossi, F. (2009). Laminar Fate and Phenotype Specification of Cerebellar GABAergic Interneurons. *Journal of Neuroscience*, 29(21), 7079-7091. doi: 10.1523/jneurosci.0957-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/21/7079>

Leto, K., Carletti, B., Williams, I. M., Magrassi, L., & Rossi, F. (2006). Different Types of Cerebellar GABAergic Interneurons Originate from a Common Pool of Multipotent Progenitor Cells. *Journal of Neuroscience*, 26(45), 11682-11694. doi: 10.1523/jneurosci.3656-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11682>

Letzkus, J. J., Wolff, S. B. E., Meyer, E. M. M., Tovote, P., Courtin, J., Herry, C., & Lüthi, A. (2011). A disinhibitory microcircuit for associative fear learning in the auditory cortex. *Nature*, 480(7377), 331-335. doi.

Leuner, B., Glasper, E. R., & Gould, E. (2010). Sexual experience promotes adult neurogenesis in the hippocampus despite an initial elevation in stress hormones. *PLoS ONE*, 5(7), e11597-e11597. doi.

Leuner, K., Li, W., Amaral, M. D., Rudolph, S., Calfa, G., Schuwald, A. M., . . . Pozzo-Miller, L. (2012). Hyperforin modulates dendritic spine morphology in hippocampal pyramidal neurons by activating Ca<sup>2+</sup>-permeable TRPC6 channels. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22052. <http://dx.doi.org/10.1002/hipo.22052>

Leventopoulos, M., Ruedi-Bettschen, D., Knuesel, I., Feldon, J., Pryce, C. R., & Opacka-Juffry, J. (2007). Long-term effects of early life deprivation on brain glia in Fischer rats. *Brain Research*, 1142, 119-126. doi.

Lévesque, J. C., & Parent, A. (2005). GABAergic interneurons in human subthalamic nucleus. *Movement Disorders*, 20(5), 574-584. doi.

Lévesque, M., & Parent, A. (2005). The striatofugal fiber system in primates: A reevaluation of its organization based on single-axon tracing studies. *PNAS*, 102(33), 11888-11893. doi. <http://www.pnas.org/cgi/content/abstract/102/33/11888>

Lévesque, M., Parent, R., & Parent, A. (2006). Cellular and subcellular localization of neurokinin-1 and neurokinin-3 receptors in primate globus pallidus. *European Journal of Neuroscience*, 23(10), 2760-2772. doi: doi:10.1111/j.1460-9568.2006.04800.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04800.x>

Levine, N. D., Rademacher, D. J., Collier, T. J., O'Malley, J. A., Kells, A. P., San Sebastian, W., . . . Steece-Collier, K. (2013). Advances in thin tissue Golgi-Cox impregnation: Fast, reliable methods for multi-assay analyses in rodent and non-human primate brain. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2012.12.001>. <http://www.sciencedirect.com/science/article/pii/S0165027012004682>

Levy, A. D., Xiao, X., Shaw, J. E., Sudarsana Devi, S. P., Katrancha, S. M., Bennett, A. M., . . . Koleske, A. J. (2018). Noonan Syndrome-Associated SHP2 Dephosphorylates GluN2B to Regulate NMDA Receptor Function. *Cell Reports*, 24(6), 1523-1535. doi: <https://doi.org/10.1016/j.celrep.2018.07.006>. <http://www.sciencedirect.com/science/article/pii/S2211124718310830>

Levy, M., Lu, Z., Dion, G., & Kara, P. (2014). The Shape of Dendritic Arbors in Different Functional Domains of the Cortical Orientation Map. *The Journal of Neuroscience*, 34(9), 3231-3236. doi. <http://www.jneurosci.org/content/34/9/3231.short>

Levy, R. B., Marquarding, T., Reid, A. P., Pun, C. M., Renier, N., & Oviedo, H. V. (2019). Circuit asymmetries underlie functional lateralization in the mouse auditory cortex. *Nature*



Communications, 10(1), 2783. doi: 10.1038/s41467-019-10690-3. <https://doi.org/10.1038/s41467-019-10690-3>

Levy, R. B., & Reyes, A. D. (2012). Spatial Profile of Excitatory and Inhibitory Synaptic Connectivity in Mouse Primary Auditory Cortex. *Journal of Neuroscience*, 32(16), 5609-5619. doi: 10.1523/jneurosci.5158-11.2012. <http://www.jneurosci.org/content/32/16/5609.abstract>

Lewandowski, T. A., Ponce, R. A., Charleston, J. S., Hong, S., & Faustman, E. M. (2003). Changes in cell cycle parameters and cell number in the rat midbrain during organogenesis. *Developmental Brain Research*, 141(1-2), 117-128. doi.

Lewers, J. C., Ceballos-Picot, I., Shirley, T. L., Mockel, L., Egami, K., & Jinnah, H. A. (2008). Consequences of Impaired Purine Recycling In Dopaminergic Neurons. *Neuroscience*, 152, 761-772. doi.

Lewis, J. W., & Olavarria, J. F. (1995). Two rules for callosal connectivity in striate cortex of the rat. *Journal of Comparative Neurology*, 361(1), 119-137. doi.

Lewis, S. L., Khoo, P. L., Andrea De Young, R., Bildsoe, H., Wakamiya, M., Behringer, R. R., . . . Tam, P. P. L. (2007). Genetic interaction of *Gsc* and *Dkk1* in head morphogenesis of the mouse. *Mechanisms of Development*, 124(2), 157-165. doi.

Li, A., Xue, J., & Peterson, E. H. (2008). Architecture of the Mouse Utricle: Macular Organization and Hair Bundle Heights. *Journal of Neurophysiology*, 99(2), 718-733. doi: 10.1152/jn.00831.2007. <http://jn.physiology.org/cgi/content/abstract/99/2/718>

Li, C. P., Olavarria, J. F., & Greger, B. E. (1995). Occipital cortico-pyramidal projection in hypothyroid rats. *Developmental Brain Research*, 89(2), 227-234. doi.

Li, F. W., Deurveilher, S., & Semba, K. (2011). Behavioural and neuronal activation after microinjections of AMPA and NMDA into the perifornical lateral hypothalamus in rats. *Behavioural Brain Research*. doi.

Li, H., Fertuzinhos, S., Mohns, E., Hnasko, Thomas S., Verhage, M., Edwards, R., . . . Crair, Michael C. (2013). Laminar and Columnar Development of Barrel Cortex Relies on Thalamocortical Neurotransmission. *Neuron*, 79(5), 970-986. doi: <http://dx.doi.org/10.1016/j.neuron.2013.06.043>. <http://www.sciencedirect.com/science/article/pii/S089662731300559X>

Li, H., Yuan, X., & others. (2012). Lipopolysaccharide disrupts the directional persistence of alveolar myofibroblast migration through EGF receptor. *American Journal of Physiology-Lung Cellular and Molecular Physiology*. doi.

Li, H., Zhao, P., Xu, Q., Shan, S., Hu, C., Qiu, Z., & Xu, X. (2016). The autism-related gene SNRPN regulates cortical and spine development via controlling nuclear receptor Nr4a1. [Article]. *Scientific Reports*, 6, 29878. doi: 10.1038/srep29878

<http://www.nature.com/articles/srep29878#supplementary-information>. <http://dx.doi.org/10.1038/srep29878>

Li, H. H., Roy, M., Kuscuoglu, U., Spencer, C. M., Halm, B., Harrison, K. C., . . . others. (2009). Induced chromosome deletions cause hypersociability and other features of Williams-Beuren syndrome in mice. *EMBO Molecular Medicine*, 1(1), 50-65. doi.

Li, H.-S., Ke, J., Zhao, G.-Z., Wu, L.-A., Kou, J.-P., & Liu, H.-C. (2015). Effects of Danggui-Shaoyao-San on the Influence of Spatial Learning and Memory Induced by Experimental Tooth Movement. *Chinese Medical Journal*, 128(14), 1948. doi. Effects of Danggui-Shaoyao-San on the Influence of Spatial Learning and Memory Induced by Experimental Tooth Movement

Li, J., Ding, Y. H., Rafols, J. A., Lai, Q., McAllister, J. P., & Ding, Y. (2005). Increased astrocyte proliferation in rats after running exercise. *Neuroscience Letters*, 386(3), 160-164. doi.

Li, J., Gu, X., Ma, Y., Calicchio, M. L., Kong, D., Teng, Y. D., . . . others. (2010). *in* Nna1 Mediates Purkinje Cell Dendritic Development via Lysyl Oxidase Propeptide and NF-KB Signaling. *Neuron*, 68(1), 45-60. doi.

Li, K., Abbott, S. B. G., Shi, Y., Eggan, P., Gonye, E. C., & Bayliss, D. A. (2021). TRPM4 mediates a subthreshold membrane potential oscillation in respiratory chemoreceptor neurons that drives pacemaker firing and breathing. *Cell Reports*, 34(5), 108714. doi: <https://doi.org/10.1016/j.celrep.2021.108714>. <https://www.sciencedirect.com/science/article/pii/S2211124721000279>

Li, L., Huang, C., Ai, J., Yan, B., Gu, H., Ma, Z., . . . others. (2010). Structural remodeling of vagal afferent innervation of aortic arch and nucleus ambiguus (NA) projections to cardiac ganglia in a transgenic mouse model of type 1 diabetes (OVE26). *Journal of Comparative Neurology*, 518(14), 2771-2793. doi.

Li, L., Wei, D., Wang, Q., Pan, J., Liu, R., Zhang, X., & Bao, L. (2012). MEC-17 Deficiency Leads to Reduced  $\alpha$ -Tubulin Acetylation and Impaired Migration of Cortical Neurons. *Journal of Neuroscience*, 32(37), 12673-12683. doi: 10.1523/jneurosci.0016-12.2012. <http://www.jneurosci.org/content/32/37/12673.abstract>

Li, L.-L., Ginet, V., Liu, X., Vergun, O., Tuittila, M., Mathieu, M., . . . Courtney, M. J. (2013). The nNOS-p38MAPK Pathway Is Mediated by NOS1AP during Neuronal Death. *Journal of Neuroscience*, 33(19), 8185-8201. doi: 10.1523/jneurosci.4578-12.2013. <http://www.jneurosci.org/content/33/19/8185.abstract>

Li, L. Y., Wang, Z., Šedý, J., Quazi, R., Walro, J. M., Frank, E., & Kucera, J. (2006). Neurotrophin-3 ameliorates sensory-motor deficits in Er81-deficient mice. *Developmental Dynamics*, 235(11), 3039-3050. doi.

Li, N., Chen, T.-W., Guo, Z. V., Gerfen, C. R., & Svoboda, K. (2015). A motor cortex circuit for motor planning and movement. [Article]. *Nature*, 519(7541), 51-56. doi: 10.1038/nature14178. <http://dx.doi.org/10.1038/nature14178>

Li, N., Liu, R. J., Dwyer, J. M., Banasr, M., Lee, B., Son, H., . . . Duman, R. S. (2011). Glutamate N-methyl-D-aspartate receptor antagonists rapidly reverse behavioral and synaptic deficits caused by chronic stress exposure. *Biological Psychiatry*. doi.

Li, P., Greben, K., Wördenweber, R., Simon, U., Offenhäusser, A., & Mayer, D. (2015). Tuning neuron adhesion and neurite guiding by functionalized AuNPs and backfill chemistry. *RSC Adv.* doi: <http://pubs.rsc.org/en/content/articlelanding/2015/ra/c5ra06901g#!divAbs...>

Li, Q., Guo-Ross, S., Lewis, D. V., Turner, D., White, A. M., Wilson, W. A., & Swartzwelder, H. S. (2004). Dietary Prenatal Choline Supplementation Alters Postnatal Hippocampal Structure and Function. *Journal of Neurophysiology*, 91(4), 1545-1555. doi: 10.1152/jn.00785.2003. <http://jn.physiology.org/cgi/content/abstract/91/4/1545>

Li, Q., Wan, J., Lan, X., Han, X., Wang, Z., & Wang, J. (2017). Neuroprotection of brain-permeable iron chelator VK-28 against intracerebral hemorrhage in mice. *Journal of Cerebral Blood Flow and Metabolism*, 0271678X17709186. doi: 10.1177/0271678x17709186. <http://dx.doi.org/10.1177/0271678X17709186>

Li, Q., Wu, L., Oelschlager, D. K., Wan, M., Stockard, C. R., Grizzle, W. E., . . . Cao, X. (2005). Smad4 Inhibits Tumor Growth by Inducing Apoptosis in Estrogen Receptor- $\alpha$ -positive Breast Cancer Cells. *Journal of Biological Chemistry*, 280(29), 27022-27028. doi: 10.1074/jbc.M505071200. <http://www.jbc.org/cgi/content/abstract/280/29/27022>

Li, R. S., Tay, D. K., Chan, H. H. L., & So, K.-F. (2006). Changes of retinal functions following the induction of ocular hypertension in rats using argon laser photocoagulation. *Clinical and Experimental Ophthalmology*, 34(6), 575-583. doi: doi:10.1111/j.1442-9071.2006.01279.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1442-9071.2006.01279.x>

Li, S., Kumar T, P., Joshee, S., Kirschstein, T., Subburaju, S., Khalili, J. S., . . . Vasudevan, A. (2017). Endothelial cell-derived GABA signaling modulates neuronal migration and postnatal behavior. [Original Article]. *Cell Research*. doi: 10.1038/cr.2017.135  
<https://www.nature.com/articles/cr2017135#supplementary-information>. <http://dx.doi.org/10.1038/cr.2017.135>

Li, S., Quan, T., Zhou, H., Li, A., Fu, L., Gong, H., . . . Zeng, S. (2019). Review of advances and prospects in neuron reconstruction. *Chinese Science Bulletin*, 64(0023-074X), 532. doi: <https://doi.org/10.1360/N972018-00998>. <http://engine.scichina.com/publisher/Science/China Press/journal/Chinese Science Bulletin/64/5-6/10.1360/N972018-00998>

Li, S., Zhang, C., Takemori, H., Zhou, Y., & Xiong, Z.-Q. (2009). TORC1 Regulates Activity-Dependent CREB-Target Gene Transcription and Dendritic Growth of Developing Cortical Neurons. *Journal of Neuroscience*, 29(8), 2334-2343. doi: 10.1523/jneurosci.2296-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/8/2334>

Li, S., Zhou, H., Quan, T., Li, J., Li, Y., Li, A., . . . Zeng, S. (2016). SparseTracer: the Reconstruction of Discontinuous Neuronal Morphology in Noisy Images. [journal article]. *Neuroinformatics*, 1-17. doi: 10.1007/s12021-016-9317-6. <http://dx.doi.org/10.1007/s12021-016-9317-6>

Li, W., Ghose, S., Gleason, K., Begovic, A., Perez, J., Bartko, J., . . . Tamminga, C. A. (2015). Synaptic Proteins In Schizophrenia Hippocampus Indicate Increased Neuronal Activity in CA3. *The American Journal of Psychiatry*, 172(4), 373. doi: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4457341/>

Li, W., Ghose, S., Gleason, K., Begovic, A., Perez, J., Bartko, J., . . . Tamminga, C. A. (2015). Synaptic Proteins in the Hippocampus Indicative of Increased Neuronal Activity in CA3 in Schizophrenia. *The American Journal of Psychiatry*. doi: <http://ajp.psychiatryonline.org/doi/10.1176/appi.ajp.2014.14010123>

Li, W. C., & Wang, S. R. (1999). Morphology and Dye-Coupling of Cells in the Pigeon Isthmo-Optic Nucleus. *Brain, Behavior and Evolution*, 53(2), 67-74. doi: <http://www.karger.com/DOI/10.1159/000006583>

Li, W.-Y., Chang, Y.-C., Lee, L.-H., & Lee, L.-J. (2014). Prenatal Infection Affects the Neuronal Architecture and Cognitive Function in Adult Mice. *Developmental Neuroscience*. doi: <http://www.karger.com/Article/Citation/362383>

Li, W.-Y., Wang, Y., Zhai, F.-G., Sun, P., Cheng, Y.-X., Deng, L.-X., & Wang, Z.-Y. (2017). AAV-KLF7 Promotes Descending Propriospinal Neuron Axonal Plasticity after Spinal Cord Injury. *Neural Plasticity*, 2017. doi: <https://www.hindawi.com/journals/np/2017/1621629/cta/>

Li, W.-Y., Zhang, W.-T., Cheng, Y.-X., Liu, Y.-C., Zhai, F.-G., Sun, P., . . . Wang, Y. (2018). Inhibition of KLF7-Targeting MicroRNA 146b Promotes Sciatic Nerve Regeneration. [journal article]. *Neuroscience bulletin*. doi: 10.1007/s12264-018-0206-x. <https://doi.org/10.1007/s12264-018-0206-x>

Li, X., Han, X., Tu, X., Zhu, D., Feng, Y., Jiang, T., . . . Chen, J.-G. (2018). An Autism-Related, Nonsense Foxp1 Mutant Induces Autophagy and Delays Radial Migration of the Cortical Neurons. *Cerebral Cortex*, bhy185-bhy185. doi: 10.1093/cercor/bhy185. <http://dx.doi.org/10.1093/cercor/bhy185>

Li, X., Ren, C., Huang, L., Lin, B., Pu, M., Pickard, G. E., & So, K.-F. (2015). The Dorsal Raphe Nucleus Receives Afferents From Alpha-Like Retinal Ganglion Cells and Intrinsically Photosensitive Retinal Ganglion Cells in the RatDRN-Projecting ipRGCs in Rats. *Investigative Ophthalmology and Visual Science*, 56(13), 8373-8381. doi: 10.1167/iovs.15-16614. <http://dx.doi.org/10.1167/iovs.15-16614>

Li, X., Yan, M., Guo, Z., Yan, L., Feng, R., Zhu, H., . . . Chen, J.-G. (2020). Inhibition of Sar1b, the Gene Implicated in Chylomicron Retention Disease, Impairs Migration and Morphogenesis of Developing Cortical Neurons. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.09.044>. <http://www.sciencedirect.com/science/article/pii/S030645222030628X>

Li, Y., Acerbo, M. J., & Robinson, T. E. (2004). The induction of behavioural sensitization is associated with cocaine-induced structural plasticity in the core (but not shell) of the nucleus accumbens. *European Journal of Neuroscience*, 20(6), 1647-1654. doi.

Li, Y., Aimone, J. B., Xu, X., Callaway, E. M., & Gage, F. H. (2012). Development of GABAergic inputs controls the contribution of maturing neurons to the adult hippocampal network. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1120754109. <http://www.pnas.org/content/early/2012/02/22/1120754109.abstract>

Li, Y., Brewer, D., Burke, R. E., & Ascoli, G. A. (2005). Developmental changes in spinal motoneuron dendrites in neonatal mice. *Journal of Comparative Neurology*, 483(3), 304-317. doi.

Li, Y., Chen, X., Belkasim, S., & Pan, Y. (2008). High performance bio-image database retrieval using MPI. *International Journal of Bioinformatics Research and Applications*, 4(1), 49-63. doi.

Li, Y., Godfrey, D. A., Godfrey, M. A., Ding, D., & Salvi, R. (2002). Effects of carboplatin on amino acid chemistry in chinchilla cochlear nucleus. *Hearing Research*, 165(1-2), 19-29. doi.

Li, Y., Luo, J., Lau, W. M., Zheng, G., Fu, S., Wang, T. T., . . . others. (2011). Caveolin-1 Plays a Crucial Role in Inhibiting Neuronal Differentiation of Neural Stem/Progenitor Cells via VEGF Signaling-Dependent Pathway. *PLoS ONE*, 6(8), e22901-e22901. doi.

Li, Y., Missig, G., Finger, B. C., Landino, S. M., Alexander, A. J., Mokler, E., . . . Bolshakov, V. Y. (2018). Maternal and Early Postnatal Immune Activation Produce Dissociable Effects on Neurotransmission in mPFC-Amygdala Circuits. [10.1523/JNEUROSCI.3642-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/02/28/JNEUROSCI.3642-17.2018...>

Li, Y., Xu, J., Liu, Y., Zhu, J., Liu, N., Zeng, W., . . . Zhang, X. (2017). A distinct entorhinal cortex to hippocampal CA1 direct circuit for olfactory associative learning. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4517

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4517.html#suppl.....> <http://dx.doi.org/10.1038/nn.4517>

Li, Y. W., Bayliss, D. A., & Guyenet, P. G. (1995). C1 neurons of neonatal rats: intrinsic beating properties and alpha 2-adrenergic receptors. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 269(6), R1356-1369. doi. <http://ajpregu.physiology.org/cgi/content/abstract/269/6/R1356>

Li, Y. W., & Guyenet, P. G. (1996). Activation of GABAB receptors increases a potassium conductance in rat bulbospinal neurons of the C1 area. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 271(5), R1304-1310. doi. <http://ajpregu.physiology.org/cgi/content/abstract/271/5/R1304>

Li, Y. W., & Guyenet, P. G. (1997). Effect of substance P on C1 and other bulbospinal cells of the RVLM in neonatal rats. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 273(2), R805-R813-R805-R813. doi.

Li, Y.-W., & Guyenet, P. G. (1996). Angiotensin II Decreases a Resting K<sup>+</sup> Conductance in Rat Bulbospinal Neurons of the C1 Area. *Circulation Research*, 78(2), 274-282. doi: <http://circres.ahajournals.org/cgi/content/abstract/78/2/274>

Li, Z., Jagadapillai, R., Gozal, E., & Barnes, G. (2019). Deletion of Semaphorin 3F in Interneurons Is Associated with Decreased GABAergic Neurons, Autism-like Behavior, and Increased Oxidative Stress Cascades. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1450-9. <https://doi.org/10.1007/s12035-018-1450-9>

Lia, B., & Olavarria, J. F. (1996). The distribution of corticotectal projection neurons correlates with the interblob compartment in macaque striate cortex. *Visual Neuroscience*, 13(03), 461-466. doi.

Lian, H., Yang, L., Cole, A., Sun, L., Chiang, Angie C. A., Fowler, Stephanie W., . . . Zheng, H. (2014). NFκB-Activated Astroglial Release of Complement C3 Compromises Neuronal Morphology and Function Associated with Alzheimer's Disease. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2014.11.018>. <http://www.sciencedirect.com/science/article/pii/S0896627314010460>

Liang, C. L., & Marks, G. A. (2009). A novel GABAergic afferent input to the pontine reticular formation: the mesopontine GABAergic column. *Brain Research*, 1297, 32-40. doi.

Liao, C. C., & Lee, L. J. (2011). Evidence for structural and functional changes of subplate neurons in developing rat barrel cortex. *Brain Structure and Function*, 1-18. doi.

Liao, C. C., & Lee, L. J. (2011). Neonatal fluoxetine exposure affects the action potential properties and dendritic development in cortical subplate neurons of rats. *Toxicology Letters*. doi.

Liao, C.-C., DiCarlo, G. E., Gharbawie, O. A., Qi, H.-X., & Kaas, J. H. (2015). Spinal cord neuron inputs to the cuneate nucleus that partially survive dorsal column lesions: A pathway that could contribute to recovery after spinal cord injury. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23783. <http://dx.doi.org/10.1002/cne.23783>

Liao, C.-C., Gharbawie, O. A., Qi, H., & Kaas, J. H. (2013). Cortical connections to single digit representations in area 3b of somatosensory cortex in squirrel monkeys and prosimian galagos. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23377. <http://dx.doi.org/10.1002/cne.23377>

Liao, C.-C., Qi, H.-X., Reed, J., Miller, D., & Kaas, J. (2014). Congenital foot deformation alters the topographic organization in the primate somatosensory system. *Brain Structure and Function*, 1-24. doi: 10.1007/s00429-014-0913-7. <http://dx.doi.org/10.1007/s00429-014-0913-7>

Liao, C.-C., Reed, J. L., Kaas, J. H., & Qi, H.-X. (2015). Intracortical connections are altered after long-standing deprivation of dorsal column inputs in the hand region of area 3b in squirrel monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23921. <http://dx.doi.org/10.1002/cne.23921>



Liao, C.-C., Reed, J. L., Qi, H.-X., Sawyer, E. K., & Kaas, J. H. (2018). Second-order spinal cord pathway contributes to cortical responses after long recoveries from dorsal column injury in squirrel monkeys. [10.1073/pnas.1718826115]. *Proceedings of the National Academy of Sciences*. doi: <http://www.pnas.org/content/early/2018/03/28/1718826115.abstract>

Liao, J. C. (2010). Organization and physiology of posterior lateral line afferent neurons in larval zebrafish. *Biology letters*, 6(3), 402-405. doi.

Liao, Y. Y., Teng, S. F., Lin, L. C., Kolczewski, S., Prinssen, E. P., Lee, L. J., . . . Chiou, L. C. (2010). Functional heterogeneity of nociceptin/orphanin FQ receptors revealed by (+)-5a Compound and Ro 64-6198 in rat periaqueductal grey slices. *International Journal of Neuropsychopharmacology*, 1(1), 1-13. doi.

Liberman, M. C., Tartaglini, E., Fleming, J. C., & Neufeld, E. J. (2006). Deletion of SLC19A2, the high affinity thiamine transporter, causes selective inner hair cell loss and an auditory neuropathy phenotype. *Jaro-Journal of the Association for Research in Otolaryngology*, 7(3), 211-217. doi.

Libersat, F., & Duch, C. (2002). Morphometric analysis of dendritic remodeling in an identified motoneuron during postembryonic development. *Journal of Comparative Neurology*, 450(2), 153-166. doi.

Licht, T., Eavri, R., Goshen, I., Shlomai, Y., Mizrahi, A., & Keshet, E. (2010). VEGF is required for dendritogenesis of newly born olfactory bulb interneurons. *Development*, 137(2), 261-271. doi: 10.1242/dev.039636. <http://dev.biologists.org/content/137/2/261.abstract>

Lichtenwalner, R. J., Forbes, M. E., Bennett, S. A., Lynch, C. D., Sonntag, W. E., & Riddle, D. R. (2001). Intracerebroventricular infusion of insulin-like growth factor-I ameliorates the age-related decline in hippocampal neurogenesis. *Neuroscience*, 107(4), 603-613. doi.

Lieberoth, A., Splittstoesser, F., Katagihallimath, N., Jakovcevski, I., Loers, G., Ranscht, B., . . . Kleene, R. (2009). Lewisx and  $\alpha$ 2,3-Sialyl Glycans and Their Receptors TAG-1, Contactin, and L1 Mediate CD24-Dependent Neurite Outgrowth. *Journal of Neuroscience*, 29(20), 6677-6690. doi: 10.1523/jneurosci.4361-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/20/6677>

Liebetanz, D., Koch, R., Mayenfels, S., König, F., Paulus, W., & Nitsche, M. A. (2009). Safety limits of cathodal transcranial direct current stimulation in rats. *Clinical Neurophysiology*, 120(6), 1161-1167. doi.

Lienbacher, K., Mustari, M., Ying, H. S., Büttner-Ennever, J. A., & Horn, A. K. E. (2011). Do Palisade Endings in Extraocular Muscles Arise from Neurons in the Motor Nuclei? *Investigative Ophthalmology and Visual Science*, 52(5), 2510-2519. doi.

Lieshoff, C., Pröve, E., & Bischof, H. J. (2000). Testosterone-dependent plasticity of avian forebrain neurons is not restricted to the song control system. *Neuroreport*, 11(11), 2479-2479. doi.

Liets, L. C., Eliasieh, K., van der List, D. A., & Chalupa, L. M. (2006). Dendrites of rod bipolar cells sprout in normal aging retina. *PNAS*, 103(32), 12156-12160. doi: 10.1073/pnas.0605211103. <http://www.pnas.org/cgi/content/abstract/103/32/12156>

Liimatainen, T., Hakumäki, J. M., Kauppinen, R. A., & Ala-Korpela, M. (2009). Monitoring of gliomas in vivo by diffusion MRI and <sup>1</sup>H MRS during gene therapy-induced apoptosis: interrelationships between water diffusion and mobile lipids. *NMR in Biomedicine*, 22(3), 272-279. doi.

Liimatainen, T., Sierra, A., Hanson, T., Sorce, D. J., Ylä-Herttua, S., Garwood, M., . . . Gröhn, O. (2011). Glioma cell density in a rat gene therapy model gauged by water relaxation rate along a fictitious magnetic field. *Magnetic Resonance in Medicine*. doi.

Lillehaug, S., Øyan, D., Leergaard, T. B., & Bjaalie, J. G. (2002). Comparison of semi-automatic and automatic data acquisition methods for studying three-dimensional distributions of large neuronal populations and axonal plexuses. *Network: Computation in Neural Systems*, 13(3), 343-356. doi.

Lillehaug, S., Øyan, D., Leergaard, T. B., & Bjaalie, J. G. (2002). Methods for recording distributions of neuronal populations. *Network: Computation in Neural Systems*, 13, 343-356. doi.

Lillehaug, S., Yetman, M. J., Puchades, M. A., Checinska, M. M., Kleven, H., Jankowsky, J. L., . . . Leergaard, T. B. (2019). Brain-wide distribution of reporter expression in five transgenic tetracycline-transactivator mouse lines. [Data Descriptor]. *Scientific Data*, 6, 190028. doi: 10.1038/sdata.2019.28. <https://doi.org/10.1038/sdata.2019.28>

Lim, C. S., & Alkon, D. L. (2012). Protein kinase C stimulates HuD-mediated mRNA stability and protein expression of neurotrophic factors and enhances dendritic maturation of hippocampal neurons in culture. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22048. <http://dx.doi.org/10.1002/hipo.22048>

Lim, C. S., & Alkon, D. L. (2017). Inhibition of Coactivator-associated Arginine Methyltransferase 1 Modulates Dendritic Arborization and Spine Maturation of Cultured Hippocampal Neurons. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M117.775619. <http://www.jbc.org/content/early/2017/03/06/jbc.M117.775619.abstract>

Lim, S. H., Wang, T.-J., Tseng, G.-F., Lee, Y. F., Huang, Y.-S., Chen, J.-R., & Cheng, C.-L. (2013). The Distribution of Muscles Fibers and Their Types in the Female Rat Urethra: Cytoarchitecture and Three-Dimensional Reconstruction. *Anatomical Record*, n/a-n/a. doi: 10.1002/ar.22740. <http://dx.doi.org/10.1002/ar.22740>

Lim, S. L., Tran, D. N., Zumkehr, J., Chen, C., Ghiaar, S., Kieu, Z., . . . Kitazawa, M. (2018). Inhibition of hematopoietic cell kinase dysregulates microglial function and accelerates early stage Alzheimer's disease-like neuropathology. *Glia*, 0(0). doi: doi:10.1002/glia.23522. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23522>

Lima, A., Sardinha, V., Oliveira, A., Reis, M., Mota, C., Silva, M., . . . Sousa, N. (2014). Astrocyte pathology in the prefrontal cortex impairs the cognitive function of rats. *Molecular Psychiatry*. doi: <http://www.nature.com/mp/journal/vaop/ncurrent/full/mp2013182a.html>

Lin, B., & Masland, R. H. (2005). Synaptic contacts between an identified type of ON cone bipolar cell and ganglion cells in the mouse retina. *European Journal of Neuroscience*, 21(5), 1257-1270. doi: doi:10.1111/j.1460-9568.2005.03967.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03967.x>

Lin, B., & Masland, R. H. (2006). Populations of wide-field amacrine cells in the mouse retina. *Journal of Comparative Neurology*, 499(5), 797-809. doi.

Lin, B., & Peng, E. B. (2013). Retinal Ganglion Cells are Resistant to Photoreceptor Loss in Retinal Degeneration. *PLoS ONE*, 8(6), e68084. doi: 10.1371/journal.pone.0068084. <http://dx.doi.org/10.1371%2Fjournal.pone.0068084>

Lin, B., Wang, S. W., & Masland, R. H. (2004). Retinal ganglion cell type, size, and spacing can be specified independent of homotypic dendritic contacts. *Neuron*, 43(4), 475-485. doi.

Lin, C. W., Sim, S., Ainsworth, A., Okada, M., Kelsch, W., & Lois, C. (2010). Genetically increased cell-intrinsic excitability enhances neuronal integration into adult brain circuits. *Neuron*, 65(1), 32-39. doi.

Lin, D. M., Yang, Y. H., Scolnick, J. A., Brunet, L. J., Marsh, H., Peng, V., . . . Ngai, J. (2004). Spatial patterns of gene expression in the olfactory bulb. *PNAS*, 101(34), 12718-12723. doi: <http://www.pnas.org/cgi/content/abstract/101/34/12718>

Lin, G. L., Borders, C. B., Lundewall, L. J., & Wellman, C. L. (2014). D1 Receptors Regulate Dendritic Morphology in Normal and Stressed Prelimbic Cortex. *Psychoneuroendocrinology*. doi: 10.1016/j.psyneuen.2014.09.020. [http://www.psyneuen-journal.com/article/S0306-4530\(14\)00360-6/abstract](http://www.psyneuen-journal.com/article/S0306-4530(14)00360-6/abstract)

Lin, L., & Chan, S.-O. (2003). Perturbation of CD44 function affects chiasmatic routing of retinal axons in brain slice preparations of the mouse retinofugal pathway. *European Journal of Neuroscience*, 17(11), 2299-2312. doi: doi:10.1046/j.1460-9568.2003.02686.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02686.x>

Lin, L., Cheung, A. W. S., & Chan, S. O. (2005). Chiasmatic neurons in the ventral diencephalon of mouse embryos—Changes in arrangement and heterogeneity in surface antigen expression. *Developmental Brain Research*, 158(1-2), 1-12. doi.

Lin, L., & Isacson, O. (2006). Axonal Growth Regulation of Fetal and Embryonic Stem Cell-Derived Dopaminergic Neurons by Netrin-1 and Slits. *Stem Cells*, 24(11), 2504-2513. doi: 10.1634/stemcells.2006-0119. <http://stemcells.alphamedpress.org/cgi/content/abstract/24/11/2504>

Lin, M., Ai, J., Li, L., Huang, C., Chapleau, M. W., Liu, R., . . . Cheng, Z. J. (2008). Structural remodeling of nucleus ambiguus projections to cardiac ganglia following chronic

intermittent hypoxia in C57BL/6J mice. *Journal of Comparative Neurology*, 509(1), 103-117. doi.

Lin, R. J., & Jaeger, D. (2011). Using computer simulations to determine the limitations of dynamic clamp stimuli applied at the soma in mimicking distributed conductance sources. *Journal of Neurophysiology*, 105(5), 2610-2624. doi: 10.1152/jn.00968.2010. <http://jn.physiology.org/content/105/5/2610.abstract>

Lin, W.-Y., Williams, C. R., Yan, C., & Parrish, J. Z. (2016). Functions of the SLC36 transporter Pathetic in growth control. *Fly*, (just-accepted), 00-00. doi: <http://www.tandfonline.com/doi/abs/10.1080/19336934.2015.1129089>

Lin, X., Li, Z., Ma, H., & Wang, X. (2017). An evolutionary developmental approach for generation of 3D neuronal morphologies using gene regulatory networks. *Neurocomputing*. doi: <http://dx.doi.org/10.1016/j.neucom.2017.08.005>. <http://www.sciencedirect.com/science/article/pii/S0925231217313504>

Lin, X.-J., Liu, R., Li, C., Yi, X., Fu, B., Walker, M. J., . . . Lin, C.-H. (2020). Melatonin ameliorates spatial memory and motor deficits via preserving the integrity of cortical and hippocampal dendritic spine morphology in mice with neurotrauma. *Inflammopharmacology*. doi: 10.1007/s10787-020-00750-2. <https://doi.org/10.1007/s10787-020-00750-2>

Lindau, N. T., Bänninger, B. J., Gullo, M., Good, N. A., Bachmann, L. C., Starkey, M. L., & Schwab, M. E. (2013). Rewiring of the corticospinal tract in the adult rat after unilateral stroke and anti-Nogo-A therapy. *Brain*. doi: 10.1093/brain/awt336. <http://brain.oxfordjournals.org/content/early/2013/12/18/brain.awt336.ab...>

Lindenbach, D., Conti, M. M., Ostock, C. Y., Dupre, K. B., & Bishop, C. (2015). Alterations in primary motor cortex neurotransmission and gene expression in hemi-parkinsonian rats with drug-induced dyskinesia. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.09.018>. <http://www.sciencedirect.com/science/article/pii/S0306452215008283>

Lindner, M. D., Gribkoff, V. K., Donlan, N. A., & Jones, T. A. (2003). Long-Lasting Functional Disabilities in Middle-Aged Rats with Small Cerebral Infarcts. *Journal of Neuroscience*, 23(34), 10913-10922. doi: <http://www.jneurosci.org/cgi/content/abstract/23/34/10913>

Lindquist, R. A., Guinto, C. D., Rodas-Rodriguez, J. L., Fuentealba, L. C., Tate, M. C., Rowitch, D. H., & Alvarez-Buylla, A. (2016). Identification of proliferative progenitors associated with prominent postnatal growth of the pons. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11628. <http://dx.doi.org/10.1038/ncomms11628>

Lindsay, K. A., Maxwell, D. J., Rosenberg, J. R., & Tucker, G. (2007). A new approach to reconstruction models of dendritic branching patterns. *Mathematical Biosciences*, 205(2), 271-296. doi.

Lindsay, K. A., Rosenberg, J. R., & Tucker, G. (2003). Analytical and numerical construction of equivalent cables. *Mathematical Biosciences*, 184(2), 137-164. doi.

Lindstrom, S. H., Nacsa, N., Blankenship, T., Fitzgerald, P. G., Weller, C., Vaney, D. I., & Wilson, M. (2009). Distribution and structure of efferent synapses in the chicken retina. *Visual Neuroscience*, 26(02), 215-226. doi.

Linske, M. (2019). Use of 3D Neuronal Reconstructions for Carrying out Morphological Analyses. doi. <https://dc.uwm.edu/uwsurca/2019/Posters/98/>

Liss, B., Haeckel, O., Wildmann, J., Miki, T., Seino, S., & Roeper, J. (2005). K-ATP channels promote the differential degeneration of dopaminergic midbrain neurons. *Nature Neuroscience*, 8, 1742-1751. doi.

Liston, C., Miller, M. M., Goldwater, D. S., Radley, J. J., Rocher, A. B., Hof, P. R., . . . McEwen, B. S. (2006). Stress-Induced Alterations in Prefrontal Cortical Dendritic Morphology Predict Selective Impairments in Perceptual Attentional Set-Shifting. *Journal of Neuroscience*, 26(30), 7870-7874. doi: 10.1523/jneurosci.1184-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/30/7870>

Little, C. M., Coons, K. D., & Sengelaub, D. R. (2009). Neuroprotective effects of testosterone on the morphology and function of somatic motoneurons following the death of neighboring motoneurons. *Journal of Comparative Neurology*, 512(3), 359-372. doi.

Littler, C. M., Wehling, C. A., Wick, M. J., Fagan, K. A., Cool, C. D., Messing, R. O., & Dempsey, E. C. (2005). Divergent contractile and structural responses of the murine PKC-[epsilon] null pulmonary circulation to chronic hypoxia. *American Journal of Physiology and Lung Cell Molecular Physiology*, 289(6), L1083-1093. doi: 10.1152/ajplung.00472.2004. <http://ajplung.physiology.org/cgi/content/abstract/289/6/L1083>

Litwin-Kumar, A., Chacron, M. J., & Doiron, B. (2012). The Spatial Structure of Stimuli Shapes the Timescale of Correlations in Population Spiking Activity. *PLoS Comput Biol*, 8(9), e1002667. doi: 10.1371/journal.pcbi.1002667. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002667>

Liu, A.-M., Chen, B.-L., Yu, L.-T., Liu, T., Shi, L.-L., Yu, P.-P., . . . Zhou, L.-B. (2020). Human adipose tissue- and umbilical cord-derived stem cells: which is a better alternative to treat spinal cord injury? [Research Article]. *Neural Regeneration Research*, 15(12), 2306-2317. doi: 10.4103/1673-5374.284997. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2020;volume=15;...>

Liu, B., Wang, L., Cao, Y., Xu, W., Shi, F., Tian, Q., & Zhou, X. (2017). Hypothermia pretreatment improves cognitive impairment via enhancing synaptic plasticity in a traumatic brain injury model. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2017.07.008>. <http://www.sciencedirect.com/science/article/pii/S0006899317302986>

Liu, B., Zupan, B., Laird, E., Klein, S., Gleason, G., Bozinoski, M., . . . Toth, M. (2013). Maternal hematopoietic TNF, via milk chemokines, programs hippocampal development and memory. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3596.html>

Liu, C., Wang, Y., Smallwood, P. M., & Nathans, J. (2008). An Essential Role for Frizzled5 in Neuronal Survival in the Parafascicular Nucleus of the Thalamus. *Journal of Neuroscience*, 28(22), 5641-5653. doi: 10.1523/jneurosci.1056-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/22/5641>

Liu, F., Ichihara, S., Mohideen, S. S., Sai, U., Kitoh, J., & Ichihara, G. (2009). Comparative Study on Susceptibility to 1-Bromopropane in Three Mice Strains. *Toxicological Sciences*, 112(1), 100-110. doi: 10.1093/toxsci/kfp173. <http://toxsci.oxfordjournals.org/cgi/content/abstract/112/1/100>

Liu, F., Ichihara, S., Valentine, W. M., Itoh, K., Yamamoto, M., Sheik Mohideen, S., . . . Ichihara, G. (2010). Increased Susceptibility of Nrf2-Null Mice to 1-Bromopropane-Induced Hepatotoxicity. *Toxicological Sciences*, 115(2), 596-606. doi: 10.1093/toxsci/kfq075. <http://toxsci.oxfordjournals.org/cgi/content/abstract/115/2/596>

Liu, G., Yu, J., Ding, J., Xie, C., Sun, L., Rudenko, I., . . . Cai, H. (2014). Aldehyde dehydrogenase 1 defines and protects a nigrostriatal dopaminergic neuron subpopulation. *The Journal of clinical investigation*, 124(7), 0-0. doi: 10.1172/jci72176. <http://www.jci.org/articles/view/72176>

Liu, H., Friedman, L. K., & Kaur, J. (2006). Perinatal seizures preferentially protect CA1 neurons from seizure-induced damage in prepubescent rats. *Seizure*, 15(1), 1-16. doi.

Liu, J., Morel, A., Wannier, T., & Rouiller, E. M. (2002). Origins of callosal projections to the supplementary motor area (SMA): A direct comparison between pre-SMA and SMA-proper in macaque monkeys. *Journal of Comparative Neurology*, 443(1), 71-85. doi.

Liu, J., Shi, M., Hong, Z., Zhang, J. P., Bradner, J., Quinn, T., . . . Zhang, J. (2010). Identification of ciliary neurotrophic factor receptor  $\alpha$  as a mediator of neurotoxicity induced by  $\alpha$ -synuclein. *Proteomics*, 10(11), 2138-2150. doi.

Liu, L.-F., Palmer, A. R., & Wallace, M. N. (2006). Phase-Locked Responses to Pure Tones in the Inferior Colliculus. *Journal of Neurophysiology*, 95(3), 1926-1935. doi: 10.1152/jn.00497.2005. <http://jn.physiology.org/cgi/content/abstract/95/3/1926>

Liu, N., Varma, S., Tsao, D., Shooter, E. M., & Tolwani, R. J. (2007). Depleting endogenous neurotrophin-3 enhances myelin formation in the Trembler-J mouse, a model of a peripheral neuropathy. *Journal of Neuroscience Research*, 85(13), 2863-2869. doi.

Liu, N. K., Titsworth, W. L., Zhang, Y. P., Xhafa, A. I., Shields, C. B., & Xu, X. M. (2011). Characterizing Phospholipase A 2-Induced Spinal Cord Injury: A Comparison with Contusive Spinal Cord Injury in Adult Rats. *Translational Stroke Research*, 1-11. doi.

Liu, N. K., Zhang, Y. P., Titsworth, W. L., Jiang, X., Han, S., Lu, P. H., . . . Xu, X. M. (2006). A novel role of phospholipase A2 in mediating spinal cord secondary injury. *Annals of Neurology*, 59(4), 606-619. doi.

Liu, N.-K., Byers, J. S., Lam, T., Lu, Q.-B., Sengelau, D. R., & Xu, X.-M. (2014). Inhibition of cPLA2 has neuroprotective effects on motoneuron and muscle atrophy following spinal



cord injury. *Journal of Neurotrauma*. doi:  
10.1089/neu.2014.3690. <http://dx.doi.org/10.1089/neu.2014.3690>

Liu, N.-K., Deng, L.-X., Zhang, Y. P., Lu, Q.-B., Wang, X.-F., Hu, J.-G., . . . Xu, X.-M. (2014). cPLA2 protein as a novel therapeutic target for spinal cord injury. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24134. <http://dx.doi.org/10.1002/ana.24134>

Liu, N.-K., Zhang, Y. P., Han, S., Pei, J., Xu, L. Y., Lu, P.-H., . . . Xu, X.-M. (2007). Annexin A1 Reduces Inflammatory Reaction and Tissue Damage Through Inhibition of Phospholipase A2 Activation in Adult Rats Following Spinal Cord Injury. *Journal of Neuropathology and Experimental Neurology*, 66(10), 932-943. doi.

Liu, N.-K., Zhang, Y.-P., Zou, J., Verhovshek, T., Chen, C., Lu, Q.-B., . . . Xu, X.-M. (2014). A semicircular controlled cortical impact produces long-term motor and cognitive dysfunction that correlates well with damage to both the sensorimotor cortex and hippocampus. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.05.042>. <http://www.sciencedirect.com/science/article/pii/S0006899314007574>

Liu, R., Yang, X.-D., Liao, X.-M., Xie, X.-M., Su, Y.-A., Li, J.-T., . . . Si, T.-M. (2016). Early postnatal stress suppresses the developmental trajectory of hippocampal pyramidal neurons: the role of CRHR1. *Brain Structure and Function*, 1-12. doi. <http://link.springer.com/article/10.1007/s00429-016-1182-4>

Liu, R. J., Lee, F. S., Li, X. Y., Bambico, F., Duman, R. S., & Aghajanian, G. K. (2011). Brain-derived neurotrophic factor Val66Met allele impairs basal and ketamine-stimulated synaptogenesis in prefrontal cortex. *Biological Psychiatry*. doi.

Liu, R.-J., & Aghajanian, G. K. (2008). Stress blunts serotonin- and hypocretin-evoked EPSCs in prefrontal cortex: Role of corticosterone-mediated apical dendritic atrophy. *Proceedings of the National Academy of Sciences*, 105(1), 359-364. doi: 10.1073/pnas.0706679105. <http://www.pnas.org/cgi/content/abstract/105/1/359>

Liu, S., & Shipley, M. T. (2008). Intrinsic Conductances Actively Shape Excitatory and Inhibitory Postsynaptic Responses in Olfactory Bulb External Tufted Cells. *Journal of Neuroscience*, 28(41), 10311-10322. doi: 10.1523/jneurosci.2608-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10311>

Liu, S., & Shipley, M. T. (2008). Multiple Conductances Cooperatively Regulate Spontaneous Bursting in Mouse Olfactory Bulb External Tufted Cells. *Journal of Neuroscience*, 28(7), 1625-1639. doi: 10.1523/jneurosci.3906-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/7/1625>

Liu, T., Lu, J., Lukasiewicz, K., Pan, B., & Zuo, Y. (2021). Stress induces microglia-associated synaptic circuit alterations in the dorsomedial prefrontal cortex. *Neurobiology of Stress*, 15, 100342. doi: <https://doi.org/10.1016/j.ynstr.2021.100342>. <https://www.sciencedirect.com/science/article/pii/S2352289521000503>

Liu, T. T., Bannatyne, B. A., Jankowska, E., & Maxwell, D. J. (2009). Cholinergic terminals in the ventral horn of adult rat and cat: evidence that glutamate is a cotransmitter at putative interneuron synapses but not at central synapses of motoneurons. *Neuroscience*, 161(1), 111-122. doi.

Liu, T. T., Bannatyne, B. A., Jankowska, E., & Maxwell, D. J. (2010). Properties of axon terminals contacting intermediate zone excitatory and inhibitory premotor interneurons with monosynaptic input from group I and II muscle afferents. *Journal of Physiology*, 588(21), 4217-4233. doi: 10.1113/jphysiol.2010.192211. <http://dx.doi.org/10.1113/jphysiol.2010.192211>

Liu, T. T., Bannatyne, B. A., & Maxwell, D. J. (2010). Organization and neurochemical properties of intersegmental interneurons in the lumbar enlargement of the adult rat. *Neuroscience*, 171(2), 461-484. doi.

Liu, W. A., Chen, S., Li, Z., Lee, C. H., Mirzaa, G., Dobyms, W. B., . . . Shi, S.-H. (2018). PARD3 dysfunction in conjunction with dynamic HIPPO signaling drives cortical enlargement with massive heterotopia. *Genes and Development*. doi: 10.1101/gad.313171.118. <http://genesdev.cshlp.org/content/early/2018/06/13/gad.313171.118.abstract>

Liu, X., Sha, O., & Cho, E. P. (2013). Remote Ischemic Postconditioning Promotes the Survival of Retinal Ganglion Cells after Optic Nerve Injury. *Journal of Molecular Neuroscience*, 1-8. doi: 10.1007/s12031-013-0036-2. <http://dx.doi.org/10.1007/s12031-013-0036-2>

Liu, X. F., Tari, P. K., & Haas, K. (2009). PKM[zeta] Restricts Dendritic Arbor Growth by Filopodial and Branch Stabilization within the Intact and Awake Developing Brain. *Journal of Neuroscience*, 29(39), 12229-12235. doi: 10.1523/jneurosci.2842-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/39/12229>

Liu, Y., Chen, Y., Lu, X., Wang, Y., Duan, Y., Cheng, C., & Shen, A. (2012). SCYL1BP1 modulates neurite outgrowth and regeneration via regulating Mdm2/p53 pathway. *Molecular Biology of the Cell*. doi: 10.1091/mbc.E12-05-0362. <http://www.molbiolcell.org/content/early/2012/10/08/mbc.E12-05-0362.abst..>

Liu, Y., Wang, Y., Du, Z., Yan, X., Zheng, P., & Liu, Y. (2016). Fbxo30 Regulates Mammopoiesis by Targeting the Bipolar Mitotic Kinesin Eg5. *Cell Reports*. doi: <http://dx.doi.org/10.1016/j.celrep.2016.03.083>. <http://www.sciencedirect.com/science/article/pii/S221124716303850>

Liu, Y., Xing, H., Sheng, W., Singh, K. N., Korkmaz, A. G., Comeau, C., . . . Li, Y. (2021). Alteration of the cholinergic system and motor deficits in cholinergic neuron-specific Dyt1 knockout mice. *Neurobiology of Disease*, 154, 105342. doi: <https://doi.org/10.1016/j.nbd.2021.105342>. <https://www.sciencedirect.com/science/article/pii/S0969996121000917>

Liu, Y., Xu, X.-H., Chen, Q., Wang, T., Deng, C.-Y., Song, B.-L., . . . Luo, Z.-G. (2013). Myosin Vb controls biogenesis of post-Golgi Rab10 carriers during axon development. *Nature Communications*, 4. doi. <http://www.nature.com/ncomms/2013/130617/ncomms3005/full/ncomms3005.html>

Liu, Y. W. J., Curtis, M. A., Gibbons, H. M., Mee, E. W., Bergin, P. S., Teoh, H. H., . . . Faull, R. L. M. (2008). Doublecortin expression in the normal and epileptic adult human brain. *European Journal of Neuroscience*, 28(11), 2254-2265. doi.

Liu, Z., Xu, D., Zhao, Y., & Zheng, J. (2010). Non-syndromic mild mental retardation candidate gene CDKL3 regulates neuronal morphogenesis. *Neurobiology of Disease*, 39(3), 242-251. doi.

Livneh, Y., Feinstein, N., Klein, M., & Mizrahi, A. (2009). Sensory Input Enhances Synaptogenesis of Adult-Born Neurons. *Journal of Neuroscience*, 29(1), 86-97. doi: 10.1523/jneurosci.4105-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/1/86>

Livneh, Y., & Mizrahi, A. (2011). Long-term changes in the morphology and synaptic distributions of adult-born neurons. *Journal of Comparative Neurology*, 519(11), 2212-2224. doi: 10.1002/cne.22625. <http://dx.doi.org/10.1002/cne.22625>

Llewellyn-Smith, I. J., Martin, C. L., Fenwick, N. M., DiCarlo, S. E., Lujan, H. L., & Schreihofner, A. M. (2007). VGLUT1 and VGLUT2 innervation in autonomic regions of intact and transected rat spinal cord. *Journal of Comparative Neurology*, 503(6), 741-767. doi.

Llewellyn-Smith, I. J., Schreihofner, A. M., & Guyenet, P. G. (2001). Distribution and amino acid content of enkephalin-immunoreactive inputs onto juxtacellularly labelled bulbospinal barosensitive neurons in rat rostral ventrolateral medulla. *Neuroscience*, 108(2), 307-322. doi.

Lloyd, S. A., Wensley, B., Faherty, C. J., & Smeyne, R. J. (2003). Regional differences in cortical dendrite morphology following in utero exposure to cocaine. *Developmental Brain Research*, 147(1-2), 59-66. doi.

Lo, A. C. Y., Chen, A. Y. S., Hung, V. K. L., Yaw, L. P., Fung, M. K. L., Ho, M. C. Y., . . . Chung, S. K. (2005). Endothelin-1 overexpression leads to further water accumulation and brain edema after middle cerebral artery occlusion via aquaporin 4 expression in astrocytic end-feet. *Journal of Cerebral Blood Flow and Metabolism*. doi.

Lo Jr, T. P., Cho, K. S., Garg, M. S., Lynch, M. P., Marcillo, A. E., Koivisto, D. L., . . . others. (2009). Systemic hypothermia improves histological and functional outcome after cervical spinal cord contusion in rats. *Journal of Comparative Neurology*, 514(5), 433-448. doi.

Loavenbruck, A., Wendelschaefer-Crabbe, G., Sandroni, P., & Kennedy, W. R. (2014). Quantification of Sweat Gland Volume and Innervation in Neuropathy; Correlation with Thermoregulatory Sweat Testing. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.24185. <http://dx.doi.org/10.1002/mus.24185>

Lobanova, A., She, R., Pieraut, S., Clapp, C., Maximov, A., & Denchi, E. L. (2017). Different requirements of functional telomeres in neural stem cells and terminally differentiated neurons. *Genes and Development*. doi. <http://genesdev.cshlp.org/content/early/2017/04/20/gad.295402.116.abstract>

Lodovichi, C., Di Cristo, G., Cenni, M. C., & Maffei, L. (2001). Bcl-2 overexpression per se does not promote regeneration of neonatal crushed optic fibers. *European Journal of Neuroscience*, 13(4), 833-838. doi: doi:10.1046/j.1460-9568.2001.01440.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2001.01440.x>

Loepke, A. W., Istaphanous, G. K., McAuliffe lii, J. J., Miles, L., Hughes, E. A., McCann, J. C., . . . others. (2009). The effects of neonatal isoflurane exposure in mice on brain cell viability, adult behavior, learning, and memory. *Anesthesia and Analgesia*, 108(1), 90-104. doi.

Loepke, A. W., McAuliffe, J. J., Mba, E. C. H., McCann, J. C., Danz, S. C., Ward, C., . . . others. (2008). Neuronal Density in Adult Mice Is Not Altered Following Neonatal Isoflurane Exposure. *Anesthesiology*, 109, A200-A200. doi.

Loftus, W. C., Bishop, D. C., & Oliver, D. L. (2010). Differential Patterns of Inputs Create Functional Zones in Central Nucleus of Inferior Colliculus. *Journal of Neuroscience*, 30(40), 13396-13408. doi: 10.1523/jneurosci.0338-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/40/13396>

Loftus, W. C., Bishop, D. C., Saint Marie, R. L., & Oliver, D. L. (2004). Organization of binaural excitatory and inhibitory inputs to the inferior colliculus from the superior olive. *Journal of Comparative Neurology*, 472(3), 330-344. doi.

Loftus, W. C., Malmierca, M. S., Bishop, D. C., & Oliver, D. L. (2008). The cytoarchitecture of the inferior colliculus revisited: a common organization of the lateral cortex in rat and cat. *Neuroscience*, 154(1), 196-205. doi.

Lohr, K. M., Bernstein, A. I., Stout, K. A., Dunn, A. R., Lazo, C. R., Alter, S. P., . . . Miller, G. W. (2014). Increased vesicular monoamine transporter enhances dopamine release and opposes Parkinson disease-related neurodegeneration in vivo. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1402134111. <http://www.pnas.org/content/early/2014/06/11/1402134111.abstract>

Lohr, K. M., Stout, K. A., Dunn, A. R., Wang, M., Salahpour, A., Guillot, T. S., & Miller, G. W. (2015). Increased Vesicular Monoamine Transporter 2 (VMAT2; Slc18a2) Protects against Methamphetamine Toxicity. *ACS Chemical Neuroscience*. doi: 10.1021/acscchemneuro.5b00010. <http://dx.doi.org/10.1021/acscchemneuro.5b00010>

Long, H., Zhu, X., Yang, P., Gao, Q., Chen, Y., & Ma, L. (2012). Myogb and RICS Modulate Dendritic Morphology of Cortical Neurons. *Cerebral Cortex*, bhr378. doi: 10.1093/cercor/bhr378. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr378v1>

Long, J. B., Jay, S. M., Segal, S. S., & Madri, J. A. (2009). VEGF-A and Semaphorin3A: modulators of vascular sympathetic innervation. *Developmental Biology*, 334(1), 119-132. doi.

Long, J. B., & Segal, S. S. (2009). Quantifying perivascular sympathetic innervation: Regional differences in male C57BL/6 mice at 3 and 20 months. *Journal of Neuroscience Methods*. doi.

Longair, M. H., Baker, D. A., & Armstrong, J. D. (2011). Simple Neurite Tracer: open source software for reconstruction, visualization and analysis of neuronal processes. *Bioinformatics*, 27(17), 2453-2454. doi: 10.1093/bioinformatics/btr390. <http://bioinformatics.oxfordjournals.org/cgi/content/abstract/27/17/2453>

Longordo, F., To, M.-S., Ikeda, K., & Stuart, G. J. (2013). Sublinear integration underlies binocular processing in primary visual cortex. *Nature Neuroscience*. doi.

Lopes, A., Torres, D. B., Rodrigues, A. J., Cerqueira, J. J., Pêgo, J. M., Sousa, N., . . . Boer, P. A. (2012). Gestational protein restriction induces ca3 dendritic atrophy in dorsal hippocampal neurons but does not alter learning and memory performance in adult offspring. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2012.12.003>, <http://www.sciencedirect.com/science/article/pii/S0736574812006259>

López-Cabrera, J. D., Hernández-Pérez, L. A., Orozco-Morales, R., & Lorenzo-Ginori, J. V. (2020). New morphological features based on the Sholl analysis for automatic classification of traced neurons. *Journal of Neuroscience Methods*, 343, 108835. doi: <https://doi.org/10.1016/j.jneumeth.2020.108835>, <http://www.sciencedirect.com/science/article/pii/S0165027020302582>

López-Cabrera, J. D., & Lorenzo-Ginori, J. V. (2018). Feature selection for the classification of traced neurons. *Journal of Neuroscience Methods*, 303, 41-54. doi: <https://doi.org/10.1016/j.jneumeth.2018.04.002>, <https://www.sciencedirect.com/science/article/pii/S0165027018301055>

López-Cruz, P. L., Bielza, C., Larrañaga, P., Benavides-Piccione, R., & DeFelipe, J. (2011). Models and Simulation of 3D Neuronal Dendritic Trees Using Bayesian Networks. *Neuroinformatics*, 9(4), 347-369. doi.

Lopez-Huerta, V. G., Nakano, Y., Bausenwein, J., Jaidar, O., Lazarus, M., Cherasse, Y., . . . Arbutnott, G. (2015). The neostriatum: two entities, one structure? *Brain Structure and Function*, 1-13. doi: <http://link.springer.com/article/10.1007/s00429-015-1000-4/fulltext.html>

Lorenzati, M., Boda, E., Parolisi, R., Bonato, M., Borsello, T., Herdegen, T., . . . Vercelli, A. (2021). c-Jun N-terminal kinase 1 (JNK1) modulates oligodendrocyte progenitor cell architecture, proliferation and myelination. *Scientific Reports*, 11(1), 7264. doi: 10.1038/s41598-021-86673-6. <https://doi.org/10.1038/s41598-021-86673-6>

Lőrincz, M. L., Gunner, D., Bao, Y., Connelly, W. M., Isaac, J. T. R., Hughes, S. W., & Crunelli, V. (2015). A Distinct Class of Slow (~0.2–2 Hz) Intrinsically Bursting Layer 5 Pyramidal Neurons Determines UP/DOWN State Dynamics in the Neocortex. *The Journal of Neuroscience*, 35(14), 5442-5458. doi: 10.1523/jneurosci.3603-14.2015. <http://www.jneurosci.org/content/35/14/5442.abstract>

Lorke, D. E., Wong, L. Y., Lai, H. W. L., Poon, P. W. F., Zhang, A., Chan, W. Y., & Yew, D. T. W. (2003). Early postnatal sound exposure induces lasting neuronal changes in the inferior

colliculus of senescence accelerated mice (SAMP8): a morphometric study on GABAergic neurons and NMDA expression. *Cellular and Molecular Neurobiology*, 23(2), 143-164. doi.

Losavio, B. E., Liang, Y., Santamaria-Pang, A., Kakadiaris, I. A., Colbert, C. M., & Saggau, P. (2008). Live Neuron Morphology Automatically Reconstructed from Multiphoton and Confocal Imaging Data. *Journal of Neurophysiology*, 90627.92008. doi: 10.1152/jn.90627.2008. <http://jn.physiology.org/cgi/content/abstract/90627.2008v1>

Loske, P., Boato, F., Hendrix, S., Piepgras, J., Just, I., Ahnert-Hilger, G., & Höltje, M. (2012). Minimal essential length of Clostridium botulinum C3 peptides to enhance neuronal regenerative growth and connectivity in a non-enzymatic mode. *Journal of Neurochemistry*. doi.

Lotocki, G., de Rivero Vaccari, J. P., Perez, E. R., Sanchez-Molano, J., Furones-Alonso, O., Bramlett, H. M., & Dietrich, W. D. (2009). Alterations in blood-brain barrier permeability to large and small molecules and leukocyte accumulation after traumatic brain injury: effects of post-traumatic hypothermia. *Journal of Neurotrauma*, 26(7), 1123-1134. doi.

Lotocki, G., Vaccari, J. R., Alonso, O., Molano, J. S., Nixon, R., Safavi, P., . . . Bramlett, H. M. (2011). Oligodendrocyte vulnerability following traumatic brain injury in rats. *Neuroscience Letters*. doi.

Louis, E., Vonsattel, J.-P., & Faust, P. (2015). Reduced Purkinje Cell Dendritic Arborization and Loss of Dendritic Spines in Essential Tremor (S32.001). *Neurology*, 84(14 Supplement). doi. [http://www.neurology.org/content/84/14\\_Supplement/S32.001.abstract](http://www.neurology.org/content/84/14_Supplement/S32.001.abstract)

Louis, E. D., Babij, R., Cortés, E., Vonsattel, J.-P. G., & Faust, P. L. (2013). The inferior olivary nucleus: A postmortem study of essential tremor cases versus controls. *Movement Disorders*, n/a-n/a. doi: 10.1002/mds.25400. <http://dx.doi.org/10.1002/mds.25400>

Louis, E. D., Diaz, D. T., Kuo, S.-H., Gan, S.-R., Cortes, E. P., Vonsattel, J. P. G., & Faust, P. L. (2018). Inferior Olivary nucleus degeneration does not lessen tremor in essential tremor. [journal article]. *Cerebellum & Ataxias*, 5(1), 1. doi: 10.1186/s40673-018-0080-3. <https://doi.org/10.1186/s40673-018-0080-3>

Louis, E. D., Faust, P. L., Ma, K. J., Yu, M., Cortes, E., & Vonsattel, J. P. G. (2011). Torpedoes in the Cerebellar Vermis in Essential Tremor Cases vs. Controls. *Cerebellum*, 1-8. doi.

Louth, E. L., Luctkar, H. D., Heney, K. A., & Bailey, C. D. C. (2018). Developmental ethanol exposure alters the morphology of mouse prefrontal neurons in a layer-specific manner. *Brain Research*, 1678(Supplement C), 94-105. doi: <https://doi.org/10.1016/j.brainres.2017.10.005>. <http://www.sciencedirect.com/science/article/pii/S0006899317304456>

Love, G., Torrey, N., McNamara, I., Morgan, M., Banks, M., Hester, N. W., . . . Lambert, K. G. (2005). Maternal experience produces long-lasting behavioral modifications in the rat. *Behavioral Neuroscience*, 119(4), 1084-1084. doi.



- Lovekamp-Swan, T., Glendenning, M., & Schreihof, D. A. (2007). A high soy diet reduces programmed cell death and enhances bcl-xL expression in experimental stroke. *Neuroscience*, 148(3), 644-652. doi.
- Lovekamp-Swan, T., Glendenning, M. L., & Schreihof, D. A. (2007). A high soy diet enhances neurotrophin receptor and Bcl-XL gene expression in the brains of ovariectomized female rats. *Brain Research*, 1159, 54-66. doi.
- Lovell, P. V., Clayton, D. F., Replogle, K. L., & Mello, C. V. (2008). Birdsong "transcriptomics": neurochemical specializations of the oscine song system. *PLoS ONE*, 3(10), e3440-e3440. doi.
- Lovell, P. V., & Mello, C. V. (2011). Brain expression and song regulation of the cholecystikinin gene in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Neurology*, 519(2), 211-237. doi.
- Lovett-Barron, M., Turi, G. F., Kaifosh, P., Lee, P. H., Bolze, F., Sun, X. H., . . . Losonczy, A. (2012). Regulation of neuronal input transformations by tunable dendritic inhibition. *Nature Neuroscience*. doi.
- Lozano, J., Abulafia, D. P., Danton, G. H., Watson, B. D., & Dietrich, W. D. (2007). Characterization of a thromboembolic photochemical model of repeated stroke in mice. *Journal of Neuroscience Methods*, 162(1), 244-254. doi.
- Lu, C., Li, Q.-Q., Li, Y.-Y., Lin, H.-Z., Qu, J., Wang, Y., & Zhang, Y.-F. (2017). Light deprivation produces distinct morphological orchestrations on RGCs and cortical cells in a depressive-like YFP-H mouse model. *Neuroscience Letters*, 659, 60-68. doi: <http://dx.doi.org/10.1016/j.neulet.2017.08.073>. <http://www.sciencedirect.com/science/article/pii/S0304394017307309>
- Lu, D., He, L., Xiang, W., Ai, W.-M., Cao, Y., Wang, X.-S., . . . Yan, X.-X. (2012). Somal and Dendritic Development of Human CA3 Pyramidal Neurons From Midgestation to Middle Childhood: A Quantitative Golgi Study. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, n/a-n/a. doi: 10.1002/ar.22616. <http://dx.doi.org/10.1002/ar.22616>
- Lu, E., Llano, D. A., & Sherman, S. M. (2009). Different distributions of calbindin and calretinin immunostaining across the medial and dorsal divisions of the mouse medial geniculate body. *Hearing Research*, 257(1-2), 16-23. doi.
- Lu, G., Wai, S. M., Poon, W. S., & Yew, D. T. (2005). Ki67 and doublecortin positive cells in the human prefrontal cortices of normal aging and vascular dementia. *Microscopy Research and Technique*, 68(5), 255-257. doi.
- Lu, H.-C., Tan, Q., Rousseaux, M. W. C., Wang, W., Kim, J.-Y., Richman, R., . . . Zoghbi, H. Y. (2017). Disruption of the ATXN1-C1C complex causes a spectrum of neurobehavioral phenotypes in mice and humans. [Article]. *Nature Genetics*, advance online publication. doi: 10.1038/ng.3808

<http://www.nature.com/ng/journal/vaop/ncurrent/abs/ng.3808.html#suppleme.....> <http://dx.doi.org/10.1038/ng.3808>

Lü, H. Z., Wang, Y. X., Zhou, J. S., Wang, F. C., & Hu, J. G. (2010). Cyclosporin A increases recovery after spinal cord injury but does not improve myelination by oligodendrocyte progenitor cell transplantation. *BMC neuroscience*, 11(1), 127-127. doi.

Lü, H. Z., Xu, L., Zou, J., Wang, Y. X., Ma, Z. W., Xu, X. M., & Lu, P. H. (2008). Effects of autoimmunity on recovery of function in adult rats following spinal cord injury. *Brain, Behavior, and Immunity*, 22(8), 1217-1230. doi.

Lu, J. (2011). Neuronal tracing for connectomic studies. *Neuroinformatics*, 9(2), 159-166. doi.

Lu, J., Fiala, J. C., & Lichtman, J. W. (2009). Semi-automated reconstruction of neural processes from large numbers of fluorescence images. *PLoS ONE*, 4(5), e5655-e5655. doi.

Lu, J., Némethy, Z., Pego, J. M., Cerqueira, J. J., Sousa, N., & Almeida, O. F. X. (2005). .6 Cellular and molecular analysis of stress-induced neurodegeneration—methodological considerations. *Techniques in the Behavioral and Neural Sciences*, 15, 729-749. doi.

Lu, J.-t., Li, C.-y., Zhao, J.-P., Poo, M.-m., & Zhang, X.-h. (2007). Spike-Timing-Dependent Plasticity of Neocortical Excitatory Synapses on Inhibitory Interneurons Depends on Target Cell Type. *Journal of Neuroscience*, 27(36), 9711-9720. doi: 10.1523/jneurosci.2513-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/36/9711>

Lu, L., Leutgeb, J. K., Tsao, A., Henriksen, E. J., Leutgeb, S., Barnes, C. A., . . . Moser, E. I. (2013). Impaired hippocampal rate coding after lesions of the lateral entorhinal cortex. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3462.html>

Lu, L.-H., Li, J.-C., Wai, M. S. M., Lam, W. P., Forster, E. L., Fang, M.-R., & Yew, D. T. (2007). Perinatal hypoxia induces subsequent retinal degeneration in the offspring of ovoviviparous fish, *Xiphophorus maculatus*. *Veterinary Ophthalmology*, 10(5), 289-294. doi: 10.1111/j.1463-5224.2007.00552.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1463-5224.2007.00552.x>

Lu, Q., Cui, Q., Yip, H. K., & So, K. F. (2003). c-Jun expression in surviving and regenerating retinal ganglion cells: effects of intravitreal neurotrophic supply. *Investigative Ophthalmology and Visual Science*, 44(12), 5342-5348. doi.

Lu, R., Liu, X., Long, H., & Ma, L. (2012). Effects of prenatal cocaine and heroin exposure on neuronal dendrite morphogenesis and spatial recognition memory in mice. *Neuroscience Letters*, 522(2), 128-133. doi: 10.1016/j.neulet.2012.06.023. <http://www.sciencedirect.com/science/article/pii/S0304394012008191>

Lu, X.-H., & Yang, X. W. (2017). Genetically-directed Sparse Neuronal Labeling in BAC Transgenic Mice through Mononucleotide Repeat Frameshift. [Article]. *Scientific Reports*, 7, 43915. doi: 10.1038/srep43915

<http://www.nature.com/articles/srep43915#supplementary-information>. <http://dx.doi.org/10.1038/srep43915>

Lu, Y., Inokuchi, H., McLachlan, E. M., Li, J. S., & Higashi, H. (2001). Correlation between electrophysiology and morphology of three groups of neuron in the dorsal commissural nucleus of lumbosacral spinal cord of mature rats studied in vitro. *Journal of Comparative Neurology*, 437(2), 156-169. doi.

Lu, Y., & Perl, E. R. (2003). A Specific Inhibitory Pathway between Substantia Gelatinosa Neurons Receiving Direct C-Fiber Input. *Journal of Neuroscience*, 23(25), 8752-8758. doi. <http://www.jneurosci.org/cgi/content/abstract/23/25/8752>

Lu, Y., & Perl, E. R. (2005). Modular Organization of Excitatory Circuits between Neurons of the Spinal Superficial Dorsal Horn (Laminae I and II). *Journal of Neuroscience*, 25(15), 3900-3907. doi. <http://www.jneurosci.org/cgi/content/abstract/25/15/3900>

Lubics, A., Reglödi, D., Slezak, S., Szelier, M., Lengvari, I., & others. (1997). Co-localization of serotonin and FMRFamide-like immunoreactivities in the central nervous system of the earthworm, *Eisenia fetida*. *Acta Histochemica*, 99(4), 459-459. doi.

Lubke, J., Egger, V., Sakmann, B., & Feldmeyer, D. (2000). Columnar Organization of Dendrites and Axons of Single and Synaptically Coupled Excitatory Spiny Neurons in Layer 4 of the Rat Barrel Cortex. *Journal of Neuroscience*, 20(14), 5300-5311. doi. <http://www.jneurosci.org/cgi/content/abstract/20/14/5300>

Lübke, J., & Feldmeyer, D. (2007). Excitatory signal flow and connectivity in a cortical column: focus on barrel cortex. *Brain Structure and Function*, 212(1), 3-17. doi.

Lubke, J., Roth, A., Feldmeyer, D., & Sakmann, B. (2003). Morphometric Analysis of the Columnar Innervation Domain of Neurons Connecting Layer 4 and Layer 2/3 of Juvenile Rat Barrel Cortex. *Cerebral Cortex*, 13(10), 1051-1063. doi: 10.1093/cercor/13.10.1051. <http://cercor.oxfordjournals.org/cgi/content/abstract/13/10/1051>

Lucas, N. N., & Lee, D. W. (2009). BDNF increases BrdU-IR cells in the injured adult zebra finch hippocampus. *Neuroreport*, 20(12), 1066-1066. doi.

Lucassen, P. J., Vollmann-Honsdorf, G. K., Gleisberg, M., Czeh, B., De Kloet, E. R., & Fuchs, E. (2001). Chronic psychosocial stress differentially affects apoptosis in hippocampal subregions and cortex of the adult tree shrew. *European Journal of Neuroscience*, 14(1), 161-166. doi: doi:10.1046/j.0953-816x.2001.01629.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.0953-816x.2001.01629.x>

Luebke, J. I., & Rosene, D. L. (2003). Aging alters dendritic morphology, input resistance, and inhibitory signaling in dentate granule cells of the rhesus monkey. *Journal of Comparative Neurology*, 460(4), 573-584. doi.

- Luebke, J. I., Weider, J. M., McCarley, R. W., & Greene, R. W. (1992). Distribution of NADPH-diaphorase positive somata in the brainstem of the monitor lizard *Varanus exanthematicus*. *Neuroscience Letters*, 148(1), 129-132. doi.
- Luisi, J., Narayanaswamy, A., Galbreath, Z., & Roysam, B. (2011). The FARSIGHT Trace Editor: An Open Source Tool for 3-D Inspection and Efficient Pattern Analysis Aided Editing of Automated Neuronal Reconstructions. *Neuroinformatics*, 1-11. doi.
- Lujan, H. L., Janbair, H., & DiCarlo, S. E. (2012). Dynamic Interaction Between the Heart and its Sympathetic Innervation Following T5 Spinal Cord Transection. *Journal of Applied Physiology*. doi: 10.1152/jappphysiol.00522.2012. <http://jap.physiology.org/content/early/2012/06/18/jappphysiol.00522.2012>
- Lujan, H. L., Palani, G., & DiCarlo, S. E. (2010). Structural neuroplasticity following T5 spinal cord transection: increased cardiac sympathetic innervation density and SPN arborization. *American Journal of Physiology and Lung Cell Molecular Physiology*, 299(4), R985-995. doi: 10.1152/ajpregu.00329.2010. <http://ajpregu.physiology.org/cgi/content/abstract/299/4/R985>
- Lujan, H. L., Palani, G., Peduzzi, J. D., & DiCarlo, S. E. (2010). Targeted ablation of mesenteric projecting sympathetic neurons reduces the hemodynamic response to pain in conscious, spinal cord-transected rats. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 298(5), R1358-R1365. doi.
- Lujan, H. L., Palani, G., Zhang, L., & DiCarlo, S. E. (2010). Targeted ablation of cardiac sympathetic neurons reduces the susceptibility to ischemia-induced sustained ventricular tachycardia in conscious rats. *American Journal of Physiology-Heart and Circulatory Physiology*, 298(5), H1330-H1339. doi.
- Lujan, H. L., Tonson, A., Wiseman, R. W., & DiCarlo, S. E. (2018). Chronic, Complete Cervical 6-7 Cord Transection: Distinct Autonomic and Cardiac Deficits. *Journal of Applied Physiology*, 0(0), null. doi: 10.1152/jappphysiol.01104.2017. <http://www.physiology.org/doi/abs/10.1152/jappphysiol.01104.2017>
- Luke, L. M., Allred, R. P., & Jones, T. A. (2004). Unilateral ischemic sensorimotor cortical damage induces contralesional synaptogenesis and enhances skilled reaching with the ipsilateral forelimb in adult male rats. *Synapse*, 54(4), 187-199. doi.
- Luo, Q., Douglas, M., Burkholder, T., & Sokoloff, A. J. (2013). Absence of developmental and unconventional myosin heavy chain in human suprahyoid muscles. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.23946. <http://dx.doi.org/10.1002/mus.23946>
- Luo, X., Muñoz-Pino, E., Francavilla, R., Vallée, M., Droit, A., & Topolnik, L. (2019). Transcriptomic profile of the subiculum-projecting VIP GABAergic neurons in the mouse CA1 hippocampus. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01883-z. <https://doi.org/10.1007/s00429-019-01883-z>

Lus, G., Vincitorio, C. M., Di Palma, A., Carpo, M., Allaria, S., & Cotrufo, R. (2004). Chronic relapsing polyneuropathy associated with hepatitis B virus infection. *Journal of the Peripheral Nervous System*, 9(2), 115-116. doi: doi:10.1111/j.1085-9489.2004.009209a.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Lussier, A. L., Lebedeva, K., Fenton, E. Y., Guskjolen, A., Caruncho, H. J., & Kalynchuk, L. E. (2013). The progressive development of depression-like behavior in corticosterone-treated rats is paralleled by slowed granule cell maturation and decreased reelin expression in the adult dentate gyrus. *Neuropharmacology*, 71(0), 174-183. doi: <http://dx.doi.org/10.1016/j.neuropharm.2013.04.012>. <http://www.sciencedirect.com/science/article/pii/S0028390813001494>

Luz, L. L., Szucs, P., Pinho, R., & Safronov, B. V. (2010). Monosynaptic excitatory inputs to spinal lamina I anterolateral-tract-projecting neurons from neighbouring lamina I neurons. *Journal of Physiology*, 588(22), 4489-4505. doi: 10.1113/jphysiol.2010.197012. <http://jp.physoc.org/content/588/22/4489.abstract>

Luzzati, F., De Marchis, S., Parlato, R., Gribaudo, S., Schütz, G., Fasolo, A., & Peretto, P. (2011). New Striatal Neurons in a Mouse Model of Progressive Striatal Degeneration Are Generated in both the Subventricular Zone and the Striatal Parenchyma. *PLoS ONE*, 6(9), e25088-e25088. doi.

Luzzati, F., Nato, G., Oboti, L., Vigna, E., Rolando, C., Armentano, M., . . . Peretto, P. (2014). Quiescent neuronal progenitors are activated in the juvenile guinea pig lateral striatum and give rise to transient neurons. *Development*, 141(21), 4065-4075. doi: 10.1242/dev.107987. <http://dev.biologists.org/content/141/21/4065.abstract>

Lv, X., Ren, S.-Q., Zhang, X.-J., Shen, Z., Ghosh, T., Xianyu, A., . . . Shi, S.-H. (2019). TBR2 coordinates neurogenesis expansion and precise microcircuit organization via Protocadherin 19 in the mammalian cortex. *Nature Communications*, 10(1), 3946. doi: 10.1038/s41467-019-11854-x. <https://doi.org/10.1038/s41467-019-11854-x>

Ly, T., Gupta, N., Weinreb, R. N., Kaufman, P. L., & Yücel, Y. H. (2011). Dendrite plasticity in the lateral geniculate nucleus in primate glaucoma. *Vision Research*, 51(2), 243-250. doi.

Lynch, S. W., Braas, K. M., Harakall, S. A., Kennedy, A. L., Mawe, G. M., & Parsons, R. L. (1999). Neuropeptide Y (NPY) expression is increased in explanted guinea pig parasympathetic cardiac ganglia neurons. *Brain Research*, 827(1-2), 70-78. doi.

Lyon, D. C., Nassi, J. J., & Callaway, E. M. (2010). A disynaptic relay from superior colliculus to dorsal stream visual cortex in macaque monkey. *Neuron*, 65(2), 270-279. doi.

Lyon, D. C., & Rabideau, C. (2012). Lack of robust LGN label following transneuronal rabies virus injections into macaque area V4. *Journal of Comparative Neurology*. doi.

M., F., A., C., S., B., S., B., J., C., F., B. J., . . . M., R. E. (2018). Changes of motor corticobulbar projections following different lesion types affecting the central nervous system in adult

macaque monkeys. *European Journal of Neuroscience*, 0(ja). doi:  
doi:10.1111/ejn.14074. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14074>

M., F. K., Alayna, L., Joseph, G., & Corinna, D.-S. (2018). Extensive Somatosensory and Motor Corticospinal Sprouting Occurs Following a Central Dorsal Column Lesion in Monkeys. *Journal of Comparative Neurology*, 0(ja). doi:  
doi:10.1002/cne.24491. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24491>

Ma, J., Yao, X.-H., Fu, Y., & Yu, Y.-C. (2013). Development of Layer 1 Neurons in the Mouse Neocortex. *Cerebral Cortex*. doi:  
10.1093/cercor/bht114. <http://cercor.oxfordjournals.org/content/early/2013/05/15/cercor.bht114...>

Ma, J., Zhang, L.-Q., He, Z.-X., He, X.-X., Wang, Y.-J., Jian, Y.-L., ... Zhu, X.-J. (2019). Autism candidate gene DIP2A regulates spine morphogenesis via acetylation of cortactin. *PLoS Biology*, 17(10), e3000461. doi:  
10.1371/journal.pbio.3000461. <https://doi.org/10.1371/journal.pbio.3000461>

Ma, L., Lopez, G. F., & Krimm, R. F. (2009). Epithelial-Derived Brain-Derived Neurotrophic Factor Is Required for Gustatory Neuron Targeting during a Critical Developmental Period. *Journal of Neuroscience*, 29(11), 3354-3364. doi: 10.1523/jneurosci.3970-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/11/3354>

Ma, S.-F., Chen, Y.-J., Zhang, J.-X., Shen, L., Wang, R., Zhou, J.-S., ... Lü, H.-Z. (2014). Adoptive transfer of M2 macrophages promotes locomotor recovery in adult rats after spinal cord injury. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.11.007>. <http://www.sciencedirect.com/science/article/pii/S0889159114005224>

Ma, X., Chen, K., Cui, Y., Huang, G., Nehme, A., Zhang, L., ... Qiu, S. (2020). Depletion of microglia in developing cortical circuits reveals its critical role in glutamatergic synapse development, functional connectivity, and critical period plasticity. *Journal of Neuroscience Research*, n/a(n/a). doi:  
10.1002/jnr.24641. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24641>

Ma, X., Chen, K., Lu, Z., Piechowicz, M., Liu, Q., Wu, J., & Qiu, S. (2018). Disruption of MET receptor tyrosine kinase, an autism risk factor, impairs developmental synaptic plasticity in the hippocampus. *Developmental Neurobiology*, 0(ja). doi:  
doi:10.1002/dneu.22645. <https://onlinelibrary.wiley.com/doi/abs/10.1002/dneu.22645>

Ma, X., Huang, J., Xin, X., Yan, Y., Mains, R. E., & Eipper, B. A. (2012). A Role for Kalirin in the Response of Rat Medium Spiny Neurons to Cocaine. *Molecular Pharmacology*. doi:  
10.1124/mol.112.080044. <http://molpharm.aspetjournals.org/content/early/2012/07/24/mol.112.080044...>

Ma, X.-M., Huang, J., Wang, Y., Eipper, B. A., & Mains, R. E. (2003). Kalirin, a Multifunctional Rho Guanine Nucleotide Exchange Factor, Is Necessary for Maintenance of Hippocampal Pyramidal Neuron Dendrites and Dendritic Spines. *Journal of Neuroscience*, 23(33), 10593-10603. doi: <http://www.jneurosci.org/cgi/content/abstract/23/33/10593>



- Ma, X.-M., Wang, Y., Ferraro, F., Mains, R. E., & Eipper, B. A. (2008). Kalirin-7 Is an Essential Component of both Shaft and Spine Excitatory Synapses in Hippocampal Interneurons. *Journal of Neuroscience*, 28(3), 711-724. doi: 10.1523/jneurosci.5283-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/3/711>
- Ma, Y., Hu, H., Berrebi, A. S., Mathers, P. H., & Agmon, A. (2006). Distinct Subtypes of Somatostatin-Containing Neocortical Interneurons Revealed in Transgenic Mice. *Journal of Neuroscience*, 26(19), 5069-5082. doi: 10.1523/jneurosci.0661-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/19/5069>
- Ma, Y., & Prince, D. A. (2012). Functional alterations in GABAergic fast-spiking interneurons in chronically injured epileptogenic neocortex. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.03.027. <http://www.sciencedirect.com/science/article/pii/S0969996112001118>
- Ma, Y., Ramachandran, A., Ford, N., Parada, I., & Prince, D. A. (2013). Remodeling of dendrites and spines in the C1q knockout model of genetic epilepsy. *Epilepsia*, n/a-n/a. doi: 10.1111/epi.12195. <http://dx.doi.org/10.1111/epi.12195>
- Ma, Z., Cao, Q., Zhang, L., Hu, J., Howard, R. M., Lu, P., . . . Xu, X. M. (2009). Oligodendrocyte precursor cells differentially expressing Nogo-A but not MAG are more permissive to neurite outgrowth than mature oligodendrocytes. *Experimental Neurology*, 217(1), 184-196. doi.
- Ma, Z., Zhang, Y. P., Liu, W., Yan, G., Li, Y., Shields, L. B. E., . . . Shields, C. B. (2016). A controlled spinal cord contusion for the rhesus macaque monkey. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.02.008>. <http://www.sciencedirect.com/science/article/pii/S0014488616300309>
- Mac Donald, C. L., Dikranian, K., Bayly, P., Holtzman, D., & Brody, D. (2007). Diffusion Tensor Imaging Reliably Detects Experimental Traumatic Axonal Injury and Indicates Approximate Time of Injury. *Journal of Neuroscience*, 27(44), 11869-11876. doi: 10.1523/jneurosci.3647-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/44/11869>
- MacAskill, A. F., & Kittler, J. T. (2016). Loss of Dendritic Complexity Precedes Neurodegeneration in a Mouse Model with Disrupted Mitochondrial Distribution in Mature Dendrites. doi. [http://www.cell.com/cell-reports/pdf/S2211-1247\(16\)31208-6.pdf](http://www.cell.com/cell-reports/pdf/S2211-1247(16)31208-6.pdf)
- MacDonald, S. C., Simcoff, R., Jordan, L. M., Dodd, J. G., Cheng, K. W., & Hochman, S. (2002). A population of oligodendrocytes derived from multipotent neural precursor cells expresses a cholinergic phenotype in culture and responds to ciliary neurotrophic factor. *Journal of Neuroscience Research*, 68(3), 255-264. doi.
- Macedo-Lima, M., Freire, M. A. M., de Carvalho Pimentel, H., Rodrigues Ferreira Lins, L. C., Amador de Lucena Medeiros, K. A., Viola, G. G., . . . Marchioro, M. (2017). Characterization of NADPH Diaphorase- and Doublecortin-Positive Neurons in the Lizard Hippocampal Formation. *Brain, Behavior and Evolution*, 0(0), 222-234. doi. <http://www.karger.com/DOI/10.1159/000453105>

Macharadze, T., Pielot, R., Wanger, T., Scheich, H., Gundelfinger, E. D., Budinger, E., . . . Kreutz, M. R. (2011). Altered Neuronal Activity Patterns in the Visual Cortex of the Adult Rat after Partial Optic Nerve Crush--A Single-Cell Resolution Metabolic Mapping Study. *Cerebral Cortex*, bhr256. doi:

10.1093/cercor/bhr256. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr256v1>

Macias, M., Nowicka, D., Czupryn, A., Sulejczak, D., Skup, M., Skangiel-Kramska, J., & Czarkowska-Bauch, J. (2009). Exercise-induced motor improvement after complete spinal cord transection and its relation to expression of brain-derived neurotrophic factor and presynaptic markers. *BMC neuroscience*, 10(1), 144-144. doi.

MacKenzie-Graham, A., Tinsley, M. R., Shah, K. P., Aguilar, C., Strickland, L. V., Boline, J., . . . others. (2006). Cerebellar cortical atrophy in experimental autoimmune encephalomyelitis. *Neuroimage*, 32(3), 1016-1023. doi.

MacKenzie-Graham, A. J., Lee, E.-F., Dinov, I. D., Yuan, H., Jacobs, R. E., & Toga, A. W. (2007). Multimodal, Multidimensional Models of Mouse Brain. *Epilepsia*, 48(s4), 75-81. doi:

doi:10.1111/j.1528-1167.2007.01244.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2007.01244.x>

Mackie, M., Hughes, D. I., Maxwell, D. J., Tillakaratne, N. J. K., & Todd, A. J. (2003). Distribution and colocalisation of glutamate decarboxylase isoforms in the rat spinal cord.

*Neuroscience*, 119(2), 461-472. doi.

MacLean, J. N., Fenstermaker, V., Watson, B. O., & Yuste, R. (2006). A visual thalamocortical slice. *Nature Methods*, 3(2), 129-134. doi.

MacLeod, K., & Carr, C. (2005). Synaptic dynamics and intensity coding in the cochlear nucleus. *Auditory Signal Processing*, 500-508. doi.

MacLeod, K. M., & Carr, C. E. (2005). Synaptic Physiology in the Cochlear Nucleus Angularis of the Chick. *Journal of Neurophysiology*, 93(5), 2520-2529. doi:

10.1152/jn.00898.2004. <http://jn.physiology.org/cgi/content/abstract/93/5/2520>

MacLeod, K. M., Soares, D., & Carr, C. E. (2006). Interaural timing difference circuits in the auditory brainstem of the emu (*Dromaius novaehollandiae*). *Journal of Comparative Neurology*, 495(2), 185-201. doi.

MacNeil, M. A., Purrier, S., Rushmore, R. J., & others. (2010). The composition of the inner nuclear layer of the cat retina. *Visual Neuroscience*, 26(4), 365-365. doi.

Madhavan, L., Daley, B. F., Sortwell, C. E., & Collier, T. J. (2012). Endogenous neural precursors influence grafted neural stem cells and contribute to neuroprotection in the parkinsonian rat. *European Journal of Neuroscience*, 35(6), 883-895. doi: 10.1111/j.1460-

9568.2012.08019.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08019.x>

Madhu, L. N., Kodali, M., Attaluri, S., Shuai, B., Melissari, L., Rao, X., & Shetty, A. K. (2021). Melatonin improves brain function in a model of chronic Gulf War Illness with modulation of oxidative stress, NLRP3 inflammasomes, and BDNF-ERK-CREB pathway in the

hippocampus. *Redox Biology*, 43, 101973.

doi: <https://doi.org/10.1016/j.redox.2021.101973>, <https://www.sciencedirect.com/science/article/pii/S221323172100121X>

Madison, J. L., Wegrzynowicz, M., Aschner, M., & Bowman, A. B. (2012). Disease-Toxicant Interactions in Manganese Exposed Huntington Disease Mice: Early Changes in Striatal Neuron Morphology and Dopamine Metabolism. *PLoS ONE*, 7(2), e31024-e31024. doi.

Madsen, P. M., Pinto, M., Patel, S., McCarthy, S., Gao, H., Taherian, M., . . . Brambilla, R. (2017). Mitochondrial DNA double-strand breaks in oligodendrocytes cause demyelination, axonal injury and CNS inflammation. [10.1523/JNEUROSCI.1378-17.2017]. *The Journal of Neuroscience*.

doi. <http://www.jneurosci.org/content/early/2017/09/20/JNEUROSCI.1378-17.2017..>

Maeda, H., Fukuda, S., Kameda, H., Murabe, N., Isoo, N., Mizukami, H., . . . Sakurai, M. (2015). Corticospinal axons make direct synaptic connections with spinal motoneurons innervating forearm muscles early during postnatal development in the rat. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270885. <http://dx.doi.org/10.1113/JP270885>

Maezawa, I., Swanberg, S., Harvey, D., LaSalle, J. M., & Jin, L.-W. (2009). Rett Syndrome Astrocytes Are Abnormal and Spread MeCP2 Deficiency through Gap Junctions. *Journal of Neuroscience*, 29(16), 5051-5061. doi: 10.1523/jneurosci.0324-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/16/5051>

Maezawa, I., Zaja-Milatovic, S., Milatovic, D., Stephen, C., Sokal, I., Maeda, N., . . . Montine, K. (2006). Apolipoprotein E isoform-dependent dendritic recovery of hippocampal neurons following activation of innate immunity. *Journal of Neuroinflammation*, 3(1), 21.

doi. <http://www.jneuroinflammation.com/content/3/1/21>

Magableh, A., & Lundy, R. (2014). Somatostatin and Corticotrophin Releasing Hormone Cell Types Are a Major Source of Descending Input From the Forebrain to the Parabrachial Nucleus in Mice. *Chemical Senses*. doi: 10.1093/chemse/bju038. <http://chemse.oxfordjournals.org/content/early/2014/08/02/chemse.bju038...>

Magariello, A., Muglia, M., Passamonti, L., Bellesi, M., Conforti, F. L., Mazzei, R., . . . Quattrone, A. (2004). Further evidence of genetic heterogeneity in autosomal dominant distal motor neuronopathy. *Journal of the Peripheral Nervous System*, 9(2), 125-125. doi: doi:10.1111/j.1085-9489.2004.009209bp.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Magavi, S., Friedmann, D., Banks, G., Stolfi, A., & Lois, C. (2012). Coincident Generation of Pyramidal Neurons and Protoplasmic Astrocytes in Neocortical Columns. *Journal of Neuroscience*, 32(14), 4762-4772. doi: 10.1523/jneurosci.3560-11.2012. <http://www.jneurosci.org/content/32/14/4762.abstract>

Magavi, S. S. P., & Lois, C. (2008). Transplanted neurons form both normal and ectopic projections in the adult brain. *Developmental Neurobiology*, 68(14), 1527-1537. doi.

Magnin, E., Francavilla, R., Amalyan, S., Gervais, E., Suzanne David, L., Luo, X., & Topolnik, L. (2018). Input-specific synaptic location and function of the alpha5 GABAA receptor subunit in the mouse CA1 hippocampal neurons. *The Journal of Neuroscience*, 0567-0518. doi: 10.1523/jneurosci.0567-18.2018. <http://www.jneurosci.org/content/early/2018/12/06/JNEUROSCI.0567-18.2018..>

Magnotti, L. M., Goodenough, D. A., & Paul, D. L. (2011). Deletion of oligodendrocyte Cx32 and astrocyte Cx43 causes white matter vacuolation, astrocyte loss and early mortality. *Glia*, 59(7), 1064-1074. doi: 10.1002/glia.21179. <http://dx.doi.org/10.1002/glia.21179>

Magnusson, J., & Cummings, K. J. (2015). Plasticity in breathing and arterial blood pressure following acute intermittent hypercapnic hypoxia in infant rat pups with a partial loss of 5-HT neurons. [10.1152/ajpregu.00241.2015]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: <http://ajpregu.physiology.org/content/early/2015/09/02/ajpregu.00241.201..>

Magrassi, L., Grimaldi, P., Ibatici, A., Corselli, M., Ciardelli, L., Castello, S., . . . Rossi, F. (2007). Induction and Survival of Binucleated Purkinje Neurons by Selective Damage and Aging. *Journal of Neuroscience*, 27(37), 9885-9892. doi: 10.1523/jneurosci.2539-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/37/9885>

Magrassi, L., Leto, K., & Rossi, F. (2013). Lifespan of neurons is uncoupled from organismal lifespan. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1217505110. <http://www.pnas.org/content/early/2013/02/19/1217505110.abstract>

Mahady, L., Perez, S. E., Emerich, D. F., Wahlberg, L. U., & Mufson, E. J. (2016). Cholinergic Profiles in the Goettingen miniature pig (*Sus scrofa domestica*) brain. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24087. <http://dx.doi.org/10.1002/cne.24087>

Mahar, I., Maclsaac, A., Kim, J. J., Qiang, C., Davoli, M. A., Turecki, G., & Mechawar, N. (2016). Effects of neuregulin-1 administration on neurogenesis in the adult mouse hippocampus, and characterization of immature neurons along the septotemporal axis. [Article]. *Scientific Reports*, 6, 30467. doi: 10.1038/srep30467

<http://www.nature.com/articles/srep30467#supplementary-information>. <http://dx.doi.org/10.1038/srep30467>

Maher, B. J., & LoTurco, J. J. (2012). Disrupted-in-Schizophrenia (DISC1) Functions Presynaptically at Glutamatergic Synapses. *PLoS ONE*, 7(3), e34053. doi: 10.1371/journal.pone.0034053. <http://dx.doi.org/10.1371%2Fjournal.pone.0034053>

Maheshwari, M., Bhutani, S., Das, A., Mukherjee, R., Sharma, A., Kino, Y., . . . Jana, N. R. (2013). Dexamethasone induces heat shock response and slows down disease progression in mouse and fly models of Huntington's disease. *Human Molecular Genetics*. doi: 10.1093/hmg/ddt667. <http://hmg.oxfordjournals.org/content/early/2013/12/30/hmg.ddt667.abstract>

Mai, J. K., Assheuer, J. K., & Paxinos, G. (2004). This long-awaited update of the classic, *The Human Nervous System*, stands as an impressive survey of our knowledge of the brain, spinal cord, and peripheral nervous system. *The Human Nervous System*. doi.

Maia, L. M. S. S., Frazão, M. F., Souza, T. K. M., Silva, M. B., Rocha-de-Melo, A. P., Picanço-Diniz, C. W., . . . Guedes, R. C. A. (2006). L-arginine treatment early in life influences NADPH-diaphorase neurons in visual cortex of normal and early-malnourished adult rats. *Brain Research*, 1072(1), 19-25. doi.

Maibier, M., Bintig, W., Goede, A., Höpfner, M., Kuebler, W. M., Secomb, T. W., . . . Pries, A. R. (2019). Gap junctions regulate vessel diameter in chick chorioallantoic membrane vasculature by both tone-dependent and structural mechanisms. *Microcirculation*, 0(ja). doi: 10.1111/micc.12590. <https://onlinelibrary.wiley.com/doi/abs/10.1111/micc.12590>

Maibier, M., Reglin, B., Nitzsche, B., Xiang, W., Rong, W. W., Hoffmann, B., . . . Pries, A. R. (2016). Structure and hemodynamics of vascular networks in the chorioallantoic membrane of the chicken. [10.1152/ajpheart.00786.2015]. *American Journal of Physiology - Heart and Circulatory Physiology*. doi. <http://ajpheart.physiology.org/content/early/2016/07/06/ajpheart.00786.2...>

Maier, E., & Brecht, M. (2018). Layer 4 barrel cortex neurons retain their response properties during whisker replacement. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00333.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00333.2018>

Maier, E., Lauer, S. M., & Brecht, M. (2020). Conserved layer 4 organization and respiration locking in the rodent nose somatosensory cortex. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00138.2020. <https://journals.physiology.org/doi/abs/10.1152/jn.00138.2020>

Maier, I. C., Baumann, K., Thallmair, M., Weinmann, O., Scholl, J., & Schwab, M. E. (2008). Constraint-Induced Movement Therapy in the Adult Rat after Unilateral Corticospinal Tract Injury. *Journal of Neuroscience*, 28(38), 9386-9403. doi: 10.1523/jneurosci.1697-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/38/9386>

Maier, N., Morris, G., Jochenning, F. W., & Schmitz, D. (2009). An approach for reliably investigating hippocampal sharp wave-ripples in vitro. *PLoS ONE*, 4(9), e6925-e6925. doi.

Maier, N., Tejero-Cantero, Á., Dornn, A. L., Winterer, J., Beed, P. S., Morris, G., . . . Schmitz, D. (2011). Coherent phasic excitation during hippocampal ripples. *Neuron*, 72(1), 137-152. doi.

Mailly, P., Aliane, V., Groenewegen, H. J., Haber, S. N., & Deniau, J.-M. (2013). The Rat Prefrontostriatal System Analyzed in 3D: Evidence for Multiple Interacting Functional Units. *Journal of Neuroscience*, 33(13), 5718-5727. doi: 10.1523/jneurosci.5248-12.2013. <http://www.jneurosci.org/content/33/13/5718.abstract>

Mailly, P., Charpier, S., Mahon, S., Menetrey, A., Thierry, A. M., Glowinski, J., & Deniau, J. M. (2001). Dendritic Arborizations of the Rat Substantia Nigra Pars Reticulata Neurons: Spatial Organization and Relation to the Lamellar Compartmentation of Striato-Nigral Projections. *Journal of Neuroscience*, 21(17), 6874-6888. doi. <http://www.jneurosci.org/cgi/content/abstract/21/17/6874>

Mailly, P., Charpier, S., Menetrey, A., & Deniau, J.-M. (2003). Three-Dimensional Organization of the Recurrent Axon Collateral Network

of the Substantia Nigra Pars Reticulata Neurons in the Rat. *Journal of Neuroscience*, 23, 5247-5257. doi.

Mailly, P., Haber, S. N., Groenewegen, H. J., & Deniau, J. M. (2010). A 3D multi-modal and multi-dimensional digital brain model as a framework for data sharing. *Journal of Neuroscience Methods*, 194(1), 56-63. doi.

Maioli, S., Lodeiro, M., Merino-Serrais, P., Falahati, F., Khan, W., Puerta, E., . . . the Alzheimer's Disease Neuroimaging, I. (2014). Alterations in brain leptin signalling in spite of unchanged CSF leptin levels in Alzheimer's disease. *Aging Cell*, n/a-n/a. doi: 10.1111/accel.12281. <http://dx.doi.org/10.1111/accel.12281>

Maiti, P., Manna, J., & McDonald, M. P. (2015). Merging advanced technologies with classical methods to uncover dendritic spine dynamics: A hot spot of synaptic plasticity. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2015.02.007>. <http://www.sciencedirect.com/science/article/pii/S0168010215000693>

Major, T., Menon, J., Auyeung, G., Soldner, F., Hockemeyer, D., Jaenisch, R., & Tabar, V. (2011). Transgene Excision Has No Impact on In Vivo Integration of Human iPS Derived Neural Precursors. *PLoS ONE*, 6(9), e24687-e24687. doi.

Makinodan, M., Rosen, K. M., Ito, S., & Corfas, G. (2012). A Critical Period for Social Experience-Dependent Oligodendrocyte Maturation and Myelination. *Science*, 337(6100), 1357-1360. doi: 10.1126/science.1220845. <http://www.sciencemag.org/content/337/6100/1357.short>

Maldonado, M. A., Allred, R. P., Felthouser, E. L., & Jones, T. A. (2008). Motor skill training, but not voluntary exercise, improves skilled reaching after unilateral ischemic lesions of the sensorimotor cortex in rats. *Neurorehabilitation and neural repair*, 22(3), 250-261. doi.

Malik, R., & Chattarji, S. (2012). Enhanced intrinsic excitability and EPSP-spike coupling accompany enriched environment-induced facilitation of LTP in hippocampal CA1 pyramidal neurons. *Journal of Neurophysiology*, 107(5), 1366-1378. doi.

Malik, R., & Johnston, D. (2017). Dendritic GIRK channels gate the integration window, plateau potentials and induction of synaptic plasticity in dorsal but not ventral CA1 neurons. [10.1523/JNEUROSCI.2784-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/03/09/JNEUROSCI.2784-16.2017...>

Malmierca, M. S., Cristaudo, S., Perez-Gonzalez, D., & Covey, E. (2009). Stimulus-Specific Adaptation in the Inferior Colliculus of the Anesthetized Rat. *Journal of Neuroscience*, 29(17), 5483-5493. doi: 10.1523/jneurosci.4153-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/17/5483>



Malmierca, M. S., Izquierdo, M. A., Cristaudo, S., Hernandez, O., Perez-Gonzalez, D., Covey, E., & Oliver, D. L. (2008). A Discontinuous Tonotopic Organization in the Inferior Colliculus of the Rat. *Journal of Neuroscience*, 28(18), 4767-4776. doi: 10.1523/jneurosci.0238-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/18/4767>

Malmierca, M. S., Saint Marie, R. L., Merchan, M. A., & Oliver, D. L. (2005). Laminar inputs from dorsal cochlear nucleus and ventral cochlear nucleus to the central nucleus of the inferior colliculus: two patterns of convergence. *Neuroscience*, 136(3), 883-894. doi.

Mandel, D. A., & Schreihofner, A. M. (2006). Central respiratory modulation of barosensitive neurones in rat caudal ventrolateral medulla. *Journal of Physiology*, 572(3), 881-896. doi: 10.1113/jphysiol.2005.103622. <http://jp.physoc.org/cgi/content/abstract/572/3/881>

Mandel, D. A., & Schreihofner, A. M. (2008). Glutamatergic inputs to the CVLM independent of the NTS promote tonic inhibition of sympathetic vasomotor tone in rats. *American Journal of Physiology - Heart and Circulatory Physiology*

216.2008. doi:

10.1152/ajpheart.216.2008. <http://ajpheart.physiology.org/cgi/content/abstract/216.2008v1>

-

Mandel, D. A., & Schreihofner, A. M. (2009). Modulation of the sympathetic response to acute hypoxia by the caudal ventrolateral medulla in rats. *Journal of Physiology*, 587(2), 461-475. doi: 10.1113/jphysiol.2008.161760. <http://jp.physoc.org/cgi/content/abstract/587/2/461>

Mandolesi, L., De Bartolo, P., Foti, F., Gelfo, F., Federico, F., Leggio, M. G., & Petrosini, L. (2008). Environmental enrichment provides a cognitive reserve to be spent in the case of brain lesion. *Journal of Alzheimer's Disease*, 15(1), 11-28. doi.

Mandyam, C. D., Schilling, J. M., Cui, W., Egawa, J., Niesman, I. R., Kellerhals, S. E., . . . Head, B. P. (2015). Neuron-targeted caveolin-1 improves molecular signaling, plasticity and behavior dependent on the hippocampus in adult and aged mice. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2015.09.020. <http://dx.doi.org/10.1016/j.biopsych.2015.09.020>

Mandyam, C. D., Wee, S., Eisch, A. J., Richardson, H. N., & Koob, G. F. (2007). Methamphetamine Self-Administration and Voluntary Exercise Have Opposing Effects on Medial Prefrontal Cortex Gliogenesis. *Journal of Neuroscience*, 27(42), 11442-11450. doi: 10.1523/jneurosci.2505-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/42/11442>

Manganelli, F., Criscuolo, C., Scarano, V., Perretti, A., De Michele, G., Filla, A., & Santoro, L. (2004). Genotype-phenotype correlation in some autosomal recessive hereditary spastic paraplegias. *Journal of the Peripheral Nervous System*, 9(2), 112-112. doi.

Manganelli, F., Iodice, V., Provitera, V., Pisciotta, C., Nolano, M., Perretti, A., & Santoro, L. (2007). Small-fiber involvement in spinobulbar muscular atrophy (Kennedy's disease). *Muscle and Nerve*, 36(6), 816-820. doi.

Mangas, A., Yajeya, J., González, N., Ruiz, I., Duleu, S., Geffard, M., & Coveñas, R. (2017). Overexpression of kynurenic acid in stroke: an endogenous neuroprotector? *Annals of Anatomy - Anatomischer Anzeiger*. doi: <http://dx.doi.org/10.1016/j.aanat.2017.01.002>. <http://www.sciencedirect.com/science/article/pii/S094096021730002X>

Manger, P. R., Masiello, I., & Innocenti, G. M. (2002). Areal organization of the posterior parietal cortex of the ferret (*Mustela putorius*). *Cerebral Cortex*, 12(12), 1280-1297. doi.

Manger, P. R., Restrepo, C. E., & Innocenti, G. M. (2010). The superior colliculus of the ferret: Cortical afferents and efferent connections to dorsal thalamus. *Brain Research*, 1353, 74-85. doi.

Mangieri, L. R., Mader, B. J., Thomas, C. E., Taylor, C. A., Luker, A. M., Tse, T. E., . . . Shacka, J. J. (2014). ATP6VoC Knockdown in Neuroblastoma Cells Alters Autophagy-Lysosome Pathway Function and Metabolism of Proteins that Accumulate in Neurodegenerative Disease. *PLoS ONE*, 9(4), e93257. doi: 10.1371/journal.pone.0093257. <http://dx.doi.org/10.1371/journal.pone.0093257>

Mangold, J. E., & Hill, D. L. (2007). Extensive Reorganization of Primary Afferent Projections into the Gustatory Brainstem Induced by Feeding a Sodium-Restricted Diet during Development: Less Is More. *Journal of Neuroscience*, 27(17), 4650-4662. doi: 10.1523/jneurosci.4518-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/17/4650>

Mangold, J. E., & Hill, D. L. (2008). Postnatal reorganization of primary afferent terminal fields in the rat gustatory brainstem is determined by prenatal dietary history. *Journal of Comparative Neurology*, 509(6), 594-607. doi.

Manitt, C., Eng, C., Pokinko, M., Ryan, R., Torres-Berrío, A., Lopez, J., . . . Schmidt, E. (2013). dcc orchestrates the development of the prefrontal cortex during adolescence and is altered in psychiatric patients. *Translational Psychiatry*, 3(12), e338. doi. <http://www.nature.com/tp/journal/v3/n12/full/tp2013105a.html>

Manitt, C., Mimee, A., Eng, C., Pokinko, M., Stroh, T., Cooper, H. M., . . . Flores, C. (2011). The Netrin Receptor DCC Is Required in the Pubertal Organization of Mesocortical Dopamine Circuitry. *Journal of Neuroscience*, 31(23), 8381-8394. doi: 10.1523/jneurosci.0606-11.2011. <http://www.jneurosci.org/content/31/23/8381.abstract>

Mańko, M., Geracitano, R., & Capogna, M. (2011). Functional connectivity of the main intercalated nucleus of the mouse amygdala. *Journal of Physiology*, 589(8), 1911-1925. doi: 10.1113/jphysiol.2010.201475. <http://jp.physoc.org/content/589/8/1911.abstract>

Manneschi, L., Battisti, C., Pesci, I., Malandrini, A., Santorelli, F. M., Scaglioni, A., . . . Montanari, E. (2004). Peripheral neuropathy as initial sign of mitochondrial disorder. *Journal of the Peripheral Nervous System*, 9(2), 123-123. doi: doi:10.1111/j.1085-9489.2004.009209bk.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Mansoori, B. K., Jean-Charles, L., Touvykine, B., Liu, A., Quessy, S., & Dancause, N. (2014). Acute inactivation of the contralesional hemisphere for longer durations improves recovery after cortical injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.01.010>. <http://www.sciencedirect.com/science/article/pii/S0014488614000235>

Mantilla, C. B., & Sieck, G. C. (2008). Key Aspects of Phrenic Motoneuron and Diaphragm Muscle Development during the Perinatal Period. *Journal of Applied Physiology*, 01192.02007. doi: 10.1152/jappphysiol.01192.2007. <http://jap.physiology.org/cgi/content/abstract/01192.2007v1>

Mantilla, C. B., Zhan, W.-Z., Gransee, H. M., Prakash, Y. S., & Sieck, G. C. (2018). Phrenic motoneuron structural plasticity across models of diaphragm muscle paralysis. *Journal of Comparative Neurology*, 0(0). doi: doi:10.1002/cne.24503. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24503>

Maratta, R., Fenrich, K. K., Zhao, E., Neuber-Hess, M. S., & Rose, P. K. (2015). Distribution and density of contacts from noradrenergic and serotonergic boutons on the dendrites of neck flexor motoneurons in the adult cat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23765. <http://dx.doi.org/10.1002/cne.23765>

Marcelin, B., Liu, Z., Chen, Y., Lewis, A. S., Becker, A., McClelland, S., . . . others. (2012). Dorsoroventral Differences in Intrinsic Properties in Developing CA1 Pyramidal Cells. *Journal of Neuroscience*, 32(11), 3736-3747. doi.

Marchetti, C., Tafi, E., Middei, S., Rubinacci, M. A., Restivo, L., Ammassari-Teule, M., & Marie, H. (2010). Synaptic adaptations of CA1 pyramidal neurons induced by a highly effective combinational antidepressant therapy. *Biological Psychiatry*, 67(2), 146-154. doi.

Marcillo, A., Frydel, B., Bramlett, H. M., & Dietrich, W. D. (2011). A reassessment of P2X7 receptor inhibition as a neuroprotective strategy in rat models of contusion injury. *Experimental Neurology*. doi.

Marco, C., Jérôme, G., Nathan, G., Eduardo Martin, M., Nikolaus, W., Polina, S., . . . Gregoire, C. (2018). Advantages of soft subdural implants for the delivery of electrochemical neuromodulation therapies to the spinal cord. *Journal of neural engineering*. doi. <http://iopscience.iop.org/10.1088/1741-2552/aaa87a>

Marconi, E., Nieuws, T., Maccione, A., Valente, P., Simi, A., Messa, M., . . . Benfenati, F. (2012). Emergent Functional Properties of Neuronal Networks with Controlled Topology. *PLoS ONE*, 7(4), e34648. doi: 10.1371/journal.pone.0034648. <http://dx.doi.org/10.1371/journal.pone.0034648>

Marcucci, F., Maier-Balough, E., Zou, D.-J., & Firestein, S. (2011). Exuberant growth and synapse formation of olfactory sensory neuron axonal arborizations. *Journal of Comparative Neurology*, 519(18), 3713-3726. doi: 10.1002/cne.22684. <http://dx.doi.org/10.1002/cne.22684>

Marfia, G. A., Pachatz, C., Terracciano, C., Leone, G., & Massa, R. (2004). Acute demyelinating sensorimotor polyneuropathy in B-cell lymphoma with IGM autoantibodies against glycolipid GD1B. *Journal of the Peripheral Nervous System*, 9(2), 115-115. doi.

Margolis, E. B., Fujita, W., Devi, L. A., & Fields, H. L. (2017). Two delta opioid receptor subtypes are functional in single ventral tegmental area neurons, and can interact with the mu opioid receptor. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2017.06.019>. <http://www.sciencedirect.com/science/article/pii/S0028390817302927>

Margolis, E. B., Hjelmstad, G. O., Fujita, W., & Fields, H. L. (2014). Direct Bidirectional  $\mu$ -Opioid Control of Midbrain Dopamine Neurons. *The Journal of Neuroscience*, 34(44), 14707-14716. doi. <http://www.jneurosci.org/content/34/44/14707.short>

Maria Victoria, P., Mika, U., & Yasuo, K. (2008). Two distinct activity patterns of fast-spiking interneurons during neocortical UP states. *Proceedings of the National Academy of Sciences*, 105(24), 8428-8433. doi: 10.1073/pnas.0712219105. <http://www.pnas.org/content/105/24/8428.abstract>

Marin, E. C., Jefferis, G. S. X. E., Komiyama, T., Zhu, H., & Luo, L. (2002). Representation of the glomerular olfactory map in the *Drosophila* brain. *Cell*, 109(2), 243-255. doi.

Marinero, F., Marzi, M. J., Hoffmann, N., Amin, H., Pelizzoli, R., Niola, F., . . . De Pietri Tonelli, D. (2017). MicroRNA-independent functions of DGCR8 are essential for neocortical development and TBR1 expression. *EMBO reports*. doi: 10.15252/embr.201642800. <http://www.embopress.org/content/early/2017/02/22/embr.201642800>

Marinelli, S., Pacioni, S., Cannich, A., Marsicano, G., & Bacci, A. (2009). Self-modulation of neocortical pyramidal neurons by endocannabinoids. *Nature Neuroscience*, 12(12), 1488-1490. doi.

Marissal, T., Bonifazi, P., Picardo, M. A., Nardou, R., Petit, L. F., Baude, A., . . . Cossart, R. (2012). Pioneer glutamatergic cells develop into a morpho-functionally distinct population in the juvenile CA3 hippocampus. *Nature Communications*, 3, 1316. doi.

Markham, R. G., Shimizu, T., & Lickliter, R. (2008). Extrinsic embryonic sensory stimulation alters multimodal behavior and cellular activation. *Developmental Neurobiology*, 68(13), 1463-1473. doi.

Markovitz, C. D., Tang, T. T., Edge, D. P., & Lim, H. H. (2012). Three-dimensional brain reconstruction of in vivo electrode tracks for neuroscience and neural prosthetic applications. *Frontiers in Neural Circuits*, 6. doi.

Markram, H., Luo, X., Silberberg, G., Toledo-Rodriguez, M., & Gupta, A. (2005). The Neocortex. *Databasing the brain: from data to knowledge (neuroinformatics)*, 327-327. doi.

Markram, H., Muller, E., Ramaswamy, S., Reimann, Michael W., Abdellah, M., Sanchez, Carlos A., . . . Schürmann, F. (2015). Reconstruction and Simulation of Neocortical

Microcircuitry. *Cell*, 163(2), 456-492.

doi: <http://dx.doi.org/10.1016/j.cell.2015.09.029>. <http://www.sciencedirect.com/science/article/pii/S0092867415011915>

Markram, H., Wang, Y., & Tsodyks, M. (1998). Differential signaling via the same axon of neocortical pyramidal neurons. *Proceedings of the National Academy of Sciences*, 95(9), 5323-5328. doi:

Marks, W. B., & Burke, R. E. (2007). Simulation of motoneuron morphology in three dimensions. I. Building individual dendritic trees. *Journal of Comparative Neurology*, 503(5), 685-700. doi:

Marlinski, V., Nilaweera, W. U., Zelenin, P. V., Sirota, M. G., & Beloozerova, I. N. (2012). Signals from the ventrolateral thalamus to the motor cortex during locomotion. *Journal of Neurophysiology*, 107(1), 455-472. doi: 10.1152/jn.01113.2010. <http://jn.physiology.org/content/107/1/455.abstract>

Marlinski, V., Sirota, M. G., & Beloozerova, I. N. (2012). Differential Gating of Thalamocortical Signals by Reticular Nucleus of Thalamus during Locomotion. *Journal of Neuroscience*, 32(45), 15823-15836. doi: 10.1523/jneurosci.0782-12.2012. <http://www.jneurosci.org/content/32/45/15823.abstract>

Marmolejo, N., Paez, J., Levitt, J. B., & Jones, L. B. (2013). Early Postnatal Lesion of the Medial Dorsal Nucleus Leads to Loss of Dendrites and Spines in Adult Prefrontal Cortex. *Developmental Neuroscience*, (6), 463-476. doi: <http://www.karger.com/DOI/10.1159/000343911>

Maroun, M., Ioannides, P. J., Bergman, K. L., Kavushansky, A., Holmes, A., & Wellman, C. L. (2013). Fear extinction deficits following acute stress associate with increased spine density and dendritic retraction in basolateral amygdala neurons. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12259. <http://dx.doi.org/10.1111/ejn.12259>

Marques, J. M., Rodrigues, R. J., Valbuena, S., Rozas, J. L., Selak, S., Marin, P., . . . Lerma, J. (2013). CRMP2 Tethers Kainate Receptor Activity to Cytoskeleton Dynamics during Neuronal Maturation. *Journal of Neuroscience*, 33(46), 18298-18310. doi: <http://www.jneurosci.org/content/33/46/18298.short>

Marquié, M., Agüero, C., Amaral, A. C., Villarejo-Galende, A., Ramanan, P., Chong, M. S. T., . . . Gómez-Isla, T. (2019). [18F]-AV-1451 binding profile in chronic traumatic encephalopathy: a postmortem case series. [journal article]. *Acta Neuropathologica Communications*, 7(1), 164. doi: 10.1186/s40478-019-0808-1. <https://doi.org/10.1186/s40478-019-0808-1>

Marshall, Kara L., Clary, Rachel C., Baba, Y., Orlowsky, Rachel L., Gerling, Gregory J., & Lumpkin, Ellen A. (2016). Touch Receptors Undergo Rapid Remodeling in Healthy Skin. *Cell Reports*, 17(7), 1719-1727. doi: <http://dx.doi.org/10.1016/j.celrep.2016.10.034>. <http://www.sciencedirect.com/science/article/pii/S2211124716314395>

Marti Mengual, U., Wybo, W. A. M., Spierenburg, L. J. E., Santello, M., Senn, W., & Nevian, T. (2020). Efficient low-pass dendro-somatic coupling in the apical dendrite of layer 5 pyramidal neurons in the anterior cingulate cortex. *The Journal of Neuroscience*, JN-RM-3028-3019. doi: 10.1523/jneurosci.3028-19.2020. <http://www.jneurosci.org/content/early/2020/10/09/JNEUROSCI.3028-19.2020...>

Martin, B., Wang, R., Cong, W.-N., Daimon, C. M., Wu, W. W., Ni, B., . . . Maudsley, S. (2017). Altered learning, memory and social behavior in type 1 taste receptor subunit 3 knockout mice is associated with neuronal dysfunction. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M116.773820. <http://www.jbc.org/content/early/2017/05/18/jbc.M116.773820.abstract>

Martin, B. J., Naughton, B. J., Thirtamara-Rajamani, K., Yoon, D. J., Han, D. D., Devries, A. C., & Gu, H. H. (2011). Dopamine transporter inhibition is necessary for cocaine-induced increases in dendritic spine density in the nucleus accumbens. *Synapse*, 65(6), 490-496. doi.

Martin, E., Cazenave, W., Cattaert, D., & Branchereau, P. (2013). Embryonic alteration of motoneuronal morphology induces hyperexcitability in the mouse model of amyotrophic lateral sclerosis. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.02.011>. <http://www.sciencedirect.com/science/article/pii/S0969996113000739>

Martin li, L. B., Han, P., Lewittes, J., Kuhlman, J. R., Klasing, K. C., & Wikelski, M. (2006). Phytohemagglutinin-induced skin swelling in birds: histological support for a classic immunoecological technique. *Functional Ecology*, 20(2), 290-299. doi.

Martin, J., Kogo, N., Fan, T. X., & Ariel, M. (2003). Morphology of the turtle accessory optic system. *Visual Neuroscience*, 20(6), 639-649. doi.

Martin, K. A., Roth, S., & Rusch, E. S. (2014). Superficial layer pyramidal cells communicate heterogeneously between multiple functional domains of cat primary visual cortex. *Nature Communications*, 5. doi. <http://www.nature.com/ncomms/2014/141024/ncomms6252/full/ncomms6252.html>

Martin, K. A. C., Roth, S., & Rusch, E. S. (2017). A biological blueprint for the axons of superficial layer pyramidal cells in cat primary visual cortex. [journal article]. *Brain Structure and Function*, 1-24. doi: 10.1007/s00429-017-1410-6. <http://dx.doi.org/10.1007/s00429-017-1410-6>

Martin, K. P., & Wellman, C. L. (2011). NMDA Receptor Blockade Alters Stress-Induced Dendritic Remodeling in Medial Prefrontal Cortex. *Cerebral Cortex*, 21(10), 2366-2373. doi: 10.1093/cercor/bhr021. <http://cercor.oxfordjournals.org/cgi/content/abstract/21/10/2366>

Martin, K. R., Corlett, A., Dubach, D., Mustafa, T., Coleman, H. A., Parkington, H. C., . . . Pritchard, M. A. (2012). Over-expression of RCAN1 causes Down syndrome-like hippocampal deficits that alter learning and memory. *Human Molecular Genetics*. doi: 10.1093/hmg/dds134. <http://hmg.oxfordjournals.org/content/early/2012/04/16/hmg.dds134.abstract>



Martin, L. (2018). The role of the chorda tympani nerve in the structural development of brainstem neurons. doi: <https://digitalcommons.unomaha.edu/srcf/2018/schedule/94/>

Martin, L. A., Tan, S.-S., & Goldowitz, D. (2002). Clonal Architecture of the Mouse Hippocampus. *Journal of Neuroscience*, 22(9), 3520-3530. doi: <http://www.jneurosci.org/cgi/content/abstract/22/9/3520>

Martin, L. B., Trainor, B. C., Finy, M. S., & Nelson, R. J. (2007). HPA activity and neotic and anxiety-like behavior vary among *Peromyscus* species. *General and Comparative Endocrinology*, 151(3), 342-350. doi:

Martin, S. M., O'Brien, G. S., Portera-Cailliau, C., & Sagasti, A. (2010). Wallerian degeneration of zebrafish trigeminal axons in the skin is required for regeneration and developmental pruning. *Development*, 137(23), 3985-3994. doi: 10.1242/dev.053611. <http://dev.biologists.org/content/137/23/3985.abstract>

Martin, Y. B., Negredo, P., Villacorta-Atienza, J. A., & Avendaño, C. (2013). Trigeminal intersubnuclear neurons: Morphometry and input-dependent structural plasticity in adult rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23494. <http://dx.doi.org/10.1002/cne.23494>

Martin-Alguacil, N., Schober, J. M., Sengelau, D. R., Pfaff, D. W., & Shelley, D. N. (2008). Clitoral sexual arousal: neuronal tracing study from the clitoris through the spinal tracts. *Journal of Urology*, 180(4), 1241-1248. doi:

Martinez-Claros, M., Steinbusch, H. W., van Selm, A., van den Hove, D. L. A., Prickaerts, J., & Pawluski, J. L. (2013). Adrenalectomy and corticosterone replacement differentially alter CA3 dendritic morphology and new cell survival in the adult rat hippocampus. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.01.001>. <http://www.sciencedirect.com/science/article/pii/S0891061813000021>

Martinez-Gonzalez, C., Wang, H. L., Micklem, B. R., Bolam, J. P., & Mena-Segovia, J. (2012). Subpopulations of cholinergic, GABAergic and glutamatergic neurons in the pedunculopontine nucleus contain calcium-binding proteins and are heterogeneously distributed. *European Journal of Neuroscience*. doi:

Martínez-Martínez, M. Á., Ciceri, G., Espinós, A., Fernández, V., Marín, O., & Borrell, V. (2018). Extensive branching of radially-migrating neurons in the mammalian cerebral cortex. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24597. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24597>

Martins, G. J., Shahrokh, M., & Powell, E. M. (2011). Genetic disruption of Met signaling impairs GABAergic striatal development and cognition. *Neuroscience*, 176, 199-209. doi:

Martone, M. E., Gupta, A., & Ellisman, M. H. (2004). E-neuroscience: challenges and triumphs in integrating distributed data from molecules to brains. *Nature Neuroscience*, 7(5), 467-472. doi:

Martone, M. E., Gupta, A., Ellisman, M. H., & Berggren, K. (2004). Neuroscience: challenges and triumphs in integrating distributed data from molecules to brains. *Nature of Neuroscience*, 7, 467-472. doi.

Martone, M. E., Gupta, A., Ludäscher, B., Zaslavsky, I., & Ellisman, M. H. (2002). Federation of brain data through knowledge-guided mediation. *Neuroscience Databases: A practical guide*, 275-292. doi.

Martone, M. E., Gupta, A., Wong, M., Qian, X., Sosinsky, G., Ludäscher, B., & Ellisman, M. H. (2002). A cell-centered database for electron tomographic data. *Journal of Structural Biology*, 138(1-2), 145-155. doi.

Martone, M. E., Zhang, S., Gupta, A., Qian, X., He, H., Price, D. L., . . . Ellisman, M. H. (2003). The cell-centered database. *Neuroinformatics*, 1(4), 379-395. doi.

Martone, T., Giordano, P., Dagna, F., Carulli, D., Albera, R., & Rossi, F. (2014). Nestin expression and reactive phenomena in the mouse cochlea after kanamycin ototoxicity. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12576. <http://dx.doi.org/10.1111/ejn.12576>

Marx, M., & Feldmeyer, D. (2012). Morphology and Physiology of Excitatory Neurons in Layer 6b of the Somatosensory Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhs254. <http://cercor.oxfordjournals.org/content/early/2012/09/02/cercor.bhs254...>

Marx, M., Günter, R. H., Hucko, W., Radnikow, G., & Feldmeyer, D. (2012). Improved biocytin labeling and neuronal 3D reconstruction. *Nature Protocols*, 7, 394-407. doi.

Marx, M., Qi, G., Hanganu-Opatz, I. L., Kilb, W., Luhmann, H. J., & Feldmeyer, D. (2015). Neocortical Layer 6B as a Remnant of the Subplate - A Morphological Comparison. *Cerebral Cortex*. doi: 10.1093/cercor/bhv279. <http://cercor.oxfordjournals.org/content/early/2015/12/03/cercor.bhv279...>

Marzo, S. J., Moeller, C. W., Sharma, N., Cunningham, K., Jones, K. J., & Foecking, E. M. (2010). Facial motor nuclei cell loss with intratemporal facial nerve crush injuries in rats. *The Laryngoscope*, n/a-n/a. doi: 10.1002/lary.21077. <http://dx.doi.org/10.1002/lary.21077>

Maseko, B. C., Jacobs, B., Spocter, M. A., Sherwood, C. C., Hof, P. R., & Manger, P. R. (2012). Qualitative and Quantitative Aspects of the Microanatomy of the African Elephant Cerebellar Cortex. *Brain, Behavior and Evolution*. doi.

Mason, P. (1997). Physiological Identification of Pontomedullary Serotonergic Neurons in the Rat. *Journal of Neurophysiology*, 77(3), 1087-1098. doi. <http://jn.physiology.org/cgi/content/abstract/77/3/1087>

Massé, I. O., Guillemette, S., Laramée, M.-E., Bronchti, G., & Boire, D. (2014). Strain differences of the effect of enucleation and anophthalmia on the size and growth of sensory cortices in mice. *Brain Research*, (0).

doi: <http://dx.doi.org/10.1016/j.brainres.2014.09.025>, <http://www.sciencedirect.com/science/article/pii/S0006899314012360>

Massé, I. O., Ross, S., Bronchti, G., & Boire, D. (2016). Asymmetric Direct Reciprocal Connections Between Primary Visual and Somatosensory Cortices of the Mouse. *Cerebral Cortex*. doi: 10.1093/cercor/bhw239. <http://cercor.oxfordjournals.org/content/early/2016/08/13/cercor.bhw239....>

Mast, T. G., & Fadool, D. A. (2012). Mature and Precursor Brain-Derived Neurotrophic Factor Have Individual Roles in the Mouse Olfactory Bulb. *PLoS ONE*, 7(2), e31978-e31978. doi.

Masterson, S. P., Li, J., & Bickford, M. E. (2009). Synaptic organization of the tectorecipient zone of the rat lateral posterior nucleus. *Journal of Comparative Neurology*, 515(6), 647-663. doi.

Masurkar, A. V., Srinivas, K. V., Brann, D. H., Warren, R., Lowes, D. C., & Siegelbaum, S. A. (2017). Medial and Lateral Entorhinal Cortex Differentially Excite Deep versus Superficial CA1 Pyramidal Neurons. *Cell Reports*, 18(1), 148-160. doi. [http://www.cell.com/cell-reports/pdf/S2211-1247\(16\)31685-0.pdf](http://www.cell.com/cell-reports/pdf/S2211-1247(16)31685-0.pdf)

Matagne, V., Wondolowski, J., Frerking, M., Shahidullah, M., Delamere, N. A., Sandau, U. S., . . . Ojeda, S. R. (2018). Correcting deregulated Fxyd1 expression rescues deficits in neuronal arborization and potassium homeostasis in MeCP2 deficient male mice. *Brain Research*, 1697, 45-52. doi: <https://doi.org/10.1016/j.brainres.2018.06.013>, <https://www.sciencedirect.com/science/article/pii/S0006899318303408>

Matesz, C., Bácskai, T., Nagy, E., Halasi, G., & Kulik, Á. (2002). Efferent connections of the vestibular nuclei in the rat: a neuromorphological study using PHA-L. *Brain Research Bulletin*, 57(3-4), 313-315. doi.

Matesz, K., Kecskes, S., Bácskai, T., Rácz, É., & Birinyi, A. (2014). Brainstem Circuits Underlying the Prey-Catching Behavior of the Frog. *Brain, Behavior and Evolution*, 83(2), 104-111. doi. <http://www.karger.com/Article/FullText/357751>

Mathiasen, M. L., Hansen, L., & Witter, M. P. (2015). Insular projections to the parahippocampal region in the rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23742. <http://dx.doi.org/10.1002/cne.23742>

Mathur, B. N., Caprioli, R. M., & Deutch, A. Y. (2009). Proteomic Analysis Illuminates a Novel Structural Definition of the Claustrum and Insula. *Cerebral Cortex*, bhn253. doi: 10.1093/cercor/bhn253. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn253v1>

Matikainen-Ankney, B. A., Kezunovic, N., Mesias, R. E., Tian, Y., Williams, F. M., Huntley, G. W., & Benson, D. L. (2016). Altered Development of Synapse Structure and Function in Striatum Caused by Parkinson's Disease-Linked LRRK2-G2019S Mutation. *The Journal of Neuroscience*, 36(27), 7128-7141. doi. <http://www.jneurosci.org/content/36/27/7128.short>

Matos, C. A., Nóbrega, C., Louros, S. R., Almeida, B., Ferreira, E., Valero, J., . . . Carvalho, A. L. (2016). Ataxin-3 phosphorylation decreases neuronal defects in spinocerebellar ataxia type 3 models. *The Journal of Cell Biology*, 212(4), 465-480. doi: 10.1083/jcb.201506025. <http://jcb.rupress.org/content/212/4/465.abstract>

Matricón, J., Seillier, A., & Giuffrida, A. (2016). Distinct neuronal activation patterns are associated with PCP-induced social withdrawal and its reversal by the endocannabinoid-enhancing drug URB597. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2016.04.004>. <http://www.sciencedirect.com/science/article/pii/S0168010216300220>

Matrone, C., Luvisetto, S., La Rosa, L. R., Tamayev, R., Pignataro, A., Canu, N., . . . D'Adamio, L. (2012). Tyr682 in the A $\beta$ -precursor protein intracellular domain regulates synaptic connectivity, cholinergic function, and cognitive performance. *Aging Cell*, n/a-n/a. doi: 10.1111/ace.12009. <http://dx.doi.org/10.1111/ace.12009>

Matson, J. B., Helen Zha, R., & Stupp, S. I. (2011). Peptide self-assembly for crafting functional biological materials. *Current Opinion in Solid State and Materials Science*. doi.

Matsunaga, E., Kato, M., & Okanoya, K. (2008). Comparative analysis of gene expressions among avian brains: a molecular approach to the evolution of vocal learning. *Brain Research Bulletin*, 75(2-4), 474-479. doi.

Matsunaga, E., Nambu, S., Iriki, A., & Okanoya, K. (2011). Expression pattern of cadherins in the naked mole rat (*Heterocephalus glaber*) suggests innate cortical diversification of the cerebrum. *Journal of Comparative Neurology*, 519(9), 1736-1747. doi: 10.1002/cne.22598. <http://dx.doi.org/10.1002/cne.22598>

Matsunaga, E., & Okanoya, K. (2008). Expression analysis of cadherins in the songbird brain: relationship to vocal system development. *Journal of Comparative Neurology*, 508(2), 329-342. doi.

Matsunaga, E., & Okanoya, K. (2008). Vocal area-related expression of the androgen receptor in the budgerigar (*Melopsittacus undulatus*) brain. *Brain Research*, 1208, 87-94. doi.

Matsunaga, E., & Okanoya, K. (2009). Vocal control area-related expression of neuropilin-1, plexin-A4, and the ligand semaphorin-3A has implications for the evolution of the avian vocal system. *Development, growth & differentiation*, 51(1), 45-54. doi.

Matsunaga, E., & Okanoya, K. (2011). Comparative gene expression analysis among vocal learners (Bengalese finch and budgerigar) and non-learners (quail and ring dove) reveals variable cadherin expressions in the vocal system. *Frontiers in Neuroanatomy*, 5. doi.

Matsuno, T., Kiyokage, E., & Toida, K. (2016). Synaptic distribution of individually labeled mitral cells in the external plexiform layer of the mouse olfactory bulb. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24148. <http://dx.doi.org/10.1002/cne.24148>

Matta, J. A., Pelkey, K. A., Craig, M. T., Chittajallu, R., Jeffries, B. W., & McBain, C. J. (2013). Developmental origin dictates interneuron AMPA and NMDA receptor subunit composition and plasticity. *Nature Neuroscience*.

doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3459.html>

Matta, S. M., Hill-Yardin, E. L., & Crack, P. J. (2019). The influence of neuroinflammation in Autism Spectrum Disorder. *Brain, Behavior, and Immunity*.

doi: <https://doi.org/10.1016/j.bbi.2019.04.037>. <http://www.sciencedirect.com/science/article/pii/S0889159118307025>

Matter, C., Pribadi, M., Liu, X., & Trachtenberg, J. T. (2009).  $\Delta$ -Catenin Is Required for the Maintenance of Neural Structure and Function in Mature Cortex In Vivo. *Neuron*, 64(3), 320-327. doi.

Matthews, B. J., Kim, M. E., Flanagan, J. J., Hattori, D., Clemens, J. C., Zipursky, S. L., & Grueber, W. B. (2007). Dendrite Self-Avoidance Is Controlled by  $\kappa$  Dscam. *Cell*, 129(3), 593-604. doi.

Matthews, D. W., Deschênes, M., Furuta, T., Moore, J. D., Wang, F., Karten, H. J., & Kleinfeld, D. (2014). Feedback in the brainstem: An excitatory disynaptic pathway for control of whisking. *Journal of Comparative Neurology*, n/a-n/a. doi:

10.1002/cne.23724. <http://dx.doi.org/10.1002/cne.23724>

Mattson, B. J., & Morrell, J. I. (2005). Preference for cocaine-versus pup-associated cues differentially activates neurons expressing either Fos or cocaine-and amphetamine-regulated transcript in lactating, maternal rodents. *Neuroscience*, 135(2), 315-328. doi.

Mátyás, F., Komlósi, G., Babiczky, Á., Kocsis, K., Barthó, P., Barsy, B., . . . Acsády, L. (2018). A highly collateralized thalamic cell type with arousal-predicting activity serves as a key hub for graded state transitions in the forebrain. *Nature Neuroscience*, 21(11), 1551-1562. doi: 10.1038/s41593-018-0251-9. <https://doi.org/10.1038/s41593-018-0251-9>

Matzavinos, A., Kao, C.-Y., Green, J. E. F., Sutradhar, A., Miller, M., & Friedman, A. (2009). Modeling oxygen transport in surgical tissue transfer. *Proceedings of the National Academy of Sciences*, 106(29), 12091-12096. doi:

10.1073/pnas.0905037106. <http://www.pnas.org/content/106/29/12091.abstract>

Maul, B., von Bohlen und Halbach, O., Becker, A., Sterner-Kock, A., Voigt, J. P., Siems, W. E., . . . Walther, T. (2008). Impaired spatial memory and altered dendritic spine morphology in angiotensin II type 2 receptor-deficient mice. *Journal of Molecular Medicine*, 86(5), 563-571. doi.

Maurice, N., Deniau, J. M., Menetrey, A., Glowinski, J., & Thierry, A. M. (1997). Position of the ventral pallidum in the rat prefrontal cortex-basal ganglia circuit. *Neuroscience*, 80(2), 523-534. doi.

Mawe, G. M., & Kennedy, A. L. (1999). Duodenal neurons provide nicotinic fast synaptic input to sphincter of Oddi neurons in guinea pig. *American Journal of Physiology - Gastrointestinal*

Liver Physiology, 277(1), G226-234.

doi: <http://ajpgi.physiology.org/cgi/content/abstract/277/1/G226>

Max, A., Kyong, L. S., & Gianmaria, M. (2018). Expression of TRPV1 channels by Cajal-Retzius cells and layer-specific modulation of synaptic transmission by capsaicin in the mouse hippocampus. *The Journal of Physiology*, 0(ja). doi:

doi:10.1113/JP275685. <https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/JP275685>

Maximiliano José, N., Hashikawa, Y., & Rudy, B. (2018). Diversity and connectivity of layer 5 somatostatin-expressing interneurons in the mouse barrel cortex. [10.1523/JNEUROSCI.2415-17.2017]. *The Journal of Neuroscience*.

doi: <http://www.jneurosci.org/content/early/2018/01/11/JNEUROSCI.2415-17.2017...>

Maxwell, D. J., Belle, M. D., Cheunsuang, O., Stewart, A., & Morris, R. (2007). Morphology of inhibitory and excitatory interneurons in superficial laminae of the rat dorsal horn. *Journal of Physiology*, 584(2), 521-533. doi:

10.1113/jphysiol.2007.140996. <http://jp.physoc.org/cgi/content/abstract/584/2/521>

Maxwell, D. J., Riddell, J. S., & Jankowska, E. (2002). Serotonergic and noradrenergic axonal contacts associated with premotor interneurons in spinal pathways from group II muscle afferents. *European Journal of Neuroscience*, 15(8), 1306. doi:

May, O. L., & Hill, D. L. (2006). Gustatory terminal field organization and developmental plasticity in the nucleus of the solitary tract revealed through triple-fluorescence labeling. *Journal of Comparative Neurology*, 497(4), 658-669. doi:

May, P. J., McHaffie, J. G., Stanford, T. R., Jiang, H., Costello, M. G., Coizet, V., . . . Redgrave, P. (2009). Tectonigral projections in the primate: a pathway for pre-attentive sensory input to midbrain dopaminergic neurons. *European Journal of Neuroscience*, 29(3), 575-587. doi:

May, V., Schiller, M. R., Eipper, B. A., & Mains, R. E. (2002). Kalirin Dbl-Homology Guanine Nucleotide Exchange Factor 1 Domain Initiates New Axon Outgrowths via RhoG-Mediated Mechanisms. *Journal of Neuroscience*, 22(16), 6980-6990.

doi: <http://www.jneurosci.org/cgi/content/abstract/22/16/6980>

Mayer, A., Lewenfus, G., Franca, J. G. d., Bittencourt-Navarrete, R. E., & Clasca, F. (2019). Thalamic Inputs to Posterior Parietal Cortical Areas Involved in Skilled Forelimb Movement and Tool Use in the Capuchin Monkey. doi:

10.1093/cercor/bhz051. <https://doi.org/10.1093/cercor/bhz051>

Mayer, C., Bandler, Rachel C., & Fishell, G. (2016). Lineage Is a Poor Predictor of Interneuron Positioning within the Forebrain. *Neuron*, 92(1), 45-51. doi:

10.1016/j.neuron.2016.09.035. <http://dx.doi.org/10.1016/j.neuron.2016.09.035>

Mayer, C., Bandler, Rachel C., & Fishell, G. (2016). Lineage Is a Poor Predictor of Interneuron Positioning within the Forebrain. *Neuron*, 92(1), 45-51. doi:

10.1016/j.neuron.2016.09.035. <http://dx.doi.org/10.1016/j.neuron.2016.09.035>



Mayer, C., Bruehl, C., Salt, E. L., Diem, R., Draguhn, A., & Fairless, R. (2018). Selective Vulnerability of  $\alpha$ OFF Retinal Ganglion Cells during Onset of Autoimmune Optic Neuritis. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.07.040>. <http://www.sciencedirect.com/science/article/pii/S0306452218305153>

Mayer, C., Jaglin, Xavier H., Cobbs, Lucy V., Bandler, Rachel C., Streicher, C., Cepko, Constance L., . . . Fishell, G. (2015). Clonally Related Forebrain Interneurons Disperse Broadly across Both Functional Areas and Structural Boundaries. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.07.011>. <http://www.sciencedirect.com/science/article/pii/S0896627315006339>

Mayfield, R. D., Zhu, L., Smith, T. A., Tiwari, G. R., & Tucker, H. O. (2020). The SMYD1 and skNAC transcription factors contribute to neurodegenerative diseases. *Brain, Behavior, & Immunity - Health*, 100129. doi: <https://doi.org/10.1016/j.bbih.2020.100129>. <http://www.sciencedirect.com/science/article/pii/S2666354620300946>

Maynard, K., Hobbs, J., Sukumar, M., Kardian, A., Jimenez, D., Schloesser, R., & Martinowich, K. (2017). Brain-Derived Neurotrophic Factor Splice Variants Differentially Impact CA1 and CA3 Dendrite Complexity and Spine Morphology in the Hippocampus. *Biological Psychiatry*, 81(10), S68. doi: 10.1016/j.biopsych.2017.02.177. <http://dx.doi.org/10.1016/j.biopsych.2017.02.177>

Maynard, K. R., Hobbs, J. W., Rajpurohit, S., & Martinowich, K. (2018). Electroconvulsive seizures influence dendritic spine morphology and BDNF expression in a neuroendocrine model of depression. *Brain Stimulation*. doi: <https://doi.org/10.1016/j.brs.2018.04.003>. <https://www.sciencedirect.com/science/article/pii/S1935861X18301049>

Maynard, K. R., Hobbs, J. W., Sukumar, M., Kardian, A. S., Jimenez, D. V., Schloesser, R. J., & Martinowich, K. (2017). Bdnf mRNA splice variants differentially impact CA1 and CA3 dendrite complexity and spine morphology in the hippocampus. [journal article]. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-017-1405-3. <http://dx.doi.org/10.1007/s00429-017-1405-3>

Maynard, K. R., & Stein, E. (2012). DSCAM Contributes to Dendrite Arborization and Spine Formation in the Developing Cerebral Cortex. *Journal of Neuroscience*, 32(47), 16637-16650. doi: 10.1523/jneurosci.2811-12.2012. <http://www.jneurosci.org/content/32/47/16637.abstract>

Mazarakis, N. K., Mo, C., Renoir, T., van Dellen, A., Deacon, R., Blakemore, C., & Hannan, A. J. (2014). 'Super-Enrichment' Reveals Dose-Dependent Therapeutic Effects of Environmental Stimulation in a Transgenic Mouse Model of Huntington's Disease. *Journal of Huntington's Disease*, 3(3), 299-309. doi: 10.3233/jhd-140118. <http://dx.doi.org/10.3233/JHD-140118>

Mazloom, M., & Smith, Y. (2006). Synaptic microcircuitry of tyrosine hydroxylase-containing neurons and terminals in the striatum of 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine-treated monkeys. *Journal of Comparative Neurology*, 495(4), 453-469. doi.

Mazzaro, N., Barini, E., Spillantini, M. G., Goedert, M., Medini, P., & Gasparini, L. (2016). Tau-Driven Neuronal and Neurotrophic Dysfunction in a Mouse Model of Early Tauopathy. *The Journal of Neuroscience*, 36(7), 2086-2100. doi: <http://www.jneurosci.org/content/36/7/2086.full>

Mazzeo, A., Fodale, V., Aguenouz, M., Praticò, C., Santamaria, L. B., Vita, G., & Toscano, A. (2004). Fatal lamivudine-induced exacerbation of peripheral neuropathy in a patient with HBV and HCV positivity: evidence for iatrogenic mitochondrial damage. *Journal of the Peripheral Nervous System*, 9(2), 122-122. doi:

Mazzeo, A., Laura, M., Giometto, B., Ferlini, A., Musumeci, O., Autunno, M., . . . Messina, C. (2004). Atypical rat cerebellar immunoreactivity in a patient with familial amyloid polyneuropathy. *Journal of the Peripheral Nervous System*, 9(2), 121-122. doi: 10.1111/j.1085-9489.2004.009209be.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Mazzoni, F., Novelli, E., & Strettoi, E. (2008). Retinal Ganglion Cells Survive and Maintain Normal Dendritic Morphology in a Mouse Model of Inherited Photoreceptor Degeneration. *Journal of Neuroscience*, 28(52), 14282-14292. doi: 10.1523/jneurosci.4968-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/52/14282>

McAuliffe, J. J., Bronson, S. L., Hester, M. S., Murphy, B. L., Dahlquist-Topalá, R., Richards, D. A., & Danzer, S. C. (2011). Altered patterning of dentate granule cell mossy fiber inputs onto CA3 pyramidal cells in limbic epilepsy. *Hippocampus*, 21(1), 93-107. doi: 10.1002/hipo.20726. <http://dx.doi.org/10.1002/hipo.20726>

McCarn, K., Yursik, B., Halim, S., & Roche, J. K. (2003). Peri-epithelial origin of prostanoids in the human colon. *Journal of Cellular Physiology*, 194(2), 176-185. doi:

McCarthy, M. M., Amateau, S. K., & Mong, J. A. (2002). Steroid Modulation of Astrocytes in the Neonatal Brain: Implications for Adult Reproductive Function. *Biological Reproduction*, 67(3), 691-698. doi: 10.1095/biolreprod.102.003251. <http://www.biolreprod.org/cgi/content/abstract/67/3/691>

McCarthy, M. M., Todd, B. J., & Amateau, S. K. (2003). Estradiol Modulation of Astrocytes and the Establishment of Sex Differences in the Brain. *Annals of the New York Academy of Sciences*, 1007(1), 283-297. doi: 10.1196/annals.1286.027. <http://www.blackwell-synergy.com/doi/abs/10.1196/annals.1286.027>

McClendon, E., Chen, K., Gong, X., Sharifnia, E., Hagen, M., Cai, V., . . . Back, S. A. (2014). Prenatal cerebral ischemia triggers dysmaturation of caudate projection neurons. *Annals of Neurology*, n/a-n/a. doi: 10.1002/ana.24100. <http://dx.doi.org/10.1002/ana.24100>

McClendon, E., Wang, K., Degener, O., Brien, K., Hagen, M. W., Gong, X., . . . Back, S. A. (2019). Transient Hypoxemia Disrupts Anatomical and Functional Maturation of Preterm Fetal Ovine CA1 Pyramidal Neurons. *The Journal of Neuroscience*, 39(19), 3664-3676. doi: 10.1523/jneurosci.1364-19.2019. <http://www.jneurosci.org/content/early/2019/08/27/JNEUROSCI.1364-19.2019...>

McCluskey, L. P., & Hill, D. L. (2002). Sensitive periods for the effect of dietary sodium restriction on intact and denervated taste receptor cells. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 283(5), R1275-1284. doi: 10.1152/ajpregu.00282.2002. <http://ajpregu.physiology.org/cgi/content/abstract/283/5/R1275>

McConnell, M. J., Huang, Y. H., Datwani, A., & Shatz, C. J. (2009). H2-Kb and H2-Db regulate cerebellar long-term depression and limit motor learning. *Proceedings of the National Academy of Sciences*, 106(16), 6784-6789. doi: 10.1073/pnas.0902018106. <http://www.pnas.org/content/106/16/6784.abstract>

McCoy, M. K., Martinez, T. N., Ruhn, K. A., Szymkowski, D. E., Smith, C. G., Botterman, B. R., . . . Tansey, M. G. (2006). Blocking Soluble Tumor Necrosis Factor Signaling with Dominant-Negative Tumor Necrosis Factor Inhibitor Attenuates Loss of Dopaminergic Neurons in Models of Parkinson's Disease. *Journal of Neuroscience*, 26, 9365-9375. doi.

McCulloch, P. F., Faber, K. M., & Panneton, W. M. (1999). Electrical stimulation of the anterior ethmoidal nerve produces the diving response. *Brain Research*, 830(1), 24-31. doi.

McCulloch, P. F., Panneton, W. M., & Guyenet, P. G. (1999). The rostral ventrolateral medulla mediates the sympathoactivation produced by chemical stimulation of the rat nasal mucosa. *Journal of Physiology*, 516(2), 471-484. doi: <http://jp.physoc.org/cgi/content/abstract/516/2/471>

McCutcheon, J. E., Conrad, K. L., Carr, S. B., Ford, K. A., McGehee, D. S., & Marinelli, M. (2012). Dopamine neurons in the ventral tegmental area fire faster in adolescent rats than in adults. *Journal of Neurophysiology*. doi: 10.1152/jn.00077.2012. <http://jn.physiology.org/content/early/2012/06/13/jn.00077.2012.abstract>

McDole, B. (2018). The Role of BDNF in the Survival and Morphological Development of Adult-Born Olfactory Neurons. Florida Atlantic University. Retrieved from <https://search.proquest.com/openview/9ea754caacc63bbea90a75c1bb5f2960/1?...>

McDole, B., Isgor, C., Pare, C., & Guthrie, K. (2015). BDNF over-expression increases olfactory bulb granule cell dendritic spine density in vivo. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.07.056>. <http://www.sciencedirect.com/science/article/pii/S0306452215006703>

McDonald, C. G., Dailey, V. K., Bergstrom, H. C., Wheeler, T. L., Eppolito, A. K., Smith, L. N., & Smith, R. F. (2005). Periadolescent nicotine administration produces enduring changes in dendritic morphology of medium spiny neurons from nucleus accumbens. *Neuroscience Letters*, 385(2), 163-167. doi.

McDonald, C. G., Eppolito, A. K., Brielmaier, J. M., Smith, L. N., Bergstrom, H. C., Lawhead, M. R., & Smith, R. F. (2007). Evidence for elevated nicotine-induced structural plasticity in nucleus accumbens of adolescent rats. *Brain Research*, 1151, 211-218. doi.

- McDonald, K. S., & Kirn, J. R. (2012). Anatomical plasticity in the adult Zebra Finch song system. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23120. <http://dx.doi.org/10.1002/cne.23120>
- McDougal, R. A., Hines, M. L., & Lytton, W. W. (2013). Water-tight membranes from neuronal morphology files. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2013.09.011>. <http://www.sciencedirect.com/science/article/pii/S0165027013003221>
- McDowell, K. A., Hadjimarkou, M. M., Viechweg, S., Rose, A. E., Clark, S. M., Yarowsky, P. J., & Mong, J. A. (2010). Sleep alterations in an environmental neurotoxin-induced model of parkinsonism. *Experimental Neurology*, 226(1), 84-89. doi.
- McGarry, L. M., Packer, A. M., Fino, E., Nikolenko, V., Sippy, T., & Yuste, R. (2010). Frontiers: Quantitative classification of somatostatin-positive neocortical interneurons identifies three interneuron subtypes. *Frontiers in neural circuits*, 4. doi.
- McGarry, L. M., Packer, A. M., Fino, E., Nikolenko, V., Sippy, T., & Yuste, R. (2010). Quantitative classification of somatostatin-positive neocortical interneurons identifies three interneuron subtypes. *Frontiers in Neural Circuits*, 4. doi.
- McGeer, P., Itagaki, S., Boyes, B., & McGeer, E. (1988). Reactive microglia are positive for HLA-DR in the substantia nigra of Parkinson's and Alzheimer's disease brains. *Neurology*, 38, 1285 - 1291. doi.
- McGregor, R., Shan, L., Wu, M.-F., & Siegel, J. M. (2017). Diurnal fluctuation in the number of hypocretin/orexin and histamine producing: Implication for understanding and treating neuronal loss. *PLoS ONE*, 12(6), e0178573. doi: 10.1371/journal.pone.0178573. <https://doi.org/10.1371/journal.pone.0178573>
- McGregor, R., Wu, M.-F., Barber, G., Ramanathan, L., & Siegel, J. M. (2011). Highly Specific Role of Hypocretin (Orexin) Neurons: Differential Activation as a Function of Diurnal Phase, Operant Reinforcement versus Operant Avoidance and Light Level. *Journal of Neuroscience*, 31(43), 15455-15467. doi: 10.1523/jneurosci.4017-11.2011. <http://www.jneurosci.org/content/31/43/15455.abstract>
- McHail, D. G., & Dumas, T. C. (2019). Hippocampal gamma rhythms during Y-maze navigation in the juvenile rat. *Hippocampus*, 0(0). doi: 10.1002/hipo.23168. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23168>
- McIver, E. L., Atherton, J. F., Chu, H.-Y., Cosgrove, K. E., Kondapalli, J., Wokosin, D., . . . Bevan, M. D. (2019). Maladaptive Downregulation of Autonomous Subthalamic Nucleus Activity following the Loss of Midbrain Dopamine Neurons. *Cell Reports*, 28(4), 992-1002.e1004. doi: <https://doi.org/10.1016/j.celrep.2019.06.076>. <http://www.sciencedirect.com/science/article/pii/S2211124719308563>
- McKellar, C. E., & Shatz, C. J. (2009). Synaptogenesis in purified cortical subplate neurons. *Cerebral Cortex*, 19(8), 1723-1737. doi.

- McKenna, J. T., Cordeira, J. W., Jeffrey, B. A., Ward, C. P., Winston, S., McCarley, R. W., & Strecker, R. E. (2009). c-Fos protein expression is increased in cholinergic neurons of the rodent basal forebrain during spontaneous and induced wakefulness. *Brain Research Bulletin*, 80(6), 382-388. doi.
- McKeon-O'Malley, C., Siwek, D., Lamoureux, J. A., Williams, C. L., & Kowall, N. W. (2003). Prenatal choline deficiency decreases the cross-sectional area of cholinergic neurons in the medial septal nucleus. *Brain Research*, 977(2), 278-283. doi.
- McKinstry, S. U., Karadeniz, Y. B., Worthington, A. K., Hayrapetyan, V. Y., Ozlu, M. I., Serafin-Molina, K., . . . Zeitlin, S. (2014). Huntingtin Is Required for Normal Excitatory Synapse Development in Cortical and Striatal Circuits. *The Journal of Neuroscience*, 34(28), 9455-9472. doi. <http://www.jneurosci.org/content/34/28/9455.short>
- McLaughlin, D. F., Sonty, R. V., & Juliano, S. L. (1998). Organization of the forepaw representation in ferret somatosensory cortex. *Somatosensory and Motor Research*, 15(4), 253-268. doi.
- McLaughlin, M., Verschooten, E., & Joris, P. X. (2010). Oscillatory Dipoles As a Source of Phase Shifts in Field Potentials in the Mammalian Auditory Brainstem. *Journal of Neuroscience*, 30(40), 13472-13487. doi: 10.1523/jneurosci.0294-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/40/13472>
- McLaurin, K. A., Li, H., Booze, R. M., Fairchild, A. J., & Mactutus, C. F. (2018). Unraveling Individual Differences In The HIV-1 Transgenic Rat: Therapeutic Efficacy Of Methylphenidate. *Scientific Reports*, 8(1), 136. doi: 10.1038/s41598-017-18300-2. <https://doi.org/10.1038/s41598-017-18300-2>
- McLaurin, K. A., Li, H., Booze, R. M., & Mactutus, C. F. (2019). Disruption of Timing: NeuroHIV Progression in the Post-cART Era. *Scientific Reports*, 9(1), 827. doi: 10.1038/s41598-018-36822-1. <https://doi.org/10.1038/s41598-018-36822-1>
- McLean, D. L., Masino, M. A., Koh, I. Y. Y., Lindquist, W. B., & Fetcho, J. R. (2008). Continuous shifts in the active set of spinal interneurons during changes in locomotor speed. *Nature Neuroscience*, 11, 1419-1429. doi.
- McLean, J. H., & Darby-King, A. (1994). Lack of evidence for serotonergic effect on the cellular development of the olfactory bulb in the postnatal rat. *Brain Research Bulletin*, 34(3), 249-259. doi.
- McMullen, N. T., & de Venecia, R. K. (1993). Thalamocortical patches in auditory neocortex. *Brain Research*, 620, 317-322. doi.
- McMullen, N. T., Smelser, C. B., & de Venecia, R. K. (1994). A quantitative analysis of parvalbumin neurons in rabbit auditory neocortex. *Journal of Comparative Neurology*, 349(4), 493-511. doi.

McMullen, N. T., Velenovsky, D. S., & Holmes, M. G. (2005). Auditory thalamic organization: cellular slabs, dendritic arbors and tectothalamic axons underlying the frequency map. *Neuroscience*, 136(3), 927-943. doi.

McNally, J. M., McCarley, R. W., McKenna, J. T., Yanagawa, Y., & Brown, R. E. (2011). Complex receptor mediation of acute ketamine application on  $\gamma$  oscillations in mouse prefrontal cortex: modeling gamma band oscillation abnormalities in schizophrenia. *Neuroscience*. doi.

McNeal, D. W., Darling, W. G., Ge, J., Stilwell-Morecraft, K. S., Solon, K. M., Hynes, S. M., . . . Morecraft, R. J. (2010). Selective long-term reorganization of the corticospinal projection from the supplementary motor cortex following recovery from lateral motor cortex injury. *Journal of Comparative Neurology*, 518(5), 586-621. doi.

McNeal, D. W., Ge, J., Herrick, J. L., Stilwell-Morecraft, K. S., & Morecraft, R. J. (2008). Characterization of some morphological parameters of orbicularis oculi motor neurons in the monkey. *Neuroscience*, 151(1), 12-27. doi.

McNeely, K. C., Cupp, T. D., Little, J. N., Janisch, K. M., Shrestha, A., & Dwyer, N. D. (2017). Mutation of Kinesin-6 Kif20b causes defects in cortical neuron polarization and morphogenesis. [journal article]. *Neural Development*, 12(1), 5. doi: 10.1186/s13064-017-0082-5. <http://dx.doi.org/10.1186/s13064-017-0082-5>

McQuail, J. A., Riddle, D. R., & Nicolle, M. M. (2010). Neuroinflammation not associated with cholinergic degeneration in aged-impaired brain. *Neurobiology of Aging*. doi.

McQuiston, A. R., & Madison, D. V. (1999). Muscarinic Receptor Activity Has Multiple Effects on the Resting Membrane Potentials of CA1 Hippocampal Interneurons. *Journal of Neuroscience*, 19(14), 5693-5702. doi. <http://www.jneurosci.org/cgi/content/abstract/19/14/5693>

McQuiston, A. R., & Madison, D. V. (1999). Muscarinic Receptor Activity Induces an Afterdepolarization in a Subpopulation of Hippocampal CA1 Interneurons. *Journal of Neuroscience*, 19(14), 5703-5710. doi. <http://www.jneurosci.org/cgi/content/abstract/19/14/5703>

McQuiston, A. R., & Madison, D. V. (1999). Nicotinic Receptor Activation Excites Distinct Subtypes of Interneurons in the Rat Hippocampus. *Journal of Neuroscience*, 19(8), 2887-2896. doi. <http://www.jneurosci.org/cgi/content/abstract/19/8/2887>

Mease, R. A., Sumser, A., Sakmann, B., & Groh, A. (2016). Corticothalamic Spike Transfer via the L5B-POm Pathway in vivo. *Cerebral Cortex*. doi: 10.1093/cercor/bhw123. <http://cercor.oxfordjournals.org/content/early/2016/05/12/cercor.bhw123....>

Medalla, M., & Barbas, H. (2006). Diversity of laminar connections linking periarculate and lateral intraparietal areas depends on cortical structure. *European Journal of Neuroscience*, 23(1), 161-179. doi: doi:10.1111/j.1460-9568.2005.04522.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04522.x>



Medalla, M., Gilman, J. P., Wang, J.-Y., & Luebke, J. I. (2017). Strength and diversity of inhibitory signaling differentiates primate anterior cingulate from lateral prefrontal cortex. [10.1523/JNEUROSCI.3757-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/04/05/JNEUROSCI.3757-16.2017...>

Medalla, M., Lera, P., Feinberg, M., & Barbas, H. (2007). Specificity in inhibitory systems associated with prefrontal pathways to temporal cortex in primates. *Cerebral Cortex*, 17(suppl 1), i136–i150–i136–i150. doi:

Medalla, M., & Luebke, J. I. (2015). Diversity of Glutamatergic Synaptic Strength in Lateral Prefrontal versus Primary Visual Cortices in the Rhesus Monkey. *The Journal of Neuroscience*, 35(1), 112–127. doi: <http://www.jneurosci.org/content/35/1/112.short>

Medini, P. (2011). Cell-type Specific Sub-and Supra-threshold Receptive Fields of Layer 4 and Layer 2/3 Pyramids in Rat Primary Visual Cortex. *Neuroscience*. doi:

Medini, P. (2011). Layer- and Cell-Type-Specific Subthreshold and Suprathreshold Effects of Long-Term Monocular Deprivation in Rat Visual Cortex. *Journal of Neuroscience*, 31(47), 17134–17148. doi: 10.1523/jneurosci.2951-11.2011. <http://www.jneurosci.org/content/31/47/17134.abstract>

Medja, F., Lelievre, V., Fontaine, R. H., Lebas, F., Leroux, P., Ouimet, T., . . . Gressens, P. (2006). Thiorphan, a neutral endopeptidase inhibitor used for diarrhoea, is neuroprotective in newborn mice. *Brain*, 129(12), 3209–3223. doi: 10.1093/brain/awl239. <http://brain.oxfordjournals.org/cgi/content/abstract/129/12/3209>

Meehan, C. F., MacDermid, V. E., Montague, S. J., Neuber-Hess, M., & Rose, P. K. (2011). Dendrite-Derived Supernumerary Axons on Adult Axotomized Motor Neurons Possess Proteins That Are Essential for the Initiation and Propagation of Action Potentials and Synaptic Vesicle Release. *Journal of Neuroscience*, 31(18), 6732–6740. doi: 10.1523/jneurosci.5377-10.2011. <http://www.jneurosci.org/content/31/18/6732.abstract>

Meer, E. J., Wang, D. O., Kim, S., Barr, I., Guo, F., & Martin, K. C. (2012). Identification of a cis-acting element that localizes mRNA to synapses. *Proceedings of the National Academy of Sciences*. doi:

Mehanna, A., Igor Jakovcevski, A., & others. (2009). Polysialic acid glycomimetic promotes functional recovery and plasticity after spinal cord injury in mice. *Molecular Therapy*, 18(1), 34–43. doi:

Mehanna, A., Mishra, B., Kurschat, N., Schulze, C., Bian, S., Loers, G., . . . Schachner, M. (2009). Polysialic acid glycomimetics promote myelination and functional recovery after peripheral nerve injury in mice. *Brain*, 132(6), 1449–1462. doi: 10.1093/brain/awp128. <http://brain.oxfordjournals.org/cgi/content/abstract/132/6/1449>

Mehanna, A., Szpotowicz, E., Schachner, M., & Jakovcevski, I. (2014). Improved regeneration after femoral nerve injury in mice lacking functional T- and B-lymphocytes. *Experimental Neurology*, (0).

doi: <http://dx.doi.org/10.1016/j.expneurol.2014.06.012>. <http://www.sciencedirect.com/science/article/pii/S001448861400199X>

Mehder, R. H., Bennett, B. M., & Andrew, R. D. (2021). Age-Related Neuronal Deterioration Specifically Within the Dorsal CA1 Region of the Hippocampus in a Mouse Model of Late Onset Alzheimer's Disease. *Journal of Alzheimer's Disease, Preprint(Preprint)*, 1-15. doi: 10.3233/jad-201024.

Mehta, P., Premkumar, B., & Morris, R. (2016). Production of high quality brain-derived neurotrophic factor (BDNF) and tropomyosin receptor kinase B (TrkB) RNA from isolated populations of rat spinal cord motor neurons obtained by Laser Capture Microdissection (LCM). *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2016.05.063>. <http://www.sciencedirect.com/science/article/pii/S0304394016303937>

Mehta, V., & Sernagor, E. (2006). Early neural activity and dendritic growth in turtle retinal ganglion cells. *European Journal of Neuroscience*, 24(3), 773-786. doi: doi:10.1111/j.1460-9568.2006.04933.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04933.x>

Mehta, V., & Sernagor, E. (2006). Receptive field structure-function correlates in developing turtle retinal ganglion cells. *European Journal of Neuroscience*, 24(3), 787-794. doi: doi:10.1111/j.1460-9568.2006.04971.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04971.x>

Meier, A. M., Wang, Q., Ji, W., Ganachaud, J., & Burkhalter, A. (2021). Modular network between postrhinal visual cortex, amygdala and entorhinal cortex. *The Journal of Neuroscience*, JN-RM-2185-2120. doi: 10.1523/jneurosci.2185-20.2021. <http://www.jneurosci.org/content/early/2021/04/12/JNEUROSCI.2185-20.2021...>

Meier, F., Giesert, F., Delic, S., Faus-Kessler, T., Matheus, F., Simeone, A., . . . Prakash, N. (2014). FGF/FGFR2 Signaling Regulates the Generation and Correct Positioning of Bergmann Glia Cells in the Developing Mouse Cerebellum. *PLoS ONE*, 9(7), e101124. doi: 10.1371/journal.pone.0101124. <http://dx.doi.org/10.1371%2Fjournal.pone.0101124>

Meijering, E. (2010). Neuron tracing in perspective. *Cytometry Part A*, 77(7), 693-704. doi.

Meijering, E., & Cappellen, G. (2007). Quantitative biological image analysis. *Imaging cellular and molecular biological functions*, 45-70. doi.

Meirsman, A. C., Le Merrer, J., Pellissier, L. P., Diaz, J., Clesse, D., Kieffer, B. L., & Becker, J. A. J. (2015). Mice lacking GPR88 show motor deficit, improved spatial learning and low anxiety reversed by delta opioid antagonist. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2015.05.020>. <http://www.sciencedirect.com/science/article/pii/S0006322315004692>

Melani, R., Chelini, G., Cenni, M. C., & Berardi, N. (2017). Enriched environment effects on remote object recognition memory. *Neuroscience*.

doi: <http://doi.org/10.1016/j.neuroscience.2017.04.006>. <http://www.sciencedirect.com/science/article/pii/S0306452217302452>

Melchitzky, D. S., Eggan, S. M., & Lewis, D. A. (2005). Synaptic targets of calretinin-containing axon terminals in macaque monkey prefrontal cortex. *Neuroscience*, 130(1), 185-195. doi.

Melief, E. J., Cudaback, E., Jorstad, N. L., Sherfield, E., Postupna, N., Wilson, A., . . . Montine, T. J. (2015). Partial depletion of striatal dopamine enhances penetrance of cognitive deficits in a transgenic mouse model of Alzheimer's disease. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23592. <http://dx.doi.org/10.1002/jnr.23592>

Mello, C. V., Kaser, T., Buckner, A. A., Wirthlin, M., & Lovell, P. V. (2019). Molecular architecture of the zebra finch arcopallium. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24688. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24688>

Mellott, J. G., Beebe, N. L., & Schofield, B. R. (2018). Bilateral projections to the thalamus from individual neurons in the inferior colliculus. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24600. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24600>

Mellott, J. G., Beebe, N. L., & Schofield, B. R. (2018). GABAergic and non-GABAergic projections to the superior colliculus from the auditory brainstem. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1599-4. <https://doi.org/10.1007/s00429-017-1599-4>

Mellott, J. G., Motts, S. D., & Schofield, B. R. (2011). Multiple origins of cholinergic innervation of the cochlear nucleus. *Neuroscience*. doi.

Mellott, J. G., Van der Gucht, E., Lee, C. C., Carrasco, A., Winer, J. A., & Lomber, S. G. (2010). Areas of cat auditory cortex as defined by neurofilament proteins expressing SMI-32. *Hearing Research*, 267(1), 119-136. doi.

Mellott, T. J., Kowall, N. W., Lopez-Coviella, I., & Blusztajn, J. K. (2007). Prenatal choline deficiency increases choline transporter expression in the septum and hippocampus during postnatal development and in adulthood in rats. *Brain Research*, 1151, 1-11. doi.

Melo, A., Kokras, N., Dalla, C., Ferreira, C., Ventura-Silva, A. P., Sousa, N., & Pego, J. M. (2015). The positive effect on ketamine as a priming adjuvant in antidepressant treatment. [Original Article]. *Transl Psychiatry*, 5, e573. doi: 10.1038/tp.2015.66. <http://dx.doi.org/10.1038/tp.2015.66>

Melzer, P., Crane, A. M., & Smith, C. B. (1993). Mouse Barrel Cortex Functionally Compensates for Deprivation Produced by Neonatal Lesion of Whisker Follicles. *European Journal of Neuroscience*, 5(12), 1638-1652. doi: doi:10.1111/j.1460-9568.1993.tb00232.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.1993.tb00232.x>

Mena-Segovia, J., Micklem, B. R., Nair-Roberts, R. G., Ungless, M. A., & Bolam, J. P. (2009). GABAergic neuron distribution in the pedunculopontine nucleus defines functional subterritories. *Journal of Comparative Neurology*, 515(4), 397-408. doi.

Mena-Segovia, J., Sims, H. M., Magill, P. J., & Bolam, J. P. (2008). Cholinergic brainstem neurons modulate cortical gamma activity during slow oscillations. *Journal of Physiology*, *jphysiol.2008.153874*. doi: 10.1113/jphysiol.2008.153874. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.153874v2>

Mendell, A. L., Atwi, S., Bailey, C. D. C., McCloskey, D., Scharfman, H. E., & MacLusky, N. J. (2016). Expansion of mossy fibers and CA3 apical dendritic length accompanies the fall in dendritic spine density after gonadectomy in male, but not female, rats. [journal article]. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-016-1237-6. <http://dx.doi.org/10.1007/s00429-016-1237-6>

Mendez, I., Sanchez-Pernaute, R., Cooper, O., Viñuela, A., Ferrari, D., Björklund, L., . . . Isacson, O. (2005). Cell type analysis of functional fetal dopamine cell suspension transplants in the striatum and substantia nigra of patients with Parkinson's disease. *Brain*, *128*(7), 1498-1510. doi:

Mendez, P., De Roo, M., Poglia, L., Klauser, P., & Muller, D. (2010). N-cadherin mediates plasticity-induced long-term spine stabilization. *Journal of Cell Biology*, *189*(3), 589-600. doi: 10.1083/jcb.201003007. <http://jcb.rupress.org/content/189/3/589.abstract>

Méndez, P., Paziienti, A., Szabó, G., & Bacci, A. (2012). Direct Alteration of a Specific Inhibitory Circuit of the Hippocampus by Antidepressants. *Journal of Neuroscience*, *32*(47), 16616-16628. doi: 10.1523/jneurosci.1720-12.2012. <http://www.jneurosci.org/content/32/47/16616.abstract>

Mendez-David, I., Guilloux, J.-P., Papp, M., Tritschler, L., Mocaer, E., Gardier, A. M., . . . David, D. J. (2017). S 47445 Produces Antidepressant- and Anxiolytic-Like Effects through Neurogenesis Dependent and Independent Mechanisms. [Original Research]. *Frontiers in Pharmacology*, *8*(462). doi: 10.3389/fphar.2017.00462. <http://journal.frontiersin.org/article/10.3389/fphar.2017.00462>

Meng, L., Huang, T., Sun, C., Hill, D. L., & Krimm, R. (2017). BDNF is required for taste axon regeneration following unilateral chorda tympani nerve section. *Experimental Neurology*, *293*, 27-42. doi: <http://dx.doi.org/10.1016/j.expneurol.2017.03.016>. <http://www.sciencedirect.com/science/article/pii/S0014488617300766>

Meng, L., Ohman-Gault, L., Ma, L., & Krimm, R. F. (2015). Taste bud-derived BDNF is required to maintain normal amounts of innervation to adult taste buds. [10.1523/ENEURO.0097-15.2015]. *eneuro*. doi: <http://eneuro.org/content/early/2015/12/22/ENEURO.0097-15.2015.abstract>

Meng, X., Solarana, K., Bowen, Z., Liu, J., Nagode, D. A., Sheikh, A., . . . Kanold, P. O. (2019). Transient Subgranular Hyperconnectivity to L2/3 and Enhanced Pairwise Correlations During the Critical Period in the Mouse Auditory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhz213. <https://doi.org/10.1093/cercor/bhz213>

Mensinger, A. F., Carey, J. P., Boyle, R., Highstein, S. M., & others. (1997). Differential central projections of physiologically characterized horizontal semicircular canal vestibular nerve afferents in the toadfish, *Opsanus tau*. *Journal of Comparative Neurology*, 384(1), 71-85. doi.

Mensinger, A. F., & Powers, M. K. (1999). Visual function in regenerating teleost retina following cytotoxic lesioning. *Visual Neuroscience*, 16(2), 241-251. doi.

Mentis, G. Z., Alvarez, F. J., Shneider, N. A., Siembab, V. C., & O'Donovan, M. J. (2010). Mechanisms regulating the specificity and strength of muscle afferent inputs in the spinal cord. *Annals of the New York Academy of Sciences*, 1198(1), 220-230. doi.

Mentis, G. Z., Siembab, V. C., Zerda, R., O'Donovan, M. J., & Alvarez, F. J. (2006). Primary Afferent Synapses on Developing and Adult Renshaw Cells. *Journal of Neuroscience*, 26(51), 13297-13310. doi: 10.1523/jneurosci.2945-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/51/13297>

Mercer, A. (2012). Electrically coupled excitatory neurones in cortical regions. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.03.069. <http://www.sciencedirect.com/science/article/pii/S0006899312011213>

Mercer, A., Botcher, N. A., Eastlake, K., & Thomson, A. M. (2012). SP-SR interneurons: A novel class of neurons of the CA2 region of the hippocampus. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22010. <http://dx.doi.org/10.1002/hipo.22010>

Mercer, A., Eastlake, K., Trigg, H. L., & Thomson, A. M. (2012). Local circuitry involving parvalbumin-positive basket cells in the CA2 region of the hippocampus. *Hippocampus*, 22(1), 43-56. doi.

Mercer, A., Trigg, H. L., & Thomson, A. M. (2007). Characterization of Neurons in the CA2 Subfield of the Adult Rat Hippocampus. *Journal of Neuroscience*, 27(27), 7329-7338. doi: 10.1523/jneurosci.1829-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/27/7329>

Mercer Lindsay, N., Knutsen, P. M., Lozada, A. F., Gibbs, D., Karten, H. J., & Kleinfeld, D. (2019). Orofacial Movements Involve Parallel Corticobulbar Projections from Motor Cortex to Trigeminal Premotor Nuclei. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.08.032>. <http://www.sciencedirect.com/science/article/pii/S089662731930738X>

Merchán, P., Bribián, A., Sánchez-Camacho, C., Lezameta, M., Bovolenta, P., & de Castro, F. (2007). Sonic hedgehog promotes the migration and proliferation of optic nerve oligodendrocyte precursors. *Molecular and Cellular Neuroscience*, 36(3), 355-368. doi.

Meredith, G. E. (1997). Neuronal Tract Tracing Methods: Recent Developments for Light and Electron Microscopy. *Analytical morphology: theory, applications, and protocols*, 201-201. doi.

Meredith, G. E., De Souza, I. E. J., Hyde, T. M., Tipper, G., Wong, M. L., & Egan, M. F. (2000). Persistent Alterations in Dendrites, Spines, and Dynorphinergic Synapses in the Nucleus Accumbens Shell of Rats with Neuroleptic-Induced Dyskinesias. *Journal of Neuroscience*, 20(20), 7798-7806. doi: <http://www.jneurosci.org/cgi/content/abstract/20/20/7798>

Meredith, G. E., Farrell, T., Kellaghan, P., Tan, Y., Zahm, D. S., & Totterdell, S. (1999). Immunocytochemical characterization of catecholaminergic neurons in the rat striatum following dopamine-depleting lesions. *European Journal of Neuroscience*, 11(10), 3585. doi:

Meredith, M. A., & Allman, B. L. (2015). Single-unit analysis of somatosensory processing in the core auditory cortex of hearing ferrets. *European Journal of Neuroscience*, 41(5), 686-698. doi: 10.1111/ejn.12828. <http://dx.doi.org/10.1111/ejn.12828>

Meredith, M. A., Clemo, H. R., Corley, S. B., Chabot, N., & Lomber, S. G. (2015). Cortical and thalamic connectivity of the auditory anterior ectosylvian cortex of early-deaf cats: Implications for neural mechanisms of crossmodal plasticity. *Hearing Research*. doi: <http://dx.doi.org/10.1016/j.heares.2015.12.007>. <http://www.sciencedirect.com/science/article/pii/S037859551530201X>

Meredith, M. A., Clemo, H. R., & Lomber, S. G. (2017). Is territorial expansion a mechanism for crossmodal plasticity? *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13564. <http://dx.doi.org/10.1111/ejn.13564>

Meredith, M. A., Miller, L. K., Ramoa, A. S., Clemo, H. R. H., & Behan, M. (2001). Organization of the neurons of origin of the descending pathways from the ferret superior colliculus. *Neuroscience Research*, 40(4), 301-313. doi:

Merino-Serrais, P., Knafo, S., Alonso-Nanclares, L., Fernaud-Espinosa, I., & DeFelipe, J. (2011). Layer-specific alterations to CA1 dendritic spines in a mouse model of Alzheimer's disease. *Hippocampus*, 21(10), 1037-1044. doi:

Merino-Serrais, P., Loera-Valencia, R., Rodriguez-Rodriguez, P., Parrado-Fernandez, C., Ismail, M. A., Maioli, S., . . . Cedazo-Minguez, A. (2018). 27-Hydroxycholesterol Induces Aberrant Morphology and Synaptic Dysfunction in Hippocampal Neurons. *Cerebral Cortex*, bhy274-bhy274. doi: 10.1093/cercor/bhy274. <http://dx.doi.org/10.1093/cercor/bhy274>

Merkle, F. T., Fuentealba, L. C., Sanders, T. A., Magno, L., Kessaris, N., & Alvarez-Buylla, A. (2013). Adult neural stem cells in distinct microdomains generate previously unknown interneuron types. *Nature Neuroscience*. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3610.html>

Mertens, J., Herdy, J. R., Traxler, L., Schafer, S. T., Schlachetzki, J. C. M., Böhnke, L., . . . Gage, F. H. (2021). Age-dependent instability of mature neuronal fate in induced neurons from Alzheimer's patients. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2021.04.004>. <https://www.sciencedirect.com/science/article/pii/S1934590921001612>

Mesnage, B., Gaillard, S., Godin, A. G., Rodeau, J.-L., Hammer, M., Von Engelhardt, J., . . . Cordero-Erausquin, M. (2011). Morphological and functional characterization of cholinergic



interneurons in the dorsal horn of the mouse spinal cord. *Journal of Comparative Neurology*, 519(16), 3139-3158. doi: 10.1002/cne.22668. <http://dx.doi.org/10.1002/cne.22668>

Mesquita, S. D., Ferreira, A. C., Gao, F., Coppola, G., Geschwind, D. H., Sousa, J. C., . . . Marques, F. (2015). The choroid plexus transcriptome reveals changes in type I and II interferon responses in a mouse model of Alzheimer's disease. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.06.008>. <http://www.sciencedirect.com/science/article/pii/S0889159115001610>

Methippara, M., Mitrani, B., Schrader, F. X., Szymusiak, R., & McGinty, D. (2012). Salubrinal, an endoplasmic reticulum stress blocker, modulates sleep homeostasis and activation of sleep-and wake-regulatory neurons. *Neuroscience*. doi.

Methippara, M. M., Bashir, T., Kumar, S., Alam, N., Szymusiak, R., & McGinty, D. (2008). Salubrinal, an inhibitor of protein synthesis, promotes deep slow wave sleep. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90765.92008. doi: 10.1152/ajpregu.90765.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90765.2008v1>

Metz, A. E., Yau, H.-J., Centeno, M. V., Apkarian, A. V., & Martina, M. (2009). Morphological and functional reorganization of rat medial prefrontal cortex in neuropathic pain. *Proceedings of the National Academy of Sciences*, 106(7), 2423-2428. doi: 10.1073/pnas.0809897106. <http://www.pnas.org/content/106/7/2423.abstract>

Metz, G. A. S., Curt, A., van de Meent, H., Klusman, I., Schwab, M. E., & Dietz, V. (2000). Validation of the weight-drop contusion model in rats: a comparative study of human spinal cord injury. *Journal of Neurotrauma*, 17(1), 1-17. doi.

Meuth, S. G., Budde, T., Kanyshkova, T., Broicher, T., Munsch, T., & Pape, H.-C. (2003). Contribution of TWIK-Related Acid-Sensitive K<sup>+</sup> Channel 1 (TASK1) and TASK3 Channels to the Control of Activity Modes in Thalamocortical Neurons. *Journal of Neuroscience*, 23, 6460-6469. doi.

Meuth, S. G., Kanyshkova, T., Melzer, N., Bittner, S., Kieseier, B. C., Budde, T., & Wiendl, H. (2008). Altered neuronal expression of TASK1 and TASK3 potassium channels in rodent and human autoimmune CNS inflammation. *Neuroscience Letters*, 446(2-3), 133-138. doi.

Meyer, D. A., Richer, E., Benkovic, S. A., Hayashi, K., Kansy, J. W., Hale, C. F., . . . Bibb, J. A. (2008). Striatal dysregulation of Cdk5 alters locomotor responses to cocaine, motor learning, and dendritic morphology. *Proceedings of the National Academy of Sciences*, 105(47), 18561-18566. doi: 10.1073/pnas.0806078105. <http://www.pnas.org/content/105/47/18561.abstract>

Meyer, H. S., Wimmer, V. C., Hemberger, M., Bruno, R. M., de Kock, C. P. J., Frick, A., . . . Helmstaedter, M. (2010). Cell Type-Specific Thalamic Innervation in a Column of Rat Vibrissa Cortex. *Cerebral Cortex*, bhq069. doi: 10.1093/cercor/bhq069. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq069v2>

Meyer, M., Matarredona, E. R., Seiler, R. W., Zimmer, J., & Widmer, H. R. (2001). Additive effect of glial cell line-derived neurotrophic factor and neurotrophin-4/5 on rat fetal nigral explant cultures. *Neuroscience*, 108(2), 273-284. doi.

Meza, R. C., López-Jury, L., Canavier, C. C., & Henny, P. (2017). Role of the axon initial segment in the control of spontaneous frequency of nigral dopaminergic neurons *in vivo*. *The Journal of Neuroscience*, 37(15), 4232-4242. doi: [http://www.jneurosci.org/content/early/2017/12/06/JNEUROSCI.1432-17.2017...](http://www.jneurosci.org/content/early/2017/12/06/JNEUROSCI.1432-17.2017)

Mezey, S., & Csillag, A. (2002). Selective striatal connections of midbrain dopaminergic nuclei in the chick (*Gallus domesticus*). *Cell and Tissue Research*, 308(1), 35-46. doi.

Mezey, S. E., & Csillag, A. (2003). The light and electron microscopic characterisation of identified striato-ventro tegmental projection neurons in the domestic chick (*Gallus domesticus*). *Neuroscience Research*, 47(3), 299-308. doi.

Miao, S., Chen, R., Ye, J., Tan, G.-H., Li, S., Zhang, J., . . . Xiong, Z.-Q. (2013). The Angelman Syndrome Protein Ube3a Is Required for Polarized Dendrite Morphogenesis in Pyramidal Neurons. *Journal of Neuroscience*, 33(1), 327-333. doi: 10.1523/jneurosci.2509-12.2013. <http://www.jneurosci.org/content/33/1/327.abstract>

Michaelson, K., Murk, K., Zagrebelsky, M., Dreznjak, A., Jockusch, B. M., Rothkegel, M., & Korte, M. (2010). Fine-tuning of neuronal architecture requires two profilin isoforms. *Proceedings of the National Academy of Sciences*, 107(36), 15780-15785. doi.

Michaelson, K., Zagrebelsky, M., Berndt-Huch, J., Polack, M., Buschler, A., Sendtner, M., & Korte, M. (2010). Neurotrophin receptors TrkB.T1 and p75NTR cooperate in modulating both functional and structural plasticity in mature hippocampal neurons. *European Journal of Neuroscience*, no-no. doi: 10.1111/j.1460-9568.2010.07460.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07460.x>

Michaelson, S. D., Ozkan, E. D., Aceti, M., Maity, S., Llamosas, N., Weldon, M., . . . Rumbaugh, G. (2018). SYNGAP1 heterozygosity disrupts sensory processing by reducing touch-related activity within somatosensory cortex circuits. *Nature Neuroscience*, 21(12), 1-13. doi: 10.1038/s41593-018-0268-0. <https://doi.org/10.1038/s41593-018-0268-0>

Michelsen, K., van den Hove, D., Schmitz, C., Segers, O., Prickaerts, J., & Steinbusch, H. (2007). Prenatal stress and subsequent exposure to chronic mild stress influence dendritic spine density and morphology in the rat medial prefrontal cortex. *BMC neuroscience*, 8(1), 107-107. doi.

Middei, S., Roberto, A., Berretta, N., Panico, M. B., Lista, S., Bernardi, G., . . . Nisticò, R. (2010). Learning discloses abnormal structural and functional plasticity at hippocampal synapses in the APP23 mouse model of Alzheimer's disease. *Learning and Memory*, 17(5), 236-240. doi.

Middleton, S., Jalics, J., Kispersky, T., LeBeau, F. E. N., Roopun, A. K., Kopell, N. J., . . . Cunningham, M. O. (2008). NMDA receptor-dependent switching between different gamma rhythm-generating microcircuits in entorhinal cortex. *Proceedings of the National Academy*

of Sciences, 105(47), 18572-18577. doi:  
10.1073/pnas.0809302105. <http://www.pnas.org/content/105/47/18572.abstract>

Midthune, B., Tyan, S. H., Walsh, J. J., Sarsoza, F., Eggert, S., Hof, P. R., . . . Koo, E. H. (2012). Deletion of the amyloid precursor-like protein 2 (APLP2) does not affect hippocampal neuron morphology or function. *Molecular and Cellular Neuroscience*. doi:

Migliore, R., Lupascu, C. A., Bologna, L. L., Romani, A., Courcol, J.-D., Antonel, S., . . . Migliore, M. (2018). The physiological variability of channel density in hippocampal CA1 pyramidal cells and interneurons explored using a unified data-driven modeling workflow. *PLoS computational biology*, 14(9), e1006423. doi:  
10.1371/journal.pcbi.1006423. <https://doi.org/10.1371/journal.pcbi.1006423>

Miguéns, M., Kastanauskaite, A., Coria, S. M., Selvas, A., Ballesteros-Yañez, I., DeFelipe, J., & Ambrosio, E. (2013). The Effects of Cocaine Self-Administration on Dendritic Spine Density in the Rat Hippocampus Are Dependent on Genetic Background. *Cerebral Cortex*. doi:  
10.1093/cercor/bht200. <http://cercor.oxfordjournals.org/content/early/2013/08/20/cercor.bht200....>

Mihaljević, B., Benavides-Piccione, R., Bielza, C., DeFelipe, J., & Larrañaga, P. (2014). Bayesian Network Classifiers for Categorizing Cortical GABAergic Interneurons. *Neuroinformatics*, 1-16. doi: 10.1007/s12021-014-9254-1. <http://dx.doi.org/10.1007/s12021-014-9254-1>

Mihaljević, B., Benavides-Piccione, R., Guerra, L., DeFelipe, J., Larrañaga, P., & Bielza, C. (2014). Classifying GABAergic interneurons with semi-supervised projected model-based clustering. *Artificial Intelligence in Medicine*, (0). doi: <http://dx.doi.org/10.1016/j.artmed.2014.12.010>. <http://www.sciencedirect.com/science/article/pii/S0933365714001481>

Mihaljević, B., Larrañaga, P., Benavides-Piccione, R., Hill, S., DeFelipe, J., & Bielza, C. (2018). Towards a supervised classification of neocortical interneuron morphologies. [journal article]. *BMC bioinformatics*, 19(1), 511. doi: 10.1186/s12859-018-2470-1. <https://doi.org/10.1186/s12859-018-2470-1>

Mijatovic, J., Airavaara, M., Planken, A., Auvinen, P., Raasmaja, A., Piepponen, T. P., . . . Saarna, M. (2007). Constitutive Ret Activity in Knock-In Multiple Endocrine Neoplasia Type B Mice Induces Profound Elevation of Brain Dopamine Concentration via Enhanced Synthesis and Increases the Number of TH-Positive Cells in the Substantia Nigra. *Journal of Neuroscience*, 27(18), 4799-4809. doi: 10.1523/jneurosci.5647-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/18/4799>

Mikhailova, M. A., Deal, A., Grinevich, V. P., Bonin, K. D., Gainetdinov, R. R., & Budygin, E. A. (2018). Real-time accumbal dopamine response to negative stimuli: Effects of ethanol. *ACS Chemical Neuroscience*. doi:  
10.1021/acchemneuro.8b00272. <https://doi.org/10.1021/acchemneuro.8b00272>

Mikolaenko, I., Rao, L. M., Roberts, R. C., Kolb, B., & Jinnah, H. A. (2005). A Golgi study of neuronal architecture in a genetic mouse model for Lesch-Nyhan disease. *Neurobiology of Disease*, 20, 479-490. doi:

Milanese, C., Cerri, S., Ulusoy, A., Gornati, S. V., Plat, A., Gabriels, S., . . . Mastroberardino, P. G. (2018). Activation of the DNA damage response in vivo in synucleinopathy models of Parkinson's disease. *Cell Death & Disease*, 9(8), 818. doi: 10.1038/s41419-018-0848-7. <https://doi.org/10.1038/s41419-018-0848-7>

Milanese, C., Gabriels, S., Barnhoorn, S., Cerri, S., Ulusoy, A., Gornati, S. V., . . . Mastroberardino, P. G. (2020). Gender biased neuroprotective effect of Transferrin Receptor 2 deletion in multiple models of Parkinson's disease. *Cell Death and Differentiation*. doi: 10.1038/s41418-020-00698-4. <https://doi.org/10.1038/s41418-020-00698-4>

Milanese, C., Tapias, V., Gabriels, S., Cerri, S., Levandis, G., Blandini, F., . . . Mastroberardino, P. G. (2017). Mitochondrial complex I reversible S-nitrosation improves bioenergetics and is protective in Parkinson's disease. *Antioxidants & Redox Signaling*. doi: 10.1089/ars.2017.6992. <https://doi.org/10.1089/ars.2017.6992>

Milani, M., Cesari, M., Baratta, S., Caccia, C., Balestrini, M. R., Riva, D., . . . Taroni, F. (2004). Molecular analysis of the litaf/simple and prx genes in patients with demyelinating charcot-marie-tooth (CMT) disease. *Journal of the Peripheral Nervous System*, 9(2), 117-117. doi.

Milani, M., Pareyson, D., & Taroni, F. (2004). CMTX: heterozygosity for a GJB1/CX32 mutation in a XXY male results in a mild phenotype. *Journal of the Peripheral Nervous System*, 9(2), 117-117. doi: doi:10.1111/j.1085-9489.2004.009209ap.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Milani, M., Pareyson, D., & Taroni, F. (2004). An unusual cosegregation of cmt1a duplication and hnpv PMP22 point mutation in a family with CMT1 disease. *Journal of the Peripheral Nervous System*, 9(2), 117-117. doi: doi:10.1111/j.1085-9489.2004.009209aq.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Milatovic, D., Aschner, M., Gupta, R. C., Zaja-Milatovic, S., & Barnes, G. (2011). Involvement of Oxidative Stress in Anticholinesterase Pesticide Toxicity. *Anticholinesterase Pesticides*, 133-147. doi.

Milatovic, D., & Gupta, R. C. (2019). Antioxidants in Prevention and Treatment of Diseases and Toxicity. In R. C. Gupta, A. Srivastava & R. Lall (Eds.), *Nutraceuticals in Veterinary Medicine* (pp. 205-213). Cham: Springer International Publishing.

Milatovic, D., Gupta, R. C., Yu, Y., Zaja-Milatovic, S., & Aschner, M. (2011). Protective effects of antioxidants and anti-inflammatory agents against manganese-induced oxidative damage and neuronal injury. *Toxicology and Applied Pharmacology*. doi.

Milatovic, D., Montine, T. J., & Aschner, M. (2011). Prostanoid signaling: dual role for prostaglandin E2 in neurotoxicity. *Neurotoxicology*. doi.

Milatovic, D., Montine, T. J., Zaja-Milatovic, S., Madison, J. L., Bowman, A. B., & Aschner, M. (2010). Morphometric Analysis in Neurodegenerative Disorders. *Neurotoxicology*, 12, 1-1. doi.

Milatovic, D., Zaja-Milatovic, S., Gupta, R. C., Yu, Y., & Aschner, M. (2009). Oxidative damage and neurodegeneration in manganese-induced neurotoxicity. *Toxicology and Applied Pharmacology*, 240(2), 219-225. doi.

Milatovic, D., Zaja-Milatovic, S., Montine, K., Shie, F.-S., & Montine, T. (2004). Neuronal oxidative damage and dendritic degeneration following activation of CD14-dependent innate immune response in vivo. *Journal of Neuroinflammation*, 1(1), 20. doi. <http://www.jneuroinflammation.com/content/1/1/20>

Milatovic, D., Zaja-Milatovic, S., Montine, K. S., Horner, P. J., & Montine, T. J. (2003). Pharmacologic suppression of neuronal oxidative damage and dendritic degeneration following direct activation of glial innate immunity in mouse cerebrum. *Journal of Neurochemistry*, 87(6), 1518-1526. doi. <http://www.jneurochem.org/cgi/content/abstract/87/6/1518>

Milatovic, D., Zaja-Milatovic, S., Montine, K. S., Nivison, M., & Montine, T. J. (2005). CD14-dependent innate immunity-mediated neuronal damage in vivo is suppressed by NSAIDs and ablation of a prostaglandin E2 receptor, EP2. *Current Medicinal Chemistry-Central Nervous System Agents*, 5(2), 151-156. doi.

Milenkovic, N., Zhao, W.-J., Walcher, J., Albert, T., Siemens, J., Lewin, G. R., & Poulet, J. F. (2014). A somatosensory circuit for cooling perception in mice. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3828.html>

Miles, G. B., Hartley, R., Todd, A. J., & Brownstone, R. M. (2007). Spinal cholinergic interneurons regulate the excitability of motoneurons during locomotion. *PNAS*, 104(7), 2448-2453. doi: 10.1073/pnas.0611134104. <http://www.pnas.org/cgi/content/abstract/104/7/2448>

Mileykovskiy, B. Y., Kiyashchenko, L. I., Kodama, T., Lai, Y.-Y., & Siegel, J. M. (2000). Activation of Pontine and Medullary Motor Inhibitory Regions Reduces Discharge in Neurons Located in the Locus Coeruleus and the Anatomical Equivalent of the Midbrain Locomotor Region. *Journal of Neuroscience*, 20(22), 8551-8558. doi. <http://www.jneurosci.org/cgi/content/abstract/20/22/8551>

Mileykovskiy, B. Y., Kiyashchenko, L. I., & Siegel, J. M. (2002). Cessation of activity in red nucleus neurons during stimulation of the medial medulla in decerebrate rats. *Journal of Physiology*, 545(3), 997-1006. doi: 10.1113/jphysiol.2002.028985. <http://jp.physoc.org/cgi/content/abstract/545/3/997>

Mileykovskiy, B. Y., Kiyashchenko, L. I., & Siegel, J. M. (2002). Muscle Tone Facilitation and Inhibition After Orexin-A (Hypocretin-1) Microinjections Into the Medial Medulla. *Journal of Neurophysiology*, 87(5), 2480-2489. doi. <http://jn.physiology.org/cgi/content/abstract/87/5/2480>

Mileykovskiy, B. Y., Kiyashchenko, L. I., & Siegel, J. M. (2005). Behavioral correlates of activity in identified hypocretin/orexin neurons. *Neuron*, 46(5), 787-798. doi.

Milior, G., Chali, F., Dos Santos, T., Royer, J., Miles, R., & Morin-Brureau, M. (2019). Transcriptomics and Live Imaging to Define Functional Phenotypes of Microglia in Pathological Human Tissue. In O. Garaschuk & A. Verkhratsky (Eds.), *Microglia: Methods and Protocols* (pp. 325-336). New York, NY: Springer New York.

Millam, J. R. (2005). Endocrine disruption in a songbird, the Zebra finch. *Functional Avian Endocrinology*, 285-285. doi.

Millard, D. C., Wang, Q., Gollnick, C. A., & Stanley, G. B. (2013). System identification of the nonlinear dynamics in the thalamocortical circuit in response to patterned thalamic microstimulation in vivo. *Journal of neural engineering*, 10(6), 066011. doi. <http://iopscience.iop.org/1741-2552/10/6/066011>

Miller, A., Haroon, E., Raison, C., & Felger, J. (2013). Cytokine targets in the brain: impact on neurotransmitters and neurocircuits. *Depression and Anxiety*, 30, 297 - 306. doi.

Miller, K., & Covey, E. (2011). Comparison of auditory responses in the medial geniculate and pontine gray of the big brown bat, *Eptesicus fuscus*. *Hearing Research*, 275(1), 53-65. doi.

Miller, K. E., Casseday, J. H., & Covey, E. (2005). Relation between intrinsic connections and isofrequency contours in the inferior colliculus of the big brown bat, *Eptesicus fuscus*. *Neuroscience*, 136(3), 895-905. doi.

Miller, M. L., Chadwick, B., Dickstein, D. L., Purushothaman, I., Egervari, G., Rahman, T., . . . Hurd, Y. L. (2018). Adolescent exposure to  $\Delta^9$ -tetrahydrocannabinol alters the transcriptional trajectory and dendritic architecture of prefrontal pyramidal neurons. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0243-x. <https://doi.org/10.1038/s41380-018-0243-x>

Miller, M. M., Morrison, J. H., & McEwen, B. S. (2012). Basal anxiety-like behavior predicts differences in dendritic morphology in the medial prefrontal cortex in two strains of rats. *Behavioural Brain Research*, 229(1), 280-288. doi.

Miller, P. J., & Zaborszky, L. (1997). 3-Nitropropionic acid neurotoxicity: visualization by silver staining and implications for use as an animal model of Huntington's disease. *Experimental Neurology*, 146(1), 212-229. doi.

Miller-Sims, V. C., & Bottjer, S. W. (2012). Auditory experience refines cortico-basal ganglia inputs to motor cortex via remapping of single axons during vocal learning in zebra finches. *Journal of Neurophysiology*, 107(4), 1142-1156. doi: 10.1152/jn.00614.2011. <http://jn.physiology.org/content/107/4/1142.abstract>

Millet, L. J., Collens, M. B., Perry, G. L. W., & Bashir, R. (2011). Pattern analysis and spatial distribution of neurons in culture. *Integr. Biol.*, 3(12), 1167-1178. doi.

Millet, L. J., Stewart, M. E., Nuzzo, R. G., & Gillette, M. U. (2010). Guiding neuron development with planar surface gradients of substrate cues deposited using microfluidic devices. *Lab Chip*, 10(12), 1525-1535. doi.



Milner, T. A., Drake, C. T., Lessard, A., Waters, E. M., Torres-Reveron, A., Graustein, B., . . . Iadecola, C. (2008). Angiotensin II-induced hypertension differentially affects estrogen and progesterone receptors in central autonomic regulatory areas of female rats. *Experimental Neurology*, 212(2), 393-406. doi.

Miloro, M., & Macyb, J. M. (2000). Expanded polytetrafluoroethylene entubulation of the rabbit inferior alveolar nerve. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 89(3), 292-298. doi.

Milosevic, J., Maisel, M., Wegner, F., Leuchtenberger, J., Wenger, R. H., Gerlach, M., . . . Schwarz, J. (2007). Lack of Hypoxia-Inducible Factor-1 $\alpha$  Impairs Midbrain Neural Precursor Cells Involving Vascular Endothelial Growth Factor Signaling. *Journal of Neuroscience*, 27(2), 412-421. doi: 10.1523/jneurosci.2482-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/2/412>

Min, R., Testa-Silva, G., Heistek, T. S., Canto, C. B., Lodder, J. C., Bisogno, T., . . . Mansvelder, H. D. (2010). Diacylglycerol Lipase Is Not Involved in Depolarization-Induced Suppression of Inhibition at Unitary Inhibitory Connections in Mouse Hippocampus. *Journal of Neuroscience*, 30(7), 2710-2715. doi: 10.1523/jneurosci.bc-3622-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/7/2710>

Minciacchi, D., Del Tongo, C., Carretta, D., Nosi, D., & Granato, A. (2010). Alterations of the cortico-cortical network in sensori-motor areas of dystrophin deficient mice. *Neuroscience*, 166(4), 1129-1139. doi.

Minert, A., & Devor, M. (2015). Brainstem node for loss of consciousness due to GABA<sub>A</sub> receptor-active anesthetics. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.10.001>. <http://www.sciencedirect.com/science/article/pii/S0014488615301035>

Minert, A., Yatziv, S.-L., & Devor, M. (2017). Location of the mesopontine neurons responsible for maintenance of anesthetic loss of consciousness. [10.1523/JNEUROSCI.0544-17.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/08/16/JNEUROSCI.0544-17.2017...>

Minnerup, J., Kim, J. B., Schmidt, A., Diederich, K., Bauer, H., Schilling, M., . . . others. (2011). Effects of neural progenitor cells on sensorimotor recovery and endogenous repair mechanisms after photothrombotic stroke. *Stroke*, 42(6), 1757-1763. doi.

Minnerup, J., Kim, J. B., Schmidt, A., Diederich, K., Bauer, H., Schilling, M., . . . Schabitz, W.-R. (2011). Effects of Neural Progenitor Cells on Sensorimotor Recovery and Endogenous Repair Mechanisms After Photothrombotic Stroke. *Stroke*, 42(6), 1757-1763. doi: 10.1161/strokeaha.110.599282. <http://stroke.ahajournals.org/cgi/content/abstract/42/6/1757>

Minnich, J. E., Mann, S. L., Stock, M., Stolzenbach, K. A., Mortell, B. M., Soderstrom, K. E., . . . Kozlowski, D. A. (2010). Glial cell line-derived neurotrophic factor (GDNF) gene delivery protects cortical neurons from dying following a traumatic brain injury. *Restorative Neurology and Neuroscience*, 28(3), 293-309. doi.

Minocha, S., Valloton, D., Arsenijevic, Y., Cardinaux, J.-R., Guidi, R., Hornung, J.-P., & Lebrand, C. (2017). Nkx2.1 regulates the generation of telencephalic astrocytes during embryonic development. [Article]. *Scientific Reports*, 7, 43093. doi: 10.1038/srep43093

<http://www.nature.com/articles/srep43093#supplementary-information>. <http://dx.doi.org/10.1038/srep43093>

Mintz, C. D., Barrett, K. M., Student, S. C. S., Benson, D. L., & Harrison, N. L. (2012). Anesthetics Interfere with Axon Guidance and Growth Cone Function in Developing Neocortical Neurons via a GABAA Receptor Mechanism. *American Society of Anesthesiologists*. doi.

Mintz, C. D., Carcea, I., McNickle, D. G., Dickson, T. C., Ge, Y., Salton, S. R. J., & Benson, D. L. (2008). ERM proteins regulate growth cone responses to Sema3A. *Journal of Comparative Neurology*, 510(4), 351-366. doi.

Mintz, C. D., Smith, S. C., Barrett, K. M. S., & Benson, D. L. (2012). Anesthetics Interfere With the Polarization of Developing Cortical Neurons. *Journal of Neurosurgical Anesthesiology*, Publish Ahead of Print, 10.1097/ANA.1090b1013e31826a31803a31826. doi. [http://journals.lww.com/jnsa/Fulltext/publishahead/Anesthetics\\_Interfere...](http://journals.lww.com/jnsa/Fulltext/publishahead/Anesthetics_Interfere...)

Miocinovic, S., Parent, M., Butson, C. R., Hahn, P. J., Russo, G. S., Vitek, J. L., & McIntyre, C. C. (2006). Computational Analysis of Subthalamic Nucleus and Lenticular Fasciculus Activation During Therapeutic Deep Brain Stimulation. *Journal of Neurophysiology*, 96(3), 1569-1580. doi: 10.1152/jn.00305.2006. <http://jn.physiology.org/cgi/content/abstract/96/3/1569>

Miquelajauregui, A., Kribakaran, S., Mostany, R., Badaloni, A., Consalez, G., & Portera-Cailliau, C. (2014). Steady-state dynamics and experience-dependent plasticity of dendritic spines of layer 4/5a pyramidal neurons in somatosensory cortex. [Abstract]. *Frontiers in Systems Neuroscience*. doi: 10.3389/conf.fnsys.2014.05.00016. [http://www.frontiersin.org/Journal/FullText.aspx?s=1091&name=systems\\_neu...](http://www.frontiersin.org/Journal/FullText.aspx?s=1091&name=systems_neu...)

Miquelajauregui, A., Kribakaran, S., Mostany, R., Badaloni, A., Consalez, G. G., & Portera-Cailliau, C. (2015). Layer 4 Pyramidal Neurons Exhibit Robust Dendritic Spine Plasticity In Vivo after Input Deprivation. *The Journal of Neuroscience*, 35(18), 7287-7294. doi. <http://www.jneurosci.org/content/35/18/7287.short>

Mirescu, C., Peters, J. D., & Gould, E. (2004). Early life experience alters response of adult neurogenesis to stress. *Nature of Neuroscience*, 7, 841-846. doi.

Mischel, N. A., Llewellyn-Smith, I. J., & Mueller, P. J. (2013). Physical (in)activity dependent structural plasticity in bulbospinal catecholaminergic neurons of rat rostral ventrolateral medulla. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23464. <http://dx.doi.org/10.1002/cne.23464>

Mishra, A., Knerr, B., Paixao, S., Kramer, E. R., & Klein, R. (2008). Dendrite arborization and synapse maturation (Dasm)-1 is dispensable for dendrite arborization. *Molecular and Cellular Biology*, MCB.02102-02107. doi: 10.1128/mcb.02102-07. <http://mcb.asm.org/cgi/content/abstract/MCB.02102-07v1>

Mishra, A., Knerr, B., Paixao, S., Kramer, E. R., & Klein, R. (2008). The Protein Dendrite Arborization and Synapse Maturation 1 (Dasm-1) Is Dispensable for Dendrite Arborization. *Molecular and Cellular Biology*, 28(8), 2782-2791. doi: 10.1128/mcb.02102-07. <http://mcb.asm.org/cgi/content/abstract/28/8/2782>

Mishra, R. K., Kim, S., Guzman, S. J., & Jonas, P. (2016). Symmetric spike timing-dependent plasticity at CA3-CA3 synapses optimizes storage and recall in autoassociative networks. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11552. <http://dx.doi.org/10.1038/ncomms11552>

Mitchell, E. J., Dewar, D., & Maxwell, D. J. (2016). Is Remodelling of Corticospinal Tract Terminations Originating in the Intact Hemisphere Associated with Recovery following Transient Ischaemic Stroke in the Rat? *PLoS ONE*, 11(3), e0152176. doi: 10.1371/journal.pone.0152176. <http://dx.doi.org/10.1371%2Fjournal.pone.0152176>

Mitchell, E. J., McCallum, S., Dewar, D., & Maxwell, D. J. (2016). Corticospinal and Reticulospinal Contacts on Cervical Commissural and Long Descending Propriospinal Neurons in the Adult Rat Spinal Cord; Evidence for Powerful Reticulospinal Connections. *PLoS ONE*, 11(3), e0152094. doi: 10.1371/journal.pone.0152094. <http://dx.doi.org/10.1371%2Fjournal.pone.0152094>

Mitra, A., Mitra, S. S., & Tsien, R. W. (2011). Heterogeneous reallocation of presynaptic efficacy in recurrent excitatory circuits adapting to inactivity. [10.1038/nn.3004]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3004.html#suppl.....http://dx.doi.org/10.1038/nn.3004>

Mitra, R., Jadhav, S., McEwen, B. S., Vyas, A., & Chattarji, S. (2005). Stress duration modulates the spatiotemporal patterns of spine formation in the basolateral amygdala. *PNAS*, 102(26), 9371-9376. doi: <http://www.pnas.org/cgi/content/abstract/102/26/9371>

Mitrić, M., Seewald, A., Moschetti, G., Sacerdote, P., Ferraguti, F., Kummer, K. K., & Kress, M. (2019). Layer- and subregion-specific electrophysiological and morphological changes of the medial prefrontal cortex in a mouse model of neuropathic pain. *Scientific Reports*, 9(1), 9479. doi: 10.1038/s41598-019-45677-z. <https://doi.org/10.1038/s41598-019-45677-z>

Mittelman-Smith, M. A., Krajewski-Hall, S. J., McMullen, N. T., & Rance, N. E. (2015). Neurokinin 3 Receptor-Expressing Neurons in the Median Preoptic Nucleus Modulate Heat-Dissipation Effectors in the Female Rat. *Endocrinology*, 0(0), en.2014-1974. doi: doi:10.1210/en.2014-1974. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1974>

Mittelman-Smith, M. A., Williams, H., Krajewski-Hall, S. J., Lai, J., Ciofi, P., McMullen, N. T., & Rance, N. E. (2012). Arcuate Kisspeptin/Neurokinin B/Dynorphin (KNDy) Neurons Mediate the Estrogen Suppression of Gonadotropin Secretion and Body Weight. *Endocrinology*, 153(6), 2800-2812. doi:

Mix, A., Hoppenrath, K., & Funke, K. (2014). Reduction in cortical parvalbumin expression due to intermittent theta-burst stimulation correlates with maturation of the perineuronal nets in

young rats. *Developmental Neurobiology*, n/a-n/a. doi:  
10.1002/dneu.22205.  
<http://dx.doi.org/10.1002/dneu.22205>

Miyamae, T., Chen, K., Lewis, D. A., & Gonzalez Burgos, G. (2017). Distinct physiological maturation of parvalbumin-positive neuron subtypes in mouse prefrontal cortex. [10.1523/JNEUROSCI.3325-16.2017]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2017/04/13/JNEUROSCI.3325-16.2017...>

Miyamoto, D., Iijima, M., Yamamoto, H., Nomura, H., & Matsuki, N. (2011). Behavioural effects of antidepressants are dependent and independent on the integrity of the dentate gyrus. *International Journal of Neuropsychopharmacology*, 14(07), 967-976. doi: 10.1017/S1461145710001276. <http://dx.doi.org/10.1017/S1461145710001276>

Miyamoto, M., Tsuboi, Y., Honda, K., Kobayashi, M., Takamiya, K., Huganir, R. L., . . . Iwata, K. (2012). Involvement of AMPA Receptor GluR2 and GluR3 Trafficking in Trigeminal Spinal Subnucleus Caudalis and C1/C2 Neurons in Acute-Facial Inflammatory Pain. *PLoS ONE*, 7(8), e44055. doi: 10.1371/journal.pone.0044055. <http://dx.doi.org/10.1371%2Fjournal.pone.0044055>

Miyamoto, M., Tsuboi, Y., Takamiya, K., Huganir, R. L., Kondo, M., Shinoda, M., . . . Iwata, K. (2011). Involvement of GluR2 and GluR3 subunit C-termini in the trigeminal spinal subnucleus caudalis and C1-C2 neurons in trigeminal neuropathic pain. *Neuroscience Letters*. doi:

Miyamoto, Y., & Fukuda, T. (2015). Immunohistochemical study on the neuronal diversity and three-dimensional organization of the mouse entopeduncular nucleus. *Neuroscience Research*, (0). doi: <http://dx.doi.org/10.1016/j.neures.2015.02.006>. <http://www.sciencedirect.com/science/article/pii/S016801021500053X>

Miyamoto, Y., & Fukuda, T. (2021). The habenula-targeting neurons in the mouse entopeduncular nucleus contain not only somatostatin-positive neurons but also nitric oxide synthase-positive neurons. *Brain Structure and Function*. doi: 10.1007/s00429-021-02264-1. <https://doi.org/10.1007/s00429-021-02264-1>

Miyamoto, Y., Katayama, S., Shigematsu, N., Nishi, A., & Fukuda, T. (2018). Striosome-based map of the mouse striatum that is conformable to both cortical afferent topography and uneven distributions of dopamine D1 and D2 receptor-expressing cells. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1749-3. <https://doi.org/10.1007/s00429-018-1749-3>

Miyamoto, Y., Nagayoshi, I., Nishi, A., & Fukuda, T. (2019). Three divisions of the mouse caudal striatum differ in the proportions of dopamine D1 and D2 receptor-expressing cells, distribution of dopaminergic axons, and composition of cholinergic and GABAergic interneurons. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01928-3. <https://doi.org/10.1007/s00429-019-01928-3>

Miyashita, T., Wintzer, M., Kurotani, T., Konishi, T., Ichinohe, N., & Rockland, K. S. (2010). Neurotrophin-3 is involved in the formation of apical dendritic bundles in cortical layer 2 of the rat. *Cerebral Cortex*, 20(1), 229-240. doi:

Miyoshi, G., Hjerling-Leffler, J., Karayannis, T., Sousa, V. H., Butt, S. J. B., Battiste, J., . . . Fishell, G. (2010). Genetic Fate Mapping Reveals That the Caudal Ganglionic Eminence Produces a Large and Diverse Population of Superficial Cortical Interneurons. *Journal of Neuroscience*, 30(5), 1582-1594. doi: 10.1523/jneurosci.4515-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/5/1582>

Mizrahi, A. (2007). Dendritic development and plasticity of adult-born neurons in the mouse olfactory bulb. *Nature Neuroscience*, 10, 444-452. doi.

Mizrahi, A., Ben-Ner, E., Katz, M. J., Kedem, K., Glusman, J. G., & Libersat, F. (2000). Comparative analysis of dendritic architecture of identified neurons using the Hausdorff distance metric. *Journal of Comparative Neurology*, 422(3), 415-428. doi.

Mizrahi, A., Crowley, J. C., Shtoyerman, E., & Katz, L. C. (2004). High-Resolution In Vivo Imaging of Hippocampal Dendrites and Spines. *Journal of Neuroscience*, 24(13), 3147-3151. doi. <http://www.jneurosci.org/cgi/content/abstract/24/13/3147>

Mizrahi, A., & Katz, L. C. (2003). Dendritic stability in the adult olfactory bulb. *Nature of Neuroscience*, 6, 1201-1207. doi.

Mizrahi, A., & Libersat, F. (2001). Synaptic Reorganization Induced by Selective Photoablation of an Identified Neuron. *Journal of Neuroscience*, 21(23), 9280-9290. doi. <http://www.jneurosci.org/cgi/content/abstract/21/23/9280>

Mizrahi, A., & Libersat, F. (2002). Afferent input regulates the formation of distal dendritic branches. *Journal of Comparative Neurology*, 452(1), 1-10. doi.

Mizuno, T., Schmauss, C., & Rayport, S. (2007). Distinct roles of presynaptic dopamine receptors in the differential modulation of the intrinsic synapses of medium-spiny neurons in the nucleus accumbens. *BMC Neuroscience*, 8(1), 8. doi. <http://www.biomedcentral.com/1471-2202/8/8>

Mlynárik, V., Kohler, I., Gambarota, G., Vaslin, A., Clarke, P. G. H., & Gruetter, R. (2008). Quantitative proton spectroscopic imaging of the neurochemical profile in rat brain with microliter resolution at ultra-short echo times. *Magnetic Resonance in Medicine*, 59(1), 52-58. doi.

Modirrousta, M., Mainville, L., & Jones, B. (2007). Dynamic changes in GABAA receptors on basal forebrain cholinergic neurons following sleep deprivation and recovery. *BMC Neuroscience*, 8(1), 15. doi. <http://www.biomedcentral.com/1471-2202/8/15>

Mòdol, L., Sousa, V. H., Malvache, A., Tressard, T., Baude, A., & Cossart, R. (2017). Spatial Embryonic Origin Delineates GABAergic Hub Neurons Driving Network Dynamics in the Developing Entorhinal Cortex. *Cerebral Cortex*, 1-13. doi. <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx198/405654...>

Moench, K. M., Maroun, M., Kavushansky, A., & Wellman, C. (2015). Alterations in Neuronal Morphology in Infralimbic Cortex Predict Resistance to Fear Extinction Following Acute Stress. *Neurobiology of Stress*.

doi: <http://dx.doi.org/10.1016/j.yjnstr.2015.12.002>. <http://www.sciencedirect.com/science/article/pii/S2352289515300217>

Moench, K. M., & Wellman, C. L. (2017). Differential dendritic remodeling in prelimbic cortex of male and female rats during recovery from chronic stress. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.05.049>. <http://www.sciencedirect.com/science/article/pii/S0306452217303834>

Moga, M. M., Dempah, D., & Zhou, D. (2005). Annexin 7-immunoreactive microglia in the hippocampus of control and adrenalectomized rats. *Neuroscience Letters*, 380(1), 42-47. doi.

Moga, M. M., Geib, B. M., Zhou, D., & Prins, G. S. (2000). Androgen receptor-immunoreactivity in the forebrain of the Eastern Fence lizard (*Sceloporus undulatus*). *Brain Research*, 879(1-2), 174-182. doi.

Moga, M. M., & Moore, R. Y. (1996). Putative excitatory amino acid projections to the suprachiasmatic nucleus in the rat. *Brain Research*, 743(1-2), 171-177. doi.

Mohajeri, M. H., Figlewicz, D. A., & Bohn, M. C. (1999). Intramuscular grafts of myoblasts genetically modified to secrete glial cell line-derived neurotrophic factor prevent motoneuron loss and disease progression in a mouse model of familial amyotrophic lateral sclerosis. *Human Gene Therapy*, 10(11), 1853-1866. doi.

Mohammad, H., Marchisella, F., Ortega-Martinez, S., Hollos, P., Eerola, K., Komulainen, E., . . . Coffey, E. T. (2016). JNK1 controls adult hippocampal neurogenesis and imposes cell-autonomous control of anxiety behaviour from the neurogenic niche. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.203. <http://dx.doi.org/10.1038/mp.2016.203>

Mohammad, M. G., Tsai, V. W., Ruitenbergh, M. J., Hassanpour, M., Li, H., Hart, P. H., . . . Brown, D. A. (2014). Immune cell trafficking from the brain maintains CNS immune tolerance. *The Journal of Clinical Investigation*, 124(3), 1228. doi. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3934177/>

Mohammed, A. H., & Bogdanovi, N. (2011). Effect of environmental enrichment on morphology of deep layer III and layer V pyramidal cells of occipital cortex in oldest-old rat. *Çôa quantitative Golgi Cox study*. *Collegium Antropologicum*, 35(1), 253-258. doi.

Mohammed, H., & Jain, N. (2013). Two whisker motor areas in the rat cortex: Evidence from thalamocortical connections. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23424. <http://dx.doi.org/10.1002/cne.23424>

Mohammed, H., & Jain, N. (2016). Ipsilateral cortical inputs to the rostral and caudal motor areas in rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24011. <http://dx.doi.org/10.1002/cne.24011>

Mohan, H., de Haan, R., Broersen, R., Pieneman, A. W., Helmchen, F., Staiger, J. F., . . . de Kock, C. P. J. (2019). Functional architecture and encoding of tactile sensorimotor behavior in rat posterior parietal cortex. *The Journal of Neuroscience*, 0693-0619. doi:



10.1523/jneurosci.0693-

19.2019. <http://www.jneurosci.org/content/early/2019/07/22/JNEUROSCI.0693-19.2019...>

Mohan, H., Verhoog, M. B., Doreswamy, K. K., Eyal, G., Aardse, R., Lodder, B. N., . . . de Kock, C. P. J. (2015). Dendritic and Axonal Architecture of Individual Pyramidal Neurons across Layers of Adult Human Neocortex. *Cerebral Cortex*. doi:

10.1093/cercor/bhv188. <http://cercor.oxfordjournals.org/content/early/2015/08/28/cercor.bhv188...>

Mohan, V., Sullivan, C. S., Guo, J., Wade, S. D., Majumder, S., Agarwal, A., . . . Maness, P. F. (2018). Temporal Regulation of Dendritic Spines Through NrCAM-Semaphorin3F Receptor Signaling in Developing Cortical Pyramidal Neurons. *Cerebral Cortex*. doi:

10.1093/cercor/bhy004. <http://dx.doi.org/10.1093/cercor/bhy004>

Mohan, V., Wade, S. D., Sullivan, C. S., Kasten, M. R., Sweetman, C., Stewart, R., . . . Maness, P. F. (2019). Close Homolog of L1 Regulates Dendritic Spine Density in the Mouse Cerebral Cortex through Semaphorin 3B. *The Journal of Neuroscience*, 2984-2918. doi:

10.1523/jneurosci.2984-

18.2019. <http://www.jneurosci.org/content/early/2019/06/10/JNEUROSCI.2984-18.2019...>

Mohr, M. A., & Sisk, C. L. (2013). Pubertally born neurons and glia are functionally integrated into limbic and hypothalamic circuits of the male Syrian hamster. *Proceedings of the National Academy of Sciences*. doi:

10.1073/pnas.1219443110. <http://www.pnas.org/content/early/2013/03/01/1219443110.abstract>

Mojabi, F. S., Fahimi, A., Moghadam, S., Moghadam, S., McNerneny, M. W., Ponnusamy, R., . . . Salehi, A. (2016). GABAergic Hyperinnervation of Dentate Granule Cells in the Ts65Dn Mouse Model of Down Syndrome Exploring the Role of App. *Hippocampus*, n/a-n/a. doi:

10.1002/hipo.22664. <http://dx.doi.org/10.1002/hipo.22664>

Molnár, G., Faragó, N., Kocsis, Á. K., Rózsa, M., Lovas, S., Boldog, E., . . . Puskás, L. G. (2014). GABAergic Neurogliaform Cells Represent Local Sources of Insulin in the Cerebral Cortex. *Journal of Neuroscience*, 34(4), 1133-1137.

doi. <http://www.jneurosci.org/content/34/4/1133.short>

Molnár, G., Oláh, S., Komlósi, G., Füle, M., Szabadics, J., Varga, C., . . . Tamás, G. (2008). Complex events initiated by individual spikes in the human cerebral cortex. *PLoS Biology*, 6(9), e222-e222. doi:

Mong, J. A., & Blutstein, T. (2006). Estradiol modulation of astrocytic form and function: implications for hormonal control of synaptic communication. *Neuroscience*, 138(3), 967-975. doi:

Mong, J. A., Glaser, E., & McCarthy, M. M. (1999). Gonadal Steroids Promote Glial Differentiation and Alter Neuronal Morphology in the Developing Hypothalamus in a Regionally Specific Manner. *Journal of Neuroscience*, 19(4), 1464-1472.

doi. <http://www.jneurosci.org/cgi/content/abstract/19/4/1464>

Mong, J. A., & McCarthy, M. M. (2002). Ontogeny of sexually dimorphic astrocytes in the neonatal rat arcuate. *Developmental Brain Research*, 139(2), 151-158. doi.

Mong, J. A., Nunez, J. L., & McCarthy, M. M. (2002). GABA Mediates Steroid-Induced Astrocyte Differentiation in the Neonatal Rat Hypothalamus. *Journal of Neuroendocrinology*, 14(1), 45-55. doi: doi:10.1046/j.1365-2826.2002.00737.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1365-2826.2002.00737.x>

Mongeau, R., Miller, G. A., Chiang, E., & Anderson, D. J. (2003). Neural correlates of competing fear behaviors evoked by an innately aversive stimulus. *Journal of Neuroscience*, 23(9), 3855-3868. doi.

Montezun, S., Ouali, S., Poulain, D. A., & Theodosis, D. T. (2005). Polysialic acid is required for active phases of morphological plasticity of neurosecretory axons and their glia. *Molecular and Cellular Neuroscience*, 29(4), 516-524. doi.

Monory, K., Polack, M., Remus, A., Lutz, B., & Korte, M. (2015). Cannabinoid CB1 Receptor Calibrates Excitatory Synaptic Balance in the Mouse Hippocampus. *The Journal of Neuroscience*, 35(9), 3842-3850. doi.

Monory, K., Polack, M., Remus, A., Lutz, B., & Korte, M. (2015). Cannabinoid CB1 Receptor Calibrates Excitatory Synaptic Balance in the Mouse Hippocampus. *The Journal of Neuroscience*, 35(9), 3842-3850. doi. <http://www.jneurosci.org/content/35/9/3842.short>

Monroy, F. P., Banerjee, S. K., Duong, T., & Aviles, H. (1999). Cold stress-induced modulation of inflammatory responses and intracerebral cytokine mRNA expression in acute murine toxoplasmosis. *Journal of Parasitology*, 878-886. doi.

Montag-Sallaz, M., Baarke, A., & Montag, D. (2003). Aberrant neuronal connectivity in CHL1-deficient mice is associated with altered information processing-related immediate early gene expression. *Journal of Neurobiology*, 57(1), 67-80. doi.

Montag-Sallaz, M., & Buonviso, N. (2002). Altered odor-induced expression of c-fos and arg 3.1 immediate early genes in the olfactory system after familiarization with an odor. *Journal of Neurobiology*, 52(1), 61-72. doi.

Montag-Sallaz, M., Montag, D., & Schachner, M. (2003). Altered processing of novel information in N-CAM-deficient mice. *Neuroreport*, 14(10), 1343-1343. doi.

Montag-Sallaz, M., Welzl, H., Kuhl, D., Montag, D., Schachner, M., & others. (1999). Novelty-induced increased expression of immediate-early genes c-fos and arg 3.1 in the mouse brain. *Journal of Neurobiology*, 38(2), 234-246. doi.

Montague, S. J., Fenrich, K. K., Mayer-Macaulay, C., Maratta, R., Neuber-Hess, M. S., & Rose, P. K. (2012). Non-uniform distribution of contacts from noradrenergic and serotonergic boutons on the dendrites of cat splenius motoneurons. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23196. <http://dx.doi.org/10.1002/cne.23196>

Montarolo, F., Martire, S., Perga, S., Spadaro, M., Brescia, I., Allegra, S., . . . Bertolotto, A. (2019). NURR1 deficiency is associated to ADHD-like phenotypes in mice. *Translational Psychiatry*, 9(1), 207. doi: 10.1038/s41398-019-0544-0. <https://doi.org/10.1038/s41398-019-0544-0>

Montarolo, F., Parolisi, R., Hoxha, E., Boda, E., & Tempia, F. (2013). Early Enriched Environment Exposure Protects Spatial Memory and Accelerates Amyloid Plaque Formation in APP<sup>Swe</sup>/PS1<sup>L166P</sup> Mice. *PLoS ONE*, 8(7), e69381. doi: 10.1371/journal.pone.0069381. <http://dx.doi.org/10.1371%2Fjournal.pone.0069381>

Montarolo, F., Perga, S., Martire, S., & Bertolotto, A. (2015). Nurr1 reduction influences the onset of chronic EAE in mice. *Inflammation Research*, 1-4. doi: 10.1007/s00011-015-0871-4. <http://dx.doi.org/10.1007/s00011-015-0871-4>

Monteiro, G. A., Clemo, H. R., & Meredith, M. A. (2003). Anterior ectosylvian cortical projections to the rostral suprasylvian multisensory zone in cat. *Neuroreport*, 14(17), 2139-2139. doi: 10.1097/00006123-200310170-00000

Moon, L. D. F., Leasure, J. L., Gage, F. H., & Bunge, M. B. (2006). Motor enrichment sustains hindlimb movement recovered after spinal cord injury and glial transplantation. *Restorative Neurology and Neuroscience*, 24(3), 147-161. doi: 10.1007/s10161-006-0001-0

Moonat, S., Sakharkar, A. J., Zhang, H., & Pandey, S. C. (2011). The role of amygdaloid brain-derived neurotrophic factor, activity-regulated cytoskeleton-associated protein and dendritic spines in anxiety and alcoholism. *Addiction Biology*, no-no. doi: 10.1111/j.1369-1600.2010.00275.x. <http://dx.doi.org/10.1111/j.1369-1600.2010.00275.x>

Moore, A. R., Zhou, W. L., Jakovcevski, I., Zecevic, N., & Antic, S. D. (2012). Physiological properties of human fetal cortex in vitro. *Isolated Central Nervous System Circuits* (Ed K Ballanyi), *Neuromethods Series*, 73, 125-158. doi: 10.1007/978-1-4939-9000-0\_10

Moore, A. R., Zhou, W.-L., Jakovcevski, I., Zecevic, N., & Antic, S. D. (2011). Spontaneous Electrical Activity in the Human Fetal Cortex In Vitro. *Journal of Neuroscience*, 31(7), 2391-2398. doi: 10.1523/jneurosci.3886-10.2011. <http://www.jneurosci.org/content/31/7/2391.abstract>

Moore, A. W., Bearden, S. E., & Segal, S. S. (2010). Regional activation of rapid onset vasodilatation in mouse skeletal muscle: regulation through  $\alpha$ -adrenoreceptors. *Journal of Physiology*, 588(17), 3321-3331. doi: 10.1113/jphysiol.2010.193672. <http://jp.physoc.org/content/588/17/3321.abstract>

Moore, J. D., Deschênes, M., Kurnikova, A., & Kleinfeld, D. (2014). Activation and measurement of free whisking in the lightly anesthetized rodent. *Nature Protocols*, 9(8), 1792-1802. doi: <http://www.nature.com/nprot/journal/v9/n8/abs/nprot.2014.119.html>

Moore, J. D., Mercer Lindsay, N., Deschênes, M., & Kleinfeld, D. (2015). Vibrissa Self-Motion and Touch Are Reliably Encoded along the Same Somatosensory Pathway from Brainstem through Thalamus. *PLoS Biol*, 13(9), e1002253. doi: 10.1371/journal.pbio.1002253. <http://dx.doi.org/10.1371%2Fjournal.pbio.1002253>

Mooser, F., Bosking, W. H., & Fitzpatrick, D. (2004). A morphological basis for orientation tuning in primary visual cortex. *Nature of Neuroscience*, 7, 872-879. doi:

Morais, M., Patricio, P., Mateus-Pinheiro, A., Alves, N. D., Machado-Santos, A. R., Correia, J. S., . . . Bessa, J. M. (2017). The modulation of adult neuroplasticity is involved in the mood-improving actions of atypical antipsychotics in an animal model of depression. [Original Article]. *Transl Psychiatry*, 7, e1146. doi: 10.1038/tp.2017.120. <http://dx.doi.org/10.1038/tp.2017.120>

Morais, M., Santos, P. A., Mateus-Pinheiro, A., Patricio, P., Pinto, L., Sousa, N., . . . Bessa, J. M. (2014). The effects of chronic stress on hippocampal adult neurogenesis and dendritic plasticity are reversed by selective MAO-A inhibition. *Journal of Psychopharmacology*. doi: 10.1177/0269881114553646. <http://jop.sagepub.com/content/early/2014/10/09/0269881114553646.abstract>

Morales Silva, R., Alvarado-Torres, J., Boudewyn, L., & Walkley, S. (2015). Characterization of Dendritogenesis in Cortical Pyramidal Layer V Neurons in Niemann-Pick Type C Disease Using Yellow Fluorescent Protein. *The FASEB journal*, 29(1 Supplement). doi. [http://www.fasebj.org/content/29/1\\_Supplement/LB637.abstract](http://www.fasebj.org/content/29/1_Supplement/LB637.abstract)

Morawski, M., Hartlage-Rübsamen, M., Jäger, C., Waniek, A., Schilling, S., Schwab, C., . . . Roßsner, S. (2010). Distinct glutaminy cyclase expression in Edinger-Westphal nucleus, locus coeruleus and nucleus basalis Meynert contributes to pGlu-A $\beta$  pathology in Alzheimer's disease. *Acta Neuropathologica*, 120(2), 195-207. doi:

Morbin, M., Capobianco, R., Borgna, M., Lombardi, R., Geppetti, P., Davis, J. B., . . . Lauria, G. (2004). Painful diabetic neuropathy (pdn): a morphological study of capsaicin receptor distribution. *Journal of the Peripheral Nervous System*, 9(2), 119-120. doi: doi:10.1111/j.1085-9489.2004.009209ay.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Morcuende, S., Delgado-Garcia, J.-M., & Ugolini, G. (2002). Neuronal Premotor Networks Involved in Eyelid Responses: Retrograde Transneuronal Tracing with Rabies Virus from the Orbicularis Oculi Muscle in the Rat. *Journal of Neuroscience*, 22(20), 8808-8818. doi. <http://www.jneurosci.org/cgi/content/abstract/22/20/8808>

Moreau, M. M., Pignel, N., Papouin, T., Koehl, M., Durand, C. M., Rubio, M. E., . . . Sans, N. (2010). The Planar Polarity Protein Scribble1 Is Essential for Neuronal Plasticity and Brain Function. *Journal of Neuroscience*, 30(29), 9738-9752. doi: 10.1523/jneurosci.6007-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/29/9738>

Morecraft, R. J., Binneboese, A., Stilwell-Morecraft, K. S., & Ge, J. (2017). Localization of Orofacial Representation in the Corona Radiata, Internal Capsule and Cerebral Peduncle in *Macaca mulatta*. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24275. <http://dx.doi.org/10.1002/cne.24275>

Morecraft, R. J., Cipolloni, P. B., Stilwell-Morecraft, K. S., Gedney, M. T., & Pandya, D. N. (2004). Cytoarchitecture and cortical connections of the posterior cingulate and adjacent

somatosensory fields in the rhesus monkey. *Journal of Comparative Neurology*, 469(1), 37-69. doi.

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., McNeal, D. W., Hynes, S. M., Pizzimenti, M. A., . . . Darling, W. G. (2015). Frontal and Frontoparietal Injury Differentially affect the Ipsilateral Corticospinal Projection from the Non-lesioned Hemisphere in Monkey (*Macaca mulatta*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23861. <http://dx.doi.org/10.1002/cne.23861>

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., McNeal, D. W., Pizzimenti, M. A., & Darling, W. G. (2013). Terminal distribution of the corticospinal projection from the hand/arm region of the primary motor cortex to the cervical enlargement in rhesus monkey. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23410. <http://dx.doi.org/10.1002/cne.23410>

Morecraft, R. J., Ge, J., Stilwell-Morecraft, K. S., Rotella, D. L., Pizzimenti, M. A., & Darling, W. G. (2019). Terminal organization of the corticospinal projection from the lateral premotor cortex to the cervical enlargement (C5–T1) in rhesus monkey. *Journal of Comparative Neurology*, 0(0). doi: 10.1002/cne.24706. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24706>

Morecraft, R. J., Herrick, J. L., Stilwell-Morecraft, K. S., Louie, J. L., Schroeder, C. M., Ottenbacher, J. G., & Schoolfield, M. W. (2002). Localization of arm representation in the corona radiata and internal capsule in the non-human primate. *Brain*, 125(1), 176-198. doi: 10.1093/brain/awf011. <http://brain.oxfordjournals.org/cgi/content/abstract/125/1/176>

Morecraft, R. J., McNeal, D. W., Stilwell-Morecraft, K. S., Dvanajscak, Z., Ge, J., & Schneider, P. (2007). Localization of arm representation in the cerebral peduncle of the non-human primate. *Journal of Comparative Neurology*, 504(2), 149-167. doi.

Morecraft, R. J., McNeal, D. W., Stilwell-Morecraft, K. S., Gedney, M., Ge, J., Schroeder, C. M., & Van Hoesen, G. W. (2007). Amygdala interconnections with the cingulate motor cortex in the rhesus monkey. *Journal of Comparative Neurology*, 500(1), 134-165. doi.

Morecraft, R. J., Stilwell-Morecraft, K. S., Cipolloni, P. B., Ge, J., McNeal, D. W., & Pandya, D. N. (2012). Cytoarchitecture and Cortical Connections of the Anterior Cingulate and Adjacent Somatomotor Fields in the Rhesus Monkey. *Brain Research Bulletin*. doi.

Morecraft, R. J., Stilwell-Morecraft, K. S., Ge, J., Cipolloni, P. B., & Pandya, D. N. (2015). Cytoarchitecture and Cortical Connections of the Anterior Insula and Adjacent Frontal Motor Fields in the Rhesus Monkey. *Brain Research Bulletin*. doi: <http://dx.doi.org/10.1016/j.brainresbull.2015.10.004>. <http://www.sciencedirect.com/science/article/pii/S0361923015300447>

Morecraft, R. J., Stilwell-Morecraft, K. S., Solon-Cline, K. M., Ge, J., & Darling, W. G. (2014). Cortical innervation of the hypoglossal nucleus in the non-human primate (*Macaca mulatta*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23614. <http://dx.doi.org/10.1002/cne.23614>

Moreira, T. S., Takakura, A. C., Colombari, E., & Guyenet, P. G. (2006). Central chemoreceptors and sympathetic vasomotor outflow. *Journal of Physiology*, 577(1), 369-386. doi: 10.1113/jphysiol.2006.115600. <http://jp.physoc.org/cgi/content/abstract/577/1/369>

Moreira, T. S., Takakura, A. C., Colombari, E., West, G. H., & Guyenet, P. G. (2007). Inhibitory input from slowly adapting lung stretch receptors to retrotrapezoid nucleus chemoreceptors. *Journal of Physiology*, 580(1), 285-300. doi: 10.1113/jphysiol.2006.125336. <http://jp.physoc.org/cgi/content/abstract/580/1/285>

Morel, A., Gallay, M. N., Baechler, A., Wyss, M., & Gallay, D. S. (2013). The human insula: architectonic organization and postmortem mri registration. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2012.12.076>. <http://www.sciencedirect.com/science/article/pii/S0306452213000419>

Morel, A., Liu, J., Wannier, T., Jeanmonod, D., & Rouiller, E. M. (2005). Divergence and convergence of thalamocortical projections to premotor and supplementary motor cortex: a multiple tracing study in the macaque monkey. *European Journal of Neuroscience*, 21(4), 1007-1029. doi: doi:10.1111/j.1460-9568.2005.03921.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03921.x>

Morel, A., Loup, F., Magnin, M., & Jeanmonod, D. (2002). Neurochemical organization of the human basal ganglia: Anatomofunctional territories defined by the distributions of calcium-binding proteins and SMI-32. *Journal of Comparative Neurology*, 443(1), 86-103. doi.

Morel, A., Magnin, M., & Jeanmonod, D. (2001). Efferent connections of the human striatum and pallidum: a nauta degeneration study. *Basal ganglia and thalamus in health and disease*. Kluwer, New York, 61-65. doi.

Morel, C., Sherrin, T., Kennedy, N. J., Forest, K. H., Avcioglu Barutcu, S., Robles, M., . . . Todorovic, C. (2018). JIP1-Mediated JNK Activation Negatively Regulates Synaptic Plasticity and Spatial Memory. [10.1523/JNEUROSCI.1913-17.2018]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2018/03/14/JNEUROSCI.1913-17.2018..>

Morelli, E., Ghiglieri, V., Pendolino, V., Bagetta, V., Pignataro, A., Fejtova, A., . . . Calabresi, P. (2014). Environmental enrichment restores CA1 hippocampal LTP and reduces severity of seizures in epileptic mice. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.05.010>. <http://www.sciencedirect.com/science/article/pii/S0014488614001526>

Morellini, F., Sivukhina, E., Stoenica, L., Oulianova, E., Bukalo, O., Jakovcevski, I., . . . Schachner, M. (2010). Improved Reversal Learning and Working Memory and Enhanced Reactivity to Novelty in Mice with Enhanced GABAergic Innervation in the Dentate Gyrus. *Cerebral Cortex*, bhq017. doi: 10.1093/cercor/bhq017. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq017v1>

Morello, N., Tonoli, E., Logrand, F., Fiorito, V., Fagoonee, S., Turco, E., . . . Tolosano, E. (2009). Haemopexin affects iron distribution and ferritin expression in mouse brain. *Journal of Cellular and Molecular Medicine*, 13(10), 4192-4204. doi.



Moreno-Juan, V., Filipchuk, A., Antón-Bolaños, N., Mezzera, C., Gezelius, H., Andrés, B., . . . López-Bendito, G. (2017). Prenatal thalamic waves regulate cortical area size prior to sensory processing. [Article]. *Nature Communications*, 8, 14172. doi: 10.1038/ncomms14172

<http://www.nature.com/articles/ncomms14172#supplementary-information>. <http://dx.doi.org/10.1038/ncomms14172>

Moresco, E. M. Y., Donaldson, S., Williamson, A., & Koleske, A. J. (2005). Integrin-Mediated Dendrite Branch Maintenance Requires Abelson (Abl) Family Kinases. *Journal of Neuroscience*, 25(26), 6105-6118.

doi: <http://www.jneurosci.org/cgi/content/abstract/25/26/6105>

Moretto, N., Bolchi, A., Rivetti, C., Imbimbo, B. P., Villetti, G., Pietrini, V., . . . Ottonello, S. (2007). Conformation-sensitive Antibodies against Alzheimer Amyloid-beta by Immunization with a Thioredoxin-constrained B-cell Epitope Peptide. *Journal of Biological Chemistry*, 282(15), 11436-11445. doi:

10.1074/jbc.M609690200. <http://www.jbc.org/cgi/content/abstract/282/15/11436>

Morgado, P., Marques, F., Ribeiro, B., Leite-Almeida, H., Pêgo, J. M., Rodrigues, A. J., . . . Cerqueira, J. J. (2015). Stress induced risk-aversion is reverted by D2/D3 agonist in the rat. *European Neuropsychopharmacology*.

doi: <http://dx.doi.org/10.1016/j.euroneuro.2015.07.003>, <http://www.sciencedirect.com/science/article/pii/S0924977X15002217>

Morgan, C. W. (2001). Axons of sacral preganglionic neurons in the cat: I. Origin, initial segment, and myelination. *Journal of Neurocytology*, 30(6), 523-544. doi.

Morgan, C. W. (2001). Axons of sacral preganglionic neurons in the cat: II. Axon collaterals. *Journal of Neurocytology*, 30(9), 767-787. doi.

Morgan, C. W., & Ohara, P. T. (2001). Quantitative analysis of the dendrites of sacral preganglionic neurons in the cat. *Journal of Comparative Neurology*, 437(1), 56-69. doi.

Morgan, J. T., & Amaral, D. G. (2013). A comparative analysis of the dendritic organization of principal neurons in the lateral and central nuclei of the rhesus macaque and rat amygdala. *Journal of Comparative Neurology*, n/a-n/a. doi:

10.1002/cne.23467. <http://dx.doi.org/10.1002/cne.23467>

Morillas, E., Gómez-Chacón, B., & Gallo, M. (2017). Flavor and object recognition memory impairment induced by excitotoxic lesions of the perirhinal cortex. *Neurobiology of Learning and Memory*, 144, 230-234.

doi: <https://doi.org/10.1016/j.nlm.2017.08.002>, <http://www.sciencedirect.com/science/article/pii/S1074742717301272>

Morino, S., Petrucci, M. T., Gragnani, F., Ceschin, V., Clemenzi, A., Di Pasquale, A., & Antonimi, G. (2004). Thalidomide-associated neuropathy in multiple myeloma. *Journal of the Peripheral Nervous System*, 9(2), 116-116. doi.

- Morishima, M., & Kawaguchi, Y. (2006). Recurrent Connection Patterns of Corticostriatal Pyramidal Cells in Frontal Cortex. *Journal of Neuroscience*, 26(16), 4394-4405. doi: 10.1523/jneurosci.0252-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/16/4394>
- Morishima, M., Kobayashi, K., Kato, S., Kobayashi, K., & Kawaguchi, Y. (2017). Segregated Excitatory–Inhibitory Recurrent Subnetworks in Layer 5 of the Rat Frontal Cortex. *Cerebral Cortex*, 1-12. doi: 10.1093/cercor/bhx276. <http://dx.doi.org/10.1093/cercor/bhx276>
- Morishima, M., Morita, K., Kubota, Y., & Kawaguchi, Y. (2011). Highly Differentiated Projection-Specific Cortical Subnetworks. *Journal of Neuroscience*, 31(28), 10380-10391. doi: 10.1523/jneurosci.0772-11.2011. <http://www.jneurosci.org/content/31/28/10380.abstract>
- Morishima, Y., Toigawa, M., Ohmura, N., Yoneda, T., Tagane, Y., & Hata, Y. (2012). Critical Period of Experience–Driven Axon Retraction in the Pharmacologically Inhibited Visual Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhs235. <http://cercor.oxfordjournals.org/content/early/2012/08/08/cercor.bhs235....>
- Morishita, M., Maejima, S., & Tsukahara, S. (2017). Gonadal Hormone-Dependent Sexual Differentiation of a Female-Biased Sexually Dimorphic Cell Group in the Principal Nucleus of the Bed Nucleus of the Stria Terminalis in Mice. *Endocrinology*. doi: <https://academic.oup.com/endo/article-abstract/doi/10.1210/en.2017-00240..>
- Morishita, T., Yamashita, A., Katayama, Y., Oshima, H., Nishizaki, Y., Shijo, K., . . . Yamamoto, T. (2011). Chronological Changes in Astrocytes Induced by Chronic Electrical Sensorimotor Cortex Stimulation in Rats. *Neurologia Medico-Chirurgica*, 51(7), 496-502. doi.
- Morita-Isogai, Y., Sato, H., Saito, M., Kuramoto, E., Yin, D. X., Kaneko, T., . . . Kang, Y. (2017). A distinct functional distribution of  $\alpha$  and  $\gamma$  motoneurons in the rat trigeminal motor nucleus. [journal article]. *Brain Structure and Function*, 1-9. doi: 10.1007/s00429-017-1400-8. <http://dx.doi.org/10.1007/s00429-017-1400-8>
- Moritani, M., Kida, H., Nagase, Y., Fukami, H., Honma, S., Takemura, M., . . . Yoshida, A. (2003). Quantitative analysis of the dendritic architectures of single jaw-closing and jaw-opening motoneurons in cats. *Experimental Brain Research*, 150(3), 265-275. doi.
- Moritoh, S., Komatsu, Y., Yamamori, T., & Koizumi, A. (2013). Diversity of Retinal Ganglion Cells Identified by Transient GFP Transfection in Organotypic Tissue Culture of Adult Marmoset Monkey Retina. *PLoS ONE*, 8(1), e54667. doi: 10.1371/journal.pone.0054667. <http://dx.doi.org/10.1371%2Fjournal.pone.0054667>
- Morozov, Y. M., Ayoub, A. E., & Rakic, P. (2006). Translocation of Synaptically Connected Interneurons across the Dentate Gyrus of the Early Postnatal Rat Hippocampus. *Journal of Neuroscience*, 26(19), 5017-5027. doi: 10.1523/jneurosci.0272-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/19/5017>

Morrell, J. S. L. J. I. (2007). 5 Neuroendocrinology and Neurochemistry of Maternal Motivation and Behavior. Handbook of neurochemistry and molecular neurobiology: Behavioral neurochemistry, neuroendocrinology, and molecular neurobiology, 7. doi.

Morris, J. S., Weil, Z. M., & Nelson, R. J. (2013). Sexual Experience and Testosterone During Adolescence Alters Adult Neuronal Morphology and Behavior. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2013.08.001>. <http://www.sciencedirect.com/science/article/pii/S0018506X13001487>

Morris, M. J., Mahgoub, M., Na, E. S., Pranav, H., & Monteggia, L. M. (2013). Loss of Histone Deacetylase 2 Improves Working Memory and Accelerates Extinction Learning. *Journal of Neuroscience*, 33(15), 6401-6411. doi: 10.1523/jneurosci.1001-12.2013. <http://www.jneurosci.org/content/33/15/6401.abstract>

Morrison, H., & Filosa, J. (2013). A quantitative spatiotemporal analysis of microglia morphology during ischemic stroke and reperfusion. *J Neuroinflammation*, 10, 4. doi.

Morris-Schaffer, K., Merrill, A., Jew, K., Wong, C., Conrad, K., Harvey, K., . . . Cory-Slechta, D. A. (2019). Effects of neonatal inhalation exposure to ultrafine carbon particles on pathology and behavioral outcomes in C57BL/6J mice. [journal article]. *Particle and Fibre Toxicology*, 16(1), 10. doi: 10.1186/s12989-019-0293-5. <https://doi.org/10.1186/s12989-019-0293-5>

Morris-Schaffer, K., Merrill, A. K., Wong, C., Jew, K., Sobolewski, M., & Cory-Slechta, D. A. (2019). Limited developmental neurotoxicity from neonatal inhalation exposure to diesel exhaust particles in C57BL/6 mice. [journal article]. *Particle and Fibre Toxicology*, 16(1), 1. doi: 10.1186/s12989-018-0287-8. <https://doi.org/10.1186/s12989-018-0287-8>

Morshedi, M. M., & Meredith, G. E. (2008). Repeated amphetamine administration induces Fos in prefrontal cortical neurons that project to the lateral hypothalamus but not the nucleus accumbens or basolateral amygdala. *Psychopharmacology*, 197(2), 179-189. doi.

Mortillo, S., Elste, A., Ge, Y., Patil, S. B., Hsiao, K., Huntley, G. W., . . . Benson, D. L. (2012). Compensatory redistribution of neuroligins and N-cadherin following deletion of synaptic  $\beta$ 1-integrin. *Journal of Comparative Neurology*, 520(9), 2041-2052. doi: 10.1002/cne.23027. <http://dx.doi.org/10.1002/cne.23027>

Morton, P. D., Dellarole, A., Theus, M. H., Walters, W. M., Berge, S. S., & Bethea, J. R. (2013). Activation of NF- $\kappa$ B in Schwann Cells Is Dispensable for Myelination In Vivo. *Journal of Neuroscience*, 33(24), 9932-9936. doi: 10.1523/jneurosci.2483-12.2013. <http://www.jneurosci.org/content/33/24/9932.abstract>

Morton, P. D., Johnstone, J. T., Ramos, A. Y., Liebl, D. J., Bunge, M. B., & Bethea, J. R. (2012). Nuclear factor- $\kappa$ B activation in schwann cells regulates regeneration and remyelination. *Glia*, 60(4), 639-650. doi: 10.1002/glia.22297. <http://dx.doi.org/10.1002/glia.22297>

Mosberger, A. C., Miehlsbradt, J. C., Bjelopoljak, N., Schneider, M. P., Wahl, A.-S., Ineichen, B. V., . . . Schwab, M. E. (2017). Axotomized Corticospinal Neurons Increase Supra-Lesional Innervation and Remain Crucial for Skilled Reaching after Bilateral Pyramidotomy. *Cerebral Cortex*. doi:

10.1093/cercor/bhw405. <http://cercor.oxfordjournals.org/content/early/2017/01/08/cercor.bhw405...>

Moschovakis, A. K., Gregoriou, G. G., Ugolini, G., Doldan, M., Graf, W., Guldin, W., . . . Savaki, H. E. (2004). Oculomotor Areas of the Primate Frontal Lobes: A Transneuronal Transfer of Rabies Virus and [14C]-2-Deoxyglucose Functional Imaging Study. *Journal of Neuroscience*, 24(25), 5726-5740. doi: <http://www.jneurosci.org/cgi/content/abstract/24/25/5726>

Moschovakis, A. K., Kitama, T., Dalezios, Y., Petit, J., Brandi, A. M., & Grantyn, A. A. (1998). An Anatomical Substrate for the Spatiotemporal Transformation. *Journal of Neuroscience*, 18(23), 10219-10229. doi: <http://www.jneurosci.org/cgi/content/abstract/18/23/10219>

Mostacciolo, M. L., Crestanello, E., Boaretto, F., Boscolo, E., Liguori, M., Tessarolo, D., . . . Vazza, G. (2004). Distal hereditary motor neuropathy (DHMN): a new locus for an autosomal recessive form. *Journal of the Peripheral Nervous System*, 9(2), 122-123. doi: 10.1111/j.1085-9489.2004.009209bi.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Mostany, R., Chowdhury, T. G., Johnston, D. G., Portonovo, S. A., Carmichael, S. T., & Portera-Cailliau, C. (2010). Local Hemodynamics Dictate Long-Term Dendritic Plasticity in Peri-Infarct Cortex. *Journal of Neuroscience*, 30(42), 14116-14126. doi: 10.1523/jneurosci.3908-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/42/14116>

Mostany, R., & Portera-Cailliau, C. (2011). Absence of Large-Scale Dendritic Plasticity of Layer 5 Pyramidal Neurons in Peri-Infarct Cortex. *Journal of Neuroscience*, 31(5), 1734-1738. doi: 10.1523/jneurosci.4386-10.2011. <http://www.jneurosci.org/content/31/5/1734.abstract>

Mota, C., Taipa, R., das Neves, S. P., Monteiro-Martins, S., Monteiro, S., Palha, J. A., . . . Cerqueira, J. J. (2019). Structural and molecular correlates of cognitive aging in the rat. *Scientific Reports*, 9(1), 2005. doi: 10.1038/s41598-019-39645-w. <https://doi.org/10.1038/s41598-019-39645-w>

Motley, S. E., Grossman, Y., Janssen, W. G. M., Baxter, M. G., Rapp, P. R., Dumitriu, D., & Morrison, J. H. (2018). Selective loss of thin spines in area 7a of the primate intraparietal sulcus predicts age-related working memory impairment. [10.1523/JNEUROSCI.1234-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/10/24/JNEUROSCI.1234-18.2018..>

Mott, D. D., Li, Q., Okazaki, M. M., Turner, D. A., & Lewis, D. V. (1999). GABAB-Receptor-Mediated Currents in Interneurons of the Dentate-Hilus Border. *Journal of Neurophysiology*, 82(3), 1438-1450. doi: <http://jn.physiology.org/cgi/content/abstract/82/3/1438>

Mott, D. D., Turner, D. A., Okazaki, M. M., & Lewis, D. V. (1997). Interneurons of the Dentate-Hilus Border of the Rat Dentate Gyrus: Morphological and Electrophysiological Heterogeneity. *Journal of Neuroscience*, 17(11), 3990-4005. doi: <http://www.jneurosci.org/cgi/content/abstract/17/11/3990>

Motts, S. D., & Schofield, B. R. (2009). Sources of cholinergic input to the inferior colliculus. *Neuroscience*, 160(1), 103-114. doi:

Motts, S. D., & Schofield, B. R. (2010). Cholinergic and Non-Cholinergic Projections from the Pedunculopontine and Laterodorsal Tegmental Nuclei to the Medial Geniculate Body in Guinea Pigs. *Frontiers in Neuroanatomy*, 4. doi.

Motts, S. D., Slusarczyk, A. S., Sowick, C. S., & Schofield, B. R. (2008). Distribution of cholinergic cells in guinea pig brainstem. *Neuroscience*, 154(1), 186-195. doi.

Mou, H., Yang, Y., Riehs, M. A., Barrios, J., Shivaraju, M., Haber, A. L., . . . Ai, X. (2021). Airway basal stem cells generate distinct subpopulations of PNECs. *Cell Reports*, 35(3), 109011. doi: <https://doi.org/10.1016/j.celrep.2021.109011>. <https://www.sciencedirect.com/science/article/pii/S2211124721003259>

Mounir, S., & Parent, A. (2002). The expression of neurokinin-1 receptor at striatal and pallidal levels in normal human brain. *Neuroscience Research*, 44(1), 71-81. doi.

Moutin, E., Nikonenko, I., Stefanelli, T., Wirth, A., Ponimaskin, E., De Roo, M., & Muller, D. (2016). Palmitoylation of cdc42 Promotes Spine Stabilization and Rescues Spine Density Deficit in a Mouse Model of 22q11.2 Deletion Syndrome. *Cerebral Cortex*. doi: 10.1093/cercor/bhw183. <http://cercor.oxfordjournals.org/content/early/2016/06/24/cercor.bhw183...>

Moyer, J. R., & Brown, T. H. (2007). Visually guided patch-clamp recordings in brain slices. *Neuromethods*, 38, 169-169. doi.

Mozhui, K., Karlsson, R.-M., Kash, T. L., Ihne, J., Norcross, M., Patel, S., . . . Holmes, A. (2010). Strain Differences in Stress Responsivity Are Associated with Divergent Amygdala Gene Expression and Glutamate-Mediated Neuronal Excitability. *Journal of Neuroscience*, 30(15), 5357-5367. doi: 10.1523/jneurosci.5017-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/15/5357>

Mridha, Z., Wu, L. Q., & Dickman, J. D. (2012). Morphology and innervation of the vestibular lagena in pigeons. *Neuroscience*. doi.

Mueller, M., & Egger, V. (2020). Dendritic integration in olfactory bulb granule cells upon simultaneous multispine activation: Low thresholds for nonlocal spiking activity. *PLoS Biology*, 18(9), e3000873. doi: 10.1371/journal.pbio.3000873. <https://doi.org/10.1371/journal.pbio.3000873>

Muessel, M. J., Berman, N. E. J., & Klein, R. M. (2000). Early and specific expression of Monocyte Chemoattractant Protein-1 in the thalamus induced by cortical injury. *Brain Research*, 870(1-2), 211-221. doi.

Muessel, M. J., Klein, R. M., Wilson, A. M., & Berman, N. E. J. (2002). Ablation of the chemokine monocyte chemoattractant protein-1 delays retrograde neuronal degeneration, attenuates microglial activation, and alters expression of cell death molecules. *Molecular Brain Research*, 103(1-2), 12-27. doi.

Muglia, M., Criscuolo, C., Magariello, A., De Michele, G., Scarano, V., D'Adamo, P., . . . Quattrone, A. (2004). Narrowing of the critical region in autosomal recessive spastic

paraplegia linked to the SPG5 locus. *Journal of the Peripheral Nervous System*, 9(2), 124-124. doi: doi:10.1111/j.1085-9489.2004.009209bo.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Muhammad, A. J., Markram, H., & others. (2005). NEOBASE: databasing the neocortical microcircuit. *Studies in Health Technology and Informatics*, 112, 167-178. doi.

Mukai, H., Hatanaka, Y., Mitsuhashi, K., Hojo, Y., Komatsuzaki, Y., Sato, R., . . . Kawato, S. (2011). Automated Analysis of Spines from Confocal Laser Microscopy Images: Application to the Discrimination of Androgen and Estrogen Effects on Spinogenesis. *Cerebral Cortex*, bhr059. doi: 10.1093/cercor/bhr059. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr059v1>

Mukai, H., Hatanaka, Y., Mitsuhashi, K., Hojo, Y., Komatsuzaki, Y., Sato, R., . . . Kawato, S. (2011). Editor's Choice: Automated Analysis of Spines from Confocal Laser Microscopy Images: Application to the Discrimination of Androgen and Estrogen Effects on Spinogenesis. *Cerebral Cortex*, 21(12), 2704-2704. doi.

Mukai, H., Tsurugizawa, T., Murakami, G., Kominami, S., Ishii, H., Ogiue-Ikeda, M., . . . Kawato, S. (2007). Rapid modulation of long-term depression and spinogenesis via synaptic estrogen receptors in hippocampal principal neurons. *Journal of Neurochemistry*, 100(4), 950-967. doi: doi:10.1111/j.1471-4159.2006.04264.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04264.x>

Mukhida, K., Baghbaderani, B. A., Hong, M., Lewington, M., Phillips, T., McLeod, M., . . . Mendez, I. (2008). Survival, differentiation, and migration of bioreactor-expanded human neural precursor cells in a model of Parkinson disease in rats. *Neurosurgical Focus*, 24(3-4), 8-8. doi.

Mukhopadhyay, P., Farrell, T., Sharma, G., McGuire, T. R., O'Kane, B., & Sharp, J. G. (2013). Heterogeneity of Functional Properties of Clone 66 Murine Breast Cancer Cells Expressing Various Stem Cell Phenotypes. *PLoS ONE*, 8(11), e78725. doi: 10.1371/journal.pone.0078725. <http://dx.doi.org/10.1371%2Fjournal.pone.0078725>

Mulherkar, S. A., & Jana, N. R. (2010). Loss of dopaminergic neurons and resulting behavioural deficits in mouse model of Angelman syndrome. *Neurobiology of Disease*, 40(3), 586-592. doi.

Mulkey, D. K., Rosin, D. L., West, G., Takakura, A. C., Moreira, T. S., Bayliss, D. A., & Guyenet, P. G. (2007). Serotonergic Neurons Activate Chemosensitive Retrotrapezoid Nucleus Neurons by a pH-Independent Mechanism. *Journal of Neuroscience*, 27(51), 14128-14138. doi: 10.1523/jneurosci.4167-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/51/14128>

Mullen, B. R., Ross, B., Chou, J. W., Khankan, R., Khialeeva, E., Bui, K., & Carpenter, E. M. (2016). A Complex Interaction Between Reduced Reelin Expression and Prenatal Organophosphate Exposure Alters Neuronal Cell Morphology. *ASN Neuro*, 8(3). doi: 10.1177/1759091416656253. <http://asn.sagepub.com/content/8/3/1759091416656253.abstr act>



Müller, C. M., Vlachos, A., & Deller, T. (2010). Calcium homeostasis of acutely denervated and lesioned dentate gyrus in organotypic entorhino-hippocampal co-cultures. *Cell Calcium*, 47(3), 242-252. doi.

Muly, E. C., III, Szigeti, K., & Goldman-Rakic, P. S. (1998). D1 Receptor in Interneurons of Macaque Prefrontal Cortex: Distribution and Subcellular Localization. *Journal of Neuroscience*, 18(24), 10553-10565.  
doi: <http://www.jneurosci.org/cgi/content/abstract/18/24/10553>

Muniak, M. A., & Ryugo, D. K. (2013). Tonotopic organization of vertical cells in the dorsal cochlear nucleus of the CBA/J mouse. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23454. <http://dx.doi.org/10.1002/cne.23454>

Muñoz-Castañeda, R., Díaz, D., Peris, L., Andrieux, A., Bosc, C., Muñoz-Castañeda, J. M., . . . Weruaga, E. (2018). Cytoskeleton stability is essential for the integrity of the cerebellum and its motor- and affective-related behaviors. *Scientific Reports*, 8(1), 3072. doi: 10.1038/s41598-018-21470-2. <https://doi.org/10.1038/s41598-018-21470-2>

Munson, J. M., Fried, L., Rowson, S. A., Bonner, M. Y., Karumbaiah, L., Diaz, B., . . . Arbiser, J. L. (2012). Anti-invasive adjuvant therapy with imipramine blue enhances chemotherapeutic efficacy against glioma. *Science Translational Medicine*, 4(127), 127ra136-127ra136. doi.

Murai, A., Iwata, R., Fujimoto, S., Aihara, S., Tsuboi, A., Muroyama, Y., . . . Imai, T. (2016). Distorted coarse axon targeting and reduced dendrite connectivity underlie dysosmia after olfactory axon injury. [10.1523/ENEURO.0242-16.2016]. *eneuro*.  
doi: <http://eneuro.sfn.org/content/early/2016/10/05/ENEURO.0242-16.2016.abstract>

Murakami, G., Edamura, M., Furukawa, T., Kawasaki, H., Kosugi, I., Fukuda, A., . . . Nakahara, D. (2018). MHC class I in dopaminergic neurons suppresses relapse to reward seeking. [10.1126/sciadv.aap7388]. *Science Advances*, 4(3).  
doi: <http://advances.sciencemag.org/content/4/3/eaap7388.abstract>

Murakami, G., Hojo, Y., Ogiue-Ikeda, M., Mukai, H., Chambon, P., Nakajima, K., . . . Kawato, S. (2014). Estrogen receptor KO mice study on rapid modulation of spines and long-term depression in the hippocampus. *Brain Research*, (0).  
doi: <http://dx.doi.org/10.1016/j.brainres.2014.12.002>. <http://www.sciencedirect.com/science/article/pii/S0006899314016710>

Murakami, G., Tsurugizawa, T., Hatanaka, Y., Komatsuzaki, Y., Tanabe, N., Mukai, H., . . . others. (2006). Comparison between basal and apical dendritic spines in estrogen-induced rapid spinogenesis of CA1 principal neurons in the adult hippocampus. *Biochemical and Biophysical Research Communications*, 351(2), 553-558. doi.

Murase, S., Lantz, C., Kim, E., Gupta, N., Higgins, R., Stopfer, M., . . . Quinlan, E. (2015). Matrix Metalloproteinase-9 Regulates Neuronal Circuit Development and Excitability. *Molecular Neurobiology*, 1-17. doi: 10.1007/s12035-015-9295-y. <http://dx.doi.org/10.1007/s12035-015-9295-y>

Murata, K., Kanno, M., Ieki, N., Mori, K., & Yamaguchi, M. (2015). Mapping of Learned Odor-Induced Motivated Behaviors in the Mouse Olfactory Tubercle. *The Journal of Neuroscience*, 35(29), 10581-10599. doi: <http://www.jneurosci.org/content/35/29/10581.short>

Murayama, M., Perez-Garci, E., Nevian, T., Bock, T., Senn, W., & Larkum, M. E. (2009). Dendritic encoding of sensory stimuli controlled by deep cortical interneurons. *Nature*. doi: <http://dx.doi.org/10.1038/nature07663>

<http://www.nature.com/nature/journal/vaop/ncurrent/suppinfo/nature07663...>

Murmu, M. S., Salomon, S., Biala, Y., Weinstock, M., Braun, K., & Bock, J. (2006). Changes of spine density and dendritic complexity in the prefrontal cortex in offspring of mothers exposed to stress during pregnancy. *European Journal of Neuroscience*, 24(5), 1477-1487. doi: doi:10.1111/j.1460-9568.2006.05024.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05024.x>

Murofushi, W., Mori, K., Murata, K., & Yamaguchi, M. (2018). Functional development of olfactory tubercle domains during weaning period in mice. *Scientific Reports*, 8(1), 13204. doi: 10.1038/s41598-018-31604-1. <https://doi.org/10.1038/s41598-018-31604-1>

Murphy, B. L., & Danzer, S. C. (2011). Somatic Translocation: A Novel Mechanism of Granule Cell Dendritic Dymorphogenesis and Dispersion. *Journal of Neuroscience*, 31(8), 2959-2964. doi: 10.1523/jneurosci.3381-10.2011. <http://www.jneurosci.org/content/31/8/2959.abstract>

Murphy, B. L., Hofacer, R. D., Faulkner, C. N., Loepke, A. W., & Danzer, S. C. (2012). Abnormalities of granule cell dendritic structure are a prominent feature of the intrahippocampal kainic acid model of epilepsy despite reduced postinjury neurogenesis. *Epilepsia*, 53(5), 908-921. doi: 10.1111/j.1528-1167.2012.03463.x. <http://dx.doi.org/10.1111/j.1528-1167.2012.03463.x>

Murphy, B. L., Pun, R. Y. K., Yin, H., Faulkner, C. R., Loepke, A. W., & Danzer, S. C. (2011). Heterogeneous Integration of Adult-Generated Granule Cells into the Epileptic Brain. *Journal of Neuroscience*, 31(1), 105-117. doi: 10.1523/jneurosci.2728-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/1/105>

Murphy, J. A., Deurveilher, S., & Semba, K. (2003). Stimulant doses of caffeine induce c-FOS activation in orexin/hypocretin-containing neurons in rat. *Neuroscience*, 121(2), 269-275. doi.

Murphy, P. C., Duckett, S. G., & Sillito, A. M. (2000). Comparison of the Laminar Distribution of Input from Areas 17 and 18 of the Visual Cortex to the Lateral Geniculate Nucleus of the Cat. *Journal of Neuroscience*, 20(2), 845-853. doi: <http://www.jneurosci.org/cgi/content/abstract/20/2/845>

Murtie, J. C., Macklin, W. B., & Corfas, G. (2007). Morphometric Analysis of Oligodendrocytes in the Adult Mouse Frontal Cortex. *Journal of Neuroscience Research*, 85, 2080-2086. doi.

Musazzi, L., Racagni, G., & Popoli, M. (2011). Stress, glucocorticoids and glutamate release: Effects of antidepressant drugs. *Neurochemistry International*. doi.

Mutlu, G. M., Budinger, G. R. S., Green, A. A., Urich, D., Soberanes, S., Chiarella, S. E., . . . Hersam, M. C. (2010). Biocompatible nanoscale dispersion of single-walled carbon nanotubes minimizes in vivo pulmonary toxicity. *Nano letters*, 10(5), 1664-1670. doi.

Muzzi, P., Camera, P., Cunto, F., & Vercelli, A. (2006). Role of citron K in the development of cerebral cortex. *Development and Plasticity in Sensory Thalamus and Cortex*, 92-107. doi.

Muzzi, P., Camera, P., Di Cunto, F., & Vercelli, A. (2009). Deletion of the citron kinase gene selectively affects the number and distribution of interneurons in barrelfield cortex. *Journal of Comparative Neurology*, 513(3), 249-264. doi.

Myatt, D. R., Hadlington, T., Ascoli, G. A., & Nasuto, S. J. (2012). Neuromantic—from semi-manual to semi-automatic reconstruction of neuron morphology. *Frontiers in Neuroinformatics*, 6. doi.

Myers, E. A., & Rinaman, L. (2005). Trimethylthiazoline supports conditioned flavor avoidance and activates viscerosensory, hypothalamic, and limbic circuits in rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 288(6), R1716-1726. doi: 10.1152/ajpregu.00479.2004. <http://ajpregu.physiology.org/cgi/content/abstract/288/6/R1716>

Myers, S. A., DeVries, W. H., Andres, K. R., Gruenthal, M. J., Benton, R. L., Hoying, J. B., . . . Whittemore, S. R. (2011). CD47 knockout mice exhibit improved recovery from spinal cord injury. *Neurobiology of Disease*, 42(1), 21-34. doi.

Nadasdy, Z., Buzsaki, G., & Zaborszky, L. (2006). Functional Connectivity of the Brain: Reconstruction from Static and Dynamic Data. *Neuroanatomical Tract-Tracing* 3, 631-681. doi.

Nadasdy, Z., Varsanyi, P., & Zaborszky, L. (2010). Clustering of large cell populations: Method and application to the basal forebrain cholinergic system. *Journal of Neuroscience Methods*, 194(1), 46-55. doi.

Nadasdy, Z., & Zaborszky, L. (2001). Visualization of density relations in large-scale neural networks. *Anatomy and Embryology*, 204, 303-317. doi.

Nagamine, K., Ozaki, N., Shinoda, M., Asai, H., Nishiguchi, H., Mitsudo, K., . . . Sugiura, Y. (2006). Mechanical allodynia and thermal hyperalgesia induced by experimental squamous cell carcinoma of the lower gingiva in rats. *Journal of Pain*, 7(9), 659-670. doi.

Nagase, Y., Nakamura, T., Moritani, M., Honma, S., & Yoshida, A. (1999). A quantitative analysis of the dendritic organization of cat trigeminal motoneurons. *Neurobiology of mastication: from molecular to systems approach*, (1186), 373-373. doi.

Naggar, I., Lazar, J., Kamran, H., Orman, R., & Stewart, M. (2013). Relation of autonomic and cardiac abnormalities to ventricular fibrillation in a rat model of epilepsy. *Epilepsy Research*, (0). doi: <http://dx.doi.org/10.1016/j.eplepsyres.2013.10.018>, <http://www.sciencedirect.com/science/article/pii/S0920121113002842>

Naim, M. M., Shehab, S. A. S., & Todd, A. J. (1998). Cells in laminae III and IV of the rat spinal cord which possess the neurokinin-1 receptor receive monosynaptic input from myelinated primary afferents. *European Journal of Neuroscience*, 10(9), 3012-3019. doi.

Nakagawa, H., Ninomiya, T., Yamashita, T., & Takada, M. (2015). Reorganization of corticospinal tract fibers after spinal cord injury in adult macaques. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep11986. <http://dx.doi.org/10.1038/srep11986>

Nakagawa, H., Ueno, M., Itokazu, T., & Yamashita, T. (2013). Bilateral movement training promotes axonal remodeling of the corticospinal tract and recovery of motor function following traumatic brain injury in mice. *Cell Death & Disease*, 4(3), e534. doi.

Nakai, T., Nagai, T., Tanaka, M., Itoh, N., Asai, N., Enomoto, A., . . . Sokabe, M. (2014). Girdin Phosphorylation Is Crucial for Synaptic Plasticity and Memory: A Potential Role in the Interaction of BDNF/TrkB/Akt Signaling with NMDA Receptor. *The Journal of Neuroscience*, 34(45), 14995-15008. doi. <http://www.jneurosci.org/content/34/45/14995.short>

Nakajima, K., Miranda, A., Craig, D. W., Shekhtman, T., Kmoch, S., Bleyer, A., . . . Kelsoe, J. R. (2020). Ntrk1 mutation co-segregating with bipolar disorder and inherited kidney disease in a multiplex family causes defects in neuronal growth and depression-like behavior in mice. *Translational Psychiatry*, 10(1), 407. doi: 10.1038/s41398-020-01087-8. <https://doi.org/10.1038/s41398-020-01087-8>

Nakajima, T., Fortier-Lebel, N., & Drew, T. (2019). Premotor Cortex Provides a Substrate for the Temporal Transformation of Information During the Planning of Gait Modifications. doi: 10.1093/cercor/bhz039. <https://doi.org/10.1093/cercor/bhz039>

Nakamoto, K. T., Mellott, J. G., Killius, J., Storey-Workley, M. E., Sowick, C. S., & Schofield, B. R. (2013). Analysis of excitatory synapses in the guinea pig inferior colliculus: a study using electron microscopy and GABA immunocytochemistry. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.061> <http://www.sciencedirect.com/science/article/pii/S030645221300105X>

Nakamoto, K. T., Sowick, C. S., & Schofield, B. R. (2013). Auditory cortical axons contact commissural cells throughout the guinea pig inferior colliculus. *Hearing Research*, (0). doi: <http://dx.doi.org/10.1016/j.heares.2013.10.003> <http://www.sciencedirect.com/science/article/pii/S0378595513002475>

Nakamura, H., Hioki, H., Furuta, T., & Kaneko, T. (2015). Different cortical projections from three subdivisions of the rat lateral posterior thalamic nucleus: a single-neuron tracing study with viral vectors. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12882. <http://dx.doi.org/10.1111/ejn.12882>

Nakamura, H., & Itoh, K. (2004). Cytoarchitectonic and connectional organization of the ventral lateral geniculate nucleus in the cat. *Journal of Comparative Neurology*, 473(4), 439-462. doi.

- Nakamura, H., Kuroda, T., Wakita, M., Kusunoki, M., Kato, A., Mikami, A., . . . Itoh, K. (2001). From Three-Dimensional Space Vision to Prehensile Hand Movements: The Lateral Intraparietal Area Links the Area V3A and the Anterior Intraparietal Area in Macaques. *Journal of Neuroscience*, 21(20), 8174-8187. doi: <http://www.jneurosci.org/cgi/content/abstract/21/20/8174>
- Nakamura, H., Le, W. R., Wakita, M., Mikami, A., & Itoh, K. (2004). Projections from the cytochrome oxidase modules of visual area V2 to the ventral posterior area in the macaque. *Experimental Brain Research*, 155(1), 102-110. doi.
- Nakamura, H., Wu, R., Watanabe, K., Onozuka, M., & Itoh, K. (2006). Projections of glutamate decarboxylase positive and negative cerebellar neurons to the pretectum in the cat. *Neuroscience Letters*, 403(1), 30-34. doi.
- Nakano, T., Yoshimoto, J., Wickens, J., & Doya, K. (2009). Calcium responses model in striatum dependent on timed input sources. *Artificial Neural Networks-ICANN 2009*, 249-258. doi.
- Nakano, Y., Karube, F., Hirai, Y., Kobayashi, K., Hioki, H., Okamoto, S., . . . Fujiyama, F. (2018). Parvalbumin-producing striatal interneurons receive excitatory inputs onto proximal dendrites from the motor thalamus in male mice. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.24214. <http://dx.doi.org/10.1002/jnr.24214>
- Nakashima, S., Morishita, M., Ueno, K., & Tsukahara, S. (2019). Region-specific effects of copulation on dendritic spine morphology and gene expression related to spinogenesis in the medial preoptic nucleus of male rats. *Psychoneuroendocrinology*, 108, 1-13. doi: <https://doi.org/10.1016/j.psyneuen.2019.05.025>, <http://www.sciencedirect.com/science/article/pii/S0306453018310977>
- Nakashima, S., & Tsukahara, S. (2011). Decrease in spine number of the sexually dimorphic nucleus of the preoptic area (SDN-POA) with sexual experience in male rats. *Neuroscience Research*, 71, e267-e267-e267-e267. doi.
- Nakazawa, T., Watanabe, M., Kudo, H., Nishida, K., & Tamai, M. (2010). Susceptibility to N-methyl-d-aspartate toxicity in morphological and functional types of cat retinal ganglion cells. *Japanese Journal of Ophthalmology*, 54(2), 156-162. doi.
- Nam, H., & Kerman, I. A. (2016). Distribution of catecholaminergic presympathetic-premotor neurons in the rat lower brainstem. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.02.066>, <http://www.sciencedirect.com/science/article/pii/S0306452216002153>
- Namavari, A., Chaudhary, S., Chang, J. H., Yco, L., Sonawane, S., Khanolkar, V., . . . Jain, S. (2012). Cyclosporine Immunomodulation Retards Regeneration of Surgically Transected Corneal Nerves. *Investigative Ophthalmology and Visual Science*, 53(2), 732-740. doi.
- Namavari, A., Chaudhary, S., Sarkar, J., Yco, L., Patel, K., Han, K. Y., . . . Jain, S. (2011). In vivo serial imaging of regenerating corneal nerves after surgical transection in transgenic thy1-YFP mice. *Investigative Ophthalmology and Visual Science*, 52(11), 8025-8032. doi.

Nandi, S., Alviña, K., Lituma, P. J., Castillo, P. E., & Hébert, J. M. (2018). Neurotrophin and FGF Signaling Adapter Proteins, FRS2 and FRS3, Regulate Dentate Granule Cell Maturation and Excitatory Synaptogenesis. *Neuroscience*, 369(Supplement C), 192-201. doi: <https://doi.org/10.1016/j.neuroscience.2017.11.017>. <http://www.sciencedirect.com/science/article/pii/S0306452217308114>

Narayanan, R. T., Egger, R., Johnson, A. S., Mansvelter, H. D., Sakmann, B., de Kock, C. P. J., & Oberlaender, M. (2015). Beyond Columnar Organization: Cell Type- and Target Layer-Specific Principles of Horizontal Axon Projection Patterns in Rat Vibrissal Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv053. <http://cercor.oxfordjournals.org/content/early/2015/04/01/cercor.bhv053...>

Narayanan, S. N., Jetti, R., Gorantla, V. R., Kumar, R. S., Nayak, S., & Bhat, P. G. (2014). Appraisal of the effect of brain impregnation duration on neuronal staining and morphology in a modified Golgi-Cox method. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.07.007>. <http://www.sciencedirect.com/science/article/pii/S0165027014002581>

Narkilahti, S., Nissinen, J., & Pitkänen, A. (2003). Administration of caspase 3 inhibitor during and after status epilepticus in rat: effect on neuronal damage and epileptogenesis. *Neuropharmacology*, 44(8), 1068-1088. doi.

Nascimento-Silva, S., Pinõn, C., Soares, J. G. M., & Gattass, R. (2014). Feedforward and feedback connections and their relation to the CytOx modules of V2 in Cebus monkeys. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23571. <http://dx.doi.org/10.1002/cne.23571>

Nash, B., Festa, L., Lin, C., & Meucci, O. (2019). Opioid and chemokine regulation of cortical synaptodendritic damage in HIV-associated neurocognitive disorders. *Brain Research*, 1723, 146409. doi: <https://doi.org/10.1016/j.brainres.2019.146409>. <http://www.sciencedirect.com/science/article/pii/S0006899319304639>

Naskar, A., Mahadevan, A., Philip, M., & Alladi, P. A. (2019). Aging mildly affects dendritic arborisation and synaptic protein expression in human substantia nigra pars compacta. *Journal of Chemical Neuroanatomy*, 97, 57-65. doi: <https://doi.org/10.1016/j.jchemneu.2019.02.001>. <http://www.sciencedirect.com/science/article/pii/S0891061818301819>

Nason, M. W., Jr., & Mason, P. (2004). Modulation of Sympathetic and Somatomotor Function by the Ventromedial Medulla. *Journal of Neurophysiology*, 92(1), 510-522. doi: 10.1152/jn.00089.2004. <http://jn.physiology.org/cgi/content/abstract/92/1/510>

Nasrallah, K., Therreau, L., Robert, V., Huang, A. J. Y., McHugh, T. J., Piskorowski, R. A., & Chevaleyre, V. (2019). Routing Hippocampal Information Flow through Parvalbumin Interneuron Plasticity in Area CA2. *Cell Reports*, 27(1), 86-98.e83. doi: <https://doi.org/10.1016/j.celrep.2019.03.014>. <http://www.sciencedirect.com/science/article/pii/S221124719303213>



Nasse, J., Terman, D., Venugopal, S., Hermann, G., Rogers, R. C., & Travers, J. B. (2008). Local Circuit Input to the Medullary Reticular Formation from the Rostral Nucleus of the Solitary Tract. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90457.92008. doi: 10.1152/ajpregu.90457.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90457.2008v1>

Nassi, J. J., & Callaway, E. M. (2006). Multiple Circuits Relaying Primate Parallel Visual Pathways to the Middle Temporal Area. *Journal of Neuroscience*, 26(49), 12789-12798. doi: 10.1523/jneurosci.4044-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/49/12789>

Nassi, J. J., & Callaway, E. M. (2007). Specialized circuits from primary visual cortex to V2 and area MT. *Neuron*, 55(5), 799-808. doi.

Nassi, J. J., Lyon, D. C., & Callaway, E. M. (2006). The parvocellular LGN provides a robust disinaptic input to the visual motion area MT. *Neuron*, 50(2), 319-327. doi.

Nathan, B. P., Nisar, R., Short, J., Randall, S., Grissom, E., Griffin, G., . . . Struble, R. G. (2005). Delayed olfactory nerve regeneration in ApoE-deficient mice. *Brain Research*, 1041(1), 87-94. doi.

Naumann, N., Alpar, A., Ueberham, U., Arendt, T., & Gärtner, U. (2010). Transgenic expression of human wild-type amyloid precursor protein decreases neurogenesis in the adult hippocampus. *Hippocampus*, 20(8), 971-979. doi.

Naumann, R. K., Anjum, F., Roth-Alpermann, C., & Brecht, M. (2012). Cytoarchitecture, areas, and neuron numbers of the etruscan shrew cortex. *Journal of Comparative Neurology*. doi.

Naumann, R. K., Ray, S., Prokop, S., Las, L., Heppner, F. L., & Brecht, M. (2015). Conserved size & periodicity of pyramidal patches in layer 2 of medial/caudal entorhinal cortex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23865. <http://dx.doi.org/10.1002/cne.23865>

Navailles, S., Hof, P. R., & Schmauss, C. (2008). Antidepressant drug-induced stimulation of mouse hippocampal neurogenesis is age-dependent and altered by early life stress. *Journal of Comparative Neurology*, 509(4), 372-381. doi.

Navarro, A. I., & Mandyam, C. D. (2015). Protracted abstinence from chronic ethanol exposure alters the structure of neurons and expression of oligodendrocytes and myelin in the medial prefrontal cortex. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.02.043>. <http://www.sciencedirect.com/science/article/pii/S0306452215001955>

Navarro, X., Verdu, E., Wendelschafer-Crabb, G., & Kennedy, W. R. (1995). Innervation of Cutaneous Structures in the Mouse Hind Paw: A Confocal Microscopy Immunohistochemical Study. *Journal of Neuroscience Research*, 41, 111-120. doi.

- Navarro, X., Verdu, E., Wendelschafer-Crabb, G., & Kennedy, W. R. (1997). Immunohistochemical Study of Skin Reinnervation by Regenerative Axons. *Journal of Comparative Neurology*, 380, 164-174. doi.
- Nayak, L., Dasgupta, A., Das, R., Ghosh, K., & De, R. K. (2018). Computational neuroscience and neuroinformatics: Recent progress and resources. [journal article]. *Journal of Biosciences*. doi: 10.1007/s12038-018-9813-y. <https://doi.org/10.1007/s12038-018-9813-y>
- Nayyar, T., Bubser, M., Ferguson, M. C., Diana Neely, M., Shawn Goodwin, J., Montine, T. J., . . . Ansah, T. A. (2009). Cortical serotonin and norepinephrine denervation in parkinsonism: preferential loss of the beaded serotonin innervation. *European Journal of Neuroscience*, 30(2), 207-216. doi.
- Nazaran, A., Wisco, J. J., Hageman, N., Schettler, S. P., Wong, A., Vinters, H. V., . . . Bangerter, N. K. (2015). Methodology for computing white matter nerve fiber orientation in human histological slices. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.11.023>. <http://www.sciencedirect.com/science/article/pii/S0165027015004252>
- Nedelescu, H. (2018). Brain architecture at varying scales. *Journal of Neuroscience Research*, 96(9), 1447-1449. doi: doi:10.1002/jnr.24272. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jnr.24272>
- Nedelescu, H., & Abdelhack, M. (2013). Comparative Morphology of Dendritic Arbors in Populations of Purkinje Cells in Mouse Sulcus and Apex. *Neural Plasticity*, 2013, 12. doi: 10.1155/2013/948587. <http://dx.doi.org/10.1155/2013/948587>
- Nedelescu, H., Abdelhack, M., & Pritchard, A. T. (2018). Regional differences in Purkinje cell morphology in the cerebellar vermis of male mice. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.24206. <http://dx.doi.org/10.1002/jnr.24206>
- Nedelescu, H., Chowdhury, T. G., Wable, G. S., Arbuthnott, G., & Aoki, C. (2016). Cerebellar sub-divisions differ in exercise-induced plasticity of noradrenergic axons and in their association with resilience to activity-based anorexia. [journal article]. *Brain Structure and Function*, 1-23. doi: 10.1007/s00429-016-1220-2. <http://dx.doi.org/10.1007/s00429-016-1220-2>
- Negraes, P. D., Trujillo, C. A., Yu, N.-K., Wu, W., Yao, H., Liang, N., . . . Muotri, A. R. (2021). Altered network and rescue of human neurons derived from individuals with early-onset genetic epilepsy. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01104-2. <https://doi.org/10.1038/s41380-021-01104-2>
- Negredo, P., Martin, Y. B., Lagares, A., Castro, J., Villacorta, J. A., & Avendaño, C. (2009). Trigeminothalamic barrelette neurons: natural structural side asymmetries and sensory input-dependent plasticity in adult rats. [Epub ahead of print]. *Neuroscience*. doi.
- Negwer, M., Liu, Y.-J., Schubert, D., & Lyon, D. C. (2017). V1 connections reveal a series of elongated higher visual areas in the California ground squirrel, *Otospermophilus beecheyi*.

Journal of Comparative Neurology, n/a-n/a. doi:  
10.1002/cne.24173. <http://dx.doi.org/10.1002/cne.24173>

Négyessy, L., Gal, V., Farkas, T., & Toldi, J. (2000). Cross-modal plasticity of the corticothalamic circuits in rats enucleated on the first postnatal day. *European Journal of Neuroscience*, 12(5), 1654-1668. doi: doi:10.1046/j.1460-9568.2000.00057.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2000.00057.x>

Négyessy, L., & Goldman-Rakic, P. S. (2005). Morphometric characterization of synapses in the primate prefrontal cortex formed by afferents from the mediodorsal thalamic nucleus. *Experimental Brain Research*, 164(2), 148-154. doi.

Négyessy, L., Pálfi, E., Ashaber, M., Palmer, C., Jákli, B., Friedman, R. M., . . . Roe, A. W. (2013). Intrinsic horizontal connections process global tactile features in the primary somatosensory cortex: Neuroanatomical evidence. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23317. <http://dx.doi.org/10.1002/cne.23317>

Nelissen, T. P., Bamford, R. A., Tochitani, S., Akkus, K., Kudzinskas, A., Yokoi, K., . . . Oguro-Ando, A. (2018). CD38 is Required for Dendritic Organization in Visual Cortex and Hippocampus. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.12.050>. <http://www.sciencedirect.com/science/article/pii/S0306452217309405>

Nelson, L. H., Warden, S., & Lenz, K. M. (2017). Sex differences in microglial phagocytosis in the neonatal hippocampus. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2017.03.010>. <http://www.sciencedirect.com/science/article/pii/S0889159117301009>

Nemargut, J. P., Zhu, J., Savoie, B. T., & Wang, G. Y. (2009). Differential effects of charybdotoxin on the activity of retinal ganglion cells in the dark-and light-adapted mouse retina. *Vision Research*, 49(3), 388-397. doi.

Nesin, S. M., Sabitha, K. R., Gupta, A., & Laxmi, T. R. (2019). Constraint Induced Movement Therapy as a Rehabilitative Strategy for Ischemic Stroke—Linking Neural Plasticity with Restoration of Skilled Movements. *Journal of Stroke and Cerebrovascular Diseases*. doi: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2019.02.028>. <http://www.sciencedirect.com/science/article/pii/S1052305719300849>

Neumann, J., Dash-Wagh, S., Jüngling, K., Tsai, T., Meschkat, M., Räk, A., . . . Wahle, P. (2014). Y-P30 promotes axonal growth by stabilizing growth cones. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-014-0764-2. <http://dx.doi.org/10.1007/s00429-014-0764-2>

Neumann, J. R., Dash-Wagh, S., Jack, A., Räk, A., Jüngling, K., Hamad, M. I. K., . . . Wahle, P. (2019). The primate-specific peptide Y-P30 regulates morphological maturation of neocortical dendritic spines. *PLoS ONE*, 14(2), e0211151. doi: 10.1371/journal.pone.0211151. <https://doi.org/10.1371/journal.pone.0211151>

Neuner, J., Ovsepiyan, S. V., Dorostkar, M., Filser, S., Gupta, A., Michalakis, S., . . . Herms, J. (2014). Pathological  $\alpha$ -synuclein impairs adult-born granule cell development and functional integration in the olfactory bulb. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140528/ncomms4915/full/ncomms4915.html>.

.

Neuser, F., Polack, M., Annaheim, C., Tucker, K. L., & Korte, M. (2013). Region-Specific Integration of Embryonic Stem Cell-Derived Neuronal Precursors into a Pre-Existing Neuronal Circuit. *PLoS ONE*, 8(6), e66497. doi: 10.1371/journal.pone.0066497. <http://dx.doi.org/10.1371%2Fjournal.pone.0066497>

Nevian, T., Larkum, M. E., Polsky, A., & Schiller, J. (2007). Properties of basal dendrites of layer 5 pyramidal neurons: a direct patch-clamp recording study. *Nature of Neuroscience*, 10, 206-214. doi.

Nevue, A. A., Lovell, P. V., Wirthlin, M., & Mello, C. V. (2020). Molecular specializations of deep cortical layer analogs in songbirds. *Scientific Reports*, 10(1), 18767. doi: 10.1038/s41598-020-75773-4. <https://doi.org/10.1038/s41598-020-75773-4>

Newson, P., Lynch-Frame, A., Roach, R., Bennett, S., Carr, V., & Chahl, L. A. (2005). Intrinsic sensory deprivation induced by neonatal capsaicin treatment induces changes in rat brain and behaviour of possible relevance to schizophrenia. *British Journal of Pharmacology*. doi.

Newson, P. N., van den Buuse, M., Martin, S., Lynch-Frame, A., & Chahl, L. A. (2014). Effects of neonatal treatment with the TRPV1 agonist, capsaicin, on adult rat brain and behaviour. *Behavioural Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.bbr.2014.06.036>, <http://www.sciencedirect.com/science/article/pii/S0166432814004197>

Neymotin, S. A., Suter, B. A., Dura-Bernal, S., Shepherd, G. M. G., Migliore, M., & Lytton, W. W. (2016). Optimizing computer models of corticospinal neurons to replicate in vitro dynamics. [10.1152/jn.00570.2016]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2016/10/14/jn.00570.2016.abstract>

Ng, J., Nardine, T., Harms, M., Tzu, J., Goldstein, A., Sun, Y., . . . Luo, L. (2002). Rac GTPases control axon growth, guidance and branching. *Nature*, 416, 442-447. doi.

Nguyen, H., Kerimoglu, C., Pirouz, M., Pham, L., Kiszka, K. A., Sokpor, G., . . . Tuoc, T. (2018). Epigenetic Regulation by BAF Complexes Limits Neural Stem Cell Proliferation by Suppressing Wnt Signaling in Late Embryonic Development. *Stem Cell Reports*. doi: <https://doi.org/10.1016/j.stemcr.2018.04.014>, <http://www.sciencedirect.com/science/article/pii/S2213671118301826>

Nguyen, H., Sokpor, G., Pham, L., Rosenbusch, J., Stoykova, A., Staiger, J. F., & Tuoc, T. (2016). Epigenetic regulation by BAF (mSWI/SNF) chromatin remodeling complexes is indispensable for embryonic development. *Cell Cycle*, 00-00. doi: 10.1080/15384101.2016.1160984. <http://dx.doi.org/10.1080/15384101.2016.1160984>

Nguyen, T.-V. V., Shen, L., Vander Griend, L., Quach, L. N., Belichenko, N. P., Saw, N., . . . Longo, F. M. (2014). Small Molecule p75<sup>NTR</sup> Ligands Reduce Pathological Phosphorylation and Misfolding of Tau, Inflammatory Changes, Cholinergic Degeneration, and Cognitive Deficits in A $\beta$ PP<sup>L/S</sup> Transgenic Mice. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-140036. <http://dx.doi.org/10.3233/JAD-140036>

Nhan, H. L., & Callaway, E. M. (2012). Morphology of superior colliculus- and middle temporal area-projecting neurons in primate primary visual cortex. *Journal of Comparative Neurology*, 520(1), 52-80. doi: 10.1002/cne.22685. <http://dx.doi.org/10.1002/cne.22685>

Ni, W., Rajkumar, K., Nagy, J. I., & Murphy, L. J. (1997). Impaired brain development and reduced astrocyte response to injury in transgenic mice expressing IGF binding protein-1. *Brain Research*, 769(1), 97-107. doi.

Ni, X., & Martin-Caraballo, M. (2010). Differential effect of glutamate receptor blockade on dendritic outgrowth in chicken lumbar motoneurons. *Neuropharmacology*, 58(3), 593-604. doi.

Niblock, M. M., Brunso-Bechtold, J. K., & Riddle, D. R. (2000). Insulin-Like Growth Factor I Stimulates Dendritic Growth in Primary Somatosensory Cortex. *Journal of Neuroscience*, 20(11), 4165-4176. doi. <http://www.jneurosci.org/cgi/content/abstract/20/11/4165>

Niblock, M. M., Gao, H., Li, A., Jeffress, E. C., Murphy, M., & Nattie, E. E. (2010). Fos-Tau-LacZ mice reveal sex differences in brainstem c-fos activation in response to mild carbon dioxide exposure. *Brain Research*, 1311, 51-63. doi.

Niblock, M. M., Kinney, H. C., Luce, C. J., Belliveau, R. A., & Filiano, J. J. (2004). The development of the medullary serotonergic system in the piglet. *Autonomic Neuroscience*, 110(2), 65-80. doi.

Nickerson, P. E. B., Da Silva, N., Myers, T., Stevens, K., & Clarke, D. B. (2008). Neural progenitor potential in cultured Müller glia: effects of passaging and exogenous growth factor exposure. *Brain Research*, 1230, 1-12. doi.

Nickerson, P. E. B., Emsley, J. G., Myers, T., & Clarke, D. B. (2007). Proliferation and expression of progenitor and mature retinal phenotypes in the adult mammalian ciliary body after retinal ganglion cell injury. *Investigative Ophthalmology and Visual Science*, 48(11), 5266-5275. doi.

Nickerson, P. E. B., McLeod, M. C., Myers, T., & Clarke, D. B. (2011). Effects of epidermal growth factor and erythropoietin on Müller glial activation and phenotypic plasticity in the adult mammalian retina. *Journal of Neuroscience Research*, 89(7), 1018-1030. doi: 10.1002/jnr.22629. <http://dx.doi.org/10.1002/jnr.22629>

Nickles, H. T., Sumkauskaite, M., Wang, X., Wegner, I., Puderbach, M., & Kuebler, W. M. (2014). Mechanical ventilation causes airway distension with pro-inflammatory sequelae in mice. [10.1152/ajplung.00288.2013]. *American Journal of Physiology - Lung Cellular and Molecular Physiology*. doi. <http://ajplung.physiology.org/content/early/2014/05/09/ajplung.00288.201...>

Nicoleau, C., Benzakour, O., Agasse, F., Thiriet, N., Petit, J., Prestoz, L., . . . Coronas, V. (2008). Endogenous hepatocyte growth factor is a niche signal for subventricular zone neural stem cell amplification and self-renewal. *Stem Cells*, stemcells.2008-0226. doi: 10.1634/stemcells.2008-0226. <http://stemcells.alphamedpress.org/cgi/content/abstract/stemcells.2008-0..>

Nicoleau, C., Benzakour, O., Agasse, F., Thiriet, N., Petit, J., Prestoz, L., . . . Coronas, V. (2009). Endogenous Hepatocyte Growth Factor Is a Niche Signal for Subventricular Zone Neural Stem Cell Amplification and Self-Renewal. *Stem Cells*, 27(2), 408-419. doi.

Nicoletti, J. N., Lenzer, J., Salerni, E. A., Shah, S. K., Elkady, A., Khalid, S., . . . Croll, S. D. (2010). Vascular endothelial growth factor attenuates status epilepticus-induced behavioral impairments in rats. *Epilepsy & Behavior*, 19(3), 272-277. doi.

Nielsen, K. J., Callaway, E. M., & Krauzlis, R. J. (2012). Viral vector-based reversible neuronal inactivation and behavioral manipulation in the macaque monkey. *Frontiers in Systems Neuroscience*, 6. doi.

Nieto-Gonzalez, J. L., Carrascal, L., Nunez-Abades, P., & Torres, B. (2007). Phasic and tonic firing properties in rat oculomotor nucleus motoneurons, studied in vitro. *European Journal of Neuroscience*. doi: doi:10.1111/j.1460-9568.2007.05516.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05516.x>

Nietzer, S. L., Bonn, M., Jansen, F., Heiming, R. S., Lewejohann, L., Sachser, N., . . . Schmitt, A. G. (2011). Serotonin transporter knockout and repeated social defeat stress: Impact on neuronal morphology and plasticity in limbic brain areas. *Behavioural Brain Research*. doi.

Niisato, E., Nagai, J., Yamashita, N., Abe, T., Kiyonari, H., Goshima, Y., & Ohshima, T. (2012). CRMP4 suppresses apical dendrite bifurcation of CA1 pyramidal neurons in the mouse hippocampus. *Developmental Neurobiology*. doi.

Nikitzuk, J. S., Patil, S. B., Matikainen-Ankney, B. A., Scarpa, J., Shapiro, M. L., Benson, D. L., & Huntley, G. W. (2014). N-cadherin regulates molecular organization of excitatory and inhibitory synaptic circuits in adult hippocampus in vivo. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22282. <http://dx.doi.org/10.1002/hipo.22282>

Nikonenko, A. G., Sun, M., Lepsveridze, E., Apostolova, I., Petrova, I., Irintchev, A., . . . Schachner, M. (2006). Enhanced perisomatic inhibition and impaired long-term potentiation in the CA1 region of juvenile CHL1-deficient mice. *European Journal of Neuroscience*, 23(7), 1839-1852. doi: doi:10.1111/j.1460-9568.2006.04710.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04710.x>

Nikonenko, I., Boda, B., Steen, S., Knott, G., Welker, E., & Muller, D. (2008). PSD-95 promotes synaptogenesis and multiinnervated spine formation through nitric oxide signaling. *Journal of Cellular Biology*, 183(6), 1115-1127. doi: 10.1083/jcb.200805132. <http://jcb.rupress.org/cgi/content/abstract/183/6/1115>

Nikonenko, I., Nikonenko, A., Mendez, P., Michurina, T. V., Enikolopov, G., & Muller, D. (2013). Nitric oxide mediates local activity-dependent excitatory synapse development.



Proceedings of the National Academy of Sciences. doi:  
10.1073/pnas.1311927110. <http://www.pnas.org/content/early/2013/10/09/1311927110.abstract>

Nimmerjahn, A., Kirchhoff, F., & Helmchen, F. (2005). Resting microglial cells are highly dynamic surveillants of brain parenchyma in vivo. *Science*, 308, 1314 - 1318. doi.

Ninomiya, T., Sawamura, H., Inoue, K.-i., & Takada, M. (2012). Multisynaptic Inputs from the Medial Temporal Lobe to V4 in Macaques. *PLoS ONE*, 7(12), e52115. doi:  
10.1371/journal.pone.0052115. <http://dx.doi.org/10.1371%2Fjournal.pone.0052115>

Ninomiya, T., Sawamura, H., Inoue, K.-i., & Takada, M. (2012). Segregated Pathways Carrying Frontally Derived Top-Down Signals to Visual Areas MT and V4 in Macaques. *Journal of Neuroscience*, 32(20), 6851-6858. doi: 10.1523/jneurosci.6295-11.2012. <http://www.jneurosci.org/content/32/20/6851.abstract>

Nisbet, D. R., & Williams, R. J. (2012). Self-Assembled Peptides: Characterisation and In Vivo Response. *Biointerphases*, 7, 2-2. doi.

Nishijima, H., Ueno, T., Ueno, S., Mori, F., Miki, Y., & Tomiyama, M. (2016). Levodopa-Induced Morphologic Changes of Prefrontal Pyramidal Tract-Type Neurons in a Rat Model of Parkinson's Disease. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2016.10.001>. <http://www.sciencedirect.com/science/article/pii/S0168010216302127>

Nishimura, M., Gu, X., & Swann, J. W. (2011). Seizures in early life suppress hippocampal dendrite growth while impairing spatial learning. *Neurobiology of Disease*. doi.

Nishimura, M., Owens, J., & Swann, J. W. (2008). Effects of chronic network hyperexcitability on the growth of hippocampal dendrites. *Neurobiology of Disease*, 29(2), 267-277. doi.

Nissinen, J., Lukasiuk, K., & Pitkäräinen, A. (2001). Is mossy fiber sprouting present at the time of the first spontaneous seizures in rat experimental temporal lobe epilepsy? *Hippocampus*, 11(3), 299-310. doi.

Nithianantharajah, J., Barkus, C., Vijiaratnam, N., Clement, O., & Hannan, A. J. (2009). Modeling brain reserve: experience-dependent neuronal plasticity in healthy and Huntington's disease transgenic mice. *American Journal of Geriatric Psychiatry*, 17(3), 196-196. doi.

Niu, S., Yabut, O., & D'Arcangelo, G. (2008). The Reelin Signaling Pathway Promotes Dendritic Spine Development in Hippocampal Neurons. *Journal of Neuroscience*, 28(41), 10339-10348. doi: 10.1523/jneurosci.1917-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10339>

Niv, F., Keiner, S., Witte, O. W., Lie, C. D., & Redecker, C. (2012). Aberrant Neurogenesis After Stroke A Retroviral Cell Labeling Study. *Stroke*. doi.

Noakes, Z., Keefe, F., Tamburini, C., Kelly, C. M., Cruz Santos, M., Dunnett, S. B., . . . Li, M. (2019). Human Pluripotent Stem Cell-Derived Striatal Interneurons: Differentiation and

Maturation In Vitro and in the Rat Brain. *Stem Cell Reports*.

doi: <https://doi.org/10.1016/j.stemcr.2018.12.014>, <http://www.sciencedirect.com/science/article/pii/S2213671118305332>

Nobili, A., Krashia, P., Cordella, A., La Barbera, L., Dell'Acqua, M. C., Caruso, A., . . . D'Amelio, M. (2018). Ambra1 Shapes Hippocampal Inhibition/Excitation Balance: Role in Neurodevelopmental Disorders. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-0911-5. <https://doi.org/10.1007/s12035-018-0911-5>

Nobili, A., Latagliata, E. C., Viscomi, M. T., Cavallucci, V., Cutuli, D., Giacobuzzo, G., . . . D'Amelio, M. (2017). Dopamine neuronal loss contributes to memory and reward dysfunction in a model of Alzheimer's disease. [Article]. *Nature Communications*, 8, 14727. doi: 10.1038/ncomms14727

<https://www.nature.com/articles/ncomms14727#supplementary-information>, <http://dx.doi.org/10.1038/ncomms14727>

Nobili, P., Colciaghi, F., Finardi, A., Zambon, S., Locatelli, D., & Battaglia, G. S. (2015). Continuous neurodegeneration and death pathway activation in neurons and glia in an experimental model of severe chronic epilepsy. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2015.08.002>, <http://www.sciencedirect.com/science/article/pii/S0969996115300231>

Nobrega-Pereira, S., Gelman, D., Bartolini, G., Pla, R., Pierani, A., & Marin, O. (2010). Origin and Molecular Specification of Globus Pallidus Neurons. *Journal of Neuroscience*, 30(8), 2824-2834. doi: 10.1523/jneurosci.4023-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/8/2824>

Noctor, S. C., Palmer, S. L., Hasling, T., & Juliano, S. L. (1999). Interference with the development of early generated neocortex results in disruption of radial glia and abnormal formation of neocortical layers. *Cerebral Cortex*, 9(2), 121-136. doi.

Noctor, S. C., Palmer, S. L., McLaughlin, D. F., & Juliano, S. L. (2001). Disruption of Layers 3 and 4 during Development Results in Altered Thalamocortical Projections in Ferret Somatosensory Cortex. *Journal of Neuroscience*, 21(9), 3184-3195. doi: <http://www.jneurosci.org/cgi/content/abstract/21/9/3184>

Nodal, F. R., Bajo, V. M., & King, A. J. (2010). Role of Primary Auditory Cortex in Acoustic Orientation and Approach-to-Target Responses. *Neurophysiological Bases of Auditory Perception*, 581-593. doi.

Nodal, F. R., Bajo, V. M., & King, A. J. (2012). Plasticity of spatial hearing: behavioural effects of cortical inactivation. *Journal of Physiology*. doi.

Nodal, F. R., Kacelnik, O., Bajo, V. M., Bizley, J. K., Moore, D. R., & King, A. J. (2009). Lesions of the Auditory Cortex impair Azimuthal Sound Localization and its Recalibration in Ferrets. *Journal of Neurophysiology*, 00991.02009. doi: 10.1152/jn.00991.2009. <http://jn.physiology.org/cgi/content/abstract/00991.2009v1>

Noerenberg, A., Hu, H., Vida, I., Bartos, M., & Jonas, P. (2009). Distinct nonuniform cable properties optimize rapid and efficient activation of fast-spiking GABAergic interneurons. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0910716107. <http://www.pnas.org/content/early/2009/12/15/0910716107.abstract>

Noga, B. R., Johnson, D. M. G., Riesgo, M. I., & Pinzon, A. (2009). Locomotor-activated neurons of the cat. I. Serotonergic innervation and co-localization of 5-HT<sub>7</sub>, 5-HT<sub>2A</sub> and 5-HT<sub>1A</sub> receptors in the thoraco-lumbar spinal cord. *Journal of Neurophysiology*, 91179. doi: 10.1152/jn.91179.2008. <http://jn.physiology.org/cgi/content/abstract/91179.2008v1>

Noga, B. R., Johnson, D. M. G., Riesgo, M. I., & Pinzon, A. (2011). Locomotor-activated neurons of the cat. II. Noradrenergic innervation and colocalization with NE $\alpha$ 1a or NE $\alpha$ 2b receptors in the thoraco-lumbar spinal cord. *Journal of Neurophysiology*, 105(4), 1835-1849. doi.

Nolano, M., Provitera, V., Caporaso, G., Stancanelli, A., Leandri, M., Biasiotta, A., . . . Truini, A. (2012). Cutaneous innervation of the human face as assessed by skin biopsy. *Journal of Anatomy*, n/a-n/a. doi: 10.1111/joa.12001. <http://dx.doi.org/10.1111/joa.12001>

Nolano, M., Provitera, V., Caporaso, G., Stancanelli, A., Vitale, D. F., & Santoro, L. (2010). Quantification of pilomotor nerves: A new tool to evaluate autonomic involvement in diabetes. *Neurology*, 75(12), 1089-1097. doi: 10.1212/WNL.0b013e3181f39cf4. <http://www.neurology.org/cgi/content/abstract/75/12/1089>

Nolano, M., Provitera, V., Crisci, C., Saltalamacchia, A. M., Wendelschafer-Crabb, G., Kennedy, W. R., . . . Caruso, G. (2001). Small fibers involvement in Friedreich's ataxia. *Annals of Neurology*, 50(1), 17-25. doi.

Nolano, M., Provitera, V., Crisci, C., Stancanelli, A., Wendelschafer-Crabb, G., Kennedy, W. R., & Santoro, L. (2003). Quantification of myelinated endings and mechanoreceptors in human digital skin. *Annals of Neurology*, 54(2), 197-205. doi.

Nolano, M., Provitera, V., Estraneo, A., Selim, M. M., Caporaso, G., Stancanelli, A., . . . Santoro, L. (2008). Sensory deficit in Parkinson's disease: evidence of a cutaneous denervation. *Brain*, awn102. doi: 10.1093/brain/awn102. <http://brain.oxfordjournals.org/cgi/content/abstract/awn102v1>

Nolano, M., Provitera, V., Perretti, A., Saltalamacchia, A. M., Tugnoli, V., Donadio, V., . . . Santoro, L. (2004). Cutaneous innervation in ross syndrome: a functional and morphological study in 8 patients. *Journal of the Peripheral Nervous System*, 9(2), 114-114. doi: doi:10.1111/j.1085-9489.2004.009209ah.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Nolano, M., Provitera, V., Perretti, A., Stancanelli, A., Saltalamacchia, A. M., Donadio, V., . . . Santoro, L. (2006). Ross syndrome: a rare or a misknown disorder of thermoregulation? A skin innervation study on 12 subjects. *Brain*, 129(8), 2119-2131. doi: 10.1093/brain/awl175. <http://brain.oxfordjournals.org/cgi/content/abstract/129/8/2119>

Nolano, M., Simone, D. A., Wendelschafer-Crabb, G., Johnson, T., Hazen, E., & Kennedy, W. R. (1999). Topical capsaicin in humans: parallel loss of epidermal nerve fibers and pain sensation. *Pain*, 81(1-2), 135-145. doi.

Noma, N., Tsuboi, Y., Kondo, M., Matsumoto, M., Sessle, B. J., Kitagawa, J., . . . Iwata, K. (2008). Organization of pERK-immunoreactive cells in trigeminal spinal nucleus caudalis and upper cervical cord following capsaicin injection into oral and craniofacial regions in rats. *Journal of Comparative Neurology*, 507(3), 1428-1440. doi.

Noma, N., Watanabe, K., Sato, Y., Imamura, Y., Yamamoto, Y., Ito, R., . . . Iwata, K. (2016). Botulinum neurotoxin type A alleviates mechanical hypersensitivity associated with infraorbital nerve constriction injury in rats. *Neuroscience Letters*. doi: <http://dx.doi.org/10.1016/j.neulet.2016.11.043>. <http://www.sciencedirect.com/science/article/pii/S0304394016308953>

Noma, S., Ohya-Shimada, W., Kanai, M., Ueda, K., Nakamura, T., & Funakoshi, H. (2012). Overexpression of HGF attenuates the degeneration of Purkinje cells and Bergmann glia in a knockin mouse model of spinocerebellar ataxia type 7. *Neuroscience Research*. doi.

Nonaka-Kinoshita, M., Reillo, I., Artegiani, B., Martínez-Martínez, M. Á., Nelson, M., Borrell, V., & Calegari, F. (2013). Regulation of cerebral cortex size and folding by expansion of basal progenitors. *The EMBO journal*. doi.

Nonkes, L. J. P., & Homberg, J. R. (2012). Perseverative instrumental and Pavlovian responding to conditioned stimuli in serotonin transporter knockout rats. *Neurobiology of Learning and Memory*, (0). doi: <http://dx.doi.org/10.1016/j.nlm.2012.12.004>. <http://www.sciencedirect.com/science/article/pii/S1074742712001815>

Nonkes, L. J. P., Tomson, K., M\laertin, A., Dederen, J., Roald Maes, J. H., & Homberg, J. (2010). Orbitofrontal cortex and amygdalar over-activity is associated with an inability to use the value of expected outcomes to guide behaviour in serotonin transporter knockout rats. *Neurobiology of Learning and Memory*, 94(1), 65-72. doi.

Norden, D., & Godbout, J. (2013). Review: microglia of the aged brain: primed to be activated and resistant to regulation. *Neuropathology and Applied Neurobiology*, 39, 19 - 34. doi.

Nordengen, K., Heuser, C., Rinholm, J., Matalon, R., & Gundersen, V. (2013). Localisation of N-acetylaspartate in oligodendrocytes/myelin. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-013-0691-7. <http://dx.doi.org/10.1007/s00429-013-0691-7>

Nordengen, K., Morland, C., Slusher, B. S., & Gundersen, V. (2019). Dendritic Localization and Exocytosis of NAAG in the Rat Hippocampus. *Cerebral Cortex*. doi: 10.1093/cercor/bhz176. <https://doi.org/10.1093/cercor/bhz176>

Notsu, E., & Toida, K. (2019). Examination of morphological and synaptic features of calbindin-immunoreactive neurons in deep layers of the rat olfactory bulb with correlative laser and volume electron microscopy. *Microscopy*. doi: 10.1093/jmicro/dfz019. <https://doi.org/10.1093/jmicro/dfz019>

Novak, V., Freimer, M. L., Kissel, J. T., Sahenk, Z., Periquet, I. M., Nash, S. M., . . . Mendell, J. R. (2001). Autonomic impairment in painful neuropathy. *Neurology*, 56(7), 861-868. doi: <http://www.neurology.org/cgi/content/abstract/56/7/861>

Nowacek, A. S., & Sengelaub, D. R. (2006). Estrogenic support of motoneuron dendritic growth via the neuromuscular periphery in a sexually dimorphic motor system. *Journal of Neurobiology*, 66(9), 962-976. doi.

Nowotschin, S., Setty, M., Kuo, Y.-Y., Liu, V., Garg, V., Sharma, R., . . . Pe'er, D. (2019). The emergent landscape of the mouse gut endoderm at single-cell resolution. *Nature*. doi: 10.1038/s41586-019-1127-1. <https://doi.org/10.1038/s41586-019-1127-1>

Noye Tuplin, E. W., & Holahan, M. R. (2019). Exploring time-dependent changes in conditioned place preference for food reward and associated changes in the nucleus accumbens. *Behavioural Brain Research*, 361, 14-25. doi: <https://doi.org/10.1016/j.bbr.2018.12.031>. <http://www.sciencedirect.com/science/article/pii/S0166432818311367>

Nugent, B. M., Wright, C. L., Shetty, A. C., Hodes, G. E., Lenz, K. M., Mahurkar, A., . . . McCarthy, M. M. (2015). Brain feminization requires active repression of masculinization via DNA methylation. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.3988

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3988.html#suppl.....http://dx.doi.org/10.1038/nn.3988>

Nunes, A. C. L., Duarte, R. B., Sousa, T. B., dos Santos, J. R., Freire, M. A. M., & Costa, M. S. M. O. (2010). Expression of the immediate-early gene *c-fos* and substance P in the spinal cord following locomotor training in adult rats. *Brain Research*, 1345, 125-136. doi.

Nunez, J. L., Alt, J. J., & McCarthy, M. M. (2003). A new model for prenatal brain damage: I. GABAA receptor activation induces cell death in developing rat hippocampus. *Experimental Neurology*, 181(2), 258-269. doi.

Nunez, J. L., Alt, J. J., & McCarthy, M. M. (2003). A novel model for prenatal brain damage: II. long-term deficits in hippocampal cell number and hippocampal-dependent behavior following neonatal GABAA receptor activation. *Experimental Neurology*, 181(2), 270-280. doi.

Nunez, J. L., Kim, Y., & Juraska, J. M. (1998). Neonatal cryoanesthesia affects the morphology of the visual cortex in the adult rat. *Developmental Brain Research*, 111(1), 89-98. doi.

Nunez, J. L., & McCarthy, M. M. (2003). Estradiol Exacerbates Hippocampal Damage in a Model of Preterm Infant Brain Injury. *Endocrinology*, 144(6), 2350-2359. doi: 10.1210/en.2002-220840. <http://endo.endojournals.org/cgi/content/abstract/144/6/2350>

Nuñez, J. L., & McCarthy, M. M. (2004). Cell death in the rat hippocampus in a model of prenatal brain injury: time course and expression of death-related proteins. *Neuroscience*, 129(2), 393-402. doi.

Nuñez, J. L., & McCarthy, M. M. (2008). Androgens predispose males to GABA<sub>A</sub>-mediated excitotoxicity in the developing hippocampus. *Experimental Neurology*, 210(2), 699-708. doi.

Nuseir, K., & Proudfit, H. K. (2000). Bidirectional modulation of nociception by GABA neurons in the dorsolateral pontine tegmentum that tonically inhibit spinally projecting noradrenergic A7 neurons. *Neuroscience*, 96(4), 773-783. doi.

O'Brien, B. J., Abel, P. L., & Olavarria, J. F. (2002). Connections of calbindin-D28k-defined subdivisions in inferior pulvinar with visual areas V2, V4 and MT in macaque monkeys. *Thalamus and Related Systems*, 1(04), 317-330. doi.

O'Reilly, K., Flatberg, A., Islam, S., Olsen, L., Kruge, I., & Witter, M. (2014). Identification of dorsal-ventral hippocampal differentiation in neonatal rats. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-014-0831-8. <http://dx.doi.org/10.1007/s00429-014-0831-8>

O'Reilly, K. C., Levy, E. R. J., Patino, A. V., Perica, M. I., & Fenton, A. A. (2018). Sub-circuit alterations in dorsal hippocampus structure and function after global neurodevelopmental insult. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1704-3. <https://doi.org/10.1007/s00429-018-1704-3>

Oberheim, N., Takano, T., Han, X., He, W., Lin, J., Wang, F., . . . Nedergaard, M. (2009). Uniquely hominid features of adult human astrocytes. *Journal of Neuroscience*, 29, 3276 - 3287. doi.

Oberlaender, M., Boudewijns, Z. S. R. M., Kleele, T., Mansvelder, H. D., Sakmann, B., & de Kock, C. P. J. (2011). Three-dimensional axon morphologies of individual layer 5 neurons indicate cell type-specific intracortical pathways for whisker motion and touch. *Proceedings of the National Academy of Sciences*, 108(10), 4188-4193. doi: 10.1073/pnas.1100647108. <http://www.pnas.org/content/108/10/4188.abstract>

Oberlaender, M., Bruno, R. M., Sakmann, B., & Broser, P. J. (2007). Transmitted light brightfield mosaic microscopy for three-dimensional tracing of single neuron morphology. *Journal of biomedical optics*, 12, 064029-064029. doi.

Oberlaender, M., de Kock, C. P. J., Bruno, R. M., Ramirez, A., Meyer, H. S., Dercksen, V. J., . . . Sakmann, B. (2011). Cell Type-Specific Three-Dimensional Structure of Thalamocortical Circuits in a Column of Rat Vibrissal Cortex. *Cerebral Cortex*, bhr317. doi: 10.1093/cercor/bhr317. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr317v1>

Oberlaender, M., Ramirez, A., & Bruno, Randy M. (2012). Sensory Experience Restructures Thalamocortical Axons during Adulthood. *Neuron*, 74(4), 648-655. doi: 10.1016/j.neuron.2012.03.022. <http://www.sciencedirect.com/science/article/pii/S0896627312002905>

Obernier, K., Cebrian-Silla, A., Thomson, M., Parraguez, J. I., Anderson, R., Guinto, C., . . . Alvarez-Buylla, A. (2018). Adult Neurogenesis Is Sustained by Symmetric Self-Renewal and Differentiation. *Cell Stem Cell*, 22(2), 221-234.e228.



doi: <https://doi.org/10.1016/j.stem.2018.01.003>, <https://www.sciencedirect.com/science/article/pii/S1934590918300031>

O'Blenes, S. B., Li, A. W., Chen, R., Arora, R. C., & Horackova, M. (2010). Engraftment is optimal when myoblasts are transplanted early: the role of hepatocyte growth factor. *Annals of Thoracic Surgery*, 89(3), 829-835. doi.

Oboti, L., Savalli, G., Giachino, C., De Marchis, S., Panzica, G. C., Fasolo, A., & Peretto, P. (2009). Integration and sensory experience-dependent survival of newly-generated neurons in the accessory olfactory bulb of female mice. *European Journal of Neuroscience*, 29(4), 679-692. doi.

Oboti, L., Schellino, R., Giachino, C., Chamero, P., Pyrski, M., Leinders-Zufall, T., . . . Peretto, P. (2011). Newborn interneurons in the accessory olfactory bulb promote mate recognition in female mice. *Frontiers in Neuroscience*, 5. doi.

O'Brien, B. J., Abel, P. L., & Olavarria, J. F. (1997). A morphological anomaly of the dorsal lateral geniculate nucleus in *Macaca fascicularis*. *Cell and Tissue Research*, 289(1), 11-16. doi.

O'Brien, B. J., Abel, P. L., & Olavarria, J. F. (2001). The retinal input to calbindin-D28k-defined subdivisions in macaque inferior pulvinar. *Neuroscience Letters*, 312(3), 145-148. doi.

O'Bryant, A., Bernier, B., & Jones, T. A. (2007). Abnormalities in skilled reaching movements are improved by peripheral anesthetization of the less-affected forelimb after sensorimotor cortical infarcts in rats. *Behavioural Brain Research*, 177(2), 298-307. doi.

Odajima, J., Wills, Z. P., Ndassa, Y. M., Terunuma, M., Kretschmannova, K., Deeb, T. Z., . . . others. (2011). Cyclin E constrains Cdk5 activity to regulate synaptic plasticity and memory formation. *Developmental cell*. doi.

Odeh, F., Ackerley, R., Bjaalie, J. G., & Apps, R. (2005). Pontine Maps Linking Somatosensory and Cerebellar Cortices Are in Register with Climbing Fiber Somatotopy. *Journal of Neuroscience*, 25(24), 5680-5690. doi. <http://www.jneurosci.org/cgi/content/abstract/25/24/5680>

Odeh, F., & Antal, M. (2001). The projections of the midbrain periaqueductal grey to the pons and medulla oblongata in rats. *European Journal of Neuroscience*, 14(8), 1275. doi.

Odeh, F., Antal, M., & Zagon, A. (2003). Heterogeneous synaptic inputs from the ventrolateral periaqueductal gray matter to neurons responding to somatosensory stimuli in the rostral ventromedial medulla of rats. *Brain Research*, 959(2), 287-294. doi.

Odeh, F., Leergaard, T. B., Boy, J., Schmidt, T., Riess, O., & Bjaalie, J. G. (2011). Atlas of transgenic Tet-Off Ca<sup>2+</sup>/calmodulin-dependent protein kinase II and prion protein promoter activity in the mouse brain. *Neuroimage*, 54(4), 2603-2611. doi.

O'Donnell, S., Donlan, N. A., & Jones, T. A. (2004). Mushroom body structural change is associated with division of labor in eusocial wasp workers (*Polybia aequatorialis*, Hymenoptera: Vespidae). *Neuroscience Letters*, 356(3), 159-162. doi.

Oga, T., Okamoto, T., & Fujita, I. (2016). Basal Dendrites of Layer-III Pyramidal Neurons do not Scale with Changes in Cortical Magnification Factor in Macaque Primary Visual Cortex. [Original Research]. *Frontiers in neural circuits*, 10(74). doi: 10.3389/fncir.2016.00074. <http://journal.frontiersin.org/article/10.3389/fncir.2016.00074>

Ogawa, M., Nagai, T., Saito, Y., Miyaguchi, H., Kumakura, K., Abe, K., & Asakura, T. (2018). Short-term mastication after weaning upregulates GABAergic signalling and reduces dendritic spine in thalamus. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2018.03.032>. <https://www.sciencedirect.com/science/article/pii/S0006291X18305060>

Oginsky, M. F., Rodgers, E. W., Clark, M. C., Simmons, R., Krenz, W. D. C., & Baro, D. J. (2010). D2 receptors receive paracrine neurotransmission and are consistently targeted to a subset of synaptic structures in an identified neuron of the crustacean stomatogastric nervous system. *Journal of Comparative Neurology*, 518(3), 255-276. doi.

Oh, K. B., Stanton, M. J., West, W. W., Todd, G. L., & Wagner, K.-U. (2007). Tsg101 is upregulated in a subset of invasive human breast cancers and its targeted overexpression in transgenic mice reveals weak oncogenic properties for mammary cancer initiation. *Oncogene*. doi.

Oh, Y.-M., Karube, F., Takahashi, S., Kobayashi, K., Takada, M., Uchigashima, M., . . . Fujiyama, F. (2016). Using a novel PV-Cre rat model to characterize pallidonigral cells and their terminations. [journal article]. *Brain Structure and Function*, 1-20. doi: 10.1007/s00429-016-1346-2. <http://dx.doi.org/10.1007/s00429-016-1346-2>

Ohab, J. J., Fleming, S., Blesch, A., & Carmichael, S. T. (2006). A Neurovascular Niche for Neurogenesis after Stroke. *Journal of Neuroscience*, 26(50), 13007-13016. doi: 10.1523/jneurosci.4323-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/50/13007>

Ohana, O., Portner, H., & Martin, K. A. C. (2012). Fast Recruitment of Recurrent Inhibition in the Cat Visual Cortex. *PLoS ONE*, 7(7), e40601. doi: 10.1371/journal.pone.0040601. <http://dx.doi.org/10.1371%2Fjournal.pone.0040601>

Ohana, O., & Sakmann, B. (1998). Transmitter release modulation in nerve terminals of rat neocortical pyramidal cells by intracellular calcium buffers. *Journal of Physiology*, 513(1), 135-148. doi: <http://jp.physoc.org/cgi/content/abstract/513/1/135>

Ohara, P. T., & Havton, L. A. (1994). Dendritic architecture of rat somatosensory thalamocortical projection neurons. *Journal of Comparative Neurology*, 341, 159-171. doi.

Ohara, P. T., & Havton, L. A. (1996). Dendritic arbors of neurons from different regions of the rat thalamic reticular nucleus share a similar orientation. *Brain Research*, 728, 236-240. doi.

Ohgomori, T., Yamada, J., Takeuchi, H., Kadomatsu, K., & Jinno, S. (2016). Comparative morphometric analysis of microglia in the spinal cord of SOD1G93A transgenic mouse model of amyotrophic lateral sclerosis. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13227. <http://dx.doi.org/10.1111/ejn.13227>

Ohkubo, Y., Uchida, A. O., Shin, D., Partanen, J., & Vaccarino, F. M. (2004). Fibroblast Growth Factor Receptor 1 Is Required for the Proliferation of Hippocampal Progenitor Cells and for Hippocampal Growth in Mouse. *Journal of Neuroscience*, 24(27), 6057-6069. doi: <http://www.jneurosci.org/cgi/content/abstract/24/27/6057>

Ohm, D. T., Bloss, E. B., Janssen, W. G., Dietz, K. C., Wadsworth, S., Lou, W., . . . Morrison, J. H. (2012). Clinically Relevant Hormone Treatments Fail to Induce Spinogenesis in Prefrontal Cortex of Aged Female Rhesus Monkeys. *Journal of Neuroscience*, 32(34), 11700-11705. doi: 10.1523/jneurosci.1881-12.2012. <http://www.jneurosci.org/content/32/34/11700.abstract>

Ohman-Gault, L., Huang, T., & Krimm, R. (2017). The transcription factor Phox2b distinguishes between oral and non-oral sensory neurons in the geniculate ganglion. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24312. <http://dx.doi.org/10.1002/cne.24312>

Ohmura, N., Kawasaki, K., Satoh, T., & Hata, Y. (2014). In vivo electroporation to physiologically identified deep brain regions in postnatal mammals. *Brain Structure and Function*, 1-10. doi: 10.1007/s00429-014-0724-x. <http://dx.doi.org/10.1007/s00429-014-0724-x>

Oi, H., Partida, G. J., Lee, S. C., Ishida, A. T., Altomare, C., Bucchi, A., . . . others. (2010). HCN4-like immunoreactivity in rat retinal ganglion cells. *Visual Neuroscience*, 25(1), 95-95. doi.

Ojima, H., & Takayanagi, M. (2004). Cortical convergence from different frequency domains in the cat primary auditory cortex. *Neuroscience*, 126(1), 203-212. doi.

Ojima, H., Takayanagi, M., Potapov, D., & Homma, R. (2005). Isofrequency band-like zones of activation revealed by optical imaging of intrinsic signals in the cat primary auditory cortex. *Cerebral Cortex*, 15(10), 1497-1509. doi.

Okada, T., Yoshioka, M., Inoue, K., & Kawai, Y. (2006). Local axonal arborization patterns of distinct neuronal types in the caudal nucleus of the tractus solitarius. *Brain Research*, 1083(1), 134-144. doi.

Okada-Ogawa, A., Suzuki, I., Sessle, B. J., Chiang, C.-Y., Salter, M. W., Dostrovsky, J. O., . . . Iwata, K. (2009). Astroglia in Medullary Dorsal Horn (Trigeminal Spinal Subnucleus Caudalis) Are Involved in Trigeminal Neuropathic Pain Mechanisms. *Journal of Neuroscience*, 29(36), 11161-11171. doi: 10.1523/jneurosci.3365-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/36/11161>

Okino, E., Morita, S., Hoshikawa, Y., & Tsukahara, S. (2020). The glutamatergic system in the preoptic area is involved in the retention of maternal behavior in maternally experienced female rats. *Psychoneuroendocrinology*, 120, 104792.

doi: <https://doi.org/10.1016/j.psyneuen.2020.104792>. <http://www.sciencedirect.com/science/article/pii/S0306453020302134>

Okusa, M. D. (2002). The Inflammatory Cascade in Acute Ischemic Renal Failure. *Nephron*, 90(2), 133-138. doi. <http://www.karger.com/DOI/10.1159/000049032>

Okusa, M. D., Linden, J., Huang, L., Rieger, J. M., Macdonald, T. L., & Huynh, L. P. (2000). A<sub>2</sub>A adenosine receptor-mediated inhibition of renal injury and neutrophil adhesion. *American Journal of Physiology - Renal Physiology*, 279(5), F809-818. doi. <http://ajprenal.physiology.org/cgi/content/abstract/279/5/F809>

Oláh, S., Füle, M., Komlósi, G., Varga, C., Báldi, R., Barzó, P., & Tamás, G. (2009). Regulation of cortical microcircuits by unitary GABA-mediated volume transmission. *Nature*, 461(7268), 1278-1281. doi.

Oláh, S., Komlósi, G., Szabadics, J., Varga, C., Tóth, É., Barzó, P., & Tamás, G. (2007). Output of neurogliaform cells to various neuron types in the human and rat cerebral cortex. *Frontiers in Neural Circuits*, 1. doi.

Olariu, A., Cleaver, K. M., & Cameron, H. A. (2007). Decreased neurogenesis in aged rats results from loss of granule cell precursors without lengthening of the cell cycle. *Journal of Comparative Neurology*, 501(4), 659-667. doi.

Olariu, A., Cleaver, K. M., Shore, L. E., Brewer, M. D., & Cameron, H. A. (2005). A natural form of learning can increase and decrease the survival of new neurons in the dentate gyrus. *Hippocampus*, 15(6), 750-762. doi.

Olavarria, J. F. (1995). The effect of visual deprivation on the number of callosal cells in the cat is less pronounced in extrastriate cortex than in the 17/18 border region. *Neuroscience Letters*, 195(3), 147-150. doi.

Olavarria, J. F. (2001). Callosal connections correlate preferentially with ipsilateral cortical domains in cat areas 17 and 18, and with contralateral domains in the 17/18 transition zone. *Journal of Comparative Neurology*, 433(4), 441-457. doi.

Olavarria, J. F., & Abel, P. L. (1996). The distribution of callosal connections correlates with the pattern of cytochrome oxidase stripes in visual area V2 of macaque monkeys. *Cerebral Cortex*, 6(4), 631-639. doi.

Olavarria, J. F., & Hiroi, R. (2003). Retinal influences specify cortico-cortical maps by postnatal day six in rats and mice. *Journal of Comparative Neurology*, 459(2), 156-172. doi.

Olavarria, J. F., Laing, R., Hiroi, R., & Lasiene, J. (2008). Topography and axon arbor architecture in the visual callosal pathway: effects of deafferentation and blockade of TV-methyl-D-aspartate receptors. *Biological Research*, 41(4), 413-424. doi.

Olavarria, J. F., & Li, C. (1995). Effects of neonatal enucleation on the organization of callosal linkages in striate cortex of the rat. *Journal of Comparative Neurology*, 361(1), 138-151. doi.

Olavarria, J. F., van Brederode, J. F. M., & Spain, W. J. (2007). Retinal influences induce bidirectional changes in the kinetics of n-methyl-d-aspartate receptor-mediated responses in striate cortex cells during postnatal development. *Neuroscience*, 148(3), 683-699. doi.

Olave, M. J., & Maxwell, D. J. (2003). Axon terminals possessing the  $\alpha$ 2c-adrenergic receptor in the rat dorsal horn are predominantly excitatory. *Brain Research*, 965(1-2), 269-273. doi.

Olave, M. J., & Maxwell, D. J. (2003). Neurokinin-1 projection cells in the rat dorsal horn receive synaptic contacts from axons that possess  $\alpha$ 2C-adrenergic receptors. *Journal of Neuroscience*, 23(17), 6837-6846. doi.

Olave, M. J., & Maxwell, D. J. (2004). Axon terminals possessing  $\alpha$ 2C-adrenergic receptors densely innervate neurons in the rat lateral spinal nucleus which respond to noxious stimulation. *Neuroscience*, 126(2), 391-403. doi.

Olave, M. J., Puri, N., Kerr, R., & Maxwell, D. J. (2002). Myelinated and unmyelinated primary afferent axons form contacts with cholinergic interneurons in the spinal dorsal horn. *Experimental Brain Research*, 145(4), 448-456. doi.

Oldenbeuving, A. W., Eisenman, L. M., De Zeeuw, C. I., & Ruigrok, T. J. H. (1999). Inferior olivary-induced expression of Fos-like immunoreactivity in the cerebellar nuclei of wild-type and Lurcher mice. *European Journal of Neuroscience*, 11(11), 3809-3822. doi: [10.1046/j.1460-9568.1999.00796.x](https://doi.org/10.1046/j.1460-9568.1999.00796.x). <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1999.00796.x>

Oliva, A. A., Jr, Jiang, M., Lam, T., Smith, K. L., & Swann, J. W. (2000). Novel Hippocampal Interneuronal Subtypes Identified Using Transgenic Mice That Express Green Fluorescent Protein in GABAergic Interneurons. *Journal of Neuroscience*, 20(9), 3354-3368. doi. <http://www.jneurosci.org/cgi/content/abstract/20/9/3354>

Oliva, A. A., Kang, Y., Furones, C., Alonso, O. F., Bruno, O., Dalton Dietrich, W., & Atkins, C. M. (2012). Phosphodiesterase isoform-specific expression induced by traumatic brain injury. *Journal of Neurochemistry*, n/a-n/a. doi: [10.1111/jnc.12049](https://doi.org/10.1111/jnc.12049). <http://dx.doi.org/10.1111/jnc.12049>

Oliveira, M., Rodrigues, A. J., Leão, P., Cardona, D., Pêgo, J. M., & Sousa, N. (2011). The bed nucleus of stria terminalis and the amygdala as targets of antenatal glucocorticoids: implications for fear and anxiety responses. *Psychopharmacology*, 1-11. doi.

Oliver, D. L., Beckius, G. E., Bishop, D. C., Loftus, W. C., & Batra, R. (2003). Topography of Interaural Temporal Disparity Coding in Projections of Medial Superior Olive to Inferior Colliculus. *Journal of Neuroscience*, 23(19), 7438-7449. doi. <http://www.jneurosci.org/cgi/content/abstract/23/19/7438>

Oliver, D. L., Ostapoff, E. M., & Beckius, G. E. (1999). Direct innervation of identified tectothalamic neurons in the inferior colliculus by axons from the cochlear nucleus. *Neuroscience*, 93(2), 643-658. doi.

Olivier, J. D. A., de Jong, T. R., Jos Dederen, P., van Oorschot, R., Heeren, D., Pattij, T., . . . others. (2007). Effects of acute and chronic apomorphine on sex behavior and copulation-induced neural activation in the male rat. *European Journal of Pharmacology*, 576(1-3), 61-76. doi.

Olivier, J. D. A., Van Der Hart, M. G. C., Van Swelm, R. P. L., Dederen, P. J., Homberg, J. R., Cremers, T., . . . Ellenbroek, B. A. (2008). A study in male and female 5-HT transporter knockout rats: an animal model for anxiety and depression disorders. *Neuroscience*, 152(3), 573-584. doi.

Olsbo, V., Myllymäki, M., Waller, L. A., & Särkkä, A. (2013). Development and evaluation of spatial point process models for epidermal nerve fibers. *Mathematical Biosciences*, (0). doi: <http://dx.doi.org/10.1016/j.mbs.2013.03.001>. <http://www.sciencedirect.com/science/article/pii/S0025556413000734>

Olsen, G. M., Ohara, S., Iijima, T., & Witter, M. P. (2016). Parahippocampal and retrosplenial connections of rat posterior parietal cortex. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22701. <http://dx.doi.org/10.1002/hipo.22701>

Olsen, G. M., & Witter, M. P. (2016). The posterior parietal cortex of the rat: architectural delineation and thalamic differentiation. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24032. <http://dx.doi.org/10.1002/cne.24032>

Olson, A. J., Picones, A., & Korenbrot, J. I. (2000). Developmental Switch in Excitability, Ca<sup>2+</sup> and K<sup>+</sup> Currents of Retinal Ganglion Cells and Their Dendritic Structure. *Journal of Neurophysiology*, 84(4), 2063-2077. doi. <http://jn.physiology.org/cgi/content/abstract/84/4/2063>

Olson, C. R., Rodrigues, P. V., Jeong, J. K., Prael, D. J., & Mello, C. V. (2011). Organization and development of zebra finch HVC and paraHVC based on expression of zRalDH, an enzyme associated with retinoic acid production. *Journal of Comparative Neurology*, 519(1), 148-161. doi: 10.1002/cne.22510. <http://dx.doi.org/10.1002/cne.22510>

Oltedal, L., Veruki, M. L., & Hartveit, E. (2009). Passive membrane properties and electrotonic signal processing in retinal rod bipolar cells. *Journal of Physiology*, jphysiol.2008.165415. doi: 10.1113/jphysiol.2008.165415. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.165415v1>

Omelian, J. M., Poe, M. J., Gomez, A. M., Apa, K. L., & Sollars, S. I. (2015). Developmental time course of peripheral cross-modal sensory interaction of the trigeminal and gustatory systems. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22349. <http://dx.doi.org/10.1002/dneu.22349>

Omelian, J. M., Samson, K. K., & Sollars, S. I. (2016). Chronic Oral Capsaicin Exposure During Development Leads to Adult Rats with Reduced Taste Bud Volumes. [journal article]. *Chemosensory Perception*, 1-10. doi: 10.1007/s12078-016-9214-2. <http://dx.doi.org/10.1007/s12078-016-9214-2>



On, V., Zahedi, A., Ethell, I. M., & Bhanu, B. (2017). Automated spatio-temporal analysis of dendritic spines and related protein dynamics. *PLoS ONE*, 12(8), e0182958. doi: 10.1371/journal.pone.0182958. <https://doi.org/10.1371/journal.pone.0182958>

Onge, J. R. S., Stopper, C. M., Zahm, D. S., & Floresco, S. B. (2012). Separate Prefrontal-Subcortical Circuits Mediate Different Components of Risk-Based Decision Making. *Journal of Neuroscience*, 32(8), 2886-2899. doi.

Onochie, I. N. (2017). Pre-Synaptic and Post-Synaptic Pathways from the Hippocampus to Medial Prefrontal Cortex in Rhesus Monkeys. Boston University. Retrieved from <https://search.proquest.com/openview/9f6d445eb89c10eabdf5daabb133839/1?...>

Opala, E. A., Verlezza, S., Long, H., Rusu, D., Woodside, B., & Walker, C.-D. (2019). Experience of Adversity during a First Lactation Modifies Prefrontal Cortex Morphology in Primiparous Female Rats: Lack of Long Term Effects on a Subsequent Lactation. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2019.08.022>. <http://www.sciencedirect.com/science/article/pii/S0306452219305937>

Orefice, L., & Xu, B. (2016). Tools for Analyzing the Role of Local Protein Synthesis in Synaptic Plasticity. In N. Karpova (Ed.), *Epigenetic Methods in Neuroscience Research* (Vol. 105, pp. 175-193): Springer New York.

Orefice, L. L., Shih, C.-C., Xu, H., Waterhouse, E. G., & Xu, B. (2016). Control of spine maturation and pruning through proBDNF synthesized and released in dendrites. *Molecular and Cellular Neuroscience*, 71, 66-79. doi: <http://dx.doi.org/10.1016/j.mcn.2015.12.010>. <http://www.sciencedirect.com/science/article/pii/S104474311530049X>

Orefice, L. L., Waterhouse, E. G., Partridge, J. G., Lalchandani, R. R., Vicini, S., & Xu, B. (2013). Distinct Roles for Somatically and Dendritically Synthesized Brain-Derived Neurotrophic Factor in Morphogenesis of Dendritic Spines. *Journal of Neuroscience*, 33(28), 11618-11632. doi: 10.1523/jneurosci.0012-13.2013. <http://www.jneurosci.org/content/33/28/11618.abstract>

Orlando, C., & Raineteau, O. (2014). Integrity of cortical perineuronal nets influences corticospinal tract plasticity after spinal cord injury. *Brain Structure and Function*, 1-15. doi. <http://link.springer.com/article/10.1007/s00429-013-0701-9/fulltext.html>

Orlowski, D., & Bjarkam, C. R. (2012). A simple reproducible and time saving method of semi-automatic dendrite spine density estimation compared to manual spine counting. *Journal of Neuroscience Methods*, (0). doi: 10.1016/j.jneumeth.2012.05.009. <http://www.sciencedirect.com/science/article/pii/S0165027012001628>

Orman, R. (2015). Claustrum: a case for directional, excitatory, intrinsic connectivity in the rat. *The Journal of Physiological Sciences*, 1-12. doi: 10.1007/s12576-015-0391-6. <http://dx.doi.org/10.1007/s12576-015-0391-6>

Orner, D., Chen, C.-C., Orner, D., & Brumberg, J. (2013). Alterations of dendritic protrusions over the first postnatal year of a mouse: an analysis in layer VI of the barrel cortex. *Brain Structure and Function*, 1-12. doi: 10.1007/s00429-013-0596-5. <http://dx.doi.org/10.1007/s00429-013-0596-5>

Ortega, J. A., Memi, F., Radonjic, N., Filipovic, R., Bagasrawala, I., Zecevic, N., & Jakovcevski, I. (2017). The Subventricular Zone. *The Neuroscientist*, 1073858417691009. doi: 10.1177/1073858417691009. <http://dx.doi.org/10.1177/1073858417691009>

Osipovitch, M., Asenjo Martinez, A., Mariani, J. N., Cornwell, A., Dhaliwal, S., Zou, L., . . . Goldman, S. A. (2018). Human ESC-Derived Chimeric Mouse Models of Huntington's Disease Reveal Cell-Intrinsic Defects in Glial Progenitor Cell Differentiation. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2018.11.010>. <http://www.sciencedirect.com/science/article/pii/S1934590918305460>

Ossa-Fuentes, L., Mpodozis, J., & Vargas, A. O. (2015). Bird embryos uncover homology and evolution of the dinosaur ankle. [Article]. *Nat Commun*, 6. doi: 10.1038/ncomms9902. <http://dx.doi.org/10.1038/ncomms9902>

Ostapoff, E. M., Morest, D. K., & Parham, K. (1999). Spatial organization of the reciprocal connections between the cat dorsal and anteroventral cochlear nuclei. *Hearing Research*, 130(1-2), 75-93. doi.

Osterhout, Jessica A., Stafford, Benjamin K., Nguyen, Phong L., Yoshihara, Y., & Huberman, Andrew D. (2015). Contactin-4 Mediates Axon-Target Specificity and Functional Development of the Accessory Optic System. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2015.04.005>. <http://www.sciencedirect.com/science/article/pii/S0896627315003347>

Osterop, S. F., Virtanen, M. A., Loepke, J. R., Joseph, B., Loepke, A. W., & Vutskits, L. (2015). Developmental stage-dependent impact of midazolam on calbindin, calretinin and parvalbumin expression in the immature rat medial prefrontal cortex during the brain growth spurt. *International Journal of Developmental Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.ijdevneu.2015.04.002>. <http://www.sciencedirect.com/science/article/pii/S0736574815000507>

Oswald, A. M. M., & Reyes, A. D. (2011). Development of inhibitory timescales in auditory cortex. *Cerebral Cortex*, 21(6), 1351-1361. doi.

Oswald, A.-M. M., Doiron, B., Rinzel, J., & Reyes, A. D. (2009). Spatial Profile and Differential Recruitment of GABAB Modulate Oscillatory Activity in Auditory Cortex. *Journal of Neuroscience*, 29(33), 10321-10334. doi: 10.1523/jneurosci.1703-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/33/10321>

Ota, H., Hikita, T., Sawada, M., Nishioka, T., Matsumoto, M., Komura, M., . . . Asai, N. (2014). Speed control for neuronal migration in the postnatal brain by Gmp-mediated local inactivation of RhoA. *Nature Communications*, 5. doi: <http://www.nature.com/ncomms/2014/140730/ncomms5532/full/ncomms5532.html>

- Otsuka, T., & Kawaguchi, Y. (2008). Firing-Pattern-Dependent Specificity of Cortical Excitatory Feed-Forward Subnetworks. *Journal of Neuroscience*, 28(44), 11186-11195. doi: 10.1523/jneurosci.1921-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/44/11186>
- Otsuka, T., & Kawaguchi, Y. (2009). Cortical Inhibitory Cell Types Differentially Form Intralaminar and Interlaminar Subnetworks with Excitatory Neurons. *Journal of Neuroscience*, 29(34), 10533-10540. doi: 10.1523/jneurosci.2219-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/34/10533>
- Otsuka, T., & Kawaguchi, Y. (2011). Cell Diversity and Connection Specificity between Callosal Projection Neurons in the Frontal Cortex. *Journal of Neuroscience*, 31(10), 3862-3870. doi: 10.1523/jneurosci.5795-10.2011. <http://www.jneurosci.org/content/31/10/3862.abstract>
- Otsuka, T., & Kawaguchi, Y. (2013). Common excitatory synaptic inputs to electrically connected cortical fast-spiking cell networks. *Journal of Neurophysiology*. doi: 10.1152/jn.00071.2013. <http://jn.physiology.org/content/early/2013/05/10/jn.00071.2013.abstract>
- Ou, Y.-T., Lu, M. S. C., & Chiao, C.-C. (2012). The effects of electrical stimulation on neurite outgrowth of goldfish retinal explants. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.08.041. <http://www.sciencedirect.com/science/article/pii/S0006899312013959>
- Ouda, L., Burianová, J., Balogová, Z., Lu, H., & Syka, J. (2014). Structural changes in the adult rat auditory system induced by brief postnatal noise exposure. *Brain Structure and Function*, 1-13. doi: 10.1007/s00429-014-0929-z. <http://dx.doi.org/10.1007/s00429-014-0929-z>
- Ouda, L., Burianova, J., & Syka, J. (2012). Age-related changes in calbindin and calretinin immunoreactivity in the central auditory system of the rat. *Experimental Gerontology*, (0). doi: 10.1016/j.exger.2012.04.003. <http://www.sciencedirect.com/science/article/pii/S0531556512000903>
- Ouda, L., Druga, R., & Syka, J. (2008). Changes in parvalbumin immunoreactivity with aging in the central auditory system of the rat. *Experimental Gerontology*, 43(8), 782-789. doi:
- Oudega, M., Chao, O. Y., Avison, D. L., Bronson, R. T., Buchser, W. J., Hurtado, A., & Grimpe, B. (2012). Systemic administration of a deoxyribozyme to xylosyltransferase-1 mRNA promotes recovery after a spinal cord contusion injury. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.06.006. <http://www.sciencedirect.com/science/article/pii/S0014488612002415>
- Ouedraogo, D. W., Lenck-Santini, P.-P., Marti, G., Robbe, D., Crépel, V., & Epsztein, J. (2016). Abnormal UP/DOWN membrane potential dynamics coupled with the neocortical slow oscillation in dentate granule cells during the latent phase of temporal lobe epilepsy. [10.1523/ENEURO.0017-16.2016]. *eneuro*. doi: <http://eneuro.org/content/early/2016/05/09/ENEURO.0017-16.2016.abstract>

Ouhaz, Z., Ba-M'hamed, S., & Bennis, M. (2017). Morphological, structural, and functional alterations of the prefrontal cortex and the basolateral amygdala after early lesion of the rat mediodorsal thalamus. [journal article]. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-016-1354-2. <http://dx.doi.org/10.1007/s00429-016-1354-2>

Ourednik, J., Ourednik, V., Bastmeyer, M., & Schachner, M. (2001). Ectopic expression of the neural cell adhesion molecule L1 in astrocytes leads to changes in the development of the corticospinal tract. *European Journal of Neuroscience*, 14(9), 1464. doi.

Ouyang, J., & Alway, S. E. (2004). Transgene expression in hypertrophied and aged skeletal muscle in vivo by lentivirus delivery. *Journal of Gene Medicine*, 6(3), 278-287. doi.

Ouyang, Q., Lizarraga, Sofia B., Schmidt, M., Yang, U., Gong, J., Ellisor, D., . . . Morrow, Eric M. (2013). Christianson Syndrome Protein NHE6 Modulates TrkB Endosomal Signaling Required for Neuronal Circuit Development. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2013.07.043>. <http://www.sciencedirect.com/science/article/pii/S0896627313006673>

Overman, J. J., Clarkson, A. N., Wanner, I. B., Overman, W. T., Eckstein, I., Maguire, J. L., . . . Carmichael, S. T. (2012). A role for ephrin-A5 in axonal sprouting, recovery, and activity-dependent plasticity after stroke. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1204386109. <http://www.pnas.org/content/early/2012/07/24/1204386109.abstract>

Overstreet-Wadiche, L., & McBain, C. J. (2015). Neurogliaform cells in cortical circuits. [Review]. *Nat Rev Neurosci*, 16(8), 458-468. doi: 10.1038/nrn3969. <http://dx.doi.org/10.1038/nrn3969>

Ovtscharoff Jr, W., Helmeke, C., & Braun, K. (2006). Lack of paternal care affects synaptic development in the anterior cingulate cortex. *Brain Research*, 1116(1), 58-63. doi.

Oyola, M. G., Zuloaga, D. G., Carbone, D., Malysz, A. M., Acevedo-Rodriguez, A., Handa, R. J., & Mani, S. K. (2015). CYP7B1 Enzyme Deletion Impairs Reproductive Behaviors in Male Mice. *Endocrinology*, 0(0), en.2014-1786. doi: doi:10.1210/en.2014-1786. <http://press.endocrine.org/doi/abs/10.1210/en.2014-1786>

Ozkan, E. D., Aceti, M., Creson, T. K., Rojas, C. S., Hubbs, C., McGuire, M. N., . . . Rumbaugh, G. (2015). Input-specific regulation of hippocampal circuit maturation by non-muscle Myosin IIB. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13146. <http://dx.doi.org/10.1111/jnc.13146>

Özkay, Ü. D., Söztutar, E., Can, Ö. D., Üçel, U. I., Öztürk, Y., & Ulupinar, E. (2015). Effects of long-term agomelatine treatment on the cognitive performance and hippocampal plasticity of adult rats. *Behavioural Pharmacology*. doi.

Ozomaro, U., Cai, G., Kajiwara, Y., Yoon, S., Makarov, V., Delorme, R., . . . Grice, D. E. (2013). Characterization of SLITRK1 Variation in Obsessive-Compulsive Disorder. *PLoS ONE*, 8(8), e70376. doi: 10.1371/journal.pone.0070376. <http://dx.doi.org/10.1371%2Fjournal.pone.0070376>

Packer, A. M., McConnell, D. J., Fino, E., & Yuste, R. (2012). Axo-Dendritic Overlap and Laminar Projection Can Explain Interneuron Connectivity to Pyramidal Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bhs210. <http://cercor.oxfordjournals.org/content/early/2012/08/30/cercor.bhs210....>

Packer, A. M., & Yuste, R. (2011). Dense, Unspecific Connectivity of Neocortical Parvalbumin-Positive Interneurons: A Canonical Microcircuit for Inhibition? *Journal of Neuroscience*, 31(37), 13260-13271. doi: 10.1523/jneurosci.3131-11.2011. <http://www.jneurosci.org/content/31/37/13260.abstract>

Padival, M. A., Blume, S. R., & Amiel Rosenkranz, J. (2013). Repeated restraint stress exerts different impact on structure of neurons in the lateral and basal nuclei of the amygdala. *Neuroscience*. doi.

Padival, M. A., Blume, S. R., Vantrease, J. E., & Rosenkranz, J. A. (2015). Qualitatively different effect of repeated stress during adolescence on principal neuron morphology across lateral and basal nuclei of the rat amygdala. *Neuroscience*, 291(0), 128-145. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.02.012>. <http://www.sciencedirect.com/science/article/pii/S0306452215001542>

Pafundo, D. E., Pretell Annan, C. A., Fulginiti, N. M., & Belforte, J. E. (2021). Early NMDA Receptor Ablation in Interneurons Causes an Activity-Dependent E/I Imbalance in vivo in Prefrontal Cortex Pyramidal Neurons of a Mouse Model Useful for the Study of Schizophrenia. *Schizophrenia Bulletin*, (sbab030). doi: 10.1093/schbul/sbab030. <https://doi.org/10.1093/schbul/sbab030>

Pahle, J., Muhia, M., Wagener, R. J., Tippmann, A., Bock, H. H., Graw, J., . . . Brunne, B. (2019). Selective Inactivation of Reelin in Inhibitory Interneurons Leads to Subtle Changes in the Dentate Gyrus But Leaves Cortical Layering and Behavior Unaffected. *Cerebral Cortex*. doi: 10.1093/cercor/bhz196. <https://doi.org/10.1093/cercor/bhz196>

Palanca, A. M. S., Lee, S.-L., Yee, L. E., Joe-Wong, C., Trinh, L. A., Hiroyasu, E., . . . Sagasti, A. (2012). New transgenic reporters identify somatosensory neuron subtypes in larval zebrafish. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22049. <http://dx.doi.org/10.1002/dneu.22049>

Palanza, L., Jhaveri, S., Donati, S., Nuzzi, R., & Vercelli, A. (2005). Quantitative spatial analysis of the distribution of NADPH-diaphorase-positive neurons in the developing and mature rat retina. *Brain Research Bulletin*, 65(4), 349-360. doi.

Palanza, L., Nuzzi, R., Repici, M., & Vercelli, A. (2002). Ganglion cell apoptosis and increased number of NADPH-d-positive neurones in the rodent retina in an experimental model of glaucoma. *Acta Ophthalmologica Scandinavica*, 80(s236), 47. doi.

Paldino, E., D'Angelo, V., Sancesario, G., & Fusco, F. R. (2020). Pyroptotic cell death in the R6/2 mouse model of Huntington's disease: new insight on the inflammasome. *Cell Death Discovery*, 6(1), 69. doi: 10.1038/s41420-020-00293-z. <https://doi.org/10.1038/s41420-020-00293-z>

Pálfi, E., Zalányi, L., Ashaber, M., Palmer, C., Kántor, O., Roe, A. W., . . . Négyessy, L. (2018). Connectivity of neuronal populations within and between areas of primate somatosensory cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1671-8. <https://doi.org/10.1007/s00429-018-1671-8>

Palizvan, M. R., Sohya, K., Kohara, K., Maruyama, A., Yasuda, H., Kimura, F., & Tsumoto, T. (2004). Brain-derived neurotrophic factor increases inhibitory synapses, revealed in solitary neurons cultured from rat visual cortex. *Neuroscience*, 126(4), 955-966. doi.

Pallas, S. L., Littman, T., & Moore, D. R. (1999). Cross-modal reorganization of callosal connectivity without altering thalamocortical projections. *Proceedings of the National Academy of Sciences*, 96(15), 8751-8756. doi.

Pallé, A., Zorzo, C., Luskey, V. E., McGreevy, K. R., Fernández, S., & Trejo, J. L. (2019). Social dominance differentially alters gene expression in the medial prefrontal cortex without affecting adult hippocampal neurogenesis or stress and anxiety-like behavior. *The FASEB journal*, 0(0), fj.201801600R. doi: 10.1096/fj.201801600R. <https://www.fasebj.org/doi/abs/10.1096/fj.201801600R>

Palmer, A. R., Wallace, M. N., Arnott, R. H., & Shackleton, T. M. (2003). Morphology of physiologically characterised ventral cochlear nucleus stellate cells. *Experimental Brain Research*, 153, 418-426. doi.

Palmer, L. M., Clark, B. A., GrÃ¼ndemann, J., Roth, A., Stuart, G. J., & Häusser, M. (2010). Initiation of simple and complex spikes in cerebellar Purkinje cells. *Journal of Physiology*, 588(10), 1709-1717. doi: 10.1113/jphysiol.2010.188300. <http://jp.physoc.org/content/588/10/1709.abstract>

Palmer, L. M., Shai, A. S., Reeve, J. E., Anderson, H. L., Paulsen, O., & Larkum, M. E. (2014). NMDA spikes enhance action potential generation during sensory input. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3646.html>

Palmer, S. L., Noctor, S. C., Jablonska, B., & Juliano, S. L. (2001). Laminar specific alterations of thalamocortical projections in organotypic cultures following layer 4 disruption in ferret somatosensory cortex. *European Journal of Neuroscience*, 13(8), 1559. doi.

Pan, H. C., Shen, Y. Q., Loers, G., Jakovcevski, I., & Schachner, M. (2014). Tegaserod, a small compound mimetic of polysialic acid promotes functional recovery after spinal cord injury in mice. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.06.069>. <http://www.sciencedirect.com/science/article/pii/S0306452214005545>

Pan, Y., Zhang, H., Acharya, A. B., Patrick, P. H., Oliver, D., & Morley, J. E. (2005). Effect of testosterone on functional recovery in a castrate male rat stroke model. *Brain Research*, 1043(1), 195-204. doi.

Pan, Z., Fukuoka, S., Karagianni, N., Guaiquil, V. H., & Rosenblatt, M. I. (2013). Vascular endothelial growth factor promotes anatomical and functional recovery of injured



peripheral nerves in the avascular cornea. *FASEB journal*. doi: 10.1096/fj.12-225185. <http://www.fasebj.org/content/early/2013/04/05/fj.12-225185.abstract>

Panaite, P. A., Gantelet, E., Kraftsik, R., Gourdon, G., Kuntzer, T., & Barakat-Walter, I. (2008). Myotonic dystrophy transgenic mice exhibit pathologic abnormalities in diaphragm neuromuscular junctions and phrenic nerves. *Journal of Neuropathology and Experimental Neurology*, 67(8), 763-763. doi.

Pandey, S. C., Sakharkar, A. J., Tang, L., & Zhang, H. (2015). Potential role of adolescent alcohol exposure-induced amygdaloid histone modifications in anxiety and alcohol intake during adulthood. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.03.019>, <http://www.sciencedirect.com/science/article/pii/S0969996115000911>

Pandey, S. C., Zhang, H., Ugale, R., Prakash, A., Xu, T., & Misra, K. (2008). Effector Immediate-Early Gene Arc in the Amygdala Plays a Critical Role in Alcoholism. *Journal of Neuroscience*, 28(10), 2589-2600. doi: 10.1523/jneurosci.4752-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/10/2589>

Pangestningsih, T. W., Sigit, K., Sajuthi, D., & others. (2006). Kajian Imunohistokimia Perkembangan Bentuk Neuron Atekolaminergik Pada Area Postrema Monyet Ekor Panjang (*Macaca fascicularis*)= Morphological Development of Catecholaminergic Neurons in the Area Postrema of Long-tailed. *Jurnal Sain Veteriner*, 24(2006). doi.

Pangratz-Fuehrer, S., & Hestrin, S. (2011). Synaptogenesis of Electrical and GABAergic Synapses of Fast-Spiking Inhibitory Neurons in the Neocortex. *Journal of Neuroscience*, 31(30), 10767-10775. doi: 10.1523/jneurosci.6655-10.2011. <http://www.jneurosci.org/content/31/30/10767.abstract>

Panico, M. B., Palumbo, C., Vigo, T., Nobbio, L., Pisani, V., Terracciano, C., . . . Massa, R. (2004). Down-regulation of receptors for semaphorins and VEGF in a transgenic model of CMT1A. *Journal of the Peripheral Nervous System*, 9(2), 120-120. doi.

Panneton, W. M., Gan, Q., & Dahms, T. E. (2010). Cardiorespiratory and neural consequences of rats brought past their aerobic dive limit. *Journal of Applied Physiology*, 109(4), 1256-1269. doi: 10.1152/jappphysiol.00110.2010. <http://jap.physiology.org/cgi/content/abstract/109/4/1256>

Panneton, W. M., Gan, Q., & Dahms, T. E. (2010). Central CO<sub>2</sub> Chemoreception in Cardiorespiratory Control: Cardiorespiratory and neural consequences of rats brought past their aerobic dive limit. *Journal of Applied Physiology*, 109(4), 1256-1256. doi.

Panneton, W. M., Gan, Q., & Juric, R. (2005). The central termination of sensory fibers from nerves to the gastrocnemius muscle of the rat. *Neuroscience*, 134(1), 175-187. doi.

Panneton, W. M., Gan, Q., Le, J., Livergood, R. S., Clerc, P., & Juric, R. (2012). Activation of brainstem neurons by underwater diving in the rat. *Frontiers in Physiology*, 3. doi.

Panneton, W. M., Hsu, H., & Gan, Q. (2010). Distinct central representations for sensory fibers innervating either the conjunctiva or cornea of the rat. *Experimental Eye Research*, 90(3), 388-396. doi.

Panoutsopoulou, I., Wendelschafer-Crabb, G., & Kennedy, W. R. (2009). Histological evaluation of neuropathy from analysis of epidermal nerves in a skin blister. *Neurology*, 72, 1205-1210. doi.

Panoutsopoulou, I. G., Luciano, C. A., Wendelschafer-Crabb, G., Hodges, J. S., & Kennedy, W. R. (2014). Epidermal innervation in healthy children and adolescents. *Muscle and Nerve*. doi. <http://onlinelibrary.wiley.com/doi/10.1002/mus.24329/abstract>

Panoutsopoulou, I. G., Wendelschafer-Crabb, G., Hodges, J. S., & Kennedy, W. R. (2009). Skin blister and skin biopsy to quantify epidermal nerves. *Neurology*, 72(14), 1205-1210. doi.

Panza, P., Sitko, A. A., Maischein, H.-M., Koch, I., Flötenmeyer, M., Wright, G. J., . . . Söllner, C. (2015). The LRR receptor Islr2 is required for retinal axon routing at the vertebrate optic chiasm. *Neural Development*, 10(1), 23. doi. <http://www.neuraldevelopment.com/content/10/1/23/citation>

Panza, P., Sitko, A. A., Maischein, H.-M., Koch, I., Flötenmeyer, M., Wright, G. J., . . . Söllner, C. (2015). The LRR receptor Islr2 is required for retinal axon routing at the vertebrate optic chiasm. *Neural Development*, 10(1), 1. doi. <http://opticalstemcell.com/?tag=islr2-vasorin-slit-like2-optic-chiasm-gl..>

Papageorgiou, I., Fetani, A., Lewen, A., Heinemann, U., & Kann, O. (2014). Widespread activation of microglial cells in the hippocampus of chronic epileptic rats correlates only partially with neurodegeneration. *Brain Structure and Function*, 1-17. doi: 10.1007/s00429-014-0802-0. <http://dx.doi.org/10.1007/s00429-014-0802-0>

Papageorgiou, I. E., Gabriel, S., Fetani, A. F., Kann, O., & Heinemann, U. (2011). Redistribution of astrocytic glutamine synthetase in the hippocampus of chronic epileptic rats. *Glia*, 59(11), 1706-1718. doi: 10.1002/glia.21217. <http://dx.doi.org/10.1002/glia.21217>

Papageorgiou, I. E., Lewen, A., Galow, L. V., Cesetti, T., Scheffel, J., Regen, T., . . . Kann, O. (2015). TLR4-activated microglia require IFN- $\gamma$  to induce severe neuronal dysfunction and death in situ. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1513853113. <http://www.pnas.org/content/early/2015/12/17/1513853113.abstract>

Papaioannou, S., Brigham, L., & Krieger, P. (2012). Sensory deprivation during early development causes an increased exploratory behavior in a whisker-dependent decision task. *Brain and Behavior*, n/a-n/a. doi: 10.1002/brb3.102. <http://dx.doi.org/10.1002/brb3.102>

Papp, I., Szucs, P., Hollo, K., Erdelyi, F., Szabo, G., & Antal, M. (2006). Hyperpolarization-activated and cyclic nucleotide-gated cation channel subunit 2 ion channels modulate synaptic transmission from nociceptive primary afferents containing substance P to secondary sensory neurons in laminae I-IIo of the rodent spinal dorsal horn. *European Journal of Neuroscience*, 24(5), 1341-1352. doi: doi:10.1111/j.1460-

9568.2006.05013.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05013.x>

Papp, O. I., Karlócai, M. R., Tóth, I. E., Freund, T. F., & Hájos, N. (2013). Different input and output properties characterize parvalbumin-positive basket and axo-axonic cells in the hippocampal CA3 subfield. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22147. <http://dx.doi.org/10.1002/hipo.22147>

Paquet, M., & Smith, Y. (2000). Presynaptic NMDA receptor subunit immunoreactivity in GABAergic terminals in rat brain. *Journal of Comparative Neurology*, 423(2), 330-347. doi:

Paquet, M., & Smith, Y. (2003). Group I Metabotropic Glutamate Receptors in the Monkey Striatum: Subsynaptic Association with Glutamatergic and Dopaminergic Afferents. *Journal of Neuroscience*, 23(20), 7659-7669. doi: <http://www.jneurosci.org/cgi/content/abstract/23/20/7659>

Parato, J., Shen, H., & Smith, S. S. (2018).  $\alpha 4\beta 6$  GABAA Receptors Trigger Synaptic Pruning and Reduce Dendritic Length of Female Mouse CA3 Hippocampal Pyramidal Cells at Puberty. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.11.032>. <http://www.sciencedirect.com/science/article/pii/S0306452218307656>

Paré, M., Albrecht, P. J., Noto, C. J., Bodkin, N. L., Pittenger, G. L., Schreyer, D. J., . . . Rice, F. L. (2007). Differential hypertrophy and atrophy among all types of cutaneous innervation in the glabrous skin of the monkey hand during aging and naturally occurring type 2 diabetes. *Journal of Comparative Neurology*, 501(4), 543-567. doi:

Paré, M., Behets, C., & Cornu, O. (2003). Paucity of presumptive ruffini corpuscles in the index finger pad of humans. *Journal of Comparative Neurology*, 456(3), 260-266. doi:

Paré, M., Smith, A. M., & Rice, F. L. (2002). Distribution and terminal arborizations of cutaneous mechanoreceptors in the glabrous finger pads of the monkey. *Journal of Comparative Neurology*, 445(4), 347-359. doi:

Parekh, R., Armañanzas, R., & Ascoli, G. (2015). The importance of metadata to assess information content in digital reconstructions of neuronal morphology. *Cell and Tissue Research*, 1-7. doi: 10.1007/s00441-014-2103-6. <http://dx.doi.org/10.1007/s00441-014-2103-6>

Parekh, R., & Ascoli, Giorgio A. (2013). Neuronal Morphology Goes Digital: A Research Hub for Cellular and System Neuroscience. *Neuron*, 77(6), 1017-1038. doi: <http://dx.doi.org/10.1016/j.neuron.2013.03.008>. <http://www.sciencedirect.com/science/article/pii/S0896627313002328>

Parent, A., Cicchetti, F., & Beach, T. G. (1995). Calretinin-immunoreactive neurons in the human striatum. *Brain Research*, 674(2), 347-351. doi:

Parent, C., Wen, X., Dhir, S. K., Ryan, R., Diorio, J., & Zhang, T.-Y. (2017). Maternal care associates with differences in morphological complexity in the medial preoptic area.

Behavioural Brain Research, 326, 22-32.

doi: <http://dx.doi.org/10.1016/j.bbr.2017.02.047>, <http://www.sciencedirect.com/science/article/pii/S0166432816310956>

Parent, M., Lévesque, M., & Parent, A. (2001). Two types of projection neurons in the internal pallidum of primates: Single-axon tracing and three-dimensional reconstruction. *Journal of Comparative Neurology*, 439(2), 162-175. doi.

Parent, M., & Parent, A. (2002). Axonal collateralization in primate basal ganglia and related thalamic nuclei. *Thalamus and Related Systems*, 2(01), 71-86. doi.

Parent, M., & Parent, A. (2004). The pallidofugal motor fiber system in primates. *Parkinsonism and Related Disorders*, 10(4), 203-211. doi.

Parent, M., & Parent, A. (2005). Single-axon tracing and three-dimensional reconstruction of centre médian-parafascicular thalamic neurons in primates. *Journal of Comparative Neurology*, 481(1), 127-144. doi.

Pareyson, D., Dell'Anna, E., DiMonda, T., Scaioli, V., Ciano, C., Sghirlanzoni, A., . . . Taroni, F. (2004). Influence of gender and pregnancy on CMT1A. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi: doi:10.1111/j.1085-9489.2004.009209at.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Parihar, V. K., Allen, B. D., Tran, K., Chmielewski, N. N., Craver, B. M., Martirosian, V., . . . Acharya, M. (2014). Targeted overexpression of mitochondrial catalase prevents radiation-induced cognitive dysfunction. *Antioxidants & Redox Signaling*, (ja). doi. <http://online.liebertpub.com/doi/abs/10.1089/ars.2014.5929>

Parihar, V. K., Hattiangady, B., Kuruba, R., Shuai, B., & Shetty, A. K. (2009). Predictable chronic mild stress improves mood, hippocampal neurogenesis and memory. *Molecular Psychiatry*, 16(2), 171-183. doi.

Parikh, V., Howe, W. M., Welchko, R. M., Naughton, S. X., D'Amore, D. E., Han, D. H., . . . Sarter, M. (2012). Diminished trkA receptor signaling reveals cholinergic-attentional vulnerability of aging. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12090. <http://dx.doi.org/10.1111/ejn.12090>

Parish, C. L., Finkelstein, D. I., Drago, J., Borrelli, E., & Horne, M. K. (2001). The Role of Dopamine Receptors in Regulating the Size of Axonal Arbors. *Journal of Neuroscience*, 21(14), 5147-5157. doi. <http://www.jneurosci.org/cgi/content/abstract/21/14/5147>

Parish, C. L., Stanic, D., Drago, J., Borrelli, E., Finkelstein, E. I., & Horne, M. K. (2002). Effects of long-term treatment with dopamine receptor agonists and antagonists on terminal arbor size. *European Journal of Neuroscience*, 16(5), 787. doi.

Parisiadou, L., Yu, J., Sgobio, C., Xie, C., Liu, G., Sun, L., . . . Lovinger, D. M. (2014). LRRK2 regulates synaptogenesis and dopamine receptor activation through modulation of PKA activity. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3636.html>

Park, J. J., Zup, S. L., Verhovshek, T., Sengelaub, D. R., & Forger, N. G. (2002). Castration reduces motoneuron soma size but not dendritic length in the spinal nucleus of the bulbocavernosus of wild-type and BCL-2 overexpressing mice. *Journal of Neurobiology*, 53(3), 403-412. doi.

Park, S. M., Lim, J. S., Ramakrishna, S., Kim, S. H., Kim, W. K., Lee, J., . . . Lee, J. H. (2018). Brain Somatic Mutations in MTOR Disrupt Neuronal Ciliogenesis, Leading to Focal Cortical Dyslamination. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.05.039>. <http://www.sciencedirect.com/science/article/pii/S0896627318304379>

Parker, S. B., Hertzberg, E. L., & Minkoff, R. (1994). Modulation of gap junction-mediated intercellular communication in embryonic chick mesenchyme during tissue remodeling in vitro. *Cell and Tissue Research*, 275(2), 215-224. doi.

Parlato, R., Cruz, H., Otto, C., Murtra, P., Parkitna, J. R., Martin, M., . . . others. (2010). Effects of the cell type-specific ablation of the cAMP-responsive transcription factor in noradrenergic neurons on locus coeruleus firing and withdrawal behavior after chronic exposure to morphine. *Journal of Neurochemistry*, 115(3), 563-573. doi.

Parolisi, R., Cozzi, B., & Bonfanti, L. (2017). Non-neurogenic SVZ-like niche in dolphins, mammals devoid of olfaction. [journal article]. *Brain Structure and Function*, 1-15. doi: 10.1007/s00429-016-1361-3. <http://dx.doi.org/10.1007/s00429-016-1361-3>

Parrish, J. Z., Xu, P., Kim, C. C., Jan, L. Y., & Jan, Y. N. (2009). The microRNA *bantam* Functions in Epithelial Cells to Regulate Scaling Growth of Dendrite Arbors in *Drosophila* Sensory Neurons. *Neuron*, 63(6), 788-802. doi.

Parrish-Aungst, S., Kiyokage, E., Szabo, G., Yanagawa, Y., Shipley, M. T., & Puche, A. C. (2011). Sensory experience selectively regulates transmitter synthesis enzymes in interglomerular circuits. *Brain Research*. doi.

Parrish-Aungst, S., Shipley, M. T., Erdelyi, F., Szabo, G., & Puche, A. C. (2007). Quantitative analysis of neuronal diversity in the mouse olfactory bulb. *Journal of Comparative Neurology*, 501(6), 825-836. doi.

Parvizi, J. (2009). The Efferent Connections of the Temporal Pole in the Macaque. *Neuroimage*, 47, S175-S175. doi.

Parvizi, J., & Damasio, A. R. (2003). Differential distribution of calbindin D28K and parvalbumin among functionally distinctive sets of structures in the macaque brainstem. *Journal of Comparative Neurology*, 462(2), 153-167. doi.

Parvizi, J., Van Hoesen, G. W., Buckwalter, J., & Damasio, A. (2006). Neural connections of the posteromedial cortex in the macaque. *PNAS*, 103(5), 1563-1568. doi: 10.1073/pnas.0507729103. <http://www.pnas.org/cgi/content/abstract/103/5/1563>

Parvizi, J., Van Hoesen, G. W., & Damasio, A. (1998). Severe pathological changes of parabrachial nucleus in Alzheimer's disease. *Neuroreport*, 9(18), 4151-4151. doi.

Parvizi, J., Van Hoesen, G. W., & Damasio, A. (2001). The selective vulnerability of brainstem nuclei to Alzheimer's disease. *Annals of Neurology*, 49(1), 53-66. doi.

Pasaro, R., Ribas-Salgueiro, J. L., Matarredona, E. R., Sarmiento, M., & Ribas, J. (2009). Systemic inhibition of the Na<sup>+</sup>/H<sup>+</sup> exchanger type 3 in intact rats activates brainstem respiratory regions. *Arterial Chemoreceptors*, 395-401. doi.

Pasbakhsh, P., & Omid, M. M. N. (2005). Neuropathological Changes In The PDAPP Transgenic Mouse Model Of Alzheimer's Disease. *Acta Medica Iranica*, 43(3). doi.

Pascucci, T., Rossi, L., Colamartino, M., Gabucci, C., Carducci, C., Valzania, A., . . . Leuzzi, V. (2018). A new therapy prevents intellectual disability in mouse with phenylketonuria. *Molecular Genetics and Metabolism*. doi: <https://doi.org/10.1016/j.ymgme.2018.03.009>, <http://www.sciencedirect.com/science/article/pii/S1096719218300799>

Passaquini, A. C., Renard, M., Kay, L., Challet, C., Mokhtarian, A., Wallimann, T., & Ruegg, U. T. (2002). Creatine supplementation reduces skeletal muscle degeneration and enhances mitochondrial function in mdx mice. *Neuromuscular Disorders*, 12(2), 174-182. doi.

Passos, P. P., Borba, J. M. C., de Melo, A. P. R., Guedes, R. C. A., da Silva, R. P., Gouveia, K. M. M., . . . Picanço-Diniz, C. W. (2012). Dopaminergic Cell Populations of the Rat Substantia Nigra are Differentially Affected by Essential Fatty Acid Dietary Restriction over Two Generations. *Journal of Chemical Neuroanatomy*. doi.

Patel, D., Anilkumar, S., Chattarji, S., de Boer, S. F., & Buwalda, B. (2021). Repeated victorious and defeat experiences induce similar apical dendritic spine remodeling in CA1 hippocampus of rats. *Behavioural Brain Research*, 406, 113243. doi: <https://doi.org/10.1016/j.bbr.2021.113243>, <https://www.sciencedirect.com/science/article/pii/S0166432821001315>

Patel, M. B., Sons, S., Yudinsev, G., Lesicko, A. M., Yang, L., Taha, G. A., . . . Llano, D. A. (2016). Anatomical characterization of subcortical descending projections to the inferior colliculus in mouse. *Journal of Comparative Neurology*. doi: <http://onlinelibrary.wiley.com/doi/10.1002/cne.24106/full>

Patel, Y., Shin, J., Gowland, P. A., Pausova, Z., Paus, T., & consortium, I. (2018). Maturation of the Human Cerebral Cortex During Adolescence: Myelin or Dendritic Arbor? *Cerebral Cortex*, bhy204-bhy204. doi: 10.1093/cercor/bhy204. <http://dx.doi.org/10.1093/cercor/bhy204>

Paterna, J. C., Leng, A., Weber, E., Feldon, J., & Büeler, H. (2007). DJ-1 and Parkin modulate dopamine-dependent behavior and inhibit MPTP-induced nigral dopamine neuron loss in mice. *Molecular Therapy*, 15(4), 698-704. doi.

Paterson, D. S., Belliveau, R. A., Trachtenberg, F., & Kinney, H. C. (2004). Differential development of 5-HT receptor and the serotonin transporter binding in the human infant medulla. *Journal of Comparative Neurology*, 472(2), 221-231. doi.



Paterson, D. S., & Darnall, R. (2009). 5-HT<sub>2A</sub> receptors are concentrated in regions of the human infant medulla involved in respiratory and autonomic control. *Autonomic Neuroscience*, 147(1-2), 48-55. doi.

Paterson, D. S., Trachtenberg, F. L., Thompson, E. G., Belliveau, R. A., Beggs, A. H., Darnall, R., . . . Kinney, H. C. (2006). Multiple serotonergic brainstem abnormalities in sudden infant death syndrome. *JAMA: journal of the American Medical Association*, 296(17), 2124-2124. doi.

Pathania, M., Davenport, E., Muir, J., Sheehan, D., López-Doménech, G., & Kittler, J. (2014). The autism and schizophrenia associated gene CYFIP1 is critical for the maintenance of dendritic complexity and the stabilization of mature spines. *Translational Psychiatry*, 4(3), e374. doi.

Pathania, M., Torres-Reveron, J., Yan, L., Kimura, T., Lin, T. V., Gordon, V., . . . Van Vactor, D. (2012). miR-132 Enhances Dendritic Morphogenesis, Spine Density, Synaptic Integration, and Survival of Newborn Olfactory Bulb Neurons. *PLoS ONE*, 7(5), e38174. doi.

Patience, M., Zouikr, I., Jones, K., Clarkson, A., Isgaard, J., Johnson, S., . . . Nilsson, M. (2014). Photothrombotic Stroke Induces Persistent Ipsilateral and Contralateral Astroglia in Key Cognitive Control Nuclei. *Neurochemical Research*, 1-10. doi: 10.1007/s11064-014-1487-8. <http://dx.doi.org/10.1007/s11064-014-1487-8>

Patrick, S. L., Connors, B. W., & Landisman, C. E. (2006). Developmental changes in somatostatin-positive interneurons in a freeze-lesion model of epilepsy. *Epilepsy Research*, 70(2), 161-171. doi.

Patrizi, A., Awad, P. N., Chattopadhyaya, B., Li, C., Di Cristo, G., & Fagiolini, M. (2019). Accelerated Hyper-Maturation of Parvalbumin Circuits in the Absence of MeCP2. *Cerebral Cortex*. doi: 10.1093/cercor/bhz085. <https://doi.org/10.1093/cercor/bhz085>

Pattij, T., de Jong, T. R., Uitterdijk, A., Waldinger, M. D., Veening, J. G., Cools, A. R., . . . Olivier, B. (2005). Individual differences in male rat ejaculatory behaviour: searching for models to study ejaculation disorders. *European Journal of Neuroscience*, 22(3), 724-734. doi: doi:10.1111/j.1460-9568.2005.04252.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04252.x>

Pavlidis, P., & Madison, D. V. (1999). Synaptic Transmission in Pair Recordings From CA3 Pyramidal Cells in Organotypic Culture. *Journal of Neurophysiology*, 81(6), 2787-2797. doi. <http://jn.physiology.org/cgi/content/abstract/81/6/2787>

Pavlopoulos, E., Trifilieff, P., Chevaleyre, V., Fioriti, L., Zairis, S., Pagano, A., . . . Kandel, E. R. (2011). Neuralized1 Activates CPEB3: A Function for Nonproteolytic Ubiquitin in Synaptic Plasticity and Memory Storage. *Cell*, 147(6), 1369-1383. doi.

Pawelzik, H., Bannister, A. P., Deuchars, J., Ilia, M., & Thomson, A. M. (1999). Modulation of bistratified cell IPSPs and basket cell IPSPs by pentobarbitone sodium, diazepam and Zn<sup>2+</sup>: dual recordings in slices of adult rat hippocampus. *European Journal of Neuroscience*, 11(10), 3552. doi.

Pawlak, R., Rao, B. S. S., Melchor, J. P., Chattarji, S., McEwen, B., & Strickland, S. (2005). Tissue plasminogen activator and plasminogen mediate stress-induced decline of neuronal and cognitive functions in the mouse hippocampus. *Proceedings of the National Academy of Sciences*, 102(50), 18201-18206. doi:

10.1073/pnas.0509232102. <http://www.pnas.org/cgi/content/abstract/102/50/18201>

Pawlowski, S. A., Gaillard, S., Ghorayeb, I., Ribeiro-da-Silva, A., Schlichter, R., & Cordero-Erausquin, M. (2013). A Novel Population of Cholinergic Neurons in the Macaque Spinal Dorsal Horn of Potential Clinical Relevance for Pain Therapy. *Journal of Neuroscience*, 33(9), 3727-3737. doi: 10.1523/jneurosci.3954-

12.2013. <http://www.jneurosci.org/content/33/9/3727.abstract>

Pawluski, J. L., Valença, A., Santos, A. I. M., Costa-Nunes, J. P., Steinbusch, H. W. M., & Strekalova, T. (2012). Pregnancy or stress decrease complexity of CA3 pyramidal neurons in the hippocampus of adult female rats. *Neuroscience*, (0). doi:

10.1016/j.neuroscience.2012.09.059. <http://www.sciencedirect.com/science/article/pii/S0306452212009797?v=s5>

Paz, J. T., Christian, C. A., Parada, I., Prince, D. A., & Huguenard, J. R. (2010). Focal Cortical Infarcts Alter Intrinsic Excitability and Synaptic Excitation in the Reticular Thalamic Nucleus. *Journal of Neuroscience Methods*, 30(15), 5465-5479. doi: 10.1523/jneurosci.5083-

09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/15/5465>

Paz, J. T., Deniau, J.-M., & Charpier, S. (2005). Rhythmic Bursting in the Cortico-Subthalamo-Pallidal Network during Spontaneous Genetically Determined Spike and Wave Discharges. *Journal of Neuroscience*, 25(8), 2092-2101.

doi: <http://www.jneurosci.org/cgi/content/abstract/25/8/2092>

Paz, R. M., Tubert, C., Stahl, A. M., Amarillo, Y., Rela, L., & Murer, M. G. (2021). Levodopa Causes Striatal Cholinergic Interneuron Burst-Pause Activity in Parkinsonian Mice. [\[https://doi.org/10.1002/mds.28516\]](https://doi.org/10.1002/mds.28516). *Movement Disorders*, n/a(n/a).

doi: <https://doi.org/10.1002/mds.28516>. <https://doi.org/10.1002/mds.28516>

Pearn, M. L., Schilling, J. M., Jian, M., Egawa, J., Wu, C., Mandyam, C. D., . . . Head, B. P. (2018). Inhibition of RhoA reduces propofol-mediated growth cone collapse, axonal transport impairment, loss of synaptic connectivity, and behavioural deficits. *British Journal of Anaesthesia*. doi: 10.1016/j.bja.2017.12.033. <http://dx.doi.org/10.1016/j.bja.2017.12.033>

Pearse, D. D., Lo Jr, T. P., Cho, K. S., Lynch, M. P., Garg, M. S., Marcillo, A. E., . . . Dietrich, W. D. (2005). Histopathological and behavioral characterization of a novel cervical spinal cord displacement contusion injury in the rat. *Journal of Neurotrauma*, 22(6), 680-702. doi:

Peça, J., Feliciano, C., Ting, J. T., Wang, W., Wells, M. F., Venkatraman, T. N., . . . Feng, G. (2011). Shank3 mutant mice display autistic-like behaviours and striatal dysfunction. *Nature*, 472(7344), 437-442. doi:

Pedrazzoli, M., Losurdo, M., Paolone, G., Medelin, M., Jaupaj, L., Cisterna, B., . . . Buffelli, M. (2019). Glucocorticoid receptors modulate dendritic spine plasticity and microglia activity in an animal model of Alzheimer's disease. *Neurobiology of Disease*, 132, 104568.

doi: <https://doi.org/10.1016/j.nbd.2019.104568>. <http://www.sciencedirect.com/science/article/pii/S0969996119302360>

Pedrazzoli, M., Medelin, M., Marchiotto, F., Cisterna, B., Malatesta, M., & Buffelli, M. (2021). An improved and simplified protocol to combine Golgi-Cox staining with immunofluorescence and transmission electron microscopy techniques. *Neurochemistry International*, 142, 104922.

doi: <https://doi.org/10.1016/j.neuint.2020.104922>. <http://www.sciencedirect.com/science/article/pii/S0197018620303132>

Peeva, G. P., Angelova, S. K., Guntinas-Lichius, O., Streppel, M., Irintchev, A., Schutz, U., . . . Angelov, D. N. (2006). Improved outcome of facial nerve repair in rats is associated with enhanced regenerative response of motoneurons and augmented neocortical plasticity. *European Journal of Neuroscience*, 24(8), 2152-2162. doi: doi:10.1111/j.1460-9568.2006.05091.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.05091.x>

Pego, J. M., Morgado, P., Pinto, L. G., Cerqueira, J. J., Almeida, O. F. X., & Sousa, N. (2008). Dissociation of the morphological correlates of stress-induced anxiety and fear. *European Journal of Neuroscience*, 27(6), 1503-1516. doi: doi:10.1111/j.1460-9568.2008.06112.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2008.06112.x>

Peirs, C., Patil, S., Bouali-Benazzouz, R., Artola, A., Landry, M., & Dallel, R. (2013). Protein kinase C gamma interneurons in the rat medullary dorsal horn: Distribution and synaptic inputs of these neurons, and subcellular localization of the enzyme. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23407. <http://dx.doi.org/10.1002/cne.23407>

Pelaez, N. M., Schreihofner, A. M., & Guyenet, P. G. (2002). Decompensated hemorrhage activates serotonergic neurons in the subependymal parapyramidal region of the rat medulla. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 283(3), R688-697. doi: 10.1152/ajpregu.00154.2002. <http://ajpregu.physiology.org/cgi/content/abstract/283/3/R688>

Pellegrini, C., Fornai, M., Colucci, R., Tirota, E., Blandini, F., Levandis, G., . . . Antonioli, L. (2016). Alteration of colonic excitatory tachykininergic motility and enteric inflammation following dopaminergic nigrostriatal neurodegeneration. [journal article]. *Journal of Neuroinflammation*, 13(1), 1-13. doi: 10.1186/s12974-016-0608-5. <http://dx.doi.org/10.1186/s12974-016-0608-5>

Pellegrino, R. M., Boda, E., Montarolo, F., Boero, M., Mezzanotte, M., Saglio, G., . . . Roetto, A. (2016). Transferrin Receptor 2 Dependent Alterations of Brain Iron Metabolism Affect Anxiety Circuits in the Mouse. [Article]. *Scientific Reports*, 6, 30725. doi: 10.1038/srep30725

<http://www.nature.com/articles/srep30725#supplementary-information>. <http://dx.doi.org/10.1038/srep30725>

Pelt, J. V., & Uylings, H. B. M. (2003). Growth functions in dendritic outgrowth. *Brain and Mind*, 4(1), 51-65. doi.

Peng, H. (2008). Bioimage informatics: a new area of engineering biology. *Bioinformatics*, 24(17), 1827-1836. doi.

Peng, H., Bria, A., Zhou, Z., Iannello, G., & Long, F. (2014). Extensible visualization and analysis for multidimensional images using Vaa3D. *Nature Protocols*, 9(1), 193-208. doi: <http://www.nature.com/nprot/journal/v9/n1/abs/nprot.2014.011.html>

Peng, H., Ruan, Z., Atasoy, D., & Sternson, S. (2010). Automatic reconstruction of 3D neuron structures using a graph-augmented deformable model. *Bioinformatics*, 26(12), i38-i46-i38-i46. doi.

Peng, H., Ruan, Z., Long, F., Simpson, J. H., & Myers, E. W. (2010). V3D enables real-time 3D visualization and quantitative analysis of large-scale biological image data sets. *Nature Biotechnology*, 28(4), 348-353. doi.

Peng, H., Tang, J., Xiao, H., Bria, A., Zhou, J., Butler, V., . . . Long, F. (2014). Virtual finger boosts three-dimensional imaging and microsurgery as well as terabyte volume image visualization and analysis. [Article]. *Nature Communications*, 5. doi: 10.1038/ncomms5342. <http://dx.doi.org/10.1038/ncomms5342>

Peng, J., Mao, X. O., Stevenson, F. F., Hsu, M., & Andersen, J. K. (2004). The Herbicide Paraquat Induces Dopaminergic Nigral Apoptosis through Sustained Activation of the JNK Pathway. *Journal of Biological Chemistry*, 279(31), 32626-32632. doi: 10.1074/jbc.M404596200. <http://www.jbc.org/cgi/content/abstract/279/31/32626>

Peng, J., Oo, M. L., & Andersen, J. K. (2010). Synergistic Effects of Environmental Risk Factors and Gene Mutations in Parkinson's Disease Accelerate Age-Related Neurodegeneration. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2010.07036.x. <http://dx.doi.org/10.1111/j.1471-4159.2010.07036.x>

Peng, J., Xie, L., Stevenson, F. F., Melov, S., Di Monte, D. A., & Andersen, J. K. (2006). Nigrostriatal Dopaminergic Neurodegeneration in the Weaver Mouse Is Mediated via Neuroinflammation and Alleviated by Minocycline Administration. *Journal of Neuroscience*, 26(45), 11644-11651. doi: 10.1523/jneurosci.3447-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/45/11644>

Peng, X., Parsons, T. D., & Balice-Gordon, R. J. (2012). Determinants of synaptic strength vary across an axon arbor. *Journal of Neurophysiology*. doi.

Peng, Y., Lu, Z., Li, G., Piechowicz, M., Anderson, M., Uddin, Y., . . . Qiu, S. (2016). The autism-associated MET receptor tyrosine kinase engages early neuronal growth mechanism and controls glutamatergic circuits development in the forebrain. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2015.182. <http://dx.doi.org/10.1038/mp.2015.182>

Peng, Y. R., He, S., Marie, H., Zeng, S. Y., Ma, J., Tan, Z. J., . . . Yu, X. (2009). Coordinated changes in dendritic arborization and synaptic strength during neural circuit development. *Neuron*, 61(1), 71-84. doi.

Penney, J., Mendell, A., Zeng, M., Tran, K., Lymer, J., Turner, P. V., . . . Lu, R. (2017). LUMAN/CREB3 is a key regulator of glucocorticoid-mediated stress responses. *Molecular and Cellular Endocrinology*, 439, 95-104. doi: <http://dx.doi.org/10.1016/j.mce.2016.10.022>. <http://www.sciencedirect.com/science/article/pii/S0303720716304336>

Percaccio, C. R., Pruette, A. L., Mistry, S. T., Chen, Y. H., & Kilgard, M. P. (2007). Sensory experience determines enrichment-induced plasticity in rat auditory cortex. *Brain Research*, 1174, 76-91. doi.

Perdeh, J., Berioso, B., Love, Q., LoGiudice, N., Le, T. L., Harrelson, J. P., & Roberts, S. C. (2019). Critical functions of the polyamine putrescine for proliferation and viability of *Leishmania donovani* parasites. [journal article]. *Amino Acids*. doi: 10.1007/s00726-019-02736-z. <https://doi.org/10.1007/s00726-019-02736-z>

Pereda-Pérez, I., Valencia, A., Baliyan, S., Núñez, A., Sanz-García, A., Zamora, B., . . . Venero, C. (2019). Systemic administration of a fibroblast growth factor receptor 1 agonist rescues the cognitive deficit in aged socially isolated rats. *Neurobiology of Aging*. doi: <https://doi.org/10.1016/j.neurobiolaging.2019.02.011>. <http://www.sciencedirect.com/science/article/pii/S0197458019300582>

Pereira, I. T., Agster, K. L., & Burwell, R. D. (2016). Subcortical connections of the perirhinal, postrhinal, and entorhinal cortices of the rat. I. afferents. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22603. <http://dx.doi.org/10.1002/hipo.22603>

Pereira, L. d. S., Gobbo, D. R., Ferreira, J. G. P., Horta-Junior, J. d. A. d. C. e., Sá, S. I., & Bittencourt, J. C. (2020). Effects of ovariectomy on inputs from the medial preoptic area to the ventromedial nucleus of the hypothalamus of young adult rats. *Journal of Anatomy*, n/a(n/a). doi: 10.1111/joa.13304. <https://doi.org/10.1111/joa.13304>

Pereira, M., & Morrell, J. I. (2009). The changing role of the medial preoptic area in the regulation of maternal behavior across the postpartum period: Facilitation followed by inhibition. *Behavioural Brain Research*, 205(1), 238-248. doi.

Pereira, M., & Morrell, J. I. (2010). The medial preoptic area is necessary for motivated choice of pup-over cocaine-associated environments by early postpartum rats. *Neuroscience*, 167(2), 216-231. doi.

Pérez de Sevilla Müller, L., Solomon, A., Sheets, K., Hapukino, H., Rodriguez, A., & Brecha, N. C. (2017). Multiple cell types form the VIP amacrine cell population. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24234. <http://dx.doi.org/10.1002/cne.24234>

Perez, S. E., Getova, D. P., He, B., Counts, S. E., Geula, C., Desire, L., . . . Mufson, E. J. (2011). *Rac1b* Increases with Progressive Tau Pathology within Cholinergic Nucleus Basalis Neurons in Alzheimer's Disease. *American Journal of Pathology*. doi.

Perez, S. E., Raghanti, M. A., Hof, P. R., Kramer, L., Ikonovic, M. D., Lacor, P. N., . . . Mufson, E. J. (2013). Alzheimer's disease pathology in the neocortex and hippocampus of the western lowland gorilla (*Gorilla gorilla gorilla*). *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23428. <http://dx.doi.org/10.1002/cne.23428>

Perez, S. M., & Lodge, D. J. (2018). Convergent inputs from the hippocampus and thalamus to the nucleus accumbens regulate dopamine neuron activity. [10.1523/JNEUROSCI.2629-16.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/10/24/JNEUROSCI.2629-16.2018...>

Perez-Cruz, C., Nolte, M. W., van Gaalen, M. M., Rustay, N. R., Termont, A., Tanghe, A., . . . Ebert, U. (2011). Reduced Spine Density in Specific Regions of CA1 Pyramidal Neurons in Two Transgenic Mouse Models of Alzheimer's Disease. *Journal of Neuroscience*, 31(10), 3926-3934. doi: 10.1523/jneurosci.6142-10.2011. <http://www.jneurosci.org/content/31/10/3926.abstract>

Perez-Cruz, C., Simon, M., Czéh, B., Flügge, G., & Fuchs, E. (2009). Hemispheric differences in basilar dendrites and spines of pyramidal neurons in the rat prelimbic cortex: activity- and stress-induced changes. *European Journal of Neuroscience*, 29(4), 738-747. doi:

Perez-Cruz, C., Simon, M., Flügge, G., Fuchs, E., & Czéh, B. (2009). Diurnal rhythm and stress regulate dendritic architecture and spine density of pyramidal neurons in the rat infralimbic cortex. *Behavioural Brain Research*, 205(2), 406-413. doi:

Pérez-Garci, E., Larkum, M. E., & Nevian, T. (2012). Inhibition of dendritic Ca<sup>2+</sup> spikes by GABAB receptors in cortical pyramidal neurons is mediated by a direct Gi/o-βγ subunit interaction with Cav1 channels. *Journal of Physiology*. doi: 10.1113/jphysiol.2012.245464. <http://jp.physoc.org/content/early/2012/11/21/jphysiol.2012.245464.abstract>

Pérez-Santos, I., Palomero-Gallagher, N., Zilles, K., & Cavada, C. (2021). Distribution of the Noradrenaline Innervation and Adrenoceptors in the Macaque Monkey Thalamus. *Cerebral Cortex*, (bhab073). doi: 10.1093/cercor/bhab073. <https://doi.org/10.1093/cercor/bhab073>

Periquet, M. I., Novak, V., Collins, M. P., Nagaraja, H. N., Erdem, S., Nash, S. M., . . . Mendell, J. R. (1999). Painful sensory neuropathy: Prospective evaluation using skin biopsy. *Neurology*, 53(8), 1641-. doi: <http://www.neurology.org/cgi/content/abstract/53/8/1641>

Perkins, A. E., Fadel, J. R., & Kelly, S. J. (2015). The effects of postnatal alcohol exposure and galantamine on the context pre-exposure facilitation effect and acetylcholine efflux using in vivo microdialysis. *Alcohol*. doi: 10.1016/j.alcohol.2015.01.010. [http://www.alcoholjournal.org/article/S0741-8329\(14\)20180-7/abstract](http://www.alcoholjournal.org/article/S0741-8329(14)20180-7/abstract)

Perlini, Laura E., Szczerkowska, J., Ballif, Bryan A., Piccini, A., Sacchetti, S., Giovedi, S., . . . Cancedda, L. (2015). Synapsin III Acts Downstream of Semaphorin 3A/CDK5 Signaling to Regulate Radial Migration and Orientation of Pyramidal Neurons In Vivo. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2015.03.022>. <http://www.sciencedirect.com/science/article/pii/S2211124715002910>



Peng, V., Li, C., Klocke, C. R., Navazesh, S. E., Pinneles, D. K., Lein, P. J., & Ji, P. (2021). Iron Deficiency and Iron Excess Differently Affect Dendritic Architecture of Pyramidal Neurons in the Hippocampus of Piglets. *The Journal of Nutrition*, 151(1), 235-244. doi: 10.1093/jn/nxaa326. <https://doi.org/10.1093/jn/nxaa326>

Pernia, M., Díaz, I., Colmenárez-Raga, A. C., Rivadulla, C., Cudeiro, J., Plaza, I., & Merchán, M. A. (2019). Cross-modal reaction of auditory and visual cortices after long-term bilateral hearing deprivation in the rat. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-019-01991-w. <https://doi.org/10.1007/s00429-019-01991-w>

Pernia, M., Estevez, S., Poveda, C., Plaza, I., Carro, J., Juiz, M., & Merchan, M. A. (2017). c-Fos and Arc/Arg3.1 expression in auditory and visual cortices after hearing loss: Evidence of sensory crossmodal reorganization in adult rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24233. <http://dx.doi.org/10.1002/cne.24233>

Perreault, M.-C., Qin, Y., Heggelund, P., & Zhu, J. J. (2003). Postnatal development of GABAergic signalling in the rat lateral geniculate nucleus: presynaptic dendritic mechanisms. *Journal of Physiology*, 546(1), 137-148. doi: 10.1113/jphysiol.2002.030643. <http://jp.physoc.org/cgi/content/abstract/546/1/137>

Perreault, M.-C., & Raastad, M. (2006). Contribution of morphology and membrane resistance to integration of fast synaptic signals in two thalamic cell types. *Journal of Physiology*, 577(1), 205-220. doi: 10.1113/jphysiol.2006.113043. <http://jp.physoc.org/cgi/content/abstract/577/1/205>

Perrenoud, Q., Geoffroy, H., Gauthier, B., Rancillac, A., Alfonsi, F., Kessarar, N., . . . Gallopin, T. (2012). Characterization of Type I and Type II nNOS-Expressing Interneurons in the Barrel Cortex of Mouse. *Frontiers in neural Circuits*, 6. doi.

Perrenoud, Q., Rossier, J., Geoffroy, H., Vitalis, T., & Gallopin, T. (2012). Diversity of GABAergic Interneurons in Layer VIa and VIb of Mouse Barrel Cortex. *Cerebral Cortex*, bhs032. doi: 10.1093/cercor/bhs032. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhs032v1>

Perretti, A., Nolano, M., De Joanna, G., Tugnoli, V., Iannetti, G., Proviterra, V., . . . Santoro, L. (2003). Is Ross syndrome a dysautonomic disorder only? An electrophysiologic and histologic study. *Clinical Neurophysiology*, 114(1), 7-16. doi.

Perron, A., Sharif, N., Gendron, L., Lavallée, M., Stroh, T., Mazella, J., & Beaudet, A. (2006). Sustained neurotensin exposure promotes cell surface recruitment of NTS2 receptors. *Biochemical and Biophysical Research Communications*, 343(3), 799-808. doi.

Perrot-Sinal, T. S., Davis, A. M., Gregerson, K. A., Kao, J. P. Y., & McCarthy, M. M. (2001). Estradiol Enhances Excitatory Gammabutyric Acid-Mediated Calcium Signaling in Neonatal Hypothalamic Neurons. *Endocrinology*, 142(6), 2238-2243. doi: 10.1210/en.142.6.2238. <http://endo.endojournals.org/cgi/content/abstract/142/6/2238>

Perumal, M. B., Latimer, B., Xu, L., Stratton, P., Nair, S., & Sah, P. (2021). Microcircuit mechanisms for the generation of sharp-wave ripples in the basolateral amygdala: A role for chandelier interneurons. *Cell Reports*, 35(6), 109106.

doi: <https://doi.org/10.1016/j.celrep.2021.109106>. <https://www.sciencedirect.com/science/article/pii/S221112472100440X>

Peruzzi, D., Bartlett, E., Smith, P. H., & Oliver, D. L. (1997). A Monosynaptic GABAergic Input from the Inferior Colliculus to the Medial Geniculate Body in Rat. *Journal of Neuroscience*, 17(10), 3766-3777. doi: <http://www.jneurosci.org/cgi/content/abstract/17/10/3766>

Peruzzi, D., & Forehand, C. J. (1994). Morphology of two classes of target-specific bullfrog sympathetic preganglionic neurons. *Journal of Comparative Neurology*, 341(3), 315-323. doi: <http://dx.doi.org/10.1002/cne.903410303>

Peruzzi, D., Hendley, E. D., & Forehand, C. J. (1991). Hypertrophy of stellate ganglion cells in hypertensive, but not hyperactive, rats. *Journal of the American Physiology Society*, 261(4 Pt 2). doi.

Peruzzi, D., Sivaramakrishnan, S., & Oliver, D. L. (2000). Identification of cell types in brain slices of the inferior colliculus. *Neuroscience*, 101(2), 403-416. doi.

Pervan, C. L., Lautz, J. D., Blitzer, A. L., Langert, K. A., & Stubbs Jr, E. B. (2015). Rho GTPase Signaling Promotes Constitutive Expression and Release of TGF- $\beta$ 2 by Human Trabecular Meshwork Cells. *Experimental Eye Research*. doi: <http://dx.doi.org/10.1016/j.exer.2015.12.010>. <http://www.sciencedirect.com/science/article/pii/S0014483515300956>

Peschansky, V. J., Burbridge, T. J., Volz, A. J., Fiondella, C., Wissner-Gross, Z., Galaburda, A. M., . . . Rosen, G. D. (2009). The Effect of Variation in Expression of the Candidate Dyslexia Susceptibility Gene Homolog Kiaa0319 on Neuronal Migration and Dendritic Morphology in the Rat. *Cerebral Cortex*, bhp154. doi: 10.1093/cercor/bhp154. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp154v1>

Petanjek, Z., Judaš, M., Šimić, G., Rašin, M. R., Uylings, H. B. M., Rakic, P., & Kostović, I. (2011). Extraordinary neoteny of synaptic spines in the human prefrontal cortex. *Proceedings of the National Academy of Sciences*, 108(32), 13281-13286. doi: 10.1073/pnas.1105108108. <http://www.pnas.org/content/108/32/13281.abstract>

Peterfi, Z., McGinty, D., Sarai, E., & Szymusiak, R. (2009). Growth hormone releasing hormone (GHRH) activates sleep regulatory neurons of the rat preoptic hypothalamus. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 00494.02009. doi: 10.1152/ajpregu.00494.2009. <http://ajpregu.physiology.org/cgi/content/abstract/00494.2009v1>

Peterfi, Z., McGinty, D., Sarai, E., & Szymusiak, R. (2010). Growth hormone-releasing hormone activates sleep regulatory neurons of the rat preoptic hypothalamus. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 298(1), R147-R156-R147-R156. doi.

Petersen, C. C. H. (2002). Short-Term Dynamics of Synaptic Transmission Within the Excitatory Neuronal Network of Rat Layer 4 Barrel Cortex. *Journal of Neurophysiology*, 87(6), 2904-2914. doi: <http://jn.physiology.org/cgi/content/abstract/87/6/2904>

Petersen, C. C. H. (2006). Advances in Understanding Cortical Function Through Combined Voltage-Sensitive Dye Imaging, Whole-Cell Recordings, and Analysis of Cellular Morphology. *Neuroanatomical Tract-Tracing* 3, 436-451. doi.

Petersen, C. C. H., Grinvald, A., & Sakmann, B. (2003). Spatiotemporal Dynamics of Sensory Responses in Layer 2/3 of Rat Barrel Cortex Measured In Vivo by Voltage-Sensitive Dye Imaging Combined with Whole-Cell Voltage Recordings and Neuron Reconstructions. *Journal of Neuroscience*, 23(4), 1298-1309. doi.

Petersen, C. C. H., & Sakmann, B. (2000). The Excitatory Neuronal Network of Rat Layer 4 Barrel Cortex. *Journal of Neuroscience*, 20(20), 7579-7586. doi. <http://www.jneurosci.org/cgi/content/abstract/20/20/7579>

Petersen, C. C. H., & Sakmann, B. (2001). Functionally Independent Columns of Rat Somatosensory Barrel Cortex Revealed with Voltage-Sensitive Dye Imaging. *Journal of Neuroscience*, 21(21), 8435-8446. doi. <http://www.jneurosci.org/cgi/content/abstract/21/21/8435>

Petersen, K. L., Rice, F. L., Farhadi, M., Reda, H., & Rowbotham, M. C. (2010). Natural history of cutaneous innervation following herpes zoster. *Pain*, 150(1), 75-82. doi.

Petersen, K. L., Rice, F. L., Suess, F., Berro, M., & Rowbotham, M. C. (2002). Relief of post-herpetic neuralgia by surgical removal of painful skin. *Pain*, 98(1-2), 119-126. doi.

Peterson, D. C., & Wenstrup, J. J. (2012). Selectivity and persistent firing responses to social vocalizations in the basolateral amygdala. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.04.069. <http://www.sciencedirect.com/science/article/pii/S0306452212004319>

Peterson, D. R., & Sukowski, E. J. (2019). Prevention of Oxidative Injury Associated with Thrombolysis for Ischemic Stroke Antioxidants: IntechOpen.

Petit-Pedrol, M., Sell, J., Planagumà, J., Mannara, F., Radosevic, M., Haselmann, H., ... Geis, C. (2018). LGI1 antibodies alter Kv1.1 and AMPA receptors changing synaptic excitability, plasticity and memory. *Brain*, 141(11), 3144-3159. doi: 10.1093/brain/awy253. <http://dx.doi.org/10.1093/brain/awy253>

Petkau, T. L., Hill, A., & Leavitt, B. R. (2015). Core neuropathological abnormalities in progranulin-deficient mice are penetrant on multiple genetic backgrounds. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.12.006>. <http://www.sciencedirect.com/science/article/pii/S0306452215010891>

Petkau, T. L., Neal, S. J., Milnerwood, A., Mew, A., Hill, A. M., Orban, P., ... others. (2011). Synaptic dysfunction in progranulin-deficient mice. *Neurobiology of Disease*. doi.

Petrelli, A., Marconi, E., Salerno, M., De Pietri Tonelli, D., Berdondini, L., & Dante, S. (2013). Nano-volume drop patterning for rapid on-chip neuronal connect-ability assays. [10.1039/C3LC50564B]. *Lab on a Chip*. doi: 10.1039/c3lc50564b. <http://dx.doi.org/10.1039/C3LC50564B>

Petrenko, V., Mihhailova, J., Salmon, P., & Kiss, J. Z. (2015). Apoptotic neurons induce proliferative responses of progenitor cells in the postnatal neocortex. *Experimental Neurology*, 273, 126-137. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.08.010>. <http://www.sciencedirect.com/science/article/pii/S0014488615300716>

Petrik, D., Jiang, Y., Birnbaum, S. G., Powell, C. M., Kim, M.-S., Hsieh, J., & Eisch, A. J. (2012). Functional and mechanistic exploration of an adult neurogenesis-promoting small molecule. *FASEB journal*. doi: 10.1096/fj.11-201426. <http://www.fasebj.org/content/early/2012/04/26/fj.11-201426.abstract>

Petruzza, S., Venkat, A., Gyulassy, A., Scorzelli, G., Federer, F., Angelucci, A., . . . Bremer, P.-T. (2017). ISAVS: interactive scalable analysis and visualization system. Paper presented at the SIGGRAPH Asia 2017 Symposium on Visualization, Bangkok, Thailand. <https://dl.acm.org/citation.cfm?id=3139299>

Petruzzello-Pellegrini, T. N., Yuen, D. A., Page, A. V., Patel, S., Soltyk, A. M., Matouk, C. C., . . . others. (2012). The CXCR4/CXCR7/SDF-1 pathway contributes to the pathogenesis of Shiga toxin-associated hemolytic uremic syndrome in humans and mice. *Journal of clinical investigation*, 122(2), 759-759. doi.

Petzel, A., Bernard, R., Poller, W. C., & Veh, R. W. (2017). Anterior and posterior parts of the rat ventral tegmental area and the rostromedial tegmental nucleus receive topographically distinct afferents from the lateral habenular complex. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24200. <http://dx.doi.org/10.1002/cne.24200>

Peuser, J., Belhaj-Saif, A., Hamadjida, A., Schmidlin, E., Gindrat, A. D., Völker, A. C., . . . Scheffold, F. (2011). Follow-up of cortical activity and structure after lesion with laser speckle imaging and magnetic resonance imaging in nonhuman primates. *Journal of biomedical optics*, 16, 096011-096011. doi.

Peyron, C., & Kilduff, T. S. (2017). Mapping the Hypocretin/Orexin Neuronal System: An Unexpectedly Productive Journey. [10.1523/JNEUROSCI.1708-16.2016]. *The Journal of Neuroscience*, 37(9), 2268. doi: <http://www.jneurosci.org/content/37/9/2268.abstract>

Peyron, C., Tighe, D. K., van den Pol, A. N., de Lecea, L., Heller, H. C., Sutcliffe, J. G., & Kilduff, T. S. (1998). Neurons Containing Hypocretin (Orexin) Project to Multiple Neuronal Systems. *Journal of Neuroscience*, 18(23), 9996-10015. doi: <http://www.jneurosci.org/cgi/content/abstract/18/23/9996>

Phillips, M. A., Colonnese, M. T., Goldberg, J., Lewis, L. D., Brown, E. N., & Constantine-Paton, M. (2011). A Synaptic Strategy for Consolidation of Convergent Visuotopic Maps. *Neuron*, 71(4), 710-724. doi.

Philpot, K. B., Dallvechia-Adams, S., Smith, Y., & Kuhar, M. J. (2005). A cocaine-and-amphetamine-regulated-transcript peptide projection from the lateral hypothalamus to the ventral tegmental area. *Neuroscience*, 135(3), 915-925. doi.

Piao, C.-S., Stoica, B. A., Wu, J., Sabirzhanov, B., Zhao, Z., Cabatbat, R., . . . Faden, A. I. (2013). Late exercise reduces neuroinflammation and cognitive dysfunction after traumatic brain injury. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.12.017>. <http://www.sciencedirect.com/science/article/pii/S0969996113000089>

Piard, J., Hu, J.-H., Campeau, P. M., Rzońca, S., Van Esch, H., Vincent, E., . . . Worley, P. F. (2017). FRMPD4 mutations cause X-linked intellectual disability and disrupt dendritic spine morphogenesis. *Human Molecular Genetics*, ddx426-ddx426. doi: 10.1093/hmg/ddx426. <http://dx.doi.org/10.1093/hmg/ddx426>

Piatti, M., Bogliun, G., Marzorati, L., Zincone, A., Giussani, G., Colombo, N., . . . others. (2004). Total neuropathy scale items as early predictors of chemotherapy-induced peripheral neurotoxicity. *Journal of the Peripheral Nervous System*, 9(2), 105-105. doi.

Picard, N., Leslie, J. H., Trowbridge, S. K., Subramanian, J., Nedivi, E., & Fagiolini, M. (2014). Aberrant Development and Plasticity of Excitatory Visual Cortical Networks in the Absence of cpg15. *The Journal of Neuroscience*, 34(10), 3517-3522. doi: <http://www.jneurosci.org/content/34/10/3517.short>

Picardo, M. A., Guigue, P., Bonifazi, P., Batista-Brito, R., Allene, C., Ribas, A., . . . Baude, A. (2011). Pioneer GABA cells comprise a subpopulation of hub neurons in the developing hippocampus. *Neuron*, 71(4), 695-709. doi.

Piccini, A., Castroflorio, E., Valente, P., Guarnieri, F. C., Aprile, D., Michetti, C., . . . Giovedi, S. (2017). APACHE Is an AP2-Interacting Protein Involved in Synaptic Vesicle Trafficking and Neuronal Development. *Cell Reports*, 21(12), 3596-3611. doi: <https://doi.org/10.1016/j.celrep.2017.11.073>. <https://www.sciencedirect.com/science/article/pii/S2211124717317382>

Piccini, A., Perlini, L. E., Cancedda, L., Benfenati, F., & Giovedi, S. (2015). Phosphorylation by PKA and Cdk5 Mediates the Early Effects of Synapsin III in Neuronal Morphological Maturation. *The Journal of Neuroscience*, 35(38), 13148-13159. doi: <http://www.jneurosci.org/content/35/38/13148.abstract>

Piche, M., Chabot, N., Bronchti, G., Miceli, D., Lepore, F., & Guillemot, J. P. (2007). Auditory responses in the visual cortex of neonatally enucleated rats. *Neuroscience*, 145(3), 1144-1156. doi.

Pichon, F., Nikonenko, I., Kraftsik, R., & Welker, E. (2012). Intracortical connectivity of layer VI pyramidal neurons in the somatosensory cortex of normal and barreless mice. *European Journal of Neuroscience*. doi.

Pickard, G. E., Smith, B. N., Belenky, M., Rea, M. A., Dudek, F. E., & Sollars, P. J. (1999). 5-HT<sub>1B</sub> receptor-mediated presynaptic inhibition of retinal input to the suprachiasmatic nucleus. *Journal of Neuroscience*, 19(10), 4034-4045. doi.

Pickrell, A. M., Pinto, M., Hida, A., & Moraes, C. T. (2011). Striatal Dysfunctions Associated with Mitochondrial DNA Damage in Dopaminergic Neurons in a Mouse Model of Parkinson's

Disease. *Journal of Neuroscience*, 31(48), 17649-17658. doi: 10.1523/jneurosci.4871-11.2011. <http://www.jneurosci.org/content/31/48/17649.abstract>

Picones, A., Chung, S. C., & Korenbrot, J. I. (2003). Developmental maturation of passive electrical properties in retinal ganglion cells of rainbow trout. *Journal of Physiology*, 548(1), 71-83. doi: 10.1113/jphysiol.2002.034637. <http://jp.physoc.org/cgi/content/abstract/548/1/71>

Pidou, M., Mahon, S., Deniau, J.-M., & Charpier, S. (2011). Integration and propagation of somatosensory responses in the corticostriatal pathway: an intracellular study in vivo. *Journal of Physiology*, 589(2), 263-281. doi: 10.1113/jphysiol.2010.199646. <http://jp.physoc.org/content/589/2/263.abstract>

Piechota, M., Romanowska-Pawliczek, A., & Sottys, Z. (2007). Analiza fraktalna w badaniu morfologii komórek tkanki nerwowej: metody i problemy. *Episteme*, 5, 11-28. doi.

Pielecka-Fortuna, J., Wagener, R. J., Martens, A.-K., Goetze, B., Schmidt, K.-F., Staiger, J. F., & Löwel, S. (2014). The disorganized visual cortex in reelin-deficient mice is functional and allows for enhanced plasticity. *Brain Structure and Function*, 1-19. doi. <http://link.springer.com/article/10.1007/s00429-014-0866-x/fulltext.html>

Pieper, A. A., Xie, S., Capota, E., Estill, S. J., Zhong, J., Long, J. M., . . . others. (2010). Discovery of a proneurogenic, neuroprotective chemical. *Cell*, 142(1), 39-51. doi.

Pieraut, S., Gounko, N., Sando lii, R., Dang, W., Rebboah, E., Panda, S., . . . Maximov, A. (2014). Experience-Dependent Remodeling of Basket Cell Networks in the Dentate Gyrus. *Neuron*, 84(1), 107-122. doi: <http://dx.doi.org/10.1016/j.neuron.2014.09.012>. <http://www.sciencedirect.com/science/article/pii/S0896627314008009>

Pierce, J. P., McCloskey, D. P., & Scharfman, H. E. (2011). Morphometry of hilar ectopic granule cells in the rat. *Journal of Comparative Neurology*, 519(6), 1196-1218. doi: 10.1002/cne.22568. <http://dx.doi.org/10.1002/cne.22568>

Pierret, T., Lavallee, P., & Deschenes, M. (2000). Parallel Streams for the Relay of Vibrissal Information through Thalamic Barreloids. *Journal of Neuroscience*, 20(19), 7455-7462. doi. <http://www.jneurosci.org/cgi/content/abstract/20/19/7455>

Pierucci, F., Garcia-Gil, M., Frati, A., Bini, F., Martinesi, M., Vannini, E., . . . Meacci, E. (2017). Vitamin D3 protects against A $\beta$  peptide cytotoxicity in differentiated human neuroblastoma SH- SY5Y cells: A role for S1P1/p38MAPK/ATF4 axis. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2017.01.003>. <http://www.sciencedirect.com/science/article/pii/S0028390817300035>

Pignataro, A., Meli, G., Pagano, R., Fontebasso, V., Battistella, R., Conforto, G., . . . Middei, S. (2018). Activity-induced A $\beta$  oligomers drive compensatory synaptic rearrangements in brain circuits controlling memory of pre-symptomatic AD mice. *Biological Psychiatry*. doi: <https://doi.org/10.1016/j.biopsych.2018.10.018>. <http://www.sciencedirect.com/science/article/pii/S0006322318319802>



Pignataro, A., Pagano, R., Guarneri, G., Middei, S., & Ammassari-Teule, M. (2017). Extracellular matrix controls neuronal features that mediate the persistence of fear. [Journal article]. *Brain Structure and Function*, 1-10. doi: 10.1007/s00429-017-1440-0. <http://dx.doi.org/10.1007/s00429-017-1440-0>

Pignatelli, M., Vollmayr, B., Richter, S. H., Middei, S., Matrisciano, F., Molinaro, G., . . . Gass, P. (2012). Enhanced mGlu5-receptor dependent long-term depression at the Schaffer collateral-CA1 synapse of congenitally learned helpless rats. *Neuropharmacology*, (0). doi: 10.1016/j.neuropharm.2012.05.046. <http://www.sciencedirect.com/science/article/pii/S028390812002547?v=s5>

Pijpers, A., Apps, R., Pardoe, J., Voogd, J., & Ruigrok, T. J. H. (2006). Precise Spatial Relationships between Mossy Fibers and Climbing Fibers in Rat Cerebellar Cortical Zones. *Journal of Neuroscience*, 26(46), 12067-12080. doi: 10.1523/jneurosci.2905-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/46/12067>

Pijpers, A., & Ruigrok, T. J. H. (2006). Organization of pontocerebellar projections to identified climbing fiber zones in the rat. *Journal of Comparative Neurology*, 496(4), 513-528. doi.

Pijpers, A., Winkelman, B. H. J., Bronsing, R., & Ruigrok, T. J. H. (2008). Selective Impairment of the Cerebellar C1 Module Involved in Rat Hind Limb Control Reduces Step-Dependent Modulation of Cutaneous Reflexes. *Journal of Neuroscience*, 28(9), 2179-2189. doi: 10.1523/jneurosci.4668-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/9/2179>

Pillai-Nair, N., Panicker, A. K., Rodriguiz, R. M., Gilmore, K. L., Demyanenko, G. P., Huang, J. Z., . . . Maness, P. F. (2005). Neural Cell Adhesion Molecule-Secreting Transgenic Mice Display Abnormalities in GABAergic Interneurons and Alterations in Behavior. *Journal of Neuroscience*, 25(18), 4659-4671. doi: <http://www.jneurosci.org/cgi/content/abstract/25/18/4659>

Pilz, G.-A., Shitamukai, A., Reillo, I., Pacary, E., Schwausch, J., Stahl, R., . . . Godinho, L. (2013). Amplification of progenitors in the mammalian telencephalon includes a new radial glial cell type. *Nature Communications*, 4. doi: <http://www.nature.com/ncomms/2013/130710/ncomms3125/full/ncomms3125.html>

Pimentel, D. O., & Margrie, T. W. (2008). Glutamatergic transmission and plasticity between olfactory bulb mitral cells. *Journal of Physiology*, jphysiol.2007.149575. doi: 10.1113/jphysiol.2007.149575. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2007.149575v1>

Pinaud, R., Fortes, A. F., Lovell, P., & Mello, C. V. (2006). Calbindin-positive neurons reveal a sexual dimorphism within the songbird analogue of the mammalian auditory cortex. *Journal of Neurobiology*, 66(2), 182-195. doi.

Pinaud, R., & Mello, C. V. (2007). GABA immunoreactivity in auditory and song control brain areas of zebra finches. *Journal of Chemical Neuroanatomy*, 34(1), 1-21. doi.

Pinaud, R., Saldanha, C. J., Wynne, R. D., Lovell, P. V., & Mello, C. V. (2007). The excitatory thalamo-"cortical" projection within the song control system of zebra finches is formed by calbindin-expressing neurons. *Journal of Comparative Neurology*, 504(6), 601-618. doi.

Pinaud, R., Terleph, T. A., Tremere, L. A., Phan, M. L., Dagostin, A. A., Leao, R. M., . . . Vicario, D. S. (2008). Inhibitory Network Interactions Shape the Auditory Processing of Natural Communication Signals in the Songbird Auditory Forebrain. *Journal of Neurophysiology*, 01239.02007. doi: 10.1152/jn.01239.2007. <http://jn.physiology.org/cgi/content/abstract/01239.2007v1>

Pinaud, R., Velho, T. A. F., Jeong, J. K., Tremere, L. A., Leao, R. M., von Gersdorff, H., & Mello, C. V. (2004). GABAergic neurons participate in the brain's response to birdsong auditory stimulation. *European Journal of Neuroscience*, 20(5), 1318-1330. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0358...>

Pinault, D. (2003). Cellular interactions in the rat somatosensory thalamocortical system during normal and epileptic 5-9 Hz oscillations. *Journal of Physiology*, 552(3), 881-905. doi: 10.1113/jphysiol.2003.046573. <http://jp.physoc.org/cgi/content/abstract/552/3/881>

Pinault, D. (2005). A new stabilizing craniotomy-duratomy technique for single-cell anatomico-electrophysiological exploration of living intact brain networks. *Journal of Neuroscience Methods*, 141(2), 231-242. doi.

Pinault, D. (2010). The Juxtacellular Recording Labeling Technique. *Electrophysiological Recording Techniques*. doi.

Pinault, D., & Deschenes, M. (1998). Anatomical evidence for a mechanism of lateral inhibition in the rat thalamus. *European Journal of Neuroscience*, 10(11), 3462-3469. doi: doi:10.1046/j.1460-9568.1998.00362.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1998.00362.x>

Pinault, D., Slezia, A., & Acsady, L. (2006). Corticothalamic 5-9 Hz oscillations are more pro-epileptogenic than sleep spindles in rats. *Journal of Physiology*, 574(1), 209-227. doi: 10.1113/jphysiol.2006.108498. <http://jp.physoc.org/cgi/content/abstract/574/1/209>

Pinault, D., Smith, Y., & Deschenes, M. (1997). Dendrodendritic and Axoaxonic Synapses in the Thalamic Reticular Nucleus of the Adult Rat. *Journal of Neuroscience*, 17(9), 3215-3233. doi. <http://www.jneurosci.org/cgi/content/abstract/17/9/3215>

Pinault, D., Vergnes, M., & Marescaux, C. (2001). Medium-voltage 5-9-Hz oscillations give rise to spike-and-wave discharges in a genetic model of absence epilepsy: in vivo dual extracellular recording of thalamic relay and reticular neurons. *Neuroscience*, 105(1), 181-201. doi.

Pinheiro, S., Silva, J., Mota, C., Vaz-Silva, J., Veloso, A., Pinto, V., . . . Sotiropoulos, I. (2015). Tau Mislocation in Glucocorticoid-Triggered Hippocampal Pathology. *Molecular Neurobiology*, 1-9. doi: 10.1007/s12035-015-9356-2. <http://dx.doi.org/10.1007/s12035-015-9356-2>

Pinkernelle, J., Abraham, A., Seidel, K., & Braun, K. (2009). Paternal deprivation induces dendritic and synaptic changes and hemispheric asymmetry of pyramidal neurons in the somatosensory cortex. *Developmental Neurobiology*, 69(10), 663-673. doi.

Pinto, B., Morelli, G., Rastogi, M., Savardi, A., Fumagalli, A., Petretto, A., . . . Cancedda, L. (2020). Rescuing Over-activated Microglia Restores Cognitive Performance in Juvenile Animals of the Dp(16) Mouse Model of Down Syndrome. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2020.09.010>. <http://www.sciencedirect.com/science/article/pii/S0896627320307108>

Pinto, L., Drechsel, D., Schmid, M. T., Ninkovic, J., Irmeler, M., Brill, M. S., . . . others. (2009). AP2 $\gamma$  regulates basal progenitor fate in a region- and layer-specific manner in the developing cortex. *Nature Neuroscience*, 12(10), 1229-1237. doi.

Pinto, L., Mateus-Pinheiro, A., Morais, M., Bessa, J. M., & Sousa, N. (2012). Immuno-Golgi as a Tool for Analyzing Neuronal 3D-Dendritic Structure in Phenotypically Characterized Neurons. *PLoS ONE*, 7(3), e33114. doi: 10.1371/journal.pone.0033114. <http://dx.doi.org/10.1371/journal.pone.0033114>

Pinto, V., Szucs, P., Lima, D., & Safronov, B. V. (1990). Multisegmental A $\delta$ - and C-Fiber Input to Neurons in Lamina I and the Lateral Spinal Nucleus. *Journal of Neuroscience*, 30(6), 2384-2395. doi: 10.1523/jneurosci.3445-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/6/2384>

Pinzon, A., Marcillo, A., Pabon, D., Bramlett, H. M., Bunge, M. B., & Dietrich, W. D. (2008). A re-assessment of erythropoietin as a neuroprotective agent following rat spinal cord compression or contusion injury. *Experimental Neurology*, 213(1), 129-136. doi.

Pinzon, A., Marcillo, A., Quintana, A., Stamler, S., Bunge, M. B., Bramlett, H. M., & Dietrich, W. D. (2008). A re-assessment of minocycline as a neuroprotective agent in a rat spinal cord contusion model. *Brain Research*, 1243, 146-151. doi.

Pirone, A., Miragliotta, V., Cozzi, B., & Granato, A. (2019). The Claustrum of the Pig: An Immunohistochemical and a Quantitative Golgi Study. *The anatomical record*, 0(ja). doi: doi:10.1002/ar.24073. <https://onlinelibrary.wiley.com/doi/abs/10.1002/ar.24073>

Pirttilä, T. J., Manninen, A., Jutila, L., Nissinen, J., Kälviäinen, R., Vapalahti, M., . . . others. (2005). Cystatin C expression is associated with granule cell dispersion in epilepsy. *Annals of Neurology*, 58(2), 211-223. doi.

Pirttilä, T. J., & Pitkänen, A. (2006). Cystatin C expression is increased in the hippocampus following photothrombotic stroke in rat. *Neuroscience Letters*, 395(2), 108-113. doi.

Pitcher, J., Abt, A., Myers, J., Han, R., Snyder, M., Graziano, A., . . . Meucci, O. (2014). Neuronal ferritin heavy chain and drug abuse affect HIV-associated cognitive dysfunction. *The Journal of clinical investigation*, 124(2), 0-0. doi: 10.1172/jci70090. <http://www.jci.org/articles/view/70090>

Pitkänen, A., Narkilahti, S., Bezvenyuk, Z., Haapalinna, A., & Nissinen, J. (2004). Atipamezole, an  $\alpha_2$ -adrenoceptor antagonist, has disease modifying effects on epileptogenesis in rats. *Epilepsy Research*, 61(1), 119-140. doi:

Pitkänen, A., Nissinen, J., Jolkkonen, E., Tuunanen, J., & Halonen, J. T. (1999). Effects of vigabatrin treatment on status epilepticus-induced neuronal damage and mossy fiber sprouting in the rat hippocampus. *Epilepsy Research*, 33(1), 67-85. doi:

Pitkänen, A., Nissinen, J., Nairismägi, J., Lukasiuk, K., Gröhn, O. H. J., Miettinen, R., & Kauppinen, R. (2002). Progression of neuronal damage after status epilepticus and during spontaneous seizures in a rat model of temporal lobe epilepsy. *Progress in Brain Research*, 135, 67-83. doi:

Pitkanen, A., Pikkarainen, M., Nurminen, N., & Ylinen, A. (2000). Reciprocal Connections between the Amygdala and the Hippocampal Formation, Perirhinal Cortex, and Postrhinal Cortex in Rat: A Review. *Annals of the New York Academy of Sciences*, 911(1), 369-391. doi: doi:10.1111/j.1749-6632.2000.tb06738.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2000.tb0673...>

Pitkanen, A., Savander, M. I. A., Nurminen, N., & Ylinen, A. (2003). Intrinsic Synaptic Circuitry of the Amygdala. *Annals of the New York Academy of Sciences*, 985(1), 34-49. doi: doi:10.1111/j.1749-6632.2003.tb07069.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2003.tb0706...>

Pizzimenti, M. A., Darling, W. G., Rotella, D. L., McNeal, D. W., Herrick, J. L., Ge, J., . . . Morecraft, R. J. (2007). Measurement of Reaching Kinematics and Prehensile Dexterity in Nonhuman Primates. *Journal of Neurophysiology*, 98(2), 1015-1029. doi: 10.1152/jn.00354.2007. <http://jn.physiology.org/cgi/content/abstract/98/2/1015>

Pla, P., Orvoen, S., Benstaali, C., Dodier, S., Gardier, A. M., David, D. J., . . . Saudou, F. (2013). Huntingtin Acts Non Cell-Autonomously on Hippocampal Neurogenesis and Controls Anxiety-Related Behaviors in Adult Mouse. *Plos one*, 8(9), e73902. doi: 10.1371/journal.pone.0073902. <http://dx.doi.org/10.1371%2Fjournal.pone.0073902>

Pla, R., Stanco, A., Howard, M. A., Rubin, A. N., Vogt, D., Mortimer, N., . . . Rubenstein, J. L. R. (2017). *Dlx1* and *Dlx2* Promote Interneuron GABA Synthesis, Synaptogenesis, and Dendritogenesis. *Cerebral Cortex*, 1-19. doi: 10.1093/cercor/bhx241. <http://dx.doi.org/10.1093/cercor/bhx241>

Planche, V., Panatier, A., Hiba, B., Ducourneau, E.-G., Raffard, G., Dubourdieu, N., . . . Tourdias, T. (2016). Selective dentate gyrus disruption causes memory impairment at the early stage of experimental multiple sclerosis. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.11.010>. <http://www.sciencedirect.com/science/article/pii/S0889159116305128>

Platt, M. P., Adler, W. T., Mehlhorn, A. J., Johnson, G. C., Wright, K. A., Choi, R. T., . . . Rosen, G. D. (2013). Embryonic disruption of the candidate dyslexia susceptibility gene homologue *Kiaa0319*-like results in neuronal migration disorders. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.056>. <http://www.sciencedirect.com/science/article/pii/S0306452213005629>

Podraza, K. M., Mehta, Y., Husak, V. A., Lippmann, E., O'Brien, T. E., Kartje, G. L., & Tsai, S.-Y. (2017). Improved functional outcome after chronic stroke with delayed anti-Nogo-A therapy: A clinically relevant intention-to-treat analysis. *Journal of Cerebral Blood Flow and Metabolism*, 0271678X17730994. doi: 10.1177/0271678X17730994. <https://doi.org/10.1177/0271678X17730994>

Poeggel, G., Helmeke, C., Abraham, A., Schwabe, T., Friedrich, P., & Braun, K. (2003). Juvenile emotional experience alters synaptic composition in the rodent cortex, hippocampus, and lateral amygdala. *PNAS*, 100(26), 16137-16142. doi: <http://www.pnas.org/cgi/content/abstract/100/26/16137>

Poglia, L., Muller, D., & Nikonenko, I. (2011). Ultrastructural modifications of spine and synapse morphology by SAP97. *Hippocampus*, 21(9), 990-998. doi: 10.1002/hipo.20811. <http://dx.doi.org/10.1002/hipo.20811>

Poglio, F., Tavella, A., Ciaramitaro, P., Prolasso, I., Vercelli, L., Mongini, T., . . . Cocito, D. (2004). Electrophysiological features in the distinction between hereditary demyelinating and chronic acquired demyelinating neuropathies. *Journal of the Peripheral Nervous System*, 9(2), 113-113. doi: doi:10.1111/j.1085-9489.2004.009209ae.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Pohlkamp, T., Dávid, C., Cauli, B., Gallopin, T., Bouché, E., Karagiannis, A., . . . Bock, H. H. (2013). Characterization and Distribution of Reelin-Positive Interneuron Subtypes in the Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht161. <http://cercor.oxfordjournals.org/content/early/2013/06/26/cercor.bht161...>

Polgár, E., Al Ghamdi, K. S., & Todd, A. J. (2010). Two populations of neurokinin 1 receptor-expressing projection neurons in lamina I of the rat spinal cord that differ in AMPA receptor subunit composition and density of excitatory synaptic input. *Neuroscience*, 167(4), 1192-1204. doi.

Polgár, E., Al-Khater, K. M., Shehab, S., Watanabe, M., & Todd, A. J. (2008). Large projection neurons in lamina I of the rat spinal cord that lack the neurokinin 1 receptor are densely innervated by VGLUT2-containing axons and possess GluR4-containing AMPA receptors. *Journal of Neuroscience*, 28(49), 13150-13150. doi.

Polgár, E., Durrieux, C., Hughes, D. I., & Todd, A. J. (2013). A Quantitative Study of Inhibitory Interneurons in Laminae I-III of the Mouse Spinal Dorsal Horn. *PLoS ONE*, 8(10), e78309. doi: 10.1371/journal.pone.0078309. <http://dx.doi.org/10.1371%2Fjournal.pone.0078309>

Polgár, E., Furuta, T., Kaneko, T., & Todd, A. (2006). Characterization of neurons that express preprotachykinin B in the dorsal horn of the rat spinal cord. *Neuroscience*, 139(2), 687-697. doi.

Polgár, E., Gray, S., Riddell, J. S., & Todd, A. J. (2004). Lack of evidence for significant neuronal loss in laminae I–III of the spinal dorsal horn of the rat in the chronic constriction injury model. *Pain*, 111(1), 144–150. doi.

Polgár, E., Hughes, D. I., Arham, A. Z., & Todd, A. J. (2005). Loss of Neurons from Laminae I–III of the Spinal Dorsal Horn Is Not Required for Development of Tactile Allodynia in the Spared Nerve Injury Model of Neuropathic Pain. *Journal of Neuroscience*, 25(28), 6658–6666. doi. <http://www.jneurosci.org/cgi/content/abstract/25/28/6658>

Polgár, E., Puskar, Z., Watt, C., Matesz, C., & Todd, A. J. (2002). Selective innervation of lamina I projection neurones that possess the neurokinin 1 receptor by serotonin-containing axons in the rat spinal cord. *Neuroscience*, 109(4), 799–809. doi.

Polgár, E., Sardella, T. C., Tiong, S. Y., Locke, S., Watanabe, M., & Todd, A. J. (2013). Functional differences between neurochemically-defined populations of inhibitory interneurons in the rat spinal dorsal horn. *Pain*. doi.

Polgár, E., Sardella, T. C. P., Watanabe, M., & Todd, A. J. (2011). Quantitative study of NPY-expressing GABAergic neurons and axons in rat spinal dorsal horn. *Journal of Comparative Neurology*, 519(6), 1007–1023. doi: 10.1002/cne.22570. <http://dx.doi.org/10.1002/cne.22570>

Polgár, E., Shehab, S. A. S., Watt, C., & Todd, A. J. (1999). GABAergic Neurons that Contain Neuropeptide Y Selectively Target Cells with the Neurokinin 1 Receptor in Laminae III and IV of the Rat Spinal Cord. *Journal of Neuroscience*, 19(7), 2637–2646. doi. <http://www.jneurosci.org/cgi/content/abstract/19/7/2637>

Polgár, E., Thomson, S., Maxwell, D. J., Al-Khater, K., & Todd, A. J. (2007). A population of large neurons in laminae III and IV of the rat spinal cord that have long dorsal dendrites and lack the neurokinin 1 receptor. *European Journal of Neuroscience*, 26(6), 1587–1598. doi: 10.1111/j.1460-9568.2007.05793.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05793.x>

Polgár, E., & Todd, A. J. (2008). Tactile allodynia can occur in the spared nerve injury model in the rat without selective loss of GABA or GABA<sub>A</sub> receptors from synapses in laminae I–II of the ipsilateral spinal dorsal horn. *Neuroscience*, 156(1), 193–202. doi.

Polgár, E., Watanabe, M., Hartmann, B., Grant, S., & Todd, A. (2008). Expression of AMPA receptor subunits at synapses in laminae I–III of the rodent spinal dorsal horn. *Molecular Pain*, 4(1), 5. doi. <http://www.molecularpain.com/content/4/1/5>

Polgár, E., Wright, L. L., & Todd, A. J. (2010). A quantitative study of brainstem projections from lamina I neurons in the cervical and lumbar enlargement of the rat. *Brain Research*, 1308, 58–67. doi.

Polinski, N. K., Gombash, S. E., Manfredsson, F. P., Lipton, J. W., Kemp, C. J., Cole-Strauss, A., . . . Sortwell, C. E. (2014). Recombinant adeno-associated virus 2/5-mediated gene transfer is reduced in the aged rat midbrain. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2014.07.047. [http://www.neurobiologyofaging.org/article/S0197-4580\(14\)00636-8/abstract](http://www.neurobiologyofaging.org/article/S0197-4580(14)00636-8/abstract)



Poll, S., & Fuhrmann, M. (2019). Chapter 14 - Long-Term In Vivo Imaging of Structural Plasticity in Rodents. In D. Manahan-Vaughan (Ed.), *Handbook of Behavioral Neuroscience* (Vol. 28, pp. 253-262): Elsevier.

Pollack, G. A., Bezek, J. L., Lee, S. H., Scarlata, M. J., Weingast, L. T., & Bergstrom, H. C. (2018). Cued fear memory generalization increases over time. *Learning and Memory*, 25(7), 298-308. doi: 10.1101/lm.047555.118. <http://learnmem.cshlp.org/content/25/7/298.abstract>

Poller, W. C., Bernard, R., Derst, C., Weiss, T., Madai, V. I., & Veh, R. W. (2011). Lateral habenular neurons projecting to reward-processing monoaminergic nuclei express hyperpolarization-activated cyclic nucleotid-gated cation (HCN) channels. *Neuroscience*. doi.

Poller, W. C., Madai, V. I., Bernard, R., Laube, G., & Veh, R. W. (2013). A glutamatergic projection from the lateral hypothalamus targets VTA-projecting neurons in the lateral habenula of the rat. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2013.01.029>. <http://www.sciencedirect.com/science/article/pii/S0006899313001236>

Poncer, J. C., McKinney, R. A., Gähwiler, B. H., & Thompson, S. M. (2000). Differential control of GABA release at synapses from distinct interneurons in rat hippocampus. *Journal of Physiology*, 528(1), 123-130. doi. <http://jp.physoc.org/cgi/content/abstract/528/1/123>

Poncer, J. C., McKinney, R. A., Gähwiler, B. H., & Thompson, S. M. (1997). Either N-or P-type calcium channels mediate GABA release at distinct hippocampal inhibitory synapses. *Neuron*, 18(3), 463-472. doi.

Pons-Espinal, M., Martinez de Lagran, M., & Dierssen, M. (2013). Environmental enrichment rescues Dyrk1A activity and hippocampal adult neurogenesis in TgDyrk1A. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.08.008>. <http://www.sciencedirect.com/science/article/pii/S0969996113002295>

Poo, C., & Isaacson, J. S. (2009). Odor Representations in Olfactory Cortex. *Neuron*, 62(6), 850-861. doi.

Poon, A., Li, Z., Wolfe, G. W., Lu, L., Williams, R. W., Hayes, N. L., . . . Goldowitz, D. (2010). Identification of a Chr 11 quantitative trait locus that modulates proliferation in the rostral migratory stream of the adult mouse brain. *European Journal of Neuroscience*, 32(4), 523-537. doi.

Poorthuis, R. B., Bloem, B., Schak, B., Wester, J., de Kock, C. P. J., & Mansvelder, H. D. (2012). Layer-Specific Modulation of the Prefrontal Cortex by Nicotinic Acetylcholine Receptors. *Cerebral Cortex*, bhr390. doi: 10.1093/cercor/bhr390. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr390v1>

Popko, J., Fernandes, A., Brites, D., & Lanier, L. M. (2009). Automated analysis of NeuronJ tracing data. *Cytometry Part A*, 75(4), 371-376. doi.

Popović, M., Caballero-Bleda, M., Popović, N., Puellas, L., van Groen, T., & Witter, M. P. (2006). Verapamil prevents, in a dose-dependent way, the loss of ChAT-immunoreactive neurons in the cerebral cortex following lesions of the rat nucleus basalis magnocellularis. *Experimental Brain Research*, 170(3), 368-375. doi.

Popovic, M., Djuriscic, M., & Zecevic, D. (2005). Determinants of Low EPSP Attenuation in Primary Dendrites of Mitral Cells: Modeling Study. *Annals of the New York Academy of Sciences*, 1048(1), 344-348. doi: doi:10.1196/annals.1342.033. <http://www.blackwell-synergy.com/doi/abs/10.1196/annals.1342.033>

Porreca, F., Burgess, S. E., Gardell, L. R., Vanderah, T. W., Malan Jr, T. P., Ossipov, M. H., . . . Lai, J. (2001). Inhibition of neuropathic pain by selective ablation of brainstem medullary cells expressing the  $\mu$ -opioid receptor. *Journal of Neuroscience*, 21(14), 5281-5288. doi.

Porreca, F., Burgess, S. E., Gardell, L. R., Vanderah, T. W., Malan, T. P., Jr, Ossipov, M. H., . . . Lai, J. (2001). Inhibition of Neuropathic Pain by Selective Ablation of Brainstem Medullary Cells Expressing the  $\mu$ -Opioid Receptor. *Journal of Neuroscience*, 21(14), 5281-5288. doi. <http://www.jneurosci.org/cgi/content/abstract/21/14/5281>

Porrero, C., Rodríguez-Moreno, J., Quetglas, J. I., Smerdou, C., Furuta, T., & Clasca, F. (2016). A Simple and Efficient In Vivo non-viral RNA Transfection Method For Labeling the Whole Axonal Tree of Individual Adult Long-Range Projection Neurons. [Methods]. *Frontiers in Neuroanatomy*, 10. doi: 10.3389/fnana.2016.00027. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy..>

Porter, J. T., Cauli, B., Staiger, J. F., Lambolez, B., Rossier, J., & Audinat, E. (1998). Properties of bipolar VIPergic interneurons and their excitation by pyramidal neurons in the rat neocortex. *European Journal of Neuroscience*, 10(12), 3617. doi.

Porter, J. T., Johnson, C. K., & Agmon, A. (2001). Diverse Types of Interneurons Generate Thalamus-Evoked Feedforward Inhibition in the Mouse Barrel Cortex. *Journal of Neuroscience*, 21(8), 2699-2710. doi. <http://www.jneurosci.org/cgi/content/abstract/21/8/2699>

Porter, L. L., Rizzo, E., & Hornung, J.-P. (1999). Dopamine Affects Parvalbumin Expression during Cortical Development In Vitro. *Journal of Neuroscience*, 19(20), 8990-9003. doi. <http://www.jneurosci.org/cgi/content/abstract/19/20/8990>

Portera-Cailliau, C., Weimer, R. M., De Paola, V., Caroni, P., & Svoboda, K. (2005). Diverse Modes of Axon Elaboration in the Developing Neocortex. *PLoS Biology*, 3(8), e272. doi. <http://dx.doi.org/10.1371%2Fjournal.pbio.0030272>

Porteros, Á., Gómez, C., Valero, J., Calvo-Baltanás, F., & Alonso, J. R. (2007). Chemical organization of the macaque monkey olfactory bulb: III. Distribution of cholinergic markers. *Journal of Comparative Neurology*, 501(6), 854-865. doi.

Poskanzer, K., Needleman, L. A., Bozdagi, O., & Huntley, G. W. (2003). N-Cadherin Regulates Ingrowth and Laminar Targeting of Thalamocortical Axons. *Journal of Neuroscience*, 23(6), 2294-2305. doi: <http://www.jneurosci.org/cgi/content/abstract/23/6/2294>

Potez, S., & Larkum, M. E. (2008). Effect of Common Anesthetics on Dendritic Properties in Layer 5 Neocortical Pyramidal Neurons. *Journal of Neurophysiology*, 01126.02007. doi: 10.1152/jn.01126.2007. <http://jn.physiology.org/cgi/content/abstract/01126.2007v1>

Potts, J. T., Fong, A. Y., Anguelov, P. I., Lee, S., McGovern, D., & Grias, I. (2007). Targeted deletion of neurokinin-1 receptor expressing nucleus tractus solitarii neurons precludes somatosensory depression of arterial baroreceptor-heart rate reflex. *Neuroscience*, 145(3), 1168-1181. doi.

Potts, J. T., & Paton, J. F. R. (2006). Optical imaging of medullary ventral respiratory network during eupnea and gasping In situ. *European Journal of Neuroscience*, 23(11), 3025-3033. doi: 10.1111/j.1460-9568.2006.04809.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04809.x>

Potvin, O., Allen, K., Thibaudeau, G., Doré, F. Y., & Goulet, S. (2006). Performance on spatial working memory tasks after dorsal or ventral hippocampal lesions and adjacent damage to the subiculum. *Behavioral Neuroscience*, 120(2), 413-413. doi.

Potvin, O., Doré, F. Y., & Goulet, S. (2007). Contributions of the dorsal hippocampus and the dorsal subiculum to processing of idiothetic information and spatial memory. *Neurobiology of Learning and Memory*, 87(4), 669-678. doi.

Potvin, O., Doré, F. Y., & Goulet, S. (2009). Lesions of the dorsal subiculum and the dorsal hippocampus impaired pattern separation in a task using distinct and overlapping visual stimuli. *Neurobiology of Learning and Memory*, 91(3), 287-297. doi.

Potvin, O., Lemay, F., Dion, M., Corado, G., Doré, F. Y., & Goulet, S. (2010). Contribution of the dorsal subiculum to memory for temporal order and novelty detection using objects, odors, or spatial locations in the rat. *Neurobiology of Learning and Memory*, 93(3), 330-336. doi.

Pouille, F., Marin-Burgin, A., Adesnik, H., Atallah, B. V., & Scanziani, M. (2009). Input normalization by global feedforward inhibition expands cortical dynamic range. *Nature Neuroscience*, 12(12), 1577-1585. doi.

Poulet, J. F. A., & Petersen, C. C. H. (2008). Internal brain state regulates membrane potential synchrony in barrel cortex of behaving mice. *Nature*. doi: doi:10.1038/nature07150.

Povysheva, N. V., Zaitsev, A. V., Gonzalez-Burgos, G., & Lewis, D. A. (2013). Electrophysiological Heterogeneity of Fast-Spiking Interneurons: Chandelier versus Basket Cells. *PLoS ONE*, 8(8), e70553. doi: 10.1371/journal.pone.0070553. <http://dx.doi.org/10.1371%2Fjournal.pone.0070553>

Povysheva, N. V., Zaitsev, A. V., Kroner, S., Krimer, O. A., Rotaru, D. C., Gonzalez-Burgos, G., . . . Krimer, L. S. (2007). Electrophysiological Differences Between Neurogliaform Cells From

Monkey and Rat Prefrontal Cortex. *Journal of Neurophysiology*, 97(2), 1030-1039. doi: 10.1152/jn.00794.2006. <http://jn.physiology.org/cgi/content/abstract/97/2/1030>

Povysheva, N. V., Zaitsev, A. V., Rotaru, D. C., Gonzalez-Burgos, G., Lewis, D. A., & Krimer, L. S. (2008). Parvalbumin-positive Basket Interneurons in Monkey and Rat Prefrontal Cortex. *Journal of Neurophysiology*, 90396.92008. doi: 10.1152/jn.90396.2008. <http://jn.physiology.org/cgi/content/abstract/90396.2008v1>

Powell, G., Levine, R., & Fregosi, R. (2014). The effects of developmental nicotine exposure on hypoglossal motoneuron morphology and electrophysiology (871.2). *The FASEB journal*, 28(1 Supplement). doi: [http://www.fasebj.org/content/28/1\\_Supplement/871.2.abstract](http://www.fasebj.org/content/28/1_Supplement/871.2.abstract)

Powell, G. L., Gaddy, J., Xu, F., Fregosi, R. F., & Levine, R. B. (2016). Developmental Nicotine Exposure disrupts dendritic arborization patterns of hypoglossal motoneurons in the neonatal rat. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22379. <http://dx.doi.org/10.1002/dneu.22379>

Powley, T. L., Baronowsky, E. A., Gilbert, J. M., Hudson, C. N., Martin, F. N., Mason, J. K., . . . Phillips, R. J. (2013). Vagal afferent innervation of the lower esophageal sphincter. *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2013.03.008>. <http://www.sciencedirect.com/science/article/pii/S1566070213000684>

Powley, T. L., Gilbert, J. M., Baronowsky, E. A., Billingsley, C. N., Martin, F. N., & Phillips, R. J. (2012). Vagal sensory innervation of the gastric sling muscle and antral wall: implications for gastro-esophageal reflux disease? *Neurogastroenterology and Motility*, no-no. doi: 10.1111/nmo.12003. <http://dx.doi.org/10.1111/nmo.12003>

Powley, T. L., Hudson, C. N., McAdams, J. L., Baronowsky, E. A., Martin, F. N., Mason, J. K., & Phillips, R. J. (2013). Organization of Vagal Afferents in Pylorus: Mechanoreceptors Arrayed for High Sensitivity and Fine Spatial Resolution? *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2014.02.008>. <http://www.sciencedirect.com/science/article/pii/S1566070214000381>

Powley, T. L., Hudson, C. N., McAdams, J. L., Baronowsky, E. A., & Phillips, R. J. (2015). Vagal Intramuscular Arrays (IMAs) – The Specialized Mechanoreceptor Arbors That Innervate the Smooth Muscle Layers of the Stomach Examined in the Rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23892. <http://dx.doi.org/10.1002/cne.23892>

Powley, T. L., Mittal, R. K., Baronowsky, E. A., Hudson, C. N., Martin, F. N., McAdams, J. L., . . . Phillips, R. J. (2013). Architecture of vagal motor units controlling striated muscle of esophagus: Peripheral elements patterning peristalsis? *Autonomic Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.autneu.2013.08.069>. <http://www.sciencedirect.com/science/article/pii/S1566070213006784>

Powley, T. L., & Phillips, R. J. (2002). I. Morphology and topography of vagal afferents innervating the GI tract. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 283(6), G1217–G1225-G1217–G1225. doi.

Powley, T. L., & Phillips, R. J. (2002). Musings on the Wanderer: What's New in Our Understanding of Vago-Vagal Reflexes?: I. Morphology and topography of vagal afferents innervating the GI tract. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 283(6), G1217-1225. doi: 10.1152/ajpgi.00249.2002. <http://ajpgi.physiology.org/cgi/content/abstract/283/6/G1217>

Powley, T. L., & Phillips, R. J. (2011). Vagal intramuscular array afferents form complexes with interstitial cells of Cajal in gastrointestinal smooth muscle: analogues of muscle spindle organs? *Neuroscience*. doi.

Pozner, T., Vistoropsky, Y., Moaraf, S., Heiblum, R., & Barnea, A. (2018). Questioning Seasonality of Neuronal Plasticity in the Adult Avian Brain. *Scientific Reports*, 8(1), 11289. doi: 10.1038/s41598-018-29532-1. <https://doi.org/10.1038/s41598-018-29532-1>

Pozniak, C. D., Barnabé-Heider, F., Rymar, V. V., Lee, A. F., Sadikot, A. F., & Miller, F. D. (2002). p73 Is Required for Survival and Maintenance of CNS Neurons. *Journal of Neuroscience*, 22, 9800-9809. doi.

Praag, H. v., Shubert, T., Zhao, C., & Gage, F. H. (2005). Exercise Enhances Learning and Hippocampal Neurogenesis in Aged Mice. *Journal of Neuroscience*, 25(38), 8680-8685. doi.

Prakash, A., Zhang, H., & Pandey, S. C. (2008). Innate Differences in the Expression of Brain-Derived Neurotrophic Factor in the Regions Within the Extended Amygdala Between Alcohol Preferring and Nonpreferring Rats. *Alcoholism: Clinical and Experimental Research*. doi: doi:10.1111/j.1530-0277.2008.00650.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1530-0277.2008.00650.x>

Prakash, Y. S., Mantilla, C. B., Zhan, W.-Z., Smithson, K. G., & Sieck, G. C. (2000). Phrenic motoneuron morphology during rapid diaphragm muscle growth. *Journal of Applied Physiology*, 89(2), 563-572. doi. <http://jap.physiology.org/cgi/content/abstract/89/2/563>

Pressler, R. T., & Strowbridge, B. W. (2006). Blanes cells mediate persistent feedforward inhibition onto granule cells in the olfactory bulb. *Neuron*, 49(6), 889-904. doi.

Previtali, S. C., Dina, G., Galizia, G., Malaguti, C., Amadio, S., Del Carro, U., . . . Quattrini, A. (2004). Peripheral nerve regeneration in the absence of glial fibrillary acidic protein. *Journal of the Peripheral Nervous System*, 9(2), 113-113. doi: doi:10.1111/j.1085-9489.2004.009209ac.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Prevosto, V., Graf, W., & Ugolini, G. (2009). Posterior parietal cortex areas MIP and LIPv receive eye position and velocity inputs via ascending preposito-thalamo-cortical pathways. *European Journal of Neuroscience*, 30(6), 1151-1161. doi.

Prevosto, V., Graf, W., & Ugolini, G. (2010). Cerebellar inputs to intraparietal cortex areas LIP and MIP: functional frameworks for adaptive control of eye movements, reaching, and arm/eye/head movement coordination. *Cerebral Cortex*, 20(1), 214-228. doi.

Prevosto, V., Graf, W., & Ugolini, G. (2011). Proprioceptive pathways to posterior parietal areas MIP and LIPv from the dorsal column nuclei and the postcentral somatosensory cortex. *European Journal of Neuroscience*, 33(3), 444-460. doi: 10.1111/j.1460-9568.2010.07541.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07541.x>

Prevosto, V., Graf, W., & Ugolini, G. (2017). The Control of Eye Movements by the Cerebellar Nuclei: Polysynaptic Projections from the Fastigial, Interpositus Posterior and Dentate nuclei to Lateral Rectus Motoneurons in Primates. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13546. <http://dx.doi.org/10.1111/ejn.13546>

Prévôt, T. D., Viollet, C., Epelbaum, J., Dominguez, G., Béracochéa, D., & Guillou, J.-L. (2018). sst2-receptor gene deletion exacerbates chronic stress-induced deficits: Consequences for emotional and cognitive ageing. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. doi: <https://doi.org/10.1016/j.pnpbp.2018.01.022>. <https://www.sciencedirect.com/science/article/pii/S0278584617309004>

Price, D. L., Chow, S. K., MacLean, N. A. B., Hakozaki, H., Peltier, S., Martone, M. E., & Ellisman, M. H. (2005). High-resolution large-scale mosaic imaging using multiphoton microscopy to characterize transgenic mouse models of human neurological disorders. *Neuroinformatics*, Submitted. doi.

Prince, D. A., Parada, I., Scalise, K., Graber, K., Jin, X., & Shen, F. (2009). Epilepsy following cortical injury: cellular and molecular mechanisms as targets for potential prophylaxis. *Epilepsia*, 50, 30-40. doi.

Prins, T. J., Saldate, J. J., Berke, G. S., & Hoffman, L. F. (2019). On the Legacy of Genetically Altered Mouse Models to Explore Vestibular Function: Distribution of Vestibular Hair Cell Phenotypes in the Otoferlin-Null Mouse. *Annals of Otology, Rhinology and Laryngology*, 128(6\_suppl), 125S-133S. doi: 10.1177/0003489419834596. <https://journals.sagepub.com/doi/abs/10.1177/0003489419834596>

Prithviraj, R., & Inglis, F. M. (2008). Expression of the  $\alpha$  N-methyl-d-aspartate receptor subunit NR3B regulates dendrite morphogenesis in spinal motor neurons. *Neuroscience*, 155(1), 145-153. doi.

Prithviraj, R., Kelly, K. M., Espinoza-Lewis, R., Hexom, T., Clark, A. B., & Inglis, F. M. (2008). Differential regulation of dendrite complexity by AMPA receptor subunits GluR1 and GluR2 in motor neurons. *Developmental Neurobiology*, 68(2), 247-264. doi.

Priya, R., Paredes, M. F., Karayannis, T., Yusuf, N., Liu, X., Jaglin, X., . . . Fishell, G. (2018). Activity Regulates Cell Death within Cortical Interneurons through a Calcineurin-Dependent Mechanism. *Cell Reports*, 22(7), 1695-1709. doi: 10.1016/j.celrep.2018.01.007. <http://dx.doi.org/10.1016/j.celrep.2018.01.007>

Priya, R., Rakela, B., Kaneko, M., Spatazza, J., Larimer, P., Hoseini, M. S., . . . Stryker, M. P. (2019). Vesicular GABA transporter is necessary for transplant-induced critical period plasticity in



mouse visual cortex. *The Journal of Neuroscience*, 1253-1218. doi: 10.1523/jneurosci.1253-18.2019. <http://www.jneurosci.org/content/early/2019/01/31/JNEUROSCI.1253-18.2019...>

Prochnow, N., Lee, P., Hall, W. C., & Schmidt, M. (2007). In Vitro Properties of Neurons in the Rat Pretectal Nucleus of the Optic Tract. *Journal of Neurophysiology*, 97(5), 3574-3584. doi: 10.1152/jn.00039.2007. <http://jn.physiology.org/cgi/content/abstract/97/5/3574>

Proctor, A. R., Ramirez, G. A., Han, S., Liu, Z., Bubel, T. M., & Choe, R. (2018). Validation of diffuse correlation spectroscopy sensitivity to nicotinamide-induced blood flow elevation in the murine hindlimb using the fluorescent microsphere technique.

Prönneke, A., Scheuer, B., Wagener, R. J., Möck, M., Witte, M., & Staiger, J. F. (2015). Characterizing VIP Neurons in the Barrel Cortex of VIPcre/tdTomato Mice Reveals Layer-Specific Differences. *Cerebral Cortex*. doi: 10.1093/cercor/bhv202. <http://cercor.oxfordjournals.org/content/early/2015/09/24/cercor.bhv202...>

Provitera, V., Nolano, M., Caporaso, G., Stancanelli, A., Manganelli, F., Iodice, R., . . . Pellicchia, M. T. (2014). Postganglionic sudomotor denervation in patients with multiple system atrophy. *Neurology*, 10.1212/WNL.0000000000000518. doi: <http://www.neurology.org/content/early/2014/05/16/WNL.0000000000000518.s...>

Provitera, V., Nolano, M., Pagano, A., Caporaso, G., Stancanelli, A., & Santoro, L. (2007). Myelinated nerve endings in human skin. *Muscle and Nerve*, 35(6), 767-775. doi.

Provitera, V., Nolano, M., Pappone, N., di Girolamo, C., Stancanelli, A., Lullo, F., . . . Santoro, L. (2005). Distal degeneration of sensory and autonomic cutaneous nerve fibres in systemic sclerosis. *Annals of the Rheumatic Diseases*, 64(10), 1524-1526. doi.

Provitera, V., Nolano, M., Stancanelli, A., Caporaso, G., Vitale, D. F., & Santoro, L. (2014). Intraepidermal nerve fiber analysis using immunofluorescence with and without confocal microscopy. *Muscle and Nerve*, n/a-n/a. doi: 10.1002/mus.24338. <http://dx.doi.org/10.1002/mus.24338>

Provitera, V., Nolano, M., Stancanelli, A., Lullo, F., & Santoro, L. (2004). Standard deviation of the distances between consecutive epidermal nerve fibers as a parameter to study their distribution in human skin. *Journal of the Peripheral Nervous System*, 9(2), 114-114. doi: doi:10.1111/j.1085-9489.2004.009209ag.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Prusky, G., & Arjannikova, T. (1999). Intracellular filling and reconstruction of identified neurons in fixed rat brain slices. *Brain Research Protocols*, 3(3), 313-319. doi.

Pruszek, J., Ludwig, W., Blak, A., Alavian, K., & Isacson, O. (2009). CD15, CD24, and CD29 define a surface biomarker code for neural lineage differentiation of stem cells. *Stem Cells*, 27(12), 2928-2940. doi.

Pucilowska, J., Puzerey, P. A., Karlo, J. C., Galán, R. F., & Landreth, G. E. (2012). Disrupted ERK Signaling during Cortical Development Leads to Abnormal Progenitor Proliferation,

Neuronal and Network Excitability and Behavior, Modeling Human Neuro-Cardio-Facial-Cutaneous and Related Syndromes. *Journal of Neuroscience*, 32(25), 8663-8677. doi: 10.1523/jneurosci.1107-12.2012. <http://www.jneurosci.org/content/32/25/8663.abstract>

Pucker, A. D., Carpenter, A. R., McHugh, K. M., & Mutti, D. O. (2014). Guinea Pig Ciliary Muscle Development. *Optometry and Vision Science*, Publish Ahead of Print, 10.1097/OPX.0000000000000304. doi: [http://journals.lww.com/optvissci/Fulltext/publishahead/Guinea\\_Pig\\_Cilia...](http://journals.lww.com/optvissci/Fulltext/publishahead/Guinea_Pig_Cilia...)

Pugh, P., Adlaf, E., Zhao, C. S., Markwardt, S., Gavin, C., Wadiche, J., & Overstreet-Wadiche, L. (2011). Enhanced integration of newborn neurons after neonatal insults. *Frontiers in Neuroscience*, 5. doi.

Pullela, R., Raber, J., Pfankuch, T., Ferriero, D. M., Claus, C. P., Koh, S. E., . . . Noble-Haeusslein, L. J. (2006). Traumatic Injury to the Immature Brain Results in Progressive Neuronal Loss, Hyperactivity and Delayed Cognitive Impairments. *Developmental Neuroscience*, 28(4-5), 396-409. doi: <http://www.karger.com/DOI/10.1159/000094166>

Pun, Raymond Y. K., Rolle, Isaiah J., LaSarge, Candi L., Hosford, Bethany E., Rosen, Jules M., Uhl, Juli D., . . . Danzer, Steve C. (2012). Excessive Activation of mTOR in Postnatally Generated Granule Cells Is Sufficient to Cause Epilepsy. *Neuron*, 75(6), 1022-1034. doi: 10.1016/j.neuron.2012.08.002. <http://www.sciencedirect.com/science/article/pii/S0896627312007052>

Purcell, I. M., & Perachio, A. A. (1997). Three-Dimensional Analysis of Vestibular Efferent Neurons Innervating Semicircular Canals of the Gerbil. *Journal of Neurophysiology*, 78(6), 3234-3248. doi: <http://jn.physiology.org/cgi/content/abstract/78/6/3234>

Purcell, I. M., & Perachio, A. A. (2001). Peripheral patterns of terminal innervation of vestibular primary afferent neurons projecting to the vestibulocerebellum in the gerbil. *Journal of Comparative Neurology*, 433(1), 48-61. doi.

Purves-Tyson, T. D., Arshi, M. S., Handelsman, D. J., Cheng, Y., & Keast, J. R. (2007). Androgen and estrogen receptor-mediated mechanisms of testosterone action in male rat pelvic autonomic ganglia. *Neuroscience*, 148(1), 92-104. doi.

Puschban, Z., Stefanova, N., Petersén, A. A., Winkler, C., Brundin, P., Poewe, W., & Wenning, G. K. (2005). Evidence for dopaminergic re-innervation by embryonic allografts in an optimized rat model of the Parkinsonian variant of multiple system atrophy. *Brain Research Bulletin*, 68(1), 54-58. doi.

Pushchin, I. I., Podugolnikova, T. A., & Kondrashev, S. L. (2011). A multivariate approach to structural heterogeneity of retinal ganglion cells. *Visual Neuroscience*, 28(6), 499-499. doi.

Puskár, Z., Polgár, E., & Todd, A. J. (2001). A population of large lamina I projection neurons with selective inhibitory input in rat spinal cord. *Neuroscience*, 102(1), 167-176. doi.

- Putatunda, R., Zhang, Y., Li, F., Yang, X.-F., Barbe, M. F., & Hu, W. (2018). Adult neurogenic deficits in HIV-1 Tg26 transgenic mice. [journal article]. *Journal of Neuroinflammation*, 15(1), 287. doi: 10.1186/s12974-018-1322-2. <https://doi.org/10.1186/s12974-018-1322-2>
- Puttagunta, R., Schmandke, A., Floriddia, E., Gaub, P., Fomin, N., Ghyselinck, N. B., & Di Giovanni, S. (2011). RA-RAR- $\beta$  counteracts myelin-dependent inhibition of neurite outgrowth via Lingo-1 repression. *Journal of Cell Biology*, 193(7), 1147-1156. doi: 10.1083/jcb.201102066. <http://jcb.rupress.org/content/193/7/1147.abstract>
- Puttagunta, R., Tedeschi, A., S3ria, M. G., Hervera, A., Lindner, R., Rathore, K. I., . . . Schmandke, A. (2014). PCAF-dependent epigenetic changes promote axonal regeneration in the central nervous system. *Nature Communications*, 5. doi.
- Puusepp, S., Kovacs-Nagy, R., Alhaddad, B., Braunisch, M., Hoffmann, G. F., Kotzaeridou, U., . . . Öunap, K. (2018). Compound heterozygous SPATA5 variants in four families and functional studies of SPATA5 deficiency. *European Journal of Human Genetics*. doi: 10.1038/s41431-017-0001-6. <https://doi.org/10.1038/s41431-017-0001-6>
- Puyal, J., Vaslin, A., Mottier, V., & Clarke, P. G. H. (2009). Postischemic treatment of neonatal cerebral ischemia should target autophagy. *Annals of Neurology*, 66(3), 378-389. doi.
- Puzan, M. L., Legesse, B., Koppes, R. A., Fenniri, H., & Koppes, A. N. (2018). Bioactive Organic Rosette Nanotubes Support Sensory Neurite Outgrowth. *ACS Biomaterials Science & Engineering*. doi: 10.1021/acsbiomaterials.8b00326. <https://doi.org/10.1021/acsbiomaterials.8b00326>
- Puzerey, P. A., Kodama, N. X., & Galan, R. F. (2015). Abnormal cell-intrinsic and network excitability in the neocortex of serotonin-deficient Pet-1 knock-out mice. [10.1152/jn.00996.2014]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2015/11/20/jn.00996.2014.abstract>
- Pyapali, G. K., & Turner, D. A. (1994). Denervation-induced dendritic alterations in CA1 pyramidal cells following kainic acid hippocampal lesions in rats. *Brain Research*, 652(2), 279-290. doi.
- Pyapali, G. K., & Turner, D. A. (1996). Increased dendritic extent in hippocampal CA1 neurons from aged F344 rats. *Neurobiology of Aging*, 17(4), 601-611. doi.
- Pyapali, G. K., Turner, D. A., & Madison, R. D. (1994). Fetal transplants in rat hippocampus following kainic acid lesions: influence of post-lesion delay on graft survival and integration. *Restorative Neurology and Neuroscience*, 6(2), 113-126. doi.
- Pyronneau, A., He, Q., Hwang, J.-Y., Porch, M., Contractor, A., & Zukin, R. S. (2017). Aberrant Rac1-cofilin signaling mediates defects in dendritic spines, synaptic function, and sensory perception in fragile X syndrome. [10.1126/scisignal.aan0852]. *Science Signaling*, 10(504). doi: <http://stke.sciencemag.org/content/10/504/eaan0852.abstract>
- Pyter, L. M., Reader, B. F., & Nelson, R. J. (2005). Short Photoperiods Impair Spatial Learning and Alter Hippocampal Dendritic Morphology in Adult Male White-Footed Mice

(*Peromyscus leucopus*). *Journal of Neuroscience*, 25(18), 4521-4526. doi: <http://www.jneurosci.org/cgi/content/abstract/25/18/4521>

Pytte, C., Yu, Y.-L., Wildstein, S., George, S., & Kirn, J. R. (2011). Adult Neuron Addition to the Zebra Finch Song Motor Pathway Correlates with the Rate and Extent of Recovery from Botox-Induced Paralysis of the Vocal Muscles. *Journal of Neuroscience*, 31(47), 16958-16968. doi: 10.1523/jneurosci.2971-11.2011. <http://www.jneurosci.org/content/31/47/16958.abstract>

Pytte, C. L., George, S., Korman, S., David, E., Bogdan, D., & Kirn, J. R. (2012). Adult Neurogenesis Is Associated with the Maintenance of a Stereotyped, Learned Motor Behavior. *Journal of Neuroscience*, 32(20), 7052-7057. doi: 10.1523/jneurosci.5385-11.2012. <http://www.jneurosci.org/content/32/20/7052.abstract>

Pytte, C. L., Gerson, M., Miller, J., & Kirn, J. R. (2007). Increasing stereotypy in adult zebra finch song correlates with a declining rate of adult neurogenesis. *Developmental Neurobiology*, 67(13), 1699-1720. doi.

Pytte, C. L., Parent, C., Wildstein, S., Varghese, C., & Oberlander, S. (2010). Deafening decreases neuronal incorporation in the zebra finch caudomedial nidopallium (NCM). *Behavioural Brain Research*, 211(2), 141-147. doi.

Qi, C., Liu, S., Qin, R., Zhang, Y., Wang, G., Shang, Y., . . . Liang, J. (2014). Coordinated Regulation of Dendrite Arborization by Epigenetic Factors CDYL and EZH2. *The Journal of Neuroscience*, 34(13), 4494-4508. doi: <http://www.jneurosci.org/content/34/13/4494.short>

Qi, G., & Feldmeyer, D. (2015). Dendritic Target Region-Specific Formation of Synapses Between Excitatory Layer 4 Neurons and Layer 6 Pyramidal Cells. *Cerebral Cortex*. doi: 10.1093/cercor/bhu334. <http://cercor.oxfordjournals.org/content/early/2015/01/15/cercor.bhu334...>

Qi, G., van Aerde, K., Abel, T., & Feldmeyer, D. (2016). Adenosine Differentially Modulates Synaptic Transmission of Excitatory and Inhibitory Microcircuits in Layer 4 of Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhw243. <http://cercor.oxfordjournals.org/content/early/2016/08/13/cercor.bhw243...>

Qi, H. X., Stewart Phillips, W., & Kaas, J. H. (2004). Connections of neurons in the lumbar ventral horn of spinal cord are altered after long-standing limb loss in a macaque monkey. *Somatosensory and Motor Research*, 21(3-4), 229-239. doi.

Qi, H.-X., Gharbawie, O. A., Wong, P., & Kaas, J. H. (2011). Cell-poor septa separate representations of digits in the ventroposterior nucleus of the thalamus in monkeys and prosimian galagos. *Journal of Comparative Neurology*, 519(4), 738-758. doi: 10.1002/cne.22545. <http://dx.doi.org/10.1002/cne.22545>

Qi, W., & Crook, S. (2004). Tools for neuroinformatic data exchange: An XML application for neuronal morphology data. *Neurocomputing*, 58, 1091-1095. doi.

Qian, D. J., Wu, D. W., Xiong, D. W., Chai, D. Z., Xu, P. X.-M., & Jin, D. X. (2018). Longitudinal optogenetic motor mapping revealed structural and functional impairments and enhanced corticorubral projection following contusive spinal cord injury in mice. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5713. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5713>

Qin, L., Jing, D., Parada, S., Carmel, J., Ratan, R. R., Lee, F. S., & Cho, S. (2014). An Adaptive Role for BDNF Val66Met Polymorphism in Motor Recovery in Chronic Stroke. *The Journal of Neuroscience*, 34(7), 2493-2502. doi: <http://www.jneurosci.org/content/34/7/2493.full>

Qin, R., Cao, S., Lyu, T., Qi, C., Zhang, W., & Wang, Y. (2017). CDYL Deficiency Disrupts Neuronal Migration and Increases Susceptibility to Epilepsy. *Cell Reports*, 18(2), 380-390. doi: <http://dx.doi.org/10.1016/j.celrep.2016.12.043>.  
[//www.sciencedirect.com/science/article/pii/S221112471631748X](http://www.sciencedirect.com/science/article/pii/S221112471631748X)

Qiu, G., Helmeste, D. M., Samaranayake, A. N., Lau, W. M., Lee, T. M. C., Tang, S. W., & So, K. F. (2007). Modulation of the suppressive effect of corticosterone on adult rat hippocampal cell proliferation by paroxetine. *Neuroscience bulletin*, 23(3), 131-135. doi.

Qiu, L., Zhu, C., Wang, X., Xu, F., Eriksson, P. S., Nilsson, M., . . . Blomgren, K. (2007). Less neurogenesis and inflammation in the immature than in the juvenile brain after cerebral hypoxia-ischemia. *Journal of Cerebral Blood Flow AND Metabolism*, 27, 785-794. doi.

Qiu, S., Lu, Z., & Levitt, P. (2014). MET Receptor Tyrosine Kinase Controls Dendritic Complexity, Spine Morphogenesis, and Glutamatergic Synapse Maturation in the Hippocampus. *The Journal of Neuroscience*, 34(49), 16166-16179. doi: <http://www.jneurosci.org/content/34/49/16166.short>

Qu, J., & Myhr, K. L. (2011). The Morphology and Intrinsic Excitability of Developing Mouse Retinal Ganglion Cells. *PLoS ONE*, 6(7), e21777-e21777. doi.

Qu, W., Liu, N.-k., Xie, X.-m. S., Li, R., & Xu, X.-m. (2016). Automated monitoring of early neurobehavioral changes in mice following traumatic brain injury. *Neural Regeneration Research*, 11(2), 248. doi: <http://www.nrronline.org/article.asp?issn=1673-5374;year=2016;volume=11;...>

Quast, K. B., Ung, K., Froudarakis, E., Huang, L., Herman, I., Addison, A. P., . . . Arenkiel, B. R. (2016). Developmental broadening of inhibitory sensory maps. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4467

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4467.html#suppl.....> <http://dx.doi.org/10.1038/nn.4467>

Quattrini, A., Biffi, A., Amadio, S., Bertani, I., Dina, G., Del Carro, U., . . . Naldini, L. (2004). Correction of metachromatic leukodystrophies (MLD) in the mouse model by transplantation of genetically modified hematopoietic stem cells. *Journal of the Peripheral Nervous System*, 9(2), 113-114. doi: doi:10.1111/j.1085-9489.2004.009209af.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

- Queiroga, C. S. F., Tomasi, S., Widerøe, M., Alves, P. M., Vercelli, A., & Vieira, H. L. A. (2012). Preconditioning Triggered by Carbon Monoxide (CO) Provides Neuronal Protection Following Perinatal Hypoxia-Ischemia. *PLoS ONE*, 7(8), e42632. doi.
- Queme, L. F., Ross, J. L., Lu, P., Hudgins, R. C., & Jankowski, M. P. (2016). Dual Modulation of Nociception and Cardiovascular Reflexes during Peripheral Ischemia through P2Y1 Receptor-Dependent Sensitization of Muscle Afferents. *The Journal of Neuroscience*, 36(1), 19-30. doi. <http://www.jneurosci.org/content/36/1/19.short>
- Quigg, M., Clayburn, H., Straume, M., Menaker, M., & Bertram, E. H. (1999). Hypothalamic Neuronal Loss and Altered Circadian Rhythm of Temperature in a Rat Model of Mesial Temporal Lobe Epilepsy. *Epilepsia*, 40(12), 1688-1696. doi: doi:10.1111/j.1528-1157.1999.tb01585.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1157.1999.tb01585.x>.
- Quilichini, P., Sirota, A., & Buzsaki, G. (2010). Intrinsic Circuit Organization and Theta-Gamma Oscillation Dynamics in the Entorhinal Cortex of the Rat. *Journal of Neuroscience*, 30(33), 11128-11142. doi: 10.1523/jneurosci.1327-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/33/11128>
- Quilichini, Pascale P., Le Van Quyen, M., Ivanov, A., Turner, Dennis A., Carabalona, A., Gozlan, H., . . . Bernard, C. (2012). Hub GABA Neurons Mediate Gamma-Frequency Oscillations at Ictal-like Event Onset in the Immature Hippocampus. *Neuron*, 74(1), 57-64. doi: 10.1016/j.neuron.2012.01.026. <http://www.sciencedirect.com/science/article/pii/S089662731200181X>
- Quinlan, K. A., Reedich, E., Arnold, W. D., Puritz, A., Cavarsan, C. F., Heckman, C., & DiDonato, C. J. (2019). Hyperexcitability precedes motoneuron loss in the *Smn2B*<sup>-/-</sup> mouse model of spinal muscular atrophy. *Journal of Neurophysiology*, 0(0), null. doi: 10.1152/jn.00652.2018. <https://www.physiology.org/doi/abs/10.1152/jn.00652.2018>
- Quoc, E. B., Ribot, J., Quenech'Du, N., Doutremer, S., Lebas, N., Grantyn, A., . . . Milleret, C. (2011). Asymmetrical interhemispheric connections develop in cat visual cortex after early unilateral convergent strabismus: anatomy, physiology, and mechanisms. *Frontiers in Neuroanatomy*, 5. doi.
- R de Jong, T., Pattij, T., Veening, J. G., Dederen, P., Waldinger, M. D., Cools, A. R., & Olivier, B. (2005). Citalopram combined with WAY 100635 inhibits ejaculation and ejaculation-related Fos immunoreactivity. *European Journal of Pharmacology*, 509(1), 49-59. doi.
- Raber, J., Allen, A. R., Weber, S., Chakraborti, A., Sharma, S., & Fike, J. R. (2016). Effect of behavioral testing on spine density of basal dendrites in the CA1 region of the hippocampus modulated by <sup>56</sup>Fe irradiation. *Behavioural Brain Research*, 302, 263-268. doi: <http://dx.doi.org/10.1016/j.bbr.2016.01.035>. <http://www.sciencedirect.com/science/article/pii/S0166432816300316>
- Raber, J., Fan, Y., Matsumori, Y., Liu, Z., Weinstein, P. R., Fike, J. R., & Liu, J. (2004). Irradiation attenuates neurogenesis and exacerbates ischemia-induced deficits. *Annals of Neurology*, 55(3), 381-389. doi.



Rácz, E., Bácskai, T., Halasi, G., Kovács, E., & Matesz, C. (2006). Organization of dye-coupled cerebellar granule cells labeled from afferent vestibular and dorsal root fibers in the frog *Rana esculenta*. *Journal of Comparative Neurology*, 496(3), 382-394. doi.

Rácz, É., Bácskai, T., Szabo, G., Székely, G., & Matesz, C. (2008). Organization of last-order premotor interneurons related to the protraction of tongue in the frog, *Rana esculenta*. *Brain Research*, 1187, 111-115. doi.

Radley, J. J., Anderson, R. M., Cosme, C. V., Glanz, R. M., Miller, M. C., Romig-Martin, S. A., & LaLumiere, R. T. (2015). The Contingency of Cocaine Administration Accounts for Structural and Functional Medial Prefrontal Deficits and Increased Adrenocortical Activation. *The Journal of Neuroscience*, 35(34), 11897-11910. doi. <http://www.jneurosci.org/content/35/34/11897.short>

Radley, J. J., Anderson, R. M., Hamilton, B. A., Alcock, J. A., & Romig-Martin, S. A. (2013). Chronic Stress-Induced Alterations of Dendritic Spine Subtypes Predict Functional Decrements in an Hypothalamo-Pituitary-Adrenal-Inhibitory Prefrontal Circuit. *Journal of Neuroscience*, 33(36), 14379-14391. doi: 10.1523/jneurosci.0287-13.2013. <http://www.jneurosci.org/content/33/36/14379.abstract>

Radley, J. J., Arias, C. M., & Sawchenko, P. E. (2006). Regional Differentiation of the Medial Prefrontal Cortex in Regulating Adaptive Responses to Acute Emotional Stress. *Journal of Neuroscience*, 26(50), 12967-12976. doi: 10.1523/jneurosci.4297-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/50/12967>

Radley, J. J., Rocher, A. B., Janssen, W. G. M., Hof, P. R., McEwen, B. S., & Morrison, J. H. (2005). Reversibility of apical dendritic retraction in the rat medial prefrontal cortex following repeated stress. *Experimental Neurology*, 196(1), 199-203. doi.

Radley, J. J., Rocher, A. B., Miller, M., Janssen, W. G. M., Liston, C., Hof, P. R., . . . Morrison, J. H. (2005). Repeated Stress Induces Dendritic Spine Loss in the Rat Medial Prefrontal Cortex. *Cerebral Cortex*, doi:10.1093/cercor/bhi104. doi.

Radley, J. J., Rocher, A. B., Rodriguez, A., Ehlenberger, D. B., Dammann, M., McEwen, B. S., . . . Hof, P. R. (2008). Repeated stress alters dendritic spine morphology in the rat medial prefrontal cortex. *Journal of Comparative Neurology*, 507(1), 1141-1150. doi.

Radley, J. J., Sisti, H. M., Hao, J., Rocher, A. B., McCall, T., Hof, P. R., . . . Morrison, J. H. (2004). Chronic behavioral stress induces apical dendritic reorganization in pyramidal neurons of the medial prefrontal cortex. *Neuroscience*, 125(1), 1-6. doi.

Radoczy-Drajko, Z., Windisch, P., Svidro, E., Tajti, P., Molnar, B., & Gerber, G. (2021). Clinical, radiographical and histological evaluation of alveolar ridge preservation with an autogenous tooth derived particulate graft in EDS class 3-4 defects. *BMC Oral Health*, 21(1), 63. doi: 10.1186/s12903-021-01429-y. <https://doi.org/10.1186/s12903-021-01429-y>

Radojević, M., & Meijering, E. (2018). Automated Neuron Reconstruction from 3D Fluorescence Microscopy Images Using Sequential Monte Carlo Estimation. [journal article].

Neuroinformatics. doi: 10.1007/s12021-018-9407-8. <https://doi.org/10.1007/s12021-018-9407-8>

Raffi, H. S., Bates, J. M., Laszik, Z., & Kumar, S. (2009). Tamm-Horsfall protein protects against urinary tract infection by proteus mirabilis. *Journal of Urology*, 181(5), 2332-2338. doi.

Rai, K. S., Hattiangady, B., & Shetty, A. K. (2007). Enhanced production and dendritic growth of new dentate granule cells in the middle-aged hippocampus following intracerebroventricular FGF-2 infusions. *European Journal of Neuroscience*, 26(7), 1765-1779. doi: doi:10.1111/j.1460-9568.2007.05820.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05820.x>

Rai, S., Kumar, S., Alam, M. A., Szymusiak, R., McGinty, D., & Alam, M. N. (2010). A1 receptor mediated adenosinergic regulation of perifornical-lateral hypothalamic area neurons in freely behaving rats. *Neuroscience*, 167(1), 40-48. doi.

Raibon, E., Sauve, Y., Carter, D. A., & Gaillard, F. (2002). Microglial changes accompanying the promotion of retinal ganglion cell axonal regeneration into peripheral nerve grafts. *Journal of Neurocytology*, 31(1), 57-71. doi.

Raibe, R. S., Hess, E. J., & Jinnah, H. A. (2015). Dystonia and cerebellar degeneration in the leaner mouse mutant. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2015.03.011>. <http://www.sciencedirect.com/science/article/pii/S0006899315001936>

Raibe, R. S., Pizoli, C. E., Weisz, C., van den Maagdenberg, A. M. J. M., Jinnah, H. A., & Hess, E. J. (2012). Limited regional cerebellar dysfunction induces focal dystonia in mice. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.07.019. <http://www.sciencedirect.com/science/article/pii/S0969996112002677>

Raineteau, O., Fouad, K., Bareyre, F. M., & Schwab, M. E. (2002). Reorganization of descending motor tracts in the rat spinal cord. *European Journal of Neuroscience*, 16(9), 1761-1771. doi: doi:10.1046/j.1460-9568.2002.02243.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02243.x>

Rainwater, T., Wood, M., Millam, J., & Hooper, M. (2008). Effects of Perchlorate on Growth and Behavior of a Granivorous Passerine, the Zebra Finch ( *Taeniopygia guttata*). *Archives of Environmental Contamination and Toxicology*. doi. <http://dx.doi.org/10.1007/s00244-007-9045-x>

Raivich, G., Bohatschek, M., Kloss, C., Werner, A., Jones, L., & Kreutzberg, G. (1999). Neuroglial activation repertoire in the injured brain: graded response, molecular mechanisms and cues to physiological function. *Brain Research. Brain Research Reviews*, 30, 77 - 105. doi.

Rajah, R. A., Glaser, E. M., & Hirshfield, A. N. (1992). The changing architecture of the neonatal rat ovary during histogenesis. *Developmental Dynamics*, 194(3), 177-192. doi.

Rajamani, U., Gross, A. R., Hjelm, B. E., Sequeira, A., Vawter, M. P., Tang, J., . . . Sareen, D. (2018). Super-Obese Patient-Derived iPSC Hypothalamic Neurons Exhibit Obesogenic Signatures and Hormone Responses. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2018.03.009>. <http://www.sciencedirect.com/science/article/pii/S1934590918301152>

Rakic, S., & Zecevic, N. (2000). Programmed cell death in the developing human telencephalon. *European Journal of Neuroscience*, 12(8), 2721. doi.

Raman, D., Milatovic, S. Z., Milatovic, D., Splittgerber, R., Fan, G. H., & Richmond, A. (2011). Chemokines, macrophage inflammatory protein-2 and stromal cell-derived factor-1  $\alpha$ , suppress amyloid [beta]-induced neurotoxicity. *Toxicology and Applied Pharmacology*. doi.

Ramanan, S., Kooshki, M., Zhao, W., Hsu, F. C., Riddle, D. R., & Robbins, M. E. (2009). The PPAR $\alpha$  agonist fenofibrate preserves hippocampal neurogenesis and inhibits microglial activation after whole-brain irradiation. *International Journal of Radiation Oncology\* Biology\* Physics*, 75(3), 870-877. doi.

Ramaswamy, S., Hill, S. L., King, J. G., Schürmann, F., Wang, Y., & Markram, H. (2012). Intrinsic morphological diversity of thick-tufted layer 5 pyramidal neurons ensures robust and invariant properties of in silico synaptic connections. *Journal of Physiology*, 590(4), 737-752. doi: 10.1113/jphysiol.2011.219576. <http://jp.physoc.org/content/590/4/737.abstract>

Ramer, L. M., Borisoff, J. F., & Ramer, M. S. (2004). Rho-kinase inhibition enhances axonal plasticity and attenuates cold hyperalgesia after dorsal rhizotomy. *Journal of Neuroscience*, 24, 10796-10805. doi.

Rami, G., Caillard, O., Medina, I., Pellegrino, C., Fattoum, A., Ben-Ari, Y., & Ferhat, L. (2006). Change in the shape and density of dendritic spines caused by overexpression of acidic calponin in cultured hippocampal neurons. *Hippocampus*, 16(2), 183-197. doi.

Ramirez, A., Pnevmatikakis, E. A., Merel, J., Paninski, L., Miller, K. D., & Bruno, R. M. (2014). Spatiotemporal receptive fields of barrel cortex revealed by reverse correlation of synaptic input. *Nature Neuroscience*. doi. <http://www.nature.com/neuro/journal/v17/n6/full/nn.3720.html>

Ramm, P. (1990). Image analyzers for bioscience applications. *Computerized Medical Imaging and Graphics*, 14(5), 287-306. doi.

Ramon, V., Eric, F., An, T., C., T. E., Ramona, B., Caterina, B., & Salvatore, O. (2018). Acute tau knockdown in the hippocampus of adult mice causes learning and memory deficits. *Aging Cell*, 0(0), e12775. doi: 10.1111/accel.12775. <https://onlinelibrary.wiley.com/doi/abs/10.1111/accel.12775>

Ramos, R. L., Tam, D. M., & Brumberg, J. C. (2008). Physiology and morphology of callosal projection neurons in mouse.

. *Neuroscience*, 153(3), 654-663. doi.

- Ramsay, A. M., & Meredith, M. A. (2004). Multiple sensory afferents to ferret pseudosylvian sulcal cortex. *Neuroreport*, *15*(3), 461-461. doi.
- Ranade, S. C., Rose, A., Rao, M., Gallego, J., Gressens, P., & Mani, S. (2008). Different types of nutritional deficiencies affect different domains of spatial memory function checked in a radial arm maze. *Neuroscience*, *152*(4), 859-866. doi.
- Rance, N. E., & Bruce, T. R. (1994). Neurokinin B gene expression is increased in the Arcuate Nucleus of Ovariectomized Rats. *Neuroendocrinology*, *60*, 337-345. doi.
- Rance, N. E., McMullen, N. T., Smialek, J. E., Price, D. L., & III, W. S. Y. (1990). Postmenopausal hypertrophy of neurons expressing the estrogen receptor gene in the human hypothalamus. *Journal of Clinical Endocrinology And Metabolism*, *71*(1), 79-85. doi.
- Rance, N. E., Uswandi, S. V., & McMullen, N. T. (1993). Neuronal Hypertrophy in the Hypothalamus of Older Men. *Neurobiology of Aging*, *14*, 337-342. doi.
- Rance, N. E., & Young III, W. S. (1991). Hypertrophy and increased gene expression of neurons containing neurokinin-B and substance-P messenger ribonucleic acids in the hypothalami of postmenopausal women. *Endocrinology*, *128*, 2239-. doi.
- Rance, N. E., Young III, W. S., & McMullen, N. T. (1994). Topography of neurons expressing luteinizing hormone-releasing hormone gene transcripts in the human hypothalamus and basal forebrain. *Journal of Comparative Neurology*, *339*(4), 573-586. doi.
- Randolph, M. E., Luo, Q., Ho, J., Vest, K. E., Sokoloff, A. J., & Pavlath, G. K. (2014). Ageing and muscular dystrophy differentially affect murine pharyngeal muscles in a region-dependent manner. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.280420. <http://dx.doi.org/10.1113/jphysiol.2014.280420>
- Rangon, C.-M., Fortes, S., Lelievre, V., Leroux, P., Plaisant, F., Joubert, C., . . . Gressens, P. (2007). Chronic Mild Stress during Gestation Worsens Neonatal Brain Lesions in Mice. *Journal of Neuroscience*, *27*(28), 7532-7540. doi: 10.1523/jneurosci.5330-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/28/7532>
- Ranjan, A., & Mallick, B. N. (2010). Frontiers: A Modified Method for Consistent and Reliable Golgi-Cox Staining in Significantly Reduced Time. *Frontiers in Sleep And Chronobiology*, *1*. doi.
- Ranjan, A., & Mallick, B. N. (2010). A modified method for consistent and reliable Golgi-Cox staining in significantly reduced time. *Frontiers in Neurology*, *1*. doi.
- Ranjan, A., & Mallick, B. N. (2012). Differential staining of glia and neurons by modified Golgi-Cox method. *Journal of Neuroscience Methods*, (0). doi: 10.1016/j.jneumeth.2012.06.023. <http://www.sciencedirect.com/science/article/pii/S0165027012002488>
- Rao, M. S., Hattiangady, B., Abdel-Rahman, A., Stanley, D. P., & Shetty, A. K. (2005). Newly born cells in the ageing dentate gyrus display normal migration, survival and neuronal fate

choice but endure retarded early maturation. *European Journal of Neuroscience*, 21(2), 464-476. doi:doi:10.1111/j.1460-9568.2005.03853.x.  
<http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.03853.x>

Rao, M. S., Hattiangady, B., Rai, K. S., & Shetty, A. K. (2007). Strategies for promoting anti-seizure effects of hippocampal fetal cells grafted into the hippocampus of rats exhibiting chronic temporal lobe epilepsy. *Neurobiology of Disease*, 27(2), 117-132. doi.

Rao, M. S., Hattiangady, B., & Shetty, A. K. (2006). The window and mechanisms of major age-related decline in the production of new neurons within the dentate gyrus of the hippocampus. *Aging Cell*, 5(6), 545-558. doi.

Rao, M. S., & Shetty, A. K. (2004). Efficacy of doublecortin as a marker to analyse the absolute number and dendritic growth of newly generated neurons in the adult dentate gyrus. *European Journal of Neuroscience*, 19(2), 234-246. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.0953-816X.2003.0312...>

Rao, R. P., Anilkumar, S., McEwen, B. S., & Chattarji, S. (2012). Glucocorticoids protect against the delayed behavioral and cellular effects of acute stress on the amygdala. *Biological Psychiatry*. doi.

Rao, R. P., von Heimendahl, M., Bahr, V., & Brecht, M. (2019). Neuronal Responses to Conspecifics in the Ventral CA1. *Cell Reports*, 27(12), 3460-3472.e3463. doi: <https://doi.org/10.1016/j.celrep.2019.05.081>. <http://www.sciencedirect.com/science/article/pii/S221112471930720X>

Rapp, P. R., & Gallagher, M. (1996). Preserved neuron number in the hippocampus of aged rats with spatial learning deficits. *Proceedings of the National Academy of Sciences*, 93(18), 9926-9930. doi: 10.1073/pnas.93.18.9926. <http://www.pnas.org/cgi/content/abstract/93/18/9926>

Rash, B. G., Lim, H. D., Breunig, J. J., & Vaccarino, F. M. (2011). FGF Signaling Expands Embryonic Cortical Surface Area by Regulating Notch-Dependent Neurogenesis. *Journal of Neuroscience*, 31(43), 15604-15617. doi: 10.1523/jneurosci.4439-11.2011. <http://www.jneurosci.org/content/31/43/15604.abstract>

Rash, B. G., Tomasi, S., Lim, H. D., Suh, C. Y., & Vaccarino, F. M. (2013). Cortical Gyrification Induced by Fibroblast Growth Factor 2 in the Mouse Brain. *Journal of Neuroscience*, 33(26), 10802-10814. doi: 10.1523/jneurosci.3621-12.2013. <http://www.jneurosci.org/content/33/26/10802.abstract>

Rašin, M. R., Gazula, V. R., Breunig, J. J., Kwan, K. Y., Johnson, M. B., Liu-Chen, S., . . . others. (2007). Numb and Numbl are required for maintenance of cadherin-based adhesion and polarity of neural progenitors. *Nature Neuroscience*, 10(7), 819-827. doi.

Ratliff, W. A., Delic, V., Pick, C. G., & Citron, B. A. (2020). Dendritic arbor complexity and spine density changes after repetitive mild traumatic brain injury and neuroprotective treatments. *Brain Research*, 1746, 147019.

doi: <https://doi.org/10.1016/j.brainres.2020.147019>. <http://www.sciencedirect.com/science/article/pii/S0006899320303759>

RatlU, P., HLLen, B., Glaser, J., & JenklNs, D. P. (2003). Visible Human 2, o-the Next Generation. *Medicine meets virtual reality 11: NextMed: health horizon*, 94, 275-275. doi.

Rausell, E., Bickford, L., Manger, P. R., Woods, T. M., & Jones, E. G. (1998). Extensive Divergence and Convergence in the Thalamocortical Projection to Monkey Somatosensory Cortex. *Journal of Neuroscience*, 18(11), 4216-4232.

doi. <http://www.jneurosci.org/cgi/content/abstract/18/11/4216>

Rauskolb, S., Zagrebelsky, M., Dreznjak, A., Deogracias, R., Matsumoto, T., Wiese, S., . . . others. (2010). Global deprivation of brain-derived neurotrophic factor in the CNS reveals an area-specific requirement for dendritic growth. *Journal of Neuroscience*, 30(5), 1739-1739. doi.

Ravani, A., Salvi, F., Rimessi, P., Lauria, G., Vita, G., Toscano, A., . . . Ferlini, A. (2004). The spectrum of transthyretin gene mutations in italy: a report. *Journal of the Peripheral Nervous System*, 9(2), 122-122. doi: doi:10.1111/j.1085-9489.2004.009209bg.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Raven, F., Meerlo, P., Van der Zee, E. A., Abel, T., & Havekes, R. (2018). A brief period of sleep deprivation causes spine loss in the dentate gyrus of mice. *Neurobiology of Learning and Memory*.

doi: <https://doi.org/10.1016/j.nlm.2018.03.018>. <http://www.sciencedirect.com/science/article/pii/S1074742718300728>

Ravi, N., Li, Z., Oettl, L.-L., Bartsch, D., Schönig, K., & Kelsch, W. (2014). Postnatal subventricular zone progenitors switch their fate to generate neurons with distinct synaptic input patterns. *Development*. doi: 10.1242/dev.110767. <http://dev.biologists.org/content/early/2014/12/16/dev.110767.abstract>

Ravinder, S., Burghardt, N., Brodsky, R., Bauer, E., & Chattarji, S. (2013). A role for the extended amygdala in the fear-enhancing effects of acute selective serotonin reuptake inhibitor treatment. *Translational Psychiatry*, 3(1), e209. doi.

Ravinder, S., Pillai, A. G., & Chattarji, S. (2011). Cellular Correlates of Enhanced Anxiety Caused by Acute Treatment with the Selective Serotonin Reuptake Inhibitor Fluoxetine in Rats. *Frontiers in Behavioral Neuroscience*, 5. doi.

Ray, K., Dutta, A., Panjwani, U., Thakur, L., Anand, J. P., & Kumar, S. (2011). Hypobaric hypoxia modulates brain biogenic amines and disturbs sleep architecture. *Neurochemistry International*, 58(1), 112-118. doi.

Ray, S., Burgalossi, A., Brecht, M., & Naumann, R. K. (2017). Complementary Modular Microcircuits of the Rat Medial Entorhinal Cortex. [Original Research]. *Frontiers in Systems Neuroscience*, 11(20). doi: 10.3389/fnsys.2017.00020. <http://journal.frontiersin.org/article/10.3389/fnsys.2017.00020>



Razzali, N., Rahim, M. S. M., Kumoi, R., & Daman, D. (2010). Gouraud Shading to Improve Appearance of Neuronal Morphology Visualization. *International Journal of Biometrics and Bioinformatics (IJBB)*, 4(2), 52-52. doi.

Read, H. L., Miller, L. M., Schreiner, C. E., & Winer, J. A. (2008). Two thalamic pathways to primary auditory cortex. *Neuroscience*, 152(1), 151-159. doi.

Read, H. L., Nauen, D. W., Escabí, M. A., Miller, L. M., Schreiner, C. E., & Winer, J. A. (2011). Distinct core thalamocortical pathways to central and dorsal primary auditory cortex. *Hearing Research*, 274(1), 95-104. doi.

Read, H. L., & Reyes, A. D. (2018). Sensing Sound Through Thalamocortical Afferent Architecture and Cortical Microcircuits. In D. L. Oliver, N. B. Cant, R. R. Fay & A. N. Popper (Eds.), *The Mammalian Auditory Pathways: Synaptic Organization and Microcircuits* (pp. 169-198). Cham: Springer International Publishing.

Read, H. L., Winer, J. A., & Schreiner, C. E. (2001). Modular organization of intrinsic connections associated with spectral tuning in cat auditory cortex. *Proceedings of the National Academy of Sciences*, 98(14), 8042-8047. doi: 10.1073/pnas.131591898. <http://www.pnas.org/cgi/content/abstract/98/14/8042>

Reagan, L. P., Cowan, H. B., Woodruff, J. L., Piroli, G. G., Erichsen, J. M., Evans, A. N., . . . Grillo, C. A. (2021). Hippocampal-specific insulin resistance elicits behavioral despair and hippocampal dendritic atrophy. *Neurobiology of Stress*, 100354. doi: <https://doi.org/10.1016/j.ynstr.2021.100354>. <https://www.sciencedirect.com/science/article/pii/S235228952100062X>

Reaume, A. G., Elliott, J. L., Hoffman, E. K., Kowall, N. W., Ferrante, R. J., Siwek, D. R., . . . Snider, W. D. (1996). Motor neurons in Cu/Zn superoxide dismutase-deficient mice develop normally but exhibit enhanced cell death after axonal injury. *Nature Genetics*, 13, 43-47. doi.

Rebello, T. J., Yu, Q., Goodfellow, N. M., Cagliostro, M. K. C., Teissier, A., Morelli, E., . . . Dwork, A. J. (2014). Postnatal Day 2 to 11 Constitutes a 5-HT-Sensitive Period Impacting Adult mPFC Function. *The Journal of Neuroscience*, 34(37), 12379-12393. doi. <http://www.jneurosci.org/content/34/37/12379.short>

Recio, J. S., Weruaga, E., Gómez, C., Valero, J., Briñón, J. G., & Alonso, J. R. (2007). Changes in the connections of the main olfactory bulb after mitral cell selective neurodegeneration. *Journal of Neuroscience Research*, 85(11), 2407-2421. doi.

Reda, H., Greene, K., Rice, F. L., Rowbotham, M. C., & Petersen, K. L. (2013). Natural History of Herpes Zoster: Late follow-up 3.9yrs (n=43) and 7.7yrs (n=10). *Pain*, (0). doi: <http://dx.doi.org/10.1016/j.pain.2013.04.015>. <http://www.sciencedirect.com/science/article/pii/S030439591300170X>

Reddaway, R. B., Davidow, A. W., Deal, S. L., & Hill, D. L. (2012). The impact of chorda tympani nerve injury on cell survival, axon maintenance, and morphology of its terminal field in the nucleus of the solitary tract. *Journal of Comparative Neurology*. doi.

Redmond, S. A., Figueres-Oñate, M., Obernier, K., Nascimento, M. A., Parraguez, J. I., López-Mascaraque, L., . . . Alvarez-Buylla, A. (2019). Development of Ependymal and Postnatal Neural Stem Cells and Their Origin from a Common Embryonic Progenitor. *Cell Reports*, 27(2), 429-441.e423. doi: <https://doi.org/10.1016/j.celrep.2019.01.088>. <http://www.sciencedirect.com/science/article/pii/S221112471930124X>

Reglödi, D., Lubics, A., Szelier, M., & Lengvári, I. (1999). Gastrin-and cholecystokinin-like immunoreactivities in the nervous system of the earthworm. *Journal of Peptides*, 20(5), 569-577. doi.

Rehberg, K., Kliche, S., Madencioglu, D. A., Thiere, M., Müller, B., Meineke, B. M., . . . Stork, O. (2014). The Serine/Threonine Kinase Ndr2 Controls Integrin Trafficking and Integrin-Dependent Neurite Growth. *The Journal of Neuroscience*, 34(15), 5342-5354. doi. <http://www.jneurosci.org/content/34/15/5342.short>

Reichard, R. A., Parsley, K. P., Subramanian, S., Stevenson, H. S., Schwartz, Z. M., Sura, T., & Zahm, D. S. (2019). The lateral preoptic area and ventral pallidum embolden behavior. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-01826-0. <https://doi.org/10.1007/s00429-018-01826-0>

Reichard, R. A., Subramanian, S., Desta, M. T., Sura, T., Becker, M. L., Ghobadi, C. W., . . . Zahm, D. S. (2016). Abundant collateralization of temporal lobe projections to the accumbens, bed nucleus of stria terminalis, central amygdala and lateral septum. [journal article]. *Brain Structure and Function*, 1-18. doi: 10.1007/s00429-016-1321-y. <http://dx.doi.org/10.1007/s00429-016-1321-y>

Reid, C. A., Leaw, B., Richards, K. L., Richardson, R., Wimmer, V., Yu, C., . . . Petrou, S. (2014). Reduced dendritic arborization and hyperexcitability of pyramidal neurons in a Scn1b-based model of Dravet syndrome. *Brain*. doi: 10.1093/brain/awu077. <http://brain.oxfordjournals.org/content/early/2014/04/17/brain.awu077.ab...>

Reillo, I., & Borrell, V. (2011). Germinal Zones in the Developing Cerebral Cortex of Ferret: Ontogeny, Cell Cycle Kinetics, and Diversity of Progenitors. *Cerebral Cortex*, bhr284. doi: 10.1093/cercor/bhr284. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr284v1>

Reillo, I., de Juan Romero, C., García-Cabezas, M. Á., & Borrell, V. (2011). A role for intermediate radial glia in the tangential expansion of the mammalian cerebral cortex. *Cerebral Cortex*, 21(7), 1674-1694. doi.

Reilly, J. F., Games, D., Rydel, R. E., Freedman, S., Schenk, D., Young, W. G., . . . Bloom, F. E. (2003). Amyloid deposition in the hippocampus and entorhinal cortex: Quantitative analysis of a transgenic mouse model. *Neuroscience*, 100, 4837-4842. doi.

Reimers-Kipping, S., Hevers, W., Pääbo, S., & Enard, W. (2011). Humanized Foxp2 specifically affects cortico-basal ganglia circuits. *Neuroscience*, 175, 75-84. doi.

Reinchisi, G., Ijichi, K., Glidden, N., Jakovcevski, I., & Zecevic, N. (2011). COUP-TFII Expressing Interneurons in Human Fetal Forebrain. *Cerebral Cortex*, bhr359. doi: 10.1093/cercor/bhr359. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr359v1>

Reiner, A., Fitzgerald, M. E. C., Del Mar, N., & Li, C. (2017). Neural control of choroidal blood flow. *Progress in Retinal and Eye Research*. doi: <https://doi.org/10.1016/j.preteyeres.2017.12.001>. <https://www.sciencedirect.com/science/article/pii/S1350946217300770>

Reiner, A., Jiao, Y., Del Mar, N., Laverghetta, A. V., & Lei, W. L. (2003). Differential morphology of pyramidal tract-type and intratelencephalically projecting-type corticostriatal neurons and their intrastriatal terminals in rats. *Journal of Comparative Neurology*, 457(4), 420-440. doi.

Reiner, A., Lafferty, D. C., Wang, H. B., Del Mar, N., & Deng, Y. P. (2012). The group 2 metabotropic glutamate receptor agonist LY379268 rescues neuronal, neurochemical and motor abnormalities in R6/2 Huntington's disease mice. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.03.025. <http://www.sciencedirect.com/science/article/pii/S0969996112000964>

Reiner, K., Sukhotinsky, I., & Devor, M. (2007). Mesopontine tegmental anesthesia area projects independently to the rostromedial medulla and to the spinal cord. *Neuroscience*, 146(3), 1355-1370. doi.

Reiner, K., Sukhotinsky, I., & Devor, M. (2008). Bulbosplinal neurons implicated in mesopontine-induced anesthesia are substantially collateralized. *Journal of Comparative Neurology*, 508(3), 418-436. doi.

Rekha, J., Veena, L. R., Prem, N., Kalaivani, P., Choudhury, R., Alladi, P. A., . . . Kutty, B. M. (2011). NIH-3T3 fibroblast transplants enhance host regeneration and improve spatial learning in ventral subicular lesioned rats. *Behavioural Brain Research*, 218(2), 315-324. doi.

Rema, V., Bali, K. K., Ramachandra, R., Chugh, M., Darokhan, Z., & Chaudhary, R. (2008). Cytidine-5-diphosphocholine supplement in early life induces stable increase in dendritic complexity of neurons in the somatosensory cortex of adult rats. *Neuroscience*, 155(2), 556-564. doi.

Remple, M. S., Jain, N., Diener, P. S., & Kaas, J. H. (2004). Bilateral effects of spinal overhemisections on the development of the somatosensory system in rats. *Journal of Comparative Neurology*, 475(4), 604-619. doi.

Remple, M. S., Reed, J. L., Stepniewska, I., & Kaas, J. H. (2006). Organization of frontoparietal cortex in the tree shrew (*Tupaia belangeri*). I. Architecture, microelectrode maps, and corticospinal connections. *Journal of Comparative Neurology*, 497(1), 133-154. doi.

Remple, M. S., Reed, J. L., Stepniewska, I., Lyon, D. C., & Kaas, J. H. (2007). The organization of frontoparietal cortex in the tree shrew (*Tupaia belangeri*): II. Connectional evidence for a frontal-posterior parietal network. *Journal of Comparative Neurology*, 501(1), 121-149. doi.

Ren, A., Zhang, H., Xie, Z., Ma, X., Ji, W., He, Z., . . . Zhang, W. J. (2012). Regulation of hippocampus-dependent memory by the zinc finger protein Zbtb20 in mature CA1 neurons. *Journal of Physiology*, no-no. doi: 10.1113/jphysiol.2012.234187. <http://dx.doi.org/10.1113/jphysiol.2012.234187>

Ren, S.-Q., Li, Z., Lin, S., Bergami, M., & Shi, S.-H. (2019). Precise Long-Range Microcircuit-to-Microcircuit Communication Connects the Frontal and Sensory Cortices in the Mammalian Brain. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.06.028>. <http://www.sciencedirect.com/science/article/pii/S0896627319305987>

Ren, W., Centeno, M. V., Berger, S., Wu, Y., Na, X., Liu, X., . . . Surmeier, D. J. (2015). The indirect pathway of the nucleus accumbens shell amplifies neuropathic pain. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4199

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4199.html#suppl> .....<http://dx.doi.org/10.1038/nn.4199>

Ren, W., Centeno, M. V., Wei, X., Wickersham, I., Martina, M., Apkarian, A. V., & Surmeier, D. J. (2021). Adaptive alterations in the mesoaccumbal network after peripheral nerve injury. *Pain*, 162(3), 895-906. doi: 10.1097/j.pain.0000000000002092. [https://journals.lww.com/pain/Fulltext/2021/03000/Adaptive\\_alterations\\_i...](https://journals.lww.com/pain/Fulltext/2021/03000/Adaptive_alterations_i...)

Ren, Z., Sahir, N., Murakami, S., Luellen, B. A., Earnheart, J. C., Lal, R., . . . Luscher, B. (2014). Defects in dendrite and spine maturation and synaptogenesis associated with an anxious-depressive-like phenotype of GABAA receptor-deficient mice. *Neuropharmacology*, (0). doi: <http://dx.doi.org/10.1016/j.neuropharm.2014.07.019>. <http://www.sciencedirect.com/science/article/pii/S0028390814002810>

Renner, N. A., Sansing, H. A., Inglis, F. M., Mehra, S., Kaushal, D., Lackner, A. A., & MacLean, A. G. (2012). Transient acidification and subsequent proinflammatory cytokine stimulation of astrocytes induce distinct activation phenotypes. *Journal of Cellular Physiology*, n/a-n/a. doi: 10.1002/jcp.24283. <http://dx.doi.org/10.1002/jcp.24283>

Repetto, I. E., Monti, R., Tropiano, M., Tomasi, S., Arbini, A., Andrade-Moraes, C.-H., . . . Vercelli, A. (2016). The Isotropic Fractionator as a Tool for Quantitative Analysis in Central Nervous System Diseases. [Methods]. *Frontiers in cellular neuroscience*, 10(190). doi: 10.3389/fncel.2016.00190. <http://journal.frontiersin.org/article/10.3389/fncel.2016.00190>

Repici, M., Atzori, C., Migheli, A., & Vercelli, A. (2003). Molecular mechanisms of neuronal death in the dorsal lateral geniculate nucleus following visual cortical lesions. *Neuroscience*, 117(4), 859-867. doi.

Repici, M., & Borsello, T. (2007). JNK pathway as therapeutic target to prevent degeneration in the central nervous system. *Hypoxia and Exercise*, 145-155. doi.

Repici, M., Centeno, C., Tomasi, S., Forloni, G., Bonny, C., Vercelli, A., & Borsello, T. (2007). Time-course of c-Jun N-terminal kinase activation after cerebral ischemia and effect of D-JNK1 on c-Jun and caspase-3 activation. *Neuroscience*, 150(1), 40-49. doi.

Restivo, L., Ferrari, F., Passino, E., Sgobio, C., Bock, J., Oostra, B. A., . . . Ammassari-Teule, M. (2005). Enriched environment promotes behavioral and morphological recovery in a mouse model for the fragile X syndrome. *PNAS*, 102(32), 11557-11562. doi. <http://www.pnas.org/cgi/content/abstract/102/32/11557>

Restivo, L., Ferrari, F., Passino, E., Sgobio, C., Bock, J., Oostra, B. A., . . . Ammassari-Teule, M. (2005). Enriched environment promotes behavioral and morphological recovery in a mouse model for the fragile X syndrome. *Proceedings of the National Academy of Sciences of the United States of America*, 102(32), 11557-11562. doi. <http://readtiger.com/www.pnas.org/content/102/32/11557.full>

Restrepo, C. E., Manger, P. R., Spenger, C., & Innocenti, G. M. (2003). Immature cortex lesions alter retinotopic maps and interhemispheric connections. *Annals of Neurology*, 54(1), 51-65. doi.

Revest, J. M., Dupret, D., Koehl, M., Funk-Reiter, C., Grosjean, N., Piazza, P. V., & Abrous, D. N. (2009). Adult hippocampal neurogenesis is involved in anxiety-related behaviors. *Molecular Psychiatry*. doi. <http://dx.doi.org/10.1038/mp.2009.15>

<http://www.nature.com/mp/journal/vaop/ncurrent/suppinfo/mp200915s1.html>

Reyes, A., Lujan, R., Rozov, A., Burnashev, N., Somogyi, P., & Sakmann, B. (1998). Target-cell-specific facilitation and depression in neocortical circuits. *Nature Neuroscience*, 1, 279-285. doi.

Reyes, A., & Sakmann, B. (1999). Developmental Switch in the Short-Term Modification of Unitary EPSPs Evoked in Layer 2/3 and Layer 5 Pyramidal Neurons of Rat Neocortex. *Journal of Neuroscience*, 19(10), 3827-3835. doi. <http://www.jneurosci.org/cgi/content/abstract/19/10/3827>

Reyes, L. D., Harland, T., Reep, R. L., Sherwood, C. C., & Jacobs, B. (2016). Golgi Analysis of Neuron Morphology in the Presumptive Somatosensory Cortex and Visual Cortex of the Florida Manatee (*Trichechus manatus latirostris*). *Brain, Behavior and Evolution*. doi. <http://www.karger.com/Article/Abstract/445495>

Reynolds, L. M., Pokinko, M., Torres Berrío, A., Cuesta, S., Lambert, L. C., Del Cid Pellitero, E., . . . Flores, C. (2017). DCC receptors drive prefrontal cortex maturation by determining dopamine axon targeting in adolescence. *Biological Psychiatry*. doi: 10.1016/j.biopsych.2017.06.009. <http://dx.doi.org/10.1016/j.biopsych.2017.06.009>

Reynolds, L. M., Yetnikoff, L., Pokinko, M., Wodzinski, M., Epelbaum, J. G., Lambert, L. C., . . . Flores, C. (2018). Early Adolescence is a Critical Period for the Maturation of Inhibitory Behavior. *Cerebral Cortex*, bhy247-bhy247. doi: 10.1093/cercor/bhy247. <http://dx.doi.org/10.1093/cercor/bhy247>

Reynolds, S. M., & Zahm, D. S. (2005). Specificity in the Projections of Prefrontal and Insular Cortex to Ventral Striatopallidum and the Extended Amygdala. *Journal of Neuroscience*, 25, 11757-11767. doi.

Rezaie, P., Patel, K., & Male, D. (1999). Microglia in the human fetal spinal cord-patterns of distribution, morphology and phenotype. *Brain Research. Developmental Brain Research*, 115, 71 - 81. doi.

Rezaie, P., Trillo-Pazos, G., Greenwood, J., Everall, I., & Male, D. (2002). Motility and ramification of human fetal microglia in culture: an investigation using time-lapse video microscopy and image analysis. *Experimental Cell Research*, 274, 68 - 82. doi.

Rheims, S., Minlebaev, M., Ivanov, A., Represa, A., Khazipov, R., Holmes, G. L., . . . Zilberter, Y. (2008). Excitatory GABA in Rodent Developing Neocortex in vitro. *Journal of Neurophysiology*, 90402.92008. doi: 10.1152/jn.90402.2008. <http://jn.physiology.org/cgi/content/abstract/90402.2008v1>

Rhode, W. S. (1999). Vertical Cell Responses to Sound in Cat Dorsal Cochlear Nucleus. *Journal of Neurophysiology*, 82(2), 1019-1032. doi. <http://jn.physiology.org/cgi/content/abstract/82/2/1019>

Rhode, W. S. (2008). Response patterns to sound associated with labeled globular/bushy cells in cat. *Neuroscience*, 154(1), 87-98. doi.

Rhodes, P. (2006). The Properties and Implications of NMDA Spikes in Neocortical Pyramidal Cells. *Journal of Neuroscience*, 26(25), 6704-6715. doi: 10.1523/jneurosci.3791-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/25/6704>

Rhodes, P. A., & Llinás, R. (2005). A model of thalamocortical relay cells. *Journal of Physiology*, 565(3), 765-781. doi.

Ribeiro, A., Balasubramanian, S., Hughes, D., Vargo, S., Powell, E. M., & Leach, J. B. (2013).  $\beta$ 1-integrin Cytoskeletal Signaling Regulates Sensory Neuron Response to Matrix Dimensionality. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.05.057>. <http://www.sciencedirect.com/science/article/pii/S0306452213004909>

Rice, F. L., Castel, D., Ruggiero, E., Dockum, M., Houk, G., Sabbag, I., . . . Meilin, S. (2018). Human-like cutaneous neuropathologies associated with a porcine model of peripheral neuritis: A translational platform for neuropathic pain. *Neurobiology of Pain*. doi: <https://doi.org/10.1016/j.nypai.2018.07.002>. <http://www.sciencedirect.com/science/article/pii/S2452073X1830014X>

Rice, F. L., Houk, G., Wymer, J. P., Gosline, S. J. C., Guinney, J., Wu, J., . . . Riccardi, V. M. (2019). The evolution and multi-molecular properties of NF1 cutaneous neurofibromas originating from C-fiber sensory endings and terminal Schwann cells at normal sites of sensory terminations in the skin. *PLoS ONE*, 14(5), e0216527. doi: 10.1371/journal.pone.0216527. <https://doi.org/10.1371/journal.pone.0216527>



Rice, F. L., Xie, J. Y., Albrecht, P. J., Acker, E., Bourgeois, J., Navratilova, E., . . . Porreca, F. (2016). Anatomy and immunochemical characterization of the non-arterial peptidergic diffuse dural innervation of the rat and Rhesus monkey: Implications for functional regulation and treatment in migraine. *Cephalalgia*. doi: 10.1177/0333102416677051. <http://cep.sagepub.com/content/early/2016/11/16/0333102416677051.abstract>

Richardson, B. D., Ling, L. L., Uteshev, V. V., & Caspary, D. M. (2013). Reduced GABAA Receptor-Mediated Tonic Inhibition in Aged Rat Auditory Thalamus. *Journal of Neuroscience*, 33(3), 1218-1227. doi: 10.1523/jneurosci.3277-12.2013. <http://www.jneurosci.org/content/33/3/1218.abstract>

Richter, M. C., Ludewig, S., Winschel, A., Abel, T., Bold, C., Salzburger, L. R., . . . Fritz, A. K. (2018). Distinct in vivo roles of secreted APP ectodomain variants APPs $\alpha$  and APPs $\beta$  in regulation of spine density, synaptic plasticity, and cognition. *The EMBO journal*, e98335. doi: <http://emboj.embopress.org/content/early/2018/04/13/embj.201798335.export>

Richter, Z., Janszky, J., Sétáló Jr, G., Horváth, R., Horváth, Z., Dóczi, T., . . . Ábrahám, H. (2016). Characterization of neurons in the cortical white matter in human temporal lobe epilepsy. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.07.011>. <http://www.sciencedirect.com/science/article/pii/S0306452216303165>

Richwine, A. F., Parkin, A. O., Buchanan, J. B., Chen, J., Markham, J. A., Juraska, J. M., & Johnson, R. W. (2008). Architectural changes to CA1 pyramidal neurons in adult and aged mice after peripheral immune stimulation. *Psychoneuroendocrinology*, 33(10), 1369-1377. doi.

Richwine, A. F., Sparkman, N. L., Dilger, R. N., Buchanan, J. B., & Johnson, R. W. (2009). Cognitive deficits in interleukin-10-deficient mice after peripheral injection of lipopolysaccharide. *Brain, Behavior, and Immunity*, 23(6), 794-802. doi.

Rickey, L. M., Sarkey, S., & DonCarlos, L. L. (2008). Estrogen-sensitive projections from the medial preoptic area to the dorsal pontine tegmentum, including Barrington's nucleus, in the rat. *Neurourology and Urodynamics*, 27(5), 440-445. doi.

Riedemann, S., Sutor, B., Bergami, M., & Riedemann, T. (2019). Gad1-promotor-driven GFP expression in non-GABAergic neurons of the nucleus endopiriformis in a transgenic mouse line. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24673. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24673>

Riederer, B. M., Berbel, P., & Innocenti, G. M. (2004). Neurons in the corpus callosum of the cat during postnatal development. *European Journal of Neuroscience*, 19(8), 2039-2046. doi: <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0330...>

Rieff, H. I., & Corfas, G. (2006). ErbB receptor signalling regulates dendrite formation in mouse cerebellar granule cells in vivo. *European Journal of Neuroscience*, 23(8), 2225-2229. doi: doi:10.1111/j.1460-9568.2006.04727.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04727.x>

Rieger, S., & Sagasti, A. (2011). Hydrogen Peroxide Promotes Injury-Induced Peripheral Sensory Axon Regeneration in the Zebrafish Skin. *PLoS Biology*, 9(5), e1000621-e1000621. doi.

Ries, A., Goldberg, J. L., & Grimpe, B. (2007). A novel biological function for CD44 in axon growth of retinal ganglion cells identified by a bioinformatics approach. *Journal of Neurochemistry*, 103(4), 1491-1505. doi: doi:10.1111/j.1471-4159.2007.04858.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04858.x>

Rigas, P., & Castro-Alamancos, M. A. (2007). Thalamocortical Up States: Differential Effects of Intrinsic and Extrinsic Cortical Inputs on Persistent Activity. *Journal of Neuroscience*, 27(16), 4261-4272. doi: 10.1523/jneurosci.0003-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/16/4261>

Rinaldi, T., Silberberg, G., & Markram, H. (2008). Hyperconnectivity of Local Neocortical Microcircuitry Induced by Prenatal Exposure to Valproic Acid. *Cerebral Cortex*, 18(4), 763-770. doi: 10.1093/cercor/bhm117. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/4/763>

Rinaman, L., Levitt, P., & Card, J. P. (2000). Progressive Postnatal Assembly of Limbic-Autonomic Circuits Revealed by Central Transneuronal Transport of Pseudorabies Virus. *Journal of Neuroscience*, 20(7), 2731-2741. doi: <http://www.jneurosci.org/cgi/content/abstract/20/7/2731>

Rind, F. C., Wernitznig, S., Pörtl, P., Zankel, A., Gütl, D., Sztarker, J., & Leitinger, G. (2016). Two identified looming detectors in the locust: ubiquitous lateral connections among their inputs contribute to selective responses to looming objects. [Article]. *Scientific Reports*, 6, 35525. doi: 10.1038/srep35525

<http://www.nature.com/articles/srep35525#supplementary-information>. <http://dx.doi.org/10.1038/srep35525>

Rios-Pilier, J., & Krimm, R. F. (2019). TrkB expression and dependence divides gustatory neurons into three subpopulations. [journal article]. *Neural Development*, 14(1), 3. doi: 10.1186/s13064-019-0127-z. <https://doi.org/10.1186/s13064-019-0127-z>

Riquier, A. (2017). Microglia Response to Taste Nerve Injury Lasts Less Than Two Weeks in Young Rats. doi: <http://digitalcommons.unomaha.edu/srcaf/2017/schedule/200/>

Riquier, A. (2018). Developmental differences in the microglia response to nerve injury are resistant to dietary sodium deprivation. doi: <https://digitalcommons.unomaha.edu/srcaf/2018/schedule/92/>

Riquier, A. J., & Sollars, S. I. (2017). Microglia density decreases in the rat rostral nucleus of the solitary tract across development and increases in an age-dependent manner following denervation. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.04.037>. <http://www.sciencedirect.com/science/article/pii/S0306452217302956>

- Risher, M.-L., Fleming, R. L., Risher, W. C., Miller, K. M., Klein, R. C., Wills, T., . . . Swartzwelder, H. S. (2015). Adolescent Intermittent Alcohol Exposure: Persistence of Structural and Functional Hippocampal Abnormalities into Adulthood. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/acer.12725. <http://dx.doi.org/10.1111/acer.12725>
- Rivara, C. B., Sherwood, C. C., Bouras, C., & Hof, P. R. (2003). Stereologic characterization and spatial distribution patterns of Betz cells in the human primary motor cortex. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 270(2), 137-151. doi.
- Rivas, A., & Francis, H. W. (2005). Inner ear abnormalities in a Kcnq1 (Kvlqt1) knockout mouse: a model of Jervell and Lange-Nielsen syndrome. *Otology and Neurotology*, 26(3), 415-415. doi.
- Rivera, H. M., & Bethea, C. L. (2013). Ovarian steroids increase PSD-95 expression and dendritic spines in the dorsal raphe of ovariectomized macaques. *Synapse*, n/a-n/a. doi: 10.1002/syn.21702. <http://dx.doi.org/10.1002/syn.21702>
- Rivero, O., Selten, M. M., Sich, S., Popp, S., Bacmeister, L., Amendola, E., . . . Lesch, K. P. (2015). Cadherin-13, a risk gene for ADHD and comorbid disorders, impacts GABAergic function in hippocampus and cognition. [Original Article]. *Transl Psychiatry*, 5, e655. doi: 10.1038/tp.2015.152. <http://dx.doi.org/10.1038/tp.2015.152>
- Rivlin-Etzion, M., Zhou, K., Wei, W., Elstrott, J., Nguyen, P. L., Barres, B. A., . . . Feller, M. B. (2011). Transgenic Mice Reveal Unexpected Diversity of On-Off Direction-Selective Retinal Ganglion Cell Subtypes and Brain Structures Involved in Motion Processing. *Journal of Neuroscience*, 31(24), 8760-8769. doi: 10.1523/jneurosci.0564-11.2011. <http://www.jneurosci.org/content/31/24/8760.abstract>
- Roberts, C. B., Best, J. A., & Suter, K. J. (2006). Dendritic Processing of Excitatory Synaptic Input in Hypothalamic Gonadotropin Releasing-Hormone Neurons. *Endocrinology*, 147(3), 1545-1555. doi: 10.1210/en.2005-1350. <http://endo.endojournals.org/cgi/content/abstract/147/3/1545>
- Roberts, C. B., O'Boyle, M. P., & Suter, K. J. (2009). Dendrites determine the contribution of after depolarization potentials (ADPs) to generation of repetitive action potentials in hypothalamic gonadotropin releasing-hormone (GnRH) neurons. *Journal of Computational Neuroscience*, 26(1), 39-53. doi.
- Robillard, K. N., Lee, K. M., Chiu, K. B., & MacLean, A. G. (2016). Glial cell morphological and density changes through the lifespan of rhesus macaques. *Brain, Behavior, and Immunity*. doi: <http://dx.doi.org/10.1016/j.bbi.2016.01.006>, <http://www.sciencedirect.com/science/article/pii/S088915911630006X>
- Robinson, L. C., Barat, O., & Mellott, J. G. (2019). GABAergic and glutamatergic cells in the inferior colliculus dynamically express the GABAAR  $\gamma$ 1 subunit during aging. *Neurobiology of Aging*.

doi: <https://doi.org/10.1016/j.neurobiolaging.2019.04.007>. <http://www.sciencedirect.com/science/article/pii/S0197458019301149>

Rocco, M. M., & Brumberg, J. C. (2007). The sensorimotor slice. *Journal of Neuroscience Methods*, 162(1-2), 139-147. doi.

Rocco-Donovan, M., Ramos, R. L., Giraldo, S., & Brumberg, J. C. (2011). Characteristics of synaptic connections between rodent primary somatosensory and motor cortices. *Somatosensory and Motor Research*, (0), 1-10. doi.

Rocha, E. G., Santiago, L. F., Freire, M. A. M., Gomes-Leal, W., Dias, I. A., Lent, R., . . . Picanço-Diniz, C. W. (2007). Callosal axon arbors in the limb representations of the somatosensory cortex (SI) in the agouti (*Dasyprocta primnolopha*). *Journal of Comparative Neurology*, 500(2), 255-266. doi.

Rocheffort, N., Quenech'du, N., Watroba, L., Mallat, M., Giaume, C., & Milleret, C. (2002). Microglia and astrocytes may participate in the shaping of visual callosal projections during postnatal development. *Journal of Physiology-Paris*, 96(3-4), 183-192. doi.

Rocheffort, N. L., Buzas, P., Quenech'du, N., Koza, A., Eysel, U. T., Milleret, C., & Kisvarday, Z. F. (2009). Functional Selectivity of Interhemispheric Connections in Cat Visual Cortex. *Cerebral Cortex*, bhp001. doi: 10.1093/cercor/bhp001. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp001v1>

Rochester, J. R., Forstmeier, W., & Millam, J. R. (2010). Post-hatch oral estrogen in zebra finches (*Taeniopygia guttata*): Is infertility due to disrupted testes morphology or reduced copulatory behavior? *Physiology and Behavior*, 101(1), 13-21. doi.

Rock, R., Hu, S., Deshpande, A., Munir, S., May, B., Baker, C., . . . Kapur, V. (2005). Transcriptional response of human microglial cells to interferon-gamma. *Genes Immun*, 6, 712 - 719. doi.

Rockland, K. S. (2002). Visual cortical organization at the single axon level: a beginning. *Neuroscience Research*, 42(3), 155-166. doi.

Rodger, J., Drummond, E. S., Hellström, M., Robertson, D., & Harvey, A. R. (2012). Long-Term Gene Therapy Causes Transgene-Specific Changes in the Morphology of Regenerating Retinal Ganglion Cells. *PLoS ONE*, 7(2), e31061-e31061. doi.

Rodrigues, A. J., Leão, P., Pêgo, J. M., Cardona, D., Carvalho, M. M., Oliveira, M., . . . others. (2011). Mechanisms of initiation and reversal of drug-seeking behavior induced by prenatal exposure to glucocorticoids. *Molecular Psychiatry*. doi.

Rodriguez, A., Ehlenberger, D., Kelliher, K., Einstein, M., Henderson, S. C., Morrison, J. H., . . . Wearne, S. L. (2003). Automated reconstruction of three-dimensional neuronal morphology from laser scanning microscopy images. *Methods*, 30(1), 94-105. doi.

Rodriguez, A., Ehlenberger, D. B., Dickstein, D. L., Hof, P. R., & Wearne, S. L. (2008). Automated three-dimensional detection and shape classification of dendritic spines from fluorescence microscopy images. *PLoS ONE*, 3(4), e1997-e1997. doi.

Rodriguez, A., Ehlenberger, D. B., Hof, P. R., & Wearne, S. L. (2006). Rayburst sampling, an algorithm for automated three-dimensional shape analysis from laser scanning microscopy images. *Nature Protocols*, 1, 2152-2161. doi.

Rodriguez-Contreras, A., van Hoeve, J. S. S., Habets, R. L. P., Locher, H., & Borst, J. G. G. (2008). Dynamic development of the calyx of Held synapse. *Proceedings of the National Academy of Sciences*, 0801395105. doi: 10.1073/pnas.0801395105. <http://www.pnas.org/cgi/content/abstract/0801395105v1>

Rodriguez-Rodriguez, P., Sandebring-Matton, A., Merino-Serrais, P., Parrado-Fernandez, C., Rabano, A., Winblad, B., . . . Cedazo-Minguez, A. (2017). Tau hyperphosphorylation induces oligomeric insulin accumulation and insulin resistance in neurons. *Brain*, awx256-awx256. doi: 10.1093/brain/awx256. <http://dx.doi.org/10.1093/brain/awx256>

Roehrich, e. a. (2003). Insulin-secreting beta -Cell Dysfunction Induced by Human Lipoproteins. *Science*, 18368 -18375. doi.

Rogers, J. T., Rusiana, I., Trotter, J., Zhao, L., Donaldson, E., Pak, D. T. S., . . . others. (2011). Reelin supplementation enhances cognitive ability, synaptic plasticity, and dendritic spine density. *Learning and Memory*, 18(9), 558-564. doi.

Rogers, S. W., Weis, J. J., Ma, Y., Teuscher, C., & Gahring, L. C. (2008). Mouse chromosome 11 harbors genetic determinants of hippocampal strain-specific nicotinic receptor expression. *Hippocampus*, 18(8), 750-757. doi.

Rohrbeck, A., Stahl, F., Höltje, M., Hettwer, T., Lindner, P., Hagemann, S., . . . Haastert-Talini, K. (2015). C3-induced release of neurotrophic factors from Schwann cells – potential mechanism behind its regeneration promoting activity. *Neurochemistry International*. doi: <http://dx.doi.org/10.1016/j.neuint.2015.09.007>. <http://www.sciencedirect.com/science/article/pii/S0197018615300498>

Roitman, M. F., Na, E., Anderson, G., Jones, T. A., & Bernstein, I. L. (2002). Induction of a salt appetite alters dendritic morphology in nucleus accumbens and sensitizes rats to amphetamine. *Journal of Neuroscience*, 22(11), RC225-RC225. doi.

Rojo, C., Leguey, I., Kastanauskaite, A., Bielza, C., Larrañaga, P., DeFelipe, J., & Benavides-Piccione, R. (2016). Laminar Differences in Dendritic Structure of Pyramidal Neurons in the Juvenile rat Somatosensory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv316. <http://cercor.oxfordjournals.org/content/early/2016/01/12/cercor.bhv316....>

Rojo, M. G., García, G. B., Mateos, C. P., García, J. G., & Vicente, M. C. (2006). Critical comparison of 31 commercially available digital slide systems in pathology. *International Journal of Surgical Pathology*, 14(4), 285-305. doi.

Rolando, C., Gribaudo, S., Yoshikawa, K., Leto, K., De Marchis, S., & Rossi, F. (2010). Extracerebellar progenitors grafted to the neurogenic milieu of the postnatal rat cerebellum adapt to the host environment but fail to acquire cerebellar identities. *European Journal of Neuroscience*, 31(8), 1340-1351. doi.

Rolando, C., Parolisi, R., Boda, E., Schwab, M. E., Rossi, F., & Buffo, A. (2012). Distinct Roles of Nogo-A and Nogo Receptor 1 in the Homeostatic Regulation of Adult Neural Stem Cell Function and Neuroblast Migration. *Journal of Neuroscience*, 32(49), 17788-17799. doi: 10.1523/jneurosci.3142-12.2012. <http://www.jneurosci.org/content/32/49/17788.abstract>

Rolf, B., Bastmeyer, M., Schachner, M., & Bartsch, U. (2002). Pathfinding Errors of Corticospinal Axons in Neural Cell Adhesion Molecule-Deficient Mice. *Journal of Neuroscience*, 22, 8357-8362. doi.

Romand, S., Wang, Y., Toledo-Rodriguez, M., & Markram, H. (2011). Morphological development of thick-tufted layer V pyramidal cells in the rat somatosensory cortex. [Original Research]. *Frontiers in Neuroanatomy*, 5. doi: 10.3389/fnana.2011.00005. <http://www.frontiersin.org/Journal/Abstract.aspx?s=742&name=neuroanatomy..>

Romanova, E. V., Oxley, S. P., Rubakhin, S. S., Bohn, P. W., & Sweedler, J. V. (2006). Self-assembled monolayers of alkanethiols on gold modulate electrophysiological parameters and cellular morphology of cultured neurons. *Biomaterials*, 27(8), 1665-1669. doi.

Romanova, E. V., Roth, M. J., Rubakhin, S. S., Jakubowski, J. A., Kelley, W. P., Kirk, M. D., . . . Sweedler, J. V. (2006). Identification and characterization of homologues of vertebrate  $\beta$ -thymosin in the marine mollusk *Aplysia californica*. *Journal of Mass Spectrometry*, 41(8), 1030-1040. doi.

Romanowska-Pawliczek, A., Pawliczek, P., & Soltys, Z. (2009). Algorithm for Treelike Structures Generation. *Computers in Medical Activity*, 255-263. doi.

Romanski, L. M., Bates, J. F., & Goldman-Rakic, P. S. (1999). Auditory belt and parabelt projections to the prefrontal cortex in the rhesus monkey. *Journal of Comparative Neurology*, 403(2), 141-157. doi.

Romanski, L. M., Tian, B., Fritz, J., Mishkin, M., Goldman-Rakic, P. S., & Rauschecker, J. P. (1999). Dual streams of auditory afferents target multiple domains in the primate prefrontal cortex. *Nature Neuroscience*, 2, 1131-1136. doi.

Romariz, S. A. A., Paiva, D. S., Galindo, L. T., Barnabé, G. F., Guedes, V. A., Borlongan, C. V., & Longo, B. M. (2016). Medial Ganglionic Eminence Cells Freshly Obtained or Expanded as Neurospheres Show Distinct Cellular and Molecular Properties in Reducing Epileptic Seizures. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12650. <http://dx.doi.org/10.1111/cns.12650>

Rometo, A. M., Krajewski, S. J., Lou Voytko, M., & Rance, N. E. (2007). Hypertrophy and Increased Kisspeptin Gene Expression in the Hypothalamic Infundibular Nucleus of Postmenopausal Women and Ovariectomized Monkeys. *Journal of Clinical Endocrinological*



Metabolism, 92(7), 2744-2750. doi: 10.1210/jc.2007-0553. <http://jcem.endojournals.org/cgi/content/abstract/92/7/2744>

Romero, A. M., & Rance, N. E. (2008). Changes in prodynorphin gene expression and neuronal morphology in the hypothalamus of postmenopausal women. *Journal of Neuroendocrinology*, 20(12), 1376-1381. doi.

Rong, Y., Wei, P., Parris, J., Guo, H., Pattarini, R., Correia, K., . . . Morgan, J. I. (2012). Comparison of Cbln1 and Cbln2 functions using transgenic and knockout mice. *Journal of Neurochemistry*, 120(4), 528-540. doi: 10.1111/j.1471-4159.2011.07604.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07604.x>

Rood, B. D., Calizo, L. H., Piel, D., Spangler, Z. P., Campbell, K., & Beck, S. G. (2014). Dorsal Raphe Serotonin Neurons in Mice: Immature Hyperexcitability Transitions to Adult State during First Three Postnatal Weeks Suggesting Sensitive Period for Environmental Perturbation. *The Journal of Neuroscience*, 34(14), 4809-4821. doi: <http://www.jneurosci.org/content/34/14/4809.short>

Ropireddy, D., Scorcioni, R., Lasher, B., Buzsáki, G., & Ascoli, G. A. (2011). Axonal morphometry of hippocampal pyramidal neurons semi-automatically reconstructed after in vivo labeling in different CA3 locations. *Brain Structure and Function*, 216(1), 1-15. doi.

Ros, H., Magill, P. J., Moss, J., Bolam, J. P., & Mena-Segovia, J. (2010). Distinct types of non-cholinergic pedunculopontine neurons are differentially modulated during global brain states. *Neuroscience*, 170(1), 78-91. doi.

Ros, H., Sachdev, R. N. S., Yu, Y., Sestan, N., & McCormick, D. A. (2009). Neocortical Networks Entrain Neuronal Circuits in Cerebellar Cortex. *Journal of Neuroscience*, 29(33), 10309-10320. doi: 10.1523/jneurosci.2327-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/33/10309>

Rosano, C., Sweeney, J. A., Melchitzky, D. S., & Lewis, D. A. (2003). The human precentral sulcus: chemoarchitecture of a region corresponding to the frontal eye fields. *Brain Research*, 972(1), 16-30. doi.

Roscoe, R., Jr., Mactutus, C., & Booze, R. (2014). HIV-1 Transgenic Female Rat: Synaptodendritic Alterations of Medium Spiny Neurons in the Nucleus Accumbens. *Journal of Neuroimmune Pharmacology*, 1-12. doi: 10.1007/s11481-014-9555-z. <http://dx.doi.org/10.1007/s11481-014-9555-z>

Rosen, G. D., Azoulay, N. G., Griffin, E. G., Newbury, A., Koganti, L., Fujisaki, N., . . . Williams, R. W. (2012). Bilateral Subcortical Heterotopia with Partial Callosal Agenesis in a Mouse Mutant. *Cerebral Cortex*. doi: 10.1093/cercor/bhs080. <http://cercor.oxfordjournals.org/content/early/2012/03/27/cercor.bhs080...>

Rosen, G. D., Bai, J., Wang, Y., Fiondella, C. G., Threlkeld, S. W., LoTurco, J. J., & Galaburda, A. M. (2007). Disruption of Neuronal Migration by RNAi of Dyx1c1 Results in Neocortical and

Hippocampal Malformations. *Cerebral Cortex*, 17(11), 2562-2572. doi: 10.1093/cercor/bhl162. <http://cercor.oxfordjournals.org/cgi/content/abstract/17/11/2562>

Rosen, G. D., Mesples, B., Hendriks, M., & Galaburda, A. M. (2006). Histometric changes and cell death in the thalamus after neonatal neocortical injury in the rat. *Neuroscience*, 141(2), 875-888. doi.

Rosen, R. F., Farberg, A. S., Gearing, M., Dooyema, J., M Long, P., Anderson, D. C., . . . others. (2008). Tauopathy with paired helical filaments in an aged chimpanzee. *Journal of Comparative Neurology*, 509(3), 259-270. doi.

Rosin, D. L., Chang, D. A., & Guyenet, P. G. (2006). Afferent and efferent connections of the rat retrotrapezoid nucleus. *Journal of Comparative Neurology*, 499(1), 64-89. doi.

Rosin, D. L., Weston, M. C., Sevigny, C. P., Stornetta, R. L., & Guyenet, P. G. (2003). Hypothalamic orexin (hypocretin) neurons express vesicular glutamate transporters VGLUT1 or VGLUT2. *Journal of Comparative Neurology*, 465(4), 593-603. doi.

Rosoklija, G., Toomayan, G., Ellis, S. P., Keilp, J., Mann, J. J., Latov, N., . . . Dwork, A. J. (2000). Structural Abnormalities of Subicular Dendrites in Subjects With Schizophrenia and Mood Disorders: Preliminary Findings. *Archives of General Psychiatry*, 57(4), 349-356. doi: 10.1001/archpsyc.57.4.349. <http://archpsyc.ama-assn.org/cgi/content/abstract/57/4/349>

Ross, J. L., Queme, L. F., Cohen, E. R., Green, K. J., Lu, P., Shank, A. T., . . . Jankowski, M. P. (2016). Muscle IL1 $\beta$  Drives Ischemic Myalgia via ASIC3-Mediated Sensory Neuron Sensitization. *The Journal of Neuroscience*, 36(26), 6857-6871. doi. <http://www.jneurosci.org/content/36/26/6857.short>

Rossetto, M. G., Zanarella, E., Orso, G., Scorzeto, M., Megighian, A., Kumar, V., . . . Daga, A. (2011). Defhc1. 1, a homologue of the juvenile myoclonic gene EFHC1, modulates architecture and basal activity of the neuromuscular junction in *Drosophila*. *Human Molecular Genetics*, 20(21), 4248-4257. doi.

Rossi, S., Furlan, R., De Chiara, V., Musella, A., Lo Giudice, T., Mataluni, G., . . . others. (2009). Exercise attenuates the clinical, synaptic and dendritic abnormalities of experimental autoimmune encephalomyelitis. *Neurobiology of Disease*, 36(1), 51-59. doi.

Rost, S., Akyüz, N., Martinovic, T., Huckhagel, T., Jakovcevski, I., & Schachner, M. (2016). Germline ablation of dermatan-4O-sulfotransferase1 reduces regeneration after mouse spinal cord injury. *Neuroscience*, 312, 74-85. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.11.013>, <http://www.sciencedirect.com/science/article/pii/S0306452215010027>

Rotaru, D. C., Olezene, C., Miyamae, T., Povysheva, N. V., Zaitsev, A. V., Lewis, D. A., & Gonzalez-Burgos, G. (2015). Functional properties of GABA synaptic inputs onto GABA neurons in monkey prefrontal cortex. [10.1152/jn.00799.2014]. *Journal of Neurophysiology*, 113(6), 1850-1861. doi. <http://jn.physiology.org/content/113/6/1850.abstract>

Rotaru, D. C., Yoshino, H., Lewis, D. A., Ermentrout, G. B., & Gonzalez-Burgos, G. (2011). Glutamate Receptor Subtypes Mediating Synaptic Activation of Prefrontal Cortex Neurons: Relevance for Schizophrenia. *Journal of Neuroscience*, 31(1), 142-156. doi: 10.1523/jneurosci.1970-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/1/142>

Roth, A., & Hausser, M. (2001). Compartmental models of rat cerebellar Purkinje cells based on simultaneous somatic and dendritic patch-clamp recordings. *Journal of Physiology*, 535(2), 445-472. doi: <http://jp.physoc.org/cgi/content/abstract/535/2/445>

Rotterman, T. M., Akhter, E. T., Lane, A. R., MacPherson, K. P., Garcia, V. V., Tansey, M. G., & Alvarez, F. J. (2019). Spinal motor circuit synaptic plasticity after peripheral nerve injury depends on microglia activation and a CCR2 mechanism. *The Journal of Neuroscience*, 2945-2917. doi: 10.1523/jneurosci.2945-17.2019. <http://www.jneurosci.org/content/early/2019/03/01/JNEUROSCI.2945-17.2019..>

Rotterman, T. M., Nardelli, P., Cope, T. C., & Alvarez, F. J. (2014). Normal Distribution of VGLUT1 Synapses on Spinal Motoneuron Dendrites and Their Reorganization after Nerve Injury. *The Journal of Neuroscience*, 34(10), 3475-3492. doi: <http://www.jneurosci.org/content/34/10/3475.short>

Rouiller, E. M., & Durif, C. (2004). The dual pattern of corticothalamic projection of the primary auditory cortex in macaque monkey. *Neuroscience Letters*, 358(1), 49-52. doi:

Routh, B. N., Johnston, D., Harris, K., & Chitwood, R. A. (2009). Anatomical and electrophysiological comparison of CA1 pyramidal neurons of the rat and mouse. *Journal of Neurophysiology*, 00082.02009. doi: 10.1152/jn.00082.2009. <http://jn.physiology.org/cgi/content/abstract/00082.2009v1>

Routh, B. N., Rathour, R. K., Baumgardner, M. E., Kalmbach, B. E., Johnston, D., & Brager, D. H. (2017). Increased transient Na<sup>+</sup> conductance and action potential output in layer 2/3 prefrontal cortex neurons of the *fmr1*<sup>-/-</sup> mouse. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp274258. <http://dx.doi.org/10.1113/JP274258>

Rovira-Esteban, L., Péterfi, Z., Vikór, A., Máté, Z., Szabó, G., & Hájos, N. (2017). Morphological and physiological properties of CCK/CB1R-expressing interneurons in the basal amygdala. [journal article]. *Brain Structure and Function*, 1-23. doi: 10.1007/s00429-017-1417-z. <http://dx.doi.org/10.1007/s00429-017-1417-z>

Roy, K., Murtie, J. C., El-Khodor, B. F., Edgar, N., Sardi, S. P., Hooks, B. M., . . . Corfas, G. (2007). Loss of erbB signaling in oligodendrocytes alters myelin and dopaminergic function, a potential mechanism for neuropsychiatric disorders. *PNAS*, 104(19), 8131-8136. doi: 10.1073/pnas.0702157104. <http://www.pnas.org/cgi/content/abstract/104/19/8131>

Roy, S., & Wang, X. (2016). Distinct Neural Activities in Premotor Cortex during Natural Vocal Behaviors in a New World Primate, the Common Marmoset (*Callithrix jacchus*). [10.1523/JNEUROSCI.1646-16.2016]. *The Journal of Neuroscience*, 36(48), 12168. doi: <http://www.jneurosci.org/content/36/48/12168.abstract>

Roysam, B., Lin, G., Abdul-Karim, M. A., Al-Kofahi, O., Al-Kofahi, K., Shain, W., . . . Turner, J. N. (2006). Automated three-dimensional image analysis methods for confocal microscopy. *Handbook Of Biological Confocal Microscopy*, 316-337. doi.

Rozov, A., Jerecic, J., Sakmann, B., & Burnashev, N. (2001). AMPA Receptor Channels with Long-Lasting Desensitization in Bipolar Interneurons Contribute to Synaptic Depression in a Novel Feedback Circuit in Layer 2/3 of Rat Neocortex. *Journal of Neuroscience*, 21(20), 8062-8071. doi. <http://www.jneurosci.org/cgi/content/abstract/21/20/8062>

Rózsa, M., Baka, J., Bordé, S., Rózsa, B., Katona, G., & Tamás, G. (2015). Unitary GABAergic volume transmission from individual interneurons to astrocytes in the cerebral cortex. *Brain Structure and Function*, 1-9. doi: 10.1007/s00429-015-1166-9. <http://dx.doi.org/10.1007/s00429-015-1166-9>

Ruan, Y. W., Lei, Z., Fan, Y., Zou, B., & Xu, Z. C. (2009). Diversity and fluctuation of spine morphology in CA1 pyramidal neurons after transient global ischemia. *Journal of Neuroscience Research*, 87(1), 61-68. doi.

Ruan, Y. W., Zou, B., Fan, Y., Li, Y., Lin, N., Zeng, Y. S., . . . Xu, Z. C. (2006). Dendritic plasticity of CA1 pyramidal neurons after transient global ischemia. *Neuroscience*, 140(1), 191-201. doi.

Rubio, M. E., & Wenthold, R. J. (1999). Differential Distribution of Intracellular Glutamate Receptors in Dendrites. *Journal of Neuroscience*, 19(13), 5549-5562. doi. <http://www.jneurosci.org/cgi/content/abstract/19/13/5549>

Ruchi, M., Kelly Ann, D., Komal, P., Connor, B., & Daniel, J. (2015). Mapping the electrophysiological and morphological properties of CA1 pyramidal neurons along the longitudinal hippocampal axis. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22526. <http://dx.doi.org/10.1002/hipo.22526>

Ruder, L., Takeoka, A., & Arber, S. (2016). Long-Distance Descending Spinal Neurons Ensure Quadrapedal Locomotor Stability. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.10.032>. <http://www.sciencedirect.com/science/article/pii/S0896627316307826>

Rudolph, L. M., & Sengelaub, D. R. (2012). Critical period for estrogen-dependent motoneuron dendrite growth is coincident with ER $\alpha$  expression in target musculature. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22040. <http://dx.doi.org/10.1002/dneu.22040>

Rudolph, L. M., & Sengelaub, D. R. (2013). Castration-induced upregulation of muscle ER $\alpha$  supports estrogen sensitivity of motoneuron dendrites in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22118. <http://dx.doi.org/10.1002/dneu.22118>

Rudolph, M., Pelletier, J. G., Pare, D., & Destexhe, A. (2005). Characterization of Synaptic Conductances and Integrative Properties During Electrically Induced EEG-Activated States in Neocortical Neurons In Vivo. *Journal of Neurophysiology*, 94(4), 2805-2821. doi: 10.1152/jn.01313.2004. <http://jn.physiology.org/cgi/content/abstract/94/4/2805>

Rühling, S., Kramer, F., Schmutz, S., Amor, S., Jiangshan, Z., Schmitz, C., . . . Hochstrasser, T. (2018). Visualization of the Breakdown of the Axonal Transport Machinery: a Comparative Ultrastructural and Immunohistochemical Approach. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-018-1353-9. <https://doi.org/10.1007/s12035-018-1353-9>

Ruigrok, H. (2013). Cerebellar Influences on Descending Spinal Motor Systems. *Handbook of the Cerebellum and Cerebellar Disorders*, 497-528. doi.

Ruigrok, T. J. H. (2003). Collateralization of climbing and mossy fibers projecting to the nodulus and flocculus of the rat cerebellum. *Journal of Comparative Neurology*, 466(2), 278-298. doi.

Ruigrok, T. J. H. (2011). Ins and outs of cerebellar modules. *Cerebellum*, 10(3). doi.

Ruigrok, T. J. H., Pijpers, A., Goedknecht-Sabel, E., & Coulon, P. (2008). Multiple cerebellar zones are involved in the control of individual muscles: a retrograde transneuronal tracing study with rabies virus in the rat. *European Journal of Neuroscience*, 28(1), 181-200. doi.

Ruigrok, T. J. H., van der Burg, H., & Sabel-Goedknecht, E. (1996). Locomotion coincides with c-Fos expression in related areas of inferior olive and cerebellar nuclei in the rat. *Neuroscience Letters*, 214(2-3), 119-122. doi.

Ruitenbergh, M. J., Vukovic, J., Blomster, L., Hall, J. M., Jung, S., Filgueira, L., . . . Plant, G. W. (2008). CX3CL1/fractalkine regulates branching and migration of monocyte-derived cells in the mouse olfactory epithelium. *Journal of Neuroimmunology*, 205(1-2), 80-85. doi.

Runker, A. E., Bartsch, U., Nave, K.-A., & Schachner, M. (2003). The C264Y Missense Mutation in the Extracellular Domain of L1 Impairs Protein Trafficking In Vitro and In Vivo. *Journal of Neuroscience*, 23(1), 277-286. doi. <http://www.jneurosci.org/cgi/content/abstract/23/1/277>

Ruth Clemo, H., & Alex Meredith, M. (2004). Cortico-cortical relations of cat somatosensory areas SIV and SV. *Somatosensory and Motor Research*, 21(3-4), 199-209. doi.

Ruth Clemo, H., Sharma, G. K., Allman, B. L., & Alex Meredith, M. (2008). Auditory projections to extrastriate visual cortex: connectional basis for multisensory processing in 'unimodal' visual neurons. *Experimental Brain Research*, 191(1), 37-47. doi.

Ruthazer, E. S., Bachleda, A. R., & Olavarria, J. F. (2010). The role of interstitial branching in the development of visual corticocortical connections: A time-lapse and fixed-tissue analysis. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.22502. <http://dx.doi.org/10.1002/cne.22502>

Ruthazer, E. S., & Stryker, M. P. (1996). The Role of Activity in the Development of Long-Range Horizontal Connections in Area 17 of the Ferret. *Journal of Neuroscience*, 16(22), 7253-7269. doi. <http://www.jneurosci.org/cgi/content/abstract/16/22/7253>

Ryan, R. T., Bhardwaj, S. K., Tse, Y. C., Srivastava, L. K., & Wong, T. P. (2012). Opposing Alterations in Excitation and Inhibition of Layer 5 Medial Prefrontal Cortex Pyramidal

Neurons Following Neonatal Ventral Hippocampal Lesion. *Cerebral Cortex*. doi: 10.1093/cercor/bhs111. <http://cercor.oxfordjournals.org/content/early/2012/05/09/cercor.bhs111....>

Ryan, S., Ehrlich, D., & Rainnie, D. (2014). Morphology and dendritic maturation of developing principal neurons in the rat basolateral amygdala. *Brain Structure and Function*, 1-16. doi: 10.1007/s00429-014-0939-x. <http://dx.doi.org/10.1007/s00429-014-0939-x>

Ryan, S., Li, C., Menigoz, A., Hazra, R., Dabrowska, J., Ehrlich, D., . . . Rainnie, D. G. (2017). Repeated shock stress facilitates basolateral amygdala synaptic plasticity through decreased cAMP-specific phosphodiesterase type IV (PDE4) expression. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1575-z. <https://doi.org/10.1007/s00429-017-1575-z>

Ryu, H., Lee, J., Hagerty, S. W., Soh, B. Y., McAlpin, S. E., Cormier, K. A., . . . Ferrante, R. J. (2006). ESET/SETDB1 gene expression and histone H3 (K9) trimethylation in Huntington's disease. *PNAS*, 103(50), 19176-19181. doi: 10.1073/pnas.0606373103. <http://www.pnas.org/cgi/content/abstract/103/50/19176>

Ryu, H., Lee, J., Olofsson, B. A., Mwidau, A., Dedeoglu, A., Escudero, M., . . . Ratan, R. R. (2003). Histone deacetylase inhibitors prevent oxidative neuronal death independent of expanded polyglutamine repeats via an Sp1-dependent pathway. *Neuroscience*, 100, 4281-4286. doi.

Ryu, H., Smith, K., Camelo, S. I., Carreras, I., Lee, J., Iglesias, A. H., . . . Ferrante, R. J. (2005). Sodium phenylbutyrate prolongs survival and regulates expression of anti-apoptotic genes in transgenic amyotrophic lateral sclerosis mice. *Journal of Neurochemistry*, 93(5), 1087-1098. doi: doi:10.1111/j.1471-4159.2005.03077.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03077.x>

Ryu, Y. K., Khan, S., Smith, S. C., & Mintz, C. D. (2014). Isoflurane Impairs the Capacity of Astrocytes to Support Neuronal Development in a Mouse Dissociated Coculture Model. *Journal of Neurosurgical Anesthesiology*, 26(4), 363-368. doi: 10.1097/ANA.000000000000119. [http://journals.lww.com/jnsa/Fulltext/2014/10000/Isoflurane\\_Impairs\\_the...](http://journals.lww.com/jnsa/Fulltext/2014/10000/Isoflurane_Impairs_the...)

Saalfrank, D., Konduri, A. K., Latifi, S., Habibey, R., Golabchi, A., Martiniuc, A. V., . . . Blau, A. (2015). Incubator-independent cell-culture perfusion platform for continuous long-term microelectrode array electrophysiology and time-lapse imaging. [10.1098/rsos.150031]. *Royal Society Open Science*, 2(6). doi: <http://rsos.royalsocietypublishing.org/content/2/6/150031.abstract>

Saarelainen, T., Hendolin, P., Lucas, G., Koponen, E., Sairanen, M., MacDonald, E., . . . Castren, E. (2003). Activation of the TrkB Neurotrophin Receptor Is Induced by Antidepressant Drugs and Is Required for Antidepressant-Induced Behavioral Effects. *Journal of Neuroscience*, 23(1), 349-357. doi: <http://www.jneurosci.org/cgi/content/abstract/23/1/349>

Saba, L., Viscomi, M. T., Caioli, S., Pignataro, A., Bisicchia, E., Pieri, M., . . . Zona, C. (2015). Altered Functionality, Morphology, and Vesicular Glutamate Transporter Expression of Cortical Motor Neurons from a Presymptomatic Mouse Model of Amyotrophic Lateral Sclerosis. *Cerebral Cortex*. doi:



10.1093/cercor/bhu317. <http://cercor.oxfordjournals.org/content/early/2015/01/16/cercor.bhu317...>

Saban, M., Towner, R., Smith, N., Abbott, A., Neeman, M., Davis, C., . . . Saban, R. (2007). Lymphatic vessel density and function in experimental bladder cancer. *BMC Cancer*, 7(1), 219. doi: <http://www.biomedcentral.com/1471-2407/7/219>

SACHKOVA, A., SPERLING, S., MIELKE, D., SCHATLO, B., ROHDE, V., & NINKOVIC, M. (2019). Combined Applications of Repurposed Drugs and Their Detrimental Effects on Glioblastoma Cells. *Anticancer Research*, 39(1), 207-214. doi: 10.21873/anticancer.13099. <http://ar.iiarjournals.org/content/39/1/207.abstract>

Sadakane, O., Watakabe, A., Ohtsuka, M., Takaji, M., Sasaki, T., Kasai, M., . . . Yamamori, T. (2015). In vivo two-photon imaging of dendritic spines in marmoset neocortex. [10.1523/ENEURO.0019-15.2015]. *eneuro*. doi: <http://eneuro.org/content/early/2015/08/27/ENEURO.0019-15.2015.abstract>

Sadallah, M., Labat-Gest, V., & Tempia, F. (2015). Propagation of neuronal damage to embryonic grafts transplanted in the hippocampus of murine models of Alzheimer's disease. *Rejuvenation Research*. doi: 10.1089/rej.2015.1672. <http://dx.doi.org/10.1089/rej.2015.1672>

Sadek, A. R., Magill, P. J., & Bolam, J. P. (2007). A Single-Cell Analysis of Intrinsic Connectivity in the Rat Globus Pallidus. *Journal of Neuroscience*, 27(24), 6352-6362. doi: 10.1523/jneurosci.0953-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/24/6352>

Saez, I., & Friedlander, M. J. (2009). Synaptic Output of Individual Layer 4 Neurons in Guinea Pig Visual Cortex. *Journal of Neuroscience*, 29(15), 4930-4944. doi: 10.1523/jneurosci.0046-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/15/4930>

Saghatelian, A. K., Nikonenko, A. G., Sun, M., Rolf, B., Putthoff, P., Kutsche, M., . . . Schachner, M. (2004). Reduced GABAergic transmission and number of hippocampal perisomatic inhibitory synapses in juvenile mice deficient in the neural cell adhesion molecule L1. *Molecular and Cellular Neuroscience*, 26(1), 191-203. doi:

Sah, N., & Sikdar, S. K. (2013). Transition in subicular burst firing neurons from epileptiform activity to suppressed state by feedforward inhibition. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12262. <http://dx.doi.org/10.1111/ejn.12262>

Saini, V., Loers, G., Kaur, G., Schachner, M., & Jakovcevski, I. (2016). Impact of neural cell adhesion molecule deletion on regeneration after mouse spinal cord injury. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.13271. <http://dx.doi.org/10.1111/ejn.13271>

Saini, V., Lutz, D., Kataria, H., Kaur, G., Schachner, M., & Loers, G. (2016). The polysialic acid mimetics 5-nonyloxytryptamine and vinorelbine facilitate nervous system repair. [Article]. *Scientific Reports*, 6, 26927. doi: 10.1038/srep26927

<http://www.nature.com/articles/srep26927#supplementary-information>. <http://dx.doi.org/10.1038/srep26927>

Saito, K., Hitomi, S., Suzuki, I., Masuda, Y., Kitagawa, J., Tsuboi, Y., . . . Iwata, K. (2008). Modulation of trigeminal spinal subnucleus caudalis neuronal activity following regeneration of transected inferior alveolar nerve in rats. *Journal of Neurophysiology*, 00794.02007. doi: 10.1152/jn.00794.2007. <http://jn.physiology.org/cgi/content/abstract/00794.2007v1>

Sakaguchi, R., Leiwe, M. N., & Imai, T. (2018). Bright multicolor labeling of neuronal circuits with fluorescent proteins and chemical tags. *eLife*, 7, e40350. doi: 10.7554/eLife.40350. <https://www.ncbi.nlm.nih.gov/pubmed/30454553>

<https://www.ncbi.nlm.nih.gov/pmc/PMC6245733/>

Sakai, S. T., Davidson, A. G., & Buford, J. A. (2009). Reticulospinal neurons in the pontomedullary reticular formation of the monkey (*Macaca fascicularis*). *Neuroscience*, 163(4), 1158-1170. doi.

Sakakibara, Y., Kasahara, Y., Hall, F. S., Lesch, K.-P., Murphy, D., Uhl, G., & Sora, I. (2014). Developmental alterations in anxiety and cognitive behavior in serotonin transporter mutant mice. *Psychopharmacology*, 1-15. doi: 10.1007/s00213-014-3554-x. <http://dx.doi.org/10.1007/s00213-014-3554-x>

Sakamoto, K., Saito, T., Orman, R., Koizumi, K., Lazar, J., Saliccioli, L., & Stewart, M. (2008). Autonomic consequences of kainic acid-induced limbic cortical seizures in rats: Peripheral autonomic nerve activity, acute cardiovascular changes, and death. *Epilepsia*, 49(6), 982-996. doi.

Sakata, S., & Harris, K. D. (2009). Laminar structure of spontaneous and sensory-evoked population activity in auditory cortex. *Neuron*, 64(3), 404-418. doi.

Sakurai, A., Atkins, C. M., Alonso, O. F., Bramlett, H. M., & Dietrich Iii, W. D. (2011). Mild Hyperthermia Worsens The Neuropathological Damage Associated With Mild Traumatic Brain Injury In Rats. *Journal of Neurotrauma*, (ja). doi.

Saldeitis, K., Happel, M. F. K., Ohl, F. W., Scheich, H., & Budinger, E. (2014). Anatomy of the auditory thalamocortical system in the Mongolian gerbil: Nuclear origins and cortical field-, layer-, and frequency-specificities. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23540. <http://dx.doi.org/10.1002/cne.23540>

Salesse, C., Mueller, C. L., Chamberland, S., & Topolnik, L. (2011). Age-dependent remodelling of inhibitory synapses onto hippocampal CA1 oriens-lacunosum moleculare interneurons. *Journal of Physiology*, 589(20), 4885-4901. doi: 10.1113/jphysiol.2011.215244. <http://jp.physoc.org/content/589/20/4885.abstract>

Salimi, I., Friel, K. M., & Martin, J. H. (2008). Pyramidal Tract Stimulation Restores Normal Corticospinal Tract Connections and Visuomotor Skill after Early Postnatal Motor Cortex

Activity Blockade. *Journal of Neuroscience*, 28(29), 7426-7434. doi: 10.1523/jneurosci.1078-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/29/7426>

Sam Qian, C., Kaplow, M., Lee, J. K., & Grueber, W. B. (2018). Diversity of internal sensory neuron axon projection patterns is controlled by the POU-domain protein Pdm3 in *Drosophila* larvae. [10.1523/JNEUROSCI.2125-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/01/24/JNEUROSCI.2125-17.2018...>

Sametsky, E. A., Turner, J. G., Larsen, D., Ling, L., & Caspary, D. M. (2015). Enhanced GABA-Mediated Tonic Inhibition in Auditory Thalamus of Rats with Behavioral Evidence of Tinnitus. *The Journal of Neuroscience*, 35(25), 9369-9380. doi: <http://www.jneurosci.org/content/35/25/9369.short>

Sampedro-Piquero, P., Bartolo, P. D., Petrosini, L., Zancada-Menendez, C., Arias, J., & Begega, A. (2014). Astrocytic plasticity as a possible mediator of the cognitive improvements after environmental enrichment in aged rats. *Neurobiology of Learning and Memory*. doi: <http://www.sciencedirect.com/science/article/pii/S107474271400063X>

Sampetean, O., Saga, I., Nakanishi, M., Sugihara, E., Fukaya, R., Onishi, N., . . . others. (2011). Invasion precedes tumor mass formation in a malignant brain tumor model of genetically modified neural stem cells. *Neoplasia* (New York, NY), 13(9), 784-784. doi.

Samsonovich, A. V., & Ascoli, G. A. (2002). Towards virtual brains. *Computational Neuroanatomy: Principles and Methods*, 423-434. doi.

Samuels, I. S., Karlo, J. C., Faruzzi, A. N., Pickering, K., Herrup, K., Sweatt, J. D., . . . Landreth, G. E. (2008). Deletion of ERK2 Mitogen-Activated Protein Kinase Identifies Its Key Roles in Cortical Neurogenesis and Cognitive Function. *Journal of Neuroscience*, 28(27), 6983-6995. doi: 10.1523/jneurosci.0679-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/27/6983>

Sanagi, T., Sasaki, T., Nakagaki, K., Minamimoto, T., Kohsaka, S., & Ichinohe, N. (2019). Segmented Iba1-Positive Processes of Microglia in Autism Model Marmosets. *Frontiers in cellular neuroscience*, 13, 344-344. doi: 10.3389/fncel.2019.00344. <https://www.ncbi.nlm.nih.gov/pubmed/31417364>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6682657/>

Sana-Ur-Rehman, H., Markus, I., Moore, K. H., Mansfield, K. J., & Liu, L. (2017). Expression and localization of pannexin-1 and CALHM1 in porcine bladder and their involvement in modulating ATP release. [10.1152/ajpregu.00039.2016]. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*. doi: <http://ajpregu.physiology.org/content/early/2017/02/22/ajpregu.00039.201...>

Sanchez, C. M., Titus, D. J., Wilson, N. M., Freund, J. E., & Atkins, C. M. (2020). Early Life Stress Exacerbates Outcome after Traumatic Brain Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2020.7267. <https://doi.org/10.1089/neu.2020.7267>

Sánchez-Benito, D., Gómez-Nieto, R., Hernández-Noriega, S., Murashima, A. A. B., de Oliveira, J. A. C., Garcia-Cairasco, N., . . . Hyppolito, M. A. (2016). Morphofunctional alterations in the olivocochlear efferent system of the genetic audiogenic seizure-prone hamster GASH:Sal. *Epilepsy & Behavior*. doi: 10.1016/j.yebeh.2016.05.040. <http://dx.doi.org/10.1016/j.yebeh.2016.05.040>

Sanchez-Gonzalez, M. A., Garcia-Cabezas, M. A., Rico, B., & Cavada, C. (2005). The Primate Thalamus Is a Key Target for Brain Dopamine. *Journal of Neuroscience*, 25(26), 6076-6083. doi: <http://www.jneurosci.org/cgi/content/abstract/25/26/6076>

Sanchez-Guajardo, V., Barnum, C., Tansey, M., & Romero-Ramos, M. (2013). Neuroimmunological processes in Parkinson's disease and their relation to alpha-synuclein: microglia as the referee between neuronal processes and peripheral immunity. *ASN Neuro*, 5, 113 - 139. doi:

Sánchez-Huertas, C., & Rico, B. (2011). CREB-Dependent Regulation of GAD65 Transcription by BDNF/TrkB in Cortical Interneurons. *Cerebral Cortex*, 21(4), 777-788. doi:

Sánchez-Pernaute, R., Brownell, A. L., Jenkins, B. G., & Isacson, O. (2005). Insights into Parkinson's disease models and neurotoxicity using non-invasive imaging. *Toxicology and Applied Pharmacology*, 207(2), 251-256. doi:

Sanchez-Pernaute, R., Studer, L., Ferrari, D., Perrier, A., Lee, H., Vinuela, A., & Isacson, O. (2005). Long-Term Survival of Dopamine Neurons Derived from Parthenogenetic Primate Embryonic Stem Cells (Cyno-1) After Transplantation. *Stem Cells*, 23(7), 914-922. doi: 10.1634/stemcells.2004-0172. <http://stemcells.alphaamedpress.org/cgi/content/abstract/23/7/914>

Sánchez-Puelles, C., Calleja-Felipe, M., Ouro, A., Bougamra, G., Arroyo, A., Diez, I., . . . Knafo, S. (2019). PTEN Activity Defines an Axis for Plasticity at Cortico-Amygdala Synapses and Influences Social Behavior. *Cerebral Cortex*. doi: 10.1093/cercor/bhz103. <https://doi.org/10.1093/cercor/bhz103>

Sanders, J., Cowansage, K., Baumgärtel, K., & Mayford, M. (2012). Elimination of Dendritic Spines with Long-Term Memory Is Specific to Active Circuits. *Journal of Neuroscience*, 32(36), 12570-12578. doi: 10.1523/jneurosci.1131-12.2012. <http://www.jneurosci.org/content/32/36/12570.abstract>

Sando III, R., Baumgaertel, K., Pieraut, S., Torabi-Rander, N., Wandless, T. J., Mayford, M., & Maximov, A. (2013). Inducible control of gene expression with destabilized Cre. *Nature methods*. doi: <http://www.nature.com/nmeth/journal/vaop/ncurrent/full/nmeth.2640.html>

Sando, R., Bushong, E., Zhu, Y., Huang, M., Considine, C., Phan, S., . . . Maximov, A. (2017). Assembly of Excitatory Synapses in the Absence of Glutamatergic Neurotransmission. *Neuron*, 94(2), 312-321.e313. doi: <https://doi.org/10.1016/j.neuron.2017.03.047>. <http://www.sciencedirect.com/science/article/pii/S089662731730291X>

Sandoval, D. A., Bagnol, D., Woods, S. C., D'Alessio, D. A., & Seeley, R. J. (2008). Arcuate glucagon-like peptide 1 receptors regulate glucose homeostasis but not food intake. *Diabetes and Metabolism*, 57(8), 2046-2054. doi.

Sandoval-Guzmán, T., & E Rance, N. (2004). Central injection of senktide, an NK< sub>3</sub> receptor agonist, or neuropeptide Y inhibits LH secretion and induces different patterns of Fos expression in the rat hypothalamus. *Brain Research*, 1026(2), 307-312. doi.

Sandoval-Guzman, T., Stalcup, S. T., Krajewski, S. J., Voytko, M. L., & Rance, N. E. (2004). Effects of Ovariectomy on the Neuroendocrine Axes Regulating Reproduction and Energy Balance in Young Cynomolgus Macaques. *Journal of Neuroendocrinology*, 16(2), 146-153. doi: doi:10.1111/j.0953-8194.2004.01143.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-8194.2004.01143.x>

Sandroni, P. (2004). A case of insensitivity to pain without anhidrosis: a new syndrome? *Journal of the Peripheral Nervous System*, 9(2), 104-104. doi: doi:10.1111/j.1085-9489.2004.009209a.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Sandstrom, M. I., Sarter, M., & Bruno, J. P. (1996). Interactions between D1 and muscarinic receptors in the induction of striatal c-fos in rats depleted of dopamine as neonates. *Developmental Brain Research*, 96(1-2), 148-158. doi.

Sanghera, M. K., Manaye, K., McMahon, A., Sonsalla, P. K., & German, D. C. (1997). Dopamine transporter mRNA levels are high in midbrain neurons vulnerable to MPTP. *Neuroreport*, 8(15), 3327-3327. doi.

Sansevero, G., Baroncelli, L., Scali, M., & Sale, A. (2018). Intranasal BDNF administration promotes visual function recovery in adult amblyopic rats. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2018.02.006>. <http://www.sciencedirect.com/science/article/pii/S0028390818300637>

Santamaria-Pang, A., Hernandez-Herrera, P., Papadakis, M., Saggau, P., & Kakadiaris, I. (2015). Automatic Morphological Reconstruction of Neurons from Multiphoton and Confocal Microscopy Images Using 3D Tubular Models. *Neuroinformatics*, 1-24. doi: 10.1007/s12021-014-9253-2. <http://dx.doi.org/10.1007/s12021-014-9253-2>

Santello, M., Bisco, A., Nevian, N. E., Lacivita, E., Leopoldo, M., & Nevian, T. (2017). The brain-penetrant 5-HT7 receptor agonist LP-211 reduces the sensory and affective components of neuropathic pain. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2017.07.005>. <http://www.sciencedirect.com/science/article/pii/S0969996117301584>

Santello, M., & Nevian, T. (2015). Dysfunction of Cortical Dendritic Integration in Neuropathic Pain Reversed by Serotonergic Neuromodulation. *Neuron*, (0). doi: <http://dx.doi.org/10.1016/j.neuron.2015.03.003>. <http://www.sciencedirect.com/science/article/pii/S0896627315001993>

Santiago, L. F., Rocha, E. G., Santos, C. L. A., Pereira, A., Franca, J. G., & Picanço-Diniz, C. W. (2010). S1 to S2 hind-and forelimb projections in the agouti somatosensory cortex: Axon fragments morphological analysis. *Journal of Chemical Neuroanatomy*, 40(4), 339-345. doi.

Santos, H. R., Cintra, W. M., Aracava, Y., Maciel, C. M., Castro, N. G., & Albuquerque, E. X. (2004). Spine density and dendritic branching pattern of hippocampal CA1 pyramidal neurons in neonatal rats chronically exposed to the organophosphate paraoxon. *Neurotoxicology*, 25(3), 481-494. doi.

Santos, R., Vadodaria, K. C., Jaeger, B. N., Mei, A., Lefcochilos-Fogelquist, S., Mendes, A. P., . . . Fredlender, C. (2017). Differentiation of Inflammation-Responsive Astrocytes from Glial Progenitors Generated from Human Induced Pluripotent Stem Cells. *Stem Cell Reports*, 8(6), 1757-1769. doi. [http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711\(17\)30218-7](http://www.cell.com/stem-cell-reports/pdfExtended/S2213-6711(17)30218-7)

Santos, V. R., de Castro, O. W., Pun, R. Y. K., Hester, M. S., Murphy, B. L., Loepke, A. W., . . . Danzer, S. C. (2011). Contributions of mature granule cells to structural plasticity in temporal lobe epilepsy. *Neuroscience*. doi.

Santos, V. R., Pun, R. Y. K., Arafa, S. R., LaSarge, C. L., Rowley, S., Khademi, S., . . . Danzer, S. C. (2017). PTEN deletion increases hippocampal granule cell excitability in male and female mice. *Neurobiology of Disease*. doi: <https://doi.org/10.1016/j.nbd.2017.08.014>. <http://www.sciencedirect.com/science/article/pii/S0969996117302048>

Santuccio, G., Sanvito, L., Speciale, L., Merlino, L., Sgandurra, M., Ceresa, L., . . . Nemni, R. (2004). Immunologic profile in chronic inflammatory polyneuropathies associated or not associated with MGUS. *Journal of the Peripheral Nervous System*, 9(2), 106-107. doi: 10.1111/j.1085-9489.2004.009209i.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Sanvito, L., Santuccio, G., Speciale, L., Sgandurra, M., Merlino, L., Ceresa, L., . . . Nemni, R. (2004). Increase of pro-inflammatory cytokines in chronic sensory ataxic neuropathies. *Journal of the Peripheral Nervous System*, 9(2), 106-106. doi.

Sanz-García, A., Knafo, S., Pereda-Pérez, I., Esteban, J. A., Venero, C., & Armario, A. (2016). Administration of the TrkB receptor agonist 7,8-dihydroxyflavone prevents traumatic stress-induced spatial memory deficits and changes in synaptic plasticity. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22599. <http://dx.doi.org/10.1002/hipo.22599>

Sardella, T. C. P., Polgár, E., Garzillo, F., Furuta, T., Kaneko, T., Watanabe, M., & Todd, A. J. (2011). Dynorphin is expressed primarily by GABAergic neurons that contain galanin in the rat dorsal horn. *Molecular Pain*, 7(1), 76-76. doi.

Sardella, T. C. P., Polgár, E., Watanabe, M., & Todd, A. J. (2011). A quantitative study of neuronal nitric oxide synthase expression in laminae I-III of the rat spinal dorsal horn. *Neuroscience*. doi.



Sardinha, V. M., Guerra-Gomes, S., Caetano, I., Tavares, G., Martins, M., Reis, J. S., . . . Oliveira, J. F. (2017). Astrocytic signaling supports hippocampal–prefrontal theta synchronization and cognitive function. *Glia*, n/a-n/a. doi: 10.1002/glia.23205. <http://dx.doi.org/10.1002/glia.23205>

Sarid, L., Bruno, R., Sakmann, B., Segev, I., & Feldmeyer, D. (2007). Modeling a layer 4-to-layer 2/3 module of a single column in rat neocortex: Interweaving in vitro and in vivo experimental observations. *Proceedings of the National Academy of Sciences*, 0707853104. doi: 10.1073/pnas.0707853104. <http://www.pnas.org/cgi/content/abstract/0707853104v1>

Sarid, L., Feldmeyer, D., Gidon, A., Sakmann, B., & Segev, I. (2013). Contribution of Intracolumnar Layer 2/3-to-Layer 2/3 Excitatory Connections in Shaping the Response to Whisker Deflection in Rat Barrel Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bht268. <http://cercor.oxfordjournals.org/content/early/2013/10/27/cercor.bht268....>

Sarkar, A., Mei, A., Paquola, A. C. M., Stern, S., Bardy, C., Klug, J. R., . . . Gage, F. H. (2018). Efficient Generation of CA3 Neurons from Human Pluripotent Stem Cells Enables Modeling of Hippocampal Connectivity In Vitro. *Cell Stem Cell*, 22(5), 684-697.e689. doi: <https://doi.org/10.1016/j.stem.2018.04.009>. <https://www.sciencedirect.com/science/article/pii/S1934590918301711>

Sarkar, J., Chaudhary, S., Namavari, A., Ozturk, O., Chang, J. H., Yco, L., . . . Jain, S. (2012). Corneal Neurotoxicity Due to Topical Benzalkonium Chloride. *Investigative Ophthalmology and Visual Science*, 53(4), 1792-1802. doi.

Sarkey, S., Azcoitia, I., Garcia-Segura, L. M., Garcia-Ovejero, D., & DonCarlos, L. L. (2008). Classical androgen receptors in non-classical sites in the brain. *Hormones and Behavior*, 53(5), 753-764. doi.

Sarkisian, M. R., Bartley, C. M., Chi, H., Nakamura, F., Hashimoto-Torii, K., Torii, M., . . . Rakic, P. (2006). MEKK4 signaling regulates filamin expression and neuronal migration. *Neuron*, 52(5), 789-801. doi.

Satkunendrarajah, K., Nissiri, F., Karadimas, S. K., Lip, A., Yao, G., & Fehlings, M. G. (2015). Riluzole promotes motor and respiratory recovery associated enhanced neuronal survival and function following high cervical hemisection. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.011>. <http://www.sciencedirect.com/science/article/pii/S0014488615300935>

Sato, E., Shick, H. E., Ransohoff, R. M., & Hirose, K. (2008). Repopulation of cochlear macrophages in murine hematopoietic progenitor cell chimeras: the role of CX3CR1. *Journal of Comparative Neurology*, 506(6), 930-942. doi.

Sato, E., Shick, H. E., Ransohoff, R. M., & Hirose, K. (2010). Expression of fractalkine receptor CX3CR1 on cochlear macrophages influences survival of hair cells following ototoxic injury. *JARO—Journal of the Association for Research in Otolaryngology*, 11(2), 223-234. doi.

Sato, F., Lavallée, P., Lévesque, M., & Parent, A. (2000). Single-axon tracing study of neurons of the external segment of the globus pallidus in primate. *Journal of Comparative Neurology*, 417(1), 17-31. doi.

Saul, M. L., Helmreich, D. L., Callahan, L. M., & Fudge, J. L. (2013). Differences in amygdala cell proliferation between adolescent and young adult rats. *Developmental Psychobiology*, n/a-n/a. doi: 10.1002/dev.21115. <http://dx.doi.org/10.1002/dev.21115>

Saul, M. L., Helmreich, D. L., Rehman, S., & Fudge, J. L. (2015). Proliferating cells in the adolescent rat amygdala: Characterization and response to stress. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.10.003>. <http://www.sciencedirect.com/science/article/pii/S0306452215009100>

Saunders, A., Oldenburg, I. A., Berezovskii, V. K., Johnson, C. A., Kingery, N. D., Elliott, H. L., . . . Sabatini, B. L. (2015). A direct GABAergic output from the basal ganglia to frontal cortex. [Letter]. *Nature*, advance online publication. doi: 10.1038/nature14179

<http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature14179.html#.....> <http://dx.doi.org/10.1038/nature14179>

Sautter, N. B., Shick, E. H., Ransohoff, R. M., Charo, I. F., & Hirose, K. (2006). CC chemokine receptor 2 is protective against noise-induced hair cell death: studies in CX3CR1+/GFP mice. *Journal of the Association for Research in Otolaryngology*, 7(4), 361-372. doi.

Sava, B. A., Teissier, A., Pierani, A., Staiger, J. F., Luhmann, H. J., Kilb, W., & others. (2010). Electrophysiological and morphological properties of Cajal-Retzius cells with different ontogenetic origins. *Neuroscience*, 167(3), 724-734. doi.

Savanthrapadian, S., Meyer, T., Elgueta, C., Booker, S. A., Vida, I., & Bartos, M. (2014). Synaptic Properties of SOM-and CCK-Expressing Cells in Dentate Gyrus Interneuron Networks. *The Journal of Neuroscience*, 34(24), 8197-8209. doi. <http://www.jneurosci.org/content/34/24/8197.short>

Save, L., Baude, A., & Cossart, R. (2018). Temporal Embryonic Origin Critically Determines Cellular Physiology in the Dentate Gyrus. *Cerebral Cortex*, bhy132-bhy132. doi: 10.1093/cercor/bhy132. <http://dx.doi.org/10.1093/cercor/bhy132>

Savidan, J., Kaeser, M., Belhaj-Saïf, A., Schmidlin, E., & Rouiller, E. M. (2017). Role of primary motor cortex in the control of manual dexterity assessed via sequential bilateral lesion in the adult macaque monkey: A case study. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2017.06.018>. <http://www.sciencedirect.com/science/article/pii/S0306452217304165>

Savonenko, A., Munoz, P., Melnikova, T., Wang, Q., Liang, X., Breyer, R. M., . . . Andreasson, K. (2009). Impaired cognition, sensorimotor gating, and hippocampal long-term depression in mice lacking the prostaglandin E2 EP2 receptor. *Experimental Neurology*, 217(1), 63-73. doi.

Savonenko, A. V., Melnikova, T., Laird, F. M., Stewart, K. A., Price, D. L., & Wong, P. C. (2008). Alteration of BACE1-dependent NRG1/ErbB4 signaling and schizophrenia-like phenotypes

in BACE1-null mice. *Proceedings of the National Academy of Sciences*, 105(14), 5585-5590. doi: 10.1073/pnas.0710373105. <http://www.pnas.org/cgi/content/abstract/105/14/5585>

Savtchenko, L. P., Bard, L., Jensen, T. P., Reynolds, J. P., Kraev, I., Medvedev, N., . . . Rusakov, D. A. (2018). Disentangling astroglial physiology with a realistic cell model in silico. *Nature Communications*, 9(1), 3554. doi: 10.1038/s41467-018-05896-w. <https://doi.org/10.1038/s41467-018-05896-w>

Sawada, Y., Kajiwara, G., Iizuka, A., Takayama, K., Shuvaev, A. N., Koyama, C., & Hirai, H. (2010). High transgene expression by lentiviral vectors causes maldevelopment of Purkinje cells in vivo. *The Cerebellum*, 9(3), 291-302. doi.

Sawallisch, C., Berhorster, K., Disanza, A., Mantoani, S., Kintscher, M., Stoenica, L., . . . Kreienkamp, H.-J. (2009). The insulin receptor substrate of 53 kDa (IRSp53) limits hippocampal synaptic plasticity. *Journal of Biological Chemistry*, M808425200. doi: 10.1074/jbc.M808425200. <http://www.jbc.org/cgi/content/abstract/M808425200v1>

Saylor, A. J., Meredith, G. E., Vercillo, M. S., Zahm, D. S., & McGinty, J. F. (2006). BDNF heterozygous mice demonstrate age-related changes in striatal and nigral gene expression. *Experimental Neurology*, 199(2), 362-372. doi.

Scala, F., Kobak, D., Bernabucci, M., Bernaerts, Y., Cadwell, C. R., Castro, J. R., . . . Tolias, A. S. (2020). Phenotypic variation of transcriptomic cell types in mouse motor cortex. *Nature*. doi: 10.1038/s41586-020-2907-3. <https://doi.org/10.1038/s41586-020-2907-3>

Scarlata, M. J., Lee, S. H., Lee, D., Kandigian, S. E., Hiller, A. J., Dishart, J. G., . . . Bergstrom, H. C. (2019). Chemogenetic stimulation of the infralimbic cortex reverses alcohol-induced fear memory overgeneralization. *Scientific Reports*, 9(1), 6730. doi: 10.1038/s41598-019-43159-w. <https://doi.org/10.1038/s41598-019-43159-w>

Scarlato, M., Carpo, M., Previtali, S., Pareyson, D., Briani, C., Casellato, C., . . . Quattrini, A. (2004). Poems syndrome: role of two angiogenic factors, VEGF and EPO. *Journal of the Peripheral Nervous System*, 9(2), 110-110. doi: doi:10.1111/j.1085-9489.2004.009209u.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Sceniak, M. P., Lang, M., Enomoto, A. C., James Howell, C., Hermes, D. J., & Katz, D. M. (2015). Mechanisms of Functional Hypoconnectivity in the Medial Prefrontal Cortex of Mecp2 Null Mice. *Cerebral Cortex*. doi: 10.1093/cercor/bhv002. <http://cercor.oxfordjournals.org/content/early/2015/02/06/cercor.bhv002...>

Schachter, M. J., Oesch, N., Smith, R. G., & Taylor, W. R. (2010). Dendritic spikes amplify the synaptic signal to enhance detection of motion in a simulation of the direction-selective ganglion cell. *PLoS computational biology*, 6(8), e1000899-e1000899. doi.

Schaefer, A. T., Helmstaedter, M., Sakmann, B., & Korngreen, A. (2003). Correction of conductance measurements in non-space-clamped structures: 1. Voltage-gated K<sup>+</sup> channels. *Biophysical Journal*, 84(6), 3508-3528. doi.

Schaefer, A. T., Helmstaedter, M., Schmitt, A. C., Bar-Yehuda, D., Almog, M., Ben-Porat, H., . . . Korngreen, A. (2007). Dendritic voltage-gated K<sup>+</sup> conductance gradient in pyramidal neurones of neocortical layer 5B from rats. *Journal of Physiology*, 579(3), 737-752. doi: 10.1113/jphysiol.2006.122564. <http://jp.physoc.org/cgi/content/abstract/579/3/737>

Schaefer, A. T., Larkum, M. E., Sakmann, B., & Roth, A. (2003). Coincidence Detection in Pyramidal Neurons Is Tuned by Their Dendritic Branching Pattern. *Journal of Neurophysiology*, 89(6), 3143-3154. doi: 10.1152/jn.00046.2003. <http://jn.physiology.org/cgi/content/abstract/89/6/3143>

Schaefer, T. L., Davenport, M. H., Grainger, L. M., Robinson, C. K., Earnheart, A. T., Stegman, M. S., . . . Erickson, C. A. (2017). Acamprosate in a mouse model of fragile X syndrome: modulation of spontaneous cortical activity, ERK1/2 activation, locomotor behavior, and anxiety. [journal article]. *Journal of Neurodevelopmental Disorders*, 9(1), 6. doi: 10.1186/s11689-017-9184-y. <http://dx.doi.org/10.1186/s11689-017-9184-y>

Schafer, S. T., Han, J., Pena, M., und Halbach, O. v. B., Peters, J., & Gage, F. H. (2015). The Wnt Adaptor Protein ATP6AP2 Regulates Multiple Stages of Adult Hippocampal Neurogenesis. *The Journal of Neuroscience*, 35(12), 4983-4998. doi: <http://www.jneurosci.org/content/35/12/4983.short>

Schafer, S. T., Paquola, A. C. M., Stern, S., Gosselin, D., Ku, M., Pena, M., . . . Gage, F. H. (2019). Pathological priming causes developmental gene network heterochronicity in autistic subject-derived neurons. *Nature Neuroscience*. doi: 10.1038/s41593-018-0295-x. <https://doi.org/10.1038/s41593-018-0295-x>

Schalk, J. (2018). The Role of Actin Polymerization in GPER-Mediated Dendritic Spine Morphology in Female Mice. doi: [https://scholar.google.com/scholar?hl=en&as\\_sdt=1%2C46&q=The+Role+of+Act...](https://scholar.google.com/scholar?hl=en&as_sdt=1%2C46&q=The+Role+of+Act...)

Scharbarg, E., Daenens, M., Lemaître, F., Geoffroy, H., Guille-Collignon, M., Gallopin, T., & Rancillac, A. (2016). Astrocyte-derived adenosine is central to the hypnogenic effect of glucose. [Article]. *Scientific Reports*, 6, 19107. doi: 10.1038/srep19107

<http://www.nature.com/articles/srep19107#supplementary-information>. <http://dx.doi.org/10.1038/srep19107>

Scharfman, H. E., Sollas, A. L., Berger, R. E., & Goodman, J. H. (2003). Electrophysiological Evidence of Monosynaptic Excitatory Transmission Between Granule Cells After Seizure-Induced Mossy Fiber Sprouting. *Journal of Neurophysiology*, 90(4), 2536-2547. doi: 10.1152/jn.00251.2003. <http://jn.physiology.org/cgi/content/abstract/90/4/2536>

Scharkowski, F., Frotscher, M., Lutz, D., Korte, M., & Michaelsen-Preusse, K. (2017). Altered Connectivity and Synapse Maturation of the Hippocampal Mossy Fiber Pathway in a Mouse Model of the Fragile X Syndrome. *Cerebral Cortex*. doi: 10.1093/cercor/bhw408. <http://cercor.oxfordjournals.org/content/early/2017/01/10/cercor.bhw408....>

Schellino, R., Trova, S., Cimino, I., Farinetti, A., Jongbloets, B. C., Pasterkamp, R. J., . . . Peretto, P. (2016). Opposite-sex attraction in male mice requires testosterone-dependent regulation of adult olfactory bulb neurogenesis. [Article]. *Scientific Reports*, 6, 36063. doi: 10.1038/srep36063

<http://www.nature.com/articles/srep36063#supplementary-information>. <http://dx.doi.org/10.1038/srep36063>

Schenker, M., Kraftsik, R., Glauser, L., Kuntzer, T., Bogousslavsky, J., & Barakat-Walter, I. (2003). Thyroid hormone reduces the loss of axotomized sensory neurons in dorsal root ganglia after sciatic nerve transection in adult rat. *Experimental Neurology*, 184(1), 225-236. doi.

Schepers, J., Gebhardt, C., Bracke, A., Eiffler, I., & von Bohlen und Halbach, O. (2020). Structural and functional consequences in the amygdala of leptin-deficient mice. *Cell and Tissue Research*. doi: 10.1007/s00441-020-03266-x. <https://doi.org/10.1007/s00441-020-03266-x>

Schier, L. A., Blonde, G. D., & Spector, A. C. (2015). Bilateral lesions in a specific subregion of posterior insular cortex impair conditioned taste aversion expression in rats. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23822. <http://dx.doi.org/10.1002/cne.23822>

Schier, L. A., Hashimoto, K., Bales, M. B., Blonde, G. D., & Spector, A. C. (2014). High-resolution lesion-mapping strategy links a hot spot in rat insular cortex with impaired expression of taste aversion learning. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1315624111. <http://www.pnas.org/content/early/2014/01/03/1315624111.abstract>

Schierwagen, A., Alpár, A., & Gärtner, U. (2007). Scaling properties of pyramidal neurons in mice neocortex. *Mathematical Biosciences*, 207(2), 352-364. doi.

Schierwagen, A., Costa, L. F., Alpar, A., Gärtner, U., & Arendt, T. (2008). Neuromorphological phenotyping in transgenic mice: a multiscale fractal analysis. *Mathematical Modeling of Biological Systems, Volume II*, 185-192. doi.

Schierwagen, A., Villmann, T., Alpár, A., & Gärtner, U. (2010). Cluster analysis of cortical pyramidal neurons using SOM. *Artificial Neural Networks in Pattern Recognition*, 120-130. doi.

Schiller, J., Schiller, Y., Stuart, G., & Sakmann, B. (1997). Calcium action potentials restricted to distal apical dendrites of rat neocortical pyramidal neurons. *Journal of Physiology*, 505(3), 605-616. doi.

Schilling, S., Mehr, A., Ludewig, S., Stephan, J., Zimmermann, M., August, A., . . . Eggert, S. (2017). APLP1 is a synaptic cell adhesion molecule, supporting maintenance of dendritic spines and basal synaptic transmission. [10.1523/JNEUROSCI.1875-16.2017]. *The Journal of Neuroscience*. doi. <http://www.jneurosci.org/content/early/2017/04/27/JNEUROSCI.1875-16.2017...>

Schindler, M. K., Bourland, J. D., Forbes, M. E., Hua, K., & Riddle, D. R. (2011). Neurobiological responses to stereotactic focal irradiation of the adult rodent hippocampus. *Journal of the Neurological Sciences*. doi.

Schindler, M. K., Forbes, M. E., Robbins, M. E., & Riddle, D. R. (2008). Aging-dependent changes in the radiation response of the adult rat brain. *International Journal of Radiation Oncology\* Biology\* Physics*, 70(3), 826-834. doi.

Schinstine, M., & Cornbrooks, C. J. (1990). Axotomy enhances the outgrowth of neurites from embryonic rat septal-basal forebrain neurons on a laminin substratum. *Experimental Neurology*, 108, 10-22. doi.

Schlett, K., Pieri, I., Metzger, F., Marchetti, L., Steigerwald, F., Dere, E., . . . others. (2004). Long-term NR2B expression in the cerebellum alters granule cell development and leads to NR2A down-regulation and motor deficits. *Molecular and Cellular Neuroscience*, 27(3), 215-226. doi.

Schley, M., Bayram, A., Rukwied, R., Dusch, M., Konrad, C., Benrath, J., . . . Schmelz, M. (2012). Skin innervation at different depths correlates with small fibre function but not with pain in neuropathic pain patients. *European Journal of Pain*, n/a-n/a. doi: 10.1002/j.1532-2149.2012.00157.x. <http://dx.doi.org/10.1002/j.1532-2149.2012.00157.x>

Schmalbach, B., Lepsveridze, E., Djogo, N., Papashvili, G., Kuang, F., Leshchyn'ska, I., . . . Schachner, M. (2015). Age-dependent loss of parvalbumin-expressing hippocampal interneurons in mice deficient in CHL1, a mental retardation and schizophrenia susceptibility gene. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.13284. <http://dx.doi.org/10.1111/jnc.13284>

Schmeichel, A. M., Gehrking, J. A., Minota, K., Low, P. A., Singer, W., & Mandrekar, J. N. (2019). Refined Quantitation of Sweat Gland Innervation. doi: 10.1093/jnen/nlz015. <https://doi.org/10.1093/jnen/nlz015>

Schmidlin, E., Jouffrais, C., Freund, P., Wannier-Morino, P., Beaud, M.-L., Rouiller, E., & Wannier, T. (2009). A case of polymicrogyria in macaque monkey: impact on anatomy and function of the motor system. *BMC Neuroscience*, 10(1), 155. doi. <http://www.biomedcentral.com/1471-2202/10/155>

Schmidt, M. V., Schülke, J.-P., Liebl, C., Stiess, M., Avrabos, C., Bock, J., . . . Rein, T. (2011). Tumor suppressor down-regulated in renal cell carcinoma 1 (DRR1) is a stress-induced actin bundling factor that modulates synaptic efficacy and cognition. *Proceedings of the National Academy of Sciences*, 108(41), 17213-17218. doi: 10.1073/pnas.1103318108. <http://www.pnas.org/content/108/41/17213.abstract>

Schmidt, T. M., & Kofuji, P. (2010). Differential Cone Pathway Influence on Intrinsically Photosensitive Retinal Ganglion Cell Subtypes. *Journal of Neuroscience*, 30(48), 16262-16271. doi: 10.1523/jneurosci.3656-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/48/16262>



- Schmidt, T. M., & Kofuji, P. (2011). Structure and function of bistratified intrinsically photosensitive retinal ganglion cells in the mouse. *Journal of Comparative Neurology*, 519(8), 1492-1504. doi: 10.1002/cne.22579. <http://dx.doi.org/10.1002/cne.22579>
- Schneider, J., Berndt, N., Papageorgiou, I. E., Maurer, J., Bulik, S., Both, M., . . . Kann, O. (2017). Local oxygen homeostasis during various neuronal network activity states in the mouse hippocampus. *Journal of Cerebral Blood Flow and Metabolism*, 0(0), 0271678X17740091. doi: 10.1177/0271678x17740091. <http://journals.sagepub.com/doi/abs/10.1177/0271678X17740091>
- Schnieder, T., & Dwork, A. (2011). Searching for neuropathology: gliosis in schizophrenia. *Biological Psychiatry*, 69, 134 - 139. doi.
- Schoenfeld, T. A., & Knott, T. K. (2002). NADPH diaphorase activity in olfactory receptor neurons and their axons conforms to a rhinotopically-distinct dorsal zone of the hamster nasal cavity and main olfactory bulb. *Journal of Chemical Neuroanatomy*, 24(4), 269-285. doi.
- Schoenfeld, T. J., Rhee, D., Martin, L., Smith, J. A., Sonti, A. N., Padmanaban, V., & Cameron, H. A. (2019). New neurons restore structural and behavioral abnormalities in a rat model of PTSD. *Hippocampus*, 0(0). doi: 10.1002/hipo.23087. <https://onlinelibrary.wiley.com/doi/abs/10.1002/hipo.23087>
- Schofield, B. R. (2001). Origins of projections from the inferior colliculus to the cochlear nucleus in guinea pigs. *Journal of Comparative Neurology*, 429(2), 206-220. doi.
- Schofield, B. R. (2002). Ascending and descending projections from the superior olivary complex in guinea pigs: different cells project to the cochlear nucleus and the inferior colliculus. *Journal of Comparative Neurology*, 453(3), 217-225. doi.
- Schofield, B. R. (2009). Projections to the inferior colliculus from layer VI cells of auditory cortex. *Neuroscience*, 159(1), 246-258. doi.
- Schofield, B. R. (2010). Projections from auditory cortex to midbrain cholinergic neurons that project to the inferior colliculus. *Neuroscience*, 166(1), 231-240. doi.
- Schofield, B. R., & Coomes, D. L. (2005). Auditory cortical projections to the cochlear nucleus in guinea pigs. *Hearing Research*, 199(1), 89-102. doi.
- Schofield, B. R., Coomes, D. L., & Schofield, R. M. (2006). Cells in auditory cortex that project to the cochlear nucleus in guinea pigs. *JARO - Journal of the Association for Research in Otolaryngology*, 7(2), 95-109. doi.
- Schofield, B. R., Schofield, R. M., Sorensen, K. A., & Motts, S. D. (2007). On the use of retrograde tracers for identification of axon collaterals with multiple fluorescent retrograde tracers. *Neuroscience*, 146(2), 773-783. doi.
- Schofield, C. M., Hsu, R., Barker, A. J., Gertz, C. C., Billeloch, R., & Ullian, E. M. (2011). Monoallelic deletion of the microRNA biogenesis gene *Dgcr8* produces deficits in the

development of excitatory synaptic transmission in the prefrontal cortex. *Neural Development*, 6(1), 1-10. doi.

Scholtens, M. L. H., Barrett, P. L. F., & Heuvel, D. M. P. v. d. (2018). a2nn001t8 *Brain Connectivity*, 0(ja), null. doi: 10.1089/brain.2018.0622. <https://www.liebertpub.com/doi/abs/10.1089/brain.2018.0622>

Schonewille, M., Belmeguenai, A., Koekkoek, S. K., Houtman, S. H., Boele, H. J., van Beugen, B. J., . . . others. (2010). Purkinje cell-specific knockout of the protein phosphatase PP2B impairs potentiation and cerebellar motor learning. *Neuron*, 67(4), 618-628. doi.

Schonewille, M., Luo, C., Ruigrok, T. J. H., Voogd, J., Schmolesky, M. T., Rutteman, M., . . . De Zeeuw, C. I. (2006). Zonal organization of the mouse flocculus: physiology, input, and output. *Journal of Comparative Neurology*, 497(4), 670-682. doi.

Schoonover, C. E., Tapia, J.-C., Schilling, V. C., Wimmer, V., Blazeski, R., Zhang, W., . . . Bruno, R. M. (2014). Comparative Strength and Dendritic Organization of Thalamocortical and Corticocortical Synapses onto Excitatory Layer 4 Neurons. *The Journal of Neuroscience*, 34(20), 6746-6758. doi. <http://www.jneurosci.org/content/34/20/6746.short>

Schreihofner, A. M., & Guyenet, P. G. (2000). Role of presympathetic C1 neurons in the sympatholytic and hypotensive effects of clonidine in rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 279(5), R1753-R1762. doi. <http://ajpregu.physiology.org/cgi/content/abstract/279/5/R1753>

Schreihofner, A. M., & Guyenet, P. G. (2000). Sympathetic reflexes after depletion of bulbospinal catecholaminergic neurons with anti-D $\beta$ H-saporin. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 279(2), R729-R742-R729-R742. doi.

Schreihofner, A. M., & Guyenet, P. G. (2003). Baro-Activated Neurons With Pulse-Modulated Activity in the Rat Caudal Ventrolateral Medulla Express GAD67 mRNA. *Journal of Neurophysiology*, 89(3), 1265-1277. doi: 10.1152/jn.00737.2002. <http://jn.physiology.org/cgi/content/abstract/89/3/1265>

Schreihofner, A. M., Stornetta, R. L., & Guyenet, P. G. (2000). Regulation of sympathetic tone and arterial pressure by rostral ventrolateral medulla after depletion of C1 cells in rat. *Journal of Physiology*, 529(1), 221-236. doi. <http://jp.physoc.org/cgi/content/abstract/529/1/221>

Schrödl, F., De Laet, A., Tassignon, M. J., Van Bogaert, P. P., Brehmer, A., Neuhuber, W. L., & Timmermans, J. P. (2003). Intrinsic choroidal neurons in the human eye: projections, targets, and basic electrophysiological data. *Investigative Ophthalmology and Visual Science*, 44(9), 3705-3712. doi.

Schroedl, F., De Laet, A., Tassignon, M. J., Van Bogaert, P. P., Brehmer, A., Neuhuber, W. L., & Timmermans, J. P. (2003). Intrinsic Choroidal Neurons (ICN) in the Human Eye: Projections, Targets and Basic Electrophysiological Data. *Investigative Ophthalmology and Visual Science*, 44(5), 2798-2798. doi.

- Schröter, A., Lustenberger, R. M., Obermair, F. J., & Thallmair, M. (2009). High-dose corticosteroids after spinal cord injury reduce neural progenitor cell proliferation. *Neuroscience*, 161(3), 753-763. doi.
- Schubert, D., Kötter, R., Luhmann, H. J., & Staiger, J. F. (2006). Morphology, electrophysiology and functional input connectivity of pyramidal neurons characterizes a genuine layer Va in the primary somatosensory cortex. *Cerebral Cortex*, 16(2), 223-236. doi.
- Schubert, D., Kötter, R., & Staiger, J. F. (2007). Mapping functional connectivity in barrel-related columns reveals layer-and cell type-specific microcircuits. *Brain Structure and Function*, 212(2), 107-119. doi.
- Schubert, D., Kötter, R., Zilles, K., Luhmann, H. J., & Staiger, J. F. (2003). Cell Type-Specific Circuits of Cortical Layer IV Spiny Neurons. *Journal of Neuroscience*, 23(7), 2961-2970. doi. <http://www.jneurosci.org/cgi/content/abstract/23/7/2961>
- Schubert, D., Staiger, J. F., Cho, N., Kötter, R., Zilles, K., & Luhmann, H. J. (2001). Layer-Specific Intracolumnar and Transcolumnar Functional Connectivity of Layer V Pyramidal Cells in Rat Barrel Cortex. *Journal of Neuroscience*, 21(10), 3580-3592. doi. <http://www.jneurosci.org/cgi/content/abstract/21/10/3580>
- Schubert, V., Lebrecht, D., & Holtmaat, A. (2013). Peripheral Deafferentation-Driven Functional Somatosensory Map Shifts Are Associated with Local, Not Large-Scale Dendritic Structural Plasticity. *Journal of Neuroscience*, 33(22), 9474-9487. doi: 10.1523/jneurosci.1032-13.2013. <http://www.jneurosci.org/content/33/22/9474.abstract>
- Schulte-Altdorneburg, G., Droste, D. W., Felszeghy, S., Csiba, L., Popa, V., Hegedus, K., . . . Ringelstein, E. B. (2002). Detection of Carotid Artery Stenosis by In Vivo Duplex Ultrasound: Correlation With Planimetric Measurements of the Corresponding Postmortem Specimens. *Stroke*, 33(10), 2402-2407. doi: 10.1161/01.str.0000030111.34093.02. <http://stroke.ahajournals.org/cgi/content/abstract/33/10/2402>
- Schulte-Altdorneburg, G., Droste, D. W., Kollár, J., Beyna, T., Felszeghy, S., Módis, L., . . . Csiba, L. (2005). Measuring carotid artery stenosis. *Journal of Neurology*, 252(5), 575-582. doi.
- Schultheiss, N. W., Edgerton, J. R., & Jaeger, D. (2010). Phase Response Curve Analysis of a Full Morphological Globus Pallidus Neuron Model Reveals Distinct Perisomatic and Dendritic Modes of Synaptic Integration. *Journal of Neuroscience* 30(7), 2767-2782. doi: 10.1523/jneurosci.3959-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/7/2767>
- Schultheiss, N. W., Edgerton, J. R., & Jaeger, D. (2012). Robustness, variability, phase dependence, and longevity of individual synaptic input effects on spike timing during fluctuating synaptic backgrounds: A modeling study of globus pallidus neuron phase response properties. *Neuroscience*. doi.

Schultz, A. J., Rotterman, T. M., Dwarakanath, A., & Alvarez, F. J. (2017). VGLUT1 synapses and P-boutons on regenerating motoneurons after nerve crush. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24244. <http://dx.doi.org/10.1002/cne.24244>

Schulz, K. M., Zehr, J. L., Salas-Ramirez, K. Y., & Sisk, C. L. (2009). Testosterone programs adult social behavior before and during, but not after, adolescence. *Endocrinology*, en.2008-1708. doi: 10.1210/en.2008-1708. <http://endo.endojournals.org/cgi/content/abstract/en.2008-1708v1>

Schumann, C. M., & Amaral, D. G. (2006). Stereological Analysis of Amygdala Neuron Number in Autism. *Journal of Neuroscience*, 26(29), 7674-7679. doi: 10.1523/jneurosci.1285-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/29/7674>

Schwab, M. H., Bartholomae, A., Heimrich, B., Feldmeyer, D., Druffel-Augustin, S., Goebbels, S., . . . Nave, K.-A. (2000). Neuronal Basic Helix-Loop-Helix Proteins (NEX and BETA2/Neuro D) Regulate Terminal Granule Cell Differentiation in the Hippocampus. *Journal of Neuroscience*, 20(10), 3714-3724. doi: <http://www.jneurosci.org/cgi/content/abstract/20/10/3714>

Schwarz, J., Schwarz, S. C., Dorigo, O., Stützer, A., Wegner, F., Labarca, C., . . . Lester, H. A. (2006). Enhanced expression of hypersensitive  $\alpha 4^*$  nAChR in adult mice increases the loss of midbrain dopaminergic neurons. *The FASEB Journal*, 20(7), 935-946. doi.

Schwarzbach, E., Bonislawski, D. P., Xiong, G., & Cohen, A. S. (2006). Mechanisms underlying the inability to induce area CA1 LTP in the mouse after traumatic brain injury. *Hippocampus*, 16(6), 541-550. doi.

Schweitzer, J., Gimnopoulos, D., Lieberoth, B. C., Pogoda, H. M., Feldner, J., Ebert, A., . . . Becker, C. G. (2007). Contactin1a expression is associated with oligodendrocyte differentiation and axonal regeneration in the central nervous system of zebrafish. *Molecular and Cellular Neuroscience*, 35(2), 194-207. doi.

Schweizer Burguete, A., Almeida, S., Gao, F.-B., Kalb, R., Akins, M. R., & Bonini, N. M. (2015). GGGGCC microsatellite RNA is neuritically localized, induces branching defects, and perturbs transport granule function. *eLife*. doi: 10.7554/eLife.08881. <http://elifesciences.org/elife/early/2015/12/09/eLife.08881.full.pdf>

Schweizer, F. E., Savin, D., Luu, C., Sultemeier, D. R., & Hoffman, L. F. (2009). Distribution of high-conductance calcium-activated potassium channels in rat vestibular epithelia. *Journal of Comparative Neurology*, 517(2), 134-145. doi.

Sciamanna, G., Hollis, R., Ball, C., Martella, G., Tassone, A., Marshall, A., . . . Standaert, D. G. (2012). Cholinergic dysregulation produced by selective inactivation of the dystonia-associated protein torsinA. *Neurobiology of Disease*, (0). doi: 10.1016/j.nbd.2012.04.015. <http://www.sciencedirect.com/science/article/pii/S0969996112001611>

Scobie, K. N., Hall, B. J., Wilke, S. A., Klemenhagen, K. C., Fujii-Kuriyama, Y., Ghosh, A., . . . Sahay, A. (2009). Kruppel-Like Factor 9 Is Necessary for Late-Phase Neuronal Maturation in

the Developing Dentate Gyrus and during Adult Hippocampal Neurogenesis. *Journal of Neuroscience*, 29(31), 9875-9887. doi: 10.1523/jneurosci.2260-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/31/9875>

Scorcioni, R., & Ascoli, G. (2001). Algorithmic extraction of morphological statistics from electronic archives of neuroanatomy. *Connectionist Models of Neurons, Learning Processes, and Artificial Intelligence*, 30-37. doi.

Scorcioni, R., Lazarewicz, M. T., & Ascoli, G. A. (2004). Quantitative morphometry of hippocampal pyramidal cells: differences between anatomical classes and reconstructing laboratories. *Journal of Comparative Neurology*, 473(2), 177-193. doi.

Scorcioni, R., Polavaram, S., & Ascoli, G. A. (2008). L-Measure: a web-accessible tool for the analysis, comparison and search of digital reconstructions of neuronal morphologies. *Nature Protocols*, 3(5), 866-876. doi.

Scorcioni, R., Wright, S. N., Patrick Card, J., Ascoli, G. A., & Barrionuevo, G. (2008). Point Analysis in Java Applied to Histological Images of the Perforant Pathway: A User's Account. *Neuroinformatics*, 6(1), 63-67. doi.

Scorza, C. A., Araujo, B. H. S., Leite, L. A., Torres, L. B., Pacheco Otalora, L. F., Oliveira, M. S., . . . Cavalheiro, E. A. (2011). Morphological and electrophysiological properties of pyramidal-like neurons in the stratum oriens of CA1 and CA2 area of *Proechimys*. *Neuroscience*. doi.

Scott, B. B., Gardner, T., Ji, N., Fee, M. S., & Lois, C. (2012). Wandering Neuronal Migration in the Postnatal Vertebrate Forebrain. *Journal of Neuroscience*, 32(4), 1436-1446. doi: 10.1523/jneurosci.2145-11.2012. <http://www.jneurosci.org/content/32/4/1436.abstract>

Scott, B. B., & Lois, C. (2007). Developmental origin and identity of song system neurons born during vocal learning in songbirds. *Journal of Comparative Neurology*, 502(2), 202-214. doi.

Scott, B. H., Leccese, P. A., Saleem, K. S., Kikuchi, Y., Mullarkey, M. P., Fukushima, M., . . . Saunders, R. C. (2015). Intrinsic Connections of the Core Auditory Cortical Regions and Rostral Supratemporal Plane in the Macaque Monkey. *Cerebral Cortex*. doi: 10.1093/cercor/bhv277. <http://cercor.oxfordjournals.org/content/early/2015/11/29/cercor.bhv277....>

Scott, B. H., Saleem, K. S., Kikuchi, Y., Fukushima, M., Mishkin, M., & Saunders, R. C. (2017). Thalamic connections of the core auditory cortex and rostral supratemporal plane in the macaque monkey. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24283. <http://dx.doi.org/10.1002/cne.24283>

Scott, E., Reuter, J., & Luo, L. (2003). Dendritic development of *Drosophila* high order visual system neurons is independent of sensory experience. *BMC Neuroscience*, 4(1), 14. doi. <http://www.biomedcentral.com/1471-2202/4/14>

Scott, E. K., Raabe, T., & Luo, L. (2002). Structure of the vertical and horizontal system neurons of the lobula plate in *Drosophila*. *Journal of Comparative Neurology*, 454(4), 470-481. doi.

- Scott, E. K., Reuter, J. E., & Luo, L. (2003). Small GTPase Cdc42 Is Required for Multiple Aspects of Dendritic Morphogenesis. *Journal of Neuroscience*, 23(8), 3118-3123. doi: <http://www.jneurosci.org/cgi/content/abstract/23/8/3118>
- Scott, L. L., Mathews, P. J., & Golding, N. L. (2010). Perisomatic Voltage-Gated Sodium Channels Actively Maintain Linear Synaptic Integration in Principal Neurons of the Medial Superior Olive. *Journal of Neuroscience*, 30(6), 2039-2050. doi: 10.1523/jneurosci.2385-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/6/2039>
- Scott, R., Lalic, T., Kullmann, D. M., Capogna, M., & Rusakov, D. A. (2008). Target-Cell Specificity of Kainate Autoreceptor and Ca<sup>2+</sup>-Store-Dependent Short-Term Plasticity at Hippocampal Mossy Fiber Synapses. *Journal of Neuroscience*, 28(49), 13139-13149. doi: 10.1523/jneurosci.2932-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/49/13139>
- Seal, R. P., Akil, O., Yi, E., Weber, C. M., Grant, L., Yoo, J., . . . others. (2008). Sensorineural deafness and seizures in mice lacking vesicular glutamate transporter 3. *Neuron*, 57(2), 263-275. doi.
- Seaman, M. E., Peirce, S. M., & Kelly, K. (2011). Rapid analysis of vessel elements (RAVE): a tool for studying physiologic, pathologic and tumor angiogenesis. *PLoS ONE*, 6(6), e20807-e20807. doi.
- Sebeo, J., Hof, P. R., & Perl, D. P. (2004). Occurrence of a-synuclein pathology in the cerebellum of Guamanian patients with parkinsonism-dementia complex. *Acta Neuropathologica*, 107(6), 497-503. doi.
- Sedi, J., Urdziková, L., Likavcanová, K., Hejcl, A., Jendelová, P., & Syková, E. (2007). A new model of severe neurogenic pulmonary edema in spinal cord injured rat. *Neuroscience Letters*, 423(2), 167-171. doi.
- Šedý, J., Urdziková, L., Likavcanová, K., Hejcl, A., Burian, M., Jendelová, P., . . . Syková, E. (2007). Low concentration of isoflurane promotes the development of neurogenic pulmonary edema in spinal cord injured rats. *Journal of Neurotrauma*, 24(9), 1487-1501. doi.
- Seggio, A. M., Ellison, K. S., Hynd, M. R., Shain, W., & Thompson, D. M. (2008). Cryopreservation of transfected primary dorsal root ganglia neurons. *Journal of Neuroscience Methods*, 173(1), 67-73. doi.
- Seggio, A. M., Narayanaswamy, A., Roysam, B., & Thompson, D. M. (2010). Self-aligned Schwann cell monolayers demonstrate an inherent ability to direct neurite outgrowth. *Journal of neural engineering*, 7, 046001-046001. doi.
- Segura-Aguilar, J., Caviedes, P., Danysz, W., Guillemin, G., Sulzer, D., Grez, F. D., . . . Calaf, G. (2010). IV Neurotoxicity Society Meeting: Neurochemical Mechanisms of Neurodegenerative Disorders. *Neurotox Res*, 18, 1-47. doi.
- Seib, L. M., & Wellman, C. L. (2003). Daily injections alter spine density in rat medial prefrontal cortex. *Neuroscience Letters*, 337(1), 29-32. doi.



Seidl, A. H., Rubel, E. W., & Barriá, A. (2014). Differential Conduction Velocity Regulation in Ipsilateral and Contralateral Collaterals Innervating Brainstem Coincidence Detector Neurons. *The Journal of Neuroscience*, 34(14), 4914-4919. doi: 10.1523/jneurosci.5460-13.2014. <http://www.jneurosci.org/content/34/14/4914.abstract>

Seidl, A. H., Rubel, E. W., & Harris, D. M. (2010). Mechanisms for Adjusting Interaural Time Differences to Achieve Binaural Coincidence Detection. *Journal of Neuroscience*, 30(1), 70-80. doi: 10.1523/jneurosci.3464-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/1/70>

Seigel, G. M., Wagner, J., Wronska, A., Campbell, L., Ju, W., & Zhong, N. (2005). Progression of early postnatal retinal pathology in a mouse model of neuronal ceroid lipofuscinosis. *Eye*, 19, 1306-1312. doi.

Sekerková, G., Ilijic, E., & Mugnaini, E. (2004). Bromodeoxyuridine administered during neurogenesis of the projection neurons causes cerebellar defects in rat. *Journal of Comparative Neurology*, 470(3), 221-239. doi.

Selby, L., Zhang, C., & Sun, Q. Q. (2007). Major defects in neocortical GABAergic inhibitory circuits in mice lacking the fragile X mental retardation protein. *Neuroscience Letters*, 412(3), 227-232. doi.

Selemon, L. D., Begovi, Cacute, A., Goldman-Rakic, P. S., & Castner, S. A. (2006). Amphetamine sensitization alters dendritic morphology in prefrontal cortical pyramidal neurons in the non-human primate. *Neuropsychopharmacology*, 32(4), 919-931. doi.

Selemon, L. D., & Begovic, A. (2020). Reduced Midbrain Dopamine Neuron Number in the Adult Non-human Primate Brain after Fetal Radiation Exposure. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.07.005>. <http://www.sciencedirect.com/science/article/pii/S0306452220304383>

Selemon, L. D., Begović, A., & Rakic, P. (2009). Selective reduction of neuron number and volume of the mediodorsal nucleus of the thalamus in macaques following irradiation at early gestational ages. *Journal of Comparative Neurology*, 515(4), 454-464. doi.

Selemon, L. D., Begović, A., Williams, G. V., & Castner, S. A. (2010). Reversal of neuronal and cognitive consequences of amphetamine sensitization following chronic treatment with a D1 antagonist. *Pharmacology Biochemistry and Behavior*, 96(3), 325-332. doi.

Selenica, M., Alvarez, J., Nash, K., Lee, D., Cao, C., Lin, X., . . . Gordon, M. (2013). Diverse activation of microglia by chemokine (C-C motif) ligand 2 overexpression in brain. *J Neuroinflammation*, 10, 86. doi.

Selim, M. M., Wabner, K. A., Wendelschafer-Crabb, G., & Kennedy, W. R. (2007). Stimulated growth of human and pig epidermal nerve fibers by tape stripping. *Archives of Dermatological Research*, 299(10), 513-516. doi.

Selim, M. M., Wendelschafer-Crabb, G., Hodges, J. S., Simone, D. A., Foster, S. X. Y. L., Vanhove, G. F., & Kennedy, W. R. (2010). Variation in quantitative sensory testing and epidermal nerve fiber density in repeated measurements. *Pain*, 151(3), 575-581. doi:

Selim, M. M., Wendelschafer-Crabb, G., Redmon, J. B., Khoruts, A., Hodges, J. S., Koch, K., . . . Kennedy, W. R. (2010). Gastric mucosal nerve density: A biomarker for diabetic autonomic neuropathy? *Neurology*, 75(11), 973-981. doi: 10.1212/WNL.ob013e3181f25f19. <http://www.neurology.org/cgi/content/abstract/75/11/973>

Selten, M. M., Meyer, F., Ba, W., Vallès, A., Maas, D. A., Negwer, M., . . . Martens, G. J. M. (2016). Increased GABAB receptor signaling in a rat model for schizophrenia. [Article]. *Scientific Reports*, 6, 34240. doi: 10.1038/srep34240. <http://dx.doi.org/10.1038/srep34240>

Sempere-Ferràndez, A., Andrés-Bayón, B., & Geijo-Barrientos, E. (2017). Callosal responses in a retrosplenial column. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1529-5. <https://doi.org/10.1007/s00429-017-1529-5>

Semple, B. D., Dixit, S., Shultz, S. R., Boon, W. C., & O'Brien, T. J. (2017). Sex-dependent changes in neuronal morphology and psychosocial behaviors after pediatric brain injury. *Behavioural Brain Research*, 319, 48-62. doi: <http://dx.doi.org/10.1016/j.bbr.2016.10.045>. <http://www.sciencedirect.com/science/article/pii/S0166432816306477>

Sen, S., Parishar, P., Pundir, A. S., Reiner, A., & Iyengar, S. (2019). The Expression of Tyrosine Hydroxylase and DARPP-32 in the House Crow (*Corvus splendens*) brain. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24649. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24649>

Senft, S. L. (2011). A brief history of neuronal reconstruction. *Neuroinformatics*, 9(2), 119-128. doi:

Sengelaub, D. R., Han, Q., Liu, N.-K., Maczuga, M., Szalavari, V., Valencia, S., & Xu, X.-M. (2017). Protective Effects of Estradiol and Dihydrotestosterone Following Spinal Cord Injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2017.5329. <https://doi.org/10.1089/neu.2017.5329>

Senitz, D., & Beckmann, H. (2003). Granule cells of the dentate gyrus with basal and recurrent dendrites in schizophrenic patients and controls. A comparative Golgi study. *Journal of Neural Transmission*, 110(3), 317-326. doi:

Senut, M.-C., Suhr, S. T., Kaspar, B., & Gage, F. H. (2000). Intraneuronal Aggregate Formation and Cell Death after Viral Expression of Expanded Polyglutamine Tracts in the Adult Rat Brain. *Journal of Neuroscience*, 20(1), 219-229. doi: <http://www.jneurosci.org/cgi/content/abstract/20/1/219>

Sepulveda, B., Mesias, R., Li, X., Yue, Z., & Benson, D. L. (2013). Short- and Long-Term Effects of LRRK2 on Axon and Dendrite Growth. *PLoS ONE*, 8(4), e61986. doi: 10.1371/journal.pone.0061986. <http://dx.doi.org/10.1371%2Fjournal.pone.0061986>

Seress, L., Ábrahám, H., Czéh, B., Fuchs, E., & Léránth, C. (2008). Calretinin expression in hilar mossy cells of the hippocampal dentate gyrus of nonhuman primates and humans. *Hippocampus*, 18(4), 425-434. doi.

Seress, L., Ábrahám, H., Dóczi, T., Lázár, G., & Kozicz, T. (2004). Cocaine- and amphetamine-regulated transcript peptide (CART) is a selective marker of rat granule cells and of human mossy cells in the hippocampal dentate gyrus. *Neuroscience*, 125(1), 13-24. doi.

Seress, L., Ábrahám, H., Horváth, Z., Dóczi, T., Janszky, J., Klemm, J., . . . Bakay, R. A. E. (2009). Survival of mossy cells of the hippocampal dentate gyrus in humans with mesial temporal lobe epilepsy. *Journal of Neurosurgery*, 111(6), 1237-1247. doi.

Seress, L., Abraham, H., Tornoczký, T., & Kosztolányi, G. (2001). Cell formation in the human hippocampal formation from mid-gestation to the late postnatal period. *Neuroscience*, 105(4), 831-843. doi.

Sergeant, S., McQuail, J. A., Riddle, D. R., Chilton, F. H., Ortmeier, S. B., Jessup, J. A., . . . Nicolle, M. M. (2011). Dietary Fish Oil Modestly Attenuates the Effect of Age on Diastolic Function but Has No Effect on Memory or Brain Inflammation in Aged Rats. *Journals of Gerontology, Series A, Biological Sciences and Medical Sciences*, 66A(5), 521-533. doi: 10.1093/gerona/glr017. <http://biomedgerontology.oxfordjournals.org/cgi/content/abstract/66A/5/521>

Sergeyenko, Y., Lall, K., Liberman, M. C., & Kujawa, S. G. (2013). Age-Related Cochlear Synaptopathy: An Early-Onset Contributor to Auditory Functional Decline. *Journal of Neuroscience*, 33(34), 13686-13694. doi: 10.1523/jneurosci.1783-13.2013. <http://www.jneurosci.org/content/33/34/13686.abstract>

Serra, F. T., Carvalho, A. D., Araujo, B. H. S., Torres, L. B., Cardoso, F. d. S., Henrique, J. S., . . . Gomes da Silva, S. (2019). Early exercise induces long-lasting morphological changes in cortical and hippocampal neurons throughout of a sedentary period of rats. *Scientific Reports*, 9(1), 13684. doi: 10.1038/s41598-019-50218-9. <https://doi.org/10.1038/s41598-019-50218-9>

Serradj, N., & Martin, J. H. (2016). Motor Experience Reprograms Development of a Genetically-Altered Bilateral Corticospinal Motor Circuit. *PLoS ONE*, 11(9), e0163775. doi: 10.1371/journal.pone.0163775. <http://dx.doi.org/10.1371%2Fjournal.pone.0163775>

Serradj, N., Paixão, S., Sobocki, T., Feinberg, M., Klein, R., Kullander, K., & Martin, J. H. (2014). EphA4-Mediated Ipsilateral Corticospinal Tract Misprojections Are Necessary for Bilateral Voluntary Movements But Not Bilateral Stereotypic Locomotion. *The Journal of Neuroscience*, 34(15), 5211-5221. doi. <http://www.jneurosci.org/content/34/15/5211.short>

Servais, M., & de Jager, G. (1997). Video Compression using the three dimensional discrete cosine transform (3D-DCT). *Proc COMSIG*, 27-32. doi.

Sfakianos, M. K., Eisman, A., Gourley, S. L., Bradley, W. D., Scheetz, A. J., Settleman, J., . . . Koleske, A. J. (2007). Inhibition of Rho via Arg and p190RhoGAP in the Postnatal Mouse Hippocampus Regulates Dendritic Spine Maturation, Synapse and Dendrite Stability, and

Behavior. *Journal of Neuroscience*, 27(41), 10982-10992. doi: 10.1523/jneurosci.0793-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/41/10982>

Sgobio, C., Trabalza, A., Spalloni, A., Zona, C., Carunchio, I., Longone, P., & Ammassari-Teule, M. (2008). Abnormal medial prefrontal cortex connectivity and defective fear extinction in the presymptomatic G93A SOD1 mouse model of ALS. *Genes, Brain and Behavior*, 7(4), 427-434. doi.

Shah, N. M., Pisapia, D. J., Maniatis, S., Mendelsohn, M. M., Nemes, A., & Axel, R. (2004). Visualizing sexual dimorphism in the brain. *Neuron*, 43(3), 313-319. doi.

Shah, N. S., Pugh, P. C., Nam, H., Rosenthal, D. T., van Wijk, D., Gaszner, B., . . . Kerman, I. A. (2013). A Subset of Presympathetic-Premotor Neurons within the Centrally Projecting Edinger-Westphal Nucleus Expresses Urocortin-1. *Journal of Chemical Neuroanatomy*. doi. <http://www.sciencedirect.com/science/article/pii/S0891061813000513>

Shah, V., Drill, E., & Lance-Jones, C. (2004). Ectopic expression of Hoxd10 in thoracic spinal segments induces motoneurons with a lumbosacral molecular profile and axon projections to the limb. *Developmental Dynamics*, 231(1), 43-56. doi.

Shahriar, S., Brian, M., Jared, C., Sommer, A., Sami, Z., Julio, G., . . . C., S. J. (2018). Morphometric analysis of astrocytes in brainstem respiratory regions. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24472. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24472>

Shall, M. S., Dimitrova, D. M., & Goldberg, S. J. (2003). Extraocular motor unit and whole-muscle contractile properties in the squirrel monkey. *Experimental Brain Research*, 151(3), 338-345. doi.

Shambayati, M., Patel, M., Ma, Y., Cunningham, R. L., & Schreihofner, D. A. (2014). Central inflammatory response to experimental stroke is inhibited by a neuroprotective dose of dietary soy. *Brain Research*, 0. doi: <http://dx.doi.org/10.1016/j.brainres.2014.09.042>. <http://www.sciencedirect.com/science/article/pii/S0006899314012645>

Shang, Y., Doan, C. N., Arnold, T. D., Lee, S., Tang, A. A., Reichardt, L. F., & Huang, E. J. (2013). Transcriptional Corepressors HIPK1 and HIPK2 Control Angiogenesis Via TGF- $\beta$ -TAK1-Dependent Mechanism. *PLoS Biology*, 11(4). doi.

Shang, Y., & Huang, E. J. (2016). Mechanisms of FUS mutations in familial amyotrophic lateral sclerosis. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.03.036>. <http://www.sciencedirect.com/science/article/pii/S0006899316301652>

Shansky, R. M., Hamo, C., Hof, P. R., Lou, W., McEwen, B. S., & Morrison, J. H. (2010). Estrogen Promotes Stress Sensitivity in a Prefrontal Cortex-Amygdala Pathway. *Cerebral Cortex*, 20(11), 2560-2567. doi: 10.1093/cercor/bhq003. <http://cercor.oxfordjournals.org/content/20/11/2560.abstract>

Shansky, R. M., Hamo, C., Hof, P. R., McEwen, B. S., & Morrison, J. H. (2009). Stress-Induced Dendritic Remodeling in the Prefrontal Cortex is Circuit Specific. *Cerebral Cortex*, bhp003. doi:

10.1093/cercor/bhp003. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp003v1>

Shao, H., Li, T., Zhu, R., Xu, X., Yu, J., Chen, S., . . . He, L. (2018). Carbon nanotube multilayered nanocomposites as multifunctional substrates for actuating neuronal differentiation and functions of neural stem cells. *Biomaterials*, 175, 93-109.

doi: <https://doi.org/10.1016/j.biomaterials.2018.05.028>. <http://www.sciencedirect.com/science/article/pii/S0142961218303715>

Shao, Z., Puche, A. C., Kiyokage, E., Szabo, G., & Shipley, M. T. (2009). Two GABAergic Intraglomerular Circuits Differentially Regulate Tonic and Phasic Presynaptic Inhibition of Olfactory Nerve Terminals. *Journal of Neurophysiology*, 91116.92008. doi:

10.1152/jn.91116.2008. <http://jn.physiology.org/cgi/content/abstract/91116.2008v1>

Shapiro, L. A., Korn, M. J., & Ribak, C. E. (2005). Newly generated dentate granule cells from epileptic rats exhibit elongated hilar basal dendrites that align along GFAP-immunolabeled processes. *Neuroscience*, 136(3), 823-831. doi:

Shapiro, L. A., Upadhyaya, P., & Ribak, C. E. (2007). Spatiotemporal profile of dendritic outgrowth from newly born granule cells in the adult rat dentate gyrus. *Brain Research*, 1149, 30-37. doi:

Shapiro, L. P., Omar, M. H., Koleske, A. J., & Gourley, S. L. (2017). Corticosteroid-induced dendrite loss and behavioral deficiencies can be blocked by activation of Abl2/Arg kinase. *Molecular and Cellular Neuroscience*.

doi: <https://doi.org/10.1016/j.mcn.2017.10.007>. <http://www.sciencedirect.com/science/article/pii/S1044743117303408>

Sharif, H., Alexander, H., Azam, A., & Martin, J. H. (2021). Dual motor cortex and spinal cord neuromodulation improves rehabilitation efficacy and restores skilled locomotor function in a rat cervical contusion injury model. *Experimental Neurology*, 113715.

doi: <https://doi.org/10.1016/j.expneurol.2021.113715>. <https://www.sciencedirect.com/science/article/pii/S0014488621001217>

Shariff, M., Klenowski, P., Morgan, M., Patkar, O., Mu, E., Bellingham, M., . . . Bartlett, S. E. (2017). Binge-like sucrose consumption reduces the dendritic length and complexity of principal neurons in the adolescent rat basolateral amygdala. *PLoS ONE*, 12(8), e0183063.

doi: 10.1371/journal.pone.0183063. <https://doi.org/10.1371/journal.pone.0183063>

Sharko, A. C., Fadel, J. R., Kaigler, K. F., & Wilson, M. A. (2016). Activation of orexin/hypocretin neurons is associated with individual differences in cued fear extinction. *Physiology and Behavior*.

doi: <http://dx.doi.org/10.1016/j.physbeh.2016.10.008>. <http://www.sciencedirect.com/science/article/pii/S0031938416306631>

Sharko, A. C., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2012). Individual Differences in Voluntary Ethanol Consumption Lead to Differential Activation of the Central Amygdala in

Rats: Relationship to the Anxiolytic and Stimulant Effects of Low Dose Ethanol. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/j.1530-0277.2012.01907.x. <http://dx.doi.org/10.1111/j.1530-0277.2012.01907.x>

Sharko, A. C., Kaigler, K. F., Fadel, J. R., & Wilson, M. A. (2015). Ethanol-induced anxiolysis and neuronal activation in the amygdala and bed nucleus of the stria terminalis. *Alcohol*. doi: <http://dx.doi.org/10.1016/j.alcohol.2015.11.001>. <http://www.sciencedirect.com/science/article/pii/S0741832915300069>

Sharma, K. K., Kelly, E. A., Pfeifer, C. W., & Fudge, J. L. (2019). Translating Fear Circuitry: Amygdala Projections to Subgenual and Perigenual Anterior Cingulate in the Macaque. *Cerebral Cortex*. doi: 10.1093/cercor/bhz106. <https://doi.org/10.1093/cercor/bhz106>

Shaughnessy, D. W., Hyson, R. L., Bertram, R., Wu, W., & Johnson, F. (2018). Female zebra finches do not sing yet share neural pathways necessary for singing in males. *Journal of Comparative Neurology*, 0(ja). doi: doi:10.1002/cne.24569. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24569>

Shaw, B. K., & Kennedy, G. G. (2002). Evidence for species differences in the pattern of androgen receptor distribution in relation to species differences in an androgen-dependent behavior. *Journal of Neurobiology*, 52(3), 203-220. doi.

She, W. C., Quairiaux, C., Albright, M. J., Wang, Y. C., Sanchez, D. E., Chang, P. S., . . . Lu, H. C. (2009). Roles of mGluR5 in synaptic function and plasticity of the mouse thalamocortical pathway. *European Journal of Neuroscience*, 29(7), 1379-1396. doi.

Shefner, J. M., Reaume, A. G., Flood, D. G., Scott, R. W., Kowall, N. W., Ferrante, R. J., . . . Brown, R. H., Jr. (1999). Mice lacking cytosolic copper/zinc superoxide dismutase display a distinctive motor axonopathy. *Neurology*, 53(6), 1239-. doi. <http://www.neurology.org/cgi/content/abstract/53/6/1239>

Shehab, S., McGonigle, D., Hughes, D. I., Todd, A. J., & Redgrave, P. (2005). Anatomical evidence for an anticonvulsant relay in the rat ventromedial medulla. *European Journal of Neuroscience*, 22(6), 1431-1444. doi: doi:10.1111/j.1460-9568.2005.04326.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04326.x>

Shehab, S. A. S., & Hughes, D. I. (2011). Simultaneous identification of unmyelinated and myelinated primary somatic afferents by co-injection of isolectin B4 and Cholera toxin subunit B into the sciatic nerve of the rat. *Journal of Neuroscience Methods*. doi.

Sheikh, A., Meng, X., Liu, J., Mikhailova, A., Kao, J. P. Y., McQuillen, P. S., & Kanold, P. O. (2018). Neonatal Hypoxia-Ischemia Causes Functional Circuit Changes in Subplate Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhx358. <http://dx.doi.org/10.1093/cercor/bhx358>

Shen, M., Guo, Y., Dong, Q., Gao, Y., Stockton, M. E., Li, M., . . . Zhao, X. (2021). FXR1 regulation of parvalbumin interneurons in the prefrontal cortex is critical for schizophrenia-like behaviors. *Molecular Psychiatry*. doi: 10.1038/s41380-021-01096-z. <https://doi.org/10.1038/s41380-021-01096-z>



Shen, M., Wang, F., Li, M., Sah, N., Stockton, M. E., Tidei, J. J., . . . Zhao, X. (2019). Reduced mitochondrial fusion and Huntingtin levels contribute to impaired dendritic maturation and behavioral deficits in Fmr1-mutant mice. *Nature Neuroscience*, 22(3), 386-400. doi: 10.1038/s41593-019-0338-y. <https://doi.org/10.1038/s41593-019-0338-y>

Shen, P. C., Xu, D. F., Liu, J. W., Li, K., Lin, M., Wang, H. T., . . . Zheng, J. (2011). TC10 $\beta$ /CDC42 GTPase activating protein is required for the growth of cortical neuron dendrites. *Neuroscience*. doi.

Sheng, J., Mrak, R., & Griffin, W. (1997). Neuritic plaque evolution in Alzheimer's disease is accompanied by transition of activated microglia from primed to enlarged to phagocytic forms. *Acta Neuropathol*, 94, 1 - 5. doi.

Shepherd, D. (2016). Examining the effects of anti-Nogo-A immunotherapy on post-stroke neurogenesis in the adult rat. Loyola University Chicago.

Shepherd, G. M. G., & Svoboda, K. (2005). Laminar and Columnar Organization of Ascending Excitatory Projections to Layer 2/3 Pyramidal Neurons in Rat Barrel Cortex. *Journal of Neuroscience*, 25(24), 5670-5679. doi. <http://www.jneurosci.org/cgi/content/abstract/25/24/5670>

Sheppard, K. M., Padmanabhan, V., Coolen, L. M., & Lehman, M. N. (2011). Prenatal Programming by Testosterone of Hypothalamic Metabolic Control Neurones in the Ewe. *Journal of Neuroendocrinology*, 23(5), 401-411. doi: 10.1111/j.1365-2826.2011.02126.x. <http://dx.doi.org/10.1111/j.1365-2826.2011.02126.x>

Sheppert, A. D., Spirou, G. A., Berrebi, A. S., & Garnett, J. D. (2003). Three-dimensional reconstruction of immunolabeled neuromuscular junctions in the human thyroarytenoid muscle. *The Laryngoscope*, 113(11), 1973-1976. doi: 10.1097/00005537-200311000-00022. <http://dx.doi.org/10.1097/00005537-200311000-00022>

Sherwood, C. C., Stimpson, C. D., Butti, C., Bonar, C. J., Newton, A. L., Allman, J. M., & Hof, P. R. (2009). Neocortical neuron types in Xenarthra and Afrotheria: implications for brain evolution in mammals. *Brain Structure and Function*, 213(3), 301-328. doi.

Sheth, R. N., Manzano, G., Li, X., & Levi, A. D. (2008). Transplantation of human bone marrow-derived stromal cells into the contused spinal cord of nude rats. *Journal of Neurosurgery: Spine*, 8(2), 153-162. doi.

Shetty, A. K. (2002). Entorhinal axons exhibit sprouting in CA1 subfield of the adult hippocampus in a rat model of temporal lobe epilepsy. *Hippocampus*, 12(4), 534-542. doi.

Shetty, A. K., Rapoza, D., Madison, R. D., & Turner, D. A. (1995). Selective laser-activated lesioning of prelabeled fetal hippocampal grafts by intracellular photolytic chromophore. *Neuroscience*, 69(2), 407-416. doi.

Shetty, A. K., & Turner, D. A. (1995). Enhanced cell survival in fetal hippocampal suspension transplants grafted to adult rat hippocampus following kainate lesions: a three-dimensional graft reconstruction study. *Neuroscience*, 67(3), 561-582. doi.

Shetty, A. K., & Turner, D. A. (1995). Intracerebroventricular kainic acid administration in adult rat alters hippocampal calbindin and non-phosphorylated neurofilament expression. *Journal of Comparative Neurology*, 363(4), 581-599. doi.

Shetty, A. K., & Turner, D. A. (1995). Non-phosphorylated neurofilament protein immunoreactivity in adult and developing rat hippocampus: specificity and application in grafting studies. *Brain Research*, 676(2), 293-306. doi.

Shetty, A. K., & Turner, D. A. (1996). Development of fetal hippocampal grafts in intact and lesioned hippocampus. *Progress in Neurobiology*, 50(5-6), 597-653. doi.

Shetty, A. K., & Turner, D. A. (2000). Fetal Hippocampal Grafts Containing CA3 Cells Restore Host Hippocampal Glutamate Decarboxylase-Positive Interneuron Numbers in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 20(23), 8788-8801. doi. <http://www.jneurosci.org/cgi/content/abstract/20/23/8788>

Shetty, A. K., Zaman, V., & Hattiangady, B. (2005). Repair of the Injured Adult Hippocampus through Graft-Mediated Modulation of the Plasticity of the Dentate Gyrus in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 25(37), 8391-8401. doi. <http://www.jneurosci.org/cgi/content/abstract/25/37/8391>

Shi, E., Shi, K., Qiu, S., Sheth, K. N., Lawton, M. T., & Ducruet, A. F. (2019). Chronic inflammation, cognitive impairment, and distal brain region alteration following intracerebral hemorrhage. *The FASEB journal*, 0(0), fj.201900257R. doi: 10.1096/fj.201900257R. <https://www.fasebj.org/doi/abs/10.1096/fj.201900257R>

Shi, F., Zhu, H., Yang, S., Liu, Y., Feng, Y., Shi, J., . . . others. (2009). Glial response and myelin clearance in areas of wallerian degeneration after spinal cord hemisection in the monkey *Macaca fascicularis*. *Journal of Neurotrauma*, 26(11), 2083-2096. doi.

Shi, L., Pang, H., Linville, M. C., Bartley, A. N., Argenta, A. E., & Brunso-Bechtold, J. K. (2006). Maintenance of inhibitory interneurons and boutons in sensorimotor cortex between middle and old age in Fischer 344 X Brown Norway rats. *Journal of Chemical Neuroanatomy*, 32(1), 46-53. doi.

Shi, M., Bradner, J., Bammler, T. K., Eaton, D. L., Zhang, J. P., Ye, Z. C., . . . Zhang, J. (2009). Identification of Glutathione*S*-Transferase Pi as a Protein Involved in Parkinson Disease Progression. *American Journal of Pathology*, 175(1), 54-65. doi.

Shi, W., Xianyu, A., Han, Z., Tang, X., Li, Z., Zhong, H., . . . Shi, S.-H. (2017). Ontogenetic establishment of order-specific nuclear organization in the mammalian thalamus. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4519

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4519.html#suppl.....> <http://dx.doi.org/10.1038/nn.4519>

Shi, Y., Abe, C., Holloway, B. B., Shu, S., Kumar, N. N., Weaver, J. L., . . . Guyenet, P. G. (2016). Nalcn Is a "Leak" Sodium Channel That Regulates Excitability of Brainstem Chemosensory

Neurons and Breathing. *The Journal of Neuroscience*, 36(31), 8174-8187. doi: <http://www.jneurosci.org/content/36/31/8174.short>

Shi, Y., Stornetta, D. S., Reklow, R. J., Sahu, A., Wabara, Y., Nguyen, A., . . . Bayliss, D. A. (2020). A brainstem peptide system activated at birth protects postnatal breathing. *Nature*. doi: 10.1038/s41586-020-2991-4. <https://doi.org/10.1038/s41586-020-2991-4>

Shibata, H., & Yukie, M. (2003). Differential thalamic connections of the posteroventral and dorsal posterior cingulate gyrus in the monkey. *European Journal of Neuroscience*, 18(6), 1615-1626. doi: doi:10.1046/j.1460-9568.2003.02868.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02868.x>

Shibusawa, N., Hashimoto, K., Nikrodhanond, A. A., Liberman, M. C., Applebury, M. L., Liao, X. H., . . . Wondisford, F. E. (2003). Thyroid hormone action in the absence of thyroid hormone receptor DNA-binding in vivo. *Journal of Clinical Investigation*, 112(4), 588-597. doi: 10.1172/jci200318377. <http://www.jci.org/cgi/content/abstract/112/4/588>

Shibuta, K., Suzuki, I., Shinoda, M., Tsuboi, Y., Honda, K., Shimizu, N., . . . Iwata, K. (2012). Organization of hyperactive microglial cells in trigeminal spinal subnucleus caudalis and upper cervical spinal cord associated with orofacial neuropathic pain. *Brain Research*, (0). doi: 10.1016/j.brainres.2012.02.023. <http://www.sciencedirect.com/science/article/pii/S0006899312003009>

Shields, C. B., Zhang, Y. P., Shields, L. B. E., Han, Y., Burke, D. A., & Mayer, N. W. (2005). The therapeutic window for spinal cord decompression in a rat spinal cord injury model. *Journal of Neurosurgery: Spine*, 3(4), 302-307. doi.

Shields, L. B. E., Zhang, Y. P., Burke, D. A., Gray, R., & Shields, C. B. (2008). Benefit of chondroitinase ABC on sensory axon regeneration in a laceration model of spinal cord injury in the rat. *Surgical Neurology*, 69(6), 568-577. doi.

Shigematsu, N., Nishi, A., & Fukuda, T. (2018). Gap Junctions Interconnect Different Subtypes of Parvalbumin-Positive Interneurons in Barrels and Septa with Connectivity Unique to Each Subtype. *Cerebral Cortex*. doi: 10.1093/cercor/bhy038. <http://dx.doi.org/10.1093/cercor/bhy038>

Shigematsu, N., Ueta, Y., Mohamed, A. A., Hatada, S., Fukuda, T., Kubota, Y., & Kawaguchi, Y. (2015). Selective Thalamic Innervation of Rat Frontal Cortical Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhv124. <http://cercor.oxfordjournals.org/content/early/2015/06/03/cercor.bhv124...>

Shih, C.-H., Chen, H.-Y., Lee, H.-C., & Tsai, H.-J. (2015). Purple Chromoprotein Gene Serves as a New Selection Marker for Transgenesis of the Microalga *Nannochloropsis oculata*. *PLoS one*, 10(3), e0120780. doi: 10.1371/journal.pone.0120780. <http://dx.doi.org/10.1371%2Fjournal.pone.0120780>

Shih, T.-W., Lee, L.-J., Chang, H.-C., Lin, H.-W., & Chang, M.-S. (2020). An important role of PHRF1 in dendritic architecture and memory formation by modulating TGF- $\beta$  signaling.

Scientific Reports, 10(1), 10857. doi: 10.1038/s41598-020-67675-2. <https://doi.org/10.1038/s41598-020-67675-2>

Shijo, K., Katayama, Y., Yamashita, A., Kobayashi, K., Oshima, H., Fukaya, C., & Yamamoto, T. (2008). c-Fos Expression After Chronic Electrical Stimulation of Sensorimotor Cortex in Rats. *Neuromodulation: Technology at the Neural Interface*, 11(3), 187-195. doi.

Shimizu, K., Matsumoto, K., Noma, N., Matsuura, S., Ohara, K., Komiya, H., . . . Iwata, K. (2014). Involvement of Trigeminal Transition Zone and Laminated Subnucleus Caudalis in Masseter Muscle Hypersensitivity Associated with Tooth Inflammation. *PLoS ONE*, 9(10), e109168. doi: 10.1371/journal.pone.0109168. <http://dx.doi.org/10.1371%2Fjournal.pone.0109168>

Shin, D. M., Korada, S., Raballo, R., Shashikant, C. S., Simeone, A., Taylor, J. R., & Vaccarino, F. (2004). Loss of Glutamatergic Pyramidal Neurons in Frontal and Temporal Cortex Resulting from Attenuation of FGFR1 Signaling Is Associated with Spontaneous Hyperactivity in Mice. *Journal of Neuroscience*, 24(9), 2247-2258. doi: 10.1523/jneurosci.5285-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/9/2247>

Shin, E. J., Ko, K. H., Kim, W. K., Chae, J. S., Yen, T. P. H., Kim, H. J., . . . Kim, H. C. (2008). Role of glutathione peroxidase in the ontogeny of hippocampal oxidative stress and kainate seizure sensitivity in the genetically epilepsy-prone rats. *Neurochemistry International*, 52(6), 1134-1147. doi.

Shin, E. J., Nabeshima, T., Suh, H. W., Jhoo, W. K., Oh, K. W., Lim, Y. K., . . . Kim, H. C. (2005). Ginsenosides attenuate methamphetamine-induced behavioral side effects in mice via activation of adenosine A<sub>2A</sub> receptors: possible involvements of the striatal reduction in AP-1 DNA binding activity and proenkephalin gene expression. *Behavioural Brain Research*, 158(1), 143-157. doi.

Shin, E. J., Oh, K. W., Kim, K. W., Kwon, Y. S., Jhoo, J. H., Jhoo, W. K., . . . Kim, H. C. (2004). Attenuation of cocaine-induced conditioned place preference by *Polygala tenuifolia* root extract. *Life Sciences*, 75(23), 2751-2764. doi.

Shin, E. J., Suh, S. K., Lim, Y. K., Jhoo, W. K., Hjelle, O. P., Ottersen, O. P., . . . others. (2005). Ascorbate attenuates trimethyltin-induced oxidative burden and neuronal degeneration in the rat hippocampus by maintaining glutathione homeostasis. *Neuroscience*, 133(3), 715-727. doi.

Shin, E.-J., Jhoo, J. H., Kim, W.-K., Jhoo, W. K., Lee, C., Jung, B. D., & Kim, H.-C. (2004). Protection Against Kainate Neurotoxicity By Pyrrolidine Dithiocarbamate. *Clinical and Experimental Pharmacology and Physiology*, 31(5-6), 320-326. doi: doi:10.1111/j.1440-1681.2004.03990.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1440-1681.2004.03990.x>

Shin, R., & Ikemoto, S. (2010). Administration of the GABA<sub>A</sub> receptor antagonist picrotoxin into rat supramammillary nucleus induces c-Fos in reward-related brain structures. *Supramammillary picrotoxin and c-Fos expression*. *BMC Neuroscience*, 11(1), 101. doi. <http://www.biomedcentral.com/1471-2202/11/101>

- Shinder, V., Govrin-Lippmann, R., Cohen, S., Belenky, M., Ilin, P., Fried, K., . . . Devor, M. (1999). Structural basis of sympathetic-sensory coupling in rat and human dorsal root ganglia following peripheral nerve injury. *Journal of Neurocytology*, 28(9), 743-761. doi.
- Shinoda, M., Honda, T., Ozaki, N., Hattori, H., Mizutani, H., Ueda, M., & Sugiura, Y. (2003). Nerve terminals extend into the temporomandibular joint of adjuvant arthritic rats. *European Journal of Pain*, 7(6), 493-505. doi.
- Shinoda, M., Kawashima, K., Ozaki, N., Asai, H., Nagamine, K., & Sugiura, Y. (2007). P2X<sub>3</sub> receptor mediates heat hyperalgesia in a rat model of trigeminal neuropathic pain. *Journal of Pain*, 8(7), 588-597. doi.
- Shinoda, M., Kawashima, K., Ozaki, N., Asai, H., Nagamine, K., & Sugiura, Y. (2007). P2X<sub>3</sub> Receptor Mediates Heat Hyperalgesia in a Rat Model of Trigeminal Neuropathic Pain. *Journal of Pain*, 8(7), 588-597. doi.
- Shinoda, M., Ogino, A., Ozaki, N., Urano, H., Hironaka, K., Yasui, M., & Sugiura, Y. (2008). Involvement of TRPV1 in nociceptive behavior in a rat model of cancer pain. *Journal of Pain*, 9(8), 687-699. doi.
- Shinoda, M., Ozaki, N., Asai, H., Nagamine, K., & Sugiura, Y. (2005). Changes in P2X<sub>3</sub> receptor expression in the trigeminal ganglion following monoarthritis of the temporomandibular joint in rats. *Pain*, 116(1), 42-51. doi.
- Shinohara, M., Zhu, Y., & Murakami, F. (2013). Four-dimensional analysis of nucleogenesis of the pontine nucleus in the hindbrain. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23353. <http://dx.doi.org/10.1002/cne.23353>
- Shirai, Y., Kouzuki, T., Kakefuda, K., Moriguchi, S., Oyagi, A., Horie, K., . . . others. (2010). Essential role of neuron-enriched diacylglycerol kinase (DGK), DGK $\beta$  in neurite spine formation, contributing to cognitive function. *PLoS ONE*, 5(7), e11602-e11602. doi.
- Shirai, Y., & Saito, N. (2012). Diacylglycerol Kinase (DGK) as a Regulator of PKC. *Neuromethods*, 68(2), 259-271. doi.
- Shirley, T. L., Lewers, J. C., Egami, K., Majumdar, A., Kelly, M., Ceballos-Picot, I., . . . Jinnah, H. A. (2007). A human neuronal tissue culture model for Lesch-Nyhan disease. *Journal of Neurochemistry*, 101(3), 841-853. doi: doi:10.1111/j.1471-4159.2007.04472.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04472.x>
- Shishido, K., Shishido, T., Kato, K., Watanabe, Y., Ono, M., Kobayashi, M., . . . Niwa, S. I. (2000). Neurotoxic effect of high dose methamphetamine administration on the hippocampal formation of adult mice: morphometric study using image analyzer. *Neuroreport*, 11(9), 1973-1973. doi.
- Shivalkar, M., & Giniger, E. (2012). Control of Dendritic Morphogenesis by Trio in *Drosophila melanogaster*. *PLoS ONE*, 7(3), e33737. doi: 10.1371/journal.pone.0033737. <http://dx.doi.org/10.1371/journal.pone.0033737>

Shmelkov, S. V., Hormigo, A., Jing, D., Proenca, C. C., Bath, K. G., Milde, T., . . . others. (2010). Slitrk5 deficiency impairs corticostriatal circuitry and leads to obsessive-compulsive-like behaviors in mice. *Nature Medicine*, 16(5), 598-602. doi.

Shneider, N. A., Brown, M. N., Smith, C. A., Pickel, J., & Alvarez, F. J. (2009). Gamma motor neurons express distinct genetic markers at birth and require muscle spindle-derived GDNF for postnatal survival. *Neural Development*, 4, 42-42. doi.

Shook, B. A., Lenington, J. B., Acabchuk, R. L., Halling, M., Sun, Y., Peters, J., . . . Conover, J. C. (2013). Ventriculomegaly associated with ependymal gliosis and declines in barrier integrity in the aging human and mouse brain. *Aging Cell*, n/a-n/a. doi: 10.1111/accel.12184. <http://dx.doi.org/10.1111/accel.12184>

Shoener, C., Hallum, L. E., Kumbhani, R. D., Ziemba, C. M., Garcia-Marin, V., Kelly, J. G., . . . Kiorpes, L. (2015). Population representation of visual information in areas V1 and V2 of amblyopic macaques. *Vision Research*, (0). doi: <http://dx.doi.org/10.1016/j.visres.2015.01.012>. <http://www.sciencedirect.com/science/article/pii/S0042698915000280>

Shrestha, B. R., & Grueber, W. B. (2011). Methods for exploring the genetic control of sensory neuron dendrite morphogenesis in *Drosophila*. *Cold Spring Harbor Protocols*, 2011(8), pdb-top123-pdb-top123. doi.

Shrestha, S. S., Anne Bannatyne, B., Jankowska, E., Hammar, I., Nilsson, E., & Maxwell, D. J. (2012). Inhibitory inputs to four types of spinocerebellar tract neurons in the cat spinal cord. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.09.015. <http://www.sciencedirect.com/science/article/pii/S0306452212009189?v=s5>

Shrestha, S. S., Bannatyne, B. A., Jankowska, E., Hammar, I., Nilsson, E., & Maxwell, D. J. (2012). Excitatory inputs to four types of spinocerebellar tract neurons in the cat and the rat thoraco-lumbar spinal cord. *Journal of Physiology*. doi.

Shu, S., Zhang, Z., Spicer, D., Kulikowicz, E., Hu, K., Babapoor-Farrokhran, S., . . . Robertson, C. L. (2019). Administration of a 20-Hydroxyeicosatetraenoic Acid Synthesis Inhibitor Improves Outcome in a Rat Model of Pediatric Traumatic Brain Injury. *Developmental Neuroscience*. doi: 10.1159/000500895. <https://www.karger.com/DOI/10.1159/000500895>

Shu, Y. (2008). Recurrent Cortical Network Activity and Modulation of Synaptic Transmission. *Seizure Prediction in Epilepsy*, 83-95. doi.

Shuler, M. G., Krimm, R. F., & Hill, D. L. (2004). Neuron/target plasticity in the peripheral gustatory system. *Journal of Comparative Neurology*, 472(2), 183-192. doi.

Shyam, S., & F, S. C. (2018). The distributed circuit within the piriform cortex makes odor discrimination robust. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24492. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24492>



- Si, X., Zakir, M. M., & Dickman, J. D. (2003). Afferent Innervation of the Utricular Macula in Pigeons. *Journal of Neurophysiology*, 89(3), 1660-1677. doi: 10.1152/jn.00690.2002. <http://jn.physiology.org/cgi/content/abstract/89/3/1660>
- Siddiqi, F., Chen, F., Aron, A. W., Fiondella, C. G., Patel, K., & LoTurco, J. J. (2012). Fate Mapping by PiggyBac Transposase Reveals That Neocortical GLAST+ Progenitors Generate More Astrocytes Than Nestin+ Progenitors in Rat Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhs332. <http://cercor.oxfordjournals.org/content/early/2012/10/31/cercor.bhs332....>
- Sidiropoulou, K., Lu, F. M., Fowler, M. A., Xiao, R., Phillips, C., Ozkan, E. D., . . . Cooper, D. C. (2009). Dopamine modulates an mGluR5-mediated depolarization underlying prefrontal persistent activity. *Nature Neuroscience*, 12(2), 190-199. doi.
- Siegel, J. M., Nienhuis, R., Gulyani, S., Ouyang, S., Wu, M. F., Mignot, E., . . . Cornford, M. (1999). Neuronal Degeneration in Canine Narcolepsy. *Journal of Neuroscience*, 19(1), 248-257. doi. <http://www.jneurosci.org/cgi/content/abstract/19/1/248>
- Siembab, V. C., Gomez-Perez, L., Rotterman, T. M., Shneider, N. A., & Alvarez, F. J. (2015). Role of primary afferents in the developmental regulation of motor axon synapse numbers on Renshaw cells. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23946. <http://dx.doi.org/10.1002/cne.23946>
- Siembab, V. C., Smith, C. A., Zagoraiou, L., Berrocal, M. C., Mentis, G. Z., & Alvarez, F. J. (2010). Target selection of proprioceptive and motor axon synapses on neonatal V1-derived Ia inhibitory interneurons and Renshaw cells. *Journal of Comparative Neurology*, 518(23), 4675-4701. doi.
- Sierra, A., Encinas, J., Deudero, J., Chancey, J., Enikolopov, G., Overstreet-Wadiche, L., . . . Maletic-Savatic, M. (2010). Microglia shape adult hippocampal neurogenesis through apoptosis-coupled phagocytosis. *Cell Stem Cell*, 7, 483 - 495. doi.
- Sieveritz, B., & Arbuthnott, G. W. (2020). Prelimbic cortical targets of ventromedial thalamic projections include inhibitory interneurons and corticostriatal pyramidal neurons in the rat. *Brain Structure and Function*. doi: 10.1007/s00429-020-02109-3. <https://doi.org/10.1007/s00429-020-02109-3>
- Siewiorek, G. M., Eskandari, M. K., & Finol, E. A. (2008). The Angioguard™ embolic protection device. *Expert review of medical devices*, 5(3), 287-287. doi.
- Siewiorek, G. M., Wholey, M. H., & Finol, E. A. (2008). Vascular resistance in the carotid artery: an in vitro investigation of embolic protection filters. *Journal of Vascular and Interventional Radiology*, 19(10), 1467-1476. doi.
- Sík, A. (2006). Merging structure and function: Combination of In vivo extracellular and intracellular electrophysiological recordings with neuroanatomical techniques. *Neuroanatomical Tract-Tracing* 3, 175-196. doi.

Silberberg, G., & Markram, H. (2007). Disynaptic inhibition between neocortical pyramidal cells mediated by Martinotti cells. *Neuron*, 53(5), 735-746. doi.

Silva, J. M., Rodrigues, S., Sampaio-Marques, B., Gomes, P., Neves-Carvalho, A., Dioli, C., . . . Sotiropoulos, I. (2018). Dysregulation of autophagy and stress granule-related proteins in stress-driven Tau pathology. *Cell Death and Differentiation*. doi: 10.1038/s41418-018-0217-1. <https://doi.org/10.1038/s41418-018-0217-1>

Sim, S., Antolin, S., Lin, C.-W., Lin, Y.-X., & Lois, C. (2013). Increased Cell-Intrinsic Excitability Induces Synaptic Changes in New Neurons in the Adult Dentate Gyrus That Require Npas4. *Journal of Neuroscience*, 33(18), 7928-7940. doi: 10.1523/jneurosci.1571-12.2013. <http://www.jneurosci.org/content/33/18/7928.abstract>

Simard, A. R., & Rivest, S. (2007). Neuroprotective effects of resident microglia following acute brain injury. *Journal of Comparative Neurology*, 504(6), 716-729. doi.

Simmons, D. A., Belichenko, N. P., Yang, T., Condon, C., Monbureau, M., Shamloo, M., . . . Longo, F. M. (2013). A Small Molecule TrkB Ligand Reduces Motor Impairment and Neuropathology in R6/2 and BACHD Mouse Models of Huntington's Disease. *Journal of Neuroscience*, 33(48), 18712-18727. doi. <http://www.jneurosci.org/content/33/48/18712.short>

Simmons, D. A., Knowles, J. K., Belichenko, N. P., Banerjee, G., Finkle, C., Massa, S. M., & Longo, F. M. (2014). A Small Molecule p75<sup>NTR</sup> Ligand, LM11A-31, Reverses Cholinergic Neurite Dystrophy in Alzheimer's Disease Mouse Models with Mid- to Late-Stage Disease Progression. *PLoS ONE*, 9(8), e102136. doi: 10.1371/journal.pone.0102136. <http://dx.doi.org/10.1371%2Fjournal.pone.0102136>

Simmons, D. A., Lartey, F. M., Schüler, E., Rafat, M., King, G., Kim, A., . . . Loo, B. W. (2019). Reduced cognitive deficits after FLASH irradiation of whole mouse brain are associated with less hippocampal dendritic spine loss and neuroinflammation. *Radiotherapy and Oncology*. doi: <https://doi.org/10.1016/j.radonc.2019.06.006>. <http://www.sciencedirect.com/science/article/pii/S0167814019329421>

Simmons, D. A., Mehta, R. A., Lauterborn, J. C., Gall, C. M., & Lynch, G. (2011). Brief ampakine treatments slow the progression of Huntington's disease phenotypes in R6/2 mice. *Neurobiology of Disease*, 41(2), 436-444. doi.

Simões, A. P., Silva, C. G., Marques, J. M., Pochmann, D., Porciúncula, L. O., Ferreira, S., . . . Rodrigues, R. J. (2018). Glutamate-induced and NMDA receptor-mediated neurodegeneration entails P2Y1 receptor activation. *Cell Death & Disease*, 9(3), 297. doi: 10.1038/s41419-018-0351-1. <https://doi.org/10.1038/s41419-018-0351-1>

Simões, C. S., Vianney, P. V. R., De Moura, M. M., Freire, M. A. M., Mello, L. E., Sameshima, K., . . . Ribeiro, S. (2010). Activation of frontal neocortical areas by vocal production in marmosets. *Frontiers In Integrative Neuroscience*, 4. doi.

Simon, A., Olah, S., Molnar, G., Szabadics, J., & Tamas, G. (2005). Gap-Junctional Coupling between Neurogliaform Cells and Various Interneuron Types in the Neocortex. *Journal of*

Neuroscience, 25(27), 6278-6285.

doi: <http://www.jneurosci.org/cgi/content/abstract/25/27/6278>

Simon, Christian M., Janas, Anna M., Lotti, F., Tapia, Juan C., Pellizzoni, L., & Mentis, George Z. (2016). A Stem Cell Model of the Motor Circuit Uncouples Motor Neuron Death from Hyperexcitability Induced by SMN Deficiency. *Cell Reports*. doi: 10.1016/j.celrep.2016.06.087. <http://dx.doi.org/10.1016/j.celrep.2016.06.087>

Simone, D. A., Nolano, M., Johnson, T., Wendelschafer-Crabb, G., & Kennedy, W. R. (1998). Intradermal Injection of Capsaicin in Humans Produces Degeneration and Subsequent Reinnervation of Epidermal Nerve Fibers: Correlation with Sensory Function. *Journal of Neuroscience*, 18(21), 8947-8959. doi: <http://www.jneurosci.org/cgi/content/abstract/18/21/8947>

Simonetti, T., Lee, H., Bourke, M., Leamey, C. A., & Sawatari, A. (2009). Enrichment from birth accelerates the functional and cellular development of a motor control area in the mouse. *PLoS ONE*, 4(8), e6780-e6780. doi: <https://doi.org/10.1371/journal.pone.0067800>

Simonnet, J., Eugène, E., Cohen, I., Miles, R., & Fricker, D. (2012). Cellular neuroanatomy of rat presubiculum. *European Journal of Neuroscience*, n/a-n/a. doi: 10.1111/ejn.12065. <http://dx.doi.org/10.1111/ejn.12065>

Simpson, J., & Keefe, J. (2012). Differential effects of RET and TRKB on axonal branching and survival of parasympathetic neurons. *Developmental Neurobiology*. doi: <https://doi.org/10.1002/dvdy.22501>

Simpson, J. I., Hulscher, H. C., Sabel-Goedknecht, E., & Ruigrok, T. J. H. (2005). Between in and out: linking morphology and physiology of cerebellar cortical interneurons. *Progress in Brain Research*, 148, 329-340. doi: <https://doi.org/10.1016/j.pbr.2005.08.001>

Sims-Lucas, S. (2012). Analysis of 3D Branching Pattern: Hematoxylin and Eosin Method. *Methods in Molecular Biology*, 886, 73. doi: [https://doi.org/10.1007/978-1-62703-225-0\\_4](https://doi.org/10.1007/978-1-62703-225-0_4)

Sims-Lucas, S., Argyropoulos, C., Kish, K., McHugh, K., Bertram, J. F., Quigley, R., & Bates, C. M. (2009). Three-dimensional imaging reveals ureteric and mesenchymal defects in Fgfr2-mutant kidneys. *Journal of the American Society of Nephrology*, 20(12), 2525-2533. doi: <https://doi.org/10.1681/ASN.2009030387>

Sims-Lucas, S., Cusack, B., Baust, J., Eswarakumar, V. P., Masatoshi, H., Takeuchi, A., & Bates, C. M. (2011). Fgfr1 and the IIIc isoform of Fgfr2 play critical roles in the metanephric mesenchyme mediating early inductive events in kidney development. *Developmental Dynamics*, 240(1), 240-249. doi: 10.1002/dvdy.22501. <http://dx.doi.org/10.1002/dvdy.22501>

Sims-Lucas, S., Cusack, B., Eswarakumar, V. P., Zhang, J., Wang, F., & Bates, C. M. (2011). Independent roles of Fgfr2 and Frs2α in ureteric epithelium. *Development*, 138(7), 1275-1280. doi: 10.1242/dev.062158. <http://dev.biologists.org/content/138/7/1275.abstract>

Sinclair, E. B., Hildebrandt, B. A., Culbert, K. M., Klump, K. L., & Sisk, C. L. (2017). Preliminary evidence of sex differences in behavioral and neural responses to palatable food reward in rats. *Physiology and Behavior*. doi: <https://doi.org/10.1016/j.physbeh.2017.08.011>

doi: <http://doi.org/10.1016/j.physbeh.2017.03.042> <http://www.sciencedirect.com/science/article/pii/S0031938417300045>

Singh, B. K., Vatsa, N., Nelson, V. K., Kumar, V., Kumar, S. S., Mandal, S. C., . . . Jana, N. R. (2018). Azadiradione Restores Protein Quality Control and Ameliorates the Disease Pathogenesis in a Mouse Model of Huntington's Disease. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0853-3. <https://doi.org/10.1007/s12035-017-0853-3>

Singh, K., Lilleväli, K., Gilbert, S. F., Bregin, A., Narvik, J., Jayaram, M., . . . Philips, M.-A. (2018). The combined impact of IgLON family proteins Lsamp and Neurotrimin on developing neurons and behavioral profiles in mouse. *Brain Research Bulletin*, 140, 5-18. doi: <https://doi.org/10.1016/j.brainresbull.2018.03.013>. <http://www.sciencedirect.com/science/article/pii/S0304923017307207>

Singh, S., Metz, I., Amor, S., van der Valk, P., Stadelmann, C., & Bruck, W. (2013). Microglial nodules in early multiple sclerosis white matter are associated with degenerating axons. *Acta Neuropathol*, 125, 595 - 608. doi.

Singh, S. P., LaSarge, C. L., An, A., McAuliffe, J. J., & Danzer, S. C. (2015). Clonal analysis of newborn hippocampal dentate granule cell proliferation and development in temporal lobe epilepsy. [10.1523/ENEURO.0087-15.2015]. *eneuro*. doi. <http://eneuro.org/content/early/2015/12/24/ENEURO.0087-15.2015.abstract>

Singh, S. R., Hileman, S. M., Connors, J. M., McManus, C. J., Coolen, L. M., Lehman, M. N., & Goodman, R. L. (2009). Estradiol negative feedback regulation by glutamatergic afferents to A15 dopaminergic neurons: variation with season. *Endocrinology*, en.2009-0432. doi: 10.1210/en.2009-0432. <http://endo.endojournals.org/cgi/content/abstract/en.2009-0432v1>

Siniscalco, D., Giordano, C., Fuccio, C., Luongo, L., Ferraraccio, F., Rossi, F., . . . Maione, S. (2008). Involvement of subtype 1 metabotropic glutamate receptors in apoptosis and caspase-7 over-expression in spinal cord of neuropathic rats. *Pharmacological Research*, 57(3), 223-233. doi.

Sitko, A. A., Kuwajima, T., & Mason, C. (2018). Eye-specific segregation and differential fasciculation of developing retinal ganglion cell axons in the mouse visual pathway. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24392. <http://dx.doi.org/10.1002/cne.24392>

Sivasankaran, R., Pei, J., Wang, K. C., Zhang, Y. P., Shields, C. B., Xu, X.-M., & He, Z. (2004). PKC mediates inhibitory effects of myelin and chondroitin sulfate proteoglycans on axonal regeneration. *Nature of Neuroscience*, (7), 261-268. doi.

Sivertsen, M. S., Perreault, M.-C., & Glover, J. C. (2015). Pontine reticulospinal projections in the neonatal mouse – internal organization and axon trajectories. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23904. <http://dx.doi.org/10.1002/cne.23904>

Sivukhina, E. V., Morozov, I. E., Dolzhikov, A. A., Jirikowski, G. F., & Grinevich, V. (2010). Comparison of vasopressin and oxytocin expressions in the hypothalamo-neurohypophysial

system of patients with chronic heart failure. *Hormone and Metabolic Research*, 42(1), 56-56. doi.

Sivukhina, E. V., Poskrebysheva, A. S., Smurova, I. V., Dolzhikov, A. A., Morozov, I. E., Jirikowski, G. F., & Grinevich, V. (2009). Altered Hypothalamic-Pituitary-Adrenal Axis Activity in Patients with Chronic Heart Failure. *Hormone and Metabolic Research*, 41(10), 778-778. doi.

Sjöström, P. J., & Häusser, M. (2006). A cooperative switch determines the sign of synaptic plasticity in distal dendrites of neocortical pyramidal neurons. *Neuron*, 51(2), 227-238. doi.

Skinner, F., & Saraga, F. (2010). Single Neuron Models: Interneurons. *Hippocampal Microcircuits*, 399-422. doi.

Skripuletz, T., Schmiedl, A., Schade, J., Bedoui, S., Glaab, T., Pabst, R., . . . Stephan, M. (2007). Dose-dependent recruitment of CD25<sup>+</sup> and CD26<sup>+</sup> T cells in a novel F344 rat model of asthma. *American Journal of Physiology and Lung Cell Molecular Physiology*, 292(6), L1564-1571. doi: 10.1152/ajplung.00273.2006. <http://ajplung.physiology.org/cgi/content/abstract/292/6/L1564>

Slater, B. J., Willis, A. M., & Llano, D. A. (2012). Evidence for Layer-Specific Differences in Auditory Corticocollicular Neurons. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.10.053. <http://www.sciencedirect.com/science/article/pii/S0306452212010779?v=s5>

Slaughter, K., Li, H., & Sokoloff, A. J. (2005). Neuromuscular Organization of the Superior Longitudinalis Muscle in the Human Tongue. *Cells Tissues Organs*, 181(1), 51-64. doi. <http://www.karger.com/DOI/10.1159/000089968>

Slezia, A., Hangya, B., Ulbert, I., & Acsady, L. (2011). Phase Advancement and Nucleus-Specific Timing of Thalamocortical Activity during Slow Cortical Oscillation. *Journal of Neuroscience*, 31(2), 607-617. doi: 10.1523/jneurosci.3375-10.2011. <http://www.jneurosci.org/cgi/content/abstract/31/2/607>

Slézia, A., Hangya, B., Ulbert, I., & Acsády, L. (2011). Phase advancement and nucleus-specific timing of thalamocortical activity during slow cortical oscillation. *Journal of Neuroscience*, 31(2), 607-617. doi.

Smafield, T., Pasupuleti, V., Sharma, K., Hugarir, R., Ye, B., & Zhou, J. (2015). Automatic Dendritic Length Quantification for High Throughput Screening of Mature Neurons. *Neuroinformatics*, 1-16. doi: 10.1007/s12021-015-9267-4. <http://dx.doi.org/10.1007/s12021-015-9267-4>

Smedowski, A., Liu, X., Pietrucha-Dutczak, M., Matuszek, I., Varjosalo, M., & Lewin-Kowalik, J. (2016). Predegenerated Schwann cells—a novel prospect for cell therapy for glaucoma: neuroprotection, neuroregeneration and neuroplasticity. [Article]. *Scientific Reports*, 6, 23187. doi: 10.1038/srep23187

<http://www.nature.com/articles/srep23187#supplementary-information>. <http://dx.doi.org/10.1038/srep23187>

Smedowski, A., Liu, X., Pietrucha-Dutczak, M., Matuszek, I., Varjosalo, M., & Lewin-Kowalik, J. (2016). Predegenerated Schwann cells—a novel prospect for cell therapy for glaucoma: neuroprotection, neuroregeneration and neuroplasticity. [Article]. *Scientific Reports*, 6, 23187. doi: 10.1038/srep23187

<http://www.nature.com/articles/srep23187#supplementary-information>. <http://dx.doi.org/10.1038/srep23187>

Smith, A. H., Kuliszewski, M. A., Liao, C., Rudenko, D., Stewart, D. J., & Leong-Poi, H. (2012). Sustained Improvement in Perfusion and Flow Reserve After Temporally Separated Delivery of Vascular Endothelial Growth Factor and Angiopoietin-1 Plasmid Deoxyribonucleic Acid. *Journal of the American College of Cardiology*, 59(14), 1320-1328. doi: 10.1016/j.jacc.2011.12.025. <http://www.sciencedirect.com/science/article/pii/S0735109712002768>

Smith, B. N., & Dudek, F. E. (2001). Short- and Long-Term Changes in CA1 Network Excitability After Kainate Treatment in Rats. *Journal of Neurophysiology*, 85(1), 1-9. doi. <http://jn.physiology.org/cgi/content/abstract/85/1/1>

Smith, C., Gentleman, S., Leclercq, P., Murray, L., Griffin, W., Graham, D., & Nicoll, J. (2012). The neuroinflammatory response in humans after traumatic brain injury. *Neuropathology and Applied Neurobiology*, 39(6), 654 - 666. doi.

Smith, D. E., Roberts, J., Gage, F. H., & Tuszynski, M. H. (1999). Age-associated neuronal atrophy occurs in the primate brain and is reversible by growth factor gene therapy. *Proceedings of the National Academy of Sciences*, 96(19), 10893-10898. doi.

Smith, D. V., & Uteshev, V. V. (2008). Heterogeneity of nicotinic acetylcholine receptor expression in the caudal nucleus of the solitary tract. *Neuropharmacology*, 54(2), 445-453. doi.

Smith, E. S., Smith, D. R., Eyring, C., Braileanu, M., Smith-Connor, K. S., Ei Tan, Y., . . . Blue, M. E. (2018). Altered trajectories of neurodevelopment and behavior in mouse models of Rett Syndrome. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2018.11.007>. <http://www.sciencedirect.com/science/article/pii/S1074742718302624>

Smith, J. C., McClung, J. R., & Goldberg, S. J. (2006). Effects of 12 days of artificial rearing on morphology of hypoglossal motoneurons innervating tongue retrusors in rat. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 288(3), 280-285. doi.

Smith, J. H., Rowland, C., Harland, B., Moslehi, S., Montgomery, R. D., Schobert, K., . . . Taylor, R. P. (2021). How neurons exploit fractal geometry to optimize their network connectivity. *Scientific Reports*, 11(1), 2332. doi: 10.1038/s41598-021-81421-2. <https://doi.org/10.1038/s41598-021-81421-2>



Smith, K. C., Ehlinger, D. G., & Smith, R. F. (2015). Adolescent nicotine alters dendritic morphology in the bed nucleus of the stria terminalis. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2015.01.056>. <http://www.sciencedirect.com/science/article/pii/S0304394015000695>

Smith, K. L., Kassem, M. S., Clarke, D. J., Kuligowski, M. P., Bedoya-Pérez, M. A., Todd, S. M., . . . Arnold, J. C. (2019). Microglial cell hyper-ramification and neuronal dendritic spine loss in the hippocampus and medial prefrontal cortex in a mouse model of PTSD. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2019.05.042>. <http://www.sciencedirect.com/science/article/pii/S0889159119302107>

Smith, K. L., Turner, J. N., Szarowski, D. H., & Swann, J. W. (1994). Localizing sites of intradendritic electrophysiological recordings by confocal light microscopy. *Microscopy Research and Technique*, 29(4), 310-318. doi.

Smith, K. M., Boyle, K. A., Madden, J. F., Dickinson, S. A., Jobling, P., Callister, R. J., . . . Graham, B. A. (2015). Functional heterogeneity of calretinin-expressing neurons in the mouse superficial dorsal horn: Implications for spinal pain processing. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp270855. <http://dx.doi.org/10.1113/JP270855>

Smith, K. M., Boyle, K. A., Mustapa, M., Jobling, P., Callister, R. J., Hughes, D. I., & Graham, B. A. (2016). Distinct forms of synaptic inhibition and neuromodulation regulate calretinin-positive neuron excitability in the spinal cord dorsal horn. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.058>. <http://www.sciencedirect.com/science/article/pii/S0306452216300458>

Smith, K. M., Maragnoli, M. E., Phull, P. M., Tran, K. M., Choubey, L., & Vaccarino, F. M. (2014). Fgfr1 Inactivation in the Mouse Telencephalon Results in Impaired Maturation of Interneurons Expressing Parvalbumin. *PLoS ONE*, 9(8), e103696. doi: 10.1371/journal.pone.0103696. <http://dx.doi.org/10.1371%2Fjournal.pone.0103696>

Smith, K. M., Matson, S., Matson, W. R., Cormier, K., Del Signore, S. J., Hagerty, S. W., . . . Ferrante, R. J. (2006). Dose ranging and efficacy study of high-dose coenzyme Q10 formulations in Huntington's disease mice. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1762(6), 616-626. doi.

Smith, Laura N., Jedynek, Jakub P., Fontenot, Miles R., Hale, Carly F., Dietz, Karen C., Taniguchi, M., . . . Cowan, Christopher W. (2014). Fragile X Mental Retardation Protein Regulates Synaptic and Behavioral Plasticity to Repeated Cocaine Administration. *Neuron*, 82(3), 645-658. doi: <http://dx.doi.org/10.1016/j.neuron.2014.03.028>. <http://www.sciencedirect.com/science/article/pii/S089662731400258X>

Smith, P. H., Bartlett, E. L., & Kowalkowski, A. (2006). Unique combination of anatomy and physiology in cells of the rat paralaminar thalamic nuclei adjacent to the medial geniculate body. *Journal of Comparative Neurology*, 496(3), 314-334. doi.

Smith, P. H., Massie, A., & Joris, P. X. (2005). Acoustic stria: anatomy of physiologically characterized cells and their axonal projection patterns. *Journal of Comparative Neurology*, 482(4), 349-371. doi.

Smith, R. F., McDonald, C. G., Bergstrom, H. C., Ehlinger, D. G., & Brielmaier, J. M. (2015). Adolescent nicotine induces persisting changes in development of neural connectivity. *Neuroscience and Biobehavioral Reviews*, 55(0), 432-443. doi: <http://dx.doi.org/10.1016/j.neubiorev.2015.05.019>. <http://www.sciencedirect.com/science/article/pii/S0149763415001542>

Smrt, R. D., Szulwach, K. E., Pfeiffer, R. L., Li, X., Guo, W., Pathania, M., . . . others. (2010). MicroRNA miR-137 Regulates Neuronal Maturation by Targeting Ubiquitin Ligase Mind Bomb-1. *Stem Cells*, 28(6), 1060-1070. doi.

Snider, J., Pillai, A., & Stevens, C. F. (2010). A universal property of axonal and dendritic arbors. *Neuron*, 66(1), 45-56. doi.

Snook, E. R., Fisher-Perkins, J. M., Sansing, H. A., Lee, K. M., Alvarez, X., MacLean, A. G., . . . Bunnell, B. A. (2013). Innate Immune Activation in the Pathogenesis of a Murine Model of Globoid Cell Leukodystrophy. *American Journal of Pathology*, (0). doi: <http://dx.doi.org/10.1016/j.ajpath.2013.10.011>. <http://www.sciencedirect.com/science/article/pii/S0002944013007232>

Snow, W. M., Hartle, K., & Ivanco, T. L. (2008). Altered morphology of motor cortex neurons in the VPA rat model of autism. *Developmental Psychobiology*, 50(7), 633-639. doi.

Soares, C. A., & Mason, C. A. (2015). Transient ipsilateral retinal ganglion cell projections to the brain: Extent, targeting and disappearance. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22291. <http://dx.doi.org/10.1002/dneu.22291>

Soares, D., Yamamoto, Y., Strickler, A. G., & Jeffery, W. R. (2004). The Lens Has a Specific Influence on Optic Nerve and Tectum Development in the Blind Cavefish *Astyanax*. *Developmental Neuroscience*, 26(5-6), 308-317. doi.

Soares, J. G. M., Rosado De Castro, P. H., Fiorani, M., Nascimento-Silva, S., & Gattass, R. (2008). Distribution of neurofilament proteins in the lateral geniculate nucleus, primary visual cortex, and area MT of adult *Cebus* monkeys. *Journal of Comparative Neurology*, 508(4), 605-614. doi.

Soares, L. M., De Vry, J., Steinbusch, H. W. M., Milani, H., Prickaerts, J., & Weffort de Oliveira, R. M. (2016). Rolipram improves cognition, reduces anxiety- and despair-like behaviors and impacts hippocampal neuroplasticity after transient global cerebral ischemia. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.062>. <http://www.sciencedirect.com/science/article/pii/S0306452216300495>

Soares-Cunha, C., Coimbra, B., Borges, S., Carvalho, M., Rodrigues, A., & Sousa, N. (2014). The motivational drive to natural rewards is modulated by prenatal glucocorticoid exposure. *Translational Psychiatry*, 4(6), e397. doi: <http://www.nature.com/tp/journal/v4/n6/full/tp201445a.html>

Sobue, A., Ito, N., Nagai, T., Shan, W., Hada, K., Nakajima, A., . . . Yamada, K. (2018). Astroglial major histocompatibility complex class I following immune activation leads to behavioral and neuropathological changes. *Glia*, n/a-n/a. doi: 10.1002/glia.23299. <http://dx.doi.org/10.1002/glia.23299>

Sobue, A., Kushima, I., Nagai, T., Shan, W., Kohno, T., Aleksic, B., . . . Ozaki, N. (2018). Genetic and animal model analyses reveal the pathogenic role of a novel deletion of RELN in schizophrenia. *Scientific Reports*, 8(1), 13046. doi: 10.1038/s41598-018-31390-w. <https://doi.org/10.1038/s41598-018-31390-w>

Soderstrom, K. E., O'Malley, J. A., Levine, N. D., Sortwell, C. E., Collier, T. J., & Steece-Collier, K. (2010). Impact of dendritic spine preservation in medium spiny neurons on dopamine graft efficacy and the expression of dyskinesias in parkinsonian rats. *European Journal of Neuroscience*, 31(3), 478-490. doi.

Soeda, Y., Yoshikawa, M., Almeida, O. F. X., Sumioka, A., Maeda, S., Osada, H., . . . Takashima, A. (2015). Toxic tau oligomer formation blocked by capping of cysteine residues with 1,2-dihydroxybenzene groups. [Article]. *Nature Communications*, 6. doi: 10.1038/ncomms10216. <http://dx.doi.org/10.1038/ncomms10216>

Sohn, J., Okamoto, S., Kataoka, N., Kaneko, T., Nakamura, K., & Hioki, H. (2016). Differential Inputs to the Perisomatic and Distal-Dendritic Compartments of VIP-Positive Neurons in Layer 2/3 of the Mouse Barrel Cortex. [Original Research]. *Frontiers in Neuroanatomy*, 10(124). doi: 10.3389/fnana.2016.00124. <http://journal.frontiersin.org/article/10.3389/fnana.2016.00124>

Sokoloff, A. J., Daugherty, M., & Li, H. (2010). Myosin heavy-chain composition of the human hyoglossus muscle. *Dysphagia*, 25(2), 81-93. doi.

Sokoloff, A. J., Li, H., & Burkholder, T. J. (2007). Limited expression of slow tonic myosin heavy chain in human cranial muscles. *Muscle and Nerve*, 36(2), 183-189. doi.

Sokoloff, A. J., Yang, B., Li, H., & Burkholder, T. J. (2007). Immunohistochemical characterization of slow and fast myosin heavy chain composition of muscle fibres in the styloglossus muscle of the human and macaque (*Macaca rhesus*). *Archives of Oral Biology*, 52(6), 533-543. doi.

Solis, O., Espadas, I., Del-Bel, E. A., & Moratalla, R. (2014). Nitric oxide synthase inhibition decreases l-DOPA-induced dyskinesia and the expression of striatal molecular markers in *Pitx3*<sup>-/-</sup> aphakia mice. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2014.09.010>. <http://www.sciencedirect.com/science/article/pii/S0969996114002824>

Sollars, S. I. (2005). Chorda tympani nerve transection at different developmental ages produces differential effects on taste bud volume and papillae morphology in the rat. *Journal of Neurobiology*, 64(3), 310-320. doi.

Sollars, S. I., & Bernstein, I. L. (2000). Neonatal chorda tympani transection permanently disrupts fungiform taste bud and papilla structure in the rat. *Physiology and Behavior*, 69(4), 439-444. doi.

Sollars, S. I., & Hill, D. L. (2000). Lack of functional and morphological susceptibility of the greater superficial petrosal nerve to developmental dietary sodium restriction. *Chemical Senses*, 25(6), 719-727. doi.

Sollars, S. I., Smith, P. C., & Hill, D. L. (2002). Time course of morphological alterations of fungiform papillae and taste buds following chorda tympani transection in neonatal rats. *Journal of Neurobiology*, 51(3), 223-236. doi.

Sollars, S. I., Walker, B. R., Thaw, A. K., & Hill, D. L. (2006). Age-related decrease of the chorda tympani nerve terminal field in the nucleus of the solitary tract is prevented by dietary sodium restriction during development. *Neuroscience*, 137(4), 1229-1236. doi.

Soltys, Z., Ziąja, M., Pawlinski, R., Setkiewicz, Z., & Janeczko, K. (2001). Morphology of reactive microglia in the injured cerebral cortex. Fractal analysis and complementary quantitative methods. *Journal of Neuroscience Research*, 63, 90 - 97. doi.

Sommer, G., Bouley, D., Frisoli, J., Pierce, L., Sandner-Porkristl, D., & Fahrig, R. (2007). Determination of 3-dimensional Zonal Renal Volumes Using Contrast-enhanced Computed Tomography. *Journal of Computer Assisted Tomography*, 31(2), 209-213. doi.

Sonawane, S., Khanolkar, V., Namavari, A., Chaudhary, S., Gandhi, S., Tibrewal, S., . . . Jain, S. (2012). Ocular Surface Extracellular DNA and Nuclease Activity Imbalance: A New Paradigm for Inflammation in Dry Eye Disease. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iovs.12-10430. <http://www.iovs.org/content/early/2012/11/19/iovs.12-10430.abstract>

Song, C., Ehlers, V. L., & Moyer, J. R. (2015). Trace Fear Conditioning Differentially Modulates Intrinsic Excitability of Medial Prefrontal Cortex-Basolateral Complex of Amygdala Projection Neurons in Infralimbic and Prelimbic Cortices. *The Journal of Neuroscience*, 35(39), 13511-13524. doi. <http://www.jneurosci.org/content/35/39/13511.short>

Song, C., & Moyer, J. R. (2017). Layer- and Subregion-Specific Differences in the Neurophysiological Properties of Rat Medial Prefrontal Cortex Pyramidal Neurons. [10.1152/jn.00146.2017]. *Journal of Neurophysiology*. doi. <http://jn.physiology.org/content/early/2017/09/29/jn.00146.2017.abstract>

Song, C.-H., Bernhard, D., Bolarinwa, C., Hess, E. J., Smith, Y., & Jinnah, H. A. (2013). Subtle microstructural changes of the striatum in a DYT1 knock-in mouse model of dystonia. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2013.01.008>. <http://www.sciencedirect.com/science/article/pii/S0969996113000326>

Song, C.-H., Bernhard, D., Hess, E. J., & Jinnah, H. A. (2013). Subtle microstructural defects of the cerebellum in a knock-in mouse model of DYT1 dystonia. *Neurobiology of Disease*, (0).

doi: <http://dx.doi.org/10.1016/j.nbd.2013.10.003>, <http://www.sciencedirect.com/science/article/pii/S0969996113002763>

Song, J.-J., Oh, S.-M., Kwon, O.-C., Wulansari, N., Lee, H.-S., Chang, M.-Y., . . . Lee, S.-H. (2018). Cografting astrocytes improves cell therapeutic outcomes in a Parkinson's disease model. *The Journal of clinical investigation*, 128(1), 463-482. doi: 10.1172/jci93924. <https://doi.org/10.1172/JCI93924>

Song, S., Sj, str, m, P. J., Reigl, M., Nelson, S., & Chklovskii, D. B. (2005). Highly Nonrandom Features of Synaptic Connectivity in Local Cortical Circuits. *PLoS Biology*, 3(3), e68. doi: <http://dx.doi.org/10.1371%2Fjournal.pbio.0030068>

Song, X. M., Wang, Y., Zhu, Z., & Li, C. Y. (2010). Morphological Bases of Suppressive and Facilitative Spatial Summation in the Striate Cortex of the Cat. *PLoS ONE*, 5(11), e15025-e15025. doi:

Song, Y., Mellott, J. G., & Winer, J. A. (2011). Microvascular organization of the cat inferior colliculus. *Hearing Research*, 274(1-2), 5-12. doi:

Sonner, M. J., Walters, M. C., & Ladle, D. R. (2017). Analysis of Proprioceptive Sensory Innervation of the Mouse Soleus: A Whole-Mount Muscle Approach. *PLoS ONE*, 12(1), e0170751. doi: 10.1371/journal.pone.0170751. <http://dx.doi.org/10.1371%2Fjournal.pone.0170751>

Sonner, P. M., Filosa, J. A., & Stern, J. E. (2008). Diminished A-type potassium current and altered firing properties in presympathetic PVN neurones in renovascular hypertensive rats. *Journal of Physiology*, 586(6), 1605-1622. doi: doi:10.1113/jphysiol.2007.147413. <http://www.blackwell-synergy.com/doi/abs/10.1113/jphysiol.2007.147413>

Sonner, P. M., & Stern, J. E. (2007). Functional role of A-type potassium currents in rat presympathetic PVN neurones. *Journal of Physiology*, 582(3), 1219-1238. doi: 10.1113/jphysiol.2007.134379. <http://jp.physoc.org/cgi/content/abstract/582/3/1219>

Sonsalla, P. K., Manzano, L., Sinton, C. M., Liang, C. L., German, D. C., & Zeevalk, G. D. (1997). Inhibition of striatal energy metabolism produces cell loss in the ipsilateral substantia nigra. *Brain Research*, 773(1-2), 223-226. doi:

Soriano, F. X., Martel, M.-A., Papadia, S., Vaslin, A., Baxter, P., Rickman, C., . . . Hardingham, G. E. (2008). Specific Targeting of Pro-Death NMDA Receptor Signals with Differing Reliance on the NR2B PDZ Ligand. *Journal of Neuroscience*, 28(42), 10696-10710. doi: 10.1523/jneurosci.1207-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/42/10696>

Sorrells, S. F., Paredes, M. F., Cebrian-Silla, A., Sandoval, K., Qi, D., Kelley, K. W., . . . Alvarez-Buylla, A. (2018). Human hippocampal neurogenesis drops sharply in children to undetectable levels in adults. *Nature*, 555, 377. doi: 10.1038/nature25975

<https://www.nature.com/articles/nature25975#supplementary-information>. <http://dx.doi.org/10.1038/nature25975>

Sorrells, S. F., Paredes, M. F., Velmeshev, D., Herranz-Pérez, V., Sandoval, K., Mayer, S., . . . Alvarez-Buylla, A. (2019). Immature excitatory neurons develop during adolescence in the human amygdala. *Nature Communications*, 10(1), 2748. doi: 10.1038/s41467-019-10765-1. <https://doi.org/10.1038/s41467-019-10765-1>

Soteros, B. M., Cong, Q., Palmer, C. R., & Sia, G.-M. (2018). Sociability and synapse subtype-specific defects in mice lacking SRPX2, a language-associated gene. *PLoS ONE*, 13(6), e0199399. doi: 10.1371/journal.pone.0199399. <https://doi.org/10.1371/journal.pone.0199399>

Sotiropoulos, I., Silva, J., Kimura, T., Rodrigues, A. J., Costa, P., Almeida, O. F. X., . . . Takashima, A. (2014). Female Hippocampus Vulnerability to Environmental Stress as Precipitating Factor in Tau Aggregation Pathology. *Journal of Alzheimer's Disease*. doi: 10.3233/jad-140693. <http://dx.doi.org/10.3233/JAD-140693>

Sotogaku, N., Tully, S. E., Gama, C. I., Higashi, H., Tanaka, M., Hsieh-Wilson, L. C., & Nishi, A. (2007). Activation of phospholipase C pathways by a synthetic chondroitin sulfate-E tetrasaccharide promotes neurite outgrowth of dopaminergic neurons. *Journal of Neurochemistry*, 103(2), 749-760. doi: doi:10.1111/j.1471-4159.2007.04849.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2007.04849.x>

Soukhova-O'Hare, G. K., Cheng, Z., Roberts, A. M., & Gozal, D. (2006). Postnatal intermittent hypoxia alters baroreflex function in adult rats. *American Journal of Physiology - Heart and Circulatory Physiology*

290(3), H1157-1164. doi: 10.1152/ajpheart.00767.2005. <http://ajpheart.physiology.org/cgi/content/abstract/290/3/H1157>

Soundararajan, P., Fawcett, J. P., & Rafuse, V. F. (2010). Guidance of Postural Motoneurons Requires MAPK/ERK Signaling Downstream of Fibroblast Growth Factor Receptor 1. *Journal of Neuroscience*, 30(19), 6595-6606. doi: 10.1523/jneurosci.4932-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/19/6595>

Soundararajan, P., Lindsey, B. W., Leopold, C., & Rafuse, V. F. (2007). Easy and Rapid Differentiation of Embryonic Stem Cells into Functional Motoneurons Using Sonic Hedgehog-Producing Cells. *Stem Cells*, 25(7), 1697-1706. doi: 10.1634/stemcells.2006-0654. <http://stemcells.alphamedpress.org/cgi/content/abstract/25/7/1697>

Soundararajan, P., Miles, G. B., Rubin, L. L., Brownstone, R. M., & Rafuse, V. F. (2006). Motoneurons Derived from Embryonic Stem Cells Express Transcription Factors and Develop Phenotypes Characteristic of Medial Motor Column Neurons. *Journal of Neuroscience*, 26(12), 3256-3268. doi: 10.1523/jneurosci.5537-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/12/3256>



Sousa, V. H., Miyoshi, G., Hjerling-Leffler, J., Karayannis, T., & Fishell, G. (2009). Characterization of Nkx6-2-Derived Neocortical Interneuron Lineages. *Cerebral Cortex*, bhpo38. doi: 10.1093/cercor/bhp038. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp038v1>

Souza, G. M., Kanbar, R., Stornetta, D. S., Abbott, S. B., Stornetta, R. L., & Guyenet, P. G. (2018). Breathing regulation and blood gas homeostasis after near complete lesions of the retrotrapezoid nucleus in adult rats. *The Journal of Physiology*. doi. Citation for: Breathing regulation and blood gas homeostasis after near complete lesions of the retrotrapezoid nucleus in adult rats

Souza, G. M. P. R., Stornetta, R. L., Stornetta, D. S., Abbott, S. B. G., & Guyenet, P. G. (2019). Contribution of the retrotrapezoid nucleus and carotid bodies to arousal from sleep elicited by hypercapnia and hypoxia. *The Journal of Neuroscience*, 1268-1219. doi: 10.1523/jneurosci.1268-19.2019. <http://www.jneurosci.org/content/early/2019/10/18/JNEUROSCI.1268-19.2019...>

Soztutar, E., Colak, E., & Ulupinar, E. (2015). Gender- and anxiety level-dependent effects of perinatal stress exposure on medial prefrontal cortex. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2015.06.005>. <http://www.sciencedirect.com/science/article/pii/S0014488615300169>

Spalloni, A., Origlia, N., Sgobio, C., Trabalza, A., Nutini, M., Berretta, N., . . . Longone, P. (2010). Postsynaptic Alteration of NR2A Subunit and Defective Autophosphorylation of alphaCaMKII at Threonine-286 Contribute to Abnormal Plasticity and Morphology of Upper Motor Neurons in Presymptomatic SOD1G93A Mice, a Murine Model for Amyotrophic Lateral Sclerosis. *Cerebral Cortex*, bhq152. doi: 10.1093/cercor/bhq152. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq152v1>

Spangenberg, E. E., Lee, R. J., Najafi, A. R., Rice, R. A., Elmore, M. R. P., Blurton-Jones, M., . . . Green, K. N. (2016). Eliminating microglia in Alzheimer's mice prevents neuronal loss without modulating amyloid- $\beta$  pathology. *Brain*. doi: 10.1093/brain/aww016. <http://brain.oxfordjournals.org/content/brain/early/2016/02/26/brain.aww...>

Speed, H. E., Blaiss, C. A., Kim, A., Haws, M. E., Melvin, N. R., Jennings, M., . . . Powell, C. M. (2012). Delayed Reduction of Hippocampal Synaptic Transmission and Spines Following Exposure to Repeated Subclinical Doses of Organophosphorus Pesticide in Adult Mice. *Toxicological Sciences*, 125(1), 196-208. doi: 10.1093/toxsci/kfr253. <http://toxsci.oxfordjournals.org/cgi/content/abstract/125/1/196>

Spiegel, I., Mardinly, Alan R., Gabel, Harrison W., Bazinet, Jeremy E., Couch, Cameron H., Tzeng, Christopher P., . . . Greenberg, Michael E. (2014). Npas4 Regulates Excitatory-Inhibitory Balance within Neural Circuits through Cell-Type-Specific Gene Programs. *Cell*, 157(5), 1216-1229. doi: 10.1016/j.cell.2014.03.058. [http://www.cell.com/cell/abstract/S0092-8674\(14\)00547-9](http://www.cell.com/cell/abstract/S0092-8674(14)00547-9)

Spigolon, G., Veronesi, C., Bonny, C., & Vercelli, A. (2010). c-Jun N-terminal kinase signaling pathway in excitotoxic cell death following kainic acid-induced status epilepticus. *European Journal of Neuroscience*, 31(7), 1261-1272. doi.

Spike, R. C., Puskar, Z., Andrew, D., & Todd, A. J. (2003). A quantitative and morphological study of projection neurons in lamina I of the rat lumbar spinal cord. *European Journal of Neuroscience*, 18(9), 2433-2448. doi.

Spike, R. C., Puskar, Z., Sakamoto, H., Stewart, W., Watt, C., & Todd, A. J. (2002). MOR-1-immunoreactive neurons in the dorsal horn of the rat spinal cord: evidence for nonsynaptic innervation by substance P-containing primary afferents and for selective activation by noxious thermal stimuli. *European Journal of Neuroscience*, 15(8), 1306-1316. doi: doi:10.1046/j.1460-9568.2002.01969.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.01969.x>

Spires, T. L., Grote, H. E., Garry, S., Cordery, P. M., Van Dellen, A., Blakemore, C., & Hannan, A. J. (2004). Dendritic spine pathology and deficits in experience-dependent dendritic plasticity in R6/1 Huntington's disease transgenic mice. *European Journal of Neuroscience*, 19(10), 2799-2807. doi: doi:10.1111/j.0953-816X.2004.03374.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.0953-816X.2004.03374.x>

Spirou, G. A., Chirila, F. V., von Gersdorff, H., & Manis, P. B. (2008). Heterogeneous Ca<sup>2+</sup> influx along the adult calyx of held: A structural and computational study. *Neuroscience*, 154(1), 171-185. doi.

Spray, K. J., & Bernstein, I. L. (2004). Afferent and efferent connections of the parvicellular subdivision of INTS: defining a circuit involved in taste aversion learning. *Behavioural Brain Research*, 154(1), 85-97. doi.

Squintani, G., Ferrari, S., Refatti, N., Capra, F., Caramaschi, P., Rizzuto, N., & Tonin, P. (2004). Multineuropathy in a patient with HBV infection, polyarteritis nodosa and celiac disease. *Journal of the Peripheral Nervous System*, 9(2), 105-106. doi: doi:10.1111/j.1085-9489.2004.009209f.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209f.x>

Sreedhar, S., & Gowda, K. M. N. (2014). 582: AUTOIMMUNE STATUS EPILEPTICUS IN CHILDREN. *Critical Care Medicine*, 42(12), A1500  
1510.1097/1501.ccm.0000458079.0000485977.0000458019.  
doi: [http://journals.lww.com/ccmjournals/Fulltext/2014/12001/582\\_AUTOIMMUNE...](http://journals.lww.com/ccmjournals/Fulltext/2014/12001/582_AUTOIMMUNE...)

Srinivas, K. V., Buss, E. W., Sun, Q., Santoro, B., Takahashi, H., Nicholson, D. A., & Siegelbaum, S. A. (2017). The dendrites of CA2 and CA1 pyramidal neurons differentially regulate information flow in the cortico-hippocampal circuit. [10.1523/JNEUROSCI.2219-16.2017]. *The Journal of Neuroscience*.  
doi: <http://www.jneurosci.org/content/early/2017/02/17/JNEUROSCI.2219-16.2017..>

Srinivasan, A., Muñoz-Estrada, J., Bourgeois, J. R., Nalwalk, J. W., Pumiglia, K. M., Sheen, V. L., & Ferland, R. J. (2017). BranchAnalysis2D/3D Automates Morphometry Analyses of Branching Structures. *Journal of Neuroscience Methods*.

doi: <https://doi.org/10.1016/j.jneumeth.2017.10.017>. <http://www.sciencedirect.com/science/article/pii/S0165027017303734>

Srinivasan, S., Carlo, C. N., & Stevens, C. F. (2015). Predicting visual acuity from the structure of visual cortex. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1509282112. <http://www.pnas.org/content/early/2015/06/03/1509282112.abstract>

St. Onge, J. R., Stopper, C. M., Zahm, D. S., & Floresco, S. B. (2012). Separate Prefrontal-Subcortical Circuits Mediate Different Components of Risk-Based Decision Making. *Journal of Neuroscience*, 32(8), 2886-2899. doi: 10.1523/jneurosci.5625-11.2012. <http://www.jneurosci.org/content/32/8/2886.abstract>

Stack, E. C., Dedeoglu, A., Smith, K. M., Cormier, K., Kubilus, J. K., Bogdanov, M., . . . Ferrante, R. J. (2007). Neuroprotective Effects of Synaptic Modulation in Huntington's Disease R6/2 Mice. *Journal of Neuroscience*, 27(47), 12908-12915. doi: 10.1523/jneurosci.4318-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/47/12908>

Stack, E. C., Kubilus, J. K., Smith, K., Cormier, K., Del Signore, S. J., Guelin, E., . . . Ferrante, R. J. (2005). Chronology of behavioral symptoms and neuropathological sequela in R6/2 Huntington's disease transgenic mice. *Journal of Comparative Neurology*, 490(4), 354-370. doi.

Stack, E. C., Smith, K. M., Ryu, H., Cormier, K., Chen, M., Hagerty, S. W., . . . Ferrante, R. J. (2006). Combination therapy using minocycline and coenzyme Q<sub>10</sub> in R6/2 transgenic Huntington's disease mice. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1762(3), 373-380. doi.

Stackpole, E. E., Akins, M. R., & Fallon, J. R. (2014). N-myristoylation regulates the axonal distribution of the Fragile X-related protein FXR2P. *Molecular and Cellular Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.mcn.2014.08.003>. <http://www.sciencedirect.com/science/article/pii/S1044743114000979>

Stafisso-Sandoz, G., Polley, D., Holt, E., Lambert, K. G., & Kinsley, C. H. (1998). Opiate Disruption of Maternal Behavior: Morphine Reduces, and Naloxone Restores, c-fos Activity in the Medial Preoptic Area of Lactating Rats. *Brain Research Bulletin*, 45(3), 307-313. doi.

Staiger, J., Bojak, I., Miceli, S., & Schubert, D. (2014). A gradual depth-dependent change in connectivity features of supragranular pyramidal cells in rat barrel cortex. *Brain Structure and Function*, 1-21. doi: 10.1007/s00429-014-0726-8. <http://dx.doi.org/10.1007/s00429-014-0726-8>

Staiger, J. F., Flagmeyer, I., Schubert, D., Zilles, K., Kötter, R., & Huhmann, H. J. (2004). Functional Diversity of Layer IV Spiny Neurons in Rat Somatosensory Cortex: Quantitative Morphology of Electrophysiologically Characterized and Biocytin Labeled Cells. *Cerebral Cortex*, V14(N6), 690-701. doi.

Staiger, J. F., Loucif, A. J. C., Schubert, D., & Möck, M. (2016). Morphological Characteristics of Electrophysiologically Characterized Layer Vb Pyramidal Cells in Rat Barrel Cortex. *PLoS*

ONE, 11(10), e0164004. doi:

10.1371/journal.pone.0164004. <http://dx.doi.org/10.1371%2Fjournal.pone.0164004>

Staiger, J. F., Masanneck, C., Bisler, S., Schleicher, A., Zuschratter, W., & Zilles, K. (2002). Excitatory and inhibitory neurons express c-Fos in barrel-related columns after exploration of a novel environment. *Neuroscience*, 109(4), 687-699. doi.

Staiger, J. F., Masanneck, C., Schleicher, A., & Zuschratter, W. (2004). Calbindin-containing interneurons are a target for VIP-immunoreactive synapses in rat primary somatosensory cortex. *Journal of Comparative Neurology*, 468(2), 179-189. doi.

Staiger, J. F., Schubert, D., Zuschratter, W., Kotter, R., & Luhmann, H. J. (2002). Innervation of interneurons immunoreactive for VIP by intrinsically bursting pyramidal cells and fast-spiking interneurons in infragranular layers of juvenile rat neocortex. *European Journal of Neuroscience*, 16(1), 11-20. doi: doi:10.1046/j.1460-9568.2002.02048.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2002.02048.x>

Staiger, J. F., Zuschratter, W., Luhmann, H. J., & Schubert, D. (2009). Local circuits targeting parvalbumin-containing interneurons in layer IV of rat barrel cortex. *Brain Structure and Function*, 214(1), 1-13. doi.

Stamatakis, S., Francis, H. W., Lehar, M., May, B. J., & Ryugo, D. K. (2006). Synaptic alterations at inner hair cells precede spiral ganglion cell loss in aging C57BL/6J mice. *Hearing Research*, 221(1-2), 104-118. doi.

Stancanelli, A., Nolano, M., Provitera, V., Caporaso, G., & Santoro, L. (2013). 42. Epidermal nerve fiber quantification in immunofluorescence with and without confocal microscopy. *Clinical Neurophysiology*, 124(11), e198. doi: <http://dx.doi.org/10.1016/j.clinph.2013.06.069>. <http://www.sciencedirect.com/science/article/pii/S1388245713007931>

Standish, A., Enquist, L. W., Miselis, R. R., & Schwaber, J. S. (1995). Dendritic morphology of cardiac related medullary neurons defined by circuit-specific infection by a recombinant pseudorabies virus expressing  $\beta$ -galactosidase. *Journal of Neurovirology*, 1(5-6), 359-368. doi.

Stankovic, K., Rio, C., Xia, A., Sugawara, M., Adams, J. C., Liberman, M. C., & Corfas, G. (2004). Survival of Adult Spiral Ganglion Neurons Requires erbB Receptor Signaling in the Inner Ear. *Journal of Neuroscience*, 24(40), 8651-8661. doi. <http://www.jneurosci.org/cgi/content/abstract/24/40/8651>

Stanley, E. M., & Fadel, J. (2012). Aging-related deficits in orexin/hypocretin modulation of the septohippocampal cholinergic system. *Synapse*, 66(5), 445-452. doi: 10.1002/syn.21533. <http://dx.doi.org/10.1002/syn.21533>

Stanley, E. M., Fadel, J. R., & Mott, D. D. (2011). Interneuron loss reduces dendritic inhibition and GABA release in hippocampus of aged rats. *Neurobiology of Aging*. doi.

Staples, M. C., Kim, A., & Mandyam, C. D. (2015). Dendritic remodeling of hippocampal neurons is associated with altered NMDA receptor expression in alcohol dependent rats. *Molecular and Cellular Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.mcn.2015.03.008>. <http://www.sciencedirect.com/science/article/pii/S1044743115000378>

Starkey, M. L., Bleul, C., Kasper, H., Mosberger, A. C., Zörner, B., Giger, S., . . . Schwab, M. E. (2014). High-Impact, Self-Motivated Training Within an Enriched Environment With Single Animal Tracking Dose-Dependently Promotes Motor Skill Acquisition and Functional Recovery. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968314520721. [http://nrr.sagepub.com/content/early/2014/02/10/15459683\\_14520721.abstract](http://nrr.sagepub.com/content/early/2014/02/10/15459683_14520721.abstract)

Starkey, M. L., Bleul, C., Zörner, B., Lindau, N. T., Mueggler, T., Rudin, M., & Schwab, M. E. (2012). Back seat driving: hindlimb corticospinal neurons assume forelimb control following ischaemic stroke. *Brain*, 135(11), 3265-3281. doi: 10.1093/brain/aws270. <http://brain.oxfordjournals.org/content/135/11/3265.abstract>

Stauffer, T. R., Elliott, K. C., Ross, M. T., Basista, M. J., Hyson, R. L., & Johnson, F. (2012). Axial Organization of a Brain Region That Sequences a Learned Pattern of Behavior. *Journal of Neuroscience*, 32(27), 9312-9322. doi: 10.1523/jneurosci.0978-12.2012. <http://www.jneurosci.org/content/32/27/9312.abstract>

Stecina, K. (2017). Midbrain stimulation-evoked lumbar spinal activity and fictive locomotion in the adult decerebrate mouse. *Journal of Neuroscience Methods*. doi: <https://doi.org/10.1016/j.jneumeth.2017.06.015>. <http://www.sciencedirect.com/science/article/pii/S0165027017302236>

Stedehouder, J., Couey, J., Brizee, D., Hosseini, B., Slotman, J., Dirven, C., . . . Kushner, S. (2017). Fast-spiking Parvalbumin Interneurons are Frequently Myelinated in the Cerebral Cortex of Mice and Humans. *Cerebral Cortex*, 1-13. doi: <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx203/407981>.

Steele, J. W., Brautigam, H., Short, J. A., Sowa, A., Shi, M., Yadav, A., . . . Dickstein, D. L. (2014). Early fear memory defects are associated with altered synaptic plasticity and molecular architecture in the TgCRND8 Alzheimer's disease mouse model. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23536. <http://dx.doi.org/10.1002/cne.23536>

Stefanou, S. S., Kastellakis, G., & Poirazi, P. (2016). Creating and Constraining Compartmental Models of Neurons Using Experimental Data. *Advanced Patch-Clamp Analysis for Neuroscientists*, 325-343. doi: [http://link.springer.com/protocol/10.1007/978-1-4939-3411-9\\_15](http://link.springer.com/protocol/10.1007/978-1-4939-3411-9_15)

Steffen, H. (1998). Application of the Leitz Microvid in microscopic morphometry: the image combining computer microscope. *Leitz Technology Journal*. doi.

Steger, R., Kamal, A., Lutchman, S., Intrabartolo, L., Sohail, R., & Brumberg, J. C. (2014). Chronic caffeine ingestion causes microglia activation, but not proliferation in the healthy brain. *Brain Research Bulletin*, (0).

doi: <http://dx.doi.org/10.1016/j.brainresbull.2014.05.004>. <http://www.sciencedirect.com/science/article/pii/S0306192301400094X>

Steger, R., Ramos, R. L., Cao, R., Yang, Q., Chen, C.-C., Dominici, J., & Brumberg, J. C. (2013). Physiology and morphology of inverted pyramidal neurons in the rodent neocortex. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.004>. <http://www.sciencedirect.com/science/article/pii/S0306452213005010>

Steininger, T. L., Alam, M. N., Gong, H., Szymusiak, R., & McGinty, D. (1999). Sleep-waking discharge of neurons in the posterior lateral hypothalamus of the albino rat. *Brain Research*, 840(1-2), 138-147. doi.

Steininger, T. L., Gong, H., McGinty, D., & Szymusiak, R. (2001). Subregional organization of preoptic area/anterior hypothalamic projections to arousal-related monoaminergic cell groups. *Journal of Comparative Neurology*, 429(4), 638-653. doi.

Stence, N., Waite, M., & Dailey, M. (2001). Dynamics of microglial activation: a confocal time-lapse analysis in hippocampal slices. *Glia*, 33, 256 - 266. doi.

Stepanek, L., Stoker, A. W., Stoeckli, E., & Bixby, J. L. (2005). Receptor Tyrosine Phosphatases Guide Vertebrate Motor Axons during Development. *Journal of Neuroscience*, 25(15), 3813-3823. doi. <http://www.jneurosci.org/cgi/content/abstract/25/15/3813>

Stepanyants, A., & Chklovskii, D. B. (2005). Neurogeometry and potential synaptic connectivity. *Trends in Neurosciences*, 28(7), 387-394. doi.

Stepanyants, A., Hirsch, J. A., Martinez, L. M., Kisvarday, Z. F., Ferecsko, A. S., & Chklovskii, D. B. (2008). Local Potential Connectivity in Cat Primary Visual Cortex. *Cerebral Cortex*, 18(1), 13-28. doi:

10.1093/cercor/bhm027. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/1/13>

Stepanyants, A., Martinez, L. M., Ferecskó, A. S., & Kisvárday, Z. F. (2009). The fractions of short-and long-range connections in the visual cortex. *Proceedings of the National Academy of Sciences*, 106(9), 3555-3555. doi.

Stepanyants, A., Tamas, G., & Chklovskii, D. (2004). Class-Specific Features of Neuronal Wiring. *Neuron*, 43, 251-259. doi.

Stephan, A. H., Madison, D. V., Mateos, J. M., Fraser, D. A., Lovelett, E. A., Coutellier, L., . . . Barres, B. A. (2013). A Dramatic Increase of C1q Protein in the CNS during Normal Aging. *Journal of Neuroscience*, 33(33), 13460-13474. doi: 10.1523/jneurosci.1333-13.2013. <http://www.jneurosci.org/content/33/33/13460.abstract>

Stephan, R., Goellner, B., Moreno, E., Frank, C. A., Hugenschmidt, T., Genoud, C., . . . Pielage, J. (2015). Hierarchical Microtubule Organization Controls Axon Caliber and Transport and Determines Synaptic Structure and Stability. *Developmental cell*, (0).

doi: <http://dx.doi.org/10.1016/j.devcel.2015.02.003>. <http://www.sciencedirect.com/science/article/pii/S1534580715001057>



Stephens, B., Guiloff, R. J., Navarrete, R., Newman, P., Nikhar, N., & Lewis, P. (2006). Widespread loss of neuronal populations in the spinal ventral horn in sporadic motor neuron disease. A morphometric study. *Journal of the Neurological Sciences*, 244(1), 41-58. doi.

Stephens, B., Mueller, A. J., Shering, A. F., Hood, S. H., Taggart, P., Arbuthnott, G. W., . . . others. (2005). Evidence of a breakdown of corticostriatal connections in Parkinson's disease. *Neuroscience*, 132(3), 741-754. doi.

Ster, J., Steuble, M., Orlando, C., Diep, T.-M., Akhmedov, A., Raineteau, O., . . . Gerber, U. (2014). Calsyntenin-1 Regulates Targeting of Dendritic NMDA Receptors and Dendritic Spine Maturation in CA1 Hippocampal Pyramidal Cells during Postnatal Development. *The Journal of Neuroscience*, 34(26), 8716-8727. doi. <http://www.jneurosci.org/content/34/26/8716.short>

Stern, J. E. (2001). Electrophysiological and morphological properties of pre-autonomic neurones in the rat hypothalamic paraventricular nucleus. *Journal of Physiology*, 537(1), 161-177. doi. <http://jp.physoc.org/cgi/content/abstract/537/1/161>

Stern, J. E., & Armstrong, W. E. (1998). Reorganization of the Dendritic Trees of Oxytocin and Vasopressin Neurons of the Rat Supraoptic Nucleus during Lactation. *Journal of Neuroscience*, 18(3), 841-853. doi. <http://www.jneurosci.org/cgi/content/abstract/18/3/841>

Sterratt, D. C., Groen, M. R., Meredith, R. M., & van Ooyen, A. (2012). Spine Calcium Transients Induced by Synaptically-Evoked Action Potentials Can Predict Synapse Location and Establish Synaptic Democracy. *PLoS Computational Biology*, 8(6), e1002545. doi: 10.1371/journal.pcbi.1002545. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1002545>

Steuber, V., De Schutter, E., & Jaeger, D. (2004). Passive models of neurons in the deep cerebellar nuclei: the effect of reconstruction errors. *Neurocomputing*, 58, 563-568. doi.

Stevens, H. E., Su, T., Yanagawa, Y., & Vaccarino, F. M. (2012). Prenatal stress delays inhibitory neuron progenitor migration in the developing neocortex. *Psychoneuroendocrinology*, (0). doi: 10.1016/j.psyneuen.2012.07.011. <http://www.sciencedirect.com/science/article/pii/S0306453012002636>

Stewart, M., Orman, R., Fernandez, K., & Lytton, W. W. (2007). Computer Simulation of Epilepsy: Implications for Seizure Spread and Behavioral Dysfunction. *Behavioral Aspects of Epilepsy: Principles and Practice*. New York: Demos Medical Publishing, LLC. doi.

Stewart, W., & Maxwell, D. J. (2000). Morphological evidence for selective modulation by serotonin of a subpopulation of dorsal horn cells which possess the neurokinin-1 receptor. *European Journal of Neuroscience*, 12(12), 4583. doi.

Stief, F., Zuschratter, W., Hartmann, K., Schmitz, D., & Draguhn, A. (2007). Enhanced synaptic excitation-inhibition ratio in hippocampal interneurons of rats with temporal lobe epilepsy. *European Journal of Neuroscience*, 25(2), 519-528. doi.

- Stillman, A. A., Krsnik, Z., Sun, J., Rasin, M. R., State, M. W., Sestan, N., & Louvi, A. (2009). Developmentally regulated and evolutionarily conserved expression of SLITRK1 in brain circuits implicated in Tourette syndrome. *Journal of Comparative Neurology*, 513(1), 21-37. doi: 10.1002/cne.21919. <http://www.ncbi.nlm.nih.gov/pubmed/19105198>
- Stocker, S. D., Simmons, J. R., Stornetta, R. L., Toney, G. M., & Guyenet, P. G. (2006). Water deprivation activates a glutamatergic projection from the hypothalamic paraventricular nucleus to the rostral ventrolateral medulla. *Journal of Comparative Neurology*, 494(4), 673-685. doi.
- Stockton, D. B., & Santamaria, F. (2017). Integrating the Allen Brain Institute Cell Types Database into Automated Neuroscience Workflow. [journal article]. *Neuroinformatics*. doi: 10.1007/s12021-017-9337-x. <https://doi.org/10.1007/s12021-017-9337-x>
- Stokes, C. C. A., & Isaacson, J. S. (2010). From dendrite to soma: dynamic routing of inhibition by complementary interneuron microcircuits in olfactory cortex. *Neuron*, 67(3), 452-465. doi.
- Stone, S. S. D., Teixeira, C. M., DeVito, L. M., Zaslavsky, K., Josselyn, S. A., Lozano, A. M., & Frankland, P. W. (2011). Stimulation of Entorhinal Cortex Promotes Adult Neurogenesis and Facilitates Spatial Memory. *Journal of Neuroscience*, 31(38), 13469-13484. doi: 10.1523/jneurosci.3100-11.2011. <http://www.jneurosci.org/content/31/38/13469.abstract>
- Stoneham, E. T., McHail, D. G., Boggs, K. N., Albani, S. H., Carty, J. A., Evans, R. C., . . . Dumas, T. C. (2017). Functional perturbation of forebrain principal neurons reveals differential effects in novel and well-learned tasks. *Brain Research*. doi: <https://doi.org/10.1016/j.brainres.2017.06.024>. <http://www.sciencedirect.com/science/article/pii/S000689931730272X>
- Storace, D. A., Higgins, N. C., & Read, H. L. (2010). Thalamic label patterns suggest primary and ventral auditory fields are distinct core regions. *Journal of Comparative Neurology*, 518(10), 1630-1646. doi.
- Storace, D. A., Higgins, N. C., & Read, H. L. (2011). Thalamocortical pathway specialization for sound frequency resolution. *Journal of Comparative Neurology*, 519(2), 177-193. doi.
- Stork, O., Zhdanov, A., Kudersky, A., Yoshikawa, T., Obata, K., & Pape, H.-C. (2004). Neuronal Functions of the Novel Serine/Threonine Kinase Ndr2. *Journal of Biological Chemistry*, 279(44), 45773-45781. doi: 10.1074/jbc.M403552200. <http://www.jbc.org/cgi/content/abstract/279/44/45773>
- Stornetta, R. L., Grubb, M. C., & Guyenet, P. G. (1997). Atipamezole-precipitated clonidine withdrawal induces c-Fos expression in rat central nervous system. *Brain Research*, 764(1-2), 81-92. doi.
- Stornetta, R. L., Macon, C. J., Nguyen, T. M., Coates, M. B., & Guyenet, P. G. (2012). Cholinergic neurons in the mouse rostral ventrolateral medulla target sensory afferent areas. *Brain Structure and Function*, 1-21. doi.

Stornetta, R. L., McQuiston, T. J., & Guyenet, P. G. (2004). GABAergic and glycinergic presympathetic neurons of rat medulla oblongata identified by retrograde transport of pseudorabies virus and in situ hybridization. *Journal of Comparative Neurology*, 479(3), 257-270. doi.

Stornetta, R. L., Moreira, T. S., Takakura, A. C., Kang, B. J., Chang, D. A., West, G. H., . . . Guyenet, P. G. (2006). Expression of Phox2b by Brainstem Neurons Involved in Chemosensory Integration in the Adult Rat. *Journal of Neuroscience* 26(40), 10305-10314. doi: 10.1523/jneurosci.2917-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/40/10305>

Stornetta, R. L., Rosin, D. L., Simmons, J. R., McQuiston, T. J., Vujovic, N., Weston, M. C., & Guyenet, P. G. (2005). Coexpression of vesicular glutamate transporter-3 and  $\gamma$ -aminobutyric acidergic markers in rat rostral medullary raphe and intermediolateral cell column. *Journal of Comparative Neurology*, 492(4), 477-494. doi.

Stornetta, R. L., Rosin, D. L., Wang, H., Sevigny, C. P., Weston, M. C., & Guyenet, P. G. (2003). A group of glutamatergic interneurons expressing high levels of both neurokinin-1 receptors and somatostatin identifies the region of the pre-Bötzing complex. *Journal of Comparative Neurology*, 455(4), 499-512. doi.

Stornetta, R. L., Schreihöfer, A. M., Pelaez, N. M., Sevigny, C. P., & Guyenet, P. G. (2001). Preproenkephalin mRNA is expressed by C1 and non-C1 barosensitive bulbospinal neurons in the rostral ventrolateral medulla of the rat. *Journal of Comparative Neurology*, 435(1), 111-126. doi.

Stornetta, R. L., Sevigny, C. P., & Guyenet, P. G. (2002). Vesicular glutamate transporter DNPI/VGLUT2 mRNA is present in C1 and several other groups of brainstem catecholaminergic neurons. *Journal of Comparative Neurology*, 444(3), 191-206. doi.

Stornetta, R. L., Sevigny, C. P., & Guyenet, P. G. (2003). Inspiratory augmenting bulbospinal neurons express both glutamatergic and enkephalinergic phenotypes. *Journal of Comparative Neurology*, 455(1), 113-124. doi.

Stornetta, R. L., Sevigny, C. P., Schreihöfer, A. M., Rosin, D. L., & Guyenet, P. G. (2002). Vesicular glutamate transporter DNPI/VGLUT2 is expressed by both C1 adrenergic and nonaminergic presympathetic vasomotor neurons of the rat medulla. *Journal of Comparative Neurology*, 444(3), 207-220. doi.

Strauch, C., & Manahan-Vaughan, D. (2017). In the Piriform Cortex, the Primary Impetus for Information Encoding through Synaptic Plasticity Is Provided by Descending Rather than Ascending Olfactory Inputs. *Cerebral Cortex*, 1-13. doi: 10.1093/cercor/bhx315. <http://dx.doi.org/10.1093/cercor/bhx315>

Streit, W., Braak, H., Xue, Q., & Bechmann, I. (2009). Dystrophic (senescent) rather than activated microglial cells are associated with tau pathology and likely precede neurodegeneration in Alzheimer's disease. *Acta Neuropathol*, 118, 475 - 485. doi.

Strekalova, T., Bahzenova, N., Trofimov, A., Schmitt-Böhrer, A. G., Markova, N., Grigoriev, V., . . . Bachurin, S. (2017). Pro-neurogenic, Memory-Enhancing and Anti-stress Effects of DF302, a Novel Fluorine Gamma-Carboline Derivative with Multi-target Mechanism of Action. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-017-0745-6. <https://doi.org/10.1007/s12035-017-0745-6>

Strobel, C., Sullivan, R. K. P., Stratton, P., & Sah, P. (2017). Calcium signalling in medial intercalated cell dendrites and spines. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jp274261. <http://dx.doi.org/10.1113/JP274261>

Stroh, O., Freichel, M., Kretz, O., Birnbaumer, L., Hartmann, J., & Egger, V. (2012). NMDA Receptor-Dependent Synaptic Activation of TRPC Channels in Olfactory Bulb Granule Cells. *Journal of Neuroscience*, 32(17), 5737-5746. doi: 10.1523/jneurosci.3753-11.2012. <http://www.jneurosci.org/content/32/17/5737.abstract>

Stroh, T., van Schouwenburg, M. R., Beaudet, A., & Tannenbaum, G. S. (2009). Subcellular Dynamics of Somatostatin Receptor Subtype 1 in the Rat Arcuate Nucleus: Receptor Localization and Synaptic Connectivity Vary in Parallel with the Ultradian Rhythm of Growth Hormone Secretion. *Journal of Neuroscience*, 29(25), 8198-8205. doi: 10.1523/jneurosci.0336-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/25/8198>

Strong, C. E., Schoepfer, K. J., Dossat, A. M., Saland, S. K., Wright, K. N., & Kabbaj, M. (2017). Locomotor sensitization to intermittent ketamine administration is associated with nucleus accumbens plasticity in male and female rats. *Neuropharmacology*. doi: <https://doi.org/10.1016/j.neuropharm.2017.05.003>, <http://www.sciencedirect.com/science/article/pii/S0028390817301995>

Struble, R. G., Afridi, S., Beckman-Randall, S., Li, M., Cady, C., Nathan, B., & McAsey, M. E. (2006). Neocortical and hippocampal glial fibrillary acidic protein immunoreactivity shows region-specific variation during the mouse estrous cycle. *Neuroendocrinology*, 83(5-6), 325-335. doi.

Struble, R. G., Beckman, S. L., Fesser, E., & Nathan, B. P. (2001). Volumetric and horseradish peroxidase tracing analysis of rat olfactory bulb following reversible olfactory nerve lesions. *Chemical Senses*, 26(8), 971-981. doi.

Struble, R. G., & Clark, H. B. (1992). Olfactory bulb lesions in Alzheimers disease. *Neurobiology of Aging*, 13, 469-473. doi.

Stutzmann, G. E., McEwen, B. S., & LeDoux, J. E. (1998). Serotonin Modulation of Sensory Inputs to the Lateral Amygdala: Dependency on Corticosterone. *Journal of Neuroscience*, 18(22), 9529-9538. doi. <http://www.jneurosci.org/cgi/content/abstract/18/22/9529>

Su, H., Wang, L., Cai, J., Yuan, Q., Yang, X., Yao, X., . . . Wu, W. (2013). Transplanted motoneurons derived from human induced pluripotent stem cells form functional connections with target muscle. *Stem Cell Research*, (0). doi: <http://dx.doi.org/10.1016/j.scr.2013.02.007>, <http://www.sciencedirect.com/science/article/pii/S187350611300024X>

Su, X., Chen, J.-J., Liu, L.-Y., Huang, Q., Zhang, L.-Z., Li, X.-Y., . . . Yu, Y.-C. (2017). Neonatal CX26 removal impairs neocortical development and leads to elevated anxiety. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1613237114. <http://www.pnas.org/content/early/2017/03/03/1613237114.abs> tract

Su, X., Guan, W., Yu, Y.-C., & Fu, Y. (2014). Cerebellar stem cells do not produce neurons and astrocytes in adult mouse. *Biochemical and Biophysical Research Communications*, (0). doi: <http://dx.doi.org/10.1016/j.bbrc.2014.05.131>. <http://www.sciencedirect.com/science/article/pii/S0006291X14010201>

Suarez, L. M., Alberquilla, S., García-Montes, J. R., & Moratalla, R. (2018). Differential synaptic remodeling by dopamine in direct and indirect striatal projection neurons in Pitx3-/- mice, a genetic model of Parkinson's disease. [10.1523/JNEUROSCI.3184-17.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/02/26/JNEUROSCI.3184-17.2018..>

Suárez, L. M., Solís, O., Caramés, J. M., Taravini, I. R., Solis, J. M., Murer, M. G., & Moratalla, R. (2013). L-DOPA Treatment Selectively Restores Spine Density in Dopamine Receptor D2-Expressing Projection Neurons in Dyskinetic Mice. *Biological Psychiatry*, (0). doi: <http://dx.doi.org/10.1016/j.biopsych.2013.05.006>. <http://www.sciencedirect.com/science/article/pii/S0006322313004162>

Suarez, N. A. (2018). Understanding the impact of L1 activity in Rett Syndrome using an iPSC-derived 3D model. UNIVERSITY OF CALIFORNIA, SAN DIEGO.

Subramanian, J., Michel, K., Benoit, M., & Nedivi, E. (2019). CPG15/Neuritin Mimics Experience in Selecting Excitatory Synapses for Stabilization by Facilitating PSD95 Recruitment. *Cell Reports*, 28(6), 1584-1595.e1585. doi: <https://doi.org/10.1016/j.celrep.2019.07.012>. <http://www.sciencedirect.com/science/article/pii/S221124719309027>

Sudarov, A., Gooden, F., Tseng, D., Gan, W.-B., & Ross, M. E. (2013). Lis1 controls dynamics of neuronal filopodia and spines to impact synaptogenesis and social behaviour. *EMBO Molecular Medicine*, n/a-n/a. doi: 10.1002/emmm.201202106. <http://dx.doi.org/10.1002/emmm.201202106>

Suenaga, T., Yukie, M., Gao, S., & Nakahara, D. (2012). Sex-specific effects of prenatal stress on neuronal development in the medial prefrontal cortex and the hippocampus. *Neuroreport*, 23(7), 430-430. doi:

Sugama, S., Takenouchi, T., Fujita, M., Kitani, H., Conti, B., & Hashimoto, M. (2012). Corticosteroids limit microglial activation occurring during acute stress. *Neuroscience*, 232C, 13 - 20. doi:

Sugawara, M., Corfas, G., & Liberman, M. C. (2005). Influence of supporting cells on neuronal degeneration after hair cell loss. *JARO-Journal of the Association for Research in Otolaryngology*, 6(2), 136-147. doi:

Sugihara, I., Brown, K. M., & Ascoli, G. A. (2013). New insights on vertebrate olivo-cerebellar climbing fibers from computerized morphological reconstructions. *BioArchitecture*, 3(2), 0--1. doi.

Sugiuchi, Y., Izawa, Y., Takahashi, M., Na, J., & Shinoda, Y. (2005). Physiological Characterization of Synaptic Inputs to Inhibitory Burst Neurons From the Rostral and Caudal Superior Colliculus. *Journal of Neurophysiology*, 93(2), 697-712. doi: 10.1152/jn.00502.2004. <http://jn.physiology.org/cgi/content/abstract/93/2/697>

Sugiura, M., & Kanda, K. (2004). Progress of Age-Related Changes in Properties of Motor Units in the Gastrocnemius Muscle of Rats. *Journal of Neurophysiology*, 92(3), 1357-1365. doi: 10.1152/jn.00947.2003. <http://jn.physiology.org/cgi/content/abstract/92/3/1357>

Sui, Y. I., Stanić, D., Tomas, D., Jarrott, B., & Horne, M. K. (2009). Meloxicam reduces lipopolysaccharide-induced degeneration of dopaminergic neurons in the rat substantia nigra pars compacta. *Neuroscience Letters*, 460(2), 121-125. doi.

Sukhotinsky, I., Hopkins, D. A., Lu, J., Saper, C. B., & Devor, M. (2005). Movement suppression during anesthesia: neural projections from the mesopontine tegmentum to areas involved in motor control. *Journal of Comparative Neurology*, 489(4), 425-448. doi.

Sukhotinsky, I., Reiner, K., Govrin-Lippmann, R., Belenky, M., Lu, J., Hopkins, D. A., . . . Devor, M. (2006). Projections from the mesopontine tegmental anesthesia area to regions involved in pain modulation. *Journal of Chemical Neuroanatomy*, 32(2-4), 159-178. doi.

Sukhotinsky, I., Zalkind, V., & Devor, M. (2003). Anesthetic effect of barbiturates microinjected into the brainstem: neuroanatomy. *Progress in Pain Research and Management*, 24, 305-314. doi.

Sukhotinsky, I., Zalkind, V., Lu, J., Hopkins, D. A., Saper, C. B., & Devor, M. (2007). Neural pathways associated with loss of consciousness caused by intracerebral microinjection of GABAA-active anesthetics. *European Journal of Neuroscience*, 25(5), 1417-1436. doi: 10.1111/j.1460-9568.2007.05399.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05399.x>

Sullivan, E. D. K., Kent, M., Thompson, B., Bardi, M., & Lambert, K. (2019). Maternal-Induced Shifts in Allostatic Demands: Reproductive Experience Alters Emotional and Cognitive Biobehavioral Responses in Rats (*Rattus norvegicus*). *Neuroscience Letters*. doi: <https://doi.org/10.1016/j.neulet.2019.01.048>. <http://www.sciencedirect.com/science/article/pii/S0304394019300667>

Sultan, Khadeejah T., Han, Z., Zhang, X.-J., Xianyu, A., Li, Z., Huang, K., & Shi, S.-H. (2016). Clonally Related GABAergic Interneurons Do Not Randomly Disperse but Frequently Form Local Clusters in the Forebrain. *Neuron*, 92(1), 31-44. doi: 10.1016/j.neuron.2016.09.033. <http://dx.doi.org/10.1016/j.neuron.2016.09.033>

Sultan, K. T., Liu, W. A., Li, Z.-L., Shen, Z., Li, Z., Zhang, X.-J., . . . Shi, S.-H. (2018). Progressive divisions of multipotent neural progenitors generate late-born chandelier cells in the



neocortex. *Nature Communications*, 9(1), 4595. doi: 10.1038/s41467-018-07055-7.  
7. <https://doi.org/10.1038/s41467-018-07055-7>

Summa, M., Russo, D., Penna, I., Margaroli, N., Bayer, I. S., Bandiera, T., . . . Bertorelli, R. (2018). A biocompatible sodium alginate/povidone iodine film enhances wound healing. *European Journal of Pharmaceutics and Biopharmaceutics*, 122(Supplement C), 17-24. doi: <https://doi.org/10.1016/j.ejpb.2017.10.004>. <http://www.sciencedirect.com/science/article/pii/S0939641117307750>

Sun, C., Dayal, A., & Hill, D. L. (2015). Expanded Terminal Fields of Gustatory Nerves Accompany Embryonic BDNF Overexpression in Mouse Oral Epithelia. *The Journal of Neuroscience*, 35(1), 409-421. doi: <http://www.jneurosci.org/content/35/1/409.short>

Sun, C., Hummler, E., & Hill, D. L. (2016). Selective Deletion of Sodium Salt Taste During Development Leads to Expanded Terminal Fields of Gustatory Nerves in the Adult Mouse Nucleus of the Solitary Tract. [10.1523/JNEUROSCI.2913-16.2016]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2016/12/09/JNEUROSCI.2913-16.2016...>

Sun, G., Yang, S., Cao, G., Wang, Q., Hao, J., Wen, Q., . . . Zhou, S. (2017).  $\gamma\delta$  T cells provide the early source of IFN- $\gamma$  to aggravate lesions in spinal cord injury. *Journal of Experimental Medicine*, jem. 20170686. doi: <http://jem.rupress.org/content/early/2017/12/26/jem.20170686>

Sun, G., Zeng, S., Liu, X., Shi, H., Zhang, R., Wang, B., . . . Yu, T. (2019). Synthesis and Characterization of a Silica-Based Drug Delivery System for Spinal Cord Injury Therapy. [journal article]. *Nano-Micro Letters*, 11(1), 23. doi: 10.1007/s40820-019-0252-6. <https://doi.org/10.1007/s40820-019-0252-6>

Sun, G.-Z., He, Y.-C., Ma, X. K., Li, S.-T., Chen, D.-J., Gao, M., . . . Wu, J. (2017). Hippocampal synaptic and neural network deficits in young mice carrying the human APOE4 gene. *CNS Neuroscience & Therapeutics*, 23(9), 748-758. doi: 10.1111/cns.12720. <http://dx.doi.org/10.1111/cns.12720>

Sun, H. Y., Li, Q., Bartley, A. F., & Dobrunz, L. E. (2018). Target-cell-specific Short-term Plasticity Reduces the Excitatory Drive onto CA1 Interneurons Relative to Pyramidal Cells During Physiologically Derived Spike Trains. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2018.07.051>. <http://www.sciencedirect.com/science/article/pii/S0306452218305359>

Sun, L. W. (2013). Viral and Non-viral Tracing of Cerebellar Corticonuclear and Vestibulorubral Projections in the Mouse. *Open Journal of Neuroscience*, 3(1). doi: <http://rossscience.org/ARTICLE/OJNS-3-3.php>

Sun, L. W., & Clark, J. H. (2011). Transsynaptic tracing of conditioned eyeblink circuits in the mouse cerebellum. *Neuroscience*. doi.

Sun, M., Ahmad, N., Zhang, R., & Graw, J. (2018). Crybb2 associates with Tmsb4X and is crucial for dendrite morphogenesis. *Biochemical and Biophysical Research*

Communications.

doi: <https://doi.org/10.1016/j.bbrc.2018.05.195>. <http://www.sciencedirect.com/science/article/pii/S0006291X18312841>

Sun, P., Wang, X.-Q., Lopatka, K., Bangash, S., & Paller, A. S. (2002). Ganglioside Loss Promotes Survival Primarily by Activating Integrin-Linked Kinase/Akt Without Phosphoinositide 3-OH Kinase Signaling. *Journal of Investigative Dermatology*, 119(1), 107. doi.

Sun, Q., Jiang, Y.-Q., & Lu, M. C. (2020). Topographic heterogeneity of intrinsic excitability in mouse hippocampal CA3 pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.00147.2020. <https://doi.org/10.1152/jn.00147.2020>

Sun, Q., Sotayo, A., Cazzulino, A. S., Snyder, A. M., Denny, C. A., & Siegelbaum, S. A. (2017). Proximodistal Heterogeneity of Hippocampal CA3 Pyramidal Neuron Intrinsic Properties, Connectivity, and Reactivation during Memory Recall. *Neuron*, 95(3), 656-672.e653. doi: <https://doi.org/10.1016/j.neuron.2017.07.012>. <http://www.sciencedirect.com/science/article/pii/S0896627317306347>

Sun, Q.-Q. (2009). Experience-dependent intrinsic plasticity in interneurons of barrel cortex layer IV. *Journal of Neurophysiology*, 00562.02009. doi: 10.1152/jn.00562.2009. <http://jn.physiology.org/cgi/content/abstract/00562.2009v1>

Sun, Q.-Q. (2009). A novel role of dendritic gap junction and mechanisms underlying its interaction with thalamocortical conductance in fast spiking inhibitory neurons. *BMC Neuroscience*, 10(1), 131. doi. <http://www.biomedcentral.com/1471-2202/10/131>

Sun, Q. Q. (2009). Experience-dependent intrinsic plasticity in interneurons of barrel cortex layer IV. *Journal of Neurophysiology*, 102(5), 2955-2955. doi.

Sun, Q. Q., Huguenard, J. R., & Prince, D. A. (2005). Reorganization of barrel circuits leads to thalamically-evoked cortical epileptiform activity. *Thalamus and Related Systems*, 3(4), 261-261. doi.

Sun, Q.-Q., Huguenard, J. R., & Prince, D. A. (2006). Barrel Cortex Microcircuits: Thalamocortical Feedforward Inhibition in Spiny Stellate Cells Is Mediated by a Small Number of Fast-Spiking Interneurons. *Journal of Neuroscience*, 26, 1219-1230. doi.

Sun, W., & Panneton, W. M. (2005). Defining projections from the caudal pressor area of the caudal ventrolateral medulla. *Journal of Comparative Neurology*, 482(3), 273-293. doi.

Sun, Y., Gao, Y., Tidei, J. J., Shen, M., Hoang, J. T., Wagner, D., & Zhao, X. (2018). Loss of MeCP2 in immature neurons leads to impaired network integration. *Human Molecular Genetics*, ddy338-ddy338. doi: 10.1093/hmg/ddy338. <http://dx.doi.org/10.1093/hmg/ddy338>

Sundholm-Peters, N., Yang, H., Goings, G. E., Walker, A. S., & Szele, F. G. (2005). Subventricular Zone Neuroblasts Emigrate Toward Cortical Lesions. *Journal of Neuropathology and Experimental Neurology*, 64(12), 1089-1100. doi.

Suntsova, N., Guzman-Marin, R., Kumar, S., Alam, M. N., Szymusiak, R., & McGinty, D. (2007). The Median Preoptic Nucleus Reciprocally Modulates Activity of Arousal-Related and Sleep-Related Neurons in the Perifornical Lateral Hypothalamus. *Journal of Neuroscience*, 27(7), 1616-1630. doi: 10.1523/jneurosci.3498-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/7/1616>

Suntsova, N., Kumar, S., Guzman-Marin, R., Alam, M. N., Szymusiak, R., & McGinty, D. (2009). A role for the preoptic sleep-promoting system in absence epilepsy. *Neurobiology of Disease*, 36(1), 126-141. doi.

Suntsova, N., Szymusiak, R., Alam, M. N., Guzman-Marin, R., & McGinty, D. (2002). Sleep-waking discharge patterns of median preoptic nucleus neurons in rats. *Journal of Physiology*, 543(2), 665-677. doi: 10.1113/jphysiol.2002.023085. <http://jp.physoc.org/cgi/content/abstract/543/2/665>

Sürmeli, G., Akay, T., Ippolito, G. C., Tucker, P. W., & Jessell, T. M. (2011). Patterns of spinal sensory-motor connectivity prescribed by a dorsoventral positional template. *Cell*, 147(3), 653-665. doi.

Sürmeli, G., Marcu, Daniel C., McClure, C., Garden, Derek L. F., Pastoll, H., & Nolan, Matthew F. (2015). Molecularly Defined Circuitry Reveals Input-Output Segregation in Deep Layers of the Medial Entorhinal Cortex. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2015.10.041>. <http://www.sciencedirect.com/science/article/pii/S0896627315009356>

Susick, L. L., Lowing, J. L., Provenzano, A. M., Hildebrandt, C. C., & Conti, A. C. (2014). Postnatal Ethanol Exposure Simplifies the Dendritic Morphology of Medium Spiny Neurons Independently of Adenylyl Cyclase 1 and 8 Activity in Mice. *Alcoholism: Clinical and Experimental Research*, n/a-n/a. doi: 10.1111/acer.12383. <http://dx.doi.org/10.1111/acer.12383>

Suter, B. A., Migliore, M., & Shepherd, G. M. G. (2012). Intrinsic Electrophysiology of Mouse Corticospinal Neurons: a Class-Specific Triad of Spike-Related Properties. *Cerebral Cortex*. doi: 10.1093/cercor/bhs184. <http://cercor.oxfordjournals.org/content/early/2012/07/03/cercor.bhs184...>

Suter, B. A., & Shepherd, G. M. (2015). Reciprocal Interareal Connections to Corticospinal Neurons in Mouse M1 and S2. *The Journal of Neuroscience*, 35(7), 2959-2974. doi. <http://www.jneurosci.org/content/35/7/2959.short>

Suter, K. J., Song, W. J., Sampson, T. L., Wuarin, J.-P., Saunders, J. T., Dudek, F. E., & Moenter, S. M. (2000). Genetic Targeting of Green Fluorescent Protein to Gonadotropin-Releasing Hormone Neurons: Characterization of Whole-Cell Electrophysiological Properties and Morphology. *Endocrinology*, 141(1), 412-419. doi: 10.1210/en.141.1.412. <http://endo.endojournals.org/cgi/content/abstract/141/1/412>

Suthakar, K., & Ryugo, D. K. (2016). Descending projections from the inferior colliculus to medial olivocochlear efferents: Mice with normal hearing, early onset hearing loss, and

congenital deafness. *Hearing Research*.

doi: <http://dx.doi.org/10.1016/j.heares.2016.06.014>. <http://www.sciencedirect.com/science/article/pii/S0378595516301381>

Sutlive, T. G., McClung, J. R., & Goldberg, S. J. (1999). Whole-Muscle and Motor-Unit Contractile Properties of the Styloglossus Muscle in Rat. *Journal of Neurophysiology*, 82(2), 584-592. doi: <http://jn.physiology.org/cgi/content/abstract/82/2/584>

Suwa, B., Bock, N., Preusse, S., Rothenberger, A., & Manzke, T. (2014). Distribution of Serotonin 4(a) Receptors in the juvenile Rat Brain and Spinal Cord. *Journal of Chemical Neuroanatomy*, (0). doi: <http://dx.doi.org/10.1016/j.jchemneu.2013.12.004>. <http://www.sciencedirect.com/science/article/pii/S0891061814000027>

Suwabe, T., & Bradley, R. M. (2009). Characteristics of rostral solitary tract nucleus neurons with identified afferent connections that project to the parabrachial nucleus in rats. *Journal of Neurophysiology*, 91182.92008. doi: 10.1152/jn.91182.2008. <http://jn.physiology.org/cgi/content/abstract/91182.2008v1>

Suwabe, T., Mistretta, C. M., Krull, C., & Bradley, R. M. (2011). Pre- and postnatal differences in membrane, action potential, and ion channel properties of rostral nucleus of the solitary tract neurons. *Journal of Neurophysiology*, 106(5), 2709-2719. doi: 10.1152/jn.00178.2011. <http://jn.physiology.org/content/106/5/2709.abstract>

Suzawa, M., Muhammad, N. M., Joseph, B. S., & Bland, M. L. (2019). The Toll Signaling Pathway Targets the Insulin-like Peptide Dilp6 to Inhibit Growth in *Drosophila*. *Cell Reports*, 28(6), 1439-1446.e1435. doi: <https://doi.org/10.1016/j.celrep.2019.07.015>. <http://www.sciencedirect.com/science/article/pii/S2211124719309052>

Suzuki, I., Kitagawa, J., Noma, N., Tsuboi, Y., Kondo, M., Honda, K., . . . others. (2008). Attenuation of naloxone-induced Vc pERK hyper-expression following capsaicin stimulation of the face in aged rat. *Neuroscience Letters*, 442(1), 39-43. doi:

Suzuki, I., Tsuboi, Y., Shinoda, M., Shibuta, K., Honda, K., Katagiri, A., . . . Iwata, K. (2013). Involvement of ERK Phosphorylation of Trigeminal Spinal Subnucleus Caudalis Neurons in Thermal Hypersensitivity in Rats with Infraorbital Nerve Injury. *PLoS ONE*, 8(2), e57278. doi: 10.1371/journal.pone.0057278. <http://dx.doi.org/10.1371%2Fjournal.pone.0057278>

Suzuki, L., Coulon, P., Sabel-Goedknegt, E. H., & Ruigrok, T. J. H. (2012). Organization of Cerebral Projections to Identified Cerebellar Zones in the Posterior Cerebellum of the Rat. *Journal of Neuroscience*, 32(32), 10854-10869. doi: 10.1523/jneurosci.0857-12.2012. <http://www.jneurosci.org/content/32/32/10854.abstract>

Suzuki, N., & Bekkers, J. M. (2010). Distinctive Classes of GABAergic Interneurons Provide Layer-Specific Phasic Inhibition in the Anterior Piriform Cortex. *Cerebral Cortex*, bhq046. doi: 10.1093/cercor/bhq046. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhq046v1>

Suzuki, N., & Bekkers, J. M. (2011). Two Layers of Synaptic Processing by Principal Neurons in Piriform Cortex. *Journal of Neuroscience*, 31(6), 2156-2166. doi: 10.1523/jneurosci.5430-10.2011. <http://www.jneurosci.org/content/31/6/2156.abstract>

Suzuki, N., & Bekkers, J. M. (2012). Microcircuits Mediating Feedforward and Feedback Synaptic Inhibition in the Piriform Cortex. *Journal of Neuroscience*, 32(3), 919-931. doi: 10.1523/jneurosci.4112-11.2012. <http://www.jneurosci.org/content/32/3/919.abstract>

Suzuki, S., Zhou, H., Neumaier, J. F., & Pham, T. A. (2007). Opposing functions of CREB and MKK1 synergistically regulate the geometry of dendritic spines in visual cortex. *Journal of Comparative Neurology*, 503(5), 605-617. doi.

Suzuki, T., Bramlett, H. M., & Dietrich, W. D. (2003). The importance of gender on the beneficial effects of posttraumatic hypothermia. *Experimental Neurology*, 184(2), 1017-1026. doi.

Suzuki, W. A., & Porteros, A. (2002). Distribution of calbindin D-28k in the entorhinal, perirhinal, and parahippocampal cortices of the macaque monkey. *Journal of Comparative Neurology*, 451(4), 392-412. doi.

Suzuki, Y., Kiyokage, E., Sohn, J., Hioki, H., & Toida, K. (2014). Structural basis for serotonergic regulation of neural circuits in the mouse olfactory bulb. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23680. <http://dx.doi.org/10.1002/cne.23680>

Suzuki, Y., Takeda, M., Obara, N., Suzuki, N., & Takeichi, N. (2000). Olfactory epithelium consisting of supporting cells and horizontal basal cells in the posterior nasal cavity of mice. *Cell and Tissue Research*, 299(3), 313-325. doi.

Svedin, P., Hagberg, H., Savman, K., Zhu, C., & Mallard, C. (2007). Matrix Metalloproteinase-9 Gene Knock-out Protects the Immature Brain after Cerebral Hypoxia-Ischemia. *Journal of Neuroscience*, 27(7), 1511-1518. doi: 10.1523/jneurosci.4391-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/7/1511>

Svirskis, G., Gutman, A., & Hounsgaard, J. (2001). Electrotonic Structure of Motoneurons in the Spinal Cord of the Turtle: Inferences for the Mechanisms of Bistability. *Journal of Neurophysiology*, 85(1), 391-398. doi. <http://jn.physiology.org/cgi/content/abstract/85/1/391>

Swartz, E. M., & Holmes, G. M. (2014). Gastric vagal motoneuron function is maintained following experimental spinal cord injury. *Neurogastroenterology and Motility*, n/a-n/a. doi: 10.1111/nmo.12452. <http://dx.doi.org/10.1111/nmo.12452>

Sydekum, E., Baltés, C., Ghosh, A., Mueggler, T., Schwab, M. E., & Rudin, M. (2009). Functional reorganization in rat somatosensory cortex assessed by fMRI: elastic image registration based on structural landmarks in fMRI images and application to spinal cord injured rats. *Neuroimage*, 44(4), 1345-1354. doi.

Sydekum, E., Ghosh, A., Gullo, M., Baltés, C., Schwab, M., & Rudin, M. (2013). Rapid functional reorganization of the forelimb cortical representation after thoracic spinal cord injury in

adult rats. *Neuroimage*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroimage.2013.10.045>. <http://www.sciencedirect.com/science/article/pii/S1053811913010689>

Symons, F. J., Gilles, E., Tervo, R., Wendelschafer-Crabb, G., Panoutsopoulou, I., & Kennedy, W. (2014). Skin and self-injury: a possible link between peripheral innervation and immune function? *Developmental Medicine and Child Neurology*, n/a-n/a. doi: 10.1111/dmcn.12580. <http://dx.doi.org/10.1111/dmcn.12580>

Symons, F. J., Wendelschafer-Crabb, G., Kennedy, W., Hardrict, R., Dahl, N., & Bodfish, J. W. (2008). Evidence of altered epidermal nerve fiber morphology in adults with self-injurious behavior and neurodevelopmental disorders. *Pain*, 134(1-2), 232-237. doi.

Szabadics, J., Lorincz, A., & Tamas, G. (2001).  $\beta$  and  $\gamma$  Frequency Synchronization by Dendritic GABAergic Synapses and Gap Junctions in a Network of Cortical Interneurons. *Journal of Neuroscience*, 21(15), 5824-5831. doi: <http://www.jneurosci.org/cgi/content/abstract/21/15/5824>

Szabadics, J., Lorincz, A., & Tamás, G. (2001).  $\beta$  and  $\gamma$  frequency synchronization by dendritic GABAergic synapses and gap junctions in a network of cortical interneurons. *Journal of Neuroscience*, 21(15), 5824-5831. doi.

Szabadics, J., Tamas, G., & Soltesz, I. (2007). Different transmitter transients underlie presynaptic cell type specificity of GABA<sub>A</sub>, slow and GABA<sub>A</sub>, fast. *Proceedings of the National Academy of Sciences*, 104(37), 14831-14836. doi: 10.1073/pnas.0707204104. <http://www.pnas.org/cgi/content/abstract/104/37/14831>

Szabadics, J., Varga, C., Molnar, G., Olah, S., Barzo, P., & Tamas, G. (2006). Excitatory Effect of GABAergic Axo-Axonic Cells in Cortical Microcircuits. *Science*, 311, 233-235. doi.

Szabó, Z., Bácskai, T., Deák, Á., Matesz, K., Veress, G., & Sziklai, I. (2011). Dendrodendritic connections between the cochlear efferent neurons in guinea pig. *Neuroscience Letters*. doi.

Szczurkowska, J., Pischedda, F., Pinto, B., Managò, F., Haas, C. A., Summa, M., . . . Cancedda, L. (2018). NEGR1 and FGFR2 cooperatively regulate cortical development and core behaviours related to autism disorders in mice. *Brain*, awy190-awy190. doi: 10.1093/brain/awy190. <http://dx.doi.org/10.1093/brain/awy190>

Szegedi, V., Paizs, M., Csakvari, E., Molnar, G., Barzo, P., Tamas, G., & Lamsa, K. (2016). Plasticity in Single Axon Glutamatergic Connection to GABAergic Interneurons Regulates Complex Events in the Human Neocortex. *PLoS Biology*, 14(11), e2000237. doi: 10.1371/journal.pbio.2000237. <http://dx.doi.org/10.1371%2Fjournal.pbio.2000237>

Szkudlarek, H. J., & Raastad, M. (2007). Electrical properties of morphologically characterized neurons in the intergeniculate leaflet of the rat thalamus. *Neuroscience*, 150(2), 309-318. doi.



Szoboszlay, M., Lőrincz, A., Lanore, F., Vervaeke, K., Silver, R. A., & Nusser, Z. (2016). Functional Properties of Dendritic Gap Junctions in Cerebellar Golgi Cells. *Neuron*. doi: 10.1016/j.neuron.2016.03.029. <http://dx.doi.org/10.1016/j.neuron.2016.03.029>

Szöke, E., Seress, L., & Szolcsányi, J. (2002). Neonatal capsaicin treatment results in prolonged mitochondrial damage and delayed cell death of B cells in the rat trigeminal ganglia. *Neuroscience*, 113(4), 925-937. doi.

Szpak, G., Lewandowska, E., Lechowicz, W., Wierzbą-Bobrowicz, T., Kulczycki, J., Bertrand, E., . . . Dymecki, J. (2006). The brain immune response in human prion diseases. Microglial activation and microglial disease. I. Sporadic Creutzfeldt-Jakob disease. *Folia Neuropathologica*, 44, 202 - 213. doi.

Sztarker, J., & Rind, F. C. (2014). A look into the cockpit of the developing locust: Looming detectors and predator avoidance. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22184. <http://dx.doi.org/10.1002/dneu.22184>

Szucs, P., Luz, L. L., Lima, D., & Safronov, B. V. (2010). Local axon collaterals of lamina I projection neurons in the spinal cord of young rats. *Journal of Comparative Neurology*, 518(14), 2645-2665. doi.

Szucs, P., Luz, L. L., Pinho, R., Aguiar, P., Antal, Z., Tiong, S. Y. X., . . . Safronov, B. V. (2013). Axon diversity of lamina I local-circuit neurons in the lumbar spinal cord. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23311. <http://dx.doi.org/10.1002/cne.23311>

Szucs, P., Odeh, F., Szokol, K., & Antal, M. (2003). Neurons with distinctive firing patterns, morphology and distribution in laminae V-VII of the neonatal rat lumbar spinal cord. *European Journal of Neuroscience*, 17(3), 537-544. doi: doi:10.1046/j.1460-9568.2003.02484.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02484.x>

Szûcs, P., Odeh, F., Szokol, K., & Antal, M. (2003). Neurons with distinctive firing patterns, morphology and distribution in laminae V-VII of the neonatal rat lumbar spinal cord. *European Journal of Neuroscience*, 17(3), 537-544. doi.

Szucs, P., Pinto, V., & Safronov, B. V. (2009). Advanced technique of infrared LED imaging of unstained cells and intracellular structures in isolated spinal cord, brainstem, ganglia and cerebellum. *Journal of Neuroscience Methods*, 177(2), 369-380. doi.

Tabor, K. M., Wong, R. O. L., & Rubel, E. W. (2011). Topography and morphology of the inhibitory projection from superior olivary nucleus to nucleus laminaris in chickens (*Gallus gallus*). *Journal of Comparative Neurology*, 519(2), 358-375. doi: 10.1002/cne.22523. <http://dx.doi.org/10.1002/cne.22523>

Tachikawa, K. S., Yoshihara, Y., & Kuroda, K. O. (2013). Behavioral Transition from Attack to Parenting in Male Mice: A Crucial Role of the Vomeronasal System. *Journal of Neuroscience*, 33(12), 5120-5126. doi: 10.1523/jneurosci.2364-12.2013. <http://www.jneurosci.org/content/33/12/5120.abstract>

Tae, H.-S., Smith, K. M., Phillips, A. M., Boyle, K. A., Li, M., Forster, I. C., . . . Reid, C. A. (2017). Gabapentin Modulates HCN4 Channel Voltage-Dependence. [Original Research]. *Frontiers in Pharmacology*, 8(554). doi: 10.3389/fphar.2017.00554. <http://journal.frontiersin.org/article/10.3389/fphar.2017.00554>

Taguchi, T., Yasui, M., Kubo, A., Abe, M., Kiyama, H., Yamanaka, A., & Mizumura, K. (2013). Nociception originating from the crural fascia in rats. *Pain*, 154(7), 1103-1114. doi: <http://dx.doi.org/10.1016/j.pain.2013.03.017>. <http://www.sciencedirect.com/science/article/pii/S0304395913001127>

Taha, S., & Stryker, M. P. (2002). Rapid ocular dominance plasticity requires cortical but not geniculate protein synthesis. *Neuron*, 34(3), 425-436. doi.

Tahvildari, B., & Alonso, A. (2005). Morphological and electrophysiological properties of lateral entorhinal cortex layers II and III principal neurons. *Journal of Comparative Neurology*, 491(2), 123-140. doi.

Tai, Y., Feng, S., Ge, R., Du, W., Zhang, X., He, Z., & Wang, Y. (2008). TRPC6 channels promote dendritic growth via the CaMKIV-CREB pathway. *Journal of Cell Science*, 121(14), 2301-2307. doi: 10.1242/jcs.026906. <http://jcs.biologists.org/cgi/content/abstract/121/14/2301>

Tai, Y., Gallo, N. B., Wang, M., Yu, J.-R., & Van Aelst, L. (2019). Axo-axonic Innervation of Neocortical Pyramidal Neurons by GABAergic Chandelier Cells Requires AnkyrinG-Associated L1CAM. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.02.009>. <http://www.sciencedirect.com/science/article/pii/S0896627319301187>

Tai, Y., Janas, Justyna A., Wang, C.-L., & Van Aelst, L. (2014). Regulation of Chandelier Cell Cartridge and Bouton Development via DOCK7-Mediated ErbB4 Activation. *Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.celrep.2013.12.034>. <http://www.sciencedirect.com/science/article/pii/S2211124713007924>

Tailby, C., Wright, L. L., Metha, A. B., & Calford, M. B. (2005). Activity-dependent maintenance and growth of dendrites in adult cortex. *PNAS*, 102(12), 4631-4636. doi: <http://www.pnas.org/cgi/content/abstract/102/12/4631>

Taipa, R., Ferreira, V., Brochado, P., Robinson, A., Reis, I., Marques, F., . . . Sousa, N. (2017). Inflammatory pathology markers (activated microglia and reactive astrocytes) in early and late onset Alzheimer disease: a post-mortem study. *Neuropathology and Applied Neurobiology*, n/a-n/a. doi: 10.1111/nan.12445. <http://dx.doi.org/10.1111/nan.12445>

Takafuji, V., Lublin, D., Lynch, K., & Roche, J. K. (2001). Mucosal prostanoid receptors and synthesis in familial adenomatous polyposis. *Histochemistry and Cell Biology*, 116(2), 171-181. doi.

Takahara, D., Inoue, K.-i., Hirata, Y., Miyachi, S., Nambu, A., Takada, M., & Hoshi, E. (2012). Multisynaptic projections from the ventrolateral prefrontal cortex to the dorsal premotor cortex in macaques – anatomical substrate for conditional visuomotor behavior. *European*

Journal of Neuroscience, no-no. doi: 10.1111/j.1460-9568.2012.08251.x. <http://dx.doi.org/10.1111/j.1460-9568.2012.08251.x>

Takahashi, M., Sugiuchi, Y., & Shinoda, Y. (2007). Commissural Mirror-Symmetric Excitation and Reciprocal Inhibition Between the Two Superior Colliculi and Their Roles in Vertical and Horizontal Eye Movements. *Journal of Neurophysiology*, 98(5), 2664-2682. doi: 10.1152/jn.00696.2007. <http://jn.physiology.org/cgi/content/abstract/98/5/2664>

Takahashi, M., Sugiuchi, Y., & Shinoda, Y. (2010). Topographic Organization of Excitatory and Inhibitory Commissural Connections in the Superior Colliculi and Their Functional Roles in Saccade Generation. *Journal of Neurophysiology*, 104(6), 3146-3167. doi: 10.1152/jn.00554.2010. <http://jn.physiology.org/content/104/6/3146.abstract>

Takakura, A. C., & Moreira, T. S. (2013). Arterial chemoreceptor activation reduces the activity of parapyramidal serotonergic neurons in rats. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.01.069>. <http://www.sciencedirect.com/science/article/pii/S0306452213001139>

Takakura, A. C., Moreira, T. S., Menani, J. V., & Colombari, E. (2011). Inhibition of the caudal pressor area reduces cardiorespiratory chemoreflex responses. *Neuroscience*. doi:

Takakura, A. C., Moreira, T. S., Stornetta, R. L., West, G. H., Gwilt, J. M., & Guyenet, P. G. (2008). Selective lesion of retrotrapezoid Phox2b-expressing neurons raises the apnoeic threshold in rats. *Journal of Physiology*, 586(12), 2975-2991. doi: 10.1113/jphysiol.2008.153163. <http://jp.physoc.org/cgi/content/abstract/586/12/2975>

Takakura, A. C., Moreira, T. S., West, G. H., Gwilt, J. M., Colombari, E., Stornetta, R. L., & Guyenet, P. G. (2007). GABAergic Pump Cells of Solitary Tract Nucleus Innervate Retrotrapezoid Nucleus Chemoreceptors. *Journal of Neurophysiology*, 98(1), 374-381. doi: 10.1152/jn.00322.2007. <http://jn.physiology.org/cgi/content/abstract/98/1/374>

Takakura, A. C. T., Moreira, T. S., Colombari, E., West, G. H., Stornetta, R. L., & Guyenet, P. G. (2006). Peripheral chemoreceptor inputs to retrotrapezoid nucleus (RTN) CO<sub>2</sub>-sensitive neurons in rats. *Journal of Physiology*, 572(2), 503-523. doi: 10.1113/jphysiol.2005.103788. <http://jp.physoc.org/cgi/content/abstract/572/2/503>

Takami, T., Oudega, M., Bates, M. L., Wood, P. M., Kleitman, N., & Bunge, M. B. (2002). Schwann Cell But Not Olfactory Ensheathing Glia Transplants Improve Hindlimb Locomotor Performance in the Moderately Contused Adult Rat Thoracic Spinal Cord. *Journal of Neuroscience*, 22(15), 6670-6681. doi: 20026636. <http://www.jneurosci.org/cgi/content/abstract/22/15/6670>

Takashima, N., Odaka, Y. S., Sakoori, K., Akagi, T., Hashikawa, T., Morimura, N., . . . Aruga, J. (2011). Impaired Cognitive Function and Altered Hippocampal Synapse Morphology in Mice Lacking *Lrrtm1*, a Gene Associated with Schizophrenia. *PLoS ONE*, 6(7), e22716-e22716. doi:

Takashima, Y., Fannon, M. J., Galinato, M. H., Steiner, N. L., An, M., Zemljic-Harper, A. E., . . . Mandyam, C. D. (2018). Neuroadaptations in the dentate gyrus following contextual cued

reinstatement of methamphetamine seeking. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1615-3. <https://doi.org/10.1007/s00429-018-1615-3>

Takata, Y., Nakagawa, H., Ninomiya, T., Yamanaka, H., & Takada, M. (2021). Morphological features of large layer V pyramidal neurons in cortical motor-related areas of macaque monkeys: analysis of basal dendrites. *Scientific Reports*, 11(1), 4171. doi: 10.1038/s41598-021-83680-5. <https://doi.org/10.1038/s41598-021-83680-5>

Takaya, R., Nagai, J., Piao, W., Niisato, E., Nakabayashi, T., Yamazaki, Y., . . . Ohshima, T. (2016). CRMP1 and CRMP4 are required for proper orientation of dendrites of cerebral pyramidal neurons in the developing mouse brain. *Brain Research*. doi: <http://dx.doi.org/10.1016/j.brainres.2016.11.003>. <http://www.sciencedirect.com/science/article/pii/S0006899316307429>

Takayanagi, M., & Ojima, H. (2006). Microtopography of the dual corticothalamic projections originating from domains along the frequency axis of the cat primary auditory cortex. *Neuroscience*, 142(3), 769-780. doi.

Takeda, T., Uchihara, T., Arai, N., Mizutani, T., & Iwata, M. (2009). Progression of hippocampal degeneration in amyotrophic lateral sclerosis with or without memory impairment: distinction from Alzheimer disease. *Acta Neuropathologica*, 117(1), 35-44. doi.

Takeno, S., Wake, M., Mount, R. J., & Harrison, R. V. (1998). Degeneration of Spiral Ganglion Cells in the Chinchilla after Inner Hair Cell Loss Induced by Carboplatin. *Audiology and Neurotology*, 3(5), 281-290. doi.

Takeoka, A., & Arber, S. (2019). Functional Local Proprioceptive Feedback Circuits Initiate and Maintain Locomotor Recovery after Spinal Cord Injury. *Cell Reports*, 27(1), 71-85.e73. doi: <https://doi.org/10.1016/j.celrep.2019.03.010>. <http://www.sciencedirect.com/science/article/pii/S2211124719303171>

Takeuchi, Y., Asano, H., Katayama, Y., Muragaki, Y., Imoto, K., & Miyata, M. (2014). Large-Scale Somatotopic Refinement via Functional Synapse Elimination in the Sensory Thalamus of Developing Mice. *The Journal of Neuroscience*, 34(4), 1258-1270. doi. <http://www.jneurosci.org/content/34/4/1258.short>

Takeuchi, Y., Osaki, H., Yagasaki, Y., Katayama, Y., & Miyata, M. (2017). Afferent Fiber Remodeling in the Somatosensory Thalamus of Mice as a Neural Basis of Somatotopic Reorganization in the Brain and Ectopic Mechanical Hypersensitivity after Peripheral Sensory Nerve Injury. [10.1523/ENEURO.0345-16.2017]. *eneuro*. doi. <http://eneuro.org/content/early/2017/03/23/ENEURO.0345-16.2017.abstract>

Tamás, G., Lörincz, A., Simon, A., & Szabadics, J. (2003). Identified sources and targets of slow inhibition in the neocortex. *Science*, 299(5614), 1902-1905. doi.

Tamás, G., & Szabadics, J. (2004). Summation of unitary IPSPs elicited by identified axo-axonic interneurons. *Cerebral Cortex*, 14(8), 823-826. doi.

Tamas, G., Szabadics, J., Lorincz, A., & Somogyi, P. (2004). Input and frequency-specific entrainment of postsynaptic firing by IPSPs of perisomatic or dendritic origin. *European Journal of Neuroscience*, 20(10), 2681-2690. doi: doi:10.1111/j.1460-9568.2004.03719.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03719.x>

Tamás, G., Szabadics, J., & Somogyi, P. (2002). Cell Type- and Subcellular Position-Dependent Summation of Unitary Postsynaptic Potentials in Neocortical Neurons. *Journal of Neuroscience*, 22(3), 740-747. doi. <http://www.jneurosci.org/cgi/content/abstract/22/3/740>

Tan, A. M., Chang, Y. W., Zhao, P., Hains, B. C., & Waxman, S. G. (2011). Rac1-regulated dendritic spine remodeling contributes to neuropathic pain after peripheral nerve injury. *Experimental Neurology*. doi.

Tan, A. M., Colletti, M., Rorai, A. T., Skene, J. H. P., & Levine, J. M. (2006). Antibodies against the NG2 Proteoglycan Promote the Regeneration of Sensory Axons within the Dorsal Columns of the Spinal Cord. *Journal of Neuroscience*, 26(18), 4729-4739. doi: 10.1523/jneurosci.3900-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/18/4729>

Tan, A. M., Samad, O. A., Fischer, T. Z., Zhao, P., Persson, A.-K., & Waxman, S. G. (2012). Maladaptive Dendritic Spine Remodeling Contributes to Diabetic Neuropathic Pain. *Journal of Neuroscience*, 32(20), 6795-6807. doi: 10.1523/jneurosci.1017-12.2012. <http://www.jneurosci.org/content/32/20/6795.abstract>

Tan, A. M., Samad, O. A., Liu, S., Bandaru, S., Zhao, P., & Waxman, S. G. (2013). Burn injury-induced mechanical allodynia is maintained by Rac1-regulated dendritic spine dysgenesis. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.07.017>. <http://www.sciencedirect.com/science/article/pii/S0014488613002343>

Tan, A. M., Stamboulian, S., Chang, Y.-W., Zhao, P., Hains, A. B., Waxman, S. G., & Hains, B. C. (2008). Neuropathic Pain Memory Is Maintained by Rac1-Regulated Dendritic Spine Remodeling after Spinal Cord Injury. *Journal of Neuroscience*, 28(49), 13173-13183. doi: 10.1523/jneurosci.3142-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/49/13173>

Tan, A. M., & Waxman, S. G. (2011). Spinal cord injury, dendritic spine remodeling, and spinal memory mechanisms. *Experimental Neurology*. doi.

Tan, G.-H., Liu, Y.-Y., Hu, X.-L., Yin, D.-M., Mei, L., & Xiong, Z.-Q. (2011). Neuregulin 1 represses limbic epileptogenesis through ErbB4 in parvalbumin-expressing interneurons. [10.1038/nn.3005]. *Nature Neuroscience*, advance online publication. doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.3005.html#suppl.....http://dx.doi.org/10.1038/nn.3005>

- Tan, H., Ren, R., Xiong, Z., & Wang, Y. (2009). Effects of ketamine and midazolam on morphology of dendritic spines in hippocampal CA1 region of neonatal mice. *Chinese Medical Journal (English Edition)*, 122(4), 455-455. doi.
- Tan, H. O., Reid, C. A., Chiu, C., Jones, M. V., & Petrou, S. (2008). Increased thalamic inhibition in the absence seizure prone DBA/2J mouse. *Epilepsia*, 49(5), 921-925. doi: doi:10.1111/j.1528-1167.2008.01536.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2008.01536.x>
- Tan, L. A., Al Chawaf, A., Vaccarino, F. J., Boutros, P. C., & Lovejoy, D. A. (2011). Teneurin C-terminal associated peptide (TCAP)-1 modulates dendritic morphology in hippocampal neurons and decreases anxiety-like behaviors in rats. *Physiology and Behavior*. doi.
- Tan, P. L., Barr, T., Inglis, P. N., Mitsuma, N., Huang, S. M., Garcia-Gonzalez, M. A., . . . Katsanis, N. (2007). From the Cover: Loss of Bardet Biedl syndrome proteins causes defects in peripheral sensory innervation and function. *Proceedings of the National Academy of Sciences*, 104(44), 17524-17529. doi: 10.1073/pnas.0706618104. <http://www.pnas.org/cgi/content/abstract/104/44/17524>
- Tan, X., Liu, Wenying A., Zhang, X.-J., Shi, W., Ren, S.-Q., Li, Z., . . . Shi, S.-H. (2016). Vascular Influence on Ventral Telencephalic Progenitors and Neocortical Interneuron Production. *Developmental cell*, 36(6), 624-638. doi: <http://dx.doi.org/10.1016/j.devcel.2016.02.023>. <http://www.sciencedirect.com/science/article/pii/S1534580716300788>
- Tan, Z., Hu, H., Huang, Z. J., & Agmon, A. (2008). Robust but delayed thalamocortical activation of dendritic-targeting inhibitory interneurons. *Proceedings of the National Academy of Sciences*, 105(6), 2187-2192. doi: 10.1073/pnas.0710628105. <http://www.pnas.org/cgi/content/abstract/105/6/2187>
- Tanabe, N., Yoshino, H., Kimoto, T., Hojo, Y., Ogiue-Ikeda, M., Shimohigashi, Y., & Kawato, S. (2012). Nanomolar dose of bisphenol A rapidly modulates spinogenesis in adult hippocampal neurons. *Molecular and Cellular Endocrinology*. doi.
- Tanabe, S., Inoue, K.-i., Tsuge, H., Uezono, S., Nagaya, K., Fujiwara, M., . . . Takada, M. (2017). The use of an optimized chimeric envelope glycoprotein enhances the efficiency of retrograde gene transfer of a pseudotyped lentiviral vector in the primate brain. *Neuroscience Research*. doi: <http://dx.doi.org/10.1016/j.neures.2017.02.007>. <http://www.sciencedirect.com/science/article/pii/S0168010216303236>
- Tanabe, S., Uezono, S., Tsuge, H., Fujiwara, M., Miwa, M., Kato, S., . . . Takada, M. (2019). A note on retrograde gene transfer efficiency and inflammatory response of lentiviral vectors pseudotyped with FuG-E vs. FuG-B2 glycoproteins. *Scientific Reports*, 9(1), 3567. doi: 10.1038/s41598-019-39535-1. <https://doi.org/10.1038/s41598-019-39535-1>
- Tanaka, I., & Ezure, K. (2004). Overall distribution of GLYT2 mRNA-containing versus GAD67 mRNA-containing neurons and colocalization of both mRNAs in midbrain, pons, and cerebellum in rats. *Neuroscience Research*, 49(2), 165-178. doi.



Tanaka, I., Ezure, K., & Kondo, M. (2003). Distribution of glycine transporter 2 mRNA-containing neurons in relation to glutamic acid decarboxylase mRNA-containing neurons in rat medulla. *Neuroscience Research*, 47(2), 139-151. doi.

Tanaka, N. K., Suzuki, E., Dye, L., Ejima, A., & Stopfer, M. (2012). Dye fills reveal additional olfactory tracts in the protocerebrum of wild-type *Drosophila*. *Journal of Comparative Neurology*, 520(18), 4131-4140. doi: 10.1002/cne.23149. <http://dx.doi.org/10.1002/cne.23149>

Tanaka, S., Ribot, J., Imamura, K., & Tani, T. (2006). Orientation-restricted continuous visual exposure induces marked reorganization of orientation maps in early life. *Neuroimage*, 30(2), 462-477. doi.

Tanaka, S., & Takakuwa, Y. (2016). A method for detailed analysis of the structure of mast cell secretory granules by negative contrast imaging. *Scientific Reports*, 6. doi. <http://www.nature.com/articles/srep23369>

Tanaka, Y. H., Tanaka, Y. R., Fujiyama, F., Furuta, T., Yanagawa, Y., & Kaneko, T. (2011). Local connections of layer 5 GABAergic interneurons to corticospinal neurons. *Frontiers in neural circuits*, 5. doi.

Tanaka, Y. R., Tanaka, Y. H., Konno, M., Fujiyama, F., Sonomura, T., Okamoto-Furuta, K., . . . Kaneko, T. (2011). Local Connections of Excitatory Neurons to Corticothalamic Neurons in the Rat Barrel Cortex. *Journal of Neuroscience*, 31(50), 18223-18236. doi: 10.1523/jneurosci.3139-11.2011. <http://www.jneurosci.org/content/31/50/18223.abstract>

Tang, M. K., Kindler, P. M., Cai, D. Q., Chow, P. H., Li, M., & Lee, K. K. H. (2004). Heart-type fatty acid binding proteins are upregulated during terminal differentiation of mouse cardiomyocytes, as revealed by proteomic analysis. *Cell and Tissue Research*, 316(3), 339-347. doi.

Tang, Q., Brecht, M., & Burgalossi, A. (2014). Juxtacellular recording and morphological identification of single neurons in freely moving rats. *Nature Protocols*, 9(10), 2369-2381. doi. <http://www.nature.com/nprot/journal/v9/n10/abs/nprot.2014.161.html>

Tang, Q., Burgalossi, A., Ebbesen, C. L., Sanguinetti-Scheck, J. I., Schmidt, H., Tukker, J. J., . . . Schmitz, D. (2016). Functional Architecture of the Rat Parasubiculum. *The Journal of Neuroscience*, 36(7), 2289-2301. doi. <http://www.jneurosci.org/content/36/7/2289.short>

Tang, Q., Ebbesen, C. L., Sanguinetti-Scheck, J. I., Preston-Ferrer, P., Gundlfinger, A., Winterer, J., . . . Schmitz, D. (2015). Anatomical Organization and Spatiotemporal Firing Patterns of Layer 3 Neurons in the Rat Medial Entorhinal Cortex. *The Journal of Neuroscience*, 35(36), 12346-12354. doi. <http://www.jneurosci.org/content/35/36/12346.abstract>

Tang, S. K., Knobloch, R. A., Maucksch, C., & Connor, B. (2013). Redirection of doublecortin-positive cell migration by over-expression of the chemokines MCP-1, MIP-1 $\alpha$  and GRO $\alpha$  in the adult rat brain. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.12.022>. <http://www.sciencedirect.com/science/article/pii/S0306452213010385>

Tang, T.-S., Chen, X., Liu, J., & Bezprozvanny, I. (2007). Dopaminergic Signaling and Striatal Neurodegeneration in Huntington's Disease. *Journal of Neuroscience*, 27(30), 7899-7910. doi: 10.1523/jneurosci.1396-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/30/7899>

Tang, X., Büttner-Ennever, J. A., Mustari, M. J., & Horn, A. K. E. (2015). Internal Organization of Medial Rectus and Inferior Rectus Muscle Neurons in the C-Group of the Oculomotor Nucleus in Monkey. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23760. <http://dx.doi.org/10.1002/cne.23760>

Tang, Y., Christensen-Dalsgaard, J., & Carr, C. E. (2011). Organization of the auditory brainstem in a lizard, *Gekko gecko* I. auditory nerve, cochlear nuclei and superior olivary nuclei. *Journal of Comparative Neurology*. doi:

Tang, Y., Stryker, M. P., Alvarez-Buylla, A., & Espinosa, J. S. (2014). Cortical plasticity induced by transplantation of embryonic somatostatin or parvalbumin interneurons. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1421844112. <http://www.pnas.org/content/early/2014/12/05/1421844112.abstract>

Tang, Y. P., & Wade, J. (2015). Sex and Age Differences in Brain Derived Neurotrophic Factor and Vimentin in the Zebra Finch Song System: Relationships to Newly Generated Cells. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23893. <http://dx.doi.org/10.1002/cne.23893>

Tang, Y. Z., & Carr, C. E. (2004). Development of NMDA R1 expression in chicken auditory brainstem. *Hearing Research*, 191(1), 79-89. doi:

Tang, Y. Z., & Carr, C. E. (2007). Development of N-methyl-D-aspartate receptor subunits in avian auditory brainstem. *Journal of Comparative Neurology*, 502(3), 400-413. doi:

Tanifum, E. A., Dasgupta, I., Srivastava, M., Bhavane, R. C., Sun, L., Berridge, J., . . . Annapragada, A. (2012). Intravenous Delivery of Targeted Liposomes to Amyloid- $\beta$  Pathology in APP/PSEN1 Transgenic Mice. *PLoS ONE*, 7(10), e48515. doi: 10.1371/journal.pone.0048515. <http://dx.doi.org/10.1371/journal.pone.0048515>

Tanné-Gariépy, J., Boussaoud, D., & Rouiller, E. M. (2002). Projections of the claustrum to the primary motor, premotor, and prefrontal cortices in the macaque monkey. *Journal of Comparative Neurology*, 454(2), 140-157. doi:

Tanné-Gariépy, J., Rouiller, E. M., & Boussaoud, D. (2002). Parietal inputs to dorsal versus ventral premotor areas in the macaque monkey: evidence for largely segregated visuomotor pathways. *Experimental Brain Research*, 145(1), 91-103. doi:

Tapias, V., Greenamyre, J. T., & Watkins, S. C. (2012). Automated imaging system for fast quantitation of neurons, cell morphology and neurite morphometry in vivo and in vitro. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2012.11.018>. <http://www.sciencedirect.com/science/article/pii/S0969996112003816>

Tarantini, S., Tucsek, Z., Valcarcel-Ares, M. N., Toth, P., Gautam, T., Giles, C. B., . . . Csiszar, A. (2016). Circulating IGF-1 deficiency exacerbates hypertension-induced microvascular rarefaction in the mouse hippocampus and retrosplenial cortex: implications for cerebrovascular and brain aging. [journal article]. *AGE*, 1-17. doi: 10.1007/s11357-016-9931-0. <http://dx.doi.org/10.1007/s11357-016-9931-0>

Tardif, E., & Clarke, S. (2001). Intrinsic connectivity of human auditory areas: a tracing study with Dil. *European Journal of Neuroscience*, 13(5), 1045. doi.

Tardif, E., & Clarke, S. (2002). Commissural connections of human superior colliculus. *Neuroscience*, 111(2), 363-372. doi.

Tardif, E., Delacuisine, B., Probst, A., & Clarke, S. (2005). Intrinsic connectivity of human superior colliculus. *Experimental Brain Research*, 166(3), 316-324. doi.

Tardif, E., Probst, A., & Clarke, S. (2007). Laminar specificity of intrinsic connections in Broca's area. *Cerebral Cortex*, 17(12), 2949-2960. doi.

Tashiro, A., Aaron, G., Aronov, D., Cossart, R., Dumitriu, D., Fenstermaker, V., . . . others. (2006). Imaging Brain Slices. *Handbook Of Biological Confocal Microscopy*, 722-735. doi.

Tate, C. M., Lee, J.-H., & Skalnik, D. G. (2009). CXXC Finger Protein 1 Contains Redundant Functional Domains That Support Embryonic Stem Cell Cytosine Methylation, Histone Methylation, and Differentiation. *Molecular and Cellular Biology*, 29(14), 3817-3831. doi: 10.1128/mcb.00243-09. <http://mcb.asm.org/cgi/content/abstract/29/14/3817>

Tatsui, C. E., Martinez, G., Li, X., Pattany, P., & Levi, A. D. (2006). Evaluation of DuraGen in preventing peridural fibrosis in rabbits. *Journal of Neurosurgery: Spine*, 4(1), 51-59. doi.

Tatti, R., Bhaukaurally, K., Gschwend, O., Seal, R. P., Edwards, R. H., Rodriguez, I., & Carleton, A. (2014). A population of glomerular glutamatergic neurons controls sensory information transfer in the mouse olfactory bulb. *Nature Communications*, 5. doi. <http://www.nature.com/ncomms/2014/140507/ncomms4791/full/ncomms4791.html>

Tavares, G., Martins, M., Correia, J. S., Sardinha, V. M., Guerra-Gomes, S., das Neves, S. P., . . . Oliveira, J. F. (2016). Employing an open-source tool to assess astrocyte tridimensional structure. [journal article]. *Brain Structure and Function*, 1-11. doi: 10.1007/s00429-016-1316-8. <http://dx.doi.org/10.1007/s00429-016-1316-8>

Tavella, A., Ciaramitaro, P., Costa, P., Paolasso, I., Poglio, F., Duranda, E., & Cocito, D. (2004). Agreement between diagnostic hypothesis and results of the electrodiagnostic tests. *Journal of the Peripheral Nervous System*, 9(2), 107-107. doi: doi:10.1111/j.1085-9489.2004.009209k.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Taverna, S., Canciani, B., & Pennartz, C. (2007). Membrane properties and synaptic connectivity of fast-spiking interneurons in rat ventral striatum. *Brain Research*, 1152, 49-56. doi.

- Taverna, S., van Dongen, Y. C., Groenewegen, H. J., & Pennartz, C. M. A. (2004). Direct Physiological Evidence for Synaptic Connectivity Between Medium-Sized Spiny Neurons in Rat Nucleus Accumbens In Situ. *Journal of Neurophysiology*, 91(3), 1111-1121. doi: 10.1152/jn.00892.2003. <http://jn.physiology.org/cgi/content/abstract/91/3/1111>
- Taxini, C. L., Takakura, A. C., Gargaglioni, L. H., & Moreira, T. S. (2011). Control of the central chemoreflex by A5 noradrenergic neurons in rats. *Neuroscience*. doi.
- Tay, D., Diao, Y. C., Xiao, Y. M., & So, K. F. (2002). Postnatal development of nicotinamide adenine dinucleotide phosphate-diaphorase-positive neurons in the retina of the golden hamster. *Journal of Comparative Neurology*, 446(4), 342-348. doi.
- Tay, S.-K., Blythe, J., & Lipovich, L. (2009). Global discovery of primate-specific genes in the human genome. *Proceedings of the National Academy of Sciences*, 106(29), 12019-12024. doi: 10.1073/pnas.0904569106. <http://www.pnas.org/content/106/29/12019.abstract>
- Tebbenkamp, A. T., Varela, L., Choi, J., Paredes, M. I., Giani, A. M., Song, J. E., . . . Liu, Z.-W. (2018). The 7q11. 23 Protein DNAJC30 Interacts with ATP Synthase and Links Mitochondria to Brain Development. *Cell*. doi. [https://www.cell.com/cell/pdf/S0092-8674\(18\)31186-3.pdf](https://www.cell.com/cell/pdf/S0092-8674(18)31186-3.pdf)
- Tejada, J., Arisi, G. M., García-Cairasco, N., & Roque, A. C. (2012). Morphological Alterations in Newly Born Dentate Gyrus Granule Cells That Emerge after Status Epilepticus Contribute to Make Them Less Excitable. *PLoS ONE*, 7(7), e40726. doi: 10.1371/journal.pone.0040726. <http://dx.doi.org/10.1371%2Fjournal.pone.0040726>
- Tekumalla, P. K., Tontonoz, M., Hesla, M. A., & Kirn, J. R. (2002). Effects of excess thyroid hormone on cell death, cell proliferation, and new neuron incorporation in the adult zebra finch telencephalon. *Journal of Neurobiology*, 51(4), 323-341. doi.
- Teng, L.-L., Lu, G.-L., Chiou, L.-C., Lin, W.-S., Cheng, Y.-Y., Hsueh, T.-E., . . . Wang, P.-Y. (2019). Serotonin receptor HTR6-mediated mTORC1 signaling regulates dietary restriction-induced memory enhancement. *PLoS Biology*, 17(3), e2007097. doi: 10.1371/journal.pbio.2007097. <https://doi.org/10.1371/journal.pbio.2007097>
- Tennant, K. A., & Jones, T. A. (2009). Sensorimotor behavioral effects of endothelin-1 induced small cortical infarcts in C57BL/6 mice. *Journal of Neuroscience Methods*, 181(1), 18-26. doi.
- Tennant, K. A., Kerr, A. L., Adkins, D. L., Donlan, N., Thomas, N., Kleim, J. A., & Jones, T. A. (2014). Age-Dependent Reorganization of Peri-Infarct "Premotor" Cortex With Task-Specific Rehabilitative Training in Mice. *Neurorehabilitation and neural repair*. doi: 10.1177/1545968314541329. <http://nrr.sagepub.com/content/early/2014/07/07/1545968314541329.abstract>
- Tenório, F., Giraldo-Guimarães, A., Santos, H. R., Cintra, W. M., & Mendez-Otero, R. (1998). Eye enucleation alters intracellular distribution of NO synthase in the superior colliculus. *Neuroreport*, 9(1), 145-145. doi.
- Teramoto, K., Tsuboi, Y., Shinoda, M., Hitomi, S., Abe, K., Kaji, K., . . . Iwata, K. (2013). Changes in expression of growth-associated protein-43 in trigeminal ganglion neurons and of the jaw

opening reflex following inferior alveolar nerve transection in rats. *European Journal of Oral Sciences*, 121(2), 86-91. doi: 10.1111/eos.12021. <http://dx.doi.org/10.1111/eos.12021>

Terenghi, F., Grimoldi, N., Costa, A., & Nobile-Orazio, E. (2004). Solitary plexiform neurofibroma presenting as purely motor axonal cervical plexopathy. *Journal of the Peripheral Nervous System*, 9(2), 108-108. doi: doi:10.1111/j.1085-9489.2004.009209n.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209..>

Tereshchenko, Y., Brandewiede, J., Schachner, M., Irintchev, A., & Morellini, F. (2008). Novelty-induced behavioral traits correlate with numbers of brainstem noradrenergic neurons and septal cholinergic neurons in C57BL/6J mice. *Behavioural Brain Research*, 191(2), 280-284. doi.

Tereshchenko, Y., Morellini, F., Dityatev, A., Schachner, M., & Irintchev, A. (2011). Neural cell adhesion molecule ablation in mice causes hippocampal dysplasia and loss of septal cholinergic neurons. *Journal of Comparative Neurology*, 519(12), 2475-2492. doi: 10.1002/cne.22636. <http://dx.doi.org/10.1002/cne.22636>

Terman, J. R., Wang, X. M., & Martin, G. F. (1996). Growth of dorsal spinocerebellar axons through a lesion of their spinal pathway during early development in the North American opossum, *Didelphis virginiana*. *Developmental Brain Research*, 93(1-2), 33-48. doi.

Terman, J. R., Wang, X. M., & Martin, G. F. (1999). Developmental plasticity of ascending spinal axons : Studies using the north american opossum, *Didelphis virginiana*. *Developmental Brain Research*, 112(1), 65-77. doi.

Terry, K., Blum, R., & Szumita, P. (2014). 585: EVALUATING THE TRANSITION FROM DEXMEDETOMIDINE TO CLONIDINE FOR PAD MANAGEMENT IN THE ICU. *Critical Care Medicine*, 42(12), A1500-A1501 1510.1097/1501.ccm.0000458082.0000470730.fd. doi. [http://journals.lww.com/ccmjournals/Fulltext/2014/12001/585\\_EVALUATING\\_...](http://journals.lww.com/ccmjournals/Fulltext/2014/12001/585_EVALUATING_...)

Tettoni, L., Lehmann, P., Houzel, J. C., & Innocenti, G. M. (1996). Maxsim, software for the analysis of multiple axonal arbors and their simulated activation. *Journal of Neuroscience Methods*, 67(1), 1-9. doi.

Tettoni, L., Lehmann, P., Houzel, J. C., & Innocenti, G. M. (1996). Software for the analysis of multiple axonal arbors and their simulated activation. *Journal of Neuroscience Methods*, 67, 1-9. doi.

Teune, T. M., Van Der Burg, J., Van Der Moer, J., Voogd, J., & Ruigrok, T. J. H. (2000). Topography of cerebellar nuclear projections to the brain stem in the rat. *Progress in Brain Research*, 124, 141-172. doi.

Thakur, P. H., Fitzgerald, P. J., Lane, J. W., & Hsiao, S. S. (2006). Receptive Field Properties of the Macaque Second Somatosensory Cortex: Nonlinear Mechanisms Underlying the Representation of Orientation Within a Finger Pad. *Journal of Neuroscience*, 26(52), 13567-13575. doi: 10.1523/jneurosci.3990-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/52/13567>

Thangavel, R., Sahu, S. K., Van Hoesen, G. W., & Zaheer, A. (2008). Modular and laminar pathology of Brodmann's area 37 in Alzheimer's disease. *Neuroscience*, *152*(1), 50-55. doi:

Thangavel, R., Van Hoesen, G. W., & Zaheer, A. (2008). Posterior parahippocampal gyrus pathology in Alzheimer's disease. *Neuroscience*, *154*(2), 667-676. doi:

Thangavel, R., Van Hoesen, G. W., & Zaheer, A. (2009). The abnormally phosphorylated tau lesion of early Alzheimer's disease. *Neurochemical Research*, *34*(1), 118-123. doi:

Thankachan, S., Katsuki, F., McKenna, J. T., Yang, C., Shukla, C., Deisseroth, K., . . . Basheer, R. (2019). Thalamic Reticular Nucleus Parvalbumin Neurons Regulate Sleep Spindles and Electrophysiological Aspects of Schizophrenia in Mice. *Scientific Reports*, *9*(1), 3607. doi: 10.1038/s41598-019-40398-9. <https://doi.org/10.1038/s41598-019-40398-9>

Thannickal, T. C., John, J., Shan, L., Swaab, D. F., Wu, M.-F., Ramanathan, L., . . . Siegel, J. M. (2018). Opiates increase the number of hypocretin-producing cells in human and mouse brain and reverse cataplexy in a mouse model of narcolepsy. [10.1126/scitranslmed.aao4953]. *Science Translational Medicine*, *10*(447). doi: <http://stm.sciencemag.org/content/10/447/eao4953.abstract>

Thannickal, T. C., Lai, Y.-Y., & Siegel, J. M. (2007). Hypocretin (orexin) cell loss in Parkinson's disease. *Brain*, *130*(6), 1586-1595. doi: 10.1093/brain/awm097. <http://brain.oxfordjournals.org/cgi/content/abstract/130/6/1586>

Thannickal, T. C., Moore, R. Y., Nienhuis, R., Ramanathan, L., Gulyani, S., Aldrich, M., . . . Siegel, J. M. (2000). Reduced number of hypocretin neurons in human narcolepsy. *Neuron*, *27*(3), 469-474. doi:

Thannickal, T. C., Nienhuis, R., & Siegel, J. M. (2009). Localized loss of hypocretin (orexin) cells in narcolepsy without cataplexy. *Sleep*, *32*(8), 993-993. doi:

Thannickal, T. C., Siegel, J. M., Nienhuis, R., & Moore, R. Y. (2003). Pattern of Hypocretin (Orexin) Soma and Axon Loss, and Gliosis, in Human Narcolepsy. *Brain Pathology*, *13*(3), 340-351. doi: doi:10.1111/j.1750-3639.2003.tb00033.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1750-3639.2003.tb00033...>

Thé, L., Wallace, M. L., Chen, C. H., Chorev, E., & Brecht, M. (2013). Structure, Function, and Cortical Representation of the Rat Submandibular Whisker Trident. *The Journal of Neuroscience*, *33*(11), 4815-4824. doi: 10.1523/jneurosci.4770-12.2013. <http://www.jneurosci.org/content/33/11/4815.abstract>

Thibaudeau, G., Doré, F. Y., & Goulet, S. (2009). Additional evidence for intact appetitive trace conditioning in hippocampal-lesioned rats. *Behavioral Neuroscience*, *123*(3), 707-707. doi:

Thibaudeau, G., Potvin, O., Allen, K., Doré, F. Y., & Goulet, S. (2007). Dorsal, ventral, and complete excitotoxic lesions of the hippocampus in rats failed to impair appetitive trace conditioning. *Behavioural Brain Research*, *185*(1), 9-20. doi:



Thier, M. C., Hommerding, O., Panten, J., Pinna, R., García-González, D., Berger, T., . . . Trumpp, A. (2019). Identification of Embryonic Neural Plate Border Stem Cells and Their Generation by Direct Reprogramming from Adult Human Blood Cells. *Cell Stem Cell*, 24(1), 166-182.e113. doi: <https://doi.org/10.1016/j.stem.2018.11.015>, <http://www.sciencedirect.com/science/article/pii/S1934590918305514>

Thimm, A., & Funke, K. (2014). Multiple blocks of intermittent and continuous theta-burst stimulation applied via TMS differently affect sensory responses in rat barrel cortex. *The Journal of Physiology*, n/a-n/a. doi: 10.1113/jphysiol.2014.282467. <http://dx.doi.org/10.1113/jphysiol.2014.282467>

Thind, K. K., Ribak, C. E., & Buckmaster, P. S. (2008). Synaptic input to dentate granule cell basal dendrites in a rat model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 509(2), 190-202. doi.

Thind, K. K., Yamawaki, R., Phanwar, I., Zhang, G., Wen, X., & Buckmaster, P. S. (2010). Initial loss but later excess of GABAergic synapses with dentate granule cells in a rat model of temporal lobe epilepsy. *Journal of Comparative Neurology*, 518(5), 647-667. doi.

Thiriet, N., Agasse, F., Nicoleau, C., Guégan, C., Vallette, F., Cadet, J. L., . . . Coronas, V. (2011). NPY promotes chemokinesis and neurogenesis in the rat subventricular zone. *Journal of Neurochemistry*, 116(6), 1018-1027. doi.

Thomanetz, V., Angliker, N., Cloëtta, D., Lustenberger, R. M., Schweighauser, M., Oliveri, F., . . . Rüegg, M. A. (2013). Ablation of the mTORC2 component rictor in brain or Purkinje cells affects size and neuron morphology. *Journal of Cell Biology*, 201(2), 293-308. doi: 10.1083/jcb.201205030. <http://jcb.rupress.org/content/201/2/293.abstract>

Thomas, C. C., Combe, C. L., Dyar, K. A., & Inglis, F. M. (2008). Modest alterations in patterns of motor neuron dendrite morphology in the *Fmr1* knockout mouse model for fragile X. *International Journal of Developmental Neuroscience*, 26(7), 805-811. doi.

Thomas, J. E., & Hill, D. L. (2008). The effects of dietary protein restriction on chorda tympani nerve taste responses and terminal field organization. *Neuroscience*, 157(2), 329-339. doi.

Thomas, R. M., Hotsenpiller, G., & Peterson, D. A. (2007). Acute Psychosocial Stress Reduces Cell Survival in Adult Hippocampal Neurogenesis without Altering Proliferation. *Journal of Neuroscience*, 27(11), 2734-2743. doi: 10.1523/jneurosci.3849-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/11/2734>

Thomas, T. C., Ogle, S. B., Rumney, B. M., May, H. G., Adelson, P. D., & Lifshitz, J. (2016). Does time heal all wounds? Experimental diffuse traumatic brain injury results in persisting histopathology in the thalamus. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.12.038>, <http://www.sciencedirect.com/science/article/pii/S0166432816313341>

Thompson, J. A., Basista, M. J., Wu, W., Bertram, R., & Johnson, F. (2011). Dual Pre-Motor Contribution to Songbird Syllable Variation. *Journal of Neuroscience*, 31(1), 322-330. doi: 10.1523/jneurosci.5967-09.2011. <http://www.jneurosci.org/cgi/content/abstract/31/1/322>

Thompson, J. A., Wu, W., Bertram, R., & Johnson, F. (2007). Auditory-Dependent Vocal Recovery in Adult Male Zebra Finches Is Facilitated by Lesion of a Forebrain Pathway That Includes the Basal Ganglia. *Journal of Neuroscience*, 27(45), 12308-12320. doi: 10.1523/jneurosci.2853-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/45/12308>

Thomsen, L. B., Jörntell, H., & Midtgaard, J. (2010). Presynaptic calcium signalling in cerebellar mossy fibres. *Frontiers in neural circuits*, 4. doi.

Thongkorn, S., Kanlayaprasit, S., Panjabud, P., Saeliw, T., Jantheang, T., Kasitipradit, K., . . . Sarachana, T. (2021). Sex differences in the effects of prenatal bisphenol A exposure on autism-related genes and their relationships with the hippocampus functions. *Scientific Reports*, 11(1), 1241-1241. doi: 10.1038/s41598-020-80390-2. <https://pubmed.ncbi.nlm.nih.gov/33441873>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7806752/>

Thota, A. K., & Jung, R. (2013, 3-5 May 2013). Specific Overground Walking Kinematic Measures are Related to Degree of Spinal Injury in the Rat. Paper presented at the Biomedical Engineering Conference (SBEC), 2013 29th Southern.

Threlkeld, S. W., McClure, M. M., Bai, J., Wang, Y., LoTurco, J. J., Rosen, G. D., & Fitch, R. H. (2007). Developmental disruptions and behavioral impairments in rats following in utero RNAi of *Dyx1c1*. *Brain Research Bulletin*, 71(5), 508-514. doi.

Tian, J., Tep, C., Benedick, A., Saidi, N., Ryu, J. C., Kim, M. L., . . . Yoon, S. O. (2014). P75 regulates Purkinje cell firing by modulating SK channel activity through Rac1. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M114.589937. <http://www.jbc.org/content/early/2014/09/24/jbc.M114.589937.abstract>

Tian, N. (2003). Light Deprivation Blocks the Developmental Changes of Ganglion Cell Dendritic Ramification in Mouse Retina. *Investigative Ophthalmology and Visual Science*, 44(5), 3237-3237. doi.

Tierney, P. L., Degenetais, E., Thierry, A.-M., Glowinski, J., & Gioanni, Y. (2004). Influence of the hippocampus on interneurons of the rat prefrontal cortex. *European Journal of Neuroscience*, 20(2), 514-524. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0350...>

Tilelli, C. Q., Martins, A. R., Larson, R. E., & Garcia-Cairasco, N. (2003). Immunohistochemical localization of myosin Va in the adult rat brain. *Neuroscience*, 121(3), 573-586. doi.

Till, S. M., Wijetunge, L. S., Seidel, V. G., Harlow, E., Wright, A. K., Bagni, C., . . . Kind, P. C. (2012). Altered maturation of the primary somatosensory cortex in a mouse model of fragile X syndrome. *Human Molecular Genetics*, dds030. doi: 10.1093/hmg/dds030. <http://hmg.oxfordjournals.org/cgi/content/abstract/dds030v2>

Timofeev, I., Grenier, F., & Steriade, M. (2000). Impact of intrinsic properties and synaptic factors on the activity of neocortical networks in vivo. *Journal of Physiology-Paris*, 94(5-6), 343-355. doi.

Timofeeva, E., Dufresne, C., Sik, A., Zhang, Z.-W., & Deschenes, M. (2005). Cholinergic Modulation of Vibrissal Receptive Fields in Trigeminal Nuclei. *Journal of Neuroscience*, 25(40), 9135-9143. doi. <http://www.jneurosci.org/cgi/content/abstract/25/40/9135>

Timofeeva, E., Merette, C., Emond, C., Lavallee, P., & Deschenes, M. (2003). A Map of Angular Tuning Preference in Thalamic Barreloids. *Journal of Neuroscience*, 23(33), 10717-10723. doi. <http://www.jneurosci.org/cgi/content/abstract/23/33/10717>

Timonin, M. E., Cushing, B. S., & Wynne-Edwards, K. E. (2008). In three brain regions central to maternal behaviour, neither male nor female Phodopus dwarf hamsters show changes in oestrogen receptor alpha distribution with mating or parenthood. *Journal of Neuroendocrinology*, 20(12), 1301-1309. doi.

Tiong, S. Y. X., Polgár, E., van Kralingen, J. C., Watanabe, M., & Todd, A. J. (2011). Galanin-immunoreactivity identifies a distinct population of inhibitory interneurons in laminae I-III of the rat spinal cord. *Molecular Pain*, 7(1), 36-36. doi.

Tischfield, D. J., Saraswat, D. K., Furash, A., Fowler, S. C., Fuccillo, M. V., & Anderson, S. A. (2017). Loss of the neurodevelopmental gene *Zswim6* alters striatal morphology and motor regulation. *Neurobiology of Disease*, 103, 174-183. doi: <https://doi.org/10.1016/j.nbd.2017.04.013>. <http://www.sciencedirect.com/science/article/pii/S0969996117300876>

Titmus, M. J., Tsai, H. J., Lima, R., & Udin, S. B. (1999). Effects of choline and other nicotinic agonists on the tectum of juvenile and adult *Xenopus* frogs: a patch-clamp study. *Neuroscience*, 91(2), 753-769. doi.

Titomanlio, L., Schwendimann, L., & Gressens, P. (2015). Animal Models of Cerebral Dysgenesis: Excitotoxic Brain Injury. In J. Y. Yager (Ed.), *Animal Models of Neurodevelopmental Disorders* (Vol. 104, pp. 239-246): Springer New York.

Titsworth, W. L., Onifer, S. M., Liu, N. K., & Xu, X. M. (2007). Focal phospholipases A2 group III injections induce cervical white matter injury and functional deficits with delayed recovery concomitant with Schwann cell remyelination. *Experimental Neurology*, 207(1), 150-162. doi.

Titus, D. J., Furones, C., Atkins, C. M., & Dietrich, W. D. (2015). Emergence of cognitive deficits after mild traumatic brain injury due to hyperthermia. *Experimental Neurology*, 263(0), 254-262. doi: <http://dx.doi.org/10.1016/j.expneurol.2014.10.020>. <http://www.sciencedirect.com/science/article/pii/S0014488614003562>

Titus, D. J., Johnstone, T., Johnson, N. H., London, S. H., Chapalamadugu, M., Hogenkamp, D., . . . Atkins, C. M. (2019). Positive allosteric modulation of the  $\alpha 7$  nicotinic acetylcholine receptor as a treatment for cognitive deficits after traumatic brain injury. *PLoS ONE*, 14(10), e0223180. doi: 10.1371/journal.pone.0223180. <https://doi.org/10.1371/journal.pone.0223180>

- Titus, D. J., Sakurai, A., Kang, Y., Furones, C., Jergova, S., Santos, R., . . . Atkins, C. M. (2013). Phosphodiesterase Inhibition Rescues Chronic Cognitive Deficits Induced by Traumatic Brain Injury. *Journal of Neuroscience*, 33(12), 5216-5226. doi: 10.1523/jneurosci.5133-12.2013. <http://www.jneurosci.org/content/33/12/5216.abstract>
- Titus, D. J., Wilson, N. M., Alcazar, O., Calixte, D. A., Dalton Dietrich, W., Gurney, M. E., & Atkins, C. M. (2018). A Negative Allosteric Modulator of PDE4D Enhances Learning after Traumatic Brain Injury. *Neurobiology of Learning and Memory*. doi: <https://doi.org/10.1016/j.nlm.2017.12.008>. <https://www.sciencedirect.com/science/article/pii/S1074742717302162>
- Titus, D. J., Wilson, N. M., Freund, J. E., Carballosa, M. M., Sikah, K. E., Furones, C., . . . Atkins, C. M. (2016). Chronic Cognitive Dysfunction after Traumatic Brain Injury Is Improved with a Phosphodiesterase 4B Inhibitor. *The Journal of Neuroscience*, 36(27), 7095-7108. doi: <http://www.jneurosci.org/content/36/27/7095.short>
- Tlamsa, A. P., & Brumberg, J. C. (2010). Organization and morphology of thalamocortical neurons of mouse ventral lateral thalamus. *Somatosensory and Motor Research*, 27(1), 34-43. doi.
- Tobari, Y., Nakamura, K. Z., & Okanoya, K. (2005). Sex differences in the telencephalic song control circuitry in Bengalese finches (*Lonchura striata* var. *domestica*). *Zoological Science*, 22(10), 1089-1094. doi.
- Tobari, Y., Okumura, T., Tani, J., & Okanoya, K. (2006). Non-singing female Bengalese Finches (*Lonchura striata* var. *domestica*) possess neuronal projections connecting a song learning region to a song motor region. *Ornithological Science*, 5(1), 47-55. doi.
- Tobari, Y., Okumura, T., Tani, J., & Okanoya, K. (2011). A direct neuronal connection between the telencephalic nucleus robustus arcopallialis and the nucleus nervi hypoglossi, pars tracheosyringalis in Bengalese finches (< i> Lonchura striata var.< i> domestica). *Neuroscience Research*. doi.
- Tobin, A.-E., Van Hooser, S. D., & Calabrese, R. L. (2006). Creation and Reduction of a Morphologically Detailed Model of a Leech Heart Interneuron. *Journal of Neurophysiology*, 96(4), 2107-2120. doi: 10.1152/jn.00026.2006. <http://jn.physiology.org/cgi/content/abstract/96/4/2107>
- Toda, T., Hsu, J. Y., Linker, S. B., Hu, L., Schafer, S. T., Mertens, J., . . . Gage, F. H. (2017). Nup153 Interacts with Sox2 to Enable Bimodal Gene Regulation and Maintenance of Neural Progenitor Cells. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2017.08.012>. <http://www.sciencedirect.com/science/article/pii/S1934590917303302>
- Todd, A. J. (2002). Confocal Imaging of Nerve Cells and Their Connections. *Cellular and molecular methods in neuroscience research*, 259-272. doi.
- Todd, A. J., Hughes, D. I., Polgar, E., Nagy, G. G., Mackie, M., Ottersen, O. P., & Maxwell, D. J. (2003). The expression of vesicular glutamate transporters VGLUT1 and VGLUT2 in

neurochemically defined axonal populations in the rat spinal cord with emphasis on the dorsal horn. *European Journal of Neuroscience*, 17(1), 13-27. doi: doi:10.1046/j.1460-9568.2003.02406.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02406.x>

Todd, A. J., Polgár, E., Watt, C., Bailey, M. E. S., & Watanabe, M. (2009). Neurokinin 1 receptor-expressing projection neurons in laminae III and IV of the rat spinal cord have synaptic AMPA receptors that contain GluR2, GluR3 and GluR4 subunits. *European Journal of Neuroscience*, 29(4), 718-726. doi.

Todd, A. J., Puskar, Z., Spike, R. C., Hughes, C., Watt, C., & Forrest, L. (2002). Projection Neurons in Lamina I of Rat Spinal Cord with the Neurokinin 1 Receptor Are Selectively Innervated by Substance P-Containing Afferents and Respond to Noxious Stimulation. *Journal of Neuroscience*, 22(10), 4103-4113. doi. <http://www.jneurosci.org/cgi/content/abstract/22/10/4103>

Todd, A. J., Spike, R. C., & Polgar, E. (1998). A quantitative study of neurons which express neurokinin-1 or somatostatin sst2a receptor in rat spinal dorsal horn. *Neuroscience*, 85(2), 459-473. doi.

Todd, A. J., Spike, R. C., Young, S., & Puskar, Z. (2005). Fos induction in lamina I projection neurons in response to noxious thermal stimuli. *Neuroscience*, 131(1), 209-217. doi.

Todd, B. J., Schwarz, J. M., & McCarthy, M. M. (2005). Prostaglandin-E<sub>2</sub>: a point of divergence in estradiol-mediated sexual differentiation. *Hormones and Behavior*, 48(5), 512-521. doi.

Todd, B. J., Schwarz, J. M., Mong, J. A., & McCarthy, M. M. (2007). Glutamate AMPA/kainate receptors, not GABAA receptors, mediate estradiol-induced sex differences in the hypothalamus. *Developmental Neurobiology*, 67(3), 304-315. doi.

Todorov, B., Kros, L., Shyti, R., Plak, P., Haasdijk, E. D., Raike, R. S., . . . others. (2011). Purkinje Cell-Specific Ablation of Ca V 2.1 Channels is Sufficient to Cause Cerebellar Ataxia in Mice. *Cerebellum*, 1-13. doi.

Todros, T., Marzioni, D., Lorenzi, T., Piccoli, E., Capparuccia, L., Perugini, V., . . . others. (2007). Evidence for a Role of TGF- $\beta$ 1 in the Expression and Regulation of  $\alpha$ -SMA in Fetal Growth Restricted Placentae. *Placenta*, 28(11-12), 1123-1132. doi.

Toesca, A., Giannetti, S., & Granato, A. (2003). Overexpression of the p75 neurotrophin receptor in the sensori-motor cortex of rats exposed to ethanol during early postnatal life. *Neuroscience Letters*, 342(1-2), 89-92. doi.

Tolbert, D. L., Conoyer, B., & Ariel, M. (2004). Quantitative analysis of granule cell axons and climbing fiber afferents in the turtle cerebellar cortex. *Anatomy and Embryology*, 209(1), 49-58. doi.

Tole, S., Christian, C., & Grove, E. A. (1997). Early specification and autonomous development of cortical fields in the mouse hippocampus. *Development*, 124(24), 4959-4970. doi.

Toledo-Rodriguez, M., Goodman, P., Illic, M., Wu, C., & Markram, H. (2005). Neuropeptide and calcium-binding protein gene expression profiles predict neuronal anatomical type in the juvenile rat. *Journal of Physiology*, 567(2), 401-413. doi: 10.1113/jphysiol.2005.089250. <http://jp.physoc.org/cgi/content/abstract/567/2/401>

Tolnai, S., Hernandez, O., Englitz, B., RübSamen, R., & Malmierca, M. S. (2008). The medial nucleus of the trapezoid body in rat: spectral and temporal properties vary with anatomical location of the units. *European Journal of Neuroscience*, 27(10), 2587-2598. doi.

Tolwani, R. J., Buckmaster, P. S., Varma, S., Cosgaya, J. M., Wu, Y., Suri, C., & Shooter, E. M. (2002). BDNF overexpression increases dendrite complexity in hippocampal dentate gyrus. *Neuroscience*, 114(3), 795-805. doi.

Tolwani, R. J., Cosgaya, J. M., Varma, S., Jacob, R., Kuo, L. E., & Shooter, E. M. (2004). BDNF overexpression produces a long-term increase in myelin formation in the peripheral nervous system. *Journal of Neuroscience Research*, 77(5), 662-669. doi.

Toma, J. S., Shettar, B. C., Chipman, P. H., Pinto, D. M., Borowska, J. P., Ichida, J. K., . . . Rafuse, V. F. (2015). Motoneurons Derived from Induced Pluripotent Stem Cells Develop Mature Phenotypes Typical of Endogenous Spinal Motoneurons. *The Journal of Neuroscience*, 35(3), 1291-1306. doi. <http://www.jneurosci.org/content/35/3/1291.short>

Tomankova, K., Jerabkova, P., Zmeskal, O., Vesela, M., & Haderka, J. (2006). Use of image analysis to study growth and division of yeast cells. *Journal of Imaging Science and Technology*, 50, 583-583. doi.

Tomasi, S., Caminiti, R., & Innocenti, G. M. (2011). Areal Differences in Diameter and Length of Corticofugal Projections. *Cerebral Cortex*, bhr183. doi: 10.1093/cercor/bhr183. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr183v1>

Tomchik, S. M., & Lu, Z. (2005). Octavolateral projections and organization in the medulla of a teleost fish, the sleeper goby (*Dormitator latifrons*). *Journal of Comparative Neurology*, 481(1), 96-117. doi.

Tomycz, N. D., Haynes, R. L., Schmidt, E. F., Ackerson, K., & Kinney, H. C. (2010). Novel neuropathologic findings in the Haddad syndrome. *Acta Neuropathologica*, 119(2), 261-269. doi.

Tong, Cheuk K., Chen, J., Cebrián-Silla, A., Mirzadeh, Z., Obernier, K., Guinto, Cristina D., . . . Alvarez-Buylla, A. (2014). Axonal Control of the Adult Neural Stem Cell Niche. *Cell Stem Cell*, (0). doi: <http://dx.doi.org/10.1016/j.stem.2014.01.014>. <http://www.sciencedirect.com/science/article/pii/S1934590914000150>

Tong, Cheuk K., Fuentealba, Luis C., Shah, Jugal K., Lindquist, Robert A., Ihrie, Rebecca A., Guinto, Cristina D., . . . Alvarez-Buylla, A. (2015). A Dorsal SHH-Dependent Domain in the V-SVZ Produces Large Numbers of Oligodendroglial Lineage Cells in the Postnatal Brain. *Stem Cell Reports*. doi: 10.1016/j.stemcr.2015.08.013. <http://dx.doi.org/10.1016/j.stemcr.2015.08.013>



Tong, D., Godale, C. M., Kadakia, F. K., Gu, Z., Danzer, C. S. K., Alghamdi, A., . . . Danzer, S. C. (2019). Immature murine hippocampal neurones do not develop long-term structural changes after a single isoflurane exposure. *British Journal of Anaesthesia*. doi: <https://doi.org/10.1016/j.bja.2019.08.019>. <http://www.sciencedirect.com/science/article/pii/S000709121930649X>

Tonna, J. E., Balanoff, A. M., Lewin, M. R., Saandari, N., & Wintermark, M. (2010). Potentially Low Cost Solution to Extend Use of Early Generation Computed Tomography. *Western Journal of Emergency Medicine*, 11(5), 463-463. doi.

Tooney, P. A., Anderson, W. B., Lynch-Frame, A., & Chahl, L. A. (2005). The effects of haloperidol treatment on the distribution of NK<sub>1</sub> receptor immunoreactive neurons in guinea-pig brain. *Neuroscience Letters*, 383(1), 155-159. doi.

Topolnik, L. (2012). Dendritic calcium mechanisms and long-term potentiation in cortical inhibitory interneurons. *European Journal of Neuroscience*. doi.

Topp, K. S., Tanner, K. D., & Levine, J. D. (2000). Damage to the cytoskeleton of large diameter sensory neurons and myelinated axons in vincristine-induced painful peripheral neuropathy in the rat. *Journal of Comparative Neurology*, 424(4), 563-576. doi.

Torben-Nielsen, B., Vanderlooy, S., & Postma, E. O. (2008). Non-parametric algorithmic generation of neuronal morphologies. *Neuroinformatics*, 6(4), 257-277. doi.

Torborg, C. L., Berg, A. P., Jeffries, B. W., Bayliss, D. A., & McBain, C. J. (2006). TASK-Like Conductances Are Present within Hippocampal CA1 Stratum Oriens Interneuron Subpopulations. *Journal of Neuroscience*, 26(28), 7362-7367. doi: 10.1523/jneurosci.1257-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/28/7362>

Torborg, C. L., Nakashiba, T., Tonegawa, S., & McBain, C. J. (2010). Control of CA3 Output by Feedforward Inhibition Despite Developmental Changes in the Excitation-Inhibition Balance. *Journal of Neuroscience*, 30(46), 15628-15637. doi: 10.1523/jneurosci.3099-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/46/15628>

Toriumi, K., Ikami, M., Kondo, M., Mouri, A., Koseki, T., Ibi, D., . . . Nabeshima, T. (2013). SHATI/NAT8L regulates neurite outgrowth via microtubule stabilization. *Journal of Neuroscience Research*, n/a-n/a. doi: 10.1002/jnr.23273. <http://dx.doi.org/10.1002/jnr.23273>

Torres, J. B., Assuncao, J., Farias, J. A., Kahwage, R., Lins, N., Passos, A., . . . Diniz, C. W. P. (2006). NADPH-diaphorase histochemical changes in the hippocampus, cerebellum and striatum are correlated with different modalities of exercise and watermaze performances. *Experimental Brain Research*, 175(2), 292-304. doi.

Torres, L. B., Araujo, B. H. S., Marruaz, K. S., de Souza, J. S., Sousa, B. S., Silva, S. G. d., . . . Cavaleiro, E. A. (2014). Parvalbumin expression and distribution in the hippocampal formation of *Cebus apella*. *American Journal of Primatology*, n/a-n/a. doi: 10.1002/ajp.22366. <http://dx.doi.org/10.1002/ajp.22366>

Torres-Espín, A., Santos, D., González-Pérez, F., del Valle, J., & Navarro, X. (2014). Neurite-J: An Image-J plug-in for axonal growth analysis in organotypic cultures. *Journal of Neuroscience Methods*, (0).  
doi: <http://dx.doi.org/10.1016/j.jneumeth.2014.08.005>. <http://www.sciencedirect.com/science/article/pii/S0165027014002891>

Torres-Platas, S., Comeau, S., Rachalski, A., Bo, G., Cruceanu, C., Turecki, G., . . . Mechawar, N. (2014). Morphometric characterization of microglial phenotypes in human cerebral cortex. *Journal of Neuroinflammation*, 11(1), 12.  
doi: <http://www.jneuroinflammation.com/content/11/1/12>

Torres-Platas, S. G., Hercher, C., Davoli, M. A., Maussion, G., Labonté, B., Turecki, G., & Mechawar, N. (2011). Astrocytic Hypertrophy in Anterior Cingulate White Matter of Depressed Suicides. *Neuropsychopharmacology*, 36(13), 2650-2658. doi:

Tort, A. B. L., Rotstein, H. G., Dugladze, T., Gloveli, T., & Kopell, N. J. (2007). On the formation of gamma-coherent cell assemblies by oriens lacunosum-moleculare interneurons in the hippocampus. *PNAS*, 104(33), 13490-13495. doi:  
10.1073/pnas.0705708104. <http://www.pnas.org/cgi/content/abstract/104/33/13490>

Torvund, M. M., Ma, T. S., Connaughton, V. P., Ono, F., & Nelson, R. F. (2016). Cone signals in monostratified and bistratified amacrine cells of adult zebrafish retina. *Journal of Comparative Neurology*, n/a-n/a. doi:  
10.1002/cne.24107. <http://dx.doi.org/10.1002/cne.24107>

Tóth, K., Hofer, K. T., Kandrás, Á., Entz, L., Bagó, A., Erőss, L., . . . Wittner, L. (2017). Hyperexcitability of the network contributes to synchronization processes in the human epileptic neocortex. *The Journal of Physiology*, n/a-n/a. doi:  
10.1113/jp275413. <http://dx.doi.org/10.1113/JP275413>

Toth, P., Tucsek, Z., Sosnowska, D., Gautam, T., Mitschelen, M., Tarantini, S., . . . Csiszar, A. (2013). Age-related autoregulatory dysfunction and cerebrovascular injury in mice with angiotensin II-induced hypertension. *Journal of Cerebral Blood Flow and Metabolism*.  
doi: <http://www.nature.com/jcbfm/journal/vaop/ncurrent/full/jcbfm2013143a.html>

Totola, L. T., Alves, T. B., Takakura, A. C., Ferreira-Neto, H. C., Antunes, V. R., Menani, J. V., . . . Moreira, T. S. (2013). Commissural nucleus of the solitary tract regulates the antihypertensive effects elicited by moxonidine. *Neuroscience*, (0).  
doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.065>. <http://www.sciencedirect.com/science/article/pii/S030645221300571X>

Touchette, J. C., Breckenridge, J. M., Wilken, G. H., & Macarthur, H. (2015). Direct intranigral injection of dopaminochrome causes degeneration of dopamine neurons. *Neuroscience Letters*.  
doi: <http://dx.doi.org/10.1016/j.neulet.2015.12.028>. <http://www.sciencedirect.com/science/article/pii/S0304394015303190>

Touj, S., Houle, S., Ramla, D., Jeffrey-Gauthier, R., Hotta, H., Bronchti, G., . . . Piché, M. (2017). Sympathetic regulation and anterior cingulate cortex volume are altered in a rat model of

chronic back pain. *Neuroscience*, 352, 9-18.

doi: <http://doi.org/10.1016/j.neuroscience.2017.03.047>. <http://www.sciencedirect.com/science/article/pii/S0306452217302221>

Touj, S., Tokunaga, R., Al Aïn, S., Bronchti, G., & Piché, M. (2019). Pain Hypersensitivity is Associated with Increased Amygdala Volume and c-Fos Immunoreactivity in Anophthalmic Mice. *Neuroscience*, 418, 37-49.

doi: <https://doi.org/10.1016/j.neuroscience.2019.08.035>. <http://www.sciencedirect.com/science/article/pii/S0306452219306086>

Touvykine, B., Mansoori, B. K., Jean-Charles, L., Deffeyes, J., Quessy, S., & Dancause, N. (2015). The Effect of Lesion Size on the Organization of the Ipsilesional and Contralateral Motor Cortex. *Neurorehabilitation and neural repair*. doi:

10.1177/1545968315585356. <http://nnr.sagepub.com/content/early/2015/05/06/1545968315585356.abstract>

Towers, S. K., & Hestrin, S. (2008). D1-Like Dopamine Receptor Activation Modulates GABAergic Inhibition But Not Electrical Coupling between Neocortical Fast-Spiking Interneurons. *Journal of Neuroscience*, 28(10), 2633-2641. doi: 10.1523/jneurosci.5079-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/10/2633>

Toyoda, I., & Buckmaster, P. S. (2005). Prolonged Infusion of Cycloheximide Does Not Block Mossy Fiber Sprouting in a Model of Temporal Lobe Epilepsy. *Epilepsia*, 46(7), 1017-1020.

doi: 10.1111/j.1528-1167.2005.04605.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1528-1167.2005.04605.x>

Trabalza, A., Colazingari, S., Sgobio, C., & Bevilacqua, A. (2011). Contextual learning increases dendrite complexity and EphrinB2 levels in hippocampal mouse neurons. *Behavioural Brain Research*. doi:

Trachtenberg, J. T., Chen, B. E., Knott, G. W., Feng, G., Sanes, J. R., Welker, E., & Svoboda, K. (2002). Long-term in vivo imaging of experience-dependent synaptic plasticity in adult cortex. *Nature*, 420, 788-794. doi:

Trachtenberg, J. T., & Stryker, M. P. (2001). Rapid Anatomical Plasticity of Horizontal Connections in the Developing Visual Cortex. *Journal of Neuroscience*, 21(10), 3476-3482.

doi: <http://www.jneurosci.org/cgi/content/abstract/21/10/3476>

Trageser, J. C., Burke, K. A., Masri, R., Li, Y., Sellers, L., & Keller, A. (2006). State-Dependent Gating of Sensory Inputs by Zona Incerta. *Journal of Neurophysiology*, 96(3), 1456-1463. doi: 10.1152/jn.00423.2006. <http://jn.physiology.org/cgi/content/abstract/96/3/1456>

Trainor, B. C., Greiwe, K. M., & Nelson, R. J. (2006). Individual differences in estrogen receptor  $\alpha$  in select brain nuclei are associated with individual differences in aggression. *Hormones and Behavior*, 50(2), 338-345. doi:

Trainor, B. C., Rowland, M. R., & Nelson, R. J. (2007). Photoperiod affects estrogen receptor  $\alpha$ , estrogen receptor  $\beta$  and aggressive behavior. *European Journal of Neuroscience*, 26(1), 207-

218. doi: doi:10.1111/j.1460-9568.2007.05654.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05654.x>

Trainor, B. C., Workman, J. L., Jessen, R., & Nelson, R. J. (2007). Impaired nitric oxide synthase signaling dissociates social investigation and aggression. *Behavioral Neuroscience*, 121(2), 362-362. doi.

Travers, J. B., Herman, K., Yoo, J., & Travers, S. P. (2007). Taste reactivity and Fos expression in GAD1-EGFP transgenic mice. *Chemical Senses*, 32(2), 129-137. doi.

Travers, J. B., & Rinaman, L. (2002). Identification of lingual motor control circuits using two strains of pseudorabies virus. *Neuroscience*, 115(4), 1139-1151. doi.

Travers, J. B., Yoo, J. E., Chandran, R., Herman, K., & Travers, S. P. (2005). Neurotransmitter phenotypes of intermediate zone reticular formation projections to the motor trigeminal and hypoglossal nuclei in the rat. *Journal of Comparative Neurology*, 488(1), 28-47. doi.

Travers, S. P. (2002). Quinine and citric acid elicit distinctive Fos-like immunoreactivity in the rat nucleus of the solitary tract. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 282(6), R1798-1810. doi: <http://ajpregu.physiology.org/cgi/content/abstract/282/6/R1798>

Travers, S. P., & Hu, H. (2000). Extranuclear projections of rNST neurons expressing gustatory-elicited Fos. *Journal of Comparative Neurology*, 427(1), 124-138. doi.

Travers, S. P., & Travers, J. B. (2007). Taste-evoked Fos expression in nitroergic neurons in the nucleus of the solitary tract and reticular formation of the rat. *Journal of Comparative Neurology*, 500(4), 746-760. doi.

Travis, K., Ford, K., & Jacobs, B. (2005). Regional Dendritic Variation in Neonatal Human Cortex: A Quantitative Golgi Study. *Developmental Neuroscience*, 27, 277-287. doi.

Tremblay, M., Lowery, R., & Majewska, A. (2010). Microglial interactions with synapses are modulated by visual experience. *PLoS Biol*, 8, e1000527. doi.

Tremere, L. A., Jeong, J. K., & Pinaud, R. (2009). Estradiol Shapes Auditory Processing in the Adult Brain by Regulating Inhibitory Transmission and Plasticity-Associated Gene Expression. *Journal of Neuroscience*, 29(18), 5949-5963. doi: 10.1523/jneurosci.0774-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/18/5949>

Tretter, Y. P., Hertel, M., Munz, B., Bruggencate, G. t., Werner, S., & Alzheimer, C. (2000). Induction of activin A is essential for the neuroprotective action of basic fibroblast growth factor in vivo. *Nature Medicine*, 6, 812-815. doi.

Treweek, J. B., Chan, K. Y., Flytzanis, N. C., Yang, B., Deverman, B. E., Greenbaum, A., . . . Gradinaru, V. (2015). Whole-body tissue stabilization and selective extractions via tissue-hydrogel hybrids for high-resolution intact circuit mapping and phenotyping. [Protocol]. *Nat. Protocols*, 10(11), 1860-1896. doi: 10.1038/nprot.2015.122

<http://www.nature.com/nprot/journal/v10/n11/abs/nprot.2015.122.html#supp> .....<http://dx.doi.org/10.1038/nprot.2015.122>

Tricoire, L., Pelkey, K. A., Daw, M. I., Sousa, V. H., Miyoshi, G., Jeffries, B., . . . McBain, C. J. (2010). Common Origins of Hippocampal Ivy and Nitric Oxide Synthase Expressing Neurogliaform Cells. *Journal of Neuroscience*, 30(6), 2165-2176. doi: 10.1523/jneurosci.5123-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/6/2165>

Tricoire, L., Pelkey, K. A., Erkkila, B. E., Jeffries, B. W., Yuan, X., & McBain, C. J. (2011). A Blueprint for the Spatiotemporal Origins of Mouse Hippocampal Interneuron Diversity. *Journal of Neuroscience*, 31(30), 10948-10970. doi: 10.1523/jneurosci.0323-11.2011. <http://www.jneurosci.org/content/31/30/10948.abstract>

Trillaud-Doppia, E., Paradis-Isler, N., & Boehm, J. (2016). A single amino acid difference between the intracellular domains of amyloid precursor protein and amyloid-like precursor protein 2 enables induction of synaptic depression and block of long-term potentiation. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.02.016>. <http://www.sciencedirect.com/science/article/pii/S0969996116300377>

Trincherro, M. F., Koehl, M., Bechakra, M., Delage, P., Charrier, V., Grosjean, N., . . . Abrous, D. N. (2015). Effects of spaced learning in the water maze on development of dentate granule cells generated in adult mice. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22438. <http://dx.doi.org/10.1002/hipo.22438>

Tripanichkul, W., Stanic, D., Drago, J., Finkelstein, D. I., & Horne, M. K. (2003). D2 Dopamine receptor blockade results in sprouting of DA axons in the intact animal but prevents sprouting following nigral lesions. *European Journal of Neuroscience*, 17(5), 1033. doi.

Tripathy, S. J., Burton, S. D., Geramita, M., Gerkin, R. C., & Urban, N. N. (2015). Brain-wide analysis of electrophysiological diversity yields novel categorization of mammalian neuron types. [10.1152/jn.00237.2015]. *Journal of Neurophysiology*. doi. <http://jn.physiology.org/content/early/2015/03/20/jn.00237.2015.abstract>

Tronel, S., Fabre, A., Charrier, V., Olier, S. H. R., Gage, F. H., & Abrous, D. N. (2010). Spatial learning sculpts the dendritic arbor of adult-born hippocampal neurons. *Proceedings of the National Academy of Sciences*, 107(17), 7963-7968. doi: 10.1073/pnas.0914613107. <http://www.pnas.org/content/107/17/7963.abstract>

Tropea, D., Caleo, M., & Maffei, L. (2003). Synergistic Effects of Brain-Derived Neurotrophic Factor and Chondroitinase ABC on Retinal Fiber Sprouting after Denervation of the Superior Colliculus in Adult Rats. *Journal of Neuroscience*, 23, 7034-7044. doi.

Trotter, R. N., Stornetta, R. L., Guyenet, P. G., & Roberts, M. R. (2007). Transneuronal mapping of the CNS network controlling sympathetic outflow to the rat thymus. *Autonomic Neuroscience*, 131(1), 9-20. doi.

Trujillo, C. A., Adams, J. W., Negraes, P. D., Carromeu, C., Tejwani, L., Acab, A., . . . Muotri, A. R. (2020). Pharmacological reversal of synaptic and network pathology in human MECP2-KO neurons and cortical organoids. <https://doi.org/10.15252/emmm.202012523>. EMBO Molecular Medicine, n/a(n/a), e12523. doi: <https://doi.org/10.15252/emmm.202012523>. <https://doi.org/10.15252/emmm.202012523>

Truong, H., McGinnis, L., Dindo, L., Honda, C. N., & Giesler, G. J. (2004). Identification of dorsal root ganglion neurons that innervate the common bile duct of rats. *Experimental Brain Research*, 155(4), 477-484. doi.

Tsai, M.-S., Lee, M.-L., Chang, C.-Y., Fan, H.-H., Yu, I. S., Chen, Y.-T., . . . Lin, S.-W. (2015). Functional and structural deficits of the dentate gyrus network coincide with emerging spontaneous seizures in an Scn1a mutant Dravet Syndrome model during development. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.010>. <http://www.sciencedirect.com/science/article/pii/S0969996115000376>

Tsay, D., & Yuste, R. (2002). Role of Dendritic Spines in Action Potential Backpropagation: A Numerical Simulation Study. *Journal of Neurophysiology*, 88(5), 2834-2845. doi: 10.1152/jn.00781.2001. <http://jn.physiology.org/cgi/content/abstract/88/5/2834>

Tse, K.-H., Novikov, L. N., Wiberg, M., & Kingham, P. J. (2014). Intrinsic mechanisms underlying the neurotrophic activity of adipose derived stem cells. *Experimental Cell Research*, (0). doi: <http://dx.doi.org/10.1016/j.yexcr.2014.08.034>. <http://www.sciencedirect.com/science/article/pii/S0014482714003723>

Tsechpenakis, G., Mukherjee, P., Kim, M., & Chiba, A. (2011). Three-dimensional Motor Neuron Morphology Estimation in the Drosophila Ventral Nerve Cord. *Biomedical Engineering, IEEE Transactions on*, (99), 1-1. doi.

Tseng, M. T., Fu, Q., Lor, K., Fernandez-Botran, G. R., Deng, Z.-B., Graham, U., . . . Yokel, R. A. (2013). Persistent Hepatic Structural Alterations Following Nanoceria Vascular Infusion in the Rat. *Toxicologic Pathology*. doi: 10.1177/0192623313505780. <http://tpx.sagepub.com/content/early/2013/10/31/0192623313505780.abstract>

Tsiola, A., Hamzei-Sichani, F., Peterlin, Z., & Yuste, R. (2003). Quantitative morphologic classification of layer 5 neurons from mouse primary visual cortex. *Journal of Comparative Neurology*, 461(4), 415-428. doi.

Tsubo, Y., Takada, M., Reyes, A. D., & Fukai, T. (2007). Layer and frequency dependencies of phase response properties of pyramidal neurons in rat motor cortex. *European Journal of Neuroscience*, 25(11), 3429-3441. doi: doi:10.1111/j.1460-9568.2007.05579.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05579.x>



Tsuboi, T., Honda, T., Hishida, S., Shigetomi, T., Ueda, M., & Sugiura, Y. (2004). A quantitative study of nerve fiber density in the submandibular gland of rats. *Nagoya Journal of Medical Science*, 67(1-2), 25-34. doi:

Tsujimura, T., Kondo, M., Kitagawa, J., Tsuboi, Y., Saito, K., Tohara, H., . . . Iwata, K. (2009). Involvement of ERK phosphorylation in brainstem neurons in modulation of swallowing reflex in rats. *Journal of Physiology*, jphysiol.2008.165324. doi: 10.1113/jphysiol.2008.165324. <http://jp.physoc.org/cgi/content/abstract/jphysiol.2008.165324V1>

Tsuneoka, Y., Maruyama, T., Yoshida, S., Nishimori, K., Kato, T., Numan, M., & Kuroda, K. O. (2012). Functional, anatomical, and neurochemical differentiation of medial preoptic area subregions in relation to maternal behavior in the mouse. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23251. <http://dx.doi.org/10.1002/cne.23251>

Tsuru-Aoyagi, K., Potts, M. B., Trivedi, A., Pfankuch, T., Raber, J., Wendland, M., . . . Noble-Haeusslein, L. J. (2009). Glutathione peroxidase activity modulates recovery in the injured immature brain. *Annals of Neurology*, 65(5), 540-549. doi:

Tsurugizawa, T., Mukai, H., Tanabe, N., Murakami, G., Hojo, Y., Kominami, S., . . . others. (2005). Estrogen induces rapid decrease in dendritic thorns of CA3 pyramidal neurons in adult male rat hippocampus. *Biochemical and Biophysical Research Communications*, 337(4), 1345-1352. doi:

Tu, S., Akhtar, M. W., Escorihuela, R. M., Amador-Arjona, A., Swarup, V., Parker, J., . . . Nakanishi, N. (2017). NitroSynapsin therapy for a mouse MEF2C haploinsufficiency model of human autism. *Nature Communications*, 8(1), 1488. doi: 10.1038/s41467-017-01563-8. <https://doi.org/10.1038/s41467-017-01563-8>

Tu, Y., Luo, R., Li, X., Lin, M., & Qiu, M. (2012). Hypermyelination and overexpression of neuregulin-1 in thoracic sympathetic nerves in patients with primary palmar hyperhidrosis. *Journal of Clinical Neuroscience*, (0). doi: 10.1016/j.jocn.2011.12.032. <http://www.sciencedirect.com/science/article/pii/S0967586812002433>

Tucker, B. A., Rahimtula, M., & Mearow, K. M. (2005). Integrin activation and neurotrophin signaling cooperate to enhance neurite outgrowth in sensory neurons. *Journal of Comparative Neurology*, 486(3), 267-280. doi:

Tucker, B. A., Rahimtula, M., & Mearow, K. M. (2006). Laminin and growth factor receptor activation stimulates differential growth responses in subpopulations of adult DRG neurons. *European Journal of Neuroscience*, 24(3), 676-690. doi: doi:10.1111/j.1460-9568.2006.04963.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04963.x>

Tucsek, Z., Toth, P., Tarantini, S., Sosnowska, D., Gautam, T., Warrington, J. P., . . . Csiszar, A. (2014). Aging Exacerbates Obesity-induced Cerebromicrovascular Rarefaction, Neurovascular Uncoupling, and Cognitive Decline in Mice. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*. doi:

10.1093/gerona/glu080. <http://biomedgerontology.oxfordjournals.org/content/early/2014/06/02/ger...>

Tukker, J. J., Lasztóczy, B., Katona, L., Roberts, J. D. B., Pissadaki, E. K., Dalezios, Y., . . . Somogyi, P. (2013). Distinct Dendritic Arborization and In Vivo Firing Patterns of Parvalbumin-Expressing Basket Cells in the Hippocampal Area CA3. *Journal of Neuroscience*, 33(16), 6809-6825. doi: 10.1523/jneurosci.5052-12.2013. <http://www.jneurosci.org/content/33/16/6809.abstract>

Tulapurkar, M. E., Hasday, J. D., & Singh, I. S. (2011). Prolonged exposure to hyperthermic stress augments neutrophil recruitment to lung during the post-exposure recovery period. *International Journal of Hyperthermia*, 27(7), 717-725. doi.

Tulke, S., Williams, P., Hellysaz, A., Ilegems, E., Wendel, M., & Broberger, C. (2015). Nucleobindin 1 (NUCB1) is a Golgi-resident marker of neurons. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.11.062>, <http://www.sciencedirect.com/science/article/pii/S0306452215010611>

Tuntivanich, N., Pittler, S. J., Fischer, A. J., Omar, G., Kiupel, M., Weber, A., . . . Petersen-Jones, S. M. (2009). Characterization of a canine model of autosomal recessive retinitis pigmentosa due to a PDE6A mutation. *Investigative Ophthalmology and Visual Science*, 50(2), 801-813. doi.

Tuntivanich, N., Weber, A. J., Render, J. A., & Petersen-Jones, S. M. (2005). Histopathological Characterization of the Retinal Degeneration of the Rod Cyclic GMP Phosphodiesterase Alpha (PDE6A) Mutant Dog Model of Retinitis Pigmentosa. *Investigative Ophthalmology and Visual Science*, 46(5), 5238-5238. doi.

Tuoc, T., Dere, E., Radyushkin, K., Pham, L., Nguyen, H., Tonchev, A. B., . . . Stoykova, A. (2016). Ablation of BAF170 in Developing and Postnatal Dentate Gyrus Affects Neural Stem Cell Proliferation, Differentiation, and Learning. [journal article]. *Molecular Neurobiology*, 1-18. doi: 10.1007/s12035-016-9948-5. <http://dx.doi.org/10.1007/s12035-016-9948-5>

Turner, A. C., Kraev, I., Stewart, M. G., Stramek, A., Overton, P. G., & Dommett, E. J. (2018). Chronic amphetamine enhances visual input to and suppresses visual output from the superior colliculus in withdrawal. *Neuropharmacology*, 138, 118-129. doi: <https://doi.org/10.1016/j.neuropharm.2018.05.033>, <http://www.sciencedirect.com/science/article/pii/S0028390818302685>

Turner, B. A., Sparrow, J., Cai, B., Monroe, J., Mikawa, T., & Hempstead, B. L. (2006). TrkB/BDNF signaling regulates photoreceptor progenitor cell fate decisions. *Developmental Biology*, 299(2), 455-465. doi.

Turner, D. A., Li, X. G., Pyapali, G. K., Ylinen, A., & Buzsaki, G. (1995). Morphometric and Electrical Properties of Reconstructed Hippocampal CA3 Neurons Recorded in Vivo. *Journal of Comparative Neurology*, 356, 580-594. doi.

- Turrero García, M., Mazzola, E., & Harwell, Corey C. (2016). Lineage Relationships Do Not Drive MGE/PoA-Derived Interneuron Clustering in the Brain. *Neuron*, 92(1), 52-58. doi: 10.1016/j.neuron.2016.09.034. <http://dx.doi.org/10.1016/j.neuron.2016.09.034>
- Turrin, N. P., & Rivest, S. (2006). Molecular and cellular immune mediators of neuroprotection. *Molecular Neurobiology*, 34(3), 221-242. doi.
- Turrin, N. P., & Rivest, S. (2006). Tumor necrosis factor  $\alpha$  but not interleukin  $1\beta$  mediates neuroprotection in response to acute nitric oxide excitotoxicity. *Journal of Neuroscience*, 26(1), 143-151. doi.
- Tuszynski, M. H., Grill, R., Jones, L. L., Brant, A., Blesch, A., Löw, K., . . . Lu, P. (2003). NT-3 gene delivery elicits growth of chronically injured corticospinal axons and modestly improves functional deficits after chronic scar resection. *Experimental Neurology*, 181(1), 47-56. doi.
- Tuszynski, M. H., Grill, R., Jones, L. L., McKay, H. M., & Blesch, A. (2002). Spontaneous and augmented growth of axons in the primate spinal cord: Effects of local injury and nerve growth factor-secreting cell grafts. *Journal of Comparative Neurology*, 449(1), 88-101. doi.
- Tuunanen, J., Lukasiuk, K., Halonen, T., & Pitkanen, A. (1999). Status epilepticus-induced neuronal damage in the rat amygdaloid complex: distribution, time-course and mechanisms. *Neuroscience*, 94(2), 473-495. doi.
- Tuunanen, J., & Pitkänen, A. (2000). Do seizures cause neuronal damage in rat amygdala kindling? *Epilepsy Research*, 39(2), 171-176. doi.
- Tyan, L., Chamberland, S., Magnin, E., Camiré, O., Francavilla, R., David, L. S., . . . Topolnik, L. (2014). Dendritic Inhibition Provided by Interneuron-Specific Cells Controls the Firing Rate and Timing of the Hippocampal Feedback Inhibitory Circuitry. *The Journal of Neuroscience*, 34(13), 4534-4547. doi. <http://www.jneurosci.org/content/34/13/4534.short>
- Tyan, S.-H., Shih, A. Y.-J., Walsh, J. J., Murayama, H., Sarsoza, F., Ku, L., . . . Dickstein, D. L. (2012). Amyloid precursor protein (APP) regulates synaptic structure and function. *Molecular and Cellular Neuroscience*, (0). doi: 10.1016/j.mcn.2012.07.009. <http://www.sciencedirect.com/science/article/pii/S104474311200125X>
- Tynan, R. J., Beynon, S. B., Hinwood, M., Johnson, S. J., Nilsson, M., Woods, J. J., & Walker, F. R. (2013). Chronic stress-induced disruption of the astrocyte network is driven by structural atrophy and not loss of astrocytes. *Acta Neuropathologica*, 1-17. doi.
- Tyndall, S. J., Patel, S. J., & Walikonis, R. S. (2007). Hepatocyte growth factor-induced enhancement of dendritic branching is blocked by inhibitors of N-methyl-D-aspartate receptors and calcium/calmodulin-dependent kinases. *Journal of Neuroscience Research*, 85(11), 2343-2351. doi.
- Tysseling-Mattiace, V. M., Sahni, V., Niece, K. L., Birch, D., Czeisler, C., Fehlings, M. G., . . . Kessler, J. A. (2008). Self-Assembling Nanofibers Inhibit Glial Scar Formation and Promote Axon Elongation after Spinal Cord Injury. *Journal of Neuroscience*, 28(14), 3814-3823. doi:

10.1523/jneurosci.0143-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/14/3814>

Tyzio, R., Khalilov, I., Represa, A., Crepel, V., Zilberter, Y., Rheims, S., . . . others. (2009). Inhibitory actions of the gamma-aminobutyric acid in pediatric Sturge-Weber syndrome. *Annals of Neurology*, 66(2), 209-218. doi.

Udin, S. B. (2008). Isthmotectal axons maintain normal arbor size but fail to support normal branch numbers in dark-reared *Xenopus laevis*. *Journal of Comparative Neurology*, 507(4), 1559-1570. doi.

Ueberham, E., Arendt, E., Starke, M., Bittner, R., & Gebhardt, R. (2004). Reduction and expansion of the glutamine synthetase expressing zone in livers from tetracycline controlled TGF- $\beta$ 1 transgenic mice and multiple starved mice. *Journal of Hepatology*, 41(1), 75-81. doi.

Ueberham, U., Hilbrich, I., Ueberham, E., Rohn, S., Glöckner, P., Dietrich, K., . . . Arendt, T. (2012). Transcriptional control of cell cycle-dependent kinase 4 by Smad proteins—implications for Alzheimer's disease. *Neurobiology of Aging*. doi.

Ueberham, U., Ueberham, E., Brückner, M. K., Seeger, G., Gärtner, U., Gruschka, H., . . . Arendt, T. (2005). Inducible neuronal expression of transgenic TGF- $\beta$ 1 in vivo: dissection of short-term and long-term effects. *European Journal of Neuroscience*, 22(1), 50-64. doi.

Ueda, K., Ueyama, T., Oka, M., Ito, T., Tsuruo, Y., & Ichinose, M. (2009). Polaprezinc (Zinc L-carnosine) is a potent inducer of anti-oxidative stress enzyme, heme oxygenase (HO)-1—a new mechanism of gastric mucosal protection. *Journal of Pharmacological Sciences*, 110(3), 285-294. doi.

Ueda, K., Ueyama, T., Yoshida, K., Kimura, H., Ito, T., Shimizu, Y., . . . Ichinose, M. (2008). Adaptive HNE-Nrf2-HO-1 pathway against oxidative stress is associated with acute gastric mucosal lesions. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 295(3), G460-G469-G460-G469. doi.

Uekita, T., & Okanoya, K. (2011). Hippocampus lesions induced deficits in social and spatial recognition in *Octodon degus*. *Behavioural Brain Research*. doi.

Uematsu, M., Hirai, Y., Karube, F., Ebihara, S., Kato, M., Abe, K., . . . Kawaguchi, Y. (2008). Quantitative Chemical Composition of Cortical GABAergic Neurons Revealed in Transgenic Venus-Expressing Rats. *Cerebral Cortex*, 18(2), 315-330. doi: 10.1093/cercor/bhm056. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/2/315>

Ueta, Y., Otsuka, T., Morishima, M., Ushimaru, M., & Kawaguchi, Y. (2013). Multiple Layer 5 Pyramidal Cell Subtypes Relay Cortical Feedback from Secondary to Primary Motor Areas in Rats. *Cerebral Cortex*. doi: 10.1093/cercor/bht088. <http://cercor.oxfordjournals.org/content/early/2013/04/02/cercor.bht088...>

Ueta, Y., Sohn, J., Agahari, F. A., Im, S., Hirai, Y., Miyata, M., & Kawaguchi, Y. (2019). Ipsi- and contralateral corticocortical projection-dependent subcircuits in layer 2 of the rat frontal cortex. *Journal of Neurophysiology*, 0(0), null. doi:

10.1152/jn.00333.2019. <https://www.physiology.org/doi/abs/10.1152/jn.00333.2019>

Ueyama, T., Tanioku, T., Nuta, J., Kujira, K., Ito, T., Nakai, S., & Tsuruo, Y. (2006). Estrogen alters c-Fos response to immobilization stress in the brain of ovariectomized rats. *Brain Research*, 1084(1), 67-79. doi:

Ugolini, G. (2010). Advances in viral transneuronal tracing. *Journal of Neuroscience Methods*, 194(1), 2-20. doi:

Ugolini, G., Klam, F., Doldan Dans, M., Dubayle, D., Brandi, A. M., Büttner-Ennever, J., & Graf, W. (2006). Horizontal eye movement networks in primates as revealed by retrograde transneuronal transfer of rabies virus: differences in monosynaptic input to "slow" and "fast" abducens motoneurons. *Journal of Comparative Neurology*, 498(6), 762-785. doi:

Ugolini, G., Prevosto, V., & Graf, W. (2019). Ascending vestibular pathways to parietal areas MIP and LIPv and efference copy inputs from the medial reticular formation: functional frameworks for body representations updating and online movement guidance. *European Journal of Neuroscience*, 0(ja). doi:

10.1111/ejn.14426. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14426>

Uhrig, B. A., Clements, I. P., Boerckel, J. D., Huebsch, N., Bellamkonda, R. V., & Guldberg, R. E. (2012). Characterization of a composite injury model of severe lower limb bone and nerve trauma. *Journal of Tissue Engineering and Regenerative Medicine*, n/a-n/a. doi:

10.1002/term.1537. <http://dx.doi.org/10.1002/term.1537>

Ulanovsky, N., & Moss, C. F. (2007). Hippocampal cellular and network activity in freely moving echolocating bats. *Nature of Neuroscience*, 10, 224-233. doi:

Ulatowski, L., Parker, R., Warriar, G., Sultana, R., Butterfield, D. A., & Manor, D. (2013). Vitamin E is essential for Purkinje neuron integrity. *Neuroscience*, (0).

doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.12.001> <http://www.sciencedirect.com/science/article/pii/S0306452213010105>

Ullrich, M., Weber, M., Post, A. M., Popp, S., Grein, J., Zechner, M., . . . Schuh, K. (2017). OCD-like behavior is caused by dysfunction of thalamo-amygdala circuits and upregulated TrkB/ERK-MAPK signaling as a result of SPRED2 deficiency. [Original Article]. *Molecular Psychiatry*. doi: 10.1038/mp.2016.232. <http://dx.doi.org/10.1038/mp.2016.232>

Ulmke, P. A., Sakib, M. S., Ditte, P., Sokpor, G., Kerimoglu, C., Pham, L., . . . Tuoc, T. (2021). Molecular Profiling Reveals Involvement of ESCO2 in Intermediate Progenitor Cell Maintenance in the Developing Mouse Cortex. *Stem Cell Reports*.

doi: <https://doi.org/10.1016/j.stemcr.2021.03.008>. <https://www.sciencedirect.com/science/article/pii/S2213671121001387>

Ulmke, P. A., Xie, Y., Sokpor, G., Pham, L., Shomroni, O., Berulava, T., . . . Tuoc, T. (2021). Post-transcriptional regulation by the exosome complex is required for cell survival and forebrain

development via repression of P53 signaling. *Development*, 148(3), dev188276. doi: 10.1242/dev.188276. <http://dev.biologists.org/content/148/3/dev188276.abstract>

Ultanir, Sila K., Hertz, Nicholas T., Li, G., Ge, W.-P., Burlingame, Alma L., Pleasure, Samuel J., . . . Jan, Y.-N. (2012). Chemical Genetic Identification of NDR1/2 Kinase Substrates AAK1 and Rabin8 Uncovers Their Roles in Dendrite Arborization and Spine Development. *Neuron*, 73(6), 1127-1142. doi: 10.1016/j.neuron.2012.01.019. <http://www.sciencedirect.com/science/article/pii/S0896627312001377>

Ulvestad, E., Williams, K., Vedeler, C., Antel, J., Nyland, H., Mork, S., & Matre, R. (1994). Reactive microglia in multiple sclerosis lesions have an increased expression of receptors for the Fc part of IgG. *Journal of the Neurological Sciences*, 121, 125 - 131. doi.

Um, K., Niu, S., Duman, Joseph G., Cheng, Jinxuan X., Tu, Y.-K., Schwechter, B., . . . Tolias, Kimberley F. (2014). Dynamic Control of Excitatory Synapse Development by a Rac1 GEF/GAP Regulatory Complex. *Developmental cell*, 29(6), 701-715. doi: <http://dx.doi.org/10.1016/j.devcel.2014.05.011>. <http://www.sciencedirect.com/science/article/pii/S153458071400313X>

Unal, B., Ibáñez-Sandoval, O., Shah, F., Abercrombie, E., & Tepper, J. M. (2011). Frontiers: Distribution of Tyrosine Hydroxylase-Expressing Interneurons with Respect to Anatomical Organization of the Neostriatum. *Frontiers in Systems Neuroscience*, 5. doi.

Unal, B., Ibáñez-Sandoval, O., Shah, F., Abercrombie, E. D., & Tepper, J. M. (2011). Distribution of tyrosine hydroxylase-expressing interneurons with respect to anatomical organization of the neostriatum. *Frontiers in Systems Neuroscience*, 5. doi.

Unal, B., Shah, F., Kothari, J., & Tepper, J. (2013). Anatomical and electrophysiological changes in striatal TH interneurons after loss of the nigrostriatal dopaminergic pathway. *Brain Structure and Function*, 1-19. doi: 10.1007/s00429-013-0658-8. <http://dx.doi.org/10.1007/s00429-013-0658-8>

Unal, C. T., Golowasch, J. P., & Zaborszky, L. (2012). Adult mouse basal forebrain harbors two distinct cholinergic populations defined by their electrophysiology. *Frontiers in Behavioral Neuroscience*, 6. doi.

Unal, G., Crump, M. G., Viney, T. J., Éltés, T., Katona, L., Klausberger, T., & Somogyi, P. (2018). Spatio-temporal specialization of GABAergic septo-hippocampal neurons for rhythmic network activity. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1626-0. <https://doi.org/10.1007/s00429-018-1626-0>

Unal, G., Joshi, A., Viney, T. J., Kis, V., & Somogyi, P. (2015). Synaptic Targets of Medial Septal Projections in the Hippocampus and Extrahippocampal Cortices of the Mouse. *The Journal of Neuroscience*, 35(48), 15812-15826. doi. <http://www.jneurosci.org/content/35/48/15812.full>



Underwood, M. D., Arango, V., Smith, R. W., Bakalian, M. J., & Mann, J. J. (1993). Computerized three-dimensional reconstruction reveals cerebrovascular regulatory subregions in rat brain stem. *Neuroimage*, 1, 79-86. doi.

Underwood, M. D., Bakalian, M. J., Arango, V., Smith, R. W., & Mann, J. J. (1992). Regulation of cortical blood flow by the dorsal raphe nucleus: topographic organization of cerebrovascular regulatory regions. *Journal of Cerebral Blood Flow and Metabolism*, 12, 664-673. doi.

Unger, M. M., Oertel, W. H., Thannickal, T. C., Lai, Y. Y., & Siegel, J. M. (2010). Lesions Associated with Sleep Disturbances. *Non-Dopamine Lesions in Parkinson's Disease*, 167-167. doi.

Uotani, C., Sugimori, K., & Kobayashi, K. (2006). Association of minimal thickness of the medial temporal lobe with hippocampal volume, maximal and minimal hippocampal length: volumetric approach with horizontal magnetic resonance imaging scans for evaluation of a diagnostic marker for neuroimaging of alzheimer's disease. *Psychiatry Clinical Neuroscience*, 60(3), 319-326. doi.

Upadhya, D., Hattiangady, B., Shetty, G. A., Zanirati, G., Kodali, M., & Shetty, A. K. (2016). Neural Stem Cell or Human Induced Pluripotent Stem Cell-Derived GABA-ergic Progenitor Cell Grafting in an Animal Model of Chronic Temporal Lobe Epilepsy Current protocols in stem cell biology: John Wiley & Sons, Inc.

Urban, K. R., Geng, E., Bhatnagar, S., & Valentino, R. J. (2019). Age- and sex-dependent impact of repeated social stress on morphology of rat prefrontal cortex pyramidal neurons. *Neurobiology of Stress*, 100165. doi: <https://doi.org/10.1016/j.ynstr.2019.100165>. <http://www.sciencedirect.com/science/article/pii/S2352289518301097>

Urban, N. N., & Castro, J. B. (2005). Tuft Calcium Spikes in Accessory Olfactory Bulb Mitral Cells. *Journal of Neuroscience*, 25(20), 5024-5028. doi. <http://www.jneurosci.org/cgi/content/abstract/25/20/5024>

Urich, D., Eisenberg, J. L., Hamill, K. J., Takawira, D., Chiarella, S. E., Soberanes, S., . . . others. (2011). Lung-specific loss of the laminin  $\alpha 3$  subunit confers resistance to mechanical injury. *Journal of Cell Science*, 124(17), 2927-2937. doi.

Urrea, C., Danton, G. H., Bramlett, H. M., & Dietrich, W. D. (2004). The beneficial effect of mild hypothermia in a rat model of repeated thromboembolic insults. *Acta Neuropathologica*, 107(5), 413-420. doi.

Uschakov, A., Gong, H., McGinty, D., & Szymusiak, R. (2006). Sleep-active neurons in the preoptic area project to the hypothalamic paraventricular nucleus and perifornical lateral hypothalamus. *European Journal of Neuroscience*, 23(12), 3284-3296. doi: doi:10.1111/j.1460-9568.2006.04860.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04860.x>

- Uschakov, A., Gong, H., McGinty, D., & Szymusiak, R. (2007). Efferent projections from the median preoptic nucleus to sleep-and arousal-regulatory nuclei in the rat brain. *Neuroscience*, 150(1), 104-120. doi.
- Uschakov, A., McGinty, D., Szymusiak, R., & McKinley, M. J. (2009). Functional correlates of activity in neurons projecting from the lamina terminalis to the ventrolateral periaqueductal gray. *European Journal of Neuroscience*, 30(12), 2347-2355. doi.
- Usher, L. C., Johnstone, A., Ertürk, A., Hu, Y., Strikis, D., Wanner, I. B., . . . others. (2010). A chemical screen identifies novel compounds that overcome glial-mediated inhibition of neuronal regeneration. *Journal of Neuroscience*, 30(13), 4693-4706. doi.
- Usher, L. C., Johnstone, A., Erturk, A., Hu, Y., Strikis, D., Wanner, I. B., . . . Bixby, J. L. (2010). A Chemical Screen Identifies Novel Compounds That Overcome Glial-Mediated Inhibition of Neuronal Regeneration. *Journal of Neuroscience*, 30(13), 4693-4706. doi: 10.1523/jneurosci.0302-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/13/4693>
- Ushimaru, M., & Kawaguchi, Y. (2015). Temporal Structure of Neuronal Activity among Cortical Neuron Subtypes during Slow Oscillations in Anesthetized Rats. *The Journal of Neuroscience*, 35(34), 11988-12001. doi. <http://www.jneurosci.org/content/35/34/11988.short>
- Usrey, W. M., & Reid, R. C. (2000). Visual physiology of the lateral geniculate nucleus in two species of New World monkey: *Saimiri sciureus* and *Aotus trivirgatus*. *Journal of Physiology*, 523(3), 755-769. doi. <http://jp.physoc.org/cgi/content/abstract/523/3/755>
- Utagawa, A., Bramlett, H. M., Daniels, L., Lotocki, G., Dekaban, G. A., Weaver, L. C., & Dietrich, W. D. (2008). Transient blockage of the CD11d/CD18 integrin reduces contusion volume and macrophage infiltration after traumatic brain injury in rats. *Brain Research*, 1207, 155-163. doi.
- Utagawa, A., Truettner, J. S., Dietrich, W. D., & Bramlett, H. M. (2008). Systemic inflammation exacerbates behavioral and histopathological consequences of isolated traumatic brain injury in rats. *Experimental Neurology*, 211(1), 283-291. doi.
- Uteshev, V. V., & Smith, D. V. (2006). Cholinergic modulation of neurons in the gustatory region of the nucleus of the solitary tract. *Brain Research*, 1084(1), 38-53. doi.
- Uva, L., Grünschke, S., Biella, G., De Curtis, M., & Witter, M. P. (2004). Cytoarchitectonic characterization of the parahippocampal region of the guinea pig. *Journal of Comparative Neurology*, 474(2), 289-303. doi.
- Vaarmann, A., Mandel, M., Zeb, A., Wareski, P., Liiv, J., Kuum, M., . . . Kaasik, A. (2016). Mitochondrial biogenesis is required for axonal growth. [10.1242/dev.128926]. *Development*. doi. <http://dev.biologists.org/content/early/2016/04/26/dev.128926.abstract>
- Vadodaria, K. C., Ji, Y., Skime, M., Paquola, A. C., Nelson, T., Hall-Flavin, D., . . . Gage, F. H. (2019). Altered serotonergic circuitry in SSRI-resistant major depressive disorder patient-

derived neurons. *Molecular Psychiatry*. doi: 10.1038/s41380-019-0377-

5. <https://doi.org/10.1038/s41380-019-0377-5>

Valbuena, S., García, Á., Mazier, W., Paternain, A. V., & Lerma, J. (2019). Unbalanced dendritic inhibition of CA1 neurons drives spatial-memory deficits in the Ts2Cje Down syndrome model. *Nature Communications*, 10(1), 4991. doi: 10.1038/s41467-019-13004-

9. <https://doi.org/10.1038/s41467-019-13004-9>

Valdés, J. L., Sánchez, C., Riveros, M. E., Blandina, P., Contreras, M., Fariás, P., & Torrealba, F. (2010). The histaminergic tuberomammillary nucleus is critical for motivated arousal.

*European Journal of Neuroscience*, 31(11), 2073-2085. doi.

Valentina, C., Sara, M., Ketty, L., Elisa, F., Eriola, H., Sara, B., . . . K., N. S. (2018). Sox2 conditional mutation in mouse causes ataxic symptoms, cerebellar vermis hypoplasia, and postnatal defects of Bergmann glia. *Glia*, 0(0). doi:

doi:10.1002/glia.23448. <https://onlinelibrary.wiley.com/doi/abs/10.1002/glia.23448>

Valenza, M., Chen, J. Y., Di Paolo, E., Ruozi, B., Belletti, D., Bardile, C. F., . . . Di Donato, S. (2015). Cholesterol-loaded nanoparticles ameliorate synaptic and cognitive function in Huntington's disease mice. *EMBO Molecular Medicine*, e201505413.

doi. <http://embomolmed.embopress.org/content/early/2015/11/20/emmm.201505413....>

Valero, J., Weruaga, E., Murias, A. R., Recio, J. S., Curto, G. G., Gomez, C., & Alonso, J. R. (2007). Changes in cell migration and survival in the olfactory bulb of the pcd/pcd mouse.

*Developmental Neurobiology*, 67(7), 839-859. doi.

Valiente, M., Ciceri, G., Rico, B., & Marín, O. (2011). Focal Adhesion Kinase Modulates Radial Glia-Dependent Neuronal Migration through Connexin-26. *Journal of Neuroscience*, 31(32), 11678-11691. doi: 10.1523/jneurosci.2678-

11.2011. <http://www.jneurosci.org/content/31/32/11678.abstract>

Vallieres, L., Campbell, I. L., Gage, F. H., & Sawchenko, P. E. (2002). Reduced Hippocampal Neurogenesis in Adult Transgenic Mice with Chronic Astrocytic Production of Interleukin-6. *Journal of Neuroscience*, 22(2), 486-492.

doi. <http://www.jneurosci.org/cgi/content/abstract/22/2/486>

Valonen, P. K., Lehtimäki, K. K., Väisänen, T. H., Kettunen, M. I., Gröhn, O. H. J., Ylä-Herttuala, S., & Kauppinen, R. A. (2004). Water diffusion in a rat glioma during ganciclovir-thymidine kinase gene therapy-induced programmed cell death in vivo: Correlation with cell density. *Journal of Magnetic Resonance Imaging*, 19(4), 389-396. doi.

Valverde-Franco, G., Lussier, B., Hum, D., Wu, J., Hamadjida, A., Dancause, N., . . . Martel-Pelletier, J. (2016). Cartilage-specific deletion of ephrin-B2 in mice results in early developmental defects and an osteoarthritis-like phenotype during aging in vivo. *Arthritis Research & Therapy*, 18, 65. doi: 10.1186/s13075-016-0965-

6. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4791873/>

van Aerde, K. I., & Feldmeyer, D. (2013). Morphological and Physiological Characterization of Pyramidal Neuron Subtypes in Rat Medial Prefrontal Cortex. *Cerebral Cortex*. doi:

10.1093/cercor/bht278. <http://cercor.oxfordjournals.org/content/early/2013/10/09/cercor.bht278...>

van Aerde, K. I., Mann, E. O., Canto, C. B., Heistek, T. S., Linkenkaer-Hansen, K., Mulder, A. B., ... . Mansvelder, H. D. (2009). Flexible spike timing of layer 5 neurons during dynamic beta oscillation shifts in rat prefrontal cortex. *Journal of Physiology*, 587(21), 5177-5196. doi: 10.1113/jphysiol.2009.178384. <http://jp.physoc.org/content/587/21/5177.abstract>

van Aerde, K. I., Qi, G., & Feldmeyer, D. (2013). Cell Type-Specific Effects of Adenosine on Cortical Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bht274. <http://cercor.oxfordjournals.org/content/early/2013/10/09/cercor.bht274...>

van de Wetering, R., & Schenk, S. (2019). Regional changes in  $\Delta$ FosB expression in rat brain following MDMA self-administration predict increased sensitivity to effects of locally infused MDMA. *Addiction Biology*, 0(0), e12814. doi: 10.1111/adb.12814. <https://onlinelibrary.wiley.com/doi/abs/10.1111/adb.12814>

van Dellen, A., Deacon, R., York, D., Blakemore, C., & Hannan, A. J. (2001). Anterior cingulate cortical transplantation in transgenic Huntington's disease mice. *Brain Research Bulletin*, 56(3-4), 313-318. doi.

van den Brandt, B., Casalbuoni, S., Czapek, G., Diggelmann, U., Ebert, T., Huber, D., ... others. (1999). Status report on the ORPHEUS dark matter detector and on its SQUID readout system. *Nuclear Physics B-Proceedings Supplements*, 70(1), 101-105. doi.

Van der Gucht, E., Hof, P. R., Van Brussel, L., Burnat, K., & Arckens, L. (2007). Neurofilament protein and neuronal activity markers define regional architectonic parcellation in the mouse visual cortex. *Cerebral Cortex*, 17(12), 2805-2819. doi.

van Dijk, K. D., Berendse, H. W., Drukarch, B., Fratantoni, S. A., Pham, T. V., Piersma, S. R., ... van de Berg, W. D. J. (2011). The proteome of the locus ceruleus in Parkinson's disease: relevance to pathogenesis. *Brain Pathology*, no-no. doi: 10.1111/j.1750-3639.2011.00540.x. <http://dx.doi.org/10.1111/j.1750-3639.2011.00540.x>

Van Dongen, Y. C., Mailly, P., Thierry, A. M., Groenewegen, H. J., & Deniau, J. M. (2008). Three-dimensional organization of dendrites and local axon collaterals of shell and core medium-sized spiny projection neurons of the rat nucleus accumbens. *Brain Structure and Function*, 213(1), 129-147. doi.

van Groen, T. (2001). Entorhinal cortex of the mouse: cytoarchitectonical organization. *Hippocampus*, 11(4), 397-407. doi.

van Groen, T., Miettinen, P., & Kadish, I. (2003). The entorhinal cortex of the mouse: organization of the projection to the hippocampal formation. *Hippocampus*, 13(1), 133-149. doi.

van Heukelum, S., Drost, L., Mogavero, F., Jager, A., Havenith, M. N., & Glennon, J. C. (2018). Aggression in BALB/cJ mice is differentially predicted by the volumes of anterior and

midcingulate cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1816-9. <https://doi.org/10.1007/s00429-018-1816-9>

van Heusden, F., Macey-Dare, A., Gordon, J., Krajcski, R., Sharott, A., & Ellender, T. (2021). Diversity in striatal synaptic circuits arises from distinct embryonic progenitor pools in the ventral telencephalon. *Cell Reports*, 35(4), 109041. doi: <https://doi.org/10.1016/j.celrep.2021.109041>. <https://www.sciencedirect.com/science/article/pii/S2211124721003570>

Van Hoesen, G. W., Augustinack, J. C., Dierking, J., Redman, S. J., & Thangavel, R. (2000). The Parahippocampal Gyrus in Alzheimer's Disease: Clinical and Preclinical Neuroanatomical Correlates. *Annals of the New York Academy of Sciences*, 911(1), 254-274. doi: 10.1111/j.1749-6632.2000.tb06731.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.2000.tb06731.x>

Van Hoesen, G. W., Parvizi, J., & Chu, C. C. (2000). Orbitofrontal cortex pathology in Alzheimer's disease. *Cerebral Cortex*, 10(3), 243-251. doi.

van Luijtelaaar, G., Fabene, P. F., de Bruin, N., Jongema, C., Ellenbroek, B. A., & Veening, J. G. (2001). Neural correlates of sensory gating in the rat: decreased Fos induction in the lateral septum. *Brain Research Bulletin*, 54(2), 145-151. doi.

van Noort, J., Baker, D., & Amor, S. (2012). Mechanisms in the development of multiple sclerosis lesions: reconciling autoimmune and neurodegenerative factors. *CNS Neurol Disord Drug Targets*, 11, 556 - 569. doi.

van Pelt, J., van Ooyen, A., & Uylings, H. B. M. (2001). The need for integrating neuronal morphology databases and computational environments in exploring neuronal structure and function. *Anatomy and Embryology*, 204(4), 255-265. doi.

van Praag, H., Christie, B., Sejnowski, T., & Gage, F. (1999). Running enhances neurogenesis, learning, and long-term potentiation in mice. *Proceedings of the National Academy of Sciences*, 96(23), 13427-13431. doi.

Van Raamsdonk, J. M., Pearson, J., Bailey, C. D. C., Rogers, D. A., Johnson, G. V. W., Hayden, M. R., & Leavitt, B. R. (2005). Cystamine treatment is neuroprotective in the YAC128 mouse model of Huntington disease. *Journal of Neurochemistry*, 95(1), 210-220. doi: 10.1111/j.1471-4159.2005.03357.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03357.x>

Van Slooten, A. R., Sun, Y., Clarkson, A. N., & Connor, B. J. (2015). L-NIO as a novel mechanism for inducing focal cerebral ischemia in the adult rat brain. *Journal of Neuroscience Methods*, (0). doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.02.022>. <http://www.sciencedirect.com/science/article/pii/S0165027015000746>

van Welie, I., Remme, M. W. H., van Hooft, J. A., & Wadman, W. J. (2006). Different levels of Ih determine distinct temporal integration in bursting and regular-spiking neurons in rat

subiculum. *Journal of Physiology*, 576(1), 203-214. doi: 10.1113/jphysiol.2006.113944. <http://jp.physoc.org/cgi/content/abstract/576/1/203>

Vandael, D., Okamoto, Y., Borges-Merjane, C., Vargas-Barroso, V., Suter, B. A., & Jonas, P. (2021). Subcellular patch-clamp techniques for single-bouton stimulation and simultaneous pre- and postsynaptic recording at cortical synapses. *Nature Protocols*. doi: 10.1038/s41596-021-00526-0. <https://doi.org/10.1038/s41596-021-00526-0>

Vanderhorst, V., Terasawa, E., Ralston, H. J., & others. (2004). Projections from estrogen receptor- $\alpha$  immunoreactive neurons in the periaqueductal gray to the lateral medulla oblongata in the rhesus monkey. *Neuroscience*, 125(1), 243-253. doi.

VanderHorst, V., Terasawa, E., & Ralston Iii, H. J. (2009). Estrogen receptor- $\alpha$ -immunoreactive neurons in the brainstem and spinal cord of the female rhesus monkey: Species-specific characteristics. *Neuroscience*, 158(2), 798-810. doi.

Vanderhorst, V. G. J. M., Terasawa, E., & Ralston Iii, H. J. (2002). Estrogen receptor- $\alpha$ -immunoreactive neurons in the ventrolateral periaqueductal gray receive monosynaptic input from the lumbosacral cord in the rhesus monkey. *Journal of Comparative Neurology*, 443(1), 27-42. doi.

Vanderhorst, V. G. J. M., Terasawa, E., Ralston Iii, H. J., & Holstege, G. (2000). Monosynaptic projections from the lateral periaqueductal gray to the nucleus retroambiguus in the rhesus monkey: implications for vocalization and reproductive behavior. *Journal of Comparative Neurology*, 424(2), 251-268. doi.

Vanderhorst, V. G. J. M., Terasawa, E., Ralston Iii, H. J., & Holstege, G. (2000). Monosynaptic projections from the nucleus retroambiguus to motoneurons supplying the abdominal wall, axial, hindlimb, and pelvic floor muscles in the female rhesus monkey. *Journal of Comparative Neurology*, 424(2), 233-250. doi.

Vannini, E., Olimpico, F., Middei, S., Ammassari-Teule, M., de Graaf, E. L., McDonnell, L., . . . Caleo, M. (2016). Electrophysiology of glioma: a Rho GTPase-activating protein reduces tumor growth and spares neuron structure and function. *Neuro-Oncology*. doi: 10.1093/neuonc/now114. <http://neuro-oncology.oxfordjournals.org/content/early/2016/06/12/neuonc...>

Vannini, E., Restani, L., Pietrasanta, M., Panarese, A., Mazzoni, A., Rossetto, O., . . . Caleo, M. (2015). Altered sensory processing and dendritic remodeling in hyperexcitable visual cortical networks. *Brain Structure and Function*, 1-18. doi: 10.1007/s00429-015-1080-1. <http://dx.doi.org/10.1007/s00429-015-1080-1>

Varga, C., Sik, A., Lavallee, P., & Deschenes, M. (2002). Dendroarchitecture of Relay Cells in Thalamic Barreloids: A Substrate for Cross-Whisker Modulation. *Journal of Neuroscience*, 22(14), 6186-6194. doi. <http://www.jneurosci.org/cgi/content/abstract/22/14/6186>

Varga, C., Tamas, G., Barzo, P., Olah, S., & Somogyi, P. (2015). Molecular and Electrophysiological Characterization of GABAergic Interneurons Expressing the Transcription Factor COUP-TFII in the Adult Human Temporal Cortex. *Cerebral Cortex*. doi:



10.1093/cercor/bhv045. <http://cercor.oxfordjournals.org/content/early/2015/03/18/cercor.bhv045...>

Varga, V., Hangya, B., Kranitz, K., Ludanyi, A., Zemankovics, R., Katona, I., . . . Borhegyi, Z. (2008). The presence of pacemaker HCN channels identifies theta rhythmic GABAergic neurons in the medial septum. *Journal of Physiology*, 586(16), 3893-3915. doi: 10.1113/jphysiol.2008.155242. <http://jp.physoc.org/cgi/content/abstract/586/16/3893>

Varga, Z., Csabai, D., Miseta, A., Wiborg, O., & Czéh, B. (2016). Chronic stress affects the number of GABAergic neurons in the orbitofrontal cortex of rats. *Behavioural Brain Research*. doi: <http://dx.doi.org/10.1016/j.bbr.2016.08.030>. <http://www.sciencedirect.com/science/article/pii/S0166432816305423>

Vasilkoski, Z., & Stepanyants, A. (2009). Detection of the optimal neuron traces in confocal microscopy images. *Journal of Neuroscience Methods*, 178(1), 197-204. doi.

Vasistha, N. A., Garcia-Moreno, F., Arora, S., Cheung, A. F. P., Arnold, S. J., Robertson, E. J., & Molnár, Z. (2014). Cortical and Clonal Contribution of Tbr2 Expressing Progenitors in the Developing Mouse Brain. *Cerebral Cortex*. doi: 10.1093/cercor/bhu125. <http://cercor.oxfordjournals.org/content/early/2014/06/13/cercor.bhu125...>

Vaslin, A., Naegele-Tollardo, S., Puyal, J., & Clarke, P. G. H. (2011). Excitotoxicity-induced endocytosis mediates neuroprotection by TAT-peptide-linked JNK inhibitor. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2011.07535.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07535.x>

Vastagh, C., Schwirtlich, M., Kwakowsky, A., Erdélyi, F., Margolis, F. L., Yanagawa, Y., . . . Szabó, G. (2014). The spatiotemporal segregation of GAD forms defines distinct GABA signaling functions in the developing mouse olfactory system and provides novel insights into the origin and migration of GnRH neurons. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22222. <http://dx.doi.org/10.1002/dneu.22222>

Vastagh, C., Vig, J., Hamori, J., & Takacs, J. (2005). Delayed postnatal settlement of cerebellar Purkinje cells in vermal lobules VI and VII of the mouse. *Anatomy and Embryology*, 209(6), 471-484. doi.

Vastagh, C., Vig, J., Takacs, J., & Hamori, J. (2005). Quantitative analysis of the postnatal development of Purkinje neurons in the cerebellum of the cat. *International Journal of Developmental Neuroscience*, 23(1), 27-35. doi.

Vazey, E. M., Chen, K., Hughes, S. M., & Connor, B. (2006). Transplanted adult neural progenitor cells survive, differentiate and reduce motor function impairment in a rodent model of Huntington's disease. *Experimental Neurology*, 199(2), 384-396. doi.

Vazey, E. M., Connor, B., Grammatopoulos, T. N., Jones, S. M., Yoshimura, M., Hoover, B. R., . . . others. (2010). Differential fate and functional outcome of lithium chloride primed adult neural progenitor cell transplants in a rat model of Huntington. *Genesis*, 17, 19-19. doi.

Vaz-Silva, J., Gomes, P., Jin, Q., Zhu, M., Zhuravleva, V., Quintremil, S., . . . Soares-Cunha, C. (2018). Endolysosomal degradation of Tau and its role in glucocorticoid-driven hippocampal malfunction. *The EMBO journal*, e99084.

doi: <http://emboj.embopress.org/content/early/2018/08/30/embj.201899084.export>

Veening, J. G., Coolen, L. M., De Jong, T. R., Joosten, H. W., De Boer, S. F., Koolhaas, J. M., & Olivier, B. (2005). Do similar neural systems subserve aggressive and sexual behaviour in male rats? Insights from c-Fos and pharmacological studies. *European Journal of Pharmacology*, 526(1), 226-239. doi:

Veerakumar, A., Challis, C., Gupta, P., Da, J., Upadhyay, A., Beck, S. G., & Berton, O. (2014). Antidepressant-like effects of cortical deep brain stimulation coincide with pro-neuroplastic adaptations of serotonin systems. *Biological Psychiatry*, (0).

doi: <http://dx.doi.org/10.1016/j.biopsych.2013.12.009>. <http://www.sciencedirect.com/science/article/pii/S000632231301130X>

Vegiopoulos, A., Muller-Decker, K., Strzoda, D., Schmitt, I., Chichelnitskiy, E., Ostertag, A., . . . Herzig, S. (2010). Cyclooxygenase-2 Controls Energy Homeostasis in Mice by de Novo Recruitment of Brown Adipocytes. *Science*, 328(5982), 1158-1161. doi: 10.1126/science.1186034. <http://www.sciencemag.org/cgi/content/abstract/328/5982/1158>

Velenovsky, D. S., Cetas, J. S., Price, R. O., Sinex, D. G., & McMullen, N. T. (2003). Functional Subregions in Primary Auditory Cortex Defined by Thalamocortical Terminal Arbors: An Electrophysiological and Anterograde Labeling Study. *Journal of Neuroscience*, 23(1), 308-316. doi:

Vélez-Fort, M., Rousseau, Charly V., Niedworok, Christian J., Wickersham, Ian R., Rancz, Ede A., Brown, Alexander P. Y., . . . Margrie, Troy W. (2014). The Stimulus Selectivity and Connectivity of Layer Six Principal Cells Reveals Cortical Microcircuits Underlying Visual Processing. *Neuron*, (0).

doi: <http://dx.doi.org/10.1016/j.neuron.2014.08.001>. <http://www.sciencedirect.com/science/article/pii/S089662731400676X>

Velho, T. A. F., Lovell, P., & Mello, C. V. (2007). Enriched expression and developmental regulation of the middle-weight neurofilament (NF-m) gene in song control nuclei of the zebra finch. *Journal of Comparative Neurology*, 500(3), 477-497. doi:

Velho, T. A. F., Lu, K., Ribeiro, S., Pinaud, R., Vicario, D., & Mello, C. V. (2012). Noradrenergic Control of Gene Expression and Long-Term Neuronal Adaptation Evoked by Learned Vocalizations in Songbirds. *PLoS ONE*, 7(5), e36276. doi:

10.1371/journal.pone.0036276. <http://dx.doi.org/10.1371/journal.pone.0036276>

Velho, T. A. F., & Mello, C. V. (2008). Synapsins Are Late Activity-Induced Genes Regulated by Birdsong. *Journal of Neuroscience*, 28(46), 11871-11882. doi: 10.1523/jneurosci.2307-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/46/11871>

Velho, T. A. F., Pinaud, R., Rodrigues, P. V., & Mello, C. V. (2005). Co-induction of activity-dependent genes in songbirds. *European Journal of Neuroscience*, 22(7), 1667-1678. doi:

doi:10.1111/j.1460-9568.2005.04369.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04369.x>

Venance, L., Rozov, A., Blatow, M., Burnashev, N., Feldmeyer, D., & Monyer, H. (2000). Connexin expression in electrically coupled postnatal rat brain neurons. *Proceedings of the National Academy of Sciences*, 97(18), 10260-10265. doi.

Venero, C., Guadano-Ferraz, A., Herrero, A. I., Nordstrom, K., Manzano, J., de Escobar, G. M., . . . Vennstrom, B. (2005). Anxiety, memory impairment, and locomotor dysfunction caused by a mutant thyroid hormone receptor  $\alpha 1$  can be ameliorated by T3 treatment. *Genes and Development*, 19(18), 2152-2163. doi: 10.1101/gad.346105. <http://www.genesdev.org/cgi/content/abstract/19/18/2152>

Venugopal, S., Boulant, J. A., Chen, Z., & Travers, J. B. (2010). Intrinsic membrane properties of pre-oromotor neurons in the intermediate zone of the medullary reticular formation. *Neuroscience*, 168(1), 31-47. doi.

Vera-Esquivel, C. (2018). Neutrophils in the Geniculate Ganglion Following Chorda Tympani Transection in Adult Rats. doi. <https://digitalcommons.unomaha.edu/srcaf/2018/schedule/124/>

Verberne, A. J. M., Stornetta, R. L., & Guyenet, P. G. (1999). Properties of C1 and other ventrolateral medullary neurones with hypothalamic projections in the rat. *Journal of Physiology*, 517(2), 477-494. doi. <http://jp.physoc.org/cgi/content/abstract/517/2/477>

Vercelli, A. (2006). Brain maps and connectivity representation. *Neuroinformatics*, 4(4), 319-320. doi.

Vercelli, A., Biggi, S., Sclip, A., Repetto, I. E., Cimini, S., Falleroni, F., . . . Borsello, T. (2015). Exploring the role of MKK7 in excitotoxicity and cerebral ischemia: a novel pharmacological strategy against brain injury. [Original Article]. *Cell Death Dis*, 6, e1854. doi: 10.1038/cddis.2015.226. <http://dx.doi.org/10.1038/cddis.2015.226>

Vercelli, A., Garbossa, D., Biasiol, S., Repici, M., & Jhaveri, S. (2000). NOS inhibition during postnatal development leads to increased ipsilateral retinocollicular and retinogeniculate projections in rats. *European Journal of Neuroscience*, 12(2), 473. doi.

Vercelli, A., Garbossa, D., Repici, M., Biasiol, S., & Jhaveri, S. (2001). Role of nitric oxide in the development of retinal projections. *Italian Journal of Embryological Anatomy*, 106(2), 489-498. doi.

Vercelli, A., Marini, G., & Tredici, G. (2003). Anatomical organization of the telencephalic connections of the parafascicular nucleus in adult and developing rats. *European Journal of Neuroscience*, 18(2), 275-289. doi: doi:10.1046/j.1460-9568.2003.02743.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.2003.02743.x>

Vercelli, A., Repici, M., Garbossa, D., & Grimaldi, A. (2000). Recent techniques for tracing pathways in the central nervous system of developing and adult mammals. *Brain Research Bulletin*, 51(1), 11-28. doi.

Vercelli, A. E., & Cracco, C. M. (1994). Effects of eye enucleation on NADPH-diaphorase positive neurons in the superficial layers of the rat superior colliculus. *Developmental Brain Research*, 83, 85-98. doi.

Vercelli, A. E., Garbossa, D., Curtetti, R., & Innocenti, G. M. (2004). Somatodendritic minicolumns of output neurons in the rat visual cortex. *European Journal of Neuroscience*, 20(2), 495-502. doi. <http://www.blackwell-synergy.com/links/doi/10.1111/j.1460-9568.2004.0348...>

Veres, J. M., Nagy, G. A., & Hájos, N. (2017). Perisomatic GABAergic synapses of basket cells effectively control principal neuron activity in amygdala networks. [JOUR]. *eLife*, 6, e20721. doi: 10.7554/eLife.20721. <https://dx.doi.org/10.7554/eLife.20721>

Veres, J. M., Nagy, G. A., Vereczki, V. K., András, T., & Hájos, N. (2014). Strategically Positioned Inhibitory Synapses of Axo-axonic Cells Potently Control Principal Neuron Spiking in the Basolateral Amygdala. *The Journal of Neuroscience*, 34(49), 16194-16206. doi. <http://www.jneurosci.org/content/34/49/16194.short>

Verhovshek, T., Buckley, K. E., Sergent, M. A., & Sengelaub, D. R. (2010). Testosterone metabolites differentially maintain adult morphology in a sexually dimorphic neuromuscular system. *Developmental Neurobiology*, 70(4), 206-221. doi.

Verhovshek, T., & Sengelaub, D. R. (2010). Trophic Effects of Brain-Derived Neurotrophic Factor Blockade in an Androgen-Sensitive Neuromuscular System. *Endocrinology*, 151(11), 5337-5348. doi.

Verhovshek, T., & Sengelaub, D. R. (2013). Androgen action at the target musculature regulates brain-derived neurotrophic factor protein in the spinal nucleus of the bulbocavernosus. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22083. <http://dx.doi.org/10.1002/dneu.22083>

Veruki, M. L., Olstedal, L., & Hartveit, E. (2010). Electrical coupling and passive membrane properties of All amacrine cells. *Journal of Neurophysiology*, 01105.02009. doi: 10.1152/jn.01105.2009. <http://jn.physiology.org/cgi/content/abstract/01105.2009v1>

Vervaeke, K., Lorincz, A., Gleeson, P., Farinella, M., Nusser, Z., & Silver, R. A. (2010). Rapid desynchronization of an electrically coupled interneuron network with sparse excitatory synaptic input. *Neuron*, 67(3), 435-451. doi.

Vetere, G., Restivo, L., & Ammassari-Teule, M. (2012). Pre-synaptic control of remote fear extinction in the neocortex. *Frontiers in Behavioral Neuroscience*, 6. doi.

Vetere, G., Restivo, L., Novembre, G., Aceti, M., Lumaca, M., & Ammassari-Teule, M. (2011). Extinction partially reverts structural changes associated with remote fear memory. *Learning and Memory*, 18(9), 554-557. doi.

Vetter, P., Roth, A., & Hausser, M. (2001). Propagation of Action Potentials in Dendrites Depends on Dendritic Morphology. *Journal of Neurophysiology*, 85(2), 926-937. doi: <http://jn.physiology.org/cgi/content/abstract/85/2/926>

Viale, B., Song, L., Petrenko, V., Wenger Combremont, A.-L., Contestabile, A., Bocchi, R., . . . Kiss, J. Z. (2019). Transient Deregulation of Canonical Wnt Signaling in Developing Pyramidal Neurons Leads to Dendritic Defects and Impaired Behavior. *Cell Reports*, 27(5), 1487-1502.e1486. doi: <https://doi.org/10.1016/j.celrep.2019.04.026>. <http://www.sciencedirect.com/science/article/pii/S2211124719304917>

Vickers, C. A., Stephens, B., Bowen, J., Arbuthnott, G. W., Grant, S. G. N., & Ingham, C. A. (2006). Neurone specific regulation of dendritic spines in vivo by post synaptic density 95 protein (PSD-95). *Brain Research*, 1090(1), 89-98. doi.

Viel, J. J., McManus, D. Q., Cady, C., Evans, M. S., & Brewer, G. J. (2001). Temperature and time interval for culture of postmortem neurons from adult rat cortex. *Journal of Neuroscience Research*, 64(4), 311-321. doi.

Vig, J., Takács, J., Abraham, H., Kovacs, G. G., & Hamori, J. (2005). Calretinin-immunoreactive unipolar brush cells in the developing human cerebellum. *International Journal of Developmental Neuroscience*, 23(8), 723-729. doi.

Vigo, T., Schenone, A., Mancardi, G., Abruzzese, M., Timmerman, V., Van Hummelen, P., & Nobbio, L. (2004). Expression of ciliary neurotrophic factor (CNTF) in charcot-marie-tooth type 1A (CMT1A) disease. *Journal of the Peripheral Nervous System*, 9(2), 111-111. doi.

Világi, I., Takács, J., Gulyás-Kovács, A., Banczerowski-Pelyhe, I., & Tarnawa, I. (2002). Protective effect of the antiepileptic drug candidate talampanel against AMPA-induced striatal neurotoxicity in neonatal rats. *Brain Research Bulletin*, 59(1), 35-40. doi.

Villa, Katherine L., Berry, Kalen P., Subramanian, J., Cha, Jae W., Oh, Won C., Kwon, H.-B., . . . Nedivi, E. (2016). Inhibitory Synapses Are Repeatedly Assembled and Removed at Persistent Sites In Vivo. *Neuron*. doi: <http://dx.doi.org/10.1016/j.neuron.2016.01.010>. <http://www.sciencedirect.com/science/article/pii/S0896627316000118>

Villa, M. F., & Amthor, F. R. (1995). Automating the quantitative analysis of 2-D neural dendritic trees. *Journal of Neuroscience Methods*, 56(1), 77-88. doi.

Villalba, R. M., Lee, H., Raju, D., & Smith, Y. (2009). Striatal dopaminergic denervation and spine loss in MPTP-treated monkeys. *The Basal Ganglia IX*, 361-375. doi.

Villalba, R. M., Lee, H., & Smith, Y. (2009). Dopaminergic denervation and spine loss in the striatum of MPTP-treated monkeys. *Experimental Neurology*, 215(2), 220-227. doi.

Villar-Cerviño, V., Molano-Mazón, M., Catchpole, T., Valdeolmillos, M., Henkemeyer, M., Martínez, Luis M., . . . Marín, O. (2013). Contact Repulsion Controls the Dispersion and Final Distribution of Cajal-Retzius Cells. *Neuron*, 77(3), 457-471.

doi: <http://dx.doi.org/10.1016/j.neuron.2012.11.023>. <http://www.sciencedirect.com/science/article/pii/S0896627312010380>

Villeda, S. A., Plambeck, K. E., Middeldorp, J., Castellano, J. M., Mosher, K. I., Luo, J., . . . Berdnik, D. (2014). Young blood reverses age-related impairments in cognitive function and synaptic plasticity in mice. *Nature Medicine*.

doi: <http://www.nature.com/nm/journal/vaop/ncurrent/full/nm.3569.html>

Vincent, V. A., Robinson, C. C., Simsek, D., & Murphy, G. M. J. (2002). Macrophage colony stimulating factor prevents NMDA-induced neuronal death in hippocampal organotypic cultures. *Journal of Neurochemistry*, 82(6), 1388. doi.

Vinegoni, C., Leon Swisher, C., Fumene Feruglio, P., Giedt, R. J., Rousso, D. L., Stapleton, S., & Weissleder, R. (2016). Real-time high dynamic range laser scanning microscopy. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11077. <http://dx.doi.org/10.1038/ncomms11077>

Vinet, J., Lemieux, P., Tamburri, A., Tiesinga, P., Scafidi, J., Gallo, V., & Sik, A. (2010). Subclasses of oligodendrocytes populate the mouse hippocampus. *European Journal of Neuroscience*, 31(3), 425-438. doi.

Viney, T. J., Lasztocki, B., Katona, L., Crump, M. G., Tukker, J. J., Klausberger, T., & Somogyi, P. (2013). Network state-dependent inhibition of identified hippocampal CA3 axo-axonic cells in vivo. *Nature Neuroscience*.

doi: <http://www.nature.com/neuro/journal/vaop/ncurrent/full/nn.3550.html>

Virtanen, M. A., Laco, C. M., Fiumelli, H., Kosel, M., Tyagarajan, S., de Roo, M., & Vutskits, L. (2018). Development of inhibitory synaptic inputs on layer 2/3 pyramidal neurons in the rat medial prefrontal cortex. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-017-1602-0. <https://doi.org/10.1007/s00429-017-1602-0>

Vistoropsky-Katz, Y., Heiblum, R., Smorodinsky, N.-I., & Barnea, A. (2016). Active immunization against vasoactive intestinal polypeptide decreases neuronal recruitment and inhibits reproduction in zebra finches. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23971. <http://dx.doi.org/10.1002/cne.23971>

Viswanathan, S., Williams, M. E., Bloss, E. B., Stasevich, T. J., Speer, C. M., Nern, A., . . . Looger, L. L. (2015). High-performance probes for light and electron microscopy. [Article]. *Nat Meth*, advance online publication. doi: 10.1038/nmeth.3365

<http://www.nature.com/nmeth/journal/vaop/ncurrent/abs/nmeth.3365.html#su.....> <http://dx.doi.org/10.1038/nmeth.3365>

Vithayathil, J., Pucilowska, J., Friel, D., & Landreth, G. E. (2017). Chronic impairment of ERK signaling in glutamatergic neurons of the forebrain does not affect spatial memory retention and LTP in the same manner as acute blockade of the ERK pathway. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22769. <http://dx.doi.org/10.1002/hipo.22769>

Vivinetto, A. L., Kim, I.-d., Goldberg, D. C., Fones, L., Brown, E., Tarabykin, V. S., . . . Cave, J. W. (2020). Zeb2 Is a Regulator of Astroglial and Functional Recovery after CNS Injury. *Cell*



Reports, 31(13), 107834.

doi: <https://doi.org/10.1016/j.celrep.2020.107834>. <http://www.sciencedirect.com/science/article/pii/S2211124720308159>

Vizzard, M. A. (2001). Alterations in neuropeptide expression in lumbosacral bladder pathways following chronic cystitis. *Journal of Chemical Neuroanatomy*, 21(2), 125-138. doi.

Vlachy, J., Jo, M., Li, Q., Turgay, A., Keskinocak, P., Larry, O., . . . Vats, A. (2014). 584: CONTINUOUS ELECTROENCEPHALOGRAPHY FOR SEIZURE DETECTION IN CHILDREN: WHO SHOULD WE MONITOR? *Critical Care Medicine*, 42(12), A1500  
1510.1097/1501.ccm.0000458081.0000493600.0000458082a.  
doi: [http://journals.lww.com/ccmjournal/Fulltext/2014/12001/584\\_\\_CONTINUOUS...](http://journals.lww.com/ccmjournal/Fulltext/2014/12001/584__CONTINUOUS...)

Vlug, A. S., Teuling, E., Haasdijk, E. D., French, P., Hoogenraad, C. C., & Jaarsma, D. (2005). ATF3 expression precedes death of spinal motoneurons in amyotrophic lateral sclerosis-SOD1 transgenic mice and correlates with c-Jun phosphorylation, CHOP expression, somato-dendritic ubiquitination and Golgi fragmentation. *European Journal of Neuroscience*, 22(8), 1881-1894. doi: doi:10.1111/j.1460-9568.2005.04389.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04389.x>

Vogt, B., Nimchinsky, E., Vogt, L., & Hof, P. (1995). Human cingulate cortex: surface features, flat maps, and cytoarchitecture. *Journal of Comparative Neurology*, 359, 490 - 506. doi.

Voigt, T., Opitz, T., & de Lima, A. D. (2005). Activation of Early Silent Synapses by Spontaneous Synchronous Network Activity Limits the Range of Neocortical Connections. *Journal of Neuroscience*, 25(18), 4605-4615.  
doi: <http://www.jneurosci.org/cgi/content/abstract/25/18/4605>

Voinesco, F., Glauser, L., Kraftsik, R., & Barakat-Walter, I. (1998). Local administration of thyroid hormones in silicone chamber increases regeneration of rat transected sciatic nerve. *Experimental Neurology*, 150(1), 69-81. doi.

Volgushev, M., Chauvette, S., Mukovski, M., & Timofeev, I. (2006). Precise Long-Range Synchronization of Activity and Silence in Neocortical Neurons during Slow-Wave Sleep. *Journal of Neuroscience*, 26(21), 5665-5672. doi: 10.1523/jneurosci.0279-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/21/5665>

Volgushev, M., Vidyasagar, T. R., Chistiakova, M., & Eysel, U. T. (2000). Synaptic transmission in the neocortex during reversible cooling. *Neuroscience*, 98(1), 9-22. doi.

Volgushev, M., Vidyasagar, T. R., Chistiakova, M., Yousef, T., & Eysel, U. T. (2000). Membrane properties and spike generation in rat visual cortical cells during reversible cooling. *Journal of Physiology*, 522(1), 59-76. doi: <http://jp.physoc.org/cgi/content/abstract/522/1/59>

Volk, D. W., Pierri, J. N., Fritschy, J. M., Auh, S., Sampson, A. R., & Lewis, D. A. (2002). Reciprocal alterations in pre- and postsynaptic inhibitory markers at chandelier cell inputs to pyramidal neurons in schizophrenia. *Cerebral Cortex*, 12(10), 1063-1070. doi.

Volpe, B., Berlin, R., & Frankfurt, M. (2015). The brain at risk: the sepsis syndrome and lessons from preclinical experiments. *Immunologic Research*, 1-5. doi: 10.1007/s12026-015-8704-7. <http://dx.doi.org/10.1007/s12026-015-8704-7>

Volpi, N., Carbotti, P., Greco, G., Bibbo, G., Alessandrini, C., & Giannini, F. (2004). Endothelin and endothelin-converting-enzyme-1 in inflammatory neuropathies: an immunohistological study. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi: doi:10.1111/j.1085-9489.2004.009209au.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Volpi, N., Carbotti, P., Greco, G., Bibbò, G., Alessandrini, C., & Giannini, F. (2004). Endothelin and endothelin-converting-enzyme-1 in inflammatory neuropathies: an immunohistological study. *Journal of the Peripheral Nervous System*, 9(2), 118-118. doi.

Vomero, M., Castagnola, E., Ciarpella, F., Maggiolini, E., Goshi, N., Zucchini, E., . . . Ricci, D. (2017). Highly Stable Glassy Carbon Interfaces for Long-Term Neural Stimulation and Low-Noise Recording of Brain Activity. [Article]. *Scientific Reports*, 7, 40332. doi: 10.1038/srep40332

<http://www.nature.com/articles/srep40332#supplementary-information>. <http://dx.doi.org/10.1038/srep40332>

Vomero, M., Castagnola, E., Ordonez, J. S., Carli, S., Zucchini, E., Maggiolini, E., . . . Stieglitz, T. (2017). Incorporation of Silicon Carbide and Diamond-Like Carbon as Adhesion Promoters Improves In Vitro and In Vivo Stability of Thin-Film Glassy Carbon Electrocorticography Arrays. *Advanced Biosystems*, 1700081-n/a. doi: 10.1002/adbi.201700081. <http://dx.doi.org/10.1002/adbi.201700081>

von Bohlen und Halbach, O., Krause, S., Medina, D., Sciarretta, C., Minichiello, L., & Unsicker, K. (2006). Regional- and age-dependent reduction in trkB receptor expression in the hippocampus is associated with altered spine morphologies. *Biological Psychiatry*, 59(9), 793-800. doi.

von Bohlen Und Halbach, O., Minichiello, L., & Unsicker, K. (2008). TrkB but not trkC receptors are necessary for postnatal maintenance of hippocampal spines. *Neurobiology of Aging*, 29(8), 1247-1255. doi.

Von Bohlen und Halbach, O., Zacher, C., Gass, P., & Unsicker, K. (2006). Age-related alterations in hippocampal spines and deficiencies in spatial memory in mice. *Journal of Neuroscience Research*, 83(4), 525-531. doi.

von der Heydt, R., Zhou, H., & Friedman, H. S. (2000). Representation of stereoscopic edges in monkey visual cortex. *Vision Research*, 40(15), 1955-1967. doi.

von der Ohe, C. G., Darian-Smith, C., Garner, C. C., & Heller, H. C. (2006). Ubiquitous and Temperature-Dependent Neural Plasticity in Hibernators. *Journal of Neuroscience*, 26(41), 10590-10598. doi: 10.1523/jneurosci.2874-06.2006. <http://www.jneurosci.org/cgi/content/abstract/26/41/10590>

von Engelhardt, J., Eliava, M., Meyer, A. H., Rozov, A., & Monyer, H. (2007). Functional Characterization of Intrinsic Cholinergic Interneurons in the Cortex. *Journal of Neuroscience*, 27(21), 5633-5642. doi: 10.1523/jneurosci.4647-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/21/5633>

von Engelhardt, J., Khrulev, S., Eliava, M., Wahlster, S., & Monyer, H. (2011). 5-HT<sub>3A</sub> Receptor-Bearing White Matter Interstitial GABAergic Interneurons Are Functionally Integrated into Cortical and Subcortical Networks. *Journal of Neuroscience*, 31(46), 16844-16854. doi: 10.1523/jneurosci.0310-11.2011. <http://www.jneurosci.org/content/31/46/16844.abstract>

von Heimendahl, M., Rao, R. P., & Brecht, M. (2012). Weak and Nondiscriminative Responses to Conspecifics in the Rat Hippocampus. *Journal of Neuroscience*, 32(6), 2129-2141. doi: 10.1523/jneurosci.3812-11.2012. <http://www.jneurosci.org/content/32/6/2129.abstract>

Voorhies, A. C., & Bernstein, I. L. (2006). Induction and expression of salt appetite: effects on Fos expression in nucleus accumbens. *Behavioural Brain Research*, 172(1), 90-96. doi.

Voulalas, P. J., Ji, Y., Jiang, L., Asgar, J., Ro, J. Y., & Masri, R. (2016). Loss of dopamine D1 receptors and diminished D1/5 receptor-mediated ERK phosphorylation in the periaqueductal gray after spinal cord lesion. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.11.040>. <http://www.sciencedirect.com/science/article/pii/S0306452216306613>

Vucurovic, K., Gallopin, T., Ferezou, I., Rancillac, A., Chameau, P., van Hooft, J. A., . . . Vitalis, T. (2010). Serotonin 3A Receptor Subtype as an Early and Protracted Marker of Cortical Interneuron Subpopulations. *Cerebral Cortex*, bhp310. doi: 10.1093/cercor/bhp310. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp310v1>

Vukšić, M. (2009). Development and plasticity of the hippocampal dentate gyrus. *Neurogenomics and neuroimaging of developmental disorders*. doi.

Vukšić, M., Bobić Rasonja, M., Knezović, V., Jovanov Milošević, N., Petanjek, Z., Orešković, D., . . . Brugger, P. C. (2019). Histological and MRI Study of the Development of the Human Indusium Griseum. doi: 10.1093/cercor/bhz004. <https://dx.doi.org/10.1093/cercor/bhz004>

Vukšić, M., Del Turco, D., Bas Orth, C., Burbach, G. J., Feng, G., Müller, C. M., . . . Deller, T. (2008). 3D-reconstruction and functional properties of GFP-positive and GFP-negative granule cells in the fascia dentata of the Thy1-GFP mouse. *Hippocampus*, 18(4), 364-375. doi.

Vukšić, M., Del Turco, D., Vlachos, A., Schuldt, G., Müller, C. M., Schneider, G., & Deller, T. (2011). Unilateral entorhinal denervation leads to long-lasting dendritic alterations of mouse hippocampal granule cells. *Experimental Neurology*. doi.

Vukšić, M., Petanjek, Z., & Kostović, I. (2011). Development of prefrontal layer III pyramidal neurons in infants with down syndrome. *Translational Neuroscience*, 2(3), 225-232. doi.

Vukšić, M., Petanjek, Z., Rasin, M. R., & Kostovic, I. (2002). Perinatal growth of prefrontal layer III pyramids in Down syndrome. *Pediatric Neurology*, 27, 36-38. doi.

Vutskits, L., Briner, A., Klauser, P., Gascon, E., Dayer, A. G., Kiss, J. Z., . . . Morel, D. R. (2008). Adverse effects of methylene blue on the central nervous system. *Anesthesiology*, 108(4), 684-684. doi.

Vyas, A., Jadhav, S., & Chattarji, S. (2006). Prolonged behavioral stress enhances synaptic connectivity in the basolateral amygdala. *Neuroscience*, 143(2), 387-393. doi.

Wable, G. S., Barbarich-Marsteller, N. C., Chowdhury, T. G., Sabaliauskas, N. A., Farb, C. R., & Aoki, C. (2013). Excitatory synapses on dendritic shafts of the caudal basal amygdala exhibit elevated levels of GABAA receptor  $\alpha 4$  subunits following the induction of activity-based anorexia. *Synapse*, n/a-n/a. doi: 10.1002/syn.21690. <http://dx.doi.org/10.1002/syn.21690>

Waddell, J., Bowers, J. M., Edwards, N. S., Jordan, C. L., & McCarthy, M. M. (2013). Dysregulation of neonatal hippocampal cell genesis in the androgen insensitive Tfm rat. *Hormones and Behavior*, (0). doi: <http://dx.doi.org/10.1016/j.yhbeh.2013.05.009>. <http://www.sciencedirect.com/science/article/pii/S0018506X13001190>

Waddell, J., Hanscom, M., Shalon Edwards, N., McKenna, M. C., & McCarthy, M. M. (2015). Sex differences in cell genesis, hippocampal volume and behavioral outcomes in a rat model of neonatal HI. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.003>. <http://www.sciencedirect.com/science/article/pii/S0014488615300856>

Waddell, J., Hanscom, M., Shalon Edwards, N., McKenna, M. C., & McCarthy, M. M. (2015). Sex differences in cell genesis, hippocampal volume and behavioral outcomes in a rat model of neonatal HI. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.003>. <http://www.sciencedirect.com/science/article/pii/S0014488615300856>

Wagener, R. J., David, C., Zhao, S., Haas, C. A., & Staiger, J. F. (2010). The Somatosensory Cortex of reeler Mutant Mice Shows Absent Layering But Intact Formation and Behavioral Activation of Columnar Somatotopic Maps. *Journal of Neuroscience*, 30(46), 15700-15709. doi: 10.1523/jneurosci.3707-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/46/15700>

Wagener, R. J., Witte, M., Guy, J., Mingo-Moreno, N., Kügler, S., & Staiger, J. F. (2015). Thalamocortical Connections Drive Intracortical Activation of Functional Columns in the Mislaminated Reeler Somatosensory Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhv257. <http://cercor.oxfordjournals.org/content/early/2015/11/11/cercor.bhv257...>

Wagner, M., Banerjee, T., Jeong, Y., & Holden, J. E. (2016). Sex differences in hypothalamic-mediated tonic norepinephrine release for thermal hyperalgesia in rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.03.038>. <http://www.sciencedirect.com/science/article/pii/S0306452216300082>

Wahl, A. S., Büchler, U., Brändli, A., Brattoli, B., Musall, S., Kasper, H., . . . Schwab, M. E. (2017). Optogenetically stimulating intact rat corticospinal tract post-stroke restores motor control

through regionalized functional circuit formation. *Nature Communications*, 8(1), 1187. doi: 10.1038/s41467-017-01090-6. <https://doi.org/10.1038/s41467-017-01090-6>

Wai, M. S. M., Liang, Y., Shi, C., Cho, E. Y. P., Kung, H., & Yew, D. T. (2009). Co-localization of hyperphosphorylated tau and caspases in the brainstem of Alzheimer's disease patients. *BioGerontology*, 10(4), 457-469. doi.

Wai, M. S. M., Lorke, D. E., Webb, S. E., & Yew, D. T. (2006). The pattern of c-fos activation in the CNS is related to behavior in the mudskipper, *Periophthalmus cantonensis*. *Behavioural Brain Research*, 167(2), 318-327. doi.

Wainwright, M. L., Zhang, H., Byrne, J. H., & Cleary, L. J. (2002). Localized Neuronal Outgrowth Induced by Long-Term Sensitization Training in Aplysia. *Journal of Neuroscience*, 22(10), 4132-4141. doi. <http://www.jneurosci.org/cgi/content/abstract/22/10/4132>

Wake, H., Moorhouse, A., Jinno, S., Kohsaka, S., & Nabekura, J. (2009). Resting microglia directly monitor the functional state of synapses in vivo and determine the fate of ischemic terminals. *Journal of Neuroscience*, 29, 3974 - 3980. doi.

Wakeling, E. N., & Fyfe, J. C. (2011). Lix1 Knockout Mouse Does Not Exhibit Spinal Muscular Atrophy Phenotype. *Journal of Heredity*, 102(Suppl\_1), S32-39. doi: 10.1093/jhered/esr031. [http://jhered.oxfordjournals.org/cgi/content/abstract/102/Suppl\\_1/S32](http://jhered.oxfordjournals.org/cgi/content/abstract/102/Suppl_1/S32)

Waldau, B., Hattiangady, B., Kuruba, R., & Shetty, A. K. (2010). Medial Ganglionic Eminence-Derived Neural Stem Cell Grafts Ease Spontaneous Seizures and Restore GDNF Expression in a Rat Model of Chronic Temporal Lobe Epilepsy. *Stem Cells*, 28(7), 1153-1164. doi.

Walk, D., Wendelschafer-Crabb, G., Davey, C., & Kennedy, W. R. (2007). Concordance between epidermal nerve fiber density and sensory examination in patients with symptoms of idiopathic small fiber neuropathy. *Journal of the Neurological Sciences*, 255(1), 23-26. doi.

Walker, C. L., Walker, M. J., Liu, N. K., Risberg, E. C., Gao, X., Chen, J., & Xu, X. M. (2012). Systemic Bisperoxovanadium Activates Akt/mTOR, Reduces Autophagy, and Enhances Recovery following Cervical Spinal Cord Injury. *PLoS ONE*, 7(1), e30012-e30012. doi.

Walker, C. L., Wang, X., Bullis, C., Liu, N.-K., Lu, Q., Fry, C., . . . Xu, X.-M. (2014). Biphasic bisperoxovanadium administration and Schwann cell transplantation for repair after cervical contusive spinal cord injury. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2014.12.002>. <http://www.sciencedirect.com/science/article/pii/S0014488614003872>

Walker, C. L., & Xu, X.-M. (2014). PTEN inhibitor bisperoxovanadium protects oligodendrocytes and myelin and prevents neuronal atrophy in adult rats following cervical hemicontusive spinal cord injury. *Neuroscience Letters*, (0). doi: <http://dx.doi.org/10.1016/j.neulet.2014.02.039>. <http://www.sciencedirect.com/science/article/pii/S0304394014001438>

Walker, C. L., Zhang, Y. P., Liu, Y., Li, Y., Walker, M. J., Liu, N.-K., . . . Xu, X.-M. (2016). Anatomical and functional effects of lateral cervical hemicontusion in adult rats. *Restorative Neurology and Neuroscience*, (Preprint), 1-12. doi: <http://content.iospress.com/articles/restorative-neurology-and-neuroscie...>

Walker, F., Möck, M., Feyerabend, M., Guy, J., Wagener, R. J., Schubert, D., . . . Witte, M. (2016). Parvalbumin- and vasoactive intestinal polypeptide-expressing neocortical interneurons impose differential inhibition on Martinotti cells. [Article]. *Nature Communications*, 7, 13664. doi: 10.1038/ncomms13664

<http://www.nature.com/articles/ncomms13664#supplementary-information>. <http://dx.doi.org/10.1038/ncomms13664>

Walker, F. R., Beynon, S. B., Jones, K. A., Zhao, Z., Kongsui, R., Cairns, M., & Nilsson, M. (2014). Dynamic structural remodelling of microglia in health and disease: A review of the models, the signals and the mechanisms. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2013.12.010>. <http://www.sciencedirect.com/science/article/pii/S0889159113005953>

Wallace, D. J., & Sakmann, B. (2008). Plasticity of Representational Maps in Somatosensory Cortex Observed by In Vivo Voltage-Sensitive Dye Imaging. *Cerebral Cortex*, 18(6), 1361-1373. doi: 10.1093/cercor/bhm168. <http://cercor.oxfordjournals.org/cgi/content/abstract/18/6/1361>

Wallace, M. G., Hartle, K. D., Snow, W. M., Ward, N. L., & Ivanco, T. L. (2007). Effect of hypoxia on the morphology of mouse striatal neurons. *Neuroscience*, 147(1), 90-96. doi.

Wallace, M. N., Anderson, L. A., & Palmer, A. R. (2007). Phase-Locked Responses to Pure Tones in the Auditory Thalamus. *Journal of Neurophysiology*, 98(4), 1941-1952. doi: 10.1152/jn.00697.2007. <http://jn.physiology.org/cgi/content/abstract/98/4/1941>

Wallhausserfranke, E., Nixdorfbergweiler, B. E., & DeVoogd, T. J. (1995). Song isolation is associated with maintaining high spine frequencies on zebra finch IMAN neurons. *Neurobiology of Learning and Memory*, 64(1), 25-35. doi.

Wallin-Miller, K., Li, G., Kelishani, D., & Wood, R. I. (2016). Anabolic-androgenic steroids decrease dendritic spine density in the nucleus accumbens of male rats. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.045>. <http://www.sciencedirect.com/science/article/pii/S0306452216302044>

Walter, C., Murphy, B. L., Pun, R. Y. K., Spieles-Engemann, A. L., & Danzer, S. C. (2007). Pilocarpine-Induced Seizures Cause Selective Time-Dependent Changes to Adult-Generated Hippocampal Dentate Granule Cells. *Journal of Neuroscience*, 27(28), 7541-7552. doi: 10.1523/jneurosci.0431-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/28/7541>

Walter, G. C., Phillips, R. J., McAdams, J. L., & Powley, T. L. (2016). Individual sympathetic postganglionic neurons co-innervate myenteric ganglia and smooth muscle layers in the



gastrointestinal tract of the rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23978. <http://dx.doi.org/10.1002/cne.23978>

Waltereit, R., Leimer, U., von Bohlen und Halbach, O., Panke, J., Hölter, S. M., Garrett, L., . . . Bartsch, D. (2012). Srgap3<sup>-/-</sup> mice present a neurodevelopmental disorder with schizophrenia-related intermediate phenotypes. *FASEB journal*. doi: 10.1096/fj.11-202317. <http://www.fasebj.org/content/early/2012/07/20/fj.11-202317.abstract>

Walton, J. C., Chen, Z., Travers, J. B., & Nelson, R. J. (2013). Exogenous Melatonin Reproduces the Effects of Short Day Lengths on Hippocampal Function in Male White-Footed Mice, *Peromyscus leucopus*. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.020>. <http://www.sciencedirect.com/science/article/pii/S0306452213005253>

Walton, J. C., Haim, A., Spieldenner, J. M., & Nelson, R. J. (2012). Photoperiod Alters Fear Responses and Basolateral Amygdala Neuronal Spine Density in White-Footed Mice (< i> *Peromyscus leucopus*). *Behavioural Brain Research*. doi.

Walton, J. C., Pyter, L. M., Weil, Z. M., & Nelson, R. J. (2012). Photoperiod Mediated Changes in Olfactory Bulb Neurogenesis and Olfactory Behavior in Male White-Footed Mice (*Peromyscus leucopus*). *PLoS ONE*, 7(8), e42743. doi: 10.1371/journal.pone.0042743. <http://dx.doi.org/10.1371%2Fjournal.pone.0042743>

Wan, S., Browning, K. N., Coleman, F. H., Sutton, G., Zheng, H., Butler, A., . . . Travagli, R. A. (2008). Presynaptic Melanocortin-4 Receptors on Vagal Afferent Fibers Modulate the Excitability of Rat Nucleus Tractus Solitarius Neurons. *Journal of Neuroscience*, 28(19), 4957-4966. doi: 10.1523/jneurosci.5398-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/19/4957>

Wan, S., Coleman, F. H., & Travagli, R. A. (2007). Cholecystokinin-8s excites identified rat pancreatic-projecting vagal motoneurons. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 293(2), G484-492. doi: 10.1152/ajpgi.00116.2007. <http://ajpgi.physiology.org/cgi/content/abstract/293/2/G484>

Wan, S., Coleman, F. H., & Travagli, R. A. (2007). Glucagon-like peptide-1 excites pancreas-projecting preganglionic vagal motoneurons. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 292(6), G1474-1482. doi: 10.1152/ajpgi.00562.2006. <http://ajpgi.physiology.org/cgi/content/abstract/292/6/G1474>

Wang, B., Pan, L., Wei, M., Wang, Q., Liu, W.-W., Wang, N., . . . Bao, L. (2015). FMRP-Mediated Axonal Delivery of miR-181d Regulates Axon Elongation by Locally Targeting Map1b and Calm1. *Cell Reports*, 13(12), 2794-2807. doi: <http://dx.doi.org/10.1016/j.celrep.2015.11.057>. <http://www.sciencedirect.com/science/article/pii/S221124715014060>

Wang, B., Yin, L., Zou, X., Ye, M., Liu, Y., He, T., . . . Shu, Y. (2015). A Subtype of Inhibitory Interneuron with Intrinsic Persistent Activity in Human and Monkey Neocortex. *Cell Reports*, 10(9), 1450-1458.

doi: <http://dx.doi.org/10.1016/j.celrep.2015.02.018>. <http://www.sciencedirect.com/science/article/pii/S2211124715001643>

Wang, C., Wilson, W. A., Moore, S. D., Mace, B. E., Maeda, N., Schmechel, D. E., & Sullivan, P. M. (2005). Human apoE4-targeted replacement mice display synaptic deficits in the absence of neuropathology. *Neurobiology of Disease*, 18(2), 390-398. doi.

Wang, D., She, L., Sui, Y.-n., Yuan, X.-b., Wen, Y., & Poo, M.-m. (2012). Forward transport of proteins in the plasma membrane of migrating cerebellar granule cells. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1219203110. <http://www.pnas.org/content/early/2012/11/30/1219203110.abstract>

Wang, D. S., Inokuchi, H., Tanaka, E., Isagai, T., Li, J. S., & Higashi, H. (2002). Postnatal changes in the overall postsynaptic currents evoked in CA1 pyramidal neurons of the rat hippocampus. *Life Sciences*, 72(4-5), 341-353. doi.

Wang, F., Rendahl, K. G., Manning, W. C., Quiroz, D., Coyne, M., & Miller, S. S. (2003). AAV-mediated expression of vascular endothelial growth factor induces choroidal neovascularization in rat. *Investigative Ophthalmology and Visual Science*, 44(2), 781-790. doi.

Wang, F., Wolfson, S. N., Gharib, A., & Sagasti, A. (2012). LAR Receptor Tyrosine Phosphatases and HSPGs Guide Peripheral Sensory Axons to the Skin. *Current Biology*. doi.

Wang, F. E., Shi, G., Niesman, M. R., Rewolinski, D. A., & Miller, S. S. (2005). VEGF Receptor Inhibitors (AG13764 and AG13711) Reverse VEGF-Induced Choroidal Neovascularization in Rat Eye. *Investigative Ophthalmology and Visual Science*, 46(5), 5305-5305. doi.

Wang, F. E., Shi, G., Niesman, M. R., Rewolinski, D. A., & Miller, S. S. (2007). Receptor tyrosine kinase inhibitors AG013764 and AG013711 reduce choroidal neovascularization in rat eye. *Experimental Eye Research*, 84(4), 922-933. doi.

Wang, G., Wyskiel, D. R., Yang, W., Wang, Y., Milbern, L. C., Lalanne, T., . . . Zhu, J. J. (2015). An optogenetics- and imaging-assisted simultaneous multiple patch-clamp recording system for decoding complex neural circuits. [Protocol]. *Nat. Protocols*, 10(3), 397-412. doi: 10.1038/nprot.2015.019. <http://dx.doi.org/10.1038/nprot.2015.019>

Wang, H., Germanson, T. P., & Guyenet, P. G. (2002). Depressor and Tachypneic Responses to Chemical Stimulation of the Ventral Respiratory Group Are Reduced by Ablation of Neurokinin-1 Receptor-Expressing Neurons. *Journal of Neuroscience*, 22(9), 3755-3764. doi. <http://www.jneurosci.org/cgi/content/abstract/22/9/3755>

Wang, H., Li, J.-T., Zhang, Y., Liu, R., Wang, X.-D., Si, T.-M., & Su, Y.-A. (2018). Prenatal Exposure to Antipsychotics Disrupts the Plasticity of Dentate Neurons and Memory in Adult Male Mice. *International Journal of Neuropsychopharmacology*, pyy073-pyy073. doi: 10.1093/ijnp/pyy073. <http://dx.doi.org/10.1093/ijnp/pyy073>

Wang, H., Liu, N.-K., Zhang, Y. P., Deng, L., Lu, Q.-B., Shields, C. B., . . . Xu, X.-M. (2015). Treadmill training induced lumbar motoneuron dendritic plasticity and behavior recovery in adult rats after a thoracic contusive spinal cord injury. *Experimental Neurology*, 271, 368-378. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.07.004>. <http://www.sciencedirect.com/science/article/pii/S0014488615300388>

Wang, H., Liu, S., Wang, H., Wang, G., & Zhu, A. (2014). The effect of propofol postconditioning on the expression of K<sup>+</sup>-Cl<sup>-</sup>-co-transporter 2 in GABAergic inhibitory interneurons of acute ischemia/reperfusion injury rats. *Brain Research*, (0). doi: <http://dx.doi.org/10.1016/j.brainres.2014.11.036>. <http://www.sciencedirect.com/science/article/pii/S0006899314016205>

Wang, H., Stornetta, R. L., Rosin, D. L., & Guyenet, P. G. (2001). Neurokinin-1 receptor-immunoreactive neurons of the ventral respiratory group in the rat. *Journal of Comparative Neurology*, 434(2), 128-146. doi.

Wang, H., Stradtman, G. G., Wang, X.-J., & Gao, W.-J. (2008). A specialized NMDA receptor function in layer 5 recurrent microcircuitry of the adult rat prefrontal cortex. *Proceedings of the National Academy of Sciences*, 105(43), 16791-16796. doi: 10.1073/pnas.0804318105. <http://www.pnas.org/content/105/43/16791.abstract>

Wang, H., Weston, M. C., McQuiston, T. J., Stornetta, R. L., & Guyenet, P. G. (2003). Neurokinin-1 receptor-expressing cells regulate depressor region of rat ventrolateral medulla. *American Journal of Physiology - Heart and Circulatory Physiology* 285(6), H2757-2769. doi: 10.1152/ajpheart.00528.2003. <http://ajpheart.physiology.org/cgi/content/abstract/285/6/H2757>

Wang, H., Zhang, Y. P., Cai, J., Shields, L. B. E., Tucek, C. A., Shi, R., . . . Xu, X.-M. (2016). A Compact Blast-Induced Traumatic Brain Injury Model in Mice. [10.1093/jnen/nlv019]. *Journal of Neuropathology and Experimental Neurology*. doi: <http://jnen.oxfordjournals.org/content/early/2016/01/21/jnen.nlv019.abst..>

Wang, H. B., Deng, Y. P., & Reiner, A. (2007). In situ hybridization histochemical and immunohistochemical evidence that striatal projection neurons co-containing substance P and enkephalin are overrepresented in the striosomal compartment of striatum in rats. *Neuroscience Letters*, 425(3), 195-199. doi.

Wang, H. D., Stanwood, G. D., Grandy, D. K., & Deutch, A. Y. (2009). Dystrophic dendrites in prefrontal cortical pyramidal cells of dopamine D<sub>1</sub> and D<sub>2</sub> but not D<sub>4</sub> receptor knockout mice. *Brain Research*, 1300, 58-64. doi.

Wang, H.-D., & Deutch, A. Y. (2007). Dopamine Depletion of the Prefrontal Cortex Induces Dendritic Spine Loss: Reversal by Atypical Antipsychotic Drug Treatment. *Neuropsychopharmacology*. doi.

Wang, J., & Barbas, H. (2018). Specificity of primate amygdalar pathways to hippocampus. [10.1523/JNEUROSCI.1267-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/09/24/JNEUROSCI.1267-18.2018...>

Wang, J., Ono, K., Dickstein, D. L., Arrieta-Cruz, I., Zhao, W., Qian, X., . . . others. (2010). Carvedilol as a potential novel agent for the treatment of Alzheimer's disease. *Neurobiology of Aging*. doi.

Wang, J., Zhu, G., Huang, L., Nie, T., Tao, K., Li, Y., & Gao, G. (2017). Morphine administration induces change in anxiety-related behavior via Wnt/ $\beta$ -catenin signaling. *Neuroscience Letters*, 639, 199-206. doi: <http://dx.doi.org/10.1016/j.neulet.2017.01.005>, <http://www.sciencedirect.com/science/article/pii/S0304394017300058>

Wang, J.-W., David, D. J., Monckton, J. E., Battaglia, F., & Hen, R. (2008). Chronic Fluoxetine Stimulates Maturation and Synaptic Plasticity of Adult-Born Hippocampal Granule Cells. *Journal of Neuroscience*, 28(6), 1374-1384. doi: 10.1523/jneurosci.3632-07.2008. <http://www.jneurosci.org/cgi/content/abstract/28/6/1374>

Wang, K., Lu, J.-M., Xing, Z.-H., Zhao, Q.-R., Hu, L.-Q., Xue, L., . . . Mei, Y.-A. (2017). Effect of 1.8 GHz radiofrequency electromagnetic radiation on novel object associative recognition memory in mice. [Article]. *Scientific Reports*, 7, 44521. doi: 10.1038/srep44521. <http://dx.doi.org/10.1038/srep44521>

Wang, L., Chang, X., She, L., Xu, D., Huang, W., & Poo, M.-m. (2015). Autocrine Action of BDNF on Dendrite Development of Adult-Born Hippocampal Neurons. *The Journal of Neuroscience*, 35(22), 8384-8393. doi: <http://www.jneurosci.org/content/35/22/8384.abstract>

Wang, L., Conner, J. M., Nagahara, A. H., & Tuszynski, M. H. (2016). Rehabilitation drives enhancement of neuronal structure in functionally relevant neuronal subsets. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1514682113. <http://www.pnas.org/content/early/2016/02/17/1514682113.abstract>

Wang, L., Conner, J. M., Rickert, J., & Tuszynski, M. H. (2011). Structural plasticity within highly specific neuronal populations identifies a unique parcellation of motor learning in the adult brain. *Proceedings of the National Academy of Sciences*, 108(6), 2545-2550. doi: 10.1073/pnas.1014335108. <http://www.pnas.org/content/108/6/2545.abstract>

Wang, L., Deng, Q.-Q., Wu, X.-H., Yu, J., Yang, X.-L., & Zhong, Y.-M. (2013). Upregulation of Glutamate-Aspartate Transporter by Glial Cell Line-Derived Neurotrophic Factor Ameliorates Cell Apoptosis in Neural Retina in Streptozotocin-Induced Diabetic Rats. *CNS Neuroscience & Therapeutics*, n/a-n/a. doi: 10.1111/cns.12150. <http://dx.doi.org/10.1111/cns.12150>

Wang, L., Ennis, M., Szabo, G., & Armstrong, W. E. (2014). Characteristics of GABAergic and Cholinergic Neurons in the Perinuclear Zone of Mouse Supraoptic Nucleus.

Wang, L., & Krauzlis, R. J. (2020). Involvement of Striatal Direct Pathway in Visual Spatial Attention in Mice. *Current Biology*. doi: <https://doi.org/10.1016/j.cub.2020.08.083>. <http://www.sciencedirect.com/science/article/pii/S0960982220312732>

Wang, L., Pang, K., Han, K., Adamski, C. J., Wang, W., He, L., . . . Zoghbi, H. Y. (2019). An autism-linked missense mutation in SHANK3 reveals the modularity of Shank3 function. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0324-x. <https://doi.org/10.1038/s41380-018-0324-x>

Wang, L., Rangarajan, K. V., Gerfen, C. R., & Krauzlis, R. J. (2018). Activation of Striatal Neurons Causes a Perceptual Decision Bias during Visual Change Detection in Mice. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.01.049>. <http://www.sciencedirect.com/science/article/pii/S0896627318300746>

Wang, M., & Bradley, R. M. (2010). Properties of GABAergic Neurons in the Rostral Solitary Tract Nucleus in Mice. *Journal of Neurophysiology*, 103(6), 3205-3218. doi: 10.1152/jn.00971.2009. <http://jn.physiology.org/cgi/content/abstract/103/6/3205>

Wang, P.-Y., Sung, C.-W., Tsai, Y.-H., Yeh, S.-R., Lin, W.-S., & Fan, S.-Z. (2020). Nervous system deletion of mammalian INDY in mice mimics dietary restriction-induced memory enhancement. *The Journals of Gerontology: Series A*, (glaa203). doi: 10.1093/gerona/glaa203. <https://doi.org/10.1093/gerona/glaa203>

Wang, Q., Marcucci, F., Cerullo, I., & Mason, C. (2016). Ipsilateral and contralateral retinal ganglion cells express distinct genes during decussation at the optic chiasm. [10.1523/ENEURO.0169-16.2016]. *eneuro*. doi: <http://eneuro.org/content/early/2016/11/17/ENEURO.0169-16.2016.abstract>

Wang, Q., Millard, D. C., Zheng, H. J. V., & Stanley, G. B. (2012). Voltage-sensitive dye imaging reveals improved topographic activation of cortex in response to manipulation of thalamic microstimulation parameters. *Journal of neural engineering*, 9, 026008-026008. doi: 10.1186/1745-5014-9-26

Wang, R., & Millam, J. R. (1999). Corticotropin-releasing hormone-immunopositive nerve elements in apposition to chicken gonadotropin-releasing hormone I-containing perikarya in Japanese quail (*Coturnix coturnix japonica*) brain. *Cell and Tissue Research*, 297(2), 223-228. doi: 10.1007/s00441-000-0000-0

Wang, S., Benamer, N., Zanella, S., Kumar, N. N., Shi, Y., Bévangut, M., . . . Bayliss, D. A. (2013). TASK-2 Channels Contribute to pH Sensitivity of Retrotrapezoid Nucleus Chemoreceptor Neurons. *The Journal of Neuroscience*, 33(41), 16033-16044. doi: 10.1523/jneurosci.2451-13.2013. <http://www.jneurosci.org/content/33/41/16033.abstract>

Wang, S., Bolós, M., Clark, R., Cullen, C., Southam, K. A., Foa, L., . . . Young, K. M. (2016). Amyloid  $\beta$  precursor protein regulates neuron survival and maturation in the adult mouse brain. *Molecular and Cellular Neuroscience*. doi: <http://dx.doi.org/10.1016/j.mcn.2016.09.002>. <http://www.sciencedirect.com/science/article/pii/S1044743116301580>

Wang, S., Cesca, F., Loers, G., Schweizer, M., Buck, F., Benfenati, F., . . . Kleene, R. (2011). Synapsin I Is an Oligomannose-Carrying Glycoprotein, Acts As an Oligomannose-Binding Lectin, and Promotes Neurite Outgrowth and Neuronal Survival When Released via Glia-Derived Exosomes. *Journal of Neuroscience*, 31(20), 7275-7290. doi: 10.1523/jneurosci.6476-10.2011. <http://www.jneurosci.org/content/31/20/7275.abstract>

Wang, S.-z., Ibrahim, L. A., Kim, Y. J., Gibson, D. A., Leung, H. C., Yuan, W., . . . Zhang, L. I. (2013). Slit/Robo Signaling Mediates Spatial Positioning of Spiral Ganglion Neurons during Development of Cochlear Innervation. *Journal of Neuroscience*, 33(30), 12242-12254. doi: 10.1523/jneurosci.5736-12.2013. <http://www.jneurosci.org/content/33/30/12242.abstract>

Wang, T., Guan, R.-L., Liu, M.-C., Shen, X.-F., Chen, J., Zhao, M.-G., & Luo, W.-J. (2015). Lead Exposure Impairs Hippocampus Related Learning and Memory by Altering Synaptic Plasticity and Morphology During Juvenile Period. *Molecular Neurobiology*, 1-13. doi: 10.1007/s12035-015-9312-1. <http://dx.doi.org/10.1007/s12035-015-9312-1>

Wang, T., Liu, Y., Xu, X. H., Deng, C. Y., Wu, K. Y., Zhu, J., . . . Luo, Z. G. (2011). Lgl1 Activation of Rab10 Promotes Axonal Membrane Trafficking Underlying Neuronal Polarization. *Developmental cell*. doi.

Wang, T.-J., Chen, J.-R., Wang, W.-J., Wang, Y.-J., & Tseng, G.-F. (2014). Genistein Partly Eases Aging and Estropause-Induced Primary Cortical Neuronal Changes in Rats. *PLoS ONE*, 9(2), e89819. doi: 10.1371/journal.pone.0089819. <http://dx.doi.org/10.1371%2Fjournal.pone.0089819>

Wang, W., Li, C., Chen, Q., van der Goes, M.-S., Hawrot, J., Yao, A. Y., . . . Zhang, Q. (2017). Striatopallidal dysfunction underlies repetitive behavior in Shank3-deficient model of autism. *The Journal of clinical investigation*, 127(5). doi. <https://www.jci.org/articles/view/87997/citations>

Wang, W., Zhang, H., Lee, D.-H., Yu, J., Cheng, T., Hong, M., . . . Wang, J. (2017). Using functional and molecular MRI techniques to detect neuroinflammation and neuroprotection after traumatic brain injury. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2017.04.019>. <http://www.sciencedirect.com/science/article/pii/S0889159117301290>

Wang, X., de Rivero Vaccari, J. P., Wang, H., Diaz, P., German, R., Marcillo, A., & Keane, R. W. (2011). Activation of the Nuclear Factor E2-Related Factor 2/Antioxidant Response Element Pathway is Neuroprotective Following Spinal Cord Injury. *Journal of Neurotrauma*, (ja). doi.

Wang, X., Gao, X., Michalski, S., Zhao, S., & Chen, J. (2015). Traumatic Brain Injury Severity Affects Neurogenesis in Adult Mouse Hippocampus. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4097. <http://dx.doi.org/10.1089/neu.2015.4097>

Wang, X., Hong, H., Brown, D. H., Sanchez, J. T., & Wang, Y. (2017). Distinct Neural Properties in the Low Frequency Region of the Chicken Cochlear Nucleus Magnocellularis. [10.1523/ENEURO.0016-17.2017]. *eneuro*. doi. <http://eneuro.org/content/early/2017/04/04/ENEURO.0016-17.2017.abstract>



Wang, X., Kim, J. H., Bazzi, M., Robinson, S., Collins, C. A., & Ye, B. (2013). Bimodal Control of Dendritic and Axonal Growth by the Dual Leucine Zipper Kinase Pathway. *PLoS Biol*, 11(6), e1001572. doi:

10.1371/journal.pbio.1001572. <http://dx.doi.org/10.1371%2Fjournal.pbio.1001572>

Wang, X., Romine, J. L., Gao, X., & Chen, J. (2017). Aging impairs dendrite morphogenesis of newborn neurons and is rescued by 7, 8-dihydroxyflavone. *Aging Cell*, 16(2), 304-311. doi: 10.1111/accel.12553. <http://dx.doi.org/10.1111/accel.12553>

Wang, X., Sirianni, A., Pei, Z., Cormier, K., Smith, K., Jiang, J., . . . Friedlander, R. M. (2011). The Melatonin MT1 Receptor Axis Modulates Mutant Huntingtin-Mediated Toxicity. *Journal of Neuroscience*, 31(41), 14496-14507. doi: 10.1523/jneurosci.3059-11.2011. <http://www.jneurosci.org/content/31/41/14496.abstract>

Wang, X., Sun, P., Al-Qamari, A., Tai, T., Kawashima, I., & Paller, A. S. (2001). Carbohydrate-Carbohydrate Binding of Ganglioside to Integrin alpha 5 Modulates alpha 5beta 1 Function. *Journal of Biological Chemistry*, 276(11), 8436-8444. doi: 10.1074/jbc.M006097200. <http://www.jbc.org/cgi/content/abstract/276/11/8436>

Wang, X., & Sun, Q.-Q. (2012). Characterization of axo-axonic synapses in the piriform cortex of *Mus musculus*. *Journal of Comparative Neurology*, 520(4), 832-847. doi: 10.1002/cne.22792. <http://dx.doi.org/10.1002/cne.22792>

Wang, X., Vaingankar, V., Sanchez, C. S., Sommer, F. T., & Hirsch, J. A. (2010). Thalamic interneurons and relay cells use complementary synaptic mechanisms for visual processing. *Nature Neuroscience*, 14(2), 224-231. doi:

Wang, X., Zhu, S., Pei, Z., Drozda, M., Stavrovskaya, I. G., Del Signore, S. J., . . . Friedlander, R. M. (2008). Inhibitors of Cytochrome c Release with Therapeutic Potential for Huntington's Disease. *Journal of Neuroscience*, 28(38), 9473-9485. doi: 10.1523/jneurosci.1867-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/38/9473>

Wang, X., Zorio, D. A. R., Schecterson, L., Lu, Y., & Wang, Y. (2018). Postsynaptic FMRP regulates synaptogenesis *in vivo* in the developing cochlear nucleus. [10.1523/JNEUROSCI.0665-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/06/27/JNEUROSCI.0665-18.2018..>

Wang, X.-D., Rammes, G., Kraev, I., Wolf, M., Liebl, C., Scharf, S. H., . . . Schmidt, M. V. (2011). Forebrain CRF1 Modulates Early-Life Stress-Programmed Cognitive Deficits. *Journal of Neuroscience*, 31(38), 13625-13634. doi: 10.1523/jneurosci.2259-11.2011. <http://www.jneurosci.org/content/31/38/13625.abstract>

Wang, X. Q., Sun, P., O'Gorman, M., Tai, T., & Paller, A. S. (2001). Epidermal growth factor receptor glycosylation is required for ganglioside GM3 binding and GM3-mediated suppression of activation. *Glycobiology*, 11(7), 515-522. doi:

Wang, X. Q., Sun, P., & Paller, A. S. (2001). Inhibition of integrin-linked kinase/protein kinase B/Akt signaling. *Journal of Biological Chemistry*, 276(48), 44504-44511. doi:

Wang, Y., Barakat, A., & Zhou, H. (2010). Electrotonic coupling between pyramidal neurons in the neocortex. *PLoS ONE*, 5(4), e10253-e10253. doi.

Wang, Y., Gupta, A., & Markram, H. (1999). Anatomical and functional differentiation of glutamatergic synaptic innervation in the neocortex. *Journal of Physiology-Paris*, 93(4), 305-317. doi.

Wang, Y., Gupta, A., Toledo-Rodriguez, M., Wu, C. Z., & Markram, H. (2002). Anatomical, physiological, molecular and circuit properties of nest basket cells in the developing somatosensory cortex. *Cerebral Cortex*, 12(4), 395-410. doi.

Wang, Y., Hirose, K., & Liberman, M. C. (2002). Dynamics of noise-induced cellular injury and repair in the mouse cochlea. *JARO - Journal of the Association for Research in Otolaryngology*, 3(3), 248-268. doi.

Wang, Y., Markram, H., Goodman, P. H., Berger, T. K., Ma, J., & Goldman-Rakic, P. S. (2005). Heterogeneity in the pyramidal network of the medial prefrontal cortex. *Nature Neuroscience*, Volume 9. doi.

Wang, Y., Toledo-Rodriguez, M., Gupta, A., Wu, C., Silberberg, G., Luo, J., & Markram, H. (2004). Anatomical, physiological and molecular properties of Martinotti cells in the somatosensory cortex of the juvenile rat. *Journal of Physiology*, 561(1), 65-90. doi: 10.1113/jphysiol.2004.073353. <http://jp.physoc.org/cgi/content/abstract/561/1/65>

Wang, Y., Ye, M., Kuang, X., Li, Y., & Hu, S. (2018). A Simplified Morphological Classification Scheme for Pyramidal Cells in Six Layers of Primary Somatosensory Cortex of Juvenile rats. *IBRO Reports*. doi: <https://doi.org/10.1016/j.ibror.2018.10.001>. <http://www.sciencedirect.com/science/article/pii/S2451830118300293>

Wang, Y.-T., Huang, C.-C., Lin, Y.-S., Huang, W.-F., Yang, C.-Y., Lee, C.-C., . . . Hsu, K.-S. (2016). Conditional deletion of Eps8 reduces hippocampal synaptic plasticity and impairs cognitive function. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.07.021>. <http://www.sciencedirect.com/science/article/pii/S0028390816303070>

Wang, Z., Chen, Li M., Négyessy, L., Friedman, Robert M., Mishra, A., Gore, John C., & Roe, Anna W. (2013). The Relationship of Anatomical and Functional Connectivity to Resting-State Connectivity in Primate Somatosensory Cortex. *Neuron*, 78(6), 1116-1126. doi: <http://dx.doi.org/10.1016/j.neuron.2013.04.023>. <http://www.sciencedirect.com/science/article/pii/S0896627313003255>

Wanigasekara, Y., & Keast, J. R. (2005). Neurturin has multiple neurotrophic effects on adult rat sacral parasympathetic ganglion neurons. *European Journal of Neuroscience*, 22(3), 595-604. doi: doi:10.1111/j.1460-9568.2005.04260.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2005.04260.x>

Wanner, I. B., Anderson, M. A., Song, B., Levine, J., Fernandez, A., Gray-Thompson, Z., . . . Sofroniew, M. V. (2013). Glial Scar Borders Are Formed by Newly Proliferated, Elongated

Astrocytes That Interact to Corral Inflammatory and Fibrotic Cells via STAT3-Dependent Mechanisms after Spinal Cord Injury. *Journal of Neuroscience*, 33(31), 12870-12886. doi: 10.1523/jneurosci.2121-13.2013. <http://www.jneurosci.org/content/33/31/12870.abstract>

Wanner, I. B., Deik, A., Torres, M., Rosendahl, A., Neary, J. T., Lemmon, V. P., & Bixby, J. L. (2008). A new in vitro model of the glial scar inhibits axon growth. *Glia*, 56(15), 1691-1709. doi.

Wanner, I. B., Mahoney, J., Jessen, K. R., Wood, P. M., Bates, M., & Bunge, M. B. (2006). Invariant mantling of growth cones by Schwann cell precursors characterize growing peripheral nerve fronts. *Glia*, 54(5), 424-438. doi.

Wannier, T., Schmidlin, E., Bloch, J., & Rouiller, E. M. (2005). A unilateral section of the corticospinal tract at cervical level in primate does not lead to measurable cell loss in motor cortex. *Journal of Neurotrauma*, 22(6), 703-717. doi.

Wannier-Morino, P., Schmidlin, E., Freund, P., Belhaj-Saif, A., Bloch, J., Mir, A., . . . Wannier, T. (2008). Fate of rubrospinal neurons after unilateral section of the cervical spinal cord in adult macaque monkeys: effects of an antibody treatment neutralizing Nogo-A. *Brain Research*, 1217, 96-109. doi.

Wardach, J., Wagner, M., Jeong, Y., & Holden, J. E. (2015). Lateral Hypothalamic Stimulation Reduces Hyperalgesia Through Spinally Descending Orexin-A Neurons in Neuropathic Pain. *Western Journal of Nursing Research*. doi: 10.1177/0193945915610083. <http://wjn.sagepub.com/content/early/2015/10/12/0193945915610083.abstract>

Warling, A., Uchida, R., Shin, H., Dodelson, C., Garcia, M. E., Shea-Shumsky, N. B., . . . Jacobs, B. (2020). Putative dendritic correlates of chronic traumatic encephalopathy: A preliminary quantitative Golgi exploration. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25022. <https://doi.org/10.1002/cne.25022>

Warmus, B. A., Sekar, D. R., McCutchen, E., Schellenberg, G. D., Roberts, R. C., McMahan, L. L., & Roberson, E. D. (2014). Tau-Mediated NMDA Receptor Impairment Underlies Dysfunction of a Selectively Vulnerable Network in a Mouse Model of Frontotemporal Dementia. *The Journal of Neuroscience*, 34(49), 16482-16495. doi. <http://www.jneurosci.org/content/34/49/16482.short>

Warren, E. J., Allen, C. N., Brown, R. L., & Robinson, D. W. (2002). Intrinsic Membrane Properties and Morphological Characteristics of Rat Retinal Ganglion Cells that Project to the Suprachiasmatic Nucleus. *Investigative Ophthalmology and Visual Science*, 43(12), 2774-2774. doi.

Warren, E. J., Allen, C. N., Brown, R. L., & Robinson, D. W. (2003). Intrinsic light responses of retinal ganglion cells projecting to the circadian system. *European Journal of Neuroscience*, 17(9), 1727. doi.

Warren, M. S., Bradley, W. D., Gourley, S. L., Lin, Y.-C., Simpson, M. A., Reichardt, L. F., . . . Koleske, A. J. (2012). Integrin  $\beta 1$  Signals through Arg to Regulate Postnatal Dendritic

Arborization, Synapse Density, and Behavior. *Journal of Neuroscience*, 32(8), 2824-2834. doi: 10.1523/jneurosci.3942-11.2012. <http://www.jneurosci.org/content/32/8/2824.abstract>

Warrington, J. P., Csiszar, A., Johnson, D. A., Herman, T. S., Ahmad, S., Lee, Y. W., & Sonntag, W. E. (2011). Cerebral microvascular rarefaction induced by whole brain radiation is reversible by systemic hypoxia in mice. *American Journal of Physiology - Heart and Circulatory Physiology*, 300(3), H736-H744. doi: 10.1152/ajpheart.01024.2010. <http://ajpheart.physiology.org/content/300/3/H736.abstract>

Warrington, J. P., Csiszar, A., Mitschelen, M., Lee, Y. W., & Sonntag, W. E. (2012). Whole Brain Radiation-Induced Impairments in Learning and Memory Are Time-Sensitive and Reversible by Systemic Hypoxia. *PLoS ONE*, 7(1), e30444-e30444. doi.

Wartella, J., Amory, E., Macbeth, A., McNamara, I., Stevens, L., Lambert, K. G., & Kinsley, C. H. (2003). Single or multiple reproductive experiences attenuate neurobehavioral stress and fear responses in the female rat. *Physiology and Behavior*, 79(3), 373-381. doi.

Waselus, M., Flagel, S. B., Jedynek, J. P., Akil, H., Robinson, T. E., & Watson Jr, S. J. (2013). Long-term effects of cocaine experience on neuroplasticity in the nucleus accumbens core of addiction-prone rats. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.06.042>. <http://www.sciencedirect.com/science/article/pii/S0306452213005484>

Washburn, C. P., Bayliss, D. A., & Guyenet, P. G. (2003). Cardiorespiratory neurons of the rat ventrolateral medulla contain TASK-1 and TASK-3 channel mRNA. *Restorative Neurology and Neuroscience*, 138(1), 19-35. doi.

Washburn, C. P., Sirois, J. E., Talley, E. M., Guyenet, P. G., & Bayliss, D. A. (2002). Serotonergic Raphe Neurons Express TASK Channel Transcripts and a TASK-Like pH- and Halothane-Sensitive K<sup>+</sup> Conductance. *Journal of Neuroscience*, 22(4), 1256-1265. doi. <http://www.jneurosci.org/cgi/content/abstract/22/4/1256>

Watanabe, K., Morishima, Y., Toigawa, M., & Hata, Y. (2009). Experience-Driven Axon Retraction in the Pharmacologically Inactivated Visual Cortex Does Not Require Synaptic Transmission. *PLoS ONE*, 4(1), e4193-e4193. doi.

Watanabe, Y., Johnson, R. S., Butler, L. S., Binder, D. K., Spiegelman, B. M., Papaioannou, V. E., & McNamara, J. O. (1996). Null Mutation of c-fos Impairs Structural and Functional Plasticities in the Kindling Model of Epilepsy. *Journal of Neuroscience*, 16, 3827-3836. doi.

Watase, T., Shimizu, K., Ohara, K., Komiya, H., Kanno, K., Hatori, K., . . . Iwata, K. (2018). [EXPRESSION] Role of medullary astroglial glutamine synthesis in tooth pulp hypersensitivity associated with frequent masseter muscle contraction. *Molecular Pain*, 0(0), 1744806918763270. doi: 10.1177/1744806918763270. <http://journals.sagepub.com/doi/abs/10.1177/1744806918763270>

Waters, E. M., Yildirim, M., Janssen, W. G. M., Lou, W. Y., McEwen, B. S., Morrison, J. H., & Milner, T. A. (2011). Estrogen and aging affect the synaptic distribution of estrogen receptor

beta-immunoreactivity in the CA1 region of female rat hippocampus. *Brain Research*, 1379, 86-97. doi.

Waters, J., & Helmchen, F. (2004). Boosting of Action Potential Backpropagation by Neocortical Network Activity In Vivo. *Journal of Neuroscience*, 24(49), 11127-11136. doi. <http://www.jneurosci.org/cgi/content/abstract/24/49/11127>

Waters, J., Larkum, M., Sakmann, B., & Helmchen, F. (2003). Supralinear Ca<sup>2+</sup> Influx into Dendritic Tufts of Layer 2/3 Neocortical Pyramidal Neurons In Vitro and In Vivo. *Journal of Neuroscience*, 23(24), 8558-8567. doi. <http://www.jneurosci.org/cgi/content/abstract/23/24/8558>

Waters, J., Schaefer, A., & Sakmann, B. (2005). Backpropagating action potentials in neurones: measurement, mechanisms and potential functions. *Progress in Biophysics and Molecular Biology*, 87(1), 145-170. doi.

Watson, A. H. D. (2003). GABA-and glycine-like immunoreactivity in axons and dendrites contacting the central terminals of rapidly adapting glabrous skin afferents in rat spinal cord. *Journal of Comparative Neurology*, 464(4), 497-510. doi.

Watson, A. H. D. (2004). Synaptic interactions between the terminals of slow-adapting type II mechanoreceptor afferents and neurones expressing  $\gamma$ -aminobutyric acid-and glycine-like immunoreactivity in the rat spinal cord. *Journal of Comparative Neurology*, 471(2), 168-179. doi.

Watson, A. H. D., Hughes, D. I., & Bazzaz, A. A. (2002). Synaptic relationships between hair follicle afferents and neurones expressing GABA and glycine-like immunoreactivity in the spinal cord of the rat. *Journal of Comparative Neurology*, 452(4), 367-380. doi.

Watson, B. O., MacLean, J. N., & Yuste, R. (2008). UP states protect ongoing cortical activity from thalamic inputs. *PLoS ONE*, 3(12), e3971-e3971. doi.

Watson, K. K., Jones, T. K., & Allman, J. M. (2006). Dendritic architecture of the von Economo neurons. *Neuroscience*, 141(3), 1107-1112. doi.

Watt, A. J., Cuntz, H., Mori, M., Nusser, Z., Sjöström, P. J., & Häusser, M. (2009). Traveling waves in developing cerebellar cortex mediated by asymmetrical Purkinje cell connectivity. *Nature Neuroscience*, 12(4), 463-473. doi.

Wearne, S. L., Rodriguez, A., Ehlenberger, D. B., Rocher, A. B., Henderson, S. C., & Hof, P. R. (2005). New techniques for imaging, digitization and analysis of three-dimensional neural morphology on multiple scales. *Neuroscience*, 136(3), 661-680. doi.

Weaver, C. M., & Wearne, S. L. (2008). Neuronal firing sensitivity to morphologic and active membrane parameters. *PLoS Biology*, 4(1), e11-e11. doi.

Weaver, J. L., Arandjelovic, S., Brown, G., Mendu, S. K., Schappe, M. S., Buckley, M. W., . . . Chung, J. (2017). Hematopoietic pannexin 1 function is critical for neuropathic pain. *Scientific Reports*, 7, 42550. doi.

Webb, I. C., Coolen, L. M., & Lehman, M. N. (2013). NMDA and PACAP Receptor Signaling Interact to Mediate Retinal-Induced SCN Cellular Rhythmicity in the Absence of Light. *PLoS ONE*, 8(10), e76365. doi: 10.1371/journal.pone.0076365. <http://dx.doi.org/10.1371/journal.pone.0076365>

Webber, M. J., Kessler, J. A., & Stupp, S. I. (2010). Emerging peptide nanomedicine to regenerate tissues and organs. *Journal of Internal Medicine*, 267(1), 71-88. doi.

Weber, A. J. (2002). Intracellular analysis of parasol cells in normal and glaucomatous eyes. *Investigative Ophthalmology and Visual Science*, 43(12), 2164-2164. doi.

Weber, A. J. (2003). Ex Vivo and Whole-Mount Retinal Preparations. *Ocular Neuroprotection*, 205-205. doi.

Weber, A. J., & Harman, C. D. (2003). Differential Effects of Optic Nerve Injury and BDNF Treatment on the Dendritic Fields of Cat Retinal Ganglion Cells. *Investigative Ophthalmology and Visual Science*, 44(5), 5227-5227. doi.

Weber, A. J., & Harman, C. D. (2005). Structure-function relations of parasol cells in the normal and glaucomatous primate retina. *Investigative Ophthalmology and Visual Science*, 46(9), 3197-3207. doi.

Weber, A. J., & Harman, C. D. (2008). BDNF Preserves the dendritic morphology of  $\alpha$  and  $\beta$  ganglion cells in the cat retina after optic nerve injury. *Investigative Ophthalmology and Visual Science*, 49(6), 2456-2463. doi.

Weber, A. J., Harman, C. D., & Viswanathan, S. (2008). Effects of optic nerve injury, glaucoma, and neuroprotection on the survival, structure, and function of ganglion cells in the mammalian retina. *Journal of Physiology*, 586(18), 4393-4400. doi: 10.1113/jphysiol.2008.156729. <http://jp.physoc.org/cgi/content/abstract/586/18/4393>

Weber, B., Greenan, G., Prohaska, S., Baum, D., Hege, H. C., Müller-Reichert, T., . . . Verbavatz, J. M. (2011). Automated tracing of microtubules in electron tomograms of plastic embedded samples of *Caenorhabditis elegans* embryos. *Journal of Structural Biology*. doi.

Weber, I., Puskar, Z., Kozak, N., & Antal, M. (2007). Projections of primary afferent fibers to last-order premotor interneurons in the lumbar spinal cord of rats. *Brain Research Bulletin*, 71(4), 337-343. doi.

Weber, P., Bartsch, U., Schachner, M., & Montag, D. (1998). Na, K-ATPase subunit  $\beta$ 1 knock-in prevents lethality of  $\beta$ 2 deficiency in mice. *Journal of Neuroscience*, 18(22), 9192-9203. doi.

Webster, J., Urban, C., Berbaum, K., Loske, C., Alpar, A., GÄrtner, U., . . . MÜNch, G. (2005). The carbonyl scavengers aminoguanidine and tenilsetam protect against the neurotoxic effects of methylglyoxal. *Neurotoxicity Research*, 7(1), 95-101. doi.

Wefers, B., Hitz, C., Hölter, S. M., Trümbach, D., Hansen, J., Weber, P., . . . Kühn, R. (2012). MAPK Signaling Determines Anxiety in the Juvenile Mouse Brain but Depression-Like



Behavior in Adults. PLoS ONE, 7(4), e35035. doi:  
10.1371/journal.pone.0035035. <http://dx.doi.org/10.1371%2Fjournal.pone.0035035>

Wefers, C. J., Dehay, C., Berland, M., Kennedy, H., & Chalupa, L. M. (2000). Binocular competition does not regulate retinogeniculate arbor size in fetal monkey. *Journal of Comparative Neurology*, 427(3), 362-369. doi.

Wefers, C. J., Dehay, C., Berland, M., Kennedy, H., & Chalupa, L. M. (2000). Regulate Retinogeniculate Arbor Size in Fetal Monkey. *Journal of Comparative Neurology*, 427, 362-369. doi.

Wei, B., Nie, Y., Li, X., Wang, C., Ma, T., Huang, Z., . . . Yang, Z. (2011). Emx1-expressing neural stem cells in the subventricular zone give rise to new interneurons in the ischemic injured striatum. *European Journal of Neuroscience*, 33(5), 819-830. doi: 10.1111/j.1460-9568.2010.07570.x. <http://dx.doi.org/10.1111/j.1460-9568.2010.07570.x>

Wei, D., Gao, N., Li, L., Zhu, J.-X., Diao, L., Huang, J., . . . Wang, Q. (2017).  $\alpha$ -Tubulin Acetylation Restricts Axon Overbranching by Dampening Microtubule Plus-End Dynamics in Neurons. *Cerebral Cortex*, 1-15. doi. <https://academic.oup.com/cercor/article-abstract/doi/10.1093/cercor/bhx2...>

Wei, H., Bonjean, M., Petry, H. M., Sejnowski, T. J., & Bickford, M. E. (2011). Thalamic Burst Firing Propensity: A Comparison of the Dorsal Lateral Geniculate and Pulvinar Nuclei in the Tree Shrew. *Journal of Neuroscience*, 31(47), 17287-17299. doi: 10.1523/jneurosci.6431-10.2011. <http://www.jneurosci.org/content/31/47/17287.abstract>

Wei, H., Masterson, S. P., Petry, H. M., & Bickford, M. E. (2011). Diffuse and Specific Tectopulvinar Terminals in the Tree Shrew: Synapses, Synapsins, and Synaptic Potentials. *PLoS ONE*, 6(8), e23781-e23781. doi.

Wei, L., Hao, J., Lacher, R. K., Abbott, T., Chung, L., Colangelo, C., & Kaffman, A. (2015). Early-Life Stress Perturbs Key Cellular Programs in the Developing Mouse Hippocampus. *Developmental Neuroscience*. doi. <http://www.karger.com/Article/Abstract/430861>

Wei, L., Simen, A., Mane, S., & Kaffman, A. (2011). Early Life Stress Inhibits Expression of a Novel Innate Immune Pathway in the Developing Hippocampus. *Neuropsychopharmacology*, 37(2), 567-580. doi.

Wei, P., Pattarini, R., Rong, Y., Guo, H., Bansal, P. K., Kusnoor, S. V., . . . Morgan, J. I. (2012). The Cbln Family of Proteins Interact with Multiple Signaling Pathways. *Journal of Neurochemistry*. doi.

Wei, W., & Feller, M. B. (2011). Organization and development of direction-selective circuits in the retina. *Trends in Neurosciences*. doi.

Wei, W., Hamby, A. M., Zhou, K., & Feller, M. B. (2010). Development of asymmetric inhibition underlying direction selectivity in the retina. *Nature*, 469(7330), 402-406. doi.

Weidenhofer, J., Yip, J., Zavitsanou, K., Huang, X. F., Chahl, L. A., & Tooney, P. A. (2006). Immunohistochemical localisation of the NK<sub>1</sub> receptor in the human amygdala: Preliminary investigation in schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 30(7), 1313-1321. doi.

Weir, R. K., Bauman, M. D., Jacobs, B., & Schumann, C. M. (2017). Protracted dendritic growth in the typically developing human amygdala and increased spine density in young ASD brains. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.24332. <http://dx.doi.org/10.1002/cne.24332>

Weir, R. K., Forghany, R., Smith, S. E. P., Patterson, P. H., McAllister, A. K., Schumann, C. M., & Bauman, M. D. (2015). Preliminary evidence of neuropathology in nonhuman primates prenatally exposed to maternal immune activation. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2015.03.009>, <http://www.sciencedirect.com/science/article/pii/S088915911500080X>

Weiss, D. S., & Keller, A. (1994). Specific Patterns of Intrinsic Connections Between Representations in the Rat Motor Cortex. *Cerebral Cortex*, 4, 205-214. doi.

Weißflog, L., Becker, N., Bossert, N., Freudenberg, F., Kittel-Schneider, S., & Reif, A. (2016). Expressional profile of the diacylglycerol kinase eta gene DGKH. [journal article]. *European Archives of Psychiatry and Clinical Neuroscience*, 1-10. doi: 10.1007/s00406-016-0695-4. <http://dx.doi.org/10.1007/s00406-016-0695-4>

Welker, E., Armstrong-James, M., Bronchti, G., Ourednik, W., Gheorghita-Baechler, F., Dubois, R., . . . Neumann, P. E. (1996). Altered Sensory Processing in the Somatosensory Cortex of the Mouse Mutant Barrelless. *Science*, 271(5257), 1864-1867. doi: 10.1126/science.271.5257.1864. <http://www.sciencemag.org/cgi/content/abstract/271/5257/1864>

Weller, R. E., White, D. M., & Walton, M. M. G. (2000). Intrinsic connections in the caudal subdivision of the dorsolateral visual area (DLC) in squirrel monkeys. *Journal of Comparative Neurology*, 420(1), 52-69. doi.

Wellman, C. L. (2001). Dendritic reorganization in pyramidal neurons in medial prefrontal cortex after chronic corticosterone administration. *Journal of Neurobiology*, 49(3), 245-253. doi.

Wellman, C. L., Camp, M., Jones, V. M., MacPherson, K. P., Ihne, J., Fitzgerald, P., . . . Holmes, A. (2013). Convergent effects of mouse Pet-1 deletion and human PET-1 variation on amygdala fear and threat processing. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.09.025>, <http://www.sciencedirect.com/science/article/pii/S0014488613002938>

Wellman, C. L., Izquierdo, A., Garrett, J. E., Martin, K. P., Carroll, J., Millstein, R., . . . Holmes, A. (2007). Impaired Stress-Coping and Fear Extinction and Abnormal Corticolimbic Morphology in Serotonin Transporter Knock-Out Mice. *Journal of Neuroscience*, 27(3), 684-691. doi: 10.1523/jneurosci.4595-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/3/684>

Wells, A. M., García-Cabezas, M. Á., & Barbas, H. (2020). Topological atlas of the hypothalamus in adult rhesus monkey. *Brain Structure and Function*, 225(6), 1777-1803. doi: 10.1007/s00429-020-02093-8. <https://doi.org/10.1007/s00429-020-02093-8>

Wells, D. G., & Mawe, G. M. (1993). Physiological and morphological properties of neurons in sphincter of Oddi region of the guinea pig. *American Journal of Physiology - Gastrointestinal Liver Physiology*, 265(2), G258-269. doi: <http://ajpgi.physiology.org/cgi/content/abstract/265/2/G258>

Wells, D. G., Talmage, E. K., & Mawe, G. M. (1995). Immunohistochemical identification of neurons in ganglia of the guinea pig sphincter of Oddi. *Journal of Comparative Neurology*, 352(1), 106-116. doi.

Wells, J., Vietje, B. P., Wells, D. G., & Paradee, J. (1992). Isomorphic activation of astrocytes in the somatosensory thalamus. *Glia*, 5(2), 154-160. doi.

Wen, J., Yang, H.-B., Zhou, B., Lou, H.-F., & Duan, S. (2013).  $\beta$ -Catenin Is Critical for Cerebellar Foliation and Lamination. *PLoS ONE*, 8(5), e64451. doi: 10.1371/journal.pone.0064451. <http://dx.doi.org/10.1371%2Fjournal.pone.0064451>

Wen, Q., Stepanyants, A., Elston, G. N., Grosberg, A. Y., & Chklovskii, D. B. (2009). Maximization of the connectivity repertoire as a statistical principle governing the shapes of dendritic arbors. *Proceedings of the National Academy of Sciences*, 106(30), 12536-12541. doi: 10.1073/pnas.0901530106. <http://www.pnas.org/content/106/30/12536.abstract>

Wen, T.-C., Sindhurakar, A., Ramirez, V. C., Park, H., Gupta, D., & Carmel, J. B. (2019). Targeted Infarction of the Internal Capsule in the Rat Using Microstimulation Guidance. *Stroke*, 0(0), STROKEAHA.119.025646. doi: 10.1161/STROKEAHA.119.025646. <https://www.ahajournals.org/doi/abs/10.1161/STROK EAHA.119.025646>

Wendelschafer-Crabb, G., Neppalli, V., Jessurun, J., Hodges, J., Vance, K., Saltzman, D., . . . Kennedy, W. R. (2009). Mucosal nerve deficiency in chronic childhood constipation: a postmigration defect. *Journal of Pediatric Surgery* 44, 773-782. doi. <https://pubmed.ncbi.nlm.nih.gov/19361639/>

Wendland, M. F., Faustino, J., West, T., Manabat, C., Holtzman, D. M., & Vexler, Z. S. (2008). Early Diffusion-Weighted MRI as a Predictor of Caspase-3 Activation After Hypoxic-Ischemic Insult in Neonatal Rodents. *Stroke*, STROKEAHA.107.506352. doi: 10.1161/strokeaha.107.506352. <http://stroke.ahajournals.org/cgi/content/abstract/STROKE AHA.107.506352v1>

Weng, Y.-H., Chen, C.-Y., Lin, K.-J., Chen, Y.-L., Yeh, T.-H., Hsiao, I.-T., . . . Wang, H.-L. (2015). (R1441C) LRRK2 induces the degeneration of SN dopaminergic neurons and alters the expression of genes regulating neuronal survival in a transgenic mouse model. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2015.09.001>. <http://www.sciencedirect.com/science/article/pii/S0014488615300832>

Wenger Combremont, A.-L., Bayer, L., Dupré, A., Muhlethaler, M., & Serafin, M. (2016). SLOW BURSTING NEURONS OF MICE CORTICAL LAYER 6B ARE DEPOLARIZED BY HYPOCRETIN/OREXIN AND MAJOR TRANSMITTERS OF AROUSAL. *Frontiers in neurology*, 7, 88. doi: <http://journal.frontiersin.org/article/10.3389/fneur.2016.00088/full>

Wenger Combremont, A.-L., Bayer, L., Dupré, A., Mühlethaler, M., & Serafin, M. (2016). Effects of Hypocretin/Orexin and Major Transmitters of Arousal on Fast Spiking Neurons in Mouse Cortical Layer 6B. *Cerebral Cortex*. doi: 10.1093/cercor/bhw158. <http://cercor.oxfordjournals.org/content/early/2016/05/27/cercor.bhw158...>

Wenger, N., Moraud, E. M., Gandar, J., Musienko, P., Capogrosso, M., Baud, L., . . . Courtine, G. (2016). Spatiotemporal neuromodulation therapies engaging muscle synergies improve motor control after spinal cord injury. [Article]. *Nature Medicine*, advance online publication. doi: [10.1038/nm.4025](https://doi.org/10.1038/nm.4025)

<http://www.nature.com/nm/journal/vaop/ncurrent/abs/nm.4025.html#suppleme.....http://dx.doi.org/10.1038/nm.4025>

Wenk, H. N., & Honda, C. N. (2003). Silver nitrate cauterization: characterization of a new model of corneal inflammation and hyperalgesia in rat. *Pain*, 105(3), 393-401. doi: <https://pubmed.ncbi.nlm.nih.gov/14527700/>

Wenk, H. N., Nannenga, M. N., & Honda, C. N. (2003). Effect of morphine sulphate eye drops on hyperalgesia in the rat cornea. *Pain*, 105(3), 455-465. doi: <https://pubmed.ncbi.nlm.nih.gov/14527706/>

Wentzel, C., Sommer, Julia E., Nair, R., Stiefvater, A., Sibarita, J.-B., & Scheiffele, P. (2013). mSYD1A, a Mammalian Synapse-Defective-1 Protein, Regulates Synaptogenic Signaling and Vesicle Docking. *Neuron*, 78(6), 1012-1023. doi: <http://dx.doi.org/10.1016/j.neuron.2013.05.010>. <http://www.sciencedirect.com/science/article/pii/S0896627313004030>

Wester, J. C., Mahadevan, V., Rhodes, C. T., Calvigioni, D., Venkatesh, S., Maric, D., . . . McBain, C. J. (2019). Neocortical Projection Neurons Instruct Inhibitory Interneuron Circuit Development in a Lineage-Dependent Manner. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2019.03.036>. <http://www.sciencedirect.com/science/article/pii/S0896627319302995>

Wester, J. C., & McBain, C. J. (2016). Interneurons Differentially Contribute to Spontaneous Network Activity in the Developing Hippocampus Dependent on Their Embryonic Lineage. *The Journal of Neuroscience*, 36(9), 2646-2662. doi: <http://www.jneurosci.org/content/36/9/2646.short>

Weston, M., Wang, H., Stornetta, R. L., Sevigny, C. P., & Guyenet, P. G. (2003). Fos expression by glutamatergic neurons of the solitary tract nucleus after phenylephrine-induced hypertension in rats. *Journal of Comparative Neurology*, 460(4), 525-541. doi: <https://pubmed.ncbi.nlm.nih.gov/12717712/>

Weston, M. C., Chen, H., & Swann, J. W. (2012). Multiple Roles for Mammalian Target of Rapamycin Signaling in Both Glutamatergic and GABAergic Synaptic Transmission. *Journal of Neuroscience*, 32(33), 11441-11452. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3432956/>

Weston, M. C., Stornetta, R. L., & Guyenet, P. G. (2004). Glutamatergic neuronal projections from the marginal layer of the rostral ventral medulla to the respiratory centers in rats. *Journal of Comparative Neurology*, 473(1), 73-85. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2826801/>

Whetstone, W. D., Walker, B., Trivedi, A., Lee, S., Noble-Haeusslein, L. J., & Hsu, J.-Y. C. (2017). Protease-Activated Receptor-1 Supports Locomotor Recovery by Biased Agonist Activated Protein C after Contusive Spinal Cord Injury. *PLoS ONE*, 12(1), e0170512. doi: 10.1371/journal.pone.0170512. <http://dx.doi.org/10.1371%2Fjournal.pone.0170512>

Whitcher, L. T., & Klintsova, A. Y. (2008). Postnatal binge-like alcohol exposure reduces spine density without affecting dendritic morphology in rat mPFC. *Synapse*, 29(62(8)), 566-573. doi: <https://pubmed.ncbi.nlm.nih.gov/18512209/>

White, L. E., Bosking, W. H., Williams, S. M., & Fitzpatrick, D. (1999). Maps of Central Visual Space in Ferret V1 and V2 Lack Matching Inputs from the Two Eyes. *Journal of Neuroscience*, 19(16), 7089-7099. doi: <http://www.jneurosci.org/cgi/content/abstract/19/16/7089>

White, M. A., Lin, Z., Kim, E., Henstridge, C. M., Pena Altamira, E., Hunt, C. K., . . . Sreedharan, J. (2019). Sarm1 deletion suppresses TDP-43-linked motor neuron degeneration and cortical spine loss. *Acta Neuropathologica Communications*, 7(1), 166. doi: 10.1186/s40478-019-0800-9. <https://doi.org/10.1186/s40478-019-0800-9>

White, M. G., Cody, P. A., Bubser, M., Wang, H.-D., Deutch, A. Y., & Mathur, B. N. (2016). Cortical hierarchy governs rat claustracortical circuit organization. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23970. <http://dx.doi.org/10.1002/cne.23970>

White, N. S., Leergaard, T. B., D'Arceuil, H., Bjaalie, J. G., & Dale, A. M. (2012). Probing tissue microstructure with restriction spectrum imaging: Histological and theoretical validation. *Human Brain Mapping*. doi.

White, S. V., Czisch, C. E., Han, M. H., Plant, C. D., Harvey, A. R., & Plant, G. W. (2016). Intravenous Transplantation Of Mesenchymal Progenitors Distribute Solely To The Lungs And Improve Outcomes in Cervical Spinal Cord Injury. *Stem Cells*, n/a-n/a. doi: 10.1002/stem.2364. <http://dx.doi.org/10.1002/stem.2364>

Whitney, E. R., Kemper, T. L., Bauman, M. L., Rosene, D. L., & Blatt, G. J. (2008). Cerebellar Purkinje cells are reduced in a subpopulation of autistic brains: a stereological experiment using calbindin-D28k. *The Cerebellum*, 7(3), 406-416. doi.

Whittle, N., Fadok, J., MacPherson, K. P., Nguyen, R., Botta, P., Wolff, S. B. E., . . . Cioocchi, S. (2021). Central amygdala micro-circuits mediate fear extinction. *Nature Communications*, 12(1), 4156. doi: 10.1038/s41467-021-24068-x. <https://doi.org/10.1038/s41467-021-24068-x>

Whyland, K. L., Slusarczyk, A. S., & Bickford, M. E. (2019). GABAergic cell types in the superficial layers of the mouse superior colliculus. *Journal of Comparative Neurology*, 0(0). doi: 10.1002/cne.24754. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24754>

Wieland, S., Du, D., Oswald, M. J., Parlato, R., Köhr, G., & Kelsch, W. (2014). Phasic Dopaminergic Activity Exerts Fast Control of Cholinergic Interneuron Firing via Sequential NMDA, D2, and D1 Receptor Activation. *The Journal of Neuroscience*, 34(35), 11549-11559. doi. <http://www.jneurosci.org/content/34/35/11549.short>

Wieland, S., Schindler, S., Huber, C., Köhr, G., Oswald, M. J., & Kelsch, W. (2015). Phasic Dopamine Modifies Sensory-Driven Output of Striatal Neurons through Synaptic Plasticity. *The Journal of Neuroscience*, 35(27), 9946-9956. doi. <http://www.jneurosci.org/content/35/27/9946.short>

Wijetunge, L. S., Till, S. M., Gillingwater, T. H., Ingham, C. A., & Kind, P. C. (2008). mGluR5 Regulates Glutamate-Dependent Development of the Mouse Somatosensory Cortex. *Journal of Neuroscience*, 28(49), 13028-13037. doi: 10.1523/jneurosci.2600-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/49/13028>

Wilber, A. A., Southwood, C. J., & Wellman, C. L. (2009). Brief neonatal maternal separation alters extinction of conditioned fear and corticolimbic glucocorticoid and NMDA receptor expression in adult rats. *Developmental Neurobiology*, 69(2-3), 73-87. doi.

Wilber, A. A., & Wellman, C. L. (2009). Neonatal maternal separation alters the development of glucocorticoid receptor expression in the interpositus nucleus of the cerebellum. *International Journal of Developmental Neuroscience*, 27(7), 649-654. doi.

Wilber, A. A., & Wellman, C. L. (2009). Neonatal maternal separation-induced changes in glucocorticoid receptor expression in posterior interpositus interneurons but not projection neurons predict deficits in adult eyeblink conditioning. *Neuroscience Letters*, 460(3), 214-218. doi.

Wilbrecht, L., Holtmaat, A., Wright, N., Fox, K., & Svoboda, K. (2010). Structural Plasticity Underlies Experience-Dependent Functional Plasticity of Cortical Circuits. *Journal of Neuroscience Methods*, 30(14), 4927-4932. doi: 10.1523/jneurosci.6403-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/14/4927>

Wilkinson, G. A., Farinas, I., Backus, C., Yoshida, C. K., & Reichardt, L. F. (1996). Neurotrophin-3 Is a Survival Factor In Vivo for Early Mouse Trigeminal Neurons. *Journal of Neuroscience*, 16(23), 7661-7669. doi. <http://www.jneurosci.org/cgi/content/abstract/16/23/7661>

Willard, S. L., Friedman, D. P., Henkel, C. K., & Shively, C. A. (2009). Anterior hippocampal volume is reduced in behaviorally depressed female cynomolgus macaques. *Psychoneuroendocrinology*, 34(10), 1469-1475. doi.

Williams, E. C., Zhong, X., Mohamed, A., Li, R., Liu, Y., Dong, Q., . . . Chang, Q. (2014). Mutant astrocytes differentiated from Rett syndrome patients-specific iPSCs have adverse effects on wild type neurons. *Human Molecular Genetics*. doi:



10.1093/hmg/ddu008. <http://hmg.oxfordjournals.org/content/early/2014/01/12/hmg.ddu008.abstract>

Williams, I. M., Carletti, B., Leto, K., Magrassi, L., & Rossi, F. (2008). Cerebellar granule cells transplanted *in vivo* can follow physiological and unusual migratory routes to integrate into the recipient cortex. *Neurobiology of Disease*, 30(1), 139-149. doi.

Williams, K. L., Rahimtula, M., & Mearow, K. M. (2006). Heat shock protein 27 is involved in neurite extension and branching of dorsal root ganglion neurons *in vitro*. *Journal of Neuroscience Research*, 84(4), 716-723. doi.

Williams, K. M., & Mong, J. A. (2017). Methamphetamine and Ovarian Steroid Responsive Cells in the Posteriodorsal Medial Amygdala are Required for Methamphetamine-enhanced Proceptive Behaviors. [Article]. *Scientific Reports*, 7, 39817. doi: 10.1038/srep39817

<http://www.nature.com/articles/srep39817#supplementary-information>. <http://dx.doi.org/10.1038/srep39817>

Williams, M. R., DeSpensa, T., Li, M., Gullledge, A. T., & Luikart, B. W. (2015). Hyperactivity of Newborn Pten Knock-out Neurons Results from Increased Excitatory Synaptic Drive. *The Journal of Neuroscience*, 35(3), 943-959. doi. <http://www.jneurosci.org/content/35/3/943.short>

Williams, M. R., Fricano-Kugler, C. J., Getz, S. A., Skelton, P. D., Lee, J., Rizzuto, C. P., . . . Luikart, B. W. (2016). A Retroviral CRISPR-Cas9 System for Cellular Autism-Associated Phenotype Discovery in Developing Neurons. [Article]. *Scientific Reports*, 6, 25611. doi: 10.1038/srep25611. <http://dx.doi.org/10.1038/srep25611>

Williams, P. T., Kim, S., & Martin, J. H. (2014). Postnatal Maturation of the Red Nucleus Motor Map Depends on Rubrospinal Connections with Forelimb Motor Pools. *The Journal of Neuroscience*, 34(12), 4432-4441. doi. <http://www.jneurosci.org/content/34/12/4432.short>

Williams, P. T., & Martin, J. H. (2015). Motor Cortex Activity Organizes the Developing Rubrospinal System. *The Journal of Neuroscience*, 35(39), 13363-13374. doi. Motor Cortex Activity Organizes the Developing Rubrospinal System

Williams, R., Rohr, A. M., Wang, W. T., Choi, I. Y., Lee, P., Berman, N. E. J., . . . LeVine, S. M. (2011). Iron deposition is independent of cellular inflammation in a cerebral model of multiple sclerosis. *BMC neuroscience*, 12(1), 59-59. doi.

Williams, R., Venkatesh, I., Pearse, D., Udvadia, A., & Bunge, M. (2015). MASH1/Ascl1a Leads to GAP43 Expression and Axon Regeneration in the Adult CNS. *PLoS ONE*, 10(3), e0118918. doi. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0118918>

Williams, R. R., Pearse, D. D., Tresco, P. A., & Bunge, M. B. (2012). The assessment of adeno-associated vectors as potential intrinsic treatments for brainstem axon regeneration. *Journal of gene medicine*, 14(1), 20-34. doi.

Williams, S. R., & Fletcher, L. N. (2018). A Dendritic Substrate for the Cholinergic Control of Neocortical Output Neurons. *Neuron*. doi: <https://doi.org/10.1016/j.neuron.2018.11.035>, <http://www.sciencedirect.com/science/article/pii/S0896627318310444>

Willis, K. L., Christensen-Dalsgaard, J., Ketten, D. R., & Carr, C. E. (2013). Middle Ear Cavity Morphology Is Consistent with an Aquatic Origin for Testudines. *PLoS ONE*, 8(1), e54086. doi: 10.1371/journal.pone.0054086. <http://dx.doi.org/10.1371%2Fjournal.pone.0054086>

Wilson, J. M., Hartley, R., Maxwell, D. J., Todd, A. J., Lieberam, I., Kaltschmidt, J. A., . . . Brownstone, R. M. (2005). Conditional Rhythmicity of Ventral Spinal Interneurons Defined by Expression of the Hbg Homeodomain Protein. *Journal of Neuroscience*, 25(24), 5710-5719. doi: <http://www.jneurosci.org/cgi/content/abstract/25/24/5710>

Wilson, M. D., Sethi, S., Lein, P. J., & Keil, K. P. (2017). Valid Statistical Approaches for Analyzing Sholl Data: Mixed Effects versus Simple Linear Models. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.01.003>. <http://www.sciencedirect.com/science/article/pii/S0165027017300055>

Wilson, N. M., Gurney, M. E., Dietrich, W. D., & Atkins, C. M. (2017). Therapeutic benefits of phosphodiesterase 4B inhibition after traumatic brain injury. *PLoS ONE*, 12(5), e0178013. doi: 10.1371/journal.pone.0178013. <https://doi.org/10.1371/journal.pone.0178013>

Wilson, R. E., Coons, K. D., & Sengelau, D. R. (2009). Neuroprotective effects of testosterone on dendritic morphology following partial motoneuron depletion: Efficacy in female rats. *Neuroscience Letters*, 465(2), 123-127. doi.

Windle, V., Power, A., & Corbett, D. (2007). Norepinephrine depletion facilitates recovery of function after focal ischemia in the rat. *European Journal of Neuroscience*, 26(7), 1822-1831. doi: doi:10.1111/j.1460-9568.2007.05799.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05799.x>

Windrem, M. S., Osipovitch, M., Liu, Z., Bates, J., Chandler-Militello, D., Zou, L., . . . Goldman, S. A. (2017). Human iPSC Glial Mouse Chimeras Reveal Glial Contributions to Schizophrenia. *Cell Stem Cell*. doi: <https://doi.org/10.1016/j.stem.2017.06.012>, <http://www.sciencedirect.com/science/article/pii/S1934590917302382>

Winer, J. A., Chernock, M. L., Larue, D. T., & Cheung, S. W. (2002). Descending projections to the inferior colliculus from the posterior thalamus and the auditory cortex in rat, cat, and monkey. *Hearing Research*, 168(1-2), 181-195. doi.

Winkler, C. W., Hermes, S. M., Chavkin, C. I., Drake, C. T., Morrison, S. F., & Aicher, S. A. (2006). Kappa Opioid Receptor (KOR) and GAD67 Immunoreactivity Are Found in OFF and NEUTRAL Cells in the Rostral Ventromedial Medulla. *Journal of Neurophysiology*, 96(6), 3465-3473. doi: 10.1152/jn.00676.2006. <http://jn.physiology.org/cgi/content/abstract/96/6/3465>

Winkowski, D. E., Nagode, D. A., Donaldson, K. J., Yin, P., Shamma, S. A., Fritz, J. B., & Kanold, P. O. (2017). Orbitofrontal Cortex Neurons Respond to Sound and Activate Primary Auditory Cortex Neurons. *Cerebral Cortex*. doi: 10.1093/cercor/bhw409. <http://cercor.oxfordjournals.org/content/early/2017/01/08/cercor.bhw409...>

Winner, B., Cooper-Kuhn, C. M., Aigner, R., Winkler, J., & Kuhn, H. G. (2002). Long-term survival and cell death of newly generated neurons in the adult rat olfactory bulb. *European Journal of Neuroscience*, 16(9), 1681. doi.

Winterer, J., Lukacsovich, D., Que, L., Sartori, A. M., Luo, W., & Földy, C. (2019). Single-cell RNAseq characterization of anatomically-identified OLM interneurons in different transgenic mouse lines. *European Journal of Neuroscience*, o(ja). doi: 10.1111/ejn.14549. <https://onlinelibrary.wiley.com/doi/abs/10.1111/ejn.14549>

Winterer, J., Stempel, A. V., Dugladze, T., Földy, C., Maziashvili, N., Zivkovic, A. R., . . . Schmitz, D. (2011). Cell-Type-Specific Modulation of Feedback Inhibition by Serotonin in the Hippocampus. *Journal of Neuroscience*, 31(23), 8464-8475. doi: 10.1523/jneurosci.6382-10.2011. <http://www.jneurosci.org/content/31/23/8464.abstract>

Witelson, S. F., Kigar, D. L., & McKanna, J. A. (1992). A computer-assisted direct-imaging system to obtain numerical densities of neurons in human cortex. *Brain Research Bulletin*, 29(3-4), 441-447. doi.

Witsch, J., Golkowski, D., Hahn, T. T. G., Petrou, S., & Spors, H. (2015). Cortical alterations in a model for absence epilepsy and febrile seizures: In vivo findings in mice carrying a human GABA(A)R gamma2 subunit mutation. *Neurobiology of Disease*, (0). doi: <http://dx.doi.org/10.1016/j.nbd.2015.02.018>. <http://www.sciencedirect.com/science/article/pii/S0969996115000522>

Witter, M. P. (2006). Connections of the subiculum of the rat: topography in relation to columnar and laminar organization. *Behavioural Brain Research*, 174(2), 251-264. doi.

Wittner, L., Henze, D. A., Zaborszky, L., & Buzsáki, G. (2006). Hippocampal CA3 pyramidal cells selectively innervate aspiny interneurons. *European Journal of Neuroscience*, 24(5), 1286-1298. doi: doi:10.1111/j.1460-9568.2006.04992.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2006.04992.x>

Wittner, L., Henze, D. A., Záborszky, L., & Buzsáki, G. (2007). Three-dimensional reconstruction of the axon arbor of a CA3 pyramidal cell recorded and filled in vivo. *Brain Structure and Function*, 212(1), 75-83. doi.

Wittner, L., Huberfeld, G., Clemenceau, S., Eross, L., Dezamis, E., Entz, L., . . . Miles, R. (2009). The epileptic human hippocampal cornu ammonis 2 region generates spontaneous interictal-like activity in vitro. *Brain*, awp238. doi: 10.1093/brain/awp238. <http://brain.oxfordjournals.org/cgi/content/abstract/awp238v1>

Wittner, L., & Miles, R. (2007). Factors defining a pacemaker region for synchrony in the hippocampus. *Journal of Physiology*, 584(3), 867-883. doi: 10.1113/jphysiol.2007.138131. <http://jp.physoc.org/cgi/content/abstract/584/3/867>

Wohlfart, S., Bernreuther, C., Khalansky, A. S., Theisen, A., Weissenberger, J., Gelperina, S., . . . Kreuter, J. (2009). Increased numbers of injections of doxorubicin bound to nanoparticles lead to enhanced efficacy against rat glioblastoma 101/8. *Journal of Nanoneuroscience*, 1(2), 144-151. doi.

Wohlfart, S., Khalansky, A. S., Gelperina, S., Maksimenko, O., Bernreuther, C., Glatzel, M., & Kreuter, J. (2011). Efficient chemotherapy of rat glioblastoma using Doxorubicin-loaded PLGA nanoparticles with different stabilizers. *PLoS ONE*, 6(5), e19121-e19121. doi.

Woitke, F., Ceanga, M., Rudolph, M., Niv, F., Witte, O. W., Redecker, C., . . . Keiner, S. (2017). Adult hippocampal neurogenesis poststroke: More new granule cells but aberrant morphology and impaired spatial memory. *PLoS ONE*, 12(9), e0183463. doi: 10.1371/journal.pone.0183463. <https://doi.org/10.1371/journal.pone.0183463>

Wojtera, M., Sobow, T., Kloszewska, I., Liberski, P., Brown, D., & Sikorska, B. (2012). Expression of immunohistochemical markers on microglia in Creutzfeldt-Jakob disease and Alzheimer's disease: morphometric study and review of the literature. *Folia Neuropathologica*, 50, 74 - 84. doi.

Wong, A. M., Wang, J. W., & Axel, R. (2002). Spatial representation of the glomerular map in the *Drosophila* protocerebrum. *Cell*, 109(2), 229-241. doi.

Wong, A. S. L., Lee, R. H. K., Cheung, A. Y., Yeung, P. K., Chung, S. K., Cheung, Z. H., & Ip, N. Y. (2011). Cdk5-mediated phosphorylation of endophilin B1 is required for induced autophagy in models of Parkinson's disease. *Nature cell biology*, 13(5), 568-579. doi.

Wong, C., Chabot, N., Kok, M. A., & Lomber, S. G. (2013). Modified Areal Cartography in Auditory Cortex Following Early- and Late-Onset Deafness. *Cerebral Cortex*. doi: 10.1093/cercor/bht026. <http://cercor.oxfordjournals.org/content/early/2013/02/13/cercor.bht026...>

Wong, C., Chabot, N., Kok, M. A., & Lomber, S. G. (2015). Amplified somatosensory and visual cortical projections to a core auditory area, the anterior auditory field, Following early- and late-onset deafness. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23771. <http://dx.doi.org/10.1002/cne.23771>

Woo, T.-U., Whitehead, R. E., Melchitzky, D. S., & Lewis, D. A. (1998). A subclass of prefrontal gamma -aminobutyric acid axon terminals are selectively altered in schizophrenia. *Proceedings of the National Academy of Sciences*, 95(9), 5341-5346. doi: 10.1073/pnas.95.9.5341. <http://www.pnas.org/cgi/content/abstract/95/9/5341>

Wood, W. E., Olson, C. R., Lovell, P. V., & Mello, C. V. (2008). Dietary retinoic acid affects song maturation and gene expression in the song system of the zebra finch. *Developmental Neurobiology*, 68(10), 1213-1224. doi.

Woodruff, A. R., Anderson, S. A., & Yuste, R. (2010). The enigmatic function of chandelier cells. *Frontiers in Neuroscience*, 4. doi.

Woodruff, A. R., McGarry, L. M., Vogels, T. P., Inan, M., Anderson, S. A., & Yuste, R. (2011). State-Dependent Function of Neocortical Chandelier Cells. *Journal of Neuroscience*, 31(49), 17872-17886. doi: 10.1523/jneurosci.3894-11.2011. <http://www.jneurosci.org/content/31/49/17872.abstract>

Woodruff, A. R., & Sah, P. (2007). Networks of Parvalbumin-Positive Interneurons in the Basolateral Amygdala. *Journal of Neuroscience*, 27(3), 553-563. doi: 10.1523/jneurosci.3686-06.2007. <http://www.jneurosci.org/cgi/content/abstract/27/3/553>

Woolsey, T. A. (2005). Barrels XVII-proceedings. *Somatosensory and Motor Research*, 1(2), 1-23. doi.

Wootz, H., FitzSimons-Kantamneni, E., Larhammar, M., Rotterman, T. M., Enjin, A., Patra, K., . . . Alvarez, F. J. (2012). Alterations in the motor neuron-renshaw cell circuit in the Sod1G93A mouse model. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23266. <http://dx.doi.org/10.1002/cne.23266>

Workman, J. L., Bowers, S. L., & Nelson, R. J. (2009). Enrichment and photoperiod interact to affect spatial learning and hippocampal dendritic morphology in white-footed mice (*Peromyscus leucopus*). *European Journal of Neuroscience*, 29(1), 161-170. doi.

Workman, J. L., Fonken, L. K., Gusfa, J., Kassouf, K. M., & Nelson, R. J. (2011). Post-weaning environmental enrichment alters affective responses and interacts with behavioral testing to alter nNOS immunoreactivity. *Pharmacology Biochemistry and Behavior*. doi.

Workman, J. L., Manny, N., Walton, J. C., & Nelson, R. J. (2011). Short day lengths alter stress and depressive-like responses, and hippocampal morphology in Siberian hamsters. *Hormones and Behavior*. doi.

Works, S. J., Wilson, R. E., & Wellman, C. L. (2004). Age-dependent effect of cholinergic lesion on dendritic morphology in rat frontal cortex. *Neurobiology of Aging*, 25(7), 963-974. doi.

Worthen, R. J., Garzon Zighelboim, S. S., Torres Jaramillo, C. S., & Beurel, E. (2020). Anti-inflammatory IL-10 administration rescues depression-associated learning and memory deficits in mice. *Journal of Neuroinflammation*, 17(1), 246. doi: 10.1186/s12974-020-01922-1. <https://doi.org/10.1186/s12974-020-01922-1>

Wozny, C., & Williams, S. R. (2011). Specificity of Synaptic Connectivity between Layer 1 Inhibitory Interneurons and Layer 2/3 Pyramidal Neurons in the Rat Neocortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhq257. <http://cercor.oxfordjournals.org/content/early/2011/01/13/cercor.bhq257...>

Wright, A. K., & Arbuthnott, G. W. (2007). The influence of the subthalamic nucleus upon the damage to the dopamine system following lesions of globus pallidus in rats. *European*

Journal of Neuroscience. doi: doi:10.1111/j.1460-9568.2007.05706.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2007.05706.x>

Wright, A. K., Atherton, J. F., Norrie, L., & Arbuthnott, G. W. (2004). Death of dopaminergic neurones in the rat substantia nigra can be induced by damage to globus pallidus. *European Journal of Neuroscience*, 20(7), 1737-1744. doi: doi:10.1111/j.1460-9568.2004.03636.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-9568.2004.03636.x>

Wright, A. K., Miller, C., Williams, M., & Arbuthnott, G. (2008). Microglial activation is not prevented by tacrolimus but dopamine neuron damage is reduced in a rat model of Parkinson's disease progression. *Brain Research*, 1216, 78-86. doi.

Wright, A. K., Norrie, L., & Arbuthnott, G. W. (2000). Corticofugal axons from adjacent 'barrel' columns of rat somatosensory cortex: cortical and thalamic terminal patterns. *Journal of Anatomy*, 196(3), 379-390. doi.

Wright, A. K., Ramanathan, S., & Arbuthnott, G. W. (2001). Identification of the source of the bilateral projection system from cortex to somatosensory neostriatum and an exploration of its physiological actions. *Neuroscience*, 103(1), 87-96. doi.

Wright, C. L., & McCarthy, M. M. (2009). Prostaglandin E2-Induced Masculinization of Brain and Behavior Requires Protein Kinase A, AMPA/Kainate, and Metabotropic Glutamate Receptor Signaling. *Journal of Neuroscience*, 29(42), 13274-13282. doi: 10.1523/jneurosci.3603-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/42/13274>

Wu, A. S., Kiaei, M., Aguirre, N., Crow, J. P., Calingasan, N. Y., Browne, S., & Beal, M. F. (2003). Iron porphyrin treatment extends survival in a transgenic animal model of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, 85(1), 142. doi.

Wu, B., Li, C., & Lei, H. (2018). SAPAP4 Deletion Causes Synaptic Dysfunction in the nucleus accumbens. *Biochemical and Biophysical Research Communications*. doi: <https://doi.org/10.1016/j.bbrc.2018.10.016>. <http://www.sciencedirect.com/science/article/pii/S0006291X18321582>

Wu, B., Matic, D., Djogo, N., Szpotowicz, E., Schachner, M., & Jakovcevski, I. (2012). Improved regeneration after spinal cord injury in mice lacking functional T- and B-lymphocytes. *Experimental Neurology*, (0). doi: 10.1016/j.expneurol.2012.07.016. <http://www.sciencedirect.com/science/article/pii/S0014488612002932>

Wu, C. C., & Karten, H. J. (1998). The thalamo-hyperstriatal system is established by the time of hatching in chicks (*Gallus gallus*): a cholera toxin B subunit study. *Visual Neuroscience*, 15(2), 349-358. doi.

Wu, C.-C., Reilly, J. F., Young, W. G., Morrison, J. H., & Bloom, F. E. (2004). High-throughput Morphometric Analysis of Individual Neurons. *Cerebral Cortex*, 14(5), 543-554. doi: 10.1093/cercor/bhh016. <http://cercor.oxfordjournals.org/cgi/content/abstract/14/5/543>



Wu, D., Zhang, Y., Xu, X., Guo, T., Xie, D., Zhu, R., . . . He, L. (2018). RGD/TAT-functionalized chitosan-graft-PEI-PEG gene nanovector for sustained delivery of NT-3 for potential application in neural regeneration. *Acta Biomaterialia*. doi: <https://doi.org/10.1016/j.actbio.2018.03.030>. <http://www.sciencedirect.com/science/article/pii/S1742706118301594>

Wu, F., Han, B., Wu, S., Yang, L., Leng, S., Li, M., . . . Yao, H. (2019). Circular RNA TLK1 aggravates neuronal injury and neurological deficits after ischemic stroke via miR-335-3p/TIPARP. *The Journal of Neuroscience*, 0299-0219. doi: 10.1523/jneurosci.0299-19.2019. <http://www.jneurosci.org/content/early/2019/07/16/JNEUROSCI.0299-19.2019>...

Wu, J., Kung, J., Dong, J., Chang, L., Xie, C., Habib, A., . . . Cai, H. (2019). Distinct Connectivity and Functionality of Aldehyde Dehydrogenase 1a1-Positive Nigrostriatal Dopaminergic Neurons in Motor Learning. *Cell Reports*, 28(5), 1167-1181.e1167. doi: <https://doi.org/10.1016/j.celrep.2019.06.095>. <http://www.sciencedirect.com/science/article/pii/S2211124719308812>

Wu, J., Raver, C., Piao, C., Keller, A., & Faden, A. (2013). Cell Cycle Activation Contributes to Increased Neuronal Activity in the Posterior Thalamic Nucleus and Associated Chronic Hyperesthesia after Rat Spinal Cord Contusion. *Neurotherapeutics*, 1-19. doi: 10.1007/s13311-013-0198-1. <http://dx.doi.org/10.1007/s13311-013-0198-1>

Wu, J., Zhao, Z., Kumar, A., Lipinski, M. M., Loane, D. J., Stoica, B. A., & Faden, A. I. (2016). ER stress and disrupted neurogenesis in the brain are associated with cognitive impairment and depressive-like behavior after spinal cord injury. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4348. <http://dx.doi.org/10.1089/neu.2015.4348>

Wu, J., Zhao, Z., Sabirzhanov, B., Stoica, B. A., Kumar, A., Luo, T., . . . Faden, A. I. (2014). Spinal Cord Injury Causes Brain Inflammation Associated with Cognitive and Affective Changes: Role of Cell Cycle Pathways. *The Journal of Neuroscience*, 34(33), 10989-11006. doi: <http://www.jneurosci.org/content/34/33/10989.short>

Wu, J. I., Lessard, J., Olave, I. A., Qiu, Z., Ghosh, A., Graef, I. A., & Crabtree, G. R. (2007). Regulation of dendritic development by neuron-specific chromatin remodeling complexes. *Neuron*, 56(1), 94-108. doi:

Wu, K.-Y., Zhou, X.-P., & Luo, Z.-G. (2010). Geranylgeranyltransferase I is essential for dendritic development of cerebellar Purkinje cells. *Molecular Brain Research*, 3(1), 18. doi: <http://www.molecularbrain.com/content/3/1/18>

Wu, M. F., John, J., Boehmer, L. N., Yau, D., Nguyen, G. B., & Siegel, J. M. (2004). Activity of dorsal raphe cells across the sleep-waking cycle and during cataplexy in narcoleptic dogs. *Journal of Physiology*, 554(1), 202-215. doi: 10.1113/jphysiol.2003.052134. <http://jp.physoc.org/cgi/content/abstract/554/1/202>

Wu, P. X., Qu, P. W., Bakare, M. A., Zhang, D. Y.-P., Fry, M. C. M., Shields, D. L., . . . Xu, P. X.-M. (2018). A Laser-Guided Spinal Cord Displacement Injury in Adult Mice. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5756. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5756>

Wu, P.-z., O'Malley, J. T., de Gruttola, V., & Liberman, M. C. (2020). Age-related hearing loss is dominated by damage to inner ear sensory cells, not the cellular battery that powers them. *The Journal of Neuroscience*, JN-RM-0937-0920. doi: 10.1523/jneurosci.0937-20.2020. <https://www.jneurosci.org/content/jneuro/early/2020/07/17/JNEUROSCI.0937...>

Wu, W., Lee, S.-Y., Wu, X., Tyler, J. Y., Wang, H., Ouyang, Z., ... Cheng, J.-X. (2013). Neuroprotective ferulic acid (FA)-glycol chitosan (GC) nanoparticles for functional restoration of traumatically injured spinal cord. *Biomaterials*, (0). doi: <http://dx.doi.org/10.1016/j.biomaterials.2013.11.074>. <http://www.sciencedirect.com/science/article/pii/S0142961213014403>

Wu, W., Li, L., Yick, L. W., Chai, H., Xie, Y., Yang, Y., ... Oppenheim, R. W. (2003). GDNF and BDNF alter the expression of neuronal NOS, c-Jun, and p75 and prevent motoneuron death following spinal root avulsion in adult rats. *Journal of Neurotrauma*, 20(6), 603-612. doi.

Wu, X., Fu, Y., Knott, G., Lu, J., Di Cristo, G., & Huang, Z. J. (2012). GABA Signaling Promotes Synapse Elimination and Axon Pruning in Developing Cortical Inhibitory Interneurons. *Journal of Neuroscience*, 32(1), 331-343. doi: 10.1523/jneurosci.3189-11.2012. <http://www.jneurosci.org/content/32/1/331.abstract>

Wu, X., Lv, Y.-G., Du, Y.-F., Chen, F., Reed, M. N., Hu, M., ... Hong, H. (2018). Neuroprotective effects of INT-777 against A $\beta$ 1-42-induced cognitive impairment, neuroinflammation, apoptosis, and synaptic dysfunction in mice. *Brain, Behavior, and Immunity*. doi: <https://doi.org/10.1016/j.bbi.2018.06.018>. <http://www.sciencedirect.com/science/article/pii/S0889159118302344>

Wu, X.-H., Li, Y.-Y., Zhang, P.-P., Qian, K.-W., Ding, J.-H., Hu, G., ... Zhong, Y.-M. (2015). Unaltered retinal dopamine levels in a C57BL/6 mouse model of form-deprivation myopia. *Investigative Ophthalmology and Visual Science*. doi: 10.1167/iovs.13-13362. <http://www.iovs.org/content/early/2015/01/19/iovs.13-13362.abstract>

Wu, X.-S., Wang, Y.-C., Liu, T.-T., Wang, L., Sun, X.-H., Wang, L.-Q., ... Zhong, Y.-M. (2019). Morphological alterations of intrinsically photosensitive retinal ganglion cells after ablation of mouse photoreceptors with selective photocoagulation. *Experimental Eye Research*, 188, 107812. doi: <https://doi.org/10.1016/j.exer.2019.107812>. <http://www.sciencedirect.com/science/article/pii/S001448351930449X>

Wu, Y., & Parent, A. (2000). Striatal interneurons expressing calretinin, parvalbumin or NADPH-diaphorase: a comparative study in the rat, monkey and human. *Brain Research*, 863(1-2), 182-191. doi.

Wu, Y.-J., Lin, C.-C., Yeh, C.-M., Chien, M.-E., Tsao, M.-C., Tseng, P., ... Hsu, K.-S. (2017). Repeated transcranial direct current stimulation improves cognitive dysfunction and synaptic plasticity deficit in the prefrontal cortex of streptozotocin-induced diabetic rats. *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*. doi: 10.1016/j.brs.2017.08.007. <http://dx.doi.org/10.1016/j.brs.2017.08.007>

Wurth, S., Capogrosso, M., Raspopovic, S., Gandar, J., Federici, G., Kinany, N., . . . Micera, S. (2017). Long-term usability and bio-integration of polyimide-based intra-neural stimulating electrodes. *Biomaterials*, 122, 114-129.

doi: <http://dx.doi.org/10.1016/j.biomaterials.2017.01.014>.

//[www.sciencedirect.com/science/article/pii/S0142961217300224](http://www.sciencedirect.com/science/article/pii/S0142961217300224)

Wyeth, R. C., & Croll, R. P. (2011). Peripheral sensory cells in the cephalic sensory organs of *Lymnaea stagnalis*. *Journal of Comparative Neurology*, 519(10), 1894-1913. doi: 10.1002/cne.22607. <http://dx.doi.org/10.1002/cne.22607>

Xiang, Z., Haroutunian, V., Ho, L., Purohit, D., & Pasinetti, G. (2006). Microglia activation in the brain as inflammatory biomarker of Alzheimer's disease neuropathology and clinical dementia. *Disease Markers*, 22, 95 - 102. doi.

Xiang, Z., & Prince, D. A. (2003). Heterogeneous Actions of Serotonin on Interneurons in Rat Visual Cortex. *Journal of Neurophysiology*, 89(3), 1278-1287. doi:

10.1152/jn.00533.2002. <http://jn.physiology.org/cgi/content/abstract/89/3/1278>

Xiao, D., & Barbas, H. (2002). Pathways for emotions and memory II. Afferent input to the anterior thalamic nuclei from prefrontal, temporal, hypothalamic areas and the basal ganglia in the rhesus monkey. *Thalamus and Related Systems*, 2(01), 33-48. doi.

<https://www.cambridge.org/core/journals/thalamus-and-related-systems/article/abs/pathways-for-emotions-and-memory-ii-afferent-input-to-the-anterior-thalamic-nuclei-from-prefrontal-temporal-hypothalamic-areas-and-the-basal-ganglia-in-the-rhesus-monkey/99D2C63F9C01FAD85CD5FB3C5AE5E653>

Xiao, D., Zikopoulos, B., & Barbas, H. (2009). Laminar and modular organization of prefrontal projections to multiple thalamic nuclei. *Neuroscience*, 161(4), 1067-1081. doi.

<https://pubmed.ncbi.nlm.nih.gov/19376204/>

Xiao, J., Levitt, J. B., & Buffenstein, R. (2006). The use of a novel and simple method of revealing neural fibers to show the regression of the lateral geniculate nucleus in the naked mole-rat (< i> Heterocephalus glaber). *Brain Research*, 1077(1), 81-89. doi.

<https://pubmed.ncbi.nlm.nih.gov/16483554/>

Xiao, X., Djurasic, M., Hoogi, A., Sapp, R. W., Shatz, C. J., & Rubin, D. L. (2018). Automated dendritic spine detection using convolutional neural networks on maximum intensity projected microscopic volumes. *Journal of Neuroscience Methods*, 309, 25-34.

doi: <https://doi.org/10.1016/j.jneumeth.2018.08.019>. <http://www.sciencedirect.com/science/article/pii/S0165027018302553>

Xiao, Y., & Felleman, D. J. (2004). Projections from primary visual cortex to cytochrome oxidase thin stripes and interstripes of macaque visual area 2. *PNAS*, 101(18), 7147-7151.

doi. <http://www.pnas.org/cgi/content/abstract/101/18/7147>

Xiao, Y., Zych, A., & Felleman, D. J. (1999). Segregation and convergence of functionally defined V2 thin stripe and interstripe compartment projections to area V4 of macaques. *Cerebral Cortex*, 9(8), 792-804. doi. <https://pubmed.ncbi.nlm.nih.gov/10600998/>

Xie, L., Kang, H., Xu, Q., Chen, M. J., Liao, Y., Thiyagarajan, M., . . . Nedergaard, M. (2013). Sleep Drives Metabolite Clearance from the Adult Brain. *Science*, 342(6156), 373-377. doi: 10.1126/science.1241224. <http://www.sciencemag.org/content/342/6156/373.abstract>

Xie, L., Korkmaz, K., Braun, K., & Bock, J. (2013). Early Life Stress-induced Histone Acetylations Correlate with Activation of the Synaptic Plasticity Genes Arc and Egr1 in the Mouse Hippocampus. *Journal of Neurochemistry*, n/a-n/a. doi: 10.1111/jnc.12210. <http://dx.doi.org/10.1111/jnc.12210>

Xie, X.-M., Shi, L.-L., Shen, L., Wang, R., Qi, Q., Wang, Q.-Y., . . . Hu, J.-G. (2016). Co-transplantation of MRF-overexpressing oligodendrocyte precursor cells and Schwann cells promotes recovery in rat after spinal cord injury. *Neurobiology of Disease*, 94, 196-204. doi: <http://dx.doi.org/10.1016/j.nbd.2016.06.016>. <http://www.sciencedirect.com/science/article/pii/S0969996116301577>

Xie, Y., Castro-Hernández, R., Sokpor, G., Pham, L., Narayanan, R., Rosenbusch, J., . . . Tuoc, T. (2019). RBM15 Modulates the Function of Chromatin Remodeling Factor BAF155 Through RNA Methylation in Developing Cortex. [journal article]. *Molecular Neurobiology*. doi: 10.1007/s12035-019-1595-1. <https://doi.org/10.1007/s12035-019-1595-1>

Xie, Y., Hayden, M. R., & Xu, B. (2010). BDNF Overexpression in the Forebrain Rescues Huntington's Disease Phenotypes in YAC128 Mice. *Journal of Neuroscience*, 30(44), 14708-14718. doi: 10.1523/jneurosci.1637-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/44/14708>

Xie, Y.-w., Li, Z.-y., Du, J., Chen, Y., Chen, B.-y., Wang, T.-t., . . . Wang, Y. (2018). Visualization of Rostral Migratory Stream in the Developing Rat Brain by In Vivo Electroporation. [journal article]. *Cellular and Molecular Neurobiology*. doi: 10.1007/s10571-018-0577-6. <https://doi.org/10.1007/s10571-018-0577-6>

Xie, Z., Cahill, M. E., & Penzes, P. (2010). Kalirin loss results in cortical morphological alterations. *Molecular and Cellular Neuroscience*, 43(1), 81-89. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2818244/>

Xie, Z., Cahill, M. E., Radulovic, J., Wang, J., Campbell, S. L., Miller, C. A., . . . Penzes, P. (2011). Hippocampal phenotypes in kalirin-deficient mice. *Molecular and Cellular Neuroscience*, 46(1), 45-54. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3576140/>

Xin, C., Xin, H., Bin, L., Zhenyu, Z., Lei, J., Chengguang, H., & Yicheng, L. (2010). Changes in neural dendrites and synapses in rat somatosensory cortex following neonatal post-hemorrhagic hydrocephalus. *Brain Research Bulletin*, 83(1-2), 44-48. doi: <https://psycnet.apa.org/record/2010-15113-001>

Xing, B., Han, G., Wang, M.-J., Snyder, M. A., & Gao, W.-J. (2018). Juvenile treatment with mGluR2/3 agonist prevents schizophrenia-like phenotypes in adult by acting through GSK3 $\beta$ . *Neuropharmacology*, 137, 359-371. doi: <https://doi.org/10.1016/j.neuropharm.2018.05.019>. <http://www.sciencedirect.com/science/article/pii/S0028390818302429>

- Xiong, G., Mojsilovic-Petrovic, J., Pérez, C. A., & Kalb, R. G. (2007). Embryonic motor neuron dendrite growth is stunted by inhibition of nitric oxide-dependent activation of soluble guanylyl cyclase and protein kinase G. *European Journal of Neuroscience*, 25(7), 1987-1997. doi: <https://pubmed.ncbi.nlm.nih.gov/17439487/>
- Xiong, M., Li, J., Ma, S.-M., Yang, Y., & Zhou, W.-H. (2013). Effects of hypothermia on oligodendrocyte precursor cell proliferation, differentiation and maturation following hypoxia ischemia in vivo and in vitro. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2013.03.015>. <http://www.sciencedirect.com/science/article/pii/S0014488613001088>
- Xu, C. J., Xu, L., Huang, L. D., Li, Y., Yu, P. P., Hang, Q., . . . Lu, P. H. (2010). Combined NgR Vaccination and Neural Stem Cell Transplantation Promote Functional Recovery after Spinal Cord Injury in Adult Rats. *Neuropathology and Applied Neurobiology*, no-no. doi: <http://dx.doi.org/10.1111/j.1365-2990.2010.01117.x>
- Xu, D., Bu, J., Gu, S., Xia, Y., Du, J., & Wang, Y. (2011). Celecoxib Impairs Heart Development via Inhibiting Cyclooxygenase-2 Activity in Zebrafish Embryos. *Anesthesiology*, 114(2), 391-391. doi: <https://pubmed.ncbi.nlm.nih.gov/21245739/>
- Xu, F., Ono, M., Ito, T., Uchiumi, O., Wang, F., Zhang, Y., . . . Kato, N. (2020). Remodeling of projections from ventral hippocampus to prefrontal cortex in Alzheimer's mice. *Journal of Comparative Neurology*, n/a(n/a). doi: 10.1002/cne.25032. <https://doi.org/10.1002/cne.25032>
- Xu, G., Broadbelt, K. G., Haynes, R. L., Folkerth, R. D., Borenstein, N. S., Belliveau, R. A., . . . Kinney, H. C. (2011). Late Development of the GABAergic System in the Human Cerebral Cortex and White Matter. *Journal of Neuropathology and Experimental Neurology*, 70(10), 841-841. doi: <https://pubmed.ncbi.nlm.nih.gov/21937910/>
- Xu, H., Jeong, H.-Y., Tremblay, R., & Rudy, B. (2013). Neocortical Somatostatin-Expressing GABAergic Interneurons Disinhibit the Thalamorecipient Layer 4. *Neuron*, 77(1), 155-167. doi: <http://dx.doi.org/10.1016/j.neuron.2012.11.004>. <http://www.sciencedirect.com/science/article/pii/S0896627312009956>
- Xu, H.-P., Sun, J.-H., & Tian, N. (2014). A general principle governs vision dependent dendritic patterning of retinal ganglion cells. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23609. <http://dx.doi.org/10.1002/cne.23609>
- Xu, H.-T., Han, Z., Gao, P., He, S., Li, Z., Shi, W., . . . Shi, S.-H. (2014). Distinct Lineage-Dependent Structural and Functional Organization of the Hippocampus. *Cell*, 157(7), 1552-1564. doi: 10.1016/j.cell.2014.03.067. [http://www.cell.com/cell/abstract/S0092-8674\(14\)00610-2](http://www.cell.com/cell/abstract/S0092-8674(14)00610-2)
- Xu, J., He, J., He, H., Peng, R., & Xi, J. (2016). Comparison of RNAi NgR and NEP1-40 in Acting on Axonal Regeneration After Spinal Cord Injury in Rat Models. [journal article]. *Molecular Neurobiology*, 1-11. doi: 10.1007/s12035-016-0315-3. <http://dx.doi.org/10.1007/s12035-016-0315-3>

Xu, J. C., Bernreuther, C., Cui, Y. F., Jakovcevski, I., Hargus, G., Xiao, M. F., & Schachner, M. (2011). Transplanted L1 Expressing Radial Glia and Astrocytes Enhance Recovery after Spinal Cord Injury. *Journal of Neurotrauma*, 28(9), 1921-1937. doi: <https://pubmed.ncbi.nlm.nih.gov/21671795/>

Xu, J.-C., Xiao, M.-F., Jakovcevski, I., Sivukhina, E., Hargus, G., Cui, Y.-F., . . . Bernreuther, C. (2013). The extracellular matrix glycoprotein tenascin-R regulates neurogenesis during development and in the adult dentate gyrus of mice. *Journal of Cell Science*. doi: 10.1242/jcs.137612. <http://jcs.biologists.org/content/early/2013/12/11/jcs.137612.abstract>

Xu, L., Mirnics, K., Bowman, A. B., Liu, W., Da, J., Porter, N. A., & Korade, Z. (2011). DHCEO accumulation is a critical mediator of pathophysiology in a Smith–Lemli–Opitz syndrome model. *Neurobiology of Disease*. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3674775/>

Xu, L., Ryu, J., Hiel, H., Menon, A., Aggarwal, A., Rha, E., . . . Koliatsos, V. E. (2015). Transplantation of human oligodendrocyte progenitor cells in an animal model of diffuse traumatic axonal injury: survival and differentiation. *Stem cell research & therapy*, 6(1), 1. doi: <http://neuralprogram.com/Neuralprograms,NeuralNetworksinJava,CNeura,Netw...>

Xu, L., Schaefer, M. L., Linville, R. M., Aggarwal, A., Mbuguiro, W., Wester, B. A., & Koliatsos, V. E. (2016). Neuroinflammation in primary blast neurotrauma: Time course and prevention by torso shielding. *Experimental Neurology*. doi: <http://dx.doi.org/10.1016/j.expneurol.2016.01.010>. <http://www.sciencedirect.com/science/article/pii/S0014488616300103>

Xu, L., Xu, C., Lü, H. Z., Wang, Y. X., Li, Y., & Lu, P. H. (2010). Long-term fate of allogeneic neural stem cells following transplantation into injured spinal cord. *Stem Cell Reviews and Reports*, 6(1), 121-136. doi: <https://pubmed.ncbi.nlm.nih.gov/20012713/>

Xu, Q., Liu, Y.-y., Wang, X., Tan, G.-h., Li, H.-p., Hulbert, S. W., . . . Jiang, Y.-h. (2018). Autism-associated CHD8 deficiency impairs axon development and migration of cortical neurons. [journal article]. *Molecular Autism*, 9(1), 65. doi: 10.1186/s13229-018-0244-2. <https://doi.org/10.1186/s13229-018-0244-2>

Xu, Q., Yang, G. Y., Liu, N., Xu, P., Chen, Y. L., Zhou, Z., . . . Ding, X. (2012). P<sub>4</sub>-ATPase ATP8A2 acts in synergy with CDC50A to enhance neurite outgrowth. *FEBS Letters*. doi: <https://pubmed.ncbi.nlm.nih.gov/22641037/>

Xu, X., & Callaway, E. M. (2009). Laminar Specificity of Functional Input to Distinct Types of Inhibitory Cortical Neurons. *Journal of Neuroscience*, 29(1), 70-85. doi: 10.1523/jneurosci.4104-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/1/70>

Xu, X., Roby, K. D., & Callaway, E. M. (2006). Mouse cortical inhibitory neuron type that coexpresses somatostatin and calretinin. *Journal of Comparative Neurology*, 499(1), 144-160. doi: <https://pubmed.ncbi.nlm.nih.gov/16958092/>



Xu, X., Roby, K. D., & Callaway, E. M. (2010). Immunochemical characterization of inhibitory mouse cortical neurons: three chemically distinct classes of inhibitory cells. *Journal of Comparative Neurology*, 518(3), 389-404. doi: <https://pubmed.ncbi.nlm.nih.gov/19950390/>

Xu, Y., Li, S., Vernon, M. M., Pan, J., Chen, L., Barish, P. A., . . . Ogle, W. O. (2011). Curcumin prevents corticosterone-induced neurotoxicity and abnormalities of neuroplasticity via 5-HT receptor pathway. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2011.07356.x. <http://dx.doi.org/10.1111/j.1471-4159.2011.07356.x>

Xu, Z., Li, G., & Feng, X. (2012). Exploration on the Underlying Mechanism of Female Predominance in Spasmodic Dysphonia: An Anatomical Study of Nodose Ganglion in Rats. *Indian Journal of Otolaryngology and Head & Neck Surgery*, 1-5. doi: 10.1007/s12070-012-0572-z. <http://dx.doi.org/10.1007/s12070-012-0572-z>

Xu, Z.-X., Tan, J.-W., Xu, H., Hill, C. J., Ostrovskaya, O., Martemyanov, K. A., & Xu, B. (2019). Caspase-2 promotes AMPA receptor internalization and cognitive flexibility via mTORC2-AKT-GSK3 $\beta$  signaling. *Nature Communications*, 10(1), 3622. doi: 10.1038/s41467-019-11575-1. <https://doi.org/10.1038/s41467-019-11575-1>

Xue, J., & Peterson, E. H. (2006). Hair Bundle Heights in the Utricle: Differences Between Macular Locations and Hair Cell Types. *Journal of Neurophysiology*, 95(1), 171-186. doi: 10.1152/jn.00800.2005. <http://jn.physiology.org/cgi/content/abstract/95/1/171>

Yabut, O., Renfro, A., Niu, S., Swann, J. W., Marín, O., & D'Arcangelo, G. (2007). Abnormal laminar position and dendrite development of interneurons in the reeler forebrain. *Brain Research*, 1140, 75-83. doi: <https://pubmed.ncbi.nlm.nih.gov/16996039/>

Yabuta, N. H., & Callaway, E. M. (1998). Cytochrome-oxidase blobs and intrinsic horizontal connections of layer 2/3 pyramidal neurons in primate V1. *Visual Neuroscience*, 15(6), 1007-1027. doi: <https://pubmed.ncbi.nlm.nih.gov/9839966/>

Yabuta, N. H., & Callaway, E. M. (1998). Functional Streams and Local Connections of Layer 4C Neurons in Primary Visual Cortex of the Macaque Monkey. *Journal of Neuroscience*, 18(22), 9489-9499. doi: <http://www.jneurosci.org/cgi/content/abstract/18/22/9489>

Yako, H., Kato, T., Yoshida, S., Higuchi, M., Chen, M., Kanno, N., . . . Kato, Y. (2013). Three-dimensional studies of Prop1-expressing cells in the rat pituitary just before birth. *Cell and Tissue Research*, 1-11. doi: 10.1007/s00441-013-1717-4. <http://dx.doi.org/10.1007/s00441-013-1717-4>

Yako, H., Kato, T., Yoshida, S., Inoue, K., & Kato, Y. (2011). Three-dimensional studies of Prop1-expressing cells in the rat pituitary primordium of Rathke's pouch. *Cell and Tissue Research*, 1-8. doi: <https://pubmed.ncbi.nlm.nih.gov/22113335/>

Yalcin, I., Bohren, Y., Waltisperger, E., Sage-Ciocca, D., Yin, J. C., Freund-Mercier, M. J., & Barrot, M. (2011). A Time-Dependent History of Mood Disorders in a Murine Model of Neuropathic Pain. *Biological Psychiatry*. doi: <https://pubmed.ncbi.nlm.nih.gov/21890110/>

Yalgin, C., Ebrahimi, S., Delandre, C., Yoong, L. F., Akimoto, S., Tran, H., . . . Moore, A. W. (2015). Centrosomin represses dendrite branching by orienting microtubule nucleation. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4099  
<https://pubmed.ncbi.nlm.nih.gov/26322925/>

<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4099.html#suppl.....><http://dx.doi.org/10.1038/nn.4099>

Yamada, H., Honda, T., Kikuchi, S., & Sugiura, Y. (1998). Direct innervation of sensory fibers from the dorsal root ganglion of the cervical dura mater of rats. *Spine*, 23(14), 1524-1524. doi: <https://pubmed.ncbi.nlm.nih.gov/9682308/>

Yamada, H., Honda, T., Yaginuma, H., Kikuchi, S., & Sugiura, Y. (2001). Comparison of sensory and sympathetic innervation of the dura mater and posterior longitudinal ligament in the cervical spine after removal of the stellate ganglion. *Journal of Comparative Neurology*, 434(1), 86-100. doi: <https://pubmed.ncbi.nlm.nih.gov/11329131/>

Yamada, J., Hatabe, J., Tankyo, K., & Jinno, S. (2016). Cell type- and region-specific enhancement of adult hippocampal neurogenesis by daidzein in middle-aged female mice. *Neuropharmacology*, 111, 92-106. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.08.036>. <http://www.sciencedirect.com/science/article/pii/S0028390816303720>

Yamada, J., Nadanaka, S., Kitagawa, H., Takeuchi, K., & Jinno, S. (2018). Increased synthesis of chondroitin sulfate proteoglycan promotes adult hippocampal neurogenesis in response to enriched environment. [10.1523/JNEUROSCI.0632-18.2018]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2018/08/20/JNEUROSCI.0632-18.2018...>

Yamada, K. H., Kozłowski, D. A., Seidl, S. E., Lance, S., Wieschhaus, A. J., Sundivakkam, P., . . . Chishti, A. H. (2012). Targeted Gene Inactivation of Calpain-1 Suppresses Cortical Degeneration Due to Traumatic Brain Injury and Neuronal Apoptosis Induced by Oxidative Stress. *Journal of Biological Chemistry*, 287(16), 13182-13193. doi: 10.1074/jbc.M111.302612. <http://www.jbc.org/content/287/16/13182.abstract>

Yamada, R., Okuda, H., Kuba, H., Nishino, E., Ishii, T. M., & Ohmori, H. (2013). The Cooperation of Sustained and Phasic Inhibitions Increases the Contrast of ITD-Tuning in Low-Frequency Neurons of the Chick Nucleus Laminaris. *Journal of Neuroscience*, 33(9), 3927-3938. doi: 10.1523/jneurosci.2377-12.2013. <http://www.jneurosci.org/content/33/9/3927.abstract>

Yamada, S., Itoh, N., Nagai, T., Nakai, T., Ibi, D., Nakajima, A., . . . Yamada, K. (2018). Innate immune activation of astrocytes impairs neurodevelopment via upregulation of follistatin-like 1 and interferon-induced transmembrane protein 3. [journal article]. *Journal of Neuroinflammation*, 15(1), 295. doi: 10.1186/s12974-018-1332-0. <https://doi.org/10.1186/s12974-018-1332-0>

Yamada, S., Nagai, T., Nakai, T., Ibi, D., Nakajima, A., & Yamada, K. (2014). Matrix metalloproteinase-3 is a possible mediator of neurodevelopmental impairment due to poly:C-induced innate immune activation of astrocytes. *Brain, Behavior, and Immunity*, (0).

doi: <http://dx.doi.org/10.1016/j.bbi.2014.02.014>. <http://www.sciencedirect.com/science/article/pii/S0889159114000609>

Yamaki, K.-i., & Akita, K. (2020). Abstracts presented at the Joint meeting of the 22nd Congress of the Japanese Research Society of Clinical Anatomy and the 3rd Congress of Kurume Research Society of Clinical Anatomy. *Surgical and Radiologic Anatomy*. doi: 10.1007/s00276-020-02562-z. <https://doi.org/10.1007/s00276-020-02562-z>

Yamasaki, T. R., Blurton-Jones, M., Morrisette, D. A., Kitazawa, M., Oddo, S., & LaFerla, F. M. (2007). Neural Stem Cells Improve Memory in an Inducible Mouse Model of Neuronal Loss. *Journal of Neuroscience*, 27(44), 11925-11933. doi: 10.1523/jneurosci.1627-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/44/11925>

Yamashita, A., Fuchs, E., Taira, M., Yamamoto, T., & Hayashi, M. (2012). Somatostatin-immunoreactive senile plaque-like structures in the frontal cortex and nucleus accumbens of aged tree shrews and Japanese macaques. *Journal of Medical Primatology*, 41(3), 147-157. doi: 10.1111/j.1600-0684.2012.00540.x. <http://dx.doi.org/10.1111/j.1600-0684.2012.00540.x>

Yamashita, T., Pala, A., Pedrido, L., Kremer, Y., Welker, E., & Petersen, Carl C. H. (2013). Membrane Potential Dynamics of Neocortical Projection Neurons Driving Target-Specific Signals. *Neuron*, 80(6), 1477-1490. doi: <http://dx.doi.org/10.1016/j.neuron.2013.10.059>. <http://www.sciencedirect.com/science/article/pii/S0896627313010325>

Yamawaki, R., Thind, K., & Buckmaster, P. S. (2014). Blockade of excitatory synaptogenesis with proximal dendrites of dentate granule cells following rapamycin treatment in a mouse model of temporal lobe epilepsy. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23681. <http://dx.doi.org/10.1002/cne.23681>

Yamini, B., Yu, X., Gillespie, G. Y., Kufe, D. W., & Weichselbaum, R. R. (2004). Transcriptional Targeting of Adenovirally Delivered Tumor Necrosis Factor  $\alpha$  by Temozolomide in Experimental Glioblastoma. *Cancer Research*, 64(18), 6381-6384. doi: 10.1158/0008-5472.can-04-2117. <http://cancerres.aacrjournals.org/cgi/content/abstract/64/18/6381>

Yan, B., Li, L., Harden, S. W., Epstein, P. N., Wurster, R. D., & Cheng, Z. J. (2009). Diabetes induces neural degeneration in nucleus ambiguus (NA) and attenuates heart rate control in OVE26 mice. *Experimental Neurology*, 220(1), 34-43. doi: <https://pubmed.ncbi.nlm.nih.gov/19615367/>

Yan, B., Li, L., Harden, S. W., Gozal, D., Lin, Y., Wead, W. B., . . . Cheng, Z. J. (2008). Chronic Intermittent Hypoxia Impaired Heart Rate Responses to AMPA and NMDA and Induces a Loss of Glutamate Receptor Neurons in Nucleus Ambiguus of F344 Rats. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 90412.g2008. doi: 10.1152/ajpregu.90412.2008. <http://ajpregu.physiology.org/cgi/content/abstract/90412.2008v1>

Yan, B., Park, J., Chen, B., Cho, J., Kim, I., Ahn, J., . . . Lee, Y. (2014). Long-term administration of scopolamine interferes with nerve cell proliferation, differentiation and migration in adult mouse hippocampal dentate gyrus, but it does not induce cell death. *Neural Regeneration*

Research, 9(19), 1731. doi: <http://www.nrronline.org/citation.asp?issn=1673-5374;year=2014;volume=9;...>

Yan, B., Soukhova-O'Hare, G. K., Li, L., Lin, Y., Gozal, D., Wead, W. B., . . . Cheng, Z. J. (2008). Attenuation of heart rate control and neural degeneration in nucleus ambiguus following chronic intermittent hypoxia in young adult Fischer 344 rats. *Neuroscience*, 153(3), 709-720. doi: <https://pubmed.ncbi.nlm.nih.gov/18417294/>

Yan, D., Guo, L., & Wang, Y. (2006). Requirement of dendritic Akt degradation by the ubiquitin-proteasome system for neuronal polarity. *Journal of Cell Biology*, 174(3), 415-424. doi: 10.1083/jcb.200511028. <http://www.jcb.org/cgi/content/abstract/174/3/415>

Yan, J., Porch, M. W., Court-Vazquez, B., Bennett, M. V. L., & Zukin, R. S. (2018). Activation of autophagy rescues synaptic and cognitive deficits in fragile X mice. [10.1073/pnas.1808247115]. *Proceedings of the National Academy of Sciences*. doi: <http://www.pnas.org/content/early/2018/09/20/1808247115.abstract>

Yanai-Inamura, H., Ohashi, R., Ishigami, T., Hirata, T., Kumakura, F., Kono, G., . . . Miyata, K. (2018). Urethral function and histopathology in aged female rats as a stress urinary incontinence model. LUTS: Lower Urinary Tract Symptoms, n/a-n/a. doi: 10.1111/luts.12209. <http://dx.doi.org/10.1111/luts.12209>

Yang, C., McKenna, J. T., Zant, J. C., Winston, S., Basheer, R., & Brown, R. E. (2014). Cholinergic Neurons Excite Cortically Projecting Basal Forebrain GABAergic Neurons. *The Journal of Neuroscience*, 34(8), 2832-2844. doi: <http://www.jneurosci.org/content/34/8/2832.abstract>

Yang, C. H., Huang, C. C., & Hsu, K. S. (2012). A Critical Role for Protein Tyrosine Phosphatase Nonreceptor Type 5 in Determining Individual Susceptibility to Develop Stress-Related Cognitive and Morphological Changes. *Journal of Neuroscience*, 32(22), 7550-7562. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6703597/>

Yang, C. Y., Song, B., Ao, Y., Nowak, A. P., Abelowitz, R. B., Korsak, R. A., . . . Sofroniew, M. V. (2009). Biocompatibility of amphiphilic diblock copolypeptide hydrogels in the central nervous system. *Biomaterials*, 30(15), 2881-2898. doi: <https://www.sciencedirect.com/science/article/abs/pii/S0142961209001173>

Yang, C.-Y., Yu, T.-H., Wen, W.-L., Ling, P., & Hsu, K.-S. (2019). Conditional Deletion of CC2D1A Reduces Hippocampal Synaptic Plasticity and Impairs Cognitive Function through Rac1 Hyperactivation. *The Journal of Neuroscience*, 2395-2318. doi: 10.1523/jneurosci.2395-18.2019. <http://www.jneurosci.org/content/early/2019/04/16/JNEUROSCI.2395-18.2019...>

Yang, G.-Y., Liang, B., Zhu, J., & Luo, Z.-G. (2011). Calpain Activation by Wingless-type Murine Mammary Tumor Virus Integration Site Family, Member 5A (Wnt5a) Promotes Axonal Growth. *Journal of Biological Chemistry*, 286(8), 6566-6576. doi: 10.1074/jbc.M110.196568. <http://www.jbc.org/content/286/8/6566.abstract>

Yang, H., Lu, P., McKay, H. M., Bernot, T., Keirstead, H., Steward, O., . . . Tuszynski, M. H. (2006). Endogenous Neurogenesis Replaces Oligodendrocytes and Astrocytes after Primate Spinal

Cord Injury. *Journal of Neuroscience*, 26(8), 2157-2166. doi: 10.1523/jneurosci.4070-05.2005. <http://www.jneurosci.org/cgi/content/abstract/26/8/2157>

Yang, H. K. C., Sundholm-Peters, N. L., Goings, G. E., Walker, A. S., Hyland, K., & Szele, F. G. (2004). Distribution of doublecortin expressing cells near the lateral ventricles in the adult mouse brain. *Journal of Neuroscience Research*, 76(3), 282-295. doi: <https://pubmed.ncbi.nlm.nih.gov/15079857/>

Yang, J., Charif, A. C., Puskas, J. E., Phillips, H., Shanahan, K. J., Garsed, J., . . . Luciano, M. G. (2015). Biocompatibility evaluation of a thermoplastic rubber for wireless telemetric intracranial pressure sensor coating. *Journal of the Mechanical Behavior of Biomedical Materials*, (0). doi: <http://dx.doi.org/10.1016/j.jmbbm.2015.01.018>. <http://www.sciencedirect.com/science/article/pii/S1751616115000272>

Yang, J., Dombrowski, S. M., Deshpande, A., Krajcir, N., & Luciano, M. G. (2010). VEGF/VEGFR-2 changes in frontal cortex, choroid plexus, and CSF after chronic obstructive hydrocephalus. *Journal of the Neurological Sciences*, 296(1-2), 39-46. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2916035/>

Yang, L., Li, R., Kaneko, T., Takle, K., Morikawa, Rei K., Essex, L., . . . Ye, B. (2014). Trim9 Regulates Activity-Dependent Fine-Scale Topography in *Drosophila*. *Current Biology*. doi: 10.1016/j.cub.2014.03.041. [http://www.cell.com/current-biology/abstract/S0960-9822\(14\)00333-9](http://www.cell.com/current-biology/abstract/S0960-9822(14)00333-9)

Yang, L. Y., Verhovshek, T., & Sengelaub, D. R. (2004). Brain-Derived Neurotrophic Factor and Androgen Interact in the Maintenance of Dendritic Morphology in a Sexually Dimorphic Rat Spinal Nucleus. *Endocrinology*, 145(1), 161-168. doi: 10.1210/en.2003-0853. <http://endo.endojournals.org/cgi/content/abstract/145/1/161>

Yang, Q., Chen, C.-C., Ramos, R. L., Katz, E., Keller, A., & Brumberg, J. C. (2014). Intrinsic properties of and thalamocortical inputs onto identified corticothalamic-VPM neurons. *Somatosensory and Motor Research*, 0(0), 1-16. doi: 10.3109/08990220.2013.869495. <http://informahealthcare.com/doi/abs/10.3109/08990220.2013.869495>

Yang, S., Su, W., & Bao, S. (2012). Long-term, but not transient, threshold shifts alter the morphology and increase the excitability of cortical pyramidal neurons. *Journal of Neurophysiology*. doi: 10.1152/jn.00371.2012. <http://jn.physiology.org/content/early/2012/06/13/jn.00371.2012.abstract>

Yang, T., Liu, H., Tran, K. C., Leng, A., Massa, S. M., & Longo, F. M. (2020). Small-molecule modulation of the p75 neurotrophin receptor inhibits a wide range of tau molecular pathologies and their sequelae in P301S tauopathy mice. *Acta Neuropathologica Communications*, 8(1), 156. doi: 10.1186/s40478-020-01034-0. <https://doi.org/10.1186/s40478-020-01034-0>

Yang, T., Massa, S. M., Tran, K. C., Simmons, D. A., Rajadas, J., Zeng, A. Y., . . . Longo, F. M. (2016). A small molecule TrkB/TrkC neurotrophin receptor co-activator with distinctive effects on neuronal survival and process outgrowth. *Neuropharmacology*. doi: <http://dx.doi.org/10.1016/j.neuropharm.2016.06.015>. <http://www.sciencedirect.com/science/article/pii/S0028390816302684>

Yang, T., Tran, K. C., Zeng, A. Y., Massa, S. M., & Longo, F. M. (2020). Small molecule modulation of the p75 neurotrophin receptor inhibits multiple amyloid beta-induced tau pathologies. *Scientific Reports*, 10(1), 20322. doi: 10.1038/s41598-020-77210-y. <https://doi.org/10.1038/s41598-020-77210-y>

Yang, W., Carrasquillo, Y., Hooks, B. M., Nerbonne, J. M., & Burkhalter, A. (2013). Distinct Balance of Excitation and Inhibition in an Interareal Feedforward and Feedback Circuit of Mouse Visual Cortex. *The Journal of Neuroscience*, 33(44), 17373-17384. doi: <http://www.jneurosci.org/content/33/44/17373.short>

Yang, W. K., Peng, Y. H., Li, H., Lin, H. C., Lin, Y. C., Lai, T. T., . . . others. (2011). Nak Regulates Localization of Clathrin Sites in Higher-Order Dendrites to Promote Local Dendrite Growth. *Neuron*, 72(2), 285-299. doi: <https://pubmed.ncbi.nlm.nih.gov/22017988/>

Yang, Y., Chen, K., Rosa, M., Yu, H.-H., Kuang, L.-R., & Yang, J. (2021). Visual response characteristics of neurons in the second visual area of marmosets. *Neural Regeneration Research*, 16(9), 1871-1876. doi: 10.4103/1673-5374.303043. <http://www.nrronline.org/article.asp?issn=1673-5374;year=2021;volume=16;...>

Yang, Y., Wang, Z.-H., Jin, S., Gao, D., Liu, N., Chen, S.-P., . . . Wang, J.-Z. (2016). Opposite monosynaptic scaling of BLP-vCA1 inputs governs hopefulness- and helplessness-modulated spatial learning and memory. [Article]. *Nat Commun*, 7. doi: 10.1038/ncomms11935. <http://dx.doi.org/10.1038/ncomms11935>

Yanpallewar, S. U., Barrick, C. A., Palko, M. E., Fulgenzi, G., & Tessarollo, L. (2012). Tamalin Is a Critical Mediator of Electroconvulsive Shock-Induced Adult Neuroplasticity. *Journal of Neuroscience*, 32(7), 2252-2262. doi: 10.1523/jneurosci.5493-11.2012. <http://www.jneurosci.org/content/32/7/2252.abstract>

Yao, W., & Godfrey, D. A. (1999). Vesicular Acetylcholine Transporter in the Rat Cochlear Nucleus: An Immunohistochemical Study. *Journal of Histochemistry AND Cytochemistry*, 47(1), 83-90. doi: <http://www.jhc.org/cgi/content/abstract/47/1/83>

Yao, X.-H., Wang, M., He, X.-N., He, F., Zhang, S.-Q., Lu, W., . . . Yu, Y.-C. (2016). Electrical coupling regulates layer 1 interneuron microcircuit formation in the neocortex. [Article]. *Nature Communications*, 7, 12229. doi: 10.1038/ncomms12229

<http://www.nature.com/articles/ncomms12229#supplementary-information>. <http://dx.doi.org/10.1038/ncomms12229>

Yao, Z.-F., Wang, Y., Lin, Y.-H., Wu, Y., Zhu, A.-Y., Wang, R., . . . Jiang, Z.-Q. (2017). Transplantation of PDGF-AA-Overexpressing Oligodendrocyte Precursor Cells Promotes



Recovery in Rat Following Spinal Cord Injury. *Frontiers in cellular neuroscience*, 11. doi: <http://web.a.ebscohost.com/abstract?direct=true&profile=ehost&scope=site...>

Yarch, J., Federer, F., & Angelucci, A. (2016). Local Circuits of V1 Layer 4B Neurons Projecting to V2 Thick Stripes Define Distinct Cell Classes and Avoid Cytochrome Oxidase Blobs. [10.1523/JNEUROSCI.2848-16.2016]. *The Journal of Neuroscience*. doi: <http://www.jneurosci.org/content/early/2016/12/02/JNEUROSCI.2848-16.2016...>

Yarch, J., Larsen, H., Chen, M., & Angelucci, A. (2019). Morphological Cell Types Projecting from V1 Layer 4B to V2 Thick and Thin Stripes. *The Journal of Neuroscience*, 1096-1019. doi: 10.1523/jneurosci.1096-19.2019. <http://www.jneurosci.org/content/early/2019/07/29/JNEUROSCI.1096-19.2019...>

Yasmin, F., Saxena, K., McEwen, B. S., & Chattarji, S. (2016). The delayed strengthening of synaptic connectivity in the amygdala depends on NMDA receptor activation during acute stress. [10.14814/phy2.13002]. *Physiological Reports*, 4(20). doi: <http://physreports.physiology.org/content/4/20/e13002.abstract>

Yasuda, H., Huang, Y., & Tsumoto, T. (2008). Regulation of excitability and plasticity by endocannabinoids and PKA in developing hippocampus. *Proceedings of the National Academy of Sciences*, 105(8), 3106-3111. doi: 10.1073/pnas.0708349105. <http://www.pnas.org/cgi/content/abstract/105/8/3106>

Yasui, M., Shiraishi, Y., Ozaki, N., Hayashi, K., Hori, K., Ichiyonagi, M., & Sugiura, Y. (2011). Nerve growth factor and associated nerve sprouting contribute to local mechanical hyperalgesia in a rat model of bone injury. *European Journal of Pain*. doi: <https://pubmed.ncbi.nlm.nih.gov/22337615/>

Yata, T., Nakamura, M., Sagawa, H., Tokita, Y., Terasaki, H., & Watanabe, M. (2007). Survival and axonal regeneration of off-center retinal ganglion cells of adult cats are promoted with an anti-glaucoma drug, nipradilol, but not BDNF and CNTF. *Neuroscience*, 148(1), 53-64. doi: <https://pubmed.ncbi.nlm.nih.gov/17629411/>

Yau, S. Y., Lau, B. W. M., Tong, J. B., Wong, R., Ching, Y. P., Qiu, G., . . . So, K. F. (2011). Hippocampal neurogenesis and dendritic plasticity support running-improved spatial learning and depression-like behaviour in stressed rats. *PLoS ONE*, 6(9), e24263-e24263. doi: <https://pubmed.ncbi.nlm.nih.gov/21935393/>

Yavuzoglu, A., Schofield, B. R., & Wenstrup, J. J. (2010). Substrates of auditory frequency integration in a nucleus of the lateral lemniscus. *Neuroscience*, 169(2), 906-919. doi: <https://pubmed.ncbi.nlm.nih.gov/20451586/>

Yavuzoglu, A., Schofield, B. R., & Wenstrup, J. J. (2011). Circuitry Underlying Spectrotemporal Integration in the Auditory Midbrain. *Journal of Neuroscience*, 31(40), 14424-14435. doi: 10.1523/jneurosci.3529-11.2011. <http://www.jneurosci.org/content/31/40/14424.abstract>

Ybarra, N., Hemond, P. J., O'Boyle, M. P., & Suter, K. J. (2011). Spatially selective, testosterone-independent remodeling of dendrites in gonadotropin-releasing hormone (GnRH) neurons

prepubertally in male rats. *Endocrinology*, 152(5). doi: <https://pubmed.ncbi.nlm.nih.gov/21343259/>

Ye, B., Kim, J. H., Yang, L., McLachlan, I., Younger, S., Jan, L. Y., & Jan, Y. N. (2011). Differential Regulation of Dendritic and Axonal Development by the Novel Krüppel-Like Factor Dar1. *Journal of Neuroscience*, 31(9), 3309-3319. doi: 10.1523/jneurosci.6307-10.2011. <http://www.jneurosci.org/content/31/9/3309.abstract>

Ye, L., Fritsch, S. K., Schelle, J., Obermüller, U., Degenhardt, K., Kaeser, S. A., . . . Jucker, M. (2015). Persistence of A[ $\beta$ ] seeds in APP null mouse brain. [Brief Communication]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4117 <https://pubmed.ncbi.nlm.nih.gov/26352792/>

Ye, Y., Machado, D. G., & Kim, D. O. (2000). Projection of the marginal shell of the anteroventral cochlear nucleus to olivocochlear neurons in the cat. *Journal of Comparative Neurology*, 420(1), 127-138. doi: <https://pubmed.ncbi.nlm.nih.gov/10745224/>

Yeh, C.-M., Huang, C.-C., & Hsu, K.-S. (2012). Prenatal stress alters hippocampal synaptic plasticity in young rat offspring through preventing the proteolytic conversion of pro-brain-derived neurotrophic factor (BDNF) to mature BDNF. *Journal of Physiology*, 590(4), 991-1010. doi: 10.1113/jphysiol.2011.222042. <http://jp.physoc.org/content/590/4/991.abstract>

Yetnikoff, L., Cheng, A., Lavezzi, H. N., Parsley, K. P., & Zahm, D. S. (2015). Sources of input to the rostromedial tegmental nucleus, ventral tegmental area and lateral habenula compared: A study in rat. *Journal of Comparative Neurology*. doi: <http://onlinelibrary.wiley.com/doi/10.1002/cne.23797/abstract>

Yetnikoff, L., Reichard, R. A., Schwartz, Z. M., Parsely, K. P., & Zahm, D. S. (2013). Protracted maturation of forebrain afferent connections of the ventral tegmental area in the rat. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23459. <http://dx.doi.org/10.1002/cne.23459>

Yeung, P. K. K., Lai, A. K. W., Son, H. J., Zhang, X., Hwang, O., Chung, S. S. M., & Chung, S. K. (2016). Aldose reductase deficiency leads to oxidative stress-induced dopaminergic neuronal loss and autophagic abnormality in an animal model of Parkinson's disease. *Neurobiology of Aging*. doi: <http://dx.doi.org/10.1016/j.neurobiolaging.2016.11.008>. <http://www.sciencedirect.com/science/article/pii/S0197458016302950>

Yew, W. P., Djukic, N. D., Jayaseelan, J. S. P., Walker, F. R., Roos, K. A. A., Chataway, T. K., . . . Sims, N. R. (2019). Early treatment with minocycline following stroke in rats improves functional recovery and differentially modifies responses of peri-infarct microglia and astrocytes. [journal article]. *Journal of Neuroinflammation*, 16(1), 6. doi: 10.1186/s12974-018-1379-y. <https://doi.org/10.1186/s12974-018-1379-y>

Yick, L. W., Wu, W., & So, K. F. (1999). Additive effect of NOS inhibitor and neurotrophic factors on the survival of injured Clarke's neurons. *Neuroreport*, 10(12), 2569-2569. doi: <https://pubmed.ncbi.nlm.nih.gov/10574371/>

Yin, L., Zheng, R., Ke, W., He, Q., Zhang, Y., Li, J., . . . Shu, Y. (2018). Autapses enhance bursting and coincidence detection in neocortical pyramidal cells. *Nature Communications*, 9(1), 4890. doi: 10.1038/s41467-018-07317-4. <https://doi.org/10.1038/s41467-018-07317-4>

Yin, Y.-M., Lu, Y., Zhang, L.-X., Zhang, G.-P., & Zhang, Z.-Q. (2015). Bone marrow stromal cells transplantation combined with ultrashortwave therapy promotes functional recovery on spinal cord injury in rats. *Synapse*, n/a-n/a. doi: 10.1002/syn.21802. <http://dx.doi.org/10.1002/syn.21802>

Yip, H. K. F., Lai, T. Y. Y., So, K. F., & Kwok, A. K. H. (2006). Retinal ganglion cells toxicity caused by photosensitising effects of intravitreal indocyanine green with illumination in rat eyes. *British Journal of Ophthalmology*, 90(1), 99-102. doi: 10.1136/bjo.2005.076042. <http://bjo.bmj.com/cgi/content/abstract/90/1/99>

Yip, Z. C., Miller-Sims, V. C., & Bottjer, S. W. (2012). The morphology of axonal projections from the high vocal center to vocal motor cortex in songbirds. *Journal of Comparative Neurology*. doi: <https://pubmed.ncbi.nlm.nih.gov/22684940/>

Yiu, A. P., Rashid, A. J., & Josselyn, S. A. (2011). Increasing CREB Function in the CA1 Region of Dorsal Hippocampus Rescues the Spatial Memory Deficits in a Mouse Model of Alzheimer's Disease. *Neuropsychopharmacology*. doi: <http://www.nature.com/npp/journal/vaop/ncurrent/supplinfo/npp2011107s1.html>. <http://dx.doi.org/10.1038/npp.2011.107>

Yokoi, F., Dang, M. T., Zhang, L., Dexter, K. M., Efimenko, I., Krishnaswamy, S., . . . Li, Y. (2021). Reversal of motor-skill transfer impairment by trihexyphenidyl and reduction of dorsolateral striatal cholinergic interneurons in Dyt1ΔGAG knock-in mice. *IBRO Neuroscience Reports*, 11, 1-7. doi: <https://doi.org/10.1016/j.ibneur.2021.05.003>. <https://www.sciencedirect.com/science/article/pii/S2667242121000233>

Yokoi, F., Dang, M. T., Zhou, T., & Li, Y. (2012). Abnormal nuclear envelopes in the striatum and motor deficits in DYT11 myoclonus-dystonia mouse models. *Human Molecular Genetics*, 21(4), 916-925. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3263984/>

Yokoi, F., Oleas, J., Xing, H., Liu, Y., Dexter, K. M., Misztal, C., . . . Li, Y. (2019). Decreased number of striatal cholinergic interneurons and motor deficits in dopamine receptor 2-expressing-cell-specific Dyt1 conditional knockout mice. *Neurobiology of Disease*, 104638. doi: <https://doi.org/10.1016/j.nbd.2019.104638>. <http://www.sciencedirect.com/science/article/pii/S0969996119303134>

Yokoi, I., & Komatsu, H. (2010). Cortico-geniculate feedback linking the visual fields surrounding the blind spot in the cat. *Experimental Brain Research*, 202(1), 247-251. doi: <https://pubmed.ncbi.nlm.nih.gov/20020113/>

Yonekura, J., & Yokoi, M. (2008). Conditional genetic labeling of mitral cells of the mouse accessory olfactory bulb to visualize the organization of their apical dendritic tufts. *Molecular and Cellular Neuroscience*, 37(4), 708-718. doi: <https://pubmed.ncbi.nlm.nih.gov/18201899/>

Yoneyama-Sarnecky, T., Olivas, A. D., Azari, S., Ferriero, D. M., Manvelyan, H. M., & Noble-Haeusslein, L. J. (2010). Heme oxygenase-2 modulates early pathogenesis after traumatic injury to the immature brain. *Developmental Neuroscience*, 32(1), 81-90. doi. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2866583/>

Yoo, D. Y., Choi, J. H., Kim, W., Yoo, K. Y., Lee, C. H., Yoon, Y. S., . . . Hwang, I. K. (2011). Effects of *Melissa officinalis* L.(Lemon Balm) Extract on Neurogenesis Associated with Serum Corticosterone and GABA in the Mouse Dentate Gyrus. *Neurochemical Research*, 36(2), 250-257. doi. <https://pubmed.ncbi.nlm.nih.gov/21076869/>

Yoo, D. Y., Kim, W., Kim, D. W., Yoo, K. Y., Chung, J. Y., Youn, H. Y., . . . Hwang, I. K. (2011). Pyridoxine enhances cell proliferation and neuroblast differentiation by upregulating the GABAergic system in the mouse dentate gyrus. *Neurochemical Research*, 36(5), 713-721. doi. <https://pubmed.ncbi.nlm.nih.gov/21207138/>

Yoo, D. Y., Kim, W., Kim, I. H., Nam, S. M., Chung, J. Y., Choi, J. H., . . . Hwang, I. K. (2012). Combination effects of sodium butyrate and pyridoxine treatment on cell proliferation and neuroblast differentiation in the dentate gyrus of D-galactose-induced aging model mice. *Neurochemical Research*, 1-9. doi. <https://pubmed.ncbi.nlm.nih.gov/21984169/>

Yoo, D. Y., Kim, W., Lee, C. H., Shin, B. N., Nam, S. M., Choi, J. H., . . . Hwang, I. K. (2011). Melatonin improves d-galactose-induced aging effects on behavior, neurogenesis, and lipid peroxidation in the mouse dentate gyrus via increasing pCREB expression. *Journal of Pineal Research*. doi. <https://pubmed.ncbi.nlm.nih.gov/21718363/>

Yoo, D. Y., Kim, W., Nam, S. M., Kim, D. W., Chung, J. Y., Choi, S. Y., . . . Hwang, I. K. (2011). Synergistic Effects of Sodium Butyrate, a Histone Deacetylase Inhibitor, on Increase of Neurogenesis Induced by Pyridoxine and Increase of Neural Proliferation in the Mouse Dentate Gyrus. *Neurochemical Research*, 1-8. doi. <https://pubmed.ncbi.nlm.nih.gov/21597935/>

Yoo, D. Y., Kim, W., Nam, S. M., Yoo, K. Y., Lee, C. H., Choi, J. H., . . . Yoon, Y. S. (2011). Reduced Cell Proliferation and Neuroblast Differentiation in the Dentate Gyrus of High Fat Diet-Fed Mice are Ameliorated by Metformin and Glimepiride Treatment. *Neurochemical Research*, 1-8. doi. <https://pubmed.ncbi.nlm.nih.gov/21818657/>

Yoo, D. Y., Kim, W., Yoo, K. Y., Lee, C. H., Choi, J. H., Kang, I. J., . . . Hwang, I. K. (2011). Effects of *Nelumbo nucifera* Rhizome Extract on Cell Proliferation and Neuroblast Differentiation in the Hippocampal Dentate Gyrus in a Scopolamine-induced Amnesia Animal Model. *Phytotherapy Research*, 25(6), 809-815. doi. <https://pubmed.ncbi.nlm.nih.gov/21086545/>

Yoo, D. Y., Kim, W., Yoo, K. Y., Nam, S. M., Chung, J. Y., Yoon, Y. S., . . . Hwang, I. K. (2012). Effects of pyridoxine on a high-fat diet-induced reduction of cell proliferation and neuroblast differentiation depend on cyclic adenosine monophosphate response element binding protein in the mouse dentate gyrus. *Journal of Neuroscience Research*. doi. <https://pubmed.ncbi.nlm.nih.gov/22431394/>

Yoo, D. Y., Kim, W., Yoo, K.-Y., Lee, C. H., Choi, J. H., Yoon, Y. S., . . . Hwang, I. K. (2010). Grape seed extract enhances neurogenesis in the hippocampal dentate gyrus in C57BL/6 mice. *Phytotherapy Research*, n/a-n/a. doi: 10.1002/ptr.3319. <http://dx.doi.org/10.1002/ptr.3319>

Yoo, D. Y., Shin, B. N., Kim, I. H., Kim, W., Kim, D. W., Yoo, K. Y., . . . others. (2012). Effects of Cu, Zn-Superoxide Dismutase on Cell Proliferation and Neuroblast Differentiation in the Mouse Dentate Gyrus. *Neurochemical Research*, 1-7. doi: <https://pubmed.ncbi.nlm.nih.gov/21927927/>

Yoon, Y. J., Gokin, A. P., & Martin-Caraballo, M. (2010). Pharmacological manipulation of GABA-driven activity in ovo disrupts the development of dendritic morphology but not the maturation of spinal cord network activity. *Neural Development*, 5, 11. doi: <https://neuraldevelopment.biomedcentral.com/articles/10.1186/1749-8104-5-11>

Yoon, Y. J., White, S. L., Ni, X., Gokin, A. P., & Martin-Caraballo, M. (2012). Downregulation of GluA2 AMPA Receptor Subunits Reduces the Dendritic Arborization of Developing Spinal Motoneurons. *PLoS ONE*, 7(11), e49879. doi: 10.1371/journal.pone.0049879. <http://dx.doi.org/10.1371%2Fjournal.pone.0049879>

Yoshii, A., Murata, Y., Kim, J., Zhang, C., Shokat, K. M., & Constantine-Paton, M. (2011). TrkB and Protein Kinase M  $\zeta$  Regulate Synaptic Localization of PSD-95 in Developing Cortex. *Journal of Neuroscience*, 31(33), 11894-11904. doi: 10.1523/jneurosci.2190-11.2011. <http://www.jneurosci.org/content/31/33/11894.abstract>

Yoshino, H., Miyamae, T., Hansen, G., Zambrowicz, B., Flynn, M., Pedicord, D., . . . Gonzalez-Burgos, G. (2011). Postsynaptic diacylglycerol lipase  $\alpha$  mediates retrograde endocannabinoid suppression of inhibition in mouse prefrontal cortex. *Journal of Physiology*, 589(20), 4857-4884. doi: 10.1113/jphysiol.2011.212225. <http://jp.physoc.org/content/589/20/4857.abstract>

Young, A., & Sun, Q.-Q. (2009). GABAergic Inhibitory Interneurons in the Posterior Piriform Cortex of the GAD67-GFP Mouse. *Cerebral Cortex*, 19, 3011-3029. doi: 10.1093/cercor/bhp072. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhp072v1>

Young, C. C., Stegen, M., Bernard, R., Müller, M., Bischofberger, J., Veh, R. W., . . . Wolfart, J. (2009). Upregulation of inward rectifier K<sup>+</sup> (Kir2) channels in dentate gyrus granule cells in temporal lobe epilepsy. *Journal of Physiology*, 587(17), 4213-4233. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2754361/>

Young, K. A., Thompson, P. M., Cruz, D. A., Williamson, D. E., & Selemon, L. D. (2015). BA11 FKBP5 expression levels correlate with dendritic spine density in postmortem PTSD and controls. *Neurobiology of Stress*, 2, 67-72. doi: <http://dx.doi.org/10.1016/j.ynstr.2015.07.002>. <http://www.sciencedirect.com/science/article/pii/S2352289515300060>

Young, M. E., Ohm, D. T., Janssen, W. G. M., Gee, N. A., Lasley, B. L., & Morrison, J. H. (2013). Continuously delivered ovarian steroids do not alter dendritic spine density or morphology in macaque dorsolateral prefrontal cortical neurons. *Neuroscience*, (0). doi: <http://dx.doi.org/10.1016/j.neuroscience.2013.09.062>. <http://www.sciencedirect.com/science/article/pii/S0306452213008415>

Young, S. Z., Taylor, M. M., Wu, S., Ikeda-Matsuo, Y., Kubera, C., & Bordey, A. (2012). NKCC1 Knockdown Decreases Neuron Production through GABAA-Regulated Neural Progenitor Proliferation and Delays Dendrite Development. *Journal of Neuroscience*, 32(39), 13630-13638. doi: 10.1523/jneurosci.2864-12.2012. <http://www.jneurosci.org/content/32/39/13630.abstract>

Young, T. R., Bourke, M., Zhou, X., Oohashi, T., Sawatari, A., Fässler, R., & Leamey, C. A. (2013). Ten-m2 Is Required for the Generation of Binocular Visual Circuits. *Journal of Neuroscience*, 33(30), 12490-12509. doi: 10.1523/jneurosci.4708-12.2013. <http://www.jneurosci.org/content/33/30/12490.abstract>

Younts, T. J., Chevalleyre, V., & Castillo, P. E. (2013). CA1 Pyramidal Cell Theta-Burst Firing Triggers Endocannabinoid-Mediated Long-Term Depression at Both Somatic and Dendritic Inhibitory Synapses. *The Journal of Neuroscience*, 33(34), 13743-13757. doi: 10.1523/jneurosci.0817-13.2013. <http://www.jneurosci.org/content/33/34/13743.abstract>

Yousef, T., Bonhoeffer, T., Kim, D.-S., Eysel, U. T., Toth, E., & Kisvárdy, Z. F. (1999). Orientation topography of layer 4 lateral networks revealed by optical imaging in cat visual cortex (area 18). *European Journal of Neuroscience*, 11(12), 4291-4308. doi: doi:10.1046/j.1460-9568.1999.00863.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1999.00863.x>

Yousef, T., Tóth, É., Rausch, M., Eysel, U. T., & Kisvárdy, Z. F. (2001). Topography of orientation centre connections in the primary visual cortex of the cat. *Neuroreport*, 12(8), 1693-1693. doi: <https://pubmed.ncbi.nlm.nih.gov/11409741/>

Yu, Diana X., Di Giorgio, Francesco P., Yao, J., Marchetto, Maria C., Brennand, K., Wright, R., . . . Gage, Fred H. (2014). Modeling Hippocampal Neurogenesis Using Human Pluripotent Stem Cells. *Stem Cell Reports*, (0). doi: <http://dx.doi.org/10.1016/j.stemcr.2014.01.009>. <http://www.sciencedirect.com/science/article/pii/S2213671114000265>

Yu, H., Wang, Y., Pattwell, S., Jing, D., Liu, T., Zhang, Y., . . . Chen, Z.-Y. (2009). Variant BDNF Val66Met Polymorphism Affects Extinction of Conditioned Aversive Memory. *Journal of Neuroscience*, 29(13), 4056-4064. doi: 10.1523/jneurosci.5539-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/13/4056>

Yu, J., Gutnisky, D. A., Hires, S. A., & Svoboda, K. (2016). Layer 4 fast-spiking interneurons filter thalamocortical signals during active somatosensation. [Article]. *Nature Neuroscience*, advance online publication. doi: 10.1038/nn.4412  
<http://www.nature.com/neuro/journal/vaop/ncurrent/abs/nn.4412.html#suppl.....> <http://dx.doi.org/10.1038/nn.4412>

Yu, J., Proddatur, A., Swietek, B., Elgammal, F. S., & Santhakumar, V. (2015). Functional Reduction in Cannabinoid-Sensitive Heterotypic Inhibition of Dentate Basket Cells in Epilepsy: Impact on Network Rhythms. *Cerebral Cortex*. doi: 10.1093/cercor/bhv199. <http://cercor.oxfordjournals.org/content/early/2015/09/22/cercor.bhv199....>



Yu, J., Swietek, B., Proddatur, A., & Santhakumar, V. (2015). Dentate total molecular layer interneurons mediate cannabinoid-sensitive inhibition. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22419. <http://dx.doi.org/10.1002/hipo.22419>

Yu, J., Swietek, B., Proddatur, A., & Santhakumar, V. (2016). Dentate cannabinoid-sensitive interneurons undergo unique and selective strengthening of mutual synaptic inhibition in experimental epilepsy. *Neurobiology of Disease*. doi: <http://dx.doi.org/10.1016/j.nbd.2016.01.013>. <http://www.sciencedirect.com/science/article/pii/S0969996116300146>

Yu, J., Wang, L., Weng, S.-J., Yang, X.-L., Zhang, D.-Q., & Zhong, Y.-M. (2013). Hyperactivity of ON-Type Retinal Ganglion Cells in Streptozotocin-Induced Diabetic Mice. *PLoS ONE*, 8(9), e76049. doi: 10.1371/journal.pone.0076049. <http://dx.doi.org/10.1371%2Fjournal.pone.0076049>

Yu, P., Huang, L., Zou, J., Yu, Z., Wang, Y., Wang, X., . . . Lu, P. H. (2008). Immunization with recombinant Nogo-66 receptor (NgR) promotes axonal regeneration and recovery of function after spinal cord injury in rats. *Neurobiology of Disease*, 32(3), 535-542. doi. <https://pubmed.ncbi.nlm.nih.gov/18930141/>

Yu, P., Huang, L., Zou, J., Zhu, H., Wang, X., Yu, Z., . . . Lu, P. H. (2007). DNA vaccine against NgR promotes functional recovery after spinal cord injury in adult rats. *Brain Research*, 1147, 66-76. doi. <https://pubmed.ncbi.nlm.nih.gov/17362886/>

Yu, P., Zhang, Y. P., Shields, L. B. E., Zheng, Y., Hu, X., Hill, R., . . . others. (2011). Inhibitor of DNA binding 2 promotes sensory axonal growth after SCI. *Experimental Neurology*. doi. <https://pubmed.ncbi.nlm.nih.gov/21679705/>

Yu, S., Jia, L., Zhang, Y., Wu, D., Xu, Z., Ng, C.-F., . . . Chan, F. L. (2012). Increased expression of activated endothelial nitric oxide synthase contributes to antiandrogen resistance in prostate cancer cells by suppressing androgen receptor transactivation. *Cancer Letters*, (0). doi: 10.1016/j.canlet.2012.09.006. <http://www.sciencedirect.com/science/article/pii/S0304383512005435>

Yu, S., Wang, X., Ng, C.-F., Chen, S., & Chan, F. L. (2007). ERR $\gamma$  Suppresses Cell Proliferation and Tumor Growth of Androgen-Sensitive and Androgen-Insensitive Prostate Cancer Cells and Its Implication as a Therapeutic Target for Prostate Cancer. *Cancer Research*, 67(10), 4904-4914. doi: 10.1158/0008-5472.can-06-3855. <http://cancerres.aacrjournals.org/cgi/content/abstract/67/10/4904>

Yu, S., Wong, Y. C., Wang, X. H., Ling, M. T., Ng, C. F., Chen, S., & Chan, F. L. (2007). Orphan nuclear receptor estrogen-related receptor- $\beta$  suppresses in vitro and in vivo growth of prostate cancer cells via p21<sup>WAF1</sup>/CIP1 induction and as a potential therapeutic target in prostate cancer. *Oncogene*. doi: 10.1038/sj.onc.1210986. doi. <https://pubmed.ncbi.nlm.nih.gov/18071305/>

Yu, S., Zhang, Y., Yuen, M. T., Zou, C., Danielpour, D., & Chan, F. L. (2011). 17-Beta-estradiol induces neoplastic transformation in prostatic epithelial cells. *Cancer Letters*, 304(1), 8-20. doi. <https://pubmed.ncbi.nlm.nih.gov/21353741/>

Yu, X., Sperling, A., Blair, C., Thompson, K., & Naclerio, R. (2004). Antigen stimulation of T<sub>H2</sub> cells augments acute bacterial sinusitis in mice. *Journal of Allergy and Clinical Immunology*, 114(2), 328-334. doi. <https://pubmed.ncbi.nlm.nih.gov/15316511/>

Yu, Y. C., He, S., Chen, S., Fu, Y., Brown, K. N., Yao, X. H., . . . others. (2012). Preferential electrical coupling regulates neocortical lineage-dependent microcircuit assembly. *Nature*. doi. <https://pubmed.ncbi.nlm.nih.gov/22678291/>

Yu, Y.-C., Bultje, R. S., Wang, X., & Shi, S.-H. (2009). Specific synapses develop preferentially among sister excitatory neurons in the neocortex. *Nature*. doi. <http://dx.doi.org/10.1038/nature07722>

[http://www.nature.com/nature/journal/vaop/ncurrent/suppinfo/nature07722\\_...](http://www.nature.com/nature/journal/vaop/ncurrent/suppinfo/nature07722_...)

Yuan, K., Fink, K. L., Winer, J. A., & Schreiner, C. E. (2010). Local connection patterns of parvalbumin-positive inhibitory interneurons in rat primary auditory cortex. *Hearing Research*. doi. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3816087/>

Yuan, K., Shih, J. Y., Winer, J. A., & Schreiner, C. E. (2011). Functional Networks of Parvalbumin-Immunoreactive Neurons in Cat Auditory Cortex. *Journal of Neuroscience*, 31(37), 13333-13342. doi: 10.1523/jneurosci.1000-11.2011. <http://www.jneurosci.org/content/31/37/13333.abstract>

Yuan, Q., Scott, D. E., So, K. F., & Wu, W. (2006). Developmental changes of nitric oxide synthase expression in the rat hypothalamoneurohypophyseal system. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 288(1), 36-45. doi. <https://pubmed.ncbi.nlm.nih.gov/16342209/>

Yuan, X., Trachtenberg, J. T., Potter, S. M., & Roysam, B. (2009). MDL constrained 3-D grayscale skeletonization algorithm for automated extraction of dendrites and spines from fluorescence confocal images. *Neuroinformatics*, 7(4), 213-232. doi. <https://pubmed.ncbi.nlm.nih.gov/20012509/>

Yudintsev, G., & Llano, D. A. (2017). Layer 5 and 6 neurons projecting to the inferior colliculus comprise two distinct and heterogeneous populations in the cortex. doi. <https://www.ideals.illinois.edu/handle/2142/95194>

Yuen, D. A., Connelly, K. A., Advani, A., Liao, C., Kuliszewski, M. A., Trogadis, J., . . . others. (2010). Culture-modified bone marrow cells attenuate cardiac and renal injury in a chronic kidney disease rat model via a novel antifibrotic mechanism. *PLoS ONE*, 5(3), e9543-e9543. doi. <https://pubmed.ncbi.nlm.nih.gov/20209052/>

Yun, J., Nagai, T., Furukawa-Hibi, Y., Kuroda, K., Kaibuchi, K., Greenberg, M. E., & Yamada, K. (2012). Neuronal PAS domain protein 4 (Npas4) regulates neurite outgrowth and phosphorylation of synapsin I. *Journal of Biological Chemistry*. doi:

10.1074/jbc.M112.413310. <http://www.jbc.org/content/early/2012/11/21/jbc.M112.413310.abstract>

Yun, S., Reynolds, R. P., Petrof, I., White, A., Rivera, P. D., Segev, A., . . . Eisch, A. J. (2018). Stimulation of entorhinal cortex–dentate gyrus circuitry is antidepressive. *Nature Medicine*. doi: 10.1038/s41591-018-0002-1. <https://doi.org/10.1038/s41591-018-0002-1>

Yuste, R., & Urban, R. (2004). Dendritic spines and linear networks. *Journal of Physiology-Paris*, 98(4-6), 479-486. doi: <https://pubmed.ncbi.nlm.nih.gov/16309899/>

Zaborszky, L., Buhl, D. L., Pobalashingham, S., Bjaalie, J. G., & Nadasdy, Z. (2005). Three-dimensional chemoarchitecture of the basal forebrain: spatially specific association of cholinergic and calcium binding protein-containing neurons. *Neuroscience*, 136(3), 697-713. doi: <https://pubmed.ncbi.nlm.nih.gov/16344145/>

Zaborszky, L., Csordas, A., Buhl, D., Duque, A., Somogyi, J., & Nadasdy, Z. (2002). Computational anatomical analysis of the basal forebrain corticopetal system. *Computational Neuroanatomy: Principles and Methods*, 171-197. doi: [https://link.springer.com/chapter/10.1007/978-1-59259-275-3\\_9](https://link.springer.com/chapter/10.1007/978-1-59259-275-3_9)

Zaborszky, L., Csordas, A., Mosca, K., Kim, J., Gielow, M. R., Vadasz, C., & Nadasdy, Z. (2013). Neurons in the Basal Forebrain Project to the Cortex in a Complex Topographic Organization that Reflects Corticocortical Connectivity Patterns: An Experimental Study Based on Retrograde Tracing and 3D Reconstruction. *Cerebral Cortex*. doi: 10.1093/cercor/bht210. <http://cercor.oxfordjournals.org/content/early/2013/08/19/cercor.bht210...>

Zaborszky, L., & Duque, A. (2000). Local synaptic connections of basal forebrain neurons. *Behavioural Brain Research*, 115(2), 143-158. doi: <https://pubmed.ncbi.nlm.nih.gov/11000417/>

Zaborszky, L., Duque, A., Gielow, M., Gombkoto, P., Nadasdy, Z., & Somogyi, J. (2015). Chapter 19 - Organization of the Basal Forebrain Cholinergic Projection System: Specific or Diffuse? In G. Paxinos (Ed.), *The Rat Nervous System (Fourth Edition)* (pp. 491-507). San Diego: Academic Press. <https://www.researchwithrutgers.com/en/publications/organization-of-the-basal-forebrain-cholinergic-projection-system>

Zaborszky, L., Duque, A., & others. (2003). Sleep-wake mechanisms and basal forebrain circuitry. *Frontiers in Bioscience*, 8, d1146–d1169. doi: <https://pubmed.ncbi.nlm.nih.gov/12957822/>

Zaborszky, L., Gaykema, R. P., Swanson, D. J., & Cullinan, W. E. (1997). Cortical input to the basal forebrain. *Neuroscience*, 79(4), 1051-1078. doi: <https://pubmed.ncbi.nlm.nih.gov/9219967/>

Zaborszky, L., Pang, K., Somogyi, J., Nadasdy, Z., & Kallo, I. (1999). The Basal Forebrain Corticopetal System Revisited. *Annals of the New York Academy of Sciences*, 877(1), 339-367. doi: 10.1111/j.1749-6632.1999.tb09276.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1749-6632.1999.tb0927...>

Zaborszky, L., Rosin, D. L., & Kiss, J. (2004). Alpha-adrenergic receptor ( $\alpha$  2A) is colocalized in basal forebrain cholinergic neurons: A light and electron microscopic double immunolabeling study. *Journal of Neurocytology*, 33(3), 265-276. doi: <https://pubmed.ncbi.nlm.nih.gov/15475682/>

Zaborszky, L., & Vadasz, C. (2002). The Midbrain Dopaminergic System: Anatomy and Genetic Variation in Dopamine Neuron Number of Inbred Mouse Strains. *Behavior Genetics*, 31. doi: <https://pubmed.ncbi.nlm.nih.gov/11529274/>

Zagrebelsky, M., Buffo, A., Skerra, A., Schwab, M. E., Strata, P., & Rossi, F. (1998). Retrograde Regulation of Growth-Associated Gene Expression in Adult Rat Purkinje Cells by Myelin-Associated Neurite Growth Inhibitory Proteins. *Journal of Neuroscience*, 18(19), 7912-7929. doi: <http://www.jneurosci.org/cgi/content/abstract/18/19/7912>

Zagrebelsky, M., Gödecke, N., Remus, A., & Korte, M. (2018). Cell type-specific effects of BDNF in modulating dendritic architecture of hippocampal neurons. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1715-0. <https://doi.org/10.1007/s00429-018-1715-0>

Zagrebelsky, M., Holz, A., Dechant, G., Barde, Y.-A., Bonhoeffer, T., & Korte, M. (2005). The p75 Neurotrophin Receptor Negatively Modulates Dendrite Complexity and Spine Density in Hippocampal Neurons. *Journal of Neuroscience*, 25(43), 9989-9999. doi: <http://www.jneurosci.org/cgi/content/abstract/25/43/9989>

Zagrebelsky, M., Schweigreiter, R., Bandtlow, C. E., Schwab, M. E., & Korte, M. (2010). Nogo-A Stabilizes the Architecture of Hippocampal Neurons. *Journal of Neuroscience*, 30(40), 13220-13234. doi: 10.1523/jneurosci.1044-10.2010. <http://www.jneurosci.org/cgi/content/abstract/30/40/13220>

Zahm, D. S., Cheng, A. Y., Lee, T. J., Ghobadi, C. W., Schwartz, Z. M., Geisler, S., . . . Veh, R. W. (2011). Inputs to the midbrain dopaminergic complex in the rat, with emphasis on extended amygdala-recipient sectors. *Journal of Comparative Neurology*, 519(16), 3159-3188. doi: 10.1002/cne.22670. <http://dx.doi.org/10.1002/cne.22670>

Zahm, D. S., Parsley, K. P., Schwartz, Z. M., & Cheng, A. Y. (2012). On lateral septum-like characteristics of outputs from the accumbal hedonic 'hotspot' of Peciña and Berridge with commentary on the transitional nature of basal forebrain 'boundaries'. *Journal of Comparative Neurology*, n/a-n/a. doi: 10.1002/cne.23157. <http://dx.doi.org/10.1002/cne.23157>

Zaitsev, A. V., Gonzalez-Burgos, G., Povysheva, N. V., Kröner, S., Lewis, D. A., & Krimer, L. S. (2005). Localization of calcium-binding proteins in physiologically and morphologically characterized interneurons of monkey dorsolateral prefrontal cortex. *Cerebral Cortex*, 15(8), 1178-1186. doi: <https://pubmed.ncbi.nlm.nih.gov/15590911/>

Zaitsev, A. V., Povysheva, N. V., Gonzalez-Burgos, G., & Lewis, D. A. (2012). Electrophysiological classes of layers 2-3 pyramidal cells in monkey prefrontal cortex. *Journal of Neurophysiology*. doi:

10.1152/jn.00859.2011. <http://jn.physiology.org/content/early/2012/04/06/jn.00859.2011.abstract>

Zaitsev, A. V., Povysheva, N. V., Gonzalez-Burgos, G., Rotaru, D., Fish, K. N., Krimer, L. S., & Lewis, D. A. (2008). Interneuron Diversity in Layers 2-3 of Monkey Prefrontal Cortex. *Cerebral Cortex*, bhn198. doi:

10.1093/cercor/bhn198. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhn198v1>

Zaitsev, A. V., Povysheva, N. V., Lewis, D. A., & Krimer, L. S. (2007). P/Q-Type, But Not N-Type, Calcium Channels Mediate GABA Release From Fast-Spiking Interneurons to Pyramidal Cells in Rat Prefrontal Cortex. *Journal of Neurophysiology*, 97(5), 3567-3573. doi: 10.1152/jn.01293.2006. <http://jn.physiology.org/cgi/content/abstract/97/5/3567>

Zaja-Milatovic, S., Gupta, R. C., Aschner, M., & Milatovic, D. (2009). Protection of DFP-induced oxidative damage and neurodegeneration by antioxidants and NMDA receptor antagonist. *Toxicology and Applied Pharmacology*, 240(2), 124-131. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2753756/>

Zaja-Milatovic, S., Gupta, R. C., Aschner, M., Montine, T. J., & Milatovic, D. (2008). Pharmacologic suppression of oxidative damage and dendritic degeneration following kainic acid-induced excitotoxicity in mouse cerebrum. *Neurotoxicology*, 29(4), 621-627. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2517174/>

Zaja-Milatovic, S., Keene, C. D., Montine, K. S., Leverenz, J. B., Tsuang, D., & Montine, T. J. (2006). Selective dendritic degeneration of medium spiny neurons in dementia with Lewy bodies. *Neurology*, 66(10), 1591-1593. doi: 10.1212/01.wnl.0000216137.09685.c1. <http://www.neurology.org/cgi/content/abstract/66/10/1591>

Zaja-Milatovic, S., Milatovic, D., Schantz, A. M., Zhang, J., Montine, K. S., Samii, A., . . . Montine, T. J. (2005). Dendritic degeneration in neostriatal medium spiny neurons in Parkinson disease. *Neurology*, 64(3), 545-547. doi: 10.1212/01.wnl.0000150591.33787.a4. <http://www.neurology.org/cgi/content/abstract/64/3/545>

Zakiewicz, I. M., van Dongen, Y. C., Leergaard, T. B., & Bjaalie, J. G. (2011). Workflow and Atlas System for Brain-Wide Mapping of Axonal Connectivity in Rat. *PLoS ONE*, 6(8), e22669-e22669. doi: <https://pubmed.ncbi.nlm.nih.gov/21829640/>

Zakir, M., & Dickman, J. D. (2006). Regeneration of Vestibular Otolith Afferents after Ototoxic Damage. *Journal of Neuroscience*, 26(11), 2881-2893. doi: 10.1523/jneurosci.3903-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/11/2881>

Zakir, M., Huss, D., & Dickman, J. D. (2003). Afferent Innervation Patterns of the Sacculi in Pigeons. *Journal of Neurophysiology*, 89(1), 534-550. doi: 10.1152/jn.00817.2001. <http://jn.physiology.org/cgi/content/abstract/89/1/534>

Zakir, M., Wu, L. Q., & Dickman, J. D. (2012). Morphology and innervation of the vestibular lagena in pigeons. *Neuroscience*, (0). doi:

10.1016/j.neuroscience.2012.02.014. <http://www.sciencedirect.com/science/article/pii/S0306452212001376>

Zalcman, S. S., Patel, A., Mohla, R., Zhu, Y., & Siegel, A. (2012). Soluble Cytokine Receptors (sIL-2R $\alpha$ , sIL-2R $\beta$ ) Induce Subunit-Specific Behavioral Responses and Accumulate in the Cerebral Cortex and Basal Forebrain. *PLoS ONE*, 7(4), e36316. doi: 10.1371/journal.pone.0036316. <http://dx.doi.org/10.1371%2Fjournal.pone.0036316>

Zallo, F., Gardenal, E., Verkhatsky, A., & Rodriguez, J. J. (2018). Loss of calretinin and parvalbumin positive interneurons in the hippocampal CA1 of aged Alzheimer's disease mice. *Neuroscience Letters*, 681, 19-25. doi: <https://doi.org/10.1016/j.neulet.2018.05.027>. <http://www.sciencedirect.com/science/article/pii/S0304394018303628>

Zaman, V., Turner, D. A., & Shetty, A. K. (2001). Prolonged postlesion transplantation delay adversely influences survival of both homotopic and heterotopic fetal hippocampal cell grafts in Kainate-lesioned CA3 region of adult hippocampus. *Cell Transplantation*, 10(1), 41-52. doi: <https://pubmed.ncbi.nlm.nih.gov/11294471/>

Zandt, B.-J., Liu, J. H., Veruki, M. L., & Hartveit, E. (2016). All amacrine cells: quantitative reconstruction and morphometric analysis of electrophysiologically identified cells in live rat retinal slices imaged with multi-photon excitation microscopy. *Brain Structure and Function*, 1-32. doi: <http://link.springer.com/article/10.1007/s00429-016-1206-0/fulltext.html>

Zandt, B.-J., Losnegård, A., Hodneland, E., Veruki, M. L., Lundervold, A., & Hartveit, E. (2017). Semi-automatic 3D morphological reconstruction of neurons with densely branching morphology: application to retinal All amacrine cells imaged with multi-photon excitation microscopy. *Journal of Neuroscience Methods*. doi: <http://dx.doi.org/10.1016/j.jneumeth.2017.01.008>. <http://www.sciencedirect.com/science/article/pii/S0165027017300080>

Zandt, B.-J., Veruki, M. L., & Hartveit, E. (2018). Electrotonic signal processing in All amacrine cells: compartmental models and passive membrane properties for a gap junction-coupled retinal neuron. [journal article]. *Brain Structure and Function*. doi: 10.1007/s00429-018-1696-z. <https://doi.org/10.1007/s00429-018-1696-z>

Zarrinpar, A., & Callaway, E. M. (2006). Local Connections to Specific Types of Layer 6 Neurons in the Rat Visual Cortex. *Journal of Neurophysiology*, 95(3), 1751-1761. doi: 10.1152/jn.00974.2005. <http://jn.physiology.org/cgi/content/abstract/95/3/1751>

Zarrinpar, A., & Callaway, E. M. (2014). Functional Local Input to Layer 5 Pyramidal Neurons in the Rat Visual Cortex. *Cerebral Cortex*. doi: 10.1093/cercor/bhu268. <http://cercor.oxfordjournals.org/content/early/2014/11/18/cercor.bhu268....>

Zeba, M., Jovanov-Milošević, N., & Petanjek, Z. (2008). Quantitative analysis of basal dendritic tree of layer III pyramidal neurons in different areas of adult human frontal cortex. *Collegium Antropologicum*, 32(Suppl.), 161-169. doi: <https://hrcak.srce.hr/en/24572>



Zecevic, N., Hu, F., & Jakovcevski, I. (2011). Interneurons in the developing human neocortex. *Developmental Neurobiology*, 71(1), 18-33. doi: 10.1002/dneu.20812. <http://dx.doi.org/10.1002/dneu.20812>

Zecevic, N., Rakic, S., Jakovcevski, I., & Filipovic, R. (2006). Contributions of the neocortical SVZ to human brain development. *Mammalian Subventricular Zones*, 117-158. doi: [https://www.researchgate.net/publication/251269874\\_Contributions\\_of\\_the\\_Neocortical\\_Svz\\_to\\_Human\\_Brain\\_Development](https://www.researchgate.net/publication/251269874_Contributions_of_the_Neocortical_Svz_to_Human_Brain_Development)

Zechel, S., Unsicker, K., & von Bohlen und Halbach, O. (2009). Fibroblast growth factor-2 deficiency affects hippocampal spine morphology, but not hippocampal catecholaminergic or cholinergic innervation. *Developmental Dynamics*, 238(2), 343-350. doi: <https://pubmed.ncbi.nlm.nih.gov/19161239/>

Zehle, S., Bock, J., Jezierski, G., Gruss, M., & Braun, K. (2007). Methylphenidate treatment recovers stress-induced elevated dendritic spine densities in the rodent dorsal anterior cingulate cortex. *Developmental Neurobiology*, 67(14), 1891-1900. doi: <https://pubmed.ncbi.nlm.nih.gov/17874461/>

Zehr, J. L., Nichols, L. R., Schulz, K. M., & Sisk, C. L. (2008). Adolescent development of neuron structure in dentate gyrus granule cells of male Syrian hamsters. *Developmental Neurobiology*, 68(14), 1517-1526. doi: <https://psycnet.apa.org/record/2008-18197-001>

Zehr, J. L., Todd, B. J., Schulz, K. M., McCarthy, M. M., & Sisk, C. L. (2006). Dendritic pruning of the medial amygdala during pubertal development of the male Syrian hamster. *Journal of Neurobiology*, 66(6), 578-590. doi: <https://pubmed.ncbi.nlm.nih.gov/16555234/>

Zemmar, A., Chen, C.-C., Weinmann, O., Kast, B., Vajda, F., Bozeman, J., . . . Schwab, M. E. (2017). Oligodendrocyte- and Neuron-Specific Nogo-A Restrict Dendritic Branching and Spine Density in the Adult Mouse Motor Cortex. *Cerebral Cortex*, 1-9. doi: <https://academic.oup.com/cercor/article/3827059/Oligodendrocyte-and-Neur...>

Zeng, Y., Bi, W., Wang, Y., Tang, X., & Xu, B. (2014). Automatic Recovery of Z-Jumps for Neuronal Morphology Reconstruction. [Abstract]. *Frontiers in neuroinformatics*. doi: 10.3389/conf.fninf.2014.18.00002. <http://www.frontiersin.org/Journal/FullText.aspx?s=752&name=neuroinforma...>

Zeng, Y., Liu, Y., Wu, M., Liu, J., & Hu, Q. (2012). Activation of TrkB by 7, 8-Dihydroxyflavone Prevents Fear Memory Defects and Facilitates Amygdalar Synaptic Plasticity in Aging. *Journal of Alzheimer's Disease*. doi: <https://pubmed.ncbi.nlm.nih.gov/22710915/>

Zeng, Y., Lv, F., Li, L., Yu, H., Dong, M., & Fu, Q. (2012). 7,8-dihydroxyflavone rescues spatial memory and synaptic plasticity in cognitively impaired aged rats. *Journal of Neurochemistry*, no-no. doi: 10.1111/j.1471-4159.2012.07830.x. <http://dx.doi.org/10.1111/j.1471-4159.2012.07830.x>

Zeng, Y., Tan, M., Kohyama, J., Sneddon, M., Watson, J. B., Sun, Y. E., & Xie, C.-W. (2011). Epigenetic Enhancement of BDNF Signaling Rescues Synaptic Plasticity in Aging. *Journal of*

Neuroscience, 31(49), 17800-17810. doi: 10.1523/jneurosci.3878-11.2011. <http://www.jneurosci.org/content/31/49/17800.abstract>

Zepecki, J. P., Snyder, K. M., Moreno, M. M., Fajardo, E., Fiser, A., Ness, J., . . . Tapinos, N. (2018). Regulation of human glioma cell migration, tumor growth, and stemness gene expression using a Lck targeted inhibitor. *Oncogene*. doi: 10.1038/s41388-018-0546-z. <https://doi.org/10.1038/s41388-018-0546-z>

Zepeda, A., Aguilar-Arredondo, A., Michel, G., Ramos-Languren, L. E., Escobar, M. L., & Arias, C. (2012). Functional recovery of the dentate gyrus after a focal lesion is accompanied by structural reorganization in the adult rat. *Brain Structure and Function*, 1-17. doi: <https://pubmed.ncbi.nlm.nih.gov/22481229/>

Zhan, R.-Z., & Nadler, J. V. (2009). Enhanced Tonic GABA Current in Normotopic and Hilar Ectopic Dentate Granule Cells after Pilocarpine-Induced Status Epilepticus. *Journal of Neurophysiology*, 00147.02009. doi: 10.1152/jn.00147.2009. <http://jn.physiology.org/cgi/content/abstract/00147.2009v1>

Zhan, R.-Z., Timofeeva, O., & Nadler, J. V. (2010). High Ratio of Synaptic Excitation to Synaptic Inhibition in Hilar Ectopic Granule Cells of Pilocarpine-Treated Rats. *Journal of Neurophysiology*, 104(6), 3293-3304. doi: 10.1152/jn.00663.2010. <http://jn.physiology.org/content/104/6/3293.abstract>

Zhan, X., Pongstaporn, T., & Ryugo, D. K. (2006). Projections of the second cervical dorsal root ganglion to the cochlear nucleus in rats. *Journal of Comparative Neurology*, 496(3), 335-348. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2736115/>

Zhan, X., & Ryugo, D. K. (2007). Projections of the lateral reticular nucleus to the cochlear nucleus in rats. *Journal of Comparative Neurology*, 504(5), 583-598. doi: <https://pubmed.ncbi.nlm.nih.gov/17701985/>

Zhang, B., Glasgow, E., Murase, T., Verbalis, J. G., & Gainer, H. (2001). Chronic Hypoosmolality Induces a Selective Decrease in Magnocellular Neurone Soma and Nuclear Size in the Rat Hypothalamic Supraoptic Nucleus. *Journal of Neuroendocrinology*, 13(1), 29. doi: <https://pubmed.ncbi.nlm.nih.gov/11123513/>

Zhang, C., Szabó, G., Erdélyi, F., Rose, J. D., & Sun, Q. Q. (2006). Novel interneuronal network in the mouse posterior piriform cortex. *Journal of Comparative Neurology*, 499(6), 1000-1015. doi: <https://pubmed.ncbi.nlm.nih.gov/17072835/>

Zhang, D., Marlin, M. C., Liang, Z., Ahmad, M., Ashpole, N., Sonntag, W., . . . Li, G. (2016). Protein Tyrosine Phosphatase MEG2 Regulates the Transport and Signal Transduction of Tropomyosin Receptor Kinase A. *Journal of Biological Chemistry*. doi: 10.1074/jbc.M116.728550. <http://www.jbc.org/content/early/2016/09/21/jbc.M116.728550.abstract>

Zhang, D., Patel, A., Zhu, Y., Siegel, A., & Zalzman, S. S. (2012). Anti-streptococcus IgM antibodies induce repetitive stereotyped movements: Cell activation and co-localization

with  $F\alpha/\mu$  receptors in the striatum and motor cortex. *Brain, Behavior, and Immunity*. doi: <https://pubmed.ncbi.nlm.nih.gov/22285613/>

Zhang, D. Z., Rasmussen, D. L., Saraswati, D. M., Koehler, D. R., Robertson, D. C. L., & Kannan, D. S. (2018). Traumatic injury leads to inflammation and altered tryptophan metabolism in the juvenile rabbit brain. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2017.5450. <https://www.liebertpub.com/doi/abs/10.1089/neu.2017.5450>

Zhang, G., Dmitrieva, N., Liu, Y., McGinty, K. A., & Berkley, K. J. (2008). Endometriosis as a neurovascular condition: estrous variations in innervation, vascularization, and growth factor content of ectopic endometrial cysts in the rat. *Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 294(1), R162-171. doi: 10.1152/ajpregu.00649.2007. <http://ajpregu.physiology.org/cgi/content/abstract/294/1/R162>

Zhang, G., Jung, B. P., Ho, W., Jugloff, D. G. M., Cheung, H. H., Gurd, J. W., . . . Eubanks, J. H. (2007). Isolation and characterization of LCHN: a novel factor induced by transient global ischemia in the adult rat hippocampus. *Journal of Neurochemistry*, 101(1), 263-273. doi: 10.1111/j.1471-4159.2006.04374.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2006.04374.x>

Zhang, G.-r., Zhao, H., Cook, N., Svestka, M., Choi, E. M., Jan, M., . . . Geller, A. I. (2017). Characteristic and intermingled neocortical circuits encode different visual object discriminations. *Behavioural Brain Research*. doi: <https://doi.org/10.1016/j.bbr.2017.05.016>. <http://www.sciencedirect.com/science/article/pii/S0166432817305144>

Zhang, H., Li, Y., de Carvalho-Barbosa, M., Kavelaars, A., Heijnen, C. J., Albrecht, P. J., & Dougherty, P. M. (2016). Dorsal root ganglion infiltration by macrophages contributes to paclitaxel chemotherapy induced peripheral neuropathy. *The Journal of Pain*. doi: 10.1016/j.jpain.2016.02.011. <http://dx.doi.org/10.1016/j.jpain.2016.02.011>

Zhang, H., Sun, G., Li, X., Fu, Z., Guo, C., Cao, G., . . . Gao, Y. (2019). Inhibition of MALT1 paracaspase activity improves lesion recovery following spinal cord injury. *Science Bulletin*. doi: <https://doi.org/10.1016/j.scib.2019.04.026>. <http://www.sciencedirect.com/science/article/pii/S2095927319302403>

Zhang, J. M., Konkle, A., Zup, S. L., & McCarthy, M. M. (2008). Impact of sex and hormones on new cells in the developing rat hippocampus: a novel source of sex dimorphism? *European Journal of Neuroscience*, 27(4), 791-800. doi: <https://pubmed.ncbi.nlm.nih.gov/18333959/>

Zhang, J. M., Tonelli, L., Regenold, W. T., & McCarthy, M. M. (2010). Effects of neonatal flutamide treatment on hippocampal neurogenesis and synaptogenesis correlate with depression-like behaviors in preadolescent male rats. *Neuroscience*, 169(1), 544-554. doi: <https://pubmed.ncbi.nlm.nih.gov/20399256/>

Zhang, J.-Y., Liu, T.-H., He, Y., Pan, H.-Q., Zhang, W.-H., Yin, X.-P., . . . Pan, B.-X. (2018). Chronic stress remodels synapses in an amygdala circuit-specific manner. *Biological Psychiatry*.

doi: <https://doi.org/10.1016/j.biopsycho.2018.06.019>, <http://www.sciencedirect.com/science/article/pii/S0006322318316330>

Zhang, L., & Hernández, V. S. (2012). Synaptic innervation to rat hippocampus by vasopressin-immuno-positive fibres from the hypothalamic supraoptic and paraventricular nuclei. *Neuroscience*, (0). doi: 10.1016/j.neuroscience.2012.10.010. <http://www.sciencedirect.com/science/article/pii/S0306452212010184?v=s5>

Zhang, L., Hsu, F. C., Mojsilovic-Petrovic, J., Jablonski, A. M., Zhai, J., Coulter, D. A., & Kalb, R. G. (2015). Structure–function analysis of SAP97, a modular scaffolding protein that drives dendrite growth. *Molecular and Cellular Neuroscience*, 65(0), 31-44. doi: <http://dx.doi.org/10.1016/j.mcn.2015.02.011>, <http://www.sciencedirect.com/science/article/pii/S104474311500024X>

Zhang, L., Jablonski, A. M., Mojsilovic-Petrovic, J., Ding, H., Seeholzer, S., Newton, I. P., . . . Kalb, R. G. (2017). SAP97 Binding Partner CRIPT Promotes Dendrite Growth *in Vitro* and *in Vivo*. *ENEURO*, 10.1523/ENEURO.0175-17.2017. doi: <http://eneuro.org/content/early/2017/11/27/ENEURO.0175-17.2017.abstract>

Zhang, L., Ma, Z., Smith, G. M., Wen, X., Pressman, Y., Wood, P. M., & Xu, X. M. (2009). GDNF-enhanced axonal regeneration and myelination following spinal cord injury is mediated by primary effects on neurons. *Glia*, 57(11), 1178-1191. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2855953/>

Zhang, L., Schessl, J., Werner, M., Bonnemann, C., Xiong, G., Mojsilovic-Petrovic, J., . . . Kalb, R. (2008). Role of GluR1 in Activity-Dependent Motor System Development. *Journal of Neuroscience*, 28(40), 9953-9968. doi: 10.1523/jneurosci.0880-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/40/9953>

Zhang, Q., Gao, X., Li, C., Feliciano, C., Wang, D., Zhou, D., . . . Itohara, S. (2016). Impaired Dendritic Development and Memory in Sorbs2 Knock-Out Mice. *The Journal of Neuroscience*, 36(7), 2247-2260. doi: <http://www.jneurosci.org/content/36/7/2247.short>

Zhang, S., Burda, J. E., Anderson, M. A., Zhao, Z., Ao, Y., Cheng, Y., . . . Sofroniew, M. V. (2015). Thermoresponsive Copolyptide Hydrogel Vehicles for Central Nervous System Cell Delivery. *ACS Biomaterials Science & Engineering*. doi: 10.1021/acsbiomaterials.5b00153. <http://dx.doi.org/10.1021/acsbiomaterials.5b00153>

Zhang, S., Wang, P., Ren, L., Hu, C., & Bi, J. (2016). Protective effect of melatonin on soluble A $\beta$ 1-42-induced memory impairment, astrogliosis, and synaptic dysfunction via the Musashi1/Notch1/Hes1 signaling pathway in the rat hippocampus. [journal article]. *Alzheimer's Research & Therapy*, 8(1), 1-18. doi: 10.1186/s13195-016-0206-x. <http://dx.doi.org/10.1186/s13195-016-0206-x>

Zhang, W., & Benson, D. L. (2002). Developmentally regulated changes in cellular compartmentation and synaptic distribution of actin in hippocampal neurons. *Journal of Neuroscience Research*, 69(4), 427-436. doi: <https://pubmed.ncbi.nlm.nih.gov/12210837/>

- Zhang, W., & Benson, D. L. (2006). Targeting and clustering citron to synapses. *Molecular and Cellular Neuroscience*, 31(1), 26-36. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2940124/>
- Zhang, W., & Buckmaster, P. S. (2009). Dysfunction of the Dentate Basket Cell Circuit in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(24), 7846-7856. doi: 10.1523/jneurosci.6199-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/24/7846>
- Zhang, W., Gardell, S., Zhang, D., Xie, J. Y., Agnes, R. S., Badghisi, H., . . . Lai, J. (2008). Neuropathic pain is maintained by brainstem neurons co-expressing opioid and cholecystikinin receptors. *Brain*, awn330. doi: 10.1093/brain/awn330. <http://brain.oxfordjournals.org/cgi/content/abstract/awn330v1>
- Zhang, W., Huguenard, J. R., & Buckmaster, P. S. (2012). Increased Excitatory Synaptic Input to Granule Cells from Hilar and CA3 Regions in a Rat Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 32(4), 1183-1196. doi: 10.1523/jneurosci.5342-11.2012. <http://www.jneurosci.org/content/32/4/1183.abstract>
- Zhang, W., Kobayashi, M., Moritani, M., Masuda, Y., Dong, J., Yagi, T., . . . Morimoto, T. (2003). An involvement of trigeminal mesencephalic neurons in regulation of occlusal vertical dimension in the guinea pig. *Journal of Dental Research*, 82(7), 565-569. doi: <https://pubmed.ncbi.nlm.nih.gov/12821720/>
- Zhang, W., Thamattoor, A. K., LeRoy, C., & Buckmaster, P. S. (2014). Surviving mossy cells enlarge and receive more excitatory synaptic input in a mouse model of temporal lobe epilepsy. *Hippocampus*, n/a-n/a. doi: 10.1002/hipo.22396. <http://dx.doi.org/10.1002/hipo.22396>
- Zhang, W., Yamawaki, R., Wen, X., Uhl, J., Diaz, J., Prince, D. A., & Buckmaster, P. S. (2009). Surviving Hilar Somatostatin Interneurons Enlarge, Sprout Axons, and Form New Synapses with Granule Cells in a Mouse Model of Temporal Lobe Epilepsy. *Journal of Neuroscience*, 29(45), 14247-14256. doi:10.1523/jneurosci.3842-09.2009. <http://www.jneurosci.org/cgi/content/abstract/29/45/14247>
- Zhang, X., C. Rojas, J., & Gonzalez-Lima, F. (2006). Methylene blue prevents neurodegeneration caused by rotenone in the retina. *Neurotoxicity Research*, 9(1), 47-57. doi: <https://pubmed.ncbi.nlm.nih.gov/16464752/>
- Zhang, X., Gokin, A. P., & Jr, G. J. G. (2002). Responses of spinothalamic tract neurons in the thoracic spinal cord of rats to somatic stimuli and to graded distention of the bile duct. *Somatosensory and Motor Research*, 19(1), 5-17. doi: <https://pubmed.ncbi.nlm.nih.gov/11962647/>
- Zhang, X., & Guizzetti, M. (2018). In Vitro and In Vitro Models for Alcohol Toxicity to the Extracellular Matrix of Astrocytes. doi: [https://link.springer.com/protocol/10.1007/7653\\_2018\\_20](https://link.springer.com/protocol/10.1007/7653_2018_20)

Zhang, X., Wang, W.-A., Jiang, L.-X., Liu, H.-Y., Zhang, B.-Z., Lim, N., . . . Huang, F.-D. (2017). Down-regulation of RBO-PI4KIII $\alpha$  facilitates A $\beta$ 42 secretion and ameliorates neural deficits in A $\beta$ 42-expressing Drosophila. *Journal of Neuroscience*, 3567-3516. doi: <http://www.jneurosci.org/content/early/2017/04/19/JNEUROSCI.3567-16.2017>

Zhang, X., Zhu, J., Yang, G.-Y., Wang, Q.-J., Qian, L., Chen, Y.-M., . . . Luo, Z.-G. (2007). Dishevelled promotes axon differentiation by regulating atypical protein kinase C. *Nature Cell Biology* doi: <https://pubmed.ncbi.nlm.nih.gov/17558396/>

Zhang, Y., Bonnan, A., Bony, G., Ferezou, I., Pietropaolo, S., Ginger, M., . . . Frick, A. (2014). Dendritic channelopathies contribute to neocortical and sensory hyperexcitability in Fmr1-/-y mice. [Article]. *Nature Neuroscience*, 17(12), 1701-1709. doi: 10.1038/nn.3864 <https://doi.org/10.1203/PDR.ob013e31806772be>

<http://www.nature.com/neuro/journal/v17/n12/abs/nn.3864.html#supplementa.....> <http://dx.doi.org/10.1038/nn.3864>

Zhang, Y., Buckmaster, P. S., Qiu, L., Wang, J., Keunen, O., Ghobadi, S. N., . . . Wintermark, M. (2021). Non-invasive, neurotoxic surgery reduces seizures in a rat model of temporal lobe epilepsy. *Experimental Neurology*, 343, 113761. doi: <https://doi.org/10.1016/j.expneurol.2021.113761>. <https://www.sciencedirect.com/science/article/pii/S0014488621001679>

Zhang, Y., Du, L., Bai, Y., Han, B., He, C., Gong, L., . . . Yao, H. (2018). CircDYM ameliorates depressive-like behavior by targeting miR-9 to regulate microglial activation via HSP90 ubiquitination. *Molecular Psychiatry*. doi: 10.1038/s41380-018-0285-0. <https://doi.org/10.1038/s41380-018-0285-0>

Zhang, Y., Wang, Y.-G., Zhang, Q., Liu, X.-J., Liu, X., Jiao, L., . . . He, C. (2009). Interaction of mint2 with TRKA is involved in regulation of nerve growth factor-induced neurite outgrowth. *Journal of Biological Chemistry*, M809214200. doi: 10.1074/jbc.M809214200. <http://www.jbc.org/cgi/content/abstract/M809214200v1>

Zhang, Y., Zhang, H., Yuan, X., & Gu, X. (2007). Differential Effects of Phenylalanine on Rac1, Cdc42, and RhoA Expression and Activity in Cultured Cortical Neurons. *Pediatric Research*, 62(1), 8-13. doi: <https://www.nature.com/articles/pr2007162>

Zhang, Y., Zhang, Y. P., Pepinsky, B., Huang, G., Shields, L. B. E., Shields, C. B., & Mi, S. (2015). Inhibition of LINGO-1 promotes functional recovery after experimental spinal cord demyelination. *Experimental Neurology*, (0). doi: <http://dx.doi.org/10.1016/j.expneurol.2015.02.006>. <http://www.sciencedirect.com/science/article/pii/S001448861500028X>

Zhang, Y. F., Liu, L. X., Cao, H. T., Ou, L., Qu, J., Wang, Y., & Chen, J. G. (2015). Otx1 promotes basal dendritic growth and regulates intrinsic electrophysiological and synaptic properties of layer V pyramidal neurons in mouse motor cortex. *Neuroscience*, 285(0), 139-154. doi: <http://dx.doi.org/10.1016/j.neuroscience.2014.11.019>. <http://www.sciencedirect.com/science/article/pii/S0306452214009762>



Zhang, Y.-F., Li, Q.-Q., Qu, J., Sun, C.-M., & Wang, Y. (2016). Alterations of motor cortical microcircuit in a depressive-like mouse model produced by light deprivation. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.11.026> <http://www.sciencedirect.com/science/article/pii/S0306452216306479>

Zhang, Y. P., Iannotti, C., Shields, L. B. E., Han, Y., Burke, D. A., Xu, X. M., & Shields, C. B. (2004). Dural closure, cord approximation, and clot removal: enhancement of tissue sparing in a novel laceration spinal cord injury model. *Journal of Neurosurgery: Spine*, 10(4), 343-352. doi: <https://pubmed.ncbi.nlm.nih.gov/15070142/>

Zhang, Z., Lin, Y.-A., Kim, S.-Y., Su, L., Liu, J., Kannan, R. M., & Kannan, S. (2020). Systemic dendrimer-drug nanomedicines for long-term treatment of mild-moderate cerebral palsy in a rabbit model. *Journal of Neuroinflammation*, 17(1), 319. doi: 10.1186/s12974-020-01984-1. <https://doi.org/10.1186/s12974-020-01984-1>

Zhang, Z., Narayan, S., Su, L., Al-Alawyat, H., Liu, J., & Kannan, S. (2018). Cerebellar injury and impaired function in a rabbit model of maternal inflammation induced neonatal brain injury. *Neurobiology of Learning and Memory*. doi: <https://europepmc.org/abstract/med/30016703>

Zhang, Z., & van Praag, H. (2014). Maternal immune activation differentially impacts mature and adult-born hippocampal neurons in male mice. *Brain, Behavior, and Immunity*, (0). doi: <http://dx.doi.org/10.1016/j.bbi.2014.10.010> <http://www.sciencedirect.com/science/article/pii/S0889159114005078>

Zhang, Z.-w. (2004). Maturation of Layer V Pyramidal Neurons in the Rat Prefrontal Cortex: Intrinsic Properties and Synaptic Function. *Journal of Neurophysiology*, 91(3), 1171-1182. doi: 10.1152/jn.00855.2003. <http://jn.physiology.org/cgi/content/abstract/91/3/1171>

Zhang, Z. W., & Deschenes, M. (1998). Projections to layer VI of the posteromedial barrel field in the rat: a reappraisal of the role of corticothalamic pathways. *Cerebral Cortex*, 8(5), 428-436. doi: <https://pubmed.ncbi.nlm.nih.gov/9722086/>

Zhao, H. B., Parham, K., Ghoshal, S., & Kim, D. O. (1995). Small neurons in the vestibular nerve root project to the marginal shell of the anteroventral cochlear nucleus in the cat. *Brain Research*, 700(1-2), 295-298. doi: <https://pubmed.ncbi.nlm.nih.gov/8624725/>

Zhao, H.-M., Wenthold, R. J., & Petralia, R. S. (1998). Glutamate Receptor Targeting to Synaptic Populations on Purkinje Cells Is Developmentally Regulated. *Journal of Neuroscience*, 18(14), 5517-5528. doi: <http://www.jneurosci.org/cgi/content/abstract/18/14/5517>

Zhao, L., Gong, N., Liu, M., Pan, X., Sang, S., Sun, X., . . . Xu, T. (2014). Beneficial synergistic effects of microdose lithium with pyrroloquinoline quinone in an Alzheimer's disease mouse model. *Neurobiology of Aging*. doi: 10.1016/j.neurobiolaging.2014.06.003. [http://www.neurobiologyofaging.org/article/S0197-4580\(14\)00404-7/abstract](http://www.neurobiologyofaging.org/article/S0197-4580(14)00404-7/abstract)

Zhao, P., Hill, M., Liu, S., Chen, L., Bangalore, L., Waxman, S. G., & Tan, A. M. (2016). Dendritic Spine Remodeling Following Early and Late Rac1-Inhibition after Spinal Cord Injury: Evidence for a Pain Biomarker. [10.1152/jn.01057.2015]. *Journal of Neurophysiology*. doi: <http://jn.physiology.org/content/early/2016/02/25/jn.01057.2015.abstract>

Zhao, Q.-R., Lu, J.-M., Yao, J.-J., Zhang, Z.-Y., Ling, C., & Mei, Y.-A. (2015). Neuritin reverses deficits in murine novel object associative recognition memory caused by exposure to extremely low-frequency (50 Hz) electromagnetic fields. [Article]. *Sci. Rep.*, 5. doi: 10.1038/srep11768

<http://www.nature.com/srep/2015/150703/srep11768/abs/srep11768.html#supp.....> <http://dx.doi.org/10.1038/srep11768>

Zhao, S., Gao, X., Dong, W., & Chen, J. (2015). The Role of 7,8-Dihydroxyflavone in Preventing Dendrite Degeneration in Cortex After Moderate Traumatic Brain Injury. *Molecular Neurobiology*, 1-12. doi: 10.1007/s12035-015-9128-z. <http://dx.doi.org/10.1007/s12035-015-9128-z>

Zhao, S., Yu, A., Wang, X., Gao, X., & Chen, J. (2015). Post-injury treatment of 7,8-dihydroxyflavone promotes neurogenesis in the hippocampus of the adult mouse. *Journal of Neurotrauma*. doi: 10.1089/neu.2015.4036. <http://dx.doi.org/10.1089/neu.2015.4036>

Zhao, X.-F., Liao, Y., Alam, M. M., Mathur, R., Feustel, P., Mazurkiewicz, J. E., . . . Huang, Y. (2020). Microglial mTOR is neuronal protective and anti-epileptogenic in the pilocarpine model of temporal lobe epilepsy. *The Journal of Neuroscience*, JN-RM-2754-2719. doi: 10.1523/jneurosci.2754-19.2020. <https://www.jneurosci.org/content/jneuro/early/2020/08/28/JNEUROSCI.2754...>

Zhao, Z., Lange, D., Voustianiouk, A., MacGrogan, D., Ho, L., Suh, J., . . . Pasinetti, G. (2006). A ketogenic diet as a potential novel therapeutic intervention in amyotrophic lateral sclerosis. *BMC Neuroscience*, 7(1), 29. doi: <http://www.biomedcentral.com/1471-2202/7/29>

Zhao, Z., Lange, D. J., Ho, L., Bonini, S., Shao, B., Salton, S. R., . . . Pasinetti, G. M. (2008). Vgf is a novel biomarker associated with muscle weakness in amyotrophic lateral sclerosis (ALS), with a potential role in disease pathogenesis. *International Journal of Medical Sciences*, 5(2), 92-92. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2323610/>

Zhao, Z., Ong, L. K., Johnson, S., Nilsson, M., & Walker, F. R. (2017). Chronic stress induced disruption of the peri-infarct neurovascular unit following experimentally induced photothrombotic stroke. *Journal of Cerebral Blood Flow and Metabolism*, 0(0), 0271678X17696100. doi: doi:10.1177/0271678X17696100. <http://journals.sagepub.com/doi/abs/10.1177/0271678X17696100>

Zheng, F., Lammert, K., Nixdorf-Bergweiler, B. E., Steigerwald, F., Volkmann, J., & Alzheimer, C. (2011). Axonal failure during high frequency stimulation of rat subthalamic nucleus. *Journal of Physiology*, 589(11), 2781-2793. doi: 10.1113/jphysiol.2011.205807. <http://dx.doi.org/10.1113/jphysiol.2011.205807>

Zheng, J., Shen, W.-H., Lu, T.-J., Zhou, Y., Chen, Q., Wang, Z., . . . Xiong, Z.-Q. (2008). Clathrin-dependent endocytosis is required for TrkB-dependent Akt-mediated neuronal protection and dendritic growth. *Journal of Biological Chemistry*, M709930200. doi: 10.1074/jbc.M709930200. <http://www.jbc.org/cgi/content/abstract/M709930200v1>

Zheng, J., Xu, D. F., Li, K., Wang, H. T., Shen, P. C., Lin, M., . . . Wang, R. (2011). Neonatal exposure to fluoxetine and fluvoxamine alters spine density in mouse hippocampal CA1 pyramidal neurons. *International journal of clinical and experimental pathology*, 4(2), 162-162. doi: <https://pubmed.ncbi.nlm.nih.gov/21326811/>

Zheng, W., Geng, A.-q., Li, P.-F., Wang, Y., & Yuan, X.-b. (2011). Robo4 Regulates the Radial Migration of Newborn Neurons in Developing Neocortex. *Cerebral Cortex*, bhr330. doi: 10.1093/cercor/bhr330. <http://cercor.oxfordjournals.org/cgi/content/abstract/bhr330v1>

Zheng, Y., Wildonger, J., Ye, B., Zhang, Y., Kita, A., Younger, S. H., . . . Jan, Y. N. (2008). Dynein is required for polarized dendritic transport and uniform microtubule orientation in axons. *Nature Cell Biology*, 10(10), 1172-1180. doi: <https://pubmed.ncbi.nlm.nih.gov/18758451/>

Zhong, J., Deng, J., Phan, J., Dlouhy, S., Wu, H., Yao, W., . . . Lee, W. H. (2005). Insulin-like growth factor-I protects granule neurons from apoptosis and improves ataxia in weaver mice. *Journal of Neuroscience Research*, 80(4), 481-490. doi: <https://pubmed.ncbi.nlm.nih.gov/15846777/>

Zhou, B., Cai, Q., Xie, Y., & Sheng, Z.-H. (2012). Snapin Recruits Dynein to BDNF-TrkB Signaling Endosomes for Retrograde Axonal Transport and Is Essential for Dendrite Growth of Cortical Neurons. *Cell Reports*, (0). doi: 10.1016/j.celrep.2012.06.010. <http://www.sciencedirect.com/science/article/pii/S221124712001702>

Zhou, D. Q., Xiang, D. H., Li, D. A., Lin, D. W., Huang, D. Z., Guo, M. J., . . . Ren, D. Y. (2018). Activating Adiponectin Signaling with Exogenous AdipoRon Reduces Myelin Lipid Accumulation and Suppresses Macrophage Recruitment after Spinal Cord Injury. *Journal of Neurotrauma*, 0(ja), null. doi: 10.1089/neu.2018.5783. <https://www.liebertpub.com/doi/abs/10.1089/neu.2018.5783>

Zhou, F., Yin, G., Gao, Y., Liu, D., Xie, J., Ouyang, L., . . . Fan, G. (2019). Toxicity assessment due to prenatal and lactational exposure to lead, cadmium and mercury mixtures. *Environment International*, 133, 105192. doi: <https://doi.org/10.1016/j.envint.2019.105192> <http://www.sciencedirect.com/science/article/pii/S0160412019319154>

Zhou, F. C., Anthony, B., Dunn, K. W., Lindquist, W. B., Xu, Z. C., & Deng, P. (2007). Chronic alcohol drinking alters neuronal dendritic spines in the brain reward center nucleus accumbens. *Brain Research*, 1134, 148-161. doi: <https://pubmed.ncbi.nlm.nih.gov/17198693/>

Zhou, H., Friedman, H. S., & von der Heydt, R. (2000). Coding of Border Ownership in Monkey Visual Cortex. *Journal of Neuroscience*, 20(17), 6594-6611. doi: <http://www.jneurosci.org/cgi/content/abstract/20/17/6594>

Zhou, H., Gao, S., Duan, X., Liang, S., Scott, D. A., Lamont, R. J., & Wang, H. (2015). Inhibition of serum- and glucocorticoid-inducible kinase 1 enhances TLR-mediated inflammation and promotes endotoxin-driven organ failure. *The FASEB journal*. doi: 10.1096/fj.15-270462. <http://www.fasebj.org/content/early/2015/05/20/fj.15-270462.abstract>

Zhou, L., Huang, K.-X., Kecojevic, A., Welsh, A. M., & Koliatsos, V. E. (2006). Evidence that serotonin reuptake modulators increase the density of serotonin innervation in the forebrain. *Journal of Neurochemistry*, 96(2), 396-406. doi: doi:10.1111/j.1471-4159.2005.03562.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1471-4159.2005.03562.x>

Zhou, L. H., & Wu, W. (2006). Survival of injured spinal motoneurons in adult rat upon treatment with glial cell line-derived neurotrophic factor at 2 weeks but not at 4 weeks after root avulsion. *Journal of Neurotrauma*, 23(6), 920-927. doi. <https://pubmed.ncbi.nlm.nih.gov/16774476/>

Zhou, P., Burton, S. D., Snyder, A. C., Smith, M. A., Urban, N. N., & Kass, R. E. (2015). Establishing a Statistical Link between Network Oscillations and Neural Synchrony. *PLoS Comput Biol*, 11(10), e1004549. doi: 10.1371/journal.pcbi.1004549. <http://dx.doi.org/10.1371%2Fjournal.pcbi.1004549>

Zhou, T., John-Alder, H. B., Weis, J. S., & Weis, P. (2000). Endocrine disruption: thyroid dysfunction in mummichogs (< i> Fundulus heteroclitus) from a polluted habitat. *Marine Environmental Research*, 50(1), 393-397. doi. <https://pubmed.ncbi.nlm.nih.gov/11460725/>

Zhou, T., John-Alder, H. B., Weis, P., & Weis, J. S. (1999). Thyroidal status of mummichogs (*Fundulus heteroclitus*) from a polluted versus a reference habitat. *Environmental Toxicology and Chemistry*, 18(12), 2817-2823. doi. [https://www.academia.edu/es/20528080/Thyroidal\\_status\\_of\\_mummichogs\\_Fundulus\\_heteroclitus\\_from\\_a\\_polluted\\_vs\\_a\\_reference\\_habitat](https://www.academia.edu/es/20528080/Thyroidal_status_of_mummichogs_Fundulus_heteroclitus_from_a_polluted_vs_a_reference_habitat)

Zhou, W., Wang, G., Small, C. L., Liu, Z., Weng, C. C., Yang, L., . . . Meistrich, M. L. (2010). Gene Expression Alterations by Conditional Knockout of Androgen Receptor in Adult Sertoli Cells of Utp14b<sup>jsd/jsd</sup> Mice. *Biology of Reproduction*, 83(5), 759-766. doi: 10.1095/biolreprod.110.085472. <http://www.biolreprod.org/content/83/5/759.abstract>

Zhou, W., Zhang, L., Guoxiang, X., Mojsilovic-Petrovic, J., Takamaya, K., Sattler, R., . . . Kalb, R. (2008). GluR1 Controls Dendrite Growth through Its Binding Partner, SAP97. *Journal of Neuroscience*, 28(41), 10220-10233. doi: 10.1523/jneurosci.3434-08.2008. <http://www.jneurosci.org/cgi/content/abstract/28/41/10220>

Zhou, W. L., Yan, P., Wuskell, J. P., Loew, L. M., & Antic, S. D. (2008). Dynamics of action potential backpropagation in basal dendrites of prefrontal cortical pyramidal neurons. *European Journal of Neuroscience*, 27(4), 923-936. doi. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2715167/>

Zhou, W.-L., Short, S. M., Rich, M. T., Oikonomou, K. D., Singh, M. B., Sterjanaj, E. V., & Antic, S. D. (2014). Branch specific and spike-order specific action potential invasion in basal, oblique,

and apical dendrites of cortical pyramidal neurons. *Neurophotonics*, 2(2), 021006-021006. doi: 10.1117/1.NPh.2.2.021006. <http://dx.doi.org/10.1117/1.NPh.2.2.021006>

Zhou, X., Mansori, I., Fischer, T., Witte, M., & Staiger, J. F. (2019). Characterizing the morphology of somatostatin-expressing interneurons and their synaptic innervation pattern in the barrel cortex of the GIN mouse. *Journal of Comparative Neurology*, 0(ja). doi: 10.1002/cne.24756. <https://onlinelibrary.wiley.com/doi/abs/10.1002/cne.24756>

Zhou, X., Rickmann, M., Hafner, G., & Staiger, J. F. (2017). Subcellular Targeting of VIP Boutons in Mouse Barrel Cortex is Layer-Dependent and not Restricted to Interneurons. *Cerebral Cortex*, 1-16. doi: <https://academic.oup.com/cercor/article/doi/10.1093/cercor/bhx220/409636...>

Zhou, X., & Wong, S. (2008). Computational systems bioinformatics and bioimaging for pathway analysis and drug screening. *Proceedings of the IEEE*, 96(8), 1310-1331. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2790217/>

Zhou, X., & Wong, S. T. C. (2008). A primer on image informatics of high content screening. *High Content Screening*, 43-84. doi: [https://www.researchgate.net/publication/229757562\\_A\\_Primer\\_on\\_Image\\_Informatics\\_of\\_High\\_Content\\_Screening](https://www.researchgate.net/publication/229757562_A_Primer_on_Image_Informatics_of_High_Content_Screening)

Zhou, X.-P., Wu, K.-Y., Liang, B., Fu, X.-Q., & Luo, Z.-G. (2008). TrkB-mediated activation of geranylgeranyltransferase I promotes dendritic morphogenesis. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0800846105. <http://www.pnas.org/content/early/2008/10/27/0800846105.abstract>

Zhou, Y., Ji, J., Chen, C., & Hong, F. (2019). Retardation of axonal and dendritic outgrowth is associated with MAPK signaling pathway in offspring mice following maternal exposure to nano titanium dioxide. *Journal of Agricultural and Food Chemistry*. doi: 10.1021/acs.jafc.8b06992. <https://doi.org/10.1021/acs.jafc.8b06992>

Zhou, Y. D., Lee, S., Jin, Z., Wright, M., Smith, S. E. P., & Anderson, M. P. (2009). Arrested maturation of excitatory synapses in autosomal dominant lateral temporal lobe epilepsy. *Nature Medicine*, 15(10), 1208-1214. doi: <https://pubmed.ncbi.nlm.nih.gov/19701204/>

Zhu, D. Y., Liu, S. H., Sun, H. S., & Lu, Y. M. (2003). Expression of Inducible Nitric Oxide Synthase after Focal Cerebral Ischemia Stimulates Neurogenesis in the Adult Rodent Dentate Gyrus. *Journal of Neuroscience*, 23(1), 223-229. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6742157/>

Zhu, H., Clemens, S., Sawchuk, M., & Hochman, S. (2007). Expression and distribution of all dopamine receptor subtypes (D1-D5) in the mouse lumbar spinal cord: A real-time polymerase chain reaction and non-autoradiographic in situ hybridization study. *Neuroscience*, 149(4), 885-897. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2185067/>

- Zhu, H., & Luo, L. (2004). Diverse functions of N-cadherin in dendritic and axonal terminal arborization of olfactory projection neurons. *Neuron*, 42(1), 63-75. doi: <http://pubmed.ncbi.nlm.nih.gov/15066265/>
- Zhu, J. J. (2000). Maturation of layer 5 neocortical pyramidal neurons: amplifying salient layer 1 and layer 4 inputs by Ca<sup>2+</sup> action potentials in adult rat tuft dendrites. *Journal of Physiology*, 526(3), 571-587. doi: <http://jp.physoc.org/cgi/content/abstract/526/3/571>
- Zhu, J. J. (2009). Activity Level-Dependent Synapse-Specific AMPA Receptor Trafficking Regulates Transmission Kinetics. *Journal of Neuroscience*, 29(19), 6320-6335. doi: 10.1523/jneurosci.4630-08.2009. <http://www.jneurosci.org/cgi/content/abstract/29/19/6320>
- Zhu, J. J., & Connors, B. W. (1999). Intrinsic Firing Patterns and Whisker-Evoked Synaptic Responses of Neurons in the Rat Barrel Cortex. *Journal of Neurophysiology*, 81(3), 1171-1183. doi: <http://jn.physiology.org/cgi/content/abstract/81/3/1171>
- Zhu, J. J., & Heggelund, P. (2001). Muscarinic Regulation of Dendritic and Axonal Outputs of Rat Thalamic Interneurons: A New Cellular Mechanism for Uncoupling Distal Dendrites. *Journal of Neuroscience*, 21(4), 1148-1159. doi: <http://www.jneurosci.org/cgi/content/abstract/21/4/1148>
- Zhu, J. J., & Lo, F.-S. (1999). Three GABA Receptor-Mediated Postsynaptic Potentials in Interneurons in the Rat Lateral Geniculate Nucleus. *Journal of Neuroscience*, 19(14), 5721-5730. doi: <http://www.jneurosci.org/cgi/content/abstract/19/14/5721>
- Zhu, L.-Q., Zheng, H.-Y., Peng, C.-X., Liu, D., Li, H.-L., Wang, Q., & Wang, J.-Z. (2010). Protein Phosphatase 2A Facilitates Axonogenesis by Dephosphorylating CRMP2. *Journal of Neuroscience*, 30(10), 3839-3848. doi: 10.1523/jneurosci.5174-09.2010. <http://www.jneurosci.org/cgi/content/abstract/30/10/3839>
- Zhu, X., Liu, Y., Yin, Y., Shao, A., Zhang, B., Kim, S., & Zhou, J. (2009). MSC p43 required for axonal development in motor neurons. *Proceedings of the National Academy of Sciences*, -. doi: 10.1073/pnas.0901872106. <http://www.pnas.org/content/early/2009/08/25/0901872106.abstract>
- Zhu, Y., Fenik, P., Zhan, G., Mazza, E., Kelz, M., Aston-Jones, G., & Veasey, S. C. (2007). Selective Loss of Catecholaminergic Wake Active Neurons in a Murine Sleep Apnea Model. *Journal of Neuroscience*, 27(37), 10060-10071. doi: 10.1523/jneurosci.0857-07.2007. <http://www.jneurosci.org/cgi/content/abstract/27/37/10060>
- Zhu, Y., Stornetta, R. L., & Zhu, J. J. (2004). Chandelier Cells Control Excessive Cortical Excitation: Characteristics of Whisker-Evoked Synaptic Responses of Layer 2/3 Nonpyramidal and Pyramidal Neurons. *Journal of Neuroscience*, 24(22), 5101-5108. doi: <http://www.jneurosci.org/cgi/content/abstract/24/22/5101>



Zhu, Y., Xu, J., Hauswirth, W. W., & DeVries, S. H. (2014). Genetically Targeted Binary Labeling of Retinal Neurons. *The Journal of Neuroscience*, 34(23), 7845-7861. doi: <http://www.jneurosci.org/content/34/23/7845.short>

Zhu, Y., Zhang, Q., Zhang, W., Li, N., Dai, Y., Tu, J., . . . Wang, R. (2017). Protective Effect of 17 $\beta$ -Estradiol Upon Hippocampal Spine Density and Cognitive Function in an Animal Model of Vascular Dementia. *Scientific Reports*, 7, 42660. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5311994/>

Zhu, Y., & Zhu, J. J. (2004). Rapid Arrival and Integration of Ascending Sensory Information in Layer 1 Nonpyramidal Neurons and Tuft Dendrites of Layer 5 Pyramidal Neurons of the Neocortex. *Journal of Neuroscience*, 24(6), 1272-1279. doi: 10.1523/jneurosci.4805-03.2004. <http://www.jneurosci.org/cgi/content/abstract/24/6/1272>

Zhu, Y.-B., Xu, L., Wang, Y., Zhang, R., Wang, Y.-C., Li, J.-B., & Mu, D. (2020). Posterior Thalamic Nucleus Mediates Facial Histaminergic Itch. *Neuroscience*. doi: <https://doi.org/10.1016/j.neuroscience.2020.07.048>. <http://www.sciencedirect.com/science/article/pii/S030645222030498X>

Ziburkus, J., Cressman, J. R., & Schiff, S. (2012). Seizures As Imbalanced Up States: Excitatory And Inhibitory Conductances During Seizure-Like Events. *Journal of Neurophysiology*. doi: 10.1152/jn.00232.2012. <http://jn.physiology.org/content/early/2012/11/30/jn.00232.2012.abstract>

Zikopoulos, B., & Barbas, H. (2006). Prefrontal Projections to the Thalamic Reticular Nucleus form a Unique Circuit for Attentional Mechanisms. *Journal of Neuroscience*, 26(28), 7348-7361. doi: 10.1523/jneurosci.5511-05.2006. <http://www.jneurosci.org/cgi/content/abstract/26/28/7348>

Zikopoulos, B., & Barbas, H. (2007). Parallel driving and modulatory pathways link the prefrontal cortex and thalamus. *PLoS ONE*, 2(9), e848-e848. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1952177/>

Zikopoulos, B., & Barbas, H. (2012). Pathways for Emotions and Attention Converge on the Thalamic Reticular Nucleus in Primates. *Journal of Neuroscience*, 32(15), 5338-5350. doi: 10.1523/jneurosci.4793-11.2012. <http://www.jneurosci.org/content/32/15/5338.abstract>

Zikopoulos, B., García-Cabezas, M. Á., & Barbas, H. (2018). Parallel trends in cortical gray and white matter architecture and connections in primates allow fine study of pathways in humans and reveal network disruptions in autism. *PLoS Biology*, 16(2), e2004559. doi: 10.1371/journal.pbio.2004559. <https://doi.org/10.1371/journal.pbio.2004559>

Zikopoulos, B., John, Y. J., García-Cabezas, M. Á., Bunce, J. G., & Barbas, H. (2016). The intercalated nuclear complex of the primate amygdala. *Neuroscience*. doi: <http://dx.doi.org/10.1016/j.neuroscience.2016.05.052>. <http://www.sciencedirect.com/science/article/pii/S0306452216302111>

Zilberstein, Y., Liberman, M. C., & Corfas, G. (2012). Inner Hair Cells Are Not Required for Survival of Spiral Ganglion Neurons in the Adult Cochlea. *Journal of Neuroscience*, 32(2),

405-410. doi: 10.1523/jneurosci.4678-11.2012. <http://www.jneurosci.org/content/32/2/405.abstract>

Zimmer, L. A., Ennis, M., Wiley, R. G., & Shipley, M. T. (1998). Nerve Gas-Induced Seizures: Role of Acetylcholine in the Rapid Induction of Fos and Glial Fibrillary Acidic Protein in Piriform Cortex. *Journal of Neuroscience*, 18(10), 3897-3908.

doi: <http://www.jneurosci.org/cgi/content/abstract/18/10/3897>

Zimmer, S. E., Doll, S. G., Garcia, A. D. R., & Akins, M. R. (2016). Splice form-dependent regulation of axonal arbor complexity by FMRP. *Developmental Neurobiology*, n/a-n/a. doi: 10.1002/dneu.22453. <http://dx.doi.org/10.1002/dneu.22453>

Zirlinger, M. (2003). Selection and validation of microarray candidate genes from subregions and subnuclei of the brain. *Methods*, 31(4), 290-300. doi: <https://pubmed.ncbi.nlm.nih.gov/14597313/>

Zirlinger, M., Kreiman, G., & Anderson, D. J. (2001). Amygdala-enriched genes identified by microarray technology are restricted to specific amygdaloid subnuclei. *Proceedings of the National Academy of Sciences*, 98(9), 5270-5275. doi:

10.1073/pnas.091094698. <http://www.pnas.org/cgi/content/abstract/98/9/5270>

Zito, K., Knott, G., Shepherd, G. M. G., Shenolikar, S., & Svoboda, K. (2004). Induction of spine growth and synapse formation by regulation of the spine actin cytoskeleton. *Neuron*, 44(2), 321-334. doi: <https://pubmed.ncbi.nlm.nih.gov/15473970/>

Zito, K., Scheuss, V., Knott, G., Hill, T., & Svoboda, K. (2009). Rapid functional maturation of nascent dendritic spines. *Neuron*, 61(2), 247-258. doi: <https://pubmed.ncbi.nlm.nih.gov/19186167/>

Zitterkopf, N. L., McNeal, D. W., Eyster, K. M., Bradley, D. S., & Cafruny, W. A. (2004). Lactate dehydrogenase-elevating virus induces apoptosis in cultured macrophages and in spinal cords of C58 mice coincident with onset of murine amyotrophic lateral sclerosis. *Virus Research*, 106(1), 35-42. doi: <https://pubmed.ncbi.nlm.nih.gov/15522445/>

Zomorodi, R., Ferecskó, A. S., Kovács, K., Kröger, H., & Timofeev, I. (2010). Analysis of morphological features of thalamocortical neurons from the ventroposterolateral nucleus of the cat. *Journal of Comparative Neurology*, 518(17), 3541-3556. doi: <https://onlinelibrary.wiley.com/doi/10.1002/cne.22413>

Zomorodi, R., Kröger, H., & Timofeev, I. (2008). Modeling thalamocortical cell: impact of Ca<sup>2+</sup> channel distribution and cell geometry on firing pattern. *Frontiers in Computational Neuroscience*, 2. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2610532/>

Zörner, B., Bachmann, L. C., Filli, L., Kapitza, S., Gullo, M., Bolliger, M., . . . Schwab, M. E. (2014). Chasing central nervous system plasticity: the brainstem's contribution to locomotor recovery in rats with spinal cord injury. *Brain*. doi:

10.1093/brain/awu078. <http://brain.oxfordjournals.org/content/early/2014/04/14/brain.awu078.ab...>

Zortea, M., Merlini, L., & Mostacciolo, M. L. (2004). A novel 9bp insertion in GJB1 gene causing late onset, intermediate CMT in an Italian patient. *Journal of the Peripheral Nervous System*, 9(2), 123-123. doi: doi:10.1111/j.1085-9489.2004.009209bj.x. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1085-9489.2004.009209...>

Zucca, S., Pasquale, V., Lagomarsino de Leon Roig, P., Panzeri, S., & Fellin, T. (2019). Thalamic Drive of Cortical Parvalbumin-Positive Interneurons during Down States in Anesthetized Mice. *Current Biology*. doi: <https://doi.org/10.1016/j.cub.2019.04.007>. <http://www.sciencedirect.com/science/article/pii/S0960982219304051>

Zuccotti, A., Le Magueresse, C., Chen, M., Neitz, A., & Monyer, H. (2014). The transcription factor Fezf2 directs the differentiation of neural stem cells in the subventricular zone toward a cortical phenotype. *Proceedings of the National Academy of Sciences*. doi: 10.1073/pnas.1320290111. <http://www.pnas.org/content/early/2014/07/02/1320290111.abstract>

Zufferey, P. D., Jin, F., Nakamura, H., Tettoni, L., & Innocenti, G. M. (1999). The role of pattern vision in the development of cortico-cortical connections. *European Journal of Neuroscience*, 11(8), 2669-2688. doi: doi:10.1046/j.1460-9568.1999.00683.x. <http://www.blackwell-synergy.com/doi/abs/10.1046/j.1460-9568.1999.00683.x>

Zuidema, J. M., Desmond, G. P., Rivet, C. J., Kearns, K. R., Thompson, D. M., & Gilbert, R. J. (2015). Nebulized solvent ablation of aligned PLLA fibers for the study of neurite response to anisotropic-to-isotropic fiber/film transition (AFFT) boundaries in astrocyte-neuron co-cultures. *Biomaterials*, 46(0), 82-94. doi: <http://dx.doi.org/10.1016/j.biomaterials.2014.12.046>. <http://www.sciencedirect.com/science/article/pii/S0142961214012964>

Zuloaga, D. G., Carbone, D. L., & Handa, R. J. (2012). Prenatal dexamethasone selectively decreases calretinin expression in the adult female lateral amygdala. *Neuroscience Letters*. doi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3395764/>

Zuloaga, D. G., Carbone, D. L., Quihuis, A., Hiroi, R., Chong, D. L., & Handa, R. J. (2011). Perinatal dexamethasone-induced alterations in apoptosis within the hippocampus and paraventricular nucleus of the hypothalamus are influenced by age and sex. *Journal of Neuroscience Research*. doi: <https://pubmed.ncbi.nlm.nih.gov/22388926/>

Zuloaga, D. G., Yahn, S. L., Pang, Y., Quihuis, A. M., Oyola, M. G., Reyna, A., . . . Mani, S. K. (2012). Distribution and Estrogen Regulation of Membrane Progesterone Receptor- $\beta$  in the Female Rat Brain. *Endocrinology*. doi: 10.1210/en.2012-1469. <http://endo.endojournals.org/content/early/2012/07/03/en.2012-1469.abstract>

Zuriel, E., & Devor, M. (2001). Dye coupling does not explain functional crosstalk within dorsal root ganglia. *Journal of the Peripheral Nervous System*, 6(4), 227. doi: <https://pubmed.ncbi.nlm.nih.gov/11800046/>

Zweifel, S., Buquet, J., Caruso, L., Rousseau, D., & Raineteau, O. (2018). "FlashMap" - A Semi-Automatic Tool for Rapid and Accurate Spatial Analysis of Marker Expression in the Subventricular Zone. *Scientific Reports*, 8(1), 16086. doi: 10.1038/s41598-018-33939-1. <https://doi.org/10.1038/s41598-018-33939-1>

Zwirner, J., Möbius, D., Bechmann, I., Arendt, T., Hoffmann, K.-T., Jäger, C., . . . Hammer, N. (2016). Subthalamic nucleus volumes are highly consistent but decrease age-dependently— a combined magnetic resonance imaging and stereology approach in humans. *Human Brain Mapping*, n/a-n/a. doi: 10.1002/hbm.23427. <http://dx.doi.org/10.1002/hbm.23427>